


093745



**GEOCHEMISTRY ASSESSMENT REPORT  
ON THE  
CW 1-24 CLAIM GROUP  
CLAIMS SHEET 105D-6  
WHITEHORSE MINING DISTRICT**

**LAT: 60° 15' N.  
LONG: 135 15½' W.**

**TERENCE M. ELLIOTT, M.S.  
CHIEF GEOLOGIST  
OMNI RESOURCES INC.  
TRUMPETER YUKON GOLD INC.  
NOVEMBER 27, 1997**

This report has been examined by  
the Geological Evaluation Unit  
under Section 53 (4) Yukon Quartz  
Mining Act and is allowed as  
representation work in the amount  
of \$ 5000.00.

*for* *M.B. L.*  
Regional Manager, Exploration and  
Geological Services for Commissioner  
of Yukon Territory.

**TABLE OF CONTENTS**

CLAIMS ..... 3

NOTES ON CW CLAIMS TALUS AND  
GEOCHEMICAL SURVEY AT APPROXIMATELY  
THE 5000 FOOT (1525 METERS) ELEVATIONAL CONTOUR ..... 3

    INTRODUCTION ..... 3

    LOCATION OF GEOCHEMICAL SURVEY ..... 3

ANALYSIS OF SURVEY RESULTS

    (1) Anomalous Soil Samples ..... 3

        Major Multi-element Anomalies ..... 3

    (2) Anomalous Talus Samples ..... 4

        Important Multi-element Anomalous  
        Samples ..... 4

    (3) Summary, Conclusions and Recommendations ..... 4

STATEMENTS OF QUALIFICATION ..... 5

GEOCHEMICAL SURVEY COSTS ..... 6

**FIGURES**

- FIGURE 1: Location of CW 1-24 Claim  
Group on 105 D-6 Claims Map
- FIGURE 2: Sample Location Map

**APPENDICES**

- APPENDIX 1: Geochemical Analyses Certificates  
with Results from Acme Analytical Labs ltd.
- APPENDIX 2: Receipt for Preparation and Analysis by Acme Analytical Labs Ltd.

## CLAIMS

This report covers work done by Chris Gooliaff, and supervised by Terry Elliott on the following claims:

<u>Name</u>	<u>Tag Number</u>	<u>Owners</u>
CW1-24	YB67004-27	Omni Resources Inc. Trumpeter Yukon Gold Inc.

The southwest corner of claim group is approximately two kilometers in a straight line due north of the Omni – Trumpeter drill and mining trailer camp.

## NOTES ON CW CLAIMS TALUS AND SOIL GEOCHEMICAL SURVEY AT APPROXIMATELY THE 5000 FOOT (1525 METER) ELEVATIONAL CONTOUR

### INTRODUCTION

A three day geochemical survey was undertaken by Chris Gooliaff of Aurum Geological Consultants under the supervision of Terry Elliott of Omni Resources Inc. between August 20 and August 24, 1997. One hundred and eighty four samples were taken and sent in for assay to Acme Labs of Vancouver, BC.

### LOCATION OF GEOCHEMICAL SURVEY

The CW Claim Group (see figures 1 and 2) is located mainly (except for part of claims CW 1-6 and 13-15 on Claim Sheet 105D-3), on Claim Sheet 105D-6 on the western part of Vesuvius Hill. A 4-wheel-drive road leads from Omni Resources' and Trumpeter Yukon Gold's camp north of Butte Creek, (where the "old" Mount Skukum Mill was built), to the west and north west sides of Vesuvius Hill. Samples were taken along the 5000 foot contour of elevation (approx. 525 meters) at 50 meter (approximately 164 feet) intervals.

### ANALYSIS OF SURVEY RESULTS

Appendix I and gives the geochemical results for the 87 talus fines rock samples and 97 "B-horizon" soil samples collected.

## 1) Anomalous Soil Samples

### Major Multi-element Anomalies (Circled on the geochemistry results sheets)

**CW-82 and 83-S:** Of special interest are the silver (716 and 299 ppb), gold (5 and 7 ppb) and barium (476 and 582 ppb) values west of the major north trending gully on the north side of Vesuvius Hill. A road leads up to the Zone of interest, as this area had been previously drilled by Shakwak Explorations in the mid – 1980's.

**CW-87-S to CW-89-S:** East of the above-mentioned gully, these samples contain 558, 987, and 536 ppm barium, respectively and 160, 268 and 422 ppb mercury, respectively.

**CW-91-S to CW-97-S:** With CW-93-T which is high in Zn (91.3 ppm), Fe (3.29%), As (9.2 ppm), U (15 ppm), Sr (45ppm), Sb (0.6 ppm), V (38 ppm), P (.107%), Mg (.55%), Ti (.27%), Al (1.74%), Ga (9.5 ppm) and Au (4 ppb), these samples (except CW-91-S) are anomalous in silver (Ag) and the first four samples are anomalous in mercury (Hg), iron (Fe) and Strontium (Sr). In addition, samples CW-94-S and 95-S contain high barium (Ba).

**CW-135, 137 and 148-S:** These samples, on the center, east side of the contoured hillside are high in silver (268, 165 and 265 ppb, respectively), samples 135-S and 137-S are anomalous in barium (797 and 789 ppm, respectively), sample 135-S is weakly anomalous in molybdenum (12.7 ppm), and sample 148-S contains 13 ppb gold.

## 2) Anomalous Talus Samples

### Important Multi-element Anomalous Samples (Circled on the results sheets):

**CW-93-T:** Previously mentioned in association with soil samples CW-91-S to CW- 97-S.

**CW-108-T, 110-T and 114 – T:** These samples were taken along a north-facing slope between two soil anomalies which are also on north-facing slopes NW and SE of these talus fines highs. Samples 110-T and 114-T are of special interest because 110-T contains 161 ppb silver, 3.6% iron, 135 ppb mercury and 11.1ppm gallium, and 114-T contains high barium (547ppm) and mercury (213 ppb). Sample 108-T is somewhat high in zinc (77.5ppm) iron (2.8%), vanadium (11ppm) and gallium (5.9 ppm).

## 3) Summary, Conclusions and Recommendations


Both soils and talus fines were useful in outlining metal anomalous areas on the north and east sides of this part of Vesuvius Hill at the 5000 foot elevation. Of special interest to Omni Resources are the silver, barium, mercury and gold "highs" in these areas , Since further exploration will be aimed at find precious metals deposits, a further survey in the anomalous areas between samples 80 and 150 should be undertaken at approximately the 5200 or 5300 foot elevational level to follow-up these initial encouraging results.

**STATEMENT OF QUALIFICATION**

I, Terence M. Elliott of #301-519 12<sup>th</sup> street, New Westminster, British Columbia, Canada, V3M 6V9:

- (1) have graduated from U.B.C., Canada, with a B.Sc. Degree in Geology in 1967, and from Stanford University, California, USA with a M.S. Degree in Geology in 1973.
- (2) have worked for 21 field seasons in mineral exploration including work in the Yukon beginning in 1979.
- (3) am Chief Geologist employed by Omni Resources Inc. of Vancouver, BC.

November 27, 1997

  
Terence M. Elliott

**4) GEOCHEMICAL SURVEY COSTS**

Analytical Geochemistry Costs (see attached bill from Acme Labs)..... \$ 3731.36

Wages

(1) Chris Goliaff three days at \$250 per day..... \$ 750.00

(2) Terry Elliott one day field supervision at \$300 per day..... 300.00

(3) Terry Elliott one day report preparation..... 300.00

Camp Costs

Four man – days at \$40 per day..... 160.00

Transportation Costs

Total of one day pick-up truck transportation..... 70.00

Total..... \$ 5311

**FIGURES 1 AND 2**


**CW CLAIMS LOCATION MAPS**




# SHEET 105 D-6

FIGURE 1:  
LOCATION OF  
CW 1-24 CLAIMS

SCALE: 1/2 MILE TO 1 INCH



30°35'  
Magnetic North



15	16
TAS	
YB97045	YB97046
13	14
YB97043	YB97044
11	12
TAS	
YB97041	YB97042
9	10
YB97039	YB97040

LAPSED CLAIMS-AP, WAL, HAVI, BEAR VIN (PARTS OF) removed

JUNE 29, 1994

YB67004

105 D-6




FIGURE 2: SAMPLES LOCATION MAP

Arrows point to direction of sampling along 5000 foot contour.

SCALE:  
 $\frac{1}{2}$  mile = 1 inch  
1500'

**APPENDIX 1**

**GEOCHEMICAL ANALYSES CERTIFICATES**

GEOCHEMICAL EXTRACTION-ANALYSIS CERTIFICATE

Omni Resources PROJECT CW - MT. VESUVIUS File # 97-4779

Page 1

402 - 750 M. Rendon St., Vancouver, BC V6C 2T7 Submitted by: Chris Gooljauff



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Mn %	K %	M ppm	Tl ppm	Hg ppb	Se ppm	Te ppm	Ga ppm	Au ppb
CW-1-S	1.2	4.8	13.7	46.8	89	4	3	681	1.84	1.5	<5	6	14	.29	.4	.1	15	.18	.025	14	5	.20	190	.03	<3	.58	.03	.13	<2	<2	32	<3	<2	2.3	<1
CW-2-S	1.2	5.9	28.2	74.4	164	4	4	1633	2.27	3.1	<5	5	16	.53	.5	.2	16	.19	.031	15	6	.19	162	.02	<3	.87	.03	.14	<2	<2	57	<3	<2	2.6	<1
CW-4-S	1.1	6.4	41.6	80.1	137	4	4	1920	2.23	2.2	6	6	16	.55	.3	.1	14	.23	.028	21	5	.14	181	.01	<3	.80	.03	.14	<2	<2	62	<3	<2	2.6	5
CW-6-S	1.2	8.3	25.6	58.7	121	5	5	1172	2.09	4.1	<5	2	21	.47	.7	.2	31	.23	.039	20	11	.34	137	.04	<3	1.23	.02	.10	<2	<2	29	<3	<2	4.5	5
CW-7-S	1.2	13.5	15.9	39.1	109	5	4	673	1.67	3.2	<5	<2	16	.17	.5	.1	25	.12	.045	10	7	.19	80	.04	<3	.85	.05	.09	<2	<2	57	<3	<2	3.5	2
CW-8-S	1.0	5.2	15.6	41.4	48	4	4	763	1.50	1.9	<5	<2	12	.20	.5	.1	20	.11	.033	13	6	.21	78	.03	<3	.85	.02	.07	<2	<2	25	<3	<2	3.4	1
CW-14-S	2.1	6.4	30.6	52.4	71	5	4	1697	1.97	2.2	<5	2	16	.85	.3	.1	14	.24	.043	24	7	.14	242	.01	<3	.82	.02	.15	<2	<2	68	<3	<2	2.7	5
CW-20-S	2.0	6.9	39.2	70.0	176	5	4	1283	2.36	3.0	<5	3	19	.49	.4	.2	17	.33	.055	33	9	.20	423	.01	<3	1.22	.03	.18	<2	<2	47	<3	<2	3.8	1
CW-23-S	1.5	4.5	24.3	44.9	217	4	3	721	2.09	1.9	<5	2	9	.33	.3	.2	5	.15	.035	5	2	.03	171	.01	<3	.47	.03	.19	<2	<2	<10	<3	<2	1.8	<1
CW-24-S	1.8	6.9	35.8	72.0	103	5	4	1385	1.91	2.9	<5	2	22	.86	.5	.2	19	.25	.060	30	9	.20	425	.01	<3	1.31	.02	.16	<2	<2	51	<3	<2	4.0	1
CW-25-S	1.8	7.1	27.9	59.5	93	5	5	1248	2.12	3.1	<5	5	32	.68	.3	.2	19	.42	.043	25	8	.18	555	.03	<3	.87	.03	.19	<2	<2	46	<3	<2	3.3	1
CW-27-S	2.7	5.5	33.9	54.8	188	3	3	1172	2.09	2.9	<5	4	20	.51	.4	.2	10	.14	.031	22	3	.08	445	.01	<3	.55	.02	.14	<2	<2	57	<3	<2	2.2	<1
CW-28-S	1.9	5.4	30.5	57.9	97	3	4	1587	1.91	2.0	<5	4	17	.59	.5	.2	13	.16	.038	20	5	.13	329	.02	<3	.69	.02	.14	<2	<2	46	<3	<2	2.4	<1
CW-30-S	2.0	3.9	25.2	57.6	123	2	3	1311	1.81	2.1	<5	7	13	.44	.4	.1	12	.16	.029	16	4	.09	354	.02	<3	.46	.03	.11	<2	<2	37	<3	<2	1.9	<1
CW-32-S	1.9	4.9	28.2	61.8	101	2	3	1026	1.84	2.3	<5	3	17	.48	.3	.1	12	.16	.033	12	3	.12	432	.02	<3	.71	.02	.14	<2	.2	22	<3	<2	2.6	<1
CW-33-S	1.5	5.3	19.9	59.7	56	4	3	1003	2.00	3.0	<5	6	13	.34	.4	.1	16	.14	.025	18	4	.14	273	.02	<3	.66	.02	.12	<2	<2	<10	<3	<2	2.1	4
CW-34-S	.9	6.0	21.7	56.9	76	5	4	892	1.91	2.1	<5	3	16	.35	.4	.1	22	.19	.040	25	8	.21	167	.04	<3	.84	.02	.12	<2	<2	<10	<3	<2	3.0	25
CW-35-S	1.5	7.0	29.3	70.9	132	3	3	1283	1.86	3.0	<5	6	15	.84	.5	.1	16	.22	.042	26	6	.15	253	.02	<3	.79	.02	.14	<2	<2	55	<3	<2	2.9	<1
CW-36-S	2.1	5.0	29.0	60.9	90	3	3	1141	1.86	2.7	<5	5	14	.45	.4	.1	13	.15	.026	17	3	.11	252	.02	<3	.65	.02	.14	<2	<2	48	<3	<2	2.5	4
CW-37-S	2.4	5.6	35.1	64.5	129	3	3	1644	1.87	2.6	<5	4	16	.71	.2	<1	11	.32	.036	26	3	.09	665	.01	3	.72	.02	.18	<2	<2	11	<3	<2	2.6	<1
RE CW-37-S	2.3	5.4	35.7	66.3	151	3	3	1714	1.93	1.8	<5	4	16	.72	.3	.1	11	.33	.038	27	3	.10	692	.01	<3	.69	.02	.17	<2	<2	13	<3	<2	2.2	1
CW-38-S	3.8	4.8	33.4	56.5	164	3	3	1146	1.84	2.5	<5	6	19	.50	.4	.2	11	.22	.027	24	4	.10	355	.01	<3	.70	.02	.17	<2	.2	32	<3	<2	2.6	9
CW-39-S	2.6	7.6	41.9	62.6	256	2	3	1886	1.70	2.7	<5	7	29	.79	.4	.1	7	.41	.031	36	2	.08	513	.01	<3	.69	.01	.21	<2	<2	31	<3	<2	2.6	1
CW-40-S	1.7	3.9	30.0	66.1	84	2	2	1042	1.64	4.2	<5	4	13	.42	.4	.1	6	.18	.016	9	1	.04	246	.01	<3	.43	.01	.15	<2	<2	16	<3	<2	2.0	<1
CW-41-S	1.1	5.0	32.7	73.8	96	2	3	1525	1.85	1.2	<5	5	17	.67	.3	.1	12	.29	.050	19	3	.10	329	.01	<3	.84	.02	.18	<2	<2	21	<3	<2	2.7	1
CW-42-S	1.7	7.7	33.6	83.7	138	4	4	1643	2.01	3.5	<5	4	26	.99	.4	.2	15	.45	.039	21	5	.13	388	.02	4	.91	.01	.23	<2	<2	26	<3	<2	2.9	<1
CW-43-S	1.7	6.4	38.2	80.0	187	3	3	1758	2.06	2.7	<5	6	15	.97	.4	.1	12	.21	.023	19	3	.09	281	.01	<3	.76	.02	.16	<2	<2	66	<3	<2	2.7	1
CW-45-S	1.5	3.2	51.6	90.2	74	2	3	2792	2.37	49.7	<5	7	11	.75	.5	.2	5	.11	.010	11	2	.04	520	.01	<3	.42	.03	.12	<2	<2	29	<3	<2	1.3	<1
CW-48-S	1.3	4.4	30.5	60.7	122	3	3	1264	1.88	2.5	<5	6	13	.44	.5	<1	12	.17	.021	26	3	.10	182	.02	<3	.69	.02	.15	<2	.2	21	<3	<2	2.4	2
CW-52-S	1.2	4.6	24.3	52.4	66	3	3	957	1.81	3.0	<5	7	13	.28	.5	.1	14	.15	.019	27	5	.14	154	.02	<3	.62	.02	.11	<2	<2	16	<3	<2	2.2	1
CW-57-S	1.4	4.9	25.4	54.6	147	3	3	951	1.72	1.9	<5	5	17	.48	.3	.1	13	.22	.026	53	5	.14	255	.02	<3	.82	.02	.15	<2	<2	21	<3	<2	2.6	2
CW-59-S	1.3	4.9	27.6	51.9	183	4	3	806	1.77	2.9	<5	5	27	.25	.5	.1	12	.47	.042	46	6	.16	514	.01	<3	1.06	.02	.19	<2	<2	38	<3	<2	3.5	2
CW-60-S	1.5	5.3	21.6	58.9	128	4	4	941	1.57	1.4	<5	2	22	.82	.5	.2	16	.33	.040	21	6	.18	384	.02	<3	.76	.02	.15	<2	<2	47	<3	<2	3.0	<1
CW-64-S	1.4	5.8	27.7	48.7	143	3	3	991	1.67	1.9	<5	4	22	.37	.5	.1	14	.30	.036	28	5	.14	290	.01	<3	.89	.02	.17	<2	<2	13	<3	<2	2.9	<1
STANDARD D	26.1	131.9	103.6	288.3	2140	32	18	1072	4.45	79.2	26	20	60	2.10	9.1	22.0	79	.70	.108	18	59	1.28	265	.15	25	2.42	.04	.73	19	2.5	425	.6	1.8	7.3	54

Standard is STANDARD D2/HG-500/AU-S.

ICP - 15 GRAM SAMPLE IS DIGESTED WITH 90 ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 300 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K GA AND AL. SOLUTION ANALYSED DIRECTLY BY ICP. MO CU PB ZN AG AS AU CD SB BI TL HG SE TE AND GA ARE EXTRACTED WITH MIBK-ALIQAT 336 AND ANALYSED BY ICP. ELEVATED DETECTION LIMITS FOR SAMPLES CONTAIN CU,PB,ZN,AS>1500 PPM,Fe>20X. - SAMPLE TYPE: SOIL AU+ - AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED. Samples beginning 'RE' are Retruns and 'RRE' are Reject Retruns.

DATE RECEIVED: AUG 26 1997 DATE REPORT MAILED: *Sept 5/97* SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Date: *1* FA

P.05/07 SEP 5 1997 15:45 FR ACME LABS 604 253 1716 TO 6889530

P. 06/07  
504 253 1716 TO 5889530  
SEP 5 '97 15:46 FR ACME LABS



Omni Resources PROJECT CW - MT. VESUVIUS FILE # 97-4779



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Dd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	B	Al	Mg	K	V	Tl	Mg	Se	Te	Ga	Au*	
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppb
CW-70-S	1.8	4.3	32.9	59.2	<30	2	3	1463	1.85	3.4	<5	5	24	.51	<.2	.1	9	.34	.049	58	3	.08	406	.01	<3	.57	.02	.19	<2	<.2	42	<.3	<.2	2.1	7	
CW-80-S	2.4	5.6	27.3	51.5	108	4	4	993	1.86	2.7	<5	<2	16	.57	.2	.2	19	.18	.084	24	6	.13	328	.01	<3	1.13	.01	.12	<2	<.2	95	<.3	<.2	4.8	6	
CW-81-S	1.7	5.3	22.4	35.8	<30	2	3	329	1.49	2.1	<5	<2	10	.14	.2	.1	18	.08	.038	15	4	.09	100	.02	<3	.67	.03	.08	<2	<.2	38	<.3	<.2	3.0	6	
CW-82-S *	2.3	7.2	116.7	70.6	716	5	4	767	2.25	2.7	<5	<2	23	.27	.7	.2	22	.33	.071	51	7	.26	476	.01	<3	1.72	.02	.16	<2	<.2	17	<.3	<.2	5.8	5	
CW-83-S *	2.3	10.4	33.1	66.1	299	6	5	784	1.97	3.2	<5	<2	44	.46	.4	.3	23	.66	.102	98	7	.29	582	.02	<3	1.87	.02	.17	<2	<.2	53	<.3	<.2	5.4	7	
CW-84-S	2.1	5.3	29.3	57.8	<30	4	4	737	2.18	2.6	<5	4	13	.32	.2	.2	19	.11	.033	32	6	.15	239	.02	<3	1.46	.02	.14	<2	<.2	45	<.3	<.2	4.8	2	
CW-85-S	3.1	4.4	33.7	64.3	<30	1	8	1453	2.19	2.5	<5	4	16	.50	.2	.3	6	.15	.042	34	1	.05	258	.01	<3	.69	.02	.16	<2	.5	350	<.3	<.2	1.8	3	
CW-86-S	2.6	5.4	23.6	54.0	<30	3	4	675	2.38	3.1	<5	<2	15	.25	.2	.3	13	.08	.082	23	3	.08	230	.01	<3	.97	.02	.17	<2	<.2	88	<.3	<.2	3.6	2	
CW-87-S *	3.0	4.4	25.2	41.9	<30	2	3	445	2.42	3.1	<5	<2	32	.31	<.2	.6	14	.19	.060	30	3	.11	558	.01	<3	1.14	.03	.21	<2	<.2	160	<.3	<.2	3.6	4	
CW-88-S *	2.9	5.1	27.2	33.3	41	2	3	449	2.34	2.6	<5	<2	47	.21	<.2	.3	9	.23	.062	21	3	.08	987	.01	<3	1.10	.02	.22	<2	.2	268	<.3	<.2	3.7	4	
CW-89-S *	2.3	3.1	39.4	21.9	<30	1	1	170	2.50	5.4	<5	3	50	.01	<.2	.1	5	.10	.057	41	1	.05	536	.02	<3	.96	.02	.27	<2	<.2	122	<.3	<.2	2.9	5	
CW-90-S	2.8	4.6	25.2	55.3	<30	2	4	582	2.58	4.9	<5	<2	30	.14	<.2	.4	21	.10	.057	20	3	.13	202	.03	<3	1.25	.03	.16	<2	<.2	83	<.3	<.2	4.5	3	
CW-91-S	3.2	4.7	30.6	57.5	<30	2	4	650	3.06	7.4	<5	3	69	.23	<.2	.4	25	.22	.062	30	5	.18	265	.08	<3	1.43	.04	.16	<2	<.2	78	<.3	<.2	5.0	6	
CW-92-S *	3.2	7.7	21.7	65.5	154	4	5	653	2.90	3.4	<5	<2	59	.19	.2	.7	31	.33	.091	25	6	.29	258	.08	<3	2.06	.04	.18	<2	.2	83	<.3	<.2	6.4	5	
CW-94-S *	3.8	6.3	24.4	77.8	196	3	4	634	3.52	2.6	<5	<2	131	.37	.3	.3	29	.48	.100	32	3	.37	383	.09	<3	2.81	.04	.16	<2	.2	85	<.3	<.2	10.1	2	
RE CW-94-S *	3.9	6.1	24.0	78.4	182	3	4	635	3.53	3.4	<5	<2	132	.37	.3	.3	29	.49	.101	33	5	.37	391	.10	<3	2.94	.05	.16	<2	.3	88	<.3	<.2	10.3	1	
CW-95-S	5.6	6.1	24.8	82.4	81	3	5	975	3.41	4.4	<5	<2	70	.34	.6	.3	23	.39	.092	33	5	.27	526	.13	<3	2.01	.04	.19	<2	.2	80	<.3	<.2	7.7	1	
CW-96-S *	2.5	9.3	25.1	72.0	100	5	5	1010	2.76	3.8	<5	<2	44	.33	.2	.2	23	.23	.091	27	6	.28	281	.07	<3	2.04	.02	.15	<2	<.2	48	<.3	<.2	7.1	3	
CW-97-S *	2.4	8.1	22.6	67.7	141	5	4	781	2.66	2.9	<5	<2	41	.36	.3	.3	23	.29	.073	28	7	.31	273	.04	<3	2.15	.02	.16	<2	.2	59	<.3	<.2	8.6	2	
CW-98-S	2.4	13.3	20.3	74.7	43	5	5	1160	2.44	3.1	<5	<2	57	1.02	.4	.2	24	.41	.103	27	8	.24	232	.06	<3	2.23	.02	.13	<2	<.2	87	<.3	<.2	8.5	2	
CW-99-S	1.5	5.2	7.5	21.6	344	4	2	156	1.19	1.0	<5	<2	21	.12	<.2	<.1	14	.15	.092	11	4	.14	87	.01	<3	.88	.05	.06	<2	.2	50	<.3	<.2	3.5	<1	
CW-100-S	3.2	8.7	24.6	81.9	<30	3	6	1459	2.73	3.5	<5	<2	38	.26	.4	.2	21	.16	.088	21	5	.26	232	.06	<3	1.65	.03	.16	<2	.2	69	<.3	<.2	6.3	2	
CW-101-S	8.9	6.2	28.2	69.6	92	2	4	1677	2.30	2.5	<5	<2	15	.34	.2	.3	9	.16	.088	28	2	.25	458	.01	<3	1.40	.01	.15	<2	.3	45	<.3	<.2	4.8	2	
CW-103-S	2.3	5.1	13.9	52.8	123	3	3	510	2.13	2.2	<5	<2	30	.30	.3	.2	18	.33	.055	24	5	.16	206	.01	<3	.94	.02	.14	<2	<.2	55	<.3	<.2	3.6	2	
CW-104-S	2.6	5.7	15.5	52.1	58	3	2	379	2.04	2.4	<5	<2	13	.19	.2	.1	18	.07	.094	11	4	.08	128	.01	<3	.75	.01	.09	<2	<.2	65	<.3	<.2	3.5	1	
CW-105-S	2.3	6.0	16.2	56.1	84	4	3	377	2.07	2.0	<5	<2	27	.38	.3	.2	20	.33	.060	11	6	.18	244	.01	<3	1.06	.01	.17	<2	<.2	49	<.3	<.2	4.2	4	
CW-106-S	.7	6.4	3.0	23.6	<30	3	3	489	.98	.5	<5	<2	22	.29	<.2	<.1	21	.23	.063	3	4	.13	141	.04	<3	.46	.06	.09	<2	<.2	12	<.3	<.2	2.6	3	
CW-107-S	2.4	4.4	24.9	67.7	<30	2	4	1130	2.28	1.2	<5	2	24	.40	<.2	.2	11	.35	.073	39	2	.17	297	.02	<3	.89	.02	.20	<2	<.2	22	<.3	<.2	3.6	4	
CW-109-S	6.7	5.8	44.7	82.4	<30	3	11	2538	3.36	6.9	<5	3	24	.37	.3	.2	15	.42	.087	68	5	.25	342	.03	<3	1.64	.02	.20	<2	.2	64	<.3	<.2	6.1	3	
CW-111-S	2.6	5.8	25.3	52.7	<30	3	4	971	2.19	2.9	<5	<2	28	.38	.2	.3	14	.15	.064	24	4	.11	446	.01	<3	1.14	.02	.17	<2	.2	114	<.3	<.2	3.2	5	
CW-112-S	2.5	5.3	22.7	61.0	<30	3	5	800	2.67	4.4	<5	2	23	.30	.2	.2	13	.16	.060	21	3	.10	381	.01	<3	.84	.02	.17	<2	.3	109	<.3	<.2	2.8	4	
CW-113-S	3.0	5.9	22.8	53.9	<30	3	5	682	2.28	4.7	<5	<2	36	.29	<.2	.4	13	.15	.088	33	3	.13	833	.01	<3	1.22	.02	.21	<2	.3	149	<.3	<.2	3.8	4	
CW-117-S	1.5	7.8	21.9	59.3	<30	5	5	692	2.43	3.3	<5	2	12	.21	.3	.2	25	.10	.053	19	8	.24	166	.02	<3	1.34	.02	.13	<2	.2	34	<.3	<.2	4.6	5	
CW-118-S	3.8	11.1	56.2	67.3	141	6	6	1030	2.07	3.5	<5	<2	21	.33	.5	.3	21	.18	.081	29	9	.24	281	.01	<3	1.40	.02	.15	<2	.3	89	<.3	<.2	4.5	6	
STANDARD D	25.5	133.1	103.5	286.8	1736	31	18	1044	4.24	79.2	27	21	58	2.19	7.6	23.0	77	.72	.103	17	59	1.20	257	.15	26	2.36	.04	.72	21	2.5	415	.7	1.6	6.9	53	

Standard is STANDARD D2/HG-500/AU-S. Samples beginning 'RE' are Retuns and 'RE' are Reject Retuns.

P.07/07

604 253 1716 TO 689530

SEP 5'97 15:46 FR ACME LABS



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	V ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Hg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Tl ppm	Mg ppb	Se ppm	Te ppm	Ga ppm	Au ppb
CW-119-S	1.8	6.0	32.5	46.7	239	5	4	668	1.86	2.4	<5	<2	32	.32	.2	.3	18	.38	.088	34	7	.19	475	.01	<3	1.29	.01	.17	<2	.2	120	<3	<2	4.2	2
CW-122-S	2.0	4.3	18.8	47.6	54	3	3	747	1.92	2.5	<5	2	18	.26	.2	.2	17	.23	.038	18	4	.12	275	.01	<3	.85	.02	.13	<2	<2	43	<3	<2	2.8	1
CW-123-S	2.3	8.0	51.2	101.0	275	6	10	3704	2.06	2.6	<5	<2	16	.75	.2	.3	18	.14	.162	26	7	.19	712	.01	<3	1.29	.01	.20	<2	<2	65	<3	<2	4.5	2
CW-124-S	1.4	6.1	33.5	70.8	90	4	4	1568	1.60	2.6	<5	5	10	.37	.3	.2	13	.06	.057	32	5	.12	167	.01	<3	1.27	.02	.13	<2	.2	55	<3	<2	3.2	1
CW-126-S	1.1	4.4	20.2	60.3	57	4	2	1017	1.60	1.6	<5	3	7	.47	.2	.2	7	.06	.023	13	2	.05	225	.01	<3	.74	.03	.15	<2	<2	12	<3	<2	1.8	3
CW-127-S	1.1	4.4	17.9	62.8	<30	2	3	770	1.93	1.3	<5	3	10	.33	<2	.2	13	.09	.035	9	2	.06	192	.01	<3	.72	.03	.11	<2	<2	24	<3	<2	1.6	2
CW-128-S	1.9	5.9	24.9	76.5	121	4	5	1337	2.17	2.7	<5	<2	14	.60	.3	.2	14	.09	.047	14	5	.11	296	.01	<3	1.01	.02	.20	<2	.2	47	<3	<2	2.6	3
CW-129A-S	2.1	6.3	35.1	71.3	36	5	5	1348	2.31	3.1	<5	2	17	.45	.2	.2	15	.11	.049	33	5	.13	431	.01	<3	1.13	.02	.14	<2	.2	38	<3	<2	3.0	<1
CW-132-S	1.7	5.3	23.2	56.0	43	3	3	846	1.73	2.5	<5	2	6	.27	<2	.3	8	.05	.034	15	2	.06	145	.01	<3	.65	.02	.13	<2	<2	24	<3	<2	1.4	1
CW-135-S *	2.7	3.7	21.8	68.2	268	3	9	967	3.40	2.5	<5	<2	15	.15	<2	.2	33	.27	.076	16	3	.08	197	.01	<3	.71	.01	.12	<2	<2	20	<3	<2	1.8	2
CW-136-S	5.1	5.2	44.6	72.5	110	3	4	941	1.97	1.7	<5	<2	12	.28	<2	.2	12	.13	.039	9	2	.07	286	.01	<3	.78	.02	.16	<2	<2	29	<3	<2	2.1	1
CW-137-S *	2.3	5.8	16.4	73.7	163	3	12	1101	4.15	3.7	<5	<2	28	.25	<2	.1	53	.48	.090	17	5	.18	789	.01	<3	1.13	.01	.22	<2	.2	31	<3	<2	3.2	2
CW-140-S	7.4	3.8	28.6	62.2	73	2	3	1048	1.98	2.2	<5	2	21	.44	<2	.2	5	.23	.052	22	1	.03	476	<0.01	<3	.40	.02	.18	<2	<2	48	<3	<2	1.2	1
CW-148-S *	1.4	5.8	40.4	73.1	265	3	3	1058	1.75	2.0	<5	5	11	.48	<2	.2	10	.20	.030	41	4	.10	335	.01	<3	.61	.02	.14	<2	<2	41	<3	<2	1.7	13
CW-149-S	1.1	4.5	23.2	61.5	113	3	3	882	1.75	2.5	<5	3	10	.31	<2	.2	8	.16	.034	26	2	.07	201	.01	<3	.55	.02	.15	<2	<2	37	<3	<2	1.3	3
CW-152-S	.9	3.4	34.1	75.5	91	3	3	1388	1.85	2.0	<5	6	10	.41	<2	.1	9	.19	.035	48	3	.08	274	.01	<3	.45	.02	.13	<2	<2	<10	<3	<2	1.3	14
CW-161-S	.6	2.4	23.9	63.0	61	3	2	1082	1.74	1.6	<5	6	11	.33	<2	.1	5	.15	.021	28	1	.04	161	.01	<3	.42	.03	.15	<2	<2	24	<3	<2	1.1	1
CW-166-S	1.5	4.1	29.6	57.8	37	3	3	1288	1.41	1.9	<5	<2	46	.44	<2	.1	9	1.49	.074	39	4	.10	220	.01	7	.43	.02	.15	<2	<2	13	<3	<2	1.6	5
RE CW-166-S	1.7	4.4	30.4	61.1	62	3	3	1360	1.49	1.8	<5	<2	48	.45	<2	.1	9	1.59	.079	41	4	.11	232	.01	7	.46	.02	.16	<2	<2	<10	<3	<2	1.4	2
CW-167-S	2.9	3.0	27.0	68.2	66	2	2	1021	1.77	2.0	<5	7	8	.38	<2	.1	5	.15	.021	37	2	.05	182	.01	<3	.45	.04	.13	<2	<2	35	<3	<2	1.2	1
CW-168-S	2.7	2.7	29.8	61.0	67	2	2	1263	1.57	3.0	<5	6	9	.48	<2	.1	5	.12	.018	28	1	.04	200	.01	<3	.34	.02	.11	<2	<2	<10	<3	<2	.9	1
CW-170-S	1.8	4.0	27.3	53.5	113	3	2	1006	1.55	3.0	<5	7	14	.40	.3	.3	10	.20	.031	24	4	.09	149	.02	<3	.43	.03	.11	<2	<2	<10	<3	<2	1.3	1
CW-171-S	1.1	4.3	19.4	50.9	60	3	2	941	1.56	2.8	<5	8	18	.27	.3	.2	13	.23	.035	21	5	.13	151	.03	<3	.44	.03	.11	<2	<2	19	<3	<2	1.5	1
CW-172-S	1.4	4.8	22.5	65.5	138	4	3	1321	1.77	3.2	<5	6	25	.27	<2	.1	12	.25	.028	12	6	.14	180	.03	<3	.51	.04	.12	<2	<2	25	<3	<2	1.9	5
CW-173-S	1.2	7.2	25.9	91.5	186	3	4	1646	1.96	4.2	<5	5	64	.43	.4	.1	13	.90	.042	15	5	.22	248	.03	<3	.61	.04	.16	<2	<2	35	<3	<2	2.3	9
CW-174-S	1.3	7.6	27.2	66.3	150	6	4	1299	1.92	3.5	<5	5	30	.42	.4	.3	17	.40	.027	20	7	.18	169	.03	<3	.91	.03	.14	<2	<2	34	<3	<2	2.9	3
CW-175-S	2.2	3.5	21.6	59.8	126	2	2	1297	1.65	2.3	<5	4	10	.37	.3	.1	5	.13	.014	11	1	.04	220	.01	<3	.34	.02	.13	<2	<2	16	<3	<2	1.0	4
CW-177-S	1.5	5.5	25.0	51.9	77	4	3	1138	1.82	2.8	<5	6	21	.17	.3	.2	15	.25	.023	13	6	.16	201	.03	<3	.63	.02	.14	<2	<2	<10	<3	<2	2.0	4
CW-178-S	1.3	5.6	39.6	71.4	99	3	3	2297	1.78	3.4	<5	4	23	.65	.4	.1	9	.53	.034	13	4	.10	472	.01	<3	.80	.02	.18	<2	.2	32	<3	<2	2.9	2
CW-179-S	1.2	6.3	30.4	65.3	53	3	3	2104	1.66	2.0	<5	2	30	.73	<2	.1	8	.66	.043	9	3	.09	416	.01	<3	.69	.02	.19	<2	.2	34	<3	<2	2.1	1
CW-180-S	3.0	4.5	28.3	63.0	66	4	3	1869	1.96	3.0	<5	4	18	.38	.2	.1	10	.30	.021	16	4	.10	297	.01	<3	.74	.03	.17	<2	.2	16	<3	<2	2.6	2
CW-182-S	1.1	3.0	20.4	62.4	70	3	3	1706	1.76	2.1	<5	5	11	.36	.2	<1	6	.16	.014	6	2	.06	233	.01	<3	.51	.03	.12	<2	<2	<10	<3	<2	1.8	1
CW-183-S	.9	3.1	28.8	79.1	63	2	3	2019	1.87	2.8	<5	5	14	.41	<2	.1	8	.23	.018	8	2	.07	252	.01	<3	.61	.03	.13	<2	<2	<10	<3	<2	1.9	1
CW-184-S	1.1	6.8	39.9	77.9	274	5	4	2529	2.13	4.8	<5	3	25	.72	.4	.1	17	.50	.036	18	7	.17	357	.01	<3	1.08	.02	.16	<2	<2	28	<3	<2	3.3	3
STANDARD D2	24.9	126.9	100.9	278.5	2068	32	17	1038	4.24	71.9	22	20	58	2.12	8.8	21.8	75	.71	.107	17	55	1.20	257	.14	26	2.33	.04	.72	20	2.6	425	.7	1.8	7.3	50

Standard is STANDARD D2/MG-500/AU-S. Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.

\*\* TOTAL PAGE.007 \*\*

P.02/04

604 253 1716 TO 6889530

SEP 3 '97 16:12 FR ACME LABS



GEOCHEMICAL EXTRACTION ANALYSIS CERTIFICATE

Omni Resources PROJECT CW - MT. VEZUVIUS File # 97-4778 Page 1

402-750-111, Vander St., Vancouver BC V6C 2T7 Submitted by: Chris Gooloff

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Tl ppm	Mg ppb	Se ppm	Te ppm	Ga ppm	Au+ ppb
CW-3-T	.8	1.9	16.8	34.0	50	1	<1	352	1.04	1.9	<5	4	4	.18	<.2	.1	2	.07	.003	3	6	.01	79	<.01	<3	.42	.05	.19	4	<.2	22	<.3	<.2	1.0	3
CW-5-T	1.3	3.3	14.1	48.7	64	1	2	538	1.35	1.2	<5	4	8	.20	.3	.2	9	.14	.018	5	7	.14	76	.02	<3	.66	.04	.16	3	.3	<10	<.3	<.2	2.0	<1
CW-9-T	1.2	1.6	23.3	70.6	46	1	<1	466	2.40	.9	7	<2	19	.26	<.2	.3	9	.28	.061	6	5	.06	104	.01	<3	.91	.08	.39	<2	.3	35	<.3	<.2	3.3	<1
CW-10-T	2.3	2.7	22.6	55.2	85	1	1	741	1.43	1.3	<5	3	5	.48	.2	.2	3	.08	.014	7	7	.03	131	.01	<3	.54	.05	.21	4	.3	18	<.3	<.2	2.0	<1
CW-11-T	.5	2.0	20.7	66.1	56	1	1	441	1.46	<.5	<5	3	6	.18	<.2	.1	3	.09	.012	4	9	.03	89	<.01	<3	.59	.05	.28	5	.4	23	<.3	<.2	1.9	<1
CW-12-T	1.9	2.2	19.6	48.4	117	1	1	670	1.18	1.1	5	<2	4	.45	<.2	.1	3	.07	.012	7	6	.03	123	.01	<3	.48	.04	.20	3	.3	28	<.3	<.2	1.6	1
CW-13-T	1.2	1.5	17.5	43.7	49	1	1	560	1.22	1.0	6	2	4	.31	.2	.1	2	.07	.013	6	5	.03	121	<.01	<3	.56	.04	.22	3	.2	<10	<.3	<.2	1.6	1
CW-15-T	5.6	3.5	15.7	38.2	83	4	1	375	.98	1.7	8	6	5	.24	.2	.2	2	.07	.012	14	7	.02	121	<.01	<3	.62	.05	.23	4	.2	<10	<.3	<.2	2.0	<1
CW-16-T	1.2	2.4	13.7	39.6	<30	2	1	353	1.01	1.2	5	4	5	.11	<.2	.1	3	.07	.010	13	5	.02	111	<.01	<3	.62	.05	.22	3	.2	<10	<.3	<.2	1.9	<1
CW-17-T	2.8	2.8	17.6	46.6	93	2	<1	439	1.29	1.5	<5	4	8	.21	<.2	.2	3	.11	.013	13	6	.03	148	<.01	<3	.54	.04	.19	4	.2	31	<.3	<.2	1.6	1
CW-18-T	1.1	2.1	20.7	46.5	53	<1	1	609	1.17	1.4	6	4	5	.35	<.2	.2	3	.08	.010	9	4	.02	188	<.01	<3	.61	.05	.24	3	.2	17	<.3	<.2	2.2	<1
CW-19-T	1.4	2.6	19.9	46.4	71	2	2	642	1.66	1.1	7	<2	9	.30	<.2	.1	8	.20	.029	10	6	.06	213	.01	<3	.69	.03	.27	3	.2	16	<.3	<.2	2.2	1
CW-21-T	.6	2.6	11.4	47.4	83	<1	<1	207	.96	2.2	<5	4	4	.27	<.2	.1	1	.05	.005	11	2	.01	128	<.01	<3	.37	.06	.17	2	.2	22	<.3	<.2	1.2	<1
CW-22-T	2.6	2.6	17.2	46.0	61	2	2	585	1.38	1.6	<5	5	7	.28	<.2	.1	6	.14	.023	13	5	.02	238	.01	<3	.46	.05	.18	3	<.2	28	<.3	<.2	1.4	1
CW-26-T	.8	3.6	15.6	44.8	74	<1	<1	235	1.02	.9	<5	6	3	.20	.3	.1	2	.04	.006	26	4	.01	133	.01	<3	.36	.08	.17	2	.3	<10	<.3	<.2	1.6	3
CW-29-T	3.3	4.0	19.9	48.5	116	3	1	627	1.42	2.0	<5	4	11	.32	.3	.2	6	.12	.019	9	8	.06	228	.01	<3	.64	.06	.21	5	<.2	26	<.3	<.2	2.2	2
CW-31-T	.7	1.9	13.8	43.7	43	2	1	466	1.03	.8	<5	2	4	.31	<.2	.1	2	.05	.009	5	4	.02	195	<.01	<3	.39	.04	.15	2	<.2	14	<.3	<.2	1.1	2
CW-44-T	1.1	2.3	15.7	42.0	71	<1	<1	589	1.08	1.0	<5	4	5	.28	.2	.1	2	.07	.009	14	5	.03	106	<.01	<3	.39	.03	.16	3	<.2	15	<.3	<.2	1.2	1
CW-46-T	1.7	4.7	36.4	69.5	137	1	1	1404	1.62	2.9	<5	6	9	.84	.5	.2	6	.11	.012	14	6	.05	151	.01	<3	.54	.05	.16	4	.2	28	<.3	<.2	2.5	4
CW-47-T	1.3	2.3	23.1	50.6	60	1	1	891	1.31	1.3	<5	5	6	.40	.3	.1	4	.09	.010	12	4	.04	148	.01	<3	.48	.03	.15	2	<.2	12	<.3	<.2	1.6	1
RE CW-47-T	1.7	2.6	27.5	48.7	52	2	1	872	1.28	1.9	<5	5	6	.45	.4	.2	4	.09	.010	11	4	.04	138	.01	<3	.49	.03	.15	2	<.2	23	<.3	<.2	2.0	1
CW-49-T	1.5	3.4	24.4	53.8	97	2	<1	906	1.24	1.2	<5	4	10	.57	.3	.1	4	.19	.019	13	5	.04	178	.01	<3	.48	.03	.18	2	.2	40	<.3	<.2	1.5	<1
CW-50-T	3.8	2.3	16.6	42.5	55	<1	2	620	1.32	1.3	<5	6	6	.28	.2	.1	5	.10	.021	16	4	.03	138	<.01	<3	.45	.03	.15	2	<.2	<10	<.3	<.2	1.7	1
CW-51-T	2.3	2.8	18.2	44.0	64	3	2	711	1.53	1.6	<5	4	9	.26	.2	.1	8	.13	.013	15	6	.07	181	.01	<3	.60	.03	.19	3	<.2	<10	<.3	<.2	2.2	1
CW-53-T	2.1	2.5	15.2	44.5	64	2	1	533	1.33	1.1	5	5	9	.27	.2	.1	6	.13	.022	15	5	.06	121	.01	<3	.45	.03	.17	3	.2	<10	<.3	<.2	1.7	<1
CW-54-T	1.7	4.0	21.4	47.5	202	2	2	681	1.50	1.9	<5	7	8	.37	.3	.2	7	.11	.024	28	6	.06	228	.01	<3	.52	.04	.19	3	<.2	<10	<.3	<.2	2.1	7
CW-55-T	1.7	1.9	13.0	38.5	39	1	1	486	1.22	.9	<5	3	6	.23	.2	.1	3	.08	.017	13	6	.03	131	.01	<3	.47	.05	.19	4	<.2	37	<.3	<.2	1.7	4
CW-56-T	2.2	3.3	21.8	46.6	88	2	2	684	1.49	2.3	<5	7	8	.36	.2	.1	6	.11	.023	28	6	.06	233	.01	<3	.50	.04	.19	3	<.2	11	<.3	<.2	2.8	3
CW-58-T	2.4	3.8	22.4	50.1	112	2	2	813	1.64	1.9	<5	3	15	.35	.4	.1	8	.19	.034	34	6	.07	342	.01	<3	.50	.04	.17	2	<.2	30	<.3	<.2	2.2	1
CW-61-T	1.3	1.8	14.2	42.7	57	1	1	448	1.16	1.2	<5	5	8	.24	.2	.2	4	.13	.023	21	5	.05	138	.01	<3	.40	.04	.19	2	<.2	31	<.3	<.2	1.8	1
CW-62-T	2.1	3.1	29.4	40.1	49	2	<1	218	1.00	1.0	<5	4	10	.27	.4	.1	4	.15	.018	26	7	.06	144	.01	<3	.39	.05	.20	3	<.2	11	<.3	<.2	2.2	1
CW-63-T	1.7	2.5	17.2	37.9	81	<1	2	558	1.23	1.0	<5	6	8	.23	.3	.1	6	.11	.019	21	6	.05	233	.01	<3	.46	.04	.19	3	<.2	<10	<.3	<.2	1.9	1
CW-65-T	.8	1.5	15.7	40.3	73	3	2	623	1.43	4.5	<5	<2	10	.16	<.2	.1	4	.18	.039	7	3	.04	119	<.01	<3	.50	.03	.23	<2	<.2	<10	<.3	<.2	1.6	1
CW-66-T	.9	2.8	11.3	36.3	36	3	2	491	1.29	.6	<5	4	9	.15	<.2	.1	6	.32	.022	28	8	.07	183	<.01	<3	.54	.04	.21	2	<.2	<10	<.3	<.2	1.8	<1
STANDARD D	25.5	128.4	101.3	275.3	2086	32	16	1050	3.99	75.9	14	20	59	2.15	7.7	22.8	75	.72	.107	18	57	1.17	262	.15	27	2.31	.06	.71	20	2.5	457	.6	1.6	7.1	505

Standard is STANDARD D2/WG-500/AU-R.  
 ICP - 15 GRAM SAMPLE IS DIGESTED WITH 90 ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 300 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K GA AND AL. SOLUTION ANALYSED DIRECTLY BY ICP. MO CU PB ZN AG AS AU CD SB BI TL HG SE TE AND GA ARE EXTRACTED WITH NIBK-ALIQWAT 336 AND ANALYSED BY ICP. ELEVATED DETECTION LIMITS FOR SAMPLES CONTAIN CU,PB,ZN,AS>1500 PPM,Fe>20%.  
 - SAMPLE TYPE: ROCK CHIP AU+ - AQUA-REGIA/NIBK EXTRACT, GF/AA FINISHED. Samples beginning 'RE' are Returns and 'BRE' are Reject Returns.

DATE RECEIVED: AUG 26 1997 DATE REPORT MAILED: *Sept 3/97* SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only. Data FA

P. 03/04

604 253 1716 TO 6889530

SEP 3 '97 16:13 FR ACME LABS



Omni Resources PROJECT CW - MT. VESUVIUS FILE # 97-4778



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Tl	Hg	Se	Te	Ga	Au+	
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppb
CW-67-T	5.5	4.0	44.6	49.1	240	1	2	472	1.68	.9	<5	10	10	.56	.3	.5	5	.20	.064	24	4	.07	142	<.01	6	.63	.05	.29	3	.4	28	<.3	<.2	4.3	<1	
CW-68-T	1.9	2.6	21.2	42.0	67	<1	1	397	1.55	.6	8	8	17	.22	<.2	.2	6	.26	.029	40	6	.04	191	.01	3	.51	.07	.26	3	<.2	36	<.3	<.2	1.9	<1	
CW-69-T	3.0	3.0	22.1	44.0	75	<1	1	508	1.55	.9	<5	6	9	.22	.2	.1	6	.16	.026	31	6	.05	137	.02	4	.47	.06	.20	2	<.2	48	<.3	<.2	2.0	<1	
CW-71-T	1.8	2.1	21.6	41.0	64	1	1	606	1.73	1.1	<5	7	10	.19	<.2	.1	8	.17	.039	40	6	.04	177	.01	3	.48	.06	.23	2	<.2	36	<.3	<.2	1.7	<1	
CW-72-T	1.7	2.4	19.2	37.9	101	1	1	364	1.53	1.4	<5	7	7	.20	<.2	.2	6	.10	.033	35	5	.03	156	.01	4	.49	.05	.20	3	<.2	25	<.3	<.2	1.7	<1	
CW-73-T	1.5	2.3	18.4	37.6	49	2	2	436	1.51	.8	5	6	9	.20	<.2	.2	7	.16	.044	35	5	.03	265	.01	7	.50	.04	.22	2	<.2	26	<.3	<.2	1.5	<1	
CW-74-T	3.7	3.2	27.1	49.0	88	<1	2	1120	1.83	1.9	<5	8	13	.30	<.2	.2	6	.24	.040	36	5	.05	340	.01	<3	.55	.03	.23	3	<.2	33	<.3	<.2	1.9	<1	
CW-75-T	2.8	1.9	21.8	44.0	87	1	2	845	1.62	1.3	21	3	11	.25	<.2	.2	4	.21	.036	22	4	.04	292	<.01	<3	.55	.03	.25	<2	.2	23	<.3	<.2	1.7	<1	
CW-76-T	1.2	3.0	15.2	32.0	38	2	1	511	1.27	1.0	18	6	7	.22	<.2	.1	5	.11	.028	30	6	.03	152	.01	<3	.50	.05	.22	3	.3	15	<.3	<.2	1.7	<1	
CW-77-T	2.2	5.2	18.1	46.8	92	3	3	725	1.77	1.6	<5	9	6	.24	.2	.4	9	.10	.041	26	7	.05	171	.01	6	.59	.05	.22	3	.2	<10	<.3	<.2	1.9	1	
CW-78-T	2.7	3.8	22.2	40.9	102	1	<1	215	.88	1.0	14	7	5	.17	<.2	.2	2	.06	.022	36	6	.02	93	<.01	<3	.55	.05	.23	3	.3	31	<.3	<.2	2.0	1	
CW-79-T	2.0	3.4	20.1	49.8	51	1	2	428	1.71	1.6	<5	5	9	.27	<.2	.2	7	.13	.059	32	6	.04	328	.01	3	.67	.04	.24	<2	.2	40	<.3	<.2	2.4	<1	
CW-93-T*	2.1	5.0	17.1	91.3	59	<1	4	424	3.29	9.2	15	8	45	.21	.6	.1	38	.68	107	26	5	55	158	27	<3	1.74	.08	.13	2	.2	52	<.3	<.2	9.5	6	
CW-102-T	1.4	2.4	18.7	19.5	63	<1	2	590	2.37	.8	6	5	7	.16	<.2	.5	3	.10	.047	24	2	.16	125	.02	<3	.89	.05	.20	<2	.2	32	<.3	.2	6.0	<1	
CW-108-T*	2.4	3.1	16.6	77.5	75	<1	2	390	2.80	1.4	<5	5	27	.17	.3	.1	11	.23	.069	22	3	.20	196	.12	<3	1.34	.05	.24	2	<.2	34	<.3	<.2	5.9	2	
CW-110-T*	4.0	3.1	28.3	33.9	161	<1	<1	259	3.60	2.9	<5	5	35	.06	.4	.1	13	.06	.091	28	2	.14	293	.28	3	.95	.09	.27	<2	.4	135	<.3	<.2	11.1	<1	
CW-114-T*	3.0	4.7	24.6	64.3	65	2	4	856	1.95	3.2	6	4	20	.43	<.2	.2	5	.06	.035	11	6	.04	547	.01	<3	.72	.03	.25	2	.3	213	<.3	<.2	2.2	<1	
CW-115-T	.8	3.1	16.7	48.2	60	<1	1	427	1.31	<.5	10	2	8	.23	<.2	.1	3	.04	.024	6	4	.01	281	<.01	<3	.51	.03	.22	2	.2	27	<.3	<.2	1.3	1	
CW-116-T	.4	2.3	16.2	52.0	52	3	1	313	1.48	.8	<5	5	3	.17	<.2	.1	3	.02	.029	6	4	.02	86	<.01	<3	.86	.03	.30	2	.3	17	<.3	<.2	2.1	1	
CW-120-T	1.0	6.8	10.4	84.0	75	<1	9	638	3.63	1.3	<5	4	13	.22	<.2	<.1	44	.36	.138	15	10	.66	217	.02	<3	1.39	.06	.15	2	.2	233	<.3	<.2	8.2	1	
CW-121-T	1.8	5.1	9.3	85.9	60	2	8	592	3.79	.7	<5	7	16	.14	.2	<.1	41	.38	.125	17	10	.67	570	.05	<3	1.16	.06	.17	3	.2	20	<.3	<.2	8.1	<1	
CW-125-T	1.0	3.0	17.5	42.7	64	1	1	396	1.16	.5	<5	7	3	.13	<.2	.1	2	.02	.014	25	4	.01	85	.01	3	.46	.04	.16	2	<.2	36	<.3	<.2	1.5	1	
CW-129B-T	1.1	3.7	14.4	45.4	76	2	2	358	1.37	1.0	<5	8	6	.18	<.2	.2	5	.05	.026	14	6	.02	159	<.01	<3	.65	.04	.20	3	.2	38	<.3	<.2	1.6	18	
CW-130-T	3.5	3.4	18.8	50.7	85	<1	1	509	1.34	1.2	<5	10	5	.28	.2	.2	3	.05	.020	23	4	.01	196	<.01	<3	.51	.06	.20	2	.3	48	<.3	<.2	1.8	3	
CW-131-T	1.1	3.7	22.2	49.6	161	<1	1	524	1.27	1.9	<5	2	4	.16	<.2	.2	1	.02	.012	15	4	.01	185	<.01	<3	.35	.08	.13	2	.2	51	<.3	<.2	.9	2	
RE CW-131-T	1.1	3.9	22.0	49.9	137	<1	1	523	1.27	2.3	13	2	4	.13	<.2	.2	1	.02	.013	15	5	.01	190	<.01	<3	.35	.08	.14	<2	.2	68	<.3	<.2	1.0	<1	
CW-133-T	1.8	3.3	16.9	34.4	64	<1	1	246	.84	2.8	5	4	5	.17	<.2	<.1	1	.02	.011	11	4	.01	71	<.01	<3	.55	.04	.26	<2	.3	18	<.3	<.2	1.8	1	
CW-134-T	.9	2.5	15.1	52.9	42	2	3	551	1.67	.9	<5	4	8	.15	<.2	.1	5	.08	.028	6	5	.04	142	<.01	3	.68	.03	.28	2	.2	19	<.3	<.2	1.8	1	
CW-138-T	.4	1.6	14.5	35.9	52	<1	<1	498	1.19	.6	<5	4	6	.17	<.2	.1	1	.05	.011	12	3	.02	150	<.01	<3	.47	.02	.20	<2	.2	14	<.3	<.2	1.0	<1	
CW-139-T	.4	4.0	20.3	80.3	119	<1	3	910	3.23	1.0	6	3	39	.22	<.2	.2	6	.40	.111	9	3	.05	286	<.01	<3	.72	.05	.32	2	<.2	13	<.3	<.2	1.9	5	
CW-141-T	3.1	3.0	19.4	54.0	98	1	2	732	1.48	1.2	22	8	6	.25	<.2	.1	3	.06	.017	27	4	.01	211	<.01	<3	.45	.06	.21	3	.2	59	<.3	<.2	1.5	2	
CW-142-T	1.2	3.7	25.9	57.8	114	1	1	493	1.29	1.0	<5	4	3	.23	<.2	.1	2	.04	.013	24	5	.01	246	<.01	<3	.49	.07	.24	2	<.2	10	<.3	<.2	1.5	1	
CW-143-T	.9	3.3	13.6	51.0	104	1	1	370	1.18	<.5	<5	6	4	.18	<.2	.1	2	.06	.009	15	4	.01	208	<.01	3	.41	.06	.20	2	<.2	19	<.3	<.2	1.2	1	
CW-144-T	2.6	4.0	19.0	58.1	168	1	3	415	1.89	<.5	<5	4	6	.25	<.2	.1	5	.13	.032	7	4	.03	373	<.01	3	.61	.05	.30	2	<.2	22	<.3	<.2	2.1	1	
STANDARD D2	24.1	123.1	96.3	258.6	2123	32	16	1018	4.11	70.6	18	18	54	2.09	7.3	21.6	71	.69	.110	17	55	1.22	244	.14	25	2.24	.05	.67	17	2.8	437	.6	1.7	7.8	500	

Standard is STANDARD D2/HG-500/AU-R. Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	M ppm	Tl ppm	Hg ppb	Se ppm	Te ppm	Ga ppm	Au* ppb
CW-145-T	1.1	2.3	16.0	58.7	45	1	1	418	1.18	<.5	<.5	6	2	.23	<.2	.1	1	.03	.007	14	4	.01	158	<.01	6	.35	.07	.16	2	<.2	40	<.3	<.2	.9	<1
CW-146-T	1.3	2.7	13.7	58.4	34	1	1	673	1.52	.5	<.5	6	6	.24	<.2	.1	3	.09	.037	12	5	.01	275	<.01	8	.46	.06	.18	2	<.2	41	<.3	<.2	1.4	1
CW-147-T	2.9	2.4	16.9	43.9	101	1	1	308	1.14	<.5	<.5	5	4	.21	<.2	.2	1	.04	.011	14	5	.01	117	<.01	<3	.41	.07	.18	2	.2	42	<.3	<.2	1.5	1
CW-150-T	1.0	1.9	14.7	49.7	<30	1	1	401	1.31	1.2	7	7	4	.19	<.2	.1	2	.06	.012	16	4	.01	130	.01	5	.41	.07	.19	3	.2	41	<.3	<.2	1.6	<1
CW-151-T	.6	1.3	13.2	51.2	<30	1	1	442	1.38	<.5	<.5	4	4	.08	<.2	<.1	2	.09	.018	13	4	.02	129	<.01	<3	.40	.06	.16	2	<.2	38	<.3	<.2	1.2	<1
CW-153-T	.7	1.7	10.6	35.3	<30	<1	1	232	1.02	<.5	<.5	5	3	.08	.2	.1	2	.04	.009	8	5	.01	107	<.01	<3	.45	.07	.15	3	<.2	28	<.3	<.2	.8	1
CW-154-T	1.3	2.9	17.8	69.3	101	1	1	313	1.47	1.2	<.5	4	4	.19	.2	.3	2	.07	.012	11	5	.01	101	.01	4	.42	.09	.16	3	<.2	29	<.3	<.2	1.2	<1
CW-155-T	1.2	2.7	19.5	51.1	42	1	1	601	1.37	.8	9	4	3	.11	<.2	.2	2	.04	.007	9	6	.01	115	.01	6	.43	.09	.17	4	<.2	22	<.3	<.2	1.5	<1
CW-156-T	1.2	2.5	17.6	47.8	54	1	<1	301	1.23	.8	<.5	4	3	.08	.2	.2	2	.03	.007	6	5	.01	84	.01	3	.49	.08	.16	2	<.2	25	<.3	<.2	1.6	1
CW-157-T	1.2	3.7	18.0	53.4	89	2	1	574	1.48	1.3	<.5	5	5	.23	.2	.1	3	.10	.015	13	6	.02	111	<.01	<3	.40	.05	.15	3	<.2	12	<.3	<.2	1.0	<1
CW-158-T	.9	2.6	19.6	43.1	30	<1	1	268	1.28	.7	<.5	6	7	.10	<.2	.1	2	.29	.008	20	4	.01	68	<.01	<3	.35	.05	.13	2	<.2	29	<.3	<.2	.9	1
CW-159-T	1.1	3.1	23.8	64.5	57	2	1	522	1.37	.6	<.5	7	13	.28	<.2	.1	3	.53	.009	25	7	.02	76	<.01	3	.38	.06	.12	5	<.2	31	<.3	<.2	1.1	<1
RE CW-159-T	1.1	3.4	24.6	65.2	59	1	1	520	1.38	.5	<.5	6	13	.29	<.2	.1	2	.54	.009	24	6	.02	81	<.01	<3	.40	.06	.12	4	<.2	30	<.3	<.2	1.4	1
CW-160-T	.7	2.2	15.8	45.9	61	4	1	547	1.33	1.1	9	8	7	.20	<.2	<.1	2	.09	.019	27	5	.02	113	<.01	3	.46	.04	.20	2	<.2	24	<.3	<.2	1.2	<1
CW-162-T	.7	1.9	17.1	57.7	41	4	2	564	1.89	.7	16	4	13	.07	<.2	.1	5	.51	.030	19	6	.04	48	<.01	7	.45	.06	.21	3	<.2	22	<.3	<.2	1.5	1
CW-163-T	1.0	1.7	17.3	52.7	63	2	1	488	1.49	.5	<.5	5	9	.12	<.2	.1	2	.25	.014	22	6	.02	90	.01	3	.39	.08	.16	2	.2	48	<.3	<.2	1.7	1
CW-164-T	4.2	2.3	17.4	57.3	115	1	2	495	1.60	1.0	11	7	6	.16	<.2	.3	3	.12	.016	20	6	.02	107	<.01	5	.41	.07	.18	4	<.2	34	<.3	<.2	1.4	3
CW-165-T	1.4	1.9	18.6	61.7	84	1	1	383	1.45	.9	<.5	6	8	.20	<.2	.1	2	.30	.005	17	5	.01	69	.01	<3	.38	.09	.17	4	<.2	19	<.3	<.2	1.5	3
CW-169-T	1.2	3.2	18.4	59.6	64	1	2	934	1.62	1.3	<.5	6	12	.26	.2	.1	4	.26	.015	19	6	.04	117	.01	3	.44	.06	.16	4	<.2	32	<.3	<.2	1.9	1
CW-176-T	1.0	2.1	14.2	36.5	46	3	<1	604	1.12	.9	11	<2	8	.22	.2	.1	1	.13	.007	5	5	.02	70	<.01	<3	.39	.03	.16	<2	<.2	18	<.3	<.2	1.2	<1
CW-181-T	1.5	3.3	11.9	33.9	49	1	1	285	1.08	1.1	10	4	9	.08	<.2	.1	2	.20	.024	5	8	.02	77	<.01	<3	.37	.05	.18	6	<.2	20	<.3	<.2	1.7	1
STANDARD 02	26.8	121.5	103.5	275.0	1925	30	16	1018	4.10	74.5	14	19	55	2.12	7.7	22.9	74	.70	.115	17	58	1.28	242	.14	26	2.21	.06	.65	20	2.6	475	.6	1.6	7.7	512

Standard is STANDARD 02/NG-500/AU-R. Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.

**APPENDIX 2**

**RECEIPT FOR PREPARATION AND ANALYSIS**



# ACME ANALYTICAL LABORATORIES LTD.

852 East Hastings, Vancouver, B.C., CANADA V6A 1R6

Phone: (604) 253-3158 Fax: (604) 253-1716

Our GST # 100035377 RT



**OMNI RESOURCES**  
402 - 750 W. Pender St.  
Vancouver, BC  
V6C 2T7

File:  
Date: Sep 5 1997

QTY	ASSAY	PRICE	AMOUNT
185	ULTRATRACE ICP + GEOCHEM AU ANALYSIS (15 gm) @	16.65	3080.25
86	PULVERIZING ROCK CHIP SAMPLE @	2.20	189.20
99	SIEVING & PULVERIZING SOIL SAMPLE @	2.20	217.80
			<hr/>
GST Taxable			3487.25
7.00% GST			244.11
CAD \$			<hr/>
			3731.36

Project: CW - MT. VISUVIUS  
Samples submitted by Chris Gooliaff  
FILE # 97-4778 & 97-4779

COPIES 1

Date	SEP 0 9 1997
Journal #	---
Account #	Amount
GST	244.11
Total	<del>3731.36</del> ← 3731.36
Date Paid	Sept 11/97
Cheque #	BM 350

Please pay last amount shown. Return one copy of this invoice with payment.  
TERMS: Net two weeks. 1.5 % per month charged on overdue accounts.

[ COPY 1 ]