

## **Assessment Report**

describing

### **2009 GEOCHEMICAL SOIL SAMPLING ON THE SIZZLER PROPERTY CCR 1 – CCR36, YC9525 – YC95280**

Located in the Dawson Range  
Dawson Mining District  
Yukon

NTS 115J16

62° 56' 30" N Latitude; 138° 18' 00" W Longitude

UTM 6,981,500N; 637,000E (NAD 83 Zone 7)

Work conducted on September 21, 2009

-prepared for-

**Farrell Andersen, Jackie Ziehe, Carl Schulze, Mark Fekete**

and

**Silver Quest Resources Ltd.**

1410-650 West Georgia Street

Vancouver, British Columbia, Canada, V6B 4N8

-prepared by-

Kendra Johnston, BSc Geology, GIT

**Silver Quest Resources Ltd.**

April 2010

## **Table of Contents**

1.0	Introduction .....	1
2.0	Property Location, Claim Data and Access .....	1
3.0	History .....	4
4.0	Geomorphology .....	4
5.0	Geology .....	5
6.0	Soil Geochemistry.....	5
7.0	Discussion, Conclusions and Recommendations .....	9
8.0	References .....	10

## **List of Figures**

Figure 1	Property Location.....	2
Figure 2	Claim Location.....	3
Figure 3	Tectonic Setting.....	6
Figure 4	Regional Geology .....	7
Figure 5	Soil Sample Locations.....	8

## **List of Appendices**

I	Statement of Qualifications
II	Statement of Expenditures
III	Certificate of Analysis

## 1.0 Introduction

The Sizzler property covers a near surface bulk tonnage gold target on the north side of Cripple Creek, in the west-central Yukon. The property is equally owned equal by four individuals and has been optioned to Silver Quest Resources Ltd. (“Silver Quest” or the “Company”).

This report describes a soil sampling program that was conducted by a four person crew on September 21, 2009. The work was completed by Silver Quest. The author participated in the program and her Statement of Qualifications is in Appendix I.

## 2.0 Property Location, Claim Data and Access

The Sizzler property consists of 36 contiguous mineral claims located at latitude 62° 56’ 30” and longitude 138° 18’ 00” on NTS map sheet 115J16 within the Dawson Range of the west-central Yukon approximately 140 km southeast of Dawson City (Figure 1). The claims are registered with the Dawson Mining Recorder and are owned equally by Farrell Andersen, Jackie Ziehe, Carl Schulze and Mark Fekete. The claims were optioned to Silver Quest in August 2009. Claim data are listed below while the locations of individual claims are illustrated on Figure 2.

Claim Name	Grant Number	Expiry Date*
CCR 1 – 24	YC95264 – YC95268	June 5, 2010
CCR 24 – 36	YC95269 – YC95280	June 4, 2010

\*Expiry data does not include 2009 work, which has not yet been filed for assessment credit.

Access to the property in 2009 was via an A-Star helicopter owned by Trans North Helicopters and operated from its permanent base in Dawson City.

There is no road access to the Sizzler Property.

A small, well maintained airstrip is located approximately 16 kilometres northwest of the property. This airstrip is used to service the nearby placer operations and could easily accommodate a small to medium sized aircraft such as a Cessna 206.




Figure 1 Property Location




Figure 2 Claim Location

### **3.0 History**

The Sizzler claims were staked in 1985 by Kerr Addison Mines Ltd. following the discovery of quartz strings and silicified breccias over an area 1.7 kilometres in diameter. Kerr Addison mapped and sampled the property in 1985 at a scale of 1:50,000 and increased the detail to 1:20,000 over the silicified zone.

In 1986, 213 soil samples and 8 rock samples were collected over a 1.0 km x 0.6 km grid. Soils were collected at 50 m intervals along grid lines spaced 50 m apart and were generally collected from the B horizon at depths ranging from 10 cm to 40 cm. The rock samples consisted of float material. All samples were analyzed for gold, silver, arsenic and antimony. Results from soils indicated a few spot highs for gold and antimony, one anomalous silver value and weak arsenic trends. Results from silicified float samples were erratic, with only one sample from the 1986 program containing anomalous 400 ppb gold. This sample was intensely silicified rhyolite quartz feldspar porphyry with sericite alteration and irregular quartz stringers. A sample of similar material collected by Kerr Addison in 1985 assayed 1050 ppb gold (Pautler, 1986). In 1988, D. Waugh added the Xene 1-36 claims and transferred them to Deak Resources Corporation in May 1989 (Yukon Minfile 115J 098).

The property was most recently staked in June 2009, and then optioned to Silver Quest in August 2009.

### **4.0 Geomorphology**

The property lies within the Dawson Range in an area of moderate relief. Local elevations range from 700 to 1,200 m above sea level. The higher parts of the property are thinly vegetated with stunted, deciduous and evergreen trees, scrub brush and thin moss cover. Lower elevations support a mixture of deciduous and evergreen forest with thick buckbrush, willows and moss covered slopes. No part of the property is above treeline. A fire swept across the property during the early summer of 2009, trees are burned but remain standing while some of the brush was cleared. The soil was still smouldering in places in September.

The Dawson Range escaped Pleistocene glaciation and therefore outcrops are rare and are mostly found along sparsely vegetated ridges and in the larger creek valleys.

The property is drained by a tributary of Cripple Creek, which flows directly into the Yukon River.

## 5.0 Geology

The Sizzler property lies within the Yukon-Tanana Terrane approximately 85 km southwest of the Tinitina Fault (Figure 3). Figure 4 illustrates geology in the vicinity of the property.

The oldest rocks in the area are assigned to the Devonian, Mississippian and older (?) Nasina Assemblage (DMN3). This unit has been described by (Gordey, 2001) as quartzite, micaceous quartzite, quartz-muscovite schist, minor metaconglomerate and metagrit.

Cutting through the south end of the Sizzler property is a west-northwest trending slice of Late Devonian to Mississippian Pelly Gneiss Suite-Southwest (DMgPW). These rocks overlie DMN3 and extend south of the Yukon River. (Gordey, 2001) describes DMgPW as foliated medium grained, homogeneous biotite granite gneiss to biotite or hornblende granodiorite gneiss; massive to strongly foliated dioritic to granodioritic gneiss with interfoliated amphibolite, quartz-mica schist and phyllite.

A large pluton of Early Jurassic Aishihik Suite (EJgA) intrudes DMN3 on the east side of the property. EJgA has been described as medium to coarse grained, foliated biotite-hornblende granodiorite; biotite rich screens and gneiss schlieren; foliated hornblend diorite to monzodiorite with local K-feldspar megacrysts; may include unfoliated monzonite of the Long Lake Suite (Gordey, 2001). As mapped by Gordy (2001), the Sizzler property is almost entirely underlain by DMN3 with a small sliver of DMgPW along the southern property margin, and a corner of the EJgA intrusion protruding onto the eastern part of the claims.


No property-scale mapping was completed in 2009.

## 6.0 Soil Geochemistry

A total of 54 deep auger soil samples were taken during the 2009 program. Soil samples were collected over two grid areas, on either side of the historical soil sampling grid completed by Kerr Addison in 1986. Soils were collected at 50 m intervals on grid lines situated 100 m apart. All soil sample sites were located by using handheld GPS units. Deep auger samples were taken as deep in the weathered soil profile as possible. Soil samples were taken from the bottoms of 25 to 75 cm deep holes and then placed into individually numbered kraft paper bags. Soil sample locations are illustrated on Figure 5.

Soil sample analyses were performed by Eco Tech Laboratory in Kamloops, BC, which is an International Standard ISO 9001:2000-certified laboratory. The samples were analyzed using a 28-element ICPMS package with a 30-gram fire assay with AA finish for over limit (plus one gram per tonne) gold and (plus 30 grams per tonne) silver concentrations. Certificates of Analysis are in Appendix II.

Results from soil geochemistry were generally low; however, considering the deep weathering regime in the region and the low sample density, these results were not surprising.



**Figure 3 Tectonic Setting**




Figure 4 Regional Geology




Figure 5 Soil Sample Locations

## 7.0 Discussion, Conclusions and Recommendations

The Sizzler property is situated in the Dawson Range, an area of the Yukon that has typically been difficult and expensive to explore. The increased level of activity in the area, caused by recent new gold discoveries has improved ground access. With a known gold occurrence, favourable geology and limited geochemical sampling to date, this property warrants further work.

Although the 2009 soil sampling program did not produce significant geochemical anomalies, additional work is warranted on the property. This work should include airphoto analysis to identify possible structures and property-wide, rock and closely spaced deep auger grid soil geochemistry. Trenching may also be useful to follow-up on the proposed geochemical soil and rock sampling.

Respectfully submitted,

Silver Quest Resources Ltd.

Kendra Johnston, BSc Geology, GIT

## 8.0 References

Gordey, S.A. (2001). *Bedrock Geology, Yukon Territory*. Geological Survey of Canada, Open File 3754 and Exploration and Geological Services Division, Yukon Indian and Northern Affairs, Open File 2001-1, scale 1:1 000 000.

Pautler, J. (1986). *Geological and Geochemical Report on the Sizzler Claims*. Vancouver BC: Kerr Addison Mines Ltd.

Yukon Minfile 115J 098. *Sizzler Showing*. Whitehorse: Yukon Geological Survey.

**APPENDIX I**

**STATEMENT OF QUALIFICATIONS**

## Statement of Qualifications

I, Kendra Johnston, BSc, GIT do hereby certify that:

I am a geologist working on behalf of Silver Quest Resources, with a business address of 1410-650 West Georgia Street, Vancouver, British Columbia, Canada.

I graduated from the University of Victoria with a Bachelor of Science degree in Earth and Ocean Science and Geography in 2005.

I have been actively engaged in the mineral exploration industry in the Yukon Territory, British Columbia, and Nevada since 2005

I am a Geoscientist in Training with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 141786)

I am the author of the report entitled "2009 Geochemical Soil Sampling Report on the TAK Property" and dated February 2010.

I personally participated in the fieldwork reported herein and have interpreted all data resulting from this work.



Kendra Johnston, BSc. Geology, GIT

**APPENDIX II**  
**STATEMENT OF EXPENDITURES**

## STATEMENT OF EXPENDITURE

### SIZZLER PORPERTY 2009 GEOCHEMICAL SOIL SAMPLING

<b>Analytical Work</b>	
ICP – 28 elements plus gold; 53 soil samples @ \$19.04	\$ 1,009.12
<b>Geochemical Soil Sampling Contractor – Ridge Resources</b>	\$ 2,774.00
<b>Geologist and Contractor Supervision – Kendra Johnston</b>	\$ 323.52
<b>Helicopter Transportation</b>	\$ 5,055.07
<b>Accommodation</b>	\$ 208.76
<b>Field Supplies</b>	\$ <u>28.47</u>
<b>Total</b>	\$ <u>9,398.94</u>

**APPENDIX III**  
**CERTIFICATE OF ANALYSIS**

23-Oct-09

Stewart Group  
ECO TECH LABORATORY LTD.  
10041 Dallas Drive  
KAMLOOPS, B.C.  
V2C 6T4  
www.stewartgroupglobal.com

ICP CERTIFICATE OF ANALYSIS AK 2009- 0611

Silver Quest Resources  
1410-650 West Georgia St  
Vancouver, BC  
V6B 4N8

Phone: 250-573-5700  
Fax : 250-573-4557

No. of samples received: 54  
Sample Type: Soils  
Project: Sizzler  
Submitted by: Kendra Johnston

Values in ppm unless otherwise reported

El #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	SZ-200	25	0.2	1.50	15	325	<5	0.88	1	16	22	26	2.38	10	0.78	598	2	0.02	15	1230	20	<5	<20	31	0.08	<10	55	<10	9	68
2	SZ-201	10	0.2	1.59	10	305	<5	0.58	1	12	22	27	2.54	10	0.59	593	2	0.02	13	550	16	<5	<20	24	0.08	<10	62	<10	6	77
3	SZ-203	15	0.3	2.06	10	390	<5	0.91	1	15	22	75	3.18	<10	0.92	389	5	0.02	14	1030	18	<5	<20	30	0.09	<10	71	<10	7	126
4	SZ-204	20	<0.2	1.77	5	300	<5	0.43	2	17	26	29	2.79	<10	1.04	491	2	0.02	13	840	20	<5	<20	12	0.14	<10	83	<10	2	93
5	SZ-205	20	<0.2	1.69	10	260	<5	0.44	1	11	22	20	2.83	<10	0.68	300	1	0.02	12	590	16	<5	<20	16	0.08	<10	62	<10	6	69
6	SZ-206	20	1.6	2.08	15	635	<5	1.94	2	18	30	67	3.49	40	0.53	658	8	0.02	22	800	50	<5	<20	64	0.01	<10	64	<10	26	87
7	SZ-207	5	<0.2	1.47	10	285	<5	0.46	1	11	22	20	2.16	<10	0.56	192	1	0.02	18	410	18	<5	<20	18	0.06	<10	56	<10	3	49
8	SZ-208	10	<0.2	2.05	10	280	<5	0.40	1	19	23	24	3.32	<10	0.69	633	2	0.02	14	440	18	<5	<20	18	0.11	<10	82	<10	3	80
9	SZ-209	10	<0.2	1.58	10	310	<5	0.79	1	14	31	28	2.77	<10	0.72	381	2	0.02	19	760	14	<5	<20	28	0.07	<10	60	<10	7	69
10	SZ-210	20	0.2	1.50	10	320	<5	0.57	1	12	20	21	2.29	10	0.65	306	1	0.02	13	630	18	<5	<20	19	0.08	<10	58	<10	7	60
11	SZ-211	20	0.2	1.47	10	340	<5	1.17	1	12	21	25	2.27	20	0.54	454	1	0.03	16	820	14	<5	<20	37	0.05	<10	52	<10	17	64
12	SZ-212	10	<0.2	1.68	10	315	<5	0.81	1	18	22	22	2.78	<10	0.64	753	2	0.03	15	740	20	<5	<20	30	0.08	<10	66	<10	7	70
13	SZ-213	5	<0.2	1.71	10	280	<5	0.61	1	13	23	15	2.80	<10	0.56	785	1	0.02	15	350	16	<5	<20	26	0.06	<10	67	<10	3	59
14	SZ-214	5	0.2	1.56	5	290	<5	0.75	1	11	23	21	2.44	<10	0.56	368	1	0.02	15	600	14	<5	<20	30	0.07	<10	57	<10	6	61
15	SZ-215	10	0.2	1.77	5	265	<5	0.22	1	13	23	14	2.74	<10	0.50	313	2	0.02	13	170	16	<5	<20	13	0.05	<10	67	<10	4	50
16	SZ-216	5	0.2	1.68	5	235	<5	0.52	1	16	17	24	3.29	<10	0.65	439	3	0.02	10	1010	16	<5	<20	17	0.10	<10	72	<10	4	71
17	SZ-217	5	<0.2	1.70	5	300	<5	0.45	1	11	26	24	2.62	10	0.55	301	1	0.02	15	460	18	<5	<20	21	0.08	<10	60	<10	7	58
18	SZ-218	5	<0.2	1.68	5	280	<5	0.41	1	13	27	15	2.71	<10	0.56	427	1	0.02	17	430	14	<5	<20	18	0.05	<10	62	<10	5	50
19	SZ-219	10	0.2	1.59	5	240	<5	0.53	<1	11	20	17	2.56	<10	0.45	419	2	0.02	12	390	16	<5	<20	21	0.07	<10	60	<10	6	47
20	SZ-220	10	<0.2	1.71	5	360	<5	0.98	1	14	16	47	2.65	<10	0.72	506	1	0.02	13	880	20	<5	<20	23	0.08	<10	63	<10	7	59
21	SZ-221	5	<0.2	1.07	<5	300	<5	0.78	1	9	11	14	1.96	<10	0.36	1065	1	0.02	8	360	30	<5	<20	27	0.04	<10	50	<10	5	97
22	SZ-222	5	0.2	1.75	5	240	<5	0.79	1	14	17	22	2.91	<10	0.69	387	1	0.02	11	700	14	<5	<20	22	0.05	<10	73	<10	6	62
23	SZ-223	5	0.2	1.78	5	365	<5	0.98	1	15	23	10	2.99	<10	0.57	1147	2	0.02	13	670	16	<5	<20	41	0.07	<10	72	<10	2	90
24	SZ-224	5	0.3	1.77	10	190	<5	0.89	1	12	19	24	2.80	10	0.56	503	1	0.02	14	610	18	<5	<20	27	0.03	<10	64	<10	25	69
25	SZ-225	5	0.3	1.64	5	275	<5	0.54	1	14	25	19	2.70	<10	0.49	829	1	0.02	14	350	16	<5	<20	22	0.05	<10	68	<10	4	65

El #.	Tag #	Au(ppb)	Ag (ppb)	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
26	SZ-226	5	0.3	1.70	5	490	<5	0.52	1	19	24	12	2.54	<10	0.58	1193	2	0.02	17	500	20	<5	<20	26	0.06	<10	69	<10	4	70
27	SZ-227	10	<0.2	1.52	5	205	<5	0.68	<1	11	21	22	2.67	<10	0.53	312	1	0.02	14	460	16	<5	<20	23	0.05	<10	62	<10	15	58
		rks: Go to specific points of interest using bookmark																												
30	SZ-230	5	<0.2	2.16	10	290	<5	0.85	1	17	23	27	3.38	10	0.68	481	2	0.03	14	510	20	<5	<20	27	0.05	<10	84	<10	17	76
31	SZ-231	5	0.2	1.58	5	180	<5	0.36	1	11	25	11	2.73	<10	0.45	392	1	0.02	14	360	14	<5	<20	18	0.04	<10	67	<10	2	65
32	SZ-232	5	0.2	1.66	<5	245	<5	0.17	1	12	17	10	2.93	<10	0.56	505	1	0.02	11	380	16	<5	<20	7	0.06	<10	68	<10	2	65
33	SZ-233	5	<0.2	1.49	5	305	<5	0.95	2	11	15	21	2.47	20	0.56	503	1	0.02	12	510	18	<5	<20	24	0.05	<10	48	<10	23	83
34	SZ-234	5	0.2	1.32	10	250	<5	0.62	1	9	13	13	2.59	<10	0.42	516	1	0.02	8	370	16	<5	<20	19	0.02	<10	50	<10	3	67
35	SZ-235	10	0.3	2.03	5	255	<5	0.36	1	15	30	14	3.48	10	0.53	872	2	0.02	17	290	18	<5	<20	17	0.08	<10	78	<10	11	66
36	SZ-236	10	<0.2	1.44	5	310	<5	0.86	1	10	21	16	2.85	<10	0.45	438	1	0.02	12	310	16	<5	<20	26	0.05	<10	71	<10	3	60
37	SZ-237	5	0.2	1.45	10	185	<5	0.31	<1	11	26	12	2.72	<10	0.45	364	1	0.02	16	270	16	<5	<20	16	0.05	<10	62	<10	3	56
38	SZ-238	5	<0.2	1.74	5	305	<5	0.39	1	15	28	12	3.43	<10	0.54	1136	1	0.02	15	410	16	<5	<20	20	0.09	<10	74	<10	2	75
39	SZ-239	5	<0.2	1.62	<5	245	<5	0.77	1	12	18	16	3.49	<10	0.61	514	1	0.02	11	500	18	<5	<20	22	0.06	<10	78	<10	3	77
40	SZ-240	5	<0.2	1.98	5	230	<5	0.76	1	14	18	15	3.94	<10	0.67	1067	1	0.03	9	810	20	<5	<20	24	0.09	<10	72	<10	9	90
41	SZ-241	10	0.2	1.62	10	495	<5	0.45	1	14	27	13	3.22	<10	0.52	1506	1	0.02	17	320	18	<5	<20	23	0.08	<10	71	<10	3	84
42	SZ-242	10	<0.2	2.02	5	315	<5	0.46	1	15	28	20	3.64	<10	0.58	717	2	0.03	17	420	26	<5	<20	19	0.06	<10	89	<10	5	76
43	SZ-243	5	<0.2	1.62	5	235	<5	0.36	1	16	27	20	3.39	<10	0.53	1089	1	0.02	14	310	34	<5	<20	17	0.08	<10	82	<10	4	177
44	SZ-244	5	<0.2	1.53	5	285	<5	0.34	1	12	29	13	2.94	<10	0.45	643	1	0.02	17	380	22	<5	<20	16	0.06	<10	69	<10	3	69
45	SZ-245	10	<0.2	1.97	5	255	<5	0.42	1	16	33	14	3.74	<10	0.57	489	2	0.02	16	230	18	<5	<20	17	0.10	<10	89	<10	2	87
46	SZ-246	15	0.2	1.37	<5	230	<5	0.48	1	11	21	15	2.44	<10	0.54	535	1	0.02	12	250	30	<5	<20	19	0.05	<10	71	<10	4	81
47	SZ-247	5	0.2	1.56	5	225	<5	0.37	1	13	26	13	2.84	<10	0.45	667	2	0.02	14	270	18	<5	<20	18	0.04	<10	71	<10	3	85
48	SZ-248	5	<0.2	1.89	5	245	<5	0.90	2	15	27	25	3.66	<10	0.69	806	1	0.03	13	720	22	<5	<20	24	0.09	<10	88	<10	15	116
49	SZ-249	10	0.2	2.09	5	350	<5	0.65	2	16	30	36	3.69	<10	0.81	931	1	0.03	16	690	40	<5	<20	24	0.06	<10	103	<10	5	173
50	SZ-250	<5	<0.2	1.85	5	265	<5	0.44	2	15	31	14	3.29	<10	0.47	813	2	0.02	15	350	40	<5	<20	20	0.05	<10	86	<10	3	163
51	SZ-251	10	0.2	1.81	<5	190	<5	0.94	2	16	21	33	2.93	10	0.80	625	2	0.02	12	910	52	<5	<20	21	0.05	<10	72	<10	30	123
52	SZ-252	<5	<0.2	1.75	5	255	<5	0.47	1	15	36	18	3.27	<10	0.65	666	1	0.03	18	420	22	<5	<20	20	0.06	<10	85	<10	4	87
53	SZ-253	5	<0.2	1.71	5	215	<5	0.32	2	15	27	14	3.31	<10	0.58	655	2	0.03	13	390	28	<5	<20	15	0.06	<10	93	<10	3	133
54	SZ-275	10	<0.2	1.34	5	180	<5	0.84	<1	11	19	19	2.36	<10	0.56	402	1	0.03	11	1760	10	<5	<20	30	0.07	<10	47	<10	6	66
<b>QC DATA:</b>																														
<b>Repeat:</b>																														
1	SZ-200	10	<0.2	1.42	10	320	<5	0.87	1	15	21	30	2.27	10	0.72	584	2	0.02	14	1230	18	<5	<20	31	0.07	<10	53	<10	9	64
10	SZ-210	20	0.2	1.59	10	295	<5	0.58	1	12	22	20	2.45	10	0.60	328	1	0.02	13	630	16	<5	<20	21	0.08	<10	62	<10	7	65
11	SZ-211	5	0.2	1.57	5	240	<5	0.53	<1	11	19	17	2.57	<10	0.45	418	2	0.02	12	410	16	<5	<20	21	0.06	<10	59	<10	6	47
28	SZ-228	5	<0.2	1.95	5	245	<5	0.68	1	16	25	16	3.45	<10	0.63	689	2	0.02	14	440	18	<5	<20	27	0.06	<10	85	<10	3	72
29	SZ-229	5	0.2	1.26	5	325	<5	0.80	1	10	18	13	2.60	<10	0.49	385	1	0.02	11	280	18	<5	<20	22	0.05	<10	63	<10	2	52
36	SZ-236	10	<0.2	1.91	5	255	<5	0.41	1	16	32	14	3.68	<10	0.58	485	1	0.02	16	220	16	<5	<20	17	0.10	<10	87	<10	2	87

**QC DATA:**

Repeat:

1	SZ-200	10	<0.2	1.42	10	320	<5	0.87	1	15	21	30	2.27	10	0.72	584	2	0.02	14	1230	18	<5	<20	31	0.07	<10	53	<10	9	64
10	SZ-210	20	0.2	1.59	10	295	<5	0.58	1	12	22	20	2.45	10	0.60	328	1	0.02	13	630	16	<5	<20	21	0.08	<10	62	<10	7	65
11	SZ-211	5	0.2	1.57	5	240	<5	0.53	<1	11	19	17	2.57	<10	0.45	418	2	0.02	12	410	16	<5	<20	21	0.06	<10	59	<10	6	47
28	SZ-228	5	<0.2	1.95	5	245	<5	0.68	1	16	25	16	3.45	<10	0.63	689	2	0.02	14	440	18	<5	<20	27	0.06	<10	85	<10	3	72
29	SZ-229	5	0.2	1.26	5	325	<5	0.80	1	10	18	13	2.60	<10	0.49	385	1	0.02	11	280	18	<5	<20	22	0.05	<10	63	<10	2	52
36	SZ-236	10	<0.2	1.91	5	255	<5	0.41	1	16	32	14	3.68	<10	0.58	485	1	0.02	16	220	16	<5	<20	17	0.10	<10	87	<10	2	87

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2009-0611

Silver Quest Resources

El #.	Tag #	Au(ppb)	Ag Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn		
<b>Standard:</b>																															
	Till-3		1.5	1.15	85	40	<5	0.59	<1	15	70	22	2.01	10	0.59	310	1	0.03	34	480	18	<5	<20	15	0.06	<10	41	<10	6	40	
	Till-3		1.6	1.15	85	40	<5	0.59	<1	15	70	22	2.08	10	0.58	314	1	0.03	34	480	20	<5	<20	15	0.07	<10	42	<10	6	42	
	SF30																														
	OXE74																														

ICP: Aqua Regia Digest / ICP- AES Finish.

Ag : Aqua Regia Digest / AA Finish.

Au: 30g Fire Assay/ AA Finish.

NIM/mw  
dt/2\_610BS  
XLS/09

  
ECO TECH LABORATORY LTD.  
Norman Monteith  
B.C. Certified Assayer