

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

**GEOCHEMICAL SAMPLING, GEOLOGICAL
MAPPING AND DIAMOND DRILLING**

at the

SCARLET EAST PROPERTY

STW 1-146 YD69503-YD69648
147-230 YD90316-YD90399

NTS 106B/04 & 106C/01
Latitude 64°04' N; Longitude 132°07' W

Mayo Mining District
Yukon Territory

Field work performed intermittently between June 13 and August 5, 2012

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.
and
RACKLA METALS INC.

by

S. Drechsler, B.Sc., P.Geo.

April 2013

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	2
GEOMORPHOLOGY AND CLIMATE	2
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	6
REGIONAL MINERALIZATION	8
PROPERTY MINERALIZATION	8
SOIL GEOCHEMISTRY	9
DIAMOND DRILLING	10
DISCUSSION AND CONCLUSIONS	12
REFERENCES	13

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	STATEMENT OF EXPENDITURES
III	ROCK SAMPLE DESCRIPTIONS
IV	CERTIFICATES OF ANALYSIS
V	GEOLOGICAL AND GEOTECHNICAL LOGS
VI	DIAMOND DRILLING CROSS-SECTIONS

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations – East Half	1
3	Claim Locations – West Half	1
4	Rackla Belt Regional Geology	4
5	Idealized Regional Cross-Section	5
6	General Property Geology	5
7	Detailed Geology	In Pocket
8	2012 Sample Locations	8
9	Rock Geochemistry	8
10	Gold, Arsenic and Mercury Soil Geochemistry	In Pocket
11	Thallium, Antimony and Calcium Soil Geochemistry	In Pocket
12	Property Wide Data Compilation (Au, As, Hg)	In Pocket
13	Property Wide Data Compilation (Tl, Sb, Ca)	In Pocket

TABLES

<u>No.</u>	<u>Description</u>	<u>Page</u>
I	Regional Lithological Units	5
II	Rock Type Descriptions for Detailed Map Area	7
III	Threshold and Peak Values for Soil Samples	9
IV	2012 Drill Hole Data	11

INTRODUCTION

The Scarlet East property lies within a district of recently discovered Carlin-type gold occurrences, located in east-central Yukon. The property covers favourable, structurally complex, carbonate stratigraphy, which hosts several strong gold-arsenic±mercury±thallium±antimony soil anomalies. Follow up of similar soil anomalies elsewhere in the district led to the discoveries of ATAC Resources Ltd.'s Osiris and Conrad zones and Anthill Resources Ltd.'s Venus Zone. The property is owned by Rackla Metals Inc. and is under option to Strategic Metals Ltd. It is one of several claim blocks comprising Strategic Metals Ltd.'s Midas Touch Project.

This report describes geochemical sampling, geological mapping and diamond drilling (1167.68 m in five holes) that was conducted from June 13 to 17, June 19 to 21 and July 8 to August 5, 2012 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author supervised and participated in the program and interpreted all resulting data. Her Statement of Qualifications is in Appendix I. The work was conducted at a cost of \$213,750.92, as shown on the Statement of Expenditures in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Scarlet East property consists of 230 contiguous mineral claims located in east-central Yukon at latitude 64°04' north and longitude 132°07' west, on NTS map sheets 106B/04 and 106C/01 (Figure 1). The property covers an area of approximately 4650 ha (46.5 km²). The claims are registered with the Mayo Mining Recorder in the name of Rackla Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figures 2 and 3.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
STW 1-146	YD69503-YD69648	March 31, 2020
147-230	YD90316-YD90399	March 31, 2020

* Expiry dates include 2012 work that has been filed for assessment credit but not yet accepted.

The Scarlet East property lies 190 km east-northeast of the town of Mayo, the nearest supply centre. The closest road access is at the community of Keno City, which is situated 46 km by road northeast of Mayo.

In 2012, crew access to and from the Scarlet East property involved fixed-wing aircraft to Strategic Metals' camp at the Rackla airstrip, located about 50 km west-northwest of the property. From there, daily flights to and from the property were performed with a Bell 206 LongRanger helicopter and a Hughes 500D helicopter, both operated by Fireweed Helicopters from Strategic Metals' Rackla camp. Drill support involved transportation of equipment and fuel by fixed-wing aircraft from Mayo to a temporary staging area at the Stewart airstrip and then to the property by the LongRanger and 500D helicopters.

**STRATEGIC METALS LTD.
RACKLA METALS INC.**

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PROPERTY LOCATION



SCARLET EAST PROPERTY

0 250 km

FILE: ...2012/SE/Figures/F_1_Property_Location.wor

DATE: APR 2013





**STRATEGIC METALS LTD.
RACKLA METALS INC.**

FIGURE 3
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CLAIM LOCATIONS - WEST HALF
SCARLET EAST PROPERTY

0 2 km

UTM ZONE 8 & 9, NAD 83, 105B/04 & 106C/01

FILE: ...2012/SE/Figures/F_3_Claim_LocationW.WOR DATE: APR 2013

HISTORY AND PREVIOUS WORK

In 2001, the GSC completed low-density stream sediment and water sampling surveys on NTS map sheet 106B and 106C (Héon, 2003). Seven samples collected from creeks on the property returned background values for gold and most Carlin-type pathfinder elements, with the exception of a weakly elevated mercury and antimony signature in the eastern half of the property.

In 2009, ATAC followed up strong arsenic stream sediment anomalies reported by the GSC's 2001 regional sampling program in an area about 10 km northwest of the Scarlet East property. Reconnaissance sampling by ATAC returned a string of moderately to very strongly anomalous results ranging from 12 to 1775 ppb gold and 123 to 155,000 ppm arsenic (Eaton, 2010). As a result, a very large claim block was staked by ATAC in that area (the Nadaleen Trend Project).

In 2010, ATAC discovered Carlin-type gold mineralization on its Nadaleen Trend Project. Work that year included stream sediment and grid soil sampling, geological mapping, prospecting and diamond drilling (Lane, 2011). This work identified four gold-bearing showings featuring decalcification and silicification of carbonate strata with visible realgar, orpiment and dark grey sooty pyrite, which are characteristic of deposits in the Carlin Trend of Nevada (Lane, 2011).

In November 2009, Strategic Metals purchased ATAC's regional exploration data base and starting in late 2010, it staked several properties in the area to cover stratigraphic units and structural features believed to resemble those associated with ATAC's Nadaleen Trend discoveries.

In November 2010, Radius Gold Inc. staked the Scarlet East property to cover the eastern extension of the stratigraphic sequence that hosts ATAC's discoveries (Rackla Metals, 2010).

In 2011, Radius Gold completed stream sediment and grid soil sampling, prospecting, property-scale geological mapping and airborne magnetic and radiometric surveys. It collected 164 rock, 239 stream sediment and over 8700 soil samples from the property. This work identified several localized to sizeable, gold-arsenic-mercury-thallium-antimony soil anomalies hosted within favourable carbonate stratigraphy. In December 2011, Radius Gold completed a spin out transaction in which its Yukon holdings were transferred to the newly formed Rackla Metals Inc. (Rackla Metals, 2011).

On April 2, 2012 Strategic Metals optioned the Scarlet East property from Rackla Metals.

GEOMORPHOLOGY AND CLIMATE

The Scarlet East property is situated in the Selwyn Mountains and is drained by creeks that flow south into the Stewart River, which connects to the Pacific Ocean via the Yukon River.

The property covers the southern parts of three northeasterly trending ridges that are separated by two sub-parallel drainages. Elevations on the property range from 800 to 1850 m above sea level

(asl). Approximately one quarter of the property lies above treeline, which is at about 1400 m asl. Grass, moss, talus slopes and outcrop characterize alpine terrain on the property, while subalpine areas are typically devoid of outcrop and densely vegetated with stands of black spruce, willow and alder. Steep, north facing slopes are usually unvegetated. Creeks on the property have sufficient water for camp and drilling purposes throughout the summer and early fall.

The Scarlet East property lies within the limits of the McConnell glaciation, which affected the region approximately 20,000 years ago. Regional ice movement in the area was westerly to west-northwesterly.

Soil development and thickness are highly variable on the property. Maximum depths are reached near the valley floors. Glacial transport, fluvial processes and mass wasting have all affected soil development.

The climate in the Scarlet East property area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively warm, snowfall can occur in any month. The property is mostly snow free from mid June to late September.

REGIONAL GEOLOGY

The Scarlet East property is located at the eastern end of the Rackla Belt, which is an 18 by 120 km belt defined by a variety of mineral occurrences, including recently discovered Carlin-style gold mineralization.

The Rackla Belt spans the southern portion of the Nadaleen map sheet (106C) and southwestern corner of the Nash Creek (106D) map sheet. The Geological Survey of Canada published 1:250,000 scale geological maps of the Nash Creek and Nadaleen map sheets in 1972 (Green) and 1974 (Blusson), respectively. In 1990, Indian and Northern Affairs Canada released a 1:50,000 scale geological map of NTS map sheet 106D/01 (Abbott, 1990).

In 2010, the Yukon Geological Survey (YGS) initiated a project to better understand the geology of the Rackla Belt as a result of the recent discoveries in the area. Work to date has included 1:50,000 scale mapping of the: 1) Mount Mervyn map area (106C/04) in 2010 (Chakungal and Bennett, 2011); 2) Mount Ferrell map area (106C/03) in 2011 (Colpron, 2012); and 3) Ortell Lake and Mount Stenbraten map areas (106C/02 and 01) in 2012 (Colpron et al, 2013). It also included integrating structures and stratigraphic units across map sheets 106C/01 to 106C/04 and 106D/01 (Colpron et al, 2013).

Geology of the Rackla Belt presented in the following paragraphs is summarized from the YGS's recent work (Colpron et al, 2013).

The Rackla Belt straddles the boundary between deep water, dominantly clastic rocks of the Selwyn Basin to the south and shallower water shelf strata of the Mackenzie Platform to the north.

The Rackla Belt is divided into three main structural panels – Richardson fault array, Mackenzie fold belt and Selwyn fold belt (Figure 4). Both the north-trending Richardson fault array and the northern edge of the northwest-trending Selwyn fold belt have prolonged histories of Proterozoic and Paleozoic faulting (mainly extensional and strike-slip) that were reactivated during Mesozoic compression.

The three main structural panels are separated by the Dawson Thrust and Kathleen Lakes faults (Figure 4). The Dawson Thrust Fault is a crustal break that may date back to late Neoproterozoic rifting and was subsequently reactivated as a north-directed thrust fault during Paleozoic extension and Mesozoic compression. The direction of movement along Mesozoic thrust faults in the region is generally towards the north. The Kathleen Lakes fault is an enigmatic structure with uncertain kinematics. It likely has a long history that may have begun as a normal fault in the Neoproterozoic and has since been reactivated, possibly accommodating strike-slip and normal movement.


Both extensional and apparent sinistral strike-slip faults cross-cut structures associated with compression and characterize some of the youngest deformation in the Rackla Belt. Some strike-slip reactivation may have occurred along both the Kathleen Lakes and Dawson Thrust faults; however, the amount of motion is likely very small and appears to die out to the east. The youngest cross-cutting structures may play an important role in Carlin-style gold mineralization.

The Rackla Belt can be divided into five stratigraphic and facies domains that are generally bounded by the Dawson Thrust and Kathleen Lakes faults (Figure 4).


- 1) Neoproterozoic to Paleozoic Selwyn Basin: The southern part of the belt (hanging wall of the Dawson Thrust Fault) comprises Neoproterozoic to Upper Paleozoic predominantly off-shelf clastic sedimentary rocks of Selwyn Basin;
- 2) Paleozoic Off-shelf: To the north of the Selwyn Basin, Ordovician to Permian off-shelf carbonate and shale (including abundant debris flow and turbidite deposits) are bound by the Dawson Thrust and Kathleen Lakes faults;
- 3) Neoproterozoic Off-shelf (Windermere Supergroup?): In the northeastern part of the belt, rocks in the footwall of the Dawson Thrust Fault consist of fine-grained siliciclastic and carbonate rocks. Ediacaran fossils in this sequence suggest correlation with the upper part of the Neoproterozoic Windermere Supergroup;
- 4) Paleozoic Platform: Platformal carbonate rocks of Ordovician to Devonian age occur mainly north of the Kathleen Lakes Fault in the central part of the belt. A notable exception is a window of this package at the west end of the belt; and
- 5) Proterozoic: Older Proterozoic rocks of the Wernecke Supergroup and Pinguicula Group occupy the region north of the Kathleen Lakes Fault in the northwestern part of the belt.

The transition between platformal and basinal facies varies around Selwyn Basin. Its eastern boundary exhibits a more typical facies transition that migrates through time. By contrast, the northern boundary of Selwyn Basin is strongly localized and was apparently controlled by the Dawson Thrust Fault. Figure 5 illustrates an idealized cross-section through Rackla Belt stratigraphy, along the northern boundary of Selwyn Basin.


RACKLA BELT STRATIGRAPHIC AND FACIES DOMAINS



LOWER CAMBRIAN PALEOGEOGEOGRAPHY



MINERALIZATION ALONG RACKLA BELT



Note: Underlined showings are held by Strategic Metals Ltd.

STRATEGIC METALS LTD. RACKLA METALS INC.

FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

RACKLA BELT REGIONAL GEOLOGY


SCARLET EAST PROPERTY


After Colpron et al, 2013

The Scarlet East property lies within the Neoproterozoic off-shelf domain, approximately one to three kilometres north of the projected Dawson Thrust Fault (Figures 4 and 5). In this area, the Neoproterozoic sequence generally consists of fine grained siliciclastic and carbonate rocks, including two prominent carbonate marker horizons and locally abundant debris flow deposits (Figure 6). The lower carbonate marker divides this sequence into two informal successions – the Nadaleen and Stenbraten assemblages. Occurrences of Ediacaran fossils in this marker horizon confirm its late Neoproterozoic age and suggest correlation with the upper part of the Windermere Supergroup in the Mackenzie Mountains. The upper carbonate marker is overlain by maroon shale – this carbonate/shale sequence is identical to the upper part of the Hyland Group (Algae and Narchilla formations) and provides a stratigraphic tie across the Dawson Thrust Fault and broad correlations between Windermere and Hyland strata. Sub-units of Nadaleen and Stenbraten assemblages and Hyland Group mapped in the vicinity of the property are described in Table I.

Table I – Regional Lithological Units (after Colpron et al, 2013)

Unit Name	Age	Map Unit	Description
Quaternary	Quaternary	Q	Unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluvial silt, sand and gravel, and local volcanic ash, in part with cover or soil and organic deposits.
Narchilla Formation (Hyland Group)	Neoproterozoic (Ediacaran) to Lower Cambrian	PCHn	Maroon and green shale and siltstone, locally bioturbated; locally grey, brown shale; locally green and white sandstone; yellowish-buff weathering dolomitic limestone.
Algae Formation (Hyland Group)	Neoproterozoic (Ediacaran)	PHa	“Upper carbonate marker” - Light grey to yellowish-buff weathering dolomitic limestone and dolostone, variably dolomitized and variably silty/sandy; locally fine grained, dolomitic sandstone; commonly graded and cross-bedded; minor grey and/or maroon shale; local debris flow units- generally limestone pebble to cobble breccia and conglomerate; some polymictic breccia, locally boulder size.
Stenbraten Assemblage (Upper)		PSs	"Upper mixed clastic sequence" - Brown weathering, grey shale and siltstone; minor sandstone and grit; rhythmically bedded, brown weathering, grey limestone and shale; calcareous shale; thinly bedded, grey limestone.
Stenbraten Assemblage		PSq	Grey, medium bedded quartzite.
Stenbraten Assemblage (Lower)		PSc	"Lower carbonate marker" - Grey, buff, tan and orange weathering dolostone, dolomitic sandstone and limestone, commonly planar and/or cross laminated; calcareous shale and siltstone; maroon shale; carbonate-clast diamictite and conglomerate; pink weathering siltstone at base of unit.
Nadaleen Assemblage		PNu	Orange weathering, greenish-brown, rhythmically bedded, fine grained sandstone, siltstone, mudstone;





QUATERNARY

Q Quaternary - unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluvial silt, sand and gravel, and local volcanic ash, in part with cover or soil and organic deposits

NEOPROTEROZOIC (EDIACARAN) TO LOWER CAMBRIAN

PCHn Hyland Group (Narchilla Formation) - maroon and green shale and siltstone, locally bioturbated; locally grey, brown shale; locally green and white sandstone; yellowish-buff weathering dolomitic limestone

NEOPROTEROZOIC (EDIACARAN)

PHa Hyland Group (Algae Formation) - light grey to yellowish-buff weathering dolomitic limestone and dolostone, variably dolomitized and variably silty/sandy; locally fine grained, dolomitic sandstone; commonly graded and cross-bedded; minor grey and/or maroon shale; local debris flow units - generally limestone pebble to cobble breccia and conglomerate; some polymictic breccia, locally boulder size

PSs Stenbraten Assemblage (Upper) - "upper mixed clastic sequence" - brown weathering, grey shale and siltstone; minor sandstone and grit; rhythmically bedded, brown weathering, grey limestone and shale; calcareous shale; thinly bedded, grey limestone

PSc Stenbraten Assemblage (Lower) - "carbonate marker" - grey, buff, tan and orange weathering dolostone, dolomitic sandstone and limestone, commonly planar and/or cross laminated; calcareous shale and siltstone; maroon shale; carbonate-clast diamictite and conglomerate; pink weathering siltstone at base of unit

PSq Nadaleen Assemblage (Basal) - black, grey and greenish quartz wacke, quartz-pebble conglomerate, siltstone, mudstone

PNu Nadaleen Assemblage (Upper) - orange weathering, greenish-brown, rhythmically bedded, fine grained sandstone, siltstone, mudstone; polymictic diamictite, conglomerate (carbonate and quartz pebble to cobble); maroon and green fine grained sandstone-siltstone-mudstone

PNI Nadaleen Assemblage (Lower) - brownish-grey siltstone, mudstone, limestone; rhythmically, thin to medium bedded mudstone and limestone; local pink-grey quartz sandstone and quartzite; calcareous grit and sandstone

PNq Nadaleen Assemblage (Lower) - pink-grey, quartz arenite and grit; quartzite

PNC Nadaleen Assemblage (Lower) - grey limestone

PNd Nadaleen Assemblage (Lower) - diamictite, conglomerate (debris flow deposit); clasts of carbonate and quartzite, pebble to boulder, locally megaclasts up to 100 m long; matrix locally sandy; grey limestone

PNw Nadaleen Assemblage (Basal) - black, grey and greenish quartz wacke, quartz-pebble conglomerate, siltstone, mudstone

- Normal fault
- ▲— Thrust fault
- ∩— Anticline (upright)
- ∪— Anticline (overturned)
- *— Syncline (upright)
- ↗ Bedding (inclined, upright, vertical)
- ↘ Cleavage (inclined, vertical)

**STRATEGIC METALS LTD.
RACKLA METALS INC.**

**FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
GENERAL PROPERTY GEOLOGY
SCARLET EAST PROPERTY**

0 4 km
UTM ZONE 8 & 9, NAD 83, 105B/04 & 106C/01




(Upper)			polymictic diamictite, conglomerate (carbonate and quartz pebble to cobble); maroon and green fine grained sandstone-siltstone-mudstone.
Nadaleen Assemblage (Lower)		PNl	Brownish-grey siltstone, mudstone, limestone; rhythmically, thin to medium bedded mudstone and limestone; local pink-grey quartz sandstone and quartzite; calcareous grit and sandstone.
Nadaleen Assemblage (Lower)		PNq	Pink-grey, quartz arenite and grit; quartzite.
Nadaleen Assemblage (Lower)		PNc	Grey limestone.
Nadaleen Assemblage (Lower)		PNd	Diamictite, conglomerate (debris flow deposit); clasts of carbonate and quartzite, pebble to boulder, locally megaclasts up to 100 m long; matrix locally sandy; grey limestone.
Nadaleen Assemblage (Basal)		PNw	Black, grey and greenish quartz wacke, quartz-pebble conglomerate, siltstone, mudstone.

PROPERTY GEOLOGY

The Scarlet East property is primarily underlain by mixed clastic and carbonate rocks belonging to upper Stenbraten Assemblage and Algae Lake and Narchilla formations (Figure 6). A window of underlying carbonate and fine grained clastic rocks belonging to lower Stenbraten and Nadaleen assemblages is exposed by topography and folding in the eastern half of the property. Quaternary sediments blanket rocks in the southern part of the property, along the Stewart River valley.

Two northwesterly and northerly trending, steeply dipping normal faults bisect the property. These faults dip in opposite directions away from the centre of the property and caused a structural block at the centre of the property to be raised relative to rocks at the western and eastern ends. The western and central blocks are structurally simple compared to the eastern block, where complex folding and faulting has affected the stratigraphic package. Bedding in the western and central blocks dominantly strikes easterly and dips steeply to the south. Structure within the eastern block is characterized by several large- and small-scale fold and fault sets (many of which are too minor to appear on Figure 6). A northeasterly trending, southeasterly dipping thrust fault was mapped at the east end of the property.

In 2012, Strategic Metals performed detailed geological mapping at a 1:2500 scale (Figure 7) in the eastern structural block to define drill targets within an approximately 2000 by 500 m area that encompasses several gold-arsenic±mercury±thallium±antimony soil anomalies. This work better defined the YGS's regional-scale lithological contacts and identified additional structural complexities and units and sub-units. The primary stratigraphic difference between the YGS and Strategic Metals maps is the presence of lower Nadaleen Assemblage (PNu) orange-weathering, locally limey siltstone on the detailed map. Descriptions of the units observed within the



- 2012 diamond drill hole location
- Fault
- Linear Depression
- Lithological Contact (? Inferred)
- Outcrop
- Subcrop
- Mineralization
- Bedding - Strike + Dip (- Folded)
- Cleavage - Strike + Dip (- Folded)
- Fracture - Strike + Dip
- Fold Nose - Trend + Plunge (Anticline, Syncline)
- Bx Breccia
- Rg Realgar
- Qz Quartz
- Q-C Quartz - Carbonate Veining
- Ca Calcite

- PSc(l) Dark grey, swaley, shaley, fine grained, dirty limestone.
- PSq Medium grained, moderately resistant, siliceous grit to quartz pebble conglomerate. Grit is limy along contact with overlying PSs(l).
- PSs(s) Dark brown weathering, recessive shale. Local shaley to gritty limestone and narrow siliceous grit interbeds.
- PSc(t) Tan weathering, moderately recessive, platy to medium bedded, grey limestone.
- PSc(g) Light grey weathering, moderately resistant, well bedded, grey limestone grades into overlying PSc(t). Distinct debris flow horizons near the boundary between grey and tan limestone. Debris flows hosts small (centimetre scale) to large (approx. 50 cm) limestone clasts in a carbonate matrix. Debris flow horizons anywhere from 5 to 10 m wide.
- PNu Orange weathering, moderately recessive, platy to massive, grey siltstone. Concooidal fracture. Approximately 10 m wide gradational zone of orange weathering, silty limestone at contact with overlying PSc(g).
- PNI Orange to brown weathering, recessive, silty shale. Thinly bedded to shaley and shattered.

**STRATEGIC METALS LTD.
RACKLA METALS INC.**

FIGURE 7
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DETAILED GEOLOGY
SCARLET EAST PROPERTY

UTM ZONE 8 & 9, NAD 83, 105B/04 & 106C/01

FILE: ...2012/SE/Figures/F_7_Detailed_geology.wor DATE: April 2013

detailed map area are listed in Table II, with the stratigraphic top of the sequence corresponding to the top of the table.

Table II – Detailed Area Lithological Units

Unit Name	Age	Map Unit	Description
Stenbraten Assemblage (Upper)	Neoproterozoic (Ediacaran)	PSs(l)	Dark grey, swaley, shaley, fine grained, dirty limestone.
		PSs(s)	Dark brown weathering, recessive shale. Local shaley to gritty limestone and narrow siliceous grit interbeds.
PSq		Medium grained, moderately resistant, siliceous grit to quartz pebble conglomerate. Grit is limey along contact with overlying PSs(l).	
Stenbraten Assemblage (Lower)		PSc(t)	Tan weathering, moderately recessive, platy to medium bedded, grey limestone.
		PSc(g)	Light grey weathering, moderately resistant, well bedded, grey limestone grades into overlying PSc(t). Distinct debris flow horizons near the boundary between grey and tan limestone. Debris flows hosts small (centimetre scale) to large (approx. 50 cm) limestone clasts in a carbonate matrix. Debris flow horizons anywhere from 5 to 10 m wide.
Nadaleen Assemblage (Upper)		PNu	Orange weathering, moderately recessive, platy to massive, grey siltstone. Concoidal fracture. Approximately 10 m wide gradational zone of orange weathering, silty limestone at contact with overlying PSc(g).
Nadaleen Assemblage (Lower)		PNl	Orange to brown weathering, recessive, silty shale. Thinly bedded to shaley and shattered.

In the southwest portion of the detailed map area, the nose of a southwest-trending and southwest-plunging anticline is exposed. Near the fold nose, numerous small-scale, sympathetic, tight (open to chevron) folds are present within more recessive, strongly cleaved units (shale and thinly bedded limestone), while more resistant units (siltstone, medium bedded limestone, debris flows and grit) are moderately to strongly fractured. Bedding along the northeastern limb of the anticline strikes northeasterly and dips moderately to the southeast, while bedding along the northwestern limb strikes northwesterly and dips moderately to steeply to the southwest.

Several northwesterly trending faults cut the fold nose and all units in the detailed map area. These faults caused local stratigraphic offsets and are typically characterized by recessive gullies with abundant calcite veining/flooding and brecciation of the host rocks. Tight, local folds were observed in close proximity to most faults.

Calcite veins are common within and adjacent to fold hinges and fault zones. Locally significant quartz veins are present within grit and quartz pebble conglomerate (PSq) in the structurally complex (southwest) part of the map area.

No mapping was carried out in the western or central blocks or in Algae Lake and Narchilla formations within the eastern block due to time constraints.

REGIONAL MINERALIZATION

The Rackla Belt is host to a range of mineralization types, including various styles of base metal and gold occurrences (Colpron et al, 2013). The majority of mineral occurrences lie in close proximity to the Dawson Thrust Fault. Notable occurrences include the Marg volcanogenic massive sulphide deposit and the Tiger carbonate-replacement gold deposit in the western part of the belt, the Craig Mississippi Valley type(?)/replacement-style zinc-lead deposits in the central part of the belt and the district of recently discovered Carlin-type gold occurrences in the eastern part.



The Scarlet East property covers the eastern extension of the stratigraphic sequence that hosts four of ATAC's drill-confirmed, Carlin-type gold discoveries – Osiris, Conrad, Isis and Isis East zones – collectively known as the Nadaleen Trend (Figures 4 and 5). Gold mineralization is best developed within limestone sequences where alteration is characterized by decalcification accompanied by peripheral calcite flooding (ATAC Resources, 2013). Mineralization within non-calcareous rocks is generally hosted within brittle fractures and is directly associated with fault breccia and/or intense fracture development. Gold mineralization is most commonly associated with black, fine grained, sooty pyrite, and is sometimes accompanied by realgar and orpiment.

The Scarlet East property lies approximately eight kilometres northwest of Anthill Resources' recent Carlin-type gold discovery (Venus Zone). Anthill Resources' initial exploration targeted prospective Algae Lake stratigraphy. This work identified gold values up to 8.52 g/t in soil, 87.2 g/t in bedrock and 9.76 g/t over 38.7 m in drill core (Anthill Resources, 2013).

PROPERTY MINERALIZATION

In 2011, Rackla Metals collected 164 rock samples across the property and in 2012, Strategic Metals collected an additional 25 rock samples, primarily from the two carbonate marker horizons (Lower Stenbraten Assemblage and Algae Lake Formation) in the eastern structural block. The bulk of the 2011 sampling was conducted prior to the availability of soil geochemical results, while the 2012 sampling targeted known anomalies. The 2012 sample locations are plotted on Figure 8, while results from both years for gold, arsenic, mercury thallium and antimony are illustrated thematically on Figure 9. Rock Sample Descriptions are provided in Appendix III and Certificates of Analysis are given in Appendix IV.

In 2012, rock sample sites were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Rock sample preparation and multi-element analyses were carried out at ALS Minerals laboratories in Whitehorse, Yukon Territory and North Vancouver, BC. Each sample was dried, fine crushed to better than 70% passing 2 mm and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was then analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission



**STRATEGIC METALS LTD.
RACKLA METALS INC.**

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROCK GEOCHEMISTRY
SCARLET EAST PROPERTY

0 5 km
UTM ZONE 8 & 9, NAD 83, 105B/04 & 106C/01

FILE: ...2012/SE/Figures/F_9-Rock_geochem.wor DATE: APR 2013

spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21).

Many rock samples collected on the property yielded subdued results for the elements of interest. Six isolated samples or sample clusters in the eastern structural block returned variably elevated results for gold, arsenic, mercury, thallium and/or antimony (Figure 9). Two elevated gold values (0.153 and 0.292 g/t) were obtained from samples of siliceous grit, while all anomalous pathfinder element results were from the two carbonate horizons. Anomalous values for pathfinder elements ranged from 500 to 38,400 ppm arsenic, 237 ppm mercury (only one strongly elevated value), 10 to 270 ppm thallium and 100 to 1440 ppm antimony. Sample descriptions are not available for the 2011 samples. Anomalous 2012 samples comprised rusty-grey-green, pervasively altered, vuggy, decalcified, lower Stenbraten Assemblage limestone rarely with realgar (Showing A); strongly calcite and silica veined and brecciated Algae Lake Formation limestone; and limonite within Algae Lake Formation.

SOIL GEOCHEMISTRY



In 2011, Rackla Metals collected over 8700 soil samples from the property. In 2012, Strategic Metals took five soil samples from a grass-covered, linear gully in the southwest part of the detailed geological map area.

The 2012 sample locations are illustrated on Figure 8, while all results for gold, arsenic, mercury thallium, antimony and calcium are illustrated thematically on Figures 10 and 11. Certificates of Analysis are given in Appendix IV.

The 2012 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 10 to 45 cm deep holes dug by hand-held auger. They were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to the ALS Minerals laboratory in Whitehorse, where they were dried and screened to -180 microns. The samples were then shipped to the ALS Minerals laboratory in North Vancouver where they were analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Anomalous thresholds and peak values for the metals of interest are listed in Table III.

Table III – Threshold and Peak Values for Soil Samples

Element	Anomalous Thresholds				
	Weak	Moderate	Strong	Very Strong	Peak
Gold (ppb)	≥ 10 < 20	≥ 20 < 50	≥ 50 < 100	≥ 100	221
Arsenic (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200 < 500	≥ 500	8470
Mercury (ppm)	≥ 2 < 5	≥ 5 < 10	≥ 10 < 20	≥ 20	24.8
Thallium (ppm)	≥ 1 < 2	≥ 2 < 5	≥ 5 < 10	≥ 10	50.2
Antimony (ppm)	≥ 2 > 5	≥ 5 > 10	≥ 10 < 20	≥ 20	68.1



- Au-in-soil (ppb)**
- $\geq 100 < 221$
 - $\geq 50 < 100$
 - $\geq 20 < 50$
 - $\geq 10 < 20$
 - $\geq 5 < 10$
 - $0 < 5$

- As-in-Soil (ppm)**
- $\geq 500 < 8,470$
 - $\geq 200 < 500$
 - $\geq 100 < 200$
 - $\geq 50 < 100$
 - $\geq 20 < 50$
 - $0 < 20$

- Hg-in-Soil (ppb)**
- $\geq 20,000 < 24,800$
 - $\geq 10,000 < 20,000$
 - $\geq 5,000 < 10,000$
 - $\geq 2,000 < 5,000$
 - $\geq 1,000 < 2,000$
 - $0 < 1,000$

**STRATEGIC METALS LTD.
RACKLA METALS INC.**



FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**GOLD, ARSENIC & MERCURY
SOIL GEOCHEMISTRY**

SCARLET EAST PROPERTY

0 4 km
UTM ZONE 8 & 9, NAD 83, 105B/04 & 106C/01

FILE: ...2012/SE/Figures/Au_As_Hg_geochem.WOR DATE: APRIL2013



- Tl-in-Soil (ppm)**
- $\geq 10 \leq 50.2$
 - $\geq 5 < 10$
 - $\geq 2 < 5$
 - $\geq 1 < 2$
 - $\geq 0.5 < 1$
 - $0 < 0.5$

- Sb-in-Soil (ppm)**
- $\geq 20 \leq 68.1$
 - $\geq 10 < 20$
 - $\geq 5 < 10$
 - $\geq 2 < 5$
 - $\geq 1 < 2$
 - $0 < 1$

- Ca-in-Soil (%)**
- $\geq 10 \leq 21.7$
 - $\geq 5 < 10$
 - $\geq 2 < 5$
 - $\geq 1 < 2$
 - $\geq 0.5 < 1$
 - $0 < 0.5$

**STRATEGIC METALS LTD.
RACKLA METALS INC.**

FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
**THALLIUM, ANTIMONY & CALCIUM
SOIL GEOCHEMISTRY**
SCARLET EAST PROPERTY

0 4 km
UTM ZONE 8 & 9, NAD 83, 105B/04 & 106C/01

FILE: ...2012/SE/Figures/Tl, Sb, Ca_geochem.WOR DATE: APRIL 2013

The bulk of the anomalous gold and pathfinder element soil results were obtained from the eastern structural block, primarily from the lower Stenbraten Assemblage and Algae Lake Formation carbonate horizons. Samples with elevated results for the elements of interest are plotted along with simplified geology on Figures 12 and 13.

Several discrete clusters of samples with an elevated gold, arsenic and antimony signature with minor mercury and thallium support are hosted within the lower Stenbraten Assemblage horizon (and rarely strongly silicified grit (PSq)) over an approximately 3000 m strike length. At least three of these anomalies appear to be directly related to fault zones, while the others have yet to be mapped in detail.

An irregularly shaped, approximately 2000 by 500 m, gold-arsenic-antimony anomaly is hosted by thrust faulted Algae Lake Formation limestone at the eastern end of the property. Clusters of weakly to moderately elevated gold and antimony with minor arsenic and rare, strongly elevated thallium values are associated with Algae Lake Formation limestone in the central and western structural blocks.

Calcium results were plotted to confirm the mapped positions of carbonate units on the property. The results support the mapped lithological contacts.



DIAMOND DRILLING

In 2012, a five hole diamond drill program was completed in the detailed map area to test arsenic±gold±mercury±thallium±antimony soil anomalies primarily hosted within structurally complex lower Stenbraten carbonate stratigraphy. A total of 1167.68 m of diamond drilling was completed.

The first hole was collared on July 10, 2012 and the final hole was completed on August 4. The work was contracted to Beaudoin Diamond Drilling Ltd. of Courtenay, BC and was completed using NTW equipment with a heli-portable JKS-300 drill. The drill was set up on a platform of 6" by 6" timbers covered with 2" by 8" planks, on sites that were levelled by hand.

Drill core was flown by helicopter to a temporary camp site on Strategic Metals' nearby Crag East property where it was logged and processed and it is currently stored. Drill collars were marked with logs, to which metal tags listing the hole number were secured. Survey control was established by differential GPS and chain and compass measurements. All holes were sampled top to bottom. The core was split with one-half bagged and sent for analysis and the other half returned to the core box. Two blank, two standard and two duplicate samples were randomly included in every batch of 36 core samples. From the processing site, the bagged samples were transported by helicopter, fixed-wing aircraft and truck to the Archer Cathro lot in Whitehorse, where chain of custody paperwork was checked and sample integrity verified.

Analytical work was done by ALS Minerals with sample preparation in Whitehorse and assays and geochemical analyses in North Vancouver. The samples were dried, fine crushed to better than 70% passing -2mm and then a 250 g split was pulverized to better than 85% passing 75 microns. All samples were analyzed for 51 elements by aqua regia digestion followed by



Au-in-soil (ppb)

- $\geq 100 \leq 221$
- $\geq 50 < 100$
- $\geq 20 < 50$
- $\geq 10 < 20$

As-in-Soil (ppm)

- $\geq 500 \leq 8,470$
- $\geq 200 < 500$
- $\geq 100 < 200$
- $\geq 50 < 100$

Hg-in-Soil (ppb)

- $\geq 20,000 \leq 24,800$
- $\geq 10,000 < 20,000$
- $\geq 5,000 < 10,000$
- $\geq 2,000 < 5,000$

**STRATEGIC METALS LTD.
RACKLA METALS INC.**



FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**PROPERTY WIDE DATA
COMPILATION (Au, As, Hg)**

SCARLET EAST PROPERTY

0 4 km
UTM ZONE 8 & 9, NAD 83, 105B/04 & 106C/01

FILE: ...2012/SE/Figures/Au_As_Hg_geochem.WOR DATE: APRIL 2013



- Tl-in-Soil (ppm)**
- $\geq 10 \leq 50.2$
 - $\geq 5 < 10$
 - $\geq 2 < 5$
 - $\geq 1 < 2$

- Sb-in-Soil (ppm)**
- $\geq 20 \leq 68.1$
 - $\geq 10 < 20$
 - $\geq 5 < 10$
 - $\geq 2 < 5$

- Ca-in-Soil (%)**
- $\geq 10 \leq 21.7$
 - $\geq 5 < 10$

**STRATEGIC METALS LTD.
RACKLA METALS INC.**

FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**PROPERTY WIDE DATA
COMPILATION (Tl, Sb, Ca)**

SCARLET EAST PROPERTY

0 4 km
UTM ZONE 8 & 9, NAD 83, 105B/04 & 106C/01

FILE: ...2012/SE/Figures/Tl, Sb, Ca_geochem.WOR DATE: APRIL 2013

inductively coupled plasma combined with mass spectroscopy or atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21).

Drill collar locations are plotted with geology on Figure 7. Certificates of Analysis for the drill samples are given in Appendix IV and Geological and Geotechnical Logs are provided in Appendix V. Key data concerning the drill holes are listed in Table IV.

Table IV – 2012 Drill Hole Data

Hole	Easting (m)	Northing (m)	Elevation (m)	Azimuth (°)	Dip (°)	Depth (m)
SE-12-01	643591	7107643	1510	000	-50	298.70
SE-12-02	643488	7107606	1486	270	-45	264.87
SE-12-03	643691	7107653	1515	055	-45	185.62
SE-12-04	644249	7107931	1435	235	-45	161.24
SE-12-05	644599	7108320	1524	291	-45	257.25

The holes were drilled at various orientations and locations within the favourable carbonate stratigraphy to test beneath soil geochemical anomalies, realgar mineralization (Showing A) and prospective structural zones. Although the expected lithological and structural features were intersected in all holes, no mineralization was observed and geochemical results were relatively subdued for all elements of interest. Cross-sections showing lithology and results for gold, arsenic, mercury, thallium, antimony, calcium, magnesium and iron are provided in Appendix VI. The calcium, magnesium and iron plots confirm the observed lithological breaks. The following paragraphs describe the purpose of drilling each hole and the general lithological and structural observations.

Hole SE-12-01 was drilled to evaluate the main anticlinal fold nose within the southwestern part of the detailed map area. The fold nose comprises a sequence of siltstone (PNu), tan and grey limestone with minor debris flows (PSc), and shale (PSs). The hole was oriented to test a part of the fold nose that is cut by several faults. The folding and faulting are accompanied by gold-arsenic-mercury-thallium soil anomalies and rare realgar mineralization (Showing A) hosted within locally decalcified limestone. Two short intervals of weakly elevated gold were intersected – 0.128 g/t over 3.05 m (from 18.29 to 21.34 m) and 0.105 g/t over 1.37 m (from 206.13 to 207.50 m).

Hole SE-12-02 was designed to test beneath a gold-arsenic soil anomaly hosted in the upper part of a steeply dipping, strongly quartz veined siliceous grit to quartz pebble conglomerate horizon (PSq) and into the overlying limestone (PSs(l)). Grit with increased silicification towards the limestone contact was intersected.

Hole SE-12-03 was collared in the eastern part of the main anticlinal fold nose and explored beneath arsenic and gold soil anomalies that appear to be associated with a cross-cutting fault zone. Variably sheared, tan and grey limestone with local debris flows (PSc) and underlying siltstone (PNu) were intersected.

Hole SE-12-04 was drilled further along the eastern limb of the main anticline to test across a strong, fault-related, linear arsenic soil anomaly. A wide fault zone with brown clay bands and brick red gouge was intersected within limestone (PSc).

Hole SE-12-05 was drilled even further east along the eastern fold limb, beneath a fault-related, gold-arsenic soil anomaly hosted within the favourable limestone (PSc) horizon. The hole was drilled perpendicular to stratigraphy and parallel to the fault to check for mineralization within limestone immediately adjacent to the fault zone.

DISCUSSION AND CONCLUSIONS

The Scarlet East property is located within a recently discovered district of Carlin-type gold occurrences that lies at the eastern end of the prospective Rackla Belt. The general geological setting, mineralization and geochemistry of occurrences within this district are consistent with gold deposits in the Carlin Trend of Nevada.

Despite the property's favourable stratigraphic position along strike from ATAC's Carlin-type gold deposits, strongly elevated soil geochemical results and structural complexity, the 2012 drill results were disappointing. Only a small portion of the geochemical anomalies and prospective stratigraphy was tested in 2012 and, thus, the property warrants additional work. This work should include: 1) detailed prospecting of geochemical anomalies, particularly within Algae Lake Formation limestone in the eastern structural block; 2) detailed geological mapping of geochemically anomalous areas; and 3) hand pitting or trenching to test overburden-covered, anomalous soil sample sites. Diamond drilling should be considered if a significant mineralized zone is discovered.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

A handwritten signature in blue ink, appearing to read 'S. Drechsler', written over a horizontal line.

S. Drechsler, B.Sc., P.Geol.

REFERENCES

- Abbott, G.
1990 Geology Map of Mount Westman Map Area (106D/1); Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region, Open File 1990-1.
- Anthill Resources Ltd.
2013 Anthill Resources Yukon – Working towards the next Carlin-style discovery; corporate presentation. Available at:
<http://www.anthillresources.com/s/Home.asp>
- ATAC Resources Ltd.
2013 Nadaleen Trend; available at: <http://www.atacresources.com/s/NadaleenTrend.asp>
- Blusson, S.
1974 Drafts of five geological maps of northern Selwyn basin (Operation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N,O); Geological Survey of Canada, Open File 205, Scale 1:250,000.
- Chakungal, J. and Bennett, V.
2011 New bedrock geology of Mount Mervyn map sheet (106C/04) and mineral potential for the South Wernecke mapping project; in Yukon Exploration and Geology 2010, K.E. MacFarlane, L.H. Weston and C. Relf (eds.), Yukon Geological Survey, p. 55-87.
- Colpron, M.
2012 Preliminary geological map of the Mount Ferrell area (106C/03), central Yukon; Yukon Geological Survey, Open File 2012-11, 1:50,000.
2013 Personal communication via email.
- Colpron, M., Moynihan, D., Israel, S. and Abbott, G.
2013 Bedrock geology of the Rackla belt (106D/1 and 106C/1-4), southern Nadaleen map area; Yukon Geological Survey, poster.
- Eaton, S.
2010 Assessment report describing geochemistry sampling at the Sten property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.
- Gordey, S.P. and Makepeace, A.J. (compilers)
2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).

- Green, L.C.
1972 Geology of Nash Creek, Larsen and Dawson Map Areas, Yukon Territory; Geological Survey of Canada, Memoir 364, pp157.
- Héon, D. (compiler)
2003 Yukon regional Geochemical Database 2003 – Stream sediment analyses; Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada.
- Lane, J.
2011 Assessment report describing geochemical sampling, geological mapping, diamond drilling and geophysical survey at the Nadaleen Trend Project, Rackla Gold Property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.
- Rackla Metals Inc.
2010 News release: Radius stakes 550 claims northwest and east of ATAC's Osiris Discovery, November 25, 2010; available at:
http://www.racklametals.com/s/NewsReleases.asp?ReportID=521729&_Type=News-Releases&_Title=Radius-Stakes-550-Claims-Northwest-and-East-of-ATACs-Osiris-Discovery
- 2011 News release: Radius and Rackla review Yukon projects and investment holdings, December 9, 2011; available at:
http://www.racklametals.com/s/NewsReleases.asp?ReportID=498242&_Type=News-Releases&_Title=Radius-and-Rackla-review-Yukon-Projects-and-Investment-Holdings

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Sarah Drechsler (née Eaton), geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Squamish, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc. in Honours Geological Sciences.
2. From 2002 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia and Northwest Territories.
3. I am a Professional Geoscientist (P.Geo.) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 154922).
4. I have personally interpreted all data resulting from this work.



S. Drechsler, B.Sc., P.Geo.

APPENDIX II
STATEMENT OF EXPENDITURES

Statement of Expenditures
STW 1-230 Mineral Claims
October 30, 2012

Contract Diamond Drilling

Beaudoin Diamond Drilling Ltd.

\$213,750.92

APPENDIX III
ROCK SAMPLE DESCRIPTIONS

Rock Sample DescriptionsProject: Midas TouchProperty: Scarlet East

Sample Number: I079719 Grid East: E Grid North: N Type: Float Dimension:
UTM: 643587 E UTM: 7107800 N Sample Width: Abundance:
Elevation: m

Comments: Green-brown weathering, strongly altered limestone(?). In float below fault zone with massive calcite veining.

Sample Number: I079720 Grid East: E Grid North: N Type: Composite Dimension:
UTM: 643575 E UTM: 7107778 N Sample Width: Abundance:
Elevation: m

Comments: Several cobbles of rusty-green-grey weathering, pervasively altered, weakly limonitic limestone(?) in float, in float below fault zone with massive calcite veining.

Sample Number: I079721 Grid East: E Grid North: N Type: Float Dimension:
UTM: 643519 E UTM: 7107832 N Sample Width: Abundance:
Elevation: m

Comments: In talus, 1 cobble of green-brown-grey weathering, vuggy, non-calcareous breccia with minor limonite pockets.

Sample Number: I079722 Grid East: E Grid North: N Type: Composite Dimension:
UTM: 643795 E UTM: 7107822 N Sample Width: Abundance:
Elevation: m

Comments: Several cobbles of pervasively orange to red carbonate with calcite veins or highly altered limestone clasts. Matrix is strongly calcareous. No source located.

Sample Number: I079723 Grid East: E Grid North: N Type: Grab Dimension:
UTM: 643638 E UTM: 7108085 N Sample Width: Abundance:
Elevation: m

Comments: Small talus train of orange weathering, calcite-veined and brecciated limestone(?). Sample is of porous, orange-green breccia. Non-calcareous.

Sample Number: I079730 Grid East: E Grid North: N Type: Composite Dimension:
UTM: 643683 E UTM: 7107503 N Sample Width: Abundance:
Elevation: m

Comments: Composite sample of 10 pieces of very strongly silicified, coarse grained grit in talus. Trace to minor limonite. Near top of Au-in-soil anomaly. Area of silicified talus is 20 by 20 m.

Rock Sample Descriptions

Project: Midas TouchProperty: Scarlet East

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
L836151	UTM:	354000 E	UTM:	7110082 N	Sample Width:	15m wide recessive zone
	Elevation:	m				Abundance: very

Comments: Graphitic limestone at a fold nose

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
L836152	UTM:	645216 E	UTM:	7109576 N	Sample Width:	Abundance: 5%, 3m wide talus
	Elevation:	m				

Comments: Limonite

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
L836153	UTM:	645170 E	UTM:	7109562 N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Calcite vein with black sooty material

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
L836154	UTM:	645080 E	UTM:	7109637 N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Limonite

Sample Number:	Grid East:	E	Grid North:	N	Type: Composite	Dimension:
L836166	UTM:	643676 E	UTM:	7107745 N	Sample Width:	Abundance:
	Elevation:	m				

Comments: 4 piece composite sample of orange, knubbly weathering, strongly brecciated, pervasive red-yellow carbonate matrix with quartz clasts. Fault breccia. Several blocks at centre of 4 m wide corridor in outcrop.

Sample Number:	Grid East:	E	Grid North:	N	Type: Float	Dimension:
G286056	UTM:	646044 E	UTM:	7109794 N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Weathered brown, fresh dark grey to black, carbonate (limestone?), comprised of very coarse subhedral grains of black calcite. Rock smells sulphurous when broken or scratched.

Sample Number:	Grid East:	E	Grid North:	N	Type: Float	Dimension:
G286057	UTM:	646046 E	UTM:	7109791 N	Sample Width:	Abundance:
	Elevation:	m				

Rock Sample DescriptionsProject: Midas TouchProperty: Scarlet East

Comments: Weathered tan to brown, fresh light grey, limestone crackle breccia with a vuggy texture and a fine grained orange matrix. Clast sizes about 4.0 mm in diameter. Vugs containing a red/maroon earthy haematite.

Sample Number:	Grid East:	E	Grid North:	N	Type: Float	Dimension:
G286058	UTM:	354602 E	UTM:	7109751 N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Punky/pitted and earthy, orange to red to maroon, fine grained, intensely altered limestone (?). Effervesces readily with HCl.

Sample Number:	Grid East:	E	Grid North:	N	Type: Outcrop grab	Dimension:
G286059	UTM:	354598 E	UTM:	7109756 N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Weathered tan to brown, fresh medium grey, clast supported limestone breccia, with a calcite matrix.

Sample Number:	Grid East:	E	Grid North:	N	Type: Outcrop grab	Dimension:
G286060	UTM:	354258 E	UTM:	7109808 N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Weathered earthy yellow to tan, fresh light grey, clast supported limestone breccia.

Sample Number:	Grid East:	E	Grid North:	N	Type: Outcrop grab	Dimension:
G286061	UTM:	354188 E	UTM:	7109592 N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Weathered white, fresh black, carbonate, composed of radiating masses of crystals. Rock smells sulphurous when broken or scratched.

Sample Number:	Grid East:	E	Grid North:	N	Type: Outcrop	Dimension:
G286062	UTM:	354392 E	UTM:	7109231 N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Altered limestone, outcrop dug from pit.

APPENDIX IV
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2- JUL- 2012
Account: MTT

CERTIFICATE WH12138336

Project: Scarlet East
 P.O. No.:
 This report is for 5 Rock samples submitted to our lab in Whitehorse, YT, Canada on 17- JUN- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%<2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
As- OG46	Ore Grade As - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 2- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12138336

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
1079719		0.26	0.011	0.75	0.43	>10000	<0.2	<10	20	0.09	0.23	0.88	1.60	2.68	9.2	14
1079720		0.35	0.028	0.78	0.34	>10000	<0.2	<10	40	<0.05	0.26	0.80	1.09	4.31	1.5	9
1079721		0.19	0.051	1.55	0.61	9280	<0.2	<10	40	0.17	0.20	0.35	0.92	4.60	5.8	9
1079722		0.30	0.005	0.09	0.37	429	<0.2	<10	40	0.27	0.04	21.4	0.18	6.96	4.5	9
1079723		0.70	0.011	0.05	0.24	9940	<0.2	<10	50	0.09	0.21	3.36	0.06	5.15	9.8	19

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 2- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12138336

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
1079719		0.10	24.9	8.89	1.11	0.12	0.54	20.7	0.087	0.04	1.2	0.9	0.08	203	2.20	<0.01
1079720		0.10	18.2	3.24	1.10	0.06	0.56	43.0	0.095	0.05	1.8	1.1	0.03	44	1.38	0.01
1079721		0.09	41.5	1.58	1.06	<0.05	0.73	17.90	0.036	0.07	2.1	1.5	0.03	39	3.12	<0.01
1079722		0.67	5.8	0.82	1.03	<0.05	0.19	0.62	0.013	0.07	2.7	2.1	1.16	238	0.34	0.01
1079723		0.18	6.4	2.22	0.64	0.05	0.09	7.36	0.025	0.05	1.6	0.9	1.20	172	0.23	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 2- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12138336

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
1079719		0.16	23.5	40	24.6	1.5	0.001	0.04	25.6	1.5	2.5	3.0	97.6	<0.01	0.02	2.8
1079720		0.08	4.5	110	33.0	1.7	0.001	0.06	17.30	0.9	2.2	7.1	307	<0.01	0.01	1.8
1079721		0.06	9.6	80	37.6	2.7	0.002	0.04	4.81	1.0	1.6	0.9	164.0	<0.01	0.01	2.3
1079722		0.17	15.5	130	6.5	3.6	0.001	0.01	2.92	3.4	0.7	0.2	168.5	<0.01	0.01	1.5
1079723		0.10	16.7	500	12.6	2.2	<0.001	0.07	4.23	3.4	1.2	0.5	218	<0.01	0.01	1.8

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 2- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12138336

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	As- OG46 As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
1079719		<0.005	270	34.2	21	<0.05	6.28	272	18.0	3.04
1079720		<0.005	172.5	22.4	8	<0.05	3.89	55	19.6	2.78
1079721		<0.005	28.7	53.6	15	0.05	7.58	33	29.6	
1079722		<0.005	1.51	11.15	12	0.06	10.55	87	11.2	
1079723		<0.005	11.50	0.84	10	<0.05	5.35	41	3.8	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2- JUL- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12138336

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10%on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5- JUL- 2012
Account: MTT

CERTIFICATE WH12143962

Project: Scarlet East
 P.O. No.:
 This report is for 3 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- JUN- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12143962

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD015461		0.13	0.007	0.14	0.75	54.4	<0.2	<10	130	1.10	0.35	0.17	0.28	17.45	12.9	16
DD015462		0.16	0.013	0.11	0.55	133.0	<0.2	<10	90	0.60	0.29	0.11	0.26	14.50	8.3	13
DD015463		0.16	0.006	0.12	0.49	66.2	<0.2	<10	130	0.53	0.30	0.14	0.22	10.90	9.6	10

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12143962

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD015461		3.52	40.1	4.03	3.02	0.07	0.02	0.06	0.043	0.09	6.2	9.8	0.13	1230	0.68	0.01
DD015462		2.22	27.7	3.11	3.16	0.07	<0.02	0.04	0.032	0.09	6.3	5.9	0.09	341	0.78	<0.01
DD015463		2.24	24.5	2.78	2.99	0.06	<0.02	0.03	0.028	0.07	5.1	2.2	0.05	841	0.74	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12143962

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
DD015461		0.29	27.9	900	26.7	11.9	<0.001	0.05	1.19	3.2	0.5	0.5	23.3	<0.01	0.06	0.9
DD015462		0.25	20.4	720	17.3	11.2	<0.001	0.04	1.18	1.1	0.4	0.5	17.1	<0.01	0.05	0.2
DD015463		0.31	18.6	610	18.0	15.1	<0.001	0.03	1.05	1.2	0.3	0.4	20.0	<0.01	0.05	0.2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12143962

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD015461		0.007	0.10	0.84	22	0.10	4.73	100	<0.5
DD015462		0.008	0.06	0.62	24	0.08	2.83	86	<0.5
DD015463		0.008	0.07	0.43	22	0.08	2.01	68	<0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5- JUL- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12143962

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12143967

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I079730		0.39	0.037	0.04	0.20	203	<0.2	<10	20	0.09	0.04	0.09	0.03	3.50	1.9	10
I079731		0.63	0.004	0.04	0.08	54	<0.2	<10	20	<0.05	0.01	12.20	0.20	1.78	1.5	4
I079732		0.40	0.004	0.10	0.21	255	<0.2	<10	50	0.17	0.05	17.85	0.12	3.48	2.6	7
C386160		0.51	0.007	0.17	0.17	>10000	<0.2	<10	10	<0.05	0.24	0.29	0.21	1.27	0.3	13
C386161		0.55	0.001	0.01	0.28	295	<0.2	<10	20	0.34	0.07	0.03	0.01	3.84	4.3	13
C386162		0.39	0.013	0.03	1.95	41.9	<0.2	<10	40	0.81	0.21	0.09	0.01	10.25	10.6	23
C386163		0.37	0.003	0.07	0.51	32.4	<0.2	<10	30	0.43	0.22	0.01	0.01	6.80	8.7	8

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12143967

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I079730		0.18	3.0	1.25	0.53	<0.05	0.06	0.08	0.006	0.06	1.7	10.3	0.04	162	0.18	<0.01
I079731		<0.05	1.8	0.40	0.22	<0.05	0.02	5.12	0.007	0.01	0.7	0.4	0.05	220	0.53	0.01
I079732		<0.05	3.7	0.95	0.60	<0.05	0.15	2.51	0.006	0.03	1.7	1.2	1.28	170	0.59	0.01
C386160		0.05	17.4	1.69	0.71	<0.05	0.47	11.30	0.069	0.03	0.5	0.9	0.02	34	0.78	<0.01
C386161		0.47	14.4	3.10	1.05	<0.05	0.05	0.11	0.010	0.04	1.9	12.4	0.04	810	0.16	0.01
C386162		0.64	24.8	5.23	6.98	0.10	0.07	0.08	0.021	0.03	5.5	145.5	0.97	341	0.27	0.01
C386163		4.22	77.0	4.70	1.44	0.06	0.07	0.23	0.032	0.16	3.5	11.7	0.02	168	0.51	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12143967

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I079730		<0.05	5.5	30	9.4	2.5	<0.001	<0.01	0.64	1.6	<0.2	0.2	11.4	<0.01	0.01	1.5
I079731		0.08	3.2	90	2.3	0.5	<0.001	<0.01	2.13	0.7	0.4	<0.2	89.3	<0.01	0.01	0.4
I079732		0.12	5.3	80	8.6	1.2	<0.001	<0.01	173.5	1.7	0.6	<0.2	201	<0.01	0.01	0.8
C386160		0.05	1.3	40	36.7	1.2	<0.001	1.01	24.2	0.6	2.6	3.9	90.0	<0.01	0.01	1.0
C386161		<0.05	13.8	70	16.0	2.2	<0.001	<0.01	0.25	2.4	<0.2	0.3	9.4	<0.01	0.02	0.9
C386162		0.05	26.6	280	20.7	1.7	<0.001	0.01	2.37	5.6	0.4	0.8	37.5	<0.01	0.03	3.0
C386163		0.06	23.9	150	16.9	8.0	0.001	0.04	0.51	7.3	1.1	0.3	15.7	<0.01	0.05	2.7

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- JUL- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12143967

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	As-OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
I079730		<0.005	0.04	0.18	3	<0.05	0.74	18	2.5	
I079731		<0.005	0.05	4.01	4	<0.05	3.61	40	0.8	
I079732		<0.005	0.15	5.67	11	<0.05	3.99	26	5.5	
C386160		<0.005	29.1	7.92	4	<0.05	1.43	9	16.4	3.84
C386161		<0.005	0.16	0.21	9	<0.05	1.03	38	1.7	
C386162		<0.005	0.03	0.80	25	<0.05	2.41	103	2.7	
C386163		<0.005	0.15	0.26	9	<0.05	2.06	88	3.5	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9- JUL- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12143967

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10%on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 7- AUG- 2012
 Account: MTT

CERTIFICATE WH12166695

Project: Scarlet East
 P.O. No.: Batch 1
 This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18- JUL- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER


SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- 31	Fine crushing - 70%< 2mm
PUL- 31	Pulverize split to 85%< 75 um
LOG- 22d	Sample login - Rcd w/o BarCode dup
SPL- 21d	Split sample - duplicate
PUL- 31d	Pulverize Split - duplicate
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH1216695

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L842014		2.88	0.001	0.15	0.55	17.8	<0.2	<10	200	1.13	0.30	7.01	0.04	14.80	14.0	7
L842015		4.53	0.001	0.07	0.59	9.4	<0.2	10	160	1.11	0.28	8.93	0.03	12.50	10.6	8
L842016		4.45	<0.001	0.07	0.76	14.5	<0.2	10	210	1.29	0.30	6.69	0.03	11.20	15.1	9
L842017		4.78	0.001	0.06	0.63	13.2	<0.2	10	80	1.36	0.37	4.09	0.03	12.70	14.1	8
L842018		9.56	<0.001	0.07	0.69	17.0	<0.2	10	80	1.40	0.28	7.48	0.03	10.85	12.9	8
L842019		8.28	0.001	0.08	0.65	33.4	<0.2	10	60	1.41	0.42	1.13	0.02	18.95	14.7	8
L842020		9.69	0.003	0.07	0.63	38.2	<0.2	10	130	1.45	0.38	4.40	0.03	17.25	15.3	7
L842021		10.47	0.003	0.06	0.42	22	<0.2	10	90	0.89	0.17	16.35	0.02	11.90	7.1	4
L842022		7.76	0.129	0.12	0.45	44.6	<0.2	<10	40	0.82	0.18	8.76	0.03	8.19	9.9	5
L842023		3.31	0.212	0.14	0.42	51.1	<0.2	<10	40	0.81	0.21	8.92	0.03	7.87	10.9	5
L842024		1.82	0.125	0.13	0.43	65.6	<0.2	<10	40	1.19	0.30	5.71	0.02	9.69	13.7	7
L842025		4.14	0.003	<0.01	0.05	2	<0.2	<10	60	0.05	0.02	18.70	0.06	1.10	0.8	1
L842026		8.88	0.005	0.13	0.55	38.1	<0.2	<10	170	1.00	0.32	1.44	0.03	14.75	19.7	8
L842027		5.36	0.002	0.09	0.57	16.9	<0.2	<10	60	1.20	0.32	0.73	0.04	7.12	11.6	8
L842028		0.21	0.272	94.8	1.17	231	0.2	<10	80	0.20	4.97	0.58	24.2	8.03	10.9	28
L842029		9.44	0.003	0.11	0.74	18.6	<0.2	10	100	1.23	0.35	0.77	0.06	9.01	14.8	9
L842030		9.16	0.002	0.08	0.62	24.6	<0.2	10	70	0.99	0.30	0.78	0.04	10.40	11.0	10
L842031		9.45	0.002	0.13	0.54	88.3	<0.2	<10	60	0.75	0.23	1.04	0.04	10.60	11.3	10
L842032		10.10	0.003	0.13	0.55	19.4	<0.2	<10	50	0.95	0.26	0.72	0.06	9.03	12.7	8
L842033		9.75	0.007	0.14	0.64	23.9	<0.2	10	60	0.98	0.28	1.07	0.04	8.54	13.3	11
L842034		7.61	0.003	0.11	0.63	23.1	<0.2	10	60	0.96	0.26	1.14	0.04	8.51	10.9	12
L842035		9.21	0.006	0.13	0.71	22.3	<0.2	10	60	1.22	0.35	1.14	0.05	9.22	12.7	12
L842036		8.08	0.003	0.10	0.62	17.1	<0.2	10	50	1.02	0.31	1.19	0.04	9.16	11.2	11
L842037		<0.02	0.002	0.10	0.71	16.6	<0.2	10	60	1.06	0.30	1.17	0.04	9.62	11.6	12
L842038		5.86	0.002	0.17	0.66	26.9	<0.2	10	120	1.01	0.31	1.07	0.06	9.31	15.9	11
L842039		9.10	0.001	0.11	0.56	16.6	<0.2	10	50	0.87	0.33	1.06	0.05	8.88	10.5	11
L842040		10.09	0.003	0.11	0.59	21.0	<0.2	10	80	0.96	0.30	1.70	0.06	8.09	11.5	9
L842041		9.45	0.003	0.14	0.66	33.1	<0.2	10	70	0.87	0.29	1.59	0.08	8.80	11.5	12
L842042		9.43	0.006	0.17	0.70	38.7	<0.2	10	80	0.80	0.28	1.34	0.04	8.24	14.0	14
L842043		0.21	3.83	1.54	0.38	728	<0.2	<10	90	0.34	4.52	2.07	1.79	4.86	7.3	22
L842044		9.85	0.008	0.08	1.03	57.1	<0.2	10	140	1.28	0.37	1.02	0.02	11.30	18.4	16
L842045		9.25	0.003	0.08	0.70	50.9	<0.2	10	160	1.42	0.36	1.31	0.07	9.70	15.5	11
L842046		2.69	0.002	0.07	0.66	25.8	<0.2	10	90	1.00	0.31	1.37	0.11	6.76	10.8	10
L842047		5.96	0.002	0.06	0.67	36.2	<0.2	10	130	0.95	0.30	1.56	0.13	7.73	12.1	10
L842048		4.34	0.002	0.01	0.10	<2	<0.2	<10	20	0.05	0.03	20.5	0.06	1.06	0.7	1
L842049		7.03	0.001	0.06	0.68	60.1	<0.2	10	130	1.12	0.34	1.04	0.06	10.70	12.8	10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH1216695

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
L842014		1.63	28.6	3.41	1.41	0.05	0.04	0.22	0.038	0.25	4.5	5.1	0.14	443	0.46	0.04
L842015		2.28	29.1	3.39	1.70	<0.05	0.11	0.15	0.038	0.30	4.4	7.2	0.19	482	0.22	0.04
L842016		2.60	33.0	3.45	2.08	<0.05	0.10	0.16	0.038	0.38	4.1	8.3	0.24	441	0.26	0.04
L842017		2.98	35.6	3.82	1.76	<0.05	0.10	0.11	0.045	0.32	3.6	7.2	0.31	476	0.20	0.03
L842018		2.49	33.0	3.68	1.83	<0.05	0.09	0.16	0.044	0.37	3.9	6.2	0.47	589	0.27	0.04
L842019		3.70	40.5	3.66	1.90	<0.05	0.09	0.15	0.049	0.33	7.8	7.0	0.26	345	0.40	0.03
L842020		3.45	38.7	3.72	1.72	<0.05	0.09	0.17	0.038	0.33	7.2	5.6	0.56	455	0.33	0.04
L842021		1.42	17.2	2.33	0.97	0.05	0.11	0.19	0.017	0.22	4.2	2.1	0.95	458	0.36	0.04
L842022		1.29	20.0	3.16	1.04	<0.05	0.13	0.32	0.027	0.24	3.2	2.6	1.62	483	0.50	0.03
L842023		1.16	17.8	3.07	1.02	<0.05	0.13	0.26	0.026	0.23	3.0	2.7	1.55	468	0.57	0.03
L842024		1.80	23.4	3.66	1.13	0.05	0.10	0.16	0.028	0.23	4.3	4.5	1.52	599	0.67	0.03
L842025		0.46	1.3	0.43	0.17	<0.05	<0.02	0.03	<0.005	0.03	0.5	1.2	11.65	208	0.16	0.03
L842026		2.05	35.6	4.42	1.74	0.05	0.09	0.10	0.032	0.27	6.6	9.0	0.98	688	0.69	0.04
L842027		2.11	41.4	3.17	1.82	<0.05	0.10	0.24	0.043	0.29	3.2	11.8	0.79	294	0.39	0.03
L842028		0.31	5830	4.78	4.05	0.07	0.24	1.26	0.358	0.09	3.6	9.4	0.70	1420	19.55	0.07
L842029		2.11	41.7	3.82	2.01	<0.05	0.10	0.20	0.057	0.37	3.8	12.1	1.04	573	0.42	0.01
L842030		1.68	35.2	3.91	1.83	<0.05	0.09	0.13	0.046	0.28	3.9	11.2	1.09	710	0.36	0.01
L842031		1.20	30.0	3.48	1.66	<0.05	0.12	0.22	0.025	0.24	3.9	10.3	0.98	590	0.65	0.03
L842032		1.65	32.4	3.24	1.62	<0.05	0.12	0.22	0.028	0.27	3.8	10.1	0.87	446	0.60	0.02
L842033		1.62	33.2	4.33	1.80	<0.05	0.12	0.20	0.039	0.32	4.0	9.1	1.28	620	0.47	<0.01
L842034		1.21	29.9	3.66	1.82	<0.05	0.10	0.23	0.038	0.29	4.1	10.2	1.16	506	0.43	<0.01
L842035		1.72	39.2	3.86	2.02	<0.05	0.11	0.35	0.043	0.36	4.4	13.4	1.10	449	0.58	<0.01
L842036		1.49	35.3	3.83	1.77	<0.05	0.10	0.28	0.037	0.31	4.0	12.8	1.12	566	0.49	<0.01
L842037		1.55	35.3	3.82	2.00	<0.05	0.11	0.25	0.041	0.34	4.2	14.6	1.11	561	0.49	0.01
L842038		1.51	41.4	3.68	1.89	<0.05	0.13	0.35	0.036	0.33	4.1	14.0	1.03	450	0.66	0.01
L842039		1.35	37.4	3.81	1.60	<0.05	0.12	0.32	0.035	0.27	4.0	13.7	1.13	440	0.49	<0.01
L842040		1.41	34.7	3.79	1.68	<0.05	0.10	0.30	0.046	0.31	3.8	14.8	1.30	650	0.41	<0.01
L842041		1.51	39.6	3.82	1.94	<0.05	0.11	0.53	0.040	0.32	4.1	11.0	1.22	583	0.40	0.01
L842042		1.43	46.9	3.84	2.23	<0.05	0.11	0.57	0.037	0.30	4.0	10.8	1.08	510	0.66	0.01
L842043		1.89	73.7	2.98	1.36	<0.05	0.21	5.64	0.150	0.21	2.7	1.9	0.88	312	26.4	<0.01
L842044		2.41	43.1	4.65	3.06	<0.05	0.08	0.40	0.055	0.43	5.4	11.1	1.21	548	0.22	0.01
L842045		2.01	53.1	4.83	2.05	<0.05	0.08	0.23	0.057	0.36	4.5	3.4	1.36	830	0.57	0.01
L842046		1.52	34.1	4.18	1.71	<0.05	0.08	0.17	0.043	0.37	3.2	4.0	1.31	867	0.47	0.01
L842047		1.41	31.5	4.22	1.70	<0.05	0.09	0.18	0.038	0.36	3.4	4.4	1.32	977	0.75	0.01
L842048		1.24	1.6	0.47	0.26	<0.05	<0.02	0.01	0.005	0.07	0.5	1.5	12.95	221	0.34	0.01
L842049		1.86	35.5	4.86	1.84	<0.05	0.12	0.17	0.044	0.37	4.2	3.8	1.20	1130	0.95	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH1216695

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
L842014		<0.05	27.3	150	21.9	11.0	<0.001	0.04	1.29	9.3	0.6	0.4	453	<0.01	0.05	3.3
L842015		<0.05	25.3	650	18.7	13.8	<0.001	0.04	1.04	9.3	0.4	0.5	547	<0.01	0.05	3.3
L842016		<0.05	29.4	340	23.0	18.2	<0.001	0.06	1.04	10.2	0.5	0.6	339	<0.01	0.03	3.0
L842017		<0.05	29.8	270	23.0	15.2	<0.001	0.02	0.64	11.3	0.6	0.6	151.5	<0.01	0.06	3.3
L842018		<0.05	29.4	220	19.1	17.1	<0.001	0.12	1.42	11.3	0.7	0.5	403	<0.01	0.05	3.5
L842019		<0.05	33.1	290	20.8	16.1	<0.001	0.14	1.34	8.2	0.4	0.9	63.0	<0.01	0.06	4.8
L842020		<0.05	34.8	280	22.1	16.1	<0.001	0.33	2.28	8.6	0.2	0.6	272	<0.01	0.04	4.3
L842021		<0.05	15.8	690	15.5	9.1	<0.001	0.87	2.63	5.7	0.4	0.4	1140	<0.01	0.03	2.6
L842022		<0.05	19.5	500	20.7	9.4	<0.001	0.95	3.45	6.8	0.6	0.5	570	<0.01	0.05	2.8
L842023		<0.05	22.5	720	21.6	9.0	<0.001	0.92	3.74	6.3	0.9	0.7	613	<0.01	0.05	2.5
L842024		<0.05	32.6	320	20.5	9.7	<0.001	0.45	1.98	7.8	0.7	0.7	499	<0.01	0.04	2.6
L842025		<0.05	2.6	180	1.2	2.1	<0.001	0.03	<0.05	0.3	<0.2	<0.2	46.6	<0.01	<0.01	<0.2
L842026		<0.05	38.9	470	22.8	11.5	<0.001	0.13	0.74	7.1	0.4	0.4	199.0	<0.01	0.06	3.0
L842027		<0.05	27.0	230	15.8	12.6	<0.001	0.51	1.68	6.3	0.2	0.9	150.0	<0.01	0.05	2.5
L842028		0.21	25.8	400	9070	3.0	0.008	2.20	368	4.1	1.6	1.5	26.5	<0.01	1.17	0.9
L842029		<0.05	27.9	450	17.7	16.1	0.002	0.61	1.76	6.4	0.4	0.7	122.0	<0.01	0.05	3.3
L842030		<0.05	23.5	690	13.2	13.1	0.001	0.20	0.95	5.5	0.5	0.8	107.5	<0.01	0.04	3.7
L842031		<0.05	23.2	600	18.6	10.5	<0.001	0.26	1.90	4.2	0.5	1.0	169.0	<0.01	0.04	3.2
L842032		<0.05	25.9	460	21.6	12.1	<0.001	0.40	1.79	4.7	0.4	0.6	114.5	<0.01	0.04	3.2
L842033		<0.05	28.4	460	17.0	13.9	<0.001	0.39	1.03	6.1	0.5	0.5	159.5	<0.01	0.04	3.1
L842034		<0.05	22.3	400	16.9	12.3	0.001	0.18	0.73	5.0	0.2	0.6	210	<0.01	0.06	3.5
L842035		<0.05	28.6	470	17.3	14.6	0.001	0.68	1.51	5.5	0.6	0.8	138.5	<0.01	0.05	3.5
L842036		<0.05	21.9	590	14.0	12.6	<0.001	0.31	1.24	4.8	0.5	0.8	129.0	<0.01	0.06	3.5
L842037		<0.05	22.8	590	13.3	14.3	0.001	0.32	1.26	5.0	0.5	0.8	130.0	<0.01	0.08	3.5
L842038		<0.05	29.6	620	23.9	14.0	0.001	0.53	2.20	4.8	0.7	0.8	111.5	<0.01	0.06	3.8
L842039		<0.05	21.9	660	15.9	10.8	0.001	0.42	1.53	4.5	0.4	1.4	153.0	<0.01	0.05	3.7
L842040		0.05	22.9	470	24.4	13.1	0.001	0.35	1.40	5.1	0.6	0.9	204	<0.01	0.06	3.3
L842041		<0.05	24.7	610	23.6	13.1	0.001	0.58	2.67	5.3	0.9	1.7	194.0	<0.01	0.06	3.1
L842042		<0.05	26.4	450	21.6	12.0	<0.001	0.70	2.48	5.9	0.2	4.3	164.0	<0.01	0.06	3.3
L842043		<0.05	70.3	880	18.8	15.2	0.041	2.03	9.67	3.1	6.3	2.1	32.7	<0.01	0.80	2.0
L842044		<0.05	33.2	690	16.1	16.7	0.001	0.34	1.09	10.2	<0.2	1.6	162.0	<0.01	0.07	4.2
L842045		<0.05	30.1	590	23.0	14.6	<0.001	0.14	0.64	9.4	0.3	2.4	227	<0.01	0.12	3.7
L842046		<0.05	23.8	330	16.5	14.7	0.001	0.36	0.86	6.2	0.2	0.3	206	<0.01	0.05	2.9
L842047		<0.05	22.3	580	21.5	14.0	<0.001	0.31	0.93	5.6	0.8	0.6	229	<0.01	0.05	3.5
L842048		0.05	1.8	190	1.4	5.4	<0.001	0.01	0.07	0.3	<0.2	<0.2	40.5	<0.01	0.02	<0.2
L842049		<0.05	25.7	1230	27.8	15.3	0.001	0.18	0.76	6.6	0.3	0.4	124.0	<0.01	0.06	4.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12166695

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L842014		<0.005	0.14	0.69	12	0.09	13.05	91	1.7
L842015		<0.005	0.11	0.85	12	<0.05	11.75	89	5.0
L842016		<0.005	0.13	0.65	14	<0.05	11.35	93	4.2
L842017		<0.005	0.12	0.63	14	<0.05	9.41	99	3.7
L842018		<0.005	0.15	0.68	13	<0.05	11.95	88	3.9
L842019		<0.005	0.11	0.56	10	<0.05	6.66	95	3.5
L842020		<0.005	0.16	0.75	9	<0.05	6.01	89	3.6
L842021		<0.005	0.09	1.09	7	<0.05	9.58	47	4.6
L842022		<0.005	0.11	0.66	9	0.05	8.43	56	5.0
L842023		<0.005	0.11	0.68	8	0.11	9.30	63	5.3
L842024		<0.005	0.10	0.44	9	0.12	10.50	73	4.1
L842025		<0.005	<0.02	0.45	2	<0.05	0.78	15	<0.5
L842026		<0.005	0.09	0.44	13	0.37	7.17	88	3.6
L842027		<0.005	0.12	0.35	16	<0.05	4.30	90	3.9
L842028		0.083	0.21	0.68	38	0.23	5.90	4650	6.1
L842029		<0.005	0.14	0.51	17	<0.05	5.50	96	4.0
L842030		<0.005	0.10	0.42	19	<0.05	6.84	83	3.7
L842031		<0.005	0.13	0.34	16	0.12	6.80	64	4.7
L842032		<0.005	0.12	0.42	14	0.06	5.78	77	4.6
L842033		<0.005	0.10	0.34	18	0.07	5.34	92	3.6
L842034		<0.005	0.09	0.30	19	0.07	5.02	79	3.5
L842035		<0.005	0.12	0.45	18	0.08	6.19	85	3.7
L842036		<0.005	0.11	0.37	18	<0.05	6.39	79	3.6
L842037		<0.005	0.12	0.39	18	<0.05	6.59	82	3.8
L842038		<0.005	0.13	0.47	17	0.06	7.04	87	4.2
L842039		<0.005	0.12	0.33	17	<0.05	6.66	71	3.5
L842040		<0.005	0.12	0.35	14	<0.05	6.57	88	3.5
L842041		<0.005	0.20	0.35	18	<0.05	7.14	89	3.8
L842042		<0.005	0.18	0.36	24	0.05	5.82	62	3.7
L842043		<0.005	2.41	1.83	69	2.50	6.97	151	7.1
L842044		<0.005	0.19	0.49	27	<0.05	7.50	94	2.7
L842045		<0.005	0.12	0.49	19	0.19	6.88	98	2.7
L842046		<0.005	0.12	0.24	16	0.06	4.22	96	2.7
L842047		<0.005	0.12	0.43	15	<0.05	5.91	96	3.0
L842048		<0.005	0.03	0.54	1	<0.05	0.77	14	<0.5
L842049		<0.005	0.09	0.59	16	<0.05	9.77	87	4.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12166695

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10%on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH1216696

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
L860301		3.67	0.009	0.06	0.56	83.6	<0.2	10	60	1.28	0.37	1.92	0.05	11.15	18.0	8
L860302		8.73	0.005	0.04	0.52	35.8	<0.2	10	60	1.22	0.30	7.07	0.04	8.65	14.6	6
L860303		8.99	0.002	0.04	0.59	20	<0.2	10	60	1.13	0.24	12.60	0.03	9.37	12.3	7
L860304		8.86	0.002	0.03	0.50	15	<0.2	10	50	1.05	0.26	11.10	0.03	10.45	13.2	5
L860305		10.17	0.002	0.03	0.57	11.1	<0.2	10	50	1.13	0.27	9.48	0.04	8.91	11.7	5
L860306		9.44	0.002	0.02	0.46	19	<0.2	10	50	1.08	0.23	13.50	0.05	12.20	10.3	5
L860307		10.88	0.002	0.02	0.47	18	<0.2	10	50	0.92	0.20	16.85	0.03	15.65	8.4	5
L860308		8.97	0.002	0.02	0.44	15	<0.2	<10	90	0.99	0.20	15.95	0.03	14.95	8.3	5
L860309		10.34	0.002	0.02	0.47	14	<0.2	<10	90	1.07	0.21	15.10	0.04	14.50	9.9	5
L860310		0.26	0.239	>100	1.32	256	0.3	<10	90	0.22	6.22	0.66	24.9	8.37	10.7	31
L860311		10.27	0.002	0.05	0.42	13	<0.2	<10	70	0.95	0.18	18.60	0.04	18.30	9.3	5
L860312		10.39	0.002	0.02	0.50	11	<0.2	10	110	0.91	0.20	17.15	0.03	17.35	10.3	5
L860313		10.62	0.002	0.02	0.45	7	<0.2	<10	60	1.01	0.21	14.75	0.03	13.50	10.6	5
L860314		10.42	0.001	0.03	0.52	12	<0.2	10	60	0.95	0.22	14.50	0.03	12.35	9.3	6
L860315		10.25	0.002	0.02	0.45	11	<0.2	<10	90	0.97	0.20	16.85	0.04	15.40	8.7	5
L860316		10.25	0.001	0.03	0.54	9	<0.2	<10	90	0.86	0.19	16.85	0.04	13.50	8.8	6
L860317		3.94	0.002	0.03	0.45	7	<0.2	<10	130	0.77	0.17	17.30	0.04	14.75	7.8	5
L860318		6.03	0.003	0.03	0.15	6	<0.2	<10	200	0.40	<0.01	>25.0	0.10	8.23	2.2	2
L860319		3.08	0.001	0.02	0.04	<2	<0.2	<10	10	<0.05	0.01	19.55	0.06	1.10	0.6	<1
L860320		4.63	0.002	0.03	0.24	6	<0.2	<10	70	0.49	0.02	25.0	0.11	8.61	3.1	3
L860321		3.42	0.002	0.03	0.42	12	<0.2	<10	80	0.88	0.12	19.85	0.07	8.94	8.2	5
L860322		<0.02	0.002	0.03	0.48	16	<0.2	<10	70	0.91	0.12	19.50	0.06	9.05	8.5	5
L860323		5.16	0.002	0.02	0.31	9	<0.2	<10	60	0.52	0.08	23.0	0.02	9.66	4.1	3
L860324		6.51	0.002	0.01	0.24	10	<0.2	<10	80	0.53	0.04	>25.0	0.03	10.65	4.2	2
L860325		4.40	0.002	0.03	0.25	11	<0.2	<10	60	0.55	0.10	19.55	0.05	9.22	3.6	2
L860326		1.81	0.002	0.02	0.25	10	<0.2	<10	70	0.49	0.10	21.4	0.03	8.53	4.3	2
L860327		4.92	0.001	0.02	0.27	4	<0.2	<10	40	0.57	0.12	19.65	0.02	11.60	4.2	3
L860328		9.18	0.002	0.01	0.24	11	<0.2	<10	40	0.48	0.10	22.9	0.02	10.95	4.1	3
L860329		5.69	0.002	0.05	0.21	12	<0.2	<10	50	0.38	0.07	22.5	0.02	8.94	4.1	2
L860330		4.90	0.001	0.01	0.05	<2	<0.2	<10	10	0.05	0.02	18.15	0.07	1.21	0.7	1
L860331		10.20	0.002	0.02	0.22	11	<0.2	<10	50	0.30	0.07	24.4	0.02	10.05	3.1	2
L860332		5.68	0.002	0.02	0.21	8	<0.2	<10	40	0.29	0.06	23.4	0.02	11.05	3.0	2
L860333		0.26	3.81	1.43	0.30	640	<0.2	<10	70	0.35	4.84	1.98	1.94	4.58	7.4	18
L860334		5.87	0.004	0.07	0.11	7	<0.2	<10	40	0.21	0.03	>25.0	0.03	7.95	1.5	1
L860335		3.11	0.007	0.21	0.37	24	<0.2	<10	50	0.55	0.14	11.85	0.64	10.25	6.6	5
L860336		3.58	0.002	0.29	0.08	8	<0.2	<10	40	0.27	0.03	24.8	0.13	7.76	1.2	2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH1216696

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
L860301		2.56	48.9	4.53	1.61	<0.05	0.09	0.22	0.056	0.30	4.7	3.3	1.28	619	0.49	0.01
L860302		1.94	40.8	3.42	1.21	<0.05	0.10	0.17	0.039	0.29	3.5	2.6	1.42	620	0.25	0.02
L860303		1.55	31.1	2.54	1.32	<0.05	0.09	0.14	0.031	0.29	3.8	3.7	1.08	701	0.17	0.02
L860304		1.68	31.9	2.70	1.14	<0.05	0.10	0.12	0.035	0.28	4.0	3.2	1.38	571	0.31	0.02
L860305		1.75	32.1	2.61	1.17	<0.05	0.09	0.12	0.036	0.32	3.3	3.2	1.55	531	0.17	0.02
L860306		1.38	28.9	2.34	0.95	<0.05	0.10	0.08	0.033	0.26	4.6	2.4	1.39	639	0.38	0.02
L860307		1.11	24.3	2.11	1.00	<0.05	0.11	0.09	0.031	0.25	6.2	3.4	1.31	554	0.28	0.02
L860308		1.23	23.6	2.13	0.93	<0.05	0.10	0.09	0.027	0.24	5.8	3.6	1.35	544	0.23	0.02
L860309		1.22	27.3	2.20	1.09	<0.05	0.11	0.12	0.033	0.22	5.1	6.0	1.30	479	0.22	0.02
L860310		0.32	6500	5.34	4.21	0.05	0.26	1.32	0.369	0.10	3.9	9.0	0.78	1630	19.75	0.06
L860311		1.08	26.5	1.93	1.04	<0.05	0.12	0.10	0.027	0.21	6.7	4.1	1.16	559	0.20	0.02
L860312		1.07	22.8	2.06	1.14	<0.05	0.10	0.12	0.028	0.24	6.3	5.0	1.13	529	0.37	0.02
L860313		1.37	24.7	2.12	0.97	<0.05	0.12	0.13	0.028	0.22	4.9	4.4	1.19	520	0.18	0.02
L860314		1.55	28.7	2.12	1.17	<0.05	0.10	0.11	0.025	0.25	4.6	6.7	1.16	572	0.24	0.02
L860315		1.45	24.0	1.87	1.02	<0.05	0.10	0.09	0.024	0.21	5.2	6.0	1.32	472	0.27	0.02
L860316		1.32	22.2	1.93	1.28	<0.05	0.12	0.11	0.025	0.24	4.8	6.8	1.38	356	0.29	0.02
L860317		1.34	21.4	1.64	1.04	<0.05	0.16	0.13	0.021	0.21	5.1	6.0	1.44	144	0.19	0.02
L860318		0.31	7.2	0.53	0.36	<0.05	0.11	0.11	0.005	0.06	3.9	1.7	1.07	421	0.48	0.02
L860319		0.15	2.2	0.46	0.11	<0.05	<0.02	0.01	<0.005	0.02	0.5	0.9	11.95	213	0.06	0.01
L860320		0.41	7.8	0.86	0.55	<0.05	0.14	0.12	0.007	0.10	4.0	3.2	2.47	271	0.92	0.02
L860321		1.05	21.1	1.81	1.02	<0.05	0.13	0.17	0.021	0.17	3.7	13.8	1.10	320	0.32	0.02
L860322		1.03	21.7	2.01	1.14	<0.05	0.13	0.20	0.022	0.20	3.5	16.6	1.11	314	0.42	0.02
L860323		0.67	12.0	1.10	0.71	<0.05	0.11	0.12	0.015	0.16	4.2	2.1	0.87	271	0.07	0.01
L860324		0.48	15.5	0.84	0.54	<0.05	0.10	0.07	0.010	0.12	4.9	1.8	0.61	154	0.08	0.02
L860325		0.83	14.7	1.16	0.63	<0.05	0.12	0.05	0.020	0.15	3.4	1.4	0.77	181	0.07	0.01
L860326		0.64	10.1	1.08	0.57	<0.05	0.11	0.03	0.015	0.15	3.2	1.4	0.70	190	0.07	0.02
L860327		0.82	12.2	1.55	0.64	<0.05	0.12	0.02	0.024	0.17	4.6	2.0	1.02	177	0.07	0.02
L860328		0.65	10.6	1.02	0.54	<0.05	0.10	0.02	0.013	0.14	5.0	1.7	0.85	223	0.08	0.02
L860329		0.51	9.8	0.90	0.46	<0.05	0.10	0.03	0.013	0.11	3.8	1.7	0.84	154	0.15	0.02
L860330		0.22	1.5	0.43	0.12	<0.05	<0.02	<0.01	0.005	0.02	0.6	1.1	11.65	195	0.06	0.01
L860331		0.52	8.9	0.71	0.53	<0.05	0.12	0.02	0.010	0.11	4.2	1.6	0.75	89	0.16	0.02
L860332		0.39	8.5	0.64	0.47	<0.05	0.11	0.05	0.009	0.10	5.0	1.5	0.71	71	0.29	0.02
L860333		1.70	74.3	2.73	1.08	<0.05	0.21	5.44	0.154	0.18	2.4	1.6	0.79	283	25.3	0.01
L860334		0.22	5.8	0.33	0.27	<0.05	0.09	0.13	0.007	0.05	3.6	1.0	0.52	50	0.36	0.02
L860335		0.84	29.2	1.53	0.95	<0.05	0.29	0.31	0.024	0.21	3.9	2.6	4.00	172	3.57	0.02
L860336		0.13	4.4	0.37	0.19	<0.05	0.08	0.06	<0.005	0.02	3.9	1.1	1.88	174	1.48	0.02

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH1216696

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L860301		<0.05	36.3	560	21.9	12.8	<0.001	0.23	0.74	10.4	0.5	0.6	164.0	<0.01	0.05	4.0
L860302		<0.05	26.5	390	17.5	10.8	<0.001	0.15	0.93	9.5	0.5	0.7	335	<0.01	0.05	3.2
L860303		<0.05	20.4	260	15.4	11.0	<0.001	0.10	0.81	7.9	0.7	0.5	546	<0.01	0.08	2.9
L860304		<0.05	23.2	390	16.2	11.1	0.001	0.18	0.97	8.2	1.0	0.4	541	<0.01	0.07	3.2
L860305		<0.05	20.2	320	16.8	11.8	0.001	0.16	0.83	7.6	0.5	0.3	466	<0.01	0.06	3.3
L860306		<0.05	17.9	330	13.3	10.0	<0.001	0.16	0.75	7.2	0.7	0.3	652	<0.01	0.05	3.2
L860307		<0.05	16.7	340	13.5	9.5	0.001	0.22	0.71	6.2	0.4	0.3	897	<0.01	0.06	3.4
L860308		<0.05	16.7	280	12.9	9.2	0.001	0.27	0.65	6.0	0.6	0.3	830	<0.01	0.05	2.9
L860309		<0.05	20.3	290	13.5	9.4	0.001	0.22	0.68	7.0	0.6	0.4	844	<0.01	0.05	3.2
L860310		0.21	26.6	440	>10000	3.3	0.011	2.46	422	4.1	1.6	1.5	30.7	<0.01	1.05	0.9
L860311		<0.05	16.5	290	15.1	8.7	0.001	0.24	0.75	6.5	1.2	0.3	1135	<0.01	0.05	3.5
L860312		<0.05	19.0	280	14.6	9.3	<0.001	0.36	0.50	6.3	0.8	0.4	897	<0.01	0.03	3.6
L860313		<0.05	19.3	300	14.2	8.9	<0.001	0.18	0.37	6.1	0.2	0.4	702	<0.01	0.07	3.4
L860314		<0.05	17.5	310	13.7	9.8	<0.001	0.14	0.22	6.1	0.8	0.3	733	<0.01	0.06	3.3
L860315		<0.05	16.0	360	12.8	8.5	<0.001	0.19	0.21	5.7	0.5	0.3	988	<0.01	0.06	3.0
L860316		<0.05	17.5	280	13.3	10.0	0.001	0.25	0.19	5.7	0.5	0.7	945	<0.01	0.04	3.1
L860317		<0.05	14.4	350	12.4	8.4	0.001	0.29	0.17	5.6	0.5	0.5	1165	<0.01	0.05	3.3
L860318		<0.05	4.8	730	4.1	2.3	0.001	0.22	0.16	1.3	<0.2	<0.2	1660	<0.01	0.03	1.1
L860319		<0.05	1.5	180	1.3	0.9	<0.001	0.06	0.10	0.2	<0.2	<0.2	49.8	<0.01	0.02	<0.2
L860320		<0.05	6.8	750	5.0	3.7	0.001	0.23	0.16	2.0	0.5	0.2	1035	<0.01	0.03	1.3
L860321		<0.05	15.9	410	11.8	7.0	0.001	0.20	0.36	5.1	0.9	0.5	1060	<0.01	0.05	2.1
L860322		<0.05	17.7	360	13.9	7.6	<0.001	0.37	0.36	5.2	0.8	0.5	1015	<0.01	0.05	2.2
L860323		<0.05	7.9	340	7.0	6.0	<0.001	0.09	0.30	3.5	0.3	0.3	1225	<0.01	0.04	1.9
L860324		<0.05	6.7	320	6.3	4.6	<0.001	0.09	0.33	2.7	0.6	0.2	1645	<0.01	0.04	1.6
L860325		0.06	8.0	280	8.3	6.2	<0.001	0.04	0.24	4.5	<0.2	0.3	1305	<0.01	0.01	1.8
L860326		0.06	7.8	260	7.4	5.7	0.001	0.06	0.24	3.7	0.4	0.3	1520	<0.01	0.02	1.6
L860327		0.07	9.6	330	8.2	6.9	<0.001	0.04	0.11	5.0	0.6	0.2	972	<0.01	0.01	2.3
L860328		0.06	9.7	350	7.5	5.5	<0.001	0.02	0.22	3.6	0.3	0.3	1045	<0.01	0.02	1.8
L860329		0.07	7.9	380	5.9	4.4	<0.001	0.06	0.45	3.1	<0.2	0.2	1250	<0.01	0.01	1.7
L860330		0.07	2.6	170	1.3	1.1	<0.001	0.02	<0.05	0.4	<0.2	<0.2	55.1	<0.01	<0.01	<0.2
L860331		0.07	7.2	330	4.7	4.5	<0.001	0.17	0.75	2.7	<0.2	0.2	2110	<0.01	0.03	1.8
L860332		0.06	7.0	340	4.3	4.1	<0.001	0.30	0.88	2.7	0.3	0.2	2100	<0.01	0.01	1.6
L860333		0.11	74.7	820	20.4	12.7	0.038	1.91	11.25	3.4	6.9	2.1	33.5	<0.01	0.73	1.8
L860334		0.06	4.2	850	3.0	2.2	<0.001	0.26	1.31	1.3	0.3	<0.2	2850	<0.01	<0.01	1.0
L860335		0.07	19.3	780	12.0	8.5	0.012	0.85	4.41	5.2	2.5	0.4	557	0.01	0.06	2.8
L860336		0.06	4.1	340	3.0	1.0	0.001	0.23	0.84	1.0	0.4	<0.2	1430	<0.01	0.01	0.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12166696

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46	Pb- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Pb %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001
L860301		<0.005	0.11	0.51	15	<0.05	9.02	93	3.7		
L860302		<0.005	0.12	0.84	9	<0.05	11.80	85	3.7		
L860303		<0.005	0.14	1.22	9	<0.05	13.95	70	3.6		
L860304		<0.005	0.14	1.46	7	<0.05	15.10	76	4.2		
L860305		<0.005	0.14	1.17	7	<0.05	11.95	76	3.9		
L860306		<0.005	0.10	1.55	6	<0.05	13.75	69	4.1		
L860307		<0.005	0.11	1.94	6	<0.05	12.85	62	4.6		
L860308		<0.005	0.12	1.80	6	<0.05	11.60	60	4.3		
L860309		<0.005	0.15	1.64	7	<0.05	15.10	65	4.8		
L860310		0.098	0.20	0.65	42	0.22	6.28	5290	6.7	108	1.030
L860311		<0.005	0.13	1.65	6	<0.05	12.70	59	5.0		
L860312		<0.005	0.16	1.81	7	<0.05	12.95	57	4.6		
L860313		<0.005	0.19	1.48	7	<0.05	12.45	61	4.3		
L860314		<0.005	0.21	1.54	8	<0.05	10.85	62	4.1		
L860315		<0.005	0.18	1.95	8	<0.05	12.30	56	4.3		
L860316		<0.005	0.25	1.50	8	<0.05	10.25	56	5.6		
L860317		<0.005	0.21	2.11	7	<0.05	11.25	59	6.2		
L860318		<0.005	0.08	4.69	4	<0.05	4.77	17	4.0		
L860319		<0.005	<0.02	0.32	1	0.05	0.77	18	<0.5		
L860320		<0.005	0.12	3.51	6	<0.05	4.95	21	4.5		
L860321		<0.005	0.20	2.85	8	<0.05	10.20	53	4.9		
L860322		<0.005	0.23	2.72	8	<0.05	10.20	56	4.8		
L860323		<0.005	0.09	1.04	4	<0.05	6.88	28	3.6		
L860324		<0.005	0.07	2.32	3	<0.05	6.35	26	3.8		
L860325		<0.005	0.07	0.67	5	<0.05	8.64	30	4.2		
L860326		<0.005	0.05	0.56	4	<0.05	7.84	21	3.4		
L860327		<0.005	0.05	0.69	5	<0.05	9.91	30	4.1		
L860328		<0.005	0.05	0.52	4	<0.05	7.79	26	3.5		
L860329		<0.005	0.07	1.24	4	0.16	5.88	23	3.6		
L860330		<0.005	<0.02	0.48	2	<0.05	0.88	15	<0.5		
L860331		<0.005	0.09	0.95	3	<0.05	5.00	20	4.1		
L860332		<0.005	0.08	1.04	4	<0.05	4.97	17	3.7		
L860333		<0.005	2.52	1.81	56	2.50	7.34	134	7.5		
L860334		<0.005	0.12	1.43	3	<0.05	3.96	8	2.9		
L860335		<0.005	0.24	1.74	12	<0.05	10.70	45	9.4		
L860336		<0.005	0.06	4.03	6	<0.05	4.38	8	2.6		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12166696

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12168815

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L860337		3.36	0.002	0.06	0.14	13	<0.2	<10	50	0.24	0.04	>25.0	0.24	11.95	1.6	2
L860338		8.55	0.005	0.13	0.30	18	<0.2	<10	60	0.33	0.07	12.15	0.48	10.35	3.8	5
L860339		4.61	0.003	0.05	0.34	16	<0.2	<10	50	0.39	0.08	14.40	0.17	12.70	3.8	4
L860340		9.91	0.002	0.03	0.23	11	<0.2	<10	40	0.29	0.05	22.1	0.12	13.70	2.3	2
L860341		5.44	0.002	0.05	0.28	18	<0.2	<10	70	0.51	0.07	16.95	0.15	12.35	4.4	5
L860342		3.65	0.003	0.04	0.26	14	<0.2	<10	40	0.40	0.06	21.2	0.15	14.10	3.5	3
L860343		9.64	0.003	0.03	0.25	13	<0.2	<10	40	0.37	0.06	23.1	0.12	14.75	3.8	3
L860344		9.65	0.003	0.03	0.22	9	<0.2	<10	40	0.40	0.04	21.7	0.13	14.80	3.3	3
L860345		9.41	0.002	0.02	0.20	14	<0.2	<10	80	0.38	0.04	21.8	0.13	14.15	3.1	3
L860346		9.81	0.002	0.04	0.24	14	<0.2	<10	50	0.40	0.07	21.2	0.12	14.75	4.2	2
L860347		0.26	1.135	0.78	0.49	236	<0.2	<10	90	1.03	8.82	16.00	2.04	23.8	4.3	23
L860348		10.26	0.003	0.11	0.37	17	<0.2	<10	70	0.54	0.10	18.55	0.30	14.95	6.3	4
L860349		10.04	<0.001	0.03	0.21	23	<0.2	<10	60	0.32	0.04	23.2	0.17	11.95	3.0	2
L860350		10.31	0.004	0.15	0.36	22	<0.2	<10	80	0.62	0.13	15.00	0.38	13.75	6.8	4
L860351		4.07	0.003	0.10	0.42	17	<0.2	<10	120	0.56	0.10	17.15	0.27	15.80	6.9	4
L860352		10.27	0.002	0.02	0.18	9	<0.2	<10	160	0.33	0.04	23.1	0.18	13.80	2.6	2
L860353		5.49	0.001	0.02	0.35	19	<0.2	10	80	0.49	0.07	19.85	0.24	17.90	4.8	4
L860354		3.79	0.002	0.01	0.04	<2	<0.2	<10	20	<0.05	0.02	19.15	0.06	1.37	1.7	1
L860355		1.96	0.002	0.02	0.23	438	<0.2	<10	70	0.28	0.05	24.6	0.42	12.45	2.5	3
L860356		6.68	0.008	0.29	0.09	18	<0.2	<10	50	0.17	0.02	>25.0	0.42	6.41	1.7	1
L860357		3.72	0.002	0.03	0.16	9	<0.2	<10	60	0.22	0.03	>25.0	0.28	8.66	2.0	2
L860358		9.37	0.010	0.17	0.15	10	<0.2	<10	70	0.23	0.04	>25.0	0.27	8.74	2.2	2
L860359		9.67	0.018	0.17	0.21	28	<0.2	<10	70	0.32	0.08	23.8	0.22	8.55	4.0	3
L860360		9.92	0.006	0.08	0.07	6	<0.2	<10	40	0.14	0.02	>25.0	0.06	5.48	1.2	1
L860361		9.95	0.010	0.21	0.09	9	<0.2	<10	50	0.14	0.02	>25.0	0.06	5.65	1.4	1
L860362		0.26	0.323	>100	1.32	260	0.2	<10	100	0.24	5.41	0.69	24.7	9.28	11.0	32
L860363		9.56	0.005	0.10	0.10	6	<0.2	<10	60	0.16	0.02	>25.0	0.09	6.92	1.6	1
L860364		5.15	0.003	0.05	0.08	5	<0.2	<10	60	0.14	0.02	>25.0	0.18	8.30	1.3	1
L860365		5.63	0.005	0.05	0.21	8	<0.2	<10	80	0.34	0.06	24.0	0.19	11.60	3.3	3
L860366		3.46	0.002	0.01	0.05	<2	<0.2	<10	20	<0.05	0.02	18.75	0.06	1.33	1.3	1
L860367		4.18	0.002	0.04	0.06	4	<0.2	<10	60	0.14	0.01	>25.0	0.10	5.50	1.1	1
L860368		6.45	0.007	0.09	0.14	7	<0.2	<10	70	0.18	0.03	>25.0	0.18	8.93	2.1	2
L860369		<0.02	0.006	0.09	0.13	9	<0.2	<10	70	0.17	0.03	>25.0	0.17	8.83	2.0	2
L860370		3.28	0.102	0.96	0.46	32	<0.2	10	310	0.71	0.18	11.25	0.31	19.00	8.5	7
L860371		8.64	0.012	0.20	0.15	8	<0.2	<10	120	0.17	0.03	>25.0	0.10	10.55	2.4	3
L860372		9.61	0.005	0.10	0.20	5	<0.2	<10	130	0.22	0.04	22.9	0.11	11.50	2.0	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12168815

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
L860337		0.21	4.9	0.45	0.28	0.05	0.13	0.15	0.007	0.04	5.8	1.4	2.28	205	1.89	0.03
L860338		0.63	11.8	1.45	0.73	0.07	0.22	0.28	0.013	0.15	3.5	2.2	6.39	274	5.84	0.02
L860339		0.47	10.0	1.14	0.76	0.06	0.25	0.24	0.016	0.18	4.7	2.3	7.90	376	2.89	0.03
L860340		0.28	6.1	0.82	0.47	0.05	0.20	0.16	0.012	0.11	5.7	2.0	4.82	295	1.48	0.02
L860341		0.43	12.5	0.95	1.02	0.05	0.23	0.29	0.018	0.14	4.6	11.5	6.41	331	1.32	0.03
L860342		0.27	9.5	0.63	0.87	<0.05	0.19	0.20	0.012	0.11	5.8	4.6	4.74	255	1.46	0.03
L860343		0.25	8.4	0.66	0.85	0.05	0.24	0.16	0.013	0.10	6.0	4.6	3.69	267	1.47	0.03
L860344		0.21	7.5	0.58	0.74	0.05	0.20	0.15	0.009	0.08	6.2	4.5	4.68	268	1.29	0.03
L860345		0.23	7.0	0.65	0.74	0.05	0.19	0.16	0.009	0.09	5.9	3.8	4.57	291	1.23	0.02
L860346		0.43	11.0	0.87	0.83	0.06	0.20	0.13	0.014	0.12	5.9	3.9	3.26	257	1.63	0.02
L860347		2.42	78.4	2.28	2.93	0.07	0.23	2.30	0.641	0.15	15.0	5.9	3.21	1620	74.1	0.02
L860348		0.73	21.7	0.98	1.25	0.06	0.22	0.12	0.017	0.20	6.0	5.2	3.01	258	0.89	0.02
L860349		0.29	7.9	0.49	0.69	0.05	0.20	0.11	0.010	0.09	5.3	3.3	2.56	233	0.43	0.02
L860350		0.83	21.7	1.25	1.05	0.05	0.27	0.15	0.020	0.20	5.2	3.6	4.17	294	1.33	0.03
L860351		0.81	19.6	1.02	1.41	0.08	0.25	0.14	0.018	0.21	6.2	5.5	4.11	281	0.88	0.03
L860352		0.43	6.7	0.48	0.62	0.05	0.22	0.07	0.008	0.08	6.2	2.8	2.97	255	0.38	0.03
L860353		0.59	14.9	0.98	1.22	0.08	0.18	0.10	0.017	0.18	7.4	4.6	3.23	203	0.32	0.03
L860354		0.32	1.8	0.44	0.18	<0.05	<0.02	0.01	0.005	0.02	0.6	1.4	12.60	211	0.18	0.02
L860355		0.28	7.0	0.58	0.80	0.05	0.17	0.06	0.010	0.12	6.1	2.6	1.95	168	0.28	0.02
L860356		0.19	7.6	0.27	0.33	<0.05	0.10	0.19	0.005	0.04	4.1	1.1	0.61	82	1.11	0.02
L860357		0.26	6.5	0.39	0.52	<0.05	0.14	0.08	0.006	0.08	4.6	2.0	1.08	89	0.16	0.02
L860358		0.28	9.8	0.40	0.48	<0.05	0.16	0.16	0.007	0.08	4.4	1.5	1.47	86	0.29	0.02
L860359		0.36	16.3	0.73	0.66	0.05	0.19	0.25	0.013	0.12	3.8	1.6	1.73	111	0.94	0.02
L860360		0.14	3.3	0.20	0.19	<0.05	0.11	0.09	<0.005	0.03	2.9	0.7	0.56	51	0.50	0.02
L860361		0.18	4.1	0.28	0.25	<0.05	0.11	0.13	<0.005	0.04	3.2	0.7	0.53	41	1.44	0.02
L860362		0.34	6460	5.32	4.78	0.13	0.28	1.24	0.420	0.10	4.2	10.5	0.81	1620	20.4	0.07
L860363		0.19	4.0	0.37	0.28	<0.05	0.13	0.08	0.005	0.04	3.4	1.2	0.93	80	0.46	0.02
L860364		0.15	3.7	0.31	0.22	<0.05	0.11	0.04	0.005	0.03	3.7	0.9	1.00	85	0.20	0.02
L860365		0.60	9.0	0.61	0.62	<0.05	0.17	0.07	0.011	0.11	4.9	1.9	1.83	102	0.23	0.02
L860366		0.48	1.7	0.43	0.22	<0.05	<0.02	0.01	0.005	0.03	0.6	1.1	12.40	209	0.11	0.02
L860367		0.10	1.8	0.34	0.17	<0.05	0.09	0.04	<0.005	0.02	3.1	0.6	0.88	80	0.38	0.02
L860368		0.35	5.3	0.48	0.42	<0.05	0.17	0.06	0.007	0.07	4.4	1.1	1.21	95	1.19	0.02
L860369		0.34	5.2	0.48	0.39	<0.05	0.18	0.07	0.007	0.07	4.3	1.0	1.20	95	1.28	0.02
L860370		1.06	56.0	1.74	1.22	<0.05	0.42	0.70	0.029	0.25	7.3	3.6	2.53	239	2.88	0.03
L860371		0.32	7.8	0.47	0.43	<0.05	0.20	0.20	0.008	0.07	5.5	1.0	0.96	83	0.86	0.02
L860372		0.31	5.5	0.49	0.52	<0.05	0.26	0.08	0.008	0.10	5.3	1.3	1.77	97	0.46	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12168815

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L860337		0.16	4.3	440	4.2	1.8	0.002	0.27	1.74	1.4	0.8	0.2	1205	<0.01	0.03	0.9
L860338		0.07	8.9	600	8.3	6.7	0.003	0.68	1.86	3.2	1.7	0.3	369	<0.01	0.03	2.2
L860339		0.08	7.0	490	7.8	7.3	0.002	0.34	1.59	3.5	0.8	0.4	425	<0.01	0.02	2.6
L860340		0.14	5.0	410	4.9	4.4	0.001	0.25	0.95	2.4	0.6	0.2	824	<0.01	0.02	1.8
L860341		0.11	9.1	370	7.2	5.4	0.002	0.14	1.90	4.3	0.7	0.5	641	<0.01	0.02	2.5
L860342		0.18	7.4	420	5.8	4.5	0.001	0.18	1.96	2.9	0.8	0.3	839	<0.01	0.03	2.5
L860343		0.21	8.2	420	5.9	4.3	0.002	0.23	1.23	2.9	0.7	0.2	801	<0.01	0.03	2.9
L860344		0.20	6.7	490	5.1	3.5	0.001	0.18	1.50	2.4	0.7	0.2	985	<0.01	0.02	2.3
L860345		0.22	6.6	390	5.4	3.7	0.001	0.15	1.28	2.4	0.6	0.3	858	<0.01	0.03	2.1
L860346		0.22	9.6	350	6.6	5.2	0.002	0.33	0.92	3.2	0.8	0.2	782	<0.01	0.02	2.8
L860347		0.05	78.0	1120	21.1	12.5	0.063	1.03	7.91	3.9	3.9	3.1	211	<0.01	0.37	3.6
L860348		0.19	13.9	410	8.2	8.4	0.005	0.24	0.96	4.4	1.3	0.4	633	<0.01	0.03	3.5
L860349		0.24	6.8	300	5.4	4.1	0.001	0.07	1.09	2.5	0.7	0.2	882	<0.01	0.02	2.2
L860350		0.09	14.1	450	11.3	8.3	0.008	0.35	1.08	5.2	1.5	0.3	576	<0.01	0.03	4.0
L860351		0.17	14.7	490	8.9	9.2	0.006	0.24	1.14	4.7	1.2	0.4	674	<0.01	0.03	3.6
L860352		0.26	5.8	350	5.5	4.0	0.001	0.10	1.27	2.3	0.7	0.2	1030	<0.01	0.02	2.4
L860353		0.20	11.5	470	6.7	8.0	0.001	0.19	0.79	4.4	0.7	0.2	710	<0.01	0.02	3.9
L860354		0.22	3.6	170	1.3	1.7	<0.001	0.05	<0.05	0.5	0.3	<0.2	53.3	<0.01	0.01	0.2
L860355		0.27	5.7	430	5.1	5.2	0.001	0.05	0.76	3.1	0.6	0.2	1060	<0.01	0.02	2.7
L860356		0.32	3.5	240	3.9	2.1	0.002	0.14	1.74	1.3	2.1	<0.2	2120	<0.01	0.03	1.1
L860357		0.26	3.3	260	3.8	3.6	0.001	0.14	0.57	2.0	0.8	<0.2	1460	<0.01	0.02	1.9
L860358		0.23	4.0	310	4.6	3.4	0.002	0.11	1.74	2.1	1.0	<0.2	1705	<0.01	0.02	2.0
L860359		0.21	8.2	110	5.6	5.2	0.004	0.22	1.62	3.6	1.1	0.2	1555	<0.01	0.02	2.2
L860360		0.27	0.6	140	3.9	1.4	0.002	0.09	0.92	1.0	0.8	<0.2	2470	<0.01	0.02	1.1
L860361		0.25	0.9	210	5.9	1.8	0.001	0.17	1.11	1.2	0.9	<0.2	3280	<0.01	0.02	1.2
L860362		0.25	27.2	440	>10000	3.7	0.009	2.35	413	4.9	2.0	1.7	28.8	<0.01	1.13	1.0
L860363		0.20	0.9	150	6.2	2.0	0.001	0.10	0.75	1.5	0.8	<0.2	2520	<0.01	0.03	1.3
L860364		0.20	0.7	160	3.6	1.4	0.001	0.09	0.60	1.4	0.7	<0.2	2270	<0.01	0.02	1.1
L860365		0.17	5.1	280	6.1	5.2	0.001	0.16	0.60	3.3	0.7	0.2	1460	<0.01	0.02	2.7
L860366		0.20	2.2	200	1.6	2.3	<0.001	0.04	<0.05	0.6	0.3	<0.2	59.4	<0.01	0.01	<0.2
L860367		0.23	0.9	250	3.4	1.0	0.002	0.08	0.31	0.9	0.8	<0.2	2220	<0.01	0.02	0.9
L860368		0.21	2.8	280	3.8	3.2	0.004	0.15	0.76	2.0	0.9	<0.2	2350	<0.01	0.02	1.9
L860369		0.21	2.6	280	4.0	3.0	0.004	0.15	0.76	1.9	0.9	<0.2	2420	<0.01	0.02	2.0
L860370		<0.05	25.0	850	20.6	9.5	0.001	0.92	5.31	5.7	4.6	0.5	806	<0.01	0.03	6.0
L860371		0.19	4.2	490	6.8	3.2	0.001	0.26	1.67	2.1	1.3	<0.2	3060	<0.01	0.02	2.8
L860372		0.18	3.0	280	5.4	4.2	0.001	0.16	0.90	2.4	0.9	0.2	1990	<0.01	0.02	2.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12168815

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46	Pb- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Pb %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001
L860337		<0.005	0.10	3.63	7	<0.05	5.30	12	3.9		
L860338		<0.005	0.24	1.29	11	0.05	9.65	32	7.2		
L860339		<0.005	0.17	1.87	11	<0.05	8.22	30	8.3		
L860340		<0.005	0.08	3.41	8	<0.05	6.62	21	6.6		
L860341		<0.005	0.14	3.13	15	<0.05	7.73	21	7.9		
L860342		<0.005	0.10	4.55	10	<0.05	6.16	19	7.2		
L860343		<0.005	0.11	8.20	8	<0.05	6.40	16	8.8		
L860344		<0.005	0.08	5.70	9	<0.05	6.33	15	7.4		
L860345		<0.005	0.08	5.96	7	<0.05	6.78	18	6.7		
L860346		<0.005	0.12	6.49	8	<0.05	6.91	21	8.1		
L860347		<0.005	0.93	13.85	143	15.40	20.6	416	8.6		
L860348		<0.005	0.12	5.11	11	<0.05	8.02	32	9.8		
L860349		<0.005	0.06	6.55	7	<0.05	6.12	16	8.6		
L860350		<0.005	0.14	5.02	14	<0.05	9.01	41	12.1		
L860351		<0.005	0.11	5.31	13	<0.05	8.38	35	11.3		
L860352		<0.005	0.04	7.43	6	<0.05	6.18	14	10.2		
L860353		<0.005	0.07	4.99	7	<0.05	9.53	31	9.0		
L860354		<0.005	<0.02	1.00	2	0.05	0.89	15	<0.5		
L860355		<0.005	0.26	6.24	8	<0.05	7.36	39	8.0		
L860356		<0.005	0.09	12.80	9	<0.05	5.58	10	4.9		
L860357		<0.005	0.04	11.10	10	<0.05	4.84	11	6.0		
L860358		<0.005	0.05	13.25	8	<0.05	5.00	14	6.7		
L860359		<0.005	0.12	12.85	8	<0.05	6.38	20	7.6		
L860360		<0.005	0.04	15.40	3	<0.05	2.98	4	4.7		
L860361		<0.005	0.06	22.3	5	<0.05	3.19	6	4.8		
L860362		0.094	0.21	0.71	44	0.25	6.51	4980	7.7	103	0.996
L860363		<0.005	0.03	15.60	4	0.06	3.34	16	6.2		
L860364		<0.005	<0.02	6.91	5	0.07	5.88	9	5.2		
L860365		<0.005	0.03	6.76	6	0.05	5.42	19	7.6		
L860366		<0.005	<0.02	0.62	2	0.05	0.96	15	<0.5		
L860367		<0.005	0.02	10.60	4	<0.05	2.73	8	4.4		
L860368		<0.005	0.07	8.68	5	<0.05	4.04	17	7.9		
L860369		<0.005	0.07	9.31	5	<0.05	4.12	17	8.1		
L860370		<0.005	0.16	6.23	12	0.83	14.45	78	14.5		
L860371		<0.005	0.04	15.80	4	<0.05	6.37	25	9.4		
L860372		<0.005	0.05	8.36	5	<0.05	4.96	16	11.6		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12168815

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 10- AUG- 2012
 Account: MTT

CERTIFICATE WH12171260

Project: Scarlet East
 P.O. No.:
 This report is for 6 Rock samples submitted to our lab in Whitehorse, YT, Canada on 22- JUL- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%< 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12171260

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L836151		0.17	0.002	0.03	0.03	6	<0.2	<10	30	<0.05	0.02	>25.0	0.17	1.10	0.5	1
L836152		0.63	0.073	0.68	0.41	8810	<0.2	<10	80	0.17	0.23	0.50	2.41	15.60	9.7	15
L836153		0.79	0.002	0.03	0.05	52	<0.2	<10	30	0.06	0.02	>25.0	0.12	19.15	0.7	1
L836154		0.25	0.016	0.49	0.28	6460	<0.2	<10	70	0.09	0.13	0.51	0.77	3.63	3.1	4
G286056		0.59	0.005	0.02	0.05	45	<0.2	<10	20	<0.05	0.01	>25.0	0.44	2.40	0.7	1
G286057		0.31	0.005	0.06	0.16	379	<0.2	<10	50	0.22	0.03	>25.0	1.24	7.20	2.1	4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12171260

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
L836151		<0.05	1.4	0.12	0.06	<0.05	0.02	0.05	0.017	0.01	0.6	0.7	0.21	19	0.09	0.03
L836152		0.36	21.8	20.8	1.01	0.32	0.30	237	0.043	0.05	11.4	2.4	0.09	172	10.95	<0.01
L836153		0.07	2.3	0.42	0.18	<0.05	0.05	1.35	0.011	0.02	8.3	0.4	0.14	168	0.17	0.01
L836154		0.29	12.2	20.7	0.60	0.22	0.20	21.5	0.021	0.07	2.2	2.1	0.11	271	14.20	0.01
G286056		0.06	2.0	0.15	0.18	<0.05	0.03	0.90	<0.005	0.01	1.5	0.5	0.09	26	0.07	0.03
G286057		0.26	4.8	1.07	0.63	<0.05	0.08	2.20	0.009	0.06	3.4	0.8	0.42	1050	0.18	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12171260

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
L836151		0.22	<0.2	430	4.0	0.3	0.001	0.11	0.20	0.2	0.2	<0.2	2420	<0.01	0.02	<0.2
L836152		0.26	100.0	320	54.0	2.0	0.001	0.06	319	1.2	22.9	0.5	378	<0.01	0.04	1.5
L836153		0.18	<0.2	10	2.8	0.9	0.001	0.09	2.08	0.8	0.5	<0.2	1870	<0.01	0.02	0.3
L836154		0.21	15.0	210	20.5	2.5	0.001	0.20	118.5	0.6	2.2	0.2	121.5	<0.01	0.03	1.0
G286056		0.24	<0.2	310	3.5	0.4	0.001	0.11	6.77	0.3	0.2	<0.2	3030	<0.01	0.02	0.2
G286057		0.25	2.4	170	24.4	2.3	0.001	0.08	11.10	0.9	0.2	<0.2	317	<0.01	0.02	0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12171260

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L836151		<0.005	<0.02	1.64	1	<0.05	0.86	20	1.7
L836152		<0.005	6.50	6.74	23	<0.05	3.40	22	13.7
L836153		<0.005	0.05	2.53	2	<0.05	7.48	11	2.4
L836154		<0.005	2.99	7.27	5	0.05	1.00	12	7.0
G286056		<0.005	0.02	0.98	1	0.08	1.75	41	1.1
G286057		<0.005	0.09	2.11	4	0.23	5.87	350	3.1

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12171260

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12173274

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
L860481		7.51	0.004	0.08	0.38	23.0	<0.2	<10	60	0.43	0.13	0.95	0.02	9.14	9.8	11
L860482		7.81	0.001	0.04	0.26	5.6	<0.2	<10	30	0.32	0.07	1.25	0.03	6.40	6.7	10
L860483		0.20	0.284	>100	1.21	245	0.2	<10	80	0.16	5.27	0.59	22.7	8.34	12.2	30
L860484		5.90	0.002	0.07	0.33	5.5	<0.2	<10	40	0.40	0.07	0.91	0.04	6.02	7.3	12
L860485		2.59	0.003	0.13	0.47	19.7	<0.2	<10	50	1.52	0.39	0.17	0.08	11.05	24.9	14
L860486		9.30	0.002	0.13	0.38	11.0	<0.2	<10	30	0.62	0.17	0.84	0.05	8.79	12.7	12
L860487		5.35	0.003	0.10	0.39	16.7	<0.2	<10	30	1.18	0.31	0.47	0.05	12.80	16.5	13
L860488		9.40	0.005	0.09	0.51	28.4	<0.2	<10	40	1.32	0.29	0.82	0.08	10.75	17.3	14
L860489		0.21	1.240	0.64	0.52	245	<0.2	<10	90	1.04	8.43	15.80	1.97	23.3	5.5	24
L860490		4.70	0.004	0.11	0.28	19.4	<0.2	<10	80	0.51	0.13	0.02	0.04	6.46	7.8	13
L860491		4.90	0.001	0.02	0.28	5.2	<0.2	<10	30	0.20	0.05	0.64	0.02	7.50	3.3	13
L860492		9.79	0.001	0.03	0.22	5.2	<0.2	<10	30	0.27	0.07	0.41	0.03	6.42	3.5	10
L860493		9.75	0.001	0.02	0.22	10.3	<0.2	<10	20	0.18	0.05	0.60	0.03	6.71	3.0	11
L860494		4.10	<0.001	0.02	0.19	9.8	<0.2	<10	20	0.18	0.06	0.62	0.03	6.34	3.3	9
L860495		9.54	0.002	0.02	0.27	11.4	<0.2	<10	20	0.21	0.05	1.06	0.03	7.24	3.2	10
L860496		3.87	0.002	0.01	0.18	14.8	<0.2	<10	20	0.26	0.05	1.54	0.05	6.88	3.6	9
L860497		6.18	0.027	0.08	0.39	81.8	<0.2	<10	40	0.75	0.23	1.76	0.05	10.75	13.8	7
L860498		8.75	0.003	0.03	0.26	24.0	<0.2	<10	20	0.26	0.07	1.06	0.02	5.70	5.3	10
L860499		8.98	0.003	0.03	0.31	21.5	<0.2	<10	50	0.32	0.08	0.90	0.02	6.54	5.7	11
L860500		9.77	0.002	0.02	0.18	12.8	<0.2	<10	20	0.24	0.06	1.41	0.01	5.64	3.4	10
L860501		10.42	0.002	0.02	0.22	12.1	<0.2	<10	20	0.20	0.06	1.38	0.01	7.00	4.0	11
L860502		3.59	0.001	0.01	0.09	<2	<0.2	<10	20	<0.05	0.11	19.10	0.06	1.03	1.1	6
L860503		3.63	0.001	0.01	0.28	12.5	<0.2	<10	20	0.28	0.06	1.41	0.01	6.60	3.8	9
L860504		5.86	0.003	0.03	0.33	27.2	<0.2	<10	30	0.38	0.11	1.24	0.04	7.54	6.6	11
L860505		8.69	0.002	0.05	0.24	17.8	<0.2	<10	20	0.32	0.09	1.09	0.02	6.31	4.9	10
L860506		9.60	0.003	0.06	0.41	12.6	<0.2	<10	40	0.78	0.21	0.92	0.06	12.20	10.0	12
L860507		7.26	0.002	0.06	0.39	5.8	<0.2	<10	170	0.84	0.23	0.50	0.11	10.50	9.9	10
L860508		9.28	0.002	0.09	0.53	8.5	<0.2	<10	60	1.41	0.43	1.44	0.06	13.90	14.4	11
L860509		9.82	0.003	0.09	0.45	19.8	<0.2	<10	40	1.32	0.32	0.40	0.05	15.10	18.2	11
L860510		3.24	0.001	0.01	0.07	<2	<0.2	<10	10	0.05	0.02	19.10	0.04	0.96	0.7	2
L860511		9.05	0.002	0.02	0.22	17.2	<0.2	<10	20	0.17	0.06	1.21	0.03	5.90	3.7	9
L860512		<0.02	<0.001	0.02	0.27	17.7	<0.2	<10	20	0.21	0.06	1.21	0.03	6.50	3.9	10
L860513		9.35	0.004	0.02	0.24	17.4	<0.2	<10	50	0.23	0.07	1.22	0.02	6.24	3.6	11
L860514		9.46	0.001	0.02	0.23	13.3	<0.2	<10	30	0.22	0.06	0.85	0.02	7.20	3.5	12
L860515		9.61	0.001	0.01	0.20	11.5	<0.2	<10	20	0.20	0.06	0.94	0.02	7.22	3.6	11
L860516		6.35	0.001	0.02	0.19	8.8	<0.2	<10	20	0.17	0.06	1.01	0.02	6.80	3.2	11



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12173274

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
L860481		1.63	31.5	2.50	1.25	<0.05	0.13	0.09	0.020	0.17	3.8	5.2	0.23	329	0.26	0.01
L860482		0.94	15.7	1.79	0.71	0.06	0.11	0.03	0.014	0.10	2.8	4.3	0.36	344	0.21	0.02
L860483		0.30	6100	5.23	4.36	0.17	0.22	1.21	0.391	0.09	3.8	11.9	0.72	1560	21.0	0.06
L860484		1.10	22.9	2.05	0.85	0.06	0.10	0.07	0.013	0.12	2.8	5.0	0.35	292	0.19	0.01
L860485		3.04	59.6	3.71	1.78	0.10	0.13	0.20	0.039	0.22	3.8	10.7	0.23	212	0.38	0.01
L860486		1.28	39.1	3.30	1.30	0.10	0.11	0.12	0.021	0.15	4.0	11.6	0.44	283	0.24	0.01
L860487		1.95	49.2	4.08	1.32	0.09	0.13	0.19	0.038	0.18	5.6	12.5	0.41	260	0.30	0.01
L860488		2.40	38.4	3.81	1.64	0.09	0.11	0.19	0.036	0.22	4.7	10.0	0.33	478	0.31	0.01
L860489		2.64	76.6	2.32	3.14	0.13	0.23	2.16	0.690	0.16	14.9	6.9	3.26	1600	76.3	0.01
L860490		1.10	16.5	1.83	1.05	0.06	0.12	0.10	0.017	0.11	2.9	3.6	0.07	302	0.27	0.01
L860491		0.75	8.4	1.43	0.76	0.05	0.16	0.02	0.010	0.09	3.7	2.7	0.18	273	0.24	0.01
L860492		1.34	6.8	1.16	0.62	<0.05	0.16	0.02	0.009	0.09	3.1	2.4	0.14	155	0.35	0.01
L860493		0.76	6.8	1.30	0.58	<0.05	0.12	0.01	0.009	0.08	3.3	2.4	0.16	233	0.34	0.01
L860494		0.68	11.2	1.21	0.50	<0.05	0.13	0.01	0.007	0.07	3.2	2.1	0.16	217	0.45	0.01
L860495		0.59	7.7	1.52	0.66	<0.05	0.14	0.01	0.010	0.08	3.5	3.9	0.24	327	0.26	0.01
L860496		0.62	8.3	1.72	0.45	<0.05	0.10	0.03	0.011	0.06	3.3	5.6	0.36	347	0.22	0.01
L860497		1.89	28.5	3.31	1.00	<0.05	0.14	0.11	0.025	0.18	4.7	8.3	0.53	370	0.45	0.01
L860498		0.78	8.7	1.86	0.59	<0.05	0.12	0.03	0.013	0.10	2.7	4.5	0.29	286	0.19	0.01
L860499		1.08	11.3	1.88	0.77	<0.05	0.12	0.03	0.015	0.13	3.1	5.9	0.27	244	0.18	0.01
L860500		0.69	9.6	1.63	0.43	<0.05	0.10	0.01	0.009	0.08	2.7	2.5	0.37	337	0.19	0.02
L860501		0.80	6.5	1.77	0.55	<0.05	0.13	0.03	0.010	0.10	3.4	3.8	0.35	375	0.18	0.02
L860502		0.57	1.8	0.43	0.24	<0.05	<0.02	<0.01	<0.005	0.06	0.5	2.0	12.25	198	0.18	0.02
L860503		0.86	9.0	1.70	0.64	<0.05	0.11	0.01	0.010	0.11	3.2	4.6	0.37	365	0.17	0.02
L860504		0.82	12.4	2.38	0.78	<0.05	0.13	0.06	0.013	0.12	3.4	6.7	0.31	388	0.27	0.01
L860505		0.91	12.0	1.87	0.58	<0.05	0.14	0.04	0.013	0.10	3.1	8.3	0.32	327	0.17	0.01
L860506		2.28	25.7	3.02	1.16	<0.05	0.12	0.06	0.024	0.18	4.6	7.5	0.48	334	0.28	0.02
L860507		1.98	32.1	3.68	0.98	<0.05	0.10	0.14	0.028	0.17	4.4	7.7	0.18	245	0.84	0.01
L860508		3.37	45.7	4.08	1.45	<0.05	0.11	0.15	0.037	0.25	5.1	9.4	0.57	216	1.11	0.01
L860509		3.37	39.2	4.06	1.21	<0.05	0.11	0.20	0.035	0.21	5.1	7.4	0.52	221	1.76	0.01
L860510		0.37	1.4	0.45	0.17	<0.05	<0.02	<0.01	0.005	0.03	0.5	1.3	12.25	198	0.10	0.01
L860511		0.63	7.8	1.46	0.50	<0.05	0.11	0.03	0.010	0.08	2.9	3.2	0.25	303	2.07	0.01
L860512		0.65	7.5	1.55	0.66	<0.05	0.13	0.02	0.010	0.09	3.2	4.0	0.25	311	2.20	0.01
L860513		0.55	9.2	1.52	0.61	<0.05	0.12	0.02	0.009	0.08	3.1	4.9	0.30	256	1.56	0.01
L860514		0.81	9.0	1.47	0.64	<0.05	0.13	0.01	0.009	0.10	3.5	5.9	0.22	235	1.05	0.03
L860515		0.74	8.3	1.45	0.53	<0.05	0.10	0.01	0.010	0.09	3.5	4.7	0.26	193	0.90	0.02
L860516		0.62	7.0	1.61	0.50	<0.05	0.12	0.01	0.010	0.08	3.4	3.9	0.28	219	0.59	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12173274

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L860481		<0.05	16.4	150	36.9	7.8	<0.001	0.29	0.61	3.5	0.2	3.4	57.1	<0.01	0.01	3.0
L860482		<0.05	9.1	30	12.2	5.0	<0.001	0.03	0.23	2.9	<0.2	2.2	69.1	<0.01	<0.01	2.0
L860483		0.27	24.6	420	9870	3.3	0.009	2.30	412	4.7	2.8	1.5	29.9	<0.01	1.12	0.9
L860484		<0.05	11.3	20	20.0	5.2	<0.001	0.03	0.36	3.0	<0.2	3.0	46.7	<0.01	<0.01	2.0
L860485		0.05	35.6	260	22.1	10.4	<0.001	0.27	1.19	6.5	0.2	2.8	63.1	<0.01	0.02	4.4
L860486		0.05	21.3	30	20.8	6.8	<0.001	0.07	0.66	4.2	<0.2	4.5	79.3	<0.01	0.01	2.9
L860487		0.06	32.3	30	21.1	8.4	<0.001	0.12	1.06	6.5	<0.2	3.0	56.9	<0.01	0.02	3.6
L860488		0.05	32.0	180	22.4	9.4	<0.001	0.11	1.08	5.2	0.2	1.3	75.8	<0.01	0.02	3.4
L860489		0.13	64.1	1150	23.3	13.8	0.058	0.96	7.85	4.8	3.3	3.4	221	0.01	0.30	3.7
L860490		<0.05	16.7	20	18.6	5.1	<0.001	0.04	0.43	3.0	<0.2	0.7	18.7	<0.01	<0.01	2.6
L860491		<0.05	5.7	30	11.7	4.1	<0.001	0.01	0.17	2.0	<0.2	0.6	37.0	<0.01	<0.01	3.0
L860492		<0.05	8.0	40	14.3	4.3	<0.001	0.02	0.22	1.5	<0.2	0.4	24.8	<0.01	0.01	3.4
L860493		<0.05	6.7	30	8.1	3.6	<0.001	0.02	0.23	1.6	0.2	0.4	32.8	<0.01	0.02	2.9
L860494		<0.05	6.7	30	9.7	3.3	<0.001	0.03	0.24	1.5	0.2	1.0	34.3	<0.01	0.02	2.8
L860495		<0.05	7.3	20	10.0	3.9	<0.001	0.02	0.27	1.9	<0.2	0.5	53.1	<0.01	0.01	3.0
L860496		<0.05	9.3	30	10.3	3.3	<0.001	0.02	0.33	2.0	0.2	0.4	78.5	<0.01	0.01	2.9
L860497		<0.05	29.9	500	29.3	8.1	<0.001	0.72	1.57	4.4	0.7	0.8	116.5	0.01	0.03	4.1
L860498		<0.05	11.3	20	16.4	4.4	<0.001	0.06	0.35	2.5	0.3	0.4	56.7	<0.01	0.02	2.2
L860499		<0.05	12.8	20	23.4	5.6	<0.001	0.04	0.42	2.7	0.2	0.3	48.1	<0.01	0.01	2.4
L860500		<0.05	8.7	20	8.5	3.8	<0.001	0.03	0.32	2.2	0.3	0.5	74.9	<0.01	<0.01	2.7
L860501		<0.05	9.1	20	11.5	4.4	<0.001	0.06	0.28	2.3	<0.2	0.3	72.4	<0.01	0.01	3.2
L860502		<0.05	3.9	190	1.4	3.2	<0.001	0.02	<0.05	0.4	0.4	<0.2	43.5	<0.01	0.02	<0.2
L860503		<0.05	9.6	20	10.9	5.1	<0.001	0.03	0.34	2.4	0.4	0.2	70.9	<0.01	0.02	2.2
L860504		<0.05	14.2	90	17.1	5.2	<0.001	0.10	0.53	2.8	0.4	0.3	69.9	<0.01	<0.01	2.7
L860505		<0.05	11.1	20	17.1	4.4	<0.001	0.05	0.31	2.4	<0.2	0.4	60.9	<0.01	0.02	2.3
L860506		<0.05	23.5	240	16.2	8.5	<0.001	0.15	1.12	4.2	0.4	0.5	69.8	<0.01	0.02	4.5
L860507		<0.05	26.7	180	20.7	7.3	<0.001	0.09	1.33	3.8	0.4	0.6	34.8	<0.01	0.01	4.0
L860508		<0.05	32.9	360	22.1	11.2	<0.001	0.19	2.35	5.3	0.7	0.7	134.0	<0.01	0.05	5.3
L860509		<0.05	35.1	330	20.9	9.8	<0.001	0.45	1.93	5.0	0.4	0.6	50.3	<0.01	0.04	4.9
L860510		<0.05	1.9	170	1.3	1.9	<0.001	0.02	<0.05	0.3	<0.2	<0.2	41.0	<0.01	0.01	<0.2
L860511		<0.05	8.4	20	10.0	3.4	<0.001	0.08	0.32	1.9	0.2	0.5	49.9	<0.01	0.02	2.5
L860512		<0.05	8.9	20	10.7	3.9	<0.001	0.09	0.36	2.0	0.3	0.4	52.3	<0.01	0.02	2.5
L860513		<0.05	8.5	40	9.0	3.5	<0.001	0.02	0.26	1.9	<0.2	0.6	66.9	<0.01	0.01	2.5
L860514		<0.05	7.8	30	10.4	4.4	<0.001	0.02	0.27	1.7	<0.2	0.6	51.6	<0.01	<0.01	3.0
L860515		<0.05	8.2	70	11.9	4.0	<0.001	0.02	0.32	1.7	0.2	0.5	57.5	<0.01	0.02	3.1
L860516		<0.05	7.2	30	9.1	3.7	<0.001	0.01	0.26	1.7	0.2	0.4	62.8	<0.01	0.02	3.1

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12173274

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1
L860481		<0.005	0.08	0.32	6	0.15	3.12	42	5.2	
L860482		<0.005	0.03	0.24	5	<0.05	2.21	27	3.6	
L860483		0.083	0.21	0.64	40	0.23	6.41	4800	6.3	99
L860484		<0.005	0.06	0.30	8	<0.05	1.93	41	3.2	
L860485		<0.005	0.16	0.65	18	0.10	4.41	96	4.6	
L860486		<0.005	0.06	0.37	10	0.39	2.68	57	3.7	
L860487		<0.005	0.10	0.44	15	0.05	2.95	88	3.9	
L860488		<0.005	0.11	0.49	16	<0.05	4.31	83	3.9	
L860489		<0.005	0.99	14.40	151	15.70	20.4	424	8.6	
L860490		<0.005	0.07	0.34	9	0.29	1.68	39	4.2	
L860491		<0.005	0.03	0.32	4	<0.05	1.84	18	5.4	
L860492		<0.005	0.04	0.35	4	0.10	1.42	18	4.9	
L860493		<0.005	0.03	0.27	3	<0.05	1.54	17	3.9	
L860494		<0.005	0.02	0.29	3	<0.05	1.43	16	3.9	
L860495		<0.005	0.03	0.24	4	<0.05	2.04	17	4.4	
L860496		<0.005	0.02	0.26	3	<0.05	3.81	23	3.2	
L860497		<0.005	0.15	0.44	5	<0.05	6.32	53	5.1	
L860498		<0.005	0.04	0.22	5	<0.05	2.25	30	3.7	
L860499		<0.005	0.04	0.26	5	0.10	1.91	37	4.1	
L860500		<0.005	0.03	0.21	3	<0.05	2.27	23	3.0	
L860501		<0.005	0.03	0.27	3	<0.05	2.58	22	3.9	
L860502		<0.005	<0.02	0.78	3	<0.05	0.85	12	<0.5	
L860503		<0.005	0.02	0.26	4	<0.05	2.34	23	3.5	
L860504		<0.005	0.05	0.23	6	<0.05	2.72	37	4.1	
L860505		<0.005	0.03	0.20	4	0.19	2.12	41	3.8	
L860506		<0.005	0.07	0.44	9	<0.05	4.74	58	4.6	
L860507		<0.005	0.08	0.32	10	0.11	3.91	102	3.5	
L860508		<0.005	0.12	0.45	14	<0.05	7.24	84	4.1	
L860509		<0.005	0.15	0.51	15	<0.05	5.22	87	3.9	
L860510		<0.005	<0.02	0.58	1	<0.05	0.72	12	<0.5	
L860511		<0.005	0.03	0.21	3	<0.05	2.04	20	3.5	
L860512		<0.005	0.04	0.21	3	<0.05	2.16	21	4.0	
L860513		<0.005	0.03	0.22	4	<0.05	1.77	19	3.4	
L860514		<0.005	0.03	0.27	3	0.05	1.89	19	4.4	
L860515		<0.005	0.03	0.27	3	<0.05	1.83	19	3.3	
L860516		<0.005	0.03	0.26	3	0.05	1.96	17	3.6	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12173274

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 10- AUG- 2012
 Account: MTT

CERTIFICATE WH12173649

Project: Scarlet East
 P.O. No.:
 This report is for 2 Soil samples submitted to our lab in Whitehorse, YT, Canada on 25- JUL- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12173649

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC160142		0.26	0.014	0.13	1.40	1855	<0.2	<10	190	1.62	0.70	4.69	2.13	24.2	38.4	29
DD015470		0.28	0.003	0.02	0.45	253	<0.2	<10	130	1.02	0.57	0.39	0.05	16.70	6.7	10

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12173649

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
CC160142		4.55	94.3	8.50	5.13	0.11	0.08	2.71	0.035	0.18	11.0	12.7	0.30	854	0.52	0.03
DD015470		1.18	25.5	3.89	1.47	0.10	0.21	0.25	0.016	0.13	5.0	3.4	0.04	502	0.12	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12173649

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
CC160142		0.45	81.3	1650	302	14.1	<0.001	0.03	108.5	5.1	1.2	0.7	55.1	<0.01	0.27	4.8
DD015470		0.08	30.8	280	68.8	7.0	<0.001	0.01	4.98	4.8	0.3	0.5	29.1	<0.01	0.05	6.9

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12173649

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
CC160142		0.008	0.54	2.34	26	1.56	14.60	1770	2.8
DD015470		<0.005	0.20	0.47	9	0.27	7.22	189	8.2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12173649

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 13- AUG- 2012
 Account: MTT

CERTIFICATE WH12174434

Project: Scarlet East
 P.O. No.:
 This report is for 7 Rock samples submitted to our lab in Whitehorse, YT, Canada on 25- JUL- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%< 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 13- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174434

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
G286058		0.55	0.006	0.06	0.28	1440	<0.2	<10	130	1.40	0.10	>25.0	1.58	7.32	40.3	8
G286059		0.31	0.002	0.02	0.03	19	<0.2	<10	10	0.14	<0.01	22.6	<0.01	0.90	0.4	1
G286060		0.36	0.002	0.02	0.05	18	<0.2	<10	10	0.06	<0.01	23.1	0.37	2.06	0.4	1
G286061		0.58	0.003	0.01	0.02	<2	<0.2	<10	10	<0.05	<0.01	>25.0	0.01	0.71	0.3	1
G286062		0.66	0.024	0.03	0.05	299	<0.2	<10	30	0.16	<0.01	>25.0	0.11	1.81	1.7	2
L836166		0.27	0.004	0.05	0.09	130	<0.2	<10	20	0.26	0.01	14.20	0.24	1.61	1.0	5
I079734		0.60	0.006	0.02	0.16	141.5	<0.2	<10	30	0.14	0.02	4.84	0.04	4.78	2.5	15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 13- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174434

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
G286058		0.60	65.4	3.01	2.54	<0.05	0.14	1.70	0.030	0.11	5.3	2.6	0.18	760	0.11	0.01
G286059		<0.05	1.2	0.29	0.09	<0.05	<0.02	0.17	<0.005	0.01	0.4	0.7	8.70	631	<0.05	0.02
G286060		0.14	1.8	0.19	0.14	<0.05	0.04	0.18	<0.005	0.01	1.2	0.6	8.16	342	<0.05	0.02
G286061		<0.05	1.3	0.04	<0.05	<0.05	<0.02	0.04	<0.005	<0.01	0.4	0.4	0.33	25	<0.05	0.03
G286062		0.11	2.0	1.96	0.24	<0.05	0.02	8.86	<0.005	0.01	0.9	0.4	1.02	958	0.12	0.01
L836166		0.12	9.2	0.41	0.36	<0.05	0.15	0.14	<0.005	0.02	0.7	0.4	0.09	142	0.13	0.01
I079734		0.09	6.1	1.38	0.52	<0.05	0.09	0.46	0.010	0.05	1.5	0.9	1.52	239	0.21	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 13- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174434

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
G286058		0.07	44.3	510	105.5	3.1	0.001	0.02	37.5	3.9	1.0	0.3	115.5	<0.01	0.08	1.8
G286059		<0.05	0.9	160	1.4	0.2	<0.001	0.03	0.65	0.2	0.4	<0.2	39.8	<0.01	0.01	<0.2
G286060		<0.05	1.6	240	4.6	0.5	<0.001	0.02	0.64	0.8	0.5	<0.2	44.4	<0.01	0.02	0.3
G286061		<0.05	0.9	240	0.4	0.1	<0.001	0.04	0.12	0.1	0.7	<0.2	1580	<0.01	<0.01	<0.2
G286062		<0.05	4.9	310	1.9	0.4	<0.001	0.03	78.0	0.6	0.6	<0.2	92.3	<0.01	0.02	<0.2
L836166		<0.05	3.2	90	12.3	0.9	<0.001	0.02	2.44	1.8	0.8	<0.2	223	<0.01	0.02	0.5
1079734		<0.05	7.8	680	4.4	2.1	<0.001	0.01	3.19	2.5	0.6	<0.2	282	<0.01	0.03	1.4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 13- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174434

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
G286058		<0.005	0.61	0.58	10	3.21	9.43	1030	5.4
G286059		<0.005	<0.02	1.76	<1	<0.05	0.91	5	0.7
G286060		<0.005	<0.02	2.14	1	0.06	3.45	51	2.7
G286061		<0.005	<0.02	1.03	<1	<0.05	0.64	6	0.5
G286062		<0.005	0.31	5.58	3	<0.05	2.72	472	1.1
L836166		<0.005	0.03	24.4	14	<0.05	5.68	51	17.1
I079734		<0.005	0.12	0.30	8	<0.05	5.93	36	2.6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174434

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174437

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR															
L860373		9.80	0.011	0.14	0.21	12	<0.2	<10	100	0.30	0.04	23.9	0.13	13.55	3.1	3
L860374		9.80	0.006	0.10	0.05	8	<0.2	<10	60	0.10	0.01	>25.0	0.05	4.74	1.3	2
L860375		9.97	0.004	0.05	0.12	9	<0.2	<10	90	0.20	0.02	>25.0	0.09	9.56	2.2	2
L860376		10.44	0.004	0.11	0.20	11	<0.2	<10	230	0.28	0.05	20.2	0.11	13.70	3.1	3
L860377		9.68	0.006	0.18	0.30	25	<0.2	<10	70	0.34	0.06	19.05	0.11	13.10	4.1	4
L860378		7.25	0.004	0.11	0.05	35	<0.2	<10	40	0.12	0.01	>25.0	0.05	4.44	1.5	2
L860379		6.73	0.007	0.13	0.07	5	<0.2	<10	40	0.12	0.01	>25.0	0.32	5.77	1.6	4
L860380		0.21	0.287	>100	1.26	253	0.2	<10	90	0.17	4.97	0.68	24.2	8.53	10.7	32
L860381		9.49	0.006	0.11	0.16	13	<0.2	<10	60	0.29	0.04	>25.0	0.11	11.35	3.1	2
L860382		6.13	0.006	0.07	0.33	14	<0.2	<10	80	0.46	0.08	19.70	0.16	20.1	5.4	4
L860383		9.42	0.003	0.09	0.16	14	<0.2	<10	50	0.26	0.04	>25.0	0.07	11.85	3.8	3
L860384		4.44	0.001	<0.01	0.04	<2	<0.2	<10	10	<0.05	0.02	20.2	0.06	1.17	1.2	<1
L860385		9.25	0.004	0.09	0.27	13	<0.2	<10	80	0.33	0.05	24.7	0.12	16.15	3.8	4
L860386		9.61	0.003	0.03	0.33	14	<0.2	<10	110	0.43	0.08	14.80	0.27	18.50	5.1	4
L860387		10.47	0.002	<0.01	0.15	7	<0.2	<10	70	0.26	0.03	>25.0	0.29	14.30	2.8	3
L860388		4.30	0.002	<0.01	0.18	6	<0.2	<10	60	0.29	0.03	>25.0	0.29	16.10	3.3	3
L860389		10.30	0.003	0.11	0.45	24	<0.2	<10	60	0.63	0.13	14.10	0.20	26.7	6.9	6
L860390		10.26	0.005	0.10	0.21	11	<0.2	<10	60	0.33	0.04	24.0	0.18	13.40	3.6	4
L860391		10.27	0.005	0.10	0.34	14	<0.2	<10	60	0.38	0.06	17.30	0.20	19.30	4.3	5
L860392		10.06	0.005	0.05	0.27	10	<0.2	<10	90	0.24	0.04	11.60	0.09	17.40	2.7	5
L860393		9.69	0.008	0.17	0.34	18	<0.2	<10	60	0.40	0.05	20.1	0.13	21.5	4.8	7
L860394		9.74	0.006	0.15	0.35	16	<0.2	<10	70	0.37	0.07	15.95	0.17	29.8	5.0	6
L860395		10.35	0.008	0.15	0.61	10.9	<0.2	<10	210	0.54	0.07	9.68	0.12	24.8	6.2	14
L860396		9.95	0.009	0.22	0.57	14.1	<0.2	<10	290	0.58	0.08	9.57	0.16	26.5	6.7	12
L860397		10.41	0.008	0.23	0.71	7.5	<0.2	<10	290	0.66	0.09	9.72	0.27	29.7	6.9	16
L860398		0.21	1.175	0.63	0.53	250	<0.2	<10	90	0.91	7.74	17.10	2.01	22.0	4.9	24
L860399		10.11	0.006	0.13	0.64	9	<0.2	<10	80	0.45	0.09	16.85	0.20	36.8	5.1	18
L860400		9.95	0.005	0.14	0.60	10	<0.2	<10	120	0.43	0.05	17.55	0.14	33.9	4.3	17
L860401		4.61	0.001	<0.01	0.05	<2	<0.2	<10	20	<0.05	0.02	20.7	0.06	1.42	1.3	<1
L860402		10.38	0.009	0.16	1.23	5.6	<0.2	<10	250	0.73	0.07	9.31	0.12	27.5	6.2	27
L860403		9.41	0.009	0.35	1.28	7.1	<0.2	10	130	0.98	0.11	8.80	0.14	33.2	7.4	29
L860404		6.85	0.008	0.24	0.70	9	<0.2	<10	220	0.65	0.08	11.85	0.12	30.7	5.5	17
L860405		9.40	0.005	0.25	0.39	10	<0.2	<10	710	0.51	0.07	17.95	0.48	33.7	5.0	10
L860406		9.62	0.003	0.25	0.24	8	<0.2	<10	130	0.28	0.04	22.1	0.42	25.5	2.8	7
L860407		<0.02	0.004	0.25	0.22	9	<0.2	<10	140	0.25	0.04	22.4	0.40	24.6	2.7	7
L860408		5.18	0.003	0.15	0.14	4	<0.2	<10	60	0.15	0.03	>25.0	0.07	21.6	2.0	5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174437

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
L860373		0.41	10.2	0.58	0.61	0.06	0.26	0.12	0.009	0.11	6.6	2.5	1.61	86	0.86	0.02
L860374		0.11	3.6	0.15	0.16	0.05	0.08	0.07	<0.005	0.02	3.2	0.8	0.27	25	0.59	0.02
L860375		0.34	5.6	0.38	0.37	0.06	0.18	0.07	0.006	0.06	5.4	1.8	1.02	70	0.41	0.01
L860376		0.45	8.4	0.67	0.58	0.06	0.31	0.11	0.011	0.10	6.2	2.3	2.34	118	0.53	0.02
L860377		0.44	11.8	0.87	0.83	0.07	0.34	0.17	0.014	0.16	5.8	2.8	2.45	131	1.05	0.02
L860378		0.10	4.0	0.19	0.20	0.05	0.07	0.14	<0.005	0.02	3.2	0.8	0.28	39	0.38	0.02
L860379		0.09	6.0	0.31	0.25	0.05	0.09	0.21	<0.005	0.03	3.9	0.9	0.51	59	0.31	0.02
L860380		0.39	6340	5.55	4.19	0.12	0.27	1.27	0.425	0.10	4.3	7.3	0.79	1600	20.6	0.06
L860381		0.55	11.6	0.56	0.48	0.06	0.17	0.09	0.009	0.09	5.6	1.9	0.97	91	0.49	0.02
L860382		1.49	20.7	1.16	0.93	0.08	0.29	0.09	0.019	0.20	8.6	3.1	2.21	159	0.58	0.02
L860383		0.45	10.7	0.73	0.49	0.06	0.14	0.12	0.010	0.08	6.9	2.1	0.82	138	0.48	0.02
L860384		0.45	4.4	0.44	0.20	0.06	<0.02	0.03	<0.005	0.03	0.6	1.0	12.00	200	0.15	0.01
L860385		0.50	10.4	0.76	0.74	0.07	0.27	0.13	0.010	0.13	8.3	2.9	1.27	117	0.59	0.01
L860386		1.05	18.5	1.07	0.93	0.07	0.24	0.10	0.017	0.18	8.0	3.8	2.29	154	0.42	0.02
L860387		0.40	8.7	0.48	0.44	0.05	0.12	0.06	0.007	0.07	9.0	2.3	1.81	135	0.19	0.02
L860388		0.51	10.5	0.60	0.56	0.07	0.14	0.09	0.009	0.10	9.7	2.7	2.33	148	0.23	0.02
L860389		1.32	29.1	1.47	1.27	0.09	0.19	0.32	0.023	0.27	12.7	9.1	4.08	236	0.79	0.02
L860390		0.34	9.9	0.70	0.59	0.06	0.18	0.21	0.009	0.11	7.8	3.6	2.71	147	0.75	0.02
L860391		0.65	15.7	1.11	0.90	0.08	0.23	0.25	0.014	0.18	9.6	3.9	3.94	174	1.54	0.02
L860392		0.47	11.1	0.87	0.68	0.07	0.17	0.17	0.010	0.12	8.0	2.9	3.50	167	1.01	0.02
L860393		0.48	18.2	1.00	0.92	0.08	0.21	0.31	0.016	0.16	11.6	5.3	2.22	147	0.92	0.02
L860394		0.69	17.4	1.12	1.04	0.09	0.32	0.22	0.016	0.18	16.3	4.8	2.54	172	0.95	0.02
L860395		1.46	22.4	1.68	1.96	0.10	0.31	0.31	0.022	0.25	12.8	22.3	5.72	215	1.65	0.02
L860396		1.48	25.3	1.66	1.73	0.10	0.30	0.33	0.023	0.27	13.5	15.2	5.24	209	1.92	0.02
L860397		1.63	28.8	1.69	2.38	0.10	0.34	0.24	0.023	0.27	15.1	28.0	4.99	208	2.06	0.02
L860398		3.07	80.9	2.37	3.37	0.13	0.24	2.13	0.647	0.16	15.4	5.8	3.32	1600	74.6	0.01
L860399		1.13	16.9	1.07	2.51	0.09	0.43	0.17	0.016	0.17	20.9	26.6	2.16	171	1.06	0.03
L860400		1.01	14.4	0.99	2.39	0.09	0.43	0.16	0.014	0.13	19.3	29.8	2.56	172	0.86	0.02
L860401		0.47	11.5	0.46	0.26	0.08	<0.02	0.03	0.005	0.03	0.7	1.4	12.60	210	0.18	0.02
L860402		1.69	22.7	1.68	3.91	0.10	0.34	0.26	0.024	0.24	14.4	70.0	5.95	214	1.62	0.02
L860403		1.78	29.7	1.83	4.11	0.07	0.40	0.34	0.029	0.32	15.4	72.5	5.63	234	1.19	0.03
L860404		1.29	22.7	1.55	2.20	0.06	0.31	0.26	0.021	0.21	14.7	36.1	5.08	227	1.07	0.03
L860405		0.83	16.8	1.67	1.50	0.05	0.42	0.26	0.015	0.15	16.6	14.8	2.72	195	1.17	0.03
L860406		0.50	10.7	1.10	0.93	<0.05	0.30	0.18	0.011	0.09	13.2	7.0	2.25	171	0.90	0.02
L860407		0.50	9.0	1.12	0.81	<0.05	0.28	0.16	0.011	0.08	13.0	6.3	2.26	173	0.90	0.02
L860408		0.36	6.5	0.61	0.48	<0.05	0.25	0.09	0.008	0.06	12.0	2.8	1.30	140	0.84	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174437

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L860373		0.31	4.1	300	5.8	4.9	0.002	0.17	1.29	2.9	1.0	<0.2	2260	<0.01	0.05	2.8
L860374		0.47	0.7	120	4.7	0.9	0.002	0.09	0.63	0.9	0.5	<0.2	3660	<0.01	0.05	0.7
L860375		0.45	3.1	160	4.6	2.8	0.002	0.10	0.71	1.9	0.6	<0.2	2320	<0.01	0.05	1.7
L860376		0.22	5.5	280	6.3	4.5	0.002	0.18	0.99	3.0	1.0	<0.2	1540	<0.01	0.04	2.8
L860377		0.23	8.7	310	7.8	6.9	0.002	0.27	1.28	3.7	1.3	0.2	1475	<0.01	0.03	3.1
L860378		0.55	1.6	100	3.7	1.0	0.002	0.06	0.44	1.1	0.5	<0.2	3430	<0.01	0.05	0.6
L860379		0.51	4.9	70	4.4	1.3	0.002	0.10	0.52	1.1	0.7	<0.2	2680	<0.01	0.04	0.7
L860380		0.32	25.0	430	>10000	3.9	0.010	2.37	403	4.3	2.0	1.5	26.7	0.01	1.15	0.9
L860381		0.37	4.9	220	7.2	4.4	0.002	0.15	0.70	2.7	0.7	<0.2	2490	<0.01	0.04	2.2
L860382		0.24	11.1	370	7.0	9.1	0.002	0.20	0.77	4.5	1.2	0.2	1230	0.01	0.03	4.1
L860383		0.41	6.8	210	6.1	3.9	0.002	0.14	0.75	2.7	0.8	<0.2	2740	<0.01	0.05	2.1
L860384		0.31	2.3	170	1.3	2.2	0.001	0.02	0.05	0.4	0.3	<0.2	48.8	<0.01	0.02	<0.2
L860385		0.37	8.1	270	8.8	6.0	0.002	0.19	0.81	3.1	1.1	0.2	2390	<0.01	0.05	3.1
L860386		0.19	10.1	390	9.2	8.7	0.001	0.23	0.40	4.3	1.0	0.3	813	<0.01	0.03	3.8
L860387		0.44	4.2	240	4.2	3.6	0.001	0.11	0.28	2.1	0.6	<0.2	1920	<0.01	0.05	2.0
L860388		0.42	5.5	260	4.9	4.8	0.001	0.14	0.36	2.5	0.7	<0.2	1800	<0.01	0.04	2.4
L860389		0.17	15.7	380	8.7	12.4	0.002	0.23	0.81	5.5	1.5	0.3	594	0.01	0.04	5.4
L860390		0.38	6.5	170	7.6	5.0	0.005	0.18	0.79	2.5	1.3	<0.2	1910	<0.01	0.04	2.4
L860391		0.21	8.8	360	10.1	8.2	0.002	0.32	0.79	3.7	2.2	0.2	1050	<0.01	0.04	3.4
L860392		0.14	5.5	510	8.5	5.3	0.001	0.22	0.77	2.5	2.0	0.3	633	<0.01	0.02	2.6
L860393		0.28	11.4	560	8.2	7.0	0.002	0.31	0.86	4.0	1.8	0.2	1420	0.01	0.04	4.0
L860394		0.20	11.3	530	8.5	8.2	0.002	0.36	0.54	4.1	1.6	0.3	1020	<0.01	0.03	4.3
L860395		0.13	15.7	530	8.1	12.9	0.002	0.46	0.58	5.0	3.2	0.3	490	0.01	0.02	4.8
L860396		0.12	17.0	560	9.7	13.1	0.005	0.49	0.53	5.3	3.4	0.3	493	<0.01	0.03	5.2
L860397		0.13	17.2	590	8.6	14.2	0.006	0.47	0.46	5.6	2.7	0.3	521	0.01	0.03	5.8
L860398		0.29	76.0	1110	19.3	15.4	0.062	0.95	6.61	4.6	3.6	3.2	213	0.01	0.37	3.8
L860399		0.25	11.5	600	8.6	9.8	0.002	0.35	0.36	4.0	1.4	0.3	1330	0.01	0.03	4.5
L860400		0.21	10.0	570	7.9	8.1	0.002	0.31	0.22	3.7	1.5	0.3	1295	<0.01	0.03	4.2
L860401		0.31	2.6	180	1.4	2.7	0.001	0.01	<0.05	0.5	0.2	<0.2	49.5	<0.01	0.02	<0.2
L860402		0.12	15.8	590	8.0	14.2	0.002	0.44	0.31	5.1	2.9	0.4	454	0.01	0.02	5.1
L860403		<0.05	21.9	740	10.9	16.6	<0.001	0.57	0.49	6.0	4.0	0.4	432	<0.01	<0.01	6.2
L860404		<0.05	15.5	660	8.5	10.3	<0.001	0.45	0.40	4.4	2.8	0.3	788	<0.01	<0.01	4.7
L860405		<0.05	13.7	550	19.3	6.6	0.001	0.48	0.39	3.5	2.0	0.3	1480	<0.01	0.01	4.7
L860406		<0.05	8.0	430	28.1	4.2	0.001	0.24	0.30	2.0	1.4	0.2	2180	<0.01	<0.01	3.1
L860407		<0.05	8.0	420	27.7	3.6	0.001	0.25	0.29	1.9	1.3	0.2	2170	<0.01	<0.01	2.9
L860408		0.13	5.9	380	7.9	2.5	0.001	0.17	0.26	1.5	0.7	<0.2	2300	<0.01	0.02	2.8

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174437

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46	Pb- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Pb %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001
L860373		<0.005	0.06	11.70	5	<0.05	5.77	22	12.0		
L860374		<0.005	0.03	18.30	2	<0.05	2.39	5	3.7		
L860375		<0.005	0.04	13.75	3	<0.05	3.86	13	8.3		
L860376		<0.005	0.08	5.59	5	<0.05	5.96	21	13.0		
L860377		<0.005	0.16	6.15	6	<0.05	7.02	31	13.6		
L860378		<0.005	0.05	12.50	3	<0.05	3.08	7	3.2		
L860379		<0.005	0.05	12.35	3	<0.05	2.98	96	3.6		
L860380		0.092	0.21	0.70	42	0.27	6.65	5040	7.8	96	0.979
L860381		<0.005	0.06	11.60	4	<0.05	5.02	22	7.3		
L860382		<0.005	0.09	6.89	7	<0.05	8.69	39	13.4		
L860383		<0.005	0.06	12.90	4	0.26	4.25	22	6.8		
L860384		<0.005	<0.02	0.50	1	0.20	0.90	16	<0.5		
L860385		<0.005	0.09	14.55	5	<0.05	5.52	42	12.4		
L860386		<0.005	0.07	3.33	6	<0.05	7.55	41	11.0		
L860387		<0.005	0.03	6.01	5	<0.05	6.18	18	5.2		
L860388		<0.005	0.04	5.67	6	<0.05	6.38	21	5.9		
L860389		<0.005	0.10	3.79	10	0.05	9.81	57	7.8		
L860390		<0.005	0.09	12.40	7	<0.05	5.20	31	7.7		
L860391		<0.005	0.12	4.79	8	<0.05	7.18	46	9.9		
L860392		<0.005	0.06	1.26	4	<0.05	6.92	30	6.7		
L860393		<0.005	0.11	7.04	8	<0.05	8.55	40	10.2		
L860394		<0.005	0.11	5.06	10	<0.05	8.35	44	14.5		
L860395		<0.005	0.17	1.60	14	<0.05	9.54	61	13.2		
L860396		<0.005	0.21	1.89	18	<0.05	9.34	60	13.1		
L860397		<0.005	0.20	2.33	28	<0.05	10.00	68	15.4		
L860398		<0.005	0.93	14.55	152	17.15	20.5	420	10.5		
L860399		<0.005	0.09	5.53	18	<0.05	8.51	41	17.3		
L860400		<0.005	0.10	4.31	17	<0.05	8.22	34	17.6		
L860401		<0.005	0.02	0.60	1	0.05	0.99	22	<0.5		
L860402		0.007	0.16	1.39	23	<0.05	9.13	63	12.5		
L860403		0.007	0.18	1.67	23	<0.05	11.90	73	13.0		
L860404		<0.005	0.12	2.19	16	<0.05	10.35	57	11.0		
L860405		<0.005	0.10	7.81	13	<0.05	9.23	170	14.0		
L860406		<0.005	0.06	10.25	8	<0.05	6.72	184	10.3		
L860407		<0.005	0.06	9.85	7	<0.05	6.34	182	9.7		
L860408		<0.005	0.05	7.46	6	<0.05	5.50	27	8.4		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174437

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174438

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L860409		5.05	0.050	0.18	0.37	88.3	<0.2	<10	30	0.67	0.14	0.05	0.03	6.52	9.9	19
L860410		4.51	0.004	0.13	0.66	74.2	<0.2	<10	60	1.47	0.35	0.13	0.02	9.85	19.1	18
L860411		6.50	0.004	0.16	0.63	81.6	<0.2	<10	60	1.92	0.29	0.63	0.04	8.92	27.7	21
L860412		7.26	0.005	0.08	0.67	66.9	<0.2	<10	60	1.68	0.22	0.78	0.05	9.41	20.6	28
L860413		0.21	0.299	>100	1.24	230	0.2	<10	90	0.22	5.54	0.62	22.4	8.34	10.3	30
L860414		8.43	0.006	0.23	0.62	83.6	<0.2	<10	40	1.48	0.28	0.41	0.05	12.35	21.6	21
L860415		2.79	0.004	0.11	0.62	123.5	<0.2	<10	40	1.59	0.29	0.10	0.03	10.15	22.8	27
L860416		6.90	0.004	0.09	0.47	107.5	<0.2	<10	50	1.42	0.20	0.21	0.02	8.82	20.0	22
L860417		6.49	0.002	0.05	0.38	6.1	<0.2	<10	20	0.35	0.07	1.11	<0.01	6.16	4.7	16
L860418		7.80	0.003	0.05	0.39	7.3	<0.2	<10	30	0.35	0.07	0.92	0.01	7.41	5.7	17
L860419		3.45	0.002	0.04	0.35	6.4	<0.2	<10	20	0.28	0.06	1.02	<0.01	6.98	5.4	15
L860420		1.43	0.003	2.47	0.28	11.0	<0.2	<10	40	0.38	0.09	0.75	0.02	7.60	5.9	11
L860421		5.44	<0.001	0.41	0.21	4.6	<0.2	<10	20	0.18	0.04	1.29	0.02	5.80	3.6	13
L860422		3.50	0.002	0.03	0.10	<2	<0.2	<10	30	0.08	0.01	18.50	0.04	1.27	0.9	5
L860423		5.93	0.003	0.40	0.24	5.8	<0.2	<10	20	0.20	0.04	0.73	0.01	6.54	3.6	14
L860424		7.61	0.003	0.06	0.28	9.1	<0.2	<10	20	0.27	0.05	0.71	<0.01	7.08	3.5	18
L860425		<0.02	0.002	0.05	0.27	8.9	<0.2	<10	20	0.22	0.06	0.71	<0.01	6.83	3.3	14
L860426		4.32	0.003	0.03	0.36	4.7	<0.2	<10	20	0.27	0.05	0.50	<0.01	7.27	3.4	14
L860427		5.55	0.003	0.04	0.23	13.4	<0.2	<10	20	0.25	0.07	0.41	<0.01	6.98	3.4	12
L860428		7.29	0.002	0.15	0.30	12.1	<0.2	<10	30	0.22	0.05	0.07	<0.01	7.39	3.8	14
L860429		5.24	0.003	0.05	0.23	7.9	<0.2	<10	20	0.28	0.07	0.32	<0.01	7.04	4.3	11
L860430		9.65	0.002	0.05	0.21	3.9	<0.2	<10	30	0.19	0.05	0.93	<0.01	6.34	3.2	10
L860431		9.39	0.001	0.03	0.36	3.8	<0.2	<10	20	0.30	0.06	0.54	<0.01	7.01	4.2	15
L860432		8.22	0.002	0.03	0.32	3.1	<0.2	<10	20	0.31	0.06	0.71	<0.01	7.55	4.2	17
L860433		5.72	0.003	0.08	0.45	8.0	<0.2	<10	60	1.53	0.34	0.28	0.04	13.10	15.3	16
L860434		3.49	0.002	0.02	0.04	3	<0.2	<10	10	<0.05	0.01	18.90	0.05	1.08	0.6	1
L860435		9.50	0.003	0.09	0.48	5.9	<0.2	<10	60	1.33	0.26	0.23	0.03	11.80	13.3	16
L860436		9.18	0.003	0.16	0.45	4.0	<0.2	<10	60	0.91	0.23	0.56	0.01	11.25	10.7	14
L860437		3.49	0.003	0.10	0.52	5.2	<0.2	<10	50	1.53	0.32	0.29	0.05	13.50	16.6	16
L860438		5.69	0.003	0.07	0.54	3.5	<0.2	10	70	1.06	0.25	0.79	0.03	15.25	15.5	15
L860439		0.19	0.908	0.70	0.51	243	<0.2	<10	90	1.11	8.50	16.75	2.28	24.3	5.0	23
L860440		4.97	0.004	0.10	0.54	4.9	<0.2	10	40	1.32	0.36	0.26	0.05	19.05	17.5	15
L860441		10.25	0.003	0.08	0.64	4.2	<0.2	10	100	1.32	0.38	0.46	0.03	19.95	17.4	14
L860442		9.36	0.003	0.09	0.57	4.4	<0.2	10	50	1.29	0.38	0.42	0.05	22.3	17.8	12
L860443		9.93	0.003	0.09	0.56	5.2	<0.2	10	60	1.41	0.43	0.32	0.05	21.3	19.0	11
L860444		9.82	0.003	0.10	0.71	4.6	<0.2	10	60	1.55	0.40	0.29	0.06	21.6	18.5	14



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174438

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
L860409		0.79	24.1	3.23	1.43	<0.05	0.10	1.34	0.029	0.09	2.9	10.6	0.02	150	0.29	0.01
L860410		1.95	46.5	3.62	2.42	<0.05	0.10	1.72	0.052	0.21	3.8	18.3	0.05	120	0.33	0.01
L860411		3.42	52.5	5.34	2.42	<0.05	0.14	1.45	0.055	0.19	3.7	19.3	0.09	198	0.31	0.01
L860412		3.12	42.1	5.34	2.92	<0.05	0.12	0.93	0.049	0.19	4.0	13.7	0.09	271	0.18	0.01
L860413		0.33	6130	5.20	4.22	0.06	0.27	1.37	0.403	0.09	3.8	8.8	0.74	1560	20.6	0.06
L860414		2.86	47.4	4.35	2.66	<0.05	0.16	0.78	0.047	0.19	5.5	16.3	0.11	189	0.31	0.01
L860415		3.12	52.3	5.08	2.93	<0.05	0.15	1.86	0.051	0.20	4.4	16.8	0.15	131	0.18	0.01
L860416		2.79	42.1	4.54	2.02	<0.05	0.12	1.01	0.043	0.15	3.6	14.9	0.15	164	0.15	0.01
L860417		1.66	9.1	2.06	1.51	<0.05	0.21	0.09	0.015	0.10	2.9	12.5	0.29	286	0.15	0.02
L860418		1.86	10.7	2.12	1.60	<0.05	0.22	0.13	0.019	0.10	3.5	13.3	0.27	240	0.15	0.02
L860419		1.78	11.5	2.09	1.43	<0.05	0.22	0.10	0.016	0.09	3.3	12.4	0.27	247	0.13	0.02
L860420		1.25	18.4	2.25	0.92	<0.05	0.14	0.14	0.016	0.09	3.5	18.2	0.09	314	0.18	0.01
L860421		0.91	9.4	1.63	0.66	<0.05	0.12	0.05	0.010	0.06	2.7	10.0	0.24	321	0.22	0.01
L860422		1.05	2.6	0.43	0.38	<0.05	<0.02	0.02	<0.005	0.06	0.6	2.3	11.85	199	0.13	0.02
L860423		0.78	11.1	1.78	0.72	<0.05	0.13	0.05	0.011	0.06	3.1	9.4	0.15	203	0.15	0.01
L860424		0.80	9.1	1.63	0.86	<0.05	0.12	0.09	0.008	0.07	3.4	6.6	0.17	200	0.21	0.01
L860425		0.80	9.7	1.60	0.84	<0.05	0.13	0.08	0.009	0.07	3.3	6.6	0.17	200	0.17	0.01
L860426		1.33	8.0	1.50	1.38	<0.05	0.18	0.05	0.009	0.08	3.5	12.0	0.19	176	0.15	0.02
L860427		0.55	9.3	1.40	0.79	<0.05	0.12	0.13	0.008	0.06	3.3	3.1	0.12	159	0.18	0.01
L860428		0.52	11.3	1.60	0.89	<0.05	0.14	0.06	0.009	0.08	3.5	5.0	0.02	215	0.23	<0.01
L860429		1.22	10.2	1.45	0.74	<0.05	0.14	0.07	0.009	0.08	3.3	4.9	0.12	142	0.17	0.01
L860430		0.99	10.0	1.39	0.63	<0.05	0.13	0.03	0.009	0.07	3.0	4.5	0.10	333	0.18	0.01
L860431		1.34	8.1	1.85	1.23	<0.05	0.17	0.03	0.010	0.08	3.2	8.1	0.18	210	0.15	0.01
L860432		0.86	10.3	1.95	0.97	<0.05	0.19	0.05	0.010	0.08	3.5	4.3	0.18	266	0.15	0.01
L860433		3.67	45.9	4.11	2.01	0.05	0.15	0.16	0.041	0.18	6.1	6.2	0.30	256	0.23	0.01
L860434		0.38	2.0	0.44	0.18	<0.05	<0.02	0.01	<0.005	0.02	0.5	1.0	12.20	204	0.07	0.02
L860435		2.92	35.2	3.70	1.95	<0.05	0.15	0.10	0.030	0.18	5.5	9.0	0.31	261	0.23	0.01
L860436		2.73	30.0	3.54	1.62	<0.05	0.15	0.06	0.024	0.18	5.0	6.3	0.47	282	0.22	0.01
L860437		4.02	44.5	4.42	1.99	<0.05	0.16	0.13	0.042	0.22	5.8	7.9	0.50	391	0.25	0.01
L860438		4.27	36.7	4.54	1.98	<0.05	0.13	0.09	0.031	0.21	5.7	9.4	0.78	507	0.21	0.02
L860439		2.71	80.3	2.37	3.23	0.08	0.25	2.24	0.656	0.16	15.5	6.3	3.24	1600	76.8	0.02
L860440		5.86	46.2	4.45	2.04	<0.05	0.14	0.07	0.047	0.24	7.5	9.5	0.72	461	0.36	0.02
L860441		5.51	44.2	4.83	2.18	<0.05	0.15	0.03	0.045	0.28	7.6	10.2	0.78	484	0.28	0.02
L860442		5.63	49.4	4.85	2.00	<0.05	0.16	0.03	0.049	0.26	8.5	10.1	0.76	545	0.38	0.02
L860443		5.73	50.5	4.98	1.78	0.05	0.14	0.04	0.049	0.27	8.5	8.7	0.73	598	0.37	0.02
L860444		6.97	49.1	4.78	2.76	0.05	0.16	0.05	0.051	0.27	8.4	16.7	0.71	625	0.37	0.02

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174438

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L860409		<0.05	23.0	70	15.9	4.1	<0.001	0.13	0.70	4.7	0.4	1.0	24.9	<0.01	0.02	2.9
L860410		<0.05	36.1	240	14.6	8.3	<0.001	0.02	0.64	6.4	0.6	0.8	47.9	<0.01	0.04	4.9
L860411		<0.05	55.0	70	19.6	9.0	<0.001	0.03	0.64	7.8	0.8	0.8	54.5	<0.01	0.03	3.5
L860412		<0.05	47.4	30	30.5	9.2	<0.001	0.02	0.40	7.1	0.3	1.1	47.1	<0.01	0.03	3.3
L860413		0.19	24.3	410	9750	3.2	0.010	2.47	375	4.2	2.1	1.4	26.7	<0.01	1.06	1.0
L860414		<0.05	43.5	100	42.8	8.9	0.001	0.07	0.69	6.2	0.4	1.2	53.3	<0.01	0.03	4.7
L860415		<0.05	52.4	30	14.5	9.5	<0.001	0.04	0.54	6.9	0.6	1.0	30.1	<0.01	0.01	3.7
L860416		<0.05	43.8	80	16.7	7.8	<0.001	0.10	0.36	6.1	<0.2	1.3	27.0	<0.01	0.01	3.6
L860417		<0.05	10.4	30	12.2	5.0	<0.001	0.03	0.14	2.7	0.2	0.4	56.2	<0.01	<0.01	3.8
L860418		<0.05	13.3	20	12.5	5.2	<0.001	0.04	0.15	2.7	0.3	0.6	60.0	<0.01	<0.01	4.7
L860419		<0.05	12.4	20	12.9	4.4	<0.001	0.04	0.14	2.6	0.2	0.9	65.8	<0.01	0.02	4.5
L860420		<0.05	14.8	40	16.5	4.1	<0.001	0.01	0.30	2.9	0.3	0.9	36.7	<0.01	<0.01	2.8
L860421		<0.05	8.3	30	8.3	3.2	<0.001	0.03	0.16	1.7	0.5	0.8	68.6	<0.01	0.01	2.6
L860422		0.07	2.1	200	1.2	5.1	0.001	0.04	0.06	0.5	0.6	<0.2	42.5	<0.01	0.02	<0.2
L860423		<0.05	10.0	30	10.8	3.2	<0.001	0.03	0.15	1.8	0.5	0.8	28.3	<0.01	0.01	2.8
L860424		<0.05	9.5	20	10.2	3.6	<0.001	0.03	0.13	1.6	0.2	0.7	35.0	<0.01	<0.01	3.2
L860425		<0.05	9.2	20	9.4	3.5	<0.001	0.03	0.13	1.6	<0.2	0.7	36.8	<0.01	0.01	2.9
L860426		<0.05	8.5	30	10.1	4.0	<0.001	0.04	0.15	1.5	<0.2	0.5	35.1	<0.01	<0.01	3.5
L860427		<0.05	7.6	20	10.4	2.8	<0.001	0.02	0.19	1.5	0.3	0.9	25.7	<0.01	0.01	3.0
L860428		<0.05	7.9	30	11.0	3.5	<0.001	0.01	0.21	1.8	0.2	1.1	19.4	<0.01	0.01	3.0
L860429		<0.05	9.2	40	12.6	4.0	<0.001	0.03	0.20	1.7	<0.2	0.6	26.6	<0.01	0.01	3.4
L860430		<0.05	6.7	20	10.4	3.3	<0.001	0.02	0.16	1.8	0.4	1.2	29.5	<0.01	0.02	2.8
L860431		<0.05	10.8	30	10.3	3.9	<0.001	0.04	0.15	2.0	<0.2	0.5	30.0	<0.01	0.02	3.5
L860432		<0.05	11.8	20	11.7	3.9	<0.001	0.03	0.17	2.1	<0.2	0.6	37.9	<0.01	0.02	3.4
L860433		<0.05	35.4	50	15.3	9.2	<0.001	0.09	0.52	5.7	0.4	1.4	75.2	<0.01	0.02	4.2
L860434		0.06	1.7	180	1.4	2.0	<0.001	0.03	0.08	0.2	0.5	<0.2	42.8	<0.01	0.02	<0.2
L860435		<0.05	29.8	50	14.9	8.8	<0.001	0.07	0.48	4.7	<0.2	0.8	48.9	<0.01	0.03	4.0
L860436		<0.05	24.8	100	13.7	8.3	0.001	0.06	0.31	3.8	<0.2	0.7	59.2	<0.01	0.04	4.3
L860437		<0.05	36.2	70	23.5	10.7	<0.001	0.14	0.45	6.0	0.2	0.9	35.0	<0.01	0.03	4.6
L860438		<0.05	32.4	340	21.4	11.5	<0.001	0.05	0.55	5.5	0.2	0.6	69.4	<0.01	<0.01	5.0
L860439		0.07	76.1	1130	20.2	13.8	0.057	0.94	8.82	3.9	4.8	3.3	219	<0.01	0.36	3.4
L860440		<0.05	38.4	310	27.4	13.9	<0.001	0.09	0.61	6.1	0.2	0.7	35.7	<0.01	0.02	6.2
L860441		<0.05	36.8	400	26.1	14.5	<0.001	0.06	0.57	6.0	0.3	0.8	54.1	<0.01	<0.01	6.4
L860442		<0.05	36.7	410	28.0	14.4	<0.001	0.07	0.53	6.8	0.6	0.7	77.3	<0.01	0.03	6.9
L860443		<0.05	39.2	350	23.8	14.6	0.001	0.10	0.52	6.9	0.4	0.9	47.5	<0.01	0.01	6.6
L860444		<0.05	38.8	310	33.3	15.8	<0.001	0.10	0.41	6.9	0.4	0.8	46.7	<0.01	0.03	6.6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174438

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1
L860409		<0.005	0.06	0.42	22	0.47	2.40	70	3.8	
L860410		<0.005	0.11	0.67	25	0.06	4.02	115	3.6	
L860411		<0.005	0.10	0.59	31	0.09	3.94	143	4.5	
L860412		<0.005	0.09	0.48	34	<0.05	3.73	131	4.0	
L860413		0.091	0.21	0.69	40	0.20	5.82	4980	6.4	104
L860414		<0.005	0.10	0.50	27	0.05	3.12	125	5.3	
L860415		<0.005	0.10	0.67	36	<0.05	2.34	141	4.5	
L860416		<0.005	0.07	0.40	28	0.05	2.76	121	3.9	
L860417		<0.005	0.03	0.33	10	0.05	2.39	27	5.8	
L860418		<0.005	0.03	0.36	11	<0.05	2.29	34	6.1	
L860419		<0.005	0.03	0.34	10	<0.05	2.26	33	5.8	
L860420		<0.005	0.04	0.25	8	9.63	2.83	51	4.4	
L860421		<0.005	0.02	0.20	4	1.01	2.62	25	3.6	
L860422		<0.005	0.02	0.42	3	0.05	0.91	13	<0.5	
L860423		<0.005	0.02	0.25	5	1.45	1.86	27	3.3	
L860424		<0.005	0.03	0.29	6	0.10	1.63	24	3.6	
L860425		<0.005	0.03	0.27	6	0.09	1.63	22	3.7	
L860426		<0.005	0.03	0.38	6	<0.05	1.70	20	5.1	
L860427		<0.005	0.03	0.26	6	<0.05	1.32	21	3.7	
L860428		<0.005	0.04	0.25	6	0.72	1.45	22	3.9	
L860429		<0.005	0.03	0.29	6	0.07	1.40	28	4.5	
L860430		<0.005	0.02	0.21	4	0.16	2.16	21	3.7	
L860431		<0.005	0.02	0.32	8	0.05	1.61	28	4.8	
L860432		<0.005	0.03	0.33	8	0.07	1.83	34	5.4	
L860433		<0.005	0.08	0.51	20	<0.05	2.87	88	4.4	
L860434		<0.005	<0.02	0.58	1	<0.05	0.69	16	<0.5	
L860435		<0.005	0.08	0.44	18	0.06	2.64	81	4.3	
L860436		<0.005	0.08	0.38	15	0.26	2.92	61	4.3	
L860437		<0.005	0.09	0.48	20	<0.05	3.34	113	4.3	
L860438		<0.005	0.10	0.53	20	<0.05	5.97	82	5.3	
L860439		<0.005	1.01	14.15	147	15.60	22.2	420	9.5	
L860440		<0.005	0.11	0.66	18	<0.05	6.09	99	5.3	
L860441		<0.005	0.10	0.63	18	<0.05	6.71	89	5.6	
L860442		<0.005	0.11	0.67	15	<0.05	6.72	96	5.7	
L860443		<0.005	0.13	0.69	14	<0.05	6.29	104	5.0	
L860444		<0.005	0.11	0.67	17	<0.05	6.81	108	5.6	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174438

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 16- AUG- 2012
 Account: MTT

CERTIFICATE WH12174452

Project: Scarlet East
 P.O. No.: Batch 6
 This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25- JUL- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER


SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%<2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um
LOG- 22d	Sample login - Rcd w/o BarCode dup
SPL- 21d	Split sample - duplicate
PUL- 31d	Pulverize Split - duplicate
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174452

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR															
L860445		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L860446		9.81	0.001	0.11	0.54	3.7	<0.2	10	60	1.04	0.42	0.41	0.05	22.6	17.1	11
L860447		9.91	0.002	0.09	0.66	4.1	<0.2	10	90	1.14	0.39	0.37	0.04	21.3	16.5	14
L860448		9.97	0.002	0.10	0.59	4.2	<0.2	10	50	1.17	0.43	0.39	0.06	25.7	16.3	12
L860449		9.22	0.002	0.10	0.60	4.4	<0.2	10	60	1.05	0.42	0.37	0.05	23.6	16.8	12
L860450		0.23	1.170	0.64	0.55	253	<0.2	<10	100	1.14	7.79	17.55	2.18	32.2	6.2	24
L860451		4.63	0.003	0.10	0.53	4.4	<0.2	10	50	1.02	0.39	1.22	0.06	21.5	16.2	9
L860452		6.45	0.001	0.09	0.52	5.2	<0.2	10	60	1.01	0.47	0.54	0.05	21.2	15.8	9
L860453		3.35	0.003	0.12	0.47	4.6	<0.2	10	50	1.06	0.40	1.41	0.04	23.5	19.9	7
L860454		6.58	0.009	0.10	0.57	5.4	<0.2	10	60	1.04	0.40	0.38	0.04	18.90	16.3	11
L860455		6.95	0.006	0.35	0.56	4.7	<0.2	10	50	1.02	0.40	0.40	0.04	23.0	16.9	12
L860456		2.05	<0.001	0.13	0.48	5.1	<0.2	10	100	1.08	0.47	0.13	0.05	21.5	16.5	10
L860457		7.30	0.001	0.11	0.57	5.5	<0.2	10	70	1.07	0.43	0.24	0.05	19.85	17.2	13
L860458		7.25	<0.001	0.09	0.58	7.5	<0.2	10	50	1.29	0.46	0.50	0.07	22.3	16.4	11
L860459		<0.02	0.001	0.10	0.55	7.8	<0.2	10	50	1.24	0.48	0.45	0.07	22.6	17.2	11
L860460		9.56	<0.001	0.16	0.40	8.6	<0.2	10	240	0.73	0.31	1.22	0.04	13.90	12.6	9
L860461		5.41	<0.001	0.05	0.23	14.0	<0.2	<10	20	0.26	0.07	1.89	0.03	6.35	4.5	9
L860462		4.15	0.001	0.09	0.46	33.6	<0.2	10	50	1.16	0.41	0.14	0.07	16.30	14.0	9
L860463		4.23	0.002	0.04	0.24	22.3	<0.2	<10	20	0.31	0.14	0.53	0.02	7.36	7.4	10
L860464		6.62	0.002	0.02	0.19	11.4	<0.2	<10	20	0.12	0.05	1.24	0.01	6.41	3.4	13
L860465		3.45	0.005	0.02	0.17	12.9	<0.2	<10	20	0.12	0.05	1.27	0.01	6.37	3.5	7
L860466		1.19	0.005	0.03	0.12	10.5	<0.2	<10	10	0.07	0.05	1.27	0.01	4.74	2.3	10
L860467		3.71	<0.001	<0.01	0.05	2	<0.2	<10	20	0.07	0.02	20.0	0.07	1.52	1.5	1
L860468		5.32	0.005	0.03	0.21	19.5	<0.2	<10	20	0.18	0.07	1.09	0.01	10.90	4.6	11
L860469		4.81	0.016	0.03	0.22	22.1	<0.2	<10	20	0.21	0.06	1.28	0.01	9.99	4.4	10
L860470		9.30	0.005	0.04	0.33	45.1	<0.2	<10	30	0.38	0.10	1.37	0.02	8.31	10.2	12
L860471		9.47	0.001	0.04	0.30	36.5	<0.2	<10	30	0.43	0.12	1.15	0.02	8.82	8.8	10
L860472		3.43	<0.001	0.05	0.06	<2	<0.2	<10	20	0.07	0.02	20.2	0.07	2.03	1.6	<1
L860473		9.10	0.012	0.04	0.25	30.1	<0.2	<10	20	0.19	0.06	1.27	0.01	7.72	4.8	10
L860474		0.24	0.256	>100	1.38	266	0.2	<10	90	0.25	5.16	0.69	27.0	10.15	13.9	33
L860475		9.19	0.018	0.03	0.22	30.9	<0.2	<10	20	0.25	0.05	1.67	0.01	6.34	5.3	11
L860476		9.32	0.002	0.07	0.36	34.4	<0.2	<10	30	0.57	0.12	0.79	0.03	9.40	12.0	12
L860477		9.46	<0.001	0.03	0.25	17.1	<0.2	<10	20	0.22	0.06	1.32	0.01	6.68	5.3	12
L860478		7.67	0.003	0.05	0.36	33.3	<0.2	10	30	0.46	0.10	1.52	0.03	6.99	9.4	10
L860479		5.94	0.002	0.24	0.50	31.7	<0.2	10	120	0.85	0.21	1.18	0.05	13.30	15.2	14
L860480		4.66	<0.001	0.03	0.23	16.6	<0.2	<10	30	0.23	0.06	1.29	0.02	7.66	6.2	12
L860480		4.10	<0.001	0.03	0.27	12.3	<0.2	<10	20	0.27	0.07	1.01	0.01	7.09	6.4	13



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174452

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
L860445		5.93	47.9	5.03	1.72	0.08	0.13	0.06	0.055	0.25	9.4	8.1	0.69	622	0.34	0.01
L860446		6.08	43.6	5.01	2.16	0.08	0.13	0.06	0.053	0.26	8.6	11.3	0.74	679	0.33	0.02
L860447		5.98	47.8	4.88	1.77	0.08	0.12	0.08	0.061	0.28	10.4	7.5	0.79	658	0.39	0.02
L860448		5.12	45.0	5.04	1.77	0.08	0.12	0.09	0.057	0.28	9.8	7.9	0.86	628	0.39	0.02
L860449		3.47	83.7	2.47	3.51	0.10	0.26	1.86	0.754	0.16	20.8	12.0	3.41	1700	77.6	0.02
L860450		4.23	43.1	4.97	1.60	0.07	0.11	0.10	0.056	0.25	9.4	7.1	0.82	1240	0.47	0.02
L860451		4.19	50.3	5.65	1.57	0.08	0.12	0.09	0.064	0.25	9.4	11.7	0.84	697	0.29	0.02
L860452		4.12	44.1	5.56	1.29	0.08	0.12	0.13	0.049	0.23	10.8	14.1	1.08	803	0.33	0.02
L860453		4.41	47.8	4.49	1.60	0.07	0.13	0.07	0.053	0.27	8.2	9.6	0.68	515	0.42	0.02
L860454		4.94	45.2	4.85	1.68	0.07	0.13	0.07	0.053	0.26	9.5	8.1	0.78	568	0.40	0.02
L860455		5.33	48.4	4.79	1.37	0.07	0.15	0.07	0.058	0.25	9.8	6.2	0.36	535	0.31	0.02
L860456		5.82	44.6	4.99	1.77	0.08	0.13	0.07	0.054	0.28	8.2	6.7	0.82	540	0.40	0.02
L860457		5.89	47.5	4.71	1.64	0.07	0.12	0.07	0.059	0.29	9.4	6.3	0.82	474	0.43	0.02
L860458		6.00	49.3	4.80	1.59	0.07	0.12	0.07	0.061	0.28	9.7	5.8	0.81	480	0.44	0.02
L860459		3.32	35.9	3.48	1.10	0.05	0.15	0.09	0.037	0.19	6.6	5.6	0.52	437	0.33	0.02
L860460		1.23	13.3	2.22	0.60	<0.05	0.10	0.05	0.015	0.11	2.9	2.1	0.60	686	0.23	0.02
L860461		4.91	50.5	2.31	1.28	0.05	0.14	0.11	0.029	0.24	7.3	3.2	0.24	151	0.39	0.01
L860462		1.78	17.8	1.82	0.67	<0.05	0.13	0.05	0.012	0.12	3.5	1.8	0.21	206	0.25	0.02
L860463		0.93	7.2	1.33	0.53	<0.05	0.11	0.03	0.009	0.09	3.2	1.0	0.30	322	0.23	0.02
L860464		0.96	7.7	1.34	0.47	<0.05	0.10	0.02	0.009	0.08	3.2	0.8	0.31	332	0.15	0.02
L860465		0.38	6.3	1.14	0.31	<0.05	0.08	0.03	0.007	0.05	2.4	4.1	0.29	212	0.19	0.01
L860466		0.57	1.8	0.47	0.17	<0.05	<0.02	<0.01	0.005	0.03	0.7	4.4	12.20	219	0.07	0.02
L860467		1.02	9.3	1.42	0.57	<0.05	0.13	0.04	0.011	0.10	5.5	1.8	0.29	193	0.18	0.02
L860468		1.22	8.4	1.65	0.57	<0.05	0.14	0.04	0.012	0.11	5.1	0.9	0.34	234	0.15	0.02
L860469		1.97	17.0	2.73	0.84	<0.05	0.11	0.06	0.023	0.16	3.9	3.9	0.44	301	0.24	0.02
L860470		1.54	20.8	2.20	0.80	<0.05	0.11	0.06	0.020	0.14	4.1	4.3	0.34	254	0.18	0.01
L860471		0.31	2.2	0.48	0.19	<0.05	<0.02	<0.01	0.005	0.02	1.0	4.4	12.25	226	0.15	0.02
L860472		1.09	10.5	1.43	0.61	<0.05	0.10	0.03	0.011	0.11	3.9	2.8	0.32	236	0.16	0.02
L860473		0.38	6720	5.54	4.94	0.08	0.30	1.20	0.500	0.10	4.8	13.9	0.82	1700	22.1	0.07
L860474		1.02	13.5	1.68	0.64	<0.05	0.10	0.02	0.012	0.10	3.1	3.0	0.39	345	0.21	0.02
L860475		1.92	23.8	2.50	1.06	<0.05	0.11	0.08	0.023	0.15	4.3	5.2	0.27	260	0.21	0.01
L860476		0.99	11.0	1.49	0.65	<0.05	0.11	0.03	0.011	0.12	3.3	3.0	0.33	313	0.22	0.02
L860477		1.58	17.6	2.45	0.90	<0.05	0.11	0.06	0.022	0.17	3.3	3.1	0.46	346	0.19	0.02
L860478		2.30	36.8	3.39	1.51	0.05	0.11	0.12	0.034	0.20	5.3	7.3	0.40	256	0.37	0.01
L860479		1.00	14.3	2.05	0.66	<0.05	0.15	0.03	0.012	0.10	3.7	2.8	0.41	394	0.21	0.02
L860480		0.91	12.6	2.07	0.70	<0.05	0.12	0.03	0.013	0.11	3.4	2.4	0.33	304	0.20	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174452

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
L860445		0.05	35.9	420	27.2	13.5	<0.001	0.10	0.20	6.5	0.5	0.8	54.8	<0.01	0.03	7.3
L860446		<0.05	36.1	410	25.2	13.8	<0.001	0.11	0.14	6.5	0.4	0.8	49.9	<0.01	0.03	7.4
L860447		<0.05	34.8	500	25.4	14.8	<0.001	0.13	0.12	6.8	0.5	0.8	46.2	<0.01	0.03	7.8
L860448		<0.05	35.7	440	19.0	14.6	<0.001	0.14	0.12	6.7	0.4	0.7	44.2	<0.01	0.03	7.4
L860449		0.21	83.2	1180	18.5	14.7	0.063	1.07	7.71	5.4	3.5	3.6	215	0.01	0.38	3.8
L860450		<0.05	30.7	320	32.7	13.0	<0.001	0.11	0.14	7.0	0.4	0.7	92.6	<0.01	0.03	6.9
L860451		<0.05	31.2	240	29.6	12.5	<0.001	0.08	0.12	7.5	0.4	1.0	96.1	<0.01	0.03	6.5
L860452		<0.05	33.0	490	31.0	12.0	<0.001	0.15	0.26	6.3	0.5	0.9	233	<0.01	0.04	5.9
L860453		<0.05	31.9	280	17.6	13.8	<0.001	0.10	0.25	5.7	0.4	1.6	75.9	<0.01	0.03	6.9
L860454		<0.05	34.6	480	21.5	13.5	<0.001	0.11	0.44	6.2	0.4	0.9	62.4	<0.01	0.03	7.2
L860455		<0.05	32.7	110	16.3	13.3	<0.001	0.11	0.64	6.2	0.3	0.8	40.6	<0.01	0.03	7.0
L860456		<0.05	34.8	380	22.3	14.6	<0.001	0.25	0.89	6.5	0.4	0.7	44.5	<0.01	0.03	7.6
L860457		<0.05	34.1	400	26.2	14.7	<0.001	0.21	0.86	6.7	0.5	0.7	80.9	<0.01	0.03	8.0
L860458		<0.05	34.8	420	26.4	14.6	<0.001	0.21	0.87	6.8	0.5	0.7	76.6	<0.01	0.04	8.2
L860459		<0.05	24.3	40	17.7	9.8	<0.001	0.16	0.94	4.2	0.3	1.9	114.0	<0.01	0.02	4.7
L860460		<0.05	10.6	20	13.6	6.0	<0.001	0.22	0.58	2.9	0.2	0.8	124.0	<0.01	0.01	3.9
L860461		<0.05	28.0	260	21.3	13.0	<0.001	0.26	1.10	3.8	0.3	3.0	34.0	<0.01	0.03	6.0
L860462		<0.05	14.8	30	13.0	6.3	<0.001	0.20	0.64	1.9	<0.2	1.9	35.4	<0.01	0.01	3.4
L860463		<0.05	6.4	30	10.3	4.8	<0.001	0.05	0.21	1.8	<0.2	0.7	76.5	<0.01	<0.01	2.5
L860464		<0.05	6.6	30	11.7	4.5	<0.001	0.05	0.23	1.8	0.2	0.8	78.2	<0.01	<0.01	2.4
L860465		<0.05	6.1	10	87.1	2.7	<0.001	0.02	0.23	1.4	0.3	1.0	78.8	<0.01	<0.01	1.6
L860466		0.18	2.1	180	1.9	2.3	<0.001	0.07	<0.05	0.7	0.2	<0.2	45.8	<0.01	0.01	<0.2
L860467		<0.05	9.1	20	9.3	5.1	<0.001	0.04	0.29	2.3	<0.2	0.9	71.5	<0.01	<0.01	3.6
L860468		<0.05	9.0	30	11.1	5.6	<0.001	0.03	0.16	2.7	0.2	0.7	89.7	<0.01	<0.01	3.4
L860469		<0.05	18.5	80	25.0	8.2	<0.001	0.11	0.32	4.0	0.2	1.0	102.0	<0.01	0.01	3.0
L860470		<0.05	16.5	80	12.2	7.1	<0.001	0.04	0.26	3.5	0.2	1.6	87.6	<0.01	0.01	3.6
L860471		0.20	2.6	200	1.6	1.3	<0.001	0.08	<0.05	0.6	0.2	<0.2	49.5	<0.01	0.01	<0.2
L860472		<0.05	8.7	30	7.7	5.4	<0.001	0.04	0.17	2.3	<0.2	1.3	76.5	<0.01	<0.01	3.1
L860473		0.23	28.0	460	>10000	4.0	0.011	2.49	412	5.5	2.2	1.7	29.2	0.01	1.17	1.0
L860474		<0.05	9.8	40	9.3	5.1	<0.001	0.03	0.28	2.6	<0.2	1.7	100.0	<0.01	<0.01	2.7
L860475		<0.05	20.6	130	14.7	7.7	<0.001	0.05	0.49	3.9	0.2	2.1	59.7	<0.01	0.01	3.6
L860476		<0.05	9.0	30	10.8	5.6	<0.001	0.04	0.21	2.6	<0.2	1.4	73.6	<0.01	<0.01	2.7
L860477		<0.05	17.0	20	12.4	8.3	<0.001	0.08	0.34	4.2	0.2	1.3	86.6	<0.01	0.01	2.8
L860478		<0.05	26.1	410	19.2	10.5	<0.001	0.11	0.96	5.2	0.4	2.3	93.8	<0.01	0.01	4.9
L860479		<0.05	10.7	20	14.2	5.4	<0.001	0.05	0.31	2.6	0.2	1.7	74.1	<0.01	<0.01	3.4
L860480		<0.05	10.9	20	18.0	5.6	<0.001	0.04	0.22	2.7	0.2	1.8	56.9	<0.01	<0.01	3.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174452

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46	Pb- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Pb %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001
L860445		<0.005	0.10	0.72	15	<0.05	7.17	111	4.2		
L860446		<0.005	0.11	0.71	17	<0.05	7.23	100	4.1		
L860447		<0.005	0.11	0.77	16	<0.05	8.08	117	3.9		
L860448		<0.005	0.12	0.71	15	<0.05	6.63	111	3.8		
L860449		<0.005	0.88	14.45	156	17.60	21.9	436	10.1		
L860450		<0.005	0.11	0.71	13	<0.05	6.93	111	3.5		
L860451		<0.005	0.10	0.69	13	<0.05	5.42	113	3.7		
L860452		<0.005	0.10	0.62	9	<0.05	7.52	110	3.9		
L860453		<0.005	0.11	0.74	14	<0.05	5.72	93	4.1		
L860454		<0.005	0.11	0.73	16	1.24	7.17	96	4.3		
L860455		<0.005	0.11	0.76	13	0.12	4.71	108	4.3		
L860456		<0.005	0.13	0.73	17	<0.05	6.69	108	4.2		
L860457		<0.005	0.14	0.80	14	<0.05	7.19	115	3.8		
L860458		<0.005	0.13	0.83	14	<0.05	7.45	119	4.0		
L860459		<0.005	0.09	0.50	9	0.44	5.85	66	4.8		
L860460		<0.005	0.05	0.27	3	0.22	4.42	29	3.3		
L860461		<0.005	0.14	0.83	7	0.05	5.85	74	5.2		
L860462		<0.005	0.06	0.41	3	0.14	2.23	31	4.3		
L860463		<0.005	0.03	0.33	2	<0.05	2.72	16	3.7		
L860464		<0.005	0.03	0.36	2	0.16	2.82	14	3.7		
L860465		<0.005	0.02	0.13	2	<0.05	1.82	16	3.0		
L860466		<0.005	<0.02	0.65	2	0.06	1.00	14	<0.5		
L860467		<0.005	0.04	0.26	3	0.05	2.22	18	4.7		
L860468		<0.005	0.04	0.30	3	0.13	2.95	24	4.8		
L860469		<0.005	0.06	0.30	6	<0.05	3.87	51	4.0		
L860470		<0.005	0.05	0.31	5	0.11	3.37	44	4.1		
L860471		<0.005	<0.02	0.63	2	0.05	1.14	16	<0.5		
L860472		<0.005	0.03	0.25	3	0.16	2.20	21	3.8		
L860473		0.098	0.22	0.66	44	0.26	7.63	5150	8.1	103	1.040
L860474		<0.005	0.03	0.25	3	0.07	2.95	20	3.9		
L860475		<0.005	0.06	0.40	7	0.20	3.67	49	4.5		
L860476		<0.005	0.04	0.24	3	<0.05	2.14	18	3.9		
L860477		<0.005	0.07	0.34	5	0.19	3.40	45	3.9		
L860478		<0.005	0.09	0.54	12	1.05	6.69	87	4.3		
L860479		<0.005	0.04	0.37	4	0.11	3.61	32	5.0		
L860480		<0.005	0.04	0.31	5	<0.05	2.48	41	4.3		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12174452

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179904

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L860517		6.90	0.006	0.10	0.45	15.6	<0.2	<10	40	1.15	0.35	0.65	0.07	10.85	13.0	12
L860518		0.19	0.245	>100	1.23	241	0.2	<10	80	0.18	5.71	0.62	24.8	8.32	10.4	29
L860519		3.48	0.002	0.05	0.22	12.9	<0.2	<10	20	0.33	0.07	2.08	0.03	7.10	3.2	9
L860520		4.48	0.001	0.01	0.06	<2	<0.2	<10	10	0.05	0.03	20.9	0.07	1.27	0.6	1
L860521		4.57	0.003	0.14	0.46	19.7	<0.2	<10	110	1.20	0.30	1.24	0.08	10.45	12.4	12
L860522		4.14	0.003	0.13	0.63	30.1	<0.2	10	50	2.16	0.47	0.56	0.11	20.8	20.4	13
L860523		0.20	1.070	0.80	0.56	270	<0.2	<10	100	1.12	9.12	17.95	2.28	25.1	4.5	25
L860524		5.73	0.003	0.03	0.21	10.1	<0.2	<10	20	0.22	0.07	3.10	0.03	6.19	3.5	9
L860525		5.98	0.002	0.18	0.28	27.8	<0.2	<10	40	0.33	0.08	1.13	0.03	7.09	5.3	10
L860526		2.71	0.037	0.05	0.27	24.4	<0.2	<10	30	0.27	0.08	1.12	0.03	6.98	5.7	10
L860527		9.36	0.004	0.02	0.28	36.7	<0.2	<10	30	0.27	0.08	2.17	0.02	6.31	4.5	9
L860528		9.52	0.006	0.02	0.21	38.0	<0.2	<10	20	0.21	0.06	0.66	0.02	7.23	3.8	10
L860529		9.71	0.013	0.02	0.23	47.0	<0.2	<10	30	0.23	0.06	1.12	0.03	7.98	3.5	11
L860530		9.64	0.002	0.02	0.20	18.4	<0.2	<10	20	0.22	0.06	0.80	0.03	8.17	3.5	12
L860531		9.48	0.002	0.02	0.20	15.8	<0.2	<10	30	0.22	0.06	0.79	0.02	6.65	2.9	11
L860532		9.84	0.003	0.02	0.21	24.8	<0.2	<10	20	0.20	0.07	1.00	0.03	6.58	3.7	11
L860533		9.29	0.004	0.11	0.33	33.7	<0.2	<10	30	0.51	0.12	1.19	0.04	6.48	6.6	10
L860534		9.25	0.002	0.03	0.22	14.7	<0.2	<10	20	0.23	0.06	1.23	0.02	9.10	3.0	15
L860535		<0.02	0.002	0.02	0.24	14.4	<0.2	<10	20	0.24	0.06	1.24	0.02	9.00	2.9	12
L860536		9.63	0.002	0.07	0.33	24.2	<0.2	<10	30	0.44	0.14	1.12	0.03	8.99	6.6	11
L860537		8.89	0.002	0.56	0.36	21.2	<0.2	<10	40	0.73	0.18	2.32	0.05	8.30	10.7	9
L860538		6.49	0.002	0.04	0.20	8	<0.2	<10	30	0.29	0.06	11.50	0.01	6.61	1.7	5
L860539		7.17	0.001	0.03	0.25	8.8	<0.2	<10	60	0.39	0.11	5.63	0.02	5.12	5.1	9
L860540		6.03	0.001	0.05	0.44	6	<0.2	10	60	0.76	0.20	12.80	0.02	11.85	8.1	7
L860541		4.83	0.002	0.21	0.50	7.5	<0.2	<10	60	0.81	0.26	8.75	0.03	10.80	10.0	9
L860542		2.17	0.002	0.19	0.65	10.1	<0.2	10	70	1.28	0.33	3.09	0.07	4.99	17.4	13
L860543		6.52	0.004	0.19	0.85	8	<0.2	10	180	1.04	0.27	13.60	0.05	18.30	12.0	10
L860544		4.25	0.001	0.03	0.04	2	<0.2	<10	10	0.05	0.14	21.4	0.06	1.11	0.7	1
L860545		6.92	0.002	0.04	0.79	12	<0.2	10	90	1.05	0.28	13.25	0.04	17.05	12.0	9
L860546		9.56	0.001	0.04	0.73	6	<0.2	<10	120	0.83	0.24	13.80	0.04	14.95	11.8	8
L860547		3.77	0.002	0.04	0.59	10	<0.2	<10	60	0.94	0.27	12.25	0.05	17.45	14.7	7
L860548		7.32	0.002	0.04	0.53	12	<0.2	<10	210	0.94	0.28	11.65	0.04	10.30	12.8	7
L860549		6.64	0.002	0.04	0.59	14	<0.2	<10	950	0.86	0.31	10.35	0.07	7.28	12.9	8
L860550		1.70	0.003	0.04	0.74	10.9	<0.2	<10	110	1.05	0.37	5.82	0.04	9.24	18.0	9
L860551		9.61	0.002	0.04	0.78	8	<0.2	<10	250	0.87	0.25	12.70	0.05	13.70	11.2	8
L860552		9.82	0.001	0.02	0.42	8	<0.2	<10	300	0.60	0.14	20.6	0.03	15.15	6.9	4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179904

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
L860517		2.10	38.2	3.39	1.26	<0.05	0.11	0.17	0.028	0.19	4.5	6.5	0.30	208	0.41	<0.01
L860518		0.30	6360	5.30	3.86	0.05	0.23	1.24	0.403	0.09	3.8	8.5	0.75	1580	19.40	0.05
L860519		0.56	9.5	2.56	0.52	<0.05	0.10	0.06	0.012	0.09	3.4	3.5	0.64	387	0.17	0.01
L860520		0.43	2.9	0.45	0.17	<0.05	<0.02	0.02	<0.005	0.03	0.6	1.1	12.70	210	0.15	0.01
L860521		1.80	35.5	3.96	1.35	<0.05	0.10	0.16	0.029	0.20	4.4	7.1	0.50	245	0.34	0.01
L860522		3.40	53.0	4.13	1.79	<0.05	0.10	0.14	0.048	0.30	6.1	7.1	0.63	212	0.50	0.01
L860523		2.59	85.8	2.52	3.16	0.07	0.21	2.21	0.668	0.17	16.6	6.0	3.56	1700	77.8	0.01
L860524		0.66	6.7	1.71	0.53	<0.05	0.10	0.05	0.010	0.09	2.8	3.7	0.42	536	0.23	0.01
L860525		1.31	10.2	1.77	0.71	<0.05	0.12	0.02	0.013	0.14	3.1	6.0	0.31	223	0.27	0.01
L860526		1.34	10.5	1.86	0.72	<0.05	0.12	0.05	0.016	0.14	3.5	5.3	0.31	227	0.24	0.01
L860527		1.09	8.5	1.58	0.72	<0.05	0.10	0.01	0.014	0.14	2.7	3.4	0.32	410	0.17	0.02
L860528		0.88	6.4	1.51	0.55	<0.05	0.12	0.04	0.008	0.10	3.5	2.4	0.20	146	0.18	0.01
L860529		0.89	6.6	1.51	0.62	<0.05	0.12	0.04	0.011	0.11	3.7	2.9	0.27	212	0.21	0.01
L860530		0.76	6.2	1.34	0.55	<0.05	0.11	0.05	0.010	0.10	3.8	1.9	0.20	191	0.21	0.02
L860531		0.61	5.7	1.30	0.52	<0.05	0.10	0.05	0.008	0.09	3.2	2.5	0.19	171	0.24	0.01
L860532		0.71	6.6	1.40	0.52	<0.05	0.11	0.06	0.010	0.09	3.2	3.1	0.17	194	0.34	0.01
L860533		0.94	15.0	2.18	0.83	<0.05	0.10	0.09	0.018	0.14	3.0	6.6	0.33	218	2.23	0.01
L860534		0.53	6.1	1.29	0.55	<0.05	0.09	0.11	0.010	0.09	4.4	2.6	0.29	233	0.33	0.01
L860535		0.53	5.7	1.33	0.60	<0.05	0.10	0.07	0.009	0.09	4.4	2.7	0.29	239	0.46	0.01
L860536		1.02	16.4	2.10	0.85	<0.05	0.07	0.10	0.016	0.15	3.8	3.9	0.32	237	0.69	0.01
L860537		1.33	26.6	3.17	0.90	<0.05	0.08	0.18	0.025	0.16	3.8	10.9	0.64	327	0.77	0.01
L860538		0.38	7.3	1.26	0.47	<0.05	0.04	0.07	0.005	0.09	2.5	4.6	0.32	886	0.14	0.01
L860539		0.76	14.2	1.62	0.56	<0.05	0.06	0.07	0.008	0.13	2.2	3.5	0.31	414	0.30	0.01
L860540		1.23	22.1	2.31	1.06	<0.05	0.08	0.15	0.023	0.22	4.1	6.7	0.56	431	0.29	0.02
L860541		1.39	28.8	3.07	1.36	<0.05	0.07	0.09	0.021	0.22	4.0	12.6	0.65	495	0.41	0.01
L860542		2.03	48.3	4.49	1.87	<0.05	0.08	0.13	0.048	0.29	1.5	16.1	0.84	460	0.36	0.01
L860543		1.40	29.3	2.84	2.07	<0.05	0.03	0.07	0.033	0.26	6.5	18.3	0.44	736	0.27	0.02
L860544		0.17	1.9	0.49	0.10	<0.05	<0.02	<0.01	<0.005	0.02	0.5	1.0	13.05	226	0.06	0.01
L860545		1.97	30.7	2.86	1.94	<0.05	0.14	0.06	0.036	0.26	6.0	16.7	0.77	654	0.19	0.02
L860546		2.28	25.3	2.39	2.19	0.08	0.17	0.09	0.036	0.22	5.4	17.6	0.96	714	0.24	0.02
L860547		2.21	33.3	2.57	1.75	0.10	0.15	0.18	0.040	0.25	6.4	9.2	0.97	643	0.17	0.02
L860548		2.08	31.6	2.62	1.55	0.07	0.14	0.18	0.038	0.24	3.8	8.8	1.18	531	0.28	0.02
L860549		1.89	36.2	2.94	1.53	0.07	0.11	0.16	0.039	0.25	2.5	11.4	1.38	322	0.34	0.03
L860550		2.75	39.7	3.06	2.16	0.08	0.14	0.21	0.046	0.28	3.1	15.8	1.23	242	0.23	0.02
L860551		2.31	27.0	2.36	2.37	0.07	0.19	0.08	0.037	0.24	4.9	19.5	1.13	501	0.38	0.02
L860552		1.12	15.5	1.47	1.43	0.06	0.16	0.06	0.025	0.16	6.0	8.3	0.82	1060	0.20	0.02

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179904

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
L860517		<0.05	29.9	320	26.5	8.2	<0.001	0.21	1.27	4.0	0.2	0.6	68.8	<0.01	0.02	4.0
L860518		0.15	26.0	450	>10000	3.1	0.009	2.37	393	3.8	1.4	1.4	28.0	<0.01	1.25	0.8
L860519		<0.05	9.3	30	13.9	4.0	<0.001	0.03	0.55	2.2	<0.2	0.2	156.0	<0.01	<0.01	2.6
L860520		0.05	1.8	190	2.4	2.2	<0.001	0.02	0.09	0.2	<0.2	<0.2	49.9	<0.01	<0.01	<0.2
L860521		<0.05	31.4	130	27.0	8.3	<0.001	0.26	1.26	4.5	<0.2	0.7	77.1	<0.01	0.02	3.8
L860522		<0.05	44.6	660	20.1	13.3	<0.001	0.41	1.95	6.4	0.3	0.7	76.8	<0.01	0.02	6.9
L860523		0.05	83.4	1210	20.5	13.4	0.059	1.07	7.37	4.1	3.6	3.3	228	<0.01	0.41	3.4
L860524		<0.05	8.5	20	13.1	3.9	<0.001	0.05	0.33	1.7	<0.2	0.2	218	<0.01	<0.01	2.1
L860525		<0.05	12.7	90	9.3	5.9	<0.001	0.03	0.34	2.6	<0.2	0.2	78.9	<0.01	<0.01	2.7
L860526		<0.05	13.4	80	19.1	5.9	<0.001	0.04	0.38	2.7	<0.2	0.2	75.9	<0.01	<0.01	2.9
L860527		<0.05	10.7	110	9.8	5.8	<0.001	0.03	0.28	2.4	<0.2	0.2	142.5	<0.01	<0.01	3.0
L860528		<0.05	9.4	40	9.3	4.5	<0.001	0.04	0.28	1.6	<0.2	0.2	58.0	<0.01	<0.01	2.9
L860529		<0.05	9.0	40	9.3	4.9	<0.001	0.05	0.26	2.0	<0.2	0.2	80.3	<0.01	<0.01	3.2
L860530		<0.05	8.6	50	8.8	4.2	<0.001	0.04	0.36	1.7	<0.2	0.2	56.7	<0.01	0.01	3.4
L860531		<0.05	7.7	40	13.4	3.7	<0.001	0.03	0.26	1.5	<0.2	0.2	50.7	<0.01	0.01	2.6
L860532		<0.05	8.7	20	10.6	4.0	<0.001	0.23	0.35	1.6	<0.2	0.2	68.8	<0.01	<0.01	2.2
L860533		<0.05	15.8	30	23.1	5.7	<0.001	0.11	0.60	2.9	<0.2	0.4	87.0	<0.01	0.01	2.3
L860534		<0.05	8.1	20	8.7	3.7	<0.001	0.06	0.47	1.8	<0.2	0.2	75.4	<0.01	<0.01	2.3
L860535		<0.05	7.7	20	10.4	4.0	<0.001	0.06	0.44	1.8	0.2	0.2	74.9	<0.01	<0.01	2.4
L860536		<0.05	15.9	170	15.4	6.0	<0.001	0.06	0.69	2.5	<0.2	0.4	80.9	<0.01	0.01	2.9
L860537		0.05	21.4	20	17.3	6.9	<0.001	0.11	0.83	4.2	<0.2	0.8	213	<0.01	0.01	2.6
L860538		<0.05	4.8	260	7.9	3.7	<0.001	0.05	0.33	1.5	<0.2	0.3	800	<0.01	0.01	1.8
L860539		<0.05	11.5	30	11.2	5.4	<0.001	0.12	0.32	1.7	<0.2	0.6	296	<0.01	<0.01	1.4
L860540		<0.05	18.0	340	14.6	9.1	<0.001	0.31	0.21	4.9	0.3	0.4	675	<0.01	0.03	2.9
L860541		<0.05	21.5	390	17.0	9.5	0.001	0.21	0.22	5.1	0.2	0.6	497	<0.01	0.04	2.9
L860542		<0.05	37.4	310	23.7	12.7	<0.001	0.29	0.17	9.1	0.5	0.6	211	<0.01	0.03	2.7
L860543		<0.05	24.2	470	15.9	10.5	<0.001	0.04	0.27	7.3	0.6	0.6	634	<0.01	0.04	3.4
L860544		<0.05	1.6	190	1.5	1.0	<0.001	0.03	0.11	0.2	<0.2	<0.2	50.9	<0.01	<0.01	<0.2
L860545		<0.05	24.3	430	18.6	10.7	<0.001	0.12	0.18	7.7	0.5	0.4	583	<0.01	0.06	4.2
L860546		0.10	20.5	380	16.5	10.2	0.001	0.09	0.24	8.8	0.6	0.4	688	0.01	0.06	3.9
L860547		0.09	24.3	350	20.8	11.4	0.001	0.16	0.26	9.2	0.7	0.4	568	0.01	0.07	4.0
L860548		0.09	23.2	350	17.2	10.6	0.001	0.19	0.24	8.7	0.6	0.6	616	0.01	0.07	3.4
L860549		0.08	29.9	230	19.4	10.9	0.001	0.27	0.34	8.5	0.6	0.7	561	0.01	0.07	3.0
L860550		0.06	32.2	280	18.6	12.8	0.001	0.20	0.37	10.5	0.5	0.5	249	0.01	0.07	3.7
L860551		0.10	20.5	350	17.2	11.2	0.001	0.18	0.29	8.2	0.6	0.4	726	0.01	0.05	3.9
L860552		0.14	10.2	410	9.3	7.2	0.001	0.15	0.28	5.7	0.6	0.2	1080	0.01	0.04	3.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179904

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46	Pb- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Pb %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001
L860517		<0.005	0.09	0.40	12	0.05	3.74	81	3.6		
L860518		0.084	0.20	0.64	40	0.21	6.05	4900	6.1	99	1.030
L860519		<0.005	0.03	0.22	4	<0.05	3.93	32	2.8		
L860520		<0.005	<0.02	0.48	2	<0.05	0.83	20	<0.5		
L860521		<0.005	0.13	0.42	13	0.26	4.15	94	3.0		
L860522		<0.005	0.13	0.70	15	<0.05	8.57	117	3.9		
L860523		<0.005	0.94	14.45	156	16.15	21.8	456	9.0		
L860524		<0.005	0.03	0.28	4	<0.05	3.39	24	3.1		
L860525		<0.005	0.04	0.26	4	<0.05	2.47	37	3.9		
L860526		<0.005	0.04	0.30	5	<0.05	2.44	33	4.0		
L860527		<0.005	0.04	0.25	4	<0.05	2.54	25	3.3		
L860528		<0.005	0.03	0.29	3	<0.05	1.67	22	3.8		
L860529		<0.005	0.03	0.31	3	<0.05	2.14	22	3.9		
L860530		<0.005	0.02	0.31	3	<0.05	1.79	20	3.6		
L860531		<0.005	0.02	0.26	3	<0.05	1.49	17	2.9		
L860532		<0.005	0.05	0.28	3	<0.05	1.66	19	3.3		
L860533		<0.005	0.05	0.29	5	<0.05	2.53	42	3.0		
L860534		<0.005	0.03	0.23	3	<0.05	1.83	17	2.7		
L860535		<0.005	0.03	0.24	3	<0.05	1.81	16	2.8		
L860536		<0.005	0.05	0.29	6	<0.05	3.07	38	2.9		
L860537		<0.005	0.06	0.35	8	0.06	4.08	59	2.8		
L860538		<0.005	0.02	0.28	2	<0.05	4.28	14	1.2		
L860539		<0.005	0.04	0.22	3	<0.05	3.47	29	1.7		
L860540		<0.005	0.06	0.70	8	<0.05	6.20	50	2.6		
L860541		<0.005	0.07	0.59	13	<0.05	8.21	60	2.5		
L860542		<0.005	0.10	0.39	20	<0.05	7.47	99	2.7		
L860543		<0.005	0.07	1.59	10	0.25	15.70	72	1.4		
L860544		<0.005	<0.02	0.45	1	0.05	0.82	17	<0.5		
L860545		<0.005	0.06	1.72	10	0.08	15.80	78	6.0		
L860546		<0.005	0.06	1.60	9	0.05	15.20	59	6.9		
L860547		<0.005	0.09	1.91	9	<0.05	17.45	63	5.5		
L860548		<0.005	0.08	1.55	10	<0.05	13.95	64	4.9		
L860549		<0.005	0.08	1.11	12	<0.05	12.75	71	3.5		
L860550		<0.005	0.09	1.09	12	<0.05	13.50	79	5.1		
L860551		<0.005	0.06	1.65	9	<0.05	15.20	60	7.1		
L860552		<0.005	0.04	1.60	6	<0.05	11.00	37	6.6		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179904

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10%on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 23- AUG- 2012
 Account: MTT

CERTIFICATE WH12179906

Project: Scarlet East
 P.O. No.: Batch 9
 This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1- AUG- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER


SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%<2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um
LOG- 22d	Sample login - Rcd w/o BarCode dup
SPL- 21d	Split sample - duplicate
PUL- 31d	Pulverize Split - duplicate
LOG- 23	Pulp Login - Rcd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179906

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
L860553		9.69	0.003	0.02	0.61	5	<0.2	<10	70	0.73	0.22	16.60	0.02	14.60	7.8	7
L860554		9.49	0.003	0.02	0.36	8	<0.2	<10	70	0.86	0.22	17.00	0.04	21.0	8.1	4
L860555		5.98	0.004	0.03	0.48	17	<0.2	<10	90	0.87	0.27	13.35	0.04	18.85	12.5	5
L860556		4.90	0.001	0.01	0.03	<2	<0.2	<10	10	0.05	0.04	18.15	0.07	1.33	0.8	<1
L860557		6.06	0.004	0.02	0.33	20	<0.2	<10	50	0.72	0.18	20.0	0.02	19.65	5.5	3
L860558		6.58	0.003	0.02	0.33	21	<0.2	<10	50	0.70	0.21	16.60	0.03	21.1	8.3	3
L860559		8.67	0.008	0.03	0.35	24	<0.2	<10	50	0.77	0.22	16.40	0.03	18.60	9.5	3
L860560		9.02	0.004	0.02	0.27	18	<0.2	<10	70	0.75	0.16	19.70	0.03	18.35	7.7	3
L860561		9.63	0.004	0.03	0.31	21	<0.2	<10	70	0.73	0.23	16.35	0.03	14.15	8.4	3
L860562		9.47	0.003	0.02	0.38	15	<0.2	<10	60	0.82	0.22	15.95	0.03	14.50	9.4	6
L860563		0.26	1.195	0.68	0.54	254	<0.2	<10	90	0.99	9.27	16.50	2.20	23.7	4.4	24
L860564		10.09	0.003	0.05	0.50	11	<0.2	<10	60	0.93	0.27	15.50	0.04	18.90	10.4	6
L860565		9.62	0.003	0.04	0.82	9	<0.2	<10	100	0.89	0.29	13.20	0.04	22.0	11.9	9
L860566		4.85	0.002	0.04	0.69	13	<0.2	<10	250	1.02	0.28	12.15	0.03	18.25	11.3	8
L860567		4.45	0.002	0.03	0.92	10	<0.2	<10	1620	0.83	0.31	12.65	0.04	9.54	11.7	10
L860568		1.85	0.002	0.03	0.81	8	<0.2	<10	1800	0.74	0.26	14.05	0.04	9.62	11.5	9
L860569		5.37	0.002	0.03	1.12	9	<0.2	<10	50	0.88	0.29	10.45	0.04	18.55	12.0	12
L860570		5.06	0.003	0.02	0.42	6	<0.2	<10	40	0.77	0.16	20.1	0.03	16.00	6.8	5
L860571		9.01	0.003	0.02	0.24	10	<0.2	<10	70	0.63	0.15	22.3	0.02	19.30	5.5	3
L860572		10.07	0.002	0.03	0.70	8	<0.2	<10	120	0.86	0.24	14.10	0.03	16.25	10.2	8
L860573		10.04	0.003	0.03	0.67	7	<0.2	<10	90	0.99	0.30	11.40	0.04	12.80	12.1	8
L860574		0.26	0.269	>100	1.29	249	0.2	<10	90	0.22	5.79	0.64	25.7	9.25	11.2	31
L860575		4.45	0.002	0.03	0.30	7	<0.2	<10	40	0.81	0.20	17.85	0.07	11.95	7.1	4
L860576		6.12	0.003	0.04	0.40	16	<0.2	<10	60	0.70	0.27	13.35	0.05	13.10	11.2	5
L860577		6.09	0.006	0.05	0.13	10	<0.2	<10	30	0.33	0.07	23.8	0.13	9.37	2.7	2
L860578		9.34	0.005	0.08	0.19	7	<0.2	<10	80	0.49	0.07	21.6	0.13	10.85	4.2	3
L860579		2.82	0.003	0.02	0.26	17	<0.2	<10	40	0.65	0.15	21.5	0.05	13.85	7.3	3
L860580		9.64	0.005	0.02	0.21	17	<0.2	<10	50	0.53	0.13	23.3	0.06	14.35	5.0	2
L860581		9.43	0.007	0.01	0.19	27	<0.2	<10	400	0.39	0.11	24.5	0.04	12.05	3.7	2
L860582		9.67	0.005	0.01	0.14	19	<0.2	<10	50	0.41	0.08	>25.0	0.02	12.20	4.1	2
L860583		9.92	0.003	0.01	0.18	19	<0.2	<10	40	0.46	0.11	21.9	0.02	13.95	5.8	2
L860584		2.95	0.003	<0.01	0.05	3	<0.2	<10	10	<0.05	0.02	18.55	0.07	1.23	0.6	<1
L860585		9.68	0.003	0.01	0.17	14	<0.2	<10	40	0.46	0.10	23.1	0.02	10.85	4.0	2
L860586		<0.02	0.003	<0.01	0.15	16	<0.2	<10	30	0.46	0.09	23.5	0.03	10.90	3.9	2
L860587		9.61	0.006	0.01	0.11	32	<0.2	<10	30	0.35	0.06	>25.0	0.02	10.50	3.5	1
L860588		9.46	0.007	0.01	0.12	19	<0.2	<10	40	0.31	0.05	>25.0	0.01	10.45	2.8	2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179906

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
L860553		1.43	19.9	1.71	1.61	<0.05	0.13	0.03	0.031	0.20	5.8	18.5	0.99	850	0.17	0.02
L860554		1.44	23.4	1.72	1.03	0.06	0.11	0.02	0.032	0.18	8.6	6.1	0.97	308	0.19	0.02
L860555		1.80	24.5	2.35	1.27	0.05	0.17	0.01	0.036	0.24	7.0	5.8	1.30	239	0.40	0.02
L860556		0.16	1.8	0.44	0.11	<0.05	<0.02	<0.01	0.007	0.02	0.6	0.9	11.75	204	0.09	0.02
L860557		1.02	17.3	1.59	0.85	0.05	0.13	0.01	0.022	0.16	7.6	3.1	0.80	934	0.16	0.02
L860558		1.11	19.6	1.81	0.82	0.05	0.12	0.03	0.028	0.17	7.5	2.7	1.03	327	0.15	0.02
L860559		1.29	21.0	1.86	0.92	0.05	0.18	0.03	0.030	0.19	6.8	2.4	1.04	460	0.18	0.02
L860560		0.90	14.8	1.52	0.74	0.05	0.12	0.03	0.024	0.15	6.9	2.6	0.84	822	0.37	0.02
L860561		1.19	21.0	1.97	0.75	<0.05	0.18	0.02	0.030	0.17	5.3	2.9	1.07	550	0.19	0.02
L860562		1.56	23.2	2.13	1.11	<0.05	0.14	0.04	0.030	0.18	5.2	8.1	1.04	502	0.34	0.02
L860563		2.47	79.8	2.32	3.17	0.08	0.21	2.11	0.647	0.16	15.8	6.3	3.27	1620	70.6	0.01
L860564		2.09	23.9	2.02	1.41	0.05	0.17	0.04	0.034	0.21	6.8	11.0	1.13	723	0.49	0.02
L860565		2.68	25.6	2.41	2.43	0.06	0.23	0.06	0.036	0.20	7.8	33.5	1.43	251	0.25	0.02
L860566		2.76	25.5	2.35	1.97	0.05	0.19	0.04	0.038	0.24	6.5	22.8	1.31	316	0.26	0.02
L860567		2.49	26.0	2.37	2.61	0.05	0.19	0.08	0.034	0.18	3.5	46.2	1.14	275	0.23	0.02
L860568		2.42	25.0	2.10	2.33	<0.05	0.17	0.07	0.033	0.17	3.4	42.9	1.02	277	0.20	0.02
L860569		2.47	28.8	2.66	3.16	0.06	0.24	0.08	0.036	0.21	6.5	53.2	1.41	328	0.23	0.02
L860570		1.53	16.9	1.40	1.28	0.05	0.13	0.05	0.022	0.13	6.5	15.3	0.73	919	0.13	0.02
L860571		0.90	11.7	1.11	0.72	<0.05	0.14	0.06	0.020	0.11	7.5	5.0	0.58	608	0.21	0.02
L860572		2.46	25.3	2.20	2.05	<0.05	0.23	0.05	0.032	0.18	5.8	27.6	1.28	452	0.31	0.02
L860573		3.17	29.8	2.18	1.98	<0.05	0.17	0.04	0.038	0.21	4.3	23.6	1.28	452	0.17	0.02
L860574		0.35	6330	5.17	4.41	0.07	0.25	1.22	0.424	0.10	4.3	10.0	0.76	1580	20.4	0.06
L860575		1.61	25.2	1.44	0.79	<0.05	0.13	0.03	0.025	0.15	4.2	7.1	1.39	608	0.29	0.02
L860576		1.94	24.8	2.18	1.04	<0.05	0.20	0.06	0.031	0.19	4.2	10.5	1.56	182	0.59	0.02
L860577		0.44	9.4	0.77	0.38	<0.05	0.15	0.15	0.012	0.06	4.1	2.6	1.11	241	1.10	0.02
L860578		0.53	10.8	0.93	0.52	<0.05	0.22	0.11	0.013	0.09	4.3	1.8	2.40	466	0.87	0.02
L860579		1.30	13.6	1.42	0.58	<0.05	0.14	0.08	0.022	0.14	5.6	1.7	0.89	194	0.10	0.02
L860580		0.89	10.6	0.98	0.51	<0.05	0.17	0.09	0.016	0.11	6.5	1.4	0.59	144	0.15	0.02
L860581		0.77	11.6	1.05	0.46	<0.05	0.20	0.06	0.014	0.10	5.4	1.4	0.74	228	0.10	0.02
L860582		0.65	9.1	0.80	0.36	<0.05	0.14	0.05	0.013	0.07	5.4	1.3	0.57	150	0.07	0.02
L860583		1.13	11.5	1.17	0.45	<0.05	0.19	0.07	0.017	0.10	5.6	1.5	0.83	195	0.07	0.02
L860584		0.79	1.3	0.42	0.25	<0.05	<0.02	0.01	<0.005	0.04	0.6	1.2	11.75	204	0.05	0.02
L860585		0.94	11.3	1.10	0.44	<0.05	0.15	0.08	0.017	0.10	4.5	1.4	0.90	210	0.07	0.02
L860586		0.92	11.5	1.08	0.39	<0.05	0.15	0.08	0.015	0.09	4.4	1.3	0.88	212	0.08	0.02
L860587		0.59	9.5	0.74	0.26	<0.05	0.12	0.06	0.012	0.05	4.3	1.1	0.83	155	0.09	0.02
L860588		0.45	6.3	0.64	0.27	<0.05	0.11	0.13	0.008	0.06	4.3	1.2	0.72	103	0.17	0.02

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179906

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L860553		<0.05	13.4	320	10.6	8.8	0.001	0.14	0.36	5.3	0.3	0.3	820	<0.01	0.04	3.7
L860554		<0.05	13.8	290	11.4	8.9	0.001	0.15	0.42	5.9	<0.2	0.4	991	<0.01	0.05	3.3
L860555		<0.05	27.1	340	14.8	10.7	0.001	0.51	0.56	6.7	0.7	0.3	735	<0.01	0.04	4.2
L860556		<0.05	1.9	200	1.2	0.8	0.001	0.04	0.09	0.3	<0.2	<0.2	54.2	<0.01	0.01	<0.2
L860557		<0.05	11.6	370	8.0	7.2	0.001	0.08	0.37	4.7	0.3	0.2	1270	<0.01	0.04	3.3
L860558		<0.05	14.6	270	12.6	7.2	0.001	0.16	0.61	5.7	0.6	0.3	952	<0.01	0.03	3.7
L860559		<0.05	16.4	340	13.3	8.3	0.002	0.33	0.75	5.7	0.3	0.3	1150	<0.01	0.05	3.7
L860560		<0.05	13.4	370	9.9	6.9	0.001	0.23	0.65	4.6	0.3	0.2	1430	<0.01	0.02	2.7
L860561		<0.05	15.9	250	12.0	7.5	0.001	0.24	0.70	5.7	0.5	0.3	1080	<0.01	0.03	3.3
L860562		<0.05	19.1	280	11.9	8.6	0.001	0.25	0.55	6.1	0.4	0.3	1105	<0.01	0.04	3.3
L860563		0.07	75.7	1150	19.1	13.1	0.056	1.01	7.62	3.9	3.8	3.2	218	<0.01	0.37	3.6
L860564		<0.05	18.3	440	13.7	9.6	0.002	0.17	0.50	6.5	0.7	0.3	889	<0.01	0.05	4.0
L860565		<0.05	23.0	360	16.2	10.1	0.001	0.22	0.53	7.2	0.6	0.4	705	<0.01	0.04	4.7
L860566		<0.05	21.5	340	15.2	11.4	0.001	0.19	0.49	7.0	0.7	0.4	662	<0.01	0.04	4.1
L860567		<0.05	22.2	340	16.4	8.9	0.002	0.23	0.35	6.7	0.4	0.4	1140	<0.01	0.06	3.6
L860568		<0.05	20.1	300	16.5	8.4	0.001	0.25	0.36	6.4	0.6	0.4	1310	<0.01	0.06	3.2
L860569		<0.05	24.3	380	16.7	10.5	0.001	0.18	0.28	7.5	0.4	0.5	479	<0.01	0.06	4.6
L860570		<0.05	12.4	270	9.1	6.7	0.001	0.10	0.21	4.4	0.3	0.3	1040	<0.01	0.04	2.9
L860571		<0.05	9.4	360	8.4	5.2	0.002	0.09	0.21	3.9	0.2	0.2	1320	<0.01	0.03	2.9
L860572		<0.05	19.8	380	14.4	9.5	<0.001	0.16	0.25	6.2	0.5	0.4	722	<0.01	0.05	4.0
L860573		<0.05	20.8	270	16.1	11.1	0.001	0.15	0.24	7.2	0.2	0.4	543	<0.01	0.08	3.7
L860574		0.22	26.8	430	9900	3.6	0.008	2.38	401	4.2	1.6	1.6	30.2	<0.01	1.13	0.9
L860575		<0.05	13.3	460	11.9	7.2	0.001	0.13	0.34	4.4	0.2	0.3	1065	<0.01	0.05	2.8
L860576		<0.05	20.9	330	16.7	8.6	0.001	0.42	0.68	6.2	0.5	0.4	760	<0.01	0.03	3.8
L860577		<0.05	5.8	630	6.6	2.8	0.002	0.38	1.44	2.2	0.5	0.2	1710	<0.01	0.03	1.7
L860578		<0.05	8.8	620	8.4	4.5	0.001	0.38	1.37	2.9	0.5	0.2	1095	<0.01	0.02	2.3
L860579		<0.05	14.1	210	11.0	6.6	<0.001	0.42	0.95	5.0	0.4	0.3	1090	<0.01	0.02	2.8
L860580		<0.05	9.1	340	9.1	4.9	<0.001	0.08	1.13	4.0	0.3	0.2	1490	<0.01	0.03	2.7
L860581		<0.05	7.3	330	7.1	4.7	<0.001	0.11	0.82	3.4	0.3	<0.2	1745	<0.01	0.02	2.3
L860582		<0.05	7.5	300	6.8	3.7	<0.001	0.09	0.72	2.7	<0.2	<0.2	1675	<0.01	0.03	1.7
L860583		<0.05	10.4	360	9.0	5.2	<0.001	0.07	0.62	4.2	<0.2	<0.2	1425	<0.01	0.03	2.5
L860584		0.10	1.4	160	1.5	4.2	<0.001	0.02	<0.05	0.2	<0.2	<0.2	52.9	<0.01	<0.01	<0.2
L860585		<0.05	8.2	360	9.6	4.8	<0.001	0.04	0.31	3.8	0.2	<0.2	1405	<0.01	0.02	2.1
L860586		<0.05	7.5	360	8.7	4.4	<0.001	0.04	0.30	3.6	0.2	<0.2	1440	<0.01	0.01	2.0
L860587		<0.05	6.0	460	5.1	2.6	<0.001	0.05	0.44	2.5	<0.2	<0.2	1605	<0.01	0.02	1.8
L860588		<0.05	5.3	360	4.9	2.7	<0.001	0.12	0.77	2.2	0.2	<0.2	2190	<0.01	0.01	1.7

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179906

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm
L860553		<0.005	0.06	1.54	7	<0.05	10.85	46	6.0	
L860554		<0.005	0.05	2.02	6	<0.05	15.05	51	4.8	
L860555		<0.005	0.06	1.87	7	<0.05	13.65	68	7.4	
L860556		<0.005	<0.02	0.47	2	<0.05	0.88	16	<0.5	
L860557		<0.005	0.04	1.82	4	<0.05	11.60	41	5.9	
L860558		<0.005	0.06	1.74	4	<0.05	13.05	52	5.3	
L860559		<0.005	0.05	1.96	5	<0.05	13.35	49	7.2	
L860560		<0.005	0.05	1.92	4	<0.05	13.45	37	5.7	
L860561		<0.005	0.06	1.85	5	<0.05	12.20	50	6.8	
L860562		<0.005	0.05	1.58	7	<0.05	13.30	55	5.7	
L860563		<0.005	0.98	14.15	156	16.15	19.10	441	8.6	
L860564		<0.005	0.06	1.99	6	0.06	14.25	56	7.7	
L860565		<0.005	0.06	2.26	10	<0.05	15.75	70	9.6	
L860566		<0.005	0.06	1.92	8	<0.05	13.45	61	8.3	
L860567		<0.005	0.05	1.45	10	<0.05	13.30	73	7.3	
L860568		<0.005	0.05	1.28	8	<0.05	15.15	64	6.8	
L860569		<0.005	0.06	2.08	12	<0.05	16.25	73	9.5	
L860570		<0.005	0.04	1.54	5	<0.05	10.65	43	6.2	
L860571		<0.005	0.03	2.45	4	<0.05	10.60	36	6.5	
L860572		<0.005	0.05	2.02	9	<0.05	13.60	62	10.0	
L860573		<0.005	0.05	1.48	9	<0.05	13.05	63	7.5	
L860574		0.094	0.23	0.63	42	0.23	6.30	5010	6.9	98
L860575		<0.005	0.05	2.18	5	<0.05	8.98	46	6.5	
L860576		<0.005	0.07	1.85	7	<0.05	11.60	67	7.7	
L860577		<0.005	0.06	3.10	4	<0.05	6.41	21	5.9	
L860578		<0.005	0.05	3.32	6	<0.05	6.70	25	8.0	
L860579		<0.005	0.04	1.69	4	<0.05	9.04	34	5.5	
L860580		<0.005	0.03	2.41	3	<0.05	9.86	33	6.6	
L860581		<0.005	0.02	2.28	3	<0.05	8.52	28	7.4	
L860582		<0.005	0.02	2.15	2	<0.05	6.86	22	5.4	
L860583		<0.005	0.02	1.51	3	<0.05	9.11	30	7.1	
L860584		<0.005	0.02	0.80	1	<0.05	0.89	16	<0.5	
L860585		<0.005	<0.02	0.72	3	<0.05	8.40	28	5.6	
L860586		<0.005	<0.02	0.74	3	<0.05	8.33	27	5.3	
L860587		<0.005	<0.02	1.70	2	<0.05	5.93	19	4.0	
L860588		<0.005	<0.02	1.35	2	<0.05	5.00	15	4.1	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179906

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179907

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
L860589		9.33	0.010	0.04	0.24	7	<0.2	<10	70	0.29	0.05	>25.0	0.05	9.75	3.2	2
L860590		3.70	0.009	0.02	0.21	9	<0.2	<10	70	0.29	0.04	>25.0	0.04	10.25	3.2	2
L860591		6.02	0.005	0.01	0.18	8	<0.2	<10	50	0.21	0.04	>25.0	0.03	7.81	3.1	2
L860592		9.52	0.008	0.03	0.21	31	<0.2	<10	60	0.23	0.04	>25.0	0.04	6.92	3.3	2
L860593		10.00	0.006	0.02	0.17	12	<0.2	<10	50	0.19	0.04	>25.0	0.03	6.39	2.8	2
L860594		4.79	0.002	0.01	0.04	<2	<0.2	<10	20	<0.05	0.03	18.95	0.06	0.92	1.2	1
L860595		2.53	0.005	0.03	0.18	23	<0.2	<10	40	0.24	0.04	>25.0	0.05	4.04	3.2	3
L860596		3.47	0.009	0.19	0.44	34	<0.2	10	60	0.48	0.12	15.70	0.51	10.85	7.2	6
L860597		0.21	0.281	>100	1.32	248	0.2	<10	90	0.15	5.28	0.65	25.4	8.24	12.2	31
L860598		2.61	0.007	0.33	0.45	42	<0.2	10	60	0.59	0.15	12.60	0.91	12.50	8.5	6
L860599		7.16	0.016	0.28	0.56	41	<0.2	10	70	0.60	0.16	10.90	0.95	10.65	9.2	7
L860600		5.31	0.016	0.33	0.37	54.8	<0.2	<10	50	0.40	0.13	9.34	1.08	8.82	7.5	7
L860601		4.05	0.010	0.26	0.35	42	<0.2	<10	80	0.42	0.12	10.65	0.68	7.50	6.6	8
L860602		4.66	0.004	0.10	0.15	21	<0.2	<10	40	0.24	0.04	19.95	0.29	5.83	2.6	4
L860603		5.71	0.007	0.17	0.26	23	<0.2	<10	50	0.34	0.08	19.55	0.62	8.32	4.5	4
L860604		4.32	0.009	0.27	0.35	36	<0.2	<10	50	0.39	0.13	10.45	0.91	9.51	6.9	6
L860605		<0.02	0.009	0.26	0.35	39	<0.2	<10	50	0.37	0.13	10.40	0.75	9.50	6.6	7
L860606		6.54	0.004	0.23	0.32	33	<0.2	<10	50	0.36	0.10	10.95	0.54	10.10	5.1	7
L860607		8.29	0.010	0.16	0.32	33	<0.2	<10	60	0.37	0.09	11.85	0.52	9.58	5.0	8
L860608		8.57	0.009	0.09	0.48	18	<0.2	10	70	0.49	0.10	14.55	0.22	12.00	5.9	5
L860609		2.99	0.008	0.11	0.42	29	<0.2	10	60	0.53	0.12	15.15	0.24	12.65	4.6	5
L860610		6.07	0.013	0.20	0.30	27	<0.2	<10	60	0.40	0.11	16.40	0.75	11.45	5.8	4
L860611		4.13	0.018	0.17	0.35	26	<0.2	<10	70	0.48	0.12	19.50	0.46	10.80	7.8	4
L860612		5.20	0.005	0.03	0.30	25	<0.2	<10	60	0.52	0.08	19.75	0.24	13.75	3.8	4
L860613		9.26	0.004	0.03	0.23	11	<0.2	<10	60	0.36	0.05	23.2	0.12	10.85	3.1	3
L860614		4.47	0.003	0.03	0.16	9	<0.2	<10	70	0.37	0.04	23.9	0.12	10.30	2.7	2
L860615		2.26	0.002	0.01	0.09	6	<0.2	<10	50	0.22	0.02	>25.0	0.07	7.41	1.6	1
L860616		0.21	3.81	1.48	0.35	684	<0.2	<10	40	0.30	4.21	2.13	1.92	4.68	8.0	20
L860617		3.18	0.004	0.02	0.12	6	<0.2	<10	50	0.24	0.03	24.6	0.11	9.54	2.0	1
L860618		3.32	0.001	<0.01	0.05	<2	<0.2	<10	20	<0.05	0.48	18.20	0.05	1.15	1.3	1
L860619		5.81	0.010	0.12	0.27	19	<0.2	<10	50	0.50	0.09	12.10	0.23	9.44	5.2	5
L860620		3.18	0.005	0.11	0.25	14	<0.2	<10	50	0.41	0.10	16.15	0.22	9.71	4.8	5
L860621		3.15	0.014	0.14	0.34	38	<0.2	<10	70	0.39	0.10	18.15	0.65	6.34	6.4	9
L860622		7.97	0.009	0.09	0.45	31	<0.2	<10	190	0.79	0.07	15.60	0.24	8.54	5.5	14
L860623		6.23	0.004	0.04	0.41	26.3	<0.2	<10	230	0.54	0.11	7.43	0.10	17.15	8.0	10
L860624		8.26	0.003	0.04	0.47	25.5	<0.2	<10	130	0.74	0.14	5.41	0.11	17.95	8.7	11

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179907

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
L860589		0.43	7.4	0.69	0.57	<0.05	0.12	0.09	0.011	0.11	4.1	2.0	0.72	73	0.40	0.02
L860590		0.33	7.0	0.66	0.50	<0.05	0.11	0.07	0.013	0.11	3.9	1.5	0.67	75	0.25	0.02
L860591		0.25	6.8	0.61	0.43	<0.05	0.10	0.08	0.011	0.08	3.2	0.9	0.48	104	0.16	0.02
L860592		0.24	6.4	0.69	0.53	<0.05	0.10	0.16	0.011	0.09	2.7	0.8	0.45	94	0.37	0.02
L860593		0.20	7.4	0.51	0.51	<0.05	0.10	0.23	0.009	0.08	2.7	0.7	0.54	60	0.34	0.02
L860594		0.38	3.0	0.46	0.15	<0.05	<0.02	0.01	<0.005	0.02	0.4	0.7	12.10	214	0.07	0.02
L860595		0.24	7.9	0.62	0.52	<0.05	0.10	0.36	0.011	0.08	1.6	0.7	0.97	114	1.11	0.02
L860596		0.58	28.8	1.47	1.27	0.05	0.23	0.83	0.025	0.21	4.0	2.1	2.62	150	3.18	0.02
L860597		0.31	6660	5.30	4.68	0.09	0.25	1.19	0.428	0.10	3.8	7.6	0.77	1580	20.9	0.06
L860598		0.60	39.9	1.82	1.29	0.05	0.26	1.02	0.028	0.23	4.3	2.3	2.81	151	3.81	0.02
L860599		0.67	42.4	1.90	1.57	0.05	0.29	1.17	0.033	0.28	3.7	2.6	3.19	156	4.09	0.02
L860600		0.73	40.3	1.79	1.04	0.05	0.26	0.91	0.024	0.19	3.4	1.8	4.53	203	4.36	0.02
L860601		0.56	30.2	1.62	1.09	<0.05	0.22	0.86	0.020	0.16	2.9	1.8	5.66	255	4.49	0.02
L860602		0.20	11.7	0.77	0.41	<0.05	0.10	0.52	0.007	0.06	3.1	1.0	1.81	157	2.04	0.02
L860603		0.40	21.3	1.10	0.76	<0.05	0.17	0.69	0.016	0.13	3.8	1.4	3.30	211	2.61	0.02
L860604		0.65	32.4	1.71	1.06	<0.05	0.26	0.94	0.022	0.19	3.8	1.7	5.54	242	4.72	0.02
L860605		0.65	30.7	1.71	1.04	<0.05	0.25	0.92	0.021	0.19	3.7	1.8	5.49	240	4.61	0.02
L860606		0.53	22.1	1.81	0.97	<0.05	0.22	0.75	0.016	0.16	3.8	1.8	5.78	243	4.12	0.02
L860607		0.49	20.9	1.53	0.96	<0.05	0.20	0.75	0.017	0.15	3.5	2.0	5.76	270	3.60	0.02
L860608		0.49	15.5	1.23	1.26	<0.05	0.24	0.38	0.017	0.24	4.6	2.8	6.54	356	1.65	0.02
L860609		0.49	21.0	1.22	1.18	<0.05	0.28	0.48	0.023	0.22	4.7	3.0	7.30	362	2.35	0.02
L860610		0.43	21.6	1.27	0.85	<0.05	0.27	0.45	0.018	0.15	4.1	1.8	5.04	285	3.50	0.02
L860611		0.50	20.0	1.16	0.92	<0.05	0.30	0.44	0.021	0.18	4.1	1.7	3.45	250	3.77	0.02
L860612		0.38	10.4	0.98	0.82	<0.05	0.29	0.20	0.015	0.16	4.9	2.1	3.88	276	1.76	0.02
L860613		0.28	9.2	0.71	0.62	<0.05	0.21	0.11	0.009	0.11	4.7	1.6	2.80	261	1.10	0.02
L860614		0.23	7.1	0.61	0.46	<0.05	0.18	0.11	0.009	0.08	4.6	1.4	2.66	260	0.92	0.02
L860615		0.12	3.7	0.34	0.28	<0.05	0.10	0.05	0.005	0.04	3.6	3.6	1.73	248	0.47	0.02
L860616		1.68	76.8	2.92	1.27	0.07	0.20	5.17	0.152	0.19	2.4	1.5	0.86	294	26.3	0.01
L860617		0.17	5.0	0.44	0.34	<0.05	0.16	0.07	0.007	0.05	4.4	1.0	1.97	250	0.31	0.02
L860618		0.59	1.9	0.42	0.23	0.05	<0.02	0.01	<0.005	0.03	0.5	1.0	11.65	199	0.05	0.02
L860619		0.57	17.9	1.20	0.87	0.05	0.20	0.20	0.017	0.13	3.4	1.9	5.86	297	1.99	0.02
L860620		0.43	32.6	1.11	0.80	<0.05	0.20	0.27	0.015	0.13	3.7	1.7	5.91	321	1.64	0.02
L860621		0.54	20.5	1.10	1.17	<0.05	0.22	0.95	0.018	0.14	2.5	1.8	2.73	217	4.24	0.03
L860622		0.90	18.4	1.21	1.45	<0.05	0.22	0.67	0.019	0.16	3.0	2.6	2.25	183	0.65	0.02
L860623		1.22	18.6	1.74	1.18	0.05	0.23	0.13	0.026	0.22	6.3	2.7	3.63	274	0.45	0.02
L860624		1.46	25.7	2.21	1.32	0.06	0.21	0.12	0.028	0.25	7.0	5.8	3.41	279	0.57	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179907

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L860589		0.15	5.1	490	4.9	4.3	0.001	0.32	1.59	2.7	0.4	<0.2	2760	<0.01	0.03	1.9
L860590		0.14	4.5	500	4.2	3.8	0.001	0.20	1.58	2.8	0.4	<0.2	3160	<0.01	0.03	1.9
L860591		0.14	4.0	310	3.7	3.0	0.001	0.05	0.95	2.7	0.3	<0.2	2670	<0.01	0.02	1.4
L860592		0.15	5.1	370	4.7	3.2	0.001	0.11	1.63	2.8	0.4	<0.2	2670	<0.01	0.02	1.3
L860593		0.16	4.1	320	3.9	2.8	0.002	0.23	2.25	2.3	0.6	<0.2	2500	<0.01	0.03	1.0
L860594		0.12	2.3	190	1.3	1.8	<0.001	0.03	0.05	0.4	0.2	<0.2	55.9	<0.01	0.01	<0.2
L860595		0.16	5.6	180	4.6	2.9	0.001	0.09	2.30	2.4	0.6	0.2	869	<0.01	0.02	0.9
L860596		0.11	15.6	550	12.5	7.8	0.009	0.16	6.28	5.6	2.2	0.7	784	<0.01	0.06	3.0
L860597		0.24	27.1	450	>10000	3.3	0.010	2.41	423	4.7	1.8	1.5	27.9	<0.01	1.11	0.9
L860598		0.07	20.2	710	17.1	8.4	0.010	0.18	7.36	6.6	1.8	0.5	690	<0.01	0.06	3.7
L860599		0.07	22.5	740	16.2	10.0	0.009	0.23	8.11	7.1	2.5	1.0	526	<0.01	0.07	3.9
L860600		0.06	19.1	530	15.1	7.4	0.010	0.95	5.62	5.6	3.9	0.7	366	<0.01	0.05	2.9
L860601		0.07	15.3	270	13.0	6.1	0.008	0.69	5.15	4.9	2.5	1.0	426	<0.01	0.04	2.1
L860602		0.12	5.0	360	4.8	2.2	0.004	0.56	2.55	1.9	1.0	0.2	1140	<0.01	0.02	0.9
L860603		0.12	9.5	480	7.4	4.4	0.009	0.69	4.98	3.6	1.6	0.4	1145	<0.01	0.04	1.8
L860604		0.07	16.7	490	13.4	6.8	0.009	0.90	5.53	5.0	2.7	0.4	348	<0.01	0.03	2.9
L860605		0.07	16.8	480	13.1	7.0	0.009	0.91	5.31	4.9	2.5	0.5	341	<0.01	0.04	2.8
L860606		0.08	12.6	500	11.1	5.8	0.007	1.21	5.25	3.9	2.5	0.4	421	<0.01	0.03	2.5
L860607		0.08	11.4	440	10.1	5.8	0.005	0.79	4.90	4.1	1.8	0.7	515	<0.01	0.03	2.3
L860608		0.09	11.6	570	9.0	8.6	0.006	0.55	3.30	4.1	1.0	0.3	577	<0.01	0.03	2.8
L860609		0.09	10.4	540	8.8	7.6	0.002	0.32	5.37	5.1	0.9	0.4	553	<0.01	0.03	3.8
L860610		0.10	13.3	490	10.2	5.1	0.008	0.48	3.89	4.2	2.1	0.5	822	<0.01	0.05	2.8
L860611		0.12	15.2	490	12.4	6.1	0.018	0.68	3.50	4.9	2.3	0.2	1315	<0.01	0.04	3.4
L860612		0.12	8.2	520	7.6	5.2	0.002	0.23	2.22	4.1	0.7	0.2	1125	<0.01	0.02	3.4
L860613		0.14	5.6	380	6.0	3.6	0.001	0.25	1.42	2.6	0.7	<0.2	1105	<0.01	0.02	2.2
L860614		0.14	4.8	340	5.1	2.7	0.002	0.19	1.23	2.2	0.7	<0.2	1095	<0.01	0.02	1.9
L860615		0.16	2.6	220	3.8	1.4	0.001	0.06	0.93	1.3	0.4	<0.2	1490	<0.01	0.02	1.1
L860616		0.07	73.1	880	20.7	13.2	0.040	2.04	11.35	3.3	6.5	2.2	34.3	<0.01	0.78	2.0
L860617		0.15	3.9	340	4.3	1.9	0.001	0.08	1.21	1.7	0.5	<0.2	1750	<0.01	0.02	1.5
L860618		0.15	3.0	190	1.3	2.1	0.001	0.02	<0.05	0.4	0.2	<0.2	54.0	<0.01	0.01	<0.2
L860619		0.08	10.6	320	8.0	5.0	0.004	0.38	4.63	3.9	1.7	1.0	439	<0.01	0.03	2.1
L860620		0.10	9.4	270	12.3	4.5	0.001	0.42	13.00	3.7	1.1	0.9	504	<0.01	0.03	2.1
L860621		0.12	13.8	120	17.1	4.8	0.010	0.52	4.67	4.6	1.9	1.0	562	<0.01	0.03	1.8
L860622		0.09	11.5	300	15.6	5.7	0.002	0.16	1.78	4.5	1.9	1.2	1015	<0.01	0.01	2.4
L860623		0.06	17.3	490	15.3	8.3	<0.001	0.27	0.79	6.0	3.3	0.4	452	<0.01	0.01	5.1
L860624		0.05	20.9	520	12.7	9.9	0.001	0.38	0.88	6.2	2.5	0.3	410	<0.01	0.01	5.2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179907

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46	Pb- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Pb %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001
L860589		<0.005	0.04	1.07	5	<0.05	4.67	19	4.1		
L860590		<0.005	0.03	0.93	3	<0.05	5.28	19	3.6		
L860591		<0.005	0.03	1.49	3	<0.05	4.94	16	3.3		
L860592		<0.005	0.04	1.24	4	<0.05	5.06	17	3.6		
L860593		<0.005	0.05	1.23	3	<0.05	3.95	14	3.1		
L860594		<0.005	<0.02	0.44	2	<0.05	0.83	12	<0.5		
L860595		<0.005	0.07	1.24	5	<0.05	4.42	17	3.3		
L860596		<0.005	0.13	1.60	12	<0.05	9.38	45	7.8		
L860597		0.091	0.20	0.69	42	0.26	6.53	5010	6.7	102	1.060
L860598		<0.005	0.15	1.74	14	<0.05	11.00	61	9.1		
L860599		<0.005	0.18	1.73	17	<0.05	11.40	69	10.0		
L860600		<0.005	0.15	1.33	17	<0.05	10.35	54	8.7		
L860601		<0.005	0.18	1.32	20	0.08	8.79	47	7.9		
L860602		<0.005	0.08	2.89	8	<0.05	7.06	15	2.9		
L860603		<0.005	0.13	3.29	10	<0.05	7.85	28	5.5		
L860604		<0.005	0.17	1.55	15	<0.05	9.43	54	8.9		
L860605		<0.005	0.18	1.53	15	<0.05	9.35	47	8.8		
L860606		<0.005	0.17	1.65	14	<0.05	9.14	38	7.6		
L860607		<0.005	0.19	1.93	15	<0.05	9.99	38	7.4		
L860608		<0.005	0.12	3.13	15	<0.05	9.04	32	8.3		
L860609		<0.005	0.13	2.97	16	<0.05	8.84	36	10.1		
L860610		<0.005	0.15	3.64	21	<0.05	10.45	61	9.1		
L860611		<0.005	0.18	6.01	23	<0.05	9.03	47	9.6		
L860612		<0.005	0.12	5.93	10	<0.05	8.42	34	10.1		
L860613		<0.005	0.07	5.85	7	<0.05	7.02	22	7.3		
L860614		<0.005	0.05	5.44	6	<0.05	6.39	19	6.3		
L860615		<0.005	0.02	3.87	3	<0.05	4.21	11	3.6		
L860616		<0.005	2.38	1.92	62	2.39	7.45	144	7.9		
L860617		<0.005	0.03	4.85	4	<0.05	5.32	14	5.2		
L860618		<0.005	<0.02	0.48	1	<0.05	1.07	12	<0.5		
L860619		<0.005	0.13	2.11	15	<0.05	8.67	34	6.9		
L860620		<0.005	0.12	3.57	14	<0.05	9.18	32	6.6		
L860621		<0.005	0.29	5.89	29	<0.05	9.47	123	8.1		
L860622		<0.005	0.15	5.25	17	<0.05	8.10	94	8.4		
L860623		<0.005	0.10	1.02	9	<0.05	9.33	70	8.6		
L860624		<0.005	0.12	0.85	10	<0.05	8.74	71	8.1		

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179907

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 22- AUG- 2012
 Account: MTT

CERTIFICATE WH12179910

Project: Scarlet East
 P.O. No.: Batch 11
 This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1- AUG- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER


SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%<2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um
LOG- 22d	Sample login - Rcd w/o BarCode dup
SPL- 21d	Split sample - duplicate
PUL- 31d	Pulverize Split - duplicate
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179910

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR															
L860625		6.46	0.006	0.05	0.37	45.9	<0.2	<10	70	0.71	0.18	5.45	0.18	20.0	10.9	11
L860626		8.00	0.005	0.05	0.28	36.9	<0.2	<10	100	0.38	0.12	5.79	0.14	15.40	5.7	9
L860627		8.40	0.010	0.05	0.25	71.2	<0.2	<10	220	0.40	0.10	5.79	0.19	15.20	5.0	11
L860628		5.02	0.006	0.03	0.24	45.1	<0.2	<10	100	0.31	0.10	5.91	0.11	20.0	4.7	8
L860629		0.27	1.140	0.70	0.47	224	<0.2	<10	90	0.86	8.01	15.35	1.91	20.8	4.2	21
L860630		3.48	0.008	0.09	0.21	28.8	<0.2	<10	60	0.27	0.13	6.05	0.08	18.50	5.6	7
L860631		7.90	0.005	0.04	0.21	19.4	<0.2	<10	50	0.34	0.10	8.14	0.10	13.25	4.2	5
L860632		3.28	0.003	0.05	0.37	25.2	<0.2	<10	90	0.78	0.22	7.84	0.10	26.9	11.0	11
L860633		6.30	0.005	0.09	0.31	12.3	<0.2	<10	100	0.65	0.17	8.18	0.08	20.3	9.2	9
L860634		5.93	0.004	0.03	0.31	5.8	<0.2	<10	120	0.64	0.13	7.37	0.09	18.65	7.4	11
L860635		3.19	0.005	0.06	0.30	12.0	<0.2	<10	80	0.64	0.13	8.28	0.14	22.4	9.7	8
L860636		<0.02	0.006	0.06	0.31	11.8	<0.2	<10	80	0.65	0.13	8.35	0.13	22.8	9.6	7
L860637		9.37	0.004	0.05	0.24	12	<0.2	<10	50	0.51	0.10	15.35	0.09	21.0	5.8	6
L860638		10.25	0.004	0.06	0.29	15	<0.2	<10	50	0.66	0.12	11.50	0.07	21.5	6.8	8
L860639		3.04	0.005	0.09	0.29	18.5	<0.2	<10	40	0.72	0.13	8.72	0.20	18.20	9.7	9
L860640		5.82	0.001	0.02	0.35	18.5	<0.2	<10	60	0.73	0.17	7.12	0.16	16.50	7.7	15
L860641		9.52	0.005	0.04	0.36	16.5	<0.2	<10	80	0.70	0.17	7.26	0.10	15.50	9.2	16
L860642		1.08	0.002	0.03	0.10	18	<0.2	<10	40	0.20	0.04	>25.0	0.04	9.11	1.9	1
L860643		1.04	0.003	0.03	0.13	15	<0.2	<10	50	0.26	0.05	>25.0	0.05	12.40	2.4	2
L860644		2.97	0.001	0.01	0.03	4	<0.2	<10	10	<0.05	0.03	18.90	0.05	1.08	0.8	<1
L860645		1.79	0.003	0.07	0.11	126	<0.2	<10	30	0.35	0.05	>25.0	0.18	10.15	2.2	2
L860646		2.16	0.003	0.08	0.26	244	<0.2	<10	40	0.71	0.10	23.9	0.09	18.70	2.0	4
L860647		3.98	0.003	0.04	0.14	120	<0.2	<10	40	0.33	0.05	>25.0	0.04	8.90	0.8	3
L860648		1.52	0.003	0.04	0.09	103	<0.2	<10	30	0.33	0.03	>25.0	0.19	12.30	0.9	2
L860649		0.20	3.85	1.48	0.32	654	<0.2	<10	50	0.31	4.47	2.02	1.79	4.85	7.6	19
L860650		1.50	0.005	0.13	0.22	168	<0.2	<10	40	0.65	0.12	21.9	0.27	17.80	2.5	4
L860651		3.02	0.004	0.14	0.47	428	<0.2	<10	50	1.31	0.27	5.12	0.49	25.3	5.0	11
L860652		2.46	0.003	0.06	0.07	78	<0.2	<10	30	0.28	0.03	>25.0	0.14	9.31	0.9	2
L860653		1.53	0.002	0.14	0.38	485	<0.2	<10	50	1.39	0.30	3.08	0.35	20.2	3.4	9
L860654		2.87	0.003	0.11	0.30	277	<0.2	<10	50	0.78	0.18	15.95	0.24	14.20	2.2	7
L860655		1.32	0.004	0.09	0.28	308	<0.2	<10	40	0.79	0.18	15.45	0.28	14.70	2.3	7
L860656		4.89	0.006	0.21	0.23	349	<0.2	<10	30	0.75	0.13	17.00	1.01	20.6	2.9	5
L860657		4.31	0.001	0.01	0.04	3	<0.2	<10	10	<0.05	0.03	18.75	0.05	1.08	0.6	1
L860658		5.91	0.005	0.14	0.15	169	<0.2	<10	30	0.49	0.07	24.0	0.67	21.1	2.1	3
L860659		3.52	0.003	0.07	0.22	287	<0.2	<10	30	0.79	0.15	19.60	0.76	25.1	2.5	5
L860660		3.09	0.005	0.12	0.28	293	<0.2	<10	50	0.87	0.16	16.80	0.45	27.4	3.7	5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179910

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
L860625		1.66	32.3	2.65	1.16	0.05	0.21	0.16	0.031	0.22	8.0	3.8	3.36	248	0.57	0.03
L860626		1.07	13.2	1.42	0.81	<0.05	0.24	0.14	0.023	0.14	5.8	1.9	2.89	219	0.33	0.03
L860627		0.86	10.8	1.37	0.73	<0.05	0.26	0.16	0.019	0.11	5.5	1.6	2.91	220	0.29	0.03
L860628		0.85	11.0	1.42	0.67	<0.05	0.24	0.10	0.021	0.13	7.6	1.8	2.97	204	0.26	0.03
L860629		2.31	67.6	2.17	2.74	0.07	0.21	1.99	0.587	0.14	13.8	5.0	3.07	1490	66.5	0.03
L860630		0.85	11.5	1.27	0.61	<0.05	0.25	0.13	0.019	0.11	7.0	1.3	3.08	221	0.53	0.03
L860631		0.62	8.4	1.21	0.58	<0.05	0.18	0.09	0.016	0.12	4.9	2.0	4.62	318	0.70	0.03
L860632		1.40	26.2	2.36	1.37	0.07	0.17	0.16	0.035	0.20	11.3	10.8	4.94	262	0.83	0.04
L860633		0.94	27.2	2.03	0.98	0.05	0.26	0.24	0.027	0.16	8.5	5.7	4.68	298	0.82	0.03
L860634		0.86	26.7	1.97	1.11	<0.05	0.18	0.19	0.027	0.16	7.7	7.8	4.24	258	0.60	0.03
L860635		1.09	23.1	1.88	0.92	<0.05	0.27	0.13	0.024	0.17	9.1	6.3	4.64	283	0.80	0.03
L860636		1.10	24.5	1.89	0.91	0.05	0.30	0.11	0.026	0.17	8.9	6.2	4.67	285	0.82	0.03
L860637		0.84	17.9	1.47	0.66	<0.05	0.25	0.07	0.022	0.12	8.5	2.6	3.29	259	0.42	0.03
L860638		0.80	20.7	1.81	0.90	0.05	0.32	0.11	0.022	0.15	8.5	2.6	4.05	260	0.70	0.03
L860639		0.98	24.4	2.07	0.92	<0.05	0.33	0.16	0.026	0.15	6.9	2.7	4.65	314	1.11	0.03
L860640		0.99	21.9	1.94	1.45	<0.05	0.17	0.13	0.029	0.16	6.9	4.2	4.39	285	0.48	0.04
L860641		0.89	23.4	1.94	1.57	<0.05	0.17	0.15	0.027	0.16	6.4	5.0	4.69	305	0.56	0.03
L860642		0.28	9.7	0.43	0.27	<0.05	0.02	0.20	0.006	0.05	4.5	1.1	0.43	83	0.41	0.03
L860643		0.35	7.9	0.52	0.36	<0.05	0.04	0.40	0.008	0.06	5.7	1.4	0.59	103	0.41	0.03
L860644		0.24	2.0	0.41	0.10	<0.05	<0.02	0.01	<0.005	0.02	0.5	0.8	11.85	200	0.05	0.03
L860645		0.31	7.9	0.63	0.35	<0.05	0.08	0.25	0.008	0.05	6.0	0.9	0.33	143	0.67	0.03
L860646		1.09	12.3	0.86	0.75	<0.05	0.22	0.21	0.016	0.11	9.4	1.9	0.16	52	0.69	0.03
L860647		0.54	6.9	0.41	0.35	<0.05	0.12	0.19	0.008	0.05	4.9	1.3	0.18	37	0.29	0.03
L860648		0.27	5.5	0.48	0.29	<0.05	0.07	0.39	0.005	0.04	7.8	0.9	0.16	81	0.46	0.03
L860649		1.75	68.3	2.79	1.15	<0.05	0.21	5.37	0.142	0.17	2.5	1.7	0.83	283	26.8	0.02
L860650		0.80	18.7	1.11	0.61	<0.05	0.18	1.40	0.018	0.12	9.3	1.5	0.20	122	0.93	0.03
L860651		1.81	59.6	2.78	1.58	0.05	0.44	0.43	0.046	0.22	9.8	3.1	0.11	55	2.21	0.01
L860652		0.15	4.6	0.44	0.21	<0.05	0.07	0.43	<0.005	0.03	5.0	0.6	0.63	183	0.46	0.02
L860653		2.19	62.2	2.59	1.18	0.05	0.40	0.54	0.042	0.17	7.8	4.7	0.07	44	2.19	0.01
L860654		1.36	41.8	1.53	0.86	<0.05	0.29	0.46	0.030	0.14	7.1	3.3	0.18	82	1.48	0.02
L860655		1.34	41.8	1.59	0.80	<0.05	0.31	0.53	0.026	0.13	7.4	2.8	0.16	89	1.63	0.02
L860656		0.67	24.7	1.62	0.69	<0.05	0.33	0.87	0.023	0.10	9.0	1.7	0.20	120	1.90	0.01
L860657		0.20	3.1	0.45	0.08	<0.05	<0.02	0.01	<0.005	0.02	0.5	0.7	11.95	210	0.06	0.02
L860658		0.46	11.8	0.79	0.44	<0.05	0.21	0.57	0.012	0.06	10.2	2.1	0.45	193	0.88	0.01
L860659		0.97	25.2	1.24	0.71	<0.05	0.27	0.30	0.020	0.10	12.3	4.3	0.12	122	1.14	0.01
L860660		1.02	24.5	1.36	0.76	<0.05	0.41	0.75	0.026	0.13	11.2	4.2	0.14	144	1.21	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179910

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L860625		<0.05	28.6	590	13.3	9.4	<0.001	0.42	0.99	7.3	2.4	0.4	388	<0.01	0.01	6.1
L860626		<0.05	12.8	610	11.5	6.0	<0.001	0.14	0.72	4.7	1.3	0.3	281	<0.01	0.01	4.8
L860627		<0.05	11.9	430	11.5	4.9	<0.001	0.11	0.70	4.3	1.7	0.4	309	<0.01	0.01	4.0
L860628		<0.05	12.3	590	10.3	5.4	<0.001	0.11	0.54	4.2	1.2	0.3	280	<0.01	0.01	5.0
L860629		0.05	67.7	1030	17.2	12.2	0.047	0.88	6.61	3.5	3.4	2.8	196.5	<0.01	0.31	3.4
L860630		<0.05	11.6	590	14.2	4.9	<0.001	0.14	1.10	4.1	0.9	0.3	250	<0.01	0.01	4.8
L860631		<0.05	9.1	320	8.4	4.7	<0.001	0.06	0.46	3.5	1.0	0.2	312	<0.01	<0.01	3.0
L860632		<0.05	27.4	520	10.7	9.2	<0.001	0.08	0.74	7.8	4.2	0.3	402	<0.01	0.02	6.3
L860633		<0.05	20.7	480	13.2	7.1	<0.001	0.17	0.71	6.3	3.3	0.3	459	<0.01	0.02	5.2
L860634		<0.05	21.0	310	9.6	7.2	<0.001	0.06	0.35	6.4	2.1	0.3	428	<0.01	0.01	4.3
L860635		<0.05	19.9	580	12.1	7.8	<0.001	0.32	0.70	5.9	2.7	0.2	413	<0.01	0.01	5.8
L860636		<0.05	19.7	590	11.6	7.8	<0.001	0.30	0.71	5.8	3.2	0.2	414	<0.01	0.02	5.7
L860637		<0.05	11.9	420	11.3	5.3	<0.001	0.18	0.44	4.8	1.0	0.2	592	<0.01	0.02	4.8
L860638		<0.05	14.4	470	12.5	6.7	<0.001	0.31	0.65	5.5	1.6	0.3	393	<0.01	0.02	5.4
L860639		<0.05	19.7	510	11.6	7.0	<0.001	0.44	0.96	6.1	1.6	0.3	372	<0.01	0.02	5.4
L860640		<0.05	21.1	290	7.5	7.5	<0.001	0.13	0.38	6.1	2.2	0.3	305	<0.01	0.01	3.7
L860641		<0.05	20.7	260	10.3	7.7	<0.001	0.15	0.52	6.2	3.9	0.4	299	<0.01	<0.01	3.5
L860642		<0.05	5.2	150	5.0	2.4	<0.001	0.05	0.37	1.6	0.8	<0.2	2160	<0.01	0.01	0.9
L860643		<0.05	4.9	460	4.3	3.0	<0.001	0.09	0.39	2.1	0.8	<0.2	1710	<0.01	0.03	1.4
L860644		<0.05	1.7	160	1.6	1.1	<0.001	0.02	0.12	0.2	<0.2	<0.2	46.7	<0.01	<0.01	<0.2
L860645		<0.05	4.2	250	4.6	2.3	<0.001	0.03	2.59	3.2	0.6	0.2	1135	<0.01	0.02	1.2
L860646		<0.05	6.6	1220	6.5	4.9	<0.001	0.01	7.03	3.2	0.4	0.2	1660	<0.01	0.04	3.4
L860647		<0.05	3.0	510	3.5	2.3	<0.001	0.01	2.94	1.6	0.4	<0.2	2070	<0.01	0.03	1.4
L860648		<0.05	2.5	760	5.0	1.8	<0.001	0.01	3.47	3.0	0.4	<0.2	1660	<0.01	0.02	1.1
L860649		<0.05	69.0	800	19.1	13.2	0.032	1.90	9.88	3.1	5.8	2.0	34.8	<0.01	0.72	2.0
L860650		<0.05	8.3	430	10.3	4.7	<0.001	0.01	3.57	4.6	0.8	0.3	1280	<0.01	0.05	2.8
L860651		<0.05	20.2	1050	25.5	8.9	<0.001	0.02	10.70	8.2	0.8	2.5	260	<0.01	0.14	6.2
L860652		<0.05	2.4	140	4.4	1.1	<0.001	0.02	1.83	1.6	<0.2	<0.2	982	<0.01	0.02	0.8
L860653		<0.05	16.4	820	25.5	7.3	0.001	0.02	13.50	8.2	0.7	1.0	82.7	<0.01	0.08	5.5
L860654		<0.05	9.8	670	15.7	5.6	0.001	0.03	7.74	5.8	0.5	1.0	727	<0.01	0.06	3.3
L860655		<0.05	10.2	740	16.7	5.4	<0.001	0.03	8.44	5.6	0.7	0.9	709	<0.01	0.06	3.3
L860656		<0.05	9.7	810	13.7	3.9	<0.001	0.02	8.85	6.3	0.7	0.8	222	<0.01	0.03	3.6
L860657		<0.05	2.0	170	1.4	0.9	<0.001	0.03	0.05	0.2	<0.2	<0.2	44.6	<0.01	0.02	<0.2
L860658		<0.05	5.7	360	9.6	2.4	<0.001	0.02	4.65	4.2	<0.2	0.3	439	<0.01	0.02	2.9
L860659		<0.05	9.3	510	13.1	4.1	<0.001	0.02	8.62	5.4	0.7	0.5	271	<0.01	0.02	4.3
L860660		<0.05	11.2	730	17.8	5.0	<0.001	0.02	6.39	4.6	0.5	0.8	320	<0.01	0.03	5.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179910

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L860625		<0.005	0.09	0.91	10	<0.05	9.60	95	8.6
L860626		<0.005	0.07	0.52	7	<0.05	7.77	48	8.4
L860627		<0.005	0.08	0.46	8	<0.05	6.11	44	9.0
L860628		<0.005	0.05	0.59	6	<0.05	7.26	46	7.7
L860629		<0.005	0.81	11.85	132	15.15	18.10	374	8.3
L860630		<0.005	0.06	0.58	5	<0.05	6.86	42	8.0
L860631		<0.005	0.04	0.73	5	<0.05	5.90	40	6.1
L860632		<0.005	0.10	1.25	13	<0.05	10.35	94	7.4
L860633		<0.005	0.06	1.45	10	<0.05	10.05	75	9.7
L860634		<0.005	0.05	1.08	11	<0.05	8.59	83	7.3
L860635		<0.005	0.06	1.41	8	<0.05	10.40	76	10.9
L860636		<0.005	0.06	1.42	8	<0.05	10.75	73	10.8
L860637		<0.005	0.04	4.56	6	<0.05	9.38	54	9.5
L860638		<0.005	0.06	2.83	7	<0.05	9.29	63	10.6
L860639		<0.005	0.06	2.36	9	<0.05	10.20	65	11.6
L860640		<0.005	0.06	1.14	13	<0.05	7.82	81	6.5
L860641		<0.005	0.07	1.01	15	<0.05	7.89	75	6.7
L860642		<0.005	0.03	1.07	3	0.10	4.24	13	1.4
L860643		<0.005	0.04	1.56	3	<0.05	6.17	16	2.4
L860644		<0.005	<0.02	0.45	2	<0.05	0.85	11	<0.5
L860645		<0.005	0.05	2.04	8	0.08	10.35	15	5.0
L860646		<0.005	0.09	1.42	7	0.14	8.40	26	8.8
L860647		<0.005	0.03	1.06	4	0.05	4.69	10	4.4
L860648		<0.005	0.04	1.22	4	<0.05	10.50	10	3.0
L860649		<0.005	2.36	1.84	57	2.43	7.16	133	7.8
L860650		<0.005	0.06	1.61	7	<0.05	10.70	31	6.6
L860651		<0.005	0.18	1.51	19	0.07	14.55	85	14.5
L860652		<0.005	0.02	2.95	4	<0.05	7.97	8	2.7
L860653		<0.005	0.18	1.57	18	0.17	15.85	86	14.3
L860654		<0.005	0.10	2.22	14	0.11	11.90	49	10.8
L860655		<0.005	0.10	2.22	14	0.08	12.30	51	10.7
L860656		<0.005	0.15	1.75	13	<0.05	20.1	47	10.2
L860657		<0.005	<0.02	0.55	1	<0.05	0.84	12	<0.5
L860658		<0.005	0.07	2.80	6	<0.05	14.70	34	6.9
L860659		<0.005	0.10	2.20	11	<0.05	14.00	59	9.2
L860660		<0.005	0.15	3.19	15	<0.05	13.00	67	13.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12179910

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 26- AUG- 2012
 Account: MTT

CERTIFICATE WH12185223

Project: Scarlet East
 P.O. No.: Batch 13
 This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7- AUG- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER


SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%<2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um
LOG- 22d	Sample login - Rcd w/o BarCode dup
SPL- 21d	Split sample - duplicate
PUL- 31d	Pulverize Split - duplicate
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185223

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
L860697		3.03	0.003	0.73	0.27	240	<0.2	<10	130	0.58	0.09	22.0	0.25	14.65	2.2	17
L860698		4.92	0.003	0.61	0.25	208	<0.2	<10	50	0.49	0.06	23.3	0.30	21.2	1.6	5
L860699		4.81	0.001	0.09	0.27	213	<0.2	<10	60	0.52	0.06	17.45	0.26	24.0	1.5	4
L860700		7.16	0.001	0.05	0.22	146	<0.2	<10	120	0.36	0.05	16.90	0.11	13.10	1.1	5
L860701		3.94	0.002	0.09	0.36	279	<0.2	<10	70	0.67	0.10	11.80	0.12	25.4	2.2	5
L860702		8.77	0.001	0.03	0.06	28	<0.2	<10	50	0.10	0.01	>25.0	0.08	4.62	0.4	2
L860703		5.15	0.002	0.07	0.24	153	<0.2	<10	80	0.41	0.06	>25.0	0.20	16.20	1.4	4
L860704		3.08	<0.001	0.01	0.04	<2	<0.2	<10	10	<0.05	0.07	18.30	0.06	1.02	0.6	1
L860705		4.79	0.005	0.12	0.14	55	<0.2	<10	40	0.23	0.03	24.5	0.09	9.91	1.4	3
L860706		6.29	0.005	0.07	0.27	115	<0.2	<10	70	0.39	0.06	21.1	0.11	17.70	2.6	4
L860707		8.19	0.004	0.06	0.29	42	<0.2	<10	60	0.38	0.06	21.2	0.11	19.15	3.4	4
L860708		7.68	0.004	0.06	0.45	59	<0.2	10	60	0.64	0.12	10.80	0.19	29.6	6.2	6
L860709		0.20	3.94	1.36	0.31	625	<0.2	<10	50	0.33	4.10	1.94	1.79	4.07	6.8	18
L860710		8.74	0.003	0.11	0.23	189	<0.2	<10	70	0.33	0.06	>25.0	0.11	15.65	2.6	4
L860711		<0.02	0.004	0.09	0.24	186	<0.2	<10	70	0.36	0.05	>25.0	0.11	15.50	2.5	3
L860712		9.04	0.003	0.07	0.22	228	<0.2	<10	60	0.41	0.05	23.7	0.11	16.60	2.5	3
L860713		2.29	0.004	0.11	0.30	287	<0.2	<10	70	0.50	0.06	18.55	0.15	25.3	4.2	4
L860714		6.10	0.002	0.10	0.24	43	<0.2	<10	60	0.50	0.06	20.0	0.11	19.80	4.0	4
L860715		9.53	0.005	0.11	0.25	35	<0.2	<10	60	0.47	0.06	16.05	0.13	22.1	3.9	4
L860716		5.80	0.004	0.04	0.41	19	<0.2	<10	70	0.62	0.12	10.55	0.25	25.0	7.2	5
L860717		5.87	0.003	0.05	0.21	95	<0.2	<10	90	0.34	0.05	22.2	0.16	18.05	2.7	3
L860718		0.20	1.140	0.91	0.45	229	<0.2	<10	90	1.07	8.25	15.75	2.14	21.2	4.3	21
L860719		2.74	0.004	0.18	0.22	309	<0.2	<10	90	0.38	0.05	22.3	0.20	21.1	3.2	3
L860720		2.91	0.003	0.09	0.07	15	<0.2	<10	80	0.19	0.02	>25.0	0.07	8.42	1.2	1
L860721		8.60	0.006	0.13	0.12	18	<0.2	<10	70	0.23	0.03	24.5	0.11	11.10	2.0	2
L860722		4.94	0.001	0.11	0.41	8	<0.2	<10	120	0.97	0.21	16.70	0.05	22.3	9.8	4
L860723		5.09	0.002	0.05	0.49	11	<0.2	10	160	1.09	0.23	13.70	0.06	18.65	9.8	4
L860724		9.82	0.001	0.04	0.41	10	<0.2	10	100	1.00	0.23	14.35	0.06	18.70	10.1	4
L860725		10.01	0.001	0.04	0.50	13	<0.2	10	120	1.17	0.26	12.25	0.05	16.05	11.7	4
L860726		3.97	0.001	0.02	0.03	<2	<0.2	<10	10	<0.05	0.02	18.15	0.05	1.09	0.6	<1
L860727		9.94	0.002	0.03	0.45	8	<0.2	10	190	1.10	0.27	11.10	0.05	16.25	12.7	4
L860728		10.31	0.001	0.03	0.41	9	<0.2	10	160	0.94	0.23	12.75	0.05	16.00	10.7	4
L860729		9.55	0.002	0.04	0.40	15	<0.2	<10	110	1.09	0.22	14.30	0.06	19.95	11.0	3
L860730		4.33	0.002	0.03	0.42	16	<0.2	10	100	1.00	0.24	13.75	0.05	18.45	11.2	4
L860731		9.88	0.002	0.04	0.42	21	<0.2	10	110	1.00	0.25	10.95	0.06	11.70	10.7	4
L860732		6.22	0.001	0.04	0.43	20	<0.2	10	120	0.98	0.24	13.15	0.06	15.90	9.4	4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185223

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
L860697		0.69	32.7	1.20	0.78	<0.05	0.27	0.28	0.017	0.14	6.8	2.8	0.13	93	4.52	0.02
L860698		0.34	14.2	0.85	0.69	<0.05	0.28	0.30	0.012	0.11	9.6	2.4	0.13	93	1.52	0.02
L860699		0.39	11.2	0.79	0.72	<0.05	0.29	0.24	0.013	0.11	11.5	3.2	0.11	87	0.39	0.01
L860700		0.37	7.4	0.62	0.57	<0.05	0.23	0.34	0.009	0.08	5.9	2.7	0.29	116	0.44	0.01
L860701		0.51	15.4	1.19	0.92	0.05	0.40	0.42	0.017	0.18	9.8	3.2	0.64	110	0.45	0.01
L860702		0.11	2.3	0.15	0.14	<0.05	0.05	0.14	<0.005	0.02	3.1	0.7	0.16	62	0.09	0.02
L860703		0.41	9.8	0.68	0.62	0.05	0.27	0.30	0.008	0.11	8.2	2.4	0.55	108	0.37	0.02
L860704		0.26	1.4	0.43	0.10	<0.05	<0.02	<0.01	<0.005	0.02	0.5	1.0	11.40	202	0.07	0.02
L860705		0.14	3.4	0.36	0.35	<0.05	0.17	0.26	0.007	0.06	5.7	2.1	2.01	103	0.24	0.02
L860706		0.41	9.0	0.72	0.70	<0.05	0.23	0.34	0.010	0.13	8.9	3.4	1.93	142	0.33	0.02
L860707		0.42	8.6	0.80	0.70	0.05	0.21	0.12	0.011	0.13	9.5	3.4	2.96	161	0.30	0.02
L860708		0.97	19.6	1.54	1.22	0.05	0.23	0.16	0.016	0.24	14.0	5.0	4.27	253	0.66	0.02
L860709		1.71	68.4	2.72	1.01	<0.05	0.21	4.78	0.122	0.18	2.1	1.6	0.81	278	24.9	0.02
L860710		0.26	7.4	0.60	0.51	<0.05	0.19	0.34	0.009	0.09	8.3	2.7	1.06	128	0.59	0.02
L860711		0.25	7.2	0.59	0.56	<0.05	0.19	0.30	0.009	0.10	8.1	2.7	1.04	127	0.53	0.02
L860712		0.24	8.9	0.76	0.55	<0.05	0.20	0.58	0.012	0.10	9.7	2.7	1.11	156	0.32	0.01
L860713		0.30	11.0	1.04	0.78	<0.05	0.31	0.86	0.015	0.14	13.6	3.8	2.51	209	0.47	0.02
L860714		0.35	10.0	0.84	0.59	<0.05	0.23	0.24	0.009	0.12	11.0	3.4	3.08	153	0.63	0.02
L860715		0.47	9.7	0.98	0.64	<0.05	0.31	0.16	0.014	0.13	11.3	2.7	3.81	193	0.74	0.02
L860716		0.94	23.5	1.46	1.04	0.05	0.28	0.17	0.022	0.23	11.9	3.5	3.89	227	0.59	0.02
L860717		0.29	8.2	0.65	0.48	<0.05	0.21	0.25	0.010	0.10	9.4	2.2	1.64	128	0.23	0.01
L860718		2.36	72.3	2.19	2.83	0.09	0.22	2.26	0.664	0.13	14.3	6.0	3.04	1520	73.6	0.01
L860719		0.38	11.8	0.87	0.57	<0.05	0.23	0.70	0.010	0.12	10.9	2.0	0.93	153	0.42	0.01
L860720		0.11	2.7	0.34	0.17	<0.05	0.12	0.12	<0.005	0.03	5.3	1.0	0.86	84	0.41	0.01
L860721		0.20	6.4	0.48	0.29	<0.05	0.17	0.15	0.008	0.07	6.3	1.4	1.40	93	1.03	0.01
L860722		1.05	22.9	2.11	1.04	0.05	0.15	0.06	0.035	0.21	8.5	2.3	0.34	506	0.34	0.02
L860723		1.46	26.5	2.01	1.17	<0.05	0.17	0.04	0.037	0.26	7.1	2.1	0.51	552	0.19	0.02
L860724		1.56	23.5	2.04	1.02	0.05	0.17	0.06	0.033	0.23	7.2	2.0	0.66	557	0.22	0.02
L860725		2.14	27.9	2.32	1.31	<0.05	0.19	0.06	0.038	0.29	6.2	2.5	0.99	590	0.19	0.02
L860726		0.13	1.3	0.44	0.09	<0.05	<0.02	<0.01	<0.005	0.01	0.5	0.8	11.45	212	0.06	0.01
L860727		2.31	26.5	2.37	1.17	0.05	0.18	0.05	0.036	0.25	6.1	2.3	1.02	391	0.11	0.02
L860728		1.91	24.6	2.17	1.03	<0.05	0.18	0.05	0.032	0.23	6.4	2.1	0.95	655	0.16	0.02
L860729		1.91	24.9	1.79	1.10	<0.05	0.18	0.05	0.033	0.22	7.8	2.2	0.91	682	0.39	0.02
L860730		1.88	24.8	1.79	1.11	0.05	0.20	0.05	0.030	0.24	7.2	2.0	0.88	637	0.40	0.02
L860731		2.22	27.9	2.25	0.99	<0.05	0.17	0.04	0.037	0.24	4.7	1.9	1.21	469	0.22	0.02
L860732		1.61	23.0	2.03	1.08	<0.05	0.17	0.04	0.031	0.25	6.1	2.1	1.24	457	0.23	0.02

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185223

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L860697		0.11	9.7	360	10.8	4.9	0.001	0.01	6.07	3.8	0.5	0.3	1040	<0.01	0.03	2.5
L860698		0.10	6.4	270	8.8	3.8	<0.001	0.02	3.12	3.8	0.6	0.3	1085	<0.01	0.01	2.8
L860699		0.10	5.4	310	9.5	4.2	<0.001	0.01	2.67	4.1	0.3	0.3	968	<0.01	0.01	3.5
L860700		0.08	4.6	100	8.0	3.0	<0.001	0.01	2.02	2.8	0.3	0.2	854	<0.01	0.01	1.9
L860701		0.09	7.8	460	11.4	6.2	0.001	0.01	2.87	4.1	0.6	0.6	601	<0.01	0.02	5.0
L860702		0.07	2.1	100	3.7	0.8	0.001	0.02	0.48	0.8	<0.2	<0.2	3170	<0.01	0.01	0.5
L860703		0.09	5.9	280	7.5	4.2	0.001	0.02	1.85	2.8	0.5	0.3	1565	<0.01	<0.01	2.8
L860704		0.08	2.7	170	1.2	1.3	0.001	0.02	<0.05	0.3	<0.2	<0.2	46.2	<0.01	<0.01	<0.2
L860705		0.08	3.9	50	4.9	2.1	<0.001	0.02	0.35	1.3	0.2	<0.2	1650	<0.01	0.01	1.5
L860706		0.09	7.0	110	6.8	4.7	0.001	0.02	0.72	2.7	0.5	0.2	1360	<0.01	0.01	2.6
L860707		0.07	7.2	190	6.5	4.6	<0.001	0.12	0.25	2.8	1.2	0.2	1080	<0.01	0.02	3.1
L860708		0.08	12.3	400	10.1	8.5	0.002	0.20	0.25	5.3	1.6	0.4	403	<0.01	0.02	5.1
L860709		0.11	66.9	820	19.2	11.8	0.037	1.91	10.20	3.1	5.8	2.0	31.9	<0.01	0.74	1.8
L860710		0.07	6.7	120	6.5	3.2	0.002	0.05	0.50	2.2	0.9	<0.2	2020	<0.01	<0.01	2.4
L860711		0.07	6.8	120	6.2	3.4	0.001	0.05	0.49	2.2	0.7	<0.2	2010	<0.01	<0.01	2.4
L860712		<0.05	6.5	90	6.0	3.7	<0.001	0.01	0.91	2.8	0.4	<0.2	1905	<0.01	<0.01	2.4
L860713		<0.05	8.3	340	7.8	5.3	<0.001	0.03	1.03	3.4	0.6	0.2	1285	<0.01	<0.01	3.6
L860714		<0.05	7.9	240	6.4	4.6	0.001	0.19	0.35	3.0	1.0	<0.2	1815	<0.01	<0.01	3.1
L860715		<0.05	7.6	340	8.0	4.8	0.002	0.18	0.42	3.2	1.1	0.2	1075	<0.01	<0.01	3.2
L860716		<0.05	12.5	440	10.2	8.6	<0.001	0.36	0.36	5.4	1.3	0.3	610	<0.01	0.01	4.5
L860717		<0.05	5.1	260	6.0	3.6	<0.001	0.07	0.34	2.4	0.8	<0.2	1700	<0.01	<0.01	2.5
L860718		0.05	75.0	1050	19.4	11.8	0.059	0.90	7.24	4.0	3.2	3.0	206	<0.01	0.42	3.3
L860719		<0.05	7.7	260	6.5	4.2	<0.001	0.01	1.33	2.9	0.3	0.2	1910	<0.01	<0.01	2.8
L860720		<0.05	2.6	90	3.9	1.3	0.002	0.04	0.21	0.9	0.5	<0.2	2790	<0.01	<0.01	0.9
L860721		<0.05	4.6	200	5.9	2.3	0.003	0.10	0.77	1.6	0.8	<0.2	2630	<0.01	<0.01	1.7
L860722		<0.05	15.5	400	13.2	8.8	0.001	0.05	0.81	7.5	0.5	0.5	829	<0.01	0.02	4.1
L860723		<0.05	14.5	390	14.8	11.0	<0.001	0.05	0.96	7.7	1.0	0.4	629	<0.01	<0.01	4.2
L860724		<0.05	14.9	400	13.3	9.6	<0.001	0.10	1.00	7.3	0.3	0.3	708	<0.01	<0.01	4.0
L860725		<0.05	16.0	400	16.0	12.2	<0.001	0.10	0.99	8.0	<0.2	0.4	566	<0.01	0.03	4.3
L860726		<0.05	1.7	160	1.2	0.7	<0.001	0.01	<0.05	0.3	<0.2	<0.2	46.3	<0.01	<0.01	<0.2
L860727		<0.05	16.4	370	15.9	11.2	<0.001	0.08	0.87	8.2	0.3	0.3	493	<0.01	0.07	4.5
L860728		<0.05	15.4	380	15.2	10.1	<0.001	0.10	0.83	7.3	<0.2	0.3	633	<0.01	0.04	4.1
L860729		<0.05	16.6	420	15.1	10.1	<0.001	0.09	1.16	7.3	0.7	0.3	719	<0.01	0.03	4.0
L860730		<0.05	16.3	390	15.8	10.2	0.001	0.09	1.13	7.1	0.5	0.4	659	<0.01	0.02	4.2
L860731		<0.05	17.8	370	16.3	10.0	0.001	0.11	1.10	7.6	0.5	0.4	576	<0.01	0.02	3.7
L860732		<0.05	17.0	370	16.1	10.0	0.001	0.22	1.02	6.6	0.6	0.3	706	<0.01	0.01	3.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185223

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L860697		<0.005	0.13	5.45	10	0.58	9.28	36	9.5
L860698		<0.005	0.09	3.62	7	0.34	9.71	28	9.6
L860699		<0.005	0.09	2.00	6	0.06	8.78	27	10.0
L860700		<0.005	0.08	1.05	6	0.05	5.69	19	7.3
L860701		<0.005	0.14	1.88	7	<0.05	7.88	41	13.6
L860702		<0.005	0.02	7.38	4	<0.05	3.01	4	2.0
L860703		<0.005	0.08	6.54	8	<0.05	7.61	26	8.6
L860704		<0.005	<0.02	0.54	3	<0.05	0.75	11	<0.5
L860705		<0.005	0.03	6.06	5	<0.05	4.19	12	6.2
L860706		<0.005	0.07	4.36	6	<0.05	5.66	26	8.0
L860707		<0.005	0.07	5.89	9	<0.05	6.41	29	7.9
L860708		<0.005	0.17	2.95	9	<0.05	8.58	59	8.7
L860709		<0.005	2.59	1.75	56	2.15	6.45	131	7.0
L860710		<0.005	0.11	9.04	8	<0.05	5.09	21	6.7
L860711		<0.005	0.11	8.99	8	<0.05	5.04	21	6.7
L860712		<0.005	0.08	6.38	5	<0.05	6.05	29	8.7
L860713		<0.005	0.17	3.76	7	<0.05	8.10	43	12.0
L860714		<0.005	0.09	6.38	5	<0.05	6.33	33	8.3
L860715		<0.005	0.10	3.06	5	<0.05	7.05	35	11.7
L860716		<0.005	0.12	1.65	6	<0.05	8.80	53	10.1
L860717		<0.005	0.05	5.36	4	<0.05	5.65	23	8.2
L860718		<0.005	0.91	13.25	134	14.00	18.50	385	8.6
L860719		<0.005	0.17	4.23	5	<0.05	7.30	31	7.5
L860720		<0.005	0.03	7.18	3	<0.05	3.32	12	4.5
L860721		<0.005	0.07	8.79	6	<0.05	4.29	19	5.6
L860722		<0.005	0.05	1.71	5	<0.05	14.75	55	5.4
L860723		<0.005	0.06	1.39	6	<0.05	14.45	55	6.0
L860724		<0.005	0.06	1.58	5	<0.05	13.95	59	6.2
L860725		<0.005	0.07	1.51	6	<0.05	14.85	63	7.2
L860726		<0.005	<0.02	0.49	1	<0.05	0.83	11	<0.5
L860727		<0.005	0.07	1.51	6	<0.05	15.25	61	7.2
L860728		<0.005	0.05	1.66	5	<0.05	13.35	57	6.5
L860729		<0.005	0.06	1.89	5	<0.05	15.60	57	7.7
L860730		<0.005	0.06	1.88	5	<0.05	14.35	57	7.1
L860731		<0.005	0.06	1.46	5	<0.05	13.20	62	6.9
L860732		<0.005	0.05	1.72	5	<0.05	12.75	54	6.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185223

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10%on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 24- AUG- 2012
 Account: MTT

CERTIFICATE WH12185224

Project: Scarlet East
 P.O. No.: Batch 14
 This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7- AUG- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%<2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um
LOG- 22d	Sample login - Rcd w/o BarCode dup
SPL- 21d	Split sample - duplicate
PUL- 31d	Pulverize Split - duplicate
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 24- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185224

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR															
L860733		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L860734		4.63	0.003	0.03	0.47	30	<0.2	10	90	0.90	0.20	16.95	0.05	18.80	9.0	5
L860735		9.04	0.003	0.03	0.43	23	<0.2	10	730	0.76	0.20	14.90	0.07	13.65	8.8	4
L860736		4.05	0.002	0.03	0.32	17	<0.2	<10	90	0.66	0.14	17.75	0.06	14.35	7.6	3
L860737		5.58	0.001	0.03	0.36	23	<0.2	<10	90	0.76	0.16	18.60	0.03	17.35	7.6	3
L860738		9.85	0.002	0.02	0.46	24	<0.2	10	80	0.91	0.22	15.15	0.04	17.30	9.0	4
L860739		2.09	0.002	0.01	0.03	4	<0.2	<10	10	0.05	0.02	17.70	0.05	1.04	0.8	<1
L860740		5.43	0.002	0.03	0.43	34	<0.2	10	160	0.79	0.21	14.45	0.06	21.4	8.8	4
L860741		5.65	0.003	0.03	0.40	23	<0.2	<10	70	0.87	0.17	16.30	0.03	19.00	9.2	3
L860742		8.42	0.003	0.02	0.37	20	<0.2	<10	60	0.60	0.16	17.35	0.03	16.10	7.4	3
L860743		5.81	0.002	0.03	0.40	21	<0.2	<10	80	0.78	0.17	14.80	0.04	11.15	8.6	3
L860744		5.17	0.001	0.03	0.45	23	<0.2	<10	110	0.91	0.20	13.95	0.03	14.05	9.7	4
L860745		8.81	0.002	0.03	0.48	25	<0.2	10	120	0.94	0.28	11.95	0.04	8.30	11.4	4
L860746		0.20	1.110	0.69	0.48	235	<0.2	<10	90	1.10	8.44	15.40	2.13	23.1	4.5	22
L860747		8.34	0.003	0.05	0.40	20	<0.2	10	130	0.90	0.20	14.95	0.05	8.16	8.9	3
L860748		8.97	0.002	0.03	0.33	18	<0.2	<10	80	0.68	0.13	19.70	0.04	8.06	5.9	2
L860749		1.88	0.001	0.11	0.03	<2	<0.2	<10	10	<0.05	0.02	19.45	0.06	0.91	0.6	<1
L860750		9.39	0.001	0.06	0.40	17	<0.2	<10	110	0.67	0.16	19.55	0.05	11.15	7.0	3
N832201		7.12	0.002	0.05	0.40	12	<0.2	<10	110	0.59	0.15	18.05	0.06	14.00	7.2	4
N832202		6.86	0.002	0.05	0.27	12	<0.2	<10	200	0.45	0.09	22.7	0.05	12.00	5.9	3
N832203		4.82	0.003	0.03	0.25	12	<0.2	<10	90	0.40	0.11	24.5	0.03	8.18	4.7	2
N832204		5.21	0.002	0.04	0.36	14	<0.2	<10	70	0.60	0.14	22.7	0.04	12.45	5.8	3
N832205		4.35	0.003	0.02	0.26	12	<0.2	<10	50	0.47	0.10	24.0	0.03	11.55	4.0	2
N832206		9.72	0.002	0.02	0.26	12	<0.2	<10	90	0.50	0.10	22.2	0.02	12.10	3.5	3
N832207		<0.02	0.001	0.02	0.29	12	<0.2	<10	60	0.51	0.11	22.1	0.03	12.70	3.9	3
N832208		9.96	0.003	0.02	0.21	8	<0.2	<10	80	0.39	0.07	24.5	0.03	13.05	3.4	2
N832209		9.40	0.004	0.02	0.25	9	<0.2	<10	60	0.41	0.09	22.2	0.03	10.95	3.9	3
N832210		9.20	0.002	0.03	0.49	23	<0.2	<10	90	0.98	0.23	15.60	0.05	10.75	8.3	4
N832211		9.81	0.002	0.03	0.39	28	<0.2	<10	70	0.65	0.21	16.30	0.06	15.00	8.7	3
N832212		9.65	0.001	0.03	0.37	15	<0.2	<10	60	0.66	0.14	20.3	0.03	16.00	5.9	3
N832213		4.23	0.001	0.03	0.35	16	<0.2	<10	60	0.71	0.16	20.0	0.04	13.65	6.2	3
N832214		9.38	0.002	0.03	0.34	13	<0.2	<10	50	0.64	0.14	23.0	0.04	14.55	5.1	2
N832215		9.52	0.014	0.03	0.36	20	<0.2	<10	70	0.64	0.13	21.8	0.04	13.70	5.6	3
N832216		0.20	3.83	1.58	0.31	666	<0.2	<10	50	0.30	4.78	2.05	1.98	5.08	7.5	19
N832217		8.19	0.011	0.10	0.38	17	<0.2	<10	260	0.65	0.18	20.1	0.07	16.70	6.7	3
N832218		5.34	0.002	0.07	0.54	25	<0.2	<10	110	0.77	0.22	13.50	0.07	17.05	7.3	4
N832218		5.93	0.004	0.06	0.32	13	<0.2	<10	80	0.49	0.11	24.0	0.04	13.70	5.2	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 24- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185224

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
L860733		1.40	21.3	1.99	1.21	<0.05	0.15	0.04	0.029	0.27	7.9	2.4	1.11	724	0.18	0.03
L860734		1.51	23.0	1.93	1.07	<0.05	0.17	0.06	0.030	0.25	5.0	2.2	1.41	426	0.34	0.02
L860735		0.93	15.8	1.86	0.88	<0.05	0.17	0.04	0.024	0.18	5.3	2.0	0.93	305	0.22	0.02
L860736		0.91	16.6	1.67	0.92	<0.05	0.16	0.03	0.028	0.20	7.1	1.9	0.76	630	0.12	0.02
L860737		1.34	21.4	2.11	1.10	<0.05	0.16	0.05	0.030	0.26	6.5	2.3	1.12	449	0.21	0.03
L860738		0.14	2.2	0.44	0.10	<0.05	<0.02	<0.01	<0.005	0.02	0.5	0.8	11.30	204	0.06	0.01
L860739		1.24	24.9	1.85	1.19	0.05	0.18	0.07	0.032	0.24	7.4	2.4	0.91	329	0.14	0.02
L860740		1.15	21.1	1.80	1.01	<0.05	0.15	0.05	0.025	0.23	7.8	2.0	0.82	448	0.19	0.02
L860741		1.14	18.9	1.62	0.97	<0.05	0.19	0.02	0.024	0.21	6.4	2.0	0.88	552	0.34	0.02
L860742		1.14	16.8	1.88	0.98	<0.05	0.18	0.04	0.023	0.23	4.3	2.3	1.15	426	0.24	0.02
L860743		1.50	24.4	2.04	1.17	<0.05	0.19	0.04	0.031	0.26	5.3	2.4	1.18	430	0.21	0.02
L860744		1.73	36.3	1.99	1.17	<0.05	0.16	0.06	0.031	0.28	3.0	3.4	1.25	347	0.23	0.02
L860745		2.49	74.0	2.23	3.12	0.08	0.23	2.42	0.696	0.14	15.4	6.4	3.11	1540	75.7	0.01
L860746		1.30	22.9	2.23	1.05	<0.05	0.13	0.05	0.027	0.23	2.6	2.7	1.18	360	0.27	0.02
L860747		0.83	15.8	1.27	0.83	<0.05	0.12	0.03	0.020	0.18	2.9	2.1	0.76	339	0.22	0.01
L860748		0.07	3.3	0.45	0.08	<0.05	<0.02	0.01	0.006	0.01	0.4	0.6	11.40	212	0.08	0.01
L860749		1.03	16.3	1.45	0.99	<0.05	0.17	0.04	0.019	0.24	4.0	2.5	1.11	352	0.26	0.02
L860750		1.10	20.4	1.99	1.04	<0.05	0.20	0.04	0.024	0.23	4.6	2.2	1.77	249	0.21	0.02
N832201		0.61	11.2	1.46	0.76	<0.05	0.15	0.05	0.013	0.16	4.3	1.6	1.21	369	0.38	0.02
N832202		0.94	12.4	1.10	0.62	<0.05	0.14	0.04	0.014	0.15	2.7	2.0	0.63	288	0.14	0.02
N832203		1.29	15.1	1.19	0.91	0.05	0.17	0.04	0.021	0.21	4.3	2.5	0.70	355	0.16	0.02
N832204		0.77	12.8	0.89	0.70	<0.05	0.16	0.03	0.017	0.16	4.3	1.9	0.60	165	0.10	0.02
N832205		0.82	13.7	1.02	0.68	<0.05	0.12	0.04	0.015	0.16	4.7	1.8	0.76	170	0.06	0.02
N832206		0.90	13.1	1.05	0.78	<0.05	0.14	0.04	0.018	0.17	4.9	2.0	0.77	174	0.07	0.02
N832207		0.73	11.7	0.79	0.56	<0.05	0.19	0.03	0.013	0.12	5.2	1.6	0.81	189	0.10	0.02
N832208		0.92	10.8	1.60	0.64	<0.05	0.21	0.04	0.012	0.15	4.2	1.6	1.41	232	0.15	0.02
N832209		2.97	36.4	1.50	1.18	<0.05	0.16	0.04	0.026	0.30	3.9	2.6	1.06	339	0.10	0.02
N832210		1.71	21.5	1.78	0.99	<0.05	0.23	0.04	0.027	0.24	5.2	2.0	1.47	226	0.42	0.02
N832211		1.45	14.0	1.48	0.95	<0.05	0.22	0.02	0.019	0.22	6.1	1.9	1.14	633	0.17	0.02
N832212		1.59	14.6	1.59	0.85	<0.05	0.21	0.03	0.018	0.22	5.2	1.8	1.18	637	0.18	0.02
N832213		1.29	12.6	1.14	0.84	0.05	0.18	0.02	0.018	0.21	5.2	1.7	0.93	411	0.18	0.02
N832214		0.97	16.3	1.30	0.87	<0.05	0.15	0.03	0.021	0.20	5.0	1.9	0.97	471	0.25	0.02
N832215		1.81	74.1	2.88	1.16	<0.05	0.23	5.30	0.153	0.18	2.4	1.8	0.86	291	26.8	0.01
N832216		1.53	21.0	1.15	0.97	<0.05	0.21	0.05	0.020	0.23	6.0	2.0	1.12	221	0.21	0.02
N832217		2.99	23.3	1.39	1.35	<0.05	0.23	0.04	0.025	0.32	6.7	2.4	1.20	219	0.20	0.02
N832218		1.17	12.3	1.25	0.82	<0.05	0.21	0.04	0.016	0.18	5.1	1.8	1.29	314	0.36	0.02

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 24- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185224

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L860733		<0.05	17.6	360	12.7	10.6	<0.001	0.25	0.86	6.2	0.4	0.4	888	<0.01	<0.01	3.9
L860734		<0.05	14.7	290	13.5	9.9	0.001	0.27	0.93	5.7	0.2	0.3	911	<0.01	0.03	3.5
L860735		<0.05	12.3	300	11.5	7.7	0.001	0.08	1.10	5.1	0.3	0.3	1345	<0.01	0.03	3.0
L860736		<0.05	12.6	420	10.7	8.3	<0.001	0.07	1.16	5.2	<0.2	0.2	897	<0.01	<0.01	3.3
L860737		<0.05	16.5	350	13.2	10.3	<0.001	0.17	1.05	6.6	0.2	0.3	819	<0.01	0.03	3.9
L860738		<0.05	1.8	180	1.1	0.9	<0.001	0.02	<0.05	0.3	0.2	<0.2	48.7	<0.01	0.01	<0.2
L860739		<0.05	15.1	360	13.8	10.6	0.001	0.08	1.27	7.0	0.6	0.3	798	<0.01	0.05	4.1
L860740		<0.05	15.8	340	13.4	9.5	<0.001	0.21	1.30	5.8	0.8	0.3	849	<0.01	0.04	3.6
L860741		0.05	13.8	330	10.9	8.6	<0.001	0.14	1.04	5.2	0.5	0.2	1120	<0.01	0.02	3.5
L860742		<0.05	15.6	330	12.7	9.6	<0.001	0.11	1.16	5.6	<0.2	0.2	944	<0.01	0.01	3.3
L860743		<0.05	18.1	370	13.5	11.3	<0.001	0.10	1.27	6.5	<0.2	0.3	751	<0.01	0.01	3.8
L860744		<0.05	19.4	350	17.6	11.9	0.001	0.07	1.24	6.9	<0.2	0.6	738	<0.01	0.04	3.7
L860745		0.05	76.9	1080	19.8	12.5	0.062	0.92	7.68	4.2	2.7	3.3	211	<0.01	0.35	3.4
L860746		<0.05	15.4	220	12.7	9.7	0.001	0.07	1.09	5.7	0.7	0.4	1210	<0.01	0.05	2.6
L860747		<0.05	10.0	230	10.0	7.7	<0.001	0.07	0.90	4.0	0.3	0.4	1815	<0.01	0.02	2.3
L860748		<0.05	1.6	160	1.8	0.6	<0.001	0.03	<0.05	0.2	0.2	<0.2	45.1	<0.01	<0.01	0.2
L860749		<0.05	12.6	330	11.5	9.3	<0.001	0.20	1.29	4.4	0.4	0.3	1455	<0.01	0.01	3.0
L860750		<0.05	12.7	310	10.8	9.3	<0.001	0.27	1.44	4.6	0.5	0.2	1250	<0.01	0.02	3.2
N832201		<0.05	9.6	370	9.4	6.5	0.001	0.15	1.36	3.1	0.5	0.2	1445	<0.01	0.03	2.4
N832202		<0.05	7.6	260	7.3	6.0	<0.001	0.12	0.84	3.0	0.5	0.2	2210	<0.01	0.02	1.9
N832203		<0.05	11.1	370	9.3	8.6	<0.001	0.16	1.20	4.1	0.6	0.2	1750	<0.01	0.03	2.8
N832204		<0.05	7.9	360	6.6	6.5	<0.001	0.04	0.78	3.4	0.4	0.2	1870	<0.01	0.03	2.2
N832205		<0.05	7.2	360	6.7	6.3	<0.001	0.04	0.41	3.6	0.4	0.2	1585	<0.01	0.03	2.3
N832206		<0.05	7.4	360	7.1	7.1	<0.001	0.04	0.48	4.0	0.8	0.2	1565	<0.01	0.03	2.4
N832207		<0.05	6.4	420	5.7	4.8	<0.001	0.11	0.67	2.6	0.3	0.2	1835	<0.01	0.01	2.1
N832208		<0.05	7.2	360	6.7	5.9	<0.001	0.14	0.96	3.2	0.4	0.2	1735	<0.01	<0.01	2.3
N832209		<0.05	14.7	230	11.4	12.5	<0.001	0.10	1.54	5.7	0.5	0.3	879	<0.01	0.09	3.4
N832210		<0.05	16.9	310	12.9	9.7	0.001	0.32	1.90	5.5	0.5	0.2	1190	<0.01	0.05	3.9
N832211		<0.05	11.2	330	9.7	9.0	<0.001	0.16	1.57	4.2	0.5	0.2	1075	<0.01	0.02	3.1
N832212		<0.05	11.8	350	10.4	8.2	<0.001	0.16	1.68	4.2	0.5	0.2	1065	<0.01	0.03	3.3
N832213		<0.05	9.2	330	9.0	8.4	<0.001	0.13	1.43	3.7	0.6	0.2	1455	<0.01	0.04	2.8
N832214		<0.05	11.8	310	9.7	8.1	<0.001	0.22	1.62	4.0	0.7	0.2	1275	<0.01	0.04	3.1
N832215		0.05	73.8	820	20.8	13.1	0.043	1.93	11.55	3.2	5.6	2.1	31.9	<0.01	0.77	2.0
N832216		<0.05	11.6	300	11.3	9.0	0.001	0.24	2.22	4.7	0.7	0.2	1430	<0.01	0.03	3.4
N832217		<0.05	16.8	510	10.8	12.6	0.001	0.12	2.60	5.9	0.5	0.4	698	<0.01	0.05	4.7
N832218		<0.05	9.2	660	8.6	7.1	0.001	0.14	1.99	3.4	0.6	0.2	1310	<0.01	0.02	2.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 24- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185224

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L860733		<0.005	0.07	1.85	6	<0.05	13.15	55	6.2
L860734		<0.005	0.06	1.53	5	<0.05	11.40	51	6.7
L860735		<0.005	0.04	1.50	4	<0.05	11.75	44	7.9
L860736		<0.005	0.04	2.22	4	<0.05	11.60	44	5.7
L860737		<0.005	0.04	1.73	5	<0.05	12.75	54	5.9
L860738		<0.005	<0.02	0.40	1	<0.05	0.80	11	<0.5
L860739		<0.005	0.09	1.95	5	<0.05	15.85	55	6.3
L860740		<0.005	0.07	2.22	5	<0.05	12.60	48	6.0
L860741		<0.005	0.03	2.10	4	<0.05	11.55	44	7.3
L860742		<0.005	0.05	1.79	5	<0.05	11.50	47	7.1
L860743		<0.005	0.06	1.76	5	<0.05	12.70	56	6.7
L860744		<0.005	0.07	1.44	5	<0.05	11.80	61	6.6
L860745		<0.005	0.93	13.80	142	14.15	20.3	401	9.1
L860746		<0.005	0.06	1.08	5	<0.05	12.70	42	5.7
L860747		<0.005	0.04	1.07	4	<0.05	9.79	32	4.9
L860748		<0.005	<0.02	0.44	2	<0.05	0.72	13	<0.5
L860749		<0.005	0.07	1.77	5	<0.05	10.95	42	5.7
L860750		<0.005	0.07	2.18	6	<0.05	11.50	41	7.0
N832201		<0.005	0.05	2.47	4	<0.05	9.08	21	5.0
N832202		<0.005	0.04	1.09	3	<0.05	9.08	22	4.4
N832203		<0.005	0.05	1.76	4	<0.05	10.50	34	5.6
N832204		<0.005	0.05	2.00	4	<0.05	7.69	27	5.0
N832205		<0.005	0.04	1.32	4	<0.05	8.06	29	4.1
N832206		<0.005	0.04	1.28	4	<0.05	8.65	30	4.4
N832207		<0.005	0.03	1.42	3	<0.05	7.12	20	5.6
N832208		<0.005	0.04	1.87	4	<0.05	7.99	21	6.4
N832209		<0.005	0.09	2.06	5	<0.05	11.15	50	6.4
N832210		<0.005	0.07	2.19	5	<0.05	11.50	56	7.5
N832211		<0.005	0.06	2.41	5	<0.05	11.75	32	8.1
N832212		<0.005	0.06	2.49	4	<0.05	10.50	36	8.1
N832213		<0.005	0.06	1.68	4	<0.05	9.73	24	6.5
N832214		<0.005	0.05	1.74	5	<0.05	9.24	31	6.1
N832215		<0.005	2.77	1.95	59	2.57	7.28	141	7.5
N832216		<0.005	0.08	2.32	5	<0.05	10.95	43	6.5
N832217		<0.005	0.11	1.91	6	<0.05	9.48	49	8.0
N832218		<0.005	0.07	3.02	5	<0.05	8.03	15	7.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185224

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 25- AUG- 2012
 Account: MTT

CERTIFICATE WH12185225

Project: Scarlet East
 P.O. No.: Batch 12
 This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7- AUG- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%<2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um
LOG- 22d	Sample login - Rcd w/o BarCode dup
SPL- 21d	Split sample - duplicate
PUL- 31d	Pulverize Split - duplicate
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185225

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L860661		4.20	0.004	0.05	0.25	231	<0.2	<10	80	0.53	0.21	22.8	0.77	20.6	2.3	4
L860662		5.19	0.005	0.04	0.14	77	<0.2	<10	50	0.26	0.12	>25.0	0.92	13.35	0.8	2
L860663		3.28	0.012	0.13	0.27	218	<0.2	<10	100	0.71	0.15	21.1	1.24	25.4	2.0	5
L860664		<0.02	0.004	0.14	0.29	207	<0.2	<10	110	0.70	0.13	20.8	1.27	24.2	2.1	5
L860665		6.55	0.004	0.05	0.24	144	<0.2	<10	260	0.49	0.11	22.5	0.63	13.85	1.5	4
L860666		2.62	0.003	0.03	0.16	82	<0.2	<10	50	0.23	0.06	>25.0	0.38	12.70	0.9	2
L860667		7.75	0.006	0.06	0.18	99	<0.2	<10	40	0.32	0.05	>25.0	0.40	11.50	1.0	3
L860668		4.05	0.020	0.08	0.13	95	<0.2	<10	30	0.31	0.08	>25.0	0.18	11.70	0.9	3
L860669		4.62	0.005	0.05	0.13	93	<0.2	<10	30	0.29	0.05	>25.0	0.14	11.20	0.7	3
L860670		4.13	0.001	0.01	0.03	6	<0.2	<10	10	<0.05	0.04	19.70	0.07	1.20	0.6	1
L860671		6.79	0.008	0.06	0.17	136	<0.2	<10	30	0.36	0.06	>25.0	0.28	13.80	1.5	3
L860672		3.59	0.004	0.05	0.22	168	<0.2	<10	60	0.47	0.06	>25.0	0.24	13.50	1.5	3
L860673		3.06	0.003	0.05	0.32	379	<0.2	<10	70	0.84	0.16	17.50	0.26	18.80	2.2	6
L860674		5.18	0.002	0.03	0.11	87	<0.2	<10	30	0.20	0.04	>25.0	0.28	13.05	0.6	2
L860675		0.20	1.170	0.72	0.51	237	<0.2	<10	90	1.01	9.00	16.55	2.20	24.4	4.3	22
L860676		2.78	0.006	0.05	0.17	85	<0.2	<10	40	0.28	0.05	>25.0	0.25	15.15	1.0	3
L860677		2.64	0.003	0.04	0.22	128	<0.2	<10	40	0.38	0.06	>25.0	0.17	14.25	1.0	3
L860678		3.36	0.016	0.04	0.14	73	<0.2	<10	30	0.22	0.04	>25.0	0.13	7.53	0.7	3
L860679		3.93	0.004	0.04	0.13	71	<0.2	<10	20	0.21	0.04	>25.0	0.25	15.20	0.7	2
L860680		4.73	0.029	0.19	0.16	102	<0.2	<10	30	0.31	0.06	23.9	0.45	15.10	1.3	3
L860681		3.50	0.011	0.10	0.19	172	<0.2	<10	40	0.39	0.05	23.8	0.22	8.24	1.4	4
L860682		1.71	0.008	0.10	0.19	177	<0.2	<10	80	0.43	0.06	24.7	0.22	8.86	1.5	4
L860683		5.83	0.005	0.07	0.12	72	<0.2	<10	30	0.23	0.03	>25.0	0.25	8.39	1.2	3
L860684		3.91	0.001	0.06	0.34	353	<0.2	<10	40	0.83	0.10	15.85	0.37	18.45	1.8	7
L860685		3.54	0.003	0.05	0.21	219	<0.2	<10	40	0.49	0.06	22.9	0.23	22.1	1.5	4
L860686		7.01	0.002	0.04	0.17	339	<0.2	<10	30	0.49	0.06	24.6	0.33	15.30	2.4	5
L860687		2.91	0.001	0.01	0.05	<2	<0.2	<10	10	<0.05	0.02	19.45	0.05	1.11	0.6	1
L860688		4.89	0.010	0.03	0.16	276	<0.2	<10	30	0.44	0.05	>25.0	0.17	14.15	2.0	4
L860689		2.92	0.009	0.05	0.18	136	<0.2	<10	30	0.28	0.05	22.5	0.11	13.90	1.5	4
L860690		0.19	3.88	1.44	0.33	691	<0.2	<10	50	0.26	4.18	2.09	1.77	4.30	7.5	20
L860691		1.29	0.037	0.21	0.26	231	<0.2	<10	40	0.58	0.08	21.4	0.58	35.0	2.2	5
L860692		0.93	0.003	0.74	0.29	732	<0.2	<10	40	1.06	0.12	8.33	0.13	21.6	7.0	12
L860693		2.22	0.002	0.06	0.25	305	<0.2	<10	40	0.59	0.08	21.9	0.13	21.1	3.3	6
L860694		3.68	0.003	0.06	0.08	60	<0.2	<10	30	0.15	0.03	>25.0	0.14	8.02	0.8	3
L860695		2.78	0.003	0.47	0.27	323	<0.2	<10	280	0.68	0.12	17.80	0.24	15.40	2.6	40
L860696		1.83	0.004	0.14	0.11	89	<0.2	<10	70	0.23	0.04	>25.0	0.30	9.47	1.1	9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185225

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
L860661		0.77	15.5	0.88	0.71	<0.05	0.29	0.35	0.014	0.13	9.3	3.9	0.15	127	0.66	0.01
L860662		0.29	4.6	0.38	0.35	<0.05	0.15	0.44	0.006	0.07	7.7	2.5	0.18	102	0.26	0.02
L860663		0.75	14.8	1.22	0.75	0.05	0.36	0.55	0.017	0.14	11.1	2.8	0.17	99	0.64	0.01
L860664		0.69	14.8	1.19	0.78	<0.05	0.36	0.56	0.016	0.15	11.1	3.0	0.17	97	0.66	0.01
L860665		0.59	14.2	0.75	0.61	<0.05	0.30	0.28	0.011	0.13	6.9	2.5	0.21	82	0.56	0.01
L860666		0.58	11.2	0.34	0.44	<0.05	0.18	0.20	0.006	0.08	7.8	2.4	0.15	43	0.47	0.02
L860667		0.42	9.4	0.47	0.43	<0.05	0.25	0.28	0.007	0.10	6.4	2.2	0.14	56	0.36	0.02
L860668		0.33	10.3	0.43	0.33	<0.05	0.20	0.67	0.006	0.07	5.9	2.1	0.16	52	0.39	0.01
L860669		0.28	8.2	0.42	0.34	<0.05	0.17	0.35	0.007	0.07	5.9	2.2	0.15	53	0.39	0.02
L860670		0.33	1.4	0.44	0.12	<0.05	<0.02	<0.01	<0.005	0.02	0.6	0.9	11.80	204	0.05	0.01
L860671		0.52	10.2	0.58	0.45	<0.05	0.23	0.30	0.011	0.08	7.2	3.0	0.14	70	0.44	0.01
L860672		0.46	12.2	0.66	0.59	<0.05	0.28	0.24	0.010	0.12	6.2	2.8	0.55	73	0.52	0.02
L860673		0.82	29.1	1.50	0.80	<0.05	0.52	0.13	0.016	0.16	7.8	3.1	0.10	61	1.05	0.01
L860674		0.24	6.5	0.33	0.30	<0.05	0.16	0.08	0.005	0.05	7.3	1.6	0.12	48	0.27	0.02
L860675		2.66	75.0	2.34	3.15	0.07	0.26	2.09	0.668	0.15	15.3	6.0	3.23	1540	76.3	0.01
L860676		0.26	10.0	0.44	0.48	<0.05	0.20	0.15	0.007	0.09	7.7	2.2	0.13	51	0.29	0.01
L860677		0.34	12.4	0.54	0.60	<0.05	0.24	0.08	0.009	0.11	6.5	3.4	0.13	44	0.39	0.01
L860678		0.27	9.0	0.34	0.35	<0.05	0.13	0.11	<0.005	0.06	4.2	1.7	0.14	40	0.28	0.02
L860679		0.22	7.7	0.30	0.39	<0.05	0.15	0.09	0.005	0.06	8.3	1.9	0.15	45	0.27	0.01
L860680		0.27	14.1	0.56	0.45	<0.05	0.20	1.07	0.007	0.08	7.3	2.1	0.15	82	0.34	0.01
L860681		0.38	13.8	0.65	0.47	<0.05	0.21	0.32	0.010	0.10	4.5	2.2	0.15	65	0.63	0.01
L860682		0.38	15.7	0.68	0.44	<0.05	0.22	0.31	0.008	0.10	4.8	2.2	0.17	72	0.65	0.01
L860683		0.17	8.6	0.39	0.33	<0.05	0.18	0.43	0.005	0.05	4.5	1.2	0.21	70	0.28	0.01
L860684		0.72	28.3	1.31	0.95	<0.05	0.41	0.11	0.017	0.16	7.9	3.7	0.09	55	0.89	0.01
L860685		0.43	15.0	0.81	0.58	<0.05	0.22	0.14	0.010	0.11	10.0	2.0	0.13	62	0.61	0.01
L860686		0.33	16.5	0.91	0.50	<0.05	0.23	0.11	0.012	0.07	7.6	1.1	0.09	78	0.63	0.01
L860687		0.32	1.8	0.43	0.12	<0.05	<0.02	<0.01	<0.005	0.03	0.5	1.1	11.60	200	1.44	0.01
L860688		0.22	12.0	0.79	0.49	<0.05	0.20	0.11	0.009	0.08	6.1	1.4	0.12	72	0.57	0.01
L860689		0.31	10.7	0.48	0.48	<0.05	0.18	0.15	0.008	0.07	6.0	1.7	0.12	42	0.35	0.01
L860690		1.76	78.3	2.92	1.12	<0.05	0.20	5.21	0.128	0.19	2.2	1.6	0.86	297	26.5	0.01
L860691		0.27	15.0	0.92	0.88	<0.05	0.36	0.29	0.014	0.13	14.1	2.3	0.13	85	0.42	0.01
L860692		0.49	32.8	2.28	0.92	<0.05	0.39	0.22	0.020	0.11	6.8	2.5	0.06	97	2.24	0.01
L860693		0.51	16.9	1.07	0.72	<0.05	0.31	0.14	0.013	0.11	7.6	2.2	0.11	62	0.73	0.01
L860694		0.17	4.2	0.23	0.23	<0.05	0.09	0.24	<0.005	0.03	5.0	0.8	0.14	57	0.28	0.01
L860695		0.77	30.9	1.72	0.78	<0.05	0.27	0.22	0.017	0.16	6.7	2.5	0.11	81	7.93	0.01
L860696		0.32	8.5	0.45	0.32	<0.05	0.11	0.22	0.006	0.06	5.8	1.3	0.14	73	1.82	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185225

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
L860661		<0.05	9.0	800	11.4	4.6	<0.001	0.02	6.09	2.9	0.6	0.7	757	<0.01	0.02	4.1
L860662		<0.05	3.0	530	6.6	2.3	<0.001	0.02	2.16	2.0	0.5	0.2	1085	<0.01	<0.01	1.7
L860663		<0.05	10.0	800	14.0	5.3	<0.001	0.01	6.83	4.5	0.4	0.4	326	<0.01	<0.01	4.8
L860664		<0.05	9.4	790	13.8	5.5	<0.001	0.01	6.82	4.4	0.5	0.4	333	<0.01	0.01	4.7
L860665		<0.05	7.8	710	10.8	4.5	<0.001	0.02	5.40	2.4	0.4	0.4	931	<0.01	0.02	3.2
L860666		<0.05	3.7	600	8.4	3.1	<0.001	0.01	2.91	2.2	0.4	0.2	2420	<0.01	0.02	2.1
L860667		<0.05	3.9	250	7.7	3.4	<0.001	0.02	3.20	2.2	0.5	0.2	1675	<0.01	0.01	1.8
L860668		<0.05	3.0	280	6.6	2.5	<0.001	0.02	2.45	1.6	0.4	0.4	2140	<0.01	0.02	1.7
L860669		<0.05	2.6	200	6.3	2.4	<0.001	0.02	2.84	1.7	0.6	0.2	1965	<0.01	0.02	1.4
L860670		0.05	1.3	160	1.2	1.6	<0.001	0.02	<0.05	0.2	<0.2	<0.2	44.8	<0.01	<0.01	<0.2
L860671		<0.05	4.4	190	7.7	3.1	<0.001	0.01	3.81	2.5	0.6	0.2	1720	<0.01	<0.01	1.9
L860672		<0.05	4.7	350	7.4	4.4	<0.001	0.01	4.29	2.0	0.5	0.4	1250	<0.01	0.02	2.6
L860673		<0.05	8.9	550	16.0	5.7	<0.001	0.01	9.96	3.2	0.4	2.0	657	<0.01	0.01	5.1
L860674		<0.05	2.1	120	5.4	2.0	<0.001	0.01	2.67	2.0	<0.2	0.2	1390	<0.01	0.01	1.5
L860675		0.07	75.3	1070	19.5	13.2	0.057	0.94	8.49	3.9	2.8	3.1	210	<0.01	0.40	3.6
L860676		0.11	3.7	190	7.4	3.1	<0.001	0.01	3.16	2.3	0.2	0.4	1560	<0.01	0.01	1.7
L860677		0.11	4.4	270	8.0	3.8	<0.001	0.01	4.29	2.0	<0.2	0.5	1750	<0.01	0.01	2.1
L860678		0.10	2.6	210	7.1	2.2	<0.001	0.02	2.43	1.3	0.2	0.3	3140	<0.01	0.01	1.1
L860679		0.10	2.7	230	6.6	2.1	<0.001	0.02	2.68	2.1	0.2	0.2	2100	<0.01	<0.01	1.5
L860680		0.10	4.5	290	10.4	2.7	<0.001	0.02	3.82	2.2	0.3	0.6	1210	<0.01	<0.01	2.5
L860681		0.10	5.4	140	8.2	3.4	<0.001	0.02	5.58	1.8	<0.2	0.9	2120	<0.01	<0.01	1.6
L860682		0.10	5.6	150	8.9	3.3	<0.001	0.02	5.56	1.8	0.2	1.2	2240	<0.01	<0.01	1.7
L860683		0.08	3.0	90	5.4	1.9	<0.001	0.01	1.90	1.4	0.3	0.8	2990	<0.01	<0.01	1.0
L860684		0.11	8.9	330	12.6	5.5	<0.001	0.01	9.98	3.6	<0.2	2.3	724	<0.01	<0.01	3.6
L860685		0.10	5.9	290	8.1	3.4	<0.001	0.01	5.87	3.3	0.2	0.5	1680	<0.01	<0.01	2.2
L860686		0.11	8.4	140	12.3	2.2	<0.001	0.01	10.45	2.6	0.3	0.9	1190	<0.01	<0.01	2.0
L860687		0.09	1.7	160	1.3	1.6	<0.001	0.01	0.08	0.4	<0.2	<0.2	51.5	<0.01	<0.01	<0.2
L860688		0.11	6.6	110	11.6	2.5	<0.001	0.01	8.64	2.1	0.2	0.3	2020	<0.01	<0.01	1.6
L860689		0.10	4.5	110	8.3	2.6	<0.001	0.01	4.14	1.7	<0.2	0.8	1870	<0.01	<0.01	1.5
L860690		0.12	68.8	840	20.4	12.4	0.041	1.99	11.35	3.0	6.0	2.2	42.2	<0.01	0.71	1.7
L860691		0.11	5.7	220	15.2	4.5	<0.001	0.02	3.63	4.2	0.4	0.3	1090	<0.01	0.01	2.8
L860692		0.15	19.7	330	18.9	3.8	<0.001	0.01	17.75	3.3	0.2	2.7	527	<0.01	<0.01	3.7
L860693		0.12	9.5	330	12.0	3.6	<0.001	0.01	7.17	2.7	0.2	0.9	1720	<0.01	<0.01	2.8
L860694		0.08	1.6	150	4.4	1.2	<0.001	0.01	1.22	1.5	0.3	<0.2	2450	<0.01	<0.01	0.9
L860695		0.11	11.2	650	13.8	4.3	0.001	0.02	8.38	3.5	0.4	0.5	1060	<0.01	0.03	3.1
L860696		0.09	3.2	160	5.8	1.9	<0.001	0.02	2.55	2.3	0.3	0.2	1880	<0.01	<0.01	1.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185225

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L860661		<0.005	0.13	4.24	10	0.05	11.20	41	9.5
L860662		<0.005	0.04	4.08	6	<0.05	8.99	25	4.4
L860663		<0.005	0.14	2.16	12	<0.05	14.00	88	10.0
L860664		<0.005	0.13	2.19	11	0.05	14.50	86	10.0
L860665		<0.005	0.11	4.43	8	<0.05	8.68	43	8.2
L860666		<0.005	0.06	7.05	5	0.42	8.89	17	6.0
L860667		<0.005	0.07	6.90	7	<0.05	6.93	19	6.8
L860668		<0.005	0.06	7.13	6	<0.05	6.10	14	6.4
L860669		<0.005	0.04	7.03	5	<0.05	5.73	13	5.2
L860670		<0.005	0.02	0.45	2	0.06	0.85	14	<0.5
L860671		<0.005	0.08	6.06	6	<0.05	7.72	17	6.9
L860672		<0.005	0.08	5.14	10	<0.05	6.08	23	8.2
L860673		<0.005	0.19	4.92	16	0.07	8.15	58	13.1
L860674		<0.005	0.04	5.81	5	<0.05	6.11	11	4.5
L860675		<0.005	0.98	15.05	143	16.25	19.90	401	8.7
L860676		<0.005	0.07	6.42	6	0.05	7.22	18	6.8
L860677		<0.005	0.09	5.89	8	<0.05	6.16	21	8.1
L860678		<0.005	0.04	7.65	5	<0.05	5.20	11	4.9
L860679		<0.005	0.05	8.10	5	<0.05	7.58	13	4.9
L860680		<0.005	0.05	5.47	7	<0.05	8.24	21	7.1
L860681		<0.005	0.10	5.00	7	<0.05	5.03	24	6.7
L860682		<0.005	0.10	5.30	8	<0.05	5.22	23	6.5
L860683		<0.005	0.04	5.72	5	<0.05	4.81	14	6.0
L860684		<0.005	0.20	3.42	12	0.07	7.58	56	13.0
L860685		<0.005	0.10	4.77	7	<0.05	7.87	32	7.7
L860686		<0.005	0.10	5.93	10	0.05	7.98	42	8.3
L860687		<0.005	<0.02	0.37	2	<0.05	0.94	12	<0.5
L860688		<0.005	0.10	8.81	9	<0.05	6.16	28	7.6
L860689		<0.005	0.07	5.51	5	<0.05	4.43	16	6.0
L860690		<0.005	2.39	1.76	60	2.31	7.09	146	7.1
L860691		<0.005	0.12	4.39	9	0.31	10.05	30	12.0
L860692		<0.005	0.28	3.24	16	2.02	5.71	66	15.8
L860693		<0.005	0.13	6.17	9	0.07	5.53	34	11.0
L860694		<0.005	0.04	5.88	4	<0.05	5.46	7	3.5
L860695		<0.005	0.14	3.17	11	1.14	9.04	51	9.2
L860696		<0.005	0.06	6.66	5	0.47	7.64	14	4.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12185225

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10%on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 31- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12188774

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
N832219		9.30	0.002	0.03	0.41	16	<0.2	10	80	0.85	0.16	19.95	0.03	16.05	7.9	<1
N832220		9.54	0.001	0.02	0.37	18	<0.2	10	160	0.63	0.18	18.40	0.05	16.45	7.3	<1
N832221		3.43	0.001	0.02	0.27	10	<0.2	<10	70	0.43	0.11	23.9	0.04	14.60	3.7	<1
N832222		5.97	0.003	0.02	0.27	6	<0.2	<10	230	0.50	0.09	>25.0	0.04	14.15	2.9	<1
N832223		9.37	0.001	0.02	0.21	8	<0.2	<10	70	0.44	0.08	>25.0	0.03	11.55	3.4	<1
N832224		9.79	0.001	0.01	0.26	9	<0.2	<10	120	0.53	0.09	23.6	0.05	11.00	4.1	<1
N832225		<0.02	0.001	0.02	0.29	11	<0.2	10	120	0.50	0.10	23.0	0.04	11.00	4.1	<1
N832226		9.07	0.001	0.02	0.28	11	<0.2	<10	70	0.59	0.11	22.0	0.04	10.80	3.7	<1
N832227		9.67	0.001	0.01	0.14	9	<0.2	<10	80	0.42	0.07	>25.0	0.04	8.02	3.1	<1
N832228		8.78	0.001	0.01	0.20	9	<0.2	<10	50	0.40	0.06	>25.0	0.03	10.45	2.7	<1
N832229		8.67	0.004	0.05	0.21	12	<0.2	<10	50	0.30	0.05	>25.0	0.03	12.15	3.8	<1
N832230		0.26	0.969	0.67	0.48	209	<0.2	<10	100	1.00	7.99	15.60	1.90	21.9	4.4	19
N832231		9.41	0.005	0.04	0.16	12	<0.2	<10	60	0.28	0.06	>25.0	0.03	6.85	2.9	<1
N832232		5.60	0.012	0.04	0.23	10	<0.2	<10	50	0.42	0.07	>25.0	0.03	10.35	3.9	<1
N832233		4.77	0.018	0.05	0.28	18	<0.2	<10	50	0.44	0.09	22.9	0.05	10.05	4.4	<1
N832234		8.37	0.041	0.12	0.34	27	<0.2	10	70	0.64	0.12	18.25	0.08	9.51	8.0	1
N832235		9.07	0.042	0.07	0.30	30	<0.2	<10	60	0.56	0.09	17.20	0.11	9.34	6.2	2
N832236		5.88	0.037	0.06	0.21	36	<0.2	<10	80	0.48	0.09	24.0	0.06	6.89	5.1	<1
N832237		4.42	0.001	0.01	0.02	<2	<0.2	<10	10	<0.05	0.03	19.25	0.07	1.23	0.9	<1
N832238		3.36	0.007	0.02	0.17	9	<0.2	<10	50	0.30	0.06	>25.0	0.02	7.62	3.1	<1
N832239		9.74	0.004	0.02	0.11	7	<0.2	<10	40	0.25	0.03	>25.0	0.01	7.85	1.8	<1
N832240		4.20	0.005	0.02	0.11	6	<0.2	<10	40	0.25	0.03	>25.0	0.01	8.57	2.1	<1
N832241		9.53	0.005	0.03	0.23	10	<0.2	<10	60	0.46	0.07	>25.0	0.02	12.15	4.1	<1
N832242		9.51	0.004	0.04	0.27	11	<0.2	<10	80	0.42	0.08	>25.0	0.06	11.20	4.1	<1
N832243		9.34	0.005	0.03	0.21	10	<0.2	<10	70	0.33	0.06	>25.0	0.04	10.70	3.7	<1
N832244		4.36	0.006	0.06	0.27	10	<0.2	<10	60	0.33	0.07	20.9	0.14	10.60	4.1	<1
N832245		5.57	0.002	0.03	0.25	6	<0.2	<10	60	0.38	0.06	22.2	0.12	11.75	2.8	<1
N832246		0.26	3.77	1.49	0.32	627	<0.2	<10	50	0.30	4.28	2.06	1.80	4.42	7.7	19
N832247		9.76	0.003	0.05	0.22	8	<0.2	<10	120	0.45	0.06	23.7	0.10	11.80	2.9	<1
N832248		7.44	0.002	0.04	0.22	6	<0.2	<10	590	0.34	0.06	24.1	0.13	10.55	2.7	<1
N832249		6.45	0.002	0.04	0.28	8	<0.2	<10	230	0.43	0.07	23.7	0.18	13.65	3.3	<1
N832250		5.91	0.001	0.03	0.30	9	<0.2	<10	390	0.44	0.07	21.5	0.35	13.85	3.8	<1
N832251		5.05	0.001	0.01	0.05	<2	<0.2	<10	20	0.08	0.03	19.25	0.07	1.03	0.8	<1
N832252		9.55	0.002	0.01	0.20	3	<0.2	<10	980	0.27	0.04	>25.0	0.30	7.79	1.8	<1
N832253		9.89	0.005	0.15	0.13	7	<0.2	<10	410	0.22	0.03	>25.0	0.18	6.01	1.6	<1
N832254		9.67	0.005	0.17	0.10	5	<0.2	<10	40	0.16	0.02	>25.0	0.05	5.78	1.3	<1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 31- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12188774

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
N832219		2.13	16.2	1.46	1.16	0.05	0.16	0.06	0.027	0.24	5.6	2.2	0.96	194	0.17	0.03
N832220		1.72	19.2	1.48	1.04	<0.05	0.16	0.07	0.025	0.21	5.9	2.3	0.92	130	0.10	0.03
N832221		1.02	9.9	0.94	0.75	<0.05	0.12	0.05	0.019	0.16	6.3	1.9	0.77	189	0.09	0.03
N832222		1.24	11.2	0.84	0.79	<0.05	0.11	0.03	0.015	0.16	6.3	2.0	0.56	206	0.11	0.03
N832223		1.03	9.7	0.83	0.62	<0.05	0.10	0.07	0.014	0.12	5.1	1.9	0.59	146	0.11	0.03
N832224		1.38	13.4	0.99	0.64	<0.05	0.13	0.07	0.018	0.15	4.5	2.5	0.78	174	0.12	0.03
N832225		1.29	12.5	0.99	0.75	<0.05	0.12	0.06	0.018	0.16	4.4	2.7	0.78	171	0.10	0.02
N832226		1.38	13.0	1.27	0.69	<0.05	0.11	0.05	0.018	0.15	4.1	2.0	0.86	199	0.24	0.03
N832227		1.17	10.9	0.93	0.41	<0.05	0.09	0.04	0.013	0.09	3.3	1.3	0.62	157	0.15	0.03
N832228		0.65	9.4	0.72	0.59	<0.05	0.11	0.06	0.013	0.11	4.3	1.6	0.45	205	0.17	0.02
N832229		0.48	8.6	0.71	0.72	<0.05	0.11	0.12	0.011	0.10	5.5	1.6	0.37	312	0.49	0.02
N832230		2.52	74.1	2.42	3.12	0.06	0.20	2.00	0.604	0.15	14.7	5.7	3.06	1490	66.1	0.03
N832231		0.41	8.0	0.65	0.50	<0.05	0.09	0.14	0.008	0.09	3.1	1.1	0.53	115	0.43	0.02
N832232		0.50	9.8	0.82	0.67	<0.05	0.08	0.17	0.012	0.13	4.5	1.5	0.77	130	0.30	0.03
N832233		0.59	13.0	1.08	0.77	<0.05	0.14	0.24	0.017	0.15	4.5	1.7	1.54	132	0.71	0.03
N832234		0.94	18.8	1.90	1.03	0.05	0.19	0.28	0.023	0.19	3.6	2.0	2.30	183	1.82	0.03
N832235		0.76	10.9	2.57	0.92	<0.05	0.19	0.25	0.013	0.15	3.4	2.0	3.66	252	4.60	0.03
N832236		0.64	11.5	1.32	0.66	<0.05	0.17	0.19	0.011	0.10	2.7	1.4	1.30	198	1.20	0.02
N832237		0.28	1.7	0.47	0.13	<0.05	<0.02	<0.01	<0.005	0.02	0.6	1.1	11.60	200	0.05	0.03
N832238		0.53	9.6	0.75	0.55	<0.05	0.13	0.10	0.009	0.09	3.5	2.2	0.87	372	0.58	0.03
N832239		0.41	4.0	0.51	0.34	<0.05	0.08	0.10	0.005	0.05	3.6	1.4	0.59	108	0.27	0.03
N832240		0.48	4.7	0.61	0.38	<0.05	0.11	0.11	0.006	0.05	3.9	1.4	0.66	137	0.30	0.03
N832241		1.05	10.1	0.87	0.64	<0.05	0.10	0.13	0.013	0.13	5.3	1.9	0.86	118	0.27	0.03
N832242		0.83	11.4	0.98	0.67	<0.05	0.12	0.29	0.014	0.15	4.8	2.5	1.20	110	0.59	0.03
N832243		0.67	9.1	0.83	0.57	<0.05	0.13	0.25	0.013	0.11	4.4	1.8	0.85	132	0.51	0.03
N832244		0.63	12.4	0.77	0.82	<0.05	0.17	0.39	0.017	0.14	3.1	2.1	1.33	136	1.44	0.03
N832245		0.47	8.0	0.69	0.69	<0.05	0.22	0.22	0.008	0.11	4.7	3.0	4.02	230	1.01	0.03
N832246		1.76	72.6	2.83	1.22	<0.05	0.19	5.55	0.144	0.19	2.3	1.7	0.84	285	27.8	0.02
N832247		0.58	9.7	0.79	0.60	<0.05	0.17	0.09	0.012	0.12	5.1	2.4	2.89	246	0.69	0.03
N832248		0.55	9.0	0.66	0.58	<0.05	0.18	0.08	0.008	0.11	4.6	2.3	2.50	221	1.22	0.03
N832249		0.73	9.8	0.73	0.80	<0.05	0.27	0.09	0.014	0.14	5.9	2.9	2.88	219	3.21	0.03
N832250		0.96	13.6	0.90	0.88	<0.05	0.32	0.07	0.013	0.16	5.7	3.4	3.15	209	6.69	0.03
N832251		1.03	1.7	0.49	0.24	<0.05	<0.02	0.01	<0.005	0.04	0.5	1.4	11.70	197	0.09	0.02
N832252		0.46	5.6	0.55	0.50	<0.05	0.10	0.04	0.007	0.09	4.0	2.2	1.91	138	0.24	0.03
N832253		0.25	7.5	0.40	0.35	<0.05	0.17	0.14	0.006	0.06	3.4	1.8	0.93	73	1.84	0.01
N832254		0.15	4.1	0.27	0.25	<0.05	0.14	0.08	<0.005	0.04	3.3	1.5	0.73	52	0.94	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 31- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12188774

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
N832219		0.07	12.9	280	10.2	9.7	<0.001	0.17	1.64	5.5	0.8	0.3	1400	<0.01	0.04	3.6
N832220		0.06	14.0	340	10.6	8.1	<0.001	0.12	1.45	5.7	0.9	0.3	1440	<0.01	0.03	3.6
N832221		0.06	6.6	280	6.6	6.3	<0.001	0.09	1.02	3.7	0.5	0.2	1750	<0.01	0.02	2.5
N832222		0.06	5.0	520	5.3	6.2	<0.001	0.08	0.75	3.2	0.8	0.2	1690	<0.01	0.03	2.1
N832223		0.06	5.2	280	4.7	5.1	<0.001	0.07	0.87	3.1	1.0	0.2	1700	<0.01	0.04	1.8
N832224		0.07	6.8	260	5.6	5.9	<0.001	0.07	0.81	4.1	0.5	0.2	1430	<0.01	0.03	2.1
N832225		0.06	6.8	270	5.3	6.3	<0.001	0.06	0.75	4.0	0.6	0.2	1430	<0.01	0.02	2.1
N832226		0.06	6.5	300	4.3	6.0	<0.001	0.06	0.59	3.9	0.6	0.2	1310	<0.01	0.03	2.2
N832227		0.06	5.6	220	3.9	3.6	<0.001	0.06	0.61	2.9	0.5	0.2	1430	<0.01	0.04	1.5
N832228		0.06	4.3	280	3.2	4.2	<0.001	0.05	1.08	2.6	0.9	0.2	1650	<0.01	0.02	1.5
N832229		0.06	5.3	1380	4.7	3.9	0.001	0.10	2.20	2.2	0.5	0.2	1990	<0.01	0.04	1.5
N832230		0.10	69.1	1060	17.3	11.7	0.051	0.85	6.89	3.8	3.8	3.0	200	<0.01	0.33	3.3
N832231		0.06	4.9	200	4.1	3.5	<0.001	0.09	1.90	2.1	0.9	0.2	1800	<0.01	0.03	1.0
N832232		0.07	6.8	220	5.1	4.8	<0.001	0.16	1.54	3.2	0.7	0.2	1550	<0.01	0.01	1.6
N832233		0.07	8.7	380	6.0	5.3	<0.001	0.38	3.56	3.6	1.0	0.2	1310	<0.01	0.03	2.0
N832234		0.07	16.1	380	10.1	7.1	0.004	0.58	4.63	5.1	1.6	0.6	1040	<0.01	0.04	2.5
N832235		0.06	13.0	560	7.8	5.6	<0.001	0.65	2.86	3.5	1.8	0.4	908	<0.01	0.03	2.2
N832236		0.06	9.3	620	7.0	4.0	0.002	0.44	2.40	2.7	1.0	0.3	1770	<0.01	0.05	1.4
N832237		0.08	2.0	170	1.2	1.0	<0.001	0.06	<0.05	0.3	0.4	<0.2	48.8	<0.01	0.01	<0.2
N832238		0.07	6.2	350	4.0	3.4	<0.001	0.22	1.79	2.4	0.6	0.2	1250	<0.01	0.01	1.4
N832239		0.06	2.9	1210	2.9	2.1	<0.001	0.21	1.13	1.3	0.8	<0.2	2460	<0.01	0.02	1.1
N832240		0.08	3.6	1330	3.2	2.4	<0.001	0.23	1.37	1.5	1.1	<0.2	2420	<0.01	0.02	1.1
N832241		0.06	7.1	440	5.5	5.2	<0.001	0.29	1.08	3.0	0.9	0.2	1980	<0.01	0.04	2.1
N832242		0.06	8.3	460	5.7	5.4	0.001	0.30	1.83	3.2	0.9	0.2	1650	<0.01	0.04	2.1
N832243		0.06	6.7	440	6.1	4.3	<0.001	0.32	1.36	2.7	1.0	<0.2	2080	<0.01	0.02	1.8
N832244		0.06	7.0	300	6.9	5.3	0.001	0.31	1.80	3.8	1.2	0.3	1530	<0.01	0.03	1.7
N832245		0.06	5.1	350	5.4	3.9	0.001	0.24	1.56	2.4	0.7	0.2	859	<0.01	0.01	2.3
N832246		0.09	68.0	840	18.6	12.0	0.039	1.90	9.75	3.3	6.4	2.0	35.5	<0.01	0.79	1.9
N832247		0.09	5.3	310	5.3	4.2	<0.001	0.18	0.42	2.5	0.8	0.2	954	<0.01	0.02	2.2
N832248		0.06	4.9	270	5.2	4.0	0.003	0.18	0.65	2.3	0.7	0.2	1040	<0.01	0.01	2.1
N832249		0.12	6.2	400	6.6	5.2	0.003	0.23	0.49	2.5	1.3	0.2	828	<0.01	0.01	2.7
N832250		0.07	7.5	460	6.4	6.1	0.001	0.19	0.61	3.1	1.2	0.2	783	<0.01	0.01	3.1
N832251		0.14	1.6	170	1.1	3.5	<0.001	0.06	<0.05	0.3	0.5	<0.2	47.2	<0.01	<0.01	<0.2
N832252		0.06	3.6	300	3.5	3.5	<0.001	0.11	1.77	1.7	0.8	<0.2	1250	<0.01	0.03	1.6
N832253		<0.05	3.8	210	5.2	2.1	0.002	0.17	0.94	1.2	0.8	<0.2	2310	<0.01	0.02	1.2
N832254		<0.05	2.5	160	5.1	1.5	0.002	0.13	0.78	0.9	0.4	<0.2	2900	<0.01	0.02	1.0

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 31- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12188774

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
N832219		<0.005	0.06	1.60	4	<0.05	9.78	22	6.6
N832220		<0.005	0.06	1.70	5	<0.05	10.60	42	6.4
N832221		<0.005	0.06	2.00	4	<0.05	8.42	30	4.6
N832222		<0.005	0.05	2.12	3	<0.05	8.11	21	4.9
N832223		<0.005	0.04	2.04	3	<0.05	6.75	17	4.8
N832224		<0.005	0.06	1.77	4	<0.05	7.99	21	5.3
N832225		<0.005	0.05	1.77	4	<0.05	7.87	20	5.1
N832226		<0.005	0.04	1.16	4	<0.05	7.19	19	4.5
N832227		<0.005	0.04	1.88	3	<0.05	5.79	23	4.0
N832228		<0.005	0.05	1.11	3	<0.05	5.76	17	4.3
N832229		<0.005	0.05	1.81	3	0.06	8.87	13	4.4
N832230		<0.005	0.93	11.95	139	16.00	19.75	391	8.2
N832231		<0.005	0.05	1.28	3	0.05	4.35	15	3.4
N832232		<0.005	0.05	1.17	4	<0.05	6.08	19	3.4
N832233		<0.005	0.08	1.27	5	<0.05	6.29	28	4.6
N832234		<0.005	0.15	1.19	8	<0.05	8.10	21	7.3
N832235		<0.005	0.15	1.27	9	<0.05	8.14	21	6.5
N832236		<0.005	0.12	1.24	6	<0.05	7.59	16	4.9
N832237		<0.005	<0.02	0.41	1	<0.05	0.91	13	<0.5
N832238		<0.005	0.06	1.49	3	<0.05	6.36	16	4.3
N832239		<0.005	0.03	1.87	2	<0.05	5.34	8	3.1
N832240		<0.005	0.03	1.92	2	<0.05	6.19	9	3.5
N832241		<0.005	0.05	1.25	4	<0.05	6.13	22	4.1
N832242		<0.005	0.06	1.36	4	<0.05	6.03	23	4.6
N832243		<0.005	0.06	1.20	3	0.05	5.79	19	4.7
N832244		<0.005	0.10	0.78	7	<0.05	11.30	26	5.8
N832245		<0.005	0.06	5.63	7	<0.05	6.62	18	8.1
N832246		<0.005	2.32	1.70	59	2.59	7.06	140	7.2
N832247		<0.005	0.06	4.41	6	<0.05	6.47	19	6.9
N832248		<0.005	0.08	5.65	6	<0.05	6.62	19	7.3
N832249		<0.005	0.09	7.24	9	<0.05	7.55	22	11.1
N832250		<0.005	0.10	8.06	9	<0.05	8.30	29	13.2
N832251		<0.005	0.02	1.01	1	<0.05	0.83	14	<0.5
N832252		<0.005	0.02	3.97	5	<0.05	5.97	14	4.1
N832253		<0.005	0.08	16.75	6	<0.05	4.05	13	5.1
N832254		<0.005	0.04	17.15	3	<0.05	2.82	5	4.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 31- AUG- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12188774

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10%on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- SEP- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12188775

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
N832255		9.98	0.011	0.26	0.18	6	<0.2	<10	90	0.13	0.05	>25.0	0.33	7.52	2.6	<1
N832256		10.12	0.003	0.09	0.11	6	<0.2	<10	60	0.25	0.04	>25.0	0.13	8.37	1.7	<1
N832257		10.19	0.004	0.12	0.22	8	<0.2	<10	100	0.44	0.07	22.4	0.18	16.10	3.4	<1
N832258		9.93	0.005	0.12	0.07	5	<0.2	<10	200	0.20	0.04	>25.0	0.06	9.16	1.6	<1
N832259		7.47	0.007	0.23	0.22	11	<0.2	<10	200	0.41	0.06	24.4	0.10	14.30	3.7	1
N832260		6.74	0.006	0.13	0.10	7	<0.2	<10	240	0.22	0.04	>25.0	0.08	8.36	1.6	<1
N832261		5.51	0.002	0.10	0.08	3	<0.2	<10	70	0.19	0.03	>25.0	0.04	15.40	1.7	<1
N832262		0.26	1.135	0.71	0.51	237	<0.2	<10	110	1.10	8.69	18.00	2.06	24.1	4.4	21
N832263		4.81	0.004	0.16	0.09	<2	<0.2	<10	70	0.20	0.04	>25.0	0.05	12.65	1.6	<1
N832264		5.25	0.003	0.15	0.14	4	<0.2	<10	1230	0.33	0.05	>25.0	0.06	15.70	2.5	<1
N832265		2.09	0.007	0.12	0.12	6	<0.2	<10	1300	0.27	0.04	>25.0	0.06	12.60	2.3	<1
N832266		10.21	0.004	0.10	0.15	7	<0.2	<10	260	0.28	0.06	>25.0	0.08	13.55	2.8	<1
N832267		7.52	0.002	0.07	0.09	<2	<0.2	<10	100	0.21	0.04	>25.0	0.04	15.05	2.1	<1
N832268		5.75	0.002	0.07	0.23	4	<0.2	<10	90	0.36	0.06	11.70	0.13	15.95	2.9	4
N832269		10.67	0.007	0.18	0.46	23.2	<0.2	10	110	0.88	0.15	9.00	0.16	22.4	7.9	6
N832270		7.14	0.004	0.08	0.17	7	<0.2	<10	60	0.31	0.05	18.35	0.09	13.45	2.3	1
N832271		3.56	0.001	0.02	0.03	<2	<0.2	<10	20	<0.05	0.02	19.85	0.05	1.14	0.7	<1
N832272		10.37	0.003	0.09	0.25	8	<0.2	<10	60	0.56	0.07	19.75	0.15	17.65	4.0	2
N832273		<0.02	0.003	0.08	0.20	6	<0.2	<10	50	0.42	0.07	19.00	0.13	15.80	3.5	1
N832274		6.37	0.002	0.08	0.20	7	<0.2	<10	40	0.35	0.05	21.5	0.14	18.15	2.8	1
N832275		4.28	0.004	0.11	0.07	4	<0.2	<10	30	0.16	0.02	>25.0	0.10	10.45	1.4	<1
N832276		10.41	0.005	0.08	0.12	3	<0.2	<10	40	0.28	0.03	>25.0	0.08	12.95	1.8	<1
N832277		10.83	0.003	0.08	0.08	6	<0.2	<10	50	0.24	0.02	>25.0	0.06	10.40	1.4	<1
N832278		2.96	0.004	0.09	0.09	5	<0.2	<10	230	0.23	0.03	>25.0	0.09	10.90	1.7	<1
N832279		2.61	0.001	0.01	0.02	<2	<0.2	<10	10	<0.05	0.03	20.0	0.06	1.18	0.6	<1
N832280		6.95	0.003	0.09	0.15	5	<0.2	<10	70	0.31	0.04	23.0	0.08	24.5	2.8	1
N832281		10.26	0.006	0.13	0.18	5	<0.2	<10	120	0.34	0.05	21.7	0.11	34.7	2.9	3
N832282		9.78	0.003	0.06	0.50	4	<0.2	<10	240	0.58	0.10	16.20	0.20	30.0	5.5	8
N832283		9.76	0.004	0.08	0.65	2	<0.2	<10	110	0.72	0.10	14.15	0.34	31.7	6.3	12
N832284		7.48	0.006	0.08	0.81	<2	<0.2	<10	430	0.70	0.10	12.95	0.31	30.8	5.8	15
N832285		5.31	0.004	0.10	0.07	2	<0.2	<10	220	0.23	0.03	>25.0	0.42	11.25	2.1	<1
N832286		7.33	0.002	0.02	0.48	2	<0.2	<10	390	0.57	0.10	13.90	0.38	31.2	7.0	10
N832287		9.21	0.002	0.02	0.84	<2	<0.2	<10	1730	0.64	0.08	10.20	0.32	31.7	5.8	21
N832288		0.26	3.92	1.44	0.33	666	<0.2	<10	50	0.35	4.54	2.13	1.77	4.85	7.4	21
N832289		4.94	0.006	0.05	0.97	2.3	<0.2	<10	270	0.83	0.13	9.29	0.32	37.3	7.7	18
N832290		6.38	0.010	0.05	0.54	7	<0.2	<10	450	0.71	0.11	15.45	0.18	32.0	6.6	15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- SEP- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12188775

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
N832255		0.81	11.0	0.51	0.40	<0.05	0.15	0.11	0.013	0.09	3.8	1.8	1.12	74	0.49	0.01
N832256		0.60	7.5	0.42	0.31	<0.05	0.11	0.04	0.007	0.07	4.4	2.0	1.28	64	0.54	0.02
N832257		1.20	12.7	0.87	0.65	<0.05	0.32	0.06	0.010	0.14	6.7	2.8	2.65	121	0.44	0.02
N832258		0.33	6.2	0.34	0.23	<0.05	0.17	0.06	<0.005	0.04	5.3	1.6	0.70	63	0.67	0.01
N832259		1.23	13.4	0.90	0.61	<0.05	0.38	0.12	0.011	0.13	6.6	2.3	1.76	113	0.82	0.01
N832260		0.39	5.8	0.39	0.32	<0.05	0.18	0.05	0.005	0.06	4.7	1.4	0.62	60	0.63	0.01
N832261		0.35	5.5	0.47	0.34	<0.05	0.35	0.05	0.005	0.05	7.7	1.3	0.99	102	0.40	0.01
N832262		2.66	81.9	2.51	3.27	0.09	0.23	2.30	0.627	0.16	16.2	5.9	3.33	1600	75.9	0.01
N832263		0.34	6.0	0.41	0.31	<0.05	0.31	0.06	0.005	0.05	6.5	1.5	1.08	75	0.33	0.02
N832264		0.83	7.2	0.63	0.49	<0.05	0.36	0.07	0.007	0.08	7.0	2.2	1.55	105	0.51	0.01
N832265		0.75	7.7	0.60	0.42	<0.05	0.29	0.06	0.007	0.07	5.8	1.9	1.39	96	0.43	0.02
N832266		0.82	10.6	0.68	0.48	<0.05	0.26	0.06	0.008	0.09	6.8	2.2	1.15	101	0.47	0.01
N832267		0.57	6.7	0.50	0.34	<0.05	0.29	0.05	0.009	0.05	7.6	1.9	0.86	84	0.47	0.01
N832268		1.01	9.3	0.95	0.72	<0.05	0.32	0.05	0.011	0.14	6.7	2.2	3.62	182	0.72	0.02
N832269		2.14	28.2	2.11	1.25	0.05	0.33	0.19	0.029	0.30	9.3	4.1	4.29	204	0.87	0.02
N832270		0.47	5.7	0.70	0.49	<0.05	0.27	0.07	0.009	0.10	5.9	1.9	3.33	167	0.91	0.02
N832271		0.25	1.3	0.46	0.12	<0.05	<0.02	<0.01	<0.005	0.02	0.6	0.9	11.85	193	0.05	0.01
N832272		0.80	11.4	1.02	0.81	<0.05	0.43	0.10	0.015	0.16	7.4	3.1	3.68	149	0.84	0.02
N832273		0.71	9.9	0.96	0.63	<0.05	0.38	0.10	0.012	0.13	6.6	2.5	3.49	141	0.75	0.01
N832274		0.48	9.6	0.76	0.64	<0.05	0.41	0.05	0.009	0.12	8.1	3.0	2.90	117	0.60	0.02
N832275		0.20	4.0	0.36	0.22	<0.05	0.14	0.04	<0.005	0.04	6.1	1.7	1.03	62	1.27	0.01
N832276		0.26	6.3	0.47	0.37	<0.05	0.21	0.06	0.007	0.07	7.4	3.1	1.83	68	1.11	0.02
N832277		0.27	5.1	0.39	0.27	<0.05	0.16	0.05	<0.005	0.04	6.3	2.2	1.40	66	0.66	0.01
N832278		0.42	5.8	0.42	0.32	<0.05	0.19	0.06	0.005	0.06	6.4	1.9	1.27	81	0.44	0.01
N832279		0.12	1.3	0.46	0.07	<0.05	<0.02	<0.01	<0.005	0.01	0.6	0.7	11.95	190	<0.05	0.01
N832280		0.77	8.2	0.72	0.58	<0.05	0.30	0.09	0.008	0.09	12.0	3.0	1.36	109	0.50	0.02
N832281		0.90	8.1	0.78	0.84	<0.05	0.41	0.09	0.011	0.09	18.3	8.6	1.32	130	0.72	0.02
N832282		1.73	19.5	1.32	1.81	0.05	0.27	0.05	0.015	0.18	13.7	19.7	3.00	244	0.52	0.02
N832283		1.70	24.6	1.56	2.33	0.06	0.31	0.07	0.017	0.21	14.8	30.0	4.00	277	0.65	0.02
N832284		1.91	25.8	1.55	2.85	0.07	0.22	0.03	0.018	0.21	14.2	37.4	4.21	243	0.30	0.02
N832285		0.25	5.6	0.33	0.31	<0.05	0.18	0.08	0.005	0.03	6.9	2.4	0.81	187	0.51	0.01
N832286		1.67	23.8	1.28	1.93	0.05	0.16	0.02	0.015	0.17	13.9	16.9	3.66	324	0.32	0.02
N832287		2.05	14.8	1.76	3.16	0.06	0.15	0.01	0.017	0.21	14.2	35.5	4.73	276	0.18	0.03
N832288		1.81	76.4	2.87	1.22	<0.05	0.21	5.66	0.137	0.20	2.6	1.7	0.88	301	25.7	0.01
N832289		2.70	27.7	1.88	3.62	0.06	0.26	0.01	0.023	0.22	18.0	50.6	5.17	315	0.31	0.02
N832290		1.46	25.5	1.54	2.35	0.06	0.47	0.12	0.017	0.15	15.0	25.4	3.64	277	1.46	0.03

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- SEP- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12188775

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
N832255		0.14	6.2	210	5.8	4.3	0.002	0.10	0.84	2.0	1.0	<0.2	2580	<0.01	0.03	1.9
N832256		<0.05	3.8	190	4.8	2.9	<0.001	0.05	0.62	1.4	0.3	<0.2	2180	<0.01	0.01	1.5
N832257		<0.05	7.7	370	6.6	5.5	0.001	0.14	0.95	2.8	0.7	0.2	1225	<0.01	<0.01	3.2
N832258		<0.05	3.7	200	5.2	1.6	<0.001	0.11	0.78	1.1	0.6	<0.2	2290	<0.01	<0.01	1.5
N832259		<0.05	9.1	470	7.9	5.3	0.001	0.26	1.37	2.8	0.9	0.2	1900	<0.01	0.02	3.5
N832260		<0.05	4.0	130	5.2	2.3	0.001	0.11	0.61	1.3	0.5	<0.2	2500	<0.01	<0.01	1.4
N832261		<0.05	3.6	180	4.9	2.1	<0.001	0.10	0.64	1.5	0.5	<0.2	2440	<0.01	0.01	2.0
N832262		0.05	79.9	1130	19.9	13.7	0.063	0.88	7.85	3.9	3.6	3.3	209	<0.01	0.38	3.6
N832263		<0.05	4.3	190	6.3	2.0	0.001	0.10	0.56	1.4	0.7	<0.2	2850	<0.01	<0.01	2.1
N832264		<0.05	5.7	270	6.1	3.6	0.001	0.16	0.87	2.1	0.7	<0.2	2610	<0.01	<0.01	2.9
N832265		<0.05	5.2	230	5.3	3.2	0.001	0.14	0.75	1.8	0.6	0.2	2600	<0.01	0.01	2.4
N832266		<0.05	6.2	270	6.0	3.7	0.001	0.17	0.63	2.1	0.3	<0.2	1800	<0.01	<0.01	2.8
N832267		<0.05	4.7	230	5.7	2.3	<0.001	0.12	0.65	1.7	0.9	<0.2	2780	<0.01	<0.01	2.5
N832268		<0.05	6.8	690	8.9	5.6	0.001	0.21	0.78	2.6	2.0	0.3	613	<0.01	<0.01	3.2
N832269		<0.05	18.6	690	10.7	12.0	<0.001	0.41	1.79	6.5	3.4	0.4	489	<0.01	<0.01	6.4
N832270		<0.05	4.9	260	7.8	3.5	0.001	0.14	0.76	1.9	0.9	0.2	1200	<0.01	<0.01	2.4
N832271		<0.05	1.7	200	1.2	1.3	<0.001	<0.01	0.05	0.2	<0.2	<0.2	47.8	<0.01	<0.01	<0.2
N832272		<0.05	8.8	370	8.2	6.1	0.001	0.22	0.68	3.4	1.6	0.2	1390	<0.01	0.01	4.2
N832273		<0.05	7.6	350	7.6	5.0	0.001	0.21	0.63	3.0	1.3	0.2	1290	<0.01	<0.01	3.8
N832274		<0.05	6.1	290	7.1	4.9	<0.001	0.19	0.36	2.5	1.4	0.2	1685	<0.01	0.01	3.4
N832275		<0.05	3.3	150	4.5	1.7	0.002	0.07	0.21	1.0	0.5	<0.2	3100	<0.01	0.01	1.4
N832276		<0.05	4.4	200	5.2	2.9	<0.001	0.10	0.28	1.4	0.8	<0.2	3110	<0.01	<0.01	2.1
N832277		<0.05	3.2	170	4.7	1.9	<0.001	0.09	0.23	1.1	0.8	<0.2	3040	<0.01	<0.01	1.6
N832278		<0.05	4.2	180	6.0	2.4	<0.001	0.11	0.22	1.2	0.8	<0.2	2840	<0.01	0.01	1.7
N832279		<0.05	1.6	170	1.3	0.7	<0.001	<0.01	0.05	0.2	<0.2	<0.2	54.7	<0.01	<0.01	<0.2
N832280		<0.05	6.6	390	6.9	3.9	<0.001	0.19	0.28	2.3	0.6	<0.2	1720	<0.01	<0.01	3.3
N832281		<0.05	7.1	470	8.0	4.2	0.001	0.20	0.27	2.5	1.1	0.2	1720	<0.01	<0.01	3.8
N832282		<0.05	12.5	450	9.1	8.4	<0.001	0.25	0.30	3.8	1.1	0.2	906	<0.01	0.01	4.4
N832283		0.05	15.2	520	10.3	9.6	0.001	0.15	0.43	4.5	1.9	0.3	751	<0.01	<0.01	5.3
N832284		<0.05	15.3	610	9.8	10.1	<0.001	0.06	0.16	4.3	1.8	0.3	523	<0.01	0.01	5.2
N832285		<0.05	4.3	270	5.3	1.3	0.003	0.09	0.28	1.2	0.7	<0.2	2210	<0.01	0.01	1.8
N832286		<0.05	13.4	580	10.6	8.0	<0.001	0.06	0.16	4.0	1.6	0.3	571	<0.01	0.01	4.5
N832287		<0.05	15.9	670	7.5	10.3	<0.001	0.06	0.06	4.5	1.3	0.3	434	<0.01	0.01	5.3
N832288		0.05	74.8	850	20.6	13.9	0.035	1.94	10.25	3.2	6.6	2.2	33.3	<0.01	0.83	2.1
N832289		0.08	20.5	480	8.4	10.9	<0.001	0.12	0.21	5.5	1.4	0.3	323	<0.01	0.02	5.7
N832290		0.08	17.9	840	8.7	7.2	0.004	0.32	0.53	4.9	2.0	0.2	899	<0.01	<0.01	6.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- SEP- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12188775

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
N832255		<0.005	0.05	12.45	7	<0.05	4.60	20	6.4
N832256		<0.005	0.03	12.00	4	0.07	3.57	14	4.1
N832257		<0.005	0.05	6.58	6	<0.05	6.69	29	12.1
N832258		<0.005	0.03	16.10	3	0.06	3.89	11	5.7
N832259		<0.005	0.07	11.40	7	<0.05	6.86	27	12.3
N832260		<0.005	0.04	15.40	4	<0.05	3.77	17	6.3
N832261		<0.005	0.02	8.69	4	0.05	5.18	12	11.8
N832262		<0.005	1.02	14.95	153	14.45	19.55	424	8.8
N832263		<0.005	0.02	11.60	3	<0.05	4.22	15	9.9
N832264		<0.005	0.04	9.46	4	<0.05	5.72	21	13.0
N832265		<0.005	0.04	8.28	3	<0.05	4.98	18	11.3
N832266		<0.005	0.04	11.40	5	<0.05	5.57	24	9.2
N832267		<0.005	0.04	13.40	3	<0.05	5.31	17	10.4
N832268		<0.005	0.05	1.94	8	<0.05	7.88	30	11.8
N832269		<0.005	0.16	1.60	10	<0.05	12.25	68	12.3
N832270		<0.005	0.08	4.82	6	<0.05	5.24	23	9.8
N832271		<0.005	<0.02	0.57	1	0.05	0.84	16	<0.5
N832272		<0.005	0.08	6.96	7	<0.05	7.73	39	15.3
N832273		<0.005	0.07	6.37	6	<0.05	6.96	36	13.1
N832274		<0.005	0.05	7.68	5	<0.05	6.23	29	14.6
N832275		<0.005	0.05	14.90	5	<0.05	3.21	13	5.2
N832276		<0.005	0.04	15.85	5	<0.05	3.69	18	7.1
N832277		<0.005	0.04	15.40	4	<0.05	3.28	13	5.8
N832278		<0.005	0.03	17.20	4	<0.05	3.82	20	6.9
N832279		<0.005	<0.02	0.63	1	<0.05	0.79	16	<0.5
N832280		<0.005	0.04	8.60	5	<0.05	6.00	26	10.9
N832281		<0.005	0.06	7.61	7	<0.05	7.16	29	14.3
N832282		<0.005	0.05	2.87	10	<0.05	8.91	44	9.2
N832283		<0.005	0.08	2.02	14	<0.05	11.05	57	11.5
N832284		<0.005	0.05	2.84	18	<0.05	10.60	51	7.5
N832285		<0.005	0.02	14.80	5	<0.05	4.50	18	6.7
N832286		<0.005	0.04	1.16	12	<0.05	9.91	47	5.7
N832287		<0.005	0.04	0.74	18	<0.05	10.45	56	5.1
N832288		<0.005	2.45	1.91	65	2.33	7.15	149	7.3
N832289		<0.005	0.06	1.49	16	<0.05	11.15	69	8.2
N832290		<0.005	0.09	5.23	16	<0.05	11.40	64	14.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1- SEP- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12188775

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 18- AUG- 2012
This copy reported on
21- AUG- 2012
Account: MTT

CERTIFICATE WH12189731

Project: Scarlet East
 P.O. No.: Batch 3
 This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: **RE- ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12168815**

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 18- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12189731

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
L860337		0.002
L860338		0.005
L860339		0.003
L860340		0.002
L860341		0.003
L860342		0.001
L860343		0.002
L860344		0.002
L860345		0.002
L860346		0.002
L860347		1.125
L860348		0.003
L860349		0.002
L860350		0.005
L860351		0.003
L860352		0.002
L860353		0.002
L860354		<0.001
L860355		0.002
L860356		0.009
L860357		0.002
L860358		0.008
L860359		0.018
L860360		0.007
L860361		0.010
L860362		0.289
L860363		0.005
L860364		0.005
L860365		0.006
L860366		0.004
L860367		0.004
L860368		0.007
L860369		0.005
L860370		0.105
L860371		0.015
L860372		0.006

Comments: **RE- ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12168815**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- SEP- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12193300

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
N832291		8.42	0.010	0.04	1.30	7	<0.2	<10	370	0.91	0.15	10.30	0.12	34.3	9.2	27
N832292		9.87	0.003	0.03	1.28	3.3	<0.2	<10	410	0.89	0.15	9.42	0.43	38.9	8.2	25
N832293		0.21	0.890	0.75	0.51	229	<0.2	<10	110	1.02	9.26	17.20	2.20	23.5	4.5	21
N832294		9.92	0.003	0.07	0.73	2.8	<0.2	<10	490	0.56	0.10	8.29	0.14	27.9	5.8	16
N832295		9.97	0.004	0.09	1.15	3.6	<0.2	<10	220	0.88	0.13	6.22	0.17	31.8	7.7	26
N832296		4.59	0.003	0.07	1.16	3.6	<0.2	<10	200	0.86	0.13	6.37	0.17	31.8	8.1	25
N832297		5.16	0.004	0.07	1.17	3.5	<0.2	<10	160	0.70	0.12	6.15	0.16	38.7	9.1	28
N832298		<0.02	0.005	0.07	1.06	3.5	<0.2	<10	150	0.70	0.12	6.27	0.15	37.6	9.1	26
N832299		4.64	0.001	0.01	0.02	<2	<0.2	<10	10	<0.05	0.03	20.1	0.06	1.16	0.7	<1

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- SEP- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12193300

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
N832291		2.17	36.2	2.27	4.60	0.07	0.48	0.17	0.032	0.25	14.6	65.8	4.11	290	1.01	0.02
N832292		1.65	29.7	2.10	3.96	0.06	0.22	0.02	0.030	0.28	17.5	53.9	5.74	271	0.43	0.02
N832293		2.43	79.5	2.55	3.17	0.06	0.20	2.14	0.687	0.15	16.0	6.0	3.39	1600	74.4	0.01
N832294		1.26	14.2	1.61	2.18	0.05	0.19	0.04	0.023	0.23	12.0	26.3	4.44	257	0.57	0.02
N832295		1.69	28.1	1.98	3.91	0.05	0.21	0.12	0.025	0.30	13.8	53.0	4.49	240	0.55	0.02
N832296		1.59	26.7	2.02	3.85	0.05	0.21	0.09	0.023	0.29	13.5	54.9	4.64	242	0.52	0.02
N832297		2.13	27.8	2.32	3.94	0.11	0.20	0.09	0.030	0.30	16.9	39.8	4.10	267	0.58	0.02
N832298		2.08	27.4	2.34	3.63	0.11	0.20	0.09	0.031	0.26	16.6	38.1	4.16	270	0.54	0.02
N832299		0.24	2.2	0.45	0.09	<0.05	<0.02	0.02	<0.005	0.02	0.5	1.1	12.20	201	<0.05	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- SEP- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12193300

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
N832291		<0.05	24.7	860	10.2	13.1	0.001	0.37	0.51	6.8	3.2	0.4	556	<0.01	<0.01	8.6
N832292		<0.05	20.6	630	9.7	13.6	<0.001	0.11	0.31	6.3	2.7	0.4	370	<0.01	0.02	7.5
N832293		0.05	75.8	1150	19.7	13.2	0.061	0.92	7.45	4.1	4.0	3.1	217	<0.01	0.45	4.0
N832294		<0.05	12.6	470	9.9	10.0	<0.001	0.16	0.38	4.6	2.7	0.3	335	<0.01	<0.01	5.3
N832295		<0.05	21.9	440	14.7	13.5	0.001	0.21	0.49	6.4	3.3	0.5	292	<0.01	0.01	5.6
N832296		<0.05	20.0	450	11.2	12.8	0.001	0.23	0.52	6.4	3.2	0.6	299	<0.01	<0.01	5.8
N832297		0.09	21.4	520	11.4	15.3	0.001	0.30	0.51	6.2	2.9	0.5	272	<0.01	0.01	6.9
N832298		0.08	21.4	530	11.6	12.9	0.001	0.30	0.51	6.1	3.1	0.5	274	<0.01	0.01	6.8
N832299		<0.05	1.6	230	1.5	1.0	0.001	0.01	<0.05	0.3	<0.2	<0.2	41.9	<0.01	<0.01	<0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- SEP- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12193300

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
N832291		0.007	0.10	3.29	22	<0.05	14.50	82	18.2
N832292		<0.005	0.08	1.08	20	<0.05	13.00	76	8.3
N832293		<0.005	0.94	14.25	149	14.65	21.2	426	9.0
N832294		<0.005	0.07	0.92	13	<0.05	8.49	57	7.3
N832295		0.005	0.10	0.79	18	<0.05	9.08	80	7.0
N832296		0.005	0.10	0.84	18	<0.05	9.03	81	7.1
N832297		0.005	0.10	0.88	22	<0.05	10.95	89	7.1
N832298		0.005	0.08	0.87	20	<0.05	10.95	91	6.8
N832299		<0.005	<0.02	0.46	1	<0.05	0.84	13	<0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17- SEP- 2012
Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12193300

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Samples with Ca > 10% on ICP- MS As. ICP- AES As results reported (2 ppm DL) Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 1- SEP- 2012
This copy reported on
7- SEP- 2012
Account: MTT

CERTIFICATE WH12202650

Project: Scarlet East
 P.O. No.: Batch 6
 This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- AUG- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: **RE- ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12174452**

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 1- SEP- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12202650

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
L860445		0.002
L860446		0.002
L860447		0.002
L860448		0.003
L860449		1.135
L860450		0.004
L860451		0.002
L860452		0.002
L860453		0.002
L860454		0.002
L860455		0.002
L860456		0.003
L860457		0.002
L860458		0.003
L860459		0.005
L860460		0.002
L860461		0.003
L860462		0.004
L860463		0.003
L860464		0.004
L860465		0.008
L860466		0.002
L860467		0.008
L860468		0.018
L860469		0.006
L860470		0.004
L860471		0.001
L860472		0.015
L860473		0.292
L860474		0.022
L860475		0.003
L860476		0.003
L860477		0.003
L860478		0.005
L860479		0.001
L860480		0.003

Comments: **RE- ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12174452**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 31- AUG- 2012
 This copy reported on
 7- SEP- 2012
 Account: MTT

CERTIFICATE WH12202651

Project: Scarlet East
 P.O. No.: Batch 5
 This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- AUG- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER


SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: **RE- ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12174438**

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 31- AUG- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12202651

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
L860409		0.002
L860410		0.003
L860411		0.003
L860412		0.003
L860413		0.263
L860414		0.006
L860415		0.003
L860416		0.002
L860417		0.002
L860418		0.002
L860419		0.001
L860420		0.002
L860421		0.001
L860422		0.002
L860423		0.001
L860424		0.001
L860425		0.002
L860426		0.001
L860427		0.001
L860428		0.002
L860429		0.002
L860430		0.001
L860431		0.001
L860432		0.001
L860433		0.002
L860434		0.002
L860435		0.003
L860436		0.002
L860437		0.002
L860438		0.002
L860439		1.140
L860440		0.003
L860441		0.002
L860442		0.002
L860443		0.002
L860444		0.008

Comments: **RE- ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12174438**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 10- SEP- 2012
 Account: MTT

CERTIFICATE WH12210385

Project: Scarlet East
 P.O. No.: Batch 15
 This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7- SEP- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: **RE- ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12188774**

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 10- SEP- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12210385

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
N832219		<0.001
N832220		0.001
N832221		<0.001
N832222		0.001
N832223		0.002
N832224		0.001
N832225		<0.001
N832226		0.002
N832227		0.002
N832228		0.002
N832229		0.004
N832230		1.105
N832231		0.006
N832232		0.013
N832233		0.018
N832234		0.046
N832235		0.044
N832236		0.039
N832237		0.001
N832238		0.008
N832239		0.005
N832240		0.004
N832241		0.004
N832242		0.003
N832243		0.005
N832244		0.006
N832245		0.003
N832246		3.97
N832247		0.004
N832248		0.002
N832249		0.001
N832250		0.003
N832251		<0.001
N832252		0.001
N832253		0.005
N832254		0.004

Comments: **RE- ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12188774**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 20- SEP- 2012
 Account: MTT

CERTIFICATE WH12219774

Project: Scarlet East
 P.O. No.: Batch 17
 This report is for 9 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18- SEP- 2012.
 The following have access to data associated with this certificate:
 SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: **RE- ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12193300**

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: Scarlet East

CERTIFICATE OF ANALYSIS WH12219774

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
N832291		0.012
N832292		0.001
N832293		1.180
N832294		0.004
N832295		0.003
N832296		0.003
N832297		0.003
N832298		0.004
N832299		<0.001

Comments: **RE- ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12193300**

APPENDIX V
GEOLOGICAL AND GEOTECHNICAL LOGS

SCARLET EAST

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS			Photo	DETAILED DESCRIPTION	
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite	Other			
														Type	Intensity		Type			Conc. (%)
75.33	118.54	43.21					LST	FG	MD	BN	BD	1	CLY	2	0.01				x	Well bedded fine grained, light to medium brown, well bedded limestone. Beds laminated to 2.5 cm thick. Patchy clay alteration, mainly on fracture surfaces only. Oxidation seen locally on fracture surfaces and patches altering whole core. Small segments of folded/sheared beds throughout. Shear/deformation is typically seen in the finer grained brown beds. Trace pyrite seen along bedding planes - very fine grained and dull. Bedding angle varies from 25 to 70 degrees. Small carbonate stringers 1-2 mm throughout - undulatory with no preferred orientation.
			75.33	80.92	5.59		LST	FG	LT	GY	RB	3								Light to medium brown to grey moderately rusty-brown to brown oxidized limestone. Oxidation seen on fracture surfaces and patches of strong oxidation altering whole core. Zone of mudstone/turbidite(?) From 75.33-75.87 m. Clasts are 0.5-3 cm in size and edges are deformed/ragged. Select clasts oxidized.
118.54	221.31	102.77					LST	MG	LT	GY	BD	1			0.01					Light to medium grey fine grained limestone. Texture is laminated/bedded to clastic (turbidity?). Clastic segments have clasts 0.2 mm to 2 cm and are subrounded. Clasts typically lighter than the dark grey matrix. All calcareous, occasionally a silicified clast is found. Laminated beds also often have limemudstone (very fine grained) layers and segments up to 2.00 m throughout. Zones of mild breccia due to calcite stringers throughout. Trace very fine grained pyrite seen along bedding planes.
			118.54	121.89	3.35		LST	MG	LT	GY	DB	1								Clastic limestone debris flow with clasts 2 mm to 10 cm. Clasts typically subrounded to rounded. Clasts lighter than matrix. Some zones of finer grained/smaller clast limestone. Looks like jagged edges of clasts generated from dissolution seams
			122.51	122.76	0.25		LST	FG	DK	GY	BD	4								Strongly oxidized - medium brown in colour - lime mudstone. Heavily folded.
			126.68	127.90	1.22		LST	MG	MD	GY	BX									Brecciated limestone - brecciated from calcite veinlets and veins throughout at random orientations (typically shallow to core axis) Calcite veinlets often yellowish to orange in colour - mild oxidation?
			140.61	141.61	1.00		LST	FG	DK	GY	BD									Fine grained, dark grey lime mudstone. Beds range from very fine sand to mud up to 5 cm thick. A few calcite stringers throughout, more pervasive in coarser grained lighter beds

SCARLET EAST

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS			Photo	DETAILED DESCRIPTION		
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite	Other				
														Type	Intensity		Type			Conc. (%)	
			202.77	206.13	3.36		LST	MG	LT MD	GY DB											Light to medium grey debrite limestone. Top of interval finer grained clasts (sand size) and bottom of interval up to 2-3 cm pebble sized. Heavily calcite veined generating a mild breccia texture. Clasts vary in colour throughout with very little matrix material. Dissolution seams often seen rimming clasts.
			206.13	207.50	1.37		LST	FG	DK	GY BK	BD										Dark grey to black finely laminated/bedded limestone/lime mudstone. Small calcite veinlets throughout.
221.31	298.70	77.39					LST	FG	MD DK	GY BD LA			1			0.01					Well bedded fine grained limestone and siltstone interbedded. Zones of silicification and small debrite segments. Very few dissolution seams throughout. Beds range in thickness from 0.2-30.0 cm, fining uphole. The siltstone is much darker grey than the calcareous layers. Soft sediment deformation throughout. Trace pyrite along bedding planes, typically round (radial?), bright crystals.
			228.60	234.00	5.40		LST	FG	LT MD	GY BX BD											Calcite veinlets and stringers generating mild breccia texture in bedded limestone.
			260.78	262.16	1.38		LST	FG	LT MD	GY BD BX			3								Slightly brecciated silicified limestone with calcite veins and veinlets throughout. Small darker stringers defining bedding and breccia throughout.
			282.93	290.45	7.52		SLT	FG	DK	GY BD LA											Very dark grey very fine grained siltstone with small <10 cm bands of more calcareous lighter lime-mudstone. A few calcite veinlets and stringers throughout as well as soft sediment deformation.
			290.45	292.70	2.25		LST	FG	LT	GY BX						0.01					Light to medium grey brecciated debrite to bedded limestone and siltstone. Calcite stringers and a few dissolution seams generating breccia texture overprint of debrite. Pyrite seen throughout - medium grained splashy and bright pyrite - seen in debrite matrix and preferentially along bedding planes.
	EOH								MD	DB											EOH, reached targeted depth. Hole intersected expected units but no mineralization was seen.

SCARLET EAST

Hole: SE-12-01

Logger Name: H. Friday

Date: July 13, 2012

2° Structure Type	From (m)	To (m)	Attitude (to core axis)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
VN	21.12	-	45	0	1	Qz		Centred at 21.12 m, coarse grained white quartz vein 45 degrees to core axis, 28 cm wide with irregular but sharp margins. Supporting dark grey silicified siltstone clasts and irregular rusty orange stringers.	
BX	41.52	41.69	-	-	1			Zone of breccia with upto 1cm subangular siltstone clasts. Matrix quartz and carbonate.	
VT	51.05	54.32	-	-	30	Qz		Series of randomly oriented quartz veinlets and stringers, often truncated by shear fabric. Typically low angle to core axis. upto 2cm thick undulatory quartz veins - undulatory due to shear? Follow no preferred orientation. Milky to crystalline grey quartz	
VT	55.29	59.86	-	-	4	Qz		White quartz veinlets upto 8mm thick. Often heavily folded/sheared. Typically low angle to core axis. Milky white.	
VT	67.26	68.80	25	-	7	Qz		upto 5mm thick iron carbonate (?) veinlets. Peach coloured veinlets with dark pink/red stringers throughout.	
VT	72.11	72.89	65	-	5	Ca		Reddish-pink iron carbonate veinlets and stringers often perpendicular to bedding orientation, but a variety of orientations is also noticed	
VT/SR	75.22	77.17	50	-	30	Ca		Upto 8mm thick white calcite veinlets following bedding plane, typically seen where grain size changes.	
VT	76.24		50	0	20	Ca		White carbonate veinlets and stringers perpendicular to bedding. Higher concentration seen in the darker grey, finer grained layers.	
VN	93.33	-	30	-	1	Ca		3cm thick white calcite vein. Often darker grey crystals throughout. Sharp contacts.	
FD	98.20	-	55	-	1			Fold hinge - low angle and undulatory (cant get measurement of axial plane) bedding changes from 65 degrees in one limb to 45 degrees the opposite direction in the other limb. Photo taken.	x
VT/BX	123.44	127.90	45	-	50			Series of undulatory calcite veinlets and stringers generating mild breccia of limestone. Calcite often yellow-orange (oxidized?)	
VN	125.97	134.21	40	0	10	Ca		Series of 1-3cm thick calcite veins with very undulatory contacts generally following bedding orientation.	
FD	121.19	-						Short limb long limb fold axis. Long limb 60 degrees to core axis, short limb 25 degrees to core axis. Fold too open to accurately tell axial orientation.	
VT	134.69	135.09	20	120	2	Ca		2 6mm thick very planar calcite veinlet. Slightly offset due to folding	
VN	136.56	136.81	60	180	1	Ca		Large calcite vein with jagged but sharp contacts into limestone. Light peach to white in colour	
VT	148.62	172.10	40	245	3/m	Ca		1-5mm thick calcite veinlet. Planar with uneven but sharp contacts	
VT	153.74	165.27	80	-	4/m	Ca		small 1-3mm calcite veinlets. Planar.	
VN	156.36	167.01	70	180	6	Ca		1-2cm thick calcite veins. Planar with uneven/rough edges.	
VN	162.79	-	10	-	1	Ca		1.2 cm thick calcite vein. Undulatory with planar sharp contacts	
VN	181.52	191.74	15	245	8	Ca		1-2cm thick calcite veins that often branch off into smaller 2-7mm veinlets. Shallow angle to core axis, often quite undulatory.	
VN	184.10	-	50	0	1	Ca		7cm thick calcite vein parallel with bedding plane.	
VN	189.92	211.10	-	-	7	Ca		Upto 4cm thick calcite "floods" with dark grey material rimming the calcite crystals.	
VN	199.43	202.93	15	180	4	Ca		2-10cm thick calcite veins that brecciate the limestone into angular clasts. Sharp contacts. Veins often branch out along. Occasional pink staining seen in calcite.	

SCARLET EAST

2° Structure Type	From (m)	To (m)	Attitude (to core axis)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
VN	210.13	-	20	320	1	Ca		3cm thick calcite vein with dissolution seams throughout and peach staining.	
VN	222.35	-	30	180	1	Ca		2 cm thick calcite vein with sharp but undulatory contacts into limestone.	
VN	223.46	223.88	-	-	2	Ca		2 thick (10cm) calcite veins brecciating the limestone. Large 1-3cm limestone angular clasts throughout. veinlet offshoots at random orientations from the veins.	
VN	254.94	257.16	20	90	3	Ca		Three 1.5cm to 15cm thick calcite veins. Very undulatory edges and are comprised of white to grey calcite crystals.	
VN	259.79	265.23	30	180	11	Ca		0.5 to 1.5 cm thick very planar calcite veins. Sharp contacts into limestone.	
VN	276.91	282.70	35	270	10	Ca		1-3 cm thick very planar calcite veins. Sharp contacts into limestone.	
BX	290.45	292.78	-	-	-	Ca		Calcite vein and veinlets at random orientations to core axis generating breccia texture. Often very jagged edges and undulatory.	
VN	292.78	298.70	-	-	50	Ca		Planar calcite veinlets at random orientations to core axis with upto 20cm zones of calcite floods/brecciated limestone.	

SCARLET EAST

Hole: SE-12-01

Date: July 13, 2012

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
0.39	1.52	1.13	0.88	78	L842014	1					2.8
1.52	3.05	1.53	1.53	100	L842015	1					4.6
3.05	4.57	1.52	1.45	95	L842016	1					4.6
4.57	6.10	1.53	1.43	93	L842017	1					4.8
6.10	9.14	3.04	2.83	93	L842018	1					9.0
9.14	12.19	3.05	2.80	92	L842019	1					8.0
12.19	15.24	3.05	2.71	89	L842020	1					8.8
15.24	18.29	3.05	2.95	97	L842021	1					10.2
18.29	20.74	2.45	1.35	55	L842022	1					7.6
18.29	20.74	2.45	1.35	55	L842023	1				1/4 Duplicate	3.2
20.74	21.34	0.60	0.49	82	L842024	1					1.8
-	-	-	-	-	L842025	1				Blank	4.0
21.34	24.08	2.74	2.35	86	L842026	1					8.4
24.08	25.91	1.83	1.59	87	L842027	1					5.2
-	-	-	-	-	L842028	1				Standard ME-6	0.3
25.91	28.86	2.95	2.82	96	L842029	1					9.4
28.86	32.00	3.14	2.66	85	L842030	1					8.8
32.00	35.05	3.05	2.86	94	L842031	1					8.8
35.05	38.10	3.05	2.92	96	L842032	1					9.6
38.10	41.15	3.05	2.69	88	L842033	1					9.2
41.15	44.20	3.05	2.23	73	L842034	1					7.4
44.20	47.24	3.04	2.73	90	L842035	1					8.6
47.24	49.99	2.75	2.33	85	L842036	1					8.0
47.24	49.99	2.75	2.33	85	L842037	1				Coarse Reject Duplicate	-
49.99	51.82	1.83	1.83	100	L842038	1					5.6
51.82	54.86	3.04	3.03	100	L842039	1					9.0
54.86	57.91	3.05	2.86	94	L842040	1					9.8
57.91	60.96	3.05	3.01	99	L842041	1					9.2

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
60.96	64.01	3.05	3.05	100	L842042	1					9.4
-	-	-	-	-	L842043	1				Standard GS-40	0.3
64.01	67.06	3.05	3.04	100	L842044	1					9.4
67.06	70.10	3.04	2.62	86	L842045	1					9.0
70.10	70.76	0.66	0.66	100	L842046	1					2.6
70.76	72.33	1.57	1.57	100	L842047	1					5.8
-	-	-	-	-	L842048	1				Blank	4.2
72.33	74.32	1.99	1.84	92	L842049	1					6.6
74.32	75.33	1.01	1.01	100	L860301	2				*note jump in sample number*	3.8
75.33	78.00	2.67	2.66	100	L860302	2					8.8
78.00	80.92	2.92	2.89	99	L860303	2					9.0
80.92	83.82	2.90	2.90	100	L860304	2					9.0
83.82	86.87	3.05	3.02	99	L860305	2					10.2
86.87	89.92	3.05	2.84	93	L860306	2					9.4
89.92	92.96	3.04	3.04	100	L860307	2					10.5
92.96	96.01	3.05	2.71	89	L860308	2					8.6
96.01	99.06	3.05	2.80	92	L860309	2					10.0
-	-	-	-	-	L860310	2				Standard ME-6	0.3
99.06	102.11	3.05	3.05	100	L860311	2					9.8
102.11	105.16	3.05	3.05	100	L860312	2					10.2
105.16	108.20	3.04	3.04	100	L860313	2					9.8
108.20	111.25	3.05	3.05	100	L860314	2					9.6
111.25	114.30	3.05	2.98	98	L860315	2					9.4
114.30	117.35	3.05	3.05	100	L860316	2					9.4
117.35	118.54	1.19	1.19	100	L860317	2					3.8
118.54	120.40	1.86	1.86	100	L860318	2					5.6
-	-	-	-	-	L860319	2				Blank	3.0
120.40	121.89	1.49	1.46	98	L860320	2					4.0
121.89	122.92	1.03	1.02	99	L860321	2					3.4
121.89	122.92	1.03	1.02	99	L860322	2				Coarse Reject Duplicate	-
122.92	124.43	1.51	1.51	100	L860323	2					4.6

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
124.43	126.68	2.25	2.02	90	L860324	2					5.8
126.68	127.90	1.22	1.22	100	L860325	2					3.8
126.68	127.90	1.22	1.22	100	L860326	2				1/4 Duplicate	2.0
127.90	129.54	1.64	1.56	95	L860327	2					4.4
129.54	131.98	2.44	2.44	100	L860328	2					8.6
131.98	134.11	2.13	1.78	84	L860329	2					5.6
-	-	-	-	-	L860330	2				Blank	4.4
134.11	137.16	3.05	3.05	100	L860331	2					9.4
137.16	138.88	1.72	1.67	97	L860332	2					5.2
-	-	-	-	-	L860333	2				Standard GS-4D	0.3
138.88	140.61	1.73	1.72	99	L860334	2					5.4
140.61	141.61	1.00	0.98	98	L860335	2					2.8
141.61	142.65	1.04	1.04	100	L860336	3					2.8
142.65	143.73	1.08	1.06	98	L860337	3					4.0
143.73	146.34	2.61	2.57	98	L860338	3					9.4
146.34	147.83	1.49	1.41	95	L860339	3					6.6
147.83	150.88	3.05	3.05	100	L860340	3					10.4
150.88	152.76	1.88	1.82	97	L860341	3					6.0
152.76	153.92	1.16	1.16	100	L860342	3					4.2
153.92	156.97	3.05	3.05	100	L860343	3					10.0
156.97	160.02	3.05	3.00	98	L860344	3					10.2
160.02	163.07	3.05	2.85	93	L860345	3					10.2
163.07	166.12	3.05	3.05	100	L860346	3					10.4
-	-	-	-	-	L860347	3				Standard GS-1G	0.3
166.12	169.16	3.04	3.04	100	L860348	3					10.8
169.16	172.21	3.05	3.05	100	L860349	3					10.4
172.21	175.26	3.05	3.04	100	L860350	3					10.2
172.21	175.26	3.05	-	-	L860351	3				1/4 Duplicate	4.4
175.26	178.31	3.05	2.96	97	L860352	3					10.4
178.31	180.04	1.73	1.53	88	L860353	3					6.2
-	-	-	-	-	L860354	3				Blank	4.2
180.04	181.24	1.20	0.61	51	L860355	3					2.4

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
181.24	183.24	2.00	1.93	97	L860356	3					7.2
183.24	184.40	1.16	1.01	87	L860357	3					4.2
184.40	187.45	3.05	2.98	98	L860358	3					9.6
187.45	190.50	3.05	2.98	98	L860359	3					9.6
190.50	193.55	3.05	2.99	98	L860360	3					10.2
193.55	196.60	3.05	3.01	99	L860361	3					10.3
-	-	-	-	-	L860362	3				Standard ME-6	0.3
196.60	199.64	3.04	2.85	94	L860363	3					10.2
199.64	201.15	1.51	1.49	99	L860364	3					5.8
201.15	202.77	1.62	1.62	100	L860365	3					6.2
-	-	-	-	-	L860366	3				Blank	4.2
202.77	204.22	1.45	1.29	89	L860367	3					4.8
204.22	206.13	1.91	1.91	100	L860368	3					7.2
-	-	-	-	-	L860369	3				Coarse Reject	-
206.13	207.50	1.37	1.05	77	L860370	3					4.0
207.50	210.31	2.81	2.65	94	L860371	3					9.0
210.31	213.36	3.05	2.93	96	L860372	3					10.0
213.36	216.41	3.05	3.02	99	L860373	4					9.6
216.41	219.46	3.05	3.01	99	L860374	4					9.8
219.46	222.50	3.04	2.93	96	L860375	4					9.8
222.50	225.55	3.05	3.00	98	L860376	4					10.2
225.55	228.60	3.05	2.96	97	L860377	4					9.2
228.60	231.04	2.44	2.20	90	L860378	4					7.0
231.04	233.17	2.13	2.13	100	L860379	4					6.6
-	-	-	-	-	L860380	4				Standard ME-6	0.3
233.17	236.22	3.05	2.99	98	L860381	4					9.4
236.22	238.35	2.13	1.97	92	L860382	4					6.0
238.35	240.79	2.44	2.44	100	L860383	4					8.8
-	-	-	-	-	L860384	4				Blank	4.2
240.79	243.84	3.05	2.85	93	L860385	4					8.6
243.84	246.89	3.05	2.84	93	L860386	4					10.0
246.89	249.94	3.05	3.05	100	L860387	4					9.8

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
246.89	249.94	3.05	3.05	100	L860388	4				1/4 Duplicate	4.2
249.94	252.98	3.04	2.96	97	L860389	4					10.2
252.98	256.03	3.05	2.98	98	L860390	4					9.8
256.03	259.08	3.05	3.05	100	L860391	4					9.8
259.08	262.13	3.05	3.03	99	L860392	4					9.6
262.13	265.18	3.05	2.95	97	L860393	4					9.2
265.18	268.22	3.04	3.02	99	L860394	4					9.4
268.22	271.27	3.05	3.05	100	L860395	4					10.0
271.27	274.27	3.00	3.02	101	L860396	4					9.6
274.27	277.37	3.10	3.05	98	L860397	4					9.8
-	-	-	-	-	L860398	4				Standard GS-1G	0.3
277.37	280.42	3.05	3.01	99	L860399	4					10.0
280.42	283.46	3.04	3.02	99	L860400	4					9.6
-	-	-	-	-	L860401	4				Blank	4.4
283.46	286.51	3.05	2.92	96	L860402	4					9.8
286.51	288.95	2.44	2.44	100	L860403	4					9.2
288.95	291.08	2.13	1.98	93	L860404	4					6.6
291.08	294.13	3.05	3.02	99	L860405	4					9.4
294.13	297.18	3.05	3.05	100	L860406	4					9.4
-	-	-	-	-	L860407	4				Coarse Reject	-
297.18	298.70	1.52	1.52	100	L860408	4					5.2

SCARLET EAST

Hole: SE-12-01

Tech Name: Mark Alban

Date: July 14, 2012

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	HCI Reactivity	Hardness	Strength	Weathering	Joint Sets						DESCRIPTION
											Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering	
0.00	0.39	0.39	-	0	-	0	-	-	-	-	-	-	-	-	-	-	OVB
0.39	1.52	1.13	0.88	78	0.00	0	3	1	1S	4W	N/A	inf	-	3	2R	4W	
1.52	3.05	1.53	1.53	100	0.36	24	3	2	1S	4W	50	0.03	-	2	2R	4W	
3.05	4.57	1.52	1.45	95	0.39	26	3	1	2S	4W	65	0.05	-	1	2R	4W	
4.57	6.10	1.53	1.43	93	0.29	19	3	1	2S	4W	70	0.06	-	1	2R	4W	
6.10	9.14	3.04	2.83	93	0.99	33	0	1	2S	3W	70	0.06	2	1	2R	3W	
9.14	12.19	3.05	2.80	92	0.80	26	2	1	2S	3W	60	0.07	70	2	2R	3W	
12.19	15.24	3.05	2.71	89	0.72	24	0	1	2S	3W	40	0.06	-	1	2R	3W	
15.24	18.29	3.05	2.95	97	1.38	45	4	2	3S	2W	45	0.08	-	1	2R	2W	
18.29	21.34	3.05	2.78	91	1.90	62	2	3	2S	2W	50	0.09	-	1	2R	2W	
21.34	24.08	2.74	2.35	86	2.08	76	0	1	1S	3W	60	0.06	270	2	2R	2W	
24.08	25.91	1.83	1.59	87	1.10	60	0	1	3S	2W	50	0.06	-	2	2R	3W	
25.91	28.96	3.05	2.82	92	1.37	45	0	1	3S	2W	45	0.08	2	2	2R	3W	
28.96	30.10	1.14	1.14	100	0.22	19	0	1	3S	2W	45	0.05	-	2	2R	3W	
30.10	32.00	1.90	1.52	80	0.45	24	0	1	4S	2W	45	0.08	2	1	2R	3W	
32.00	35.05	3.05	2.86	94	1.70	56	0	1	2S	2W	50	0.11	4	1	2R	3W	
35.05	38.10	3.05	2.92	96	1.32	43	0	2	2S	2W	40	0.08	-	1	2R	2W	
38.10	41.15	3.05	2.69	88	0.72	24	0	2	2S	2W	50	0.06	-	1	3R	2W	
41.15	44.20	3.05	2.30	75	0.80	26	0	2	2S	2W	45	0.06	2	2	3R	1W	
44.20	47.24	3.04	2.73	90	2.00	66	0	1	3S	2W	40	0.08	-	2	2R	1W	
47.24	49.99	2.75	2.33	85	1.28	47	0	2	3S	2W	30	0.07	-	2	3R	1W	
49.99	51.82	1.83	1.83	100	1.71	93	0	2	3S	2W	45	0.08	-	1	3R	1W	
51.82	54.86	3.04	3.03	100	2.26	74	0	3	3S	2W	50	0.12	-	2	2R	1W	
54.86	57.91	3.05	2.86	94	1.50	49	0	1	3S	2W	60	0.1	5	2	2R	1W	
57.91	60.96	3.05	3.01	99	1.83	60	0	1	3S	1W	55	0.14	20	2	2R	1W	
60.96	64.01	3.05	3.05	100	2.26	74	0	1	3S	1W	60	0.13	2	2	2R	1W	
64.01	67.06	3.05	3.04	100	2.69	88	0	1	3S	1W	65	0.14	5	3	3R	1W	
67.06	70.10	3.04	2.62	86	1.57	52	0	1	3S	1W	40	0.09	10	3	3R	1W	
70.10	71.63	1.53	1.53	100	0.48	31	0	1	2S	2W	60	0.07	-	3	3R	2W	
71.63	74.68	3.05	2.97	97	0.68	22	0	1	3S	2W	55	0.07	-	2	2R	3W	

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	HCl Reactivity	Hardness	Strength	Weathering	Joint Sets						DESCRIPTION
											Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering	
74.68	77.72	3.04	2.96	97	2.34	77	0	2	3S	2W	60	0.13		2	2R	3W	
77.72	80.77	3.05	3.01	99	2.14	70	2	2	3S	2W	40	0.12		2	2R	3W	
80.77	83.82	3.05	2.94	96	2.18	71	2	2	3S	2W	50	0.11		1	3R	2W	
83.82	86.87	3.05	3.02	99	2.35	77	2	3	3S	2W	45	0.15		1	2R	2W	
86.87	89.92	3.05	2.84	93	1.44	47	2	3	3S	2W	45	0.06		1	2R	2W	
89.92	92.96	3.04	3.04	100	1.59	52	2	3	3S	2W	55	0.09		1	2R	2W	
92.96	96.01	3.05	2.71	89	1.72	56	2	3	3S	2W	55	0.1		1	2R	2W	
96.01	99.06	3.05	2.80	92	2.00	66	4	2	3S	2W	40	0.12		1	2R	2W	
99.06	102.11	3.05	3.05	100	2.67	88	4	2	3S	2W	50	0.13		1	2R	2W	
102.11	105.16	3.05	3.05	100	2.74	90	4	2	3S	2W	70	0.15		1	2R	2W	
105.16	108.20	3.04	3.04	100	2.48	82	4	2	3S	2W	70	0.13		1	2R	3W	
108.20	111.25	3.05	3.05	100	2.78	91	4	2	3S	2W	55	0.14		1	2R	2W	
111.25	114.30	3.05	2.98	98	2.65	87	4	2	3S	2W	60	0.15		1	2R	2W	
114.30	117.35	3.05	3.05	100	2.47	81	4	2	3S	2W	55	0.14	2	1	2R	2W	
117.35	120.40	3.05	3.05	100	2.94	96	4	3	3S	2W	45	0.25		1	2R	2W	
120.40	123.44	3.04	2.96	97	2.79	92	4	3	3S	2W	40	0.2	60	1	2R	2W	
123.44	126.49	3.05	2.09	68	2.00	66	4	3	3S	2W	35	0.11	5	2	2R	2W	
126.49	129.54	3.05	2.99	98	2.15	70	4	3	3S	2W	45	0.13	5	1	2R	2W	
129.54	131.98	2.44	2.44	100	1.47	60	4	3	3S	1W	65	0.09		1	2R	2W	
131.98	134.11	2.13	1.78	84	1.16	54	4	3	3S	1W	65	0.1		2	2R	2W	
134.11	137.16	3.05	3.05	100	2.85	93	4	3	3S	1W	55	0.25		2	2R	1W	
137.16	140.21	3.05	3.05	100	2.43	80	4	3	3S	1W	60	0.03		2	2R	1W	
140.21	142.65	2.44	2.38	98	2.15	88	4	3	3S	1W	55	0.2		2	2R	1W	
142.65	144.78	2.13	2.13	100	1.93	91	2	3	3S	1W	40	0.16		2	2R	1W	
144.78	147.83	3.05	3.05	100	2.41	79	2	3	4S	1W	45	0.1		1	2R	1W	
147.83	150.88	3.05	3.05	100	1.89	62	4	3	4S	1W	50	0.09		2	2R	1W	
150.88	153.92	3.04	2.90	95	1.78	59	4	3	2S	3W	35	0.1		2	2R	2W	
153.92	156.97	3.05	3.05	100	2.12	70	4	3	3S	2W	45	0.13	10	2	2R	2W	
156.97	160.02	3.05	3.01	99	1.69	55	4	3	3S	2W	35	0.09		3	2R	2W	
160.02	163.07	3.05	2.85	93	1.83	60	4	3	3S	2W	40	0.08		2	2R	2W	
163.07	166.12	3.05	3.05	100	2.49	82	4	2	3S	1W	30	0.15		2	2R	1W	
166.12	169.16	3.04	3.04	100	2.49	82	4	2	3S	1W	50	0.18		2	2R	1W	
169.16	172.21	3.05	3.05	100	2.53	83	4	2	4S	1W	60	0.15		2	2R	2W	

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	HCl Reactivity	Hardness	Strength	Weathering	Joint Sets						DESCRIPTION
											Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering	
172.21	175.26	3.05	3.04	100	2.78	91	4	2	4S	1W	35	0.12		2	2R	2W	
175.26	178.31	3.05	2.96	97	2.20	72	4	2	4S	1W	60	0.13		2	2R	2W	
178.31	181.36	3.05	2.96	97	1.20	39	4	3	4S	3W	45	0.08	62	2	2R	3W	
181.36	184.40	3.04	2.83	93	2.05	67	4	3	4S	2W	45	0.14		2	2R	2W	
184.40	187.45	3.05	2.98	98	2.40	79	4	3	3S	1W	50	0.14		2	3R	1W	
187.45	190.50	3.05	2.98	98	2.11	69	4	3	3S	1W	55	0.15	1	2	3R	2W	
190.50	193.55	3.05	2.99	98	2.90	95	4	3	3S	1W	40	0.25		2	3R	1W	
193.55	196.60	3.05	3.01	99	2.66	87	4	2	3S	1W	50	0.18		2	3R	1W	
196.60	198.12	1.52	1.52	100	1.36	89	4	2	3S	1W	55	0.14		2	3R	1W	
198.12	199.64	1.52	1.33	88	1.05	69	4	2	3S	1W	50	0.12		2	3R	1W	
199.64	202.39	2.75	2.75	100	2.49	91	4	2	4S	1W	60	0.17		2	3R	1W	
202.39	204.22	1.83	1.68	92	1.60	87	4	2	4S	1W	50	0.17		2	3R	1W	
204.22	207.26	3.04	2.71	89	1.94	64	4	2	4S	1W	40	0.12		2	3R	1W	
207.26	210.31	3.05	2.83	93	2.65	87	4	2	3S	1W	40	0.11		2	3R	1W	
210.31	213.36	3.05	2.93	96	2.61	86	4	2	4S	1W	50	0.5	1	2	3R	1W	
213.36	216.41	3.05	3.02	99	2.55	84	4	2	4S	1W	30	0.16		1	3R	1W	
216.41	219.46	3.05	3.01	99	3.01	99	4	3	4S	1W	45	0.31		1	3R	1W	
219.46	222.50	3.04	2.93	96	2.84	93	4	3	4S	1W	50	0.2		1	3R	1W	
222.50	225.55	3.05	3	98	2.82	92	4	3	4S	1W	40	0.21		1	3R	1W	
225.55	228.60	3.05	2.96	97	2.09	69	4	3	4S	1W	30	0.13		2	2R	1W	
228.60	231.04	2.44	2.2	90	1.36	56	4	3	4S	1W	40	0.07		2	3R	1W	
231.04	233.17	2.13	2.13	100	1.31	62	4	3	4S	1W	35	0.12		2	2R	1W	
233.17	236.22	3.05	2.99	98	2.78	91	4	2	4S	1W	55	0.21		2	2R	1W	
236.22	238.35	2.13	1.97	92	1.87	88	4	3	4S	1W	60	0.22		2	2R	1W	
238.35	240.79	2.44	2.44	100	2.39	98	4	3	3S	1W	55	0.17	95	2	2R	1W	
240.79	243.84	3.05	2.85	93	2.47	81	4	3	3S	1W	45	0.18		2	2R	1W	
243.84	246.89	3.05	2.84	93	2.56	84	4	3	3S	1W	35	0.14	1	2	2R	1W	
246.89	249.94	3.05	3.05	100	2.8	92	4	3	3S	1W	40	0.23		2	2R	1W	
249.94	252.98	3.04	2.96	97	2.31	76	0	2	3S	1W	35	0.16	4	1	2R	1W	
252.98	256.03	3.05	2.98	98	2.51	82	3	2	3S	1W	40	0.17		2	2R	2W	
256.03	259.08	3.05	3.05	100	2.91	95	0	3	4S	1W	70	0.16		2	2R	1W	
259.08	262.13	3.05	3.03	99	1.27	42	0	3	4S	1W	65	0.13		2	2R	1W	
262.13	265.18	3.05	2.95	97	2.04	67	3	2	3S	1W	60	0.12		2	2R	1W	
265.18	268.22	3.04	3.02	99	2.95	97	0	3	4S	1W	70	0.23		2	2R	1W	

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m) Recovery (%)		RQD (m) RQD (%)		HCl Reactivity Hardness		Strength Weathering		Joint Sets						DESCRIPTION
											Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering	
268.22	271.27	3.05	3.05	100	2.89	95	0	3	4S	1W	45	0.24		2	2R	1W	
271.27	274.32	3.05	3.02	99	2.76	90	0	3	4S	1W	30	0.2	12	2	2R	1W	
274.32	277.37	3.05	3.05	100	2.8	92	0	3	4S	1W	55	0.21		2	2R	1W	
277.37	280.42	3.05	3.01	99	2.81	92	4	3	4S	1W	65	0.2		2	2R	1W	
280.42	283.46	3.04	3.02	99	3.02	99	4	3	4S	1W	30	0.18		2	2R	1W	
283.46	286.51	3.05	2.92	96	2.92	96	0	2	4S	1W	25	0.27		2	2R	1W	
286.51	288.95	2.44	2.44	100	2.44	100	0	2	4S	1W	50	0.19		2	2R	1W	
288.95	291.08	2.13	1.98	93	1.81	85	0	2	4S	1W	50	0.28		2	2R	1W	
291.08	294.13	3.05	3.02	99	2.76	90	3	2	4S	1W	40	0.18		2	2R	1W	
294.13	297.18	3.05	3.05	100	2.98	98	3	2	4S	1W	60	0.23		2	2R	1W	
297.18	298.70	1.52	1.52	100	1.33	88	3	2	4S	1W	45	0.15		2	2R	1W	EOH

SCARLET EAST

Hole: SE-12-01

Date: July 13, 2012

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
2	BD	85	
4	BD	85	
6	BD	65	
8	BD	85	
10	BD	85	
12	BD	70	
14	n/a		Obscured by rubble
16	BD	50	
18	BD	60	
20	BD	45	
22	n/a		Obscured by clay alteration
24	n/a		Obscured by clay alteration
26	BD	30	
28	BD	20	
30	BD	30	
32	BD	35	
34	BD	48	
36	BD	20	
38	BD	50	
40	BD	10	
42	BD	10	
44	BD	30	
46	BD	35	
48	BD	45	
50	BD	25	
52	BD	10	
54	FO	10	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
56	BD	45	
58	BD	70	
60	BD	40	
62	BD	40	
64	FO	40	
66	BD	40	
68	FO	40	
70	BD	55	
72	BD	40	
74	BD	40	
76	BD	55	
78	BD	55	
80	BD	45	
82	BD	40	
84	BD	50	
86	BD	25	
88	BD	45	
90	BD	55	
92	BD	35	
94	BD	70	
96	BD	65	
98	BD	60	
100	BD	60	
102	BD	70	
104	BD	75	
106	BD	65	
108	BD	75	
110	BD	60	
112	BD	50	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
114	BD	50	
116	BD	50	
118	n/a	n/a	Clastic LST - no fabric
120	BD	60	
122	BD	40	
124	BD	55	
126	BD	60	
128	BD	20	
130	BD	60	
132	BD	35	
134	BD	65	
136	BD	60	
138	BD	55	
140	BD	40	
142	FO	45	
144	BD	25	
146	BD	15	
148	BD	60	
150	BD	50	
152	n/a	n/a	Brecciated
154	BD	25	
156	BD	25	
158	BD	45	
160	BD	10	
162	BD	50	
164	BD	70	
166	BD	45	
168	BD	40	
170	BD	40	
172	BD	25	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
174	BD	30	
176	BD	35	
178	BD	50	
180	BD	45	
182	BD	40	
184	BD	45	
186	BD	35	
188	BD	20	
190	BD	45	
192	BD	20	
194	BD	60	
196	BD	45	
198	BD	60	
200	BD	60	
202	BD	55	
204	BD	35	
206	BD	30	
208	BD	30	
210	BD	25	
212	BD	30	
214	BD	25	
216	BD	45	
218	BD	50	
220	BD	80	
222	BD	45	
224	BD	45	
226	BD	25	
228	BD	35	
230	BD	50	
232	BD	25	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
234	BD	45	
236	BD	35	
238	BD	70	
240	BD	45	Bedding goes through 0 degrees at 240.75m
242	BD	45	
244	BD	40	
246	BD	40	
248	BD	15	Bedding goes through 0 degrees at 245.30m
250	BD	30	6
252	BD	25	
254	BD	25	
256	BD	35	
258	BD	65	
260	BD	65	
262	BD	55	
264	BD	85	
266	BD	35	
268	BD	45	
270	BD	15	
272	BD	15	
274	BD	50	275.50, bedding goes through 0 degrees. 30 deg TCA uphole, 40 deg TCA downhole.
276	BD	40	
278	BD	0	
280	BD	0	
282	BD	25	
284	BD	20	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
286	BD	40	
288	BD	40	
290	BD	20	
292	BD	10	
294	BD	15	
296	BD	20	296.21m, bedding goes through 0 degrees. 10-20 deg TCA on either side.
298	BD	15	

SCARLET EAST

Hole: SE-12-01

Date: July 14,

Box #	From (m)	To (m)
1	0.39	3.47
2	3.47	7.54
3	7.54	11.77
4	11.77	15.80
5	15.80	19.91
6	19.91	24.08
7	24.08	28.02
8	28.02	31.90
9	31.90	36.07
10	36.07	39.79
11	39.79	44.20
12	44.20	48.12
13	48.12	52.10
14	52.10	56.00
15	56.00	60.04
16	60.04	64.01
17	64.01	67.86
18	67.86	71.77
19	71.77	75.11
20	75.11	79.07
21	79.07	82.92
22	82.92	86.87
23	86.87	91.08
24	91.08	94.96
25	94.96	99.06
26	99.06	103.14
27	103.14	107.05
28	107.05	111.25
29	111.25	115.39

SCARLET EAST

30	115.39	119.63
31	119.63	123.44
32	123.44	127.64
33	127.64	131.72
34	131.72	135.49
35	135.49	139.45
36	139.45	143.40
37	143.40	147.47
38	147.47	151.39
39	151.39	155.17
40	155.17	159.11
41	159.11	163.07
42	163.07	167.25
43	167.25	171.28
44	171.28	175.26
45	175.26	179.20
46	179.20	183.76
47	183.76	187.81
48	187.81	191.86
49	191.86	196.05
50	196.05	199.73
51	199.73	203.63
52	203.63	208.82
53	208.82	212.26
54	212.26	216.41
55	216.41	220.65
56	220.65	224.86
57	224.86	228.84
58	228.84	233.00
59	233.00	237.01
60	237.01	240.79
61	240.79	245.19
62	245.19	249.27
63	249.27	253.29
64	253.29	257.14
65	257.14	261.25
66	261.25	265.41

SCARLET EAST

67	265.41	269.56
68	269.56	273.50
69	273.50	277.37
70	277.37	281.66
71	281.66	285.94
72	285.94	289.79
73	289.79	294.13
74	294.13	298.10
75	298.10	298.70
EOH		

SCARLET EAST

SE-12-01

Depth (ft)	Depth (m)	Azimuth (°)	Grid North Azimuth (°)	Dip (°)	Magnetic Intensity (nT)	Magnetic Dip (°)	Gravity Intensity (g)	Temperature (°F)	Gravity Roll Angle (°)	Magnetic Tool Face	Dog Leg (° per 100 ft)	Date/Time
50.00	15.24	334.8	359.8	-49.80	57233.00	79.6	1.0	40.80	83.30	271.9	-0.6	7/18/12 11:14:41 AM
100.00	30.48	334.8	359.8	-49.50	57247.00	79.5	1.0	41.70	67.90	256.6	-0.2	7/18/12 11:08:21 AM
150.00	45.72	334.9	359.9	-49.60	57295.00	79.6	1.0	42.60	61.90	250.4	-1.3	7/18/12 11:01:51 AM
200.00	60.96	335.1	0.1	-50.20	57301.00	79.5	1.0	43.20	57.90	246.6	-2.4	7/18/12 10:55:21 AM
250.00	76.20	335.2	0.2	-49.00	57339.00	79.5	1.0	43.50	42.70	231.0	-0.4	7/18/12 10:49:21 AM
300.00	91.44	335.1	0.1	-48.90	57325.00	79.4	1.0	43.50	29.40	217.8	-1.4	7/18/12 10:43:41 AM
350.00	106.68	335.8	0.8	-48.40	57330.00	79.5	1.0	43.50	37.40	225.4	-1.1	7/18/12 10:38:11 AM
400.00	121.92	336.4	1.4	-48.10	57321.00	79.5	1.0	43.90	36.60	224.4	-1.0	7/18/12 10:25:41 AM
450.00	137.16	336.9	1.9	-47.80	57320.00	79.5	1.0	43.50	41.40	229.0	-1.5	7/18/12 10:19:31 AM
500.00	152.40	337.7	2.7	-47.30	57324.00	79.5	1.0	42.80	50.80	238.0	-1.6	7/18/12 10:13:31 AM
550.00	167.64	338.6	3.6	-46.80	57332.00	79.5	1.0	43.20	58.30	245.2	-2.8	7/18/12 10:08:01 AM
600.00	182.88	340.5	5.5	-46.90	57307.00	79.7	1.0	42.80	105.40	291.6	-1.3	7/18/12 9:58:21 AM
650.00	198.12	340.6	5.6	-46.30	57315.00	79.7	1.0	42.60	92.70	278.8	-0.5	7/18/12 9:52:11 AM
700.00	213.36	341.0	6.0	-46.20	57328.00	79.7	1.0	42.60	91.10	277.0	-0.7	7/18/12 9:48:01 AM
750.00	228.60	341.4	6.4	-46.10	57331.00	79.7	1.0	43.20	92.40	278.2	-1.6	7/18/12 9:38:11 AM
800.00	243.84	342.5	7.5	-45.90	57329.00	79.7	1.0	43.20	104.10	289.5	-1.9	7/18/12 9:18:11 AM
850.00	259.08	343.6	8.6	-45.40	57300.00	79.7	1.0	43.20	111.80	296.9	-1.0	7/18/12 9:01:41 AM
900.00	274.32	344.2	9.2	-45.20	57280.00	79.7	1.0	43.30	115.40	300.3	-1.3	7/18/12 8:53:41 AM
950.00	289.56	345.0	10.0	-44.90	57265.00	79.6	1.0	46.20	123.60	308.2	0.0	7/18/12 8:40:51 AM

SCARLET EAST

Hole: SE-12-02

Logger Name: H. Friday

Date: July 22, 2012

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS			Photo	DETAILED DESCRIPTION		
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite				Other	
														Type	Intensity					Type	Conc. (%)
0.00	2.25	2.25					OVB														8' casing and overburden
2.25	255.47	253.22					SLT	FG	LT MD	GY BN	BD GT	2									Interbedded medium grey to brown siltstone beds with medium grey to brown quartz grit unit. Bedding throughout siltstone not visible. Brownish-red oxidation seen enveloping all fractures and veins. Quartz grit grains <1 mm to 5 mm in size and tend to grade from 5 mm to <1 mm uphole in repeated sequences. Oxidation seen enveloping fracture surfaces and veins in grit unit also. Calcite and quartz veins and veinlets throughout both siltstone and quartz grit. Segments of quartz grit have feldspars(?) throughout - often weathered.
			2.25	10.25	8.00		SLT	FG	MD	BN	GO	4									Strongly oxidized interbedded siltstone and quartz grit. Entire interval gouge to rubble - with rubble typically 0.5-1 cm, angular and coated in gouge.
			10.25	17.77	7.52		SLT	FG	MD	BN GY	RB	3									Moderately oxidized interbedded siltstone and quartz grit. Entire interval rubble - typically 3-10 cm pieces, angular and select pieces coated in a fine gouge layer.
			17.77	19.84	2.07		SLT	FG	MD LT	GY BN	BD	2									Grey to brown siltstone. Very soft. Oxidation around fractures and veins/veinlets. Gouge seen on some fracture surfaces.
			19.84	24.49	4.65		GRT	CG	MD	GY	BD GT	2									Medium grained <1-1 mm quartz grit. Oxidation seen enveloping fractures and veins/veinlets. Generally quartz veinlets throughout, with a few calcite veinlets.
			24.49	25.01	0.52		GRT	CG	MD	BN	RB GT	4									Strongly oxidized quartz grit. Entire interval rubble. Grit to gouge seen on fracture surfaces.
			25.01	35.02	10.01		GRT	CG	MD	GY	MA	3									Medium to coarse grained quartz grit with small zones of rubble/more heavily oxidized quartz grit. Quartz and calcite veinlets seen throughout.
			35.02	37.67	2.65		GRT	CG	MD	BN	RB GT	3									Moderately oxidized quartz grit. Entire interval rubble. Pieces 2-10 cm and angular. Grit to gouge seen on fracture surfaces - ranging from orange-brown to grey-brown.
			37.67	48.03	10.36		GRT	CG	MD	GY BN	GT BD	2									Weakly oxidized medium grey to brown quartz grit. Oxidation seen enveloping fractures and veinlets. Quartz and iron carbonate(?) veinlets throughout. Sharp lower contact into siltstone at 30 degrees to core axis.

SCARLET EAST

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS			Photo	DETAILED DESCRIPTION		
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite				Other	
														Type	Intensity					Type	Conc. (%)
			48.03	56.75	8.72		SLT	FG	MD	BN GY	BD	3		CLY	2						Interbedded brown to grey siltstone with quartz grit bands. Bands up to 1.00 m thick fine downhole. Clay alteration seen on fracture surfaces and stringers throughout. Oxidation weak to strong and pervasive. Quartz blebs and veinlets seen infrequently throughout. Manganese-stained dendrites seen on some fracture surfaces.
			56.75	57.26	0.51		SLT	FG	MD	GY BN	RB BD	2		CLY	2						Weakly oxidized and clay altered bedded siltstone. Majority of interval is angular rubble to highly fractured rock. Clay seen on fracture surfaces.
			57.26	84.69	27.43		SLT	FG	MD	GY BN	BD	2		CLY	1						Well bedded medium grey to brown siltstone. Oxidation seen enveloping fracture surfaces and veinlets/stringers throughout. Clay alteration on select fracture surfaces and occasionally surrounding veinlets. Beds 0.2-10 cm thick typically. Occasional very reddish-orange brown beds which are only up to 1.5 cm thick.
			84.69	88.50	3.81		SLT	FG	MD	GY BN	BD RB	2		CLY	3						Moderately clay altered and oxidized bedded siltstone. Oxidation seen enveloping fractures and veinlets. Clay seen on fracture surfaces and generating netted clay stringers throughout segments of core. Interval rubbly to highly fractured (fault?). A few small quartz stringers throughout.
			88.50	89.46	0.96		SLT	FG	MD	GY BN	BD	2									Bedded siltstone with milky white quartz veins throughout. Oxidation seen in select beds and as small orange-brown stringers throughout. Some soft sediment deformation. Quartz veins typically parallel to bedding. 1 cm thick.
			89.46	93.91	4.45		GRT	FG	MD	GY BN	FX BD	1		CLY	2						Interbedded siltstone and quartz grit. Interval is highly fractured to rubble. Clay seen on fracture surfaces. Oxidation on fracture and vein surfaces. Quartz veinlets throughout. Rip-up siltstone clasts seen in the quartz grit.
			93.91	94.79	0.88		SLT	FG	MD	GY BN	RB BD	1		CLY	2						Bedded siltstone. Interval rubble to grit (Fault?). Clay seen on fracture surfaces.
			94.79	98.92	4.13		GRT	CG	MD	GY BN	BD MA	2									Interbedded siltstone and quartz grit. Oxidation enveloping fracture surfaces.
			98.92	101.76	2.84		GRT	CG	MD	BN GY	BD FX	4		CLY	2						Interbedded siltstone and quartz grit with pervasive oxidation throughout. Interval highly fractured. Quartz stringers and veinlets throughout. Typically 60 degrees to core axis and approximately 180 degrees to bedding angle. Quite undulatory. Clay alteration seen on some bedding planes of the siltstone. Quartz grit has small 1-2 mm clasts throughout.

SCARLET EAST

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS			Photo	DETAILED DESCRIPTION		
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite	Type			Other	
														Type	Intensity					Type	Conc. (%)
			218.56	220.33	1.77		SLT	FG	MD	GY	BD	3		CLY	3						Interbedded siltstone and quartz grit. Beds up to 15 cm thick with large amounts of soft sediment deformation. Moderate oxidation throughout as well as moderate clay alteration. Oxidation mainly seen on fractures and veinlet surfaces along with the clay alteration. Interval is rubble to highly fractured with quartz and dolomite veins and veinlets throughout.
											BN										
											SD										
											RB										
			220.33	221.49	1.16		SLT	FG	DK	GY	BD					0.01					Interbedded siltstone and quartz grit with 0.5-15 cm thick beds. Grain size in beds decreasing downhole. Soft sediment deformation seen throughout. Trace very fine grained dull pyrite blebs seen.
											MG										
											SD										
			221.49	255.47	33.98		GRT	CG	LT	GY	MA	1									Very weakly oxidized quartz grit. Oxidation seen on some fracture surfaces. Moderate quartz veining - approximately 5 quartz veins or veinlets per metre - typically quite planar. Fine grained silty beds start to appear at 251.60 m and are approximately 10 cm thick and quite infrequent. Contact into calcareous grit and limestone is gradational. Sand grit has a calcareous matrix starting at 255.47 m. Quartz and calcite veins throughout - majority being calcite.
											MD										
255.47	264.26	8.79					GRT	CG	MD	BN	BD	2									Interbedded siliceous quartz grit with a calcareous matrix and well bedded limestone - with occasional tan beds.
											LT										
											GY										
											MA										
			255.47	260.14	4.67		GRT	MG	MD	GY	MA	2									Quartz grit with carbonate matrix. Beds of light grey to brown limestone near lower contact. Oxidation seen enveloping select fracture surfaces. Extensive calcite stringers and veinlets throughout - often discontinuous. Quartz grit ranges from medium to light grey.
											LT										
			260.14	264.26	4.12		LST	CG	LT	BN	BD	2	CLY	2							Interbedded tan limestone beds and quartz grit with a calcareous matrix. Weak oxidation and clay alteration seen mainly on fractures throughout. Limestone beds mainly oxidized to a light brown. Calcite veins and veinlets and stringers throughout. Lower contact rubble to gouge.
											MD										
											GY										
											MA										
264.26	264.87	0.61					SLT	FG	DK	GY	BD	1				0.01					Well bedded siltstone.
											MD										
											SH										
			264.26	264.87	0.61		SLT	FG	DK	GY	BD	1				0.01					Bedded to laminated dark to medium grey siltstone. Sheared. Weak oxidation seen on fracture surfaces. Trace very fine grained dull pyrite seen throughout. Calcite blebs and discontinuous stringers throughout. Gouge / rubble on upper contact (fault?)
											MD										
	EOH										SH										EOH, hole terminated shortly after intersecting limestone.

SCARLET EAST

Hole: SE-12-02

Logger Name: H. Friday

Date: July 22, 2012

2° Structure Type	From (m)	To (m)	Attitude (to core axis)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
VT	12.18	12.73	80 -		7			Quartz-calcite veinlets 5-8mm thick. Sharp contacts. Slight oxidation throughout - stronger on edge of veinlets.	
VT/SR	20.42	27.75	65-80	-	15/m			Quartz and carbonate veinlets and stringers 1-8mm thick. Typically steep angles to core axis. No oxidation seen bordering these.	
VN	20.92	22.22	50 -		4			Quartz veins 1-4cm thick at 50 degrees to core axis. Envelope of oxidation (0.5-1cm thick). Iron carbonte (?) grains 2-3mm throughout - oxidized.	
VN	25.37	25.52	25 -		1			Quartz vein with quartz grit clasts (2-4mm) throughout. Small carbonate stringers throughout - often oxidized.	
VT	38.67	43.92	45 -		10			2-5mm thick planar quartz veinlets.	
VN	40.67	-	65 -		1			3cm thick quartz vein. Planar with oxidation seen throughout.	
VN	44.09	-	35 -		1			1cm thick quartz vein with dark grey stringers throughout. Sharp but undulatory contacts.	
GO	48.36	-	50	0	1			1.3cm wide gouge zone following bedding.	
GO	53.86	-	30	0	1			1.5 cm wide gouge zone. Oxidized following bedding.	
VT	57.43	58.53	40	180	5			2-4cm thick slightly oxidized quartz veinlets. Planar.	
VT	59.75	76.52	60	180	6			0.5cm thick crystalline quartz veinlets. Pitted and oxidized on crystal surfaces. Oxidation envelope 1cm thick surrounding.	
VN	65.79	67.34	50	0	2			2cm thick oxidized quartz veins. Oxidized stringers throughout with strong oxidation surrounding vein.	
BX	67.20	67.37	-	-	-			Breccia generated by quartz stringers. Zone heavily oxidized.	
BX	67.87	68.17	-	-	-			Breccia generated by quartz stringers. Zone heavily oxidized.	
VT	99.23	-	-	-	5			10 cm interval of interconnected quartz veinlets, all at random orientations to core axis and undulatory and uneven thickness. Grey quartz rimmed by milky white quartz.	
BX	108.55	109.04	-	-	-			White quartz veins brecciating quartz grit. Quartz grit clasts 0.5-2cm and angular throughout segment. Slight oxidation.	
VT	109.04	133.21	60 -		10/m			Small 2-4mm planar quartz veinlets.	
VN	128.10	130.26	45	0	8			1-3cm thick quartz veins. Occasional quartz grit clasts brecciated in veins.	
VN	133.59	135.04	45 -		3			1-3cm thick quartz dolomite veins. White to peach in colour. Planar. Cant tell fabric of rock.	
VN	138.91	-	40 -		1			1.5 cm thick quartz calcite vein. Oxidation of the calcite throughout.	
VN	140.64	-	5 -		1			1cm thick undulatory quartz-calcite vein. Calcite oxidized.	
VN	142.89	-	40	170	1			1cm thick peach coloured quartz carbonate vein. Rough edges into quartz grit.	
VN	168.55	168.70	25	0	1			15cm thick quartz vein. Heavily oxidized with oxidized gouge seen on upper contact.	
VN	184.02	198.50	30	330	10			1-4cm thick quartz veins that are vuggy and oxidized. Edges quite undulatory and rough. Spots of dolomite occasionally seen in these veins.	
VT	197.20	199.10	5 -		3			4-8mm thick very vuggy very oxidized undulatory quartz veinlets.	
VN	205.99	213.17	40	180	12			1-8cm thick quartz veins. Planar with sharp contacts. Oxidation seen around some veins.	
VN	219.79	221.94	40 -		3			Quartz-calcite and dolomite veins and blebs upto 8cm thick. Calcite heavily oxidized. Edges into surrounding rock quite jagged.	

SCARLET EAST

2° Structure Type	From (m)	To (m)	Attitude (to core axis)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
VN	224.50	229.95	30	-	3			1-2cm thick very planar quartz veins.	
VN	233.08	233.13	45	180	1			5cm thick quartz veins with small calcite blebs throughout. Very jagged contacts into the quartz grit.	
VN	244.77	-	50	180	1			1cm thick quartz calcite and dolomite vein. Planar. Calcite oxidized.	
VN	245.25	245.36	-	-	1			Qtz vein. Oxidized stringers throughout. Calcite seen along these oxidized stringers. Rough contacts into quartz grit -- rubbly and clay altered. Cant get orientation.	
VN	252.19	255.10	10 to 45	-	7			1-4cm thick quartz veins. Often quite undulatory and non-continuous. Slight oxidation seen bordering vein.	
VN	254.16	254.70	80	-	2			1cm thick quartz - dolomite vins. Light yellow-peach colour.	
VT	255.41	258.54	5 to 10	-	6			5mm to 1cm thick undulatory calcite veinlet. Low angle to core axis, occasional quartz grains seen in the veinlet.	

SCARLET EAST

Hole: SE-12-02

Date: July 21, 2012

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
2.25	4.27	2.02	1.36	67	L860409	5					5.2
4.27	7.32	3.05	1.48	49	L860410	5					4.7
7.32	10.36	3.04	1.57	52	L860411	5					6.6
10.36	13.41	3.05	2.05	67	L860412	5					7.5
-	-	-	-	-	L860413	5				Standard ME-6	0.3
13.41	16.46	3.05	2.81	92	L860414	5					8.6
16.46	17.77	1.31	0.91	69	L860415	5					3.0
17.77	19.87	2.10	2.10	100	L860416	5					7.0
19.87	22.00	2.13	2.09	98	L860417	5					6.6
22.00	24.49	2.49	2.48	100	L860418	5					7.9
22.00	24.49	-	-	-	L860419	5				1/4 Duplicate	3.5
24.49	25.01	0.52	0.46	88	L860420	5					1.6
25.01	27.13	2.12	1.85	87	L860421	5					5.6
-	-	-	-	-	L860422	5				Blank	3.6
27.13	29.24	2.11	1.92	91	L860423	5					6.0
29.24	31.70	2.46	2.44	99	L860424	5					7.8
-	31.70	-	-	-	L860425	5				Coarse Reject Duplicate	-
31.70	33.00	1.30	1.30	100	L860426	5					4.5
33.00	35.02	2.02	1.93	96	L860427	5					5.7
35.02	37.67	2.65	1.96	74	L860428	5					7.3
37.67	39.32	1.65	1.65	100	L860429	5					5.4
39.32	42.37	3.05	2.94	96	L860430	5					9.8
42.37	45.42	3.05	3.05	100	L860431	5					9.5
45.42	48.03	2.61	3.02	116	L860432	5					8.3
48.03	49.99	1.96	1.96	100	L860433	5					5.8
-	-	-	-	-	L860434	5				Blank	3.5
49.99	53.04	3.05	2.91	95	L860435	5					9.6
53.04	55.81	2.77	2.67	96	L860436	5					9.3

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
55.81	57.15	1.34	1.20	90	L860437	5					3.6
57.15	58.88	1.73	1.73	100	L860438	5					5.6
-	-	-	-	-	L860439	5				Standard GS-1G	0.3
58.88	60.66	1.78	1.54	87	L860440	5					5.0
60.66	63.70	3.04	3.04	100	L860441	5					10.3
63.70	66.75	3.05	2.74	90	L860442	5					9.3
66.75	69.80	3.05	2.90	95	L860443	5					10.8
69.80	72.85	3.05	3.05	100	L860444	5					9.6
72.85	75.90	3.05	2.85	93	L860445	6					9.9
75.90	78.94	3.04	2.93	96	L860446	6					9.8
78.94	81.99	3.05	2.96	97	L860447	6					10.1
81.99	84.69	2.70	2.70	100	L860448	6					8.9
-	-	-	-	-	L860449	6				Standard GS-1G	0.3
84.69	86.00	1.31	1.25	95	L860450	6					4.4
86.00	88.50	2.50	1.82	73	L860451	6					6.5
88.50	89.46	0.96	0.90	94	L860452	6					3.4
89.46	91.57	2.11	2.09	99	L860453	6					6.7
91.57	93.91	2.34	2.12	91	L860454	6					7.0
93.91	94.79	0.88	0.58	66	L860455	6					2.0
94.79	96.85	2.06	2.15	104	L860456	6					7.4
96.85	98.92	2.07	2.09	101	L860457	6					7.4
-	-	-	-	-	L860458	6				Coarse Reject	-
98.92	101.76	2.84	2.84	100	L860459	6					9.7
101.76	103.49	1.73	1.73	100	L860460	6					5.5
103.49	104.69	1.20	1.20	100	L860461	6					4.1
104.69	106.38	1.69	1.56	92	L860462	6					4.2
106.38	108.55	2.17	2.17	100	L860463	6					6.4
106.38	108.55	-	-	-	L860464	6				1/4 Duplicate	3.5
108.55	109.04	0.49	0.49	100	L860465	6					1.2
-	-	-	-	-	L860466	6				Blank	3.7
109.04	110.88	1.84	1.84	100	L860467	6					5.2

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
110.88	112.47	1.59	1.59	100	L860468	6					4.7
112.47	115.52	3.05	3.00	98	L860469	6					8.8
115.52	118.57	3.05	2.91	95	L860470	6					9.3
-	-	-	-	-	L860471	6				Blank	3.5
118.57	121.62	3.05	2.96	97	L860472	6					9.2
-	-	-	-	-	L860473	6				Standard ME-6	0.3
121.62	124.66	3.04	3.04	100	L860474	6					9.3
124.66	127.71	3.05	2.94	96	L860475	6					9.5
127.71	130.76	3.05	2.96	97	L860476	6					9.4
130.76	133.21	2.45	2.42	99	L860477	6					7.6
133.21	134.90	1.69	0.69	41	L860478	6					6.0
134.90	136.52	1.62	1.42	88	L860479	6					4.2
136.52	137.84	1.32	1.32	100	L860480	6					3.9
137.84	140.34	2.50	2.50	100	L860481	7					7.0
140.34	142.95	2.61	2.57	98	L860482	7					7.0
-	-	-	-	-	L860483	7				Standard ME-6	0.3
142.95	144.92	1.97	1.97	100	L860484	7					6.1
144.92	146.00	1.08	0.97	90	L860485	7					2.3
146.00	149.05	3.05	2.85	93	L860486	7					8.6
149.05	152.10	3.05	1.62	53	L860487	7					5.3
152.10	155.14	3.04	2.83	93	L860488	7					9.3
-	-	-	-	-	L860489	7				Standard GS-1G	0.3
155.14	156.59	1.45	1.45	100	L860490	7					4.8
156.59	158.19	1.60	1.54	96	L860491	7					4.9
158.19	161.24	3.05	3.02	99	L860492	7					9.9
161.24	164.29	3.05	2.97	97	L860493	7					9.8
161.24	164.29	-	-	-	L860494	7				1/4 Duplicate	4.2
164.29	167.34	3.05	2.94	96	L860495	7					9.7
167.34	168.55	1.21	1.21	100	L860496	7					3.9
168.55	170.58	2.03	1.90	94	L860497	7					6.4
170.58	173.43	2.85	2.84	100	L860498	7					8.9
173.43	176.48	3.05	2.85	93	L860499	7					9.1

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
176.48	179.53	3.05	3.05	100	L860500	7					9.9
179.53	182.58	3.05	3.05	100	L860501	7					10.5
-	-	-	-	-	L860502	7				Blank	3.6
182.58	183.68	1.10	1.10	100	L860503	7					3.7
183.68	185.62	1.94	1.94	100	L860504	7					6.0
185.62	188.67	3.05	2.93	96	L860505	7					8.8
188.67	191.72	3.05	3.00	98	L860506	7					9.3
191.72	194.77	3.05	2.25	74	L860507	7					7.2
194.77	197.82	3.05	2.87	94	L860508	7					9.4
197.82	200.86	3.04	2.99	98	L860509	7					9.9
-	-	-	-	-	L860510	7				Blank	3.3
200.86	203.91	3.05	3.05	100	L860511	7					9.2
-	-	-	-	-	L860512	7				Coarse Reject	-
203.91	206.96	3.05	2.98	98	L860513	7					9.4
206.96	210.01	3.05	3.00	98	L860514	7					9.6
210.01	213.06	3.05	3.05	100	L860515	7					9.5
213.06	215.01	1.95	1.95	100	L860516	7					6.5
215.01	217.31	2.30	2.30	100	L860517	8					7.0
-	-	-	-	-	L860518	8				Standard ME-6	0.3
217.31	218.56	1.25	1.10	88	L860519	8					3.6
-	-	-	-	-	L860520	8				Blank	4.6
218.56	220.33	1.77	1.40	79	L860521	8					4.6
220.33	221.49	1.16	1.15	99	L860522	8					4.2
-	-	-	-	-	L860523	8				Standard GS-1G	0.3
221.49	223.34	1.85	1.81	98	L860524	8					5.9
223.34	225.24	1.90	1.90	100	L860525	8					6.0
223.34	225.24	1.90	1.90	100	L860526	8				1/4 Duplicate	2.7
225.24	228.29	3.05	3.03	99	L860527	8					9.3
228.29	231.34	3.05	3.04	100	L860528	8					9.7
231.34	234.39	3.05	3.03	99	L860529	8					9.8
234.39	237.45	3.06	3.04	99	L860530	8					9.6
237.45	240.49	3.04	3.01	99	L860531	8					9.4

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
240.49	243.54	3.05	3.02	99	L860532	8					9.9
243.54	246.58	3.04	2.92	96	L860533	8					9.2
246.58	249.63	3.05	3.02	99	L860534	8					9.3
-	-	-	-	-	L860535	8				Coarse Reject Duplicate	-
249.63	252.68	3.05	3.02	99	L860536	8					9.7
252.68	255.47	2.79	2.70	97	L860537	8					9.0
255.47	257.49	2.02	2.02	100	L860538	8					6.7
257.49	260.14	2.65	2.32	88	L860539	8					7.2
260.14	262.01	1.87	1.79	96	L860540	8					6.0
262.01	264.26	2.25	1.56	69	L860541	8					4.9
264.26	264.87	0.61	0.51	84	L860542	8					2.3

SCARLET EAST

Hole: SE-12-02

Tech Name: Mark Alban

Date: July 21, 2012

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	HCl Reactivity	Hardness	Strength	Weathering	Joint Sets						DESCRIPTION	
											Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering		
0.00	2.25	2.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	OVB
2.25	2.44	0.19	0.17	89	0.00	0	0	2	1S	4W		0.09		3	3R	4W		
2.44	2.74	0.30	0.20	67	0.00	0	0	1	1S	4W	50	0.06		3	3R	4W		
2.74	4.27	1.53	0.10	6	0.22	14	0	1	1S	4W	55	0.04		3	3R	4W		
4.27	5.79	1.52	0.83	55	0.00	0	0	1	1S	4W		inf		3	3R	4W	Rubble	
5.79	7.32	1.53	0.65	42	0.00	0	0	1	1S	4W	50	0.04		3	3R	4W		
7.32	8.84	1.52	0.93	61	0.00	0	0	1	1S	4W		inf		3	3R	4W		
8.84	10.36	1.52	0.64	42	0.00	0	0	1	1S	4W		inf		3	3R	4W		
10.36	11.89	1.53	0.77	50	0.00	0	0	1	1S	4W		inf		3	3R	4W		
11.89	13.41	1.52	1.28	84	0.13	9	0	2	3S	4W	70	0.06		3	3R	4W		
13.41	14.94	1.53	1.42	93	0.12	8	0	2	2S	4W		inf		3	3R	4W		
14.94	16.46	1.52	1.39	91	0.71	47	0	3	2S	4W	40	0.07		2	3R	4W		
16.46	17.98	1.52	1.30	86	0.23	15	0	2	3S	3W		inf		2	3R	4W		
17.98	21.03	3.05	2.93	96	1.99	65	0	2	3S	2W	50	0.13		2	3R	4W		
21.03	24.08	3.05	3.03	99	2.84	93	0	2	3S	2W	35	0.28		2	3R	3W		
24.08	27.13	3.05	2.83	93	1.94	64	0	2	3S	2W	55	0.11		2	3R	3W		
27.13	29.26	2.13	1.92	90	1.13	53	0	3	3S	2W	60	0.13		2	3R	3W		
29.26	31.70	2.44	2.44	100	2.09	86	0	3	4S	2W	50	0.19		2	3R	2W		
31.70	34.75	3.05	3.00	98	2.87	94	0	3	4S	2W	55	0.3		2	3R	2W		
34.75	37.49	2.74	2.15	78	0.39	14	0	3	4S	3W	30	0.05		2	3R	2W		
37.49	39.32	1.83	1.83	100	1.55	85	0	3	4S	3W	25	0.21		2	3R	2W		
39.32	42.37	3.05	2.94	96	2.44	80	0	3	4S	3W	25	0.16		2	3R	3W		
42.37	45.42	3.05	3.05	100	2.42	79	0	3	4S	2W	50	0.12		2	3R	3W		
45.42	48.46	3.04	3.02	99	2.55	84	0	3	4S	3W	70	0.2		2	3R	3W		
48.46	49.99	1.53	1.38	90	0.91	59	0	1	2S	3W	40	0.12		2	3R	3W		
49.99	53.04	3.05	2.91	95	2.02	66	0	1	3S	3W	35	0.14		1	3R	3W		
53.04	54.56	1.52	1.43	94	1.24	82	0	1	2S	3W	35	0.13	2	1	3R	3W		
54.56	57.61	3.05	2.89	95	1.78	58	0	1	3S	3W	45	0.11		1	3R	3W		
57.61	60.66	3.05	2.81	92	2.18	71	0	1	2S	2W	40	0.17		1	3R	3W		
60.66	63.70	3.04	3.04	100	2.56	84	0	1	2S	2W	45	0.16		1	2R	3W		
63.70	66.75	3.05	2.74	90	2.37	78	0	1	2S	2W	40	0.14		1	2R	3W		

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	HCI Reactivity	Hardness	Strength	Weathering	Joint Sets						DESCRIPTION
											Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering	
66.75	69.80	3.05	2.90	95	2.20	72	0	1	2S	2W	40	0.14		1	2R	3W	
69.80	72.85	3.05	3.05	100	1.88	62	0	1	2S	2W	55	0.11	5	1	2R	3W	
72.85	75.90	3.05	2.85	93	1.25	41	0	1	2S	2W	50	0.08		1	2R	3W	
75.90	78.94	3.04	2.93	96	1.58	52	0	1	2S	2W	35	0.08		1	2R	3W	
78.94	81.99	3.05	2.96	97	2.35	77	0	1	2S	2W	60	0.14		1	2R	3W	
81.99	85.04	3.05	2.97	97	2.97	97	0	1	2S	2W	50	0.2		1	2R	3W	
85.04	88.09	3.05	2.56	84	2.56	84	0	1	2S	2W	60	0.07	20	1	2R	3W	
88.09	91.14	3.05	3.01	99	3.01	99	0	1	2S	2W	30	0.09	50	1	2R	2W	
91.14	94.19	3.05	2.58	85	2.58	85	0	1	2S	3W	50	0.1	35	1	2R	2W	
94.19	97.23	3.04	2.87	94	2.87	94	0	1	2S	2W	50	0.11		1	2R	2W	
97.23	100.28	3.05	2.82	92	2.82	92	0	3	3S	3W	45	0.11		2	3R	3W	
100.28	103.33	3.05	2.86	94	2.86	94	0	3	3S	3W	55	0.12		2	3R	3W	
103.33	106.38	3.05	2.99	98	2.99	98	0	3	3S	1W	40	0.16		2	3R	2W	
106.38	109.41	3.03	3.02	100	3.02	100	0	3	3S	1W	45	0.5		2	3R	1W	
109.41	112.47	3.06	3.05	100	3.05	100	0	3	3S	1W	60	0.31		2	3R	1W	
112.47	115.52	3.05	3.00	98	3.00	98	0	3	3S	1W	35	0.25		2	3R	1W	
115.52	118.57	3.05	2.91	95	2.91	95	0	3	3S	2W	65	0.12		2	3R	2W	
118.57	121.62	3.05	2.96	97	2.96	97	0	3	3S	2W	45	0.17		2	3R	2W	
121.62	124.66	3.04	3.04	100	2.96	97	0	3	3S	1W	55	0.34		2	3R	2W	
124.66	127.71	3.05	2.94	96	2.31	76	0	3	3S	1W	25	0.29	35	2	3R	2W	
127.71	130.76	3.05	2.96	97	2.88	94	0	3	3S	1W	65	0.2		2	3R	1W	
130.76	133.50	2.74	2.67	97	2.35	86	0	3	3S	1W	45	0.19		2	3R	1W	
133.50	136.86	3.36	3.13	93	2.02	60	0	3	3S	2W	50	0.13		2	3R	2W	
136.86	139.90	3.04	2.71	89	2.25	74	0	3	3S	2W	40	0.18		2	3R	2W	
139.90	142.95	3.05	2.89	95	2.63	86	0	3	3S	2W	45	0.22		2	3R	3W	
142.95	146.00	3.05	2.90	95	2.03	67	0	3	3S	3W	50	0.18	30	2	3R	3W	
146.00	149.05	3.05	2.85	93	1.74	57	0	3	3S	3W	45	0.1	5	2	3R	3W	
149.05	152.10	3.05	1.62	53	0.77	25	0	3	3S	3W	45	0.08		2	3R	3W	
152.10	155.14	3.04	2.83	93	1.21	40	0	2	3S	2W	55	0.11		2	3R	2W	
155.14	158.19	3.05	2.90	95	2.36	77	0	3	3S	2W	60	0.17	12	2	3R	2W	
158.19	161.24	3.05	3.02	99	2.98	98	0	3	3S	1W	60	0.43		2	3R	2W	
161.24	164.29	3.05	2.97	97	2.67	88	0	3	3S	1W	70	0.25		2	3R	2W	
164.29	167.34	3.05	2.94	96	2.34	77	0	3	3S	1W	40	0.16		2	3R	2W	
167.34	170.38	3.04	2.89	95	2.12	70	0	3	3S	2W	45	0.12	30	2	3R	2W	

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	HCI Reactivity	Hardness	Strength	Weathering	Joint Sets						DESCRIPTION
											Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering	
170.38	173.43	3.05	2.96	97	2.70	89	0	3	3S	2W	45	0.25		2	3R	2W	
173.43	176.48	3.05	2.85	93	2.38	78	0	1	3S	1W	75	0.18	10	2	3R	1W	
176.48	179.53	3.05	3.05	100	2.88	94	0	1	3S	1W	85	0.25		2	3R	2W	
179.53	182.58	3.05	3.05	100	3.00	98	0	1	4S	1W	70	0.28		2	3R	2W	
182.58	185.62	3.04	3.05	100	2.67	88	0	1	4S	1W	75	0.19		1	3R	2W	
185.62	188.67	3.05	2.93	96	2.65	87	0	1	4S	1W	60	0.18		2	3R	2W	

SCARLET EAST

Hole: SE-12-02

Date: July 22, 2012

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
2	-	-	Overburden
4	-	-	Rubble
6	-	-	Rubble
8	-	-	Rubble
10	-	-	Rubble
12	BD	40	
14	-	-	Rubble
16	BD	10	
18	BD	15	
20	-	-	Quartz Grit
22	-	-	Quartz Grit
24	-	-	Quartz Grit
26	-	-	Quartz Grit
28	BD	60	
30	-	-	Quartz Grit
32	-	-	Quartz Grit
34	-	-	Quartz Grit
36	-	-	Rubble
38	BD	15	
40	BD	20	
42	BD	25	
44	-	-	Quartz Grit
46	BD	25	
48	BD	40	
50	BD	30	
52	BD	35	
54	BD	30	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
56	BD	50	
58	BD	50	
60	BD	35	
62	BD	40	
64	BD	40	
66	BD	65	
68	BD	55	
70	BD	50	
72	BD	50	
74	BD	35	
76	BD	50	
78	BD	50	
80	BD	50	
82	BD	55	
84	BD	40	
86	BD	65	
88	BD	35	
90	BD	20	
92	BD	45	
94	BD	45	
96	BD	40	
98	BD	35	
100	BD	60	
102	BD	45	
104	BD	50	
106	-	-	Quartz Grit
108	-	-	Quartz Grit
110	BD	25	
112	-	-	Quartz Grit

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
114	BD	60	
116	BD	50	
118	BD	55	
120	-	-	Quartz Grit
122	BD	50	
124	BD	50	
126	BD	60	
128	BD	55	
130	BD	55	
132	BD	55	
134	BD	40	
136	-	-	Rubble
138	BD	30	
140	-	-	Quartz Grit
142	BD	45	
144	BD	35	
146	BD	30	
148	BD	35	
150	BD	40	
152	BD	60	
154	BD	45	
156	-	-	Quartz Grit
158	BD	45	
160	-	-	Quartz Grit
162	-	-	Quartz Grit
164	-	-	Quartz Grit
166	-	-	Quartz Grit
168	-	-	Quartz Grit
170	BD	65	
172	BD	50	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
174	-	-	Quartz Grit
176	BD	50	
178	BD	40	
180	-	-	Quartz Grit
182	BD	20	
184	BD	40	
186	BD	60	
188	BD	70	
190	BD	70	
192	-	-	Rubble
194	BD	40	
196	BD	35	
198	BD	70	
200	BD	40	
202	BD	45	
204	BD	35	
206	-	-	Rubble
208	BD	40	
210	BD	40	
212	BD	30	
214	-	-	Quartz Grit
216	BD	50	
218	-	-	Quartz Grit
220	BD	30	
222	-	-	Quartz Grit
224	BD	35	
226	BD	70	
228	BD	70	
230	BD	25	
232	BD	50	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
234	BD	55	
236	BD	55	
238	-	-	Quartz Grit
240	BD	45	
242	BD	45	
244	BD	55	
246	BD	45	
248	BD	45	
250	BD	40	
252	BD	40	
254	BD	40	
256	BD	40	
258	BD	50	
260	BD	50	
262	BD	50	
264	BD	50	

SCARLET EAST

Hole: SE-12-02

Date: July 21,

Box #	From (m)	To (m)
1	2.25	7.38
2	7.38	12.79
3	12.79	16.46
4	16.46	20.40
5	20.40	24.53
6	24.53	28.55
7	28.55	32.62
8	32.62	36.47
9	36.47	40.59
10	40.59	44.85
11	44.85	48.83
12	48.83	52.78
13	52.78	56.49
14	56.49	60.66
15	60.66	64.97
16	64.97	68.68
17	68.68	72.85
18	72.85	76.78
19	76.78	80.91
20	80.91	84.89
21	84.89	88.94
22	88.94	92.66
23	92.66	96.85
24	96.85	100.61
25	100.61	104.84
26	104.84	108.63
27	108.63	112.79
28	112.79	116.94
29	116.94	121.15

SCARLET EAST

30	121.15	125.24
31	125.24	129.56
32	129.56	133.57
33	133.57	137.55
34	137.55	141.48
35	141.48	145.31
36	145.31	149.05
37	149.05	154.50
38	154.50	158.19
39	158.19	162.36
40	162.36	166.50
41	166.50	170.58
42	170.58	174.85
43	174.85	179.44
44	179.44	183.68
45	183.68	187.76
46	187.76	192.34
47	192.34	196.68
48	196.68	200.64
49	200.64	204.65
50	204.65	208.72
51	208.72	212.98
52	212.98	216.77
53	216.77	221.07
54	221.07	225.24
55	225.24	229.44
56	229.44	233.77
57	233.77	237.88
58	237.88	242.32
59	242.32	246.45
60	246.45	250.67
61	250.67	254.74
62	254.74	259.30
63	259.30	263.88
64	263.88	264.87
EOH		

SCARLET EAST

SE-12-02

Depth (ft)	Depth (m)	Azimuth (°)	Grid North Azimuth (°)	Dip (°)	Magnetic Intensity (nT)	Magnetic Dip (°)	Gravity Intensity (g)	Temperature (°F)	Gravity Roll Angle (°)	Magnetic Tool Face	Dog Leg (° per 100 ft)	Date/Time
99	30.18	244	269.0	-45.7	57263	79.6	1.002	44.2	211.8	44.1	-0.63	7/24/12 3:05:31 PM
149	45.42	244	269.0	-45.4	57138	79.4	1.003	41.7	217.8	50.2	-2.61	7/24/12 2:48:31 PM
199	60.66	245.8	270.8	-45.2	57138	79.1	1.002	42.6	257.1	90.1	-0.63	7/24/12 2:41:21 PM
249	75.90	245.6	270.6	-44.9	57206	79	1.001	42.3	294.8	127.8	-1.97	7/24/12 2:34:21 PM
299	91.14	244.2	269.2	-45.0	57468	78.8	0.998	42.3	17.5	210.6	-2.5	7/24/12 2:27:01 PM
349	106.38	242.4	267.4	-45.0	57462	79	0.999	41.7	73.5	266	-0.68	7/24/12 2:21:31 PM
399	121.62	242.2	267.2	-44.7	57211	79.5	1.002	40.5	160.3	352.3	-1.94	7/24/12 2:06:31 PM
449	136.86	243.6	268.6	-44.5	57131	79.5	1.003	40.5	196.8	29	-2.88	7/24/12 1:59:21 PM
499	152.10	245.4	270.4	-43.9	57111	79.5	0.996	39.9	198.7	31	-0.81	7/24/12 1:52:31 PM
549	167.34	244.9	269.9	-44.0	56989	79.4	1.002	38.5	216.6	48.9	-1.08	7/24/12 1:44:11 PM
599	182.58	245.6	270.6	-44.0	57028	79.4	1.003	39.6	221	53.4	-0.53	7/24/12 1:39:01 PM
649	197.82	246	271.0	-44.0	57085	79.5	1.003	40.5	214.7	47.1	-2.33	7/24/12 1:31:01 PM
699	213.06	247.6	272.6	-43.7	57034	79.3	1.003	43.3	241.6	74.4	-0.75	7/24/12 11:31:21 AM
749	228.30	248.2	273.2	-43.7	57091	79.2	1.003	45.3	247.6	80.6	-0.49	7/24/12 11:23:51 AM
799	243.54	248.5	273.5	-43.7	57013	79.2	1.003	45.5	251.5	84.5	-0.94	7/24/12 11:16:51 AM
849	258.78	249.2	274.2	-43.6	57026	79.1	1.002	42.6	254.4	87.5	0	7/24/12 11:12:31 AM

SCARLET EAST

Grid East	Grid North	Easting	Northing	Elev.	Depth (m)
		643691.969	7107653.066	1515.527	185.62

ZONE: Scarlet East

SECTION: _____

HOLE: SE-12-03

CLAIM: STW 127/Scarlet East

Contractor: Beaudoin

Drill: JKS

Core size: NTW Reduced at: _____ (m)

Casing depth: 0.84 (m) in / **out**

Drilling dates: _____ July 24th - 27th

Geology logged by: H. Friday

SURVEY							
Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
0	55	-45	Compass				
57.61	57.4	-46.3	Ranger Survey				
103.33	58	-46.2	Ranger Survey				
179.53	60	-46.1	Ranger Survey				

TARGET: Test beneath fault with strong As-Hg-Tl and mod Au in soil within LST

SUMMARY				
From (m)	To (m)	Interval	Unit	Comments
0.00	0.84	0.84	OVB	Overburden/casing, no recovery
0.84	110.36	109.52	LST	Well bedded limestone with variable oxidation throughout. An increase in calcite veining/brecciation towards lower contact
110.36	148.77	38.41	LST	Bedded limestone with abundant dissolution seams and occasional small decalcified segments and ASO alteration on select fracture surfaces. Large rubble patches throughout. Extensive shear textures seen near lower contact.
148.77	185.62	36.85	MST	Well bedded variably oxidized mudstone

SAMPLES
Numbers: <u>L860543 - L860641</u>
Total: <u>99</u>
Batch: <u>8, 9, 10 and 11</u>
Date Sent: <u>July 28th, 29th.</u>
Certificate: <u>WH12179904, WH12179906, WH12179907, WH12179910</u>

COMMENTS
Hole intersected variably sheared, well bedded and debrite LST above laminated to well bedded MST.

SCARLET EAST

Hole: SE-12-03

Logger Name: H. Friday

Date: July 28, 2012

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS			Photo	DETAILED DESCRIPTION			
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite	Type			Other		
														Type	Intensity					Type	Conc. (%)	
0.00	0.84	0.84					OVB														Overburden/casing, no recovery.	
0.84	110.36	109.52					LST	FG	LT MD	GY BN	BD	2										Well bedded limestone with variable oxidation throughout. An increase in calcite veining/brecciation is seen towards lower contact.
			0.84	10.04	9.20		LST	FG	LT MD	GY BN	BD RB FX	3										Light to medium grey to brown well bedded limestone. Select beds are more oxidized, as well as tan to brown oxidation enveloping fracture surfaces and veinlets and veins. Entire interval highly fractured to rubble. Calcite blebs and veinlets throughout. Often very planar.
			10.04	12.46	2.42		LST	FG	LT MD	GY BN	BD	2		CLY	2							Light to medium grey to brown well bedded limestone. Lighter beds throughout typically coarser grained. Oxidation seen enveloping fracture surfaces and veinlets/veins. Calcite veinlets and blebs throughout.
			12.46	14.35	1.89		LST	FG	MD	GY BN	BD	2		CLY	2							medium grey to brown moderately clay altered well bedded limestone. Clay alteration on fracture surfaces and surrounding veins/veinlets. Extensive calcite veining throughout - typically generating mild breccia in select limestone beds. Oxidation seen enveloping fracture surfaces and veinlets.
			14.35	29.13	14.78		LST	FG	LT MD	GY BN	BD	1				0.01						Light to medium grey to brown well bedded limestone. Interval heavily folded with bedding angle changing from 0 to 60 degrees. Calcite stringers and veinlets seen frequently along the bedding plane. Oxidation seen on fracture surfaces and as small seamlets following bedding. Trace very fine grained dull pyrite blebs throughout.
			29.13	33.58	4.45		LST	FG	LT MD	GY BN	BD FX	1		CLY	2							Well bedded, folded limestone with weak oxidation on fracture surfaces. Moderate clay alteration also seen on fracture surfaces. Entire interval highly fractured to rubble.
			33.58	52.99	19.41		LST	FG	MD	GY	BD	1										Medium grey well bedded and folded limestone. Oxidation seen on fracture surfaces and at the top of the interval to approx. 45.50 m. Occasional oxidized beds also seen in this section. Calcite stringers and veinlets throughout.
			52.99	54.47	1.48		LST	FG	MD	GY	BD SH	1										Medium grey bedded and heavily sheared/brecciated limestone. Truncated calcite veinlets and veins throughout - often grey. Dissolution seams seen throughout breccia zone. Oxidation seen on fracture surfaces and occasionally seen enveloping veinlets/veins - number of veinlets and veins are increased compared to the surrounding limestone.

SCARLET EAST

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS			Photo	DETAILED DESCRIPTION	
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite	Type			Other
														Type	Intensity					Type
148.77	185.62	36.85					MST	VFG	MD LT	GY BN	BD									Well bedded variably oxidized mudstone.
			148.77	155.55	6.78		MST	VFG	MD	GY	BD SH	1				0.01				Finely bedded mudstone that has been moderately sheared. Beds typically 1-10 cm thick. Mild calcite veining throughout. Oxidation seen on fracture surfaces - typically a light yellow-tan. Trace pyrite seen along bedding - very fine grained and dull blebs.
			155.55	163.22	7.67		MST	VFG	LT MD	GY	BD BX FX	2								Light to medium grey bedded mudstone. Beds much thicker than 5-20 cm thick and much less defined. Segments moderately oxidized and brecciated. Oxidation light yellow tan to yellow orange. Calcite and quartz veinlets and stringers throughout. Zone moderately fractured.
			163.22	168.18	4.96		MST	VFG	MD LT	GY	BD	1								Well bedded mudstone. Bedding defined by darker grains - occasionally patchy and mottled. Slight oxidation seen on fracture surfaces. Oxidation yellowish-grey-tan. Not as finely laminated as previous intervals.
			168.18	172.43	4.25		MST	VFG	LT	BN TN	BD	3								Very finely laminated (and well defined) mudstone. Moderate oxidation pervasive throughout - light brown. Occasional calcite stringers.
			172.43	180.51	8.08		MST	VFG	LT MD	GY	BD	1								Well bedded/laminated mudstone. Occasional soft sediment deformation features seen in beds. Beds 1-3 cm thick. Slight oxidation seen on fracture surfaces. Occasional calcite stringers or veinlets.
			180.51	185.62	5.11		MST	VFG	LT	GY	BD	2								Well bedded light grey mudstone. Beds <1-10 cm thick. Oxidation seen enveloping fracture surfaces - typically 1 cm of oxidation on either side of fracture.
	EOH										TN									EOH, hole intersected variably sheared, well bedded and debrite LST above laminated to well bedded MST.

SCARLET EAST

Hole: SE-12-03

Logger Name: H. Friday

Date:

2° Structure Type	From (m)	To (m)	Attitude (TCA)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
VN/VT	12.16	14.01	-	-	5.00			Calcite veins/veinlets/breccia zones 5-10cm wide. Calcite veins/veinlets in random orientations through these zones.	
VN	15.62	17.38	35.00	-	3.00			1-5cm thick calcite veins. Relatively planar with angular limestone clasts throughout. Often deformed due to folding. Calcite grey with lighter grey to white calcite crystals throughout.	
VT	16.52	16.89	40 - 10	200.00	1.00			2-8mm thick very undulatory and shallow to core axis oxidized calcite veinlett. Veinlett light brown-orange with some un-oxidized calcite around the edges.	
VT	23.63	26.49	50.00	270.00	6.00			1-10mm thick veinlets grouped together into a 10cm thick breccia vein. Veinlets brecciate limestone. White calcite.	
VN	27.60	30.56	50.00	90.00	2.00			2-15cm thick calcite veins with irregular edges into limestone. Calcite white with pink stringers/spots throughout. Veins have angular clasts throughout.	
VT	29.90	34.90	10 to 30	-	6.00			2-5mm thick calcite veinlets at 10 to 30 degrees TCA often branching out along bedding planes. Typically almost perpendicular to bedding.	
VN	34.10	34.34	50.00	0.00	3.00			Grey calcite veins 1-2.5cm thick, irregular edges into limestone. Rimmed by small oxidized stringers.	
VN	36.60	37.17	20.00	0.00	1.00			Calcite flood/vein with dissolution seams throughout. Angular to subangular limestone clasts throughout.	
VN	39.77	40.09	-	-	3.00			Series of undulatory calcite "floods" veins. Random orientations with dissolution seams bordering.	
VN	41.52	41.75	10.00	-	1.00			Low angle to core axis undulatory 5-10cm thick calcite vein bounded by dissolution seams.	
VN	42.44	42.61	25.00	0.00	1.00			White calcite vein. Occasional red stringers/blebs throughout.	
VT	69.11	69.97	-	-	20.00			Randomly oriented calcite veinlets with sharp contacts. Random orientations generating mild breccia textures. Range in thickness from 1-10mm. Often low angle to core axis.	
VN	70.77	70.87	-	-	1.00			Calcite flood vein. Uneven edges into limestone. Dark stringers throughout.	
VN	95.67	95.73	20.00	180.00	1.00			4cm thick relatively planar calcite vein. Black stringers throughout.	
VN	96.81	-	20.00	90.00	1.00			2cm thick planar, white calcite vein with sharp contacts into limestone.	
VN	99.55	99.85	40.00	-	2.00			2-8 cm thick calcite flood veins. Black stringers throughout. Jagged edges into limestone.	
VN	104.27	104.39	60.00	0.00	1.00			Thick calcite flood vein. White to light grey calcite. Sharp contacts into limestone.	
VN	109.92	109.97	30.00	-	1.00			3cm thick white planar calcite vein. Sharp contacts.	
VN	133.80	133.98	-	-	1.00			Sheared calcite flood vein. White to light grey with darker grey stringers throughout.	
VN	138.35	140.48	10 to 15	-	4.00			1-3cm thick calcite veins. Undulatory but sharp contacts into limestone.	

SCARLET EAST

Hole: SE-12-03

Logger Name: H. Friday

Date:

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments
0.84	2.74	1.90	1.65	87	L860543	8				
-	-	-	-	-	L860544	8				Blank
2.47	5.79	3.32	2.25	68	L860545	8				
5.79	8.84	3.05	2.93	96	L860546	8				
8.84	10.04	1.20	1.20	100	L860547	8				
10.04	12.46	2.42	2.11	87	L860548	8				
12.46	14.35	1.89	1.76	93	L860549	8				
14.35	14.97	0.62	0.52	84	L860550	8				
14.97	17.98	3.01	2.87	95	L860551	8				
17.98	21.03	3.05	3.05	100	L860552	8				
21.03	24.08	3.05	2.96	97	L860553	9				
24.08	27.13	3.05	2.99	98	L860554	9				
27.13	29.13	2.00	1.88	94	L860555	9				
-	-	-	-	-	L860556	9				Blank
29.13	31.06	1.93	1.93	100	L860557	9				
31.06	33.58	2.52	2.40	95	L860558	9				
33.58	36.27	2.69	2.69	100	L860559	9				
36.27	39.32	3.05	2.90	95	L860560	9				
39.32	42.37	3.05	2.92	96	L860561	9				
42.37	45.42	3.05	3.03	99	L860562	9				
-	-	-	-	-	L860563	9				Standard GS-1G
45.42	48.46	3.04	3.04	100	L860564	9				
48.46	51.51	3.05	2.87	94	L860565	9				
51.51	52.99	1.48	1.48	100	L860566	9				
52.99	54.47	1.48	1.48	100	L860567	9				
52.99	54.47	1.48	1.48	100	L860568	9				1/4 Duplicate
54.47	55.95	1.48	1.37	93	L860569	9				
55.95	57.61	1.66	1.41	85	L860570	9				
57.61	60.66	3.05	2.72	89	L860571	9				
60.66	63.70	3.04	3.04	100	L860572	9				
63.70	66.75	3.05	2.94	96	L860573	9				
-	-	-	-	-	L860574	9				Standard ME-6
66.75	68.00	1.25	1.25	100	L860575	9				
68.00	69.96	1.96	1.89	96	L860576	9				
69.96	72.06	2.10	2.08	99	L860577	9				
72.06	74.92	2.86	2.86	100	L860578	9				

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments
74.92	75.90	0.98	0.89	91	L860579	9				
75.90	78.94	3.04	3.04	100	L860580	9				
78.94	81.99	3.05	3.00	98	L860581	9				
81.99	85.04	3.05	2.92	96	L860582	9				
85.04	88.09	3.05	3.05	100	L860583	9				
-	-	-	-	-	L860584	9				Blank
88.09	91.14	3.05	3.02	99	L860585	9				
-	-	-	-	-	L860586	9				Coarse Reject Duplicate
91.14	94.18	3.04	2.98	98	L860587	9				
94.18	97.23	3.05	3.00	98	L860588	9				
97.23	100.28	3.05	3.00	98	L860589	10				
100.28	101.28	1.00	1.00	100	L860590	10				
101.28	103.33	2.05	1.78	87	L860591	10				
103.33	106.32	2.99	2.88	96	L860592	10				
106.32	109.42	3.10	2.92	94	L860593	10				
-	-	-	-	-	L860594	10				Blank
109.42	110.36	0.94	0.88	94	L860595	10				
110.36	111.62	1.26	1.24	98	L860596	10				
-	-	-	-	-	L860597	10				Standard ME-6
111.62	112.47	0.85	0.85	100	L860598	10				
112.47	114.69	2.22	2.13	96	L860599	10				
114.69	116.39	1.70	1.65	97	L860600	10				
116.39	117.69	1.30	1.20	92	L860601	10				
117.69	119.26	1.57	1.57	100	L860602	10				
119.26	121.41	2.15	0.96	45	L860603	10				
121.41	122.29	0.88	0.88	100	L860604	10				
-	-	-	-	-	L860605	10				Coarse Reject Duplicate
122.29	124.66	2.37	2.02	85	L860606	10				
124.66	127.54	2.88	2.80	97	L860607	10				
127.54	130.39	2.85	2.67	94	L860608	10				
130.39	131.42	1.03	0.87	84	L860609	10				
131.42	133.81	2.39	2.39	100	L860610	10				
133.81	134.87	1.06	1.06	100	L860611	10				
134.87	136.86	1.99	1.99	100	L860612	10				
136.86	139.90	3.04	3.04	100	L860613	10				
136.86	139.90	3.04	3.04	100	L860614	10				1/4 Duplicate
139.90	140.66	0.76	0.73	96	L860615	10				
-	-	-	-	-	L860616	10				Standard GS-4D
140.66	141.73	1.07	1.07	100	L860617	10				
-	-	-	-	-	L860618	10				Blank
141.73	143.82	2.09	2.09	100	L860619	10				

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments
143.82	144.81	0.99	0.99	100	L860620	10				
144.81	146.24	1.43	1.05	73	L860621	10				
146.24	148.77	2.53	2.53	100	L860622	10				
148.77	150.73	1.96	1.96	100	L860623	10				
150.73	153.50	2.77	2.77	100	L860624	10				
153.50	155.55	2.05	2.05	100	L860625	11				
155.55	158.19	2.64	2.63	100	L860626	11				
158.19	161.24	3.05	2.77	91	L860627	11				
161.24	163.22	1.98	1.77	89	L860628	11				
-	-	-	-	-	L860629	11				Standard GS-1G
163.22	164.29	1.07	1.07	100	L860630	11				
164.29	167.00	2.71	2.71	100	L860631	11				
167.00	168.18	1.18	1.16	98	L860632	11				
168.18	170.38	2.20	2.20	100	L860633	11				
170.38	172.43	2.05	1.97	96	L860634	11				
172.43	173.43	1.00	1.00	100	L860635	11				
-	-	-	-	-	L860636	11				Coarse Reject Duplicate
173.43	176.48	3.05	2.92	96	L860637	11				
176.48	179.53	3.05	3.05	100	L860638	11				
179.53	180.51	0.98	0.97	99	L860639	11				
180.51	182.58	2.07	2.07	100	L860640	11				
182.58	185.62	3.04	2.97	98	L860641	11				

SCARLET EAST

Hole: SE-12-03

Tech Name: Mark Alban

Date: July 27, 2012

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	HCI Reactivity	Hardness	Strength	Weathering	Joint Sets						DESCRIPTION	
											Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering		
0.00	0.84	0.84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Casing, no recovery
0.84	2.74	1.90	1.65	87	0.00	0	3	1	2S	4W	60	inf		3	2R	4W		
2.74	5.79	3.05	2.25	74	0.00	0	3	1	2S	4W	45	inf		1	2R	4W		
5.79	8.84	3.05	2.93	96	1.17	38	3	1	2S	3W	50	inf		1	2R	3W		
8.84	11.89	3.05	2.89	95	1.45	48	3	1	2S	3W	50	0.08	4	1	2R	3W		
11.89	14.94	3.05	3.05	100	2.22	73	3	1	2S	2W	45	0.12		1	2R	3W		
14.94	17.98	3.04	2.70	89	2.33	77	3	1	3S	2W	65	0.13		1	2R	3W		
17.98	21.03	3.05	3.05	100	2.43	80	4	1	3S	2W	60	0.12		1	2R	3W		
21.03	24.08	3.05	2.96	97	1.77	58	4	1	3S	2W	40	0.17		1	2R	3W		
24.08	27.13	3.05	2.99	98	2.50	82	4	1	3S	2W	50	0.15		1	2R	3W		
27.13	30.18	3.05	3.03	99	1.71	56	4	1	3S	2W	30	0.08		1	2R	3W		
30.18	33.22	3.04	2.67	88	1.14	38	4	1	3S	2W	25	0.07	15	1	2R	2W		
33.22	36.27	3.05	2.96	97	2.07	68	4	1	3S	2W	60	0.10		1	2R	2W		
36.27	39.32	3.05	2.90	95	1.90	62	4	1	3S	2W	65	0.14		1	2R	2W		
39.32	42.37	3.05	2.92	96	1.51	50	4	1	3S	2W	55	0.09		1	2R	2W		
42.37	45.42	3.05	3.03	99	2.85	93	4	1	3S	2W	50	0.11		2	2R	2W		
45.42	48.46	3.04	3.04	100	2.33	77	4	1	3S	2W	45	0.12		1	2R	2W		
48.46	51.51	3.05	2.87	94	2.16	71	2	1	3S	2W	50	0.14		1	2R	2W		
51.51	54.56	3.05	3.00	98	1.79	59	2	1	3S	2W	65	0.11		1	2R	2W		
54.56	57.61	3.05	2.83	93	1.66	54	2	1	3S	2W	50	0.09		1	2R	2W		
57.61	60.66	3.05	2.72	89	1.64	54	4	1	4S	2W	40	0.09		1	2R	2W		
60.66	63.70	3.04	3.04	100	2.52	83	4	1	3S	1W	65	0.14		1	2R	2W		
63.70	66.75	3.05	2.94	96	2.59	85	4	1	3S	1W	50	0.25		1	2R	2W		
66.75	69.80	3.05	2.96	97	2.94	96	4	1	3S	1W	40	0.21		1	2R	2W		
69.80	72.85	3.05	2.93	96	2.53	83	4	1	3S	1W	35	0.17		2	2R	2W		
72.85	75.90	3.05	2.93	96	2.11	69	2	1	3S	1W	50	0.10		2	2R	2W		
75.90	78.94	3.04	3.04	100	2.82	93	4	1	3S	1W	50	0.17		2	2R	2W		
78.94	81.99	3.05	3.00	98	2.88	94	4	1	3S	1W	60	0.14		2	2R	2W		
81.99	85.04	3.05	2.92	96	2.52	83	4	1	3S	1W	40	0.16		2	2R	2W		
85.04	88.09	3.05	3.05	100	2.89	95	4	1	3S	1W	65	0.20		2	2R	2W		
88.09	91.14	3.05	3.02	99	2.78	91	4	1	3S	1W	50	0.19		2	2R	2W		
91.14	94.18	3.04	2.98	98	2.56	84	4	1	3S	1W	80	0.15		2	2R	1W		
94.18	97.23	3.05	3.00	98	2.13	70	4	1	3S	1W	60	0.16		2	2R	1W		
97.23	100.28	3.05	3.00	98	2.74	90	4	1	3S	1W	40	0.20		2	2R	1W		

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	HCI Reactivity	Hardness	Strength	Weathering	Joint Sets						DESCRIPTION
											Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering	
100.28	103.33	3.05	4.00	131	2.62	86	4	2	3S	1W	50	0.19	5	3	2R	1W	
103.33	106.38	3.05	2.88	94	2.12	70	4	1	3S	1W	45	0.12	20	3	3R	2W	
106.38	109.42	3.04	2.92	96	2.87	94	4	1	3S	1W	60	0.23	2	3	3R	2W	
109.42	112.47	3.05	2.99	98	1.96	64	4	1	3S	2W	20	0.08		3	3R	2W	
112.47	115.52	3.05	3.03	99	1.91	63	4	1	3S	1W	30	0.14	5	3	3R	1W	
115.52	118.57	3.05	2.83	93	1.83	60	3	1	3S	1W	40	0.13	30	3	3R	2W	
118.57	121.62	3.05	2.84	93	1.57	51	3	1	3S	1W	45	0.10		3	3R	2W	
121.62	124.66	3.04	2.72	89	1.45	48	1	1	3S	1W	60	0.08		3	3R	2W	
124.66	127.71	3.05	2.95	97	2.40	79	0	1	3S	1W	50	0.15	15	3	1R	2W	
127.71	130.76	3.05	2.96	97	1.81	59	3	1	4S	2W	50	0.08		2	1R	2W	
130.76	133.81	3.05	2.48	81	1.80	59	4	1	4S	2W	40	0.09	10	2	3R	2W	
133.81	136.86	3.05	2.96	97	2.05	67	4	1	4S	2W	40	0.09		2	3R	2W	
136.86	139.90	3.04	3.01	99	2.55	84	4	1	3S	2W	40	0.18	4	2	3R	2W	
139.90	142.95	3.05	2.97	97	2.39	78	4	1	3S	2W	35	0.17	2	2	3R	2W	
142.95	146.00	3.05	2.75	90	1.22	40	4	1	3S	2W	50	0.10		2	3R	2W	
146.00	149.05	3.05	3.05	100	2.51	82	4	1	3S	2W	30	0.16	30	2	3R	2W	
149.05	152.10	3.05	3.05	100	2.60	85	0	1	3S	2W	40	0.18		2	3R	2W	
152.10	155.14	3.04	2.97	98	2.46	81	0	2	3S	2W	30	0.15		2	3R	2W	
155.14	158.19	3.05	2.94	96	1.45	48	0	2	4S	2W	40	0.11	5	2	3R	2W	
158.19	161.24	3.05	2.77	91	1.60	52	0	2	3S	2W	45	0.10		3	3R	2W	
161.24	164.29	3.05	2.92	96	1.72	56	1	2	3S	2W	30	0.09		3	3R	2W	
164.29	167.34	3.05	3	98	2.18	71	1	2	3S	1W	35	0.13		2	3R	2W	
167.34	170.38	3.04	3.04	100	1.94	64	2	2	3S	1W	25	0.12		1	2R	2W	
170.38	173.43	3.05	2.94	96	1.53	50	0	2	3S	2W	60	0.13		1	2R	2W	
173.43	176.48	3.05	2.92	96	2.66	87	3	2	3S	1W	40	0.17		1	2R	2W	
176.48	179.53	3.05	3.05	100	1.86	61	4	2	3S	1W	45	0.11		1	2R	2W	
179.53	182.58	3.05	2.92	96	2.79	91	2	2	4S	2W	35	0.12		1	2R	2W	
182.58	185.62	3.04	2.97	98	2.04	67	0	1	4S	1W	55	0.10		1	2R	2W	EOH

SCARLET EAST

Hole: SE-12-03

Date:

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
2	-	-	RBL
4	-	-	RBL
6	BD	50	
8	BD	60	
10	-	-	RBL
12	BD	50	
14	BD	0	
16	BD	65	
18	BD	65	
20	BD	30	Progresses to 0 degrees
22	BD	30	
24	BD	0	
26	BD	20	
28	BD	20	10 m fluctuate through 0 degrees and low angles
30	BD	5	
32	BD	50	
34	BD	60	
36	BD	50	
38	BD	35	
40	BD	45	
42	BD	45	
44	BD	30	
46	BD	45	
48	BD	40	
50	BD	25	
52	BD	15	
54	BD	80	
56	BD	20	
58	BD	20	
60	BD	15	
62	BD	35	
64	BD	10	
66	BD	60	
68	BD	60	
70	BD	50	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
72	BD	70	
74	-	-	Debrite
76	BD	30	
78	-	-	BX
80	BD	35	
82	BD	40	
84	BD	40	
86	BD	60	
88	BD	80	
90	-	-	BX
92	BD	85	
94	BD	15	
96	BD	70	
98	BD	75	
100	BD	30	
102	BD	20	
104	-	-	
106	-	-	
108	-	-	
110	BD	10	
112	-	-	
114	BD	10	
116	-	-	
118	-	-	
120	-	-	
122	BD	70	
124	BD	20	
126	SH	20	
128	SH	20	
130	BD	35	
132	-	-	
134	BD	25	
136	BD	20	
138	BD	40	
140	-	-	
142	-	-	

SCARLET EAST

Hole: SE-12-03

Date: July 28,

Box #	From (m)	To (m)
1	0.84	4.15
2	4.15	8.08
3	8.08	11.89
4	11.89	15.51
5	15.51	19.38
6	19.38	23.39
7	23.39	27.42
8	27.42	30.81
9	30.81	34.90
10	34.90	38.74
11	38.74	42.63
12	42.63	46.16
13	46.16	49.85
14	49.85	53.44
15	53.44	57.38
16	57.38	61.63
17	61.63	65.62
18	65.62	70.01
19	70.01	74.23
20	74.23	78.49
21	78.49	82.77
22	82.77	87.03
23	87.03	91.14
24	91.14	95.35
25	95.35	99.55
26	99.55	103.64
27	103.64	107.87
28	107.87	111.64
29	111.64	115.13
30	115.13	118.88
31	118.88	122.84
32	122.84	126.90
33	126.90	130.76
34	130.76	134.87
35	134.87	138.97
36	138.97	142.95
37	142.95	146.79
38	146.79	150.73

SCARLET EAST

39	150.73	154.74
40	154.74	158.44
41	158.44	162.08
42	162.08	166.04
43	166.04	169.73
44	169.73	173.43
45	173.43	177.40
46	177.40	181.00
47	181.00	185.21
48	185.21	185.62
	EOH	

SCARLET EAST

SE-12-03

Depth (ft)	Depth (m)	Azimuth (°)	Grid North	Dip (°)	Magnetic	Magnetic	Gravity	Temperature	Gravity Roll	Magnetic	Dog Leg	Date/Time
39	11.89	32.5	57.5	-46.2	57237	79	1.003	45.9	206.2	15.8	-0.12	7/27/12 10:16:01 AM
89	27.13	32.5	57.5	-46.2	57242	79	1.003	45.9	201.5	11.2	-0.5	7/27/12 10:11:01 AM
139	42.37	32.2	57.2	-46.3	57217	79	1.004	45.3	222.3	32	-0.24	7/27/12 10:06:01 AM
189	57.61	32.4	57.4	-46.3	57222	79	1.003	45.3	217.8	27.5	-0.32	7/27/12 10:01:31 AM
239	72.85	32.6	57.6	-46.2	57209	79	1.003	45.3	221.7	31.4	-0.1	7/27/12 9:56:21 AM
289	88.09	32.6	57.6	-46.2	57188	79	1.003	45.3	233.1	42.7	-0.59	7/27/12 9:49:31 AM
339	103.33	33	58	-46.2	57177	78.9	1.003	45	229.3	38.8	-0.79	7/27/12 9:44:51 AM
389	118.57	33.6	58.6	-46.2	57190	79	1.003	45.3	222.2	31.6	-1.11	7/27/12 9:39:51 AM
439	133.81	34.3	59.3	-46.2	57183	78.9	1.003	45.9	219	28.2	-0.19	7/27/12 9:32:51 AM
489	149.05	34.3	59.3	-46.1	57102	78.9	1.003	45.5	229.7	38.8	-0.61	7/27/12 9:25:31 AM
539	164.29	34.7	59.7	-46.1	57094	78.9	1.003	43	231.5	40.6	-0.54	7/27/12 9:16:31 AM
589	179.53	35	60	-46.1	57084	78.9	1.003	42.1	228.9	37.9	0	7/27/12 9:02:31 AM

SCARLET EAST

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS				Photo	DETAILED DESCRIPTION		
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite	Realgar	Other				
														Type	Intensity			Type			Conc. (%)	
			131.58	134.85	3.27		LST	FG	LT	GY	BD	3		BLE	1							Well bedded light grey to tan limestone. Brown/tan oxidized beds seen throughout. Beds 1-30 cm thick. Oxidation seen on select beds and on fracture surfaces. Calcite stringers throughout. Interval is weakly bleached. Small amounts of folding/soft sediment deformation throughout.
			134.85	139.99	5.14		LST	FG	MD	GY	BD	1										Medium to dark grey thinly bedded limestone. Some shearing seen locally throughout interval - typically associated with calcite veinlets. Weak oxidation seen on select fracture surfaces, last 30 cm of interval moderately oxidized.
			139.99	146.84	6.85		LST	FG	LT	GY	BD	3		BLE	1							Well bedded light grey to tan limestone. Brown/tan oxidized beds seen throughout. Beds are 1-30 cm thick. Oxidation seen on select beds and on fracture surfaces. Calcite stringers throughout. Interval minorly bleached. Small amounts of folding/soft sediment deformation throughout. Small 10 cm segments of rubble throughout.
			146.84	155.71	8.87		LST	FG	MD	GY	BD	2										Medium to light grey bedded limestone. Beds are <1-20 cm thick. Localized soft sediment deformation seen. Calcite stringers seen throughout, typically at 60 degrees to core axis. Light oxidation seen on fracture surfaces. Small 10 cm segments of breccia generated from calcite stringers.
			155.71	156.80	1.09		LST	FG	LT	GY	BD	3		BLE	2							Moderately oxidized light tan to grey bedded to brecciated limestone. Calcite stringers, blebs and veins pervasive throughout typically undulatory with no preferred orientation. Interval weakly bleached.
			156.80	161.24	4.44		LST	FG	LT	GY	BX	1		CLY	1							Light to medium grey brecciated to bedded limestone. Brecciated to bedded limestone. Brecciation generated by extensive calcite veins and stringers throughout. Weak clay alteration seen on fracture surfaces. Small undulatory dissolution seams throughout. Very weak oxidation seen on select fracture surfaces.
				EOH					MD		BD											EOH, hole terminated at target depth having intersected well bedded and debris flow limestones. Patchy red clay alteration seen throughout. No mineralization intersected.

SCARLET EAST

Hole: SE-12-04

Logger Name: H. Friday

Date: July 28, 2012

2° Structure Type	From (m)	To (m)	Attitude (to core axis)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
VN	17.59	20.80	-	-	3.00	Ca		7-12 cm thick pinkish calcite veins. Zone too rubbly to get attitude of veins.	
VT	33.73	34.03	30.00	270.00	5.00	Qz		2-8mm thick quartz-calcite veinlets. Often have a slightly fibrous appearance.	
VN	50.12	-	75.00	240.00	1.00	Ca		2.5 cm thick calcite vein. Planar with sharp contacts. Slight tan oxidation throughout.	
VT	52.75	56.19	45.00	-	30.00	Ca		2-10mm thick undulatory calcite veinlets. Typically 45 degrees to core axis but occasionally stepper/shallower. Calcite pinkish in colour. Edges into LST often very rough.	
VN	136.80	-	50.00	0.00	1.00	Ca		3cm thick white, planar calcite vein.	
VN	144.73	-	55.00	0.00	1.00	Ca		3.5 cm thick white, planar calcite vein.	
VN	154.15	154.25	80.00	-	2.00	Ca		2 calcite veins 1 is 2.5cm thick, the other 1cm thick. White and planar.	
VN	155.42	-	35.00	0.00	1.00	Ca		2.5 cm thick white planar calcite vein.	
BX	155.92	161.24	-	-	-	Ca		Extensive flood calcite veins/veinlets/stringers generating breccia in LST.	

SCARLET EAST

Hole: SE-12-04

Date: July 29, 2012

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
5.50	5.79	0.29	0.29	100	L860642	11					1.2
5.79	8.84	3.05	0.31	10	L860643	11					1.0
-	-	-	-	-	L860644	11				Blank	3.0
8.84	11.89	3.05	0.65	21	L860645	11					2.0
11.89	14.94	3.05	0.82	27	L860646	11					2.2
14.94	17.98	3.04	1.16	38	L860647	11					3.8
17.98	21.03	3.05	0.68	22	L860648	11					1.5
-	-	-	-	-	L860649	11				Standard GS-4D	0.3
21.03	23.94	2.91	0.46	16	L860650	11					1.6
23.94	26.30	2.36	1.10	47	L860651	11					3.0
26.30	27.13	0.83	0.81	98	L860652	11					2.6
27.13	30.18	3.05	0.41	13	L860653	11					1.8
30.18	33.22	3.04	0.99	33	L860654	11					2.8
30.18	33.22	3.04	0.99	33	L860655	11				1/4 Duplicate	1.1
33.22	36.27	3.05	1.64	54	L860656	11					5.0
-	-	-	-	-	L860657	11				Blank	4.2
36.27	39.32	3.05	1.87	61	L860658	11					6.0
39.32	42.37	3.05	1.09	36	L860659	11					3.6
42.37	45.26	2.89	1.25	43	L860660	11					3.0
45.26	47.00	1.74	1.60	92	L860661	12					4.3
47.00	49.18	2.18	1.76	81	L860662	12					5.4
49.18	50.80	1.62	1.18	73	L860663	12					3.4
-	-	-	-	-	L860664	12				Coarse Reject Duplicate	-
50.80	53.17	2.37	2.38	100	L860665	12					6.7
53.17	54.56	1.39	1.10	79	L860666	12					2.7
54.56	57.61	3.05	2.69	88	L860667	12					7.8
57.61	58.91	1.30	1.30	100	L860668	12					4.2
58.91	60.66	1.75	1.70	97	L860669	12					4.9

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
-	-	-	-	-	L860670	12				Blank	4.2
60.66	63.52	2.86	2.52	88	L860671	12					6.9
63.52	65.03	1.51	1.29	85	L860672	12					3.7
65.03	66.75	1.72	1.26	73	L860673	12					3.2
66.75	69.80	3.05	1.77	58	L860674	12					5.3
-	-	-	-	-	L860675	12				Standard GS-1G	0.3
69.80	71.21	1.41	1.10	78	L860676	12					2.9
71.21	72.98	1.77	0.98	55	L860677	12					2.8
72.98	74.78	1.80	1.40	78	L860678	12					3.5
74.78	76.08	1.30	1.30	100	L860679	12					4.1
76.08	77.99	1.91	1.84	96	L860680	12					4.9
77.99	79.21	1.22	1.22	100	L860681	12					3.6
77.99	79.21	1.22	1.22	100	L860682	12				1/4 Duplicate	1.8
79.21	81.00	1.79	1.79	100	L860683	12					5.9
81.00	82.87	1.87	1.77	95	L860684	12					4.0
82.87	85.04	2.17	1.44	66	L860685	12					3.7
85.04	88.09	3.05	2.67	88	L860686	12					7.2
-	-	-	-	-	L860687	12				Blank	2.9
88.09	91.14	3.05	1.63	53	L860688	12					5.0
91.14	94.18	3.04	1.21	40	L860689	12					3.1
-	-	-	-	-	L860690	12				Standard GS-4D	0.3
94.18	97.23	3.05	0.39	13	L860691	12					1.4
97.23	100.28	3.05	0.36	12	L860692	12					1.1
100.28	103.33	3.05	0.80	26	L860693	12					2.4
103.33	106.38	3.05	1.27	42	L860694	12					3.7
106.38	109.42	3.04	0.81	27	L860695	12					3.0
109.42	112.47	3.05	0.59	19	L860696	12					1.9
112.47	115.52	3.05	0.77	25	L860697	13					3.2
115.52	118.57	3.05	1.47	48	L860698	13					5.0
118.57	121.62	3.05	1.64	54	L860699	13					4.8
121.62	124.66	3.04	2.66	88	L860700	13					7.1

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
124.66	126.15	1.49	1.49	100	L860701	13					4.0
126.15	129.11	2.96	2.96	100	L860702	13					8.8
129.11	131.58	2.47	1.75	71	L860703	13					5.2
-	-	-	-	-	L860704	13				Blank	3.2
131.58	132.96	1.38	1.38	100	L860705	13					4.8
132.96	134.85	1.89	1.89	100	L860706	13					6.2
134.85	137.65	2.80	2.66	95	L860707	13					8.2
137.65	139.99	2.34	2.34	100	L860708	13					7.6
-	-	-	-	-	L860709	13				Standard GS-4D	0.3
139.99	142.95	2.96	2.96	100	L860710	13					8.8
-	-	-	-	-	L860711	13				Coarse Reject Duplicate	-
142.95	146.00	3.05	2.89	95	L860712	13					9.0
146.00	146.84	0.84	0.84	100	L860713	13					2.3
146.84	149.05	2.21	1.98	90	L860714	13					6.2
149.05	152.10	3.05	3.05	100	L860715	13					9.6
152.10	154.00	1.90	1.90	100	L860716	13					5.8
154.00	155.71	1.71	1.71	100	L860717	13					5.8
-	-	-	-	-	L860718	13				Standard GS-1G	0.3
155.71	156.80	1.09	0.94	86	L860719	13					2.8
156.80	158.19	1.39	0.95	68	L860720	13					3.0
158.19	161.24	3.05	2.71	89	L860721	13				EOH	8.8

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	HCI Reactivity	Hardness	Strength	Weathering	Joint Sets						DESCRIPTION
											Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering	
94.18	97.23	3.05	0.39	13	0.00	0	3	1	1S	5W	45	0.07	100	3	3R	5W	
97.23	100.28	3.05	0.36	12	0.00	0	3	1	1S	5W		inf	360	3	3R	5W	mostly mud/rubble until 130.76ish
100.28	103.33	3.05	0.80	26	0.00	0	3	1	1S	5W		inf	800	3	3R	5W	
103.33	106.38	3.05	1.27	42	0.43	14	3	1	1S	5W	60	inf	180	3	3R	5W	
106.38	109.42	3.04	0.81	27	0.00	0	3	1	1S	5W		inf	410	3	3R	5W	
109.42	112.47	3.05	0.59	19	0.14	5	3	1	1S	5W		inf	50	3	3R	4W	
112.47	115.52	3.05	0.77	25	0.00	0	3	1	1S	5W		inf	140	3	3R	5W	
115.52	118.57	3.05	1.47	48	0.00	0	3	1	1S	4W	55	inf	240	3	3R	5W	
118.57	121.62	3.05	1.64	54	0.34	11	3	1	3S	5W	35	inf	10	3	3R	4W	
121.62	124.66	3.04	2.66	88	0.94	31	3	1	2S	5W	30	0.07	5	3	3R	5W	
124.66	127.71	3.05	2.83	93	1.71	56	3	2	3S	4W	30	0.09		1	3R	4W	
127.71	130.76	3.05	2.29	75	1.18	39	3	2	3S	3W	40	0.09	60	1	3R	4W	
130.76	133.81	3.05	3.05	100	2.36	77	3	2	3S	2W	50	0.18		2	3R	3W	
133.81	136.86	3.05	2.89	95	2.17	71	3	2	3S	2W	40	0.12		2	2R	2W	
136.86	139.90	3.04	3.04	100	2.74	90	3	2	3S	1W	40	0.19		3	2R	3W	
139.90	142.95	3.05	3.01	99	2.69	88	3	2	3S	2W	30	0.17		2	3R	3W	
142.95	146.00	3.05	2.89	95	2.29	75	3	2	3S	2W	45	0.14		2	3R	3W	
146.00	149.05	3.05	2.82	92	2.29	75	4	2	4S	2W	40	0.16		2	2R	3W	
149.05	152.10	3.05	3.05	100	2.26	74	4	2	3S	2W	35	0.12		2	2R	2W	
152.10	155.14	3.04	3.04	100	2.41	79	0	2	3S	2W	30	0.2		2	2R	2W	
155.14	158.19	3.05	2.41	79	2.19	72	3	2	3S	2W	35	0.2		3	2R	3W	
158.19	161.24	3.05	2.71	89	2.53	83	3	2	3S	1W	35	0.21	2	3	2R	2W	EOH

SCARLET EAST

Hole: SE-12-04

Date: July 28, 2012

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
2	-	-	OVB
4	-	-	OVB
6	-	-	RBL
8	-	-	RBL
10	-	-	RBL
12	-	-	RBL
14	-	-	RBL
16	-	-	RBL
18	-	-	RBL
20	BD	60	
22	-	-	RBL
24	-	-	RBL
26	BD	45	
28	-	-	RBL
30	BD	35	
32	-	-	RBL
34	BD	20	
36	BD	45	
38	-	-	RBL
40	-	-	RBL
42	-	-	RBL
44	BD	45	
46	-	-	DB
48	-	-	DB
50	BD	25	
52	-	-	DB
54	-	-	Gouge

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
56	BD	25	
58	BD	30	
60	BD	40	
62	-	-	RBL
64	BD	20	
66	-	-	Gouge
68	-	-	RBL
70	-	-	RBL
72	-	-	RBL
74	-	-	RBL
76	-	-	DB
78	BD	50	
80	-	-	DB
82	-	-	BX
84	-	-	RBL
86	-	-	RBL
88	-	-	RBL
90	-	-	RBL
92	-	-	RBL
94	-	-	RBL
96	BD	30	
98	-	-	RBL
100	-	-	RBL
102	-	-	RBL
104	-	-	RBL
106	-	-	RBL
108	-	-	RBL
110	-	-	RBL
112	-	-	RBL

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
114	-	-	RBL
116	-	-	RBL
118	BD	45	
120	BD	30	
122	-	-	RBL
124	BD	25	
126	-	-	RBL
128	-	-	BX
130	-	-	RBL
132	BD	40	
134	BD	45	
136	BD	45	
138	BD	40	
140	BD	40	
142	BD	40	
144	BD	40	
146	BD	30	
148	BD	35	
150	BD	10	
152	-	-	BX
154	-	-	BX
156	BD	50	
158	BD	40	
160	-	-	BX

SCARLET EAST

Hole: SE-12-04

Date: July 29,

Box #	From (m)	To (m)
1	5.50	17.98
2	17.98	30.18
3	30.18	36.76
4	36.76	42.54
5	42.54	48.19
6	48.19	52.38
7	52.38	56.31
8	56.31	60.40
9	60.40	64.43
10	64.43	69.95
11	69.95	75.04
12	75.04	78.94
13	78.94	83.08
14	83.08	87.56
15	87.56	94.18
16	94.18	107.73
17	107.73	115.81
18	115.81	120.47
19	120.47	124.91
20	124.91	128.15
21	128.15	132.96
22	132.96	136.86
23	136.86	140.67
24	140.67	144.44
25	144.44	148.03
26	148.03	152.24
27	152.24	156.08
28	156.08	161.24
	EOH	

SCARLET EAST

SE-12-04

Depth (ft)	Depth (m)	Azimuth (°)	Grid North Azimuth (°)	Dip (°)	Magnetic Intensity (nT)	Magnetic Dip (°)	Gravity Intensity (g)	Temperature (°F)	Gravity Roll Angle (°)	Magnetic Tool Face	Dog Leg (° per 100 ft)	Date/Time
------------	-----------	-------------	---------------------------	---------	----------------------------	---------------------	--------------------------	---------------------	---------------------------	-----------------------	---------------------------	-----------

*Survey Lost, ranger tool battery died before data was downloaded to handheld unit at the drill.

SCARLET EAST

Grid East	Grid North	Easting	Northing	Elev.	Depth (m)
		644599.154	7108319.572	1524.531	257.25

ZONE: Scarlet East

SECTION: _____

HOLE: SE-12-05

CLAIM: STW 87/Scarlet East

Contractor: Beaudoin

Drill: JKS 300

Core size: NTW Reduced at: _____ (m)

Casing depth: 2.44 (m) in / **out**

Drilling dates: August 1st to August 4th, 2012

Geology logged by: H. Friday

SURVEY							
Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
0.00	291	-45	Compass				
59.13	294.4	-44.3	Ranger Survey				
150.57	298.1	-43.8	Ranger Survey				
257.25	301.8	-43.1	Ranger Survey				

TARGET: Test beneath prospective LST package adjacent to fault, in area of elevated Au-As in soil

SUMMARY				
From (m)	To (m)	Interval	Unit	Comments
0.00	2.44	2.44	OVB	Overburden/casing, no recovery
2.44	201.90	199.46	LST	Well bedded grey limestone with debrite beds throughout, zones of brecciation and shear seen locally.
201.90	204.86	2.96	MST	Dark grey bedded mudstone.
204.86	235.20	30.34	LST	Well bedded limestone with minor brecciation and shear seen throughout.
235.20	242.04	6.84	SLT	Well bedded dark grey siltstone with a few limey beds throughout.
242.04	246.70	4.66	LST	Dark grey well bedded limestone.
246.70	257.25	10.55	SLT	Well bedded dark grey siltstone with a few limey beds throughout.

SAMPLES
Numbers: <u>L860722 - L860750 and N832201 - N832299</u>
Total: <u>128</u>
Batch: <u>13, 14, 15, 16 and 17</u>
Date Sent: _____
Certificate: <u>WH12185223, WH12185224, WH12188774, WH12188775, WH12193300</u>

COMMENTS
<u>Batch 15 and 17 rerun, WH12210385 and WH12219774 respectively. Hole intersected variable sheared and well bedded limestone and siltstone. No visible mineralization seen.</u>

SCARLET EAST

Hole: SE-12-05

Logger Name: H. Friday

2-Aug-12

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS			Photo	DETAILED DESCRIPTION	
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite	Type			Conc. (%)
														Type	Intensity					
0.00	2.44	2.44					OVB													Casing/overburden, no recovery
2.44	201.90	199.46					LST	FG	MD	GY	BD									Well bedded grey limestone with debrite beds throughout, zones of brecciation and shear seen locally.
			2.44	27.40	24.96		LST	FG	MD	GY	BD	2				0.01				Medium grey to brown well bedded silty limestone. Brown beds throughout (oxidized) and oxidation envelopes seen around select fracture surfaces. Beds 0.2-3 cm thick and vary from dark to light grey depending on grain size (finer grained are dark grey coarser grained are lighter grey). Siltyer layers throughout - less reactive with HCl. Calcite stringers infrequently throughout - often oxidized and occasionally folded. Small microfolds in some layers more frequently towards end of interval. Trace pyrite along bedding - very fine grained and dull.
			27.40	31.45	4.05		LST	FG	MD	GY	BD	3								Medium to dark grey to brown folded and sheared to brecciated bedded silty limestone. Folding visible throughout interval with 2-30 cm segments of heavily brecciated limestone. Brecciation generated from calcite veins and floods and dissolution seams. Brecciated zones more highly oxidized. Rest of interval the oxidation seen surrounding/enveloping fracture surfaces and altering select beds. Small calcite stringers throughout - typically high angle to core axis.
			31.45	39.65	8.20		LST	FG	MD	GY	BD	3								Medium to dark grey to brown folded and sheared well bedded silty limestone. Folding seen in thin beds throughout and on a larger scale in the drastic changes of bedding angle. Oxidation seen enveloping fracture surfaces and altering beds. Calcite stringers throughout often seen along bedding planes and folded. Small segments 10-15cm of more pervasively oxidized core, rubble seen with these.
			39.65	45.88	6.23		LST	FG	MD	GY	SH									Medium to dark grey heavily folded and sheared well bedded silty limestone. Dissolution seams throughout associated with heavily sheared segments. A noticeable increase in calcite stringers and veinlets throughout this interval - typically 50 degrees to core axis. Dissolution seams crosscut bedding and are generally 2-3 mm thick. Bedding angles change drastically throughout interval, with minor breccia zones in the heavily sheared segments.
			45.88	48.64	2.76		LST	FG	MD	GY	SH	1								Medium to dark grey moderately to heavily sheared bedded to brecciated silty limestone. Oxidation seen on fracture surfaces and shear bands throughout. Heavily calcite veining/stringers throughout generating zones of breccia. Reddish pink staining seen on the larger calcite blebs/veins. Dissolution seams seen throughout, 1-3 mm thick.

SCARLET EAST

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS			Photo	DETAILED DESCRIPTION	
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite	Type			Conc. (%)
														Type	Intensity					
			48.64	54.56	5.92		LST	FG	MD DK	GY BN	SH	3		CLY	1					Medium to dark grey to brown heavily sheared silty limestone. Oxidation moderate and pervasive. Oxidation seen in Medium brown-tan bands throughout shear zone. Mild clay alteration seen on some fracture surfaces. Calcite floods and veins throughout, often truncated/bordered by dissolution seams. Dissolution seams typically 2-4 mm, thick and undulatory throughout interval.
			54.56	59.85	5.29		LST	FG	MD DK	GY BD	BD SH	1				0.01				Medium to dark grey moderately sheared bedded silty limestone. Oxidation seen on some shear surfaces and fracture surfaces throughout. Calcite stringers, veins and floods throughout. Stringers typically along bedding plane or perpendicular to shear. Dissolution seams throughout, typically truncating/bordering calcite veins and floods. Occasional orange-tan oxidation of calcite stringers/veins. Trace very fine grained dull pyrite blebs seen along bedding planes.
			59.85	62.04	2.19		LST	FG	MD DK	GY DB	DB SH	1				0.01				Medium to dark grey sheared debris flow limestone. Clasts 2-10 mm and subrounded. Matrix typically darker grey and clasts polyolithic. Dissolution seams and dark shear bands throughout. Calcite veins and floods throughout, typically truncated and bordered by dissolution seams. Trace very fine grained pyrite along bedding.
			62.04	65.47	3.43		LST	FG	MD DK	GY BD	SH BX	1								Medium to dark grey sheared and brecciated bedded limestone. Calcite veins and floods pervasive throughout, exhibiting shear fabrics and often bounded/truncated by dissolution seams. Weak oxidation seen bordering heavily sheared zones. Dissolution seams throughout typically 1-3 mm thick. Brecciation generated by calcite stringers and dissolution seams/shear bands.
			65.47	93.74	28.27		LST	FG	MD DK	GY BD	BD SH	1				0.01				Medium to dark grey bedded silty limestone. Small, up to 20 cm segments of heavily sheared limestone, with the majority of the interval mildly sheared. Segments of breccia seen in the heavily sheared segments. Weak oxidation seen on select fracture surfaces. Calcite veining more prominent around heavily sheared segments, with moderate veining/stringers throughout interval. Dissolution seams seen around intensely sheared segments. Select calcite veinlets/veins oxidized. Trace very fine grained pyrite along bedding.
			93.74	97.27	3.53		LST	FG	LT MD	GY DB	DB SH	1								Light to Medium grey sheared debris flow limestone. Dissolution seams and dark grey shear bands throughout, often truncating calcite veins and blebs. Clasts in debrite are 1-20 mm in size and subrounded. Matrix is darker than clasts. Slight oxidation seen on select fracture surfaces and shear surfaces - bright orange-brown in colour.

SCARLET EAST

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS			Photo	DETAILED DESCRIPTION		
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite	Other				
														Type	Intensity		Type			Conc. (%)	
			97.27	104.42	7.15		LST	FG	MD DK	GY	BD SH	1									Medium to dark grey well bedded and weakly sheared limestone. Weak oxidation seen on select fracture surfaces and rimming select calcite veins. Small 20 cm zones of moderate shearing - typically minor breccia and calcite floods with shear bands and dissolution seams. Calcite stringers, veinlets and veins throughout interval. Bedding often sheared and folded.
			104.42	129.49	25.07		LST	FG	MD	GY	BD TN SH BX										Medium grey bedded and weakly sheared and brecciated limestone. A significant increase in the number of calcite veins and veinlets throughout (up to 30 per metre). Select calcite veins oxidized on the edges - typically an orange brown colour. Calcite floods throughout interval with more intensely sheared segments. Weak oxidation also seen on fracture surfaces and select beds throughout. Shearing seen locally - typically mild deformation of beds. Mild breccia generated from shearing and calcite stringers/veins throughout. Zones of rubble throughout approx. 10 cm and typically oxidized on fractures.
			129.49	130.99	1.50		LST	FG	MD DK	GY	BD	1									Medium to dark grey well bedded silty limestone. Weak oxidation seen on select fracture surfaces. Calcite stringers and veins throughout. Occasional vein weakly oxidized.
			130.99	138.80	7.81		LST	FG	MD DK	GY	SH BX BD	2									Medium to dark grey heavily sheared and brecciated bedded limestone. 2-4 mm thick dissolution seams throughout, typically seen with calcite floods and intensely sheared zones. Calcite stringers, veins and floods throughout generating mild breccia. Slight oxidation seen around fracture surfaces and dissolution seams and shear bands throughout.
			138.80	151.94	13.14		LST	FG	MD DK	GY	BD BX	1				0.01					Medium to dark grey well bedded limestone. Minor breccia generated from calcite stringers and veinlets throughout. A few small undulatory dissolution seams throughout. Weak oxidation seen on select fracture surfaces and surrounding select calcite veins. Trace pyrite seen along bedding planes throughout. Very fine grained dull blebs. Calcite veinlets and stringers quite undulatory and jagged with no preferred orientation.
			151.94	153.42	1.48		LST	FG	MD	GY	BX BD										Medium grey bedded limestone that has been heavily brecciated by a large calcite flood vein - limestone clasts throughout that are angular to subangular. Small black seams and dissolution seams throughout vein.

SCARLET EAST

GENERAL INTERVAL			DETAILED INTERVAL			LITHOLOGY					ALTERATION				MINERALS			Photo	DETAILED DESCRIPTION	
From (m)	To (m)	Interval (m)	From (m)	To (m)	Interval (m)	Unit	Rock Type	Grain Size	Shade	Colour	Texture	Oxidation	Silicification	Other		Pyrite	Other			
														Type	Intensity		Type			Conc. (%)
204.86	235.20	30.34					LST	FG	MD	GY	BD									Well bedded limestone with minor brecciation and shear seen throughout.
			204.86	211.85	6.99		LST	FG	MD	GY	BD	1								Medium to dark grey bedded limestone. Darker beds throughout less calcareous. Weak grey-brown oxidation seen on select fracture surfaces and surrounding select calcite veinlets throughout. Beds range from 1mm to 20 cm thick. Calcite stringers and blebs seen throughout at 10 per metre.
									DK											
			211.85	220.03	8.18		LST	FG	MD	GY	BD									Medium to dark grey bedded to minorly brecciated limestone. Bedding 0.5-3cm thick and defined by finer-grained dark grey layers. Occasional soft sediment deformation seen. Breccia generated by calcite stringers and blebs throughout in addition to small dissolution seams throughout. Slight shearing also seen.
									DK		BX									
											SH									
			220.03	233.52	13.49		LST	FG	MD	GY	BD									Medium grey well bedded limestone with silty layers throughout. Slight soft sediment deformation seen locally. Beds not as well defined and are visible due to gradual change in colour. Calcite blebs and stringers throughout.
											DK									
			233.52	235.20	1.68		LST	FG	MD	GY	BD									Medium grey bedded limestone with minor breccia. Breccia generated from mild shearing/deformation and calcite stringers/blebs throughout. Bedding defined by 1-4 mm thick black/dark grey beds throughout. Undulatory bedding.
											BX									
											SH									
235.20	242.04	6.84					SLT	VFG	MD	GY	BD									Well bedded dark grey siltstone with a few limey beds throughout.
			235.20	242.04	6.84		SLT	VFG	MD	GY	BD	1				0.01				Medium to dark grey well bedded siltstone with a few small limey beds throughout. Calcite and dolomite stringers and beds throughout interval. Weak oxidation seen on fracture surfaces. Sharp upper contact following bedding at 65 degrees to core axis. Gradational lower contact.
											DK									
242.04	246.70	4.66					LST	FG	DK	GY	BD	1								Dark grey well bedded limestone.
			242.04	246.70	4.66		LST	FG	DK	GY	BD	1								Dark grey well bedded limestone. A few small calcite stringers throughout. Weak oxidation seen on select fracture surfaces.
246.70	257.25	10.55					SLT	VFG	MD	GY	BD									Well bedded dark grey siltstone with a few limey beds throughout.
			246.70	257.25	10.55		SLT	VFG	MD	GY	BD	1	SIL	1	0.01					Medium to dark grey well bedded siltstone with the occasional limey bed throughout. Weak oxidation seen on select fracture surfaces. Small patches of silicification throughout - often with small quartz stringers. Calcite and dolomite stringers throughout. Trace fine grained bright pyrite seen along bedding.

SCARLET EAST

Hole: SE-12-05

Logger Name: H. Friday

Date: Aug. 2, 2012

2° Structure Type	From (m)	To (m)	Attitude (TCA)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
VT	23.42	-	20.00	270.00	1.00	Ca		8mm thick planar calcite veinlet. Oxidized around edges.	
BX	27.78	28.13	-	-	-	Ca		Calcite flood/breccia. Dissolution seams throughout.	
VN	30.74	31.05	30.00	0.00	1.00	Ca		Thick calcite flood with folded limestone clasts throughout. Calcite white to grey with dark grey stringers surrounding grains.	
VN	31.45	-	65.00	-	1.00	Ca		2cm thick planar, white calcite vein.	
VN	36.42	36.67	10.00	-	1.00	Ca		Thick white calcite flood vein. Small oxidized limestone clasts seen. Jagged edges into limestone.	
VT/VN	41.53	43.62	50.00	140.00	20/m	Ca		Planar 2-12mm calcite veinlets and veins. Veins often have angular limestone clasts throughout. Occasional sheared.	
VN	48.82	-	40.00	-	1.00	Ca		3cm thick, planar calcite vein. Oxidation seen around contacts.	
BX	45.88	52.49	-	-	-	Ca		Intensely calcite stringer heavy/calcite flood throughout shear zone. Oxidation seen bordering most calcite floods and/or dissolution seams.	
VN	51.62	51.96	-	-	1.00	Ca		Large calcite flood. Uneven/undulatory edges into limestone. White with a few small black stringers throughout.	
VN	52.93	53.00	-	-	1.00	Ca		White calcite flood. Uneven contacts.	
VN	53.91	54.03	-	-	1.00	Ca		White calcite flood. Uneven contacts. Black stringers throughout.	
VN	56.04	56.28	-	-	1.00	Ca		White calcite flood. Uneven contacts. Black stringers throughout.	
BX	61.02	65.47	-	-	-	Ca		Intensely calcite stringer heavy/calcite flood throughout shear zone. Oxidation seen bordering most calcite floods and/or dissolution seams.	
VN	62.04	62.32	-	-	1.00	Ca		White calcite flood. Uneven contacts. Black stringers throughout.	
VN	74.92	74.94	15.00	0.00	1.00	Ca		2cm thick white, planar calcite vein bordered by dissolution seams.	
VN	91.34	91.76	20.00	0.00	1.00	Ca		Thick calcite flood vein generating mild breccia in limestone.	
VN	93.44	105.14	65.00	-	8.00	Ca		1-1.5cm thick, planar white calcite veins.	
VT/VN	104.42	129.49	-	-	30/m	Ca		Intense calcite stringers and veinlets throughout interval. Larger veinlets oxidized. Typically 40 - 60 degrees to core axis. Often quite undulatory.	
VN	110.39	123.89	-	-	15.00	Ca		2-5cm thick uneven and undulatory white calcite flood veins. Non-measurable contacts. Oxidation often seen on contacts.	
VT/VN	130.99	138.80	-	-	20/m	Ca		Intense calcite stringers, veinlets and calcite floods throughout.	
VN	139.44	139.55	30.00	-	1.00	Ca		Thick white calcite vein. Jagged contacts into limestone.	
VN	148.76	151.96			7.00	Ca		Calcite flood veins - jagged and undulatory contacts into limestone. Typically mottled white and grey calcite.	
VN	152.36	153.26			1.00	Ca		Thick breccia calcite vein. Mottled white to light grey. Jagged contacts into limestone.	
VN	153.72		25.00	30.00	1.00	Ca		Planar white calcite vein. 1cm thick.	
VN	154.08		50.00	0.00	1.00	Ca		2.5cm thick planar, white calcite vein.	
VN	155.11	155.82			1.00	Ca		Calcite flood/breccia. White to grey mottled calcite. Dark stringers throughout.	
VN	159.48	162.47	60.00	0.00	3.00	Ca		1 to 3cm thick calcite veins following bedding plane. Edges to veins very jagged into limestone and rimmed with dissolution seams and dark limestone.	
VN	166.31	168.06	10 to 25		4.00	Ca		1-2cm thick calcite veins at very low angle to core axis. White calcite to mottled grey. Sharp to blurry contacts into limestone.	

SCARLET EAST

2° Structure Type	From (m)	To (m)	Attitude (TCA)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
VN	175.52	184.85	20.00	250.00	4.00	Ca		0.5cm to 1cm thick undulatory white calcite veins/veinlets shallow to core axis.	
VN	186.05	186.11			1.00	Ca		Calcite flood vein with very jagged uneven edges into surrounding limestone. Slight pink colouring in select parts of the vein.	
VN	190.16	192.00			2.00	Ca		2 large calcite flood veins at low angle to core axis generating mild breccia and often bounded by dissolution seams. Calcite white to mottled grey.	
VN	198.85	199.20	10.00		1.00	Ca		0.5 to 2cm thick very shallow to core axis, broken up calcite vein offset by slight shear?	
VN	201.21	202.26	5.00		6.00	Ca		0.3 to 0.8cm thick, planar, white calcite veinlets. Undulatory contacts into limestone.	
VN	205.56	205.65	55.00	0.00	1.00	Ca		Thick, white planar calcite vein. A few small limestone clasts in vein.	
VN	212.39	214.21	45.00	0.00	4.00	Ca		3-15cm thick calcite veins. Jagged edges into limestone and following bedding direction, but sometimes shallower than bedding.	
VN	215.75		50.00	180.00	1.00	Ca		Planar, white 1.2cm thick calcite vein.	
VT/VN	225.70	230.60	5.00		3.00	Ca		2mm - 1.2cm thick white, planar calcite veins approximately running along the core axis, often branching off and splitting.	
VN	244.55		20.00		1.00	Ca		1.2cm thick white planar calcite vein. Sharp contacts.	
VN	247.32		20.00	330.00	1.00	Ca		1.1cm thick pinkish dolomite vein. Planar, sharp contacts.	

SCARLET EAST

Hole: SE-12-05

Date: August 3, 2012

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
2.44	4.00	1.56	1.31	84	L860722	13					5.0
4.00	5.79	1.79	1.63	91	L860723	13					5.2
5.79	8.84	3.05	3.05	100	L860724	13					10.0
8.84	11.89	3.05	3.05	100	L860725	13					10.2
-	-	-	-	-	L860726	13				Blank	4.0
11.89	14.94	3.05	2.97	97	L860727	13					10.0
14.94	17.98	3.04	3.03	100	L860728	13					10.2
17.98	21.03	3.05	2.96	97	L860729	13					9.8
17.98	21.03	3.05	3.04	100	L860730	13				1/4 Duplicate	4.4
21.03	24.08	3.05	2.97	97	L860731	13					10.0
24.08	25.95	1.87	1.85	99	L860732	13					6.4
25.95	27.40	1.45	1.38	95	L860733	14					4.8
27.40	30.18	2.78	2.73	98	L860734	14					9.0
30.18	31.45	1.27	1.22	96	L860735	14					4.0
31.45	33.22	1.77	1.72	97	L860736	14					5.7
33.22	36.27	3.05	2.96	97	L860737	14					10.0
-	-	-	-	-	L860738	14				Blank	2.0
36.27	37.98	1.71	1.71	100	L860739	14					5.2
37.98	39.65	1.67	1.59	95	L860740	14					5.8
39.65	42.37	2.72	2.61	96	L860741	14					8.6
42.37	44.12	1.75	1.74	99	L860742	14					5.8
44.12	45.88	1.76	1.62	92	L860743	14					5.2
45.88	48.64	2.76	2.67	97	L860744	14					9.0
-	-	-	-	-	L860745	14				Standard GS-1G	0.3
48.64	51.51	2.87	2.87	100	L860746	14					8.4
51.51	54.56	3.05	2.76	90	L860747	14					9.0
-	-	-	-	-	L860748	14				Blank	2.0
54.56	57.61	3.05	2.93	96	L860749	14					9.4

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
57.61	59.85	2.24	2.13	95	L860750	14					7.2
59.85	62.04	2.19	2.18	100	N832201	14					6.9
62.04	63.70	1.66	1.57	95	N832202	14					4.8
63.70	65.47	1.77	1.68	95	N832203	14					5.0
65.47	66.75	1.28	1.28	100	N832204	14					4.4
66.75	69.80	3.05	2.98	98	N832205	14					9.8
-	-	-	-	-	N832206	14				Coarse Reject Duplicate	-
69.80	72.85	3.05	2.96	97	N832207	14					10.0
72.85	75.90	3.05	3.00	98	N832208	14					9.4
75.90	78.94	3.04	3.04	100	N832209	14					9.4
78.94	81.99	3.05	3.03	99	N832210	14					9.8
81.99	85.04	3.05	2.99	98	N832211	14					9.6
81.99	85.04	3.05	2.99	98	N832212	14				1/4 Duplicate	4.2
85.04	88.09	3.05	2.90	95	N832213	14					9.4
88.09	91.14	3.05	2.93	96	N832214	14					9.6
-	-	-	-	-	N832215	14				Standard GS-4D	0.3
91.14	93.74	2.60	2.53	97	N832216	14					8.2
93.74	95.26	1.52	1.51	99	N832217	14					5.4
95.26	97.27	2.01	1.79	89	N832218	14					5.8
97.27	100.28	3.01	3.00	100	N832219	15					9.5
100.28	103.33	3.05	3.02	99	N832220	15					9.7
103.33	104.42	1.09	1.08	99	N832221	15					3.7
104.42	106.38	1.96	1.85	94	N832222	15					6.1
106.38	109.42	3.04	2.92	96	N832223	15					9.6
109.42	112.47	3.05	3.01	99	N832224	15					10.0
-	-	-	-	-	N832225	15				Coarse Reject Duplicate	-
112.47	115.52	3.05	2.97	97	N832226	15					9.3
115.52	118.57	3.05	3.02	99	N832227	15					9.9
118.57	121.62	3.05	2.72	89	N832228	15					8.8
121.62	124.66	3.04	2.59	85	N832229	15					8.7
-	-	-	-	-	N832230	15				Standard GS-1G	0.3

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
124.66	127.71	3.05	2.75	90	N832231	15					9.6
127.71	129.49	1.78	1.76	99	N832232	15					5.7
129.49	130.99	1.50	1.50	100	N832233	15					4.9
130.99	133.81	2.82	2.69	95	N832234	15					8.5
133.81	136.86	3.05	2.88	94	N832235	15					9.2
136.86	138.80	1.94	1.86	96	N832236	15					5.9
-	-	-	-	-	N832237	15				Blank	4.3
138.80	139.90	1.10	1.08	98	N832238	15					3.4
139.90	142.95	3.05	3.01	99	N832239	15					9.8
139.90	142.95	3.05	3.01	99	N832240	15				1/4 Duplicate	4.1
142.95	146.00	3.05	3.05	100	N832241	15					9.4
146.00	149.05	3.05	3.00	98	N832242	15					9.6
149.05	151.94	2.89	2.86	99	N832243	15					9.2
151.94	153.42	1.48	1.48	100	N832244	15					4.5
153.42	155.14	1.72	1.72	100	N832245	15					5.5
-	-	-	-	-	N832246	15				Standard GS-4D	0.3
155.14	158.19	3.05	3.03	99	N832247	15					9.7
158.19	160.50	2.31	2.26	98	N832248	15					7.3
160.50	162.47	1.97	1.97	100	N832249	15					6.3
162.47	164.29	1.82	1.82	100	N832250	15					6.0
-	-	-	-	-	N832251	15				Blank	4.8
164.29	167.34	3.05	3.05	100	N832252	15					9.5
167.34	170.38	3.04	3.04	100	N832253	15					9.8
170.38	173.43	3.05	3.05	100	N832254	15					9.8
173.43	176.48	3.05	3.02	99	N832255	16					10.0
176.48	179.53	3.05	3.01	99	N832256	16					10.2
179.53	182.58	3.05	3.03	99	N832257	16					10.6
182.58	185.62	3.04	3.04	100	N832258	16					9.8
185.62	187.98	2.36	2.35	100	N832259	16					7.4
187.98	190.00	2.02	2.02	100	N832260	16					6.8
190.00	191.72	1.72	1.71	99	N832261	16					5.4
-	-	-	-	-	N832262	16				Standard GS-1G	0.3

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
191.72	193.20	1.48	1.48	100	N832263	16					4.8
193.20	194.77	1.57	1.53	97	N832264	16					5.2
193.20	194.77	1.57	1.57	100	N832265	16				1/4 duplicate	2.6
194.77	197.82	3.05	3.01	99	N832266	16					10.3
197.82	200.15	2.33	2.32	100	N832267	16					7.5
200.15	201.90	1.75	1.70	97	N832268	16					5.8
201.90	204.86	2.96	2.96	100	N832269	16					10.6
204.86	206.96	2.10	2.07	99	N832270	16					7.2
-	-	-	-	-	N832271	16				Blank	3.6
206.96	210.01	3.05	2.96	97	N832272	16					10.6
-	-	-	-	-	N832273	16				Coarse Reject Duplicate	-
210.01	211.85	1.84	1.82	99	N832274	16					6.4
211.85	213.05	1.20	1.20	100	N832275	16					4.3
213.05	216.10	3.05	3.03	99	N832276	16					10.1
216.10	219.15	3.05	3.02	99	N832277	16					10.8
219.15	220.03	0.88	0.88	100	N832278	16					3.0
-	-	-	-	-	N832279	16				Blank	2.8
220.03	222.20	2.17	2.06	95	N832280	16					6.8
222.20	225.25	3.05	3.05	100	N832281	16					10.2
225.25	228.30	3.05	3.05	100	N832282	16					10.0
228.30	231.34	3.04	3.05	100	N832283	16					9.8
231.34	233.52	2.18	2.15	99	N832284	16					7.6
233.52	235.20	1.68	1.62	96	N832285	16					5.3
235.20	237.44	2.24	2.18	97	N832286	16					7.0
237.44	240.49	3.05	2.94	96	N832287	16					9.2
-	-	-	-	-	N832288	16				Standard GS-4D	0.3
240.49	242.04	1.55	1.55	100	N832289	16					5.0
242.04	244.00	1.96	1.96	100	N832290	16					6.4
244.00	246.70	2.70	2.61	97	N832291	17					8.6
246.70	249.63	2.93	2.92	100	N832292	17					10.0
-	-	-	-	-	N832293	17				Standard GS-1G	0.3
249.63	252.68	3.05	2.95	97	N832294	17					10.0

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample Number	Batch	Au (g/t)	Ag (g/t)	As (ppm)	Comments	Sample Weight (kg)
252.68	255.73	3.05	3.04	100	N832295	17					10.0
252.68	255.73	3.05	3.04	100	N832296	17				1/4 Duplicate	4.6
255.73	257.25	1.52	1.52	100	N832297	17					5.2
-	-	-	-	-	N832298	17				Coarse Reject Duplicate	-
-	-	-	-	-	N832299	17				Blank	4.7

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	HCI Reactivity		Hardness	Strength		Weathering		Joint Sets						DESCRIPTION
														Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering	
91.14	94.18	3.04	2.98	98	2.40	79	4	1		3S	1W	60	0.18		2	3R	1W			
94.18	97.23	3.05	2.90	95	2.33	76	4	1		3S	1W	55	0.22		2	3R	1W			
97.23	100.28	3.05	2.91	95	2.46	81	4	1		4S	1W	60	0.17		2	2R	1W			
100.28	103.33	3.05	3.02	99	2.64	87	4	1		3S	1W	45	0.15		2	2R	2W			
103.33	106.38	3.05	2.94	96	1.95	64	4	1		3S	1W	55	0.11		2	2R	2W			
106.38	109.42	3.04	2.92	96	2.08	68	4	1		3S	1W	45	0.11		2	2R	2W			
109.42	112.47	3.05	3.01	99	2.95	97	4	1		3S	1W	40	0.2		2	2R	2W			
112.47	115.52	3.05	2.97	97	2.28	75	4	1		4S	2W	45	0.14		2	2R	2W			
115.52	118.57	3.05	3.02	99	1.87	61	4	1		4S	2W	70	0.13		2	2R	2W			
118.57	121.62	3.05	2.72	89	2.52	83	4	1		4S	2W	55	0.09		2	2R	3W			
121.62	124.66	3.04	2.59	85	1.31	43	4	1		3S	2W	70	0.09		2	2R	3W			
124.66	127.71	3.05	2.75	90	1.20	39	3	1		4S	2W	60	0.08		2	2R	3W			
127.71	130.76	3.05	3.05	100	1.56	51	3	1		4S	2W	55	0.14		2	2R	2W			
130.76	133.81	3.05	2.90	95	2.29	75	3	1		4S	1W	35	0.11		2	2R	2W			
133.81	136.86	3.05	2.88	94	2.29	75	3	1		4S	1W	50	0.11		2	2R	2W			
136.86	139.90	3.04	2.85	94	1.98	65	4	1		4S	1W	30	0.14	2	2	2R	2W			
139.90	142.95	3.05	3.01	99	3.00	98	4	1		4S	1W	35	0.27		2	2R	1W			
142.95	146.00	3.05	3.05	100	2.64	87	3	1		4S	1W	40	0.13		2	2R	1W			
146.00	149.05	3.05	3.00	98	2.44	80	3	1		4S	1W	60	0.17		2	2R	1W			
149.05	152.10	3.05	3.05	100	2.88	94	3	1		5S	1W	55	0.23		2	2R	1W			
152.10	155.14	3.04	3.04	100	2.78	91	2	1		4S	1W	55	0.23		2	2R	1W			
155.14	158.19	3.05	3.03	99	2.98	98	2	1		3S	1W	45	0.2		2	2R	1W			
158.19	161.24	3.05	3.03	99	2.89	95	4	1		3S	1W	55	0.25		2	2R	1W			
161.24	164.29	3.05	3.05	100	2.87	94	4	1		3S	1W	65	0.19		2	2R	1W			
164.29	167.34	3.05	3.05	100	2.87	94	4	1		3S	1W	45	0.25	3	3R	1W				
167.34	170.38	3.04	3.04	100	2.74	90	4	1		4S	1W	50	0.17		2	2R	1W			
170.38	173.43	3.05	3.05	100	2.10	69	4	1		4S	1W	65	0.18		2	2R	2W			
173.43	176.48	3.05	3.02	99	2.69	88	4	1		4S	1W	55	0.18		2	2R	1W			
176.48	179.53	3.05	3.01	99	2.58	85	4	1		4S	1W	60	0.18		2	2R	1W			
179.53	182.58	3.05	3.03	99	2.72	89	4	1		4S	1W	65	0.23		2	2R	1W			
182.58	185.62	3.04	3.04	100	2.65	87	4	1		4S	1W	65	0.17		2	2R	1W			
185.62	188.67	3.05	3.05	100	2.69	88	4	1		3S	1W	70	0.16		2	2R	1W			
188.67	191.72	3.05	3.05	100	2.96	97	4	1		3S	1W	55	0.2		2	2R	1W			
191.72	194.77	3.05	3.03	99	2.65	87	4	1		3S	1W	35	0.19		2	2R	1W			

SCARLET EAST

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	HCI Reactivity	Hardness	Strength	Weathering	Joint Sets						DESCRIPTION
											Attitude (TCA)	Freq (m)	Gouge Width (mm)	Shape	Roughness	Weathering	
194.77	197.82	3.05	3.01	99	2.71	89	4	1	3S	1W	60	0.22		2	2R	1W	
197.82	200.86	3.04	3.03	100	2.61	86	4	1	3S	1W	55	0.19		2	2R	1W	
200.86	203.91	3.05	2.98	98	2.67	88	0	1	3S	1W	70	0.2		2	2R	1W	
203.91	206.96	3.05	3.02	99	2.70	89	4	1	3S	1W	55	0.23		2	2R	1W	
206.96	210.01	3.05	2.96	97	2.49	82	4	1	3S	1W	65	0.17		2	2R	1W	
210.01	213.05	3.04	3.03	100	2.78	91	4	1	3S	1W	70	0.34		2	2R	1W	

SCARLET EAST

Hole: CE-12-09

Date: Aug. 2, 2012

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
2		OVB	
4	BD	70	
6	BD	60	
8	BD	55	
10	BD	60	
12	BD	55	
14	BD	60	
16	BD	70	
18	BD	60	
20	BD	60	
22	BD	30	
24	BD	60	
26	BD	50	
28	-	-	BX
30	BD	30	
32	BD	60	
34	BD	70	
36	BD	30	
38	BD	60	
40	BD	30	
42	BD	30	
44	BD	5	
46	-	-	BX
48	BD	50	
50	BD	0	
52	BD	10	
54	-	-	BX

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
56	BD	30	
58	-	-	BX
60	-	-	DB
62	-	-	DB
64	BD	20	
66	BD	50	
68	BD	65	
70	BD	60	
72	BD	20	
74		20	
76	-	-	BX
78	BD	15	
80	BD	20	
82	BD	20	
84	BD	10	
86	BD	20	
88	BD	55	
90	BD	35	
92	BD	40	
94	BD	30	
96	BD	30	
98	BD	30	
100	BD	25	
102	BD	60	
104	BD	45	
106	BD	50	
108	BD	40	
110	BD	65	
112	BD	70	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
114	BD	15	
116	-	-	BX
118	BD	50	
120	-	-	BX
122	BD	60	
124	-	-	RBL
126	-	-	BX
128	BD	65	
130	BD	60	
132	BD	10	
134	BD	30	
136	-	-	BX
138	-	-	BX
140	BD	50	
142	BD	30	
144	BD	30	
146	BD	40	
148	BD	50	
150	BD	50	
152	BD	50	
154	BD	50	
156	BD	40	
158	BD	50	
160	BD	55	
162	BD	55	
164	BD	55	
166	BD	55	
168	BD	40	
170	BD	70	
172	BD	40	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
174	BD	75	
176	BD	60	
178	BD	65	
180	BD	65	
182	BD	60	
184	BD	60	
186	BD	70	
188	BD	75	
190	BD	75	
192	BD	60	
194	BD	60	
196	BD	60	
198	BD	70	
200	BD	60	
202	BD	60	
204	BD	65	
206	BD	70	
208	BD	60	
210	BD	70	
212	BD	75	
214	BD	85	
216	BD	65	
218	-	-	BX
220	-	-	BX
222	BD	45	
224	BD	70	
226	BD	75	
228	BD	75	
230	BD	80	
232	BD	60	

SCARLET EAST

Depth (m)	1° Structure Type	Angle (TCA)	COMMENTS
234	BD	70	
236	BD	75	
238	BD	60	
240	BD	65	
242	BD	60	
244	BD	75	
246	BD	70	
248	BD	70	
250	BD	80	
252	BD	70	
254	BD	70	
256	BD	70	

SCARLET EAST

Hole: SE-12-05

Date: August

Box #	From (m)	To (m)
1	2.44	6.29
2	6.29	10.20
3	10.20	14.05
4	14.05	17.98
5	17.98	22.01
6	22.01	25.95
7	25.95	30.08
8	30.08	33.85
9	33.85	37.71
10	37.71	41.61
11	41.61	45.42
12	45.42	49.25
13	49.25	52.93
14	52.93	56.94
15	56.94	61.18
16	61.18	65.47
17	65.47	69.51
18	69.51	73.57
19	73.57	77.66
20	77.66	81.49
21	81.49	85.50
22	85.50	89.40
23	89.40	93.12
24	93.12	97.17
25	97.17	101.05
26	101.05	105.19
27	105.19	109.20
28	109.20	113.30
29	113.30	117.11

SCARLET EAST

30	117.11	121.02
31	121.02	124.86
32	124.86	128.68
33	128.68	132.63
34	132.63	136.58
35	136.58	139.90
36	139.90	144.05
37	144.05	148.02
38	148.02	152.10
39	152.10	156.12
40	156.12	160.27
41	160.27	164.29
42	164.29	168.44
43	168.44	172.41
44	172.41	176.41
45	176.41	180.52
46	180.52	184.55
47	184.55	188.67
48	188.67	192.73
49	192.73	196.82
50	196.82	200.86
51	200.86	205.03
52	205.03	209.09
53	209.09	213.05
54	213.05	217.28
55	217.28	221.32
56	221.32	225.25
57	225.25	229.43
58	229.43	233.45
59	233.45	237.44
60	237.44	241.56
61	241.56	245.55
62	245.55	249.63
63	249.63	253.68
64	253.68	257.25
	EOH	


SCARLET EAST

SE-12-05


Depth (ft)	Depth (m)	Azimuth (°)	Grid North Azimuth (°)	Dip (°)	Magnetic Intensity (nT)	Magnetic Dip (°)	Gravity Intensity (g)	Temperature (°F)	Gravity Roll Angle (°)	Magnetic Tool Face	Dog Leg (° per 100 ft)	Date/Time
44	13.41	269	294	-44.5	57512	78.6	1.002	54.7	21.3	217.1	-1.08	4/8/2012 10:55
94	28.65	268.3	293.3	-44.4	57347	78.7	1.002	52.3	16.4	211.9	-0.7	4/8/2012 10:50
144	43.89	268.7	293.7	-44.2	57329	78.7	1.001	51.4	13.8	209.3	-0.89	4/8/2012 10:46
194	59.13	269.4	294.4	-44.3	57285	78.8	1.001	50	10.8	206.2	-0.93	4/8/2012 10:41
244	74.37	270	295	-44.2	57270	78.8	1.001	48.6	7.9	203.4	-0.68	4/8/2012 10:37
294	89.61	270.5	295.5	-44.2	57272	78.8	1.001	47.5	357.6	193.1	-1.17	4/8/2012 10:33
344	104.85	271.4	296.4	-44.1	57255	78.8	1	47.1	345.5	181.1	-0.44	4/8/2012 10:29
394	120.09	271.7	296.7	-44	57232	78.9	0.999	46.8	329.2	164.6	-0.8	4/8/2012 10:24
444	135.33	272.2	297.2	-44	57224	78.9	0.999	45.9	318.6	153.9	-1.21	4/8/2012 10:20
494	150.57	273.1	298.1	-43.8	57250	78.9	1	44.4	350.3	185.6	-0.66	4/8/2012 10:07
544	165.81	273.5	298.5	-43.8	57244	78.9	1	44.2	351	186.3	-0.67	4/8/2012 10:03
594	181.05	274	299	-43.7	57247	78.9	1	44.1	352.3	187.7	-0.9	4/8/2012 9:58
644	196.29	274.7	299.7	-43.7	57248	78.9	1	43.7	353	188.5	-0.77	4/8/2012 9:48
694	211.53	275.2	300.2	-43.5	57243	78.8	1	43.5	358.3	193.7	-1.09	4/8/2012 9:44
744	226.77	275.9	300.9	-43.3	57254	78.8	1	43.2	12.8	208.3	-0.78	4/8/2012 9:37
794	242.01	276.4	301.4	-43.2	57256	78.8	1	42.4	19.8	215.2	-0.61	4/8/2012 9:32
844	257.25	276.8	301.8	-43.1	57257	78.7	1	42.4	23.9	219.4	0	4/8/2012 9:20



APPENDIX VI
DIAMOND DRILLING CROSS-SECTIONS

SE-12-01




- Overburden
- Siltstone
- Limestone





SE-12-04



Limestone

SE-12-05

