

NTS mapsheet 115O/05

**2017 ASSESSMENT REPORT
QV GOLD PROJECT
DIAMOND DRILLING PROGRAM and
SOIL SAMPLING PROGRAM**

Prepared For:

Comstock Metals Ltd.

#310 – 850 West Hastings Street
Vancouver, British Columbia, Canada
V6C 1E1

Prepared by:

APEX Geoscience Ltd. ¹

#110, 8429 – 24 Street NW
Edmonton, Alberta, Canada
T6P 1L3

Approximate Property Location:

Dawson Mining District
Latitude: 63.16.2° N Longitude: -139.32.8° W

Claims:

QV 1-10	YC61008-017	QV 343-494	YE21103-254
QV 11-24	YC88221-234	QV 495-524	YE76847-876
QV 25-72	YD13837-884	QV 525-714	YF03605-794
QV 73-188	YD13885-14000	QV 715-791	YF76235-311
QV 189-288	YD48801-900	QV 792-822	YF00412-442
QV 289-342	YD47943-996		

Exploration Work Period:

Diamond Drilling: September 10th – October 19th, 2017
Soil Sampling: September 27th – October 17th, 2017

¹ Christopher Livingstone, B.Sc., P.Geo.

¹ Robyn Christian, B.Sc., G.I.T.

May 4th, 2018

Vancouver, British Columbia, Canada

Contents

1	Summary	1
2	Introduction and Terms of Reference.....	3
3	Property Description and Location	3
4	Accessibility, Climate, Local Resources, Infrastructure and Physiography	6
5	History.....	7
5.1	Historical Work by Previous Companies.....	7
5.2	Work by Comstock Metals Ltd., 2010-2016.....	7
6	Geological Setting.....	14
6.1	Regional Geology	14
6.2	Property Geology	17
6.3	Mineralization	18
7	Exploration.....	21
7.1	Soil Sampling	21
7.2	Drilling	25
8	Sample Preparation, Analysis and Security	29
8.1.1	Sample Collection and Shipping.....	29
8.1.2	Soil Samples.....	29
8.1.1	Drill Core.....	29
8.2	Sample Preparation and Analysis	30
8.2.1	Soil Samples.....	30
8.2.2	Drill Core.....	30
8.3	Field Quality Assurance and Quality Control	30
8.3.1	Soil Samples.....	30
8.3.2	Drill Core.....	31
8.4	Laboratory Quality Assurance and Quality Control.....	33
9	Data Verification.....	33
10	Exploration Expenditures	34
11	Interpretation and Conclusions	34
12	Recommendations	35
13	References	36
14	Certificate of Author	37
14.1	Christopher W. Livingstone Certificate of Author.....	37
14.2	Robyn Christian Certificate of Author	38

Appendices

Appendix 1	2017 Exploration Expenditures.....	39
Appendix 2	2017 Soil Sample Descriptions and Certificates.....	43
Appendix 3	2017 VG Zone Drill Hole Collars and Survey	139
Appendix 4	2017 VG Zone Drill Hole Lithologies	141
Appendix 5	2017 VG Zone Drill Hole Analytical Results and Certificates.....	151

Tables

Table 1 QV Property Claims.....	3
Table 2 Comstock Metals Ltd History of Work Summary	8
Table 3 VG Zone Inferred Mineral Resource Estimate Reported Using a 0.5 g/t Gold Cut-off Grade (after Pautler and Shahkar, 2014)	12
Table 4 Drill Hole Details.....	25
Table 5 Significant Weighted Average Drill Intercepts.....	27
Table 6 Estimated Cost to Complete the Recommended Exploration Program	35

Figures

Figure 1 QV Property Location	4
Figure 2 QV Property Claims	5
Figure 3 QV Project Cumulative Ridge and Spur and Grid Soil Samples with Exploration Target Areas Shown.....	9
Figure 4 QV Project Cumulative Rock Samples Including Trenching and GeoProbe Sample Locations.....	10
Figure 5 QV Project – VG Zone Cumulative Diamond Drill Holes	11
Figure 6 Regional Geology.....	15
Figure 7 QV Property Geology	19
Figure 8 VG Zone 2017 Soil Sample Results.....	22
Figure 9 Shadow Area 2017 Soil Sample Results.....	23
Figure 10 Korat-Tetra Area 2017 Soil Sample Results.....	24
Figure 11 Cross-Section of Drill Holes QV17-018 and QV17-019 with Results.....	26
Figure 12 Cross-Section of Drill Holes QV17-020 and QV17-021 with Results.....	28
Figure 13 QA/QC Analytical Standards (Au)	31
Figure 14 QA/QC Analytical Blanks (Au).....	32
Figure 15 QA/QC Duplicate Samples (Au).....	32

1 Summary

This assessment report (the “Report”) is written for the QV Property (the “Property”), owned 100% by Comstock Metals Ltd (“Comstock”). The Property comprises 822 mineral claims covering an area of 16,031 hectares, located within the White Gold District in the Yukon Territory. APEX Geoscience Ltd. (“APEX”) was retained by Comstock during 2017 as consultants to complete a diamond drilling and soil sampling program at the Property. The diamond drilling program was designed to follow up on the successful 2016 rotary air blast (RAB) drilling program and test the western extent of the VG deposit. Soil sampling was completed in 3 areas of interest: the VG Zone, the Korat-Tetra area, and the Shadow area. The 2017 exploration program was completed between September 10th, 2017 and October 19th, 2017.

Exploration work to date by Comstock since acquiring the Property in 2010 comprised 10,039 grid and regional soil samples, prospecting and rock sampling, geological mapping, a 773 line-kilometre airborne magnetic and radiometric geophysical survey, ground magnetic surveys, 32 induced polarization lines over the VG, Stewart and Shadow zones, 3,570 m of trenching in 28 trenches, direct push and GeoProbe sampling on the QV, Stewart and Shadow grids, an aerial drone survey over the VG Zone, and 4,323.4 m of diamond drilling in 23 holes at the VG zone. Gold is the primary commodity of interest on the property, and the most significant work to date has focused on the VG Zone. The VG Zone hosts structurally-controlled, gold mineralization, with strong similarities to the Golden Saddle Deposit, located 10 km south.

The QV Project is underlain by Devonian to Mississippian (and possibly older) metasedimentary rocks, which interfinger with, and are stratigraphically overlain by, Devono-Mississippian felsic to mafic metavolcanic rocks, with coeval intrusions and rare ultramafic lenses. The above units have been intruded by minor felsic feldspar augen gneiss (orthogneiss) of probable Permian age, an Early Jurassic granodiorite intrusion, which is exposed in the eastern Property area, and syenite crowded feldspar porphyry sills and quartz eye granite dykes and sills of possible Permian or Early Jurassic age. Mafic dykes, possibly of the Upper Cretaceous Carmacks Group and minor late fine-grained quartz \pm feldspar porphyry dykes of probable Eocene age (primarily evident in the northern property area) transect all lithologies and cut east-northeast trending, apparently post- mineral faults (Pautler and Shahkar, 2014).

The same package of rocks underlies the Golden Saddle Deposit at the White Gold Project, which includes a Devono-Mississippian, to possibly older, metavolcanic (mafic with lesser felsic) and metasedimentary package and Permian orthogneiss, extends northwards across the QV Project. The QV Project is also underlain by Jurassic aged intrusive rocks, which host mineralization at the Ten/Dime and Jual gold occurrences 20-30 km to the northwest (Pautler, 2001). The deposit types for mineralization on the QV Project include orogenic gold at the VG zone, which is the current deposit model for mineralization at the Golden Saddle deposit (Bailey et al., 2012), and intrusion related and/or orogenic gold at the Shadow and Stewart zones.

Visible gold was initially discovered on the southern QV Project by Comstock Metals Ltd. on June 10, 2012 while conducting follow up prospecting of a gold in soil anomaly;

an initial grab sample returned 16.28 g/t gold (Au) and 47 g/t silver (Ag) with anomalous bismuth, tellurium, mercury, molybdenum and lead. The VG zone consists of quartz \pm carbonate veins, stockwork and breccia zones, as well as pyrite veinlets, including cubic pyrite and visible gold, associated with intense-quartz-carbonate-sericite (or possible illite) alteration, with albite, pervasive K-spar and hematite. Overall gold is associated with anomalous silver, mercury, bismuth, tellurium, molybdenum, antimony, and barium. This style of mineralization and alteration is analogous to that at the Golden Saddle deposit at the White Gold Project (Pautler and Shahkar, 2014).

An independent NI 43-101 resource estimate for the VG Zone was completed by Ali Shahkar, P.Eng. of Lions Gate Geological Consulting Inc., Sechelt, British Columbia. The Inferred Mineral Resource estimated, with an effective date of June 30th, 2014, an inferred resource of 4,390,000 tonnes at 1.65 g/t Au, resulting in 230,000 ounces of gold using a 0.5 g/t Au cut-off grade (Pautler and Shahkar, 2014).

The 2017 drill holes QV17-018 and QV17-019 both encountered wide zones of gold mineralization associated with pyrite mineralized quartz veins, stockworks and breccias. The mineralized zones are contained within a broader envelope of sericite-illite \pm chlorite alteration. Silicification is observed locally, and is generally correlated with stockwork zones. Significant anomalous gold mineralization occurs in both drill holes, including 45.5 m averaging 1.42 g/t Au, starting at 67.5 m in QV17-018, and 51.2 m averaging 1.48 g/t Au, starting at 98 m in QV17-018. This confirms that the VG deposit extends greater than 125 m down dip of hole QV13-12 and 45 m west of holes QV12-06 and QV12-08. Significant weighted average drill intercepts are listed in Table 4.

Drill hole QV17-021 intersected a broad zone of veining, stockwork and breccia, associated with sericite-illite \pm chlorite alteration and variable pyrite mineralization; however, the stockwork and breccia zones appear less developed than the mineralized zones in QV17-018 and QV17-019, with generally lower volumes of quartz material and pyrite mineralization. Widespread weak-moderately anomalous gold mineralization occurs between 87 m and 173 m down hole, including 4 m averaging 0.81 g/t Au starting at 139 m down hole. This is consistent with the interpreted western projection of the VG deposit but characterized by a rock package disrupted by considerable faulting and oxidation. Drill holes QV17-020, QV17-022 and QV17-023 encountered extensive faulting and were terminated prior to target depth.

The soil samples collected during 2017 returned few anomalous results in any of the three areas of interest. Out of the 620 samples, 14 returned values above 10 ppb Au, with the highest value at 32 ppb Au, found in Shadow area.

Results to date indicate that further diamond drilling is warranted at the VG Zone to test the western, eastern and down-dip extent of the VG deposit. Approximately 2,000 m of diamond drilling is recommended. Prior to drilling, geological and mineralization modelling should be completed incorporating all diamond drilling, RAB drilling and trenching results. These models should be used to inform and refine drill targeting. Additional soil sampling should be completed in the northern part of the Property.

The recommended exploration program is estimated to cost \$1,570,000 CAD.

2 Introduction and Terms of Reference

This assessment report (the “Report”) is written for the QV Property (the “Property”), currently held 100% by Comstock Metals Ltd. (“Comstock”). This technical report presents the results of exploration work conducted by Comstock at the Property between September 10th, 2017 and October 19th, 2017. The total cost to complete the 2017 exploration program was \$846,268.06.

APEX Geoscience Ltd. (“APEX”) was retained by Comstock during 2017 as consultants to complete a diamond drilling program, soil sampling program, and an assessment report specific to the Property. Mr. Christopher Livingstone, P.Geo, Project Geologist of APEX, supervised the program. Mr. Livingstone and Ms. Robyn Christian, G.I.T., Geologist of APEX, are the authors of this report.

Unless otherwise indicated, all coordinates are referenced to the North American Datum (NAD) 1983, Universal Transverse Mercator (UTM) Zone 7N coordinate system. All dollar (\$) amounts referred to in this report are in Canadian currency.

3 Property Description and Location

The QV Property is in the Yukon’s White Gold district, approximately 80 km South of Dawson City, YT, within the 1:50,000 scale NTS map sheet 115O/05. It is centred at approximately latitude 63°16.2’ N and longitude 139°32.8’ W (Figure 1). The Property is registered in the Dawson Mining District on map sheet 115O/3-6 and is composed of 822 quartz mining claims, totaling 16,031 hectares (Table 1; Figure 2). All claims are 100% owned by Comstock.

Table 1 QV Property Claims

Claim Name	Grant Number	Total Claims	Owner
QV 1-10	YC61008-17	10	Comstock Metals Ltd. (100%)
QV 11-24	YC88221-234	14	Comstock Metals Ltd. (100%)
QV 25-72	YD13837-884	48	Comstock Metals Ltd. (100%)
QV 73-188	YD13885-14000	116	Comstock Metals Ltd. (100%)
QV 189-288	YD48801-900	100	Comstock Metals Ltd. (100%)
QV 289-342	YD47943-996	54	Comstock Metals Ltd. (100%)
QV 343-494	YE21103-254	152	Comstock Metals Ltd. (100%)
QV 495-524	YE76847-876	30	Comstock Metals Ltd. (100%)
QV 525-714	YF3605-794	190	Comstock Metals Ltd. (100%)
QV 715-791	YF76235-311	77	Comstock Metals Ltd. (100%)
QV 792-822	YF412-442	31	Comstock Metals Ltd. (100%)
	Total	822	

Figure 1 QV Property Location





Figure 2 QV Property Claims



4 Accessibility, Climate, Local Resources, Infrastructure and Physiography

The QV Property is located approximately 80 km south of Dawson City straddling the western bank of the Yukon River. Access to the Property is typically by helicopter chartered out of Dawson City. An extensive network of back roads serves the Dawson gold fields on the east side of the Yukon River, providing many potential staging points for mobilization of drill equipment and field supplies. The 2017 exploration program was staged from Henderson Camp, located approximately 20 km northwest of the Property (Figure 1). A helicopter was used to mobilize the drill to site, and field crews were transported daily to and from Henderson.

Two airstrips are located in the Henderson Camp area; each can accommodate small aircraft such as the Cessna Caravan and DHC-2 Beaver or Turbo Beaver. During summer months, fuel, heavy equipment and supplies can be barged to the Property along the Yukon River from Dawson City.

The following description has largely been paraphrased from Comstock's report titled, "43-101 Technical Report on the QV Project", written by Pautler and Shahkar (2014).

Dawson City, with a population of approximately 1,375, contains most resources and infrastructure needed to supply an exploration program. Facilities include an airport, two helicopter bases, a health center, police station, service stations, two grocery stores, accommodation and restaurants. Industrial services include tire repair, propane sales, welding and machine shops, heavy equipment repair and rental, a lumber mill, and freight and trucking companies. Heavy equipment and a mining oriented labour force are available for contract exploration and mining work. More complete facilities and a larger mining oriented labour force are available in Whitehorse.

The Property has a northern interior climate characterized by a wide temperature range with warm summers, long cold winters and light precipitation. Summer temperatures have daily averages in July of 23°C, dropping to 8°C at night. Winter month averages temperatures of -22.5°C during the day, dropping to an average of -31°C overnight and -45°C is not uncommon. Annual precipitation averages about 325 millimetres, including close to 200 mm of rain and 160 mm of snow.

The claims cover low steep sided hills along the west side of the Yukon River, across from the mouth of the Stewart River and just north of the confluence of the White and Yukon Rivers, within the unglaciated Yukon Plateau. Elevation ranges from just below 1200 feet along the Yukon River to 3600 feet on QV 231 & 232. Vegetation is typical boreal forest consisting of white spruce, birch and poplar on well-drained slopes and black spruce on poorly drained frozen north facing slopes.

5 History

5.1 Historical Work by Previous Companies

The following description has largely been paraphrased from Comstock's report titled, "43-101 Technical Report on the QV Project", written by Pautler and Shahkar (2014).

Claims including the North Star and Black Diamond were staked on a bluff above the Yukon River in 1901 by J. McGillivray and C.J. Hahneman, who drove a 4.6 m adit (Figure 3) later that year (Deklerk, 2010, Minfile 115O 010). The claims, documented under the Treva Minfile occurrence (Minfile 115O 010), probably related to Ogilvie's report of an 1887 rumour that an extensive gold bearing quartz vein had been found on the west side of the Yukon River, 2 miles (3.2 km) south of the Stewart River (Department of the Interior, 1889). The adit was located at 576290mE, 7016305mN in the fall of 2012, driven on quartz veins at the base of a bluff on the QV property, along the Yukon River. No significant gold results were obtained from the adit, but anomalous arsenic (maximum 1465 ppm) and antimony (maximum 14 ppm) are evident, suggestive of the signature of the VG zone within metasedimentary host rocks, and the surrounding area, which exhibits alteration, has not been explored.

There is no subsequent work reported until staking of the initial QV 1-10 claims by Shawn Ryan in 2007. A 62 sample soil geochemical survey was conducted by RyanWood Exploration Inc. for Shawn Ryan in 2008 (Ryan, 2008). The soil survey outlined spotty anomalous gold values up to 20.6 ppb Au, 1.09 ppm Hg (with adjacent anomalous arsenic, antimony and nickel) flanking the same aeromagnetic high, similar to the original geochemical and magnetic signature closely associated with gold mineralization on the White Gold Project (White claims), which now hosts the Golden Saddle deposit, owned by White Gold Corp., 11 km to the south.

Additional QV claims were staked in 2009 to 2013. Comstock Metals Ltd. optioned the claims from Shawn Ryan in June 2010, largely based on the similar geochemical and geophysical signatures and proximity to the Golden Saddle deposit.

5.2 Work by Comstock Metals Ltd., 2010-2016

Comstock completed multiple exploration programs since acquiring the Property in 2010. All soil and ground geophysical surveys, trench sampling, GeoProbe lines and sampling, and aerial drone surveys up to 2016 were completed by GroundTruth Exploration Inc. of Dawson City, Yukon. Table 1 summarizes the work completed, and the cumulative drill hole and sample locations are shown in Figures 3 to 5.

Table 2 Comstock Metals Ltd History of Work Summary

Year	Survey	Quantity	Target
2011	Ridge & Spur and Grid Soil Sampling	4096 samples	QV, Stewart, Tetra, Excelsior
	Rock, Soil and Stream Prospect Sampling	23 samples	QV, Stewart, Tetra, Excelsior
	Airborne Magnetic and Radiometric Survey	733 line km	Project wide
2012	Ridge & Spur and Grid Soil Sampling	2537 samples	QV, Stewart, Tetra, Excelsior, Shadow, Shamrock, VG Zone, QV West, VG East, QV North
	Excavator Trenching	3570 m over 28 trenches	VG, QV North, Stewart, Shadow, Tetra
	Direct Push Geochemical Sampling	116 samples over 620m	VG North
	Rock, Soil and Silt Prospect Sampling	80 samples	Project wide
	Diamond Drilling	1330 m over 8 holes	VG Zone
2013	Ridge & Spur and Grid Soil Sampling	2009 samples	Shadow, North Project Area
	Aerial Drone Survey	115 hectares	VG Zone
	Geoprobe Geochemical Sampling	507 samples	VG Zone, VG East, VG North, Shadow, Stewart
	Rock and Soil Prospect Sampling	108 samples	Project wide
	Ground Magnetic Survey	7.875 km ²	VG, Stewart, Shadow
	IP Survey	6.8 line km	VG, Stewart, Shadow
	Diamond Drilling	2089 m over 9 holes	VG Zone
2014	<i>43-101 Report + VG Zone Resource Estimate</i>		
2016	Grid Soil Sampling	464 samples	Stewart, Shadow
	Geoprobe Geochemical Sampling	360 samples over 12 lines	VG Zone, Stewart, Shadow
	DC IP-Resistivity Surveys	5.04 line km	VG Zone, Shadow
	RAB Drilling	2423 m over 34 holes	VG Zone, Shadow, Stewart

Visible gold was initially discovered on the southern QV Project by Comstock Metals Ltd. on June 10, 2012 while conducting follow up prospecting of a gold in soil anomaly on the southern QV grid. An initial grab sample returned 16.28 g/t Au and 47 g/t Ag. The area, known as the VG Zone, was subsequently trenched and drilled during 2012 and 2013.

Trenching delineated a 450 m by 65 m, 250° trending zone of gold mineralization.

The 2012 trench results (reported as length along the trench, not true widths) include:

- 3.52 g/t Au over 80 m from QVTR12-6,
- 1.63 g/t Au over 95 m from QVTR12-12, and
- 2.18 g/t Au over 85 m from QVTR12-13

The drill program delineated an open ended 250°/20-30°N trending, near surface tabular body of gold mineralization at the VG zone with a strike extent of 325 m, traced up to 275 m down dip from surface, and averaging 35-40 m true thickness. Mineralization remains open to the west, down dip and beneath the mafic hornblende gneiss to the east. The most favourable drill orientation is 160°/-60 to -70°.

Figure 3 QV Project Cumulative Ridge and Spur and Grid Soil Samples with Exploration Target Areas Shown




Figure 4 QV Project Cumulative Rock Samples Including Trenching and GeoProbe Sample Locations





Figure 5 QV Project – VG Zone Cumulative Diamond Drill Holes



The 2012 and 2013 drilling on the VG zone intersected true widths of:

- 2.23 g/t Au over 42 m in QV12-004,
- 1.45 g/t Au over 60 m in DDH QV12-6,
- 1.03 g/t Au over 78 m in DDH QV12-1, including 6.15 g/t Au over 5.6 m,
- 1.36 g/t Au over 42.6 m in DDH QV13-11 (275 m down dip of the mineralized zone in the discovery trench, QVTR12-6), and
- 1.76 g/t Au over 42.3 m in DDH QV13-12 (at the open ended western limit of the zone)

The VG zone occurs along the Telegraph Fault, and consists of quartz \pm carbonate veins, stockwork and breccia zones, as well as pyrite veinlets, including cubic pyrite and visible gold, associated with intense-quartz-carbonate-sericite (or possible illite) alteration, with albite, pervasive K-spar and hematite. Overall, gold is associated with anomalous silver, mercury, bismuth, tellurium, molybdenum, antimony, and barium. This style of mineralization and alteration is analogous to that at the Golden Saddle deposit on the White Gold Project (Gibson and Fage, 2017).

An independent resource estimate for the VG zone, prepared to NI 43-101 standards, was completed by Ali Shahkar, P.Eng., of Lions Gate Geological Consulting Inc. (“LGGC”), Sechelt, British Columbia. The estimate was prepared using inverse distance method with commercially available software, GEMS. Sixteen of the seventeen drill holes at the VG Zone were used in the estimate. LGGC completed an independent audit and validation of the data and found it suitable to support the resource model. The Inferred Mineral Resource estimate, with an effective date of June 30th, 2014, was reported using 0.5 g/t Au cut-off grade (Table 2). Mineral resources are not Mineral reserves and do not have demonstrated economic viability.

Table 3 VG Zone Inferred Mineral Resource Estimate Reported Using a 0.5 g/t Gold Cut-off Grade (after Pautler and Shahkar, 2014)

Deposit	Category	Tonnes	Gold Grade (g/t)	Contained Gold (ounces)
VG	Inferred	4,390,000	1.65	230,000

Notes to accompany Mineral Resource table:

1. The Qualified Person responsible for the estimate is Ali Shahkar, P.Eng., of LGGC.
2. The assumed mining method is open pit mining.
3. Reported Mineral Resources are constrained by an open pit shell using a gold price of US\$1300/ounce, mining cost of US\$2/tonne, process and general administration cost of US\$20/tonne, and a gold recovery of 94% (based on the neighbouring Golden Saddle deposit).
4. Mineral Resources are reported as undiluted.

In 2016, a comprehensive work program including DC IP-Resistivity surveys, GT Probe sampling, soil sampling, and RAB drilling was conducted on the QV property. The RAB drill program was designed to inexpensively and rapidly screen numerous prospective targets within the QV Property for subsequent follow-up with a diamond drill program. The prospective target areas included the VG deposit area, primarily focussed on

identifying extensions, as well as the Shadow and Stewart targets, which were based on a combination of GT probe results, soil geochemical anomalies and resistivity low anomalies. Resistivity lows in many cases correlate well with mineralized zones intersected in the 2012/2013 core drilling program and the 2016 RAB drilling on the VG zone (Gibson and Fage, 2017).

The RAB drilling program has successfully demonstrated that the QV deposit is open to expansion to the southwest and northeast, and, that further drilling on the Shadow and Stewart targets is required to evaluate their potential. Highlights of the program included in Comstock's December 19th, 2016 News Release:

- Potential new zone discovered 150-200 m south of main VG deposit, 3.05 m averaging 7.79 g/t Au starting at 4.57 m below surface in 16QVRAB001.
- VG zone extended 55 m east of hole QV13-013 by holes 16QVRAB011& 12 on the south side of the Telegraph fault, 16.76 m averaging 1.43 g/t Au and 18.29 m averaging 1.81 g/t Au, respectively, both from surface.
- VG mineralized zone extended at least 200 m to the northeast on the north side of the Telegraph fault, as evidenced by 16QVRAB006, 35.05 m averaging 0.46 g/t Au starting at 59.44 m below surface; and 16QVRAB014, 10.67 m averaging 1.65 g/t Au starting at 16.76 m below surface in 16QVRAB014 within a wider interval of 64.01 m averaging 0.52 g/t Au.
- VG deposit expanded 100 m down dip of hole QV13-12 and 45 m west of holes QV12-06,-08 by holes 16QVRAB017 (12.19 m averaging 5.53 g/t Au starting at 83.82 m below surface in 16QVRAB017, within a wider interval of 57.91 m averaging 1.89 g/t Au); and 16QVRAB018 (18.29 m averaging 1.14 g/t Au starting at 85.34 m below surface).
- Step out hole 16QVRAB024, drilled 750 m WSW along strike of VG deposit on an extension of the gold-in-soil anomaly, intersected 9.15 m averaging 0.326 g/t Au
- Initial drilling along a 460 m section of the Spirit fault at the Shadow zone intersected anomalous gold in a number of holes including 16QVRAB029 with 9.14 m averaging 0.662 g/t Au starting at 53.34 m down hole and ending in mineralization.
- Three holes completed from a single pad on the eastern side of the Stewart zone intersected widespread anomalous gold ranging up to 0.318 g/t.

6 Geological Setting

The Regional Geology, Property Geology, and Mineralization sections are largely paraphrased from Comstock's report titled, "43-101 Technical Report on the QV Project", written by Pautler and Shahkar (2014).

6.1 Regional Geology


The QV Project occurs within the unglaciated Yukon Plateau portion of the Paleozoic Yukon-Tanana terrane, southwest of the Tintina and northeast of the Denali faults, dominated in the regional area by Devonian to Mississippian (and possibly older) metasiliciclastic rocks, which interfinger with, and are stratigraphically overlain by hornblende bearing schists and gneisses and amphibolite (intermediate to mafic metavolcanic rocks). The metasiliciclastic rocks include metamorphosed fine clastic rocks, quartzite and conglomerate. The above lithologies include marble horizons and are metamorphosed to amphibolite grade. Devonian to Mississippian metasedimentary rocks (quartzite and metapelite) of the Nasina Assemblage lie structurally above and/or may partly be equivalent to the above metaclastic unit.









Abundant orthogneiss bodies of Devonian to Mississippian and Permian ages, with compositions ranging from granite to K-spar augen bearing, to tonalite and diorite, occur within Yukon-Tanana Terrane. Narrow bodies of Paleozoic ultramafic rocks, commonly serpentinized, also occur within the area.

The above units are interpreted to represent two arcs, an older Devonian to Mississippian arc consisting of predominantly amphibolite and associated subvolcanic intrusions built on a siliciclastic basement and a Permian arc of granitic orthogneiss and coeval metavolcanic rocks built on the Devonian-Mississippian arc.

The above lithologies are intruded by plutons and stocks of early Jurassic aged granodiorite, and quartz monzonite and unconformably overlain by massive andesite flows and breccias of the Late Cretaceous Carmacks Group, locally with Early Cretaceous coarse clastic sedimentary rocks at the base of the sequence. Eocene feldspar ± quartz porphyry dykes intrude the above.

Figure 6 Regional Geology



Legend	
	QV Property Boundary
	Rivers
Yukon Bedrock Geology	
LOWER TERTIARY, MOSTLY(?) EOCENE	
	ITR2: ROSS: rhyolite flows, tuff, ash-flow tuff and breccia
MID-CRETACEOUS	
	mKqW: WHITEHORSE SUITE: Bt quartz monzonite, Bt granite and leucogranite
UPPER CRETACEOUS	
	uKc3: CARMACKS: acid vitric crystal tuff, lapilli tuff and welded tuff
LOWER CRETACEOUS	
	IKIR: INDIAN RIVER: clast-supported pebble to cobble conglomerate
EARLY JURASSIC	
	EJgL: LONG LAKE SUITE: massive to weakly foliated Bt-Hbl granodiorite
LATE TRIASSIC TO EARLY JURASSIC	
	LTrEJgM: MINTO SUITE: foliated Bt-Hbl granodiorite; Bt-rich screens and gneissic schlieren
LATE TRIASSIC	
	LTrgS: STIKINE SUITE: coarse-grained, foliated, gabbroic Hbl orthogneiss
MIDDLE TO LATE PERMIAN	
	PgS: SULPHUR CREEK SUITE: granodiorite and quartz monzonite
	PqS: SULPHUR CREEK SUITE: variably foliated, K-feldspar augen granite, metaporphry
	PK1: KLONDIKE SCHIST: quartz-muscovite-chlorite schist
MISSISSIPPIAN	
	MqSR: SIMPSON RANGE SUITE: foliated metagranite, quartz monzonite and granodiorite; augen granite
	MgSR: SIMPSON RANGE SUITE: Hbl-bearing metagranodiorite, metadiorite and metatonalite
DEVONIAN, MISSISSIPPIAN AND(?) OLDER	
	DMF1: FINLAYSON: intermediate to mafic volcanic and volcanoclastic rocks
	DMF6: FINLAYSON: ultramafic rocks, serpentinite; metagabbro
LATE DEVONIAN TO MISSISSIPPIAN	
	DMgG: GRASS LAKES SUITE: fine to medium-grained, foliated granodiorite, granite, quartz monzonite
NEOPROTEROZOIC AND PALEOZOIC	
	PDS1: SNOWCAP: quartzite, psammite, pelite and marble; minor greenstone and amphibolite
	PDS2: SNOWCAP: light grey to buff weathering marble

6.2 Property Geology

Only limited property scale mapping has been undertaken on the QV property, but regional (1:250,000) scale government mapping was completed through the area in 2005 and a compilation of the White Gold district was completed by the Mineral Deposit Research Unit, University of British Columbia (MDRU) in 2011. A 3 km by 3 km and adjoining 1 km by 2.5 km area on the southern QV property (QV grid), incorporating the VG zone, was mapped at a 1:10,000 scale, with 1:5,000 detail of the VG zone, by Leatherman and Cooley (2013) and Cooley and Leatherman (2013b). A preliminary 1.5 by 2.5 km area over the Stewart zone was mapped at a 1:20,000 scale by Cooley and Leatherman (2013a). Minor reconnaissance prospecting/mapping in gold in soil anomalous areas was completed by Ms. Pautler. The detailed geology and reconnaissance mapping has been integrated with the government geology. Detailed geology of the QV grid, and the VG and Shadow zones are summarized from Cooley and Leatherman, Leatherman and Cooley (2013), and Leatherman (2013), respectively.

Outcrop is limited on the property, generally confined to bluffs along the Yukon River. Exposure on the remaining property area is less than 1%, and generally restricted to south facing, bare to poplar vegetated hillsides, ridge tops and creek exposures.

The southern, eastern and western property areas are primarily underlain by Devonian to Mississippian (and possibly older) metasedimentary rocks, which interfinger with, and are stratigraphically overlain by, intermediate to mafic amphibolite and hornblende gneiss (metamorphosed intermediate to mafic volcanic rocks) and minor felsic metavolcanic rocks. Marble horizons, commonly altered to calc-silicate and occasionally skarn due to regional metamorphism, locally occur at the contact between the metavolcanic and metasedimentary units; the latter include micaceous quartzite ±graphitic, biotite schist and muscovite schist.

A mafic (tonalitic) orthogneiss has been observed in the southeastern property area and may underlie the central property area. Granitic orthogneiss is shown to underlie the northwest property area and minor exposures were noted in the Shadow zone. Felsic feldspar augen gneiss of probable Permian age occurs within the VG and Shadow zones but may be more extensive than mapped due to poor exposure. An ultramafic lens is exposed along the bluffs above the Yukon River east of the VG zone and just west of the property on Shamrock Dome. These are interpreted to occur along thrust faults.

The above units are intruded by an Early Jurassic granodiorite intrusion, which is exposed in the eastern property area, and intrusions of probable Jurassic age underlie the Stewart, Tetra and Shadow zones.

Coarse grained crowded potassium feldspar syenite porphyry sills, with apparent zoned feldspars, and quartz eye granite dykes and sills intrude the Devonian (±older) to Mississippian package but are pre-mineralization. They have been observed in the southern QV area and at the Shadow zone. The age may be Early Jurassic and related to the intrusion in the eastern property area, similar to the Jual and Ten stocks further north (dated as Jurassic), or Permian. A persistent mafic dyke probably of the Upper

Cretaceous Carmacks Group has been mapped west of the VG and Shadow zones. Minor late fine grained, quartz \pm feldspar porphyry dykes of probable Eocene age are evident in the northern property area, including at the Tetra and Shadow zones.


The VG zone is underlain by an east-northeast dipping package of primarily felsic gneiss, commonly interlayered with biotite schist and less common mafic gneiss. The section appears to consist of a lower sequence of metamorphosed felsic volcanic rocks with minor mafic intervals, overlain by a thick mafic and intermediate volcanic rock unit which is in turn overlain by a thin limestone, followed by abundant interbedded sandstone and shale with locally high organic content. The section does not appear to be overturned (as suggested by the average foliation dipping more steeply than the lithological contact measured in cross sections). Average foliations for the VG area trend $343^{\circ}/53^{\circ}\text{NE}$ and lithology contacts at $332^{\circ}/33^{\circ}\text{NE}$. (Cooley & Leatherman, 2013).

6.3 Mineralization


Mineralization at the VG zone occurs as stacked or en-echelon lenses hosted along west-southwest, gently north-northwest dipping sheared zones (average orientation of $250^{\circ}/20^{\circ}\text{N}$), which are common throughout the southern part of the QV property. The shear zones occur as one or more stacked and intersecting horizons. Subsequent brittle reactivation of these shallowly north-northwest dipping structures has included local fracturing of the adjacent felsic rocks, which has permitted the flow of hydrothermal fluid that caused sericite (illite) - pyrite alteration of the adjacent wallrock, and local gold mineralization. The primary host rock is biotite-feldspar (\pm augen)-quartz gneiss, which occurs structurally below a hornblende-biotite-feldspar-quartz gneiss; the latter constitutes a distinct marker horizon identified by stubby hornblende crystals and anomalous chromium. Mineralized ore shoots may be parallel to the intersection lineation of S1 and S2, which is oriented at $347^{\circ}/10^{\circ}\text{NE}$. The intersections of foliations ($343^{\circ}/53^{\circ}\text{NE}$) and lithological contacts ($332^{\circ}/33^{\circ}\text{NE}$) with the mineralizing structures ($250^{\circ}/20^{\circ}\text{N}$) may also control ore shoots.

The original soil anomaly over the VG zone on the QV grid consisted of a 2 km long (with a 500 m gap through the hornblende gneiss unit) and up to 400 m wide >10 ppb gold anomaly with maximum values of 395.6 ppb Au and 8.7 ppm Ag from a south facing slope, with better soil development than most of the property area. Infill soil sampling returned a maximum of 1277 ppb Au. At the VG zone and overall on the QV property anomalous gold in soils is associated with anomalous mercury, bismuth, tellurium, molybdenum, moderately high barium, antimony \pm lead soil geochemistry.

Figure 7 QV Property Geology











Legend

 QV Claims

VG Zone Geology

Lithology


-  Graphitic Metaseds
-  Metasediments, Undiv
-  Biotite Schist
-  Hornblende Gneiss
-  Hblende Fspar Gneiss
-  Augen Gneiss
-  Fine Gr Felsic Gneiss
-  Bt Qz Fspar Gneiss

Yukon Bedrock Geology


LOWER TERTIARY, MOSTLY(?) EOCENE

 ITR2: ROSS: rhyolite flows, tuff, ash-flow tuff and breccia


MID-CRETACEOUS


 mKqW: WHITEHORSE SUITE: Bt quartz monzonite, Bt granite and leucogranite

EARLY JURASSIC


 EJgL: LONG LAKE SUITE: massive to weakly foliated Bt-Hbl granodiorite

MIDDLE TO LATE PERMIAN


 PgS: SULPHUR CREEK SUITE: granodiorite and quartz monzonite


 PqS: SULPHUR CREEK SUITE: variably foliated, K-feldspar augen granite, metaporphry

MISSISSIPPIAN

 MgSR: SIMPSON RANGE SUITE: Hbl-bearing metagranodiorite, metadiorite and metatonalite


DEVONIAN, MISSISSIPPIAN AND(?) OLDER

 DMF1: FINLAYSON: intermediate to mafic volcanic and volcanoclastic rocks

 DMF6: FINLAYSON: ultramafic rocks, serpentinite; metagabbro

NEOPROTEROZOIC AND PALEOZOIC

 PDS1: SNOWCAP: quartzite, psammite, pelite and marble; minor greenstone and amphibolite

 PDS2: SNOWCAP: light grey to buff weathering marble

Yukon Contacts

TYPE, RELIAB, SCALE

- — intrusive, approximate, 250
- — intrusive, defined, 250
- — — intrusive, inferred, 250
- — stratigraphic, approximate, 1000
- — stratigraphic, approximate, 250
- — stratigraphic, defined, 1000
- — stratigraphic, defined, 250
- — — stratigraphic, inferred, 1000
- — — stratigraphic, inferred, 250

7 Exploration

The 2017 QV Property exploration program was completed between September 10th, 2017 and October 19th, 2017 at the VG Zone, Korat-Tetra area, and Shadow area. The program comprised 620 soil samples from the three target areas, and 6 diamond drill holes totalling 904.4 m at the VG Zone. The total cost to complete the 2017 exploration program was \$846,268.06. A detailed breakdown of the program expenditures is provided in Appendix 1.

A summary of the 2017 exploration program is presented below. Soil sample descriptions and original laboratory certificate are presented in Appendix 2. Diamond drill hole collar and survey information are presented in Appendix 3. Detailed drill hole lithologies are presented in Appendix 4. Analytical results, keyed to drill hole and depth interval, and copies of original laboratory certificates are presented in Appendix 5.

7.1 Soil Sampling

A total of 620 soil samples were collected during the 2017 exploration program to infill previous grid sampling and test for mineralization in 3 areas of interest: the VG Zone, the Korat-Tetra, and Shadow. The QV Property soil sampling program was completed by APEX personnel.

Two north-south oriented grids were completed at the VG Zone, totalling 217 soil samples. The lines were spaced 50 m apart, with sample spacing at 25 m or 50 m, infilling and extending previous 100 m by 50 m spaced sampling. The eastern grid was completed to test for mineralization along the surface trace of the Telegraph Fault. The western grid was completed to expand soil coverage immediately west of the VG zone, test evidence of alteration in drone imagery, and investigate potentially mineralized cross-faults or splays found in RAB and diamond drilling.

Ridge and spur sampling was completed in the Korat-Tetra area at 50 m spacing, totalling 148 soil samples. The samples were collected to test a west-northwest trending magnetic low that is coincident with the Tetra anomaly in the east and a 135.6 parts-per-billion (ppb) Au in soil sample in the west. Previous work done by Northern Tiger Resources included wide spaced soil sampling (~700 m spaced lines and 100 m spaced samples) and an airborne geophysical survey. The results returned weakly anomalous gold (up to 15 ppb) coincident with the magnetic low, but were noted to be B-horizon soils, which are less effective in the region and could represent more significant anomalies at the C-horizon.

Two north-south oriented grids were completed in the Shadow area, totalling 254 samples. The lines were spaced 50 m or 100 m apart, with sample spacing at 25 m or 50 m, expanding a previous grid with 50 m by 25 m spaced sampling. The 2 grids tested a possible northwest and southeast trending anomaly identified by past sampling.

The soil samples collected during 2017 returned few anomalous results in any of the three areas of interest. Out of the 620 samples, 14 returned values above 10 ppb Au, with the highest value at 32 ppb Au, found in Shadow area. Mapped results are shown in Figures 8 to 10.

Figure 8 VG Zone 2017 Soil Sample Results




Figure 9 Shadow Area 2017 Soil Sample Results





Figure 10 Korat-Tetra Area 2017 Soil Sample Results



7.2 Drilling

The 2017 VG Zone diamond drilling program was designed to follow up on the 2016 rotary air blast (RAB) drilling program and extend the VG deposit westward. A total of 904.4 m of HQ drill core in 6 holes was drilled on the western flank of the VG deposit (Table 3). Three holes were completed to target depth while the remainder did not reach planned depth due to drilling problems related to faulting. The drill program was supervised by APEX personnel, and executed by TKD Consulting Limited. The core logging, cutting and sampling were completed by APEX personnel.

Table 4 Drill Hole Details

Hole ID	Zone	Easting*	Northing	Elevation	Azimuth	Dip	Total Depth (m)
QV17-018	VG	574358	7016045	534.8	0	-90	238.96
QV17-019	VG	574357	7016046	534.8	340	-65	267.31
QV17-020	VG	574264	7016013	538.5	160	-60	70.47
QV17-021	VG	574265	7016015	539.4	0	-90	210.82
QV17-022	VG	574169	7015973	515.6	160	-65	74.13
QV17-023	VG	574170	7015975	516.7	0	-90	42.67

Drill holes QV17-018 (-90°) and QV17-019 (-65°/340 azimuth) were drilled from a single pad located on the western flank of the VG Zone, and were designed to test the down-dip extension of mineralization in QV13-012 (Figure 11). The holes passed through a variably altered and faulted suite of felsic gneiss lithologies. Both drill holes encountered wide zones of gold mineralization associated with pyrite mineralized quartz veins, stockworks and breccias. The mineralized zones are contained within a broader envelope of sericite-illite ±chlorite alteration. Silicification is observed locally, and is generally correlated with stockwork zones. Significant anomalous gold mineralization occurs in both drill holes, including 45.5 m averaging 1.42 g/t Au, starting at 67.5 m in QV17-018, and 51.2 m averaging 1.48 g/t Au, starting at 98 m in QV17-018. This confirms that the VG deposit extends greater than 125 m down dip of hole QV13-12 and 45 m west of holes QV12-06 and QV12-08. Significant weighted average drill intercepts are listed in Table 4.

Figure 11 Cross-Section of Drill Holes QV17-018 and QV17-019 with Results




Table 5 Significant Weighted Average Drill Intercepts


Hole ID	From (m)	To (m)	Interval (m)*	Au (ppm)
QV17-018	30.00	34.50	4.50	0.94
	67.50	113.00	45.50	1.42
	<i>including</i> 94.00	101.00	7.00	3.58
	<i>including</i> 94.00	97.00	3.00	4.46
	133.80	134.80	1.00	1.37
QV17-019	38.00	42.50	4.50	0.76
	91.10	93.80	2.70	1.21
	98.00	149.20	51.20	1.48
	217.20	218.20	1.00	2.58
QV17-021	139.00	143.00	4.00	0.81

* True thickness is interpreted to be 85-90% of drilled width for QV17-018, 21 and 55-60% for QV17-019; intervals column may not add due to rounding

Drill holes QV17-020 (-60°/160 azimuth) and QV17-021 (-90°) were drilled from a single pad 100 metres west-southwest of holes QV17-018 and QV17-019, and were designed to test the western extension of mineralization in the VG Zone (Figure 12). Hole QV17-020 encountered a substantial fault zone and was terminated prior to reaching target depth. Hole QV17-021 passed through a variably altered and faulted suite of felsic gneiss (\pm augen) and schist lithologies. Numerous fault zones were encountered down hole, often associated with moderate to strong oxidation. Like holes QV17-018 and QV17-019, a broad zone of veining, stockwork and breccia was intersected, associated with sericite-illite \pm chlorite alteration and variable pyrite mineralization; however, the stockwork and breccia zones appear less developed with generally lower volumes of quartz material and pyrite mineralization. Widespread weak-moderately anomalous gold mineralization occurs between 87 m and 173 m down hole, including 4 m averaging 0.81 g/t Au starting at 139 m down hole. This is consistent with the interpreted western projection of the VG deposit but characterized by a rock package disrupted by considerable faulting and oxidation.

Drill holes QV17-022 (-65°/160 azimuth) and QV17-023 (-90°) stepped out 100 metres west-southwest of QV17-020 and QV17-021 to further test the western extension of mineralization in the VG Zone. Both holes encountered extensive faulting and were terminated prior to target depth.

Figure 12 Cross-Section of Drill Holes QV17-020 and QV17-021 with Results



8 Sample Preparation, Analysis and Security

8.1.1 Sample Collection and Shipping

8.1.2 Soil Samples

A total of 620 soil samples were collected at the QV Property during the 2017 exploration program. Shovels were used to clear the sample area of surface material, such as grass and detritus. Most of the samples were collected from the C-horizon using a soil auger. Nine of the 620 samples were collected from the A or B-horizon. Samples were placed into labelled Kraft soil sample bags along with a sample tag inscribed with the unique sample number. Sample locations were recorded with a handheld GPS and written on a sample card bearing the matching sample number, the date and the sampler's name. Additional details were recorded, including vegetation cover, and the sample depth, soil horizon, colour, moisture, compaction and quality of sample. The sample details were later transcribed to digital format in Microsoft Excel.

Soil samples were dried at camp in the sample bags prior to shipping. Once sufficiently dry, the samples were placed into poly woven (rice) bags labelled with return and sender address's and secured with cable ties. Shipments were driven out of camp and delivered to the ALS preparation lab in Whitehorse. The samples were prepared in Whitehorse and shipped via ALS's internal network to the ALS Vancouver lab for analysis. ALS reported nothing unusual with respect to the shipments, once received.

8.1.1 Drill Core

A total of 701 drill core intervals were selected and sent for analysis, totalling 794.1 metres of core length. Each interval was typically either 1.0 m or 1.5 m in length, depending on the intensity of visual mineralization and alteration. The minimum sample length was 0.5 m and the maximum was 2.0 m. The sample intervals were marked out and tagged by APEX geologists, and the core was then photographed. Samples were sawed in half using a core saw. Duplicate samples were cut into quarters. For each sample, one half core was sent for analysis and the other was left in the box. For duplicate samples, one half core was used as the "original" sample, one quarter core was used as the "duplicate sample", and one quarter core was left in the box.

Drill core samples were placed into labelled plastic sample bags along with a sample tag inscribed with the unique sample number. The samples were placed into woven (poly) rice bags labelled with return and sender address's and secured with cable ties. Shipments were driven out of camp and delivered to the ALS preparation lab in Whitehorse. The samples were prepared in Whitehorse and shipped via ALS's internal network to the ALS Vancouver lab for analysis. ALS reported nothing unusual with respect to the shipments, once received.

8.2 Sample Preparation and Analysis

8.2.1 Soil Samples

Once received by ALS, the samples were logged into the ALS tracking system, assigned bar code labels, weighed and air dried overnight. The samples are then dry-sieved to 180 micron and divided into plus (material remaining on screen) and minus (material passed through) fraction samples, which are both retained.

The prepared samples were analyzed by ALS Geochemistry Method AuME-TL43. A 25 g sample is taken from the minus fraction and leached using an aqua regia digestion. The solution is then analyzed for trace gold and multi-element using an inductively coupled plasma mass spectroscopy finish (ICP-MS).

8.2.2 Drill Core

Once received by ALS, the samples were logged into the ALS tracking system, assigned bar code labels and weighed. The samples were then dried and crushed to pass a U.S. Standard No. 10 mesh, or 2 mm screen (70% minimum pass). A 500 g split was taken and pulverized to pass a U.S. Standard No. 200 mesh, or 75 micron screen (85% minimum pass).

The prepared samples were analyzed by ALS Geochemistry Methods ME-MS61 (48 element four acid ICP-MS) and Au-AA24 (Au 50 g fire assay AA finish). For ME-MS61 analysis, a prepared sample (0.25 g) is digested with perchloric, nitric and hydrofluoric acids. The residue is leached with dilute hydrochloric acid and diluted to volume. The solution is then analyzed by ICP-MS. Results are corrected for spectral interelement interferences.

For Au-AA24 analysis, a prepared (50 g) sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents as required, inquarted with 6 mg of gold-free silver and then cupelled to yield a precious metal bead. The bead is digested in a 0.5 mL dilute nitric acid in the microwave oven, 0.5 mL concentrated hydrochloric acid is then added and the bead is further digested in the microwave at a lower power setting. The digested solution is cooled, diluted to a total volume of 4 mL with de-mineralized water, and analyzed by atomic absorption spectroscopy against matrix-matched standards.

8.3 Field Quality Assurance and Quality Control

8.3.1 Soil Samples

The QA/QC measures employed in the field during the 2017 soil sampling program comprised inserting field duplicates into the sample stream at a rate of approximately 1 duplicate per 20 samples. Duplicate sample results are compared to originals to test the repeatability of lab results. A total of 33 duplicate samples were collected and analyzed. The data shows a good overall repeatability.

8.3.2 Drill Core


The QA/QC measures employed in the field during the 2017 diamond drilling program comprised inserting analytical standards, blanks and duplicate samples into the sample stream, each at a rate of 1 QA/QC sample per 20 samples. Standards and blanks are compared to expected values to ensure the lab results fall within the acceptable margin of error. Similarly, duplicate sample results are compared to originals to test the repeatability of lab results.

Analytical standards were inserted into the sample stream to verify the accuracy of the laboratory analysis. Two standards were selected for the drill program: CDN GS-1R and CDN GS-7F. QA/QC summary charts for the standards are presented in Figure 13. The charts indicate the measured values for each standard in addition to the certified value, and the second and third “between laboratory” standard deviation for gold (Au).

There are two general industry standard criteria employed by which standards are assigned a “pass” or “reviewable” status. First, a “reviewable” standard is defined as any standard occurring anywhere in the sample sequence returning a value greater than three standard deviations ($>3SD$) above or below the accepted value. Second, if two or more consecutive standards from the same batch return values greater than two standard deviations ($>2SD$) above or below the accepted value on the same side of the mean, they are classified as “reviewable”. QA/QC samples falling outside the established limits are flagged and subject to review and possible re-analysis, along with the 10 preceding and succeeding samples.

A total of 21 CDN GS-1R and 21 CDN GS-7F were inserted into the sample stream of 701 drill core samples. All standards were assigned a “pass” status according to the criteria outlined above.

Figure 13 QA/QC Analytical Standards (Au)




Blank samples were inserted into the samples stream to check for contamination during sample preparation and analysis. Two types of blanks were selected for the drill program: CDN BL-10 blank pulps and ½” mesh silica coarse blanks (500 g). The blank

pulps are used to test contamination during analysis and the coarse blanks are used to test for contamination during preparation. QA/QC summary charts for the two blanks are presented in Figure 14. The charts indicate the measured values for each blank in addition to the analytical method detection limit, 2x the detection, and 3x the detection limit for gold (Au). A blank is considered “reviewable” if it returns a value greater than 2x the detection limit of the analytical method.


A total of 21 blank pulps and 20 coarse blanks were inserted into the sample stream of 701 drill core samples. All blanks were assigned a “pass” status according to the criteria outlined above.

Figure 14 QA/QC Analytical Blanks (Au)



Duplicate drill core samples were collected to assess the repeatability of individual analytical values. A total of 41 duplicate samples were collected and analyzed. Figure 15 shows the original versus duplicate values for gold (Au). The results indicate a good overall repeatability of the drill data.

Figure 15 QA/QC Duplicate Samples (Au)



It is the authors' opinion that the sample collection, preparation, security, analytical and QA/QC measures used during the 2017 diamond drilling program were adequate for this stage of exploration at the QV Property.

8.4 Laboratory Quality Assurance and Quality Control

ALS Global has developed and implemented at each of its locations a Quality Management System (QMS) designed to ensure the production of consistently reliable data. The system covers all laboratory activities and takes into consideration the requirements of ISO standards.

The QMS operates under global and regional Quality Control (QC) teams responsible for the execution and monitoring of the Quality Assurance (QA) and Quality Control programs in each department, on a regular basis. Audited both internally and by outside parties, these programs include, but are not limited to, proficiency testing of a variety of parameters, ensuring that all key methods have standard operating procedures (SOPs) that are in place and being followed properly, and ensuring that quality control standards are producing consistent results.

Quality assurance and quality control (QA/QC) measures at ALS include routine screen tests to verify crushing and pulverizing efficiency, sample preparation duplicates (every 50 samples), and analytical quality controls (blanks, standards, and duplicates). Quality control samples are inserted with each analytical run, with the minimum number of QC samples dependant on the rack size specific to the chosen analytical method. Results for quality control samples that fall beyond the established limits are automatically red-flagged for serious failures and yellow-flagged for borderline results. Every batch of samples is subject to a dual approval and review process, both by the individual analyst and the Department Manager, before final approval and certification.

ALS maintains ISO registrations and accreditations. ISO registration and accreditation provides independent verification that a QMS is in operation at the location in question. All ALS laboratories are either certified to ISO 9001:2008 or accredited to ISO 17025:2005.

9 Data Verification

Mr. Christopher Livingstone, P.Geo., Project Geologist of APEX and an author of the Report, directly supervised the 2017 QV Property exploration program and was on-site for the duration. During the course of the program, Mr. Livingstone conducted several traverses in the VG Zone area to verify the geology, alteration and mineralization reported from previous programs. The authors also conducted a review of the available literature and documented results relevant to the Property.

10 Exploration Expenditures

The 2017 QV Property exploration program was completed between September 10th, 2017 and October 19th, 2017 at the VG Zone, Korat-Tetra area, and Shadow area. The program comprised 620 soil samples from the three target areas, and 6 diamond drill holes totalling 904.4 m at the VG Zone. The total cost to complete the 2017 exploration program was \$846,268.06. A detailed breakdown of the program expenditures is provided in Appendix 1.

11 Interpretation and Conclusions

Diamond drilling prior to 2017 in the VG Zone defined an open-ended, southwest-trending, near surface tabular body of gold mineralization across a strike length of approximately 325 m, 275 m down dip from surface, and approximately 35 m to 40 m true thickness (Pautler and Shahkar, 2014). The 2017 drilling showed the potential to extend the deposit southwest and down dip.

Diamond drill holes QV17-018 (45.5 m averaging 1.42 g/t gold, starting at 67.5 m down hole) and QV17-019 (51.2 m averaging 1.48 g/t gold, starting at 98 m down hole) confirm the VG deposit extends greater than 125 m down dip of hole QV13-12 and 45 m west of holes QV12-06,-08. Drill hole QV17-021, a 100 m step-out to the west of QV17-018/19, intersected an alteration zone with widespread anomalous gold mineralization extending from 87 m to 173 m down hole, including 4 m averaging 0.81 g/t gold starting at 139 m down hole, consistent with the interpreted western projection of the VG deposit but characterized by a rock package disrupted by considerable faulting and oxidation. Holes QV17-022 and QV17-023 stepped out an additional 100 m west, but failed to reach target depth due to substantial faulting.

Results from the drilling to date indicate that potential remains to extend the VG deposit to the west, east and down-dip. The 2017 drilling on the western flank of the VG deposit suggests that the area has been subject to substantial complex faulting that is poorly constrained within the current model. Positive results from shallow 2016 RAB holes drilled south of the 2017 drilling area suggest that the mineralization persists to the west, possibly offset by faulting. Additional diamond drilling is warranted in this area to further test the western extent of the VG Zone and to better define the geological and structural controls on mineralization.

Additional drilling should be completed the eastern extent of the VG Zone, north of the Telegraph Fault. The current interpretation is that the zone extends east below the surface but is offset by the Telegraph Fault. This is supported by results from the 2016 RAB drilling program, which intercepted VG style mineralization and alteration beginning at 20 m to 30 m depth in the area. Mineralization intercepted on the south side of the Telegraph Fault is interpreted to represent footwall remnants of the fault offset of the VG Zone (Gibson and Fage, 2017).

The 2017 soil sampling at the VG Zone and the Shadow area was designed to infill and extend previous soil coverage to constrain gold in soil anomalies in both areas. Results from the 2017 program close off the anomalies in both areas. No additional work is

recommended for these areas at this time. The ridge and spur sampling at Korat-Tetra failed to produce any significantly anomalous gold values. However, previous sampling in the Tetra area, east of the 2017 ridge and spur sampling, defined an east-west trending gold in soil anomaly that has not been closed off. The historical grid could be extended during a future program.

Previous ridge and spur soil sampling in the north of the Property and east of the Shadow area also identified several anomalous samples that warrant follow up.

12 Recommendations

Results to date indicate that further diamond drilling is warranted at the VG Zone to test the western, eastern and down-dip extent of the VG deposit. Approximately 2,000 m of diamond drilling is recommended. Prior to drilling, geological logs from the 2012, 2013 and 2017 programs should be standardized and the geological model should be updated. The VG deposit model should also be updated to reflect the addition of the 2017 results, and a conceptual mineralization model should be completed incorporating all diamond drilling, RAB drilling and trenching results. These models should be used to inform and refine drill targeting.

Additional ridge and spur sampling should be completed east and southeast of Shadow, and several small grids should be completed testing anomalous ridge and spur samples in the north of the Property. The Tetra grid should be extended east and west. Approximately 500 samples should be collected.

The recommended program is estimated to cost \$1,570,000 CAD (Table 5).

Table 6 Estimated Cost to Complete the Recommended Exploration Program

Item	Units	Unit Cost	Quantity	Subtotal
Geological & mineralization modelling	Person days	\$500	15	\$7,500
Planning & reporting	Person days	\$500	20	\$10,000
Geologists	Person days	\$650	140	\$91,000
Soil Samplers	Person days	\$500	60	\$30,000
Other personnel	Person days	\$500	180	\$90,000
Drilling (includes all drilling costs)	Metre	\$300	2,000	\$600,000
Analytical (drill core, rocks, soils)	Sample	\$50	2,000	\$100,000
Helicopter	Hours	\$1,750	200	\$350,000
Transportation	Fixed	\$20,000	1	\$25,000
Freight & camp supply runs	Fixed	\$50,000	1	\$50,000
Food & accommodations	Fixed	\$50,000	1	\$50,000
Field supplies	Fixed	\$20,000	1	\$25,000
Contingency		~10%		\$141,500
Total				\$1,570,000

13 References

- Allan, M.M., Mortensen, J.K., Hart, C.J., and Bailey, L.A., 2012, Timing, nature, and distribution of Jurassic orogenic gold systems in the west-central Yukon. In: MDRU's Yukon Gold Project – Final Technical Report, May 2012. Allan, M.M., Hart, C.J., & Mortensen, J.K. (eds), pp.55 – 78.
- Allan, M.M., Mortensen, J.K., Hart, C.J., and Sanchez, M., 2012, Current understanding of the metallogeny of the western Yukon and eastern Alaska. In: MDRU's Yukon Gold Project – Final Technical Report, May 2012. Allan, M.M., Hart, C.J., & Mortensen, J.K. (eds), pp.11 - 28.
- Bailey, L.A., Allan, M.M., Hart, C.J., and Mortensen, J.K., 2012, Geology and mineralization of the Golden Saddle gold deposit, Yukon Territory. In: MDRU's Yukon Gold Project – Final Technical Report, May 2012. Allan, M.M., Hart, C.J., & Mortensen, J.K. (eds), pp.79 – 100.
- Cooley, M. and Leatherman, L., 2013b, Results of geologic mapping, alteration mapping of drill core, and prospecting of the VG zone and recommendations for further exploration work at the QV property, Yukon. Report for Comstock Metals Ltd.
- Deklerk, R. and Traynor, S. (compilers), 2005. Yukon MINFILE 2005 - A database of mineral occurrences. Yukon Geological Survey
- Gibson, J., and Fage, A., 2017, Geochemical, Geophysical, and RAB Drilling Survey Assessment Report, QV Project, Volume 1. Report for Comstock Metals Ltd.
- Gordey, S.P. and Makepeace, A.J. (comp.) 2003. Yukon digital geology, version 2.0; Geological Survey of Canada Open File 1749 and Yukon Geological Survey Open File 2003-9(D)
- Leatherman, L. and Cooley, M., 2013, Geology of the VG zone, QV property, Yukon. Report for Comstock Metals Ltd.
- Pautler, J. and Shahkar, A., 2014, NI 43-101 Technical Report on the QV Project, White Gold district, Yukon Territory. 97p.
- Ryan, J.J. and Gordey, S.P., 2004, Geology, Stewart River area, Yukon Territory. Geological Survey of Canada, Open File 4641.
- Schulze, C.M., 2010, Assessment Report on the 2009 Geological and Geochemical Programs, Korat Property, Dawson Range, Yukon. Yukon Assessment Report #095279.


14 Certificate of Author

14.1 Christopher W. Livingstone Certificate of Author

I, Christopher W. Livingstone, residing in Vancouver, British Columbia, do hereby certify that:

1. I am a Project Geologist of APEX Geoscience Ltd., located at 410-800 West Pender Street, Vancouver, British Columbia, Canada.
2. I am the author and responsible for all sections of the report entitled: “**2017 Assessment Report QV Project**”, dated May 4th, 2018 (the “Report”).
3. I am a graduate of The University of British Columbia (2011), Vancouver, British Columbia with a B.Sc. in Earth and Ocean Sciences (spec. Geology) and have practiced my profession continuously since 2011.
4. I am a Professional Geologist (P.Geo.) registered with Engineers and Geoscientists of British Columbia, and I am a ‘Qualified Person’ in relation to the subject matter of this Report.
5. To the best of my knowledge, information and belief, the Report contains all scientific and technical information that is required to be disclosed to make the Report not misleading.

Dated this May 4th, 2018
Vancouver, British Columbia, Canada



Christopher W. Livingstone, B.Sc., P.Geo.

14.2 Robyn Christian Certificate of Author

I, Robyn Christian, residing in Vancouver, British Columbia, Canada do hereby certify that:

1. I am a Junior Geologist of APEX Geoscience Ltd., located at 410-800 West Pender Street, Vancouver, British Columbia, Canada.
2. I am the author and responsible for all sections of the report entitled: “**2017 Assessment Report QV Project**”, dated May 4th, 2018 (the “Report”).
3. I am a graduate of the Simon Fraser University, Burnaby, British Columbia with a B.Sc. in Geology (2014) and have practised my profession since 2014.
4. I am a Geoscientist in Training (G.I.T.) registered with Engineers and Geoscientists of British Columbia, and I am a ‘Qualified Person’ in relation to the subject matter of this Report.
5. To the best of my knowledge, information and belief, the Report contains all scientific and technical information that is required to be disclosed to make the Report not misleading.

Dated this May 4th, 2018
Vancouver, British Columbia, Canada

“Signed”

Robyn Christian, B.Sc., G.I.T.

Appendix 1 2017 Exploration Expenditures

2017 QV Property Total Exploration Expenditures Detailed Breakdown						
Company	Invoice #	Category	Item	Units	Rate (avg)	Amount
ALS	4058508	Analytical	Drill Core Analysis	124	\$48.47	\$6,009.81
ALS	4058523	Analytical	Drill Core Analysis	116	\$47.93	\$5,559.31
ALS	4064935	Analytical	Drill Core Analysis	54	\$48.94	\$2,642.56
ALS	4064953	Analytical	Drill Core Analysis	226	\$48.84	\$11,037.51
ALS	4064989	Analytical	Drill Core Analysis	90	\$49.82	\$4,483.53
ALS	4065037	Analytical	Drill Core Analysis	58	\$48.11	\$2,790.24
ALS	4067458	Analytical	Drill Core Analysis	157	\$49.00	\$7,692.87
APEX	2017-356	Analytical	Reference materials			\$1,010.27
ALS	4068430	Analytical	Soil Analysis	151	\$25.68	\$3,878.27
ALS	4068634	Analytical	Soil Analysis	206	\$25.72	\$5,297.72
ALS	4068697	Analytical	Soil Analysis	167	\$25.83	\$4,314.22
ALS	4068704	Analytical	Soil Analysis	97	\$25.94	\$2,515.77
Atlantia		Camp	Lodging cost (Henderson Camp)	471	\$41.50	\$19,548.11
Smalls	211125	Camp	Tent & stove rentals			\$2,893.82
Smalls	211377	Camp	Tent & stove rentals			\$2,161.92
APEX	2017-356	Communication	Satellite system rental			\$2,095.00
APEX	2017-395	Communication	Satellite system rental			\$1,429.00
APEX	2017-440	Communication	Satellite system rental			\$90.00
TKD	2017-021	Drilling	Drilling costs			\$85,317.89
TKD	2017-022	Drilling	Drilling costs			\$28,280.54
TKD	2017-023	Drilling	Drilling Costs			\$92,370.71
BCR	189	Drilling	Pad building labour & tools			\$55,025.00
APEX	2017-356	Drilling	Pad building materials			\$8,150.00
APEX	2017-395	Drilling	Pad building materials			\$498.75
BCR	189	Drilling	Pad building materials			\$1,400.00
Smalls	211188	Drilling	Pad building materials			\$718.62
APEX	2017-356	Freight	Freight			\$828.06
APEX	2017-395	Freight	Freight			\$248.36
APEX	2017-440	Freight	Freight			\$191.57
APEX	2017-493	Freight	Freight			\$163.83
Smalls	210833	Freight	Freight			\$606.60
Smalls	211041	Freight	Freight			\$487.94
Smalls	211061	Freight	Freight			\$31.05
Smalls	211188	Freight	Freight			\$99.12
FuelFlo	170749	Fuel	Diesel	20	\$376.48	\$7,529.50
Smalls	211023	Fuel	Diesel	17	\$213.44	\$3,628.50
Smalls	211097	Fuel	Diesel	8	\$204.44	\$1,635.50
Smalls	211188	Fuel	Diesel	8	\$204.44	\$1,635.50
Smalls	CM211238	Fuel	Diesel			-\$2,188.57
Smalls	210831	Fuel	Gasoline	1	\$349.76	\$349.76
Smalls	211023	Fuel	Gasoline	1	\$319.75	\$319.75
Smalls	211097	Fuel	Gasoline	1	\$220.00	\$220.00
FuelFlo	170749	Fuel	Jet A	80	\$369.59	\$29,566.80
Smalls	210831	Fuel	Propane	4	\$310.00	\$1,239.98
Smalls	211023	Fuel	Propane	5	\$310.00	\$1,549.99
Smalls	211251	Fuel	Propane	5	\$140.00	\$700.01
Smalls	CM211302	Fuel	Propane			-\$1,029.00
APEX	2017-356	Groceries	Camp groceries			\$15,980.52
APEX	2017-395	Groceries	Camp groceries			\$12,850.89
APEX	2017-440	Groceries	Camp groceries			\$373.55
Smalls	210831	Groceries	Camp groceries			\$105.10
Smalls	211097	Groceries	Camp groceries			\$52.10

2017 QV Property Total Exploration Expenditures Detailed Breakdown						
Company	Invoice #	Category	Item	Units	Rate (avg)	Amount
Trans North	5733	Helicopter	Helicopter cost	10.9	\$1,749.07	\$19,064.88
Trans North	5781	Helicopter	Helicopter cost	11	\$1,053.08	\$11,583.92
Trans North	5782	Helicopter	Helicopter cost	15	\$1,045.00	\$15,675.00
Trans North	5815	Helicopter	Helicopter cost	15.5	\$1,045.00	\$16,197.50
Trans North	5848	Helicopter	Helicopter cost	14.6	\$1,045.00	\$15,257.00
Trans North	5849	Helicopter	Helicopter cost	16.3	\$1,045.00	\$17,033.50
Trans North	5850	Helicopter	Helicopter cost	8.7	\$1,045.00	\$9,091.50
Trans North	5867	Helicopter	Helicopter cost	4	\$2,102.78	\$8,411.10
Trans North	5882	Helicopter	Helicopter cost	3.2	\$2,255.56	\$7,217.80
Trans North	5893	Helicopter	Helicopter cost	2.1	\$1,622.05	\$3,406.30
Trans North	5915	Helicopter	Helicopter cost	8.2	\$1,818.08	\$14,908.25
Trans North	5969	Helicopter	Helicopter cost	10.6	\$1,575.00	\$16,695.00
Trans North	5970	Helicopter	Helicopter cost	11.3	\$1,575.00	\$17,797.50
Trans North	5972	Helicopter	Helicopter cost	10.8	\$1,575.00	\$17,010.00
Trans North	5974	Helicopter	Helicopter cost	15.1	\$1,575.00	\$23,782.50
Smalls	210828	Logistics	Camp supply runs			\$11,885.00
Smalls	211020	Logistics	Camp supply runs			\$4,747.50
Smalls	211101	Logistics	Camp supply runs			\$1,557.50
Smalls	211191	Logistics	Camp supply runs			\$11,105.00
Smalls	210740	Logistics	Expediting / Camp Work			\$150.00
Smalls	210829	Logistics	Expediting / Camp Work			\$3,862.50
Smalls	210831	Logistics	Expediting / Camp Work			\$1,025.65
Smalls	210833	Logistics	Expediting / Camp Work			\$278.69
Smalls	210857	Logistics	Expediting / Camp Work			\$1,087.50
Smalls	211015	Logistics	Expediting / Camp Work			\$487.50
Smalls	211021	Logistics	Expediting / Camp Work			\$1,500.00
Smalls	211023	Logistics	Expediting / Camp Work			\$732.59
Smalls	211083	Logistics	Expediting / Camp Work			\$450.00
Smalls	211096	Logistics	Expediting / Camp Work			\$1,050.00
Smalls	211097	Logistics	Expediting / Camp Work			\$240.02
Smalls	211188	Logistics	Expediting / Camp Work			\$374.08
Smalls	211190	Logistics	Expediting / Camp Work			\$1,762.50
Smalls	211209	Logistics	Expediting / Camp Work			\$187.50
Smalls	211290	Logistics	Expediting / Camp Work			\$75.00
APEX	2017-356	Personnel - Field	Cook / First Aid	16	\$575.00	\$9,200.00
APEX	2017-395	Personnel - Field	Cook / First Aid	31	\$575.00	\$17,825.00
APEX	2017-440	Personnel - Field	Cook / First Aid	3	\$575.00	\$1,725.00
APEX	2017-356	Personnel - Field	Core cutter	1.2	\$350.00	\$420.00
APEX	2017-395	Personnel - Field	Core cutter	12	\$350.00	\$4,200.00
APEX	2017-356	Personnel - Field	Core logging & sampling	16	\$525.00	\$8,400.00
APEX	2017-395	Personnel - Field	Core logging & sampling	31	\$525.00	\$16,275.00
APEX	2017-440	Personnel - Field	Core logging & sampling	3	\$525.00	\$1,575.00
APEX	2017-356	Personnel - Field	Project management, core logging	16	\$575.00	\$9,200.00
APEX	2017-395	Personnel - Field	Project management, core logging	31	\$575.00	\$17,825.00
APEX	2017-356	Personnel - Field	Senior management	4.6	\$800.00	\$3,680.00
APEX	2017-395	Personnel - Field	Soil sampling	52	\$425.00	\$22,100.00
APEX	2017-440	Personnel - Field	Soil sampling	4	\$425.00	\$1,700.00
APEX	2017-310	Personnel - Office	Planning, budgeting, logistics	3.6	\$800.00	\$2,880.00
APEX	2017-356	Personnel - Office	Planning, budgeting, logistics	4.33	\$800.00	\$3,464.00
APEX	2017-356	Personnel - Office	Planning, budgeting, logistics	7.97	\$400.00	\$3,188.00
APEX	2017-395	Personnel - Office	Planning, budgeting, logistics	0.47	\$400.00	\$188.00
APEX	2017-395	Personnel - Office	Planning, budgeting, logistics	0.6	\$800.00	\$480.00

2017 QV Property Total Exploration Expenditures Detailed Breakdown						
Company	Invoice #	Category	Item	Units	Rate (avg)	Amount
APEX	2017-440	Personnel - Office	Planning, budgeting, logistics	3.87	\$400.00	\$1,548.00
APEX	2017-493	Personnel - Office	Planning, budgeting, logistics	2.6	\$400.00	\$1,040.00
APEX	2017-493	Personnel - Office	Planning, budgeting, logistics	0.53	\$800.00	\$424.00
APEX	2017-356	Rentals	Core logging & management			\$2,630.00
APEX	2017-395	Rentals	Core logging & management			\$600.00
APEX	2017-356	Rentals	Field communications & GPS			\$1,145.00
APEX	2017-395	Rentals	Field communications & GPS			\$420.00
APEX	2017-356	Rentals	Safety equipment & First Aid			\$1,485.00
APEX	2017-395	Rentals	Safety equipment & First Aid			\$780.00
APEX	2017-440	Rentals	Safety equipment & First Aid			\$756.83
Smalls	210808	Supplies	Camp & field supplies			\$1,866.65
Smalls	210831	Supplies	Camp & field supplies			\$6,852.24
Smalls	210833	Supplies	Camp & field supplies			\$1,715.78
Smalls	211023	Supplies	Camp & field supplies			\$606.64
Smalls	211061	Supplies	Camp & field supplies			\$547.76
Smalls	211097	Supplies	Camp & field supplies			\$92.54
Smalls	211188	Supplies	Camp & field supplies			\$664.06
APEX	2017-356	Supplies	Field supplies			\$3,756.35
APEX	2017-395	Travel	Airfares (Whitehorse - Dawson)			\$1,317.18
APEX	2017-356	Travel	Food & other expenses			\$167.57
APEX	2017-395	Travel	Food & other expenses			\$2,121.78
APEX	2017-356	Travel	Hotels			\$557.28
APEX	2017-395	Travel	Hotels			\$624.88
APEX	2017-440	Travel	Hotels			\$145.39
					TOTAL	\$846,268.06

Appendix 2 2017 Soil Sample Descriptions and Certificates

2017 Soil Sample Descriptions

SAMPLE ID	EASTING NAD83Z7	NORTHING NAD83Z7	VEGETATION	VEG INTENSITY	DEPTH (CM)	SAMPLE RATING	HORIZON	MOISTURE	COLOUR	Au (ppb)
17AWS001	574228	7016034	Grass	Sprs	25	3	C	Dry	Light Brown	3
17AWS002	574233	7016060	Grass	Sprs	40	4	C	Dry	Light Brown	4
17AWS003	574235	7016086	Dec	Mod	35	4	C	Dry	Light Brown	2
17AWS004	574231	7016114	Dec	Mod	50	4	C	Dry	Greyish Brown	2
17AWS005	574228	7016131	Dec	Mod	30	3	C	Dry	Greyish Brown	3
17AWS006	574230	7016159	Dec	Mod	40	3	C	Dry	Greyish Brown	2
17AWS008	574225	7016185	Dec	Mod	30	4	C	Dry	Greyish Brown	2
17AWS009	574231	7016209	Con	Mod	40	3	C	Dry	Greyish Brown	2
17AWS010	574233	7016263	Con	Mod	35	4	C	Dry	Light Brown	2
17AWS011	574229	7016289	Con	Mod	30	4	C	Dry	Greyish Brown	2
17AWS012	574231	7016309	Con	Mod	35	4	C	Dry	Greyish Brown	3
17AWS013	574232	7016333	Con	Mod	40	4	C	Dry	Greyish Brown	4
17AWS014	574181	7016335	Con	Mod	35	3	C	Dry	Greyish Brown	1
17AWS015	574177	7016283	Con	Mod	25	4	C	Dry	Greyish Brown	1
17AWS016	574179	7016234	Con	Mod	25	4	C	Dry	Medium Grey	5
17AWS017	574181	7016183	Dec	Mod	40	4	C	Dry	Light Brown	2
17AWS018	574182	7016132	Grass	Mod	35	4	C	Dry	Light Brown	2
17AWS019	574180	7016033	Dec	Mod	25	4	C	Dry	Light Brown	1
17AWS020	574130	7016036	Dec	Mod	40	3	C	Dry	Medium Brown	1
17AWS021	574132	7016060	Dec	Mod	30	3	C	Dry	Greyish Brown	2
17AWS022	574132	7016086	Grass	Mod	35	3	C	Dry	Light Brown	2
17AWS023	574131	7016109	Grass	Mod	30	3	C	Dry	Light Brown	2
17AWS024	574131	7016134	Dec	Mod	30	4	C	Dry	Light Grey	1
17AWS025	574131	7016161	Dec	Mod	30	4	C	Dry	Light Brown	1
17AWS026	574130	7016188	Dec	Mod	30	4	C	Dry	Light Brown	1
17AWS027	574129	7016208	Con	Mod	30	4	C	Dry	Light Brown	3
17AWS028	574128	7016239	Con	Mod	30	4	C	Dry	Greyish Brown	1
17AWS029	574134	7016266	Con	Mod	35	4	C	Dry	Greyish Brown	1
17AWS030	574130	7016284	Con	Mod	30	4	C	Dry	Greyish Brown	1
17AWS031	574130	7016284	17AWS030 Field Duplicate							2
17AWS032	574127	7016312	Con	Mod	30	4	C	Dry	Light Brown	1
17AWS033	574131	7016334	Con	Mod	35	4	C	Dry	Light Brown	3
17AWS034	574083	7016344	Con	Mod	30	4	C	Dry	Light Brown	4
17AWS035	574091	7016279	Con	Mod	35	4	C	Dry	Light Brown	1
17AWS036	574089	7016228	Con	Mod	30	4	C	Dry	Light Brown	3
17AWS037	574083	7016181	Dec	Mod	25	4	C	Dry	Greyish Brown	1
17AWS038	574083	7016134	Grass	Mod	25	3	C	Dry	Light Brown	2
17AWS039	574081	7016084	Grass	Mod	15	3	C	Dry	Greyish Brown	4
17AWS040	574081	7016036	Grass	Sprs	15	3	C	Dry	Greyish Brown	2
17AWS041	574031	7016033	Grass	Mod	30	4	C	Dry	Greyish Brown	9
17AWS042	574031	7016060	Grass	Mod	25	3	C	Dry	Greyish Brown	1
17AWS043	574030	7016084	Grass	Sprs	20	3	C	Dry	Greyish Brown	2
17AWS044	574032	7016109	Grass	Mod	20	3	C	Dry	Greyish Brown	2
17AWS045	574029	7016137	Grass	Sprs	45	3	C	Dry	Greyish Brown	3
17AWS046	574032	7016160	Grass	Sprs	30	3	C	Dry	Greyish Brown	5
17AWS047	574031	7016185	Grass	Sprs	30	4	C	Dry	Greyish Brown	5
17AWS048	574031	7016210	Grass	Sprs	15	4	C	Dry	Greyish Brown	2
17AWS049	574032	7016235	Dec	Mod	25	3	C	Dry	Greyish Brown	2
17AWS050	574032	7016235	17AWS049 Field Duplicate							<1
17AWS051	574030	7016259	Dec	Mod	25	4	C	Dry	Light Brown	1
17AWS052	574031	7016283	Dec	Mod	25	4	C	Dry	Greyish Brown	1
17AWS053	574031	7016312	Con	WF	30	4	C	Dry	Greyish Brown	1
17AWS054	574033	7016343	Con	Mod	40	4	C	Dry	Greyish Brown	7
17AWS055	573981	7016336	Con	Mod	35	4	C	Dry	Greyish Brown	2
17AWS056	573979	7016283	Dec	Sprs	20	3	C	Dry	Greyish Brown	<1
17AWS057	573980	7016238	Grass	Sprs	30	4	C	Dry	Light Brown	2
17AWS058	573980	7016186	Grass	Sprs	25	4	C	Dry	Light Brown	1
17AWS059	573979	7016137	Grass	Sprs	30	4	C	Dry	Greyish Brown	4

SAMPLE ID	EASTING NAD83Z7	NORTHING NAD83Z7	VEGETATION	VEG INTENSITY	DEPTH (CM)	SAMPLE RATING	HORIZON	MOISTURE	COLOUR	Au (ppb)	
17AWS060	573983	7016086	Grass	Sprs	15	3	C	Dry	Light Brown	2	
17AWS061	573929	7016032	Dec	Sprs	20	3	C	Dry	Light Brown	2	
17AWS062	573932	7016059	Grass	Sprs	30	3	C	Dry	Light Brown	3	
17AWS063	573932	7016083	Dec	Sprs	15	3	C	Dry	Light Brown	1	
17AWS064	573932	7016109	Dec	Sprs	20	3	C	Dry	Light Brown	1	
17AWS065	573931	7016133	Dec	Sprs	30	4	C	Dry	Light Grey	4	
17AWS066	573933	7016156	Dec	Sprs	25	4	C	Dry	Light Grey	<1	
17AWS067	573933	7016184	Grass	Sprs	15	3	C	Dry	Light Grey	2	
17AWS068	573932	7016207	Grass	Sprs	10	3	C	Dry	Greyish Brown	1	
17AWS069	573933	7016239	Grass	Sprs	10	3	C	Dry	Light Brown	1	
17AWS070	573933	7016239	17AWS069 Field Duplicate								1
17AWS071	573929	7016254	Grass	Mod	25	4	C	Dry	Light Brown	1	
17AWS072	573930	7016280	Dec	Sprs	20	3	C	Dry	Light Brown	1	
17AWS073	573932	7016312	Dec	Sprs	20	4	C	Dry	Light Brown	2	
17AWS074	573931	7016334	Dec	Sprs	35	4	C	Dry	Light Brown	1	
17AWS075	573880	7016338	Dec	Mod	35	4	C	Dry	Light Brown	2	
17AWS076	573880	7016282	Dec	Mod	40	4	C	Dry	Light Brown	1	
17AWS077	573881	7016237	Dec	Sprs	10	3	C	Dry	Light Brown	1	
17AWS078	573882	7016181	Grass	Mod	45	4	C	Dry	Light Brown	4	
17AWS079	573882	7016137	Grass	Mod	15	3	C	Dry	Light Brown	9	
17AWS080	573884	7016083	Grass	Mod	15	3	C	Dry	Light Brown	7	
17AWS081	573831	7016041	Dec	Mod	15	3	C	Dry	Light Brown	10	
17AWS082	573826	7016056	Grass	Mod	20	3	C	Dry	Light Brown	1	
17AWS083	573833	7016086	Grass	Mod	15	3	C	Dry	Light Brown	2	
17AWS084	573831	7016113	Grass	Mod	15	3	C	Dry	Light Brown	3	
17AWS085	573830	7016137	Grass	Mod	15	4	C	Dry	Light Brown	3	
17AWS086	573832	7016163	Grass	Mod	10	3	C	Dry	Light Brown	2	
17AWS087	573830	7016185	Grass	Mod	10	3	C	Dry	Light Brown	4	
17AWS088	573835	7016211	Grass	Mod	15	3	C	Dry	Light Brown	1	
17AWS089	573833	7016236	Dec	Mod	30	4	C	Dry	Light Brown	<1	
17AWS090	573832	7016263	Dec	Mod	30	4	C	Dry	Light Brown	1	
17AWS091	573832	7016263	17AWS090 Field Duplicate								2
17AWS092	573832	7016286	Dec	Mod	25	3	C	Dry	Light Brown	3	
17AWS093	573832	7016310	Dec	Mod	15	4	C	Dry	Light Brown	1	
17AWS094	573831	7016334	Dec	Mod	45	4	C	Dry	Light Brown	2	
17AWS095	573780	7016337	Dec	Mod	30	4	C	Dry	Light Brown	2	
17AWS096	573781	7016287	Dec	Mod	15	3	C	Dry	Light Brown	1	
17AWS097	573781	7016233	Dec	Mod	20	4	C	Dry	Light Brown	1	
17AWS098	573782	7016186	Dec	Mod	10	3	C	Dry	Light Brown	1	
17AWS099	573776	7016141	Dec	Mod	20	3	C	Dry	Light Brown	1	
17AWS100	573785	7016085	Dec	Mod	10	3	C	Dry	Light Brown	1	
17AWS101	574881	7016436	Dec	Mod	50	4	C	Dry	Light Brown	2	
17AWS102	574881	7016386	Dec	Mod	45	4	C	Dry	Light Brown	3	
17AWS103	574883	7016336	Dec	Mod	45	4	C	Dry	Light Brown	2	
17AWS104	574882	7016284	Dec	Mod	50	4	C	Dry	Light Brown	2	
17AWS105	574880	7016234	Dec	Mod	45	4	C	Dry	Light Brown	2	
17AWS106	574935	7016210	Dec	Mod	40	4	C	Dry	Light Brown	3	
17AWS107	574933	7016233	Dec	Mod	45	4	C	Dry	Light Brown	3	
17AWS108	574930	7016259	Dec	Mod	45	4	C	Dry	Light Brown	4	
17AWS109	574935	7016285	Dec	Mod	40	4	C	Dry	Light Brown	2	
17AWS110	574935	7016285	17AWS109 Field Duplicate								2
17AWS111	574932	7016308	Dec	Mod	35	4	C	Dry	Light Brown	3	
17AWS112	574932	7016334	Dec	Mod	45	4	C	Dry	Light Brown	2	
17AWS113	574932	7016359	Dec	Mod	40	4	C	Dry	Light Brown	2	
17AWS114	574931	7016386	Dec	Mod	40	4	C	Dry	Light Brown	1	
17AWS115	574930	7016408	Con	Mod	40	4	C	Dry	Light Brown	2	
17AWS116	574935	7016438	Con	Mod	15	4	C	Dry	Light Brown	<1	
17AWS117	574930	7016457	Dec	Mod	25	4	C	Dry	Light Brown	2	
17AWS118	574984	7016435	Dec	Mod	25	4	C	Dry	Light Brown	<1	
17AWS119	574984	7016389	Dec	Mod	30	4	C	Dry	Light Brown	1	

SAMPLE ID	EASTING NAD83Z7	NORTHING NAD83Z7	VEGETATION	VEG INTENSITY	DEPTH (CM)	SAMPLE RATING	HORIZON	MOISTURE	COLOUR	Au (ppb)	
17AWS120	574984	7016335	Con	Mod	30	4	C	Dry	Light Brown	1	
17AWS121	574985	7016285	Grass	Mod	30	4	C	Dry	Light Brown	1	
17AWS122	574981	7016235	Dec	Mod	45	4	C	Dry	Light Brown	2	
17AWS123	574978	7016186	Dec	Mod	35	4	C	Dry	Light Brown	6	
17AWS124	574983	7016135	Dec	Mod	30	4	C	Dry	Light Brown	2	
17AWS125	575032	7016109	Dec	Mod	45	4	C	Dry	Light Brown	4	
17AWS126	575030	7016135	Dec	Mod	55	4	C	Dry	Light Brown	2	
17AWS127	575031	7016160	Dec	Mod	40	4	C	Dry	Light Brown	2	
17AWS128	575031	7016186	Dec	Mod	45	4	C	Dry	Light Brown	7	
17AWS129	575030	7016215	Dec	Mod	25	4	C	Dry	Light Brown	10	
17AWS130	575030	7016215	17AWS129 Field Duplicate								13
17AWS131	575030	7016235	Dec	Mod	45	4	C	Dry	Light Brown	1	
17AWS132	575031	7016260	Dec	Mod	30	4	C	Dry	Light Brown	6	
17AWS133	575031	7016285	Dec	Mod	55	4	C	Dry	Light Brown	4	
17AWS134	575029	7016309	Dec	Mod	50	4	C	Dry	Light Brown	8	
17AWS135	575028	7016337	Dec	Mod	55	4	C	Dry	Light Brown	8	
17AWS136	575033	7016359	Dec	Mod	15	4	C	Dry	Light Brown	6	
17AWS137	575031	7016385	Con	Mod	45	4	C	Dry	Light Brown	2	
17AWS138	575031	7016411	Con	Mod	45	4	C	Dry	Light Brown	1	
17AWS139	575030	7016440	Con	Mod	25	4	C	Dry	Light Brown	1	
17AWS140	575032	7016460	Con	Mod	30	4	C	Dry	Light Brown	1	
17AWS141	575081	7016437	Con	Mod	30	4	C	Dry	Light Brown	1	
17AWS142	575081	7016388	Con	Mod	20	4	C	Dry	Light Brown	2	
17AWS143	575079	7016337	Con	Mod	20	4	C	Dry	Light Brown	3	
17AWS144	575083	7016285	Dec	Mod	45	4	C	Dry	Light Brown	2	
17AWS145	575085	7016235	Dec	Mod	30	4	C	Dry	Light Brown	4	
17AWS146	575083	7016186	Dec	Mod	50	4	C	Dry	Light Brown	2	
17AWS147	575081	7016132	Dec	Mod	50	4	C	Dry	Light Brown	2	
17AWS148	575129	7016110	Dec	Mod	45	4	C	Dry	Light Brown	3	
17AWS149	575131	7016136	Dec	Mod	35	4	C	Dry	Light Brown	1	
17AWS150	575131	7016136	17AWS149 Field Duplicate								4
17AWS151	575130	7016161	Dec	Mod	30	4	C	Dry	Light Brown	<1	
17AWS152	575131	7016184	Dec	Mod	25	4	C	Dry	Light Brown	2	
17AWS153	575127	7016213	Dec	Mod	35	4	C	Dry	Light Brown	6	
17AWS154	575130	7016235	Dec	Mod	50	4	C	Dry	Light Brown	12	
17AWS155	575131	7016261	Dec	Mod	60	4	C	Dry	Grey Brown	3	
17AWS156	575133	7016284	Dec	Mod	60	4	C	Dry	Grey Brown	4	
17AWS157	575133	7016310	Dec	Mod	30	3	C	Dry	Light Brown	2	
17AWS158	575129	7016338	Dec	Mod	50	4	C	Dry	Light Brown	2	
17AWS159	575130	7016360	Dec	Mod	25	3	C	Dry	Light Brown	1	
17AWS160	575130	7016390	Con	Mod	80	4	C	Dry	Grey Brown	1	
17AWS161	575130	7016412	Dec	Mod	80	5	C	Dry	Grey	3	
17AWS162	575133	7016434	Con	Mod	100	5	C	Dry	Grey	2	
17AWS163	575136	7016459	Con	Mod	40	4	C	Dry	Light Brown	3	
17AWS164	575178	7016434	Dec	Mod	35	3	C	Dry	Grey Brown	2	
17AWS165	575182	7016387	Dec	Mod	20	2	b	Dry	Brown	1	
17AWS166	575181	7016335	Con	Mod	50	4	C	Dry	Light Brown	5	
17AWS167	575183	7016285	Dec	Mod	60	4	C	Dry	Light Brown	4	
17AWS168	575185	7016234	Dec	Mod	50	4	C	Dry	Light Brown	8	
17AWS169	575182	7016180	Dec	Mod	50	3	C	Dry	Light Brown	5	
17AWS170	575182	7016180	17AWS169 Field Duplicate								5
17AWS171	575182	7016135	Dec	Mod	55	4	C	Dry	Light Brown	16	
17AWS172	575232	7016110	Dec	Mod	45	4	C	Dry	Light Brown	2	
17AWS173	575231	7016133	Dec	Mod	50	4	C	Dry	Light Brown	6	
17AWS174	575234	7016160	Dec	Mod	45	3	C	Dry	Light Brown	2	
17AWS175	575235	7016188	Dec	Mod	75	4	C	Dry	Grey Brown	3	
17AWS176	575229	7016209	Dec	Mod	45	4	C	Dry	Light Brown	3	
17AWS177	575230	7016235	Con	Mod	40	3	C	Dry	Light Brown	5	
17AWS178	575228	7016258	Dec	Mod	45	3	C	Dry	Light Brown	2	
17AWS179	575233	7016285	Dec	Mod	50	3	C	Dry	Light Brown	6	

SAMPLE ID	EASTING NAD83Z7	NORTHING NAD83Z7	VEGETATION	VEG INTENSITY	DEPTH (CM)	SAMPLE RATING	HORIZON	MOISTURE	COLOUR	Au (ppb)
17AWS180	575232	7016309	Dec	Mod	30	1	b	Dry	Brown	1
17AWS181	575231	7016337	Dec	WF	60	4	C	Dry	Greyish Brown	7
17AWS182	575229	7016365	Dec	WF	40	3	C	Dry	Light Brown	9
17AWS183	575238	7016393	Grass	WF	60	3	C	Dry	Light Brown	5
17AWS184	575232	7016408	Dec	Mod	50	3	C	Dry	Light Brown	1
17AWS185	575231	7016438	Dec	Mod	45	3	C	Dry	Light Brown	5
17AWS186	575230	7016457	Dec	Mod	40	3	C	Dry	Light Brown	2
17AWS187	575284	7016431	Dec	Mod	65	4	C	Dry	Light Brown	3
17AWS188	575279	7016384	Dec	Mod	55	4	C	Dry	Light Brown	2
17AWS189	575281	7016336	Dec	Mod	50	4	C	Dry	Light Brown	8
17AWS190	575282	7016284	Dec	Mod	50	4	C	Dry	Light Brown	3
17AWS191	575282	7016284							17AWS190 Field Duplicate	2
17AWS192	575282	7016228	Dec	Mod	50	3	C	Dry	Light Brown	3
17AWS193	575284	7016186	Con	Mod	60	3	C	Dry	Light Brown	3
17AWS194	575283	7016137	Dec	Mod	50	3	C	Dry	Light Brown	1
17AWS195	575328	7016111	Dec	Sprs	40	3	C	Dry	Light Brown	1
17AWS196	575333	7016133	Dec	Sprs	50	3	C	Dry	Light Brown	1
17AWS197	575332	7016161	Dec	Sprs	50	4	C	Dry	Light Brown	2
17AWS198	575332	7016161	Dec	Sprs	45	4	C	Dry	Light Brown	11
17AWS199	575334	7016209	Dec	Sprs	45	4	C	Dry	Light Brown	1
17AWS200	575335	7016235	Dec	Mod	55	3	C	Dry	Light Brown	3
17AWS201	575329	7016261	Dec	Mod	35	2	C	Dry	Light Brown	1
17AWS202	575334	7016283	Dec	Mod	50	4	C	Dry	Light Brown	5
17AWS203	575335	7016309	Dec	Mod	55	4	C	Dry	Light Brown	6
17AWS204	575330	7016334	Dec	Mod	40	3	C	Dry	Light Brown	2
17AWS205	575332	7016361	Dec	Mod	50	4	C	Dry	Light Brown	2
17AWS206	575332	7016384	Dec	Mod	50	4	C	Dry	Light Brown	5
17AWS207	575327	7016408	Dec	Mod	45	3	C	Dry	Light Brown	2
17AWS208	575331	7016432	Dec	Mod	35	2	C	Dry	Light Brown	1
17AWS209	575333	7016460	Dec	Mod	55	3	C	Dry	Light Brown	1
17AWS210	575333	7016460							17AWS209 Field Duplicate	1
17AWS211	575381	7016460	Dec	Mod	50	3	C	Dry	Light Brown	4
17AWS212	575382	7016383	Dec	Mod	50	4	C	Dry	Light Brown	3
17AWS213	575382	7016334	Dec	Mod	40	3	C	Dry	Light Brown	2
17AWS214	575379	7016286	Dec	Mod	30	2	C	Dry	Light Brown	1
17AWS215	575381	7016241	Dec	Mod	40	2	C	Dry	Light Brown	1
17AWS216	575380	7016185	Dec	Mod	60	3	C	Dry	Light Brown	4
17AWS217	575386	7016136	Dec	Mod	40	3	C	Dry	Light Brown	1
17AWS218	571211	7022457	Con	WF	30	2	C	Moist	Medium Brown	1
17AWS219	571174	7022494	Con	WF	45	3	C	Moist	Medium Brown	1
17AWS220	571135	7022527	Con	WF	50	2	C	Moist	Light Brown	1
17AWS221	571100	7022558	Con	WF	65	3	C	Moist	Light Brown	1
17AWS244	569306	7023708	Con	WF	40	3	C	Moist	Medium Brown	1
17AWS245	569344	7023683	Con	WF	60	3	C	Moist	Medium Brown	3
17AWS246	569395	7023660	Con	WF	70	3	C	Moist	Medium Brown	4
17AWS247	569436	7023636	Con	WF	55	3	C	Moist	Light Brown	<1
17AWS248	569477	7023605	Con	WF	65	4	C	Moist	Light Brown	<1
17AWS249	569521	7023568	Con	WF	45	3	C	Moist	Light Brown	1
17AWS250	569521	7023568							17AWS249 Field Duplicate	1
17AWS251	569553	7023549	Con	WF	60	4	C	Moist	Light Brown	1
17AWS267	570509	7023587	Con	WF	60	3	C	Moist	Medium Brown	1
17AWS281	571092	7023307	Con	WF	50	3	C	Moist	Light Brown	2
17AWS282	571135	7023274	Con	WF	50	3	C	Moist	Medium Brown	1
17AWS283	571177	7023253	Con	WF	60	3	C	Moist	Light Brown	2
17AWS284	571220	7023217	Con	WF	50	2	C	Moist	Light Brown	<1
17AWS285	571254	7023183	Con	WF	80	3	C	Moist	Light Brown	1
17AWS286	571288	7023156	Con	WF	80	4	C	Moist	Light Brown	2
17AWS287	571331	7023125	Con	WF	50	2	C	Moist	Light Brown	4
17AWS288	571366	7023090	Con	WF	70	3	C	Moist	Light Brown	3
17AWS289	571407	7023060	Con	WF	70	3	C	Moist	Light Brown	2

SAMPLE ID	EASTING NAD83Z7	NORTHING NAD83Z7	VEGETATION	VEG INTENSITY	DEPTH (CM)	SAMPLE RATING	HORIZON	MOISTURE	COLOUR	Au (ppb)
17AWS290	571407	7023060							17AWS289 Field Duplicate	2
17AWS291	571438	7023028	Con	WF	30	3	C	Moist	Light Brown	3
17AWS292	571475	7022989	Con	WF	40	3	C	Moist	Light Brown	3
17AWS293	572078	7024278	Con	WF	60	1	A	Moist	Greyish Black	NS
17AWS294	572088	7024227	Con	WF	50	2	C	Moist	Medium Brown	3
17AWS295	572101	7024184	Con	WF	90	1	C	Moist	Dark Brown	2
17AWS296	572099	7024137	Con	WF	40	3	C	Moist	Light Brown	3
17AWS297	572082	7024092	Con	WF	50	4	C	Moist	Light Brown	1
17AWS298	572073	7024040	Con	WF	45	3	C	Moist	Light Brown	2
17AWS299	572066	7023992	Con	WF	45	3	C	Wet	Greyish Brown	1
17AWS300	572067	7023945	Con	WF	50	3	C	Dry	Greyish Brown	1
17AWS301	572083	7023897	Con	WF	95	1	C	Wet	Dark Brown	1
17AWS302	572097	7023846	Con	WF	50	2	C	Moist	Light Brown	1
17AWS303	572107	7023801	Con	WF	40	1	A	Moist	Blackish	1
17AWS304	572117	7023748	Con	WF	70	3	C	Moist	Light Brown	1
17AWS305	572130	7023699	Con	WF	50	4	C	Moist	Light Brown	1
17AWS306	572139	7023650	Con	WF	50	4	C	Moist	Light Brown	3
17AWS307	572153	7023604	Con	WF	40	4	C	Dry	Light Brown	1
17AWS308	571785	7023368	Con	WF	35	4	C	Dry	Light Brown	2
17AWS309	571746	7023401	Con	WF	45	4	C	Dry	Light Brown	1
17AWS310	571746	7023401							17AWS309 Field Duplicate	2
17AWS311	571725	7023443	Con	WF	60	4	C	Wet	Light Brown	2
17AWS312	571698	7023483	Con	WF	45	4	C	Moist	Light Brown	3
17AWS313	571669	7023526	Con	WF	70	1	C	Moist	Greyish Black	2
17AWS314	571644	7023568	Con	WF	45	3	C	Moist	Light Brown	1
17AWS315	571615	7023617	Con	WF	80	3	C	Wet	Medium Brown	2
17AWS316	571590	7023655	Con	WF	65	2	C	Wet	Greyish Black	3
17AWS317	571564	7023698	Con	WF	60	3	C	Moist	Light Brown	2
17AWS318	571544	7023740	Con	WF	60	2	C	Wet	Dark Grey	2
17AWS319	571518	7023785	Con	WF	50	4	C	Wet	Light Brown	1
17AWS320	571492	7023835	Con	WF	40	3	C	Dry	Medium Brown	1
17AWS321	571564	7023698	Con	WF	50	4	C	Dry	Light Brown	1
17AWS322	571449	7023916	Con	WF	25	3	C	Moist	Light Brown	2
17AWS323	571416	7023967	Con	WF	50	4	C	Dry	Light Brown	5
17AWS324	571396	7024005	Con	WF	55	3	C	Dry	Medium Brown	1
17AWS325	571368	7024048	Con	WF	60	4	C	Dry	Medium Brown	<1
17AWS326	571345	7024086	Con	WF	50	4	C	Dry	Light Brown	2
17AWS327	571317	7024127	Con	WF	25	3	C	Moist	Medium Brown	1
17AWS328	571273	7024168	Con	WF	50	4	C	Dry	Light Brown	1
17AWS329	571248	7024212	Con	WF	60	3	C	Moist	Light Brown	4
17AWS330	571248	7024212							17AWS329 Field Duplicate	4
17AWS331	571333	7024166	Con	WF	50	3	C	Moist	Light Brown	1
17AWS332	571376	7024184	Con	WF	55	3	C	Moist	Medium Brown	1
17AWS333	571413	7024215	Con	WF	60	4	C	Dry	Grey Brown	5
17AWS334	571460	7024248	Con	WF	65	4	C	Moist	Light Brown	2
17AWS335	571493	7024282	Con	WF	45	3	C	Moist	Medium Brown	1
17AWS336	571522	7024320	Con	WF	50	4	C	Moist	Light Brown	2
17AWS337	571552	7024358	Con	WF	40	3	C	Dry	Light Brown	1
17AWS338	571586	7024396	Con	WF	50	3	C	Moist	Light Brown	2
17AWS339	571615	7024434	Con	WF	35	3	C	Moist	Light Brown	2
17AWS340	571656	7024465	Con	WF	35	3	C	Moist	Light Brown	4
17AWS341	571698	7024484	Con	WF	40	3	C	Moist	Medium Brown	3
17AWS342	571745	7024501	Con	WF	40	3	C	Moist	Light Brown	1
17AWS343	571780	7024531	Con	WF	40	3	C	Dry	Light Brown	6
17AWS344	571807	7024575	Con	WF	40	3	C	Moist	Light Brown	4
17AWS345	571841	7024617	Con	WF	40	3	C	Moist	Light Brown	3
17AWS346	571872	7024652	Con	WF	40	3	C	Moist	Medium Brown	5
17AWS347	571910	7024689	Con	WF	40	3	C	Moist	Grey Brown	4
17AWS348	571944	7024725	Con	WF	40	3	C	Moist	Grey Brown	2
17AWS349	571984	7024753	Con	WF	75	4	C	Dry	Grey Brown	3

SAMPLE ID	EASTING NAD83Z7	NORTHING NAD83Z7	VEGETATION	VEG INTENSITY	DEPTH (CM)	SAMPLE RATING	HORIZON	MOISTURE	COLOUR	Au (ppb)
17AWS350	571984	7024753				17AWS349 Field Duplicate				3
17AWS351	571213	7024239	Con	WF	45	3	C	Moist	Medium Brown	4
17AWS352	571181	7024277	Con	WF	45	3	C	Moist	Light Brown	2
17AWS353	571139	7024315	Con	WF	50	3	C	Moist	Medium Brown	5
17AWS354	571106	7024345	Con	WF	60	3	C	Moist	Light Brown	2
17AWS355	571066	7024382	Con	WF	60	4	C	Moist	Light Brown	9
17AWS356	571033	7024398	Con	WF	70	3	C	Moist	Medium Brown	4
17AWS357	570983	7024450	Con	WF	40	3	C	Moist	Light Brown	2
17AWS358	570973	7024498	Con	WF	40	3	C	Wet	Light Brown	5
17AWS359	570963	7024543	Con	WF	75	4	C	Moist	Medium Brown	<1
17AWS360	570960	7024589	Con	WF	50	4	C	Moist	Light Brown	1
17AWS361	570966	7024641	Con	WF	35	3	C	Moist	Light Brown	1
17AWS362	570964	7024681	Con	WF	50	3	C	Moist	Light Brown	2
17AWS363	570971	7024733	Con	WF	60	4	C	Moist	Medium Brown	3
17AWS364	570965	7024789	Con	WF	50	4	C	Moist	Light Brown	2
17AWS365	570956	7024834	Con	WF	55	4	C	Moist	Light Brown	1
17AWS366	570923	7024873	Con	WF	60	4	C	Moist	Light Brown	2
17AWS367	570894	7024911	Con	WF	50	4	C	Moist	Light Brown	3
17AWS368	570861	7024951	Con	WF	40	3	C	Moist	Medium Brown	1
17AWS369	570830	7024996	Con	WF	30	3	C	Moist	Light Brown	8
17AWS370	570830	7024996				17AWS369 Field Duplicate				8
17AWS371	570797	7025026	Con	WF	45	3	C	Moist	Light Brown	2
17AWS372	570030	7024923	Con	WF	30	3	C	Dry	Light Brown	1
17AWS373	570005	7024877	Con	WF	35	4	C	Dry	Light Brown	1
17AWS374	569973	7024841	Con	WF	35	4	C	Dry	Light Brown	7
17AWS375	569946	7024801	Con	WF	50	4	C	Dry	Light Brown	2
17AWS376	569921	7024756	Con	WF	25	3	C	Dry	Light Brown	2
17AWS377	569898	7024712	Con	WF	45	4	C	Dry	Light Brown	4
17AWS378	569867	7024673	Con	WF	50	4	C	Dry	Light Brown	1
17AWS379	569840	7024630	Con	WF	50	4	C	Dry	Light Brown	1
17AWS380	569816	7024588	Con	WF	35	4	C	Dry	Light Brown	1
17AWS381	569800	7024539	Con	WF	50	4	C	Dry	Light Brown	2
17AWS382	569791	7024494	Con	WF	50	4	C	Dry	Light Brown	1
17AWS383	569801	7024444	Con	WF	50	4	C	Dry	Light Brown	2
17AWS384	569815	7024394	Con	WF	60	4	C	Dry	Greyish Brown	1
17AWS385	569795	7024349	Con	WF	65	4	C	Dry	Light Brown	2
17AWS386	569771	7024310	Con	WF	35	3	C	Dry	Light Brown	3
17AWS387	569744	7024266	Con	WF	45	3	C	Dry	Light Brown	2
17AWS388	569717	7024224	Con	WF	45	3	C	Dry	Medium Brown	1
17AWS389	570948	7024414	Con	WF	60	3	C	Moist	Light Brown	4
17AWS390	570948	7024414				17AWS389 Field Duplicate				3
17AWS391	570918	7024379	Con	WF	35	3	C	Moist	Medium Brown	2
17AWS392	570881	7024343	Con	WF	40	3	C	Moist	Medium Brown	2
17AWS393	570849	7024304	Con	WF	45	4	C	Dry	Light Brown	1
17AWS394	570816	7024267	Con	WF	35	3	C	Moist	Light Brown	1
17AWS395	570781	7024233	Con	WF	40	3	C	Dry	Light Brown	<1
17AWS396	570746	7024195	Con	WF	30	3	C	Dry	Light Brown	1
17AWS397	570698	7024180	Con	WF	30	4	C	Dry	Light Brown	1
17AWS398	570652	7024163	Con	WF	40	4	C	Dry	Light Brown	2
17AWS399	570601	7024146	Con	WF	50	4	C	Dry	Light Brown	2
17AWS400	570557	7024130	Con	WF	35	4	C	Dry	Light Brown	1
17AWS401	570511	7024114	Con	WF	35	3	C	Dry	Light Brown	2
17AWS402	570461	7024104	Con	WF	35	4	C	Dry	Light Brown	1
17AWS403	570410	7024085	Con	WF	50	3	C	Dry	Light Brown	2
17AWS404	570362	7024070	Con	WF	30	4	C	Dry	Light Brown	1
17AWS405	570317	7024064	Con	WF	30	3	C	Dry	Light Brown	4
17AWS406	570263	7024061	Con	WF	45	3	C	Dry	Light Brown	2
17AWS407	570214	7024060	Con	WF	35	3	C	Dry	Light Brown	1
17AWS408	570165	7024059	Con	WF	40	3	C	Dry	Light Brown	1
17AWS409	570116	7024059	Con	WF	45	4	C	Dry	Light Brown	1

SAMPLE ID	EASTING NAD83Z7	NORTHING NAD83Z7	VEGETATION	VEG INTENSITY	DEPTH (CM)	SAMPLE RATING	HORIZON	MOISTURE	COLOUR	Au (ppb)
17AWS410	570116	7024059							17AWS409 Field Duplicate	1
17AWS411	570059	7024060	Con	WF	30	3	C	Dry	Light Brown	1
17AWS412	570013	7024060	Con	WF	40	4	C	Dry	Light Brown	4
17AWS413	569965	7024059	Con	WF	50	3	C	Dry	Medium Brown	3
17AWS414	569919	7024053	Con	WF	50	3	C	Dry	Light Brown	1
17AWS415	569865	7024044	Con	WF	55	3	C	Dry	Medium Brown	2
17AWS416	568070	7028358	Con	WF	40	2	C	Wet	Dark Brown	4
17AWS417	568071	7028409	Con	WF	100	5	C	Wet	Medium Brown	2
17AWS418	568074	7028460	Con	WF	60	4	C	Moist	Medium Brown	2
17AWS419	568075	7028510	Con	WF	65	3	C	Dry	Light Brown	1
17AWS420	568075	7028560	Con	WF	50	4	C	Dry	Light Brown	2
17AWS421	568075	7028610	Con	WF	50	3	C	Moist	Light Brown	2
17AWS422	568428	7028157	Con	WF	65	2	C	Moist	Light Brown	1
17AWS423	568425	7028207	Con	WF	45	3	C	Moist	Medium Brown	3
17AWS424	568426	7028258	Con	WF	40	2	C	Moist	Light Brown	2
17AWS425	568425	7028309	Con	WF	40	3	C	Dry	Light Brown	1
17AWS426	568376	7028333	Con	WF	40	2	C	Dry	Medium Brown	2
17AWS427	568376	7028358	Con	WF	30	3	C	Dry	Light Brown	<1
17AWS428	568375	7028382	Con	WF	40	3	C	Dry	Light Brown	2
17AWS429	568373	7028407	Con	WF	30	3	C	Dry	Medium Brown	1
17AWS430	568373	7028407							17AWS429 Field Duplicate	3
17AWS431	568376	7028432	Con	WF	50	4	C	Wet	Grey Brown	2
17AWS432	568374	7028457	Con	WF	50	3	C	Moist	Light Brown	2
17AWS433	568373	7028480	Con	WF	40	2	C	Moist	Medium Brown	2
17AWS434	568374	7028506	Con	WF	40	4	C	Moist	Light Brown	3
17AWS435	568374	7028554	Con	WF	50	3	C	Moist	Medium Brown	1
17AWS436	568375	7028608	Con	WF	40	3	C	Dry	Medium Brown	2
17AWS437	568376	7028657	Con	WF	35	3	C	Moist	Light Brown	2
17AWS438	568374	7028707	Con	WF	45	4	C	Moist	Light Brown	2
17AWS439	568376	7028757	Con	WF	40	4	C	Moist	Light Brown	3
17AWS440	568429	7028487	Con	WF	50	3	C	Dry	Medium Brown	2
17AWS441	568427	7028463	Con	WF	35	4	C	Dry	Light Brown	4
17AWS442	568426	7028438	Con	WF	35	4	C	Dry	Light Brown	1
17AWS443	568424	7028412	Con	WF	35	3	C	Dry	Light Brown	1
17AWS444	568427	7028388	Con	WF	30	3	C	Dry	Light Brown	4
17AWS445	568428	7028365	Con	WF	50	4	C	Moist	Light Brown	2
17AWS446	568430	7028339	Con	WF	30	4	C	Dry	Light Brown	1
17AWS447	568473	7028331	Con	WF	35	3	C	Moist	Medium Brown	3
17AWS448	568475	7028360	Con	WF	40	3	C	Dry	Light Brown	2
17AWS449	568474	7028382	Con	WF	55	4	C	Dry	Light Brown	2
17AWS450	568474	7028382							17AWS449 Field Duplicate	2
17AWS451	568474	7028410	Con	WF	50	3	C	Dry	Light Brown	2
17AWS452	568474	7028430	Con	WF	40	3	C	Dry	Light Brown	2
17AWS453	568474	7028441	Con	WF	25	3	C	Dry	Light Brown	1
17AWS454	568475	7028483	Con	WF	50	3	C	Dry	Light Brown	1
17AWS455	568474	7028510	Con	WF	30	3	C	Dry	Light Brown	1
17AWS456	568475	7028556	Con	WF	30	3	C	Dry	Medium Brown	1
17AWS457	568475	7028610	Con	WF	60	4	C	Dry	Light Brown	1
17AWS458	568477	7028659	Con	WF	35	2	C	Dry	Light Brown	1
17AWS459	568475	7028710	Con	WF	30	3	C	Dry	Light Brown	1
17AWS460	568474	7028760	Con	WF	40	2	C	Wet	Light Brown	2
17AWS461	568569	7028759	Con	WF	35	3	C	Wet	Light Brown	2
17AWS462	568574	7028713	Con	WF	50	3	C	Dry	Light Brown	2
17AWS463	568575	7028664	Con	WF	40	2	C	Moist	Medium Brown	1
17AWS464	568581	7028618	Con	WF	55	3	C	Dry	Light Brown	1
17AWS465	568576	7028564	Con	WF	60	4	C	Dry	Light Brown	2
17AWS466	568574	7028515	Con	WF	50	3	C	Dry	Light Brown	2
17AWS467	568577	7028486	Con	WF	50	4	C	Dry	Light Brown	1
17AWS468	568576	7028462	Con	WF	50	4	C	Dry	Light Brown	8
17AWS469	568575	7028435	Con	WF	50	3	C	Dry	Medium Brown	1

SAMPLE ID	EASTING NAD83Z7	NORTHING NAD83Z7	VEGETATION	VEG INTENSITY	DEPTH (CM)	SAMPLE RATING	HORIZON	MOISTURE	COLOUR	Au (ppb)
17AWS470	568575	7028435							17AWS469 Field Duplicate	5
17AWS471	568578	7028412	Con	WF	50	3	C	Dry	Medium Brown	2
17AWS472	568575	7028385	Con	WF	65	4	C	Moist	Light Brown	4
17AWS473	568574	7028362	Con	WF	45	3	C	Moist	Medium Brown	2
17AWS474	568624	7028360	Con	WF	65	1	A	Moist	Blackish	6
17AWS475	568623	7028381	Con	WF	95	1	B	Moist	Blackish Grey	4
17AWS476	568625	7028410	Con	WF	40	2	C	Moist	Dark Brown	3
17AWS477	568626	7028434	Con	WF	55	3	C	Dry	Light Brown	1
17AWS478	568627	7028440	Con	WF	40	4	C	Dry	Greyish Brown	3
17AWS479	568621	7028483	Con	WF	40	2	C	Dry	Medium Brown	<1
17AWS480	568827	7028356	Con	WF	40	3	C	Dry	Medium Brown	4
17AWS481	568827	7028385	Con	WF	70	1	B	Moist	Dark Brown	3
17AWS482	568826	7028411	Con	WF	80	2	C	Moist	Greyish Brown	3
17AWS483	568822	7028436	Con	WF	80	2	C	Wet	Greyish Brown	3
17AWS484	568827	7028459	Con	WF	65	2	C	Wet	Greyish Brown	4
17AWS485	568725	7028487	Con	WF	70	2	C	Wet	Greyish Brown	4
17AWS486	568720	7028459	Con	WF	70	3	C	Moist	Greyish Brown	3
17AWS487	568723	7028429	Con	WF	50	2	C	Moist	Greyish Brown	9
17AWS488	568728	7028410	Con	WF	50	3	C	Dry	Medium Brown	5
17AWS489	568724	7028388	Con	WF	50	3	C	Dry	Light Brown	5
17AWS490	568724	7028388							17AWS489 Field Duplicate	6
17AWS491	568726	7028363	Con	WF	55	3	C	Dry	Light Brown	2
17AWS492	568525	7028364	Con	WF	50	3	C	Dry	Light Brown	4
17AWS493	568528	7028386	Con	WF	40	4	C	Dry	Light Brown	5
17AWS494	568525	7028409	Con	WF	45	3	C	Dry	Medium Brown	1
17AWS495	568528	7028437	Con	WF	40	3	C	Dry	Light Brown	1
17AWS496	568532	7028464	Con	WF	40	3	C	Moist	Medium Brown	1
17AWS497	568534	7028482	Con	WF	45	4	C	Dry	Light Brown	3
17AWS498	568078	7028665	Con	WF	55	3	C	Dry	Medium Brown	2
17AWS499	568069	7028754	Con	WF	35	3	C	Wet	Medium Brown	3
17AWS500	568166	7028752	Con	WF	55	3	C	Wet	Medium Brown	2
17AWS501	568173	7028708	Con	WF	60	3	C	Wet	Medium Brown	1
17AWS502	568177	7028668	Con	WF	45	3	C	Wet	Light Brown	2
17AWS503	568173	7028615	Con	WF	40	3	C	Wet	Light Brown	2
17AWS504	568176	7028566	Con	WF	45	3	C	Wet	Medium Brown	3
17AWS505	568775	7028514	Con	WF	30	2	C	Moist	Medium Brown	3
17AWS506	568183	7028461	Con	WF	45	4	C	Dry	Light Brown	1
17AWS507	568188	7028405	Con	WF	40	4	C	Dry	Light Brown	2
17AWS508	568181	7028370	Con	WF	35	3	C	Moist	Greyish Brown	4
17AWS509	569027	7028213	Con	WF	50	3	C	Moist	Greyish Brown	7
17AWS510	569027	7028213							17AWS509 Field Duplicate	2
17AWS511	569020	7028185	Con	WF	50	3	C	Dry	Light Brown	1
17AWS512	569017	7028162	Con	WF	45	3	C	Dry	Light Brown	3
17AWS513	569019	7028134	Con	WF	35	3	C	Dry	Light Brown	4
17AWS514	569021	7028114	Con	WF	55	2	C	Dry	Dark Brown	5
17AWS515	569018	7028086	Con	WF	40	3	C	Dry	Light Brown	2
17AWS516	569022	7028060	Con	WF	40	3	C	Moist	Medium Brown	2
17AWS517	569021	7028034	Con	WF	40	3	C	Dry	Light Brown	2
17AWS518	569016	7028006	Con	WF	50	2	C	Moist	Greyish Brown	11
17AWS519	569017	7027980	Con	WF	50	3	C	Moist	Greyish Brown	6
17AWS520	569022	7027961	Con	WF	50	3	C	Moist	Light Brown	2
17AWS521	569020	7027938	Con	WF	45	3	C	Moist	Greyish Brown	3
17AWS522	569021	7027906	Con	WF	35	3	C	Moist	Light Brown	4
17AWS523	569023	7027886	Con	WF	35	4	C	Moist	Greyish Brown	5
17AWS524	569019	7027857	Con	WF	35	4	C	Dry	Light Brown	2
17AWS525	569028	7027841	Con	WF	45	3	C	Moist	Greyish Brown	3
17AWS526	568971	7027762	Con	WF	50	3	C	Dry	Light Brown	4
17AWS527	568975	7027710	Con	WF	45	4	C	Moist	Light Brown	3
17AWS528	568971	7027662	Con	WF	60	4	C	Dry	Medium Brown	2
17AWS529	568966	7027557	Con	WF	40	4	C	Dry	Light Brown	3

SAMPLE ID	EASTING NAD83Z7	NORTHING NAD83Z7	VEGETATION	VEG INTENSITY	DEPTH (CM)	SAMPLE RATING	HORIZON	MOISTURE	COLOUR	Au (ppb)
17AWS530	568966	7027557							17AWS529 Field Duplicate	2
17AWS531	568973	7027611	Con	WF	35	3	C	Dry	Light Brown	3
17AWS532	569128	7027833	Con	WF	55	3	C	Dry	Greyish Brown	2
17AWS533	569122	7027857	Con	WF	40	2	C	Dry	Greyish Brown	3
17AWS534	569124	7027881	Con	WF	35	2	C	Dry	Greyish Brown	3
17AWS535	569123	7027911	Con	WF	45	3	C	Moist	Greyish Brown	2
17AWS536	569123	7027934	Con	WF	55	4	C	Moist	Greyish Brown	5
17AWS537	569126	7027955	Con	WF	65	1	B/A	Moist	Blackish	4
17AWS538	569126	7027986	Con	WF	60	2	C	Moist	Greyish Brown	3
17AWS539	569123	7028008	Con	WF	80	2	C	Moist	Greyish Brown	4
17AWS540	569123	7028032	Con	WF	70	2	C	Moist	Greyish Brown	4
17AWS541	569122	7028054	Con	WF	55	4	C	Dry	Greyish Brown	4
17AWS542	569126	7028089	Con	WF	55	2	C	Moist	Greyish Brown	3
17AWS543	569167	7028035	Con	WF	60	2	C	Moist	Greyish Brown	4
17AWS544	569172	7028009	Con	WF	35	2	C	Dry	Greyish Brown	3
17AWS545	569175	7027986	Con	WF	40	2	C	Moist	Greyish Brown	3
17AWS546	569173	7027959	Con	WF	40	2	C	Moist	Greyish Brown	6
17AWS547	569171	7027935	Con	WF	45	3	C	Dry	Greyish Brown	3
17AWS548	569167	7027904	Con	WF	50	3	C	Moist	Greyish Brown	1
17AWS549	569174	7027810	Con	WF	55	3	C	Moist	Greyish Brown	5
17AWS550	569174	7027810							17AWS549 Field Duplicate	3
17AWS551	569172	7027885	Con	WF	60	3	C	Moist	Greyish Brown	4
17AWS552	569170	7027859	Con	WF	55	3	C	Dry	Greyish Brown	5
17AWS553	569166	7027834	Con	WF	60	3	C	Moist	Greyish Brown	4
17AWS554	569171	7027760	Con	WF	40	4	C	Moist	Greyish Brown	2
17AWS555	569176	7027709	Con	WF	40	3	C	Dry	Greyish Brown	1
17AWS556	569173	7027656	Con	WF	45	4	C	Dry	Greyish Brown	3
17AWS557	569173	7027609	Con	WF	50	4	C	Dry	Greyish Brown	3
17AWS558	569171	7027553	Con	WF	40	4	C	Dry	Greyish Brown	1
17AWS559	569174	7027508	Con	WF	35	4	C	Dry	Light Brown	1
17AWS560	569271	7027504	Con	WF	30	3	C	Dry	Light Brown	2
17AWS561	569274	7027557	Con	WF	40	4	C	Dry	Light Brown	4
17AWS562	569276	7027611	Con	WF	40	3	C	Dry	Light Brown	6
17AWS563	569272	7027657	Con	WF	50	3	C	Dry	Greyish Brown	2
17AWS564	569272	7027459	Con	WF	45	4	C	Dry	Light Brown	2
17AWS565	569274	7027411	Con	WF	50	4	C	Dry	Light Brown	1
17AWS566	569273	7027362	Con	WF	60	4	C	Dry	Light Brown	2
17AWS567	569271	7027312	Con	WF	30	3	C	Dry	Light Brown	2
17AWS568	569271	7027262	Con	WF	60	3	C	Moist	Light Brown	1
17AWS569	569172	7027405	Con	WF	35	3	C	Dry	Light Brown	3
17AWS570	569172	7027405							17AWS569 Field Duplicate	1
17AWS571										3
17AWS572	569274	7027158	Con	WF	50	3	C	Wet	Light Brown	2
17AWS573	569171	7027258	Con	WF	30	3	C	Dry	Light Brown	1
17AWS574	569173	7027310	Con	WF	40	4	C	Dry	Light Brown	2
17MFS001	574235	7016231	Con	Mod	35	3	C	Dry	Light Brown	3
17MFS002	568874	7028407	Con	WF	70	2	C	Wet	Dark Brown	2
17MFS003	568875	7028385	Con	WF	65	2	C	Wet	Dark Brown	4
17MFS004	568876	7028363	Con	WF	75	2	C	Wet	Dark Brown	3
17MFS005	568773	7028360	Con	WF	45	3	C	Wet	Medium Brown	2
17MFS006	568775	7028384	Con	WF	50	3	C	Moist	Medium Brown	3
17MFS007	568773	7028411	Con	WF	75	3	C	Moist	Light Brown	3
17MFS008	568773	7028433	Con	WF	80	2	C	Wet	Medium Brown	2
17MFS009	568775	7028456	Con	WF	110	3	C	Wet	Grey Black	8
17MFS010	568775	7028456							17MFS009 Field Duplicate	11
17MFS011	568775	7028483	Con	WF	120	5	C	Dry	Grey	3
17MFS012	568776	7028508	Con	WF	120	4	C	Wet	Medium Brown	3
17MFS013	568673	7028707	Con	WF	50	3	C	Wet	Medium Grey	2
17MFS014	568677	7028662	Con	WF	40	4	C	Dry	Light Brown	2
17MFS015	568676	7028610	Con	WF	50	4	C	Dry	Light Brown	1

SAMPLE ID	EASTING NAD83Z7	NORTHING NAD83Z7	VEGETATION	VEG INTENSITY	DEPTH (CM)	SAMPLE RATING	HORIZON	MOISTURE	COLOUR	Au (ppb)
17MFS016	568675	7028563	Con	WF	60	3	C	Moist	Light Brown	2
17MFS017	568673	7028513	Con	WF	65	3	C	Wet	Light Brown	3
17MFS018	568674	7028488	Con	WF	40	3	C	Moist	Medium Brown	1
17MFS019	568677	7028462	Con	WF	50	2	C	Wet	Dark Brown	6
17MFS020	568677	7028438	Con	WF	60	2	C	Wet	Dark Brown	3
17MFS021	568677	7028411	Con	WF	95	3	C	Wet	Dark Grey	4
17MFS022	568677	7028387	Con	WF	65	2	C	Wet	Dark Brown	8
17MFS023	568678	7028361	Con	WF	80	2	C	Wet	Dark Brown	5
17MFS024	568074	7028708	Con	WF	100	2	C	Wet	Medium Brown	2
17MFS025	568271	7028756	Con	WF	45	3	C	Dry	Light Brown	1
17MFS026	568275	7028713	Con	WF	50	2	C	Moist	Medium Brown	1
17MFS027	568277	7028659	Con	WF	40	4	C	Dry	Light Brown	2
17MFS028	568273	7028613	Con	WF	35	3	C	Moist	Medium Brown	1
17MFS029	568276	7028562	Con	WF	70	4	C	Moist	Light Brown	1
17MFS030	568276	7028562							17MFS029 Field Duplicate	<1
17MFS031	568272	7028513	Con	WF	50	4	C	Moist	Light Brown	1
17MFS032	568274	7028463	Con	WF	50	3	C	Moist	Light Brown	2
17MFS033	568280	7028414	Con	WF	60	3	C	Moist	Light Brown	1
17MFS034	568273	7028365	Con	WF	40	3	C	Dry	Light Brown	1
17MFS035	568271	7028316	Con	WF	80	3	C	Moist	Brown Grey	11
17MFS036	568973	7028258	Con	WF	70	2	C	Wet	Dark Brown	3
17MFS037	568974	7028230	Con	WF	60	4	C	Dry	Light Brown	1
17MFS038	568973	7028210	Con	WF	40	3	C	Dry	Light Brown	1
17MFS039	568975	7028187	Con	WF	60	3	C	Dry	Light Brown	9
17MFS040	568975	7028161	Con	WF	45	3	C	Dry	Light Brown	3
17MFS041	568976	7028134	Con	WF	55	4	C	Dry	Light Brown	7
17MFS042	568974	7028112	Con	WF	65	3	C	Dry	Light Brown	3
17MFS043	568975	7028088	Con	WF	60	3	C	Dry	Light Brown	2
17MFS044	568977	7028058	Con	WF	55	3	C	Dry	Light Brown	32
17MFS045	568974	7028034	Con	WF	40	3	C	Dry	Light Brown	1
17MFS046	568974	7028012	Con	WF	50	3	C	Dry	Light Brown	4
17MFS047	568973	7027986	Con	WF	70	2	C	Moist	Medium Brown	12
17MFS048	568971	7027960	Con	WF	65	3	C	Moist	Medium Brown	3
17MFS049	568974	7027935	Con	WF	55	4	C	Dry	Light Brown	3
17MFS050	568974	7027935							17MFS049 Field Duplicate	6
17MFS051	568974	7027911	Con	WF	35	3	C	Dry	Light Brown	3
17MFS052	568978	7027885	Con	WF	45	3	C	Dry	Light Brown	2
17MFS053	568974	7027860	Con	WF	65	4	C	Dry	Light Brown	3
17MFS054	568975	7027833	Con	WF	60	4	C	Dry	Light Brown	8
17MFS055	568975	7027812	Con	WF	60	4	C	Dry	Light Brown	3
17MFS056	569072	7027806	Con	WF	45	3	C	Dry	Light Brown	4
17MFS057	569072	7027830	Con	WF	40	2	C	Dry	Medium Brown	7
17MFS058	569073	7027854	Con	WF	40	3	C	Moist	Medium Brown	19
17MFS059	569072	7028131	Con	WF	90	2	C	Wet	Dark Brown	11
17MFS060	569075	7028111	Con	WF	75	4	C	Wet	Medium Brown	4
17MFS061	569076	7028084	Con	WF	65	3	C	Wet	Medium Grey Brown	6
17MFS062	569075	7028057	Con	WF	120	5	C	Moist	Grey	4
17MFS063	569070	7028036	Con	WF	90	5	C	Moist	Medium Grey	2
17MFS064	569073	7028011	Con	WF	65	2	C	Wet	Brown Grey	5
17MFS065	569072	7027984	Con	WF	65	3	C	Wet	Medium Brown	12
17MFS066	569071	7027962	Con	WF	65	2	C	Wet	Dark Brown	5
17MFS067	569076	7027934	Con	WF	70	3	C	Moist	Light Brown	7
17MFS068	569070	7027903	Con	WF	90	3	C	Wet	Medium Brown	6
17MFS069	569073	7027558	Con	WF	30	4	C	Dry	Light Brown	1
17MFS070	569073	7027558							17MFS069 Field Duplicate	1
17MFS071	569071	7027883	Con	WF	45	4	C	Dry	Light Brown	4
17MFS072	569075	7027763	Con	WF	45	3	C	Dry	Medium Brown	3
17MFS073	569074	7027710	Con	WF	35	2	C	Moist	Medium Brown	1
17MFS074	569075	7027661	Con	WF	45	3	C	Dry	Light Brown	4
17MFS075	569070	7027613	Con	WF	40	3	C	Dry	Medium Brown	2

SAMPLE ID	EASTING NAD83Z7	NORTHING NAD83Z7	VEGETATION	VEG INTENSITY	DEPTH (CM)	SAMPLE RATING	HORIZON	MOISTURE	COLOUR	Au (ppb)
17MFS076	569370	7027510	Con	WF	25	4	C	Wet	Light Brown	1
17MFS077	569371	7027557	Con	WF	60	4	C	Dry	Light Brown	1
17MFS078	569372	7027606	Con	WF	40	3	C	Dry	Light Brown	1
17MFS079	569370	7027659	Con	WF	65	3	C	Dry	Light Brown	4
17MFS080	569375	7027708	Con	WF	60	3	C	Dry	Medium Brown	4
17MFS081	569373	7027760	Con	WF	120	2	C	Wet	Dark Brown	4
17MFS082	569273	7027856	Con	WF	100	3	C	Wet	Medium Brown	3
17MFS083	569275	7027812	Con	WF	50	2	C	Moist	Dark	3
17MFS084	569273	7027760	Con	WF	45	3	C	Dry	Medium Brown	1
17MFS085	569272	7027711	Con	WF	45	3	C	Moist	Medium Brown	2
17MFS086	569369	7027458	Con	WF	40	3	C	Dry	Light Brown	2
17MFS087	569373	7027410	Con	WF	45	3	C	Dry	Light Brown	1
17MFS088	569370	7027360	Dec	Sprs	35	4	C	Dry	Light Brown	2
17MFS089	569174	7027455	Dec	Sprs	35	3	C	Dry	Light Brown	2
17MFS090	569174	7027455	17MFS089 Field Duplicate							2
17MFS091	569374	7027311	Dec	Sprs	40	2	C	Dry	Light Brown	1
17MFS092	569375	7027259	Dec	Sprs	75	4	C	Dry	Light Brown	5
17MFS093	569372	7027211	Con	Mod	30	3	C	Dry	Light Brown	2
17MFS094	569370	7027160	Dec	WF	55	3	C	Wet	Dark Brown	3
17MFS095	569174	7027165	Con	WF	50	3	C	Moist	Light Brown	6
17MFS096	569170	7027204	Con	WF	45	3	C	Moist	Medium Brown	3
17MFS097	569175	7027358	Con	WF	30	3	C	Dry	Light Brown	1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: 1
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 18-NOV-2017
Account: COMSTOM

CERTIFICATE WH17231001

Project: QV
P.O. No.: 17-QV-04
This report is for 206 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-OCT-2017.

The following have access to data associated with this certificate:

CHRIS LIVINGSTONE

KRIS RAFFLE

DAVID TERRY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
AuME-TL43	25g Trace Au + Multi Element PKG	ICP-MS

To: COMSTOCK METALS LTD.
ATTN: CHRIS LIVINGSTONE
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS001		0.47	0.003	0.13	1.87	11.4	<10	610	0.97	0.26	0.49	0.08	79.8	9.3	26	1.53
17AWS002		0.50	0.004	0.14	1.67	12.0	<10	760	0.78	0.20	0.49	0.09	41.3	10.2	31	0.64
17AWS003		0.45	0.002	0.10	1.54	11.3	10	670	0.64	0.18	0.41	0.09	32.0	9.2	31	0.36
17AWS004		0.43	0.002	0.04	1.36	13.2	10	480	0.64	0.17	0.50	0.08	36.4	9.8	30	0.53
17AWS005		0.34	0.003	0.05	1.04	9.4	10	770	0.80	0.22	0.42	0.16	36.0	6.6	18	0.54
17AWS006		0.34	0.002	0.05	1.33	9.5	10	410	0.53	0.19	0.45	0.08	28.8	8.3	28	0.44
17AWS008		0.28	0.002	0.05	1.49	9.4	10	450	0.42	0.14	0.43	0.09	23.1	8.8	30	0.28
17AWS009		0.23	0.002	0.04	1.51	11.7	10	380	0.61	0.15	0.44	0.06	30.4	10.8	34	0.36
17AWS010		0.29	0.002	0.09	1.47	8.5	10	490	0.47	0.14	0.41	0.08	25.3	8.3	26	0.38
17AWS011		0.26	0.002	0.06	1.45	7.9	10	370	0.41	0.18	0.47	0.08	24.5	7.7	23	0.65
17AWS012		0.26	0.003	0.04	1.51	7.7	10	440	0.51	0.15	0.57	0.10	26.6	7.1	26	0.38
17AWS013		0.28	0.004	0.04	1.58	8.3	10	460	0.41	0.15	0.59	0.10	21.2	7.0	26	0.33
17AWS014		0.28	0.001	0.04	1.48	8.8	10	470	0.44	0.18	0.48	0.10	30.0	8.7	24	0.58
17AWS015		0.23	0.001	0.06	1.43	7.7	10	510	0.44	0.16	0.44	0.06	22.1	7.1	25	0.37
17AWS016		0.41	0.005	0.07	1.51	11.1	10	510	0.66	0.14	0.44	0.06	31.2	9.1	29	0.49
17AWS017		0.34	0.002	0.07	1.55	7.9	10	550	0.55	0.16	0.41	0.16	28.1	10.5	31	0.38
17AWS018		0.32	0.002	0.08	1.48	10.0	10	520	0.48	0.14	0.36	0.09	27.3	9.9	32	0.39
17AWS019		0.29	0.001	0.10	1.58	8.2	10	540	0.55	0.14	0.50	0.10	37.0	9.6	30	0.51
17AWS020		0.38	0.001	0.07	1.54	8.0	10	580	0.65	0.15	0.53	0.08	47.2	10.4	27	1.00
17AWS021		0.25	0.002	0.06	1.53	11.6	10	530	0.71	0.14	0.45	0.08	34.9	9.5	31	0.41
17AWS022		0.36	0.002	0.06	1.57	11.5	10	590	1.03	0.12	0.44	0.07	42.4	7.9	26	0.85
17AWS023		0.31	0.002	0.08	1.76	10.4	10	490	0.67	0.14	0.45	0.07	43.3	9.7	32	0.54
17AWS024		0.33	0.001	0.08	1.22	5.5	10	530	0.39	0.11	0.48	0.10	33.7	8.1	23	0.67
17AWS025		0.33	0.001	0.05	1.37	12.5	10	370	0.48	0.13	0.36	0.08	29.2	9.3	30	0.51
17AWS026		0.22	0.001	0.06	1.48	8.1	10	570	0.53	0.14	0.36	0.11	32.5	9.6	29	0.52
17AWS027		0.25	0.003	0.04	1.43	12.1	10	380	0.59	0.14	0.40	0.08	34.0	10.0	32	0.38
17AWS028		0.31	0.001	0.04	1.54	9.5	10	500	0.39	0.14	0.43	0.07	19.75	8.3	30	0.33
17AWS029		0.34	0.001	0.05	1.56	11.7	10	430	0.63	0.15	0.44	0.05	31.7	9.6	31	0.35
17AWS030		0.28	0.001	0.09	1.12	6.1	10	390	0.29	0.13	0.39	0.13	17.05	6.0	22	0.29
17AWS031		0.22	0.002	0.09	1.07	6.3	10	380	0.27	0.13	0.37	0.12	16.25	6.1	21	0.27
17AWS032		0.15	0.001	0.08	1.46	7.3	10	590	0.50	0.15	0.59	0.18	28.9	9.4	25	0.35
17AWS033		0.22	0.003	0.08	1.64	10.1	10	460	0.56	0.20	0.59	0.09	34.4	8.9	27	0.52
17AWS034		0.29	0.004	0.06	1.61	12.4	10	460	0.67	0.16	0.64	0.06	34.7	9.6	29	0.35
17AWS035		0.25	0.001	0.05	1.72	9.3	10	430	0.51	0.15	0.37	0.05	23.9	8.7	32	0.37
17AWS036		0.23	0.003	0.04	1.43	14.1	10	480	0.59	0.15	0.45	0.10	31.8	11.3	31	0.45
17AWS037		0.28	0.001	0.06	2.28	12.6	10	600	0.80	0.10	0.47	0.09	34.7	16.0	97	3.18
17AWS038		0.27	0.002	0.06	2.03	8.0	10	600	1.13	0.14	0.49	0.09	94.4	6.9	17	2.58
17AWS039		0.25	0.004	0.13	1.65	14.6	10	470	0.87	0.23	0.53	0.15	42.1	10.2	28	0.79
17AWS040		0.24	0.002	0.07	1.52	7.8	10	520	0.71	0.19	0.42	0.11	36.7	9.0	31	0.71
17AWS041		0.24	0.009	0.10	1.49	10.5	10	430	0.69	0.18	0.45	0.13	30.1	9.1	32	0.76



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS001		34.7	3.33	7.42	0.12	0.08	0.04	0.039	0.31	49.1	11.8	0.66	513	1.19	0.01	0.94
17AWS002		24.6	2.94	5.09	0.07	0.08	0.04	0.031	0.13	24.1	8.7	0.52	487	0.89	0.01	0.55
17AWS003		18.1	2.74	4.22	<0.05	0.08	0.04	0.027	0.12	14.7	8.4	0.42	443	0.94	0.01	0.58
17AWS004		26.4	2.80	4.05	<0.05	0.09	0.03	0.027	0.12	19.7	10.5	0.49	384	1.03	0.02	0.43
17AWS005		19.6	2.45	3.08	<0.05	0.06	0.05	0.029	0.11	23.3	5.5	0.28	540	1.40	0.01	0.59
17AWS006		20.3	2.56	3.80	<0.05	0.06	0.02	0.025	0.08	15.3	9.9	0.47	425	0.82	0.02	0.52
17AWS008		14.7	2.62	4.34	<0.05	0.10	0.02	0.025	0.07	10.9	9.5	0.45	488	1.00	0.02	0.57
17AWS009		19.6	2.83	4.40	<0.05	0.11	0.02	0.026	0.06	15.6	11.1	0.51	380	0.92	0.02	0.33
17AWS010		14.7	2.48	4.45	<0.05	0.06	0.02	0.024	0.07	12.0	9.5	0.43	496	1.13	0.02	0.62
17AWS011		14.3	2.44	4.52	<0.05	0.10	0.02	0.025	0.10	12.6	9.8	0.45	390	0.95	0.02	0.83
17AWS012		17.5	2.53	4.45	<0.05	0.13	0.02	0.026	0.08	13.2	11.0	0.51	260	0.67	0.03	0.75
17AWS013		14.8	2.53	4.52	<0.05	0.13	0.02	0.024	0.08	10.9	11.0	0.51	228	0.83	0.03	0.86
17AWS014		16.3	2.61	4.39	<0.05	0.17	0.03	0.026	0.09	12.8	10.4	0.46	333	0.96	0.02	0.78
17AWS015		15.9	2.35	4.39	<0.05	0.06	0.02	0.022	0.05	11.8	9.5	0.42	232	1.18	0.02	0.70
17AWS016		25.0	2.75	4.42	<0.05	0.12	0.03	0.027	0.07	16.8	10.8	0.49	394	0.96	0.02	0.41
17AWS017		18.2	2.77	4.52	<0.05	0.07	0.02	0.025	0.09	12.9	9.8	0.44	1040	1.11	0.02	0.43
17AWS018		15.0	2.73	4.25	<0.05	0.06	0.02	0.025	0.17	11.5	9.3	0.43	627	1.26	0.02	0.60
17AWS019		17.2	2.81	4.69	<0.05	0.10	0.02	0.027	0.18	18.2	10.0	0.50	693	0.83	0.02	0.84
17AWS020		18.8	3.07	4.55	0.05	0.11	0.02	0.029	0.26	24.4	8.3	0.49	704	0.90	0.02	0.63
17AWS021		18.0	2.79	4.33	<0.05	0.10	0.02	0.028	0.14	17.0	10.0	0.50	487	0.88	0.01	0.71
17AWS022		19.0	2.72	4.44	<0.05	0.09	0.04	0.026	0.14	28.4	7.5	0.43	406	0.80	0.01	0.52
17AWS023		17.9	2.95	5.09	<0.05	0.10	0.03	0.029	0.14	22.2	10.1	0.51	494	0.78	0.01	0.57
17AWS024		12.4	2.42	3.90	<0.05	0.05	0.01	0.022	0.25	15.1	6.7	0.40	859	1.23	0.01	1.09
17AWS025		15.6	2.68	4.07	<0.05	0.09	0.02	0.024	0.15	12.0	9.7	0.44	444	1.09	0.02	0.52
17AWS026		17.2	2.75	4.52	<0.05	0.08	0.02	0.027	0.16	13.0	9.7	0.42	762	1.20	0.02	0.72
17AWS027		17.7	2.83	4.25	<0.05	0.11	0.02	0.025	0.10	14.9	11.0	0.48	482	1.11	0.02	0.44
17AWS028		14.6	2.68	4.41	<0.05	0.10	0.01	0.025	0.06	10.0	10.1	0.47	407	0.93	0.02	0.52
17AWS029		19.7	2.79	4.44	<0.05	0.13	0.02	0.025	0.07	15.0	12.3	0.51	286	0.84	0.02	0.43
17AWS030		11.8	2.01	3.97	<0.05	0.05	0.01	0.017	0.13	8.5	8.1	0.38	423	0.90	0.01	0.85
17AWS031		11.4	2.02	3.77	<0.05	0.05	0.01	0.016	0.13	8.1	8.0	0.37	405	0.91	0.01	0.84
17AWS032		19.4	2.47	4.44	<0.05	0.05	0.02	0.025	0.06	14.6	8.8	0.40	844	1.45	0.02	0.88
17AWS033		17.8	2.73	4.94	<0.05	0.16	0.03	0.028	0.09	16.0	12.0	0.48	404	1.08	0.02	0.83
17AWS034		29.3	2.90	4.53	<0.05	0.07	0.03	0.028	0.09	18.1	14.5	0.58	346	1.04	0.03	0.76
17AWS035		15.4	2.72	5.08	<0.05	0.10	0.01	0.024	0.06	11.5	11.6	0.46	293	1.09	0.02	0.51
17AWS036		28.5	2.85	4.17	<0.05	0.12	0.03	0.026	0.09	17.9	11.7	0.48	511	0.92	0.02	0.44
17AWS037		10.9	3.98	8.23	0.06	0.07	0.01	0.028	1.03	16.3	19.1	1.34	775	1.30	0.01	1.02
17AWS038		15.0	3.33	8.50	0.09	0.09	0.01	0.038	0.66	72.5	14.5	0.70	664	0.79	0.01	1.81
17AWS039		29.2	2.91	4.74	<0.05	0.08	0.03	0.029	0.24	25.2	10.9	0.54	747	0.89	0.02	0.73
17AWS040		15.8	2.81	4.38	<0.05	0.09	0.02	0.026	0.18	19.8	8.1	0.47	731	0.89	0.01	0.46
17AWS041		17.4	2.78	4.22	<0.05	0.09	0.03	0.025	0.14	16.2	9.0	0.51	481	0.78	0.01	0.53



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS001		26.3	510	9.6	37.7	<0.001	0.01	0.60	7.5	0.4	1.2	39.2	<0.01	0.06	14.4	0.082	
17AWS002		26.1	320	9.4	10.2	<0.001	0.01	0.64	6.9	0.3	0.6	37.2	<0.01	0.05	6.7	0.062	
17AWS003		20.9	290	9.0	6.6	<0.001	<0.01	0.67	6.1	0.3	0.5	29.1	<0.01	0.04	4.6	0.057	
17AWS004		25.6	660	9.0	9.3	<0.001	<0.01	0.81	6.5	0.3	0.5	31.7	<0.01	0.04	5.2	0.055	
17AWS005		15.3	320	8.5	6.9	<0.001	0.01	0.79	4.5	0.4	0.5	30.4	<0.01	0.04	5.0	0.016	
17AWS006		21.6	420	7.7	7.8	<0.001	<0.01	0.63	5.7	0.3	0.4	30.4	<0.01	0.05	3.7	0.052	
17AWS008		18.7	270	7.8	6.7	<0.001	<0.01	0.57	5.0	0.3	0.5	29.0	<0.01	0.03	3.3	0.060	
17AWS009		23.5	490	8.2	6.2	<0.001	<0.01	0.69	6.8	0.5	0.5	31.3	<0.01	0.03	4.5	0.065	
17AWS010		18.0	270	7.8	7.0	<0.001	<0.01	0.57	4.4	0.3	0.5	29.6	<0.01	0.04	3.0	0.050	
17AWS011		13.8	420	8.3	15.6	<0.001	<0.01	0.60	4.2	0.2	0.5	32.7	<0.01	0.05	3.5	0.072	
17AWS012		16.9	490	7.8	7.6	<0.001	0.01	0.60	5.1	0.3	0.5	38.8	<0.01	0.04	4.0	0.068	
17AWS013		16.1	390	7.9	7.0	<0.001	0.01	0.66	4.4	0.3	0.5	38.7	<0.01	0.04	2.9	0.069	
17AWS014		15.9	390	9.6	10.9	<0.001	<0.01	0.67	5.2	0.3	0.5	35.6	<0.01	0.05	4.6	0.063	
17AWS015		15.6	310	8.2	6.1	<0.001	<0.01	0.54	3.6	0.2	0.5	30.7	<0.01	0.04	2.8	0.048	
17AWS016		23.1	340	8.3	7.0	0.001	<0.01	0.69	6.3	0.3	0.5	31.0	<0.01	0.03	4.9	0.055	
17AWS017		24.8	220	8.4	9.0	<0.001	<0.01	0.60	5.3	0.3	0.5	27.4	<0.01	0.03	3.4	0.060	
17AWS018		20.0	390	7.9	10.6	<0.001	0.01	0.60	5.4	0.3	0.5	24.9	<0.01	0.02	3.6	0.064	
17AWS019		21.2	250	8.1	12.8	<0.001	0.01	0.54	5.8	0.2	0.5	35.4	<0.01	0.03	4.7	0.064	
17AWS020		21.5	280	8.7	18.4	<0.001	0.01	0.56	6.2	0.2	0.5	34.8	<0.01	0.03	7.4	0.059	
17AWS021		21.8	290	8.4	9.3	<0.001	0.01	0.64	5.9	0.2	0.5	32.3	<0.01	0.04	5.0	0.054	
17AWS022		22.2	280	9.3	11.9	<0.001	0.01	0.67	6.0	0.3	0.6	28.8	<0.01	0.02	8.9	0.031	
17AWS023		21.9	250	8.5	10.6	<0.001	0.01	0.54	6.5	0.3	0.6	29.7	<0.01	0.03	5.7	0.070	
17AWS024		13.4	290	7.1	16.2	<0.001	0.01	0.40	4.0	<0.2	0.5	29.0	<0.01	0.02	3.6	0.066	
17AWS025		19.0	460	7.6	12.7	<0.001	<0.01	0.53	5.6	0.3	0.4	26.3	<0.01	0.03	3.9	0.066	
17AWS026		20.3	380	7.9	16.0	<0.001	<0.01	0.54	5.3	0.2	0.6	24.8	<0.01	0.03	4.4	0.061	
17AWS027		21.8	490	8.2	8.8	<0.001	<0.01	0.65	6.4	0.3	0.4	29.6	<0.01	0.04	4.3	0.068	
17AWS028		18.1	250	8.1	6.1	<0.001	<0.01	0.57	4.4	0.3	0.5	30.8	<0.01	0.04	3.4	0.061	
17AWS029		23.1	360	8.1	7.0	<0.001	<0.01	0.68	6.2	0.4	0.5	32.0	<0.01	0.03	4.4	0.062	
17AWS030		14.0	510	7.2	11.7	<0.001	<0.01	0.38	2.7	<0.2	0.4	28.6	<0.01	0.02	2.0	0.055	
17AWS031		13.7	470	7.2	12.2	<0.001	<0.01	0.39	2.6	0.2	0.4	26.6	<0.01	0.03	2.0	0.053	
17AWS032		18.1	280	7.7	6.6	<0.001	0.01	0.53	4.1	0.3	0.5	40.9	<0.01	0.04	2.2	0.050	
17AWS033		18.6	330	9.0	10.6	<0.001	0.01	0.67	5.8	0.2	0.6	40.0	<0.01	0.06	5.0	0.062	
17AWS034		26.2	440	8.5	6.4	<0.001	0.01	0.85	5.5	0.3	0.5	41.1	<0.01	0.05	4.0	0.058	
17AWS035		19.0	190	8.2	5.9	<0.001	<0.01	0.59	5.3	0.3	0.6	28.2	<0.01	0.04	4.1	0.060	
17AWS036		27.0	360	8.8	9.5	<0.001	<0.01	0.73	6.5	0.4	0.5	30.2	<0.01	0.04	4.7	0.065	
17AWS037		36.8	460	6.4	101.5	<0.001	0.01	0.39	7.1	0.2	0.9	31.8	<0.01	0.02	4.7	0.167	
17AWS038		13.0	540	11.9	64.0	<0.001	0.02	0.45	5.4	0.3	2.1	32.3	<0.01	0.02	17.7	0.090	
17AWS039		24.7	460	14.4	15.7	<0.001	0.02	0.66	5.5	0.4	0.7	36.2	<0.01	0.03	7.8	0.050	
17AWS040		20.2	210	11.1	12.1	<0.001	0.01	0.66	5.7	0.2	0.6	30.9	<0.01	0.02	7.3	0.059	
17AWS041		23.1	350	10.1	10.9	<0.001	0.01	0.73	6.0	<0.2	0.5	31.1	<0.01	0.03	5.1	0.061	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS001		0.24	1.51	49	0.18	23.7	64	5.8
17AWS002		0.09	0.67	54	0.16	15.10	54	4.3
17AWS003		0.06	0.46	52	0.15	8.99	46	3.9
17AWS004		0.08	0.78	51	0.16	14.70	51	4.8
17AWS005		0.06	1.08	33	0.12	16.15	44	3.0
17AWS006		0.06	0.58	48	0.14	11.25	47	2.6
17AWS008		0.05	0.46	54	0.12	4.68	47	4.3
17AWS009		0.06	0.66	57	0.15	10.65	50	5.9
17AWS010		0.07	0.71	52	0.14	6.06	44	2.9
17AWS011		0.08	0.70	48	0.16	5.80	47	4.4
17AWS012		0.05	0.95	48	0.15	7.37	46	6.0
17AWS013		0.05	0.72	51	0.13	5.57	45	5.6
17AWS014		0.07	0.63	47	0.13	6.52	48	7.3
17AWS015		0.06	0.51	52	0.12	5.86	38	2.9
17AWS016		0.07	0.71	53	0.14	10.60	45	6.5
17AWS017		0.07	0.42	55	0.13	6.64	56	3.1
17AWS018		0.07	0.43	55	0.13	4.94	48	2.8
17AWS019		0.08	0.38	50	0.12	9.40	51	4.1
17AWS020		0.13	0.67	48	0.12	11.75	52	5.1
17AWS021		0.07	0.46	52	0.14	9.88	52	4.4
17AWS022		0.10	0.74	43	0.14	18.95	42	4.0
17AWS023		0.09	0.49	54	0.13	11.00	47	4.8
17AWS024		0.09	0.39	41	0.11	5.09	40	2.4
17AWS025		0.08	0.39	52	0.14	5.74	49	3.8
17AWS026		0.09	0.42	51	0.14	5.56	53	3.6
17AWS027		0.06	0.50	55	0.16	7.94	54	5.4
17AWS028		0.06	0.63	55	0.12	3.76	49	4.3
17AWS029		0.05	0.85	55	0.14	8.76	46	6.2
17AWS030		0.05	0.32	46	0.15	3.02	37	2.1
17AWS031		0.05	0.32	45	0.18	3.02	36	2.1
17AWS032		0.05	1.05	53	0.12	7.40	44	2.0
17AWS033		0.07	1.02	51	0.14	7.40	47	6.7
17AWS034		0.05	0.85	55	0.16	12.55	55	3.7
17AWS035		0.07	0.56	60	0.13	4.26	46	4.5
17AWS036		0.07	0.58	55	0.16	14.05	58	6.0
17AWS037		0.51	0.48	68	0.11	6.26	68	3.4
17AWS038		0.34	1.09	36	0.21	27.1	57	5.1
17AWS039		0.10	0.67	48	0.14	15.35	69	3.4
17AWS040		0.09	0.61	48	0.15	9.93	60	4.2
17AWS041		0.08	0.61	51	0.18	9.82	65	4.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS042		0.34	0.001	0.06	1.50	9.8	10	530	0.85	0.26	0.44	0.23	42.3	9.5	27	1.60
17AWS043		0.27	0.002	0.12	1.60	12.2	10	590	0.89	0.22	0.52	0.15	44.0	9.6	26	1.36
17AWS044		0.29	0.002	0.09	1.81	9.7	10	560	1.13	0.20	0.52	0.15	63.1	12.6	26	2.85
17AWS045		0.32	0.003	0.11	1.53	10.6	10	480	0.70	0.15	0.45	0.09	33.8	9.6	30	0.59
17AWS046		0.28	0.005	0.06	1.70	10.5	10	630	0.88	0.16	0.44	0.09	44.3	8.6	31	0.84
17AWS047		0.22	0.005	0.07	1.62	11.7	10	570	0.71	0.15	0.41	0.07	35.6	8.6	32	0.53
17AWS048		0.26	0.002	0.09	1.40	6.5	10	630	0.65	0.14	0.39	0.08	40.8	7.5	23	0.87
17AWS049		0.35	0.002	0.06	1.50	5.4	10	840	0.71	0.18	0.30	0.11	33.6	7.5	25	0.86
17AWS050		0.21	<0.001	0.07	1.43	5.0	10	810	0.71	0.18	0.29	0.10	32.0	7.2	25	0.82
17AWS051		0.22	0.001	0.05	1.64	8.0	10	740	0.60	0.16	0.38	0.11	28.9	9.4	32	0.46
17AWS052		0.23	0.001	0.04	1.50	8.5	10	470	0.52	0.16	0.42	0.12	21.1	7.9	28	0.50
17AWS053		0.20	0.001	0.05	1.47	8.5	10	410	0.60	0.15	0.36	0.10	26.7	8.2	31	0.24
17AWS054		0.20	0.007	0.10	1.25	5.4	10	600	0.33	0.13	0.27	0.17	19.45	7.3	23	0.35
17AWS055		0.19	0.002	0.07	1.49	9.1	10	470	0.42	0.15	0.36	0.06	18.40	7.2	30	0.39
17AWS056		0.36	<0.001	0.07	1.57	5.2	10	500	0.59	0.17	0.35	0.09	41.5	7.7	26	1.31
17AWS057		0.31	0.002	0.15	1.63	9.1	10	870	0.80	0.16	0.37	0.11	41.0	9.6	32	1.38
17AWS058		0.28	0.001	0.07	1.49	7.4	10	540	0.82	0.15	0.46	0.09	41.6	7.9	23	1.93
17AWS059		0.35	0.004	0.13	1.49	12.5	10	580	0.79	0.17	0.39	0.08	30.6	9.1	29	1.06
17AWS060		0.41	0.002	0.13	1.62	8.2	10	650	1.41	0.46	0.49	0.17	51.9	8.8	31	2.09
17AWS061		0.24	0.002	0.08	1.40	20.7	10	400	0.68	0.17	0.37	0.10	26.9	9.6	33	0.45
17AWS062		0.29	0.003	0.07	1.44	14.7	10	460	0.63	0.16	0.46	0.09	26.0	9.0	32	0.55
17AWS063		0.29	0.001	0.08	1.60	20.7	10	630	1.23	0.18	0.39	0.13	30.9	12.5	37	1.62
17AWS064		0.37	0.001	0.07	1.43	7.4	10	760	1.27	0.26	0.41	0.09	32.3	8.5	26	1.87
17AWS065		0.26	0.004	0.07	1.39	8.6	10	490	0.79	0.20	0.36	0.10	28.9	8.4	30	1.16
17AWS066		0.34	<0.001	0.05	1.22	5.4	10	430	0.84	0.21	0.33	0.07	28.2	7.0	23	1.87
17AWS067		0.41	0.002	0.09	1.37	7.5	10	740	1.25	0.87	0.57	0.12	30.3	7.4	20	2.72
17AWS068		0.26	0.001	0.06	1.56	8.0	10	610	0.96	0.55	0.41	0.10	42.0	8.8	23	2.14
17AWS069		0.18	0.001	0.05	1.42	7.2	10	750	0.93	0.20	0.53	0.11	47.7	7.4	20	2.26
17AWS070		0.17	0.001	0.05	1.40	7.3	10	690	0.94	0.19	0.48	0.09	46.9	7.3	20	2.30
17AWS071		0.33	0.001	0.07	1.54	6.9	10	610	0.77	0.15	0.37	0.08	38.7	7.8	26	1.61
17AWS072		0.39	0.001	0.06	1.08	7.1	10	580	1.09	0.12	0.59	0.10	32.2	7.2	17	2.34
17AWS073		0.19	0.002	0.05	1.36	9.4	10	460	0.54	0.16	0.35	0.07	26.7	9.1	30	0.54
17AWS074		0.35	0.001	0.04	1.17	8.0	10	510	0.41	0.13	0.31	0.07	19.65	7.2	26	0.45
17AWS075		0.32	0.002	0.10	1.33	8.4	10	500	0.58	0.14	0.36	0.07	23.1	7.7	27	0.47
17AWS076		0.22	0.001	0.08	1.38	8.3	10	430	0.50	0.16	0.33	0.13	22.0	10.1	32	0.47
17AWS077		0.25	0.001	0.09	1.24	13.3	10	1660	0.81	0.17	0.50	0.14	56.2	8.6	20	0.75
17AWS078		0.26	0.004	0.08	1.40	13.3	10	400	0.56	0.14	0.46	0.07	29.8	11.1	30	0.38
17AWS079		0.31	0.009	0.08	1.51	15.9	10	530	0.74	0.17	0.48	0.10	36.7	10.7	34	0.56
17AWS080		0.30	0.007	0.06	1.67	11.6	10	540	0.79	0.17	0.51	0.11	34.5	11.9	38	0.99
17AWS081		0.28	0.010	0.05	1.76	33.1	10	390	0.79	0.24	0.42	0.13	51.1	13.9	46	1.20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS042		21.0	2.92	4.46	0.05	0.08	0.02	0.026	0.32	27.2	8.4	0.52	870	0.93	0.01	0.52
17AWS043		25.8	2.93	4.66	0.06	0.06	0.04	0.026	0.26	27.4	9.4	0.57	708	0.96	0.01	0.60
17AWS044		24.7	3.44	5.36	0.07	0.07	0.03	0.031	0.52	40.0	9.6	0.61	938	1.06	0.01	0.80
17AWS045		21.1	2.77	4.44	<0.05	0.08	0.03	0.027	0.16	17.6	9.6	0.53	526	0.75	0.01	0.54
17AWS046		15.5	3.03	5.00	0.05	0.11	0.02	0.031	0.15	31.8	8.7	0.50	405	0.97	0.01	0.58
17AWS047		15.9	2.88	4.64	<0.05	0.10	0.03	0.029	0.12	19.4	8.7	0.47	326	0.88	0.01	0.51
17AWS048		14.1	2.71	4.73	<0.05	0.05	0.01	0.024	0.30	21.9	8.1	0.42	502	1.12	0.01	1.08
17AWS049		11.1	2.86	4.91	<0.05	0.10	0.01	0.028	0.19	17.6	6.7	0.38	328	1.38	0.01	0.54
17AWS050		10.5	2.78	4.66	<0.05	0.08	0.01	0.026	0.18	16.0	6.4	0.36	314	1.32	0.01	0.52
17AWS051		14.7	2.78	4.71	<0.05	0.09	0.02	0.027	0.09	13.3	8.8	0.43	635	1.10	0.01	0.52
17AWS052		17.1	2.65	4.65	<0.05	0.06	0.02	0.025	0.16	9.3	9.9	0.46	425	1.11	0.01	0.94
17AWS053		14.3	2.59	4.18	<0.05	0.07	0.02	0.026	0.08	12.1	9.2	0.42	347	1.15	0.01	0.62
17AWS054		15.7	2.18	3.97	<0.05	0.02	0.02	0.020	0.10	10.6	6.5	0.32	807	1.38	0.02	0.76
17AWS055		12.5	2.65	4.25	<0.05	0.06	0.02	0.025	0.09	9.6	9.4	0.44	379	1.15	0.01	0.47
17AWS056		10.8	2.80	5.66	<0.05	0.04	0.03	0.025	0.41	20.2	9.1	0.58	611	1.53	0.01	1.22
17AWS057		20.9	3.11	4.95	0.06	0.07	0.03	0.034	0.27	27.5	9.4	0.55	554	1.07	0.01	0.53
17AWS058		16.5	2.92	4.58	0.05	0.08	0.02	0.034	0.32	24.4	7.9	0.46	670	0.84	0.01	0.80
17AWS059		21.5	2.85	4.18	<0.05	0.08	0.04	0.028	0.16	17.7	9.9	0.52	433	0.89	0.01	0.33
17AWS060		24.7	2.94	4.82	0.06	0.08	0.03	0.037	0.32	36.2	7.7	0.48	792	0.95	0.01	0.69
17AWS061		14.1	2.72	4.04	<0.05	0.09	0.02	0.026	0.14	11.8	8.2	0.45	379	1.20	0.01	0.47
17AWS062		14.4	2.70	4.02	<0.05	0.08	0.02	0.026	0.16	11.9	8.1	0.45	512	0.92	0.01	0.61
17AWS063		19.6	3.40	4.57	<0.05	0.08	0.03	0.036	0.26	15.2	7.7	0.49	722	2.09	0.01	0.57
17AWS064		16.1	2.84	4.08	<0.05	0.08	0.03	0.031	0.26	18.8	6.9	0.44	601	1.00	0.01	0.60
17AWS065		14.8	2.73	4.06	<0.05	0.09	0.03	0.028	0.23	15.7	8.0	0.45	493	0.88	0.01	0.49
17AWS066		12.1	2.46	3.67	<0.05	0.05	0.02	0.023	0.20	13.3	5.6	0.36	610	1.03	0.01	0.66
17AWS067		21.9	2.88	3.82	<0.05	0.09	0.06	0.032	0.30	19.8	6.0	0.34	793	1.13	0.01	0.62
17AWS068		19.6	3.02	4.57	0.05	0.07	0.02	0.040	0.39	23.4	7.5	0.49	790	1.06	0.01	0.64
17AWS069		13.3	2.84	4.52	<0.05	0.11	0.03	0.057	0.34	26.1	6.9	0.42	809	1.14	0.01	1.13
17AWS070		12.3	2.83	4.36	0.05	0.10	0.03	0.054	0.34	25.9	6.9	0.41	761	1.09	0.01	1.06
17AWS071		11.0	3.08	4.76	0.05	0.11	0.02	0.035	0.30	21.8	7.7	0.45	481	0.87	0.01	0.54
17AWS072		11.2	3.10	3.24	<0.05	0.06	0.07	0.041	0.31	16.0	5.1	0.34	660	1.05	0.01	0.58
17AWS073		17.1	2.65	4.03	<0.05	0.11	0.03	0.025	0.15	12.2	9.1	0.43	520	1.04	0.01	0.53
17AWS074		12.2	2.26	3.41	<0.05	0.05	0.01	0.022	0.11	9.1	7.4	0.36	379	0.92	0.01	0.54
17AWS075		13.5	2.55	3.81	<0.05	0.07	0.02	0.026	0.13	10.3	7.6	0.38	412	0.96	0.01	0.46
17AWS076		13.9	2.63	4.25	<0.05	0.08	0.02	0.024	0.13	10.7	8.5	0.43	528	1.01	0.01	0.38
17AWS077		17.5	2.72	4.32	0.07	0.08	0.03	0.024	0.24	37.2	5.2	0.30	1260	1.65	<0.01	0.75
17AWS078		31.2	2.77	4.22	0.07	0.10	0.04	0.026	0.08	19.0	10.8	0.54	418	0.76	0.01	0.50
17AWS079		24.2	2.84	4.49	0.07	0.08	0.03	0.024	0.13	22.1	9.2	0.52	561	0.81	<0.01	0.57
17AWS080		23.2	2.96	5.14	0.07	0.08	0.02	0.027	0.24	19.8	11.9	0.70	624	1.04	0.01	0.45
17AWS081		28.7	3.24	6.13	0.10	0.17	0.02	0.031	0.38	25.8	14.4	0.83	511	1.31	0.01	0.70



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS042		22.4	440	15.3	20.4	<0.001	0.01	0.77	5.4	0.2	0.6	31.1	<0.01	0.03	8.4	0.051	
17AWS043		25.0	540	16.5	18.5	<0.001	0.02	0.80	4.9	0.3	0.6	40.0	<0.01	0.03	6.2	0.046	
17AWS044		27.3	590	14.1	39.8	<0.001	0.02	0.58	6.9	0.2	0.7	35.6	<0.01	0.02	10.2	0.078	
17AWS045		24.7	310	9.3	12.0	<0.001	0.01	0.62	5.8	0.2	0.5	31.2	<0.01	0.03	4.7	0.062	
17AWS046		20.1	290	10.0	10.7	<0.001	0.01	0.69	6.6	0.3	0.7	34.8	<0.01	0.03	7.5	0.056	
17AWS047		20.5	260	8.4	6.6	<0.001	<0.01	0.71	6.6	<0.2	0.5	26.8	<0.01	0.04	5.0	0.058	
17AWS048		14.9	360	8.2	19.6	<0.001	0.01	0.52	4.5	<0.2	0.5	26.4	<0.01	0.03	5.6	0.067	
17AWS049		13.6	170	10.2	16.0	<0.001	<0.01	0.55	4.6	<0.2	0.6	22.9	<0.01	0.03	7.2	0.051	
17AWS050		13.0	170	10.2	15.1	<0.001	<0.01	0.55	4.3	<0.2	0.6	22.2	<0.01	0.03	6.9	0.050	
17AWS051		19.6	180	8.5	8.6	<0.001	<0.01	0.59	6.0	0.2	0.5	25.9	<0.01	0.04	4.3	0.065	
17AWS052		19.6	380	7.4	13.0	<0.001	<0.01	0.59	4.4	0.2	0.5	27.2	<0.01	0.05	3.7	0.063	
17AWS053		20.0	260	7.9	5.5	<0.001	<0.01	0.62	5.0	0.3	0.5	22.3	<0.01	0.03	3.3	0.050	
17AWS054		15.8	420	7.0	6.7	<0.001	0.01	0.47	2.9	<0.2	0.5	21.4	<0.01	0.03	1.9	0.042	
17AWS055		17.3	310	7.8	8.7	<0.001	<0.01	0.61	4.1	0.2	0.5	24.1	<0.01	0.03	2.9	0.060	
17AWS056		15.1	400	11.5	42.0	<0.001	0.02	0.43	3.6	<0.2	1.0	22.7	<0.01	0.03	7.2	0.077	
17AWS057		24.4	390	9.5	20.8	<0.001	0.01	0.72	6.7	0.3	0.6	29.7	<0.01	0.03	5.6	0.068	
17AWS058		16.2	310	9.6	21.8	<0.001	0.01	0.52	5.3	0.3	0.7	27.9	<0.01	0.02	7.1	0.056	
17AWS059		25.7	370	10.6	10.3	<0.001	<0.01	0.80	6.0	0.2	0.5	26.6	<0.01	0.03	5.7	0.055	
17AWS060		21.0	370	13.3	19.6	<0.001	0.02	0.69	5.3	0.3	0.8	37.3	<0.01	0.03	9.7	0.035	
17AWS061		26.7	170	9.2	8.8	<0.001	<0.01	0.93	6.2	0.2	0.5	29.7	<0.01	0.04	4.2	0.050	
17AWS062		21.0	200	8.8	9.8	<0.001	0.01	0.71	6.0	0.2	0.5	35.6	<0.01	0.03	4.4	0.050	
17AWS063		31.0	280	15.1	18.2	<0.001	0.01	0.81	10.3	<0.2	0.6	38.1	<0.01	0.03	7.1	0.040	
17AWS064		17.8	270	11.3	16.5	<0.001	0.01	0.67	6.1	0.3	0.6	36.4	<0.01	0.02	7.2	0.032	
17AWS065		19.2	220	9.9	14.3	<0.001	0.01	0.60	6.1	0.2	0.5	29.8	<0.01	0.03	6.1	0.051	
17AWS066		13.1	200	10.6	14.6	<0.001	0.01	0.49	4.3	0.2	0.5	28.1	<0.01	0.02	5.7	0.037	
17AWS067		15.7	410	16.8	13.9	<0.001	0.03	0.73	4.6	0.4	0.8	44.9	<0.01	0.02	4.5	0.016	
17AWS068		18.0	360	13.8	21.0	<0.001	0.01	0.58	5.0	0.2	1.1	30.5	<0.01	0.03	7.0	0.044	
17AWS069		13.4	350	11.3	25.5	<0.001	0.03	0.50	4.9	0.2	1.3	40.8	<0.01	0.03	7.5	0.042	
17AWS070		13.4	330	11.2	24.8	<0.001	0.02	0.51	4.9	0.2	1.3	36.8	<0.01	0.02	7.8	0.042	
17AWS071		15.6	170	9.0	21.1	<0.001	0.01	0.59	5.8	<0.2	0.7	33.1	<0.01	0.03	6.9	0.055	
17AWS072		11.4	400	13.3	17.8	<0.001	0.02	0.71	5.1	0.3	0.5	43.0	<0.01	0.02	3.6	0.019	
17AWS073		21.7	200	8.2	12.0	<0.001	<0.01	0.73	5.7	0.2	0.4	26.3	<0.01	0.02	3.8	0.065	
17AWS074		15.4	180	7.0	9.3	<0.001	<0.01	0.68	4.0	<0.2	0.4	20.1	<0.01	0.02	3.2	0.051	
17AWS075		17.1	250	8.9	9.5	<0.001	<0.01	0.58	5.0	0.2	0.4	22.0	<0.01	0.02	3.5	0.048	
17AWS076		20.7	280	8.3	11.2	<0.001	<0.01	0.58	5.8	0.3	0.5	22.9	<0.01	0.03	3.7	0.064	
17AWS077		13.2	440	23.1	14.1	<0.001	0.02	0.62	3.5	0.3	0.5	46.8	<0.01	0.03	9.7	0.029	
17AWS078		33.6	540	8.9	6.8	<0.001	0.01	0.74	6.5	0.5	0.4	33.1	<0.01	0.04	4.9	0.059	
17AWS079		27.9	350	11.0	10.5	<0.001	0.01	0.74	6.5	0.3	0.5	33.0	<0.01	0.03	6.8	0.051	
17AWS080		31.4	400	8.2	18.7	<0.001	0.01	0.63	7.8	0.4	0.5	31.6	<0.01	0.04	5.2	0.069	
17AWS081		38.8	300	12.6	30.3	<0.001	0.01	1.07	9.2	0.3	0.6	33.4	<0.01	0.07	8.4	0.083	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS042		0.13	1.00	45	0.16	15.25	81	3.2
17AWS043		0.13	1.09	47	0.19	15.65	68	2.3
17AWS044		0.25	1.16	55	0.16	17.70	71	3.3
17AWS045		0.09	0.48	52	0.17	10.85	57	4.1
17AWS046		0.10	0.97	49	0.16	14.35	55	5.4
17AWS047		0.08	0.63	52	0.17	9.68	50	4.9
17AWS048		0.11	0.69	42	0.14	7.99	44	2.5
17AWS049		0.10	0.59	49	0.11	5.76	45	4.9
17AWS050		0.10	0.57	47	0.11	5.06	43	4.4
17AWS051		0.08	0.41	56	0.14	4.82	48	3.9
17AWS052		0.10	0.44	52	0.17	3.09	50	2.7
17AWS053		0.05	0.47	52	0.17	4.98	51	3.1
17AWS054		0.05	0.39	47	0.14	3.91	40	0.9
17AWS055		0.07	0.46	54	0.15	3.72	48	2.7
17AWS056		0.16	0.71	47	0.19	4.24	47	1.9
17AWS057		0.13	0.77	50	0.19	16.90	59	3.6
17AWS058		0.13	0.75	41	0.16	13.95	49	4.2
17AWS059		0.09	0.67	48	0.20	13.70	58	4.8
17AWS060		0.13	1.28	42	0.16	22.7	71	3.1
17AWS061		0.07	0.41	51	0.18	6.59	46	3.9
17AWS062		0.07	0.42	51	0.15	6.94	50	3.3
17AWS063		0.11	0.66	62	0.15	14.90	57	3.1
17AWS064		0.11	1.23	45	0.15	14.20	52	3.2
17AWS065		0.09	0.59	46	0.15	10.10	52	3.9
17AWS066		0.10	0.98	39	0.11	7.84	41	2.6
17AWS067		0.10	1.30	36	0.15	18.75	52	3.4
17AWS068		0.12	0.95	42	0.22	15.35	55	3.0
17AWS069		0.12	0.78	37	0.17	14.00	48	4.7
17AWS070		0.12	0.79	37	0.17	13.75	48	4.5
17AWS071		0.13	0.60	43	0.15	11.45	43	5.7
17AWS072		0.12	0.71	35	0.12	14.85	41	2.3
17AWS073		0.08	0.37	50	0.15	6.56	48	5.1
17AWS074		0.05	0.43	44	0.13	3.35	39	2.6
17AWS075		0.06	0.47	47	0.16	5.69	40	3.4
17AWS076		0.06	0.36	51	0.16	6.30	50	3.2
17AWS077		0.08	1.95	37	0.18	13.20	49	2.6
17AWS078		0.06	0.52	55	0.17	16.20	52	5.2
17AWS079		0.08	0.91	52	0.18	14.00	55	2.9
17AWS080		0.13	0.53	60	0.17	13.45	55	3.0
17AWS081		0.17	0.68	71	0.17	15.20	60	6.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS082		0.27	0.001	0.06	1.68	12.8	10	390	0.62	0.17	0.42	0.11	35.2	11.6	37	0.65
17AWS083		0.28	0.002	0.11	1.71	11.6	10	510	0.64	0.25	0.46	0.14	41.5	12.8	44	0.80
17AWS084		0.26	0.003	0.09	1.86	10.8	10	500	0.83	0.17	0.52	0.16	45.0	12.6	55	0.95
17AWS085		0.32	0.003	0.10	1.81	11.7	10	620	0.99	0.16	0.61	0.21	46.6	12.8	46	1.25
17AWS086		0.21	0.002	0.11	1.64	11.1	10	420	0.64	0.17	0.89	0.15	35.7	11.5	39	0.84
17AWS087		0.29	0.004	0.18	1.42	11.6	10	440	0.50	0.35	4.75	0.45	29.9	10.1	26	1.05
17AWS088		0.34	0.001	0.09	1.54	7.8	10	520	0.80	0.26	0.35	0.09	42.9	10.4	31	0.89
17AWS089		0.20	<0.001	0.07	1.38	6.0	10	540	0.53	0.16	0.34	0.09	28.4	8.9	26	0.70
17AWS090		0.33	0.001	0.09	1.56	8.0	10	760	0.71	0.15	0.39	0.06	26.8	9.5	31	0.42
17AWS091		0.25	0.002	0.08	1.58	8.7	10	750	0.76	0.15	0.39	0.06	28.4	9.6	32	0.42
17AWS092		0.29	0.003	0.04	1.45	12.1	10	540	0.64	0.15	0.37	0.05	30.3	10.0	31	0.37
17AWS093		0.24	0.001	0.13	1.47	5.3	10	670	0.53	0.21	0.32	0.07	26.4	9.0	27	0.86
17AWS094		0.25	0.002	0.14	1.42	7.7	10	640	0.55	0.18	0.51	0.09	32.5	9.5	27	0.58
17AWS095		0.28	0.002	0.05	1.49	9.3	10	470	0.56	0.15	0.33	0.07	28.6	9.6	30	0.43
17AWS096		0.25	0.001	0.07	1.45	7.9	10	520	0.60	0.15	0.38	0.05	28.7	8.5	29	0.48
17AWS097		0.24	0.001	0.11	1.32	7.3	10	600	0.55	0.16	1.01	0.11	29.0	9.8	27	0.64
17AWS098		0.33	0.001	0.08	1.95	12.1	10	600	1.39	0.13	0.61	0.24	57.9	15.1	89	1.68
17AWS099		0.28	0.001	0.08	1.74	12.5	10	430	0.73	0.20	0.46	0.11	40.1	12.0	40	0.54
17AWS100		0.20	0.001	0.07	1.39	7.1	10	320	0.51	0.16	0.32	0.13	29.9	10.2	32	0.60
17AWS101		0.32	0.002	0.12	1.28	9.1	10	450	0.47	0.14	0.31	0.10	23.3	10.3	32	0.47
17AWS102		0.29	0.003	0.05	1.59	15.0	10	490	0.56	0.14	0.32	0.07	34.7	11.5	40	0.77
17AWS103		0.32	0.002	0.07	1.56	15.0	10	430	0.58	0.16	0.31	0.06	33.1	11.1	36	0.59
17AWS104		0.26	0.002	0.06	1.42	14.8	10	490	0.51	0.13	0.38	0.10	25.2	10.8	28	1.23
17AWS105		0.26	0.002	0.05	1.31	12.5	10	330	0.49	0.13	0.33	0.06	27.9	9.9	30	0.59
17AWS106		0.26	0.003	0.06	1.36	14.0	10	380	0.52	0.14	0.34	0.09	26.0	11.2	31	0.97
17AWS107		0.29	0.003	0.05	1.43	19.9	10	430	0.57	0.17	0.33	0.10	31.9	11.0	35	0.70
17AWS108		0.26	0.004	0.03	1.40	19.6	10	350	0.55	0.16	0.32	0.06	33.9	11.1	33	0.62
17AWS109		0.29	0.002	0.07	1.31	17.4	10	340	0.50	0.17	0.35	0.10	30.5	11.1	32	0.69
17AWS110		0.30	0.002	0.06	1.32	18.3	10	340	0.51	0.17	0.34	0.09	30.2	10.9	32	0.71
17AWS111		0.32	0.003	0.05	1.38	21.7	10	400	0.53	0.14	0.32	0.07	28.2	10.6	35	0.58
17AWS112		0.25	0.002	0.09	1.40	16.1	10	400	0.54	0.16	0.29	0.09	30.2	12.1	35	0.69
17AWS113		0.29	0.002	0.08	1.47	16.5	10	430	0.58	0.16	0.34	0.09	31.0	12.0	39	0.62
17AWS114		0.26	0.001	0.07	1.43	12.8	10	430	0.58	0.14	0.34	0.08	28.4	12.9	42	0.57
17AWS115		0.24	0.002	0.07	1.53	16.1	10	480	0.73	0.17	0.34	0.07	39.5	13.3	38	0.53
17AWS116		0.28	<0.001	0.10	1.41	7.4	10	780	0.49	0.13	0.32	0.10	21.2	13.0	39	0.49
17AWS117		0.23	0.002	0.07	1.64	7.1	10	540	0.60	0.13	0.31	0.09	23.6	15.2	44	0.58
17AWS118		0.24	<0.001	0.06	1.36	10.2	10	350	0.52	0.14	0.30	0.08	25.4	14.0	40	0.67
17AWS119		0.26	0.001	0.08	1.33	15.0	10	450	0.59	0.15	0.38	0.09	30.6	12.6	34	0.66
17AWS120		0.25	0.001	0.09	1.54	18.9	10	560	0.60	0.14	0.35	0.09	29.1	13.3	51	0.81
17AWS121		0.26	0.001	0.06	1.51	15.6	10	480	0.64	0.16	0.35	0.09	30.9	11.4	36	0.58



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS082		22.5	2.84	5.23	0.07	0.08	0.02	0.026	0.16	18.9	11.9	0.63	469	0.88	0.01	0.54
17AWS083		25.4	2.96	5.80	0.08	0.09	0.02	0.028	0.28	24.2	12.8	0.72	538	1.17	0.01	0.68
17AWS084		28.3	3.02	6.52	0.09	0.06	0.02	0.028	0.29	27.0	16.3	0.88	481	1.05	0.01	0.63
17AWS085		27.0	3.28	5.89	0.09	0.05	0.03	0.032	0.31	29.2	16.1	0.80	550	1.16	0.01	0.60
17AWS086		26.3	2.85	5.06	0.07	0.05	0.03	0.025	0.36	21.0	15.7	0.74	583	0.84	0.02	0.84
17AWS087		29.6	2.40	4.16	0.06	0.04	0.05	0.020	0.24	19.0	12.0	0.67	522	0.92	0.01	1.16
17AWS088		17.6	2.84	5.04	0.06	0.08	0.02	0.027	0.22	27.3	9.9	0.45	823	1.72	0.01	0.74
17AWS089		13.5	2.60	4.48	<0.05	0.10	0.01	0.024	0.26	12.2	8.8	0.39	772	1.16	0.01	0.59
17AWS090		13.0	2.72	4.59	<0.05	0.10	0.01	0.027	0.17	12.6	8.9	0.39	508	1.28	0.01	0.60
17AWS091		13.3	2.76	4.68	<0.05	0.10	0.01	0.024	0.17	13.3	9.1	0.40	490	1.27	0.01	0.57
17AWS092		18.3	2.77	4.37	0.06	0.15	0.02	0.025	0.11	15.6	10.6	0.43	331	1.01	0.01	0.36
17AWS093		13.2	2.64	4.89	<0.05	0.06	0.01	0.023	0.23	11.5	8.9	0.46	657	1.37	0.01	0.78
17AWS094		17.3	2.64	4.59	0.05	0.07	0.02	0.024	0.20	16.9	9.3	0.41	589	1.15	0.01	0.96
17AWS095		14.9	2.68	4.56	<0.05	0.11	0.01	0.024	0.17	13.3	10.4	0.43	389	1.04	0.01	0.52
17AWS096		11.8	2.58	4.39	<0.05	0.09	0.02	0.023	0.21	13.9	8.5	0.38	340	1.27	0.01	0.71
17AWS097		20.9	2.53	4.03	0.05	0.06	0.02	0.023	0.34	15.5	8.9	0.46	806	0.82	0.01	0.93
17AWS098		31.7	3.44	7.54	0.15	0.05	0.02	0.032	0.65	35.3	24.0	1.20	497	1.65	0.01	0.81
17AWS099		22.1	2.93	5.56	0.07	0.08	0.02	0.027	0.15	21.1	12.1	0.63	432	1.02	0.01	0.56
17AWS100		15.2	2.58	4.46	0.05	0.08	0.01	0.023	0.23	12.7	10.3	0.48	495	1.06	0.02	0.53
17AWS101		12.7	2.41	3.92	<0.05	0.05	0.01	0.021	0.18	9.0	9.1	0.40	543	0.84	0.01	0.56
17AWS102		26.0	2.94	4.98	0.08	0.14	0.03	0.029	0.21	19.1	13.2	0.56	333	0.89	0.01	0.34
17AWS103		30.1	2.93	4.71	0.08	0.16	0.04	0.027	0.19	17.8	13.2	0.52	306	0.87	0.01	0.30
17AWS104		28.1	2.76	4.48	0.05	0.07	0.02	0.026	0.27	11.3	11.7	0.51	563	0.64	0.01	0.35
17AWS105		22.8	2.63	4.04	0.06	0.07	0.02	0.023	0.13	16.0	11.6	0.51	403	0.84	0.02	0.32
17AWS106		29.5	2.81	4.44	0.06	0.09	0.03	0.025	0.20	12.9	11.7	0.52	488	1.01	0.02	0.32
17AWS107		15.9	2.81	4.42	0.06	0.10	0.02	0.027	0.19	14.8	12.8	0.50	384	1.03	0.01	0.41
17AWS108		22.4	2.84	4.26	0.08	0.14	0.04	0.028	0.17	19.0	13.5	0.49	349	0.94	0.01	0.26
17AWS109		17.9	2.72	4.13	0.07	0.11	0.03	0.025	0.17	16.2	13.0	0.50	419	0.99	0.02	0.30
17AWS110		16.6	2.73	4.18	0.07	0.11	0.03	0.026	0.17	15.1	12.7	0.50	412	0.98	0.02	0.32
17AWS111		21.2	2.73	4.27	0.06	0.07	0.03	0.025	0.19	13.8	11.4	0.49	343	0.94	0.01	0.35
17AWS112		17.3	2.75	4.19	<0.05	0.09	0.03	0.027	0.20	12.6	9.3	0.46	498	0.91	0.01	0.48
17AWS113		19.5	2.91	4.34	0.06	0.13	0.03	0.030	0.20	15.0	10.0	0.51	393	0.83	0.01	0.46
17AWS114		23.4	2.79	4.47	<0.05	0.08	0.02	0.026	0.18	12.9	10.5	0.52	422	0.83	0.01	0.45
17AWS115		25.1	2.93	4.60	0.06	0.15	0.04	0.030	0.12	18.6	12.5	0.51	320	0.89	0.01	0.38
17AWS116		19.6	2.60	4.40	<0.05	0.07	0.02	0.024	0.15	8.0	8.2	0.47	635	0.93	0.02	0.62
17AWS117		20.7	2.81	4.99	<0.05	0.06	0.01	0.024	0.21	9.2	9.2	0.50	606	0.91	0.01	0.45
17AWS118		21.0	2.64	4.09	<0.05	0.09	0.02	0.023	0.23	9.8	10.3	0.52	426	0.84	0.01	0.45
17AWS119		20.0	2.78	4.23	0.05	0.13	0.02	0.027	0.22	13.6	11.1	0.48	491	0.79	0.02	0.40
17AWS120		22.2	2.89	4.93	<0.05	0.06	0.02	0.029	0.28	11.1	10.6	0.57	455	0.84	0.01	0.61
17AWS121		16.1	2.80	4.74	<0.05	0.08	0.04	0.029	0.17	13.1	10.9	0.48	389	1.12	0.01	0.54



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS082		30.9	290	9.5	12.7	<0.001	0.01	0.66	7.1	0.2	0.6	32.1	<0.01	0.05	5.0	0.070	
17AWS083		37.9	360	11.7	23.9	<0.001	0.01	0.67	7.9	0.4	0.7	31.3	<0.01	0.06	5.6	0.078	
17AWS084		42.3	530	8.7	26.6	<0.001	0.01	0.55	8.7	0.3	0.6	32.4	<0.01	0.04	5.9	0.084	
17AWS085		37.5	720	9.3	24.7	<0.001	0.02	0.62	8.4	0.4	0.7	37.3	<0.01	0.04	5.2	0.065	
17AWS086		32.0	540	9.1	22.7	<0.001	0.02	0.58	5.6	0.3	0.6	39.1	<0.01	0.03	4.3	0.072	
17AWS087		30.0	1140	7.7	21.0	<0.001	0.08	0.69	1.9	0.5	0.4	70.5	<0.01	0.03	1.2	0.035	
17AWS088		18.9	210	15.1	19.9	<0.001	0.01	0.52	5.8	0.3	0.9	23.4	<0.01	0.03	10.7	0.053	
17AWS089		17.0	170	8.8	19.8	<0.001	<0.01	0.44	4.5	<0.2	0.6	24.2	<0.01	0.02	5.8	0.067	
17AWS090		18.7	150	9.4	11.3	<0.001	0.01	0.55	5.7	0.2	0.5	26.6	<0.01	0.03	5.3	0.053	
17AWS091		19.0	150	9.5	11.3	<0.001	0.01	0.57	5.9	0.2	0.5	26.5	<0.01	0.03	5.5	0.053	
17AWS092		24.8	130	9.6	7.2	<0.001	<0.01	0.66	7.0	0.4	0.5	25.4	<0.01	0.03	5.2	0.060	
17AWS093		17.2	290	11.7	23.8	<0.001	0.01	0.43	4.3	0.2	0.6	21.3	<0.01	0.03	4.2	0.065	
17AWS094		19.7	270	9.3	20.8	<0.001	0.01	0.53	5.4	0.4	0.5	32.1	<0.01	0.03	4.2	0.058	
17AWS095		20.2	140	8.6	14.6	<0.001	<0.01	0.59	6.0	0.3	0.5	25.6	<0.01	0.04	5.1	0.065	
17AWS096		16.5	180	9.4	15.2	<0.001	0.01	0.50	5.6	0.2	0.5	26.4	<0.01	0.03	5.5	0.055	
17AWS097		23.4	350	8.3	22.0	<0.001	0.02	0.50	4.4	0.5	0.5	53.7	<0.01	0.03	3.4	0.053	
17AWS098		60.5	790	7.9	55.5	<0.001	0.02	0.88	10.1	0.6	0.9	34.8	<0.01	0.05	7.5	0.081	
17AWS099		32.2	270	9.8	12.8	<0.001	0.01	0.64	7.9	0.4	0.6	33.4	<0.01	0.05	5.9	0.069	
17AWS100		21.1	240	8.2	19.0	<0.001	0.01	0.44	5.9	0.2	0.5	25.5	<0.01	0.03	4.3	0.073	
17AWS101		22.3	360	7.4	13.1	<0.001	0.01	0.51	5.2	0.3	0.4	20.1	<0.01	0.03	3.2	0.057	
17AWS102		32.4	470	8.8	16.0	<0.001	<0.01	0.70	8.0	0.4	0.5	23.1	<0.01	0.03	5.3	0.077	
17AWS103		31.9	360	8.7	12.2	<0.001	<0.01	0.78	7.7	0.2	0.5	22.0	<0.01	0.03	5.0	0.074	
17AWS104		20.8	550	7.5	16.9	<0.001	<0.01	0.55	7.3	0.2	0.4	27.0	<0.01	0.02	3.8	0.067	
17AWS105		26.7	460	7.6	11.3	<0.001	<0.01	0.58	6.4	0.4	0.4	25.8	<0.01	0.03	4.0	0.063	
17AWS106		26.7	530	8.7	14.9	<0.001	<0.01	0.69	7.5	0.3	0.4	26.3	<0.01	0.04	3.9	0.065	
17AWS107		26.4	500	8.9	14.6	<0.001	<0.01	0.78	7.0	0.3	0.5	24.0	<0.01	0.03	4.9	0.067	
17AWS108		30.5	460	9.1	12.4	<0.001	<0.01	0.77	7.5	0.4	0.5	24.0	<0.01	0.04	5.3	0.065	
17AWS109		29.9	450	8.6	14.4	<0.001	<0.01	0.71	6.6	0.2	0.5	26.1	<0.01	0.04	4.8	0.069	
17AWS110		28.2	460	8.8	14.9	<0.001	<0.01	0.70	6.7	0.5	0.5	25.6	<0.01	0.03	4.9	0.067	
17AWS111		28.9	460	8.0	13.1	<0.001	<0.01	0.71	7.1	0.3	0.5	23.1	<0.01	0.03	4.2	0.069	
17AWS112		27.1	370	8.6	17.9	<0.001	<0.01	0.65	6.1	0.2	0.5	20.7	<0.01	0.03	3.9	0.071	
17AWS113		29.8	320	8.7	15.9	<0.001	<0.01	0.70	6.9	0.2	0.5	23.1	<0.01	0.03	4.4	0.075	
17AWS114		33.1	420	8.6	17.6	<0.001	<0.01	0.61	6.6	0.3	0.4	24.7	<0.01	0.03	3.7	0.071	
17AWS115		37.7	290	9.7	11.7	<0.001	<0.01	0.81	7.7	0.5	0.5	26.0	<0.01	0.04	5.2	0.075	
17AWS116		29.6	230	7.7	12.9	<0.001	<0.01	0.45	5.2	0.2	0.5	24.1	<0.01	0.03	2.6	0.070	
17AWS117		30.0	360	7.7	16.7	<0.001	<0.01	0.44	6.2	0.2	0.5	20.5	<0.01	0.03	2.9	0.077	
17AWS118		30.3	250	7.9	24.8	<0.001	<0.01	0.56	5.7	0.2	0.4	21.2	<0.01	0.02	3.4	0.072	
17AWS119		31.3	480	9.0	18.5	<0.001	<0.01	0.66	6.4	0.3	0.4	27.9	<0.01	0.04	4.2	0.068	
17AWS120		36.0	430	9.2	24.0	<0.001	0.01	0.58	7.1	0.2	0.5	25.5	<0.01	0.03	3.6	0.081	
17AWS121		26.6	400	10.5	12.3	<0.001	<0.01	0.60	6.7	<0.2	0.5	26.6	<0.01	0.03	4.0	0.068	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS082		0.10	0.45	61	0.20	12.25	53	2.9
17AWS083		0.13	0.48	67	0.19	15.00	56	3.6
17AWS084		0.17	0.53	79	0.21	16.95	55	2.4
17AWS085		0.18	0.89	69	0.24	20.0	72	1.5
17AWS086		0.15	0.47	55	0.20	12.35	67	1.8
17AWS087		0.17	0.75	40	0.18	10.90	68	1.2
17AWS088		0.15	1.21	47	0.16	12.50	48	3.3
17AWS089		0.11	0.42	48	0.11	4.51	41	3.5
17AWS090		0.07	0.37	52	0.12	4.10	41	3.2
17AWS091		0.08	0.39	53	0.13	4.33	41	3.5
17AWS092		0.06	0.41	53	0.15	10.70	43	6.1
17AWS093		0.13	0.35	48	0.18	4.43	40	1.9
17AWS094		0.09	0.35	48	0.20	8.25	41	2.5
17AWS095		0.08	0.34	52	0.16	5.59	44	3.8
17AWS096		0.08	0.41	48	0.14	5.70	36	3.0
17AWS097		0.08	0.27	44	0.17	8.41	43	1.9
17AWS098		0.38	0.78	100	0.37	24.4	64	1.5
17AWS099		0.10	0.57	66	0.16	13.00	52	3.0
17AWS100		0.09	0.36	52	0.13	6.66	50	3.0
17AWS101		0.07	0.30	47	0.17	3.99	49	2.0
17AWS102		0.12	0.69	58	0.17	12.85	51	6.4
17AWS103		0.09	0.56	58	0.18	14.65	51	6.9
17AWS104		0.12	0.38	59	0.16	7.43	52	2.9
17AWS105		0.09	0.40	52	0.14	11.65	47	2.9
17AWS106		0.11	0.56	58	0.16	9.57	55	3.7
17AWS107		0.10	0.45	54	0.20	8.68	56	3.9
17AWS108		0.10	0.47	54	0.17	14.60	50	6.6
17AWS109		0.10	0.47	51	0.19	11.65	60	5.2
17AWS110		0.10	0.46	51	0.19	10.30	60	5.2
17AWS111		0.09	0.51	54	0.16	8.73	49	3.0
17AWS112		0.10	0.37	53	0.19	7.36	51	4.5
17AWS113		0.09	0.42	57	0.20	10.75	58	6.5
17AWS114		0.09	0.42	57	0.16	8.83	48	4.2
17AWS115		0.09	0.67	57	0.18	15.75	53	7.6
17AWS116		0.08	0.25	55	0.14	3.36	44	2.8
17AWS117		0.10	0.30	60	0.15	4.54	49	3.0
17AWS118		0.10	0.30	52	0.16	5.49	45	4.3
17AWS119		0.11	0.35	53	0.18	8.92	52	6.4
17AWS120		0.12	0.35	64	0.15	5.76	52	2.7
17AWS121		0.10	0.45	56	0.18	8.08	49	3.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS122		0.23	0.002	0.07	1.34	13.8	10	370	0.58	0.17	0.47	0.10	30.5	11.6	30	0.61
17AWS123		0.38	0.006	0.05	1.48	18.3	10	440	0.62	0.13	0.42	0.08	30.0	15.8	33	2.09
17AWS124		0.26	0.002	0.06	1.28	13.7	10	320	0.58	0.14	0.43	0.09	29.4	12.6	31	0.62
17AWS125		0.20	0.004	0.07	1.34	13.7	10	300	0.55	0.14	0.39	0.08	31.2	12.7	33	0.66
17AWS126		0.30	0.002	0.04	1.50	12.6	10	330	0.59	0.14	0.34	0.07	28.7	12.0	52	0.89
17AWS127		0.28	0.002	0.06	1.38	13.7	10	330	0.60	0.14	0.37	0.07	30.1	11.5	33	0.54
17AWS128		0.22	0.007	0.04	1.34	16.1	10	360	0.57	0.14	0.39	0.06	31.2	12.0	33	0.77
17AWS129		0.23	0.010	0.07	1.36	17.1	10	400	0.58	0.15	0.32	0.10	26.1	12.5	34	0.75
17AWS130		0.25	0.013	0.08	1.39	17.3	10	420	0.59	0.15	0.34	0.11	26.7	12.2	34	0.78
17AWS131		0.27	0.001	0.07	1.30	13.4	10	340	0.54	0.15	0.41	0.09	30.8	11.4	31	0.53
17AWS132		0.22	0.006	0.06	1.46	16.7	10	370	0.63	0.16	0.38	0.11	31.1	11.9	38	0.64
17AWS133		0.27	0.004	0.07	1.16	15.4	10	380	0.55	0.13	0.47	0.07	29.1	11.3	29	0.42
17AWS134		0.25	0.008	0.09	1.11	26.5	10	790	0.58	0.12	0.29	0.11	19.95	10.4	38	0.54
17AWS135		0.19	0.008	0.05	1.27	15.8	10	370	0.53	0.13	0.46	0.07	31.2	11.9	32	0.46
17AWS136		0.19	0.006	0.06	1.47	12.9	10	480	0.58	0.14	0.29	0.09	27.2	11.4	39	0.50
17AWS137		0.21	0.002	0.08	1.35	12.7	10	350	0.53	0.16	0.35	0.10	30.4	11.8	35	0.70
17AWS138		0.28	0.001	0.05	1.39	10.3	10	350	0.53	0.13	0.34	0.09	26.2	11.5	45	0.57
17AWS139		0.21	0.001	0.08	1.43	9.8	10	330	0.59	0.14	0.32	0.10	26.3	11.1	35	0.43
17AWS140		0.22	0.001	0.07	1.45	18.4	10	340	0.65	0.17	0.38	0.08	35.4	13.8	38	1.29
17AWS141		0.25	0.001	0.06	1.60	59.5	10	310	0.81	0.18	0.34	0.11	40.4	12.0	42	0.78
17AWS142		0.21	0.002	0.06	1.48	14.4	10	310	0.64	0.14	0.38	0.09	31.9	11.5	41	0.50
17AWS143		0.21	0.003	0.14	1.44	13.5	10	560	0.57	0.14	0.34	0.09	26.0	10.8	36	0.42
17AWS144		0.23	0.002	0.07	1.45	16.4	10	450	0.67	0.17	0.36	0.10	36.3	11.5	34	0.47
17AWS145		0.15	0.004	0.07	1.47	20.3	10	460	0.63	0.16	0.35	0.08	31.6	11.4	36	0.52
17AWS146		0.28	0.002	0.05	1.29	13.6	10	270	0.58	0.13	0.39	0.08	28.3	10.6	31	0.45
17AWS147		0.20	0.002	0.05	1.45	12.2	10	320	0.54	0.16	0.33	0.07	33.7	11.0	37	0.71
17AWS148		0.25	0.003	0.04	1.31	12.7	10	250	0.49	0.13	0.39	0.07	27.4	11.2	33	0.47
17AWS149		0.16	0.001	0.06	1.24	11.1	10	340	0.49	0.15	0.33	0.10	27.3	10.7	30	0.56
17AWS150		0.14	0.004	0.07	1.29	12.0	10	340	0.54	0.16	0.35	0.11	29.1	11.1	31	0.59
17AWS151		0.20	<0.001	0.05	1.32	10.1	10	410	0.50	0.14	0.36	0.07	26.8	10.2	31	0.55
17AWS152		0.24	0.002	0.04	1.52	15.8	10	350	0.62	0.15	0.36	0.07	32.9	11.5	36	0.58
17AWS153		0.31	0.006	0.11	1.30	9.7	10	430	0.51	0.15	0.35	0.10	27.9	11.1	32	0.76
17AWS154		0.47	0.012	0.05	1.21	24.3	10	410	0.57	0.13	0.40	0.08	26.7	12.0	36	0.91
17AWS155		0.41	0.003	0.13	1.15	12.6	10	360	0.40	0.12	1.32	0.12	25.4	10.3	29	0.54
17AWS156		0.45	0.004	0.06	1.33	15.3	10	350	0.50	0.14	0.47	0.07	29.5	11.7	37	0.61
17AWS157		0.32	0.002	0.05	1.62	18.9	10	700	0.61	0.14	0.31	0.08	24.7	11.2	42	0.42
17AWS158		0.43	0.002	0.05	2.64	25.7	10	1120	0.74	0.10	0.34	0.08	32.4	18.3	206	2.86
17AWS159		0.21	0.001	0.04	1.55	10.9	10	670	0.53	0.13	0.27	0.06	24.0	8.1	45	0.40
17AWS160		0.47	0.001	0.09	2.49	10.0	10	1550	0.35	0.09	3.16	0.09	32.0	19.6	190	4.57
17AWS161		0.35	0.003	0.10	1.11	11.5	10	330	0.35	0.10	3.14	0.21	23.7	10.0	29	0.67



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
17AWS122		17.5	2.74	4.29	<0.05	0.07	0.02	0.026	0.20	13.5	11.4	0.49	483	0.89	0.02	0.59
17AWS123		58.4	3.17	5.22	0.06	0.11	0.03	0.027	0.35	15.8	13.0	0.70	423	0.80	0.02	0.31
17AWS124		26.8	2.84	4.17	0.06	0.10	0.03	0.026	0.15	15.7	10.9	0.54	485	0.99	0.02	0.30
17AWS125		39.0	2.89	4.32	0.06	0.15	0.04	0.026	0.21	17.0	12.0	0.57	397	0.86	0.02	0.28
17AWS126		51.4	2.68	4.78	0.05	0.12	0.02	0.024	0.26	13.9	14.5	0.68	306	0.80	0.01	0.24
17AWS127		29.5	2.88	4.18	0.05	0.10	0.03	0.026	0.16	16.2	10.8	0.50	367	0.95	0.02	0.33
17AWS128		31.9	2.87	4.21	0.06	0.13	0.05	0.027	0.15	17.3	11.9	0.52	359	1.01	0.02	0.28
17AWS129		21.5	2.78	4.16	<0.05	0.07	0.03	0.026	0.16	9.6	9.4	0.48	425	2.07	0.01	0.42
17AWS130		22.4	2.82	4.22	<0.05	0.07	0.03	0.028	0.16	10.0	9.3	0.48	445	2.16	0.01	0.45
17AWS131		20.3	2.67	4.05	<0.05	0.10	0.02	0.024	0.10	14.3	10.9	0.50	461	1.31	0.02	0.36
17AWS132		19.4	2.93	4.37	<0.05	0.14	0.02	0.028	0.13	13.4	11.4	0.53	367	1.36	0.02	0.40
17AWS133		29.1	2.61	3.67	0.06	0.04	0.03	0.024	0.09	16.8	11.1	0.54	414	0.82	0.02	0.36
17AWS134		21.6	2.55	3.58	<0.05	0.04	0.03	0.025	0.12	8.8	7.4	0.40	363	1.37	0.01	0.53
17AWS135		28.4	2.75	3.98	0.05	0.08	0.03	0.024	0.10	15.3	11.2	0.54	423	0.80	0.02	0.32
17AWS136		18.0	2.73	4.46	<0.05	0.12	0.02	0.026	0.15	10.8	9.8	0.47	336	0.93	0.01	0.44
17AWS137		18.4	2.75	4.18	<0.05	0.10	0.02	0.026	0.18	13.0	11.2	0.50	529	0.86	0.02	0.37
17AWS138		19.4	2.54	4.16	<0.05	0.08	0.01	0.024	0.16	10.0	10.1	0.51	317	0.89	0.01	0.54
17AWS139		16.1	2.61	4.25	<0.05	0.06	0.01	0.024	0.11	10.4	9.5	0.44	481	0.99	0.01	0.44
17AWS140		33.7	2.97	4.26	0.05	0.08	0.02	0.026	0.20	17.0	10.2	0.55	503	1.02	0.02	0.49
17AWS141		36.1	3.00	4.55	<0.05	0.07	0.04	0.029	0.13	18.8	10.1	0.46	372	1.28	0.01	0.41
17AWS142		18.6	2.75	4.32	<0.05	0.10	0.02	0.026	0.14	14.6	11.2	0.51	367	1.01	0.02	0.42
17AWS143		18.9	2.69	4.15	<0.05	0.06	0.02	0.025	0.13	10.1	9.0	0.44	465	1.11	0.01	0.60
17AWS144		20.7	2.85	4.26	<0.05	0.13	0.03	0.030	0.14	16.9	11.2	0.47	371	1.10	0.02	0.39
17AWS145		20.8	2.91	4.33	<0.05	0.12	0.03	0.029	0.19	13.1	10.9	0.48	362	1.44	0.02	0.42
17AWS146		44.8	2.57	3.81	<0.05	0.10	0.02	0.023	0.16	14.7	10.0	0.45	311	0.73	0.02	0.29
17AWS147		28.0	2.78	4.34	0.07	0.10	0.02	0.026	0.18	14.7	9.2	0.50	306	0.96	0.01	0.31
17AWS148		33.5	2.71	4.02	0.07	0.11	0.03	0.023	0.15	13.6	8.7	0.51	387	0.82	0.02	0.24
17AWS149		16.2	2.55	3.86	0.05	0.09	0.01	0.023	0.19	11.3	7.7	0.44	501	1.05	0.01	0.36
17AWS150		17.5	2.64	3.98	0.05	0.10	0.02	0.024	0.20	12.3	8.1	0.47	515	1.04	0.01	0.34
17AWS151		16.8	2.55	4.02	0.05	0.07	0.02	0.024	0.16	11.8	8.0	0.43	517	0.96	0.01	0.39
17AWS152		26.2	2.86	4.50	0.07	0.11	0.03	0.027	0.16	14.5	9.2	0.48	372	0.93	0.01	0.25
17AWS153		18.0	2.65	4.05	0.06	0.09	0.02	0.024	0.26	12.1	8.3	0.45	626	1.04	0.01	0.42
17AWS154		42.1	2.86	3.84	0.06	0.10	0.06	0.029	0.15	13.4	7.9	0.52	449	0.82	0.02	0.27
17AWS155		38.7	2.52	3.61	0.07	0.03	0.06	0.020	0.08	12.6	8.7	0.64	387	0.69	0.02	0.39
17AWS156		39.4	2.78	4.14	0.07	0.11	0.05	0.025	0.11	14.8	9.4	0.59	381	0.77	0.02	0.21
17AWS157		18.2	2.83	4.73	<0.05	0.05	0.02	0.029	0.11	10.4	7.8	0.46	308	1.19	0.01	0.38
17AWS158		55.2	4.44	11.35	0.15	0.10	0.02	0.050	1.03	18.8	17.7	1.71	403	0.68	0.01	0.25
17AWS159		14.9	2.61	4.57	<0.05	0.07	0.01	0.025	0.09	10.2	7.8	0.48	180	1.15	0.01	0.59
17AWS160		49.0	4.09	9.15	0.15	0.05	0.04	0.042	0.95	14.7	12.6	2.06	406	0.93	0.01	0.45
17AWS161		32.2	2.50	3.53	0.06	0.04	0.04	0.020	0.07	11.4	8.8	0.83	405	0.59	0.03	0.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS122		25.5	460	9.3	15.1	<0.001	<0.01	0.63	5.8	0.3	0.5	36.0	<0.01	0.03	4.0	0.064	
17AWS123		36.1	470	9.1	22.4	<0.001	<0.01	0.80	8.2	0.3	0.5	33.1	<0.01	0.03	4.1	0.086	
17AWS124		33.4	680	8.6	12.0	<0.001	<0.01	0.68	6.6	0.2	0.4	32.0	<0.01	0.03	4.0	0.069	
17AWS125		37.4	410	8.8	15.0	<0.001	<0.01	0.76	6.7	0.2	0.5	28.6	<0.01	0.03	4.5	0.079	
17AWS126		30.9	490	7.7	22.6	<0.001	<0.01	0.58	6.7	0.3	0.4	22.7	<0.01	0.03	4.2	0.079	
17AWS127		32.3	510	8.5	12.6	<0.001	<0.01	0.73	6.9	0.3	0.4	28.2	<0.01	0.03	4.1	0.070	
17AWS128		36.9	640	9.7	11.6	<0.001	<0.01	0.92	7.3	0.3	0.4	29.7	<0.01	0.05	4.4	0.068	
17AWS129		24.5	330	15.3	13.1	<0.001	<0.01	0.76	6.4	0.2	0.5	25.5	<0.01	0.10	3.3	0.057	
17AWS130		25.5	350	15.5	12.6	<0.001	<0.01	0.76	6.5	0.3	0.5	27.1	<0.01	0.10	3.4	0.058	
17AWS131		27.5	460	8.8	9.9	<0.001	<0.01	0.68	5.9	0.2	0.5	31.6	<0.01	0.03	4.1	0.065	
17AWS132		29.8	370	10.1	12.3	<0.001	<0.01	0.75	7.0	0.2	0.5	29.0	<0.01	0.05	4.3	0.072	
17AWS133		34.1	510	8.3	6.4	<0.001	<0.01	0.76	5.3	0.2	0.4	34.8	<0.01	0.04	3.3	0.059	
17AWS134		37.0	410	8.2	8.3	<0.001	0.01	0.99	6.6	0.2	0.4	24.1	<0.01	0.09	2.6	0.045	
17AWS135		33.4	670	8.6	7.9	<0.001	<0.01	0.75	6.1	0.2	0.4	34.5	<0.01	0.03	4.0	0.065	
17AWS136		27.9	270	8.3	13.0	<0.001	<0.01	0.64	6.0	0.2	0.5	21.7	<0.01	0.03	3.7	0.071	
17AWS137		30.7	390	8.9	20.2	<0.001	<0.01	0.64	5.7	0.2	0.5	26.3	<0.01	0.02	4.2	0.070	
17AWS138		34.6	350	7.5	25.6	<0.001	<0.01	0.56	5.5	0.2	0.4	22.6	<0.01	0.03	3.3	0.063	
17AWS139		26.2	490	8.2	13.3	<0.001	<0.01	0.55	5.6	0.2	0.4	23.5	<0.01	0.03	3.6	0.058	
17AWS140		37.1	400	10.1	23.4	<0.001	<0.01	0.66	5.9	0.3	0.4	28.6	<0.01	0.06	5.4	0.072	
17AWS141		50.8	370	10.9	12.6	<0.001	<0.01	3.15	7.1	0.3	0.5	25.1	<0.01	0.06	5.3	0.045	
17AWS142		35.0	480	8.4	13.5	<0.001	<0.01	0.66	5.9	0.2	0.5	26.6	<0.01	0.03	4.1	0.066	
17AWS143		28.5	570	8.3	7.8	<0.001	0.01	0.75	5.6	0.3	0.5	25.4	<0.01	0.06	3.1	0.054	
17AWS144		30.8	370	9.4	10.7	<0.001	<0.01	0.78	6.5	0.2	0.5	25.5	<0.01	0.04	4.8	0.066	
17AWS145		28.1	460	11.5	13.2	<0.001	<0.01	0.80	6.8	0.3	0.5	25.9	<0.01	0.06	4.4	0.065	
17AWS146		27.7	580	7.8	10.4	<0.001	<0.01	0.72	6.4	<0.001	0.4	25.7	<0.01	0.04	3.9	0.059	
17AWS147		27.7	480	8.5	19.1	<0.001	<0.01	0.70	6.7	0.3	0.5	23.0	<0.01	0.04	5.2	0.071	
17AWS148		33.9	560	8.2	9.5	<0.001	<0.01	0.67	6.3	0.4	0.4	28.4	<0.01	0.03	4.3	0.069	
17AWS149		23.7	460	7.9	14.2	<0.001	<0.01	0.61	5.2	0.4	0.4	23.2	<0.01	0.03	4.3	0.061	
17AWS150		25.6	460	8.3	15.3	<0.001	<0.01	0.63	5.5	0.3	0.4	24.7	<0.01	0.03	4.5	0.064	
17AWS151		25.4	470	7.7	13.8	<0.001	<0.01	0.59	5.3	0.3	0.4	24.9	<0.01	0.03	4.0	0.061	
17AWS152		32.1	460	8.7	12.9	<0.001	<0.01	0.69	7.0	0.4	0.5	25.8	<0.01	0.04	5.1	0.068	
17AWS153		27.5	430	8.1	17.3	<0.001	<0.01	0.65	5.6	0.4	0.4	24.6	<0.01	0.04	4.2	0.067	
17AWS154		43.6	420	9.3	11.9	<0.001	<0.01	1.54	7.1	0.3	0.4	30.7	<0.01	0.10	4.4	0.056	
17AWS155		33.7	740	7.1	7.5	<0.001	0.01	0.71	4.4	0.4	0.3	54.9	<0.01	0.03	2.7	0.057	
17AWS156		42.2	480	8.2	9.9	<0.001	<0.01	0.77	6.4	0.4	0.4	32.6	<0.01	0.04	4.6	0.072	
17AWS157		32.6	280	8.6	8.4	<0.001	<0.01	0.74	6.5	0.3	0.5	25.0	<0.01	0.04	3.9	0.054	
17AWS158		115.0	420	8.4	64.8	0.001	<0.01	0.71	17.7	0.6	0.9	26.5	<0.01	0.05	5.2	0.189	
17AWS159		27.7	210	7.6	9.1	<0.001	0.01	0.59	5.6	0.3	0.5	20.4	<0.01	0.04	3.6	0.061	
17AWS160		103.5	550	4.0	68.1	<0.001	0.02	0.32	13.3	0.5	0.8	85.2	<0.01	0.04	4.2	0.190	
17AWS161		31.7	890	6.3	6.4	<0.001	0.02	0.63	4.0	0.3	0.3	97.3	<0.01	0.03	3.0	0.067	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS122		0.09	0.38	52	0.19	8.62	53	3.5
17AWS123		0.18	0.48	70	0.21	13.70	58	5.8
17AWS124		0.09	0.46	56	0.17	13.60	53	5.9
17AWS125		0.10	0.43	57	0.18	15.80	51	8.1
17AWS126		0.12	0.40	53	0.16	9.60	47	6.0
17AWS127		0.09	0.47	57	0.16	12.85	48	5.7
17AWS128		0.10	0.57	56	0.20	16.60	51	7.2
17AWS129		0.09	0.35	58	0.19	4.96	50	3.4
17AWS130		0.10	0.36	59	0.19	5.70	51	3.4
17AWS131		0.08	0.57	51	0.18	10.35	53	4.9
17AWS132		0.09	0.45	59	0.18	9.09	60	6.3
17AWS133		0.07	0.42	52	0.18	16.30	49	2.2
17AWS134		0.09	0.47	54	0.16	4.62	51	1.9
17AWS135		0.08	0.50	54	0.17	11.80	50	5.1
17AWS136		0.08	0.39	58	0.15	4.78	45	5.0
17AWS137		0.10	0.40	52	0.18	7.85	55	4.8
17AWS138		0.09	0.37	51	0.16	4.43	45	3.8
17AWS139		0.08	0.38	50	0.15	4.22	47	3.2
17AWS140		0.15	0.71	56	0.14	11.70	59	4.2
17AWS141		0.10	0.88	59	0.32	12.40	59	3.4
17AWS142		0.08	0.82	54	0.16	10.00	52	4.8
17AWS143		0.08	0.43	54	0.16	4.54	48	2.4
17AWS144		0.08	0.47	54	0.17	12.35	52	6.4
17AWS145		0.09	0.44	59	0.18	7.86	50	5.9
17AWS146		0.07	0.46	52	0.17	11.80	46	5.1
17AWS147		0.10	0.54	54	0.20	9.84	53	4.5
17AWS148		0.08	0.44	56	0.15	10.80	46	5.3
17AWS149		0.08	0.38	49	0.20	6.85	48	3.6
17AWS150		0.09	0.41	50	0.21	8.01	49	4.0
17AWS151		0.08	0.39	49	0.17	7.04	45	3.0
17AWS152		0.09	0.46	59	0.19	9.63	49	5.5
17AWS153		0.09	0.40	49	0.19	8.16	49	3.7
17AWS154		0.12	0.56	57	0.40	13.45	56	4.8
17AWS155		0.08	0.49	50	0.18	11.80	51	1.1
17AWS156		0.08	0.67	57	0.17	13.30	52	5.4
17AWS157		0.08	0.50	62	0.14	4.16	49	2.0
17AWS158		0.30	0.86	136	0.08	12.75	107	4.5
17AWS159		0.07	0.46	59	0.17	4.38	42	2.5
17AWS160		0.40	0.78	122	0.09	15.00	85	2.4
17AWS161		0.09	0.65	51	0.24	9.59	51	1.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS162		0.41	0.002	0.14	1.45	19.1	10	460	0.49	0.14	1.74	0.14	25.8	10.6	41	0.71
17AWS163		0.25	0.003	0.07	1.56	123.0	10	440	0.61	0.16	0.52	0.18	32.3	13.4	31	1.05
17AWS164		0.27	0.002	0.07	1.52	48.7	10	360	0.63	0.15	0.43	0.08	31.6	13.7	57	0.83
17AWS165		0.41	0.001	0.10	2.11	9.8	10	500	0.44	0.07	0.87	0.11	15.30	19.2	204	2.47
17AWS166		0.34	0.005	0.09	1.27	15.1	10	560	0.41	0.11	0.86	0.11	25.8	10.9	45	0.76
17AWS167		0.32	0.004	0.08	1.14	12.7	10	290	0.40	0.12	0.62	0.09	27.1	10.5	30	0.50
17AWS168		0.39	0.008	0.08	1.50	11.1	10	750	0.64	0.10	0.42	0.07	19.35	12.9	41	1.78
17AWS169		0.24	0.005	0.07	1.32	12.0	10	380	0.52	0.14	0.33	0.09	25.9	11.0	35	0.76
17AWS170		0.24	0.005	0.07	1.38	13.1	10	380	0.54	0.14	0.33	0.09	28.5	11.3	36	0.78
17AWS171		0.36	0.016	0.06	1.30	13.4	10	330	0.50	0.14	0.40	0.06	29.6	10.9	33	0.66
17AWS172		0.35	0.002	0.11	1.27	19.1	10	350	0.48	0.15	0.86	0.12	28.8	10.7	42	1.08
17AWS173		0.40	0.006	0.06	1.26	13.7	10	330	0.48	0.13	0.47	0.07	27.8	11.3	31	0.70
17AWS174		0.34	0.002	0.06	1.31	14.6	10	370	0.49	0.15	0.34	0.09	26.8	11.4	36	0.56
17AWS175		0.53	0.003	0.14	1.14	11.8	10	430	0.42	0.14	1.94	0.16	27.6	10.0	26	0.68
17AWS176		0.43	0.003	0.06	1.43	18.3	10	340	0.57	0.14	0.41	0.07	31.2	11.5	35	0.48
17AWS177		0.32	0.005	0.15	1.41	19.2	10	450	0.49	0.13	0.69	0.10	30.1	11.9	42	0.93
17AWS178		0.31	0.002	0.07	1.86	53.6	10	800	0.69	0.11	0.33	0.08	26.7	15.3	105	2.35
17AWS179		0.39	0.006	0.10	1.76	34.1	10	1200	1.26	0.05	4.63	0.14	10.65	34.4	177	3.42
17AWS180		0.09	0.001	0.17	1.31	12.9	10	1000	0.43	0.11	2.44	0.89	18.90	11.3	57	0.84
17AWS181		0.35	0.007	0.09	1.22	24.5	10	490	0.45	0.12	2.82	0.18	24.8	11.3	32	0.73
17AWS182		0.45	0.009	0.06	1.38	87.2	10	900	0.68	0.16	0.38	0.12	21.5	14.3	38	0.49
17AWS183		0.40	0.005	0.12	1.70	55.0	10	560	0.68	0.16	0.35	0.10	30.6	17.2	71	1.55
17AWS184		0.34	0.001	0.12	1.33	53.2	10	390	0.69	0.15	0.30	0.09	36.7	16.6	55	1.50
17AWS185		0.50	0.005	0.06	1.35	54.8	10	350	0.58	0.14	0.41	0.08	28.4	12.9	38	0.48
17AWS186		0.32	0.002	0.07	1.32	19.5	10	440	0.51	0.15	0.45	0.11	28.0	11.1	31	0.47
17AWS187		0.37	0.003	0.07	1.29	23.3	10	320	0.53	0.15	0.45	0.07	31.0	11.2	32	0.55
17AWS188		0.44	0.002	0.08	1.44	30.8	10	310	0.53	0.15	0.34	0.08	30.5	12.3	41	0.91
17AWS189		0.44	0.008	0.07	1.36	39.5	10	420	0.58	0.15	0.34	0.08	29.8	12.6	37	0.67
17AWS190		0.38	0.003	0.06	1.32	21.6	10	420	0.60	0.17	0.42	0.08	33.0	11.2	34	0.44
17AWS191		0.27	0.002	0.07	1.32	19.8	10	410	0.59	0.16	0.42	0.10	32.8	11.5	34	0.46
17AWS192		0.33	0.003	0.11	1.17	55.6	10	450	0.56	0.14	0.89	0.14	29.3	11.5	29	0.82
17AWS193		0.36	0.003	0.07	1.66	30.2	10	320	0.53	0.12	0.43	0.07	24.4	16.1	92	1.18
17AWS194		0.40	0.001	0.04	1.84	51.1	10	450	0.61	0.11	0.37	0.08	26.0	17.2	122	1.69
17AWS195		0.28	0.001	0.06	1.53	28.3	10	320	0.52	0.10	0.41	0.09	28.5	14.7	80	0.86
17AWS196		0.46	0.001	0.07	1.71	44.0	10	380	0.51	0.09	0.47	0.10	22.6	20.3	156	1.96
17AWS197		0.42	0.002	0.08	1.29	23.2	10	300	0.51	0.14	0.45	0.06	29.7	11.2	35	0.78
17AWS198		0.33	0.011	0.05	1.43	31.1	10	310	0.56	0.14	0.36	0.06	28.7	11.7	39	0.65
17AWS199		0.42	0.001	0.07	1.33	25.3	10	360	0.54	0.14	0.37	0.07	29.0	11.9	37	0.59
17AWS200		0.38	0.003	0.05	1.33	50.5	10	510	0.66	0.17	0.36	0.07	30.4	10.8	34	0.59
17AWS201		0.24	0.001	0.10	1.28	174.0	10	1180	0.79	0.15	0.36	0.16	24.9	13.9	32	0.45



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
17AWS162		41.2	2.71	4.30	0.05	0.06	0.05	0.023	0.08	12.9	10.6	0.74	342	0.93	0.03	0.67
17AWS163		33.3	3.05	4.58	0.06	0.12	0.14	0.026	0.16	15.2	8.1	0.48	562	1.00	0.02	0.78
17AWS164		37.4	3.12	4.47	0.08	0.11	0.04	0.027	0.16	17.5	9.9	0.67	369	0.97	0.02	0.40
17AWS165		50.2	2.86	5.86	0.05	0.05	0.03	0.017	0.41	7.9	17.6	2.31	328	0.40	0.01	0.66
17AWS166		35.0	2.67	4.06	0.07	0.06	0.05	0.021	0.12	12.7	8.8	0.68	403	0.77	0.02	0.40
17AWS167		33.2	2.59	3.56	0.07	0.04	0.04	0.020	0.07	13.1	8.3	0.59	399	0.63	0.02	0.29
17AWS168		55.2	3.11	4.90	0.06	0.07	0.03	0.026	0.35	10.1	8.5	0.66	549	0.77	0.01	0.31
17AWS169		29.5	2.71	4.12	0.06	0.09	0.04	0.025	0.15	13.0	8.7	0.51	366	0.89	0.01	0.27
17AWS170		29.4	2.78	4.24	0.07	0.10	0.03	0.024	0.15	14.0	9.2	0.52	350	0.94	0.01	0.26
17AWS171		29.6	2.71	4.03	0.07	0.10	0.03	0.025	0.11	15.5	8.9	0.58	388	0.88	0.02	0.20
17AWS172		35.0	2.67	4.05	0.07	0.05	0.04	0.025	0.19	14.8	10.0	0.88	355	0.76	0.02	0.45
17AWS173		35.5	2.70	4.03	0.07	0.09	0.04	0.023	0.13	14.0	9.5	0.58	414	0.74	0.02	0.26
17AWS174		22.2	2.70	4.01	0.06	0.10	0.02	0.023	0.15	11.8	8.4	0.57	411	0.87	0.01	0.38
17AWS175		31.5	2.41	3.63	0.07	0.02	0.05	0.022	0.09	13.5	9.2	0.81	402	0.80	0.03	0.49
17AWS176		28.2	2.82	4.30	0.07	0.10	0.04	0.025	0.10	17.9	8.7	0.61	347	0.81	0.02	0.31
17AWS177		42.6	2.91	4.56	0.07	0.04	0.06	0.026	0.19	15.0	9.4	0.76	373	0.74	0.02	0.51
17AWS178		40.6	3.79	6.24	0.06	0.06	0.04	0.041	0.53	13.7	10.8	1.00	399	1.08	0.01	0.39
17AWS179		98.3	4.82	4.49	0.05	0.04	0.22	0.038	0.31	4.7	12.5	1.81	802	1.47	<0.01	0.12
17AWS180		41.1	2.25	3.70	<0.05	0.08	0.02	0.021	0.18	8.9	5.5	0.70	688	0.67	0.02	0.94
17AWS181		43.3	2.59	3.81	0.06	0.04	0.06	0.022	0.10	12.1	9.3	0.75	404	0.84	0.03	0.47
17AWS182		26.1	2.81	3.99	<0.05	0.05	0.07	0.032	0.13	9.5	5.4	0.37	484	1.17	0.01	0.47
17AWS183		43.6	3.25	5.42	0.07	0.08	0.08	0.031	0.27	15.1	12.2	0.73	520	0.87	0.01	0.41
17AWS184		33.1	3.03	4.09	0.06	0.06	0.07	0.025	0.17	17.4	8.8	0.42	433	1.12	0.01	0.39
17AWS185		46.6	2.88	4.20	0.07	0.14	0.05	0.025	0.10	17.7	12.9	0.62	367	1.10	0.02	0.27
17AWS186		20.3	2.62	4.01	0.05	0.08	0.02	0.024	0.15	12.7	10.4	0.45	488	0.93	0.01	0.52
17AWS187		29.2	2.74	4.03	0.07	0.11	0.04	0.024	0.10	16.9	12.4	0.54	391	1.00	0.02	0.21
17AWS188		27.0	2.90	4.36	0.07	0.13	0.04	0.028	0.22	15.0	12.8	0.55	350	0.94	0.02	0.20
17AWS189		34.4	2.78	4.11	0.07	0.13	0.05	0.025	0.12	16.7	12.3	0.55	375	0.94	0.02	0.24
17AWS190		22.2	2.72	4.10	0.07	0.13	0.02	0.024	0.09	17.7	12.2	0.48	326	1.12	0.01	0.29
17AWS191		23.4	2.70	4.21	0.07	0.13	0.03	0.026	0.09	17.3	12.5	0.49	356	1.06	0.02	0.27
17AWS192		36.5	2.73	3.63	0.05	0.05	0.07	0.023	0.14	14.5	10.3	0.53	514	0.96	0.02	0.41
17AWS193		47.8	2.95	4.57	0.07	0.09	0.05	0.023	0.20	14.0	16.2	1.08	367	0.70	0.02	0.29
17AWS194		35.2	3.15	5.35	0.07	0.09	0.03	0.027	0.25	12.6	20.6	1.24	364	0.83	0.01	0.33
17AWS195		28.6	2.70	4.56	0.06	0.08	0.02	0.020	0.25	11.6	12.2	0.80	473	0.78	0.01	0.60
17AWS196		45.3	3.07	5.33	0.06	0.05	0.03	0.021	0.49	10.3	16.1	1.39	591	0.68	0.01	0.45
17AWS197		29.0	2.75	3.97	0.08	0.09	0.03	0.027	0.16	16.1	13.0	0.53	368	0.97	0.02	0.28
17AWS198		39.1	2.89	4.27	0.08	0.18	0.05	0.025	0.12	17.4	12.8	0.60	332	0.80	0.02	0.23
17AWS199		25.9	2.67	4.07	0.06	0.11	0.03	0.024	0.11	15.6	13.2	0.55	413	0.98	0.02	0.34
17AWS200		30.3	2.81	4.08	0.07	0.14	0.06	0.026	0.12	18.5	12.6	0.49	352	1.28	0.01	0.26
17AWS201		30.1	2.98	3.71	<0.05	0.05	0.06	0.026	0.12	10.5	6.5	0.29	1060	1.62	0.01	0.48



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS162		45.8	560	8.3	9.6	<0.001	0.01	0.94	4.6	0.3	0.4	58.3	<0.01	0.04	3.3	0.061	
17AWS163		38.8	480	10.4	14.9	<0.001	0.01	1.69	5.9	0.5	0.5	39.4	<0.01	0.04	5.2	0.063	
17AWS164		65.5	320	8.9	13.6	<0.001	0.01	1.15	7.5	0.4	0.4	29.3	<0.01	0.04	5.3	0.071	
17AWS165		198.0	440	4.5	38.9	<0.001	0.01	0.46	4.7	0.4	0.3	46.4	<0.01	0.02	1.7	0.115	
17AWS166		40.9	530	6.8	10.8	<0.001	0.01	0.78	5.4	0.3	0.4	38.3	<0.01	0.04	3.7	0.080	
17AWS167		31.9	680	7.2	6.8	<0.001	0.01	0.65	4.8	0.2	0.3	37.7	<0.01	0.03	3.8	0.066	
17AWS168		33.9	500	8.0	22.7	<0.001	<0.01	0.83	8.4	0.3	0.4	28.2	<0.01	0.04	3.5	0.069	
17AWS169		30.5	450	7.8	12.2	<0.001	<0.01	0.78	6.3	0.3	0.4	22.7	<0.01	0.04	4.1	0.065	
17AWS170		31.6	460	8.0	12.6	<0.001	<0.01	0.79	6.6	0.3	0.4	23.0	<0.01	0.04	4.5	0.067	
17AWS171		34.6	580	8.1	9.7	<0.001	<0.01	0.73	6.1	0.3	0.4	30.0	<0.01	0.03	4.7	0.069	
17AWS172		41.2	610	8.1	15.2	<0.001	0.01	0.93	5.3	0.3	0.4	55.3	<0.01	0.04	3.7	0.060	
17AWS173		36.0	600	7.8	10.4	<0.001	<0.01	0.75	5.9	0.3	0.4	33.3	<0.01	0.04	4.3	0.071	
17AWS174		31.2	290	8.1	10.8	<0.001	<0.01	0.74	5.9	0.3	0.4	26.3	<0.01	0.04	4.2	0.064	
17AWS175		33.2	880	7.7	8.4	<0.001	0.02	0.77	3.6	0.5	0.4	97.1	<0.01	0.03	2.1	0.051	
17AWS176		39.2	280	8.3	8.3	<0.001	<0.01	0.80	6.5	0.3	0.5	33.2	<0.01	0.03	4.8	0.070	
17AWS177		41.5	790	7.8	14.6	<0.001	0.01	0.99	6.5	0.5	0.5	39.2	<0.01	0.03	3.8	0.075	
17AWS178		80.9	350	8.3	33.6	<0.001	0.01	2.28	12.8	0.7	0.7	26.5	<0.01	0.04	4.1	0.110	
17AWS179		192.0	520	4.0	27.7	<0.001	0.02	1.40	18.0	0.5	0.2	107.0	<0.01	0.02	0.7	0.027	
17AWS180		79.9	1480	6.2	15.5	0.001	0.06	0.78	3.2	1.6	0.4	141.0	<0.01	0.03	1.3	0.047	
17AWS181		51.6	580	7.4	7.0	<0.001	0.02	0.96	4.6	0.4	0.4	76.5	<0.01	0.04	3.4	0.065	
17AWS182		55.6	250	15.4	7.8	<0.001	0.01	2.32	6.9	0.4	0.5	31.3	<0.01	0.07	3.1	0.024	
17AWS183		74.4	300	11.0	18.1	<0.001	0.01	1.18	9.9	0.3	0.5	27.3	<0.01	0.04	4.9	0.065	
17AWS184		80.8	390	10.1	15.2	<0.001	0.01	1.56	7.1	0.3	0.4	25.1	<0.01	0.04	6.0	0.043	
17AWS185		55.3	300	9.0	7.4	<0.001	0.01	1.35	6.7	0.4	0.4	27.6	<0.01	0.03	4.7	0.066	
17AWS186		29.8	590	8.4	10.5	<0.001	<0.01	0.69	6.0	0.2	0.4	31.3	<0.01	0.02	4.1	0.058	
17AWS187		36.9	640	8.8	7.7	<0.001	<0.01	0.90	6.6	0.3	0.4	33.7	<0.01	0.04	5.1	0.065	
17AWS188		41.5	400	8.8	17.8	<0.001	<0.01	0.82	7.7	0.3	0.5	26.0	<0.01	0.03	5.0	0.072	
17AWS189		60.8	460	9.3	9.2	<0.001	<0.01	1.27	7.1	0.3	0.4	26.7	<0.01	0.03	4.9	0.065	
17AWS190		34.5	460	9.0	7.7	<0.001	<0.01	0.85	7.0	0.2	0.5	27.8	<0.01	0.04	5.4	0.063	
17AWS191		35.6	440	8.8	7.8	<0.001	<0.01	0.82	6.8	0.2	0.5	28.8	<0.01	0.03	5.1	0.065	
17AWS192		38.8	740	9.8	10.8	<0.001	0.01	1.21	5.9	0.3	0.4	43.5	<0.01	0.04	4.4	0.046	
17AWS193		104.5	390	7.6	15.4	<0.001	0.01	0.77	7.6	0.3	0.4	26.2	<0.01	0.03	3.8	0.080	
17AWS194		113.0	280	7.0	22.4	<0.001	0.01	1.28	9.0	0.3	0.4	24.3	<0.01	0.03	4.0	0.094	
17AWS195		73.7	280	7.0	16.4	<0.001	0.01	0.64	6.3	0.2	0.4	25.7	<0.01	0.02	3.8	0.080	
17AWS196		170.0	390	5.7	32.9	<0.001	0.01	0.62	7.2	0.4	0.4	26.8	<0.01	0.02	2.8	0.079	
17AWS197		38.9	860	8.6	11.9	<0.001	<0.01	0.80	6.8	0.3	0.4	31.1	<0.01	0.04	4.8	0.062	
17AWS198		50.3	370	9.0	9.5	<0.001	<0.01	0.87	7.5	0.5	0.4	28.0	<0.01	0.03	4.8	0.076	
17AWS199		44.1	460	8.4	9.2	<0.001	<0.01	0.77	6.7	0.3	0.4	28.1	<0.01	0.03	4.4	0.061	
17AWS200		40.3	540	9.9	9.1	<0.001	<0.01	1.18	7.2	0.3	0.5	26.4	<0.01	0.03	5.5	0.058	
17AWS201		52.0	290	16.7	6.4	<0.001	0.01	2.60	6.7	0.4	0.4	30.5	<0.01	0.04	3.2	0.018	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS162		0.09	0.89	52	0.19	10.40	67	2.3
17AWS163		0.17	0.64	53	0.17	10.25	61	5.7
17AWS164		0.12	0.59	63	0.22	14.65	58	5.4
17AWS165		0.24	1.69	63	0.10	6.81	54	2.0
17AWS166		0.09	0.61	62	0.26	10.90	56	2.5
17AWS167		0.07	0.50	54	0.21	10.50	51	2.0
17AWS168		0.17	0.49	72	0.23	9.07	51	3.0
17AWS169		0.09	0.46	57	0.24	10.45	49	3.7
17AWS170		0.09	0.50	58	0.23	10.65	51	4.2
17AWS171		0.09	0.61	54	0.19	13.75	50	5.1
17AWS172		0.12	0.51	51	0.25	11.75	60	1.6
17AWS173		0.09	0.47	54	0.18	12.20	52	4.8
17AWS174		0.08	0.36	55	0.19	8.08	51	3.7
17AWS175		0.10	0.59	44	0.24	11.25	62	0.8
17AWS176		0.07	0.54	58	0.15	16.95	51	5.3
17AWS177		0.11	0.65	63	0.21	12.80	57	1.7
17AWS178		0.20	0.85	85	0.14	12.60	80	2.5
17AWS179		0.28	0.52	71	0.17	15.15	65	1.0
17AWS180		0.09	5.40	41	0.13	7.17	94	2.9
17AWS181		0.08	0.76	52	0.24	10.65	54	1.7
17AWS182		0.12	0.62	53	0.25	8.69	56	1.6
17AWS183		0.14	0.89	65	0.15	12.00	73	3.1
17AWS184		0.14	0.88	48	0.16	9.89	65	2.5
17AWS185		0.08	0.54	58	0.24	18.40	57	7.2
17AWS186		0.07	0.42	50	0.20	7.66	53	3.3
17AWS187		0.08	0.61	52	0.20	13.15	54	5.9
17AWS188		0.12	0.52	58	0.17	10.35	54	6.2
17AWS189		0.09	0.69	54	0.20	14.15	55	6.3
17AWS190		0.07	0.50	52	0.24	13.15	56	6.1
17AWS191		0.07	0.49	52	0.24	12.50	58	5.9
17AWS192		0.11	0.62	48	0.20	10.85	69	1.9
17AWS193		0.14	0.50	58	0.15	13.15	52	4.0
17AWS194		0.17	0.62	68	0.17	9.52	61	3.3
17AWS195		0.10	0.43	57	0.17	6.27	53	2.9
17AWS196		0.17	0.40	58	0.13	7.76	64	1.8
17AWS197		0.12	0.56	52	0.22	12.75	54	4.2
17AWS198		0.09	0.54	60	0.16	16.55	50	8.5
17AWS199		0.09	0.49	52	0.20	12.35	52	4.9
17AWS200		0.10	0.63	51	0.24	17.55	56	6.8
17AWS201		0.20	0.59	48	0.25	10.10	69	1.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	AuME-TL43 Au ppm	AuME-TL43 Ag ppm	AuME-TL43 Al %	AuME-TL43 As ppm	AuME-TL43 B ppm	AuME-TL43 Ba ppm	AuME-TL43 Be ppm	AuME-TL43 Bi ppm	AuME-TL43 Ca %	AuME-TL43 Cd ppm	AuME-TL43 Ce ppm	AuME-TL43 Co ppm	AuME-TL43 Cr ppm	AuME-TL43 Cs ppm
		0.02	0.001	0.01	0.01	0.1	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
17AWS202		0.35	0.005	0.06	1.34	26.6	10	440	0.60	0.16	0.38	0.07	32.2	11.4	33	0.47
17AWS203		0.29	0.006	0.08	1.43	40.9	10	580	0.70	0.17	0.34	0.07	32.7	11.5	35	0.40
17AWS204		0.27	0.002	0.09	1.45	56.7	10	560	0.74	0.15	0.32	0.09	30.0	13.1	47	1.24
17AWS205		0.29	0.002	0.08	1.34	18.8	10	360	0.46	0.14	0.38	0.10	26.0	11.3	33	0.42
17AWS206		0.32	0.005	0.05	1.35	24.4	10	340	0.56	0.14	0.41	0.08	30.5	11.4	34	0.44
17AWS207		0.34	0.002	0.05	1.38	23.1	10	380	0.55	0.14	0.42	0.06	29.0	11.4	32	0.43



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 7 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS202		31.4	2.68	4.14	0.07	0.11	0.05	0.026	0.08	19.2	12.6	0.52	372	1.06	0.01	0.33
17AWS203		29.4	2.77	4.24	0.06	0.13	0.07	0.026	0.07	15.4	11.5	0.48	370	1.23	0.01	0.33
17AWS204		29.7	2.83	4.38	0.05	0.06	0.06	0.027	0.21	13.9	10.2	0.48	518	1.19	0.01	0.50
17AWS205		23.6	2.66	4.07	<0.05	0.10	0.03	0.023	0.10	11.6	9.9	0.48	507	0.92	0.02	0.26
17AWS206		28.1	2.75	4.14	0.07	0.14	0.04	0.025	0.10	16.1	12.3	0.49	377	0.91	0.02	0.26
17AWS207		25.7	2.75	4.10	0.05	0.12	0.03	0.024	0.09	14.3	11.9	0.51	447	0.95	0.02	0.20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS202		42.0	380	9.1	7.2	<0.001	<0.01	0.94	6.9	0.4	0.5	28.2	<0.01	0.04	5.1	0.061
17AWS203		40.4	240	9.7	5.7	<0.001	<0.01	1.10	7.6	0.4	0.5	25.8	<0.01	0.04	5.3	0.057
17AWS204		51.0	270	10.3	16.5	<0.001	0.01	1.27	7.7	0.3	0.5	24.5	<0.01	0.04	4.8	0.049
17AWS205		31.0	440	8.4	8.6	<0.001	<0.01	0.75	6.1	0.2	0.4	27.8	<0.01	0.03	4.1	0.061
17AWS206		35.4	470	8.9	8.2	<0.001	<0.01	0.85	7.0	0.3	0.4	30.9	<0.01	0.03	4.8	0.065
17AWS207		33.0	560	8.7	9.3	<0.001	<0.01	0.78	6.9	0.4	0.4	30.2	<0.01	0.03	4.4	0.062

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS202		0.07	0.57	51	0.23	18.05	54	5.6
17AWS203		0.07	0.56	54	0.23	11.80	53	6.0
17AWS204		0.15	0.62	51	0.16	8.98	59	2.3
17AWS205		0.07	0.47	53	0.17	6.78	53	4.1
17AWS206		0.07	0.75	55	0.18	11.70	50	6.4
17AWS207		0.07	0.49	55	0.16	9.54	49	5.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-NOV-2017
Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231001

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
AuME-TL43



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 1
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

CERTIFICATE WH17231006

Project: QV
 P.O. No.: 17-QV-04
 This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-OCT-2017.
 The following have access to data associated with this certificate:
 CHRIS LIVINGSTONE KRIS RAFFLE DAVID TERRY

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
AuME-TL43	25g Trace Au + Multi Element PKG	ICP-MS

To: COMSTOCK METALS LTD.
 ATTN: CHRIS LIVINGSTONE
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS208		0.28	0.001	0.07	1.61	67.7	<10	560	0.82	0.14	0.30	0.08	31.7	11.2	38	0.53
17AWS209		0.20	0.001	0.06	1.39	24.2	10	370	0.60	0.16	0.35	0.09	29.2	11.0	32	0.39
17AWS210		0.25	0.001	0.06	1.40	26.2	10	370	0.61	0.16	0.36	0.10	29.6	11.1	33	0.38
17AWS211		0.41	0.004	0.05	1.38	30.6	10	270	0.62	0.14	0.41	0.07	28.9	11.5	32	0.50
17AWS212		0.36	0.003	0.08	1.38	30.4	10	380	0.64	0.14	0.38	0.08	29.1	11.3	35	0.47
17AWS213		0.29	0.002	0.10	1.33	37.5	10	320	0.60	0.16	0.39	0.14	30.1	11.0	33	0.89
17AWS214		0.30	0.001	0.13	1.35	64.4	10	860	0.65	0.17	0.62	0.24	29.8	12.8	33	0.50
17AWS215		0.22	0.001	0.14	1.17	73.9	10	1000	0.59	0.13	0.41	0.28	25.9	10.6	26	0.67
17AWS216		0.30	0.004	0.10	1.30	33.7	10	350	0.58	0.13	0.47	0.08	30.2	11.0	32	0.55
17AWS217		0.48	0.001	0.09	1.82	32.3	10	400	0.88	0.12	0.39	0.15	52.7	14.1	46	2.63
17AWS218		0.34	0.001	0.04	1.56	79.3	<10	330	0.62	0.18	0.12	0.11	18.10	10.7	28	0.62
17AWS219		0.49	0.001	0.02	2.39	98.6	10	950	0.92	0.34	0.31	0.09	64.7	13.4	64	5.76
17AWS220		0.34	0.001	0.15	1.59	108.5	10	810	0.70	0.27	0.32	0.35	30.5	10.9	42	0.74
17AWS221		0.47	0.001	0.13	2.79	104.0	<10	790	0.96	0.28	0.36	0.19	51.0	19.0	59	3.74
17AWS222		0.47	0.002	0.08	1.89	48.7	10	800	0.59	0.20	0.32	0.09	38.9	10.1	39	0.77
17AWS223		0.43	0.001	0.04	2.43	21.5	<10	510	0.98	0.13	0.33	0.14	63.8	14.9	62	3.44
17AWS224		0.30	0.001	0.05	2.32	29.6	<10	670	1.30	0.77	0.43	0.11	97.5	18.3	66	5.95
17AWS225		0.56	<0.001	0.04	3.48	109.0	10	460	1.11	0.25	0.44	0.06	56.5	23.9	80	6.88
17AWS226		0.49	0.001	0.13	1.00	151.5	10	400	1.71	0.51	0.40	0.21	108.0	16.6	30	2.83
17AWS227		0.54	0.001	0.04	3.26	12.9	<10	390	0.97	0.18	0.37	0.06	99.9	20.9	52	6.06
17AWS228		0.33	0.002	0.18	1.14	1190	20	860	1.34	0.88	0.38	0.28	57.1	16.0	75	1.62
17AWS229		0.42	0.001	0.12	2.31	37.5	20	350	0.67	0.25	0.22	0.05	65.2	14.7	52	3.17
17AWS230		0.46	0.001	0.10	2.10	40.3	10	330	0.60	0.26	0.22	0.05	52.2	13.3	40	2.36
17AWS231		0.56	0.002	0.07	2.03	15.4	10	320	1.07	0.04	1.51	0.15	95.5	25.9	22	2.27
17AWS232		0.34	0.001	0.03	2.17	32.3	10	160	0.60	0.30	0.12	0.14	49.7	15.6	44	2.21
17AWS233		0.29	<0.001	0.08	1.63	79.9	20	150	0.74	0.47	0.15	0.15	43.1	17.8	43	3.08
17AWS234		0.47	0.001	0.11	0.63	151.0	10	550	1.33	0.20	0.33	0.14	84.7	20.1	10	1.92
17AWS235		0.34	0.001	0.05	1.43	47.6	10	200	0.46	0.16	0.11	0.07	14.55	6.4	25	0.83
17AWS236		0.47	0.002	0.21	1.06	184.5	10	450	0.95	0.23	1.02	0.23	34.4	11.5	19	1.34
17AWS237		0.43	0.004	0.17	1.08	72.5	10	470	0.66	0.13	2.34	0.19	25.2	11.7	19	0.66
17AWS238		0.57	0.002	0.10	0.78	91.5	20	1060	1.26	0.26	1.79	0.15	62.7	23.4	20	2.07
17AWS239		0.37	<0.001	0.03	0.79	25.8	20	640	1.56	0.17	8.57	0.13	27.3	29.4	90	7.29
17AWS240		0.52	0.014	0.19	1.10	33.0	10	720	1.61	0.36	0.30	0.09	18.70	16.4	15	2.56
17AWS241		0.36	0.046	0.52	1.46	19.0	10	320	0.35	0.31	0.14	0.06	13.85	8.2	27	0.28
17AWS242		0.41	0.007	0.05	1.84	6.2	10	590	1.04	0.30	0.19	0.11	36.6	20.0	44	4.72
17AWS243		0.49	0.003	0.03	1.94	2.5	10	670	1.63	0.05	0.55	0.07	47.9	13.1	15	2.64
17AWS244		0.37	0.001	0.04	1.97	6.7	10	320	0.59	0.20	0.23	0.14	25.5	10.6	22	0.79
17AWS245		0.37	0.003	0.03	2.86	8.7	10	580	1.57	0.11	0.48	0.10	78.9	23.7	40	0.82
17AWS246		0.45	0.004	0.03	2.42	7.4	10	520	0.95	0.11	0.43	0.05	68.8	12.8	31	0.73
17AWS247		0.44	<0.001	0.02	2.41	9.2	10	600	0.89	0.07	0.36	0.09	87.3	13.7	29	1.28



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS208		22.7	2.75	4.88	<0.05	0.05	0.03	0.026	0.12	13.6	9.7	0.39	333	1.08	0.02	0.35
17AWS209		20.9	2.67	4.39	<0.05	0.13	0.02	0.025	0.12	13.0	11.5	0.45	343	0.95	0.02	0.30
17AWS210		21.4	2.69	4.42	0.05	0.12	0.03	0.026	0.12	13.0	11.5	0.46	342	0.98	0.02	0.35
17AWS211		47.8	2.75	4.37	0.06	0.16	0.06	0.024	0.08	15.8	15.0	0.57	361	0.91	0.03	0.17
17AWS212		30.4	2.69	4.45	0.05	0.15	0.04	0.025	0.09	14.7	12.5	0.49	367	0.92	0.03	0.26
17AWS213		22.2	2.69	4.21	0.05	0.06	0.06	0.026	0.17	15.0	12.4	0.46	403	1.10	0.02	0.51
17AWS214		28.7	2.77	4.10	<0.05	0.06	0.03	0.025	0.16	10.6	9.4	0.37	990	1.51	0.02	0.75
17AWS215		24.9	2.50	3.67	<0.05	0.03	0.03	0.020	0.13	10.4	5.3	0.27	962	1.46	0.02	0.71
17AWS216		34.3	2.67	4.17	0.05	0.07	0.05	0.024	0.09	15.9	11.8	0.53	439	0.93	0.03	0.34
17AWS217		31.3	3.43	5.75	0.09	0.06	0.03	0.024	0.55	25.2	11.8	0.77	919	0.80	0.02	0.88
17AWS218		27.4	3.33	4.18	<0.05	<0.02	0.05	0.030	0.06	9.2	14.4	0.34	230	1.53	0.02	0.49
17AWS219		49.8	4.33	10.90	0.12	0.05	0.07	0.044	1.03	31.6	15.5	1.32	412	0.95	0.02	0.24
17AWS220		39.1	2.86	5.96	0.05	<0.02	0.15	0.026	0.06	16.5	14.6	0.54	305	1.75	0.02	0.80
17AWS221		49.6	4.84	10.85	0.09	0.03	0.06	0.045	0.70	28.8	20.1	1.07	451	2.39	0.01	0.54
17AWS222		33.1	3.02	6.41	0.06	0.03	0.07	0.028	0.07	20.3	18.1	0.62	281	1.51	0.02	0.68
17AWS223		39.1	4.13	7.05	0.09	0.03	0.02	0.017	0.95	39.5	20.7	1.05	355	0.80	0.02	0.82
17AWS224		43.9	4.26	8.82	0.10	0.07	0.03	0.025	0.61	49.2	26.5	1.06	476	0.42	0.02	0.29
17AWS225		48.2	5.78	13.85	0.11	0.06	0.04	0.037	1.08	19.4	36.0	1.60	845	0.54	0.02	0.17
17AWS226		45.3	4.86	2.88	0.14	0.03	0.62	0.073	0.18	51.9	6.0	0.21	556	1.02	0.02	0.15
17AWS227		26.6	5.51	12.60	0.14	0.06	0.02	0.035	1.40	50.0	28.4	1.61	384	0.73	0.02	0.62
17AWS228		41.2	5.05	3.57	0.09	0.03	1.16	0.057	0.10	29.3	8.8	0.33	568	2.62	0.02	0.31
17AWS229		40.5	4.14	8.70	0.11	0.04	0.05	0.026	0.72	38.8	20.3	0.92	360	2.12	0.03	1.25
17AWS230		32.6	3.74	8.30	0.07	0.04	0.04	0.024	0.57	27.6	20.2	0.82	314	1.22	0.02	0.96
17AWS231		20.5	7.62	10.90	0.23	0.07	0.03	0.056	0.23	52.2	21.6	1.46	811	0.93	0.04	0.25
17AWS232		48.8	4.57	9.03	0.06	0.02	0.01	0.027	0.37	22.9	20.6	0.80	403	1.44	0.02	0.60
17AWS233		42.0	4.21	6.25	0.06	0.02	0.03	0.039	0.30	13.3	10.6	0.50	669	1.50	0.02	0.84
17AWS234		38.1	4.98	2.37	0.11	0.02	0.21	0.035	0.10	37.1	3.5	0.10	1060	1.42	0.01	0.05
17AWS235		14.6	2.56	5.13	<0.05	0.04	0.01	0.023	0.04	7.2	12.7	0.34	161	1.14	0.01	0.72
17AWS236		37.2	5.60	3.37	0.07	0.05	0.16	0.027	0.06	17.3	8.1	0.23	1100	2.66	0.01	0.19
17AWS237		34.7	5.62	3.53	0.05	0.04	0.15	0.022	0.05	12.0	8.6	0.59	998	0.90	0.02	0.34
17AWS238		62.0	4.94	2.90	0.08	0.03	0.22	0.038	0.11	29.3	5.2	0.16	1160	2.52	0.02	0.12
17AWS239		40.7	5.30	3.10	0.07	0.02	0.12	0.057	0.24	11.8	3.7	0.32	1280	1.22	0.02	<0.05
17AWS240		79.6	4.48	2.91	0.05	0.04	0.15	0.043	0.14	7.9	7.1	0.24	713	2.31	0.01	0.08
17AWS241		17.4	2.53	4.53	<0.05	0.09	0.02	0.023	0.06	7.0	9.6	0.37	185	8.77	0.02	0.53
17AWS242		34.0	4.39	7.85	0.07	0.06	0.03	0.044	0.56	20.1	10.6	0.65	589	1.04	0.01	0.40
17AWS243		17.6	3.64	8.66	0.09	0.05	0.02	0.025	0.57	26.2	12.5	0.72	703	11.15	0.01	0.23
17AWS244		14.4	3.41	8.54	<0.05	0.03	0.01	0.026	0.36	12.3	20.1	0.73	320	0.79	0.02	1.06
17AWS245		81.7	5.94	15.25	0.11	0.21	0.03	0.056	0.41	45.1	37.2	1.66	460	0.74	0.02	0.26
17AWS246		28.1	4.06	11.05	0.09	0.10	0.02	0.034	0.42	36.1	26.2	1.18	434	0.58	0.02	0.98
17AWS247		21.4	4.43	12.15	0.12	0.08	0.01	0.035	0.73	43.2	24.8	1.02	385	0.55	0.02	0.83



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS208		38.2	340	9.5	8.9	<0.001	0.01	1.14	6.9	0.3	0.4	23.8	<0.01	0.04	4.3	0.039	
17AWS209		26.0	260	8.5	7.8	<0.001	<0.01	0.85	6.5	0.3	0.4	24.8	<0.01	0.04	4.5	0.060	
17AWS210		26.0	270	8.6	8.0	<0.001	0.01	0.91	6.7	0.3	0.4	25.0	<0.01	0.04	4.6	0.062	
17AWS211		38.1	290	8.5	6.8	<0.001	0.01	0.99	6.8	0.3	0.4	29.5	<0.01	0.03	4.6	0.069	
17AWS212		35.8	290	8.4	7.9	<0.001	0.01	0.95	7.1	0.3	0.4	26.8	<0.01	0.03	4.6	0.067	
17AWS213		29.2	760	8.8	15.1	<0.001	0.01	0.91	6.1	0.2	0.4	27.2	<0.01	0.04	4.5	0.055	
17AWS214		33.2	430	10.5	8.2	<0.001	0.01	1.33	6.0	0.3	0.4	41.1	<0.01	0.04	3.4	0.035	
17AWS215		22.8	470	12.1	8.7	<0.001	0.02	1.68	4.1	0.3	0.4	30.0	<0.01	0.04	2.7	0.022	
17AWS216		37.9	590	8.4	8.8	<0.001	0.01	0.93	6.3	0.3	0.4	32.5	<0.01	0.04	4.4	0.059	
17AWS217		45.2	550	12.2	43.4	<0.001	0.01	0.66	7.2	0.4	0.5	26.3	<0.01	0.04	6.7	0.084	
17AWS218		31.7	360	18.0	8.5	<0.001	0.01	2.78	3.3	0.4	0.4	14.9	<0.01	0.05	1.4	0.009	
17AWS219		45.5	680	30.0	98.4	<0.001	0.01	1.80	11.2	0.8	0.8	19.7	<0.01	0.06	15.1	0.199	
17AWS220		37.4	640	37.8	8.8	<0.001	0.01	2.05	5.8	0.5	0.5	24.6	<0.01	0.04	2.4	0.052	
17AWS221		53.9	800	28.8	63.1	<0.001	0.02	1.62	10.1	0.9	0.7	28.0	<0.01	0.07	9.5	0.147	
17AWS222		27.4	450	18.9	10.5	<0.001	0.01	0.96	5.8	0.6	0.5	26.8	<0.01	0.04	4.9	0.070	
17AWS223		41.0	690	15.9	98.2	<0.001	0.01	0.54	4.6	0.3	0.4	34.5	<0.01	0.04	12.3	0.161	
17AWS224		50.1	620	70.0	97.2	<0.001	0.01	1.06	6.6	0.4	0.4	28.7	<0.01	0.03	13.1	0.120	
17AWS225		45.4	850	13.8	130.5	<0.001	<0.01	0.97	9.5	0.4	0.7	24.0	<0.01	0.07	12.9	0.147	
17AWS226		53.0	680	35.0	21.0	<0.001	0.01	10.30	14.0	0.4	0.4	21.9	<0.01	0.03	21.5	0.005	
17AWS227		52.6	920	12.5	145.5	<0.001	0.02	0.40	8.7	0.3	0.9	19.4	<0.01	0.04	20.8	0.192	
17AWS228		63.9	560	45.6	12.1	<0.001	0.02	38.6	11.2	0.6	0.5	25.9	<0.01	0.04	11.2	0.019	
17AWS229		37.8	440	16.0	71.8	<0.001	0.04	1.28	5.2	0.6	0.5	25.7	<0.01	0.05	14.3	0.133	
17AWS230		29.9	400	19.0	55.6	<0.001	0.02	1.08	4.8	0.4	0.5	20.2	<0.01	0.04	11.7	0.109	
17AWS231		20.2	5340	4.8	29.0	<0.001	0.01	1.42	11.3	0.4	1.2	78.5	<0.01	0.01	3.1	0.109	
17AWS232		35.4	330	33.5	37.8	<0.001	0.03	0.96	5.0	0.5	0.5	16.1	<0.01	0.04	12.2	0.094	
17AWS233		46.4	830	63.1	32.8	<0.001	0.01	9.12	6.1	0.7	0.5	9.4	<0.01	0.05	7.8	0.063	
17AWS234		47.8	520	36.4	8.8	<0.001	0.01	4.13	7.8	0.5	0.2	17.6	<0.01	0.04	14.3	<0.005	
17AWS235		14.5	160	13.1	8.3	<0.001	0.01	0.90	2.7	0.2	0.5	10.8	<0.01	0.03	3.8	0.032	
17AWS236		32.9	170	84.2	5.9	<0.001	<0.01	6.50	5.8	0.6	0.3	13.9	<0.01	0.04	6.9	0.007	
17AWS237		30.4	480	12.0	5.2	<0.001	0.01	3.43	4.3	0.4	0.3	37.3	<0.01	0.03	2.2	0.017	
17AWS238		72.2	380	38.5	10.7	<0.001	0.02	3.75	8.7	0.9	0.3	24.0	<0.01	0.05	11.1	<0.005	
17AWS239		124.5	1490	5.9	28.1	<0.001	0.01	2.15	16.1	0.3	0.3	127.5	<0.01	0.02	3.2	<0.005	
17AWS240		31.7	400	25.2	11.5	0.001	0.01	4.90	12.1	1.0	0.3	21.2	<0.01	0.07	5.0	<0.005	
17AWS241		15.9	170	10.7	5.0	<0.001	0.03	0.68	3.2	0.3	0.4	17.6	<0.01	0.10	3.1	0.042	
17AWS242		29.6	280	13.0	43.1	<0.001	0.01	1.17	7.9	0.4	1.3	19.1	<0.01	0.05	7.8	0.088	
17AWS243		19.7	930	13.0	34.8	<0.001	<0.01	0.24	8.0	0.3	0.6	29.0	<0.01	0.02	4.5	0.067	
17AWS244		12.5	430	24.5	32.4	<0.001	0.01	0.27	4.8	0.2	0.8	18.9	<0.01	0.03	3.1	0.134	
17AWS245		25.2	760	11.7	37.7	<0.001	<0.01	0.50	17.5	0.7	1.2	42.0	<0.01	0.05	7.7	0.150	
17AWS246		21.1	790	9.1	31.9	<0.001	0.01	0.31	8.6	0.3	1.1	33.0	<0.01	0.03	9.9	0.146	
17AWS247		23.0	1150	8.8	50.6	<0.001	0.01	0.30	8.0	0.2	1.2	26.3	<0.01	0.03	8.3	0.185	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS208		0.09	0.72	54	0.14	6.67	52	2.4
17AWS209		0.07	0.43	52	0.15	7.57	56	6.0
17AWS210		0.07	0.45	53	0.17	7.81	56	5.7
17AWS211		0.08	0.62	55	0.14	13.90	52	8.5
17AWS212		0.08	0.62	55	0.15	10.30	50	7.6
17AWS213		0.12	0.78	50	0.20	9.78	65	3.1
17AWS214		0.08	0.55	48	0.15	4.82	105	2.2
17AWS215		0.12	0.52	43	0.12	4.69	109	1.0
17AWS216		0.08	0.51	54	0.19	13.05	56	4.5
17AWS217		0.19	0.90	55	0.18	12.85	82	2.4
17AWS218		0.10	0.60	53	0.10	4.77	73	<0.5
17AWS219		0.65	1.27	90	0.05	13.40	127	2.5
17AWS220		0.12	1.37	70	0.11	11.15	86	0.6
17AWS221		0.48	1.57	113	0.08	12.60	132	1.8
17AWS222		0.12	1.34	70	0.11	8.38	67	1.4
17AWS223		0.55	1.20	58	0.10	7.14	112	1.7
17AWS224		0.69	1.14	56	0.10	8.33	100	3.6
17AWS225		0.75	1.21	76	0.10	16.80	120	2.5
17AWS226		0.18	3.55	39	0.51	18.00	117	1.3
17AWS227		0.92	1.69	64	<0.05	13.20	115	3.1
17AWS228		0.30	1.90	45	0.16	13.65	114	2.2
17AWS229		0.53	1.55	48	0.08	10.15	64	1.9
17AWS230		0.42	1.27	47	0.07	8.80	59	2.1
17AWS231		0.24	0.61	140	0.05	40.2	128	2.3
17AWS232		0.31	1.70	59	0.08	9.32	76	1.2
17AWS233		0.31	0.98	67	0.16	7.61	91	0.9
17AWS234		0.17	1.60	22	0.08	25.3	104	<0.5
17AWS235		0.09	0.39	51	0.14	2.86	44	1.7
17AWS236		0.13	1.22	32	0.11	23.4	120	1.8
17AWS237		0.10	0.94	40	0.12	17.90	99	1.4
17AWS238		0.17	1.46	30	0.15	18.95	108	1.2
17AWS239		0.22	0.66	58	0.19	14.90	76	0.7
17AWS240		0.14	0.89	43	0.07	14.25	77	2.6
17AWS241		0.06	0.37	52	0.14	2.13	40	3.5
17AWS242		0.31	1.07	78	0.27	14.45	112	3.7
17AWS243		0.25	0.64	61	0.07	18.90	90	2.4
17AWS244		0.18	0.33	75	0.12	3.57	79	1.4
17AWS245		0.27	1.08	128	0.06	19.15	133	10.3
17AWS246		0.20	0.66	82	0.10	9.74	79	5.1
17AWS247		0.30	0.44	96	0.13	10.60	100	3.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS248		0.45	<0.001	0.03	2.62	5.5	10	560	0.94	0.05	0.77	0.09	25.7	22.3	100	1.01
17AWS249		0.18	0.001	0.05	1.53	8.0	10	250	0.42	0.12	0.13	0.20	20.6	7.6	22	0.64
17AWS250		0.21	0.001	0.05	1.51	8.1	10	250	0.44	0.12	0.13	0.21	20.7	7.7	22	0.63
17AWS251		0.35	0.001	0.06	1.46	7.2	10	290	0.41	0.12	0.21	0.11	16.75	7.5	25	0.57
17AWS252		0.41	0.001	0.03	1.99	5.9	10	410	0.70	0.08	0.31	0.06	41.2	10.3	20	1.48
17AWS253		0.28	0.002	0.04	1.46	9.4	10	180	0.24	0.16	0.10	0.18	13.35	6.7	25	0.36
17AWS254		0.41	0.001	0.02	2.71	4.2	10	530	0.94	0.35	0.65	0.05	85.3	15.6	12	3.56
17AWS255		0.39	0.001	0.02	1.66	8.9	10	270	0.50	0.13	0.24	0.13	14.75	9.3	23	0.55
17AWS256		0.21	0.001	0.05	1.41	4.1	10	240	0.34	0.13	0.19	0.17	12.60	6.8	23	0.43
17AWS257		0.40	0.002	0.11	2.00	7.6	10	340	0.54	0.15	0.28	0.20	19.55	10.7	32	0.47
17AWS258		0.33	<0.001	0.08	2.58	8.3	10	370	0.79	0.12	0.44	0.15	14.25	18.5	117	0.99
17AWS259		0.26	0.005	0.08	1.45	7.6	10	310	0.44	0.13	0.17	0.15	15.80	7.9	28	0.39
17AWS260		0.16	0.002	0.06	1.42	6.0	10	410	0.32	0.13	0.21	0.33	15.75	7.7	24	0.61
17AWS261		0.29	0.003	0.02	1.43	6.7	10	320	0.35	0.47	0.20	0.28	21.0	7.6	19	0.46
17AWS262		0.30	<0.001	0.02	1.45	6.9	10	220	0.31	0.14	0.19	0.14	17.00	7.6	26	0.25
17AWS263		0.36	0.001	0.06	2.22	7.8	10	190	0.42	0.16	0.12	0.12	18.80	9.2	34	0.49
17AWS264		0.32	0.004	0.03	2.31	6.5	10	550	0.77	0.18	0.48	0.14	64.0	15.7	55	1.52
17AWS265		0.24	0.002	0.11	2.25	3.2	10	230	0.38	0.11	0.21	0.17	39.5	10.9	40	1.35
17AWS266		0.38	0.003	0.03	2.08	10.7	10	280	0.53	0.14	0.24	0.06	18.35	11.3	59	0.47
17AWS267		0.40	0.001	0.01	3.04	5.5	10	570	0.97	0.10	0.61	0.06	138.5	21.9	27	2.41
17AWS268		0.41	0.001	0.02	2.84	5.2	10	690	0.90	0.12	0.42	0.14	107.5	15.3	12	3.90
17AWS269		0.37	0.002	0.02	2.26	8.6	10	510	0.60	0.17	0.31	0.13	44.8	13.0	23	2.35
17AWS270		0.46	0.001	0.02	2.52	8.0	10	640	0.71	0.22	0.36	0.18	55.3	14.2	22	3.17
17AWS271		0.33	<0.001	0.03	2.52	12.0	10	450	0.43	0.08	0.32	0.07	27.0	16.2	22	2.77
17AWS272		0.20	0.002	0.03	1.23	6.5	10	180	0.20	0.13	0.14	0.12	13.70	6.4	20	0.36
17AWS273		0.53	0.001	0.03	3.39	11.8	10	640	0.79	0.06	0.49	0.05	94.7	18.2	19	5.80
17AWS274		0.40	0.001	0.06	2.40	20.3	<10	400	0.35	0.12	0.23	0.09	21.6	10.0	19	1.81
17AWS275		0.36	0.002	0.05	2.76	112.0	<10	530	0.68	0.10	0.25	0.07	49.7	14.3	26	1.92
17AWS276		0.37	0.001	0.04	2.17	8.6	10	420	0.73	0.12	0.26	0.12	38.3	12.8	20	1.62
17AWS277		0.32	0.001	0.07	1.54	9.8	10	210	0.35	0.15	0.20	0.08	15.65	8.6	30	0.49
17AWS278		0.44	0.001	0.06	2.14	7.2	10	440	0.71	0.11	0.40	0.09	23.5	13.3	18	3.17
17AWS279		0.34	0.008	0.16	1.52	8.6	10	400	0.50	0.14	0.18	0.11	28.3	9.4	27	0.38
17AWS280		0.41	0.002	0.08	1.41	58.9	10	550	0.97	0.17	1.00	0.16	24.8	13.9	25	0.72
17AWS281		0.35	0.002	0.14	1.13	113.0	10	810	1.61	0.85	0.29	0.21	28.3	22.3	29	1.17
17AWS282		0.39	0.001	0.02	1.30	21.6	10	360	0.99	0.23	0.21	0.09	19.65	13.6	35	2.05
17AWS283		0.29	0.002	0.11	0.88	195.5	30	510	0.73	0.25	0.41	0.22	25.8	18.3	52	1.66
17AWS284		0.43	<0.001	0.02	2.18	117.0	10	290	1.44	0.79	0.55	0.10	26.2	17.7	75	5.35
17AWS285		0.43	0.001	0.07	1.32	56.1	10	460	1.14	0.13	0.61	0.12	46.0	22.8	51	5.31
17AWS286		0.59	0.002	0.05	1.27	81.8	10	340	0.62	0.18	0.21	0.07	27.5	11.9	35	1.04
17AWS287		0.22	0.004	0.06	1.23	88.5	10	230	0.52	0.16	0.17	0.10	27.8	11.4	25	1.25



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS248		51.6	4.76	9.69	0.05	0.10	0.01	0.043	0.65	8.5	34.1	1.74	448	0.40	0.04	0.10
17AWS249		10.9	2.84	6.59	<0.05	<0.02	0.01	0.024	0.17	10.1	15.2	0.56	260	0.76	0.02	0.81
17AWS250		10.9	2.82	6.53	<0.05	0.02	0.01	0.024	0.17	10.0	15.3	0.55	256	0.76	0.02	0.83
17AWS251		13.4	2.52	5.39	<0.05	0.03	0.01	0.021	0.15	7.9	15.7	0.51	345	0.83	0.02	0.82
17AWS252		15.8	3.25	10.25	0.06	0.05	0.01	0.024	0.51	21.1	19.9	0.88	338	0.53	0.02	0.59
17AWS253		11.8	2.45	5.10	<0.05	0.05	0.01	0.021	0.07	6.8	14.3	0.36	348	1.21	0.02	0.80
17AWS254		31.4	5.05	15.75	0.09	0.06	0.01	0.046	1.12	25.2	21.5	1.39	522	0.39	0.02	0.22
17AWS255		17.6	3.12	6.16	<0.05	0.03	0.01	0.028	0.20	6.7	16.4	0.56	277	0.89	0.02	0.48
17AWS256		10.6	2.66	5.84	<0.05	0.04	0.01	0.020	0.11	6.1	10.9	0.46	278	0.85	0.02	0.60
17AWS257		28.6	3.35	8.58	<0.05	0.06	0.01	0.034	0.11	9.5	20.8	0.75	486	0.88	0.02	0.45
17AWS258		26.1	4.39	9.90	<0.05	0.03	0.01	0.048	0.27	5.9	33.2	1.56	541	0.72	0.02	0.32
17AWS259		11.9	2.50	4.85	<0.05	0.04	0.01	0.021	0.09	7.7	13.4	0.46	339	0.76	0.02	0.49
17AWS260		10.1	2.50	5.69	<0.05	0.02	0.02	0.018	0.10	7.6	15.1	0.50	563	0.79	0.02	1.05
17AWS261		10.3	2.54	6.13	<0.05	0.04	0.01	0.020	0.17	9.9	18.5	0.51	367	0.78	0.02	0.88
17AWS262		10.5	2.49	5.01	<0.05	0.03	0.01	0.021	0.07	8.2	14.1	0.41	292	0.82	0.02	0.60
17AWS263		15.6	3.46	10.40	<0.05	0.05	0.01	0.030	0.13	7.5	29.2	0.74	258	0.96	0.02	0.94
17AWS264		30.5	4.29	10.50	0.11	0.05	0.02	0.031	0.69	32.0	17.6	1.21	450	0.53	0.02	0.63
17AWS265		15.3	3.69	13.30	<0.05	<0.02	0.02	0.024	0.59	13.6	10.1	0.94	387	0.56	0.02	1.54
17AWS266		18.2	3.37	5.77	<0.05	0.13	0.02	0.035	0.05	9.1	16.0	0.76	234	1.04	0.02	0.46
17AWS267		18.2	6.55	13.80	0.12	0.09	0.01	0.057	0.71	47.3	23.4	1.66	904	0.50	0.01	0.32
17AWS268		40.0	5.80	12.80	0.14	0.07	0.01	0.048	0.95	69.4	19.1	1.34	748	0.72	0.02	0.47
17AWS269		22.2	4.03	7.92	0.06	0.06	0.01	0.027	0.55	20.3	17.2	0.92	482	1.07	0.02	0.50
17AWS270		21.6	4.51	9.33	0.07	0.05	0.01	0.029	0.75	22.8	17.8	1.09	610	1.11	0.02	0.60
17AWS271		13.4	5.04	10.70	0.07	0.07	0.01	0.033	0.85	12.9	20.0	1.27	850	1.02	0.02	0.82
17AWS272		10.5	2.31	4.72	<0.05	0.02	0.01	0.016	0.05	6.9	8.7	0.32	474	1.47	0.02	0.80
17AWS273		72.9	7.15	14.75	0.15	0.12	0.01	0.053	1.31	53.8	21.8	1.44	678	1.29	0.02	0.25
17AWS274		30.7	4.09	8.99	<0.05	0.06	0.01	0.025	0.57	11.6	20.1	1.14	645	3.50	0.02	0.73
17AWS275		36.7	4.62	9.47	0.08	0.12	0.01	0.037	0.66	22.7	20.3	0.96	485	3.39	0.02	0.42
17AWS276		39.4	4.25	8.64	0.06	0.08	0.01	0.033	0.62	16.0	16.5	0.95	668	2.27	0.02	0.36
17AWS277		12.9	2.83	4.62	<0.05	0.10	0.02	0.023	0.12	7.7	12.9	0.47	300	1.64	0.02	0.47
17AWS278		52.5	4.23	8.27	0.05	0.06	0.02	0.040	0.51	12.7	13.9	0.81	737	3.55	0.02	0.30
17AWS279		21.2	3.08	4.24	<0.05	0.04	0.03	0.029	0.06	12.7	9.1	0.35	456	1.54	0.02	0.49
17AWS280		36.4	5.59	3.61	0.05	0.04	0.37	0.029	0.05	13.4	7.7	0.35	943	1.46	0.01	0.31
17AWS281		117.5	6.79	2.83	0.06	0.02	0.46	0.035	0.08	13.1	6.0	0.19	1340	4.79	0.02	0.23
17AWS282		32.5	3.94	3.25	<0.05	<0.02	0.04	0.031	0.15	9.3	8.9	0.38	326	1.38	0.02	0.44
17AWS283		46.5	3.78	2.72	0.05	<0.02	0.14	0.039	0.07	13.3	5.6	0.19	436	2.18	0.05	0.32
17AWS284		30.8	5.52	8.79	0.06	0.05	0.03	0.055	0.53	12.5	15.2	0.94	425	1.42	0.02	0.88
17AWS285		37.1	6.90	5.16	0.10	0.04	0.10	0.059	0.35	24.0	8.5	0.55	922	2.12	0.01	0.28
17AWS286		25.1	3.20	3.95	<0.05	0.06	0.13	0.026	0.04	13.6	9.2	0.35	357	1.15	0.02	0.42
17AWS287		21.4	2.71	3.84	<0.05	0.02	0.07	0.021	0.05	13.2	9.7	0.35	304	1.34	0.02	0.74



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS248		45.5	2140	4.2	48.2	<0.001	0.01	0.23	13.4	0.3	0.6	33.3	<0.01	0.02	5.2	0.141	
17AWS249		13.4	390	7.5	19.6	<0.001	0.01	0.38	3.2	0.2	0.6	13.3	<0.01	0.03	2.4	0.082	
17AWS250		13.5	380	7.5	19.1	<0.001	0.01	0.38	3.2	0.2	0.6	13.2	<0.01	0.02	2.4	0.081	
17AWS251		14.8	330	7.3	16.0	<0.001	0.01	0.38	3.2	0.2	0.5	17.4	<0.01	0.02	3.2	0.077	
17AWS252		13.0	820	7.5	35.7	<0.001	0.01	0.30	5.0	0.2	0.7	22.0	<0.01	0.02	5.7	0.142	
17AWS253		14.5	240	10.2	5.8	<0.001	0.01	0.45	2.6	0.2	0.5	10.4	<0.01	0.03	2.1	0.048	
17AWS254		10.3	2240	21.2	74.0	<0.001	0.01	0.29	6.9	0.3	1.1	28.1	<0.01	0.03	9.1	0.237	
17AWS255		16.0	410	7.2	18.1	<0.001	0.01	0.50	4.8	0.2	0.5	17.9	<0.01	0.03	2.5	0.060	
17AWS256		12.5	280	7.2	8.7	<0.001	0.01	0.34	3.1	<0.2	0.5	13.6	<0.01	0.03	1.9	0.066	
17AWS257		22.8	530	9.5	9.9	<0.001	0.01	0.42	5.1	0.2	0.7	25.4	<0.01	0.03	3.4	0.071	
17AWS258		38.9	1260	7.0	32.1	<0.001	0.01	0.38	11.7	<0.2	0.8	32.7	<0.01	0.03	2.7	0.082	
17AWS259		16.2	270	8.9	9.3	<0.001	0.01	0.42	3.2	0.2	0.5	16.4	<0.01	0.05	2.9	0.055	
17AWS260		13.5	560	8.0	11.6	<0.001	0.01	0.36	2.9	<0.2	0.5	18.3	<0.01	0.03	1.9	0.061	
17AWS261		11.5	310	12.6	14.4	<0.001	0.01	0.35	2.8	<0.2	0.5	18.4	<0.01	0.04	2.6	0.075	
17AWS262		14.5	220	10.0	5.3	<0.001	0.01	0.47	2.9	0.2	0.5	16.8	<0.01	0.03	2.7	0.041	
17AWS263		15.9	470	11.0	13.0	<0.001	0.01	0.39	4.5	0.2	0.7	11.4	<0.01	0.04	2.6	0.090	
17AWS264		30.5	1080	15.1	49.7	<0.001	0.01	0.35	10.0	0.4	1.0	34.4	<0.01	0.06	8.9	0.174	
17AWS265		19.4	1050	9.7	63.0	<0.001	0.02	0.18	3.2	0.2	1.2	13.8	<0.01	0.06	0.8	0.102	
17AWS266		31.9	350	7.9	9.0	<0.001	0.01	0.55	6.4	0.3	0.6	22.1	<0.01	0.03	3.6	0.063	
17AWS267		16.3	1900	6.3	57.4	<0.001	0.01	0.19	12.5	0.4	1.8	30.8	<0.01	0.02	25.3	0.202	
17AWS268		8.3	1070	12.7	85.1	<0.001	0.01	0.29	12.0	0.4	1.5	23.6	<0.01	0.04	17.5	0.215	
17AWS269		16.8	580	13.7	44.4	<0.001	0.01	0.36	6.9	0.3	0.7	24.6	<0.01	0.03	7.5	0.149	
17AWS270		15.2	740	17.4	58.7	<0.001	0.01	0.30	7.7	0.3	0.8	26.2	<0.01	0.03	8.1	0.179	
17AWS271		12.8	630	7.1	61.7	<0.001	0.01	0.30	11.8	0.3	1.0	27.9	<0.01	0.02	5.2	0.271	
17AWS272		12.1	250	7.7	7.6	<0.001	0.01	0.43	2.1	0.2	0.5	14.5	<0.01	0.04	1.6	0.051	
17AWS273		12.3	1260	6.2	110.5	<0.001	0.01	0.24	18.3	0.6	1.2	33.0	<0.01	0.08	23.1	0.304	
17AWS274		12.3	410	7.9	50.3	<0.001	0.01	0.35	6.9	0.3	0.7	22.5	<0.01	0.06	4.9	0.170	
17AWS275		15.8	340	8.3	53.1	<0.001	0.01	0.41	10.8	0.3	0.8	23.3	<0.01	0.07	5.7	0.201	
17AWS276		14.8	310	7.4	42.2	<0.001	0.01	0.41	6.0	0.3	0.7	24.0	<0.01	0.05	6.7	0.118	
17AWS277		19.3	230	9.1	14.4	<0.001	0.01	0.56	4.0	0.3	0.4	18.6	<0.01	0.03	3.5	0.069	
17AWS278		12.1	300	9.4	39.8	<0.001	0.01	0.34	10.2	0.5	0.6	25.4	<0.01	0.09	3.6	0.081	
17AWS279		16.6	270	10.0	5.8	<0.001	0.01	0.53	6.4	0.3	0.5	14.8	<0.01	0.06	5.3	0.032	
17AWS280		31.3	230	13.7	5.1	<0.001	0.01	4.57	6.4	0.6	0.4	27.0	<0.01	0.03	3.7	0.016	
17AWS281		65.2	280	92.8	9.5	<0.001	0.01	13.45	9.2	0.6	0.3	14.0	<0.01	0.06	5.9	0.008	
17AWS282		46.3	290	14.1	18.5	<0.001	0.01	1.63	5.1	0.5	0.3	15.2	<0.01	0.04	3.9	0.023	
17AWS283		108.0	750	20.1	8.3	<0.001	0.02	3.50	6.2	0.6	0.4	18.4	<0.01	0.07	2.3	0.019	
17AWS284		67.6	1970	22.9	62.1	<0.001	0.01	2.53	8.3	0.4	1.2	15.7	<0.01	0.04	5.8	0.124	
17AWS285		76.1	1900	16.6	31.2	<0.001	<0.01	2.21	12.0	0.3	0.5	24.4	<0.01	0.02	7.6	0.039	
17AWS286		37.1	290	21.5	6.6	<0.001	<0.01	1.74	6.0	0.4	0.4	16.5	<0.01	0.03	4.3	0.026	
17AWS287		21.8	350	23.7	9.4	<0.001	0.01	1.73	4.6	0.5	0.4	15.6	<0.01	0.03	3.9	0.020	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS248		0.26	0.45	118	0.06	3.67	82	3.8
17AWS249		0.12	0.29	63	0.12	2.39	70	0.7
17AWS250		0.11	0.29	62	0.12	2.33	70	0.7
17AWS251		0.10	0.36	54	0.13	2.46	51	1.8
17AWS252		0.21	0.30	69	0.09	3.75	78	2.3
17AWS253		0.06	0.27	61	0.14	1.51	44	2.0
17AWS254		0.41	0.44	109	0.08	5.60	143	3.2
17AWS255		0.11	0.39	63	0.16	2.43	70	1.4
17AWS256		0.08	0.23	61	0.11	1.71	66	1.7
17AWS257		0.10	0.48	78	0.11	3.38	98	2.5
17AWS258		0.14	0.41	105	0.11	3.19	98	1.0
17AWS259		0.07	0.34	56	0.14	2.23	61	1.9
17AWS260		0.09	0.26	60	0.13	1.76	71	1.0
17AWS261		0.10	0.29	59	0.12	1.92	67	1.6
17AWS262		0.07	0.37	56	0.13	1.91	56	1.4
17AWS263		0.11	0.39	85	0.11	2.32	71	1.8
17AWS264		0.28	0.76	104	0.11	13.80	93	3.5
17AWS265		0.27	0.37	98	<0.05	4.15	87	<0.5
17AWS266		0.07	0.50	80	0.15	4.63	48	6.4
17AWS267		0.31	1.56	94	0.05	11.00	128	3.9
17AWS268		0.47	0.80	84	<0.05	12.65	141	3.5
17AWS269		0.25	0.69	73	0.11	6.59	83	3.6
17AWS270		0.33	0.71	79	0.11	7.25	97	3.2
17AWS271		0.38	0.47	112	0.09	6.33	104	3.6
17AWS272		0.06	0.26	56	0.12	1.63	40	0.9
17AWS273		0.56	0.90	117	0.05	17.15	180	6.3
17AWS274		0.67	0.76	95	0.10	4.34	94	2.5
17AWS275		0.43	1.04	105	0.15	8.69	101	5.5
17AWS276		0.23	0.67	76	0.10	6.40	97	3.7
17AWS277		0.08	0.37	58	0.14	2.25	51	4.5
17AWS278		0.28	0.48	89	0.09	8.10	95	2.8
17AWS279		0.06	0.54	61	0.22	4.07	55	1.7
17AWS280		0.12	0.90	56	0.12	17.80	86	1.5
17AWS281		0.12	1.35	63	0.21	19.55	110	1.0
17AWS282		0.14	1.07	46	0.19	8.43	65	0.6
17AWS283		0.14	1.24	47	0.19	12.65	88	<0.5
17AWS284		0.45	1.65	73	0.10	16.90	112	2.6
17AWS285		0.23	1.35	57	0.09	19.40	103	1.7
17AWS286		0.09	1.04	52	0.13	10.60	54	2.9
17AWS287		0.14	1.11	44	0.12	7.12	59	1.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS288		0.44	0.003	0.07	1.37	84.5	10	300	0.65	0.16	0.18	0.09	35.2	10.9	27	1.71
17AWS289		0.28	0.002	0.09	1.48	67.1	10	450	0.61	0.17	0.19	0.16	40.0	11.9	29	1.30
17AWS290		0.35	0.002	0.08	1.46	65.9	10	410	0.57	0.17	0.18	0.14	33.9	11.4	29	1.26
17AWS291		0.48	0.003	0.07	1.71	39.2	10	440	0.51	0.18	0.23	0.18	23.6	12.0	31	2.03
17AWS292		0.34	0.003	0.22	1.06	78.7	10	500	0.52	0.21	0.21	0.17	21.6	8.2	21	1.02
17AWS293		0.03	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
17AWS294		0.36	0.003	0.15	1.26	5.3	10	400	1.04	0.31	0.89	0.11	21.5	22.8	22	0.54
17AWS295		0.37	0.002	0.13	0.98	14.5	10	1010	0.86	0.24	1.04	0.40	16.30	19.2	22	0.84
17AWS296		0.36	0.003	0.03	1.45	14.2	10	670	0.89	0.18	0.28	0.10	15.45	14.6	26	1.52
17AWS297		0.28	0.001	0.02	1.08	8.2	10	250	0.49	0.28	0.20	0.08	25.0	12.8	20	0.89
17AWS298		0.24	0.002	0.09	1.21	8.2	10	630	0.83	0.23	0.38	0.31	20.7	18.3	26	3.39
17AWS299		0.42	0.001	0.03	1.11	8.0	10	550	0.45	0.20	0.27	0.09	18.20	8.6	17	0.98
17AWS300		0.34	0.001	0.03	0.62	22.6	10	730	1.16	0.37	0.16	0.09	51.7	18.4	15	0.76
17AWS301		0.32	0.001	0.13	0.89	13.8	10	710	1.16	0.22	1.21	0.20	21.2	12.9	15	1.06
17AWS302		0.30	0.001	0.05	1.39	22.9	10	360	1.02	0.18	0.37	0.11	32.1	22.9	24	3.37
17AWS303		0.08	0.001	0.21	1.08	3.2	20	320	0.44	0.13	1.58	0.14	27.3	8.3	19	1.40
17AWS304		0.31	0.001	0.12	1.59	17.8	10	620	1.44	0.23	0.52	0.17	30.2	20.5	25	3.96
17AWS305		0.51	0.001	0.03	1.88	22.7	10	230	1.13	0.18	0.18	0.11	52.7	17.2	34	3.97
17AWS306		0.31	0.003	0.07	2.03	10.1	10	370	0.82	0.18	0.15	0.07	28.3	10.4	36	0.76
17AWS307		0.26	0.001	0.05	1.53	9.9	10	300	0.41	0.21	0.16	0.17	13.55	8.1	30	0.46
17AWS308		0.45	0.002	0.07	1.75	9.2	10	210	0.41	0.16	0.13	0.04	19.40	7.3	31	0.64
17AWS309		0.30	0.001	0.11	1.49	14.5	10	150	0.37	0.17	0.15	0.04	20.7	6.3	26	0.79
17AWS310		0.40	0.002	0.10	1.55	16.2	10	150	0.46	0.17	0.15	0.04	21.8	6.7	26	0.85
17AWS311		0.46	0.002	0.10	1.49	50.2	10	380	0.94	0.15	0.43	0.07	40.3	22.8	104	3.05
17AWS312		0.39	0.003	0.05	1.31	86.2	10	150	0.73	0.30	0.14	0.11	18.30	17.0	28	0.84
17AWS313		0.14	0.002	0.41	1.39	36.8	10	380	0.74	0.32	0.63	0.10	27.9	7.0	23	1.07
17AWS314		0.25	0.001	0.09	0.93	50.8	20	300	0.66	0.23	0.32	0.07	25.2	10.1	26	1.96
17AWS315		0.53	0.002	0.19	1.15	87.3	10	670	1.42	0.33	0.48	0.25	40.9	23.1	25	1.57
17AWS316		0.37	0.003	0.14	1.05	10.6	10	630	0.95	0.17	0.67	0.17	30.1	11.6	18	0.80
17AWS317		0.34	0.002	0.06	1.39	6.0	10	360	0.83	0.18	0.32	0.08	14.95	17.2	28	1.78
17AWS318		0.29	0.002	0.19	1.19	8.3	10	540	0.81	0.22	0.71	0.09	21.3	12.7	20	0.69
17AWS319		0.32	0.001	0.06	1.76	8.1	10	160	0.43	0.17	0.17	0.07	14.45	8.6	28	0.75
17AWS320		0.16	0.001	0.12	1.16	4.3	10	330	0.26	0.18	0.26	0.28	11.85	9.8	20	0.45
17AWS321		0.29	0.001	0.18	1.26	4.8	10	270	0.26	0.17	0.34	0.32	11.00	9.7	18	0.31
17AWS322		0.24	0.002	0.08	1.33	5.4	10	200	0.25	0.15	0.10	0.10	13.65	5.8	19	0.49
17AWS323		0.37	0.005	0.26	1.50	6.9	10	270	0.49	0.19	0.15	0.08	17.05	7.7	24	0.82
17AWS324		0.30	0.001	0.16	1.97	7.4	10	260	0.63	0.15	0.16	0.07	38.7	11.8	27	1.97
17AWS325		0.36	<0.001	0.04	1.89	6.3	10	460	0.99	0.13	0.27	0.17	35.4	13.7	20	4.10
17AWS326		0.29	0.002	0.10	1.86	10.6	10	200	0.39	0.18	0.13	0.06	14.45	8.1	35	0.51
17AWS327		0.18	0.001	0.19	1.36	3.5	10	370	0.26	0.14	0.16	0.24	21.1	9.4	16	1.11



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS288		24.0	3.08	4.31	0.05	<0.02	0.12	0.025	0.10	16.7	10.3	0.40	346	1.27	0.02	0.60
17AWS289		23.0	2.85	4.50	0.05	0.02	0.08	0.024	0.08	17.2	9.7	0.38	400	1.26	0.02	0.83
17AWS290		21.7	2.94	4.58	<0.05	0.02	0.07	0.025	0.07	15.1	11.9	0.41	367	1.28	0.01	0.78
17AWS291		19.9	3.33	5.39	<0.05	<0.02	0.05	0.028	0.15	11.9	16.1	0.52	463	1.35	0.02	0.80
17AWS292		26.3	2.59	3.14	<0.05	<0.02	0.20	0.024	0.05	11.3	7.8	0.30	184	2.23	0.02	0.53
17AWS293		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
17AWS294		38.6	6.01	3.54	0.06	0.06	0.06	0.069	0.16	10.7	5.8	0.43	964	1.46	0.02	0.23
17AWS295		30.5	4.42	2.62	<0.05	0.06	0.18	0.047	0.08	7.6	6.4	0.34	1130	2.44	0.01	0.46
17AWS296		26.5	4.38	4.17	<0.05	0.06	0.07	0.039	0.08	7.8	7.1	0.38	505	2.00	0.01	0.33
17AWS297		19.5	3.74	3.67	<0.05	0.04	0.03	0.033	0.08	10.9	6.6	0.28	382	2.39	0.02	0.54
17AWS298		49.3	5.02	3.60	0.05	0.04	0.09	0.069	0.16	10.0	5.9	0.34	609	0.85	0.01	0.30
17AWS299		15.6	2.75	3.80	<0.05	<0.02	0.04	0.030	0.06	9.0	8.2	0.28	337	1.07	0.01	0.48
17AWS300		97.2	4.76	1.61	<0.05	<0.02	0.06	0.045	0.08	24.5	3.4	0.13	546	3.49	<0.01	0.10
17AWS301		44.0	2.78	2.68	<0.05	0.07	0.68	0.035	0.10	11.6	6.4	0.35	597	1.72	0.01	0.45
17AWS302		73.7	4.87	5.22	<0.05	0.04	0.19	0.050	0.25	11.8	15.2	0.63	959	1.20	0.01	0.43
17AWS303		60.1	1.81	4.46	<0.05	0.02	0.11	0.021	0.08	22.4	11.0	0.39	630	1.04	0.02	0.65
17AWS304		43.8	4.67	6.46	<0.05	0.03	0.19	0.050	0.31	13.9	13.3	0.56	641	1.31	0.01	0.29
17AWS305		32.4	5.06	7.80	<0.05	0.03	0.05	0.052	0.40	24.7	14.9	0.63	488	1.61	0.01	0.70
17AWS306		25.7	2.97	5.83	<0.05	0.03	0.03	0.030	0.04	14.1	14.7	0.46	221	0.89	0.01	0.51
17AWS307		14.8	2.61	5.28	<0.05	0.04	0.02	0.023	0.05	6.5	12.4	0.41	968	1.17	0.01	0.59
17AWS308		13.9	2.50	5.41	<0.05	0.04	0.01	0.023	0.03	9.9	14.3	0.43	172	0.94	0.01	0.55
17AWS309		14.5	2.55	5.59	<0.05	<0.02	0.03	0.022	0.03	10.2	11.8	0.33	156	1.20	0.01	0.49
17AWS310		15.2	2.74	5.62	<0.05	0.02	0.02	0.022	0.03	10.8	12.4	0.34	170	1.17	0.01	0.42
17AWS311		39.6	4.23	5.67	0.05	<0.02	0.08	0.042	0.13	20.2	12.6	0.64	579	0.99	0.02	0.20
17AWS312		29.1	3.04	3.98	<0.05	0.02	0.17	0.032	0.05	8.7	11.0	0.28	391	2.13	0.01	0.32
17AWS313		31.3	1.99	5.34	<0.05	0.02	0.27	0.029	0.06	17.0	5.5	0.15	182	1.65	0.01	0.59
17AWS314		17.4	2.84	4.20	<0.05	<0.02	0.07	0.033	0.10	13.1	10.1	0.23	519	1.65	0.01	0.57
17AWS315		47.9	3.73	3.91	<0.05	0.06	0.68	0.036	0.07	18.7	8.7	0.29	1390	1.81	0.01	0.47
17AWS316		31.0	2.73	3.09	<0.05	0.05	0.18	0.038	0.07	14.7	7.6	0.28	450	1.17	0.01	0.49
17AWS317		19.7	4.04	4.37	<0.05	0.04	0.06	0.048	0.08	7.4	10.7	0.35	475	0.72	0.01	0.32
17AWS318		27.0	2.66	3.61	<0.05	0.06	0.10	0.027	0.05	10.2	8.1	0.34	334	1.04	0.01	0.62
17AWS319		17.2	3.08	5.74	<0.05	0.07	0.01	0.027	0.16	6.9	15.6	0.58	336	9.44	0.01	0.64
17AWS320		11.0	2.31	4.77	<0.05	0.03	0.02	0.018	0.06	5.8	8.4	0.33	1010	12.75	0.01	0.66
17AWS321		17.2	2.87	5.33	<0.05	0.02	0.01	0.021	0.18	5.5	9.6	0.39	882	68.5	0.01	0.63
17AWS322		8.0	2.36	5.42	<0.05	0.04	0.01	0.017	0.06	6.6	10.1	0.32	477	1.74	0.01	0.83
17AWS323		14.3	2.58	4.79	<0.05	0.05	0.01	0.023	0.12	8.5	13.0	0.47	256	1.45	0.01	0.52
17AWS324		13.5	3.25	7.04	<0.05	0.07	0.01	0.028	0.29	16.9	12.7	0.57	358	1.06	0.01	0.83
17AWS325		10.7	3.99	9.04	<0.05	0.04	0.01	0.037	0.68	10.2	13.6	0.73	904	1.13	0.01	1.23
17AWS326		13.5	3.03	5.28	<0.05	0.10	0.02	0.027	0.05	7.2	13.3	0.47	268	1.38	0.01	0.48
17AWS327		9.9	2.46	6.81	<0.05	0.02	0.01	0.019	0.13	8.0	8.8	0.35	1800	1.55	0.02	1.45



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS288		23.9	370	17.0	14.1	<0.001	0.01	1.82	4.8	0.4	0.4	17.3	<0.01	0.03	4.3	0.031	
17AWS289		24.5	390	17.1	11.7	<0.001	0.02	1.92	5.7	0.5	0.4	17.8	<0.01	0.03	3.1	0.022	
17AWS290		23.7	310	17.4	11.1	<0.001	0.02	2.02	5.2	0.4	0.4	17.2	<0.01	0.03	3.9	0.024	
17AWS291		22.2	520	18.6	17.9	<0.001	0.01	2.44	5.0	0.5	0.5	18.1	<0.01	0.04	2.7	0.026	
17AWS292		25.2	470	28.6	6.7	<0.001	0.02	8.16	4.0	0.7	0.3	19.2	<0.01	0.04	2.8	0.010	
17AWS293		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	
17AWS294		23.0	900	25.1	10.7	0.002	0.03	0.43	17.3	0.5	0.3	35.2	<0.01	0.07	1.8	0.006	
17AWS295		32.4	500	25.7	6.5	0.001	0.04	1.28	16.6	0.7	0.2	31.4	<0.01	0.04	1.0	0.005	
17AWS296		31.3	320	20.4	9.3	<0.001	0.01	1.08	13.7	0.5	0.3	14.5	<0.01	0.04	2.1	0.007	
17AWS297		23.2	240	15.7	8.8	<0.001	0.01	0.75	5.5	0.3	0.3	16.7	<0.01	0.05	5.6	0.011	
17AWS298		26.6	550	14.3	14.5	<0.001	0.02	1.00	16.0	0.4	0.3	19.9	<0.01	0.03	2.6	0.010	
17AWS299		13.9	310	10.2	7.7	<0.001	0.01	0.45	4.9	0.3	0.4	18.0	<0.01	0.04	2.3	0.009	
17AWS300		37.9	360	14.8	5.5	<0.001	0.01	3.32	7.8	0.9	0.2	21.0	<0.01	0.22	6.4	<0.005	
17AWS301		21.5	650	7.7	7.7	0.001	0.05	1.79	9.4	0.5	0.3	44.5	<0.01	0.05	1.8	0.006	
17AWS302		28.0	990	11.9	24.5	<0.001	0.02	1.30	10.8	<0.2	0.4	24.5	<0.01	0.05	3.2	0.032	
17AWS303		15.1	620	6.1	11.5	<0.001	0.07	0.40	5.0	0.4	0.4	112.0	<0.01	0.03	0.8	0.039	
17AWS304		23.0	1030	22.1	32.0	<0.001	0.02	1.74	16.5	0.3	0.6	24.5	<0.01	0.03	2.8	0.018	
17AWS305		28.3	480	15.8	39.6	<0.001	0.01	0.84	10.9	0.3	0.8	15.7	<0.01	0.04	8.4	0.074	
17AWS306		28.4	210	10.1	8.5	<0.001	0.01	0.63	5.1	0.3	0.6	16.0	<0.01	0.03	4.4	0.045	
17AWS307		19.3	430	12.1	8.6	<0.001	0.01	0.64	2.6	0.2	0.5	16.8	<0.01	0.04	2.9	0.041	
17AWS308		19.1	150	9.3	7.2	<0.001	0.01	0.51	3.2	<0.2	0.5	15.2	<0.01	0.03	2.9	0.043	
17AWS309		16.3	140	18.4	6.1	<0.001	0.01	0.94	3.4	0.3	0.5	13.3	<0.01	0.03	2.5	0.033	
17AWS310		17.4	140	19.9	6.3	<0.001	0.01	1.06	3.5	0.2	0.6	13.4	<0.01	0.03	3.0	0.035	
17AWS311		113.5	770	11.7	18.0	<0.001	0.01	2.01	10.3	0.3	0.5	23.7	<0.01	0.04	3.3	0.037	
17AWS312		43.8	280	33.1	7.0	<0.001	0.01	3.26	5.3	0.3	0.5	13.3	<0.01	0.04	4.2	0.009	
17AWS313		26.8	650	25.9	7.1	<0.001	0.03	1.30	3.6	0.4	0.6	31.4	<0.01	0.03	0.6	<0.005	
17AWS314		27.7	310	19.1	20.1	<0.001	0.02	1.81	4.3	0.2	0.5	16.3	<0.01	0.03	4.5	0.018	
17AWS315		34.2	550	27.8	9.6	<0.001	0.03	4.07	9.2	0.6	0.4	25.5	<0.01	0.04	4.2	0.006	
17AWS316		24.2	480	9.5	6.1	<0.001	0.03	0.86	8.6	0.4	0.3	33.6	<0.01	0.07	2.6	0.005	
17AWS317		20.8	200	8.8	10.8	<0.001	0.01	0.49	11.7	0.2	0.3	18.2	<0.01	0.06	2.1	0.007	
17AWS318		20.3	510	14.3	6.0	<0.001	0.03	0.72	5.7	0.5	0.3	34.5	<0.01	0.03	1.7	0.009	
17AWS319		18.7	130	9.3	15.6	<0.001	0.01	0.63	4.9	0.2	0.6	15.1	<0.01	0.03	2.6	0.086	
17AWS320		13.2	180	8.9	6.5	<0.001	0.01	0.41	2.5	0.2	0.5	17.7	<0.01	0.04	1.6	0.052	
17AWS321		14.0	240	7.1	9.8	0.001	0.03	0.42	4.9	0.2	0.6	27.0	<0.01	0.05	1.4	0.055	
17AWS322		11.8	220	7.2	6.5	<0.001	0.01	0.43	2.2	<0.2	0.5	9.4	<0.01	0.04	1.9	0.049	
17AWS323		16.9	230	8.9	13.4	<0.001	0.01	0.50	3.1	<0.2	0.7	13.2	<0.01	0.02	4.1	0.052	
17AWS324		18.2	320	8.5	30.9	<0.001	0.01	0.52	3.9	0.2	0.8	14.6	<0.01	0.03	10.0	0.091	
17AWS325		14.4	420	11.0	72.3	<0.001	0.01	0.36	6.5	0.2	1.5	20.7	<0.01	0.03	15.0	0.112	
17AWS326		19.2	280	11.1	6.9	<0.001	0.01	0.59	2.9	0.3	0.5	14.2	<0.01	0.04	3.9	0.058	
17AWS327		10.4	600	9.2	17.8	<0.001	0.01	0.26	2.9	<0.2	0.9	16.2	<0.01	0.03	2.9	0.076	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS288		0.19	1.32	47	0.12	8.62	64	<0.5
17AWS289		0.15	1.39	48	0.13	10.40	54	0.7
17AWS290		0.14	1.15	50	0.14	8.74	55	1.0
17AWS291		0.14	0.80	61	0.13	6.36	74	0.5
17AWS292		0.09	1.18	42	0.14	7.67	75	0.5
17AWS293		NSS	NSS	NSS	NSS	NSS	NSS	NSS
17AWS294		0.08	0.63	73	0.24	15.30	103	2.1
17AWS295		0.09	9.13	95	0.13	20.8	128	1.8
17AWS296		0.11	3.71	110	0.14	11.80	83	2.1
17AWS297		0.09	1.04	53	0.12	7.08	70	1.8
17AWS298		0.12	0.80	95	0.10	14.25	133	1.5
17AWS299		0.07	0.67	50	0.16	5.74	63	0.5
17AWS300		0.05	1.82	36	0.09	12.10	119	0.6
17AWS301		0.09	1.75	43	0.12	17.10	63	2.2
17AWS302		0.18	0.95	89	0.13	8.73	95	1.7
17AWS303		0.11	1.59	44	0.14	17.30	41	0.8
17AWS304		0.27	1.02	115	0.11	11.10	91	1.0
17AWS305		0.28	1.19	94	0.13	10.05	93	1.4
17AWS306		0.09	1.16	61	0.14	4.87	42	1.5
17AWS307		0.08	0.38	57	0.18	1.53	51	1.6
17AWS308		0.08	0.47	58	0.12	2.63	34	1.9
17AWS309		0.10	0.63	57	0.12	3.11	34	0.5
17AWS310		0.10	0.65	59	0.11	3.18	36	0.7
17AWS311		0.16	1.11	69	0.15	14.60	67	<0.5
17AWS312		0.11	1.11	48	0.12	6.45	71	0.9
17AWS313		0.17	1.67	38	0.13	16.35	33	<0.5
17AWS314		0.22	1.00	42	0.13	7.55	46	0.6
17AWS315		0.23	3.17	47	0.15	20.3	62	1.9
17AWS316		0.07	2.05	41	0.12	15.50	60	1.9
17AWS317		0.12	0.60	97	0.10	6.55	69	1.6
17AWS318		0.06	1.74	50	0.15	9.27	48	2.0
17AWS319		0.13	0.36	71	0.14	2.04	53	2.9
17AWS320		0.09	0.23	55	0.11	1.42	41	1.3
17AWS321		0.08	0.30	61	0.11	1.86	74	1.0
17AWS322		0.08	0.25	55	0.13	1.39	35	1.4
17AWS323		0.11	0.39	48	0.11	2.83	43	2.2
17AWS324		0.23	0.63	60	0.12	3.45	55	3.2
17AWS325		0.44	1.02	54	0.11	7.09	85	1.9
17AWS326		0.07	0.46	60	0.15	1.57	56	4.2
17AWS327		0.18	0.31	55	0.10	2.00	45	0.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS328		0.39	0.001	0.07	2.64	6.5	10	400	0.74	0.10	0.20	0.06	57.7	15.4	28	2.81
17AWS329		0.33	0.004	0.10	1.99	14.7	10	270	0.51	0.15	0.19	0.08	22.2	9.7	29	0.55
17AWS330		0.36	0.004	0.09	1.74	16.6	10	250	0.56	0.14	0.22	0.08	31.1	10.3	23	0.72
17AWS331		0.29	0.001	0.15	1.47	7.7	10	210	0.32	0.17	0.12	0.16	15.95	7.4	24	0.45
17AWS332		0.42	0.001	0.12	2.88	184.5	10	400	0.54	0.23	0.24	0.47	17.15	16.0	10	2.00
17AWS333		0.35	0.005	0.16	1.49	12.7	10	250	0.46	0.19	0.23	0.21	27.4	9.3	22	0.77
17AWS334		0.29	0.002	0.08	1.34	7.6	10	270	0.39	0.13	0.23	0.07	19.30	7.2	25	0.45
17AWS335		0.27	0.001	0.13	1.18	6.2	10	250	0.32	0.21	0.16	0.14	15.05	7.1	19	0.88
17AWS336		0.36	0.002	0.17	1.44	9.1	10	260	0.48	0.18	0.15	0.09	15.30	7.1	25	0.76
17AWS337		0.27	0.001	0.05	1.20	7.6	<10	110	0.30	0.14	0.07	0.14	14.55	7.0	23	0.52
17AWS338		0.32	0.002	0.06	1.37	9.0	10	230	0.42	0.13	0.17	0.07	18.85	7.1	28	1.21
17AWS339		0.32	0.002	0.11	1.10	6.8	10	230	0.30	0.14	0.18	0.06	16.10	5.7	22	1.07
17AWS340		0.23	0.004	0.06	1.29	7.7	10	260	0.49	0.14	0.13	0.06	17.60	6.1	22	1.52
17AWS341		0.33	0.003	0.05	1.54	11.0	10	360	0.78	0.17	0.40	0.06	30.4	10.1	102	0.61
17AWS342		0.40	0.001	0.03	1.43	9.0	10	260	0.50	0.19	0.26	0.06	16.45	9.1	98	0.39
17AWS343		0.40	0.006	0.05	1.33	8.7	10	220	0.48	0.19	0.22	0.05	20.2	7.7	47	0.47
17AWS344		0.28	0.004	0.05	1.03	6.0	10	200	0.24	0.17	0.16	0.07	13.95	4.5	33	1.26
17AWS345		0.31	0.003	0.05	1.03	6.0	10	250	0.28	0.15	0.21	0.06	16.35	4.8	33	1.28
17AWS346		0.45	0.005	0.07	1.33	5.9	10	530	0.47	0.17	0.29	0.08	21.1	6.7	27	0.95
17AWS347		0.23	0.004	0.07	1.10	5.8	10	310	0.30	0.17	0.25	0.06	19.10	9.7	28	1.64
17AWS348		0.26	0.002	0.05	1.11	6.5	10	320	0.22	0.15	0.29	0.09	15.45	5.3	21	0.44
17AWS349		0.50	0.003	0.04	1.29	8.6	10	320	0.40	0.16	0.32	0.07	19.50	7.0	26	0.47
17AWS350		0.42	0.003	0.03	1.31	8.8	10	310	0.35	0.15	0.32	0.07	20.4	6.9	26	0.53
17AWS351		0.43	0.004	0.18	3.28	12.9	10	620	0.64	0.19	0.50	0.46	23.0	27.8	17	2.75
17AWS352		0.50	0.002	0.08	2.39	35.8	10	280	0.75	0.15	0.29	0.12	17.95	27.4	13	2.06
17AWS353		0.44	0.005	0.12	2.88	26.1	<10	770	0.55	0.09	0.44	0.11	34.1	30.1	8	3.36
17AWS354		0.44	0.002	0.08	1.97	8.8	<10	460	2.09	0.47	0.29	0.19	30.9	15.1	10	3.32
17AWS355		0.41	0.009	0.13	2.79	31.4	<10	80	1.23	0.71	0.15	0.65	41.7	23.7	14	5.84
17AWS356		0.37	0.004	0.05	2.69	9.4	10	650	1.05	0.15	0.26	0.11	62.7	31.7	10	10.30
17AWS357		0.31	0.002	0.12	1.59	9.9	<10	230	0.31	0.19	0.16	0.10	15.20	7.0	25	0.63
17AWS358		0.44	0.005	0.17	1.83	10.2	<10	210	0.66	0.17	0.12	0.09	18.20	7.7	26	1.77
17AWS359		0.40	<0.001	0.01	2.43	4.9	10	280	1.04	0.05	0.37	0.04	14.00	17.3	17	38.1
17AWS360		0.23	0.001	0.06	1.32	7.8	10	250	0.26	0.15	0.10	0.16	18.60	8.2	22	0.83
17AWS361		0.31	0.001	0.06	1.66	11.6	<10	320	0.47	0.16	0.18	0.13	17.60	7.9	27	1.52
17AWS362		0.28	0.002	0.07	1.79	11.3	<10	240	0.47	0.17	0.14	0.06	16.65	7.1	29	1.16
17AWS363		0.44	0.003	0.02	1.49	7.5	10	340	1.09	0.10	0.17	0.05	57.5	9.6	11	7.03
17AWS364		0.39	0.002	0.05	1.77	10.3	10	280	0.49	0.17	0.21	0.09	17.00	8.0	30	0.49
17AWS365		0.47	0.001	0.02	2.61	18.6	10	340	0.82	0.08	0.14	0.04	43.9	12.9	20	7.07
17AWS366		0.34	0.002	0.07	1.50	9.4	10	320	0.52	0.15	0.20	0.09	20.9	10.2	29	0.48
17AWS367		0.36	0.003	0.03	1.75	11.7	10	300	0.60	0.16	0.16	0.09	29.3	10.0	30	1.98



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS328		13.0	4.51	10.80	0.05	0.07	0.01	0.033	0.81	27.4	22.7	1.06	449	2.72	0.01	0.73
17AWS329		22.3	2.98	5.91	<0.05	<0.02	0.03	0.027	0.07	11.3	14.5	0.48	245	1.75	0.01	0.50
17AWS330		21.5	2.94	5.90	<0.05	<0.02	0.02	0.025	0.17	18.4	13.5	0.53	325	1.72	0.01	0.47
17AWS331		13.6	2.57	5.42	<0.05	0.05	0.01	0.022	0.06	7.7	10.6	0.39	384	1.90	0.01	0.65
17AWS332		39.6	5.92	10.55	0.05	0.04	0.02	0.176	1.04	6.8	22.5	1.24	1000	4.54	0.02	0.24
17AWS333		32.6	2.95	5.94	<0.05	0.06	0.03	0.029	0.14	13.2	16.4	0.58	363	3.00	0.02	0.40
17AWS334		17.5	2.42	4.29	<0.05	0.07	0.02	0.020	0.08	10.0	13.3	0.49	229	1.60	0.01	0.36
17AWS335		15.2	2.23	5.01	<0.05	0.02	0.01	0.019	0.09	7.4	9.5	0.31	533	4.62	0.01	0.52
17AWS336		16.5	2.71	4.76	<0.05	0.08	0.02	0.058	0.09	7.7	9.3	0.39	285	1.78	0.01	0.59
17AWS337		11.2	2.29	4.20	<0.05	0.04	0.01	0.022	0.06	7.2	9.0	0.36	558	1.41	0.01	0.72
17AWS338		17.4	2.57	4.58	<0.05	0.08	0.02	0.026	0.12	8.1	10.3	0.44	277	1.16	0.01	0.68
17AWS339		12.0	2.10	4.05	<0.05	0.04	0.01	0.020	0.07	8.3	10.4	0.40	212	1.79	0.01	0.68
17AWS340		15.3	2.19	4.43	<0.05	0.03	0.02	0.022	0.06	9.2	10.5	0.37	185	1.57	0.01	0.58
17AWS341		21.5	2.77	4.57	<0.05	0.14	0.02	0.031	0.05	16.7	14.0	0.64	303	0.97	0.02	0.35
17AWS342		15.6	2.58	4.38	<0.05	0.08	0.01	0.027	0.06	8.0	13.0	0.52	204	1.22	0.01	0.67
17AWS343		17.0	2.45	4.07	<0.05	0.13	0.02	0.025	0.08	10.5	10.1	0.42	197	1.52	0.01	0.47
17AWS344		11.5	1.99	4.24	<0.05	0.03	0.02	0.019	0.10	7.2	5.7	0.27	226	2.02	0.01	0.62
17AWS345		10.3	1.99	3.82	<0.05	0.04	0.02	0.020	0.12	9.3	8.2	0.33	185	2.08	0.01	0.66
17AWS346		13.8	2.25	4.17	<0.05	0.02	0.03	0.024	0.10	11.8	10.0	0.32	318	3.02	0.01	0.67
17AWS347		13.3	2.10	3.89	<0.05	0.03	0.02	0.021	0.11	9.9	7.2	0.31	556	3.71	0.01	0.69
17AWS348		9.0	1.90	3.83	<0.05	0.02	0.02	0.018	0.07	7.8	7.7	0.33	513	1.92	0.01	0.65
17AWS349		11.9	2.41	4.07	<0.05	0.05	0.02	0.024	0.08	10.1	9.3	0.39	335	2.09	0.01	0.58
17AWS350		12.2	2.42	4.18	<0.05	0.05	0.02	0.024	0.08	10.6	9.6	0.40	304	2.05	0.01	0.52
17AWS351		197.0	7.91	12.40	0.07	0.07	0.02	0.207	0.58	8.4	37.9	1.98	1440	19.05	0.02	0.07
17AWS352		109.5	6.65	10.25	<0.05	0.08	0.02	0.076	0.36	6.6	25.2	0.93	986	5.60	0.02	0.16
17AWS353		251	8.01	12.55	0.08	0.06	0.04	0.083	0.90	14.3	23.8	1.41	974	1.29	0.02	0.10
17AWS354		162.5	5.25	8.20	0.05	0.03	0.02	0.349	0.48	19.0	13.6	0.61	822	1.38	0.01	0.17
17AWS355		142.5	7.38	11.70	0.09	0.14	0.03	0.110	1.24	21.6	28.1	1.07	716	43.6	0.04	0.15
17AWS356		52.5	7.04	12.45	0.09	0.06	0.01	0.102	0.94	38.3	17.2	1.20	1180	11.50	0.01	0.16
17AWS357		12.4	2.41	5.30	<0.05	<0.02	0.02	0.023	0.04	7.9	13.5	0.38	294	4.27	0.01	0.74
17AWS358		20.6	2.58	5.09	<0.05	0.04	0.03	0.033	0.07	9.7	12.2	0.40	280	2.48	0.01	0.62
17AWS359		6.1	4.89	9.33	0.06	0.04	0.01	0.056	1.12	6.8	18.1	1.34	640	0.94	0.01	0.05
17AWS360		10.4	2.37	5.76	<0.05	<0.02	0.02	0.021	0.06	8.2	10.0	0.35	1200	1.23	0.01	0.71
17AWS361		13.6	2.69	5.68	<0.05	0.05	0.02	0.028	0.08	6.7	11.3	0.42	789	1.17	0.01	1.28
17AWS362		14.7	2.84	6.01	<0.05	0.07	0.02	0.029	0.09	7.8	13.2	0.47	301	1.51	0.01	1.33
17AWS363		15.0	3.09	6.64	0.08	0.08	0.01	0.028	0.34	38.2	8.8	0.49	501	1.17	0.01	0.47
17AWS364		12.1	2.72	5.67	<0.05	0.06	0.01	0.026	0.07	8.9	12.6	0.48	294	1.06	0.01	0.62
17AWS365		14.4	4.58	11.85	0.06	0.14	0.01	0.045	1.01	22.2	18.6	1.28	664	0.75	0.01	0.97
17AWS366		15.5	2.69	5.04	<0.05	0.06	0.02	0.028	0.13	10.2	11.4	0.48	546	0.90	0.01	0.54
17AWS367		17.1	2.97	5.95	<0.05	0.07	0.01	0.028	0.23	13.7	11.4	0.55	392	0.95	0.01	0.90



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS328		17.7	460	7.7	80.7	<0.001	0.01	0.39	8.1	<0.2	1.4	17.4	<0.01	0.02	12.0	0.212
17AWS329		20.6	270	9.5	8.4	<0.001	0.01	0.52	3.4	0.2	0.5	20.7	<0.01	0.04	2.9	0.037
17AWS330		16.2	410	8.7	16.8	0.001	0.02	0.51	4.2	0.3	0.5	23.1	<0.01	0.06	5.2	0.063
17AWS331		15.5	280	8.5	8.2	<0.001	0.01	0.49	2.5	<0.2	0.5	11.0	<0.01	0.04	3.1	0.047
17AWS332		7.1	620	17.0	57.5	0.001	0.01	0.23	20.5	0.3	1.7	17.8	<0.01	0.14	3.0	0.148
17AWS333		16.7	250	14.0	13.9	<0.001	0.02	0.43	8.5	0.2	0.5	24.8	<0.01	0.08	3.4	0.069
17AWS334		17.6	190	8.4	8.4	<0.001	0.01	0.47	4.5	0.3	0.4	18.0	<0.01	0.03	3.1	0.056
17AWS335		11.4	260	19.1	11.6	0.001	0.01	0.40	2.6	<0.2	0.5	14.8	<0.01	0.04	2.8	0.033
17AWS336		17.1	170	9.3	10.1	<0.001	0.01	0.74	3.4	<0.2	0.9	15.3	<0.01	0.04	4.5	0.044
17AWS337		15.3	210	7.1	6.9	<0.001	0.01	0.56	2.3	<0.2	0.5	8.1	<0.01	0.03	2.7	0.047
17AWS338		17.7	200	7.7	11.6	<0.001	0.01	0.63	3.6	0.2	0.5	16.4	<0.01	0.03	4.5	0.055
17AWS339		13.3	230	8.5	9.2	<0.001	0.01	0.48	2.7	<0.2	0.5	15.9	<0.01	0.02	3.3	0.044
17AWS340		15.4	230	10.8	6.7	<0.001	0.01	0.56	3.0	<0.2	0.5	13.2	<0.01	0.03	3.9	0.030
17AWS341		28.3	190	10.0	6.3	<0.001	0.01	0.70	7.9	0.2	0.5	32.9	<0.01	0.03	5.0	0.053
17AWS342		25.0	180	13.0	6.1	<0.001	0.01	0.57	4.4	0.2	0.5	21.0	<0.01	0.03	2.7	0.039
17AWS343		18.1	200	9.2	6.0	<0.001	0.01	0.63	4.2	0.2	0.5	20.8	<0.01	0.06	4.6	0.042
17AWS344		9.7	180	7.9	12.0	<0.001	0.01	0.41	3.0	<0.2	0.6	15.8	<0.01	0.05	3.1	0.038
17AWS345		11.3	240	7.8	9.8	<0.001	0.01	0.41	3.3	<0.2	0.5	17.0	<0.01	0.03	3.5	0.035
17AWS346		11.9	480	7.9	7.3	<0.001	0.01	0.45	3.7	<0.2	0.5	22.5	<0.01	0.04	3.3	0.019
17AWS347		10.8	400	9.0	11.8	<0.001	0.01	0.45	3.4	0.2	0.5	18.7	<0.01	0.04	3.9	0.040
17AWS348		10.8	370	6.7	5.9	<0.001	0.01	0.44	2.5	0.2	0.4	21.1	<0.01	0.04	2.1	0.031
17AWS349		14.0	250	8.4	6.5	<0.001	0.01	0.58	3.5	0.2	0.5	23.0	<0.01	0.04	3.6	0.042
17AWS350		14.5	290	8.2	7.0	<0.001	0.01	0.57	3.7	0.3	0.5	23.6	<0.01	0.04	3.9	0.043
17AWS351		18.2	810	7.2	53.9	<0.001	0.01	1.44	21.9	0.6	1.2	40.5	<0.01	0.12	2.3	0.117
17AWS352		14.3	950	8.9	29.2	<0.001	0.01	0.48	19.3	0.5	0.6	15.7	<0.01	0.08	2.0	0.075
17AWS353		13.8	920	4.1	50.5	0.002	0.07	0.20	25.7	0.3	0.5	56.7	<0.01	0.18	2.1	0.129
17AWS354		10.5	370	7.2	30.8	0.005	0.03	0.54	14.2	0.5	2.2	45.4	<0.01	0.07	3.7	0.039
17AWS355		12.7	520	101.0	76.4	0.046	0.35	3.17	27.4	1.2	1.4	53.6	<0.01	0.30	4.7	0.161
17AWS356		10.8	560	4.9	68.0	<0.001	0.01	0.23	31.0	0.5	1.1	21.7	<0.01	0.09	4.9	0.151
17AWS357		14.8	310	11.2	7.1	<0.001	0.01	0.46	2.5	0.2	0.5	15.8	<0.01	0.03	1.2	0.030
17AWS358		14.9	310	9.7	12.0	<0.001	0.01	0.53	4.0	0.4	0.6	13.6	<0.01	0.03	3.7	0.022
17AWS359		11.0	1160	5.4	117.5	<0.001	0.01	0.93	10.2	0.2	1.0	19.0	<0.01	0.01	3.4	0.175
17AWS360		13.4	390	7.6	8.8	<0.001	0.01	0.50	2.6	<0.2	0.7	11.2	<0.01	0.03	2.0	0.048
17AWS361		17.5	490	8.5	12.2	<0.001	0.01	0.62	3.2	0.2	0.6	18.9	<0.01	0.04	3.7	0.050
17AWS362		17.4	300	8.5	12.5	<0.001	0.01	0.75	3.6	0.2	0.8	14.9	<0.01	0.04	4.3	0.058
17AWS363		12.5	130	9.8	36.5	<0.001	0.01	0.44	7.9	0.3	1.2	18.6	<0.01	0.07	16.1	0.062
17AWS364		19.6	280	9.0	9.6	<0.001	0.01	0.57	3.2	<0.2	0.6	21.7	<0.01	0.03	3.5	0.053
17AWS365		17.6	240	7.6	92.1	<0.001	0.01	0.58	12.8	0.3	2.4	18.4	<0.01	0.02	12.3	0.202
17AWS366		21.0	270	8.0	11.5	<0.001	0.01	0.65	4.6	0.2	0.7	21.6	<0.01	0.03	3.8	0.066
17AWS367		21.2	270	10.8	28.6	<0.001	0.01	0.68	5.5	0.2	0.7	19.1	<0.01	0.04	8.2	0.080



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS328		0.49	0.67	72	0.11	6.66	78	3.0
17AWS329		0.12	0.79	58	0.10	3.74	44	<0.5
17AWS330		0.19	1.50	50	0.09	6.65	54	0.7
17AWS331		0.09	0.50	56	0.13	2.18	57	2.1
17AWS332		0.50	1.03	140	0.07	7.52	157	1.7
17AWS333		0.14	0.94	67	0.12	7.98	74	2.7
17AWS334		0.07	0.48	52	0.10	3.59	45	2.9
17AWS335		0.11	0.34	49	0.13	1.90	41	0.9
17AWS336		0.08	0.43	53	0.15	2.77	48	3.4
17AWS337		0.07	0.28	48	0.16	1.86	43	1.6
17AWS338		0.09	0.39	51	0.15	2.84	50	3.4
17AWS339		0.06	0.41	46	0.17	2.96	37	1.9
17AWS340		0.08	0.45	46	0.15	3.33	40	1.4
17AWS341		0.07	0.74	55	0.16	13.50	45	6.5
17AWS342		0.06	0.39	55	0.19	2.59	45	2.9
17AWS343		0.06	0.60	49	0.15	4.45	44	5.4
17AWS344		0.09	0.31	48	0.16	2.64	35	1.2
17AWS345		0.07	0.38	45	0.20	4.74	37	1.6
17AWS346		0.07	0.51	44	0.22	7.56	42	0.8
17AWS347		0.09	0.53	44	0.34	5.28	41	1.3
17AWS348		0.06	0.38	43	0.20	2.78	38	0.7
17AWS349		0.06	0.55	50	0.18	4.73	44	2.2
17AWS350		0.06	0.58	49	0.19	4.95	44	2.4
17AWS351		0.36	1.61	133	0.06	18.65	208	2.1
17AWS352		0.26	0.67	136	0.07	11.35	118	2.4
17AWS353		0.93	1.05	169	0.08	19.65	138	1.5
17AWS354		0.25	1.99	92	0.08	18.45	100	1.2
17AWS355		0.95	4.69	120	<0.05	16.80	203	6.6
17AWS356		0.43	0.74	153	0.06	17.20	123	2.1
17AWS357		0.08	0.44	54	0.18	2.39	39	<0.5
17AWS358		0.13	0.60	51	0.18	4.28	45	1.7
17AWS359		0.76	0.28	129	0.07	5.46	101	1.0
17AWS360		0.09	0.30	58	0.15	2.18	44	<0.5
17AWS361		0.12	0.41	56	0.16	2.55	59	2.0
17AWS362		0.12	0.41	58	0.21	2.32	50	3.3
17AWS363		0.24	0.80	38	0.07	15.85	58	4.7
17AWS364		0.08	0.41	60	0.14	2.31	54	3.1
17AWS365		1.01	0.87	71	0.11	5.31	88	6.7
17AWS366		0.09	0.50	57	0.14	3.55	52	3.2
17AWS367		0.18	0.52	56	0.16	3.88	61	3.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS368		0.37	0.001	0.03	2.03	15.1	<10	240	0.86	0.13	0.29	0.12	23.6	13.0	29	3.53
17AWS369		0.30	0.008	0.27	1.56	10.2	<10	250	0.49	0.20	0.15	0.16	17.65	8.5	26	0.60
17AWS370		0.27	0.008	0.26	1.64	10.7	10	250	0.48	0.20	0.16	0.15	18.85	8.7	27	0.67
17AWS371		0.30	0.002	0.04	1.64	9.6	<10	380	0.46	0.16	0.13	0.17	17.70	11.3	25	0.82
17AWS372		0.23	0.001	0.05	1.51	5.8	10	590	0.54	0.24	0.20	0.31	36.9	8.4	18	0.85
17AWS373		0.24	0.001	0.03	1.68	7.7	10	290	0.60	0.17	0.21	0.19	28.3	7.9	28	0.46
17AWS374		0.31	0.007	0.04	1.52	6.4	10	320	0.42	0.16	0.16	0.12	20.4	8.0	25	0.39
17AWS375		0.35	0.002	0.03	1.48	9.0	10	280	0.61	0.15	0.25	0.11	24.9	10.5	32	0.51
17AWS376		0.20	0.002	0.11	1.34	4.5	10	340	0.36	0.18	0.21	0.28	16.10	8.4	23	0.35
17AWS377		0.30	0.004	0.11	1.16	7.2	10	260	0.39	0.13	0.24	0.11	18.85	7.8	26	0.38
17AWS378		0.36	0.001	0.06	1.82	14.9	10	270	0.78	0.12	0.38	0.09	24.9	10.7	28	0.51
17AWS379		0.29	0.001	0.08	1.59	6.8	10	270	0.42	0.14	0.21	0.11	21.3	10.0	28	0.46
17AWS380		0.34	0.001	0.03	1.52	5.7	10	280	0.64	0.13	0.19	0.10	43.9	9.1	22	1.05
17AWS381		0.39	0.002	0.04	1.47	7.1	10	270	0.54	0.14	0.19	0.12	27.3	8.7	28	0.64
17AWS382		0.39	0.001	0.03	1.70	10.4	10	240	0.59	0.19	0.23	0.13	37.5	10.1	30	0.94
17AWS383		0.29	0.002	0.03	1.80	17.9	10	320	0.78	0.28	0.48	0.15	32.7	10.2	33	0.39
17AWS384		0.36	0.001	0.02	2.17	10.6	10	300	0.87	0.09	0.37	0.04	92.2	16.1	12	2.38
17AWS385		0.33	0.002	0.11	1.83	10.7	10	280	0.74	0.16	0.29	0.09	31.2	12.8	34	0.67
17AWS386		0.38	0.003	0.09	2.09	8.2	10	370	1.23	0.27	0.37	0.16	49.8	13.6	18	2.24
17AWS387		0.25	0.002	0.10	1.58	7.7	10	460	0.73	0.14	0.41	0.12	35.3	10.7	25	1.08
17AWS388		0.29	0.001	0.05	1.95	9.1	10	360	0.68	0.19	0.31	0.14	54.5	13.0	26	1.82
17AWS389		0.30	0.004	0.17	2.15	11.9	10	290	0.55	0.22	0.11	0.22	17.90	11.1	33	0.80
17AWS390		0.30	0.003	0.12	2.09	12.4	10	300	0.70	0.22	0.12	0.19	21.8	11.0	35	0.78
17AWS391		0.28	0.002	0.18	1.78	20.0	10	260	0.53	0.24	0.09	0.17	32.5	6.4	12	1.30
17AWS392		0.28	0.002	0.21	1.39	11.3	10	210	0.36	0.13	0.16	0.12	15.60	7.7	26	0.36
17AWS393		0.23	0.001	0.41	1.17	6.4	10	280	0.24	0.15	0.20	0.23	14.65	6.0	21	0.37
17AWS394		0.17	0.001	0.09	1.50	5.3	10	270	0.44	0.14	0.21	0.12	18.05	7.5	25	0.41
17AWS395		0.38	<0.001	0.04	2.49	4.4	10	350	1.08	0.10	0.25	0.10	54.4	14.0	17	3.52
17AWS396		0.15	0.001	0.09	1.99	4.4	10	450	0.61	0.42	0.30	0.17	37.5	13.2	19	1.99
17AWS397		0.23	0.001	0.06	1.30	6.8	10	250	0.34	0.13	0.19	0.15	19.40	8.0	23	0.45
17AWS398		0.27	0.002	0.08	1.55	6.6	10	300	0.56	0.16	0.17	0.15	28.4	10.8	20	2.01
17AWS399		0.38	0.002	0.02	1.62	12.5	10	210	0.55	0.18	0.15	0.07	25.4	8.3	34	0.55
17AWS400		0.30	0.001	0.11	1.53	8.8	10	460	0.42	0.13	0.19	0.14	18.20	7.7	26	0.36
17AWS401		0.32	0.002	0.16	1.70	12.1	10	450	0.57	0.16	0.27	0.16	21.7	7.7	29	0.44
17AWS402		0.34	0.001	0.06	1.49	14.2	10	380	0.47	0.13	0.18	0.13	24.3	8.1	25	0.38
17AWS403		0.30	0.002	0.09	1.69	12.9	10	320	0.67	0.17	0.23	0.14	31.6	11.6	36	0.57
17AWS404		0.25	0.001	0.08	1.16	8.0	10	360	0.57	0.15	0.26	0.11	26.4	8.9	24	0.55
17AWS405		0.42	0.004	0.10	1.62	7.6	10	550	1.08	0.27	0.31	0.12	47.0	10.8	22	0.96
17AWS406		0.21	0.002	0.05	1.36	4.7	10	400	0.44	0.13	0.28	0.16	23.0	9.6	22	0.43
17AWS407		0.35	0.001	0.07	1.50	6.6	10	390	0.56	0.16	0.29	0.12	25.3	10.6	28	0.53



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS368		18.8	3.97	6.89	<0.05	0.03	0.01	0.044	0.20	10.9	13.9	0.64	432	0.81	0.01	0.60
17AWS369		14.1	2.50	5.18	<0.05	0.03	0.02	0.024	0.05	9.0	9.2	0.38	656	0.97	0.01	0.60
17AWS370		14.1	2.54	5.49	<0.05	0.04	0.02	0.024	0.06	9.6	10.2	0.39	581	1.03	0.01	0.57
17AWS371		10.4	2.56	5.79	<0.05	0.02	0.02	0.023	0.06	8.8	10.4	0.43	1230	0.97	0.01	1.01
17AWS372		10.8	2.69	5.92	<0.05	<0.02	0.01	0.028	0.16	19.1	9.4	0.43	1160	0.77	0.01	0.83
17AWS373		13.5	2.68	5.54	<0.05	0.04	0.01	0.026	0.11	14.6	10.7	0.43	311	0.83	0.01	0.45
17AWS374		10.7	2.46	4.98	<0.05	<0.02	0.01	0.022	0.05	10.5	10.2	0.41	402	0.93	0.01	0.54
17AWS375		16.7	2.77	5.00	<0.05	0.06	0.02	0.027	0.15	13.9	11.3	0.47	589	0.91	0.01	0.41
17AWS376		9.6	2.31	4.64	<0.05	<0.02	0.01	0.019	0.08	8.2	9.9	0.36	803	0.80	0.01	0.50
17AWS377		10.8	2.32	3.84	<0.05	0.05	0.01	0.018	0.13	9.4	10.1	0.41	304	0.74	0.01	0.49
17AWS378		57.7	3.45	6.14	<0.05	0.07	0.01	0.039	0.16	11.0	15.8	0.80	611	0.83	0.02	0.25
17AWS379		14.8	2.83	5.19	<0.05	0.02	0.02	0.026	0.11	10.5	11.9	0.52	484	1.14	0.01	0.42
17AWS380		11.1	2.71	5.93	<0.05	0.04	0.01	0.022	0.23	23.2	13.4	0.50	412	0.80	0.01	0.75
17AWS381		13.6	2.58	4.96	<0.05	0.05	0.01	0.023	0.19	12.8	11.1	0.44	363	0.84	0.01	0.58
17AWS382		22.1	3.08	5.71	<0.05	0.08	0.02	0.027	0.30	15.7	14.3	0.60	367	0.85	0.01	0.45
17AWS383		15.1	2.85	5.10	<0.05	0.11	0.01	0.034	0.11	14.4	8.4	0.36	614	0.99	0.01	0.36
17AWS384		21.5	4.62	8.85	0.10	0.09	0.02	0.021	1.06	49.1	20.0	0.97	744	0.39	0.02	0.49
17AWS385		23.0	3.28	6.00	<0.05	0.12	0.02	0.033	0.26	14.6	13.4	0.54	473	0.90	0.01	0.33
17AWS386		22.0	4.94	10.45	0.07	0.06	0.02	0.061	1.01	25.2	21.6	0.89	746	0.53	0.01	0.67
17AWS387		23.2	3.12	5.78	<0.05	0.06	0.02	0.029	0.31	17.6	10.4	0.49	560	0.80	0.02	0.70
17AWS388		23.1	3.70	7.59	0.05	0.09	0.02	0.037	0.41	23.8	16.8	0.68	646	0.95	0.01	0.69
17AWS389		23.5	3.27	5.58	<0.05	0.12	0.04	0.032	0.05	9.5	17.5	0.46	276	2.01	0.01	0.87
17AWS390		26.2	3.09	5.54	<0.05	0.13	0.03	0.033	0.05	11.9	16.0	0.48	262	2.06	0.01	0.76
17AWS391		38.5	3.63	8.20	<0.05	0.02	0.03	0.044	0.28	17.3	11.0	0.48	448	6.43	0.01	1.16
17AWS392		13.3	2.37	4.44	<0.05	0.05	0.02	0.020	0.04	8.3	11.8	0.40	436	1.92	0.01	0.64
17AWS393		9.8	2.23	4.67	<0.05	0.04	0.01	0.016	0.06	7.4	10.8	0.36	428	1.83	0.01	0.75
17AWS394		9.6	2.51	5.35	<0.05	0.09	0.01	0.020	0.20	9.4	11.2	0.43	293	1.37	0.01	0.78
17AWS395		5.4	4.16	12.35	<0.05	0.03	0.01	0.040	0.87	16.8	23.9	1.03	606	1.13	0.01	1.65
17AWS396		7.7	3.49	8.42	<0.05	0.05	0.01	0.031	0.29	21.6	14.7	0.60	638	5.90	0.02	1.98
17AWS397		11.1	2.35	4.63	<0.05	<0.02	0.01	0.020	0.10	9.6	12.3	0.41	403	1.44	0.01	0.69
17AWS398		17.4	3.09	6.78	<0.05	0.07	0.01	0.029	0.42	12.1	19.3	0.61	368	1.79	0.01	1.99
17AWS399		21.1	2.87	5.10	<0.05	0.15	0.02	0.028	0.10	13.1	12.5	0.48	264	1.45	0.01	0.38
17AWS400		10.1	2.46	4.99	<0.05	0.02	0.01	0.021	0.07	9.4	11.2	0.40	431	1.29	0.01	0.54
17AWS401		22.4	2.95	5.49	<0.05	0.06	0.01	0.029	0.12	11.4	12.8	0.47	292	1.66	0.01	0.67
17AWS402		13.2	2.50	5.25	<0.05	0.02	0.01	0.026	0.09	12.7	11.5	0.41	511	1.25	0.01	0.63
17AWS403		21.1	3.03	5.18	<0.05	0.13	0.02	0.030	0.17	13.5	12.2	0.44	385	1.47	0.01	0.41
17AWS404		11.9	2.37	4.01	<0.05	0.06	0.01	0.025	0.17	11.8	8.7	0.32	675	0.98	0.01	0.40
17AWS405		15.5	3.66	7.99	<0.05	0.05	0.01	0.048	0.31	21.1	14.5	0.47	743	1.88	0.01	0.39
17AWS406		10.9	2.46	5.02	<0.05	0.02	0.01	0.026	0.11	11.3	10.6	0.40	792	1.15	0.01	0.70
17AWS407		13.4	2.78	5.41	<0.05	0.07	0.01	0.030	0.20	10.8	10.4	0.44	531	1.47	0.01	0.59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS368		17.5	660	18.4	24.9	<0.001	0.01	0.72	8.7	0.2	1.2	19.3	<0.01	0.03	5.3	0.048	
17AWS369		16.3	310	10.9	9.3	<0.001	0.01	0.64	2.7	<0.2	0.5	16.0	<0.01	0.12	3.0	0.033	
17AWS370		16.8	290	10.9	9.9	<0.001	0.01	0.66	3.0	0.2	0.6	17.5	<0.01	0.13	3.2	0.036	
17AWS371		17.6	420	8.4	9.4	<0.001	0.01	0.51	3.3	<0.2	0.7	16.2	<0.01	0.04	2.9	0.046	
17AWS372		12.1	580	14.6	15.4	<0.001	0.01	0.30	3.9	<0.2	1.7	21.4	<0.01	0.03	4.3	0.056	
17AWS373		17.7	430	11.0	11.4	<0.001	0.01	0.55	4.4	<0.2	0.6	19.6	<0.01	0.03	5.1	0.044	
17AWS374		15.7	290	7.8	6.5	<0.001	0.01	0.47	3.1	<0.2	0.5	17.6	<0.01	0.04	2.5	0.042	
17AWS375		23.8	380	7.8	17.0	<0.001	0.01	0.67	6.1	0.2	0.5	22.0	<0.01	0.05	3.7	0.068	
17AWS376		13.9	510	11.5	6.8	<0.001	0.01	0.41	3.0	<0.2	0.5	17.5	<0.01	0.04	1.8	0.044	
17AWS377		15.2	200	7.7	11.3	<0.001	0.01	0.51	3.6	<0.2	0.4	17.3	<0.01	0.03	3.0	0.064	
17AWS378		20.3	420	6.6	17.0	<0.001	0.01	0.46	12.2	0.3	0.5	22.4	<0.01	0.04	3.8	0.070	
17AWS379		18.1	240	7.1	9.5	<0.001	0.01	0.53	5.8	0.2	0.5	18.0	<0.01	0.04	2.4	0.067	
17AWS380		14.8	650	8.1	29.7	<0.001	0.01	0.47	4.4	<0.2	0.9	14.5	<0.01	0.03	8.4	0.085	
17AWS381		18.1	350	8.7	19.3	<0.001	0.01	0.55	4.7	<0.2	0.6	18.1	<0.01	0.03	5.1	0.067	
17AWS382		21.4	500	10.6	27.0	<0.001	0.01	0.64	7.9	0.2	0.5	19.7	<0.01	0.04	6.0	0.093	
17AWS383		23.1	290	19.4	6.6	<0.001	0.01	0.48	6.9	<0.2	0.5	24.0	<0.01	0.03	4.0	0.034	
17AWS384		19.3	910	7.8	81.2	<0.001	0.01	0.29	6.6	<0.2	0.4	21.2	<0.01	0.03	14.9	0.171	
17AWS385		24.8	440	8.9	17.6	<0.001	0.01	0.63	9.0	0.3	0.5	23.4	<0.01	0.07	4.4	0.087	
17AWS386		11.7	790	16.5	99.0	<0.001	0.01	0.24	16.4	0.2	1.6	26.1	<0.01	0.10	8.1	0.178	
17AWS387		15.6	280	11.6	28.9	<0.001	0.01	0.41	7.8	0.2	0.7	27.0	<0.01	0.08	6.6	0.077	
17AWS388		19.1	320	14.0	39.6	<0.001	0.01	0.47	9.4	0.2	0.7	23.6	<0.01	0.04	9.9	0.113	
17AWS389		24.4	320	11.7	6.7	<0.001	0.01	0.76	3.5	0.4	0.6	13.3	<0.01	0.06	3.8	0.038	
17AWS390		25.5	250	12.6	6.9	<0.001	0.01	0.77	4.2	0.4	0.6	14.4	<0.01	0.06	4.6	0.042	
17AWS391		6.3	740	15.4	35.9	0.001	0.03	0.55	5.9	0.5	1.1	15.1	<0.01	0.14	5.0	0.055	
17AWS392		16.1	220	7.8	6.1	<0.001	0.01	0.56	2.6	0.2	0.4	16.1	<0.01	0.04	2.7	0.041	
17AWS393		13.3	200	7.8	7.8	<0.001	0.01	0.58	2.2	<0.2	0.5	19.0	<0.01	0.03	2.2	0.048	
17AWS394		15.4	210	7.9	12.9	<0.001	0.01	0.46	3.0	<0.2	0.7	18.0	<0.01	0.03	4.1	0.053	
17AWS395		10.8	540	7.2	107.5	<0.001	0.01	0.23	7.6	<0.2	2.8	21.7	<0.01	0.02	16.1	0.180	
17AWS396		13.2	370	9.8	34.4	<0.001	0.01	0.28	5.1	<0.2	2.2	23.9	<0.01	0.04	6.8	0.120	
17AWS397		16.5	290	7.0	11.0	<0.001	0.01	0.49	2.8	<0.2	0.6	17.4	<0.01	0.03	2.9	0.048	
17AWS398		15.9	200	10.2	53.3	<0.001	0.01	0.43	5.4	0.2	1.5	16.6	<0.01	0.03	9.7	0.129	
17AWS399		21.8	200	9.9	11.9	<0.001	0.01	0.76	5.4	0.3	0.5	16.5	<0.01	0.04	4.6	0.069	
17AWS400		16.0	280	8.0	7.2	<0.001	0.01	0.42	3.2	0.2	0.5	18.5	<0.01	0.04	2.7	0.040	
17AWS401		21.9	250	11.7	12.1	<0.001	0.01	0.63	4.5	0.2	0.6	27.1	<0.01	0.05	5.2	0.054	
17AWS402		17.2	360	7.6	7.9	<0.001	0.01	0.45	4.0	<0.2	0.5	18.3	<0.01	0.03	3.6	0.045	
17AWS403		23.9	220	10.4	18.0	<0.001	0.01	0.65	7.8	0.2	0.5	21.5	<0.01	0.04	4.9	0.071	
17AWS404		15.5	170	11.2	13.7	<0.001	0.01	0.47	5.3	<0.2	0.5	20.8	<0.01	0.03	3.8	0.048	
17AWS405		11.6	420	11.3	27.5	<0.001	0.01	0.32	10.3	<0.2	1.2	24.4	<0.01	0.04	7.9	0.060	
17AWS406		14.3	370	7.8	11.1	<0.001	0.01	0.37	5.0	<0.2	0.6	25.6	<0.01	0.03	3.0	0.055	
17AWS407		17.5	260	9.0	17.9	<0.001	0.01	0.52	6.6	<0.2	0.6	24.3	<0.01	0.03	4.6	0.067	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS368		0.19	0.50	72	0.12	4.63	114	1.3
17AWS369		0.10	0.37	56	0.18	2.33	50	1.7
17AWS370		0.11	0.39	58	0.18	2.45	52	1.9
17AWS371		0.14	0.32	57	0.15	2.25	61	1.0
17AWS372		0.11	0.33	51	0.13	3.56	111	0.5
17AWS373		0.08	0.43	56	0.14	3.48	76	1.8
17AWS374		0.07	0.30	55	0.13	2.26	51	0.5
17AWS375		0.09	0.55	56	0.15	7.35	62	3.0
17AWS376		0.07	0.30	51	0.14	2.03	71	0.5
17AWS377		0.06	0.38	47	0.13	2.66	53	2.4
17AWS378		0.13	0.79	66	0.12	4.95	84	3.3
17AWS379		0.08	0.35	60	0.12	3.36	60	1.0
17AWS380		0.18	0.43	49	0.15	5.83	60	1.9
17AWS381		0.11	0.43	53	0.13	3.83	55	2.0
17AWS382		0.14	0.57	59	0.15	5.50	62	4.1
17AWS383		0.08	0.52	60	0.15	8.42	45	4.5
17AWS384		0.31	1.11	54	0.15	14.05	71	3.7
17AWS385		0.12	0.54	63	0.12	6.61	68	5.9
17AWS386		0.53	0.74	82	0.11	12.55	121	2.5
17AWS387		0.17	0.53	57	0.12	7.90	71	2.5
17AWS388		0.23	0.64	64	0.13	8.83	95	4.1
17AWS389		0.09	0.66	60	0.20	2.77	56	4.8
17AWS390		0.10	0.91	59	0.18	3.48	56	5.5
17AWS391		0.37	1.42	59	0.08	4.82	91	0.9
17AWS392		0.06	0.43	50	0.13	2.06	41	2.3
17AWS393		0.08	0.28	51	0.14	1.59	43	1.7
17AWS394		0.09	0.37	51	0.13	2.66	59	3.4
17AWS395		0.55	0.71	62	0.16	6.28	99	1.7
17AWS396		0.30	0.55	58	0.11	5.38	78	2.2
17AWS397		0.08	0.38	50	0.13	2.26	48	0.6
17AWS398		0.30	0.52	57	0.13	4.24	62	3.0
17AWS399		0.09	0.68	56	0.13	4.18	60	6.2
17AWS400		0.08	0.34	56	0.11	2.12	56	1.0
17AWS401		0.09	0.49	57	0.12	3.22	56	3.0
17AWS402		0.08	0.39	54	0.12	3.55	50	1.0
17AWS403		0.09	0.54	60	0.13	5.38	61	5.5
17AWS404		0.08	0.48	48	0.10	5.33	43	2.6
17AWS405		0.20	1.23	61	0.08	10.60	87	2.0
17AWS406		0.09	0.35	52	0.10	3.89	77	1.2
17AWS407		0.11	0.46	55	0.13	3.86	56	3.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-NOV-2017
Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231006

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: NSS is non-sufficient sample.
ALL METHODS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
AuME-TL43



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 1
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

CERTIFICATE WH17231010

Project: QV
 P.O. No.: 17-QV-04
 This report is for 167 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-OCT-2017.
 The following have access to data associated with this certificate:
 CHRIS LIVINGSTONE KRIS RAFFLE DAVID TERRY

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
AuME-TL43	25g Trace Au + Multi Element PKG	ICP-MS

To: COMSTOCK METALS LTD.
 ATTN: CHRIS LIVINGSTONE
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS408		0.31	0.001	0.08	1.69	7.8	10	500	0.43	0.15	0.19	0.08	27.1	9.4	28	0.58
17AWS409		0.32	0.001	0.10	1.46	6.4	10	370	0.37	0.14	0.24	0.09	20.4	9.9	25	1.03
17AWS410		0.31	0.001	0.09	1.49	7.0	10	360	0.40	0.13	0.23	0.09	19.90	10.1	25	1.09
17AWS411		0.32	0.001	0.04	1.41	7.1	10	310	0.37	0.15	0.25	0.10	18.50	7.9	26	0.35
17AWS412		0.34	0.004	0.04	1.60	10.5	10	240	0.52	0.15	0.27	0.07	37.9	9.0	32	0.56
17AWS413		0.31	0.003	0.03	1.56	9.7	10	250	0.51	0.14	0.35	0.09	43.5	8.5	27	0.89
17AWS414		0.46	0.001	0.05	2.39	22.3	10	370	0.79	0.32	0.38	0.33	47.2	10.9	16	3.85
17AWS415		0.33	0.002	0.07	1.42	7.6	10	340	0.45	0.16	0.31	0.10	23.4	8.4	27	0.41
17AWS416		0.50	0.004	0.23	2.29	6.4	10	240	0.73	0.40	0.86	0.17	47.5	10.9	37	0.63
17AWS417		0.43	0.002	0.11	1.11	9.0	10	370	0.35	0.17	1.50	0.31	25.3	9.4	24	0.55
17AWS418		0.35	0.002	0.12	1.37	9.6	10	440	0.53	0.20	0.58	0.07	30.0	10.7	29	0.33
17AWS419		0.40	0.001	0.04	2.17	8.8	10	210	0.86	0.27	0.42	0.12	36.1	13.3	35	0.52
17AWS420		0.36	0.002	0.02	1.57	9.5	10	250	0.53	0.15	0.35	0.06	29.1	9.8	32	0.32
17AWS421		0.42	0.002	0.03	2.05	7.8	10	200	0.42	0.16	0.28	0.07	22.1	9.7	23	0.66
17AWS422		0.30	0.001	0.13	1.06	7.2	10	140	0.34	0.48	0.16	0.14	25.2	3.5	16	0.34
17AWS423		0.38	0.003	0.25	1.80	8.1	10	220	0.56	0.35	0.26	0.12	35.6	7.7	22	0.42
17AWS424		0.26	0.002	0.25	1.66	3.8	10	190	0.38	0.28	0.17	0.15	17.05	12.3	30	0.42
17AWS425		0.31	0.001	0.09	1.39	5.5	10	290	0.27	0.16	0.18	0.10	12.30	8.6	24	0.29
17AWS426		0.26	0.002	0.05	1.19	4.0	10	160	0.25	0.19	0.09	0.10	11.25	6.6	16	0.44
17AWS427		0.20	<0.001	0.06	0.81	3.8	10	270	0.13	0.17	0.16	0.13	9.19	5.0	14	0.22
17AWS428		0.37	0.002	0.05	1.78	9.2	10	140	0.33	0.26	0.11	0.08	16.20	7.1	28	0.56
17AWS429		0.39	0.001	0.04	2.16	10.5	10	190	0.40	0.18	0.12	0.06	15.60	10.2	34	0.73
17AWS430		0.30	0.003	0.07	2.02	9.7	10	170	0.44	0.18	0.12	0.07	14.70	9.3	30	0.57
17AWS431		0.37	0.002	0.03	1.53	8.9	10	210	0.59	0.16	0.24	0.05	40.0	8.7	28	0.44
17AWS432		0.40	0.002	0.03	1.75	7.6	10	180	0.41	0.20	0.22	0.09	22.0	6.9	24	0.55
17AWS433		0.24	0.002	0.09	0.93	3.6	10	120	0.26	0.28	0.13	0.11	18.40	2.8	16	0.26
17AWS434		0.45	0.003	0.06	1.81	7.1	10	230	0.60	0.19	0.35	0.06	27.8	12.0	26	0.46
17AWS435		0.33	0.001	0.02	1.72	4.5	10	160	0.53	0.19	0.29	0.11	27.3	8.3	16	0.52
17AWS436		0.38	0.002	0.05	1.56	5.1	10	160	0.34	0.17	0.23	0.08	22.0	6.2	24	0.44
17AWS437		0.40	0.002	0.05	1.97	7.0	10	280	0.46	0.14	0.31	0.06	24.2	10.3	36	0.56
17AWS438		0.34	0.002	0.08	1.57	6.3	10	190	0.30	0.13	0.22	0.09	16.80	8.4	23	0.43
17AWS439		0.36	0.003	0.11	2.07	16.3	10	240	0.42	1.09	0.25	0.10	25.8	10.3	30	0.70
17AWS440		0.49	0.002	0.12	1.67	8.5	10	270	0.43	0.31	0.26	0.05	20.5	7.9	28	0.57
17AWS441		0.37	0.004	0.05	2.03	9.9	10	260	0.70	0.20	0.19	0.07	25.1	10.7	43	0.62
17AWS442		0.31	0.001	0.07	1.63	8.8	10	160	0.31	0.18	0.12	0.07	15.30	6.5	27	0.65
17AWS443		0.17	0.001	0.07	1.60	8.4	10	210	0.29	0.17	0.15	0.11	12.55	6.9	27	0.42
17AWS444		0.31	0.004	0.04	1.62	9.6	10	240	0.48	0.16	0.15	0.06	17.25	8.9	33	0.41
17AWS445		0.29	0.002	0.03	1.67	9.0	10	270	0.54	0.19	0.16	0.05	21.9	9.2	30	0.44
17AWS446		0.31	0.001	0.06	1.36	8.5	10	240	0.27	0.16	0.16	0.06	14.05	6.4	25	0.34
17AWS447		0.32	0.003	0.07	1.48	7.5	10	180	0.52	0.19	0.23	0.04	36.1	7.5	26	0.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS408		16.6	2.88	5.13	<0.05	0.05	0.01	0.027	0.15	11.3	10.5	0.48	333	2.06	0.01	0.57
17AWS409		16.7	2.74	4.71	<0.05	0.06	0.02	0.021	0.22	9.6	9.6	0.48	555	1.10	0.01	0.79
17AWS410		17.7	2.81	4.70	<0.05	0.06	0.02	0.022	0.25	9.0	9.6	0.50	524	1.08	0.01	0.79
17AWS411		13.9	2.50	4.19	<0.05	0.07	0.01	0.022	0.08	9.1	8.2	0.42	243	0.97	0.01	0.65
17AWS412		25.4	2.96	4.55	0.06	0.15	0.02	0.024	0.14	21.9	11.4	0.51	245	0.89	0.01	0.40
17AWS413		27.7	2.84	4.62	0.06	0.09	0.03	0.024	0.18	24.1	11.1	0.55	270	1.13	0.01	0.54
17AWS414		61.0	4.45	9.86	0.06	0.07	0.02	0.043	0.83	16.0	22.2	0.78	622	1.75	0.02	0.72
17AWS415		21.6	2.55	4.30	<0.05	0.12	0.03	0.023	0.11	14.4	9.8	0.45	306	0.90	0.01	0.51
17AWS416		24.3	3.22	8.43	0.06	0.08	0.05	0.031	0.08	29.4	20.3	0.84	539	0.83	0.02	2.16
17AWS417		27.7	2.44	3.38	0.05	0.05	0.03	0.020	0.06	12.7	9.7	0.77	472	0.82	0.03	0.65
17AWS418		29.1	2.71	4.03	<0.05	0.03	0.04	0.022	0.06	15.3	10.5	0.57	421	0.62	0.03	0.46
17AWS419		21.9	3.78	8.84	0.05	0.09	0.01	0.033	0.08	18.7	18.7	1.08	493	0.85	0.02	0.36
17AWS420		19.5	2.81	4.58	<0.05	0.12	0.02	0.026	0.05	13.7	10.4	0.55	275	0.78	0.02	0.47
17AWS421		15.3	3.19	7.68	<0.05	0.03	0.02	0.028	0.13	11.7	17.9	0.88	373	0.73	0.01	1.09
17AWS422		15.6	1.72	5.27	<0.05	<0.02	0.03	0.014	0.07	14.5	5.6	0.25	234	1.72	0.01	1.05
17AWS423		15.8	2.77	6.46	<0.05	<0.02	0.03	0.026	0.07	22.0	12.1	0.45	268	1.63	0.01	0.76
17AWS424		12.2	2.78	8.19	<0.05	0.02	0.02	0.023	0.06	8.3	7.6	0.61	1150	2.86	0.01	0.63
17AWS425		9.2	2.32	4.41	<0.05	0.05	0.01	0.018	0.03	6.2	7.5	0.33	572	1.07	0.01	0.58
17AWS426		7.4	2.22	4.76	<0.05	<0.02	0.01	0.015	0.02	5.5	6.0	0.22	421	1.15	0.01	0.73
17AWS427		7.4	1.68	4.19	<0.05	<0.02	0.01	0.011	0.04	4.6	4.0	0.17	642	1.09	0.01	0.75
17AWS428		9.2	2.92	6.39	<0.05	0.04	0.01	0.025	0.03	8.2	12.5	0.46	229	0.90	0.01	0.82
17AWS429		16.6	3.01	4.37	<0.05	0.08	0.02	0.027	0.03	8.0	12.8	0.45	165	0.81	0.01	0.78
17AWS430		15.2	2.80	4.65	<0.05	0.04	0.02	0.023	0.03	7.4	11.4	0.45	182	0.79	0.01	0.83
17AWS431		16.7	2.67	4.72	0.05	0.03	0.02	0.023	0.04	21.5	9.9	0.46	258	0.77	0.01	0.43
17AWS432		11.2	2.63	6.26	<0.05	<0.02	0.02	0.023	0.04	10.9	11.2	0.34	239	1.11	0.01	0.78
17AWS433		9.2	1.31	4.85	<0.05	<0.02	0.02	0.012	0.04	9.4	4.5	0.17	116	1.35	0.01	0.85
17AWS434		27.7	3.27	5.57	<0.05	0.04	0.02	0.026	0.04	16.7	15.3	0.83	369	1.19	0.01	0.31
17AWS435		9.6	3.11	8.06	<0.05	0.04	0.01	0.029	0.13	14.6	14.1	0.66	487	1.02	0.01	2.63
17AWS436		9.4	2.23	6.80	<0.05	<0.02	0.01	0.018	0.04	11.7	10.4	0.48	228	1.27	0.01	0.95
17AWS437		17.0	3.21	7.10	<0.05	0.02	0.02	0.028	0.12	12.1	13.4	0.68	360	1.13	0.01	0.60
17AWS438		9.4	2.63	5.81	<0.05	0.04	0.01	0.022	0.08	8.4	10.9	0.52	234	0.99	0.01	0.63
17AWS439		30.9	3.35	7.43	<0.05	0.09	0.02	0.042	0.14	13.0	14.8	0.88	307	1.61	0.01	1.01
17AWS440		12.9	2.70	5.01	<0.05	0.07	0.02	0.022	0.03	11.3	12.3	0.48	191	0.92	0.01	0.54
17AWS441		23.0	2.91	5.42	<0.05	0.08	0.01	0.027	0.03	12.7	13.4	0.55	278	0.88	0.01	0.60
17AWS442		10.8	2.60	5.28	<0.05	0.04	0.01	0.021	0.02	7.8	11.7	0.31	168	1.24	0.01	0.94
17AWS443		11.1	2.62	5.06	<0.05	0.04	0.02	0.020	0.03	6.3	9.6	0.35	249	1.06	0.01	0.98
17AWS444		21.1	2.73	4.74	<0.05	0.11	0.02	0.025	0.04	8.3	12.9	0.45	223	0.90	0.01	0.59
17AWS445		20.3	2.81	5.45	<0.05	0.09	0.02	0.024	0.04	12.1	15.6	0.51	228	0.81	0.01	0.42
17AWS446		11.5	2.44	5.13	<0.05	0.04	0.01	0.017	0.05	6.9	11.5	0.37	255	1.04	0.01	0.61
17AWS447		19.3	2.42	4.90	<0.05	0.02	0.03	0.019	0.04	23.3	12.4	0.42	181	0.82	0.01	0.66



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS408		17.3	260	10.0	11.7	<0.001	0.01	0.46	5.5	0.2	0.7	18.7	<0.01	0.03	4.7	0.079	
17AWS409		16.7	270	8.2	19.4	<0.001	<0.01	0.43	5.0	0.3	0.5	19.9	<0.01	0.03	3.2	0.087	
17AWS410		16.8	290	8.4	21.4	<0.001	<0.01	0.45	5.2	0.3	0.4	19.3	<0.01	0.03	3.4	0.089	
17AWS411		15.6	180	9.1	6.8	<0.001	<0.01	0.46	3.9	0.2	0.4	21.4	<0.01	0.03	3.3	0.061	
17AWS412		25.0	300	9.5	10.6	<0.001	<0.01	0.68	7.5	0.3	0.4	24.0	<0.01	0.03	5.5	0.082	
17AWS413		20.5	520	10.0	14.7	<0.001	<0.01	0.50	7.5	0.3	0.5	22.7	<0.01	0.03	6.7	0.093	
17AWS414		11.1	780	50.4	67.1	<0.001	<0.01	0.22	9.3	0.4	3.8	20.5	<0.01	0.06	11.0	0.175	
17AWS415		19.0	250	9.7	8.3	<0.001	<0.01	0.48	5.9	0.3	0.5	24.8	<0.01	0.03	5.0	0.060	
17AWS416		18.1	610	37.2	9.7	<0.001	0.02	0.29	8.2	0.4	0.9	61.2	<0.01	0.03	5.7	0.108	
17AWS417		25.1	840	11.8	6.1	<0.001	0.01	0.67	3.9	0.3	0.4	54.9	<0.01	0.03	4.0	0.064	
17AWS418		26.5	330	18.0	5.5	<0.001	0.01	0.53	5.4	0.2	0.4	38.2	<0.01	0.03	3.9	0.062	
17AWS419		23.3	460	34.5	8.8	<0.001	<0.01	0.48	9.6	0.4	0.7	39.4	<0.01	0.03	6.6	0.135	
17AWS420		22.3	180	10.4	5.6	<0.001	<0.01	0.63	6.7	0.3	0.5	27.4	<0.01	0.03	4.5	0.066	
17AWS421		15.4	410	14.3	13.3	<0.001	<0.01	0.37	5.6	0.2	0.8	23.7	<0.01	0.03	4.5	0.105	
17AWS422		9.2	370	24.5	10.4	<0.001	0.01	0.23	1.6	0.2	0.6	16.0	<0.01	0.03	0.6	0.026	
17AWS423		13.7	500	30.9	7.7	<0.001	0.01	0.31	3.6	0.3	0.6	22.4	<0.01	0.04	1.8	0.030	
17AWS424		9.7	410	18.7	10.4	<0.001	0.01	0.19	5.5	0.2	0.8	16.5	<0.01	0.05	2.8	0.043	
17AWS425		14.0	150	14.2	2.9	<0.001	<0.01	0.52	2.3	<0.2	0.5	17.0	<0.01	0.03	2.1	0.041	
17AWS426		9.5	180	12.9	4.7	<0.001	<0.01	0.41	1.8	0.2	0.5	19.0	<0.01	0.03	1.1	0.028	
17AWS427		7.8	160	16.0	2.7	<0.001	<0.01	0.36	1.4	<0.2	0.4	15.4	<0.01	0.03	0.8	0.035	
17AWS428		14.3	230	21.4	6.5	<0.001	<0.01	0.46	3.0	0.3	0.6	17.4	<0.01	0.04	3.1	0.062	
17AWS429		24.7	280	13.2	5.4	<0.001	<0.01	0.68	2.9	0.2	0.4	13.4	<0.01	0.03	3.3	0.043	
17AWS430		20.7	280	14.6	5.2	<0.001	<0.01	0.61	2.9	0.3	0.4	16.9	<0.01	0.03	2.5	0.043	
17AWS431		18.2	270	12.6	5.2	<0.001	<0.01	0.49	5.9	0.3	0.5	36.5	<0.01	0.04	4.8	0.046	
17AWS432		13.1	300	15.2	7.1	<0.001	<0.01	0.36	3.1	0.2	0.6	31.0	<0.01	0.04	1.7	0.038	
17AWS433		7.8	260	26.3	4.7	<0.001	0.01	0.19	1.4	0.2	0.5	18.2	<0.01	0.02	0.4	0.030	
17AWS434		16.1	440	19.3	5.8	<0.001	<0.01	0.39	8.5	0.3	0.5	36.4	<0.01	0.02	4.2	0.081	
17AWS435		8.0	460	28.2	12.0	<0.001	<0.01	0.24	6.0	0.3	1.0	31.7	<0.01	0.02	6.1	0.111	
17AWS436		11.3	230	16.1	6.5	<0.001	0.01	0.25	3.5	0.2	0.6	49.3	<0.01	0.05	1.5	0.062	
17AWS437		19.7	400	9.4	12.1	<0.001	<0.01	0.39	5.4	0.3	0.7	37.4	<0.01	0.02	4.3	0.076	
17AWS438		13.5	350	7.3	10.2	<0.001	<0.01	0.43	2.9	0.2	0.5	28.1	<0.01	0.02	3.0	0.080	
17AWS439		19.2	240	19.6	13.4	<0.001	<0.01	0.54	6.4	0.4	0.8	28.1	<0.01	0.23	5.1	0.124	
17AWS440		18.2	270	30.9	5.6	<0.001	<0.01	0.49	3.9	0.3	0.5	37.3	<0.01	0.03	3.7	0.050	
17AWS441		27.9	180	16.1	5.8	<0.001	<0.01	0.61	4.4	0.3	0.6	26.2	<0.01	0.03	5.9	0.057	
17AWS442		14.6	210	10.9	5.5	<0.001	0.01	0.55	2.5	0.2	0.5	12.6	<0.01	0.04	2.5	0.041	
17AWS443		15.5	220	12.2	5.2	<0.001	<0.01	0.53	2.3	0.2	0.5	14.4	<0.01	0.03	1.9	0.039	
17AWS444		23.9	170	12.6	4.9	<0.001	<0.01	0.66	3.3	0.3	0.4	19.3	<0.01	0.03	4.4	0.051	
17AWS445		22.9	180	16.8	5.6	<0.001	<0.01	0.61	4.5	0.3	0.4	22.3	<0.01	0.03	5.4	0.065	
17AWS446		15.6	240	11.7	5.8	<0.001	<0.01	0.53	2.5	0.2	0.4	15.8	<0.01	0.03	2.2	0.045	
17AWS447		17.5	310	21.9	5.5	<0.001	<0.01	0.50	4.0	0.2	0.4	25.5	<0.01	0.02	3.3	0.053	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS408		0.10	0.38	60	0.14	3.64	50	2.2
17AWS409		0.12	0.36	53	0.14	4.02	54	2.5
17AWS410		0.13	0.37	54	0.15	3.82	56	2.8
17AWS411		0.06	0.39	52	0.15	3.53	43	3.1
17AWS412		0.08	0.88	56	0.15	7.01	54	7.4
17AWS413		0.12	1.07	59	0.23	8.17	67	4.7
17AWS414		0.55	1.10	72	0.10	11.75	290	3.9
17AWS415		0.06	0.82	50	0.14	8.59	56	5.5
17AWS416		0.09	2.81	64	0.16	16.95	70	4.1
17AWS417		0.08	0.52	47	0.33	8.64	66	2.4
17AWS418		0.05	0.43	52	0.17	11.35	52	1.7
17AWS419		0.07	1.12	86	0.16	7.79	80	4.2
17AWS420		0.05	0.70	57	0.13	7.23	51	5.7
17AWS421		0.11	0.55	64	0.14	5.10	64	1.2
17AWS422		0.09	0.75	39	0.11	6.19	37	<0.5
17AWS423		0.08	0.96	56	0.15	10.50	50	<0.5
17AWS424		0.09	0.94	71	0.15	4.07	55	0.6
17AWS425		0.07	0.26	59	0.15	1.54	54	2.0
17AWS426		0.06	0.32	55	0.14	1.56	38	<0.5
17AWS427		0.05	0.21	49	0.15	1.27	35	<0.5
17AWS428		0.07	0.41	68	0.16	2.03	42	1.5
17AWS429		0.07	0.43	58	0.22	2.60	38	2.6
17AWS430		0.06	0.43	54	0.20	2.52	39	1.2
17AWS431		0.06	1.17	53	0.14	9.31	46	1.5
17AWS432		0.08	0.81	59	0.16	5.15	38	<0.5
17AWS433		0.05	0.51	35	0.12	3.69	25	<0.5
17AWS434		0.07	1.08	80	0.16	13.35	50	1.6
17AWS435		0.07	1.01	51	0.11	7.59	74	1.6
17AWS436		0.07	0.68	55	0.17	4.83	43	<0.5
17AWS437		0.10	0.85	61	0.11	6.20	63	1.0
17AWS438		0.07	0.53	64	0.19	2.72	61	1.7
17AWS439		0.15	0.87	69	0.16	4.53	74	4.2
17AWS440		0.08	0.76	59	0.19	5.24	40	2.9
17AWS441		0.09	0.80	62	0.16	4.20	53	3.9
17AWS442		0.08	0.33	64	0.20	1.90	38	1.8
17AWS443		0.07	0.27	62	0.17	1.46	47	1.4
17AWS444		0.05	0.50	56	0.15	2.46	45	4.7
17AWS445		0.06	0.54	57	0.13	3.53	51	4.3
17AWS446		0.06	0.33	57	0.18	1.75	43	1.6
17AWS447		0.05	1.00	51	0.13	6.82	42	1.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS448		0.30	0.002	0.04	1.60	7.8	10	150	0.45	0.17	0.23	0.08	18.30	8.5	27	0.44
17AWS449		0.36	0.002	0.07	1.42	7.4	10	280	0.41	0.15	0.23	0.10	15.70	8.4	26	0.35
17AWS450		0.32	0.002	0.06	1.40	7.8	10	230	0.42	0.15	0.24	0.09	15.95	8.4	26	0.29
17AWS451		0.29	0.002	0.10	1.65	7.9	10	270	0.47	0.56	0.27	0.09	20.3	10.3	32	0.38
17AWS452		0.25	0.002	0.04	1.45	9.8	10	290	0.42	0.17	0.27	0.13	20.3	9.1	31	0.43
17AWS453		0.21	0.001	0.04	1.37	6.2	10	200	0.35	0.17	0.29	0.17	15.40	8.5	24	0.40
17AWS454		0.30	0.001	0.04	1.79	7.0	10	360	0.55	0.17	0.26	0.12	24.1	10.7	30	0.41
17AWS455		0.23	0.001	0.06	1.53	8.1	10	360	0.47	0.16	0.34	0.25	17.70	9.7	29	0.29
17AWS456		0.37	0.001	0.08	1.37	5.8	10	190	0.36	0.15	0.17	0.25	11.90	6.5	32	0.36
17AWS457		0.28	0.001	0.09	1.31	6.1	10	300	0.39	0.18	0.27	0.20	15.50	8.8	26	0.33
17AWS458		0.26	0.001	0.07	1.06	4.2	10	140	0.21	0.16	0.18	0.15	13.35	6.9	27	0.41
17AWS459		0.19	0.001	0.18	1.67	5.1	10	190	0.47	1.27	0.28	0.21	21.7	9.3	25	0.51
17AWS460		0.57	0.002	0.03	1.76	7.4	10	200	0.73	0.19	0.34	0.05	26.4	9.6	34	0.33
17AWS461		0.51	0.002	0.06	1.77	6.6	10	190	0.51	0.31	0.39	0.07	27.8	9.2	29	0.42
17AWS462		0.38	0.002	0.04	1.74	6.2	10	210	0.44	0.40	0.36	0.06	26.5	9.3	28	0.44
17AWS463		0.28	0.001	0.06	1.25	5.1	10	200	0.44	0.36	0.37	0.14	27.5	6.6	21	0.38
17AWS464		0.33	0.001	0.05	1.36	6.2	10	230	0.36	0.20	0.34	0.08	21.0	8.4	20	0.38
17AWS465		0.30	0.002	0.04	1.32	7.5	10	290	0.42	0.18	0.19	0.10	19.80	8.8	26	0.22
17AWS466		0.28	0.002	0.06	1.41	7.4	10	190	0.35	0.63	0.25	0.09	19.35	8.9	27	0.29
17AWS467		0.34	0.001	0.11	1.96	6.8	10	250	0.45	0.40	0.41	0.14	24.3	11.4	31	0.49
17AWS468		0.39	0.008	0.09	1.49	6.8	10	250	0.61	0.23	0.44	0.13	28.1	10.5	27	0.32
17AWS469		0.24	0.001	0.07	1.41	5.1	10	260	0.34	0.24	0.46	0.18	21.0	8.6	24	0.40
17AWS470		0.20	0.005	0.07	1.41	5.1	10	250	0.35	0.25	0.43	0.17	20.4	9.0	24	0.40
17AWS471		0.40	0.002	0.03	2.30	7.0	10	310	0.75	0.25	0.72	0.18	58.1	15.6	29	1.05
17AWS472		0.47	0.004	0.10	1.33	9.6	10	260	0.55	0.23	1.34	0.11	30.1	11.1	25	0.42
17AWS473		0.34	0.002	0.06	1.41	6.5	10	210	0.30	0.29	0.32	0.12	19.30	7.8	23	0.38
17AWS474		0.25	0.006	0.22	1.28	5.3	10	310	0.64	0.41	1.13	0.30	33.3	8.1	19	0.20
17AWS475		0.35	0.004	0.14	1.23	7.7	10	280	0.46	0.26	0.79	0.24	30.1	9.7	24	0.40
17AWS476		0.29	0.003	0.05	1.70	5.8	10	210	0.51	0.37	0.57	0.19	37.9	11.1	37	0.50
17AWS477		0.37	0.001	0.05	2.06	6.5	10	240	0.61	0.40	0.53	0.12	37.1	12.4	29	0.52
17AWS478		0.32	0.003	0.09	1.94	6.6	10	250	0.45	0.81	0.66	0.18	29.2	11.5	28	0.96
17AWS479		0.28	<0.001	0.05	2.00	4.4	10	270	0.44	0.49	0.53	0.21	20.3	13.9	57	1.11
17AWS480		0.43	0.004	0.08	1.26	9.2	10	340	0.50	0.24	0.55	0.19	29.7	9.4	24	0.37
17AWS481		0.41	0.003	0.15	1.49	6.6	10	310	0.60	0.29	0.76	0.58	37.6	8.9	22	0.38
17AWS482		0.53	0.003	0.13	1.44	8.0	10	290	0.54	0.28	0.69	0.28	32.1	9.8	24	0.41
17AWS483		0.39	0.003	0.14	1.50	7.0	10	250	0.59	0.33	0.64	0.17	36.4	9.0	23	0.43
17AWS484		0.42	0.004	0.14	1.48	7.5	10	260	0.56	0.34	0.70	0.15	34.0	11.4	24	0.36
17AWS485		0.37	0.004	0.16	1.47	6.6	10	250	0.51	0.30	1.18	0.17	30.6	10.1	33	0.49
17AWS486		0.35	0.003	0.10	1.19	7.1	10	250	0.38	0.22	0.90	0.28	25.2	9.6	23	0.34
17AWS487		0.22	0.009	0.22	1.36	5.1	10	280	0.62	0.38	1.52	0.26	39.5	7.9	19	0.23



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS448		13.9	2.75	5.62	<0.05	0.04	0.01	0.023	0.07	8.7	13.8	0.49	317	1.01	0.01	0.49
17AWS449		12.1	2.46	4.88	<0.05	0.06	0.01	0.020	0.06	7.4	11.5	0.42	397	1.09	0.01	0.56
17AWS450		12.6	2.51	4.87	<0.05	0.07	0.01	0.021	0.06	7.5	11.9	0.46	333	1.07	0.01	0.62
17AWS451		17.2	2.75	5.87	<0.05	0.05	0.02	0.024	0.05	9.1	14.8	0.54	457	0.85	0.01	0.61
17AWS452		13.9	2.65	4.67	<0.05	0.04	0.02	0.024	0.06	8.8	11.3	0.43	577	0.89	0.01	0.68
17AWS453		11.7	2.41	4.90	<0.05	<0.02	0.02	0.020	0.08	7.3	9.8	0.37	387	0.86	0.01	0.58
17AWS454		13.3	2.71	5.78	<0.05	0.02	0.02	0.024	0.04	11.2	12.1	0.45	380	0.83	0.01	0.45
17AWS455		14.0	2.55	4.97	<0.05	0.03	0.01	0.023	0.07	8.0	9.7	0.39	703	0.83	0.01	0.54
17AWS456		10.5	2.47	6.66	<0.05	<0.02	0.02	0.022	0.03	5.9	10.3	0.33	517	1.19	0.01	0.64
17AWS457		11.8	2.42	5.03	<0.05	0.02	0.01	0.021	0.10	7.1	9.8	0.37	924	1.02	0.01	0.54
17AWS458		10.3	2.22	6.34	<0.05	0.04	0.01	0.014	0.06	6.3	8.6	0.43	367	1.26	0.02	0.84
17AWS459		24.3	2.73	8.11	<0.05	0.05	0.02	0.036	0.09	10.1	16.5	0.64	564	1.37	0.02	1.25
17AWS460		18.9	2.76	5.65	<0.05	0.07	0.02	0.026	0.04	13.2	16.1	0.56	267	0.86	0.01	0.66
17AWS461		20.6	2.88	6.91	<0.05	0.10	0.02	0.029	0.06	15.2	16.4	0.64	362	1.27	0.01	1.19
17AWS462		21.2	2.80	6.31	<0.05	0.06	0.02	0.027	0.06	13.7	16.4	0.68	322	1.19	0.01	1.15
17AWS463		17.4	2.32	7.82	<0.05	0.02	0.03	0.022	0.12	17.3	10.6	0.48	566	1.70	0.03	2.29
17AWS464		11.8	2.48	6.20	<0.05	0.06	0.02	0.021	0.06	10.4	12.2	0.44	494	1.35	0.01	1.60
17AWS465		14.7	2.39	4.32	<0.05	0.03	0.01	0.020	0.05	8.6	9.3	0.39	210	0.86	0.01	0.62
17AWS466		23.9	2.67	5.16	<0.05	0.08	0.02	0.025	0.11	8.8	13.4	0.57	238	1.34	0.01	1.10
17AWS467		35.5	3.07	7.10	<0.05	0.03	0.02	0.031	0.10	12.1	17.9	0.77	380	0.76	0.02	0.99
17AWS468		22.9	2.64	5.49	<0.05	0.05	0.03	0.023	0.06	14.5	12.9	0.50	707	0.85	0.02	0.93
17AWS469		15.1	2.44	5.49	<0.05	0.04	0.03	0.020	0.08	10.0	11.9	0.46	696	0.92	0.02	1.05
17AWS470		14.7	2.44	5.62	<0.05	0.04	0.02	0.020	0.08	9.7	12.2	0.46	682	0.94	0.02	1.04
17AWS471		24.8	4.51	11.35	0.10	0.14	0.02	0.030	0.49	26.8	33.2	0.96	729	0.51	0.02	0.42
17AWS472		35.7	2.74	5.12	0.05	0.04	0.05	0.021	0.06	15.3	15.5	0.74	466	0.64	0.02	0.67
17AWS473		14.5	2.52	5.67	<0.05	0.04	0.02	0.019	0.05	9.3	14.1	0.46	209	1.58	0.01	0.87
17AWS474		19.5	2.19	4.92	<0.05	0.06	0.06	0.020	0.06	22.8	11.2	0.42	506	1.55	0.04	1.05
17AWS475		30.1	2.47	4.59	<0.05	0.07	0.04	0.021	0.06	16.0	13.7	0.56	415	0.85	0.02	1.07
17AWS476		20.6	2.96	6.87	<0.05	0.05	0.02	0.023	0.11	14.4	20.8	0.71	473	0.87	0.02	1.34
17AWS477		23.7	3.54	9.29	0.05	0.07	0.03	0.026	0.08	19.7	22.1	0.78	488	0.90	0.02	1.08
17AWS478		30.0	3.19	7.30	0.05	0.05	0.02	0.035	0.23	12.8	17.5	0.91	570	0.80	0.03	1.48
17AWS479		21.5	3.59	10.55	<0.05	0.05	0.01	0.030	0.19	9.3	18.2	1.08	863	1.04	0.02	1.33
17AWS480		26.7	2.52	4.15	0.05	0.11	0.04	0.023	0.05	15.9	14.5	0.53	415	0.94	<0.01	1.36
17AWS481		32.0	2.58	5.30	0.05	0.08	0.03	0.027	0.06	22.7	14.4	0.52	485	1.29	<0.01	2.30
17AWS482		30.1	2.69	5.03	0.05	0.09	0.03	0.026	0.05	18.1	14.9	0.58	392	1.04	<0.01	1.97
17AWS483		21.2	2.65	5.61	0.05	0.08	0.04	0.027	0.06	21.5	15.4	0.58	465	1.29	<0.01	1.83
17AWS484		21.7	2.75	5.37	<0.05	0.06	0.04	0.026	0.04	18.3	14.5	0.56	506	1.69	<0.01	1.51
17AWS485		39.1	2.56	4.83	0.05	0.12	0.06	0.023	0.06	19.0	13.7	0.65	368	0.68	<0.01	1.87
17AWS486		25.7	2.41	3.76	<0.05	0.09	0.04	0.020	0.04	13.0	10.4	0.56	411	0.66	<0.01	1.35
17AWS487		22.2	2.21	4.65	0.05	0.11	0.06	0.023	0.05	27.9	12.1	0.50	433	1.42	0.01	1.64



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS448		17.3	260	17.3	10.2	<0.001	<0.01	0.49	3.6	0.2	0.5	25.1	<0.01	0.02	4.0	0.075	
17AWS449		16.8	220	10.5	8.2	<0.001	<0.01	0.50	3.1	<0.2	0.4	32.0	<0.01	0.03	3.0	0.050	
17AWS450		16.7	250	11.5	8.2	<0.001	<0.01	0.51	3.3	0.2	0.4	39.6	<0.01	0.02	3.3	0.051	
17AWS451		21.0	280	62.9	6.5	<0.001	<0.01	0.51	4.7	0.2	0.5	37.4	<0.01	0.03	3.4	0.060	
17AWS452		21.5	360	12.0	7.8	<0.001	<0.01	0.59	4.0	0.2	0.4	26.3	<0.01	0.04	3.4	0.054	
17AWS453		15.0	560	15.7	8.1	<0.001	0.01	0.39	2.6	<0.2	0.4	24.4	<0.01	0.03	1.1	0.044	
17AWS454		19.6	350	11.6	4.6	<0.001	<0.01	0.44	5.4	<0.2	0.5	23.7	<0.01	0.03	3.1	0.047	
17AWS455		20.8	570	11.6	6.4	<0.001	0.01	0.53	3.9	0.2	0.4	30.1	<0.01	0.03	2.5	0.037	
17AWS456		14.5	360	13.2	4.4	<0.001	0.01	0.40	2.5	<0.2	0.5	17.3	<0.01	0.04	0.6	0.038	
17AWS457		16.7	270	14.3	9.8	<0.001	<0.01	0.45	3.0	<0.2	0.4	23.8	<0.01	0.03	1.9	0.056	
17AWS458		12.9	220	11.1	6.8	<0.001	<0.01	0.36	2.8	<0.2	0.5	17.3	<0.01	0.03	1.8	0.084	
17AWS459		12.7	290	24.8	10.9	<0.001	<0.01	0.27	5.5	0.2	0.8	67.3	<0.01	0.22	2.8	0.095	
17AWS460		20.1	270	14.5	6.1	<0.001	<0.01	0.41	4.9	0.2	0.5	47.6	<0.01	0.04	3.8	0.068	
17AWS461		16.0	310	19.4	8.9	<0.001	<0.01	0.43	5.9	0.3	0.7	48.2	<0.01	0.05	4.6	0.107	
17AWS462		15.6	410	18.5	9.7	<0.001	<0.01	0.40	5.6	0.3	0.7	39.5	<0.01	0.07	3.9	0.102	
17AWS463		12.3	370	14.9	9.1	<0.001	0.03	0.31	4.7	0.2	0.8	36.2	<0.01	0.06	2.4	0.097	
17AWS464		13.0	360	17.6	7.3	<0.001	<0.01	0.36	4.1	0.2	0.6	26.9	<0.01	0.03	3.5	0.072	
17AWS465		20.2	250	8.8	4.5	<0.001	<0.01	0.53	4.0	0.2	0.4	19.0	<0.01	0.04	2.6	0.041	
17AWS466		17.9	290	13.5	7.6	<0.001	<0.01	0.46	4.5	0.2	0.5	25.5	<0.01	0.12	3.2	0.079	
17AWS467		19.3	380	15.0	10.1	<0.001	<0.01	0.35	6.3	0.3	0.9	35.0	<0.01	0.06	3.0	0.113	
17AWS468		19.2	430	26.4	6.1	<0.001	0.01	0.47	5.6	0.2	0.4	38.4	<0.01	0.03	3.3	0.064	
17AWS469		15.2	290	24.4	11.3	<0.001	0.01	0.36	4.3	0.2	0.4	41.7	<0.01	0.03	2.5	0.073	
17AWS470		15.2	270	24.6	11.7	<0.001	0.01	0.37	4.3	0.2	0.5	40.9	<0.01	0.03	2.5	0.073	
17AWS471		21.7	1090	33.3	38.2	<0.001	<0.01	0.31	10.4	0.4	0.8	60.7	<0.01	0.02	9.3	0.218	
17AWS472		27.4	780	26.6	6.1	<0.001	0.01	0.50	5.7	0.3	0.4	55.4	<0.01	0.03	3.5	0.073	
17AWS473		14.3	390	26.0	6.1	<0.001	<0.01	0.33	3.6	<0.2	0.5	41.6	<0.01	0.03	3.0	0.071	
17AWS474		14.2	750	41.5	6.1	<0.001	0.07	0.34	4.1	0.3	0.5	103.0	<0.01	0.03	2.6	0.032	
17AWS475		24.1	810	26.2	6.7	0.001	0.02	0.58	4.9	0.5	0.4	51.6	<0.01	0.03	3.5	0.059	
17AWS476		21.9	650	56.0	13.0	<0.001	0.01	0.33	6.6	0.2	0.5	49.2	<0.01	0.02	4.0	0.105	
17AWS477		17.0	530	54.2	9.7	<0.001	<0.01	0.35	7.6	0.3	0.7	53.2	<0.01	0.03	5.6	0.136	
17AWS478		17.7	710	24.8	23.7	<0.001	0.01	0.32	7.2	0.3	0.9	55.2	<0.01	0.12	4.1	0.129	
17AWS479		22.5	510	18.5	28.1	<0.001	<0.01	0.24	7.5	0.2	0.9	50.7	<0.01	0.08	3.1	0.172	
17AWS480		24.5	550	22.0	6.3	<0.001	<0.01	0.64	4.7	0.6	0.5	39.2	<0.01	0.03	4.5	0.061	
17AWS481		22.2	580	30.3	9.8	<0.001	<0.01	0.42	5.4	0.5	0.6	56.3	<0.01	0.03	4.0	0.075	
17AWS482		22.6	660	27.7	7.0	<0.001	<0.01	0.55	5.4	0.5	0.6	52.5	<0.01	0.03	4.3	0.076	
17AWS483		16.0	630	33.7	9.3	<0.001	<0.01	0.42	5.6	0.4	0.6	48.1	<0.01	0.03	5.5	0.074	
17AWS484		15.6	640	34.4	6.8	<0.001	<0.01	0.43	5.1	0.4	0.6	53.7	<0.01	0.03	4.5	0.070	
17AWS485		23.3	730	23.3	6.7	<0.001	0.03	0.46	5.6	0.7	0.5	77.1	<0.01	0.04	3.1	0.079	
17AWS486		20.9	770	28.0	4.5	<0.001	0.01	0.47	4.3	0.5	0.4	54.7	<0.01	0.03	3.1	0.065	
17AWS487		14.3	740	40.2	6.7	<0.001	0.06	0.36	4.6	0.6	0.5	119.0	<0.01	0.04	2.6	0.048	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS448		0.06	0.53	57	0.10	2.80	55	1.9
17AWS449		0.06	0.38	53	0.13	2.32	51	2.7
17AWS450		0.05	0.44	52	0.15	2.67	52	2.7
17AWS451		0.07	0.61	60	0.13	3.37	57	2.1
17AWS452		0.06	0.48	55	0.16	2.77	53	1.9
17AWS453		0.06	0.34	54	0.13	2.30	65	<0.5
17AWS454		0.07	0.58	62	0.13	5.21	76	1.0
17AWS455		0.06	0.43	54	0.15	2.56	85	1.0
17AWS456		0.06	0.33	68	0.15	1.64	64	<0.5
17AWS457		0.07	0.36	56	0.13	2.15	60	1.0
17AWS458		0.07	0.35	58	0.13	1.96	58	1.7
17AWS459		0.08	0.75	69	0.14	4.70	92	2.1
17AWS460		0.05	0.92	57	0.14	5.71	54	3.3
17AWS461		0.07	0.90	61	0.13	7.73	67	4.3
17AWS462		0.06	0.81	61	0.15	7.04	62	2.5
17AWS463		0.08	0.89	55	0.15	7.55	59	0.9
17AWS464		0.07	0.52	54	0.16	5.06	47	2.5
17AWS465		0.05	0.41	51	0.17	3.55	47	1.4
17AWS466		0.05	0.61	59	0.19	3.71	55	3.3
17AWS467		0.08	0.71	73	0.16	5.52	71	1.1
17AWS468		0.05	1.13	56	0.17	8.83	51	2.0
17AWS469		0.06	0.75	55	0.18	5.15	48	1.6
17AWS470		0.06	0.72	55	0.17	4.87	48	1.7
17AWS471		0.17	2.18	75	0.11	19.00	92	7.5
17AWS472		0.06	0.86	54	0.24	12.10	59	1.8
17AWS473		0.06	0.53	57	0.18	3.85	47	1.5
17AWS474		0.05	1.58	39	0.18	18.05	62	2.2
17AWS475		0.06	1.22	46	0.22	11.65	64	3.0
17AWS476		0.09	1.03	60	0.17	9.45	62	1.9
17AWS477		0.09	1.21	74	0.15	11.40	70	2.8
17AWS478		0.14	0.98	67	0.24	8.40	98	2.2
17AWS479		0.10	0.61	80	0.13	5.89	94	1.8
17AWS480		0.05	1.00	46	0.24	10.30	68	4.9
17AWS481		0.06	1.63	49	0.19	15.50	68	3.4
17AWS482		0.06	1.27	51	0.24	12.60	74	4.3
17AWS483		0.07	1.58	49	0.23	12.70	74	3.4
17AWS484		0.06	1.47	53	0.25	10.45	69	2.4
17AWS485		0.07	1.99	52	0.22	14.65	69	5.5
17AWS486		0.05	0.98	47	0.27	8.89	66	3.7
17AWS487		0.06	1.96	41	0.22	21.6	67	4.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS488		0.48	0.005	0.17	1.49	6.1	10	270	0.59	0.38	0.85	0.27	45.0	9.5	21	0.27
17AWS489		0.28	0.005	0.12	1.72	5.7	10	230	0.59	0.51	0.62	0.19	31.9	9.9	24	0.30
17AWS490		0.36	0.006	0.13	1.69	6.2	10	220	0.59	0.47	0.65	0.17	33.7	10.2	24	0.31
17AWS491		0.39	0.002	0.05	1.78	4.4	10	180	0.65	0.37	0.46	0.13	42.7	8.3	13	1.13
17AWS492		0.39	0.004	0.05	1.53	9.0	10	210	0.57	0.15	0.33	0.07	27.8	10.7	44	0.32
17AWS493		0.42	0.005	0.06	1.62	9.7	10	310	0.55	0.17	0.37	0.09	26.6	10.5	28	0.38
17AWS494		0.48	0.001	0.11	2.36	5.4	10	270	0.81	0.53	0.51	0.18	38.7	13.4	43	0.57
17AWS495		0.19	0.001	0.09	1.64	6.3	10	190	0.42	0.54	0.36	0.10	19.50	8.6	27	0.45
17AWS496		0.30	0.001	0.10	1.33	4.9	10	190	0.37	0.21	0.38	0.16	18.30	7.5	23	0.49
17AWS497		0.39	0.003	0.03	1.42	10.7	10	260	0.57	0.14	0.29	0.07	28.8	10.7	33	0.34
17AWS498		0.50	0.002	0.06	2.73	12.4	10	410	0.76	0.38	0.56	0.21	44.4	15.0	28	1.65
17AWS499		0.63	0.003	0.05	1.61	7.4	10	250	0.49	0.20	0.44	0.10	30.1	9.3	26	0.39
17AWS500		0.41	0.002	0.21	1.70	6.3	10	290	0.53	0.25	0.52	0.24	39.5	10.4	22	0.46
17AWS501		0.49	0.001	0.24	2.13	6.9	10	310	0.67	0.40	0.61	0.23	52.9	15.5	24	0.56
17AWS502		0.60	0.002	0.10	1.89	5.8	10	230	0.47	0.22	0.38	0.10	29.2	8.7	22	0.49
17AWS503		0.46	0.002	0.10	1.92	7.0	10	250	0.61	0.49	0.46	0.14	30.0	10.3	27	0.46
17AWS504		0.58	0.003	0.05	1.60	7.5	10	220	0.41	0.18	0.30	0.07	26.9	7.7	24	0.42
17AWS505		0.29	0.003	0.14	1.11	3.5	10	160	0.28	0.37	0.20	0.38	17.15	4.5	16	0.32
17AWS506		0.51	0.001	0.06	1.28	7.2	10	250	0.30	0.13	0.15	0.07	14.80	7.8	25	0.41
17AWS507		0.34	0.002	0.06	1.43	7.1	10	180	0.31	0.15	0.14	0.10	14.60	6.2	23	0.26
17AWS508		0.42	0.004	0.10	1.47	10.0	10	360	0.61	0.18	0.53	0.08	29.0	11.1	29	0.37
17AWS509		0.36	0.007	0.13	1.39	8.7	10	350	0.52	0.32	0.79	0.18	28.0	10.7	24	0.31
17AWS510		0.33	0.002	0.14	1.27	9.7	10	360	0.45	0.25	1.09	0.22	27.5	10.4	24	0.33
17AWS511		0.28	0.001	0.06	1.48	3.6	10	190	0.52	0.54	0.37	0.33	25.5	6.1	9	0.77
17AWS512		0.39	0.003	0.09	1.73	7.7	10	310	0.51	0.32	0.36	0.14	23.4	11.1	29	0.39
17AWS513		0.35	0.004	0.13	1.97	7.3	10	280	0.51	0.54	0.38	0.26	19.35	12.1	33	0.48
17AWS514		0.29	0.005	0.15	1.31	8.1	10	330	0.56	0.31	1.17	0.36	32.7	11.0	25	0.27
17AWS515		0.38	0.002	0.12	1.74	7.2	10	280	0.69	0.52	0.29	0.13	40.1	9.3	24	0.53
17AWS516		0.44	0.002	0.11	1.62	12.6	10	220	0.89	0.80	0.22	0.22	28.2	9.4	17	1.77
17AWS517		0.33	0.002	0.15	1.54	8.6	10	360	0.51	0.22	0.40	0.15	25.3	10.1	31	0.30
17AWS518		0.45	0.011	0.23	1.15	7.7	10	380	0.52	0.50	0.87	0.42	33.3	8.2	22	0.30
17AWS519		0.36	0.006	0.17	1.21	6.6	10	360	0.55	0.44	0.66	0.32	32.7	7.5	22	0.37
17AWS520		0.22	0.002	0.44	1.13	3.9	30	270	0.34	0.41	0.23	0.28	27.3	6.0	19	0.78
17AWS521		0.39	0.003	0.41	1.67	7.5	10	280	0.52	0.46	0.38	0.14	32.6	8.2	23	0.50
17AWS522		0.33	0.004	0.45	1.53	5.4	10	310	0.63	0.55	0.32	0.17	38.3	8.3	21	0.50
17AWS523		0.28	0.005	0.14	1.40	8.2	10	230	0.70	0.29	0.32	0.13	48.5	10.5	26	0.38
17AWS524		0.37	0.002	0.06	1.50	8.5	10	320	0.40	0.17	0.29	0.19	17.10	9.1	27	0.23
17AWS525		0.48	0.003	0.13	1.42	8.8	10	350	0.56	0.19	0.59	0.25	41.1	9.5	27	0.45
17AWS526		0.37	0.004	0.06	1.63	6.9	10	220	0.43	0.22	0.29	0.07	32.1	8.8	25	0.48
17AWS527		0.44	0.003	0.11	1.56	8.2	10	200	0.39	0.26	0.20	0.08	23.2	7.5	22	0.58



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
17AWS488		21.1	2.67	5.69	0.05	0.07	0.04	0.027	0.05	30.4	13.3	0.56	492	2.12	<0.01	1.63
17AWS489		16.2	2.91	6.97	<0.05	0.06	0.03	0.028	0.13	18.9	15.8	0.67	540	2.53	<0.01	1.68
17AWS490		15.4	2.93	6.91	0.05	0.06	0.03	0.029	0.10	19.6	16.8	0.68	508	2.28	<0.01	1.54
17AWS491		7.6	3.31	9.18	0.07	0.12	0.02	0.032	0.42	23.4	21.5	0.85	716	1.51	<0.01	2.12
17AWS492		24.7	2.74	4.58	<0.05	0.11	0.03	0.023	0.05	14.0	12.6	0.60	311	1.08	<0.01	0.44
17AWS493		27.3	2.81	4.65	<0.05	0.06	0.02	0.025	0.05	13.2	12.4	0.53	304	1.12	<0.01	0.66
17AWS494		18.7	3.56	9.94	0.05	0.05	0.02	0.032	0.09	20.7	25.4	1.12	891	1.42	<0.01	1.69
17AWS495		12.0	2.92	7.01	<0.05	0.05	0.02	0.021	0.08	10.3	13.2	0.56	374	1.18	0.01	1.64
17AWS496		12.6	2.40	5.09	<0.05	0.05	0.02	0.019	0.10	10.0	10.2	0.45	496	0.86	<0.01	1.21
17AWS497		33.8	2.75	4.06	<0.05	0.12	0.04	0.024	0.04	15.3	10.0	0.48	337	0.85	0.01	0.47
17AWS498		26.0	4.45	11.00	0.07	0.16	0.02	0.040	0.49	21.4	35.5	1.57	703	0.48	<0.01	0.48
17AWS499		20.0	2.75	5.35	0.05	0.15	0.02	0.024	0.06	16.3	14.4	0.60	301	0.65	<0.01	0.50
17AWS500		22.8	2.65	5.66	0.05	0.06	0.06	0.025	0.05	21.0	13.0	0.48	485	0.66	0.01	1.39
17AWS501		19.7	3.31	7.92	0.06	0.06	0.06	0.029	0.11	25.7	16.5	0.60	1460	0.81	<0.01	1.10
17AWS502		14.2	2.96	7.27	<0.05	0.10	0.02	0.026	0.05	15.5	15.7	0.62	309	0.69	<0.01	0.94
17AWS503		20.3	2.95	7.02	<0.05	0.09	0.03	0.024	0.06	16.5	15.9	0.56	392	0.81	<0.01	1.05
17AWS504		20.0	2.53	4.91	<0.05	0.02	0.03	0.020	0.04	14.3	13.1	0.45	201	0.70	<0.01	0.55
17AWS505		13.2	1.92	6.68	<0.05	0.02	0.03	0.015	0.05	9.8	7.4	0.31	221	0.74	0.01	1.24
17AWS506		11.7	2.44	3.78	<0.05	0.07	0.01	0.018	0.03	7.6	8.4	0.34	198	0.96	<0.01	0.56
17AWS507		11.5	2.40	4.84	<0.05	0.03	0.01	0.018	0.04	7.7	9.5	0.37	172	1.27	<0.01	0.68
17AWS508		28.1	2.69	4.19	<0.05	0.06	0.04	0.024	0.04	15.8	11.2	0.56	398	0.80	0.02	0.65
17AWS509		35.0	2.78	4.49	0.05	0.06	0.03	0.023	0.05	15.0	14.9	0.68	403	0.87	0.01	1.06
17AWS510		35.9	2.68	3.97	0.05	0.08	0.04	0.022	0.05	14.3	13.5	0.66	422	0.86	0.01	1.15
17AWS511		17.9	2.70	7.70	<0.05	0.02	0.03	0.026	0.33	12.8	12.1	0.57	439	2.33	<0.01	2.31
17AWS512		26.4	2.97	5.11	<0.05	0.11	0.02	0.027	0.09	11.6	13.3	0.60	339	2.09	<0.01	0.53
17AWS513		24.2	3.24	6.13	<0.05	0.09	0.01	0.028	0.06	8.9	13.0	0.68	316	3.86	0.01	0.88
17AWS514		33.4	2.67	4.01	0.05	0.10	0.03	0.024	0.07	17.0	11.7	0.55	483	3.60	0.04	1.15
17AWS515		19.8	3.02	5.90	<0.05	0.07	0.02	0.028	0.10	19.7	12.0	0.47	619	5.90	<0.01	0.63
17AWS516		14.4	2.95	7.41	<0.05	0.04	0.02	0.026	0.37	12.1	7.3	0.51	584	8.45	0.01	1.08
17AWS517		16.1	2.67	5.07	<0.05	0.14	0.02	0.025	0.07	11.5	7.7	0.42	474	2.30	0.01	0.67
17AWS518		25.1	2.31	4.39	0.05	0.06	0.04	0.022	0.07	19.3	8.2	0.45	380	4.11	0.02	1.11
17AWS519		21.3	2.20	4.58	0.05	0.06	0.05	0.021	0.05	22.3	9.1	0.42	244	2.52	0.02	1.09
17AWS520		14.8	2.04	5.41	0.08	<0.02	0.04	0.016	0.18	17.3	4.9	0.30	477	4.59	<0.01	1.08
17AWS521		12.3	2.79	6.13	0.05	0.04	0.03	0.024	0.19	19.0	12.0	0.48	312	8.71	0.01	1.08
17AWS522		15.9	2.49	6.62	0.06	0.04	0.03	0.026	0.16	27.8	7.3	0.37	651	4.29	0.01	1.09
17AWS523		18.4	2.52	5.45	0.11	0.12	0.04	0.024	0.08	44.5	14.0	0.46	457	1.94	0.02	0.64
17AWS524		12.1	2.56	5.15	<0.05	0.03	0.02	0.022	0.08	8.3	9.8	0.44	449	1.22	0.01	0.78
17AWS525		26.1	2.58	5.52	0.06	0.05	0.05	0.024	0.09	24.4	11.5	0.52	465	1.06	0.02	1.25
17AWS526		15.1	2.73	6.50	<0.05	0.04	0.02	0.024	0.15	14.9	10.2	0.47	345	1.25	0.01	1.19
17AWS527		13.0	2.82	6.82	<0.05	0.03	0.02	0.022	0.11	12.0	11.9	0.42	300	1.58	0.01	0.97



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS488		13.9	580	39.3	6.8	<0.001	<0.01	0.34	5.6	0.4	0.6	72.0	<0.01	0.03	5.1	0.063	
17AWS489		13.7	530	59.3	14.3	<0.001	<0.01	0.29	5.7	0.3	0.7	55.9	<0.01	0.03	5.0	0.074	
17AWS490		13.6	590	53.2	11.5	<0.001	<0.01	0.28	5.9	0.3	0.7	56.8	<0.01	0.03	5.7	0.077	
17AWS491		8.1	800	41.1	43.3	<0.001	<0.01	0.19	7.8	0.2	1.4	31.0	<0.01	0.02	10.9	0.149	
17AWS492		28.1	310	13.2	6.2	<0.001	<0.01	0.54	6.5	0.3	0.4	55.0	<0.01	0.02	4.2	0.072	
17AWS493		25.1	300	13.3	6.0	<0.001	<0.01	0.67	5.0	0.3	0.5	31.1	<0.01	0.03	3.4	0.059	
17AWS494		20.9	440	72.3	9.9	<0.001	<0.01	0.25	7.2	0.3	0.8	103.5	<0.01	0.03	4.7	0.134	
17AWS495		15.2	310	59.9	8.7	<0.001	<0.01	0.37	4.1	0.2	0.6	58.3	<0.01	0.03	3.1	0.091	
17AWS496		14.1	350	22.3	14.9	<0.001	<0.01	0.36	3.4	0.2	0.5	34.0	<0.01	0.03	2.8	0.074	
17AWS497		27.6	240	10.2	5.3	<0.001	<0.01	0.75	7.0	0.3	0.4	27.4	<0.01	0.03	4.2	0.056	
17AWS498		22.7	750	47.4	42.1	<0.001	<0.01	0.37	12.5	0.4	0.9	41.9	<0.01	0.02	8.1	0.197	
17AWS499		16.3	490	20.3	8.5	<0.001	<0.01	0.49	5.8	0.3	0.5	35.5	<0.01	0.02	5.2	0.096	
17AWS500		17.0	690	24.0	7.1	<0.001	0.01	0.44	6.3	0.5	0.5	46.6	<0.01	0.02	4.0	0.076	
17AWS501		15.9	710	50.1	12.9	<0.001	<0.01	0.38	8.0	0.4	0.6	62.1	<0.01	0.03	6.0	0.103	
17AWS502		12.7	400	22.1	9.3	<0.001	<0.01	0.35	5.3	0.3	0.6	40.4	<0.01	0.02	5.5	0.103	
17AWS503		15.7	530	59.2	9.2	<0.001	<0.01	0.39	5.9	0.3	0.5	60.1	<0.01	0.03	4.6	0.090	
17AWS504		15.3	420	18.0	5.5	<0.001	<0.01	0.42	4.0	0.3	0.4	28.8	<0.01	0.02	3.6	0.062	
17AWS505		6.5	450	35.5	5.0	<0.001	0.01	0.18	2.5	0.3	0.5	34.7	<0.01	0.02	0.6	0.069	
17AWS506		15.7	130	10.8	5.9	<0.001	<0.01	0.55	2.4	0.2	0.4	17.2	<0.01	0.03	2.7	0.046	
17AWS507		12.9	170	10.3	4.1	<0.001	<0.01	0.44	2.8	0.2	0.5	15.9	<0.01	0.03	2.1	0.049	
17AWS508		26.5	380	13.6	5.2	<0.001	<0.01	0.52	5.8	0.4	0.5	47.1	<0.01	0.03	3.9	0.055	
17AWS509		24.0	850	34.2	6.1	<0.001	<0.01	0.56	5.5	0.5	0.4	51.1	<0.01	0.03	3.4	0.070	
17AWS510		26.6	800	23.9	5.3	<0.001	<0.01	0.70	4.9	0.5	0.4	55.6	<0.01	0.03	3.3	0.061	
17AWS511		7.1	780	42.2	30.6	<0.001	<0.01	0.22	4.7	0.3	0.9	23.8	<0.01	0.02	4.3	0.054	
17AWS512		20.4	400	32.5	9.9	<0.001	<0.01	0.48	5.3	0.3	0.5	31.0	<0.01	0.03	4.8	0.073	
17AWS513		21.2	320	65.4	8.1	<0.001	<0.01	0.45	6.5	0.2	0.6	32.9	<0.01	0.04	3.4	0.072	
17AWS514		26.2	780	24.3	6.4	<0.001	0.04	0.64	4.6	0.7	0.4	80.7	<0.01	0.03	3.5	0.051	
17AWS515		18.8	290	61.2	11.9	<0.001	<0.01	0.44	4.1	0.2	0.7	27.0	<0.01	0.04	7.6	0.051	
17AWS516		10.6	480	67.5	47.1	0.001	0.01	0.27	3.6	0.3	0.8	18.0	<0.01	0.05	9.2	0.048	
17AWS517		21.4	150	16.7	7.4	<0.001	<0.01	0.59	4.9	0.3	0.5	30.5	<0.01	0.04	4.6	0.054	
17AWS518		18.6	850	28.0	8.0	0.001	0.03	0.46	3.9	0.5	0.4	63.1	<0.01	0.05	3.5	0.038	
17AWS519		16.2	700	29.7	7.6	0.001	0.02	0.37	4.3	0.5	0.4	50.4	<0.01	0.04	4.3	0.046	
17AWS520		10.1	400	32.1	23.1	<0.001	0.01	0.33	2.7	0.3	0.6	21.6	<0.01	0.05	2.7	0.068	
17AWS521		13.7	710	31.9	14.4	<0.001	0.01	0.37	3.2	0.3	0.6	28.8	<0.01	0.05	5.4	0.050	
17AWS522		11.8	320	67.2	18.8	<0.001	0.01	0.33	4.1	0.3	0.6	28.4	<0.01	0.04	5.8	0.057	
17AWS523		17.9	480	19.0	9.6	0.001	<0.01	0.55	5.3	0.4	0.5	29.1	<0.01	0.04	7.9	0.061	
17AWS524		16.8	300	12.0	5.8	<0.001	<0.01	0.50	3.2	0.3	0.5	24.5	<0.01	0.03	3.1	0.044	
17AWS525		21.2	730	13.6	11.6	<0.001	0.01	0.49	5.0	0.5	0.5	45.3	<0.01	0.03	5.2	0.058	
17AWS526		14.4	490	15.4	20.5	<0.001	0.01	0.43	3.8	0.3	0.6	24.5	<0.01	0.03	5.8	0.065	
17AWS527		13.1	360	18.9	18.6	<0.001	0.01	0.46	3.0	0.3	0.6	21.0	<0.01	0.04	4.8	0.059	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS488		0.06	1.88	50	0.21	17.55	70	2.8
17AWS489		0.07	1.23	55	0.17	9.96	75	2.4
17AWS490		0.07	1.33	55	0.18	10.45	75	2.5
17AWS491		0.21	1.14	46	0.18	13.25	89	4.7
17AWS492		0.05	1.21	56	0.17	9.71	51	5.2
17AWS493		0.06	0.46	61	0.18	6.99	59	2.9
17AWS494		0.08	1.23	72	0.12	10.35	88	2.0
17AWS495		0.08	0.61	64	0.16	4.12	61	1.8
17AWS496		0.07	0.58	55	0.15	3.89	49	2.0
17AWS497		0.05	1.82	55	0.15	11.60	49	5.9
17AWS498		0.29	1.56	82	0.10	17.80	127	7.6
17AWS499		0.06	1.25	56	0.16	9.34	61	7.0
17AWS500		0.07	2.03	52	0.16	12.35	67	2.5
17AWS501		0.11	2.58	63	0.11	15.70	84	2.3
17AWS502		0.07	1.13	60	0.12	7.19	64	4.4
17AWS503		0.07	1.17	62	0.14	8.90	65	3.7
17AWS504		0.06	0.94	53	0.19	6.79	49	1.2
17AWS505		0.05	0.72	44	0.10	4.44	41	0.7
17AWS506		0.07	0.32	54	0.15	2.09	40	2.8
17AWS507		0.06	0.34	58	0.15	2.11	42	1.3
17AWS508		0.05	0.87	55	0.19	12.30	49	2.8
17AWS509		0.05	0.69	57	0.20	10.35	66	2.5
17AWS510		0.05	0.61	51	0.19	10.10	70	3.4
17AWS511		0.16	1.07	44	0.10	9.61	88	0.7
17AWS512		0.06	0.66	66	0.15	4.73	61	5.0
17AWS513		0.08	0.50	79	0.18	4.17	65	3.2
17AWS514		0.05	1.21	48	0.22	11.70	72	4.2
17AWS515		0.10	0.77	55	0.16	4.52	62	2.5
17AWS516		0.27	1.43	45	0.12	6.29	77	1.6
17AWS517		0.06	0.46	60	0.15	5.05	52	6.4
17AWS518		0.06	2.34	44	0.35	14.05	66	2.8
17AWS519		0.07	1.34	44	0.36	14.75	63	3.1
17AWS520		0.10	0.62	45	0.25	4.88	50	<0.5
17AWS521		0.10	0.88	50	0.15	5.93	68	2.3
17AWS522		0.11	1.15	50	0.15	10.40	50	1.6
17AWS523		0.07	1.26	52	0.22	32.4	68	7.0
17AWS524		0.06	0.36	57	0.15	2.81	56	1.5
17AWS525		0.08	1.38	50	0.19	13.65	65	2.6
17AWS526		0.10	0.59	55	0.15	4.65	58	2.2
17AWS527		0.10	0.45	56	0.17	3.11	53	1.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17AWS528		0.40	0.002	0.04	1.56	10.1	10	180	0.42	0.16	0.10	0.10	16.80	8.6	31	0.31
17AWS529		0.29	0.003	0.08	1.64	8.1	10	260	0.59	0.17	0.32	0.08	32.2	10.4	33	0.46
17AWS530		0.31	0.002	0.09	1.74	10.2	10	260	0.66	0.17	0.34	0.08	34.9	11.5	36	0.45
17AWS531		0.23	0.003	0.06	1.70	3.6	10	300	0.47	0.15	0.41	0.18	20.3	10.0	27	0.35
17AWS532		0.42	0.002	0.11	1.63	6.9	10	250	0.67	0.26	0.54	0.13	42.3	10.2	29	0.63
17AWS533		0.38	0.003	0.13	1.30	6.7	10	300	0.54	0.21	0.59	0.28	40.2	8.8	24	0.39
17AWS534		0.48	0.003	0.10	1.17	9.0	10	270	0.44	0.18	0.62	0.19	29.2	8.5	24	0.34
17AWS535		0.32	0.002	0.09	1.19	5.3	10	340	0.45	0.17	0.50	0.33	26.4	8.6	20	0.28
17AWS536		0.35	0.005	0.12	1.34	8.4	10	340	0.54	0.24	0.52	0.23	33.2	9.3	26	0.29
17AWS537		0.43	0.004	0.15	1.14	8.7	10	260	0.53	0.26	0.95	0.30	33.3	7.8	22	0.35
17AWS538		0.42	0.003	0.13	1.26	9.1	10	360	0.50	0.21	0.69	0.24	28.1	9.7	25	0.28
17AWS539		0.40	0.004	0.24	1.31	6.7	10	510	0.82	0.45	0.75	0.86	58.1	9.6	23	0.34
17AWS540		0.41	0.004	0.12	1.23	9.6	10	370	0.49	0.19	0.84	0.28	28.4	10.2	26	0.35
17AWS541		0.50	0.004	0.15	1.36	9.7	10	280	0.47	0.14	0.59	0.10	25.9	10.3	29	0.38
17AWS542		0.42	0.003	0.10	1.15	9.3	10	300	0.42	0.14	0.75	0.24	24.1	9.5	24	0.30
17AWS543		0.36	0.004	0.15	1.21	10.0	10	380	0.51	0.29	0.67	0.18	32.5	9.6	23	0.33
17AWS544		0.29	0.003	0.10	1.11	6.3	10	330	0.39	0.18	0.94	0.59	22.6	9.2	21	0.30
17AWS545		0.38	0.003	0.14	1.40	9.7	10	370	0.52	0.20	0.67	0.17	31.8	10.0	26	0.33
17AWS546		0.40	0.006	0.14	1.38	7.7	10	350	0.49	0.20	0.64	0.33	31.8	10.2	25	0.32
17AWS547		0.45	0.003	0.11	1.26	8.5	10	350	0.45	0.17	0.54	0.28	27.3	8.6	24	0.29
17AWS548		0.44	0.001	0.08	1.23	6.8	10	300	0.43	0.15	0.51	0.36	23.7	7.8	24	0.27
17AWS549		0.40	0.005	0.14	1.66	8.9	10	280	0.65	0.23	0.55	0.09	43.5	9.7	31	0.58
17AWS550		0.45	0.003	0.15	1.62	7.9	10	280	0.65	0.23	0.60	0.10	42.1	9.6	30	0.53
17AWS551		0.45	0.004	0.10	1.41	7.9	10	320	0.49	0.20	0.67	0.22	37.6	10.2	24	0.39
17AWS552		0.42	0.005	0.09	1.36	7.5	10	210	0.57	0.24	0.70	0.16	49.6	10.3	23	0.53
17AWS553		0.22	0.004	0.13	1.47	6.1	10	300	0.56	0.24	0.71	0.14	46.8	8.4	24	0.40
17AWS554		0.40	0.002	0.05	1.51	7.1	10	270	0.56	0.17	0.51	0.12	38.7	9.9	25	0.56
17AWS555		0.29	0.001	0.08	1.86	8.0	10	170	0.41	0.31	0.26	0.11	24.4	8.8	33	0.61
17AWS556		0.33	0.003	0.09	1.53	8.7	10	340	0.61	0.16	0.44	0.07	40.9	9.8	28	0.43
17AWS557		0.48	0.003	0.08	1.53	7.9	10	240	0.56	0.18	0.26	0.05	48.4	8.6	27	0.42
17AWS558		0.31	0.001	0.05	1.45	5.1	10	290	0.41	0.12	0.34	0.15	20.3	9.1	26	0.32
17AWS559		0.38	0.001	0.08	1.54	7.0	10	260	0.58	0.16	0.29	0.10	35.6	10.0	31	0.39
17AWS560		0.36	0.002	0.17	1.40	5.6	10	350	0.45	0.46	0.34	0.37	24.5	9.5	29	0.34
17AWS561		0.44	0.004	0.09	1.60	9.1	10	250	0.42	0.15	0.22	0.11	19.30	8.5	29	0.41
17AWS562		0.26	0.006	0.11	1.37	10.0	10	110	0.30	0.44	0.17	0.09	20.9	6.4	23	0.73
17AWS563		0.49	0.002	0.05	1.66	7.5	10	240	0.52	0.18	0.42	0.04	39.3	9.7	25	0.62
17AWS564		0.32	0.002	0.09	2.02	8.3	10	320	0.78	0.21	0.51	0.08	45.6	11.9	40	0.38
17AWS565		0.34	0.001	0.10	1.96	9.0	10	300	0.85	0.22	0.45	0.11	61.4	12.2	32	0.54
17AWS566		0.43	0.002	0.05	1.76	8.4	10	350	0.87	0.22	0.50	0.12	59.0	11.9	28	0.72
17AWS567		0.27	0.002	0.05	2.14	9.0	10	400	1.06	0.19	0.62	0.21	75.4	12.5	27	1.24



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
17AWS528		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS529		18.4	2.56	5.15	<0.05	0.07	0.02	0.023	0.03	8.8	12.4	0.44	285	0.82	0.01	0.70
17AWS530		15.8	2.76	5.60	<0.05	0.07	0.02	0.025	0.15	13.9	8.6	0.43	554	0.91	0.01	0.49
17AWS531		18.3	2.91	5.88	0.05	0.09	0.02	0.028	0.15	16.7	9.5	0.45	532	0.92	0.01	0.43
17AWS532		8.7	2.64	7.07	<0.05	0.05	0.02	0.023	0.18	9.7	10.6	0.52	656	1.14	0.01	1.05
17AWS533		19.5	2.98	7.34	0.06	0.07	0.03	0.024	0.11	29.2	12.5	0.56	432	1.93	0.01	0.87
17AWS534		26.1	2.41	5.21	0.06	0.07	0.04	0.022	0.07	26.2	10.1	0.46	353	1.24	0.02	1.36
17AWS535		24.2	2.33	4.38	0.05	0.09	0.03	0.020	0.06	16.0	9.9	0.47	312	0.87	0.02	1.23
17AWS536		20.5	2.06	4.71	<0.05	0.06	0.02	0.020	0.06	14.3	7.6	0.38	536	1.07	0.01	1.15
17AWS537		25.3	2.44	5.19	0.06	0.07	0.04	0.023	0.04	21.4	10.5	0.44	405	2.02	0.02	1.08
17AWS538		23.9	2.27	4.35	0.06	0.10	0.04	0.021	0.08	21.9	10.2	0.44	336	2.06	0.02	1.42
17AWS539		26.1	2.36	4.46	0.05	0.07	0.05	0.021	0.04	15.1	10.2	0.46	469	3.16	0.02	1.13
17AWS540		35.5	2.25	5.05	0.09	0.07	0.05	0.024	0.05	43.3	9.4	0.37	561	4.13	0.02	1.19
17AWS541		34.8	2.35	4.38	0.05	0.06	0.04	0.021	0.05	14.6	11.2	0.52	345	1.32	0.03	1.23
17AWS542		27.2	2.54	4.65	0.05	0.06	0.03	0.022	0.05	13.2	11.1	0.59	313	1.06	0.03	0.86
17AWS543		24.9	2.23	3.99	<0.05	0.05	0.03	0.019	0.04	11.9	10.1	0.47	406	1.63	0.02	1.04
17AWS544		22.2	2.32	4.46	0.05	0.04	0.04	0.021	0.04	18.1	9.5	0.42	399	2.68	0.02	1.03
17AWS545		21.2	2.00	4.23	<0.05	0.05	0.03	0.019	0.04	11.7	8.0	0.41	736	2.47	0.03	1.14
17AWS546		24.9	2.50	5.05	0.05	0.05	0.05	0.023	0.04	16.5	11.1	0.47	433	1.45	0.02	1.04
17AWS547		24.0	2.43	4.98	0.05	0.05	0.05	0.022	0.04	17.6	10.4	0.43	439	1.92	0.03	1.19
17AWS548		22.2	2.34	4.46	0.05	0.06	0.04	0.021	0.04	14.5	10.4	0.44	351	1.06	0.02	1.00
17AWS549		20.8	2.18	4.64	<0.05	0.07	0.02	0.019	0.04	12.5	7.7	0.40	332	1.02	0.02	1.17
17AWS550		21.9	2.91	6.92	0.06	0.06	0.04	0.027	0.08	26.5	13.9	0.59	385	1.36	0.02	0.89
17AWS551		21.5	2.85	6.67	0.06	0.06	0.03	0.026	0.08	26.5	13.3	0.58	424	1.55	0.02	1.11
17AWS552		21.4	2.46	5.49	0.05	0.06	0.03	0.023	0.06	20.5	10.3	0.46	471	1.34	0.02	1.26
17AWS553		24.0	2.89	5.00	0.11	0.11	0.03	0.024	0.07	32.7	11.5	0.53	363	1.21	0.02	1.17
17AWS554		20.2	2.58	5.16	0.10	0.09	0.04	0.025	0.07	33.2	10.3	0.49	455	1.32	0.01	1.17
17AWS555		21.2	2.82	5.33	0.08	0.08	0.04	0.023	0.07	21.6	12.2	0.56	443	0.84	0.02	0.76
17AWS556		13.9	3.59	8.93	0.07	0.09	0.02	0.024	0.13	12.6	18.6	0.72	325	1.58	0.01	1.57
17AWS557		24.3	2.78	4.70	0.09	0.13	0.05	0.025	0.05	21.2	11.5	0.51	398	0.63	0.02	0.50
17AWS558		18.0	2.72	4.94	0.08	0.10	0.02	0.025	0.06	24.3	11.0	0.47	372	0.90	0.01	0.59
17AWS559		9.8	2.38	4.46	0.06	0.04	0.01	0.019	0.08	9.5	7.9	0.40	803	1.02	0.01	0.36
17AWS560		15.7	2.73	4.79	0.08	0.06	0.01	0.025	0.14	16.5	7.9	0.41	615	0.96	0.01	0.32
17AWS561		12.2	2.43	4.18	0.06	0.08	0.01	0.021	0.07	9.9	6.9	0.38	714	1.55	0.01	0.57
17AWS562		11.5	2.80	5.01	0.07	0.07	0.02	0.025	0.08	9.2	10.3	0.45	371	1.29	0.01	0.59
17AWS563		14.8	3.26	8.21	0.07	0.04	0.02	0.024	0.18	7.8	6.6	0.45	382	2.75	0.01	1.13
17AWS564		18.5	2.88	5.69	0.09	0.08	0.02	0.026	0.09	24.2	12.4	0.57	381	0.99	0.01	0.60
17AWS565		24.3	3.48	7.58	0.09	0.10	0.02	0.032	0.09	24.0	11.1	0.71	694	1.12	0.01	0.55
17AWS566		22.7	3.39	6.77	0.10	0.10	0.02	0.031	0.14	33.7	9.7	0.60	740	1.05	0.01	0.27
17AWS567		25.8	3.17	5.98	0.10	0.07	0.02	0.030	0.27	29.4	11.0	0.58	771	0.94	0.01	0.69
17AWS568		20.5	3.73	8.60	0.11	0.10	0.02	0.031	0.45	37.7	12.7	0.69	881	1.05	0.01	0.88



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS528		19.4	230	11.1	4.2	<0.001	<0.01	0.63	3.0	0.2	0.5	12.8	<0.01	0.04	3.9	0.050	
17AWS529		20.4	300	10.0	12.8	<0.001	0.01	0.51	5.9	0.2	0.5	24.3	<0.01	0.03	5.4	0.061	
17AWS530		23.1	290	10.5	13.2	<0.001	0.01	0.58	6.7	0.3	0.5	26.2	<0.01	0.04	5.8	0.065	
17AWS531		13.8	470	10.5	12.6	<0.001	0.01	0.25	4.0	<0.2	0.6	28.7	<0.01	0.03	4.4	0.062	
17AWS532		16.5	580	20.1	18.7	<0.001	<0.01	0.39	4.9	0.4	0.7	37.9	<0.01	0.04	8.8	0.074	
17AWS533		19.6	690	13.9	10.1	<0.001	0.01	0.49	4.7	0.5	0.5	42.2	<0.01	0.04	6.3	0.055	
17AWS534		19.6	740	11.7	6.7	0.001	0.02	0.60	4.1	0.6	0.4	41.0	<0.01	0.04	4.7	0.057	
17AWS535		15.1	480	11.7	11.0	<0.001	0.01	0.43	3.6	0.5	0.4	39.1	<0.01	0.03	3.3	0.044	
17AWS536		20.2	540	16.8	5.6	0.001	0.01	0.57	4.6	0.6	0.4	43.1	<0.01	0.04	5.0	0.046	
17AWS537		19.2	670	17.6	10.1	0.002	0.04	0.57	3.9	0.8	0.4	69.8	<0.01	0.05	3.9	0.044	
17AWS538		22.0	630	13.6	5.1	0.004	0.02	0.64	4.2	0.6	0.4	52.6	<0.01	0.04	3.3	0.044	
17AWS539		24.7	770	34.1	7.2	0.004	0.04	0.48	5.4	0.8	0.5	67.8	<0.01	0.04	3.6	0.036	
17AWS540		27.8	740	12.5	5.6	0.001	0.02	0.71	4.1	0.6	0.4	51.0	<0.01	0.04	2.9	0.048	
17AWS541		26.3	660	8.4	6.4	<0.001	0.01	0.63	4.7	0.4	0.4	41.4	<0.01	0.03	3.7	0.064	
17AWS542		22.8	680	8.0	4.4	0.001	0.01	0.55	3.6	0.6	0.3	50.8	<0.01	0.03	2.4	0.043	
17AWS543		18.6	740	20.7	5.5	<0.001	0.01	0.56	4.0	0.6	0.4	48.6	<0.01	0.04	3.0	0.039	
17AWS544		19.7	590	11.9	7.1	0.003	0.04	0.50	2.9	0.5	0.4	73.7	<0.01	0.04	1.5	0.038	
17AWS545		22.1	670	13.2	6.3	0.001	0.01	0.59	4.4	0.6	0.5	51.0	<0.01	0.04	4.0	0.049	
17AWS546		19.7	650	13.2	6.8	0.001	0.02	0.57	4.3	0.7	0.4	51.5	<0.01	0.04	3.4	0.045	
17AWS547		19.6	640	10.2	5.8	0.001	0.01	0.58	4.0	0.6	0.4	41.4	<0.01	0.04	3.8	0.051	
17AWS548		18.6	480	9.9	6.6	<0.001	0.01	0.48	3.6	0.4	0.4	39.0	<0.01	0.03	3.3	0.047	
17AWS549		18.7	630	18.5	15.1	<0.001	<0.01	0.48	5.6	0.5	0.7	37.5	<0.01	0.04	8.6	0.068	
17AWS550		18.8	640	18.0	14.2	0.001	0.01	0.48	5.3	0.5	0.6	39.6	<0.01	0.04	7.7	0.065	
17AWS551		18.2	680	13.4	9.6	0.001	0.01	0.53	4.8	0.5	0.5	45.9	<0.01	0.04	5.5	0.053	
17AWS552		16.7	860	18.8	9.8	0.001	0.01	0.43	4.9	0.4	0.5	49.1	<0.01	0.04	8.1	0.069	
17AWS553		15.5	560	18.1	10.3	0.001	0.02	0.48	4.8	0.4	0.5	49.6	<0.01	0.03	6.2	0.057	
17AWS554		18.2	650	13.2	10.9	<0.001	<0.01	0.47	4.7	0.4	0.5	35.9	<0.01	0.03	6.9	0.062	
17AWS555		15.5	520	31.3	17.0	<0.001	0.01	0.35	3.9	0.2	0.8	21.1	<0.01	0.05	5.2	0.112	
17AWS556		21.8	530	10.8	6.8	<0.001	<0.01	0.50	5.2	0.5	0.5	33.2	<0.01	0.03	7.7	0.055	
17AWS557		16.1	380	14.2	8.2	<0.001	<0.01	0.51	4.5	0.4	0.5	22.0	<0.01	0.04	8.1	0.062	
17AWS558		14.5	410	7.9	8.4	<0.001	<0.01	0.39	3.2	<0.2	0.5	23.8	<0.01	0.02	4.1	0.047	
17AWS559		20.0	400	10.3	8.8	<0.001	<0.01	0.48	5.6	0.2	0.5	22.4	<0.01	0.03	5.4	0.051	
17AWS560		16.6	350	55.7	5.3	<0.001	<0.01	0.42	4.5	0.2	0.4	26.3	<0.01	0.03	4.1	0.047	
17AWS561		18.3	220	8.9	9.9	<0.001	<0.01	0.47	3.0	0.2	0.5	20.7	<0.01	0.04	5.4	0.059	
17AWS562		11.2	410	26.9	21.4	<0.001	0.01	0.38	4.2	<0.2	0.8	13.2	<0.01	0.06	4.9	0.080	
17AWS563		16.7	550	13.7	14.4	<0.001	<0.01	0.44	4.9	0.3	0.6	31.2	<0.01	0.04	9.0	0.068	
17AWS564		23.9	370	14.1	6.9	<0.001	0.01	0.42	7.9	0.2	0.7	34.2	<0.01	0.04	7.9	0.074	
17AWS565		22.4	310	17.0	10.3	<0.001	<0.01	0.51	7.4	0.3	0.7	31.6	<0.01	0.04	12.4	0.059	
17AWS566		23.8	420	16.1	19.4	<0.001	0.01	0.48	6.3	0.3	0.6	31.1	<0.01	0.04	8.0	0.057	
17AWS567		16.4	620	14.0	35.6	<0.001	0.02	0.35	6.7	0.2	0.8	47.4	<0.01	0.05	10.8	0.067	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS528		0.06	0.35	59	0.15	2.38	50	3.7
17AWS529		0.09	0.44	56	0.14	5.49	62	3.6
17AWS530		0.09	0.49	60	0.13	7.32	63	5.0
17AWS531		0.09	0.42	58	0.11	2.96	105	2.7
17AWS532		0.12	1.24	55	0.18	11.15	70	3.6
17AWS533		0.08	1.52	47	0.22	13.25	70	4.0
17AWS534		0.06	0.89	48	0.23	9.72	60	5.1
17AWS535		0.05	1.03	41	0.18	7.58	55	3.3
17AWS536		0.05	1.54	49	0.18	13.00	60	3.8
17AWS537		0.07	2.05	42	0.24	14.65	66	4.9
17AWS538		0.05	1.30	47	0.19	10.70	62	3.5
17AWS539		0.06	2.63	42	0.21	30.1	67	3.4
17AWS540		0.05	0.77	49	0.30	11.00	64	3.4
17AWS541		0.05	0.59	59	0.27	9.41	57	3.3
17AWS542		0.04	1.29	48	0.21	8.46	52	2.5
17AWS543		0.05	1.12	47	0.25	12.50	58	2.0
17AWS544		0.05	1.05	40	0.19	7.02	71	2.3
17AWS545		0.05	1.16	51	0.20	9.86	62	2.6
17AWS546		0.05	2.22	50	0.18	10.80	64	2.8
17AWS547		0.05	1.50	48	0.19	8.91	61	3.2
17AWS548		0.05	0.92	47	0.17	6.90	56	3.9
17AWS549		0.11	1.26	54	0.18	11.50	69	3.6
17AWS550		0.11	1.22	53	0.18	11.30	69	3.3
17AWS551		0.08	1.19	48	0.20	10.95	65	3.3
17AWS552		0.08	3.23	49	0.25	16.25	67	5.0
17AWS553		0.07	1.55	45	0.21	15.85	56	3.7
17AWS554		0.08	1.30	49	0.20	10.45	69	3.4
17AWS555		0.13	0.62	71	0.26	3.55	70	3.0
17AWS556		0.06	1.06	51	0.17	10.45	55	6.1
17AWS557		0.07	0.76	53	0.17	7.56	51	4.3
17AWS558		0.08	0.36	50	0.16	2.93	76	1.7
17AWS559		0.08	0.49	52	0.15	7.06	58	2.7
17AWS560		0.06	0.34	51	0.14	3.79	56	3.0
17AWS561		0.07	0.44	57	0.15	2.76	49	2.7
17AWS562		0.15	0.63	73	0.18	3.13	60	1.6
17AWS563		0.10	0.98	56	0.21	9.27	56	3.5
17AWS564		0.08	0.84	68	0.19	10.40	69	3.8
17AWS565		0.09	0.89	61	0.17	13.85	73	4.6
17AWS566		0.11	0.49	53	0.15	14.80	71	2.4
17AWS567		0.23	1.02	54	0.15	14.80	97	3.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.001	0.01	0.01	0.1	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
17AWS568		0.34	0.001	0.09	1.82	7.6	10	330	0.68	0.17	0.49	0.11	38.6	12.3	34	0.61
17AWS569		0.41	0.003	0.10	1.89	8.5	10	340	0.84	0.23	0.51	0.13	46.9	12.0	31	0.57
17AWS570		0.29	0.001	0.10	1.88	8.6	10	310	0.84	0.21	0.50	0.12	46.9	11.9	31	0.69
17AWS571		0.41	0.003	0.08	1.42	6.7	10	340	0.60	0.16	0.80	0.23	36.2	9.6	25	0.47
17AWS572		0.35	0.002	0.12	1.06	10.5	10	270	0.33	0.14	1.09	0.28	26.1	9.8	25	0.63
17AWS573		0.34	0.001	0.15	1.72	4.2	10	380	0.61	0.19	0.32	0.15	32.4	11.2	27	0.62
17AWS574		0.32	0.002	0.05	1.79	7.9	10	250	0.67	0.17	0.29	0.09	34.5	10.8	31	0.53

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17AWS568		20.6	3.17	5.73	0.09	0.08	0.02	0.027	0.14	18.3	10.4	0.56	778	0.89	0.01	0.32
17AWS569		23.2	3.28	6.79	0.10	0.09	0.02	0.026	0.15	24.7	12.4	0.70	783	1.03	0.01	0.77
17AWS570		24.0	3.35	7.01	0.09	0.08	0.02	0.024	0.19	25.5	13.9	0.77	706	0.99	0.01	0.77
17AWS571		25.1	2.76	4.83	0.09	0.08	0.02	0.024	0.13	19.5	10.8	0.58	602	0.92	0.02	1.11
17AWS572		32.5	2.45	3.28	0.09	0.04	0.03	0.019	0.07	12.6	10.4	0.75	371	0.76	0.02	0.58
17AWS573		13.8	3.00	5.67	0.07	0.06	0.01	0.023	0.17	13.9	8.9	0.51	983	1.14	0.01	0.50
17AWS574		17.7	3.14	5.73	0.08	0.08	0.01	0.025	0.15	16.5	10.5	0.53	561	0.98	0.01	0.54



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17AWS568		24.8	280	11.5	13.2	<0.001	<0.01	0.49	6.6	0.2	0.6	38.0	<0.01	0.03	6.6	0.070	
17AWS569		21.4	410	20.6	12.6	<0.001	0.01	0.46	6.2	0.2	0.6	42.3	<0.01	0.03	6.7	0.076	
17AWS570		22.3	490	19.9	18.5	<0.001	0.01	0.45	5.9	0.2	0.5	41.8	<0.01	0.03	7.2	0.086	
17AWS571		23.2	640	10.6	12.4	<0.001	0.02	0.48	4.7	0.4	0.5	51.9	<0.01	0.03	4.9	0.059	
17AWS572		30.0	870	8.0	6.6	<0.001	0.01	0.76	3.5	0.3	0.3	41.7	<0.01	0.04	3.6	0.048	
17AWS573		16.1	420	14.5	15.9	<0.001	<0.01	0.32	5.1	<0.2	0.5	28.7	<0.01	0.03	5.8	0.063	
17AWS574		19.8	400	11.9	13.1	<0.001	<0.01	0.49	5.8	0.2	0.5	26.0	<0.01	0.03	6.3	0.067	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		TI	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17AWS568		0.09	0.49	57	0.14	9.14	72	3.5
17AWS569		0.09	0.81	58	0.21	10.65	84	3.4
17AWS570		0.13	0.88	57	0.19	11.10	83	3.5
17AWS571		0.08	1.15	46	0.20	11.05	75	2.9
17AWS572		0.07	0.47	41	0.29	8.43	66	1.6
17AWS573		0.10	0.38	52	0.15	4.86	78	2.2
17AWS574		0.09	0.45	56	0.17	6.39	64	3.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-NOV-2017
Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231010

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
AuME-TL43



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 1
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

CERTIFICATE WH17231012

Project: QV
 P.O. No.: 17-QV-04
 This report is for 97 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-OCT-2017.
 The following have access to data associated with this certificate:
 CHRIS LIVINGSTONE KRIS RAFFLE DAVID TERRY

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
AuME-TL43	25g Trace Au + Multi Element PKG	ICP-MS

To: COMSTOCK METALS LTD.
 ATTN: CHRIS LIVINGSTONE
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17MFS001		0.22	0.003	0.07	1.51	10.7	10	540	0.70	0.14	0.43	0.07	35.5	10.3	30	0.41
17MFS002		0.45	0.002	0.16	1.60	7.4	10	360	0.61	0.35	0.78	0.32	41.1	8.9	25	0.31
17MFS003		0.28	0.004	0.13	1.53	8.6	10	300	0.61	0.34	0.81	0.31	36.6	9.3	26	0.39
17MFS004		0.45	0.003	0.17	1.58	8.3	10	310	0.61	0.43	0.75	0.26	40.7	10.0	26	0.37
17MFS005		0.35	0.002	0.09	1.55	4.5	10	180	0.39	0.39	0.48	0.12	24.0	7.3	21	0.45
17MFS006		0.39	0.003	0.13	1.82	5.6	20	250	0.93	0.47	0.70	0.25	66.8	9.9	23	0.50
17MFS007		0.46	0.003	0.09	1.25	4.6	10	160	0.33	0.34	0.33	0.12	26.1	7.7	18	0.43
17MFS008		0.66	0.002	0.09	1.51	5.5	10	210	0.53	0.39	0.70	0.19	34.2	7.6	17	0.66
17MFS009		0.52	0.008	0.19	1.46	7.5	10	280	0.60	0.39	0.85	0.25	37.8	9.7	21	0.27
17MFS010		0.53	0.011	0.19	1.47	7.5	10	280	0.57	0.39	0.80	0.24	37.3	9.7	21	0.29
17MFS011		0.51	0.003	0.07	1.13	8.4	10	260	0.35	0.14	0.70	0.15	25.2	10.4	25	0.39
17MFS012		0.38	0.003	0.13	1.37	10.8	10	340	0.47	0.17	0.61	0.21	28.5	11.0	28	0.42
17MFS013		0.66	0.002	0.13	1.30	11.5	10	370	0.43	0.16	1.17	0.30	28.8	10.3	26	0.55
17MFS014		0.40	0.002	0.04	1.74	7.1	10	250	0.56	0.21	0.29	0.08	36.7	8.8	24	0.50
17MFS015		0.42	0.001	0.03	1.44	7.2	10	210	0.50	0.17	0.27	0.06	34.2	7.9	22	0.52
17MFS016		0.37	0.002	0.02	1.84	4.9	20	250	0.91	0.16	0.34	0.06	63.9	7.8	13	1.12
17MFS017		0.42	0.003	0.13	1.53	10.6	20	250	0.62	0.53	0.69	0.18	35.8	11.0	25	0.89
17MFS018		0.38	0.001	0.04	1.49	6.9	10	220	0.33	0.27	0.48	0.12	20.7	8.5	27	0.30
17MFS019		0.45	0.006	0.11	1.20	8.3	10	190	0.38	0.25	1.03	0.20	27.2	10.3	26	0.44
17MFS020		0.40	0.003	0.12	1.17	8.6	10	260	0.35	0.18	0.87	0.15	25.1	9.1	24	0.33
17MFS021		0.51	0.004	0.14	1.34	8.5	10	270	0.45	0.24	0.83	0.19	28.5	9.6	24	0.29
17MFS022		0.33	0.008	0.22	1.45	6.5	10	230	0.50	0.54	1.30	0.31	31.6	9.7	25	0.23
17MFS023		0.41	0.005	0.06	1.47	4.6	10	170	0.50	0.59	0.53	0.14	28.6	6.9	17	0.71
17MFS024		0.84	0.002	0.08	1.91	7.1	10	340	0.55	0.24	0.65	0.15	27.7	9.1	26	0.55
17MFS025		0.41	0.001	0.03	1.13	4.9	10	180	0.37	0.13	0.20	0.08	17.45	5.4	21	0.35
17MFS026		0.50	0.001	0.03	1.51	5.0	10	220	0.38	0.14	0.42	0.11	24.0	8.2	19	0.46
17MFS027		0.42	0.002	0.22	1.92	5.5	10	260	0.57	0.28	0.43	0.09	29.3	9.5	21	0.33
17MFS028		0.42	0.001	0.16	2.42	6.8	10	250	0.76	0.48	0.65	0.24	72.3	20.9	16	0.79
17MFS029		0.51	0.001	0.07	1.91	7.0	10	210	0.51	0.36	0.41	0.08	29.5	8.3	23	0.60
17MFS030		0.41	<0.001	0.12	1.95	6.2	10	230	0.55	0.44	0.52	0.10	30.8	8.0	21	0.46
17MFS031		0.56	0.001	0.05	1.90	5.4	10	210	0.44	0.20	0.49	0.10	32.2	9.3	17	0.56
17MFS032		0.43	0.002	0.06	1.96	7.4	10	310	0.62	0.22	0.50	0.08	30.6	10.8	27	0.62
17MFS033		0.36	0.001	0.09	1.69	9.0	10	220	0.33	0.20	0.25	0.06	22.1	6.7	24	0.54
17MFS034		0.35	0.001	0.11	1.65	7.0	10	200	0.30	0.20	0.12	0.18	15.70	7.3	27	0.47
17MFS035		0.42	0.011	0.30	2.42	4.8	10	460	1.60	0.82	0.85	0.28	34.4	16.5	39	0.56
17MFS036		0.50	0.003	0.15	1.08	9.4	10	430	0.43	0.19	1.02	0.39	25.2	9.1	22	0.45
17MFS037		0.38	0.001	0.06	1.64	5.6	10	230	0.53	0.30	0.37	0.11	22.9	8.9	21	0.44
17MFS038		0.33	0.001	0.07	1.70	6.7	10	300	0.49	0.26	0.61	0.12	20.3	9.9	23	0.30
17MFS039		0.31	0.009	0.12	1.60	5.0	10	200	0.41	0.67	0.58	0.14	19.65	10.3	26	0.29
17MFS040		0.37	0.003	0.06	1.84	8.0	10	230	0.77	0.72	0.45	0.13	36.1	11.3	29	0.40



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
17MFS001		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17MFS002		24.8	2.65	4.74	0.05	0.11	0.03	0.024	0.07	16.1	11.1	0.46	659	0.92	0.01	0.42
17MFS003		26.5	2.58	6.43	0.06	0.08	0.04	0.026	0.05	25.5	16.9	0.56	457	1.21	0.02	1.56
17MFS004		26.3	2.81	6.01	0.05	0.12	0.04	0.027	0.06	19.5	17.0	0.61	428	1.31	0.02	1.84
17MFS005		25.3	2.80	6.25	0.05	0.11	0.04	0.028	0.06	22.6	17.3	0.59	576	1.50	0.02	1.86
17MFS006		10.5	2.55	7.85	<0.05	0.10	0.02	0.026	0.17	12.5	15.1	0.58	498	2.38	0.01	2.51
17MFS007		19.8	2.89	7.79	0.09	0.10	0.04	0.031	0.12	37.4	18.7	0.57	1040	2.36	0.01	2.19
17MFS008		9.5	2.39	7.24	<0.05	0.06	0.02	0.020	0.10	13.4	11.8	0.46	386	1.93	0.01	1.08
17MFS009		13.4	2.82	7.36	0.06	0.08	0.03	0.026	0.13	20.0	17.6	0.58	353	0.98	0.02	2.13
17MFS010		20.8	2.69	5.98	0.05	0.07	0.06	0.025	0.04	22.3	15.6	0.55	468	1.66	0.02	1.47
17MFS011		20.9	2.71	6.01	0.05	0.07	0.05	0.025	0.04	21.6	15.9	0.56	447	1.57	0.02	1.49
17MFS012		29.3	2.47	3.84	0.05	0.07	0.03	0.020	0.05	12.3	12.1	0.61	309	0.65	0.03	0.76
17MFS013		35.3	2.80	4.44	<0.05	0.07	0.04	0.023	0.05	14.3	13.1	0.56	282	0.92	0.02	0.80
17MFS014		31.2	2.70	4.51	0.05	0.10	0.04	0.023	0.06	14.7	15.2	0.66	390	0.97	0.03	1.14
17MFS015		15.5	2.90	7.07	<0.05	0.09	0.02	0.027	0.08	19.0	14.5	0.55	412	2.08	0.01	1.34
17MFS016		13.8	2.68	5.82	0.05	0.11	0.02	0.027	0.14	18.3	14.8	0.55	348	1.27	0.01	0.76
17MFS017		16.7	3.21	9.03	0.08	0.16	0.02	0.036	0.44	35.2	12.4	0.63	745	1.70	0.01	1.47
17MFS018		27.1	3.25	6.23	0.07	0.07	0.04	0.030	0.22	19.2	14.8	0.71	636	1.08	0.03	1.07
17MFS019		16.0	2.67	5.64	<0.05	0.10	0.02	0.023	0.06	10.1	12.9	0.53	274	1.05	0.02	1.32
17MFS020		29.1	2.65	4.37	0.05	0.12	0.05	0.020	0.08	15.1	12.2	0.59	382	0.54	0.02	1.46
17MFS021		24.8	2.40	4.07	<0.05	0.07	0.04	0.020	0.04	13.4	11.6	0.53	373	0.58	0.02	1.07
17MFS022		27.1	2.57	4.75	<0.05	0.08	0.04	0.022	0.04	15.9	12.7	0.52	431	0.75	0.02	1.13
17MFS023		17.2	2.65	5.81	<0.05	0.11	0.05	0.022	0.06	16.7	13.8	0.60	482	2.11	0.02	1.44
17MFS024		8.5	2.69	7.19	<0.05	0.10	0.02	0.026	0.17	15.2	16.1	0.64	435	1.67	0.02	1.59
17MFS025		17.5	2.97	6.97	<0.05	0.09	0.03	0.027	0.09	15.2	16.5	0.76	440	0.71	0.02	0.98
17MFS026		9.6	1.98	4.89	<0.05	0.02	0.01	0.017	0.05	9.1	7.0	0.35	191	1.28	0.02	0.65
17MFS027		9.9	2.87	6.41	<0.05	0.05	0.01	0.020	0.17	12.1	11.0	0.56	486	0.93	0.02	0.58
17MFS028		13.6	3.16	7.44	<0.05	0.07	0.04	0.026	0.06	17.8	14.6	0.58	440	1.50	0.02	1.04
17MFS029		7.0	4.98	11.50	0.09	0.06	0.03	0.035	0.46	30.2	20.8	0.95	1010	1.10	0.02	0.73
17MFS030		12.6	2.85	6.88	<0.05	0.05	0.02	0.024	0.06	15.8	15.2	0.57	242	0.95	0.02	0.62
17MFS031		12.1	2.81	7.11	<0.05	0.07	0.03	0.024	0.07	17.9	15.0	0.58	286	0.87	0.02	1.04
17MFS032		9.0	3.40	8.96	<0.05	0.03	0.02	0.021	0.12	16.0	18.1	0.73	374	0.74	0.02	0.73
17MFS033		18.9	3.36	6.90	<0.05	0.07	0.03	0.023	0.11	17.3	15.7	0.74	403	0.80	0.02	0.44
17MFS034		9.6	2.53	6.83	<0.05	0.06	0.03	0.020	0.06	12.0	14.7	0.43	184	0.67	0.02	0.98
17MFS035		10.2	2.53	5.30	<0.05	0.08	0.02	0.018	0.03	7.3	10.7	0.42	283	1.19	0.02	0.66
17MFS036		21.5	4.46	10.10	<0.05	0.06	0.04	0.047	0.30	18.3	12.6	1.37	786	2.62	0.02	0.54
17MFS037		26.2	2.41	3.46	<0.05	0.08	0.05	0.020	0.06	13.6	12.1	0.66	387	1.01	0.03	1.06
17MFS038		14.0	2.95	6.53	<0.05	0.06	0.01	0.023	0.12	10.7	12.8	0.63	314	1.82	0.02	0.97
17MFS039		20.5	3.02	6.42	<0.05	0.06	0.02	0.023	0.09	10.3	16.5	0.72	284	1.44	0.03	0.90
17MFS040		25.5	3.20	7.87	<0.05	0.08	0.02	0.021	0.06	10.0	13.6	0.81	241	2.32	0.04	0.96
17MFS040		33.9	3.15	6.46	<0.05	0.11	0.02	0.026	0.06	21.1	18.4	0.76	251	1.44	0.03	0.59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17MFS001		23.7	350	7.8	6.6	<0.001	<0.01	0.61	6.1	0.3	0.4	30.8	<0.01	0.03	4.7	0.055	
17MFS002		21.0	580	34.2	7.2	<0.001	0.02	0.45	5.6	0.5	0.6	54.7	<0.01	0.04	4.2	0.062	
17MFS003		23.0	700	34.5	8.7	<0.001	0.02	0.55	5.6	0.4	0.6	54.0	<0.01	0.04	5.2	0.070	
17MFS004		21.8	690	38.7	8.5	0.001	0.02	0.55	5.8	0.6	0.6	51.1	<0.01	0.04	5.3	0.069	
17MFS005		10.3	360	39.6	20.6	<0.001	0.01	0.23	4.5	0.2	0.8	43.1	<0.01	0.03	4.3	0.105	
17MFS006		13.1	530	58.5	15.0	<0.001	0.01	0.36	6.8	0.6	0.7	59.7	<0.01	0.04	7.5	0.090	
17MFS007		9.4	460	31.6	13.2	<0.001	<0.01	0.26	3.6	0.2	0.7	25.5	<0.01	0.03	5.2	0.066	
17MFS008		10.6	740	39.4	15.4	<0.001	0.01	0.27	5.4	0.3	0.8	57.0	<0.01	0.03	7.4	0.088	
17MFS009		14.9	680	36.8	5.7	<0.001	0.02	0.39	5.3	0.4	0.5	69.0	<0.01	0.05	4.1	0.057	
17MFS010		15.0	670	36.4	6.1	<0.001	0.02	0.40	5.5	0.5	0.5	66.3	<0.01	0.04	4.6	0.060	
17MFS011		26.1	770	9.6	5.0	<0.001	0.01	0.65	4.1	0.3	0.3	39.8	<0.01	0.03	3.2	0.058	
17MFS012		28.1	750	12.1	5.1	<0.001	0.01	0.72	4.6	0.3	0.4	39.4	<0.01	0.03	3.5	0.059	
17MFS013		29.0	730	10.2	7.1	<0.001	0.01	0.81	4.6	0.5	0.4	47.1	<0.01	0.03	3.6	0.061	
17MFS014		14.4	300	18.1	13.5	<0.001	<0.01	0.48	5.9	0.4	0.8	28.1	<0.01	0.03	5.4	0.087	
17MFS015		14.5	430	17.5	16.4	<0.001	<0.01	0.48	5.7	0.2	0.7	21.8	<0.01	0.03	5.6	0.084	
17MFS016		12.9	470	25.6	43.5	<0.001	<0.01	0.35	8.9	0.2	1.0	16.8	<0.01	0.02	9.6	0.102	
17MFS017		21.8	870	45.7	21.9	<0.001	0.01	0.49	6.6	0.4	0.7	40.3	<0.01	0.07	5.6	0.099	
17MFS018		15.7	370	15.9	6.0	<0.001	0.01	0.51	4.3	0.3	0.5	37.1	<0.01	0.05	3.4	0.076	
17MFS019		20.2	800	21.4	7.5	0.001	0.03	0.41	4.5	0.6	0.4	62.7	<0.01	0.04	3.4	0.073	
17MFS020		19.6	780	14.8	4.8	<0.001	0.02	0.49	4.0	0.6	0.3	56.3	<0.01	0.03	2.7	0.055	
17MFS021		20.4	720	22.6	5.4	<0.001	0.01	0.51	4.8	0.5	0.4	59.9	<0.01	0.03	3.2	0.061	
17MFS022		13.4	760	42.9	6.6	0.001	0.04	0.31	4.8	0.4	0.5	107.0	<0.01	0.05	3.3	0.056	
17MFS023		8.7	650	58.3	17.0	<0.001	<0.01	0.19	5.3	0.2	0.8	45.0	<0.01	0.03	6.7	0.091	
17MFS024		16.3	500	23.4	10.2	<0.001	<0.01	0.46	6.1	0.2	0.6	50.6	<0.01	0.03	4.6	0.095	
17MFS025		11.4	240	8.0	5.3	<0.001	<0.01	0.35	2.8	0.2	0.5	22.3	<0.01	0.04	2.3	0.038	
17MFS026		9.4	650	15.7	17.5	<0.001	<0.01	0.30	4.5	0.2	0.6	41.2	<0.01	0.03	5.1	0.106	
17MFS027		10.9	430	23.0	6.8	<0.001	<0.01	0.38	6.5	0.2	0.7	48.9	<0.01	0.04	5.1	0.092	
17MFS028		6.9	1220	101.0	36.5	<0.001	<0.01	0.19	9.4	<0.2	0.9	85.0	<0.01	0.03	19.8	0.185	
17MFS029		13.9	450	37.9	8.3	<0.001	<0.01	0.39	4.6	0.2	0.7	37.9	<0.01	0.03	4.3	0.076	
17MFS030		12.8	460	45.8	7.4	<0.001	<0.01	0.33	4.9	0.3	0.7	48.8	<0.01	0.02	4.6	0.076	
17MFS031		9.0	630	22.7	12.7	<0.001	<0.01	0.26	5.0	0.2	0.7	44.6	<0.01	0.02	5.3	0.148	
17MFS032		16.3	600	22.3	11.5	<0.001	<0.01	0.40	7.3	0.3	0.6	41.0	<0.01	0.02	5.2	0.103	
17MFS033		11.8	340	14.8	8.1	<0.001	<0.01	0.33	3.3	0.2	0.6	21.8	<0.01	0.04	3.6	0.063	
17MFS034		14.7	160	20.7	4.1	<0.001	<0.01	0.52	2.8	<0.2	0.6	13.5	<0.01	0.03	2.8	0.047	
17MFS035		16.6	910	80.3	20.0	<0.001	<0.01	0.18	13.7	<0.2	1.1	59.8	<0.01	0.02	6.3	0.044	
17MFS036		25.0	800	12.6	5.3	0.001	0.02	0.82	3.5	0.5	0.4	51.9	<0.01	0.03	3.2	0.048	
17MFS037		12.3	470	30.3	12.9	<0.001	<0.01	0.38	4.7	<0.2	0.7	26.4	<0.01	0.03	4.4	0.076	
17MFS038		15.1	480	24.2	7.7	<0.001	<0.01	0.45	5.6	0.2	0.6	47.1	<0.01	0.03	2.9	0.076	
17MFS039		12.0	390	59.5	7.3	<0.001	<0.01	0.34	5.8	0.3	0.6	43.8	<0.01	0.05	2.5	0.118	
17MFS040		20.5	660	94.4	7.1	<0.001	<0.01	0.48	6.5	<0.2	0.5	33.0	<0.01	0.03	5.3	0.102	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17MFS001		0.06	0.71	53	0.13	10.05	48	4.7
17MFS002		0.06	1.76	50	0.15	15.55	68	3.1
17MFS003		0.07	1.74	51	0.19	13.45	76	4.6
17MFS004		0.07	1.54	53	0.17	14.90	75	4.5
17MFS005		0.09	0.87	52	0.13	6.44	62	3.1
17MFS006		0.09	2.47	52	0.19	20.1	68	3.5
17MFS007		0.07	0.72	48	0.15	6.28	58	2.0
17MFS008		0.09	1.41	46	0.17	13.80	74	3.0
17MFS009		0.05	1.65	50	0.22	14.70	66	2.5
17MFS010		0.06	1.63	50	0.21	14.05	68	2.7
17MFS011		0.05	0.50	48	0.26	9.13	61	2.7
17MFS012		0.05	0.61	56	0.22	9.98	62	2.9
17MFS013		0.07	0.53	48	0.18	10.20	72	3.4
17MFS014		0.09	0.94	58	0.14	8.78	58	3.2
17MFS015		0.10	0.82	51	0.14	10.75	57	4.4
17MFS016		0.22	1.15	53	0.13	16.40	70	6.8
17MFS017		0.15	1.04	61	0.23	15.10	89	2.6
17MFS018		0.06	0.57	59	0.17	5.18	53	3.4
17MFS019		0.07	1.36	53	0.27	10.90	66	4.3
17MFS020		0.05	1.26	47	0.23	9.63	59	2.5
17MFS021		0.05	1.45	50	0.19	12.30	60	2.9
17MFS022		0.05	1.61	48	0.22	11.70	77	3.5
17MFS023		0.10	1.01	49	0.16	9.83	76	3.4
17MFS024		0.09	1.83	60	0.15	9.36	63	4.3
17MFS025		0.05	0.52	47	0.14	3.98	36	1.2
17MFS026		0.09	0.82	53	0.12	6.98	59	2.6
17MFS027		0.09	1.47	67	0.12	12.15	59	3.5
17MFS028		0.16	2.34	75	0.05	14.05	112	2.9
17MFS029		0.08	1.02	58	0.13	8.43	57	2.5
17MFS030		0.08	1.21	57	0.10	10.05	57	3.1
17MFS031		0.10	0.96	67	0.13	7.80	76	2.0
17MFS032		0.11	1.96	65	0.14	12.50	63	3.9
17MFS033		0.11	0.85	64	0.15	3.95	41	2.8
17MFS034		0.09	0.34	62	0.12	1.89	48	3.1
17MFS035		0.13	2.01	92	0.17	14.45	92	2.5
17MFS036		0.07	0.75	40	0.19	9.83	75	3.7
17MFS037		0.09	0.63	67	0.13	5.10	57	2.7
17MFS038		0.07	0.58	75	0.13	4.88	54	2.7
17MFS039		0.07	0.55	91	0.14	4.19	53	2.8
17MFS040		0.07	0.82	74	0.15	5.96	54	5.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
17MFS041		0.30	0.007	0.11	1.84	6.1	10	400	0.58	0.37	0.33	0.19	19.75	10.7	29	0.37
17MFS042		0.50	0.003	0.08	1.99	4.9	10	320	1.07	0.72	0.46	0.24	59.5	11.3	16	0.86
17MFS043		0.34	0.002	0.24	1.75	6.9	10	240	0.76	0.42	0.19	0.17	37.9	8.0	20	0.85
17MFS044		0.37	0.032	0.06	1.81	7.5	10	280	1.03	0.56	0.36	0.13	46.6	12.3	19	1.14
17MFS045		0.35	0.001	0.07	1.87	8.0	10	270	0.76	0.59	0.36	0.16	30.2	9.9	26	0.76
17MFS046		0.27	0.004	0.09	1.25	10.2	10	350	0.54	0.15	2.69	0.14	25.5	9.3	22	0.33
17MFS047		0.45	0.012	0.16	1.26	7.3	10	370	0.59	0.40	0.62	0.31	35.6	8.0	22	0.38
17MFS048		0.55	0.003	0.25	1.65	7.0	10	470	0.81	0.47	0.66	0.33	42.8	8.6	25	0.52
17MFS049		0.38	0.003	0.10	1.58	6.1	10	290	0.61	0.36	0.35	0.12	30.1	8.9	28	0.48
17MFS050		0.39	0.006	0.09	1.47	6.1	10	280	0.62	0.31	0.35	0.12	30.9	8.5	27	0.45
17MFS051		0.33	0.003	0.08	1.79	6.4	10	300	0.47	0.36	0.31	0.07	20.4	9.5	28	0.71
17MFS052		0.32	0.002	0.08	1.98	7.6	10	300	0.65	0.38	0.28	0.12	30.2	9.3	28	0.80
17MFS053		0.32	0.003	0.09	1.67	8.3	10	240	0.44	0.22	0.21	0.10	23.8	8.1	26	0.52
17MFS054		0.43	0.008	0.05	1.73	8.4	10	310	0.64	0.16	0.35	0.06	34.3	8.5	28	0.41
17MFS055		0.41	0.003	0.16	1.69	6.9	10	340	0.59	0.23	0.46	0.12	34.3	8.6	25	0.45
17MFS056		0.41	0.004	0.04	1.64	6.4	10	230	0.60	0.20	0.43	0.13	35.8	8.7	20	0.90
17MFS057		0.40	0.007	0.10	1.69	5.9	10	320	0.69	0.23	0.53	0.20	43.4	10.8	21	0.62
17MFS058		0.53	0.019	0.10	1.42	8.5	10	340	0.58	0.22	0.71	0.15	35.9	9.7	24	0.41
17MFS059		0.40	0.011	0.17	1.52	7.7	10	370	0.76	0.37	0.94	0.32	35.8	9.9	28	0.36
17MFS060		0.51	0.004	0.12	1.09	8.6	10	260	0.37	0.19	1.04	0.27	27.6	8.9	24	0.54
17MFS061		0.60	0.006	0.14	1.11	8.3	10	200	0.41	0.24	0.74	0.29	33.1	9.3	23	0.64
17MFS062		0.53	0.004	0.10	1.01	9.2	10	310	0.27	0.14	1.75	0.36	25.0	9.0	23	0.58
17MFS063		0.37	0.002	0.11	1.02	8.8	10	390	0.32	0.14	1.79	0.31	24.3	9.0	23	0.41
17MFS064		0.69	0.005	0.18	1.32	6.9	10	450	0.50	0.45	0.66	0.28	38.3	9.1	23	0.29
17MFS065		0.45	0.012	0.40	1.65	6.6	10	480	0.82	0.58	0.68	0.37	62.1	8.7	27	0.36
17MFS066		0.54	0.005	0.11	1.22	6.7	10	260	0.42	0.24	0.75	0.27	28.7	8.3	24	0.45
17MFS067		0.41	0.007	0.12	1.95	4.2	10	230	1.24	1.04	0.60	0.18	102.5	12.9	20	3.81
17MFS068		0.41	0.006	0.13	1.24	8.0	10	330	0.40	0.19	0.85	0.37	29.9	9.1	25	0.35
17MFS069		0.37	0.001	0.11	1.77	6.5	10	340	0.64	0.18	0.32	0.10	34.4	9.8	33	0.32
17MFS070		0.43	0.001	0.12	1.77	6.5	10	300	0.59	0.17	0.28	0.09	33.3	9.5	34	0.31
17MFS071		0.35	0.004	0.07	1.42	6.4	10	330	0.49	0.18	0.51	0.12	30.3	8.4	23	0.33
17MFS072		0.37	0.003	0.09	1.55	6.4	10	290	0.59	0.19	0.44	0.09	60.1	9.3	24	0.46
17MFS073		0.32	0.001	0.10	1.70	5.6	10	240	0.53	0.25	0.37	0.09	33.1	9.5	28	1.00
17MFS074		0.45	0.004	0.10	2.28	7.6	10	200	0.81	0.25	0.47	0.12	37.7	13.2	152	1.61
17MFS075		0.43	0.002	0.02	1.93	7.8	10	250	0.52	0.22	0.29	0.08	18.90	9.9	24	0.95
17MFS076		0.29	0.001	0.09	1.58	6.6	10	360	0.62	0.20	0.28	0.22	26.5	8.1	22	0.32
17MFS077		0.44	0.001	0.03	1.67	8.8	10	290	1.08	0.20	0.44	0.19	95.9	11.7	25	0.52
17MFS078		0.42	0.001	0.09	1.20	7.6	10	210	0.44	0.37	0.17	0.19	38.2	8.4	14	0.93
17MFS079		0.41	0.004	0.13	1.54	8.2	10	270	0.64	0.24	0.49	0.09	44.4	9.1	26	0.47
17MFS080		0.32	0.004	0.21	1.72	5.5	10	270	0.78	0.30	0.27	0.18	63.8	14.4	26	0.75



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
17MFS041		21.2	2.95	6.12	<0.05	0.08	0.02	0.027	0.05	9.5	10.1	0.57	622	2.03	0.02	0.34
17MFS042		18.4	3.65	9.34	0.05	0.06	0.02	0.029	0.39	23.9	14.5	0.97	628	3.82	0.02	0.67
17MFS043		12.3	3.21	7.30	<0.05	0.04	0.02	0.027	0.15	18.6	13.3	0.46	332	5.28	0.01	0.54
17MFS044		19.0	3.59	8.08	<0.05	0.04	0.02	0.034	0.26	18.9	12.4	0.59	622	8.37	0.02	0.35
17MFS045		20.1	3.22	7.28	<0.05	0.03	0.02	0.029	0.19	11.1	13.1	0.61	326	2.59	0.02	0.46
17MFS046		25.5	2.42	4.00	<0.05	0.04	0.04	0.020	0.06	13.7	10.9	0.57	340	1.18	0.03	0.60
17MFS047		24.7	2.38	4.51	0.05	0.06	0.04	0.020	0.07	22.9	10.4	0.46	268	2.44	0.03	0.88
17MFS048		26.3	2.71	5.70	0.07	0.06	0.05	0.024	0.10	36.4	13.4	0.50	387	3.33	0.02	0.85
17MFS049		12.8	2.63	5.78	<0.05	0.09	0.02	0.025	0.09	19.9	11.6	0.51	444	1.97	0.02	0.52
17MFS050		12.6	2.54	5.33	<0.05	0.10	0.02	0.024	0.08	20.6	11.2	0.49	417	1.92	0.02	0.52
17MFS051		11.7	2.93	7.46	<0.05	0.07	0.01	0.022	0.11	12.1	10.0	0.52	366	2.60	0.02	0.74
17MFS052		14.1	3.36	6.80	<0.05	0.10	0.02	0.028	0.19	15.4	16.5	0.63	312	1.75	0.02	0.59
17MFS053		12.6	2.96	6.20	<0.05	0.02	0.01	0.025	0.08	11.5	12.1	0.46	329	2.52	0.02	0.54
17MFS054		15.9	2.86	5.77	<0.05	0.09	0.03	0.024	0.07	17.1	12.9	0.53	278	1.18	0.02	0.42
17MFS055		17.7	2.86	5.94	<0.05	0.09	0.03	0.026	0.16	20.7	12.8	0.54	385	1.51	0.02	0.80
17MFS056		11.6	2.98	6.63	<0.05	0.04	0.02	0.021	0.18	23.0	14.3	0.57	338	1.83	0.02	0.59
17MFS057		14.5	3.01	6.68	0.05	0.06	0.02	0.024	0.16	27.5	12.6	0.55	531	2.05	0.02	0.82
17MFS058		20.9	2.62	4.72	<0.05	0.06	0.04	0.023	0.07	20.4	12.6	0.51	382	1.00	0.03	0.92
17MFS059		29.2	2.85	5.17	<0.05	0.05	0.03	0.027	0.08	20.3	13.4	0.61	528	3.92	0.03	0.95
17MFS060		32.5	2.45	3.70	0.05	0.06	0.03	0.019	0.09	14.1	11.8	0.62	329	1.44	0.02	0.84
17MFS061		28.4	2.61	4.04	0.07	0.06	0.03	0.020	0.10	19.3	11.5	0.64	387	1.59	0.03	0.60
17MFS062		29.9	2.44	3.39	0.05	0.06	0.03	0.018	0.08	12.2	10.6	0.76	410	0.91	0.03	0.57
17MFS063		29.9	2.48	3.36	0.05	0.05	0.03	0.019	0.05	11.8	10.4	0.75	412	0.90	0.03	0.80
17MFS064		24.6	2.42	4.72	<0.05	0.04	0.04	0.021	0.05	21.3	10.1	0.43	482	3.42	0.02	0.88
17MFS065		35.8	2.83	5.65	0.08	0.08	0.06	0.030	0.06	49.5	13.7	0.46	385	4.81	0.02	1.03
17MFS066		28.0	2.45	4.20	<0.05	0.14	0.04	0.020	0.08	15.3	12.4	0.49	295	3.57	0.03	1.22
17MFS067		21.2	4.41	9.93	0.09	0.09	0.02	0.037	0.55	44.0	13.7	0.70	557	15.00	0.02	0.32
17MFS068		29.1	2.55	4.18	<0.05	0.10	0.04	0.021	0.06	16.5	12.6	0.52	571	1.56	0.03	1.10
17MFS069		14.5	2.90	5.78	<0.05	0.08	0.02	0.026	0.08	17.4	10.4	0.42	651	1.00	0.01	0.39
17MFS070		14.5	2.89	5.68	<0.05	0.07	0.01	0.026	0.08	16.5	10.2	0.42	604	1.01	0.01	0.34
17MFS071		21.1	2.61	5.11	0.05	0.13	0.03	0.024	0.09	17.2	12.8	0.50	346	1.15	0.02	0.91
17MFS072		22.5	2.85	5.78	0.06	0.06	0.03	0.023	0.08	40.7	15.2	0.52	439	0.97	0.02	0.89
17MFS073		15.8	3.24	7.59	<0.05	0.06	0.03	0.025	0.21	18.2	17.0	0.69	420	0.99	0.02	1.15
17MFS074		23.3	4.04	9.65	0.05	0.08	0.03	0.027	0.26	21.8	26.8	1.23	531	1.09	0.02	0.84
17MFS075		18.6	3.54	7.48	<0.05	0.07	0.02	0.024	0.25	9.1	17.7	0.58	502	0.90	0.01	0.82
17MFS076		15.0	2.75	5.67	<0.05	0.02	0.01	0.022	0.08	12.5	8.1	0.41	381	1.04	0.01	0.43
17MFS077		22.1	3.71	9.50	0.06	0.05	0.02	0.043	0.14	32.0	13.7	0.62	818	1.36	0.01	0.33
17MFS078		12.7	2.93	7.99	<0.05	0.02	0.02	0.021	0.23	10.2	8.0	0.44	780	2.15	0.01	0.64
17MFS079		25.0	2.92	6.30	0.07	0.05	0.04	0.026	0.09	37.2	13.4	0.54	472	1.27	0.02	0.62
17MFS080		26.3	3.24	7.66	0.05	0.05	0.02	0.032	0.13	33.5	10.1	0.44	2440	3.32	0.02	1.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17MFS041		19.3	370	35.7	4.5	<0.001	<0.01	0.43	5.9	<0.2	0.5	28.7	<0.01	0.03	3.1	0.059	
17MFS042		12.3	1020	88.5	34.3	<0.001	<0.01	0.29	8.5	0.4	1.0	32.0	<0.01	0.02	10.3	0.093	
17MFS043		12.8	300	41.5	20.0	<0.001	<0.01	0.39	4.1	0.3	0.9	20.9	<0.01	0.03	7.3	0.041	
17MFS044		16.3	570	60.1	30.1	<0.001	<0.01	0.38	5.0	0.3	0.9	26.4	<0.01	0.14	11.6	0.043	
17MFS045		18.6	490	53.3	22.4	<0.001	<0.01	0.49	4.8	0.3	0.8	28.5	<0.01	0.04	9.2	0.060	
17MFS046		24.4	550	10.4	6.4	<0.001	0.01	0.46	3.8	0.4	0.4	79.3	<0.01	0.02	2.1	0.044	
17MFS047		17.8	730	32.0	7.8	<0.001	0.01	0.43	4.7	0.4	0.5	45.4	<0.01	0.04	4.5	0.046	
17MFS048		18.3	620	32.5	10.6	<0.001	0.01	0.36	6.4	0.4	0.6	48.2	<0.01	0.04	6.2	0.060	
17MFS049		13.4	450	28.8	11.3	<0.001	<0.01	0.41	4.4	0.3	0.7	27.3	<0.01	0.03	6.3	0.069	
17MFS050		13.1	460	26.4	9.6	<0.001	<0.01	0.43	4.4	0.3	0.6	27.3	<0.01	0.03	6.4	0.065	
17MFS051		13.1	280	25.6	19.8	<0.001	<0.01	0.36	3.8	<0.2	0.8	25.9	<0.01	0.04	3.8	0.072	
17MFS052		16.4	500	32.4	21.1	<0.001	<0.01	0.49	4.2	0.2	0.7	23.4	<0.01	0.04	7.2	0.090	
17MFS053		15.1	340	18.2	9.4	<0.001	<0.01	0.47	3.5	<0.2	0.6	20.1	<0.01	0.03	4.5	0.053	
17MFS054		18.0	370	10.8	8.5	<0.001	<0.01	0.48	5.6	0.4	0.6	27.7	<0.01	0.04	6.3	0.064	
17MFS055		14.9	590	18.5	12.0	<0.001	<0.01	0.43	5.1	<0.2	0.6	32.9	<0.01	0.04	6.8	0.070	
17MFS056		12.3	730	13.9	24.8	<0.001	<0.01	0.31	4.0	0.3	0.7	31.5	<0.01	0.03	8.8	0.074	
17MFS057		13.1	760	20.3	19.7	<0.001	<0.01	0.31	4.7	0.2	0.7	36.0	<0.01	0.04	9.4	0.070	
17MFS058		18.5	710	12.8	7.6	0.001	0.01	0.53	4.7	0.4	0.5	46.8	<0.01	0.03	5.3	0.062	
17MFS059		23.6	710	26.7	8.2	0.001	0.01	0.57	5.1	0.4	0.5	67.6	<0.01	0.03	4.5	0.055	
17MFS060		25.1	850	12.4	7.7	<0.001	0.01	0.69	4.0	0.4	0.3	46.6	<0.01	0.04	3.9	0.057	
17MFS061		23.0	970	26.1	9.7	0.001	0.01	0.54	4.2	0.2	0.3	42.7	<0.01	0.04	5.2	0.064	
17MFS062		24.2	920	8.6	6.8	0.001	0.01	0.68	3.5	0.3	0.3	61.6	<0.01	0.03	4.3	0.059	
17MFS063		25.8	870	8.7	4.9	0.001	0.02	0.71	3.5	0.3	0.3	59.2	<0.01	0.03	3.4	0.054	
17MFS064		16.7	710	35.3	6.0	0.001	0.02	0.45	4.4	0.4	0.5	48.3	<0.01	0.04	3.9	0.044	
17MFS065		22.2	670	43.1	7.8	0.002	0.02	0.43	6.6	0.4	0.6	54.7	<0.01	0.04	5.7	0.046	
17MFS066		20.0	650	16.3	8.0	0.004	0.03	0.47	4.2	0.6	0.4	58.4	<0.01	0.04	4.7	0.063	
17MFS067		12.9	1260	87.6	57.3	0.001	0.01	0.23	7.1	0.3	1.0	35.6	<0.01	0.05	20.8	0.076	
17MFS068		23.0	780	13.5	7.6	0.001	0.04	0.63	4.2	0.7	0.4	58.5	<0.01	0.03	3.7	0.055	
17MFS069		18.7	200	13.7	6.4	<0.001	0.01	0.46	6.1	0.2	0.6	26.0	<0.01	0.03	5.6	0.057	
17MFS070		18.2	180	13.5	6.2	<0.001	0.01	0.47	6.1	<0.2	0.6	23.7	<0.01	0.03	5.5	0.054	
17MFS071		15.6	580	14.4	8.9	<0.001	0.01	0.45	4.5	0.4	0.5	36.4	<0.01	0.03	6.3	0.065	
17MFS072		16.7	540	14.6	11.6	<0.001	0.01	0.42	5.1	0.3	0.5	31.3	<0.01	0.03	8.0	0.063	
17MFS073		16.1	660	23.2	28.7	<0.001	0.01	0.38	5.2	0.3	0.7	24.5	<0.01	0.04	6.7	0.090	
17MFS074		55.0	790	20.3	41.2	<0.001	0.01	0.38	6.5	0.2	0.6	30.4	<0.01	0.05	7.3	0.096	
17MFS075		17.2	300	21.2	26.6	<0.001	0.01	0.46	3.7	0.2	0.7	25.0	<0.01	0.03	6.4	0.083	
17MFS076		13.5	280	16.1	8.2	<0.001	0.01	0.39	3.8	0.2	0.6	22.5	<0.01	0.04	5.9	0.021	
17MFS077		19.8	860	18.8	12.4	<0.001	0.01	0.36	8.3	0.3	1.2	25.2	<0.01	0.03	17.9	0.021	
17MFS078		8.0	550	16.6	30.8	<0.001	0.01	0.28	3.2	<0.2	1.0	13.5	<0.01	0.05	9.7	0.045	
17MFS079		17.6	450	18.1	12.2	<0.001	0.01	0.43	6.0	0.2	0.7	37.2	<0.01	0.03	9.2	0.056	
17MFS080		15.6	330	27.0	21.7	<0.001	0.01	0.42	5.2	0.4	0.8	23.6	<0.01	0.05	8.4	0.064	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17MFS041		0.08	0.41	69	0.14	4.20	56	3.6
17MFS042		0.19	1.31	64	0.22	11.20	81	2.9
17MFS043		0.14	0.92	55	0.17	5.22	60	1.9
17MFS044		0.18	1.47	48	0.21	7.21	76	1.4
17MFS045		0.16	0.81	55	0.16	4.16	66	1.5
17MFS046		0.05	0.39	44	0.20	9.89	47	1.5
17MFS047		0.06	1.25	44	0.22	14.05	60	2.8
17MFS048		0.09	2.27	49	0.17	23.6	62	3.3
17MFS049		0.08	0.80	50	0.16	7.19	57	4.3
17MFS050		0.07	0.82	49	0.17	7.64	55	4.6
17MFS051		0.11	0.52	59	0.11	4.13	58	3.0
17MFS052		0.13	0.74	61	0.15	5.13	68	4.9
17MFS053		0.08	0.47	62	0.16	3.12	53	1.1
17MFS054		0.08	0.78	55	0.13	6.94	56	4.2
17MFS055		0.09	0.85	50	0.17	9.35	62	4.2
17MFS056		0.15	0.94	48	0.18	7.30	66	2.0
17MFS057		0.13	1.13	48	0.18	11.05	69	2.7
17MFS058		0.07	1.05	49	0.22	11.15	61	3.1
17MFS059		0.06	1.22	52	0.19	12.35	72	2.9
17MFS060		0.08	0.56	45	0.22	9.35	66	2.7
17MFS061		0.10	0.74	48	0.20	10.55	68	3.2
17MFS062		0.08	0.60	46	0.24	8.32	64	2.9
17MFS063		0.06	0.51	48	0.33	8.41	64	2.4
17MFS064		0.06	1.16	47	0.19	12.75	60	1.8
17MFS065		0.07	3.64	47	0.16	30.9	67	3.3
17MFS066		0.07	4.82	49	0.20	9.43	67	6.8
17MFS067		0.35	1.67	50	0.17	15.85	103	5.1
17MFS068		0.06	1.62	48	0.20	10.35	78	4.4
17MFS069		0.08	0.50	59	0.10	6.41	59	3.5
17MFS070		0.09	0.46	60	0.10	5.54	57	3.3
17MFS071		0.06	0.95	47	0.16	8.18	57	6.0
17MFS072		0.09	1.41	50	0.15	13.90	61	2.7
17MFS073		0.19	0.87	57	0.13	6.04	74	2.6
17MFS074		0.27	0.88	73	0.15	7.31	96	3.3
17MFS075		0.19	0.51	59	0.12	3.63	65	3.3
17MFS076		0.09	0.69	54	0.12	4.02	65	1.0
17MFS077		0.07	1.91	51	0.32	11.10	87	1.9
17MFS078		0.16	1.10	47	0.18	4.80	67	0.9
17MFS079		0.08	1.52	54	0.15	20.5	56	2.3
17MFS080		0.13	1.25	61	0.13	11.95	69	2.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.001	0.01	0.01	0.1	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
17MFS081		0.50	0.004	0.12	1.48	8.5	10	270	0.64	0.24	0.71	0.22	42.4	9.4	24	0.58
17MFS082		0.47	0.003	0.15	1.27	9.5	10	390	0.52	0.21	0.68	0.26	36.3	9.5	25	0.40
17MFS083		0.34	0.003	0.14	1.47	6.3	10	210	0.52	0.23	0.37	0.14	36.1	8.7	29	0.67
17MFS084		0.51	0.001	0.06	1.33	5.9	10	180	0.34	0.15	0.38	0.06	24.4	7.4	23	0.46
17MFS085		0.48	0.002	0.06	1.47	5.5	10	180	0.38	0.19	0.32	0.06	31.2	6.6	21	0.49
17MFS086		0.36	0.002	0.10	1.72	12.2	10	260	0.82	0.16	0.40	0.08	44.9	10.6	37	0.48
17MFS087		0.39	0.001	0.08	1.83	5.8	10	390	0.70	0.15	0.46	0.11	42.8	10.7	28	0.46
17MFS088		0.41	0.002	0.06	1.57	7.7	10	270	0.70	0.14	0.39	0.10	38.0	9.4	30	0.76
17MFS089		0.41	0.002	0.08	1.99	10.3	10	300	0.86	0.34	0.48	0.18	53.4	11.6	36	0.49
17MFS090		0.27	0.002	0.09	1.96	10.3	10	280	0.85	0.33	0.48	0.17	52.1	11.4	36	0.49
17MFS091		0.41	0.001	0.05	2.32	6.0	10	410	1.17	0.27	0.57	0.25	106.0	13.5	38	2.64
17MFS092		0.40	0.005	0.09	1.62	11.3	10	250	0.62	0.17	0.47	0.12	42.7	11.2	32	0.64
17MFS093		0.31	0.002	0.04	2.26	6.4	10	280	0.98	0.32	0.39	0.13	76.4	11.9	27	1.20
17MFS094		0.46	0.003	0.11	1.21	4.4	10	280	0.38	0.16	0.58	0.29	29.2	8.1	24	0.42
17MFS095		0.38	0.006	0.11	1.13	9.2	10	330	0.36	0.13	0.79	0.26	27.2	9.5	25	0.49
17MFS096		0.31	0.003	0.12	1.17	6.6	10	300	0.42	0.16	0.71	0.23	25.1	10.0	24	0.43
17MFS097		0.34	0.001	0.09	1.96	7.2	10	360	1.14	0.45	0.50	0.17	78.1	12.5	23	0.47



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
17MFS081		28.7	2.93	5.56	0.05	0.19	0.03	0.027	0.14	23.0	13.9	0.53	390	1.24	0.02	1.62
17MFS082		30.9	2.80	4.73	0.05	0.12	0.04	0.023	0.06	20.4	14.6	0.52	442	1.13	0.03	1.19
17MFS083		14.8	2.93	6.27	<0.05	0.04	0.02	0.024	0.16	18.3	11.7	0.47	528	2.02	0.02	0.89
17MFS084		12.2	2.49	5.46	<0.05	0.06	0.02	0.018	0.07	14.4	12.6	0.48	384	1.55	0.02	0.81
17MFS085		14.6	2.57	6.55	<0.05	0.05	0.02	0.021	0.11	19.8	11.3	0.49	235	1.25	0.02	0.99
17MFS086		32.8	3.27	6.54	0.06	0.09	0.02	0.027	0.08	25.9	13.3	0.57	347	1.02	0.01	0.42
17MFS087		12.9	3.25	7.16	<0.05	0.05	0.01	0.032	0.19	14.4	9.2	0.44	820	1.80	0.01	0.40
17MFS088		16.4	2.98	5.67	<0.05	0.07	0.02	0.026	0.26	16.4	9.7	0.47	564	1.42	0.01	0.52
17MFS089		25.7	3.39	7.20	0.06	0.08	0.02	0.032	0.14	29.7	13.0	0.64	598	0.92	0.02	0.40
17MFS090		26.8	3.35	7.03	0.06	0.09	0.02	0.032	0.13	30.0	12.7	0.64	567	0.93	0.02	0.39
17MFS091		19.5	4.30	12.05	0.11	0.06	0.01	0.042	0.69	64.1	22.1	0.96	1150	2.46	0.01	1.24
17MFS092		37.0	3.11	5.62	0.07	0.06	0.04	0.028	0.13	25.0	14.1	0.68	483	0.90	0.02	0.39
17MFS093		16.8	3.87	9.98	0.06	0.11	0.01	0.036	0.19	33.2	16.1	0.67	726	1.24	0.02	0.65
17MFS094		26.2	2.12	4.18	<0.05	0.05	0.03	0.020	0.07	15.3	13.4	0.53	265	0.42	0.03	1.04
17MFS095		37.5	2.52	3.79	0.05	0.04	0.04	0.019	0.06	13.8	12.6	0.60	388	0.82	0.03	0.68
17MFS096		26.6	2.38	3.69	<0.05	0.05	0.04	0.019	0.06	12.5	13.1	0.56	345	0.67	0.03	0.97
17MFS097		21.0	3.54	7.86	0.07	0.08	0.01	0.035	0.27	39.6	11.1	0.61	909	1.05	0.02	0.51



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
17MFS081		19.9	690	20.0	14.4	<0.001	0.03	0.52	5.3	0.5	0.6	44.3	<0.01	0.05	8.5	0.071	
17MFS082		24.2	800	16.3	7.3	0.001	0.03	0.78	4.8	0.6	0.4	47.9	<0.01	0.04	5.9	0.057	
17MFS083		15.2	580	18.5	18.1	<0.001	0.01	0.38	3.8	0.2	0.6	27.0	<0.01	0.05	7.0	0.058	
17MFS084		12.1	420	13.2	12.9	<0.001	0.01	0.40	3.3	0.2	0.5	26.5	<0.01	0.03	5.0	0.072	
17MFS085		11.9	400	14.3	15.7	<0.001	0.01	0.33	4.4	0.2	0.7	25.0	<0.01	0.04	6.2	0.081	
17MFS086		27.2	450	11.8	12.1	<0.001	0.01	0.70	8.1	0.3	0.6	31.1	<0.01	0.04	12.9	0.066	
17MFS087		15.6	480	9.8	13.2	<0.001	0.01	0.34	6.6	<0.2	0.9	29.3	<0.01	0.03	10.9	0.039	
17MFS088		17.0	260	10.4	15.8	<0.001	0.01	0.39	7.2	<0.2	0.6	24.9	<0.01	0.03	7.3	0.054	
17MFS089		26.4	410	30.5	10.2	<0.001	0.01	0.59	8.1	0.2	0.7	37.3	<0.01	0.04	9.2	0.070	
17MFS090		26.6	410	29.6	10.1	<0.001	0.01	0.62	8.1	0.2	0.7	37.1	<0.01	0.03	9.2	0.070	
17MFS091		17.0	810	21.6	67.7	<0.001	0.02	0.26	10.1	<0.2	1.4	38.2	<0.01	0.03	18.9	0.111	
17MFS092		32.3	770	10.1	11.4	<0.001	0.01	0.84	6.9	0.2	0.6	37.2	<0.01	0.04	7.2	0.078	
17MFS093		15.6	340	24.6	14.7	<0.001	0.01	0.35	8.1	<0.2	1.1	30.0	<0.01	0.03	16.5	0.080	
17MFS094		21.0	790	10.2	7.0	0.001	0.03	0.54	4.2	0.4	0.4	34.3	<0.01	0.04	3.5	0.060	
17MFS095		29.2	860	7.9	6.1	<0.001	0.01	0.71	4.1	0.4	0.3	38.1	<0.01	0.03	3.8	0.065	
17MFS096		23.4	830	9.5	5.3	0.001	0.03	0.61	3.9	0.5	0.3	38.4	<0.01	0.04	2.7	0.056	
17MFS097		16.9	480	37.4	18.0	<0.001	0.02	0.35	7.5	0.2	0.8	37.2	<0.01	0.03	12.5	0.036	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

Sample Description	Method Analyte Units LOR	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
17MFS081		0.11	3.10	53	0.22	12.55	75	8.9
17MFS082		0.07	1.56	48	0.27	11.80	76	6.1
17MFS083		0.10	0.79	50	0.27	5.94	68	1.8
17MFS084		0.08	0.68	52	0.21	4.62	48	2.5
17MFS085		0.10	0.80	52	0.16	7.22	49	2.4
17MFS086		0.07	1.27	62	0.16	12.00	64	5.3
17MFS087		0.09	0.80	54	0.09	5.74	91	2.3
17MFS088		0.11	0.46	54	0.12	6.84	60	3.4
17MFS089		0.09	0.78	62	0.13	15.00	76	4.4
17MFS090		0.09	0.80	62	0.14	15.50	75	4.6
17MFS091		0.36	1.60	64	0.24	23.6	115	2.3
17MFS092		0.11	0.68	55	0.18	15.35	70	4.2
17MFS093		0.19	0.92	62	0.15	10.85	88	4.6
17MFS094		0.07	0.96	46	0.19	9.45	72	2.5
17MFS095		0.07	0.51	51	0.29	9.44	63	2.3
17MFS096		0.06	0.91	47	0.21	9.29	70	2.3
17MFS097		0.11	0.71	53	0.20	18.10	86	3.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-NOV-2017
Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17231012

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
AuME-TL43

Appendix 3 2017 VG Zone Drill Hole Collars and Survey

2017 QV Property - VG Zone Drill Collars

HOLE ID	EASTING	NORTHING	ELEVATION	DEPTH (m)	AZIMUTH	DIP	CORE DIAMETER	START DATE	FINISH DATE
QV17-018	574358	7016045	534.8	238.96	0	-90	HQ	12-Sep-17	19-Sep-17
QV17-019	574357	7016046	534.8	267.31	340	-65	HQ	19-Sep-17	24-Sep-17
QV17-020	574264	7016013	538.5	70.47	160	-60	HQ	26-Sep-17	30-Sep-17
QV17-021	574265	7016015	539.4	210.82	0	-90	HQ	30-Sep-17	06-Oct-17
QV17-022	574169	7015973	515.6	74.13	160	-65	HQ	07-Oct-17	12-Oct-17
QV17-023	574170	7015975	516.7	42.67	0	-90	HQ	12-Oct-17	15-Oct-17

2017 QV Property - VG Zone EZ Trac Survey Data

HOLE ID	DEPTH (m)	AZIMUTH (TRUE)	DIP
QV17-018	4.9	0.8	-89.7
QV17-018	14	347.2	-89.7
QV17-018	23.2	307.9	-89.6
QV17-018	32.3	319.1	-89.8
QV17-018	41.5	296.8	-89.7
QV17-018	50.6	280.4	-89.6
QV17-018	59.7	269.4	-89.4
QV17-018	68.9	258.6	-89.3
QV17-018	87.2	247.1	-89
QV17-018	96.3	242.2	-88.9
QV17-018	105.5	241.2	-88.8
QV17-018	114.6	235.6	-88.9
QV17-018	123.7	235.7	-88.8
QV17-018	132.9	237	-88.7
QV17-018	142	232.4	-88.8
QV17-018	151.2	233	-88.8
QV17-018	160.3	229.2	-88.7
QV17-018	169.5	228.2	-88.6
QV17-018	178.6	227.8	-88.5
QV17-018	187.8	226.5	-88.4
QV17-018	196.9	226.9	-88.4
QV17-018	206	214	-88.5
QV17-018	215.2	211.7	-88.6
QV17-018	224.3	202.4	-88.6
QV17-018	233.5	202.5	-88.6
QV17-019	2.1	339.9	-65.7
QV17-019	11.3	341.3	-65.4
QV17-019	20.4	339.9	-65.8
QV17-019	29.6	340.5	-66
QV17-019	38.7	340.2	-66.1
QV17-019	47.9	340.3	-66.2
QV17-019	57	340.4	-66.4
QV17-019	66.1	340.7	-66.5
QV17-019	75.3	340.9	-66.6
QV17-019	84.4	340.4	-66.7
QV17-019	93.6	341.1	-66.6
QV17-019	102.7	341.4	-66.6
QV17-019	111.9	341.4	-66.6
QV17-019	121	341.8	-66.7

HOLE ID	DEPTH (m)	AZIMUTH (TRUE)	DIP
QV17-019	130.1	339.8	-66.7
QV17-019	139.3	339.6	-66.8
QV17-019	148.4	339.6	-66.8
QV17-019	157.6	339.7	-66.9
QV17-019	166.7	339.8	-66.9
QV17-019	175.9	339.7	-67
QV17-019	185	339.6	-66.9
QV17-019	194.2	340.1	-66.8
QV17-019	203.3	340.1	-66.7
QV17-019	212.4	340.2	-66.5
QV17-019	221.6	340.5	-66.4
QV17-019	230.7	340.8	-66.6
QV17-019	239.9	341	-66.8
QV17-019	249	341.3	-66.5
QV17-019	258.2	341.2	-66.7
QV17-021	7.3	339.7	-88.9
QV17-021	16.5	333	-89.2
QV17-021	25.6	329.2	-89.2
QV17-021	34.7	327.7	-89.4
QV17-021	43.9	319.8	-89.4
QV17-021	53	305.3	-89.4
QV17-021	62.2	277.8	-89.5
QV17-021	71.3	266.7	-89.5
QV17-021	80.5	265.6	-89.5
QV17-021	89.6	259.9	-89.4
QV17-021	98.8	245.9	-89.5
QV17-021	107.9	245.9	-89.7
QV17-021	117	246.3	-89.8
QV17-021	126.2	260.9	-89.9
QV17-021	135.3	170.7	-89.9
QV17-021	144.5	167.2	-89.9
QV17-021	153.6	358.1	-89.7
QV17-021	162.8	314.1	-89.6
QV17-021	171.9	306.6	-89.5
QV17-021	181.1	305.2	-89.5
QV17-021	190.2	289.1	-89.4
QV17-021	199.3	295.9	-89.5
QV17-021	208.5	301.5	-89.4

Appendix 4 2017 VG Zone Drill Hole Lithologies

2017 Diamond Drill Holes Lithologies

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	LITH 1	LITH 2	DESCRIPTION
QV17-018	0	6.1	6.1	OVB		
QV17-018	6.1	12.1	6	BQFGa		bio-fsp-qtz augen gneiss; strong fracture controlled orange limonite alteration; rubbly
QV17-018	12.1	38.2	26.1	BQFG		bio-fsp-qtz gneiss (+/- augen); variable limonite alteration; short zones with disseminated amphibole (hornblende?) grains; moderate fracturing, rubbly zones
QV17-018	38.2	42	3.8	FTBX		brecciated with significant qtz vein material; pervasive ser-ill (+/- crb) alteration of groundmass and associated with fractures, commonly overprinted with orange limonite alt; veining appears multi-phase - 1-grey cherty brecciated quartz associated with trace py, often lim altered; 2-later grey to milky white distinct veins with associated ser-ill-lim on fractures, pyrite mineralization associated with dark grey variably magnetic (w-s) mineral (magnetite/chromite?) filling fractures
QV17-018	42	61	19	BQFGa		augen gneiss; variable orange-brown limonite staining; patchy weak ser-ill alteration; zones of textural destruction; minor pyrite mineralization associated with veining
QV17-018	61	63.5	2.5	FGG		lt grey-green to white (gneissic?) unit; top of unit is marked by large fault gouge zone; local orange limonite alt; very strong pervasive ser-ill alteration; zones of silicification associated with textural destruction; fine disseminated pyrite cubes or blebs throughout unit, significantly more than surrounding units
QV17-018	63.5	76	12.5	BQFG		mod-strongly fractured bio-fsp-qtz gneiss; orange-brown limonite alt; weak ser-ill assoc with fractures
QV17-018	76	76.5	0.5	FGG		fault; orange-brown clay gouge
QV17-018	76.5	81.8	5.3	BQFG		mod-strongly fractured bio-fsp-qtz gneiss; orange-brown limonite alt; weak ser-ill assoc with fractures; several faults

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	LITH 1	LITH 2	DESCRIPTION
QV17-018	81.8	85.3	3.5	BQFGa		grey augen gneiss; weak-moderate fracture controlled pale yellow-green ser-ill alteration; increased pyrite mineralization associated with veining
QV17-018	85.3	101.5	16.2	BQFG	FTBX	grey to yellow-green with orange limonite staining; strongly fractured/veined to stockworked, locally faulted or brecciated with quartz infill; strong ser/ill + sil + pyrite; increased pyrite content vs surrounding, associated with veining, 1-2%; epidote alt of larger veins; mod fracture controlled orange limonite alt, locally strong staining
QV17-018	101.5	120.3	18.8	BQFG		pale yellow-green to light grey-green; limonite drops out; ser/ill + sil + pyrite; green coloured zones - chloritized? Rock type difficult to determine due to alteration related textural destruction; fractured to stockworked with qtz and chalcedonic qtz infill
QV17-018	120.3	127.6	7.3	HBFGG		fine-med grained, med-dark green-grey hbl-bio-fsp-qtz gneiss; moderately fractured; ser/ill +/- crb associated with fractures & pat pervasive; patchy weak hem; variably chloritized
QV17-018	127.6	167.5	39.9	BQFG		light grey-green (gneissic?) unit; strongly altered (ser/ill +chl); coarse fsp +/- qtz through most of unit; difficult to determine rock type due to alteration; most of unit is highly fractured to brecciated or faulted; zones of qtz stockwork
QV17-018	167.5	192	24.5	BQFG		relatively unaltered, fine (locally med) grained bio-fsp-qtz gneiss; transitional ser/ill to ksp/hem alteration associated with fractures; unit is mainly competent; veining occurs as discrete cm-scale veins with minor py mineralization
QV17-018	192	199.73	7.73	HBFGG		yellow-green to pink with distinct dark green hornblende xtals; moderate pervasive ser-ill alteration, transitional to ksp-hem; finely disseminated cubic to blebby pyrite
QV17-018	199.73	201.54	1.81	CFP		crowded feldspar porphyry dyke; fsp grains are ser-ill altered
QV17-018	201.54	208.85	7.31	HBFGG		yellow-green to pink with distinct dark green hornblende xtals; moderate pervasive ser-ill-chl alteration + silicification, transitional to ksp-hem; finely disseminated cubic to blebby pyrite

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	LITH 1	LITH 2	DESCRIPTION
QV17-018	208.85	212.09	3.24	CFP		feldspar porphyry dyke; ser-ill alteration of fsp grains; ksp-hem alteration of some fsp + fracture related
QV17-018	212.09	238.96	26.87	HBFGG		yellow-green to pink with distinct dark green hornblende xtals; moderate pervasive ser-ill-chl alteration + silicification, transitional to ksp-hem; finely disseminated cubic to blebby pyrite
QV17-019	0	4.38	4.38	OVB		
QV17-019	4.38	38.8	34.42	BQFG		bio-qtz-fsp gneiss, locally augen gneiss; fractured & rubbly, locally faulted/bx; mod-strong pervasive orange-brown limonite alteration overprinting ser-ill alteration; ser-ill weakens after 20m
QV17-019	38.8	70.25	31.45	BQFGa		variably altered bio-qtz-fsp augen gneiss; fractured & rubbly, locally faulted/bx; weakened limonite - mainly associated with fractures, strongest in rubble & fault zones; weak ser-ill associated with fractures / stringers / occasional short qtz-bx zones; unaltered zones are strongly biotitic, display more obvious augen; 60.33-61.59m - qtz-crb (cal-sid) vein, unmineralized; 69.25-70.18m - rubbly qtz (minor crb) vein, rafts of altered wallrock, limonite associated with fracturing, trace pyrite
QV17-019	64.5	87	22.5	BQFGa		mainly unaltered bio-qtz-fsp augen gneiss; weak-mod limonite associated with fractures; very hard & siliceous after 79m; 1% finely disseminated pyrite, 2-3% in veins; 75.65-76.45 - altered qtz vein, 1-2% py; 78.5-79m - altered qtz vein, large white crb band towards top of vein, 2-3% py - mainly concentrated in single stringer/fracture fill
QV17-019	87	91.1	4.1	BQFG		increasing orange-brown limonite alteration, fracture controlled becoming pervasive; weak patchy ser-ill alteration;
QV17-019	91.1	92.7	1.6	QVBX	FTBX	faulted, broken/bx mixed qtz vein and wallrock

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	LITH 1	LITH 2	DESCRIPTION
QV17-019	92.7	100.5	7.8	BQFG		orange-brown limonite alteration, fracture controlled to pervasive; weak patchy ser-ill alteration
QV17-019	100.5	104.7	4.2	BQFG		limonite weakens, fracture controlled; grey-green gneissic unit; moderately fractured; 1-2% fine cubic pyrite
QV17-019	104.7	122.6	17.9	BQFG		grey-green, chlorite altered, stockworked gneissic unit; dark grey chalcedonic qtz-py infill with occasional grey qtz veins/veinlets; 2-3% fine cubic to blebby or stockwork pyrite; ser-ill alteration picking up along fractures 108.8-110.1m - qtz vein zone; 113.4-113.9m - qtz vein zone, rubbly
QV17-019	122.6	146	23.4	BQFG		altered and stockworked (gneissic?) unit, locally bx; dark grey chalcedonic qtz-py infill; strong pervasive pale yellow-green ser-ill alteration; 3-5% fine cubic to blebby or stockwork pyrite, locally up to 10%
QV17-019	146	150.2	4.2	BQFG		grey-green gneissic unit; ser-ill alteration weakening, becomes patchy; stockwork weakens, moderate fracturing, locally strong to stk/bx; py mineralization reduced, 1-2%
QV17-019	150.2	165.5	15.3	BQFG		variably altered and mineralized dark grey to med grey-green bio-qtz-(fsp) gneiss; transitional out of ser-ill alt zone; moderately to strongly fractured with qtz infill (locally altered to albite); 1-2% pyrite mainly associated with altered and fractured zones, locally up to 5%
QV17-019	165.5	172.6	7.1	BQFG	FTBX	grey-green chl +/- ser-ill altered (gneissic?) and stockworked unit; local destruction of primary textures by alteration; numerous faults, stockwork and bx zones; qtz-crb (albite after qtz?) infill of stk & bx; minor py mineralization
QV17-019	172.6	177.35	4.75	FTBX		fault bx zone; zones of clay gouge and bx with clay infill; pale green-grey ser-ill-chl altered; minor py mineralization

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	LITH 1	LITH 2	DESCRIPTION
QV17-019	177.35	187.5	10.15	BQFG	FDP	grey-green, locally pale yellow-green mixed altered gneiss and feldspar porphyry; weak-moderate stockwork with qtz +/- py infill; ser-ill-chl alteration; cubic to blebby pyrite
QV17-019	187.5	192.2	4.7	CFP		light grey-green feldspar porphyry unit; alteration weakens; minor py
QV17-019	192.2	201.8	9.6	BQFG		variably altered dark grey to med grey-green gneissic unit
QV17-019	201.8	212.2	10.4	BQFG		green, altered, silicified gneissic unit; ser-ill-chl alteration, silicified; blebby pyrite 2-3%, locally up to 5%
QV17-019	212.2	220.3	8.1	BQFG		variably altered dark grey to med grey-green gneissic unit
QV17-019	220.3	230.3	10	BQFG		increasing chlorite alteration; patchy mixed ser-ill and ksp-hem
QV17-019	230.3	233.9	3.6	FTBX		fault bx zone; zones of clay gouge and bx with clay infill; pale green-grey ser-ill-chl altered, patchy ksp-hem; minor py mineralization
QV17-019	233.9	235.4	1.5	CFP		feldspar porphyry; ser-ill alteration associated with fractures
QV17-019	235.4	246.9	11.5	BG	MSCH	weakly altered mafic gneiss/schist; py associated with veining; patchy ser-ill & ksp-hem; alteration intensifies from 244.3m
QV17-019	246.9	251	4.1	HBFG		ser-ill + chl altered gneissic unit; patchy ksp-hem; disseminated hornblende grains
QV17-019	251	267.31	16.31	BQFG		ksp-hem alteration intensifies; unit is rubbly, faulted/bx; patchy py disseminations
QV17-020	0	3.15	3.15	OVB		
QV17-020	3.15	12	8.85	BQFG		pervasive orange-brown limonite alteration; blocky and broken, faulted zones
QV17-020	12	22	10	BQFGa		med grey bio-qtz-fsp augen gneiss; limonite weakens, fracture controlled, locally pervasive; weak ser-ill associated with fractures

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	LITH 1	LITH 2	DESCRIPTION
QV17-020	22	69.6	47.6	BQFG		variably altered med-dark grey bio-qtz-fsp (+/- augen) gneiss; limonite fracture controlled, locally pervasive and increasing intensity towards bottom contact; weak ser-ill associated with fractures, locally mod-str; grades into massive unit below 30.7-34.3m - pervasive ser-ill alteration + limonite staining, siliceous with abundant qtz vein material, disseminated black cubes (tarnished py?); 65.7-67.5m - 1cm qtz vein sub // TCA, associated ser-ill halo
QV17-020	69.6	70.47	0.87	RHY		massive orange-brown unit - rhyolite dyke?; soft, altered - (ser-ill?), limonite overprinting; 5% white, rounded, soft grains - carbonate (weak effervescence); HOLE LOST
QV17-021	0	2.67	2.67	OVB		
QV17-021	2.67	10.5	7.83	BQFG		strong limonite & crb alteration associated with fractures, moderate pervasive limonite; rubbly unit, faulted zones; 5.5-7.8m - fractured to weakly stockworked zone, crb-lim infill, minor py
QV17-021	10.5	20.5	10	BQFGa		med grey bio-qtz-fsp augen gneiss; limonite weakens, fracture controlled; weak ser-ill associated with fractures
QV17-021	20.5	101.9	81.4	BQFG		variably altered, med-dark grey bio-qtz-fsp (+/- augen) gneiss; weak-mod limonite associated with fractures; weak-mod patchy ser-ill associated with fractures, locally pervasive; patchy moderate to strong crb alteration of felsic minerals + fracture controlled; local small scale folding 36.9-37.3m, 78.4-80.8m - fractured to stockworked, qtz/chalcedony infill, altered - ser-ill & lim
QV17-021	101.9	105	3.1	BQFG		moderately fractured qtz-crb vein zone; pervasive ser-ill alteration, moderate fracture controlled to pervasive limonite; 0.5-1% disseminated pyrite
QV17-021	105	114.4	9.4	BQFG	FTBX	breccia / stockwork zone; well developed fracture network - bx apperence; fractures are typically narrow (<1mm) with dark grey (chalcedony?) or limonitic infill; unit is silicified and pervasively ser-ill altered; variable finely disseminated to locally blebby pyrite - 0.5-1%, locally up to 2-3%

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	LITH 1	LITH 2	DESCRIPTION
QV17-021	114.4	118	3.6	BQFG	FTBX	fault/bx zone; alternating zones of rubble/clay gouge and competent core
QV17-021	118	131.3	13.3	BQFG	FTBX	breccia / stockwork zone, as above 106.5-114.5m; more intense ser-ill alteration, weakened lim; stockwork intensifies 123.8-130.5m - dark grey (chalcedony?) infill in wider fractures, associated strong silicification; variable finely disseminated py 1-3%
QV17-021	131.3	137.1	5.8	BQFG		moderately fractured to weakly stockworked, intensity increasing towards bottom of interval; qtz-crb infill, some zones of chalcedonic infill; patchy ser-ill + chlorite; 0.5-1% finely disseminated to blebby pyrite
QV17-021	137.1	140	2.9	BQFG	FTBX	fault/bx zone; alternating zones of rubble/clay gouge and competent core
QV17-021	140	144.6	4.6	FTBX		light green silicified bx zone; abundant qtz with lesser dark grey chalcedony; strong pervasive chlorite alteration; 1-2% finely disseminated pyrite
QV17-021	144.6	145.7	1.1	FTBX	FGG	similar to above, more rubbly & bx with abundant dark grey clay gouge
QV17-021	145.7	151	5.3	BQFG		moderate stockwork with off white qtz-crb infill; patchy ser-ill alteration + silicification; chlorite fades after 147m; blebby pyrite, 0.5%
QV17-021	151	154.5	3.5	BQFG		variably altered dark grey biotite gneiss/schist; zones of intense silicification with minor ser-ill alteration and 3-5% finely disseminated pyrite; patchy chlorite & hematite
QV17-021	154.5	161.1	6.6	BQFS		strongly altered vein/stk zone; pervasive silicification, ser-ill + chl alteration; 3-5% finely disseminated to blebby pyrite, often vein associated
QV17-021	161.1	166.5	5.4	BQFS		patchy ser-ill + chlorite +/- sil alteration, associated with zones of veining/stk; 1-2% py

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	LITH 1	LITH 2	DESCRIPTION
QV17-021	166.5	186.85	20.35	BQFS		dark blue-grey biotite schist; sparse patchy alteration - ser-ill + chl; reduced veining - mainly qtz-crb stringers; some foliation parallel qtz-crb veins developing towards bottom of interval - cross cut by stringer/stk network; pyrite associated with qtz-crb veining; localized core scale shearing and folds
QV17-021	186.85	191.15	4.3	CFP		light green feldspar porphyry dyke; pervasive chlorite alteration; strong white clay (ser-ill?) or talc + carbonate alteration on fractures, less intense alteration of feldspar grains
QV17-021	191.15	210.82	19.67	BQFS		dark blue-grey biotite schist with dark purple bands/veinlets (chalcedony?); patchy green chlorite altered, foliation parallel qtz-crb vein zones, often silicified; pyrite associated with vein zones, locally 3-5%; white clay or talc + carbonate alteration associated with fractures
QV17-022	0	3.28	3.28	OVB		
QV17-022	3.28	12.2	8.92	BQFGa		rubbly felsic gneiss with multiple small faults; mod-str limonite alteration associated with fractures, locally pervasive
QV17-022	12.2	20	7.8	BQFG	FTBX	faulted/bx felsic gneiss; zones of coarse fault gouge; pervasive limonite alteration; weak-mod sericite-illite alteration associated with fractures
QV17-022	20	29.7	9.7	FTBX	BQFG	fault; brown to grey unconsolidated sandy material with gravel; zones of rubbly/blocky felsic gneiss
QV17-022	29.7	39.5	9.8	BQFG	FTBX	grey, rubbly felsic gneiss; weak-mod limonite + crb associated with fractures; patchy hematite alt on fractures
QV17-022	39.5	51.8	12.3	BQFG		siliceous felsic gneiss +/- augen; core becomes more competent, minor blocky zones; weak ser-ill developing associated with fractures; weak lim on fractures
QV17-022	51.8	74.13	22.33	BQFGa		variably altered felsic augen gneiss; patchy ser-ill, typically associated with fractures, locally pervasive; zones of silicification; 65-74m - zone of epithermal qtz-crb veining with associated pyrite mineralization (tr-0.5%)
QV17-023	0	1.28	1.28	OVB		

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	LITH 1	LITH 2	DESCRIPTION
QV17-023	1.28	16	14.72	BQFG		med grey to orange-brown rubbly felsic gneiss (+/-augen); limonite alteration associated with fractures, locally pervasive; zones of weak fc ser-ill
QV17-023	16	29.8	13.8	FTBX	BQFG	limonitic fault zone; short intervals of competent or blocky felsic gneiss
QV17-023	29.8	43.24	13.44	BQFG		med grey to orange-brown rubbly felsic gneiss (+/-augen); limonite alteration associated with fractures, locally pervasive; zones of weak fc ser-ill

LITHOLOGY

BFQG	biotite-feldspar-quartz gneiss
BFQGa	biotite-feldspar-quartz augen gneiss
BG	biotite gneiss
BS	biotite schist
FDK	felsic dyke
FDP	feldspar porphyry
FFG	fine grained felsic gneiss
FGG	fault/gouge
FTBX	fault tectonic breccia
HBFGG	hornblende-biotite-feldspar-quartz gneiss
HBFQS	hornblende-biotite-feldspar-quartz schist
HG	hornblende gneiss
IDK	intermediate dyke
MDK	mafic dyke
MRB	marble
OVB	overburden
QBG	quartz-biotite gneiss
QTE	quartzite
QV	quartz vein
QVBX	quartz vein breccia
SED	metasediments
UTM	ultramafic

Appendix 5 2017 VG Zone Drill Hole Analytical Results and Certificates

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-018	6.10	7.10	1.00	W674001	HC	0.01	0.1	35.3	2570	0.17	1.88	2.59	0.11	WH17219032
QV17-018	7.10	8.10	1.00	W674002	HC	0.008	0.07	39.9	1570	0.25	1.84	4.87	0.16	WH17219032
QV17-018	8.10	9.10	1.00	W674003	HC	<0.005	0.03	4.3	1550	0.29	1.16	1.12	0.12	WH17219032
QV17-018	9.10	10.10	1.00	W674004	HC	<0.005	0.06	19.1	1920	0.34	1.18	1.49	0.16	WH17219032
QV17-018				W674005	STD CDN GS-1R	1.315	0.78	17.2	520	0.3	5.65	2.36	0.09	WH17219032
QV17-018	10.10	11.10	1.00	W674006	HC	0.006	0.05	12.2	1900	0.55	1.1	1.42	0.19	WH17219032
QV17-018	11.10	12.10	1.00	W674007	HC	<0.005	0.04	16.1	2180	0.31	1.24	2.67	0.21	WH17219032
QV17-018	12.10	13.30	1.20	W674008	HC	0.012	0.08	5.7	1520	0.18	0.88	2.05	0.13	WH17219032
QV17-018	13.30	14.50	1.20	W674009	HC	0.006	0.05	11.5	1160	0.12	0.63	1.56	0.11	WH17219032
QV17-018				W674010	BLK CDN BL-10	<0.005	0.09	1	610	0.22	2.67	0.64	<0.05	WH17219032
QV17-018	14.50	15.50	1.00	W674011	HC	<0.005	0.04	8.9	1160	0.08	0.77	1.28	0.06	WH17219032
QV17-018	15.50	16.50	1.00	W674012	HC	<0.005	0.17	20.8	1580	0.13	0.96	1.19	0.14	WH17219032
QV17-018	16.50	17.50	1.00	W674013	HC	<0.005	0.01	5.5	1200	0.11	0.81	0.34	0.06	WH17219032
QV17-018	17.50	18.50	1.00	W674014	HC	0.006	0.05	11.1	1590	0.14	0.89	1.19	0.11	WH17219032
QV17-018	17.50	18.50	1.00	W674015	DUP W674014	<0.005	0.05	16.9	1600	0.17	0.82	1.42	0.11	WH17219032
QV17-018	18.50	20.00	1.50	W674016	HC	0.602	0.1	19.6	2090	0.13	1.07	3.37	0.14	WH17219032
QV17-018	20.00	21.50	1.50	W674017	HC	0.34	0.18	18.6	2360	0.09	1.08	4.15	0.2	WH17219032
QV17-018	21.50	23.00	1.50	W674018	HC	0.039	0.17	5.4	2090	0.13	5.03	2.26	0.2	WH17219032
QV17-018	23.00	24.50	1.50	W674019	HC	0.008	0.04	5.1	2890	0.18	0.47	0.75	0.08	WH17219032
QV17-018	24.50	26.00	1.50	W674020	HC	<0.005	0.02	2.6	2900	0.3	0.51	0.29	0.14	WH17219032
QV17-018	26.00	27.50	1.50	W674021	HC	<0.005	0.03	3.6	1960	0.11	0.36	0.4	0.07	WH17219032
QV17-018	27.50	28.50	1.00	W674022	HC	<0.005	0.04	2.9	2170	0.18	0.36	0.4	0.07	WH17219032
QV17-018	28.50	30.00	1.50	W674023	HC	<0.005	0.04	5.8	2240	0.6	0.93	0.58	0.22	WH17219032
QV17-018	30.00	31.50	1.50	W674024	HC	1.075	0.29	6.1	2660	0.29	4.09	2.48	0.3	WH17219032
QV17-018				W674025	STD CDN GS-7F	6.7	0.73	13.4	490	0.44	14.3	8.58	0.28	WH17219032
QV17-018	31.50	33.00	1.50	W674026	HC	1.055	0.29	6.6	2930	0.15	4.39	3.35	0.15	WH17219032
QV17-018	33.00	34.50	1.50	W674027	HC	0.704	0.06	2.8	2950	0.27	1.73	1.08	0.12	WH17219032
QV17-018	34.50	36.00	1.50	W674028	HC	0.081	0.09	18.3	1950	0.32	2.16	4.01	0.2	WH17219032
QV17-018	36.00	37.00	1.00	W674029	HC	0.186	0.12	20.2	1370	0.41	2.33	5.56	0.21	WH17219032
QV17-018				W674030	BLK COARSE	<0.005	0.02	0.8	30	0.02	0.54	0.3	<0.05	WH17219032
QV17-018	37.00	38.00	1.00	W674031	HC	0.037	0.12	18.2	730	0.34	3.81	8.07	0.19	WH17219032
QV17-018	38.00	39.00	1.00	W674032	HC	0.062	0.14	31	1190	0.27	2.33	14.7	0.21	WH17219032
QV17-018	39.00	40.00	1.00	W674033	HC	0.033	0.13	15.7	1570	0.2	2.94	9.36	0.25	WH17219032

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-018	40.00	41.00	1.00	W674034	HC	0.09	0.17	15.4	1710	0.14	1.47	3.74	0.25	WH17219032
QV17-018	40.00	41.00	1.00	W674035	DUP W674034	0.064	0.14	13.2	1630	0.16	1.18	2.97	0.19	WH17219032
QV17-018	41.00	42.00	1.00	W674036	HC	0.048	0.12	4.7	1330	0.11	2.05	7.96	0.13	WH17219032
QV17-018	42.00	43.00	1.00	W674037	HC	0.187	0.13	9.5	800	0.23	3.19	5.92	0.17	WH17219032
QV17-018	43.00	44.50	1.50	W674038	HC	0.083	0.1	7.3	1490	0.51	2.68	3.67	0.27	WH17219032
QV17-018	44.50	46.00	1.50	W674039	HC	<0.005	0.04	4.5	2480	0.27	1.61	1.19	0.1	WH17219032
QV17-018	46.00	47.50	1.50	W674040	HC	0.115	0.11	4.2	1950	0.26	1.69	1.24	0.19	WH17219032
QV17-018	47.50	48.50	1.00	W674041	HC	0.03	0.08	6.1	2530	0.35	1.37	0.85	0.19	WH17219032
QV17-018	48.50	49.50	1.00	W674042	HC	0.06	0.19	2.2	2400	0.25	1.76	1.06	0.27	WH17219032
QV17-018	49.50	50.50	1.00	W674043	HC	0.124	0.53	7.7	2850	0.5	6.44	1.69	0.52	WH17219032
QV17-018	50.50	52.00	1.50	W674044	HC	0.12	0.44	4.9	1740	0.5	3.37	1.52	0.41	WH17219032
QV17-018				W674045	STD CDN GS-1R	1.23	0.65	19.7	530	0.44	5.93	1.92	0.07	WH17219032
QV17-018	52.00	53.50	1.50	W674046	HC	0.097	0.18	4.5	2090	0.65	3.8	2.73	0.25	WH17219032
QV17-018	53.50	55.00	1.50	W674047	HC	0.005	0.07	4.2	2550	1.37	2.43	2.12	0.32	WH17219032
QV17-018	55.00	56.50	1.50	W674048	HC	<0.005	0.04	5.4	1650	0.77	1.15	4.09	0.28	WH17219032
QV17-018	56.50	58.00	1.50	W674049	HC	0.177	0.09	8.9	2090	0.25	1.39	4.49	0.16	WH17219032
QV17-018				W674050	BLK CDN BL-10	<0.005	0.11	1.4	660	0.22	2.67	0.61	<0.05	WH17219032
QV17-018	58.00	59.50	1.50	W674051	HC	0.011	0.07	12.5	1630	0.62	2.33	4.86	0.18	WH17219032
QV17-018	59.50	60.90	1.40	W674052	HC	0.006	0.04	8.9	2020	0.4	2.47	6.24	0.11	WH17219032
QV17-018	60.90	61.90	1.00	W674053	HC	0.04	0.26	15.2	1950	1.1	1.4	16.6	0.29	WH17219032
QV17-018	61.90	62.80	0.90	W674054	HC	0.014	0.13	10.9	1750	0.62	2.88	14.7	0.26	WH17219032
QV17-018	61.90	62.80	0.90	W674055	DUP W674054	0.022	0.14	10.9	1570	0.61	2.35	14.45	0.27	WH17219032
QV17-018	62.80	63.50	0.70	W674056	HC	0.314	0.22	6.2	2240	0.32	3.28	13.35	0.25	WH17219032
QV17-018	63.50	64.50	1.00	W674057	HC	0.118	0.14	4.5	2800	0.38	1.52	6	0.25	WH17219032
QV17-018	64.50	65.50	1.00	W674058	HC	0.107	0.08	4.3	2790	0.34	2.57	4.69	0.21	WH17219032
QV17-018	65.50	66.50	1.00	W674059	HC	0.233	0.39	5.2	6400	0.19	1.82	4.48	0.3	WH17219032
QV17-018	66.50	67.50	1.00	W674060	HC	0.385	0.38	24.6	2220	0.21	9.82	7.49	0.33	WH17219032
QV17-018	67.50	68.50	1.00	W674061	HC	1.12	0.66	122.5	2130	0.2	2.72	9.33	0.57	WH17219032
QV17-018	68.50	69.50	1.00	W674062	HC	0.493	0.36	41.4	1590	0.11	6.47	8.56	0.34	WH17219032
QV17-018	69.50	70.50	1.00	W674063	HC	1.61	1.22	28.1	2660	0.22	31.5	8.66	0.72	WH17219032
QV17-018	70.50	71.50	1.00	W674064	HC	0.625	0.6	58.8	2110	0.13	15.25	11	0.37	WH17219032
QV17-018				W674065	STD CDN GS-7F	6.7	0.66	15.7	510	0.47	15.25	9.01	0.27	WH17219032
QV17-018	71.50	72.50	1.00	W674066	HC	0.754	0.94	34.7	2480	0.34	58.9	12	0.8	WH17219032

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-018	72.50	73.50	1.00	W674067	HC	0.799	0.86	26.8	1440	0.26	29.6	17.1	0.77	WH17219032
QV17-018	73.50	74.50	1.00	W674068	HC	0.174	0.39	31.1	2390	0.16	19.9	15.1	0.35	WH17219032
QV17-018	74.50	75.40	0.90	W674069	HC	0.75	0.69	19.1	2300	0.22	57.4	15.4	0.66	WH17219032
QV17-018				W674070	BLK COARSE	<0.005	0.02	1.6	20	0.07	0.57	0.34	<0.05	WH17219032
QV17-018	75.40	75.90	0.50	W674071	HC	4.78	1.05	5.5	2730	1.2	207	11.4	1.46	WH17219032
QV17-018	75.90	76.80	0.90	W674072	HC	2.35	85.7	21.9	2070	0.36	92.6	16.9	0.73	WH17219032
QV17-018	76.80	77.90	1.10	W674073	HC	1.085	0.79	22.2	1990	0.1	9.34	17.35	0.71	WH17219032
QV17-018	77.90	79.00	1.10	W674074	HC	1.975	0.86	30	3110	0.17	40	11.6	0.64	WH17219032
QV17-018	77.90	79.00	1.10	W674075	DUP W674074	1.66	1.14	19.1	3060	0.16	61	9.63	0.67	WH17219032
QV17-018	79.00	80.00	1.00	W674076	HC	1.33	1.06	16.4	2820	0.08	15.35	12.5	0.65	WH17219032
QV17-018	80.00	81.00	1.00	W674077	HC	0.855	0.68	6	2170	0.11	12.25	6.24	0.47	WH17219032
QV17-018	81.00	82.00	1.00	W674078	HC	1.095	2.29	5.7	3010	0.05	7.91	5.38	1.56	WH17219032
QV17-018	82.00	83.00	1.00	W674079	HC	0.047	0.09	2.1	5040	0.03	1.48	1.51	0.11	WH17219032
QV17-018	83.00	84.00	1.00	W674080	HC	0.417	0.44	3.1	3780	0.04	2.17	3.13	0.32	WH17219032
QV17-018	84.00	85.00	1.00	W674081	HC	0.156	0.24	5.2	3560	0.07	20.5	6.54	0.21	WH17219032
QV17-018	85.00	86.00	1.00	W674082	HC	0.062	0.12	3.4	4940	0.04	17	9.47	0.14	WH17219032
QV17-018	86.00	87.00	1.00	W674083	HC	0.125	0.28	3.1	3790	0.07	4.59	7.43	0.24	WH17219032
QV17-018	87.00	88.00	1.00	W674084	HC	0.238	0.43	8.8	3380	0.06	8.94	13.15	0.39	WH17219032
QV17-018				W674085	STD CDN GS-1R	1.235	1.33	19.8	520	0.29	5.01	1.9	0.08	WH17219032
QV17-018	88.00	88.90	0.90	W674086	HC	2.78	1.3	12.4	1960	0.18	25.9	34.7	0.71	WH17219032
QV17-018	88.90	89.90	1.00	W674087	HC	0.637	0.39	6.9	2810	0.06	2.95	19.3	0.17	WH17219032
QV17-018	89.90	90.80	0.90	W674088	HC	0.784	3.23	14.7	2900	0.15	3.2	15.9	1.98	WH17219032
QV17-018	90.80	91.80	1.00	W674089	HC	2.39	1.39	12.1	3430	0.17	17.25	40.7	0.96	WH17219032
QV17-018				W674090	BLK CDN BL-10	0.005	0.12	2.1	640	0.25	2.56	0.71	<0.05	WH17219032
QV17-018	91.80	93.00	1.20	W674091	HC	0.092	0.05	13.1	1560	0.04	4.72	14.3	0.05	WH17219032
QV17-018	93.00	94.00	1.00	W674092	HC	0.476	0.5	12.2	2690	0.06	4.32	23.7	0.11	WH17219032
QV17-018	94.00	95.00	1.00	W674093	HC	4.73	6.81	5.7	2370	0.58	102	13.1	1.11	WH17219032
QV17-018	95.00	96.00	1.00	W674094	HC	4.07	1.84	2.8	1910	0.49	99.9	4.45	1.01	WH17219032
QV17-018	95.00	96.00	1.00	W674095	DUP W674094	4.15	2.48	2.6	1600	0.6	129.5	5.21	1.28	WH17219032
QV17-018	96.00	97.00	1.00	W674096	HC	4.58	2.6	3.1	1970	0.5	84.9	5.14	1.38	WH17219032
QV17-018	97.00	98.00	1.00	W674097	HC	2.25	0.75	4.7	2000	0.19	35.1	5.65	0.3	WH17219032
QV17-018	98.00	99.00	1.00	W674098	HC	3.94	1.88	11.1	1800	0.25	43.4	6.22	0.62	WH17219032
QV17-018	99.00	100.00	1.00	W674099	HC	3	1.75	11.4	3000	0.47	102.5	8	0.83	WH17219032

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-018	100.00	101.00	1.00	W674100	HC	2.4	0.27	6.1	4240	0.03	13.3	37.2	0.08	WH17219032
QV17-018	101.00	102.00	1.00	W674101	HC	1.435	0.57	5.2	3620	0.11	14.1	23.7	0.29	WH17219032
QV17-018	102.00	103.00	1.00	W674102	HC	0.711	0.46	6.6	2980	0.2	56.7	24.2	0.31	WH17219032
QV17-018	103.00	104.00	1.00	W674103	HC	0.623	0.19	7.7	3290	0.03	0.72	26.3	0.08	WH17219032
QV17-018	104.00	105.00	1.00	W674104	HC	1.105	0.46	7.3	4100	0.09	5.27	23	0.16	WH17219032
QV17-018				W674105	STD CDN GS-7F	6.73	0.75	12.8	580	0.48	13.8	8.3	0.21	WH17219032
QV17-018	105.00	106.00	1.00	W674106	HC	0.642	0.37	6.3	3170	0.2	41.6	24.1	0.42	WH17219032
QV17-018	106.00	107.00	1.00	W674107	HC	0.399	0.3	5.1	3170	0.06	2.07	18.85	0.17	WH17219032
QV17-018	107.00	108.00	1.00	W674108	HC	2.93	1.11	5.8	2130	0.32	54.1	14.65	0.63	WH17219032
QV17-018	108.00	109.00	1.00	W674109	HC	0.414	0.25	5.1	4160	0.21	27.2	15.55	0.26	WH17219032
QV17-018				W674110	BLK COARSE	0.007	0.01	1.8	40	0.02	0.7	0.36	<0.05	WH17219032
QV17-018	109.00	110.00	1.00	W674111	HC	1.08	0.23	13.2	2460	0.13	2.74	26.2	0.2	WH17219032
QV17-018	110.00	111.00	1.00	W674112	HC	0.316	0.15	8.4	2250	0.05	4.37	25.9	0.12	WH17219032
QV17-018	111.00	112.00	1.00	W674113	HC	2.64	1.08	5.8	2130	0.21	24.2	14.25	0.75	WH17219032
QV17-018	112.00	113.00	1.00	W674114	HC	2.18	0.81	6.1	2040	0.16	3.79	15.3	0.6	WH17219032
QV17-018	112.00	113.00	1.00	W674115	DUP W674114	2.1	0.98	6.3	2020	0.16	5.17	18	0.54	WH17219032
QV17-018	113.00	114.00	1.00	W674116	HC	0.117	0.05	4.9	1870	0.02	0.94	17.5	0.06	WH17219032
QV17-018	114.00	115.00	1.00	W674117	HC	0.028	0.16	11.8	810	0.05	0.99	20	<0.05	WH17219033
QV17-018	115.00	116.00	1.00	W674118	HC	0.136	0.09	9.1	1190	0.05	2.3	19.8	0.07	WH17219033
QV17-018	116.00	117.00	1.00	W674119	HC	0.163	0.17	9.3	1750	0.07	2.63	35.7	0.05	WH17219033
QV17-018	117.00	118.10	1.10	W674120	HC	0.221	0.13	7.1	1870	0.06	3.32	18.8	0.07	WH17219033
QV17-018	118.10	119.20	1.10	W674121	HC	0.581	0.59	12.9	1590	0.12	6.4	31.3	0.71	WH17219033
QV17-018	119.20	120.30	1.10	W674122	HC	0.36	0.12	20.5	3070	0.04	1.25	25.1	0.06	WH17219033
QV17-018	120.30	121.40	1.10	W674123	HC	0.288	0.25	10	2270	0.06	12.7	29	0.08	WH17219033
QV17-018	121.40	122.50	1.10	W674124	HC	0.197	0.2	9	1700	0.1	1.2	34	0.19	WH17219033
QV17-018				W674125	STD CDN GS-1R	1.24	0.64	21.2	510	0.32	5.61	2.25	0.07	WH17219033
QV17-018	122.50	123.50	1.00	W674126	HC	0.054	0.12	9.4	1230	0.08	1.74	23.8	0.09	WH17219033
QV17-018	123.50	124.50	1.00	W674127	HC	0.116	0.09	15.1	1190	0.06	4.23	27.2	0.13	WH17219033
QV17-018	124.50	125.50	1.00	W674128	HC	0.083	0.21	9.9	1070	0.03	0.94	17.7	0.12	WH17219033
QV17-018	125.50	126.50	1.00	W674129	HC	<0.005	0.01	5.4	750	0.03	1.66	11.85	<0.05	WH17219033
QV17-018				W674130	BLK CDN BL-10	<0.005	0.37	1.8	570	0.26	2.31	0.73	<0.05	WH17219033
QV17-018	126.50	127.60	1.10	W674131	HC	0.014	0.04	6.4	1190	0.05	2.02	10.6	<0.05	WH17219033
QV17-018	127.60	129.00	1.40	W674132	HC	0.017	0.06	7.7	2530	0.14	0.86	11.2	<0.05	WH17219033

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-018	129.00	130.40	1.40	W674133	HC	0.014	0.04	7.9	2360	0.12	0.35	22	<0.05	WH17219033
QV17-018	130.40	131.80	1.40	W674134	HC	0.032	0.03	5.2	1130	0.02	0.62	12.15	<0.05	WH17219033
QV17-018	130.40	131.80	1.40	W674135	DUP W674134	0.065	0.03	5.7	1080	0.02	1.78	12.65	<0.05	WH17219033
QV17-018	131.80	132.80	1.00	W674136	HC	0.03	0.07	8	1000	0.02	0.63	12.75	<0.05	WH17219033
QV17-018	132.80	133.80	1.00	W674137	HC	0.168	0.25	9.6	1930	0.16	1.68	23.4	0.07	WH17219033
QV17-018	133.80	134.80	1.00	W674138	HC	1.37	0.64	8	1830	0.57	1.85	21.6	0.36	WH17219033
QV17-018	134.80	135.80	1.00	W674139	HC	0.018	0.01	2.7	1570	0.02	0.44	4.39	<0.05	WH17219033
QV17-018	135.80	136.80	1.00	W674140	HC	0.058	0.04	5.5	1710	0.07	0.29	3.45	<0.05	WH17219033
QV17-018	136.80	137.80	1.00	W674141	HC	0.062	0.03	2.8	1340	0.02	0.12	3.14	0.05	WH17219033
QV17-018	137.80	139.00	1.20	W674142	HC	0.179	0.08	4.3	1800	0.06	0.29	5.75	<0.05	WH17219033
QV17-018	139.00	140.50	1.50	W674143	HC	0.148	0.19	4.3	1270	0.07	6.57	6.06	0.05	WH17219033
QV17-018	140.50	142.00	1.50	W674144	HC	0.106	0.19	4.5	890	0.04	0.29	7.44	<0.05	WH17219033
QV17-018				W674145	STD CDN GS-7F	6.97	0.83	14.4	470	0.47	14.65	9.45	0.25	WH17219033
QV17-018	142.00	143.00	1.00	W674146	HC	0.022	0.04	6.7	1690	0.02	0.43	5.04	<0.05	WH17219033
QV17-018	143.00	144.50	1.50	W674147	HC	0.027	0.03	3.8	1830	0.03	7.38	5.17	<0.05	WH17219033
QV17-018	144.50	146.00	1.50	W674148	HC	0.011	0.03	3.6	1680	0.04	1.36	6.09	<0.05	WH17219033
QV17-018	146.00	147.50	1.50	W674149	HC	0.012	1.28	5.5	1910	0.07	0.66	6.78	<0.05	WH17219033
QV17-018				W674150	BLK COARSE	<0.005	0.02	5.3	20	0.02	0.34	0.31	<0.05	WH17219033
QV17-018	147.50	149.00	1.50	W674151	HC	0.057	0.04	4.9	2210	0.04	0.47	3.07	<0.05	WH17219033
QV17-018	149.00	150.40	1.40	W674152	HC	0.129	0.05	6.3	2670	0.04	1.17	4.52	0.08	WH17219033
QV17-018	150.40	151.50	1.10	W674153	HC	0.029	0.05	7.5	2650	0.06	0.35	13.5	<0.05	WH17219033
QV17-018	151.50	153.00	1.50	W674154	HC	0.112	0.06	4	2780	0.06	0.37	20	<0.05	WH17219033
QV17-018	153.00	154.00	1.00	W674155	DUP W674156	0.008	0.03	6.3	3970	0.07	0.29	13.4	<0.05	WH17219033
QV17-018	153.00	154.00	1.00	W674156	HC	0.06	0.02	6.3	3580	0.06	0.3	13.35	0.35	WH17219033
QV17-018	154.00	155.00	1.00	W674157	HC	0.01	0.02	13.5	2490	0.1	0.27	18.75	<0.05	WH17219033
QV17-018	155.00	156.00	1.00	W674158	HC	0.017	0.03	9.7	2640	0.05	0.43	16	<0.05	WH17219033
QV17-018	156.00	157.10	1.10	W674159	HC	0.415	0.02	3	3030	0.04	0.65	24	<0.05	WH17219033
QV17-018	157.10	158.20	1.10	W674160	HC	0.038	0.03	3.1	3960	0.11	0.92	19.1	0.1	WH17219033
QV17-018	158.20	159.20	1.00	W674161	HC	0.014	9.73	5.4	3220	0.05	0.28	20.1	<0.05	WH17219033
QV17-018	159.20	160.30	1.10	W674162	HC	0.015	0.04	7.9	5400	0.04	0.24	32.4	<0.05	WH17219033
QV17-018	160.30	161.30	1.00	W674163	HC	0.061	0.06	20.8	3000	0.17	0.27	11	<0.05	WH17219033
QV17-018	161.30	162.30	1.00	W674164	HC	0.036	0.02	10.7	2630	0.14	0.34	26.8	<0.05	WH17219033
QV17-018				W674165	STD CDN GS-1R	1.23	0.6	21	510	0.3	5.79	2.04	0.05	WH17219033

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-018	162.30	163.30	1.00	W674166	HC	0.007	0.02	7.4	3430	0.19	0.58	32.2	<0.05	WH17219033
QV17-018	163.30	164.30	1.00	W674167	HC	<0.005	0.02	5.1	2000	0.22	0.71	4.66	<0.05	WH17219033
QV17-018	164.30	165.40	1.10	W674168	HC	0.007	0.04	15.3	1760	0.46	0.19	4.98	<0.05	WH17219033
QV17-018	165.40	166.50	1.10	W674169	HC	0.018	0.04	27.2	2480	0.37	0.38	7.23	<0.05	WH17219033
QV17-018				W674170	BLK CDN BL-10	<0.005	0.1	1.7	710	0.23	2.35	0.64	<0.05	WH17219033
QV17-018	166.50	167.50	1.00	W674171	HC	<0.005	0.01	12.8	3090	0.25	1.61	3.94	<0.05	WH17219033
QV17-018	167.50	168.50	1.00	W674172	HC	<0.005	0.01	3	1950	0.27	0.69	2.34	<0.05	WH17219033
QV17-018	168.50	169.50	1.00	W674173	HC	0.029	0.05	8.5	1950	0.3	0.78	3.45	<0.05	WH17219033
QV17-018	169.50	170.50	1.00	W674174	HC	0.009	0.01	4.6	1870	0.28	0.65	1.11	<0.05	WH17219033
QV17-018	169.50	170.50	1.00	W674175	DUP W674174	0.021	0.05	3.6	1880	0.27	0.56	1.02	<0.05	WH17219033
QV17-018	170.50	171.50	1.00	W674176	HC	<0.005	0.01	3.1	4540	0.22	0.56	1.05	<0.05	WH17219033
QV17-018	171.50	173.00	1.50	W674177	HC	<0.005	0.03	5.1	2540	0.16	1.17	1.51	0.05	WH17219033
QV17-018	173.00	174.50	1.50	W674178	HC	<0.005	0.01	2.5	2010	0.17	0.62	0.73	<0.05	WH17219033
QV17-018	174.50	176.00	1.50	W674179	HC	<0.005	0.01	3.7	2650	0.28	2.66	0.82	<0.05	WH17219033
QV17-018	176.00	177.50	1.50	W674180	HC	<0.005	0.02	3	2690	0.09	0.47	0.72	<0.05	WH17219033
QV17-018	177.50	179.00	1.50	W674181	HC	<0.005	0.02	2.1	1630	0.11	0.83	0.86	<0.05	WH17219033
QV17-018	179.00	180.50	1.50	W674182	HC	<0.005	0.01	4.5	5290	0.16	1.09	2.7	<0.05	WH17219033
QV17-018	180.50	181.50	1.00	W674183	HC	<0.005	0.01	9.1	4350	0.3	0.51	3.43	<0.05	WH17219033
QV17-018	181.50	182.50	1.00	W674184	HC	<0.005	0.02	6.9	7210	0.35	0.61	14.4	0.11	WH17219033
QV17-018				W674185	STD CDN GS-7F	6.95	1.05	13.5	480	0.51	14.6	9.09	0.25	WH17219033
QV17-018	182.50	183.50	1.00	W674186	HC	<0.005	0.02	5.7	4540	0.13	1.48	19.75	<0.05	WH17219033
QV17-018	183.50	184.50	1.00	W674187	HC	0.015	0.04	7.7	2340	0.36	0.81	33	0.19	WH17219033
QV17-018	184.50	185.50	1.00	W674188	HC	<0.005	0.01	6	1700	0.06	1.17	6.35	<0.05	WH17219033
QV17-018	185.50	186.50	1.00	W674189	HC	0.005	0.02	5.2	1950	0.06	0.57	3.33	<0.05	WH17219033
QV17-018				W674190	BLK COARSE	<0.005	0.01	0.5	30	0.02	0.31	0.32	<0.05	WH17219033
QV17-018	186.50	187.50	1.00	W674191	HC	0.029	0.27	7.6	620	0.52	4.46	8.11	0.06	WH17219033
QV17-018	187.50	188.50	1.00	W674192	HC	0.008	0.2	6.9	180	0.9	1.71	9.24	0.06	WH17219033
QV17-018	188.50	189.50	1.00	W674193	HC	<0.005	0.38	12.4	150	1.65	11.3	10.35	0.07	WH17219033
QV17-018	189.50	190.50	1.00	W674194	HC	0.042	0.44	15.1	180	0.82	5.71	17.5	0.08	WH17219033
QV17-018	189.50	190.50	1.00	W674195	DUP W674194	0.043	0.22	20.3	380	0.35	6.17	13.95	<0.05	WH17219033
QV17-018	190.50	192.00	1.50	W674196	HC	0.091	0.46	15.8	300	1.44	6.24	14.1	0.1	WH17219033
QV17-018	192.00	193.50	1.50	W674197	HC	0.013	0.17	6.7	100	0.81	12.85	6.75	0.06	WH17219033
QV17-018	193.50	195.00	1.50	W674198	HC	0.157	0.39	14.2	80	1	3.54	11.65	0.07	WH17219033

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-018	195.00	196.50	1.50	W674199	HC	0.01	<0.01	24.4	90	0.14	0.48	5.16	<0.05	WH17219033
QV17-018	196.50	197.50	1.00	W674200	HC	0.023	0.05	26.7	180	0.12	1.62	10.25	<0.05	WH17219033
QV17-018	197.50	198.50	1.00	W674201	HC	0.012	0.09	27.6	1520	0.26	1.13	8.82	<0.05	WH17219033
QV17-018	198.50	199.73	1.23	W674202	HC	0.012	0.34	26.3	3080	1.3	0.42	15.4	<0.05	WH17219033
QV17-018	199.73	200.63	0.90	W674203	HC	0.006	0.04	17.9	4310	0.08	0.13	7.28	<0.05	WH17219033
QV17-018	200.63	201.54	0.91	W674204	HC	0.01	0.12	16	3830	0.59	0.23	9.96	<0.05	WH17219033
QV17-018				W674205	STD CDN GS-1R	1.195	0.72	22.8	530	0.32	5.44	2.01	0.09	WH17219033
QV17-018	201.54	202.50	0.96	W674206	HC	0.037	1.16	42.5	70	5.81	0.38	15.05	0.35	WH17219033
QV17-018	202.50	203.50	1.00	W674207	HC	0.005	1.85	12.1	80	5.8	6.33	10.95	0.35	WH17219033
QV17-018	203.50	204.50	1.00	W674208	HC	<0.005	0.36	9.5	120	0.92	0.28	6.18	0.09	WH17219033
QV17-018	204.50	205.50	1.00	W674209	HC	<0.005	0.17	5.1	190	0.66	0.23	2.74	<0.05	WH17219033
QV17-018				W674210	BLK CDN BL-10	0.01	0.13	2.2	670	0.25	2.85	0.69	<0.05	WH17219033
QV17-018	205.50	206.60	1.10	W674211	HC	<0.005	0.03	8.4	270	0.23	2.26	7.93	<0.05	WH17219033
QV17-018	206.60	207.70	1.10	W674212	HC	0.009	<0.01	8.2	260	0.23	5.1	6.48	<0.05	WH17219033
QV17-018	207.70	208.85	1.15	W674213	HC	<0.005	0.19	12.1	1030	0.48	3.26	2.93	<0.05	WH17219033
QV17-018	208.85	210.00	1.15	W674214	HC	<0.005	0.03	3.4	2640	0.05	0.17	1.87	<0.05	WH17219033
QV17-018	208.85	210.00	1.15	W674215	DUP W674214	<0.005	0.02	3.6	2700	0.04	0.21	1.88	<0.05	WH17219033
QV17-018	210.00	211.00	1.00	W674216	HC	0.005	0.02	6.6	2930	0.03	0.14	2.34	<0.05	WH17219033
QV17-018	211.00	212.09	1.09	W674217	HC	0.052	0.01	5.7	2310	0.05	0.16	3.74	0.05	WH17219033
QV17-018	212.09	213.20	1.11	W674218	HC	0.011	<0.01	8.8	180	0.16	0.87	4.96	<0.05	WH17219033
QV17-018	213.20	214.20	1.00	W674219	HC	0.014	0.06	6.5	260	0.31	1.55	6.21	<0.05	WH17219033
QV17-018	214.20	215.30	1.10	W674220	HC	0.005	0.17	5.8	90	0.4	1.63	4.53	<0.05	WH17219033
QV17-018	215.30	216.40	1.10	W674221	HC	0.005	<0.01	4	160	0.14	0.8	2.19	<0.05	WH17219033
QV17-018	216.40	217.50	1.10	W674222	HC	<0.005	0.05	3.7	830	0.2	0.58	2.99	<0.05	WH17219033
QV17-018	217.50	219.00	1.50	W674223	HC	<0.005	0.06	6.8	110	0.26	2.02	3.08	<0.05	WH17219033
QV17-018	219.00	220.50	1.50	W674224	HC	<0.005	0.17	6.3	150	0.78	5.16	3.42	<0.05	WH17219033
QV17-018				W674225	STD CDN GS-7F	7.12	0.72	13.9	520	0.53	16.2	8.89	0.31	WH17219033
QV17-018	220.50	222.00	1.50	W674226	HC	0.005	0.06	6.7	280	0.34	1.03	4.5	0.05	WH17219033
QV17-018	222.00	223.50	1.50	W674227	HC	0.008	0.1	6.2	150	0.42	1.28	1.03	<0.05	WH17219033
QV17-018	223.50	224.90	1.40	W674228	HC	0.006	0.04	5.5	200	0.25	0.83	1.96	<0.05	WH17219033
QV17-018	224.90	226.00	1.10	W674229	HC	<0.005	<0.01	3	140	0.13	0.37	2.47	<0.05	WH17219033
QV17-018				W674230	BLK COARSE	<0.005	0.02	0.8	20	0.03	0.29	0.27	<0.05	WH17219033
QV17-018	226.00	227.50	1.50	W674231	HC	0.013	<0.01	2.5	160	0.13	0.2	1.89	<0.05	WH17219033

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-018	227.50	229.00	1.50	W674232	HC	<0.005	<0.01	3.3	110	0.13	0.24	2.51	<0.05	WH17219033
QV17-018	229.00	230.00	1.00	W674233	HC	0.008	0.31	12.4	130	0.79	2.91	6.63	0.07	WH17219033
QV17-018	230.00	231.00	1.00	W674234	HC	0.005	0.42	6.8	170	0.99	2.2	2.8	0.08	WH17219033
QV17-018	230.00	231.00	1.00	W674235	DUP W674234	0.006	0.4	7.3	280	0.92	2.86	3.13	0.09	WH17219033
QV17-018	231.00	232.50	1.50	W674236	HC	0.009	0.49	8.3	1720	1.12	1.34	5.17	0.08	WH17219033
QV17-018	232.50	234.00	1.50	W674237	HC	<0.005	0.64	7.4	440	1.87	1.37	13.9	0.1	WH17219033
QV17-018	234.00	235.50	1.50	W674238	HC	0.01	0.45	9.2	140	1.5	3.27	10.4	0.11	WH17219033
QV17-018	235.50	237.00	1.50	W674239	HC	0.019	0.68	11.3	80	1.95	3.31	4.7	0.14	WH17219033
QV17-018	237.00	238.96	1.96	W674240	HC	0.02	0.27	17.1	230	0.61	1.91	14.75	0.08	WH17219033
QV17-019	4.38	6.00	1.62	W674241	HC	0.027	0.2	30.9	860	0.42	1.68	5.17	0.21	WH17236242
QV17-019	6.00	7.50	1.50	W674242	HC	0.007	0.04	37.5	2000	0.46	1.63	2.71	0.14	WH17236242
QV17-019	7.50	9.00	1.50	W674243	HC	<0.005	0.12	30.8	1170	0.36	1.45	4.69	0.17	WH17236242
QV17-019	9.00	10.50	1.50	W674244	HC	<0.005	0.03	29.5	650	0.52	1.58	9.02	0.25	WH17236242
QV17-019				W674245	STD CDN GS-1R	1.265	0.93	22.3	510	0.33	5.46	2.02	0.09	WH17236242
QV17-019	10.50	12.00	1.50	W674246	HC	0.013	0.05	26.6	1420	0.61	1.97	14	0.18	WH17236242
QV17-019	12.00	13.50	1.50	W674247	HC	0.006	0.06	8.4	870	0.31	0.81	7.74	0.15	WH17236242
QV17-019	13.50	15.00	1.50	W674248	HC	0.009	0.05	7.4	800	0.32	1.11	6.71	0.11	WH17236242
QV17-019	15.00	16.50	1.50	W674249	HC	<0.005	0.06	8.5	1130	0.12	0.86	1.79	0.06	WH17236242
QV17-019				W674250	BLK CDN BL-10	<0.005	0.12	1.8	640	0.24	2.84	0.71	<0.05	WH17236242
QV17-019	16.50	18.00	1.50	W674251	HC	0.009	0.04	11.5	1350	0.1	1.31	3.61	0.1	WH17236242
QV17-019	18.00	19.40	1.40	W674252	HC	<0.005	0.02	13.7	1740	0.25	7.41	10.15	0.14	WH17236242
QV17-019	19.40	20.70	1.30	W674253	HC	<0.005	0.02	18.5	1180	0.14	1.41	5.39	0.08	WH17236242
QV17-019	20.70	22.00	1.30	W674254	HC	<0.005	0.04	9.3	2450	0.35	1.12	1.8	0.11	WH17236242
QV17-019	20.70	22.00	1.30	W674255	DUP W674254	<0.005	0.06	11.9	2410	0.38	1.51	1.53	0.14	WH17236242
QV17-019	22.00	23.20	1.20	W674256	HC	<0.005	0.03	10	2100	0.43	0.95	1.3	0.22	WH17236242
QV17-019	23.20	24.50	1.30	W674257	HC	<0.005	0.02	12.2	2030	0.25	1.11	3.71	0.13	WH17236242
QV17-019	24.50	26.00	1.50	W674258	HC	0.006	0.05	34.7	1400	0.2	1.28	9.15	0.08	WH17236242
QV17-019	26.00	27.50	1.50	W674259	HC	<0.005	0.04	34	1140	0.19	2.5	5.68	0.1	WH17236242
QV17-019	27.50	28.50	1.00	W674260	HC	0.007	0.03	15.9	930	0.21	1.35	13.7	0.07	WH17236242
QV17-019	28.50	29.50	1.00	W674261	HC	<0.005	0.04	14.2	750	0.14	0.61	18.9	0.09	WH17236242
QV17-019	29.50	30.50	1.00	W674262	HC	0.005	0.04	19.5	810	0.17	1.23	12.65	<0.05	WH17236242
QV17-019	30.50	31.50	1.00	W674263	HC	<0.005	0.08	17.5	1790	0.45	1.76	7.19	0.22	WH17236242
QV17-019	31.50	32.50	1.00	W674264	HC	0.011	0.96	18.9	820	0.37	1.42	12.1	0.17	WH17236242

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-019				W674265	STD CDN GS-7F	7.13	0.75	13.6	490	0.48	15.6	9.37	0.24	WH17236242
QV17-019	32.50	33.50	1.00	W674266	HC	<0.005	0.08	10.6	1260	0.15	1.34	7.26	0.05	WH17236242
QV17-019	33.50	35.00	1.50	W674267	HC	<0.005	0.08	10.7	1900	0.95	1.62	1.64	0.42	WH17236242
QV17-019	35.00	36.50	1.50	W674268	HC	0.005	0.06	14.5	2510	0.36	0.97	1.43	0.19	WH17236242
QV17-019	36.50	38.00	1.50	W674269	HC	0.124	0.21	24.3	1730	0.3	1.71	6.51	0.22	WH17236242
QV17-019				W674270	BLK COARSE	<0.005	0.01	1	20	0.01	0.36	0.26	<0.05	WH17236242
QV17-019	38.00	39.50	1.50	W674271	HC	1.15	0.7	5.6	2560	0.51	10.5	3.97	0.57	WH17236242
QV17-019	39.50	41.00	1.50	W674272	HC	0.193	0.13	4.8	2690	0.44	1.6	1.39	0.25	WH17236242
QV17-019	41.00	42.50	1.50	W674273	HC	0.945	0.53	5.9	2490	0.65	2.18	3.16	0.5	WH17236242
QV17-019	42.50	43.50	1.00	W674274	HC	0.03	0.08	6.6	2700	0.47	2.71	1.94	0.23	WH17236242
QV17-019	42.50	43.50	1.00	W674275	DUP W674274	0.059	0.07	6.5	2630	0.63	2.29	2	0.34	WH17236242
QV17-019	43.50	44.50	1.00	W674276	HC	<0.005	0.02	4.8	2650	0.26	0.99	1.75	0.15	WH17236242
QV17-019	44.50	45.50	1.00	W674277	HC	0.008	0.03	3.8	2310	0.27	1.02	2.15	0.16	WH17236242
QV17-019	45.50	47.00	1.50	W674278	HC	0.006	0.07	12	1150	0.38	2.14	5.54	0.18	WH17236242
QV17-019	47.00	48.00	1.00	W674279	HC	0.007	0.15	9.5	1060	0.67	2.09	6.82	0.35	WH17236242
QV17-019	48.00	49.00	1.00	W674280	HC	0.015	0.72	24	1830	0.54	2.33	8.75	0.29	WH17236242
QV17-019	49.00	50.40	1.40	W674281	HC	0.011	0.05	24.4	1440	0.31	1.6	4.04	0.13	WH17236242
QV17-019	50.40	51.50	1.10	W674282	HC	0.006	0.05	6	3160	0.45	1.73	1.75	0.23	WH17236242
QV17-019	51.50	52.50	1.00	W674283	HC	<0.005	0.04	5	1310	0.48	2.1	0.99	0.14	WH17236242
QV17-019	52.50	53.50	1.00	W674284	HC	<0.005	0.06	6.5	1680	0.57	2.8	0.75	0.2	WH17236242
QV17-019				W674285	STD CDN GS-1R	1.25	0.8	20.8	520	0.32	5.98	1.96	0.06	WH17236242
QV17-019	53.50	54.50	1.00	W674286	HC	<0.005	0.04	3.7	2370	0.31	1.82	0.72	0.17	WH17236242
QV17-019	54.50	56.00	1.50	W674287	HC	0.005	0.26	6.5	1690	0.76	1.93	2.46	0.45	WH17236242
QV17-019	56.00	57.50	1.50	W674288	HC	0.02	0.17	7.4	1840	0.52	1.82	4.62	0.16	WH17236242
QV17-019	57.50	59.00	1.50	W674289	HC	0.006	0.09	12.8	2210	1.76	1.85	4.45	0.34	WH17236242
QV17-019				W674290	BLK CDN BL-10	<0.005	0.12	0.9	620	0.23	2.93	0.6	<0.05	WH17236242
QV17-019	59.00	60.20	1.20	W674291	HC	0.007	0.19	6.5	2600	0.81	1.39	5.73	0.24	WH17236242
QV17-019	60.20	61.70	1.50	W674292	HC	<0.005	0.02	0.9	5250	0.14	0.37	1.74	<0.05	WH17236242
QV17-019	61.70	63.00	1.30	W674293	HC	0.006	0.08	7.5	3740	0.59	1.03	2.9	0.17	WH17236242
QV17-019	63.00	64.00	1.00	W674294	HC	<0.005	0.07	6.5	2660	0.92	1.62	2.59	0.31	WH17236242
QV17-019	63.00	64.00	1.00	W674295	DUP W674294	<0.005	0.11	6.8	2590	1.06	2.6	2.97	0.31	WH17236242
QV17-019	64.00	65.00	1.00	W674296	HC	<0.005	0.04	2.9	3040	1.36	1.6	0.59	0.31	WH17236242
QV17-019	65.00	66.00	1.00	W674297	HC	<0.005	0.08	3.2	2790	1.09	3.36	0.96	0.27	WH17236242

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-019	66.00	67.50	1.50	W674298	HC	<0.005	0.08	7.5	2610	2	3.56	0.69	0.47	WH17236242
QV17-019	67.50	69.00	1.50	W674299	HC	<0.005	0.2	12.9	2310	0.78	2.46	1.16	0.27	WH17236242
QV17-019	69.00	70.50	1.50	W674300	HC	<0.005	0.05	6	1610	0.37	1.48	0.32	0.14	WH17236242
QV17-019	70.50	72.00	1.50	W674301	HC	<0.005	0.03	3.9	2220	0.5	1.45	0.19	0.13	WH17236242
QV17-019	72.00	73.50	1.50	W674302	HC	<0.005	0.02	1.7	2260	0.27	1.54	0.27	0.05	WH17236242
QV17-019	73.50	74.50	1.00	W674303	HC	0.007	0.09	3.5	2180	0.27	1.2	1.38	0.16	WH17236242
QV17-019	74.50	75.50	1.00	W674304	HC	0.4	3.51	2.3	2650	3.29	1.08	0.93	1.86	WH17236242
QV17-019				W674305	STD CDN GS-7F	6.76	0.72	14.8	490	0.47	15.15	9.15	0.25	WH17236242
QV17-019	75.50	76.50	1.00	W674306	HC	0.012	0.08	2.3	2190	0.21	0.4	1.32	0.07	WH17236242
QV17-019	76.50	77.50	1.00	W674307	HC	<0.005	0.05	4.5	2500	0.25	2.39	2.81	<0.05	WH17236242
QV17-019	77.50	78.50	1.00	W674308	HC	<0.005	0.02	3.2	2680	0.25	1.43	1.61	<0.05	WH17236242
QV17-019	78.50	79.50	1.00	W674309	HC	<0.005	0.04	3.7	1980	0.08	1.06	3.42	<0.05	WH17236242
QV17-019				W674310	BLK COARSE	<0.005	0.02	1.8	20	0.02	0.4	0.22	<0.05	WH17236242
QV17-019	79.50	81.00	1.50	W674311	HC	<0.005	0.04	3.4	2680	0.17	2.02	1.15	0.15	WH17236242
QV17-019	81.00	82.00	1.00	W674312	HC	0.025	0.19	2.8	2510	0.24	1.99	0.53	0.25	WH17236242
QV17-019	82.00	83.00	1.00	W674313	HC	<0.005	0.04	2.5	2020	0.12	6.94	0.95	<0.05	WH17236242
QV17-019	83.00	84.00	1.00	W674314	HC	<0.005	0.04	2.7	1800	0.19	2.25	0.96	0.06	WH17236242
QV17-019	83.00	84.00	1.00	W674315	DUP W674314	<0.005	0.02	1.7	1790	0.18	4.31	0.9	0.06	WH17236242
QV17-019	84.00	85.00	1.00	W674316	HC	<0.005	0.02	3.6	2130	0.2	1.33	0.42	0.1	WH17236242
QV17-019	85.00	86.00	1.00	W674317	HC	<0.005	0.02	2.7	2620	0.3	1.76	0.83	<0.05	WH17236242
QV17-019	86.00	87.00	1.00	W674318	HC	<0.005	0.05	4.7	2110	0.43	1.66	1.26	0.12	WH17236242
QV17-019	87.00	88.00	1.00	W674319	HC	<0.005	0.03	15.5	3560	0.69	1.94	16.1	0.16	WH17236242
QV17-019	88.00	89.00	1.00	W674320	HC	<0.005	0.03	9.9	1790	0.33	3.17	9.26	0.09	WH17236242
QV17-019	89.00	90.00	1.00	W674321	HC	<0.005	0.05	14.9	4810	0.41	6.52	14.9	0.07	WH17236242
QV17-019	90.00	91.10	1.10	W674322	HC	0.014	0.09	15.4	7710	0.15	17.75	26.5	0.06	WH17236242
QV17-019	91.10	92.70	1.60	W674323	HC	1.7	1.91	10.6	2740	0.15	23.1	6.73	1.4	WH17236242
QV17-019	92.70	93.80	1.10	W674324	HC	0.508	0.48	21.6	3420	0.13	18.8	12.4	0.44	WH17236242
QV17-019				W674325	STD CDN GS-1R	1.275	0.73	17	500	0.35	5.39	1.82	0.07	WH17236242
QV17-019	93.80	94.80	1.00	W674326	HC	0.033	0.07	18.3	3650	0.11	1.8	8.08	0.06	WH17236242
QV17-019	94.80	95.90	1.10	W674327	HC	0.009	0.05	16.4	2230	0.09	3.88	19.25	<0.05	WH17236242
QV17-019	95.90	97.00	1.10	W674328	HC	0.02	0.05	28.4	3690	0.15	4.47	9.15	0.08	WH17236242
QV17-019	97.00	98.00	1.00	W674329	HC	0.209	0.13	10	3360	0.1	1.68	11.5	0.17	WH17236242
QV17-019				W674330	BLK CDN BL-10	<0.005	0.13	1.7	630	0.23	3.47	0.57	<0.05	WH17236242

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-019	98.00	99.00	1.00	W674331	HC	0.94	0.46	7.1	720	0.14	3.24	19.05	0.69	WH17236242
QV17-019	99.00	100.00	1.00	W674332	HC	2.54	1.02	10.4	2510	0.18	5.04	15	0.73	WH17236242
QV17-019	100.00	101.00	1.00	W674333	HC	2.94	1.22	5.2	2690	0.45	53.4	14.5	1.4	WH17236242
QV17-019	101.00	102.00	1.00	W674334	HC	2.02	1.26	5.5	2640	0.31	18.05	15.1	1.83	WH17236242
QV17-019	101.00	102.00	1.00	W674335	DUP W674334	1.315	0.77	4.2	2130	0.17	7.13	15.5	1.1	WH17236242
QV17-019	102.00	103.00	1.00	W674336	HC	1.525	0.74	9.1	2550	0.23	10.6	23	1.06	WH17236242
QV17-019	103.00	104.00	1.00	W674337	HC	1.055	0.65	6.7	3010	0.22	8.67	20.6	1.02	WH17236242
QV17-019	104.00	104.70	0.70	W674338	HC	0.341	0.23	4.8	3190	0.09	6.55	9.07	0.33	WH17236242
QV17-019	104.70	105.50	0.80	W674339	HC	2.04	1.8	6.9	1980	0.22	8.55	13.95	1.64	WH17236242
QV17-019	105.50	106.60	1.10	W674340	HC	1.77	2.14	6.2	1920	0.98	232	12.4	2.93	WH17236242
QV17-019	106.60	107.70	1.10	W674341	HC	1.43	2.51	6.5	1600	0.27	24	8.99	2.11	WH17236242
QV17-019	107.70	108.80	1.10	W674342	HC	4.13	3.91	8.7	760	0.99	159	9.5	3.51	WH17236242
QV17-019	108.80	110.10	1.30	W674343	HC	0.833	0.34	3.5	550	0.11	6.21	25.4	0.56	WH17236242
QV17-019	110.10	111.00	0.90	W674344	HC	1.965	1.46	6.5	1610	0.14	2.74	20.3	2.6	WH17236242
QV17-019				W674345	STD CDN GS-7F	7.11	0.78	14.3	510	0.48	14.55	8.81	0.29	WH17236242
QV17-019	111.00	112.00	1.00	W674346	HC	1.415	0.76	9.3	2880	0.16	3.22	26.9	1.3	WH17236242
QV17-019	112.00	113.00	1.00	W674347	HC	0.516	0.35	10.9	3450	0.07	4.85	27.7	0.36	WH17236242
QV17-019	113.00	114.00	1.00	W674348	HC	1.44	0.5	4.4	1440	0.74	175	15.6	1.03	WH17236242
QV17-019	114.00	115.00	1.00	W674349	HC	1.51	0.72	10.1	2950	0.22	11.8	19.6	1.09	WH17236242
QV17-019				W674350	BLK COARSE	<0.005	0.01	0.7	50	0.03	0.58	0.28	<0.05	WH17236242
QV17-019	115.00	116.00	1.00	W674351	HC	1.84	0.49	8.3	3300	0.2	3.04	26.6	0.83	WH17236242
QV17-019	116.00	117.00	1.00	W674352	HC	1.525	0.72	7.8	4030	0.79	26.2	22.7	0.58	WH17236242
QV17-019	117.00	118.00	1.00	W674353	HC	0.978	0.54	18.3	3250	0.19	12.4	47.1	0.44	WH17236242
QV17-019	118.00	119.00	1.00	W674354	HC	1.425	1.11	13.7	3570	0.21	3.99	30.8	1.29	WH17236242
QV17-019	118.00	119.00	1.00	W674355	DUP W674356	1.195	0.85	11.7	3590	0.19	5.58	31.7	1.25	WH17236242
QV17-019	119.00	120.00	1.00	W674356	HC	1.35	0.8	4.4	1760	0.28	4.05	23.9	1.23	WH17236242
QV17-019	120.00	121.00	1.00	W674357	HC	1.385	1.02	8	2820	0.29	5.65	18.35	1.49	WH17236242
QV17-019	121.00	122.00	1.00	W674358	HC	1.64	1.53	18.7	1450	0.61	28.3	20.8	2.04	WH17236242
QV17-019	122.00	123.00	1.00	W674359	HC	1.315	0.93	7.1	3120	0.16	3.03	20.8	1.54	WH17236242
QV17-019	123.00	124.00	1.00	W674360	HC	0.931	0.53	4.7	3000	0.11	2.27	8.76	0.82	WH17236242
QV17-019	124.00	125.00	1.00	W674361	HC	0.601	0.39	5.2	4230	0.08	2.14	7.51	0.43	WH17236242
QV17-019	125.00	126.00	1.00	W674362	HC	1.755	1.05	5.9	2250	0.19	6.58	10.1	1.4	WH17236242
QV17-019	126.00	127.00	1.00	W674363	HC	1.745	1.41	4.6	1330	0.23	15.9	7.53	1.83	WH17236242

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-019	127.00	128.00	1.00	W674364	HC	0.521	0.34	6.1	2900	0.07	1.69	8.16	0.42	WH17236242
QV17-019				W674365	STD CDN GS-1R	1.25	1.34	22.5	530	0.31	5.5	1.78	0.05	WH17236242
QV17-019	128.00	129.10	1.10	W674366	HC	0.197	0.18	11.4	5200	0.05	0.98	19.25	0.09	WH17236242
QV17-019	129.10	130.20	1.10	W674367	HC	0.439	0.27	10.8	3790	0.08	4.64	20.3	0.23	WH17236242
QV17-019	130.20	131.20	1.00	W674368	HC	1.685	3.66	3.6	1060	2.32	452	11.35	3.41	WH17236242
QV17-019	131.20	132.20	1.00	W674369	HC	2.19	1.34	3.8	2080	0.31	28.4	7.74	0.75	WH17236242
QV17-019				W674370	BLK CDN BL-10	<0.005	0.12	1.2	620	0.31	2.51	0.59	<0.05	WH17236242
QV17-019	132.20	133.20	1.00	W674371	HC	1.48	0.89	5.1	2450	0.58	99.9	8.64	0.79	WH17236242
QV17-019	133.20	134.20	1.00	W674372	HC	2.35	1.33	3.1	1540	0.64	131	6.97	0.95	WH17236242
QV17-019	134.20	135.20	1.00	W674373	HC	1.55	0.69	3.6	2930	0.49	80.3	9.35	0.73	WH17236242
QV17-019	135.20	136.20	1.00	W674374	HC	2.76	1.23	1.8	780	0.34	52.1	2.86	0.9	WH17236242
QV17-019	135.20	136.20	1.00	W674375	DUP W674374	2.3	1.39	1.4	820	0.37	50.7	3.18	0.93	WH17236242
QV17-019	136.20	137.20	1.00	W674376	HC	0.313	0.16	2.9	5870	0.06	3.48	7.92	0.14	WH17236242
QV17-019	137.20	138.20	1.00	W674377	HC	2.88	1.59	3.3	930	1.46	426	5.31	1.74	WH17236242
QV17-019	138.20	139.20	1.00	W674378	HC	1.575	2.88	4.4	1830	1.55	364	20.5	2.32	WH17236242
QV17-019	139.20	140.20	1.00	W674379	HC	1.075	1.62	2.6	1380	1.61	438	3.66	1.48	WH17236242
QV17-019	140.20	141.20	1.00	W674380	HC	0.986	0.79	2.1	1660	0.42	92	1.66	0.63	WH17236242
QV17-019	141.20	142.20	1.00	W674381	HC	1.355	1.14	2.1	1440	0.58	114.5	2	0.92	WH17236242
QV17-019	142.20	143.20	1.00	W674382	HC	0.856	1.03	2.4	1170	0.91	216	2.08	1.12	WH17236242
QV17-019	143.20	144.20	1.00	W674383	HC	1.51	1.7	3.2	1690	1.07	163	5.77	1.53	WH17236242
QV17-019	144.20	145.20	1.00	W674384	HC	2.68	4.88	12.1	1640	5.66	1385	30.9	7.72	WH17236242
QV17-019				W674385	STD CDN GS-7F	6.6	0.93	13.2	510	0.47	15.25	8.77	0.31	WH17236242
QV17-019	145.20	146.20	1.00	W674386	HC	1.205	1.27	3.6	1790	1.3	186	5.31	1.34	WH17236242
QV17-019	146.20	147.20	1.00	W674387	HC	1.275	0.27	4.2	1710	0.17	7.56	9.12	0.22	WH17236242
QV17-019	147.20	148.20	1.00	W674388	HC	0.717	0.51	4	2010	0.26	11.85	7.19	0.38	WH17236242
QV17-019	148.20	149.20	1.00	W674389	HC	0.891	0.59	6.4	600	0.25	3.76	12.15	0.41	WH17236242
QV17-019				W674390	BLK COARSE	<0.005	0.01	0.9	20	0.03	0.46	0.24	<0.05	WH17236242
QV17-019	149.20	150.20	1.00	W674391	HC	0.097	0.2	10.2	970	0.08	1.47	18.75	0.16	WH17236242
QV17-019	150.20	151.50	1.30	W674392	HC	0.042	0.08	9.4	2280	0.05	1.72	9.17	0.09	WH17236242
QV17-019	151.50	153.00	1.50	W674393	HC	0.021	0.04	7.7	1610	0.05	1.26	6.23	0.06	WH17236242
QV17-019	153.00	154.50	1.50	W674394	HC	0.023	0.29	13	1320	0.04	5	9.98	0.08	WH17236242
QV17-019	153.00	154.50	1.50	W674395	DUP W674394	0.049	0.21	11.9	1190	0.04	9.41	8.09	0.06	WH17236242
QV17-019	154.50	156.00	1.50	W674396	HC	0.112	0.36	11	880	0.05	1.74	5.23	0.2	WH17236242

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-019	156.00	157.50	1.50	W674397	HC	0.561	1.63	10.1	630	0.13	6.35	5.51	1.11	WH17236242
QV17-019	157.50	158.50	1.00	W674398	HC	0.078	0.08	4.6	1470	0.03	1.57	3.17	0.08	WH17232210
QV17-019	158.50	159.50	1.00	W674399	HC	0.019	0.04	6.5	2170	0.04	1.32	4.07	0.08	WH17232210
QV17-019	159.50	160.50	1.00	W674400	HC	0.066	0.08	4.7	840	0.03	0.78	3.54	0.08	WH17232210
QV17-019	160.50	162.00	1.50	W674401	HC	0.009	0.02	3.7	770	0.05	0.81	1.76	<0.05	WH17232210
QV17-019	162.00	163.50	1.50	W674402	HC	0.045	0.1	3	820	0.03	0.89	1.75	0.12	WH17232210
QV17-019	163.50	165.00	1.50	W674403	HC	0.105	0.38	4.7	660	0.03	1.8	3.06	0.24	WH17232210
QV17-019	165.00	166.00	1.00	W674404	HC	0.033	0.04	10.9	560	0.04	4.54	4.61	0.06	WH17232210
QV17-019				W674405	STD CDN GS-1R	1.13	0.63	20.2	520	0.29	5.31	1.8	0.07	WH17232210
QV17-019	166.00	167.00	1.00	W674406	HC	0.026	19.45	22.8	900	0.06	1.09	10.2	0.08	WH17232210
QV17-019	167.00	168.00	1.00	W674407	HC	0.041	0.23	50.1	550	0.04	7.09	17.55	<0.05	WH17232210
QV17-019	168.00	169.00	1.00	W674408	HC	0.035	0.15	32.5	680	0.03	1.93	11.35	0.05	WH17232210
QV17-019	169.00	170.00	1.00	W674409	HC	0.032	0.1	18	660	0.04	7.81	22.6	0.05	WH17232210
QV17-019				W674410	BLK CDN BL-10	<0.005	0.1	1.9	670	0.26	3.08	0.68	<0.05	WH17232210
QV17-019	170.00	171.30	1.30	W674411	HC	0.031	0.09	31.7	2660	0.04	2.08	13.55	0.06	WH17232210
QV17-019	171.30	172.60	1.30	W674412	HC	0.066	0.19	13.5	3780	0.1	4.31	24	0.1	WH17232210
QV17-019	172.60	173.70	1.10	W674413	HC	0.29	0.38	9	2200	0.09	2.67	21.6	0.33	WH17232210
QV17-019	173.70	174.70	1.00	W674414	HC	0.059	1085	10.8	2340	0.08	1.52	16.65	0.08	WH17232210
QV17-019	173.70	174.70	1.00	W674415	DUP W674414	0.096	4550	15.6	4820	0.17	4.62	19.45	0.08	WH17232210
QV17-019	174.70	175.70	1.00	W674416	HC	0.144	5.29	8.7	5360	0.17	2.57	20.6	0.06	WH17232210
QV17-019	175.70	177.00	1.30	W674417	HC	0.085	0.35	10.3	4880	0.05	0.66	22.8	0.05	WH17232210
QV17-019	177.00	178.00	1.00	W674418	HC	0.08	0.15	7	1400	0.09	0.3	12.95	0.05	WH17232210
QV17-019	178.00	179.00	1.00	W674419	HC	0.311	0.22	4.1	700	0.1	0.59	8.28	0.12	WH17232210
QV17-019	179.00	180.00	1.00	W674420	HC	0.036	0.08	2.6	1200	0.04	0.15	6.23	0.05	WH17232210
QV17-019	180.00	181.00	1.00	W674421	HC	0.117	0.06	3.4	4020	0.03	0.27	11.3	0.05	WH17232210
QV17-019	181.00	182.00	1.00	W674422	HC	0.012	0.12	3.1	2200	0.02	0.3	7.12	<0.05	WH17232210
QV17-019	182.00	183.00	1.00	W674423	HC	0.008	0.07	4.6	1190	0.02	0.59	7.38	<0.05	WH17232210
QV17-019	183.00	184.00	1.00	W674424	HC	0.058	0.3	4.5	1730	0.11	5.95	9.13	0.22	WH17232210
QV17-019				W674425	STD CDN GS-7F	6.89	0.95	13.8	490	0.46	15.2	8.53	0.31	WH17232210
QV17-019	184.00	185.25	1.25	W674426	HC	0.084	0.24	3.3	2890	0.11	1.36	7.82	0.15	WH17232210
QV17-019	185.25	186.50	1.25	W674427	HC	0.205	0.22	3.5	3610	0.09	0.87	16.8	0.21	WH17232210
QV17-019	186.50	187.50	1.00	W674428	HC	0.161	0.12	4.9	2880	0.05	1.12	20.2	0.15	WH17232210
QV17-019	187.50	189.00	1.50	W674429	HC	0.138	0.14	5.3	3010	0.16	7.66	13.85	0.17	WH17232210

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-019				W674430	BLK COARSE	<0.005	0.02	1.8	30	0.02	0.45	0.33	<0.05	WH17232210
QV17-019	189.00	190.50	1.50	W674431	HC	0.078	0.05	3.7	3020	0.05	0.57	5.09	0.2	WH17232210
QV17-019	190.50	192.00	1.50	W674432	HC	0.077	0.05	4.9	>10000	0.06	0.61	11.5	0.11	WH17232210
QV17-019	192.00	193.00	1.00	W674433	HC	0.081	0.05	5.8	5370	0.09	2.8	18.05	0.11	WH17232210
QV17-019	193.00	194.00	1.00	W674434	HC	0.305	0.22	6.9	2290	0.31	24.4	21.5	0.32	WH17232210
QV17-019	193.00	194.00	1.00	W674435	DUP W674434	0.17	0.19	6.6	2080	0.23	18.7	23.6	0.25	WH17232210
QV17-019	194.00	195.00	1.00	W674436	HC	0.012	0.07	5.1	3130	0.23	1.22	8.88	0.07	WH17232210
QV17-019	195.00	196.00	1.00	W674437	HC	0.009	0.04	6.7	2780	0.23	1.48	10	<0.05	WH17232210
QV17-019	196.00	197.00	1.00	W674438	HC	0.019	0.03	5.4	3230	0.08	0.36	5.75	<0.05	WH17232210
QV17-019	197.00	198.00	1.00	W674439	HC	0.005	0.04	5.3	3260	0.08	0.71	9.51	0.09	WH17232210
QV17-019	198.00	199.00	1.00	W674440	HC	<0.005	0.02	4.5	4910	0.09	0.81	8.25	<0.05	WH17232210
QV17-019	199.00	200.40	1.40	W674441	HC	<0.005	0.02	4.1	3640	0.11	1.15	11.05	<0.05	WH17232210
QV17-019	200.40	201.80	1.40	W674442	HC	0.007	0.1	6.7	5350	0.48	2.13	21.7	0.08	WH17232210
QV17-019	201.80	202.80	1.00	W674443	HC	<0.005	0.03	2.6	3560	0.22	1.13	5.61	<0.05	WH17232210
QV17-019	202.80	204.00	1.20	W674444	HC	0.011	0.05	7.1	6710	0.57	0.49	11.65	0.06	WH17232210
QV17-019				W674445	STD CDN GS-1R	1.19	0.93	18.6	510	0.3	5.46	1.8	0.07	WH17232210
QV17-019	204.00	205.00	1.00	W674446	HC	0.008	0.04	5.7	6140	0.18	2.54	12.75	0.07	WH17232210
QV17-019	205.00	206.00	1.00	W674447	HC	0.007	0.04	2.5	2820	0.08	2.34	10.75	<0.05	WH17232210
QV17-019	206.00	207.00	1.00	W674448	HC	0.022	0.09	2.3	3590	0.14	12.75	7.07	0.11	WH17232210
QV17-019	207.00	208.00	1.00	W674449	HC	0.021	0.05	2.8	2970	0.22	0.51	5.21	0.06	WH17232210
QV17-019				W674450	BLK CDN BL-10	<0.005	0.1	1.8	630	0.23	2.42	0.56	<0.05	WH17232210
QV17-019	208.00	209.00	1.00	W674451	HC	<0.005	0.02	2.4	3570	0.13	0.81	4.65	<0.05	WH17232210
QV17-019	209.00	210.00	1.00	W674452	HC	0.021	0.08	3.2	800	0.16	0.3	4.55	0.11	WH17232210
QV17-019	210.00	211.10	1.10	W674453	HC	0.027	0.06	2.6	470	0.18	0.52	8.81	0.1	WH17232210
QV17-019	211.10	212.20	1.10	W674454	HC	<0.005	0.01	1.8	2920	0.12	0.41	9.04	<0.05	WH17232210
QV17-019	211.10	212.20	1.10	W674455	DUP W674454	<0.005	0.01	1.6	3220	0.11	0.62	8.16	<0.05	WH17232210
QV17-019	212.20	213.20	1.00	W674456	HC	0.009	0.03	4.4	7720	0.21	0.48	10.5	0.07	WH17232210
QV17-019	213.20	214.20	1.00	W674457	HC	<0.005	<0.01	2.8	3070	0.17	0.82	7.32	<0.05	WH17232210
QV17-019	214.20	215.20	1.00	W674458	HC	<0.005	0.02	3.2	2790	0.2	0.48	8.67	<0.05	WH17232210
QV17-019	215.20	216.20	1.00	W674459	HC	0.032	0.05	3.2	3090	0.21	2	17.55	0.24	WH17232210
QV17-019	216.20	217.20	1.00	W674460	HC	0.147	0.14	3.7	2350	0.27	0.61	22.5	0.2	WH17232210
QV17-019	217.20	218.20	1.00	W674461	HC	2.58	1.6	9.8	1600	0.31	0.91	44.2	0.41	WH17232210
QV17-019	218.20	219.20	1.00	W674462	HC	0.052	0.04	6	2360	0.08	1.6	26	<0.05	WH17232210

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-019	219.20	220.30	1.10	W674463	HC	0.188	0.02	4.4	2300	0.06	0.48	44	0.07	WH17232210
QV17-019	220.30	221.30	1.00	W674464	HC	0.15	0.03	4.7	7400	0.05	0.24	36.1	0.12	WH17232210
QV17-019				W674465	STD CDN GS-7F	6.91	0.95	13	500	0.48	13.85	8.52	0.27	WH17232210
QV17-019	221.30	222.50	1.20	W674466	HC	0.025	0.02	3.5	3860	0.03	0.52	36.9	<0.05	WH17232210
QV17-019	222.50	223.80	1.30	W674467	HC	<0.005	<0.01	8.7	1530	0.05	0.66	50.3	<0.05	WH17232210
QV17-019	223.80	225.00	1.20	W674468	HC	<0.005	0.01	10.5	1970	0.08	2.47	60.8	<0.05	WH17232210
QV17-019	225.00	226.00	1.00	W674469	HC	<0.005	0.01	7	1300	0.04	1.37	15.3	<0.05	WH17232210
QV17-019				W674470	BLK COARSE	<0.005	0.01	1.5	30	0.02	0.39	0.48	<0.05	WH17232210
QV17-019	226.00	227.00	1.00	W674471	HC	0.011	0.1	5.5	2670	0.09	0.44	28.2	0.1	WH17232210
QV17-019	227.00	228.00	1.00	W674472	HC	<0.005	0.04	2.9	3450	0.04	0.24	26.9	<0.05	WH17232210
QV17-019	228.00	229.00	1.00	W674473	HC	0.033	0.87	7.5	4470	0.81	0.99	73.3	0.15	WH17232210
QV17-019	229.00	230.00	1.00	W674474	HC	<0.005	0.06	7.6	1390	0.17	27.3	31.2	<0.05	WH17232210
QV17-019	229.00	230.00	1.00	W674475	DUP W674474	0.007	0.08	7	1640	0.21	47.9	32.8	0.07	WH17232210
QV17-019	230.00	231.00	1.00	W674476	HC	0.012	0.06	6.5	2790	0.13	2.74	41.5	0.09	WH17232210
QV17-019	231.00	232.00	1.00	W674477	HC	0.033	0.15	6.6	2270	0.29	1.17	80.7	0.12	WH17232210
QV17-019	232.00	233.00	1.00	W674478	HC	0.012	0.1	5.2	5370	0.21	2.25	57.6	0.1	WH17232210
QV17-019	233.00	234.00	1.00	W674479	HC	0.08	0.18	7.7	4160	0.22	9.56	44.7	0.16	WH17232210
QV17-019	234.00	235.40	1.40	W674480	HC	0.089	0.1	5.5	3240	0.09	0.48	7.94	0.13	WH17232210
QV17-019	235.40	236.50	1.10	W674481	HC	0.013	0.06	5.2	1240	0.78	74	5.64	0.09	WH17232210
QV17-019	236.50	238.00	1.50	W674482	HC	<0.005	0.06	4.8	2160	0.67	25.2	4.52	0.07	WH17232210
QV17-019	238.00	239.50	1.50	W674483	HC	0.007	0.06	3.9	890	0.3	15.55	2.49	0.06	WH17232210
QV17-019	239.50	241.00	1.50	W674484	HC	0.021	0.13	3	890	0.31	25.4	1.63	0.1	WH17232210
QV17-019				W674485	STD CDN GS-1R	1.205	0.66	20.5	500	0.32	6.51	1.87	0.06	WH17232210
QV17-019	241.00	242.50	1.50	W674486	HC	0.016	0.03	3	1050	0.24	23.3	4.13	<0.05	WH17232210
QV17-019	242.50	244.00	1.50	W674487	HC	0.046	0.06	5.6	1420	0.24	56.9	6.55	0.09	WH17232210
QV17-020	4.00	5.00	1.00	W674488	HC	0.005	0.06	1.4	3420	0.42	1.01	1	0.17	WH17230986
QV17-020	5.00	6.00	1.00	W674489	HC	<0.005	0.03	1.6	2780	0.29	1.3	0.85	0.1	WH17230986
QV17-020				W674490	BLK CDN BL-10	0.01	0.11	1.3	630	0.23	2.94	0.51	<0.05	WH17230986
QV17-020	6.00	7.00	1.00	W674491	HC	<0.005	0.01	0.9	2590	0.11	0.92	0.91	<0.05	WH17230986
QV17-020	7.00	8.00	1.00	W674492	HC	0.006	0.04	1.6	2600	0.3	0.68	0.2	0.05	WH17230986
QV17-020	8.00	9.00	1.00	W674493	HC	<0.005	0.03	2.7	1760	0.32	1.05	0.12	0.07	WH17230986
QV17-020	9.00	10.00	1.00	W674494	HC	<0.005	0.03	2.6	1940	0.39	1.8	0.18	0.1	WH17230986
QV17-020	9.00	10.00	1.00	W674495	DUP W674494	<0.005	0.04	1.9	1910	0.38	1.65	0.14	0.14	WH17230986

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-020	10.00	11.00	1.00	W674496	HC	<0.005	0.02	1.5	1710	0.42	0.75	0.13	0.09	WH17230986
QV17-020	11.00	12.00	1.00	W674497	HC	<0.005	0.04	1.9	2130	0.22	0.87	0.14	0.09	WH17230986
QV17-020	12.00	13.00	1.00	W674498	HC	<0.005	0.02	0.8	2040	0.48	1.18	0.16	0.09	WH17230986
QV17-020	13.00	14.00	1.00	W674499	HC	<0.005	0.02	0.5	2510	0.34	3.74	0.11	0.07	WH17230986
QV17-020	29.00	30.50	1.50	W674500	HC	<0.005	0.05	0.7	2690	0.32	1.24	0.13	0.11	WH17230986
QV17-020	30.50	31.30	0.80	W674501	HC	<0.005	0.05	0.8	1740	0.47	0.79	0.43	0.07	WH17230986
QV17-020	31.30	32.10	0.80	W674502	HC	<0.005	0.02	0.5	750	0.17	0.7	0.5	0.05	WH17230986
QV17-020	32.10	33.00	0.90	W674503	HC	<0.005	0.04	0.6	1190	0.31	0.78	0.61	0.09	WH17230986
QV17-020	33.00	34.00	1.00	W674504	HC	<0.005	0.87	2.7	2480	0.43	4.96	2.53	0.17	WH17230986
QV17-020				W674505	STD CDN GS-7F	6.87	0.73	13.9	490	0.46	13.7	8.76	0.26	WH17230986
QV17-020	34.00	35.00	1.00	W674506	HC	0.007	0.04	0.7	2290	0.16	1.85	0.35	<0.05	WH17230986
QV17-020	35.00	36.00	1.00	W674507	HC	<0.005	0.03	0.4	2150	0.13	0.91	0.13	<0.05	WH17230986
QV17-020	36.00	37.00	1.00	W674508	HC	<0.005	0.04	1.5	1970	0.32	1.13	0.13	0.05	WH17230986
QV17-020	37.00	38.00	1.00	W674509	HC	<0.005	0.07	1	2080	0.7	0.93	0.13	0.05	WH17230986
QV17-020				W674510	BLK COARSE	<0.005	0.01	0.6	20	0.04	0.32	0.23	<0.05	WH17230986
QV17-020	38.00	39.50	1.50	W674511	HC	<0.005	0.02	1.3	1930	0.22	0.92	0.14	0.06	WH17230986
QV17-020	39.50	41.00	1.50	W674512	HC	<0.005	0.03	0.3	2870	0.28	0.7	0.23	<0.05	WH17230986
QV17-020	41.00	42.50	1.50	W674513	HC	<0.005	0.03	1	2050	0.23	1.01	0.13	0.07	WH17230986
QV17-020	42.50	43.80	1.30	W674514	HC	<0.005	0.04	0.6	2360	0.28	0.88	0.1	<0.05	WH17230986
QV17-020	42.50	43.80	1.30	W674515	DUP W674514	<0.005	0.03	0.6	2410	0.2	1.04	0.09	<0.05	WH17230986
QV17-020	43.80	44.80	1.00	W674516	HC	<0.005	0.04	0.5	2730	0.14	1.06	0.08	0.06	WH17230986
QV17-020	44.80	46.00	1.20	W674517	HC	<0.005	0.04	<0.2	1790	0.23	0.93	0.13	<0.05	WH17230986
QV17-020	46.00	47.50	1.50	W674518	HC	<0.005	0.05	0.7	2270	0.21	1.09	0.12	<0.05	WH17230986
QV17-020	47.50	49.00	1.50	W674519	HC	<0.005	0.05	0.9	2310	0.21	2.34	0.12	<0.05	WH17230986
QV17-020	49.00	50.50	1.50	W674520	HC	<0.005	0.05	2.2	2560	0.17	1.65	0.1	<0.05	WH17230986
QV17-020	50.50	51.50	1.00	W674521	HC	<0.005	0.04	0.7	1830	0.14	0.85	0.13	<0.05	WH17230986
QV17-020	51.50	53.00	1.50	W674522	HC	<0.005	0.04	0.4	2010	0.17	0.87	0.14	<0.05	WH17230986
QV17-020	53.00	54.50	1.50	W674523	HC	<0.005	0.03	0.5	1860	0.11	0.99	0.11	<0.05	WH17230986
QV17-020	54.50	55.50	1.00	W674524	HC	<0.005	0.04	0.2	2550	0.11	1.41	0.1	<0.05	WH17230986
QV17-020				W674525	STD CDN GS-1R	1.265	0.78	20.7	530	0.29	5.82	1.82	0.05	WH17230986
QV17-020	55.50	57.00	1.50	W674526	HC	<0.005	0.04	1.1	2960	0.13	1.45	0.21	<0.05	WH17230986
QV17-020	57.00	58.50	1.50	W674527	HC	<0.005	0.01	0.3	2060	0.15	1.25	0.13	<0.05	WH17230986
QV17-020	58.50	59.60	1.10	W674528	HC	<0.005	0.03	0.8	2680	0.08	1.99	0.11	<0.05	WH17230986

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-020	59.60	61.00	1.40	W674529	HC	<0.005	0.03	1.2	1750	0.14	2.31	0.19	0.05	WH17230986
QV17-020				W674530	BLK CDN BL-10	<0.005	0.13	1.6	670	0.25	3.54	0.78	<0.05	WH17230986
QV17-020	61.00	62.00	1.00	W674531	HC	<0.005	0.03	3.1	2300	0.09	1.64	0.2	<0.05	WH17230986
QV17-020	62.00	63.00	1.00	W674532	HC	<0.005	0.03	4	1870	0.12	3.02	0.3	<0.05	WH17230986
QV17-020	63.00	64.00	1.00	W674533	HC	<0.005	0.02	4.8	1850	0.17	2.33	0.9	<0.05	WH17230986
QV17-020	64.00	65.00	1.00	W674534	HC	<0.005	0.03	1.5	1970	0.19	5.45	0.55	<0.05	WH17230986
QV17-020	64.00	65.00	1.00	W674535	DUP W674534	<0.005	0.05	1.5	1860	0.19	5.45	0.62	0.07	WH17230986
QV17-020	65.00	65.70	0.70	W674536	HC	0.135	0.07	2.4	2330	0.06	11.95	1.53	0.07	WH17230986
QV17-020	65.70	66.60	0.90	W674537	HC	<0.005	0.04	2.3	2310	0.1	2.25	2.03	<0.05	WH17230986
QV17-020	66.60	67.50	0.90	W674538	HC	<0.005	0.02	9.1	4960	0.05	4.41	2.03	<0.05	WH17230986
QV17-020	67.50	68.50	1.00	W674539	HC	<0.005	0.04	6.2	2250	0.07	2.92	3.79	0.05	WH17230986
QV17-020	68.50	69.60	1.10	W674540	HC	<0.005	0.03	4.6	700	0.07	7.05	3.36	<0.05	WH17230986
QV17-020	69.60	70.47	0.87	W674541	HC	<0.005	0.02	7.2	1170	0.11	1.28	4.22	<0.05	WH17230986
QV17-021	4.00	5.50	1.50	W674542	HC	<0.005	0.06	3.5	2940	0.43	0.98	0.99	0.2	WH17230982
QV17-021	5.50	6.50	1.00	W674543	HC	<0.005	0.03	3.5	2520	0.08	0.76	2	<0.05	WH17230982
QV17-021	6.50	7.50	1.00	W674544	HC	<0.005	0.03	2.6	3910	0.05	1.33	2.02	<0.05	WH17230982
QV17-021				W674545	STD CDN GS-7F	6.92	0.74	15.3	480	0.47	14.75	8.81	0.27	WH17230982
QV17-021	7.50	8.50	1.00	W674546	HC	0.009	0.05	2.2	1950	0.16	2.11	1.57	0.07	WH17230982
QV17-021	8.50	9.50	1.00	W674547	HC	<0.005	0.04	1.8	1990	0.17	1.06	1.21	0.05	WH17230982
QV17-021	9.50	10.50	1.00	W674548	HC	<0.005	0.04	1.9	2200	0.24	1.41	0.78	0.1	WH17230982
QV17-021	10.50	12.00	1.50	W674549	HC	0.005	0.04	1.6	2100	0.27	1.16	0.41	0.09	WH17230982
QV17-021				W674550	BLK COARSE	<0.005	0.01	0.4	20	0.04	0.24	0.23	<0.05	WH17230982
QV17-021	12.00	13.50	1.50	W674551	HC	<0.005	0.03	0.9	2170	0.31	1.51	0.43	0.1	WH17230982
QV17-021	13.50	15.00	1.50	W674552	HC	<0.005	0.07	3.1	2350	4.16	1.56	1.04	2.46	WH17230982
QV17-021	15.00	16.50	1.50	W674553	HC	<0.005	0.05	2.2	2300	0.55	1.01	0.22	0.31	WH17230982
QV17-021	16.50	18.00	1.50	W674554	HC	<0.005	0.03	1.9	2290	0.32	1.29	0.19	0.13	WH17230982
QV17-021	18.00	19.00	1.00	W674555	DUP W674556	<0.005	0.04	1.6	2120	0.34	2.46	0.13	0.09	WH17230982
QV17-021	18.00	19.00	1.00	W674556	HC	<0.005	0.04	1.5	2130	0.35	2.58	0.16	0.09	WH17230982
QV17-021	19.00	20.50	1.50	W674557	HC	<0.005	0.03	2.2	2140	0.55	1.01	0.16	0.27	WH17230982
QV17-021	20.50	22.00	1.50	W674558	HC	<0.005	0.03	1.2	2410	0.39	0.66	0.12	0.18	WH17230982
QV17-021	22.00	23.50	1.50	W674559	HC	<0.005	0.04	0.5	2820	0.39	0.83	0.16	0.17	WH17230982
QV17-021	23.50	24.50	1.00	W674560	HC	<0.005	0.03	0.8	2670	0.18	1.1	0.49	0.07	WH17230982
QV17-021	24.50	25.50	1.00	W674561	HC	<0.005	0.01	0.8	2380	0.12	0.81	0.43	<0.05	WH17230982

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-021	25.50	27.00	1.50	W674562	HC	<0.005	0.03	1.1	2850	0.18	0.96	0.28	0.09	WH17230982
QV17-021	27.00	28.50	1.50	W674563	HC	<0.005	0.02	1.4	3140	0.37	1.01	0.76	0.1	WH17230982
QV17-021	28.50	30.00	1.50	W674564	HC	<0.005	0.02	1.5	1520	0.86	3.92	0.21	0.23	WH17230982
QV17-021				W674565	STD CDN GS-1R	1.145	0.58	21.7	500	0.3	5.16	1.74	0.06	WH17230982
QV17-021	30.00	31.50	1.50	W674566	HC	<0.005	0.01	0.8	1640	0.44	1.15	0.3	0.15	WH17230982
QV17-021	31.50	33.00	1.50	W674567	HC	<0.005	0.02	5.5	1730	0.58	2.19	0.49	0.29	WH17230982
QV17-021	33.00	34.00	1.00	W674568	HC	<0.005	0.12	3.5	1670	1.58	2.13	0.64	0.42	WH17230982
QV17-021	34.00	35.00	1.00	W674569	HC	<0.005	0.02	2.1	1500	0.37	2.47	0.47	0.06	WH17230982
QV17-021				W674570	BLK CDN BL-10	<0.005	0.09	1.3	630	0.24	2.61	0.48	<0.05	WH17230982
QV17-021	35.00	36.00	1.00	W674571	HC	<0.005	0.04	1	2220	0.2	1.7	0.51	0.05	WH17230982
QV17-021	36.00	37.00	1.00	W674572	HC	0.012	0.05	1.3	2060	0.27	1.86	0.71	0.08	WH17230982
QV17-021	37.00	38.00	1.00	W674573	HC	<0.005	0.01	1.2	2610	0.1	2.05	0.72	<0.05	WH17230982
QV17-021	38.00	39.00	1.00	W674574	HC	<0.005	0.01	0.7	2630	0.21	1.66	0.26	0.05	WH17230982
QV17-021	38.00	39.00	1.00	W674575	DUP W674574	<0.005	0.02	0.9	2600	0.21	1.89	0.32	<0.05	WH17230982
QV17-021	39.00	40.00	1.00	W674576	HC	<0.005	0.01	0.8	1900	0.1	1.62	0.31	0.08	WH17230982
QV17-021	40.00	41.00	1.00	W674577	HC	<0.005	0.02	0.9	>10000	0.07	1.06	0.58	<0.05	WH17230982
QV17-021	41.00	42.00	1.00	W674578	HC	<0.005	0.02	0.6	2370	0.18	1.61	0.38	0.06	WH17230982
QV17-021	42.00	43.50	1.50	W674579	HC	0.005	0.02	1	2630	0.19	1.65	0.15	0.07	WH17230982
QV17-021	43.50	45.00	1.50	W674580	HC	<0.005	0.03	0.7	2140	0.17	1.5	0.11	0.06	WH17230982
QV17-021	45.00	46.50	1.50	W674581	HC	<0.005	0.02	1.5	2260	0.23	1.35	0.05	0.08	WH17230982
QV17-021	46.50	48.00	1.50	W674582	HC	<0.005	0.05	7.1	2560	0.18	2.75	0.05	0.09	WH17230982
QV17-021	48.00	49.50	1.50	W674583	HC	<0.005	0.05	1.3	1900	0.2	0.93	0.08	<0.05	WH17230982
QV17-021	49.50	51.00	1.50	W674584	HC	<0.005	0.03	2.3	1980	0.13	1.18	0.08	<0.05	WH17230982
QV17-021				W674585	STD CDN GS-7F	7.09	0.79	15	490	0.48	15.15	9.1	0.26	WH17230982
QV17-021	51.00	52.50	1.50	W674586	HC	<0.005	0.01	0.8	2230	0.14	1.44	0.09	0.05	WH17230982
QV17-021	52.50	54.00	1.50	W674587	HC	<0.005	0.02	2	2340	0.15	1.62	0.07	0.06	WH17230982
QV17-021	54.00	55.50	1.50	W674588	HC	<0.005	<0.01	0.8	1990	0.17	1.38	0.06	<0.05	WH17230982
QV17-021	55.50	56.50	1.00	W674589	HC	<0.005	0.01	0.7	2570	0.07	1.43	<0.05	<0.05	WH17230982
QV17-021				W674590	BLK COARSE	<0.005	<0.01	1	40	0.02	0.32	0.13	<0.05	WH17230982
QV17-021	56.50	57.50	1.00	W674591	HC	<0.005	0.01	0.7	2590	0.1	1.3	<0.05	<0.05	WH17230982
QV17-021	57.50	58.50	1.00	W674592	HC	<0.005	0.01	0.8	2210	0.1	2.05	<0.05	<0.05	WH17230982
QV17-021	58.50	59.50	1.00	W674593	HC	<0.005	0.01	1.6	2100	0.09	1.51	0.14	<0.05	WH17230982
QV17-021	59.50	60.40	0.90	W674594	HC	<0.005	0.03	1.4	2710	0.08	1.12	0.12	<0.05	WH17230982

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-021	59.50	60.40	0.90	W674595	DUP W674594	<0.005	0.02	1.7	2690	0.09	1.2	0.11	<0.05	WH17230982
QV17-021	60.40	61.30	0.90	W674596	HC	<0.005	0.05	2.7	2680	0.21	2.1	0.43	0.05	WH17230982
QV17-021	61.30	62.30	1.00	W674597	HC	<0.005	0.02	1.6	2470	0.1	3.04	0.37	<0.05	WH17230982
QV17-021	62.30	63.30	1.00	W674598	HC	<0.005	0.01	2.9	1280	0.2	7.11	0.85	<0.05	WH17230982
QV17-021	63.30	64.30	1.00	W674599	HC	<0.005	0.08	3	2020	0.06	7.18	1.01	<0.05	WH17230982
QV17-021	64.30	65.50	1.20	W674600	HC	<0.005	0.05	2.3	3390	0.07	2.47	0.63	0.05	WH17230982
QV17-021	65.50	66.60	1.10	W674601	HC	<0.005	0.03	0.9	3540	0.06	1.59	0.34	<0.05	WH17230982
QV17-021	66.60	68.00	1.40	W674602	HC	<0.005	0.02	0.6	2470	0.07	1.77	0.26	<0.05	WH17230982
QV17-021	68.00	69.00	1.00	W674603	HC	<0.005	0.03	2	2820	0.05	2.33	0.41	<0.05	WH17230982
QV17-021	69.00	70.00	1.00	W674604	HC	<0.005	0.02	1	3110	0.09	1.55	0.19	<0.05	WH17230982
QV17-021				W674605	STD CDN GS-1R	1.25	0.54	17.1	530	0.37	5.65	1.9	<0.05	WH17230982
QV17-021	70.00	71.00	1.00	W674606	HC	<0.005	0.04	7.4	3440	0.09	2.78	0.36	<0.05	WH17230982
QV17-021	71.00	72.00	1.00	W674607	HC	<0.005	0.04	4.9	1730	0.18	3.13	1.02	<0.05	WH17230982
QV17-021	72.00	73.00	1.00	W674608	HC	<0.005	0.22	3.9	1170	0.11	3.07	2.96	<0.05	WH17230982
QV17-021	73.00	74.00	1.00	W674609	HC	<0.005	0.02	6.2	780	0.11	2.34	3.88	<0.05	WH17230982
QV17-021				W674610	BLK CDN BL-10	<0.005	0.11	1.6	650	0.24	2.93	0.57	<0.05	WH17230982
QV17-021	74.00	75.00	1.00	W674611	HC	<0.005	0.01	2.9	1680	0.16	1.15	2.1	<0.05	WH17230982
QV17-021	75.00	76.00	1.00	W674612	HC	<0.005	0.03	1.9	1470	0.08	0.82	2.04	<0.05	WH17230982
QV17-021	76.00	77.00	1.00	W674613	HC	<0.005	0.03	4	1210	0.04	2.11	1.57	<0.05	WH17230982
QV17-021	77.00	78.00	1.00	W674614	HC	<0.005	0.01	5.4	1480	0.03	3.05	1.77	<0.05	WH17230982
QV17-021	77.00	78.00	1.00	W674615	DUP W674614	<0.005	0.02	4.8	1220	0.03	4.62	1.71	<0.05	WH17230982
QV17-021	78.00	79.00	1.00	W674616	HC	<0.005	0.63	1.4	7360	1.27	5.91	0.62	0.11	WH17230982
QV17-021	79.00	80.00	1.00	W674617	HC	0.005	0.04	2.9	4370	0.08	0.7	1.28	<0.05	WH17230982
QV17-021	80.00	81.00	1.00	W674618	HC	0.009	0.04	2.5	3050	0.05	1.27	1.26	<0.05	WH17230982
QV17-021	81.00	82.00	1.00	W674619	HC	<0.005	<0.01	1.7	2910	0.04	1.15	0.55	<0.05	WH17230982
QV17-021	82.00	83.00	1.00	W674620	HC	<0.005	<0.01	1.9	2830	0.03	0.88	0.75	<0.05	WH17230982
QV17-021	83.00	84.00	1.00	W674621	HC	<0.005	<0.01	1.2	2760	0.14	0.48	1.05	<0.05	WH17230982
QV17-021	84.00	85.00	1.00	W674622	HC	<0.005	0.03	2.3	2700	0.3	0.55	1.24	<0.05	WH17230982
QV17-021	85.00	86.00	1.00	W674623	HC	<0.005	0.04	0.9	2720	0.99	1.13	0.2	<0.05	WH17230982
QV17-021	86.00	87.00	1.00	W674624	HC	0.026	0.07	1.9	2720	1.59	1.44	0.25	0.06	WH17230982
QV17-021				W674625	STD CDN GS-7F	7.16	0.77	14.3	530	0.52	14.65	8.8	0.3	WH17230982
QV17-021	87.00	88.00	1.00	W674626	HC	0.105	0.04	2.6	3340	0.21	0.36	0.27	<0.05	WH17230982
QV17-021	88.00	89.00	1.00	W674627	HC	0.006	0.01	2.1	3150	0.05	1.49	0.92	<0.05	WH17230982

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-021	89.00	90.00	1.00	W674628	HC	0.01	0.1	2.1	7500	0.24	1.09	0.81	<0.05	WH17230982
QV17-021	90.00	91.20	1.20	W674629	HC	<0.005	0.02	1.6	3860	0.05	1.11	0.67	<0.05	WH17230982
QV17-021				W674630	BLK COARSE	<0.005	0.01	0.9	30	0.02	0.23	0.2	<0.05	WH17230982
QV17-021	91.20	92.40	1.20	W674631	HC	0.005	0.03	1.8	4940	0.07	1.15	0.45	<0.05	WH17230982
QV17-021	92.40	93.50	1.10	W674632	HC	<0.005	0.01	1.2	1950	0.53	0.9	0.13	<0.05	WH17230982
QV17-021	93.50	94.50	1.00	W674633	HC	0.01	<0.01	0.5	2460	0.15	0.33	<0.05	<0.05	WH17230982
QV17-021	94.50	95.50	1.00	W674634	HC	0.013	0.01	1.1	2810	0.07	2.03	0.25	<0.05	WH17230982
QV17-021	94.50	95.50	1.00	W674635	DUP W674634	0.018	0.04	0.8	3060	0.17	4.94	0.28	0.08	WH17230982
QV17-021	95.50	96.40	0.90	W674636	HC	0.015	0.02	0.8	1920	0.07	1.47	0.26	<0.05	WH17230982
QV17-021	96.40	97.20	0.80	W674637	HC	<0.005	<0.01	1.5	840	2.43	0.16	0.37	<0.05	WH17230982
QV17-021	97.20	98.20	1.00	W674638	HC	<0.005	0.01	1	2250	0.07	1.57	<0.05	<0.05	WH17230982
QV17-021	98.20	99.50	1.30	W674639	HC	<0.005	<0.01	1	2480	0.06	2.83	0.07	<0.05	WH17230982
QV17-021	99.50	100.80	1.30	W674640	HC	<0.005	<0.01	1.9	2380	0.08	1.54	0.43	<0.05	WH17230982
QV17-021	100.80	101.90	1.10	W674641	HC	<0.005	<0.01	3.3	2640	0.09	1.59	0.93	<0.05	WH17230982
QV17-021	101.90	103.00	1.10	W674642	HC	0.013	<0.01	3.3	2540	0.09	0.37	1.28	<0.05	WH17230982
QV17-021	103.00	104.00	1.00	W674643	HC	0.033	0.01	5.9	4920	0.06	1.32	0.94	<0.05	WH17230982
QV17-021	104.00	105.00	1.00	W674644	HC	0.073	0.02	7.6	2930	0.04	3.75	1.71	0.05	WH17230982
QV17-021				W674645	STD CDN GS-1R	1.295	0.86	20.2	520	0.31	5.18	1.8	0.07	WH17230982
QV17-021	105.00	106.00	1.00	W674646	HC	0.158	0.17	6.7	3580	0.45	43.7	2.42	0.48	WH17230982
QV17-021	106.00	107.00	1.00	W674647	HC	0.108	0.05	8.5	3720	0.11	6.25	3.16	0.09	WH17230982
QV17-021	107.00	108.00	1.00	W674648	HC	0.256	0.11	4.7	1860	0.22	37.8	2.29	0.14	WH17230982
QV17-021	108.00	109.00	1.00	W674649	HC	0.143	0.06	5.8	2270	0.3	28.1	2.46	0.26	WH17230982
QV17-021				W674650	BLK CDN BL-10	<0.005	0.09	1.4	600	0.26	2.75	0.48	<0.05	WH17230982
QV17-021	109.00	110.00	1.00	W674651	HC	0.085	0.06	6.4	2500	0.17	19.6	2.44	0.15	WH17230982
QV17-021	110.00	111.00	1.00	W674652	HC	0.021	0.05	6.1	3530	0.2	4.98	3.83	0.09	WH17230982
QV17-021	111.00	112.00	1.00	W674653	HC	0.013	0.01	6.7	5970	0.06	2.64	3.7	0.06	WH17230982
QV17-021	112.00	113.00	1.00	W674654	HC	0.043	0.05	5.8	2870	0.1	5.99	6.72	0.15	WH17230982
QV17-021	112.00	113.00	1.00	W674655	DUP W674654	0.043	0.05	5.4	2470	0.08	6.44	7.37	0.12	WH17230982
QV17-021	113.00	114.00	1.00	W674656	HC	0.093	0.06	8.4	3770	0.07	3.02	7.64	0.13	WH17230982
QV17-021	114.00	115.00	1.00	W674657	HC	0.066	0.09	19.1	1270	0.06	24.6	17.35	0.1	WH17230982
QV17-021	115.00	116.00	1.00	W674658	HC	0.458	0.15	7.6	1380	0.36	21.9	18.85	0.17	WH17230982
QV17-021	116.00	117.00	1.00	W674659	HC	0.133	0.31	9	2560	0.27	21	11.7	0.14	WH17230982
QV17-021	117.00	118.00	1.00	W674660	HC	0.542	0.11	9.5	1730	0.1	6.46	11.4	0.11	WH17230982

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-021	118.00	119.00	1.00	W674661	HC	0.021	0.06	7.2	2360	0.14	5.35	13	0.07	WH17230982
QV17-021	119.00	120.00	1.00	W674662	HC	0.082	0.1	12	2270	0.09	3.76	20.2	0.1	WH17230982
QV17-021	120.00	121.00	1.00	W674663	HC	0.209	0.15	7.8	2230	0.15	7.33	9.47	0.16	WH17230982
QV17-021	121.00	122.00	1.00	W674664	HC	0.151	0.14	4.2	2550	0.19	4.12	7.06	0.22	WH17230982
QV17-021				W674665	STD CDN GS-7F	7.1	0.78	14.1	500	0.49	13.4	8.82	0.24	WH17230982
QV17-021	122.00	123.00	1.00	W674666	HC	0.042	0.15	2.8	2010	0.19	3.45	4.56	0.24	WH17230982
QV17-021	123.00	123.70	0.70	W674667	HC	0.025	0.01	2.1	2260	0.08	0.85	5.13	0.15	WH17230982
QV17-021	123.70	124.50	0.80	W674668	HC	0.014	0.05	4.3	2090	0.24	2.76	5.68	0.1	WH17230982
QV17-021	124.50	125.50	1.00	W674669	HC	0.01	0.02	5	1500	0.04	1.16	4.18	0.06	WH17230982
QV17-021				W674670	BLK COARSE	<0.005	<0.01	1.3	30	0.03	0.39	0.15	<0.05	WH17230982
QV17-021	125.50	126.50	1.00	W674671	HC	0.167	0.01	3.8	1510	0.02	0.71	1.85	<0.05	WH17230982
QV17-021	126.50	127.50	1.00	W674672	HC	0.016	0.01	2.6	2610	0.03	1.29	2.84	<0.05	WH17230982
QV17-021	127.50	128.50	1.00	W674673	HC	0.005	0.01	2.8	3590	0.14	2.97	3.63	0.08	WH17230982
QV17-021	128.50	129.50	1.00	W674674	HC	0.007	0.01	2.2	2020	0.14	1.46	2.88	0.06	WH17230982
QV17-021	128.50	129.50	1.00	W674675	DUP W674674	0.012	<0.01	2.6	2320	0.17	1.28	2.71	0.06	WH17230982
QV17-021	129.50	130.40	0.90	W674676	HC	0.021	<0.01	2.1	2050	0.06	0.96	3.28	<0.05	WH17230982
QV17-021	130.40	131.30	0.90	W674677	HC	0.023	<0.01	2.7	1370	0.03	0.87	3.59	0.23	WH17230982
QV17-021	131.30	132.20	0.90	W674678	HC	<0.005	<0.01	4.4	1100	0.08	1.35	4.37	<0.05	WH17230982
QV17-021	132.20	133.10	0.90	W674679	HC	<0.005	<0.01	3.4	2570	0.08	1.14	1.75	<0.05	WH17230982
QV17-021	133.10	134.00	0.90	W674680	HC	<0.005	<0.01	3.3	2130	0.06	2.4	3.27	<0.05	WH17230982
QV17-021	134.00	135.00	1.00	W674681	HC	<0.005	<0.01	5	3090	0.06	3.61	2.12	0.26	WH17230982
QV17-021	135.00	136.00	1.00	W674682	HC	0.006	<0.01	3.4	1000	0.16	9.53	2.48	0.07	WH17230982
QV17-021	136.00	137.10	1.10	W674683	HC	0.01	<0.01	5.3	1440	0.12	17.25	3.19	<0.05	WH17230982
QV17-021	137.10	138.00	0.90	W674684	HC	0.381	0.03	28.6	800	0.05	6.95	4.12	<0.05	WH17230982
QV17-021				W674685	STD CDN GS-1R	1.37	0.74	21.2	510	0.48	5.49	1.78	0.05	WH17230982
QV17-021	138.00	139.00	1.00	W674686	HC	0.071	0.07	23.1	440	0.07	2.95	5.25	0.28	WH17230982
QV17-021	139.00	140.00	1.00	W674687	HC	1.99	0.13	9.2	1040	0.08	1.81	4.02	0.16	WH17230982
QV17-021	140.00	141.00	1.00	W674688	HC	0.36	0.15	13.8	860	0.11	4.48	4.77	0.2	WH17230982
QV17-021	141.00	142.00	1.00	W674689	HC	0.464	0.27	42.8	1670	0.14	14.7	4.92	0.67	WH17230982
QV17-021				W674690	BLK CDN BL-10	<0.005	0.1	1.5	630	0.22	2.56	0.51	<0.05	WH17230982
QV17-021	142.00	143.00	1.00	W674691	HC	0.414	0.14	13.9	1560	0.36	3.93	4.36	0.22	WH17230982
QV17-021	143.00	144.00	1.00	W674692	HC	0.225	0.38	6.6	2940	0.09	3.4	1.38	0.78	WH17230982
QV17-021	144.00	145.00	1.00	W674693	HC	0.184	0.37	57	900	0.16	3.95	8.29	0.84	WH17230982

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-021	145.00	145.70	0.70	W674694	HC	0.171	0.14	29.1	1360	0.15	3.48	28	0.09	WH17230982
QV17-021	145.00	145.70	0.70	W674695	DUP W674694	0.103	0.1	25.6	1490	0.15	4.21	26.2	0.1	WH17230982
QV17-021	145.70	146.40	0.70	W674696	HC	<0.005	<0.01	7.4	1420	0.03	3.14	2.02	<0.05	WH17230982
QV17-021	146.40	147.50	1.10	W674697	HC	<0.005	<0.01	2	1020	0.06	3.65	1.7	<0.05	WH17230982
QV17-021	147.50	148.50	1.00	W674698	HC	<0.005	0.02	5.4	610	0.16	4.19	6.87	<0.05	WH17230982
QV17-021	148.50	149.50	1.00	W674699	HC	<0.005	0.01	4	740	0.11	8.89	5.06	<0.05	WH17230982
QV17-021	149.50	150.50	1.00	W674700	HC	<0.005	<0.01	2.4	1280	0.1	1.36	5.12	<0.05	WH17230982
QV17-021	150.50	151.50	1.00	W674701	HC	<0.005	<0.01	2.7	870	0.05	1.48	4	<0.05	WH17230982
QV17-021	151.50	152.50	1.00	W674702	HC	<0.005	<0.01	3.6	1560	0.14	9.9	2.84	<0.05	WH17230982
QV17-021	152.50	153.50	1.00	W674703	HC	0.016	0.11	3.8	710	0.4	18.65	3.51	0.06	WH17230982
QV17-021	153.50	154.50	1.00	W674704	HC	0.026	0.1	2.5	1210	0.24	18.2	1.36	<0.05	WH17230982
QV17-021				W674705	STD CDN GS-7F	6.95	0.79	14.5	500	0.5	15.35	8.74	0.29	WH17230982
QV17-021	154.50	155.50	1.00	W674706	HC	0.06	0.32	6.6	610	0.22	13.35	4.76	0.2	WH17230982
QV17-021	155.50	156.50	1.00	W674707	HC	0.21	0.79	40.2	670	0.13	14.65	6.97	0.83	WH17230982
QV17-021	156.50	157.25	0.75	W674708	HC	0.155	0.39	23	410	0.27	8.13	7.49	0.32	WH17230982
QV17-021	157.25	158.00	0.75	W674709	HC	0.673	2.3	7.7	520	0.14	7.31	2.44	2.57	WH17230982
QV17-021				W674710	BLK COARSE	<0.005	0.02	1	10	0.02	0.53	0.3	<0.05	WH17230982
QV17-021	158.00	159.10	1.10	W674711	HC	0.187	0.64	17	1080	0.21	9.14	5.42	1.09	WH17230982
QV17-021	159.10	160.20	1.10	W674712	HC	0.014	0.13	16.9	2290	0.23	1.5	14.05	0.25	WH17230982
QV17-021	160.20	161.10	0.90	W674713	HC	<0.005	0.1	25.1	2330	0.13	1.57	10.25	0.05	WH17230982
QV17-021	161.10	162.50	1.40	W674714	HC	<0.005	0.08	7.4	1570	0.23	2.2	5.34	<0.05	WH17230982
QV17-021	161.10	162.50	1.40	W674715	DUP W674714	<0.005	0.1	7.1	1600	0.25	2.72	5.58	<0.05	WH17230982
QV17-021	162.50	164.00	1.50	W674716	HC	<0.005	0.14	21.7	1760	0.34	2.25	2.18	<0.05	WH17230982
QV17-021	164.00	165.50	1.50	W674717	HC	<0.005	0.08	5.6	1090	0.29	2.05	2.1	0.05	WH17230982
QV17-021	165.50	167.00	1.50	W674718	HC	0.148	0.5	5.2	1540	0.5	2.73	1.43	0.26	WH17230982
QV17-021	167.00	168.50	1.50	W674719	HC	0.023	0.13	4.6	1320	0.31	3.11	1.34	0.07	WH17230982
QV17-021	168.50	169.50	1.00	W674720	HC	0.057	0.19	9.9	1400	0.49	2.93	0.92	0.1	WH17230982
QV17-021	169.50	170.50	1.00	W674721	HC	0.028	0.22	13.5	1730	0.89	3.26	1.28	0.09	WH17230982
QV17-021	170.50	172.00	1.50	W674722	HC	0.014	0.16	4.6	1230	2.06	4.82	0.75	0.08	WH17230982
QV17-021	172.00	173.50	1.50	W674723	HC	0.217	0.41	3.1	1040	0.26	2.57	1.27	0.31	WH17230982
QV17-021	173.50	175.00	1.50	W674724	HC	<0.005	0.09	33.5	680	0.21	3.12	2.83	0.07	WH17230982
QV17-021				W674725	STD CDN GS-1R	1.275	0.68	19.4	510	0.32	5.39	1.82	0.07	WH17230982
QV17-021	175.00	176.00	1.00	W674726	HC	<0.005	0.05	19.9	1240	0.22	2.5	1.15	<0.05	WH17230982

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-021	176.00	177.00	1.00	W674727	HC	<0.005	0.05	5.8	1380	0.17	8.56	0.65	<0.05	WH17230982
QV17-021	177.00	178.00	1.00	W674728	HC	<0.005	0.06	16.5	1150	0.12	2.04	1.43	<0.05	WH17230982
QV17-021	178.00	179.00	1.00	W674729	HC	<0.005	0.24	26.2	910	0.33	3.62	3.48	<0.05	WH17230982
QV17-021				W674730	BLK CDN BL-10	<0.005	0.1	1.8	610	0.22	2.57	0.56	<0.05	WH17230982
QV17-021	179.00	180.00	1.00	W674731	HC	<0.005	0.22	12	1600	0.34	1.73	1.58	<0.05	WH17230982
QV17-021	180.00	181.00	1.00	W674732	HC	<0.005	0.09	8.4	1860	0.21	1.76	1.37	<0.05	WH17230982
QV17-021	181.00	182.00	1.00	W674733	HC	<0.005	0.26	50.6	690	0.82	2.69	61.5	0.09	WH17230982
QV17-021	182.00	183.00	1.00	W674734	HC	<0.005	0.46	42.9	790	0.36	4.49	28.9	0.11	WH17230982
QV17-021	182.00	183.00	1.00	W674735	DUP W674734	<0.005	0.54	41.3	760	0.56	3.57	22.2	0.1	WH17230982
QV17-021	183.00	183.60	0.60	W674736	HC	<0.005	0.78	65.3	1950	1.1	5.96	24.9	0.14	WH17230982
QV17-021	183.60	184.50	0.90	W674737	HC	<0.005	0.23	67.6	1000	0.22	4.14	41.7	0.09	WH17230982
QV17-021	184.50	185.70	1.20	W674738	HC	<0.005	0.2	19.2	1270	0.18	2.31	8.13	0.08	WH17230982
QV17-021	185.70	186.85	1.15	W674739	HC	<0.005	0.12	7.3	990	0.54	0.94	5.07	<0.05	WH17230982
QV17-021	186.85	188.00	1.15	W674740	HC	<0.005	0.02	4.2	1050	0.04	0.2	1.11	<0.05	WH17230982
QV17-021	188.00	189.00	1.00	W674741	HC	<0.005	0.05	21.1	1200	0.08	0.88	2.73	<0.05	WH17230982
QV17-021	189.00	190.00	1.00	W674742	HC	<0.005	0.02	5.8	1060	0.04	0.08	1.2	<0.05	WH17230982
QV17-021	190.00	191.15	1.15	W674743	HC	0.007	0.02	12	1610	0.03	0.15	2.1	<0.05	WH17230982
QV17-021	191.15	192.00	0.85	W674744	HC	<0.005	0.1	42.1	820	0.17	2.45	21.8	0.12	WH17230982
QV17-021				W674745	STD CDN GS-7F	6.91	0.8	13.7	500	0.53	16.7	8.84	0.3	WH17230982
QV17-021	192.00	193.00	1.00	W674746	HC	<0.005	0.11	26.8	1350	0.2	1.83	22.9	0.06	WH17230982
QV17-021	193.00	194.00	1.00	W674747	HC	<0.005	0.07	23.3	1110	0.09	1.55	11.55	0.06	WH17230982
QV17-021	194.00	195.00	1.00	W674748	HC	<0.005	0.08	17.6	650	0.08	1.24	23.4	0.05	WH17230982
QV17-021	195.00	196.00	1.00	W674749	HC	0.006	0.07	11.7	1040	0.18	1.48	3.18	0.05	WH17230982
QV17-021				W674750	BLK COARSE	<0.005	0.01	0.3	20	0.02	0.24	0.24	<0.05	WH17230982
QV17-021	196.00	197.00	1.00	W674751	HC	<0.005	0.05	136	910	0.11	2.09	9.64	<0.05	WH17230982
QV17-021	197.00	198.00	1.00	W674752	HC	<0.005	0.11	133.5	2600	0.21	2.18	18.5	0.05	WH17230982
QV17-021	198.00	199.00	1.00	W674753	HC	<0.005	0.27	86.2	1520	0.24	3.64	14.7	0.07	WH17230982
QV17-021	199.00	200.00	1.00	W674754	HC	0.011	0.25	48.5	1480	0.18	3.87	18.05	0.09	WH17230982
QV17-021	199.00	200.00	1.00	W674755	DUP W674756	<0.005	0.27	45.3	1210	0.19	4.1	16.9	0.08	WH17230982
QV17-021	200.00	201.00	1.00	W674756	HC	<0.005	0.13	37.1	1710	0.17	2.99	11.3	0.05	WH17230982
QV17-021	201.00	202.00	1.00	W674757	HC	<0.005	0.08	31.3	3290	0.17	1.77	17.9	<0.05	WH17230982
QV17-021	202.00	202.90	0.90	W674758	HC	<0.005	0.06	3.2	1590	0.2	1.98	0.92	0.05	WH17230982
QV17-021	202.90	204.00	1.10	W674759	HC	<0.005	0.09	0.2	1290	0.18	1.15	0.41	0.06	WH17230982

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-021	204.00	205.00	1.00	W674760	HC	<0.005	0.05	35.9	1270	0.1	4.78	54.9	<0.05	WH17230982
QV17-021	205.00	206.00	1.00	W674761	HC	<0.005	0.03	8.1	780	0.09	1.05	15.1	<0.05	WH17230982
QV17-021	206.00	207.10	1.10	W674762	HC	<0.005	0.06	0.9	910	0.09	2.04	0.49	0.09	WH17230982
QV17-021	207.10	208.00	0.90	W674763	HC	<0.005	0.03	1.8	3800	0.09	1.07	0.43	<0.05	WH17230982
QV17-021	208.00	209.00	1.00	W674764	HC	<0.005	0.07	2.2	2720	0.26	2.27	0.28	<0.05	WH17230982
QV17-021				W674765	STD CDN GS-1R	1.375	2.12	20.5	520	0.34	5.59	1.77	0.07	WH17230982
QV17-021	209.00	210.00	1.00	W674766	HC	<0.005	0.06	1.7	1270	0.24	1.49	0.24	0.05	WH17230982
QV17-021	210.00	210.82	0.82	W674767	HC	<0.005	0.08	2.2	1340	0.21	1.64	5.12	0.08	WH17230982
QV17-022	14.00	15.00	1.00	W674768	HC	<0.005	0.04	3.7	810	0.1	0.65	0.77	<0.05	WH17230984
QV17-022	15.00	16.00	1.00	W674769	HC	<0.005	0.03	4.6	1410	0.08	0.45	0.97	<0.05	WH17230984
QV17-022				W674770	BLK CDN BL-10	0.005	0.11	1.7	640	0.24	2.35	0.62	<0.05	WH17230984
QV17-022	16.00	17.00	1.00	W674771	HC	<0.005	0.07	7.1	1650	0.18	1.22	1.64	<0.05	WH17230984
QV17-022	17.00	18.00	1.00	W674772	HC	<0.005	0.08	5	7290	0.12	2.77	1.76	<0.05	WH17230984
QV17-022	18.00	19.00	1.00	W674773	HC	<0.005	0.07	3.5	4570	0.06	2.01	1.45	<0.05	WH17230984
QV17-022	19.00	20.00	1.00	W674774	HC	0.015	0.1	10.3	2200	0.1	1.57	1.07	<0.05	WH17230984
QV17-022	19.00	20.00	1.00	W674775	DUP W674774	0.013	0.12	11.8	1460	0.1	1.21	1.21	0.05	WH17230984
QV17-022	45.50	47.00	1.50	W674776	HC	<0.005	0.01	1.9	2680	0.03	0.88	0.46	<0.05	WH17230984
QV17-022	47.00	48.50	1.50	W674777	HC	<0.005	0.02	5.6	2550	0.04	1.1	0.38	<0.05	WH17230984
QV17-022	48.50	50.00	1.50	W674778	HC	<0.005	<0.01	0.6	1970	0.07	0.37	0.18	<0.05	WH17230984
QV17-022	50.00	51.50	1.50	W674779	HC	<0.005	0.01	<0.2	2210	0.17	0.59	0.19	<0.05	WH17230984
QV17-022	51.50	52.50	1.00	W674780	HC	<0.005	0.02	1.5	2830	0.11	1.39	0.41	<0.05	WH17230984
QV17-022	52.50	53.50	1.00	W674781	HC	<0.005	0.01	<0.2	2670	0.09	0.71	0.19	<0.05	WH17230984
QV17-022	53.50	54.50	1.00	W674782	HC	<0.005	0.02	1.4	2090	0.06	0.52	0.13	<0.05	WH17230984
QV17-022	54.50	55.50	1.00	W674783	HC	<0.005	0.01	1.3	2190	0.03	0.57	0.26	<0.05	WH17230984
QV17-022	55.50	56.50	1.00	W674784	HC	<0.005	0.02	0.8	1000	0.06	3.04	0.33	<0.05	WH17230984
QV17-022				W674785	STD CDN GS-7F	6.85	0.8	14.2	480	0.43	14.45	8.72	0.34	WH17230984
QV17-022	56.50	57.50	1.00	W674786	HC	<0.005	0.01	2.2	1480	0.17	0.5	0.27	<0.05	WH17230984
QV17-022	57.50	58.50	1.00	W674787	HC	<0.005	0.04	0.5	1480	0.88	0.23	0.13	<0.05	WH17230984
QV17-022	58.50	59.50	1.00	W674788	HC	<0.005	0.02	0.4	1120	0.33	0.56	0.11	<0.05	WH17230984
QV17-022	59.50	61.00	1.50	W674789	HC	<0.005	0.06	2.2	1660	0.05	0.82	0.48	<0.05	WH17230984
QV17-022				W674790	BLK COARSE	<0.005	0.01	1.4	20	0.04	0.38	0.27	<0.05	WH17230984
QV17-022	61.00	62.50	1.50	W674791	HC	<0.005	0.05	2.2	1680	0.16	2.73	0.76	<0.05	WH17230984
QV17-022	62.50	64.00	1.50	W674792	HC	<0.005	0.01	1.4	1300	0.34	0.85	1.13	0.05	WH17230984

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)	SAMPLE #	SAMPLE TYPE	Au (ppm)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Mo (ppm)	Sb (ppm)	Te (ppm)	CERTIFICATE
QV17-022	64.00	65.00	1.00	W674793	HC	<0.005	0.03	4.1	990	0.39	1.09	2.24	0.05	WH17230984
QV17-022	65.00	66.00	1.00	W674794	HC	<0.005	0.01	1.8	4820	0.27	0.75	0.92	<0.05	WH17230984
QV17-022	65.00	66.00	1.00	W674795	DUP W674794	<0.005	0.02	1.8	8050	0.27	1.85	0.74	<0.05	WH17230984
QV17-022	66.00	67.40	1.40	W674796	HC	<0.005	0.04	1	3190	0.43	3.39	0.64	0.05	WH17230984
QV17-022	67.40	68.70	1.30	W674797	HC	<0.005	0.02	0.6	2060	0.37	4.64	0.21	0.05	WH17230984
QV17-022	68.70	69.60	0.90	W674798	HC	<0.005	0.03	1.1	2420	0.32	4.63	0.17	<0.05	WH17230984
QV17-022	69.60	70.50	0.90	W674799	HC	<0.005	0.79	1	2350	0.04	1.46	0.27	<0.05	WH17230984
QV17-022	70.50	71.50	1.00	W674800	HC	<0.005	0.01	1.8	2540	0.07	2	0.38	<0.05	WH17230984
QV17-022	71.50	72.50	1.00	W674801	HC	<0.005	0.02	1.1	2300	0.06	0.8	0.28	<0.05	WH17230984
QV17-022	72.50	73.50	1.00	W674802	HC	<0.005	0.02	1.5	5920	0.07	2.74	0.27	<0.05	WH17230984
QV17-022	73.50	74.13	0.63	W674803	HC	<0.005	0.04	5.2	>10000	0.16	2.75	0.19	<0.05	WH17230984
QV17-022	20.00	22.00	2.00	W674804	HC	0.01	0.11	21.5	3140	0.18	2.88	1.08	<0.05	WH17230984
QV17-022				W674805	STD CDN GS-1R	1.24	1.66	20.3	540	0.3	7.08	1.93	0.07	WH17230984
QV17-022	22.00	24.00	2.00	W674806	HC	<0.005	0.05	11.9	2760	0.09	2.32	1.85	<0.05	WH17230984
QV17-022	24.00	26.00	2.00	W674807	HC	0.007	0.11	11.6	2450	0.34	2	1.42	<0.05	WH17230984
QV17-022	26.00	28.00	2.00	W674808	HC	<0.005	<0.01	2	3030	0.23	1.29	0.47	<0.05	WH17230984
QV17-022	28.00	30.00	2.00	W674809	HC	<0.005	0.02	0.9	2730	0.12	1.18	0.53	<0.05	WH17230984
QV17-022				W674810	BLK CDN BL-10	<0.005	0.11	5.3	530	0.07	8.79	0.9	<0.05	WH17230984
QV17-022	30.00	32.00	2.00	W674811	HC	<0.005	0.01	0.5	3180	0.1	0.7	0.22	<0.05	WH17230984
QV17-022	32.00	33.50	1.50	W674812	HC	<0.005	0.01	1	2610	0.12	1.69	0.29	<0.05	WH17230984
QV17-022	33.50	35.00	1.50	W674813	HC	<0.005	0.02	1.3	2630	0.34	0.49	0.09	<0.05	WH17230984
QV17-022	35.00	36.50	1.50	W674814	HC	<0.005	0.04	1.5	3260	0.55	0.9	<0.05	<0.05	WH17230984
QV17-022	35.00	36.50	1.50	W674815	DUP W674814	<0.005	0.02	0.7	2950	0.49	1.19	0.05	<0.05	WH17230984
QV17-022	36.50	38.00	1.50	W674816	HC	<0.005	0.01	0.3	2610	0.26	0.54	0.08	<0.05	WH17230984
QV17-022	38.00	39.50	1.50	W674817	HC	<0.005	0.04	1.8	2350	0.06	1.01	0.09	<0.05	WH17230984
QV17-022	39.50	41.00	1.50	W674818	HC	<0.005	0.02	1.2	2830	0.03	0.91	0.07	<0.05	WH17230984
QV17-022	41.00	42.50	1.50	W674819	HC	<0.005	0.02	0.7	3340	0.08	0.86	0.1	<0.05	WH17230984
QV17-022	42.50	44.00	1.50	W674820	HC	<0.005	0.03	0.3	3320	0.31	11.45	<0.05	<0.05	WH17230984
QV17-022	44.00	45.50	1.50	W674821	HC	<0.005	0.5	0.6	2200	0.09	1.55	0.16	<0.05	WH17230984
QV17-023	40.00	41.50	1.50	W674822	HC	<0.005	0.02	1.6	1950	0.2	0.9	0.38	0.05	WH17230986
QV17-023	41.50	42.50	1.00	W674823	HC	<0.005	0.03	2	2290	0.27	2.02	0.59	<0.05	WH17230986
QV17-023	42.50	43.24	0.74	W674824	HC	<0.005	0.02	1.3	3400	0.07	0.65	0.4	<0.05	WH17230986
QV17-023				W674825	STD CDN GS-7F	7.07	0.93	14.2	490	0.5	15.85	9.37	0.29	WH17230986



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 1
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

CERTIFICATE WH17219032

Project: QV
 P.O. No.: 17-QV-01
 This report is for 116 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10-OCT-2017.
 The following have access to data associated with this certificate:
 CHRIS LIVINGSTONE KRIS RAFFLE DAVID TERRY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-22	Drying - Maximum Temp 60C
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
Au-AA24	Au 50g FA AA finish AAS

To: COMSTOCK METALS LTD.
 ATTN: CHRIS LIVINGSTONE
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR															
W674001		1.14	0.010	0.10	7.02	35.3	2570	2.34	0.17	0.17	0.11	71.3	3.9	10	1.27	10.3
W674002		1.97	0.008	0.07	7.13	39.9	1570	2.72	0.25	0.19	0.11	76.6	3.7	10	2.77	12.8
W674003		3.15	<0.005	0.03	6.97	4.3	1550	2.96	0.29	0.42	0.07	71.8	3.6	21	5.23	6.1
W674004		2.50	<0.005	0.06	6.86	19.1	1920	2.97	0.34	0.46	0.06	69.7	4.8	21	9.41	8.1
W674005		0.11	1.315	0.78	8.01	17.2	520	0.82	0.30	4.87	1.31	27.3	29.2	182	1.16	176.0
W674006		2.55	0.006	0.05	7.10	12.2	1900	3.35	0.55	0.47	0.08	75.4	3.5	21	6.73	17.7
W674007		3.73	<0.005	0.04	7.23	16.1	2180	2.62	0.31	0.29	0.10	78.8	2.8	11	3.50	31.6
W674008		3.55	0.012	0.08	6.26	5.7	1520	2.44	0.18	0.10	0.07	58.2	0.8	14	0.80	13.9
W674009		2.59	0.006	0.05	6.12	11.5	1160	2.28	0.12	0.10	0.07	55.3	0.9	12	0.49	9.8
W674010		0.11	<0.005	0.09	7.60	1.0	610	0.77	0.22	4.07	0.10	24.7	12.5	10	0.56	145.0
W674011		3.61	<0.005	0.04	5.98	8.9	1160	3.12	0.08	0.22	0.11	55.2	0.6	16	1.26	8.3
W674012		3.73	<0.005	0.17	5.68	20.8	1580	2.97	0.13	0.30	0.10	49.6	0.7	19	1.20	29.1
W674013		3.71	<0.005	0.01	6.34	5.5	1200	3.50	0.11	0.28	0.06	60.2	0.6	18	1.21	10.4
W674014		4.10	0.006	0.05	6.63	11.1	1590	2.91	0.14	0.28	0.05	69.2	1.1	15	1.01	8.5
W674015		0.96	<0.005	0.05	6.71	16.9	1600	3.01	0.17	0.29	0.05	69.9	1.0	12	1.07	9.7
W674016		4.51	0.602	0.10	6.48	19.6	2090	2.22	0.13	0.13	0.08	78.9	1.6	11	1.16	8.3
W674017		4.55	0.340	0.18	6.98	18.6	2360	2.28	0.09	0.40	0.09	89.0	2.3	11	1.03	21.2
W674018		5.21	0.039	0.17	7.12	5.4	2090	2.60	0.13	0.85	0.09	82.5	2.8	13	2.61	6.6
W674019		5.59	0.008	0.04	7.43	5.1	2890	2.77	0.18	0.80	0.09	91.4	2.8	10	3.42	16.1
W674020		5.71	<0.005	0.02	7.27	2.6	2900	3.30	0.30	0.95	0.11	92.8	2.8	12	1.83	12.0
W674021		4.96	<0.005	0.03	6.22	3.6	1960	2.49	0.11	0.70	0.06	71.4	2.6	18	1.51	10.0
W674022		4.18	<0.005	0.04	7.25	2.9	2170	2.90	0.18	1.83	0.08	64.1	10.3	52	4.11	10.3
W674023		5.26	<0.005	0.04	7.15	5.8	2240	3.00	0.60	0.73	0.05	81.6	2.7	12	1.80	12.0
W674024		4.70	1.075	0.29	7.43	6.1	2660	2.48	0.29	0.27	0.08	93.9	3.3	10	1.92	8.7
W674025		0.11	6.70	0.73	7.17	13.4	490	0.68	0.44	3.39	0.17	20.2	13.5	35	0.91	71.5
W674026		5.01	1.055	0.29	6.78	6.6	2930	2.22	0.15	0.45	0.08	83.7	2.1	10	2.72	7.2
W674027		4.93	0.704	0.06	6.88	2.8	2950	2.74	0.27	0.38	0.07	83.1	2.5	10	3.27	13.3
W674028		6.15	0.081	0.09	7.40	18.3	1950	2.50	0.32	0.83	0.08	89.7	2.7	7	3.33	8.1
W674029		3.45	0.186	0.12	5.12	20.2	1370	1.96	0.41	2.36	0.08	39.8	2.8	6	3.03	12.3
W674030		0.45	<0.005	0.02	0.21	0.8	30	0.10	0.02	0.02	<0.02	4.69	1.0	24	0.18	5.5
W674031		3.47	0.037	0.12	4.44	18.2	730	1.99	0.34	3.67	0.08	37.0	2.3	7	3.03	9.2
W674032		4.04	0.062	0.14	4.92	31.0	1190	2.27	0.27	4.15	0.07	36.0	6.1	29	3.17	13.1
W674033		3.85	0.033	0.13	5.70	15.7	1570	2.55	0.20	5.79	0.13	41.0	10.3	59	3.75	16.4
W674034		3.55	0.090	0.17	5.26	15.4	1710	1.52	0.14	1.62	0.04	48.7	2.8	14	1.35	8.3
W674035		1.35	0.064	0.14	5.78	13.2	1630	1.86	0.16	0.30	0.07	65.8	2.4	16	1.11	8.2
W674036		2.48	0.048	0.12	5.26	4.7	1330	1.89	0.11	1.98	0.08	55.4	3.5	10	2.45	8.8
W674037		3.21	0.187	0.13	6.73	9.5	800	2.53	0.23	1.32	0.07	67.0	2.4	7	4.04	10.5
W674038		5.06	0.083	0.10	7.62	7.3	1490	2.53	0.51	0.72	0.02	84.2	2.7	8	3.18	9.4
W674039		5.58	<0.005	0.04	7.40	4.5	2480	3.05	0.27	0.48	0.04	90.6	2.5	10	3.64	7.1
W674040		5.37	0.115	0.11	7.53	4.2	1950	2.88	0.26	0.42	0.04	81.1	2.4	10	3.08	10.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674001		2.19	18.30	0.18	1.5	0.046	1.73	37.9	3.9	0.08	322	1.88	3.49	9.2	4.0	360
W674002		2.40	20.7	0.18	1.5	0.049	2.32	44.0	8.6	0.13	256	1.84	1.89	11.0	2.9	340
W674003		2.51	18.90	0.19	0.7	0.053	2.52	35.6	19.9	0.19	232	1.16	1.90	11.5	5.6	490
W674004		2.66	19.20	0.18	0.7	0.073	2.71	32.4	22.9	0.29	343	1.18	1.94	11.7	6.4	610
W674005		5.04	16.20	0.16	1.2	0.072	1.14	12.4	12.8	3.35	1110	5.65	2.10	6.9	151.5	490
W674006		2.59	22.3	0.14	0.8	0.163	3.10	25.2	9.1	0.31	416	1.10	2.55	16.1	3.8	510
W674007		2.45	21.0	0.19	1.1	0.097	2.57	39.8	7.8	0.12	354	1.24	2.95	14.2	1.4	500
W674008		1.03	19.35	0.14	1.9	0.025	3.10	24.3	2.0	0.03	124	0.88	3.13	14.5	0.9	30
W674009		1.03	18.10	0.16	1.9	0.022	2.95	24.6	3.1	0.02	144	0.63	3.04	12.2	0.9	40
W674010		3.70	15.70	0.17	1.1	0.052	1.21	9.7	7.1	1.31	897	2.67	2.38	3.1	6.7	570
W674011		1.07	18.40	0.18	1.9	0.030	3.29	21.6	2.3	0.06	147	0.77	2.70	14.5	0.9	30
W674012		1.34	16.60	0.16	1.5	0.041	3.70	20.2	3.7	0.04	189	0.96	2.16	12.2	1.0	20
W674013		1.16	19.80	0.19	1.8	0.035	3.59	28.4	3.4	0.11	198	0.81	2.68	16.1	0.9	40
W674014		1.32	19.55	0.20	1.8	0.026	3.06	33.0	2.5	0.08	188	0.89	2.96	14.8	1.0	100
W674015		1.41	19.40	0.17	1.9	0.042	3.36	35.6	3.1	0.10	223	0.82	2.61	14.6	0.9	90
W674016		1.63	18.40	0.19	1.7	0.028	2.21	40.8	5.0	0.08	299	1.07	2.80	11.3	1.0	160
W674017		1.97	20.3	0.23	1.7	0.043	2.13	47.1	4.9	0.06	332	1.08	3.59	11.2	1.2	310
W674018		2.15	18.35	0.21	1.4	0.044	2.09	44.0	3.2	0.11	378	5.03	3.71	10.7	1.5	370
W674019		2.30	20.4	0.22	1.3	0.048	3.49	48.7	5.0	0.26	411	0.47	3.46	14.8	1.3	490
W674020		2.18	20.1	0.24	1.6	0.047	3.26	51.1	6.7	0.28	427	0.51	3.43	15.3	1.8	360
W674021		1.90	16.45	0.22	1.2	0.031	2.02	38.4	3.7	0.19	327	0.36	3.38	10.6	1.6	240
W674022		2.95	19.30	0.23	1.4	0.034	2.82	34.9	14.0	1.04	506	0.36	2.93	11.1	22.6	340
W674023		2.07	20.6	0.22	1.5	0.129	3.02	46.3	5.7	0.20	328	0.93	3.33	13.4	1.2	210
W674024		2.27	20.2	0.21	1.5	0.042	2.36	53.3	4.1	0.14	316	4.09	4.15	12.0	1.7	370
W674025		5.78	14.50	0.14	0.8	0.095	0.84	9.3	8.0	1.21	895	14.30	2.26	3.0	22.9	580
W674026		1.75	19.25	0.23	1.4	0.031	1.88	44.7	6.5	0.10	332	4.39	3.44	12.0	1.4	250
W674027		2.03	19.20	0.21	1.5	0.025	3.30	45.0	3.1	0.18	284	1.73	3.27	14.7	1.3	340
W674028		2.26	20.5	0.21	1.5	0.048	3.52	47.1	6.2	0.11	311	2.16	2.12	14.2	1.2	350
W674029		2.16	18.95	0.22	1.5	0.033	3.48	18.9	8.5	0.07	343	2.33	1.42	13.7	1.3	260
W674030		1.07	0.67	0.08	0.9	<0.005	0.05	2.4	7.4	0.01	119	0.54	0.05	0.7	2.8	30
W674031		2.18	17.25	0.20	1.5	0.030	3.03	17.8	15.1	0.08	435	3.81	0.74	12.9	1.4	230
W674032		2.29	14.40	0.25	0.9	0.034	2.69	17.9	23.8	0.19	399	2.33	0.09	9.4	9.4	330
W674033		3.45	16.85	0.23	0.7	0.037	3.17	20.7	13.6	0.37	767	2.94	1.07	6.9	19.3	500
W674034		1.87	14.80	0.23	0.9	0.026	2.28	24.7	5.5	0.05	322	1.47	2.32	7.9	3.0	120
W674035		1.60	16.20	0.23	1.4	0.019	2.37	33.9	5.8	0.06	247	1.18	2.48	10.5	1.9	130
W674036		2.11	17.25	0.19	1.2	0.029	2.39	27.2	13.9	0.10	421	2.05	0.79	9.6	2.1	150
W674037		1.81	19.90	0.08	1.5	0.038	3.20	33.9	12.2	0.13	404	3.19	0.13	12.3	3.1	270
W674038		2.30	19.80	0.13	1.5	0.072	2.88	46.4	7.8	0.13	262	2.68	2.07	12.4	1.1	310
W674039		2.37	19.60	0.10	1.5	0.039	3.19	51.8	2.8	0.12	230	1.61	2.88	13.0	1.1	330
W674040		2.02	19.60	0.09	1.5	0.054	2.16	46.5	4.8	0.11	159	1.69	3.81	13.7	1.0	310



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
W674001		11.6	58.2	<0.002	0.06	2.59	7.3	<1	1.9	168.5	0.67	0.11	14.10	0.137	0.29	1.9
W674002		12.1	93.8	<0.002	0.03	4.87	8.5	<1	2.4	180.0	0.81	0.16	15.40	0.167	0.49	2.4
W674003		8.2	94.0	<0.002	0.01	1.12	9.7	<1	2.2	187.0	0.78	0.12	13.90	0.251	0.48	2.9
W674004		8.7	110.5	<0.002	0.01	1.49	11.1	<1	2.6	203	0.75	0.16	12.95	0.279	0.55	2.4
W674005		46.5	22.2	0.003	0.12	2.36	18.1	<1	1.4	397	0.41	0.09	4.18	0.287	0.29	1.4
W674006		13.7	116.0	<0.002	<0.01	1.42	10.2	<1	9.1	214	0.92	0.19	15.65	0.247	0.53	2.5
W674007		9.8	86.3	<0.002	0.03	2.67	9.6	<1	2.9	274	0.85	0.21	14.70	0.207	0.41	2.2
W674008		13.5	78.1	<0.002	0.02	2.05	1.7	<1	1.5	179.5	1.14	0.13	22.5	0.045	0.33	2.0
W674009		12.6	70.1	<0.002	0.01	1.56	1.6	<1	1.2	125.0	1.06	0.11	20.9	0.037	0.30	1.4
W674010		8.9	15.9	<0.002	0.01	0.64	16.0	<1	0.8	471	0.21	<0.05	2.28	0.267	0.19	1.2
W674011		15.6	94.0	<0.002	0.01	1.28	1.5	<1	1.7	118.5	1.07	0.06	20.2	0.043	0.38	2.0
W674012		24.8	102.5	<0.002	0.16	1.19	1.4	<1	1.7	110.5	1.03	0.14	19.30	0.035	0.42	2.6
W674013		13.0	118.0	<0.002	<0.01	0.34	2.1	<1	1.2	106.5	1.17	0.06	21.0	0.052	0.44	1.7
W674014		11.8	87.5	<0.002	0.01	1.19	2.6	<1	1.6	132.0	1.06	0.11	21.3	0.067	0.39	1.8
W674015		12.1	95.3	<0.002	0.01	1.42	3.0	<1	2.1	144.0	1.00	0.11	19.80	0.071	0.40	1.8
W674016		7.4	67.6	<0.002	0.04	3.37	3.8	<1	1.6	162.5	0.84	0.14	18.10	0.088	0.35	1.8
W674017		9.1	62.6	<0.002	0.05	4.15	4.3	<1	2.6	231	0.86	0.20	19.20	0.121	0.33	1.9
W674018		10.5	59.9	<0.002	0.03	2.26	5.0	<1	2.4	201	0.75	0.20	17.45	0.149	0.29	2.2
W674019		18.2	107.0	<0.002	0.02	0.75	5.7	<1	2.0	317	0.96	0.08	20.0	0.176	0.53	3.1
W674020		15.3	109.5	<0.002	0.01	0.29	6.0	<1	2.2	430	0.91	0.14	20.1	0.161	0.52	3.5
W674021		13.0	64.8	<0.002	0.01	0.40	4.0	<1	1.7	299	0.66	0.07	14.75	0.126	0.29	2.6
W674022		11.6	112.0	<0.002	0.01	0.40	9.4	<1	1.3	269	0.75	0.07	14.10	0.270	0.60	2.6
W674023		14.9	99.1	<0.002	0.01	0.58	3.3	1	10.2	260	0.93	0.22	20.3	0.121	0.43	3.2
W674024		15.2	65.6	<0.002	0.04	2.48	4.7	<1	3.2	248	0.77	0.30	19.45	0.155	0.33	2.6
W674025		23.9	19.6	0.005	0.03	8.58	18.5	<1	1.8	305	0.18	0.28	1.62	0.294	0.16	0.7
W674026		12.9	52.8	<0.002	0.05	3.35	3.9	<1	1.9	290	0.84	0.15	18.70	0.117	0.28	1.8
W674027		14.6	94.8	<0.002	0.02	1.08	4.5	<1	2.7	336	0.90	0.12	18.20	0.161	0.46	2.6
W674028		13.8	94.8	<0.002	0.02	4.01	5.4	<1	2.9	264	0.89	0.20	18.10	0.167	0.53	2.6
W674029		15.1	78.8	<0.002	0.01	5.56	3.3	<1	2.9	221	0.96	0.21	8.61	0.132	0.51	1.5
W674030		1.6	2.4	<0.002	<0.01	0.30	0.4	<1	0.9	2.9	0.09	<0.05	1.31	0.014	<0.02	0.4
W674031		16.9	69.3	<0.002	0.01	8.07	2.8	<1	3.2	179.5	0.84	0.19	7.81	0.133	0.50	1.6
W674032		15.1	69.8	<0.002	0.10	14.70	5.8	<1	2.0	248	0.56	0.21	7.57	0.200	0.50	2.2
W674033		14.9	73.7	<0.002	0.08	9.36	10.3	<1	1.8	279	0.43	0.25	6.61	0.335	0.54	3.4
W674034		9.6	51.3	<0.002	0.06	3.74	3.1	<1	2.3	259	0.61	0.25	10.10	0.075	0.32	1.0
W674035		11.0	63.3	<0.002	0.04	2.97	2.9	<1	1.7	173.0	0.81	0.19	16.65	0.073	0.32	1.6
W674036		8.1	69.7	<0.002	0.07	7.96	3.7	1	3.2	129.5	0.68	0.13	11.40	0.089	0.45	1.4
W674037		12.0	97.3	<0.002	0.02	5.92	4.4	1	3.7	158.0	0.99	0.17	15.50	0.107	0.63	1.7
W674038		8.7	89.6	<0.002	0.08	3.67	4.9	1	7.3	248	0.90	0.27	18.65	0.159	0.48	2.7
W674039		10.8	92.5	<0.002	0.04	1.19	4.5	<1	3.2	246	0.90	0.10	19.35	0.159	0.47	3.1
W674040		9.7	63.6	<0.002	0.02	1.24	4.2	1	6.1	246	0.94	0.19	19.45	0.157	0.32	2.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674001		34	5.0	14.9	35	58.8
W674002		29	5.3	21.0	31	56.4
W674003		44	1.6	18.3	30	24.1
W674004		60	2.6	19.2	35	26.4
W674005		129	15.9	19.5	305	29.7
W674006		39	2.0	18.4	35	30.2
W674007		31	3.3	18.9	34	39.1
W674008		6	1.0	16.2	18	52.9
W674009		8	1.3	13.6	16	51.5
W674010		129	7.6	20.1	67	20.5
W674011		4	0.9	14.3	29	50.2
W674012		1	0.5	16.2	23	39.8
W674013		2	0.7	16.1	27	48.0
W674014		7	1.0	17.9	24	54.1
W674015		6	0.8	20.8	29	53.1
W674016		23	5.5	14.5	23	56.6
W674017		38	9.4	12.3	22	60.1
W674018		32	4.3	12.3	36	51.3
W674019		16	1.3	19.1	47	47.6
W674020		15	0.9	20.4	47	67.1
W674021		16	0.9	15.6	33	47.6
W674022		49	0.9	19.7	52	54.4
W674023		12	1.2	18.7	27	57.9
W674024		33	6.5	14.3	34	65.0
W674025		148	3.7	17.8	82	22.4
W674026		25	6.3	12.8	27	48.5
W674027		18	2.3	16.8	34	56.8
W674028		23	7.0	15.3	33	58.4
W674029		24	10.1	8.8	28	54.9
W674030		2	0.2	1.6	3	26.8
W674031		22	7.7	8.3	29	57.3
W674032		44	10.4	10.5	30	36.4
W674033		88	17.0	17.2	55	27.5
W674034		25	12.2	8.5	17	26.9
W674035		15	7.3	12.6	20	42.3
W674036		25	12.6	8.8	25	36.7
W674037		18	6.8	11.7	32	43.1
W674038		16	4.7	13.6	24	52.0
W674039		13	1.5	17.6	32	53.3
W674040		16	3.2	14.0	27	50.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
W674041		3.44	0.030	0.08	7.04	6.1	2530	2.75	0.35	0.44	0.06	83.3	2.6	13	3.59	8.4
W674042		3.92	0.060	0.19	7.01	2.2	2400	2.57	0.25	0.30	0.04	74.5	1.9	14	2.15	10.4
W674043		3.66	0.124	0.53	7.16	7.7	2850	2.94	0.50	0.37	0.10	74.3	2.3	13	2.73	17.8
W674044		5.80	0.120	0.44	6.61	4.9	1740	2.51	0.50	0.20	0.02	63.1	1.1	14	1.58	12.5
W674045		0.11	1.230	0.65	7.95	19.7	530	0.83	0.44	5.07	1.26	25.5	28.4	192	1.17	193.5
W674046		5.69	0.097	0.18	7.27	4.5	2090	2.49	0.65	0.21	0.05	86.6	2.0	11	2.30	10.4
W674047		5.45	0.005	0.07	7.58	4.2	2550	2.55	1.37	0.27	<0.02	86.8	2.0	10	2.78	13.6
W674048		5.52	<0.005	0.04	7.95	5.4	1650	2.78	0.77	0.13	0.02	113.0	3.7	9	3.58	6.7
W674049		4.54	0.177	0.09	7.60	8.9	2090	2.77	0.25	0.37	0.07	94.7	3.1	10	2.25	3.3
W674050		0.11	<0.005	0.11	8.39	1.4	660	0.79	0.22	4.36	0.11	29.3	12.7	10	0.60	155.0
W674051		6.14	0.011	0.07	7.30	12.5	1630	2.86	0.62	1.56	<0.02	83.7	3.5	9	5.55	6.4
W674052		5.24	0.006	0.04	7.73	8.9	2020	2.88	0.40	1.81	0.03	80.7	3.8	15	8.46	6.3
W674053		3.92	0.040	0.26	6.85	15.2	1950	3.19	1.10	0.81	0.06	82.9	2.7	5	7.57	14.3
W674054		2.73	0.014	0.13	7.29	10.9	1750	2.49	0.62	0.70	0.07	76.3	2.1	8	5.78	19.3
W674055		1.48	0.022	0.14	7.20	10.9	1570	2.41	0.61	0.71	0.02	74.0	2.1	9	5.50	21.4
W674056		2.75	0.314	0.22	7.39	6.2	2240	1.83	0.32	1.33	0.05	98.1	2.5	8	2.98	10.1
W674057		3.95	0.118	0.14	7.55	4.5	2800	2.15	0.38	0.89	0.02	95.4	2.7	8	3.37	6.0
W674058		4.47	0.107	0.08	6.54	4.3	2790	2.27	0.34	1.72	0.05	68.3	2.8	10	3.36	7.1
W674059		2.74	0.233	0.39	6.56	5.2	6400	1.73	0.19	1.93	0.05	65.3	3.6	15	1.77	5.2
W674060		4.10	0.385	0.38	6.86	24.6	2220	2.18	0.21	1.46	0.04	68.5	3.1	7	3.96	6.6
W674061		3.97	1.120	0.66	7.40	122.5	2130	2.28	0.20	1.89	0.09	68.4	4.1	6	4.27	12.6
W674062		4.04	0.493	0.36	6.75	41.4	1590	2.33	0.11	2.26	0.09	58.6	3.6	6	4.46	11.8
W674063		4.31	1.610	1.22	6.37	28.1	2660	2.25	0.22	2.90	0.12	52.5	5.0	6	4.16	14.1
W674064		4.11	0.625	0.60	6.22	58.8	2110	2.50	0.13	2.70	0.07	48.8	5.1	9	4.67	14.7
W674065		0.11	6.70	0.66	7.61	15.7	510	0.75	0.47	3.54	0.19	21.0	13.8	37	0.99	74.5
W674066		3.04	0.754	0.94	6.39	34.7	2480	2.15	0.34	1.66	0.07	49.6	3.9	8	4.38	15.6
W674067		4.04	0.799	0.86	6.79	26.8	1440	2.61	0.26	2.76	0.08	53.5	6.8	20	4.91	24.2
W674068		3.74	0.174	0.39	7.91	31.1	2390	2.48	0.16	1.32	0.10	80.9	3.5	6	4.10	22.8
W674069		2.15	0.750	0.69	6.47	19.1	2300	2.07	0.22	1.70	0.10	54.8	4.3	8	2.83	12.1
W674070		0.43	<0.005	0.02	0.23	1.6	20	0.12	0.07	0.02	<0.02	5.22	0.9	20	0.21	4.3
W674071		1.95	4.78	1.05	3.80	5.5	2730	1.35	1.20	1.20	0.05	41.6	3.5	16	2.09	9.6
W674072		2.77	2.35	85.7	6.61	21.9	2070	2.25	0.36	0.87	0.06	78.4	4.1	17	3.50	92.2
W674073		3.81	1.085	0.79	6.17	22.2	1990	2.82	0.10	2.01	0.11	48.2	5.6	4	4.12	10.4
W674074		3.44	1.975	0.86	6.72	30.0	3110	2.00	0.17	1.48	0.09	70.3	4.3	7	2.29	11.5
W674075		2.10	1.660	1.14	6.61	19.1	3060	1.81	0.16	1.31	0.08	67.9	4.1	9	1.78	9.4
W674076		4.01	1.330	1.06	7.14	16.4	2820	2.16	0.08	1.45	0.11	75.7	3.6	6	2.81	20.0
W674077		3.51	0.855	0.68	7.07	6.0	2170	2.41	0.11	1.60	0.10	68.0	4.2	7	2.54	11.6
W674078		3.57	1.095	2.29	5.61	5.7	3010	2.30	0.05	2.82	0.13	49.8	9.3	49	4.02	31.1
W674079		4.03	0.047	0.09	6.17	2.1	5040	2.99	0.03	1.85	0.06	65.1	3.7	13	2.22	11.3
W674080		4.12	0.417	0.44	5.91	3.1	3780	2.38	0.04	2.15	0.09	54.4	3.9	12	2.09	9.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674041		1.99	18.75	0.10	1.7	0.033	3.59	42.6	2.2	0.11	365	1.37	2.81	12.8	1.4	260
W674042		1.85	18.60	0.10	1.5	0.038	3.33	39.7	1.8	0.09	188	1.76	3.33	13.3	1.4	250
W674043		2.42	20.7	0.11	1.7	0.070	3.56	42.8	2.4	0.08	238	6.44	2.99	13.6	1.2	260
W674044		1.77	18.70	0.09	1.7	0.034	2.77	34.6	1.9	0.04	63	3.37	3.29	12.4	1.2	160
W674045		5.19	16.80	0.07	1.3	0.073	1.16	11.1	12.1	3.43	1150	5.93	2.18	6.8	158.0	480
W674046		1.93	20.0	0.12	1.3	0.054	2.94	48.0	3.5	0.06	149	3.80	3.16	12.6	1.5	220
W674047		1.95	19.95	0.12	1.3	0.028	3.54	47.7	3.8	0.09	176	2.43	2.56	13.5	1.3	230
W674048		2.37	21.9	0.12	1.7	0.047	3.14	60.2	7.4	0.14	225	1.15	2.29	12.6	1.6	270
W674049		2.16	19.60	0.12	1.7	0.042	2.84	53.9	5.3	0.09	320	1.39	3.34	11.4	1.6	310
W674050		3.96	16.50	0.09	1.1	0.057	1.31	11.7	6.9	1.43	960	2.67	2.52	3.2	6.3	610
W674051		2.53	19.85	0.11	1.6	0.043	3.41	45.4	6.5	0.39	495	2.33	1.33	12.7	1.2	380
W674052		2.53	20.9	0.10	1.7	0.050	4.27	42.9	7.7	0.47	516	2.47	0.60	13.8	2.7	440
W674053		1.78	19.55	0.12	1.7	0.046	3.29	45.4	27.7	0.29	226	1.40	0.03	11.8	1.6	270
W674054		1.97	20.7	0.13	1.8	0.053	4.65	40.0	11.4	0.26	250	2.88	0.06	13.6	1.0	240
W674055		2.09	20.2	0.10	1.8	0.048	4.63	39.3	10.2	0.26	244	2.35	0.06	13.1	1.1	260
W674056		2.03	20.1	0.11	1.9	0.041	4.32	54.9	7.8	0.35	381	3.28	1.89	13.8	1.2	270
W674057		2.23	19.60	0.13	2.0	0.038	3.92	52.9	6.4	0.17	282	1.52	2.12	11.2	1.2	260
W674058		2.21	18.25	0.11	1.5	0.048	3.32	35.9	7.7	0.16	510	2.57	1.85	11.4	1.1	320
W674059		2.26	18.05	0.11	1.4	0.041	3.70	34.3	6.2	0.45	577	1.82	2.43	12.0	2.3	370
W674060		2.25	19.35	0.12	1.6	0.041	4.67	35.9	13.8	0.16	370	9.82	0.38	12.2	1.7	370
W674061		2.65	22.0	0.12	1.7	0.047	4.49	33.9	11.6	0.54	500	2.72	0.30	13.5	1.4	590
W674062		2.40	20.9	0.12	1.6	0.039	4.86	28.3	11.9	0.43	542	6.47	0.14	13.6	2.0	520
W674063		3.34	18.55	0.12	1.6	0.047	5.08	24.8	11.1	0.30	574	31.5	0.06	14.0	1.7	740
W674064		3.12	18.65	0.11	1.5	0.041	4.90	22.9	12.2	0.24	691	15.25	0.05	13.7	2.3	690
W674065		6.01	15.20	0.08	0.8	0.102	0.89	10.3	7.9	1.27	918	15.25	2.34	3.1	23.3	600
W674066		2.35	18.65	0.10	1.6	0.034	4.57	24.3	13.6	0.13	406	58.9	0.04	12.5	2.7	530
W674067		2.97	18.90	0.10	1.4	0.034	4.77	26.4	14.0	0.48	601	29.6	0.06	11.8	7.0	560
W674068		2.41	19.90	0.12	1.7	0.033	4.88	43.9	9.1	0.19	381	19.90	1.06	12.5	2.0	540
W674069		2.55	20.3	0.12	1.4	0.032	5.69	27.7	9.5	0.15	611	57.4	0.59	11.6	2.5	570
W674070		0.75	0.69	0.05	0.9	<0.005	0.06	2.7	7.7	0.02	85	0.57	0.04	0.6	2.5	30
W674071		1.94	11.90	0.07	0.9	0.020	2.86	23.0	20.1	0.30	393	207	0.03	6.0	3.9	200
W674072		2.53	17.45	0.11	1.4	0.026	4.56	42.2	15.3	0.18	880	92.6	0.38	11.5	17.3	400
W674073		3.35	18.00	0.08	1.4	0.043	4.13	20.5	10.8	0.46	642	9.34	0.05	12.9	1.3	710
W674074		2.39	18.30	0.09	1.5	0.036	4.23	36.2	6.0	0.22	430	40.0	1.32	12.0	2.0	610
W674075		2.21	17.65	0.09	1.3	0.027	4.26	34.7	5.9	0.18	369	61.0	1.37	10.9	2.4	500
W674076		2.61	19.85	0.13	1.6	0.034	4.10	38.3	6.7	0.35	462	15.35	1.58	13.3	1.4	550
W674077		2.53	18.40	0.11	1.6	0.040	3.70	32.8	3.1	0.19	440	12.25	3.26	13.6	0.9	510
W674078		2.90	15.80	0.09	1.0	0.038	3.15	24.0	3.7	0.56	614	7.91	2.43	9.5	18.4	460
W674079		2.37	16.65	0.12	1.5	0.038	2.71	32.0	1.9	0.29	485	1.48	3.35	12.5	0.9	450
W674080		2.52	16.70	0.09	1.5	0.041	2.92	26.0	1.8	0.37	557	2.17	3.27	12.4	0.9	590



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
W674041		22.8	106.0	<0.002	0.01	0.85	4.0	<1	2.3	218	0.96	0.19	19.25	0.148	0.57	2.5
W674042		14.9	86.6	<0.002	0.06	1.06	3.9	1	2.4	295	1.02	0.27	18.90	0.133	0.41	2.5
W674043		17.4	101.0	<0.002	0.06	1.69	4.0	1	5.8	473	1.08	0.52	19.80	0.129	0.50	3.3
W674044		17.3	78.5	<0.002	0.11	1.52	2.9	1	3.4	236	1.04	0.41	19.45	0.099	0.37	2.7
W674045		52.2	19.6	0.002	0.12	1.92	17.2	1	1.5	409	0.42	0.07	3.69	0.293	0.27	1.3
W674046		18.1	85.6	<0.002	0.14	2.73	4.5	1	4.4	214	0.97	0.25	20.7	0.111	0.42	2.8
W674047		14.5	107.5	<0.002	0.15	2.12	5.1	1	3.7	253	0.98	0.32	20.3	0.128	0.57	2.8
W674048		14.2	104.0	<0.002	0.19	4.09	5.2	1	10.4	230	0.89	0.28	22.8	0.145	0.55	3.4
W674049		17.5	80.0	<0.002	0.33	4.49	4.3	1	3.9	237	0.82	0.16	21.6	0.143	0.44	2.9
W674050		8.9	21.2	<0.002	0.01	0.61	17.1	<1	0.9	504	0.22	<0.05	2.64	0.280	0.19	1.0
W674051		11.6	99.1	<0.002	0.57	4.86	4.8	2	4.8	293	0.92	0.18	18.65	0.173	0.55	2.4
W674052		13.3	117.5	<0.002	0.30	6.24	5.9	1	4.4	461	0.96	0.11	18.00	0.217	0.70	2.9
W674053		12.4	112.5	0.003	0.84	16.60	4.2	1	4.5	327	0.88	0.29	17.85	0.118	0.62	7.8
W674054		15.2	132.0	0.002	0.81	14.70	3.8	1	3.9	377	1.19	0.26	22.4	0.108	0.73	4.2
W674055		16.7	124.5	<0.002	0.94	14.45	3.7	1	4.8	395	1.20	0.27	22.1	0.109	0.74	3.5
W674056		13.2	94.8	<0.002	0.55	13.35	4.2	1	4.8	309	0.94	0.25	21.6	0.150	0.60	3.9
W674057		9.5	95.8	<0.002	0.69	6.00	4.1	<1	4.4	326	0.82	0.25	21.0	0.135	0.50	3.6
W674058		8.6	81.2	<0.002	0.28	4.69	4.1	<1	4.3	318	0.83	0.21	15.55	0.155	0.52	2.8
W674059		16.8	65.6	<0.002	0.44	4.48	4.6	1	3.6	397	0.85	0.30	14.80	0.164	0.44	2.3
W674060		10.4	98.8	<0.002	0.16	7.49	4.7	1	3.0	211	0.84	0.33	14.75	0.178	0.62	3.1
W674061		13.4	85.0	<0.002	0.58	9.33	6.3	1	4.6	222	0.96	0.57	14.05	0.223	0.60	3.0
W674062		16.4	86.3	<0.002	0.21	8.56	4.4	1	2.4	268	0.95	0.34	14.00	0.201	0.62	2.7
W674063		17.7	90.5	<0.002	0.29	8.66	4.2	<1	3.6	318	0.91	0.72	11.20	0.249	0.68	3.8
W674064		14.4	87.4	<0.002	0.18	11.00	4.5	1	3.7	334	0.89	0.37	10.75	0.251	0.63	3.5
W674065		25.7	22.2	0.005	0.03	9.01	18.7	<1	1.9	316	0.20	0.27	1.84	0.301	0.17	0.7
W674066		15.0	90.1	<0.002	0.16	12.00	3.4	<1	5.3	285	0.85	0.80	11.85	0.194	0.61	2.6
W674067		16.1	86.5	<0.002	0.27	17.10	7.2	1	5.7	309	0.82	0.77	12.40	0.287	0.66	3.2
W674068		17.9	99.1	<0.002	0.21	15.10	4.4	1	2.6	365	0.92	0.35	19.20	0.207	0.56	3.5
W674069		14.2	85.6	<0.002	0.32	15.40	4.1	1	1.7	288	0.83	0.66	12.10	0.203	0.69	2.9
W674070		1.5	2.4	<0.002	<0.01	0.34	0.4	<1	0.6	3.6	0.07	<0.05	1.42	0.016	0.02	0.4
W674071		23.1	61.6	0.003	0.67	11.40	2.5	1	1.3	247	0.37	1.46	8.03	0.093	0.41	1.9
W674072		15.2	92.9	0.004	0.29	16.90	4.0	1	2.1	331	0.76	0.73	14.35	0.174	0.72	3.1
W674073		15.3	66.2	<0.002	0.58	17.35	5.5	1	3.8	317	0.77	0.71	8.65	0.300	0.71	3.5
W674074		20.4	72.5	<0.002	0.48	11.60	4.9	1	2.8	385	0.80	0.64	14.00	0.229	0.66	3.4
W674075		23.0	68.4	0.002	0.42	9.63	4.4	1	2.1	412	0.77	0.67	14.75	0.188	0.66	3.3
W674076		22.8	71.1	0.002	0.69	12.50	5.2	1	1.6	440	0.93	0.65	15.20	0.201	0.59	3.3
W674077		17.8	75.8	<0.002	0.45	6.24	5.3	1	2.3	534	1.04	0.47	13.95	0.202	0.42	3.1
W674078		14.6	67.1	<0.002	0.36	5.38	7.5	1	1.7	476	0.66	1.56	9.61	0.230	0.42	2.6
W674079		15.1	63.8	<0.002	0.29	1.51	4.5	<1	1.0	755	0.83	0.11	13.00	0.181	0.33	2.3
W674080		13.4	61.6	<0.002	0.39	3.13	4.4	<1	1.8	747	0.86	0.32	10.15	0.212	0.36	2.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674041		12	1.6	14.7	36	56.5
W674042		18	4.3	14.4	33	47.6
W674043		19	3.9	18.5	41	54.5
W674044		14	3.6	11.4	21	51.3
W674045		134	16.9	17.7	316	27.2
W674046		17	7.9	16.0	22	42.5
W674047		14	3.7	14.8	21	38.5
W674048		23	7.9	15.8	31	57.9
W674049		31	19.3	12.1	27	65.7
W674050		136	7.5	21.4	71	19.5
W674051		20	4.7	13.5	39	62.1
W674052		26	8.9	14.5	42	64.1
W674053		15	11.0	11.4	19	55.0
W674054		14	13.7	13.2	21	52.9
W674055		13	11.8	12.8	21	56.3
W674056		45	22.7	8.4	17	74.0
W674057		26	11.8	10.4	19	75.6
W674058		31	9.1	8.9	28	59.9
W674059		38	14.6	7.8	26	51.2
W674060		49	15.3	7.9	20	64.5
W674061		68	22.9	8.7	25	62.6
W674062		63	18.9	7.8	28	61.6
W674063		58	24.0	8.6	41	63.5
W674064		60	23.9	8.2	43	60.3
W674065		154	4.2	17.9	86	21.7
W674066		38	20.0	6.8	30	63.3
W674067		69	24.7	8.1	37	56.2
W674068		48	19.3	8.8	31	68.1
W674069		52	27.8	6.9	26	61.2
W674070		2	0.2	1.7	3	22.9
W674071		26	12.1	4.5	14	30.9
W674072		46	392	8.5	21	61.5
W674073		87	36.1	7.6	30	60.3
W674074		57	30.4	7.8	22	61.6
W674075		47	26.5	7.4	21	58.1
W674076		56	28.6	8.9	29	67.0
W674077		45	19.6	9.7	33	62.4
W674078		65	10.0	9.5	65	33.5
W674079		36	8.0	12.5	38	58.8
W674080		37	13.6	9.8	38	61.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR															
W674081		3.93	0.156	0.24	5.94	5.2	3560	2.76	0.07	2.23	0.09	53.3	3.7	7	4.04	9.5
W674082		3.92	0.062	0.12	6.53	3.4	4940	2.42	0.04	1.40	0.04	73.5	4.1	10	3.20	30.1
W674083		3.86	0.125	0.28	6.84	3.1	3790	2.45	0.07	1.79	0.06	71.1	4.4	8	2.93	11.7
W674084		2.70	0.238	0.43	6.24	8.8	3380	2.60	0.06	1.77	0.08	55.5	3.5	9	3.84	15.4
W674085		0.10	1.235	1.33	7.09	19.8	520	0.81	0.29	4.79	1.35	22.9	27.9	195	1.09	180.5
W674086		2.38	2.78	1.30	6.44	12.4	1960	3.32	0.18	2.05	0.16	63.0	4.6	5	4.62	46.4
W674087		3.00	0.637	0.39	6.00	6.9	2810	2.24	0.06	1.90	0.11	57.8	3.6	13	1.91	19.1
W674088		3.08	0.784	3.23	7.16	14.7	2900	2.92	0.15	1.49	0.07	79.3	5.0	8	5.98	16.5
W674089		3.27	2.39	1.39	6.27	12.1	3430	2.58	0.17	1.90	0.09	63.6	4.8	7	3.31	36.6
W674090		0.11	0.005	0.12	7.32	2.1	640	0.82	0.25	4.05	0.14	23.1	12.3	10	0.56	148.0
W674091		3.96	0.092	0.05	4.93	13.1	1560	2.64	0.04	1.05	0.05	71.0	2.6	20	5.22	5.8
W674092		6.01	0.476	0.50	6.00	12.2	2690	2.95	0.06	2.49	0.09	54.0	6.6	38	3.49	8.5
W674093		3.61	4.73	6.81	5.70	5.7	2370	1.77	0.58	1.78	0.13	59.4	4.1	14	1.39	14.3
W674094		3.26	4.07	1.84	5.41	2.8	1910	1.05	0.49	1.47	0.15	57.6	3.2	15	1.26	3.1
W674095		1.66	4.15	2.48	5.19	2.6	1600	0.90	0.60	1.35	0.11	52.8	3.6	15	1.03	4.7
W674096		2.71	4.58	2.60	5.52	3.1	1970	1.04	0.50	1.25	0.11	54.4	3.1	14	1.21	2.9
W674097		3.35	2.25	0.75	5.77	4.7	2000	0.81	0.19	0.56	0.06	79.1	1.9	16	0.92	4.0
W674098		3.67	3.94	1.88	5.96	11.1	1800	1.13	0.25	0.99	0.08	56.8	2.6	14	1.21	4.3
W674099		4.34	3.00	1.75	5.53	11.4	3000	1.28	0.47	1.32	0.12	48.7	2.6	12	0.99	5.7
W674100		3.47	2.40	0.27	5.41	6.1	4240	1.72	0.03	1.33	0.11	50.5	2.3	12	1.27	28.4
W674101		2.66	1.435	0.57	5.40	5.2	3620	2.05	0.11	1.65	0.08	41.3	3.0	15	2.03	9.8
W674102		3.05	0.711	0.46	5.80	6.6	2980	2.46	0.20	1.36	0.07	45.5	2.8	14	2.29	4.2
W674103		3.61	0.623	0.19	6.16	7.7	3290	2.86	0.03	1.41	0.07	53.9	2.5	11	2.86	3.9
W674104		4.26	1.105	0.46	5.70	7.3	4100	3.05	0.09	1.18	0.06	56.4	3.2	11	3.04	3.3
W674105		0.11	6.73	0.75	6.86	12.8	580	0.76	0.48	3.35	0.18	18.45	13.4	37	0.89	72.2
W674106		4.06	0.642	0.37	5.67	6.3	3170	2.76	0.20	2.05	0.14	51.0	3.9	16	2.18	3.6
W674107		3.30	0.399	0.30	6.05	5.1	3170	2.32	0.06	1.75	0.07	45.8	3.9	14	1.61	12.3
W674108		3.91	2.93	1.11	6.08	5.8	2130	1.54	0.32	1.02	0.07	58.2	3.2	10	1.44	13.3
W674109		3.73	0.414	0.25	5.49	5.1	4160	1.75	0.21	0.30	0.04	67.8	1.3	12	1.40	7.8
W674110		0.51	0.007	0.01	0.23	1.8	40	0.14	0.02	0.02	<0.02	5.57	0.8	21	0.19	4.9
W674111		3.98	1.080	0.23	6.83	13.2	2460	2.37	0.13	1.56	0.08	67.3	4.0	9	2.02	15.5
W674112		4.01	0.316	0.15	6.21	8.4	2250	2.25	0.05	1.64	0.06	63.0	2.4	11	2.06	3.3
W674113		5.09	2.64	1.08	6.51	5.8	2130	2.44	0.21	1.03	0.05	76.4	2.6	10	2.16	10.1
W674114		3.56	2.18	0.81	6.21	6.1	2040	1.85	0.16	1.24	0.09	66.8	2.4	12	1.81	19.1
W674115		1.52	2.10	0.98	6.03	6.3	2020	1.78	0.16	1.22	0.08	61.0	2.3	12	1.70	21.7
W674116		3.65	0.117	0.05	6.43	4.9	1870	1.98	0.02	0.85	0.04	92.4	1.3	10	1.89	4.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674081		2.79	17.45	0.11	1.7	0.068	3.93	24.2	3.2	0.17	652	20.5	2.48	13.5	1.1	660
W674082		3.01	17.55	0.11	1.4	0.032	3.66	37.9	5.0	0.18	476	17.00	2.15	12.3	3.3	570
W674083		3.08	18.70	0.12	1.6	0.042	4.43	35.1	4.5	0.42	571	4.59	2.08	13.0	1.0	650
W674084		2.42	17.90	0.10	1.7	0.031	4.24	26.7	7.6	0.37	501	8.94	0.70	11.4	2.1	440
W674085		4.90	15.80	0.09	1.1	0.069	1.09	10.4	12.1	3.16	1100	5.01	2.06	6.3	152.5	470
W674086		2.60	18.10	0.13	1.9	0.041	4.56	30.7	10.7	0.58	587	25.9	0.43	14.9	1.6	590
W674087		2.59	16.55	0.12	1.5	0.032	2.92	28.1	4.4	0.47	557	2.95	2.59	15.5	1.6	610
W674088		3.26	19.20	0.13	1.8	0.057	4.32	38.7	5.3	0.45	500	3.20	0.88	16.1	0.5	830
W674089		3.13	17.85	0.13	1.9	0.043	4.00	29.0	8.5	0.53	647	17.25	0.13	13.5	1.5	690
W674090		3.71	14.90	0.09	1.0	0.059	1.22	8.9	6.9	1.30	898	2.56	2.38	3.0	6.0	570
W674091		1.90	12.50	0.11	1.0	0.040	2.27	37.6	9.9	0.34	396	4.72	0.73	8.2	3.0	400
W674092		2.85	17.75	0.11	1.2	0.035	4.02	26.5	7.3	0.65	753	4.32	1.21	12.4	10.2	530
W674093		2.34	16.20	0.12	1.3	0.031	4.13	30.0	3.9	0.54	587	102.0	0.95	12.5	5.0	440
W674094		2.24	15.30	0.11	1.1	0.025	4.60	28.9	3.4	0.46	538	99.9	0.06	10.0	2.3	360
W674095		2.30	15.20	0.13	1.0	0.022	4.11	25.9	3.9	0.41	500	129.5	0.06	9.8	2.8	330
W674096		2.16	16.90	0.11	1.2	0.024	4.20	27.2	4.6	0.39	490	84.9	0.07	10.2	2.6	380
W674097		1.27	14.20	0.12	1.1	0.013	4.31	43.8	3.1	0.19	242	35.1	0.07	8.9	2.6	160
W674098		1.83	15.45	0.10	1.0	0.027	4.33	31.3	4.6	0.34	429	43.4	0.07	8.7	2.2	310
W674099		1.80	15.90	0.09	0.9	0.030	4.06	25.3	4.1	0.42	537	102.5	0.07	8.5	2.6	340
W674100		1.62	16.05	0.09	0.9	0.020	3.88	26.5	8.5	0.40	454	13.30	0.05	8.5	2.4	350
W674101		1.61	16.05	0.09	1.0	0.021	4.21	20.3	11.5	0.47	494	14.10	0.04	8.7	3.6	350
W674102		1.70	16.55	0.09	0.9	0.021	3.96	23.5	10.1	0.39	466	56.7	0.05	7.8	3.0	360
W674103		1.62	15.85	0.11	0.9	0.022	4.43	29.2	11.0	0.44	512	0.72	0.05	7.8	2.2	340
W674104		1.55	14.30	0.11	0.9	0.019	4.06	31.6	10.7	0.39	403	5.27	0.03	7.0	3.4	320
W674105		5.62	13.90	0.08	0.8	0.094	0.82	8.6	7.7	1.17	878	13.80	2.20	2.8	21.9	560
W674106		2.29	15.95	0.10	1.0	0.030	4.81	26.0	10.6	0.58	724	41.6	0.04	9.5	4.7	390
W674107		2.21	15.90	0.09	1.1	0.028	4.52	22.6	6.0	0.49	715	2.07	0.07	10.3	4.7	400
W674108		1.78	14.55	0.08	1.0	0.021	4.12	30.9	4.6	0.31	442	54.1	0.07	9.7	3.5	280
W674109		0.83	14.35	0.21	1.6	0.015	4.63	37.7	12.2	0.11	140	27.2	0.07	10.9	5.1	130
W674110		0.75	0.74	0.12	1.0	<0.005	0.06	3.0	8.0	0.01	83	0.70	0.05	0.9	2.8	30
W674111		2.30	17.40	0.23	1.2	0.030	4.71	37.5	9.5	0.48	657	2.74	0.07	11.3	2.5	290
W674112		1.99	16.50	0.23	0.9	0.019	4.77	35.8	13.1	0.48	546	4.37	0.05	9.7	2.2	280
W674113		1.62	17.75	0.24	1.1	0.018	4.51	42.7	9.9	0.34	361	24.2	0.05	11.8	3.3	200
W674114		1.84	16.10	0.23	1.1	0.026	4.35	37.3	7.5	0.39	439	3.79	0.06	12.2	3.4	240
W674115		1.70	15.00	0.23	1.0	0.025	4.83	34.8	7.1	0.39	426	5.17	0.06	12.0	3.0	230
W674116		1.30	18.75	0.26	1.5	0.016	5.10	51.0	9.9	0.29	336	0.94	0.06	13.4	2.1	150



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte Units LOR	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
W674081		15.2	82.2	<0.002	0.25	6.54	5.1	<1	2.9	555	0.88	0.21	9.60	0.236	0.55	3.3
W674082		12.2	111.0	<0.002	0.22	9.47	4.9	<1	1.0	548	0.76	0.14	12.85	0.211	0.52	4.0
W674083		12.0	98.8	<0.002	0.31	7.43	5.4	1	1.7	366	0.89	0.24	12.90	0.238	0.57	3.1
W674084		12.4	76.4	0.002	0.28	13.15	4.2	<1	1.1	393	0.88	0.39	12.55	0.182	0.71	3.0
W674085		47.7	16.7	<0.002	0.12	1.90	16.3	1	1.4	389	0.41	0.08	3.35	0.276	0.30	1.4
W674086		24.0	88.7	0.009	0.73	34.7	5.6	1	2.6	379	0.94	0.71	11.85	0.228	0.78	4.2
W674087		16.4	66.3	0.003	0.48	19.30	5.0	1	2.2	505	0.90	0.17	11.35	0.200	0.44	2.3
W674088		15.2	92.9	0.004	0.90	15.90	7.1	<1	2.0	445	0.89	1.98	11.95	0.274	0.77	3.1
W674089		11.2	73.6	0.002	0.80	40.7	5.9	<1	1.6	312	0.84	0.96	9.95	0.247	0.91	3.8
W674090		9.3	15.4	<0.002	0.01	0.71	16.3	<1	0.8	460	0.21	<0.05	2.27	0.265	0.20	0.9
W674091		8.7	80.7	<0.002	0.21	14.30	5.6	<1	1.3	456	0.61	0.05	10.95	0.150	0.49	2.3
W674092		10.6	95.7	0.007	0.28	23.7	6.3	<1	1.5	395	0.76	0.11	10.20	0.221	0.68	3.0
W674093		13.6	68.5	0.002	1.19	13.10	4.0	1	2.4	353	0.75	1.11	11.75	0.168	0.82	2.2
W674094		9.4	69.0	<0.002	1.51	4.45	3.2	1	2.3	171.0	0.62	1.01	11.60	0.130	0.97	1.4
W674095		11.1	64.1	<0.002	1.62	5.21	2.9	1	2.4	160.0	0.61	1.28	9.95	0.130	0.99	1.1
W674096		10.0	66.8	<0.002	1.45	5.14	2.7	1	2.4	152.5	0.69	1.38	11.05	0.132	1.06	1.2
W674097		10.6	75.7	<0.002	0.71	5.65	1.1	1	1.7	119.5	1.01	0.30	23.1	0.063	0.96	1.2
W674098		10.5	72.4	<0.002	1.12	6.22	2.1	2	1.8	165.0	0.69	0.62	16.95	0.094	1.02	1.3
W674099		13.1	64.8	<0.002	0.92	8.00	2.5	1	2.2	255	0.66	0.83	14.95	0.097	0.93	1.3
W674100		4.7	72.9	<0.002	0.34	37.2	1.8	<1	2.0	260	0.68	0.08	14.25	0.108	0.98	2.3
W674101		5.9	83.1	0.002	0.38	23.7	1.9	<1	2.1	271	0.71	0.29	14.90	0.101	0.95	4.6
W674102		8.2	82.9	0.002	0.35	24.2	1.8	<1	2.1	280	0.72	0.31	14.30	0.105	0.99	3.1
W674103		7.2	109.0	<0.002	0.22	26.3	1.9	<1	2.0	299	0.70	0.08	16.25	0.099	0.94	2.7
W674104		4.8	116.5	<0.002	0.44	23.0	1.8	<1	1.9	365	0.60	0.16	16.90	0.089	0.75	5.5
W674105		25.3	17.1	0.005	0.03	8.30	18.5	1	1.7	296	0.19	0.21	1.66	0.286	0.18	0.7
W674106		7.3	99.1	<0.002	0.44	24.1	2.9	<1	2.3	307	0.74	0.42	15.50	0.135	0.92	6.7
W674107		11.3	79.7	<0.002	0.63	18.85	2.7	<1	2.3	279	0.86	0.17	14.90	0.150	1.01	8.7
W674108		13.9	76.5	<0.002	0.96	14.65	1.6	1	2.3	252	0.88	0.63	19.85	0.097	1.02	3.9
W674109		14.9	116.5	<0.002	0.30	15.55	0.8	<1	3.1	267	1.35	0.26	34.0	0.054	1.10	11.3
W674110		2.9	2.8	<0.002	<0.01	0.36	0.4	<1	0.7	4.4	0.12	<0.05	1.48	0.016	0.02	0.4
W674111		11.7	94.3	<0.002	0.67	26.2	2.1	1	2.9	282	0.99	0.20	24.2	0.103	1.06	7.7
W674112		7.4	93.4	<0.002	0.21	25.9	1.7	<1	2.3	227	0.77	0.12	19.85	0.106	1.03	5.5
W674113		10.9	90.9	<0.002	0.75	14.25	1.5	1	2.2	250	1.04	0.75	24.1	0.076	0.99	2.1
W674114		12.3	82.2	<0.002	0.90	15.30	1.6	1	2.3	302	1.07	0.60	22.9	0.076	0.96	3.3
W674115		11.2	93.4	<0.002	0.76	18.00	1.5	1	2.4	284	0.98	0.54	22.4	0.085	0.92	2.6
W674116		8.2	101.5	<0.002	0.14	17.50	1.1	<1	2.3	177.5	1.19	0.06	26.8	0.064	1.05	1.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674081		37	17.2	9.5	46	73.1
W674082		34	13.0	10.7	31	60.6
W674083		42	13.6	10.6	51	67.1
W674084		50	17.9	7.3	34	70.3
W674085		127	15.3	15.8	311	25.9
W674086		50	23.5	10.4	36	78.4
W674087		43	18.5	9.8	33	62.7
W674088		32	17.1	11.7	43	81.5
W674089		54	27.5	9.1	38	78.0
W674090		129	7.2	18.6	68	18.6
W674091		28	13.5	8.6	18	40.5
W674092		50	28.4	9.8	36	50.4
W674093		33	30.9	5.7	101	50.8
W674094		18	13.0	4.0	13	40.0
W674095		16	11.9	3.9	12	37.4
W674096		16	12.1	4.0	12	45.3
W674097		15	6.5	3.8	7	36.8
W674098		13	9.2	3.8	12	37.1
W674099		21	11.5	3.8	15	35.9
W674100		52	18.6	3.6	22	28.4
W674101		46	17.2	4.1	23	31.2
W674102		56	17.3	3.9	22	32.6
W674103		51	17.0	4.1	23	32.0
W674104		41	13.9	4.0	21	29.7
W674105		144	8.4	16.2	82	21.1
W674106		55	21.7	5.2	33	34.2
W674107		54	23.2	4.8	26	37.6
W674108		30	15.3	4.5	15	32.0
W674109		20	7.9	6.2	12	52.3
W674110		2	0.2	1.9	3	30.0
W674111		50	20.3	6.4	25	42.3
W674112		55	19.3	4.9	22	34.9
W674113		30	11.6	4.7	14	36.1
W674114		26	10.3	5.2	15	38.2
W674115		29	11.6	4.8	15	33.4
W674116		40	10.5	4.8	11	46.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-NOV-2017
Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219032

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-32 CRU-QC DRY-22 LOG-22
LOG-23 PUL-32 PUL-QC SPL-21
WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA24 ME-MS61



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 1
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

CERTIFICATE WH17219033

Project: QV
 P.O. No.: 17-QV-02
 This report is for 124 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10-OCT-2017.
 The following have access to data associated with this certificate:
 CHRIS LIVINGSTONE KRIS RAFFLE DAVID TERRY

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-22	Drying - Maximum Temp 60C
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Au-AA24	Au 50g FA AA finish	AAS

To: COMSTOCK METALS LTD.
 ATTN: CHRIS LIVINGSTONE
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
W674117		3.37	0.028	0.16	7.04	11.8	810	2.31	0.05	1.33	0.10	76.1	1.2	14	1.33	5.6
W674118		4.06	0.136	0.09	6.53	9.1	1190	2.02	0.05	1.05	0.06	85.5	1.9	15	1.62	8.3
W674119		3.63	0.163	0.17	6.49	9.3	1750	2.65	0.07	2.03	0.11	71.7	3.5	18	2.41	20.9
W674120		4.16	0.221	0.13	5.98	7.1	1870	2.24	0.06	1.39	0.09	85.8	2.9	20	2.13	7.9
W674121		4.67	0.581	0.59	6.45	12.9	1590	2.51	0.12	2.41	0.14	94.1	7.6	43	2.23	24.1
W674122		3.89	0.360	0.12	5.49	20.5	3070	2.33	0.04	2.92	0.13	72.6	5.8	55	1.81	8.2
W674123		3.71	0.288	0.25	5.83	10.0	2270	3.11	0.06	2.51	0.18	89.4	6.8	122	2.05	27.9
W674124		3.23	0.197	0.20	6.50	9.0	1700	2.05	0.10	3.12	0.13	70.5	8.1	39	1.48	7.4
W674125		0.11	1.240	0.64	7.70	21.2	510	0.84	0.32	5.03	1.24	25.9	26.9	183	1.13	178.5
W674126		2.81	0.054	0.12	6.28	9.4	1230	3.87	0.08	2.92	0.07	60.1	10.4	22	4.68	6.0
W674127		3.50	0.116	0.09	6.40	15.1	1190	5.36	0.06	4.08	0.08	64.9	12.6	28	3.87	22.8
W674128		4.04	0.083	0.21	6.32	9.9	1070	5.84	0.03	4.18	0.18	49.4	12.1	67	4.19	38.1
W674129		4.36	<0.005	0.01	7.09	5.4	750	14.55	0.03	3.05	0.08	40.2	19.4	19	33.8	6.7
W674130		0.11	<0.005	0.37	7.13	1.8	570	0.77	0.26	3.98	0.13	24.4	11.8	9	0.58	130.0
W674131		4.32	0.014	0.04	7.25	6.4	1190	8.15	0.05	4.32	0.09	47.5	15.2	40	29.9	13.5
W674132		5.49	0.017	0.06	6.43	7.7	2530	3.43	0.14	1.87	0.06	60.7	3.9	9	7.23	6.9
W674133		4.06	0.014	0.04	6.69	7.9	2360	3.80	0.12	1.21	0.04	68.8	2.3	7	6.95	6.0
W674134		4.67	0.032	0.03	4.93	5.2	1130	2.32	0.02	0.46	0.02	38.2	1.3	12	3.27	3.4
W674135		2.74	0.065	0.03	5.58	5.7	1080	2.32	0.02	0.48	0.03	40.6	1.4	11	3.56	3.5
W674136		3.77	0.030	0.07	6.06	8.0	1000	2.46	0.02	0.45	0.02	54.8	1.5	7	3.43	5.9
W674137		3.72	0.168	0.25	6.50	9.6	1930	2.44	0.16	0.88	0.10	64.0	2.2	11	3.21	22.3
W674138		3.80	1.370	0.64	5.81	8.0	1830	2.44	0.57	0.80	0.14	49.4	1.8	11	2.15	31.9
W674139		2.62	0.018	0.01	6.17	2.7	1570	2.07	0.02	1.22	0.11	56.6	1.6	12	0.95	2.1
W674140		3.28	0.058	0.04	6.58	5.5	1710	2.52	0.07	1.76	0.07	36.2	2.4	10	2.86	3.1
W674141		3.73	0.062	0.03	7.47	2.8	1340	1.55	0.02	1.14	0.05	5.02	0.7	9	2.66	1.8
W674142		3.66	0.179	0.08	6.83	4.3	1800	2.39	0.06	0.76	0.04	48.8	1.9	18	2.56	5.4
W674143		5.54	0.148	0.19	6.18	4.3	1270	2.22	0.07	0.66	0.12	52.9	1.8	13	2.20	38.2
W674144		5.16	0.106	0.19	6.71	4.5	890	2.47	0.04	0.59	0.05	27.2	1.2	11	2.86	5.7
W674145		0.11	6.97	0.83	7.01	14.4	470	0.72	0.47	3.51	0.20	19.90	13.3	35	0.92	75.0
W674146		3.26	0.022	0.04	7.41	6.7	1690	2.19	0.02	1.52	0.06	31.8	1.4	10	2.13	4.4
W674147		5.41	0.027	0.03	6.34	3.8	1830	2.51	0.03	1.54	0.06	50.1	2.0	14	1.99	3.9
W674148		5.75	0.011	0.03	6.32	3.6	1680	2.40	0.04	1.47	0.04	53.4	2.1	12	1.92	3.0
W674149		5.42	0.012	1.28	6.07	5.5	1910	2.32	0.07	1.89	0.09	47.3	2.0	14	1.91	10.6
W674150		0.49	<0.005	0.02	0.19	5.3	20	0.09	0.02	0.02	<0.02	20.1	0.7	24	0.19	3.2
W674151		5.92	0.057	0.04	4.98	4.9	2210	1.88	0.04	2.13	0.05	29.9	1.6	12	1.50	3.3
W674152		5.27	0.129	0.05	6.95	6.3	2670	1.77	0.04	1.65	0.07	31.3	1.5	9	1.94	5.8
W674153		2.81	0.029	0.05	6.11	7.5	2650	2.94	0.06	1.91	0.05	54.1	1.7	9	3.90	7.2
W674154		4.92	0.112	0.06	4.85	4.0	2780	3.13	0.06	3.00	0.08	43.3	2.2	9	4.76	3.9
W674155		1.91	0.008	0.03	6.89	6.3	3970	3.19	0.07	1.68	0.07	75.6	1.9	9	4.40	3.3
W674156		3.57	0.060	0.02	6.73	6.3	3580	2.93	0.06	1.86	0.09	65.4	2.3	9	4.24	3.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674117		1.70	22.4	0.13	1.4	0.029	4.68	40.5	4.7	0.44	504	0.99	2.59	14.3	2.6	230
W674118		1.52	19.15	0.14	1.5	0.028	4.94	46.8	5.7	0.35	383	2.30	1.48	17.4	3.0	160
W674119		1.95	20.6	0.14	1.6	0.040	6.54	37.1	8.8	0.65	621	2.63	0.19	16.8	4.9	230
W674120		1.58	18.85	0.14	1.6	0.026	5.63	46.7	14.0	0.49	462	3.32	0.06	16.6	4.8	130
W674121		2.12	19.60	0.18	2.1	0.047	6.19	48.6	8.4	0.81	591	6.40	0.26	21.5	20.4	400
W674122		2.18	15.85	0.14	1.8	0.037	5.28	39.6	13.1	0.99	719	1.25	0.11	15.7	20.0	310
W674123		2.14	19.70	0.14	2.6	0.059	4.25	43.6	8.9	0.89	598	12.70	1.17	23.4	27.5	450
W674124		2.99	18.50	0.16	1.1	0.054	6.10	37.7	3.5	1.09	744	1.20	1.31	14.7	15.3	530
W674125		5.05	17.10	0.09	1.2	0.076	1.13	11.9	13.6	3.41	1120	5.61	2.13	6.8	149.0	460
W674126		3.55	18.80	0.13	0.9	0.053	3.84	29.4	10.4	1.09	479	1.74	1.19	14.1	10.2	840
W674127		3.98	18.40	0.16	0.7	0.062	3.82	33.6	4.6	1.49	561	4.23	1.60	10.8	11.2	910
W674128		3.55	17.90	0.14	0.5	0.058	4.06	23.9	4.6	1.75	719	0.94	2.27	9.7	29.4	720
W674129		5.66	20.8	0.12	0.6	0.069	3.35	17.3	10.7	1.77	959	1.66	1.30	11.1	8.4	1130
W674130		3.51	16.30	0.10	1.1	0.055	1.15	10.1	7.5	1.27	839	2.31	2.27	3.1	6.1	530
W674131		5.13	19.20	0.11	0.5	0.054	3.14	22.0	8.9	1.88	796	2.02	1.47	11.5	13.9	1180
W674132		2.18	17.05	0.12	0.9	0.022	4.20	33.2	11.9	0.52	531	0.86	0.67	10.6	3.0	390
W674133		1.65	17.90	0.10	1.1	0.017	4.36	39.7	14.3	0.41	387	0.35	0.11	10.6	1.9	310
W674134		0.85	13.65	0.06	1.1	0.005	3.40	21.0	11.1	0.20	215	0.62	0.03	7.6	2.1	50
W674135		0.85	15.80	0.08	1.2	0.009	3.97	23.0	10.4	0.21	224	1.78	0.03	8.2	2.2	60
W674136		0.90	16.25	0.10	1.3	0.010	4.66	32.2	8.2	0.20	200	0.63	0.05	7.8	1.8	120
W674137		1.44	16.60	0.12	1.2	0.010	5.34	38.4	8.9	0.30	342	1.68	0.18	9.8	2.4	190
W674138		1.32	17.90	0.09	1.3	0.015	3.85	28.9	7.1	0.22	293	1.85	1.43	9.4	1.7	140
W674139		1.30	16.75	0.11	1.2	0.013	2.80	32.9	2.9	0.26	415	0.44	3.15	10.9	1.4	150
W674140		1.51	19.30	0.10	1.1	0.015	4.50	18.6	3.5	0.24	458	0.29	2.34	10.6	1.1	260
W674141		0.68	24.6	0.07	1.4	0.009	5.76	2.4	3.5	0.14	244	0.12	2.66	7.3	0.9	50
W674142		1.30	19.45	0.11	1.3	0.011	4.72	27.9	2.7	0.15	265	0.29	2.48	9.6	2.1	160
W674143		1.17	16.45	0.10	1.3	0.013	4.29	30.8	4.1	0.14	333	6.57	1.68	9.8	34.3	150
W674144		0.95	18.65	0.10	1.4	0.008	5.46	15.7	11.8	0.18	223	0.29	0.46	7.7	1.2	80
W674145		5.74	15.65	0.10	0.8	0.113	0.84	9.4	8.3	1.24	884	14.65	2.25	3.1	22.3	560
W674146		1.19	20.7	0.10	1.3	0.012	4.97	17.5	5.1	0.21	407	0.43	2.37	9.0	1.4	140
W674147		1.60	17.50	0.10	1.2	0.012	3.93	26.0	2.4	0.20	447	7.38	2.80	11.4	2.0	220
W674148		1.63	17.40	0.11	1.1	0.015	3.49	29.1	3.1	0.23	430	1.36	2.78	10.8	1.6	240
W674149		1.53	17.10	0.11	1.0	0.016	3.60	24.9	3.4	0.23	445	0.66	2.59	10.6	2.1	200
W674150		0.65	0.76	0.05	1.0	<0.005	0.05	5.4	7.9	0.01	73	0.34	0.04	1.2	1.8	20
W674151		1.29	14.80	0.07	1.0	0.014	3.25	15.5	4.6	0.20	376	0.47	2.21	8.8	1.4	200
W674152		1.35	19.00	0.07	1.5	0.017	5.53	16.1	3.8	0.26	370	1.17	1.89	9.9	4.1	140
W674153		1.31	16.55	0.10	1.2	0.017	3.81	29.9	14.5	0.35	411	0.35	0.69	10.5	2.7	180
W674154		1.35	15.05	0.09	0.7	0.016	3.29	22.5	16.2	0.34	471	0.37	0.09	9.7	2.7	250
W674155		1.56	21.6	0.13	1.1	0.028	4.36	41.6	7.4	0.36	411	0.29	1.30	15.3	2.2	290
W674156		1.51	20.1	0.12	0.9	0.023	4.31	34.6	6.9	0.35	430	0.30	1.44	14.3	2.2	290



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
W674117		77.3	95.3	<0.002	0.19	20.0	2.1	<1	2.6	175.0	1.16	<0.05	25.2	0.095	0.91	2.5
W674118		22.6	101.5	<0.002	0.16	19.80	1.6	1	2.8	237	1.39	0.07	26.7	0.083	0.86	2.9
W674119		13.8	88.7	<0.002	0.19	35.7	3.1	<1	3.4	349	1.30	0.05	22.5	0.122	1.03	2.5
W674120		9.6	115.0	<0.002	0.20	18.80	1.8	<1	2.8	268	1.31	0.07	24.0	0.066	0.88	1.6
W674121		17.6	98.6	<0.002	0.31	31.3	4.8	1	4.2	408	1.66	0.71	26.6	0.161	0.93	4.1
W674122		11.4	95.8	<0.002	0.17	25.1	5.5	1	3.4	481	1.05	0.06	20.5	0.142	0.74	2.9
W674123		21.9	92.1	0.003	0.27	29.0	5.9	1	4.1	436	1.63	0.08	21.8	0.180	0.62	5.1
W674124		16.9	82.6	<0.002	0.16	34.0	8.3	<1	3.9	625	1.00	0.19	17.90	0.264	0.79	3.4
W674125		48.0	19.3	<0.002	0.12	2.25	17.9	1	1.4	387	0.43	0.19	3.87	0.287	0.30	1.4
W674126		21.0	104.0	0.002	0.12	23.8	13.8	<1	1.8	516	0.80	0.09	8.23	0.429	0.71	8.2
W674127		10.9	107.5	0.004	0.22	27.2	16.6	1	2.1	457	0.57	0.13	7.80	0.446	0.64	3.8
W674128		22.8	83.0	<0.002	0.13	17.70	18.1	1	4.2	569	0.42	0.12	5.94	0.356	0.52	4.0
W674129		9.7	141.5	<0.002	0.03	11.85	26.8	<1	6.3	533	0.56	<0.05	6.58	0.630	1.19	3.1
W674130		8.6	17.5	<0.002	0.01	0.73	16.5	<1	0.8	430	0.20	<0.05	2.26	0.248	0.17	1.0
W674131		8.7	143.0	<0.002	0.12	10.60	23.6	1	3.5	569	0.61	<0.05	5.96	0.582	0.90	3.9
W674132		12.0	115.5	<0.002	0.20	11.20	3.3	<1	2.3	548	0.83	<0.05	17.50	0.150	0.70	2.3
W674133		9.8	140.0	<0.002	0.13	22.0	1.8	1	2.2	393	0.84	<0.05	21.4	0.107	0.79	3.7
W674134		3.8	101.0	<0.002	0.08	12.15	0.6	<1	1.2	124.5	0.73	<0.05	20.4	0.035	0.58	5.1
W674135		4.2	118.5	<0.002	0.07	12.65	0.7	<1	1.3	139.5	0.74	<0.05	22.6	0.035	0.70	4.6
W674136		11.0	120.0	<0.002	0.15	12.75	0.7	1	1.1	188.0	0.78	<0.05	24.2	0.043	0.84	8.0
W674137		13.2	130.5	<0.002	0.19	23.4	1.3	1	1.6	295	0.75	0.07	21.4	0.075	0.89	6.7
W674138		17.6	115.5	<0.002	0.21	21.6	1.1	1	1.7	282	0.80	0.36	23.6	0.069	0.69	4.9
W674139		10.8	76.2	<0.002	0.11	4.39	1.2	<1	1.7	408	0.90	<0.05	22.5	0.068	0.42	2.3
W674140		20.6	114.0	<0.002	0.16	3.45	1.9	<1	1.9	493	0.73	<0.05	12.15	0.104	0.72	2.0
W674141		19.2	95.1	<0.002	0.06	3.14	1.1	<1	1.0	657	0.27	0.05	1.89	0.048	1.03	1.1
W674142		14.7	116.5	<0.002	0.15	5.75	1.3	<1	1.7	373	0.68	<0.05	15.55	0.082	0.70	7.4
W674143		28.7	138.5	0.005	0.16	6.06	0.9	<1	1.2	219	0.97	0.05	23.0	0.059	0.68	3.3
W674144		13.1	126.0	<0.002	0.14	7.44	0.8	1	1.0	340	0.62	<0.05	14.30	0.044	0.89	2.9
W674145		25.2	19.8	0.006	0.03	9.45	18.8	1	1.8	293	0.20	0.25	1.71	0.293	0.20	0.7
W674146		15.4	122.0	<0.002	0.13	5.04	1.5	1	1.4	727	0.53	<0.05	10.70	0.073	0.71	2.8
W674147		17.7	113.5	<0.002	0.24	5.17	1.4	<1	1.7	370	1.01	<0.05	19.55	0.090	0.61	2.7
W674148		17.3	94.8	<0.002	0.16	6.09	1.4	<1	1.6	420	0.92	<0.05	18.90	0.094	0.52	1.5
W674149		18.0	91.5	<0.002	0.18	6.78	1.3	<1	1.5	467	0.88	<0.05	16.65	0.085	0.55	4.6
W674150		0.7	2.3	<0.002	<0.01	0.31	0.4	<1	0.6	3.8	0.26	<0.05	1.34	0.013	<0.02	0.4
W674151		13.2	71.6	<0.002	0.19	3.07	1.0	<1	1.4	486	0.71	<0.05	11.30	0.068	0.49	1.6
W674152		16.8	77.6	<0.002	0.16	4.52	1.5	<1	3.0	780	0.61	0.08	11.90	0.089	0.84	2.8
W674153		11.2	102.0	<0.002	0.17	13.50	1.3	<1	3.1	431	0.93	<0.05	20.1	0.081	0.65	6.1
W674154		8.7	86.1	<0.002	0.16	20.0	1.4	<1	2.5	460	0.72	<0.05	14.45	0.087	0.55	5.2
W674155		13.2	108.0	<0.002	0.21	13.40	2.1	<1	4.0	407	1.18	<0.05	23.8	0.114	0.69	3.1
W674156		14.2	99.3	0.002	0.20	13.35	1.9	<1	3.4	419	1.07	0.35	20.5	0.120	0.74	3.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674117		51	19.1	5.1	14	45.6
W674118		49	13.5	6.5	14	47.0
W674119		72	22.9	6.6	23	50.1
W674120		43	10.5	5.3	16	48.7
W674121		69	29.1	9.4	29	65.2
W674122		58	25.7	8.5	30	53.2
W674123		81	28.7	10.3	35	84.7
W674124		97	43.7	9.5	39	36.4
W674125		127	16.3	18.6	308	29.0
W674126		114	22.8	11.1	31	33.8
W674127		143	22.7	12.8	37	22.8
W674128		147	32.8	12.9	55	15.0
W674129		270	10.2	12.9	62	13.1
W674130		117	7.6	19.5	63	20.5
W674131		182	15.1	14.2	58	10.7
W674132		34	9.1	8.7	35	33.2
W674133		26	18.3	8.4	24	40.1
W674134		17	5.3	3.7	9	33.8
W674135		18	5.7	3.8	9	36.8
W674136		19	8.9	4.7	9	40.4
W674137		30	15.4	5.7	18	41.6
W674138		24	5.7	5.8	23	40.3
W674139		21	5.4	7.1	26	38.5
W674140		30	6.2	6.6	34	35.7
W674141		26	6.3	3.2	12	49.2
W674142		34	5.5	6.1	22	41.1
W674143		17	4.8	5.9	34	37.2
W674144		28	5.4	4.1	17	46.5
W674145		143	3.3	17.6	82	22.8
W674146		25	7.1	5.9	19	43.2
W674147		22	6.2	7.6	27	36.3
W674148		21	6.2	7.6	28	33.5
W674149		23	13.1	7.3	30	33.2
W674150		12	0.2	3.9	2	25.4
W674151		28	6.2	5.4	19	29.1
W674152		44	10.8	5.7	20	52.9
W674153		41	13.2	6.5	15	41.5
W674154		41	14.3	6.4	15	27.5
W674155		55	16.7	7.4	17	35.3
W674156		55	17.0	6.8	17	32.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR															
W674157		3.82	0.010	0.02	6.07	13.5	2490	3.03	0.10	1.61	0.10	58.4	1.9	11	4.25	3.0
W674158		3.73	0.017	0.03	6.09	9.7	2640	3.19	0.05	2.30	0.17	56.4	2.7	14	4.10	2.2
W674159		3.43	0.415	0.02	5.11	3.0	3030	1.91	0.04	1.96	0.10	76.5	1.6	16	2.78	2.4
W674160		4.07	0.038	0.03	5.85	3.1	3960	2.10	0.11	2.34	0.12	60.7	2.3	12	3.16	2.5
W674161		2.92	0.014	9.73	6.38	5.4	3220	2.86	0.05	2.29	0.13	52.5	3.4	9	5.17	16.2
W674162		4.08	0.015	0.04	5.31	7.9	5400	2.77	0.04	2.58	0.14	49.4	2.2	9	4.44	3.6
W674163		3.62	0.061	0.06	5.98	20.8	3000	2.70	0.17	1.87	0.12	56.6	3.4	11	4.60	5.9
W674164		3.54	0.036	0.02	6.21	10.7	2630	3.27	0.14	3.23	0.13	40.5	3.5	9	4.84	3.9
W674165		0.11	1.230	0.60	7.66	21.0	510	0.88	0.30	5.02	1.27	26.1	28.1	178	1.16	180.0
W674166		3.93	0.007	0.02	5.65	7.4	3430	3.55	0.19	2.34	0.06	55.8	2.7	11	4.51	3.3
W674167		3.48	<0.005	0.02	6.84	5.1	2000	2.89	0.22	1.50	0.03	63.1	2.3	13	3.33	3.2
W674168		4.01	0.007	0.04	6.89	15.3	1760	3.22	0.46	1.30	0.05	68.3	3.2	14	3.66	3.8
W674169		4.52	0.018	0.04	7.40	27.2	2480	3.78	0.37	1.83	0.05	62.8	2.7	11	4.57	4.0
W674170		0.11	<0.005	0.10	7.66	1.7	710	0.76	0.23	4.12	0.12	27.0	12.4	10	0.60	143.5
W674171		3.73	<0.005	0.01	6.35	12.8	3090	2.90	0.25	1.34	0.03	56.1	2.1	21	2.45	4.5
W674172		3.70	<0.005	0.01	6.94	3.0	1950	3.60	0.27	1.63	<0.02	66.5	2.2	17	4.31	3.2
W674173		3.84	0.029	0.05	6.45	8.5	1950	3.30	0.30	1.95	0.07	60.8	5.1	22	4.87	5.2
W674174		3.62	0.009	0.01	7.02	4.6	1870	3.60	0.28	1.61	0.02	64.2	2.5	15	2.73	2.6
W674175		1.73	0.021	0.05	6.42	3.6	1880	3.12	0.27	1.74	0.08	56.9	2.6	16	2.26	2.9
W674176		3.26	<0.005	0.01	6.24	3.1	4540	3.11	0.22	1.98	0.05	58.1	3.3	20	2.82	8.4
W674177		6.34	<0.005	0.03	6.54	5.1	2540	3.35	0.16	2.33	0.03	46.5	5.6	40	3.70	13.8
W674178		6.59	<0.005	0.01	6.64	2.5	2010	3.74	0.17	2.84	0.02	53.1	11.5	107	4.76	6.9
W674179		5.42	<0.005	0.01	6.64	3.7	2650	3.80	0.28	2.53	0.03	53.0	4.6	20	5.32	6.3
W674180		6.19	<0.005	0.02	6.39	3.0	2690	3.11	0.09	1.99	0.04	53.1	2.4	18	4.84	5.2
W674181		6.06	<0.005	0.02	6.24	2.1	1630	2.89	0.11	2.36	0.06	55.8	2.6	17	2.83	5.3
W674182		6.18	<0.005	0.01	6.65	4.5	5290	3.05	0.16	4.60	0.10	79.4	13.3	35	10.05	9.6
W674183		4.17	<0.005	0.01	6.38	9.1	4350	4.04	0.30	1.98	0.03	60.7	2.2	15	6.10	4.4
W674184		3.80	<0.005	0.02	6.31	6.9	7210	3.55	0.35	2.48	0.07	54.6	2.0	12	3.77	2.6
W674185		0.11	6.95	1.05	7.06	13.5	480	0.73	0.51	3.46	0.18	19.90	12.8	34	0.90	68.5
W674186		4.55	<0.005	0.02	5.43	5.7	4540	3.30	0.13	2.20	0.05	52.7	2.2	17	4.32	2.7
W674187		4.69	0.015	0.04	6.33	7.7	2340	4.70	0.36	4.62	0.17	54.2	9.5	28	8.71	3.9
W674188		3.52	<0.005	0.01	5.96	6.0	1700	3.22	0.06	2.22	0.09	52.2	6.8	21	6.87	10.4
W674189		4.13	0.005	0.02	6.77	5.2	1950	3.49	0.06	4.48	0.07	57.0	18.2	66	15.45	17.6
W674190		0.48	<0.005	0.01	0.24	0.5	30	0.10	0.02	0.03	<0.02	4.95	0.8	18	0.28	3.6
W674191		3.60	0.029	0.27	5.36	7.6	620	3.13	0.52	4.25	0.45	113.0	10.6	92	3.21	77.0
W674192		4.36	0.008	0.20	5.81	6.9	180	2.89	0.90	0.74	0.63	212	1.0	18	2.18	44.2
W674193		4.23	<0.005	0.38	5.86	12.4	150	2.18	1.65	0.42	0.60	278	0.9	18	2.05	60.0
W674194		2.70	0.042	0.44	6.01	15.1	180	2.24	0.82	0.36	1.58	207	1.3	15	2.94	118.0
W674195		1.53	0.043	0.22	6.76	20.3	380	2.47	0.35	0.41	1.18	196.0	1.3	12	3.16	93.8
W674196		5.50	0.091	0.46	6.36	15.8	300	1.95	1.44	0.39	0.72	200	1.9	17	2.38	110.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674157		1.54	17.70	0.10	1.1	0.024	3.97	32.8	14.0	0.43	423	0.27	0.05	10.8	1.9	300
W674158		1.88	18.40	0.10	0.9	0.036	4.19	31.9	13.8	0.69	794	0.43	0.04	13.3	3.4	290
W674159		1.45	18.35	0.15	1.3	0.038	4.82	37.5	14.2	0.36	453	0.65	0.06	19.9	2.5	140
W674160		1.52	18.05	0.12	1.1	0.049	5.27	31.0	10.8	0.46	618	0.92	0.07	16.4	2.3	240
W674161		1.91	20.9	0.12	1.1	0.040	4.81	25.5	13.1	0.51	648	0.28	0.05	15.7	6.0	280
W674162		1.76	16.65	0.10	0.9	0.027	3.73	24.6	20.4	0.42	507	0.24	0.04	8.3	3.1	200
W674163		1.98	15.50	0.10	0.9	0.025	3.77	31.9	14.5	0.47	488	0.27	0.61	9.4	3.2	240
W674164		2.12	18.35	0.11	1.2	0.027	4.43	20.2	12.5	0.54	622	0.34	0.38	9.8	4.7	220
W674165		5.02	17.60	0.10	1.3	0.077	1.14	12.2	13.1	3.40	1120	5.79	2.11	7.0	151.5	470
W674166		1.93	15.25	0.10	0.9	0.021	3.09	30.8	15.4	0.44	493	0.58	0.51	9.1	3.5	220
W674167		1.91	16.95	0.11	0.9	0.021	3.26	36.4	4.4	0.29	499	0.71	2.37	10.8	1.9	250
W674168		2.20	16.70	0.11	0.9	0.021	3.06	41.1	5.6	0.42	484	0.19	2.17	11.0	2.0	260
W674169		1.95	19.45	0.11	0.9	0.039	3.34	35.1	6.7	0.58	466	0.38	1.75	13.5	2.2	270
W674170		3.70	16.20	0.09	1.2	0.051	1.23	11.6	7.2	1.35	885	2.35	2.36	3.3	6.8	540
W674171		1.73	16.45	0.09	0.8	0.021	2.04	32.4	3.2	0.29	439	1.61	3.16	11.1	2.1	220
W674172		1.69	16.95	0.11	1.0	0.014	3.23	39.1	3.2	0.32	450	0.69	2.35	10.6	2.5	220
W674173		2.17	17.15	0.11	0.9	0.027	3.14	33.0	3.1	0.41	513	0.78	2.14	14.2	8.1	550
W674174		1.79	17.25	0.11	0.9	0.023	2.86	36.0	3.5	0.28	374	0.65	3.06	11.4	2.2	230
W674175		1.73	15.40	0.09	0.9	0.021	2.71	32.7	3.1	0.26	372	0.56	2.86	10.4	2.1	210
W674176		1.68	16.10	0.11	0.8	0.028	2.73	32.0	5.4	0.31	346	0.56	2.71	11.3	3.8	290
W674177		1.91	15.05	0.10	0.8	0.027	3.54	24.4	5.0	0.58	404	1.17	2.74	9.5	14.5	310
W674178		2.77	16.90	0.09	0.8	0.037	3.48	28.0	10.8	1.43	554	0.62	2.17	12.8	44.8	560
W674179		2.11	17.95	0.12	0.8	0.032	3.36	28.5	6.7	0.51	397	2.66	2.75	14.5	6.8	510
W674180		1.63	16.50	0.10	0.9	0.013	2.83	28.1	2.9	0.31	273	0.47	3.34	10.3	2.2	260
W674181		1.73	15.85	0.12	0.8	0.037	2.10	29.9	2.7	0.34	355	0.83	3.53	11.1	3.2	330
W674182		3.63	17.25	0.16	0.4	0.050	4.08	42.4	8.9	1.46	835	1.09	1.81	25.4	22.3	1710
W674183		1.50	16.50	0.12	1.1	0.028	2.63	33.4	4.8	0.32	335	0.51	2.46	11.1	2.5	240
W674184		1.63	16.35	0.10	0.9	0.039	2.39	27.3	8.5	0.44	472	0.61	2.29	12.1	2.8	250
W674185		5.66	14.45	0.11	0.8	0.097	0.83	9.9	8.1	1.22	865	14.60	2.19	3.0	22.0	530
W674186		1.46	12.85	0.09	0.9	0.024	2.68	29.1	16.5	0.42	415	1.48	0.46	12.5	3.2	230
W674187		3.83	18.55	0.13	0.7	0.065	2.49	27.5	9.4	1.32	1040	0.81	1.23	15.3	9.2	730
W674188		2.24	16.85	0.18	1.2	0.039	2.07	26.6	6.4	0.69	357	1.17	2.24	15.7	6.5	540
W674189		4.34	19.35	0.17	0.7	0.072	2.01	27.7	6.0	1.89	714	0.57	3.10	12.5	21.9	950
W674190		0.70	0.68	0.09	0.9	0.005	0.06	2.6	7.5	0.02	75	0.31	0.06	0.7	1.9	20
W674191		3.29	22.1	0.23	3.0	0.117	2.34	53.9	8.7	1.68	798	4.46	2.11	76.2	19.3	340
W674192		2.35	30.6	0.34	4.7	0.155	3.26	93.8	6.5	0.25	416	1.71	1.84	142.0	1.1	50
W674193		2.34	33.2	0.43	4.5	0.130	3.46	123.5	6.5	0.18	397	11.30	1.74	150.5	1.0	10
W674194		2.19	31.6	0.31	4.6	0.085	3.75	97.4	9.5	0.17	278	5.71	0.88	98.6	1.4	10
W674195		2.21	33.2	0.28	4.9	0.069	4.46	92.8	9.9	0.19	282	6.17	0.85	96.9	1.5	20
W674196		2.27	35.1	0.38	7.4	0.066	3.68	94.8	6.5	0.14	245	6.24	2.24	114.5	2.0	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
W674157		6.7	87.2	<0.002	0.18	18.75	1.7	<1	3.3	244	0.79	<0.05	18.30	0.112	0.56	9.3
W674158		9.0	88.7	<0.002	0.16	16.00	2.6	<1	2.8	347	0.88	<0.05	17.35	0.118	0.62	4.7
W674159		12.1	96.9	<0.002	0.10	24.0	1.5	<1	3.3	251	1.65	<0.05	22.4	0.077	0.79	3.1
W674160		7.5	102.0	0.002	0.17	19.10	1.9	1	3.2	295	1.14	0.10	18.05	0.099	0.87	2.7
W674161		6.9	83.8	0.002	0.17	20.1	2.0	<1	3.0	291	1.32	<0.05	17.65	0.112	0.80	1.4
W674162		8.0	94.1	<0.002	0.18	32.4	1.6	<1	2.5	373	0.81	<0.05	16.85	0.081	0.70	2.0
W674163		11.8	89.0	<0.002	0.30	11.00	1.5	<1	3.3	472	0.84	<0.05	18.55	0.091	0.53	2.6
W674164		11.1	106.5	<0.002	0.19	26.8	1.6	<1	2.4	489	0.78	<0.05	14.30	0.089	0.75	10.8
W674165		46.4	20.6	0.003	0.12	2.04	18.4	1	1.4	385	0.42	0.05	3.80	0.289	0.29	1.5
W674166		6.6	108.5	<0.002	0.13	32.2	1.4	<1	2.4	317	0.78	<0.05	18.25	0.081	0.67	13.3
W674167		8.9	104.0	<0.002	0.12	4.66	1.4	<1	2.2	290	0.92	<0.05	20.5	0.104	0.62	4.9
W674168		10.2	99.3	<0.002	0.23	4.98	1.5	<1	2.9	320	0.91	<0.05	21.9	0.099	0.53	6.2
W674169		22.0	99.6	<0.002	0.25	7.23	1.5	<1	3.7	424	1.12	<0.05	21.2	0.104	0.70	7.3
W674170		9.1	20.2	<0.002	0.02	0.64	17.0	<1	0.9	455	0.22	<0.05	2.67	0.263	0.18	1.2
W674171		14.2	62.0	<0.002	0.16	3.94	1.3	<1	2.9	579	0.89	<0.05	19.50	0.089	0.47	4.7
W674172		9.3	111.5	<0.002	0.07	2.34	1.5	<1	2.7	272	0.94	<0.05	22.4	0.095	0.61	8.0
W674173		11.9	90.9	<0.002	0.12	3.45	3.8	<1	2.3	307	1.03	<0.05	17.60	0.187	0.63	10.8
W674174		10.3	87.6	<0.002	0.14	1.11	1.4	<1	2.9	446	0.97	<0.05	22.2	0.095	0.51	7.1
W674175		10.7	78.0	<0.002	0.18	1.02	1.3	<1	2.7	457	0.90	<0.05	19.55	0.088	0.48	7.6
W674176		11.6	89.6	<0.002	0.18	1.05	1.8	<1	2.4	521	0.89	<0.05	18.85	0.108	0.51	4.5
W674177		10.2	90.5	<0.002	0.15	1.51	3.4	<1	2.1	434	0.80	0.05	15.70	0.155	0.57	5.1
W674178		8.8	123.5	<0.002	0.04	0.73	8.4	<1	2.5	323	0.91	<0.05	15.20	0.303	0.75	4.2
W674179		13.3	99.3	<0.002	0.08	0.82	3.2	<1	4.1	569	1.05	<0.05	15.85	0.174	0.68	6.6
W674180		13.2	77.5	<0.002	0.08	0.72	1.5	<1	3.0	452	0.77	<0.05	16.75	0.103	0.48	4.3
W674181		13.1	61.1	<0.002	0.09	0.86	1.9	<1	3.4	434	0.89	<0.05	16.70	0.118	0.37	5.2
W674182		24.3	154.5	0.002	0.23	2.70	11.5	<1	2.7	2020	1.33	<0.05	10.10	0.493	0.93	4.3
W674183		10.7	85.2	<0.002	0.21	3.43	1.4	<1	2.8	613	0.83	<0.05	18.65	0.098	0.50	5.0
W674184		8.4	79.7	<0.002	0.30	14.40	1.8	<1	3.8	968	0.77	0.11	16.00	0.104	0.45	3.2
W674185		25.3	22.1	0.004	0.03	9.09	18.1	<1	1.8	287	0.19	0.25	1.66	0.288	0.17	0.7
W674186		34.8	90.8	0.002	0.23	19.75	1.2	<1	2.3	730	0.64	<0.05	13.80	0.078	0.60	4.5
W674187		18.7	120.5	<0.002	0.43	33.0	15.8	<1	3.7	1505	0.64	0.19	9.05	0.343	0.61	37.4
W674188		12.1	73.9	0.002	0.19	6.35	8.9	<1	1.9	377	0.64	<0.05	11.60	0.274	0.50	21.5
W674189		10.6	110.0	<0.002	0.43	3.33	21.2	<1	3.2	964	0.55	<0.05	5.88	0.461	0.67	7.3
W674190		1.3	3.1	<0.002	<0.01	0.32	0.4	<1	0.5	6.3	0.08	<0.05	1.36	0.016	<0.02	0.5
W674191		50.3	136.5	0.002	0.24	8.11	14.6	<1	18.3	387	5.94	0.06	113.5	0.240	0.68	20.5
W674192		48.7	284	<0.002	0.19	9.24	0.9	1	28.0	137.0	10.60	0.06	152.0	0.076	1.17	17.0
W674193		66.1	359	<0.002	0.24	10.35	0.7	<1	20.9	106.5	11.55	0.07	193.0	0.081	1.49	17.8
W674194		86.0	320	<0.002	0.67	17.50	0.8	1	12.6	135.0	7.62	0.08	56.8	0.073	1.50	35.0
W674195		74.2	329	<0.002	0.74	13.95	0.9	1	13.1	233	7.40	<0.05	48.2	0.082	1.63	33.1
W674196		69.4	343	<0.002	1.06	14.10	0.7	1	12.2	159.0	8.82	0.10	51.5	0.079	1.58	19.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674157		60	21.9	6.7	16	37.5
W674158		55	19.6	6.4	25	32.6
W674159		47	10.5	7.0	14	40.8
W674160		52	9.8	9.5	16	38.9
W674161		61	90.5	6.3	20	40.2
W674162		53	10.1	6.4	21	31.7
W674163		42	12.2	7.1	20	30.4
W674164		48	10.7	8.3	26	41.5
W674165		125	15.9	18.9	302	29.6
W674166		19	6.3	10.0	25	28.2
W674167		11	4.8	8.6	27	28.8
W674168		11	4.2	10.1	27	31.5
W674169		15	4.7	12.6	29	29.8
W674170		124	7.7	20.4	66	22.2
W674171		14	3.5	9.5	24	26.1
W674172		11	3.0	9.7	21	29.4
W674173		40	3.5	9.6	34	25.8
W674174		15	2.2	9.9	24	29.6
W674175		16	2.2	9.3	31	26.1
W674176		16	2.0	10.7	20	26.8
W674177		28	2.3	9.8	28	25.9
W674178		61	1.2	14.6	39	24.8
W674179		31	1.9	11.3	35	28.1
W674180		19	1.6	9.2	26	27.9
W674181		21	1.6	11.1	30	26.7
W674182		105	2.4	17.9	65	13.5
W674183		16	5.2	8.1	16	35.0
W674184		25	8.5	9.4	17	30.3
W674185		140	3.1	17.1	80	24.7
W674186		15	5.4	9.4	16	32.9
W674187		117	20.5	21.4	55	26.1
W674188		69	9.9	13.6	34	38.5
W674189		151	3.4	18.0	64	20.2
W674190		3	0.2	1.7	2	24.2
W674191		99	13.3	33.6	103	95.0
W674192		21	5.4	75.1	143	166.5
W674193		17	4.4	101.5	129	146.5
W674194		25	3.9	82.6	210	151.0
W674195		27	4.1	79.9	172	161.0
W674196		24	5.9	66.8	122	237



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR															
W674197		6.15	0.013	0.17	5.54	6.7	100	1.48	0.81	0.34	0.42	213	0.6	19	1.59	92.7
W674198		5.85	0.157	0.39	5.46	14.2	80	1.24	1.00	0.23	0.55	141.0	0.6	17	1.57	140.5
W674199		5.94	0.010	<0.01	5.88	24.4	90	1.93	0.14	0.24	0.30	128.0	0.6	19	1.75	27.5
W674200		3.08	0.023	0.05	5.98	26.7	180	2.47	0.12	0.55	0.39	137.5	1.5	13	2.56	35.1
W674201		4.40	0.012	0.09	5.52	27.6	1520	1.85	0.26	1.05	0.50	126.5	1.7	28	1.46	38.7
W674202		4.40	0.012	0.34	5.65	26.3	3080	3.08	1.30	1.65	0.56	118.5	3.5	49	2.53	65.0
W674203		3.50	0.006	0.04	8.94	17.9	4310	2.50	0.08	0.83	0.28	36.5	2.0	10	3.85	12.7
W674204		3.32	0.010	0.12	8.92	16.0	3830	3.35	0.59	0.84	0.35	25.3	2.0	6	5.81	24.2
W674205		0.10	1.195	0.72	7.97	22.8	530	0.79	0.32	5.28	1.21	26.6	27.9	188	1.14	184.5
W674206		3.56	0.037	1.16	5.32	42.5	70	2.44	5.81	0.44	1.59	274	1.4	14	2.84	91.9
W674207		3.81	0.005	1.85	5.51	12.1	80	1.97	5.80	0.29	2.13	276	0.4	17	2.26	176.5
W674208		4.19	<0.005	0.36	5.22	9.5	120	1.56	0.92	0.36	1.04	250	0.5	24	1.12	47.2
W674209		3.99	<0.005	0.17	5.84	5.1	190	1.53	0.66	0.40	0.87	226	0.6	21	0.88	30.1
W674210		0.11	0.010	0.13	8.50	2.2	670	0.72	0.25	4.62	0.13	29.7	13.4	10	0.65	157.5
W674211		4.38	<0.005	0.03	5.98	8.4	270	1.69	0.23	0.54	0.49	264	0.9	22	0.64	92.3
W674212		4.26	0.009	<0.01	5.80	8.2	260	2.46	0.23	0.81	0.91	191.0	1.3	29	0.61	120.0
W674213		4.47	<0.005	0.19	6.75	12.1	1030	2.07	0.48	1.06	1.11	130.0	1.7	24	0.86	83.3
W674214		4.04	<0.005	0.03	7.75	3.4	2640	1.51	0.05	1.45	0.07	14.00	2.0	18	0.76	18.3
W674215		1.96	<0.005	0.02	7.94	3.6	2700	1.55	0.04	1.52	0.07	16.95	1.9	20	0.67	15.3
W674216		3.59	0.005	0.02	7.40	6.6	2930	1.61	0.03	1.73	0.10	12.30	1.8	18	1.25	17.1
W674217		4.12	0.052	0.01	7.20	5.7	2310	1.85	0.05	1.61	0.16	16.15	1.6	16	1.39	12.7
W674218		4.79	0.011	<0.01	5.48	8.8	180	1.70	0.16	0.53	0.36	175.5	0.8	21	0.82	37.8
W674219		3.68	0.014	0.06	5.59	6.5	260	1.73	0.31	0.46	0.75	165.5	0.6	19	0.50	37.0
W674220		4.52	0.005	0.17	4.04	5.8	90	1.58	0.40	0.51	0.96	118.5	0.5	23	0.36	82.5
W674221		4.35	0.005	<0.01	5.84	4.0	160	2.16	0.14	0.74	0.65	171.5	0.4	18	0.34	15.7
W674222		4.40	<0.005	0.05	5.20	3.7	830	1.71	0.20	1.47	0.34	114.0	0.9	20	0.44	19.9
W674223		5.86	<0.005	0.06	5.59	6.8	110	2.17	0.26	0.62	0.59	154.0	0.4	20	0.51	17.4
W674224		5.81	<0.005	0.17	5.80	6.3	150	1.64	0.78	0.29	1.19	182.5	0.6	19	0.78	49.7
W674225		0.11	7.12	0.72	7.41	13.9	520	0.68	0.53	3.51	0.18	20.8	13.2	37	0.95	74.8
W674226		5.75	0.005	0.06	5.85	6.7	280	3.20	0.34	0.87	0.82	184.0	0.8	20	1.01	35.0
W674227		6.57	0.008	0.10	5.99	6.2	150	3.60	0.42	0.47	0.68	200	0.5	18	0.72	32.0
W674228		6.22	0.006	0.04	5.84	5.5	200	3.94	0.25	0.65	1.13	178.5	0.8	17	0.73	42.3
W674229		4.79	<0.005	<0.01	6.01	3.0	140	3.07	0.13	0.54	0.43	163.5	0.8	19	0.50	15.3
W674230		0.50	<0.005	0.02	0.20	0.8	20	0.08	0.03	0.02	<0.02	5.77	0.5	23	0.17	1.5
W674231		5.57	0.013	<0.01	5.89	2.5	160	2.47	0.13	0.54	0.25	207	0.7	17	0.43	15.7
W674232		5.03	<0.005	<0.01	5.96	3.3	110	2.52	0.13	0.42	0.34	184.5	0.7	23	0.25	21.1
W674233		3.98	0.008	0.31	5.48	12.4	130	4.47	0.79	0.38	0.49	190.5	1.1	16	1.20	62.9
W674234		4.11	0.005	0.42	5.11	6.8	170	6.20	0.99	0.42	1.03	256	0.6	20	0.90	37.5
W674235		1.98	0.006	0.40	4.94	7.3	280	6.86	0.92	0.58	0.66	233	0.7	17	0.82	39.8
W674236		5.45	0.009	0.49	5.72	8.3	1720	8.34	1.12	0.53	1.41	289	0.6	20	1.05	53.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674197		2.21	32.4	0.34	9.4	0.112	3.28	97.4	1.7	0.06	346	12.85	2.60	164.0	1.0	10
W674198		2.16	30.4	0.31	11.5	0.150	3.22	63.4	2.7	0.08	289	3.54	2.36	160.5	0.9	20
W674199		2.04	29.2	0.28	10.1	0.175	3.99	58.8	3.3	0.10	280	0.48	2.09	92.5	1.0	20
W674200		2.14	29.8	0.28	9.4	0.138	4.05	65.8	9.1	0.23	360	1.62	0.82	76.5	1.5	40
W674201		2.09	27.0	0.26	9.0	0.129	2.25	58.4	4.8	0.32	521	1.13	2.55	102.0	4.2	90
W674202		2.44	25.9	0.25	8.5	0.141	2.00	51.6	12.2	0.49	675	0.42	2.12	151.0	12.8	210
W674203		1.48	24.7	0.23	2.8	0.046	6.18	17.7	7.8	0.21	390	0.13	2.70	30.4	3.3	140
W674204		1.51	24.9	0.22	2.5	0.042	6.03	12.7	11.3	0.26	347	0.23	1.91	41.4	3.3	110
W674205		5.24	17.00	0.16	1.2	0.065	1.20	11.8	12.7	3.55	1160	5.44	2.23	6.9	157.0	480
W674206		2.82	31.0	0.38	10.6	0.245	3.21	108.0	11.2	0.24	494	0.38	0.58	>500	2.2	30
W674207		2.60	32.8	0.44	14.1	0.288	2.99	111.5	1.9	0.07	482	6.33	2.59	353	0.8	20
W674208		2.79	30.1	0.37	8.8	0.204	2.51	104.5	1.6	0.09	503	0.28	2.71	305	1.1	40
W674209		2.38	31.4	0.33	10.8	0.195	2.36	99.3	1.5	0.07	433	0.23	3.40	189.5	1.0	20
W674210		4.13	18.00	0.21	1.2	0.073	1.37	12.0	8.1	1.51	998	2.85	2.66	3.8	7.2	610
W674211		2.08	30.8	0.41	11.7	0.154	0.99	116.5	2.2	0.10	358	2.26	4.24	182.5	1.5	40
W674212		2.37	28.9	0.33	12.1	0.193	2.29	85.7	1.7	0.16	437	5.10	3.43	176.5	4.4	50
W674213		1.78	28.4	0.28	13.5	0.094	3.42	60.3	3.5	0.19	342	3.26	3.65	106.0	5.3	120
W674214		1.29	23.2	0.20	2.8	0.033	5.61	7.2	2.5	0.21	385	0.17	3.33	10.9	5.1	210
W674215		1.32	24.3	0.20	2.8	0.034	5.46	8.6	2.4	0.24	413	0.21	3.38	11.1	5.8	200
W674216		1.26	23.2	0.19	2.6	0.036	4.99	6.0	3.9	0.23	389	0.14	2.86	12.7	4.5	210
W674217		1.32	22.4	0.20	3.4	0.032	5.41	7.7	5.5	0.24	406	0.16	2.58	23.4	4.3	160
W674218		1.91	26.6	0.30	6.6	0.144	0.54	79.8	2.3	0.11	334	0.87	4.11	98.4	1.0	50
W674219		2.10	28.7	0.31	7.9	0.126	1.26	74.5	1.8	0.11	323	1.55	3.81	135.0	1.0	30
W674220		1.71	20.6	0.26	6.9	0.094	0.88	53.2	1.7	0.08	295	1.63	2.79	100.0	1.3	30
W674221		2.02	30.0	0.32	7.0	0.133	0.62	77.6	1.8	0.10	370	0.80	4.44	127.0	0.9	70
W674222		1.60	28.3	0.30	7.2	0.081	0.76	50.8	1.8	0.08	490	0.58	3.89	88.9	1.2	60
W674223		1.83	28.3	0.30	6.7	0.105	1.02	69.1	2.2	0.08	290	2.02	3.97	132.0	0.8	50
W674224		1.93	28.4	0.20	7.7	0.128	2.57	82.2	2.0	0.07	295	5.16	3.20	146.5	1.0	20
W674225		5.85	14.50	0.08	0.8	0.093	0.88	9.9	7.8	1.25	918	16.20	2.30	3.3	21.9	570
W674226		1.99	28.9	0.22	8.7	0.117	2.77	83.0	4.2	0.14	338	1.03	2.72	151.0	0.9	50
W674227		1.93	29.1	0.22	7.0	0.114	2.60	89.6	1.6	0.06	308	1.28	3.39	144.0	0.7	30
W674228		1.97	28.4	0.24	5.7	0.159	2.41	79.5	1.6	0.08	323	0.83	3.37	118.5	0.9	40
W674229		1.85	28.6	0.21	5.4	0.090	2.27	70.5	0.9	0.08	297	0.37	3.56	79.1	0.9	50
W674230		0.82	0.59	0.07	1.1	<0.005	0.04	2.9	7.6	0.01	90	0.29	0.05	1.2	2.1	20
W674231		1.61	28.0	0.26	5.1	0.100	1.73	93.7	1.2	0.06	222	0.20	3.74	133.5	0.5	50
W674232		1.49	28.6	0.24	3.7	0.087	1.58	82.9	0.9	0.07	237	0.24	3.95	127.5	0.8	40
W674233		2.08	27.6	0.26	4.1	0.097	2.63	87.4	6.7	0.14	333	2.91	2.28	105.5	1.3	40
W674234		2.11	26.4	0.34	4.3	0.147	2.27	120.0	3.0	0.09	349	2.20	2.60	83.9	0.8	50
W674235		2.00	24.9	0.25	4.2	0.143	1.87	112.0	3.9	0.11	365	2.86	2.57	78.7	0.8	60
W674236		2.53	31.0	0.32	11.9	0.170	2.65	129.5	1.5	0.06	382	1.34	3.04	157.5	0.9	40



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
W674197		23.5	429	<0.002	0.31	6.75	0.5	<1	10.6	67.3	11.65	0.06	40.5	0.066	1.67	27.9
W674198		24.5	348	<0.002	0.29	11.65	0.7	1	10.5	158.5	14.05	0.07	30.2	0.067	1.13	21.8
W674199		21.3	379	<0.002	0.30	5.16	1.1	1	9.3	69.8	7.52	<0.05	74.2	0.059	1.39	21.9
W674200		34.1	346	<0.002	0.43	10.25	1.2	<1	14.2	110.0	4.95	<0.05	62.2	0.068	1.42	12.4
W674201		28.0	183.0	<0.002	0.31	8.82	1.4	1	17.1	200	9.84	<0.05	95.4	0.081	0.76	16.2
W674202		89.8	169.0	<0.002	0.31	15.40	3.2	<1	23.0	243	14.10	<0.05	122.5	0.124	0.72	41.1
W674203		36.9	192.0	<0.002	0.25	7.28	2.2	<1	3.3	1425	1.64	<0.05	18.20	0.106	1.36	26.3
W674204		45.6	215	<0.002	0.18	9.96	2.1	<1	2.8	1140	0.98	<0.05	10.75	0.106	1.51	38.6
W674205		50.8	18.9	0.002	0.13	2.01	17.5	1	1.4	406	0.44	0.09	3.81	0.298	0.30	1.4
W674206		261	376	<0.002	0.41	15.05	1.0	1	24.4	105.5	53.3	0.35	318	0.074	1.38	88.4
W674207		352	500	0.002	0.28	10.95	1.0	1	13.7	70.2	29.6	0.35	226	0.066	1.61	40.9
W674208		68.8	308	<0.002	0.07	6.18	1.1	<1	15.3	135.0	24.8	0.09	224	0.073	0.97	47.2
W674209		45.2	277	<0.002	0.15	2.74	1.2	<1	16.9	159.0	15.20	<0.05	107.5	0.075	0.89	24.8
W674210		9.9	21.1	<0.002	0.01	0.69	18.3	<1	0.9	510	0.31	<0.05	2.88	0.293	0.20	1.2
W674211		28.0	71.3	<0.002	0.23	7.93	1.3	1	24.8	224	15.45	<0.05	188.5	0.080	0.27	27.3
W674212		39.0	160.5	<0.002	0.32	6.48	1.6	1	20.2	176.5	13.40	<0.05	167.5	0.087	0.53	29.8
W674213		47.9	158.0	<0.002	0.44	2.93	2.1	1	18.2	856	8.17	<0.05	69.9	0.107	0.64	29.3
W674214		17.6	91.6	<0.002	0.33	1.87	2.5	<1	2.6	1690	0.47	<0.05	4.19	0.102	0.90	4.4
W674215		16.5	91.0	<0.002	0.31	1.88	2.7	<1	2.9	1620	0.45	<0.05	4.65	0.099	0.83	5.1
W674216		17.3	98.9	<0.002	0.40	2.34	2.5	<1	2.4	1550	0.42	<0.05	3.54	0.097	0.89	18.2
W674217		15.1	120.0	<0.002	0.33	3.74	2.4	1	3.1	1250	0.83	0.05	6.69	0.093	0.90	59.6
W674218		13.1	30.8	<0.002	0.29	4.96	1.1	<1	17.6	206	9.52	<0.05	104.5	0.063	0.19	17.5
W674219		26.4	95.2	<0.002	0.25	6.21	0.8	<1	18.7	164.0	12.00	<0.05	119.0	0.067	0.40	22.4
W674220		43.7	71.9	<0.002	0.19	4.53	0.6	<1	12.7	133.0	8.08	<0.05	100.5	0.046	0.28	23.3
W674221		32.1	34.3	<0.002	0.05	2.19	0.9	<1	16.2	210	9.97	<0.05	125.0	0.068	0.16	19.0
W674222		21.2	32.9	<0.002	0.18	2.99	0.7	1	16.8	327	8.49	<0.05	109.0	0.067	0.21	16.2
W674223		38.9	95.9	<0.002	0.15	3.08	0.7	<1	16.8	173.0	10.70	<0.05	128.0	0.065	0.42	18.5
W674224		96.0	303	<0.002	0.24	3.42	0.8	<1	18.5	131.5	11.30	<0.05	136.0	0.070	1.29	23.7
W674225		25.8	19.5	0.005	0.03	8.89	19.0	<1	1.9	311	0.22	0.31	1.88	0.297	0.20	0.7
W674226		48.1	223	<0.002	0.26	4.50	1.2	<1	16.8	235	12.15	0.05	157.5	0.075	0.96	28.0
W674227		65.3	263	<0.002	0.26	1.03	1.0	<1	19.9	311	11.20	<0.05	130.5	0.068	1.08	128.5
W674228		47.9	229	<0.002	0.24	1.96	1.2	1	19.0	195.0	9.62	<0.05	131.5	0.071	0.95	64.5
W674229		24.9	201	<0.002	0.06	2.47	1.4	<1	16.7	137.5	6.22	<0.05	157.5	0.079	0.67	16.7
W674230		1.4	2.7	<0.002	<0.01	0.27	0.3	<1	1.0	2.9	0.16	<0.05	1.99	0.013	0.03	0.7
W674231		28.2	125.5	<0.002	0.15	1.89	1.0	1	16.2	211	10.40	<0.05	130.5	0.074	0.42	17.2
W674232		21.4	115.0	<0.002	0.15	2.51	0.8	<1	16.1	194.0	10.50	<0.05	128.5	0.072	0.37	15.9
W674233		53.7	221	<0.002	0.29	6.63	1.1	<1	17.9	155.0	8.18	0.07	127.5	0.075	0.88	17.0
W674234		91.9	212	<0.002	0.20	2.80	0.8	<1	10.5	201	6.09	0.08	125.0	0.059	0.75	14.3
W674235		84.4	165.5	<0.002	0.21	3.13	0.9	1	11.7	381	5.72	0.09	119.5	0.059	0.58	14.7
W674236		194.5	238	<0.002	0.28	5.17	1.2	1	15.5	182.5	12.70	0.08	162.5	0.069	0.79	43.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674197		11	3.4	108.5	167	306
W674198		14	2.9	69.3	149	358
W674199		12	2.1	70.8	110	336
W674200		17	3.5	65.7	107	319
W674201		25	4.6	56.5	122	260
W674202		44	5.7	64.8	163	246
W674203		66	1.9	21.3	80	99.7
W674204		66	3.7	19.8	91	92.0
W674205		133	16.8	18.1	328	27.2
W674206		18	8.8	152.0	289	422
W674207		10	5.6	251	398	465
W674208		16	5.8	164.0	246	305
W674209		14	3.2	160.5	213	316
W674210		136	8.4	21.9	74	22.3
W674211		22	4.2	143.0	98	358
W674212		26	3.6	137.0	137	393
W674213		40	4.5	88.9	177	413
W674214		50	3.7	10.7	33	109.0
W674215		48	4.6	11.1	30	114.5
W674216		50	4.8	12.6	38	100.5
W674217		42	5.9	15.5	42	124.5
W674218		25	2.2	86.6	94	198.5
W674219		24	2.9	89.2	138	233
W674220		12	2.3	62.2	164	200
W674221		20	2.1	94.5	130	208
W674222		17	2.2	59.3	70	205
W674223		18	2.0	79.2	119	194.5
W674224		12	2.4	103.0	201	237
W674225		150	3.8	16.9	87	21.1
W674226		22	3.1	86.5	116	272
W674227		23	2.6	124.0	162	204
W674228		23	2.7	92.5	186	161.0
W674229		24	4.0	70.6	101	168.5
W674230		2	0.2	2.0	4	30.1
W674231		32	3.3	76.7	74	148.5
W674232		20	2.5	94.3	83	106.0
W674233		25	4.3	73.8	114	129.0
W674234		21	2.7	92.6	151	162.5
W674235		26	2.9	80.1	120	147.0
W674236		32	3.9	148.5	236	421



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
W674237		5.46	<0.005	0.64	5.39	7.4	440	3.62	1.87	0.16	1.17	181.5	0.3	14	2.29	93.5
W674238		5.87	0.010	0.45	5.83	9.2	140	2.83	1.50	0.14	0.82	222	0.4	19	2.54	110.5
W674239		5.77	0.019	0.68	5.69	11.3	80	2.87	1.95	0.12	0.74	244	0.4	16	3.05	171.5
W674240		5.42	0.020	0.27	5.81	17.1	230	3.13	0.61	0.18	1.04	178.5	0.6	21	2.41	118.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
W674237		1.87	29.0	0.23	8.7	0.128	3.17	78.1	1.0	0.03	300	1.37	2.53	187.5	0.3	10
W674238		2.28	31.8	0.30	12.7	0.085	3.02	97.1	4.3	0.06	267	3.27	2.54	235	0.7	20
W674239		2.46	31.4	0.32	12.1	0.146	3.54	103.5	4.0	0.07	242	3.31	2.15	236	0.6	10
W674240		2.79	32.7	0.23	18.3	0.144	3.13	76.6	6.3	0.08	345	1.91	2.25	246	0.8	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Tl % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
W674237		130.5	439	<0.002	0.15	13.90	0.6	1	10.6	76.0	17.90	0.10	63.6	0.057	1.57	30.0
W674238		97.1	393	<0.002	0.21	10.40	0.7	<1	13.4	83.6	21.4	0.11	72.2	0.069	1.43	29.6
W674239		92.2	520	<0.002	0.29	4.70	0.8	1	17.8	45.1	24.6	0.14	70.8	0.069	1.81	28.4
W674240		46.2	365	<0.002	0.33	14.75	1.0	1	14.6	78.6	23.4	0.08	47.0	0.067	1.36	40.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5
W674237		10	2.2	126.5	263	254
W674238		19	3.4	110.0	189	405
W674239		14	4.1	115.0	201	396
W674240		24	3.0	59.5	296	>500



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-NOV-2017
Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17219033

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-32 CRU-QC DRY-22 LOG-22
LOG-23 PUL-32 PUL-QC SPL-21
WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA24 ME-MS61



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: **COMSTOCK METALS LTD.**
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: 1
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

CERTIFICATE WH17230982

Project: QV
 P.O. No.: 17-QV-06
 This report is for 226 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24-OCT-2017.
 The following have access to data associated with this certificate:
 CHRIS LIVINGSTONE KRIS RAFFLE DAVID TERRY

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-22	Drying - Maximum Temp 60C
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES	
ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
Au-AA24	Au 50g FA AA finish AAS

To: **COMSTOCK METALS LTD.**
ATTN: CHRIS LIVINGSTONE
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
W674542		6.15	<0.005	0.06	6.93	3.5	2940	2.53	0.43	1.30	0.10	82.9	2.3	11	2.32	9.1
W674543		3.50	<0.005	0.03	7.66	3.5	2520	1.70	0.08	1.39	0.13	94.1	2.3	9	0.70	3.8
W674544		2.43	<0.005	0.03	7.35	2.6	3910	1.94	0.05	2.23	0.20	67.1	3.1	7	0.41	3.2
W674545		0.14	6.92	0.74	7.14	15.3	480	0.68	0.47	3.41	0.18	22.9	13.4	36	0.96	71.3
W674546		4.18	0.009	0.05	7.15	2.2	1950	2.79	0.16	2.78	0.17	63.5	10.4	47	4.28	11.3
W674547		3.19	<0.005	0.04	6.82	1.8	1990	2.60	0.17	0.40	0.06	84.8	2.2	7	3.04	5.4
W674548		2.63	<0.005	0.04	6.50	1.9	2200	2.80	0.24	1.23	0.06	76.7	3.8	13	3.26	6.0
W674549		5.71	0.005	0.04	6.33	1.6	2100	2.64	0.27	0.44	0.05	79.1	1.9	15	1.63	8.1
W674550		0.47	<0.005	0.01	0.20	0.4	20	0.11	0.04	0.01	<0.02	5.35	0.5	15	0.20	2.5
W674551		4.82	<0.005	0.03	6.96	0.9	2170	2.97	0.31	0.80	0.03	90.8	1.9	12	2.25	9.9
W674552		5.49	<0.005	0.07	6.96	3.1	2350	3.10	4.16	0.54	0.08	91.0	3.1	13	1.53	23.4
W674553		4.66	<0.005	0.05	6.88	2.2	2300	3.11	0.55	0.99	0.03	92.3	3.5	15	3.13	10.6
W674554		5.33	<0.005	0.03	6.61	1.9	2290	2.91	0.32	0.65	0.03	83.0	1.7	12	1.45	8.1
W674555		1.54	<0.005	0.04	6.94	1.6	2120	3.08	0.34	0.77	0.04	94.3	1.9	10	1.40	4.3
W674556		3.13	<0.005	0.04	7.06	1.5	2130	3.09	0.35	0.82	0.03	91.6	2.1	12	1.48	5.4
W674557		5.66	<0.005	0.03	6.91	2.2	2140	3.06	0.55	0.88	0.03	88.5	2.1	14	1.28	6.8
W674558		5.25	<0.005	0.03	7.30	1.2	2410	3.06	0.39	1.19	0.03	89.9	2.9	10	1.33	9.4
W674559		4.87	<0.005	0.04	6.88	0.5	2820	3.13	0.39	1.46	0.05	88.0	2.5	11	1.72	4.6
W674560		3.23	<0.005	0.03	7.06	0.8	2670	3.15	0.18	1.19	0.04	79.4	2.4	11	2.44	8.6
W674561		4.07	<0.005	0.01	7.28	0.8	2380	2.80	0.12	1.55	0.05	83.3	3.4	17	1.78	3.8
W674562		5.30	<0.005	0.03	6.95	1.1	2850	2.80	0.18	1.10	0.04	84.1	2.2	13	1.60	6.3
W674563		5.36	<0.005	0.02	6.61	1.4	3140	2.86	0.37	2.33	0.06	69.2	7.5	45	3.72	15.7
W674564		4.75	<0.005	0.02	7.43	1.5	1520	2.96	0.86	1.08	0.03	82.3	5.0	8	3.40	11.1
W674565		0.14	1.145	0.58	7.61	21.7	500	0.78	0.30	4.70	1.18	27.6	26.8	187	1.21	172.5
W674566		4.70	<0.005	0.01	7.24	0.8	1640	3.22	0.44	1.03	0.02	86.9	3.2	9	4.11	7.6
W674567		5.55	<0.005	0.02	6.90	5.5	1730	2.81	0.58	1.01	0.02	83.0	2.7	8	2.83	17.4
W674568		3.13	<0.005	0.12	6.28	3.5	1670	2.83	1.58	1.20	0.09	74.1	3.8	8	2.76	20.8
W674569		3.89	<0.005	0.02	6.54	2.1	1500	2.94	0.37	2.26	<0.02	73.7	2.7	8	3.82	10.6
W674570		0.14	<0.005	0.09	7.83	1.3	630	0.76	0.24	4.12	0.11	29.5	12.2	10	0.65	145.5
W674571		3.31	<0.005	0.04	7.46	1.0	2220	2.92	0.20	1.34	0.08	94.8	2.4	8	2.56	9.5
W674572		3.51	0.012	0.05	6.89	1.3	2060	2.66	0.27	1.94	0.04	70.1	3.1	7	2.96	10.7
W674573		3.38	<0.005	0.01	5.91	1.2	2610	2.32	0.10	2.45	0.14	48.2	3.2	10	2.07	7.1
W674574		3.34	<0.005	0.01	8.12	0.7	2630	3.24	0.21	1.71	0.04	90.8	4.6	7	4.71	10.7
W674575		1.91	<0.005	0.02	7.85	0.9	2600	3.10	0.21	1.63	0.04	88.1	4.5	6	4.40	9.9
W674576		3.55	<0.005	0.01	7.16	0.8	1900	2.80	0.10	1.73	0.04	79.6	3.5	9	2.43	7.3
W674577		3.99	<0.005	0.02	5.58	0.9	>10000	2.28	0.07	5.52	0.39	52.9	3.9	7	2.43	4.9
W674578		3.82	<0.005	0.02	7.79	0.6	2370	3.05	0.18	2.58	0.04	75.0	5.8	5	6.52	10.3
W674579		5.42	0.005	0.02	7.85	1.0	2630	2.81	0.19	1.93	0.04	85.4	4.6	8	2.75	8.6
W674580		6.04	<0.005	0.03	7.68	0.7	2140	2.52	0.17	2.21	0.05	71.0	8.0	26	2.74	19.2
W674581		5.71	<0.005	0.02	7.93	1.5	2260	2.77	0.23	1.33	0.06	81.1	5.3	19	2.94	21.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674542		2.26	18.70	0.18	1.6	0.045	2.91	45.9	3.3	0.10	372	0.98	3.24	14.1	2.4	300
W674543		2.38	22.8	0.17	1.6	0.043	1.92	48.5	2.3	0.03	446	0.76	5.29	12.8	2.1	320
W674544		2.41	25.2	0.13	2.1	0.056	0.96	34.3	4.1	0.03	610	1.33	6.25	12.1	2.6	370
W674545		5.78	14.70	0.08	0.8	0.096	0.84	10.7	8.1	1.21	905	14.75	2.23	3.1	22.8	570
W674546		2.96	19.85	0.15	1.5	0.070	3.21	33.4	7.7	0.63	729	2.11	3.44	10.3	24.5	370
W674547		1.87	18.75	0.17	1.3	0.039	2.90	45.9	5.6	0.09	313	1.06	2.58	12.5	1.8	240
W674548		1.94	16.60	0.15	1.0	0.027	1.94	39.8	4.3	0.13	406	1.41	3.11	11.6	5.6	260
W674549		1.78	17.05	0.15	1.1	0.025	2.38	43.2	3.4	0.14	249	1.16	3.01	12.2	1.8	200
W674550		0.39	0.58	0.06	1.0	0.005	0.05	2.8	8.4	0.01	47	0.24	0.04	0.7	1.6	20
W674551		1.76	19.35	0.16	1.2	0.037	1.84	48.8	4.0	0.20	307	1.51	4.02	15.1	1.7	240
W674552		1.86	19.80	0.16	1.1	0.027	2.48	49.8	3.3	0.11	240	1.56	3.71	14.4	2.6	220
W674553		2.64	19.10	0.17	1.2	0.054	2.98	49.1	9.4	0.42	516	1.01	2.54	13.0	3.2	590
W674554		1.52	17.90	0.17	1.0	0.028	2.29	45.2	5.0	0.15	242	1.29	3.33	13.3	1.6	190
W674555		1.63	19.30	0.19	1.1	0.031	2.38	51.1	7.4	0.20	308	2.46	3.38	14.7	1.5	210
W674556		1.70	19.45	0.17	1.1	0.028	2.42	48.9	6.9	0.21	325	2.58	3.55	15.6	1.5	210
W674557		1.85	18.90	0.18	1.2	0.032	2.45	48.1	6.8	0.22	341	1.01	3.28	13.7	1.6	270
W674558		2.38	19.60	0.17	1.5	0.048	2.47	50.4	7.8	0.30	384	0.66	3.58	13.4	1.5	420
W674559		2.05	18.25	0.17	1.5	0.028	2.70	49.5	8.5	0.31	393	0.83	3.16	12.2	1.5	330
W674560		1.88	19.70	0.16	1.3	0.037	2.73	45.9	4.8	0.19	422	1.10	3.49	12.3	2.6	250
W674561		2.26	19.25	0.19	1.4	0.038	2.98	44.6	5.1	0.27	380	0.81	3.41	13.4	2.9	390
W674562		1.97	18.95	0.17	1.0	0.044	2.94	46.8	4.4	0.18	346	0.96	3.36	13.4	2.0	280
W674563		2.11	16.40	0.17	1.0	0.025	3.56	39.1	9.4	0.66	370	1.01	2.45	11.6	22.3	290
W674564		3.19	19.40	0.20	1.5	0.032	2.40	46.1	11.1	0.48	450	3.92	2.88	13.9	1.3	890
W674565		4.85	15.55	0.14	1.3	0.070	1.09	12.6	11.4	3.18	1100	5.16	2.00	6.6	142.5	460
W674566		2.13	19.50	0.19	1.4	0.030	2.42	47.9	9.5	0.30	437	1.15	2.71	14.1	1.6	410
W674567		1.96	18.10	0.18	1.1	0.028	2.51	45.5	9.0	0.19	307	2.19	2.55	12.8	1.4	280
W674568		2.24	18.05	0.18	1.0	0.037	1.82	40.8	7.8	0.17	401	2.13	2.74	14.9	1.4	410
W674569		2.14	17.50	0.18	1.5	0.041	3.13	40.5	6.8	0.21	555	2.47	1.81	13.0	1.2	330
W674570		3.79	16.05	0.14	1.1	0.062	1.25	12.6	6.8	1.33	934	2.61	2.41	3.3	6.7	580
W674571		1.97	18.25	0.18	1.7	0.024	3.77	54.8	6.5	0.21	393	1.70	2.13	14.5	1.6	320
W674572		2.24	19.00	0.17	1.7	0.042	3.63	36.4	6.7	0.14	500	1.86	2.36	13.5	1.4	420
W674573		2.76	18.30	0.16	1.3	0.036	1.61	22.9	4.7	0.08	640	2.05	4.10	11.5	1.4	480
W674574		3.41	21.4	0.20	1.7	0.052	3.03	48.0	8.3	0.50	621	1.66	3.31	15.8	1.0	870
W674575		3.36	20.8	0.19	1.6	0.049	2.93	46.2	8.4	0.47	622	1.89	3.26	15.8	1.1	850
W674576		2.42	18.90	0.19	1.2	0.033	2.15	43.0	6.6	0.21	521	1.62	3.49	12.8	1.5	450
W674577		2.84	19.90	0.16	1.3	0.108	0.96	25.7	5.8	0.11	1340	1.06	4.65	13.5	1.5	690
W674578		4.19	22.8	0.20	1.5	0.082	2.77	37.4	9.8	0.49	841	1.61	3.40	16.9	1.0	1130
W674579		3.26	20.6	0.22	1.5	0.043	3.42	46.9	10.2	0.38	640	1.65	2.95	14.1	1.5	710
W674580		2.99	19.10	0.16	1.4	0.027	2.60	40.2	9.8	0.71	473	1.50	3.40	12.8	9.3	520
W674581		2.98	20.8	0.20	1.4	0.035	2.91	46.4	10.1	0.63	469	1.35	3.44	15.6	4.8	660



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
W674542		16.4	89.9	<0.002	0.03	0.99	5.1	<1	3.1	298	0.97	0.20	18.00	0.157	0.47	3.9
W674543		8.5	40.0	<0.002	0.05	2.00	5.8	<1	2.8	173.5	1.07	<0.05	18.45	0.142	0.25	2.1
W674544		8.3	17.4	<0.002	0.09	2.02	6.5	<1	2.9	211	1.06	<0.05	15.40	0.138	0.14	2.0
W674545		24.5	22.1	0.005	0.03	8.81	18.9	<1	1.9	299	0.19	0.27	1.76	0.294	0.18	0.7
W674546		17.6	87.2	<0.002	0.02	1.57	10.8	<1	3.6	238	0.73	0.07	14.55	0.246	0.59	2.6
W674547		11.1	80.3	<0.002	0.01	1.21	4.1	<1	3.7	236	0.92	0.05	18.05	0.126	0.46	2.4
W674548		11.5	52.9	<0.002	0.02	0.78	5.2	<1	2.9	301	0.82	0.10	14.90	0.136	0.32	2.0
W674549		10.7	67.4	<0.002	0.01	0.41	4.1	1	3.1	196.5	0.92	0.09	16.80	0.107	0.37	2.2
W674550		1.6	2.2	<0.002	<0.01	0.23	0.4	<1	0.4	2.6	0.11	<0.05	1.51	0.012	0.02	0.4
W674551		11.2	62.1	<0.002	0.01	0.43	4.9	<1	3.9	628	0.97	0.10	18.30	0.130	0.34	2.8
W674552		16.0	72.2	<0.002	0.02	1.04	5.0	<1	3.2	397	1.05	2.46	20.2	0.117	0.40	3.4
W674553		9.8	105.0	<0.002	0.01	0.22	7.9	<1	3.8	234	0.89	0.31	16.75	0.228	0.60	3.5
W674554		10.3	71.6	<0.002	0.01	0.19	4.6	<1	2.7	264	0.93	0.13	17.60	0.113	0.38	2.5
W674555		9.1	80.1	0.002	<0.01	0.13	4.9	<1	4.0	189.5	1.03	0.09	19.00	0.119	0.39	2.7
W674556		9.3	80.8	<0.002	<0.01	0.16	5.0	<1	4.4	207	1.06	0.09	20.6	0.123	0.41	2.7
W674557		9.7	74.6	<0.002	0.01	0.16	5.0	1	3.7	274	0.99	0.27	18.00	0.140	0.39	3.0
W674558		11.9	78.1	<0.002	0.01	0.12	5.3	<1	3.5	430	0.90	0.18	17.40	0.190	0.43	4.1
W674559		12.6	94.4	<0.002	0.01	0.16	3.9	<1	2.4	475	0.85	0.17	18.90	0.161	0.50	4.1
W674560		14.6	88.7	<0.002	0.02	0.49	3.5	<1	2.5	694	0.89	0.07	20.3	0.130	0.45	3.0
W674561		17.4	98.1	<0.002	0.02	0.43	5.3	<1	2.3	289	0.93	<0.05	19.45	0.177	0.54	3.3
W674562		16.2	94.3	<0.002	0.02	0.28	4.2	<1	3.1	416	0.97	0.09	21.3	0.132	0.50	3.1
W674563		23.3	136.0	<0.002	0.04	0.76	6.8	<1	2.6	436	0.90	0.10	21.1	0.178	0.82	2.7
W674564		9.1	94.0	<0.002	0.01	0.21	9.0	1	5.1	190.5	0.88	0.23	15.25	0.257	0.43	3.1
W674565		43.8	24.1	<0.002	0.12	1.74	17.1	1	1.4	376	0.41	0.06	4.13	0.273	0.27	1.4
W674566		11.7	99.2	<0.002	0.01	0.30	5.8	<1	3.8	199.0	0.95	0.15	18.40	0.187	0.48	2.6
W674567		11.4	85.6	<0.002	0.01	0.49	4.7	<1	3.6	210	0.87	0.29	17.85	0.143	0.42	2.7
W674568		64.2	63.0	0.002	0.03	0.64	5.3	1	5.3	357	0.88	0.42	16.50	0.166	0.33	3.3
W674569		13.6	114.0	<0.002	0.01	0.47	4.2	<1	7.4	176.0	1.02	0.06	19.40	0.142	0.59	2.9
W674570		9.0	24.3	<0.002	0.01	0.48	16.8	<1	0.9	478	0.22	<0.05	2.94	0.266	0.17	1.3
W674571		22.8	137.0	<0.002	0.01	0.51	3.6	<1	2.1	199.0	1.18	0.05	27.6	0.144	0.74	2.9
W674572		15.8	107.5	<0.002	0.02	0.71	3.1	<1	8.1	201	0.95	0.08	16.85	0.167	0.63	2.8
W674573		16.0	38.9	<0.002	0.05	0.72	3.0	1	3.2	291	0.73	<0.05	9.19	0.181	0.26	2.3
W674574		13.1	109.5	<0.002	0.01	0.26	4.9	<1	2.4	346	0.97	0.05	16.55	0.303	0.55	3.6
W674575		12.7	102.5	<0.002	0.01	0.32	4.7	<1	2.5	347	0.97	<0.05	16.30	0.291	0.52	3.4
W674576		11.5	65.6	<0.002	0.01	0.31	4.2	<1	2.2	285	0.89	0.08	16.70	0.178	0.30	2.8
W674577		29.8	25.1	<0.002	0.27	0.58	5.8	<1	4.0	787	0.81	<0.05	8.42	0.208	0.17	3.4
W674578		21.2	95.3	<0.002	0.02	0.38	6.8	<1	4.6	419	0.89	0.06	11.90	0.351	0.52	4.1
W674579		15.0	113.0	<0.002	0.02	0.15	5.5	<1	4.5	287	0.91	0.07	17.30	0.259	0.61	3.1
W674580		13.9	94.6	<0.002	0.02	0.11	8.4	<1	3.4	385	0.88	0.06	16.90	0.281	0.46	3.1
W674581		16.5	107.0	<0.002	0.07	0.05	6.2	<1	2.0	333	1.05	0.08	18.65	0.262	0.54	4.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674542		27	6.3	14.5	29	63.9
W674543		61	16.7	6.8	17	67.1
W674544		63	17.5	6.0	23	93.7
W674545		148	3.1	18.8	82	22.8
W674546		69	7.4	10.6	57	65.4
W674547		17	2.4	12.5	35	51.0
W674548		22	1.9	15.0	27	33.3
W674549		12	1.5	16.8	22	35.3
W674550		1	0.1	1.7	2	30.3
W674551		14	0.5	23.0	23	39.5
W674552		13	0.7	22.4	21	35.7
W674553		37	1.1	22.7	40	43.4
W674554		9	0.6	20.4	19	33.5
W674555		9	0.4	21.9	21	34.8
W674556		9	0.3	22.3	22	35.1
W674557		12	0.5	21.8	26	38.7
W674558		17	0.5	21.5	31	63.6
W674559		14	0.6	17.9	29	68.4
W674560		17	0.9	17.0	30	59.0
W674561		28	1.4	16.4	38	55.1
W674562		14	1.1	18.7	27	35.9
W674563		37	0.6	15.8	31	30.0
W674564		33	1.8	22.3	34	59.1
W674565		125	14.8	19.0	296	30.7
W674566		21	2.0	20.0	26	55.2
W674567		15	2.1	18.8	24	39.1
W674568		23	1.9	17.9	30	40.9
W674569		12	1.8	16.9	28	53.6
W674570		130	7.2	21.8	68	21.8
W674571		10	1.9	15.5	33	58.5
W674572		18	4.6	11.0	31	70.2
W674573		38	3.8	8.5	41	54.4
W674574		16	1.0	20.0	52	67.4
W674575		15	1.2	19.2	51	63.7
W674576		19	1.8	14.9	43	48.0
W674577		48	4.0	16.3	56	53.8
W674578		30	2.7	20.9	73	68.0
W674579		29	4.0	17.4	50	63.8
W674580		55	2.0	16.2	35	55.2
W674581		25	0.9	18.9	45	57.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR																
W674582		5.43	<0.005	0.05	7.69	7.1	2560	2.92	0.18	2.39	0.08	78.6	9.1	44	2.65	19.3
W674583		5.78	<0.005	0.05	7.39	1.3	1900	3.20	0.20	1.98	0.12	76.3	8.0	26	2.51	20.6
W674584		5.64	<0.005	0.03	7.30	2.3	1980	3.25	0.13	1.42	0.05	85.5	4.7	26	2.24	12.4
W674585		0.14	7.09	0.79	7.25	15.0	490	0.74	0.48	3.46	0.18	22.3	13.6	37	1.00	74.3
W674586		5.44	<0.005	0.01	7.57	0.8	2230	2.80	0.14	1.81	0.03	81.2	3.5	11	1.74	11.7
W674587		5.34	<0.005	0.02	7.75	2.0	2340	2.77	0.15	2.04	0.06	84.5	4.3	7	2.53	20.1
W674588		6.08	<0.005	<0.01	7.16	0.8	1990	2.78	0.17	2.24	0.03	78.1	5.7	14	3.01	8.3
W674589		3.52	<0.005	0.01	7.27	0.7	2570	2.90	0.07	2.47	0.03	73.0	7.2	14	2.41	11.5
W674590		0.50	<0.005	<0.01	0.29	1.0	40	0.10	0.02	0.03	<0.02	5.38	0.8	16	0.23	3.3
W674591		3.81	<0.005	0.01	7.63	0.7	2590	2.89	0.10	1.80	0.04	82.6	4.6	13	1.86	11.0
W674592		3.83	<0.005	0.01	7.14	0.8	2210	3.01	0.10	2.44	0.05	72.6	4.5	24	3.09	7.2
W674593		3.57	<0.005	0.01	7.19	1.6	2100	2.89	0.09	1.61	0.05	81.1	3.0	10	2.46	13.0
W674594		2.86	<0.005	0.03	7.26	1.4	2710	2.66	0.08	1.63	0.06	78.4	3.2	8	2.52	14.2
W674595		1.58	<0.005	0.02	7.22	1.7	2690	2.81	0.09	1.60	0.04	78.6	3.2	8	2.33	13.7
W674596		3.24	<0.005	0.05	7.20	2.7	2680	3.04	0.21	2.04	0.02	78.6	3.0	7	3.38	15.4
W674597		4.45	<0.005	0.02	7.25	1.6	2470	3.13	0.10	2.27	0.04	81.6	4.1	6	5.11	9.3
W674598		4.29	<0.005	0.01	6.42	2.9	1280	2.94	0.20	3.76	0.06	68.2	2.9	7	6.16	5.8
W674599		3.84	<0.005	0.08	7.23	3.0	2020	3.31	0.06	1.54	0.03	74.2	3.4	8	2.98	31.2
W674600		4.00	<0.005	0.05	7.18	2.3	3390	3.15	0.07	1.72	0.04	73.4	3.4	8	2.69	21.2
W674601		4.08	<0.005	0.03	5.06	0.9	3540	2.45	0.06	4.72	0.11	49.7	2.4	9	1.49	11.2
W674602		5.48	<0.005	0.02	7.01	0.6	2470	2.99	0.07	1.94	0.04	72.1	3.5	8	1.98	10.9
W674603		4.00	<0.005	0.03	7.47	2.0	2820	3.08	0.05	1.74	0.04	81.8	4.0	7	3.05	12.4
W674604		3.55	<0.005	0.02	7.33	1.0	3110	2.94	0.09	2.22	0.06	79.6	3.7	12	2.46	16.3
W674605		0.14	1.250	0.54	7.61	17.1	530	0.84	0.37	5.08	1.29	26.2	27.8	189	1.14	187.5
W674606		3.97	<0.005	0.04	7.47	7.4	3440	3.15	0.09	1.97	0.07	84.0	3.5	11	1.80	31.7
W674607		4.00	<0.005	0.04	7.59	4.9	1730	3.20	0.18	2.15	0.06	81.5	3.4	7	3.41	19.8
W674608		4.22	<0.005	0.22	6.96	3.9	1170	2.98	0.11	2.30	0.05	58.4	5.1	4	8.88	25.4
W674609		3.95	<0.005	0.02	5.81	6.2	780	2.55	0.11	2.68	0.05	47.1	4.1	4	6.87	17.9
W674610		0.14	<0.005	0.11	7.92	1.6	650	0.81	0.24	4.31	0.11	27.9	12.2	10	0.61	149.0
W674611		4.43	<0.005	0.01	7.40	2.9	1680	2.69	0.16	2.05	0.05	82.6	3.9	4	6.88	12.1
W674612		4.57	<0.005	0.03	7.70	1.9	1470	2.79	0.08	2.42	0.06	79.2	4.3	4	5.85	20.2
W674613		4.03	<0.005	0.03	7.35	4.0	1210	2.79	0.04	2.56	0.04	71.1	4.2	4	5.35	23.5
W674614		3.76	<0.005	0.01	7.50	5.4	1480	2.75	0.03	2.39	0.03	79.4	3.8	5	5.84	17.4
W674615		1.59	<0.005	0.02	6.44	4.8	1220	2.54	0.03	2.35	0.05	62.2	3.7	4	5.73	17.4
W674616		4.17	<0.005	0.63	5.79	1.4	7360	2.55	1.27	5.34	0.13	61.6	4.2	6	4.59	3.9
W674617		3.94	0.005	0.04	7.40	2.9	4370	2.54	0.08	2.80	0.06	71.5	4.0	12	4.53	7.2
W674618		3.70	0.009	0.04	6.63	2.5	3050	2.82	0.05	1.97	0.05	62.2	2.2	9	2.95	4.9
W674619		4.01	<0.005	<0.01	7.49	1.7	2910	2.80	0.04	1.57	<0.02	80.5	2.2	13	3.89	4.1
W674620		3.93	<0.005	<0.01	7.01	1.9	2830	2.83	0.03	1.84	0.02	71.2	2.9	11	4.74	4.4
W674621		3.76	<0.005	<0.01	7.63	1.2	2760	3.15	0.14	2.32	0.05	85.3	3.3	7	6.39	4.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674582		3.06	20.3	0.20	1.6	0.047	2.70	45.4	15.0	0.86	544	2.75	3.34	13.9	15.7	610
W674583		2.82	18.95	0.18	1.5	0.039	3.29	42.7	11.3	0.78	555	0.93	3.04	15.0	15.0	540
W674584		2.08	18.30	0.19	1.4	0.029	3.75	49.2	9.0	0.51	441	1.18	2.90	16.4	7.0	450
W674585		5.85	15.45	0.13	0.9	0.097	0.85	10.8	7.8	1.22	921	15.15	2.28	3.2	22.9	590
W674586		2.79	20.2	0.20	1.6	0.040	2.37	44.8	8.4	0.39	477	1.44	3.72	14.4	1.6	530
W674587		3.30	21.5	0.20	1.9	0.047	2.64	44.2	9.6	0.43	499	1.62	3.27	14.3	4.4	670
W674588		2.87	19.45	0.18	1.5	0.057	2.31	43.1	10.6	0.58	588	1.38	3.16	12.6	4.3	590
W674589		3.20	20.6	0.18	1.6	0.042	3.13	37.4	13.3	0.70	627	1.43	2.92	13.5	5.5	790
W674590		0.62	0.77	0.08	1.0	<0.005	0.08	2.9	8.3	0.02	83	0.32	0.08	0.8	1.9	40
W674591		2.56	19.65	0.17	1.7	0.031	2.68	46.3	7.7	0.49	479	1.30	3.50	12.9	3.2	540
W674592		2.44	19.00	0.19	1.3	0.052	2.46	40.3	10.7	0.51	529	2.05	3.17	13.1	9.3	570
W674593		2.11	19.40	0.19	1.6	0.034	2.58	46.5	9.7	0.35	370	1.51	2.92	13.0	2.1	390
W674594		2.46	20.1	0.19	1.5	0.024	2.82	42.5	9.0	0.35	467	1.12	3.32	14.7	1.4	460
W674595		2.44	19.85	0.19	1.5	0.029	2.73	43.1	8.9	0.34	466	1.20	3.33	14.3	1.6	470
W674596		2.51	18.70	0.09	1.4	0.034	3.04	43.1	7.7	0.34	457	2.10	2.85	13.8	5.4	530
W674597		2.94	19.45	0.08	1.9	0.043	2.64	44.5	8.5	0.41	684	3.04	3.07	13.8	2.5	600
W674598		2.36	19.55	0.09	1.7	0.070	2.43	33.1	13.3	0.38	542	7.11	2.54	14.6	2.2	510
W674599		2.64	18.15	0.08	1.4	0.018	2.19	39.3	5.8	0.16	416	7.18	3.62	12.9	1.7	460
W674600		2.54	18.75	0.08	1.5	0.031	2.74	39.4	7.0	0.23	590	2.47	3.46	12.8	1.5	450
W674601		1.96	15.40	0.11	1.2	0.023	1.98	23.5	4.7	0.17	738	1.59	3.36	9.5	1.4	330
W674602		2.72	18.70	0.09	1.5	0.051	2.73	38.7	8.8	0.41	531	1.77	3.30	13.5	1.4	510
W674603		2.92	19.25	0.09	1.6	0.039	2.88	44.7	8.2	0.35	470	2.33	3.09	13.4	1.7	540
W674604		3.06	19.65	0.10	1.4	0.053	2.37	43.3	8.6	0.37	539	1.55	3.78	13.2	1.3	560
W674605		5.24	16.10	0.07	1.2	0.067	1.11	12.0	12.7	3.41	1190	5.65	2.21	6.6	152.5	500
W674606		2.76	20.2	0.10	1.2	0.038	2.68	46.6	9.0	0.40	505	2.78	3.56	13.7	1.7	460
W674607		2.91	21.1	0.11	1.3	0.112	2.37	43.8	30.7	0.32	425	3.13	2.99	13.5	1.4	490
W674608		3.48	21.2	0.06	1.4	0.050	3.30	26.6	106.5	0.21	615	3.07	0.20	14.9	1.2	650
W674609		3.04	19.10	0.05	1.3	0.037	2.98	20.6	39.3	0.20	729	2.34	0.32	12.6	1.2	470
W674610		3.99	15.60	<0.05	1.1	0.060	1.27	11.7	7.4	1.40	983	2.93	2.56	3.0	7.5	610
W674611		3.02	18.80	0.07	1.1	0.041	2.62	43.9	14.8	0.42	541	1.15	1.30	12.6	1.0	500
W674612		3.30	19.85	0.08	1.5	0.042	2.21	41.3	14.3	0.50	611	0.82	2.54	13.9	1.2	580
W674613		3.14	19.55	0.10	1.6	0.043	2.40	36.5	11.7	0.34	628	2.11	2.48	13.3	1.2	670
W674614		2.91	19.90	0.12	1.7	0.028	2.79	43.6	13.6	0.23	602	3.05	1.55	12.7	1.0	490
W674615		2.70	19.25	0.07	1.6	0.025	2.70	30.5	13.7	0.20	550	4.62	1.31	12.1	0.8	480
W674616		2.77	17.65	0.13	0.9	0.039	2.34	32.2	6.0	0.45	839	5.91	2.53	9.6	0.8	640
W674617		2.89	18.80	0.12	1.2	0.036	2.48	38.9	8.5	0.41	475	0.70	3.13	11.9	3.6	530
W674618		2.12	17.20	0.13	1.1	0.029	2.03	32.6	8.1	0.17	395	1.27	3.23	10.5	1.7	280
W674619		2.34	18.00	0.12	1.1	0.018	2.98	45.3	4.7	0.26	423	1.15	3.01	11.8	1.6	350
W674620		2.41	18.65	0.09	1.2	0.016	3.14	39.5	4.8	0.33	488	0.88	2.86	11.9	2.1	400
W674621		3.27	21.1	0.11	1.4	0.056	3.00	45.4	5.8	0.41	584	0.48	2.80	14.5	1.3	580



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
W674582		13.9	103.5	<0.002	0.02	0.05	9.2	1	2.8	419	0.88	0.09	16.75	0.283	0.51	5.0
W674583		22.8	131.5	<0.002	0.01	0.08	8.1	<1	3.2	265	1.17	<0.05	25.4	0.292	0.72	4.6
W674584		28.2	145.0	<0.002	0.01	0.08	5.4	<1	2.9	323	1.19	<0.05	25.0	0.206	0.71	4.1
W674585		26.2	23.3	0.004	0.03	9.10	18.7	<1	1.9	307	0.20	0.26	1.91	0.296	0.17	0.8
W674586		11.5	85.0	<0.002	0.01	0.09	5.7	<1	2.5	494	0.94	0.05	17.30	0.218	0.41	3.7
W674587		13.8	92.5	<0.002	0.02	0.07	9.1	<1	2.3	440	0.87	0.06	15.75	0.264	0.42	4.4
W674588		10.8	92.1	<0.002	0.02	0.06	7.2	<1	4.3	380	0.81	<0.05	16.35	0.240	0.45	3.5
W674589		12.4	106.0	<0.002	0.01	<0.05	8.6	<1	2.2	424	0.86	<0.05	14.45	0.300	0.51	3.9
W674590		1.4	3.4	<0.002	<0.01	0.13	0.5	<1	0.5	4.9	0.09	<0.05	1.44	0.018	0.02	0.4
W674591		13.3	96.3	<0.002	0.02	<0.05	5.9	<1	1.7	418	0.89	<0.05	19.65	0.229	0.46	4.2
W674592		11.6	95.0	<0.002	0.02	<0.05	6.0	<1	2.8	479	0.85	<0.05	17.70	0.224	0.44	3.0
W674593		9.5	93.6	<0.002	0.02	0.14	3.9	<1	2.1	291	0.92	<0.05	18.05	0.174	0.39	4.2
W674594		14.1	93.0	<0.002	0.15	0.12	4.6	<1	1.4	750	0.97	<0.05	17.05	0.190	0.44	3.5
W674595		13.7	90.9	<0.002	0.15	0.11	4.4	<1	1.4	587	0.92	<0.05	16.75	0.186	0.38	3.6
W674596		17.2	95.3	0.002	0.05	0.43	4.3	<1	3.5	400	0.89	0.05	15.35	0.205	0.47	3.3
W674597		10.1	99.8	<0.002	0.09	0.37	5.6	<1	1.8	335	0.92	<0.05	15.70	0.228	0.46	3.6
W674598		8.6	84.8	<0.002	0.20	0.85	5.0	<1	7.5	391	0.97	<0.05	13.65	0.214	0.44	3.5
W674599		14.1	66.8	<0.002	0.22	1.01	3.5	<1	1.1	455	0.84	<0.05	15.00	0.185	0.31	4.2
W674600		12.0	92.8	<0.002	0.09	0.63	4.4	<1	1.7	415	0.87	0.05	15.50	0.189	0.40	3.7
W674601		16.2	56.8	0.002	0.11	0.34	2.6	<1	1.2	1425	0.64	<0.05	9.57	0.135	0.35	2.3
W674602		12.2	93.6	<0.002	0.08	0.26	5.6	<1	2.1	463	0.85	<0.05	14.05	0.211	0.40	2.9
W674603		10.2	104.5	<0.002	0.08	0.41	6.2	1	1.5	376	0.91	<0.05	14.70	0.218	0.47	3.3
W674604		14.7	85.4	<0.002	0.11	0.19	6.5	<1	2.7	709	0.83	<0.05	14.50	0.217	0.42	3.6
W674605		52.4	19.4	<0.002	0.12	1.90	17.9	<1	1.4	418	0.42	<0.05	3.92	0.291	0.29	1.4
W674606		17.6	92.1	0.008	0.42	0.36	5.5	1	1.4	511	0.84	<0.05	16.10	0.194	0.43	12.4
W674607		11.2	82.4	0.016	0.30	1.02	5.6	1	9.1	354	0.86	<0.05	15.60	0.202	0.38	28.4
W674608		13.1	99.5	<0.002	0.05	2.96	6.9	<1	1.7	534	0.95	<0.05	11.15	0.264	0.68	4.5
W674609		11.1	80.1	<0.002	0.10	3.88	4.8	<1	1.1	430	0.84	<0.05	9.78	0.202	0.59	3.6
W674610		9.3	21.7	<0.002	0.01	0.57	17.0	<1	0.8	506	0.22	<0.05	2.85	0.275	0.21	1.1
W674611		7.0	95.8	<0.002	0.29	2.10	5.1	1	2.2	424	0.90	<0.05	16.10	0.192	0.54	3.8
W674612		10.2	81.9	<0.002	0.32	2.04	6.5	<1	1.5	533	0.93	<0.05	15.10	0.235	0.45	3.5
W674613		10.3	80.8	<0.002	0.22	1.57	6.1	<1	0.7	465	0.83	<0.05	13.15	0.256	0.41	4.4
W674614		13.7	106.0	<0.002	0.05	1.77	3.8	<1	0.7	392	0.87	<0.05	16.45	0.198	0.54	4.4
W674615		13.4	95.5	<0.002	0.04	1.71	3.5	<1	0.8	377	0.86	<0.05	13.90	0.187	0.50	4.0
W674616		57.2	81.0	0.002	0.16	0.62	5.9	<1	1.3	1645	0.54	0.11	12.15	0.215	0.41	2.5
W674617		14.2	79.7	<0.002	0.14	1.28	5.6	<1	2.5	604	0.90	<0.05	16.45	0.203	0.48	3.2
W674618		10.6	60.5	<0.002	0.09	1.26	3.3	<1	2.0	411	0.86	<0.05	17.10	0.122	0.35	2.4
W674619		10.9	102.5	<0.002	0.08	0.55	3.4	<1	1.3	325	0.89	<0.05	17.55	0.153	0.53	3.7
W674620		13.6	99.7	<0.002	0.10	0.75	3.5	<1	1.1	547	0.81	<0.05	17.05	0.162	0.57	3.1
W674621		12.3	108.0	<0.002	0.10	1.05	5.9	<1	2.1	703	0.91	<0.05	16.15	0.226	0.60	3.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674582		53	0.5	19.8	42	70.5
W674583		49	0.6	19.7	47	53.6
W674584		29	0.6	16.4	43	47.5
W674585		151	3.5	18.7	83	23.7
W674586		17	1.0	19.9	39	62.8
W674587		21	0.9	21.3	45	78.4
W674588		38	0.6	17.0	48	64.6
W674589		54	0.6	18.5	51	68.7
W674590		2	0.1	1.9	3	28.5
W674591		31	0.6	17.3	41	70.5
W674592		35	0.7	15.6	42	57.7
W674593		17	0.9	16.6	29	71.2
W674594		17	0.6	19.2	37	65.9
W674595		17	0.9	18.7	35	65.4
W674596		18	0.6	17.2	40	58.1
W674597		20	0.7	17.6	43	81.2
W674598		20	1.0	16.9	34	66.0
W674599		14	1.0	15.3	39	55.4
W674600		16	1.0	17.3	44	62.8
W674601		13	1.1	16.1	33	44.6
W674602		19	0.4	19.1	50	63.3
W674603		18	0.8	18.8	50	57.8
W674604		22	2.3	20.5	46	55.1
W674605		133	16.0	18.8	352	25.7
W674606		19	0.5	20.1	45	49.0
W674607		17	0.7	18.2	43	54.4
W674608		21	4.7	13.6	58	61.2
W674609		16	2.2	11.6	49	56.0
W674610		135	7.8	20.8	74	19.2
W674611		15	1.0	14.8	43	44.9
W674612		21	1.5	16.6	53	62.8
W674613		17	1.3	14.8	55	67.2
W674614		13	1.5	15.1	54	71.4
W674615		12	1.4	13.1	51	64.0
W674616		43	1.4	20.6	47	34.3
W674617		30	2.6	14.2	54	41.5
W674618		16	2.8	12.0	30	36.2
W674619		11	0.4	15.2	33	39.6
W674620		14	0.3	13.5	38	44.2
W674621		15	0.7	18.6	48	60.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR															
W674622		3.66	<0.005	0.03	7.29	2.3	2700	2.99	0.30	2.30	0.04	93.9	3.2	5	6.84	13.6
W674623		4.01	<0.005	0.04	7.66	0.9	2720	2.95	0.99	1.94	0.33	91.4	2.9	7	2.54	21.0
W674624		3.83	0.026	0.07	7.45	1.9	2720	2.96	1.59	1.80	0.15	83.5	3.4	8	4.17	35.4
W674625		0.14	7.16	0.77	7.77	14.3	530	0.73	0.52	3.68	0.18	21.0	13.6	38	0.98	73.2
W674626		3.76	0.105	0.04	6.55	2.6	3340	2.91	0.21	3.87	0.05	68.7	4.4	6	4.28	3.9
W674627		4.64	0.006	0.01	6.93	2.1	3150	2.56	0.05	2.83	0.03	67.0	3.6	8	4.01	13.3
W674628		4.12	0.010	0.10	5.30	2.1	7500	2.71	0.24	3.04	0.26	57.3	3.1	9	2.25	7.5
W674629		4.53	<0.005	0.02	6.35	1.6	3860	2.63	0.05	1.80	0.02	60.4	2.2	12	2.22	7.3
W674630		0.49	<0.005	0.01	0.22	0.9	30	0.12	0.02	0.04	<0.02	5.56	0.4	11	0.20	1.2
W674631		4.56	0.005	0.03	7.03	1.8	4940	3.02	0.07	2.00	0.05	67.8	2.2	13	2.39	6.3
W674632		3.59	<0.005	0.01	6.74	1.2	1950	3.60	0.53	4.25	0.06	60.6	3.2	8	2.34	6.8
W674633		3.19	0.010	<0.01	7.50	0.5	2460	3.44	0.15	2.35	0.03	93.2	2.7	9	1.95	9.2
W674634		3.67	0.013	0.01	7.21	1.1	2810	2.75	0.07	2.33	0.10	78.8	2.9	9	1.57	3.7
W674635		3.62	0.018	0.04	7.40	0.8	3060	3.03	0.17	2.44	0.10	90.5	3.4	9	1.85	8.8
W674636		3.76	0.015	0.02	6.76	0.8	1920	2.65	0.07	1.65	0.06	68.1	2.5	11	1.18	2.7
W674637		3.39	<0.005	<0.01	7.88	1.5	840	1.62	2.43	11.95	<0.02	59.8	0.7	3	2.19	2.1
W674638		4.31	<0.005	0.01	6.18	1.0	2250	2.68	0.07	5.05	0.12	70.2	3.2	8	2.17	2.3
W674639		5.20	<0.005	<0.01	7.29	1.0	2480	2.96	0.06	1.67	<0.02	84.7	3.2	8	3.23	2.4
W674640		4.14	<0.005	<0.01	7.33	1.9	2380	3.30	0.08	2.02	<0.02	86.3	3.6	9	4.66	1.3
W674641		4.22	<0.005	<0.01	6.57	3.3	2640	3.00	0.09	2.70	0.02	69.5	4.2	7	4.95	2.9
W674642		5.41	0.013	<0.01	6.37	3.3	2540	2.83	0.09	2.57	0.03	63.1	3.6	8	3.95	2.9
W674643		4.12	0.033	0.01	5.78	5.9	4920	2.79	0.06	3.16	0.12	59.8	3.4	14	2.64	2.9
W674644		3.77	0.073	0.02	7.03	7.6	2930	2.72	0.04	2.44	0.14	76.9	6.2	9	2.23	4.3
W674645		0.14	1.295	0.86	7.59	20.2	520	0.95	0.31	4.87	1.34	27.9	29.2	183	1.25	180.5
W674646		4.04	0.158	0.17	6.74	6.7	3580	1.86	0.45	2.08	0.27	76.4	4.1	10	0.89	12.3
W674647		3.39	0.108	0.05	5.51	8.5	3720	1.65	0.11	2.23	0.19	50.2	2.2	14	0.59	19.1
W674648		3.33	0.256	0.11	6.44	4.7	1860	1.57	0.22	1.11	0.13	55.2	1.5	12	0.50	13.2
W674649		3.47	0.143	0.06	6.96	5.8	2270	1.54	0.30	1.36	0.18	71.7	2.6	12	0.49	13.0
W674650		0.15	<0.005	0.09	7.39	1.4	600	0.75	0.26	3.91	0.12	30.3	12.3	10	0.61	142.0
W674651		3.24	0.085	0.06	6.87	6.4	2500	1.51	0.17	1.67	0.21	67.6	3.0	12	0.46	5.6
W674652		3.11	0.021	0.05	5.81	6.1	3530	1.50	0.20	2.04	0.32	55.8	3.0	14	0.81	11.7
W674653		4.26	0.013	0.01	5.99	6.7	5970	1.93	0.06	2.46	0.26	49.8	2.8	11	0.75	10.4
W674654		4.12	0.043	0.05	6.91	5.8	2870	1.86	0.10	1.48	0.21	67.5	3.1	11	0.97	11.8
W674655		2.05	0.043	0.05	6.95	5.4	2470	2.05	0.08	1.77	0.25	68.7	3.1	10	1.24	14.0
W674656		4.34	0.093	0.06	6.98	8.4	3770	1.68	0.07	1.67	0.23	72.8	2.9	11	1.18	8.3
W674657		3.18	0.066	0.09	6.93	19.1	1270	4.57	0.06	1.39	0.13	70.7	3.9	6	6.33	8.6
W674658		2.75	0.458	0.15	6.97	7.6	1380	2.32	0.36	1.70	0.09	69.7	2.7	8	3.81	10.9
W674659		2.40	0.133	0.31	6.95	9.0	2560	2.26	0.27	2.29	0.30	70.1	4.4	9	3.62	103.5
W674660		2.95	0.542	0.11	6.30	9.5	1730	2.26	0.10	1.93	0.10	57.7	2.9	7	3.87	11.7
W674661		3.32	0.021	0.06	6.59	7.2	2360	1.77	0.14	1.56	0.08	62.3	3.0	11	1.52	27.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte Units LOR	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
W674622		3.33	21.3	0.16	1.7	0.076	2.89	48.6	9.4	0.37	641	0.55	2.77	16.1	1.3	580
W674623		3.50	21.3	0.14	1.6	0.130	3.20	48.7	9.0	0.46	666	1.13	3.02	15.5	1.9	590
W674624		3.54	20.2	0.16	1.7	0.095	3.50	44.9	7.2	0.40	612	1.44	3.07	14.3	1.3	600
W674625		6.32	14.65	<0.05	0.8	0.099	0.89	10.7	8.2	1.32	988	14.65	2.46	3.0	23.1	630
W674626		3.51	19.20	0.14	1.6	0.100	3.52	32.9	6.5	0.49	855	0.36	2.68	13.1	0.9	740
W674627		3.05	18.35	0.12	1.6	0.040	2.69	33.1	5.4	0.40	708	1.49	3.32	12.6	1.2	540
W674628		2.43	15.95	0.11	1.2	0.037	1.74	29.5	3.4	0.34	606	1.09	3.21	10.9	1.2	400
W674629		2.10	16.90	0.11	1.1	0.032	1.78	33.0	4.2	0.15	360	1.11	3.65	11.2	1.6	310
W674630		0.51	0.65	<0.05	1.0	<0.005	0.05	2.8	8.4	0.01	100	0.23	0.06	0.7	1.5	20
W674631		2.15	18.05	0.12	1.2	0.042	1.82	38.3	4.4	0.20	402	1.15	4.03	12.4	1.8	460
W674632		3.02	26.1	0.18	1.3	0.639	2.26	28.6	7.0	0.23	639	0.90	3.44	16.5	2.0	390
W674633		2.91	21.1	0.22	1.4	0.160	2.28	48.6	6.7	0.38	521	0.33	3.71	16.7	1.2	590
W674634		3.20	20.1	0.22	1.6	0.084	2.50	39.2	4.5	0.27	655	2.03	4.06	16.4	1.2	620
W674635		3.00	20.7	0.25	1.5	0.134	2.58	46.5	5.2	0.32	614	4.94	3.73	15.5	1.3	590
W674636		1.92	17.00	0.19	1.4	0.034	2.30	35.7	3.0	0.14	463	1.47	3.80	12.1	1.3	330
W674637		6.54	52.7	0.20	1.8	3.11	1.70	27.2	8.7	0.13	1200	0.16	0.38	7.8	0.4	290
W674638		2.21	16.20	0.23	1.3	0.036	2.21	36.3	7.5	0.45	610	1.57	2.78	11.6	0.8	650
W674639		2.41	18.40	0.23	1.4	0.032	3.01	45.9	7.2	0.43	511	2.83	3.28	13.1	1.2	460
W674640		2.81	19.40	0.22	1.5	0.075	2.82	45.6	6.0	0.50	500	1.54	2.73	14.1	1.1	600
W674641		2.79	19.00	0.20	1.5	0.086	2.70	33.8	5.3	0.41	620	1.59	2.49	14.4	1.1	650
W674642		2.58	19.00	0.19	1.4	0.063	2.63	30.7	6.7	0.43	477	0.37	2.32	13.3	1.1	580
W674643		2.49	18.00	0.20	1.4	0.037	2.43	29.2	4.9	0.32	543	1.32	2.48	13.6	1.1	600
W674644		3.17	18.40	0.22	1.5	0.039	3.08	38.1	6.3	0.55	677	3.75	2.98	12.4	2.6	750
W674645		5.00	16.20	0.17	1.1	0.070	1.12	12.3	12.7	3.27	1140	5.18	2.09	6.7	154.0	480
W674646		2.66	18.05	0.21	1.5	0.041	3.44	39.5	3.6	0.48	666	43.7	3.29	12.6	1.5	650
W674647		1.65	15.50	0.17	1.2	0.019	2.44	25.6	3.9	0.31	516	6.25	3.09	9.7	1.4	280
W674648		1.43	16.05	0.15	1.4	0.014	3.35	30.2	1.6	0.19	352	37.8	3.08	9.8	1.2	220
W674649		1.74	18.55	0.22	1.3	0.016	3.43	41.8	2.1	0.28	451	28.1	3.52	10.4	1.8	290
W674650		3.62	15.15	0.15	1.0	0.061	1.18	13.0	7.1	1.26	895	2.75	2.30	3.1	6.6	560
W674651		1.99	16.50	0.18	1.0	0.023	3.54	39.6	2.8	0.37	666	19.60	3.26	9.8	2.2	330
W674652		1.95	15.75	0.19	0.9	0.021	3.20	31.2	4.4	0.25	552	4.98	2.66	9.0	2.3	300
W674653		2.00	16.75	0.18	1.2	0.022	3.45	26.0	3.0	0.28	668	2.64	3.25	11.0	2.1	350
W674654		2.08	16.25	0.18	1.0	0.020	3.80	38.9	3.4	0.30	557	5.99	3.09	10.0	1.9	340
W674655		2.21	17.25	0.18	1.1	0.023	3.60	38.8	3.3	0.35	648	6.44	3.17	10.4	2.0	350
W674656		2.11	17.55	0.20	1.1	0.025	4.21	42.4	3.6	0.43	641	3.02	2.62	10.6	2.0	390
W674657		1.99	17.90	0.17	1.4	0.026	3.30	41.3	20.2	0.45	504	24.6	0.18	10.6	2.3	310
W674658		1.78	15.10	0.19	1.3	0.021	4.42	41.6	14.7	0.56	570	21.9	0.33	9.6	2.1	250
W674659		2.24	17.10	0.20	1.2	0.044	4.72	39.1	13.8	0.69	799	21.0	0.56	10.8	98.8	380
W674660		2.10	15.80	0.19	1.2	0.028	4.15	31.7	18.3	0.56	642	6.46	0.05	9.5	1.5	280
W674661		1.99	15.70	0.19	1.1	0.028	3.97	34.6	4.9	0.44	604	5.35	2.30	8.8	1.6	330



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
W674622		12.7	115.0	<0.002	0.14	1.24	7.8	1	2.7	539	0.98	<0.05	14.30	0.236	0.69	3.9
W674623		15.8	119.0	<0.002	0.33	0.20	7.8	<1	2.6	359	1.04	<0.05	15.45	0.239	0.78	3.9
W674624		14.7	120.5	<0.002	0.32	0.25	6.7	<1	3.1	337	0.89	0.06	14.35	0.227	0.71	3.4
W674625		27.4	23.3	0.003	0.03	8.80	18.7	1	1.7	332	0.19	0.30	1.80	0.315	0.19	0.7
W674626		15.3	101.0	<0.002	0.24	0.27	9.1	<1	5.3	466	0.77	<0.05	10.90	0.260	0.58	3.2
W674627		13.1	79.1	<0.002	0.11	0.92	5.7	<1	1.0	653	0.87	<0.05	13.15	0.220	0.46	3.1
W674628		26.1	47.7	<0.002	0.25	0.81	4.3	<1	1.2	1845	0.66	<0.05	10.45	0.153	0.29	2.6
W674629		18.5	59.0	<0.002	0.07	0.67	2.8	<1	3.1	810	0.77	<0.05	15.05	0.132	0.34	2.6
W674630		1.3	2.5	<0.002	<0.01	0.20	0.4	<1	0.2	5.5	0.07	<0.05	1.44	0.014	0.03	0.4
W674631		15.2	63.4	<0.002	0.13	0.45	2.9	<1	5.3	767	0.81	<0.05	16.40	0.163	0.35	2.7
W674632		25.3	54.7	<0.002	0.14	0.13	4.4	<1	58.9	1525	1.24	<0.05	13.90	0.186	0.40	4.4
W674633		11.9	81.5	<0.002	0.07	<0.05	7.3	<1	9.4	536	0.94	<0.05	15.35	0.239	0.47	3.8
W674634		18.7	63.0	<0.002	0.10	0.25	7.5	1	3.2	761	1.01	<0.05	13.10	0.219	0.38	4.0
W674635		17.0	74.3	<0.002	0.14	0.28	7.2	<1	7.3	715	0.99	0.08	15.30	0.226	0.43	4.2
W674636		14.3	62.9	<0.002	0.05	0.26	3.1	<1	2.9	434	0.97	<0.05	17.10	0.140	0.34	3.0
W674637		31.0	37.2	<0.002	0.03	0.37	2.9	1	255	1890	0.73	<0.05	14.95	0.151	0.40	15.5
W674638		16.4	82.1	<0.002	0.12	<0.05	3.9	1	3.2	3660	0.78	<0.05	11.70	0.210	0.46	3.0
W674639		12.7	110.5	<0.002	0.12	0.07	3.5	<1	1.9	395	0.93	<0.05	17.75	0.181	0.55	3.7
W674640		9.1	100.5	<0.002	0.11	0.43	3.8	<1	4.6	425	1.00	<0.05	15.80	0.213	0.55	3.6
W674641		10.8	75.5	<0.002	0.21	0.93	3.6	<1	4.7	687	0.90	<0.05	12.05	0.221	0.46	3.7
W674642		10.2	72.3	<0.002	0.13	1.28	3.4	<1	4.4	523	0.87	<0.05	12.00	0.200	0.47	3.7
W674643		15.1	60.2	<0.002	0.19	0.94	3.3	1	2.3	775	0.87	<0.05	11.55	0.200	0.42	4.0
W674644		16.0	67.3	<0.002	0.20	1.71	5.3	1	1.9	368	0.90	0.05	14.25	0.256	0.46	5.1
W674645		49.4	21.5	0.003	0.12	1.80	18.1	1	1.4	395	0.41	0.07	4.01	0.282	0.27	1.4
W674646		18.7	58.9	<0.002	0.18	2.42	3.9	<1	2.9	343	0.89	0.48	15.40	0.211	0.37	4.9
W674647		11.8	40.7	<0.002	0.17	3.16	2.2	<1	2.3	386	0.76	0.09	12.40	0.104	0.28	3.0
W674648		14.0	65.4	<0.002	0.16	2.29	1.6	<1	1.7	260	1.08	0.14	19.45	0.078	0.37	2.9
W674649		14.7	59.6	<0.002	0.14	2.46	1.9	<1	2.6	226	0.85	0.26	18.35	0.112	0.35	3.2
W674650		8.7	23.7	<0.002	0.01	0.48	17.0	<1	0.8	453	0.21	<0.05	2.95	0.252	0.20	1.1
W674651		16.5	65.0	<0.002	0.24	2.44	1.9	<1	2.4	271	0.76	0.15	19.40	0.109	0.38	3.4
W674652		15.6	63.6	<0.002	0.22	3.83	1.6	<1	2.3	334	0.74	0.09	16.75	0.101	0.44	3.0
W674653		16.1	65.5	<0.002	0.23	3.70	1.8	<1	2.2	541	0.86	0.06	15.00	0.106	0.46	2.7
W674654		18.4	77.1	<0.002	0.15	6.72	1.8	<1	2.3	334	0.88	0.15	21.3	0.117	0.49	3.5
W674655		17.8	72.1	<0.002	0.14	7.37	2.1	<1	2.4	338	0.90	0.12	22.3	0.124	0.46	3.3
W674656		15.4	81.2	<0.002	0.21	7.64	2.1	<1	2.4	301	0.85	0.13	22.1	0.126	0.49	3.8
W674657		29.4	84.7	<0.002	0.06	17.35	2.1	<1	2.8	380	0.83	0.10	21.4	0.123	0.62	5.1
W674658		19.8	97.0	<0.002	0.18	18.85	1.8	<1	1.7	288	0.92	0.17	23.1	0.098	0.65	3.0
W674659		96.6	97.7	0.017	0.34	11.70	2.3	1	2.3	367	0.89	0.14	20.0	0.120	0.63	3.0
W674660		12.2	85.0	<0.002	0.18	11.40	1.9	<1	2.1	316	0.87	0.11	18.00	0.098	0.63	2.6
W674661		15.2	86.1	0.004	0.18	13.00	1.9	<1	2.4	212	0.82	0.07	21.5	0.107	0.50	2.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5
W674622		12	1.8	22.7	50	67.0
W674623		9	1.0	26.7	106	62.4
W674624		18	3.4	18.4	83	70.0
W674625		158	3.7	17.8	93	21.1
W674626		30	4.2	17.7	57	64.7
W674627		26	3.2	16.1	55	62.5
W674628		27	3.7	14.0	66	47.0
W674629		15	1.2	12.4	34	38.2
W674630		2	0.1	1.8	2	27.2
W674631		15	1.5	13.9	32	46.2
W674632		21	0.6	15.0	28	51.2
W674633		16	1.7	23.5	37	56.0
W674634		33	4.9	21.6	43	66.9
W674635		27	3.9	22.6	41	61.0
W674636		20	2.6	13.3	32	57.4
W674637		40	0.6	20.8	13	60.7
W674638		19	0.3	23.7	27	53.2
W674639		16	0.3	16.7	39	54.8
W674640		12	0.8	17.2	36	62.9
W674641		14	1.2	13.5	36	60.9
W674642		17	1.9	11.5	32	60.3
W674643		26	3.4	12.6	52	56.8
W674644		66	12.1	11.2	60	65.0
W674645		131	14.9	19.5	315	25.8
W674646		67	14.0	9.7	54	61.5
W674647		41	10.0	7.3	36	46.9
W674648		34	6.4	5.4	26	46.2
W674649		47	8.3	5.7	33	47.7
W674650		126	7.3	21.8	64	19.2
W674651		39	8.4	5.8	42	40.6
W674652		53	6.8	5.7	48	36.8
W674653		52	10.1	7.5	39	41.2
W674654		52	10.2	6.7	40	37.1
W674655		58	10.7	7.3	45	39.0
W674656		54	17.5	6.7	38	41.8
W674657		54	19.5	8.1	36	66.5
W674658		34	13.0	6.5	23	51.2
W674659		41	19.9	7.6	107	43.0
W674660		41	13.9	6.5	29	44.3
W674661		34	21.1	5.6	28	40.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR																
W674662		3.73	0.082	0.10	6.63	12.0	2270	1.60	0.09	1.69	0.14	60.4	3.1	12	0.92	40.9
W674663		3.78	0.209	0.15	6.42	7.8	2230	1.86	0.15	1.77	0.11	62.1	3.4	10	1.26	15.6
W674664		4.13	0.151	0.14	6.79	4.2	2550	2.33	0.19	1.62	0.10	64.5	2.7	20	0.77	7.9
W674665		0.11	7.10	0.78	7.52	14.1	500	0.77	0.49	3.48	0.18	22.1	13.8	37	0.98	73.9
W674666		3.16	0.042	0.15	6.34	2.8	2010	2.08	0.19	2.23	0.17	60.9	2.2	13	1.11	4.5
W674667		2.51	0.025	0.01	6.49	2.1	2260	2.12	0.08	1.96	0.09	62.7	2.6	9	1.84	4.4
W674668		3.20	0.014	0.05	6.48	4.3	2090	2.38	0.24	2.91	0.23	68.6	6.3	15	1.21	59.8
W674669		3.76	0.010	0.02	6.35	5.0	1500	2.48	0.04	4.02	0.21	62.9	8.1	19	0.96	3.9
W674670		0.45	<0.005	<0.01	0.25	1.3	30	0.13	0.03	0.05	<0.02	6.89	0.8	13	0.20	4.1
W674671		4.14	0.167	0.01	6.37	3.8	1510	2.32	0.02	1.99	0.08	60.7	2.5	16	0.47	1.9
W674672		3.16	0.016	0.01	6.48	2.6	2610	2.21	0.03	2.20	0.08	68.3	3.8	15	0.78	2.5
W674673		3.24	0.005	0.01	6.23	2.8	3590	3.26	0.14	3.36	0.11	71.3	6.8	8	2.40	3.3
W674674		4.10	0.007	0.01	6.42	2.2	2020	3.03	0.14	2.07	0.08	63.3	4.2	16	2.03	5.2
W674675		1.68	0.012	<0.01	6.46	2.6	2320	2.92	0.17	2.12	0.07	62.4	5.1	14	1.95	5.6
W674676		3.63	0.021	<0.01	6.16	2.1	2050	2.55	0.06	2.03	0.11	64.1	4.3	21	1.81	5.2
W674677		3.80	0.023	<0.01	6.13	2.7	1370	2.83	0.03	2.33	0.11	59.1	4.6	23	2.57	3.3
W674678		3.18	<0.005	<0.01	7.15	4.4	1100	4.19	0.08	4.32	0.12	69.1	13.5	8	7.02	4.5
W674679		3.03	<0.005	<0.01	6.68	3.4	2570	4.30	0.08	3.94	0.07	62.5	8.9	53	4.30	5.4
W674680		3.68	<0.005	<0.01	7.43	3.3	2130	5.22	0.06	3.46	0.04	68.0	14.9	45	6.10	29.4
W674681		3.69	<0.005	<0.01	6.34	5.0	3090	5.02	0.06	3.47	0.14	63.7	10.1	49	3.99	7.7
W674682		4.22	0.006	<0.01	7.18	3.4	1000	8.04	0.16	4.28	0.10	54.2	17.9	33	10.50	19.2
W674683		4.53	0.010	<0.01	7.69	5.3	1440	9.90	0.12	4.03	0.08	59.9	18.8	17	15.30	9.3
W674684		3.17	0.381	0.03	6.02	28.6	800	7.16	0.05	7.21	0.11	37.5	21.5	57	10.35	6.5
W674685		0.11	1.370	0.74	7.62	21.2	510	0.87	0.48	4.87	1.28	27.8	30.1	189	1.23	185.5
W674686		2.59	0.071	0.07	5.06	23.1	440	4.16	0.07	4.53	0.15	60.2	13.2	100	6.10	34.0
W674687		3.79	1.990	0.13	5.96	9.2	1040	3.35	0.08	2.56	0.15	69.2	14.1	89	5.64	28.4
W674688		3.38	0.360	0.15	3.71	13.8	860	2.56	0.11	2.91	0.19	40.1	13.5	62	4.10	46.4
W674689		3.93	0.464	0.27	4.48	42.8	1670	4.26	0.14	6.40	0.48	39.5	23.9	153	3.93	26.6
W674690		0.11	<0.005	0.10	7.64	1.5	630	0.83	0.22	4.12	0.12	27.8	12.9	11	0.64	151.5
W674691		2.86	0.414	0.14	5.71	13.9	1560	3.25	0.36	2.51	0.23	72.1	12.8	82	3.38	28.9
W674692		4.38	0.225	0.38	5.10	6.6	2940	2.83	0.09	3.36	0.16	63.4	10.2	69	0.87	12.0
W674693		3.43	0.184	0.37	4.45	57.0	900	5.45	0.16	4.42	0.46	49.1	18.3	155	5.39	37.0
W674694		1.48	0.171	0.14	5.76	29.1	1360	5.45	0.15	3.72	0.24	58.4	14.3	145	8.17	28.4
W674695		0.89	0.103	0.10	5.12	25.6	1490	4.66	0.15	3.28	0.23	53.1	12.6	97	7.27	30.9
W674696		2.59	<0.005	<0.01	6.31	7.4	1420	4.90	0.03	2.10	0.05	69.1	11.0	226	11.35	4.7
W674697		3.96	<0.005	<0.01	6.34	2.0	1020	5.37	0.06	1.93	0.02	73.5	9.6	65	6.98	7.2
W674698		2.99	<0.005	0.02	6.21	5.4	610	5.30	0.16	2.45	0.09	82.6	13.5	128	13.55	13.8
W674699		3.53	<0.005	0.01	6.01	4.0	740	6.12	0.11	3.88	0.12	63.1	20.0	330	17.95	5.7
W674700		3.77	<0.005	<0.01	7.47	2.4	1280	11.90	0.10	3.81	0.13	49.6	14.9	38	17.40	6.1
W674701		3.58	<0.005	<0.01	7.73	2.7	870	10.10	0.05	3.50	0.13	48.2	15.0	39	14.30	10.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674662		1.97	15.35	0.19	1.1	0.018	3.83	33.8	3.1	0.45	581	3.76	2.87	9.6	1.8	350
W674663		2.02	15.80	0.19	1.1	0.024	3.65	34.8	4.7	0.48	675	7.33	2.84	10.1	2.0	380
W674664		1.86	18.60	0.21	1.0	0.030	3.06	36.3	2.1	0.38	584	4.12	3.77	11.5	2.1	390
W674665		5.90	14.70	0.17	0.9	0.103	0.87	10.7	8.1	1.24	924	13.40	2.27	3.1	22.7	580
W674666		1.81	17.30	0.19	1.0	0.031	2.39	32.5	3.7	0.44	658	3.45	3.55	11.1	2.0	280
W674667		1.95	16.65	0.18	1.0	0.028	2.70	34.3	7.7	0.33	366	0.85	2.87	8.3	2.1	230
W674668		2.82	17.85	0.18	0.9	0.064	2.39	35.2	5.0	0.86	688	2.76	3.73	10.1	10.6	680
W674669		2.80	17.20	0.18	0.7	0.039	1.80	32.4	3.9	1.12	595	1.16	3.99	9.7	11.6	870
W674670		0.67	0.72	0.09	0.9	<0.005	0.06	3.6	8.5	0.02	82	0.39	0.07	0.8	2.2	40
W674671		1.78	19.50	0.14	0.9	0.032	1.53	31.0	1.7	0.36	337	0.71	4.83	10.8	3.6	390
W674672		2.09	18.80	0.19	0.9	0.039	2.94	34.9	2.0	0.48	406	1.29	3.87	12.2	3.4	420
W674673		3.31	19.70	0.20	0.8	0.071	2.79	34.5	4.5	0.51	533	2.97	3.27	13.3	2.8	890
W674674		2.34	17.80	0.18	0.7	0.058	2.87	31.5	3.9	0.42	304	1.46	3.03	10.5	3.5	410
W674675		2.49	18.45	0.17	0.8	0.061	2.98	31.0	3.8	0.45	333	1.28	3.15	10.7	3.8	410
W674676		1.88	16.75	0.17	0.9	0.037	2.33	34.9	5.2	0.61	285	0.96	3.13	9.7	5.1	460
W674677		1.92	17.25	0.19	0.8	0.043	1.90	29.2	7.3	0.84	363	0.87	2.96	9.3	7.2	590
W674678		4.91	19.65	0.18	1.2	0.063	2.64	34.2	6.3	1.57	700	1.35	2.07	11.6	4.3	1380
W674679		2.73	17.70	0.18	0.8	0.047	1.95	32.9	4.6	1.57	425	1.14	3.02	10.0	21.5	660
W674680		3.84	17.50	0.19	0.6	0.050	2.42	35.0	4.6	1.63	566	2.40	2.59	14.4	21.9	1320
W674681		3.49	18.00	0.19	0.6	0.054	1.91	32.3	5.9	1.55	641	3.61	2.94	17.1	21.8	850
W674682		4.98	16.70	0.17	0.6	0.056	2.33	26.7	8.8	2.19	800	9.53	2.42	16.1	15.3	1540
W674683		5.44	18.65	0.20	0.7	0.065	2.62	29.9	8.4	2.24	729	17.25	2.21	11.2	6.6	1430
W674684		4.97	14.00	0.16	0.6	0.066	2.28	18.0	13.0	3.13	997	6.95	0.97	6.9	10.5	810
W674685		4.95	16.25	0.14	1.2	0.076	1.13	12.4	12.6	3.27	1140	5.49	2.09	6.9	153.0	470
W674686		3.18	12.80	0.16	0.8	0.034	2.08	30.1	17.7	2.05	549	2.95	0.45	10.3	47.1	550
W674687		3.12	15.25	0.20	0.4	0.024	2.41	34.8	10.4	1.44	414	1.81	1.24	11.7	67.0	630
W674688		2.68	9.77	0.15	0.4	0.025	1.76	20.3	13.4	1.42	586	4.48	0.06	9.5	58.5	660
W674689		3.62	11.85	0.15	0.5	0.064	2.33	21.2	9.8	3.07	1240	14.70	0.83	9.7	126.5	390
W674690		3.79	16.00	0.13	1.0	0.060	1.23	11.1	7.4	1.31	941	2.56	2.41	3.3	7.0	580
W674691		2.69	15.65	0.18	1.5	0.032	2.10	36.3	5.3	1.36	605	3.93	2.33	17.2	57.0	510
W674692		2.35	13.80	0.17	0.8	0.033	1.60	32.2	3.9	1.50	508	3.40	2.69	12.4	46.4	450
W674693		3.20	11.65	0.16	0.6	0.038	2.04	25.3	8.6	2.16	820	3.95	0.71	10.2	95.5	570
W674694		3.24	16.55	0.16	0.4	0.036	2.78	29.6	12.2	1.82	642	3.48	0.12	14.7	85.1	710
W674695		3.11	14.10	0.20	0.3	0.030	2.35	27.0	13.6	1.63	572	4.21	0.11	12.8	66.7	580
W674696		2.59	20.5	0.18	0.8	0.023	2.64	35.0	6.8	1.29	375	3.14	1.63	9.6	50.3	530
W674697		2.36	17.35	0.20	0.5	0.018	2.19	37.8	6.9	1.40	223	3.65	1.90	11.7	38.3	630
W674698		2.90	17.35	0.20	0.6	0.038	2.02	41.7	6.5	1.74	320	4.19	1.54	18.1	65.1	600
W674699		3.97	14.95	0.19	0.6	0.050	2.26	32.3	8.8	3.08	626	8.89	1.47	10.7	127.0	670
W674700		4.50	19.45	0.16	0.6	0.065	2.66	24.1	9.4	2.07	685	1.36	2.29	10.4	10.3	1050
W674701		5.28	18.75	0.17	0.6	0.078	2.28	23.1	11.3	1.90	818	1.48	2.11	11.2	11.8	1150



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
W674662		16.2	74.4	<0.002	0.25	20.2	1.7	<1	2.0	313	0.84	0.10	19.05	0.108	0.49	3.3
W674663		15.2	71.0	<0.002	0.25	9.47	1.9	<1	2.5	358	0.82	0.16	19.70	0.113	0.50	2.9
W674664		10.4	56.1	<0.002	0.14	7.06	1.8	<1	2.8	325	0.84	0.22	19.35	0.117	0.34	2.0
W674665		25.1	23.5	0.005	0.03	8.82	19.0	1	1.8	306	0.19	0.24	1.84	0.300	0.19	0.8
W674666		8.5	41.7	<0.002	0.06	4.56	2.0	<1	2.9	231	0.93	0.24	18.65	0.102	0.30	2.9
W674667		8.1	52.4	<0.002	0.06	5.13	1.8	<1	2.7	224	0.85	0.15	18.30	0.095	0.37	2.3
W674668		14.5	42.6	0.002	0.09	5.68	9.0	<1	2.6	262	0.70	0.10	13.40	0.221	0.28	2.9
W674669		21.1	32.1	<0.002	0.13	4.18	12.1	<1	2.5	328	0.57	0.06	10.55	0.306	0.22	1.9
W674670		1.7	2.8	<0.002	<0.01	0.15	0.5	<1	0.6	4.3	0.10	<0.05	2.14	0.018	0.02	0.4
W674671		9.3	21.7	<0.002	0.09	1.85	3.3	<1	2.6	216	0.83	<0.05	13.70	0.137	0.16	1.8
W674672		11.6	46.6	<0.002	0.09	2.84	5.4	1	2.5	270	0.83	<0.05	14.35	0.184	0.30	2.4
W674673		16.4	57.3	<0.002	0.17	3.63	12.3	<1	2.6	626	0.80	0.08	11.20	0.341	0.35	2.9
W674674		10.7	58.8	<0.002	0.09	2.88	7.1	<1	4.1	364	0.75	0.06	13.05	0.187	0.38	1.9
W674675		11.5	60.5	<0.002	0.15	2.71	7.6	<1	3.9	371	0.77	0.06	12.60	0.189	0.35	2.0
W674676		9.5	50.3	<0.002	0.05	3.28	6.3	<1	2.8	317	0.72	<0.05	12.10	0.186	0.35	1.2
W674677		9.7	50.9	<0.002	0.05	3.59	7.9	<1	2.1	343	0.58	0.23	10.10	0.221	0.34	1.2
W674678		12.9	109.0	0.002	0.13	4.37	22.4	<1	2.6	492	0.66	<0.05	8.31	0.580	0.67	3.7
W674679		8.0	68.3	0.002	0.14	1.75	12.0	<1	2.7	842	0.65	<0.05	12.10	0.324	0.42	2.7
W674680		8.6	100.0	<0.002	0.12	3.27	18.6	<1	2.3	534	0.77	<0.05	15.15	0.491	0.62	2.7
W674681		13.0	75.9	<0.002	0.20	2.12	13.2	<1	6.8	612	0.84	0.26	15.30	0.338	0.47	1.8
W674682		11.3	134.5	<0.002	0.14	2.48	25.1	1	5.3	597	0.77	0.07	13.85	0.681	0.77	2.1
W674683		9.9	152.0	<0.002	0.10	3.19	30.2	1	6.2	700	0.56	<0.05	53.5	0.779	0.86	3.5
W674684		13.1	114.5	<0.002	0.14	4.12	31.3	<1	6.1	1140	0.34	<0.05	18.05	0.488	0.74	3.5
W674685		48.2	24.8	0.002	0.12	1.78	18.4	<1	1.5	395	0.43	0.05	4.44	0.286	0.28	1.6
W674686		20.3	81.9	<0.002	0.18	5.25	14.1	1	3.9	1215	0.64	0.28	17.55	0.266	0.52	2.1
W674687		20.1	83.3	0.002	0.45	4.02	11.7	1	2.0	1175	0.78	0.16	13.90	0.304	0.57	1.6
W674688		18.1	63.7	0.004	0.62	4.77	8.9	1	2.2	1305	0.63	0.20	5.61	0.229	0.43	1.5
W674689		49.6	63.5	0.004	0.91	4.92	12.8	1	3.9	1110	0.55	0.67	6.46	0.233	0.43	6.9
W674690		9.3	20.2	<0.002	0.01	0.51	17.3	<1	0.9	481	0.23	<0.05	2.61	0.266	0.22	1.1
W674691		21.6	57.8	<0.002	0.48	4.36	9.5	1	3.2	1025	1.09	0.22	27.7	0.249	0.38	2.3
W674692		24.7	34.5	0.002	0.42	1.38	8.6	1	3.2	1085	0.76	0.78	20.2	0.209	0.27	1.6
W674693		39.1	67.3	0.004	0.63	8.29	11.6	1	3.0	1550	0.62	0.84	9.31	0.264	0.47	5.9
W674694		10.1	133.5	0.002	0.30	28.0	13.5	1	4.0	1410	0.80	0.09	13.60	0.436	0.72	3.4
W674695		10.4	115.0	0.003	0.27	26.2	11.9	<1	2.6	1160	0.75	0.10	13.45	0.372	0.65	3.6
W674696		7.7	113.5	<0.002	0.17	2.02	11.3	<1	2.3	668	0.48	<0.05	18.10	0.266	0.67	2.1
W674697		6.4	107.0	0.003	0.11	1.70	10.9	<1	1.8	860	0.67	<0.05	14.05	0.324	0.71	2.0
W674698		8.9	107.5	<0.002	0.21	6.87	12.7	<1	4.0	1075	0.96	<0.05	18.50	0.350	0.62	2.8
W674699		8.3	133.5	<0.002	0.07	5.06	17.2	<1	4.0	819	0.64	<0.05	15.60	0.335	0.78	2.6
W674700		11.3	145.5	<0.002	0.05	5.12	27.1	<1	6.5	693	0.59	<0.05	9.26	0.529	1.04	1.8
W674701		9.9	162.5	<0.002	0.08	4.00	27.3	<1	6.5	705	0.60	<0.05	8.36	0.562	0.96	2.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674662		34	26.2	6.0	24	36.9
W674663		44	24.6	6.9	25	39.5
W674664		44	18.7	6.6	17	36.8
W674665		152	3.3	19.2	84	22.8
W674666		36	9.4	6.5	19	38.2
W674667		36	7.8	5.3	14	35.2
W674668		50	14.5	9.2	36	36.3
W674669		71	22.7	11.2	37	27.4
W674670		2	0.2	2.3	3	27.1
W674671		41	7.6	7.4	12	34.8
W674672		47	10.1	8.2	15	34.8
W674673		63	12.0	13.7	45	27.9
W674674		35	5.6	9.6	22	26.6
W674675		37	5.7	9.6	25	27.8
W674676		38	8.7	8.0	27	30.7
W674677		51	13.4	9.9	26	30.0
W674678		173	9.8	17.6	40	47.5
W674679		101	5.2	14.7	21	27.6
W674680		131	4.8	15.4	32	18.8
W674681		100	9.0	22.1	49	21.2
W674682		207	11.6	20.4	51	18.4
W674683		284	6.6	23.3	42	19.1
W674684		260	14.0	18.3	49	16.7
W674685		130	15.3	19.6	302	30.1
W674686		118	17.5	16.4	60	28.2
W674687		128	13.7	12.9	65	12.8
W674688		101	16.8	9.5	58	14.8
W674689		92	18.0	16.3	84	19.6
W674690		131	7.3	21.5	67	18.8
W674691		88	8.5	14.7	57	54.6
W674692		64	13.3	14.8	33	25.8
W674693		102	26.7	16.2	85	21.6
W674694		136	39.9	15.4	52	14.6
W674695		132	29.8	14.1	47	12.3
W674696		70	3.7	12.4	30	33.6
W674697		83	3.7	14.6	17	17.2
W674698		93	4.5	20.4	33	19.3
W674699		126	6.7	17.7	41	17.7
W674700		206	17.1	17.4	60	13.3
W674701		221	16.0	19.2	60	11.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR															
W674702		4.58	<0.005	<0.01	7.45	3.6	1560	37.0	0.14	2.64	0.20	66.3	11.6	27	11.90	19.6
W674703		4.13	0.016	0.11	6.47	3.8	710	16.05	0.40	2.05	0.25	109.0	8.5	69	5.41	60.9
W674704		4.49	0.026	0.10	6.30	2.5	1210	35.9	0.24	4.37	0.21	82.6	16.4	164	9.58	26.2
W674705		0.11	6.95	0.79	7.47	14.5	500	0.77	0.50	3.42	0.17	21.9	13.0	36	0.98	73.2
W674706		3.47	0.060	0.32	6.12	6.6	610	8.90	0.22	4.27	0.19	110.0	9.3	174	0.85	71.8
W674707		3.17	0.210	0.79	5.82	40.2	670	16.20	0.13	6.23	0.23	65.2	16.4	186	2.79	50.3
W674708		3.25	0.155	0.39	5.40	23.0	410	2.67	0.27	2.30	0.23	165.0	6.3	21	0.95	19.9
W674709		2.50	0.673	2.30	4.87	7.7	520	4.63	0.14	4.52	0.27	79.4	12.5	117	0.50	5.5
W674710		0.43	<0.005	0.02	0.18	1.0	10	0.12	0.02	0.03	<0.02	5.44	0.9	16	0.17	4.7
W674711		4.11	0.187	0.64	6.36	17.0	1080	4.14	0.21	2.43	0.24	90.9	9.8	74	2.65	11.0
W674712		4.94	0.014	0.13	6.55	16.9	2290	3.76	0.23	1.68	0.16	85.5	8.1	27	3.14	36.0
W674713		3.42	<0.005	0.10	6.91	25.1	2330	3.77	0.13	1.90	0.13	93.3	8.7	30	4.50	28.3
W674714		5.00	<0.005	0.08	6.93	7.4	1570	4.58	0.23	1.33	0.12	100.0	10.2	57	8.61	34.3
W674715		2.25	<0.005	0.10	7.00	7.1	1600	4.36	0.25	1.61	0.12	98.9	9.6	52	8.04	32.2
W674716		5.52	<0.005	0.14	6.86	21.7	1760	6.04	0.34	2.38	0.27	69.1	13.1	110	5.95	32.8
W674717		4.50	<0.005	0.08	5.84	5.6	1090	3.67	0.29	2.14	0.23	82.5	13.8	120	6.81	36.9
W674718		6.59	0.148	0.50	4.92	5.2	1540	3.89	0.50	2.11	0.19	59.7	12.4	90	4.61	55.9
W674719		6.56	0.023	0.13	6.37	4.6	1320	2.95	0.31	1.60	0.29	82.2	12.8	79	5.62	42.8
W674720		3.50	0.057	0.19	6.04	9.9	1400	4.17	0.49	1.89	0.64	72.6	15.6	112	5.17	55.4
W674721		3.12	0.028	0.22	6.27	13.5	1730	3.17	0.89	3.85	1.29	86.4	14.5	94	5.16	54.4
W674722		5.17	0.014	0.16	6.21	4.6	1230	3.92	2.06	1.58	0.36	73.2	13.3	100	4.98	35.8
W674723		5.45	0.217	0.41	6.34	3.1	1040	4.22	0.26	1.63	0.10	78.9	11.2	76	3.34	33.7
W674724		5.34	<0.005	0.09	5.99	33.5	680	4.41	0.21	2.26	0.24	62.5	11.2	69	7.31	42.0
W674725		0.10	1.275	0.68	7.56	19.4	510	0.74	0.32	4.82	1.26	23.7	27.2	183	1.11	182.0
W674726		4.10	<0.005	0.05	6.09	19.9	1240	4.96	0.22	1.99	1.16	63.5	9.9	60	3.91	53.7
W674727		3.52	<0.005	0.05	7.03	5.8	1380	5.76	0.17	2.94	0.35	72.0	16.2	160	6.14	14.6
W674728		4.00	<0.005	0.06	6.10	16.5	1150	4.11	0.12	1.79	0.24	67.6	8.4	59	3.39	35.9
W674729		3.68	<0.005	0.24	5.93	26.2	910	3.39	0.33	2.54	0.24	73.4	20.5	105	4.45	108.5
W674730		0.11	<0.005	0.10	7.74	1.8	610	0.66	0.22	3.96	0.08	28.9	11.7	10	0.61	142.0
W674731		4.07	<0.005	0.22	6.65	12.0	1600	4.56	0.34	2.80	0.21	71.6	17.8	89	3.80	78.2
W674732		4.61	<0.005	0.09	6.20	8.4	1860	5.70	0.21	2.63	0.17	62.7	15.2	133	3.91	45.9
W674733		4.09	<0.005	0.26	4.50	50.6	690	2.44	0.82	2.96	0.32	43.3	15.9	111	1.83	54.9
W674734		3.77	<0.005	0.46	3.23	42.9	790	1.97	0.36	3.81	0.42	32.9	13.2	72	2.58	65.4
W674735		1.59	<0.005	0.54	3.21	41.3	760	1.96	0.56	4.11	0.38	35.3	12.9	65	2.32	69.9
W674736		2.39	<0.005	0.78	3.89	65.3	1950	2.46	1.10	1.16	0.93	37.5	12.6	106	3.29	81.6
W674737		3.28	<0.005	0.23	3.36	67.6	1000	2.17	0.22	4.32	0.34	40.2	10.7	98	2.25	56.5
W674738		4.90	<0.005	0.20	5.76	19.2	1270	2.26	0.18	3.74	0.48	53.2	25.3	178	3.17	69.0
W674739		4.55	<0.005	0.12	6.99	7.3	990	4.79	0.54	4.44	0.37	66.6	25.5	173	7.89	29.9
W674740		4.13	<0.005	0.02	7.54	4.2	1050	3.04	0.04	1.00	0.05	7.31	0.9	12	1.56	3.6
W674741		3.59	<0.005	0.05	6.87	21.1	1200	2.69	0.08	1.08	0.11	31.2	5.2	42	2.37	24.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674702		4.78	20.6	0.20	0.8	0.092	2.52	31.6	12.2	1.69	699	9.90	2.38	22.5	10.9	1590
W674703		3.32	20.9	0.24	3.1	0.067	2.02	52.5	13.6	1.09	543	18.65	3.26	43.6	9.5	670
W674704		4.59	17.75	0.17	1.7	0.092	2.49	38.7	33.2	2.51	957	18.20	2.73	38.0	30.8	950
W674705		5.85	14.85	<0.05	0.8	0.099	0.86	10.9	7.3	1.22	898	15.35	2.24	3.0	21.7	590
W674706		2.72	22.1	0.11	4.2	0.077	1.04	53.1	3.4	1.82	721	13.35	4.17	47.4	28.2	290
W674707		4.69	15.10	0.05	1.6	0.077	2.81	31.5	5.0	2.91	1040	14.65	2.27	26.4	27.3	1070
W674708		2.92	20.7	0.15	13.0	0.089	2.38	76.5	5.0	0.99	524	8.13	2.59	84.5	7.4	380
W674709		2.87	13.70	0.06	1.4	0.074	2.55	40.9	2.5	1.81	953	7.31	2.17	22.2	55.1	600
W674710		0.82	0.60	<0.05	1.1	<0.005	0.04	2.8	7.8	0.02	96	0.53	0.04	0.7	2.4	20
W674711		2.71	18.35	0.11	0.6	0.043	3.28	45.8	3.1	1.16	450	9.14	1.99	17.1	37.1	560
W674712		2.14	18.45	0.13	0.6	0.023	2.75	44.4	5.5	0.80	282	1.50	1.62	12.8	20.4	360
W674713		2.92	19.05	0.13	0.5	0.037	2.64	48.7	4.8	0.91	339	1.57	1.82	16.7	16.9	720
W674714		2.82	19.80	0.14	0.4	0.027	3.52	52.7	5.8	0.86	264	2.20	0.47	17.2	32.7	560
W674715		2.90	18.90	0.13	0.5	0.027	3.41	51.2	5.6	0.85	281	2.72	0.58	16.4	30.4	550
W674716		2.90	17.50	0.12	0.8	0.033	2.96	35.6	9.9	1.41	405	2.25	1.47	11.2	61.8	540
W674717		3.17	16.15	0.10	0.5	0.026	2.57	40.2	4.7	1.23	481	2.05	0.88	14.5	77.7	630
W674718		3.20	13.65	0.09	0.4	0.041	2.50	30.1	8.0	1.21	530	2.73	0.98	14.2	56.0	900
W674719		3.50	17.20	0.11	0.4	0.026	2.91	41.2	9.3	1.20	531	3.11	0.82	13.8	41.1	660
W674720		3.91	17.30	0.08	0.4	0.034	2.60	36.6	14.3	1.56	619	2.93	0.79	14.9	75.1	990
W674721		3.85	18.10	0.10	0.4	0.044	3.11	43.0	28.4	1.69	837	3.26	0.40	15.0	59.8	920
W674722		3.47	16.75	0.10	0.4	0.030	2.66	36.3	20.7	1.50	557	4.82	0.89	12.9	61.0	680
W674723		3.03	17.85	0.10	0.4	0.025	3.42	39.9	5.6	0.96	402	2.57	1.48	17.3	40.3	680
W674724		2.78	16.35	0.08	0.5	0.030	2.34	31.2	4.2	1.10	416	3.12	0.82	11.5	41.6	670
W674725		4.94	16.55	0.06	1.2	0.069	1.10	10.9	11.2	3.24	1110	5.39	2.08	6.9	149.0	480
W674726		2.79	17.05	0.08	0.6	0.023	2.04	31.8	9.0	1.05	338	2.50	1.72	13.0	36.9	690
W674727		4.41	20.3	0.09	0.4	0.043	3.34	36.6	22.9	2.68	731	8.56	1.43	15.5	75.8	740
W674728		2.64	16.05	0.07	0.6	0.019	2.08	34.3	15.6	1.26	390	2.04	1.31	10.9	36.1	460
W674729		3.87	16.75	0.11	0.5	0.046	1.93	37.0	23.8	1.43	502	3.62	0.96	16.4	77.7	740
W674730		3.61	15.35	<0.05	1.1	0.058	1.20	11.9	6.3	1.27	888	2.57	2.30	3.1	6.5	560
W674731		3.99	17.80	0.08	0.5	0.044	2.13	36.0	26.5	1.74	612	1.73	1.80	20.4	65.1	970
W674732		3.49	16.20	0.06	0.5	0.040	1.85	32.2	25.7	1.83	538	1.76	1.58	14.4	65.0	770
W674733		3.82	12.80	0.11	0.2	0.042	0.67	20.1	32.7	1.86	807	2.69	1.75	13.1	95.7	1230
W674734		3.27	9.21	0.08	0.1	0.020	0.89	15.8	14.2	1.98	1110	4.49	0.86	10.9	56.7	1040
W674735		3.36	8.77	0.08	0.1	0.024	0.82	17.4	15.9	2.09	1190	3.57	0.87	10.9	49.8	1050
W674736		2.98	10.55	0.10	0.2	0.023	1.28	18.1	21.7	1.40	471	5.96	0.36	9.7	79.6	1100
W674737		3.71	9.22	0.08	0.2	0.025	1.04	20.0	17.0	2.15	1130	4.14	0.58	7.7	64.3	1020
W674738		5.42	14.60	0.10	0.3	0.054	1.46	25.1	25.7	3.07	980	2.31	1.40	14.9	131.5	1650
W674739		5.25	17.90	0.12	0.4	0.102	2.32	31.6	29.4	3.51	768	0.94	1.58	15.1	98.7	1120
W674740		0.84	20.1	0.16	1.4	0.012	4.36	3.7	1.6	0.20	239	0.20	3.75	6.7	2.4	80
W674741		2.04	17.40	0.16	0.8	0.017	3.43	14.8	4.0	0.51	428	0.88	2.18	8.5	17.7	400



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
W674702		10.0	193.5	<0.002	0.13	2.84	23.1	<1	17.9	685	1.02	<0.05	28.0	0.607	1.25	3.8
W674703		19.5	154.5	<0.002	0.21	3.51	10.3	<1	6.4	311	2.66	0.06	57.1	0.284	0.80	5.8
W674704		18.3	226	0.002	0.25	1.36	18.6	<1	14.8	564	1.90	<0.05	43.3	0.431	1.33	5.5
W674705		27.3	22.4	0.004	0.03	8.74	17.6	1	1.9	314	0.20	0.29	1.89	0.293	0.18	0.9
W674706		44.3	30.8	0.002	0.38	4.76	9.5	1	15.0	507	3.48	0.20	76.7	0.171	0.18	12.0
W674707		38.0	81.6	<0.002	0.36	6.97	20.3	1	10.7	620	1.11	0.83	35.4	0.619	0.50	8.3
W674708		27.2	76.2	<0.002	0.60	7.49	7.4	<1	10.8	281	8.44	0.32	47.0	0.230	0.38	16.7
W674709		39.7	47.1	<0.002	0.68	2.44	10.9	<1	5.1	400	1.04	2.57	57.5	0.220	0.33	8.0
W674710		1.7	1.9	<0.002	<0.01	0.30	0.4	<1	0.7	3.0	0.11	<0.05	1.64	0.013	0.02	0.5
W674711		31.5	86.9	<0.002	0.37	5.42	10.8	<1	3.6	432	0.80	1.09	28.7	0.280	0.49	5.1
W674712		18.9	105.0	<0.002	0.41	14.05	6.6	1	2.3	833	0.88	0.25	17.55	0.179	0.67	4.0
W674713		14.7	109.5	<0.002	0.37	10.25	8.7	<1	2.6	468	0.97	0.05	19.00	0.345	0.68	5.4
W674714		12.6	159.5	0.002	0.20	5.34	10.4	1	2.2	357	0.99	<0.05	21.6	0.339	0.96	6.1
W674715		13.9	153.0	<0.002	0.19	5.58	9.7	1	2.0	394	0.95	<0.05	22.3	0.328	0.97	5.8
W674716		20.7	147.0	<0.002	0.16	2.18	11.5	1	2.1	330	0.77	<0.05	14.55	0.269	1.04	5.1
W674717		11.3	124.5	0.003	0.22	2.10	10.3	1	3.1	482	0.84	0.05	17.65	0.336	0.80	4.9
W674718		14.5	119.0	0.002	0.35	1.43	9.2	1	2.9	278	0.82	0.26	10.70	0.320	0.89	4.0
W674719		15.2	140.5	0.004	0.29	1.34	11.2	1	2.3	241	0.88	0.07	14.80	0.356	1.05	4.3
W674720		25.3	137.0	0.002	0.28	0.92	11.9	1	3.2	230	1.00	0.10	13.85	0.405	1.18	3.5
W674721		30.8	147.0	0.003	0.36	1.28	12.1	1	8.6	754	0.98	0.09	15.45	0.382	1.13	3.2
W674722		28.3	138.0	0.002	0.21	0.75	11.4	1	6.2	351	0.88	0.08	13.75	0.340	1.09	2.7
W674723		17.3	120.5	0.002	0.38	1.27	10.0	1	3.5	211	0.98	0.31	14.85	0.331	1.03	5.3
W674724		15.7	124.0	<0.002	0.21	2.83	10.4	1	5.1	441	0.87	0.07	11.65	0.308	0.83	5.3
W674725		47.2	15.3	0.003	0.12	1.82	16.2	1	1.4	403	0.42	0.07	3.44	0.280	0.30	1.3
W674726		21.4	95.8	<0.002	0.23	1.15	8.8	1	7.9	545	1.04	<0.05	12.40	0.291	0.72	6.0
W674727		22.3	183.0	<0.002	0.11	0.65	14.4	<1	7.3	817	0.81	<0.05	13.65	0.423	1.30	3.4
W674728		14.0	102.5	0.002	0.17	1.43	8.2	<1	3.2	657	0.81	<0.05	14.15	0.253	0.72	3.5
W674729		12.5	102.5	<0.002	0.44	3.48	10.6	1	3.3	576	1.18	<0.05	12.60	0.422	0.93	3.6
W674730		9.3	22.7	<0.002	0.01	0.56	15.9	1	0.9	481	0.20	<0.05	2.64	0.252	0.19	1.3
W674731		14.0	98.2	<0.002	0.38	1.58	12.5	1	2.8	762	1.30	<0.05	11.85	0.491	0.80	3.7
W674732		11.6	96.4	0.003	0.34	1.37	12.6	1	3.3	573	0.89	<0.05	11.20	0.392	0.67	3.7
W674733		17.9	35.2	0.004	0.37	61.5	10.6	1	2.7	605	0.90	0.09	4.58	0.467	0.29	3.1
W674734		18.5	56.3	0.006	0.20	28.9	8.4	2	2.9	494	0.73	0.11	3.71	0.339	0.35	2.9
W674735		24.0	53.1	0.006	0.20	22.2	8.5	2	2.6	528	0.73	0.10	3.57	0.344	0.34	2.8
W674736		84.3	71.0	0.008	0.24	24.9	9.3	3	6.9	169.0	0.69	0.14	4.65	0.336	0.49	4.3
W674737		11.4	55.9	0.006	0.68	41.7	7.8	3	3.4	868	0.57	0.09	4.35	0.275	0.47	2.8
W674738		16.4	72.0	0.003	0.57	8.13	14.8	2	2.7	706	1.05	0.08	4.61	0.647	0.52	2.2
W674739		24.0	124.0	<0.002	0.20	5.07	21.3	<1	9.7	848	0.96	<0.05	11.30	0.652	0.94	2.5
W674740		23.3	127.5	<0.002	0.15	1.11	1.2	<1	1.1	904	0.26	<0.05	2.09	0.054	0.81	1.6
W674741		26.4	101.5	<0.002	0.13	2.73	5.8	<1	1.4	738	0.47	<0.05	5.44	0.196	0.59	1.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674702		150	25.3	26.9	70	25.9
W674703		81	6.2	39.7	71	106.0
W674704		154	10.4	56.4	118	55.3
W674705		152	3.3	17.6	85	22.3
W674706		86	12.0	29.0	70	135.0
W674707		228	37.6	30.6	98	51.7
W674708		96	12.8	28.5	58	469
W674709		63	21.6	18.5	72	47.8
W674710		2	0.2	1.7	<2	28.2
W674711		79	12.7	17.7	57	18.8
W674712		43	6.4	14.4	34	21.6
W674713		66	6.1	16.7	45	19.0
W674714		78	15.0	17.5	34	16.3
W674715		74	14.5	17.8	33	17.2
W674716		67	3.5	16.8	42	27.5
W674717		90	3.5	16.0	62	14.7
W674718		102	8.4	14.6	60	13.0
W674719		99	5.5	16.2	66	12.5
W674720		129	3.7	20.1	97	11.5
W674721		131	7.9	19.8	133	16.9
W674722		109	4.9	16.6	102	15.4
W674723		111	21.3	13.7	36	13.7
W674724		89	4.1	18.5	42	14.5
W674725		130	15.1	16.8	315	26.6
W674726		96	2.7	17.8	73	16.5
W674727		125	2.3	24.8	111	16.0
W674728		63	4.3	16.7	49	18.4
W674729		90	3.1	19.6	60	13.5
W674730		125	7.6	19.8	67	20.4
W674731		109	3.1	20.0	55	14.8
W674732		109	3.5	18.3	48	14.3
W674733		157	4.7	18.1	84	5.0
W674734		147	3.1	14.6	77	3.1
W674735		146	3.3	15.6	73	3.1
W674736		189	2.9	12.5	157	4.2
W674737		165	2.9	19.1	71	4.6
W674738		188	4.6	21.7	108	6.6
W674739		172	12.2	22.2	100	9.6
W674740		22	0.5	5.0	22	46.0
W674741		78	1.1	7.8	66	26.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
W674742		3.75	<0.005	0.02	5.13	5.8	1060	2.30	0.04	3.06	0.04	2.56	0.5	6	1.35	2.2
W674743		4.08	0.007	0.02	8.06	12.0	1610	2.44	0.03	1.17	0.04	6.49	0.7	7	1.26	3.3
W674744		2.94	<0.005	0.10	6.17	42.1	820	2.67	0.17	1.55	0.16	83.4	14.7	140	5.74	51.7
W674745		0.11	6.91	0.80	7.48	13.7	500	0.76	0.53	3.53	0.17	23.9	14.4	37	0.99	78.4
W674746		2.49	<0.005	0.11	5.95	26.8	1350	2.47	0.20	1.84	0.30	92.5	14.7	82	5.35	72.2
W674747		3.97	<0.005	0.07	4.78	23.3	1110	1.97	0.09	3.04	0.13	64.0	11.4	92	3.92	40.8
W674748		3.37	<0.005	0.08	4.64	17.6	650	1.59	0.08	2.83	0.14	49.9	13.1	144	4.53	37.7
W674749		4.54	0.006	0.07	5.76	11.7	1040	3.21	0.18	2.39	0.13	64.6	13.7	117	2.93	31.4
W674750		0.45	<0.005	0.01	0.21	0.3	20	0.07	0.02	0.02	<0.02	4.80	0.4	21	0.18	1.8
W674751		3.63	<0.005	0.05	5.05	136.0	910	3.63	0.11	4.05	0.30	59.3	22.5	321	5.00	25.4
W674752		3.74	<0.005	0.11	4.01	133.5	2600	1.99	0.21	2.95	0.52	48.7	16.7	220	4.23	38.9
W674753		4.12	<0.005	0.27	4.39	86.2	1520	1.76	0.24	1.46	0.56	38.6	10.0	90	2.50	70.1
W674754		3.46	0.011	0.25	4.91	48.5	1480	1.98	0.18	2.14	0.69	51.3	11.4	87	4.66	57.2
W674755		1.70	<0.005	0.27	4.75	45.3	1210	2.26	0.19	2.53	0.80	53.8	11.6	78	4.37	60.6
W674756		3.88	<0.005	0.13	5.16	37.1	1710	2.35	0.17	2.14	0.39	61.1	14.0	130	4.47	53.1
W674757		4.06	<0.005	0.08	5.62	31.3	3290	1.84	0.17	2.13	0.15	66.0	13.5	153	3.12	30.1
W674758		4.93	<0.005	0.06	6.48	3.2	1590	1.90	0.20	2.43	0.11	98.3	15.1	81	3.67	30.1
W674759		4.33	<0.005	0.09	5.92	0.2	1290	1.86	0.18	2.29	0.16	76.5	20.1	211	5.34	49.8
W674760		3.75	<0.005	0.05	2.57	35.9	1270	0.86	0.10	2.06	0.10	30.2	12.5	122	3.43	41.8
W674761		3.03	<0.005	0.03	4.36	8.1	780	1.86	0.09	2.84	0.24	37.7	25.8	476	5.29	25.5
W674762		4.04	<0.005	0.06	4.66	0.9	910	1.40	0.09	2.31	0.16	47.6	24.1	410	6.50	65.2
W674763		3.40	<0.005	0.03	4.61	1.8	3800	1.85	0.09	3.04	0.28	52.0	27.3	516	3.71	13.5
W674764		4.30	<0.005	0.07	6.40	2.2	2720	2.59	0.26	1.93	0.16	97.2	13.2	115	2.67	25.7
W674765		0.11	1.375	2.12	8.11	20.5	520	0.78	0.34	4.95	1.25	31.1	28.4	191	1.27	185.0
W674766		4.23	<0.005	0.06	6.12	1.7	1270	2.27	0.24	2.31	0.18	72.4	15.3	125	1.83	35.7
W674767		3.44	<0.005	0.08	5.91	2.2	1340	1.77	0.21	1.89	0.25	66.9	12.5	105	2.65	42.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 7 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
W674742		0.68	16.75	0.15	1.2	0.008	4.23	1.1	3.4	0.12	225	0.08	3.13	5.6	1.2	60
W674743		0.72	17.25	0.15	1.3	0.009	4.64	3.4	3.0	0.21	171	0.15	3.44	6.2	1.5	80
W674744		3.24	17.00	0.17	0.3	0.035	2.35	40.9	21.4	1.46	376	2.45	0.24	12.5	72.8	670
W674745		5.90	15.45	0.10	0.8	0.099	0.87	11.0	8.3	1.25	919	16.70	2.30	3.2	24.1	600
W674746		3.40	17.50	0.17	0.3	0.041	2.25	46.3	13.0	1.47	410	1.83	0.94	12.3	55.0	730
W674747		3.24	13.40	0.16	0.2	0.032	1.94	31.8	13.6	1.72	489	1.55	0.64	9.1	41.4	640
W674748		3.06	11.85	0.08	0.2	0.023	1.57	24.7	11.5	2.06	407	1.24	1.05	7.1	95.6	680
W674749		2.90	13.95	0.14	0.5	0.034	1.71	31.2	16.1	1.68	376	1.48	1.86	10.2	84.1	650
W674750		0.58	0.54	0.06	0.9	<0.005	0.05	2.5	7.4	0.02	64	0.24	0.05	0.7	2.0	20
W674751		3.53	14.55	0.14	0.5	0.050	1.54	29.5	31.8	3.02	654	2.09	1.48	10.1	294	550
W674752		2.99	12.10	0.14	0.4	0.043	1.65	24.2	26.1	2.31	833	2.18	0.34	9.7	188.5	680
W674753		2.65	11.80	0.11	0.4	0.038	1.87	19.5	12.3	1.14	562	3.64	0.30	8.2	47.3	1190
W674754		2.92	13.40	0.13	0.4	0.042	2.02	25.8	8.3	1.09	706	3.87	0.42	9.4	49.7	1270
W674755		2.95	14.00	0.11	0.4	0.043	1.96	26.5	9.3	1.11	716	4.10	0.33	9.2	51.3	1160
W674756		3.66	14.45	0.13	0.4	0.046	2.02	30.3	14.0	1.96	936	2.99	1.00	11.5	89.8	1190
W674757		3.34	13.45	0.12	0.3	0.040	1.69	32.4	13.8	1.75	529	1.77	1.60	10.8	83.5	650
W674758		3.64	18.95	0.18	0.4	0.031	2.14	47.2	14.3	1.69	403	1.98	1.76	16.0	49.9	770
W674759		3.48	16.80	0.17	0.4	0.038	1.98	37.5	16.5	2.72	440	1.15	1.92	11.7	188.5	600
W674760		1.88	7.09	0.11	0.1	0.011	0.95	14.3	7.1	1.40	288	4.78	0.51	5.0	89.8	390
W674761		3.45	10.90	0.11	0.5	0.023	1.70	18.3	29.4	4.79	596	1.05	1.50	6.8	430	390
W674762		3.62	11.50	0.10	0.2	0.027	1.93	23.2	42.4	4.56	510	2.04	0.97	6.5	307	710
W674763		3.63	11.90	0.13	0.3	0.034	2.15	25.9	26.4	5.28	643	1.07	1.35	5.9	466	410
W674764		3.08	18.55	0.19	0.5	0.023	2.20	45.7	18.7	1.82	380	2.27	2.07	14.6	60.7	550
W674765		5.07	16.50	0.14	1.1	0.070	1.16	13.6	12.5	3.39	1120	5.59	2.11	6.8	151.0	480
W674766		3.17	16.85	0.17	0.3	0.034	1.95	35.0	13.1	1.86	456	1.49	2.37	13.3	70.8	790
W674767		3.14	15.00	0.15	0.3	0.023	2.08	32.9	11.0	1.52	374	1.64	1.77	11.5	53.2	730



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
W674742		21.0	90.4	<0.002	0.11	1.20	0.7	<1	0.7	1130	0.21	<0.05	0.89	0.046	0.75	2.3
W674743		22.2	124.0	<0.002	0.22	2.10	1.0	<1	0.9	1750	0.23	<0.05	1.83	0.052	0.77	2.4
W674744		16.5	109.5	0.003	0.38	21.8	13.0	1	1.5	374	0.87	0.12	15.10	0.383	0.64	3.5
W674745		29.8	24.8	0.005	0.03	8.84	19.7	<1	1.7	317	0.22	0.30	1.93	0.301	0.18	0.8
W674746		26.3	105.0	0.003	0.64	22.9	12.1	1	2.7	715	0.84	0.06	13.40	0.362	0.56	3.3
W674747		12.1	93.2	0.002	0.29	11.55	10.5	1	1.1	645	0.62	0.06	9.75	0.304	0.53	2.4
W674748		14.1	76.8	0.002	0.55	23.4	9.8	1	1.5	658	0.50	0.05	8.03	0.307	0.56	2.2
W674749		14.0	70.6	<0.002	0.34	3.18	10.5	1	2.6	638	0.77	0.05	10.85	0.336	0.43	3.0
W674750		1.4	2.3	<0.002	<0.01	0.24	0.3	<1	0.2	4.8	0.11	<0.05	1.48	0.014	<0.02	0.5
W674751		8.5	84.2	<0.002	0.34	9.64	11.4	1	2.8	985	0.72	<0.05	9.70	0.285	0.46	3.6
W674752		16.2	75.3	0.002	0.32	18.50	9.2	1	2.5	689	0.72	0.05	7.86	0.250	0.41	3.4
W674753		19.7	68.4	0.005	0.47	14.70	9.4	3	2.8	736	0.58	0.07	5.45	0.282	0.53	7.2
W674754		14.4	81.2	0.006	0.53	18.05	10.0	3	2.4	445	0.69	0.09	7.02	0.339	0.46	2.5
W674755		16.1	83.5	0.005	0.58	16.90	10.2	3	2.4	484	0.67	0.08	7.52	0.297	0.46	2.8
W674756		18.8	78.7	0.005	0.85	11.30	9.8	2	2.4	820	0.82	0.05	9.33	0.322	0.48	3.7
W674757		16.1	73.4	0.002	0.43	17.90	10.2	<1	1.8	910	0.75	<0.05	10.20	0.331	0.42	3.4
W674758		12.6	110.0	0.002	0.39	0.92	13.6	1	2.8	415	1.06	0.05	16.60	0.421	0.58	3.0
W674759		17.4	101.0	<0.002	0.43	0.41	12.0	1	2.7	961	0.79	0.06	12.65	0.345	0.67	3.0
W674760		8.7	45.9	0.007	0.24	54.9	6.0	1	3.5	763	0.29	<0.05	4.45	0.191	0.30	1.2
W674761		9.4	79.6	0.003	0.22	15.10	10.4	<1	2.7	1490	0.54	<0.05	7.45	0.234	0.79	3.0
W674762		10.4	89.0	0.002	0.29	0.49	11.6	1	2.0	978	0.47	0.09	6.63	0.258	0.75	2.1
W674763		11.6	89.6	<0.002	0.24	0.43	10.4	<1	2.9	2280	0.40	<0.05	8.91	0.223	0.85	1.8
W674764		19.1	91.5	<0.002	0.32	0.28	13.5	1	3.8	1580	0.95	<0.05	17.30	0.398	0.62	2.6
W674765		50.4	31.8	0.002	0.12	1.77	19.0	<1	1.4	403	0.47	0.07	4.43	0.288	0.28	1.5
W674766		15.8	85.1	<0.002	0.34	0.24	13.1	<1	4.2	659	0.89	0.05	12.75	0.404	0.53	2.9
W674767		14.5	84.5	0.003	0.34	5.12	11.4	1	2.6	463	0.76	0.08	11.00	0.368	0.55	2.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674742		21	0.2	2.6	24	44.4
W674743		20	0.3	4.0	25	45.2
W674744		130	3.1	15.3	53	11.0
W674745		153	3.5	18.2	86	21.8
W674746		125	11.8	16.1	105	11.5
W674747		126	1.5	13.3	54	6.5
W674748		122	1.1	11.6	65	5.4
W674749		105	3.9	15.0	45	13.7
W674750		2	0.4	1.5	2	24.0
W674751		95	2.5	17.0	73	15.5
W674752		103	1.8	13.2	110	14.3
W674753		175	1.9	12.8	130	13.2
W674754		176	1.8	13.2	124	14.1
W674755		169	1.7	14.2	118	15.1
W674756		148	1.0	16.3	116	15.2
W674757		108	0.9	15.5	47	9.1
W674758		111	1.0	21.2	36	11.7
W674759		117	0.8	17.1	69	12.2
W674760		106	1.0	7.0	26	3.4
W674761		106	0.6	10.8	69	14.6
W674762		140	0.9	11.5	54	6.4
W674763		102	0.7	11.3	88	9.8
W674764		114	1.6	20.9	47	15.3
W674765		132	15.5	20.0	319	26.5
W674766		127	1.1	20.2	55	11.9
W674767		129	1.1	15.9	72	9.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 19-NOV-2017
Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230982

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

BAG-01	CRU-32	CRU-QC	DRY-22
LOG-22	LOG-23	PUL-32	PUL-QC
SPL-21	WEI-21		

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA24 ME-MS61



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: **COMSTOCK METALS LTD.**
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: 1
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

CERTIFICATE WH17230984

Project: QV
 P.O. No.: 17-QV-07
 This report is for 54 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24-OCT-2017.
 The following have access to data associated with this certificate:
 CHRIS LIVINGSTONE KRIS RAFFLE DAVID TERRY

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-22	Drying - Maximum Temp 60C
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES	
ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
Au-AA24	Au 50g FA AA finish AAS

To: **COMSTOCK METALS LTD.**
ATTN: CHRIS LIVINGSTONE
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230984

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
W674768		3.86	<0.005	0.04	6.49	3.7	810	2.00	0.10	1.37	<0.02	49.0	1.5	6	4.74	3.8
W674769		2.55	<0.005	0.03	6.59	4.6	1410	2.01	0.08	1.08	<0.02	45.7	1.2	6	4.30	3.8
W674770		0.03	0.005	0.11	7.90	1.7	640	0.64	0.24	4.24	0.13	28.2	12.2	10	0.58	152.5
W674771		3.09	<0.005	0.07	7.45	7.1	1650	2.40	0.18	0.92	0.05	69.2	2.6	5	5.20	6.3
W674772		2.62	<0.005	0.08	4.92	5.0	7290	1.69	0.12	3.69	0.06	52.1	3.1	7	4.50	5.5
W674773		3.01	<0.005	0.07	7.41	3.5	4570	3.04	0.06	1.98	0.04	72.6	4.6	4	5.07	6.2
W674774		3.68	0.015	0.10	7.27	10.3	2200	2.61	0.10	1.45	0.04	74.4	2.9	5	3.97	10.5
W674775		1.49	0.013	0.12	7.29	11.8	1460	2.57	0.10	1.15	0.02	71.6	2.5	4	4.37	11.1
W674776		6.24	<0.005	0.01	7.51	1.9	2680	3.14	0.03	1.99	0.02	82.5	4.4	6	3.41	1.9
W674777		5.28	<0.005	0.02	6.95	5.6	2550	3.14	0.04	2.29	<0.02	65.8	4.5	5	2.82	2.8
W674778		6.73	<0.005	<0.01	7.28	0.6	1970	3.21	0.07	2.09	<0.02	78.0	2.5	7	2.72	1.7
W674779		5.04	<0.005	0.01	7.74	<0.2	2210	3.21	0.17	2.01	<0.02	80.9	2.2	14	2.86	2.2
W674780		2.21	<0.005	0.02	6.38	1.5	2830	2.65	0.11	2.18	0.02	53.9	2.0	6	3.42	2.2
W674781		3.79	<0.005	0.01	7.51	<0.2	2670	3.19	0.09	1.68	0.06	80.0	2.5	9	1.70	4.6
W674782		4.10	<0.005	0.02	7.01	1.4	2090	2.95	0.06	1.61	<0.02	59.6	1.5	11	1.23	3.1
W674783		3.79	<0.005	0.01	6.66	1.3	2190	2.58	0.03	2.40	0.17	59.4	2.0	10	1.59	2.7
W674784		3.68	<0.005	0.02	6.47	0.8	1000	2.66	0.06	2.74	0.22	57.5	2.0	16	1.93	1.8
W674785		0.03	6.85	0.80	7.20	14.2	480	0.76	0.43	3.41	0.17	19.95	12.8	36	0.91	70.2
W674786		3.61	<0.005	0.01	6.00	2.2	1480	2.91	0.17	3.35	0.08	52.3	1.9	6	3.94	1.7
W674787		3.59	<0.005	0.04	7.16	0.5	1480	2.89	0.88	5.18	<0.02	57.8	1.9	5	3.46	1.2
W674788		4.04	<0.005	0.02	6.49	0.4	1120	2.83	0.33	3.64	<0.02	60.8	1.8	6	3.19	1.4
W674789		4.99	<0.005	0.06	7.14	2.2	1660	2.75	0.05	1.38	0.06	72.2	2.1	6	2.78	2.8
W674790		0.40	<0.005	0.01	0.21	1.4	20	0.13	0.04	0.02	<0.02	4.93	0.7	11	0.19	4.2
W674791		6.22	<0.005	0.05	7.12	2.2	1680	3.08	0.16	1.72	0.05	71.6	2.7	9	5.38	10.1
W674792		5.28	<0.005	0.01	7.08	1.4	1300	3.37	0.34	1.56	<0.02	70.8	1.9	6	4.60	6.4
W674793		2.88	<0.005	0.03	6.79	4.1	990	2.90	0.39	2.02	<0.02	58.5	2.3	4	4.32	16.5
W674794		3.71	<0.005	0.01	4.66	1.8	4820	2.25	0.27	3.53	0.08	46.5	1.8	10	2.63	8.2
W674795		1.96	<0.005	0.02	5.06	1.8	8050	2.36	0.27	4.12	0.08	59.5	1.9	6	2.75	7.2
W674796		5.62	<0.005	0.04	5.95	1.0	3190	3.19	0.43	2.35	0.05	58.0	2.3	7	3.33	8.6
W674797		4.01	<0.005	0.02	6.74	0.6	2060	2.95	0.37	1.65	0.02	69.1	2.4	7	3.25	11.7
W674798		3.56	<0.005	0.03	7.36	1.1	2420	3.33	0.32	1.73	<0.02	79.7	2.7	7	3.90	9.8
W674799		2.54	<0.005	0.79	5.50	1.0	2350	2.56	0.04	1.67	0.04	40.0	1.3	12	1.54	4.4
W674800		3.42	<0.005	0.01	6.45	1.8	2540	2.81	0.07	1.42	0.02	64.2	2.6	12	1.85	4.8
W674801		3.84	<0.005	0.02	5.73	1.1	2300	2.58	0.06	1.98	0.06	45.0	1.8	16	1.65	3.0
W674802		3.54	<0.005	0.02	5.86	1.5	5920	2.66	0.07	2.24	0.05	39.1	1.9	9	1.30	3.9
W674803		2.30	<0.005	0.04	5.02	5.2	>10000	2.25	0.16	9.36	0.18	62.6	1.9	5	1.19	9.7
W674804		3.55	0.010	0.11	7.64	21.5	3140	2.91	0.18	0.46	0.04	82.9	3.0	5	5.68	10.1
W674805		0.03	1.240	1.66	7.40	20.3	540	0.82	0.30	5.06	1.39	28.9	28.8	196	1.26	189.5
W674806		4.04	<0.005	0.05	6.92	11.9	2760	2.87	0.09	1.52	0.02	64.3	3.5	8	6.65	9.2
W674807		2.77	0.007	0.11	7.37	11.6	2450	3.02	0.34	0.87	<0.02	75.7	3.3	8	5.46	5.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230984

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674768		1.39	16.30	0.21	1.7	0.009	3.30	27.7	21.8	0.19	497	0.65	0.05	9.5	1.2	140
W674769		1.21	15.70	0.17	1.6	0.005	3.22	26.1	21.2	0.20	338	0.45	0.04	9.0	1.0	100
W674770		3.83	16.20	0.17	1.1	0.059	1.26	10.8	6.7	1.36	958	2.35	2.48	3.1	6.8	570
W674771		2.11	17.95	0.17	1.3	0.016	3.60	41.3	20.9	0.25	409	1.22	0.05	10.6	1.7	270
W674772		2.31	13.95	0.20	1.0	0.033	2.27	27.9	26.6	0.11	879	2.77	0.01	10.5	2.3	470
W674773		2.64	20.2	0.27	1.7	0.035	2.44	37.3	21.4	0.15	616	2.01	1.96	12.9	1.5	490
W674774		2.11	19.30	0.28	1.6	0.055	2.13	39.3	20.3	0.20	393	1.57	2.30	12.5	1.0	400
W674775		1.84	18.95	0.28	1.4	0.061	2.17	39.5	21.1	0.16	282	1.21	2.01	12.4	1.1	300
W674776		2.99	20.3	0.28	1.9	0.033	3.21	41.4	8.9	0.39	745	0.88	2.99	12.9	0.7	690
W674777		2.67	18.55	0.26	1.4	0.027	2.60	33.2	8.9	0.45	626	1.10	3.32	11.0	1.0	590
W674778		2.02	19.75	0.28	1.5	0.027	2.95	41.9	10.1	0.36	430	0.37	2.88	12.6	1.3	380
W674779		1.93	20.0	0.29	1.6	0.036	2.90	45.5	9.5	0.35	432	0.59	3.39	12.9	1.3	360
W674780		1.77	17.75	0.23	1.3	0.015	2.69	28.0	6.8	0.17	382	1.39	2.59	10.6	1.1	260
W674781		2.02	20.5	0.29	1.5	0.034	3.01	44.4	7.4	0.33	408	0.71	3.42	12.4	1.4	340
W674782		1.37	18.95	0.26	1.3	0.036	2.31	33.2	5.0	0.24	317	0.52	4.03	11.4	1.7	300
W674783		1.66	18.05	0.27	1.3	0.034	1.12	30.7	3.1	0.22	540	0.57	4.90	10.5	1.3	350
W674784		1.96	19.40	0.26	1.2	0.042	1.28	27.9	4.3	0.21	686	3.04	4.63	9.7	1.4	320
W674785		5.65	14.60	0.18	0.9	0.097	0.82	9.9	7.2	1.20	892	14.45	2.19	2.9	22.1	560
W674786		1.83	19.60	0.22	1.1	0.088	3.22	26.0	9.4	0.29	617	0.50	2.11	11.6	1.3	320
W674787		3.24	25.4	0.23	1.4	0.216	3.11	28.7	12.6	0.29	746	0.23	2.01	11.8	1.1	330
W674788		2.07	20.7	0.22	1.5	0.096	3.23	29.2	13.4	0.35	643	0.56	1.97	12.5	1.0	340
W674789		1.67	18.65	0.25	1.4	0.024	2.66	41.0	9.9	0.21	453	0.82	2.50	11.4	1.2	290
W674790		0.75	0.68	0.10	1.0	<0.005	0.05	2.6	7.5	0.01	85	0.38	0.04	0.6	2.1	20
W674791		1.90	19.00	0.14	1.4	0.019	3.12	39.8	9.0	0.21	419	2.73	2.23	13.0	6.3	350
W674792		1.79	18.95	0.12	1.6	0.032	2.44	40.1	18.0	0.19	340	0.85	2.64	12.7	1.9	330
W674793		1.99	20.2	0.14	2.0	0.031	2.67	30.5	16.1	0.14	445	1.09	2.16	13.4	1.9	370
W674794		1.69	14.90	0.09	1.4	0.022	1.36	24.9	8.1	0.10	456	0.75	2.84	10.0	1.4	330
W674795		1.77	15.35	0.13	1.5	0.025	1.42	32.2	7.0	0.10	502	1.85	2.91	10.6	1.0	370
W674796		1.99	18.35	0.12	2.0	0.020	2.56	29.9	3.7	0.17	498	3.39	3.55	13.0	1.2	340
W674797		2.02	17.75	0.13	1.5	0.015	3.11	39.0	6.9	0.26	456	4.64	2.90	11.5	1.0	310
W674798		2.25	19.40	0.13	1.5	0.021	3.97	44.8	9.5	0.28	532	4.63	2.43	12.9	1.0	360
W674799		1.25	15.10	0.09	0.9	0.014	1.97	23.3	3.3	0.08	330	1.46	2.82	8.1	1.5	180
W674800		1.92	16.25	0.11	1.0	0.017	3.08	38.0	2.3	0.09	464	2.00	3.12	11.0	2.4	280
W674801		1.50	14.45	0.10	1.0	0.014	2.48	26.1	2.8	0.09	387	0.80	3.06	9.1	2.0	190
W674802		1.48	17.05	0.09	1.1	0.011	1.59	21.5	2.7	0.08	426	2.74	4.08	10.8	1.9	230
W674803		1.53	14.05	0.13	0.8	0.020	1.26	35.5	4.8	0.08	762	2.75	3.33	9.0	1.9	290
W674804		2.49	20.8	0.13	1.5	0.050	2.74	46.9	21.3	0.16	390	2.88	1.62	14.0	1.5	430
W674805		5.14	17.75	0.08	1.4	0.071	1.14	13.2	13.3	3.39	1190	7.08	2.18	7.2	157.0	480
W674806		2.38	19.45	0.15	1.6	0.031	2.84	35.1	21.1	0.17	420	2.32	0.85	12.8	3.1	370
W674807		2.67	19.75	0.12	1.4	0.040	2.62	42.7	16.4	0.18	368	2.00	2.18	13.6	2.1	500



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230984

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
W674768		12.6	120.5	<0.002	0.01	0.77	1.0	<1	1.7	200	0.98	<0.05	20.7	0.073	0.76	1.5
W674769		15.0	123.0	<0.002	0.03	0.97	0.8	<1	1.5	150.5	0.93	<0.05	24.5	0.057	0.71	1.8
W674770		8.6	17.5	<0.002	0.01	0.62	17.0	<1	0.8	489	0.22	<0.05	2.38	0.271	0.19	0.9
W674771		15.9	142.0	<0.002	0.03	1.64	1.8	<1	2.2	207	1.00	<0.05	26.5	0.112	0.80	2.6
W674772		17.3	61.3	<0.002	0.18	1.76	2.9	<1	3.2	280	0.83	<0.05	10.20	0.169	0.55	3.9
W674773		13.3	81.6	<0.002	0.10	1.45	4.6	<1	1.8	343	0.89	<0.05	14.25	0.196	0.56	2.6
W674774		11.1	77.2	<0.002	0.04	1.07	3.6	1	3.3	277	0.97	<0.05	17.05	0.175	0.41	2.4
W674775		9.5	81.5	<0.002	0.02	1.21	3.5	<1	3.3	194.5	1.02	0.05	17.30	0.152	0.41	2.2
W674776		14.5	111.5	<0.002	0.02	0.46	3.3	<1	1.8	390	0.98	<0.05	16.30	0.212	0.71	3.0
W674777		13.9	90.2	<0.002	0.04	0.38	4.5	<1	2.4	533	0.86	<0.05	15.45	0.200	0.61	3.2
W674778		10.9	113.5	<0.002	0.07	0.18	3.4	<1	2.8	253	0.99	<0.05	18.10	0.159	0.69	3.5
W674779		11.5	113.0	<0.002	0.05	0.19	3.2	<1	5.6	363	1.08	<0.05	20.1	0.156	0.58	3.1
W674780		11.3	93.4	<0.002	0.04	0.41	2.1	<1	1.9	301	0.91	<0.05	13.80	0.123	0.55	2.6
W674781		16.5	98.5	<0.002	0.06	0.19	3.0	<1	4.3	798	0.96	<0.05	19.00	0.149	0.57	3.8
W674782		13.5	68.7	<0.002	0.02	0.13	2.5	<1	5.1	723	0.91	<0.05	16.45	0.126	0.40	2.9
W674783		16.2	31.0	<0.002	0.06	0.26	2.6	<1	2.7	705	0.83	<0.05	12.95	0.133	0.23	2.0
W674784		12.2	41.3	<0.002	0.04	0.33	2.8	<1	5.0	353	0.87	<0.05	13.00	0.144	0.30	2.6
W674785		24.3	19.9	0.004	0.03	8.72	18.0	1	1.8	297	0.19	0.34	1.74	0.284	0.16	0.7
W674786		9.4	105.0	<0.002	0.10	0.27	2.6	<1	15.6	254	0.95	<0.05	12.85	0.143	0.74	3.2
W674787		20.1	112.5	<0.002	0.06	0.13	2.8	<1	33.8	423	1.01	<0.05	13.80	0.151	0.81	4.5
W674788		10.3	114.0	<0.002	0.05	0.11	2.7	<1	16.8	183.0	1.12	<0.05	14.70	0.150	0.80	4.0
W674789		14.5	98.0	<0.002	0.05	0.48	2.6	<1	2.7	304	0.93	<0.05	17.50	0.137	0.56	3.3
W674790		1.3	2.3	<0.002	<0.01	0.27	0.3	<1	0.7	3.0	0.11	<0.05	1.54	0.013	<0.02	0.4
W674791		23.3	105.0	0.003	0.05	0.76	2.7	1	2.9	271	1.01	<0.05	16.70	0.151	0.65	4.5
W674792		12.4	87.0	<0.002	0.01	1.13	2.3	<1	5.5	247	1.00	0.05	17.75	0.145	0.53	3.8
W674793		13.8	80.8	<0.002	0.06	2.24	2.3	1	6.1	286	1.09	0.05	14.15	0.160	0.59	3.4
W674794		14.5	41.5	<0.002	0.17	0.92	1.8	<1	3.3	1215	0.75	<0.05	10.45	0.123	0.30	2.6
W674795		17.9	46.3	0.002	0.25	0.74	2.2	<1	3.6	1015	0.77	<0.05	13.25	0.136	0.30	3.2
W674796		16.7	72.7	<0.002	0.11	0.64	2.0	1	2.2	1745	0.99	0.05	14.10	0.150	0.43	3.0
W674797		13.8	105.5	<0.002	0.07	0.21	2.2	<1	1.7	340	0.92	0.05	17.20	0.137	0.60	3.0
W674798		16.4	147.0	<0.002	0.03	0.17	2.4	<1	1.6	222	1.01	<0.05	19.05	0.148	0.84	3.5
W674799		11.7	62.0	<0.002	0.04	0.27	0.9	1	1.9	599	0.66	<0.05	15.15	0.057	0.37	1.9
W674800		17.1	86.6	<0.002	0.03	0.38	1.5	<1	2.4	577	1.05	<0.05	21.4	0.116	0.54	3.5
W674801		16.9	68.9	<0.002	0.05	0.28	1.1	<1	2.2	734	0.79	<0.05	17.10	0.079	0.42	2.3
W674802		16.0	42.9	<0.002	0.14	0.27	1.0	<1	3.1	1475	0.92	<0.05	14.90	0.089	0.30	2.2
W674803		21.8	35.2	<0.002	0.25	0.19	1.2	<1	2.8	2860	0.64	<0.05	13.75	0.087	0.26	3.6
W674804		12.2	89.8	<0.002	0.06	1.08	4.7	<1	2.3	327	1.03	<0.05	17.20	0.191	0.55	3.6
W674805		57.3	22.9	0.002	0.12	1.93	20.5	<1	1.5	415	0.46	0.07	4.47	0.298	0.34	1.5
W674806		9.7	93.7	<0.002	0.06	1.85	3.7	<1	2.9	279	1.02	<0.05	14.85	0.170	0.63	3.4
W674807		8.8	93.8	<0.002	0.03	1.42	4.2	1	2.4	192.0	0.98	<0.05	16.20	0.198	0.58	3.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230984

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674768		6	1.8	8.8	26	52.5
W674769		4	1.9	7.8	24	49.1
W674770		132	8.1	20.3	71	19.1
W674771		11	2.3	11.5	43	43.5
W674772		16	2.1	12.7	34	37.1
W674773		19	1.9	12.8	43	65.3
W674774		12	1.2	13.1	33	56.1
W674775		12	1.3	11.8	29	51.0
W674776		21	0.9	14.5	53	69.0
W674777		34	1.9	13.8	37	49.8
W674778		12	0.9	15.3	27	52.1
W674779		11	0.7	15.7	26	57.2
W674780		10	0.7	11.0	21	45.4
W674781		13	0.6	14.6	31	51.7
W674782		14	0.7	12.7	22	43.7
W674783		29	3.1	10.3	33	44.9
W674784		39	1.5	9.6	26	40.5
W674785		144	5.8	15.6	83	21.5
W674786		13	1.4	10.7	25	36.2
W674787		17	1.0	12.8	28	47.5
W674788		11	1.1	13.0	25	51.9
W674789		11	3.5	11.7	34	47.2
W674790		2	0.1	1.5	2	22.9
W674791		10	1.8	12.6	37	50.3
W674792		10	2.2	12.8	24	55.6
W674793		9	2.8	11.6	28	78.5
W674794		13	2.1	12.0	22	51.9
W674795		15	2.1	15.6	25	55.2
W674796		13	1.9	12.9	36	75.0
W674797		12	2.4	13.2	33	55.1
W674798		9	2.4	14.6	37	57.8
W674799		9	3.0	8.4	19	29.0
W674800		14	1.3	11.0	34	31.1
W674801		11	0.7	8.7	27	32.5
W674802		14	0.7	8.9	27	38.6
W674803		13	1.0	29.8	30	26.2
W674804		13	1.9	14.9	34	58.0
W674805		135	17.6	21.1	314	31.5
W674806		15	10.4	13.6	31	65.9
W674807		17	7.1	13.9	37	52.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230984

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
W674808		3.84	<0.005	<0.01	7.85	2.0	3030	3.17	0.23	1.31	0.02	86.5	3.9	6	7.11	1.5
W674809		4.91	<0.005	0.02	7.16	0.9	2730	3.06	0.12	1.75	0.02	75.0	3.0	6	5.23	1.5
W674810		0.07	<0.005	0.11	6.80	5.3	530	0.79	0.07	2.99	0.18	20.4	12.6	61	0.81	46.8
W674811		6.83	<0.005	0.01	6.87	0.5	3180	2.98	0.10	2.54	0.02	74.8	2.9	8	4.69	1.6
W674812		4.28	<0.005	0.01	7.38	1.0	2610	3.63	0.12	2.27	<0.02	77.3	5.0	4	5.59	4.3
W674813		5.39	<0.005	0.02	7.90	1.3	2630	3.33	0.34	2.74	<0.02	89.1	5.3	5	6.50	1.1
W674814		3.37	<0.005	0.04	8.07	1.5	3260	3.33	0.55	2.15	<0.02	93.1	5.6	4	6.58	5.7
W674815		1.52	<0.005	0.02	7.31	0.7	2950	3.03	0.49	2.01	0.03	86.9	4.9	4	6.15	6.6
W674816		4.63	<0.005	0.01	7.51	0.3	2610	3.09	0.26	2.26	0.02	81.4	5.3	6	5.99	2.8
W674817		3.19	<0.005	0.04	6.65	1.8	2350	2.91	0.06	2.58	0.04	67.8	4.2	7	4.46	2.8
W674818		5.09	<0.005	0.02	7.32	1.2	2830	3.02	0.03	1.83	0.03	82.6	4.2	7	4.16	2.5
W674819		5.76	<0.005	0.02	7.62	0.7	3340	3.09	0.08	1.67	<0.02	88.9	4.1	5	4.62	3.2
W674820		4.77	<0.005	0.03	7.88	0.3	3320	3.31	0.31	2.24	0.02	95.7	5.3	4	3.50	6.2
W674821		5.96	<0.005	0.50	7.06	0.6	2200	3.16	0.09	2.61	0.03	79.9	4.4	11	2.62	7.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230984

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
W674808		3.08	21.6	0.16	1.6	0.052	3.10	47.1	7.0	0.35	537	1.29	2.74	15.2	1.1	660
W674809		2.45	20.8	0.13	1.7	0.058	3.04	38.8	8.0	0.22	619	1.18	2.44	14.9	1.3	500
W674810		4.33	15.25	0.08	1.1	0.046	0.91	9.9	14.8	1.37	820	8.79	2.39	4.4	39.1	630
W674811		2.34	19.70	0.16	1.3	0.051	2.39	39.9	6.0	0.25	518	0.70	3.04	13.7	1.3	520
W674812		3.05	22.1	0.16	1.8	0.067	2.61	38.2	7.2	0.26	579	1.69	3.27	16.7	1.1	670
W674813		3.73	22.6	0.15	2.1	0.049	3.26	45.7	13.4	0.51	739	0.49	2.60	15.7	0.7	1030
W674814		4.13	23.0	0.20	1.8	0.055	3.85	49.1	12.2	0.55	825	0.90	2.36	17.6	0.8	950
W674815		3.58	20.8	0.16	1.8	0.047	3.26	46.4	9.2	0.40	692	1.19	2.26	15.6	0.8	830
W674816		3.34	21.4	0.11	1.6	0.045	2.62	41.8	11.0	0.49	594	0.54	3.27	15.4	2.9	740
W674817		2.82	19.45	0.13	1.6	0.027	2.65	34.1	7.6	0.28	744	1.01	3.02	13.5	1.9	510
W674818		2.98	20.5	0.15	1.9	0.034	3.30	45.1	8.2	0.40	691	0.91	2.95	13.5	1.7	580
W674819		3.04	20.4	0.14	1.7	0.037	3.46	49.0	8.3	0.42	486	0.86	2.97	15.4	1.0	630
W674820		4.03	23.6	0.19	2.2	0.062	3.45	49.9	13.7	0.55	898	11.45	2.83	17.9	0.8	960
W674821		3.01	21.0	0.12	1.7	0.043	2.09	42.2	11.9	0.45	745	1.55	3.85	15.5	1.1	760



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230984

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
W674808		9.8	115.5	<0.002	0.02	0.47	4.2	<1	2.8	250	1.07	<0.05	16.35	0.243	0.68	2.9
W674809		8.9	103.0	<0.002	0.02	0.53	5.2	<1	3.2	209	0.99	<0.05	15.55	0.203	0.59	2.8
W674810		5.5	21.7	0.002	0.04	0.90	16.5	<1	1.7	320	0.28	<0.05	1.87	0.353	0.17	0.8
W674811		10.5	87.4	<0.002	0.04	0.22	3.5	<1	3.9	482	1.01	<0.05	15.90	0.197	0.56	2.6
W674812		12.5	96.5	<0.002	0.03	0.29	3.9	1	3.8	530	1.13	<0.05	14.20	0.261	0.68	3.2
W674813		9.6	141.0	<0.002	0.02	0.09	4.6	<1	3.7	280	1.05	<0.05	14.55	0.337	0.83	3.4
W674814		11.8	159.5	<0.002	0.02	<0.05	4.3	<1	3.3	315	1.04	<0.05	14.95	0.329	0.99	3.4
W674815		10.9	134.0	<0.002	0.03	0.05	3.9	<1	3.4	302	0.95	<0.05	13.40	0.286	0.80	3.7
W674816		11.3	104.5	<0.002	0.03	0.08	5.1	<1	2.9	404	1.03	<0.05	14.00	0.283	0.64	3.4
W674817		13.4	92.4	<0.002	0.01	0.09	3.6	<1	1.3	309	0.97	<0.05	15.15	0.204	0.59	3.5
W674818		13.8	118.5	<0.002	0.04	0.07	4.1	<1	1.6	277	0.95	<0.05	16.60	0.231	0.68	3.5
W674819		13.5	127.0	<0.002	0.09	0.10	3.2	<1	2.3	443	1.14	<0.05	16.90	0.229	0.81	4.0
W674820		14.1	130.0	<0.002	0.02	<0.05	4.2	<1	3.0	599	1.10	<0.05	14.90	0.331	0.82	4.2
W674821		15.3	73.6	<0.002	0.03	0.16	3.7	1	3.5	641	1.01	<0.05	14.75	0.241	0.48	3.8

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230984

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
W674808		14	0.8	17.0	44	59.9
W674809		11	1.2	15.1	38	64.5
W674810		122	0.9	15.8	61	30.9
W674811		13	0.8	15.5	32	51.5
W674812		14	0.7	16.5	40	72.4
W674813		19	0.9	20.3	49	82.0
W674814		14	1.3	20.4	59	75.8
W674815		13	1.1	17.6	49	75.0
W674816		20	0.8	17.2	44	62.7
W674817		15	0.9	15.6	43	69.4
W674818		16	2.0	16.3	56	78.5
W674819		14	0.6	17.2	43	69.2
W674820		13	1.2	22.9	64	91.0
W674821		21	4.9	20.2	49	71.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-NOV-2017
Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230984

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

BAG-01	CRU-32	CRU-QC	DRY-22
LOG-22	LOG-23	PUL-32	PUL-QC
SPL-21	WEI-21		

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA24 ME-MS61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: 1
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 21-NOV-2017
Account: COMSTOM

CERTIFICATE WH17230986

Project: QV
P.O. No.: 17-QV-08
This report is for 58 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24-OCT-2017.

The following have access to data associated with this certificate:

CHRIS LIVINGSTONE

KRIS RAFFLE

DAVID TERRY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-22	Drying - Maximum Temp 60C
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
Au-AA24	Au 50g FA AA finish AAS

To: COMSTOCK METALS LTD.
ATTN: CHRIS LIVINGSTONE
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230986

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR															
W674488		2.84	0.005	0.06	7.24	1.4	3420	2.46	0.42	0.81	0.08	93.3	2.8	9	2.29	4.1
W674489		2.45	<0.005	0.03	6.84	1.6	2780	2.32	0.29	0.96	0.03	84.6	3.2	10	2.16	4.7
W674490		0.14	0.010	0.11	7.64	1.3	630	0.79	0.23	4.12	0.11	28.8	12.9	10	0.67	145.0
W674491		1.75	<0.005	0.01	7.27	0.9	2590	2.85	0.11	2.32	0.17	70.4	3.9	15	2.17	1.7
W674492		3.51	0.006	0.04	7.06	1.6	2600	2.75	0.30	1.63	0.08	74.7	3.8	5	2.95	3.8
W674493		2.38	<0.005	0.03	7.01	2.7	1760	2.71	0.32	2.11	0.07	61.9	10.0	53	4.30	18.9
W674494		1.96	<0.005	0.03	7.79	2.6	1940	3.37	0.39	0.81	0.04	83.2	4.6	25	3.78	9.1
W674495		0.89	<0.005	0.04	7.64	1.9	1910	3.19	0.38	0.84	0.02	82.6	3.9	8	2.71	5.2
W674496		3.35	<0.005	0.02	7.16	1.5	1710	3.13	0.42	0.94	<0.02	81.9	2.9	9	3.24	5.3
W674497		3.06	<0.005	0.04	5.57	1.9	2130	2.01	0.22	1.64	0.05	55.9	6.1	43	2.40	9.9
W674498		3.10	<0.005	0.02	7.50	0.8	2040	3.67	0.48	0.80	0.04	106.0	6.4	10	1.90	12.1
W674499		3.37	<0.005	0.02	6.88	0.5	2510	3.02	0.34	0.57	0.02	93.6	1.6	9	1.44	6.6
W674500		4.47	<0.005	0.05	6.99	0.7	2690	3.08	0.32	0.77	0.05	81.1	2.2	12	1.13	14.0
W674501		3.58	<0.005	0.05	7.48	0.8	1740	3.17	0.47	1.37	0.04	89.7	3.1	6	2.74	9.5
W674502		3.11	<0.005	0.02	4.63	0.5	750	1.93	0.17	1.97	0.03	51.5	1.4	11	0.61	9.2
W674503		3.63	<0.005	0.04	5.98	0.6	1190	2.80	0.31	1.64	0.04	64.0	2.0	7	2.97	4.9
W674504		3.42	<0.005	0.87	6.93	2.7	2480	2.86	0.43	2.04	0.08	71.0	3.8	7	2.62	17.0
W674505		0.14	6.87	0.73	7.21	13.9	490	0.74	0.46	3.32	0.17	21.9	13.3	35	0.92	71.3
W674506		3.72	0.007	0.04	6.87	0.7	2290	3.09	0.16	1.61	0.05	79.2	3.9	15	2.47	11.6
W674507		3.41	<0.005	0.03	6.70	0.4	2150	3.15	0.13	1.37	0.03	83.0	1.8	13	1.48	5.4
W674508		2.95	<0.005	0.04	7.58	1.5	1970	3.28	0.32	1.65	<0.02	78.7	2.8	8	1.69	10.4
W674509		3.04	<0.005	0.07	7.23	1.0	2080	3.07	0.70	1.19	0.05	73.2	2.3	9	1.13	22.9
W674510		0.48	<0.005	0.01	0.20	0.6	20	0.10	0.04	0.01	<0.02	4.70	0.5	16	0.20	1.6
W674511		3.80	<0.005	0.02	7.42	1.3	1930	3.21	0.22	2.03	0.02	81.9	4.0	7	1.93	7.5
W674512		4.51	<0.005	0.03	7.51	0.3	2870	3.07	0.28	2.28	<0.02	80.0	3.3	7	1.93	2.7
W674513		5.13	<0.005	0.03	7.66	1.0	2050	2.86	0.23	1.92	<0.02	79.3	4.1	8	3.34	9.1
W674514		4.19	<0.005	0.04	8.02	0.6	2360	3.17	0.28	1.80	0.04	84.7	4.4	6	2.42	9.7
W674515		2.12	<0.005	0.03	8.10	0.6	2410	3.16	0.20	1.92	0.02	82.4	4.8	6	2.52	11.1
W674516		3.80	<0.005	0.04	7.32	0.5	2730	3.04	0.14	1.96	0.02	75.8	3.8	9	1.63	14.9
W674517		4.36	<0.005	0.04	7.34	<0.2	1790	2.73	0.23	1.70	0.03	74.3	3.5	15	1.53	19.8
W674518		2.94	<0.005	0.05	7.43	0.7	2270	2.85	0.21	1.88	0.04	80.2	3.7	8	1.23	16.7
W674519		5.33	<0.005	0.05	7.66	0.9	2310	2.78	0.21	1.40	0.08	80.4	4.2	15	0.95	18.2
W674520		5.15	<0.005	0.05	8.06	2.2	2560	3.38	0.17	1.74	0.06	92.4	3.3	10	0.93	11.2
W674521		2.82	<0.005	0.04	6.87	0.7	1830	2.78	0.14	1.37	0.06	74.5	3.8	14	1.79	10.2
W674522		4.65	<0.005	0.04	7.49	0.4	2010	3.14	0.17	1.39	0.02	78.7	4.1	21	1.49	7.8
W674523		4.83	<0.005	0.03	7.49	0.5	1860	2.91	0.11	1.68	0.06	77.0	3.2	8	1.22	6.4
W674524		2.39	<0.005	0.04	7.20	0.2	2550	2.67	0.11	1.72	0.03	75.5	3.7	7	1.65	15.9
W674525		0.14	1.265	0.78	7.82	20.7	530	0.86	0.29	4.85	1.25	29.3	29.4	184	1.15	187.0
W674526		4.96	<0.005	0.04	7.98	1.1	2960	3.16	0.13	1.68	0.05	84.3	4.0	7	3.11	24.6
W674527		5.60	<0.005	0.01	7.67	0.3	2060	2.92	0.15	2.20	0.02	81.5	5.3	11	2.94	5.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230986

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674488		2.12	21.7	0.14	1.8	0.047	2.80	52.8	4.1	0.08	307	1.01	3.81	14.2	2.1	330
W674489		2.32	19.25	0.14	1.7	0.041	2.54	48.4	4.0	0.13	351	1.30	3.41	10.3	2.0	300
W674490		3.74	16.90	0.08	1.2	0.062	1.24	12.5	7.4	1.33	920	2.94	2.39	3.3	6.9	570
W674491		2.19	23.2	0.10	1.9	0.060	1.82	37.8	5.2	0.14	646	0.92	4.79	12.6	5.2	520
W674492		2.18	19.95	0.15	1.6	0.041	2.93	43.5	6.4	0.21	491	0.68	2.84	11.8	2.0	330
W674493		2.66	17.90	0.14	1.0	0.034	2.64	36.4	10.2	1.00	489	1.05	2.42	10.1	29.2	310
W674494		2.75	21.1	0.17	1.4	0.047	2.66	46.9	9.3	0.51	457	1.80	2.86	16.9	7.3	540
W674495		2.69	20.9	0.19	1.3	0.043	2.50	46.6	9.9	0.59	327	1.65	2.89	14.7	2.3	590
W674496		2.27	18.85	0.16	1.4	0.046	2.79	43.6	8.7	0.26	488	0.75	2.38	15.5	1.2	390
W674497		1.93	13.50	0.13	0.8	0.025	1.93	30.2	6.9	0.59	341	0.87	2.03	7.9	18.9	190
W674498		2.09	21.3	0.18	1.2	0.043	2.32	56.7	6.7	0.24	282	1.18	3.89	16.7	1.7	290
W674499		1.55	19.35	0.18	1.0	0.034	2.68	59.3	5.6	0.19	216	3.74	3.24	15.7	1.1	230
W674500		1.76	19.15	0.17	0.9	0.017	3.46	45.6	5.9	0.22	230	1.24	2.91	12.6	2.3	250
W674501		2.24	20.8	0.18	1.3	0.046	3.03	48.4	9.8	0.33	442	0.79	2.52	15.9	1.5	500
W674502		1.38	11.75	0.12	0.7	0.022	0.99	27.6	4.3	0.06	349	0.70	2.74	7.4	1.3	220
W674503		1.52	15.75	0.14	1.0	0.024	1.87	32.5	5.0	0.13	373	0.78	2.72	11.1	1.0	240
W674504		2.45	19.85	0.14	1.4	0.034	1.86	37.0	10.3	0.11	459	4.96	3.21	12.6	1.6	410
W674505		5.68	14.85	0.09	0.8	0.099	0.83	10.6	8.1	1.19	888	13.70	2.22	3.1	22.8	570
W674506		2.08	18.00	0.15	1.3	0.027	3.15	43.8	6.8	0.33	459	1.85	2.78	13.4	3.8	360
W674507		1.24	15.85	0.16	1.3	0.013	3.46	48.8	6.4	0.24	311	0.91	2.42	13.2	2.3	180
W674508		2.13	18.20	0.15	1.7	0.025	2.72	45.3	8.6	0.33	460	1.13	3.06	13.3	1.2	430
W674509		1.87	18.35	0.17	1.5	0.021	3.11	41.3	9.3	0.28	374	0.93	3.05	13.5	1.0	340
W674510		0.92	0.59	0.06	0.9	<0.005	0.04	2.6	7.9	0.01	104	0.32	0.04	0.7	2.1	20
W674511		3.02	19.60	0.16	1.5	0.046	2.35	43.8	13.6	0.49	679	0.92	3.15	17.3	1.9	650
W674512		2.86	19.70	0.16	1.3	0.042	2.58	44.0	11.4	0.44	670	0.70	2.86	14.1	1.1	630
W674513		3.22	19.90	0.18	1.3	0.053	2.76	42.8	12.1	0.48	613	1.01	2.62	13.2	1.3	760
W674514		3.16	20.2	0.18	1.5	0.037	2.95	45.8	13.7	0.50	696	0.88	2.91	13.8	1.2	710
W674515		3.39	20.6	0.18	1.4	0.041	2.98	43.9	14.2	0.53	720	1.04	2.82	14.3	1.2	770
W674516		2.44	18.10	0.15	1.2	0.024	3.35	42.0	12.4	0.37	572	1.06	2.82	14.0	1.9	470
W674517		2.32	17.95	0.15	1.4	0.028	3.17	43.0	11.1	0.49	473	0.93	2.62	11.8	3.1	420
W674518		2.65	18.90	0.17	1.4	0.030	2.75	47.0	10.7	0.44	464	1.09	2.98	13.4	2.1	550
W674519		2.70	19.05	0.17	1.4	0.031	2.74	46.7	11.1	0.48	462	2.34	3.46	14.6	3.2	550
W674520		2.36	19.90	0.17	1.6	0.031	2.73	52.7	10.2	0.38	445	1.65	3.52	13.8	1.9	480
W674521		2.16	15.90	0.15	1.5	0.024	2.47	45.1	9.2	0.43	413	0.85	2.95	11.7	4.5	420
W674522		2.06	17.05	0.18	1.3	0.028	3.76	46.4	9.0	0.41	382	0.87	2.76	14.0	5.7	440
W674523		2.66	18.65	0.16	1.4	0.040	2.13	41.6	8.8	0.34	412	0.99	4.01	14.5	1.5	570
W674524		3.10	18.15	0.17	1.5	0.042	2.82	42.2	11.3	0.46	483	1.41	2.90	12.3	0.9	610
W674525		5.06	16.10	0.09	1.2	0.064	1.14	14.1	12.6	3.33	1140	5.82	2.12	6.9	156.5	490
W674526		3.32	20.2	0.17	1.8	0.042	2.94	45.9	9.6	0.44	484	1.45	3.32	13.4	1.0	690
W674527		2.85	18.80	0.17	1.5	0.039	2.54	45.5	11.4	0.60	576	1.25	2.95	12.3	3.7	680



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230986

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
W674488		16.1	73.1	<0.002	0.05	1.00	5.3	1	3.7	254	1.04	0.17	20.8	0.158	0.40	2.5
W674489		12.3	69.3	<0.002	0.03	0.85	5.0	1	6.7	278	0.79	0.10	18.85	0.142	0.40	2.0
W674490		9.4	23.5	<0.002	0.01	0.51	17.9	1	0.9	475	0.23	<0.05	2.87	0.265	0.20	1.4
W674491		15.2	50.1	<0.002	0.05	0.91	5.8	1	4.1	301	0.94	<0.05	18.35	0.192	0.34	2.2
W674492		14.7	85.6	<0.002	0.03	0.20	3.9	<1	5.0	342	0.88	0.05	17.00	0.162	0.51	2.4
W674493		11.1	108.5	<0.002	0.01	0.12	9.8	<1	2.3	194.0	0.71	0.07	11.65	0.253	0.58	1.6
W674494		8.7	94.0	<0.002	0.01	0.18	7.7	1	4.1	263	1.03	0.10	17.75	0.264	0.50	2.7
W674495		8.0	88.5	<0.002	0.01	0.14	6.2	1	4.1	257	0.95	0.14	18.50	0.231	0.45	2.5
W674496		6.8	89.5	<0.002	0.01	0.13	6.0	1	5.5	176.0	0.95	0.09	17.65	0.187	0.41	3.0
W674497		7.7	65.4	<0.002	0.02	0.14	6.0	<1	1.8	262	0.62	0.09	10.50	0.154	0.32	1.9
W674498		11.5	80.0	<0.002	0.01	0.16	6.0	1	4.9	478	1.12	0.09	21.4	0.155	0.37	3.1
W674499		9.6	94.8	<0.002	0.01	0.11	5.0	1	4.5	319	0.96	0.07	19.90	0.127	0.43	1.9
W674500		22.3	118.5	<0.002	0.01	0.13	4.0	<1	2.9	379	1.01	0.11	21.8	0.127	0.63	2.7
W674501		15.9	112.0	<0.002	0.01	0.43	7.8	1	5.6	327	1.00	0.07	19.10	0.223	0.54	2.7
W674502		6.3	32.1	<0.002	0.01	0.50	3.4	<1	3.4	304	0.54	0.05	11.00	0.092	0.15	1.0
W674503		7.3	60.7	<0.002	0.01	0.61	4.1	1	4.3	336	0.84	0.09	16.40	0.126	0.30	1.8
W674504		11.1	60.4	<0.002	0.05	2.53	5.7	<1	4.3	483	0.86	0.17	16.40	0.185	0.33	2.7
W674505		24.7	23.6	0.004	0.03	8.76	19.6	1	1.7	307	0.19	0.26	1.74	0.288	0.17	0.7
W674506		22.5	114.0	<0.002	0.02	0.35	5.0	<1	2.3	309	0.95	<0.05	20.6	0.177	0.57	2.4
W674507		19.2	129.0	<0.002	0.01	0.13	2.4	<1	2.2	445	1.21	<0.05	28.8	0.100	0.66	2.7
W674508		12.7	94.9	<0.002	0.01	0.13	3.3	<1	5.6	350	0.96	0.05	20.9	0.174	0.48	3.3
W674509		19.5	98.3	<0.002	0.01	0.13	3.5	<1	2.1	364	1.06	0.05	23.7	0.150	0.47	3.3
W674510		0.9	2.2	<0.002	<0.01	0.23	0.3	<1	0.2	2.4	0.10	<0.05	1.36	0.014	<0.02	0.4
W674511		10.0	84.4	<0.002	0.01	0.14	4.3	<1	4.7	381	0.94	0.06	16.55	0.232	0.41	3.8
W674512		10.8	92.6	<0.002	0.01	0.23	4.2	<1	4.6	355	0.94	<0.05	16.65	0.231	0.43	3.7
W674513		10.5	96.9	<0.002	0.01	0.13	5.0	<1	6.0	386	0.85	0.07	14.60	0.270	0.45	3.1
W674514		13.3	112.0	<0.002	0.02	0.10	5.5	<1	1.8	338	0.96	<0.05	17.45	0.263	0.57	4.2
W674515		13.7	111.5	<0.002	0.02	0.09	5.4	1	2.3	364	0.95	<0.05	17.60	0.280	0.56	4.4
W674516		15.0	111.0	<0.002	0.05	0.08	4.1	1	2.5	364	0.95	0.06	18.95	0.191	0.55	3.1
W674517		12.1	125.5	<0.002	0.01	0.13	4.5	<1	4.9	259	0.93	<0.05	20.4	0.189	0.61	3.4
W674518		14.0	85.3	<0.002	0.01	0.12	4.4	1	6.2	661	0.90	<0.05	17.00	0.211	0.41	4.2
W674519		19.2	88.7	<0.002	0.12	0.12	4.9	<1	2.1	407	1.00	<0.05	19.80	0.224	0.43	4.4
W674520		14.8	89.7	<0.002	0.01	0.10	4.8	<1	1.4	389	0.93	<0.05	19.65	0.210	0.39	5.1
W674521		14.1	100.5	<0.002	<0.01	0.13	4.6	<1	2.2	217	0.93	<0.05	23.6	0.190	0.49	3.2
W674522		23.2	131.5	<0.002	<0.01	0.14	4.9	<1	2.6	268	1.12	<0.05	24.7	0.196	0.67	3.1
W674523		11.4	68.6	<0.002	0.01	0.11	5.3	<1	2.6	346	0.87	<0.05	16.75	0.212	0.30	2.7
W674524		11.2	102.0	<0.002	0.01	0.10	6.4	<1	1.5	462	0.80	<0.05	15.60	0.228	0.48	3.4
W674525		47.1	26.6	0.002	0.12	1.82	18.5	1	1.4	408	0.44	0.05	4.32	0.290	0.28	1.4
W674526		13.3	97.9	<0.002	0.02	0.21	8.0	1	2.0	563	0.83	<0.05	14.75	0.260	0.47	3.7
W674527		9.1	99.2	<0.002	0.01	0.13	7.1	<1	3.0	362	0.84	<0.05	17.45	0.268	0.45	3.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230986

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674488		38	6.4	12.4	30	66.8
W674489		36	5.0	9.8	32	67.4
W674490		129	8.3	21.1	65	22.2
W674491		61	5.2	9.6	53	79.9
W674492		25	2.9	11.3	40	73.5
W674493		54	0.8	18.8	37	36.5
W674494		28	4.4	23.3	37	56.0
W674495		17	2.4	20.1	33	54.3
W674496		11	1.4	20.6	35	56.6
W674497		30	0.5	15.4	24	28.3
W674498		16	0.8	22.4	24	42.2
W674499		9	0.4	24.4	18	34.6
W674500		13	0.7	19.8	25	34.8
W674501		31	2.1	19.6	34	53.4
W674502		18	2.6	8.9	14	25.1
W674503		15	2.3	13.4	21	40.0
W674504		35	8.2	15.3	35	61.8
W674505		147	4.0	18.8	83	25.0
W674506		23	1.6	15.6	37	53.7
W674507		11	0.7	13.9	26	46.2
W674508		12	0.8	17.3	32	75.3
W674509		15	0.7	17.4	28	55.4
W674510		2	0.1	1.5	2	28.8
W674511		18	0.8	22.4	52	69.4
W674512		13	0.8	20.7	46	57.9
W674513		19	1.7	20.5	48	60.6
W674514		20	0.6	22.9	49	66.7
W674515		19	0.6	24.2	53	65.4
W674516		20	1.0	17.2	36	53.4
W674517		20	0.8	16.1	34	57.9
W674518		23	0.9	21.5	33	66.7
W674519		20	0.7	20.0	43	62.8
W674520		20	0.7	19.5	36	80.5
W674521		22	0.7	14.8	36	69.1
W674522		26	1.2	14.8	39	49.9
W674523		27	2.1	17.0	42	62.7
W674524		18	0.4	19.6	41	67.5
W674525		132	17.7	21.2	315	32.9
W674526		23	1.2	21.0	46	82.4
W674527		39	0.7	17.9	47	71.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
W674528		4.18	<0.005	0.03	7.49	0.8	2680	3.11	0.08	2.03	0.04	80.0	5.0	14	1.69	9.6
W674529		5.43	<0.005	0.03	7.54	1.2	1750	3.25	0.14	2.49	0.04	75.3	5.5	22	3.35	14.9
W674530		0.14	<0.005	0.13	8.51	1.6	670	0.89	0.25	4.32	0.15	32.5	14.5	11	0.71	157.0
W674531		3.66	<0.005	0.03	7.44	3.1	2300	3.18	0.09	1.47	0.02	81.0	3.6	6	1.89	13.9
W674532		3.97	<0.005	0.03	7.18	4.0	1870	3.27	0.12	2.14	0.02	73.5	3.9	4	3.85	13.9
W674533		3.86	<0.005	0.02	6.39	4.8	1850	3.34	0.17	2.77	0.02	62.3	5.0	4	5.83	17.1
W674534		2.80	<0.005	0.03	7.20	1.5	1970	3.10	0.19	1.83	<0.02	77.5	2.4	6	3.32	16.9
W674535		1.91	<0.005	0.05	7.41	1.5	1860	3.21	0.19	1.97	0.02	81.1	3.1	5	3.82	16.8
W674536		2.24	0.135	0.07	7.35	2.4	2330	2.92	0.06	1.35	0.03	81.4	3.3	5	2.40	31.1
W674537		2.38	<0.005	0.04	4.83	2.3	2310	2.56	0.10	2.84	0.04	36.9	2.6	6	2.48	21.0
W674538		3.51	<0.005	0.02	5.88	9.1	4960	2.13	0.05	2.64	0.07	59.4	4.0	6	2.96	18.8
W674539		3.26	<0.005	0.04	5.27	6.2	2250	2.12	0.07	3.31	0.07	54.9	3.3	7	2.98	26.1
W674540		4.50	<0.005	0.03	6.56	4.6	700	2.62	0.07	2.14	0.05	58.2	6.0	4	5.05	24.5
W674541		2.83	<0.005	0.02	7.51	7.2	1170	4.50	0.11	6.01	0.06	72.6	23.7	192	20.0	33.4
W674822		4.78	<0.005	0.02	7.55	1.6	1950	3.53	0.20	2.95	0.02	80.4	5.2	5	7.98	4.6
W674823		3.21	<0.005	0.03	7.56	2.0	2290	3.23	0.27	3.04	0.04	91.2	10.9	7	11.40	6.7
W674824		2.39	<0.005	0.02	5.83	1.3	3400	2.17	0.07	2.49	0.04	62.8	5.4	29	4.40	6.0
W674825		0.14	7.07	0.93	7.19	14.2	490	0.73	0.50	3.34	0.17	21.5	13.9	36	1.01	73.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230986

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674528		2.66	18.05	0.15	1.3	0.035	2.78	44.7	10.6	0.54	524	1.99	3.13	11.6	3.7	540
W674529		2.34	20.6	0.08	1.6	0.043	2.41	41.2	16.2	0.62	511	2.31	3.14	13.3	11.9	440
W674530		4.01	18.10	0.06	1.1	0.073	1.34	14.1	8.4	1.43	983	3.54	2.55	3.5	9.1	610
W674531		2.29	20.0	0.08	1.8	0.029	2.46	45.1	14.2	0.34	388	1.64	3.11	13.2	1.4	410
W674532		2.77	20.1	0.11	1.8	0.037	2.33	35.7	11.5	0.33	462	3.02	2.97	15.3	0.9	580
W674533		3.09	21.1	0.10	1.8	0.050	2.47	28.7	22.1	0.22	598	2.33	2.32	15.5	1.3	610
W674534		2.22	19.90	0.09	1.5	0.045	2.52	39.6	6.9	0.23	336	5.45	3.33	13.9	1.3	510
W674535		2.36	19.90	0.08	1.5	0.033	2.55	42.0	7.3	0.27	402	5.45	3.31	14.1	1.5	480
W674536		2.60	19.70	0.10	1.5	0.020	2.54	43.4	5.9	0.14	363	11.95	3.44	13.4	1.1	470
W674537		1.97	17.00	0.05	1.3	0.023	1.51	18.9	8.0	0.09	435	2.25	3.37	10.8	1.3	270
W674538		2.20	18.10	0.08	1.5	0.027	1.92	29.9	28.8	0.12	565	4.41	1.42	13.0	1.4	340
W674539		1.98	15.40	0.09	1.2	0.018	1.59	28.2	26.2	0.10	410	2.92	1.57	10.7	1.5	300
W674540		2.05	18.25	0.08	1.5	0.029	1.96	30.2	26.4	0.18	373	7.05	1.96	12.6	4.9	360
W674541		4.42	16.55	0.12	4.5	0.053	3.15	35.3	15.8	1.63	974	1.28	0.09	16.6	103.5	1540
W674822		3.20	21.9	0.09	1.7	0.067	3.20	38.6	10.0	0.37	730	0.90	2.35	15.5	1.0	800
W674823		3.67	20.8	0.13	1.5	0.050	2.61	47.1	7.9	0.55	654	2.02	2.82	15.0	5.6	750
W674824		2.33	15.95	0.09	1.1	0.033	2.04	33.3	8.4	0.47	546	0.65	2.58	11.5	10.5	490
W674825		5.73	15.40	0.08	0.8	0.106	0.83	10.5	8.4	1.19	891	15.85	2.24	3.1	23.1	570



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230986

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
W674528		12.0	95.9	<0.002	0.01	0.11	6.1	1	1.8	389	0.81	<0.05	17.90	0.236	0.42	3.8
W674529		13.1	99.3	<0.002	0.01	0.19	6.0	<1	2.8	350	1.01	0.05	19.05	0.222	0.49	3.8
W674530		11.6	29.6	<0.002	0.01	0.78	20.0	<1	0.9	513	0.25	<0.05	2.97	0.282	0.22	1.2
W674531		10.2	85.7	<0.002	0.01	0.20	4.0	<1	1.4	214	0.96	<0.05	17.50	0.187	0.40	4.5
W674532		9.2	70.5	0.006	0.21	0.30	5.9	<1	1.8	212	1.08	<0.05	14.15	0.228	0.37	5.7
W674533		11.3	73.8	0.002	0.09	0.90	6.5	<1	2.9	312	0.98	<0.05	10.70	0.254	0.43	4.1
W674534		9.6	89.2	<0.002	0.03	0.55	3.4	<1	4.5	289	0.98	<0.05	16.50	0.183	0.43	3.2
W674535		9.3	93.0	<0.002	0.02	0.62	3.5	<1	4.5	288	1.00	0.07	16.45	0.189	0.43	3.3
W674536		13.6	82.0	<0.002	0.12	1.53	3.8	<1	1.0	420	0.94	0.07	16.90	0.190	0.40	3.8
W674537		11.6	40.9	<0.002	0.04	2.03	2.1	<1	2.2	864	0.82	<0.05	9.63	0.121	0.26	2.4
W674538		20.6	62.2	<0.002	0.13	2.03	3.5	<1	1.8	478	0.91	<0.05	14.10	0.151	0.40	4.0
W674539		22.8	50.6	<0.002	0.06	3.79	2.6	<1	1.5	890	0.75	0.05	12.35	0.131	0.31	3.4
W674540		10.6	64.1	<0.002	0.02	3.36	3.0	<1	2.1	611	0.93	<0.05	14.50	0.150	0.40	3.3
W674541		10.0	138.0	<0.002	0.03	4.22	18.7	1	2.3	598	1.13	<0.05	20.5	0.544	0.70	8.1
W674822		9.9	128.0	<0.002	0.01	0.38	4.7	<1	4.2	263	1.05	0.05	14.15	0.287	0.79	4.4
W674823		12.0	120.5	<0.002	0.03	0.59	7.4	<1	2.5	335	1.02	<0.05	15.05	0.325	0.73	4.8
W674824		10.9	83.7	<0.002	0.08	0.40	5.1	<1	2.0	484	0.72	<0.05	11.90	0.197	0.49	3.0
W674825		27.3	23.3	0.005	0.03	9.37	19.2	<1	1.8	310	0.21	0.29	2.08	0.294	0.18	0.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230986

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674528		35	0.6	17.1	42	63.7
W674529		32	0.9	17.2	37	70.1
W674530		139	9.8	24.1	75	21.6
W674531		15	0.6	16.7	37	80.9
W674532		15	0.7	18.2	39	71.3
W674533		19	1.0	16.3	42	83.3
W674534		11	1.0	15.5	27	58.8
W674535		11	0.9	16.2	28	61.5
W674536		15	2.5	14.9	37	65.2
W674537		13	0.7	10.2	27	53.9
W674538		20	1.1	14.8	39	62.5
W674539		11	2.1	14.7	29	50.3
W674540		14	1.8	13.2	30	63.9
W674541		138	2.2	19.4	57	177.0
W674822		14	1.3	17.6	44	66.4
W674823		35	0.8	20.0	48	62.3
W674824		27	0.8	13.7	39	44.8
W674825		149	3.0	18.3	83	22.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-NOV-2017
Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17230986

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

BAG-01	CRU-32	CRU-QC	DRY-22
LOG-22	LOG-23	PUL-32	PUL-QC
SPL-21	WEI-21		

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA24 ME-MS61



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: **COMSTOCK METALS LTD.**
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: 1
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

CERTIFICATE WH17232210

Project: QV
 P.O. No.: 17-QV-05
 This report is for 90 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25-OCT-2017.
 The following have access to data associated with this certificate:
 CHRIS LIVINGSTONE KRIS RAFFLE DAVID TERRY

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-22	Drying - Maximum Temp 60C
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Aq-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Au-AA24	Au 50g FA AA finish	AAS

To: **COMSTOCK METALS LTD.**
ATTN: CHRIS LIVINGSTONE
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR															
W674398		4.36	0.078	0.08	6.78	4.6	1470	28.6	0.03	3.49	0.16	66.2	10.1	36	2.01	10.7
W674399		3.59	0.019	0.04	6.90	6.5	2170	6.59	0.04	3.50	0.11	66.0	10.5	49	2.88	9.9
W674400		3.45	0.066	0.08	6.34	4.7	840	3.42	0.03	4.53	0.10	64.7	11.6	97	2.79	13.8
W674401		6.39	0.009	0.02	6.52	3.7	770	4.51	0.05	4.39	0.10	71.6	16.9	171	10.55	4.3
W674402		6.49	0.045	0.10	6.15	3.0	820	4.14	0.03	5.23	0.17	70.2	19.8	259	7.05	11.0
W674403		5.94	0.105	0.38	7.11	4.7	660	8.50	0.03	4.66	0.09	88.3	17.9	207	11.40	8.2
W674404		4.00	0.033	0.04	6.29	10.9	560	6.69	0.04	3.92	0.08	34.4	14.2	35	10.85	4.7
W674405		0.14	1.130	0.63	7.92	20.2	520	0.82	0.29	4.93	1.24	25.9	26.3	186	1.13	184.5
W674406		3.28	0.026	19.45	7.79	22.8	900	6.40	0.06	5.61	0.14	46.1	18.8	64	14.40	48.3
W674407		3.46	0.041	0.23	7.19	50.1	550	5.06	0.04	6.92	0.12	58.1	17.3	56	8.74	23.6
W674408		3.64	0.035	0.15	4.50	32.5	680	4.22	0.03	8.64	0.18	38.6	17.8	148	8.40	6.3
W674409		3.40	0.032	0.10	4.52	18.0	660	4.50	0.04	7.44	0.15	41.9	13.5	228	7.42	22.5
W674410		0.14	<0.005	0.10	8.72	1.9	670	0.77	0.26	4.36	0.11	31.3	12.4	12	0.65	159.0
W674411		5.25	0.031	0.09	4.56	31.7	2660	4.74	0.04	9.25	0.17	41.6	16.6	258	8.74	14.8
W674412		5.61	0.066	0.19	6.02	13.5	3780	4.29	0.10	7.46	0.20	46.1	12.8	49	5.68	10.8
W674413		3.60	0.290	0.38	4.74	9.0	2200	2.74	0.09	5.65	0.12	42.4	9.5	80	3.51	9.7
W674414		1.80	0.059	>100	6.34	10.8	2340	3.41	0.08	3.15	0.06	59.1	16.9	30	6.60	1920
W674415		1.33	0.096	>100	6.06	15.6	4820	3.31	0.17	2.64	0.03	57.1	16.8	30	6.07	6330
W674416		3.20	0.144	5.29	5.96	8.7	5360	3.25	0.17	1.59	0.06	87.6	3.6	7	3.40	20.5
W674417		4.54	0.085	0.35	4.97	10.3	4880	2.51	0.05	1.62	0.05	67.9	2.5	14	3.62	9.2
W674418		3.85	0.080	0.15	6.10	7.0	1400	3.34	0.09	2.22	0.13	61.3	2.9	39	4.33	13.9
W674419		3.95	0.311	0.22	5.29	4.1	700	2.45	0.10	2.44	0.12	37.6	2.0	7	1.81	8.3
W674420		4.31	0.036	0.08	5.42	2.6	1200	1.84	0.04	2.49	0.09	33.1	1.4	7	1.47	2.5
W674421		2.80	0.117	0.06	5.66	3.4	4020	2.43	0.03	1.87	0.09	29.7	1.5	7	3.60	2.6
W674422		3.88	0.012	0.12	5.88	3.1	2200	2.48	0.02	2.35	0.13	33.9	1.0	8	3.27	2.1
W674423		3.13	0.008	0.07	5.38	4.6	1190	2.27	0.02	2.38	0.22	48.8	1.4	11	1.49	2.8
W674424		3.42	0.058	0.30	5.99	4.5	1730	2.57	0.11	2.17	0.21	50.4	3.2	10	2.18	10.2
W674425		0.14	6.89	0.95	7.28	13.8	490	0.76	0.46	3.40	0.18	20.7	14.0	36	0.91	72.7
W674426		5.29	0.084	0.24	5.99	3.3	2890	2.27	0.11	2.02	0.12	47.0	4.3	12	1.97	15.4
W674427		4.86	0.205	0.22	6.16	3.5	3610	1.78	0.09	1.57	0.08	51.8	2.6	9	1.51	9.7
W674428		4.30	0.161	0.12	6.08	4.9	2880	2.53	0.05	1.49	0.05	52.0	2.2	10	2.33	3.5
W674429		7.18	0.138	0.14	6.49	5.3	3010	2.44	0.16	1.59	0.07	31.7	3.2	11	2.15	3.6
W674430		0.55	<0.005	0.02	0.21	1.8	30	0.09	0.02	0.01	<0.02	4.63	0.8	18	0.17	3.6
W674431		4.31	0.078	0.05	7.64	3.7	3020	1.74	0.05	1.14	0.05	14.00	2.3	12	1.50	3.2
W674432		5.51	0.077	0.05	6.01	4.9	>10000	2.20	0.06	2.03	0.07	10.75	3.0	12	2.40	4.4
W674433		3.98	0.081	0.05	5.30	5.8	5370	2.88	0.09	1.73	0.06	33.8	2.5	12	3.72	4.0
W674434		3.82	0.305	0.22	6.18	6.9	2290	3.35	0.31	1.66	0.05	47.5	3.8	11	3.67	4.2
W674435		1.75	0.170	0.19	6.22	6.6	2080	3.02	0.23	1.91	0.06	51.1	3.7	11	3.27	4.8
W674436		4.19	0.012	0.07	6.33	5.1	3130	3.25	0.23	2.24	0.07	49.5	3.3	10	3.16	9.5
W674437		4.23	0.009	0.04	6.15	6.7	2780	3.56	0.23	2.72	0.09	44.9	4.5	16	4.10	10.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674398		3.52	18.05	0.13	0.5	0.061	3.05	31.8	6.3	1.43	604	1.57	3.14	14.2	18.3	1020
W674399		3.62	18.20	0.15	0.5	0.056	2.83	33.2	7.7	1.58	575	1.32	2.89	13.1	14.0	950
W674400		3.68	16.00	0.14	0.4	0.059	3.20	31.2	7.5	2.12	717	0.78	2.18	11.7	12.2	780
W674401		4.30	17.15	0.15	0.5	0.067	2.73	34.7	12.9	2.65	775	0.81	1.74	10.9	14.7	790
W674402		4.73	17.30	0.13	0.5	0.073	3.30	34.7	21.2	3.41	977	0.89	1.75	11.0	35.4	790
W674403		4.69	18.30	0.18	0.5	0.080	3.12	45.5	13.3	2.96	801	1.80	1.89	14.1	34.6	1160
W674404		4.04	14.25	0.13	0.6	0.047	2.34	15.2	7.2	1.89	680	4.54	1.62	7.5	7.6	880
W674405		5.05	16.10	0.09	1.2	0.074	1.13	11.4	11.9	3.35	1140	5.31	2.12	6.8	149.5	490
W674406		4.54	21.2	0.14	0.7	0.058	3.45	22.1	10.0	2.35	837	1.09	0.29	11.3	17.3	1010
W674407		4.65	18.65	0.14	0.6	0.071	3.19	28.7	7.8	2.86	859	7.09	0.06	13.7	18.0	1390
W674408		4.50	15.35	0.07	0.7	0.074	1.97	16.5	11.8	3.48	1130	1.93	0.03	9.0	16.1	490
W674409		3.73	13.40	0.06	0.8	0.059	2.03	18.8	18.5	2.91	777	7.81	0.03	12.7	16.8	520
W674410		4.04	16.30	0.11	1.1	0.063	1.32	13.1	7.1	1.45	967	3.08	2.55	3.2	6.9	610
W674411		4.16	13.55	0.07	0.7	0.066	2.04	19.0	13.2	3.91	956	2.08	0.03	9.8	18.5	570
W674412		4.53	17.05	0.06	0.6	0.079	3.47	22.0	11.3	3.16	1060	4.31	0.06	17.9	11.1	880
W674413		3.37	13.10	0.06	0.5	0.042	3.25	20.9	16.8	1.90	760	2.67	0.11	10.1	12.6	590
W674414		4.48	16.40	0.09	1.0	0.048	3.84	30.6	11.4	1.30	619	1.52	0.22	10.2	45.8	770
W674415		3.60	14.90	0.13	1.0	0.050	4.12	29.6	11.1	0.95	492	4.62	0.14	7.1	852	670
W674416		1.88	17.75	0.09	1.4	0.030	3.65	48.4	17.2	0.50	536	2.57	0.03	19.3	7.7	210
W674417		1.80	14.40	0.15	1.1	0.031	2.65	36.8	18.5	0.51	497	0.66	0.02	13.4	5.4	240
W674418		1.59	18.05	0.14	0.9	0.032	3.43	32.3	10.9	0.47	472	0.30	0.61	15.5	7.9	280
W674419		1.16	17.25	0.15	0.9	0.017	3.32	19.6	5.6	0.27	394	0.59	1.70	9.6	2.2	200
W674420		1.07	17.20	0.17	1.0	0.016	3.09	16.9	4.4	0.21	381	0.15	2.63	9.7	1.5	200
W674421		1.25	16.40	0.15	1.3	0.016	4.61	14.7	15.5	0.32	458	0.27	0.76	8.6	2.4	170
W674422		1.23	18.90	0.17	1.1	0.022	3.53	17.9	7.1	0.22	440	0.30	2.09	9.8	1.8	280
W674423		1.53	18.75	0.17	0.8	0.028	1.94	25.9	6.0	0.24	589	0.59	3.23	10.7	2.2	230
W674424		2.09	18.20	0.17	0.9	0.042	3.05	26.9	4.4	0.39	660	5.95	2.39	12.0	1.9	260
W674425		5.95	15.10	0.11	0.8	0.093	0.87	9.5	7.7	1.26	919	15.20	2.25	2.9	22.0	580
W674426		2.47	16.30	0.12	0.9	0.043	3.06	25.6	3.9	0.32	555	1.36	2.60	9.8	2.2	330
W674427		2.05	16.45	0.16	0.9	0.026	4.15	28.4	5.6	0.34	476	0.87	1.84	9.5	1.9	250
W674428		1.73	18.35	0.16	0.9	0.018	4.42	28.7	9.5	0.41	483	1.12	0.80	9.4	2.5	290
W674429		1.53	19.30	0.17	1.7	0.020	5.36	15.4	9.5	0.46	471	7.66	0.67	8.3	5.3	220
W674430		0.74	0.66	0.09	1.1	<0.005	0.06	2.5	7.5	0.01	84	0.45	0.04	0.6	3.3	20
W674431		1.14	22.3	0.14	2.7	0.020	4.59	7.3	6.5	0.35	370	0.57	1.61	7.4	5.1	160
W674432		1.78	18.65	0.16	2.3	0.023	4.35	5.3	13.4	0.51	626	0.61	0.14	7.1	6.4	170
W674433		1.58	15.60	0.17	1.2	0.026	3.50	18.3	19.4	0.51	501	2.80	0.05	7.7	4.4	200
W674434		1.76	18.45	0.18	1.2	0.018	4.98	24.6	11.4	0.49	523	24.4	0.05	11.9	5.0	330
W674435		1.84	19.05	0.16	1.2	0.023	5.12	26.3	12.5	0.54	592	18.70	0.07	13.2	5.0	280
W674436		1.80	17.40	0.21	0.9	0.029	3.15	26.2	4.9	0.37	427	1.22	2.33	9.1	3.9	360
W674437		1.96	17.50	0.19	0.7	0.031	3.46	22.7	6.3	0.47	444	1.48	1.87	11.3	6.9	520



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
W674398		22.4	63.5	0.003	0.18	3.17	16.7	<1	6.4	334	0.72	0.08	10.45	0.402	0.42	2.4
W674399		17.8	76.1	<0.002	0.20	4.07	17.7	<1	5.4	496	0.71	0.08	21.2	0.410	0.54	3.1
W674400		13.4	84.4	0.002	0.15	3.54	19.5	<1	5.7	353	0.62	0.08	10.70	0.399	0.55	2.1
W674401		9.4	124.0	<0.002	0.09	1.76	23.9	1	4.5	414	0.64	<0.05	11.20	0.411	0.80	3.2
W674402		19.6	124.0	0.003	0.12	1.75	23.8	<1	4.2	380	0.55	0.12	10.50	0.385	0.81	5.0
W674403		14.7	143.0	0.002	0.15	3.06	24.3	<1	18.3	477	0.71	0.24	10.25	0.535	0.97	6.8
W674404		11.7	105.5	0.003	0.30	4.61	19.5	<1	3.1	457	0.37	0.06	5.56	0.446	0.75	4.8
W674405		47.3	19.6	0.002	0.12	1.80	17.0	1	1.5	402	0.43	0.07	3.68	0.294	0.31	1.4
W674406		10.0	119.5	0.002	0.58	10.20	23.9	<1	5.3	622	0.57	0.08	7.75	0.556	0.84	3.7
W674407		11.8	111.0	<0.002	0.48	17.55	23.7	<1	7.7	570	0.67	<0.05	7.87	0.591	0.85	3.2
W674408		12.5	79.2	<0.002	0.18	11.35	25.9	<1	7.2	667	0.38	0.05	6.68	0.308	0.51	4.1
W674409		9.5	77.6	<0.002	0.15	22.6	19.6	<1	9.4	713	0.49	0.05	21.4	0.300	0.50	3.7
W674410		9.8	23.7	<0.002	0.01	0.68	17.8	<1	1.0	510	0.23	<0.05	2.77	0.288	0.21	1.3
W674411		10.7	79.4	0.003	0.29	13.55	28.0	<1	8.5	907	0.41	0.06	13.80	0.310	0.53	4.1
W674412		14.9	110.5	0.003	0.39	24.0	19.5	<1	5.4	1340	0.51	0.10	7.87	0.427	0.76	5.9
W674413		9.4	90.2	0.003	0.31	21.6	13.5	<1	2.8	554	0.41	0.33	6.66	0.314	0.61	5.9
W674414		8.7	123.5	0.024	0.22	16.65	12.8	<1	2.4	786	0.62	0.08	10.30	0.351	1.04	2.6
W674415		32.0	135.0	0.025	0.28	19.45	11.4	<1	15.6	569	0.43	0.08	10.75	0.315	0.98	4.7
W674416		14.8	120.0	<0.002	0.40	20.6	1.7	<1	3.8	429	1.21	0.06	23.8	0.085	0.69	5.4
W674417		9.4	82.1	0.002	0.27	22.8	1.4	<1	2.8	917	0.96	0.05	16.65	0.076	0.49	10.5
W674418		17.1	86.3	0.002	0.15	12.95	3.7	<1	3.2	369	1.16	0.05	17.30	0.155	0.59	6.3
W674419		12.6	63.6	0.003	0.26	8.28	1.3	<1	3.4	270	0.86	0.12	14.05	0.087	0.48	11.9
W674420		12.4	57.3	0.003	0.11	6.23	1.2	<1	3.6	478	0.88	0.05	13.35	0.084	0.41	1.5
W674421		11.9	88.6	<0.002	0.14	11.30	1.4	<1	2.1	769	0.54	0.05	9.55	0.079	0.63	1.4
W674422		12.3	68.3	<0.002	0.05	7.12	1.3	<1	2.7	750	0.75	<0.05	11.40	0.088	0.51	0.8
W674423		10.8	31.0	0.002	0.05	7.38	1.6	<1	2.8	492	1.09	<0.05	14.40	0.103	0.24	1.1
W674424		12.8	51.8	<0.002	0.43	9.13	2.0	<1	3.0	475	0.86	0.22	15.90	0.114	0.37	2.4
W674425		24.8	19.3	0.007	0.03	8.53	17.8	<1	1.9	303	0.20	0.31	1.75	0.307	0.18	0.7
W674426		16.7	58.7	0.002	0.86	7.82	1.8	<1	2.6	553	0.79	0.15	15.90	0.108	0.39	1.5
W674427		13.2	82.3	0.002	0.48	16.80	1.5	<1	2.1	358	0.78	0.21	17.60	0.098	0.53	2.7
W674428		14.1	90.3	0.002	0.33	20.2	1.4	<1	1.9	313	0.69	0.15	17.25	0.093	0.61	7.9
W674429		14.8	84.2	0.003	0.33	13.85	1.9	<1	1.9	720	0.44	0.17	8.72	0.085	0.78	27.2
W674430		1.5	2.2	<0.002	<0.01	0.33	0.4	<1	0.7	3.9	0.10	<0.05	1.42	0.013	0.02	0.5
W674431		13.0	74.2	0.002	0.31	5.09	2.3	<1	1.4	1215	0.26	0.20	4.59	0.081	0.82	3.1
W674432		11.5	65.1	<0.002	0.47	11.50	2.1	<1	1.3	1365	0.23	0.11	3.00	0.082	0.90	6.5
W674433		5.9	78.4	0.002	0.31	18.05	2.1	<1	1.6	1095	0.57	0.11	11.30	0.074	0.54	9.0
W674434		9.2	85.7	0.003	0.35	21.5	1.6	<1	2.3	370	1.02	0.32	17.55	0.102	0.70	7.4
W674435		7.7	89.3	<0.002	0.29	23.6	1.7	<1	2.4	285	1.13	0.25	17.55	0.107	0.79	5.4
W674436		10.5	72.4	0.002	0.34	8.88	1.9	<1	2.6	466	0.80	0.07	15.85	0.113	0.46	4.3
W674437		12.2	83.8	0.002	0.31	10.00	3.1	<1	2.9	426	0.94	<0.05	13.75	0.179	0.59	5.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Ag-GRA21
		V	W	Y	Zn	Zr	Ag	Ag
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5	1	5
W674398		129	23.7	13.7	77	12.8		
W674399		125	16.5	14.2	73	12.7		
W674400		147	22.6	12.9	63	7.8		
W674401		179	8.9	17.9	65	9.8		
W674402		193	11.3	18.1	124	9.0		
W674403		192	19.1	18.2	84	10.2		
W674404		160	9.2	12.4	49	13.4		
W674405		132	16.4	18.5	309	25.1		
W674406		168	142.5	15.5	64	15.5		
W674407		182	30.6	17.6	86	12.4		
W674408		192	20.5	16.9	101	16.5		
W674409		156	30.8	17.3	61	20.5		
W674410		138	8.4	22.8	70	19.4		
W674411		200	22.4	19.3	65	15.1		
W674412		180	44.6	15.8	71	16.6		
W674413		125	36.9	12.4	38	17.7		
W674414		131	7180	11.3	32	35.0	1085	
W674415		102	9150	11.7	36	35.5	>1500	4550
W674416		32	33.9	11.8	26	45.1		
W674417		32	15.5	9.8	25	36.3		
W674418		50	17.2	9.9	33	29.5		
W674419		33	10.7	5.7	13	27.6		
W674420		30	9.3	4.9	10	31.4		
W674421		38	9.5	5.1	11	44.9		
W674422		43	9.2	5.1	10	39.3		
W674423		53	7.2	7.0	18	28.1		
W674424		52	7.7	7.1	36	29.4		
W674425		149	16.3	17.7	83	21.6		
W674426		44	6.7	7.6	37	30.0		
W674427		58	9.6	5.3	19	29.6		
W674428		60	12.3	5.0	16	29.3		
W674429		39	11.4	5.8	18	66.9		
W674430		2	0.3	1.7	4	28.1		
W674431		33	9.0	6.8	12	105.5		
W674432		39	8.0	6.3	18	90.1		
W674433		40	7.7	7.1	18	47.6		
W674434		53	15.7	5.4	17	41.2		
W674435		57	15.6	5.9	18	42.2		
W674436		32	6.3	7.3	22	26.9		
W674437		45	7.5	7.8	27	23.9		



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR																
W674438		3.80	0.019	0.03	7.12	5.4	3230	2.37	0.08	1.70	0.06	28.6	2.8	10	1.97	4.7
W674439		4.14	0.005	0.04	6.92	5.3	3260	3.84	0.08	4.14	0.16	79.5	13.2	33	7.55	16.8
W674440		3.83	<0.005	0.02	6.27	4.5	4910	3.04	0.09	2.50	0.05	55.1	5.3	21	4.41	8.5
W674441		5.74	<0.005	0.02	5.88	4.1	3640	3.08	0.11	2.82	0.08	50.9	5.9	18	3.68	5.1
W674442		6.51	0.007	0.10	7.45	6.7	5350	5.40	0.48	5.40	0.13	99.8	17.3	52	11.05	12.2
W674443		3.61	<0.005	0.03	6.39	2.6	3560	3.92	0.22	1.54	<0.02	57.5	2.1	9	5.46	3.7
W674444		4.78	0.011	0.05	6.04	7.1	6710	3.70	0.57	1.64	0.04	50.5	2.5	10	3.29	3.9
W674445		0.14	1.190	0.93	7.93	18.6	510	0.86	0.30	4.71	1.32	25.7	26.4	178	1.08	182.5
W674446		3.89	0.008	0.04	6.31	5.7	6140	2.93	0.18	1.77	0.06	49.2	2.1	8	2.31	3.9
W674447		4.29	0.007	0.04	5.50	2.5	2820	2.26	0.08	2.60	0.09	45.1	2.0	9	1.04	2.7
W674448		4.01	0.022	0.09	5.86	2.3	3590	1.84	0.14	2.50	0.14	50.4	3.0	9	0.38	7.0
W674449		4.67	0.021	0.05	5.95	2.8	2970	2.38	0.22	2.20	0.10	46.8	2.5	7	2.35	4.4
W674450		0.11	<0.005	0.10	7.87	1.8	630	0.69	0.23	4.17	0.11	26.8	11.6	10	0.60	147.0
W674451		3.62	<0.005	0.02	5.51	2.4	3570	2.52	0.13	1.90	0.11	54.5	2.0	9	1.89	4.3
W674452		3.80	0.021	0.08	4.47	3.2	800	1.49	0.16	3.62	0.20	84.4	3.4	13	0.52	4.7
W674453		4.40	0.027	0.06	5.53	2.6	470	2.01	0.18	2.77	0.12	119.5	5.2	12	0.90	4.7
W674454		4.70	<0.005	0.01	6.94	1.8	2920	2.47	0.12	2.14	0.09	78.5	3.2	8	1.89	3.7
W674455		1.94	<0.005	0.01	6.78	1.6	3220	2.44	0.11	1.94	0.11	64.0	2.9	9	1.80	3.2
W674456		4.36	0.009	0.03	7.10	4.4	7720	2.70	0.21	2.59	0.08	82.2	5.7	8	2.39	8.6
W674457		4.51	<0.005	<0.01	7.27	2.8	3070	2.90	0.17	1.80	0.05	89.6	4.2	8	4.23	3.3
W674458		4.01	<0.005	0.02	7.22	3.2	2790	3.23	0.20	1.44	0.03	101.0	4.5	9	3.60	4.2
W674459		4.39	0.032	0.05	6.57	3.2	3090	2.68	0.21	2.94	0.05	89.0	4.9	10	2.33	3.5
W674460		4.31	0.147	0.14	6.98	3.7	2350	2.44	0.27	5.64	0.16	84.6	7.7	20	1.67	11.6
W674461		4.59	2.58	1.60	5.79	9.8	1600	2.54	0.31	7.70	0.21	50.6	17.8	27	1.87	142.5
W674462		3.80	0.052	0.04	7.46	6.0	2360	4.37	0.08	4.52	0.19	44.1	8.9	58	6.82	10.1
W674463		3.66	0.188	0.02	6.72	4.4	2300	3.25	0.06	3.38	0.16	72.0	5.6	18	3.02	3.4
W674464		2.72	0.150	0.03	7.31	4.7	7400	3.44	0.05	4.90	0.22	106.0	8.4	6	3.24	2.8
W674465		0.11	6.91	0.95	7.41	13.0	500	0.64	0.48	3.50	0.17	21.8	12.6	35	0.94	72.2
W674466		5.28	0.025	0.02	7.03	3.5	3860	2.50	0.03	3.43	0.17	75.3	5.9	11	1.95	3.1
W674467		5.18	<0.005	<0.01	7.73	8.7	1530	5.84	0.05	3.32	0.07	49.1	10.9	52	14.25	2.4
W674468		5.10	<0.005	0.01	7.79	10.5	1970	5.92	0.08	4.90	0.06	58.7	13.6	79	16.10	2.9
W674469		4.31	<0.005	0.01	6.76	7.0	1300	4.96	0.04	6.37	0.15	42.4	15.9	35	16.35	1.9
W674470		0.46	<0.005	0.01	0.25	1.5	30	0.08	0.02	0.05	<0.02	5.27	0.9	13	0.27	4.2
W674471		4.21	0.011	0.10	5.88	5.5	2670	3.39	0.09	3.43	0.13	53.7	8.9	67	3.73	5.1
W674472		4.30	<0.005	0.04	6.15	2.9	3450	2.75	0.04	4.12	0.22	54.0	6.5	51	2.74	2.8
W674473		4.47	0.033	0.87	4.20	7.5	4470	1.66	0.81	3.34	0.44	65.5	5.3	48	1.60	173.5
W674474		3.38	<0.005	0.06	7.15	7.6	1390	6.30	0.17	4.05	0.13	81.7	11.9	29	10.90	10.7
W674475		1.53	0.007	0.08	7.28	7.0	1640	6.64	0.21	4.37	0.11	85.5	13.9	29	11.40	7.7
W674476		3.22	0.012	0.06	6.79	6.5	2790	5.60	0.13	4.00	0.13	40.3	9.8	29	7.06	5.7
W674477		3.75	0.033	0.15	6.64	6.6	2270	4.46	0.29	6.59	0.35	51.4	12.4	65	5.79	16.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674438		1.46	19.20	0.15	1.5	0.024	5.02	13.4	3.3	0.35	335	0.36	2.79	8.3	3.8	250
W674439		3.57	17.20	0.21	0.5	0.047	3.88	41.7	5.7	1.41	769	0.71	2.43	22.9	23.7	1650
W674440		2.07	16.40	0.23	0.8	0.027	3.21	29.9	5.2	0.74	380	0.81	2.09	11.2	10.3	570
W674441		2.20	15.55	0.21	0.7	0.031	3.28	27.1	7.6	0.86	480	1.15	1.85	11.6	9.6	560
W674442		4.98	18.45	0.21	0.3	0.075	4.22	53.9	6.3	1.93	1050	2.13	1.12	36.9	32.8	2670
W674443		1.59	16.70	0.19	0.8	0.039	3.43	31.7	5.3	0.35	290	1.13	1.57	9.5	2.9	280
W674444		1.96	16.50	0.20	0.8	0.047	2.87	28.3	6.2	0.34	410	0.49	2.06	10.1	3.1	200
W674445		5.02	16.35	0.13	1.1	0.065	1.15	11.1	12.0	3.39	1110	5.46	2.05	6.6	144.0	470
W674446		1.45	17.15	0.17	1.1	0.033	2.93	27.0	9.0	0.36	383	2.54	2.48	9.8	2.8	210
W674447		1.42	16.20	0.19	0.8	0.033	2.11	23.3	5.0	0.32	488	2.34	3.22	8.0	2.1	210
W674448		1.65	17.05	0.14	1.1	0.044	1.06	25.8	2.3	0.25	492	12.75	4.56	9.9	1.3	250
W674449		1.90	16.45	0.14	1.0	0.028	1.86	24.2	3.8	0.19	376	0.51	3.40	9.2	1.0	230
W674450		3.76	16.05	0.11	1.1	0.060	1.22	10.1	6.6	1.33	914	2.42	2.42	3.0	6.8	570
W674451		1.42	14.30	0.15	0.8	0.027	1.37	28.8	4.3	0.18	405	0.81	3.11	7.7	1.1	190
W674452		1.74	11.75	0.15	0.6	0.030	0.45	44.9	4.4	0.17	654	0.30	3.13	5.8	1.5	190
W674453		2.29	16.25	0.20	0.8	0.035	0.81	61.4	3.1	0.34	616	0.52	3.82	8.4	2.3	320
W674454		1.95	19.60	0.19	1.0	0.054	1.99	42.6	2.9	0.41	467	0.41	3.88	13.0	2.2	500
W674455		1.80	19.60	0.16	1.0	0.045	2.07	33.4	3.1	0.37	422	0.62	3.83	12.4	2.1	450
W674456		3.24	19.65	0.18	0.8	0.045	2.85	44.6	5.9	0.69	665	0.48	2.76	10.4	4.1	410
W674457		2.61	21.3	0.21	0.8	0.055	2.89	46.2	4.2	0.52	463	0.82	2.78	13.9	3.7	510
W674458		2.92	21.5	0.21	0.9	0.063	3.52	53.1	6.7	0.48	458	0.48	2.05	14.4	9.7	370
W674459		2.68	19.90	0.25	0.8	0.056	3.17	44.3	5.2	0.83	625	2.00	2.59	14.3	5.2	630
W674460		3.88	20.2	0.21	0.6	0.097	3.41	43.9	4.5	1.77	1260	0.61	2.76	15.8	11.2	1080
W674461		5.57	16.30	0.13	0.5	0.119	3.69	25.5	5.2	2.37	1560	0.91	1.61	42.6	16.7	3450
W674462		3.94	24.7	0.13	0.7	0.093	3.58	21.0	6.3	1.44	1200	1.60	2.06	24.1	16.0	530
W674463		2.34	23.4	0.18	1.2	0.094	3.08	36.0	11.0	0.97	929	0.48	2.88	32.4	11.9	630
W674464		3.80	27.0	0.19	0.9	0.057	3.89	51.8	13.9	1.39	1210	0.24	1.27	17.6	13.3	380
W674465		5.78	15.20	0.13	0.8	0.108	0.84	9.8	7.3	1.23	892	13.85	2.27	2.9	23.0	590
W674466		2.79	22.9	0.20	0.8	0.066	2.51	37.9	4.6	1.06	825	0.52	3.75	22.8	6.3	710
W674467		4.08	21.8	0.18	0.9	0.053	4.03	24.0	8.1	1.13	765	0.66	0.88	11.3	11.9	970
W674468		4.51	19.95	0.19	0.9	0.058	3.64	28.4	8.0	1.71	971	2.47	1.04	9.9	17.4	990
W674469		4.28	16.95	0.14	0.9	0.053	2.69	21.1	6.6	2.59	924	1.37	1.48	5.9	4.7	540
W674470		0.82	0.84	<0.05	1.2	<0.005	0.06	3.0	7.0	0.02	107	0.39	0.06	0.7	2.3	40
W674471		2.42	15.75	0.14	1.1	0.034	2.36	30.4	11.9	1.19	657	0.44	1.46	11.2	22.3	400
W674472		2.43	19.25	0.15	1.1	0.047	2.60	28.0	9.9	1.50	990	0.24	1.78	11.7	9.5	410
W674473		2.52	15.40	0.15	2.4	0.117	1.74	35.9	8.2	1.18	861	0.99	0.99	40.4	9.0	350
W674474		4.03	20.4	0.21	1.4	0.057	3.23	38.3	12.6	1.42	697	27.3	0.95	29.9	8.7	1090
W674475		4.37	20.6	0.19	1.4	0.064	3.31	38.4	11.0	1.52	769	47.9	0.95	30.1	9.0	1080
W674476		3.30	20.6	0.15	2.3	0.057	3.32	19.6	15.6	1.33	710	2.74	0.34	20.7	9.8	690
W674477		4.22	21.9	0.15	1.4	0.068	3.09	25.0	12.7	2.34	1260	1.17	0.60	18.6	13.3	500



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
W674438		14.1	97.2	0.002	0.17	5.75	1.9	<1	1.9	922	0.53	<0.05	9.47	0.104	0.78	2.6
W674439		15.9	113.0	<0.002	0.19	9.51	10.1	<1	2.9	587	1.25	0.09	11.70	0.474	0.74	3.1
W674440		8.7	86.4	0.002	0.17	8.25	3.3	<1	2.4	598	0.87	<0.05	15.20	0.180	0.54	3.6
W674441		9.1	86.4	0.002	0.23	11.05	3.7	<1	2.9	515	0.86	<0.05	13.80	0.191	0.53	5.0
W674442		31.7	164.0	0.002	0.15	21.7	17.0	<1	3.7	1060	1.87	0.08	8.97	0.785	0.94	2.9
W674443		6.7	101.5	0.002	0.09	5.61	1.4	<1	2.6	499	0.86	<0.05	17.70	0.103	0.60	1.1
W674444		9.3	79.5	0.002	0.35	11.65	1.4	<1	3.1	619	0.84	0.06	14.50	0.104	0.51	11.3
W674445		47.1	18.4	0.003	0.12	1.80	16.2	<1	1.4	386	0.43	0.07	3.57	0.289	0.30	1.2
W674446		9.8	69.7	0.002	0.31	12.75	1.6	<1	2.7	524	0.88	0.07	15.85	0.093	0.47	3.5
W674447		8.1	44.1	0.003	0.21	10.75	1.7	<1	2.6	408	0.68	<0.05	12.50	0.081	0.36	3.7
W674448		9.9	17.9	0.011	0.74	7.07	2.1	1	2.4	499	0.80	0.11	12.80	0.088	0.16	3.0
W674449		11.6	45.5	0.003	0.79	5.21	1.3	1	2.3	472	0.80	0.06	12.50	0.086	0.33	5.9
W674450		8.4	17.8	0.003	0.01	0.56	15.9	<1	0.9	485	0.22	<0.05	2.41	0.271	0.20	1.1
W674451		9.6	36.6	0.002	0.31	4.65	1.4	<1	2.1	512	0.68	<0.05	13.45	0.074	0.24	1.7
W674452		15.7	11.0	<0.002	1.02	4.55	1.8	1	1.8	926	0.51	0.11	10.35	0.060	0.08	3.3
W674453		11.8	21.1	0.002	1.10	8.81	2.9	1	2.7	1050	0.68	0.10	12.75	0.110	0.16	3.9
W674454		11.1	51.9	0.002	0.23	9.04	4.5	<1	3.1	401	0.86	<0.05	14.80	0.172	0.38	2.0
W674455		9.4	51.8	0.002	0.17	8.16	4.1	1	2.9	395	0.82	<0.05	12.95	0.163	0.36	1.0
W674456		11.2	85.9	0.002	0.39	10.50	5.0	<1	2.4	611	0.74	0.07	14.70	0.169	0.52	2.2
W674457		11.4	81.5	0.002	0.08	7.32	6.4	<1	3.0	563	0.82	<0.05	14.60	0.213	0.56	1.8
W674458		9.6	109.5	0.002	0.18	8.67	6.6	<1	3.7	443	0.83	<0.05	15.70	0.175	0.65	2.1
W674459		11.1	82.4	0.003	0.18	17.55	9.0	<1	2.8	431	0.86	0.24	12.10	0.281	0.54	1.6
W674460		11.7	89.2	0.003	0.27	22.5	16.4	1	4.5	476	0.65	0.20	7.73	0.405	0.58	2.9
W674461		15.3	98.1	0.002	0.77	44.2	21.8	1	7.7	603	0.87	0.41	4.82	0.816	0.60	3.9
W674462		10.7	112.5	0.003	0.18	26.0	20.1	<1	4.1	426	0.59	<0.05	6.88	0.402	0.82	9.1
W674463		9.9	70.0	0.002	0.13	44.0	7.4	1	4.7	470	1.61	0.07	9.80	0.286	0.53	5.8
W674464		7.6	96.3	0.002	0.46	36.1	4.7	<1	3.4	515	1.23	0.12	15.30	0.157	0.84	5.9
W674465		23.5	20.2	0.006	0.03	8.52	17.5	1	1.9	306	0.20	0.27	1.72	0.300	0.18	0.7
W674466		8.4	59.9	0.002	0.17	36.9	9.7	1	3.8	385	1.36	<0.05	10.75	0.335	0.44	2.0
W674467		13.0	147.5	<0.002	0.09	50.3	18.6	<1	2.7	307	0.72	<0.05	8.27	0.471	1.07	3.6
W674468		13.3	175.0	0.003	0.18	60.8	24.7	1	2.5	396	0.59	<0.05	7.52	0.481	1.01	3.3
W674469		10.8	129.5	0.003	0.17	15.30	26.6	1	2.9	630	0.39	<0.05	6.40	0.348	0.71	6.9
W674470		1.2	2.9	<0.002	<0.01	0.48	0.5	<1	0.7	10.5	0.10	<0.05	1.41	0.017	0.03	0.5
W674471		16.3	92.6	0.002	0.22	28.2	8.4	<1	2.5	321	0.90	0.10	15.85	0.209	0.58	21.7
W674472		9.7	90.3	0.002	0.11	26.9	10.8	1	2.5	408	0.99	<0.05	12.45	0.145	0.54	3.9
W674473		48.9	64.5	0.002	0.17	73.3	8.2	1	6.1	454	2.66	0.15	17.55	0.168	0.39	9.7
W674474		19.0	181.5	0.002	0.18	31.2	23.4	1	6.6	444	1.02	<0.05	57.1	0.502	0.99	8.6
W674475		22.0	190.5	0.002	0.25	32.8	24.1	<1	7.3	460	1.08	0.07	62.2	0.494	1.01	7.4
W674476		15.4	145.0	0.003	0.25	41.5	14.3	1	4.9	956	0.85	0.09	13.90	0.306	0.88	16.3
W674477		24.0	135.5	0.002	0.29	80.7	20.6	1	8.5	881	0.71	0.12	10.50	0.362	0.81	21.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Ag-GRA21
		V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5	Ag ppm 1	Ag ppm 5
W674438		41	6.4	6.4	18	54.2		
W674439		118	6.8	14.7	80	14.3		
W674440		42	3.3	8.7	28	25.5		
W674441		42	4.3	9.0	33	21.0		
W674442		176	9.2	22.3	85	7.5		
W674443		17	5.1	6.9	15	24.5		
W674444		27	6.8	8.5	16	25.0		
W674445		126	16.4	18.2	308	24.7		
W674446		34	6.6	7.7	15	38.6		
W674447		34	6.0	6.1	18	26.6		
W674448		30	4.8	7.3	17	38.1		
W674449		19	4.2	6.5	16	36.6		
W674450		129	7.9	20.5	66	19.1		
W674451		20	3.9	8.1	15	27.8		
W674452		25	3.7	10.3	13	18.7		
W674453		48	7.7	10.4	20	27.5		
W674454		50	10.1	8.5	31	39.8		
W674455		49	9.2	7.6	30	39.1		
W674456		54	10.9	11.2	33	27.6		
W674457		42	8.9	9.9	34	29.8		
W674458		40	12.0	10.6	24	28.9		
W674459		79	23.7	10.9	32	27.4		
W674460		166	41.4	12.3	53	18.5		
W674461		290	90.6	16.1	67	13.2		
W674462		185	55.2	10.2	64	21.1		
W674463		82	37.4	15.6	39	40.7		
W674464		111	36.6	12.3	59	33.3		
W674465		150	3.1	18.6	81	21.5		
W674466		111	46.3	10.8	47	26.0		
W674467		155	37.7	11.8	39	23.8		
W674468		181	27.2	14.6	44	22.4		
W674469		190	19.6	11.9	74	22.7		
W674470		3	0.3	2.0	5	25.5		
W674471		75	23.3	11.1	50	36.5		
W674472		75	18.7	8.8	51	39.4		
W674473		86	19.0	22.5	73	80.4		
W674474		196	13.6	31.4	58	48.1		
W674475		202	13.7	36.0	61	50.7		
W674476		154	35.5	19.7	53	83.5		
W674477		186	92.9	20.4	98	51.2		



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
W674478		2.79	0.012	0.10	4.94	5.2	5370	3.03	0.21	7.66	0.52	50.2	12.5	63	3.97	15.5
W674479		2.89	0.080	0.18	6.21	7.7	4160	3.71	0.22	5.66	0.26	60.2	11.6	37	4.92	18.2
W674480		5.75	0.089	0.10	8.18	5.5	3240	2.93	0.09	1.02	0.07	14.80	3.6	12	3.93	7.6
W674481		3.94	0.013	0.06	5.55	5.2	1240	4.79	0.78	1.93	0.06	77.2	5.8	61	4.92	7.8
W674482		5.58	<0.005	0.06	7.34	4.8	2160	9.44	0.67	4.67	0.13	74.4	19.0	71	14.15	13.4
W674483		6.58	0.007	0.06	7.64	3.9	890	12.75	0.30	5.14	0.14	58.4	18.7	15	11.45	37.3
W674484		6.09	0.021	0.13	7.70	3.0	890	10.15	0.31	6.41	0.22	63.0	19.8	20	10.85	24.8
W674485		0.11	1.205	0.66	8.32	20.5	500	0.72	0.32	4.90	1.20	28.5	28.2	186	1.17	183.0
W674486		6.73	0.016	0.03	7.84	3.0	1050	12.70	0.24	5.03	0.12	72.0	20.6	25	16.15	11.1
W674487		5.82	0.046	0.06	6.33	5.6	1420	7.99	0.24	3.71	0.23	135.5	12.4	30	6.46	11.4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
W674478		4.56	17.95	0.12	0.6	0.147	2.22	27.2	11.8	2.62	1640	2.25	0.45	29.0	15.0	730
W674479		4.02	20.3	0.13	1.2	0.084	3.59	30.3	12.6	1.93	1180	9.56	0.48	25.6	10.9	840
W674480		1.25	23.7	0.13	2.9	0.028	5.01	7.4	8.7	0.42	324	0.48	0.24	9.3	7.0	200
W674481		1.80	16.45	0.19	1.3	0.032	2.66	36.7	5.7	0.75	323	74.0	1.49	21.3	27.5	480
W674482		5.13	18.75	0.21	0.8	0.083	3.51	33.4	29.2	3.20	771	25.2	1.39	25.7	12.6	1490
W674483		5.14	20.5	0.17	0.6	0.062	2.43	24.4	17.0	1.94	671	15.55	2.61	20.7	4.9	1760
W674484		5.98	18.30	0.16	0.6	0.072	2.36	28.2	27.4	2.57	1140	25.4	2.58	16.3	6.6	2280
W674485		5.10	15.90	0.14	1.2	0.071	1.19	12.3	11.8	3.43	1140	6.51	2.11	6.5	149.0	490
W674486		6.24	18.60	0.20	0.7	0.066	3.19	31.2	25.3	2.84	987	23.3	1.76	21.5	7.4	1830
W674487		4.10	18.40	0.26	0.7	0.064	2.44	60.8	16.0	1.70	825	56.9	2.29	36.4	14.1	850

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Tl % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
W674478		27.1	97.9	0.003	0.32	57.6	17.0	1	10.9	1555	1.22	0.10	12.10	0.321	0.57	23.5
W674479		28.5	133.5	0.002	0.41	44.7	16.6	1	6.6	978	0.88	0.16	46.2	0.398	0.81	18.0
W674480		18.1	77.0	<0.002	0.52	7.94	2.5	1	2.0	1250	0.37	0.13	4.20	0.077	1.09	13.7
W674481		12.5	104.0	0.003	0.17	5.64	7.6	1	4.5	521	0.87	0.09	168.5	0.243	0.67	13.4
W674482		15.4	297	0.002	0.16	4.52	31.7	<1	6.9	399	0.99	0.07	70.0	0.746	1.87	8.1
W674483		13.8	138.5	0.002	0.31	2.49	30.4	1	5.8	505	0.80	0.06	28.6	0.829	1.11	8.3
W674484		15.0	234	0.002	0.31	1.63	30.4	<1	9.3	704	0.63	0.10	48.9	0.999	1.09	3.8
W674485		51.4	23.7	0.006	0.12	1.87	17.5	<1	1.4	406	0.41	0.06	4.28	0.299	0.28	1.5
W674486		13.3	326	0.002	0.11	4.13	31.9	<1	7.2	536	0.71	<0.05	47.9	0.955	1.62	5.4
W674487		25.8	199.0	0.003	0.24	6.55	20.1	<1	8.6	407	1.23	0.09	198.5	0.396	0.91	14.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Ag-GRA21 Ag ppm 5
W674478		165	43.7	28.6	111	23.5		
W674479		161	34.3	28.1	68	47.3		
W674480		32	10.4	7.7	17	115.5		
W674481		76	10.8	26.0	34	45.8		
W674482		227	7.9	36.5	85	22.8		
W674483		167	7.1	31.0	53	15.0		
W674484		273	6.5	39.5	115	11.0		
W674485		132	22.1	19.5	306	30.1		
W674486		284	33.2	40.7	78	15.1		
W674487		160	9.5	51.9	86	21.1		



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 6-DEC-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17232210

CERTIFICATE COMMENTS													
	ANALYTICAL COMMENTS												
Applies to Method:	REE's may not be totally soluble in this method. ME-MS61												
	LABORATORY ADDRESSES												
	Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.												
Applies to Method:	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">BAG-01</td> <td style="width: 33%;">CRU-32</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 15%;">DRY-22</td> </tr> <tr> <td>LOG-22</td> <td>LOG-23</td> <td>PUL-32</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>WEI-21</td> <td></td> <td></td> </tr> </table>	BAG-01	CRU-32	CRU-QC	DRY-22	LOG-22	LOG-23	PUL-32	PUL-QC	SPL-21	WEI-21		
BAG-01	CRU-32	CRU-QC	DRY-22										
LOG-22	LOG-23	PUL-32	PUL-QC										
SPL-21	WEI-21												
	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.												
Applies to Method:	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Ag-GRA21</td> <td style="width: 33%;">Ag-OG62</td> <td style="width: 33%;">Au-AA24</td> <td style="width: 15%;">ME-MS61</td> </tr> <tr> <td>ME-OG62</td> <td></td> <td></td> <td></td> </tr> </table>	Ag-GRA21	Ag-OG62	Au-AA24	ME-MS61	ME-OG62							
Ag-GRA21	Ag-OG62	Au-AA24	ME-MS61										
ME-OG62													



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

Page: 1
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-NOV-2017
Account: COMSTOM

CERTIFICATE WH17236242

Project: QV
P.O. No.: 17-QV-03
This report is for 157 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27-OCT-2017.

The following have access to data associated with this certificate:

CHRIS LIVINGSTONE

KRIS RAFFLE

DAVID TERRY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-22	Drying - Maximum Temp 60C
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
Au-AA24	Au 50g FA AA finish AAS

To: COMSTOCK METALS LTD.
ATTN: CHRIS LIVINGSTONE
310 - 850 WEST HASTINGS STREET
VANCOUVER BC V6C 1E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR																
W674241		4.25	0.027	0.20	7.42	30.9	860	2.31	0.42	0.38	0.07	73.8	3.5	5	3.29	29.0
W674242		1.83	0.007	0.04	8.05	37.5	2000	2.28	0.46	0.60	0.07	77.7	4.2	5	4.03	9.5
W674243		3.87	<0.005	0.12	7.34	30.8	1170	2.73	0.36	0.32	0.07	73.5	4.1	16	3.58	8.0
W674244		4.00	<0.005	0.03	7.41	29.5	650	2.27	0.52	0.20	0.06	76.5	5.5	17	3.48	15.4
W674245		0.11	1.265	0.93	7.47	22.3	510	0.78	0.33	4.79	1.29	27.9	28.7	191	1.27	188.0
W674246		4.69	0.013	0.05	6.93	26.6	1420	2.57	0.61	0.16	0.10	69.0	4.0	6	2.87	26.5
W674247		4.80	0.006	0.06	6.38	8.4	870	2.10	0.31	0.09	0.08	64.9	0.9	7	1.17	10.9
W674248		5.51	0.009	0.05	6.63	7.4	800	2.51	0.32	0.10	0.14	55.1	0.8	7	1.65	13.8
W674249		4.94	<0.005	0.06	6.34	8.5	1130	2.49	0.12	0.11	0.08	53.9	0.5	11	1.02	7.9
W674250		0.11	<0.005	0.12	7.75	1.8	640	0.77	0.24	4.13	0.11	30.9	13.1	11	0.67	149.0
W674251		4.50	0.009	0.04	6.54	11.5	1350	2.05	0.10	0.07	0.06	62.6	0.8	9	1.37	7.9
W674252		4.38	<0.005	0.02	5.73	13.7	1740	2.52	0.25	1.65	0.09	48.8	2.3	5	3.87	5.8
W674253		4.09	<0.005	0.02	6.87	18.5	1180	1.95	0.14	0.39	0.10	77.7	1.4	5	2.46	7.6
W674254		3.05	<0.005	0.04	7.82	9.3	2450	3.54	0.35	0.58	0.11	93.0	3.2	5	6.83	15.9
W674255		2.01	<0.005	0.06	7.37	11.9	2410	3.25	0.38	0.54	0.09	88.8	3.5	5	7.21	20.1
W674256		3.09	<0.005	0.03	7.36	10.0	2100	2.92	0.43	0.59	0.07	92.7	2.5	6	5.47	36.0
W674257		3.76	<0.005	0.02	7.16	12.2	2030	2.64	0.25	0.39	0.08	84.0	1.9	8	2.75	15.1
W674258		3.91	0.006	0.05	4.91	34.7	1400	2.23	0.20	3.16	0.11	41.9	2.8	6	3.37	10.5
W674259		5.83	<0.005	0.04	4.55	34.0	1140	1.96	0.19	4.12	0.10	36.9	3.1	6	2.26	8.9
W674260		3.93	0.007	0.03	4.92	15.9	930	2.15	0.21	2.43	0.06	36.7	3.5	6	3.38	6.0
W674261		2.77	<0.005	0.04	6.85	14.2	750	1.88	0.14	0.59	0.08	78.8	2.2	8	3.57	20.9
W674262		3.82	0.005	0.04	7.76	19.5	810	2.40	0.17	1.08	0.09	95.2	3.6	6	4.82	16.7
W674263		3.57	<0.005	0.08	7.74	17.5	1790	2.34	0.45	1.26	0.18	87.3	3.0	6	5.10	14.6
W674264		3.92	0.011	0.96	5.07	18.9	820	2.13	0.37	3.42	0.41	47.0	2.5	5	4.60	14.1
W674265		0.11	7.13	0.75	7.30	13.6	490	0.73	0.48	3.43	0.18	20.4	13.7	36	1.01	74.7
W674266		3.63	<0.005	0.08	6.40	10.6	1260	3.01	0.15	3.07	0.08	50.6	12.0	53	7.14	18.0
W674267		5.66	<0.005	0.08	7.50	10.7	1900	3.51	0.95	0.59	0.05	60.7	4.6	7	2.12	22.1
W674268		3.85	0.005	0.06	7.05	14.5	2510	2.88	0.36	0.44	0.06	82.3	2.7	10	1.98	12.1
W674269		4.01	0.124	0.21	7.29	24.3	1730	2.47	0.30	0.62	0.09	84.2	3.2	6	2.97	15.5
W674270		0.44	<0.005	0.01	0.20	1.0	20	0.08	0.01	0.02	0.02	4.95	0.8	14	0.21	4.0
W674271		4.73	1.150	0.70	7.44	5.6	2560	2.56	0.51	0.48	0.07	87.7	3.0	7	3.35	13.5
W674272		5.48	0.193	0.13	7.30	4.8	2690	3.25	0.44	0.79	0.07	96.6	3.1	7	3.73	16.5
W674273		5.54	0.945	0.53	7.38	5.9	2490	2.82	0.65	1.09	0.02	83.0	3.2	7	3.22	15.5
W674274		3.82	0.030	0.08	7.41	6.6	2700	3.27	0.47	1.87	0.04	77.3	8.5	36	6.68	21.1
W674275		1.78	0.059	0.07	7.28	6.5	2630	3.05	0.63	1.59	0.07	76.1	7.1	30	5.82	23.4
W674276		3.57	<0.005	0.02	7.12	4.8	2650	2.64	0.26	0.83	0.05	88.1	2.4	11	1.10	11.9
W674277		3.90	0.008	0.03	6.90	3.8	2310	2.74	0.27	0.37	<0.02	89.2	1.7	9	1.54	11.8
W674278		5.26	0.006	0.07	7.28	12.0	1150	2.42	0.38	0.27	0.06	93.0	2.8	8	2.65	9.4
W674279		3.18	0.007	0.15	7.23	9.5	1060	2.35	0.67	1.40	0.13	83.6	2.7	6	3.50	10.8
W674280		3.58	0.015	0.72	7.42	24.0	1830	2.59	0.54	1.51	0.05	74.7	3.0	5	3.35	12.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674241		2.16	22.0	0.13	1.5	0.057	2.63	38.7	11.8	0.14	240	1.68	1.26	12.8	1.0	410
W674242		3.08	22.4	0.12	1.6	0.073	2.59	40.2	9.4	0.16	388	1.63	1.88	13.8	0.8	530
W674243		2.45	20.7	0.10	1.0	0.060	2.64	39.6	7.9	0.16	309	1.45	1.80	12.1	3.8	530
W674244		2.49	21.2	0.12	0.7	0.090	3.24	45.0	14.0	0.19	284	1.58	0.05	12.0	4.2	680
W674245		4.96	16.80	0.08	1.2	0.077	1.10	12.5	12.8	3.24	1130	5.46	2.08	7.0	151.5	470
W674246		2.88	19.75	0.12	1.0	0.121	3.14	40.0	21.1	0.13	388	1.97	0.13	11.0	1.5	460
W674247		1.06	19.30	0.09	2.0	0.035	2.96	28.8	12.6	0.06	155	0.81	1.72	11.5	0.6	40
W674248		1.28	20.8	0.09	2.0	0.115	3.02	23.9	10.7	0.07	149	1.11	1.28	12.4	0.6	30
W674249		1.12	19.40	0.09	2.1	0.045	3.19	24.1	3.4	0.04	211	0.86	2.62	13.0	0.8	20
W674250		3.83	16.65	0.07	1.2	0.059	1.26	13.1	7.3	1.34	947	2.84	2.47	3.3	7.4	600
W674251		1.16	19.25	0.09	1.9	0.027	2.92	31.6	6.4	0.06	224	1.31	2.28	11.6	0.7	50
W674252		2.58	20.4	0.08	1.8	0.050	3.15	23.5	19.0	0.12	440	7.41	0.04	15.5	0.5	290
W674253		1.56	19.90	0.12	1.7	0.028	3.57	42.4	9.8	0.09	277	1.41	0.73	13.9	0.5	160
W674254		3.03	23.1	0.14	2.1	0.067	3.70	47.4	9.2	0.33	520	1.12	2.51	16.8	0.6	540
W674255		3.06	21.7	0.15	1.8	0.063	3.59	45.5	9.3	0.31	672	1.51	2.54	16.5	0.7	520
W674256		2.47	20.2	0.14	1.6	0.051	2.80	44.6	6.2	0.22	394	0.95	2.86	14.9	0.7	400
W674257		1.85	19.45	0.14	1.8	0.035	3.33	45.2	6.5	0.10	331	1.11	2.34	14.6	1.0	210
W674258		2.50	19.25	0.09	1.7	0.048	2.91	19.8	11.3	0.08	593	1.28	1.31	12.3	1.1	290
W674259		1.97	20.1	0.11	1.7	0.072	1.87	18.8	8.1	0.06	575	2.50	2.74	14.5	1.1	290
W674260		2.50	17.40	0.09	1.4	0.074	2.74	17.8	22.1	0.09	783	1.35	0.03	12.8	1.0	470
W674261		1.31	17.90	0.10	1.5	0.028	3.32	45.3	19.8	0.09	180	0.61	0.10	13.3	0.9	250
W674262		2.35	22.9	0.15	1.7	0.063	2.80	54.8	14.5	0.12	399	1.23	1.11	15.1	1.5	360
W674263		2.16	20.8	0.12	1.8	0.033	2.93	52.1	12.2	0.12	351	1.76	1.46	14.6	1.5	320
W674264		2.23	19.90	0.14	1.8	0.048	3.07	22.8	17.4	0.14	663	1.42	0.41	12.6	1.3	250
W674265		5.82	15.15	0.08	0.9	0.093	0.85	10.6	8.2	1.22	921	15.60	2.27	3.1	22.6	580
W674266		3.17	19.80	0.11	1.4	0.043	2.96	27.3	7.2	0.21	578	1.34	1.44	10.9	27.0	380
W674267		2.53	20.1	0.13	1.7	0.086	2.63	36.7	5.2	0.12	215	1.62	3.61	14.2	1.6	240
W674268		1.85	19.75	0.13	1.7	0.038	2.93	51.6	3.1	0.09	330	0.97	3.38	12.3	1.2	270
W674269		2.47	20.6	0.14	1.6	0.035	2.75	50.3	9.5	0.10	522	1.71	2.20	14.7	1.1	380
W674270		0.68	0.63	<0.05	1.0	<0.005	0.05	2.8	8.1	0.01	80	0.36	0.04	0.6	1.9	20
W674271		2.50	21.4	0.14	1.6	0.043	3.79	50.9	8.6	0.18	330	10.50	2.35	14.2	0.9	400
W674272		2.28	21.7	0.15	1.6	0.033	3.62	56.3	5.1	0.23	330	1.60	2.85	15.4	0.8	360
W674273		2.51	20.8	0.15	1.8	0.041	3.59	47.3	4.1	0.10	306	2.18	2.62	15.3	1.1	390
W674274		3.10	20.9	0.16	1.7	0.052	3.94	43.2	6.6	0.69	556	2.71	2.68	13.4	13.4	480
W674275		2.92	20.2	0.15	1.8	0.045	3.65	42.9	5.2	0.59	482	2.29	2.73	13.6	10.9	450
W674276		1.96	20.7	0.12	2.0	0.054	2.03	50.1	2.0	0.06	326	0.99	4.31	16.8	1.4	350
W674277		1.63	20.3	0.15	1.3	0.035	2.90	51.0	2.8	0.06	261	1.02	3.40	14.1	1.0	170
W674278		1.81	20.7	0.15	1.6	0.050	3.09	53.8	9.3	0.12	407	2.14	1.44	14.9	1.0	220
W674279		2.19	21.7	0.13	1.6	0.100	2.89	46.7	11.7	0.17	407	2.09	1.02	13.8	1.0	270
W674280		2.52	21.8	0.13	1.7	0.068	2.86	41.5	12.6	0.14	349	2.33	1.91	13.4	1.1	390



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
W674241	17.2	94.7	<0.002	0.02	5.17	8.7	1	1.7	148.5	0.97	0.21	14.85	0.193	0.55	2.9
W674242	14.7	94.1	<0.002	0.05	2.71	10.5	1	2.1	178.5	0.96	0.14	14.70	0.232	0.59	3.4
W674243	8.2	95.4	<0.002	0.01	4.69	10.4	<1	2.4	169.5	0.85	0.17	13.10	0.242	0.51	2.7
W674244	6.9	116.5	<0.002	0.01	9.02	11.3	<1	3.6	113.5	0.86	0.25	12.60	0.323	0.64	3.4
W674245	50.7	22.5	0.002	0.12	2.02	18.8	<1	1.4	401	0.45	0.09	4.08	0.288	0.27	1.5
W674246	9.5	102.5	0.003	0.02	14.00	9.8	<1	7.2	127.0	0.72	0.18	11.15	0.203	0.62	3.3
W674247	13.5	81.7	<0.002	0.01	7.74	1.8	<1	1.7	78.1	0.99	0.15	20.2	0.046	0.39	1.9
W674248	17.7	90.5	<0.002	0.01	6.71	1.4	<1	5.9	76.6	1.16	0.11	20.5	0.040	0.46	2.0
W674249	14.5	83.0	<0.002	0.01	1.79	1.4	<1	2.5	122.5	1.16	0.06	21.5	0.039	0.40	1.9
W674250	10.7	23.2	0.002	0.01	0.71	18.2	<1	0.9	482	0.23	<0.05	3.11	0.275	0.21	1.2
W674251	10.5	80.5	<0.002	0.02	3.61	2.1	<1	1.4	104.5	1.05	0.10	20.2	0.046	0.41	1.6
W674252	9.6	93.5	<0.002	0.03	10.15	4.5	<1	2.1	230	1.10	0.14	11.00	0.146	0.57	2.7
W674253	14.6	109.5	<0.002	<0.01	5.39	3.3	<1	1.3	180.0	1.06	0.08	19.65	0.103	0.67	2.8
W674254	12.7	140.5	<0.002	0.01	1.80	8.1	<1	2.4	242	1.16	0.11	17.20	0.214	0.76	3.4
W674255	14.8	128.5	<0.002	0.01	1.53	7.6	<1	2.3	246	1.07	0.14	15.15	0.203	0.70	3.1
W674256	12.9	94.7	<0.002	<0.01	1.30	7.0	1	2.3	193.0	0.97	0.22	16.20	0.184	0.49	2.6
W674257	17.1	98.6	<0.002	<0.01	3.71	3.8	1	2.6	252	1.20	0.13	20.2	0.113	0.56	3.1
W674258	18.2	69.2	<0.002	0.02	9.15	3.9	<1	2.3	317	0.91	0.08	9.70	0.158	0.51	2.4
W674259	13.3	40.2	<0.002	0.02	5.68	3.4	<1	3.2	540	1.03	0.10	9.58	0.139	0.37	2.1
W674260	11.7	67.6	<0.002	0.02	13.70	3.8	<1	3.0	215	0.93	0.07	8.70	0.199	0.53	2.8
W674261	24.2	95.6	<0.002	0.01	18.90	3.5	<1	1.4	249	1.05	0.09	18.85	0.119	0.58	2.9
W674262	20.1	89.2	<0.002	0.02	12.65	7.3	1	2.6	298	1.01	<0.05	17.90	0.179	0.55	3.3
W674263	19.9	88.7	<0.002	0.04	7.19	5.6	<1	2.4	329	1.00	0.22	18.70	0.166	0.52	3.5
W674264	39.6	81.5	<0.002	0.02	12.10	4.4	<1	2.6	238	0.93	0.17	11.65	0.132	0.58	2.8
W674265	26.5	21.9	0.002	0.03	9.37	19.0	1	1.7	308	0.21	0.24	1.74	0.293	0.18	0.7
W674266	12.1	85.8	<0.002	0.03	7.26	10.3	<1	1.6	311	0.71	0.05	10.65	0.300	0.67	3.2
W674267	12.8	75.5	<0.002	0.04	1.64	3.7	1	9.8	329	1.07	0.42	19.05	0.138	0.41	3.5
W674268	11.2	74.6	<0.002	0.01	1.43	3.8	<1	3.0	304	0.93	0.19	18.00	0.136	0.39	2.8
W674269	12.4	81.0	<0.002	0.02	6.51	5.2	<1	3.1	316	1.03	0.22	17.20	0.172	0.51	3.0
W674270	1.1	2.1	<0.002	<0.01	0.26	0.4	<1	0.6	3.4	0.10	<0.05	1.50	0.014	0.02	0.4
W674271	20.5	103.0	<0.002	0.02	3.97	5.4	<1	3.5	280	0.99	0.57	16.85	0.174	0.62	3.1
W674272	13.4	118.5	<0.002	0.02	1.39	5.9	<1	2.5	271	1.03	0.25	18.15	0.169	0.66	4.0
W674273	13.6	96.9	<0.002	0.23	3.16	5.1	<1	3.7	287	1.11	0.50	17.85	0.174	0.59	3.1
W674274	14.6	125.5	<0.002	0.15	1.94	9.9	<1	4.3	346	0.91	0.23	15.75	0.278	0.82	3.6
W674275	13.6	114.0	<0.002	0.18	2.00	8.9	<1	4.2	311	0.93	0.34	15.90	0.255	0.69	3.3
W674276	10.8	49.1	<0.002	0.04	1.75	5.3	<1	4.0	588	1.09	0.15	19.45	0.155	0.30	2.9
W674277	10.9	78.1	<0.002	0.02	2.15	4.9	<1	3.3	319	0.99	0.16	18.45	0.103	0.44	2.6
W674278	9.5	95.0	<0.002	0.01	5.54	5.2	1	4.9	266	1.10	0.18	19.45	0.124	0.63	2.9
W674279	12.5	98.4	<0.002	0.02	6.82	4.9	<1	11.2	242	1.00	0.35	17.70	0.128	0.66	2.9
W674280	16.3	91.3	<0.002	0.04	8.75	5.2	<1	6.3	244	0.93	0.29	16.50	0.172	0.62	3.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674241		22	5.6	16.8	34	53.5
W674242		21	3.1	18.9	47	59.8
W674243		43	5.7	19.0	34	37.1
W674244		68	9.5	21.3	29	25.7
W674245		131	16.0	19.9	305	29.1
W674246		18	13.0	20.1	31	34.1
W674247		9	1.5	13.6	19	54.8
W674248		5	1.5	17.8	32	49.7
W674249		4	1.5	17.2	26	54.0
W674250		135	8.3	22.9	72	21.6
W674251		10	2.0	13.8	19	49.9
W674252		8	10.7	16.5	51	64.1
W674253		4	5.8	19.3	30	54.7
W674254		10	1.8	24.7	66	75.9
W674255		10	2.0	24.0	67	70.3
W674256		6	0.8	19.0	53	59.0
W674257		5	1.9	22.3	34	64.4
W674258		18	9.1	11.2	45	70.5
W674259		17	6.8	12.8	38	60.1
W674260		22	15.2	13.2	43	49.2
W674261		9	5.2	14.6	28	54.7
W674262		12	5.0	14.7	46	64.8
W674263		12	2.2	14.2	39	69.9
W674264		11	3.0	11.9	47	69.1
W674265		148	4.0	17.8	84	23.0
W674266		59	3.0	13.7	53	53.8
W674267		10	0.9	12.3	26	65.8
W674268		15	2.5	15.3	30	64.4
W674269		20	5.3	19.4	40	61.2
W674270		2	0.1	1.7	9	28.4
W674271		23	7.6	15.7	35	60.2
W674272		14	2.4	19.6	35	55.6
W674273		24	7.7	15.4	30	65.7
W674274		54	3.6	19.7	50	64.8
W674275		48	4.2	18.9	43	66.1
W674276		23	3.1	17.7	37	72.7
W674277		9	1.1	16.5	28	35.8
W674278		10	3.6	18.7	29	44.9
W674279		10	2.2	16.9	25	52.9
W674280		18	8.9	12.8	30	59.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
W674281		5.13	0.011	0.05	7.51	24.4	1440	2.30	0.31	0.92	0.04	86.2	2.8	6	3.04	7.4
W674282		3.74	0.006	0.05	7.13	6.0	3160	3.07	0.45	0.92	<0.02	75.0	3.4	7	3.87	6.2
W674283		3.63	<0.005	0.04	7.05	5.0	1310	3.25	0.48	1.11	<0.02	74.3	2.3	9	3.04	8.0
W674284		3.66	<0.005	0.06	7.47	6.5	1680	3.57	0.57	0.71	<0.02	84.9	3.3	9	2.88	20.8
W674285		0.11	1.250	0.80	7.61	20.8	520	0.83	0.32	4.87	1.30	28.3	28.9	189	1.34	182.5
W674286		3.44	<0.005	0.04	6.68	3.7	2370	2.96	0.31	0.50	0.05	75.0	2.1	9	2.70	10.7
W674287		5.29	0.005	0.26	7.14	6.5	1690	2.88	0.76	0.31	0.19	81.0	2.0	9	2.43	11.2
W674288		4.70	0.020	0.17	6.74	7.4	1840	2.41	0.52	0.24	0.07	76.0	2.5	9	2.61	11.5
W674289		5.69	0.006	0.09	7.07	12.8	2210	2.54	1.76	0.22	0.08	102.5	3.1	8	2.11	15.4
W674290		0.11	<0.005	0.12	7.78	0.9	620	0.73	0.23	4.12	0.13	29.5	12.9	11	0.65	147.0
W674291		3.71	0.007	0.19	6.49	6.5	2600	2.15	0.81	0.73	0.08	85.0	2.3	11	2.05	22.6
W674292		5.90	<0.005	0.02	2.30	0.9	5250	0.73	0.14	6.52	0.15	32.0	0.7	16	0.58	5.6
W674293		5.06	0.006	0.08	6.75	7.5	3740	2.54	0.59	1.17	<0.02	74.9	2.7	11	2.18	16.1
W674294		3.40	<0.005	0.07	6.87	6.5	2660	2.65	0.92	0.30	0.04	93.6	3.0	10	2.10	8.8
W674295		1.56	<0.005	0.11	6.85	6.8	2590	2.83	1.06	0.27	0.03	100.0	3.5	9	2.22	14.0
W674296		3.92	<0.005	0.04	7.24	2.9	3040	3.18	1.36	0.59	0.05	91.3	2.7	9	2.44	11.6
W674297		4.06	<0.005	0.08	6.91	3.2	2790	2.88	1.09	0.75	0.05	95.0	2.6	10	2.64	14.6
W674298		5.72	<0.005	0.08	7.38	7.5	2610	3.45	2.00	0.59	<0.02	95.9	3.4	9	2.72	17.2
W674299		5.95	<0.005	0.20	6.86	12.9	2310	3.03	0.78	0.96	0.09	79.0	3.0	8	2.01	14.4
W674300		5.70	<0.005	0.05	5.38	6.0	1610	2.21	0.37	0.79	0.02	64.7	3.1	16	1.90	27.2
W674301		5.33	<0.005	0.03	7.25	3.9	2220	2.97	0.50	1.20	<0.02	82.9	3.5	10	2.43	7.0
W674302		5.30	<0.005	0.02	6.76	1.7	2260	3.07	0.27	1.03	0.02	74.6	2.8	10	4.16	5.2
W674303		5.05	0.007	0.09	6.79	3.5	2180	3.07	0.27	1.14	0.02	81.9	2.4	12	1.98	4.7
W674304		3.82	0.400	3.51	7.35	2.3	2650	3.17	3.29	1.10	<0.02	87.6	2.3	11	1.61	5.7
W674305		0.11	6.76	0.72	7.16	14.8	490	0.74	0.47	3.44	0.17	19.95	13.4	37	0.99	72.4
W674306		3.91	0.012	0.08	5.56	2.3	2190	2.20	0.21	1.06	0.03	55.0	2.3	20	1.87	8.7
W674307		3.70	<0.005	0.05	7.01	4.5	2500	2.97	0.25	1.56	0.04	77.1	2.8	9	3.14	3.2
W674308		3.71	<0.005	0.02	7.31	3.2	2680	2.89	0.25	1.08	<0.02	88.3	2.7	12	1.91	4.8
W674309		4.09	<0.005	0.04	5.71	3.7	1980	2.68	0.08	3.56	0.08	63.8	9.7	24	2.06	30.3
W674310		0.47	<0.005	0.02	0.25	1.8	20	0.10	0.02	0.02	<0.02	5.96	0.8	16	0.21	4.0
W674311		6.10	<0.005	0.04	6.99	3.4	2680	2.95	0.17	1.56	0.02	74.4	3.6	16	2.55	4.1
W674312		3.92	0.025	0.19	6.46	2.8	2510	2.53	0.24	1.24	0.02	71.3	3.1	17	1.54	15.5
W674313		4.00	<0.005	0.04	7.11	2.5	2020	3.00	0.12	2.00	0.07	80.7	2.6	20	2.31	4.7
W674314		4.65	<0.005	0.04	6.65	2.7	1800	2.88	0.19	1.35	<0.02	76.9	2.3	13	1.81	4.7
W674315		1.86	<0.005	0.02	6.58	1.7	1790	3.06	0.18	1.31	0.06	78.7	1.7	12	1.91	4.6
W674316		4.12	<0.005	0.02	6.80	3.6	2130	3.12	0.20	1.29	0.04	82.0	1.9	10	2.25	5.0
W674317		3.73	<0.005	0.02	6.43	2.7	2620	2.54	0.30	1.59	<0.02	72.2	1.4	13	1.62	6.2
W674318		3.37	<0.005	0.05	7.31	4.7	2110	3.52	0.43	2.28	<0.02	81.6	5.2	8	4.52	8.4
W674319		4.03	<0.005	0.03	7.31	15.5	3560	4.13	0.69	2.99	0.03	70.6	6.2	5	8.46	7.4
W674320		4.09	<0.005	0.03	7.77	9.9	1790	2.46	0.33	1.50	0.03	92.0	3.3	6	4.33	11.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674281		1.79	21.0	0.13	1.7	0.065	2.85	51.7	6.2	0.09	206	1.60	2.61	14.8	0.9	340
W674282		2.37	20.4	0.10	1.5	0.065	2.36	44.4	3.3	0.12	258	1.73	3.27	14.2	0.9	400
W674283		2.00	20.4	0.10	1.7	0.124	1.94	43.3	3.3	0.11	375	2.10	3.66	14.6	1.0	270
W674284		2.54	21.7	0.13	1.7	0.096	2.62	47.1	5.6	0.18	329	2.80	3.47	15.8	1.2	300
W674285		5.03	17.05	0.10	1.3	0.070	1.13	13.8	12.8	3.31	1150	5.98	2.10	7.0	152.5	470
W674286		1.83	18.60	0.10	1.6	0.039	2.89	45.6	4.1	0.18	288	1.82	3.18	13.4	2.4	280
W674287		1.93	20.4	0.15	1.8	0.081	3.38	46.3	3.2	0.08	238	1.93	2.75	14.1	1.1	230
W674288		2.10	19.65	0.11	1.6	0.057	3.29	46.4	5.3	0.10	302	1.82	2.14	12.9	1.2	230
W674289		1.95	20.5	0.15	1.7	0.036	3.07	57.8	4.4	0.06	364	1.85	2.85	14.2	1.3	250
W674290		3.76	16.35	0.12	1.1	0.053	1.24	13.4	7.2	1.33	941	2.93	2.42	3.3	6.9	570
W674291		1.66	19.75	0.11	1.3	0.028	1.98	47.5	2.7	0.04	399	1.39	3.72	13.5	1.4	210
W674292		0.77	6.71	0.12	0.3	0.018	0.71	19.0	3.2	0.04	605	0.37	1.03	3.2	0.7	100
W674293		1.95	19.65	0.12	1.3	0.038	1.89	42.4	2.9	0.11	333	1.03	3.71	12.3	1.7	240
W674294		2.09	19.40	0.16	1.5	0.037	2.66	52.2	3.3	0.08	195	1.62	2.90	12.5	1.8	260
W674295		2.15	19.25	0.12	1.4	0.046	2.83	47.6	3.4	0.08	236	2.60	2.88	12.0	6.3	280
W674296		1.97	19.05	0.13	1.7	0.050	3.30	50.4	3.4	0.15	343	1.60	3.30	13.3	2.1	320
W674297		1.97	19.15	0.16	1.7	0.027	3.36	51.9	4.3	0.22	285	3.36	3.03	13.1	2.1	290
W674298		2.34	21.3	0.15	1.7	0.031	3.31	52.5	7.0	0.27	316	3.56	3.11	13.2	1.9	330
W674299		2.32	19.65	0.12	1.4	0.042	2.78	44.0	7.5	0.30	460	2.46	2.95	13.3	1.4	390
W674300		2.10	15.05	0.13	1.1	0.037	1.94	34.2	7.4	0.30	384	1.48	2.31	11.1	2.2	330
W674301		2.52	20.6	0.13	1.5	0.058	2.78	43.5	8.7	0.48	553	1.45	3.02	14.0	1.5	440
W674302		2.07	18.60	0.14	1.5	0.049	2.53	40.1	6.4	0.39	429	1.54	3.09	13.0	1.2	310
W674303		1.83	19.00	0.13	1.4	0.037	2.60	43.8	7.1	0.23	343	1.20	2.91	13.3	1.6	290
W674304		1.94	21.2	0.15	1.2	0.056	2.58	46.9	3.0	0.22	294	1.08	3.92	14.1	1.6	290
W674305		5.74	14.80	0.07	0.8	0.102	0.85	9.4	7.8	1.22	911	15.15	2.25	3.1	22.9	570
W674306		1.87	14.65	0.11	0.8	0.032	2.16	29.0	3.3	0.23	343	0.40	2.64	9.9	1.8	240
W674307		2.14	19.90	0.14	1.6	0.048	3.07	40.8	6.3	0.30	475	2.39	2.78	12.5	1.7	370
W674308		1.88	19.65	0.13	1.8	0.033	3.16	49.8	4.0	0.19	326	1.43	3.53	12.3	1.7	300
W674309		2.29	14.75	0.13	1.0	0.033	2.56	35.2	4.2	0.48	796	1.06	2.53	12.3	6.6	470
W674310		0.74	0.78	<0.05	1.1	<0.005	0.06	3.0	7.9	0.01	86	0.40	0.06	0.8	2.3	30
W674311		2.08	19.50	0.12	1.4	0.033	3.05	39.6	5.1	0.39	398	2.02	3.35	12.7	2.4	400
W674312		2.03	16.70	0.12	1.3	0.025	2.87	37.7	3.6	0.20	284	1.99	2.77	12.3	1.7	230
W674313		1.69	18.05	0.14	1.2	0.021	3.28	44.1	5.3	0.32	390	6.94	2.90	14.1	4.2	270
W674314		1.54	19.20	0.12	1.2	0.024	2.05	39.5	3.8	0.17	275	2.25	3.20	13.6	1.9	200
W674315		1.49	19.50	0.13	1.1	0.018	2.07	40.1	3.9	0.19	256	4.31	3.18	13.5	2.0	180
W674316		1.53	19.20	0.14	1.1	0.018	2.62	41.2	4.0	0.18	277	1.33	3.02	14.0	1.5	230
W674317		1.38	16.85	0.11	1.6	0.030	3.44	38.4	3.1	0.11	330	1.76	2.51	13.1	1.0	200
W674318		2.94	22.1	0.14	1.5	0.048	2.59	39.9	7.9	0.44	559	1.66	3.26	15.9	1.5	790
W674319		3.84	26.1	0.15	1.6	0.063	3.85	32.6	8.4	0.59	712	1.94	1.57	14.6	1.6	930
W674320		2.34	21.7	0.14	1.6	0.032	3.91	48.1	12.2	0.33	317	3.17	0.90	14.3	1.5	440



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
W674281		11.9	80.9	<0.002	0.02	4.04	4.1	<1	4.1	301	1.05	0.13	19.40	0.164	0.50	3.0
W674282		9.4	70.4	<0.002	0.06	1.75	4.8	1	7.5	399	1.00	0.23	16.40	0.174	0.42	3.4
W674283		9.8	57.1	<0.002	0.04	0.99	3.9	<1	12.5	342	1.12	0.14	19.25	0.147	0.33	3.2
W674284		11.0	89.0	<0.002	0.09	0.75	4.7	<1	8.9	230	1.12	0.20	19.90	0.173	0.53	4.4
W674285		50.8	24.3	0.003	0.12	1.96	19.5	1	1.4	396	0.42	0.06	4.14	0.284	0.30	1.4
W674286		13.9	94.3	0.002	0.04	0.72	4.0	<1	2.9	312	0.95	0.17	17.10	0.144	0.58	3.1
W674287		22.8	102.5	<0.002	0.05	2.46	3.7	1	5.9	177.5	1.06	0.45	20.3	0.117	0.60	3.5
W674288		17.2	103.5	<0.002	0.05	4.62	4.0	1	5.8	246	0.99	0.16	18.15	0.119	0.59	3.2
W674289		13.1	86.6	<0.002	0.12	4.45	4.6	<1	4.2	332	0.99	0.34	18.40	0.133	0.51	3.1
W674290		9.2	24.2	<0.002	0.01	0.60	17.9	<1	0.9	477	0.23	<0.05	2.81	0.266	0.20	1.2
W674291		10.0	54.2	<0.002	0.09	5.73	4.1	<1	2.7	602	1.00	0.24	17.15	0.103	0.35	2.8
W674292		13.3	21.5	<0.002	0.18	1.74	1.5	<1	1.0	1715	0.23	<0.05	4.19	0.026	0.16	0.9
W674293		12.7	56.5	<0.002	0.28	2.90	3.9	1	6.9	544	0.91	0.17	16.05	0.114	0.33	2.9
W674294		12.6	73.9	<0.002	0.17	2.59	4.2	1	8.1	339	0.87	0.31	18.80	0.131	0.43	3.5
W674295		17.9	77.2	<0.002	0.16	2.97	4.3	<1	9.1	325	0.86	0.31	19.30	0.135	0.43	3.8
W674296		12.5	106.5	<0.002	0.28	0.59	4.4	<1	4.8	295	0.96	0.31	21.2	0.162	0.61	5.5
W674297		16.2	103.0	<0.002	0.42	0.96	4.3	<1	3.3	260	0.93	0.27	20.2	0.157	0.57	5.6
W674298		13.2	106.5	<0.002	0.25	0.69	4.9	1	5.1	228	0.93	0.47	21.0	0.168	0.57	4.6
W674299		20.1	87.0	<0.002	0.22	1.16	4.7	<1	5.0	260	0.95	0.27	17.25	0.171	0.48	4.2
W674300		9.9	66.5	<0.002	0.20	0.32	4.1	1	3.4	218	0.77	0.14	12.60	0.143	0.42	4.9
W674301		12.1	96.0	0.003	0.43	0.19	5.5	<1	4.5	243	0.97	0.13	16.45	0.191	0.59	9.4
W674302		10.1	81.0	<0.002	0.28	0.27	3.7	<1	4.3	280	0.93	0.05	17.10	0.147	0.46	3.1
W674303		9.7	81.9	<0.002	0.25	1.38	4.3	<1	3.0	214	0.94	0.16	18.30	0.149	0.47	3.2
W674304		120.0	69.7	<0.002	0.54	0.93	5.0	<1	4.6	347	0.99	1.86	20.9	0.149	0.40	3.5
W674305		26.5	21.2	0.003	0.03	9.15	18.3	<1	1.8	303	0.20	0.25	1.66	0.292	0.19	0.7
W674306		11.5	60.1	<0.002	0.29	1.32	3.7	1	2.7	349	0.64	0.07	11.50	0.132	0.36	2.5
W674307		13.5	96.5	<0.002	0.31	2.81	4.5	<1	3.8	316	0.87	<0.05	17.40	0.169	0.55	3.2
W674308		12.9	95.6	<0.002	0.41	1.61	4.1	<1	3.8	285	0.91	<0.05	22.4	0.145	0.53	3.9
W674309		13.2	82.0	<0.002	0.43	3.42	4.9	1	2.4	665	0.87	<0.05	15.30	0.181	0.45	3.2
W674310		1.4	2.6	<0.002	<0.01	0.22	0.4	<1	0.7	3.8	0.12	<0.05	1.88	0.016	<0.02	0.5
W674311		14.6	95.0	<0.002	0.39	1.15	4.7	<1	2.3	357	0.87	0.15	17.30	0.178	0.52	3.7
W674312		14.7	82.8	<0.002	0.51	0.53	3.9	1	1.9	480	0.97	0.25	17.35	0.124	0.46	3.5
W674313		20.8	108.5	<0.002	0.24	0.95	4.2	<1	2.5	459	1.20	<0.05	23.5	0.142	0.58	3.8
W674314		10.3	72.3	<0.002	0.37	0.96	4.6	<1	2.9	251	1.01	0.06	17.10	0.111	0.39	3.2
W674315		11.0	74.3	<0.002	0.34	0.90	4.5	<1	2.8	244	1.03	0.06	18.10	0.113	0.39	3.5
W674316		11.4	81.8	<0.002	0.33	0.42	5.0	<1	2.8	236	0.99	0.10	18.85	0.124	0.47	4.0
W674317		15.0	92.2	<0.002	0.17	0.83	3.8	<1	6.5	580	1.11	<0.05	21.8	0.105	0.58	2.7
W674318		12.4	74.9	0.003	0.63	1.26	10.6	<1	6.7	621	0.96	0.12	14.35	0.312	0.51	5.1
W674319		10.5	114.5	<0.002	0.78	16.10	11.7	1	9.8	500	0.94	0.16	12.85	0.344	0.75	4.7
W674320		10.2	131.0	<0.002	0.70	9.26	6.7	1	3.5	317	0.97	0.09	18.15	0.198	0.75	3.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5
W674281		14	3.2	13.0	27	63.8
W674282		15	2.3	15.5	38	56.2
W674283		13	1.6	16.5	25	62.2
W674284		13	2.1	17.5	31	61.1
W674285		130	16.4	20.2	313	29.3
W674286		12	1.9	17.5	36	56.2
W674287		12	4.1	16.9	37	58.7
W674288		15	5.5	14.8	28	58.5
W674289		16	5.6	17.6	24	60.2
W674290		130	7.6	22.1	69	20.6
W674291		15	7.3	16.1	19	39.7
W674292		4	1.4	13.6	7	8.6
W674293		15	3.5	17.0	27	43.9
W674294		13	3.0	20.7	25	52.5
W674295		14	3.6	23.1	32	58.0
W674296		16	2.0	17.8	31	76.7
W674297		15	2.5	19.8	28	73.2
W674298		15	2.5	18.2	33	73.9
W674299		14	1.2	20.3	42	57.0
W674300		11	0.6	16.2	32	47.4
W674301		15	0.9	21.2	42	61.3
W674302		13	0.8	17.2	35	61.5
W674303		12	1.8	18.0	25	54.6
W674304		16	1.9	17.0	27	50.4
W674305		148	3.0	17.4	83	23.2
W674306		18	1.7	12.6	30	33.8
W674307		15	4.1	15.9	36	67.3
W674308		14	1.1	15.4	29	77.2
W674309		32	2.9	15.1	38	40.9
W674310		2	0.1	1.9	2	28.2
W674311		19	0.7	15.5	34	59.9
W674312		11	1.0	17.0	23	45.8
W674313		20	1.4	16.8	31	40.1
W674314		10	1.7	17.4	19	36.3
W674315		10	1.9	17.5	20	32.5
W674316		10	0.6	18.8	22	35.3
W674317		10	0.6	14.8	16	53.1
W674318		46	6.1	22.1	41	61.4
W674319		60	27.4	17.5	43	66.1
W674320		23	8.1	14.6	27	66.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
W674321		3.45	<0.005	0.05	7.00	14.9	4810	2.89	0.41	2.42	0.05	76.0	4.6	6	6.12	10.5
W674322		3.18	0.014	0.09	6.73	15.4	7710	2.99	0.15	1.93	0.03	52.2	3.7	5	6.74	23.4
W674323		3.78	1.700	1.91	2.83	10.6	2740	1.12	0.15	1.01	0.05	27.9	2.6	14	1.99	11.9
W674324		3.77	0.508	0.48	6.18	21.6	3420	1.95	0.13	1.72	0.08	44.2	3.6	6	4.23	9.6
W674325		0.11	1.275	0.73	7.20	17.0	500	0.77	0.35	4.69	1.23	26.9	27.6	186	1.23	177.0
W674326		4.04	0.033	0.07	6.54	18.3	3650	2.56	0.11	2.26	0.08	62.3	6.9	21	6.51	11.6
W674327		3.57	0.009	0.05	6.89	16.4	2230	2.49	0.09	1.62	0.03	73.7	3.8	8	4.21	11.6
W674328		3.93	0.020	0.05	7.90	28.4	3690	2.63	0.15	1.56	0.04	89.1	3.7	6	4.63	8.7
W674329		3.92	0.209	0.13	7.06	10.0	3360	2.23	0.10	1.56	<0.02	76.9	3.3	9	3.69	6.7
W674330		0.11	<0.005	0.13	7.69	1.7	630	0.68	0.23	4.15	0.09	28.9	12.9	11	0.68	148.5
W674331		3.83	0.940	0.46	4.81	7.1	720	1.74	0.14	2.28	0.08	48.1	3.1	10	2.37	5.8
W674332		3.76	2.54	1.02	6.89	10.4	2510	2.22	0.18	2.53	0.06	75.6	5.9	5	2.94	14.3
W674333		3.74	2.94	1.22	6.42	5.2	2690	2.22	0.45	2.29	0.07	67.3	5.6	25	3.56	13.1
W674334		3.41	2.02	1.26	7.32	5.5	2640	2.53	0.31	1.43	0.05	82.9	4.7	5	4.06	7.2
W674335		1.39	1.315	0.77	7.47	4.2	2130	2.50	0.17	1.20	0.04	78.5	3.8	4	4.07	6.8
W674336		4.02	1.525	0.74	7.08	9.1	2550	2.61	0.23	3.20	0.07	72.9	7.4	13	4.41	13.2
W674337		3.75	1.055	0.65	6.55	6.7	3010	2.36	0.22	2.04	0.05	71.2	5.8	8	3.17	24.1
W674338		2.82	0.341	0.23	5.98	4.8	3190	2.03	0.09	2.21	0.05	65.9	2.5	10	3.35	5.1
W674339		3.13	2.04	1.80	6.03	6.9	1980	2.04	0.22	2.42	0.09	64.6	6.0	12	3.37	15.8
W674340		3.57	1.770	2.14	6.40	6.2	1920	4.28	0.98	2.31	0.10	74.8	5.9	13	3.68	15.2
W674341		4.55	1.430	2.51	6.89	6.5	1600	2.15	0.27	1.40	0.05	71.7	3.0	6	3.12	7.3
W674342		4.29	4.13	3.91	7.19	8.7	760	2.35	0.99	2.00	0.08	80.9	4.4	5	3.58	9.7
W674343		5.00	0.833	0.34	3.01	3.5	550	0.99	0.11	1.13	0.03	32.6	1.8	19	0.74	2.9
W674344		3.40	1.965	1.46	6.64	6.5	1610	2.02	0.14	1.87	0.08	80.1	4.9	7	2.43	4.3
W674345		0.11	7.11	0.78	7.50	14.3	510	0.78	0.48	3.52	0.18	21.7	13.4	36	0.97	73.7
W674346		3.17	1.415	0.76	6.76	9.3	2880	2.35	0.16	1.68	0.05	72.2	3.8	6	2.58	4.3
W674347		3.88	0.516	0.35	7.24	10.9	3450	2.24	0.07	2.17	0.08	88.4	5.0	4	2.30	4.7
W674348		3.77	1.440	0.50	4.06	4.4	1440	1.07	0.74	1.30	0.07	47.2	2.7	11	1.63	10.9
W674349		3.44	1.510	0.72	6.47	10.1	2950	1.83	0.22	1.92	0.07	75.4	4.4	6	2.34	8.2
W674350		0.47	<0.005	0.01	0.25	0.7	50	0.12	0.03	0.02	<0.02	4.45	0.5	13	0.20	1.8
W674351		3.20	1.840	0.49	7.09	8.3	3300	3.09	0.20	1.15	<0.02	76.7	3.6	5	3.65	5.5
W674352		3.64	1.525	0.72	5.04	7.8	4030	1.96	0.79	1.70	0.06	52.1	2.5	8	2.31	3.4
W674353		3.85	0.978	0.54	6.35	18.3	3250	3.90	0.19	1.59	0.07	69.6	3.3	5	3.98	7.4
W674354		3.86	1.425	1.11	6.61	13.7	3570	2.99	0.21	2.38	0.08	80.8	4.2	7	2.63	3.9
W674355		1.61	1.195	0.85	6.77	11.7	3590	3.08	0.19	2.22	0.07	78.5	3.9	5	2.64	3.9
W674356		4.12	1.350	0.80	6.48	4.4	1760	2.17	0.28	2.31	0.06	74.4	5.4	6	1.61	6.0
W674357		3.93	1.385	1.02	6.81	8.0	2820	2.04	0.29	1.87	0.05	72.5	4.2	7	1.97	6.6
W674358		3.48	1.640	1.53	5.89	18.7	1450	2.02	0.61	1.84	0.09	62.2	4.4	7	1.74	16.4
W674359		3.94	1.315	0.93	6.85	7.1	3120	3.85	0.16	1.39	0.04	72.5	3.1	7	3.77	4.2
W674360		3.82	0.931	0.53	6.20	4.7	3000	3.06	0.11	0.89	0.04	55.2	1.9	10	2.70	5.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
W674321		2.66	20.9	0.16	1.4	0.039	4.22	37.6	13.7	0.34	521	6.52	0.09	13.6	2.0	540
W674322		2.29	20.9	0.15	1.4	0.047	4.64	24.2	13.0	0.17	441	17.75	0.04	13.1	3.0	650
W674323		1.59	8.38	0.06	0.5	0.015	1.49	13.6	11.4	0.07	327	23.1	<0.01	4.9	2.0	220
W674324		2.38	18.15	0.13	1.4	0.036	4.69	20.4	9.2	0.16	475	18.80	0.07	12.3	2.2	440
W674325		4.79	16.35	0.10	1.1	0.068	1.08	11.8	11.7	3.15	1100	5.39	2.02	6.7	145.0	450
W674326		3.03	19.10	0.14	1.4	0.037	3.60	29.8	7.7	0.55	571	1.80	0.65	12.0	7.8	620
W674327		2.74	18.95	0.13	1.3	0.051	3.97	37.5	7.2	0.39	461	3.88	0.60	12.7	1.9	690
W674328		3.24	21.4	0.16	1.4	0.034	3.77	46.0	8.3	0.32	541	4.47	1.37	14.3	1.2	670
W674329		2.30	18.95	0.15	1.4	0.039	4.58	39.6	7.1	0.41	478	1.68	0.99	13.8	2.1	500
W674330		3.77	16.60	0.09	1.1	0.060	1.25	11.9	7.0	1.34	938	3.47	2.43	3.2	6.9	580
W674331		2.31	11.60	0.10	0.7	0.032	3.00	23.6	13.9	0.50	661	3.24	0.03	8.6	2.6	470
W674332		3.12	18.00	0.14	1.5	0.042	4.49	36.6	5.6	0.67	773	5.04	1.66	12.2	2.3	820
W674333		2.23	16.95	0.14	1.4	0.031	4.76	34.6	12.9	0.70	653	53.4	0.21	9.9	6.6	440
W674334		2.30	18.05	0.16	1.6	0.024	4.92	43.1	12.1	0.51	465	18.05	0.10	11.4	3.0	400
W674335		1.85	18.50	0.16	1.4	0.023	5.09	42.2	11.4	0.45	344	7.13	0.06	10.6	2.3	420
W674336		3.20	17.95	0.18	1.1	0.031	5.07	37.1	9.6	1.02	786	10.60	0.06	11.2	7.4	640
W674337		2.25	17.25	0.17	1.4	0.033	5.39	35.8	14.1	0.67	645	8.67	0.05	11.8	5.0	610
W674338		1.74	12.50	0.14	1.5	0.024	4.23	35.6	12.1	0.70	690	6.55	0.04	11.1	2.9	390
W674339		2.41	13.55	0.15	1.1	0.031	3.89	33.3	8.0	0.81	736	8.55	0.04	9.4	5.0	530
W674340		2.66	17.25	0.17	1.4	0.037	4.65	37.8	7.8	0.80	777	232	0.06	11.7	6.8	530
W674341		2.31	18.10	0.16	1.6	0.022	4.51	35.6	10.6	0.51	542	24.0	0.06	11.5	1.4	450
W674342		3.12	18.35	0.16	1.3	0.031	5.24	41.1	10.1	0.70	642	159.0	0.05	12.0	1.5	490
W674343		1.60	8.05	0.10	0.5	0.021	2.62	12.8	15.1	0.34	390	6.21	0.03	4.2	2.0	270
W674344		2.20	18.05	0.16	1.5	0.054	4.71	37.9	8.6	0.57	598	2.74	0.06	13.6	2.7	580
W674345		5.89	14.25	0.11	0.8	0.099	0.87	9.1	7.7	1.25	936	14.55	2.29	2.9	23.8	600
W674346		2.47	17.55	0.17	1.6	0.045	4.70	34.7	8.3	0.54	562	3.22	0.09	11.9	2.5	520
W674347		3.49	19.10	0.19	1.6	0.054	5.37	43.0	4.2	0.73	732	4.85	1.69	13.0	1.6	760
W674348		2.00	10.10	0.14	0.8	0.025	3.45	23.2	5.8	0.41	455	175.0	0.13	7.3	2.3	330
W674349		2.69	16.70	0.17	1.5	0.044	5.13	37.3	7.5	0.60	639	11.80	0.06	11.8	3.4	550
W674350		0.94	0.65	0.05	1.0	<0.005	0.08	2.2	7.7	0.02	105	0.58	0.05	0.7	2.2	30
W674351		1.91	19.45	0.15	1.5	0.035	5.28	39.2	11.2	0.42	369	3.04	0.04	11.5	3.9	370
W674352		1.85	12.45	0.14	1.1	0.019	3.85	27.1	12.6	0.50	475	26.2	0.03	7.7	4.2	170
W674353		2.32	16.45	0.15	1.4	0.033	4.11	36.4	16.8	0.49	481	12.40	0.03	9.7	3.3	470
W674354		3.10	17.15	0.17	1.6	0.040	5.48	39.2	10.0	0.67	660	3.99	0.05	12.4	3.1	650
W674355		2.92	17.80	0.18	1.6	0.040	5.89	38.0	9.5	0.64	659	5.58	0.10	12.1	2.9	630
W674356		3.22	16.65	0.16	1.4	0.041	5.33	35.9	6.6	0.67	768	4.05	0.07	11.8	5.0	560
W674357		2.82	16.65	0.18	1.5	0.034	4.82	35.3	5.1	0.58	619	5.65	0.46	12.2	2.7	520
W674358		2.70	13.90	0.16	1.3	0.043	4.85	30.4	12.6	0.55	532	28.3	0.07	9.9	7.3	350
W674359		2.14	18.00	0.17	1.6	0.038	4.49	34.3	10.4	0.44	420	3.03	0.05	12.3	2.5	490
W674360		1.40	14.60	0.12	1.2	0.017	4.41	28.2	10.9	0.33	306	2.27	0.04	9.5	2.6	190



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
W674321		10.9	128.5	<0.002	0.48	14.90	6.9	1	4.6	500	0.98	0.07	15.85	0.234	0.87	3.5
W674322		12.4	127.0	<0.002	0.29	26.5	6.4	1	3.2	782	0.91	0.06	11.85	0.240	0.94	3.1
W674323		8.0	37.1	<0.002	0.19	6.73	2.6	<1	1.7	748	0.33	1.40	5.10	0.082	0.32	1.9
W674324		11.9	84.5	<0.002	0.24	12.40	4.5	<1	2.5	263	0.88	0.44	11.55	0.189	0.81	2.9
W674325		49.3	21.6	<0.002	0.12	1.82	18.6	<1	1.4	382	0.41	0.07	4.04	0.272	0.30	1.4
W674326		10.5	94.8	<0.002	0.35	8.08	7.5	<1	1.3	394	0.79	0.06	11.95	0.276	0.75	3.7
W674327		10.4	113.5	<0.002	0.29	19.25	4.2	1	2.0	304	0.79	<0.05	13.55	0.237	0.70	3.8
W674328		11.6	104.0	<0.002	0.33	9.15	4.9	<1	1.6	382	0.88	0.08	14.90	0.232	0.69	4.9
W674329		13.1	108.0	<0.002	0.41	11.50	3.7	<1	5.5	371	1.02	0.17	18.25	0.185	0.75	3.0
W674330		9.5	22.5	<0.002	0.01	0.57	17.8	<1	0.9	474	0.22	<0.05	2.78	0.264	0.19	1.2
W674331		7.9	75.1	<0.002	0.64	19.05	3.1	1	2.8	883	0.55	0.69	7.54	0.139	0.53	2.3
W674332		16.6	80.6	<0.002	1.10	15.00	7.1	1	3.3	444	0.82	0.73	12.00	0.285	0.66	3.1
W674333		12.5	81.0	0.002	0.96	14.50	5.4	1	2.5	316	0.71	1.40	14.10	0.186	0.70	3.0
W674334		10.9	87.5	<0.002	1.13	15.10	4.3	1	2.1	244	0.86	1.83	17.50	0.170	0.77	2.8
W674335		9.0	93.3	0.002	0.93	15.50	3.3	<1	2.0	239	0.81	1.10	18.35	0.162	0.77	2.2
W674336		9.8	114.5	0.004	0.90	23.0	9.7	1	2.0	334	0.76	1.06	12.65	0.277	0.83	2.7
W674337		8.6	104.0	<0.002	0.80	20.6	6.3	1	3.5	476	0.70	1.02	11.85	0.232	0.74	2.7
W674338		8.1	80.9	0.002	0.31	9.07	3.7	<1	2.6	484	1.04	0.33	26.4	0.120	0.67	3.8
W674339		8.8	75.1	0.003	1.14	13.95	6.6	1	2.4	309	0.61	1.64	11.00	0.201	0.58	1.7
W674340		19.2	71.7	0.006	1.60	12.40	6.8	2	2.4	416	0.81	2.93	12.65	0.209	0.83	2.9
W674341		8.8	63.4	<0.002	1.42	8.99	4.1	1	2.3	333	0.85	2.11	14.60	0.169	0.72	1.8
W674342		16.3	81.9	0.004	2.29	9.50	5.4	2	2.4	401	0.81	3.51	13.90	0.198	0.79	2.6
W674343		4.3	56.1	<0.002	0.52	25.4	2.2	1	1.0	1640	0.27	0.56	5.55	0.062	0.44	1.4
W674344		7.3	77.7	0.003	1.03	20.3	4.4	1	4.5	371	0.83	2.60	12.50	0.199	1.01	2.3
W674345		25.0	20.7	0.006	0.03	8.81	19.2	<1	1.9	313	0.19	0.29	1.68	0.299	0.19	0.7
W674346		7.6	76.5	<0.002	0.92	26.9	5.6	1	2.8	252	0.92	1.30	12.85	0.202	1.00	2.5
W674347		8.9	86.4	0.002	0.51	27.7	8.4	<1	2.2	341	0.81	0.36	11.50	0.257	0.72	2.2
W674348		9.1	63.5	0.003	0.68	15.60	3.1	1	1.8	357	0.45	1.03	6.75	0.114	0.53	1.2
W674349		7.3	89.8	<0.002	1.02	19.60	5.0	1	2.6	341	0.76	1.09	11.85	0.189	0.92	2.1
W674350		0.8	2.6	<0.002	<0.01	0.28	0.4	<1	0.2	3.4	0.10	<0.05	1.33	0.016	0.02	0.4
W674351		5.6	125.5	<0.002	0.74	26.6	3.9	1	1.8	263	0.88	0.83	17.25	0.159	0.93	5.4
W674352		6.1	90.5	<0.002	0.51	22.7	2.3	<1	1.5	327	0.64	0.58	9.45	0.096	0.68	3.6
W674353		5.2	124.0	<0.002	0.46	47.1	3.8	<1	1.8	301	0.72	0.44	12.45	0.171	0.86	8.9
W674354		6.7	117.0	<0.002	0.87	30.8	5.8	1	1.9	294	0.83	1.29	12.40	0.221	1.02	6.1
W674355		6.8	112.5	0.002	0.71	31.7	5.9	1	1.9	285	0.86	1.25	12.85	0.221	1.02	5.1
W674356		5.8	96.3	0.002	0.98	23.9	6.0	1	2.4	438	0.77	1.23	10.20	0.214	0.99	4.3
W674357		9.3	82.8	<0.002	1.19	18.35	5.7	1	2.7	276	0.84	1.49	12.65	0.203	0.93	3.0
W674358		12.4	79.8	0.002	1.45	20.8	4.5	1	3.4	212	0.74	2.04	11.10	0.155	0.85	2.5
W674359		9.0	86.3	<0.002	0.90	20.8	5.1	1	1.7	301	0.84	1.54	14.95	0.201	0.96	3.5
W674360		7.0	92.7	<0.002	0.74	8.76	1.9	1	1.5	275	0.87	0.82	17.05	0.084	0.76	3.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674321		26	15.3	15.2	34	58.6
W674322		24	55.2	12.6	28	69.3
W674323		14	13.1	6.2	11	40.0
W674324		37	20.8	8.6	27	69.2
W674325		124	15.6	19.5	296	29.3
W674326		38	13.6	13.0	47	58.5
W674327		17	34.6	12.7	32	62.7
W674328		13	12.1	14.2	45	71.2
W674329		29	23.4	10.6	24	55.8
W674330		131	7.1	22.1	68	21.0
W674331		37	22.4	8.2	23	33.3
W674332		67	38.2	9.7	28	61.7
W674333		38	28.6	6.8	19	61.0
W674334		35	26.9	6.7	16	74.8
W674335		33	27.5	6.0	14	65.1
W674336		77	49.0	8.7	27	52.6
W674337		50	38.5	7.4	23	68.0
W674338		27	18.7	7.2	16	57.2
W674339		43	28.1	6.4	22	50.9
W674340		32	26.8	7.1	23	61.1
W674341		21	18.7	6.2	15	72.2
W674342		23	19.4	7.4	18	58.5
W674343		15	7.5	4.9	11	19.8
W674344		39	29.0	6.6	20	65.4
W674345		152	3.2	16.9	84	21.3
W674346		38	41.9	8.3	25	67.2
W674347		77	39.9	8.9	40	72.1
W674348		30	15.5	4.2	15	36.7
W674349		57	30.2	7.3	24	65.2
W674350		2	0.2	1.5	2	27.6
W674351		42	33.3	8.0	20	61.4
W674352		37	19.1	5.1	20	41.7
W674353		39	50.6	7.8	39	58.9
W674354		50	64.8	9.0	39	67.9
W674355		54	66.0	8.8	39	67.5
W674356		59	38.6	7.9	30	60.7
W674357		50	33.7	7.4	22	62.9
W674358		29	24.8	6.9	24	53.5
W674359		42	35.2	7.6	17	64.4
W674360		20	12.8	4.2	10	43.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method	WEI-21	Au-AA24	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR															
W674361		3.65	0.601	0.39	5.68	5.2	4230	2.16	0.08	0.49	0.02	48.7	1.4	8	2.31	5.4
W674362		3.72	1.755	1.05	6.80	5.9	2250	2.31	0.19	1.20	0.05	68.2	2.7	8	2.33	8.4
W674363		4.31	1.745	1.41	5.80	4.6	1330	3.76	0.23	0.65	0.03	52.7	2.6	10	2.09	5.4
W674364		3.44	0.521	0.34	6.50	6.1	2900	2.26	0.07	0.84	0.04	61.6	2.5	9	1.59	8.4
W674365		0.11	1.250	1.34	8.02	22.5	530	0.87	0.31	5.01	1.25	29.1	26.7	194	1.23	185.0
W674366		4.09	0.197	0.18	6.50	11.4	5200	2.78	0.05	1.25	0.04	66.3	2.1	9	1.90	22.4
W674367		4.31	0.439	0.27	6.46	10.8	3790	2.22	0.08	1.66	0.08	62.0	3.2	15	1.50	27.0
W674368		3.75	1.685	3.66	3.10	3.6	1060	0.84	2.32	0.65	0.06	35.9	5.0	21	0.70	18.3
W674369		3.68	2.19	1.34	6.44	3.8	2080	1.66	0.31	1.48	0.06	75.6	3.6	8	0.94	3.7
W674370		0.11	<0.005	0.12	7.58	1.2	620	0.79	0.31	4.17	0.11	29.0	12.1	10	0.61	156.5
W674371		3.92	1.480	0.89	5.40	5.1	2450	1.47	0.58	1.15	0.05	61.6	3.0	12	0.96	3.9
W674372		3.95	2.35	1.33	5.92	3.1	1540	1.51	0.64	1.31	0.05	62.9	3.5	11	0.74	3.8
W674373		3.86	1.550	0.69	5.79	3.6	2930	1.46	0.49	1.40	0.07	64.6	3.0	13	0.44	3.3
W674374		3.72	2.76	1.23	5.23	1.8	780	23.9	0.34	1.68	0.07	48.6	3.8	11	0.62	4.1
W674375		1.65	2.30	1.39	5.32	1.4	820	13.15	0.37	1.47	0.07	48.6	4.2	12	0.67	4.1
W674376		3.90	0.313	0.16	5.62	2.9	5870	2.63	0.06	1.46	0.06	47.4	2.2	12	1.22	9.5
W674377		2.86	2.88	1.59	4.43	3.3	930	1.95	1.46	1.00	0.05	42.3	4.1	14	1.51	7.0
W674378		4.53	1.575	2.88	4.29	4.4	1830	1.72	1.55	0.80	0.13	36.5	4.4	13	1.35	33.1
W674379		3.88	1.075	1.62	5.32	2.6	1380	2.02	1.61	0.76	0.05	48.0	3.9	13	1.38	4.5
W674380		3.72	0.986	0.79	4.12	2.1	1660	1.29	0.42	0.62	0.05	38.6	2.3	20	1.07	3.5
W674381		3.46	1.355	1.14	5.14	2.1	1440	1.26	0.58	0.68	0.05	47.1	3.4	14	0.85	3.4
W674382		4.15	0.856	1.03	4.65	2.4	1170	1.55	0.91	0.66	0.03	40.6	3.0	15	1.16	3.6
W674383		3.97	1.510	1.70	4.21	3.2	1690	1.93	1.07	0.53	0.04	32.6	4.4	15	1.61	7.8
W674384		3.30	2.68	4.88	4.51	12.1	1640	2.48	5.66	1.22	0.06	42.0	7.5	25	1.88	36.1
W674385		0.11	6.60	0.93	7.41	13.2	510	0.74	0.47	3.60	0.16	21.8	13.3	39	1.00	72.8
W674386		3.77	1.205	1.27	5.01	3.6	1790	2.13	1.30	1.52	0.07	47.5	4.9	18	1.80	2.3
W674387		3.95	1.275	0.27	5.44	4.2	1710	2.46	0.17	2.23	0.12	48.5	4.2	33	1.75	2.9
W674388		3.50	0.717	0.51	6.06	4.0	2010	2.48	0.26	2.36	0.07	57.9	4.8	21	1.62	3.7
W674389		3.98	0.891	0.59	6.52	6.4	600	3.36	0.25	4.48	0.15	57.9	10.0	10	1.00	7.6
W674390		0.48	<0.005	0.01	0.22	0.9	20	0.10	0.03	0.03	<0.02	4.29	0.4	13	0.20	1.7
W674391		4.06	0.097	0.20	7.52	10.2	970	7.26	0.08	3.70	0.10	63.6	9.9	10	4.93	28.5
W674392		4.98	0.042	0.08	6.96	9.4	2280	3.54	0.05	3.98	0.13	58.4	13.1	14	1.83	28.7
W674393		5.35	0.021	0.04	7.63	7.7	1610	3.86	0.05	2.75	0.06	71.0	12.9	13	5.41	11.5
W674394		6.32	0.023	0.29	6.60	13.0	1320	5.43	0.04	4.81	0.19	66.6	18.2	197	5.45	38.6
W674395		2.78	0.049	0.21	6.20	11.9	1190	5.14	0.04	4.97	0.19	57.7	17.6	196	4.74	44.2
W674396		7.05	0.112	0.36	5.80	11.0	880	4.23	0.05	5.23	0.21	51.7	18.4	199	5.82	28.1
W674397		5.25	0.561	1.63	6.12	10.1	630	4.28	0.13	3.96	0.13	56.2	15.8	114	5.95	19.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR																
W674361		0.98	13.75	0.13	1.0	0.011	4.17	25.0	9.7	0.21	179	2.14	0.05	7.3	2.2	130
W674362		1.81	16.60	0.15	1.3	0.018	4.89	34.4	7.3	0.42	404	6.58	0.06	10.8	3.5	270
W674363		1.66	14.10	0.13	1.1	0.011	4.52	27.1	8.4	0.26	222	15.90	0.44	7.9	3.2	140
W674364		1.25	16.00	0.15	1.3	0.018	4.32	32.0	4.8	0.31	221	1.69	1.60	8.6	2.2	220
W674365		5.11	15.75	0.12	1.1	0.073	1.16	11.5	11.6	3.40	1160	5.50	2.12	6.1	153.5	480
W674366		1.46	16.55	0.14	1.3	0.060	4.42	34.9	5.5	0.40	365	0.98	1.32	9.0	2.3	320
W674367		2.03	15.90	0.12	1.2	0.038	4.49	31.4	4.3	0.56	495	4.64	1.63	10.0	3.8	500
W674368		1.69	7.71	0.10	0.7	0.013	3.27	18.2	4.3	0.21	234	452	0.12	6.2	7.9	190
W674369		2.93	17.25	0.16	1.5	0.032	4.50	37.6	3.5	0.50	487	28.4	1.47	12.2	3.7	460
W674370		3.75	15.40	0.11	1.0	0.053	1.23	11.9	6.7	1.31	927	2.51	2.41	3.0	6.8	570
W674371		2.18	14.45	0.16	1.2	0.025	4.30	31.2	3.7	0.39	392	99.9	1.17	10.3	4.3	340
W674372		2.42	17.50	0.16	1.2	0.028	4.37	31.4	2.4	0.42	472	131.0	1.77	11.2	6.3	390
W674373		2.63	17.25	0.15	1.1	0.038	4.25	32.3	1.5	0.42	496	80.3	1.98	11.5	4.5	450
W674374		2.13	16.05	0.12	0.8	0.037	2.97	24.0	2.6	0.53	593	52.1	2.01	8.7	6.6	370
W674375		2.03	16.20	0.14	0.8	0.031	3.07	23.9	2.8	0.46	508	50.7	1.97	9.0	6.6	390
W674376		1.78	15.35	0.12	1.0	0.024	4.32	24.6	4.0	0.48	502	3.48	0.98	8.7	3.0	290
W674377		1.57	12.45	0.12	0.9	0.016	3.38	22.0	6.1	0.35	372	426	0.13	7.8	7.1	210
W674378		1.35	11.55	0.10	0.8	0.016	3.52	19.3	5.2	0.29	343	364	0.22	6.9	7.0	130
W674379		1.44	14.50	0.11	1.1	0.016	3.60	25.4	4.9	0.27	347	438	0.95	10.9	5.3	230
W674380		1.28	10.75	0.11	0.8	0.013	3.68	21.1	4.3	0.23	283	92.0	0.30	4.1	4.4	90
W674381		1.29	13.90	0.12	0.9	0.009	3.97	25.7	2.8	0.24	270	114.5	1.24	6.6	5.1	180
W674382		1.21	11.70	0.11	0.6	0.015	4.12	21.8	4.6	0.24	254	216	0.37	7.0	5.9	140
W674383		1.29	11.65	0.10	0.6	0.010	3.10	17.7	9.9	0.20	188	163.0	0.04	4.3	6.9	170
W674384		1.67	13.35	0.11	0.9	0.030	3.24	23.9	11.6	0.44	369	1385	0.03	11.8	12.8	200
W674385		5.91	14.50	0.12	0.8	0.098	0.88	9.3	7.3	1.27	952	15.25	2.33	2.9	23.6	590
W674386		1.68	12.95	0.13	1.0	0.022	4.49	25.6	9.2	0.53	469	186.0	0.05	10.3	9.7	250
W674387		2.20	14.60	0.14	0.8	0.045	5.10	26.3	7.3	0.79	731	7.56	0.06	10.9	9.6	300
W674388		2.22	16.40	0.14	1.0	0.049	5.38	30.5	6.2	0.80	530	11.85	0.12	10.7	9.0	500
W674389		3.75	19.10	0.16	0.6	0.075	4.33	27.9	3.4	1.46	824	3.76	2.10	11.7	9.0	1740
W674390		0.81	0.59	<0.05	0.9	<0.005	0.06	2.1	7.1	0.02	90	0.46	0.04	0.6	2.1	20
W674391		3.68	19.65	0.15	0.9	0.066	3.57	31.5	6.6	1.40	574	1.47	2.27	10.4	8.5	1060
W674392		5.15	17.70	0.15	0.7	0.060	3.97	27.3	4.7	1.65	626	1.72	2.82	10.4	6.1	1260
W674393		4.30	19.50	0.16	1.0	0.056	3.15	34.2	5.1	1.52	439	1.26	2.81	11.6	5.8	1230
W674394		4.53	16.90	0.16	0.5	0.049	3.00	31.4	12.1	2.76	758	5.00	2.38	10.1	51.8	890
W674395		4.48	15.95	0.14	0.4	0.050	2.89	26.6	12.1	2.79	809	9.41	2.31	9.3	52.6	1070
W674396		4.21	15.15	0.12	0.4	0.047	2.96	24.7	10.5	2.90	892	1.74	1.45	9.2	43.4	690
W674397		4.33	15.70	0.15	0.4	0.054	3.85	25.8	5.4	1.96	784	6.35	1.27	12.3	15.3	810



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
W674361		7.0	87.5	<0.002	0.53	7.51	1.1	1	0.9	278	0.83	0.43	16.95	0.052	0.78	1.9
W674362		9.9	83.5	<0.002	1.10	10.10	2.8	1	1.6	266	0.90	1.40	18.50	0.117	0.93	2.5
W674363		8.8	90.0	<0.002	1.31	7.53	1.6	1	1.2	206	0.79	1.83	15.80	0.064	0.70	3.0
W674364		6.5	81.6	<0.002	0.62	8.16	2.2	<1	1.9	241	0.81	0.42	17.25	0.088	0.63	2.4
W674365		50.7	30.7	0.003	0.12	1.78	19.4	<1	1.4	400	0.40	0.05	4.14	0.288	0.29	1.4
W674366		8.3	84.3	<0.002	0.37	19.25	2.8	<1	7.6	406	0.72	0.09	15.45	0.121	0.73	1.7
W674367		13.7	67.6	<0.002	0.62	20.3	4.8	<1	2.3	447	0.74	0.23	12.85	0.162	0.73	2.0
W674368		44.8	53.7	0.004	1.11	11.35	1.5	1	1.5	163.0	0.35	3.41	4.63	0.078	0.51	1.8
W674369		9.9	65.0	<0.002	1.23	7.74	4.7	1	2.6	445	0.71	0.75	10.60	0.173	0.66	1.8
W674370		9.6	19.8	<0.002	0.01	0.59	17.9	<1	0.9	472	0.22	<0.05	2.80	0.262	0.20	1.2
W674371		13.9	64.1	0.002	0.81	8.64	3.6	1	2.1	532	0.69	0.79	8.54	0.147	0.57	1.9
W674372		14.5	62.7	<0.002	1.11	6.97	4.1	1	2.2	639	0.66	0.95	8.87	0.158	0.53	2.2
W674373		12.3	57.1	0.003	0.69	9.35	4.6	1	2.2	429	0.71	0.73	9.39	0.177	0.49	2.3
W674374		9.8	48.5	<0.002	0.98	2.86	4.6	1	1.7	845	0.44	0.90	5.93	0.111	0.35	1.4
W674375		10.4	50.6	<0.002	0.91	3.18	4.0	1	1.7	864	0.50	0.93	6.65	0.113	0.38	1.5
W674376		5.7	72.2	<0.002	0.35	7.92	2.9	<1	1.8	561	0.57	0.14	9.62	0.111	0.56	1.4
W674377		31.4	63.4	0.002	0.99	5.31	1.7	1	1.6	347	0.54	1.74	9.94	0.070	0.50	1.7
W674378		37.2	61.8	0.008	0.85	20.5	1.4	1	1.7	250	0.50	2.32	9.84	0.049	0.46	1.6
W674379		37.1	62.3	0.014	1.08	3.66	1.4	1	2.4	331	0.65	1.48	11.90	0.079	0.49	3.0
W674380		12.2	69.4	<0.002	0.80	1.66	1.1	1	1.1	239	0.53	0.63	12.95	0.026	0.51	2.4
W674381		15.1	74.4	<0.002	0.91	2.00	1.3	1	1.3	340	0.55	0.92	16.50	0.051	0.49	1.9
W674382		22.0	73.1	0.002	0.72	2.08	1.1	1	1.7	268	0.59	1.12	12.90	0.058	0.55	1.2
W674383		20.6	59.6	<0.002	0.94	5.77	1.0	1	1.1	274	0.40	1.53	13.95	0.038	0.50	2.1
W674384		102.0	61.2	0.006	0.82	30.9	2.3	2	3.0	291	0.65	7.72	13.20	0.117	0.85	6.1
W674385		26.2	21.1	0.005	0.03	8.77	19.2	1	1.9	316	0.19	0.31	1.70	0.301	0.18	0.8
W674386		17.0	66.2	0.002	0.65	5.31	2.5	1	2.1	391	0.74	1.34	14.15	0.088	0.63	5.1
W674387		5.3	68.9	<0.002	0.34	9.12	4.4	<1	2.9	532	0.69	0.22	12.10	0.126	0.65	4.2
W674388		7.5	70.6	<0.002	0.42	7.19	5.2	1	3.3	763	0.86	0.38	13.90	0.176	0.82	4.8
W674389		10.0	65.3	0.002	0.46	12.15	18.0	<1	8.8	2740	0.60	0.41	5.92	0.658	0.59	3.8
W674390		1.2	2.2	<0.002	<0.01	0.24	0.4	<1	0.2	7.3	0.10	<0.05	1.22	0.015	0.02	0.4
W674391		8.5	91.9	<0.002	0.19	18.75	20.3	<1	8.3	532	0.62	0.16	7.57	0.454	0.65	2.6
W674392		12.5	74.4	<0.002	0.45	9.17	20.0	1	3.0	391	0.52	0.09	6.09	0.485	0.49	1.8
W674393		10.9	89.7	<0.002	0.24	6.23	20.7	<1	2.4	470	0.70	0.06	8.91	0.553	0.63	2.4
W674394		12.8	98.1	0.002	0.24	9.98	21.5	<1	2.4	804	0.57	0.08	8.33	0.393	0.66	3.3
W674395		14.0	93.9	0.002	0.22	8.09	20.9	<1	2.5	774	0.50	0.06	6.95	0.362	0.62	3.1
W674396		11.5	91.1	<0.002	0.18	5.23	21.0	<1	2.3	580	0.52	0.20	7.15	0.324	0.62	3.6
W674397		15.6	89.5	<0.002	0.73	5.51	20.0	1	3.1	525	0.63	1.11	7.02	0.389	0.62	3.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
W674361		13	7.1	3.3	7	32.8
W674362		28	17.5	4.9	12	44.9
W674363		12	7.4	3.3	7	40.4
W674364		25	12.0	4.2	9	43.4
W674365		132	16.6	18.9	319	26.1
W674366		55	20.3	5.0	14	49.5
W674367		67	24.4	5.9	19	45.2
W674368		17	6.9	3.2	7	23.6
W674369		66	19.6	5.9	15	60.7
W674370		129	7.2	20.7	67	18.8
W674371		56	17.3	4.6	12	48.4
W674372		50	18.7	4.3	13	49.2
W674373		81	22.7	5.4	15	44.7
W674374		35	12.6	4.4	15	31.9
W674375		38	13.7	4.3	14	33.4
W674376		53	14.3	4.0	15	39.2
W674377		16	5.9	2.9	8	35.2
W674378		7	3.3	2.1	11	25.0
W674379		13	5.4	2.8	6	41.7
W674380		4	1.7	2.2	5	24.5
W674381		6	3.8	2.3	5	31.7
W674382		7	4.6	2.1	5	18.5
W674383		6	3.4	2.0	5	19.8
W674384		38	11.5	3.9	15	33.5
W674385		154	2.9	17.1	85	21.4
W674386		31	8.0	3.5	12	37.0
W674387		65	16.2	4.2	19	29.5
W674388		69	21.2	5.6	21	34.2
W674389		164	76.6	10.2	39	19.9
W674390		2	0.2	1.4	2	24.0
W674391		178	34.6	11.2	44	34.0
W674392		224	34.1	11.4	59	21.1
W674393		178	24.9	12.2	47	37.7
W674394		180	18.4	11.7	91	13.8
W674395		166	18.2	11.2	89	12.6
W674396		167	15.4	9.7	106	10.8
W674397		149	23.7	10.7	60	10.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: COMSTOCK METALS LTD.
 310 - 850 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E1

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 21-NOV-2017
 Account: COMSTOM

Project: QV

CERTIFICATE OF ANALYSIS WH17236242

	CERTIFICATE COMMENTS												
Applies to Method:	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>REE's may not be totally soluble in this method. ME-MS61</p>												
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">BAG-01</td> <td style="width: 33%;">CRU-32</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 15%;"></td> </tr> <tr> <td>LOG-22</td> <td>LOG-23</td> <td>PUL-32</td> <td>DRY-22</td> </tr> <tr> <td>SPL-21</td> <td>WEI-21</td> <td></td> <td>PUL-QC</td> </tr> </table>	BAG-01	CRU-32	CRU-QC		LOG-22	LOG-23	PUL-32	DRY-22	SPL-21	WEI-21		PUL-QC
BAG-01	CRU-32	CRU-QC											
LOG-22	LOG-23	PUL-32	DRY-22										
SPL-21	WEI-21		PUL-QC										
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">Au-AA24</td> <td style="width: 50%;">ME-MS61</td> </tr> </table>	Au-AA24	ME-MS61										
Au-AA24	ME-MS61												

CDN Resource Laboratories Ltd.

#2, 20148 – 102nd Avenue, Langley, B.C., Canada, V1M 4B4, 604-882-8422, Fax: 604-882-8466 (www.cdnlabs.com)

REFERENCE MATERIAL: CDN-GS-1R

Recommended value and the "Between Laboratory" two standard deviations

<i>Gold</i>	<i>1.21 g/t ± 0.11 g/t</i>	<i>30g FA, instrumental</i>	<i>Certified value</i>
-------------	----------------------------	-----------------------------	------------------------

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.
DATE OF CERTIFICATION: May 25, 2015

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-GS-1R was prepared using 793 kg of blank granite and 7 kg of a high grade gold ore.

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 15 commercial laboratories for round robin assaying. Round robin results are displayed below:

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
SAMPLE	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
GS-1R-1	1.29	1.21	1.24	1.26	1.27	1.28	1.16	1.19	1.16	1.16	1.12	1.20	1.01	1.15	1.22
GS-1R-2	1.25	1.21	1.26	1.29	1.22	1.25	1.18	1.21	1.07	1.21	1.22	1.18	1.14	1.26	1.27
GS-1R-3	1.19	1.11	1.25	1.30	1.17	1.29	1.23	1.21	1.12	1.13	1.23	1.21	1.10	1.28	1.14
GS-1R-4	1.25	1.16	1.21	1.29	1.16	1.24	1.17	1.22	1.20	1.21	1.13	1.33	1.17	1.30	1.21
GS-1R-5	1.22	1.12	1.16	1.31	1.23	1.27	1.20	1.28	1.25	1.21	1.14	1.25	1.09	1.24	1.16
GS-1R-6	1.16	1.16	1.24	1.27	1.23	1.27	1.18	1.24	1.11	1.23	1.23	1.29	1.14	1.21	1.21
GS-1R-7	1.26	1.10	1.23	1.15	1.23	1.32	1.19	1.26	1.18	1.19	1.13	1.32	1.17	1.29	1.22
GS-1R-8	1.23	1.21	1.23	1.24	1.22	1.39	1.18	1.26	1.14	1.17	1.24	1.28	1.09	1.19	1.22
GS-1R-9	1.24	1.05	1.27	1.16	1.16	1.33	1.17	1.26	1.09	1.15	1.24	1.22	1.07	1.26	1.22
GS-1R-10	1.23	1.17	1.11	1.19	1.22	1.34	1.19	1.20	1.21	1.18	1.24	1.34	1.13	1.22	1.19
Mean	1.23	1.15	1.22	1.25	1.21	1.30	1.19	1.23	1.15	1.18	1.19	1.26	1.11	1.24	1.21
Std. Dev'n	0.0361	0.0542	0.0492	0.0591	0.0369	0.0464	0.0196	0.0315	0.0584	0.0311	0.0544	0.0581	0.0480	0.0474	0.0360
%RSD	2.93	4.71	4.03	4.74	3.04	3.57	1.65	2.56	5.06	2.62	4.57	4.60	4.32	3.82	2.98

APPROXIMATE CHEMICAL COMPOSITION (by whole rock analysis):

	Percent		Percent
SiO ₂	56.7	Na ₂ O	2.8
Al ₂ O ₃	16.0	MgO	5.9
Fe ₂ O ₃	7.4	K ₂ O	1.4
CaO	7.1	TiO ₂	0.5
MnO	0.2	LOI	1.5
Total S	0.1		

REFERENCE MATERIAL: CDN-GS-1R

Statistical Procedures:

The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The mean and standard deviation were calculated using all remaining data. Any analysis that fell outside of the mean ± 2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.


Participating Laboratories: (not in same order as table of assays)

Bureau Veritas (Acme), Vancouver, BC, Canada
Activation Laboratories, Ancaster, Ontario, Canada
Activation Laboratories, Thunder Bay, Ontario, Canada
AGAT, Mississauga, Ontario, Canada
ALS Canada, North Vancouver, BC, Canada
American Assay Laboratories Inc., Sparks, Nevada, USA
Certimin, Lima, Peru
Intertek – Genalysis, Perth, Australia
Met-Solve Analytical Services, Langley, BC, Canada
ALS Loughrea (Omac), Ireland
SGS, Lima, Peru
SGS, Vancouver, BC, Canada
Skyline Laboratories, Arizona, USA
TSL Laboratories Ltd., Saskatoon, SK, Canada
Ultra Trace Laboratories Ltd., Perth, Australia


Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by


Duncan Sanderson, Certified Assayer of B.C.

Geochemist


Dr. Barry Smee, Ph.D., P. Geo.

CDN Resource Laboratories Ltd.

#2, 20148 – 102nd Avenue, Langley, B.C., Canada, V1M 4B4, 604-882-8422, Fax: 604-882-8466 (www.cdnlabs.com)

REFERENCE MATERIAL: CDN-GS-7G

Recommended value and the "Between Laboratory" two standard deviations

Gold	7.19 g/t	±	0.37 g/t	30 g FA, instrumental	Certified value
Gold	7.15 g/t	±	0.40 g/t	30 g FA, gravimetric	Certified value

Note: Standards with an RSD of near or less than 5% are certified; RSD's of between 5% and 15% are Provisional; RSD's over 15% are Indicated. Provisional and Indicated values cannot be used to monitor accuracy with a high degree of certainty.

The certified value and between lab 2SD calculated for each element are based on specific analytical procedures. It is inappropriate to apply them to other techniques.

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.
DATE OF CERTIFICATION: June 21, 2016

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-GS-7G was prepared using 730 kg of low grade granitic ore with 70 kg of gold bearing ore.

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 15 commercial laboratories for round robin assaying. Round robin results are displayed below:

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
Instrumental	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
GS-7G-1	7.21	7.56	7.07	6.88	7.30	6.94	7.17	7.32	7.17	6.66	7.18	7.45	7.29	7.22	7.07
GS-7G-2	7.51	7.58	7.20	6.98	7.25	6.68	7.27	7.42	7.30	7.25	7.06	7.52	7.42	7.14	7.01
GS-7G-3	7.23	7.59	7.17	7.00	7.42	7.03	7.36	7.11	7.34	7.03	6.87	7.39	7.37	7.17	6.95
GS-7G-4	7.20	7.50	7.35	6.74	7.41	7.06	7.23	7.24	7.21	6.90	7.11	7.37	7.13	7.02	7.07
GS-7G-5	7.61	7.50	7.12	6.80	7.21	7.26	7.00	7.18	6.99	6.98	7.14	7.16	7.33	7.01	7.06
GS-7G-6	7.22	7.49	7.01	7.05	7.34	6.91	7.20	7.11	7.15	6.86	7.15	7.64	7.30	6.97	7.08
GS-7G-7	7.15	7.44	7.05	7.03	7.29	6.83	7.20	7.12	7.21	7.00	6.71	7.49	7.14	7.11	7.16
GS-7G-8	7.04	7.46	7.32	7.03	7.35	7.15	7.22	7.28	7.40	7.20	7.13	7.42	7.49	6.94	7.15
GS-7G-9	7.14	7.48	7.14	6.79	7.29	7.19	7.23	7.45	7.22	7.28	6.95	7.70	7.30	6.93	7.14
GS-7G-10	7.32	7.52	6.95	6.88	7.24	7.15	7.08	7.16	7.06	7.00	7.07	7.52	7.40	6.94	6.99
Mean	7.26	7.51	7.14	6.92	7.31	7.02	7.19	7.24	7.21	7.02	7.04	7.47	7.32	7.05	7.07
Std. Dev'n	0.1738	0.0495	0.1280	0.1145	0.0709	0.1802	0.0982	0.1259	0.1229	0.1900	0.1497	0.1498	0.1145	0.1066	0.0699
%RSD	2.39	0.66	1.79	1.65	0.97	2.57	1.37	1.74	1.70	2.71	2.13	2.01	1.56	1.51	0.99
Gravimetric	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
GS-7G-1	7.37	7.07	6.93	6.90	7.53	7.13	7.39	6.84	7.41	6.47	7.19	7.28	7.51	6.80	7.60
GS-7G-2	7.29	7.12	7.12	7.30	7.29	6.88	7.54	7.06	7.44	6.92	6.79	7.33	7.35	6.80	7.37
GS-7G-3	7.17	7.11	7.07	6.90	7.23	6.93	7.42	7.10	7.49	6.58	6.87	7.05	7.32	6.60	7.30
GS-7G-4	6.98	7.15	6.97	7.20	7.33	7.22	7.25	6.88	7.33	7.06	7.03	7.12	7.26	7.00	7.63
GS-7G-5	7.26	7.10	6.96	7.10	7.39	7.15	7.11	6.95	7.10	7.06	7.15	7.17	7.17	6.50	7.57
GS-7G-6	7.07	7.08	6.96	7.10	7.36	7.14	7.25	7.35	7.13	7.14	7.15	6.98	7.34	6.70	7.43
GS-7G-7	7.20	7.23	7.33	6.90	7.51	6.87	7.34	6.96	7.38	7.21	6.69	7.18	7.34	6.70	7.67
GS-7G-8	7.22	7.11	6.70	7.10	7.30	6.91	7.33	6.82	7.35	7.06	6.95	7.23	7.37	6.90	7.57
GS-7G-9	7.13	7.16	7.05	7.00	7.34	7.23	7.10	7.29	7.20	7.15	7.07	7.17	7.59	7.20	7.30
GS-7G-10	7.17	7.09	6.78	7.00	7.34	7.08	6.91	7.14	7.02	7.03	7.09	7.13	7.24	6.90	7.40
Mean	7.19	7.12	6.99	7.05	7.36	7.05	7.26	7.04	7.29	6.97	7.00	7.16	7.35	6.81	7.48
Std. Dev'n	0.1111	0.0473	0.1752	0.1354	0.0939	0.1421	0.1834	0.1829	0.1608	0.2475	0.1673	0.1031	0.1235	0.2025	0.1394
%RSD	1.55	0.66	2.51	1.92	1.28	2.02	2.53	2.60	2.21	3.55	2.39	1.44	1.68	2.97	1.86

APPROXIMATE CHEMICAL COMPOSITION (by whole rock analysis):

	Percent		Percent
SiO ₂	60.0	Na ₂ O	2.9
Al ₂ O ₃	15.9	MgO	2.6
Fe ₂ O ₃	9.2	K ₂ O	1.8
CaO	5.5	TiO ₂	0.5
MnO	0.1	LOI	1.1
Total S	<0.1	Total C	<0.1

Statistical Procedures:

The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The mean and standard deviation were calculated using all remaining data. Any analysis that fell outside of the mean ± 2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.

Our certified gold values are based on 30 g Fire Assay determinations. For optimal results, we strongly recommend you assay our standards with similar methods using "at least" 30 g of material. Using a smaller sample weight may result in erratic values.

Participating Laboratories: (not in same order as table of assays)

- Actlabs, Ancaster, Ontario, Canada
- Actlabs, Thunder Bay, Ontario, Canada
- AGAT Labs, Mississauga, Ontario, Canada
- ALS Canada, North Vancouver, British Columbia, Canada
- ALS Reno, Sparks, Nevada, USA
- American Assay Laboratories Inc., Sparks, Nevada, USA
- Argetest, Ankara, Turkey
- Bureau Veritas (Acme), Vancouver, British Columbia, Canada
- Bureau Veritas (Ultra Trace), Perth, Australia
- Certimin, Lima, Peru
- Labtium, Finland
- Met-Solve Analytical Services, Langley, British Columbia, Canada
- SGS, Lakefield, Ontario, Canada
- SGS, Lima, Peru
- SGS, Vancouver, British Columbia, Canada

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by *Duncan Sanderson*
 Duncan Sanderson, Certified Assayer of B.C.

Geochemist *Barry Smee*
 Dr. Barry Smee, Ph.D., P. Geo.