

MAP NO. 105 K 2 ASSESSMENT REPORT X
PROSPECTUS
CONFIDENTIAL X OPEN FILE
DOCUMENT NO.: 092106
MINING DISTRICT: WHITEHORSE
TYPE OF WORK: GEOCHEMICAL, GEOPHYSICAL

REPORT FILED UNDER: Noranda Exploration Company Limited

DATE PERFORMED: June - October 1987 DATE FILED: Feb. 22, 1988

LOCATION: LAT.: 62°03'N AREA: Grew Creek
 LONG.: 132°50'W VALUE \$: 15,000.00

CLAIM NAME & NO.: CANYON 7-16 YA75723-32
 CANYON 33-36 YA75753-56

WORK DONE BY: H. Copland

WORK DONE FOR: Noranda Exploration Co. Ltd.

DATE TO GOOD STANDING	REMARKS: #88 GREW CREEK

GEOCHEMICAL & GEOPHYSICAL REPORT

on the

Canyon 7 - 16

Canyon 33 - 36




Whitehorse Mining District

N.T.S.: 105 K/2

Latitude: 62°03' N

Longitude: 132°50' W



Owned & Operated by:

Noranda Exploration Company, Limited

(No Personal Liability)

Whitehorse, Yukon

Hugh Copland

February, 1988

092106

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 15,000.00.

[Signature]
for **Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.**

SUMMARY

The Canyon 7 - 16, 33 - 36 claims are located within the Tintina Trench midway between Ross River and Faro Yukon. In 1987 an airborne geophysical survey was followed up with a detail soil and magnetometer survey over approximately 20 line - km of grid. Geochemical results were disappointing possibly due to the thick glacial till blanket over the area. The magnetometer survey revealed a possible fault zone marked by a linear zone of highs. Reverse circulation sampling of the bedrock/till interface is recommended in this area.

TABLE OF CONTENTS

	Page
Title Page	1
Summary	2
Table of Contents	3
List of Figures	4
CHAPTER ONE: INTRODUCTION	
1-1 Introductory Statement	5
1-2 Location & Access	5
1-3 Topography & Vegetation	5
1-4 Claim Definition	8
1-5 History	8
1-6 1987 Work Program	9
CHAPTER TWO: GEOLOGY	10
CHAPTER THREE: GEOCHEMISTRY	
3-1 Procedure	11
3-2 Results	11
CHAPTER FOUR: GEOPHYSICS	
4-1 Procedure	13
4-2 Results	13
CHAPTER FIVE: CONCLUSIONS & RECOMMENDATIONS	14
Statement of Costs	15
Selected References	16
Statement of Qualifications	17
Appendix	18
Results	19

LIST OF FIGURES

		Page
Figure 1: Location Map	1:5,000,000	6
2: Location Map	1:50,000	7
3: Grid Location Map	1:2500	in pocket
4: Soil Geochemistry Au	1:2500	"
5: Soil Geochemistry Ag	1:2500	"
6: Soil Geochemistry As	1:2500	"
7: Soil Geochemistry Hg	1:2500	"
8: Magnetometer Survey	1:2500	"

CHAPTER ONE: INTRODUCTION

1-1 Introductory Statement

The Canyon 7 - 16 & 33 - 36 claims form part of the Grew Creek Project located between Ross River and Faro Y.T.. In 1987 an airborne geophysical survey was flown over the property followed by ground based geophysics (magnetometer) and extensive soil/humus sampling in the area.

1-2 Location & Access


The claims (NTS 105 K/2, Lat: $62^{\circ}03'N$, Long: $132^{\circ}50'W$) lie just south of the Robert Campbell Highway between Ross River and Faro Y.T.. (see figs. 1&2). A 2km long 4 WD road connects the claim group to the highway. The powerline connecting Ross River to the main grid passes within 1 km of the claims.

1-3 Topography & Vegetation

The claims lie along the southwestern edge of the Tintina Trench in the Pelly Mountains. Within the Tintina Trench topography is characterized by low rolling glacial features (drumlins, moraines, etc.) of low relief. Elevation on the property varies between 700 & 975 metres. A fire during the late 1960's destroyed most of the first growth on the claims and the area has been revegetated with poplar, birch and pine. Some mature stands of spruce and pine do remain.


Numerous small pothole lakes cover the property. Drainage by several small creeks is generally to the north into the Pelly River. Major creeks through the claims include Buttle, Grew, Rat, Danger Creeks and the Lapie River.

092106



VANCAL 11828

0921000



LOCATION MAP

FIGURE 2

GREW CREEK

105 K/2

092106

Scale 1:50,000

Noranda Exploration

January, 1988

1-4 Claim Definition

The Grew Creek property consists of 332 claims. This report covers only the following claims:

CLAIM	GRANT NOS.	ANNIVERSARY
Canyon 7 - 16	YA 75723 - 32	Jan. 4, 2001
Canyon 33 - 36	YA 75753 - 56	Jan. 4, 2001

1-5 History

Exploration in the area was first conducted in the late 1800's. Recorded instances of exploration in the area are not known until 1965 when the area east of Grew & Rat Creeks (Tarn Zone) was staked by General Enterprises. EM and IP surveys and three diamond drill holes were completed in that area in subsequent years. Small placer operations have been attempted on Grew Creek proper since the early 1980's. The first of what is now the Grew Creek property was staked by Whitehorse prospector Al Carlos in June 1983 and optioned by Hudson Bay Exploration and Development later that year. They performed numerous geophysical, geochemical, and geological surveys and diamond drilling (13 holes, 1732 metres), trenching, and rotary holes (19 holes, 1660 metres) during the next 3 years. Drilling was concentrated on the Grew Creek Main and Tarn zones, whereas other surveys covered the entire property. Hudson Bay dropped the option and it was picked up by Noranda Exploration Company Limited in June 1987.

1-6 1987 Work Program

An Aerodat airborne geophysical survey was flown over the area in 1987 (Copland, 1988). Subsequent to this a grid was set up over what is known as the Tarn - Drumlin zone and a soil/humus and magnetometer survey was carried out. All work was carried out during the period June to October 1987 by the following personnel.

Hugh Copland	Project Geologist	Whitehorse, Y.T.
Jan Helsen	" "	Vancouver, B.C.
Kent Pearson	Geologist	Edmonton, Albt.
Joey Mazumdar	Field Assistant	" "
Marvin Falk	Geophysicist	" "
Murrell Trudzik	Geologist	" "
Tim Daly	Field Assistant	Whitehorse, Y.T.

CHAPTER TWO: GEOLOGY

The claims lie within the Tintina Trench a large Cretaceous - Tertiary transcurrent fault system separating Paleozoic sediments of the Cassiar Platform to the southwest from a slice of Yukon Cataclastic terrain to the northeast. Four steeply dipping faults (Buttle Creek, Grew Creek, Danger Creek and Lapie River faults) cut the property. A down faulted block of Tertiary felsic volcanic and sedimentary rocks has been preserved between the Grew Creek and Danger Creek faults.

Auriferous mineralization to date has been limited to the Tertiary felsic volcanic rocks. The main unit observed in this package is a rhyolitic crystal-lithic-lapilli tuff typically argillically altered and locally silicified. This unit is intruded by quartz-feldspar porphyritic rhyolite dykes and sills with some minor basic - intermediate volcanic dykes. The volcanic rocks are in contact with associated volcanoclastic and clastics (sandstone, conglomerate, siltstones) to the north. This contact is faulted in some localities.

092106

CHAPTER THREE: GEOCHEMISTRY

3-1 Procedure

A 1500 metre long baseline was established over the area at bearing of 130 degrees with crosslines every 100 metres. (see fig. 3) Samples were collected at 25 metre intervals along the lines. At each location both a humus and till sample were collected. Till was obtained with the use of a spoon type auger at a depth between 0.5 and 1.0 metres. Humus was collected with the use of a mattock. A total of 798 soil and 790 humus samples were collected over the grid.

All samples were placed in Kraft sample bags and the location marked with flagging. Sample preparation and analysis was performed both by Noranda's Vancouver Laboratory and commercial labs. Soils were analysed geochemically by standard methods for Au, Ag, Hg and As whereas humus was run on a multi-element ICP analysis including the above four elements.

3-2 Results

Soil results are plotted on figures 4-7. Complete results are included in the appendix. Anomalies are weak and few. Gold and silver values are especially dismal with only 3 values greater than 10 ppb Au (100 ppb max.) and only one silver value greater than 1.0 ppm (1.6 ppm). Arsenic values tend to be higher in the southwestern quadrant of the grid whereas mercury has spotty low value anomalies throughout the grid. Humus samples likewise do not reflect any significant anomalies nor do they correspond with the weak soil anomalies.

The low values may in part be due to the thick blanket of glacial till covering the survey area. Limited reverse circulation sampling of the till/bedrock interface by Hudson Bay turned out some significant Au, Hg, and As anomalies beneath some areas covered by the grid. Migration of the elements through the layer of till to the surface appears to be almost non-existent. Soil/humus sampling cannot be recommended in this area as viable exploration technique.

CHAPTER FOUR: GEOPHYSICS

4-1 Procedure

The same grid as used for the soil survey was utilized for the magnetometer. A Scintrex MP3 with base station was used to take readings every 12.5 metres along the lines.


4-2 Results

The values were filtered and contoured and are presented on figure 8. A series of mag highs trends across the top half of the grid in an easterly direction. These are separated from spotty highs in the south by a broad depression in the centre of the grid. Lithologies and structure observed in the area trend to the east and the higher magnetometer signature may represent a fault or shear zone.

CHAPTER FIVE: CONCLUSIONS & RECOMMENDATIONS

A detail soil and magnetometer study over the Tarn zone has failed to identify any significant drill targets. Soil sampling, as observed on other parts of the property, is not viable with the thick blanket of glacial till. Magnetometer on the other hand may be useful in delineating structure. Sampling of the bedrock over this linear structure with the use of a reverse circulation drill is recommended prior to diamond drilling.

Respectfully submitted by



Hugh Copland

STATEMENT OF COSTS

1) LABOUR	a) Field 60 m-d @ 100/day	\$ 6,000.
	b) Office 10 m-d @ 100/day	1,000.
		<hr/>
	Sub-total	7,000.
2) ANALYTICAL COSTS	a) Soils (Au, Ag, As, Hg)	
	798 X \$12/sample	9,576.
	b) Humus (multielement)	
	790 X \$20/sample	15,800.
		<hr/>
	Sub-total	25,376.
3) FOOD & ACCOMODATION	60 m-d @\$50/day	3,000.
4) TRANSPORTAION		500.
5) MISCELLANEOUS	a) Drafting 2 days @ \$150/day	300.
	b) Plotting 4 hours @ \$100/hr.	400.
	c) Secretarial 1 day @ \$100/day	100.
		<hr/>
	Sub-total	\$ 800.
	TOTAL	\$36,676.

092106

SELECTED REFERENCES

Copland, H.

1988: Geochemical & Geophysical Report on the Canyon 37 - 96, 218 - 222, 301 - 347 and Grand 1 - 136, 138 - 162 Claims; Assessment Report Jan. 1988.

Garagan, T & Allen, P

1985: Canyon Project, 1984 & 1985 Exploration Activities, Hudson Bay Exploration and Development; internal report.

Stroshein, R


1986: Canyon Project, 1986 Exploration Activities, Hudson Bay Exploration & Development; internal report.

092106

STATEMENT OF QUALIFICATIONS

I, Hugh Copland of the City of Whitehorse, Yukon, do hereby certify that:

1. I have been an employee of Noranda Exploration Company Limited (NPL) in Whitehorse since May, 1985.
2. I am a graduate of the University of British Columbia with a B.Sc. in Geology and of McMaster University, Hamilton, Ontario with a B.Eng..
3. I am a member of the Yukon Professional Geoscientist Society, and the Geological Association of Canada.
4. I supervised work on the CANYON Claims during 1987.



Hugh Copland
Project Geologist

092108

APPENDIX

Results

092106

GEOCHEMICAL ICF ANALYSIS

Green G (7H) 8709-046
 Town Creek

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA AND K. AU DETECTION LIMIT BY ICF IS 3 PPM.
 - SAMPLE TYPE: HUMUS AU ANALYSIS BY AA FROM 10 GRAM SAMPLE. HG ANALYSIS BY FLAMELESS AA.

DATE RECEIVED: SEPT 10 1987 DATE REPORT MAILED: *Sept 21/87* ASSAYER: *D. J. Toy*...DEAN TOYE, CERTIFIED B.C. ASSAYER

NORANDA EXPLORATION PROJECT-8709-046 331 File # 87-4056 Page 1

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU*	HG
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB	
L9+900E 10+500N	2	6	5	103	.1	4	2	180	.32	2	5	ND	1	93	1	2	2	4	2.56	.146	2	2	.33	231	.01	18	.17	.01	.17	1	1	80
L9+900E 10+475N	2	16	6	80	.6	7	1	250	.31	4	5	ND	2	93	4	2	2	6	2.26	.117	2	3	.20	266	.01	10	.17	.02	.12	1	1	60
L9+900E 10+450N	2	14	2	113	.1	7	2	515	.43	3	5	ND	1	95	2	2	2	7	2.71	.148	2	5	.22	311	.01	12	.25	.02	.13	1	1	70
L9+900E 10+425N	2	16	2	101	1.7	6	1	421	.14	2	5	ND	1	121	3	2	2	2	3.26	.112	2	2	.32	284	.01	17	.09	.01	.11	1	1	90
L9+900E 10+400N	1	16	9	124	.4	10	2	479	.37	2	5	ND	1	123	3	2	2	7	3.31	.124	2	3	.24	419	.01	14	.24	.02	.10	2	2	80
L9+900E 10+375N	2	12	5	110	.1	9	1	561	.32	2	5	ND	1	123	3	2	2	4	3.33	.141	3	3	.25	421	.01	14	.15	.01	.13	3	1	70
L9+900E 10+350N	2	18	6	128	.1	9	2	1123	.76	5	5	ND	1	99	1	2	2	8	2.75	.120	5	6	.20	583	.01	10	.31	.02	.16	1	1	60
L9+900E 10+325N	2	35	7	177	.3	20	4	2352	.51	3	11	ND	1	257	3	2	4	7	6.09	.154	6	4	.69	809	.01	22	.42	.03	.07	1	1	40
L9+900E 10+300N	2	18	2	181	.3	7	2	641	.45	4	5	ND	1	160	3	2	2	8	3.16	.098	4	4	.35	538	.01	12	.37	.02	.09	1	1	110
L9+900E 10+275N	1	19	5	158	.5	7	3	1048	.36	2	5	ND	1	135	2	2	3	7	3.54	.115	3	4	.18	600	.01	10	.28	.03	.10	1	1	30
L9+900E 10+250N	1	18	6	80	.4	7	1	345	.48	3	5	ND	1	98	3	3	2	9	1.91	.092	3	4	.11	411	.01	2	.32	.03	.11	1	1	40
L9+900E 10+225N	2	19	4	423	1.0	8	2	2946	.36	2	5	ND	1	182	3	2	2	6	6.27	.149	2	3	.16	851	.01	15	.19	.02	.12	1	1	60
L9+900E 10+200N	1	15	10	96	.5	10	2	801	.43	2	5	ND	1	110	3	2	2	7	2.85	.117	4	4	.14	512	.01	12	.27	.02	.11	1	1	50
L9+900E 10+175N	1	15	6	99	.4	9	2	604	.33	3	5	ND	1	180	3	2	2	6	5.01	.148	5	3	.22	750	.01	19	.22	.02	.12	2	1	60
L9+900E 10+150N	1	12	3	65	.6	5	1	235	.27	2	5	ND	1	102	1	2	2	4	2.67	.126	3	2	.16	314	.01	11	.14	.02	.13	1	1	50
L9+900E 10+125N	3	15	2	154	.2	6	1	484	.18	2	5	ND	1	174	3	2	2	4	4.51	.159	7	2	.29	538	.01	13	.14	.01	.14	1	1	70
L9+900E 10+100N	1	27	4	276	.1	6	2	712	.37	2	6	ND	1	367	4	2	4	6	6.97	.169	5	3	.50	441	.01	23	.26	.04	.11	1	1	50
L9+900E 10+075N	2	18	4	154	.2	6	1	478	.22	2	5	ND	1	178	3	2	2	3	4.91	.152	7	1	.40	360	.01	18	.14	.01	.12	1	1	60
L9+900E 10+050N	2	18	2	340	.2	9	1	648	.11	6	8	ND	1	244	1	4	6	1	5.13	.128	2	1	1.01	181	.01	36	.10	.04	.12	1	4	80
L9+900E 10+025N	2	15	9	154	.1	3	2	278	.43	2	5	ND	1	115	3	2	2	5	2.43	.097	4	3	.19	290	.01	17	.15	.03	.12	1	1	50
L9+900E 10+000N	1	18	10	178	.4	8	2	685	.54	4	5	ND	1	81	3	2	2	8	1.59	.098	6	4	.14	337	.01	9	.23	.03	.10	1	1	60
L9+900E 9+975N	1	14	11	155	1.3	5	1	546	.25	2	5	ND	1	115	4	2	2	3	2.49	.123	3	1	.15	351	.01	21	.14	.02	.10	1	1	120
L9+900E 9+950N	2	13	5	204	.3	4	2	589	.14	2	5	ND	1	203	5	2	2	2	4.78	.136	2	2	.26	362	.01	28	.06	.01	.13	1	1	70
L9+900E 9+925N	1	13	9	110	.6	4	2	946	.30	2	5	ND	2	128	1	2	2	4	2.92	.125	3	1	.20	474	.01	17	.13	.02	.16	1	1	60
L9+900E 9+900N	1	16	8	109	.4	3	2	1136	.33	2	5	ND	1	97	1	2	2	4	2.12	.113	4	2	.14	354	.01	17	.16	.02	.14	1	1	40
L9+900E 9+875N	1	16	6	174	.3	3	2	918	.24	2	5	ND	1	161	3	2	2	4	4.24	.121	4	2	.20	572	.01	25	.14	.02	.13	1	1	70
L9+900E 9+850N	1	13	3	72	.7	6	2	1046	.42	2	5	ND	2	96	1	2	2	7	1.93	.088	13	3	.14	525	.01	6	.25	.03	.12	1	3	50
L9+900E 9+825N	3	13	10	216	.7	5	2	619	.17	2	9	ND	2	128	4	2	2	2	3.13	.140	3	2	.18	378	.01	17	.09	.01	.13	1	1	60
L9+900E 9+800N	3	13	9	115	.5	5	2	473	.31	2	5	ND	1	93	2	2	2	4	2.10	.129	3	2	.18	424	.01	16	.21	.02	.14	1	2	80
L9+900E 9+775N	6	12	6	70	.1	5	2	346	.37	2	5	ND	1	79	2	2	2	5	1.96	.095	4	3	.22	218	.01	17	.22	.02	.19	1	1	70
L9+900E 9+750N	3	10	13	152	.2	4	2	538	1.03	2	5	ND	4	97	1	2	2	7	2.14	.086	8	4	.14	159	.01	5	.20	.01	.11	1	1	180
L9+900E 9+725N	1	10	11	130	.1	4	4	704	1.33	4	5	ND	3	103	1	2	2	9	1.81	.076	8	7	.16	264	.01	5	.34	.01	.15	1	4	160
L9+900E 9+700N	2	8	3	132	.1	5	2	364	.40	2	5	ND	1	145	1	2	2	5	3.49	.130	3	3	.66	241	.01	19	.18	.01	.11	1	3	140
L9+900E 9+675N	3	22	9	276	.2	9	2	507	.48	3	5	ND	1	245	2	2	8	8	5.17	.165	3	4	1.02	312	.01	29	.28	.02	.10	1	4	50
L9+900E 9+650N	4	16	5	149	.5	13	3	245	.71	7	8	ND	3	107	3	6	5	10	2.26	.090	5	5	.49	292	.01	7	.29	.02	.10	1	6	60
L9+900E 9+625N	2	31	13	177	.1	32	7	637	1.88	8	5	ND	5	139	2	2	3	27	4.61	.097	11	19	.73	398	.02	5	.67	.02	.15	1	1	70
STD C/AU-3	20	63	39	132	7.2	73	29	1069	4.10	40	19	7	40	54	19	17	22	60	.50	.090	41	62	.90	181	.09	34	1.85	.06	.14	11	52	1300

092106

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	M	AU*	HG
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB	
L9+900E 9+600N	2	37	14	360	.2	38	7	406	1.78	7	5	ND	4	215	2	2	2	31	6.40	.124	10	17	.70	458	.01	15	.77	.02	.21	1	2	80
L9+900E 9+575N	1	27	4	788	.2	15	3	300	.50	2	18	ND	1	174	10	2	3	10	5.82	.184	3	5	.29	295	.01	30	.23	.01	.14	1	1	60
L9+900E 9+550N	2	38	22	452	.2	38	7	555	1.75	8	5	ND	3	135	3	3	2	28	3.77	.153	9	17	.50	522	.01	20	.69	.01	.26	1	1	70
L9+900E 9+525N	1	27	8	718	.3	17	3	245	.65	4	5	ND	1	168	6	2	2	11	5.42	.149	3	7	.36	437	.01	28	.28	.01	.17	1	1	90
L9+900E 9+500N	1	25	12	341	.1	22	5	367	1.21	3	5	ND	1	100	3	2	2	20	2.79	.102	7	11	.33	434	.01	11	.55	.02	.14	1	1	40
L9+900E 9+475N	1	27	10	427	.1	13	3	687	.57	2	5	ND	1	146	6	2	2	9	3.69	.150	3	5	.28	353	.01	24	.28	.01	.15	1	1	100
L9+900E 9+450N	1	33	8	485	.1	19	4	479	.59	2	6	ND	1	321	5	3	2	11	10.93	.178	3	6	.40	507	.01	33	.36	.02	.12	1	1	90
L9+900E 9+425N	1	42	3	709	.1	18	3	484	.51	2	5	ND	1	396	6	2	3	10	12.00	.158	3	5	.79	413	.01	28	.38	.04	.09	1	1	40
L9+900E 9+400N	1	37	4	426	.1	20	4	486	.86	2	5	ND	1	289	6	2	2	15	8.91	.157	5	9	.65	419	.01	21	.50	.03	.14	1	2	80
L9+900E 9+375N	1	27	2	172	.1	12	2	1279	.11	2	5	ND	1	338	2	2	5	3	13.56	.181	2	2	.57	305	.01	77	.08	.02	.11	1	1	70
L9+900E 9+350N	1	26	12	310	.3	15	3	491	.81	6	5	ND	1	214	2	3	2	13	5.39	.135	8	9	.55	333	.01	34	.34	.02	.18	1	1	60
L9+900E 9+325N	1	30	7	144	.1	26	6	603	1.09	3	5	ND	1	197	2	2	2	18	4.92	.149	8	13	.71	370	.01	27	.45	.01	.19	1	1	90
L9+900E 9+300N	1	33	13	258	.1	22	5	747	1.19	2	5	ND	1	102	4	2	2	19	1.87	.078	8	16	.33	355	.02	10	.64	.03	.16	1	1	40
L10+000E 10+500N	1	24	6	122	.2	8	2	250	.42	2	5	ND	1	138	3	2	2	8	3.41	.146	3	4	.26	447	.01	27	.25	.03	.16	1	1	60
L10+000E 10+475N	1	25	10	306	.3	9	2	551	.38	2	5	ND	1	130	8	2	2	7	3.32	.174	2	6	.21	433	.01	22	.23	.02	.18	1	1	50
L10+000E 10+450N	1	16	3	151	.4	7	1	460	.26	2	5	ND	1	138	4	2	2	4	3.50	.150	2	2	.23	337	.01	18	.12	.01	.14	1	1	80
L10+000E 10+425N	1	19	9	70	.1	11	4	636	.54	3	5	ND	1	105	1	2	2	10	2.18	.102	4	4	.17	678	.01	6	.40	.03	.12	1	1	70
L10+000E 10+400N	1	16	7	115	.2	6	1	371	.22	2	5	ND	1	153	2	2	2	3	3.85	.142	2	2	.21	393	.01	18	.11	.01	.14	1	2	90
L10+000E 10+375N	1	18	3	100	.3	8	2	808	.41	2	5	ND	1	153	2	2	2	7	3.53	.156	3	5	.24	534	.01	14	.25	.03	.16	1	1	60
L10+000E 10+350N	1	24	9	344	.3	8	3	362	.47	2	5	ND	1	178	4	2	2	9	3.89	.205	7	5	.27	565	.01	17	.37	.02	.16	1	1	90
L10+000E 10+325N	1	19	8	110	.5	7	2	384	.40	3	5	ND	1	89	2	2	2	8	1.46	.122	4	4	.13	479	.01	5	.26	.03	.15	1	1	100
L10+000E 10+300N	1	15	4	87	.1	6	1	431	.28	2	5	ND	1	121	2	2	2	5	2.66	.118	2	2	.22	422	.01	9	.18	.02	.12	1	2	90
L10+000E 10+275N	2	23	4	175	.1	8	2	347	.33	2	5	ND	1	237	2	2	2	7	5.78	.228	3	3	.30	642	.01	28	.23	.03	.19	1	1	60
L10+000E 10+250N	1	14	6	111	.6	3	1	355	.30	2	5	ND	1	89	2	2	2	5	1.68	.103	2	2	.16	318	.01	5	.16	.02	.12	1	1	80
L10+000E 10+225N	1	19	6	167	.3	11	4	1416	.57	2	5	ND	1	113	2	2	2	10	2.47	.094	5	5	.20	481	.01	6	.36	.03	.11	1	1	70
L10+000E 10+200N	1	16	9	122	.2	5	2	442	.32	2	5	ND	1	190	3	2	3	4	4.29	.139	3	2	.31	404	.01	12	.13	.01	.19	1	1	100
L10+000E 10+175N	1	19	10	97	.8	4	2	253	.34	2	5	ND	1	157	2	2	3	5	2.90	.132	6	4	.21	491	.01	17	.18	.02	.14	1	2	90
L10+000E 10+150N	3	18	4	148	.1	3	1	383	.12	2	5	ND	1	218	2	2	2	3	6.71	.181	3	1	.27	538	.01	24	.09	.01	.19	1	1	80
L10+000E 10+125N	1	16	14	109	.3	7	2	442	.38	2	5	ND	1	199	3	2	2	5	4.44	.161	5	3	.18	583	.01	12	.17	.01	.15	1	1	100
L10+000E 10+100N	1	35	10	413	.2	11	3	829	.47	11	5	ND	1	426	5	4	7	10	9.47	.227	5	5	.92	775	.01	52	.38	.03	.13	1	1	60
L10+000E 10+075N	1	24	12	99	.4	8	3	375	.81	2	5	ND	1	94	2	2	2	11	1.69	.103	9	6	.19	360	.01	10	.47	.04	.12	1	1	50
L10+000E 10+050N	1	19	11	64	.6	7	3	185	.53	2	5	ND	1	86	2	2	2	9	1.02	.075	7	5	.10	356	.01	10	.33	.01	.08	2	1	110
L10+000E 10+025N	2	16	5	247	.3	7	2	1195	.20	2	15	ND	1	234	2	2	3	6	4.56	.132	2	2	.58	296	.01	23	.16	.03	.11	1	1	100
L10+000E 10+000N	1	12	5	71	.9	3	1	172	.38	2	5	ND	1	59	2	2	2	6	.89	.076	4	3	.10	247	.01	5	.20	.02	.09	1	1	90
L10+000E 9+975N	1	18	14	126	.5	7	3	766	.48	2	5	ND	1	113	2	2	2	7	1.74	.114	8	3	.16	506	.01	5	.22	.02	.13	1	2	70
L10+000E 9+950N	1	16	7	117	.2	4	1	686	.24	2	5	ND	1	166	2	2	2	4	3.36	.146	3	3	.19	363	.01	23	.13	.02	.19	1	1	80
STD C/AU-S	21	63	42	134	7.0	73	30	1038	4.05	41	16	9	49	60	20	16	20	60	.50	.094	41	61	.88	173	.10	40	1.82	.07	.17	15	47	1300

092106

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	HG	BA	TI	B	AL	MA	K	W	AU#	HG
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	%	PPM	PPB	PPB
L10+000E 9+925N	1	13	5	57	.1	3	1	631	.29	5	5	ND	1	113	1	2	2	4	2.33	.115	3	2	.21	285	.01	8	.14	.02	.19	1	1	60
L10+000E 9+900N	1	13	6	72	.2	2	1	809	.18	4	5	ND	1	163	2	2	2	2	4.05	.150	2	2	.21	417	.01	15	.09	.01	.11	1	1	80
L10+000E 9+875N	1	17	5	139	.4	2	1	1146	.25	3	5	ND	1	143	2	2	2	3	3.72	.154	4	2	.23	432	.01	17	.12	.01	.13	2	1	70
L10+000E 9+850N	1	16	5	159	.4	3	1	637	.16	2	5	ND	1	196	3	2	2	2	5.25	.124	2	1	.25	569	.01	20	.08	.01	.12	1	1	80
L10+000E 9+825N	1	13	9	190	.1	5	2	536	.64	7	5	ND	1	141	3	2	2	6	3.13	.088	9	3	.29	304	.01	18	.17	.01	.11	1	1	50
L10+000E 9+800N	1	16	8	152	.3	2	2	939	.21	4	5	ND	1	159	2	2	2	3	3.73	.107	3	2	.24	660	.01	17	.10	.01	.11	1	1	80
L10+000E 9+775N	1	19	5	119	.2	3	2	623	.33	2	5	ND	2	125	3	2	2	4	3.01	.113	5	2	.20	393	.01	9	.15	.02	.13	1	1	90
L10+000E 9+750N	1	10	2	104	.1	3	1	116	.17	3	5	ND	1	177	1	2	2	2	5.21	.086	2	1	.42	301	.01	13	.09	.01	.05	1	1	70
L10+000E 9+725N	2	16	12	155	.3	8	1	332	.40	2	5	ND	1	81	3	2	2	6	1.56	.117	3	4	.18	422	.01	2	.23	.02	.09	1	1	80
L10+000E 9+700N	1	13	4	111	.6	5	1	338	.17	3	5	ND	1	115	2	2	2	3	2.51	.136	2	2	.17	294	.01	17	.09	.02	.14	1	1	90
L10+000E 9+675N	1	17	9	128	.2	6	2	1372	.58	2	5	ND	1	126	1	2	2	7	3.33	.102	9	5	.17	549	.01	10	.29	.02	.15	1	1	70
L10+000E 9+650N	1	19	16	112	.1	12	3	449	1.34	4	5	ND	5	79	1	3	2	13	1.81	.077	35	8	.32	303	.01	2	.47	.01	.25	1	2	40
L10+000E 9+625N	1	19	13	153	.2	6	2	826	.88	5	5	ND	3	111	2	2	2	8	2.79	.116	20	5	.36	302	.01	11	.33	.01	.14	1	1	100
L10+000E 9+600N	2	19	11	182	.3	12	3	425	1.12	8	5	ND	4	121	4	2	2	10	3.13	.122	30	6	.41	329	.01	13	.35	.01	.22	1	1	70
L10+000E 9+575N	1	13	6	169	.1	5	1	276	.30	2	5	ND	1	147	2	2	3	3	5.13	.087	7	2	.41	441	.01	10	.11	.01	.10	1	1	120
L10+000E 9+550N	1	24	11	147	.1	15	3	384	.83	4	6	ND	2	182	2	2	2	16	5.24	.143	12	8	.49	455	.01	20	.49	.02	.19	1	1	70
L10+000E 9+525N	1	24	2	232	.4	10	1	197	.18	4	12	ND	1	186	2	2	3	3	6.91	.083	2	2	.54	282	.01	14	.08	.01	.06	1	1	80
L10+000E 9+500N	1	9	4	299	.1	3	1	122	.07	2	5	ND	1	106	4	2	2	1	3.55	.054	2	1	.24	143	.01	10	.03	.01	.04	1	1	60
L10+000E 9+475N	2	19	3	95	.4	5	1	125	.26	4	5	ND	1	129	2	2	2	4	4.96	.082	2	2	.24	274	.01	6	.15	.01	.10	1	1	100
L10+000E 9+450N	2	52	10	254	.4	24	4	554	1.07	6	5	ND	1	254	8	2	5	16	10.51	.157	8	7	.57	622	.01	12	.42	.02	.11	1	1	50
L10+000E 9+425N	2	13	6	217	.2	5	1	160	.17	2	5	ND	1	127	2	2	2	2	4.35	.100	2	2	.35	247	.01	12	.07	.01	.10	1	1	110
L10+000E 9+400N	1	33	5	345	.2	20	3	345	.60	4	8	ND	1	304	5	2	2	11	10.50	.128	4	6	.54	459	.01	22	.34	.02	.09	1	1	90
L10+000E 9+375N	1	25	13	136	.1	23	6	707	1.90	12	5	ND	4	187	2	2	2	24	6.92	.077	14	15	.78	387	.02	8	.56	.02	.15	1	1	60
L10+000E 9+350N	1	22	11	126	.1	22	4	683	1.39	6	5	ND	2	319	2	2	2	18	11.20	.072	8	12	.55	325	.01	17	.48	.03	.12	1	1	50
L10+000E 9+325N	2	34	11	213	.3	27	6	460	1.39	12	6	ND	1	292	2	4	2	23	9.71	.108	8	12	.74	429	.01	7	.49	.03	.15	1	1	60
L10+000E 9+300N	1	23	11	266	.3	16	4	452	.79	2	8	ND	1	333	4	2	3	12	12.04	.101	5	8	.59	263	.01	17	.31	.03	.09	1	1	70
L10+100E 10+500N	1	16	8	122	1.3	6	1	319	.27	2	5	ND	1	123	4	3	2	5	3.21	.145	2	2	.23	332	.01	23	.12	.02	.16	1	1	80
L10+100E 10+475N	1	16	2	119	.6	5	2	446	.35	3	5	ND	1	125	3	2	2	5	2.99	.145	2	3	.26	340	.01	11	.15	.02	.17	1	1	90
L10+100E 10+450N	1	19	12	233	.1	9	2	662	.41	2	5	ND	1	160	5	2	2	5	4.37	.135	3	3	.31	465	.01	14	.15	.01	.11	1	1	80
L10+100E 10+425N	1	13	7	170	.5	2	1	352	.20	4	5	ND	1	172	3	2	2	2	4.99	.144	2	3	.35	507	.01	16	.08	.01	.16	1	1	90
L10+100E 10+400N	1	13	3	107	.2	6	2	315	.38	4	5	ND	1	168	1	3	5	5	3.81	.089	3	4	.62	386	.01	8	.18	.01	.07	1	1	110
L10+100E 10+375N	1	19	5	324	.5	5	3	373	.29	4	5	ND	1	199	4	2	2	8	4.41	.154	3	2	.24	667	.01	15	.18	.02	.10	1	1	100
L10+100E 10+350N	1	22	7	136	.4	6	3	794	.49	2	5	ND	1	106	2	2	2	9	2.68	.148	5	3	.16	404	.01	11	.33	.03	.15	1	1	60
L10+100E 10+325N	1	16	6	123	.5	5	2	598	.25	2	5	ND	1	147	6	2	2	4	2.92	.145	3	2	.24	444	.01	13	.14	.01	.17	1	1	110
L10+100E 10+300N	1	16	2	97	.6	5	1	277	.38	3	5	ND	1	96	2	2	3	6	1.78	.131	3	3	.16	296	.01	14	.21	.03	.14	1	1	70
L10+100E 10+275N	1	14	7	162	.3	5	2	897	.26	2	5	ND	1	146	2	2	2	4	3.67	.143	2	2	.22	385	.01	12	.13	.02	.12	1	1	100
STD C/AU-S	20	64	43	131	7.2	73	29	1150	4.04	44	22	9	44	56	20	15	21	63	.49	.092	42	59	.88	181	.09	32	1.83	.07	.14	13	48	1300

092106

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	HG	BA	TI	B	AL	NA	K	W	AU#	H6
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB
L10+100E 10+250N	1	17	6	59	.1	7	1	394	.43	2	5	ND	1	77	1	2	2	7	1.78	.068	3	1	.13	245	.01	2	.22	.04	.08	3	1	20
L10+100E 10+225N	1	17	2	142	.1	6	1	558	.10	2	5	ND	1	179	2	2	2	1	5.00	.175	2	1	.24	671	.01	7	.08	.01	.20	1	8	60
L10+100E 10+200N	1	13	4	53	.6	4	2	220	.27	2	5	ND	1	82	2	2	2	5	1.74	.090	4	1	.20	234	.01	4	.18	.03	.07	1	2	80
L10+100E 10+175N	1	17	5	166	.1	8	2	384	.52	2	5	ND	1	147	2	2	2	5	4.09	.135	10	3	.26	402	.01	17	.16	.02	.13	1	3	50
L10+100E 10+150N	1	15	2	156	.1	5	1	418	.19	2	5	ND	1	121	2	2	2	3	2.74	.092	2	1	.27	380	.01	8	.12	.01	.12	1	1	100
L10+100E 10+125N	1	13	2	61	.1	5	1	411	.27	2	5	ND	1	182	1	2	2	4	3.68	.098	5	1	.33	460	.01	2	.17	.03	.13	1	1	40
L10+100E 10+100N	1	6	2	78	.1	4	1	171	.14	2	5	ND	1	121	1	2	2	2	2.79	.082	2	1	.18	234	.01	6	.09	.01	.08	1	2	70
L10+100E 10+075N	1	15	2	244	.2	4	2	454	.11	3	11	ND	1	190	4	2	2	1	4.55	.118	2	1	.20	364	.01	10	.05	.01	.11	1	1	80
L10+100E 10+050N	1	16	6	115	.1	5	1	619	.16	2	5	ND	1	178	3	2	4	2	4.29	.121	3	1	.42	304	.01	14	.09	.01	.09	1	1	60
L10+100E 10+025N	1	23	2	467	.1	7	2	1112	.27	4	5	ND	1	253	2	2	2	3	6.01	.189	2	1	.42	518	.01	26	.25	.04	.07	1	2	60
L10+100E 10+000N	1	13	6	191	.1	11	4	651	1.25	5	5	ND	1	107	3	2	2	14	2.70	.129	11	9	.32	220	.01	2	.43	.01	.17	1	1	30
L10+100E 9+975N	1	13	15	134	.1	4	2	658	.85	2	5	ND	1	92	1	2	2	9	2.40	.081	10	4	.21	322	.01	2	.21	.01	.16	1	1	40
L10+100E 9+950N	1	19	7	366	.2	7	2	930	.41	2	5	ND	1	134	3	2	2	7	3.37	.130	4	2	.15	497	.01	7	.26	.02	.10	1	1	70
L10+100E 9+925N	1	23	5	184	.1	6	3	1179	.59	3	5	ND	1	124	1	2	2	8	2.69	.163	5	4	.17	509	.01	4	.29	.03	.19	1	2	50
L10+100E 9+900N	1	19	10	124	.3	18	7	965	2.14	4	5	ND	2	81	1	2	2	18	1.82	.108	22	13	.26	406	.01	2	.31	.01	.15	2	1	80
L10+100E 9+875N	1	19	17	151	.1	10	4	885	1.32	4	5	ND	6	87	1	2	2	12	1.72	.079	25	7	.27	438	.01	2	.50	.01	.19	2	2	50
L10+100E 9+850N	2	16	2	198	.1	8	2	4408	.66	3	5	ND	1	176	1	2	3	3	4.66	.123	5	1	.66	199	.01	12	.24	.07	.09	1	1	60
L10+100E 9+825N	1	23	6	99	.3	11	3	315	.54	7	7	ND	1	81	2	2	2	12	1.70	.069	4	5	.14	436	.01	2	.48	.04	.08	2	4	40
L10+100E 9+800N	1	16	2	114	.1	5	1	221	.15	3	5	ND	1	269	1	2	2	2	7.87	.073	2	1	.39	424	.01	5	.13	.01	.04	1	1	50
L10+100E 9+775N	1	22	3	218	.1	8	2	338	.44	4	5	ND	1	192	2	2	3	6	5.43	.084	6	3	.40	287	.01	2	.25	.02	.07	2	2	50
L10+100E 9+750N	2	22	7	367	.3	10	3	994	.54	3	5	ND	1	139	8	2	2	6	3.88	.104	11	3	.21	446	.01	5	.24	.02	.13	1	1	70
L10+100E 9+725N	1	16	6	135	.3	5	2	828	.27	2	7	ND	1	113	3	2	2	4	3.01	.115	3	3	.18	594	.01	2	.17	.01	.12	2	1	80
L10+100E 9+700N	2	16	2	222	.1	9	2	522	.43	5	5	ND	1	104	6	3	2	9	2.87	.113	2	3	.20	258	.01	10	.19	.02	.13	1	1	40
L10+100E 9+675N	1	16	4	175	.1	6	2	1426	.39	5	5	ND	1	82	3	2	2	6	2.10	.098	2	3	.15	414	.01	2	.22	.02	.13	1	1	60
L10+100E 9+650N	2	16	5	297	.5	6	2	1059	.12	5	5	ND	1	181	4	2	2	1	4.46	.124	2	1	.24	444	.01	13	.05	.01	.17	1	1	110
L10+100E 9+625N	1	16	3	92	.1	6	2	380	.60	4	6	ND	2	79	1	2	2	7	1.70	.063	9	2	.15	219	.01	2	.27	.03	.14	2	1	30
L10+100E 9+600N	2	15	4	295	.1	4	2	333	.14	2	5	ND	1	199	3	2	2	5	5.72	.138	2	1	.35	333	.01	17	.12	.02	.14	1	1	70
L10+100E 9+575N	5	12	5	160	.3	6	2	407	.41	4	7	ND	1	140	2	2	2	5	4.15	.095	2	3	.44	183	.01	2	.20	.01	.11	1	1	80
L10+100E 9+550N	2	17	7	273	.2	15	3	543	.70	6	5	ND	4	93	11	2	2	13	3.03	.127	5	5	.30	374	.01	12	.30	.02	.14	1	1	40
L10+100E 9+525N	2	22	8	506	.4	9	2	1063	.36	3	5	ND	1	188	11	2	2	5	6.94	.167	3	3	.19	735	.01	7	.25	.02	.09	1	3	50
L10+100E 9+500N	2	15	2	344	.3	6	1	419	.19	5	8	ND	1	114	5	2	2	4	3.85	.169	2	1	.20	351	.01	5	.11	.02	.16	1	1	60
L10+100E 9+475N	1	22	4	301	.1	8	2	429	.35	3	6	ND	1	132	8	2	2	6	4.93	.131	3	2	.17	417	.01	2	.25	.02	.11	1	1	30
L10+100E 9+450N	2	15	6	295	.1	11	2	256	.61	5	7	ND	1	89	5	2	2	9	3.08	.096	3	7	.24	354	.01	6	.24	.02	.10	1	1	40
L10+100E 9+425N	2	64	7	207	.4	25	4	581	.86	8	5	ND	1	289	5	2	2	16	13.73	.229	7	7	.37	1061	.01	9	.51	.03	.12	1	2	30
L10+100E 9+400N	3	15	5	311	.1	4	1	227	.16	2	5	ND	1	116	2	2	2	2	4.46	.134	2	1	.24	301	.01	10	.07	.01	.19	1	1	50
L10+100E 9+375N	4	15	10	201	.1	7	1	326	.19	3	5	ND	1	142	1	2	2	3	5.85	.123	2	2	.42	277	.01	25	.10	.02	.11	1	1	70
STD C/AU-S	19	64	41	132	7.2	72	29	1043	4.02	43	19	8	40	52	19	18	20	60	.50	.089	40	64	.89	179	.07	31	1.84	.06	.15	15	50	1400

092109

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AUT	HG
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB	
L10+100E 9+350N	3	17	2	156	.1	8	1	363	.15	3	22	ND	1	171	1	2	2	2	6.64	.068	2	2	.45	165	.01	27	.08	.02	.06	1	13	100
L10+100E 9+325N	7	24	2	123	.1	12	3	2553	.36	6	6	ND	1	168	2	5	2	4	5.21	.080	2	2	.26	342	.01	15	.25	.01	.06	1	7	90
L10+100E 9+300N	3	24	2	219	.1	9	2	1372	.22	4	5	ND	1	170	2	2	3	3	6.19	.102	2	3	.33	216	.01	19	.16	.02	.08	1	4	70
L10+100E 9+275N	2	22	2	433	.1	13	3	706	.42	3	5	ND	1	145	6	2	3	6	3.78	.118	3	5	.34	403	.01	25	.21	.01	.11	1	2	80
L10+200E 10+500N	2	14	9	92	.6	9	2	305	.37	4	5	ND	1	121	3	2	2	6	2.59	.115	3	5	.24	404	.01	18	.16	.01	.14	1	1	90
L10+200E 10+475N	1	19	5	218	.2	8	2	1337	.25	2	5	ND	1	170	4	2	2	4	4.42	.161	2	3	.31	651	.01	34	.15	.02	.15	1	1	60
L10+200E 10+450N	1	15	2	104	.4	5	2	560	.16	2	7	ND	1	228	2	2	5	3	7.36	.156	2	2	.27	895	.01	19	.12	.01	.14	1	1	40
L10+200E 10+425N	1	17	2	138	.1	8	3	549	.32	5	5	ND	1	212	2	2	3	5	5.30	.125	4	3	.28	755	.01	23	.34	.02	.12	1	1	60
L10+200E 10+400N	3	17	4	298	.2	7	1	497	.18	3	5	ND	1	143	4	2	2	4	3.59	.133	2	2	.22	402	.01	17	.10	.01	.13	1	3	50
L10+200E 10+375N	2	17	2	148	.3	8	2	510	.40	2	5	ND	1	123	2	2	3	7	2.23	.131	7	3	.19	472	.01	8	.24	.02	.12	1	1	80
L10+200E 10+350N	2	14	2	171	.9	5	2	1578	.26	3	5	ND	1	98	2	2	2	5	2.14	.072	2	3	.11	315	.01	12	.20	.02	.09	1	2	90
L10+200E 10+325N	2	22	3	285	.5	10	3	1264	.31	2	5	ND	1	165	5	2	2	6	4.09	.142	4	3	.15	607	.01	18	.27	.02	.17	1	2	70
L10+200E 10+300N	1	22	2	113	.9	10	3	558	.38	12	5	ND	1	116	2	5	2	7	1.91	.118	3	5	.18	479	.01	8	.24	.02	.14	1	3	60
L10+200E 10+275N	1	17	7	104	.3	9	3	910	.35	3	5	ND	1	150	2	2	2	7	2.87	.118	3	3	.21	477	.01	21	.22	.03	.12	1	1	60
L10+200E 10+250N	1	17	5	107	.3	6	2	441	.24	2	7	ND	1	141	2	2	2	5	2.97	.111	3	2	.19	341	.01	14	.18	.03	.09	1	1	50
L10+200E 10+225N	1	11	5	73	.2	5	1	377	.24	2	5	ND	1	116	1	2	2	4	2.33	.107	3	2	.17	273	.01	14	.15	.02	.13	1	2	70
L10+200E 10+200N	1	17	8	253	.1	6	3	733	.18	4	7	ND	1	200	4	2	2	4	5.28	.139	2	2	.23	559	.01	22	.11	.01	.13	1	1	80
L10+200E 10+175N	1	17	5	129	.3	9	3	921	.53	3	5	ND	2	111	2	2	2	8	2.25	.101	6	7	.17	332	.01	9	.30	.03	.14	1	1	50
L10+200E 10+150N	2	17	6	144	.1	8	1	495	.28	2	5	ND	1	184	4	2	2	3	4.50	.114	3	3	.26	327	.01	28	.10	.01	.11	1	1	90
L10+200E 10+125N	2	11	4	141	.2	6	1	527	.16	3	5	ND	1	171	3	2	2	2	3.88	.132	2	2	.26	324	.01	22	.09	.01	.13	1	1	60
L10+200E 10+100N	1	14	6	156	.2	5	1	544	.17	3	5	ND	1	196	3	2	2	3	4.28	.133	2	2	.27	327	.01	24	.09	.01	.11	1	1	80
L10+200E 10+075N	1	14	4	80	.2	4	2	683	.29	2	5	ND	1	124	1	2	2	6	2.43	.096	4	3	.25	354	.01	17	.21	.03	.10	1	1	40
L10+200E 10+050N	1	17	2	128	.2	6	2	1066	.34	2	5	ND	1	128	2	2	2	6	2.48	.093	5	3	.24	452	.01	15	.21	.02	.13	1	1	70
L10+200E 10+025N	2	17	2	310	.1	5	2	622	.29	6	9	ND	1	170	4	2	2	5	3.72	.168	4	3	.35	326	.01	27	.18	.02	.19	1	1	80
L10+200E 10+000N	1	17	6	276	.3	5	2	964	.15	4	6	ND	1	241	4	2	2	2	5.41	.137	2	2	.35	445	.01	28	.07	.01	.11	2	1	70
L10+200E 9+975N	1	17	10	184	.3	7	1	463	.18	2	6	ND	2	145	2	2	2	4	3.18	.174	4	3	.26	358	.01	29	.11	.03	.19	1	2	60
L10+200E 9+950N	1	14	5	159	.2	4	2	679	.18	4	5	ND	2	161	2	2	3	3	2.61	.087	3	3	.30	346	.01	19	.11	.01	.12	1	1	80
L10+200E 9+925N	2	19	20	115	.4	10	4	668	1.61	12	5	ND	8	56	1	6	2	16	.90	.058	42	10	.22	329	.01	7	.66	.01	.22	1	1	40
L10+200E 9+900N	1	17	4	225	.2	4	1	549	.18	4	30	ND	1	176	3	3	4	4	3.33	.140	4	2	1.04	165	.01	39	.11	.02	.10	2	1	60
L10+200E 9+875N	7	8	3	115	.2	6	1	75	.23	4	6	ND	1	195	1	2	2	5	3.85	.074	3	2	.41	212	.01	29	.18	.02	.07	1	2	70
L10+200E 9+850N	2	14	4	314	.4	7	2	625	.17	3	5	ND	1	176	10	2	3	3	4.19	.139	2	2	.27	427	.01	25	.10	.01	.16	1	1	60
L10+200E 9+825N	1	36	7	311	.9	13	5	1134	.51	6	5	ND	1	220	6	5	2	12	6.52	.171	13	4	.23	866	.01	13	.52	.03	.11	2	1	50
L10+200E 9+800N	5	11	2	250	.3	3	1	407	.15	2	6	ND	1	140	3	2	2	3	3.38	.093	2	1	.28	263	.01	20	.10	.01	.11	1	2	90
L10+200E 9+775N	1	25	4	203	.9	7	2	1228	.50	4	5	ND	2	95	2	2	2	9	2.15	.120	8	5	.10	698	.01	17	.30	.04	.12	1	1	40
L10+200E 9+750N	3	19	6	326	.1	8	1	455	.14	3	5	ND	1	204	4	2	3	4	5.30	.121	2	2	.37	502	.01	32	.09	.02	.12	1	1	80
L10+200E 9+725N	1	14	6	159	.3	7	3	704	.67	2	5	ND	2	91	2	2	2	10	1.86	.088	8	4	.14	441	.01	9	.38	.03	.12	3	2	60
STD C/AU-S	20	60	41	135	7.5	70	28	1040	3.72	39	18	8	40	55	18	17	19	59	.49	.086	40	62	.84	188	.07	39	1.87	.06	.14	12	51	1300

092106

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#	H6
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM
L10+200E 9+700N	1	16	9	172	.2	4	3	735	.41	2	5	ND	1	119	3	2	2	6	2.81	.100	10	4	.19	555	.01	18	.25	.02	.13	1	1	40
L10+200E 9+375N	1	19	11	123	.4	8	2	820	.45	3	5	ND	1	87	2	2	2	8	1.75	.085	4	7	.14	352	.01	8	.32	.03	.13	1	1	30
L10+200E 9+650N	1	19	15	231	.7	6	2	990	.36	3	5	ND	1	128	4	2	2	7	3.52	.137	3	5	.19	487	.01	21	.23	.02	.13	1	1	50
L10+200E 9+325N	1	19	13	266	.3	8	3	779	.50	3	5	ND	1	89	4	2	2	7	2.55	.110	7	4	.18	490	.01	7	.33	.02	.13	1	2	60
L10+200E 9+600N	1	29	9	345	.1	13	2	338	.23	2	5	ND	1	183	3	4	2	2	7.02	.114	2	6	.29	336	.01	33	.11	.01	.09	1	1	80
L10+200E 9+575N	1	16	5	395	.1	5	1	630	.16	2	5	ND	1	216	2	3	2	2	7.48	.141	2	2	.53	234	.01	32	.10	.03	.15	1	1	50
L10+200E 9+550N	1	29	2	856	.4	7	3	1223	.35	3	5	ND	1	260	22	4	2	4	7.84	.240	3	2	.34	582	.01	30	.19	.02	.12	1	1	60
L10+200E 9+525N	2	16	13	263	.1	9	5	579	1.19	6	5	ND	1	69	4	2	2	17	2.18	.076	5	8	.31	282	.01	11	.46	.02	.11	1	1	40
L10+200E 9+500N	1	19	11	495	.4	5	3	896	.39	4	5	ND	1	147	7	2	2	5	5.54	.139	3	2	.20	675	.01	31	.21	.02	.09	1	2	100
L10+200E 9+475N	1	16	14	336	.3	5	1	436	.26	2	5	ND	1	109	8	2	2	4	3.89	.096	2	3	.20	250	.01	12	.15	.02	.09	1	1	40
L10+200E 9+450N	2	19	8	508	.3	4	3	668	.17	2	5	ND	1	162	14	4	2	2	5.93	.149	2	2	.19	400	.01	27	.09	.01	.11	1	1	70
L10+200E 9+425N	1	13	7	305	.1	4	2	523	.42	4	5	ND	1	96	5	2	2	8	3.28	.112	2	4	.21	365	.01	13	.21	.02	.15	1	1	40
L10+200E 9+400N	2	19	12	431	.3	4	2	788	.14	9	5	ND	1	144	13	7	2	2	5.06	.137	2	2	.19	399	.01	12	.07	.01	.11	1	1	80
L10+200E 9+375N	1	22	7	390	.5	5	3	1264	.43	3	5	ND	1	118	7	2	2	7	4.01	.139	3	4	.14	626	.01	12	.30	.03	.13	1	2	50
L10+200E 9+350N	1	16	10	258	.2	3	3	458	.18	4	5	ND	1	126	11	2	2	3	4.54	.110	2	2	.18	377	.01	12	.12	.02	.09	1	1	70
L10+200E 9+325N	1	24	4	261	.3	7	2	396	.29	4	6	ND	1	175	4	4	3	5	5.63	.149	2	2	.39	399	.01	28	.22	.03	.10	1	1	50
L10+200E 9+300N	1	22	10	413	.3	7	2	777	.41	6	7	ND	1	173	1	2	2	5	6.70	.119	2	4	.35	322	.01	24	.23	.02	.10	1	1	60
L10+200E 9+275N	4	16	5	493	.1	3	2	1006	.14	2	5	ND	1	134	1	2	2	1	5.00	.101	2	2	.36	192	.01	22	.06	.01	.08	1	2	70
L10+200E 9+250N	1	13	11	158	.6	4	1	198	.20	2	5	ND	1	98	2	2	2	3	1.97	.110	2	2	.28	267	.01	14	.14	.01	.11	1	1	80
L10+200E 9+225N	1	16	12	176	.1	3	2	312	.34	2	5	ND	1	111	2	2	2	4	2.74	.098	5	3	.27	383	.01	15	.17	.01	.10	1	1	40
L10+300E 10+500N	1	19	11	192	.2	7	4	1802	.60	2	5	ND	1	84	2	2	2	10	1.95	.101	4	4	.17	702	.01	18	.40	.03	.11	1	1	20
L10+300E 10+475N	2	13	9	323	.1	1	1	296	.12	2	5	ND	1	203	3	2	2	1	6.82	.126	2	2	.29	633	.01	51	.06	.01	.11	1	1	60
L10+300E 10+450N	2	14	11	106	.1	6	2	288	.17	2	5	ND	1	109	3	2	2	3	2.87	.138	2	4	.27	381	.01	23	.10	.01	.17	1	1	50
L10+300E 10+425N	2	16	13	179	.2	3	1	392	.21	3	5	ND	1	151	3	2	2	4	4.36	.161	2	2	.23	411	.01	27	.09	.01	.11	1	2	60
L10+300E 10+400N	3	16	12	148	.3	4	2	524	.20	2	5	ND	1	134	3	2	2	4	3.37	.161	2	2	.23	371	.01	19	.10	.01	.15	1	1	100
L10+300E 10+375N	3	16	15	213	.2	6	3	745	.21	2	5	ND	1	165	5	2	2	4	3.86	.166	2	2	.23	388	.01	19	.10	.01	.15	1	1	80
L10+300E 10+350N	1	10	5	96	.1	2	1	437	.14	2	5	ND	1	83	1	2	2	2	2.21	.111	2	2	.18	195	.01	22	.07	.01	.17	1	1	70
L10+300E 10+325N	1	22	14	109	.6	8	4	648	.91	5	5	ND	1	117	2	2	2	12	2.77	.121	10	7	.24	309	.01	7	.40	.01	.15	1	1	60
L10+300E 10+300N	1	19	5	68	.4	9	5	404	.51	6	5	ND	1	51	2	2	2	9	.83	.059	4	4	.11	265	.01	2	.34	.04	.13	1	2	50
L10+300E 10+275N	1	16	12	118	.5	4	2	1615	.33	3	5	ND	1	118	2	2	2	5	2.63	.107	2	3	.24	440	.01	13	.18	.02	.12	1	1	70
L10+300E 10+250N	1	16	6	48	.5	5	2	357	.39	3	5	ND	1	54	1	2	2	7	1.05	.072	4	2	.11	240	.01	10	.23	.04	.09	2	1	30
L10+300E 10+225N	1	16	13	135	.4	5	2	557	.14	4	6	ND	1	180	2	2	2	2	4.30	.123	2	2	.33	382	.01	19	.07	.01	.13	1	1	70
L10+300E 10+200N	1	13	11	66	.2	5	2	413	.37	3	5	ND	1	88	1	2	2	7	1.79	.069	3	4	.13	380	.01	16	.23	.03	.10	1	2	60
L10+300E 10+175N	1	16	12	46	.1	4	2	415	.42	2	5	ND	1	91	1	2	2	6	1.82	.091	5	2	.26	197	.01	10	.21	.02	.11	2	1	50
L10+300E 10+150N	1	13	8	34	.1	3	2	340	.39	2	5	ND	1	64	1	2	2	6	1.36	.069	4	4	.15	211	.01	8	.20	.03	.13	2	2	40
L10+300E 10+125N	1	13	9	134	.1	5	2	483	.15	2	5	ND	1	161	2	2	2	2	3.73	.122	2	1	.26	328	.01	15	.07	.01	.11	1	5	70
STD C/AU-S	20	59	39	132	7.4	68	29	1052	4.08	39	19	7	39	52	19	16	21	59	.51	.086	39	61	.90	179	.09	39	1.82	.06	.14	13	52	1300

092109

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AUT	H6
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB
L10+300E 10+100N	1	14	7	143	.3	7	1	750	.23	2	5	ND	1	159	2	2	2	3	4.10	.145	3	2	.24	416	.01	13	.12	.01	.16	1	1	60
L10+300E 10+075N	1	11	8	196	.5	4	2	833	.24	2	5	ND	1	133	2	2	2	4	3.07	.136	2	2	.20	371	.01	9	.13	.02	.18	2	1	70
L10+300E 10+050N	1	10	3	87	.2	6	2	490	.33	3	5	ND	3	67	1	2	2	6	1.28	.071	3	2	.11	290	.01	2	.19	.03	.09	1	1	60
L10+300E 10+025N	1	12	11	114	.1	9	2	933	.79	2	5	ND	3	121	1	2	2	9	2.74	.084	12	4	.26	420	.01	2	.32	.02	.17	1	1	50
L10+300E 10+000N	1	17	5	92	.4	7	1	330	.21	2	7	ND	3	237	1	2	2	3	4.17	.109	3	2	1.07	249	.01	18	.18	.06	.09	2	1	60
L10+300E 9+975N	1	31	13	205	.2	22	5	4090	.60	3	5	ND	1	180	1	2	2	4	12.74	.151	25	3	.53	261	.01	16	.16	.03	.15	1	1	90
L10+300E 9+950N	1	28	2	332	.4	10	2	984	.38	2	5	ND	3	151	3	2	2	6	4.04	.139	4	2	.48	196	.01	3	.28	.02	.10	1	1	50
L10+300E 9+925N	2	12	7	212	.2	4	2	403	.24	3	5	ND	3	81	3	2	2	4	1.74	.119	3	2	.21	224	.01	2	.13	.01	.10	1	1	100
L10+300E 9+900N	1	15	11	148	.5	7	2	577	.87	4	6	ND	1	67	2	2	2	10	1.44	.099	11	5	.13	322	.01	2	.41	.03	.12	1	1	90
L10+300E 9+875N	1	17	11	533	.9	7	2	1402	.22	2	5	ND	1	164	11	2	2	4	4.80	.143	2	2	.22	513	.01	15	.13	.02	.13	1	1	60
L10+300E 9+850N	1	22	5	348	.7	15	2	1164	.48	3	5	ND	3	103	3	2	2	7	2.46	.103	6	3	.16	408	.01	3	.26	.03	.16	2	1	50
L10+300E 9+825N	1	17	8	284	.4	7	2	657	.19	3	5	ND	1	218	6	2	2	3	5.08	.119	2	2	.45	372	.01	13	.11	.02	.15	1	1	80
L10+300E 9+800N	1	21	8	73	.9	8	2	274	.59	4	5	ND	1	48	3	2	2	10	.48	.068	5	4	.07	407	.01	2	.30	.03	.12	2	1	50
L10+300E 9+775N	1	24	3	264	.3	11	1	1075	.32	2	5	ND	1	213	4	2	2	6	7.04	.160	7	4	.32	543	.01	9	.32	.02	.13	1	1	70
L10+300E 9+750N	1	18	9	179	.3	8	3	769	.54	4	9	ND	2	71	2	2	2	10	1.31	.063	7	3	.10	463	.01	2	.35	.03	.11	1	1	40
L10+300E 9+725N	1	23	10	602	.7	9	2	3827	.40	2	5	ND	1	230	6	2	2	6	7.85	.182	6	2	.21	1356	.01	24	.24	.02	.13	1	1	80
L10+300E 9+700N	1	14	8	120	.2	6	2	855	.74	8	5	ND	1	58	1	2	2	9	1.34	.074	6	5	.11	338	.01	2	.32	.04	.10	2	1	40
L10+300E 9+675N	1	16	5	150	.4	7	2	1290	.33	6	5	ND	2	120	3	2	2	5	3.13	.109	11	2	.19	710	.01	8	.21	.02	.12	1	1	90
L10+300E 9+650N	1	33	6	567	.5	11	3	1240	.38	2	5	ND	1	456	4	4	2	7	16.57	.175	5	2	.56	1034	.01	25	.27	.02	.10	1	1	50
L10+300E 9+625N	6	18	4	353	.4	5	1	422	.15	3	5	ND	1	209	1	2	2	2	5.33	.113	2	1	.47	414	.01	39	.08	.01	.11	1	1	80
L10+300E 9+600N	1	36	3	178	1.7	15	4	476	.74	3	5	ND	1	127	8	2	2	13	2.25	.158	11	6	.14	627	.01	3	.57	.03	.09	2	1	40
L10+300E 9+575N	1	19	7	409	.6	11	3	1041	.22	2	5	ND	1	201	10	2	2	4	6.37	.145	2	2	.27	708	.01	23	.12	.01	.11	1	2	70
L10+300E 9+550N	1	12	5	144	.5	6	1	233	.17	2	5	ND	2	268	2	2	2	3	6.30	.100	2	2	.84	303	.01	2	.12	.03	.09	2	1	60
L10+300E 9+525N	2	19	7	679	.9	6	5	993	.14	2	5	ND	2	200	22	2	2	2	5.08	.150	2	2	.28	647	.01	11	.09	.01	.18	1	1	100
L10+300E 9+500N	1	12	9	181	.6	4	3	846	.28	2	5	ND	2	101	6	2	2	5	2.52	.113	2	3	.16	443	.01	8	.16	.02	.18	1	1	70
L10+300E 9+475N	2	18	5	405	.6	7	3	862	.22	5	5	ND	1	141	8	2	2	3	4.64	.137	2	2	.19	509	.01	17	.12	.02	.12	1	1	60
L10+300E 9+450N	2	18	8	445	.6	6	3	1164	.36	4	5	ND	1	142	9	2	2	6	4.91	.139	2	3	.18	562	.01	12	.18	.02	.16	1	1	50
L10+300E 9+425N	2	19	9	386	2.6	6	3	652	.17	2	5	ND	2	157	12	2	2	2	4.11	.135	2	2	.20	573	.01	2	.11	.01	.15	1	1	120
L10+300E 9+400N	1	18	11	371	.6	11	3	904	.65	6	5	ND	2	93	6	2	2	14	2.69	.098	5	5	.25	489	.01	2	.34	.03	.11	1	1	20
L10+300E 9+375N	2	22	4	380	.9	4	2	519	.15	2	5	ND	1	158	10	2	2	2	6.24	.192	2	1	.18	738	.01	15	.08	.01	.19	1	1	80
L10+300E 9+350N	1	18	9	374	.7	9	2	576	.47	5	5	ND	3	118	8	3	2	7	3.87	.125	4	3	.23	540	.01	3	.24	.02	.12	1	1	50
L10+300E 9+325N	3	15	8	512	.1	10	3	406	.65	5	5	ND	1	112	14	2	2	10	3.69	.113	3	6	.25	428	.01	6	.31	.02	.15	1	1	40
L10+300E 9+300N	2	24	10	527	1.0	10	4	1000	.53	3	5	ND	1	173	10	2	2	10	5.96	.201	3	6	.21	771	.01	8	.37	.03	.17	1	1	30
L10+300E 9+275N	3	18	4	564	.5	5	2	410	.16	3	5	ND	2	150	14	2	2	3	5.43	.139	2	2	.23	595	.01	17	.08	.01	.14	1	1	50
L10+300E 9+250N	1	15	2	312	.4	7	2	475	.46	4	5	ND	2	79	4	2	2	9	2.41	.115	2	3	.16	415	.01	2	.30	.03	.11	1	1	50
L10+300E 9+225N	1	27	5	478	.5	8	1	436	.21	4	5	ND	1	224	8	2	2	3	10.03	.216	2	1	.41	527	.01	31	.13	.01	.20	1	1	40
STD C/AU-S	20	62	40	135	7.3	70	29	1123	3.95	41	19	8	40	52	19	17	20	60	.47	.089	40	58	.87	182	.09	38	1.87	.06	.13	13	49	1300

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AUX	HG
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB	
L10+300E 9+200N	1	65	6	434	.1	23	2	242	.52	3	5	ND	1	176	12	2	3	10	7.06	.161	3	6	.51	314	.01	33	.26	.02	.11	1	1	70
L10+300E 9+175N	1	22	3	325	.1	18	3	289	.74	5	9	ND	1	249	3	2	2	11	8.08	.093	4	7	.57	272	.01	14	.26	.02	.08	1	2	80
L10+400E 10+500N	2	22	3	151	.2	9	2	389	.39	4	5	ND	1	162	2	2	2	4	6.61	.149	4	3	.34	639	.01	17	.13	.01	.21	1	1	110
L10+400E 10+475N	1	14	5	84	.2	5	1	273	.20	3	5	ND	1	156	2	2	2	4	4.49	.112	3	2	.23	348	.01	5	.10	.01	.13	1	1	70
L10+400E 10+450N	4	15	10	213	.1	7	2	380	.36	2	5	ND	1	157	4	2	2	5	4.23	.141	6	1	.27	408	.01	12	.09	.01	.14	1	1	60
L10+400E 10+425N	2	19	4	266	.1	6	2	422	.33	3	5	ND	1	147	6	2	2	5	3.14	.140	2	2	.21	396	.01	13	.14	.01	.13	1	1	90
L10+400E 10+400N	2	22	6	153	.4	6	2	783	.26	2	5	ND	1	140	4	2	2	5	3.26	.139	3	3	.19	393	.01	13	.14	.01	.15	1	1	80
L10+400E 10+375N	1	16	7	139	.2	8	3	562	.79	4	5	ND	2	131	3	2	2	8	3.17	.123	12	5	.25	339	.01	8	.23	.01	.15	1	1	100
L10+400E 10+350N	1	19	2	161	.3	6	2	577	.21	2	5	ND	1	165	3	2	2	4	4.29	.141	2	3	.21	391	.01	17	.10	.01	.12	1	1	70
L10+400E 10+325N	1	15	2	117	.4	5	1	677	.21	2	5	ND	2	136	2	2	2	3	3.21	.147	2	2	.20	282	.01	7	.09	.01	.16	1	1	90
L10+400E 10+300N	1	14	2	81	.1	5	1	446	.15	5	5	ND	1	133	1	2	2	2	2.89	.107	2	1	.33	277	.01	16	.07	.01	.15	1	1	60
L10+400E 10+275N	1	16	5	79	.4	6	2	407	.35	3	5	ND	1	164	2	2	2	5	3.31	.135	3	2	.33	421	.01	13	.17	.02	.12	1	1	70
L10+400E 10+250N	1	14	8	154	.1	4	2	505	.19	2	5	ND	1	169	2	2	2	3	4.05	.131	2	2	.22	374	.01	11	.08	.01	.15	1	1	90
L10+400E 10+225N	2	16	3	79	.1	6	3	494	.78	3	5	ND	1	105	1	2	2	7	2.44	.108	8	4	.20	296	.01	5	.21	.01	.10	1	1	50
L10+400E 10+200N	1	16	5	77	.2	7	3	719	.35	3	5	ND	1	182	2	2	2	6	3.93	.121	5	2	.25	460	.01	15	.18	.02	.13	1	1	60
L10+400E 10+175N	1	19	2	125	.1	8	2	519	.33	2	5	ND	1	152	1	2	2	4	3.31	.132	6	3	.33	354	.01	16	.12	.01	.12	1	1	80
L10+400E 10+150N	1	19	7	193	.3	8	2	727	.25	3	5	ND	1	207	4	2	2	5	4.82	.163	3	3	.25	518	.01	18	.13	.02	.13	1	1	70
L10+400E 10+125N	1	18	2	209	.5	4	1	433	.17	3	5	ND	1	172	3	2	2	3	4.43	.150	2	2	.21	434	.01	17	.07	.01	.13	1	1	100
L10+400E 10+100N	2	19	3	432	.3	6	2	803	.22	2	5	ND	1	167	5	2	6	4	4.61	.148	3	2	.20	432	.01	12	.09	.01	.13	1	2	80
L10+400E 10+075N	2	14	6	173	.3	6	2	398	.16	4	5	ND	1	166	3	2	4	2	4.56	.153	2	1	.23	319	.01	19	.05	.01	.17	1	1	70
L10+400E 10+050N	1	16	3	117	.2	6	2	402	.48	3	5	ND	1	199	2	2	2	5	5.48	.126	13	2	.25	439	.01	12	.17	.01	.13	1	1	40
L10+400E 10+025N	4	31	11	196	.1	22	5	2448	1.57	20	5	ND	3	128	1	4	2	17	3.95	.113	25	10	.64	261	.01	6	.59	.05	.21	1	8	140
L10+400E 10+000N	2	16	13	359	.3	10	3	611	1.13	6	5	ND	3	72	5	2	2	8	2.54	.105	27	5	.31	184	.01	11	.24	.01	.16	1	1	80
L10+400E 9+975N	2	16	14	418	.2	10	4	590	1.17	7	5	ND	2	91	6	2	2	7	3.54	.106	41	5	.30	222	.01	13	.24	.01	.13	1	1	60
L10+400E 9+950N	1	11	7	312	.1	4	2	426	.67	3	5	ND	1	74	2	2	2	6	2.15	.085	19	4	.18	230	.01	5	.23	.02	.11	1	1	70
L10+400E 9+925N	2	16	11	378	.1	10	2	432	.59	3	5	ND	1	152	8	2	4	5	5.47	.099	25	4	.30	470	.01	14	.16	.01	.10	1	1	80
L10+400E 9+900N	1	11	4	129	.6	4	2	446	.21	2	5	ND	2	72	3	3	2	3	1.66	.137	3	2	.14	255	.01	4	.09	.02	.16	1	1	90
L10+400E 9+875N	1	14	2	139	.1	5	3	488	.26	2	5	ND	1	150	2	2	4	4	3.80	.111	4	2	.38	282	.01	14	.12	.01	.12	1	1	80
L10+400E 9+850N	1	16	7	146	.7	6	2	393	.70	6	5	ND	1	66	3	2	2	7	1.52	.099	10	4	.14	434	.01	4	.23	.01	.14	1	2	100
L10+400E 9+825N	1	16	4	96	.1	5	2	896	.36	4	5	ND	1	113	2	2	2	5	2.79	.097	3	2	.18	333	.01	6	.14	.02	.10	1	2	70
L10+400E 9+800N	1	16	2	125	.1	6	2	1388	.38	2	5	ND	1	121	2	2	2	5	3.09	.114	3	2	.19	405	.01	9	.15	.02	.12	1	1	60
L10+400E 9+775N	1	16	7	152	.5	6	3	1923	.32	3	5	ND	1	164	3	2	2	5	4.39	.164	4	2	.18	733	.01	16	.16	.01	.14	1	1	70
L10+400E 9+750N	1	19	5	128	.3	4	2	841	.24	3	5	ND	1	182	3	2	2	3	4.60	.143	4	3	.27	602	.01	13	.11	.02	.14	1	1	80
L10+400E 9+725N	1	19	2	172	.4	6	2	962	.32	3	5	ND	1	164	2	2	3	4	3.83	.135	6	2	.20	583	.01	10	.17	.02	.12	1	1	90
L10+400E 9+700N	2	19	4	190	.1	4	4	711	.17	2	5	ND	1	197	4	2	2	2	5.11	.135	3	2	.21	482	.01	20	.07	.01	.11	1	1	70
L10+400E 9+675N	1	26	6	455	.3	5	2	924	.16	2	20	ND	1	231	7	2	5	5	6.05	.136	2	1	.46	443	.01	32	.09	.02	.14	1	1	60
STD C/AU-S	20	63	39	132	7.0	73	29	1038	4.27	43	22	8	44	56	19	16	19	61	.53	.095	42	60	.94	183	.09	31	1.73	.07	.15	12	47	1300

092106

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU1	H6
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB
L10+400E 9+650N	1	29	5	98	.9	10	2	175	.61	3	5	ND	1	88	3	2	2	9	1.53	.089	10	4	.14	437	.01	5	.45	.03	.13	1	1	40
L10+400E 9+625N	1	16	9	154	.7	6	2	543	.27	2	5	ND	1	119	3	2	2	5	2.46	.098	3	3	.11	410	.01	5	.18	.02	.11	1	1	60
L10+400E 9+600N	1	11	7	84	.6	4	1	240	.29	2	5	ND	1	73	1	2	2	4	1.49	.087	2	3	.17	254	.01	5	.14	.01	.10	1	1	90
L10+400E 9+575N	1	13	16	99	.1	1	1	631	.66	5	5	ND	5	87	1	2	2	4	1.86	.072	15	3	.27	179	.01	7	.23	.01	.14	1	1	100
L10+400E 9+550N	1	13	6	86	.1	6	1	954	.40	2	5	ND	1	75	1	2	2	6	1.41	.078	7	2	.15	387	.01	6	.24	.02	.14	1	1	50
L10+400E 9+525N	1	16	6	508	.1	5	1	491	.21	2	5	ND	1	149	8	2	2	3	3.86	.147	3	2	.31	284	.01	16	.11	.01	.11	1	1	60
L10+400E 9+500N	2	16	4	260	.9	5	2	532	.25	3	5	ND	1	105	9	2	2	3	2.15	.086	2	3	.29	379	.01	3	.15	.01	.10	1	1	50
L10+400E 9+475N	2	16	4	482	.3	4	2	1317	.14	2	5	ND	1	146	17	2	2	2	4.44	.137	2	2	.17	554	.01	15	.06	.01	.13	1	1	100
L10+400E 9+450N	1	18	9	117	1.0	7	3	432	.61	3	5	ND	1	60	2	2	2	12	1.24	.070	5	5	.12	395	.01	7	.32	.04	.12	1	1	30
L10+400E 9+425N	2	16	5	420	.3	4	1	512	.13	2	5	ND	1	153	16	2	2	2	4.74	.128	2	1	.17	454	.01	25	.06	.01	.13	1	1	60
L10+400E 9+400N	1	13	5	97	.2	5	2	261	.38	2	5	ND	1	66	3	2	2	8	1.67	.104	2	4	.11	272	.01	10	.21	.02	.10	1	1	50
L10+400E 9+375N	1	13	2	225	.1	3	1	533	.18	2	5	ND	1	114	7	2	2	3	3.29	.120	2	2	.17	438	.01	14	.10	.01	.13	1	1	80
L10+400E 9+350N	1	32	12	256	.8	10	4	969	.73	2	5	ND	1	125	7	2	2	13	3.31	.121	6	6	.12	971	.02	3	.56	.04	.11	1	1	40
L10+400E 9+325N	2	19	10	418	.2	3	2	477	.42	2	5	ND	1	114	12	3	2	7	3.79	.104	3	3	.18	453	.01	15	.20	.02	.11	1	1	70
L10+400E 9+300N	1	29	7	626	.1	8	4	1048	.65	2	5	ND	1	167	9	2	2	11	6.45	.121	4	7	.21	818	.01	12	.35	.03	.13	1	1	30
L10+400E 9+275N	3	23	11	683	.1	8	2	441	.44	5	5	ND	1	162	14	5	2	6	6.21	.120	2	4	.23	548	.01	20	.21	.01	.12	1	1	60
L10+400E 9+250N	1	32	8	859	.1	12	2	465	.47	2	5	ND	1	241	11	6	2	6	9.55	.142	3	4	.31	462	.01	16	.29	.01	.07	1	1	40
L10+400E 9+225N	2	18	5	387	.1	6	1	1055	.25	3	5	ND	1	138	7	3	2	4	4.45	.133	3	3	.27	244	.01	20	.20	.01	.11	1	1	70
L10+400E 9+200N	1	19	5	244	.1	3	2	475	.44	2	5	ND	1	198	5	2	2	6	5.82	.055	4	2	.29	441	.01	11	.36	.02	.10	1	1	40
L10+400E 9+175N	1	45	3	185	.1	10	1	274	.29	3	5	ND	1	110	3	2	2	5	3.66	.069	4	4	.22	171	.01	12	.21	.02	.07	1	1	80
L10+400E 9+150N	1	9	2	239	.3	3	1	200	.08	2	5	ND	1	104	2	2	2	1	3.57	.063	2	1	.25	164	.01	10	.04	.01	.07	1	1	100
L10+500E 10+500N	2	16	3	184	.1	5	2	657	.42	2	5	ND	1	149	5	2	5	5	3.90	.122	3	3	.43	512	.01	17	.17	.01	.14	1	1	120
L10+500E 10+475N	2	16	6	175	.1	8	3	661	.74	9	5	ND	1	90	2	3	2	8	2.20	.095	6	6	.32	424	.01	5	.28	.01	.15	1	1	70
L10+500E 10+450N	2	16	2	168	.4	6	2	374	.20	2	5	ND	1	119	4	2	3	3	3.14	.138	2	2	.28	321	.01	17	.09	.01	.16	1	1	100
L10+500E 10+425N	2	16	6	248	.1	4	1	877	.20	2	5	ND	1	142	5	2	2	3	3.84	.140	2	2	.19	460	.01	22	.09	.01	.15	1	1	70
L10+500E 10+400N	1	10	9	139	.4	4	1	426	.13	2	5	ND	2	101	2	3	2	2	2.54	.133	2	1	.19	230	.01	16	.06	.01	.16	1	1	90
L10+500E 10+375N	2	16	8	82	.1	5	1	450	.16	2	5	ND	1	154	2	2	2	2	3.23	.144	2	2	.22	387	.01	9	.08	.01	.12	1	1	100
L10+500E 10+350N	2	14	2	128	.1	3	3	500	.14	2	5	ND	1	205	2	2	4	1	3.52	.127	2	2	.29	324	.01	8	.07	.01	.19	1	1	30
L10+500E 10+325N	1	13	11	110	.1	4	2	522	.21	2	5	ND	1	169	3	2	2	3	4.08	.107	2	2	.19	360	.01	6	.12	.01	.13	1	1	40
L10+500E 10+300N	1	16	2	42	.1	4	2	399	.47	7	5	ND	1	62	1	2	2	8	.99	.046	4	3	.13	270	.01	2	.28	.04	.11	2	1	20
L10+500E 10+275N	1	16	9	131	.2	4	2	498	.36	2	5	ND	1	122	3	2	2	5	3.28	.112	3	3	.17	301	.01	12	.15	.02	.13	1	1	60
L10+500E 10+250N	1	16	7	104	.1	5	1	512	.16	2	5	ND	1	196	2	2	2	2	5.19	.152	2	2	.26	452	.01	11	.09	.01	.18	1	1	50
L10+500E 10+225N	1	16	5	130	.3	5	2	541	.29	2	5	ND	1	145	2	2	2	4	3.38	.115	4	3	.27	405	.01	15	.15	.01	.13	1	1	70
L10+500E 10+200N	1	16	7	57	.1	5	2	561	.35	2	5	ND	1	97	1	2	2	6	2.24	.067	4	2	.14	268	.01	5	.22	.03	.10	1	1	20
L10+500E 10+175N	1	16	4	144	.2	5	3	691	.37	3	5	ND	1	146	2	2	4	5	3.45	.125	6	4	.24	427	.01	16	.14	.02	.15	1	1	80
L10+500E 10+150N	1	16	11	125	.1	5	2	416	.54	2	5	ND	1	141	2	2	2	5	3.27	.132	6	3	.18	350	.01	9	.15	.01	.15	1	1	50
STD C/AU-5	19	63	42	132	7.4	68	29	1066	4.05	41	25	8	40	52	18	17	22	59	.50	.086	40	61	.89	179	.09	32	1.83	.06	.13	13	50	1300

90106

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	W PPM	AUX PPB	HG PPB
L10+500E 10+125N	2	14	11	79	.2	2	2	336	.56	5	6	ND	3	131	2	6	2	4	2.84	.121	16	4	.20	402	.01	11	.20	.01	.16	1	1	60
L10+500E 10+100N	1	20	7	114	.1	5	2	528	.41	2	5	ND	3	121	2	3	2	7	2.22	.133	4	4	.27	329	.01	10	.25	.02	.13	1	1	50
L10+500E 10+075N	1	17	8	215	.1	3	1	640	.39	2	5	ND	1	102	1	2	2	6	1.57	.133	3	3	.28	400	.01	8	.25	.02	.13	1	2	60
L10+500E 10+050N	2	27	7	229	.1	18	4	1472	.56	4	13	ND	1	135	3	4	3	6	4.91	.141	16	3	.41	195	.01	19	.15	.01	.19	1	1	90
L10+500E 10+025N	2	14	13	236	.1	8	2	461	.76	2	5	ND	3	89	3	2	2	7	2.99	.114	22	4	.32	183	.01	16	.21	.01	.16	1	1	70
L10+500E 10+000N	1	14	5	311	.2	4	1	696	.24	2	5	ND	2	155	4	5	3	6	4.08	.133	5	2	.24	333	.01	27	.14	.01	.15	1	1	60
L10+500E 9+975N	1	17	5	131	2.2	4	1	206	.41	2	5	ND	1	84	2	2	2	4	1.33	.142	12	2	.16	442	.01	7	.25	.01	.14	1	1	130
L10+500E 9+875N	1	16	7	164	.4	3	2	602	.24	2	5	ND	2	157	2	2	2	3	3.42	.122	3	2	.26	394	.01	15	.11	.01	.11	1	1	80
L10+500E 9+850N	1	11	2	105	.3	4	1	692	.30	2	5	ND	1	137	2	2	2	4	2.70	.125	2	2	.23	399	.01	13	.12	.01	.12	1	2	70
L10+500E 9+825N	1	14	6	199	.2	4	1	899	.54	2	5	ND	3	121	3	2	2	6	2.83	.108	10	4	.24	346	.01	23	.17	.01	.13	1	1	60
L10+500E 9+800N	1	17	4	79	.2	4	1	1143	.32	6	5	ND	1	95	2	5	2	4	1.81	.099	5	2	.27	248	.01	8	.18	.02	.12	1	1	80
L10+500E 9+775N	1	17	4	65	.1	2	1	1052	.53	2	5	ND	1	67	1	2	2	7	1.18	.076	5	3	.14	337	.01	7	.22	.03	.10	1	1	30
L10+500E 9+750N	1	16	5	185	.2	3	1	1232	.20	2	5	ND	1	189	3	3	2	2	4.18	.136	3	2	.24	638	.01	20	.08	.01	.12	1	1	110
L10+500E 9+725N	1	13	9	48	.1	1	2	787	.63	4	5	ND	1	66	1	2	2	5	1.19	.081	8	2	.11	339	.01	2	.19	.02	.12	2	2	40
L10+500E 9+700N	2	17	4	175	.4	6	2	1545	.51	2	5	ND	1	161	3	2	2	7	3.10	.138	9	3	.20	708	.01	15	.23	.01	.14	1	1	70
L10+500E 9+675N	2	14	8	309	.2	5	3	1861	.99	4	5	ND	1	99	5	2	2	14	2.41	.099	16	7	.16	453	.01	8	.34	.02	.11	1	1	20
L10+500E 9+650N	1	9	2	137	.5	1	1	476	.21	3	5	ND	2	104	2	2	2	3	2.34	.086	3	2	.16	286	.01	14	.11	.02	.13	1	2	70
L10+500E 9+625N	1	25	3	93	.2	10	3	763	.85	2	5	ND	4	119	2	3	2	9	2.12	.087	40	5	.22	422	.01	8	.47	.03	.17	1	1	40
L10+500E 9+600N	1	23	8	173	.3	8	3	450	.86	3	5	ND	2	131	3	2	2	12	2.66	.127	10	6	.23	349	.01	16	.42	.02	.12	1	1	80
L10+500E 9+575N	1	17	5	141	.2	5	2	651	.25	2	5	ND	2	179	4	2	2	3	3.80	.140	11	3	.23	618	.01	16	.14	.01	.11	1	1	70
L10+500E 9+550N	1	28	9	211	1.0	8	4	1118	.71	6	5	ND	1	148	2	5	2	11	2.35	.116	14	5	.30	891	.01	13	.51	.03	.15	1	2	50
L10+500E 9+525N	1	20	7	260	.8	7	3	1044	.70	2	5	ND	1	97	6	2	2	10	1.66	.144	7	5	.19	486	.01	9	.42	.03	.14	1	1	40
L10+500E 9+500N	1	17	4	135	.2	6	1	318	.31	2	5	ND	1	192	4	2	2	5	3.42	.117	4	3	.41	272	.01	23	.18	.02	.10	1	1	40
L10+500E 9+475N	1	30	8	174	.1	12	3	418	.65	4	5	ND	1	236	5	3	2	8	4.54	.095	7	6	.36	602	.01	10	.46	.02	.11	1	1	50
L10+500E 9+450N	1	14	9	286	.1	4	2	329	.37	2	5	ND	1	142	5	2	2	5	2.67	.118	3	3	.32	214	.01	17	.21	.02	.12	1	3	70
L10+500E 9+425N	2	14	7	142	.5	6	1	317	.56	3	5	ND	1	46	4	2	2	8	.80	.067	4	4	.12	281	.01	4	.24	.01	.07	1	2	110
L10+500E 9+400N	3	17	11	671	.2	3	3	992	.17	2	5	ND	1	161	20	3	2	2	4.61	.148	2	2	.22	385	.01	22	.08	.01	.15	1	1	70
L10+500E 9+375N	3	51	7	448	.1	21	4	870	.71	11	5	ND	1	542	3	9	4	9	16.42	.293	30	4	.43	651	.01	40	.67	.02	.10	1	2	60
L10+500E 9+350N	1	40	4	70	.3	9	1	95	.33	2	5	ND	1	139	2	2	2	4	4.05	.075	7	3	.29	304	.01	9	.27	.01	.05	1	1	90
L10+500E 9+325N	2	23	3	382	.2	7	2	463	.43	3	5	ND	1	183	5	5	2	5	5.79	.105	3	2	.29	449	.01	15	.24	.01	.09	1	3	70
L10+500E 9+300N	1	34	4	124	.1	7	2	348	.30	4	5	ND	1	187	2	3	2	4	5.71	.083	5	2	.26	528	.01	11	.34	.01	.09	1	1	60
L10+500E 9+275N	1	40	10	527	.6	12	4	729	.97	2	5	ND	1	208	8	7	2	13	7.09	.122	5	6	.28	796	.01	18	.50	.02	.10	1	1	50
L10+500E 9+250N	1	40	2	334	.1	9	3	349	.50	2	5	ND	1	243	5	7	2	7	8.22	.106	3	4	.19	836	.01	22	.29	.01	.07	1	1	40
STD C/AU-S	20	60	41	131	7.2	69	28	1130	4.21	39	21	8	46	55	19	18	21	59	.49	.095	41	62	.90	191	.07	37	1.84	.06	.13	13	48	1300
L10+500E 9+225N	2	17	2	150	.1	3	1	233	.35	3	5	ND	1	166	2	2	2	4	5.13	.083	2	3	.23	409	.01	23	.16	.01	.08	1	2	90
L10+500E 9+200N	3	23	2	135	.1	5	1	96	.24	2	5	ND	1	177	2	3	2	4	5.58	.089	2	1	.26	392	.01	20	.16	.01	.07	1	1	70
L10+500E 9+175N	1	42	2	121	.1	15	1	243	.25	2	5	ND	1	149	1	2	2	4	5.26	.066	2	1	.27	302	.01	10	.23	.03	.02	1	1	50

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	W PPM	AUT PPB	HG PPB
L10+500E 9+150N	1	32	8	122	.1	13	1	183	.20	2	5	ND	1	176	1	2	2	3	7.37	.082	2	1	.30	369	.01	25	.14	.01	.04	1	1	60
L10+500E 9+125N	1	31	9	99	.1	13	2	171	.52	2	5	ND	1	149	1	2	2	7	5.85	.058	3	5	.33	314	.01	5	.33	.02	.04	1	1	40
L10+500E 9+100N	1	23	9	429	.1	8	2	176	.43	2	5	ND	1	143	8	2	2	6	6.19	.111	4	4	.24	255	.01	14	.27	.02	.09	1	1	50
L10+500E 9+075N	1	10	13	139	.1	7	1	246	.28	2	5	ND	1	291	1	2	3	3	10.57	.109	2	2	.40	153	.01	31	.10	.02	.14	1	1	70
L10+500E 9+050N	2	24	14	202	.2	30	6	1235	1.78	9	5	ND	2	189	2	3	2	22	7.67	.103	9	13	.61	511	.01	9	.54	.02	.12	1	3	60
L10+600E 10+500N	1	10	11	58	.2	4	2	230	.47	2	5	ND	2	87	3	3	2	8	2.26	.084	3	4	.15	269	.01	10	.24	.03	.10	1	1	50
L10+600E 10+475N	4	13	8	231	.1	4	1	363	.21	2	5	ND	1	150	8	2	2	2	4.53	.140	2	2	.32	382	.01	29	.09	.01	.13	1	1	100
L10+600E 10+450N	1	10	9	97	.1	6	2	231	.42	2	5	ND	1	85	3	2	2	5	2.21	.128	4	4	.18	276	.01	8	.15	.01	.17	1	1	90
L10+600E 10+425N	1	16	12	243	.9	6	2	810	.24	2	5	ND	1	178	4	2	2	4	5.09	.137	2	3	.24	491	.01	31	.13	.01	.11	1	1	70
L10+600E 10+400N	1	14	14	103	.3	6	2	687	.33	2	5	ND	1	112	2	2	2	5	2.50	.140	3	3	.15	428	.01	7	.17	.02	.11	1	1	80
L10+600E 10+375N	1	16	8	175	.1	7	2	922	.23	2	5	ND	1	182	1	2	2	3	4.64	.138	2	2	.25	626	.01	15	.14	.01	.13	1	1	60
L10+600E 10+350N	1	17	10	159	.2	7	2	510	.42	2	5	ND	1	162	2	2	2	6	4.60	.120	7	4	.24	462	.01	12	.16	.01	.10	1	1	80
L10+600E 10+325N	1	14	10	75	.4	6	2	510	.33	2	5	ND	1	158	1	2	2	5	3.46	.129	3	3	.27	511	.01	14	.18	.01	.13	1	1	70
L10+600E 10+300N	1	18	13	98	.2	9	4	973	.78	3	5	ND	1	100	1	2	2	12	2.03	.114	11	5	.23	379	.01	5	.46	.03	.15	1	2	60
L10+600E 10+275N	1	16	15	141	.1	5	3	857	.28	3	5	ND	1	191	2	2	2	4	4.61	.139	4	2	.35	452	.01	19	.16	.02	.11	1	1	80
L10+600E 10+250N	1	13	14	44	.1	8	3	744	.51	2	5	ND	1	93	1	2	2	7	1.68	.067	8	4	.17	389	.01	4	.27	.03	.09	1	1	20
L10+600E 10+225N	1	16	9	169	.2	6	2	505	.16	2	5	ND	1	203	2	2	2	2	5.09	.129	3	2	.31	458	.01	26	.08	.01	.11	1	1	60
L10+600E 10+200N	1	13	10	105	.1	5	2	791	.29	2	5	ND	1	123	2	2	2	5	2.96	.127	3	2	.17	343	.01	11	.19	.02	.12	1	1	50
L10+600E 10+175N	1	14	11	125	.1	5	1	568	.17	2	5	ND	1	212	2	2	2	2	6.77	.151	9	2	.16	838	.01	21	.11	.01	.13	1	1	70
L10+600E 10+150N	1	17	6	195	.1	5	2	1040	.28	2	5	ND	1	188	2	2	2	4	4.52	.167	4	2	.23	689	.01	19	.13	.02	.17	1	1	90
L10+600E 10+125N	1	16	9	155	.1	5	2	473	.45	2	5	ND	1	119	3	2	2	5	2.33	.113	3	4	.13	321	.01	6	.17	.01	.11	1	1	80
L10+600E 10+100N	1	17	8	117	.1	6	2	903	.58	2	5	ND	1	112	1	2	2	7	1.85	.098	11	4	.17	505	.01	14	.32	.03	.13	1	1	60
L10+600E 10+075N	2	7	8	100	.1	6	1	104	.26	3	5	ND	1	154	1	2	3	4	3.85	.094	2	2	.46	239	.01	12	.16	.01	.08	1	1	110
L10+600E 10+050N	1	11	7	365	.1	3	1	381	.13	2	5	ND	1	115	2	2	2	1	3.50	.126	2	2	.27	181	.01	20	.06	.01	.15	1	1	80
L10+600E 10+025N	2	19	4	241	.1	4	1	417	.33	4	5	ND	1	140	2	2	2	5	3.84	.080	3	2	.30	317	.01	8	.25	.01	.07	1	1	60
L10+600E 10+000N	1	10	8	107	.1	3	1	497	.25	2	5	ND	1	77	3	2	2	3	1.74	.131	3	2	.16	194	.01	7	.11	.01	.18	1	1	90
L10+600E 9+950N	2	16	7	369	.1	4	1	540	.15	2	5	ND	1	188	10	2	2	1	5.61	.118	6	2	.24	471	.01	24	.08	.01	.10	1	1	70
L10+600E 9+925N	3	16	6	242	.7	5	2	741	.43	2	5	ND	1	112	4	2	2	5	2.48	.126	12	2	.18	542	.01	6	.26	.01	.13	1	1	130
L10+600E 9+900N	1	30	10	425	.5	13	5	3357	.73	4	5	ND	1	127	4	2	2	11	3.31	.124	8	4	.13	1013	.01	5	.46	.03	.13	1	1	30
L10+600E 9+875N	1	16	6	241	.2	5	2	1012	.17	3	5	ND	1	178	2	2	2	2	4.83	.114	2	2	.26	574	.01	38	.09	.01	.10	2	1	90
L10+600E 9+850N	1	13	6	74	.3	5	2	807	.42	3	5	ND	1	115	1	2	2	5	2.67	.096	6	2	.16	387	.01	14	.16	.02	.14	1	1	50
L10+600E 9+825N	1	13	7	96	.1	3	2	1002	.16	2	5	ND	1	173	1	2	2	1	4.15	.144	3	2	.24	516	.01	26	.07	.01	.13	1	1	80
L10+600E 9+800N	1	16	6	90	.3	4	2	894	.31	2	5	ND	1	115	1	2	2	4	2.66	.115	4	2	.22	455	.01	5	.14	.01	.11	1	1	90
L10+600E 9+775N	1	13	7	67	.1	7	2	762	.45	3	5	ND	1	133	1	2	2	4	3.02	.079	10	2	.28	298	.01	7	.17	.01	.09	1	1	70
L10+600E 9+750N	1	19	9	187	.4	7	3	1920	.34	2	5	ND	1	155	2	2	2	5	4.05	.145	10	3	.17	730	.01	16	.19	.02	.12	1	1	80
L10+600E 9+725N	1	19	12	196	.1	5	2	818	.21	2	5	ND	1	164	3	2	2	3	4.42	.126	4	4	.21	526	.01	29	.11	.01	.12	1	1	100
STD C/AU-S	20	62	39	132	7.5	71	29	1060	4.13	43	25	9	40	52	19	21	25	58	.51	.093	40	63	.91	179	.09	30	1.85	.06	.15	14	52	1300

092106

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#	H6
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB
L10+600E 9+700N	1	15	4	80	.1	2	3	585	.88	4	5	ND	2	43	1	2	2	9	.99	.056	6	3	.09	213	.01	9	.23	.02	.13	2	1	30
L10+600E 9+575N	1	13	4	161	.2	1	1	400	.22	2	5	ND	1	128	3	2	2	3	3.33	.099	3	1	.17	325	.01	11	.14	.02	.11	2	1	60
L10+600E 9+650N	1	13	2	47	.1	3	2	574	.52	2	5	ND	1	57	1	2	2	9	.97	.048	5	3	.12	291	.01	2	.33	.03	.08	3	1	20
L10+600E 9+525N	1	16	2	127	.1	3	1	264	.24	2	5	ND	1	150	1	2	2	4	4.93	.090	2	1	.23	252	.01	18	.16	.03	.08	2	2	50
L10+600E 9+600N	1	19	3	187	.8	5	2	514	.59	2	5	ND	1	103	5	2	2	10	2.83	.118	5	4	.20	307	.01	7	.42	.03	.14	1	2	40
L10+600E 9+575N	1	19	2	362	.3	2	2	806	.18	4	11	ND	1	174	10	2	2	3	4.91	.153	2	2	.25	466	.01	30	.10	.01	.12	1	1	80
L10+600E 9+550N	1	16	6	138	.1	9	2	512	.73	4	5	ND	2	97	1	2	2	8	2.68	.084	11	6	.35	370	.01	3	.27	.01	.10	1	2	60
L10+600E 9+525N	1	16	2	94	.1	4	3	1571	.42	2	5	ND	1	140	1	2	2	5	3.40	.097	6	3	.37	553	.01	3	.22	.02	.10	1	2	50
L10+600E 9+500N	1	26	3	123	.1	7	2	588	.31	3	5	ND	1	135	1	2	2	4	3.89	.098	11	2	.27	207	.01	11	.29	.03	.10	1	2	40
L10+600E 9+475N	1	24	5	357	.1	9	4	1153	.83	5	5	ND	1	137	2	2	2	8	4.17	.112	31	7	.40	223	.01	13	.53	.02	.13	1	1	50
L10+600E 9+450N	1	32	11	573	.1	12	2	880	.86	3	5	ND	1	147	7	2	2	10	4.47	.134	39	7	.25	415	.01	12	.48	.02	.17	1	1	50
L10+600E 9+425N	2	16	10	175	.3	10	5	1022	1.04	7	5	ND	3	139	2	3	2	11	3.75	.079	19	7	.28	387	.01	4	.42	.01	.17	1	2	80
L10+600E 9+400N	2	23	2	755	.7	3	2	709	.37	2	5	ND	1	128	22	2	2	5	3.87	.145	3	2	.24	477	.01	4	.24	.01	.12	1	1	70
L10+600E 9+375N	2	16	8	535	.5	4	2	795	.35	4	5	ND	1	136	13	2	2	5	4.74	.136	3	2	.22	571	.01	15	.22	.01	.15	1	2	60
L10+600E 9+350N	1	26	3	375	.4	6	3	400	.42	2	5	ND	1	146	8	2	2	5	5.51	.136	4	3	.19	668	.01	13	.29	.01	.13	1	1	50
L10+600E 9+325N	1	19	2	362	.7	4	3	482	.24	2	8	ND	1	179	9	2	2	3	8.12	.148	4	2	.25	728	.01	23	.17	.01	.15	1	1	40
L10+600E 9+300N	1	26	2	421	.3	4	3	665	.57	2	5	ND	1	104	9	2	2	9	3.40	.110	4	5	.22	544	.01	7	.35	.02	.10	1	2	30
L10+600E 9+275N	1	21	3	295	.8	5	2	395	.57	2	5	ND	1	129	7	2	2	8	4.28	.109	5	4	.18	715	.01	7	.45	.02	.11	1	3	40
L10+600E 9+250N	2	19	5	442	.4	3	2	430	.31	7	5	ND	1	147	8	3	2	5	6.28	.149	3	3	.20	584	.01	11	.20	.02	.14	1	1	40
L10+600E 9+225N	5	32	9	466	.3	15	3	526	1.14	13	5	ND	1	120	9	2	2	17	5.05	.133	5	5	.47	511	.01	8	.24	.01	.14	1	2	60
L10+600E 9+200N	1	60	5	712	.1	16	2	291	.47	3	6	ND	1	250	5	2	2	9	12.35	.137	3	3	.28	862	.01	23	.27	.02	.08	1	1	40
L10+600E 9+175N	3	16	2	268	.1	2	1	195	.10	3	7	ND	1	138	2	2	2	1	5.65	.116	3	1	.26	532	.01	30	.06	.01	.12	1	1	50
L10+600E 9+150N	1	24	5	171	.3	8	2	306	.48	4	5	ND	1	179	3	2	2	7	6.59	.185	9	4	.26	977	.01	16	.38	.02	.13	1	1	60
L10+600E 9+125N	1	23	10	184	.4	17	5	635	1.28	10	5	ND	2	157	2	2	2	19	3.18	.085	10	12	.52	828	.01	6	.57	.01	.15	1	2	60
L10+600E 9+100N	1	10	4	135	.1	8	1	206	.22	2	11	ND	1	135	1	4	2	4	4.03	.084	2	3	.51	133	.01	28	.08	.04	.27	1	1	50
L10+600E 9+075N	2	28	11	296	.1	33	6	1522	1.81	12	5	ND	1	178	3	4	2	18	6.55	.092	7	11	.65	381	.01	11	.50	.01	.12	1	1	80
L10+700E 10+500N	1	15	6	208	.1	12	4	459	1.17	4	5	ND	1	147	7	2	3	7	4.02	.122	5	7	.70	307	.01	21	.39	.01	.15	1	1	40
L10+700E 10+475N	3	13	9	66	.1	11	4	591	1.57	4	5	ND	1	76	1	2	2	14	2.27	.071	12	10	.42	411	.01	6	.44	.02	.16	1	3	30
L10+700E 10+450N	2	15	8	174	.6	4	1	599	.25	3	11	ND	1	183	3	2	2	3	5.25	.136	4	3	.27	707	.01	18	.12	.01	.21	2	1	70
L10+700E 10+425N	1	11	7	150	.3	3	1	333	.38	4	7	ND	1	132	2	3	2	4	3.65	.134	3	3	.25	343	.01	18	.12	.01	.19	1	1	50
L10+700E 10+400N	1	18	6	309	.1	4	2	850	.26	2	5	ND	1	189	3	2	2	3	4.98	.135	3	3	.32	770	.01	24	.14	.01	.12	1	1	60
L10+700E 10+375N	1	23	6	173	.3	10	5	2018	.76	5	7	ND	2	144	2	3	2	11	2.92	.155	6	4	.17	686	.02	6	.41	.03	.16	1	1	30
L10+700E 10+350N	1	16	6	89	.1	4	2	453	.23	2	5	ND	1	215	1	2	2	3	5.72	.140	3	3	.29	482	.01	18	.12	.01	.22	1	1	40
L10+700E 10+325N	1	15	8	111	.1	4	2	421	.54	2	5	ND	1	155	2	2	2	6	3.88	.108	6	4	.44	215	.01	13	.20	.02	.13	1	1	40
L10+700E 10+300N	1	16	3	74	.2	3	2	622	.49	2	5	ND	1	99	1	4	2	8	2.34	.083	5	2	.17	418	.01	6	.26	.02	.10	1	2	50
L10+700E 10+275N	1	16	6	85	.1	7	2	608	.26	2	5	ND	1	154	2	2	2	4	3.82	.152	3	3	.26	344	.01	12	.12	.01	.18	1	1	80
STD C/AU-5	20	63	43	132	7.4	70	29	1112	4.18	40	16	8	40	52	19	18	20	59	.52	.093	40	61	.93	180	.09	33	1.88	.06	.15	13	49	1300

002106

SAMPLE#	AD PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	Sr PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	M PPM	AU# PPB	HG PPB
L10+700E 10+250N	1	20	10	248	.4	9	3	1414	.32	2	5	ND	1	214	3	2	2	5	6.80	.132	6	3	.21	984	.01	32	.20	.02	.17	1	1	50
L10+700E 10+225N	1	19	9	204	.1	5	4	854	.45	2	5	ND	1	165	3	2	3	7	4.12	.145	13	3	.26	489	.01	24	.23	.02	.13	1	1	60
L10+700E 10+200N	1	15	11	142	.1	4	2	571	.16	2	5	ND	1	215	2	2	2	2	7.46	.142	11	1	.18	681	.01	30	.11	.01	.12	1	1	110
L10+700E 10+175N	1	13	10	59	.3	5	2	426	.31	2	17	ND	2	85	1	3	2	5	1.73	.081	5	3	.12	321	.01	6	.27	.02	.13	1	1	80
L10+700E 10+150N	2	18	8	234	.1	5	2	829	.16	2	5	ND	1	193	4	2	2	3	4.49	.136	2	2	.24	474	.01	18	.10	.01	.15	1	1	100
L10+700E 10+125N	5	20	9	218	.1	13	2	1477	.32	2	5	ND	1	136	3	2	2	5	4.49	.116	27	5	.46	209	.01	24	.15	.01	.16	1	1	90
L10+700E 10+100N	2	15	16	490	.2	10	4	701	.92	2	5	ND	1	124	8	2	2	8	3.85	.100	25	5	.33	344	.01	23	.25	.01	.18	1	1	70
L10+700E 10+050N	2	15	23	362	.1	11	3	575	1.02	2	5	ND	1	92	7	2	2	8	3.17	.079	33	3	.29	191	.01	24	.29	.01	.19	1	2	60
L10+700E 10+025N	3	23	10	609	.2	7	3	1319	.41	2	5	ND	2	168	5	2	2	6	5.22	.125	4	2	.20	548	.01	17	.24	.01	.14	1	1	50
L10+700E 10+000N	2	17	18	262	.6	11	3	649	1.03	3	5	ND	1	82	5	2	2	11	2.46	.072	25	6	.29	253	.01	11	.39	.01	.17	1	1	40
L10+700E 9+950N	2	17	19	194	.1	12	3	605	1.27	3	5	ND	1	73	2	2	2	11	2.45	.079	37	6	.31	299	.01	24	.43	.01	.17	1	1	80
L10+700E 9+900N	1	15	9	142	.3	4	2	737	.53	2	5	ND	3	91	2	2	2	7	2.15	.110	6	3	.25	262	.01	12	.20	.02	.17	1	1	70
L10+700E 9+875N	2	15	23	91	.3	9	3	469	1.47	4	5	ND	1	71	1	2	2	12	1.47	.061	35	8	.32	271	.01	9	.35	.01	.15	1	1	30
L10+700E 9+850N	1	15	12	157	.1	4	2	888	.21	2	5	ND	1	164	2	3	2	3	3.84	.120	2	1	.33	377	.01	15	.10	.01	.11	1	1	80
L10+700E 9+825N	1	20	11	61	.1	7	3	905	.43	2	5	ND	1	123	1	2	2	7	2.77	.104	4	3	.24	425	.01	18	.21	.03	.11	1	2	50
L10+700E 9+800N	1	18	10	132	.2	2	2	1402	.35	2	5	ND	1	112	1	2	2	5	2.69	.128	3	3	.21	521	.01	13	.21	.02	.13	1	1	80
L10+700E 9+775N	1	18	7	122	.3	7	3	827	.34	2	5	ND	1	107	2	2	2	6	2.20	.134	4	3	.19	580	.01	17	.22	.02	.16	1	1	60
L10+700E 9+750N	1	13	8	106	.2	5	2	746	.27	2	5	ND	1	127	2	2	2	4	3.19	.117	8	2	.16	436	.01	26	.19	.02	.10	1	1	80
L10+700E 9+725N	1	9	6	107	.3	2	1	414	.13	2	5	ND	1	96	1	2	2	2	2.47	.144	3	1	.15	242	.01	14	.06	.01	.23	1	1	70
L10+700E 9+700N	1	15	5	114	.2	4	1	845	.16	2	5	ND	1	204	2	2	2	2	5.01	.120	3	1	.31	276	.01	18	.09	.01	.14	1	1	60
L10+700E 9+675N	1	23	9	145	.4	5	4	1530	.51	2	5	ND	1	84	1	5	2	10	1.58	.080	6	3	.13	552	.01	7	.43	.03	.12	1	2	50
L10+700E 9+650N	1	17	6	158	.1	7	1	465	.22	2	5	ND	1	110	1	2	2	2	3.71	.070	21	1	.26	128	.01	19	.13	.02	.09	1	1	100
L10+700E 9+625N	2	22	10	347	.6	12	3	1382	.36	2	5	ND	1	149	3	2	3	5	4.64	.100	52	3	.32	354	.01	29	.39	.03	.10	1	2	80
STD C/AU-S	21	59	341	127	7.2	69	28	1133	3.84	40	20	8	42	50	19	17	20	59	.49	.090	39	61	.84	186	.08	36	1.91	.06	.14	13	50	1300
L10+700E 9+600N	1	15	6	424	.4	6	3	715	.21	2	5	ND	1	154	9	2	2	4	3.74	.126	3	1	.21	496	.01	24	.12	.02	.11	1	1	90
L10+700E 9+575N	1	13	7	56	.1	6	2	467	.65	2	5	ND	1	40	1	2	2	11	.63	.036	7	4	.09	320	.02	3	.32	.03	.11	1	1	20
L10+700E 9+550N	2	20	10	441	.2	4	1	754	.20	2	5	ND	1	192	8	2	2	5	4.58	.149	2	1	.49	386	.01	25	.14	.01	.11	1	2	70
L10+700E 9+525N	1	15	9	92	1.2	7	2	300	.57	2	5	ND	1	75	1	4	2	10	1.03	.087	6	5	.14	508	.01	2	.37	.02	.11	1	1	90
L10+700E 9+500N	4	18	8	239	.5	17	2	1197	.32	2	5	ND	1	195	2	2	2	4	6.73	.112	11	4	.20	1119	.01	22	.18	.01	.12	1	1	80
L10+700E 9+475N	1	12	5	46	.1	3	2	453	.48	2	5	ND	1	44	1	3	2	8	.70	.051	6	3	.10	370	.01	13	.34	.04	.09	1	1	40
L10+700E 9+450N	2	13	6	186	.4	4	2	776	.21	2	5	ND	1	130	6	2	2	3	3.73	.128	3	1	.21	571	.01	20	.12	.01	.13	1	1	80
L10+700E 9+425N	1	10	10	44	.1	3	1	290	.36	2	5	ND	1	46	2	2	2	8	1.09	.048	5	2	.11	217	.01	4	.29	.03	.10	2	1	30
L10+700E 9+400N	1	19	6	213	.2	4	2	394	.17	2	5	ND	1	202	4	2	3	4	6.71	.141	2	1	.29	717	.01	50	.11	.01	.13	1	1	90
L10+700E 9+375N	2	13	9	91	.2	2	2	284	.27	2	5	ND	1	98	2	2	2	6	3.36	.132	2	2	.15	317	.01	15	.20	.03	.12	1	1	40
L10+700E 9+350N	2	23	8	499	1.2	6	2	764	.38	2	5	ND	1	134	7	3	2	6	4.56	.135	4	3	.31	757	.01	24	.22	.01	.15	1	1	100
L10+700E 9+325N	2	15	4	416	.3	5	2	762	.26	2	5	ND	1	119	13	2	2	4	3.97	.136	2	2	.18	605	.01	11	.18	.01	.11	1	1	50
L10+700E 9+300N	2	14	7	291	.3	3	2	353	.23	2	5	ND	1	115	9	2	2	5	4.12	.113	2	2	.19	420	.01	20	.18	.02	.15	1	1	60

092106

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#	HG
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB
L10+700E 9+275N	1	16	7	261	.2	7	2	443	.42	2	5	ND	1	237	3	5	2	5	9.31	.110	3	3	.25	821	.01	12	.21	.01	.08	1	1	40
L10+700E 9+250N	1	24	8	608	.6	4	2	413	.38	2	5	ND	2	167	9	6	2	5	6.56	.142	3	4	.30	454	.01	22	.22	.01	.12	1	1	60
L10+700E 9+225N	2	19	12	354	.8	12	4	461	.96	3	5	ND	3	142	9	2	2	13	5.14	.118	5	9	.49	693	.01	2	.45	.01	.13	1	1	70
L10+700E 9+200N	1	28	7	697	.9	7	3	830	.47	3	5	ND	1	188	9	5	2	7	6.60	.201	3	4	.28	1210	.01	14	.35	.02	.12	1	2	60
L10+700E 9+175N	1	13	3	297	.1	4	2	248	.27	2	5	ND	1	157	4	3	2	4	6.70	.084	2	2	.20	689	.01	9	.16	.02	.09	1	2	40
L10+700E 9+150N	1	16	3	162	.1	4	2	196	.41	2	5	ND	1	147	1	4	2	5	5.21	.081	2	3	.40	373	.01	5	.19	.01	.06	1	1	100
L10+700E 9+125N	1	13	3	240	.3	4	1	357	.19	2	9	ND	2	149	1	4	4	3	5.25	.092	2	2	.54	259	.01	20	.09	.01	.11	1	1	80
L10+700E 9+100N	2	13	2	541	.1	4	1	179	.15	2	5	ND	1	162	6	5	2	3	5.29	.126	2	1	.33	214	.01	12	.06	.01	.09	1	3	70
L10+700E 9+075N	2	26	12	368	.3	24	5	1203	1.51	9	17	ND	1	220	3	5	2	15	8.25	.090	6	10	.61	349	.01	13	.43	.02	.11	1	2	80
L10+800E 10+500N	1	13	5	68	.4	9	2	380	.67	4	5	ND	2	79	2	2	2	8	2.18	.089	5	6	.27	273	.01	2	.28	.02	.16	2	2	60
L10+800E 10+475N	1	16	3	135	.3	4	2	415	.26	2	5	ND	1	151	3	2	2	3	4.19	.127	2	3	.35	445	.01	10	.13	.01	.09	1	1	100
L10+800E 10+450N	1	16	9	79	.1	9	4	410	1.28	4	5	ND	2	79	1	3	2	12	1.68	.102	11	7	.24	324	.01	2	.38	.02	.12	1	1	50
L10+800E 10+425N	2	16	7	283	.1	5	1	485	.37	2	5	ND	2	169	5	2	2	4	4.85	.124	4	3	.31	476	.01	13	.13	.01	.14	1	1	60
L10+800E 10+400N	1	16	11	149	.4	5	2	341	.24	2	5	ND	1	132	4	2	2	3	3.21	.131	2	2	.29	327	.01	6	.11	.01	.14	1	1	80
L10+800E 10+375N	1	16	2	107	.1	5	2	621	.28	2	5	ND	1	143	2	2	2	4	3.35	.132	2	3	.31	386	.01	6	.15	.02	.10	1	2	70
L10+800E 10+350N	1	16	6	128	.3	3	2	730	.32	2	5	ND	1	111	1	2	2	5	2.41	.094	2	3	.22	483	.01	2	.18	.02	.11	1	1	60
L10+800E 10+325N	1	19	4	154	.1	4	3	471	.55	3	5	ND	1	114	2	2	2	7	2.91	.120	5	3	.19	389	.01	2	.30	.02	.12	1	1	60
L10+800E 10+300N	1	16	6	103	.3	6	3	999	.54	2	5	ND	1	135	2	2	2	8	3.69	.115	4	4	.12	641	.01	2	.33	.04	.11	1	1	20
L10+800E 10+275N	1	18	4	171	.6	3	2	708	.24	3	6	ND	2	163	2	2	2	3	3.90	.119	3	1	.30	536	.01	6	.16	.01	.11	1	3	50
L10+800E 10+250N	1	29	8	71	.5	8	4	522	.74	3	16	ND	1	163	1	2	4	12	4.00	.127	18	6	.57	341	.01	2	.65	.06	.10	2	2	20
L10+800E 10+225N	1	11	4	59	.4	5	1	524	.19	2	5	ND	1	300	1	5	2	2	11.71	.130	28	2	.40	768	.01	2	.15	.01	.12	1	1	50
L10+800E 10+200N	1	16	10	75	.2	6	2	624	.45	2	5	ND	1	126	1	2	2	6	3.04	.124	10	3	.18	478	.01	3	.31	.02	.13	1	2	60
L10+800E 10+175N	1	10	6	142	.1	4	2	412	.41	2	5	ND	1	109	1	2	5	4	2.62	.099	4	4	.98	94	.01	4	.21	.03	.12	1	2	70
L10+800E 10+150N	1	10	5	133	.3	4	1	274	.21	2	5	ND	1	99	2	2	2	2	3.61	.134	5	2	.28	102	.01	12	.08	.01	.35	1	1	50
L10+800E 10+125N	2	16	4	217	.1	7	3	287	.65	3	8	ND	1	79	3	2	4	8	2.18	.102	9	6	.27	209	.01	2	.36	.02	.14	1	1	60
L10+800E 10+100N	2	13	26	257	.1	14	3	455	1.63	8	5	ND	4	68	5	2	2	13	2.24	.083	45	8	.33	212	.01	4	.47	.01	.18	1	1	40
L10+800E 10+075N	2	13	12	333	.4	2	2	360	.68	2	5	ND	4	68	6	3	2	5	2.44	.104	18	5	.28	160	.01	2	.17	.01	.17	1	1	100
L10+800E 10+050N	3	19	2	121	.3	3	1	70	.18	2	5	ND	1	58	5	2	2	2	1.10	.052	2	1	.14	130	.01	2	.09	.01	.07	2	2	80
L10+800E 10+025N	2	15	9	231	.7	3	1	560	.30	2	5	ND	1	55	2	2	2	3	1.33	.086	3	2	.17	236	.01	2	.12	.01	.08	1	2	100
L10+800E 9+975N	1	16	8	390	.4	6	1	952	.29	2	5	ND	1	132	5	2	2	4	3.80	.141	3	3	.16	460	.01	9	.15	.01	.15	1	1	110
L10+800E 9+950N	1	15	2	385	.3	3	2	701	.15	8	5	ND	1	152	6	6	2	2	4.61	.126	2	2	.18	477	.01	10	.07	.01	.10	1	1	60
L10+800E 9+925N	1	16	13	217	.2	5	2	769	.25	2	5	ND	1	160	2	2	2	3	4.22	.146	21	2	.30	512	.01	16	.13	.01	.15	1	1	50
L10+800E 9+900N	1	16	6	189	.1	5	2	559	.48	2	5	ND	1	144	2	2	2	5	4.05	.129	6	3	.26	369	.01	16	.15	.01	.10	1	1	60
L10+800E 9+875N	1	16	3	124	.1	4	2	903	.20	2	5	ND	1	137	2	2	2	2	3.78	.128	3	2	.38	316	.01	13	.11	.01	.10	1	1	70
L10+800E 9+850N	1	23	17	122	.2	9	4	836	1.38	5	5	ND	3	100	1	2	2	16	2.52	.140	19	9	.22	476	.01	2	.51	.01	.16	1	3	30
L10+800E 9+825N	1	21	4	124	.4	4	2	1460	.37	2	5	ND	1	123	3	3	2	5	3.30	.133	3	4	.39	328	.01	12	.16	.01	.12	1	1	70
STD C/AU-S	19	61	42	132	7.3	69	29	1055	4.13	37	16	8	40	51	18	14	19	58	.52	.090	39	61	.92	179	.09	34	1.90	.06	.12	14	48	1300

002105

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	W PPM	AU# PPB	H6 PPB
L10+800E 9+800N	1	17	7	176	.1	5	2	1069	.44	2	5	ND	1	139	2	2	2	5	3.10	.109	5	3	.22	350	.01	33	.17	.02	.11	1	1	80
L10+800E 9+775N	1	14	4	210	.1	4	1	748	.24	2	5	ND	1	149	1	3	2	3	3.70	.094	4	5	.21	345	.01	27	.13	.02	.13	1	1	70
L10+800E 9+750N	2	12	8	90	.4	5	2	219	.43	7	5	ND	5	104	1	2	2	5	2.08	.104	22	3	.21	234	.01	18	.46	.04	.18	1	1	60
L10+800E 9+725N	2	25	20	377	.3	7	4	693	.43	3	8	ND	1	155	7	4	2	6	3.02	.173	52	2	.17	328	.01	17	.52	.02	.18	1	2	100
L10+800E 9+700N	2	9	2	263	.1	2	1	465	.18	2	5	ND	1	126	1	3	2	2	3.84	.102	16	1	.25	128	.01	25	.13	.03	.12	1	1	80
L10+800E 9+675N	2	13	8	247	.1	3	1	773	.11	2	5	ND	1	107	1	2	2	2	3.07	.097	15	1	.22	99	.01	21	.08	.02	.15	1	1	90
L10+800E 9+650N	3	9	4	194	.1	5	2	2880	.27	2	5	ND	1	102	1	2	3	2	2.35	.119	87	1	.23	184	.01	24	.18	.02	.15	1	1	140
L10+800E 9+625N	2	7	3	103	.1	1	1	273	.16	2	5	ND	1	77	1	2	2	2	1.69	.071	2	1	.23	140	.01	21	.10	.01	.09	1	1	110
L10+800E 9+600N	1	12	9	43	.2	4	2	567	.71	2	5	ND	1	64	1	2	2	9	1.25	.066	8	3	.18	313	.01	6	.40	.03	.13	1	3	40
L10+800E 9+575N	1	12	5	90	.2	6	4	655	.59	2	5	ND	2	132	2	2	2	7	2.77	.081	8	6	.33	274	.01	19	.30	.02	.12	1	2	60
L10+800E 9+550N	1	13	6	104	.2	6	2	742	.40	2	5	ND	1	130	2	2	2	5	2.82	.107	4	4	.27	363	.01	21	.23	.02	.11	1	1	70
L10+800E 9+525N	1	12	11	285	1.4	4	1	1096	.15	2	5	ND	3	86	3	2	2	2	1.67	.130	2	1	.23	448	.01	11	.10	.01	.15	1	1	120
L10+800E 9+500N	3	7	2	122	.2	3	1	435	.19	2	5	ND	1	113	4	2	2	3	2.48	.134	2	1	.14	365	.01	15	.08	.01	.17	1	1	90
L10+800E 9+475N	1	10	6	36	.5	1	2	355	.41	2	5	ND	2	48	1	2	2	7	.92	.073	7	2	.14	211	.01	9	.24	.03	.14	2	2	80
L10+800E 9+450N	1	12	5	85	.4	3	2	1072	.23	2	5	ND	1	166	2	2	2	4	3.57	.119	4	1	.23	396	.01	33	.13	.03	.13	1	1	60
L10+800E 9+425N	1	13	10	251	2.2	3	2	517	.19	2	5	ND	2	158	4	2	2	3	3.61	.143	2	1	.15	531	.01	25	.13	.02	.15	1	1	100
L10+800E 9+400N	1	10	6	43	.1	5	2	250	.89	2	5	ND	1	41	1	2	2	12	.58	.034	7	4	.13	219	.02	13	.46	.03	.11	1	1	30
L10+800E 9+375N	2	15	9	338	.2	3	2	744	.20	2	5	ND	1	142	8	2	2	3	3.47	.173	2	1	.20	310	.01	26	.13	.02	.18	1	2	90
L10+800E 9+350N	2	15	4	304	.6	4	1	746	.16	2	5	ND	1	177	7	2	2	2	4.32	.154	2	1	.22	434	.01	19	.09	.01	.13	1	1	100
L10+800E 9+325N	1	15	13	117	.1	7	3	600	.82	2	5	ND	3	114	4	2	2	8	2.65	.093	15	4	.28	379	.01	15	.29	.02	.14	1	1	60
L10+800E 9+300N	2	12	2	182	.3	3	1	458	.15	2	5	ND	1	178	5	2	2	2	4.51	.172	2	1	.29	310	.01	28	.09	.02	.10	1	1	70
L10+800E 9+275N	1	15	8	257	.9	4	2	596	.27	2	5	ND	2	130	6	2	2	5	3.21	.122	2	3	.21	388	.01	35	.16	.02	.14	1	1	100
L10+800E 9+250N	1	23	4	327	.2	8	5	1314	.69	3	5	ND	1	126	4	2	2	11	2.89	.174	10	5	.22	691	.01	20	.50	.03	.14	1	2	50
L10+800E 9+225N	1	18	5	535	.1	4	1	368	.17	2	5	ND	1	179	8	2	2	3	5.04	.151	2	3	.27	361	.01	49	.12	.02	.11	1	1	90
L10+800E 9+200N	1	29	6	417	.2	11	1	456	.47	2	9	ND	1	434	3	5	6	6	20.14	.150	2	4	.56	693	.01	54	.28	.03	.08	1	2	30
L10+800E 9+175N	1	15	2	343	.1	6	2	236	.35	2	7	ND	1	250	2	2	3	5	8.73	.138	2	3	.48	244	.01	50	.21	.02	.08	1	1	60
L10+800E 9+150N	1	13	5	148	.1	6	1	215	.36	2	5	ND	1	191	2	2	2	4	5.55	.105	2	3	.44	247	.01	36	.19	.01	.09	1	1	50
L10+800E 9+125N	1	13	2	175	.1	7	1	269	.44	2	5	ND	1	195	1	5	2	5	5.59	.087	3	4	.46	247	.01	32	.26	.01	.08	1	1	80
L10+800E 9+100N	1	21	5	184	.2	12	1	115	.39	2	5	ND	1	182	3	2	2	6	5.24	.065	2	3	.30	195	.01	14	.39	.03	.06	1	1	50
L10+800E 9+075N	3	18	4	382	.1	4	2	420	.21	2	5	ND	1	172	3	2	2	3	5.53	.099	2	1	.31	143	.01	19	.09	.01	.11	1	1	80
L10+900E 10+500N	1	26	4	450	.1	7	2	472	.32	2	5	ND	1	314	5	3	2	6	8.03	.217	4	4	.80	441	.01	57	.26	.04	.12	1	1	70
L10+900E 10+475N	1	26	4	346	.1	9	2	417	.30	2	5	ND	1	375	3	3	3	7	9.63	.291	5	3	1.16	613	.01	52	.27	.02	.14	1	1	60
L10+900E 10+450N	2	23	4	479	.2	7	2	820	.23	2	11	ND	1	216	6	2	3	6	4.21	.166	2	2	.78	379	.01	41	.15	.02	.12	1	1	80
L10+900E 10+425N	2	10	2	133	.1	1	1	200	.16	2	5	ND	2	162	2	2	5	2	3.36	.112	2	1	1.53	146	.01	25	.09	.01	.08	1	2	100
L10+900E 10+400N	1	16	2	190	.2	6	1	310	.21	2	5	ND	1	217	2	3	4	4	6.32	.178	6	1	.81	357	.01	18	.18	.01	.16	1	1	60
L10+900E 10+375N	1	18	9	108	.1	5	2	248	.59	2	5	ND	2	103	2	2	2	9	1.92	.120	8	4	.29	327	.01	12	.35	.03	.11	1	1	50
STD C/AU-S	21	62	41	133	7.2	73	32	1059	4.16	36	26	8	47	58	20	17	21	58	.51	.101	40	60	.92	185	.09	32	2.11	.07	.15	13	49	1300

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#	HG
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB	
L10+900E 10+350N	1	17	9	148	.1	7	1	422	.23	5	5	ND	1	162	2	4	2	4	3.50	.154	2	3	.42	296	.01	31	.11	.01	.10	1	1	70
L10+900E 10+325N	1	17	2	100	.2	9	3	1158	.48	2	5	ND	1	91	1	2	2	6	1.57	.068	4	3	.13	619	.01	8	.30	.02	.09	1	1	100
L10+900E 10+300N	1	17	8	286	.1	7	2	685	.28	4	5	ND	1	168	1	2	2	3	4.51	.110	10	2	.31	706	.01	28	.17	.01	.11	1	2	60
L10+900E 10+275N	1	15	6	162	.1	6	1	432	.19	2	5	ND	1	186	2	2	2	4	4.39	.108	4	2	.54	340	.01	25	.14	.01	.11	1	1	50
L10+900E 10+250N	1	15	4	216	.2	5	2	518	.17	2	6	ND	1	157	2	2	2	3	3.92	.110	3	2	.19	438	.01	19	.12	.01	.11	1	1	60
L10+900E 10+225N	1	15	4	35	.2	5	2	187	.43	2	5	ND	1	38	1	2	2	8	.59	.060	4	3	.09	214	.01	14	.31	.04	.07	2	1	30
L10+900E 10+200N	1	13	3	573	.1	2	1	1401	.15	2	5	ND	1	115	2	2	2	2	3.63	.108	2	2	.44	163	.01	27	.08	.01	.11	1	1	80
L10+900E 10+175N	1	7	3	196	.1	2	1	255	.08	2	5	ND	1	93	1	2	2	1	2.31	.082	2	1	.31	114	.01	22	.05	.02	.10	1	1	70
L10+900E 10+150N	2	20	8	702	.1	7	1	446	.19	2	5	ND	1	181	12	2	2	4	4.43	.148	2	2	.28	346	.01	23	.13	.01	.16	1	1	60
L10+900E 10+125N	2	17	6	480	.2	3	1	322	.22	2	5	ND	1	117	6	2	2	3	2.90	.112	2	3	.18	280	.01	25	.15	.02	.12	1	1	70
L10+900E 10+100N	1	12	8	303	.2	4	1	255	.21	4	5	ND	2	84	3	3	2	3	2.01	.120	3	2	.19	224	.01	32	.13	.02	.13	1	2	60
L10+900E 10+075N	1	27	4	376	.1	8	2	450	.55	2	5	ND	1	111	3	2	2	9	2.52	.128	9	4	.20	459	.01	14	.46	.04	.13	1	1	40
L10+900E 10+050N	2	27	4	599	.1	7	2	964	.21	12	5	ND	1	193	7	8	2	5	5.64	.169	2	3	.40	390	.01	45	.18	.02	.11	1	1	50
L10+900E 10+025N	1	18	6	268	1.0	5	2	582	.25	2	5	ND	1	86	3	2	2	3	2.16	.152	3	2	.25	367	.01	28	.18	.02	.12	1	1	90
L10+900E 10+000N	2	36	5	715	.2	8	3	2228	.43	4	5	ND	1	144	9	2	2	7	2.92	.182	8	4	.23	736	.01	19	.33	.03	.14	1	1	70
L10+900E 9+975N	1	13	7	176	.3	5	2	733	.38	2	10	ND	2	61	1	2	2	5	1.36	.096	5	4	.13	292	.01	10	.20	.02	.21	1	2	50
L10+900E 9+950N	1	22	4	99	.8	6	1	982	.19	2	5	ND	1	107	1	2	2	3	2.66	.178	3	2	.20	453	.01	16	.11	.01	.18	1	1	110
L10+900E 9+925N	1	10	4	27	.3	3	2	317	.42	4	16	ND	1	33	1	2	2	3	.48	.032	5	3	.10	110	.01	3	.24	.04	.09	2	1	10
L10+900E 9+900N	1	13	8	163	.3	4	2	482	.40	2	5	ND	2	79	1	2	2	4	1.79	.079	8	4	.24	269	.01	11	.20	.01	.08	1	1	100
L10+900E 9+875N	1	20	12	139	.1	63	5	1038	1.40	6	5	ND	4	100	1	2	2	13	2.48	.078	14	103	.68	493	.01	8	.55	.02	.17	1	2	40
L10+900E 9+850N	2	17	10	428	.1	6	1	959	.15	2	5	ND	1	159	4	2	2	2	4.55	.132	2	3	.28	377	.01	37	.08	.01	.11	1	1	90
L10+900E 9+825N	2	17	8	216	.4	8	2	1103	.23	4	7	ND	1	169	4	2	2	2	5.00	.122	3	3	.28	411	.01	30	.09	.01	.12	1	1	80
L10+900E 9+800N	1	17	12	215	.3	3	1	857	.51	3	5	ND	3	124	1	2	2	3	3.62	.089	15	3	.20	494	.01	31	.20	.02	.15	1	1	150
L10+900E 9+775N	1	27	2	109	.1	11	1	510	.45	2	5	ND	1	272	2	2	2	7	10.53	.134	8	4	.73	230	.01	25	.45	.06	.11	1	1	40
L10+900E 9+750N	1	13	3	62	.2	2	1	635	.20	2	5	ND	1	221	1	2	2	2	7.03	.078	2	2	.41	162	.01	18	.14	.02	.05	1	1	70
L10+900E 9+725N	3	10	6	153	.1	3	1	1493	.12	2	5	ND	1	144	1	2	2	2	4.52	.092	5	2	.29	154	.01	21	.09	.03	.10	1	2	90
L10+900E 9+700N	1	17	8	136	.3	4	1	282	.34	2	5	ND	1	67	1	2	2	6	1.45	.166	5	4	.10	239	.01	7	.36	.02	.05	1	1	80
L10+900E 9+675N	1	17	10	76	.4	3	2	88	.50	3	5	ND	1	37	1	3	2	8	.42	.070	6	3	.07	186	.01	7	.42	.03	.07	1	1	60
L10+900E 9+650N	1	26	5	145	.1	9	3	409	.54	2	5	ND	1	76	3	2	2	9	1.24	.110	11	5	.12	587	.01	17	.41	.03	.11	1	1	50
L10+900E 9+625N	1	13	10	84	.1	8	3	993	.84	2	5	ND	1	58	1	2	2	11	1.21	.072	14	5	.18	302	.01	13	.39	.04	.13	1	2	40
L10+900E 9+600N	1	17	9	335	.4	4	1	641	.19	2	5	ND	1	156	7	2	2	3	3.70	.159	3	2	.35	318	.01	32	.10	.01	.18	1	1	80
L10+900E 9+575N	1	13	14	121	.2	8	4	662	1.36	4	5	ND	3	53	2	2	2	14	1.34	.111	19	8	.31	258	.01	9	.49	.02	.16	1	1	70
L10+900E 9+550N	1	17	11	168	.1	7	2	754	.25	2	5	ND	1	145	5	2	2	3	4.14	.119	3	3	.55	178	.01	21	.12	.01	.12	1	1	80
L10+900E 9+525N	1	15	10	149	.2	9	3	598	.57	3	5	ND	1	94	3	2	2	7	2.22	.102	8	3	.23	309	.01	19	.26	.03	.10	1	2	60
L10+900E 9+500N	2	13	9	227	1.1	3	1	283	.19	2	14	ND	2	101	3	2	2	3	2.08	.132	2	2	.17	324	.01	17	.13	.02	.16	2	1	70
SID C/AU-S	19	61	40	128	7.7	70	28	1083	3.92	38	18	8	48	51	18	17	21	56	.49	.088	41	61	.87	170	.07	39	1.88	.06	.14	13	49	1400
L10+900E 9+475N	1	10	10	195	.3	4	1	335	.13	2	5	ND	2	109	4	2	2	2	2.53	.092	2	1	.18	216	.01	25	.08	.02	.13	1	1	60

092106

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#	H6
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB
L10+900E 9+450N	1	10	9	127	.1	2	1	315	.72	3	5	ND	1	78	1	2	2	4	1.95	.077	2	1	.13	194	.01	3	.14	.02	.09	1	1	30
L10+900E 9+425N	1	17	13	267	.1	7	3	1206	.52	3	5	ND	1	102	4	2	2	7	2.72	.121	6	4	.17	560	.01	4	.27	.03	.11	1	1	40
L10+900E 9+400N	2	17	11	203	.3	9	3	626	.66	3	5	ND	1	127	4	2	2	9	3.17	.120	5	4	.23	418	.01	2	.26	.02	.13	1	2	60
L10+900E 9+375N	1	17	7	136	.1	8	1	691	.47	2	5	ND	1	78	1	2	2	7	1.81	.077	7	2	.12	526	.01	3	.30	.04	.09	1	1	20
L10+900E 9+350N	1	17	6	511	.2	3	1	617	.18	2	5	ND	1	125	10	2	2	2	3.88	.134	2	1	.22	350	.01	17	.10	.01	.10	1	1	50
L10+900E 9+325N	1	20	7	209	.1	9	1	263	.29	2	5	ND	1	120	2	2	2	3	4.72	.099	5	1	.33	231	.01	16	.11	.01	.09	1	1	110
L10+900E 9+300N	1	16	6	110	.2	7	1	276	.20	3	5	ND	1	117	1	3	2	3	3.80	.089	3	1	.35	201	.01	5	.10	.01	.07	1	1	40
L10+900E 9+275N	1	17	6	294	.1	10	1	207	.31	2	5	ND	1	129	1	2	2	4	4.43	.098	6	2	.46	164	.01	15	.13	.01	.09	1	1	60
L10+900E 9+250N	1	17	6	162	.1	6	1	242	.17	2	5	ND	1	169	1	2	2	4	5.58	.116	8	1	.51	218	.01	20	.11	.01	.06	1	2	70
L10+900E 9+225N	1	19	8	294	.1	5	1	501	.21	3	5	ND	1	152	1	2	2	4	4.86	.114	3	1	.40	219	.01	19	.10	.01	.07	1	1	100
L10+900E 9+200N	1	22	5	266	.1	6	2	562	.29	3	5	ND	1	168	1	2	2	6	5.34	.120	11	1	.47	265	.01	24	.19	.01	.08	1	2	80
L10+900E 9+175N	1	23	9	182	.1	16	4	296	1.05	3	5	ND	3	89	1	3	2	14	2.69	.121	14	9	.44	192	.01	2	.44	.01	.20	1	2	90
L10+900E 9+150N	1	26	10	308	.1	15	2	275	.82	5	5	ND	2	111	2	2	2	12	3.42	.093	11	6	.41	305	.01	6	.33	.01	.11	1	2	70
L10+900E 9+125N	1	17	8	389	.2	4	1	216	.28	3	5	ND	2	101	2	3	2	2	3.56	.112	13	2	.29	229	.01	24	.06	.01	.11	1	1	80
L10+900E 9+100N	1	20	4	647	.2	5	1	227	.20	2	5	ND	1	126	7	2	2	4	4.76	.120	5	1	.35	226	.01	28	.07	.01	.16	1	1	90
L10+900E 9+075N	1	26	2	264	.1	14	2	510	.38	2	5	ND	1	105	3	2	2	7	3.86	.152	9	2	.41	170	.01	15	.12	.01	.33	1	1	70
L11+000E 10+500N	1	23	9	232	.3	9	3	608	.57	3	5	ND	1	145	4	2	2	10	3.58	.150	9	4	.52	499	.01	8	.36	.02	.11	1	2	50
L11+000E 10+475N	1	20	12	239	.2	7	2	443	.29	2	5	ND	1	156	3	2	2	8	3.97	.145	3	1	.51	511	.01	24	.19	.02	.12	1	1	60
L11+000E 10+450N	1	26	10	245	.2	10	3	693	.58	2	5	ND	1	141	5	2	2	10	2.80	.192	7	4	.48	601	.01	11	.42	.03	.12	1	2	40
L11+000E 10+425N	1	20	14	185	.5	5	2	469	.34	4	5	ND	2	153	3	5	2	7	3.52	.148	5	2	.58	401	.01	11	.22	.02	.12	1	2	50
L11+000E 10+400N	1	17	10	95	.2	12	4	383	.92	4	5	ND	1	128	2	2	2	12	2.61	.126	7	6	.54	443	.01	4	.37	.02	.11	1	1	70
L11+000E 10+375N	1	24	7	216	.1	6	2	699	.30	2	5	ND	1	194	3	2	3	6	4.37	.207	3	3	1.21	408	.01	46	.21	.02	.13	1	2	50
L11+000E 10+350N	1	16	11	130	.2	5	2	718	.44	2	5	ND	1	143	1	2	2	6	3.57	.131	6	3	.27	531	.01	8	.23	.02	.11	1	3	60
L11+000E 10+325N	1	19	3	151	.1	4	1	432	.17	2	5	ND	1	216	2	2	2	3	5.75	.137	4	1	.25	656	.01	18	.11	.01	.12	1	3	50
L11+000E 10+300N	1	17	2	135	.1	7	2	1019	.21	2	5	ND	1	174	1	2	3	3	3.87	.117	3	1	.41	420	.01	12	.14	.01	.11	1	3	100
L11+000E 10+275N	2	17	9	87	.1	6	2	678	.43	2	5	ND	1	77	1	2	2	6	1.45	.081	8	3	.14	350	.01	2	.30	.01	.08	1	2	90
L11+000E 10+250N	1	11	6	105	.3	4	1	580	.18	3	5	ND	2	122	1	2	2	3	2.84	.113	3	1	.22	373	.01	10	.10	.02	.09	1	6	60
L11+000E 10+225N	1	11	4	364	.1	3	1	366	.16	2	5	ND	1	112	1	2	2	2	2.81	.111	2	1	.43	159	.01	9	.09	.01	.09	1	3	150
L11+000E 10+200N	2	10	2	335	.1	2	1	401	.22	2	5	ND	2	141	1	2	2	3	3.79	.101	2	2	.34	268	.01	32	.10	.01	.12	1	6	130
L11+000E 10+175N	2	24	13	316	.1	14	2	449	.88	3	5	ND	1	143	5	2	2	12	4.47	.139	14	5	.41	270	.01	13	.44	.01	.20	1	4	80
L11+000E 10+150N	1	17	13	285	.1	9	2	291	.94	5	5	ND	4	111	4	2	2	9	3.37	.083	26	4	.29	325	.01	14	.24	.01	.16	1	3	70
L11+000E 10+125N	1	20	2	381	.4	6	1	269	.16	2	5	ND	2	175	6	2	2	4	5.32	.147	2	1	.35	255	.01	21	.10	.01	.11	1	3	80
L11+000E 10+100N	1	20	8	309	.2	4	1	272	.32	6	5	ND	3	123	4	3	2	4	3.29	.169	5	1	.25	249	.01	15	.14	.01	.17	1	2	110
L11+000E 10+075N	2	20	7	302	.3	6	1	275	.33	2	5	ND	3	139	6	2	2	5	4.46	.131	6	2	.27	272	.01	20	.18	.02	.21	1	2	70
L11+000E 10+050N	1	17	3	439	.2	4	1	725	.19	2	5	ND	2	83	3	2	2	3	2.53	.083	2	1	.23	371	.01	2	.11	.01	.12	1	22	80
L11+000E 10+025N	2	46	5	1094	.2	13	2	1690	.45	4	5	ND	1	254	8	2	2	7	8.62	.248	4	2	.28	685	.01	29	.27	.03	.12	1	2	70
STD C/AU-S	20	63	39	132	7.0	71	29	1028	4.04	41	20	8	41	50	19	17	21	60	.53	.096	42	58	.90	181	.09	34	1.82	.06	.14	13	49	1400

092106

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SS PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	M PPM	AUX PPB	n6 PPB
L11+000E 10+000N	1	20	9	331	.4	7	2	934	.35	3	5	ND	1	148	3	3	2	5	4.64	.160	5	4	.19	718	.01	35	.20	.02	.13	1	1	70
L11+000E 9+75N	2	25	9	662	.8	10	4	2588	.29	3	5	ND	1	247	5	2	3	4	7.70	.228	7	3	.28	934	.01	46	.19	.02	.15	1	1	80
L11+000E 9+50N	1	14	5	116	.1	7	1	579	.31	3	5	ND	1	88	1	3	2	5	2.07	.133	3	1	.16	238	.01	18	.19	.03	.14	1	1	50
L11+000E 9+25N	1	25	2	260	.6	7	1	1368	.29	3	5	ND	1	147	4	2	2	4	4.33	.155	4	1	.26	524	.01	28	.17	.02	.12	1	1	90
L11+000E 9+00N	1	27	10	179	.1	7	2	878	.74	3	5	ND	1	63	2	3	2	10	1.31	.102	12	4	.19	332	.01	17	.38	.02	.18	1	1	40
L11+000E 9+875N	1	17	7	145	.1	3	2	548	.22	4	5	ND	1	142	4	2	5	3	4.69	.121	3	1	.40	212	.01	21	.11	.01	.11	1	2	80
L11+000E 9+850N	1	22	14	330	.4	6	3	2957	.31	2	5	ND	1	190	2	2	2	5	6.56	.228	3	2	.15	869	.01	25	.19	.02	.14	1	1	70
L11+000E 9+825N	1	14	4	148	.1	3	1	502	.19	3	5	ND	1	133	1	2	2	2	3.70	.102	8	1	.20	395	.01	23	.11	.01	.12	1	1	100
L11+000E 9+800N	1	20	11	180	.5	7	2	1595	.31	2	5	ND	1	161	3	2	2	4	4.65	.169	55	3	.18	324	.01	30	.23	.02	.17	1	1	80
L11+000E 9+775N	2	17	9	192	.8	4	2	615	.22	3	5	ND	1	155	3	5	2	5	3.31	.169	24	2	.11	446	.01	22	.22	.02	.15	1	1	110
L11+000E 9+750N	2	11	3	146	.2	3	1	141	.06	2	7	ND	1	99	1	2	2	1	3.18	.116	59	1	.19	91	.01	29	.05	.02	.12	1	1	60
L11+000E 9+725N	1	14	10	85	.1	4	2	459	.48	5	5	ND	1	52	1	2	2	9	.67	.048	4	3	.09	238	.01	4	.37	.04	.12	1	1	50
L11+000E 9+700N	2	14	8	59	.1	3	1	133	.42	4	5	ND	1	32	1	3	2	7	.29	.069	4	3	.05	199	.01	9	.32	.02	.08	1	2	60
L11+000E 9+675N	1	11	10	71	.1	2	1	188	.35	2	5	ND	1	33	1	3	2	6	.55	.056	2	1	.05	110	.01	12	.25	.04	.12	1	1	70
L11+000E 9+650N	2	17	7	190	.4	5	1	539	.30	2	5	ND	1	86	7	2	2	6	1.70	.117	3	3	.17	273	.01	11	.19	.02	.13	1	1	80
L11+000E 9+625N	5	17	2	166	.2	2	1	703	.16	2	5	ND	1	131	1	2	2	9	3.34	.201	3	1	.24	226	.01	30	.21	.03	.23	1	1	90
L11+000E 9+600N	1	14	3	282	.8	5	1	636	.12	2	5	ND	1	136	7	2	2	2	3.53	.132	2	1	.28	300	.01	34	.07	.01	.13	1	1	100
L11+000E 9+575N	1	17	6	55	.3	3	1	481	.26	3	5	ND	1	102	1	3	2	5	2.23	.093	3	1	.15	243	.01	7	.16	.03	.11	1	1	60
L11+000E 9+550N	1	16	10	56	.3	5	1	476	.42	4	5	ND	1	84	1	2	2	7	1.87	.086	6	2	.20	240	.01	4	.20	.02	.14	2	1	70
L11+000E 9+525N	1	13	6	201	.1	4	1	543	.21	2	5	ND	1	143	2	2	2	3	3.72	.115	2	1	.19	261	.01	22	.12	.02	.11	1	1	50
L11+000E 9+500N	1	14	6	121	.1	5	1	681	.23	2	5	ND	1	148	2	2	2	3	3.46	.113	2	1	.26	402	.01	17	.14	.02	.10	1	1	60
L11+000E 9+475N	1	14	2	195	.7	4	2	430	.26	2	5	ND	1	127	3	2	2	4	2.83	.159	2	1	.20	302	.01	11	.15	.02	.16	1	1	90
L11+000E 9+450N	2	17	5	229	.4	2	3	1625	.13	2	5	ND	1	161	9	2	2	2	4.65	.158	2	1	.22	462	.01	31	.06	.01	.13	1	1	80
L11+000E 9+425N	1	17	2	211	.4	5	2	987	.30	2	5	ND	1	126	4	2	2	5	3.38	.141	3	2	.16	551	.01	18	.20	.02	.14	1	1	70
L11+000E 9+400N	8	11	5	107	.1	3	2	7861	.10	4	5	ND	1	156	1	2	6	2	4.54	.138	2	1	.39	270	.01	10	.07	.02	.14	1	2	110
L11+000E 9+375N	1	11	2	177	.2	5	1	383	.20	4	6	ND	1	91	1	2	2	3	1.82	.082	2	1	.14	192	.01	7	.15	.01	.10	1	1	100
L11+000E 9+350N	1	17	10	189	.4	7	3	720	.28	2	5	ND	1	133	7	2	2	5	2.75	.111	3	2	.17	368	.01	9	.19	.02	.11	1	1	80
L11+000E 9+325N	2	20	7	188	.3	8	2	886	.51	2	5	ND	1	145	3	2	2	7	3.37	.122	6	6	.13	649	.01	12	.33	.02	.14	1	1	100
L11+000E 9+300N	2	14	3	123	.5	4	1	348	.23	2	5	ND	1	156	5	2	2	3	3.89	.116	4	2	.30	317	.01	13	.11	.02	.12	2	1	90
L11+000E 9+275N	1	20	4	86	.3	7	2	259	.47	2	5	ND	1	65	1	2	2	10	1.18	.095	6	2	.14	303	.01	6	.39	.06	.10	1	3	20
L11+000E 9+250N	1	20	7	204	.5	7	2	613	.37	2	5	ND	1	115	5	2	2	6	2.58	.121	3	3	.22	459	.01	17	.22	.03	.15	1	1	60
L11+000E 9+225N	2	20	6	169	.3	9	2	452	.55	2	5	ND	1	71	2	2	2	9	1.54	.093	5	6	.14	409	.01	9	.33	.03	.15	1	1	50
L11+000E 9+200N	1	20	4	186	.3	6	2	529	.35	2	5	ND	1	131	3	2	2	6	2.92	.151	3	3	.29	458	.01	19	.19	.02	.14	1	1	80
L11+000E 9+175N	2	23	6	200	.1	11	3	544	.58	3	5	ND	1	128	3	2	2	9	2.84	.135	3	6	.29	567	.01	19	.30	.02	.13	1	1	90
L11+000E 9+150N	3	34	11	591	.3	30	4	612	1.00	6	8	ND	1	251	6	3	2	15	6.67	.147	6	8	.92	383	.01	28	.43	.02	.12	1	1	70
L11+100E 10+500N	1	20	3	184	.4	6	1	661	.32	2	5	ND	1	175	2	2	6	7	3.06	.169	4	3	1.63	307	.01	32	.18	.02	.17	1	1	80
STD C/AU-S	21	61	40	131	7.5	70	28	1091	3.80	39	24	7	35	52	19	17	20	58	.50	.093	40	61	.86	177	.08	35	1.88	.06	.16	13	52	1300

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	M	AU*	MG
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB
L11+100E 10+475N	1	19	8	116	.1	10	2	346	.47	2	5	ND	1	163	2	2	2	9	3.23	.201	5	4	.88	382	.01	20	.36	.03	.13	1	1	60
L11+100E 10+450N	2	15	4	158	.1	7	2	310	.28	2	5	ND	1	111	2	2	2	5	2.13	.150	3	3	.38	430	.01	10	.15	.01	.11	1	1	110
L11+100E 10+425N	1	14	5	97	.1	8	2	391	.32	3	5	ND	2	155	2	2	3	7	2.94	.184	3	3	.61	298	.01	26	.17	.02	.14	1	1	70
L11+100E 10+400N	1	20	7	264	.1	7	2	906	.34	2	5	ND	1	134	2	2	2	7	3.05	.127	5	3	.23	581	.01	14	.20	.02	.12	1	1	90
L11+100E 10+375N	2	14	8	55	.1	4	1	387	.33	2	5	ND	1	111	2	2	2	4	2.40	.126	4	3	.25	285	.01	8	.12	.01	.13	1	1	100
L11+100E 10+350N	1	16	5	74	.4	4	2	429	.28	2	5	ND	1	98	1	2	2	5	1.86	.116	3	2	.32	434	.01	5	.13	.02	.12	1	1	90
L11+100E 10+325N	1	16	3	138	.1	6	1	508	.27	2	5	ND	1	182	2	2	5	6	4.34	.209	5	2	.73	344	.01	29	.23	.02	.16	1	1	50
L11+100E 10+300N	1	14	8	105	.1	6	3	327	.35	2	5	ND	1	309	1	3	3	4	9.70	.158	16	3	.45	746	.01	25	.20	.01	.12	1	1	60
L11+100E 10+275N	1	16	5	69	.1	7	4	466	1.03	2	5	ND	1	87	1	2	2	9	2.41	.082	25	5	.25	348	.01	9	.33	.02	.11	1	1	60
L11+100E 10+250N	1	16	3	187	.1	7	1	452	.26	2	5	ND	1	146	1	2	2	4	5.01	.121	4	2	.58	131	.01	17	.15	.02	.10	1	1	80
L11+100E 10+225N	7	14	2	224	.1	4	1	418	.20	2	5	ND	2	120	3	2	2	3	3.53	.112	5	1	.31	190	.01	16	.11	.01	.14	1	1	70
L11+100E 10+200N	1	11	3	85	.1	2	1	353	.21	2	5	ND	1	102	2	2	2	3	2.50	.088	4	1	.22	116	.01	28	.11	.02	.08	1	1	60
L11+100E 10+175N	2	19	9	161	.2	8	1	285	.36	2	5	ND	1	168	3	2	2	7	4.97	.148	4	3	.40	285	.01	27	.26	.01	.27	1	1	50
L11+100E 10+150N	2	22	8	481	.1	13	3	428	.49	5	5	ND	1	178	11	2	2	9	5.78	.132	12	4	.55	312	.01	54	.23	.01	.13	1	1	60
L11+100E 10+125N	2	20	20	196	.1	16	5	399	1.47	5	5	ND	3	99	3	2	2	18	2.35	.128	30	9	.48	377	.01	38	.53	.02	.25	1	1	70
L11+100E 10+100N	3	18	8	369	.1	17	5	519	1.08	5	5	ND	1	144	6	2	2	13	3.98	.113	22	7	.58	429	.01	47	.38	.01	.21	1	1	40
L11+100E 10+075N	2	25	17	414	.1	20	5	583	1.35	5	5	ND	4	98	10	2	2	16	2.37	.097	36	8	.36	306	.01	35	.52	.03	.18	1	1	60
L11+100E 10+050N	2	20	14	460	.1	16	4	486	1.25	9	5	ND	3	115	11	2	2	14	3.22	.102	32	8	.40	302	.01	29	.44	.01	.18	2	1	60
L11+100E 10+000N	1	16	6	274	.2	4	2	644	.15	3	5	ND	1	183	3	2	2	2	6.15	.159	3	2	.32	261	.01	32	.06	.01	.17	1	1	90
L11+100E 9+975N	1	16	12	216	.1	5	2	534	.21	2	5	ND	1	168	4	3	2	3	5.30	.151	2	3	.28	307	.01	33	.08	.01	.11	1	1	100
L11+100E 9+950N	1	18	9	75	.3	6	3	603	.80	5	5	ND	3	65	1	2	2	11	1.63	.101	14	5	.21	274	.01	5	.32	.02	.17	1	1	60
L11+100E 9+925N	1	23	2	151	.1	7	2	837	.61	2	5	ND	1	62	2	2	2	9	1.45	.084	8	4	.21	262	.01	16	.29	.03	.14	1	1	50
L11+100E 9+900N	1	18	7	148	.2	5	2	630	.35	3	5	ND	1	109	2	2	2	6	3.58	.105	4	2	.29	292	.01	22	.17	.02	.11	1	1	80
L11+100E 9+875N	1	16	6	271	.2	8	2	1391	.35	2	5	ND	1	116	3	2	2	5	3.21	.160	3	3	.20	467	.01	23	.19	.02	.13	1	1	70
L11+100E 9+850N	1	18	2	127	.1	6	2	1085	.33	2	5	ND	1	130	2	2	2	5	3.57	.124	5	2	.23	421	.01	23	.18	.03	.11	1	1	80
L11+100E 9+825N	1	16	9	127	.4	5	3	729	.35	2	5	ND	1	92	1	2	2	6	2.37	.094	4	3	.11	351	.01	22	.21	.04	.12	1	1	50
L11+100E 9+800N	4	12	3	73	.1	5	1	370	.19	2	5	ND	1	199	1	2	2	2	6.31	.104	2	1	.38	170	.01	31	.12	.01	.11	1	1	70
L11+100E 9+775N	2	18	2	226	.1	6	1	1577	.18	2	5	ND	1	131	2	2	2	3	4.64	.111	7	1	.20	179	.01	23	.11	.02	.11	2	1	120
L11+100E 9+750N	2	22	8	88	.1	11	3	621	.56	4	5	ND	2	166	1	2	2	7	5.48	.092	177	2	.19	214	.01	15	.77	.02	.13	1	1	90
L11+100E 9+700N	2	16	11	96	1.0	5	2	516	.39	2	5	ND	1	75	1	2	2	5	1.32	.141	24	2	.09	253	.01	7	.32	.02	.12	1	1	110
L11+100E 9+675N	1	19	9	178	.5	5	2	1467	.45	2	5	ND	1	64	2	2	2	8	1.17	.073	6	3	.07	268	.01	5	.35	.05	.09	1	2	80
L11+100E 9+650N	1	16	8	182	.6	7	2	646	.62	3	5	ND	1	91	5	2	2	9	2.04	.105	10	4	.18	339	.01	10	.25	.02	.12	1	2	70
L11+100E 9+625N	1	14	7	68	.3	4	2	452	.31	2	5	ND	1	97	1	2	2	5	2.28	.120	4	3	.17	344	.01	18	.18	.03	.15	2	1	80
L11+100E 9+600N	1	14	10	74	.1	5	2	358	.70	4	5	ND	2	78	1	2	2	9	1.85	.079	12	4	.21	355	.01	6	.28	.02	.12	1	3	60
L11+100E 9+575N	3	22	3	512	.9	4	2	733	.20	2	5	ND	1	168	12	2	2	5	4.92	.192	2	1	.26	305	.01	23	.12	.01	.17	1	4	80
L11+100E 9+550N	2	19	8	253	.7	7	4	1119	.71	4	5	ND	1	163	6	2	2	8	3.95	.124	11	5	.30	393	.01	27	.24	.01	.11	1	1	70
STD C/AU-S	21	60	40	131	7.1	71	30	1161	4.07	40	21	8	39	50	19	17	21	62	.51	.094	42	59	.90	185	.09	38	1.82	.07	.15	14	52	1400


SAMPLE#	MU	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	LI	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	#	AUX	WB
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	
L11+100E 9+525N	1	12	9	73	.4	4	1	642	.25	3	5	ND	1	145	1	2	2	4	3.04	.116	3	1	.23	429	.01	10	.14	.02	.11	1	3	70
L11+100E 9+500N	2	18	4	179	.9	2	3	809	.16	2	6	ND	1	207	4	2	2	3	5.29	.165	2	1	.26	619	.01	23	.08	.01	.15	1	1	100
L11+200E 10+500N	1	26	4	186	.1	10	3	644	.46	5	5	ND	3	181	2	2	2	9	4.71	.161	5	3	.35	531	.01	22	.35	.03	.12	1	1	60
L11+200E 10+475N	1	18	7	100	.2	5	3	363	.35	4	5	ND	2	127	3	2	2	6	2.60	.112	3	1	.33	390	.01	11	.22	.03	.09	1	1	70
L11+200E 10+450N	1	23	2	103	.1	9	3	882	.36	2	5	ND	1	202	2	2	2	7	4.17	.117	4	3	.46	481	.01	17	.32	.03	.11	1	1	60
L11+200E 10+425N	1	20	12	269	.2	7	3	828	.39	3	5	ND	2	164	4	2	2	7	2.90	.170	6	2	1.05	473	.01	30	.33	.03	.13	1	1	70
L11+200E 10+400N	2	12	10	57	.1	13	6	259	1.74	9	5	ND	2	57	1	4	2	16	.86	.053	7	8	.23	175	.01	3	.47	.03	.12	1	2	40
L11+200E 10+375N	2	12	9	100	.1	3	2	359	.20	2	5	ND	2	174	2	2	2	4	2.95	.156	3	1	.50	481	.01	19	.14	.01	.11	1	1	90
L11+200E 10+350N	1	26	5	476	.1	6	2	504	.48	2	5	ND	2	227	4	2	2	7	3.60	.166	5	3	1.00	382	.01	21	.33	.03	.15	1	1	50
L11+200E 10+325N	1	18	3	364	.2	3	1	439	.27	3	6	ND	1	320	3	5	2	6	6.88	.179	3	2	.41	378	.01	42	.21	.01	.13	1	1	60
L11+200E 10+300N	2	23	4	190	1.0	11	2	1164	.39	3	14	ND	3	152	6	2	2	7	2.44	.126	5	3	.16	517	.01	6	.28	.02	.11	1	1	100
L11+200E 10+275N	1	15	7	150	.4	5	2	386	.30	4	5	ND	2	144	4	2	2	4	2.88	.111	4	1	.22	224	.01	9	.15	.01	.09	1	1	110
L11+200E 10+250N	1	10	4	114	.2	3	1	270	.13	2	5	ND	2	71	3	2	2	2	1.59	.070	11	1	.14	216	.01	6	.07	.01	.09	1	1	90
L11+200E 10+225N	1	15	7	79	2.8	3	2	460	.30	11	5	ND	1	61	2	6	2	4	.96	.119	9	1	.10	330	.01	2	.27	.02	.14	1	1	130
L11+200E 10+200N	1	7	3	63	.5	1	2	180	.42	3	5	ND	2	36	1	2	2	7	.60	.053	3	1	.06	130	.01	2	.18	.04	.09	1	2	60
L11+200E 10+175N	1	18	5	183	.9	2	1	257	.32	2	5	ND	1	81	3	2	2	5	1.28	.091	4	2	.15	396	.01	6	.19	.02	.11	1	2	50
L11+200E 10+150N	1	21	6	300	.4	5	3	388	.37	3	5	ND	1	170	4	5	2	8	4.90	.129	4	3	.31	266	.01	18	.23	.02	.12	1	1	40
L11+200E 10+125N	2	23	2	541	.2	6	1	531	.20	2	5	ND	1	181	12	2	2	4	4.93	.158	2	1	.30	409	.01	25	.12	.01	.10	1	1	100
L11+200E 10+100N	3	18	9	131	.4	5	2	254	.46	2	5	ND	1	117	3	2	2	8	2.91	.147	6	3	.30	242	.01	20	.25	.02	.26	1	1	50
L11+200E 10+075N	2	21	6	291	.3	8	2	355	.38	2	5	ND	1	162	5	2	2	7	4.26	.142	4	3	.29	345	.01	27	.21	.02	.15	1	1	80
L11+200E 10+050N	2	23	6	333	.1	8	2	383	.41	3	5	ND	1	139	8	2	2	7	3.46	.173	5	3	.28	262	.01	26	.23	.02	.22	1	1	50
L11+200E 10+025N	1	15	8	271	.4	6	2	707	.29	4	5	ND	1	145	6	2	2	4	3.74	.126	3	2	.38	334	.01	36	.16	.02	.13	1	2	90
L11+200E 10+000N	1	21	7	48	.2	5	2	496	.48	2	5	ND	1	37	1	2	2	9	.45	.043	4	3	.09	211	.01	2	.34	.04	.10	1	1	20
L11+200E 9+975N	2	26	9	128	.1	12	4	735	1.02	3	5	ND	1	58	2	2	2	14	1.21	.095	15	6	.20	403	.01	5	.46	.02	.16	1	1	70
L11+200E 9+950N	1	18	8	111	.2	7	3	390	.42	2	5	ND	1	93	2	2	2	7	2.60	.112	4	3	.32	187	.01	8	.20	.01	.11	1	2	80
L11+200E 9+925N	1	19	13	401	.4	8	3	1178	.43	2	5	ND	1	186	3	2	3	6	5.19	.173	3	4	.25	752	.01	27	.25	.02	.15	1	1	70
L11+200E 9+900N	1	15	6	61	.1	5	3	748	.38	9	5	ND	1	85	2	6	2	7	1.79	.083	4	3	.12	358	.01	10	.24	.04	.10	1	2	50
L11+200E 9+875N	1	14	7	107	.4	2	1	698	.34	2	5	ND	1	128	2	2	2	6	3.15	.098	12	2	.16	331	.01	10	.18	.02	.11	1	1	40
L11+200E 9+850N	1	13	7	104	.2	5	2	313	.36	2	5	ND	2	123	2	2	2	5	2.76	.080	10	2	.19	163	.01	5	.22	.03	.08	1	1	70
L11+200E 9+825N	1	13	2	214	.1	5	1	860	.18	2	5	ND	1	156	1	2	2	4	4.95	.091	2	1	.18	154	.01	12	.18	.02	.07	1	1	60
L11+200E 9+800N	1	13	10	103	.2	7	1	514	.16	2	5	ND	2	115	1	2	2	3	2.80	.109	31	1	.14	158	.01	26	.17	.02	.18	2	1	90
L11+200E 9+775N	2	18	35	187	.5	5	5	1693	.60	5	5	ND	2	73	3	2	2	8	1.31	.068	30	2	.09	357	.01	2	.46	.02	.09	2	2	60
L11+200E 9+750N	1	16	11	196	.6	6	3	880	.31	2	5	ND	1	117	3	2	2	4	2.17	.162	9	2	.11	418	.01	6	.31	.01	.12	1	1	70
L11+200E 9+725N	1	16	6	258	2.1	5	3	975	.20	2	5	ND	2	136	13	2	2	3	2.70	.136	6	1	.16	351	.01	6	.14	.01	.15	1	1	80
L11+200E 9+700N	1	17	14	244	.7	2	2	959	.24	4	5	ND	1	167	7	4	2	4	2.88	.119	99	2	.11	510	.01	9	.23	.02	.10	1	1	60
L11+200E 9+675N	1	18	10	369	1.3	4	2	929	.25	3	5	ND	2	164	7	2	2	5	3.77	.129	4	2	.17	436	.01	19	.15	.02	.14	1	2	70
STD C/AU-5	21	59	40	131	7.6	70	29	1128	3.91	39	21	8	41	54	19	16	23	61	.48	.091	41	59	.87	183	.09	39	1.86	.06	.14	14	51	1500

092106

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU*	HG
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	PPB
L11+200E 9+650N	1	17	4	81	.2	5	3	934	.38	2	5	ND	1	99	2	2	2	7	2.04	.106	4	3	.21	343	.01	14	.24	.03	.11	1	1	50
L11+200E 9+625N	1	19	3	95	.2	5	3	436	.40	2	5	ND	1	92	2	2	2	6	2.14	.119	7	3	.28	201	.01	4	.22	.01	.14	1	1	70
L11+200E 9+600N	1	17	3	274	.1	2	1	317	.16	4	5	ND	1	161	5	2	2	3	4.14	.123	2	1	.30	223	.01	29	.14	.02	.09	1	1	60
L11+200E 9+575N	2	14	4	157	.1	5	1	284	.13	2	5	ND	1	165	1	2	2	2	4.76	.113	3	2	.18	282	.01	31	.20	.01	.07	1	2	120
L11+200E 9+550N	2	9	2	105	.1	1	1	131	.09	2	5	ND	1	105	1	2	2	2	2.72	.099	2	1	.24	130	.01	10	.06	.01	.09	1	1	110
L11+200E 9+525N	1	11	5	78	.1	3	1	244	.14	2	5	ND	1	102	1	2	4	2	2.34	.114	2	1	.27	122	.01	5	.10	.01	.09	2	1	90
L11+200E 9+500N	2	9	5	145	.1	5	1	281	.10	2	5	ND	1	159	1	3	2	2	3.70	.116	2	1	.38	166	.01	14	.07	.01	.08	1	1	100
L11+300E 10+500N	1	16	6	64	.3	7	3	638	.55	4	7	ND	1	280	1	6	2	6	7.34	.131	8	5	.43	643	.01	16	.26	.01	.13	2	1	60
L11+300E 10+475N	1	19	7	58	.2	6	2	614	.36	2	5	ND	1	146	2	2	2	7	2.81	.125	4	3	.22	532	.01	3	.24	.03	.12	1	1	60
L11+300E 10+450N	1	11	9	136	.1	5	1	524	.25	4	5	ND	1	136	2	2	2	4	2.88	.121	4	3	.21	458	.01	30	.15	.02	.12	1	1	50
L11+300E 10+425N	1	14	6	58	1.6	9	3	742	.64	14	5	ND	1	103	1	4	2	10	1.37	.096	3	4	.15	298	.01	2	.33	.02	.14	1	1	90
L11+300E 10+400N	1	18	10	195	1.4	6	7	881	.36	4	5	ND	1	199	2	2	2	6	3.14	.119	3	3	.20	503	.01	24	.24	.02	.09	1	1	100
L11+300E 10+375N	1	16	4	124	.7	4	3	235	.59	9	5	ND	1	69	1	2	2	10	.73	.064	6	4	.15	188	.01	3	.38	.04	.09	1	1	30
L11+300E 10+350N	2	14	9	170	.3	4	2	671	.35	2	5	ND	1	161	2	2	2	6	3.25	.107	6	3	.19	396	.01	19	.32	.02	.10	1	1	90
L11+300E 10+325N	1	11	4	52	.1	3	2	225	.35	2	5	ND	1	41	1	2	2	7	.67	.069	3	2	.08	161	.01	2	.20	.04	.09	1	1	40
L11+300E 10+300N	2	14	3	621	.2	3	1	328	.16	2	5	ND	1	136	4	3	2	2	3.83	.135	2	1	.37	119	.01	14	.08	.01	.14	1	1	50
L11+300E 10+275N	1	19	3	163	.1	4	1	313	.15	2	5	ND	1	175	2	2	3	3	6.26	.128	9	1	.27	200	.01	41	.17	.02	.12	1	1	70
L11+300E 10+250N	3	16	9	457	.3	2	1	839	.14	2	5	ND	1	147	7	4	2	2	4.94	.146	5	1	.20	203	.01	42	.08	.01	.17	1	1	80
L11+300E 10+225N	1	19	8	199	.2	6	2	466	.47	2	6	ND	1	117	3	2	2	6	2.97	.100	18	3	.19	373	.01	2	.33	.02	.11	1	1	50
L11+300E 10+200N	2	42	12	291	.6	13	5	1085	.70	2	6	ND	1	187	5	2	2	12	4.61	.220	104	7	.29	531	.01	38	.92	.03	.17	1	2	60
L11+300E 10+175N	1	15	7	67	.1	5	3	376	.52	2	5	ND	1	77	2	2	2	9	1.61	.068	12	3	.13	161	.01	10	.28	.03	.11	1	1	40
L11+300E 10+150N	1	20	6	285	.6	2	1	475	.19	2	5	ND	1	128	9	2	2	3	2.36	.122	3	1	.14	348	.01	16	.18	.01	.10	1	1	100
L11+300E 10+125N	1	18	8	194	.2	6	1	406	.30	2	9	ND	1	142	3	3	4	5	3.88	.169	4	3	.57	252	.01	22	.19	.02	.21	1	1	60
L11+300E 10+100N	1	18	7	141	.4	7	2	453	.52	3	5	ND	1	100	3	2	2	8	1.58	.132	11	3	.19	357	.01	3	.30	.02	.14	1	1	70
L11+300E 10+075N	1	13	15	170	.4	7	2	509	.43	4	8	ND	1	143	4	3	2	5	3.84	.122	4	2	.37	213	.01	32	.16	.01	.14	1	1	40
L11+300E 10+050N	1	16	10	71	.2	8	2	443	.95	3	5	ND	1	59	1	2	2	13	1.31	.078	10	5	.26	228	.01	2	.43	.02	.17	1	1	50
L11+300E 10+025N	2	18	9	151	.2	7	3	661	.74	4	5	ND	2	83	2	2	2	12	1.83	.094	12	4	.25	285	.01	10	.39	.02	.14	1	1	60
L11+300E 10+000N	2	18	3	392	.4	5	1	336	.17	4	5	ND	1	157	5	2	2	2	4.34	.143	2	1	.30	233	.01	31	.09	.01	.11	1	1	80
L11+300E 9+975N	1	16	10	128	.2	5	2	749	.30	2	5	ND	1	166	3	2	2	5	4.09	.126	3	2	.19	390	.01	14	.14	.02	.12	1	1	70
L11+300E 9+950N	1	11	9	65	.1	6	2	502	.71	3	5	ND	2	126	1	2	2	7	3.19	.079	6	4	.18	184	.01	8	.21	.01	.11	1	2	50
L11+300E 9+925N	1	18	7	384	.3	6	2	624	.27	2	5	ND	1	146	5	2	2	5	3.68	.155	15	2	.14	303	.01	33	.19	.02	.13	1	1	60
L11+300E 9+900N	1	13	3	53	.3	16	10	837	2.35	22	5	ND	1	55	1	2	2	13	.98	.071	7	8	.17	142	.01	12	.47	.03	.18	1	1	50
L11+300E 9+875N	1	18	10	105	.1	6	2	230	.60	2	5	ND	1	56	1	2	2	12	.56	.053	6	5	.06	338	.01	8	.50	.03	.08	2	1	40
L11+300E 9+850N	1	10	7	82	.2	4	1	1574	.15	2	6	ND	1	108	1	2	2	2	3.36	.093	8	2	.14	132	.01	19	.16	.01	.07	1	1	80
L11+300E 9+825N	2	13	10	80	.3	2	1	520	.39	2	5	ND	1	66	2	2	2	5	.99	.084	5	3	.09	255	.01	2	.25	.02	.11	1	1	60
L11+300E 9+800N	2	12	11	290	.3	2	2	966	.20	2	12	ND	2	189	8	3	2	3	4.29	.147	19	2	.16	623	.01	41	.13	.02	.19	1	1	70
STD C/AU-S	21	61	44	133	7.0	73	32	1042	3.90	39	22	8	44	56	20	16	19	61	.48	.097	42	65	.86	182	.09	34	1.95	.07	.15	13	49	1300

092106

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AUR	H5
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	%	%	%	PPM	PPM	PPM	
L11+300E 9+775N	1	7	4	31	.1	2	1	197	.38	11	5	ND	1	15	1	2	2	8	.18	.020	3	2	.04	81	.01	2	.30	.04	.07	1	1	30
L11+300E 9+750N	1	10	9	64	.1	3	2	383	.75	2	5	ND	1	35	1	3	2	11	.49	.039	5	3	.07	171	.01	2	.37	.03	.15	1	2	40
L11+300E 9+725N	1	12	9	52	.2	5	1	249	.68	5	5	ND	1	23	1	2	2	9	.27	.041	6	3	.04	134	.01	2	.43	.03	.10	1	3	30
L11+300E 9+700N	1	7	2	37	.1	1	1	62	.14	3	5	ND	1	36	1	2	2	2	.90	.051	3	2	.04	83	.01	11	.07	.01	.06	1	3	100
L11+300E 9+675N	1	12	6	203	.2	3	1	943	.17	2	5	ND	1	110	3	2	2	3	2.20	.132	2	1	.18	266	.01	12	.13	.01	.12	1	1	90
L11+300E 9+650N	1	15	5	116	.2	4	1	639	.14	5	5	ND	1	215	3	3	2	2	5.22	.136	10	1	.25	623	.01	26	.11	.01	.13	1	1	80
L11+300E 9+625N	1	18	4	85	.1	6	3	937	.36	2	5	ND	1	108	2	2	2	6	2.07	.130	6	4	.16	503	.01	13	.24	.03	.14	1	1	60
L11+300E 9+600N	4	17	2	436	.3	4	1	761	.13	2	5	ND	1	194	11	4	2	5	4.48	.170	2	1	.46	355	.01	30	.08	.01	.11	1	3	70
L11+300E 9+575N	1	15	2	83	.5	4	2	105	.31	3	5	ND	1	69	3	2	2	6	1.09	.052	3	2	.08	183	.01	2	.20	.04	.06	1	1	40
L11+300E 9+550N	3	15	4	170	.3	7	2	507	.40	2	5	ND	1	149	4	3	4	7	2.86	.101	3	3	.32	351	.01	8	.27	.01	.08	1	4	50
L11+300E 9+525N	1	15	5	36	.2	6	2	34	.36	6	5	ND	1	79	2	2	2	8	1.38	.072	6	3	.17	189	.01	8	.22	.03	.07	1	2	60
L11+300E 9+500N	2	4	2	42	.1	2	1	29	.13	2	5	ND	1	70	1	2	2	2	1.44	.055	2	1	.35	60	.01	9	.07	.01	.03	1	1	70
L11+400E 10+000N	1	11	5	129	.7	4	1	871	.53	4	5	ND	1	70	2	2	2	6	1.64	.076	15	2	.10	219	.01	5	.20	.02	.12	1	1	60
L11+400E 9+975N	1	15	8	123	.2	5	3	885	.41	4	5	ND	1	99	3	2	2	5	2.25	.088	7	3	.11	351	.01	13	.16	.02	.09	1	18	50
L11+400E 9+950N	1	14	3	58	1.9	1	1	325	.31	6	5	ND	1	49	1	2	2	5	.75	.090	4	3	.09	166	.01	2	.21	.02	.13	1	1	110
L11+400E 9+925N	1	14	2	104	.4	4	1	540	.31	3	5	ND	1	61	2	2	2	6	.87	.085	3	3	.06	198	.01	5	.25	.02	.08	1	1	100
L11+400E 9+900N	2	13	11	75	.1	4	2	390	1.28	5	5	ND	1	20	1	2	2	12	.24	.043	5	3	.03	178	.01	2	.50	.01	.11	1	2	50
L11+400E 9+875N	1	13	11	211	.1	4	2	521	.51	2	5	ND	1	107	3	2	2	3	3.38	.085	17	3	.09	227	.01	11	.14	.01	.10	1	2	90
L11+400E 9+850N	1	13	2	141	.1	4	1	1064	.17	4	5	ND	1	87	2	2	2	4	2.46	.099	8	1	.13	178	.01	9	.17	.02	.09	1	1	100
L11+400E 9+825N	1	29	5	33	.1	10	2	792	.29	5	5	ND	1	112	1	2	2	5	3.82	.060	4	3	.20	363	.01	7	.30	.03	.04	1	2	60
L11+400E 9+800N	1	18	7	95	.2	7	1	422	.36	2	5	ND	2	94	2	2	2	6	2.13	.069	55	3	.11	290	.01	8	.28	.01	.06	1	1	110
L11+400E 9+775N	2	15	5	99	5.3	4	2	552	.39	2	5	ND	1	48	1	2	2	5	.80	.086	33	3	.06	275	.01	2	.27	.01	.09	1	1	160
L11+400E 9+750N	1	13	7	89	.3	4	1	475	.37	2	5	ND	1	51	2	2	2	8	.99	.075	5	2	.06	241	.01	2	.22	.03	.09	1	3	50
L11+400E 9+725N	2	15	23	72	1.0	6	1	322	.69	4	5	ND	1	69	1	2	2	7	.91	.135	122	4	.07	335	.01	2	.61	.01	.11	1	5	110
L11+400E 9+700N	1	16	10	77	.6	4	2	798	.55	3	5	ND	1	45	1	2	2	8	.90	.052	16	3	.07	225	.01	3	.36	.03	.15	1	2	70
L11+400E 9+675N	2	13	4	189	.1	4	1	426	.25	2	5	ND	1	100	2	2	2	4	2.21	.103	3	2	.19	266	.01	8	.16	.02	.10	1	1	80
L11+400E 9+650N	1	16	4	157	.1	5	2	531	.32	4	5	ND	1	100	3	2	2	6	2.30	.110	3	2	.12	384	.01	12	.19	.03	.09	1	1	30
L11+400E 9+625N	1	13	7	81	.1	5	3	534	.44	3	5	ND	2	136	2	2	2	6	3.01	.099	5	3	.26	425	.01	13	.19	.01	.14	1	1	50
L11+400E 9+600N	1	32	7	181	.1	10	4	453	.63	3	5	ND	2	221	3	3	2	13	3.43	.101	7	3	.35	700	.01	6	.59	.03	.10	1	2	60
L11+400E 9+575N	2	13	4	183	.1	3	1	230	.20	2	5	ND	1	153	2	2	5	3	3.59	.090	2	1	.41	160	.01	17	.13	.01	.07	2	1	60
L11+400E 9+550N	1	21	4	145	.1	4	2	439	.31	3	5	ND	1	88	3	2	2	5	1.96	.068	3	3	.31	234	.01	10	.27	.01	.06	1	1	90
L11+400E 9+525N	4	18	4	137	.1	18	1	4711	.12	2	5	ND	1	115	1	2	2	2	4.15	.117	2	1	.29	298	.01	21	.09	.01	.07	1	2	100
L11+400E 9+500N	1	13	2	41	.1	4	1	154	.31	2	5	ND	1	69	1	2	3	6	1.13	.050	4	2	.11	191	.01	6	.24	.02	.04	2	1	70
STD C/AU-S	20	61	41	135	7.1	70	30	1079	3.82	40	19	8	44	57	18	17	24	61	.49	.093	42	61	.85	187	.07	37	1.88	.06	.15	14	52	1400




RANGE

Grew

092106



- OUTCROP
- ROAD
- ROTARY HOLE
- MARSH
- CLAIM BOUNDARY



092106

REVISED	GREW CREEK	
	TARN GRID	
PROJ. No.	SURVEY BY: JHM	DATE: FEB 88
N.T.S.	DRAWN BY: HCG	SCALE: 1:2500
DWG No.	3	
	NORANDA EXPLORATION	
	OFFICE: WHITEHORSE	

000000-1000








Fig. 4




TARN
GEOCHEMICAL SURVEY
PPB Au
PROJECT: GREW CREEK PROJECT # : 331
BASELINE AZIMUTH : 130 Deg.
SCALE = 1: 2500 DATE : 9/ 9/87
SURVEY BY : J HELSEN NTS : 105K02
FILE: C331TAR
NORANDA EXPLORATION




BASELINE

Fig. 5



TARN	
GEOCHEMICAL SURVEY	
PPM Ag	
PROJECT: GREW CREEK	PROJECT # : 331
BASELINE AZIMUTH : 130 Deg.	
SCALE = 1: 2500	DATE : 9/ 9/87
SURVEY BY : J HELSEN	NTS : 105K02
FILE: C331TAR	
NORANDA EXPLORATION	



BASELINE

Fig. 6

Reading Presentation : PPM As
 Contour Interval : 10,15,20,25,30,50,75,100 ppm
 092106
 50m 100m 200m 50m 100m

TARN
 GEOCHEMICAL SURVEY
 PPM As
 PROJECT: GREW CREEK PROJECT # : 331
 BASELINE AZIMUTH : 130 Deg.
 SCALE = 1: 2500 DATE : 9/ 9/87
 SURVEY BY : J HELSEN NTS : 105K02
 FILE: C331TAR
 NORANDA EXPLORATION





Fig. 7

Contour Interval : 50,80,110,140,170
: 200,230 ppb

092106



TARN	
GEOCHEMICAL SURVEY	
PPB Hg	
PROJECT: GREW CREEK	PROJECT # : 331
BASELINE AZIMUTH : 130 Deg.	
SCALE = 1: 2500	DATE : 9/ 9/87
SURVEY BY : J HELSEN	NTS : 105K02
FILE: C331TAR	
NORANDA EXPLORATION	




Fig. 8

Instrument	: MP3
Field	: TOTAL
Datum	: 58000.0 nT
Contour Interval	: 25 nT
(1 pass through a 9 pt. Hanning Filter.) (1 pass through a 3 pt. Hanning Filter.)	
Conductor Axis	:
	002106

TARN	
MAGNETOMETER SURVEY	
(FILTERED CONTOUR PRESENTATION)	
PROJECT: GREW CREEK PROJECT # : 331	
BASELINE AZIMUTH : 90 Deg.	
SCALE = 1: 2500	DATE : 10/16/87
SURVEY BY : MF	NTS : 105K02
FILE: M331TAR	
NORANDA EXPLORATION	