

MAP NO. 115 0 10 ASSESSMENT REPORT X PROSPECTUS CONFIDENTIAL X OPEN FILE DOCUMENT NO.: 092603 MINING DISTRICT: Dawson TYPE OF WORK: Geochemical

REPORT FILED UNDER: Doron Explorations Inc.

DATE PERFORMED: May, 1988

DATE FILED: 4 November, 1988

LOCATION: LAT.: 63 42'N,

AREA: Gold Run & Sulphur Creeks

LONG.: 138 42'W

VALUE \$: 20 000.00

CLAIM NAME & NO.: BTTA 1-8 (YA87935-42); BTTA 9-32 (YA87997-88020); KENTUCKY 1-16 (YA88329-44)

WORK DONE BY: B. Lueck, G. Davidson

WORK DONE FOR: Doron Explorations Inc.

DATE TO GOOD STANDING | REMARKS: #28 KENTUCKY LODE

| In 1988, Doron Exploration followed up the original 1901  
| discovery with soil geochemistry (800 samples) and reconnaissance  
| magnetometer-VLF surveys. Four strong spot anomalies were  
| obtained with values up to 858 ppb Au.




M.R. file no. <i>Quartz Pending</i>
R.M.M.R. file no.
Date forwarded <i>7 NOV 88</i>

TRANSMITTAL FORM

From Mining Recorder at: *DAWSON*

To Regional Manager, Mineral Rights at Whitehorse, Y.T.

**CONFIDENTIAL**



For action are:

<input type="checkbox"/> NEW APPLICATION FOR PLACER LEASE TO PROSPECT	Name	
<input type="checkbox"/> RENEWAL APPLICATION PLACER LEASE TO PROSPECT	Name	Lease no.
<input type="checkbox"/> AFFIDAVIT OF EXPENDITURE ON PLACER LEASE	Name	Lease no.
<input type="checkbox"/> SECURITY DEPOSIT		
<input type="checkbox"/> FINANCIAL ABILITY		
<input type="checkbox"/> ASSIGNMENT OF PLACER LEASE NO.	From	To
<input type="checkbox"/> GROUPING APPLICATION UNDER SEC. 52(2) PLACER MINING ACT.	Owner	
<input type="checkbox"/> DIAMOND DRILL LOGS	Claims	Claim sheet no.
<input checked="" type="checkbox"/> QUARTZ ASSESSMENT REPORT	Claims	Claim sheet no.
OWNERS: <i>TODD PEEVER</i> <i>Doran Explorations Inc.</i>	Type of report <i>Geological Geochemical</i>	Submitted by <i>Brian Luck + G.S. Davidson</i>
	Cls. work performed on <i>Kentucky 1-12 BTA 21-24 + 27-30</i>	\$ req. for ren. application <i>\$100,000.00</i>

*[Signature]*  
Signature

Date returned <i>7 Dec. 88</i>
-----------------------------------

REPLY ACTION

*Approved for amount required*

---



---



---



---



---



---



---



---



---



---


**092603**

*[Signature]*  
Signature

...  
...  
...  
...  
...


...  
...  
...

ASSESSMENT REPORT  
on the  
GOLD RUN RIDGE PROPERTY  
NTS 115 0-10  
DAWSON MINING DISTRICT



082603

This report has been examined by  
the Geological Evaluation Unit  
under Section 53 (4) Yukon Quartz  
Mining Act and is allowed as  
representation work in the amount  
of \$ 20,000.00.

*for*   
Regional Manager, Exploration and  
Geological Services for Commissioner  
of Yukon Territory.

ASSESSMENT REPORT

on the

GOLD RUN RIDGE PROPERTY  
BTTA 1-32 and KENTUCKY 1-16 claims  
(YAB7935-YAB7942, YAB7997-YAB8020,  
YAB8329-YAB8344)  
Dawson Mining District  
NTS 115 0-10  
Lat. 63 42'N, Long. 138 42'W

For: DORON EXPLORATIONS INC.  
P.O. Box 10106 IBM Tower  
1560-701 W. Georgia St.  
Vancouver, B.C. X7Y 1C6

BY

BRIAN LUECK, GEOLOGIST

G.S. DAVIDSON, P.Geol.

October, 1988

## TABLE OF CONTENTS

	page
INTRODUCTION	1
LOCATION AND ACCESS	1
PHYSIOGRAPHY, CLIMATE, VEGETATION	1
PROPERTY	3
HISTORY	3
GEOLOGY	3
1988 WORK PROGRAM	6
INTRODUCTION	6
GEOCHEMISTRY - RESULTS and INTERPRETATION	6
RECOMMENDATIONS	12
CERTIFICATES	13
STATEMENT OF COSTS	14
REFERENCES	15
LIST OF FIGURES	
Figure 1      Location Map	2
Figure 2      Claim Plan	4
Figure 3      Regional Geology	5
Figure 4      Grid Plan	7
Figure 5      Au-As-Hg Geochemistry	9
Figure 6      Sb-Cu-Pb-Zn Geochemistry	10
Figure 7      Au Geochemistry, Contour Plan	11
APPENDIX Certificates of Analyses	

## INTRODUCTION

Doron Explorations Inc. holds 48 mineral claims (BTTA 1-32, KENTUCKY 1-16) in the Klondike district of the central Yukon. The claims cover the divide between lower Sulphur and Gold Run Creeks. Historical documents report that gold bearing quartz veins were discovered and developed in this area in 1901. The property covers old workings rediscovered by Doron's prospectors.

This report describes an exploration program performed on the property from May 10-30, 1988. The work program consisted of grid development, geochemistry and geological mapping. B. Lueck of Whitehorse supervised a four-man field crew.

## LOCATION AND ACCESS


The claims are located about 60 km southeast of the town of Dawson and are accessible via the Hunker-Granville Loop; a government maintained road. The Hunker-Granville Loop extends from the Klondike Highway along Hunker Creek and then down Sulphur Creek to the old townsite of Granville. The claims lie approximately 1.5 km northeast of the lower Sulphur Creek section of this road. Several cat trails run from the road onto the property and another cat trail follows the ridge top through the center of the claims. Road distance from Dawson to the property is 75 km. Figure 1 shows the property location.

## PHYSIOGRAPHY, CLIMATE VEGETATION

The BTTA and KENTUCKY claims cover a northwest trending ridge top of moderate relief. Elevations range from 940 m (3000') to 750 m (2400'). Outcrop is limited to ridge crests.

Climatic conditions are typical of a northern interior climate with long cold winters and moderate annual precipitation. Summer temperatures average 15 C. Exploration is practical from early May to mid October.

The vegetation consists of poplar trees and patchy stands of spruce. Buckbrush is heavy on south and westerly facing slopes.



**Yukon Territory**  
 Area: 478,034 sq. km.  
 Population: 25,000  
 Capital: Whitehorse




FIGURE 1  
 DORON EXPLORATION INC.,  
 BTTA CLAIMS  
 LOCATION MAP

## PROPERTY

The BTTA and KENTUCKY claims are registered in the office of the Dawson mining recorder. Doron Explorations Inc. holds the claims under the terms of an agreement with T. Peever. Table 1 summarizes the claim data and Figure 2 shows the claim plan.

TABLE 1  
CLAIM DATA

Claim Name	Record Number	Recording Date	Expiry Date
BTTA 1-8	YA87935-YA87942	May 8, 1986	MAY 8, 1993
BTTA 9-32	YA87997-YA88020	May 30, 1986	May 30, 1992
KENTUCKY 1-16	YA88329-YA88344	June 12, 1987	June 12, 1992

## HISTORY


On the ridge between lower Sulphur and Gold Run Creeks, prospectors reported discovering a 3.5 m wide auriferous quartz vein in 1901. The vein was exposed in trenches and pits over a 300 m length.


Two gold occurrences marked on the 1985 Open File geology map lie on the claims. The Kentucky Lode vein (#13) is up to 2.4 m wide and the Kentucky West vein (#14) is exposed in the wall of a shaft; no assays are reported. One of these veins is the original occurrence discovered in 1901.

## GEOLOGY

Triassic or older lithologies make up most of the bedrock exposed in the district. These rocks consist almost entirely of quartzofeldspathic and mafic schists. Some lenses of fractured amphibolite occur in the schists. Figure 3 shows the regional geology.

Structurally, the area is crossed by steeply dipping thrust faults or northwest trending discontinuities. Mesothermal quartz veins are spatially associated with these structures.






Legend

- TRIASSIC OR OLDER
- MP MPa - weakly foliated amphibolite
  - MPb - strongly foliated amphibolite
  - QS QSa - blocky weathering, light grey to pinkish feldspar - quartz schist
  - QSc - buff weathering well foliated muscovite - feldspar-quartz schist w quartz porphyroclasts
  - QSD - buff weathering, well foliated muscovite-feldspar quartz schist.
  - CS CSa - massive to foliated dark grey to black carbonaceous quartzite and muscovite-quartz schist
  - CSc - muscovite-feldspar-quartz schist w carbonaceous wisps.
  - MS MSa - light to medium green and buff weathering chlorite-quartz schist
  - MSe - calcareous chlorite-quartz schist

Symbols

- — — — — GEOLOGICAL CONTACT
- ~~~~~ THRUST FAULT
- ↗<sub>43</sub> FOLIATION (f<sub>1</sub>)



DORON EXPLORATION INC.		
BTTA CLAIMS GEOLOGY MAP		
From: O.F. 1985		Klondike Area
NTS 115 0/10	Tech. G.D.	Date March 1987
Scale 1:50 000	Drafting G.T.	Figure 3

## 1988 WORK PROGRAM

### INTRODUCTION

A field crew established camp on the ridge crest near an old headframe (the Kentucky West Showing) in early May, 1988. A Trans North Air helicopter based in Dawson provided air support.

From the camp helipad a baseline was cut due east for 2.4 km. The baseline passed 200 m south of the Kentucky Lode Showing. Crosslines were cut at 100 m intervals to the south and north of the baseline. Stations were marked at 25 m spacings. Figure 4 shows the grid plan.

A total of 800 soil samples were collected at 25 m intervals on the crosslines. Every second sample was submitted for analysis (Au-Ag-Cu-Pb-Zn-Mo-Sb-As-Hg) to Bondar-Clegg in Whitehorse. The geochemical lab reports are presented in the Appendix.

Reconnaissance magnetometer and VLF-EM traverses were conducted over an amphibolite unit on the west side of the claim block. The magnetometer and VLF readings were very flat and no further geophysical surveys were undertaken.

### GEOCHEMISTRY RESULTS



The geochemical survey results are presented in Figures 5 and 6. Moderate to strong Au, As and Hg values are somewhat coincidental in several locations. Results for other elements are generally background readings.

Four strong spot gold anomalies (244-858ppb) were found on the grid. The spot anomalies at L6+00E, 1+50N (320ppb) and L19+00E, 1+75S (858ppb) are part of extensive weak gold anomalies located in the northwest and southeast sections of the grid. Several other weak gold anomalies are distributed through the grid area. The old workings at the Kentucky West and Kentucky Lode Showings did not show up in the geochemical survey.

Several of the weaker gold anomalies have associated arsenic anomalies. The highest arsenic value (47ppm) and a spot high in gold (261ppb) occur at L1+00E, 1+25S.

Mercury values are also elevated over several of the gold anomalies. The strongest mercury anomaly occurs in the northwestern section of the grid from L2+00E to L7+00E.

L 0+00  
 L 1+00 E  
 L 2+00 E  
 L 3+00 E  
 L 4+00 E  
 L 5+00 E  
 L 6+00 E  
 L 7+00 E  
 L 8+00 E  
 L 9+00 E  
 L 10+00 E  
 L 11+00 E  
 L 12+00 E  
 L 13+00 E  
 L 14+00 E  
 L 15+00 E  
 L 16+00 E  
 L 17+00 E  
 L 18+00 E  
 L 19+00 E



SCALE 1 : 10,000





FIGURE 4 : GRID PLAN

## INTERPRETATION

The property is underlain by chlorite schist containing quartz lenses. The schists dip to the west (20-30) and strike NNW. Late faulting in the area caused fracturing of the quartz ledges within the schist, with the quartz acting as the brittle unit and the schist deforming as the ductile unit. Historically reported mineralization consisted of gold, pyrite and galena in veinlets of quartz crosscutting the quartz ledges.

The gold geochemical anomalies on the property are interpreted to overlie fault zones containing interbedded schist and quartz with mineralization in brittlely deformed quartz stringers. Barren areas between the anomalies overlie schist with little or no quartz veining.



**DORON EXPLORATIONS INC.**

GOLD RUN RIDGE PROPERTY


**Au-As-Hg GEOCHEMISTRY**

KLONDIKE DISTRICT

N.T.S.: 115 0/10	TECH: G.D.	DATE: OCTOBER 1988
SCALE: 1 : 5000	DRAUGHTING: J.A.S.F.	FIGURE: 5

	L0+00	L1+00 E	L2+00 E	L3+00 E	L4+00 E	L5+00 E	L6+00 E	L7+00 E	L8+00 E	L9+00 E	L10+00 E	L11+00 E	L12+00 E	L13+00 E	L14+00 E	L15+00 E	L16+00 E	L17+00 E	L18+00 E	L19+00 E
4+00N	10 9 21 81	24 <5	<5 <5 24 105		5 <5 24 119	<5 <5 6 <5	<5 <5 10 75	<5 7 14 79	<5 13 17 44	<5 <5 5 22	<5 9 13 63	<5 9 23 54	<5 6 15 79	<5 19 18 46	<5 11 20 38	<5 14 15 34	8 11 22 53	<5 14 25 80		
3+00N	<5 14 29 86	63 100 13 <5	<5 <5 80 80	<5 <5 31 79	8 <5 13 72	23 124 10 <5	<5 <5 9 40	<5 9 33 56	<5 <5 13 49	<5 6 8 38	5 6 11 45	<5 <5 10 26	<5 8 23 68	<5 18 14 37	<5 14 28 44	8 13 16 42	<5 15 18 66	<5 11 33 95	<5 7	
2+00N	8 12 30 108	16 91 7 <5	<5 6 63 63	<5 <5 17 88	8 8 8 65	<5 <5 11 88	<5 <5 7 <5	<5 <5 7 48	<5 9 3 18	<5 8 8 40	<5 11 8 40	<5 <5 5 24	<5 8 14 64	<5 11 15 12	<5 11 14 24	<5 20 29 54	<5 12 23 56	<5 14 18 62	6 14 29 46	<5 8 7 18
1+00N	10 18 22 90	9 74 <5 <5	5 16 28 74	<5 <5 32 61	7 <5 8 62	<5 <5 29 123	<5 <5 18 66	<5 <5 11 129	<5 9 11 37	<5 8 17 51	<5 7 14 43	<5 <5 14 51	<5 7 9 50	<5 11 17 40	<5 11 18 49	<5 5 28 46	<5 14 17 77	<5 14 18 57	<5 14 24 56	<5 15 26 50
BLO+00	23 26 <5 36	<5 <5 20 83	29 73 6 9	6 8 11 16	6 79 <5 <5	<5 6 1 120	<5 7 7 40	<5 7 1 21	<5 8 13 65	<5 8 5 33	<5 7 13 65	<5 9 15 51	<5 7 12 37	<5 5 28 54	<5 5 6 14	28 57 <5 14	<5 15 31 50	<5 15 27 60	<5 12 21 49	<5 12 24 65
	16 159 <5 8	<5 11 20 59	32 38 25 58	10 <5 14 89	6 71 14 37	<5 7 33 51	<5 <5 25 41	<5 <5 17 293	<5 9 8 34	<5 8 11 15	<5 7 13 56	<5 <5 12 54	<5 7 9 37	<5 5 28 51	<5 9 6 10	20 51 23 72	<5 10 34 64	<5 10 26 53	<5 16 31 82	
	14 51 6 9	<5 9 27 57	20 35 20 52	7 7 20 52	25 47 <5 13	5 9 37 70	31 73 <5 5	5 <5 55 146	17 44 <5 9	<5 5 14 42	10 38 6 <5	<5 6 3 35	<5 9 8 55	21 35 <5 18	<5 19 33 57	16 53 18 38	<5 12 21 49	<5 12 24 65	<5 12 24 65	
1+00S	19 57 <5 9	<5 20 25 170	15 54 <5 12	<5 13 26 70	22 44 <5 7	<5 8 41 53	48 87 5 6	6 8 55 96	10 29 <5 10	<5 9 15 45	12 39 <5 <5	<5 10 7 31	<5 9 18 71	<5 14 17 31	<5 9 24 46	<5 13 21 48	<5 7 19 48	<5 13 19 42	<5 15 18 40	8 18 23 70
2+00S	18 57 <5 11	<5 13 23 82	25 52 <5 8	<5 11 21 86	20 53 <5 7	7 21 33 70	23 53 <5 6	<5 6 53 107	4 24 <5 <5	<5 10 18 39	<5 9 14 43	<5 9 20 47	<5 8 19 58	<5 7 20 55	<5 16 18 50	<5 13 18 48	<5 16 7 10	<5 16 18 39	<5 15 24 40	<5 12 31 71
3+00S	14 53 <5 8	6 17 47 190	22 57 <5 12	7 5 37 94	19 52 <5 9	<5 11 38 56	68 72 <5 8	8 <5 64 48	57 80 10 7	<5 6 18 51	<5 7 17 41	<5 <5 18 41	<5 8 20 45	<5 9 18 50	<5 11 18 49	<5 11 10 10	18 48 7 10	18 48 18 39	7 10 24 40	<5 12 26 62
4+00S	23 75 5 14	5 14 21 102	19 57 <5 12	5 15 23 46	18 58 <5 10	8 5 29 48	36 58 <5 <5	<5 <5 61 37	63 126 <5 7	<5 7 17 41	<5 <5 25 53	<5 <5 16 44	<5 8 20 45	<5 8 22 48	<5 6 20 53	<5 11 6 8	10 10 17 42	18 39 22 38	<5 14 6 10	5 13 20 41
	46 89 <5 8	<5 12 38 179	44 83 <5 9	<5 <5 33 69	36 75 6 10	7 10 28 55	20 55 <5 <5	147 136 <5 <5	6 <5 25 49	34 80 <5 6	<5 <5 18 74	<5 <5 12 83	<5 <5 15 17	<5 8 21 39	<5 8 20 43	<5 15 23 39	<5 15 20 42	<5 15 20 42	<5 11 24 45	
	24 73 <5 11	<5 7 18 57	27 73 <5 13	<5 8 12 43	29 55 <5 9	<5 12 38 86	29 45 <5 <5	30 49 <5 <5	<5 8 48 80	<5 8 47 77	<5 5 30 61	<5 7 7 51	<5 7 5 111	<5 6 11 115	<5 6 7 76	<5 13 11 25	<5 13 5 15	23 39 22 41	<5 16 27 43	<5 15 29 45
	30 80 <5 11	<5 7 27 58	23 49 <5 7	<5 5 20 55	26 66 <5 11	7 <5 22 70	6 69 8 <5	7 <5 15 62	6 34 <5 <5	<5 5 44 67	<5 7 22 68	<5 7 67 63	<5 5 5 111	<5 9 64 95	<5 9 7 82	<5 5 7 82	<5 5 7 82	<5 5 7 82	<5 5 7 82	<5 5 7 82
	34 86 <5 13	<5 7 32 52	29 60 <5 10	<5 6 35 71	15 48 <5 9	<5 10 51 76	9 41 6 <5	<5 <5 21 76	25 79 <5 6	<5 <5 58 98	<5 <5 74 119	<5 <5 74 119	<5 <5 74 119	<5 <5 74 119	<5 <5 74 119	<5 <5 74 119	<5 <5 74 119	<5 <5 74 119	<5 <5 74 119	<5 <5 74 119
	31 90	32 52	17 42	35 71	25 56	11 85			44 98	47 64										

Sb (PPM) | Pb (PPM)  
Cu (PPM) | Zn (PPM)




**DORON EXPLORATIONS INC.**

GOLD RUN RIDGE PROPERTY


**Sb-Cu-Pb-Zn GEOCHEMISTRY**

KLONDIKE DISTRICT

N.T.S.: 1:5000	TECH: G.D.	DATE: OCTOBER 1988
SCALE: 1 : 5000	DRAUGHTING: J.A.S.F.	FIGURE: 6



CONTOURS : 10,20,30,40,50 (PPB)



<b>DORON EXPLORATIONS INC.</b>		
GOLD RUN RIDGE PROPERTY		
<b>Au GEOCHEMISTRY CONTOUR PLAN</b>		
KLONDIKE DISTRICT		
N.T.S.: 115 0/10	TECH: G.D.	DATE: OCTOBER 1988
SCALE: 1 : 5000	DRAUGHTING: J.A.S.F.	FIGURE: 7

## RECOMMENDATIONS

The broad gold anomalies outlined by the May, 1988 work program should be further defined by analysing some of the extra soil samples presently stored in Whitehorse. Once defined the stronger gold anomalies should be exposed by cat trenching. If mineralized quartz veins are uncovered, a diamond drill program should be undertaken. The following program is proposed:

Geologist 15 days	4500
Assisstant 15 days	3000
Cat and operator 150 hrs.	21000
Camp and supplies	2250
Transportation and mobilization	3250
Report and assessment	3500
Contingency	2500
TOTAL	\$40000

CERTIFICATE

I, GRAHAM DAVIDSON, of the City of Whitehorse, in the Yukon Territory, HEREBY CERTIFY:

1. That I am a consulting geologist and that I reviewed data provided by Doron Explorations Inc. in the preparation of this report.
2. That I am a graduate of the University of Western Ontario (H.B.Sc., Geology, 1981).
3. That I am registered as a Professional Geologist by the Association of Professional Engineers, Geologists and Geophysicists of Alberta (#42038).
4. That I have been engaged in mineral exploration on a full time basis for seven years in the Yukon, Northwest Territories and British Columbia.

SIGNED at Whitehorse, Yukon this 19 day of October, 1988.



G.S. DAVIDSON, P.Geol.




STATEMENT OF COSTS

PERSONNEL: B. Lueck (Geologist) 6 days	\$ 1500
T. Peever (Prospecting and Supervision) 8 days	2000
B. Harris (Line cutter) 14 days	2800
G. Gervich (Line cutter) 14 days	2800
K. Heneberry (Assistant) 14 days	2100
TRANSPORTATION: Trans North Air/Capital	3500
GEOCHEMICAL ANALYSES: Bondar-Clegg	7237
CAMP and SUPPLIES:	2800
REPORT: preparation, drafting, printing	2000
TOTAL COSTS	\$26737

#### REFERENCES

- Bostock, H.S., 1957; Selected Field Reports of the G.S.C. 1893 to 1933, Memoir 284.
- Davidson, G.S. and Wallis, J., 1987; Preliminary Evaluation Report on the BTTA 1-32 Claims.
- Debicki, R.L. and Baldwin, G., 1985; Open File, Bedrock Geology and Mineralization of the Klondike Area (east), Exploration and Geological Services Division, Whitehorse, Yukon.

APPENDIX-CERTIFICATES OF ANALYSES



REPORT: V88-03297.0 ( COMPLETE )

REFERENCE INFO:


CLIENT: DORON EXPLORATION INC.

SUBMITTED BY: B. LUECK

PROJECT: NONE GIVEN

DATE PRINTED: 22-JUN-88

ORDER	ELEMENT	NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au 30g Gold 30 grams	331	5 PPB	FIRE-ASSAY	Fire Assay AA
2	Au/wt Sample weight/grams	321	0.1 G		
3	Au/wt -20 Au Sample Weight	28	0.1 G		
4	Ag Silver	333	0.5 PPM	HNO3-HCL HOT EXTR	PLASMA EMISSION SPEC
5	As Arsenic	333	5 PPM	HNO3-HCL HOT EXTR	PLASMA EMISSION SPEC
6	Cu Copper	333	1 PPM	HNO3-HCL HOT EXTR	PLASMA EMISSION SPEC
7	Mo Molybdenum	333	1 PPM	HNO3-HCL HOT EXTR	PLASMA EMISSION SPEC
8	Pb Lead	333	5 PPM	HNO3-HCL HOT EXTR	PLASMA EMISSION SPEC
9	Sb Antimony	333	5 PPM	HNO3-HCL HOT EXTR	PLASMA EMISSION SPEC
10	Zn Zinc	333	1 PPM	HNO3-HCL HOT EXTR	PLASMA EMISSION SPEC
11	Hg Mercury	333	5 PPB	HNO3-HCL HOT EXTR	Cold Vapour AA



# BONDAR-CLEGG


## Geochemical Lab Report

REPORT: V88-03297.0

PROJECT: NONE OPEN

PAGE 7

SAMPLE NUMBER	ELEMENT UNITS	Au 30g PPB	Au/wt G	Au/wt G	Ag PPM	As PPM	Cu PPM	Mo PPM	Pb PPM	Sb PPM	Zn PPM	Hg PPM
S1 0+UUF 4+UOS		6	30.0		<0.5	13	31	<1	13	<5	90	35
S1 0+UOE 3+5OS		6	30.0		<0.5	11	34	<1	11	<5	86	15
S1 0+UUF 3+UOS		<5	30.0		<0.5	16	30	<1	11	<5	80	15
S1 0+UOE 2+5OS		5	30.0		<0.5	6	24	<1	8	<5	73	15
S1 0+UUF 2+UOS		23	30.0		<0.5	10	46	1	14	5	89	10
S1 0+UOE 1+5OS		13	24.0		<0.5	15	23	1	8	<5	75	10
S1 0+UUF 1+UOS		5	30.0		<0.5	19	14	1	11	<5	53	15
S1 0+UOE 0+5OS		7	30.0		<0.5	14	18	2	9	<5	57	40
S1 0+UUF 0+UOS		6	30.0		<0.5	<5	19	2	9	6	57	20
S1 0+UOE 0+5ON		6	30.0		<0.5	<5	14	<1	7	<5	51	40
S1 0+UOE 1+0ON		9	30.0		<0.5	<5	35	<1	8	<5	85	15
S1 1+UOE 3+7SS		11	30.0		<0.5	<5	32	<1	7	<5	52	35
S1 1+UUF 3+2SS		8	30.0		<0.5	15	27	<1	7	<5	58	10
S1 1+UOE 2+7SS		7	30.0		<0.5	12	18	<1	7	<5	57	30
S1 1+UUF 2+2SS		8	22.0		<0.5	39	38	<1	12	<5	179	20
S1 1+UOE 1+7SS		8	30.0		<0.5	11	21	1	14	5	102	35
S1 1+UUF 1+2SS		261	30.0		0.5	47	47	1	17	6	190	40
S1 1+UOE 0+7SS		6	30.0		<0.5	12	23	1	13	<5	82	30
S1 1+UUF 0+2SS		7	30.0		<0.5	22	25	1	20	<5	170	35
S1 1+UOE 0+2SN		7	30.0		<0.5	11	27	1	9	<5	57	25
S1 1+UUF 0+7SN		18	10.0		<0.5	<5	20	7	11	<5	39	40
S1 2+UOE 4+0OS		23	30.0		<0.5	23	17	<1	10	<5	42	15
S1 2+UUF 3+5OS		10	30.0		<0.5	14	29	1	7	<5	60	110
S1 2+UOE 3+0OS		6	30.0		<0.5	<5	23	<1	13	<5	49	25
S1 2+UUF 2+5OS		9	27.0		<0.5	8	27	<1	9	<5	73	20
S1 2+UOE 2+0OS		22	27.0		<0.5	16	44	<1	12	<5	83	20
S1 2+UUF 1+5OS		7	26.0		<0.5	<5	19	1	12	<5	57	10
S1 2+UOE 1+0OS		8	29.0		<0.5	17	22	1	8	<5	57	10
S1 2+UUF 0+5OS		5	30.0		<0.5	<5	25	2	12	<5	52	20
S1 2+UOE 0+0OS		<5	30.0		<0.5	<5	15	1	13	<5	54	30
S1 2+UUF 0+5ON		5	17.0		<0.5	<5	20	11	7	<5	35	70
S1 2+UOE 1+0ON		8	30.0		<0.5	11	25	<1	6	<5	58	25
S1 2+UUF 1+5ON		15	10.0		<0.5	<5	32	6	9	6	38	120
S1 3+UOE 3+7SS		<5	30.0		<0.5	<5	35	2	6	<5	71	25
S1 3+UUF 3+2SS		5	30.0		<0.5	11	20	<1	5	<5	55	25
S1 3+UOE 2+7SS		<5	29.0		<0.5	<5	12	2	8	<5	43	15
S1 3+UUF 2+2SS		<5	30.0		<0.5	<5	33	<1	5	<5	69	25
S1 3+UOE 1+7SS		7	17.0		0.5	<5	23	2	5	5	46	25
S1 3+UUF 1+2SS		12	30.0		<0.5	20	37	1	5	7	94	25
S1 3+UOE 0+7SS		5	30.0		<0.5	8	21	<1	1	<5	86	30




REPORT: V88-03297.0

PROJECT: NONF GIVFN

PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Au		Ag		As	Cu	Mo	Pb	Sb	Zn	Hg	
		30g	PPB	wt	G								wt
S1 3+00E 0+25S		5		30.0		<0.5	19	26	1	13	<5	70	25
S1 3+00F 0+25N		<5		30.0		<0.5	6	20	<1	7	<5	52	25
S1 3+00E 0+75N		6		30.0		<0.5	10	38	1	12	<5	73	20
S1 4+00F 4+00S		7		18.0		<0.5	<5	25	<1	9	<5	56	25
S1 4+00E 3+50S		7		30.0		0.6	6	15	<1	11	<5	48	25
S1 4+00F 3+00S		<5		30.0		<0.5	<5	26	<1	9	<5	66	15
S1 4+00E 2+50S		5		30.0		<0.5	<5	29	<1	10	<5	55	30
S1 4+00F 2+00S		5		30.0		0.5	<5	36	<1	10	<5	75	15
S1 4+00E 1+50S		<5		30.0		<0.5	<5	18	<1	9	<5	58	15
S1 4+00F 1+00S		<5		30.0		<0.5	<5	19	<1	7	<5	52	15
S1 4+00E 0+50S		6		30.0		<0.5	9	20	<1	7	<5	53	30
S1 4+00F 0+00S		7		30.0		<0.5	11	22	<1	13	<5	44	20
S1 5+00E 3+75S		8		30.0		<0.5	<5	51	<1	10	<5	76	35
S1 5+00F 2+75S		7		21.0		<0.5	<5	38	<1	12	<5	86	40
S1 5+00E 2+25S		6		30.0		<0.5	<5	28	<1	10	<5	55	30
S1 5+00F 1+75S		<5		30.0		<0.5	<5	29	<1	5	8	48	30
S1 5+00E 1+25S		9		30.0		<0.5	<5	38	<1	11	<5	56	35
S1 5+00F 0+75S		5		30.0		<0.5	7	33	<1	21	7	70	45
S1 5+00E 0+25S		6		30.0		<0.5	<5	41	<1	8	<5	53	35
S1 5+00F 0+25N		6		30.0		<0.5	<5	37	1	9	5	70	30
S1 5+00E 0+75N		6		30.0		<0.5	6	87	<1	5	<5	73	30
S1 5+00F 1+25N		<5		30.0		<0.5	13	33	<1	7	<5	51	30
S1 5+00E 1+75N		15		8.0		<0.5	<5	1	11	6	<5	120	115
S1 6+00F 1+50S		5		30.0		<0.5	<5	36	<1	8	<5	58	20
S1 6+00E 1+00S		5		29.0		<0.5	<5	68	<1	6	<5	72	20
S1 6+00F 0+50S		14		30.0		<0.5	<5	23	<1	6	5	53	15
S1 6+00E 0+00S		<5		30.0		<0.5	<5	48	<1	5	<5	87	10
S1 6+00F 0+50N		<5		30.0		<0.5	10	31	<1	9	<5	73	25
S1 6+00E 1+00N		9		30.0		<0.5	<5	58	<1	<5	<5	89	25
S1 6+00F 1+50N		320		1.5		<0.5	<5	25	14	19	<5	41	90
S1 7+00E 0+75S		8		30.0		<0.5	<5	53	<1	6	<5	107	5
S1 7+00F 0+25S		14		30.0		<0.5	<5	55	<1	8	6	96	40
S1 7+00E 0+25N		17		30.0		<0.5	14	55	<1	<5	5	146	30
S1 7+00F 0+75N		17		30.0		<0.5	<5	31	<1	9	<5	93	20
S1 7+00E 1+25N		8		30.0		<0.5	<5	17	<1	<5	<5	293	20
S1 7+00F 1+75N		14		30.0		<0.5	<5	7	1	7	<5	40	10
S1 7+00E 3+25N		6		30.0		<0.5	14	33	2	9	<5	56	10
S1 8+00F 3+50S		7		30.0		<0.5	19	23	<1	12	<5	66	10
S1 8+00E 2+00S		31		30.0		<0.5	<5	147	<1	7	<5	136	20
S1 8+00F 1+50S		13		30.0		<0.5	5	63	<1	7	10	126	25



REPORT: V88-03297.0

①

2


PROJECT: NONE GIVEN

PAGE 3

3

SAMPLE NUMBER	ELEMENT UNITS	Au 30g PPB	Au/wt G	Au/wt G	Ag PPM	As PPM	Cu PPM	Mo PPM	Pb PPM	Sb PPM	Zn PPM	Hg PPB
S1 8+00F 0+50S		5	30.0		<0.5	<5	4	<1	10	<5	24	10
S1 8+00E 0+00S		<5	30.0		<0.5	<5	10	<1	9	<5	29	10
S1 8+00F 0+50N		10	30.0		<0.5	26	17	<1	6	<5	44	10
S1 8+00E 1+00N		23	30.0		<0.5	9	22	1	9	<5	50	60
S1 8+00F 1+50N		<5	30.0		<0.5	11	8	<1	13	<5	34	20
S1 8+00E 2+00N		<5	30.0		<0.5	8	1	<1	8	<5	21	5
S1 8+00F 2+50N		5	30.0		<0.5	11	11	<1	9	<5	37	10
S1 8+00E 3+00N		<5	30.0		<0.5	9	3	<1	<5	<5	18	5
S1 8+00F 3+50N		<5	30.0		<0.5	<5	13	<1	<5	<5	49	5
S1 8+00E 4+00N		5	30.0		<0.5	<5	17	<1	13	<5	44	25
S1 9+00F 3+75S		<5	30.0		<0.5	6	44	<1	6	<5	98	10
S1 9+00E 1+75S		8	30.0		0.6	7	39	<1	7	<5	94	20
S1 9+00F 1+25S		<5	30.0		<0.5	<5	18	2	6	<5	51	15
S1 9+00E 0+75S		<5	30.0		<0.5	<5	18	<1	10	<5	39	10
S1 9+00F 0+25S		7	30.0		<0.5	7	15	<1	9	<5	45	10
S1 9+00E 0+25N		6	30.0		<0.5	7	14	<1	5	<5	42	10
S1 9+00F 0+75N		6	30.0		<0.5	25	15	1	9	<5	43	10
S1 9+00E 1+25N		<5	30.0		<0.5	<5	11	1	8	<5	15	5
S1 9+00F 1+75N		<5	30.0		<0.5	8	5	<1	8	<5	33	10
S1 9+00E 2+25N		<5	30.0		<0.5	<5	17	<1	11	<5	51	20
S1 9+00F 2+75N		<5	30.0		<0.5	<5	7	<1	8	<5	37	10
S1 9+00E 3+25N		<5	30.0		<0.5	<5	8	<1	6	<5	38	10
S1 9+00F 3+75N		<5	30.0		<0.5	<5	5	<1	<5	<5	22	10
S1 10+00E 4+00S		6	26.0		<0.5	<5	47	1	6	<5	64	10
S1 10+00F 1+50S		7	30.0		<0.5	<5	17	<1	7	<5	41	20
S1 10+00E 1+00S		<5	30.0		<0.5	<5	8	2	6	<5	38	15
S1 10+00F 0+50S		6	30.0		<0.5	<5	14	<1	<5	<5	43	20
S1 10+00E 0+00S		6	30.0		<0.5	<5	12	<1	<5	6	39	25
S1 10+00F 0+50N		<5	30.0		<0.5	<5	10	<1	7	<5	38	10
S1 10+00E 1+00N		<5	30.0		<0.5	<5	13	<1	<5	<5	56	10
S1 10+00F 1+50N		<5	27.0		<0.5	8	6	<1	14	<5	35	15
S1 10+00E 2+00N		<5	30.0		<0.5	<5	13	<1	7	<5	65	10
S1 10+00F 2+50N		5	30.0		<0.5	<5	14	<1	5	<5	43	20
S1 10+00E 3+00N		<5	30.0		<0.5	<5	8	<1	11	<5	40	5
S1 10+00F 3+50N		6	30.0		<0.5	6	11	<1	6	5	45	20
S1 10+00E 4+00N		<5	30.0		<0.5	<5	13	1	9	<5	63	20
S1 11+00F 3+25S		6	30.0		<0.5	<5	22	<1	7	<5	68	10
S1 11+00E 0+75S		244	30.0		<0.5	<5	20	<1	9	<5	47	15
S1 11+00F 0+25S		<5	30.0		<0.5	8	7	<1	10	<5	31	5
S1 11+00E 0+25N		<5	30.0		<0.5	5	3	<1	6	<5	35	5

✓



REPORT: V88-03297.0

(1)


(2)

PROJECT: NONE GIVEN

PAGE 4

(3)

SAMPLE NUMBER	ELEMENT UNITS	Au 30g PPB	Au/wt G	Au/wt G	Ag PPM	As PPM	Cu PPM	Mo PPM	Pb PPM	Sb PPM	Zn PPM	Hg PPB
S1 11+00E 0+75N		5	30.0		<0.5	<5	12	<1	5	<5	35	10
S1 11+00E 1+25N		5	30.0		<0.5	<5	12	<1	<5	<5	54	10
S1 11+00E 1+75N		8	30.0		<0.5	19	15	<1	9	<5	51	15
S1 11+00E 2+25N		7	30.0		<0.5	<5	14	<1	<5	<5	51	20
S1 11+00E 2+75N		<5	30.0		<0.5	<5	5	<1	<5	<5	24	10
S1 11+00E 3+25N		<5	30.0		<0.5	11	10	<1	<5	<5	26	5
S1 11+00E 3+75N		8	30.0		<0.5	<5	23	<1	9	<5	54	20
S1 12+00E 2+50S		<5	28.0		<0.5	7	12	2	7	<5	51	10
S1 12+00E 2+00S		10	27.0		<0.5	<5	8	2	<5	<5	36	10
S1 12+00E 1+50S		7	30.0		<0.5	<5	16	<1	6	<5	44	10
S1 12+00E 1+00S		5	30.0		<0.5	<5	19	<1	8	<5	48	20
S1 12+00E 0+50S		5	30.0		0.6	8	19	1	14	<5	58	15
S1 12+00E 1+00N		<5	30.0		<0.5	<5	14	1	7	<5	47	30
S1 12+00E 1+50N		8	30.0		<0.5	9	11	<1	7	<5	40	10
S1 12+00E 2+00N		<5	30.0		<0.5	<5	15	<1	7	<5	51	15
S1 12+00E 2+50N		29	30.0		0.6	<5	9	<1	11	<5	50	10
S1 12+00E 3+00N		6	30.0		0.6	<5	14	<1	8	<5	64	10
S1 12+00E 3+50N		11	30.0		<0.5	19	23	<1	8	<5	68	10
S1 12+00E 4+00N		<5	30.0		<0.5	<5	15	<1	6	<5	79	20
S1 13+00E 2+75S		10	30.0		<0.5	11	30	<1	7	<5	61	10
S1 13+00E 1+75S		6	30.0		<0.5	9	18	<1	8	<5	49	20
S1 13+00E 1+25S		12	30.0		<0.5	<5	20	<1	9	<5	45	15
S1 13+00E 0+75S		10	30.0		<0.5	11	20	<1	7	<5	55	20
S1 13+00E 0+25S		15	30.0		<0.5	9	18	1	9	<5	71	10
S1 13+00E 0+25N		18	30.0		<0.5	7	8	<1	9	<5	55	20
S1 13+00E 0+75N		10	30.0		<0.5	7	9	<1	<5	<5	40	15
S1 13+00E 1+25N		6	30.0		<0.5	<5	9	<1	5	<5	37	10
S1 13+00E 1+75N		8	30.0		<0.5	<5	12	<1	5	<5	37	5
S1 13+00E 2+25N		16	30.0		<0.5	<5	12	<1	16	<5	29	10
S1 13+00E 2+75N		8	30.0		0.7	19	17	3	12	<5	40	10
S1 13+00E 3+25N		<5	30.0		<0.5	17	14	1	18	<5	37	15
S1 13+00E 3+75N		10	10.0		<0.5	22	18	2	19	<5	46	20
S1 14+00E 2+00S		7	30.0		0.5	16	21	1	8	<5	39	15
S1 14+00E 1+50S		5	30.0		<0.5	24	22	4	11	<5	48	40
S1 14+00E 0+50S		11	30.0		0.6	15	17	<1	10	<5	31	10
S1 14+00E 0+00		5	30.0		0.6	<5	20	3	18	<5	40	40
S1 14+00E 0+50N		13	30.0		<0.5	17	21	1	9	<5	35	15
S1 14+00E 1+00N		12	30.0		<0.5	13	15	2	12	<5	41	15
S1 14+00E 1+50N		7	30.0		0.6	<5	17	3	16	<5	50	10
S1 14+00E 2+00N		39	30.0		0.8	12	28	1	19	<5	54	10




REPORT: V88-03297.0

PROJECT: NONE GIVEN

PAGE 5

SAMPLE NUMBER	ELEMENT UNITS	Au 30g PPB	Au/wt G	Au/wt G	Ag PPM	As PPM	Cu PPM	Mo PPM	Pb PPM	Sb PPM	Zn PPM	Hg PPM
S1 14+UUF 2+50N		17	30.0		<0.5	<5	18	1	11	<5	49	15
S1 14+ONE 3+00N		11	30.0		<0.5	10	14	<1	11	<5	24	10
S1 14+UUF 3+50N		7	30.0		<0.5	14	28	2	14	<5	44	15
S1 14+ONE 4+00N		7	30.0		<0.5	13	20	1	11	<5	38	10
S1 15+UUF 1+75S		8	24.0		<0.5	8	14	<1	6	<5	30	5
S1 15+ONE 1+25S		<5	30.0		<0.5	13	18	<1	11	<5	49	5
S1 15+UUF 0+75S		5	30.0		<0.5	21	18	<1	16	<5	50	15
S1 15+ONE 0+25S		5	30.0		0.7	11	24	3	13	<5	46	15
S1 15+UUF 0+25N		7	30.0		<0.5	6	33	<1	19	<5	57	30
S1 15+ONE 0+75N		16	30.0		<0.5	18	34	<1	11	<5	54	10
S1 15+UUF 1+25N		<5	5.0		<0.5	11	28	<1	9	<5	51	10
S1 15+ONE 1+75N		5	30.0		<0.5	27	37	<1	14	6	66	15
S1 15+UUF 2+25N		5	30.0		<0.5	13	28	<1	5	<5	46	5
S1 15+ONE 2+75N		6	30.0		<0.5	18	29	<1	20	<5	54	10
S1 15+UUF 3+25N		9	24.0		<0.5	23	16	2	13	8	42	10
S1 15+ONE 3+75N		13	12.0		0.6	11	15	2	14	<5	34	15
S1 16+UUF 3+00S		5	30.0		<0.5	19	23	1	14	<5	69	15
S1 16+ONE 2+50S		12	30.0		<0.5	<5	11	2	13	<5	25	10
S1 16+UUF 2+00S		6	10.0		<0.5	5	20	2	12	<5	43	15
S1 16+ONE 1+50S		<5	30.0		<0.5	8	20	<1	10	10	53	15
S1 16+UUF 1+00S		<5	30.0		<0.5	18	18	1	13	<5	48	10
S1 16+ONE 0+50S		7	30.0		<0.5	8	21	<1	13	<5	48	30
S1 16+UUF 0+50N		<5	30.0		<0.5	<5	16	<1	15	<5	53	10
S1 16+ONE 1+00N		<5	30.0		<0.5	17	23	<1	10	6	72	10
S1 16+UUF 1+50N		<5	30.0		<0.5	8	20	1	11	<5	51	10
S1 16+ONE 2+00N		5	30.0		0.9	34	28	<1	14	<5	57	30
S1 16+UUF 2+50N		<5	15.0		<0.5	13	17	<1	14	7	77	10
S1 16+ONE 3+00N		6	30.0		<0.5	15	28	1	12	<5	56	20
S1 16+UUF 3+50N		<5	30.0		<0.5	20	18	<1	15	<5	66	15
S1 16+ONE 4+00N		6	30.0		0.5	16	22	<1	11	8	53	20
S1 17+UUF 2+75S		18	20.0		0.5	15	22	<1	15	5	41	35
S1 17+ONE 2+25S		11	30.0		<0.5	15	23	<1	15	<5	39	20
S1 17+UUF 1+75S		6	30.0		<0.5	16	22	<1	8	6	38	20
S1 17+ONE 1+25S		5	30.0		<0.5	6	18	<1	10	7	39	15
S1 17+UUF 0+75S		<5	30.0		<0.5	13	19	<1	16	<5	42	20
S1 17+ONE 0+25S		5	30.0		<0.5	9	32	<1	7	<5	47	35
S1 17+UUF 0+25N		<5	30.0		0.7	14	18	1	12	<5	38	15
S1 17+ONE 0+75N		7	30.0		<0.5	9	31	<1	9	<5	49	40
S1 17+UUF 1+25N		5	30.0		<0.5	7	34	<1	10	<5	64	20
S1 17+ONE 1+75N		<5	30.0		<0.5	13	31	1	15	<5	50	20




REPORT: V88-03297.0

PROJECT: NONE GIVEN

PAGE 6

3

SAMPLE NUMBER	ELEMENT UNITS	Au 30g PPR	Au/wt G	Au/wt G	Ag PPM	As PPM	Cu PPM	Mo PPM	Pb PPM	Sb PPM	Zn PPM	Hg PPM
S1 17+00E 2+25N		<5	30.0		<0.5	19	18	<1	14	<5	57	10
S1 17+00E 2+75N		<5	30.0		<0.5	12	18	1	14	<5	62	25
S1 17+00E 3+25N		14	30.0		<0.5	<5	33	<1	11	<5	95	20
S1 17+00E 3+75N		6	20.0		<0.5	12	25	1	14	<5	80	20
S1 18+00E 2+50S		6	30.0		<0.5	9	27	<1	16	<5	43	35
S1 18+00E 2+00S		6	25.0		<0.5	<5	20	2	10	6	42	20
S1 18+00E 1+50S		15	30.0		<0.5	13	17	<1	14	<5	42	20
S1 18+00E 1+00S		8	30.0		<0.5	<5	24	<1	15	<5	40	20
S1 18+00E 0+50S		<5	20.0		<0.5	<5	18	2	15	<5	40	5
S1 18+00E 0+50N		6	30.0		<0.5	7	21	<1	12	<5	49	10
S1 18+00E 1+00N		12	30.0		<0.5	8	26	<1	16	8	53	15
S1 18+00E 1+50N		9	10.0		<0.5	5	20	<1	15	<5	44	10
S1 18+00E 2+00N		<5	30.0		<0.5	23	27	2	14	<5	60	10
S1 18+00E 2+50N		<5	30.0		<0.5	14	24	<1	14	6	56	15
S1 18+00E 3+00N		17	30.0		<0.5	7	29	2	7	<5	46	20
S1 19+00E 2+75S		5	30.0		<0.5	11	29	<1	15	<5	45	25
S1 19+00E 2+25S		14	20.0		<0.5	13	24	2	11	<5	45	20
S1 19+00E 1+75S		858	10.0		<0.5	5	20	1	13	5	41	20
S1 19+00E 1+25S		5	30.0		<0.5	6	26	<1	12	<5	62	20
S1 19+00E 0+75S		<5	25.0		0.7	22	31	<1	12	<5	71	20
S1 19+00E 0+25S		<5	24.0		<0.5	<5	23	<1	18	8	70	15
S1 19+00E 0+25N		7	21.0		<0.5	14	24	1	12	<5	65	25
S1 19+00E 0+75N		<5	30.0		0.5	10	21	<1	18	<5	56	20
S1 19+00E 1+25N		5	30.0		0.5	25	31	<1	16	<5	82	20
S1 19+00E 1+75N		7	30.0		<0.5	9	15	1	12	<5	39	20
S1 19+00E 2+25N		<5	30.0		<0.5	14	26	2	15	<5	50	15
S1 <01 0+00		5	30.0		<0.5	12	24	2	16	<5	55	20
S1 <01 0+25		<5	30.0		<0.5	7	58	2	13	7	51	15
S1 <01 0+50		<5	30.0		0.6	7	40	2	19	<5	52	30
S1 <01 0+75		<5	27.0		0.6	15	24	6	19	5	45	30
S1 <01 1+00		9	30.0		<0.5	19	45	1	15	10	48	25
S1 <01 1+25		10	30.0		<0.5	15	31	1	17	<5	49	20
S1 <01 1+50		8	30.0		<0.5	11	18	1	18	<5	46	10
S1 <02 0+00		<5	28.0		<0.5	22	31	2	14	10	51	30
S1 <02 0+25		<5	30.0		<0.5	19	39	3	8	<5	53	15
S1 <02 0+50		<5	30.0		<0.5	15	35	7	16	13	60	20
S1 <02 0+75		<5	25.0		<0.5	<5	17	21	14	<5	31	50
S1 <02 1+00		8	30.0		<0.5	<5	20	<1	14	6	55	10
S1 <02 1+25		<5	30.0		<0.5	<5	22	9	16	23	50	25
S1 <02 1+50		84	27.0		0.9	<5	34	11	13	8	57	30



REPORT: V88-03297.01

PROJECT: NONE GIVEN

PAGE 7


①

②

③

ANL

SAMPLF NUMBER	ELEMENT UNITS	Au 30g PPB	Au/wt G	Au/wt G	Ag PPM	As PPM	Cu PPM	Mo PPM	Pb PPM	Sb PPM	Zn PPM	Hg PPM
S1 <03 0+00		<5	30.0		<0.5	<5	34	2	13	<5	50	10
S1 <03 0+25		7	30.0		<0.5	33	49	6	<5	<5	36	20
S1 <03 0+50		<5	30.0		<0.5	<5	19	11	14	<5	45	10
S1 <03 0+75		<5	30.0		<0.5	<5	23	10	7	14	43	15
S1 <03 1+00		7	30.0		0.6	16	16	3	<5	<5	47	20
S1 <03 1+25		41	30.0		<0.5	17	13	4	7	<5	44	20
S1 <03 1+50		15	2.0	4.0	<0.5	12	21	7	11	<5	57	15
05 0+00E 1+50N		8	2.0	2.0	<0.5	<5	16	38	36	<5	159	160
05 0+00E 2+50N		45	2.0	2.0	<0.5	<5	23	41	8	11	126	100
05 0+00E 2+50N		42	5.0		<0.5	<5	22	39	18	10	90	90
05 0+00E 3+00N		7	25.0		<0.5	5	30	8	12	8	108	45
05 0+00E 3+50N		12	28.0		<0.5	<5	29	11	14	<5	86	35
05 0+00E 4+00N		42	15.0		<0.5	<5	21	20	9	10	81	55
05 1+00E 1+25N		18	15.0		<0.5	<5	20	22	11	<5	59	55
05 1+00E 1+75N		5	18.0		0.5	<5	20	27	<5	<5	83	55
05 1+00E 2+25N		17	7.0		<0.5	<5	14	39	<5	<5	74	60
05 1+00E 2+75N		30	3.0	2.0	<0.5	<5	9	35	<5	7	74	70
05 1+00E 3+25N		45	4.0	4.0	<0.5	<5	16	40	<5	13	91	120
05 1+00E 3+75N		9	10.0		0.6	<5	63	13	<5	24	100	30
05 2+00E 2+00N		12	15.0		<0.5	<5	29	14	12	<5	73	75
05 2+00E 2+50N		<5	10.0		<0.5	<5	28	13	16	5	74	65
05 2+00E 3+00N		8	15.0		<0.5	<5	63	12	6	<5	63	65
05 2+00E 3+50N		5	30.0		<0.5	<5	80	9	<5	<5	80	45
05 2+00E 4+00N		25	6.0		<0.5	<5	24	18	<5	<5	105	95
05 3+00E 1+25N		12	5.0		<0.5	<5	14	21	<5	10	89	90
05 3+00E 1+75N		15	2.0	4.0	<0.5	<5	11	24	8	6	116	100
05 3+00E 2+25N		6	15.0		<0.5	8	32	14	<5	<5	61	50
05 3+00E 2+75N		10	6.0		<0.5	<5	17	22	<5	<5	88	70
05 3+00E 3+25N		24	5.0		<0.5	<5	31	20	<5	<5	79	50
05 4+00E 0+50N		8	15.0		0.6	<5	25	17	<5	6	47	70
05 4+00E 1+00N		8	15.0		<0.5	<5	14	20	6	<5	37	110
05 4+00E 1+50N		24	5.0		<0.5	<5	6	22	<5	<5	71	75
05 4+00E 2+00N		9	4.0	6.0	<0.5	<5	6	20	<5	<5	79	80
05 4+00E 2+50N		33	10.0		<0.5	<5	8	20	<5	7	62	110
05 4+00E 3+00N		24	5.0		<0.5	<5	8	22	8	8	65	140
05 4+00E 3+50N		24	5.0		<0.5	<5	13	15	<5	8	72	90
05 4+00E 4+00N		24	5.0		<0.5	<5	24	18	<5	5	119	90
05 5+00E 3+25S		12	10.0		<0.5	<5	22	16	<5	7	70	100
05 5+00E 2+25N		21	3.0	4.0	<0.5	<5	29	22	<5	8	123	140
05 5+00E 2+75N		30	2.0	3.0	<0.5	<5	22	20	<5	<5	175	115




REPORT: V88-03297.0

PROJECT: NONE GIVEN

PAGE 8

SAMPLE NUMBER	ELEMNT UNITS	Au 30g PPB	Au/wt G	Au/wt G	Ag PPM	As PPM	Cu PPM	Mo PPM	Pb PPM	Sb PPM	Zn PPM	Hg PPB
05 5+00E 3+25N		50		3.0	<0.5	<5	16	24	<5	10	172	70
05 5+00F 3+75N		24	5.0		<0.5	5	23	25	<5	6	124	70
05 6+00E 4+00S		24	1.0	4.0	<0.5	<5	11	14	<5	6	85	80
05 6+00F 3+50S		17		7.0	<0.5	<5	9	22	<5	8	41	75
05 6+00E 3+00S		25		6.0	<0.5	<5	6	25	<5	8	69	150
05 6+00F 2+50S		30	2.0	2.0	<0.5	7	29	16	<5	<5	45	60
05 6+00E 2+00S		6	5.0		<0.5	<5	20	21	<5	<5	55	120
05 6+00F 1+50N		<5	3.0	7.0	<0.5	<5	31	23	<5	5	38	70
05 6+00E 2+00N		18	5.0		<0.5	<5	16	24	<5	<5	47	100
05 6+00F 2+50N		6	15.0		<0.5	<5	18	18	<5	<5	66	80
05 6+00E 3+00N		9		10.0	<0.5	<5	11	24	<5	7	88	120
05 6+00F 3+50N		8	15.0		<0.5	<5	9	24	<5	<5	40	90
05 6+00E 4+00N		6	5.0		<0.5	<5	10	18	<5	<5	75	90
05 7+00F 3+75S		9	10.0		<0.5	8	21	8	<5	<5	76	60
05 7+00E 3+25S		8	8.0		<0.5	<5	15	10	<5	7	62	45
05 7+00F 2+75S		<5	10.0		<0.5	<5	15	17	<5	<5	39	60
05 7+00E 1+75S		6	15.0		<0.5	<5	61	20	<5	<5	37	45
05 7+00F 1+25S		9	20.0		<0.5	<5	64	16	<5	8	48	80
05 7+00E 2+25N		6	5.0		<0.5	<5	11	25	<5	<5	129	170
05 7+00F 2+75N		10	2.0	7.0	<0.5	<5	7	17	<5	<5	48	60
05 7+00E 3+75N		30	1.0	5.0	1.0	<5	14	21	7	<5	79	150
05 8+00F 3+00S		6	4.0	6.0	<0.5	<5	6	25	<5	<5	34	110
05 8+00E 2+50S		10	15.0		<0.5	<5	30	19	<5	<5	49	65
05 8+00F 1+00S		7	30.0		<0.5	6	57	2	<5	<5	80	20
05 9+00E 3+25S		<5	30.0		<0.5	6	44	5	5	<5	67	60
05 9+00F 2+75S		10	12.0		<0.5	6	64	6	8	<5	112	50
05 9+00E 2+25S		11	8.0		<0.5	<5	25	20	<5	6	49	100
05 10+00F 3+50S		9	10.0		<0.5	<5	25	16	<5	<5	79	60
05 10+00E 3+00S		5	12.0		<0.5	<5	19	21	<5	<5	39	55
05 10+00F 2+50S		<5	25.0		<0.5	<5	48	6	6	<5	80	35
05 10+00E 2+00S		<5	20.0		<0.5	5	34	7	<5	<5	80	35
05 11+00F 3+75S		5	30.0		0.5	6	58	3	<5	<5	98	30
05 11+00E 2+75S		8	25.0		0.5	<5	47	5	5	<5	77	20
05 11+00E 2+25S		9	10.0		<0.5	<5	18	17	<5	<5	74	55
05 11+00E 1+75S		8	15.0		0.6	<5	25	9	<5	<5	53	40
05 11+00F 1+25S		6	10.0		<0.5	<5	18	15	<5	<5	41	65
05 12+00E 4+00S		11	2.0	6.0	<0.5	<5	6	26	<5	<5	64	85
05 12+00F 3+50S		15		6.0	<0.5	<5	11	22	<5	<5	115	90
05 12+00E 3+00S		<5	2.0	8.0	<0.5	<5	16	19	<5	<5	113	65
05 12+00F 0+50N		<5	20.0		0.5	6	27	7	9	<5	41	55



REPORT: V88-03297.0

PROJECT: NONE GIVEN

PAGE 9

SAMPLE NUMBER	ELEMENT UNITS	Au 30g PPB	Au/wt G	Au/wt G	Ag PPM	As PPM	Cu PPM	Mo PPM	Pb PPM	Sb PPM	Zn PPM	Hg PPB
05 13+UUF 3+75S		<5	20.0		<0.5	<5	74	2	6	<5	119	55
05 13+ONE 3+25S		10	15.0		0.9	17	67	8	5	<5	63	45
05 13+UUF 2+25S		<5	10.0		<0.5	<5	12	15	<5	<5	83	85
05 14+ONE 4+ONS		8		4.0	<0.5	<5	7	19	<5	<5	82	65
05 14+UUF 3+50S		8		4.0	<0.5	<5	8	24	<5	<5	56	105
05 14+ONE 3+ONS		IS	IS		<0.5	<5	5	20	<5	<5	111	50
05 14+UUF 2+50S		30		7.0	<0.5	<5	7	24	<5	<5	51	90
05 14+ONE 1+ONS		9	30.0		<0.5	6	18	2	9	<5	50	20
05 15+UUF 3+25S		30	4.0		0.7	<5	64	8	9	<5	95	60
05 15+ONE 2+75S		IS	IS		<0.5	<5	7	27	6	<5	76	65
05 15+UUF 2+25S		24	2.0	3.0	<0.5	<5	15	17	8	<5	17	90
05 16+ONE 3+50S		30		5.0	<0.5	<5	7	24	<5	<5	82	65
05 19+UUF 2+75N		<5		7.6	<0.5	<5	7	26	8	<5	18	130