

093219

YUKON ASSESSMENT REPORT

PROPERTY: G.HAWK CLAIMS

NTS MAP SHEET: 115 O/10, 15

LATITUDE: 63° 44'N

LONGITUDE: 138° 42'W

CLAIMS AND GRANT NUMBERS WORKED:

G. HAWK 13, 15, 17, 18, 29-33, 35, 37, 39, 41, 83-92

YB44817, 19, 21, 22; YB40756-60, 62, 64, 66, 68; YB40810-11;  
YB44824-30; YB40819

OWNER OF PROPERTY: Wealth Resources Ltd.

ADDRESS: #1000 - 675 West Hastings Street  
Vancouver, B.C.  
V6B 1N2

TELEPHONE: (604) 685-2222

OPERATOR: Wealth Resources Ltd.


TYPE OF WORK: Geochemical sampling, geological mapping

DATE WORK WAS DONE: June 1 and June 7 - 9, 1994

AUTHOR OF REPORT: Philip Southam, P. Geo.

LIST OF PERSONNEL:

Philip Southam, Hastings Management Corp.  
Lee Persinger, Hastings Management Corp.



GEOCHEMICAL REPORT  
ON THE  
G. HAWK CLAIMS

Dawson Mining Division, Yukon

NTS 115 O/10, 15

Latitude: 63° 44'N

Longitude: 138° 42'W

OWNER AND OPERATOR:  
Wealth Resources Ltd.  
#1000 - 675 West Hastings Street  
Vancouver, B.C.  
V6B 1N6

BY:  
P. SOUTHAM, P. Geo. (B.C.)

December 7, 1994

TABLE OF CONTENTS

LOCATION AND ACCESS	1
TOPOGRAPHY AND VEGETATION	1
HISTORY	1
PROPERTY STATUS	3
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	6
WORK PROGRAM	6
GEOCHEMICAL SURVEY METHOD	9
GEOCHEMICAL SURVEY RESULTS	9
SUMMARY AND CONCLUSIONS	13
<u>LIST OF TABLES</u>	
Table 1 - Claims List	2
Table 2 - Property Geology Legend	8
Table 3 - Sample Data	9

LIST OF FIGURES

Figure 1 - Location Map	2
Figure 2 - Claim Location Map	4
Figure 3 - Regional Geology	5
Figure 4 - Property Geology	7
Figure 5 - Gold Geochemistry, HW Grid	10
Figure 6 - Copper Geochemistry, HW Grid	11
Figure 7 - Gold Geochemistry, HW2 Grid	in pocket
Figure 8 - Copper Geochemistry, HW2 Grid	in pocket
Figure 9 - Geology Map, Teck Mining's Placer Pit	12

APPENDICES

Appendix I - STATEMENT OF EXPENDITURES
Appendix II - STATEMENT OF QUALIFICATIONS
Appendix III - ANALYTICAL METHOD
Appendix IV - ASSAY RESULTS

## LOCATION AND ACCESS

The property is located 54 kilometers southeast of Dawson City, Yukon (figure 1) on Gold Run Creek, centered on 63° 44' north latitude and 138° 42' west longitude on NTS sheet 115 O/10 and 15. It is accessible by gravel road from spring to fall or by helicopter from Dawson City in the winter.

## TOPOGRAPHY AND VEGETATION

The topography is rolling hills ranging in elevation from 680 meters (2070 ft.) above sea level (ASL) to 1090 meters (3320 ft.) ASL covered with spruce, poplar and birch trees. The area escaped glaciation, thus the valleys are V-shaped and there is less than 1% natural outcrop exposure. The best exposure of bedrock is usually found in placer mine cuts and along road cuts.

On north facing slopes and shaded areas the vegetation consists of spruce trees and thick moss due to permafrost in the underlying soil. Spruce trees are also found in damp soil conditions on the property. Poplar and birch trees grow on the dry, thawed south, east and west facing slopes. Alder thickets are commonly found along creeks and gullies.

## HISTORY

The property is located in the historic Klondike region where more than eleven million ounces of gold has been mined from placer deposits in existing creeks and former river channels. Placer gold was discovered in 1896 and mining of the creek and bench deposits still continues today.

Within the vicinity of the property there is evidence of hard rock exploration in the past, indicated by old workings and reports documenting the activity. On the east side of Gold Run Creek, at the southeast end of the property, is an old adit into north to northeast dipping quartz veins known as the Aime property (figure 4). Assays from the veins are reported to be as high as 307.9 g/t gold. On the west side of Gold Run Creek is the Kentucky Lode and Kentucky West properties. The Kentucky Lode has several old pits and a main shaft with piles of excavated rock. Old reports for the property mention gold-bearing quartz veins with assays of 7.9 g/t gold and traces of silver and copper. The Kentucky West showing is reported to have a quartz vein 1 to 1.5 meters wide striking approximately 125° and dipping 35° to the southwest.

WEALTH RESOURCES LTD.


G. HAWK PROPERTY  
DAWSON M.D., YUKON

NTS 115-O-10

LOCATION MAP

DATE: APR. 94  
BY: P.S.

FIGURE 1



## PROPERTY STATUS

The property consists of 66 quartz claims staked as the G. Hawk claims (figure 2). They are:

**Table 1 - Claims List**

<u>CLAIM NAME</u>	<u>GRANT NUMBER</u>	<u>EXPIRY DATE*</u>	<u>OWNER</u>
G. Hawk 27, 28	YB40754, 55	June 11/95	Wealth Res.
G. Hawk 29-32	YB40756 - 59	June 11/96	Wealth Res.
G. Hawk 33-36	YB40760 - 63	June 11/95	Wealth Res.
G. Hawk 38-50	YB40765 - 77	June 11/95	Wealth Res.
G. Hawk 75-82	YB40802 - 09	June 11/95	Wealth Res.
G. Hawk 83, 84	YB40810, 11	June 11/96	Wealth Res.
G. Hawk 92	YB40819	June 11/96	Wealth Res.
G. Hawk 93-100	YB40820 - 27	June 11/95	Wealth Res.
G. Hawk 1-4	YB44807 - 10	June 21/95	Wealth Res.
G. Hawk 6	YB44811	June 21/95	Wealth Res.
G. Hawk 8-12	YB44812 - 16	June 21/95	Wealth Res.
G. Hawk 13, 15	YB44817, 19	June 21/96	Wealth Res.
G. Hawk 17, 18	YB44821, 22	June 21/96	Wealth Res.
G. Hawk 14, 16	YB44818, 20	June 21/95	Wealth Res.
G. Hawk 37	YB44823	June 21/95	Wealth Res.
G. Hawk 85-91	YB44824 - 30	June 21/96	Wealth Res.

\* With acceptance of this report.

## REGIONAL GEOLOGY

The Klondike region is underlain by a group of moderately metamorphosed rocks of late-Paleozoic age known as the Klondike Series and Nasina Series (represented as Klondike schist and Yukon Group in figure 3). They form part of the Yukon-Tanana Terrane (YTT) on the SW side of the Tintina Trench. The YTT is formed from the merging of the Omineca Crystalline Belt and the Coast Plutonic Complex into the Intermontane Belt (Tempelman-Kluit, 1977). The Tintina Trench is a major transcurrent fault along which at least 450 km of dextral offset has occurred (Mortensen, 1990).

The gross lithologic assemblages within the YTT consist of



115-O-10h

TECK MINING'S  
PLACER PIT

HW GRID

KENTUCKY

HW2 GRID

G. HAWK

DEB 27

LASS

LASS

GOLD

GR

WEALTH RESOURCES LTD.

G. HAWK PROPERTY

DAWSON M.D., YUKON


NTS 115-O-10


CLAIM AND GRID LOCATION MAP

SCALE 1 : 31,680

DATE: NOV. 94  
BY: P.S.

FIGURE 2





CENOZOIC	MODERN RECENT	8	Stream deposits	
	TERTIARY AND MODERN	7	Stream deposits	
	SELKIRK SERIES	6	Basalt, andesite	
	TERTIARY EOCENE OR LATER	5	Granite porphyry, syenite porphyry	
	CARMACKS GROUP	4	Andesite, basalt, dacite, trachyte, rhyolite, breccia, tuff, agglomerate	
		3	Conglomerate, sandstone, shale, coal, tuff	
	MESOZOIC	JURASSIC OR LATER	2	Chiefly granite and granodiorite
		ORDOVICIAN OR LATER	1	Argillite, sandstone, conglomerate
	PALAEOZOIC	PRECAMBRIAN AND LATER	A	Chiefly gneissic granite
			B	Klondike schist, sericite schist, minor chlorite schist
		C	Gabbro, pyroxenite, peridotite, serpentine	
		D	Limestone	
		E	Green, quartzite schist, slate	

**WEALTH RESOURCES LTD.**

**G. HAWK PROPERTY**  
 DAWSON M.D., YUKON NTS 115-0-10

**REGIONAL GEOLOGY**

SCALE 1 : 253,440

DATE: NOV. 94  
 BY: P.S. FIGURE 3

Proterozoic and Paleozoic strata which can be correlated with the Omineca Crystalline Belt (OCB). The OCB includes a succession of clastic and carbonate rocks equivalent to miogeoclinal sequences to the east. The western part of the belt is overlain by upper Paleozoic mafic and felsic volcanic rocks with intercalated chert and slate (Tempelman-Kluit, 1977).

Mortensen (1990) describes the Klondike and Nasina geology as several imbricated thrust panels of polydeformed metavolcanics and metasediments of a buried island arc which can be subdivided into three assemblages. Assemblage I, the uppermost and more widely extensive thrust panel, is metamorphosed mid-Permian felsic plutonic, subvolcanic, and tuffaceous rocks. Assemblage II is mid-Paleozoic or older metasedimentary and mafic and felsic metavolcanic rocks intruded by a large body of latest Devonian - Early Mississippian granitic augen orthogneiss. Assemblage III underlies I and II structurally in the northern and southwestern part of the study area and consists of carbonaceous schists and phyllite.


#### PROPERTY GEOLOGY

The area is underlain by schistose rocks of quartzofelspathic to mafic affinity (figure 4; from Debicki, 1985). The quartzofelspathic unit is described as buff weathering well foliated muscovite-feldspar-quartz schist; the mafic material is dark green weathering chlorite schist with local white quartz pods (table 2). These units lie on the southwest side of a thrust fault striking northwest and dipping to the southwest. Rock units to the northeast of the thrust fault have been identified by Debicki (1985) as predominantly the muscovite-feldspar-quartz schist. The thrust fault has been identified by the presence of massive dark green serpentinite in the road cut at the north end of Teck's placer property.

The main host rocks mapped in Teck's pit (figure 9) correlate to Debicki's mapping. The contacts strike  $120^{\circ}$  to  $135^{\circ}$  and dip  $75^{\circ}$  to  $80^{\circ}$  to the southwest, parallel or sub-parallel to the thrust. The mafic schist is by far the most dominant rock type in the area and has 1 to 15 meter wide interbeds of the buff weathering micaceous quartzite (muscovite-feldspar-quartz schist). Both units have been cross cut by fresh light grey quartz-eye feldspar porphyry dykes of Late Cretaceous to Early Tertiary age. The larger of the two dykes strikes  $085^{\circ}$  and the smaller dyke strikes at  $108^{\circ}$ . Both dykes have vertical or near vertical dips.

#### WORK PROGRAM

Two soil grids were completed on the property (figure 2) to test for gold bearing structures. Some geology was mapped and nine



WEALTH RESOURCES LTD.	
G. HAWK PROPERTY	
DAWSON M.D., YUKON	NTS 115-O-10
PROPERTY GEOLOGY	
(From Debicki, 1985)	
SCALE 1 : 50,000	
DATE: NOV. 94	
BY: P.S.	

FIGURE 4

Table 2 - Property Geology Legend  
(from Debicki, 1985)

LATE CRETACEOUS TO EARLY TERTIARY

Felsic intrusive and volcanic rocks

FI

FIa light coloured quartz-feldspar rhyolite porphyry  
and rhyolite

TRIASSIC OR OLDER

Rocks of varying metamorphic grade and degree and style of  
deformation

Felsic plutonic rocks

FP, QS

QSa blocky weathering light grey to pinkish feldspar-  
quartz schist

Quartzofeldspathic schistose rocks

QS

QSc buff weathering well foliated muscovite-feldspar-  
quartz schist with quartz porphyroclasts

QSD buff weathering well foliated muscovite-feldspar-  
quartz schist

QSe light green weathering hornblende/muscovite-  
feldspar-quartz schist

Qsj muscovite-quartz schist with more than 5% garnet,  
and with or without chlorite

QSk biotite-quartz schist, with or without calcite

Marble

MB

MBa cream and grey banded marble, with or without minor  
quartz, muscovite and garnet

Mafic schistose rocks

MS

MSa light to medium green and buff weathering chlorite-  
quartz schist

MSc silvery green weathering actinolite-chlorite schist

MSe light to medium green and buff weathering  
calcareous chlorite-quartz schist: calcite may be  
disseminated, in thin layers, or as small pink  
blebs

MSf silvery green weathering muscovite-chlorite quartz  
schist with bluish quartz porphyroclasts

Ultramafic rocks

UM

UMa massive dark green serpentinite

UMb foliated dark green serpentinite

rock samples were taken. Four samples were taken at the Kentucky Lode showing and five samples were taken in the creek where Teck's placer operation had stripped to bedrock (mentioned above in property geology).

**Table 3 - Sample Data**

<u>Grid Name</u>	<u>Line Kilometers</u>	<u>No. of Samples</u>	<u>Sample Spacing</u>	<u>Line Spacing</u>
94HW	2.2	44	50 m	250 m
94HW2	12.5	256	50 m	250 m

#### GEOCHEMICAL SURVEY METHOD

Sample stations are at 50 meter intervals and are marked with flagging tape. Soil samples were taken from the B-horizon, found at depths of 5 to 40 centimeters, using a standard mattock. The samples were placed in kraft soil sample bags and dried prior to shipping to Chemex Labs for analysis. Each sample was tested by fire assay for gold and by 32-element ICP.



#### GEOCHEMICAL SURVEY RESULTS

The soil sampling identified several areas of weakly anomalous copper and gold mineralization on both the HW and HW2 grids. The most significant copper anomaly lies on the western corner of the HW2 grid (figure 8), part of which is outside the boundary of the G. Hawk claims. This anomaly coincides with the location and strike direction of the Kentucky West showing on Debicki's map (1985) which is described as gold-bearing quartz vein in chlorite-muscovite-feldspar-quartz schist.


A secondary series of copper anomalies lies to the east. The values are low but relatively consistent and seem to indicate spotty local mineralization within a northwest trending zone, parallel to the general strike direction of local bedrock. The zone appears to be in line with a small quartz pod with chalcopryrite and chalcocite in Teck's placer workings which returned 59 g/t gold, 187.5 ppm silver, >10,000 ppm copper and >10,000 ppm lead (see figure 9 for location).

The most significant gold anomaly is a set of two 250 meter long narrow, parallel anomalies lying northwest of the Kentucky Lode showing on the HW2 grid (figure 7). The Kentucky Lode showing has been incorrectly plotted on Debicki's map. It actually lies about 800 meters to the southeast. An old shaft and several old





WEALTH RESOURCES LTD.	
G. HAWK PROPERTY	
DAWSON M.D., YUKON	NTS 115-O-10
COPPER GEOCHEMISTRY, HW GRID (ppm)	
SCALE 1 : 5,000	
DATE: NOV. 94	FIGURE 6
BY: P.S.	



<b>WEALTH RESOURCES LTD.</b>	
G. HAWK PROPERTY	
DAWSON M.D., YUKON	NTS 115-O-10
<b>GEOLOGY MAP</b>	
<b>TECK MINING'S PLACER PIT, GOLD RUN CREEK</b>	
SCALE 1 : 1,000	
DATE: NOV. 94	FIGURE 9
BY: P.S.	

pits have been located at the old workings of the Kentucky Lode. Two rock samples from the pile beside the shaft returned 1550 ppb and 715 ppb gold.

The two soil lines of the HW grid (figures 5 and 6), northwest of the Aime showing, returned weakly anomalous gold and copper mineralization along a northwest trend.

#### SUMMARY AND CONCLUSIONS

The G. Hawk property is located over Gold Run Creek, a significant placer gold producing creek in the Klondike gold camp currently being mined by at least two separate mining ventures. Three old hardrock mine workings or showings are located on or near the property, on the hillsides overlooking the creek. Soil sampling around these workings have indicated a series of weak northwest trending copper and gold anomalies. Mapping of a bedrock exposure in the creek located a high-grade gold-silver-copper-lead quartz pod and anomalous gold in a nearby fault gouge zone. These indications of mineralization suggest that a major mineralized system may lie in the near vicinity. A program of in-fill soil sampling, VLF surveying and trenching of defined anomalies is recommended on the G. Hawk property.

## BIBLIOGRAPHY

- Debicki, R.L., 1985. Bedrock geology and mineralization of the Klondike Area (east), 115 O/9,10,11,14,15,16 and 116 B/2 Exploration and Geological Services Division, Yukon; Indian and Northern Affairs Canada. Open File, 1:50,000 scale map with marginal notes.
- MacLean, T.A., 1914. Lode mining in Yukon: an investigation of quartz deposits in the Klondike division; Canada Dept. of Mines, Mines Branch Publication 222, Ottawa.
- Mortensen, J.K., 1990. Geology and U-Pb geochronology of the Klondike district, west-central Yukon Territory; Canadian Journal of Earth Sciences, Vol. 27, p. 903-914.
- Templeman-Kluit, D., 1976. The Yukon crystalline terrane: Enigma in the Canadian Cordillera; Geol. Soc. America Bull., v. 87, p. 1343-1357.

APPENDIX I

STATEMENT OF EXPENDITURES

**G.HAWK CLAIMS - EXPENDITURES**

SALARIES

Phil Southam - 3 mandays @ \$180/day	540
Lee Persinger - 4 mandays @ \$150/day	600
Report preparation - P. Southam - 3 mandays @ \$180/day	540

GEOCHEMICAL ANALYSIS

300 soil samples @ \$17.07/sample	5121
9 rock samples @ \$20.75/sample	187

LOGISTICAL COSTS

Food and lodging	188
Sample shipping	193
Vehicle rental - 3 days @ \$30/day	90
Vehicle fuel and maintenance	80

FILING FEES

445

SUBTOTAL

7984

Administration Fee (15%)  
GST on Administration (#129350518)

1198  
84

**TOTAL**

**\$9266**


APPENDIX II

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Philip James Southam of 103-6615 Telford Avenue, Burnaby, British Columbia, do hereby certify:

1. I am a geologist registered with the Association of Professional Engineers and Geoscientists of British Columbia.
2. I graduated from Brandon University in 1987 with a Bachelor of Science degree majoring in geology.
3. I have practised my profession continuously since graduation in British Columbia, Manitoba, Yukon Territory and California in the field of mineral exploration.
4. I am employed by Hastings Management Corp. to provide geological services for Wealth Resources Ltd.
5. All work completed for the purpose of this report was done under my supervision.

The seal is circular with a double border. The outer border contains the text "PROFESSIONAL" at the top and "GEOSCIENTISTS" at the bottom. The inner border contains "PROVINCE OF" at the top and "SOUTHAM" at the bottom. In the center, there is a handwritten signature and the name "P. SOUTHAM". Below the seal, the name "Philip Southam, P. Geo." is printed.

Philip Southam, P. Geo.

APPENDIX III

ANALYTICAL METHOD

## Screening Procedure

Chemex Code: 201

Geochemical samples (soils,silts) are dried at 50 deg C and then sieved through an 80 mesh stainless steel screen. If insufficient material is obtained, the sample is sieved through a 35 mesh screen (code 203) and the -35 mesh material is ring pulverized (code 205).

If there is still insufficient material for analysis after sieving to -35 mesh, then the whole sample is recombined and ground (code 217).

## Gold

Fire Assay Collection/ Atomic Absorption Spectroscopy (FA-AA)

Chemex Code: 100

A 10g sample is fused with a neutral lead oxide flux inquarted with 6mg of gold-free silver and then cupelled to yield a precious metal bead.

These beads are digested for 30 mins in 0.5ml concentrated nitric acid, then 1.5ml of concentrated hydrochloric acid are added and the mixture is digested for 1 hr. The samples are cooled, diluted to a final volume of 5ml, homogenized and analyzed by atomic absorption spectroscopy.

Detection limit: 5 ppb

Upper Limit: 10,000 ppb

**32-Element Geochemistry Package (32-ICP)**  
**Inductively-Coupled Plasma-Atomic Emission Spectroscopy (ICP-AES)**

A prepared sample (1.0g) is digested with concentrated nitric and aqua regia acids at medium heat for two hours. The acid solution is diluted to 25ml with demineralized water, mixed and analyzed using a Jarrell Ash 1100 plasma spectrometer after calibration with proper standards. The analytical results are corrected for spectral inter-element interferences.

Chemex Codes	Element	Detection Limit	Upper Limit
229	Digestion		
2119	* Aluminum	0.01 %	15 %
2118	Silver	0.2 ppm	0.02 %
2120	Arsenic	2 ppm	1 %
2121	* Barium	10 ppm	1 %
2122	* Beryllium	0.5 ppm	0.01 %
2123	Bismuth	2 ppm	1 %
2124	* Calcium	0.01 %	15 %
2125	Cadmium	0.5 ppm	0.05 %
2126	Cobalt	1 ppm	1 %
2127	* Chromium	1 ppm	1 %
2128	Copper	1 ppm	1 %
2150	Iron	0.01 %	15 %
2130	* Gallium	10 ppm	1 %
2132	* Potassium	0.01 %	10 %
2151	* Lanthanum	10 ppm	1 %
2134	* Magnesium	0.01 %	15 %
2135	Manganese	5 ppm	1 %
2136	Molybdenum	1 ppm	1 %
2137	* Sodium	0.01 %	10 %
2138	Nickel	1 ppm	1 %
2139	Phosphorus	10 ppm	1 %
2140	Lead	2 ppm	1 %
2141	Antimony	2 ppm	1 %
2142	* Scandium	1 ppm	1 %
2143	* Strontium	1 ppm	1 %
2144	* Titanium	0.01 %	10 %
2145	* Thallium	10 ppm	1 %
2146	Uranium	10 ppm	1 %
2147	Vanadium	1 ppm	1 %
2148	* Tungsten	10 ppm	1 %
2149	Zinc	2 ppm	1 %
2131	Mercury	1 ppm	1 %

\* Elements for which the digestion is possibly incomplete.

## Screening Procedure

Chemex Code: 203

Geochemical samples (soils, silts) are dried at 50 deg C. and then screened through a 35 mesh stainless steel screen. The -35 mesh material is then ring pulverized using a ring mill with either a chrome steel ring set (code 205) or a zirconia ring set (code 248). If there is insufficient -35 mesh material for analysis, then the entire sample is ground (code 217).


## Ring Grinding

Chemex Codes:     205 geochemical samples  
                      208 assay samples  
                      255 rush geochemical samples  
                      258 rush assay samples

A crushed sample split is ground using a ring mill pulverizer with a chrome steel ring set. The Chemex specification for this procedure is that greater than 90% of the ground material passes a 150 mesh screen. Grinding with chrome steel will impart trace amounts of iron and chromium to a sample.

APPENDIX IV

ASSAY RESULTS



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1N6

INVOICE NUMBER

I 9 4 1 7 8 8 1

## BILLING INFORMATION

Date: 20-JUN-94  
Project: G.HAWK  
P.O. No.:  
Account: GDR

Comments:

Billing: For analysis performed on  
Certificate A9417881

Terms: Payment due on receipt of invoice  
1.25% per month (15% per annum)  
charged on overdue accounts

Please Remit Payments to:


**CHEMEX LABS LTD.**  
212 Brooksbank Ave.,  
North Vancouver, B.C.  
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
41	201 - Dry, sieve to -80 mesh ICP-32	1.10 6.25		
	100 - Au ppb FA+AA	7.95	15.30	627.30
3	217 - Geochem ring entire sample ICP-32	2.50 6.25		
	100 - Au ppb FA+AA	7.95	16.70	50.10

Total Cost \$ 677.40  
(Reg# R100938885 ) GST \$ 47.42

**TOTAL PAYABLE (CDN) \$ 724.82**

COPY



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6

A9417881

Comments: ATTN: P.SOUTHAM

**CERTIFICATE** **A9417881**

WEALTH RESOURCES LTD.

Project: G.HAWK  
 P.O. #:


Samples submitted to our lab in Vancouver, BC.  
 This report was printed on 20-JUN-94.

SAMPLE PREPARATION		
CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	41	Dry, sieve to -80 mesh
217	3	Geochem ring entire sample
229	44	ICP - AQ Digestion charge

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES					
CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	44	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
2118	44	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	44	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	44	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	44	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	44	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	44	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	44	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	44	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	44	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	44	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	44	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	44	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	44	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	44	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	44	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	44	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	44	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	44	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	44	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	44	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	44	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	44	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	44	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	44	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	44	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	44	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	44	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	44	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	44	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	44	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	44	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	44	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD. \*\*

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6

Project: G.HAWK  
 Comments: ATTN: P.SOUTHAM


Page Number: 1-A  
 Total Pages: 2  
 Certificate Date: 20-JUN-94  
 Invoice No.: 19417881  
 P.O. Number:  
 Account: GDR

## CERTIFICATE OF ANALYSIS A9417881

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
HW ON 0+0OE	201 229	< 5	< 0.2	1.84	6	250	< 0.5	< 2	0.54	< 0.5	9	19	28	3.14	< 10	< 1	0.04	10	0.67	410
HW ON 0+5OE	201 229	20	< 0.2	1.99	4	320	< 0.5	< 2	0.94	< 0.5	9	17	29	3.57	< 10	< 1	0.04	10	0.71	575
HW ON 1+0OE	201 229	225	< 0.2	1.79	2	280	< 0.5	< 2	0.40	< 0.5	8	23	20	2.79	< 10	< 1	0.04	10	0.54	560
HW ON 1+5OE	201 229	< 5	0.2	1.90	< 2	310	< 0.5	< 2	0.45	< 0.5	10	16	24	3.31	< 10	< 1	0.04	< 10	0.62	1305
HW ON 2+0OE	201 229	< 5	< 0.2	1.82	6	260	< 0.5	< 2	0.34	< 0.5	7	24	12	2.68	< 10	< 1	0.05	10	0.51	305
HW ON 2+5OE	201 229	< 5	0.2	2.64	12	370	< 0.5	< 2	0.48	0.5	13	19	41	3.95	< 10	< 1	0.06	< 10	1.06	1405
HW ON 3+0OE	201 229	< 5	< 0.2	2.37	2	260	< 0.5	< 2	0.41	0.5	10	18	34	3.70	< 10	< 1	0.04	10	0.91	595
HW ON 3+5OE	201 229	< 5	< 0.2	2.13	2	310	< 0.5	< 2	0.40	< 0.5	9	26	38	3.59	< 10	< 1	0.04	10	0.93	445
HW ON 4+0OE	201 229	< 5	< 0.2	1.93	4	190	< 0.5	< 2	0.39	0.5	7	16	28	3.13	< 10	< 1	0.03	< 10	0.85	300
HW ON 4+5OE	201 229	< 5	< 0.2	1.64	< 2	280	< 0.5	< 2	0.47	< 0.5	8	37	26	2.68	< 10	< 1	0.03	10	0.67	270
HW ON 5+0OE	201 229	< 5	< 0.2	2.19	< 2	200	< 0.5	< 2	0.29	0.5	13	90	34	3.61	< 10	< 1	0.02	< 10	1.42	495
HW ON 5+5OE	201 229	< 5	< 0.2	2.23	< 2	380	< 0.5	< 2	0.41	< 0.5	13	34	18	3.18	< 10	< 1	0.04	10	0.59	1030
HW ON 6+0OE	201 229	< 5	< 0.2	2.23	< 2	270	< 0.5	< 2	0.46	< 0.5	14	31	27	3.74	< 10	< 1	0.04	10	1.06	640
HW ON 6+5OE	201 229	< 5	< 0.2	2.70	< 2	180	< 0.5	< 2	0.24	< 0.5	10	19	10	4.27	< 10	< 1	0.04	< 10	1.45	440
HW ON 7+0OE	201 229	15	< 0.2	2.34	< 2	190	< 0.5	< 2	0.16	< 0.5	10	29	20	3.73	< 10	< 1	0.05	10	0.72	245
HW ON 7+5OE	201 229	< 5	< 0.2	2.56	6	100	< 0.5	< 2	0.35	< 0.5	16	13	19	4.62	< 10	< 1	0.03	< 10	1.76	520
HW ON 8+0OE	201 229	< 5	< 0.2	2.78	6	230	< 0.5	< 2	0.16	< 0.5	12	32	19	4.11	< 10	< 1	0.06	10	0.91	415
HW ON 8+5OE	201 229	< 5	< 0.2	2.08	2	170	< 0.5	< 2	0.15	< 0.5	7	27	12	3.21	< 10	< 1	0.04	10	0.63	315
HW ON 9+0OE	201 229	< 5	0.2	2.28	6	260	< 0.5	< 2	0.18	< 0.5	7	29	18	3.04	< 10	< 1	0.06	10	0.53	210
HW ON 9+5OE	201 229	< 5	0.2	2.14	14	370	< 0.5	< 2	0.34	< 0.5	13	24	41	2.69	< 10	< 1	0.06	10	0.54	310
HW ON 10+0OE	201 229	< 5	0.4	3.72	22	120	< 0.5	< 2	0.09	0.5	14	65	32	5.62	< 10	< 1	0.03	< 10	2.54	525
HW ON 0+5OW	201 229	10	< 0.2	1.97	14	250	< 0.5	< 2	0.67	< 0.5	9	19	23	3.23	< 10	< 1	0.04	10	0.74	380
HW ON 1+0OW	201 229	< 5	< 0.2	1.26	4	340	< 0.5	< 2	2.19	< 0.5	7	13	22	2.01	< 10	< 1	0.04	10	0.47	460
HW ON 1+5OW	201 229	205	< 0.2	1.71	4	280	< 0.5	< 2	1.50	< 0.5	11	16	19	3.03	< 10	< 1	0.03	10	0.90	610
HW ON 2+0OW	201 229	10	0.2	1.74	2	320	< 0.5	< 2	1.38	0.5	10	18	24	2.67	< 10	< 1	0.04	10	0.76	480
HW 2+5ON 0+0OE	201 229	< 5	< 0.2	1.62	14	470	< 0.5	< 2	1.00	< 0.5	9	23	29	2.71	< 10	< 1	0.06	10	0.65	405
HW 2+5ON 0+5OE	201 229	< 5	< 0.2	1.47	8	330	< 0.5	< 2	0.65	< 0.5	9	23	18	2.58	< 10	< 1	0.05	10	0.58	430
HW 2+5ON 1+0OE	217 229	< 5	< 0.2	0.10	< 2	120	< 0.5	< 2	1.41	0.5	1	1	5	0.15	< 10	< 1	0.02	< 10	0.10	130
HW 2+5ON 1+5OE	201 229	< 5	< 0.2	1.56	8	270	< 0.5	< 2	0.91	< 0.5	10	18	30	2.95	< 10	< 1	0.04	10	0.70	455
HW 2+5ON 2+0OE	217 229	55	1.2	0.43	< 2	180	< 0.5	< 2	4.91	0.5	1	4	35	0.32	< 10	< 1	0.05	10	0.34	455
HW 2+5ON 2+5OE	201 229	100	0.2	2.28	4	470	< 0.5	< 2	0.49	< 0.5	15	17	33	3.54	< 10	< 1	0.07	10	0.75	2010
HW 2+5ON 3+0OE	201 229	< 5	< 0.2	1.88	4	290	< 0.5	< 2	0.61	< 0.5	12	18	29	3.08	< 10	< 1	0.06	10	0.78	1085
HW 2+5ON 3+5OE	201 229	< 5	< 0.2	2.65	4	320	< 0.5	< 2	0.45	< 0.5	12	40	31	3.69	< 10	< 1	0.05	10	1.16	485
HW 2+5ON 4+0OE	201 229	15	< 0.2	2.65	14	340	< 0.5	< 2	0.31	< 0.5	14	36	28	3.44	< 10	< 1	0.04	10	0.92	760
HW 2+5ON 4+5OE	201 229	5	< 0.2	2.07	10	210	< 0.5	< 2	0.42	< 0.5	13	37	32	3.91	< 10	< 1	0.05	10	1.03	645
HW 2+5ON 5+0OE	201 229	< 5	< 0.2	2.58	8	360	< 0.5	< 2	0.41	< 0.5	11	33	35	3.58	< 10	< 1	0.07	10	0.98	375
HW 2+5ON 5+5OE	201 229	< 5	< 0.2	2.50	8	310	< 0.5	< 2	0.38	< 0.5	11	49	28	3.75	< 10	< 1	0.06	10	1.19	410
HW 2+5ON 6+0OE	201 229	< 5	< 0.2	3.29	18	300	< 0.5	< 2	0.36	0.5	15	13	36	4.97	< 10	< 1	0.04	< 10	1.70	490
HW 2+5ON 6+5OE	201 229	< 5	< 0.2	2.48	8	360	< 0.5	< 2	0.50	< 0.5	13	16	30	4.11	< 10	< 1	0.05	10	0.99	1120
HW 2+5ON 7+0OE	217 229	< 5	< 0.2	0.17	< 2	140	< 0.5	< 2	2.96	0.5	1	< 1	12	0.16	< 10	< 1	0.04	< 10	0.08	305

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD. \*\*

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6


Page No. : 1-B  
 Total Pages : 2  
 Certificate Date: 20-JUN-94  
 Invoice No. : 19417881  
 P.O. Number :  
 Account : GDR

Project : G.HAWK  
 Comments: ATTN: P.SOUTHAM

## CERTIFICATE OF ANALYSIS A9417881

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HW ON 0+00E	201 229	< 1	< 0.01	16	520	6	< 2	6	21	0.04	< 10	< 10	47	< 10	60
HW ON 0+50E	201 229	< 1	< 0.01	13	810	6	< 2	6	31	0.02	< 10	< 10	50	< 10	60
HW ON 1+00E	201 229	< 1	0.01	16	370	6	< 2	4	20	0.06	< 10	< 10	55	< 10	54
HW ON 1+50E	201 229	< 1	< 0.01	12	450	8	< 2	5	20	0.04	< 10	< 10	49	< 10	58
HW ON 2+00E	201 229	< 1	< 0.01	12	210	8	< 2	3	17	0.06	< 10	< 10	54	< 10	48
HW ON 2+50E	201 229	1	< 0.01	15	410	8	< 2	7	20	0.03	< 10	< 10	74	< 10	86
HW ON 3+00E	201 229	< 1	< 0.01	13	280	6	< 2	7	19	0.04	< 10	< 10	61	< 10	82
HW ON 3+50E	201 229	< 1	< 0.01	15	460	8	< 2	7	16	0.01	< 10	< 10	53	< 10	86
HW ON 4+00E	201 229	< 1	< 0.01	11	580	4	2	6	13	0.02	< 10	< 10	43	< 10	84
HW ON 4+50E	201 229	< 1	< 0.01	20	390	6	< 2	6	19	0.04	< 10	< 10	52	< 10	52
HW ON 5+00E	201 229	1	< 0.01	32	440	4	< 2	9	11	0.02	< 10	< 10	70	< 10	90
HW ON 5+50E	201 229	< 1	0.01	17	170	8	< 2	7	15	0.05	< 10	< 10	57	< 10	56
HW ON 6+00E	201 229	< 1	0.01	17	320	6	< 2	9	15	0.04	< 10	< 10	69	< 10	64
HW ON 6+50E	201 229	< 1	< 0.01	8	140	6	< 2	7	10	0.03	< 10	< 10	73	< 10	80
HW ON 7+00E	201 229	< 1	< 0.01	15	140	6	< 2	5	12	0.07	< 10	< 10	75	< 10	58
HW ON 7+50E	201 229	< 1	< 0.01	5	210	4	2	6	17	0.20	< 10	< 10	125	< 10	62
HW ON 8+00E	201 229	< 1	< 0.01	16	170	12	2	7	12	0.07	< 10	< 10	84	< 10	62
HW ON 8+50E	201 229	< 1	< 0.01	10	370	12	< 2	4	12	0.07	< 10	< 10	63	< 10	48
HW ON 9+00E	201 229	< 1	< 0.01	15	330	8	2	3	17	0.06	< 10	< 10	71	< 10	48
HW ON 9+50E	201 229	< 1	< 0.01	13	180	12	< 2	4	21	0.07	< 10	< 10	57	< 10	52
HW ON 10+00E	201 229	< 1	< 0.01	24	330	14	< 2	11	6	0.03	< 10	< 10	147	< 10	248
HW ON 0+50W	201 229	1	0.01	15	510	8	< 2	6	27	0.04	< 10	< 10	49	< 10	52
HW ON 1+00W	201 229	< 1	0.01	15	870	4	< 2	3	69	0.02	< 10	< 10	34	< 10	36
HW ON 1+50W	201 229	< 1	0.01	14	930	6	2	6	48	0.03	< 10	< 10	54	< 10	52
HW ON 2+00W	201 229	< 1	0.01	18	790	6	2	6	47	0.03	< 10	< 10	50	< 10	46
HW 2+50N 0+00E	201 229	< 1	0.01	23	670	10	4	4	46	0.06	< 10	< 10	53	< 10	70
HW 2+50N 0+50E	201 229	< 1	0.01	18	560	10	4	4	33	0.06	< 10	< 10	52	< 10	62
HW 2+50N 1+00E	217 229	< 1	< 0.01	3	340	< 2	< 2	< 1	46	< 0.01	< 10	< 10	3	< 10	32
HW 2+50N 1+50E	201 229	< 1	0.01	16	680	8	2	5	38	0.03	< 10	< 10	49	< 10	72
HW 2+50N 2+00E	217 229	< 1	0.02	9	870	< 2	2	1	116	< 0.01	< 10	10	9	< 10	40
HW 2+50N 2+50E	201 229	1	0.01	16	490	8	2	7	23	0.03	< 10	< 10	58	< 10	68
HW 2+50N 3+00E	201 229	1	0.01	13	480	8	2	6	27	0.05	< 10	< 10	53	< 10	62
HW 2+50N 3+50E	201 229	< 1	0.01	18	320	8	2	9	22	0.05	< 10	< 10	84	< 10	70
HW 2+50N 4+00E	201 229	< 1	0.01	18	220	10	2	8	18	0.05	< 10	< 10	79	< 10	62
HW 2+50N 4+50E	201 229	< 1	< 0.01	22	570	16	2	8	17	0.02	< 10	< 10	59	< 10	94
HW 2+50N 5+00E	201 229	< 1	0.01	20	290	12	2	8	23	0.06	< 10	< 10	86	< 10	74
HW 2+50N 5+50E	201 229	< 1	0.01	23	380	10	4	8	21	0.07	< 10	< 10	82	< 10	68
HW 2+50N 6+00E	201 229	< 1	< 0.01	10	270	14	4	10	19	0.07	< 10	< 10	116	< 10	78
HW 2+50N 6+50E	201 229	1	0.01	14	440	8	4	9	23	0.04	< 10	< 10	75	< 10	76
HW 2+50N 7+00E	217 229	1	< 0.01	2	820	< 2	< 2	< 1	88	< 0.01	< 10	< 10	2	< 10	76

CERTIFICATION: Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

WEALTH RESOURCES LTD.  
1000 - 675 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1N6


Project: G.HAWK  
Comments: ATTN: P.SOUTHAM

Page No.: 2-A  
Total Pages: 2  
Certificate Date: 20-JUN-94  
Invoice No.: I9417881  
P.O. Number:  
Account: GDR

## CERTIFICATE OF ANALYSIS A9417881

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	FA+AA		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
HW 2+50N 7+50E	201	229	< 5	< 0.2	0.33	< 2	110	< 0.5	< 2	0.65	< 0.5	2	2	10	0.56	< 10	< 1	< 0.01	< 10	0.14	135
HW 2+50N 8+50E	201	229	< 5	< 0.2	1.33	4	270	< 0.5	< 2	0.44	< 0.5	8	22	18	2.36	< 10	< 1	0.06	10	0.48	235
HW 2+50N 9+00E	201	229	< 5	< 0.2	1.53	4	410	< 0.5	< 2	0.55	< 0.5	10	24	24	2.43	< 10	< 1	0.06	10	0.58	475
HW 2+50N 9+50E	201	229	< 5	< 0.2	1.56	8	420	< 0.5	< 2	0.64	< 0.5	9	22	22	2.35	< 10	< 1	0.07	10	0.48	470

CERTIFICATION: Hawk Bechler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1N6

Project : G.HAWK  
Comments: ATTN: P.SOUTHAM

Page Number : 2-B  
Total Pages : 2  
Certificate Date: 20-JUN-94  
Invoice No. : I9417881  
P.O. Number :  
Account : GDR


## CERTIFICATE OF ANALYSIS

A9417881

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
HW 2+50N 7+50E	201	229	< 1	< 0.01	3	220	4	2	< 1	21	< 0.01	< 10	< 10	10	< 10	18
HW 2+50N 8+50E	201	229	1	0.01	17	630	8	2	3	28	0.05	< 10	< 10	48	< 10	60
HW 2+50N 9+00E	201	229	1	0.01	21	460	8	2	4	32	0.07	< 10	< 10	53	< 10	70
HW 2+50N 9+50E	201	229	< 1	0.01	20	530	12	4	4	37	0.07	< 10	< 10	52	< 10	68

CERTIFICATION:

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1N6

**INVOICE NUMBER**

**I 9 4 1 8 2 9 3**

## BILLING INFORMATION

Date: 27-JUN-94  
Project: G. HAWK  
P.O. No.:  
Account: GDR

Comments:

Billing: For analysis performed on  
Certificate A9418293


Terms: Payment due on receipt of invoice  
1.25% per month (15% per annum)  
charged on overdue accounts

Please Remit Payments to:

**CHEMEX LABS LTD.**  
212 Brooksbank Ave.,  
North Vancouver, B.C.  
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
256	201 - Dry, sieve to -80 mesh	1.10		
	202 - save reject	0.75		
	ICP-32	6.25		
	100 - Au ppb FA+AA	7.95	16.05	4108.80
Total Cost \$				4108.80
(Reg# R100938885 ) GST \$				<u>287.62</u>
<b>TOTAL PAYABLE (CDN) \$</b>				<b>4396.42</b>

COPY



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1N6

A9418293

Comments: ATTN: P. SOUTHAM

CERTIFICATE

A9418293

WEALTH RESOURCES LTD.

Project: G. HAWK  
P.O. #:

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 24-JUN-94.

## SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	256	Dry, sieve to -80 mesh
202	256	save reject
229	256	ICP - AQ Digestion charge

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	256	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
2118	256	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	256	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	256	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	256	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	256	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	256	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	256	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	256	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	256	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	256	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	256	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	256	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	256	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	256	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	256	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	256	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	256	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	256	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	256	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	256	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	256	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	256	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	256	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	256	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	256	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	256	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	256	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	256	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	256	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	256	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	256	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	256	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6


Project: G. HAWK  
 Comments: ATTN: P. SOUTHAM

Page No. : 1-A  
 Total Pages : 7  
 Certificate Date: 24-JUN-94  
 Invoice No. : 19418293  
 P.O. Number :  
 Account : GDR

## CERTIFICATE OF ANALYSIS A9418293

SAMPLE	PREP		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	CODE		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
HW2 ON 0+50E	201	202	< 5	< 0.2	1.93	< 2	360	< 0.5	< 2	0.44	0.5	10	24	16	2.84	< 10	< 1	0.04	20	0.58	620
HW2 ON 1+00E	201	202	< 5	0.2	1.44	< 2	290	< 0.5	< 2	0.47	< 0.5	9	21	14	2.75	< 10	< 1	0.03	10	0.52	505
HW2 ON 1+50E	201	202	< 5	< 0.2	1.42	< 2	310	< 0.5	< 2	0.56	< 0.5	7	25	14	2.33	< 10	< 1	0.04	20	0.50	235
HW2 ON 2+00E	201	202	< 5	< 0.2	1.87	8	380	< 0.5	< 2	0.96	< 0.5	11	38	18	3.01	< 10	< 1	0.03	10	0.74	580
HW2 ON 2+50E	201	202	< 5	< 0.2	0.50	< 2	320	< 0.5	< 2	4.02	0.5	3	8	16	0.71	< 10	< 1	0.02	< 10	0.34	650
HW2 ON 3+00E	201	202	< 5	< 0.2	1.88	< 2	260	< 0.5	< 2	0.85	< 0.5	17	22	21	3.86	< 10	< 1	0.03	10	0.87	1515
HW2 ON 3+50E	201	202	< 5	0.2	1.79	< 2	200	< 0.5	< 2	0.75	< 0.5	8	26	15	2.87	< 10	< 1	0.04	10	0.82	260
HW2 ON 4+00E	201	202	< 5	0.2	2.00	< 2	250	< 0.5	< 2	0.63	< 0.5	11	25	22	3.20	< 10	< 1	0.03	10	0.98	315
HW2 ON 4+50E	201	202	< 5	0.2	1.72	8	250	< 0.5	< 2	0.61	< 0.5	12	20	22	3.10	< 10	< 1	0.02	10	0.83	350
HW2 ON 5+00E	201	202	< 5	< 0.2	1.65	< 2	260	< 0.5	< 2	1.18	< 0.5	10	15	18	2.99	< 10	< 1	0.02	10	0.77	660
HW2 ON 5+50E	201	202	< 5	0.2	1.25	< 2	120	< 0.5	< 2	0.44	< 0.5	7	14	13	2.29	< 10	< 1	0.02	10	0.69	320
HW2 ON 0+00W	201	202	< 5	0.2	1.71	< 2	330	< 0.5	< 2	0.40	< 0.5	10	24	14	2.72	< 10	< 1	0.04	10	0.57	435
HW2 ON 0+50W	201	202	< 5	0.4	2.19	< 2	220	< 0.5	< 2	0.29	< 0.5	7	23	11	3.91	< 10	< 1	0.03	10	0.65	270
HW2 ON 1+00W	201	202	< 5	0.2	2.06	2	330	< 0.5	< 2	0.31	< 0.5	9	20	9	3.47	< 10	< 1	0.04	10	0.69	335
HW2 ON 1+50W	201	202	< 5	0.2	3.36	< 2	220	< 0.5	< 2	0.39	< 0.5	14	33	13	5.17	< 10	< 1	0.04	10	1.40	460
HW2 ON 2+00W	201	202	< 5	0.4	2.00	4	220	< 0.5	< 2	0.23	< 0.5	6	28	9	2.75	< 10	< 1	0.04	10	0.45	160
HW2 ON 2+50W	201	202	< 5	0.2	2.01	2	220	< 0.5	< 2	0.19	< 0.5	7	28	8	2.92	< 10	< 1	0.04	10	0.81	180
HW2 ON 3+00W	201	202	< 5	0.2	2.63	2	460	< 0.5	< 2	0.39	< 0.5	10	33	18	3.31	< 10	< 1	0.09	10	0.67	335
HW2 ON 3+50W	201	202	< 5	< 0.2	2.03	8	330	< 0.5	< 2	0.37	< 0.5	9	27	19	2.96	< 10	< 1	0.06	20	0.87	310
HW2 ON 4+00W	201	202	< 5	< 0.2	1.81	< 2	340	< 0.5	< 2	0.31	< 0.5	6	25	15	2.30	< 10	< 1	0.04	20	0.54	165
HW2 ON 4+50W	201	202	< 5	0.2	1.89	6	350	< 0.5	< 2	0.36	< 0.5	8	28	15	2.68	< 10	< 1	0.04	10	0.53	275
HW2 ON 5+00W	201	202	< 5	0.2	1.44	4	370	< 0.5	< 2	0.32	< 0.5	6	17	9	1.94	< 10	< 1	0.04	10	0.42	180
HW2 ON 5+50W	201	202	< 5	0.2	1.43	4	300	< 0.5	< 2	0.31	< 0.5	8	20	10	2.37	< 10	< 1	0.05	10	0.48	225
HW2 ON 6+00W	201	202	< 5	0.2	1.47	6	300	< 0.5	< 2	0.28	< 0.5	10	20	12	2.52	< 10	< 1	0.03	10	0.48	415
HW2 ON 6+50W	201	202	< 5	0.2	1.28	2	240	< 0.5	< 2	0.30	< 0.5	6	17	10	2.08	< 10	< 1	0.03	10	0.45	160
HW2 ON 7+00W	201	202	< 5	0.2	1.77	2	480	< 0.5	< 2	0.51	< 0.5	9	20	13	2.86	< 10	< 1	0.04	10	0.57	595
HW2 2+50N 0+50E	201	202	< 5	0.2	2.19	2	360	< 0.5	< 2	0.36	< 0.5	11	52	25	3.39	< 10	< 1	0.03	10	0.91	375
HW2 2+50N 1+00E	201	202	< 5	0.2	1.86	8	380	< 0.5	< 2	0.38	< 0.5	12	32	24	2.90	< 10	< 1	0.03	10	0.76	875
HW2 2+50N 1+50E	201	202	< 5	0.4	2.14	8	410	< 0.5	< 2	0.38	< 0.5	11	26	29	3.41	< 10	< 1	0.03	10	0.90	500
HW2 2+50N 2+00E	201	202	< 5	0.4	1.93	6	220	< 0.5	< 2	0.24	< 0.5	7	21	14	2.95	< 10	< 1	0.05	10	0.73	335
HW2 2+50N 2+50E	201	202	< 5	0.6	3.04	24	220	< 0.5	< 2	0.45	< 0.5	17	17	28	4.64	< 10	< 1	0.04	10	1.87	840
HW2 2+50N 3+00E	201	202	< 5	0.6	2.60	2	260	< 0.5	< 2	0.34	< 0.5	12	24	21	3.84	< 10	< 1	0.04	10	1.30	410
HW2 2+50N 3+50E	201	202	< 5	0.4	2.67	8	240	< 0.5	< 2	0.35	< 0.5	13	19	29	4.08	< 10	< 1	0.04	10	1.30	490
HW2 2+50N 4+00E	201	202	< 5	0.2	1.70	2	190	< 0.5	< 2	0.40	< 0.5	10	18	25	3.03	< 10	< 1	0.03	10	0.80	570
HW2 2+50N 4+50E	201	202	< 5	0.4	2.08	8	140	< 0.5	< 2	0.32	< 0.5	12	35	35	3.51	< 10	< 1	0.02	10	1.28	400
HW2 2+50N 5+00E	201	202	< 5	0.4	2.01	< 2	180	< 0.5	< 2	0.33	< 0.5	12	43	32	3.16	< 10	< 1	0.02	10	1.29	385
HW2 2+50N 5+50E	201	202	< 5	0.2	2.42	6	530	< 0.5	< 2	1.02	< 0.5	20	44	65	3.41	< 10	< 1	0.04	20	1.17	1915
HW2 2+50N 6+00E	201	202	< 5	0.4	1.73	4	310	< 0.5	< 2	0.74	< 0.5	12	33	31	2.95	< 10	< 1	0.02	10	1.08	340
HW2 2+50N 0+00W	201	202	< 5	0.4	1.68	< 2	250	< 0.5	< 2	0.31	< 0.5	6	23	11	2.68	< 10	< 1	0.02	10	0.66	205
HW2 2+50N 0+50W	201	202	< 5	0.6	2.26	4	240	< 0.5	< 2	0.34	< 0.5	11	27	18	3.80	< 10	< 1	0.03	10	1.03	370

CERTIFICATION: *Hart Bechler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6


Project : G. HAWK  
 Comments: ATTN: P. SOUTHAM

Page No. : 1-B  
 Total Pages : 7  
 Certificate Date: 24-JUN-94  
 Invoice No. : I9418293  
 P.O. Number :  
 Account : GDR

## CERTIFICATE OF ANALYSIS A9418293

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HW2 ON 0+50E	201 202	< 1	0.01	14	480	4	< 2	6	30	0.04	< 10	< 10	46	< 10	86
HW2 ON 1+00E	201 202	< 1	0.01	13	660	6	< 2	4	26	0.05	< 10	< 10	42	< 10	74
HW2 ON 1+50E	201 202	< 1	0.01	14	660	4	< 2	4	31	0.07	< 10	< 10	43	< 10	54
HW2 ON 2+00E	201 202	< 1	0.01	18	660	8	2	6	46	0.04	< 10	< 10	49	< 10	64
HW2 ON 2+50E	201 202	< 1	0.01	9	730	4	2	1	123	0.01	< 10	< 10	11	< 10	56
HW2 ON 3+00E	201 202	< 1	0.01	15	750	6	< 2	7	31	0.04	< 10	< 10	52	< 10	70
HW2 ON 3+50E	201 202	< 1	0.01	14	560	4	< 2	6	29	0.06	< 10	< 10	53	< 10	62
HW2 ON 4+00E	201 202	< 1	0.01	14	570	6	< 2	7	25	0.07	< 10	< 10	60	< 10	68
HW2 ON 4+50E	201 202	< 1	0.01	16	580	8	2	6	24	0.06	< 10	< 10	55	< 10	66
HW2 ON 5+00E	201 202	< 1	0.01	13	700	4	< 2	4	36	0.03	< 10	< 10	45	< 10	70
HW2 ON 5+50E	201 202	< 1	< 0.01	8	650	< 2	2	3	17	0.05	10	< 10	42	< 10	60
HW2 ON 0+00W	201 202	< 1	0.01	15	530	4	2	6	24	0.05	< 10	< 10	45	< 10	70
HW2 ON 0+50W	201 202	< 1	< 0.01	11	950	6	2	9	14	0.01	10	< 10	53	< 10	118
HW2 ON 1+00W	201 202	< 1	< 0.01	12	490	4	2	7	17	0.04	< 10	< 10	54	< 10	56
HW2 ON 1+50W	201 202	< 1	< 0.01	12	690	2	2	11	16	0.02	10	< 10	70	< 10	68
HW2 ON 2+00W	201 202	< 1	< 0.01	15	200	6	2	3	17	0.08	< 10	< 10	58	< 10	48
HW2 ON 2+50W	201 202	< 1	< 0.01	12	170	8	< 2	4	16	0.05	< 10	< 10	59	< 10	40
HW2 ON 3+00W	201 202	< 1	0.01	17	410	6	< 2	6	28	0.06	10	< 10	70	< 10	78
HW2 ON 3+50W	201 202	< 1	0.01	17	500	6	< 2	6	22	0.05	10	< 10	49	< 10	64
HW2 ON 4+00W	201 202	< 1	0.01	15	190	6	< 2	5	22	0.06	10	< 10	43	< 10	40
HW2 ON 4+50W	201 202	< 1	0.01	16	340	6	2	5	24	0.04	< 10	< 10	55	< 10	48
HW2 ON 5+00W	201 202	< 1	< 0.01	10	330	6	< 2	3	19	0.02	10	< 10	37	< 10	34
HW2 ON 5+50W	201 202	< 1	< 0.01	12	440	2	< 2	3	20	0.03	< 10	< 10	43	< 10	42
HW2 ON 6+00W	201 202	< 1	< 0.01	12	410	10	< 2	3	17	0.03	< 10	< 10	43	< 10	40
HW2 ON 6+50W	201 202	< 1	< 0.01	11	330	4	< 2	3	17	0.03	< 10	< 10	32	< 10	42
HW2 ON 7+00W	201 202	< 1	< 0.01	12	360	6	2	5	21	0.02	< 10	< 10	40	< 10	46
HW2 2+50N 0+50E	201 202	< 1	< 0.01	26	360	2	< 2	8	18	0.03	< 10	< 10	60	< 10	62
HW2 2+50N 1+00E	201 202	< 1	< 0.01	20	490	4	< 2	6	16	0.03	< 10	< 10	48	< 10	62
HW2 2+50N 1+50E	201 202	< 1	0.01	16	280	6	< 2	7	18	0.04	10	< 10	58	< 10	68
HW2 2+50N 2+00E	201 202	< 1	< 0.01	13	240	6	< 2	4	13	0.04	< 10	< 10	46	< 10	56
HW2 2+50N 2+50E	201 202	< 1	< 0.01	11	430	< 2	4	7	20	0.12	10	< 10	90	< 10	84
HW2 2+50N 3+00E	201 202	< 1	< 0.01	13	230	4	< 2	6	17	0.09	10	< 10	75	< 10	70
HW2 2+50N 3+50E	201 202	< 1	< 0.01	12	280	4	< 2	7	16	0.09	< 10	< 10	73	< 10	86
HW2 2+50N 4+00E	201 202	< 1	< 0.01	13	680	6	< 2	6	15	0.05	< 10	< 10	54	< 10	54
HW2 2+50N 4+50E	201 202	< 1	< 0.01	19	410	2	2	4	14	0.07	< 10	< 10	59	< 10	66
HW2 2+50N 5+00E	201 202	< 1	< 0.01	20	380	6	< 2	4	15	0.08	< 10	< 10	60	< 10	66
HW2 2+50N 5+50E	201 202	< 1	0.01	29	630	4	< 2	8	35	0.04	10	< 10	66	< 10	68
HW2 2+50N 6+00E	201 202	< 1	< 0.01	19	520	6	< 2	5	27	0.04	< 10	< 10	54	< 10	54
HW2 2+50N 0+00W	201 202	< 1	< 0.01	12	270	2	< 2	3	16	0.04	< 10	< 10	49	< 10	46
HW2 2+50N 0+50W	201 202	< 1	< 0.01	14	430	2	< 2	7	18	0.05	10	< 10	53	< 10	52

CERTIFICATION: *Hart Buehler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6


Project: G. HAWK  
 Comments: ATTN: P. SOUTHAM

Page No. : 2-A  
 Total Pages : 7  
 Certificate Date: 24-JUN-94  
 Invoice No. : 19418293  
 P.O. Number :  
 Account : GDR

## CERTIFICATE OF ANALYSIS A9418293

SAMPLE	PREP		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	CODE		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
HW2 2+50N 1+00W	201	202	< 5	< 0.2	1.97	4	320	< 0.5	< 2	0.27	< 0.5	7	28	16	2.65	< 10	< 1	0.06	< 10	0.51	185
HW2 2+50N 1+50W	201	202	< 5	< 0.2	1.58	4	180	< 0.5	< 2	0.12	< 0.5	5	21	10	2.29	< 10	< 1	0.04	< 10	0.41	160
HW2 2+50N 2+00W	201	202	< 5	< 0.2	2.17	2	270	< 0.5	< 2	0.17	< 0.5	7	26	20	2.77	< 10	< 1	0.04	< 10	0.56	180
HW2 2+50N 2+50W	201	202	< 5	< 0.2	3.24	4	260	< 0.5	2	0.17	< 0.5	9	37	11	3.82	< 10	< 1	0.04	< 10	0.84	250
HW2 2+50N 3+00W	201	202	< 5	< 0.2	2.92	2	340	0.5	< 2	0.21	< 0.5	12	31	17	3.44	< 10	< 1	0.05	< 10	0.73	450
HW2 2+50N 3+50W	201	202	< 5	< 0.2	2.98	< 2	230	< 0.5	2	0.25	< 0.5	10	38	15	3.33	< 10	< 1	0.04	< 10	1.00	290
HW2 2+50N 4+00W	201	202	< 5	< 0.2	3.30	2	350	< 0.5	< 2	0.28	< 0.5	17	29	14	4.05	< 10	< 1	0.03	< 10	1.03	675
HW2 2+50N 4+50W	201	202	< 5	< 0.2	2.63	2	240	< 0.5	2	0.23	< 0.5	15	26	19	3.92	< 10	< 1	0.03	< 10	1.13	380
HW2 2+50N 5+00W	201	202	< 5	< 0.2	2.75	4	710	0.5	< 2	0.51	< 0.5	12	26	19	3.18	< 10	< 1	0.06	< 10	0.73	770
HW2 2+50N 5+50W	201	202	< 5	< 0.2	2.30	2	260	< 0.5	2	0.33	< 0.5	11	25	11	3.28	< 10	< 1	0.04	< 10	1.03	220
HW2 2+50N 6+00W	201	202	< 5	< 0.2	2.48	4	390	< 0.5	2	0.31	< 0.5	11	27	16	3.45	< 10	< 1	0.04	< 10	0.91	260
HW2 2+50N 6+50W	201	202	< 5	< 0.2	2.08	< 2	360	< 0.5	< 2	0.33	< 0.5	9	24	18	2.96	< 10	< 1	0.04	< 10	0.84	240
HW2 2+50N 7+00W	201	202	< 5	< 0.2	1.79	4	340	< 0.5	< 2	0.37	< 0.5	7	22	10	2.56	< 10	< 1	0.03	< 10	0.78	200
HW2 5+00N 0+50E	201	202	< 5	< 0.2	2.75	6	120	< 0.5	< 2	0.06	< 0.5	10	15	22	4.04	< 10	< 1	0.02	< 10	1.31	370
HW2 5+00N 1+00E	201	202	< 5	< 0.2	2.05	8	240	< 0.5	< 2	0.20	< 0.5	9	21	24	3.02	< 10	< 1	0.02	< 10	0.83	240
HW2 5+00N 1+50E	201	202	< 5	< 0.2	2.19	8	210	< 0.5	2	0.16	< 0.5	10	29	17	3.38	< 10	< 1	0.02	< 10	0.89	300
HW2 5+00N 2+00E	201	202	< 5	< 0.2	1.87	< 2	160	< 0.5	< 2	0.11	< 0.5	7	15	13	2.99	< 10	< 1	0.02	< 10	0.71	280
HW2 5+00N 2+50E	201	202	< 5	< 0.2	2.38	< 2	160	< 0.5	< 2	0.24	< 0.5	13	19	30	3.62	< 10	< 1	0.02	< 10	1.30	380
HW2 5+00N 3+00E	201	202	< 5	< 0.2	2.71	4	210	< 0.5	< 2	0.52	< 0.5	14	14	25	4.01	< 10	< 1	0.03	< 10	1.46	580
HW2 5+00N 3+50E	201	202	< 5	< 0.2	3.17	4	350	< 0.5	< 2	0.62	< 0.5	17	16	38	4.61	< 10	< 1	0.06	< 10	1.49	855
HW2 5+00N 4+00E	201	202	< 5	< 0.2	2.43	8	260	< 0.5	< 2	0.81	< 0.5	14	20	35	3.71	< 10	< 1	0.06	< 10	1.21	810
HW2 5+00N 4+50E	201	202	< 5	< 0.2	2.63	< 2	220	< 0.5	< 2	1.52	< 0.5	17	43	45	3.89	< 10	< 1	0.04	< 10	1.93	750
HW2 5+00N 5+00E	201	202	< 5	< 0.2	2.46	2	180	< 0.5	< 2	0.72	< 0.5	15	35	38	3.65	< 10	< 1	0.04	< 10	1.59	510
HW2 5+00N 5+50E	201	202	< 5	< 0.2	2.21	< 2	260	< 0.5	< 2	1.32	< 0.5	14	39	38	3.25	< 10	< 1	0.04	< 10	1.33	525
HW2 5+00N 6+50E	201	202	< 5	< 0.2	1.97	2	280	< 0.5	2	0.55	< 0.5	9	31	21	2.80	< 10	< 1	0.05	< 10	0.92	285
HW2 5+00N 7+00E	201	202	< 5	< 0.2	2.05	2	370	< 0.5	2	0.85	< 0.5	8	32	22	2.65	< 10	< 1	0.05	< 10	0.93	355
HW2 5+00N 7+50E	201	202	< 5	< 0.2	2.16	4	310	< 0.5	2	0.42	< 0.5	11	32	37	3.28	< 10	< 1	0.05	< 10	0.96	265
HW2 5+00N 8+00E	201	202	< 5	< 0.2	2.06	< 2	310	< 0.5	2	0.58	< 0.5	9	31	29	2.83	< 10	< 1	0.04	< 10	0.92	305
HW2 5+00N 0+00W	201	202	< 5	< 0.2	3.07	< 2	170	< 0.5	2	0.19	< 0.5	10	36	20	4.26	< 10	< 1	0.04	< 10	1.06	330
HW2 5+00N 0+50W	201	202	< 5	< 0.2	2.82	< 2	190	< 0.5	< 2	0.18	< 0.5	11	33	20	3.70	< 10	< 1	0.06	< 10	0.90	330
HW2 5+00N 1+00W	201	202	150	< 0.2	2.15	16	140	< 0.5	< 2	0.10	< 0.5	11	21	11	4.20	< 10	< 1	0.03	< 10	0.62	245
HW2 5+00N 1+50W	201	202	< 5	< 0.2	2.70	12	230	< 0.5	< 2	0.15	< 0.5	10	35	18	3.85	< 10	< 1	0.04	< 10	0.68	295
HW2 5+00N 2+00W	201	202	< 5	< 0.2	2.14	4	210	< 0.5	< 2	0.18	< 0.5	8	21	9	3.07	< 10	< 1	0.03	< 10	0.47	240
HW2 5+00N 2+50W	201	202	845	< 0.2	2.61	2	180	< 0.5	< 2	0.12	< 0.5	7	18	12	3.91	< 10	< 1	0.04	< 10	0.82	205
HW2 5+00N 3+00W	201	202	< 5	< 0.2	1.87	< 2	220	< 0.5	< 2	0.18	< 0.5	4	16	4	2.44	< 10	< 1	0.04	< 10	0.61	150
HW2 5+00N 3+50W	201	202	< 5	< 0.2	3.21	< 2	280	< 0.5	< 2	0.24	< 0.5	13	44	14	3.94	< 10	< 1	0.03	< 10	1.32	385
HW2 5+00N 4+00W	201	202	< 5	< 0.2	2.36	8	270	< 0.5	< 2	0.19	< 0.5	8	32	13	2.76	< 10	< 1	0.03	< 10	0.66	235
HW2 5+00N 4+50W	201	202	< 5	< 0.2	1.94	< 2	280	< 0.5	2	0.24	< 0.5	8	26	9	2.53	< 10	< 1	0.03	< 10	0.56	245
HW2 5+00N 5+00W	201	202	< 5	< 0.2	2.39	4	400	< 0.5	2	0.29	< 0.5	12	34	19	3.24	< 10	< 1	0.03	< 10	0.92	415
HW2 5+00N 5+50W	201	202	< 5	< 0.2	2.22	10	400	< 0.5	2	0.39	< 0.5	7	27	13	2.88	< 10	< 1	0.04	< 10	0.79	210

CERTIFICATION: *Hart Beckler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD. \*\*

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6

Project : G. HAWK  
 Comments: ATTN: P. SOUTHAM


Page Number : 2-B  
 Total Pages : 7  
 Certificate Date : 24-JUN-94  
 Invoice No. : 19418293  
 P.O. Number :  
 Account : GDR

## CERTIFICATE OF ANALYSIS

### A9418293

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HW2 2+50N 1+00W	201 202	< 1	< 0.01	18	410	6	2	3	23	0.08	< 10	< 10	60	< 10	44
HW2 2+50N 1+50W	201 202	< 1	< 0.01	12	180	4	< 2	2	12	0.06	< 10	< 10	55	< 10	34
HW2 2+50N 2+00W	201 202	< 1	< 0.01	15	180	2	< 2	3	16	0.06	< 10	< 10	55	< 10	44
HW2 2+50N 2+50W	201 202	< 1	< 0.01	17	190	6	2	4	16	0.09	< 10	< 10	83	< 10	48
HW2 2+50N 3+00W	201 202	< 1	0.01	19	350	6	2	4	18	0.09	< 10	< 10	74	< 10	40
HW2 2+50N 3+50W	201 202	< 1	< 0.01	19	160	2	4	4	17	0.07	< 10	< 10	72	< 10	68
HW2 2+50N 4+00W	201 202	< 1	< 0.01	17	290	2	4	6	20	0.06	< 10	< 10	80	< 10	58
HW2 2+50N 4+50W	201 202	< 1	< 0.01	17	440	< 2	2	6	14	0.03	< 10	< 10	57	< 10	96
HW2 2+50N 5+00W	201 202	1	0.01	18	480	4	< 2	4	33	0.05	< 10	< 10	62	< 10	48
HW2 2+50N 5+50W	201 202	< 1	< 0.01	14	390	< 2	2	4	19	0.04	< 10	< 10	53	< 10	38
HW2 2+50N 6+00W	201 202	< 1	< 0.01	18	520	< 2	2	6	17	0.03	< 10	< 10	53	< 10	46
HW2 2+50N 6+50W	201 202	< 1	< 0.01	16	360	< 2	2	6	21	0.03	< 10	< 10	46	< 10	42
HW2 2+50N 7+00W	201 202	< 1	< 0.01	13	310	2	2	3	27	0.03	< 10	< 10	49	< 10	34
HW2 5+00N 0+50E	201 202	< 1	< 0.01	11	170	< 2	2	4	5	0.01	< 10	< 10	57	< 10	72
HW2 5+00N 1+00E	201 202	< 1	< 0.01	14	170	4	2	4	10	0.02	< 10	< 10	55	< 10	60
HW2 5+00N 1+50E	201 202	< 1	< 0.01	14	220	6	< 2	4	10	0.03	< 10	< 10	61	< 10	58
HW2 5+00N 2+00E	201 202	< 1	< 0.01	9	220	2	2	3	7	0.03	< 10	< 10	45	< 10	56
HW2 5+00N 2+50E	201 202	< 1	< 0.01	14	270	< 2	2	4	14	0.10	< 10	< 10	72	< 10	62
HW2 5+00N 3+00E	201 202	< 1	< 0.01	10	440	< 2	2	4	25	0.10	< 10	< 10	79	< 10	76
HW2 5+00N 3+50E	201 202	< 1	< 0.01	12	490	2	4	8	28	0.04	< 10	< 10	97	< 10	110
HW2 5+00N 4+00E	201 202	< 1	0.01	15	590	< 2	2	7	35	0.07	< 10	< 10	72	< 10	82
HW2 5+00N 4+50E	201 202	< 1	< 0.01	24	650	< 2	4	8	51	0.04	< 10	< 10	81	< 10	80
HW2 5+00N 5+00E	201 202	< 1	< 0.01	19	610	< 2	2	7	27	0.14	< 10	< 10	84	< 10	74
HW2 5+00N 5+50E	201 202	< 1	< 0.01	21	710	< 2	2	7	48	0.08	< 10	< 10	66	< 10	72
HW2 5+00N 6+50E	201 202	< 1	< 0.01	16	590	6	4	5	26	0.08	< 10	< 10	56	< 10	72
HW2 5+00N 7+00E	201 202	< 1	0.01	17	650	4	2	5	38	0.07	< 10	< 10	54	< 10	64
HW2 5+00N 7+50E	201 202	< 1	< 0.01	18	680	8	2	7	23	0.08	< 10	< 10	75	< 10	58
HW2 5+00N 8+00E	201 202	< 1	< 0.01	15	920	4	2	6	32	0.08	< 10	< 10	66	< 10	60
HW2 5+00N 0+00W	201 202	< 1	< 0.01	17	260	2	2	6	16	0.09	< 10	< 10	101	< 10	60
HW2 5+00N 0+50W	201 202	< 1	< 0.01	17	230	2	2	4	15	0.11	< 10	< 10	90	< 10	52
HW2 5+00N 1+00W	201 202	< 1	< 0.01	12	370	2	< 2	4	9	0.04	< 10	< 10	58	< 10	44
HW2 5+00N 1+50W	201 202	< 1	< 0.01	18	310	6	2	4	13	0.06	< 10	< 10	65	< 10	60
HW2 5+00N 2+00W	201 202	< 1	< 0.01	11	260	2	2	4	13	0.04	< 10	< 10	59	< 10	38
HW2 5+00N 2+50W	201 202	< 1	< 0.01	10	400	4	2	7	10	0.03	< 10	< 10	73	< 10	54
HW2 5+00N 3+00W	201 202	< 1	< 0.01	8	310	< 2	< 2	3	15	0.04	< 10	< 10	48	< 10	32
HW2 5+00N 3+50W	201 202	< 1	< 0.01	21	190	2	4	7	16	0.06	< 10	< 10	81	< 10	80
HW2 5+00N 4+00W	201 202	< 1	< 0.01	17	130	2	2	3	15	0.06	< 10	< 10	61	< 10	50
HW2 5+00N 4+50W	201 202	< 1	< 0.01	13	120	6	2	3	16	0.06	< 10	< 10	58	< 10	40
HW2 5+00N 5+00W	201 202	< 1	< 0.01	20	260	2	2	5	16	0.04	< 10	< 10	60	< 10	76
HW2 5+00N 5+50W	201 202	< 1	< 0.01	15	220	2	< 2	4	21	0.04	< 10	< 10	60	< 10	54

CERTIFICATION: *Hart Buehler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6


Project : G. HAWK  
 Comments: ATTN: P. SOUTHAM

Page No. : 3-A  
 Total Pages : 7  
 Certificate Date: 24-JUN-94  
 Invoice No. : 19418293  
 P.O. Number :  
 Account : GDR

## CERTIFICATE OF ANALYSIS A9418293

SAMPLE	PREP		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	CODE		FA+AA																		
HW2 5+00N 6+00W	201	202	< 5	< 0.2	1.33	4	290	< 0.5	< 2	0.32	< 0.5	5	21	9	2.05	< 10	< 1	0.03	< 10	0.45	185
HW2 5+00N 6+50W	201	202	< 5	< 0.2	1.27	4	240	< 0.5	< 2	0.16	< 0.5	4	20	12	1.91	< 10	< 1	0.03	< 10	0.36	125
HW2 5+00N 7+00W	201	202	< 5	< 0.2	1.06	2	200	< 0.5	< 2	0.15	< 0.5	4	13	5	1.69	< 10	< 1	0.03	< 10	0.35	105
HW2 5+00N 7+50W	201	202	< 5	< 0.2	1.44	2	190	< 0.5	< 2	0.16	< 0.5	4	9	6	1.72	< 10	< 1	0.03	< 10	0.58	105
HW2 5+00N 8+00W	201	202	< 5	< 0.2	1.48	< 2	360	< 0.5	< 2	0.25	< 0.5	4	16	11	1.88	< 10	< 1	0.03	10	0.46	155
HW2 5+00N 8+50W	201	202	< 5	< 0.2	1.36	8	280	< 0.5	< 2	0.41	< 0.5	7	16	13	2.01	< 10	< 1	0.04	10	0.46	240
HW2 7+50N 0+50E	201	202	< 5	< 0.2	1.81	< 2	140	< 0.5	< 2	0.24	< 0.5	9	30	21	2.53	< 10	< 1	0.02	< 10	0.85	235
HW2 7+50N 1+00E	201	202	< 5	< 0.2	1.97	6	130	< 0.5	< 2	0.22	< 0.5	9	27	23	2.96	< 10	< 1	0.03	< 10	0.83	310
HW2 7+50N 1+50E	201	202	< 5	< 0.2	1.73	2	210	< 0.5	< 2	0.32	< 0.5	8	26	15	2.40	< 10	< 1	0.02	< 10	0.69	220
HW2 7+50N 2+00E	201	202	340	< 0.2	1.78	4	210	< 0.5	< 2	0.35	< 0.5	8	23	20	2.70	< 10	< 1	0.02	< 10	0.82	245
HW2 7+50N 2+50E	201	202	< 5	< 0.2	1.85	4	220	< 0.5	< 2	0.34	< 0.5	7	21	14	2.49	< 10	< 1	0.03	< 10	0.69	215
HW2 7+50N 3+00E	201	202	< 5	< 0.2	2.22	8	330	< 0.5	< 2	0.53	< 0.5	10	21	24	3.12	< 10	< 1	0.03	10	0.84	620
HW2 7+50N 3+50E	201	202	< 5	< 0.2	1.95	< 2	270	< 0.5	< 2	0.53	< 0.5	8	24	19	2.57	< 10	< 1	0.03	< 10	0.72	205
HW2 7+50N 4+00E	201	202	< 5	< 0.2	1.90	6	280	< 0.5	< 2	0.52	< 0.5	8	22	20	2.63	< 10	< 1	0.03	10	0.72	355
HW2 7+50N 4+50E	201	202	< 5	< 0.2	1.82	4	270	< 0.5	< 2	0.41	< 0.5	9	25	16	2.30	< 10	< 1	0.03	< 10	0.65	220
HW2 7+50N 5+00E	201	202	< 5	< 0.2	1.67	8	200	< 0.5	< 2	0.60	< 0.5	8	26	10	2.43	< 10	< 1	0.03	< 10	0.73	315
HW2 7+50N 5+50E	201	202	< 5	< 0.2	1.64	4	230	< 0.5	< 2	0.48	< 0.5	7	24	12	2.37	< 10	< 1	0.02	< 10	0.65	195
HW2 7+50N 6+00E	201	202	< 5	< 0.2	1.50	8	170	< 0.5	2	0.38	< 0.5	6	22	10	2.09	< 10	< 1	0.03	< 10	0.61	150
HW2 7+50N 0+00W	201	202	< 5	< 0.2	2.21	4	230	< 0.5	< 2	0.24	< 0.5	10	28	20	2.86	< 10	< 1	0.03	< 10	0.75	320
HW2 7+50N 0+50W	201	202	< 5	< 0.2	1.91	6	180	< 0.5	< 2	0.22	< 0.5	9	24	19	2.78	< 10	< 1	0.03	< 10	0.75	235
HW2 7+50N 1+00W	201	202	< 5	< 0.2	2.05	8	210	< 0.5	< 2	0.25	< 0.5	8	22	16	2.91	< 10	< 1	0.04	10	0.70	225
HW2 7+50N 1+50W	201	202	< 5	< 0.2	2.21	2	230	< 0.5	< 2	0.29	< 0.5	10	21	19	3.27	< 10	< 1	0.04	10	0.88	280
HW2 7+50N 2+00W	201	202	< 5	< 0.2	2.03	6	190	< 0.5	< 2	0.19	< 0.5	7	24	13	2.83	< 10	< 1	0.05	10	0.59	225
HW2 7+50N 2+50W	201	202	< 5	< 0.2	2.11	4	170	< 0.5	< 2	0.14	< 0.5	6	26	9	2.63	< 10	< 1	0.04	10	0.53	150
HW2 7+50N 3+00W	201	202	< 5	< 0.2	2.31	4	250	< 0.5	< 2	0.16	< 0.5	7	32	20	2.79	< 10	< 1	0.04	10	0.62	185
HW2 7+50N 3+50W	201	202	< 5	< 0.2	2.35	16	320	< 0.5	< 2	0.15	< 0.5	8	32	16	3.07	< 10	< 1	0.05	10	0.58	280
HW2 7+50N 4+00W	201	202	< 5	< 0.2	2.32	24	260	< 0.5	< 2	0.19	< 0.5	5	25	9	2.77	< 10	< 1	0.04	10	0.57	185
HW2 7+50N 4+50W	201	202	< 5	< 0.2	3.08	14	260	< 0.5	< 2	0.18	< 0.5	9	38	21	3.42	< 10	< 1	0.08	10	0.66	235
HW2 7+50N 5+00W	201	202	< 5	< 0.2	2.16	10	260	< 0.5	< 2	0.15	< 0.5	7	25	13	2.84	< 10	< 1	0.03	10	0.64	250
HW2 7+50N 5+50W	201	202	< 5	< 0.2	2.09	10	170	< 0.5	< 2	0.20	< 0.5	11	31	19	3.01	< 10	< 1	0.03	< 10	1.04	290
HW2 7+50N 6+00W	201	202	< 5	< 0.2	2.13	6	250	< 0.5	< 2	0.23	< 0.5	8	39	10	2.69	< 10	< 1	0.03	< 10	1.04	190
HW2 7+50N 6+50W	201	202	< 5	< 0.2	2.74	4	300	< 0.5	< 2	0.16	< 0.5	8	30	15	3.37	< 10	< 1	0.05	< 10	0.74	200
HW2 7+50N 7+00W	201	202	< 5	< 0.2	1.81	8	290	< 0.5	< 2	0.17	< 0.5	5	22	7	2.20	< 10	< 1	0.05	< 10	0.56	165
HW2 7+50N 7+50W	201	202	< 5	< 0.2	1.84	2	370	< 0.5	< 2	0.23	< 0.5	6	25	10	2.32	< 10	< 1	0.06	10	0.54	225
HW2 7+50N 8+00W	201	202	< 5	< 0.2	1.45	4	230	< 0.5	< 2	0.19	< 0.5	4	17	6	1.96	< 10	< 1	0.04	< 10	0.52	130
HW2 7+50N 8+50W	201	202	< 5	< 0.2	1.72	6	270	< 0.5	< 2	0.15	< 0.5	6	19	12	2.45	< 10	< 1	0.04	10	0.48	155
HW2 10+00N 0+50E	201	202	< 5	< 0.2	1.14	2	220	< 0.5	< 2	0.33	< 0.5	5	20	10	1.90	< 10	< 1	0.03	< 10	0.39	130
HW2 10+00N 1+00E	201	202	< 5	< 0.2	0.92	6	180	< 0.5	< 2	0.22	< 0.5	3	16	7	1.46	< 10	< 1	0.03	< 10	0.28	80
HW2 10+00N 1+50E	201	202	< 5	< 0.2	0.93	< 2	280	< 0.5	< 2	0.83	< 0.5	6	15	10	1.60	< 10	< 1	0.03	< 10	0.40	245
HW2 10+00N 2+00E	201	202	< 5	< 0.2	1.01	2	600	< 0.5	< 2	1.00	< 0.5	18	15	21	2.32	< 10	< 1	0.03	10	0.37	1165

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6

Project : G. HAWK  
 Comments: ATTN: P. SOUTHAM

Page No. : 3-B  
 Total Pages : 7  
 Certificate Date: 24-JUN-94  
 Invoice No. : I9418293  
 P.O. Number :  
 Account : GDR


## CERTIFICATE OF ANALYSIS

### A9418293

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HW2 5+00N 6+00W	201 202	< 1	< 0.01	13	350	8	< 2	3	20	0.04	< 10	< 10	37	< 10	40
HW2 5+00N 6+50W	201 202	< 1	< 0.01	13	220	8	< 2	3	13	0.03	< 10	< 10	31	< 10	34
HW2 5+00N 7+00W	201 202	< 1	< 0.01	8	150	8	< 2	2	13	0.03	< 10	< 10	32	< 10	30
HW2 5+00N 7+50W	201 202	< 1	< 0.01	7	300	8	< 2	3	11	0.01	< 10	< 10	21	< 10	30
HW2 5+00N 8+00W	201 202	< 1	< 0.01	11	470	8	< 2	3	17	0.02	< 10	< 10	29	< 10	34
HW2 5+00N 8+50W	201 202	< 1	< 0.01	11	460	18	< 2	4	21	0.03	< 10	< 10	30	< 10	46
HW2 7+50N 0+50E	201 202	< 1	< 0.01	16	370	2	2	4	15	0.07	< 10	< 10	48	< 10	54
HW2 7+50N 1+00E	201 202	< 1	< 0.01	15	500	6	< 2	4	15	0.06	< 10	< 10	54	< 10	74
HW2 7+50N 1+50E	201 202	< 1	< 0.01	14	430	6	< 2	4	18	0.06	< 10	< 10	44	< 10	54
HW2 7+50N 2+00E	201 202	< 1	< 0.01	13	530	4	< 2	6	17	0.04	< 10	< 10	47	< 10	64
HW2 7+50N 2+50E	201 202	< 1	< 0.01	12	430	4	< 2	4	18	0.06	< 10	< 10	46	< 10	56
HW2 7+50N 3+00E	201 202	< 1	0.01	15	550	4	< 2	7	26	0.06	< 10	< 10	53	< 10	78
HW2 7+50N 3+50E	201 202	< 1	< 0.01	13	550	6	2	6	24	0.06	< 10	< 10	49	< 10	62
HW2 7+50N 4+00E	201 202	< 1	0.01	14	590	4	< 2	6	25	0.06	< 10	< 10	48	< 10	64
HW2 7+50N 4+50E	201 202	< 1	0.01	14	570	6	< 2	5	21	0.06	< 10	< 10	48	< 10	58
HW2 7+50N 5+00E	201 202	< 1	0.01	12	670	8	< 2	4	28	0.06	< 10	< 10	44	< 10	60
HW2 7+50N 5+50E	201 202	< 1	< 0.01	12	660	6	< 2	4	25	0.04	< 10	< 10	42	< 10	56
HW2 7+50N 6+00E	201 202	< 1	< 0.01	12	620	6	< 2	3	21	0.06	< 10	< 10	40	< 10	56
HW2 7+50N 0+00W	201 202	< 1	< 0.01	15	340	2	< 2	4	17	0.06	< 10	< 10	56	< 10	56
HW2 7+50N 0+50W	201 202	< 1	< 0.01	14	430	4	< 2	5	16	0.06	< 10	< 10	50	< 10	52
HW2 7+50N 1+00W	201 202	< 1	< 0.01	14	420	2	< 2	4	17	0.06	< 10	< 10	55	< 10	46
HW2 7+50N 1+50W	201 202	< 1	< 0.01	13	370	2	2	6	20	0.06	< 10	< 10	56	< 10	46
HW2 7+50N 2+00W	201 202	< 1	< 0.01	14	370	6	2	4	16	0.07	< 10	< 10	60	< 10	48
HW2 7+50N 2+50W	201 202	< 1	< 0.01	13	180	10	< 2	3	13	0.08	< 10	< 10	59	< 10	44
HW2 7+50N 3+00W	201 202	< 1	< 0.01	21	200	6	< 2	5	15	0.07	< 10	< 10	62	< 10	54
HW2 7+50N 3+50W	201 202	< 1	< 0.01	21	360	14	< 2	3	14	0.06	< 10	< 10	56	< 10	104
HW2 7+50N 4+00W	201 202	< 1	< 0.01	14	260	6	2	3	14	0.06	< 10	< 10	60	< 10	68
HW2 7+50N 4+50W	201 202	< 1	< 0.01	24	360	14	< 2	4	16	0.08	< 10	< 10	71	< 10	72
HW2 7+50N 5+00W	201 202	< 1	< 0.01	15	390	6	< 2	3	11	0.04	< 10	< 10	55	< 10	50
HW2 7+50N 5+50W	201 202	< 1	< 0.01	18	440	2	< 2	3	11	0.06	< 10	< 10	52	< 10	68
HW2 7+50N 6+00W	201 202	< 1	< 0.01	17	300	12	< 2	5	15	0.04	< 10	< 10	57	< 10	48
HW2 7+50N 6+50W	201 202	< 1	< 0.01	18	200	8	2	4	14	0.07	< 10	< 10	67	< 10	54
HW2 7+50N 7+00W	201 202	< 1	< 0.01	12	160	6	< 2	2	14	0.07	< 10	< 10	45	< 10	44
HW2 7+50N 7+50W	201 202	< 1	< 0.01	14	250	6	< 2	3	18	0.07	< 10	< 10	57	< 10	42
HW2 7+50N 8+00W	201 202	< 1	< 0.01	10	200	6	< 2	2	16	0.07	< 10	< 10	45	< 10	32
HW2 7+50N 8+50W	201 202	< 1	< 0.01	11	330	8	< 2	3	13	0.04	< 10	< 10	38	< 10	40
HW2 10+00N 0+50E	201 202	< 1	< 0.01	14	650	6	< 2	2	21	0.05	< 10	< 10	41	< 10	56
HW2 10+00N 1+00E	201 202	< 1	< 0.01	9	400	4	< 2	1	16	0.04	< 10	< 10	33	< 10	40
HW2 10+00N 1+50E	201 202	< 1	< 0.01	11	710	8	< 2	2	45	0.03	< 10	< 10	32	< 10	62
HW2 10+00N 2+00E	201 202	< 1	0.01	16	930	22	< 2	3	52	0.03	< 10	< 10	41	< 10	62

CERTIFICATION:

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6

Project: G. HAWK  
 Comments: ATTN: P. SOUTHAM

Page No. : 4-A  
 Total Pages : 7  
 Certificate Date: 24-JUN-94  
 Invoice No. : 19418293  
 P.O. Number :  
 Account : GDR


## CERTIFICATE OF ANALYSIS

### A9418293

SAMPLE	PREP		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	CODE		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
HW2 10+00N 2+50E	201	202	< 5	< 0.2	0.97	8	230	< 0.5	< 2	0.43	< 0.5	4	19	10	1.79	< 10	< 1	0.04	10	0.42	155
HW2 10+00N 3+00E	201	202	< 5	< 0.2	0.84	2	420	< 0.5	< 2	1.71	< 0.5	7	12	16	1.44	< 10	< 1	0.04	< 10	0.48	905
HW2 10+00N 3+50E	201	202	< 5	< 0.2	1.02	4	370	< 0.5	< 2	1.17	< 0.5	9	24	15	1.80	< 10	< 1	0.04	< 10	0.48	1095
HW2 10+00N 4+00E	201	202	< 5	< 0.2	0.88	< 2	180	< 0.5	< 2	0.42	< 0.5	3	17	5	1.34	< 10	< 1	0.03	< 10	0.39	90
HW2 10+00N 4+50E	201	202	< 5	< 0.2	0.79	< 2	260	< 0.5	< 2	0.61	< 0.5	3	16	8	1.38	< 10	< 1	0.04	< 10	0.33	100
HW2 10+00N 5+00E	201	202	< 5	< 0.2	1.16	10	280	< 0.5	< 2	0.47	< 0.5	8	21	15	2.07	< 10	< 1	0.05	< 10	0.50	295
HW2 10+00N 5+50E	201	202	< 5	< 0.2	1.30	14	370	< 0.5	< 2	0.72	< 0.5	9	24	25	2.49	< 10	< 1	0.06	10	0.60	415
HW2 10+00N 6+00E	201	202	< 5	< 0.2	1.26	6	290	< 0.5	< 2	0.48	< 0.5	7	24	18	2.20	< 10	< 1	0.06	10	0.52	200
HW2 10+00N 6+50E	201	202	< 5	< 0.2	1.08	6	170	< 0.5	< 2	0.51	< 0.5	6	21	10	1.93	< 10	< 1	0.08	10	0.50	245
HW2 10+00N 7+00E	201	202	< 5	< 0.2	1.25	4	240	< 0.5	2	0.60	< 0.5	8	23	14	2.12	< 10	< 1	0.10	< 10	0.60	395
HW2 10+00N 7+50E	201	202	< 5	< 0.2	0.97	< 2	190	< 0.5	< 2	0.45	< 0.5	6	16	8	1.49	< 10	< 1	0.04	< 10	0.48	170
HW210+00N 00+00W	201	202	< 5	< 0.2	0.79	< 2	300	< 0.5	< 2	0.62	< 0.5	8	15	13	1.46	< 10	< 1	0.03	< 10	0.30	455
HW210+00N 00+50W	201	202	< 5	< 0.2	1.03	4	240	< 0.5	< 2	0.52	< 0.5	5	16	6	1.40	< 10	< 1	0.03	< 10	0.35	175
HW210+00N 01+00W	201	202	< 5	< 0.2	0.70	< 2	370	< 0.5	< 2	1.07	< 0.5	9	11	15	1.12	< 10	< 1	0.03	< 10	0.24	825
HW210+00N 01+50W	201	202	< 5	< 0.2	1.09	2	350	< 0.5	< 2	0.90	< 0.5	9	16	10	1.68	< 10	< 1	0.04	< 10	0.36	560
HW210+00N 02+00W	201	202	< 5	< 0.2	1.45	2	260	< 0.5	< 2	0.66	< 0.5	8	22	14	2.22	< 10	< 1	0.05	< 10	0.50	270
HW210+00N 02+50W	201	202	< 5	< 0.2	1.72	6	350	< 0.5	< 2	0.84	< 0.5	7	21	13	2.14	< 10	< 1	0.05	< 10	0.49	365
HW210+00N 03+00W	201	202	< 5	< 0.2	1.62	2	260	< 0.5	< 2	0.29	< 0.5	6	23	16	2.21	< 10	< 1	0.04	10	0.55	175
HW210+00N 03+50W	201	202	< 5	< 0.2	2.59	14	270	< 0.5	< 2	0.22	< 0.5	8	28	18	3.16	< 10	< 1	0.06	< 10	0.59	280
HW210+00N 04+00W	201	202	< 5	< 0.2	1.80	6	160	< 0.5	< 2	0.13	< 0.5	6	27	14	2.22	< 10	< 1	0.04	10	0.45	170
HW210+00N 04+50W	201	202	< 5	< 0.2	1.92	4	170	< 0.5	< 2	0.12	< 0.5	6	19	11	2.82	< 10	< 1	0.03	< 10	0.61	220
HW210+00N 05+00W	201	202	< 5	< 0.2	1.74	12	210	< 0.5	< 2	0.13	< 0.5	6	24	8	2.60	< 10	< 1	0.03	< 10	0.37	175
HW210+00N 05+50W	201	202	< 5	< 0.2	2.27	6	230	< 0.5	< 2	0.13	< 0.5	9	33	7	3.35	< 10	< 1	0.03	< 10	0.61	280
HW210+00N 06+00W	201	202	< 5	< 0.2	2.01	2	140	< 0.5	< 2	0.13	< 0.5	9	32	5	2.84	< 10	< 1	0.03	< 10	0.87	200
HW210+00N 06+50W	201	202	< 5	< 0.2	2.07	6	230	< 0.5	< 2	0.14	< 0.5	8	26	8	2.83	< 10	< 1	0.05	< 10	0.67	190
HW210+00N 07+00W	201	202	< 5	< 0.2	2.79	12	200	< 0.5	< 2	0.17	< 0.5	9	29	9	3.29	< 10	< 1	0.03	< 10	1.38	270
HW210+00N 07+50W	201	202	< 5	< 0.2	2.08	14	270	< 0.5	< 2	0.21	< 0.5	7	31	12	2.71	< 10	< 1	0.06	10	0.54	190
HW210+00N 08+00W	201	202	< 5	< 0.2	1.99	16	350	< 0.5	< 2	0.14	< 0.5	6	24	16	2.53	< 10	< 1	0.07	< 10	0.55	160
HW210+00N 08+50W	201	202	< 5	< 0.2	1.42	16	260	< 0.5	< 2	0.22	< 0.5	5	23	10	2.20	< 10	< 1	0.07	< 10	0.43	150
HW210+00N 09+00W	201	202	< 5	< 0.2	1.22	4	260	< 0.5	< 2	0.30	< 0.5	5	21	12	2.08	< 10	< 1	0.06	< 10	0.44	130
HW210+00N 09+50W	201	202	< 5	< 0.2	1.36	12	170	< 0.5	< 2	0.13	< 0.5	4	19	9	2.23	< 10	< 1	0.04	< 10	0.34	145
HW210+00N 10+00W	201	202	< 5	< 0.2	1.91	6	310	< 0.5	< 2	0.16	< 0.5	7	29	14	2.76	< 10	< 1	0.04	< 10	0.49	205
HW210+00N 10+50W	201	202	< 5	< 0.2	2.14	12	220	< 0.5	< 2	0.14	< 0.5	7	29	13	2.96	< 10	< 1	0.07	10	0.54	255
HW210+00N 11+00W	201	202	< 5	< 0.2	1.12	2	500	< 0.5	< 2	0.59	< 0.5	4	13	10	1.88	< 10	< 1	0.11	10	0.33	210
HW210+00N 11+50W	201	202	< 5	< 0.2	1.26	18	640	< 0.5	< 2	0.50	< 0.5	4	14	17	1.94	< 10	< 1	0.11	10	0.40	160
HW210+00N 12+00W	201	202	< 5	< 0.2	0.89	14	550	< 0.5	< 2	0.93	< 0.5	3	7	12	1.61	< 10	< 1	0.16	< 10	0.28	150
HW210+00N 12+50W	201	202	< 5	< 0.2	1.77	2	230	< 0.5	< 2	2.11	< 0.5	10	12	39	2.63	< 10	< 1	0.02	< 10	0.97	515
HW210+00N 13+00W	201	202	< 5	< 0.2	0.67	2	110	< 0.5	< 2	1.03	< 0.5	4	6	18	1.12	< 10	< 1	0.01	< 10	0.42	290
HW210+00N 13+50W	201	202	< 5	< 0.2	1.37	8	170	< 0.5	< 2	1.06	< 0.5	9	14	23	2.35	< 10	< 1	0.02	< 10	0.71	455
HW210+00N 14+00W	201	202	< 5	< 0.2	1.92	4	80	< 0.5	< 2	1.17	< 0.5	11	13	57	3.19	< 10	< 1	0.02	< 10	1.14	455

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6

Project : G. HAWK  
 Comments: ATTN: P. SOUTHAM


Page No. : 4-B  
 Total Pages : 7  
 Certificate Date: 24-JUN-94  
 Invoice No. : 19418293  
 P.O. Number :  
 Account : GDR

## CERTIFICATE OF ANALYSIS

### A9418293

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HW2 10+00N 2+50E	201 202	< 1	0.01	14	710	4	< 2	2	23	0.05	< 10	< 10	36	< 10	50
HW2 10+00N 3+00E	201 202	< 1	0.01	16	900	2	< 2	2	67	0.03	< 10	< 10	28	< 10	94
HW2 10+00N 3+50E	201 202	< 1	0.01	20	940	2	< 2	2	49	0.03	< 10	< 10	34	< 10	90
HW2 10+00N 4+00E	201 202	< 1	< 0.01	11	720	4	< 2	2	23	0.04	< 10	< 10	31	< 10	48
HW2 10+00N 4+50E	201 202	< 1	< 0.01	11	490	2	< 2	2	32	0.03	< 10	< 10	30	< 10	58
HW2 10+00N 5+00E	201 202	< 1	0.01	16	680	4	< 2	3	26	0.05	< 10	< 10	42	< 10	64
HW2 10+00N 5+50E	201 202	< 1	0.01	23	690	8	< 2	4	41	0.07	< 10	< 10	47	< 10	78
HW2 10+00N 6+00E	201 202	< 1	0.01	18	620	6	< 2	3	28	0.06	< 10	< 10	46	< 10	58
HW2 10+00N 6+50E	201 202	< 1	0.01	15	760	4	< 2	3	29	0.07	< 10	< 10	43	< 10	64
HW2 10+00N 7+00E	201 202	< 1	0.01	19	780	4	< 2	3	34	0.06	< 10	< 10	42	< 10	96
HW2 10+00N 7+50E	201 202	< 1	< 0.01	12	580	6	< 2	2	23	0.04	< 10	< 10	31	< 10	54
HW210+00N 00+00W	201 202	< 1	< 0.01	10	700	4	< 2	1	32	0.02	< 10	< 10	34	< 10	58
HW210+00N 00+50W	201 202	< 1	< 0.01	10	490	4	< 2	2	29	0.04	< 10	< 10	31	< 10	48
HW210+00N 01+00W	201 202	< 1	0.01	10	940	6	< 2	1	56	0.02	< 10	< 10	21	< 10	68
HW210+00N 01+50W	201 202	< 1	0.01	12	780	6	< 2	2	42	0.03	< 10	< 10	38	< 10	54
HW210+00N 02+00W	201 202	< 1	0.01	16	540	6	< 2	4	29	0.06	< 10	< 10	44	< 10	76
HW210+00N 02+50W	201 202	< 1	0.01	14	470	4	< 2	4	37	0.05	< 10	< 10	42	< 10	76
HW210+00N 03+00W	201 202	< 1	< 0.01	14	370	4	< 2	4	18	0.06	< 10	< 10	43	< 10	68
HW210+00N 03+50W	201 202	< 1	< 0.01	16	440	6	< 2	5	18	0.07	< 10	< 10	64	< 10	94
HW210+00N 04+00W	201 202	< 1	< 0.01	13	160	6	< 2	3	13	0.07	< 10	< 10	52	< 10	54
HW210+00N 04+50W	201 202	< 1	< 0.01	12	220	4	< 2	2	11	0.04	< 10	< 10	52	< 10	86
HW210+00N 05+00W	201 202	< 1	< 0.01	12	180	10	< 2	2	12	0.07	< 10	< 10	59	< 10	44
HW210+00N 05+50W	201 202	< 1	< 0.01	17	640	6	< 2	2	11	0.06	< 10	< 10	70	< 10	56
HW210+00N 06+00W	201 202	< 1	< 0.01	15	470	6	< 2	2	10	0.07	< 10	< 10	58	< 10	48
HW210+00N 06+50W	201 202	< 1	< 0.01	15	290	2	< 2	2	12	0.09	< 10	< 10	55	< 10	40
HW210+00N 07+00W	201 202	< 1	< 0.01	16	230	2	< 2	3	15	0.08	< 10	< 10	59	< 10	52
HW210+00N 07+50W	201 202	< 1	< 0.01	17	540	10	< 2	3	20	0.07	< 10	< 10	65	< 10	46
HW210+00N 08+00W	201 202	< 1	< 0.01	15	190	8	< 2	3	13	0.05	< 10	< 10	45	< 10	48
HW210+00N 08+50W	201 202	< 1	< 0.01	13	420	2	< 2	2	18	0.06	< 10	< 10	45	< 10	40
HW210+00N 09+00W	201 202	< 1	< 0.01	14	570	6	< 2	2	20	0.04	< 10	< 10	40	< 10	64
HW210+00N 09+50W	201 202	< 1	< 0.01	11	180	10	< 2	2	11	0.04	< 10	< 10	45	< 10	38
HW210+00N 10+00W	201 202	< 1	< 0.01	18	180	8	< 2	2	14	0.05	< 10	< 10	54	< 10	52
HW210+00N 10+50W	201 202	< 1	< 0.01	19	190	6	< 2	3	12	0.06	< 10	< 10	55	< 10	54
HW210+00N 11+00W	201 202	< 1	< 0.01	10	600	4	< 2	3	28	0.02	< 10	< 10	28	< 10	52
HW210+00N 11+50W	201 202	< 1	< 0.01	11	380	8	< 2	3	28	0.02	< 10	< 10	28	< 10	46
HW210+00N 12+00W	201 202	< 1	< 0.01	7	400	4	< 2	2	29	0.01	< 10	< 10	19	< 10	66
HW210+00N 12+50W	201 202	< 1	< 0.01	12	610	4	< 2	5	55	0.02	< 10	< 10	43	< 10	82
HW210+00N 13+00W	201 202	< 1	< 0.01	11	380	2	< 2	1	28	< 0.01	< 10	< 10	17	< 10	32
HW210+00N 13+50W	201 202	< 1	< 0.01	13	670	2	< 2	4	29	0.02	< 10	< 10	41	< 10	54
HW210+00N 14+00W	201 202	< 1	< 0.01	12	520	< 2	< 2	7	23	0.01	< 10	< 10	55	< 10	78

CERTIFICATION: Hunter Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6

Project : G. HAWK  
 Comments: ATTN: P. SOUTHAM


Page No. : 5-A  
 Total Pages : 7  
 Certificate Date: 24-JUN-94  
 Invoice No. : I9418293  
 P.O. Number :  
 Account : GDR

## CERTIFICATE OF ANALYSIS

### A9418293

SAMPLE	PREP		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	CODE		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
HW2 12+50N 0+00E	201	202	< 5	< 0.2	4.21	< 2	80	< 0.5	32	0.16	< 0.5	17	106	179	6.01	10	< 1	0.03	< 10	2.92	740
HW2 12+50N 1+00E	201	202	< 5	< 0.2	2.52	4	160	< 0.5	8	0.35	< 0.5	15	55	53	3.92	< 10	< 1	0.03	< 10	1.57	380
HW2 12+50N 1+50E	201	202	< 5	< 0.2	2.18	2	100	< 0.5	4	0.39	< 0.5	10	25	31	3.81	< 10	< 1	0.09	< 10	1.36	525
HW2 12+50N 2+00E	201	202	< 5	< 0.2	2.26	2	120	< 0.5	< 2	0.30	< 0.5	13	113	36	2.82	< 10	< 1	0.02	< 10	1.11	230
HW2 12+50N 2+50E	201	202	< 5	< 0.2	2.11	4	500	< 0.5	< 2	0.43	< 0.5	12	46	29	3.20	< 10	< 1	0.07	10	0.79	335
HW2 12+50N 3+00E	201	202	< 5	< 0.2	1.96	< 2	270	< 0.5	6	0.45	< 0.5	13	55	46	2.98	< 10	< 1	0.06	< 10	1.16	250
HW2 12+50N 3+50E	201	202	< 5	< 0.2	1.03	4	160	< 0.5	< 2	0.15	< 0.5	3	14	7	1.56	< 10	< 1	0.14	< 10	0.35	145
HW2 12+50N 4+00E	201	202	< 5	< 0.2	1.58	10	270	< 0.5	< 2	0.27	< 0.5	9	42	29	2.67	< 10	< 1	0.08	< 10	0.77	260
HW2 12+50N 4+50E	201	202	< 5	< 0.2	2.07	4	160	< 0.5	4	0.13	< 0.5	11	14	20	3.50	< 10	< 1	0.10	< 10	1.28	365
HW2 12+50N 5+00E	201	202	< 5	< 0.2	1.97	8	180	< 0.5	< 2	0.24	< 0.5	10	6	14	4.04	< 10	< 1	0.16	< 10	1.00	460
HW2 12+50N 5+50E	201	202	< 5	< 0.2	1.94	< 2	150	< 0.5	2	0.20	< 0.5	10	16	15	3.17	< 10	< 1	0.08	< 10	0.88	320
HW2 12+50N 6+00E	201	202	< 5	< 0.2	1.29	2	120	< 0.5	< 2	0.09	< 0.5	4	8	10	2.46	< 10	< 1	0.27	< 10	0.59	255
HW2 12+50N 6+50E	201	202	< 5	< 0.2	0.87	2	110	< 0.5	< 2	0.12	< 0.5	2	8	7	1.40	< 10	< 1	0.24	< 10	0.32	130
HW2 12+50N 7+00E	201	202	< 5	< 0.2	1.74	2	170	< 0.5	2	0.33	< 0.5	6	20	21	2.98	< 10	< 1	0.33	10	0.86	245
HW2 12+50N 7+50E	201	202	30	< 0.2	1.48	2	220	< 0.5	< 2	0.28	< 0.5	7	17	14	2.29	< 10	< 1	0.15	10	0.53	245
HW212+50N 00+00W	201	202	< 5	< 0.2	2.21	2	340	< 0.5	< 2	0.55	< 0.5	11	28	14	3.19	< 10	< 1	0.03	< 10	0.95	665
HW212+50N 00+50W	201	202	< 5	< 0.2	1.76	8	300	< 0.5	< 2	0.33	< 0.5	7	24	15	2.35	< 10	< 1	0.04	10	0.57	180
HW212+50N 01+00W	201	202	< 5	< 0.2	1.72	2	190	< 0.5	< 2	0.23	< 0.5	7	22	10	2.70	< 10	< 1	0.03	10	0.54	205
HW212+50N 01+50W	201	202	< 5	< 0.2	1.85	4	260	< 0.5	< 2	0.21	< 0.5	6	23	13	2.53	< 10	< 1	0.05	10	0.49	140
HW212+50N 02+00W	201	202	< 5	< 0.2	1.80	8	280	< 0.5	< 2	0.22	< 0.5	6	25	13	2.55	< 10	< 1	0.04	10	0.48	170
HW212+50N 02+50W	201	202	< 5	< 0.2	1.59	2	330	< 0.5	< 2	0.23	< 0.5	6	22	15	2.09	< 10	1	0.04	10	0.43	145
HW212+50N 03+00W	201	202	< 5	< 0.2	1.58	6	310	< 0.5	< 2	0.24	< 0.5	6	23	15	2.17	< 10	< 1	0.04	10	0.42	165
HW212+50N 03+50W	201	202	< 5	< 0.2	1.46	6	250	< 0.5	< 2	0.25	< 0.5	5	24	17	2.10	< 10	< 1	0.04	10	0.44	150
HW212+50N 04+00W	201	202	< 5	< 0.2	1.55	10	220	< 0.5	< 2	0.20	< 0.5	5	24	15	2.21	< 10	< 1	0.06	10	0.43	135
HW212+50N 04+50W	201	202	< 5	< 0.2	1.35	< 2	170	< 0.5	< 2	0.13	< 0.5	2	12	8	1.56	< 10	< 1	0.07	< 10	0.34	85
HW212+50N 05+00W	201	202	< 5	< 0.2	1.55	10	290	< 0.5	< 2	0.23	< 0.5	6	24	16	2.39	< 10	< 1	0.03	10	0.45	185
HW212+50N 05+50W	201	202	< 5	< 0.2	1.45	6	170	< 0.5	< 2	0.23	< 0.5	7	25	21	2.41	< 10	< 1	0.07	10	0.49	210
HW212+50N 06+00W	201	202	< 5	< 0.2	2.10	14	190	< 0.5	< 2	0.12	< 0.5	8	27	22	2.92	< 10	< 1	0.06	10	0.59	200
HW212+50N 06+50W	201	202	< 5	< 0.2	2.80	10	280	0.5	< 2	0.12	< 0.5	8	36	9	3.02	10	< 1	0.06	10	0.54	190
HW212+50N 07+00W	201	202	< 5	< 0.2	2.48	6	270	0.5	< 2	0.12	< 0.5	8	34	18	3.11	< 10	< 1	0.08	10	0.51	210
HW212+50N 07+50W	201	202	< 5	< 0.2	1.25	4	170	< 0.5	< 2	0.07	< 0.5	4	15	7	1.94	< 10	< 1	0.07	< 10	0.28	135
HW212+50N 08+00W	201	202	< 5	< 0.2	1.81	4	190	< 0.5	< 2	0.10	< 0.5	5	17	12	2.87	< 10	< 1	0.14	< 10	0.46	180
HW212+50N 08+50W	201	202	< 5	< 0.2	1.67	2	180	< 0.5	< 2	0.15	< 0.5	6	15	11	2.75	< 10	< 1	0.04	< 10	0.49	230
HW212+50N 09+00W	201	202	< 5	< 0.2	1.25	12	200	< 0.5	< 2	0.10	< 0.5	3	14	10	2.14	< 10	< 1	0.07	< 10	0.35	140
HW212+50N 09+50W	201	202	< 5	< 0.2	1.09	4	250	< 0.5	< 2	0.11	< 0.5	7	11	10	1.80	< 10	< 1	0.09	< 10	0.28	280
HW212+50N 10+00W	201	202	< 5	< 0.2	1.12	12	220	< 0.5	< 2	0.16	< 0.5	5	12	8	1.87	< 10	< 1	0.11	10	0.28	245
HW212+50N 10+50W	201	202	< 5	< 0.2	1.44	4	360	< 0.5	< 2	0.27	< 0.5	5	19	12	2.07	< 10	< 1	0.11	10	0.36	170
HW212+50N 11+00W	201	202	< 5	< 0.2	1.08	18	350	< 0.5	< 2	0.30	< 0.5	3	9	11	1.75	< 10	< 1	0.25	10	0.28	160
HW212+50N 11+50W	201	202	< 5	< 0.2	1.50	8	220	< 0.5	< 2	0.12	< 0.5	4	14	15	2.68	< 10	< 1	0.09	< 10	0.41	175
HW212+50N 12+00W	201	202	< 5	< 0.2	1.50	8	310	< 0.5	< 2	0.14	< 0.5	2	11	14	1.71	< 10	< 1	0.08	< 10	0.32	105

CERTIFICATION: *Haut Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.  
 1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6

Project : G. HAWK  
 Comments: ATTN: P. SOUTHAM


Page Number : 5-B  
 Total Pages : 7  
 Certificate Date: 24-JUN-94  
 Invoice No. : 19418293  
 P.O. Number :  
 Account : GDR

## CERTIFICATE OF ANALYSIS

### A9418293

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HW2 12+50N 0+00E	201 202	< 1	< 0.01	30	360	< 2	8	17	9	0.02	< 10	< 10	130	< 10	280
HW2 12+50N 1+00E	201 202	< 1	< 0.01	25	180	< 2	4	4	15	0.28	< 10	< 10	78	< 10	56
HW2 12+50N 1+50E	201 202	< 1	< 0.01	11	200	< 2	4	3	22	0.37	< 10	< 10	72	< 10	66
HW2 12+50N 2+00E	201 202	< 1	< 0.01	35	80	4	6	2	13	0.21	< 10	< 10	59	< 10	36
HW2 12+50N 2+50E	201 202	< 1	0.01	23	280	< 2	4	5	24	0.14	< 10	< 10	74	< 10	48
HW2 12+50N 3+00E	201 202	< 1	< 0.01	29	210	2	4	4	22	0.24	< 10	< 10	59	< 10	48
HW2 12+50N 3+50E	201 202	< 1	< 0.01	7	180	8	2	1	11	0.10	< 10	< 10	32	< 10	32
HW2 12+50N 4+00E	201 202	< 1	< 0.01	21	260	4	2	4	16	0.13	< 10	< 10	51	< 10	50
HW2 12+50N 4+50E	201 202	< 1	< 0.01	9	270	< 2	4	4	9	0.14	< 10	< 10	106	< 10	58
HW2 12+50N 5+00E	201 202	< 1	< 0.01	6	420	< 2	6	2	11	0.20	< 10	< 10	61	< 10	66
HW2 12+50N 5+50E	201 202	< 1	< 0.01	10	190	4	4	2	9	0.18	< 10	< 10	51	< 10	58
HW2 12+50N 6+00E	201 202	< 1	< 0.01	6	340	6	2	2	7	0.10	< 10	< 10	39	< 10	52
HW2 12+50N 6+50E	201 202	< 1	< 0.01	5	300	8	2	2	9	0.06	< 10	< 10	22	< 10	44
HW2 12+50N 7+00E	201 202	< 1	< 0.01	13	630	2	4	4	22	0.19	< 10	< 10	49	< 10	74
HW2 12+50N 7+50E	201 202	< 1	< 0.01	11	550	6	< 2	3	20	0.11	< 10	< 10	42	< 10	54
HW212+50N 00+00W	201 202	< 1	< 0.01	16	690	< 2	4	4	33	0.06	< 10	< 10	53	< 10	68
HW212+50N 00+50W	201 202	< 1	< 0.01	14	650	2	2	2	26	0.06	< 10	< 10	43	< 10	70
HW212+50N 01+00W	201 202	< 1	< 0.01	12	600	4	2	3	17	0.06	< 10	< 10	46	< 10	58
HW212+50N 01+50W	201 202	< 1	< 0.01	13	360	6	4	3	20	0.07	< 10	< 10	45	< 10	60
HW212+50N 02+00W	201 202	< 1	< 0.01	14	480	6	2	3	19	0.06	< 10	< 10	48	< 10	64
HW212+50N 02+50W	201 202	< 1	< 0.01	14	550	4	< 2	2	21	0.03	< 10	< 10	41	< 10	70
HW212+50N 03+00W	201 202	< 1	< 0.01	14	390	6	< 2	3	19	0.06	< 10	< 10	41	< 10	58
HW212+50N 03+50W	201 202	< 1	< 0.01	14	490	4	< 2	3	19	0.06	< 10	< 10	41	< 10	54
HW212+50N 04+00W	201 202	< 1	< 0.01	15	360	6	2	2	17	0.06	< 10	< 10	44	< 10	64
HW212+50N 04+50W	201 202	< 1	< 0.01	8	370	8	< 2	1	10	0.02	< 10	< 10	22	< 10	64
HW212+50N 05+00W	201 202	< 1	< 0.01	15	400	6	< 2	3	18	0.06	< 10	< 10	46	< 10	50
HW212+50N 05+50W	201 202	< 1	< 0.01	18	410	4	2	3	19	0.08	< 10	< 10	50	< 10	56
HW212+50N 06+00W	201 202	< 1	< 0.01	20	180	6	2	3	13	0.07	< 10	< 10	53	< 10	60
HW212+50N 06+50W	201 202	< 1	< 0.01	18	240	8	< 2	3	12	0.08	< 10	< 10	68	< 10	56
HW212+50N 07+00W	201 202	< 1	< 0.01	20	280	8	2	3	13	0.08	< 10	< 10	63	< 10	48
HW212+50N 07+50W	201 202	< 1	< 0.01	15	500	8	< 2	1	6	0.03	< 10	< 10	33	< 10	36
HW212+50N 08+00W	201 202	< 1	< 0.01	11	510	2	< 2	2	10	0.06	< 10	< 10	42	< 10	48
HW212+50N 08+50W	201 202	< 1	< 0.01	10	260	2	< 2	2	11	0.05	< 10	< 10	32	< 10	56
HW212+50N 09+00W	201 202	< 1	< 0.01	9	190	2	< 2	2	9	0.04	< 10	< 10	36	< 10	42
HW212+50N 09+50W	201 202	< 1	< 0.01	8	210	2	< 2	1	9	0.02	< 10	< 10	29	< 10	34
HW212+50N 10+00W	201 202	< 1	< 0.01	8	300	4	< 2	1	10	0.03	< 10	< 10	30	< 10	38
HW212+50N 10+50W	201 202	< 1	< 0.01	12	340	6	< 2	3	18	0.03	< 10	< 10	36	< 10	46
HW212+50N 11+00W	201 202	< 1	< 0.01	7	260	2	< 2	3	14	0.01	< 10	< 10	24	< 10	40
HW212+50N 11+50W	201 202	< 1	< 0.01	10	450	6	< 2	2	8	0.02	< 10	< 10	37	< 10	58
HW212+50N 12+00W	201 202	< 1	< 0.01	5	150	6	< 2	2	10	0.02	< 10	< 10	30	< 10	36

CERTIFICATION: Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6

Project : G. HAWK  
 Comments: ATTN: P. SOUTHAM

Page Number : 6-A  
 Total Pages : 7  
 Certificate Date: 24-JUN-94  
 Invoice No. : I9418293  
 P.O. Number :  
 Account : GDR


## CERTIFICATE OF ANALYSIS

### A9418293

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
HW212+50N 12+50W	201 202	< 5	< 0.2	1.51	10	310	< 0.5	< 2	0.12	< 0.5	4	17	12	2.37	< 10	< 1	0.08	< 10	0.36	165
HW212+50N 13+00W	201 202	< 5	< 0.2	2.39	< 2	320	< 0.5	< 2	0.16	< 0.5	17	12	54	3.53	< 10	< 1	0.03	10	0.99	620
HW212+50N 13+50W	201 202	< 5	< 0.2	3.10	6	150	< 0.5	14	0.40	< 0.5	14	9	88	5.00	10	< 1	0.02	< 10	2.17	650
HW212+50N 14+00W	201 202	< 5	< 0.2	2.53	6	240	< 0.5	< 2	0.19	< 0.5	12	28	32	3.58	< 10	< 1	0.03	< 10	0.95	260
HW212+50N 14+50W	201 202	< 5	< 0.2	0.64	< 2	230	< 0.5	< 2	4.30	< 0.5	2	4	183	0.57	< 10	< 1	0.01	< 10	0.22	465
HW212+50N 15+00W	201 202	< 5	< 0.2	0.19	< 2	270	< 0.5	< 2	4.83	< 0.5	< 1	1	13	0.18	< 10	< 1	0.02	< 10	0.21	345
HW2 15+00N 0+50E	201 202	< 5	< 0.2	2.33	2	190	< 0.5	4	0.57	< 0.5	20	4	32	4.10	< 10	< 1	0.02	< 10	1.56	570
HW2 15+00N 1+00E	201 202	< 5	< 0.2	1.64	8	130	< 0.5	< 2	0.22	< 0.5	7	12	21	2.81	< 10	< 1	0.07	< 10	0.97	295
HW2 15+00N 1+50E	201 202	< 5	< 0.2	1.56	< 2	170	< 0.5	< 2	0.19	< 0.5	9	43	22	2.62	< 10	< 1	0.04	< 10	0.97	230
HW2 15+00N 2+00E	201 202	< 5	< 0.2	1.93	6	290	< 0.5	< 2	0.16	< 0.5	8	27	12	2.75	< 10	< 1	0.04	< 10	0.66	240
HW2 15+00N 2+50E	201 202	< 5	< 0.2	1.65	6	310	< 0.5	< 2	0.18	< 0.5	7	29	12	2.69	< 10	< 1	0.07	< 10	0.53	205
HW2 15+00N 3+00E	201 202	< 5	< 0.2	1.81	2	170	< 0.5	< 2	0.18	< 0.5	11	24	19	3.27	< 10	< 1	0.05	< 10	0.83	280
HW2 15+00N 3+50E	201 202	< 5	< 0.2	1.69	10	170	< 0.5	< 2	0.09	< 0.5	5	27	11	3.12	< 10	< 1	0.05	< 10	0.42	145
HW2 15+00N 4+00E	201 202	< 5	< 0.2	1.64	2	170	< 0.5	< 2	0.17	< 0.5	8	42	25	2.46	< 10	< 1	0.05	< 10	0.73	190
HW2 15+00N 4+50E	201 202	< 5	< 0.2	1.61	6	310	< 0.5	< 2	0.16	< 0.5	8	33	23	2.43	< 10	< 1	0.09	10	0.67	220
HW2 15+00N 5+00E	201 202	< 5	< 0.2	1.58	< 2	250	< 0.5	< 2	0.12	< 0.5	6	20	14	2.26	< 10	< 1	0.09	10	0.57	180
HW2 15+00N 5+50E	201 202	< 5	< 0.2	1.64	2	210	< 0.5	< 2	0.18	< 0.5	7	19	16	2.60	< 10	< 1	0.11	< 10	0.71	240
HW2 15+00N 6+00E	201 202	< 5	< 0.2	1.50	4	290	< 0.5	< 2	0.24	< 0.5	6	16	16	2.47	< 10	< 1	0.17	10	0.72	260
HW2 15+00N 6+50E	201 202	< 5	< 0.2	1.22	2	230	< 0.5	< 2	0.18	< 0.5	5	15	12	2.06	< 10	< 1	0.10	< 10	0.56	185
HW2 15+00N 7+00E	201 202	< 5	< 0.2	1.23	< 2	290	< 0.5	< 2	0.24	< 0.5	7	17	15	2.01	< 10	< 1	0.10	< 10	0.55	215
HW2 15+00N 7+50E	201 202	< 5	< 0.2	1.26	2	230	< 0.5	< 2	0.23	< 0.5	5	16	12	1.91	< 10	< 1	0.11	10	0.58	185
HW2 15+00N 8+00E	201 202	< 5	< 0.2	2.76	12	350	< 0.5	42	0.73	< 0.5	29	465	54	4.15	< 10	< 1	0.07	< 10	3.76	1320
HW2 15+00N 8+50E	201 202	< 5	< 0.2	1.71	6	550	< 0.5	< 2	0.69	< 0.5	10	36	38	2.49	< 10	< 1	0.17	20	0.91	705
HW2 15+00N 9+00E	201 202	< 5	< 0.2	1.25	4	280	< 0.5	< 2	0.36	< 0.5	10	19	26	2.39	< 10	< 1	0.08	10	0.57	440
HW2 15+00N 9+50E	201 202	< 5	< 0.2	1.42	4	280	< 0.5	< 2	0.35	< 0.5	7	24	21	2.30	< 10	< 1	0.08	10	0.59	225
HW215+00N 00+00W	201 202	< 5	< 0.2	2.14	8	230	< 0.5	2	0.48	< 0.5	7	13	28	3.11	< 10	< 1	0.03	10	0.98	660
HW215+00N 00+50W	201 202	< 5	< 0.2	1.93	< 2	80	< 0.5	< 2	0.32	< 0.5	7	9	27	2.89	< 10	< 1	0.01	< 10	1.09	450
HW215+00N 01+00W	201 202	< 5	< 0.2	2.26	6	270	< 0.5	2	0.67	< 0.5	11	18	20	3.27	< 10	< 1	0.03	10	1.09	550
HW215+00N 01+50W	201 202	< 5	< 0.2	2.95	< 2	590	< 0.5	2	0.70	< 0.5	11	18	40	3.60	< 10	< 1	0.04	10	1.11	2030
HW215+00N 02+00W	201 202	< 5	< 0.2	3.21	2	350	0.5	< 2	0.31	< 0.5	15	27	29	3.98	< 10	< 1	0.10	10	0.87	1610
HW215+00N 02+50W	201 202	< 5	< 0.2	2.56	< 2	250	< 0.5	< 2	0.26	< 0.5	9	24	25	3.24	< 10	< 1	0.03	< 10	1.04	350
HW215+00N 03+00W	201 202	< 5	< 0.2	2.26	8	280	< 0.5	< 2	0.22	< 0.5	7	26	12	3.04	< 10	< 1	0.04	10	0.63	255
HW215+00N 03+50W	201 202	< 5	< 0.2	2.51	< 2	130	< 0.5	2	0.30	< 0.5	11	16	13	3.70	< 10	< 1	0.02	< 10	1.11	405
HW215+00N 04+00W	201 202	< 5	< 0.2	2.34	4	130	< 0.5	< 2	0.23	< 0.5	9	12	11	3.74	< 10	< 1	0.03	< 10	1.00	300
HW215+00N 04+50W	201 202	< 5	< 0.2	2.14	8	190	< 0.5	< 2	0.20	< 0.5	6	15	7	3.02	< 10	< 1	0.02	< 10	0.73	190
HW215+00N 05+00W	201 202	< 5	< 0.2	2.06	6	160	< 0.5	< 2	0.17	< 0.5	7	21	10	3.09	< 10	< 1	0.03	< 10	0.71	215
HW215+00N 05+50W	201 202	< 5	< 0.2	2.12	2	180	< 0.5	< 2	0.19	< 0.5	6	25	9	2.74	< 10	< 1	0.03	10	0.63	210
HW215+00N 06+00W	201 202	< 5	< 0.2	2.60	< 2	160	< 0.5	< 2	0.16	< 0.5	7	28	12	3.02	< 10	< 1	0.02	< 10	0.95	270
HW215+00N 06+50W	201 202	< 5	< 0.2	1.80	2	270	< 0.5	< 2	0.20	< 0.5	3	22	23	2.14	< 10	< 1	0.03	10	0.34	100
HW215+00N 07+00W	201 202	< 5	< 0.2	2.44	8	150	< 0.5	< 2	0.16	< 0.5	8	39	12	3.26	< 10	< 1	0.03	10	0.86	235

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6

Project : G. HAWK  
 Comments: ATTN: P. SOUTHAM

Page Number : 6-B  
 Total Pages : 7  
 Certificate Date: 24-JUN-94  
 Invoice No. : I9418293  
 P.O. Number :  
 Account : GDR


## CERTIFICATE OF ANALYSIS

### A9418293

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
HW212+50N 12+50W	201	202	< 1	< 0.01	10	420	6	< 2	2	10	0.04	< 10	< 10	45	< 10	40
HW212+50N 13+00W	201	202	< 1	< 0.01	8	200	2	< 2	6	11	0.02	< 10	< 10	39	< 10	80
HW212+50N 13+50W	201	202	< 1	< 0.01	12	420	< 2	2	8	27	0.01	< 10	< 10	87	< 10	214
HW212+50N 14+00W	201	202	< 1	< 0.01	19	190	4	< 2	5	13	0.05	< 10	< 10	74	< 10	64
HW212+50N 14+50W	201	202	< 1	0.01	12	870	< 2	2	1	81	0.01	< 10	< 10	11	< 10	48
HW212+50N 15+00W	201	202	< 1	< 0.01	4	680	20	2	< 1	99	< 0.01	< 10	< 10	7	< 10	42
HW2 15+00N 0+50E	201	202	< 1	< 0.01	7	230	< 2	2	3	16	0.13	< 10	< 10	86	< 10	62
HW2 15+00N 1+00E	201	202	< 1	< 0.01	8	310	< 2	2	1	9	0.14	< 10	< 10	70	< 10	48
HW2 15+00N 1+50E	201	202	< 1	< 0.01	22	260	4	< 2	2	9	0.15	< 10	< 10	47	< 10	46
HW2 15+00N 2+00E	201	202	< 1	< 0.01	16	310	6	< 2	2	11	0.07	< 10	< 10	55	< 10	52
HW2 15+00N 2+50E	201	202	< 1	< 0.01	16	380	8	< 2	2	14	0.08	< 10	< 10	53	< 10	50
HW2 15+00N 3+00E	201	202	< 1	< 0.01	11	290	2	2	2	10	0.17	< 10	< 10	90	< 10	48
HW2 15+00N 3+50E	201	202	< 1	< 0.01	13	530	6	< 2	2	9	0.07	< 10	< 10	67	< 10	40
HW2 15+00N 4+00E	201	202	< 1	< 0.01	23	130	4	< 2	2	12	0.13	< 10	< 10	52	< 10	48
HW2 15+00N 4+50E	201	202	< 1	< 0.01	17	220	6	< 2	4	11	0.08	< 10	< 10	46	< 10	54
HW2 15+00N 5+00E	201	202	< 1	< 0.01	10	160	6	< 2	3	10	0.08	< 10	< 10	51	< 10	50
HW2 15+00N 5+50E	201	202	< 1	< 0.01	11	260	< 2	< 2	3	12	0.10	< 10	< 10	51	< 10	66
HW2 15+00N 6+00E	201	202	< 1	< 0.01	11	420	4	2	3	16	0.09	< 10	< 10	47	< 10	56
HW2 15+00N 6+50E	201	202	< 1	< 0.01	10	390	2	< 2	2	13	0.05	< 10	< 10	35	< 10	54
HW2 15+00N 7+00E	201	202	< 1	< 0.01	12	490	6	< 2	2	17	0.04	< 10	< 10	36	< 10	50
HW2 15+00N 7+50E	201	202	< 1	< 0.01	9	400	2	2	2	15	0.07	< 10	< 10	35	< 10	54
HW2 15+00N 8+00E	201	202	< 1	< 0.01	195	730	< 2	12	8	34	0.17	< 10	< 10	85	< 10	60
HW2 15+00N 8+50E	201	202	< 1	< 0.01	22	700	30	4	4	32	0.10	< 10	< 10	53	< 10	126
HW2 15+00N 9+00E	201	202	< 1	< 0.01	13	630	18	4	2	20	0.07	< 10	< 10	42	< 10	64
HW2 15+00N 9+50E	201	202	< 1	< 0.01	14	620	14	< 2	2	21	0.07	< 10	< 10	43	< 10	66
HW215+00N 00+00W	201	202	< 1	< 0.01	14	590	4	4	3	14	0.01	< 10	< 10	31	< 10	96
HW215+00N 00+50W	201	202	< 1	< 0.01	8	640	2	4	3	11	0.01	< 10	< 10	33	< 10	68
HW215+00N 01+00W	201	202	< 1	< 0.01	13	610	2	4	5	20	0.05	< 10	< 10	64	< 10	66
HW215+00N 01+50W	201	202	< 1	0.01	19	780	4	4	8	26	0.05	< 10	< 10	77	< 10	74
HW215+00N 02+00W	201	202	< 1	0.01	16	370	8	4	6	18	0.10	< 10	< 10	100	< 10	72
HW215+00N 02+50W	201	202	< 1	< 0.01	14	350	2	2	4	14	0.07	< 10	< 10	65	< 10	66
HW215+00N 03+00W	201	202	< 1	< 0.01	13	310	6	2	3	16	0.07	< 10	< 10	72	< 10	48
HW215+00N 03+50W	201	202	< 1	< 0.01	9	590	2	4	3	13	0.07	< 10	< 10	51	< 10	40
HW215+00N 04+00W	201	202	< 1	< 0.01	9	410	< 2	4	3	11	0.07	< 10	< 10	66	< 10	40
HW215+00N 04+50W	201	202	< 1	< 0.01	7	300	2	2	3	12	0.06	< 10	< 10	59	< 10	38
HW215+00N 05+00W	201	202	< 1	< 0.01	11	290	6	4	2	11	0.07	< 10	< 10	58	< 10	48
HW215+00N 05+50W	201	202	< 1	< 0.01	14	310	4	6	2	12	0.08	< 10	< 10	64	< 10	46
HW215+00N 06+00W	201	202	< 1	< 0.01	15	280	6	4	2	11	0.09	< 10	< 10	65	< 10	58
HW215+00N 06+50W	201	202	< 1	0.01	13	820	8	4	< 1	20	0.01	< 10	< 10	45	< 10	60
HW215+00N 07+00W	201	202	< 1	< 0.01	17	220	2	4	3	13	0.09	< 10	< 10	72	< 10	48

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1N6


Project: G. HAWK  
 Comments: ATTN: P. SOUTHAM

Page Number: 7-A  
 Total Pages: 7  
 Certificate Date: 24-JUN-94  
 Invoice No.: 19418293  
 P.O. Number:  
 Account: GDR

## CERTIFICATE OF ANALYSIS A9418293

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
HW215+00N 07+50W	201 202	< 5	< 0.2	2.02	8	220	< 0.5	< 2	0.14	< 0.5	4	24	9	2.68	< 10	< 1	0.08	10	0.39	150
HW215+00N 08+00W	201 202	< 5	< 0.2	2.01	4	160	< 0.5	< 2	0.14	< 0.5	4	27	8	3.07	10	< 1	0.07	10	0.38	230
HW215+00N 08+50W	201 202	< 5	< 0.2	2.48	16	340	< 0.5	< 2	0.13	< 0.5	8	32	15	3.27	< 10	< 1	0.09	10	0.42	165
HW215+00N 09+00W	201 202	< 5	0.2	2.49	8	230	< 0.5	< 2	0.18	< 0.5	7	29	12	3.25	< 10	< 1	0.10	10	0.51	240
HW215+00N 09+50W	201 202	< 5	< 0.2	1.65	8	270	< 0.5	< 2	0.12	< 0.5	4	16	11	2.25	< 10	< 1	0.06	< 10	0.35	170
HW215+00N 10+00W	201 202	< 5	< 0.2	2.10	14	260	< 0.5	< 2	0.05	< 0.5	7	29	12	3.02	< 10	< 1	0.14	< 10	0.40	190
HW215+00N 10+50W	201 202	< 5	< 0.2	1.32	6	180	< 0.5	< 2	0.14	< 0.5	4	13	8	1.98	< 10	< 1	0.11	< 10	0.36	190
HW215+00N 11+00W	201 202	< 5	< 0.2	1.40	4	670	< 0.5	< 2	0.59	< 0.5	6	9	13	2.47	< 10	< 1	0.09	10	0.41	285
HW215+00N 11+50W	201 202	< 5	< 0.2	1.63	16	290	< 0.5	< 2	0.25	< 0.5	3	12	14	1.64	< 10	< 1	0.04	10	0.39	130
HW215+00N 12+00W	201 202	< 5	< 0.2	3.23	< 2	300	< 0.5	< 2	0.28	< 0.5	4	15	69	4.91	< 10	< 1	0.02	< 10	2.07	460
HW215+00N 12+50W	201 202	< 5	< 0.2	2.88	4	240	< 0.5	< 2	0.14	< 0.5	8	17	34	3.88	< 10	< 1	0.02	< 10	1.52	415
HW215+00N 13+00W	201 202	< 5	< 0.2	2.98	4	110	< 0.5	< 2	0.22	< 0.5	6	24	75	3.94	< 10	< 1	0.02	< 10	1.73	355
HW215+00N 13+50W	201 202	< 5	< 0.2	3.26	2	260	< 0.5	2	0.32	< 0.5	13	33	36	4.20	< 10	< 1	0.03	10	1.14	675
HW215+00N 14+00W	201 202	< 5	< 0.2	3.37	< 2	130	< 0.5	2	0.16	< 0.5	15	38	43	4.48	< 10	< 1	0.02	< 10	1.62	290
HW215+00N 14+50W	201 202	< 5	< 0.2	3.44	6	200	< 0.5	< 2	0.15	< 0.5	22	28	44	4.61	< 10	< 1	0.02	< 10	1.33	1150
HW215+00N 15+00W	201 202	< 5	< 0.2	3.32	8	230	< 0.5	< 2	0.19	< 0.5	10	35	24	4.41	< 10	< 1	0.04	10	0.95	290

CERTIFICATION: *Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1N6

Project : G. HAWK  
Comments: ATTN: P. SOUTHAM

Page Number : 7-8  
Total Pages : 7  
Certificate Date: 24-JUN-94  
Invoice No. : 19418293  
P.O. Number :  
Account : GDR


## CERTIFICATE OF ANALYSIS

A9418293

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
HW215+00N 07+50W	201	202	< 1	< 0.01	12	200	8	2	2	13	0.06	< 10	< 10	58	< 10	46
HW215+00N 08+00W	201	202	< 1	< 0.01	11	530	4	2	2	11	0.08	< 10	< 10	86	< 10	58
HW215+00N 08+50W	201	202	< 1	< 0.01	18	300	6	2	4	10	0.03	< 10	< 10	66	< 10	50
HW215+00N 09+00W	201	202	< 1	< 0.01	12	330	4	4	3	14	0.10	< 10	< 10	78	< 10	54
HW215+00N 09+50W	201	202	< 1	< 0.01	10	220	6	2	1	7	0.03	< 10	< 10	36	< 10	38
HW215+00N 10+00W	201	202	< 1	< 0.01	16	210	6	< 2	2	4	0.06	< 10	< 10	53	< 10	44
HW215+00N 10+50W	201	202	< 1	< 0.01	9	380	6	2	1	7	0.02	< 10	< 10	34	< 10	46
HW215+00N 11+00W	201	202	< 1	< 0.01	8	1160	8	2	2	16	< 0.01	< 10	< 10	24	< 10	44
HW215+00N 11+50W	201	202	< 1	< 0.01	6	250	2	2	2	11	0.01	< 10	< 10	40	< 10	48
HW215+00N 12+00W	201	202	< 1	< 0.01	11	340	< 2	6	6	9	0.02	< 10	< 10	92	< 10	312
HW215+00N 12+50W	201	202	< 1	< 0.01	10	260	4	4	5	13	0.05	< 10	< 10	91	< 10	140
HW215+00N 13+00W	201	202	< 1	< 0.01	15	190	< 2	8	4	13	0.06	< 10	< 10	87	< 10	146
HW215+00N 13+50W	201	202	< 1	< 0.01	17	240	2	6	6	15	0.09	< 10	< 10	99	< 10	74
HW215+00N 14+00W	201	202	< 1	< 0.01	22	160	4	6	8	8	0.05	< 10	< 10	102	< 10	66
HW215+00N 14+50W	201	202	< 1	< 0.01	19	240	30	2	6	8	0.04	< 10	< 10	88	< 10	154
HW215+00N 15+00W	201	202	< 1	< 0.01	18	210	6	2	6	13	0.09	< 10	< 10	105	< 10	66

CERTIFICATION:

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1N6

INVOICE NUMBER

I 9 4 1 8 5 5 0

## BILLING INFORMATION

Date: 29-JUN-94  
Project: G. HAWK/STARBUCK/CJ  
P.O. No.:  
Account: GDR

Comments:

Billing: For analysis performed on  
Certificate A9418550

Terms: Payment due on receipt of invoice  
1.25% per month (15% per annum)  
charged on overdue accounts

Please Remit Payments to:


**CHEMEX LABS LTD.**  
212 Brooksbank Ave.,  
North Vancouver, B.C.  
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
15	205 - Geochem ring to approx 150 mesh	2.50		
	226 - 0-5 lb crush and split	2.05		
	ICP-32	6.25		
	100 - Au ppb FA+AA	7.95	18.75	281.25
1	205 - Geochem ring to approx 150 mesh	2.50		
	226 - 0-5 lb crush and split	2.05		
	ICP-32	6.25		
	100 - Au ppb FA+AA	7.95		
	397 - Au FA g/t	10.00	28.75	28.75

Total Cost \$ 310.00  
(Reg# R100938885 ) GST \$ 21.70

**TOTAL PAYABLE (CDN) \$ 331.70**

COPY



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1N6

A9418550

Comments: ATTN: P. SOUTHAM

CERTIFICATE

A9418550

WEALTH RESOURCES LTD.

Project: G. HAWK/STARBUCK/CJ  
P.O. #:

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 29-JUN-94.

## SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	16	Geochem ring to approx 150 mesh
226	16	0-5 lb crush and split
229	16	ICP - AQ Digestion charge

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	16	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
397	1	Au g/t: 1/2 assay ton grav.	FA-GRAVIMETRIC	0.1	500.0
2118	16	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	16	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	16	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	16	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	16	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	16	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	16	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	16	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	16	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	16	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	16	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	16	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	16	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	16	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	16	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	16	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	16	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	16	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	16	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	16	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	16	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	16	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	16	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	16	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	16	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	16	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	16	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	16	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	16	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	16	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	16	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	16	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

To: WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1N6

Project: G. HAWK/STARBUCK/CJ  
Comments: ATTN: P. SOUTHAM

Page Number: 1-A  
Total Pages: 1  
Certificate Date: 29-JUN-94  
Invoice No.: 19418550  
P.O. Number:  
Account: GDR


## CERTIFICATE OF ANALYSIS

### A9418550

SAMPLE	PREP CODE	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
94 PHW-R1	205 226	< 5	-----	< 0.2	3.65	2	30	< 0.5	2	4.12	< 0.5	22	51	4	6.81	< 10	< 1	0.04	< 10	1.93
94 PHW-R2	205 226	1550	-----	< 0.2	0.31	18	180	< 0.5	< 2	5.29	< 0.5	14	49	4	4.04	< 10	< 1	0.11	< 10	0.09
94 PHW-R3	205 226	715	-----	< 0.2	0.42	36	210	< 0.5	< 2	9.63	< 0.5	14	76	3	6.07	< 10	< 1	0.04	< 10	0.11
94 PHW-R4	205 226	< 5	-----	< 0.2	0.11	4	210	< 0.5	< 2	4.70	< 0.5	3	183	5	2.09	< 10	< 1	< 0.01	< 10	0.04
94 PHW-R5	205 226	< 5	-----	< 0.2	0.55	< 2	90	< 0.5	2	2.18	< 0.5	1	78	34	2.01	< 10	< 1	0.17	< 10	0.50
94 PHW-R6	205 226	< 5	-----	< 0.2	1.91	< 2	1300	1.0	8	0.32	< 0.5	17	82	6	3.96	< 10	< 1	0.19	30	1.24
94 PHW-R7	205 226	1350	-----	1.6	0.97	72	170	< 0.5	< 2	0.41	< 0.5	40	82	218	4.56	< 10	< 1	0.15	< 10	0.29
94 PHW-R8	205 226	160	-----	< 0.2	0.29	100	120	< 0.5	12	2.97	< 0.5	7	198	28	3.06	< 10	< 1	0.18	< 10	1.25
94 PHW-R9	205 226	>10000	59.0	187.5	0.02	30	40	< 0.5	124	0.02	< 0.5	3	174	>10000	3.23	< 10	2	< 0.01	< 10	0.03

CERTIFICATION:

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1N6

Project : G. HAWK/STARBUCK/CJ  
Comments: ATTN: P. SOUTHAM

Page Number : 1-B  
Total Pages : 1  
Certificate Date: 29-JUN-94  
Invoice No. : I9418550  
P.O. Number :  
Account : GDR

## CERTIFICATE OF ANALYSIS A9418550

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
94 PHW-R1	205 226	760	< 1	0.02	22	560	6	< 2	17	56	< 0.01	< 10	< 10	171	< 10	52
94 PHW-R2	205 226	495	< 1	0.02	11	690	22	< 2	6	27	< 0.01	< 10	< 10	6	< 10	38
94 PHW-R3	205 226	1630	< 1	0.01	14	1200	34	< 2	12	36	< 0.01	< 10	< 10	18	< 10	80
94 PHW-R4	205 226	455	1	< 0.01	8	30	2	< 2	2	23	< 0.01	< 10	< 10	30	< 10	22
94 PHW-R5	205 226	670	< 1	0.07	3	580	4	< 2	1	35	< 0.01	< 10	< 10	1	< 10	36
94 PHW-R6	205 226	155	< 1	0.01	34	840	28	< 2	6	60	< 0.01	< 10	< 10	49	< 10	102
94 PHW-R7	205 226	320	1	< 0.01	11	200	86	< 2	4	46	< 0.01	< 10	< 10	24	< 10	132
94 PHW-R8	205 226	1275	< 1	0.02	7	740	6	< 2	2	242	< 0.01	< 10	< 10	12	< 10	32
94 PHW-R9	205 226	30	< 1	< 0.01	10	< 10	>10000	456	< 1	2	< 0.01	10	< 10	< 1	< 10	398

CERTIFICATION: *Hawk/Bickler*

MAP NO:1150/10,15

ASSESSMENT REPORT X  
PROSPECTUS  
CONFIDENTIAL X

DOCUMENT NO: 093219  
MINING DISTRICT:DAWSON  
TYPE OF WORK:GEOCHEMICAL SAMPLING, MAPPING

OPEN FILE

---

REPORT FILED UNDER:WEALTH RESOURCES LTD.

---

DATE PERFORMED:JUNE 1, 7-9

DATE FILED: DECEMBER 16/94

LOCATION: LAT.:63°44'

AREA:DOMINION MTN.

LONG.:138°42'

VALUE \$:8400

---

CLAIM NAME & NO.:G. HAWK 13,15,17,18,29-33,35,37,39,41,83-92.

---

---

WORK DONE BY:PHILIP SOUTHAM, HASTINGS MANAGEMENT CORP.


---

WORK DONE FOR:WEALTH RESOURCES LTD.

DATE TO GOOD STANDING:


REMARKS:300 SOIL SAMPLES TAKEN FROM 2 GRIDS. 9 ROCK SAMPLES. WEAK NORTHWEST TRENDING COPPER AND GOLD ANOMALIES WERE IDENTIFIED. ONE ROCK SAMPLE OF A SMALL QUARTZ POD WITH ABUNDANT CHALCOPYRITE AND CHALCOCITE HOSTED IN LIGHT GREY TO RUSTY LIGHTER GREY MICACEOUS QUARTZITE WITHIN TECK CORPS PLACER PIT ASSAYED 59 G/T AU, 187.5 PPM AG, >10,000PPM CU, >10,000 PPM PB.


① bmd



<b>WEALTH RESOURCES LTD.</b>	
G. HAWK PROPERTY	
DAWSON M.D., YUKON	NTS 115-0-10
<b>GOLD GEOCHEMISTRY, HW2 GRID</b>	
(ppb)	
SCALE 1 : 5,000	
DATE: NOV. 94	FIGURE 7
BY: P.S.	

© LMG

012860



<b>WEALTH RESOURCES LTD.</b>	
G. HAWK PROPERTY	
DAWSON M.D., YUKON	NTS 115-0-10
<b>COPPER GEOCHEMISTRY, HW2 GRID</b>	
(ppm)	
SCALE 1 : 5,000	
DATE: NOV. 94	FIGURE 8
BY: P.S.	