


**Report on the J.P. Claim Groups
Yukon Territory**

**Geological Mapping,
Soil and Silt Surveying**

**Map Sheet 95D-4 Irons Creek, Y.T.
Latitude 60°00 to 60°02'30"N,
Longitude 127°45' to 127°48'W**

**Owner and Operator:
KRL Resources Corp.**



by: E. Livgard, P.Eng.
Livgard Consultants
Vancouver, British Columbia
October 18, 1995



Table of Contents

Summary	1
Conclusions	1
Introduction	2
GEOGRAPHY	
Property	4
Location and Access	4
Topography and Climate	4
History	5
GEOLOGY	
Regional Geology	7
Property Geology	7
Mineralization	8
Nearby Properties	8
EXPLORATION WORK	
Air Photo Lineaments	10
Soil Surveying	11
Soil Grid	11
Silt Surveying	12
References	12
Certificate	13
APPENDIX	
Appendix I	i
Work Crew	ii
Cost Statement	iii
Appendix II	vi
Histograms (4)	vii
Soil Analysis Sheets (22)	xii
Silt Analysis Sheets (3)	xxxv
Appendix III	xxxix
Rock Sample Description	xl
Rock Analysis Sheet (4)	xlii
MAPS	
Location Map	Figure 1 - Following Page 3
Claim Map	Figure 2 - Following Page 3
Regional Geology	Figure 3 - Following Page 6
Soil Survey Map	Figure 4 - Inserted in Pocket
Geology with Silt Sample	Figure 5 - Inserted in Pocket
Grid Soil Survey	Figure 6 - Following Page 11

Summary

The J.P. property consists of 177 claims and one fraction. No work has this year been filed on 20 claims to the east and the fraction. The remainder of the claims are in good standing till 1996 and 1997, with acceptance of the assessment work and this report. The property is located in the Yukon along the B.C. border on map 95D-4, Coal Creek geology map. The Alaska Highway crosses the claim ground and several logging roads give good access to the western half of the property. The property has apparently not received any exploration in the past. Last year massive sulphide (Galena) float was located in a logging road cut. The ground was staked based on this and on presumed favourable geology. Properties to the north, northeast and northwest have been extensively explored and substantial resources have been drilled. The ages and rock types at these deposits are similar or identical to those found at the J.P. property.

The rocktypes are pre-Cambrian to Ordovician slates, phyllites, siltstones, limey phyllitic shale and quartzite. In the area of claims J.P. 5 to 10 and 25 - 30 roughly "up ice" from the location of the massive sulphide float, a few outcrops show rock alteration consisting of sericite and a number of float blocks consisting of iron oxide and totally oxidized shale has given highly anomalous values in zinc and lead. The soil survey which was carried out along the logging roads by sampling every 50 m indicated a large anomaly in copper, zinc and silver in this area. The survey was recognizance in nature and the anomaly has not been outlined. The survey line along the south boundary located anomalous soils in the broad Cosh Creek Valley. The eastern half of the property gave no anomalous soil values.

A silt survey of creeks draining the property gave low anomalous values particularly in silver in several intermittent creek on the northwest claims where scattered anomalous soils were also obtained. No creeks drain the west central soil anomalous area. Silts from the east half of the property were negative.

Conclusions

Exploration this year has given results which indicate that the massive sulphide float which was found in 1994 may have come from the claim area "up ice" from the find location.

Anomalous float, anomalous soils and rock alteration has roughly outlined an area of about 10 - 12 claims which should be explored in some detail.

Further anomalous soil has been indicated in the south Cosh Creek Valley for 2,000 m across the valley. This should also be further explored.

Introduction


The writer was asked by Mr. Seamus Young, President of KRL Resource Corp., to carry out mineral exploration on the Company's J.P. claims in the Yukon.

The work was carried out between July 26th and August 16, 1995.


This report summarizes the work carried out and the results thereof.

The report is submitted in compliance with the assessment work regulations.

Geography



KRL RESOURCES CORP.		
JP CLAIMS		
LOCATION MAP		
N.T.S. 95 D - 4		WATSON LAKE, YUKON
SCALE AS SHOWN	DATE: AUG. 1995	FIGURE: 1
DRAWN BY:		




127°45'

JP CLAIMS

19	20	39	40	59	60	79	80	99	100	119	120	139	140	159	160	179	180
YB51628	YB51629	YB51648	YB51649	YB51668	YB51669	YB51688	YB51689	YB51706	YB51707	YB51726	YB51729	YB51746	YB51747	YB51766	YB51767	YB51786	YB51787
17	18	37	38	57	58	76	78	97	98	117	118	137	138	157	158	177	178
YB51626	YB51627	YB51646	YB51647	YB51666	YB51667	YB51684	YB51685	YB51704	YB51705	YB51724	YB51725	YB51744	YB51745	YB51764	YB51765	YB51784	YB51785
15	16	35	36	55	56	75	76	95	96	115	116	135	136	155	156	175	176
YB51624	YB51625	YB51644	YB51645	YB51664	YB51665	YB51682	YB51683	YB51702	YB51703	YB51722	YB51723	YB51742	YB51743	YB51762	YB51763	YB51782	YB51783
13	14	33	34	53	54	73	74	93	94	113	114	133	134	153	154	173	174
YB51622	YB51623	YB51642	YB51643	YB51662	YB51663	YB51680	YB51681	YB51700	YB51701	YB51720	YB51721	YB51740	YB51741	YB51760	YB51761	YB51780	YB51781
11	12	31	32	51	52	71	72	91	92	111	112	131	132	151	152	171	172
YB51620	YB51621	YB51640	YB51641	YB51660	YB51661	YB51678	YB51679	YB51698	YB51699	YB51718	YB51719	YB51738	YB51739	YB51758	YB51759	YB51778	YB51779
9	10	29	30	49	50	69	70	89	90	109	110	129	130	149	150	169	170
YB51618	YB51619	YB51638	YB51639	YB51658	YB51659	YB51676	YB51677	YB51696	YB51697	YB51716	YB51717	YB51736	YB51737	YB51756	YB51757	YB51776	YB51777
7	8	27	28	47	48	67	68	87	88	107	108	127	128	147	148	167	168
YB51616	YB51617	YB51636	YB51637	YB51656	YB51657	YB51674	YB51675	YB51694	YB51695	YB51714	YB51715	YB51734	YB51735	YB51754	YB51755	YB51774	YB51775
5	6	25	26	45	46	65	66	85	86	105	106	125	126	145	146	165	166
YB51614	YB51615	YB51634	YB51635	YB51654	YB51655	YB51672	YB51673	YB51692	YB51693	YB51712	YB51713	YB51732	YB51733	YB51752	YB51753	YB51772	YB51773
3	4	23	24	43	44	63	64	83	84	103	104	123	124	143	144	163	164
YB51612	YB51613	YB51632	YB51633	YB51652	YB51653	YB51670	YB51671	YB51689	YB51690	YB51709	YB51710	YB51729	YB51730	YB51749	YB51750	YB51769	YB51770
2	21	22	41	42	61	62	81	82	101	102	121	122	141	142	161	162	
YB51610	YB51611	YB51630	YB51631	YB51650	YB51651	YB51669	YB51670	YB51688	YB51689	YB51708	YB51709	YB51728	YB51729	YB51748	YB51749	YB51768	YB51769

YUKON TERRITORY / TERRITOIRE DU YUKON / BRITISH COLUMBIA / COLOMBIE-BRITANNIQUE / CASSIAR LAND DISTRICT



KRL RESOURCES CORP.

JP CLAIMS CLAIM MAP

N.T.S. 95D-4 WATSON LAKE, YUKON

0 1 2 3 KM.

SCALE AS SHOWN	DATE: AUG. 1995	FIGURE: 2
DRAWN BY: E.L.		

Property

The property consists of 177 contiguous claims and one fraction. The claims are numbered from 1 to 180 except for numbers 65 and 66. The fraction is number 85. The claims and fraction have record numbers sequentially from YB 51610 to YB 51787.

The expiry date of the claims is August 22nd, 1995. With acceptance of the exploration work and this report the expiry date will be August 22, 1997 for claims J.P. #1 to 23, 25, 27 to 30, 31, 33, 35, 37 and 39, and August 22nd, 1996 for J.P. #24, 26, 32, 34, 36, 38, 40, 41 to 64, 67 to 84 and 86 to 160.

The writer examined several groups of posts (#1 and #2 posts) and these appear to conform to regulations and are placed approximately as noted on the claim map, but the total claim area may be slightly smaller than shown due to claim overlap.

Location and Access

The claims are on map sheet 95D-4 Y.T. in the Watson Lake Mining District at a latitude from 60°N to 60°02'30" and Longitude 127°45'W to 127°48'W.

The southwest corner of the claim block lies about 2.5 kilometres east of Iron Creek Lodge on the Alaska Highway and just north of where the highway crosses Irons creek. The claim block extends about 8 kilometres east from this point. The south border of the claim group follows the B.C. - Yukon boundary and the Group extends about 5.0 kilometres to the north.

The Alaska Highway traverses the southern part of the claim block and two logging road exit from the highway. These logging roads extend beyond the north boundary of the claims and branch out to a number of clear cuts on the property and give good access to the western $\frac{1}{2}$ - $\frac{2}{3}$ part of the claims. The eastern $\frac{1}{3}$ has no roads except a short piece of the Contact creek road.

Topography and Climate

The topography is generally gentle to moderate except for near the western border into Irons Creek and minor steep portions in centre of the claims.

The elevation extends from 550 m ASL in the south to a maximum of about 1,000 m in the north. The claims are generally forest covered. Swampy ground is occasionally encountered particularly along Cosh Creek in the centre of the claims.

The major precipitation takes place in the winter and 1.0 m of snow accumulates. It may lie from the latter part of October to May. Temperatures may vary from minus 45°C in the winter to plus 25°C in the summer.


History

The writer knows of no previous exploration work on the claim ground. The claims were staked based on the existence of favourable rocks, known deposits to the north, northeast and northwest on the location of blocks of massive sulphides turned up by logging road construction.

The area was geologically mapped by the GSC in 1968. Very minor geology is shown around the claim area due to lack of outcrop.

Surface deposits were mapped by the GSC in 1982.

Geology



60°00'
128°00'

45

30'

15

Published, 1969

- 2a Hadrynian or Lower Cambrian - phyllites, slate, fine grained quartz, siltstone & argillite
- 2b Laminated dark grey slate & argillite
- 2c Platy black argillic limestone & grey slate
- 8a Cambrian &/or Lower Ordovician - calcareous phyllite, phyllitic limestone, wavy banded silty limestone



KRL RESOURCES CORP.

JP CLAIMS
REGIONAL GEOLOGY
AFTER G.S.C. MAP II-1968

N.T.S. 95 D-4 WATSON LAKE, YUKON

0 5 10 15 KM.

SCALE AS SHOWN	DATE: AUG 1995	FIGURE: 3
DRAWN BY:		

Regional Geology

The property lies east of the Rocky Mountain Trench (Tintina Fault) within the Hyland Plateau. The area consist of a series of folds with north-south axis. Exposures of late Proterozoic (Hadrynian) through Cambrian to Ordovician rocks trend north-south following the folds and the general trend of the mountain.

Faulting also strikes northerly and cuts bedding in northeast striking faults. Northwest and easterly structures (air photo lineaments) are also present.

Property Geology

The Coal River Geology map (11-68 GSC) indicates that (all of ?) the east half of the property is underlain by rocks of the Hadrynian-lower Cambrian age (designated 2) while the west half of the property may be underlain by Cambrian-lower Ordovician rocks (designated 8). This tends to be confirmed by the property mapping. Most of the outcrops found on the property are in logging road cuts and not many of these exist. Outcrops on the west $\frac{1}{3}$ of the property west of Cosh Creek consist mainly of blue and grey layered shale. The bedding appears to be northerly but the shattered nature of most outcrops prevent (good) measurements. An area west of where the massive sulphide float was located exhibits some interesting features. A logging road which crosses between claims J.P. 27 and J.P. 8 has exposed several angular fragments of completely oxidized shale-like material which assayed 26% Fe as well as 1,000 PPM zinc. Several other fragments consisted of rubble cemented by iron oxide which gave highly anomalous values in zinc (540 to 579 PPM) and lead (48 to 68 PPM), and also high barium values (1,802 to 1,842 PPM).

On J.P. 9 a "clear cut" exposed phyllitic and in part strongly sericitic and fragmented shale. This is the main alteration zone located on the claims to date.

The central part of the property east of Cosh Creek has outcrops of blue-grey bedded shale which in part is phyllitic and limey. These rocks are very similar to those to the west. Outcrops further east consist of blue slate, in part phyllitic, with grey beds and overlaying it grey-tan shale with thin beds of quartzite. Traversing on the eastern $\frac{1}{3}$ or the claim ground has not located any outcrops on the claim ground.

Surface deposition has been mapped by the GSC. The west part of the property is according to the map covered by a thin layer of till: silty to sandy matrix, bouldery, generally less than 1.0 m thick - an ablation and lodgement till. To the east the same deposition is noted with a possible depth of 1 - 30 m. The writer noted that the high steep bank to the west into Iron Creek (up to 100 m high) consists off till.

The ice movement has been from west to east (Azim 85° approx).

Mineralization

Seventeen rock samples were collected.

The blocks of massive sulphide located in a road cut near the #1 post of J.P. #29 and 30 claims consisted largely of galena. An assay from this material gave 89% lead and 14.0 oz silver per tonne.

Other samples of float were picked up by the writer from a logging road on J.P. claim 27 about 500 m west (up ice) of the location of massive sulphide float. These samples gave 89 PPM copper, 48 PPM lead, 540 PPM zinc and high barium (1,802 PPM) in a sample which consisted of rubble cemented by iron oxide. Another sample also of float from the logging road on J.P. claim 27 gave 84 PPM copper, 46 PPM lead and 1,024 PPM zinc in a sample which consisted of strongly oxidized shale(?). The sample had high specific gravity and contained 26.67% iron. Several blocks similar to these two samples were scattered along the logging road.

Near the north and west boundary of the claims a sample from strongly fragmented limey(?) black shale on J.P. claim #20 gave anomalous values: 105 PPM copper, 61 PPM lead and 146 PPM zinc.

Outcrops in other road cuts in the northwest area also showed the extremely shattered nature of the rocks. The topography consists of a number of low hillocks with steep sides and irregular gullies between them as well as small swamps and ponds. It suggests a complex and interesting geology.

On J.P. claim 111 outcrops which have been mapped as Hadrynian or lower Cambrian phyllite, slate, fine grained quartzite, siltstone and argillite (GSC) were located and sampled. A feldspathic rock with quartz stringers and cavities with iron oxide gave 184 PPM copper, and 207 PPM zinc. Another which consisted largely of leached and strongly oxidized shale(?) gave 294 PPM copper and 658 PPM zinc. Lead values were negligible. All samples except the massive sulphide block were taken by the writer.

The massive sulphide blocks and the highly anomalous blocks found on J.P. #27 are together with the nearby anomalous soil values are attractive exploration target.

Nearby Properties

The McMillan property lies about 50 km north of the subject property. Mineralization consisting of zinc, lead and silver in a tabular body near the top of the late Proterozoic - early Cambrian Hyland group.

The main deposit contains 1.1 million tonnes grading 8.3% Zn, 4.1% Pb and 62 g/tonne Ag. A second deposit contains 0.4 mill. tonnes grading 9.3% Pb, 1.7% Zn and 214 g/tonne Ag. The mineralization exhibits both concordant and discordant features.

A large arsenic anomaly was drilled for gold but no significant values have been reported.

The Highland Gold Deposit lies about 50 km due north of the J.P. group. It is a manto-vein type oxide gold deposit which is estimated to contain 6.75 million tonnes grading 2.0 g gold in an open-pitiable deposit. The deposit is in a breccia, a fault and as replacement body between limestone and quartzite.

The Mel (Jean) Deposit lies about 42 km north-northeast of the subject property. It consists of a concordant folded lense of barite and coarse grained galena and sphalerite at the contact between Cambro-Ordovician limestone and calcareous slate and phyllite. Lead isotope ratios suggests a Devonian age for the mineralization consistent with an epigenetic replacement origin. The deposit is exposed along the overturned west limb of the Mel syncline.

Drill indicated reserves are estimated at 5.62 million tonnes grading 6.77% zinc, 1.92% lead and 49.6% barite. Geophysical surveys (1981 I.P. and Gravity) have located anomalies south of the main deposit.

The Jeri Deposit lies about 2 - 3 km northeast of the Mel Deposit at the same stratigraphic level. It lies on the east limb of the Mel syncline but is separated from the Mel deposit by a northeast striking fault.

The deposit consists of smithsonite with minor sphalerite and galena in veins and discontinuous masses which form a cap over brecciated and silicified limestone.

Exploration Work

Air Photo Lineaments

Strong lineaments strike NNW along Irons and Cosh Creek. Cosh Creek may follow a (Faulted?) contact between Proterozoic-lower Cambrian rocks to the east and Cambrian-ordovician rocks to the west.

Prominent easterly lineaments on the north part of the claims are probably a reflection of the ice movement.

Soil Surveying


Soil samples were taken mainly along the many logging roads on the claims and along the south claim boundary. Samples were taken from the brown "B" horizon which was usually well developed at a shallow (10 - 15 cm) depth below a thin layer of white leached soil and the organic surface layer. Samples were taken at 50 m spacing. A total of 465 samples were collected. The samples were analysed for 30 elements by induced coupled plasma by Acme Analytic Labs. Details of the analysis procedure is found on the copies of analysis certificates in the Appendix. From the histograms it appears that values of 20 PPM copper, 17 PPM lead, 115 PPM zinc and 0,5 PPM silver or above are anomalous (the anomalous copper value is surprisingly low).

Anomalous soil occur in three areas. the main area lies west and north of the location of anomalous rock float. It is moderately anomalous in zinc and highly anomalous in silver. Soils to the east and to the south of this are slightly anomalous in copper and zinc.

The reconnaissance soil survey indicated an area extending over 10 12 claims which warrants systematic soil surveying. This may amount to about 900 samples at 50 m spacing.

A second anomalous area is located on a soil line along the southern boundary of the claims. Low anomalous values extend over an east-west distance of 2,000 m spanning the broad lower valley of Cosh Creek on J.P. claims #42, 61, 62, 81 and 82. Two soil survey lines running parallel to the south boundary 200 and 400 m north of it should be sampled to check on this anomaly.

A third anomalous area occurs in the northwest part of the claims on claims J.P. #18 and 20. The values here are weak, and intermittent copper and a few good silver values. The scattered nature of the better values suggest possible ice movement and mixing of mineralization with till.



093350
DWG ①

KRL RESOURCES CORP.

JP CLAIMS
GRID SOIL SAMPLING
Cu, Pb, Zn, Ag

0 50 100 150 METRES

SCALE AS SHOWN DATE: AUG. 1995
DRAWN BY: E.L. FIGURE: 6

Soil Grid

A small grid was established and partly cut out.

Six lines hundred meters apart were sampled every 50 m (with a few sample spacings of 25 m). The lines varied in length from 275 m to 475 m. Fifty-four samples were collected. The massive sulphide blocks were found at the central east part of the grid.

Intermittent low anomalous values were obtained. The values may be caused by glacial movement of mineralized and non-mineralized material from the west.

Silt Surveying

Thirty-four silt samples were taken. All creeks draining the property were sampled. This involved considerable labour on the eastern $\frac{1}{3}$ of the property where there are no roads. The northwest corner of the property gave anomalous silver values in six of eight samples. The anomalous creeks were small with intermittent run-off. This area also gave low scattered soil values.

Respectfully submitted,

E. Livgard, P.Eng.

OCT 18 / 95

References

- GSC Geology Coal River Y.T.
Map 11 - 68 1:250,000 Paper 68 - 38
- Geology Rabbit river B.C.
Map 46 - 1962 1:253,440
- Surficial Geology Coal River Y.T.
Map 13 - 1982 1:250,000
- Topographic Map 95D/4 Irons Creek Y.T.
1:50,000

Yukon Minfile


- 095D 035 Jeri Property
- 095D 005 Mel (Jean) Property
- 095D 006 McMillan Property
- 095D 011 Hyland Property

CERTIFICATE

I, **EGIL LIVGARD**, of 1990 King Albert Avenue, Coquitlam, B.C., do hereby certify:

1. I am a Consulting Geological Engineer, practising from #436 - 470 Granville Street, Vancouver, B.C.
2. I am a graduate of the University of British Columbia, with a B.Sc., 1960 in Geological Sciences.
3. I am a registered member in good standing of the Association of Professional Engineers of the Province of British Columbia, Registration No. 7236.
4. I have practised my profession for over 30 years.
5. This report dated October 18, 1995 is based on the references as listed and on the writer's work on the property between July 28th and August 14th, 1995.

Dated at Vancouver, British Columbia this 18th day of October 1995.



Egil Livgard, B.Sc., P.Eng.

Appendix I
Work Crew
Cost Statement

Work Crew

EGIL LIVGARD, P.Eng. (Geol) - 35 years experience.

July 28, 1995 travel Vancouver - Watson Lake (air)

August 1st - 4th incl., August 9th - 13th incl. - work

August 14th, 1995 travel Irons Creek - Vancouver, (travel 2 days, no fee charged to claims).

JIM DONALDSON (very experienced capable explorationist)

July 25th to 27th, 1995 - 2 days travel (truck) Vancouver - Watson Lake

July 28 to August 4th, August 9th to 13th - work

August 14th - 15th, 1995, travel (truck) Irons Creek - Vancouver (travel 4 days, no charge to claims.

TIMOTHY YOUNG (experienced and capable explorationist)

July 25th - 27th, 1995 - travel 2 days (truck) Vancouver - Watson Lake

July 31st - August 4th incl., August 9th - 13th - work

August 14th - 15th, 1995 - travel (truck) Irons Creek - Vancouver (travel 4 days, no charge to claims)

BRENNAN YOUNG (no experience)

July 28th, 1995 travel Vancouver - Watson Lake (air)

July 31st - August 3rd, 1995 - work

August 4th travel - Irons Creek - Vancouver (air) (travel 2 days, no charge to claims)

Cost Statement

Travel Costs

Air (\$1,077. + 420.) x 2 =		\$2,994.00
Truck 5 days @ \$80 =	\$ 400.00	
gas-oil	<u>300.00</u>	<u>700.00</u>
		<u>\$3,694.00</u>
Apportion cost J.P. claim		
\$3,694.00 x 9/17 =		<u>\$1,956.00</u>
Travel cost per claim		
\$1,956.00/177 =	<u>\$ 11.05</u>	

Iron Creek Lodge

Meals	\$ 986.64	
Rooms	<u>1,083.38</u>	<u>\$2,070.02</u>
Cost per man-day \$2,070.02/36	<u>\$ 57.50</u>	

Overhead Costs

Truck costs		
12 days @ \$80.00/day	\$960.00	
gas-oil misc.	<u>240.00</u>	\$1,200.00
Miscellaneous		
Supplies, Govt maps and reports, freight		800.00
Geology and supervision - E.Livgard, P.Eng.		
8½ days (\$350 (fee) + 57.50 (R & B))8½ =		<u>3,463.75</u>

Total Overhead Costs

\$5,463.75

Cost per claim		
\$5,463.75/177 =	<u>\$ 30.87</u>	

General Cost per Claim

Travel	\$ 11.05	
Overhead	30.87	
Report and maps (Est)		
\$1,550/177 =	<u>8.75</u>	<u>\$ 49.67</u>

(Used \$41.00 in calculation of Assessment work)

Cost of Soil Analysis
465 @ \$7.78 per sample = \$3,617.70

Cost of Silt Analysis
34 @ \$7.78 per sample = \$ 264.52

Cost of Rock Analysis
ICP \$10.66
Assay \$23.71
Average cost \$18.00 x 16 = \$ 288.00

Silt Collection

J. Donaldson - 3 days
\$250.00 - Fees
\$ 57.50 room & board
\$307.50 x 3 = \$922.50

E. Livgard - 1½ days
\$350.00 - Fees
\$ 57.50 room & board
\$407.50 x 1.5 = \$611.25 \$1,533.75

Collection Cost per Silt Sample
\$1,533.75 / 34 = \$ 45.11

Collection Cost Per Soil Sample

T. Young	10 days @ \$250.00	\$2,500.00
J. Donaldson	9 days @ \$250.00	2,250.00
B. Young	4 days @ \$150.00	<u>600.00</u>
	23 days	\$5,350.00

Room and Board 23 man-days @ \$57.50 \$1,322.50 \$6,672.50

Collection Cost Per Sample

\$6,672.50/465 = \$14.35
Analysis cost per sample 7.78 \$ 22.13

Used \$20.00 per sample in apportioning cost per group

Total Cost of the Program

Travel	\$ 1,956.00
Room and Board	2,070.02
Soil Sample Collection	5,350.00
Silt Sample Collection	1,275.00
Report and Maps	1,550.00
Analysis Soil	3,617.70
Analysis Silt	264.52
Assaying Rock	288.00
Overhead	<u>5,463.75</u>
	<u>\$ 21,834.99</u>


Appendix II
Histograms
Soil and Silt Analysis Sheets

Histograms

KRL Resources - "JP" Samples

Cu

Number of
Samples



358 Samples


Maximum: 71
Minimum: 3

Mean: 14
Median: 11
Standard Deviation: 11

KRL Resources - "JP" Samples

Pb

Number of
Samples



358 Samples


Maximum: 31
Minimum: 3

Mean: 11
Median: 10
Standard Deviation: 4

KRL Resources - "JP" Samples

Zn

Number of
Samples



358 Samples

Maximum: 347

Minimum: 19

Mean: 88


Median: 75

Standard Deviation: 44

KRL Resources - "JP" Samples

Ag

Number of
Samples



358 Samples

Maximum: 3.0
Minimum: 0.3

Mean: 0.4
Median: 0.3
Standard Deviation: 0.3

Soil Analysis Sheets



KRL Resources Corp. PROJECT J.P. CLAIMS FILE # 95-2755



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Ni %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
SO-E-3	1	11	6	66	<.3	22	6	216	1.35	8	<5	<2	3	45	.5	<2	<2	23	1.56	.049	11	17	.72	262	.04	<3	.46	.01	.04	<2
SO-E-4	1	11	7	110	<.3	21	7	422	1.86	8	<5	<2	5	19	.7	3	<2	32	.29	.060	13	22	.27	350	.03	<3	.86	.01	.07	<2
SO-E-5	1	19	10	244	<.3	52	7	194	2.15	13	<5	<2	5	37	.4	2	<2	28	1.34	.080	21	19	.27	614	.04	4	.78	.01	.07	<2
SO-E-6	1	13	14	168	.4	39	8	393	2.54	10	<5	<2	6	24	1.2	3	<2	40	.34	.124	16	27	.38	330	.06	4	1.02	.01	.09	2
SO-E-7	2	22	14	99	<.3	41	9	297	2.94	16	<5	<2	4	19	<.2	<2	4	31	.23	.076	20	22	.19	236	.02	<3	.73	.01	.07	<2
SO-E-8	1	11	7	76	<.3	19	6	305	1.73	9	<5	<2	2	28	<.2	<2	3	29	.48	.043	11	20	.23	255	.03	<3	.71	.01	.06	<2
SO-E-9	2	22	14	78	<.3	34	9	505	4.09	105	<5	<2	7	22	.5	3	6	32	.33	.069	33	21	.25	554	.02	4	.86	<.01	.08	2
RE SO-E-9	2	21	11	80	.3	34	10	531	4.20	118	<5	<2	7	22	.3	2	<2	32	.34	.072	34	21	.23	579	.02	3	.86	.01	.08	2
SO-E-10	1	9	6	83	<.3	25	7	209	2.28	11	<5	<2	5	22	<.2	2	<2	34	.33	.071	19	29	.38	381	.06	<3	1.04	<.01	.09	<2
SO-E-11	1	11	12	105	<.3	29	8	249	2.49	12	<5	<2	6	21	.5	<2	<2	39	.32	.055	18	30	.39	380	.07	<3	1.16	.01	.08	<2
SO-E-12	1	7	7	166	<.3	15	8	322	1.82	7	<5	<2	4	15	3.2	<2	<2	31	.19	.121	11	20	.18	457	.03	4	.75	.01	.07	<2
SO-E-13	1	21	7	140	.6	21	8	565	1.91	5	<5	<2	3	28	2.7	2	<2	44	.40	.109	14	24	.25	611	.03	3	.89	.01	.07	<2
SO-E-14	3	70	21	87	.5	22	4	56	4.66	8	<5	<2	13	39	1.0	5	<2	222	.29	.064	41	23	.06	885	.01	<3	.92	<.01	.06	2
SO-E-15	2	34	14	138	.5	35	10	380	3.17	13	7	<2	7	22	1.2	<2	2	63	.28	.074	25	21	.20	888	.03	<3	.96	<.01	.05	<2
SO-E-16	5	22	11	344	<.3	83	9	743	3.51	15	<5	<2	9	126	2.7	<2	<2	16	.16	.243	56	6	.05	3829	<.01	<3	.93	<.01	.06	<2
SO-E-17	1	13	10	66	.3	22	7	263	1.51	3	9	<2	2	35	.7	<2	<2	28	.45	.056	13	19	.25	417	.02	<3	.84	.01	.04	<2
SO-E-18	1	25	17	97	.3	32	8	192	2.38	14	<5	<2	4	40	.3	<2	<2	36	.54	.070	22	22	.33	632	.02	3	.94	.01	.06	<2
SO-E-19	1	10	10	62	<.3	20	7	234	1.97	10	<5	<2	5	18	.4	<2	<2	34	.25	.043	16	24	.30	234	.04	<3	.88	.01	.05	2
SO-E-20	1	8	9	73	<.3	13	5	146	1.71	6	<5	<2	4	16	.3	<2	2	31	.23	.055	14	20	.22	200	.04	<3	.73	<.01	.05	<2
SO-E-22	1	7	10	138	<.3	22	8	311	2.27	4	<5	<2	3	28	.8	<2	3	36	.40	.071	13	26	.33	281	.04	3	.89	.01	.07	<2
SO-E-23	1	8	7	79	<.3	14	5	278	1.46	4	<5	<2	3	16	.4	<2	<2	29	.24	.031	11	18	.19	200	.03	4	.58	<.01	.06	<2
18	3	62	19	164	.3	37	9	250	2.51	11	<5	<2	7	43	.5	<2	<2	25	.24	.087	28	13	.19	843	.02	5	.65	.01	.11	<2
1S	4	72	22	245	.5	57	10	307	2.98	19	<5	<2	7	50	1.1	4	3	31	.26	.109	29	15	.18	777	.01	<3	.64	<.01	.12	<2
A1	3	55	19	172	.3	35	8	211	2.50	12	<5	<2	7	41	.9	3	<2	25	.23	.087	27	13	.18	758	.02	6	.61	<.01	.10	<2
STANDARD C	18	60	35	128	6.6	68	29	1036	3.87	44	17	6	35	48	17.5	18	22	64	.46	.085	40	56	.84	188	.08	25	1.67	.05	.14	12

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Handwritten signature: N.P. GON



ACHE ANALYTICAL



ACHE ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
JP-95-ES-1	1	12	14	71	<.3	15	7	384	2.22	4	<5	<2	4	13	.8	3	<2	36	.20	.074	19	22	.36	154	.03	3	1.13	.01	.12	<2
JP-95-ES-2	1	6	10	43	<.3	8	4	210	1.66	3	<5	<2	5	11	.6	<2	<2	38	.12	.026	23	19	.22	114	.05	<3	.87	.01	.05	<2
JP-95-ES-3	1	14	9	44	.3	15	5	662	1.29	3	<5	<2	<2	128	.6	3	<2	15	4.32	.056	8	14	.39	238	.01	7	.72	.01	.05	<2
JP-95-ES-4	1	26	7	68	.4	18	7	552	2.27	5	<5	<2	<2	58	.7	2	<2	27	1.27	.060	16	21	.41	280	.03	3	.97	.01	.04	<2
JP-95-ES-5	1	7	9	40	<.3	11	4	110	1.52	2	<5	<2	2	25	.2	<2	<2	32	.40	.021	15	19	.24	210	.02	<3	1.00	.01	.04	<2
JP-95-ES-6	1	8	8	65	<.3	12	6	178	1.85	5	<5	<2	3	27	<.2	3	<2	37	.46	.020	14	21	.32	180	.04	<3	1.06	.01	.05	<2
JP-95-ES-7	<1	14	8	50	<.3	5	3	94	1.17	<2	<5	<2	2	35	.6	2	<2	29	.65	.017	13	13	.16	121	.02	<3	.71	.01	.04	<2
JP-95-ES-8	<1	4	8	39	<.3	9	4	165	1.29	2	<5	<2	3	17	.2	3	<2	32	.27	.014	18	20	.32	147	.04	<3	1.04	.01	.04	<2
JP-95-ES-10	<1	4	8	40	<.3	7	3	116	1.28	2	<5	<2	3	19	.4	<2	<2	24	.34	.021	19	15	.29	120	.03	<3	.70	<.01	.06	<2
JP-95-ES-10A	1	5	9	48	<.3	9	5	180	1.56	4	<5	<2	3	17	.2	3	<2	33	.27	.021	18	18	.30	130	.04	<3	.94	.01	.04	<2
RE JP-95-ES-10A	1	6	12	51	<.3	12	5	195	1.69	3	<5	<2	4	18	.2	2	<2	35	.29	.023	18	20	.33	139	.04	3	1.01	.01	.05	<2
JP-95-ES-11	2	37	14	75	.4	30	10	80	3.79	16	<5	<2	7	9	<.2	<2	<2	24	.07	.069	34	23	1.06	112	<.01	3	1.92	<.01	.10	<2
JP-95-ES-12	1	17	10	87	.3	15	7	379	2.52	6	<5	<2	4	24	.7	<2	<2	45	.31	.049	22	24	.86	220	.03	4	1.67	.01	.07	<2
JP-95-ES-13	1	7	10	75	<.3	21	7	220	2.38	4	<5	<2	5	17	<.2	<2	<2	44	.26	.017	22	29	.53	193	.07	3	1.67	.01	.06	<2
JP-95-ES-14	1	7	10	110	<.3	19	7	222	2.19	5	<5	<2	5	13	<.2	<2	<2	40	.19	.027	18	27	.45	170	.05	3	1.63	.01	.05	<2
JP-95-ES-15	1	6	8	54	<.3	13	5	154	1.69	4	<5	<2	5	12	<.2	2	<2	39	.18	.020	21	23	.37	112	.05	<3	1.29	.01	.03	<2
JP-95-ES-16	1	13	11	99	.3	20	7	478	2.04	4	<5	<2	5	26	.2	<2	<2	35	.39	.023	24	23	.60	342	.02	3	1.75	.01	.08	<2
JP-95-ES-17	1	10	9	55	<.3	13	6	458	1.69	3	<5	<2	4	31	<.2	<2	<2	31	.45	.023	19	21	.48	203	.03	<3	1.20	.01	.05	<2
JP-95-ES-18	1	8	12	61	<.3	20	6	195	2.39	8	<5	<2	5	11	<.2	2	<2	44	.13	.041	21	27	.43	124	.06	3	1.43	.01	.05	<2
JP-95-ES-19	1	9	9	49	<.3	12	4	204	1.62	6	<5	<2	4	22	<.2	<2	<2	34	.38	.026	20	20	.41	227	.05	<3	1.03	.01	.06	<2
JP-95-ES-20	1	13	12	222	<.3	17	9	328	2.43	7	<5	<2	<2	21	.5	<2	<2	38	.35	.074	22	22	.55	237	.03	4	1.28	.01	.08	<2
JP-95-ES-21	1	8	12	58	<.3	20	6	216	2.73	7	<5	<2	6	11	<.2	<2	<2	47	.13	.023	20	30	.45	137	.07	3	1.54	.01	.05	<2
JP-95-ES-22	<1	8	6	51	<.3	17	5	141	2.15	7	<5	<2	6	9	.2	<2	<2	33	.10	.018	26	24	.65	137	.03	3	1.51	<.01	.04	<2
JP-95-ES-23	1	7	13	54	<.3	20	6	216	2.10	7	<5	<2	6	14	<.2	<2	<2	40	.20	.022	22	26	.49	183	.06	<3	1.45	.01	.05	<2
JP-95-ES-24	1	9	5	51	<.3	17	5	126	1.96	6	<5	<2	4	11	.2	<2	<2	33	.12	.034	20	22	.43	132	.03	3	1.16	<.01	.05	<2
JP-95-ES-25	1	7	12	61	<.3	15	5	151	2.13	6	<5	<2	5	11	.4	<2	<2	45	.14	.034	20	26	.44	165	.05	<3	1.42	.01	.05	<2
JP-95-ES-26	1	7	6	48	<.3	13	3	94	1.86	4	<5	<2	5	9	<.2	<2	<2	33	.10	.019	21	19	.43	79	.02	<3	.91	<.01	.05	<2
JP-95-ES-28	1	10	3	51	<.3	12	4	1719	3.14	5	<5	<2	<2	96	.6	<2	<2	21	2.03	.075	9	14	.39	281	.01	4	.76	.01	.04	<2
JP-95-ES-29	<1	17	8	49	<.3	17	4	154	1.33	3	<5	<2	<2	77	.6	2	<2	17	1.74	.061	12	17	.49	230	.01	4	.95	.01	.05	<2
JP-95-ES-30	<1	9	6	37	<.3	9	3	209	.97	<2	<5	<2	<2	91	.4	<2	<2	17	2.18	.051	10	12	.26	239	<.01	5	.78	.02	.05	<2
JP-95-ES-31	1	18	9	40	.3	17	5	324	1.56	6	<5	<2	2	70	.6	<2	<2	23	1.41	.059	15	18	.39	237	.02	3	.92	.01	.05	<2
JP-95-ES-32	<1	7	8	54	<.3	14	4	133	1.45	3	<5	<2	4	16	.4	2	<2	28	.26	.040	18	19	.36	264	.03	<3	.98	.01	.05	<2
JP-95-ES-33	1	7	7	62	<.3	16	5	176	2.20	6	<5	<2	5	11	.6	<2	<2	38	.14	.043	19	25	.41	151	.06	<3	1.20	.01	.06	<2
JP-95-ES-34	1	6	12	62	<.3	14	4	151	1.98	4	<5	<2	4	9	.4	<2	<2	39	.11	.040	19	23	.42	158	.05	3	1.17	.01	.06	<2
JP-95-ES-35	1	12	10	81	<.3	21	7	197	1.90	<2	<5	<2	3	20	.9	<2	<2	40	.31	.047	19	27	.41	361	.03	<3	1.50	.01	.05	<2
STANDARD C	17	61	36	123	7.2	67	29	1189	3.62	42	18	5	33	48	15.3	18	19	63	.49	.089	40	53	.89	167	.08	29	1.76	.06	.15	9

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ACHE ANALYTICAL



ACHE ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
JP-95-ES-36	1	15	8	54	.3	19	5	295	1.45	2	<5	<2	2	97	.8	2	<2	19	2.32	.066	14	18	.53	333	.01	4	1.08	.01	.06	<2
JP-95-ES-37	1	7	9	53	<.3	18	5	103	1.87	3	<5	<2	5	22	.3	2	<2	31	.35	.022	23	23	.58	438	<.01	<3	1.87	.01	.07	<2
JP-95-ES-38	1	18	13	89	.4	28	7	375	1.97	2	<5	<2	3	41	.8	3	<2	26	.82	.064	24	23	.50	263	.03	3	1.40	.01	.07	<2
RE JP-95-ES-38	1	18	14	85	.3	27	7	376	1.95	3	<5	<2	3	41	1.1	<2	<2	26	.83	.063	23	23	.50	259	.03	3	1.38	.01	.07	<2

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
JP-95-TS-1	1	6	17	64	<.3	21	7	123	2.81	4	<5	<2	6	27	1.0	2	<2	22	.64	.015	22	29	.98	183	<.01	<3	2.01	.01	.09	<2
JP-95-TS-2	1	6	12	68	<.3	18	6	128	2.12	4	<5	<2	6	14	.6	<2	<2	30	.22	.028	23	28	.66	215	.05	<3	1.53	.01	.06	<2
JP-95-TS-3	1	19	10	84	<.3	30	9	331	2.99	3	<5	<2	7	30	1.1	<2	<2	26	.61	.063	28	30	.93	184	.03	3	1.74	.01	.07	<2
JP-95-TS-4	1	13	11	50	<.3	23	6	147	2.39	8	<5	<2	7	20	.9	3	<2	26	.28	.020	26	26	.57	225	.03	<3	1.28	.01	.05	<2
JP-95-TS-5	1	24	9	72	<.3	25	6	203	2.07	9	<5	<2	4	69	.5	<2	<2	24	2.27	.064	21	21	.63	283	.01	<3	1.08	.01	.08	<2
JP-95-TS-6	1	20	10	64	<.3	24	7	115	2.78	4	<5	<2	7	49	.8	2	<2	19	1.48	.086	30	26	.98	137	.01	<3	1.59	.01	.07	<2
JP-95-TS-7	1	17	16	70	<.3	31	8	160	3.44	3	<5	<2	9	22	.7	<2	<2	22	.49	.034	36	31	1.05	181	.01	<3	1.97	.01	.06	<2
JP-95-TS-8	1	9	14	67	<.3	25	8	155	3.21	4	<5	<2	8	16	.4	<2	<2	22	.27	.031	28	31	1.12	136	.01	<3	2.00	.01	.07	<2
JP-95-TS-9	<1	7	10	54	<.3	21	7	315	2.48	6	<5	<2	5	18	.6	2	<2	28	.32	.020	23	29	.73	271	.01	<3	2.04	.01	.08	<2
JP-95-TS-10	1	9	7	49	<.3	18	5	111	1.89	6	<5	<2	6	15	.3	<2	<2	20	.19	.021	26	19	.54	235	.02	<3	1.05	.01	.06	<2
JP-95-TS-11	1	6	13	54	<.3	14	4	218	1.65	4	<5	<2	4	13	<.2	<2	<2	25	.15	.053	24	18	.40	251	.02	<3	1.00	.01	.08	<2
JP-95-TS-12	2	23	11	74	.3	30	7	208	2.34	9	<5	<2	9	22	<.2	<2	<2	23	.25	.040	35	20	.57	340	.02	<3	1.19	.01	.11	<2
JP-95-TS-13	1	4	9	43	<.3	10	4	160	1.11	3	<5	<2	4	12	<.2	2	<2	21	.17	.024	21	15	.31	167	.04	<3	.81	.01	.07	<2
JP-95-TS-14	<1	15	11	62	<.3	21	6	183	1.78	3	<5	<2	3	78	<.2	<2	<2	20	1.93	.091	20	20	.58	359	.02	3	.99	.01	.05	<2
RE JP-95-TS-14	<1	15	9	62	<.3	20	6	180	1.76	4	<5	<2	3	76	.7	<2	<2	19	1.91	.092	19	20	.56	350	.02	<3	.98	.01	.06	<2
JP-95-TS-15	1	20	9	66	<.3	27	8	168	2.33	9	<5	<2	6	29	<.2	<2	<2	28	.44	.069	28	25	.54	312	.04	3	1.16	.01	.11	<2
JP-95-TS-16	1	10	7	93	<.3	18	5	169	1.72	5	<5	<2	5	19	.2	<2	<2	27	.25	.065	24	22	.42	187	.06	<3	1.07	.01	.07	<2
JP-95-TS-17	1	13	12	109	.3	22	7	288	2.28	6	<5	<2	6	23	.7	3	<2	33	.29	.156	22	29	.46	230	.07	3	1.25	.01	.10	<2
JP-95-TS-18	1	9	9	76	<.3	19	5	148	1.69	6	<5	<2	5	18	.2	<2	<2	30	.26	.061	25	22	.40	239	.04	<3	1.16	.01	.06	<2
JP-95-TS-19	1	8	7	89	<.3	20	7	267	2.04	4	<5	<2	5	18	<.2	<2	<2	31	.28	.076	23	24	.45	241	.05	<3	1.30	.01	.08	<2
JP-95-TS-20	1	16	14	79	.3	20	7	270	2.27	5	<5	<2	6	22	.7	<2	<2	26	.32	.108	29	23	.50	203	.04	<3	1.05	.01	.10	<2
JP-95-TS-21	1	8	9	119	<.3	17	8	359	1.99	6	<5	<2	5	17	.4	<2	<2	32	.26	.080	21	26	.39	292	.06	<3	1.25	.01	.11	<2
JP-95-TS-22	1	7	7	67	.3	19	6	187	2.03	4	<5	<2	5	16	.6	<2	<2	31	.25	.072	21	26	.40	194	.07	<3	1.20	.01	.07	<2
JP-95-TS-23	1	8	12	86	.3	15	7	223	2.00	2	<5	<2	5	19	.6	<2	<2	36	.34	.075	20	27	.37	222	.06	<3	1.29	.01	.09	<2
JP-95-TS-24	2	10	9	77	<.3	21	7	149	2.29	10	<5	<2	6	16	.4	2	<2	37	.23	.072	23	28	.41	211	.04	<3	1.38	.01	.06	<2
JP-95-TS-25	3	43	17	231	.6	31	7	221	2.83	10	<5	<2	5	32	1.1	4	<2	44	.33	.116	20	32	.47	318	.07	<3	1.66	.01	.11	<2
JP-95-TS-26	1	9	10	99	<.3	13	6	122	1.67	2	<5	<2	4	16	.3	<2	<2	31	.23	.071	21	21	.31	238	.03	<3	1.11	.01	.05	<2
JP-95-TS-27	2	9	5	107	<.3	15	6	217	2.01	6	<5	<2	4	15	1.0	<2	<2	32	.20	.095	18	24	.29	196	.04	<3	1.07	.01	.07	<2
JP-95-TS-28	3	18	11	87	<.3	16	7	218	1.97	5	<5	<2	4	23	1.0	<2	<2	24	.26	.122	22	14	.31	215	<.01	<3	.80	<.01	.09	<2
JP-95-TS-29	2	15	9	103	<.3	16	7	338	2.37	9	<5	<2	4	20	1.1	<2	<2	33	.32	.094	18	25	.36	230	.04	<3	1.12	.01	.07	<2
JP-95-TS-30	2	18	12	117	<.3	23	6	176	2.37	4	<5	<2	6	26	.2	<2	<2	29	.36	.090	29	27	.57	240	.07	<3	1.22	.01	.10	<2
JP-95-TS-31	2	12	12	124	.3	18	8	276	2.10	7	<5	<2	4	18	.8	3	<2	34	.33	.118	20	24	.36	232	.04	<3	1.10	.01	.11	<2
JP-95-TS-32	<1	16	10	71	.4	23	7	311	1.99	6	<5	<2	2	41	.4	<2	<2	30	.85	.060	16	26	.44	476	.03	<3	1.37	.01	.08	<2
JP-95-TS-33	<1	7	5	73	<.3	16	6	234	1.83	<2	<5	<2	4	17	.4	<2	<2	34	.26	.045	20	25	.37	236	.05	<3	1.32	.01	.08	<2
JP-95-TS-34	1	14	7	84	<.3	21	8	554	2.29	7	<5	<2	5	19	.2	<2	<2	35	.31	.085	22	26	.43	262	.03	<3	1.37	.01	.11	<2
STANDARD C	20	61	35	134	8.0	71	33	1058	4.10	41	17	8	34	50	19.9	18	18	62	.53	.098	43	64	.94	182	.09	30	1.94	.06	.16	10

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
JP-95-TS-35	1	15	10	49	<.3	19	6	172	1.84	7	<5	<2	5	16	<.2	2	<2	22	.23	.058	21	19	.38	116	.04	<3	.69	.01	.06	<2
JP-95-TS-36	4	48	14	98	.5	37	10	255	3.17	16	<5	<2	6	34	<.2	4	<2	30	.30	.094	27	21	.57	219	.02	<3	1.23	.01	.11	<2
JP-95-TS-37	4	36	17	89	.3	24	7	158	2.83	11	<5	<2	8	21	<.2	2	<2	17	.20	.096	16	15	.30	151	.01	<3	.74	<.01	.06	<2
JP-95-TS-38	1	8	6	48	<.3	14	4	166	1.57	4	<5	<2	4	15	<.2	2	<2	25	.22	.040	20	19	.39	177	.04	<3	.93	.01	.08	<2
JP-95-TS-39	2	13	8	48	.5	27	6	188	2.34	11	<5	<2	6	23	<.2	2	<2	37	.36	.140	23	29	.45	157	.06	<3	1.26	.01	.07	<2
JP-95-TS-40	5	32	12	66	.5	19	5	126	2.27	12	<5	<2	4	34	<.2	3	<2	37	.24	.100	20	19	.30	246	.01	<3	.91	<.01	.09	<2
JP-95-TS-41	1	7	5	46	<.3	9	4	199	1.32	4	<5	<2	3	11	.2	<2	<2	24	.15	.049	21	15	.24	160	.02	<3	.75	<.01	.05	<2
JP-95-TS-42	1	14	14	91	<.3	26	8	297	2.53	6	<5	<2	6	24	.4	<2	3	36	.33	.056	24	33	.54	206	.08	<3	1.51	.01	.08	<2
JP-95-TS-43	1	5	4	89	.3	13	5	188	2.12	3	<5	<2	4	10	.4	4	<2	36	.14	.053	20	26	.35	167	.05	<3	1.20	.01	.06	<2
JP-95-TS-44	1	6	11	79	.3	15	7	260	2.00	2	<5	<2	5	12	.4	4	<2	33	.16	.057	25	24	.46	220	.04	<3	1.20	<.01	.07	<2
JP-95-TS-45	1	6	8	68	<.3	16	7	257	2.03	3	<5	<2	5	14	.4	2	<2	32	.18	.050	22	26	.40	176	.04	<3	1.12	.01	.06	<2
JP-95-TS-46	2	5	3	22	<.3	3	1	115	.21	<2	<5	<2	<2	193	.6	2	<2	4	4.45	.024	1	3	.30	53	<.01	8	.15	.01	.01	<2
JP-95-TS-47	4	5	<3	19	<.3	2	1	3325	.26	<2	<5	<2	<2	144	.3	<2	<2	4	3.79	.118	2	4	.21	34	<.01	10	.44	.02	.01	<2
JP-95-TS-48	1	4	4	54	<.3	6	5	205	1.23	<2	<5	<2	4	13	.6	2	<2	29	.19	.021	17	19	.18	141	.03	<3	.70	.01	.04	<2
JP-95-TS-49	1	5	6	48	<.3	12	5	113	1.53	3	<5	<2	4	11	.6	<2	<2	29	.13	.041	15	19	.21	102	.03	<3	.74	<.01	.04	<2
JP-95-TS-50	1	9	10	190	<.3	32	11	272	2.97	4	<5	<2	4	17	1.0	3	<2	48	.23	.088	14	37	.39	213	.12	<3	1.78	.01	.09	<2
RE JP-95-TS-50	1	8	12	186	<.3	30	10	267	2.88	3	<5	<2	4	17	1.1	<2	<2	46	.23	.086	14	35	.37	209	.12	<3	1.72	.01	.08	<2
JP-95-TS-51	1	5	7	43	<.3	13	5	133	1.61	4	<5	<2	4	13	.2	3	<2	29	.20	.038	18	22	.31	112	.05	<3	.91	.01	.04	<2
JP-95-TS-52	1	6	8	91	1.9	11	4	128	1.74	3	<5	<2	4	18	1.5	3	<2	34	.18	.028	21	23	.25	536	.06	<3	.92	.01	.08	<2
JP-95-TS-53	1	9	7	143	.4	21	7	240	1.94	4	<5	<2	4	27	4.1	3	<2	30	.37	.155	18	24	.31	688	.05	<3	1.00	.01	.10	<2
JP-95-TS-54	1	7	9	153	.6	13	5	179	1.83	3	<5	<2	4	15	2.2	<2	<2	34	.21	.085	19	23	.26	541	.05	<3	1.00	.01	.08	<2
JP-95-TS-55	1	17	6	153	1.2	22	8	454	2.10	6	<5	<2	4	16	1.4	<2	<2	33	.18	.130	23	24	.28	398	.04	<3	1.06	.01	.08	<2
JP-95-TS-56	2	19	9	227	1.2	28	9	200	2.52	5	<5	<2	6	18	1.5	3	<2	42	.22	.206	21	31	.37	472	.06	3	1.47	.01	.08	<2
JP-95-TS-57	1	11	15	347	1.3	20	8	240	1.86	5	<5	<2	5	16	1.6	2	<2	36	.19	.103	24	23	.24	658	.04	<3	1.10	.01	.09	<2
JP-95-TS-58	1	12	7	201	1.0	20	10	957	1.90	3	<5	<2	4	19	.9	<2	<2	36	.26	.086	21	27	.34	880	.06	<3	1.19	.01	.12	<2
JP-95-TS-59	1	13	6	144	.6	15	7	511	1.44	5	<5	<2	<2	16	1.3	<2	<2	23	.15	.063	22	14	.13	608	.03	<3	.53	.01	.09	<2
JP-95-TS-60	1	10	7	184	.3	24	8	581	2.09	5	<5	<2	4	19	1.1	2	<2	32	.34	.132	19	25	.36	476	.06	<3	1.08	.01	.10	<2
JP-95-TS-61	1	10	4	75	<.3	25	6	262	1.94	7	<5	<2	5	19	<.2	<2	<2	28	.30	.073	23	23	.36	329	.05	<3	1.06	.01	.08	<2
JP-95-TS-62	2	14	7	197	1.1	25	4	174	1.52	6	<5	<2	4	17	.5	2	<2	28	.14	.114	21	15	.19	413	.03	3	.84	.01	.09	<2
JP-95-TS-63	2	13	8	135	2.1	34	9	232	1.82	4	<5	<2	6	16	<.2	<2	<2	39	.20	.120	22	23	.36	406	.05	<3	1.14	.01	.08	<2
JP-95-TS-64	1	6	7	131	.7	20	6	356	1.98	5	<5	<2	5	16	.7	<2	<2	37	.24	.187	20	23	.35	367	.06	<3	1.16	.01	.07	<2
JP-95-TS-65	1	14	8	150	<.3	31	5	173	1.71	4	<5	<2	6	15	<.2	<2	<2	29	.19	.047	23	21	.34	306	.05	3	1.02	.01	.07	<2
JP-95-TS-66	1	6	13	148	<.3	18	4	169	1.57	2	<5	<2	5	15	<.2	2	<2	29	.20	.039	23	22	.36	263	.06	<3	1.03	.01	.06	<2
JP-95-TS-67	1	9	10	121	<.3	26	6	196	2.13	8	<5	<2	6	16	.3	<2	<2	36	.21	.067	21	27	.39	252	.07	<3	1.26	.01	.07	<2
JP-95-TS-69	1	7	3	53	<.3	16	4	139	1.49	4	<5	<2	5	14	<.2	<2	<2	24	.17	.029	24	19	.34	204	.05	<3	.85	.01	.06	<2
STANDARD C	18	61	36	127	7.9	67	31	1022	3.95	43	17	8	33	47	18.5	15	19	60	.49	.095	41	64	.88	181	.08	26	1.90	.06	.16	9

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
JP-95-TS-70	1	8	9	52	<.3	18	5	189	1.71	3	<5	<2	4	13	.5	<2	<2	33	.21	.038	19	24	.38	216	.06	<3	.93	.01	.06	<2
JP-95-TS-71	1	8	7	72	<.3	16	4	210	1.47	3	<5	<2	4	13	.5	2	<2	32	.19	.041	18	20	.33	373	.04	<3	.95	.01	.07	<2
JP-95-TS-72	1	11	10	63	<.3	16	4	87	1.39	4	<5	<2	4	10	<.2	2	<2	23	.10	.039	24	12	.19	229	.01	<3	.67	<.01	.07	<2
JP-95-TS-73	2	14	7	69	3.0	20	6	137	2.07	5	<5	<2	6	12	1.0	<2	<2	40	.11	.046	24	24	.31	205	.04	<3	1.15	<.01	.05	<2
JP-95-TS-74	1	9	5	103	<.3	22	5	193	2.03	7	<5	<2	2	20	1.5	2	<2	34	.17	.181	19	24	.26	292	.02	<3	1.02	<.01	.07	<2
JP-95-TS-75	1	5	8	126	<.3	12	5	390	1.21	2	<5	<2	4	20	.9	<2	<2	35	.22	.053	19	16	.22	609	.03	<3	.83	<.01	.06	<2
JP-95-TS-76	1	6	7	119	<.3	15	6	279	1.80	4	<5	<2	4	13	.6	2	<2	41	.17	.031	17	25	.29	457	.05	<3	1.14	.01	.04	<2
JP-95-TS-77	1	5	9	89	<.3	10	4	157	1.41	<2	<5	<2	3	16	.7	<2	2	33	.20	.044	17	18	.20	594	.05	<3	.83	.01	.05	<2
JP-95-TS-78	1	8	9	48	<.3	18	5	184	1.88	4	<5	<2	5	16	.5	2	<2	36	.22	.033	20	24	.38	255	.05	<3	1.19	.01	.05	<2
JP-95-TS-79	1	7	5	60	<.3	16	5	155	1.58	4	<5	<2	5	14	.4	3	<2	31	.21	.028	19	21	.34	191	.06	<3	.98	.01	.05	<2
JP-95-TS-80	1	10	14	101	.3	20	6	348	1.88	2	<5	<2	3	21	1.1	<2	<2	43	.34	.030	17	25	.37	374	.06	<3	1.27	.01	.08	<2
JP-95-TS-81	1	8	8	78	<.3	16	5	250	1.62	3	<5	<2	5	16	.2	2	<2	35	.23	.045	21	22	.40	249	.06	<3	1.00	.01	.06	<2
JP-95-TS-82	1	7	7	128	.3	22	7	223	2.28	3	<5	<2	6	20	<.2	3	<2	47	.32	.054	19	30	.47	289	.09	<3	1.53	.01	.06	<2
JP-95-TS-83	1	9	9	85	.3	16	6	260	2.04	5	<5	<2	5	15	.8	2	<2	46	.23	.063	21	24	.35	376	.06	<3	1.25	.01	.05	<2
JP-95-TS-84	1	13	11	72	<.3	23	6	206	1.98	7	<5	<2	5	19	.2	<2	<2	37	.26	.060	20	25	.43	276	.05	<3	1.09	.01	.06	<2
JP-95-TS-85	2	15	9	65	<.3	20	5	135	1.48	5	<5	<2	3	20	<.2	2	<2	26	.17	.073	16	13	.21	217	.02	<3	.65	<.01	.07	<2
JP-95-TS-86	2	38	15	120	.6	23	5	176	1.51	4	<5	<2	2	45	2.3	<2	2	25	.63	.070	19	14	.22	561	.02	<3	.81	.01	.08	<2
RE JP-95-TS-86	1	38	13	119	.5	23	5	175	1.51	3	<5	<2	2	45	2.2	<2	<2	24	.63	.071	20	14	.22	561	.02	<3	.81	.01	.08	<2
JP-95-TS-87	1	8	6	66	<.3	14	4	134	1.71	3	<5	<2	5	16	.4	<2	<2	35	.20	.047	21	19	.29	265	.04	<3	.95	<.01	.05	<2
JP-95-TS-88	1	7	4	46	<.3	11	3	94	1.26	4	<5	<2	4	13	.4	<2	<2	27	.16	.043	19	14	.22	211	.02	<3	.72	<.01	.05	<2
JP-95-TS-89	1	7	7	58	<.3	14	4	141	1.75	4	<5	<2	5	14	.6	<2	<2	37	.21	.046	19	23	.36	210	.05	<3	.98	.01	.05	<2
JP-95-TS-90	1	6	7	78	<.3	12	4	143	1.70	3	<5	<2	5	17	.8	3	2	42	.22	.045	19	22	.36	233	.06	<3	1.03	.01	.05	<2
JP-95-TS-91	1	7	9	59	<.3	11	3	89	1.17	4	<5	<2	4	16	.9	2	<2	34	.16	.037	21	14	.21	278	.03	<3	.66	<.01	.05	<2
JP-95-TS-92	1	8	12	76	<.3	15	5	175	2.00	5	<5	<2	4	13	.8	<2	<2	46	.18	.034	18	27	.37	309	.06	<3	1.27	.01	.05	<2
JP-95-TS-93	2	14	14	66	<.3	16	4	86	1.47	6	<5	<2	4	21	.9	2	<2	32	.14	.028	18	14	.17	330	.01	<3	.65	<.01	.05	<2
JP-95-TS-94	1	5	6	44	<.3	5	2	71	.90	<2	<5	<2	3	15	.5	<2	<2	29	.12	.015	19	14	.14	311	.03	<3	.63	<.01	.04	<2
JP-95-TS-95	1	6	12	63	<.3	8	3	111	1.86	4	<5	<2	4	10	1.0	3	<2	50	.13	.059	16	23	.27	209	.07	<3	1.00	.01	.05	<2
JP-95-TS-96	1	5	11	43	<.3	10	3	93	1.38	4	<5	<2	4	13	.9	2	2	32	.17	.043	17	19	.30	200	.03	<3	.90	<.01	.05	<2
JP-95-TS-97	1	7	8	52	<.3	12	4	110	1.57	4	<5	<2	4	13	.5	<2	<2	39	.17	.037	17	21	.29	230	.04	<3	1.00	.01	.06	<2
JP-95-TS-98	<1	17	4	24	<.3	8	2	239	.47	<2	5	<2	<2	317	1.1	<2	<2	9	4.48	.057	2	6	.16	415	<.01	5	.33	.01	.01	<2
JP-95-TS-99	1	7	8	54	<.3	11	3	129	1.36	<2	<5	<2	2	35	.9	<2	<2	20	.45	.026	16	18	.38	311	.02	<3	.79	.01	.06	<2
JP-95-TS-100	1	9	8	41	<.3	16	4	121	1.62	2	<5	<2	4	16	.8	2	2	26	.23	.049	18	21	.46	220	.04	<3	.98	.01	.06	<2
JP-95-TS-101	1	29	12	71	.4	22	6	293	2.03	2	<5	<2	2	44	1.6	<2	<2	32	.65	.069	19	28	.42	531	.03	<3	1.26	.01	.06	<2
JP-95-TS-102	1	8	7	45	<.3	6	4	109	1.37	2	<5	<2	<2	22	1.4	<2	<2	31	.21	.026	13	18	.21	206	.04	<3	.81	.01	.07	<2
JP-95-TS-103	1	7	12	69	<.3	15	6	216	1.84	2	<5	<2	4	25	.9	<2	<2	41	.29	.021	17	28	.44	242	.07	<3	1.51	.01	.04	<2
STANDARD C	17	64	38	123	7.4	68	30	1167	3.66	43	17	6	32	48	17.5	18	19	64	.50	.090	40	54	.90	172	.09	30	1.77	.06	.15	11

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
JP-95-TS-139	1	14	14	57	<.3	22	6	152	2.00	8	<5	<2	5	11	.3	3	<2	31	.15	.049	19	24	.37	94	.05	<3	.98	.01	.07	<2
JP-95-TS-140	1	12	6	56	<.3	21	5	149	1.76	6	<5	<2	5	12	.3	2	<2	29	.15	.032	18	22	.34	160	.04	<3	.86	.01	.05	<2
JP-95-TS-141	1	11	9	58	<.3	19	6	394	1.92	6	<5	<2	4	16	.2	2	<2	34	.25	.019	17	26	.31	246	.05	3	1.06	.01	.06	<2
JP-95-TS-142	1	12	13	66	<.3	23	8	217	2.10	7	<5	<2	5	14	.2	<2	<2	27	.20	.036	17	24	.38	163	.04	<3	1.08	.01	.07	<2
JP-95-TS-143	1	16	14	70	.4	23	6	552	1.61	9	<5	<2	3	17	<.2	2	<2	27	.26	.051	17	20	.28	201	.03	3	.86	.01	.08	<2
JP-95-TS-144	1	9	19	90	<.3	21	8	392	2.01	7	<5	<2	4	16	<.2	4	<2	33	.23	.106	18	23	.42	233	.05	<3	1.22	.01	.07	<2
JP-95-TS-145	1	10	9	103	.3	22	9	378	2.45	9	<5	<2	6	17	<.2	<2	<2	43	.26	.092	19	30	.44	193	.08	4	1.36	.01	.08	<2
JP-95-TS-146	1	9	6	50	.3	20	6	282	1.84	8	<5	<2	5	16	<.2	3	<2	33	.24	.048	18	23	.38	158	.05	<3	1.04	.01	.06	<2
JP-95-TS-147	1	6	13	40	.3	12	4	160	1.66	7	<5	<2	4	11	<.2	<2	<2	37	.16	.028	16	21	.27	132	.05	<3	.90	<.01	.05	<2
RE JP-95-TS-147	1	6	10	43	.3	12	4	165	1.77	6	<5	<2	3	12	<.2	2	<2	38	.17	.030	17	21	.28	142	.05	3	.96	.01	.06	<2
JP-95-TS-148	1	4	13	117	.3	12	6	369	1.73	6	<5	<2	3	16	.8	3	<2	34	.23	.054	20	22	.34	217	.04	<3	.98	.01	.07	<2
JP-95-TS-149	1	6	12	54	<.3	10	4	195	1.36	4	<5	<2	2	12	.3	2	<2	30	.18	.037	15	17	.22	167	.04	4	.63	<.01	.06	<2
JP-95-TS-150	1	7	10	107	<.3	19	7	175	2.35	7	<5	<2	3	12	.4	2	<2	47	.18	.075	19	27	.31	169	.06	<3	1.26	.01	.06	<2
JP-95-TS-151	1	6	8	76	<.3	14	8	421	2.09	6	<5	<2	4	15	.4	<2	<2	40	.23	.112	17	24	.31	160	.06	3	1.12	.01	.06	<2
JP-95-TS-152	1	10	13	66	<.3	17	6	139	1.76	8	<5	<2	3	14	.2	2	<2	34	.18	.066	16	20	.28	205	.03	3	.90	<.01	.07	<2
JP-95-TS-153	1	7	13	75	<.3	17	9	252	2.21	7	<5	<2	4	12	.5	<2	<2	45	.17	.061	21	26	.34	180	.06	<3	1.27	.01	.05	<2
JP-95-TS-154	1	5	12	92	<.3	9	5	218	1.42	4	<5	<2	4	15	<.2	2	<2	30	.20	.078	18	18	.22	174	.04	<3	.79	.01	.05	<2
JP-95-TS-155	1	14	12	122	<.3	23	8	355	2.23	6	<5	<2	5	18	.7	3	<2	41	.27	.048	18	31	.38	215	.06	<3	1.33	.01	.06	<2
JP-95-TS-156	1	10	15	108	<.3	19	8	472	2.12	6	<5	<2	5	20	.3	2	<2	36	.30	.076	18	26	.38	224	.05	3	1.31	.01	.07	<2
JP-95-TS-157	1	11	14	58	<.3	24	8	190	2.16	9	<5	<2	6	12	.2	3	<2	37	.15	.032	20	29	.40	183	.06	<3	1.31	.01	.05	<2
JP-95-TS-158	1	9	12	71	<.3	19	7	167	2.21	7	<5	<2	5	13	.3	5	<2	40	.16	.033	22	29	.40	171	.05	3	1.26	.01	.06	<2
JP-95-TS-159	1	12	13	90	<.3	30	10	199	2.88	10	<5	<2	5	16	.5	<2	<2	51	.21	.064	20	35	.46	239	.06	3	1.75	.01	.06	<2
JP-95-TS-160	1	8	18	140	.3	25	9	239	2.64	6	<5	<2	5	11	.5	5	<2	51	.14	.060	18	36	.39	215	.08	<3	1.71	.01	.06	<2
JP-95-TS-161	1	6	14	87	<.3	14	6	153	2.33	7	<5	<2	4	19	.7	<2	<2	48	.30	.091	17	28	.32	174	.05	3	1.40	.01	.06	<2
JP-95-TS-162	1	17	14	85	<.3	19	8	254	2.38	7	<5	<2	6	21	.4	<2	<2	41	.28	.046	20	29	.40	229	.05	3	1.39	.01	.06	<2
JP-95-TS-163	1	9	14	126	.3	20	9	222	2.74	10	<5	<2	5	18	.9	4	<2	51	.26	.068	20	32	.39	185	.06	3	1.48	.01	.07	<2
JP-95-TS-164	1	16	13	66	<.3	23	8	174	2.26	9	<5	<2	5	17	.4	3	<2	35	.21	.028	24	27	.45	192	.05	<3	1.18	.01	.06	<2
JP-95-TS-165	1	8	13	124	.4	14	8	325	2.35	7	<5	<2	3	13	.9	4	<2	48	.21	.075	19	26	.29	227	.04	<3	1.22	.01	.06	<2
JP-95-TS-166	1	5	13	112	<.3	11	6	152	2.08	5	<5	<2	5	10	.8	2	<2	47	.13	.096	18	24	.23	155	.05	3	1.07	.01	.05	<2
JP-95-TS-167	1	5	13	163	<.3	15	9	213	2.52	2	<5	<2	4	15	.7	<2	<2	55	.23	.076	16	28	.29	260	.08	<3	1.35	.01	.04	<2
JP-95-TS-168	1	8	12	128	<.3	12	5	127	2.43	10	<5	<2	4	11	.8	3	<2	53	.13	.172	16	25	.25	140	.04	3	1.19	.01	.05	<2
JP-95-TS-169	1	7	13	51	<.3	16	4	116	1.44	3	<5	<2	5	13	.2	2	<2	27	.20	.038	17	21	.35	116	.07	<3	.93	.01	.06	<2
JP-95-TS-170	1	8	13	65	<.3	13	6	298	1.66	5	<5	<2	4	14	.4	<2	<2	29	.21	.054	18	21	.35	181	.05	<3	1.00	.01	.08	<2
JP-95-TS-171	1	8	11	67	<.3	15	5	187	1.86	4	<5	<2	5	22	.3	3	<2	28	.29	.026	21	25	.56	334	.05	<3	1.23	.01	.08	<2
JP-95-TS-172	1	5	17	69	<.3	9	6	209	1.46	2	<5	<2	5	17	.2	3	<2	29	.24	.065	18	19	.31	168	.06	<3	.78	.01	.07	<2
STANDARD C	18	63	37	126	7.6	67	31	1035	3.74	39	18	6	33	48	17.7	16	20	65	.50	.092	40	58	.90	177	.08	31	1.79	.06	.15	9

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
JP-95-TS-173	<1	6	14	57	<.3	16	5	165	1.74	4	<5	<2	4	13	.3	2	<2	31	.19	.029	20	23	.34	193	.05	<3	1.05	.01	.07	<2
JP-95-TS-174	1	6	12	38	<.3	14	4	134	1.54	4	<5	<2	5	13	.2	3	<2	25	.19	.026	21	20	.35	175	.04	<3	.94	.01	.06	<2
JP-95-TS-175	1	6	9	39	<.3	10	4	108	1.53	4	<5	<2	5	13	<.2	<2	<2	27	.16	.029	20	19	.28	151	.04	<3	.83	.01	.06	<2
JP-95-TS-176	<1	7	12	41	<.3	15	4	151	1.56	4	<5	<2	4	12	.3	<2	<2	24	.19	.038	19	21	.36	161	.04	4	.88	.01	.05	<2
JP-95-TS-177	1	6	13	66	<.3	14	7	218	1.70	3	<5	<2	4	14	<.2	2	<2	30	.20	.048	18	23	.33	189	.06	<3	1.08	.01	.06	<2
RE JP-95-TS-177	<1	7	12	68	<.3	16	7	214	1.67	3	<5	<2	4	14	.4	<2	2	30	.20	.047	18	23	.32	190	.06	3	1.06	.01	.06	<2
JP-95-TS-178	1	21	9	67	.3	25	7	342	1.74	9	<5	<2	3	35	.5	<2	<2	27	.58	.050	16	22	.31	314	.03	<3	.94	.01	.06	<2
JP-95-TS-179	1	13	10	51	<.3	19	5	205	1.52	9	<5	<2	3	24	<.2	2	<2	23	.41	.052	14	18	.30	201	.03	3	.61	.01	.05	<2
JP-95-TS-180	1	8	15	56	<.3	16	5	153	1.71	7	<5	<2	6	16	.4	3	<2	27	.25	.063	22	24	.40	158	.06	<3	1.11	.01	.06	<2
JP-95-TS-181	1	12	11	46	<.3	13	4	182	1.33	4	<5	<2	<2	20	<.2	<2	<2	23	.28	.071	20	19	.35	167	.03	<3	.85	.01	.06	<2
JP-95-TS-182	1	8	13	45	.4	8	5	255	1.02	3	<5	<2	<2	18	.2	<2	<2	21	.22	.038	16	15	.23	195	.02	<3	.70	.01	.07	<2
JP-95-TS-183	2	27	15	73	.5	22	12	581	2.21	7	<5	<2	3	25	.4	<2	2	38	.23	.080	21	24	.42	292	.03	3	1.39	.01	.07	2
JP-95-TS-184	1	6	17	307	<.3	13	8	1699	1.60	3	<5	<2	2	12	1.5	<2	<2	34	.20	.114	13	20	.18	355	.03	<3	1.27	.01	.06	<2
JP-95-TS-185	<1	17	16	159	<.3	22	7	751	2.12	4	<5	<2	3	33	1.7	<2	<2	29	.62	.068	17	23	.35	323	.02	4	1.09	.01	.07	<2
JP-95-TS-186	<1	13	11	76	<.3	19	5	910	1.43	5	<5	<2	<2	102	.8	<2	<2	17	5.82	.061	10	14	.40	238	.01	5	.72	.01	.06	<2
JP-95-TS-187	<1	15	7	99	<.3	21	5	1246	1.70	5	<5	<2	<2	110	1.3	<2	<2	17	5.65	.084	9	17	.38	335	.01	7	.64	.01	.06	<2
JP-95-TS-188	1	15	12	58	<.3	17	6	222	1.77	6	<5	<2	5	22	.4	3	<2	21	.37	.051	22	17	.33	170	.03	<3	.72	.01	.07	<2
JP-95-TS-189	<1	4	17	48	<.3	14	4	111	1.15	2	<5	<2	5	19	.2	3	<2	21	.30	.035	19	23	.39	160	.06	<3	1.00	.01	.05	<2
JP-95-TS-190	1	23	11	88	<.3	21	13	745	2.97	6	<5	<2	4	35	1.3	3	<2	28	.68	.045	20	21	.53	390	.01	3	1.28	.01	.08	<2
JP-95-TS-191	1	5	13	84	<.3	12	5	196	1.85	3	<5	<2	4	11	.2	2	<2	28	.17	.036	18	21	.33	142	.04	3	.93	<.01	.07	<2
JP-95-TS-192	<1	5	11	72	<.3	13	4	137	1.55	4	<5	<2	4	13	.5	<2	<2	28	.20	.032	14	22	.30	119	.06	<3	.97	.01	.06	<2
JP-95-TS-193	<1	3	8	77	<.3	8	4	186	1.34	3	<5	<2	3	12	.5	<2	<2	28	.18	.060	15	19	.21	143	.04	<3	.82	.01	.06	<2
JP-95-TS-194	<1	8	5	25	<.3	7	2	198	.27	<2	<5	<2	<2	241	.2	2	<2	2	23.02	.051	<1	4	.20	219	<.01	9	.16	.01	.02	<2
JP-95-TS-195	<1	6	6	29	<.3	7	1	487	1.12	3	<5	<2	<2	270	.8	<2	<2	4	23.75	.039	<1	2	.22	219	<.01	7	.12	.01	.02	<2
JP-95-TS-196	<1	15	10	61	.3	20	5	215	1.59	4	<5	<2	3	162	.6	3	<2	17	7.93	.038	14	16	.68	233	<.01	3	1.18	.01	.07	<2
JP-95-TS-197	1	5	17	140	<.3	16	8	251	2.14	3	<5	<2	4	14	.5	3	<2	34	.25	.045	20	26	.46	154	.06	<3	1.24	.01	.06	<2
JP-95-TS-198	1	6	14	78	.3	15	7	242	1.92	4	<5	<2	4	13	.3	2	<2	29	.19	.079	17	21	.31	163	.03	<3	.97	.01	.08	<2
JP-95-TS-199	<1	4	7	97	<.3	7	5	252	1.25	<2	<5	<2	3	11	.3	2	<2	25	.18	.046	18	16	.23	173	.04	<3	.77	<.01	.06	<2
JP-95-TS-200	7	13	4	44	<.3	11	2	69	2.09	3	<5	<2	<2	109	.9	<2	<2	17	2.32	.042	3	8	.08	167	<.01	3	.29	<.01	.01	<2
JP-95-TS-201	1	4	9	52	<.3	10	5	175	1.32	3	<5	<2	3	16	.3	2	<2	26	.26	.019	16	16	.31	196	.01	<3	.91	.01	.05	<2
JP-95-TS-202	1	5	9	77	<.3	12	6	132	1.81	5	<5	<2	4	14	.3	<2	<2	34	.22	.048	17	22	.30	168	.04	<3	1.07	.01	.06	<2
JP-95-TS-203	2	22	19	104	.3	22	5	138	1.64	14	<5	<2	4	41	.5	3	<2	18	.26	.062	27	11	.16	880	.01	3	.60	.01	.08	<2
JP-95-TS-204	2	38	19	144	.5	35	8	505	2.05	14	<5	<2	4	57	1.1	<2	<2	22	.38	.082	26	14	.21	1106	.01	4	.73	.01	.11	<2
JP-95-TS-205	2	27	16	127	.4	29	6	205	2.09	8	<5	<2	5	33	.5	<2	<2	26	.31	.065	25	20	.30	668	.03	<3	.91	.01	.10	<2
JP-95-TS-206	1	11	12	129	.4	19	6	175	2.00	7	<5	<2	4	20	.7	2	<2	34	.38	.043	17	26	.38	701	.06	<3	1.20	.01	.06	<2
STANDARD C	18	59	42	129	7.7	68	31	1101	3.83	41	17	6	33	49	18.5	15	18	60	.52	.094	42	59	.90	183	.08	29	1.86	.06	.15	9

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ACME ANALYTICAL



ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
JP-95-TS-207	1	13	11	124	.5	20	6	211	1.89	2	<5	<2	3	23	.6	<2	<2	32	.46	.050	18	26	.39	714	.05	<3	1.24	.01	.06	<2
JP-95-TS-208	2	31	16	101	.5	25	7	205	2.02	8	<5	<2	3	29	.7	2	<2	22	.40	.068	20	16	.29	644	.01	4	.78	.01	.07	<2
JP-95-TS-209	<1	27	8	107	.8	24	5	146	1.40	<2	<5	<2	2	53	.7	<2	<2	16	.90	.070	19	18	.39	549	.01	4	.88	.01	.08	<2
JP-95-TS-210	1	17	14	101	.5	24	7	244	2.16	6	<5	<2	3	26	.5	3	<2	31	.47	.061	20	27	.41	547	.05	<3	1.19	.01	.07	<2
JP-95-TS-211	1	19	13	108	.3	22	6	159	2.41	7	<5	<2	5	22	.8	2	<2	37	.32	.085	22	26	.38	585	.05	<3	1.22	.01	.09	<2
JP-95-TS-212	2	28	12	126	.3	25	6	218	2.18	10	<5	<2	4	24	.9	3	<2	24	.21	.086	24	17	.24	522	.02	3	.81	.01	.12	<2
JP-95-TS-213	1	19	18	107	.3	20	5	159	1.73	7	<5	<2	4	24	.7	3	<2	23	.24	.067	22	15	.21	672	.02	3	.71	.01	.07	<2
JP-95-TS-214	2	29	12	113	.4	24	5	130	1.76	8	<5	<2	4	27	.7	<2	<2	20	.21	.069	27	12	.18	775	.01	<3	.63	<.01	.08	<2
JP-95-TS-215	2	27	17	100	.5	25	4	80	1.65	7	<5	<2	4	32	.4	2	<2	18	.32	.067	28	12	.19	853	<.01	<3	.61	.01	.08	<2
JP-95-TS-216	2	24	11	121	<.3	23	5	156	1.66	5	<5	<2	3	29	.7	<2	<2	18	.30	.106	25	11	.18	631	<.01	3	.56	<.01	.10	<2
JP-95-TS-217	2	27	14	107	.3	21	6	239	1.76	7	<5	<2	3	30	.7	<2	<2	20	.38	.069	23	13	.22	694	.01	3	.65	.01	.08	<2
JP-95-TS-218	1	9	14	104	<.3	23	8	210	2.92	6	<5	<2	5	15	.3	2	<2	48	.24	.094	19	34	.46	382	.09	3	1.60	.01	.08	<2
JP-95-TS-219	3	48	19	153	<.3	39	9	173	2.77	15	<5	<2	5	29	1.1	3	<2	26	.19	.102	25	16	.21	494	.01	4	.72	<.01	.08	<2
JP-95-TS-220	1	14	11	75	<.3	19	6	143	1.86	7	<5	<2	5	17	.5	4	<2	22	.20	.063	20	18	.30	283	.02	<3	.78	<.01	.07	<2
JP-95-TS-221	1	12	10	96	<.3	14	5	153	1.57	2	<5	<2	3	21	.5	2	<2	20	.38	.081	18	13	.26	465	<.01	3	.83	<.01	.11	<2
JP-95-TS-222	1	10	16	57	<.3	22	6	198	2.09	7	<5	<2	6	15	<.2	5	<2	35	.21	.025	21	28	.44	313	.06	<3	1.33	.01	.06	<2
JP-95-TS-223	1	10	10	61	<.3	19	5	146	2.08	3	<5	<2	6	14	.2	2	<2	32	.19	.044	26	24	.47	233	.05	<3	1.23	.01	.06	<2
JP-95-TS-224	1	15	10	108	<.3	18	6	171	2.09	2	<5	<2	5	17	.6	2	<2	29	.16	.097	22	18	.41	328	.02	<3	.97	<.01	.08	<2
JP-95-TS-225	1	20	12	95	.3	22	6	516	1.85	<2	<5	<2	3	37	.7	2	<2	27	.49	.090	21	19	.37	456	.02	3	1.11	.01	.12	<2
RE JP-95-TS-225	1	19	13	94	.4	21	6	495	1.81	5	<5	<2	3	35	.7	3	<2	26	.47	.086	20	19	.36	435	.02	3	1.07	.01	.11	<2
JP-95-TS-226	1	26	13	67	<.3	26	6	177	2.32	5	<5	<2	7	23	<.2	<2	<2	25	.29	.034	33	23	.59	248	.04	3	1.18	.01	.10	<2
JP-95-TS-227	1	7	15	115	<.3	21	8	227	2.96	<2	<5	<2	5	17	<.2	2	2	50	.25	.042	19	34	.39	238	.09	<3	1.77	.01	.07	<2
JP-95-TS-228	1	21	13	64	.3	26	7	304	2.01	3	<5	<2	5	141	.4	3	<2	21	4.55	.048	18	21	.86	295	.02	<3	1.11	.01	.07	<2
JP-95-TS-229	1	14	12	59	<.3	21	6	306	2.17	3	<5	<2	6	30	<.2	3	<2	27	.51	.047	25	25	.59	285	.04	3	1.26	.01	.07	<2
JP-95-TS-230	1	18	8	63	<.3	22	6	357	1.82	4	<5	<2	3	76	<.2	<2	<2	23	1.95	.056	18	20	.62	316	.03	<3	.97	.01	.06	<2
JP-95-TS-231	1	20	11	68	<.3	23	6	296	1.64	6	<5	<2	5	74	.4	3	<2	22	2.60	.051	15	19	.77	285	.04	<3	.69	.01	.06	<2
JP-95-TS-232	1	14	10	51	<.3	18	5	220	1.52	7	<5	<2	4	35	.4	<2	<2	24	.81	.038	15	19	.39	216	.03	<3	.71	.01	.05	<2
JP-95-TS-233	1	14	8	68	<.3	17	6	365	1.68	4	<5	<2	3	33	.7	2	<2	22	.57	.055	17	19	.44	258	.02	<3	.93	.01	.06	<2
JP-95-TS-234	1	10	12	49	<.3	13	4	164	1.50	3	<5	<2	3	27	.3	2	<2	22	.41	.049	15	19	.37	197	.03	<3	.78	.01	.05	<2
JP-95-TS-235	1	20	11	77	<.3	27	6	293	1.65	6	<5	<2	4	78	.6	3	3	26	2.81	.053	14	20	.85	291	.05	<3	.68	.01	.05	<2
JP-95-TS-236	1	5	13	36	<.3	13	3	119	1.46	5	<5	<2	4	21	.3	2	<2	23	.29	.050	16	18	.36	148	.04	<3	.74	.01	.05	<2
JP-95-TS-237	1	6	9	70	<.3	13	5	257	1.74	<2	<5	<2	3	17	<.2	<2	<2	31	.26	.024	13	24	.29	197	.07	<3	.94	.01	.05	<2
JP-95-TS-238	1	11	11	54	<.3	15	6	222	1.77	4	<5	<2	5	19	<.2	2	<2	25	.24	.036	16	23	.32	165	.05	<3	.83	.01	.05	<2
JP-95-TS-239	1	7	14	50	<.3	13	5	283	1.58	5	<5	<2	4	17	.4	2	<2	27	.23	.036	16	22	.28	176	.05	<3	.90	.01	.07	<2
JP-95-TS-240	1	10	15	56	<.3	17	5	208	1.85	7	<5	<2	6	32	<.2	2	<2	29	.32	.039	21	24	.39	249	.05	<3	.97	.01	.05	<2
STANDARD C	18	64	38	125	7.8	68	31	1160	3.83	42	18	6	34	49	18.1	14	20	59	.51	.094	41	60	.89	180	.09	29	1.84	.06	.15	9

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ACHE ANALYTICAL



ACHE ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
JP-95-TS-241	1	9	13	116	<.3	26	9	359	2.63	7	<5	<2	6	32	.6	<2	2	40	.33	.077	19	33	.46	222	.08	3	1.43	.01	.09	<2
JP-95-TS-242	1	8	10	64	<.3	18	6	265	1.90	3	<5	<2	6	17	.2	<2	<2	28	.20	.031	25	23	.45	289	.04	4	1.36	.01	.07	<2
JP-95-TS-243	1	10	10	72	<.3	24	7	198	2.58	5	<5	<2	8	16	.5	<2	<2	23	.23	.028	38	26	.93	239	.01	4	1.77	.01	.09	<2
JP-95-TS-244	1	6	9	67	<.3	14	6	478	1.59	2	<5	<2	4	19	.3	3	<2	41	.25	.014	19	25	.27	439	.05	<3	1.32	.01	.04	<2
JP-95-TS-245	1	8	13	100	<.3	23	7	388	2.04	2	<5	<2	5	21	.5	2	<2	31	.27	.025	27	27	.66	499	.03	<3	1.78	.01	.07	<2
JP-95-TS-246	1	7	9	64	<.3	17	5	149	1.80	4	<5	<2	5	17	.3	<2	<2	38	.20	.020	24	25	.40	404	.05	3	1.42	.01	.04	<2
JP-95-TS-247	1	7	12	72	<.3	17	6	183	1.87	4	<5	<2	5	17	.4	2	<2	42	.23	.020	21	27	.37	408	.06	<3	1.43	.01	.05	<2
RE JP-95-TS-247	1	7	9	70	<.3	18	6	183	1.87	5	<5	<2	5	17	<.2	3	<2	42	.23	.020	21	27	.37	405	.06	<3	1.42	.01	.05	<2

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

P.02/00

604 253 1716 TO 6890288

AUG 11 '95 16:00 FR ACME LABS



GEOCHEMICAL ANALYSIS CERTIFICATE

KRL Resources Corp. PROJECT BO LINE File # 95-2693
1022 - 470 Granville St., Vancouver BC V6C 1V5 Submitted by: E. Lygard

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm
BO-95-SO-1	2	22	11	93	<.3	26	7	315	2.12	9	<.5	<.2	4	17	.5	4	<.2	36	.22	.056	14	23	.29	246	.04	5	.85	.01	.06	<.2
BO-95-SO-2	2	15	11	76	<.3	19	5	170	1.78	7	<.5	<.2	5	23	.4	2	<.2	31	.27	.073	16	20	.28	213	.04	3	.61	.01	.07	<.2
BO-95-SO-3	1	15	14	71	<.3	42	10	328	2.87	7	<.5	<.2	5	15	<.2	2	<.2	47	.25	.085	16	42	.61	178	.11	6	1.66	.01	.11	<.2
BO-95-SO-4	1	27	9	86	<.3	39	9	304	2.78	9	<.5	<.2	6	18	<.2	<.2	<.2	48	.26	.064	23	42	.58	184	.10	4	1.66	.01	.10	<.2
BO-95-SO-5	1	21	16	65	<.3	35	8	272	2.75	7	<.5	<.2	6	16	<.2	2	<.2	44	.26	.058	21	39	.54	161	.10	3	1.51	.01	.09	<.2
BO-95-SO-6	1	9	9	63	<.3	27	6	196	2.21	6	<.5	<.2	5	13	<.2	<.2	<.2	40	.20	.036	16	32	.44	159	.08	3	1.33	.01	.07	<.2
BO-95-SO-7	1	11	7	75	<.3	29	8	264	2.34	6	<.5	<.2	5	17	<.2	<.2	<.2	38	.27	.087	19	33	.47	184	.08	4	1.37	.01	.09	<.2
BO-95-SO-8	1	9	14	115	<.3	23	9	504	2.40	<.2	<.5	<.2	4	17	.2	<.2	<.2	44	.28	.100	15	30	.34	292	.08	3	1.41	.01	.10	<.2
BO-95-SO-9	1	10	9	61	<.3	32	9	362	2.61	5	<.5	<.2	4	14	.2	<.2	2	51	.20	.023	14	39	.44	266	.09	4	1.74	.01	.06	<.2
BO-95-SO-10	1	11	9	46	<.3	29	8	179	2.65	6	<.5	<.2	5	14	<.2	<.2	2	52	.21	.014	15	42	.45	162	.11	4	1.54	.01	.05	<.2
BO-95-SO-11	1	30	18	63	<.3	47	11	235	3.25	13	<.5	<.2	8	18	<.2	3	2	59	.28	.034	21	52	.61	184	.12	5	1.87	.01	.09	<.2
BO-95-SO-12	1	15	8	43	<.3	29	6	294	1.87	7	5	<.2	2	274	.2	<.2	<.2	34	6.03	.036	14	27	.37	255	.03	3	1.30	.01	.05	<.2
BO-95-SO-13	<.1	22	12	82	<.3	28	9	372	2.19	4	5	<.2	3	29	.2	<.2	<.2	38	.55	.051	18	32	.46	245	.05	4	1.38	.01	.05	<.2
BO-95-SO-14	1	14	9	61	<.3	45	10	401	2.83	9	<.5	<.2	5	17	<.2	<.2	<.2	46	.32	.088	15	42	.69	155	.10	4	1.35	.01	.11	<.2
RE BO-95-SO-14	1	14	9	57	<.3	41	10	379	2.70	6	<.5	<.2	5	16	.3	<.2	<.2	46	.31	.081	14	42	.65	146	.09	3	1.25	.01	.10	<.2
BO-95-SO-15	1	12	10	83	<.3	37	9	260	2.66	5	<.5	<.2	5	15	.5	2	<.2	46	.27	.121	14	40	.49	186	.08	5	1.42	.01	.10	<.2
BO-95-SO-16	1	11	8	69	<.3	33	8	288	2.32	4	<.5	<.2	5	13	<.2	<.2	<.2	36	.22	.069	15	33	.43	166	.08	3	1.20	.01	.10	<.2
BO-95-SO-17	1	7	7	55	<.3	20	7	217	2.15	4	<.5	<.2	5	14	<.2	<.2	<.2	33	.19	.031	16	26	.34	160	.07	4	1.11	.01	.14	<.2
BO-95-SO-18	1	14	10	52	<.3	34	10	291	2.84	8	<.5	<.2	7	17	<.2	<.2	<.2	43	.24	.061	21	35	.45	220	.08	4	1.53	.01	.07	<.2
BO-95-SO-19	1	14	10	61	<.3	31	10	254	2.75	7	<.5	<.2	6	15	<.2	<.2	<.2	41	.20	.052	19	35	.48	196	.07	4	1.57	.01	.07	<.2
BO-95-SO-20	1	16	11	59	<.3	39	11	261	3.09	12	<.5	<.2	7	15	<.2	2	<.2	46	.22	.071	21	39	.53	199	.08	4	1.75	.01	.07	<.2
BO-95-SO-21	1	9	11	89	<.3	28	10	330	2.54	3	<.5	<.2	4	14	.4	<.2	<.2	46	.20	.025	15	35	.44	252	.10	4	1.51	.01	.06	<.2
BO-95-SO-22	1	12	15	53	<.3	32	9	243	2.78	9	<.5	<.2	6	13	<.2	3	<.2	42	.21	.043	19	36	.46	175	.08	4	1.52	.01	.07	2
BO-95-SO-23	1	12	11	78	<.3	27	9	238	2.73	5	<.5	<.2	5	15	<.2	<.2	<.2	49	.22	.047	19	38	.48	203	.09	3	1.61	.01	.07	<.2
BO-95-SO-24	1	6	8	94	<.3	15	8	412	2.06	4	<.5	<.2	4	12	.4	<.2	<.2	40	.18	.052	16	28	.30	184	.06	4	1.12	.01	.06	<.2
BO-95-SO-25	1	10	11	78	<.3	22	8	218	2.66	7	<.5	<.2	6	14	<.2	<.2	<.2	48	.22	.082	20	31	.37	205	.06	5	1.41	.01	.06	<.2
BO-95-SO-26	1	12	9	87	<.3	26	9	602	2.50	5	<.5	<.2	5	14	<.2	<.2	<.2	45	.21	.088	20	32	.42	235	.06	3	1.57	.01	.06	<.2
BO-95-SO-27	1	12	9	85	<.3	31	10	425	2.67	9	5	<.2	6	15	<.2	<.2	<.2	43	.24	.113	20	37	.47	194	.07	4	1.53	.01	.06	<.2
BO-95-SO-28	1	11	8	96	<.3	29	11	370	2.81	9	<.5	<.2	6	17	<.2	2	<.2	46	.29	.092	20	34	.46	224	.07	4	1.59	.01	.08	<.2
BO-95-SO-29	1	9	10	76	<.3	18	7	395	2.08	4	<.5	<.2	5	10	.3	<.2	<.2	39	.15	.064	21	26	.31	216	.04	4	.98	.01	.06	<.2
BO-95-SO-30	1	9	10	75	<.3	20	8	216	2.12	5	<.5	<.2	4	14	<.2	<.2	<.2	40	.21	.046	18	29	.36	198	.05	3	1.26	.01	.06	<.2
BO-95-SO-31	1	9	9	58	<.3	25	8	237	2.52	7	<.5	<.2	5	14	<.2	<.2	<.2	42	.21	.042	19	32	.46	161	.08	4	1.30	.01	.09	<.2
BO-95-SO-32	1	7	6	69	<.3	20	9	285	2.30	6	<.5	<.2	5	13	<.2	2	<.2	43	.21	.034	18	29	.38	218	.07	4	1.16	.01	.07	<.2
BO-95-SO-33	1	11	7	59	<.3	26	8	205	2.43	7	<.5	<.2	6	16	<.2	2	<.2	38	.25	.037	19	32	.45	135	.08	5	1.16	.01	.09	<.2
BO-95-SO-34	1	8	9	77	<.3	23	7	299	2.13	8	<.5	<.2	4	14	<.2	<.2	2	38	.21	.070	16	27	.35	191	.05	4	1.03	.01	.07	<.2
STANDARD C	20	60	38	125	7.2	74	31	1084	3.94	43	18	8	38	44	18.2	19	17	64	.48	.094	38	58	.87	169	.08	30	1.85	.05	.14	10

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA Tl B W AND LIMITED FOR NA K AND AL.
- SAMPLE TYPE: SOIL Samples beginning 'RE' are Retruns and 'RRE' are Reject Retruns.

DATE RECEIVED: AUG 3 1995 DATE REPORT MAILED: Aug 11/95 SIGNED BY: [Signature] D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

P.03/03



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	N ppm
BO-95-SO-35	1	4	4	111	<.3	14	7	355	1.71	6	<5	<2	4	14	.6	<2	<2	37	.19	.055	15	24	.25	175	.05	<3	.79	.01	.06	<2
BO-95-SO-36	1	6	4	85	<.3	17	6	181	1.73	8	<5	<2	5	14	.6	<2	<2	34	.18	.038	16	25	.33	167	.05	<3	.86	.01	.06	<2
BO-95-SO-37	1	7	5	89	<.3	17	7	325	1.68	7	<5	<2	3	17	.3	<2	<2	32	.23	.084	14	24	.31	202	.04	<3	.78	.01	.07	<2
RE BO-95-SO-37	1	7	6	87	<.3	17	7	303	1.65	8	<5	<2	3	16	.3	<2	<2	31	.22	.081	14	23	.30	191	.04	<3	.75	.01	.07	<2
BO-95-SO-38	1	8	6	77	<.3	21	8	220	1.98	9	<5	<2	6	18	.2	<2	<2	38	.25	.069	16	27	.40	171	.05	<3	.97	.01	.06	<2
BO-95-SO-39	1	6	6	86	<.3	20	7	170	1.99	6	<5	<2	4	16	.4	<2	<2	43	.25	.038	12	28	.33	207	.06	<3	1.23	.01	.06	<2
BO-95-SO-40	1	8	8	64	<.3	15	7	423	2.35	10	<5	<2	2	13	.5	<2	<2	39	.18	.048	13	21	.23	208	.03	<3	.75	.01	.07	<2
BO-95-SO-41	1	6	6	72	<.3	20	7	168	2.03	8	<5	<2	5	13	.6	<2	<2	42	.16	.027	16	27	.35	165	.06	<3	1.03	.01	.06	<2
BO-95-SO-42	1	9	7	57	<.3	25	7	156	2.26	10	<5	<2	5	16	.5	<2	<2	44	.18	.027	18	31	.41	205	.06	<3	1.10	.01	.06	<2
BO-95-SO-43	1	5	8	49	<.3	10	5	225	1.23	6	<5	<2	2	12	.5	<2	<2	35	.14	.025	12	17	.16	225	.03	<3	.67	.01	.06	<2
BO-95-SO-44	1	10	10	92	<.3	34	9	255	2.36	12	<5	<2	5	17	.5	<2	<2	43	.20	.036	15	32	.41	271	.07	<3	1.23	.01	.07	<2
BO-95-SO-45	2	19	13	70	<.3	24	9	433	2.45	14	<5	<2	4	18	.3	<2	<2	32	.24	.041	16	17	.22	286	.02	<3	.72	.01	.07	<2
BO-95-SO-46	2	21	12	84	.4	27	10	278	2.13	15	<5	<2	3	24	.2	<2	<2	60	.28	.051	11	23	.27	585	.01	3	1.05	.01	.09	<2
BO-95-SO-47	<1	2	<3	17	<.3	3	1	129	.08	6	<5	<2	<2	317	.4	<2	<2	3	32.71	.010	<1	3	.40	55	<.04	<3	.08	.01	.01	<2
BO-95-SO-48	1	17	10	111	<.3	32	8	215	2.44	9	<5	<2	5	29	.3	<2	<2	42	.39	.061	15	27	.49	542	.02	3	1.18	.01	.09	<2
BO-95-SO-49	1	11	13	123	<.3	15	8	256	2.06	9	<5	<2	<2	23	1.0	<2	<2	48	.76	.059	10	23	.24	224	.03	<3	.83	.01	.07	<2
BO-95-SO-50	1	12	8	77	<.3	13	6	135	1.60	10	<5	<2	2	17	.4	2	<2	38	.21	.044	9	15	.14	258	.01	<3	.63	.01	.05	<2
STANDARD C	19	61	38	127	7.2	72	34	1096	3.65	40	20	7	40	56	19.8	18	20	65	.51	.095	41	61	.93	188	.08	29	1.72	.06	.15	9

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

504 253 1716 TO 6890288

AUG 11'95 16:01 FR ACME LABS

P. 02/02
 B04 250 1716 TO KRL RESOURCES
 AUG 11 '95 16:52 FR ACME LABS



GEOCHEMICAL ANALYSIS CERTIFICATE



KRL Resources Corp. File # 95-2756
 1022 - 470 Granville St., Vancouver BC V6C 1V5 Submitted by: E. Livgard

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Hg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
80-95-SO-51	1	15	12	71	<.3	23	8	132	2.21	10	<5	<2	3	19	.2	<2	<2	50	.20	.037	12	24	.25	357	.02	4	1.02	.01	.07	<2
80-95-SO-52	1	5	7	53	<.3	12	5	158	1.56	3	<5	<2	<2	18	.2	<2	<2	42	.27	.029	12	23	.22	249	.03	3	.91	.01	.05	<2
80-95-SO-53	1	7	8	60	<.3	13	5	130	1.79	6	<5	<2	<2	12	.5	<2	<2	46	.15	.022	13	22	.17	182	.04	5	.80	.01	.07	<2
80-95-SO-55	2	11	9	78	<.3	16	7	388	2.11	8	<5	<2	<2	17	.3	<2	<2	48	.21	.050	13	22	.21	294	.03	4	1.02	.01	.08	<2
80-95-SO-59	1	11	12	85	<.3	22	7	153	2.47	9	<5	<2	3	12	<.2	2	<2	51	.14	.049	18	31	.32	220	.04	4	1.39	.01	.07	<2
80-95-SO-60	1	13	12	66	<.3	32	8	233	2.22	9	<5	<2	4	13	<.2	2	<2	39	.17	.060	17	33	.37	218	.04	6	1.24	.01	.07	<2
80-95-SO-61	1	15	8	88	<.3	32	8	340	2.35	9	<5	<2	4	18	<.2	2	2	42	.25	.055	19	33	.45	297	.06	4	1.33	.01	.06	<2
80-95-SO-66	2	15	14	182	<.3	19	9	497	2.16	6	<5	<2	<2	15	1.2	<2	<2	43	.17	.092	17	26	.27	310	.02	5	1.04	.01	.09	<2
RE 80-95-SO-66	1	15	13	185	<.3	21	9	507	2.18	5	<5	<2	<2	15	1.3	<2	<2	45	.18	.093	16	28	.28	313	.02	4	1.05	.01	.09	<2
80-95-SO-67	1	11	7	63	<.3	25	7	157	2.02	6	<5	<2	4	15	<.2	<2	<2	37	.18	.055	18	33	.30	268	.03	5	.97	.01	.10	<2
80-95-SO-81	4	85	16	199	.7	57	20	573	2.92	25	<5	<2	2	54	1.0	4	<2	49	1.03	.074	16	23	.47	521	.02	9	.99	.01	.15	<2
80-95-SO-82	2	30	13	96	<.3	35	12	371	2.27	18	<5	<2	4	32	<.2	<2	<2	41	.48	.049	15	22	.38	299	.04	6	.80	.01	.09	<2
80-95-SO-83	2	43	15	131	<.3	38	18	619	2.30	18	<5	<2	<2	56	.3	4	<2	45	1.23	.053	14	21	.56	416	.02	6	.85	.01	.13	<2
80-95-SO-84	3	47	18	158	.3	42	13	322	2.83	20	<5	<2	3	32	.3	3	<2	54	.46	.070	15	23	.30	317	.02	5	.78	.01	.10	<2
80-95-SO-86	<1	19	7	72	<.3	21	7	307	1.73	5	<5	<2	3	65	<.2	3	2	23	1.77	.064	16	18	.62	314	.02	4	.81	.01	.07	<2
80-95-SO-87	1	44	13	118	.3	33	11	369	2.30	13	<5	<2	4	56	.6	2	<2	36	1.26	.066	16	21	.54	353	.03	5	.86	.01	.11	<2
80-95-SO-88	2	64	16	161	.6	50	15	741	3.13	28	<5	<2	3	73	.8	4	<2	45	1.53	.069	16	25	.81	491	.02	8	1.10	.01	.15	<2
80-95-SO-89	1	37	18	137	.3	51	13	660	3.28	18	<5	<2	6	54	.4	3	<2	39	1.07	.074	26	33	.97	307	.05	5	1.58	.02	.15	<2
80-95-SO-90	2	46	25	153	.5	60	16	786	3.68	23	<5	<2	7	61	.3	5	<2	43	1.14	.072	26	37	1.02	365	.05	7	1.77	.02	.18	<2
80-95-SO-95	2	12	7	70	<.3	18	7	274	1.50	4	<5	<2	3	78	.6	<2	<2	19	1.84	.057	8	15	.38	166	.01	7	.74	.01	.08	<2
80-95-SO-96	1	17	11	64	<.3	33	8	364	1.84	10	<5	<2	5	63	<.2	2	<2	24	2.26	.056	17	24	.95	223	.05	3	.82	.01	.09	<2
80-95-SO-97	1	21	10	65	<.3	30	8	373	1.95	5	<5	<2	6	25	<.2	<2	<2	24	.40	.044	17	20	.48	194	.04	<3	.88	.01	.07	<2
80-95-SO-98	2	39	24	258	.3	50	16	785	3.51	15	<5	<2	6	58	2.8	5	3	42	.94	.064	20	29	.62	459	.01	7	1.80	.02	.17	<2
80-95-SO-107	<1	28	20	153	<.3	36	11	165	2.84	4	<5	<2	5	56	.7	2	<2	35	.83	.063	21	30	.67	351	.03	6	1.56	.02	.12	<2
80-95-SO-109	<1	34	15	146	<.3	35	7	128	1.88	2	<5	<2	4	104	1.0	3	<2	29	1.93	.067	13	28	.65	378	.02	8	1.42	.03	.17	<2
80-95-SO-116	1	12	8	71	<.3	20	5	146	1.69	3	<5	<2	4	17	.6	<2	<2	32	.20	.036	15	24	.21	228	.06	3	.70	.01	.08	<2
80-95-SO-121	2	22	8	115	<.3	27	8	258	2.05	7	<5	<2	4	20	.5	2	<2	42	.19	.047	14	26	.22	296	.06	4	.78	.01	.09	<2
80-95-SO-131	1	12	8	76	<.3	23	6	142	1.77	6	<5	<2	3	15	.2	<2	<2	32	.17	.073	13	22	.26	191	.04	5	.80	.01	.06	<2
80-95-SO-138	1	7	5	58	<.3	18	4	144	1.46	4	<5	<2	3	14	<.2	<2	<2	29	.16	.029	12	19	.18	211	.05	5	.66	.01	.07	<2
80-95-SO-146	<1	6	6	65	<.3	19	5	261	1.39	3	<5	<2	3	16	<.2	<2	<2	28	.22	.031	13	19	.19	214	.04	6	.73	.01	.09	<2
80-95-SO-147	1	9	7	56	<.3	20	5	228	1.47	4	<5	<2	4	15	<.2	<2	2	28	.21	.036	14	20	.23	198	.05	4	.68	.01	.07	<2
80-95-SO-150	<1	3	6	58	<.3	12	4	333	1.14	3	<5	<2	2	14	.2	<2	<2	24	.17	.059	11	17	.15	255	.04	3	.59	.01	.06	<2
80-95-SO-156	1	10	10	50	<.3	23	6	166	1.59	8	<5	<2	4	15	<.2	<2	<2	31	.18	.031	16	22	.23	181	.05	3	.71	.01	.10	<2
STANDARD C	18	59	35	125	6.8	66	30	1054	3.80	43	15	7	35	48	17.2	19	22	60	.49	.091	40	59	.88	172	.09	30	1.88	.06	.16	11

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 - SAMPLE TYPE: SOIL Samples beginning 'RE' are Retruns and 'RRE' are Reject Retruns.

DATE RECEIVED: AUG 8 1995 DATE REPORT MAILED: *Aug 11/95* SIGNED BY: *C. L...* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS



GEOCHEMICAL ANALYSIS CERTIFICATE



KRL Resources Corp. File # 95-2745 Page 1
 1022 - 470 Granville St. Vancouver BC V6C 1V5 Submitted by: E. Livgard

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	N ppm
BO-95-SO-56	1	7	14	93	<.3	15	8	558	2.11	11	5	<2	<2	14	.6	2	<2	46	.22	.043	14	26	.25	347	.04	4	1.07	.01	.05	<2
BO-95-SO-57	1	11	18	100	<.3	23	8	222	2.30	11	<5	<2	3	12	.6	<2	<2	44	.16	.052	16	29	.30	317	.04	<3	1.13	<.01	.05	<2
BO-95-SO-58	1	8	12	82	<.3	16	8	192	1.97	8	<5	<2	2	14	.8	<2	<2	44	.20	.034	12	21	.19	293	.02	<3	.89	.01	.07	<2
BO-95-SO-62	1	10	7	83	<.3	20	7	190	1.88	6	<5	<2	2	12	.5	<2	4	35	.16	.035	14	26	.27	337	.03	4	.91	<.01	.06	<2
BO-95-SO-65	1	10	11	63	<.3	23	7	148	2.02	7	<5	<2	3	13	.6	<2	<2	37	.16	.030	15	28	.32	287	.04	<3	1.08	<.01	.06	<2
BO-95-SO-68	2	13	16	80	<.3	19	8	225	1.88	13	6	<2	2	14	.6	2	2	40	.18	.033	13	20	.22	364	.02	<3	.88	.01	.07	<2
BO-95-SO-71	2	11	12	97	<.3	25	10	383	2.14	11	<5	<2	2	18	.3	<2	<2	42	.24	.043	13	21	.25	312	.03	6	.92	.01	.08	<2
BO-95-SO-72	2	13	15	113	<.3	22	10	366	2.29	6	<5	<2	3	14	.9	2	2	45	.18	.084	14	25	.25	285	.03	<3	.97	.01	.07	<2
BO-95-SO-73	3	25	15	133	<.3	30	13	303	2.26	18	<5	<2	3	18	.8	3	<2	41	.21	.084	12	20	.23	288	.02	<3	.73	.01	.06	<2
BO-95-SO-74	3	35	14	122	<.3	40	14	386	2.49	16	<5	<2	4	20	.9	2	2	49	.24	.041	15	24	.28	418	.02	3	1.01	.01	.07	<2
BO-95-SO-75	2	27	14	100	<.3	34	12	290	2.27	9	<5	<2	4	17	.5	<2	<2	39	.21	.044	14	21	.25	325	.03	5	.75	.01	.08	<2
BO-95-SO-76	3	28	17	119	<.3	24	13	382	2.18	14	5	<2	5	21	.6	2	2	38	.24	.084	14	21	.26	240	.03	3	.62	.01	.06	<2
RE BO-95-SO-76	3	29	17	122	<.3	26	14	388	2.23	14	<5	<2	4	21	.8	<2	2	38	.25	.085	15	21	.27	247	.03	<3	.64	<.01	.06	<2
BO-95-SO-77	1	22	16	90	<.3	29	9	327	2.17	9	7	<2	4	23	.5	<2	<2	37	.32	.048	17	26	.33	262	.02	3	.76	.01	.08	<2
BO-95-SO-78	3	28	14	92	<.3	28	8	263	1.88	11	<5	<2	4	23	.7	<2	<2	34	.28	.037	14	20	.27	277	.03	4	.51	<.01	.06	<2
BO-95-SO-79	2	22	17	102	<.3	23	13	308	1.95	17	7	<2	3	24	.6	<2	7	36	.34	.038	12	22	.29	261	.03	3	.57	.01	.08	<2
BO-95-SO-80	2	27	15	108	<.3	33	11	551	1.91	13	<5	<2	<2	38	1.2	<2	3	39	.76	.055	14	25	.32	470	.03	3	.64	.01	.07	<2
BO-95-SO-92	2	28	12	124	<.3	34	10	444	2.68	12	<5	<2	2	62	1.3	<2	<2	32	1.19	.072	18	27	.65	314	.02	4	1.26	.02	.13	<2
BO-95-SO-93	3	21	15	78	<.3	32	9	233	2.49	13	<5	<2	3	61	.7	2	3	35	1.21	.041	17	27	.69	241	.02	<3	1.41	.02	.08	<2
BO-95-SO-94	2	21	16	83	<.3	24	9	275	1.99	13	9	<2	2	85	1.2	2	<2	26	1.60	.056	12	21	.59	256	.02	<3	.99	.02	.08	<2
BO-95-SO-100	3	31	24	199	<.3	38	14	609	3.21	19	7	<2	4	58	2.0	2	7	36	.99	.061	18	28	.63	462	.02	<3	1.43	.02	.13	<2
BO-95-SO-104	2	22	14	127	<.3	26	8	258	2.21	13	<5	<2	4	24	1.0	3	<2	32	.29	.058	14	23	.28	200	.03	<3	.55	.01	.05	<2
BO-95-SO-105	1	20	13	85	<.3	23	7	221	1.69	5	5	<2	4	21	.7	2	<2	29	.23	.038	14	20	.25	216	.04	3	.55	.01	.06	<2
BO-95-SO-110	2	31	22	123	<.3	48	15	828	3.22	18	<5	<2	7	35	1.2	<2	5	38	.47	.056	28	34	.69	317	.04	<3	1.44	.02	.10	<2
BO-95-SO-122	2	13	10	128	.3	27	9	326	2.13	7	7	<2	4	18	.6	<2	<2	40	.25	.034	14	26	.25	293	.05	<3	.95	.01	.12	<2
BO-95-SO-123	1	8	8	81	<.3	19	5	222	1.53	5	<5	<2	3	12	.4	<2	5	29	.16	.033	13	20	.21	234	.03	<3	.72	.01	.08	<2
BO-95-SO-126	1	11	9	90	<.3	19	8	186	1.79	8	<5	<2	3	10	.4	<2	<2	35	.11	.056	12	22	.20	174	.03	<3	.96	<.01	.04	<2
BO-95-SO-127	1	10	9	74	<.3	16	5	154	1.72	5	<5	<2	3	14	.2	<2	<2	34	.17	.056	14	22	.20	167	.03	4	.84	.01	.04	<2
BO-95-SO-132	1	17	10	70	<.3	21	7	236	1.74	4	<5	<2	3	17	.2	2	<2	29	.20	.048	15	23	.28	185	.04	<3	.64	.01	.05	<2
BO-95-SO-133	1	14	7	72	<.3	34	7	193	2.00	11	7	<2	4	14	.4	<2	<2	33	.17	.051	15	28	.35	216	.04	4	.89	.01	.05	<2
BO-95-SO-135	1	15	9	76	<.3	25	7	219	1.83	9	<5	<2	3	13	.3	<2	2	29	.14	.064	13	23	.31	203	.02	3	.83	.01	.06	<2
BO-95-SO-136	1	16	11	77	<.3	27	8	196	1.94	9	<5	<2	3	17	.6	<2	<2	33	.19	.070	13	25	.30	201	.03	<3	.74	.01	.05	<2
BO-95-SO-137	1	9	7	49	<.3	18	5	147	1.56	<2	<5	<2	2	10	<.2	2	<2	31	.12	.021	11	23	.22	229	.02	<3	.69	.01	.06	<2
BO-95-SO-139	3	34	13	138	<.3	31	8	254	2.35	11	<5	<2	4	37	1.2	2	<2	36	.39	.066	14	25	.25	272	.03	8	.55	.01	.09	<2
BO-95-SO-143	1	17	11	78	<.3	25	7	442	1.91	7	<5	<2	2	45	.8	<2	3	33	1.25	.060	14	25	.67	307	.05	<3	.70	.02	.09	<2
STANDARD C	18	57	35	121	6.8	66	31	1115	3.70	43	19	6	35	49	17.0	18	20	60	.49	.090	42	60	.90	182	.08	29	1.77	.06	.15	10

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 - SAMPLE TYPE: SOIL Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns

DATE RECEIVED: AUG 8 1995

DATE REPORT MAILED: Aug 12/95

SIGNED BY: *C. Hoy* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

P. 04/10
 604 253 1716 TO KRL RESOURCES
 1995 14:05 FR ACME LABS

GEOCHEMICAL ANALYSIS CERTIFICATE

KRL Resources Corp. File # 95-2748 Page 1
 1022 - 470 Granville St., Vancouver BC V6C 1V5 Submitted by: E. Livgard



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	
BO-95-SO-54	1	7	8	67	<.3	9	5	238	1.64	6	<.5	<.2	2	9	.5	<.2	6	43	.09	.037	11	17	.10	162	.03	4	.70	.01	.06	<.2
RE BO-95-SO-54	1	6	9	66	<.3	8	3	237	1.64	<.2	<.5	<.2	<.2	9	.8	3	3	43	.09	.038	12	16	.10	158	.04	4	.71	.01	.06	<.2
BO-95-SO-63	1	13	10	149	<.3	26	10	631	2.40	5	<.5	<.2	3	14	.2	<.2	4	44	.18	.078	13	27	.28	448	.05	3	1.23	.01	.08	<.2
BO-95-SO-64	1	15	10	94	<.3	28	7	358	2.26	5	<.5	<.2	3	14	.6	<.2	<.2	40	.18	.054	15	28	.28	301	.04	<.3	.92	.01	.10	<.2
BO-95-SO-70	2	13	14	90	<.3	23	11	466	2.23	8	8	<.2	3	17	.3	3	7	42	.22	.040	13	23	.24	314	.03	4	.87	.01	.08	<.2
BO-95-SO-85	1	35	19	164	.3	48	14	747	3.38	12	<.5	<.2	5	49	1.4	<.2	6	39	.87	.056	24	35	.79	386	.04	3	1.67	.02	.14	<.2
BO-95-SO-91	2	28	17	144	<.3	36	11	424	2.79	10	13	<.2	3	92	.6	3	<.2	32	1.69	.079	19	29	.77	294	.03	4	1.37	.01	.12	<.2
BO-95-SO-101	1	30	16	132	<.3	30	7	151	1.93	4	<.5	<.2	3	70	.8	<.2	2	24	1.56	.061	11	24	.61	182	.02	6	1.07	.02	.10	<.2
BO-95-SO-102	1	31	25	282	.3	43	14	1001	3.21	11	<.5	<.2	6	89	4.5	2	<.2	40	1.53	.041	19	28	.77	842	.02	8	1.77	.03	.21	<.2
BO-95-SO-103	2	15	10	130	<.3	23	8	283	1.93	7	<.5	<.2	3	26	1.2	2	4	35	.31	.059	13	22	.27	217	.04	<.3	.63	.01	.06	<.2
BO-95-SO-106	1	19	12	88	<.3	21	4	103	1.17	<.2	<.5	<.2	<.2	185	1.3	<.2	4	14	3.85	.075	4	12	.45	352	.01	11	.61	.01	.08	<.2
BO-95-SO-108	2	33	23	177	<.3	48	14	666	3.44	16	9	<.2	6	43	.8	<.2	<.2	42	.61	.066	24	36	.70	451	.04	<.3	1.64	.02	.14	<.2
BO-95-SO-111	2	26	15	137	<.3	36	11	519	3.00	10	<.5	<.2	6	33	.8	2	4	39	.42	.061	23	32	.63	394	.04	3	1.51	.02	.12	<.2
BO-95-SO-112	2	29	16	119	<.3	42	12	557	3.16	13	<.5	<.2	6	36	.6	2	5	37	.54	.061	25	33	.71	347	.04	3	1.51	.02	.11	<.2
BO-95-SO-113	2	42	16	254	<.3	47	14	796	3.35	18	6	<.2	4	48	3.0	2	<.2	39	.93	.103	23	33	.66	510	.03	6	1.64	.02	.15	<.2
BO-95-SO-114	1	10	9	126	<.3	20	6	306	1.71	2	<.5	<.2	2	22	1.1	<.2	6	32	.27	.043	10	18	.22	315	.03	<.3	.78	.01	.08	<.2
BO-95-SO-115	1	11	8	75	<.3	21	6	188	1.74	6	<.5	<.2	4	16	.5	<.2	<.2	32	.19	.033	13	23	.22	223	.05	3	.62	.01	.10	<.2
BO-95-SO-117	1	8	8	73	<.3	17	5	219	1.60	2	6	<.2	4	14	<.2	2	7	30	.17	.041	12	21	.18	204	.04	<.3	.65	.01	.06	<.2
BO-95-SO-118	1	9	4	61	<.3	18	5	117	1.54	4	8	<.2	3	14	.6	2	<.2	28	.16	.026	11	21	.19	183	.05	<.3	.59	.01	.06	<.2
BO-95-SO-119	1	14	8	72	<.3	19	6	154	1.82	2	<.5	<.2	3	15	.2	2	<.2	36	.18	.028	13	26	.19	246	.05	<.3	.61	<.01	.06	<.2
BO-95-SO-120	2	13	8	87	<.3	19	6	122	1.82	8	<.5	<.2	2	16	.4	<.2	<.2	38	.18	.031	10	21	.18	245	.04	5	.64	.01	.06	<.2
BO-95-SO-124	2	14	7	96	.4	20	6	203	1.80	4	<.5	<.2	3	15	.5	2	3	37	.17	.063	11	24	.21	246	.03	<.3	.88	<.01	.04	<.2
BO-95-SO-125	1	8	6	78	<.3	12	7	176	1.68	5	7	<.2	2	10	<.2	3	2	39	.12	.055	13	25	.18	185	.04	<.3	1.07	.01	.04	<.2
BO-95-SO-128	2	27	14	89	<.3	21	8	259	2.12	7	<.5	<.2	2	69	.6	2	2	35	.96	.070	17	24	.42	390	.03	<.3	.99	.01	.08	<.2
BO-95-SO-129	1	13	11	84	<.3	25	7	192	2.16	5	<.5	<.2	4	15	<.2	2	<.2	38	.18	.061	16	28	.30	226	.05	<.3	1.05	.01	.05	<.2
BO-95-SO-130	2	27	9	91	<.3	33	8	301	2.34	10	<.5	<.2	5	20	.2	<.2	<.2	35	.23	.055	19	30	.37	267	.05	7	.82	.01	.08	<.2
BO-95-SO-134	1	13	10	100	<.3	26	8	178	2.11	15	<.5	<.2	4	14	.7	<.2	<.2	37	.17	.057	15	30	.31	238	.05	4	1.03	<.01	.05	<.2
BO-95-SO-140	2	22	11	93	<.3	25	6	232	1.98	6	<.5	<.2	3	33	<.2	2	<.2	33	.70	.049	12	25	.36	285	.04	<.3	.60	.01	.08	<.2
BO-95-SO-141	1	11	15	99	<.3	18	6	189	1.75	10	8	<.2	2	38	.4	2	4	30	.62	.057	13	22	.33	258	.03	4	.67	.01	.08	<.2
BO-95-SO-142	1	12	9	110	<.3	19	7	389	1.75	6	<.5	<.2	3	21	.9	<.2	<.2	32	.32	.075	13	23	.25	294	.03	<.3	.74	.01	.08	<.2
BO-95-SO-144	1	25	13	102	.3	20	6	398	1.75	2	<.5	<.2	2	29	.6	<.2	3	33	.30	.073	12	21	.22	422	.03	5	.78	.01	.08	<.2
BO-95-SO-145	1	22	10	85	<.3	30	8	432	2.43	13	<.5	<.2	3	59	.5	<.2	<.2	36	1.55	.070	14	29	.79	345	.05	<.3	.76	.02	.13	<.2
BO-95-SO-148	1	7	7	68	<.3	15	5	178	1.50	6	<.5	<.2	3	12	.6	<.2	3	29	.17	.052	13	21	.23	185	.04	<.3	.70	.01	.06	<.2
BO-95-SO-149	1	11	8	61	<.3	20	7	366	1.53	5	<.5	<.2	2	19	.2	<.2	6	29	.31	.044	12	22	.21	207	.04	3	.60	.01	.08	<.2
BO-95-SO-151	1	4	8	82	<.3	11	5	372	1.38	<.2	5	<.2	2	12	.6	<.2	3	28	.18	.068	11	19	.19	202	.03	<.3	.68	.01	.06	<.2
STANDARD C	19	57	37	126	7.1	69	32	1132	3.95	43	23	6	37	51	17.3	18	21	63	.52	.093	40	63	.95	176	.09	26	1.89	.06	.16	9

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 - SAMPLE TYPE: SOIL Samples beginning 'RE' are Reruns and 'BRE' are Reject Reruns.

DATE RECEIVED: AUG 8 1995 DATE REPORT MAILED: *Aug 12/95* SIGNED BY: *C. Leong* .D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

P.06/10
 604 253 1716 TO KRL RESOURCES
 14'95 14:06 FR ACME LABS

P. 07/10
 604 253 1716 TO KRL RESOURCES
 AUG 14'95 14:07 FR ACME LABS



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	V ppm
BO-95-SO-152	1	5	9	99	.4	13	5	282	1.51	<2	<5	<2	3	18	.6	<2	<2	30	.25	.090	12	20	.23	202	.03	4	.78	.01	.07	<2
BO-95-SO-153	1	7	6	68	.3	15	5	189	1.51	6	<5	<2	5	18	<2	<2	<2	28	.24	.074	15	21	.27	172	.04	<3	.67	.01	.07	<2
BO-95-SO-154	1	5	8	47	<.3	15	5	181	1.44	2	<5	<2	4	12	<.2	<2	<2	29	.15	.035	13	21	.21	121	.04	<3	.64	.01	.07	<2
RE BO-95-SO-154	1	7	7	49	<.3	17	4	181	1.44	<2	<5	<2	4	12	<.2	<2	<2	29	.15	.035	13	20	.21	126	.04	7	.64	.01	.07	<2
BO-95-SO-155	1	5	9	46	<.3	13	5	165	1.45	<2	<5	<2	4	13	<.2	<2	<2	28	.17	.022	13	20	.19	169	.05	4	.62	.01	.07	<2
BO-95-SO-159	1	5	8	70	<.3	13	5	193	1.30	4	<5	<2	3	19	.7	<2	<2	25	.43	.026	10	18	.25	148	.04	4	.57	.01	.06	<2
BO-95-SO-160	2	28	15	141	<.3	33	12	238	2.31	17	<5	<2	5	37	.7	3	<2	40	.31	.068	20	18	.32	781	.01	6	.88	.01	.08	<2
BO-95-SO-161	3	32	10	145	.3	29	10	196	2.37	8	<5	<2	5	35	.5	3	<2	39	.25	.065	16	16	.27	733	.01	<3	.72	.01	.07	<2
BO-95-NO NUMBER	3	29	12	156	.3	30	9	333	2.61	12	<5	<2	5	31	1.1	3	<2	40	.21	.065	18	19	.31	726	.01	3	.86	.01	.08	<2
BO-95-NO NUMBER Dup.	1	14	5	32	<.3	19	2	151	.75	3	<5	<2	<2	217	1.0	<2	<2	5	17.83	.061	1	8	.25	316	<.01	13	.19	.02	.04	<2
STANDARD C	19	63	36	131	7.4	71	32	1049	3.91	42	17	7	40	54	18.2	15	18	66	.53	.091	43	64	.94	189	.09	26	1.94	.07	.17	11

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

P.05/10
 604 253 1716 TO KRL RESOURCES
 1'95 14:06 FR ACME LABS



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
BO-95-SD-157	1	7	9	45	<.3	14	5	252	1.38	4	<5	<2	2	12	.6	<2	<2	24	.18	.040	11	17	.23	172	.04	<3	.52	.01	.06	<2
BO-95-SD-158	1	5	9	52	<.3	14	5	185	1.27	2	<5	<2	2	10	.7	<2	<2	23	.14	.018	8	17	.18	159	.03	4	.58	<.01	.06	<2
NO NUMBER	2	9	11	69	<.3	17	7	321	1.84	9	<5	<2	2	13	<.2	<2	<2	34	.18	.037	10	17	.20	300	.02	5	.75	.01	.07	<2

Sample type: SOIL.

P.02/10

604 250 1716 TO KRL RESOURCES

1995 14:00 FR ACME LABS

A



GRIP

GEOCHEMICAL ANALYSIS CERTIFICATE

KRL Resources Corp. PROJECT J.P. CLAIMS File # 95-2744 Page 1

1022 - 470 Granville St., Vancouver, BC V6C 1V5 Submitted by: E. Llygard



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm
L1-75	1	16	13	167	<.3	21	8	200	2.07	9	<.5	<.2	6	33	.7	<.2	<.2	33	.33	.103	23	22	.28	752	.03	5	1.06	.01	.10	<.2
L1-125	3	62	19	173	<.3	43	9	273	2.74	14	<.5	<.2	8	50	.7	2	<.2	30	.32	.091	30	18	.31	800	.02	<.3	.98	.01	.15	<.2
L1-175	3	46	22	167	<.3	35	9	247	2.48	14	<.5	<.2	6	42	.8	<.2	<.2	27	.41	.088	29	16	.22	892	.02	4	.77	.01	.12	<.2
L1-225	2	13	16	97	<.3	17	5	117	1.78	10	<.5	<.2	3	22	.5	<.2	5	28	.22	.063	25	19	.25	396	.03	3	.88	<.01	.07	<.2
L1-275	1	10	12	119	<.3	18	6	202	2.02	9	<.5	<.2	6	21	.7	<.2	<.2	32	.31	.063	22	26	.43	471	.05	<.3	1.18	.01	.06	<.2
L2-75	2	13	9	84	<.3	22	6	162	2.00	8	<.5	<.2	6	21	.2	<.2	<.2	31	.27	.071	22	25	.40	330	.05	3	.94	.01	.07	<.2
L2-125	1	28	16	154	.5	32	8	546	1.86	5	<.5	<.2	2	46	1.3	<.2	<.2	31	.79	.087	18	21	.33	934	.03	6	1.16	.02	.11	<.2
L2-175	3	53	24	184	.3	41	10	292	2.52	13	<.5	<.2	6	39	1.0	<.2	<.2	28	.30	.088	28	16	.20	888	.02	5	.76	<.01	.12	<.2
L2-225	1	10	8	124	<.3	16	7	336	1.77	<.2	<.5	<.2	2	17	.9	<.2	7	39	.27	.075	16	23	.28	414	.04	4	1.13	.01	.09	<.2
L2-275	1	11	4	144	.5	15	6	428	1.35	2	<.5	<.2	2	17	2.9	2	2	29	.30	.057	12	18	.21	459	.04	<.3	.94	.01	.07	<.2
L3-100	2	46	9	90	1.1	39	6	441	1.37	5	8	<.2	<.2	176	5.9	2	3	22	4.12	.207	11	14	.41	637	.01	7	.97	.01	.11	<.2
RE L3-100	2	45	8	89	1.0	37	5	424	1.30	4	6	<.2	<.2	170	5.0	2	<.2	21	3.92	.197	10	14	.39	779	.01	7	.93	.02	.11	<.2
L3-175	1	40	8	36	1.3	24	3	88	1.34	5	9	<.2	<.2	150	4.4	3	<.2	16	3.27	.143	9	14	.22	897	.01	5	.82	.03	.08	<.2
L3-200	1	15	11	65	<.3	23	6	172	2.06	8	<.5	<.2	6	22	.2	<.2	<.2	34	.36	.069	21	26	.43	352	.05	3	1.15	.01	.07	<.2
L3-250	1	11	11	89	<.3	17	6	191	1.93	5	<.5	<.2	6	20	.4	3	<.2	36	.29	.077	22	24	.37	365	.05	<.3	1.04	<.01	.07	<.2
L4-50	1	23	15	102	.7	33	8	302	2.37	8	<.5	<.2	5	37	.4	<.2	<.2	38	.57	.069	20	32	.51	883	.06	3	1.43	.02	.07	2
L4-100	<.1	7	8	96	<.3	15	6	193	1.56	6	<.5	<.2	5	18	.3	<.2	<.2	30	.30	.061	18	23	.35	454	.05	<.3	.98	.01	.07	<.2
L4-125	<.1	10	7	97	<.3	15	4	147	1.33	3	<.5	<.2	3	22	.5	3	2	26	.35	.055	18	20	.31	475	.05	<.3	.93	.01	.06	<.2
L4-150	1	46	9	98	.7	46	9	286	2.23	8	<.5	<.2	2	54	.9	2	<.2	36	.91	.083	24	32	.43	1295	.04	4	1.62	.02	.06	<.2
L4-175	1	13	11	68	<.3	26	5	107	1.71	9	<.5	<.2	5	25	<.2	<.2	2	25	.31	.061	18	22	.36	444	.04	<.3	1.02	.01	.06	<.2
L4-250	1	45	15	103	.9	39	8	223	1.82	2	6	<.2	2	52	4.5	2	<.2	37	.86	.107	21	27	.25	1349	.03	<.3	1.59	.01	.04	<.2
L4-288	1	8	11	62	<.3	17	6	115	1.78	8	<.5	<.2	4	18	.2	<.2	2	32	.28	.052	16	23	.39	230	.05	<.3	1.09	.01	.05	<.2
L5-50	1	20	7	160	.7	36	8	200	2.34	12	<.5	<.2	6	17	.5	2	2	37	.27	.112	18	29	.44	363	.07	<.3	1.44	.01	.09	<.2
L5-100	3	26	11	204	.3	30	6	172	2.50	15	<.5	<.2	5	32	2.1	<.2	3	36	.23	.148	27	22	.23	911	.02	<.3	.95	<.01	.09	<.2
L5-125	1	12	11	108	<.3	22	7	126	1.88	9	<.5	<.2	5	18	.3	2	<.2	35	.31	.056	17	26	.39	422	.06	3	1.29	.01	.06	<.2
L5-150	2	21	13	130	<.3	23	6	201	1.95	10	<.5	<.2	4	25	.9	2	<.2	33	.23	.070	23	19	.23	565	.02	<.3	1.00	<.01	.07	<.2
L5-175	1	12	9	127	.3	26	8	178	2.59	10	<.5	<.2	6	16	.5	<.2	<.2	44	.24	.094	19	31	.41	368	.06	<.3	1.49	.01	.07	<.2
L5-200	1	9	8	82	.3	16	6	129	2.07	11	<.5	<.2	5	16	.6	2	3	35	.25	.092	20	25	.35	252	.05	<.3	1.09	<.01	.06	<.2
L5-225	1	44	8	99	.7	26	6	157	1.87	8	<.5	<.2	2	33	.8	2	2	37	.57	.067	19	29	.40	740	.05	5	1.40	.01	.05	<.2
L5-250	1	19	11	90	.3	23	7	180	1.77	5	<.5	<.2	5	24	.3	<.2	2	37	.38	.051	20	26	.37	545	.05	<.3	1.32	.01	.06	<.2
L5-275	1	8	10	80	<.3	20	6	139	1.72	6	<.5	<.2	5	22	.3	<.2	<.2	30	.32	.057	18	25	.39	355	.05	<.3	1.05	.01	.06	<.2
L6-000	3	31	31	177	<.3	36	6	88	2.47	14	<.5	<.2	6	31	.5	3	2	29	.10	.090	31	15	.17	590	.02	<.3	.69	<.01	.08	<.2
L6-50	4	52	14	247	<.3	48	7	98	3.42	22	<.5	<.2	6	41	1.4	2	5	32	.08	.112	35	18	.16	859	.01	<.3	.72	<.01	.09	<.2
L6-75	1	14	10	147	.3	20	7	186	2.30	7	<.5	<.2	5	26	.6	<.2	3	40	.21	.109	19	27	.34	704	.04	<.3	1.33	.01	.10	<.2
L6-100	1	18	7	234	.3	26	9	240	2.53	9	<.5	<.2	5	20	.7	2	<.2	46	.26	.096	18	30	.33	686	.06	3	1.48	.01	.09	<.2
STANDARD C	19	61	36	130	7.4	70	30	1050	4.08	43	16	7	40	53	18.9	16	18	65	.54	.096	41	62	.97	190	.08	28	1.92	.06	.16	11

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MM FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
- SAMPLE TYPE: SOIL Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.

DATE RECEIVED: AUG 8 1995 DATE REPORT MAILED: *Aug 12/95* SIGNED BY: *[Signature]* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

P.03/10

604 253 1716 TO KRL RESOURCES

'95 14:04 FR ACME LABS



KRL Resources Corp. PROJECT J.P. CLAIMS FILE # 95-2744



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	AU ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
L6-150	1	10	12	96	.4	16	7	258	1.99	7	5	<2	3	17	1.0	<2	<2	34	.26	.086	17	25	.35	315	.05	<3	1.18	.01	.07	2
L6-275	2	26	15	145	<.3	29	5	119	1.95	8	<5	<2	5	36	.4	<2	<2	25	.26	.087	31	17	.20	694	.02	3	.74	<.01	.07	<2
RE L6-275	2	25	9	141	<.3	26	4	100	1.88	9	<5	<2	5	35	.5	<2	<2	24	.25	.083	31	17	.20	678	.02	5	.71	.01	.08	<2
L6-275 Dup.	2	30	16	187	<.3	30	7	186	2.22	16	<5	<2	5	40	1.4	3	<2	21	.22	.118	35	15	.15	1034	.02	3	.59	<.01	.07	<2
L6-675	3	36	16	144	<.3	31	7	182	2.35	18	<5	<2	5	34	.9	2	<2	23	.21	.097	31	16	.17	771	.02	4	.59	.01	.08	2
L6-725	3	30	12	186	<.3	36	8	275	2.43	19	<5	<2	4	36	1.4	2	<2	28	.28	.109	31	21	.26	770	.03	4	.83	<.01	.09	2
L6-775	2	42	21	147	.3	41	10	415	2.51	20	<5	<2	4	62	.4	<2	<2	39	1.76	.091	25	20	.33	879	.02	7	.96	.01	.12	<2
L575-225	1	17	10	91	<.3	19	5	149	1.86	8	<5	<2	5	18	.6	2	<2	30	.29	.071	19	25	.40	288	.05	5	1.00	.01	.06	<2
Z-125	1	17	16	157	.6	27	8	743	1.74	4	<5	<2	2	31	2.8	<2	5	25	.38	.124	19	19	.27	627	.04	3	.82	.01	.13	<2
STANDARD C	20	60	42	128	7.5	70	31	1190	4.07	40	18	7	38	54	18.8	19	14	64	.52	.097	41	62	.96	187	.08	32	1.93	.06	.16	13

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Al ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
L1-200N	1	11	9	101	.3	23	7	526	2.12	7	<5	<2	3	25	.9	<2	<2	35	.43	.071	20	26	.39	615	.06	4	1.17	.01	.14	<2
L1-150N	1	32	4	60	.6	25	5	206	1.34	4	<5	<2	<2	158	2.7	<2	<2	16	3.27	.098	9	15	.35	727	.01	7	.71	.01	.05	<2
L1-100N	1	27	3	68	.4	16	3	58	1.04	2	<5	<2	<2	121	1.2	<2	<2	17	2.22	.082	11	13	.34	548	.01	6	.66	.01	.05	<2
L1-050N	4	9	<3	26	<.3	5	1	27	.74	2	8	<2	<2	147	.6	<2	<2	15	3.16	.046	2	4	.23	356	<.01	6	.28	.02	.01	<2
RE L1-050N	4	10	<3	26	.3	6	1	27	.74	2	8	<2	<2	147	.4	<2	<2	15	3.18	.047	2	4	.23	312	<.01	7	.28	.02	.01	<2
L3-200N	1	35	7	110	1.2	27	5	321	1.45	<2	<5	<2	<2	149	4.3	2	<2	20	3.12	.149	10	19	.52	396	.02	8	.96	.01	.06	<2
L3-150N	3	34	17	155	.4	23	5	112	2.02	10	<5	<2	3	28	1.1	<2	<2	24	.21	.075	31	12	.14	500	<.01	3	.59	<.01	.09	<2
L3-100N	1	32	8	118	.8	34	7	488	2.02	9	<5	<2	3	26	1.3	<2	<2	39	.37	.061	19	27	.33	1250	.04	4	1.38	.01	.08	<2
L3-050N	1	11	9	174	.6	13	5	234	1.66	2	<5	<2	<2	23	1.7	<2	<2	38	.37	.074	18	23	.25	551	.04	3	1.14	.01	.06	<2
L3-000	1	10	9	143	.5	17	7	431	1.58	2	<5	<2	2	15	1.0	<2	<2	36	.21	.057	14	21	.26	558	.03	3	1.11	.01	.08	<2
L3-050S	1	17	7	132	.5	25	7	518	1.84	6	<5	<2	3	21	1.0	<2	<2	40	.28	.082	19	26	.34	718	.03	3	1.29	.01	.12	<2
L3-100S	1	7	8	117	.5	15	5	317	1.39	<2	<5	<2	4	18	1.1	<2	<2	30	.27	.078	21	20	.25	508	.05	3	.92	.01	.08	<2
L5-200N	1	11	13	91	.4	18	7	193	2.05	6	<5	<2	4	16	.8	<2	<2	32	.19	.060	24	22	.30	571	.06	3	.97	.01	.07	<2
L5-150N	2	23	15	137	<.3	24	5	135	2.05	8	<5	<2	4	23	1.1	<2	2	25	.17	.081	30	17	.19	589	.02	3	.71	.01	.11	<2
L5-100N	1	10	44	152	.7	16	7	230	1.88	5	<5	<2	<2	32	2.0	<2	2	32	.18	.090	25	21	.23	496	.02	4	1.01	.01	.08	<2
L5-050N	2	24	11	155	.7	26	5	119	2.21	8	<5	<2	<2	25	2.2	<2	<2	28	.14	.102	27	21	.20	621	.02	4	.86	<.01	.11	<2
L5-000	1	13	7	151	.8	18	7	439	1.99	5	<5	<2	4	21	2.0	<2	<2	38	.28	.092	19	24	.30	722	.05	3	1.19	.01	.10	<2
STANDARD C	19	63	36	134	7.9	69	31	1120	3.94	62	17	7	35	51	19.0	18	23	62	.51	.097	43	62	.92	189	.09	33	1.92	.07	.17	9

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
L1-200N	1	11	9	101	.3	23	7	526	2.12	7	<5	<2	3	25	.9	<2	<2	35	.43	.071	20	26	.39	615	.06	4	1.17	.01	.14	<2
L1-150N	1	32	4	60	.6	25	5	206	1.34	4	<5	<2	<2	158	2.7	<2	<2	16	3.27	.098	9	15	.35	727	.01	7	.71	.01	.05	<2
L1-100N	1	27	3	68	.4	16	3	58	1.04	2	<5	<2	<2	121	1.2	<2	<2	17	2.22	.082	11	13	.34	548	.01	6	.66	.01	.05	<2
L1-050N	4	9	<3	26	<.3	5	1	27	.74	2	8	<2	<2	147	.6	<2	<2	15	3.16	.046	2	4	.23	356	<.01	6	.28	.02	.01	<2
RE L1-050N	4	10	<3	26	.3	6	1	27	.74	2	8	<2	<2	147	.4	<2	<2	15	3.18	.047	2	4	.23	312	<.01	7	.28	.02	.01	<2
L3-200N	1	35	7	110	1.2	27	5	321	1.45	<2	<5	<2	<2	149	4.3	2	<2	20	3.12	.149	10	19	.52	396	.02	8	.96	.01	.06	<2
L3-150N	3	34	17	155	.4	23	5	112	2.02	10	<5	<2	3	28	1.1	<2	<2	24	.21	.075	31	12	.14	500	<.01	3	.59	<.01	.09	<2
L3-100N	1	32	8	118	.8	34	7	488	2.02	9	<5	<2	3	26	1.3	<2	<2	39	.37	.061	19	27	.33	1250	.04	4	1.38	.01	.08	<2
L3-050N	1	11	9	174	.6	13	5	234	1.66	2	<5	<2	<2	23	1.7	<2	<2	38	.37	.074	18	23	.25	551	.04	3	1.14	.01	.06	<2
L3-000	1	10	9	143	.5	17	7	431	1.58	2	<5	<2	2	15	1.0	<2	<2	36	.21	.057	14	21	.26	558	.03	3	1.11	.01	.08	<2
L3-050S	1	17	7	132	.5	25	7	518	1.84	6	<5	<2	3	21	1.0	<2	<2	40	.28	.082	19	26	.34	718	.03	3	1.29	.01	.12	<2
L3-100S	1	7	8	117	.5	15	5	317	1.39	<2	<5	<2	4	18	1.1	<2	<2	30	.27	.078	21	20	.25	508	.05	3	.92	.01	.08	<2
L5-200N	1	11	13	91	.4	18	7	193	2.05	6	<5	<2	4	16	.8	<2	<2	32	.19	.060	24	22	.30	571	.06	3	.97	.01	.07	<2
L5-150N	2	23	15	137	<.3	24	5	135	2.05	8	<5	<2	4	23	1.1	<2	2	25	.17	.081	30	17	.19	589	.02	3	.71	.01	.11	<2
L5-100N	1	10	44	152	.7	16	7	230	1.88	5	<5	<2	<2	32	2.0	<2	2	32	.18	.090	25	21	.23	496	.02	4	1.01	.01	.08	<2
L5-050N	2	24	11	155	.7	26	5	119	2.21	8	<5	<2	<2	25	2.2	<2	<2	28	.14	.102	27	21	.20	621	.02	4	.86	<.01	.11	<2
L5-000	1	13	7	151	.8	18	7	439	1.99	5	<5	<2	4	21	2.0	<2	<2	38	.28	.092	19	24	.30	722	.05	3	1.19	.01	.10	<2
STANDARD C	19	63	36	134	7.9	69	31	1120	3.94	42	17	7	35	51	19.0	18	23	62	.51	.097	43	62	.92	189	.09	33	1.92	.07	.17	9

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Silt Analysis Sheets

P.02/02

604 253 1716 TO KRL RESOURCES

AUG 16 '95 14:54 FR ACME LABS

ACME ANALYTICAL LABORATORIES LTD.

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3154 FAX (604) 253-1716

AA

GEOCHEMICAL ANALYSIS CERTIFICATE

AA

KRL Resources Corp. File # 95-2749

1022 - 470 Granville St., Vancouver BC V6C 1V5 Submitted by: E. Lygard

SAMPLE#	No	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	
JP-95-ST-6	2	31	11	99	<.3	26	5	152	1.83	14	<5	<2	4	50	.6	<2	<2	19	.39	.111	15	14	.26	187	.01	5	.58	.01	.06	<2
JP-95-ST-7	1	14	4	81	<.3	26	11	1404	2.15	12	<5	<2	3	35	.6	<2	<2	19	.38	.084	16	26	.32	284	.01	3	.63	.01	.07	<2
JP-95-ST-8	1	14	8	79	<.3	23	8	893	1.97	7	<5	<2	4	33	.7	2	2	20	.40	.074	20	18	.31	242	.01	3	.62	<.01	.05	<2
JP-95-ST-9	1	9	6	43	<.3	18	5	201	1.62	8	<5	<2	4	57	.4	<2	2	15	1.76	.066	15	20	.60	122	.02	3	.87	.02	.14	<2
JP-95-ST-10	1	9	6	34	<.3	15	5	152	1.29	9	<5	<2	6	23	.5	<2	4	20	.43	.051	23	20	.35	187	.03	<3	.54	<.01	.05	<2
JP-95-ST-11	1	9	5	46	<.3	12	4	122	.83	9	<5	<2	4	33	.4	<2	<2	25	.42	.042	12	12	.17	447	.01	3	.46	<.01	.04	<2
JP-95-ST-12	1	13	8	65	<.3	20	5	564	1.70	11	<5	<2	3	65	.4	2	<2	27	.84	.070	13	19	.47	375	.01	7	.80	<.01	.05	<2
JP-95-ST-13	1	12	7	68	<.3	21	6	642	2.03	10	<5	<2	3	62	.7	<2	<2	29	.77	.073	15	19	.56	368	.01	3	.88	<.01	.05	<2
JP-95-ST-14	1	21	7	79	.3	22	6	485	1.40	11	<5	<2	4	67	1.0	2	<2	19	.92	.074	16	15	.33	670	.02	7	.62	.01	.05	<2
JP-95-ST-15	1	22	8	87	<.3	22	6	739	1.53	12	<5	<2	2	68	1.1	<2	4	18	.94	.079	16	14	.28	707	.02	5	.56	.01	.05	<2
ST-E-24	3	17	7	106	<.3	25	11	3703	2.17	21	<5	<2	<2	133	1.7	<2	2	28	2.18	.095	9	12	.28	810	.01	9	.49	.01	.07	<2
ST-E-25	3	13	8	142	<.3	24	8	1156	2.53	18	<5	<2	4	54	1.0	<2	8	32	.64	.113	19	13	.26	651	.01	4	.54	.01	.09	<2
ST-E-26	4	71	23	54	2.1	48	5	63	2.09	10	<5	<2	2	51	.9	3	3	179	.76	.180	24	43	.21	794	.01	4	2.45	.03	.22	<2
RE ST-E-26	3	72	21	54	2.2	53	4	58	2.13	14	<5	<2	2	51	.7	5	<2	181	.78	.187	24	43	.21	678	<.01	3	2.51	.03	.23	<2
ST-E-27	2	27	15	62	.5	22	4	45	.76	12	<5	<2	<2	38	.7	<2	<2	52	.40	.111	18	19	.14	951	.01	5	1.13	.02	.14	<2
ST-E-28	5	62	7	47	.8	41	8	1135	4.01	6	9	<2	2	151	1.8	3	5	36	3.60	.141	4	13	.15	841	.01	8	.69	.01	.05	<2
ST-E-29	1	34	9	62	.7	14	2	72	.27	7	7	<2	<2	30	3.4	<2	<2	38	.28	.048	10	12	.07	495	.01	4	.58	.02	.10	<2
ST-E-30	1	20	3	28	.4	24	8	542	1.42	8	<5	<2	<2	329	1.7	<2	<2	18	4.25	.124	7	9	.26	254	.01	7	.66	.05	.22	<2
ST-E-31	2	17	8	76	<.3	24	7	1018	1.94	13	5	<2	3	73	.9	<2	5	37	1.02	.071	11	19	.41	583	.02	7	.61	.01	.07	<2
ST-E-32	2	44	11	129	.8	40	7	310	1.80	6	<5	<2	2	83	1.7	<2	<2	48	1.02	.076	14	26	.29	768	.02	4	1.36	.02	.10	<2
ST-E-33	1	43	4	102	.6	42	8	1259	.99	6	14	<2	<2	190	2.9	<2	<2	31	4.22	.099	5	12	.44	914	.01	7	.69	.01	.07	<2
STANDARD C	18	58	38	122	6.7	69	31	1085	3.71	46	18	7	37	52	17.5	17	20	66	.49	.088	43	63	.89	181	.08	29	1.77	.06	.14	11

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 - SAMPLE TYPE: SILT Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: AUG 8 1995 DATE REPORT MAILED: Aug 16/95 SIGNED BY: *C. Long* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

J.P.
SILT

P.10/10
 604 253 1716 TO KRL RESOURCES
 AUG 14'95 14:09 FR ACME LABS



KRL Resources Corp. PROJECT J.P. CLAIMS FILE # 95-2755



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Hg %	Ba ppm	Ti %	B ppm	Al %	Mn %	K %	W ppm
10 JP-95-ST-1	1	12	6	73	<.3	17	7	320	1.71	5	<5	<2	4	30	.6	<2	3	22	.81	.056	12	18	.29	267	.03	<3	.37	.01	.03	<2
JP-95-ST-2	1	10	7	57	<.3	13	5	593	2.03	4	5	<2	4	27	.4	<2	2	15	.34	.057	12	12	.27	169	.01	<3	.55	.01	.03	<2
66 RE JP-95-ST-2	1	10	11	60	<.3	15	6	606	2.09	<2	<5	<2	3	27	<.2	2	7	14	.35	.059	12	11	.28	186	.01	<3	.57	<.01	.03	<2
JP-95-ST-3	1	16	10	67	<.3	18	7	781	1.94	5	<5	<2	2	31	.2	<2	<2	17	.47	.058	15	12	.34	181	.01	3	.66	.01	.04	<2
JP-95-ST-4	1	10	11	61	<.3	15	5	531	1.75	<2	<5	<2	3	27	<.2	<2	<2	16	.37	.058	14	11	.28	156	.01	<3	.56	.01	.03	<2
1 JP-95-ST-5	1	11	6	59	<.3	15	5	288	1.58	<2	9	<2	3	23	.3	<2	<2	17	.28	.056	16	14	.29	122	.01	<3	.55	.01	.04	<2
1 ST-E-1	1	20	10	88	<.3	20	8	624	1.99	10	5	<2	3	36	.6	2	<2	25	.55	.060	13	17	.28	410	.01	<3	.74	.01	.06	<2
1 ST-E-2	3	28	10	206	<.3	34	10	356	2.65	6	<5	<2	6	36	1.6	2	<2	39	.36	.065	18	21	.36	720	.01	<3	.68	<.01	.05	<2
1 ST-E-21	1	18	8	105	<.3	24	6	373	1.51	3	8	<2	<2	44	1.4	<2	<2	25	.67	.074	12	17	.26	421	.02	5	.61	.02	.05	<2
STANDARD C	18	60	35	128	6.6	68	29	1036	3.87	44	17	6	35	48	17.5	18	22	64	.46	.085	40	56	.84	188	.08	25	1.67	.05	.14	12

Sample type: SILT. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
JP-95-ST-16	2	22	3	92	<.3	20	6	1751	5.83	19	15	<2	<2	196	1.1	<2	<2	15	3.85	.283	5	10	.30	127	<.01	12	.52	.01	.04	<2
JP-95-ST-17	1	24	6	95	.3	21	5	1259	1.58	8	<5	<2	2	80	.8	2	<2	17	1.26	.078	15	11	.26	799	.01	5	.50	.01	.07	<2
JP-95-ST-19	1	19	13	80	.4	16	4	257	1.48	5	<5	<2	<2	44	.3	3	<2	24	.85	.083	14	18	.34	283	.02	4	.78	.01	.07	<2
JP-95-ST-20	1	14	4	58	<.3	17	4	883	1.13	3	<5	<2	<2	89	.7	<2	<2	19	1.67	.067	11	13	.30	538	.01	5	.62	.01	.05	<2
JP-95-ST-W-1	1	11	12	65	<.3	14	5	310	1.47	5	<5	<2	3	28	.5	2	<2	21	.39	.052	15	16	.26	371	.02	4	.61	.01	.05	<2
JP-95-ST-W-2	1	13	9	77	<.3	19	6	396	2.02	8	<5	<2	3	30	.8	<2	<2	21	.43	.062	14	16	.27	386	.01	3	.68	.01	.06	<2
RE JP-95-ST-W-2	1	13	9	76	<.3	17	6	384	1.98	9	<5	<2	3	28	.7	<2	<2	21	.41	.059	13	17	.26	367	.01	3	.66	.01	.06	<2
STANDARD C	19	63	36	134	7.9	69	31	1120	3.94	42	17	7	35	51	19.0	18	23	62	.51	.097	43	62	.92	189	.09	33	1.92	.07	.17	9

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Appendix III

Rock Sample Description
Rock Analysis Sheet

Rock Sample Description

ROCK SAMPLES

J.P. CLAIM GROUP

Sample Number Values in PPM				
Cu	Pb	Zn	Ag	
90605				J.P. Claim #11 Light brown silt stone with intermixed sand - oxidized crumbles. 25% quartz in stringers ½ - 3 cm.
14	5	23	.3	
90606				J.P. Claim #9 Horizontal layering (foliation or bedding) shale- slaty- phyllitic- sericitic, some oxidation.
34	18	56	.4	
90607				J.P. Claim #7, 150 m S of 90606 Quartz (90%) in shale as above but more oxidized
33	4	184	.4	
90608				J.P. Claim #72 1.0 m fracture (shear?) zone in grey-tan shale - moderate oxidation.
18	15	77	.3	
90609				J.P. Claim #28 - near location of massive galena block. Shale with sand grains, specks of pyrite and chalcopyrite.
8	5	15	.3	
90610				Oxidized sanstone.
11	64	54	.3	
90611				J.P. Claim #20 Blue black and grey shale - slate, fragmented ½ - 2 cm.
43	28	119	.4	
90612				J.P. Claim #20 200 m NE of 90611 Black slate fragmented ½ - 3 cm - limey?, some oxide and cavities.
105	61	146	.4	
90618				J.P. Claim #99 Brown flecked shale - massive - stringers of quartz and minor carbonate from 1 mm to 10 cm in irregular criss-crossing pattern.
<.001%	<.01%	<.01%	<.001%	
90619				J.P. Claim #99 As above, selected blue quartz.
<.001%	<.01%	<.01%	<.001%	

ROCK SAMPLE

J.P. CLAIMS CONT'D

Sample Number Values in PPM				
Cu	Pb	Zn	Ag	
90622				J.P. Claim #27 Float (many blocks) in the logging road. Rubble semented with oxide. 17.33% Fe, 1802 PPM Ba
89	48	540	<.3	
90623				J.P. Claim #27 float (many blocks) in the logging road - totally oxidized shale(?) - heavy. 26.67% Fe, 144 PPM Ni
84	46	1024	.3	
90624				J.P. Claim #99 Oxidized sandstone.
7	27	44	<.3	
90626				J.P. Claim #29 Oxidized shale.
.006%	.02%	<.01%	.05%	
90627				J.P. Claim #29 Quartz vein with minor pyrite.
.003%	.02%	.01%	.05%	
90628				J.P. Claim #31 Grey shale with quartz stringers, iron oxide.
.004%	0.3%	.06%	.05%	
90633				J.P. Claim #111 Metamorphosed feldspathic rock with some quartz stringers - cavities with oxide.
184	4	207	<.3	
90634				J.P. Claim #111 As above - mostly quartz and oxide.
14	3	36	<.3	
90635				J.P. Claim #111 Leached out rock - yellow oxide.
294	4	658	<.3	

Rock Analysis Sheet



GEOCHEMICAL ANALYSIS CERTIFICATE



KRL Resources Corp. PROJECT J.P. CLAIMS File # 95-2683

1022 - 470 Granville St., Vancouver BC V6C 1V5 Submitted by: E. Livgard

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
D 90605	5	14	5	23	<.3	18	2	1060	2.08	7	5	<2	<2	277	<.2	<2	<2	3	9.30	.026	10	9	.46	732	<.01	6	.17	.01	.06	<2
D 90606	4	34	18	56	.4	27	2	37	1.86	18	<5	<2	4	14	1.0	2	<2	25	.04	.032	14	13	.05	293	<.01	8	.46	.01	.20	<2
D 90607	3	33	4	184	.4	37	5	88	1.94	20	<5	<2	2	3	.2	<2	<2	6	.01	.019	5	12	.03	168	<.01	6	.26	.01	.12	<2
D 90608	1	18	15	77	<.3	34	12	439	3.48	5	<5	<2	13	32	<.2	3	<2	11	.72	.213	42	19	.84	142	<.01	6	1.86	.01	.21	<2
D 90609	4	8	5	15	<.3	14	2	336	1.22	4	<5	<2	2	369	<.2	2	<2	3	8.40	.028	6	9	.38	302	<.01	5	.30	.01	.12	<2
RE D 90609	4	8	<3	16	<.3	12	2	317	1.18	4	<5	<2	2	360	<.2	2	<2	3	8.04	.027	6	9	.37	298	<.01	5	.29	.01	.12	<2

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.

THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: ROCK Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: AUG 3 1995

DATE REPORT MAILED:

Aug 8/95

SIGNED BY.....D.TOYE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS



GEOCHEMICAL ANALYSIS CERTIFICATE



KRL Resources Corp. File # 95-2936 Page 1

1022 - 470 Granville St., Vancouver BC V6C 1V5

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
A 73 D 90613	46	188	28	17	2.0	13	1	59	1.62	25	<5	<2	4	44	<2	4	<2	126	.78	.040	2	18	.37	120	<.01	10	.44	.01	.33	2
A 7-5 D 90614	53	91	25	177	.5	42	3	53	7.06	134	26	<2	5	23	1.0	11	2	573	.40	.211	5	58	.08	1307	<.01	4	.86	.01	.14	<2
A 7-6 D 90615	2	80	6	65	.9	30	3	198	.40	10	<5	<2	2	69	1.8	2	<2	15	34.01	.006	2	7	.11	448	<.01	3	.10	<.01	.04	<2
A 7-7 D 90616	14	29	16	426	<.3	38	2	30	.95	18	8	<2	4	35	6.7	5	<2	75	.26	.061	3	14	.03	309	<.01	5	.52	.01	.19	<2
A 7-1 D 90617	2	13	4	382	<.3	127	16	502	.64	11	<5	<2	<2	29	4.2	<2	<2	13	25.74	.012	2	2	4.76	374	<.01	<3	.07	.01	.02	<2
ACE D 90620	<1	15	453	149	.4	104	<1	145	17.85	91	11	<2	4	22	.9	<2	3	68	12.66	.021	3	5	1.45	55	<.01	<3	.16	.01	.03	<2
4 D 90621	1	4	10	25	<.3	57	1	512	.66	12	<5	<2	<2	46	.3	<2	2	4	18.71	.003	1	2	8.20	83	<.01	<3	.07	.02	.02	<2
7.P 27 D 90622	14	89	48	540	<.3	83	4	297	17.33	45	<5	<2	4	6	3.3	<2	4	37	.20	.371	12	8	.06	1802	<.01	<3	.58	<.01	.11	<2
RE D 90622	15	93	51	569	<.3	95	6	315	18.40	48	<5	<2	4	7	3.8	<2	10	39	.19	.387	13	11	.06	1842	<.01	<3	.62	<.01	.12	<2
or SEMEN RRE D 90622	17	99	68	579	<.3	102	5	323	19.41	54	<5	<2	4	7	3.7	<2	2	40	.25	.400	13	11	.06	1825	<.01	<3	.63	<.01	.11	<2
7A 27 D 90623	15	84	46	1024	.3	144	7	128	26.67	94	<5	<2	5	7	4.9	<2	<2	52	.23	.486	14	7	.11	361	<.01	<3	.53	<.01	.15	<2
28 D 90624	3	7	27	44	<.3	17	4	747	1.21	22	<5	<2	<2	5	.2	<2	4	4	.15	.030	3	13	.02	97	<.01	4	.12	<.01	.03	2
29 D 90631	<1	3	<3	9	<.3	4	<1	169	.48	4	<5	<2	<2	346	.3	<2	<2	1	39.58	.004	<1	3	.22	141	<.01	3	.02	.01	.01	<2
30 D 90632	<1	5	<3	24	<.3	7	<1	163	1.27	7	<5	<2	<2	402	.4	<2	<2	2	36.35	.012	<1	2	.24	160	<.01	4	.03	.01	.02	<2
31 D 90633	5	184	4	207	<.3	61	5	143	2.58	32	12	<2	3	400	.9	<2	2	31	.35	.261	9	15	.15	88	<.01	3	1.15	<.01	.05	<2
32 D 90634	4	14	3	36	<.3	22	7	165	1.47	3	<5	<2	4	19	<.2	<2	<2	3	.40	.025	3	12	.10	39	<.01	<3	.30	.01	.07	2
33 D 90635	8	294	4	658	<.3	147	27	481	5.46	33	10	<2	3	241	1.9	<2	6	18	.48	.175	11	11	.22	88	<.01	<3	1.22	<.01	.07	<2
STANDARD C	17	55	37	131	6.5	64	29	1076	3.70	41	20	6	36	48	16.6	18	22	64	.46	.088	41	59	.88	180	.08	27	1.72	.06	.14	10

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.

THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPM

- SAMPLE TYPE: P1 ROCK P2 TO P15 SOIL Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: AUG 16 1995 DATE REPORT MAILED: *Aug 24/95* SIGNED BY: *[Signature]* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

7 ACE CC
8 J.P CC



GEOCHEMICAL ANALYSIS CERTIFICATE



KRL Resources Corp. PROJECT J.P. CLAIMS File # 95-2755 Page 1
 1022 - 470 Granville St., Vancouver BC V6C 1V5 Submitted by: E. Livgard

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
7 D 90610	3	11	64	54	<.3	11	2	52	.63	3	<5	<2	4	21	.2	<2	<2	10	.08	.015	3	10	.04	1482	<.01	3	.30	<.01	.07	<2
D 90611	1	43	28	119	<.3	37	13	336	5.25	15	<5	<2	4	47	<.2	<2	<2	32	.11	.077	35	27	.42	422	<.01	6	1.35	.02	.25	<2
D 90612	6	105	61	146	.4	35	7	159	2.09	6	<5	<2	5	105	.4	<2	<2	22	2.18	.103	22	11	1.10	632	<.01	5	.60	<.01	.22	<2
RE D 90612	6	104	58	143	.5	35	7	158	2.08	8	<5	<2	5	104	.5	<2	<2	22	2.17	.101	21	12	1.09	606	<.01	5	.59	<.01	.23	<2

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.

THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: P1 ROCK P2 SOIL P3 SILT Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: AUG 8 1995 DATE REPORT MAILED: Aug 12/95 SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

P.02/02
604 253 1716 TO KRL RESOURCES
OCT 24'95 13:01 FR ACME LABS



ASSAY CERTIFICATE



KRL Resources Corp. File # 95-2926
1022 - 470 Grandville St., Vancouver BC V6C 1V5

SAMPLE#	Cu %	Pb %	Zn %	Ag** oz/t	Au** oz/t
D 90618	<.001	<.01	<.01	<.01	<.001
D 90619	<.001	<.01	<.01	.01	<.001
D 90625	.001	<.01	<.01	.10	.001
D 90626	.006	.02	<.01	.05	.004
D 90627	.003	.02	.01	.05	<.001
D 90628	.004	.03	.06	.05	.001
RE D 90628	.005	.03	.06	.05	<.001
RRE D 90628	.004	.02	.07	.06	<.001
D 90629	.009	.17	2.69	.32	<.001
D 90630	.007	.02	3.01	.07	.001

1 GM SAMPLE LEACHED IN 50 ML AQUA - REGIA, DILUTE TO 100 ML, ANALYSIS BY ICP.
AG** & AU** BY FIRE ASSAY FROM 1 A.T. SAMPLE.
- SAMPLE TYPE: ROCK
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: AUG 16 1995

DATE REPORT MAILED: Aug 23/95

SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

MAP NO:95D/4

ASSESSMENT REPORT: X

DOCUMENT NO: 099³³950

PROSPECTUS:

MINING DISTRICT: Watson Lake

CONFIDENTIAL: X

TYPE OF WORK:Geology,
geochemistry

OPEN FILE:

REPORT FILED UNDER: KRL Resources Ltd.

DATE PERFORMED:July 26-August 16, 1995

DATE FILED:November 3, 1995

LATITUDE:60 02

AREA:Cosh Creek

LONGITUDE:127 48

VALUE:\$19100

CLAIM NAME AND #:JP 1-180


WORK DONE BY:E. Livgard

WORK DONE FOR: KRL Resources Ltd.

Claims in Good Standing

Claims in Good Standing	

Remarks:Mapping and sampling was done as follow-up to massive galena mineralization uncovered during logging operations. An area of anomalous Cu, Pb, Zn has been identified in the current program that may warrent follow-up.



YUKON TERRITORY
BRITISH COLUMBIA

- Silt sample location
- △ Rock sample location
- Sample No. / Cu, Pb, Zn, Ag in ppm
- Creek or stream
- Highway & logging road
- Contour at 100ft. interval
- Clearcut


DWG 2
093350

KRL RESOURCES CORP.

JP CLAIMS
GEOLOGY and
ROCK & SILT GEOCHEMISTRY
(Cu, Pb, Zn, Ag)

N.T.S. 95-D-4
WATSON LAKE, YUKON

SCALE 1:10,000 DATE: AUG. 1995
DRAWN BY: E.L. FIG. 4



• SO-E-20/8,9,73,4,3 Soil sample location & N° / Cu, Pb, Zn, Ag in ppm

- Creek or stream
- Highway & logging road
- Contour at 100ft. interval
- Clearcut

DWG ③
093356

KRL RESOURCES CORP.
 JP CLAIMS
SOIL GEOCHEMISTRY
 (Cu, Pb, Zn, Ag)
 N.T.S. 95D-4 WATSON LAKE, YUKON
 SCALE 1:10,000 DATE AUG. 1995 FIG. 5
 DRAWN BY E.L.