
094264

2001 DIAMOND DRILLING ASSESSMENT REPORT ON THE TAY – LP AND RAM CLAIM GROUP



Comprising the following Claims:
Tay 1-21
Cam 1-40
Gai 1-65
Try 1-60
Jef 9, 11-14, 27, 51
LP 1-4, 7-25, 33, 35-93, 109-115, 130-139, 153, 155, 157, 159, 165-175
Ram 485-492, 497-504, 509-516, 521-528, 543-552, 554, 615-622, 692, 694, 696,698, 700 and 702-714

Located in the Seagull Creek Area
Watson Lake Mining District
Yukon Territory, Canada

NTS 105F-10, 105F-7
61°33' N Latitude
132° 40' W Longitude

Prepared for
Newmont Exploration of Canada Limited

Prepared by
M.A. Stammers, P. Geo.

Owner of Claims: Newmont Exploration of Canada Ltd. and Fairfield Minerals Ltd.
Dates of Work: July 29th to August 28th, 2001

Date of Report: November 2001

This report has been examined by the Geological Evaluation Unit under Section 53 (4) Yukon Quartz Mining Act and is allowed as representation work in the amount of $ 137,800.

M. Burk

for Regional Manager, Exploration and Geological Services for Commissioner of Yukon Territory.

2001 DIAMOND DRILLING ASSESSMENT REPORT ON THE TAY–LP AND RAM CLAIM GROUP

TABLE OF CONTENTS

		Page
1.0	INTRODUCTION	1
2.0	LOCATION, ACCESS & PHYSIOGRAPHY	1
3.0	CLAIM STATUS	3
4.0	2001 EXPLORATION PROGRAM	4
5.0	DIAMOND DRILLING	5
5.1	Zone A (TLP01-5, TLP01-6 & TLP01-9)	6
5.2	Zone B (TLP01-8)	7
5.3	Zone C (TLP01-2 & TLP01-11)	7
11.0	DISCUSSION & CONCLUSIONS	8
12.0	RECOMMENDATIONS	8

LIST OF TABLES

		Page
Table 1	Claim Status	2
Table 2	2001 Diamond Drill Hole Summary	6

LIST OF FIGURES

		Following page
Figure 1	Location Map	1
Figure 2	Claim Map	4

YUKON ENERGY, MINES
& RESOURCES LIBRARY
P.O. BOX 2703
WHITEHORSE, YUKON Y1A 2C6

2001 DIAMOND DRILLING ASSESSMENT REPORT ON THE TAY– LP AND RAM CLAIM GROUP

LIST OF PLATES* (In Map Pockets)		Scale
Plate 1	Diamond Drill Hole Plan and Factual Geology Map	1:10,000
Plate 3	Cross Section Through Drill Hole TLP01-5	1:500
Plate 4	Cross Section Through Drill Hole TLP01-6	1:500
Plate 5	Cross Section Through Drill Hole TLP01-9	1:500
Plate 7:	Cross Section Through Drill Hole TLP01-8	1:500
Plate 8	Cross Section Through Drill Hole TLP01-2	1:500
Plate 10	Cross Section Through Drill Hole TLP01-11	1:500

* Plates 2, 6 and 9 are not presented in this report

APPENDICES

APPENDIX I	Bibliography
APPENDIX II	Diamond Drill Logs
APPENDIX III	Geotechnical and Magnetic Susceptibility Logs
APPENDIX IV	Assay Summary Tables
APPENDIX V	Assay Certificates and Analytical Procedures
APPENDIX VI	List of Personnel and Contractors
APPENDIX VII	Statement of Expenditures
APPENDIX VIII	Statement of Qualifications

1.0 INTRODUCTION

The Tay-LP and Ram group of claims are located in the Seagull Creek valley, central Yukon, south of the village of Ross River. A helicopter supported, 1213.41-metre, eleven-hole diamond drill program was completed during the month of August 2001 targeting auriferous replacement zones and quartz veining. Prior to selecting drill collars, airborne anomalies derived from 2000 surveys were confirmed with ground based magnetic and electromagnetic (Max-Min II) surveys. Other exploration work this year included linecutting, geological mapping, rock sampling, claim post tagging and core handling facility construction. Personnel were quartered at the Ketza Mine camp, some 23 kilometres to the east and core was logged and sampled in its entirety on site and racks built to store core.

This assessment report includes data on diamond drill holes TLP01-2, TLP01-5, TLP01-6, TLP01-8, TLP01-9 and TLP01 –11 completed on the following work claims: Try 46, LP 10, LP 12, LP 13, LP 58 and Gai 47. Detailed descriptions of geology, mineralization and exploration history are presented in the December 2000 reports by Stammers and Montgomery (Appendix I – Bibliography). The project operator is Newmont Exploration of Canada Ltd. and M. A. Stammers Exploration Management Inc. was retained by Newmont to conduct field operations and report upon the exploration program activities.

2.0 LOCATION, ACCESS & PHYSIOGRAPHY

The Tay-Lp and Ram claim group is located in south central Yukon at approximately 61° 33' north latitude and 132° 40' west longitude, 50 kilometres to the south of the town of Ross River and 160 kilometres to the northeast of Whitehorse (Figure 1).

The property can be reached via a summer season, 20-kilometre, four-wheel drive gravel road starting at Groundhog Creek on the South Canol Road. This access road continues on along the east side of Seagull Creek almost the entire length of the claims. Drill


Beaufort Sea
Herschel
ALASKA
Old Crow
Eagle Plain
NORTHWEST TERRITORIES
Dawson City
Elsa
Keno
Mayo
YUKON
Stewart
Pelly Crossing
Beaver Creek
Ross River
Tay-Lp and Ram Claim Group
Carmacks
Koidern
South Canol Road
Destruction Bay
Whitehorse
Tuchitua
Haines Junction
Johnsons Crossing
Watson Lake
Teslin
Carcross
Upper Liard
BRITISH COLUMBIA
0
50 mi
1994 MAGELLAN GeographixsmSanta Barbara, CA (800) 929-4MAP
NEWMONT EXPLORATION OF CANADA LIMITED
ROSS RIVER GOLD LTD., FAIRFIELD MINERALS LTD.
TAY-LP PROJECT, YUKON TERRITORY, CANADA, SEAGULL CREEK AREA
WATSON LAKE MINING DISTRICT
FIGURE 1
TAY-LP AND RAM CLAIM GROUP
LOCATION MAP
Compiled By: AM, RF
Contour Interval: 100 Feet
Coordinate System: UTM Zone 8
Drafted By: Geodrafting
Date Generated: November, 2001
File Name: TayLP Newmont.cdr

equipment, fuel and other supplies were flown into the work area from a staging area on the Groundhog Creek Road, while daily crew movement was by helicopter from the Ketza Mine camp.

The project area is situated within the St. Cyr Range of the Pelly Mountains, and mostly covers the lower elevations of the gently sloping Seagull Creek valley, where elevations range from 1000 to 2000 metres above sea level. Most of the property lies below tree line, with the claims centred along Seagull Creek, which locally forms oxbows and typically meanders through this broad sediment filled valley.

3.0 CLAIM STATUS

The Tay-Lp and Ram property consists of 377 contiguous quartz mineral claims, as listed in Table 1. The claim group covers an area of approximately 20 kilometres in length by 2 to 5 kilometres wide, measuring approximately 7575 hectares (Figure 2).

The registered owner of the Tay, Lp, Try, Jef, Gai and Cam claims is Newmont Exploration of Canada Ltd. while the Ram claims are held by Fairfield Minerals Ltd. Separate documents indicate that Newmont has entered into option agreements with Ross River Gold Ltd. relating to all of the above claims. Government records indicate that all of the listed claims are in good standing, with expiry dates as listed below.

Table 1

Claim Status

CLAIM NAME	RECORD NUMBER	RECORD DATE	EXPIRY DATE *
TAY 1 – 3	YA71482 - 484	01/08/84	07/12/08
TAY 4	YA71485	01/08/84	07/12/09
TAY 5	YA71486	01/08/84	07/12/08
TAY 6	YA71487	01/08/84	07/12/09
TAY 7	YA71488	01/08/84	07/12/08
TAY 8	YA71489	01/08/84	07/12/09
TAY 9	YA71490	01/08/84	07/12/08
TAY 10	YA71491	01/08/84	07/12/09

Table 1 Claim Status (Continued)

CLAIM NAME	RECORD NUMBER	RECORD DATE	EXPIRY DATE *
TAY 11 - 15	YA71492 - 496	01/08/84	07/12/08
TAY 16 - 17	YA71497 - 498	01/08/84	07/12/09
TAY 18	YA71499	01/08/84	07/12/10
TAY 19	YA71500	01/08/84	07/12/09
TAY 20	YA71501	01/08/84	07/12/10
TAY 21	YA71502	01/08/84	07/12/09
LP 1 – 4	YA90299 - 302	27/09/85	07/12/08
LP 7 - 1	YA72530 - 533	07/12/84	07/12/09
LP 11	YA72534	07/12/84	07/12/10
LP 12	YA72535	07/12/84	07/12/09
LP 13	YA72536	07/12/84	07/12/10
LP 14	YA72537	07/12/84	07/12/09
LP 15 - 20	YA72538 – 543	07/12/84	07/12/10
LP 21 - 23	YA72544 - 546	07/12/84	07/12/09
LP 24	YA72547	07/12/84	07/12/08
LP 25	YA72548	07/12/84	07/12/09
LP 33	YA72556	07/12/84	07/12/08
LP 35 - 38	YA72558 – 561	07/12/84	07/12/08
LP 39	YA72562	07/12/84	07/12/10
LP 40	YA72563	07/12/84	07/12/08
LP 41 - 44	YA72564 - 567	07/12/84	07/12/10
LP 45	YA72568	07/12/84	07/12/10
LP 46 - 47	YA72569 – 570	07/12/84	07/12/10
LP 48 - 52	YA72571 - 575	07/12/84	07/12/09
LP 53	YA72576	07/12/84	07/12/09
LP 54 - 63	YA72577 - 586	07/12/84	07/12/09
LP 64 - 66	YA73595 - 597	02/08/85	07/12/09
LP 67	YA73598	02/08/85	07/12/08
LP 68	YA73599	02/08/85	07/12/09
LP 69 - 70	YA73600 - 601	02/08/85	07/12/08
LP 71 - 78	YA73602 - 609	02/08/85	07/12/08
LP 79	YA73610	02/08/85	07/12/09
LP 80	YA73611	02/08/85	07/12/08
LP 81	YA73612	02/08/85	07/12/09
LP 82	YA73613	02/08/85	07/12/08
LP 83	YA73614	02/08/85	07/12/09
LP 84	YA73615	02/08/85	07/12/08
LP 85	YA73616	02/08/85	07/12/09
LP 86	YA73617	02/08/85	07/12/08
LP 87	YA73618	02/08/85	07/12/09
LP 88	YA73619	02/08/85	07/12/08
LP 89	YA73620	02/08/85	07/12/09
LP 90 - 93	YA73621 - 624	02/08/85	07/12/08
LP 109 - 115	YA73775 - 781	12/09/85	07/12/08
LP 130 - 134	YA73796 - 800	12/09/85	07/12/08
LP 135 – 139	YA90201 – 205	12/09/85	07/12/08
LP 153	YA90219	12/09/85	07/12/08
LP 155	YA90221	12/09/85	07/12/08
LP 157	YA90223	12/09/85	07/12/08
LP 159	YA90225	12/09/85	07/12/08
LP 165 - 167	YA90231 – 233	12/09/85	07/12/08

Table 1 Claim Status (Continued)


CLAIM NAME	RECORD NUMBER	RECORD DATE	EXPIRY DATE *
LP 168 – 169	YA90234 – 235	12/09/85	07/12/09
LP 170 - 172	YA90236 – 238	12/09/85	07/12/10
LP 173 – 175	YA90239 – 24	12/09/85	07/12/09
JEF 9	YA99792	19/02/87	07/12/08
JEF 11 - 14	YA99794 – 797	07/12/00	07/12/08
JEF 27	YA99810	07/12/00	07/12/08
JEF 51	YA99834	07/12/00	07/12/08
CAM 1 – 14	YB92579 – 592	28/03/00	07/12/04+
CAM 15 – 19	YB92593 – 597	28/03/00	28/12/04+
CAM 20	YB92598	28/03/00	07/12/04+
CAM 21	YB92599	28/03/00	28/12/04+
CAM 22	YB92600	28/03/00	07/12/04+
CAM 23 – 40	YB92601 – 618	28/03/00	28/12/04+
GAI 1 – 65	YB92619 – 683	28/03/00	28/12/09
TRY 1 – 60	YB92756 – 815	23/08/00	31/12/05
RAM 485 – 492	YA72060 – 067	28/09/84	31/12/08
RAM 497 – 504	YA72072 – 079	28/09/84	31/12/08
RAM 509 - 516	YA72084 - 091	28/09/84	31/12/08
RAM 521 – 528	YA72096 – 103	28/09/84	31/12/08
RAM 543 – 552	YA72194 –203	23/10/84	31/12/08
RAM 554	YA72205	23/10/84	31/12/08
RAM 615 – 622	YA72266 – 273	23/10/84	31/12/08
RAM 692	YA72343	23/10/84	31/12/08
RAM 694	YA72345	23/10/84	31/12/08
RAM 696	YA72347	23/10/84	31/12/08
RAM 698	YA72349	23/10/84	31/12/08
RAM 700	YA72351	23/10/84	31/12/08
RAM 702 – 714	YA72353 – 365	23/10/84	31/12/08

* Pending acceptance of assessment work filed.

\+ No work pending on Cam 1 – 40 claims

4.0 2001 EXPLORATION PROGRAM

Exploration, including project mobilization and demobilization, linecutting, geological mapping, rock sampling, claim post tagging (Try 1-60), ground magnetic and electromagnetic surveys and diamond drilling was completed between July 29th and August 28th, 2001. A core handling facility, including temporary logging tent, diamond saw lean-to and permanent core storage racks was built at the Mouse showing area, located about 3.0 kilometres south of Seagull Lake.


R-9
RRDC
S-15
RRDC
MAX
MAX2
GREG
GR
RAM
BRO
GAI
TRY
BID
FALL
S
E
C
A
LP
TAY
JEF
MAT
SALT
CAM
KULAN
JJ
MM
Tolbert Creek
6839000mN
6830000mN
6825000mN
6820000mN
METRES
0 500 1000 1500 2000
MAP SHEETS 105F-10, 105F-7
NEWMONT EXPLORATION OF CANADA LIMITED
ROSS RIVER GOLD LTD. , FAIRFIELD MINERALS LTD.
TAY-LP PROJECT, YUKON TERRITORY, CANADA, SEAGULL CREEK AREA
WATSON LAKE MINING DISTRICT
FIGURE 2
TAY-LP AND RAM CLAIM GROUP
Claim Map

Five man-days of 1:10,000 scale geological mapping and prospecting (35 rock samples) were undertaken in the Zone C area. This work is presented on Plate 1. Seven, 600-metre long lines were cut to provide access for geophysical crews in Zones A and B in the brush filled Seagull Creek valley. Contract linecutting was carried out by Courier des Bois Ltd. of Whitehorse.

A one-week, ground geophysical survey was completed under the supervision of Tom Weis, Geophysicist of Newmont Mining Company. Approximately 6.0 kilometres of magnetometer and Max Min II electromagnetic surveys were completed in all zones.

The Major Drilling Group of Smithers, BC completed 1213.41 metres of diamond drilling in 13 days utilizing a JT2000 portable fly rig. Eleven NQII holes ranging in length from 90 to 150 metres were cored in three widely spaced anomalous magnetic and electromagnetic target zones. Whitehorse-based Capital Helicopter's provided a Bell 206 Jet Ranger to transport personnel, supplies and drill rig. Drill pads were constructed with lumber and disassembled upon the completion of each hole, effecting on-going environmental mitigation.

Each hole was logged for lithology, alteration, mineralization, structure, core recovery, rock quality density (RQD) and magnetic susceptibility. All core was cut using a diamond saw and sampled in its entirety. Rock and core samples were shipped to ALS Chemex Labs in North Vancouver, BC for gold and 41-element ICP analysis. Appendices II through V include all drill related data.

5.0 DIAMOND DRILLING

Drill hole collars are presented along with geological and historical data on Plate 1. Cross sections with lithology, sample number and gold results are plotted on Plates 3, 4, 5, 7, 8 and 10. Appendices II through V respectively are diamond drill logs, geotechnical

and magnetic susceptibility logs, assay summary tables and ALS Chemex assay certificates and analytical procedures. Table 2 lists drill hole data and bold font indicates holes described in this report.

Drilling took place over Zones A, B and C. Others have explored zone A extensively and several diamond and reverse circulation holes have targeted both surface showings and geophysical targets. Zones B and C were previously untested by diamond drilling.

Table 2

Drill Hole Summary

HOLE NUMBER	ZONE	CLAIM NO.	ELEVATION	UTM NORTH	UTM EAST	LINE NO.	LOCAL EAST	AZ.	DIP	LENGTH (M)
TLP01-1	C	Try 48	1555m	6,828,719	620,319	L219	1000	050°	-50°	106.68
TLP01-2	**C**	**Try 48**	**1520m**	**6,828,649**	**620,243**	**L219**	**900**	**050°**	**-50°**	**100.58**
TLP01-3	C	Try 20	1410m	6,829,707	620,678	L210	910	090°	-50°	94.49
TLP01-4	A	Tay 19	1122m	6,827,552	624,645	L117	1085	245°	-65°	115.82
TLP01-5	**A**	**LP 10**	**1111m**	**6,825,294**	**625,594**	**L106**	**1075**	**245°**	**-50°**	**109.73**
TLP01-6	**A**	**LP 12**	**1107m**	**6,825,687**	**625,444**	**L104**	**1090**	**235°**	**-50°**	**91.44**
TLP01-7	B	LP 54	1162m	6,829,671	622,369	L305	925	060°	-50°	122.22
TLP01-8	**B**	**LP 58**	**1162m**	**6,830,295**	**622,193**	**L302**	**942**	**050°**	**-50°**	**121.92**
TLP01-9	**A**	**LP 13**	**1143m**	**6,826,009**	**625,208**	**L102**	**965**	**055°**	**-50°**	**109.73**
TLP01-10	A	LP 10	1111m	6,825,230	625,494	L106	958	065°	-50°	91.44
TLP01-11	**C**	**Gai 47**	**1327m**	**6,830,242**	**620,451**	**L207**	**950**	**055°**	**-45°**	**149.35**

5.1 ZONE A (TLP01-5, TLP01-6 & TLP01-9)

Five holes were drilled in Zone A. Three of these holes are discussed in this report. Holes TLP01-5 and TLP01-6 targeted a postulated northeast dipping, electromagnetic conductor axis with a coincident magnetic high. Both holes failed to provide a reason for the geophysical anomalies. This failure was subsequently explained by a southwest dip to the host strata. Chlorite schist was encountered in both holes. Hole TLP01-5 (Plate 3) intersected two short intervals of anomalous gold, bismuth, lead, zinc and tellurium. A 30-centimetre wide quartz vein with galena at 39.0 metres assayed 390 ppb gold, 1.78% lead, 2160 ppm zinc and 46.6 ppm bismuth. At 46.0 metres, a 1.2 metre interval assayed

115 ppb gold and 630.0 ppm bismuth. The maximum gold value in TLP01-6 (Plate 4) was 30 ppb Au.

Drill hole TLP01-9 was collared 200 metres south of the Gossan showing and targeted a coincident magnetic and electromagnetic conductor. The hole intersected intermittent anomalous gold, bismuth, copper, arsenic, tungsten and tellurium values over much of its length (Plate 5). Results included several values of greater than 100 ppb gold and three results of greater than 1000 ppb gold. Maximum gold and bismuth values were 1985 ppb Au and 102.5 ppm Bi. A 2.0-metre interval from 21.3 to 23.3 metres returned an average of 925 ppb gold. Pyrrhotite is hosted along the contacts between interbedded limestone and sericite-quartz schist and is generally not anomalous in gold.

5.2 ZONE B (TLP01-8)

Two holes were drilled in Zone B, 3.0 kilometres northwest of Zone A in the Seagull Creek valley. One of these holes is discussed in this report. Hole TLP01-8 targeted a coincident magnetic and electromagnetic conductor axis (Plate 7). The geophysical anomalies were adequately explained by pyrrhotite mineralization and by conductive graphitic phyllite units. Minor quartz-galena veins were intersected, with maximum lead values to 1.92% Pb. No significant gold values (maximum 15 ppb) were returned. Geochemically, this hole shows higher levels of silver, lead and zinc, and lacks the bismuth-copper association observed elsewhere with gold.

5.3 ZONE C (TLP01-2 & TLP01-11)

Two of four holes drilled in Zone C are discussed in this report. The area of interest is located 2.0 kilometres west of Zone B and Seagull Creek. Holes TLP01-2 (Plate 8) and TLP01-11 (Plate 10) targeted coincident magnetic and electromagnetic anomalies as well as postulated gold-bearing pyrrhotite rich strata. Variably calcareous and carbonaceous phyllite and minor limestone units were intersected. Several pyrrhotite-bearing intervals

were cut and adequately explain the surface magnetic anomaly. Gold values were nearly all less than 5 ppb Au with a maximum value of 20 ppb Au in both drill holes.

6.0 DISCUSSION AND CONCLUSIONS

Diamond drilling on the Tay-LP and Ram claim group returned generally disappointing results. Testing of highly anomalous and very widespread coincident magnetic and electromagnetic anomalies failed to intersect significant gold mineralization. Magnetic anomalies are associated with non-auriferous pyrrhotite. Graphitic zones in black clastic units explain the majority of the anomalous electromagnetic conductors.


Where present, gold is associated with bismuth and copper. Other drill holes demonstrate that a non-magnetic form of pyrrhotite is also associated with the gold-bismuth-copper mineralizing event.

7.0 RECOMMENDATIONS

Future work on the property and retention of the claim group is dependant on a favourable review of geophysical and geochemical information from compiled data. Filtering of non-productive magnetic and graphite causative electromagnetic anomalies is a first priority. A compilation of historic drill hole and other samples for anomalous bismuth and copper trace element geochemistry is required in order to vector in on gold bearing structures. Once the data has been reviewed under this new modelling criterion; a program of ground geophysics and diamond drilling could be undertaken if warranted.

Respectively Submitted,

M. A. STAMMERS EXPLORATION MANAGEMENT INC.



Michael A. Stammers, P.Geo.

APPENDIX I

BIBLIOGRAPHY

Appendix I

Bibliography

Abbott, J.G., 1986. Epigenetic Mineral Deposits of the Ketza-Seagull district, Yukon; in Yukon Geology, Vol. 1, Exploration and Geological Services Division, Yukon Indian and Northern Affairs Canada, p. 56 – 66.

Allen, D.G., MacQuarrie, D.R. and J.C. Stephen, 1989. Diamond Drilling, Geophysical and Trenching Report on the Tay-Lp Claims; Pacific Comox Resources Ltd.

Berretta, M.G., 1978. A Report on Magnetometer and Electromagnetic Surveys of the Seatu Claim Group (1 – 20 incl.); internal report for Nevin, Sadlier-Brown, Goodbrand Ltd.

Fleming, D.B. and R.L. Cranswick, 1988. 1987 Geochemical Assessment Report, Pass Peak Property; Yukon Assessment Report No. 092145.

Heddle, D.W., 1987. Report on the Tay-Lp Claims; for Cinnabar Resources Ltd.

Hylands, J.J., 1988. 1987 Geological, Geochemical and Geophysical Report on the Ram Property (Ram #1-758 & Mat #1-12 Mineral Claims); for, Fairfield Minerals Ltd., by, Cordilleran Engineering Ltd.

Hylands, J.J., 1989. 1988 Summary Report of Exploration on the Ram Property, for, Fairfield Minerals Ltd. and Equity Silver Mines Limited, by, Cordilleran Engineering Ltd.

Klein, J., 1985. Airborne and Ground Geophysical Surveys on the Tay and Lp Claims; Cominco Limited.

Pacific Comox, 1992. Summary Drill Report on the Tay-Lp Claims; internal report for Pacific Comox Resources Ltd.

Paterson, I.A. and M.J. Gray, 1985. 1985-Year End Report to Owners, Geological, Geochemical and Diamond Drilling Report on the Tay-Lp Claims; Cominco Ltd.

Paterson, I.A., 1987. Year End Report, Diamond Drilling Report on the Tay-Lp Claims; Cominco Ltd.

Stammers, M.A., 1985. Geological and Geochemical Report on the RAM 1-758 Mineral Claims; by, Cordilleran Engineering, for, Regional Resources Ltd.

Stammers, M.A. and Montgomery, A.T., December 2000. Geological, Geochemical and Geophysical Assessment Report on the Ram Project, prepared for Newmont Exploration of Canada Limited

Stammers, M.A. and Montgomery, A.T., December 2000. Geological, Geochemical and Geophysical Assessment Report on the Tay-LP Project, prepared for Newmont Exploration of Canada Limited

Stammers, M.A. and Montgomery, A.T., December 2000. 2000 Summary Report on the Tay-LP Project, prepared for Newmont Exploration of Canada Limited

Stephen, J.C., 2000. Report on the Tay; Lp and Jef Quartz Claims; Ross River Gold Ltd.

Smith, Moira, 2000. The Tintina Gold Belt: An Emerging Gold District in Alaska and Yukon; in, The Tintina Gold Belt: Concepts, Exploration, and Discoveries, Special Vol. 2, British Columbia and Yukon Chamber of Mines, Cordilleran Roundup, January 2000.

Tempelman-Kluit, D.J., 1977. Geology of the Quiet Lake and Finlayson Lake map areas, Yukon Territory (105F and G); Geological Survey of Canada, Open File 486.
Tempelman-Kluit, D.J., Gordey, S.P. and B.C. Read, 1976. Stratigraphic and structural studies in the Pelly Mountains, Yukon Territory; in Report of Activities, Part A: Geological Survey of Canada, Paper 76-1A, p. 97-106.

Tolbert, R.S., 2000. Assessment Report on Selective Leach Soil Geochemistry and Prospecting; report on behalf of Ross River Gold Ltd.

Watts, A.H., Podolsky, G. and C.J. Hodgson, 1987. 1987 Geophysical Assessment Report, Pass Peak Property; Canamax Resources Inc.; Yukon Assessment Report No. 091735.

APPENDIX II

DIAMOND DRILL LOGS


TLP01-2
TLP01-5
TLP01-6
TLP01-8
TLP01-9
TLP01-11

Newmont Drill Log

Project TAY-LP	**Ground Elevation** 1520m
Hole # TLP01-2	**Bearing** 050°
Location L219 900E 6,828,649N 620243E (NAD27)	**Dip** -50° **Total Length** 100.58m (330')
Logged By A. MONTGOMERY	**Horizontal Projection** 65m
Date 14-08-01	**Vertical Projection** 76m
Contractor MAJOR DRILLING	**Alteration Scale**
Core Size NQ II	
Date Started Aug 10 D	**Total Sulfide Scale**
Date Completed Aug 11 D	
Dip Tests Etched 59° Corrected 52°	



Absent
Slight
Moderate
Intense



Trace Only
< 1 %
1 % - 3 %
3 % - 10 %
> 10 %

Comments

Sample series 345139 - 345211

Standards: 345160 - MS-2 (RMG1)
345200 - SV (VIVIAN)

Target Anomaly 219, Anomaly Grp C; intermittent intervals containing po may explain Geophysics.

< less than 5ppb Au

Legend

po - pyrrhotite
py - pyrite
asp - arsenopyrite
cp - chalcopyrite
ank - ankerite
chl - chlorite
ser - sericite
qtz - quartz
vn - vein
vnlts - veinlets
bi - biotite

Newmont Core Logs

Page 1 of 12 | Project: TAV-LP | Hole #TLP01-2

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
0						0 - 3.05 CASING						
						3.05-28.13 MUSCOVITE (SERICITE?)-QTZ-(BIOTITE)-(CHLORITE) PHYLLITE TO SCHIST						
						light to med grey to dull greenish grey, strongly, well developed phyllitic to schistose texture; mod-weakly calcareous, v. weakly to non-magnetic, finer chlorite layers minor component, minor amounts po along foln, weak qtz-calcite veins-patchy, discontinuous x-cut + parallel to foln						
5m						3.05-31m weakly oxidized along fractures						
						9.14 <1-2cm qtz-cal vn/v ll foln 20° tca.						
						9.9 4cm qtz-cal vn ll foln 50° tca						
10m						10.5 2-5cm qtz-cal vn ll foln 50° tca						
						11.8 2cm qtz-cal vn ll foln 40° tca						
						12.14-12.35 irregular, folded qtz-cal vns 2-3cm wide						
						15.0-15.5 2-4mm calcite + minor po vn/v x-cut foln @ 0-20° tca						
15m						16.25 <1-2cm qtz-cal vn ll foln 40° tca						
20m												

Structure: ~ mod. well fractured & broken sections down to 31m. - 5° - 60° - 50°

Lithology: PHYLLITE TO SCHIST

Alteration: ← ? WEAK CHLORITE ALT'N ?

Newmont Core Logs

Page 2 of 12	Project: TAY-LP	Hole # TLP01 - 2

Depth (m)	Mineralization Description	Total Sulfide	Samples				Assays			
			From	To	Width	Sample Number	Au ppb	As		
0m										
	3.05 - 28.13 <<0.5% f.g. po along foln and in occasional epi-calcite vn.		3.05	5.00	1.95	345210*	<	note sequence		
5m			5.00	7.00	2.00	345211*	<			
			7.00	8.50	1.50	345141	<			
			8.50	10.00	1.50	345142	<			
10m			10.00	11.50	1.50	345143	<			
			11.50	13.00	1.50	345144	<			
			13.00	14.50	1.50	345145	<			
15m			14.50	16.00	1.50	345146	<			
			16.00	17.50	1.50	345147	<			
			17.50	19.00	1.50	345148	<			
20m			19.00	20.50	1.50	345149	<			

Newmont Core Logs

Page 3 of 12 | Project: TAY LP | Hole # TLP01-2

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology		Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
20m					PHYLLITE TO SCHIST		20.3-20.4 ~10cm qtz-carb vn, diffuse irregular contacts.						
							21.0-21.9 patchy discontinuous qtz-carb vns to 2cm wide ± rare py; ~5% of core, possible weak chl altn assoc. w vns.						
							24.3 2cm carb-qtz vn @ 30° tca ll foln, trc py.						
25m													
			So				28.13 lwr contact sharp 60° tca ll foln						
						28.13-31.78	LIMESTONE						
					LIMESTONE		Lt. to med grey, massive f.g. weakly foliated, non- to v. weakly magnetic where minor po present, cut by qtz-carb vns.						
30m							28.13-29.05 weak bi-ser? hornfelsing w <0.5% po, weak silicification at contact.						
			70°				29.25-29.35 10cm qtz-carb vn 60° tca						
							29.45-30.8 highly fractured, orange-brn "limonite" on fractures.						
			So				30.8-31.1 mottled qtz-carb vn 80° tca						
							31.25-31.4 " " "						
35m							31.55-31.65 " " "						
							31.78 lwr contact sharp 70° tca ll foln						
					BLACK SHALE		"pledgy phyllite."						
						31.78-38.26	BLACK WEAKLY CALC. SHALE						
							Black, well foliated, weakly calcareous, weakly-mod. carbonaceous (ohmmeter test indicate some conductivity), weakly magnetic due to f.g. diss po, minor leached coloured sericitic-qtz layers.						
			- weakly fractured 31m to EOH.										
			So										
40m					CHLORITE PHYLLITE								

Newmont Core Logs

Page 4 of 12 | Project: TAY - LP | Hole # TLP01 - 2

Depth (m)	Mineralization Description	Total Sulfide	Samples: From	To	Width	Sample Number	Assays: Au ppb	Fe As %
20m			20.50	22.00	1.50	345150	<	
			22.00	23.50	1.50	345151	<	
			23.50	25.00	1.50	345152	<	
25m			25.00	26.50	1.50	345153	<	
	28.13 - 29.05 ~ 0.5% po as diss, seams along foln		26.50	28.13	1.63	345154	<	
			28.13	30.00	1.87	345155	<	
	29.05 - 31.78 trc f.g. po							
30m			30.00	31.78	1.78	345156	<	
	31.78 - 38.26 0.5% f.g. diss po along foln		31.78	33.50	1.72	345157	<	
			33.50	35.00	1.50	345158	<	
			35.00	36.50	1.50	345159	<	
35m			STANDARD			345160	140	
			36.50	38.26	1.76	345161	<	
	38.26 - 40.0 0.5% f.g. diss po along foln		38.26	40.00	1.74	345162	<	8.08
40m								

Project: TAY - LP

Hole # TLP01-2

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
40m						32.4. 2cm wide qtz lense 50° tca || folin						
						34.8-35.15 ~20% core discontinuous qtz-(cal) vns/lenses || folin up to 2cm wide						
						38.26 lwr contact sharp 70° tca.						
			45°			38.26-40.83 CHLORITE PHYLLITE (ASH?)						
					SERICITE-QTZ-CHLORITE PHYLLITE	Green, f.g. weakly-mod. foliated texture, non-calcareous, minor po along folin, minor thin qtz-ank vns.						
45m						38.26-38.4 ~10cm qtz-(cal) vn @ 60° tca; po at margins						
						38.6-38.7 discontinuous qtz(cal) vn + po						
						40.0-40.1 patchy discontinuous qtz(cal) vn & assoc. patchy po @ margins						
			15°			1-3% at margins of vein.						
						40.83 lwr contact gradational, subjective.						
						40.83-48.40 SERICITE-QTZ-CHLORITE PHYLLITE						
50m						Med. to H. greenish grey to yellowish green, well foliated, phyllitic, mod-strongly magnetic (due to increased po content), v. weakly calcareous, cut by weak-mod qtz-(cal) veining. Imb. strongest po in hole to this depth, avg. 1% over section, notable yellowish colouration to select bands - altn?						
			50°									
			75°		BLACK PHYLLITIC SHALE							
55m						41.58 2cm qtz vn || folin 55° tca is 1% py						
						42.10-42.65 massive po in ank vn @ 15° tca, est 10% po over this interval.						
						42.0 trc bright green fuchsite?						
						43.1-43.4 patchy white qtz vn 50° tca || folin, 1% po.						
						43.8-44.15 patchy white/translucent qtz vn & ~3% po seams along fractures, ~50° tca						
			70°			44.0-45.0 trc bright green fuchsite?						
60m												

Newmont Core Logs

Page 6 of 12 | Project: TAY-LP | Hole # TLP01-2

Depth (m)	Mineralization Description	Total Sulfide	Samples: From	To	Width	Sample Number	Assays: Au ppb	Fe %
40m	40.0 - 40.83 ~1% po as seams disseminations along foln & patches at qtz @ 40.0.		40.00	41.60	1.60	345163	<	5.33
			41.60	42.10	0.50	345164	<	7.16
	40.83 - 41.60 1% po as laminations disseminations along foln		42.10	42.65	0.55	345165	<	11.05
	41.60 - 42.10 - 2% po as above, +1% cp		42.65	44.15	1.50	345166	<	
	42.10 - 42.65 ~10% po as massive banded in 2-4cm wide qtz-po vn @ 15° tca.		44.15	45.50	1.35	345167	<	
45m	42.65 - 48.40 1% po as 40.83.		45.50	47.00	1.50	345168	<	
			47.00	48.40	1.40	345169	<	
	48.4 - 62.35 <0.5% f.g. diss po along foln and in minor veining.		48.40	50.00	1.60	345170	<	
50m			50.00	51.50	1.50	345171	<	
			51.50	53.00	1.50	345172	<	
			53.00	54.50	1.50	345173	<	
			54.50	56.10	1.60	345174	<	
55m	55.9 - 56.1 ~3% patchy po + <1% dk red brn sph in brn qtz vn.		56.10	57.60	1.50	345175	<	
	57.3 - 62.0 <1% py > po > sph in narrow vns subparallel tcn		57.60	59.10	1.50	345176	20	
			59.10	60.60	1.50	345177	<	
60m								

Newmont Core Logs

Page 7 of 12 | Project: TAY-LP | Hole # TLP01-2

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
60m						45.75 2cm qtz vn @ 30° tca ⊥ fol'n.						
						48.40 lwr contact gradational ⊥ fol'n						
						48.40-62.35 **BLACK PHYLLITIC 'SHALE'**						
						Grey + black, well foliated phyllite to shaley texture, graphitic (some conductivity response on ohm-meter), weakly calcareous, weakly magnetic due to minor disp po, cut by weak qtz±(cal) veining						
			60°									
65m						51.8-51.9 5-10cm qtz vn ± minor po ⊥ fol'n @ 50° tca						
						54.6-54.75 5cm qtz-(cal) vn x-cut fol'n at 40° tca, minor po.						
						55.9-56.1 10cm qtz vn ⊥ fol'n @ 50° tca, ~3% po + sph.						
			55°			56.45-56.55 3cm qtz-(cal) vn ⊥ fol'n @ 40° tca, minor po.						
						~57.3-62.0 minor <1cm wide qtz-anhedrite ± cal ± py-po-sph veins/vnlts subparallel tca (similar vnlt 55.1-55.3)						
70m						62.35 lwr contact ⊥ fol'n @ 50° tca						
			60°									
					INTERBEDS BLACK PHYLLITIC SHALE/SER-QTZ-(CHL) PHYLLITE	62.35-73.60 **Interbedded Black Phyllitic shale/Sericite-Qtz-(Chlorite) Phyllite.**						
						Interbedded Black phyllitic shale as above (~50%) & dull green/lt. grey sericite-qtz-(chl) phyllite (50%), green-grey phyllite weakly calcareous, weakly-mod. magnetic due to up to 1% f.g. disp po on fol'n, locally biotitic.						
75m			55		PHYLLITIC BLACK SHALE							
						62.35-63.0 Sericite-Phyllite; biotitic.						
						63.0-65.4 Black shale						
						63.4-63.5 2cm qtz vn ± 5% po>py at 20° tca						
						65.4-66.05 Sericite-Phyllite, cut by qtz vns up to 2cm wide ⊥ to fol'n ± x-cut, po±py 3% in vns/host, 30% of section vns.						
80m												

Newmont Core Logs

Page 8 of 12 | Project: TAY-LP | Hole # TLP01-2

Depth (m)	Mineralization Description	Total Sulfide	Samples From	Samples To	Samples Width	Sample Number	Assays Au ppb	Assays Fe As %
60m			60.60	62.35	1.75	345178	<	
	62.35-63.0 1% po as beams/ diss. along foln		62.35	63.00	0.65	345179	<	7.46
	63.0-65.4 <0.5% po as above.		63.00	64.50	1.50	345180	5	
			64.50	65.40	0.90	345181	<	
65m	65.4-66.05 3% po>py in qtz vns + host.							
			65.40	66.05	0.65	345182	<	5.29
	66.05-67.30 0.5% po as 62.35.		66.05	67.30	1.25	345183	<	
	67.30-73.60 ~1% po as 62.35		67.30	68.80	1.50	345184	<	
			68.80	70.30	1.50	345185	<	5.17
70m			70.30	71.80	1.50	345186	<	
	73.60-73.80 1-2% po diss/bands // foln		71.80	73.15	1.35	345187	<	5.03
	73.80-81.0 ~0.5% po ± py diss ± in qtz ± cal vns.		73.15	73.75	0.60	345188	<	
75m			73.75	75.25	1.50	345189	<	
			75.25	77.30	2.05	345190	<	
			77.30	78.30	1.00	345191	<	
			78.30	79.80	1.50	345192	<	
			79.80	81.30	1.50	345193	<	
80m								

Newmont Core Logs

Page 9 of 12 | Project: TAY-LP | Hole # TLP01-2

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology		Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
80m			70		BLACK PHYLLITIC SHALE		66.05-67.30 Shale						
							67.30-73.6 Sericite...Phyllite & minor shale						
							68.50 tr fuchsite?						
							69.15-69.25 7cm qtz cal vn 50° tca 11 foln, 1% po						
			55				69.35-69.45 2cm qtz-cal vn 50° tca 11 foln 1% po.						
			60				~69-73.60 weak local chl+sil altn						
85m							73.60 lwr contact gradational 40° tca						
			40				72.4-73.0 20% foln parallel <2cm wide qtz vn ± po						
							73.25-73.6 white qtz-(cal) vn 40-50° tca ~ 5% po ± py.						
						73.60-85.45	BLACK PHYLLITIC SHALE						
							As above 48.4-62.35; cut by weak-mod. qtz veining, avg 0.5% po.						
							73.05-73.95 2cm-<1cm qtz lenses 11 foln						
90m							73.9-74.4 2 <1cm x-cutting qtz-carb vnlts ± po ± py						
							74.4-75.5 ~5-10% of core <1cm foln 11 qtz ± po/py (<1%) vns						
							77.3-78.3 ~ 50% core foln 11 qtz vns ± ~1% po > py.						
							78.3-80.05 frequent qtz ± (carb) vns 1-5cm wide 11 and x-cut foln (30, 40, 50° tca), 10 vns this interval avg 1-3% py > po.						
			50				76.5-77.5 increased fracturing						
95m							80.05-82.5 9 foln 11 qtz vns <1cm-10cm wide + 1 1cm x-cut vn @ 20° tca @ 81.5; vns ~ avg 1% po						
							84.55-84.55 foln 11 qtz vns (50% of section) ± oxide, po. in w/r & vn						
							85.15-85.34 pale green sericitic intervals						
							85.45 lwr contact 11 foln 60° tca.						
100m			60										

Angle

Newmont Core Logs

Page 10 of 12 | Project: TAY - LP | Hole # TLP01-2

Depth (m)	Mineralization Description	Total Sulfide	Samples: From	To	Width	Sample Number	Assays: Au ppb	Fe %
80m			81.30	82.80	1.50	345194	<	
	81.0 - 81.4 ~1% po as above.		82.80	84.30	1.50	345195	<	
	81.4 - 84.3 < 0.5% po as above.		84.30	85.45	1.15	345196	<	5.93
	84.3 - 84.7 ~1% po as above.		85.45	87.00	1.55	345197	<	
85m	84.7 - 85.45 0.5% po as above		87.00	88.50	1.50	345198	<	
	85.45 - 89.1 <0.5% po disseminated foln & in qtz-tourm vns.		88.50	90.15	1.65	345199	<	
			STANDARD			345200	50	
	89.1 - 90.15 ~0.5% po as above.							
90m	90.15 - 90.50 ~30% po in qtz vn.		90.15	90.50	0.35	345201	<	13.10
			90.50	91.60	1.10	345202	<	
	90.50 - 100.55 <0.5% po as above		91.60	93.55	1.95	345203	<	
	91.5 - 92.5 0.5% py in late x-cutting fractures.		93.55	94.20	0.65	345204	<	
			94.20	95.70	1.50	345205	<	
95m			95.70	97.20	1.50	345206	<	5.71
			97.20	98.70	1.50	345207	<	6.50
			98.70	99.70	1.00	345208	<	5.79
			99.70	100.58	0.88	345209	<	
100m								

Newmont Core Logs

Page 11 of 12 | Project: TAY-LP | Hole #TLP01-2

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
100.0						85.45-100.58 SERICITE-(QTZ)-(CHL) PHYLLITE						
100.58						Lt.-med greenish grey well to poorly foliated, phyllitic texture, v. weakly magnetic due to trace to minor amts. po, non-calcareous; cut by qtz, qtz-ank and qtz-calcite vns.						
EOH												
						85.55-86.10 cut by ? foln // to irregular/ patchy qtz-(ank) vns 1-3cm wide, up to 1% po in vns; v. weak chl-altn adjacent to veins						
						mod. 85.45-91.0 lt. yellowish hue to core along foln - sericite?						
						88.39-88.9 fractures & qtz+py+po // cas.						
						89.6-89.8 qtz-ank vn 50° to // foln						
						90.15-90.50 qtz vn & ~20% po as patches to 4cm dia, contacts irregular, x-cut + parallel foln.						
						90.50-90.80 qtz vn & 1% po // cas, chl altn at vn margin.						
						91.05-91.60 patchy irregular qtz-ank vn(s) - follow foln @ 50° to c.a., bleaching & silica-chl altn for ~30cm down hole from vn, ~1% po in vn.						
						* from about 92m down hole progressive increase chl content as margins to veins then effectively as principle component to rock (altn?)						
						92.0-93.55 mod-weak qtz-ank vns <2cm wide // foln						
						92.5-96.3 minor biotite seams along foln / vn margins.						
						93.55-94.20 ~30% section qtz-ank vns parallel to subparallel to foln, chl altn @ margins, leach sulphides.						
						94.20-99.7 patchy/discont. foln // qtz-ank vns <1-4cm wide ~5-10% of section, minor po in veins.						
						99.7-100.10 & 100.4-100.58 qtz-cal vns (no sulphides) contacts 70°, 80° & 40° to c.a.						

100.58 EOH.


Newmont Core Logs

Page 12 of 12	Project: TAY-LP	Hole # TLP01 - 2


Depth (m)	Mineralization Description	Total Sulfide	Samples				Assays			
			From	To	Width	Sample Number	Au	As		
	100.58 = EOH									

Newmont **Drill Log**

Project TAY-LP	**Ground Elevation** 1111 m
Hole # TLP01 - 5	**Bearing** 245°
Location L106 1075E	**Dip** -50°
UTM 6825293N 625595E (Nad27)	**Total Length** 109.72m (360')
Logged By A. MONTGOMERY	**Horizontal Projection** 86m
Date 19-08-01	**Vertical Projection** 68m
Contractor MAJOR DRILLING	**Alteration Scale**
Core Size NQ II	
Date Started Aug 13 D	
Date Completed Aug 14 D	**Total Sulfide Scale**
Dip Tests Etched 58° Corrected 51°	



Absent
Slight
Moderate
Intense



Trace Only
< 1 %
1 % - 3 %
3 % - 10 %
> 10 %

Comments

Sample Series:
345374 - 345428

Standards
G02-190 - 345380
G03-111 - 345410

Targeting Anomaly 106, Anomaly Group A - failed to explain Geophysics; possibly source of anomaly west dipping

< less than 5ppb Au

Legend

po - pyrrhotite
py - pyrite
asp - arsenopyrite
cp - chalcopyrite
ank - ankerite
chl - chlorite
ser - sericite
bi - biotite
qtz - quartz

Newmont Core Logs

Page 1 of 12 | Project: TAY-LP | Hole # TLP01-5

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
0m						0 – 24.38 CASING						
5m												
10m												
15m												
20m												

Newmont Core Logs

Page 2 of 12	Project: TAY-LP	Hole # TLP01-5

Depth (m)	Mineralization Description	Total Sulfide	Samples				Assays			
			From	To	Width	Sample Number	Au	As		
0m										
5m										
10m										
15m										
20m										

Newmont Core Logs

Page 3 of 12 Project: TAY-LP Hole #TLP01-5

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	~~Biotite Fe Carbonate~~	FeOx
20m												
						24.38 - 109.72 CHLORITE - (QTZ-SER) SCHIST						
						Med green well foliated schistose to phyllitic; weakly calcareous, trace py+po along foln & in x-cutting carb-qtz vnlts, non- to v. weakly magnetic, v. weak bi alt'n as selvages to qtz-carb. fractures.						
25m					CHLORITE - (QTZ-SER) SCHIST							
			25°									
30m			50°									
			60°									
35m						37.2 - 45.65 weak - mod bleaching (ser alt'n?) & increasing fracturing down hole to vn contact.						
			30°									
						38.2 - 39.1 patchy fg bi-qtz-py alt'n						
40m			10°									

Newmont Core Logs

Page 4 of 12 | Project: TAV-LP | Hole # TLP01-5

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As	Bi ppm	Cu ppm
20m										
	24.38 - 45.8 tr - <0.5% py+ po as f.g. diss along foln and & qtz-carb fractures, veinlets.		24.38 (<20% recvy)	27.50	3.12	345374	<			
25m			27.50	29.50	2.00	345375	<			
			29.50	31.50	2.00	345376	<			
30m			31.50	33.50	2.00	345377	<			
			33.50	35.00	1.50	345378	<			
			35.00	36.50	1.50	345379	<			
35m			STANDARD			345380	445			
			36.50	37.80	1.30	345381	<			
			37.80	38.80	1.00	345382	45			
			38.80	39.10	0.30	345383	390		46.6	215
	38.8-39.1 ~1% py as whisps in msv/patchy f.g. bi+qtz alt'n.		39.10	40.60	1.50	345384	5			
40m										

Newmont Core Logs

Page 5 of 12 | Project: TAY-LP | Hole # TLP01-5

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Biotite / Fe Carbonate	FeOx
40m					CHLORITE (QTZ-SER) SCHIST	40.6-40.7 broken 1cm qtz vn ± 1% po/bi sulvng x-cut foln.						
						42.8-43.0 1cm qtz vn x-cut foln @ 20° tca, bi sulvngs.						
45m						* 45.70-45.8 short section of lt greenish f.g. sericitic intrusive?? ; contact 60° tca sharp.						
						45.8-47.0 qtz vn, aphanitic wht, mssv to mottled, low crackled ~30° tca, & 2-3% combined sulphides incl py > sph > po > cpy.						
			50°			49.4-49.6 - short band ep-bi-cpy ? skarn? 60° tca.						
50m												
			45°									
						54.5-64.0 slight increased x-cutting cal-qtz fracture fillings; weak bi sulvngs in some.						
55m												
			65°									
60m			50°									

Newmont Core Logs

Page 6 of 12 | Project: TAY-LP | Hole # TLP01-5

Depth (m)	Mineralization Description	Total Sulfide	Samples: From	To	Width	Sample Number	Assays: Au ppb	As ppm	Bi ppm	Co ppm	Ag g/t	Pb %	Zn ppm
40m			40.60	42.60	2.00	345385	15						
			42.60	44.20	1.60	345386	<						
			44.20	45.80	1.60	345387	<						
45m	45.8-47.0 ~3% combined sulphides in qtz vn py>sph>po>gn as interstitial & fracture controlled patches.		45.80	47.00	1.20	345388	115	40.6	630	29.4	241	1.78	241
	47.0-71.2 ; vn = 0.5% py-po as 24.38-45.8.		47.00	48.00	1.00	345389	<						
			48.00	49.00	1.00	345390	<						
			49.00	50.50	1.50	345391	<						
50m			50.50	52.50	2.00	345392	<						
			52.50	54.50	2.00	345393	<						
			54.50	56.50	2.00	345394	<						
55m			56.50	58.50	2.00	345395	<						
			58.50	60.50	2.00	345396	<						
60m													

Newmont Core Logs

Page 7 of 12 | Project: TAY-LP | Hole # TLP01-5

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Pyrite / Fe Carbonate	FeOx
60m												
			5°			64.8-65.3 qtz-cut vn, contacts 70° + 50° tca ∥ foln, minor py+py at hw in margins.						
65m												
			8°			68.9-69.0 2cm qtz lense ∥ foln, minor py						
70m						71.2-74.1 8 qtz vns between 1cm-10cm wide ∥ foln @ 40-90° tca; minor py+po associated with veining; weak chl altn.						
			80° 25			74.0-85.0 weakly fractured.						
75m						75.0-75.1 5cm qtz vn x-cut foln 80° tca & ~1% po at margins; bi salvage.						
						77.3-78.2 patchy altn which fractures x-cuts foln bi ± po+ qtz; 78.0-78.2 50% white qtz vn ∥ foln & ~1% po						
			75°									
80m												

Newmont Core Logs

Page 8 of 12 | Project: TAY-LP | Hole # TLP01-5

Depth (m)	Mineralization Description	Total Sulfide	Samples: From	To	Width	Sample Number	Assays: Au ppb	As	Bi ppm
60m			60.50	62.50	2.00	345397	<		
			62.50	63.80	1.30	345398	20		
			63.80	64.80	1.00	345399	<		
			64.80	65.30	0.50	345400	<		
65m			65.30	67.00	1.70	345401	<		
			67.00	69.00	2.00	345402	<		
			69.00	71.00	2.00	345403	<		
70m			71.00	72.00	1.00	345404	<		
	71.2 - 74.1 <0.5 - 0.5% py+po & qtz vns		72.00	73.00	1.00	345405	<		
	74.1 - 77.3 <0.5% py+po		73.00	74.10	1.10	345406	<		
			74.10	75.70	1.60	345407	15		
75m			75.70	77.30	1.60	345408	20		
	77.3 - 78.2 ~ 1% po disseminated & qtz vn / bi		77.30	78.20	0.90	345409	80		6.44
	78.2 - 80.5 <0.5% py+po		STANDARD			345410	6760		
			78.20	79.70	1.50	345411	<		
80m			79.70	81.20	1.50	345412	15		

Newmont Core Logs

Page 9 of 12 | Project: TAYLP | Hole # TLP01-S

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
80m												
						81.9-82.0 4cm qtz-bi vn x-cut foln @ 50°tca, 5% py+po.						
						87.45 & 87.75 2-3cm qtz-cal vns // foln @ 75-80°tca.						
85m						86.5- EOH interbedded layers carbonate (host) <1cm - >20cm wide (~ 30% compared to core)						
						88.7-92.2 increased qtz-(cal) veining, predominantly as foln // veins up to 13cm wide; ~ 5%-10% of core, minor assoc. sulphides; vns 70°-40°tca, assoc. bi and possibly chlorite altn.						
90m						89.9-88.05 13cm qtz vn 70°tca, no sulphides.						
95m						99.0-99.6 host interbed.						
						99.8-100.0 10cm qtz-cal vn 70°tca // foln						
100m												

Newmont Core Logs

Page 10 of 12	Project: TAY-LP	Hole # TLP01-S

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As	Bi ppm
80m			81.20	82.70	1.50	345413	70		5.31
	80.5-84.0 - 0.5-1% po+py blebs, along foln + in bi-qtz x-cut vns		82.70	84.70	2.00	345414	<		
			84.70	86.70	2.00	345415	<		
	84.0-90.3 <0.5% po+py								
85m			86.70	88.70	2.00	345416	<		
			88.70	90.40	1.70	345417	5		
			90.40	91.30	0.90	345418	85		7.85
90m	90.3-92.2 ~1% po+py assoc. w/ qtz-cut vns, patches/blebs in s/r & in vns.		91.30	92.20	0.90	345419	75		5.20
			92.20	94.00	1.80	345420	5		
	92.2-EOH <0.5% py+po		94.00	96.00	2.00	345421	<		
95m			96.00	98.00	2.00	345422	<		
			98.00	100.00	2.00	345423	<		
100m									

Newmont Core Logs

Page 11 of 12 | Project: TAY-LP | Hole # TL-P01-S

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Biotite / Fe-Carbonate	FeOx
100m						100.2 - 100.4 qtz-cpy vns // foln						
						nb. 2cm long needle of blk						
						wolframite? in vn.						
105m												
109.72 EOH						109.72 EOH						

Newmont Core Logs

Page 12 of 12 | Project: TAY-LP | Hole # TLP01-5

Depth (m)	Mineralization Description	Total Sulfide	Samples				Assays			
			From	To	Width	Sample Number	Au ppb	As		
100m			100.00	102.00	2.00	345424	<			
			102.00	104.00	2.00	345425	<			
			104.00	106.00	2.00	345426	<			
105m										
			106.00	108.00	2.00	345427	<			
			108.00	109.72	1.72	345428	<			
109.72	EOH									

Newmont Drill Log

Project TAY-LP	**Ground Elevation** 1107m
Hole # TLP01-6	**Bearing** 235°
Location L104 1090E 6825 687 N 625 444 E (NAD27)	**Dip** -50 **Total Length** 91.44 (300') **Horizontal Projection** 60m **Vertical Projection** 69 m
Logged By AL MONTGOMERY	
Date 19-08-01	
Contractor MAJOR DRILLING	**Alteration Scale** 0 1 2 3 Absent Slight Moderate Intense
Core Size NQ II	
Date Started Aug 14 D	**Total Sulfide Scale** 0 1 2 3 4 <0.5% 0.5-1% 1-3% 3-5% >5% Trace Only <1% 1% - 3% 3% - 10% >10%
Date Completed Aug 14 N	
Dip Tests Etched 62° Corrected 55°	

Comments

Sample Series : 345429 - 345476

Standards :

345440 MS-1 (RMG1)
345470 SV (VIVIAN)

Targeting Anomaly 104, Anomaly Grp A.

Failed to explain anomaly - west dip?

< less than 5ppb Au

Legend

po - pyrrhotite
py pyrite
cp chalcopyrite
asp arsenopyrite
ank ankerite
chl chlorite
ser sericite
bi biotite
qtz quartz

Newmont Core Logs

Page 1 of 10 | Project: TAV - LP | Hole # TLP01-6

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Biotite Fe-Carbonate	FeOx
0m						0 - 18.4 CASING						
						18.40-91.44 CHLORITE - (SER - QTZ) SCHIST						
						Med - dark green/grey well foliated schistose to phyllitic, weakly calcareous, non- to v. weakly magnetic, weak bi altn along foln / selvages along fracture, minor x-cutting / foln parallel qtz-cal vns.						
5m												
10m												
15m					CASING							
						18.4 - 24.0 weakly to mod. fractured.						
20m			V 60 X									

Newmont Core Logs

Page 2 of 10. Project: TAY-LP Hole # TLP01-6

Depth (m)	Mineralization Description	Total Sulfide	Samples From	Samples To	Samples Width	Sample Number	Assays Au ppb	Assays As		
0m										
5m										
10m										
15m										
	18.40 – 48.6 tr to 0.5% po ± py as f.g. diss clots/ folin, ± in assoc. ± qtz-carb vns.		18.40	20.40	2.00	385429	20			
20m										

Newmont Core Logs

Page 3 of 10. Project: TAV-LP Hole # TLP01-6

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Biotite / Fe Carbonate	FeOx
20m						22.3-22.5 2 1-3cm qtz-cal vns ll foln @ 45° tca, minor arbsc. porphy.						
						22.7-22.9 6cm qtz-cal vn ll foln @ 40° is ~1% patchy po along vn						
			16°			nb. x-cutting vnlts @ 30-50° tca.						
25m												
30m			60°		CHLORITE-(SERICITE-QTZ) SCHIST							
35m			55°			37.15-37.50 qtz-cal vn 70° tca						
						* ll foln; noted 1 3mm grain black to bluish-black soft, sulphide.						
						39.45-39.7 patchy bi alt'n along & adj minor po x-cut foln 60° tca						
40m			50°									

Newmont Core Logs

Page 4 of 10 | Project: TAY - E1 | Hole # TLP01-6

Depth (m)	Mineralization Description	Total Sulfide	Samples: From	To	Width	Sample Number	Assays: Au ppb	As		
20m			20.40	22.40	2.00	345430	10			
			22.40	24.40	2.00	345431	10			
			24.40	26.40	2.00	345432	10			
25m			26.40	28.40	2.00	345433	<			
			28.40	30.40	2.00	345434	5			
30m			30.40	32.40	2.00	345435	<			
			32.40	34.40	2.00	345436	10			
35m			34.40	36.40	2.00	345437	15			
	37.15 - 37.50 spec of black sulphide in qtz vn.		36.40	37.10	0.70	345438	25			
			37.10	37.50	0.40	345439	5			
			STANDARD			345440	105			
			37.50	39.40	1.90	345441	30			
40m			39.40	40.00	0.60	345442	<			

Newmont Core Logs

Page 5 of 10. Project: TAY-LP Hole #TLP01-6

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Biotite / Fe-Carbonate	FeOx
40m												
			6°			43.3-43.6 patchy/discontinuous qtz vn ± 5% porpy, bi selvage						
45m						46.6-46.7 increased bi ± qtz+cal. along foln						
						48.0-49.5 weakly bleached-sericite?						
			8°		SCHIST	48.6-48.95 qtz-(cal) vn 70° to ll foln, 1% porpy along lwr contact						
50m					CHLORITE-(SER-QTZ)	48.95-49.9 increased bi alt'n assoc. ± qtz vn.						
			10°			49.2 & 49.3 1cm-2cm qtz-cal vns ll foln ± assoc. sulphides						
55m												
						59.4-59.58 grey-white qtz vn 70° to, no sulphides.						
60m												

Newmont Core Logs

Page 6 of 10	Project: TAY-LP	Hole # TLP01-6

Depth (m)	Mineralization Description	Total Sulfide	Samples From	Samples To	Samples Width	Sample Number	Assays Au ppb	Assays As
40m			40.00	42.00	2.00	345443	<	
			42.00	43.30	1.30	345444	15	
			43.30	44.30	1.00	345445	<	
			44.30	45.30	1.00	345446	10	
45m			45.30	46.30	1.00	345447	10	
			46.30	47.30	1.00	345448	5	
			47.30	48.60	1.30	345449	<	
	49.45 - 49.9 - 0.5-1% po+py		48.60	49.40	0.80	345450	<	
	assoc. i qtz vn + diss chl frtn							
50m	49.9 - 75.2 tr po+py		49.40	50.40	1.00	345451	<	
			50.40	51.90	1.50	345452	<	
			51.90	53.40	1.50	345453	<	
			53.40	54.90	1.50	345454	<	
55m			54.90	56.40	1.50	345455	20	
			56.40	57.90	1.50	345456	<	
			57.90	59.90	2.00	345457	<	
			59.90	61.90	2.00	345458	20	
60m								

Newmont Core Logs

Page 7 of 10 Project: TAY-LP Hole # TLP01-6

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
60m												
			70°									
65m						66.70 - 70.0 increased carbonate component to rock ~ 50%						
						69.1 0.5cm qtz vn x-cut foln @ 30°tcn, cloth py+chl; bi sulphides						
70m			65°		CHLORITE - (SER-QTZ) SCHIST	72.0 - 74.0 slight increased fracturing						
			20°									
			60°			74.9 - 75.0 5cm qtz vn 11 foln @ 75°tcn, i ~ 1% po>py>sp; vn cut by fracture @ 030° i calcite/gives qtz grey hue (fine sulphide?); @ 74.5 3cm patch po+py.						
75m			80°									
			70°									
80m												

Newmont Core Logs

Page 8 of 10 | Project: TAY-LP | Hole # TL-P01-6

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As
60m			61.90	63.90	2.00	345459	20	
			63.90	65.90	2.00	345460	20	
65m			65.90	67.90	2.00	345461	30	
			67.90	69.90	2.00	345462	15	
			69.90	71.90	2.00	345463	5	
70m			71.90	73.90	2.00	345464	<	
			73.90	75.20	1.30	345465	10	
			75.20	75.60	0.40	345466	<	
75m	75.2-75.6 ~1% py+po+tr cp in/adjacent to qtz vn.		75.60	76.40	0.80	345467	<	
	75.6-91.44 tr po+py.		76.40	77.90	1.50	345468	5	
			77.90	79.90	2.00	345469	<	
			STANDARD			345470	40	
			79.90	81.90	2.00	345471	10	
80m								

Newmont Core Logs

Page 9 of 10 | Project: TAY-LP | Hole # TLP01-6

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Pyrite / Fe Carbonate	FeOx
80m												
85m			80°									
90m			80°									
91.44m EOH			80°		CHLORITE - (SER-QTZ) SCHIST	91.44m = EOH						
95m												

Newmont Core Logs


Page 10 of 10	Project: TAY-FLP	Hole # TLP01-6

Depth (m)	Mineralization Description	Total Sulfide	Samples				Assays			
			From	To	Width	Sample Number	Au ppb	As		
80m										
			81.90	83.90	2.00	345472	<			
			83.90	85.90	2.00	345473	<			
85m										
			85.90	87.90	2.00	345474	<			
			87.90	89.90	2.00	345475	<			
			89.90	91.44	1.54	345476	<			
90m										
	91.44 EOH									
95m										

Newmont **Drill Log**

Project TAY-LP	**Ground Elevation** 1162m
Hole # TLP01-8	**Bearing** 050°
Location L302 942E	**Dip** -50°
6830297N 622193E NAD 27	**Total Length** 121.92m (400')
Logged By AL MONTGOMERY	**Horizontal Projection** 80m
Date 20-08-01	**Vertical Projection** 93m
Contractor MAJOR DRILLING	**Alteration Scale**
Core Size NQ II	
Date Started Aug 17 D	**Total Sulfide Scale**
Date Completed Aug 18D	
Dip Tests Etched 56° Corrected 49°	





Comments

Sample Series: 345548 - 345640

Standards:

345560 - G03-63
345600 - MS-2 (RMG)
345630 - MS-2 (RMG1)

Targeting Anomaly 302, Anomaly Grp B. Po mineralization between 71.10m-94.20m likely explains geophysics; Po magnetic.

Legend

po	pyrrhotite
py	pyrite
cp	chalcopyrite
asp	arsenopyrite
ank	ankerite
chl	chlorite
ser	sericite
bi	biotite
qtz	quartz

109.72

Newmont Core Logs

Page 1 of 14 | Project: TAV-4P | Hole # TL-P01-8

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
						0 - 10.40 CASING						
						10.40 - 18.20 CALCAREOUS CHLORITE-SER SCHIST						
						Med-dark grey to greenish grey, well foliated, highly calcareous, non- to weakly magnetic, minor py + po diss & in qtz-cal vns, most qtz-cal vns parallel foln & less x-cutting, most <2cm wide.						
						10.4 - 11.4 weak oxidation						
						10.5 3cm qtz-cal vn 3cm wide, 40° to ca 11 foln.						
						10.4 - 21.0 core mod. well fractured.						
					CASING							
			35°		CALCAREOUS CHLORITE-SER. SCHIST							
			30°			18.20 lwr contact gradational 11 foln 40° to ca						
						18.20 - 20.90 CARBONACEOUS BLACK PHYLLITE						
						Black, highly graphitic (good conductor) non-magnetic, cut by minor qtz-cal vns, contacts gradational. Minor py						
			40°			20.90 lwr contact gradational silty foln						

Newmont Core Logs

Page 2 of 14 | Project: TAY-LP. | Hole # TLP01-8

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As
0m								
5m								
10m	10.4-18.20: <0.5% f.g. py+po in foln // qtz-cal vns/ clus along foln.		10.40	12.00	1.60	345548	<	
			12.00	13.50	1.50	345549	<	
			13.50	15.00	1.50	345550	<	
15m			15.00	16.50	1.50	345551	<	
			16.50	18.20	1.70	345552	<	
	18.20-20.90 <0.5% py along foln / in vns.		18.20	19.60	1.40	345553	<	
20m			19.60	20.90	1.30	345554	<	

Newmont Core Logs

Page 3 of 14 | Project: TAY-LP | Hole # TLP01-8

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Biotite / Fe-Carbonate	FeOx
20m						20.90-31.50 CALCAREOUS META-SILTSTONE						
						Med grey, mod foliated, phyllitic partings, weakly carbonaceous, calcareous, non-magnetic, cut by minor, principley x-cutting cal + qtz-cal vns, including lg vns as noted below, minor py locally coarse. i vns. v. weak sericitic is vns/bi in some vns.						
			50			22.0-23.1 buff white qtz-(cal) vn, parallels x-cut cal/foln, minor py						
25m						24.0-25.1 qtz-ank vn, contacts broken but appear to parallel foln 50°tca, no sulphide.						
						25.5-25.7 silicification/bleaching assoc. i 2.4cm qtz-ank vn/t @ 25.4-5.						
			40			25.5-26.3 - cuberite vn, irreg contacts 30+ 50°tca.						
						26.5-27.10 core silicified, cut by crackle breccia of qtz-cal vnlts, bi? selvages.						
30m			20			29.8-29.9 2cm x-cutting qtz-bi 30°tca						
						31.50-71.10 BLACK CARBONACEOUS PHYLLITE						
						Black, weakly-mod graphitic, non-calcareous, platey to phyllitic cleavage, non-magnetic, minor py ± po, cut by weak-mod foln // & x-cutting qtz ± (ank) vns, becoming magnetic down section i introduction of po.						
35m						35.9-39.2 increased vns x-cut + parallel foln ~5% of core overall, x-cutting vns to 2cm 10-20°tca @ 38-40.1; 38.6-39.2 qtz-(ank) vn i ~1% po+py in selv.						
40m												

BLACK CARBONACEOUS PHYLLITE

CALCAREOUS META-SILTSTONE

Newmont Core Logs

Page 4 of 14	Project: TAY-LP	Hole # TLP01-8

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As
20m			20.90	22.00	1.10	345555	<	
			22.00	23.10	1.10	345556	<	
	22.0-23.1 0.5% py assoc. c qtz vn.							
			23.10	24.00	0.90	345557	<	
			24.00	25.10	1.10	345568	<	
25m			25.10	25.80	0.70	345559	<	
			STANDARD			345560	6480	
			25.80	26.30	0.50	345561	<	
			26.30	27.10	1.25	345562	<	
			27.10	28.80	1.70	345563	<	
			28.80	30.50	1.70	345564	<	
30m	30.6 a few blebs po/py		30.50	31.50	1.00	345565	<	
	31.5-54.5 <0.5% py diss/ in vns 1 minor po		31.50	33.00	1.50	345566	<	
			33.00	34.50	1.50	345567	<	
			34.50	36.00	1.50	345568	<	
35m			36.00	37.50	1.50	345569	<	
	38.9-39.2 ~1% po+py in qtz vn		37.50	38.60	1.10	345570	<	
			38.60	39.20	0.60	345571	<	
			39.20	40.70	1.50	345572	<	
40m								

Newmont Core Logs

Page 5 of 14 | Project: TAV-LP | Hole # TLP01-8

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
40m						43.3-44.0 foln ll bands ser-qtz schist ± ~1% diss po; 25% of section.						
						45.15-45.65 ⊂ 43.3.						
						foln ll 2cm-1cm qtz vns @ 43.4, 45.0, 45.6, 48.38, 49.5						
45m												
			35°		PHYLLITE							
50m					CARBONACEOUS	53.2-54.2 0.5m qtz-carb vn ~ 5% py+po.						
			20°									
					BLACK	56.8-60.4 recessed qtz-(carb) veinlets parallel + x-cutting foln;						
55m			45°			57.1-57.6 3 1-2cm x-cut qtz-carb vns @ 50°tca, 2-3% py+po						
						57.3, 57.85, 58.0, 58.2 1-2cm foln ll qtz-(carb) vns minor sulphides.						
						59.7-59.9 15cm qtz vn 50°tca ll foln minor po.						
60m			40°									

Newmont Core Logs

Page 6 of 14 | Project: TAY-LP | Hole # TLP01 - 8

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As
40m			40.70	42.20	1.50	345573	<	
			42.20	43.30	1.10	345574	<	
			43.30	44.00	0.70	345575	<	
			44.00	45.50	1.50	345576	<	
45m			45.50	47.50	2.00	345577	<	
			47.50	49.50	2.00	345578	<	
	49.55, 51.9 blebs po alongfolin		49.50	51.50	2.00	345579	<	
50m			51.50	53.50	2.00	345580	<	
			53.50	55.50	2.00	345581	<	
	51.5 - 64.7 : <0.5% f.g. diss po along folin, <0.5% py av 31.5-54.5.							
55m			55.50	57.00	1.50	345582	<	
			57.00	58.50	1.50	345583	<	
			58.50	60.00	1.50	345584	<	
60m								

Newmont Core Logs

Page 7 of 14 | Project: TAY-LP | Hole # TLP01-8

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology		Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
60m													
			65°		BLACK CARBONACEOUS PHYLLITE		64.85-64.95 10cm qtz (tank) vn // foln @ 60° tca, bands/ diss po ± (py) adjacent / within vn						
65m							66.6-66.8 1-2cm qtz-ank vn x-cut foln @ 20° tca ± 5% py+po, minor bright green fuchsite / sericite.						
			40°				67.00-67.50 ser-qtz schist bed ± ~2% diss po+py						
							67.0 2cm qtz-ank vn x-cut foln @ 40° tca, 5% po+py.						
							67.8-68.7 30% of section patchy foln // qtz veining						
70m			2°										
			30°				71.10-94.20 MINERALIZED SER-(CHL-QTZ) SCHIST						
							Dark-med green grey well foliated, schistose to phyllitic, cut by local qtz / qtz-ank / qtz-carb vns; 1->5% diss, bands, clots po > py ± rare cp along foln, minor x-cutting sulphide ± qtz-sulphide vns, weak to strong dull yellowish green colouration - ser alt'n?, and blotchy probable chlorite alt'n upper part of section; mod magnetic dependent on po content.						
75m			35°		MINZ'D SER-(CHL-QTZ) SCHIST		77.5-78.6 qtz-(carb) vns to 35cm wide 20°-70° tca ~ 50% section, minor po in qtz vn						
							79.3-79.5 qtz vn 50-60° tca.						
80m							81.9 foln // qtz vn 45° tca 3cm, 2% po.						

Newmont Core Logs

Page 3 of 14	Project: TAY-LP	Hole # TLP01-8

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	Fe As %
60m			60.00	61.50	1.50	345585	<	
			61.50	63.00	1.50	345586	<	
			63.00	64.50	1.50	345587	<	
	64.7-65.05 ~1% po>py assoc ± qtz-(carb) vn.		64.50	65.50	1.00	345588	<	
65m	65.05-67.0 as 54.5.		65.50	66.50	1.00	345589	<	
			66.50	67.80	1.30	345590	<	
*	67.5-71.10 increased sulphides as foln parallel diss/bands/clots py+po, avg. 2%		67.80	68.70	0.90	345591	<	
			68.70	69.70	1.00	345592	<	
			69.70	70.40	0.70	345593	<	
70m	71.10-79.3 2-5% po+py as diss, clots, bands (of diss) parallel to foln; less important x-cutting sulphide ± qtz-sulphide bands.		70.40	71.10	0.70	345594	<	
			71.10	72.10	1.00	345595	15	7.90
			72.10	73.10	1.00	345596	10	7.09
			73.10	74.10	1.00	345597	<	7.93
			74.10	75.10	1.00	345598	<	7.00
75m	76.0-76.3 massv 2cm po vn x-cut foln 20° to c.a.; minor cpy v. thin silica envelope adjacent to vein.		75.10	76.10	1.00	345599	<	6.25
			STANDARD			345600	135	
			76.10	77.50	1.40	345601	<	7.39
			77.50	78.60	1.10	345602	<	
	79.3-88.6 1-2% po>py as 71.1		78.60	79.50	0.90	345603	<	5.90
	79.9-80.25 1-2cm x-cut qtz-carb vn ± 10% sph>py>po.		79.50	81.00	1.50	345604	<	
80m								

Newmont Core Logs

Page 9 of 14 | Project: TAY-LP | Hole # TLP01-B

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
80m					MIN'D SER-(CHL-QTZ) SCHIST							
			40°			84.0 - 88.0 <1cm calc-qtz-sulphide vnlts x-cut folin, 2 vns/meter; vns have po > py to 5-10%				?		
85m						88.2 - 88.5 qtz vn ∥ folin 50° tca, 2% po.				?		
						89.7 - 90.2 - possible archaeocyathids fossils				?		
90m						93.1 - 94.2 interbedded black phyllite.				?		
						94.20 - 121.92 (50M) BLACK CARBONACEOUS PHYLLITE Black, slatey to phyllitic cleavage, weakly - mod. carbonaceous, non-calcareous, non- to v. weakly magnetic, minor py ± po diss / in veins, mod folin paralleled & x-cutting qtz ± (carb) veining.				?		
95m			60°		BLK CARBONACEOUS PHYLLITE	94.75 - 95.00 ser schist interbed 94.5 - 99.2 minor x-cut vns ± sulphides py/po 40, 70° tca, + folin ∥ qtz-(carb) vns to 3cm 99.2 - 99.6 qtz-(carb) vn ∥ folin 60° tca po + py 101.40 - 102.9 increased qtz-(carb) vns all paralled folin <1-4cm wide, ~30% core)						
			55°									
100m												

Newmont Core Logs

Page 10 of 14 | Project: TAV-LP | Hole # TLP01-8

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As ppm	Fe %		
80m			81.00	82.50	1.50	345605	<				
			82.50	84.00	1.50	345606	<				
			84.00	85.50	1.50	345607	<				
85m			85.50	87.00	1.50	345608	<				
			87.00	88.00	1.00	345609	<				
	88.6-92.0 1% po+py as 71.1		88.00	88.50	0.50	345610	<				
			88.50	90.00	1.50	345611	<				
90m			90.00	91.00	1.00	345612	<				
	92.0-92.4 5% po, tr py as 71.1		91.00	92.00	1.00	345613	<				
	92.4-92.7 ~20% po as interstrand to massive bands x-cut + parallel foln.		92.00	92.40	0.40	345614	<	7.31			
			92.40	92.70	0.30	345615	<	715			
			92.70	93.20	0.50	345616	<	7.54			
	92.7-93.2 ~5% po interstrand, diss bands parallel / less x-cut foln; minor py.		93.20	94.20	1.00	345617	<				
95m			94.20	95.70	1.50	345618	<				
	93.2-93.9 <0.5% po+py.		95.70	97.20	1.50	345619	<				
	93.9-94.1 10% po as interstrand / diss bands // foln.		97.20	98.70	1.50	345620	<				
	94.20-99.2 ~1% combined py+po as diss along foln + in x-cutting + foln parallel qtz±ank veins		98.70	99.70	1.00	345621	<	6.10			
100m	99.2-99.6 1-2% po±py in qtz vn.		99.70	101.40	1.70	345622	<				

Newmont Core Logs

Page 11 of 14 | Project: TAY-LP | Hole # TLP01-8

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
100m												
						103.2-103.6 2cm x-cut qtz vn 10°tca py>sph>po>cpy. (~10% sulph. in vn)						
			45°			103.63-104.1 increased veins as 101.4.						
						104.9-105.7 strong x-cut + foln ll qtz-ank veining (50% section) & ~5% combined py-po-cpy-sph, contacts 45°-50° tca x-cut + parallel foln						
105m						105.7-106.3 <1cm wide qtz vn stock & ~20% py po sph cpy in vns.						
					PHYLLITE	106.3-115.6 weak-mod qtz-ank vns both foln ll + x-cutting.						
						107.0 4cm qtz-(ker) vn 80°tca, 1% py+sph.						
			55°			108.3-108.7 70% qtz vn ll foln minor py+po.						
110m						110.2-110.3 4cm qtz-(ank) vn ll foln, minor py.						
						111.7 2cm qtz vn ll foln no sulphides						
						112.25 3cm qtz vn ll foln minor po.						
					BLACK CARBONACEOUS	115.6-117.3 weakly developed qtz-(ank) vn stock & vns <1cm wide ~5% of core						
115m			50°			118.4-118.65 qtz-ank vn 1% py+ rare cpy.						
						119.5-EOH highly fractured (approaching fault?)						
120m												

Newmont Core Logs

Page 12 of 14 | Project: TAY-LP | Hole # TLP01-8

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As	Bi ppm	Zn ppm	Pb %
100m	99.6 - 104.9 ~1% py+po assoc & qtz-(carb) vns + diss along foln		101.40	102.9	1.50	345623	<				
	@102.8 minor sph as diss. along foln.		102.90	104.10	1.20	345624	<				
			104.10	104.90	0.80	345625	<				
	104.9-105.7 ~2% py+po + 2%		104.90	105.70	0.80	345626	<				470ppm
105m	gn+sph in qtz vns. 105.9 - 106.3 1% sph+gn, 1% py+po		105.70	106.70	1.00	345627	<	1	12.45	2950	1.92
	106.3 - 115.6 0.5% py+po		106.70	108.30	1.60	345628	<				
			108.30	108.70	0.40	345629	<				
			STANDARD			345630	140				
110m			108.70	110.20	1.50	345631	<				
			110.20	111.70	1.50	345632	<				
			111.70	113.20	1.50	345633	<				
			113.20	114.70	1.50	345634	<				
			114.70	115.60	0.90	345635	<				
115m	115.6 - 117.3 ~1% py minor po assoc. & qtz-(carb) vns.		115.60	116.60	1.00	345636	<				
			116.60	117.60	1.00	345637	<				
	117.3 - 121.92 (EOH) ~0.5% py+ po mainly diss along foln.		117.60	119.10	1.50	345638	<				
			119.10	120.60	1.50	345639	<				
120m			120.60	121.92	1.32	345640	<				

Newmont Core Logs

Page 13 of 14 | Project: TAV-LP | Hole # TLP01-8

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
121.92m						121.92 = EOH						

Newmont **Drill Log**

Project TAY-LP	**Ground Elevation** 1143m
Hole # TLP01 - 9	**Bearing** 055°
Location L102, 965E 6828009 N 625.288E	**Dip** -50°
	Total Length 109.73m (360.')
Logged By AL MONTGOMERY	**Horizontal Projection** 71m
Date 22-08-01	**Vertical Projection** 83m
Contractor MAJOR DRILLING	**Alteration Scale** 0 1 2 3 — Absent, Slight, Moderate, Intense
Core Size NQ II	
Date Started Aug 18 N	**Total Sulfide Scale**
Date Completed Aug 19 D	% 0 1 2 3 4 — <0.5 Trace Only; 0.5-1 < 1 %; 1-3% 1 % - 3 %; 3-5 3 % - 10 %; >5 > 10 %
Dip Tests Etched 55.5° Corrected 48°	

Comments

Sample Series:

345641 — 345721

Sample Stds.

345660 - MS-2
345690 - SMC-19
345720 - MS-2 (RMG1)

Targeting Anomaly 102, Anomaly Grp A; po mineralization between 77.8m - 95.1m likely explains geophysics.

< less than 5ppb Au

Legend

po - pyrrhotite
py - pyrite
cp - chalcopyrite
asp - arsenopyrite
ank - ankerite
chl - chlorite
ser - sericite
bi - biotite
qtz - quartz

Newmont Core Logs

Page 1 of 12 | Project: TAV-LP | Hole # TLP01-9

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology		Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Slot Fe Carbonate	FeOx
0m					CASING	0-12.10	CASING						
						12.10-23.60	INTERBEDDED SER-QTZ? SCHIST / GREY LIMESTONE. Blue grey banded recrystl'd lmst interbedded w/ cm-scale breccia beds brown bi altd? ser-qtz schist, minor po diss in both units; altn bi + v. weak chl						
5m													
10m													
15			50°				21.7 - 23.60 interbedded weakly fe-carb altd / bleached ser-schist.						
20m			70°										

Newmont Core Logs

Page 2 of 12 | Project: TAY-LP | Hole # TLP01-9

Depth (m)	Mineralization Description	Total Sulfide	Samples From	Samples To	Samples Width	Sample Number	Assays Au ppb	Assays As		
0m										
5m										
10m										
	12.10-21.6 tr-1% po diss.									
			12.20	14.20	2.00	345641	<			
			14.20	16.20	2.00	345642	<			
15m										
			16.20	18.20	2.00	345643	<			
			18.20	20.20	2.00	345644	<			
20m										

Newmont Core Logs

Page 3 of 12 | Project: TAY-LP | Hole #TLP01-9

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology		Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Biotite / Fe-Carbonate	FeOx
20m			60° 20%				21.6-23.60 variable patchy po replacement? of lmst.						
						23.60-35.55	SER-(QTL) SCHIST Med grey, greenish to reddish brown grey, well foliated, altd/ bleached H. ser? + fe-carb alt top of section to bi lower in section, patchy strong bi-qtz altn replaces weakly veined assmbl 23.60 ≈ 27.0 moderate bleaching & 25.5-26.2 & 26.6-29.6 strong patchy bi, f.g. & associated qtz, altn + veins + po mnzn. 24.9-25.1 crackle brx, clay gouge 29.1-29.4 ~5cm qtz-cal vn @ 20° tca i ~50% po + cp (trc) x-cut foln.						
25m			80°										
			10°										
30m			80°		SERICITE - (QTL) SCHIST		33.6 5cm qtz vn i ~1% po, strong bi halo, 11 foln @ 50° tca. 33.6-34.5 increased qtz vns x-cut + 11 foln ~5% of core, associated po + bi.						
							35.55 - lwr contact sharp 70° tca, marked by 5cm section semi-mass po (replacement?)						
35m			80°			35.55-44.45	INTERBEDDED SER/QTZ? SCHIST/ GREY LIMESTONE as 21.10-23.60; tr po clots/bands.						
					LIMESTONE								
40m			75°										

Newmont Core Logs

Page 4 of 12 | Project: TAV-LP | Hole # TLP01-9

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As	Bi ppm	Co ppm
20m			20.20	21.60	1.40	345645	<			
	21.6-22.3 ~2-3% po as patchy replacement of host, tr cp; weak narrow silicification adjacent to sulphides.		21.60	22.30	0.70	345646	710		41	129
			22.30	22.70	0.40	345647	1985		38.2	1035
	22.3-22.7 stronger mnzn as above ~ 30% po, tr cp, silica envelopes, f.g. bi?		22.70	23.15	0.45	345648	75		11.5	
	22.7 - 23.15 - <1% po		23.15	23.60	0.45	345649	1135		102.5	454
	23.15-23.60 ~ 15% po, tr cp, silica envelope (x-cutting? bi tr)		23.60	25.10	1.50	345650	25		12.85	
25m			25.10	26.60	1.50	345651	15		5.7	
			26.60	27.60	1.00	345652	30		8.88	
	23.60 - 29.1 ~1% po ± py + trace cp as fn in controlled patchy seams & diss, and occas. 5 veins / bi altn as interstitial diss; patches.		27.60	28.75	1.15	345653	25		10.1	
			28.75	29.55	0.80	345654	40		26.2	
	29.1 - 29.4 ~ 10% po + tr cp in qtz-(carb) vn.									
	29.4 - 35.55 as 23.60.		29.55	31.00	1.45	345655	60		16.45	
30m			31.00	32.50	1.50	345656	230		15.55	156.5
			32.50	34.00	1.50	345657	85		10.25	
			34.00	35.55	1.55	345658	205		13.95	101
35m			35.55	37.00	1.45	345659	<			
	35.55 - 42.7 tr po diss/bands		STANDARD			345660	135			
	41.2 - 41.4 1% po & patchy bi		37.00	38.50	1.50	345661	5			
			38.50	40.00	1.50	345662	<			
40-										

Newmont Core Logs

Page 5 of 12 Project: TQY -LP Hole # TLP01-9

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology		Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Biotite / Fe-Carbonate	FeOx
40m							42.70-42.75 4cm qtz vn 60° to c.a. ~2% py>po.						
			70°		LIMESTONE		44.45-109.72 (EOH) CHL-SER-BI SCHIST Med to dark reddish-brown to green, well foliated, non-calcareous, v. weakly magnetic, minor disc po+py, v. minor qtz, qtz-cal vns.						
45m			60°		CHLORITE-SERICITE-BI SCHIST		44.45-51.0 minor carbonate veinlets/beds 44.45-48.30 irregular foln'll + x-cutting qtz vns to 10cm wide, ~ 1-35% po, ~ 5-10% core, patchy po+py assoc. & veins - veins @ 44.5-44.7, 44.8-45.2, 45.6-45.8, 46.4-46.5, 46.55-46.7, 46.8-47.0 47.9-47.8. 44.45-51.8 bleaching (=ser altn?) * 44.95-45.05 & 45.92-45.77 lt.green f.g. sericite+qtz altd dykes 70-80° to c.a. 51.80-63.30 stronger bi (altn?)						
50m													
55m			55°										
60m													

Newmont Core Logs

Page 6 of 12 | Project: TAY-LP | Hole # TLP01-9

Depth (m)	Mineralization Description	Total Sulfide	Samples From	Samples To	Samples Width	Sample Number	Assays Au ppb	Assays As	Assays Bi ppm	Assays Co ppm
40m			40.00	41.50	1.50	345663	25			
	42.7 – 43.9 ~ 1% po + py as patches / seams assoc. & patchy qtz veins / replacement?		41.50	43.00	1.50	345664	30			
			43.00	43.90	0.90	345665	125		9.07	61
	43.9 - 44.45 - MSSU - semi MSSU po ± rare cp as matrix to matrix sup. brxx & subrnd -rnd hetrolith, clasts lmst, schist + qtz.		43.90	44.45	0.55	345666	1100		76.7	470
45m			44.45	45.25	0.80	345667	460		22.7	296
	44.45 - 45.25 ~ 3% po ± py assoc. & qtz vns, bi.		45.25	46.30	1.05	345668	625		4.82	476
	45.25 - 46.3 ~ 1% py + po assoc. & veins.		46.30	46.90	0.60	345669	50			
	46.3 – 46.9 ~ 3-5% po ± py assoc. & qtz vns (~ 50% section) 30-50% vein ~ 11 cm/m.		46.90	48.30	1.40	345670	15			
			48.30	49.80	1.50	345671	<			
	46.9 - 48.30 ~ 1% po ± py as seams/ patches in schist / assoc. & minor veining, bi patches.		49.80	51.30	1.50	345672	15		10.8	
50m			51.30	52.80	1.50	345673	15			
	48.30 - 50.0 ~ 0.5% po ± py diss/ & veins.									
	50.0 – 66 ; <0.5% - 0.5% l.g. diss po ± py.		52.80	54.80	2.00	345674	25			
			54.80	56.80	2.00	345675	10			
55m			56.80	58.80	2.00	345676	85			
			58.80	60.80	2.00	345677	5			
60m										

Newmont Core Logs

Page 7 of 12 | Project: JAY-LP | Hole # TLP01-9

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Biotite / Fe-Carbonate	FeOx
60m												
						65.0-65.4 1cm qtz/carb vn ll cn w 1% po						
65m			5°									
						67.9 4cm qtz vn 70° to ll foln is <1% po.						
						70.55, 70.65, 73.2 <1cm anth-qtz vnlts x-cut foln @ 30-40°, chl-bi-ser envelopes, 1-2% assoc. py+po.						
70m			80°									
						74.2-74.4 10cm qtz vn ll foln @ 40° to cn, patchy chl+carb, 1% po.						
			10°			74.5-74.7 qtz vn ll foln, <1% po.						
						76.3-76.4, 76.5-76.6 qtz vns ll foln 40° to cn, 1% po.						
			40°			** principle zone of mnzn. 77.8 - 95.1 - intermittent zones of qtz veining and po mnzn w/ up to several % sulphide locally, strong conductivities over short intervals where good sulphide content.						
75m						77.8-78.3 - 3cm qtz vn 20° to x-cut foln, bi envelope, 1% po.						
			60°			78.7-81.0 qtz-sulphide vns to 40cm wide ll + x-cut foln, 40° + 80° to cn; 78.7-79.9 80% of core, 79.9-81.0 40% of core,						
						T.S. * 79.25 Thin section sample RG. vns contain <5-25% sulphide, sulphide also in w/r avg. over section ~ 7% sulphide.						
80m												

Newmont Core Logs

Page 8 of 12 | Project: TAY-LP | Hole # TLP01 -9

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As	Bi ppm	Cu ppm
60m			60.80	62.80	2.00	345678	15			
			62.80	64.80	2.00	345679	10			
			64.80	66.00	1.20	345680	145		12.6	69
65m										
	66.0 - 78.7 ~ 0.5-1% po+py as intermittent seams/patches x-cutting + foln parallel; ank-qtz qtz vns.		66.00	66.80	0.80	345681	945		52.1	152
			66.80	68.30	1.50	345682	220		12.5	63
			68.30	69.80	1.50	345683	60			
			69.80	71.30	1.50	345684	<			
70m			71.30	72.50	1.20	345685	20			
			72.50	73.50	1.00	345686	<			
			73.50	74.50	1.00	345687	<			
			74.50	75.50	1.00	345688	5			
	78.7 - 79.9 ~ 7% po+py+rare cp as interstitial patches/ clots in and adjacent to qtz vns.		75.50	76.50	1.00	345689	275		11.15	47
75m			STANDARD			345690	<			
	79.9 - 81.0 ~ 3-5% po+py+rare cp as above.		76.50	77.50	1.00	345691	10			
			77.50	78.70	1.20	345692	10			
			78.70	79.30	0.60	345693	145		34.8	470
			79.30	79.90	0.60	345694	35		17.1	
80m			79.90	80.30	0.30	345695	<			

Newmont Core Logs

Page 9 of 12 | Project: TAY -4 | Hole # TLP01 - 9

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	~~Biotite~~ Fe-Carbonate	FeOx
80m			60°			80.5-80.7 intensely ser altd, ↓ green f.g. (felsic) dyke; contacts & surrounding qtz-vn sharp ~50°tca. 82.35-82.5 10cm qtz-po vn ~50°tca x-cut foln ~ >10% po+cp+py; mottley white grey look 82.65-83.40 similar qtz vn to 82.35, ~ 10% sulphides. 83.40-83.90 - sericite altd dyke c/s 80.5, minor diss py, x-cut foln 40°tca 84.5-87.2 white to white/grey mottled qtz-sulphide vn >10-1% sulphides, upr contact ~ 70°tca, lwr contact marked by 20cm msw bi? band, ll foln 60°tca						
85m						87.2-91.85 minor qtz veining, sulphides mainly in host; along fractures & foln.						
90m			70°			90.45-90.5 5cm qtz-(carb) vn 2% py 91.85-94.75 white/grey-white mottled qtz vn similar to 84.5, & minor (<10%) w/r inclusions; sulphides 1%-> 10%, py dominant; patchy bi, in sections, vein has a crackle brxx text. is grey qtz-sulph healing brecciated white qtz.						
95m						T.S. * 92.8 Thin Section - RG. contacts broken, possibly 40-50°tca x-cut foln, vein consistently mingled w ~3-7% py ± po, 94-94.75 marked by carbonate vn 20°tca, silica flooded (replaced) w/r grades to vein. 94.75- minor qtz veining ± sulphides. 95.5-95.6 5cm qtz vn x-cut foln 70°tca 3% po+py 96.25-96.45 similar qtz vn, 3% py>po, ↓ yellow ser? halo.						
100m												

Newmont Core Logs

Page 10 of 12 | Project: TAY-LP | Hole # TLP01 - 9

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As ppm	Bi ppm	Co ppm
80m			80.30	80.70	0.40	345696	5			
			80.70	81.10	0.40	345697	<			
	81.0 - 82.35 <1% po+py foln parallel		81.10	82.30	1.30	345698	20			
			82.30	83.40	1.10	345699	25		10.9	
	82.35 - 84.5 ~1% po ± py along fracture/foln; bi.		83.40	83.90	0.50	345700	5		10.1	
			83.90	84.50	0.60	345701	<			
	84.5 - 85.34 ~ 10% po + py in qtz vn; py ~2-3% often as euh cubes.		84.50	85.40	0.90	345702	20		31.7	
85m			85.40	86.40	1.00	345703	<			
	85.34 - 87.2 ~ 2% po+py in same vn as 84.5; patchy bi?		86.40	87.20	0.80	345704	5		10.5	
	87.2 - 89.5 - ~5% po ± py as frequent interstitial masses, disseminations along + x-cut foln & assoc. in qtz vns (narrow, minor)		87.20	88.20	1.00	345705	40		37.4	
			88.20	89.50	1.30	345706	25		46.6	
			89.50	90.50	1.00	345707	20			
90m	89.5 - 90.7 as 87.2 only << sulphides, py dominates ~2% py+po.		90.50	91.85	1.35	345708	<			
	90.7 - 91.85 0.5% po+py		91.85	92.85	1.00	345709	85	408	21.8	
	91.85 - 93.70 ~7% py ± po in qtz vn, patchy interstitial, matrix hosted, disseminated.		92.85	93.70	0.85	345710	90	558	42.75	
	93.70 - 94.75 ~2% py		93.70	94.75	1.05	345711	170	1060	74.8	102
			94.75	96.00	1.25	345712	20		9.48	
95m	94.75 - 98.7 ~1% po+py assoc. w minor veins, minor diss along foln									
			96.00	97.50	1.50	345713	35		47.6	
	98.7 - 109.72 <0.5 - 1% po+ py diss along foln & assoc. & minor qtz vns.		97.50	99.00	1.50	345714	45			
			99.00	101.00	2.00	345715	10			
100m										

Newmont Core Logs

Page 11 of 12 | Project: TAY - LP | Hole #TLP01 - 9

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	~~Fe Carbonate~~ plot Tr as	FeOx
100m						98.3-98.7 lt. yellow sericite? envelope surrounds 1cm po vnlt x-cut foln @ 25° to ca.						
						101.95 - 102.05 x-cut qtz vn 30° to ca, bi selvages; po+py.						
105m						107.95 1cm po vn x-cut foln 60° to ca. weak bi selvages.						
109.72						EOH = 109.72						

Newmont Core Logs

Page 12 of 12 | Project: TAY-LP | Hole # TLP01 - 9

Depth (m)	Mineralization Description	Total Sulfide	Samples: From	To	Width	Sample Number	Assays: Au ppb	As
100			101.00	103.00	2.00	345716	40	
	101.9-102.4 ~ 1% po+py as vns & x-cut qtz vn		103.00	105.00	2.00	345717	<	
			105.00	107.00	2.00	345718	<	
105			107.00	109.00	2.00	345719	10	
			STANDARD			345720	130	
			109.00	109.72	0.72	345721	<	
109.72								

Newmont **Drill Log**

Project TAY-LP	**Ground Elevation** 1327
Hole # TLP01 - 11	**Bearing** 055°
Location L207 950E 6830242 N 620451E (NAD27)	**Dip** -45° **Total Length** 149.35m
Logged By AL MONTGOMERY	**Horizontal Projection**
Date 23-08-01	**Vertical Projection**
Contractor MAJOR DRILLING	**Alteration Scale** 0 1 2 3 Absent Slight Moderate Intense
Core Size NQ II	
Date Started August 20 N	**Total Sulfide Scale** % 0 1 2 3 4 <0.5 0.5-1 1-3 3-5 >5 Trace Only < 1 % 1 % - 3 % 3 % - 10 % > 10 %
Date Completed August 21 D	
Dip Tests N/A	

Comments

SAMPLE SERIES:

345773 - 345874

STANDARDS

345780 SMC (RMG1(MCCS177))

345810 G03-63

345840 G01-253

345870 G01-151

< less than 5 ppb Au

Legend

po	pyrrhotite
py	pyrite
cp	chalcopyrite
asp	arsenopyrite
ank	ankerite
chl	chlorite
ser	sericite
bi	biotite
qtz	quartz

Newmont Core Logs

Page 1 of 16 | Project: TAV-LP | Hole # TLP01-11

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	From - To	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
0m					CASING	0 - 7.62	CASING						
						7.62 - 9.14	OVERBURDEN						
						9.14 - 11.25	QTZ-SER-(CHL) SCHIST med greenish grey well foliated, weakly oxidized, non-calcareous, non-magnetic; tr cl ox py, lwr contact sharp, broken nb. core mod. well fractured down to about 20m.						
5m													
						11.25 - 20.70	CARBONACEOUS BLACK PHYLLITE Black, weakly-mod calcareous, weakly-mod graphitic (weakly to non-conductive on ohm-meter tests), minor interbeds schist as above, tr py along foln, weakly oxidized; minor discont. qtz-ank vns // foln + minor py.						
					O/B								
10m			60°		QTZ-SER-(CHL) SCHIST		11.25 - 14.9 weakly crackle brecciated & ank-cal infilling fractures.						
					CARBONACEOUS BLACK PHYLLITE								
			CRACKLE BRXX										
15m			80°				18.40 - 18.50 10cm section blk graphitic clay lwr contact sharp, marked by 2 foln // qtz vns suites.						
			50°										
20m													

Newmont Core Logs

Page 2 of 16 | Project: TAY-LP | Hole # TLP01-11

Depth (m)	Mineralization Description	Total Sulfide	Samples: From	To	Width	Sample Number	Assays: Au ppb	As		
0m										
5m										
	9.14-11.25 tre diss py.		9.14 *(<50% recovy)	11.25	2.11	345773*	<			
10m										
	11.25-20.70 tre diss/seams py glassy fol'n in rare qtz vns.		11.25	12.75	1.50	345774	<			
			12.75	14.25	1.50	345775	<			
			14.25	15.75	1.50	345776	<			
15m			15.75	17.25	1.50	345777	<			
			17.25	18.75	1.50	345778	<			
			18.75	20.70	1.95	345779	<			
20m			STANDARD			345780	10			

Newmont Core Logs

Page 3 of 16 | Project: TAY-LP | Hole # TLP01-11

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
20m						20.70-27.43 GREY BLACK CRACKLE BRECCIA						
						lt. grey to black mosw f.g., locally foliated, crackle breccia texture from blk "mudstone" & white carbonate fracture filling to lt. grey crackle breccia host is drk grey to black carbonaceous? fracture fillings; non- to strongly calcareous, non-magnetic, trs diss py; non- to moderately conductive.						
25m					CRACKLE BRECCIA	26.8-27.0 3cm qtz-(cal) vn 20° tca.						
						lwr contact sharp || foln 60° tca.						
						27.43-60.15 CARBONACEOUS BLACK PHYLLITE						
			6°			As 11.25-20.7; phyllitic to platey cleavage, v. weakly oxidized down to about 39m; minor diss py, rare po in veins; minor x-cutting cal-qtz vnlts, minor qtz-carb vns.						
30m						29.3-29.9 3cm qtz-carb vn || foln						
						31.85-32.1 qtz carb vn contacts 50-60° tca ~ || foln						
			6°			32.85-33.05 & 33.4-33.6 qtz-carb vns, ~60° tca (contacts irregular), no sulphide						
						33.05-33.4 crackle brxx/carb. altn.						
						34.4-34.7 irreg. oxidized qtz veins, broken core, minor po in vn.						
35m			76°		CARBONACEOUS BLACK PHYLLITE	36.4-36.5 minor interbedded lt. grey sericitic? schist & 0.5% diss py.						
						38-40m strong fracturing, crush zones over a few cm - weak fault structure or movement along foln?						
40m			38°									

Newmont Core Logs

Page 4 of 16 | Project: TAY-LP | Hole # TLP01-11

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As
20m			20.70	22.20	1.50	345781	<	
	20.7 - 27.43 tr diss py.		22.20	23.70	1.50	345782	<	
			23.70	25.20	1.50	345783	<	
			25.20	26.50	1.30	345784	<	
25m			26.50	27.43	0.93	345785	<	
	27.43 - 32.40 <0.5-0.5% py diss along foln; minor py±po in veins.		27.43	29.00	1.57	345786	<	
			29.00	30.50	1.50	345787	<	
30m			30.50	31.85	1.35	345788	<	
	32.40~38m ~ 0.5-1% py diss/patchy along foln.		31.85	32.35	1.00	345789	<	
			32.85	33.60	0.75	345790	<	
			33.60	35.00	1.40	345791	<	
35m			35.00	36.50	1.50	345792	<	
			36.50	38.00	1.50	345793	<	
	38m ~ 54.5 <0.5 % py diss.		38.00	39.50	1.50	345794	<	
			39.50	41.00	1.50	345795	<	
40m								

Newmont Core Logs

Page 5 of 16 | Project: TAY-LP | Hole # TLP01-11

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
40m												
						42.15-42.25 5cm qtz vn // foln @ 60° to c.a. 1% po+py.						
			65°			43.0-44.5 narrow clay x-cut qtz-(carb) vnlts 20-0° to c.a., minor py+po.						
45m					PHYLLITE							
			65°									
50m					BLACK	53.6-54.0 qtz-(carb) vnlts <0.5cm 10° to c.a. & 1% po+py.						
			60°		CARBONACEOUS							
55m						56.2-56.4 0.5cm carb-qtz vnlt 20° to c.a. & 1-2% po+py.						
			60°			T.S. * 59.1 Thin Section sample - RG						
60m												

Newmont Core Logs

Page 6 of 16 | Project: TAY-LP | Hole # TL901-11

Depth (m)	Mineralization Description	Total Sulfide	Samples From	Samples To	Samples Width	Sample Number	Assays Au ppb	Assays As
40m			41.00	42.50	1.50	345796	<	
			42.50	44.50	2.00	345797	<	
			44.50	46.50	2.00	345798	<	
45m			46.50	48.50	2.00	345799	<	
			48.50	50.50	2.00	345800	<	
50m			50.50	52.50	2.00	345801	<	
			52.50	54.50	2.00	345802	<	
	54.5-60.15 0.5-1% py+po disseminated folin, in veins.							
	58-60.15 patchy py in qtz-cal patches/bands // folin.		54.50	56.00	1.50	345803	<	
55m			56.00	57.50	1.50	345804	<	
			57.50	59.00	1.50	345805	<	
			59.00	60.15	1.15	345806	<	
60m								

Newmont Core Logs

Page 7 of 16 Project: TAV-LP Hole # TLP01-11

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology		Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
60m							60.0-60.15 qtz-ank vn ll foln 060° tca weakly limonitic, tr py+po.						
							60.15-69.20 CALCAREOUS QTZ-(SER) SCHIST						
							Med grey, mod well foliated, phyllitic dark grey partings, calcareous, non-magnetic, tr diss po+py, cut by rare qtz-(cal) vns; upr contact sharp, marked by 15cm qtz vn (60-60.15) 50° tca.						
65m							62.3-62.6 1cm qtz-cal vnlt x-cut foln @ 20° tca.						
							63.6-63.9 qtz-cal vns ll foln 50° tca, 1% py, 2 vns 1cm + 3cm wide.						
							69.20-99.65 CARBONACEOUS BLACK PHYLLITE						
70m							As 11.25-20.70m; non- to weakly calcareous, moderately graphitic, non- to v. weakly magnetic, phyllitic to platey cleavage, tr f.g. diss po+py, frequent narrow (<2cm) qtz segregations or veins parallel to foln; minor larger + x-cutting veins, minor ser-qtz schist interbeds.						
							69.2-69.4 40° foln ll 1cm cal-qtz vns 60° tca.						
75m							70.0-70.4 meta-silt/grit? interbed						
							70.75-71.95 interbed lt. grey green ser-qtz schist cut by 3cm qtz-ank vn @ 20° tca & ~2% po+py; minor bright green fuchsite? mica at lwr contact; 71.48-71.68 ser schist						
							74.85-76.10 4 1cm foln ll qtz vns						
							76.10-76.4 foln ll qtz-(ank) vn 60° tca, minor py.						
80m													

Newmont Core Logs

Page 8 of 16 | Project: TAY-LP | Hole # TLP01-11

Depth (m)	Mineralization Description	Total Sulfide	Samples From	Samples To	Samples Width	Sample Number	Assays Au ppb	Assays As
60m			60.15	62.00	1.85	345807	<	
	60.15-69.20 tr-1% disp po+py.		62.00	64.00	2.00	345808	<	
			64.00	66.00	2.00	345809	<	
			STANDARD			345810	6990	
65m			66.00	68.00	2.00	345811	<	
			68.00	69.20	1.20	345812	20	
			69.20	70.75	1.55	345813	<	
70m	69.2-79.35 tr-0.5% popy diss/seams along foliation in qtz vns.		70.75	71.15	0.40	345814	<	
			71.15	72.50	1.35	345815	<	
			72.50	74.00	1.50	345816	<	
			74.00	75.50	1.50	345817	<	
75m			75.50	77.00	1.50	345818	<	
			77.00	78.50	1.50	345819	<	
			78.50	80.00	1.50	345820	<	
80m								

Newmont Core Logs

Page 9 of 16 | Project: TAY-LP | Hole # TLP01-11

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
80m						increased foln parallel qtz ± (carb) segregations (veins?) 77.5 - 79.25, approx. 25% of core. - possibly slight increase in sulphide content ~0.5% over interval.						
						79.35 - 80.05 pale greenish grey ser-qtz schist, <1% fine-med. disc py + po; lwr contact ∥ foln 65° to ca.						
						80.7 - 81.4 as 77.5						
						82.1 - 82.4 as 77.5						
85m						85.2 - 85.5 " "						
						86.0 - 87.4 " "						
						86.0 - 86.1 x-cutting fine qtz vn, lower contact 20° to ca, 2% py						
						88.1 - 95.75 as 77.5, slightly less qtz.						
					PHYLLITE							
					BLACK							
					CARBONACEOUS	90.4 - 90.5 Sm qtz vn ∥ foln 70° to ca, 0.5% dark red brn sph.						
90m						93.4 - 93.5 0.5cm qtz vn x-cut foln 10° to ca, 1% po.						
						95.75 - 99.65 interbedded black phyllite / lt. green ser-qtz-(chl) schist: schist @ 95.75 - 96.05, narrow bands to 97.3, 97.3 - 97.95, narrow bands to 98.8, 98.8 - 99.45. sulphides more abundant in schist vs phyllite.						
95m						97.4 - 97.65 qtz vn ∥ foln @ 70° to ca, <0.5% po.						
					INTERBEDDED BLACK PHYLLITE / SCHIST	lwr contact sharp ∥ foln @ 70° to ca						
100m												

Newmont Core Logs

Page 10 of 16 | Project: TAV-LP | Hole # TLP01-11

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As	Fe %		
80m	79.35-80.05 <1% py+po in sericite(?) schist interbed.		80.00	81.50	1.50	345821	<				
	80.05-95.2 ~0.5% sulphides, po+py, as diss along foln, minor x-cutting stringers o' ten, patches & qtz segregations.		81.50	83.00	1.50	345822	<				
			83.00	84.50	1.50	345823	<				
			84.50	86.00	1.50	345824	<				
85m			86.00	87.50	1.50	345825	<				
			87.50	89.00	1.50	345826	<				
			89.00	90.50	1.50	345827	<				
90m			90.50	92.00	1.50	345828	<				
			92.00	93.50	1.50	345829	<				
			93.50	95.00	1.50	345830	<				
95m	95.2-99.55 ~1% po±py diss/ seams along foln		95.00	96.50	1.50	345831	<				
			96.50	98.00	1.50	345832	<				
	99.55-99.8 1-3% po		98.00	99.50	1.50	345833	<	63			
	99.8-100.10 10% po + tr cp interstitial bands // foln 70 deg		99.50	100.30	0.80	345834	5	12.55			
100m											

Newmont Core Logs

Page 11 of 16 Project: Hole #

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology		Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
100m			85°		CHLORITE-(QTZ) SCHIST	99.65-105.25	CHLORITE - (QTZ) SCHIST						
							Med-H. green, f.g. massive to schistose, non-calcareous, strongly to weakly magnetic dependant on po content, minor patchy qtz-ank-chl vns, variable <0.5% - >5% po along foln // in veins, possible chl altn?						
							1-3cm wide foln parallel qtz-ank-chl vns @ 99.9, 100.3, 100.5, 100.95, 102.3, 102.65, 102.75, 102.9-103.0 (6cm wide), vns contain 1-5% po+tr cp+tr py, 50-80° tca.						
105m			80°				101.9-102.3 siliceous.						
							104.3-104.5 siliceous						
							105.25 hor contact to // foln						
					INTERBEDDED BLACK PHYLLITE/LT. GREEN SER-QTZ SCHIST	105.25-137.75	Interbedded Black Phyllite / Lt. Green Ser-Qtz Schist						
110m			70°				50% Black Phyllite, as 11.25-20.70						
							50% Lt. green Ser-Qtz Schist similar to that of 95.75-99.65, both units non-weakly magnetic, non-calcareous; ser schist <0.5-1% diss sulphides, black phyllite generally less sulphides <0.5-1%, Minor qtz+sulphide+ank veining, mostly foln //.						
							105.25-107.9 black phyllite, 4 <2cm qtz vns // foln						
115m			65°				107.9-108.6 ser schist						
							108.6-110.0 80% black phyllite & narrow schist bands.						
							109.55-109.95 qtz vn // foln @ 80°tca, minor po.						
							111.2-111.5 qtz vn // foln @ ~50° tca, 1% po.						
							112.6-112.77 qtz (ank) vn // foln @ 60°, 2% po+py+tr cp.						
120m			30°				108.6-117.7 <1cm-3cm foln // qtz vns 2/m						
							112.1-112.7 x-cut qtz-cal vnlt @ 20°tca <1cm wide, 5% py+po.						
							117.4-118.0 - 1cm ank-qtz vn 5°tca, 5% po+py.						

Newmont Core Logs

Page 12 of 16 | Project: TAY-LP | Hole # TLP01-11

Depth (m)	Mineralization Description	Total Sulfide	Samples: From	To	Width	Sample Number	Assays: Au ppb	As ppm	Fe %
100m	100.10 - 100.30 ~3% po		100.30	101.80	1.50	345835	<	9.38	
	100.30 - 103.4 1-2% po±py±tr cp		101.80	103.30	1.50	345836	<	8.59	
			103.30	104.30	1.00	345837	<	6.53	
	103.4 - 104.5 ~0.5% po ± py		104.30	105.25	0.95	345838	<	7.38	
105m	104.5 - 105.25 ~1% po ± py								
	105.25 - 119.0 <0.5-1% po±py as diss along fol'n ± hosted in qtz ± ank vns (weak)		105.25	106.75	1.50	345839	10		
			STANDARD			345840	>10000		
			106.75	107.90	1.15	345841	<		
			107.90	108.60	0.70	345842	<		
110m			108.60	109.55	0.95	345843	<		
			109.55	109.95	0.40	345844	<		
			109.95	111.25	1.30	345845	<		
			111.25	112.80	1.55	345846	<		
			112.80	114.25	1.45	345847	<		
115m			114.25	115.75	1.50	345848	<		
			115.75	117.25	1.50	345849	<		
			117.25	119.00	1.75	345850	5		
	119.0 - 137.75 increased sulphides to ~1% agg in both schist + block phyllite, mainly along fol'n, + in veins.		119.00	120.50	1.50	345851	<		
120m									

Newmont Core Logs

Page 13 of 16 Project: TAY-LP Hole # TLP01-11

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
120m			30		INTERBEDDED BLACK PHYLLITE / LT. GREEN SER-QTZ SCHIST	119.0-121.35 ser-qtz schist, qtz vn + minor phyllite 120.75-121.0						
						121.35-126.2 med. interbedded phyllite + ser schist, beds <10-30cm wide, 50:50, mod qtz veining (~2/m) mostly ∥ foln ± minor - 2-3% po ± py, vns to 10cm wide (120.5-121.0), most <5cm.						
						nb. entire section non- to v. weakly carbonatic.						
125m						128.2-131.1 blk phyllite						
						~131-137.75 increasing chl alt'n down hole - probably assoc. is increased qtz (ank) ± sulphide veins.						
						131-137.5m increased qtz vns, mostly ∥ foln, <1cm - >10cm wide						
						131.2-131.6 - patchy irreg qtz(ank) vn ∥ + x-cut foln is up to mssv po+py (5% over section)						
130m			70			32.9 4cm qtz vn ∥ foln @ 60° tca.						
						133.1-133.5 foln ∥ qtz vns 90% of section, 60° tca minor po+py.						
						134.6 4cm qtz vn ∥ foln @ 60°; minor po.						
						135.2-135.9 30% qtz±(ank) vns ∥ foln 1-20cm wide, 60° tca, 0.5% po.						
						135.9-136.05 2cm qtz-bi-po x-cutting vn 20° tca > 5% po.						
135m						136.3-136.4 3cm qtz vn ∥ foln @ 40° cut by bi-po fracture @ 30° tca.						
						136.30-137.5 ~70° foln parallel qtz vns, patchy silicification, patchy bi						
						137.75-143.30 SILICIFIED, MINERALIZED SCHIST						
			40			Pale - med green, massive to faintly (remnant) foliated, mod-strongly silicified w/ wispy foln bands, ± f.g. ser-chl? where less silicic; interstitial, disseminated & seams po + minor py						
140m			60			± trc cp ... over						

Newmont Core Logs

Page 14 of 16 | Project: TAV - LP | Hole # TLP01-11

Depth (m)	Mineralization Description	Total Sulfide	Samples From	To	Width	Sample Number	Assays Au ppb	As ppm	Fe %
120m			120.50	121.35	0.75	345852	<		
			121.35	122.35	1.00	345853	<		
			122.35	123.75	1.40	345854	<		5.15
			123.75	125.25	1.50	345855	<		5.43
125m			125.25	126.75	1.50	345856	<		5.50
			126.75	128.25	1.50	345857	<		
			128.25	129.75	1.50	345858	<		
			129.75	131.20	1.45	345859	<		
130m			131.20	131.70	0.50	345860	<		6.36
			131.70	133.10	1.40	345861	<		
			133.10	134.60	1.50	345862	<		
			134.60	135.85	1.25	345863	<		
135m	137.75 - 139.0 2-5% diss, seams interstrand po + py + rare cp.		135.85	136.90	1.05	345864	<		
			136.90	137.75	0.85	345865	<		
			137.75	139.00	1.25	345866	<		5.69
	139.0 - 140.2 5-10% po + minor py + tr cp mainly interstrand mesh		139.00	140.20	1.20	345867	<		7.36
140m									

Newmont Core Logs

Page 15 of 16 Project: TAY-LP Hole # TLP01-11

Depth (m)	% Core Recovery	RQD	Structure	Graphic Log	Lithology	Geological Description	Alteration: Silicification	Vein Quartz	Sericite	Chlorite	Fe Carbonate	FeOx
140m					SILICIFIED, MINERALIZED SCHIST	... 0.5 – 10% . lwr ½ cpr contacts based on ultn intensity, probably same protolith as above/below only altrd/mnrlzd. nb. highly conductive where po 5% + ; magnetic.						
						T.S. nb. 137.9 Thin Section sample REG						
						T.S. 139.3 " " "						
145m					BLACK PHYLLITE	143.3-149.35 Black Phyllite Black, v. weakly carbonaceous, non-calcareous, platey to phyllitic partings, cut by minor qtz vns, minor po ± py. 143.05–144.1 ~70% qtz vns, ll foln 1cm-40cm (143.45-143.85) unclr, minor po. 148.0-148.6 ser-qtz schist bed						
			75									
149.35m						EOH 149.35m						

Newmont Core Logs

Page 16 of 16 | Project: TAY-LP | Hole # TLP01 - 11

Depth (m)	Mineralization Description	Total Sulfide	Samples From	Samples To	Samples Width	Sample Number	Assays Au ppb	Assays Fe As %
140m	140.2 - 143.3 0.5-1% po±py		140.20	141.70	1.50	345868	<	504
			141.70	143.30	1.60	345869	<	
			STANDARD			345870	>10000	
			143.30	144.80	1.50	345871	<	
	143.3 - 149.35 <0.5 - 0.5% po±py.		144.80	146.30	1.50	345872	<	
145m			146.30	147.80	1.50	345873	<	
			147.80	149.35	1.50	345874	<	
149.35m								
	149.35m - EOH							

APPENDIX III

GEOTECHNICAL AND MAGNETIC SUSCEPTABILITY LOGS

TLP01-2
TLP01-5
TLP01-6
TLP01-8
TLP01-9
TLP01-11

NEWMONT EXPLORATION OF CANADA LIMITED

GEOTECHNICAL LOG **DDH TLP01-2**

DATE: 06-Nov-01 RECOVERY - **93%**

TAY-LP PROJECT - AREA "C" **RQD - 49%**

FROM (metres)	TO (metres)	LENGTH (metres)	RECOVERY (metres)	RQD (metres)	RECOVERY (%)	RQD (%)	Ave. Mag	Max. Mag
0.00	3.05	3.05	overburden	overburden	n/a	n/a		
3.05	6.10	3.05	2.05	0.33	67%	11%	0.07	0.13
6.10	9.15	3.05	2.87	0.59	94%	19%	0.09	0.14
9.15	12.19	3.04	2.92	1.50	96%	49%	0.07	0.11
12.19	15.24	3.05	2.55	0.00	84%	0%	0.11	0.26
15.24	18.29	3.05	2.82	0.87	92%	29%	0.11	0.12
18.29	21.34	3.05	2.82	0.90	92%	30%	0.11	0.17
21.34	24.39	3.05	2.24	0.77	73%	25%	0.13	0.17
24.39	27.44	3.05	1.50	0.35	49%	11%	0.18	0.52
27.44	30.48	3.04	2.85	0.72	94%	24%	0.01	0.04
30.48	33.52	3.04	2.92	1.68	96%	55%	0.19	0.36
33.52	36.57	3.05	2.80	2.00	92%	66%	0.36	0.70
36.57	39.62	3.05	3.05	2.50	100%	82%	0.20	0.48
39.62	42.67	3.05	3.02	2.45	99%	80%	0.96	1.70
42.67	45.72	3.05	3.03	2.10	99%	69%	0.60	1.40
45.72	48.77	3.05	3.05	2.17	100%	71%	0.73	1.50
48.77	51.82	3.05	2.77	0.98	91%	32%	0.32	0.46
51.82	54.87	3.05	3.05	1.65	100%	54%	0.08	0.33
54.87	57.92	3.05	3.03	1.32	99%	43%	0.28	0.36
57.92	60.96	3.04	2.92	1.10	96%	36%	0.25	0.39
60.96	64.01	3.05	3.05	1.85	100%	61%	0.53	1.40
64.01	67.06	3.05	2.85	0.70	93%	23%	0.24	0.59
67.06	70.10	3.04	3.05	2.61	100%	86%	0.71	1.90
70.10	73.15	3.05	3.05	2.49	100%	82%	0.82	1.90
73.15	76.20	3.05	2.87	0.90	94%	30%	0.37	1.50
76.20	79.25	3.05	2.58	0.58	85%	19%	0.10	0.24
79.25	82.30	3.05	2.88	1.08	94%	35%	0.31	0.49
82.30	85.34	3.04	3.03	1.41	100%	46%	0.74	2.80
85.34	88.39	3.05	3.05	2.42	100%	79%	0.09	0.17
88.39	91.44	3.05	2.92	2.40	96%	79%	0.07	0.19
91.44	94.49	3.05	3.01	2.20	99%	72%	0.07	0.14
94.49	97.54	3.05	3.05	2.80	100%	92%	0.08	0.20
97.54	100.58	3.04	2.80	2.80	92%	92%	0.09	0.25
TOTALS		***97.53***	***90.45***	***48.22***	**93%**	**49%**	**0.28**	**0.66**

NEWMONT EXPLORATION OF CANADA LIMITED

GEOTECHNICAL LOG **DDH TLP01-5**

DATE: 06-Nov-01 RECOVERY - **90%**

TAY-LP PROJECT - AREA "A" **RQD - 51%**

FROM (metres)	TO (metres)	LENGTH (metres)	RECOVERY (metres)	RQD (metres)	RECOVERY (%)	RQD (%)	Ave. Mag	Max. Mag
21.34	24.39	3.05	OVERBURDEN	OVERBURDEN	N/A	N/A	N/A	N/A
24.39	27.44	3.05	0.48	0.00	16%	0%	0.02	0.06
27.44	30.48	3.04	2.67	1.07	88%	35%	0.05	0.07
30.48	33.52	3.04	2.96	2.71	97%	89%	0.05	0.08
33.52	36.57	3.05	2.90	2.01	95%	66%	0.08	0.11
36.57	39.62	3.05	3.05	1.05	100%	34%	0.05	0.15
39.62	42.67	3.05	2.03	0.77	67%	25%	0.01	0.02
42.67	45.72	3.05	1.45	0.00	48%	0%	0.01	0.02
45.72	48.77	3.05	1.35	0.17	44%	6%	0.01	0.03
48.77	51.82	3.05	2.40	0.37	79%	12%	0.01	0.02
51.82	54.87	3.05	2.97	1.87	97%	61%	0.02	0.05
54.87	57.92	3.05	3.05	2.84	100%	93%	0.09	0.15
57.92	60.96	3.04	3.05	2.34	100%	77%	0.12	0.30
60.96	64.01	3.05	2.97	2.09	97%	69%	0.01	0.05
64.01	67.06	3.05	3.05	2.04	100%	67%	0.10	0.17
67.06	70.10	3.04	3.04	1.39	100%	46%	0.08	0.11
70.10	73.15	3.05	3.05	1.61	100%	53%	0.06	0.09
73.15	76.20	3.05	3.00	1.60	98%	52%	0.03	0.14
76.20	79.25	3.05	2.99	1.53	98%	50%	0.01	0.06
79.25	82.30	3.05	3.05	0.86	100%	28%	0.02	0.07
82.30	85.34	3.04	3.00	1.38	99%	45%	0.03	0.05
85.34	88.39	3.05	3.02	1.96	99%	64%	0.01	0.03
88.39	91.44	3.05	3.05	2.37	100%	78%	0.01	0.04
91.44	94.49	3.05	3.05	1.87	100%	61%	0.09	0.14
94.49	97.54	3.05	3.05	2.25	100%	74%	0.05	0.09
97.54	100.59	3.05	3.05	2.00	100%	66%	0.05	0.11
100.59	103.63	3.04	2.86	1.68	94%	55%	0.00	0.00
103.63	106.68	3.05	3.05	1.66	100%	54%	0.00	0.00
106.68	109.72	3.04	3.05	2.34	100%	77%	0.00	0.00
TOTALS		***85.33***	***76.69***	***43.83***	**90%**	**51%**	**0.03**	**0.06**

NEWMONT EXPLORATION OF CANADA LIMITED

GEOTECHNICAL LOG

DDH TLP01-6

DATE: 06-Nov-01

RECOVERY - **98%**

TAY-LP PROJECT - AREA "A"

RQD - **45%**

FROM (metres)	TO (metres)	LENGTH (metres)	RECOVERY (metres)	RQD (metres)	RECOVERY (%)	RQD (%)	Ave. Mag	Max. Mag
0.00	18.29	18.29	OVERBURDEN	OVERBURDEN	n/a	n/a	n/a	n/a
18.29	21.34	3.05	2.04	0.35	67%	11%	0.04	0.08
21.34	24.39	3.05	2.92	0.95	96%	31%	0.05	0.10
24.39	27.44	3.05	2.90	1.57	95%	51%	0.22	0.71
27.44	30.48	3.04	3.05	1.15	100%	38%	0.04	0.12
30.48	33.52	3.04	3.05	1.08	100%	36%	0.11	0.18
33.52	36.57	3.05	3.05	1.26	100%	41%	0.09	0.13
36.57	39.62	3.05	3.05	2.28	100%	75%	0.11	0.23
39.62	42.67	3.05	3.02	1.29	99%	42%	0.09	0.13
42.67	45.72	3.05	3.05	1.05	100%	34%	0.08	0.13
45.72	48.77	3.05	3.01	0.82	99%	27%	0.07	0.10
48.77	51.82	3.05	3.05	2.21	100%	72%	0.14	0.46
51.82	54.87	3.05	3.03	0.75	99%	25%	0.17	0.42
54.87	57.92	3.05	2.92	0.84	96%	28%	0.02	0.08
57.92	60.96	3.04	3.05	1.44	100%	47%	0.09	0.23
60.96	64.01	3.05	3.05	1.68	100%	55%	0.12	0.33
64.01	67.06	3.05	2.95	1.24	97%	41%	0.06	0.14
67.06	70.10	3.04	3.00	1.59	99%	52%	0.04	0.08
70.10	73.15	3.05	3.04	0.60	100%	20%	0.08	0.12
73.15	76.20	3.05	3.05	1.90	100%	62%	0.07	0.17
76.20	79.25	3.05	3.05	0.58	100%	19%	0.07	0.17
79.25	82.30	3.05	3.00	1.80	98%	59%	0.07	0.11
82.30	85.34	3.04	3.04	2.63	100%	87%	0.03	0.11
85.34	88.39	3.05	3.05	2.15	100%	70%	0.08	0.21
88.39	91.44	3.05	3.05	1.90	100%	62%	0.06	0.18
TOTALS		***73.15***	***71.47***	***33.11***	**98%**	**45%**	**0.08**	**0.20**

NEWMONT EXPLORATION OF CANADA LIMITED

GEOTECHNICAL LOG

DDH TLP01-8

DATE: 06-Nov-01

RECOVERY - **98%**

TAY-LP PROJECT - AREA "B"

RQD - **48%**

FROM (metres)	TO (metres)	LENGTH (metres)	RECOVERY (metres)	RQD (metres)	RECOVERY (%)	RQD (%)	Ave. Mag	Max. Mag
0.00	10.36	10.36	overburden	overburden	n/a	n/a	n/a	n/a
10.36	12.19	1.83	1.00	0.22	55%	12%	0.06	0.09
12.19	15.24	3.05	3.05	1.26	100%	41%	0.08	0.18
15.24	18.29	3.05	3.05	1.82	100%	60%	0.06	0.14
18.29	21.34	3.05	3.02	0.65	99%	21%	0.01	0.03
21.34	24.39	3.05	2.95	1.90	97%	62%	0.01	0.03
24.39	27.43	3.04	3.00	1.94	99%	64%	0.01	0.03
27.43	30.48	3.05	2.98	1.98	98%	65%	0.01	0.02
30.48	33.53	3.05	3.05	1.36	100%	45%	0.07	0.20
33.53	36.58	3.05	2.93	2.02	96%	66%	0.02	0.04
36.58	39.62	3.04	3.04	2.23	100%	73%	0.02	0.04
39.62	42.67	3.05	3.02	1.40	99%	46%	0.02	0.04
42.67	45.72	3.05	3.02	1.71	99%	56%	0.10	0.16
45.72	48.77	3.05	3.05	1.94	100%	64%	0.19	0.32
48.77	51.82	3.05	3.04	1.77	100%	58%	0.35	0.53
51.82	54.86	3.04	3.04	2.36	100%	78%	0.23	0.35
54.86	57.91	3.05	3.05	1.95	100%	64%	0.36	0.50
57.91	60.96	3.05	3.05	0.84	100%	28%	0.32	0.42
60.96	64.01	3.05	3.02	0.84	99%	28%	0.34	0.76
64.01	67.06	3.05	3.05	1.21	100%	40%	0.26	0.36
67.06	70.10	3.04	3.00	2.35	99%	77%	0.55	1.20
70.10	73.15	3.05	3.05	1.67	100%	55%	0.26	0.49
73.15	76.20	3.05	3.02	2.48	99%	81%	1.20	1.50
76.20	79.25	3.05	2.86	2.23	94%	73%	1.40	2.10
79.25	82.30	3.05	3.05	1.75	100%	57%	0.35	0.65
82.30	85.34	3.04	2.98	2.22	98%	73%	0.61	0.91
85.34	88.39	3.05	3.05	0.99	100%	32%	0.76	1.10
88.39	91.44	3.05	2.80	1.61	92%	53%	0.65	1.10
91.44	94.49	3.05	3.02	2.00	99%	66%	0.76	1.70
94.49	97.54	3.05	3.03	0.82	99%	27%	0.06	0.17
97.54	100.59	3.05	3.05	1.43	100%	47%	0.06	0.18
100.59	103.63	3.04	3.05	1.17	100%	38%	0.14	0.21
103.63	106.68	3.05	2.80	0.67	92%	22%	0.15	0.32
106.68	109.72	3.04	3.05	0.50	100%	16%	0.09	0.23
109.72	112.77	3.05	3.00	0.29	98%	10%	0.03	0.05
112.77	115.82	3.05	3.05	0.43	100%	14%	0.04	0.09
115.82	118.87	3.05	3.05	1.37	100%	45%	0.02	0.05
118.87	121.92	3.05	2.67	0.00	88%	0%	0.00	0.00
TOTALS		***111.56***	***108.99***	***53.38***	**98%**	**48%**	**0.26**	**0.44**

NEWMONT EXPLORATION OF CANADA LIMITED

GEOTECHNICAL LOG

DDH TLP01-9

DATE: 06-Nov-01

RECOVERY - **98%**

TAY-LP PROJECT - AREA "A"

RQD - **67%**

FROM (metres)	TO (metres)	LENGTH (metres)	RECOVERY (metres)	RQD (metres)	RECOVERY (%)	RQD (%)	Ave. Mag	Max. Mag
0.00	12.19	12.19	overburden	overburden	n/a	n/a	n/a	n/a
12.19	15.24	3.05	2.30	1.94	75%	64%	0.01	0.03
15.24	18.29	3.05	3.00	2.60	98%	85%	0.04	0.04
18.29	21.34	3.05	2.97	2.43	97%	80%	0.06	0.12
21.34	24.38	3.04	3.04	2.05	100%	67%	0.34	0.98
24.38	27.43	3.05	3.05	1.96	100%	64%	0.15	0.32
27.43	30.48	3.05	3.05	2.61	100%	86%	0.52	1.00
30.48	33.53	3.05	2.94	1.93	96%	63%	0.96	1.70
33.53	36.58	3.05	3.05	2.67	100%	88%	0.28	0.57
36.58	39.62	3.04	3.02	1.79	99%	59%	0.02	0.08
39.62	42.67	3.05	2.92	1.60	96%	52%	0.07	0.11
42.67	45.72	3.05	3.05	2.38	100%	78%	0.64	1.20
45.72	48.77	3.05	3.05	1.90	100%	62%	0.15	0.29
48.77	51.82	3.05	3.05	1.70	100%	56%	0.21	0.43
51.82	54.86	3.04	3.05	1.49	100%	49%	0.09	0.12
54.86	57.91	3.05	3.03	1.95	99%	64%	0.14	0.25
57.91	60.96	3.05	3.05	1.62	100%	53%	0.13	0.20
60.96	63.39	2.43	2.43	1.45	100%	60%	0.16	0.26
63.39	65.53	2.14	2.10	1.30	98%	61%	0.30	0.38
65.53	67.06	1.53	1.52	1.32	99%	86%	0.24	0.47
67.06	70.10	3.04	3.04	2.17	100%	71%	0.25	0.46
70.10	73.15	3.05	3.05	2.23	100%	73%	0.21	0.34
73.15	76.20	3.05	3.05	1.98	100%	65%	0.19	0.26
76.20	79.25	3.05	3.05	2.03	100%	67%	0.63	1.20
79.25	82.30	3.05	3.01	1.84	99%	60%	0.64	1.60
82.30	85.34	3.04	3.04	2.26	100%	74%	0.72	1.60
85.34	88.39	3.05	2.95	1.75	97%	57%	0.45	1.00
88.39	91.44	3.05	3.05	1.86	100%	61%	0.59	2.30
91.44	94.49	3.05	2.90	1.16	95%	38%	0.02	0.04
94.49	97.54	3.05	3.05	2.69	100%	88%	0.12	0.29
97.54	100.58	3.04	3.04	2.70	100%	89%	0.14	0.29
100.58	103.63	3.05	3.05	1.32	100%	43%	0.02	0.08
103.63	106.68	3.05	3.05	2.24	100%	73%	0.06	0.08
106.68	109.72	3.04	2.80	2.03	92%	67%	0.14	0.40
TOTALS		***97.53***	***95.80***	***64.95***	**98%**	**67%**	**0.26**	**0.56**

NEWMONT EXPLORATION OF CANADA LIMITED

GEOTECHNICAL LOG

DDH TLP01-11

DATE: 06-Nov-01

RECOVERY - **96%**

TAY-LP PROJECT - AREA "C"

RQD - **49%**

FROM (metres)	TO (metres)	LENGTH (metres)	RECOVERY (metres)	RQD (metres)	RECOVERY (%)	RQD (%)	Ave. Mag	Max. Mag
0.00	9.14	9.14	overburden	overburden	n/a	n/a	n/a	n/a
9.14	12.19	3.05	1.82	0.72	60%	24%	0.04	0.06
12.19	14.63	2.44	1.25	0.35	51%	14%	0.04	0.08
14.63	15.24	0.61	0.61	0.24	100%	39%	0.01	0.03
15.24	18.29	3.05	3.05	1.35	100%	44%	0.01	0.02
18.29	21.34	3.05	2.40	0.50	79%	16%	0.07	0.50
21.34	24.39	3.05	3.02	2.61	99%	86%	0.01	0.05
24.39	27.43	3.04	3.05	2.28	100%	75%	0.01	0.03
27.43	30.48	3.05	2.90	0.71	95%	23%	0.01	0.03
30.48	33.52	3.04	2.86	1.12	94%	37%	0.01	0.05
33.52	36.57	3.05	3.05	0.96	100%	31%	0.02	0.05
36.57	39.01	2.44	2.44	0.61	100%	25%	0.02	0.05
39.01	41.75	2.74	2.61	0.43	95%	16%	0.01	0.04
41.75	42.67	0.92	0.92	0.51	100%	55%	0.08	0.17
42.67	45.72	3.05	3.02	1.42	99%	47%	0.14	0.26
45.72	48.77	3.05	3.05	2.06	100%	68%	0.22	0.55
48.77	51.82	3.05	3.05	2.09	100%	69%	0.33	0.46
51.82	54.86	3.04	3.05	2.42	100%	80%	0.38	0.56
54.86	57.91	3.05	3.05	1.84	100%	60%	0.19	0.32
57.91	60.96	3.05	3.05	1.60	100%	52%	0.02	0.05
60.96	64.01	3.05	3.05	2.94	100%	96%	0.00	0.00
64.01	67.06	3.05	3.05	2.43	100%	80%	0.37	0.41
67.06	70.10	3.04	3.05	2.57	100%	85%	0.02	0.05
70.10	73.15	3.05	3.05	1.45	100%	48%	0.05	0.07
73.15	76.20	3.05	2.85	0.97	93%	32%	0.08	0.10
76.20	79.25	3.05	3.05	0.38	100%	12%	0.17	0.23
79.25	82.30	3.05	3.05	1.78	100%	58%	0.18	0.46
82.30	85.34	3.04	3.02	0.76	99%	25%	0.05	0.11
85.34	88.39	3.05	2.85	1.28	93%	42%	0.12	0.17
88.39	91.44	3.05	3.05	1.41	100%	46%	0.18	0.35
91.44	94.49	3.05	3.05	1.45	100%	48%	0.23	0.40
94.49	97.54	3.05	2.90	1.42	95%	47%	0.38	0.61
97.54	100.58	3.04	3.05	2.24	100%	74%	1.20	2.10
100.58	103.63	3.05	3.05	2.70	100%	89%	0.93	1.00
103.63	106.68	3.05	2.75	1.27	90%	42%	0.45	0.75
106.68	109.72	3.04	3.05	1.40	100%	46%	0.29	0.41
109.72	112.77	3.05	3.00	1.46	98%	48%	0.55	1.10
112.77	115.82	3.05	3.05	1.25	100%	41%	0.52	1.10
115.82	118.87	3.05	3.05	1.60	100%	52%	0.59	1.50
118.87	121.92	3.05	3.05	2.06	100%	68%	0.35	0.74

NEWMONT EXPLORATION OF CANADA LIMITED

GEOTECHNICAL LOG

DDH TLP01-11

DATE: 06-Nov-01

RECOVERY - **96%**

TAY-LP PROJECT - AREA "C"

RQD - **49%**

FROM (metres)	TO (metres)	LENGTH (metres)	RECOVERY (metres)	RQD (metres)	RECOVERY (%)	RQD (%)	Ave. Mag	Max. Mag
121.92	124.97	3.05	3.05	1.31	100%	43%	0.52	0.91
124.97	128.02	3.05	3.01	1.45	99%	48%	0.52	0.97
128.02	131.06	3.04	3.01	1.03	99%	34%	0.18	0.28
131.06	134.11	3.05	2.93	0.63	96%	21%	0.13	0.30
134.11	137.16	3.05	3.05	1.90	100%	62%	0.64	1.40
137.16	140.20	3.04	3.05	2.52	100%	83%	0.90	1.70
140.20	143.25	3.05	2.85	1.78	93%	58%	0.49	0.63
143.25	146.30	3.05	3.05	0.97	100%	32%	0.26	0.52
146.30	149.35	3.05	2.90	0.83	95%	27%	0.29	0.40
TOTALS		***140.21***	***135.22***	***69.06***	**96%**	**49%**	**0.26**	**0.46**

APPENDIX IV

ASSAY SUMMARY TABLES

TLP01-2
TLP01-5
TLP01-6
TLP01-8
TLP01-9
TLP01-11

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DDH TLP01-2

DATE: 06-Nov-01

L210

TAY-LP PROJECT

AREA "C"

CHEMEX FILE(S): a0123252, a0123586

71 SAMPLES

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISMUTH (PPM)	IRON (%)	SULFUR (%)
OVERBURDEN	0.00	3.05	3.05	N/A	N/A	N/A	N/A
345210	3.05	5.00	1.95	<5	0.05	2.52	<0.01
345211	5.00	7.00	2.00	<5	0.06	2.16	0.03
345141	7.00	8.50	1.50	<5	0.10	2.58	0.11
345142	8.50	10.00	1.50	<5	0.08	2.55	0.09
345143	10.00	11.50	1.50	<5	0.10	2.85	0.27
345144	11.50	13.00	1.50	<5	0.06	2.02	0.03
345145	13.00	14.50	1.50	<5	0.16	2.48	0.11
345146	14.50	16.00	1.50	<5	0.16	2.31	0.30
345147	16.00	17.50	1.50	<5	0.07	2.27	0.11
345148	17.50	19.00	1.50	<5	0.07	2.24	0.08
345149	19.00	20.50	1.50	<5	0.06	2.25	0.07
345150	20.50	22.00	1.50	<5	0.08	2.38	0.21
345151	22.00	23.50	1.50	<5	0.16	2.45	0.26
345152	23.50	25.00	1.50	<5	0.17	2.17	0.16
345153	25.00	26.50	1.50	<5	0.33	3.21	0.64
345154	26.50	28.13	1.63	<5	0.31	2.44	0.24
345155	28.13	30.00	1.87	<5	0.13	2.12	0.38
345156	30.00	31.78	1.78	<5	0.08	0.88	<.01
345157	31.78	33.50	1.72	<5	0.68	2.09	1.02
345158	33.50	35.00	1.50	<5	0.50	2.33	1.32
345159	35.00	36.50	1.50	<5	0.37	1.95	1.00
345160	NEWMONT STANDARD			140	0.54	3.16	0.19
345161	36.50	38.26	1.76	<5	0.44	1.98	0.95
345162	38.26	40.00	1.74	<5	0.10	**8.08**	0.54
345163	40.00	41.60	1.60	<5	0.67	**5.33**	**2.11**
345164	41.60	42.10	0.50	<5	1.25	**7.16**	**4.82**
345165	42.10	42.65	0.55	<5	0.29	**11.05**	**6.56**
345166	42.65	44.15	1.50	<5	0.29	3.84	**2.01**
345167	44.15	45.50	1.35	<5	0.69	3.50	**2.26**
345168	45.50	47.00	1.50	<5	0.83	4.43	**2.63**
345169	47.00	48.40	1.40	<5	2.50	4.75	**2.94**
345170	48.40	50.00	1.60	<5	0.91	2.34	1.28
345171	50.00	51.50	1.50	<5	0.65	2.10	0.93
345172	51.50	53.00	1.50	<5	0.47	2.02	0.86
345173	53.00	54.50	1.50	<5	0.62	1.88	0.95
345174	54.50	56.10	1.60	<5	0.33	2.19	0.98
345175	56.10	57.60	1.50	<5	0.43	2.10	0.83
345176	57.60	59.10	1.50	20	0.27	2.61	1.39

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY — **DDH TLP01-2**

DATE: 06-Nov-01 — L210

TAY-LP PROJECT — **AREA "C"**

CHEMEX FILE(S): a0123252, a0123586 — *71 SAMPLES*

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISMUTH (PPM)	IRON (%)	SULFUR (%)
345177	59.10	60.60	1.50	<5	0.27	2.18	1.21
345178	60.60	62.35	1.75	<5	1.81	2.48	1.3
345179	62.35	63.00	0.65	<5	1.05	**7.46**	**3.97**
345180	63.00	64.50	1.50	5	0.49	2.18	1.1
345181	64.50	65.40	0.90	<5	0.41	1.75	0.9
345182	65.40	66.05	0.65	<5	0.77	**5.29**	**2.84**
345183	66.05	67.30	1.25	<5	0.57	1.97	1.3
345184	67.30	68.80	1.50	<5	0.20	4.38	**2.35**
345185	68.80	70.30	1.50	<5	0.18	**5.17**	**2.56**
345186	70.30	71.80	1.50	<5	0.29	4.36	**2.47**
345187	71.80	73.15	1.35	<5	0.69	**5.03**	**2.99**
345188	73.15	73.75	0.60	<5	0.45	4.82	**2.76**
345189	73.75	75.25	1.50	<5	0.67	2.66	1.55
345190	75.25	77.30	2.05	<5	0.35	2.15	1.12
345191	77.30	78.30	1.00	<5	0.31	1.36	0.61
345192	78.30	79.80	1.50	<5	0.56	2.69	1.41
345193	79.80	81.30	1.50	<5	0.90	3.41	1.95
345194	81.30	82.80	1.50	<5	0.63	2.91	1.41
345195	82.80	84.30	1.50	<5	0.79	2.16	1.15
345196	84.30	85.45	1.15	<5	1.35	**5.93**	**3.06**
345197	85.45	87.00	1.55	<5	0.24	3.44	0.84
345198	87.00	88.50	1.50	<5	0.44	3.51	0.57
345199	88.50	90.15	1.65	<5	0.43	3.06	0.67
345200	NEWMONT STANDARD			50	0.19	3.88	0.03
345201	90.15	90.50	0.35	<5	0.24	**13.10**	**5.46**
345202	90.50	91.60	1.10	<5	0.33	3.09	0.5
345203	91.60	93.55	1.95	<5	0.51	3.87	1.01
345204	93.55	94.20	0.65	<5	0.10	2.39	0.16
345205	94.20	95.70	1.50	<5	0.06	3.01	0.19
345206	95.70	97.20	1.50	<5	0.10	**5.71**	0.31
345207	97.20	98.70	1.50	<5	0.07	**6.50**	0.31
345208	98.70	99.70	1.00	<5	0.05	**5.79**	0.32
345209	99.70	100.58	0.88	<5	0.04	3.53	0.06

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DDH TLP01-5

DATE: 07-Nov-01

L106

TAY-LP PROJECT

AREA "A"

CHEMEX FILE(S): a0123608, a0124838

55 SAMPLES

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISUMUTH (PPM)	IRON (%)	SULFUR (%)
overburden	0.00	24.38	24.38	N/A	N/A	N/A	N/A
345374	24.38	27.50	3.12	<5	0.40	3.73	0.40
345375	27.50	29.50	2.00	<5	0.43	4.02	0.39
345376	29.50	31.50	2.00	<5	0.41	3.92	0.27
345377	31.50	33.50	2.00	<5	0.42	4.15	0.28
345378	33.50	35.00	1.50	<5	0.37	3.71	0.34
345379	35.00	36.50	1.50	<5	0.51	3.53	0.49
345380	NEWMONT STANDARD			465	0.39	1.36	0.05
345381	36.50	37.80	1.30	<5	0.43	3.80	0.41
345382	37.80	38.80	1.00	45	4.14	4.61	1.42
345383	**38.80**	**39.10**	**0.30**	**390**	**46.60**	**6.26**	**3.67**
345384	39.10	40.60	1.50	5	1.00	4.14	0.58
345385	40.60	42.60	2.00	<5	2.72	3.78	1.08
345386	42.60	44.20	1.60	<5	2.69	4.36	1.61
345387	44.20	45.80	1.60	<5	0.80	4.24	1.05
345388	**45.80**	**47.00**	**1.20**	**115**	**630.0**	**4.75**	**4.59**
NOTE: No. 345388 assayed 241 g/t Ag, 1.78% Pb, 2160 ppm Zn and is anomalous in Cd, In, Se and Te							
345389	47.00	48.00	1.00	<5	3.30	2.70	0.88
345390	48.00	49.00	1.00	<5	3.99	3.93	**2.58**
345391	49.00	50.50	1.50	<5	1.23	4.51	1.88
345392	50.50	52.50	2.00	<5	0.50	4.55	0.62
345393	52.50	54.50	2.00	<5	0.34	4.30	0.31
345394	54.50	56.50	2.00	<5	0.46	3.67	0.49
345395	56.50	58.50	2.00	<5	0.40	3.76	0.39
345396	58.50	60.50	2.00	<5	0.50	3.78	0.48
345397	60.50	62.50	2.00	<5	0.48	3.81	0.47
345398	62.50	63.80	1.30	20	1.59	4.23	0.84
345399	63.80	64.80	1.00	<5	0.33	4.24	0.39
345400	64.80	65.30	0.50	<5	0.25	1.68	0.20
345401	65.30	67.00	1.70	<5	0.60	4.22	0.49
345402	67.00	69.00	2.00	<5	0.39	4.52	0.52
345403	69.00	71.00	2.00	<5	0.35	4.01	0.39
345404	71.00	72.00	1.00	<5	0.45	4.08	0.27
345405	72.00	73.00	1.00	<5	0.83	4.46	0.59
345406	73.00	74.10	1.10	<5	1.07	4.01	0.68
345407	74.10	75.70	1.60	15	1.90	4.23	0.96
345408	75.70	77.30	1.60	20	1.88	4.17	0.92
345409	77.30	78.20	0.90	80	**6.44**	3.12	1.58
345410	NEWMONT STANDARD			6780	1.19	2.57	0.27

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DDH TLP01-5
L106
AREA "A"
55 SAMPLES

DATE: *07-Nov-01*
TAY-LP PROJECT
CHEMEX FILE(S): a0123608, a0124838

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISUMUTH (PPM)	IRON (%)	SULFUR (%)
345411	78.20	79.70	1.50	<5	0.60	3.97	0.51
345412	79.70	81.20	1.50	15	2.15	3.88	0.98
345413	81.20	82.70	1.50	70	**5.31**	4.04	1.49
345414	82.70	84.70	2.00	<5	0.55	3.60	0.48
345415	84.20	86.70	2.50	<5	0.64	3.72	0.52
345416	85.70	88.70	3.00	<5	0.27	3.40	0.27
345417	88.70	90.40	1.70	5	1.35	3.40	0.54
345418	90.40	91.30	0.90	85	7.85	3.98	1.43
345419	91.30	92.20	0.90	75	5.20	4.32	1.16
345420	92.20	94.00	1.80	5	3.00	3.75	0.60
345421	94.00	96.00	2.00	<5	0.46	3.41	0.39
345422	96.00	98.00	2.00	<5	0.64	3.70	0.48
345423	98.00	100.00	2.00	<5	0.22	2.38	0.29
345424	100.00	102.00	2.00	<5	0.20	3.38	0.33
345425	102.00	104.00	2.00	<5	0.28	3.14	0.33
345426	104.00	106.00	2.00	<5	0.34	3.57	0.51
345427	106.00	108.00	2.00	<5	0.28	3.69	0.45
345428	108.00	109.72	1.72	<5	0.43	3.49	0.48

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 07-Nov-01
TAY-LP PROJECT
CHEMEX FILE(S): a0123913

DDH TLP01-6
L104
AREA "A"
55 SAMPLES

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISMUTH (PPM)	IRON (%)	SULFUR (%)
overburden	0.00	18.40	18.40	N/A	N/A	N/A	N/A
345429	18.40	20.40	2.00	20	0.89	4.18	0.51
345430	20.40	22.40	2.00	10	0.58	3.63	0.39
345431	22.40	24.40	2.00	10	0.71	4.26	0.56
345432	24.40	26.40	2.00	10	1.08	4.02	0.70
345433	26.40	28.40	2.00	<5	0.67	4.41	0.70
345434	28.40	30.40	2.00	5	0.71	4.10	0.56
345435	30.40	32.40	2.00	<5	0.42	3.84	0.46
345436	32.40	34.40	2.00	10	0.82	3.96	0.78
345437	34.40	36.40	2.00	15	1.81	3.72	0.88
345438	36.40	37.10	0.70	25	2.31	4.31	0.96
345439	37.10	37.50	0.40	5	0.38	1.50	0.30
345440	NEWMONT STANDARD			105	0.64	2.96	0.13
345441	37.50	39.40	1.90	30	1.61	3.87	0.97
345442	39.40	40.00	0.60	<5	0.83	1.85	1.04
345443	40.00	42.00	2.00	<5	0.90	3.75	0.77
345444	42.00	43.30	1.30	15	1.55	4.07	0.94
345445	43.30	44.30	1.00	<5	0.64	4.18	0.70
345446	44.30	45.30	1.00	10	0.85	4.11	0.66
345447	45.30	46.30	1.00	10	0.98	4.04	0.94
345448	46.30	47.30	1.00	5	2.59	3.04	1.17
345449	47.30	48.60	1.30	<5	0.46	4.33	0.59
345450	48.60	49.40	0.80	<5	1.16	2.93	1.73
345451	49.40	50.40	1.00	<5	0.74	4.02	1.03
345452	50.40	51.90	1.50	<5	1.01	4.50	1.14
345453	51.90	53.40	1.50	<5	0.31	3.69	0.43
345454	53.40	54.90	1.50	<5	0.51	3.69	0.56
345455	54.90	56.40	1.50	20	1.25	5.12	1.39
345456	56.40	57.90	1.50	<5	0.51	4.35	0.52
345457	57.90	59.90	2.00	<5	0.27	4.17	0.42
345458	59.90	61.90	2.00	20	1.39	4.26	0.86
345459	61.90	63.90	2.00	20	1.57	4.27	0.93
345460	63.90	65.90	2.00	20	1.00	4.26	0.77
345461	65.90	67.90	2.00	30	2.27	3.65	0.86
345462	67.90	69.90	2.00	15	1.31	4.04	0.66
345463	69.90	71.90	2.00	5	0.76	4.35	0.70
345464	71.90	73.90	2.00	<5	0.46	4.22	0.69
345465	73.90	75.20	1.30	10	0.81	**5.49**	1.47
345466	75.20	75.60	0.40	<5	0.23	4.24	0.40

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DDH TLP01-6

DATE: *14-Nov-01*

L104

TAY-LP PROJECT

AREA "A"

CHEMEX FILE(S): a0123913

55 SAMPLES

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISMUTH (PPM)	IRON (%)	SULFUR (%)
345467	75.60	76.40	0.80	<5	0.37	4.28	0.69
345468	76.40	77.90	1.50	5	0.44	4.38	0.85
345469	77.90	79.90	2.00	<5	0.54	4.14	0.71
345470	NEWMONT STANDARD			40	0.19	4.04	0.03
345471	79.90	81.90	2.00	10	0.63	4.15	0.94
345472	81.90	83.90	2.00	<5	0.75	3.94	0.84
345473	83.90	85.90	2.00	<5	0.67	3.66	0.70
345474	85.90	87.90	2.00	<5	0.71	3.52	0.71
345475	87.90	89.90	2.00	<5	0.57	3.78	0.63
345476	89.90	91.44	1.54	<5	0.48	3.71	0.68

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DDH TLP01-8
L302
AREA "B"
93 SAMPLES

DATE: 07-Nov-01
TAY-LP PROJECT
CHEMEX FILE(S): a0124023 , 12541 3

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISMUTH (PPM)	IRON (%)	OTHER ELEMENTS (PPM)
overburden	0.00	10.40	12.00	N/A	N/A	N/A	N/A
345548	10.40	12.00	1.60	<5	0.09	2.18	
345549	12.00	13.50	1.50	<5	0.11	2.51	
345550	13.50	15.00	1.50	<5	0.47	3.03	
345551	15.00	16.50	1.50	<5	0.32	2.28	
345552	16.50	18.20	1.70	<5	0.48	2.86	
345553	18.20	19.60	1.40	<5	0.49	2.59	
345554	19.60	20.90	1.30	<5	0.67	1.79	Mo, Zn
345555	20.90	22.00	1.10	<5	0.06	0.98	
345556	22.00	23.10	1.10	<5	0.08	0.99	
345557	23.10	24.00	0.90	<5	0.04	0.97	
345558	24.00	25.10	1.10	<5	0.02	1.05	
345559	25.10	25.80	0.70	<5	0.09	1.88	
345560	NEWMONT STANDARD			6480	1.32	2.76	
345561	25.80	26.30	0.50	<5	0.04	0.77	
345562	26.30	27.10	0.80	<5	0.01	0.66	
345563	27.10	28.80	1.70	<5	0.08	0.83	
345564	28.80	30.50	1.70	<5	0.11	0.84	
345565	30.50	31.50	1.00	<5	0.22	1.76	
345566	31.50	33.00	1.50	<5	1.29	2.75	Mo
345567	33.00	34.50	1.50	<5	0.17	2.15	
345568	34.50	36.00	1.50	<5	0.20	2.02	
345569	36.00	37.50	1.50	<5	0.26	1.89	
345570	37.50	38.60	1.10	<5	0.09	2.06	Zn
345571	38.60	39.20	0.60	<5	0.06	1.91	Zn
345572	39.20	40.70	1.50	<5	1.87	3.25	Pb
345573	40.70	42.20	1.50	<5	0.22	1.88	Zn
345574	42.20	43.30	1.10	<5	0.26	2.05	Zn
345575	43.30	44.00	0.70	<5	0.33	3.06	
345576	44.00	45.50	1.50	<5	0.21	1.88	
345577	45.50	47.50	2.00	<5	0.12	1.87	
345578	47.50	49.50	2.00	<5	0.15	2.35	
345579	49.50	51.50	2.00	<5	0.15	1.83	
345580	51.50	53.50	2.00	<5	0.12	1.83	
345581	53.50	55.50	2.00	<5	0.12	1.97	
345582	55.50	57.00	1.50	<5	0.32	2.35	
345583	57.00	58.50	1.50	<5	0.18	2.27	
345584	58.50	60.00	1.50	<5	0.17	2.00	
345585	60.00	61.50	1.50	<5	0.47	2.31	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 07-Nov-01
TAY-LP PROJECT
CHEMEX FILE(S): a0124023

DDH TLP01-8
L302
AREA "B"
93 SAMPLES

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISMUTH (PPM)	IRON (%)	OTHER ELEMENTS (PPM)
345586	61.50	63.00	1.50	<5	0.27	1.92	
345587	63.00	64.50	1.50	<5	0.28	1.82	
345588	64.50	65.50	1.00	<5	0.34	3.69	
345589	65.50	66.50	1.00	<5	0.11	2.19	
345590	66.50	67.80	1.30	<5	0.27	4.21	S
345591	67.80	68.70	0.90	<5	0.23	4.17	S
345592	68.70	69.70	1.00	<5	0.37	**5.79**	S
345593	69.70	70.40	0.70	<5	0.42	4.37	Mo, S
345594	70.40	71.10	0.70	<5	0.25	4.21	Mo, S
345595	71.10	72.10	1.00	15	0.53	**7.90**	Mo, S
345596	72.10	73.10	1.00	10	0.45	**7.09**	S
345597	73.10	74.10	1.00	<5	3.29	**7.93**	Cu, Mo, S
345598	74.10	75.10	1.00	<5	3.69	**7.00**	S
345599	75.10	76.10	1.00	<5	0.96	**6.25**	Mo, S
345600	NEWMONT STANDARD			135	0.53	3.57	
345601	76.10	77.50	1.40	<5	2.61	**7.39**	Cu, S
345602	77.50	78.60	1.10	<5	1.68	4.15	S
345603	78.60	79.50	0.90	<5	2.31	**5.90**	S
345604	79.50	81.00	1.50	<5	0.44	3.68	In, Pb, Zn
345605	81.00	82.50	1.50	<5	0.42	3.00	
345606	82.50	84.00	1.50	<5	0.26	2.85	
345607	84.00	85.50	1.50	<5	0.49	4.64	
345608	85.50	87.00	1.50	<5	1.50	3.64	
345609	87.00	88.00	1.00	<5	0.90	4.55	S
345610	88.00	88.50	0.50	<5	0.23	1.68	
345611	88.50	90.00	1.50	<5	0.41	3.68	
345612	90.00	91.00	1.00	<5	0.31	**5.10**	S
345613	91.00	92.00	1.00	<5	0.31	4.40	
345614	92.00	92.40	0.40	<5	0.67	**7.31**	Mo, S
345615	92.40	92.70	0.30	<5	2.39	**>15.00**	Cu, Mo, S
345616	92.70	93.20	0.50	<5	0.78	**7.54**	Cu, Mo, S
345617	93.20	94.20	1.00	<5	0.15	3.03	Cu, Mo
345618	94.20	95.70	1.50	<5	0.12	3.17	Mo
345619	95.70	97.20	1.50	<5	0.13	2.29	Mo
345620	97.20	98.70	1.50	<5	0.58	3.94	Mo
345621	98.70	99.70	1.00	<5	0.17	**6.10**	Mo, S
345622	99.70	101.40	1.70	<5	0.29	3.18	Mo
345623	101.40	102.90	1.50	<5	0.15	2.41	Zn
345624	102.90	104.10	1.20	<5	2.17	2.57	5010 Pb, Ag, Cd, In, Zn

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 07-Nov-01

TAY-LP PROJECT

CHEMEX FILE(S): a0124023

DDH TLP01-8

L302

AREA "B"

93 SAMPLES

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISMUTH (PPM)	IRON (%)	OTHER ELEMENTS (PPM)
345625	104.10	104.90	0.80	<5	0.09	1.50	Ag
345626	104.90	105.70	0.80	<5	3.40	1.75	4760 Pb, Ag, In, Zn
345627	105.70	106.70	1.00	<5	**12.45**	3.69	1.92%Pb, Cd, In, S, Sb, Zn
345628	106.70	108.30	1.60	<5	0.33	1.81	Zn
345629	108.30	109.70	1.40	<5	0.26	1.38	
345630	NEWMONT STANDARD			140	0.54	3.26	
345631	109.70	110.20	0.50	<5	0.18	1.71	
345632	110.20	111.70	1.50	<5	0.38	2.55	Zn
345633	111.70	113.20	1.50	<5	0.33	2.11	
345634	113.20	114.70	1.50	<5	0.29	2.03	
345635	114.70	115.60	0.90	<5	0.25	2.23	Zn
345636	115.60	116.60	1.00	<5	0.30	2.23	
345637	116.60	117.60	1.00	<5	0.51	2.76	
345638	117.60	119.10	1.50	<5	0.45	2.93	
345639	119.10	120.60	1.50	<5	0.26	2.45	As
345640	120.60	121.92	1.32	<5	0.20	1.96	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 08-Nov-01
TAY-LP PROJECT
CHEMEX FILE(S): a0124208

DDH TLP01-9
L102
AREA "A"
81 SAMPLES

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISMUTH (PPM)	IRON (%)	OTHER ELEMENTS (PPM)
overburden	0.00	12.20	12.20	N/A	N/A	N/A	N/A
345641	12.20	14.20	2.00	<5	0.11	1.50	
345642	14.20	16.20	2.00	<5	0.23	2.05	
345643	16.20	18.20	2.00	<5	0.25	2.08	
345644	18.20	20.20	2.00	<5	0.34	2.09	
345645	20.20	21.60	1.40	<5	0.22	2.39	
345646	**21.60**	**22.30**	**0.70**	**730**	**41.00**	**7.81**	**Cu, S**
345647	**22.30**	**22.70**	**0.40**	**1985**	**88.20**	**>15.00**	**Cu, S, W**
345648	**22.70**	**23.15**	**0.45**	**75**	**11.50**	**3.56**	
345649	**23.15**	**23.60**	**0.45**	**1135**	**102.50**	**>15.00**	**Cu, S, Te**
345650	23.60	25.10	1.50	25	**12.85**	**5.29**	
345651	25.10	26.60	1.50	15	5.70	4.11	
345652	26.60	27.60	1.00	30	8.88	4.26	Cu, S
345653	27.60	28.75	1.15	25	**10.10**	**5.41**	Cu, S
345654	28.75	29.55	0.80	40	**26.20**	**8.92**	Cu
345655	29.55	31.00	1.45	60	**16.45**	4.97	
345656	**31.00**	**32.50**	**1.50**	**230**	**15.55**	**7.75**	**Cu, S**
345657	32.50	34.00	1.50	85	**10.25**	**5.44**	
345658	**34.00**	**35.55**	**1.55**	**205**	**13.95**	**6.35**	**Cu, S**
345659	35.55	37.00	1.45	<5	0.58	1.97	
345660	NEWMONT STANDARD			135	0.45	3.19	
345661	37.00	38.50	1.50	5	0.25	1.45	
345662	38.50	40.00	1.50	<5	0.14	1.00	
345663	40.00	41.50	1.50	25	3.71	1.10	
345664	41.50	43.00	1.50	30	2.18	1.78	
345665	**43.00**	**43.90**	**0.90**	**125**	**9.07**	**2.83**	**W**
345666	**43.90**	**44.45**	**0.55**	**1100**	**76.70**	**14.70**	**Cu, S, Te, W**
345667	**44.45**	**45.25**	**0.80**	**460**	**22.70**	**7.78**	**Cu, S, W**
345668	**45.25**	**46.30**	**1.05**	**625**	**4.82**	**4.62**	**S**
345669	46.30	46.90	0.60	50	4.07	**8.25**	Cu, S
345670	46.90	48.30	1.40	15	3.09	**6.11**	Cu, S
345671	48.30	49.80	1.50	<5	2.24	4.80	
345672	49.80	51.30	1.50	15	**10.80**	4.03	
345673	51.30	52.80	1.50	15	1.67	4.04	
345674	52.80	54.80	2.00	25	2.13	4.14	
345675	54.80	56.80	2.00	10	1.12	3.72	
345676	56.80	58.80	2.00	85	0.85	4.55	
345677	58.80	60.80	2.00	5	7.62	4.26	
345678	60.80	62.80	2.00	15	1.34	4.15	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 08-Nov-01

TAY-LP PROJECT

CHEMEX FILE(S): a0124208

DDH TLP01-9

L102

AREA "A"

81 SAMPLES

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISMUTH (PPM)	IRON (%)	OTHER ELEMENTS (PPM)
345679	62.80	64.80	2.00	10	1.74	3.82	
345680	**64.80**	**66.00**	**1.20**	**145**	**12.60**	**3.56**	
345681	**66.00**	**66.80**	**0.80**	**945**	**52.10**	**8.93**	**Cu, S, Te**
345682	**66.80**	**68.30**	**1.50**	**220**	**12.50**	**5.34**	**W**
345683	68.30	69.80	1.50	60	3.96	4.68	
345684	69.80	71.30	1.50	<5	0.80	4.34	
345685	71.30	72.50	1.20	20	1.64	3.81	
345686	72.50	73.50	1.00	<5	0.56	4.54	
345687	73.50	74.50	1.00	<5	0.62	4.50	
345688	74.50	75.50	1.00	5	0.90	4.32	
345689	75.50	76.50	1.00	275	11.15	4.60	
345690	NEWMONT STANDARD			<5	0.34	2.09	
345691	76.50	77.50	1.00	5	1.20	4.76	
345692	77.50	78.70	1.20	10	3.00	3.21	W
345693	**78.70**	**79.30**	**0.60**	**145**	**34.80**	**11.95**	**Cu, S, Te, W**
345694	79.30	79.90	0.60	35	**17.10**	**5.28**	Cu, S
345695	79.90	80.30	0.40	<5	6.52	3.37	Cu
345696	80.30	80.70	0.40	5	2.95	1.71	
345697	80.70	81.10	0.40	<5	5.73	2.79	
345698	81.10	82.30	1.20	20	4.31	**5.10**	
345699	82.30	83.40	1.10	25	**10.90**	**7.34**	Cu, S
345700	83.40	83.90	0.50	5	**10.10**	1.63	
345701	83.90	84.50	0.60	<5	4.73	4.53	
345702	84.50	85.40	0.90	20	**31.70**	**7.81**	Ag, Cu, S
345703	85.40	86.40	1.00	<5	1.30	2.14	
345704	86.40	87.20	0.80	5	**10.50**	4.87	Cu, S
345705	87.20	88.20	1.00	35	**37.40**	**12.35**	Cu, S
345706	88.20	89.50	1.30	25	**45.60**	**8.47**	Ag, Cu, S
345707	89.50	90.50	1.00	20	5.57	**6.13**	Cu, S
345708	90.50	91.85	1.35	<5	4.29	4.04	As
345709	91.85	92.85	1.00	85	**21.80**	**9.59**	As, Cu, S
345710	92.85	93.70	0.85	90	**12.75**	**9.84**	As, Cu, S
345711	**93.70**	**94.75**	**1.05**	**170**	**74.80**	**6.80**	**Ag, As, Cu, S, Te**
345712	94.75	96.00	1.25	20	9.48	4.50	Ag, As, S
345713	96.00	97.50	1.50	35	**47.60**	3.96	
345714	97.50	99.00	1.50	45	7.36	**7.45**	Cu, S
345715	99.00	101.00	2.00	10	3.43	4.75	
345716	101.00	103.00	2.00	40	5.52	**5.77**	As, S
345717	103.00	105.00	2.00	<5	1.30	4.26	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 08-Nov-01
TAY-LP PROJECT
CHEMEX FILE(S): a0124208

DDH TLP01-9
L102
AREA "A"
81 SAMPLES

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	BISMUTH (PPM)	IRON (%)	OTHER ELEMENTS (PPM)
345718	105.00	107.00	2.00	<5	1.68	3.80	
345719	107.00	109.00	2.00	10	2.87	**6.53**	
345720	NEWMONT STANDARD			130	0.52	3.31	
345721	109.00	109.72	0.72	<5	0.31	4.75	

SIGNIFICANT GOLD RESULTS

TLP01-9

From	To	Length (m)	Gold (ppb)
21.60	23.60	2.00	925
31.00	32.50	1.50	230
34.00	35.55	1.55	205
43.90	46.30	2.40	679
66.00	68.30	2.30	472

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 08-Nov-01

TAY-LP PROJECT

CHEMEX FILE(S): a0124021

DDH TLP01-11

L207

AREA "C"

102 SAMPLES

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	IRON (%)	OTHER ELEMENTS (Noted)
overburden	0.00	9.14	9.14	N/A	N/A	N/A
345773	9.14	11.25	2.11	<5	0.73	
345774	11.25	12.75	1.50	<5	1.22	
345775	12.75	14.25	1.50	<5	1.20	
345776	13.50	15.75	2.25	<5	0.95	
345777	15.00	17.25	2.25	<5	1.97	
345778	16.50	18.75	2.25	<5	2.13	
345779	18.20	20.70	2.50	<5	2.34	
345780	NEWMONT STANDARD			10	2.52	
345781	20.70	22.20	1.50	<5	1.06	
345782	22.20	23.70	1.50	<5	1.49	
345783	23.70	25.20	1.50	<5	0.73	
345784	25.20	26.50	1.30	<5	1.00	
345785	26.50	27.43	0.93	<5	0.93	
345786	27.43	29.00	1.57	<5	2.56	Mo
345787	29.00	30.50	1.50	<5	2.42	Mo
345788	30.50	31.85	1.35	<5	2.12	Mo, Zn
345789	31.85	32.85	1.00	<5	1.97	Zn
345790	32.85	33.60	0.75	<5	0.95	
345791	33.60	35.00	1.40	<5	1.86	Zn
345792	35.00	36.50	1.50	<5	2.52	
345793	36.50	38.00	1.50	<5	3.04	Mo
345794	38.00	39.50	1.50	<5	2.77	Mo
345795	39.50	41.00	1.50	<5	2.42	Mo, Zn
345796	41.00	42.50	1.50	<5	2.42	Mo
345797	42.50	44.50	2.00	<5	2.40	Mo
345798	44.50	46.50	2.00	<5	2.04	Mo
345799	46.50	48.50	2.00	<5	2.15	Mo
345800	48.50	50.50	2.00	<5	2.22	Cu
345801	50.50	52.50	2.00	<5	2.82	Mo
345802	52.50	54.50	2.00	<5	2.59	Mo
345803	54.50	56.00	1.50	<5	2.57	Mo
345804	56.00	57.50	1.50	<5	2.08	Mo
345805	57.50	59.00	1.50	<5	2.63	Mo
345806	59.00	60.15	1.15	<5	1.87	Zn
345807	60.15	62.00	1.85	<5	0.45	
345808	62.00	64.00	2.00	<5	0.76	
345809	64.00	66.00	2.00	<5	0.95	
345810	NEWMONT STANDARD			6490	2.87	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY — **DDH TLP01-11**

DATE: *08-Nov-01* — L207

TAY-LP PROJECT — **AREA "C"**

CHEMEX FILE(S): a0124021 — *102 SAMPLES*

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	IRON (%)	OTHER ELEMENTS (Noted)
345811	66.00	68.00	2.00	<5	0.68	
345812	68.00	69.20	1.20	20	0.82	Bi
345813	69.20	70.75	1.55	<5	1.68	Mo
345814	70.75	71.15	0.40	<5	2.97	Mo
345815	71.15	72.50	1.35	<5	1.61	Mo
345816	72.50	74.00	1.50	<5	2.28	Mo
345817	74.00	78.50	4.50	<5	2.18	Mo
345818	78.50	77.00	-1.50	<5	1.82	
345819	77.00	78.50	1.50	<5	2.18	
345820	78.50	80.00	1.50	<5	**5.02**	S
345821	80.00	81.50	1.50	<5	3.27	
345822	81.50	83.00	1.50	<5	2.55	
345823	83.00	84.50	1.50	<5	2.19	
345824	84.50	86.00	1.50	<5	2.22	
345825	86.00	87.50	1.50	<5	2.50	
345826	87.50	89.00	1.50	<5	2.45	
345827	89.00	90.50	1.50	<5	2.57	
345828	90.50	92.00	1.50	<5	2.20	
345829	92.00	93.50	1.50	<5	1.94	
345830	93.50	95.00	1.50	<5	2.24	
345831	95.00	96.50	1.50	<5	2.77	
345832	96.50	98.00	1.50	<5	3.59	
345833	98.00	99.50	1.50	<5	**6.30**	
345834	99.50	100.30	0.80	5	**12.55**	Mo, S
345835	100.30	101.80	1.50	<5	**9.38**	S
345836	101.80	103.30	1.50	<5	**8.59**	
345837	103.30	104.30	1.00	<5	**6.53**	
345838	104.30	105.25	0.95	<5	**7.38**	
345839	105.25	106.75	1.50	10	2.70	
345840	NEWMONT STANDARD			13.04 g/t	2.53	
345841	106.75	107.90	1.15	<5	2.14	
345842	107.90	108.60	0.70	<5	3.20	Mo
345843	108.60	109.55	0.95	<5	2.42	
345844	109.55	109.95	0.40	<5	1.05	
345845	109.95	111.25	1.30	<5	3.66	
345846	111.25	111.80	0.55	<5	2.00	
345847	111.80	114.25	2.45	<5	2.88	
345848	114.25	115.75	1.50	<5	3.06	
345849	115.75	117.25	1.50	<5	4.37	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 08-Nov-01

TAY-LP PROJECT

CHEMEX FILE(S): a0124021

DDH TLP01-11

L207

AREA "C"

102 SAMPLES

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	IRON (%)	OTHER ELEMENTS (Noted)
345850	117.25	119.00	1.75	5	2.17	
345851	119.00	120.50	1.50	<5	4.07	
345852	120.50	121.35	0.85	<5	4.15	
345853	121.35	122.35	1.00	<5	3.50	
345854	122.35	123.75	1.40	<5	**5.15**	
345855	123.75	125.25	1.50	<5	**5.43**	
345856	125.25	126.75	1.50	<5	**5.50**	S
345857	126.75	128.25	1.50	<5	4.36	
345858	128.25	129.75	1.50	<5	3.86	
345859	129.75	131.20	1.45	<5	2.94	
345860	131.20	131.70	0.50	<5	**6.36**	Ag, Bi, Pb, S
345861	131.70	133.10	1.40	<5	3.38	
345862	133.10	134.60	1.50	<5	3.62	
345863	134.60	135.85	1.25	<5	3.04	
345864	135.85	136.90	1.05	<5	3.26	Pb
345865	136.90	137.75	0.85	<5	2.20	
345866	137.75	139.00	1.25	<5	**5.69**	S
345867	139.00	140.20	1.20	<5	**7.36**	S
345868	140.20	141.70	1.50	<5	**5.04**	
345869	141.70	143.30	1.60	<5	4.00	
345870	NEWMONT STANDARD			12.65 g/t	2.37	
345871	143.30	144.80	1.50	<5	2.15	
345872	144.80	146.30	1.50	<5	2.07	Ag, Bi, Pb
345873	146.30	147.80	1.50	<5	2.39	
345874	147.80	149.35	1.55	<5	3.48	

APPENDIX V

ASSAY CERTIFICATES AND ANALYTICAL PROCEDURES

TLP01-2
TLP01-5
TLP01-6
TLP01-8
TLP01-9
TLP01-11

ALS Chemex

Geochemical Procedure - ME-ICP41
Trace Level Methods Using Conventional ICP-AES Analysis

Sample Decomposition: Nitric Aqua Regia Digestion
Analytical Method: Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP - AES)

A prepared sample (0.50 grams) is digested with aqua regia for at least one hour in a hot water bath. After cooling, the resulting solution is diluted to 12.5 ml with demineralized water, mixed and analyzed by inductively coupled plasma-atomic emission spectrometry. The analytical results are corrected for inter-element spectral interferences.

Chemex Code		Element	Symbol	Detection Limit	Upper Limit
229		ICP-AQ Digestion	n/a	n/a	n/a
2119	*	Aluminum	Al	0.01%	15 %
2141		Antimony	Sb	2 ppm	1 %
2120		Arsenic	As	2 ppm	1 %
2121	*	Barium	Ba	10 ppm	1 %
2122	*	Beryllium	Be	0.5 ppm	0.01 %
2123		Bismuth	Bi	2 ppm	1 %
557		Boron	B	10 ppm	10,000 ppm
2125		Cadmium	Cd	0.5 ppm	0.05 %
2124	*	Calcium	Ca	0.01%	15 %
2127	*	Chromium	Cr	1 ppm	1 %
2126		Cobalt	Co	1 ppm	1 %
2128		Copper	Cu	1 ppm	1 %
2130	*	Gallium	Ga	10 ppm	1 %
2150		Iron	Fe	0.01%	15 %
2151	*	Lanthanum	La	10 ppm	1 %
2140		Lead	Pb	2 ppm	1 %
2134	*	Magnesium	Mg	0.01%	15 %
2135		Manganese	Mn	5 ppm	1 %
2131		Mercury	Hg	1 ppm	1 %
2136		Molybdenum	Mo	1 ppm	1 %
2138		Nickel	Ni	1 ppm	1 %
2139		Phosphorus	P	10 ppm	1 %
2132	*	Potassium	K	0.01%	10 %

May 25, 2001

Geochemical Procedure – ME-ICP41 *(con't)*

Chemex Code		Element	Symbol	Detection Limit	Upper Limit
2142	*	Scandium	Sc	1 ppm	1 %
2118		Silver	Ag	0.2 ppm	0.01 %
2137	*	Sodium	Na	0.01%	10 %
2143	*	Strontium	Sr	1 ppm	1 %
551		Sulfur	S	0.01 %	10 %
2145	*	Thallium	Tl	10 ppm	1 %
2144	*	Titanium	Ti	0.01%	10 %
2148	*	Tungsten	W	10 ppm	1 %
2146		Uranium	U	10 ppm	1 %
2147		Vanadium	V	1 ppm	1 %
2149		Zinc	Zn	2 ppm	1 %

*Elements for which the digestion is possibly incomplete.

ALS Chemex

Fire Assay Procedure – Au-AA23 and Au-AA24
Fire Assay Fusion

Sample Decomposition: Fire Assay Fusion
Analytical Method: Atomic Absorption Spectroscopy (AAS)

A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents as required inquarted with 6 mg of gold-free silver and then cupelled to yield a precious metal bead.

The bead is digested for ½ hour in dilute nitric acid. Hydrochloric acid is then added and the solution is digested for an additional hour. The digested solution is cooled, diluted to 7.5 ml with demineralized water, homogenized and then analyzed by atomic absorption spectrometry.

International Units:

Routine Code	Rush Code	Element	Sample Weight (grams)	Symbol	Detection Limit	Upper Limit
983	991	Gold	30	Au	5 ppb	10,000 ppb
99	1091	Gold	30	Au	0.005 ppm	10 ppm
494	1209	Gold	30	Au	0.005 g/t	10 g/t
3583		Gold	50	Au	5 ppb	10,000 ppb
3584		Gold	50	Au	0.005 ppm	10 ppm
3594		Gold	50	Au	0.005 g/t	10 g/t

American/English Units:

Routine Code	Rush Code	Element	Sample Weight (grams)	Symbol	Detection Limit	Upper Limit
877	1977	Gold	30	Au	0.0002 oz/ton	0.3 oz/ton

May 24, 2001

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP 2
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :1-A
Total Pages :1
Certificate Date: 04-SEP-2001
Invoice No. :I0123252
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123252

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345141	9413 9402	3.42	< 5	0.01	2.32	14.1	< 10	82.2	0.60	0.10	6.85	0.06	60.0	12.4	46	5.15	21.8	2.58	6.15	0.05
345142	9413 9402	3.10	< 5	0.12	2.22	5.7	< 10	99.2	0.55	0.08	7.62	0.04	47.6	12.7	46	5.90	25.6	2.55	5.80	< 0.05
345143	9413 9402	3.64	< 5	< 0.01	2.43	5.0	< 10	103.0	0.60	0.10	7.26	0.04	81.4	15.4	45	6.50	32.4	2.85	6.20	0.05
345144	9413 9402	4.56	< 5	< 0.01	1.90	9.2	< 10	87.4	0.65	0.06	11.10	0.06	44.3	10.8	40	5.65	15.6	2.02	4.85	< 0.05
345145	9413 9402	2.78	< 5	< 0.01	2.19	3.4	< 10	137.4	0.65	0.16	8.55	0.04	54.6	11.6	45	7.80	17.6	2.48	6.40	0.05
345146	9413 9402	3.22	< 5	0.03	1.88	8.2	< 10	122.8	0.75	0.16	11.20	0.05	48.4	10.7	41	5.80	17.0	2.31	5.30	< 0.05
345147	9413 9402	3.68	< 5	< 0.01	1.96	2.9	< 10	109.0	0.55	0.07	8.10	0.03	47.6	10.4	44	4.80	16.2	2.27	5.30	0.05
345148	9413 9402	3.60	< 5	< 0.01	1.90	5.2	< 10	87.6	0.55	0.07	10.30	0.05	45.5	11.8	37	3.85	18.4	2.24	5.05	< 0.05
345149	9413 9402	3.30	< 5	< 0.01	2.01	3.3	< 10	93.0	0.55	0.06	11.15	0.05	34.7	10.4	45	4.85	21.8	2.25	5.55	< 0.05
345150	9413 9402	3.96	< 5	< 0.01	2.30	5.6	< 10	113.2	0.50	0.08	9.55	0.05	26.4	11.7	42	5.90	16.2	2.38	5.95	< 0.05
345151	9413 9402	2.40	< 5	0.01	1.80	0.1	< 10	132.8	0.45	0.16	8.12	0.07	33.1	12.5	41	6.20	28.0	2.45	5.05	< 0.05
345152	9413 9402	2.60	< 5	0.04	1.68	0.4	< 10	123.0	0.45	0.17	12.55	0.16	25.6	8.8	37	3.80	20.4	2.17	4.50	< 0.05
345153	9413 9402	1.88	< 5	0.05	2.25	0.6	< 10	210.2	0.65	0.33	8.92	0.12	34.9	16.4	45	6.25	47.0	3.21	6.35	0.05
345154	9413 9402	2.86	< 5	0.04	1.99	0.6	< 10	171.6	0.65	0.31	10.20	0.15	35.3	9.9	58	5.80	30.6	2.44	5.55	0.05
345155	9413 9402	3.64	< 5	0.03	1.48	7.0	< 10	113.6	0.40	0.13	8.84	0.13	15.70	13.6	39	5.20	21.4	2.12	3.75	< 0.05
345156	9413 9402	4.10	< 5	0.07	1.15	1.7	< 10	48.4	0.35	0.08	9.14	0.08	12.75	3.7	38	4.15	2.6	0.88	2.45	< 0.05
345157	9413 9402	4.56	< 5	0.04	0.98	1.1	< 10	141.8	0.50	0.68	2.13	0.22	45.6	8.2	44	5.15	44.0	2.09	2.55	< 0.05
345158	9413 9402	3.94	< 5	0.07	0.79	0.3	< 10	115.4	0.35	0.50	1.41	0.86	82.3	6.6	64	4.40	48.2	2.33	2.15	< 0.05
345159	9413 9402	3.38	< 5	0.05	0.79	0.5	< 10	104.8	0.30	0.37	1.88	0.63	43.3	7.6	47	2.75	37.6	1.95	2.05	< 0.05
345160	9400 225	0.12	140	0.25	1.57	744	< 10	882.8	0.55	0.54	1.05	1.43	23.3	7.1	68	2.00	100.0	3.16	4.45	< 0.05
345161	9413 9402	4.72	< 5	0.04	0.90	0.5	< 10	112.2	0.40	0.44	1.50	0.03	57.7	7.7	56	2.60	37.4	1.98	2.50	< 0.05
345162	9413 9402	5.08	< 5	0.01	6.08	9.0	< 10	17.0	0.30	0.10	1.79	0.02	82.0	34.2	21	0.95	15.2	8.08	22.90	0.15
345163	9413 9402	4.34	< 5	0.10	2.35	0.7	< 10	43.2	0.55	0.67	2.62	0.04	39.8	31.2	39	1.45	54.2	5.33	8.60	0.05
345164	9413 9402	1.64	< 5	0.33	0.46	0.6	< 10	35.0	0.50	1.25	1.28	0.08	84.1	54.4	33	1.10	146.0	7.16	1.40	0.05
345165	9413 9402	1.48	< 5	0.37	0.63	3.2	< 10	29.4	0.40	0.29	2.04	0.05	43.4	90.0	40	0.90	300	11.05	2.35	0.05
345166	9413 9402	4.20	< 5	0.19	1.07	6.7	< 10	42.2	0.40	0.29	3.12	0.03	44.2	26.3	49	0.90	68.2	3.84	3.30	0.05
345167	9413 9402	3.96	< 5	0.12	0.63	0.8	< 10	66.6	1.05	0.69	1.27	0.02	111.5	36.7	29	1.50	74.3	3.50	1.75	0.05
345168	9413 9402	4.28	< 5	0.13	0.96	1.6	< 10	56.2	0.70	0.83	1.61	0.02	30.0	44.7	32	1.20	89.1	4.43	2.80	< 0.05
345169	9413 9402	4.22	< 5	0.38	0.72	2.8	< 10	49.2	0.80	2.50	0.89	0.03	47.9	43.2	39	1.15	73.1	4.75	1.85	0.05
345170	9413 9402	4.34	< 5	0.19	0.47	0.4	< 10	56.6	0.30	0.91	0.74	0.06	91.5	6.6	68	0.70	31.2	2.34	1.75	0.05
345210	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
345211	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 04-SEP-2001
Invoice No. :I0123252
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123252

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345141	94139402	0.06	0.02	0.015	0.71	29.0	21.7	2.14	375	0.50	0.01	0.15	27.0	450	6.0	40.4<	0.001	0.11	0.25	4.1
345142	94139402	0.14	< 0.01	0.015	0.76	26.4	21.9	1.96	560	0.60	0.01	0.15	24.2	490	2.4	42.0<	0.001	0.09	0.15	4.0
345143	94139402	0.10	0.01	0.015	0.79	31.8	23.9	2.22	640	0.80	0.01	0.15	27.8	770	2.0	43.7<	0.001	0.27	0.05	4.5
345144	94139402	0.10	< 0.01	0.015	0.63	24.8	20.5	1.90	620	0.90	0.01	0.10	21.2	560	3.2	34.7<	0.001	0.03	0.05	3.9
345145	94139402	0.08	< 0.01	0.010	0.96	30.8	24.9	2.03	530	0.40	0.01	0.15	25.4	490	2.6	59.7<	0.001	0.11	0.05	4.6
345146	94139402	0.06	< 0.01	0.015	0.83	26.0	21.2	1.84	640	0.45	0.01	0.10	22.2	490	3.6	48.0<	0.001	0.30	0.05	4.1
345147	94139402	0.04	< 0.01	0.015	0.76	25.8	23.0	1.88	580	0.30	0.01	0.10	21.6	390	1.8	41.5<	0.001	0.11	< 0.05	3.9
345148	94139402	0.04	< 0.01	0.015	0.66	25.0	23.1	1.74	620	0.30	0.01	0.10	21.4	510	2.8	33.4<	0.001	0.08	< 0.05	3.6
345149	94139402	0.04	< 0.01	0.015	0.80	18.8	26.8	2.12	675	0.30	0.01	0.10	22.4	400	2.8	39.7<	0.001	0.07	0.05	4.1
345150	94139402	0.04	< 0.01	0.015	1.00	13.6	28.2	2.55	670	0.40	0.01	0.10	23.2	510	2.4	49.4<	0.001	0.21	< 0.05	4.5
345151	94139402	0.04	< 0.01	0.010	0.88	17.2	24.1	1.76	525	0.45	0.01	0.05	24.6	330	2.2	48.2<	0.001	0.26	< 0.05	3.6
345152	94139402	0.10	< 0.01	0.015	0.66	13.6	23.1	1.98	705	1.05	0.01	0.05	26.2	620	3.2	31.2<	0.001	0.16	< 0.05	3.7
345153	94139402	0.18	< 0.01	0.015	0.95	19.0	30.3	2.48	720	2.40	0.01	0.05	31.2	1800	2.4	47.1	0.003	0.64	0.05	4.9
345154	94139402	0.24	< 0.01	0.015	0.77	20.0	28.3	2.16	690	2.60	0.01	0.10	37.2	1560	2.8	38.9	0.002	0.24	0.05	4.0
345155	94139402	0.08	< 0.01	0.015	0.57	8.0	23.2	3.12	1440	0.95	< 0.01	0.05	31.6	870	2.8	30.7<	0.001	0.38	0.05	3.1
345156	94139402	0.06	< 0.01	0.005	0.32	7.0	18.5	3.05	790	0.50	< 0.01	< 0.05	20.4	260	6.0	20.1<	0.001	< 0.01	0.05	1.9
345157	94139402	0.06	< 0.01	0.005	0.49	24.8	15.0	0.88	205	3.40	0.01	0.05	45.8	990	2.0	30.3	0.002	1.02	0.90	1.7
345158	94139402	0.10	< 0.01	0.005	0.42	31.8	12.3	0.57	155	4.15	0.01	0.40	42.0	800	1.2	24.8	0.003	1.32	0.10	1.3
345159	94139402	0.08	< 0.01	0.010	0.32	23.4	12.5	0.70	315	3.35	0.01	< 0.05	46.6	1030	2.4	17.2	0.003	1.00	0.10	1.5
345160	9400 225	0.32	3.53	0.030	0.34	12.6	5.9	0.30	235	14.05	0.02	0.15	40.0	1150	8.8	19.0	0.006	0.19	35.50	4.8
345161	94139402	0.08	< 0.01	0.005	0.33	31.2	15.6	0.63	210	3.60	0.01	< 0.05	46.6	1140	1.6	17.7	0.003	0.95	0.20	1.5
345162	94139402	0.06	< 0.01	0.025	0.06	27.0	97.7	4.37	555	3.90	< 0.01	0.05	34.2	3900	0.6	3.3<	0.001	0.54	0.15	5.8
345163	94139402	0.14	< 0.01	0.010	0.14	19.8	39.7	1.78	490	11.35	0.01	0.05	52.9	2970	1.8	6.5	0.012	2.11	0.05	2.9
345164	94139402	0.32	< 0.01	0.005	0.22	30.0	2.0	0.05	25	56.85	0.01	0.05	191.6	6420	8.4	8.7	0.156	4.82	0.25	1.3
345165	94139402	0.40	< 0.01	0.025	0.16	22.2	8.2	0.83	1070	17.05	0.01	0.25	268.0	2540	3.4	7.3	0.028	6.56	0.25	1.3
345166	94139402	0.08	< 0.01	0.005	0.12	23.2	18.7	1.25	560	5.20	0.01	0.05	79.8	1450	3.8	5.4	0.005	2.01	0.10	2.3
345167	94139402	0.10	< 0.01<	0.005	0.24	39.8	4.9	0.15	40	3.50	0.02	< 0.05	145.9	5320	2.4	8.3	0.003	2.26	0.15	1.3
345168	94139402	0.06	< 0.01	0.005	0.16	14.8	18.0	0.73	165	4.30	0.01	0.05	148.2	3310	2.0	5.8	0.005	2.63	0.10	1.8
345169	94139402	0.10	< 0.01<	0.005	0.21	24.0	8.6	0.31	50	7.15	0.01	< 0.05	175.8	3310	6.2	6.8	0.011	2.94	0.15	1.2
345170	94139402	0.12	< 0.01<	0.005	0.12	35.0	8.1	0.41	105	27.20	0.01	2.30	69.0	720	2.6	4.8	0.037	1.28	0.15	0.7
345210	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
345211	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218


To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :1-C
Total Pages :1
Certificate Date: 04-SEP-2001
Invoice No. : I0123252
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123252

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345141	9413 9402	0.2	0.4	176.0	0.01	0.01	9.6	0.04	0.20	0.60	20	0.15	9.65	36	< 0.5
345142	9413 9402	0.2	0.6	194.0	< 0.01	0.04	8.8	0.04	0.20	0.50	17	0.05	10.00	32	< 0.5
345143	9413 9402	0.2	0.6	184.0	0.01	0.02	8.8	0.04	0.22	0.55	25	0.10	10.30	42	< 0.5
345144	9413 9402	0.2	0.4	326.0	< 0.01	< 0.01	7.0	0.03	0.18	0.50	17	0.05	11.30	26	1.0
345145	9413 9402	0.4	0.8	194.0	< 0.01	0.04	8.8	0.05	0.32	0.70	23	0.05	11.45	22	0.5
345146	9413 9402	0.6	0.6	308.0	< 0.01	0.04	7.6	0.04	0.26	0.40	17	0.05	11.90	16	< 0.5
345147	9413 9402	0.2	0.6	179.0	< 0.01	0.01	7.8	0.04	0.22	0.40	14	0.15	10.55	22	< 0.5
345148	9413 9402	0.2	0.2	229.0	< 0.01	0.02	8.0	0.04	0.18	0.35	13	< 0.05	12.10	22	< 0.5
345149	9413 9402	0.2	0.4	240.0	< 0.01	0.03	7.2	0.05	0.20	0.35	13	0.15	11.90	22	< 0.5
345150	9413 9402	0.2	0.6	172.0	< 0.01	0.01	7.8	0.05	0.26	0.45	17	< 0.05	9.80	24	< 0.5
345151	9413 9402	0.6	0.6	133.9	< 0.01	0.02	8.8	0.04	0.28	0.50	13	0.05	10.05	18	< 0.5
345152	9413 9402	0.8	0.4	200.0	< 0.01	0.04	6.2	0.03	0.16	1.65	37	0.10	14.15	18	1.5
345153	9413 9402	2.0	0.8	144.7	< 0.01	0.04	6.4	0.05	0.28	1.90	93	0.10	14.25	32	4.5
345154	9413 9402	1.2	0.6	154.4	< 0.01	0.02	5.6	0.04	0.24	3.60	104	0.05	15.95	28	6.5
345155	9413 9402	1.0	0.2	143.0	< 0.01	0.04	2.6	0.03	0.22	0.65	37	0.15	10.05	30	1.5
345156	9413 9402	0.2	0.2	123.9	< 0.01	0.04	1.6	0.01	0.14	0.65	15	0.05	8.05	16	0.5
345157	9413 9402	1.8	0.2	22.8	< 0.01	0.03	7.8	0.01	0.18	2.10	41	0.20	7.10	44	1.0
345158	9413 9402	2.0	0.4	18.4	< 0.01	0.05	9.8	< 0.01	0.18	1.75	29	0.05	6.65	70	2.0
345159	9413 9402	1.6	0.8	28.2	< 0.01	0.05	8.2	< 0.01	0.12	2.00	34	0.15	6.45	54	1.5
345160	9400 225	2.2	1.2	61.0	< 0.01	0.11	4.4	0.01	1.78	4.15	150	4.00	10.30	96	7.5
345161	9413 9402	1.4	0.2	21.2	< 0.01	0.03	9.2	< 0.01	0.14	2.15	36	0.05	6.90	18	1.5
345162	9413 9402	0.8	< 0.2	47.6	< 0.01	0.01	4.2	0.01	0.02	0.30	64	0.05	17.85	188	1.0
345163	9413 9402	2.0	< 0.2	61.1	< 0.01	0.06	4.8	< 0.01	0.06	4.30	59	0.15	13.10	62	3.5
345164	9413 9402	5.8	1.0	17.2	0.01	0.07	7.4	< 0.01	0.06	80.3	23	0.45	21.95	6	14.0
345165	9413 9402	5.2	3.2	55.9	0.01	0.02	5.8	< 0.01	0.06	11.10	24	0.25	14.85	16	11.5
345166	9413 9402	3.0	0.6	56.0	< 0.01	0.05	5.2	< 0.01	0.02	1.30	24	0.25	10.45	24	2.0
345167	9413 9402	3.0	< 0.2	22.0	< 0.01	0.04	7.2	< 0.01	0.06	0.50	8	0.15	18.50	8	2.0
345168	9413 9402	2.6	< 0.2	23.2	< 0.01	0.03	6.2	< 0.01	0.02	0.35	11	0.15	13.20	20	1.5
345169	9413 9402	3.4	< 0.2	14.2	< 0.01	0.06	6.6	< 0.01	0.06	1.05	11	0.10	10.25	14	2.0
345170	9413 9402	4.8	< 0.2	19.8	0.01	0.04	8.8	< 0.01	0.04	7.15	61	0.65	8.35	18	4.0
345210	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
345211	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd

CERTIFICATION: 

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP -2
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :1-A
Total Pages :2
Certificate Date: 07-SEP-2001
Invoice No. :I0123586
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345171	9413 9402	3.76	< 5	0.35	0.64	27.0	< 10	131.0	0.30	0.65	1.21	0.54	57.1	8.9	54	2.70	40.0	2.10	1.85	0.05
345172	9413 9402	3.90	< 5	< 0.01	0.77	4.8	< 10	124.0	0.25	0.47	0.96	0.54	54.3	7.8	62	2.00	38.0	2.02	1.80	0.05
345173	9413 9402	3.94	< 5	< 0.01	0.52	48.8	< 10	85.8	0.35	0.62	0.90	1.13	48.7	7.4	64	1.15	36.0	1.88	1.30	0.05
345174	9413 9402	4.34	< 5	< 0.01	0.72	4.5	< 10	105.0	0.25	0.33	1.90	0.82	38.4	7.9	77	2.40	42.2	2.19	1.60	< 0.05
345175	9413 9402	4.04	< 5	0.08	0.84	< 0.1	< 10	131.8	0.25	0.43	2.32	0.32	48.7	7.8	54	3.50	36.6	2.10	2.00	0.05
345176	9413 9402	3.78	20	0.05	1.01	7.0	< 10	79.4	0.30	0.27	2.19	0.06	52.0	10.8	65	6.60	44.2	2.61	2.65	0.05
345177	9413 9402	3.94	< 5	0.10	0.67	9.6	< 10	95.0	0.25	0.27	1.80	0.14	35.9	8.3	52	3.05	35.4	2.18	1.75	< 0.05
345178	9413 9402	5.34	< 5	0.59	0.56	0.1	< 10	90.8	0.25	1.81	1.53	1.41	37.4	8.6	57	2.35	46.4	2.48	1.45	< 0.05
345179	9413 9402	2.04	< 5	0.13	1.87	< 0.1	< 10	63.0	0.50	1.05	3.77	0.10	32.2	24.7	35	7.15	102.0	7.46	5.25	0.05
345180	9413 9402	3.46	5	0.03	0.49	4.9	< 10	83.6	0.30	0.49	1.33	0.18	53.3	9.1	59	2.00	46.0	2.18	1.65	0.05
345181	9413 9402	1.98	< 5	< 0.01	0.29	< 0.1	< 10	76.2	0.20	0.41	0.52	0.01	73.6	9.3	57	0.90	40.6	1.75	0.90	0.05
345182	9413 9402	1.72	< 5	0.05	1.14	< 0.1	< 10	48.4	0.45	0.77	3.54	0.03	39.0	13.9	43	3.25	62.5	5.29	3.05	0.05
345183	9413 9402	2.62	< 5	0.13	0.28	16.5	< 10	50.8	0.25	0.57	0.99	1.18	21.1	8.4	91	1.50	33.6	1.97	0.90	< 0.05
345184	9413 9402	4.38	< 5	0.13	0.94	< 0.1	< 10	47.6	0.45	0.20	2.21	0.22	65.6	15.7	35	1.75	68.1	4.38	2.75	0.05
345185	9413 9402	4.04	< 5	0.12	1.52	< 0.1	< 10	41.6	0.35	0.18	1.34	0.12	169.5	18.0	50	1.50	66.4	5.17	6.00	0.10
345186	9413 9402	4.14	< 5	0.14	0.91	3.8	< 10	43.8	0.40	0.29	1.56	0.07	172.5	16.0	47	1.45	56.6	4.36	4.55	0.15
345187	9413 9402	3.76	< 5	0.19	0.85	< 0.1	< 10	39.6	0.30	0.69	1.38	0.06	240	15.6	58	1.35	124.0	5.03	3.50	0.15
345188	9413 9402	1.64	< 5	0.12	0.47	< 0.1	< 10	32.8	0.20	0.45	1.09	0.02	125.5	17.0	87	0.85	114.5	4.82	1.85	0.10
345189	9413 9402	4.02	< 5	0.08	0.43	< 0.1	< 10	78.8	0.25	0.67	1.55	0.16	34.6	11.5	53	1.15	58.3	2.66	1.10	< 0.05
345190	9413 9402	4.18	< 5	0.08	0.29	1.3	< 10	100.0	0.25	0.35	2.01	0.04	14.45	8.3	68	2.10	38.6	2.15	0.70	< 0.05
345191	9413 9402	2.64	< 5	< 0.01	0.19	< 0.1	< 10	61.2	0.15	0.31	0.87	0.17	21.3	4.7	91	0.75	24.6	1.36	0.60	< 0.05
345192	9413 9402	3.66	< 5	0.08	0.33	10.6	< 10	74.0	0.25	0.56	2.15	0.09	23.3	10.7	70	1.25	55.7	2.69	0.80	< 0.05
345193	9413 9402	3.84	< 5	0.15	0.31	< 0.1	< 10	55.6	0.20	0.90	1.02	0.06	29.2	15.8	59	1.25	78.0	3.41	0.85	< 0.05
345194	9413 9402	3.90	< 5	0.05	0.60	< 0.1	< 10	74.0	0.35	0.63	1.51	< 0.01	49.9	12.9	63	1.15	59.2	2.91	1.50	0.05
345195	9413 9402	4.12	< 5	0.02	0.35	< 0.1	< 10	89.2	0.35	0.79	0.66	0.17	38.6	8.7	51	0.75	41.4	2.16	1.00	< 0.05
345196	9413 9402	3.20	< 5	0.16	0.40	< 0.1	< 10	38.2	0.30	1.35	1.55	0.04	187.0	20.9	46	0.90	108.0	5.93	1.60	0.15
345197	9413 9402	4.14	< 5	0.02	0.63	< 0.1	< 10	62.8	0.35	0.24	1.37	0.02	207	5.1	39	1.35	14.8	3.44	2.00	0.05
345198	9413 9402	4.02	< 5	0.04	0.51	16.7	< 10	45.2	0.40	0.44	1.49	0.05	163.0	3.7	30	2.10	17.0	3.51	1.75	0.05
345199	9413 9402	4.04	< 5	0.08	0.55	34.5	< 10	53.0	0.35	0.43	1.94	0.02	52.8	4.1	36	1.90	21.6	3.06	1.60	< 0.05
345200	9400 225	0.04	50	0.18	2.30	536	< 10	435.2	1.15	0.19	0.52	2.92	51.4	21.9	41	10.35	85.5	3.88	5.85	0.05
345201	9413 9402	0.82	< 5	0.58	0.29	28.0	< 10	46.6	0.20	0.24	0.69	0.16	218	92.3	76	1.30	292	13.10	2.05	0.20
345202	9413 9402	3.18	< 5	0.22	1.12	< 0.1	< 10	110.6	0.40	0.33	2.33	0.02	219	12.7	65	2.90	40.8	3.09	3.95	0.10
345203	9413 9402	5.20	< 5	0.16	1.24	5.2	< 10	98.8	0.50	0.51	3.04	0.03	256	6.3	27	3.85	29.2	3.87	6.30	0.15
345204	9413 9402	1.50	< 5	0.02	1.04	< 0.1	< 10	156.4	0.50	0.10	5.76	0.06	338	3.6	26	4.15	10.4	2.39	5.45	0.10
345205	9413 9402	4.20	< 5	< 0.01	1.77	< 0.1	< 10	141.4	0.40	0.06	2.10	0.01	157.0	5.2	28	3.20	10.0	3.01	6.05	0.05
345206	9413 9402	3.12	< 5	< 0.01	3.13	< 0.1	< 10	81.8	0.30	0.10	1.59	< 0.01	136.0	11.1	55	1.75	15.6	5.71	11.05	0.05
345207	9413 9402	4.24	< 5	< 0.01	3.48	< 0.1	< 10	60.6	0.30	0.07	2.18	< 0.01	85.9	13.3	89	1.20	15.8	6.50	13.45	0.10
345208	9413 9402	2.36	< 5	< 0.01	3.38	< 0.1	< 10	84.0	0.35	0.05	1.20	< 0.01	84.4	11.1	89	1.15	10.8	5.79	12.00	0.10
345209	9413 9402	2.42	< 5	< 0.01	2.01	< 0.1	< 10	48.0	0.15	0.04	9.54	0.08	58.3	6.5	63	1.30	5.4	3.53	7.25	0.05
345210	9413 9402	2.96	< 5	< 0.01	2.17	7.0	< 10	105.8	0.50	0.05	9.14	0.02	43.2	10.8	45	7.20	10.4	2.52	5.35	0.05

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 07-SEP-2001
Invoice No. : I0123586
P.O. Number : 21341
Account : SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345171	94139402	0.12	0.07	0.025	0.29	31.0	11.0	0.55	135	4.25	0.01	< 0.05	58.0	930	34.4	15.6	0.003	0.93	0.65	1.0
345172	94139402	0.08	< 0.01	0.005	0.27	30.4	12.1	0.52	100	4.00	0.01	< 0.05	48.6	870	2.0	13.1	0.003	0.86	< 0.05	0.5
345173	94139402	0.06	0.01	0.005	0.20	27.2	7.1	0.42	120	3.30	0.01	< 0.05	43.4	850	1.8	8.1	0.002	0.95	< 0.05	< 0.1
345174	94139402	0.08	0.01	0.005	0.28	21.0	10.5	0.82	220	3.50	0.01	< 0.05	44.8	1010	2.0	14.8	0.003	0.98	< 0.05	0.7
345175	94139402	0.08	< 0.01	0.015	0.37	26.6	13.8	0.94	330	3.40	0.01	< 0.05	44.4	1070	59.8	20.3	0.003	0.83	< 0.05	0.8
345176	94139402	0.10	0.01	0.005	0.53	28.6	19.7	0.98	270	3.70	0.01	< 0.05	49.6	1150	5.2	34.0	0.002	1.39	< 0.05	1.1
345177	94139402	0.08	< 0.01	0.010	0.29	19.6	11.7	0.72	630	3.70	0.01	< 0.05	49.6	1010	11.0	16.0	0.003	1.21	< 0.05	0.5
345178	94139402	0.10	< 0.01	0.040	0.32	20.4	7.7	0.57	415	6.05	0.01	< 0.05	48.2	980	82.4	16.1	0.003	1.30	< 0.05	0.5
345179	94139402	0.02	0.01	0.020	0.61	15.2	32.6	1.62	785	3.45	0.01	0.05	39.0	3860	7.8	35.1	0.001	3.97	< 0.05	4.1
345180	94139402	0.10	0.01	0.005	0.22	30.2	9.3	0.47	185	4.80	0.01	< 0.05	45.6	830	2.6	11.9	0.003	1.10	< 0.05	0.9
345181	94139402	0.12	< 0.01<	0.005	0.19	42.0	2.5	0.15	60	5.20	0.01	< 0.05	55.7	960	1.8	6.7	0.003	0.90	< 0.05	< 0.1
345182	94139402	0.06	< 0.01	0.010	0.28	19.4	19.3	1.31	815	3.10	0.01	< 0.05	39.2	2840	2.4	14.3	0.001	2.84	< 0.05	2.2
345183	94139402	0.18	0.01	0.020	0.15	12.0	4.1	0.34	280	34.05	0.01	< 0.05	92.9	880	17.0	6.5	0.037	1.30	0.20	0.1
345184	94139402	0.08	< 0.01	0.015	0.23	35.0	17.3	0.93	610	8.05	0.01	< 0.05	43.0	1670	15.6	9.8	0.005	2.35	< 0.05	1.1
345185	94139402	< 0.02	< 0.01	0.010	0.14	67.0	30.1	1.46	325	5.85	0.01	1.05	39.8	1150	3.0	6.2	0.001	2.56	< 0.05	1.4
345186	94139402	0.06	< 0.01	0.010	0.15	69.8	16.0	0.98	380	9.65	0.01	2.30	33.0	540	2.0	6.3	0.003	2.47	< 0.05	0.6
345187	94139402	0.14	< 0.01	0.005	0.16	132.4	13.6	0.78	235	28.40	0.01	2.60	64.1	870	2.6	6.2	0.025	2.99	< 0.05	0.3
345188	94139402	0.04	< 0.01<	0.005	0.08	51.2	8.1	0.54	160	10.30	0.01	1.05	62.5	410	1.4	3.7	0.007	2.76	< 0.05	0.1
345189	94139402	0.04	< 0.01	0.005	0.18	19.0	6.0	0.70	205	5.00	0.01	0.10	55.3	950	1.8	6.5	0.003	1.55	< 0.05	0.7
345190	94139402	0.04	< 0.01	0.005	0.20	7.6	2.4	0.80	250	3.50	0.01	< 0.05	48.8	900	3.6	7.8	0.002	1.12	1.00	0.9
345191	94139402	0.02	< 0.01<	0.005	0.13	12.0	2.3	0.33	140	3.35	0.01	< 0.05	30.4	570	2.4	5.0	0.002	0.61	< 0.05	< 0.1
345192	94139402	0.06	< 0.01	0.005	0.19	12.6	3.7	0.91	365	4.40	0.01	< 0.05	47.4	1020	5.4	7.2	0.003	1.41	< 0.05	0.6
345193	94139402	0.06	< 0.01	0.005	0.18	15.8	2.9	0.39	180	4.55	0.01	< 0.05	53.5	1040	11.2	6.4	0.003	1.95	< 0.05	0.2
345194	94139402	0.06	< 0.01	0.005	0.25	26.6	7.2	0.53	260	4.95	0.01	< 0.05	47.8	1450	3.4	9.2	0.003	1.41	< 0.05	0.6
345195	94139402	0.08	0.01	0.005	0.21	21.0	2.7	0.24	125	4.55	0.01	< 0.05	42.6	940	3.0	6.7	0.003	1.15	< 0.05	0.1
345196	94139402	0.16	< 0.01	0.005	0.19	78.0	6.5	0.72	330	18.05	< 0.01	1.70	62.7	1100	2.8	6.6	0.017	3.06	< 0.05	0.2
345197	94139402	0.04	< 0.01	0.010	0.19	115.4	8.9	0.73	520	11.80	< 0.01	2.30	10.6	960	1.4	6.4	0.001	0.84	< 0.05	< 0.1
345198	94139402	0.02	< 0.01	0.015	0.20	66.4	9.1	0.73	480	18.35	< 0.01	3.65	4.6	510	3.8	7.3<	0.001	0.57	< 0.05	< 0.1
345199	94139402	< 0.02	< 0.01	0.015	0.19	29.2	9.2	0.81	410	10.05	< 0.01	3.40	8.4	350	4.4	7.0<	0.001	0.67	< 0.05	0.1
345200	9400 225	0.18	0.14	0.035	0.68	24.8	23.7	1.01	1135	3.65	0.02	0.95	105.0	1460	10.4	48.5	0.001	0.03	3.10	6.7
345201	94139402	< 0.02	0.01	0.010	0.09	124.4	7.7	0.34	190	0.90	< 0.01	2.85	325.0	180	3.2	5.4<	0.001	5.46	< 0.05	< 0.1
345202	94139402	< 0.02	< 0.01	0.020	0.31	123.6	15.9	0.96	735	6.55	0.01	3.75	43.2	400	26.2	11.3<	0.001	0.50	< 0.05	0.6
345203	94139402	0.02	0.01	0.030	0.37	141.2	21.4	1.10	895	4.60	0.02	5.05	11.0	250	14.4	17.2<	0.001	1.01	< 0.05	0.1
345204	94139402	0.08	< 0.01	0.040	0.47	185.4	16.3	0.86	1015	3.45	0.03	4.05	10.2	210	3.2	20.3<	0.001	0.16	< 0.05	0.1
345205	94139402	< 0.02	< 0.01	0.015	0.52	63.4	22.1	1.15	365	4.65	0.03	2.40	13.8	960	1.0	19.3<	0.001	0.19	< 0.05	0.6
345206	94139402	< 0.02	< 0.01	0.025	0.26	55.6	33.1	2.01	395	4.05	0.03	1.10	31.2	610	1.0	10.9<	0.001	0.31	< 0.05	3.9
345207	94139402	< 0.02	0.01	0.030	0.16	47.2	36.2	2.35	495	2.10	0.01	1.00	49.0	660	1.2	6.4<	0.001	0.31	< 0.05	5.6
345208	94139402	< 0.02	< 0.01	0.030	0.24	47.4	40.4	2.28	400	2.00	0.01	0.90	49.8	590	2.2	8.8<	0.001	0.32	< 0.05	4.9
345209	94139402	< 0.02	0.01	0.030	0.18	31.6	24.2	1.50	1045	0.90	0.01	0.85	28.8	290	3.2	8.3<	0.001	0.06	< 0.05	4.7
345210	94139402	< 0.02	< 0.01	0.015	0.76	23.8	23.4	1.97	590	0.40	0.01	0.10	19.6	370	3.6	37.2<	0.001	< 0.01	< 0.05	4.2

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 07-SEP-2001
Invoice No. :I0123586
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345171	94139402	2.8	< 0.2	33.4	< 0.01	0.06	9.0	< 0.01	0.18	2.65	27	0.35	6.25	30	3.5
345172	94139402	2.0	< 0.2	18.6	< 0.01	0.05	9.2	< 0.01	0.10	2.20	27	< 0.05	5.40	96	3.0
345173	94139402	1.6	< 0.2	18.4	< 0.01	0.05	7.6	< 0.01	0.38	1.85	20	< 0.05	4.75	134	2.5
345174	94139402	2.0	< 0.2	26.2	< 0.01	0.06	7.0	< 0.01	0.14	1.80	29	< 0.05	5.60	86	3.0
345175	94139402	1.8	0.2	33.6	< 0.01	0.04	8.8	< 0.01	0.16	1.80	28	< 0.05	6.65	42	3.0
345176	94139402	2.6	0.8	32.6	< 0.01	0.04	9.4	0.01	0.28	2.20	43	< 0.05	7.25	28	3.5
345177	94139402	1.8	1.2	38.8	< 0.01	0.03	8.0	< 0.01	0.16	1.90	24	< 0.05	5.75	26	2.5
345178	94139402	2.0	0.4	30.8	< 0.01	0.10	7.6	< 0.01	0.14	2.20	25	< 0.05	6.00	122	4.5
345179	94139402	3.4	< 0.2	53.2	< 0.01	0.12	5.2	0.03	0.36	0.60	31	< 0.05	14.85	46	1.5
345180	94139402	2.0	< 0.2	31.8	< 0.01	0.04	8.0	< 0.01	0.16	2.20	24	< 0.05	6.70	28	4.5
345181	94139402	1.8	< 0.2	17.8	< 0.01	0.05	11.0	< 0.01	0.06	2.50	15	< 0.05	5.65	6	5.0
345182	94139402	3.0	< 0.2	59.9	< 0.01	0.06	6.0	< 0.01	0.16	0.90	19	< 0.05	14.00	40	2.0
345183	94139402	2.6	0.6	25.0	< 0.01	0.02	3.8	< 0.01	0.08	8.90	63	0.10	5.25	90	8.5
345184	94139402	3.8	0.8	47.8	< 0.01	0.03	9.0	< 0.01	0.10	1.60	11	< 0.05	10.00	28	3.0
345185	94139402	5.4	< 0.2	33.2	< 0.01	0.04	14.6	< 0.01	0.12	1.30	10	< 0.05	14.45	82	< 0.5
345186	94139402	7.4	< 0.2	35.8	< 0.01	0.07	15.8	< 0.01	0.16	3.15	24	< 0.05	16.15	34	3.0
345187	94139402	8.4	< 0.2	31.6	< 0.01	0.08	20.4	< 0.01	0.08	6.20	48	< 0.05	19.30	28	8.0
345188	94139402	7.6	< 0.2	25.6	< 0.01	0.09	13.2	< 0.01	0.04	2.65	34	< 0.05	10.00	10	3.0
345189	94139402	3.4	< 0.2	36.4	< 0.01	0.06	8.0	< 0.01	0.06	2.25	19	< 0.05	6.85	26	2.5
345190	94139402	2.0	< 0.2	44.8	< 0.01	0.04	6.6	< 0.01	0.08	1.65	12	< 0.05	6.45	18	1.5
345191	94139402	1.4	< 0.2	19.4	< 0.01	0.03	4.8	< 0.01	0.06	1.90	11	< 0.05	3.90	22	1.0
345192	94139402	2.4	0.4	53.7	< 0.01	0.04	6.0	< 0.01	0.08	2.25	16	< 0.05	6.80	16	2.0
345193	94139402	4.0	0.6	27.4	< 0.01	0.07	7.0	< 0.01	0.12	2.20	14	< 0.05	5.35	12	2.0
345194	94139402	2.8	< 0.2	29.8	< 0.01	0.06	9.6	< 0.01	0.08	3.00	22	< 0.05	8.00	8	3.0
345195	94139402	1.6	< 0.2	19.4	< 0.01	0.06	8.4	< 0.01	0.28	2.70	15	< 0.05	5.00	8	2.5
345196	94139402	6.4	< 0.2	42.4	< 0.01	0.14	15.4	< 0.01	0.10	4.90	11	< 0.05	14.55	18	6.5
345197	94139402	1.4	< 0.2	40.2	< 0.01	0.01	18.0	< 0.01	0.06	3.60	4	< 0.05	25.05	30	0.5
345198	94139402	0.8	0.2	49.2	< 0.01	0.02	17.8	< 0.01	0.06	5.85	< 1	0.30	28.40	30	< 0.5
345199	94139402	0.6	0.4	71.4	< 0.01	0.02	14.6	< 0.01	0.08	4.55	2	0.15	24.40	22	< 0.5
345200	9400 225	1.0	0.6	62.9	< 0.01	0.07	6.0	0.08	1.52	3.35	72	0.30	14.45	668	7.0
345201	94139402	15.0	< 0.2	35.2	< 0.01	0.29	6.8	< 0.01	0.16	1.30	1	0.20	12.50	12	< 0.5
345202	94139402	1.6	0.8	63.1	< 0.01	0.04	15.4	< 0.01	0.08	3.75	5	< 0.05	30.60	26	< 0.5
345203	94139402	1.0	1.0	82.0	< 0.01	0.03	21.6	0.01	0.14	3.75	< 1	< 0.05	36.85	26	< 0.5
345204	94139402	0.8	0.6	158.7	< 0.01	< 0.01	21.4	0.02	0.12	3.00	< 1	< 0.05	38.40	12	< 0.5
345205	94139402	0.6	0.4	47.6	< 0.01	0.01	17.2	0.04	0.10	2.45	8	< 0.05	18.75	20	< 0.5
345206	94139402	0.4	0.2	39.2	< 0.01	0.01	14.8	0.02	0.06	2.05	33	< 0.05	15.85	40	< 0.5
345207	94139402	0.6	0.2	56.6	< 0.01	0.03	12.4	0.01	0.02	2.05	45	< 0.05	18.15	44	< 0.5
345208	94139402	0.2	0.2	29.6	< 0.01	0.01	13.6	0.01	0.04	1.60	35	< 0.05	13.70	48	< 0.5
345209	94139402	0.8	< 0.2	216.0	< 0.01	0.03	7.8	0.01	0.04	0.85	19	< 0.05	57.80	26	< 0.5
345210	94139402	0.2	0.4	244.0	< 0.01	< 0.01	8.0	0.04	0.20	0.35	17	< 0.05	12.30	26	< 0.5

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 07-SEP-2001
Invoice No. : I0123586
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE		Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345211	9413	9402	4.24	< 5	< 0.01	1.80	7.8	< 10	72.8	0.50	0.06	10.95	0.05	33.6	9.7	38	4.65	14.4	2.16	4.25	< 0.05

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :2-B
Total Pages :2
Certificate Date: 07-SEP-2001
Invoice No. : I0123586
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE		Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345211	9413	9402	< 0.02	< 0.01	0.015	0.60	18.6	19.7	1.77	435	0.35	0.01	0.05	20.0	370	5.2	29.8	< 0.001	0.03	< 0.05	3.3

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
*Analytical Chemists * Geochemists * Registered Assayers*
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :2-C
Total Pages :2
Certificate Date: 07-SEP-2001
Invoice No. :I0123586
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE		Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345211	9413	9402	0.2	< 0.2	322.0	< 0.01	0.03	6.6	0.03	0.14	0.45	12	< 0.05	10.55	26	< 0.5

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP -2
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 07-SEP-2001
Invoice No. :I0123586
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345171	9413 9402	3.76	< 5	0.35	0.64	27.0	< 10	131.0	0.30	0.65	1.21	0.54	57.1	8.9	54	2.70	40.0	2.10	1.85	0.05
345172	9413 9402	3.90	< 5	< 0.01	0.77	4.8	< 10	124.0	0.25	0.47	0.96	0.54	54.3	7.8	62	2.00	38.0	2.02	1.80	0.05
345173	9413 9402	3.94	< 5	< 0.01	0.52	48.8	< 10	85.8	0.35	0.62	0.90	1.13	48.7	7.4	64	1.15	36.0	1.88	1.30	0.05
345174	9413 9402	4.34	< 5	< 0.01	0.72	4.5	< 10	105.0	0.25	0.33	1.90	0.82	38.4	7.9	77	2.40	42.2	2.19	1.60	< 0.05
345175	9413 9402	4.04	< 5	0.08	0.84	< 0.1	< 10	131.8	0.25	0.43	2.32	0.32	48.7	7.8	54	3.50	36.6	2.10	2.00	0.05
345176	9413 9402	3.78	20	0.05	1.01	7.0	< 10	79.4	0.30	0.27	2.19	0.06	52.0	10.8	65	6.60	44.2	2.61	2.65	0.05
345177	9413 9402	3.94	< 5	0.10	0.67	9.6	< 10	95.0	0.25	0.27	1.80	0.14	35.9	8.3	52	3.05	35.4	2.18	1.75	< 0.05
345178	9413 9402	5.34	< 5	0.59	0.56	0.1	< 10	90.8	0.25	1.81	1.53	1.41	37.4	8.6	57	2.35	46.4	2.48	1.45	< 0.05
345179	9413 9402	2.04	< 5	0.13	1.87	< 0.1	< 10	63.0	0.50	1.05	3.77	0.10	32.2	24.7	35	7.15	102.0	7.46	5.25	0.05
345180	9413 9402	3.46	5	0.03	0.49	4.9	< 10	83.6	0.30	0.49	1.33	0.18	53.3	9.1	59	2.00	46.0	2.18	1.65	0.05
345181	9413 9402	1.98	< 5	< 0.01	0.29	< 0.1	< 10	76.2	0.20	0.41	0.52	0.01	73.6	9.3	57	0.90	40.6	1.75	0.90	0.05
345182	9413 9402	1.72	< 5	0.05	1.14	< 0.1	< 10	48.4	0.45	0.77	3.54	0.03	39.0	13.9	43	3.25	62.5	5.29	3.05	0.05
345183	9413 9402	2.62	< 5	0.13	0.28	16.5	< 10	50.8	0.25	0.57	0.99	1.18	21.1	8.4	91	1.50	33.6	1.97	0.90	< 0.05
345184	9413 9402	4.38	< 5	0.13	0.94	< 0.1	< 10	47.6	0.45	0.20	2.21	0.22	65.6	15.7	35	1.75	68.1	4.38	2.75	0.05
345185	9413 9402	4.04	< 5	0.12	1.52	< 0.1	< 10	41.6	0.35	0.18	1.34	0.12	169.5	18.0	50	1.50	66.4	5.17	6.00	0.10
345186	9413 9402	4.14	< 5	0.14	0.91	3.8	< 10	43.8	0.40	0.29	1.56	0.07	172.5	16.0	47	1.45	56.6	4.36	4.55	0.15
345187	9413 9402	3.76	< 5	0.19	0.85	< 0.1	< 10	39.6	0.30	0.69	1.38	0.06	240	15.6	58	1.35	124.0	5.03	3.50	0.15
345188	9413 9402	1.64	< 5	0.12	0.47	< 0.1	< 10	32.8	0.20	0.45	1.09	0.02	125.5	17.0	87	0.85	114.5	4.82	1.85	0.10
345189	9413 9402	4.02	< 5	0.08	0.43	< 0.1	< 10	78.8	0.25	0.67	1.55	0.16	34.6	11.5	53	1.15	58.3	2.66	1.10	< 0.05
345190	9413 9402	4.18	< 5	0.08	0.29	1.3	< 10	100.0	0.25	0.35	2.01	0.04	14.45	8.3	68	2.10	38.6	2.15	0.70	< 0.05
345191	9413 9402	2.64	< 5	< 0.01	0.19	< 0.1	< 10	61.2	0.15	0.31	0.87	0.17	21.3	4.7	91	0.75	24.6	1.36	0.60	< 0.05
345192	9413 9402	3.66	< 5	0.08	0.33	10.6	< 10	74.0	0.25	0.56	2.15	0.09	23.3	10.7	70	1.25	55.7	2.69	0.80	< 0.05
345193	9413 9402	3.84	< 5	0.15	0.31	< 0.1	< 10	55.6	0.20	0.90	1.02	0.06	29.2	15.8	59	1.25	78.0	3.41	0.85	< 0.05
345194	9413 9402	3.90	< 5	0.05	0.60	< 0.1	< 10	74.0	0.35	0.63	1.51	< 0.01	49.9	12.9	63	1.15	59.2	2.91	1.50	0.05
345195	9413 9402	4.12	< 5	0.02	0.35	< 0.1	< 10	89.2	0.35	0.79	0.66	0.17	38.6	8.7	51	0.75	41.4	2.16	1.00	< 0.05
345196	9413 9402	3.20	< 5	0.16	0.40	< 0.1	< 10	38.2	0.30	1.35	1.55	0.04	187.0	20.9	46	0.90	108.0	5.93	1.60	0.15
345197	9413 9402	4.14	< 5	0.02	0.63	< 0.1	< 10	62.8	0.35	0.24	1.37	0.02	207	5.1	39	1.35	14.8	3.44	2.00	0.05
345198	9413 9402	4.02	< 5	0.04	0.51	16.7	< 10	45.2	0.40	0.44	1.49	0.05	163.0	3.7	30	2.10	17.0	3.51	1.75	0.05
345199	9413 9402	4.04	< 5	0.08	0.55	34.5	< 10	53.0	0.35	0.43	1.94	0.02	52.8	4.1	36	1.90	21.6	3.06	1.60	< 0.05
345200	9400 225	0.04	50	0.18	2.30	536	< 10	435.2	1.15	0.19	0.52	2.92	51.4	21.9	41	10.35	85.5	3.88	5.85	0.05
345201	9413 9402	0.82	< 5	0.58	0.29	28.0	< 10	46.6	0.20	0.24	0.69	0.16	218	92.3	76	1.30	292	13.10	2.05	0.20
345202	9413 9402	3.18	< 5	0.22	1.12	< 0.1	< 10	110.6	0.40	0.33	2.33	0.02	219	12.7	65	2.90	40.8	3.09	3.95	0.10
345203	9413 9402	5.20	< 5	0.16	1.24	5.2	< 10	98.8	0.50	0.51	3.04	0.03	256	6.3	27	3.85	29.2	3.87	6.30	0.15
345204	9413 9402	1.50	< 5	0.02	1.04	< 0.1	< 10	156.4	0.50	0.10	5.76	0.06	338	3.6	26	4.15	10.4	2.39	5.45	0.10
345205	9413 9402	4.20	< 5	< 0.01	1.77	< 0.1	< 10	141.4	0.40	0.06	2.10	0.01	157.0	5.2	28	3.20	10.0	3.01	6.05	0.05
345206	9413 9402	3.12	< 5	< 0.01	3.13	< 0.1	< 10	81.8	0.30	0.10	1.59	< 0.01	136.0	11.1	55	1.75	15.6	5.71	11.05	0.05
345207	9413 9402	4.24	< 5	< 0.01	3.48	< 0.1	< 10	60.6	0.30	0.07	2.18	< 0.01	85.9	13.3	89	1.20	15.8	6.50	13.45	0.10
345208	9413 9402	2.36	< 5	< 0.01	3.38	< 0.1	< 10	84.0	0.35	0.05	1.20	< 0.01	84.4	11.1	89	1.15	10.8	5.79	12.00	0.10
345209	9413 9402	2.42	< 5	< 0.01	2.01	< 0.1	< 10	48.0	0.15	0.04	9.54	0.08	58.3	6.5	63	1.30	5.4	3.53	7.25	0.05
345210	9413 9402	2.96	< 5	< 0.01	2.17	7.0	< 10	105.8	0.50	0.05	9.14	0.02	43.2	10.8	45	7.20	19.4	2.52	5.35	0.05

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 07-SEP-2001
Invoice No. :I0123586
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345171	9413 9402	0.12	0.07	0.025	0.29	31.0	11.0	0.55	135	4.25	0.01	< 0.05	58.0	930	34.4	15.6	0.003	0.93	0.65	1.0
345172	9413 9402	0.08	< 0.01	0.005	0.27	30.4	12.1	0.52	100	4.00	0.01	< 0.05	48.6	870	2.0	13.1	0.003	0.86	< 0.05	0.5
345173	9413 9402	0.06	0.01	0.005	0.20	27.2	7.1	0.42	120	3.30	0.01	< 0.05	43.4	850	1.8	8.1	0.002	0.95	< 0.05	< 0.1
345174	9413 9402	0.08	0.01	0.005	0.28	21.0	10.5	0.82	220	3.50	0.01	< 0.05	44.8	1010	2.0	14.8	0.003	0.98	< 0.05	0.7
345175	9413 9402	0.08	< 0.01	0.015	0.37	26.6	13.8	0.94	330	3.40	0.01	< 0.05	44.4	1070	59.8	20.3	0.003	0.83	< 0.05	0.8
345176	9413 9402	0.10	0.01	0.005	0.53	28.6	19.7	0.98	270	3.70	0.01	< 0.05	49.6	1150	5.2	34.0	0.002	1.39	< 0.05	1.1
345177	9413 9402	0.08	< 0.01	0.010	0.29	19.6	11.7	0.72	630	3.70	0.01	< 0.05	49.6	1010	11.0	16.0	0.003	1.21	< 0.05	0.5
345178	9413 9402	0.10	< 0.01	0.040	0.32	20.4	7.7	0.57	415	6.05	0.01	< 0.05	48.2	980	82.4	16.1	0.003	1.30	< 0.05	0.5
345179	9413 9402	0.02	0.01	0.020	0.61	15.2	32.6	1.62	785	3.45	0.01	0.05	39.0	3860	7.8	35.1	0.001	3.97	< 0.05	4.1
345180	9413 9402	0.10	0.01	0.005	0.22	30.2	9.3	0.47	185	4.80	0.01	< 0.05	45.6	830	2.6	11.9	0.003	1.10	< 0.05	0.9
345181	9413 9402	0.12	< 0.01	< 0.005	0.19	42.0	2.5	0.15	60	5.20	0.01	< 0.05	55.7	960	1.8	6.7	0.003	0.90	< 0.05	< 0.1
345182	9413 9402	0.06	< 0.01	0.010	0.28	19.4	19.3	1.31	815	3.10	0.01	< 0.05	39.2	2840	2.4	14.3	0.001	2.84	< 0.05	2.2
345183	9413 9402	0.18	0.01	0.020	0.15	12.0	4.1	0.34	280	34.05	0.01	< 0.05	92.9	880	17.0	6.5	0.037	1.30	0.20	0.1
345184	9413 9402	0.08	< 0.01	0.015	0.23	35.0	17.3	0.93	610	8.05	0.01	< 0.05	43.0	1670	15.6	9.8	0.005	2.35	< 0.05	1.1
345185	9413 9402	< 0.02	< 0.01	0.010	0.14	67.0	30.1	1.46	325	5.85	0.01	1.05	39.8	1150	3.0	6.2	0.001	2.56	< 0.05	1.4
345186	9413 9402	0.06	< 0.01	0.010	0.15	69.8	16.0	0.98	380	9.65	0.01	2.30	33.0	540	2.0	6.3	0.003	2.47	< 0.05	0.6
345187	9413 9402	0.14	< 0.01	0.005	0.16	132.4	13.6	0.78	235	28.40	0.01	2.60	64.1	870	2.6	6.2	0.025	2.99	< 0.05	0.3
345188	9413 9402	0.04	< 0.01	< 0.005	0.08	51.2	8.1	0.54	160	10.30	0.01	1.05	62.5	410	1.4	3.7	0.007	2.76	< 0.05	0.1
345189	9413 9402	0.04	< 0.01	0.005	0.18	19.0	6.0	0.70	205	5.00	0.01	0.10	55.3	950	1.8	6.5	0.003	1.55	< 0.05	0.7
345190	9413 9402	0.04	< 0.01	0.005	0.20	7.6	2.4	0.80	250	3.50	0.01	< 0.05	48.8	900	3.6	7.8	0.002	1.12	1.00	0.9
345191	9413 9402	0.02	< 0.01	< 0.005	0.13	12.0	2.3	0.33	140	3.35	0.01	< 0.05	30.4	570	2.4	5.0	0.002	0.61	< 0.05	< 0.1
345192	9413 9402	0.06	< 0.01	0.005	0.19	12.6	3.7	0.91	365	4.40	0.01	< 0.05	47.4	1020	5.4	7.2	0.003	1.41	< 0.05	0.6
345193	9413 9402	0.06	< 0.01	0.005	0.18	15.8	2.9	0.39	180	4.55	0.01	< 0.05	53.5	1040	11.2	6.4	0.003	1.95	< 0.05	0.2
345194	9413 9402	0.06	< 0.01	0.005	0.25	26.6	7.2	0.53	260	4.95	0.01	< 0.05	47.8	1450	3.4	9.2	0.003	1.41	< 0.05	0.6
345195	9413 9402	0.08	0.01	0.005	0.21	21.0	2.7	0.24	125	4.55	0.01	< 0.05	42.6	940	3.0	6.7	0.003	1.15	< 0.05	0.1
345196	9413 9402	0.16	< 0.01	0.005	0.19	78.0	6.5	0.72	330	18.05	< 0.01	1.70	62.7	1100	2.8	6.6	0.017	3.06	< 0.05	0.2
345197	9413 9402	0.04	< 0.01	0.010	0.19	115.4	8.9	0.73	520	11.80	< 0.01	2.30	10.6	960	1.4	6.4	0.001	0.84	< 0.05	< 0.1
345198	9413 9402	0.02	< 0.01	0.015	0.20	66.4	9.1	0.73	480	18.35	< 0.01	3.65	4.6	510	3.8	7.3<	0.001	0.57	< 0.05	< 0.1
345199	9413 9402	< 0.02	< 0.01	0.015	0.19	29.2	9.2	0.81	410	10.05	< 0.01	3.40	8.4	350	4.4	7.0<	0.001	0.67	< 0.05	0.1
345200	9400 225	0.18	0.14	0.035	0.68	24.8	23.7	1.01	1135	3.65	0.02	0.95	105.0	1460	10.4	48.5	0.001	0.03	3.10	6.7
345201	9413 9402	< 0.02	0.01	0.010	0.09	124.4	7.7	0.34	190	0.90	< 0.01	2.85	325.0	180	3.2	5.4<	0.001	5.46	< 0.05	< 0.1
345202	9413 9402	< 0.02	< 0.01	0.020	0.31	123.6	15.9	0.96	735	6.55	0.01	3.75	43.2	400	26.2	11.3<	0.001	0.50	< 0.05	0.6
345203	9413 9402	0.02	0.01	0.030	0.37	141.2	21.4	1.10	895	4.60	0.02	5.05	11.0	250	14.4	17.2<	0.001	1.01	< 0.05	0.1
345204	9413 9402	0.08	< 0.01	0.040	0.47	185.4	16.3	0.86	1015	3.45	0.03	4.05	10.2	210	3.2	20.3<	0.001	0.16	< 0.05	0.1
345205	9413 9402	< 0.02	< 0.01	0.015	0.52	63.4	22.1	1.15	365	4.65	0.03	2.40	13.8	960	1.0	19.3<	0.001	0.19	< 0.05	0.6
345206	9413 9402	< 0.02	< 0.01	0.025	0.26	55.6	33.1	2.01	395	4.05	0.03	1.10	31.2	610	1.0	10.9<	0.001	0.31	< 0.05	3.9
345207	9413 9402	< 0.02	0.01	0.030	0.16	47.2	36.2	2.35	495	2.10	0.01	1.00	49.0	660	1.2	6.4<	0.001	0.31	< 0.05	5.6
345208	9413 9402	< 0.02	< 0.01	0.030	0.24	47.4	40.4	2.28	400	2.00	0.01	0.90	49.8	590	2.2	8.8<	0.001	0.32	< 0.05	4.9
345209	9413 9402	< 0.02	0.01	0.030	0.18	31.6	24.2	1.50	1045	0.90	0.01	0.85	28.8	290	3.2	8.3<	0.001	0.06	< 0.05	4.7
345210	9413 9402	< 0.02	< 0.01	0.015	0.76	23.8	23.4	1.97	590	0.40	0.01	0.10	19.6	370	3.6	37.2<	0.001	< 0.01	< 0.05	4.2

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 07-SEP-2001
Invoice No. :I0123586
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345171	9413 9402	2.8	< 0.2	33.4	< 0.01	0.06	9.0	< 0.01	0.18	2.65	27	0.35	6.25	30	3.5
345172	9413 9402	2.0	< 0.2	18.6	< 0.01	0.05	9.2	< 0.01	0.10	2.20	27	< 0.05	5.40	96	3.0
345173	9413 9402	1.6	< 0.2	18.4	< 0.01	0.05	7.6	< 0.01	0.38	1.85	20	< 0.05	4.75	134	2.5
345174	9413 9402	2.0	< 0.2	26.2	< 0.01	0.06	7.0	< 0.01	0.14	1.80	29	< 0.05	5.60	86	3.0
345175	9413 9402	1.8	0.2	33.6	< 0.01	0.04	8.8	< 0.01	0.16	1.80	28	< 0.05	6.65	42	3.0
345176	9413 9402	2.6	0.8	32.6	< 0.01	0.04	9.4	0.01	0.28	2.20	43	< 0.05	7.25	28	3.5
345177	9413 9402	1.8	1.2	38.8	< 0.01	0.03	8.0	< 0.01	0.16	1.90	24	< 0.05	5.75	26	2.5
345178	9413 9402	2.0	0.4	30.8	< 0.01	0.10	7.6	< 0.01	0.14	2.20	25	< 0.05	6.00	122	4.5
345179	9413 9402	3.4	< 0.2	53.2	< 0.01	0.12	5.2	0.03	0.36	0.60	31	< 0.05	14.85	46	1.5
345180	9413 9402	2.0	< 0.2	31.8	< 0.01	0.04	8.0	< 0.01	0.16	2.20	24	< 0.05	6.70	28	4.5
345181	9413 9402	1.8	< 0.2	17.8	< 0.01	0.05	11.0	< 0.01	0.06	2.50	15	< 0.05	5.65	6	5.0
345182	9413 9402	3.0	< 0.2	59.9	< 0.01	0.06	6.0	< 0.01	0.16	0.90	19	< 0.05	14.00	40	2.0
345183	9413 9402	2.6	0.6	25.0	< 0.01	0.02	3.8	< 0.01	0.08	8.90	63	0.10	5.25	90	8.5
345184	9413 9402	3.8	0.8	47.8	< 0.01	0.03	9.0	< 0.01	0.10	1.60	11	< 0.05	10.00	28	3.0
345185	9413 9402	5.4	< 0.2	33.2	< 0.01	0.04	14.6	< 0.01	0.12	1.30	10	< 0.05	14.45	82	< 0.5
345186	9413 9402	7.4	< 0.2	35.8	< 0.01	0.07	15.8	< 0.01	0.16	3.15	24	< 0.05	16.15	34	3.0
345187	9413 9402	8.4	< 0.2	31.6	< 0.01	0.08	20.4	< 0.01	0.08	6.20	48	< 0.05	19.30	28	8.0
345188	9413 9402	7.6	< 0.2	25.6	< 0.01	0.09	13.2	< 0.01	0.04	2.65	34	< 0.05	10.00	10	3.0
345189	9413 9402	3.4	< 0.2	36.4	< 0.01	0.06	8.0	< 0.01	0.06	2.25	19	< 0.05	6.85	26	2.5
345190	9413 9402	2.0	< 0.2	44.8	< 0.01	0.04	6.6	< 0.01	0.08	1.65	12	< 0.05	6.45	18	1.5
345191	9413 9402	1.4	< 0.2	19.4	< 0.01	0.03	4.8	< 0.01	0.06	1.90	11	< 0.05	3.90	22	1.0
345192	9413 9402	2.4	0.4	53.7	< 0.01	0.04	6.0	< 0.01	0.08	2.25	16	< 0.05	6.80	16	2.0
345193	9413 9402	4.0	0.6	27.4	< 0.01	0.07	7.0	< 0.01	0.12	2.20	14	< 0.05	5.35	12	2.0
345194	9413 9402	2.8	< 0.2	29.8	< 0.01	0.06	9.6	< 0.01	0.08	3.00	22	< 0.05	8.00	8	3.0
345195	9413 9402	1.6	< 0.2	19.4	< 0.01	0.06	8.4	< 0.01	0.28	2.70	15	< 0.05	5.00	8	2.5
345196	9413 9402	6.4	< 0.2	42.4	< 0.01	0.14	15.4	< 0.01	0.10	4.90	11	< 0.05	14.55	18	6.5
345197	9413 9402	1.4	< 0.2	40.2	< 0.01	0.01	18.0	< 0.01	0.06	3.60	4	< 0.05	25.05	30	0.5
345198	9413 9402	0.8	0.2	49.2	< 0.01	0.02	17.8	< 0.01	0.06	5.85	< 1	0.30	28.40	30	< 0.5
345199	9413 9402	0.6	0.4	71.4	< 0.01	0.02	14.6	< 0.01	0.08	4.55	2	0.15	24.40	22	< 0.5
345200	9400 225	1.0	0.6	62.9	< 0.01	0.07	6.0	0.08	1.52	3.35	72	0.30	14.45	668	7.0
345201	9413 9402	15.0	< 0.2	35.2	< 0.01	0.29	6.8	< 0.01	0.16	1.30	1	0.20	12.50	12	< 0.5
345202	9413 9402	1.6	0.8	63.1	< 0.01	0.04	15.4	< 0.01	0.08	3.75	5	< 0.05	30.60	26	< 0.5
345203	9413 9402	1.0	1.0	82.0	< 0.01	0.03	21.6	0.01	0.14	3.75	< 1	< 0.05	36.85	26	< 0.5
345204	9413 9402	0.8	0.6	158.7	< 0.01	< 0.01	21.4	0.02	0.12	3.00	< 1	< 0.05	38.40	12	< 0.5
345205	9413 9402	0.6	0.4	47.6	< 0.01	0.01	17.2	0.04	0.10	2.45	8	< 0.05	18.75	20	< 0.5
345206	9413 9402	0.4	0.2	39.2	< 0.01	0.01	14.8	0.02	0.06	2.05	33	< 0.05	15.85	40	< 0.5
345207	9413 9402	0.6	0.2	56.6	< 0.01	0.03	12.4	0.01	0.02	2.05	45	< 0.05	18.15	44	< 0.5
345208	9413 9402	0.2	0.2	29.6	< 0.01	0.01	13.6	0.01	0.04	1.60	35	< 0.05	13.70	48	< 0.5
345209	9413 9402	0.8	< 0.2	216.0	< 0.01	0.03	7.8	0.01	0.04	0.85	19	< 0.05	57.80	26	< 0.5
345210	9413 9402	0.2	0.4	244.0	< 0.01	< 0.01	8.0	0.04	0.20	0.35	17	< 0.05	12.30	26	< 0.5

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 07-SEP-2001
Invoice No. : I0123586
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE		Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345211	9413	9402	4.24	< 5	< 0.01	1.80	7.8	< 10	72.8	0.50	0.06	10.95	0.05	33.6	9.7	38	4.65	14.4	2.16	4.25	< 0.05

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 07-SEP-2001
Invoice No. :I0123586
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE		Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345211	9413	9402	< 0.02	< 0.01	0.015	0.60	18.6	19.7	1.77	435	0.35	0.01	0.05	20.0	370	5.2	29.8	< 0.001	0.03	< 0.05	3.3

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :2-C
Total Pages :2
Certificate Date: 07-SEP-2001
Invoice No. :I0123586
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123586

SAMPLE	PREP CODE		Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345211	9413	9402	0.2	< 0.2	322.0	< 0.01	0.03	6.6	0.03	0.14	0.45	12	< 0.05	10.55	26	< 0.5

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project: TAY-LP -3
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 17-SEP-2001
Invoice No. :I0123608
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123608

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345374	9413 9402	1.46	< 5	0.20	2.22	2.5	< 10	31.4	0.25	0.40	1.92	0.01	77.9	16.7	53	4.05	17.6	3.73	6.10	0.05
345375	9413 9402	4.78	< 5	0.17	2.57	2.1	< 10	26.6	0.25	0.43	0.14	0.01	93.6	18.1	63	3.35	17.8	4.02	7.00	0.10
345376	9413 9402	5.02	< 5	0.15	2.46	2.6	< 10	21.0	0.20	0.41	0.77	0.01	94.6	17.2	56	2.50	15.2	3.92	6.60	0.10
345377	9413 9402	5.38	< 5	0.15	2.59	2.0	< 10	24.0	0.20	0.42	1.03	0.01	75.6	18.5	56	1.80	18.8	4.15	7.25	0.05
345378	9413 9402	3.76	< 5	0.14	2.28	0.9	< 10	23.6	0.25	0.37	2.31	0.01	51.1	16.5	62	5.20	15.0	3.71	6.00	0.05
345379	9413 9402	4.00	< 5	0.14	2.33	1.9	< 10	44.2	0.35	0.51	5.95	0.03	38.7	15.9	61	14.65	18.8	3.53	6.15	0.05
345380	9400 225	0.10	445	0.25	0.32	344	< 10	1222.0	0.25	0.39	0.35	1.64	12.95	5.1	36	0.85	69.1	1.36	2.90	0.05
345381	9413 9402	3.32	< 5	0.17	2.46	1.6	< 10	37.2	0.35	0.43	2.49	0.01	64.4	15.3	65	15.20	20.8	3.80	6.50	0.05
345382	9413 9402	3.22	45	0.17	1.60	1.6	< 10	29.4	0.50	4.14	0.92	0.01	116.5	16.6	53	11.80	41.2	4.61	4.15	0.10
345383	9413 9402	0.84	390	0.36	0.11	2.4	< 10	6.8	0.35	46.6	0.31	0.01	43.6	25.0	57	1.40	215	6.26	0.60	0.05
345384	9413 9402	3.76	5	0.18	1.87	1.1	< 10	44.0	0.40	1.00	1.39	< 0.01	119.0	14.1	68	18.40	21.8	4.14	5.10	0.10
345385	9413 9402	2.94	15	0.18	0.87	1.2	< 10	37.0	0.70	2.72	0.61	< 0.01	121.0	13.0	57	8.35	35.8	3.78	2.75	0.10
345386	9413 9402	2.24	< 5	0.36	0.48	3.5	< 10	42.0	0.60	2.69	1.69	0.37	94.6	17.7	46	3.10	32.2	4.36	2.35	0.05
345387	9413 9402	2.38	< 5	0.50	0.39	8.1	< 10	36.8	0.50	0.80	1.47	0.21	81.7	18.9	82	3.10	28.4	4.24	2.25	0.05
345388	9413 9402	1.98	115>100.0	< 0.01	40.6	< 10	3.0	0.05	630	0.04	69.5	1.14	27.8	121	1.00	29.4	4.75	0.15	0.20	
345389	9413 9402	0.82	< 5	1.90	0.15	11.4	20	10.6	0.40	3.30	0.25	1.38	17.75	12.4	72	0.55	34.8	2.70	0.60	< 0.05
345390	9413 9402	1.22	< 5	1.29	0.39	15.3	< 10	34.6	0.45	3.99	0.26	1.12	56.3	17.3	44	2.10	55.7	3.93	1.30	0.05
345391	9413 9402	3.32	< 5	0.52	0.41	11.3	< 10	35.0	0.50	1.23	1.86	0.22	62.1	17.9	61	2.50	30.0	4.51	1.90	0.05
345392	9413 9402	4.46	< 5	0.26	1.81	1.5	< 10	28.2	0.50	0.50	1.46	0.07	102.0	15.5	47	2.85	16.0	4.55	5.05	0.10
345393	9413 9402	5.28	< 5	0.20	2.61	0.7	< 10	18.2	0.35	0.34	3.60	0.03	88.6	13.7	45	2.20	12.4	4.30	6.95	0.05
345394	9413 9402	5.48	< 5	0.23	2.12	0.8	< 10	23.0	0.25	0.46	5.62	0.04	87.7	15.4	53	2.05	18.8	3.67	5.90	0.05
345395	9413 9402	5.28	< 5	0.18	2.51	1.5	< 10	34.2	0.25	0.40	5.37	0.04	91.2	16.0	61	7.65	15.2	3.76	7.00	0.05
345396	9413 9402	5.40	< 5	0.17	2.28	0.7	< 10	29.8	0.35	0.50	5.03	0.03	91.2	16.1	64	6.80	18.6	3.78	6.40	0.05
345397	9413 9402	5.32	< 5	0.16	2.22	1.2	< 10	18.0	0.45	0.48	4.10	0.02	95.9	15.1	60	4.35	16.8	3.81	6.15	0.05
345398	9413 9402	3.36	20	0.18	2.28	0.8	< 10	24.0	0.45	1.59	2.84	0.01	74.8	18.2	67	5.65	31.4	4.23	6.45	0.05
345399	9413 9402	2.66	< 5	0.16	2.59	0.7	< 10	22.4	0.25	0.33	1.91	0.01	59.5	18.3	73	3.25	20.0	4.24	7.45	0.05
345400	9413 9402	1.26	< 5	0.18	0.87	0.8	< 10	11.4	0.25	0.25	1.00	0.01	15.05	7.1	133	0.85	10.2	1.68	2.05	< 0.05
345401	9413 9402	4.78	< 5	0.16	2.62	0.7	< 10	18.2	0.30	0.60	1.94	0.01	51.7	18.2	71	2.60	20.0	4.22	7.35	0.05
345402	9413 9402	5.48	< 5	0.17	2.80	1.1	< 10	22.8	0.35	0.39	2.71	0.02	47.2	20.4	77	2.70	23.0	4.52	7.65	0.05
345403	9413 9402	5.42	< 5	0.17	2.68	0.6	< 10	25.2	0.25	0.35	3.79	0.02	37.8	18.7	74	3.80	20.6	4.01	7.90	0.05
345404	9413 9402	3.12	< 5	0.18	2.54	1.3	< 10	17.4	0.45	0.45	3.33	0.03	82.7	16.3	68	2.05	17.4	4.08	6.95	0.05
345405	9413 9402	2.22	< 5	0.19	2.44	0.6	< 10	14.2	0.70	0.83	3.95	< 0.01	116.5	20.4	55	3.20	21.8	4.46	6.90	0.10
345406	9413 9402	2.90	< 5	0.22	2.19	2.2	< 10	21.4	0.55	1.07	1.66	0.01	52.6	16.3	58	3.45	20.4	4.01	5.40	0.05
345407	9413 9402	4.10	15	0.25	2.45	1.3	< 10	39.6	0.45	1.90	1.67	< 0.01	41.7	19.0	74	16.65	30.6	4.23	7.00	0.05
345408	9413 9402	3.92	20	0.19	2.80	1.1	< 10	50.8	0.55	1.88	1.23	< 0.01	43.1	19.4	83	29.4	32.2	4.17	7.20	0.10
345409	9413 9402	1.94	80	0.20	0.67	0.8	< 10	10.2	0.30	6.44	1.36	0.01	63.6	15.0	68	2.05	47.6	3.12	1.80	0.05
345410	9400 225	0.10	6760	0.69	1.33	564	< 10	343.0	1.75	1.19	1.89	1.64	5.26	14.6	129	2.55	105.5	2.57	6.15	0.20
345411	9413 9402	4.02	< 5	0.22	2.46	2.1	< 10	29.4	0.40	0.60	2.89	0.01	48.2	19.2	69	7.15	20.4	3.97	6.45	0.05
345412	9413 9402	3.98	15	0.22	1.97	2.0	< 10	31.8	0.45	2.15	2.00	< 0.01	45.5	16.2	62	12.95	31.8	3.88	5.35	0.05
345413	9413 9402	3.92	70	0.19	1.82	0.7	< 10	32.0	0.50	5.31	2.88	0.01	62.1	15.6	59	15.90	47.0	4.04	5.30	0.05

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :1-B
Total Pages :2
Certificate Date: 17-SEP-2001
Invoice No. :I0123608
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123608

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345374	9413 9402	0.06	< 0.01	0.020	0.20	50.8	33.0	1.66	290	0.40	< 0.01	0.30	26.8	470	3.2	14.9	< 0.001	0.40	0.60	2.8
345375	9413 9402	0.06	< 0.01	0.025	0.17	61.8	37.9	1.20	330	0.35	0.01	0.10	29.2	390	3.6	11.1	< 0.001	0.39	< 0.05	2.7
345376	9413 9402	0.06	< 0.01	0.025	0.15	61.0	32.3	1.11	370	0.30	0.01	0.10	27.2	400	3.4	9.9	< 0.001	0.27	< 0.05	3.4
345377	9413 9402	0.02	< 0.01	0.030	0.16	49.0	33.6	1.14	385	0.35	0.01	0.10	30.0	370	2.6	9.5	< 0.001	0.28	< 0.05	4.0
345378	9413 9402	0.02	< 0.01	0.020	0.21	23.8	29.6	1.04	420	0.35	0.01	0.15	27.4	420	2.2	19.6	< 0.001	0.34	< 0.05	3.5
345379	9413 9402	0.02	< 0.01	0.020	0.43	18.8	37.8	0.98	570	0.30	0.05	0.20	27.2	540	4.0	43.6	< 0.001	0.49	< 0.05	4.3
345380	9400 225	0.26	0.30	0.175	0.07	10.0	0.9	0.02	20	114.00	< 0.01	0.15	30.4	1750	155.0	3.1	0.001	0.05	299.2	7.9
345381	9413 9402	0.02	< 0.01	0.025	0.36	44.8	37.4	1.15	350	0.60	0.03	0.15	26.2	440	2.6	41.6	< 0.001	0.41	0.20	4.5
345382	9413 9402	0.08	< 0.01	0.020	0.35	81.6	20.9	0.86	230	0.45	0.01	0.10	30.0	390	2.6	41.5	< 0.001	1.42	0.05	3.0
345383	9413 9402	0.02	< 0.01	0.005	0.05	21.0	1.6	0.10	110	0.55	< 0.01	0.05	38.6	280	6.8	3.3	< 0.001	3.67	0.25	1.0
345384	9413 9402	0.08	< 0.01	0.025	0.53	81.0	27.9	0.99	340	0.40	0.01	0.15	25.6	370	1.8	104.5	< 0.001	0.58	0.05	3.8
345385	9413 9402	0.10	< 0.01	0.015	0.28	82.8	12.6	0.55	190	0.45	0.01	0.05	25.4	390	2.8	30.3	< 0.001	1.08	< 0.05	2.9
345386	9413 9402	0.08	0.01	0.015	0.23	66.0	9.5	0.92	260	0.45	0.01	0.05	27.2	370	10.2	14.6	< 0.001	1.61	0.05	2.4
345387	9413 9402	0.10	0.02	0.020	0.17	56.0	9.8	0.90	315	4.65	0.01	0.05	37.4	850	4.0	11.8	0.001	1.05	0.10	3.9
345388	9413 9402	< 0.02	< 0.01	0.475	< 0.01	0.8	0.6	0.02	25	0.95	< 0.01	0.05	47.4	40>10000		0.4	0.001	4.59	0.35	0.3
345389	9413 9402	0.04	< 0.01	0.020	0.02	12.4	5.4	0.21	130	0.60	< 0.01	< 0.05	27.0	360	81.8	1.5	< 0.001	0.88	0.60	1.7
345390	9413 9402	0.02	< 0.01	0.020	0.22	39.8	5.3	0.17	130	0.65	< 0.01	0.05	29.8	450	77.6	12.6	0.001	2.58	0.25	1.9
345391	9413 9402	0.04	< 0.01	0.020	0.17	44.0	9.8	0.88	435	0.65	0.01	0.05	36.0	500	7.8	10.4	< 0.001	1.88	0.20	3.7
345392	9413 9402	0.06	< 0.01	0.020	0.17	71.8	29.9	1.15	370	0.40	< 0.01	0.05	29.2	370	4.6	10.0	< 0.001	0.62	< 0.05	3.5
345393	9413 9402	0.06	< 0.01	0.025	0.11	61.6	46.0	1.53	440	0.35	< 0.01	0.05	30.8	430	4.4	7.0	< 0.001	0.31	< 0.05	3.8
345394	9413 9402	0.06	< 0.01	0.020	0.13	62.0	30.5	1.09	405	0.40	0.01	0.05	27.0	490	6.4	7.3	< 0.001	0.49	< 0.05	3.8
345395	9413 9402	0.04	< 0.01	0.025	0.27	63.8	40.0	1.16	500	0.35	0.03	0.15	28.2	480	4.8	23.4	< 0.001	0.39	< 0.05	5.0
345396	9413 9402	0.06	< 0.01	0.030	0.24	62.6	34.9	1.10	455	0.35	0.02	0.15	28.0	480	5.2	19.5	< 0.001	0.48	< 0.05	5.0
345397	9413 9402	0.06	< 0.01	0.025	0.15	66.2	30.5	1.16	415	0.35	0.01	0.05	26.6	470	4.0	10.9	< 0.001	0.47	< 0.05	4.1
345398	9413 9402	0.02	< 0.01	0.025	0.19	50.2	30.4	1.12	390	0.35	0.02	0.05	29.4	440	3.8	15.9	< 0.001	0.84	0.05	4.5
345399	9413 9402	0.02	< 0.01	0.025	0.16	27.6	31.8	1.19	350	0.35	0.02	0.15	28.2	420	2.6	12.0	< 0.001	0.39	< 0.05	4.8
345400	9413 9402	< 0.02	< 0.01	0.005	0.10	10.4	10.7	0.40	125	0.50	< 0.01	0.05	13.0	300	2.6	5.2	< 0.001	0.20	< 0.05	1.7
345401	9413 9402	0.02	< 0.01	0.025	0.13	24.0	33.2	1.25	325	0.35	0.02	0.05	29.8	460	4.2	9.0	< 0.001	0.49	< 0.05	4.0
345402	9413 9402	0.02	< 0.01	0.020	0.17	22.2	36.7	1.31	410	0.45	0.02	0.10	33.0	470	4.2	10.7	< 0.001	0.52	< 0.05	4.0
345403	9413 9402	< 0.02	< 0.01	0.020	0.17	17.4	36.1	1.15	565	0.35	0.04	0.15	29.0	470	4.2	13.4	< 0.001	0.39	< 0.05	4.0
345404	9413 9402	0.04	< 0.01	0.025	0.16	56.0	33.8	1.23	520	0.40	< 0.01	0.05	28.2	420	4.0	11.4	< 0.001	0.27	< 0.05	3.8
345405	9413 9402	0.08	< 0.01	0.025	0.15	79.4	40.8	1.14	580	0.35	< 0.01	0.05	30.0	1390	4.0	12.9	< 0.001	0.59	< 0.05	3.4
345406	9413 9402	0.02	< 0.01	0.020	0.19	24.8	34.7	1.14	320	0.55	< 0.01	0.05	25.4	340	2.6	15.4	< 0.001	0.68	< 0.05	3.0
345407	9413 9402	0.02	< 0.01	0.015	0.62	19.6	33.2	1.11	295	0.40	0.05	0.20	28.6	420	2.2	121.0	< 0.001	0.96	< 0.05	4.0
345408	9413 9402	0.02	< 0.01	0.015	1.05	20.2	39.8	1.23	250	0.40	0.06	0.20	32.8	420	2.6	214	< 0.001	0.92	< 0.05	3.6
345409	9413 9402	0.02	< 0.01	0.005	0.11	44.0	10.7	0.31	180	0.40	< 0.01	0.05	26.8	360	3.4	8.5	< 0.001	1.58	< 0.05	1.4
345410	9400 225	0.06	0.95	2.160	0.26	6.6	8.1	0.06	25	17.75	0.01	0.10	66.4	9040	374.0	14.7	0.003	0.27	630.0	3.9
345411	9413 9402	0.02	< 0.01	0.015	0.33	22.4	32.6	1.11	435	0.40	0.03	0.15	29.4	480	2.2	33.6	< 0.001	0.51	0.35	3.4
345412	9413 9402	0.02	< 0.01	0.010	0.56	20.8	30.1	0.95	260	0.35	0.02	0.20	26.8	490	2.0	101.5	< 0.001	0.98	0.15	2.9
345413	9413 9402	0.02	< 0.01	0.015	0.77	42.4	24.6	0.96	265	0.35	0.03	0.15	25.6	510	2.0	148.5	< 0.001	1.49	0.05	3.3

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 17-SEP-2001
Invoice No. :I0123608
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123608

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345374	94139402	0.2	0.6	87.2	0.01	< 0.01	12.0	0.02	0.10	3.15	19	0.25	24.80	66	1.0
345375	94139402	0.2	1.0	13.8	0.01	< 0.01	11.8	0.01	0.08	3.15	20	0.35	25.65	72	0.5
345376	94139402	0.2	0.6	21.0	0.01	< 0.01	12.8	0.01	0.08	3.05	19	0.10	28.35	74	1.5
345377	94139402	0.2	0.2	42.8	0.01	< 0.01	13.4	0.01	0.06	3.05	20	0.05	46.10	76	< 0.5
345378	94139402	0.2	0.4	93.3	0.01	< 0.01	13.4	0.02	0.16	2.95	17	0.05	27.45	60	< 0.5
345379	94139402	0.2	0.6	214.0	0.01	0.01	12.0	0.04	0.32	2.70	23	0.25	20.40	40	< 0.5
345380	9400 225	2.8	3.6	124.2	< 0.01	0.16	4.8	< 0.01	1.38	46.1	212	15.20	7.35	44	8.0
345381	94139402	0.2	0.8	109.4	0.01	< 0.01	12.8	0.03	0.34	3.10	23	0.15	26.00	52	< 0.5
345382	94139402	0.4	1.0	47.4	0.01	0.02	14.0	0.02	0.40	3.45	14	0.25	43.00	38	1.0
345383	94139402	0.6	1.0	10.6	< 0.01	0.38	10.4	< 0.01	0.08	1.40	< 1	0.90	11.40	< 2	0.5
345384	94139402	0.2	1.4	67.8	0.01	< 0.01	12.2	0.05	0.62	3.20	20	0.10	29.65	52	0.5
345385	94139402	0.2	1.6	55.7	< 0.01	0.01	13.0	0.01	0.36	3.55	12	0.55	23.55	32	2.5
345386	94139402	0.2	3.0	255.0	< 0.01	< 0.01	14.0	< 0.01	0.18	3.15	9	2.20	10.20	46	1.0
345387	94139402	0.2	5.2	212.2	< 0.01	< 0.01	14.4	< 0.01	0.26	3.35	19	1.90	12.75	64	2.5
345388	94139402	2.4	6.4	3.0	< 0.01	3.79	5.8	< 0.01	0.96	0.05	< 1	1.50	0.35	2160	< 0.5
345389	94139402	< 0.2	5.0	23.6	< 0.01	0.01	9.2	< 0.01	0.04	1.60	6	0.50	3.40	66	0.5
345390	94139402	0.2	5.0	35.4	< 0.01	0.01	13.2	< 0.01	0.18	2.15	4	1.45	5.25	46	0.5
345391	94139402	0.2	1.6	256.0	< 0.01	< 0.01	12.4	< 0.01	0.14	2.45	11	1.05	9.90	56	1.5
345392	94139402	0.2	0.8	107.5	< 0.01	< 0.01	11.4	< 0.01	0.06	2.95	15	0.10	15.60	80	0.5
345393	94139402	0.2	0.2	201.8	< 0.01	0.01	12.0	< 0.01	0.04	2.95	17	0.05	20.50	78	< 0.5
345394	94139402	0.2	0.2	243.0	< 0.01	0.01	12.0	< 0.01	0.04	3.05	16	0.05	24.10	52	< 0.5
345395	94139402	0.2	0.4	217.0	0.01	0.01	12.2	0.02	0.16	3.10	22	0.05	25.55	62	< 0.5
345396	94139402	0.2	0.6	218.0	0.01	0.03	13.0	0.01	0.12	3.35	20	0.05	26.80	56	< 0.5
345397	94139402	0.4	0.6	180.8	< 0.01	0.01	13.4	< 0.01	0.08	3.40	18	0.05	26.45	54	< 0.5
345398	94139402	0.2	0.8	152.2	0.01	0.01	13.6	0.01	0.14	3.05	20	0.05	27.45	46	< 0.5
345399	94139402	0.2	0.2	89.3	0.01	0.01	14.2	0.02	0.08	3.05	23	0.15	29.05	72	< 0.5
345400	94139402	< 0.2	0.4	46.4	< 0.01	< 0.01	4.6	< 0.01	0.02	0.90	5	0.05	11.20	18	< 0.5
345401	94139402	0.2	0.6	87.4	0.01	< 0.01	13.8	0.01	0.06	2.85	22	< 0.05	26.00	66	< 0.5
345402	94139402	0.2	0.6	118.8	< 0.01	0.01	14.4	0.01	0.06	2.90	21	< 0.05	21.30	70	< 0.5
345403	94139402	0.2	0.4	143.8	< 0.01	0.01	12.2	0.02	0.08	2.20	25	0.05	15.30	72	< 0.5
345404	94139402	0.2	0.2	177.1	0.01	< 0.01	12.4	0.01	0.08	2.80	17	0.05	23.50	70	< 0.5
345405	94139402	0.4	0.6	276.0	0.01	< 0.01	15.2	< 0.01	0.08	3.50	16	0.05	30.10	60	< 0.5
345406	94139402	0.2	0.8	169.3	< 0.01	< 0.01	13.4	< 0.01	0.10	2.95	13	0.15	16.35	66	0.5
345407	94139402	0.2	0.6	99.4	< 0.01	0.01	12.4	0.05	0.54	2.10	26	0.10	18.10	50	< 0.5
345408	94139402	0.2	1.0	86.6	< 0.01	0.02	12.6	0.09	0.86	2.15	30	0.10	21.05	50	< 0.5
345409	94139402	0.2	0.4	59.9	< 0.01	0.06	10.0	< 0.01	0.06	1.70	4	0.15	13.65	14	0.5
345410	9400 225	3.8	12.2	426.0	< 0.01	0.30	4.6	< 0.01	5.62	12.30	587	48.3	19.30	176	5.0
345411	94139402	0.2	0.6	140.0	0.01	0.01	10.2	0.04	0.24	2.20	23	0.25	17.60	60	< 0.5
345412	94139402	0.2	1.0	79.2	< 0.01	0.02	11.2	0.05	0.42	2.00	19	0.15	15.30	34	2.0
345413	94139402	0.2	1.6	92.0	< 0.01	0.06	12.0	0.04	0.58	2.50	17	0.15	19.80	20	1.5

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number :2-A
Total Pages :2
Certificate Date: 17-SEP-2001
Invoice No. :I0123608
P.O. Number :21341
Account :SWY

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0123608

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345414	94139402	5.26	< 5	0.19	2.67	1.0	< 10	50.2	0.60	0.55	2.62	< 0.01	48.2	16.3	66	22.9	18.6	3.60	7.25	0.05
345415	94139402	5.36	< 5	0.31	2.98	0.8	< 10	55.6	0.55	0.64	2.87	< 0.01	22.8	17.1	65	21.5	17.8	3.72	8.30	0.05
345416	94139402	5.48	< 5	0.13	2.85	0.7	< 10	41.4	0.35	0.27	6.23	0.02	14.20	15.6	61	6.70	15.6	3.40	7.70	0.05
345417	94139402	4.76	5	0.11	2.31	1.6	< 10	29.6	0.35	1.35	4.63	0.01	19.90	15.5	76	7.00	19.8	3.40	6.25	0.05
345418	94139402	2.32	85	0.15	1.73	0.7	< 10	25.8	0.50	7.85	3.71	< 0.01	62.1	17.1	61	10.60	44.8	3.98	5.05	0.05
345419	94139402	2.38	75	0.13	2.50	0.7	< 10	49.4	0.45	5.20	3.31	0.01	52.1	17.9	78	18.80	29.0	4.32	7.20	0.10
345420	94139402	5.20	5	0.12	2.95	0.7	< 10	56.6	0.50	3.00	5.34	0.01	40.2	16.6	71	16.10	22.6	3.75	8.25	0.05
345421	94139402	5.32	< 5	0.12	2.82	0.6	< 10	62.4	0.50	0.46	8.62	0.02	24.1	15.6	69	11.50	15.0	3.41	7.85	0.05
345422	94139402	5.50	< 5	0.11	2.74	0.8	< 10	49.8	0.40	0.64	5.26	0.01	62.8	17.2	61	11.20	18.4	3.70	8.10	0.10
345423	94139402	5.16	< 5	0.11	1.61	0.9	< 10	33.6	0.25	0.22	14.05	0.04	41.0	12.5	45	4.75	13.4	2.38	5.00	0.05
345424	94139402	5.40	< 5	0.11	3.11	0.6	< 10	70.4	0.40	0.20	8.26	0.01	42.1	15.9	76	9.15	15.4	3.38	9.05	0.05
345425	94139402	4.98	< 5	0.11	1.99	1.4	< 10	26.4	0.20	0.28	8.72	0.03	43.2	14.8	61	2.20	14.0	3.14	5.55	0.05
345426	94139402	5.70	< 5	0.12	2.29	3.7	< 10	37.6	0.25	0.34	7.25	0.03	24.6	17.3	53	3.50	21.0	3.57	6.30	0.05
345427	94139402	5.30	< 5	0.12	2.70	2.0	< 10	48.4	0.35	0.28	6.14	0.03	20.2	15.8	69	3.75	17.0	3.69	7.40	0.05
345428	94139402	4.80	< 5	0.12	3.39	2.4	< 10	101.8	0.50	0.43	8.31	0.02	15.70	16.2	68	6.90	16.6	3.49	9.25	0.05

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 17-SEP-2001
Invoice No. :I0123608
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123608

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345414	94139402	0.02	< 0.01	0.015	0.99	22.8	32.9	1.13	325	0.35	0.06	0.15	25.8	420	1.6	172.5<	0.001	0.48	< 0.05	4.2
345415	94139402	< 0.02	< 0.01	0.015	1.03	15.6	38.3	1.14	335	0.30	0.08	0.20	27.8	440	1.8	169.5<	0.001	0.52	< 0.05	4.5
345416	94139402	< 0.02	< 0.01	0.020	0.53	9.8	25.3	0.98	715	0.30	0.08	0.30	26.6	450	3.6	71.6<	0.001	0.27	< 0.05	5.2
345417	94139402	< 0.02	< 0.01	0.015	0.39	13.4	24.4	0.93	430	0.40	0.05	0.25	26.0	400	3.0	42.0<	0.001	0.54	< 0.05	4.1
345418	94139402	0.02	< 0.01	0.015	0.49	43.2	23.1	0.77	335	0.35	0.03	0.20	31.4	580	2.6	94.2<	0.001	1.43	< 0.05	3.5
345419	94139402	0.02	< 0.01	0.015	0.95	24.8	30.1	1.05	335	0.40	0.04	0.25	31.2	350	2.0	179.0<	0.001	1.16	< 0.05	4.7
345420	94139402	< 0.02	< 0.01	0.015	0.92	19.4	32.0	1.03	395	0.35	0.09	0.20	29.0	490	3.2	146.0<	0.001	0.60	< 0.05	5.2
345421	94139402	< 0.02	< 0.01	0.020	0.80	16.6	30.2	0.94	530	0.35	0.10	0.25	26.4	550	4.0	109.5<	0.001	0.39	< 0.05	5.1
345422	94139402	0.02	< 0.01	0.020	0.65	29.4	35.0	1.02	380	0.35	0.08	0.30	28.6	480	3.0	97.7<	0.001	0.48	0.05	5.9
345423	94139402	0.02	< 0.01	0.025	0.39	20.0	23.7	0.69	405	0.30	0.05	0.25	22.6	670	9.6	37.9<	0.001	0.29	< 0.05	5.0
345424	94139402	< 0.02	< 0.01	0.020	0.75	19.8	45.7	0.98	400	0.30	0.12	0.20	27.0	550	4.0	91.3<	0.001	0.33	< 0.05	6.8
345425	94139402	< 0.02	< 0.01	0.025	0.21	20.0	29.5	0.87	570	0.30	0.04	0.20	23.6	530	6.4	17.4<	0.001	0.33	< 0.05	4.2
345426	94139402	< 0.02	< 0.01	0.020	0.31	17.0	31.3	0.97	515	0.30	0.05	0.25	28.6	560	5.8	26.7<	0.001	0.51	< 0.05	4.2
345427	94139402	< 0.02	< 0.01	0.020	0.41	14.0	36.6	1.05	465	0.35	0.07	0.20	25.8	560	4.6	30.7<	0.001	0.45	< 0.05	4.8
345428	94139402	< 0.02	< 0.01	0.025	0.90	11.2	35.7	1.01	580	0.35	0.13	0.20	28.0	560	4.4	88.0<	0.001	0.48	< 0.05	6.3

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 17-SEP-2001
Invoice No. :I0123608
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123608

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345414	94139402	0.2	1.0	131.2	< 0.01	0.01	10.0	0.05	0.66	2.20	24	0.10	17.30	52	0.5
345415	94139402	0.2	1.0	156.5	< 0.01	< 0.01	9.4	0.07	0.64	1.75	27	0.10	13.45	48	< 0.5
345416	94139402	0.2	0.6	345.0	0.01	0.01	7.2	0.04	0.28	1.25	24	0.10	12.40	56	< 0.5
345417	94139402	0.2	0.4	292.0	< 0.01	0.03	7.4	0.04	0.26	1.35	19	0.05	12.05	46	< 0.5
345418	94139402	0.2	1.0	132.2	< 0.01	0.07	11.6	0.04	0.36	2.20	14	0.15	20.55	24	< 0.5
345419	94139402	0.2	1.2	144.3	< 0.01	0.06	11.4	0.07	0.70	2.05	23	0.15	18.40	34	< 0.5
345420	94139402	0.2	1.0	421.0	< 0.01	0.02	9.6	0.07	0.58	1.90	28	0.05	14.25	32	< 0.5
345421	94139402	0.2	0.8	607.0	< 0.01	0.02	8.8	0.05	0.44	1.85	24	0.15	16.00	30	< 0.5
345422	94139402	0.2	0.8	361.0	0.01	0.01	11.8	0.05	0.44	2.65	27	0.10	21.55	42	< 0.5
345423	94139402	0.2	0.4	1370.0	< 0.01	0.03	8.0	0.03	0.22	2.05	15	0.10	16.65	20	< 0.5
345424	94139402	0.2	0.8	586.0	< 0.01	0.01	9.0	0.05	0.32	1.90	31	0.15	15.05	46	< 0.5
345425	94139402	0.2	0.2	518.0	< 0.01	0.01	8.4	0.02	0.12	2.00	19	0.05	20.15	50	< 0.5
345426	94139402	0.2	0.2	435.0	< 0.01	0.01	9.4	0.03	0.16	2.10	20	0.05	16.15	60	< 0.5
345427	94139402	0.2	0.4	376.0	< 0.01	0.01	9.6	0.03	0.16	1.95	24	0.05	13.40	60	< 0.5
345428	94139402	0.2	1.0	533.0	< 0.01	0.02	8.2	0.04	0.30	1.50	30	0.25	13.90	36	< 0.5

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number :1
Total Pages :1
Certificate Date: 19-SEP-2001
Invoice No. :I0124838
P.O. Number :21341
Account :SWY

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0124838

SAMPLE	PREP CODE		Ag g/t	Pb %								
345388	212	--	241	1.78								

CERTIFICATION: _____

OVERLIMITS from A0123608

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :1-A
Total Pages :2
Certificate Date: 25-SEP-2001
Invoice No. : I0123913
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123913

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345429	9413 9402	2.86	20	0.65	2.39	4.4	< 10	57.0	0.45	0.89	2.79	0.21	45.9	20.6	59	18.15	35.2	4.18	6.45	0.10
345430	9413 9402	5.06	10	0.31	2.48	2.8	< 10	92.2	0.65	0.58	7.21	0.04	40.7	18.5	59	14.40	28.6	3.63	7.45	0.05
345431	9413 9402	4.90	10	0.20	2.68	0.8	< 10	80.6	0.50	0.71	2.97	0.01	41.1	21.2	80	15.85	34.0	4.26	8.20	0.05
345432	9413 9402	5.14	10	0.15	3.04	0.5	< 10	105.4	0.50	1.08	4.54	0.01	36.5	19.2	69	23.5	35.0	4.02	9.20	0.10
345433	9413 9402	5.20	< 5	0.13	3.45	0.5	< 10	123.2	0.50	0.67	2.96	0.01	36.7	20.7	84	31.1	40.2	4.41	10.65	0.15
345434	9413 9402	5.32	5	0.10	3.37	1.5	< 10	121.4	0.50	0.71	3.08	0.01	23.2	19.6	76	30.4	34.8	4.10	10.00	0.15
345435	9413 9402	5.40	< 5	0.07	3.21	0.8	< 10	107.2	0.45	0.42	2.14	< 0.01	19.40	16.1	69	33.4	26.6	3.84	9.25	0.10
345436	9413 9402	4.58	10	0.08	3.81	0.4	< 10	134.2	0.55	0.82	5.91	0.01	19.30	18.3	77	25.0	41.2	3.96	10.00	0.10
345437	9413 9402	6.14	15	0.05	2.98	0.9	< 10	84.2	0.45	1.81	5.27	0.01	23.8	17.4	79	17.70	44.0	3.72	8.00	0.05
345438	9413 9402	1.72	25	0.04	2.95	1.5	< 10	80.0	0.40	2.31	2.73	0.01	26.5	18.9	78	18.00	43.2	4.31	8.20	0.10
345439	9413 9402	1.06	5	0.02	0.77	0.4	< 10	26.4	0.15	0.38	3.39	0.01	10.55	6.1	105	3.35	17.6	1.50	2.00	< 0.05
345440	9400 225	0.12	105	0.15	1.29	748	10	802.7	0.50	0.64	1.07	1.23	25.3	7.5	50	1.80	92.8	2.96	4.00	0.05
345441	9413 9402	5.58	30	0.10	3.21	3.2	< 10	125.2	0.50	1.61	3.81	0.01	25.6	17.5	80	21.3	48.0	3.87	8.60	0.05
345442	9413 9402	1.44	< 5	0.10	0.24	1.4	< 10	29.0	0.25	0.83	8.04	0.07	29.1	10.7	27	0.95	45.2	1.85	0.90	< 0.05
345443	9413 9402	5.08	< 5	0.08	2.79	0.6	< 10	87.8	0.40	0.90	4.83	0.01	27.6	18.7	72	20.5	33.4	3.75	7.45	0.05
345444	9413 9402	3.60	15	0.09	4.32	1.1	< 10	151.0	0.65	1.55	5.80	< 0.01	23.0	20.5	86	29.4	47.6	4.07	11.60	0.10
345445	9413 9402	2.70	< 5	0.06	3.37	2.8	< 10	97.0	0.40	0.64	1.68	< 0.01	25.3	20.8	81	30.0	41.0	4.18	8.95	0.10
345446	9413 9402	2.78	10	2.14	3.13	7.0	< 10	95.0	0.40	0.85	3.15	< 0.01	36.0	16.8	76	32.1	31.8	4.11	8.20	0.10
345447	9413 9402	2.60	10	0.44	2.33	5.6	< 10	61.8	0.40	0.98	2.84	< 0.01	47.1	20.0	65	22.9	39.0	4.04	5.65	0.05
345448	9413 9402	2.66	5	0.78	1.03	1.3	< 10	47.8	0.30	2.59	4.22	0.10	35.8	13.9	57	10.65	36.8	3.04	2.75	0.05
345449	9413 9402	3.54	< 5	0.39	2.25	1.3	< 10	45.6	0.30	0.46	1.38	0.01	38.2	17.7	59	15.70	25.6	4.33	5.40	0.05
345450	9413 9402	2.02	< 5	0.33	0.24	1.1	< 10	29.2	0.15	1.16	4.43	0.26	46.2	16.4	71	1.00	59.8	2.93	0.80	0.05
345451	9413 9402	2.80	< 5	0.21	1.76	1.8	< 10	37.8	0.25	0.74	0.77	0.06	38.4	19.1	56	5.75	37.2	4.02	4.50	0.05
345452	9413 9402	3.82	< 5	0.19	2.10	1.4	< 10	41.2	0.35	1.01	3.62	0.08	27.3	24.2	60	4.35	53.9	4.50	5.95	0.05
345453	9413 9402	3.90	< 5	0.10	2.36	0.8	< 10	45.4	0.20	0.31	2.45	0.01	41.0	15.0	58	7.60	24.4	3.69	5.90	0.05
345454	9413 9402	3.84	< 5	0.09	2.60	1.3	< 10	71.6	0.35	0.51	3.48	0.01	30.1	16.5	64	17.80	29.0	3.69	7.10	0.05
345455	9413 9402	3.82	20	0.15	2.42	358	< 10	49.2	0.65	1.25	1.95	0.05	41.9	57.9	61	21.8	59.6	5.12	6.65	0.10
345456	9413 9402	4.14	< 5	0.07	2.86	12.7	< 10	66.0	0.35	0.51	0.76	< 0.01	43.3	19.2	70	31.7	26.8	4.35	7.45	0.10
345457	9413 9402	5.38	< 5	0.05	2.49	6.4	< 10	39.0	0.20	0.27	0.40	< 0.01	22.3	16.6	79	9.85	25.0	4.17	6.40	0.05
345458	9413 9402	5.12	20	0.06	3.16	3.9	< 10	71.2	0.45	1.39	2.23	< 0.01	19.15	19.7	67	21.5	38.2	4.26	8.05	0.05
345459	9413 9402	5.18	20	0.07	4.93	4.3	< 10	150.6	0.80	1.57	5.62	0.01	20.5	21.4	85	22.9	41.6	4.27	12.20	0.15
345460	9413 9402	4.74	20	0.04	4.39	0.7	< 10	135.4	0.60	1.00	2.48	< 0.01	21.6	17.7	85	26.3	33.2	4.26	10.65	0.10
345461	9413 9402	5.26	30	0.05	4.51	1.8	< 10	140.8	0.70	2.27	7.54	0.02	18.05	16.8	81	17.30	45.0	3.65	11.05	0.10
345462	9413 9402	5.00	15	0.04	4.14	3.0	< 10	135.4	0.60	1.31	5.52	0.01	19.60	17.6	80	26.6	32.4	4.04	9.90	0.10
345463	9413 9402	5.04	5	0.10	2.36	16.4	< 10	73.0	0.50	0.76	2.97	0.01	26.9	18.1	63	17.60	32.2	4.35	6.00	0.05
345464	9413 9402	5.12	< 5	0.26	3.04	2.5	< 10	83.2	0.35	0.46	2.97	< 0.01	20.4	18.9	68	24.2	33.4	4.22	7.30	0.05
345465	9413 9402	2.70	10	0.17	3.02	6.2	< 10	64.0	0.40	0.81	1.26	< 0.01	21.5	32.7	76	22.4	70.8	5.49	7.40	0.10
345466	9413 9402	3.26	< 5	0.08	3.49	2.2	< 10	89.6	0.30	0.23	2.03	< 0.01	19.85	16.8	75	34.0	20.0	4.24	7.95	0.10
345467	9413 9402	4.38	< 5	0.06	2.89	1.1	< 10	67.2	0.30	0.37	1.60	< 0.01	20.6	18.7	68	24.7	28.2	4.28	6.65	0.05
345468	9413 9402	0.88	5	0.05	2.64	0.8	< 10	59.0	0.30	0.44	1.99	< 0.01	22.2	19.5	62	24.8	43.0	4.38	5.95	0.05

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :1-B
Total Pages :2
Certificate Date: 25-SEP-2001
Invoice No. :I0123913
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123913

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345429	94139402	0.08	0.03	0.020	0.64	22.6	40.3	1.18	385	0.45	0.01	0.25	49.3	400	14.6	64.0<	0.001	0.51	< 0.05	3.8
345430	94139402	0.06	0.03	0.020	0.67	20.6	41.2	0.98	855	0.65	0.06	0.25	43.6	720	8.4	63.3<	0.001	0.39	0.05	4.8
345431	94139402	0.06	0.01	0.015	0.68	20.2	46.9	1.22	410	0.40	0.04	0.20	49.6	360	5.8	60.5<	0.001	0.56	< 0.05	4.6
345432	94139402	0.04	0.01	0.015	1.11	18.4	46.3	1.19	490	0.60	0.08	0.25	47.6	430	6.4	116.0<	0.001	0.70	< 0.05	5.1
345433	94139402	0.06	0.01	0.015	1.52	18.0	47.7	1.36	350	0.40	0.10	0.25	52.3	400	5.4	160.0<	0.001	0.70	< 0.05	5.7
345434	94139402	0.06	0.01	0.015	1.47	11.8	43.6	1.31	340	0.85	0.10	0.25	48.0	450	5.4	152.0<	0.001	0.56	< 0.05	5.9
345435	94139402	0.04	< 0.01	0.005	1.44	9.8	41.3	1.22	270	0.35	0.08	0.30	43.8	370	4.4	155.5<	0.001	0.46	< 0.05	4.7
345436	94139402	0.02	< 0.01	0.005	1.38	10.0	36.4	1.22	535	0.75	0.14	0.25	45.4	470	7.0	132.5<	0.001	0.78	< 0.05	5.0
345437	94139402	0.02	< 0.01	0.005	0.88	12.6	35.0	1.08	470	0.35	0.10	0.20	43.8	450	5.6	88.7<	0.001	0.88	< 0.05	4.4
345438	94139402	0.04	< 0.01	0.005	0.89	13.4	39.7	1.27	280	0.70	0.09	0.20	47.0	440	5.2	93.1<	0.001	0.96	< 0.05	4.3
345439	94139402	0.02	< 0.01	0.005	0.23	5.2	10.7	0.38	290	0.55	0.01	0.15	17.0	120	3.4	20.9<	0.001	0.30	< 0.05	2.2
345440	94002 25	0.22	8.82	0.050	0.29	13.8	5.0	0.24	290	10.10	0.01	0.10	36.6	1060	18.4	14.8	0.005	0.13	31.75	4.9
345441	94139402	0.06	0.14	0.005	0.97	13.4	37.8	1.20	345	0.85	0.11	0.20	42.2	430	4.8	94.7<	0.001	0.97	0.15	4.9
345442	94139402	0.02	0.05	0.020	0.14	16.2	2.6	0.09	890	0.35	< 0.01	0.15	33.8	400	7.2	7.9<	0.001	1.04	< 0.05	1.8
345443	94139402	0.02	0.02	0.010	0.85	14.6	43.7	1.33	360	0.85	0.06	0.20	42.6	440	4.6	82.3<	0.001	0.77	< 0.05	4.3
345444	94139402	0.02	0.01	0.005	1.30	12.0	52.4	1.53	435	0.40	0.17	0.20	47.8	430	5.2	120.0<	0.001	0.94	< 0.05	6.0
345445	94139402	0.04	0.01	0.005	1.18	13.0	48.5	1.33	180	0.85	0.10	0.20	46.0	390	2.8	121.0<	0.001	0.70	< 0.05	4.8
345446	94139402	0.10	0.06	0.015	1.20	19.2	45.7	1.25	295	0.40	0.09	0.25	42.0	430	3.2	117.5<	0.001	0.66	< 0.05	5.2
345447	94139402	0.10	0.04	0.015	0.81	23.8	38.9	1.14	245	0.75	0.03	0.25	43.2	410	3.0	79.2<	0.001	0.94	< 0.05	4.0
345448	94139402	0.08	0.03	0.015	0.45	19.2	18.1	0.50	465	0.45	< 0.01	0.20	35.8	480	31.2	40.9<	0.001	1.17	< 0.05	2.5
345449	94139402	0.04	0.02	0.020	0.58	21.2	41.1	1.11	235	0.80	0.01	0.20	42.8	410	3.4	54.8<	0.001	0.59	< 0.05	3.5
345450	94139402	0.06	0.02	0.015	0.16	26.0	2.2	0.07	600	0.55	< 0.01	0.05	49.6	700	6.6	7.2<	0.001	1.73	< 0.05	2.0
345451	94139402	0.02	0.01	0.020	0.29	21.6	35.6	0.86	220	0.90	< 0.01	0.10	44.8	340	3.6	20.7<	0.001	1.03	< 0.05	2.9
345452	94139402	0.04	0.01	0.020	0.25	15.4	38.1	0.99	530	0.45	0.03	0.15	48.8	450	7.6	18.1<	0.001	1.14	< 0.05	4.6
345453	94139402	0.04	0.01	0.015	0.42	21.4	38.4	1.04	335	0.80	0.03	0.15	37.0	370	3.4	34.9<	0.001	0.43	< 0.05	3.4
345454	94139402	0.04	0.01	0.015	0.73	17.0	46.2	1.06	425	0.45	0.06	0.20	39.6	370	4.8	68.7<	0.001	0.56	< 0.05	4.6
345455	94139402	0.06	0.01	0.030	0.70	23.0	59.4	1.22	305	0.90	0.01	0.15	56.9	380	12.4	76.5<	0.001	1.39	0.40	5.0
345456	94139402	0.04	0.01	0.010	1.16	23.2	55.7	1.28	185	0.40	0.04	0.20	50.9	380	3.6	117.5<	0.001	0.52	< 0.05	4.1
345457	94139402	0.02	0.01	0.010	0.47	12.2	41.0	1.19	170	0.95	0.02	0.20	43.2	390	3.4	44.6<	0.001	0.42	< 0.05	3.2
345458	94139402	0.02	0.01	0.005	0.94	10.6	41.2	1.22	260	0.40	0.08	0.20	41.8	410	4.8	94.0<	0.001	0.86	< 0.05	4.3
345459	94139402	0.02	0.01	0.005	1.48	12.0	39.5	1.30	450	0.90	0.20	0.25	48.0	510	6.6	126.0<	0.001	0.93	< 0.05	6.8
345460	94139402	0.02	0.01	0.005	1.61	12.2	39.6	1.37	220	0.40	0.17	0.15	43.8	440	4.4	139.0<	0.001	0.77	< 0.05	5.7
345461	94139402	0.02	0.01	0.005	1.25	10.2	32.4	1.14	440	0.75	0.21	0.25	40.4	500	8.2	99.7<	0.001	0.86	< 0.05	6.5
345462	94139402	0.02	0.01	0.005	1.43	11.0	40.8	1.27	505	0.40	0.14	0.20	41.0	500	7.2	119.5<	0.001	0.66	< 0.05	5.4
345463	94139402	0.04	0.01	0.015	0.87	15.4	54.4	1.20	385	0.80	0.04	0.15	42.2	440	6.0	74.1<	0.001	0.70	0.10	4.7
345464	94139402	< 0.02	< 0.01	0.005	1.13	11.6	50.5	1.26	350	0.30	0.06	0.20	43.6	430	4.8	89.2<	0.001	0.69	< 0.05	3.7
345465	94139402	< 0.02	< 0.01	0.005	0.94	11.8	40.1	1.38	185	0.80	0.07	0.25	64.6	370	3.6	81.2<	0.001	1.47	< 0.05	3.4
345466	94139402	< 0.02	< 0.01	0.005	1.39	11.2	48.1	1.49	325	0.35	0.07	0.15	45.2	410	2.6	121.5<	0.001	0.40	< 0.05	3.4
345467	94139402	< 0.02	< 0.01	0.005	1.00	11.4	39.3	1.29	255	0.80	0.05	0.20	44.8	420	2.8	85.2<	0.001	0.69	< 0.05	2.9
345468	94139402	< 0.02	< 0.01	0.005	0.77	12.8	38.4	1.18	230	0.45	0.04	0.25	47.0	400	3.0	77.2<	0.001	0.85	< 0.05	2.7

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number :1-C
Total Pages :2
Certificate Date: 25-SEP-2001
Invoice No. :I0123913
P.O. Number :21341
Account :SWY

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0123913

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345429	94139402	0.2	0.6	148.2	< 0.01	0.03	10.4	0.05	0.48	2.45	17	0.10	15.75	68	< 0.5
345430	94139402	0.2	0.6	278.0	< 0.01	0.01	9.8	0.05	0.38	2.05	24	6.25	17.00	38	< 0.5
345431	94139402	0.2	0.6	128.9	< 0.01	0.02	9.4	0.05	0.38	1.60	26	0.25	12.75	54	< 0.5
345432	94139402	0.2	1.0	257.0	< 0.01	0.03	9.4	0.08	0.64	1.70	30	0.05	13.65	38	< 0.5
345433	94139402	0.2	1.4	156.0	< 0.01	0.01	10.8	0.10	0.92	1.95	33	0.10	14.55	50	< 0.5
345434	94139402	< 0.2	1.0	177.2	< 0.01	0.01	9.2	0.10	0.84	1.50	36	0.10	12.20	50	< 0.5
345435	94139402	< 0.2	1.0	189.7	< 0.01	0.02	8.4	0.11	0.88	1.35	26	0.05	10.95	48	< 0.5
345436	94139402	< 0.2	0.8	303.0	< 0.01	0.03	8.0	0.09	0.82	1.10	31	0.10	8.50	32	< 0.5
345437	94139402	< 0.2	0.8	258.0	< 0.01	0.03	8.4	0.07	0.60	1.40	27	0.05	10.40	24	< 0.5
345438	94139402	0.2	0.8	135.1	< 0.01	0.05	9.6	0.07	0.66	1.60	28	0.05	11.10	36	< 0.5
345439	94139402	< 0.2	0.2	141.0	< 0.01	< 0.01	3.6	0.01	0.14	0.65	5	0.05	5.15	8	< 0.5
345440	94000 225	2.4	1.2	67.6	< 0.01	0.18	4.0	< 0.01	2.26	4.10	124	3.75	11.20	72	7.0
345441	94139402	< 0.2	1.0	186.8	< 0.01	0.04	9.4	0.08	0.72	1.65	30	0.15	9.75	24	1.0
345442	94139402	< 0.2	1.0	330.0	< 0.01	< 0.01	8.4	< 0.01	0.08	2.35	1	4.65	12.35	< 2	0.5
345443	94139402	< 0.2	0.8	182.2	< 0.01	0.01	9.8	0.06	0.64	1.60	24	0.85	11.85	22	< 0.5
345444	94139402	< 0.2	1.4	336.0	< 0.01	0.04	9.2	0.09	0.86	1.30	36	0.20	10.90	18	< 0.5
345445	94139402	0.2	0.8	113.3	< 0.01	0.04	10.0	0.08	0.92	1.75	29	0.05	12.65	34	< 0.5
345446	94139402	0.2	0.8	121.1	< 0.01	0.03	10.2	0.08	0.92	2.05	30	0.15	15.55	36	< 0.5
345447	94139402	0.2	0.6	107.7	< 0.01	0.03	11.6	0.06	0.68	2.50	21	0.05	16.00	32	< 0.5
345448	94139402	< 0.2	1.2	198.6	< 0.01	0.06	11.0	0.02	0.34	2.70	9	0.15	12.85	18	< 0.5
345449	94139402	< 0.2	0.2	76.9	< 0.01	0.01	11.0	0.05	0.54	2.90	16	0.10	11.40	62	< 0.5
345450	94139402	< 0.2	0.8	143.6	< 0.01	0.01	9.8	< 0.01	0.06	2.70	1	0.15	11.55	4	< 0.5
345451	94139402	< 0.2	0.4	55.0	< 0.01	< 0.01	10.4	0.01	0.20	2.95	11	0.05	7.45	56	< 0.5
345452	94139402	< 0.2	0.4	170.9	< 0.01	0.02	10.6	0.01	0.16	2.60	19	0.05	13.75	52	< 0.5
345453	94139402	0.2	0.2	100.9	< 0.01	0.01	10.2	0.03	0.28	2.65	16	0.05	17.60	56	< 0.5
345454	94139402	< 0.2	0.6	132.7	< 0.01	0.01	9.8	0.06	0.54	2.20	24	0.05	12.65	54	< 0.5
345455	94139402	0.2	0.6	240.0	< 0.01	0.05	12.0	0.05	0.60	3.00	19	0.05	14.80	100	< 0.5
345456	94139402	0.2	0.6	64.1	< 0.01	0.02	10.2	0.10	0.90	2.30	24	0.40	14.50	74	< 0.5
345457	94139402	< 0.2	0.2	35.2	< 0.01	0.02	8.2	0.05	0.34	1.60	19	< 0.05	11.25	76	< 0.5
345458	94139402	< 0.2	0.8	130.1	< 0.01	0.04	8.2	0.07	0.72	1.45	26	0.45	10.20	46	< 0.5
345459	94139402	< 0.2	1.2	322.0	< 0.01	0.04	8.6	0.08	0.92	1.80	37	0.20	9.50	28	< 0.5
345460	94139402	< 0.2	1.2	237.0	< 0.01	0.02	9.4	0.08	1.04	1.85	35	0.15	12.85	38	< 0.5
345461	94139402	< 0.2	1.2	427.0	< 0.01	0.05	7.0	0.08	0.74	1.35	37	0.20	8.45	20	< 0.5
345462	94139402	< 0.2	1.0	265.0	< 0.01	0.04	6.8	0.09	0.88	1.25	35	0.20	8.60	44	< 0.5
345463	94139402	< 0.2	0.6	163.2	< 0.01	0.03	8.6	0.04	0.68	2.15	22	0.05	12.30	52	< 0.5
345464	94139402	0.2	0.8	104.8	< 0.01	0.01	8.6	0.08	0.68	1.45	28	0.25	12.40	56	< 0.5
345465	94139402	0.2	0.6	62.9	< 0.01	0.01	9.4	0.09	0.64	1.40	29	1.75	12.35	60	< 0.5
345466	94139402	0.2	0.6	81.3	< 0.01	< 0.01	8.8	0.09	0.92	1.50	28	0.05	12.55	56	< 0.5
345467	94139402	0.2	0.2	77.5	< 0.01	0.01	9.6	0.08	0.70	1.75	23	0.05	13.85	54	< 0.5
345468	94139402	0.2	0.2	84.6	< 0.01	< 0.01	9.2	0.07	0.64	1.60	21	0.20	13.45	52	< 0.5

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 25-SEP-2001
Invoice No. :10123913
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123913

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345469	9413 9402	4.72	< 5	0.53	2.61	5.0	< 10	43.4	0.30	0.54	1.63	< 0.01	24.7	19.9	49	14.15	32.0	4.14	6.90	0.10
345470	9400 225	0.10	40	0.50	2.67	556	< 10	406.4	1.20	0.19	0.59	3.07	52.4	23.3	44	10.15	91.2	4.04	7.55	0.15
345471	9413 9402	5.32	10	0.39	2.29	2.1	< 10	42.4	0.30	0.63	2.00	0.01	24.2	19.9	45	19.35	41.8	4.15	5.90	0.10
345472	9413 9402	5.24	< 5	0.36	2.82	0.5	< 10	61.2	0.35	0.75	3.07	< 0.01	24.0	19.1	52	26.4	45.2	3.94	7.50	0.15
345473	9413 9402	5.46	< 5	0.30	2.44	1.2	< 10	56.2	0.35	0.67	3.28	< 0.01	27.7	15.9	48	23.6	34.4	3.66	6.45	0.10
345474	9413 9402	5.56	< 5	0.28	2.79	0.2	< 10	58.8	0.40	0.71	3.18	< 0.01	18.20	15.4	50	18.65	35.0	3.52	6.80	0.10
345475	9413 9402	5.24	< 5	0.29	2.79	0.6	< 10	54.0	0.35	0.57	2.73	< 0.01	20.8	16.4	48	19.55	33.6	3.78	7.45	0.10
345476	9413 9402	4.14	< 5	0.26	2.99	< 0.1	< 10	72.0	0.40	0.48	2.36	< 0.01	22.9	16.7	50	23.2	32.8	3.71	7.75	0.10

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 25-SEP-2001
Invoice No. :I0123913
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0123913

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345469	9413 9402	0.10	0.04	0.010	0.56	13.0	36.1	1.24	265	0.25	0.07	0.45	47.4	440	3.0	55.8<	0.001	0.71	0.05	3.4
345470	9400 225	0.36	0.14	0.040	0.68	25.6	27.2	1.10	1175	3.60	0.03	1.00	121.0	1760	14.8	47.6	0.001	0.03	4.15	8.4
345471	9413 9402	0.10	0.01	0.005	0.63	12.8	34.1	1.19	225	0.30	0.05	0.35	49.8	420	3.2	69.4<	0.001	0.94	0.05	3.2
345472	9413 9402	0.10	0.02	0.005	0.99	12.4	40.1	1.23	270	0.20	0.10	0.30	52.8	430	4.8	113.0<	0.001	0.84	0.05	3.6
345473	9413 9402	0.08 <	0.01	0.005	0.99	14.4	43.2	1.18	325	0.20	0.08	0.20	41.8	360	3.8	106.5<	0.001	0.70	0.05	3.5
345474	9413 9402	0.06 <	0.01	0.005	0.94	9.4	31.5	1.17	275	0.25	0.10	0.30	39.0	320	3.2	96.6<	0.001	0.71	0.05	2.9
345475	9413 9402	0.06 <	0.01	0.005	0.96	10.8	33.5	1.28	260	0.25	0.08	0.25	45.6	320	2.8	104.0<	0.001	0.63	0.05	3.5
345476	9413 9402	0.06	0.01	0.005	1.20	12.0	34.7	1.27	210	0.25	0.10	0.25	45.4	350	7.0	130.0<	0.001	0.68 <	0.05	3.6

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number :2-C
Total Pages :2
Certificate Date: 25-SEP-2001
Invoice No. :I0123913
P.O. Number :21341
Account :SWY

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0123913

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345469	94139402	0.2	0.4	69.5	0.02	0.04	8.8	0.07	0.48	1.65	23	0.25	14.35	60	< 0.5
345470	9400 225	1.0	1.0	60.3	< 0.01	0.06	6.6	0.10	1.68	3.40	82	0.70	16.30	716	10.0
345471	94139402	0.2	0.2	78.0	0.01	0.04	10.2	0.07	0.64	1.50	20	0.10	14.00	54	0.5
345472	94139402	0.2	0.6	136.5	0.01	0.03	11.2	0.10	0.88	1.60	26	0.10	12.55	44	0.5
345473	94139402	0.2	0.6	143.0	0.01	0.03	10.8	0.08	0.76	1.65	22	0.05	12.40	42	< 0.5
345474	94139402	0.2	0.4	166.4	0.01	0.04	8.2	0.08	0.66	1.15	23	0.25	9.25	36	< 0.5
345475	94139402	0.2	0.6	141.7	0.01	0.03	9.4	0.09	0.70	1.40	22	0.10	13.10	52	< 0.5
345476	94139402	0.2	0.6	144.3	0.01	0.02	9.8	0.09	0.86	1.40	24	0.05	11.10	48	< 0.5

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP - E
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 24-SEP-2001
Invoice No. :I0124023
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0124023

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345548	94139402	2.12	< 5	0.83	1.04	12.2	< 10	114.2	0.30	0.09	9.58	0.04	15.95	9.1	41	2.75	12.4	2.18	2.60	< 0.05
345549	94139402	3.96	< 5	0.84	1.61	23.0	< 10	178.8	0.40	0.11	8.99	0.06	49.6	17.7	45	5.05	19.2	2.51	4.35	0.05
345550	94139402	4.08	< 5	0.63	1.52	26.0	< 10	151.2	0.35	0.47	10.25	0.08	37.8	17.3	38	6.10	26.8	3.03	3.95	0.05
345551	94139402	4.12	< 5	0.49	1.38	25.8	< 10	154.4	0.35	0.32	8.86	0.06	45.1	11.2	40	5.40	16.8	2.28	3.75	0.05
345552	94139402	4.24	< 5	0.38	0.51	9.6	< 10	100.0	0.35	0.48	7.74	0.15	33.7	11.5	37	2.80	27.4	2.86	1.40	< 0.05
345553	94139402	4.14	< 5	0.37	0.41	2.6	< 10	121.2	0.25	0.49	6.75	0.48	17.90	13.0	43	1.95	47.6	2.59	1.10	0.05
345554	94139402	3.06	< 5	0.33	0.26	61.4	< 10	124.2	0.25	0.67	4.86	2.27	9.98	7.8	64	1.10	29.2	1.79	0.70	0.05
345555	94139402	2.96	< 5	0.28	0.44	1.6	< 10	34.2	0.20	0.06	10.90	0.05	13.65	1.5	21	1.50	1.4	0.98	0.90	< 0.05
345556	94139402	2.62	< 5	0.23	0.37	4.0	< 10	26.6	0.20	0.08	6.88	0.01	3.14	4.9	60	3.10	9.4	0.99	0.80	< 0.05
345557	94139402	2.04	< 5	0.20	0.48	2.7	< 10	39.0	0.25	0.04	9.97	0.01	6.60	2.8	29	4.70	3.2	0.97	1.20	< 0.05
345558	94139402	2.28	< 5	0.13	0.28	0.7	< 10	21.8	0.10	0.02	7.73	0.03	5.16	2.3	49	0.60	2.6	1.05	0.70	< 0.05
345559	94139402	1.76	< 5	0.16	0.84	7.1	< 10	53.6	0.35	0.09	9.36	0.01	25.5	5.0	19	3.75	4.2	1.88	2.20	< 0.05
345560	225400	0.10	6480	0.55	1.53	640	< 10	147.4	1.65	1.32	1.92	1.69	7.26	16.2	134	2.70	153.0	2.76	7.05	0.20
345561	94139402	0.96	< 5	0.30	0.03	6.0	< 10	69.2	0.20	0.04	>15.00	0.05	18.80	4.8	9	0.70	12.4	0.77	0.30	< 0.05
345562	94139402	2.38	< 5	0.28	0.08	2.2	< 10	22.2	0.10	0.01	6.93	0.24	1.72	2.3	65	1.35	4.2	0.66	0.35	< 0.05
345563	94139402	3.86	< 5	0.22	0.46	1.4	< 10	31.4	0.20	0.08	6.53	< 0.01	8.22	2.3	50	4.05	3.0	0.83	1.05	< 0.05
345564	94139402	4.46	< 5	0.19	0.35	1.0	< 10	17.8	0.15	0.11	4.12	< 0.01	6.88	1.8	72	2.35	2.6	0.84	0.75	< 0.05
345565	94139402	2.40	< 5	0.17	0.30	17.2	< 10	27.4	0.20	0.22	5.02	0.05	27.0	7.0	53	2.20	10.6	1.76	0.75	< 0.05
345566	94139402	3.38	< 5	0.25	0.33	11.6	< 10	34.8	0.20	1.29	5.27	0.07	7.14	17.3	55	1.10	38.4	2.75	0.80	< 0.05
345567	94139402	3.72	< 5	0.23	0.26	5.7	< 10	73.0	0.20	0.17	1.85	0.41	10.00	8.7	59	0.85	49.4	2.15	0.65	< 0.05
345568	94139402	3.36	< 5	0.64	0.28	6.3	< 10	85.0	0.25	0.20	2.10	1.06	10.80	8.6	77	0.90	45.2	2.02	0.75	< 0.05
345569	94139402	4.28	< 5	0.53	0.20	7.8	< 10	68.8	0.15	0.26	2.02	0.60	8.68	7.2	67	0.55	35.4	1.89	0.45	< 0.05
345570	94139402	2.72	< 5	0.47	0.27	2.7	< 10	83.6	0.15	0.09	1.67	6.33	12.10	9.7	55	0.60	37.4	2.06	0.65	< 0.05
345571	94139402	1.32	< 5	0.34	0.17	1.0	< 10	50.4	0.15	0.06	1.72	1.43	8.24	6.3	82	0.40	25.6	1.91	0.45	< 0.05
345572	94139402	4.30	< 5	0.92	0.35	1.7	< 10	71.8	0.20	1.87	2.05	0.32	10.80	9.0	50	0.70	71.5	3.25	0.90	0.05
345573	94139402	4.12	< 5	0.65	0.31	0.7	< 10	103.2	0.20	0.22	0.73	0.99	14.45	7.1	65	0.65	41.8	1.88	0.80	0.05
345574	94139402	2.54	< 5	0.55	0.34	3.2	< 10	78.8	0.25	0.26	0.61	1.12	14.20	7.6	67	0.75	44.0	2.05	0.85	< 0.05
345575	94139402	1.80	< 5	0.58	0.30	2.8	< 10	66.6	0.25	0.33	0.96	0.97	17.40	6.8	62	0.70	57.4	3.06	0.90	0.05
345576	94139402	4.22	< 5	0.48	0.29	4.5	< 10	96.8	0.25	0.21	0.55	0.47	13.50	6.2	68	1.05	33.4	1.88	0.75	< 0.05
345577	94139402	5.10	< 5	0.43	0.25	1.6	< 10	95.6	0.20	0.12	0.80	1.14	12.75	6.0	53	0.60	33.2	1.87	0.65	< 0.05
345578	94139402	5.14	< 5	0.48	0.34	1.1	< 10	105.2	0.30	0.15	0.89	0.48	14.25	8.2	65	0.60	45.8	2.35	0.80	< 0.05
345579	94139402	5.46	< 5	0.39	0.30	1.4	< 10	98.2	0.20	0.15	0.88	0.17	12.80	7.1	59	0.50	33.4	1.83	0.75	< 0.05
345580	94139402	5.14	< 5	0.30	0.32	0.7	< 10	98.6	0.20	0.12	1.18	0.63	12.45	6.4	57	0.45	32.8	1.83	0.75	< 0.05
345581	94139402	5.46	< 5	0.29	0.30	0.8	< 10	95.2	0.15	0.12	1.71	0.81	12.10	6.8	37	0.55	40.8	1.97	0.85	< 0.05
345582	94139402	3.84	< 5	0.31	0.51	0.9	< 10	96.0	0.25	0.32	1.58	0.60	14.40	8.5	52	0.60	42.6	2.35	1.25	< 0.05
345583	94139402	4.20	< 5	0.32	0.51	1.1	< 10	95.2	0.20	0.18	2.00	0.47	15.70	7.3	53	0.60	43.8	2.27	1.45	< 0.05
345584	94139402	4.26	< 5	0.29	0.42	0.9	< 10	100.2	0.25	0.17	1.62	0.92	12.40	7.0	70	0.55	37.0	2.00	1.10	< 0.05
345585	94139402	3.64	< 5	0.29	0.37	0.9	< 10	86.8	0.20	0.47	0.75	0.53	12.85	7.6	60	0.45	43.8	2.31	0.95	< 0.05
345586	94139402	3.84	< 5	0.28	0.41	0.4	< 10	111.8	0.20	0.27	1.17	0.52	14.70	6.9	53	0.50	36.8	1.92	1.00	0.05
345587	94139402	3.82	< 5	0.29	0.38	0.8	< 10	118.6	0.25	0.28	0.75	0.16	16.30	6.6	57	0.60	39.6	1.82	0.95	< 0.05

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 24-SEP-2001
Invoice No. : I0124023
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0124023

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345548	94139402	0.10	0.03	0.015	0.23	8.6	13.4	1.56	450	0.60	< 0.01	0.20	18.8	210	7.8	10.1<	0.001	0.27	1.20	2.9
345549	94139402	0.16	0.01	0.015	0.48	27.2	21.7	1.74	340	0.40	0.01	0.15	28.2	260	7.2	21.7<	0.001	0.36	0.25	3.8
345550	94139402	0.10	0.02	0.015	0.56	20.8	22.0	1.64	445	0.60	0.01	0.15	25.0	520	15.2	25.2<	0.001	0.92	0.15	3.7
345551	94139402	0.12	0.01	0.015	0.50	25.2	22.1	1.75	550	0.55	0.01	0.15	21.6	320	9.4	24.4<	0.001	0.44	0.15	3.3
345552	94139402	0.10	0.01	0.010	0.23	18.4	8.2	1.43	435	1.70	< 0.01	0.05	27.0	820	9.2	9.2	0.001	1.29	2.85	3.0
345553	94139402	0.14	0.01	0.010	0.21	10.0	5.4	2.09	505	8.95	< 0.01	0.05	49.9	1090	10.2	8.6	0.009	1.13	0.90	2.9
345554	94139402	0.14	0.01	0.020	0.18	5.4	1.7	1.81	305	25.80	< 0.01	0.05	76.0	1170	27.6	6.6	0.031	0.77	0.95	2.0
345555	94139402	0.06	0.01	0.010	0.07	8.6	6.4	5.74	575	1.65	< 0.01	0.05	5.4	100	3.2	5.0<	0.001	0.01	0.05	1.3
345556	94139402	0.08	0.01	0.005	0.16	1.8	5.5	2.87	335	1.30	< 0.01	0.05	4.8	50	2.6	12.5	0.001	0.40	0.35	1.0
345557	94139402	0.10	0.01	0.005	0.22	3.8	7.6	4.73	570	1.80	< 0.01	0.05	5.8	140	1.2	20.8	0.001	0.05	0.35	1.3
345558	94139402	0.06	0.01	0.005	0.02	3.0	4.6	4.85	690	0.65	< 0.01	0.05	6.8	250	6.2	1.7<	0.001	0.01	1.25	1.2
345559	94139402	0.08	< 0.01	0.020	0.20	15.2	11.8	5.19	1040	1.85	< 0.01	0.05	11.6	1210	2.0	12.9	0.001	0.06	0.70	3.3
345560	22594400	0.08	0.90	2.050	0.34	7.0	9.3	0.08	25	18.95	0.03	0.15	98.9	9310	421.8	16.2	0.004	0.35	656.0	3.9
345561	94139402	0.08	0.04	0.045	0.02	9.0	0.7	2.31	1760	0.50	< 0.01	0.05	10.2	100	5.0	1.3<	0.001	0.16	2.55	3.1
345562	94139402	0.06	0.01	0.010	0.06	0.8	0.8	1.75	635	0.90	< 0.01	0.05	4.8	150	16.0	4.7	0.001	0.03	1.20	1.0
345563	94139402	0.08	0.01	0.005	0.16	4.8	6.7	3.68	395	0.75	< 0.01	0.05	6.0	130	2.2	11.4	0.001	0.01	0.40	1.4
345564	94139402	0.06	0.01<	0.005	0.20	3.8	4.3	2.34	295	0.55	< 0.01	0.05	4.6	110	2.8	10.9<	0.001	0.03	0.30	0.9
345565	94139402	0.06	< 0.01	0.005	0.14	15.2	4.2	2.79	1075	1.20	< 0.01	< 0.05	12.6	580	10.4	6.8	0.001	0.44	0.35	2.4
345566	94139402	0.10	< 0.01	0.005	0.13	4.2	4.4	2.78	580	17.65	< 0.01	0.05	55.4	1080	8.8	5.9	0.031	1.36	0.55	2.3
345567	94139402	0.12	< 0.01	0.010	0.18	5.6	1.3	0.79	195	3.60	< 0.01	< 0.05	45.6	910	6.2	6.0	0.002	1.22	0.40	1.4
345568	94139402	0.14	< 0.01	0.025	0.18	5.8	1.7	0.91	190	4.50	< 0.01	< 0.05	47.2	1100	5.4	6.4	0.004	0.96	0.35	1.7
345569	94139402	0.08	0.01	0.015	0.15	4.6	0.7	0.78	210	2.70	< 0.01	< 0.05	34.2	740	12.2	4.7	0.002	0.93	0.25	1.2
345570	94139402	0.14	0.01	0.065	0.17	6.8	1.8	0.77	230	3.35	0.01	< 0.05	44.2	860	3.4	5.5	0.002	1.13	0.25	1.3
345571	94139402	0.12	< 0.01	0.015	0.10	4.6	1.2	0.69	340	1.90	< 0.01	< 0.05	29.6	800	2.0	3.2	0.001	0.75	0.15	1.2
345572	94139402	0.14	< 0.01	0.015	0.17	5.8	3.1	0.99	405	3.90	0.01	0.05	45.6	950	148.4	5.9	0.003	1.77	0.20	1.7
345573	94139402	0.20	< 0.01	0.020	0.19	8.2	1.6	0.31	130	4.50	0.01	< 0.05	45.0	950	14.6	6.4	0.003	1.04	0.25	1.2
345574	94139402	0.18	< 0.01	0.020	0.19	8.2	2.2	0.24	100	4.65	0.01	< 0.05	49.8	1360	7.8	6.7	0.003	1.42	0.25	1.1
345575	94139402	0.20	< 0.01	0.025	0.16	9.8	2.7	0.47	265	6.40	0.01	0.10	31.2	850	17.0	5.6	0.002	1.86	0.15	0.8
345576	94139402	0.16	< 0.01	0.010	0.19	7.6	1.3	0.20	100	4.70	0.01	< 0.05	43.2	860	11.2	6.5	0.003	1.13	0.15	1.0
345577	94139402	0.16	< 0.01	0.020	0.17	7.4	0.9	0.32	225	4.80	0.01	< 0.05	41.8	810	37.2	5.5	0.004	1.06	0.20	0.8
345578	94139402	0.18	< 0.01	0.010	0.20	8.2	1.6	0.38	160	5.85	0.01	< 0.05	57.7	890	6.2	6.9	0.004	1.31	0.30	1.2
345579	94139402	0.14	< 0.01	0.005	0.16	7.4	2.1	0.38	155	4.40	0.01	< 0.05	50.9	820	5.4	5.7	0.003	0.99	0.20	1.0
345580	94139402	0.12	< 0.01	0.010	0.17	7.2	2.2	0.45	250	4.00	0.01	< 0.05	44.0	760	4.6	5.5	0.002	0.97	0.20	1.0
345581	94139402	0.12	< 0.01	0.015	0.15	6.6	2.5	0.66	885	3.35	0.01	< 0.05	38.4	770	9.8	5.4	0.002	1.05	0.20	1.1
345582	94139402	0.12	< 0.01	0.010	0.18	8.0	5.5	0.61	175	4.20	0.01	< 0.05	48.4	830	4.0	6.4	0.004	1.28	0.20	1.3
345583	94139402	0.12	< 0.01	0.010	0.16	8.8	6.3	0.74	365	3.95	0.01	< 0.05	45.2	840	5.4	5.5	0.002	1.28	0.25	1.7
345584	94139402	0.10	< 0.01	0.015	0.17	6.8	4.2	0.65	385	2.90	0.01	< 0.05	38.0	820	11.6	5.9	0.002	1.14	0.35	1.3
345585	94139402	0.12	< 0.01	0.015	0.16	7.4	3.5	0.31	110	4.15	0.01	< 0.05	61.4	880	5.0	5.4	0.003	1.44	0.35	0.9
345586	94139402	0.14	< 0.01	0.010	0.17	8.4	3.7	0.44	160	4.90	0.01	< 0.05	49.2	1020	3.6	6.0	0.004	1.08	0.20	1.2
345587	94139402	0.16	< 0.01	0.005	0.18	9.6	3.1	0.28	115	5.45	0.01	< 0.05	52.5	880	5.2	6.1	0.003	1.06	0.15	1.0

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number :1-C
Total Pages :3
Certificate Date: 24-SEP-2001
Invoice No. :I0124023
P.O. Number :21341
Account :SWY

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0124023

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345548	94139402	< 0.2	0.2	324.0	0.04	0.01	4.8	< 0.01	0.14	0.45	10	0.70	10.90	20	0.5
345549	94139402	< 0.2	0.4	279.9	0.01	0.01	9.0	0.02	0.14	0.70	11	0.15	10.55	38	1.0
345550	94139402	0.4	0.4	311.3	0.01	0.03	7.2	0.03	0.20	0.50	18	0.10	11.05	28	0.5
345551	94139402	0.2	0.4	287.8	0.01	0.02	7.8	0.02	0.20	0.55	10	0.05	10.25	22	1.0
345552	94139402	1.0	0.4	193.0	< 0.01	0.02	7.0	< 0.01	0.18	1.20	10	0.70	11.60	36	2.0
345553	94139402	2.0	0.4	183.7	< 0.01	0.03	5.6	< 0.01	0.10	4.75	36	0.65	12.20	76	2.5
345554	94139402	1.6	0.2	109.5	< 0.01	0.05	4.2	< 0.01	0.06	10.95	62	1.25	12.15	238	3.0
345555	94139402	< 0.2	< 0.2	134.9	< 0.01	< 0.01	1.2	< 0.01	0.02	1.00	3	0.15	9.90	12	0.5
345556	94139402	0.6	0.2	70.4	< 0.01	0.01	1.2	< 0.01	0.10	0.85	2	0.20	5.65	10	1.5
345557	94139402	< 0.2	0.2	100.5	< 0.01	< 0.01	1.2	< 0.01	0.14	1.10	3	0.20	8.10	12	2.0
345558	94139402	< 0.2	0.2	95.4	< 0.01	0.01	0.8	< 0.01	< 0.02	0.35	5	0.55	7.95	12	1.0
345559	94139402	0.2	0.6	96.5	< 0.01	0.02	2.2	< 0.01	0.08	1.00	15	0.50	11.60	14	1.5
345560	22594000	4.2	13.0	436.0	< 0.01	0.21	2.6	< 0.01	6.18	11.35	619	54.9	19.15	194	3.0
345561	94139402	0.4	0.2	220.2	0.02	0.01	0.8	< 0.01	0.04	0.95	1	1.55	40.80	4	0.5
345562	94139402	< 0.2	0.8	70.0	< 0.01	0.01	1.0	< 0.01	0.02	0.90	1	0.45	10.50	26	1.0
345563	94139402	< 0.2	0.4	66.9	< 0.01	< 0.01	1.4	< 0.01	0.08	0.75	4	0.35	7.50	10	1.5
345564	94139402	< 0.2	0.2	52.3	< 0.01	0.01	1.2	< 0.01	0.08	0.35	1	0.20	5.15	10	1.0
345565	94139402	0.2	0.6	69.9	< 0.01	0.03	1.8	< 0.01	0.04	0.50	4	0.30	10.25	18	1.0
345566	94139402	1.6	0.4	59.1	< 0.01	0.07	3.2	< 0.01	0.04	9.35	16	0.65	10.45	14	2.0
345567	94139402	1.8	0.4	29.0	< 0.01	0.04	5.2	< 0.01	0.04	2.25	11	0.30	5.60	68	3.0
345568	94139402	1.4	0.8	33.4	< 0.01	0.03	5.0	< 0.01	0.04	2.20	13	0.30	6.50	190	2.5
345569	94139402	1.4	0.6	28.4	< 0.01	0.03	3.6	< 0.01	0.02	1.65	8	0.30	4.70	132	2.0
345570	94139402	2.0	0.6	21.8	< 0.01	0.03	5.8	< 0.01	0.04	2.05	11	0.25	4.65	1365	3.0
345571	94139402	1.4	0.2	19.4	< 0.01	0.03	3.8	< 0.01	0.02	1.50	8	0.20	4.65	306	3.0
345572	94139402	3.0	0.2	28.2	< 0.01	0.18	6.0	< 0.01	0.04	1.75	15	0.30	5.85	76	3.0
345573	94139402	1.6	0.2	10.8	< 0.01	0.04	5.0	< 0.01	0.04	2.20	18	0.20	3.80	222	4.0
345574	94139402	1.8	0.2	8.4	< 0.01	0.06	5.2	< 0.01	0.06	2.45	21	0.25	4.20	250	4.5
345575	94139402	2.8	0.2	13.4	< 0.01	0.07	5.6	< 0.01	0.06	2.15	9	0.25	4.30	188	5.0
345576	94139402	1.6	0.2	8.6	< 0.01	0.03	4.0	< 0.01	0.06	2.40	16	0.25	3.20	98	4.0
345577	94139402	1.6	0.2	11.4	< 0.01	0.03	3.6	< 0.01	0.04	2.50	13	0.15	3.50	166	4.0
345578	94139402	2.0	0.2	14.0	< 0.01	0.04	4.8	< 0.01	0.06	3.10	19	0.15	3.80	100	4.5
345579	94139402	1.4	< 0.2	12.0	< 0.01	0.05	4.2	< 0.01	0.04	2.20	15	0.15	3.65	40	3.5
345580	94139402	1.4	0.2	15.8	< 0.01	0.04	4.8	< 0.01	0.02	2.20	15	0.15	3.80	126	3.0
345581	94139402	1.4	0.8	39.0	< 0.01	0.02	5.8	< 0.01	0.02	1.70	11	0.10	5.50	130	2.5
345582	94139402	2.0	< 0.2	24.2	< 0.01	0.05	7.0	< 0.01	0.04	1.95	18	0.15	4.85	126	2.5
345583	94139402	1.8	0.4	30.8	< 0.01	0.03	7.0	< 0.01	0.02	1.95	24	0.15	5.65	82	3.0
345584	94139402	1.4	0.6	29.6	< 0.01	0.01	5.8	< 0.01	0.04	1.55	15	0.15	4.60	156	2.5
345585	94139402	2.2	0.2	11.2	< 0.01	0.06	5.6	< 0.01	0.02	1.90	18	0.15	3.50	100	2.5
345586	94139402	1.6	0.2	17.2	< 0.01	0.03	5.6	< 0.01	0.02	2.55	22	0.15	4.65	110	3.0
345587	94139402	1.4	< 0.2	11.2	< 0.01	0.05	6.2	< 0.01	0.04	2.70	21	0.15	4.00	36	3.5

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 24-SEP-2001
Invoice No. :I0124023
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0124023

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345588	9413 9402	2.44	< 5	0.98	0.71	1.0	< 10	64.0	0.35	0.34	2.43	0.44	14.30	9.2	87	0.55	67.7	3.69	1.85	0.05
345589	9413 9402	2.96	< 5	0.56	0.55	0.7	< 10	100.0	0.40	0.11	0.79	0.41	19.20	7.6	62	0.50	43.0	2.19	1.35	0.05
345590	9413 9402	3.04	< 5	0.61	0.60	4.3	< 10	40.6	0.45	0.27	1.49	0.09	36.4	10.6	100	0.85	69.9	4.21	1.80	0.05
345591	9413 9402	2.22	< 5	0.61	0.60	29.6	< 10	30.6	0.50	0.23	1.40	0.08	31.5	21.6	133	0.75	29.2	4.17	1.75	0.05
345592	9413 9402	2.64	< 5	0.59	0.69	48.2	< 10	17.2	0.55	0.37	1.21	0.08	22.8	16.8	112	0.85	45.4	5.79	1.85	0.05
345593	9413 9402	1.80	< 5	0.42	0.49	15.6	< 10	26.8	0.35	0.42	0.89	0.05	14.05	8.4	120	0.60	57.8	4.37	1.30	0.05
345594	9413 9402	1.72	< 5	0.49	0.72	14.8	< 10	38.8	0.45	0.25	1.82	0.06	23.4	12.8	121	0.80	56.6	4.21	2.00	0.05
345595	9413 9402	2.84	15	0.72	1.11	62.3	< 10	13.2	0.75	0.53	3.55	0.06	37.5	35.3	59	1.10	71.0	7.90	3.15	0.10
345596	9413 9402	2.88	10	0.66	0.59	57.5	< 10	10.2	0.50	0.45	1.61	0.04	12.50	27.2	68	0.80	46.4	7.09	1.50	0.05
345597	9413 9402	2.84	< 5	0.69	0.58	43.9	< 10	17.0	0.55	3.29	0.99	0.03	19.60	40.4	43	0.90	103.5	7.93	1.30	0.05
345598	9413 9402	3.08	< 5	0.67	0.55	8.7	< 10	21.2	0.55	3.69	1.04	0.01	36.9	37.5	34	1.00	124.0	7.00	1.30	0.10
345599	9413 9402	2.24	< 5	0.51	1.20	3.6	< 10	28.2	0.60	0.96	1.61	0.01	28.4	29.0	37	1.55	97.0	6.25	3.55	0.05
345600	225 9400	0.12	135	0.50	1.65	766	< 10	442.6	0.60	0.53	1.12	1.45	25.2	7.3	70	1.90	97.9	3.57	4.50	0.05
345601	9413 9402	4.00	< 5	0.54	0.84	5.9	< 10	21.4	0.70	2.61	1.76	0.01	49.5	40.5	35	1.25	136.0	7.39	2.20	0.10
345602	9413 9402	2.52	< 5	0.44	0.60	1.7	< 10	52.0	0.50	1.68	2.35	< 0.01	43.8	30.9	110	0.90	86.9	4.15	1.45	0.05
345603	9413 9402	2.48	< 5	0.47	0.80	2.6	< 10	29.6	0.55	2.31	2.02	< 0.01	62.1	33.6	61	1.15	135.0	5.90	2.10	0.05
345604	9413 9402	4.38	< 5	0.70	0.97	29.0	< 10	62.2	0.45	0.44	2.79	7.69	30.0	43.8	38	1.20	68.6	3.68	2.50	0.05
345605	9413 9402	3.82	< 5	0.50	0.89	17.2	< 10	79.6	0.55	0.42	1.76	0.08	32.1	38.2	57	1.25	51.0	3.00	2.30	0.05
345606	9413 9402	4.22	< 5	0.39	1.08	11.0	< 10	138.2	0.60	0.26	2.50	0.03	32.6	31.9	42	1.45	36.8	2.85	2.85	< 0.05
345607	9413 9402	3.80	< 5	0.34	1.60	1.2	< 10	92.0	0.50	0.49	4.48	0.01	20.1	29.5	49	1.30	63.6	4.64	4.65	< 0.05
345608	9413 9402	4.12	< 5	0.88	0.98	4.4	< 10	92.0	0.55	1.50	2.64	0.03	26.3	34.8	49	1.50	61.2	3.64	2.60	< 0.05
345609	9413 9402	2.74	< 5	0.45	1.41	1.3	< 10	75.4	0.50	0.90	3.36	0.01	34.2	22.2	43	1.55	80.6	4.55	4.45	< 0.05
345610	9413 9402	1.06	< 5	0.28	0.64	0.6	< 10	70.6	0.35	0.23	2.08	0.01	16.75	6.4	118	0.70	30.2	1.68	1.75	< 0.05
345611	9413 9402	4.28	< 5	0.32	1.32	0.5	< 10	107.4	0.50	0.41	4.12	0.01	40.3	18.8	43	1.60	65.3	3.68	3.90	< 0.05
345612	9413 9402	2.00	< 5	0.38	1.32	1.5	< 10	68.2	0.55	0.31	4.81	0.02	33.0	24.0	42	1.60	70.3	5.10	4.10	0.05
345613	9413 9402	2.60	< 5	0.39	1.58	1.9	< 10	94.6	0.50	0.31	5.00	0.03	22.1	21.7	52	1.85	51.3	4.40	5.35	< 0.05
345614	9413 9402	1.38	< 5	0.69	1.04	1.4	< 10	29.4	0.70	0.67	2.38	0.04	21.6	40.0	54	1.70	75.8	7.31	3.35	0.05
345615	9413 9402	0.86	< 5	1.83	0.45	6.1	< 10	26.0	0.35	2.39	0.86	0.12	20.0	94.4	30	1.00	292	>15.00	1.50	0.15
345616	9413 9402	1.44	< 5	1.40	0.88	1.9	< 10	25.8	0.75	0.78	1.81	0.05	31.0	34.4	43	1.50	118.0	7.54	2.65	0.05
345617	9413 9402	2.20	< 5	0.90	0.53	0.9	< 10	88.0	0.30	0.15	1.37	0.07	15.95	11.8	89	0.75	125.5	3.03	1.55	< 0.05
345618	9413 9402	3.74	< 5	0.70	0.81	3.7	< 10	79.6	0.50	0.12	1.98	0.08	23.4	10.5	86	0.95	61.0	3.17	2.25	0.05
345619	9413 9402	3.96	< 5	0.56	0.52	1.8	< 10	80.4	0.35	0.13	1.32	0.09	26.6	7.0	120	1.35	25.8	2.29	1.45	0.05
345620	9413 9402	4.06	< 5	0.50	0.55	6.7	< 10	66.0	0.35	0.58	0.88	0.12	10.70	12.1	136	0.95	52.0	3.94	1.55	0.10
345621	9413 9402	2.74	< 5	0.47	1.42	5.0	< 10	48.4	0.65	0.17	1.95	0.30	14.80	17.3	76	1.15	77.1	6.10	4.15	0.15
345622	9413 9402	4.82	< 5	0.44	0.63	2.1	< 10	78.6	0.45	0.29	1.74	0.84	13.65	12.7	72	0.90	51.5	3.18	1.75	0.05
345623	9413 9402	4.06	< 5	0.51	0.47	1.1	< 10	105.4	0.40	0.15	1.01	2.37	16.25	8.0	91	0.85	43.8	2.41	1.25	< 0.05
345624	9413 9402	3.24	< 5	6.84	0.32	12.2	< 10	77.4	0.30	2.17	0.37	22.1	12.55	10.3	92	0.65	61.7	2.57	0.85	< 0.05
345625	9413 9402	1.54	< 5	2.82	0.38	1.7	< 10	120.2	0.35	0.09	0.91	0.37	15.10	5.7	81	0.75	28.6	1.50	0.90	< 0.05
345626	9413 9402	2.00	< 5	7.62	0.23	0.5	< 10	67.6	0.30	3.40	1.70	13.70	9.94	2.6	95	0.75	57.9	1.75	0.60	0.05
345627	9413 9402	2.16	< 5	26.0	0.35	2.6	< 10	79.4	0.45	12.45	0.79	35.0	28.3	7.0	67	0.85	96.2	3.69	1.25	0.05

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project: TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 24-SEP-2001
Invoice No. :I0124023
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0124023

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345588	9413 9402	0.18	< 0.01	0.015	0.23	8.0	7.5	0.85	460	6.00	0.01	0.05	60.6	1110	19.6	7.8	0.004	2.08	0.35	2.6
345589	9413 9402	0.14	< 0.01	0.015	0.28	11.0	3.5	0.26	125	5.75	0.01	< 0.05	50.7	1100	5.4	8.9	0.004	1.24	0.15	1.2
345590	9413 9402	0.14	< 0.01	0.005	0.19	21.2	7.8	0.43	205	8.05	0.01	0.50	50.0	760	16.2	6.2	0.004	2.71	0.15	1.3
345591	9413 9402	0.20	< 0.01	0.005	0.21	17.6	6.8	0.38	200	22.80	0.01	0.05	57.5	1890	31.2	6.8	0.023	3.45	0.70	1.6
345592	9413 9402	0.16	< 0.01	0.005	0.24	12.6	8.0	0.27	120	28.00	0.02	0.10	84.4	2260	32.0	7.3	0.036	4.98	1.45	1.2
345593	9413 9402	0.12	< 0.01	0.005	0.21	8.0	4.5	0.12	60	34.45	0.01	0.05	99.9	2030	12.6	6.1	0.044	3.22	0.95	1.0
345594	9413 9402	0.16	< 0.01	0.005	0.22	13.8	9.3	0.61	245	41.80	0.01	0.05	102.7	1660	12.0	7.1	0.053	2.88	0.55	1.5
345595	9413 9402	0.14	0.01	0.015	0.25	20.6	18.0	1.01	480	31.25	0.01	0.25	122.4	3110	19.2	7.9	0.033	6.61	2.10	2.7
345596	9413 9402	0.18	< 0.01	0.010	0.26	6.2	3.8	0.26	150	8.05	0.02	2.10	72.8	2950	23.2	6.9	0.012	6.81	1.05	1.1
345597	9413 9402	0.24	< 0.01	0.005	0.27	9.8	3.6	0.06	25	10.65	0.01	0.15	114.6	4110	12.8	7.5	0.021	5.21	0.80	1.3
345598	9413 9402	0.26	< 0.01	0.005	0.26	19.0	3.7	0.06	35	8.45	0.01	0.05	99.7	3840	9.0	7.3	0.020	4.19	0.35	1.3
345599	9413 9402	0.20	< 0.01<	0.005	0.23	15.4	25.0	0.96	95	10.25	0.03	2.10	56.4	1210	3.0	8.4	0.008	3.69	0.15	1.2
345600	225 9400	0.26	3.31	0.030	0.39	14.2	5.9	0.32	245	15.10	0.02	0.15	38.0	1280	15.4	17.9	0.006	0.21	33.30	4.9
345601	9413 9402	0.22	0.12	0.005	0.27	27.0	11.7	0.45	85	8.25	0.01	1.15	86.7	2830	5.2	8.7	0.016	4.45	0.35	1.8
345602	9413 9402	0.22	0.02	0.005	0.27	22.0	3.4	0.41	145	4.05	0.01	0.15	60.0	5170	4.6	7.6	0.007	2.46	0.25	2.0
345603	9413 9402	0.14	< 0.01	0.005	0.28	33.0	9.1	0.45	115	2.80	0.01	0.10	68.9	5000	7.2	8.2	0.004	3.46	0.25	1.8
345604	9413 9402	0.08	0.03	0.145	0.33	15.2	10.8	0.76	640	3.20	0.01	0.05	81.5	2940	193.1	9.9	0.003	2.08	0.30	2.5
345605	9413 9402	0.08	0.01	0.005	0.31	17.0	8.9	0.46	195	3.40	0.01	< 0.05	75.6	2500	5.6	8.5	0.006	1.61	0.20	2.2
345606	9413 9402	0.08	0.01	0.005	0.30	17.6	13.1	0.72	305	3.35	0.01	< 0.05	60.9	2580	3.0	8.7	0.005	1.45	0.10	2.7
345607	9413 9402	0.04	< 0.01	0.010	0.22	10.4	25.4	1.57	630	4.25	0.01	0.05	63.4	1820	3.0	6.8	0.004	2.25	0.10	3.9
345608	9413 9402	0.14	< 0.01	0.005	0.23	13.6	13.6	0.72	205	5.80	0.01	0.05	67.7	2360	4.2	7.4	0.008	2.03	0.20	2.4
345609	9413 9402	0.08	< 0.01	0.005	0.18	19.0	23.5	1.33	335	5.15	0.01	0.20	36.0	1680	3.4	6.8	0.004	2.56	0.15	2.6
345610	9413 9402	0.06	0.01	0.005	0.15	9.2	8.6	0.56	235	3.70	0.01	0.05	18.4	1090	1.6	4.5	0.001	0.72	0.10	1.2
345611	9413 9402	0.08	< 0.01	0.015	0.21	22.0	19.2	1.27	555	4.40	0.01	0.10	36.4	2360	3.0	6.9	0.004	1.84	0.10	3.1
345612	9413 9402	0.08	< 0.01	0.015	0.19	17.8	20.2	1.29	580	5.75	0.02	0.25	45.4	2130	5.6	6.6	0.001	2.81	0.05	3.1
345613	9413 9402	0.08	< 0.01	0.015	0.17	11.4	24.8	1.63	720	3.20	0.02	0.05	47.2	2190	9.2	5.3	0.004	2.25	0.10	4.9
345614	9413 9402	0.10	< 0.01	0.005	0.20	11.0	14.9	0.77	275	10.30	0.02	0.05	110.4	2200	42.4	6.3	0.017	4.32	0.15	2.8
345615	9413 9402	0.20	< 0.01	0.005	0.12	10.4	8.9	0.23	115	54.35	0.01	0.20	368.0	1500	36.4	3.8	0.148	5.58	0.75	1.4
345616	9413 9402	0.22	< 0.01	0.005	0.22	16.0	11.4	0.51	160	22.95	0.02	0.05	118.9	3150	23.8	6.5	0.045	4.45	0.25	2.3
345617	9413 9402	0.24	< 0.01	0.005	0.17	9.4	5.3	0.56	200	34.45	0.01	< 0.05	78.5	640	7.6	5.3	0.045	1.63	0.20	1.2
345618	9413 9402	0.20	< 0.01	0.015	0.17	13.6	11.1	0.73	270	43.30	0.01	0.05	81.6	1340	6.0	6.0	0.059	1.93	0.35	1.6
345619	9413 9402	0.34	< 0.01	0.010	0.15	15.8	6.3	0.56	275	49.74	0.01	0.05	113.9	960	3.6	5.7	0.064	1.11	0.35	1.3
345620	9413 9402	0.34	< 0.01	0.005	0.14	6.0	7.3	0.47	195	62.52	0.01	0.05	135.6	1560	7.6	5.6	0.062	2.44	0.55	1.4
345621	9413 9402	0.12	0.01	0.015	0.16	7.0	24.8	1.38	465	13.65	0.02	0.05	81.8	3470	6.0	6.0	0.012	3.35	0.20	2.1
345622	9413 9402	0.14	< 0.01	0.015	0.19	7.6	7.4	0.70	365	12.10	0.01	< 0.05	54.8	1140	5.8	7.6	0.009	1.80	0.25	2.4
345623	9413 9402	0.16	0.01	0.035	0.21	9.2	3.6	0.35	275	5.80	0.01	< 0.05	53.8	1140	35.8	8.2	0.003	1.33	0.25	1.6
345624	9413 9402	0.12	< 0.01	0.445	0.19	7.0	1.2	0.07	105	6.15	0.01	< 0.05	55.4	910	5010	7.2	0.004	2.04	2.75	1.0
345625	9413 9402	0.12	< 0.01	0.010	0.21	8.6	1.9	0.26	220	4.45	0.01	< 0.05	41.8	950	23.2	7.8	0.004	0.59	0.05	1.2
345626	9413 9402	0.10	0.01	0.325	0.16	5.6	1.1	0.52	495	4.90	< 0.01	< 0.05	21.8	570	4760	7.3	0.002	0.91	1.25	1.9
345627	9413 9402	0.18	< 0.01	0.740	0.18	15.8	3.2	0.34	485	5.65	0.01	0.40	36.4	470	>10000	8.5	0.001	2.96	14.40	0.9

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Certificate Date: 24-SEP-2001
Invoice No. :I0124023
P.O. Number :21341
Account :SWY

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0124023

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345588	94139402	2.8	0.2	29.8	< 0.01	0.07	7.0	< 0.01	0.06	3.05	45	0.20	6.40	100	4.5
345589	94139402	1.8	0.2	11.2	< 0.01	0.03	5.8	< 0.01	0.06	2.55	29	0.10	4.20	82	4.0
345590	94139402	4.2	0.4	18.2	0.01	0.04	8.4	< 0.01	0.06	2.75	29	0.25	7.10	16	4.5
345591	94139402	3.2	0.6	17.2	< 0.01	0.04	5.4	< 0.01	0.06	3.15	52	0.20	7.00	8	7.5
345592	94139402	6.4	0.8	17.2	< 0.01	0.07	6.8	< 0.01	0.16	7.10	75	0.30	7.50	8	9.0
345593	94139402	5.8	1.0	15.4	< 0.01	0.05	5.0	< 0.01	0.08	9.60	109	0.30	6.35	< 2	7.5
345594	94139402	5.6	0.6	22.4	< 0.01	0.04	5.2	< 0.01	0.06	8.35	144	0.35	7.25	4	8.5
345595	94139402	8.4	0.6	36.6	0.03	0.13	8.2	< 0.01	0.16	17.80	65	0.30	15.00	6	9.0
345596	94139402	1.8	0.6	29.4	0.03	0.09	5.2	< 0.01	0.12	2.65	7	0.20	10.20	4	5.0
345597	94139402	1.6	0.4	12.4	< 0.01	0.06	4.0	< 0.01	0.08	2.15	7	0.20	9.25	< 2	8.0
345598	94139402	1.6	0.8	14.0	< 0.01	0.05	5.0	< 0.01	0.06	1.95	7	0.20	10.10	< 2	8.0
345599	94139402	1.6	0.8	25.4	0.04	0.04	13.8	< 0.01	0.08	3.30	5	0.25	15.35	4	5.5
345600	22594400	2.2	1.4	61.5	< 0.01	0.08	4.0	0.01	1.60	4.20	158	3.95	10.70	100	6.5
345601	94139402	1.6	0.6	32.4	0.03	0.04	13.2	< 0.01	0.08	4.80	7	0.25	13.10	2	10.0
345602	94139402	0.8	1.0	32.8	0.01	0.03	5.4	< 0.01	0.06	0.50	8	0.20	19.05	< 2	6.5
345603	94139402	0.8	0.6	28.2	0.01	0.03	7.4	< 0.01	0.06	0.50	8	0.20	16.85	2	3.5
345604	94139402	0.8	2.0	40.8	< 0.01	0.01	7.2	< 0.01	0.08	0.20	13	0.15	10.65	736	1.5
345605	94139402	0.4	1.0	21.4	< 0.01	< 0.01	6.8	< 0.01	0.06	0.30	14	0.15	9.20	12	2.0
345606	94139402	0.2	0.2	27.4	< 0.01	0.01	9.6	< 0.01	0.06	0.40	15	0.05	11.05	6	2.0
345607	94139402	0.4	0.2	33.8	< 0.01	0.01	9.4	< 0.01	0.06	0.25	23	0.10	10.15	6	1.5
345608	94139402	0.8	0.6	31.2	< 0.01	0.03	8.0	< 0.01	0.06	1.05	14	0.10	10.65	6	2.5
345609	94139402	1.0	0.4	29.8	0.01	0.01	9.8	< 0.01	0.08	0.60	14	0.15	10.20	8	1.5
345610	94139402	0.2	0.2	19.2	< 0.01	0.02	4.4	< 0.01	0.02	0.15	6	0.10	5.10	2	1.0
345611	94139402	0.8	0.2	29.0	0.01	0.01	11.2	< 0.01	0.06	0.40	17	0.10	13.05	4	1.5
345612	94139402	1.4	0.2	30.6	0.01	0.03	13.4	< 0.01	0.06	0.80	13	0.20	12.70	2	2.0
345613	94139402	0.6	< 0.2	26.8	< 0.01	0.03	9.2	< 0.01	0.06	0.25	28	0.10	11.90	6	1.5
345614	94139402	1.8	< 0.2	17.4	< 0.01	0.05	9.6	< 0.01	0.06	0.30	18	0.10	9.20	2	2.0
345615	94139402	5.0	< 0.2	10.6	< 0.01	0.27	5.6	< 0.01	0.04	1.45	1	0.40	5.40	< 2	4.0
345616	94139402	5.0	0.2	19.8	< 0.01	0.08	6.8	< 0.01	0.08	1.50	15	0.25	10.30	4	6.0
345617	94139402	3.4	0.2	13.4	< 0.01	0.04	4.6	< 0.01	0.04	7.90	114	0.20	4.55	4	6.5
345618	94139402	4.6	0.2	23.0	< 0.01	0.05	4.6	< 0.01	0.04	8.70	157	0.20	7.05	10	6.5
345619	94139402	4.8	0.4	16.8	< 0.01	0.04	4.6	< 0.01	0.02	10.70	190	0.30	4.95	10	9.0
345620	94139402	13.2	0.2	13.0	< 0.01	0.08	3.2	< 0.01	0.06	13.45	135	0.35	4.85	20	8.5
345621	94139402	18.8	0.2	28.0	< 0.01	0.07	3.2	< 0.01	0.04	1.60	47	0.25	10.65	108	3.5
345622	94139402	6.6	0.2	24.2	< 0.01	0.05	5.2	< 0.01	0.06	3.35	38	0.20	5.25	112	3.5
345623	94139402	3.6	1.0	15.0	< 0.01	0.03	6.4	< 0.01	0.08	2.90	24	0.20	4.40	306	4.0
345624	94139402	4.2	2.0	6.2	< 0.01	0.16	6.6	< 0.01	0.06	2.85	17	0.20	2.95	2130	3.0
345625	94139402	1.0	1.4	9.2	< 0.01	< 0.01	5.2	< 0.01	0.04	2.20	23	0.15	4.20	56	2.0
345626	94139402	5.0	11.2	15.6	< 0.01	0.17	5.8	< 0.01	0.04	2.05	12	0.20	5.60	1200	2.5
345627	94139402	7.4	7.0	19.2	0.01	0.37	8.8	< 0.01	0.08	1.40	10	0.30	5.95	2950	4.5

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 24-SEP-2001
Invoice No. :I0124023
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0124023

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345628	94139402	4.42	< 5	1.89	0.57	1.1	< 10	123.8	0.25	0.33	0.56	1.30	18.00	6.9	62	0.80	41.4	1.81	1.55	< 0.05
345629	94139402	1.00	< 5	1.04	0.54	3.5	< 10	178.2	0.40	0.26	0.51	0.54	19.40	6.2	102	0.70	34.0	1.38	1.55	< 0.05
345630	22594400	0.12	140	0.77	2.10	718	< 10	484.8	0.60	0.54	1.06	1.37	29.4	7.5	116	2.40	95.4	3.26	6.50	0.05
345631	94139402	4.70	< 5	0.59	0.76	5.7	< 10	152.4	0.40	0.18	0.99	0.61	19.80	7.0	61	0.85	35.0	1.71	2.20	< 0.05
345632	94139402	4.40	< 5	0.61	0.72	7.7	< 10	76.2	0.35	0.38	0.91	0.80	16.60	10.3	66	0.90	57.6	2.55	2.00	< 0.05
345633	94139402	3.50	< 5	0.52	0.75	25.3	< 10	110.0	0.35	0.33	0.67	0.66	18.70	8.1	74	0.95	42.4	2.11	2.15	< 0.05
345634	94139402	4.20	< 5	0.42	0.73	5.2	< 10	125.4	0.25	0.29	0.65	0.53	18.65	7.4	69	1.00	40.4	2.03	1.75	< 0.05
345635	94139402	2.24	< 5	0.38	0.70	18.2	< 10	106.2	0.40	0.25	0.89	0.86	16.95	8.4	63	1.40	40.4	2.23	1.65	< 0.05
345636	94139402	2.40	< 5	0.27	0.46	47.6	< 10	99.2	0.40	0.30	1.15	0.42	15.15	7.2	70	1.05	39.0	2.23	1.15	0.05
345637	94139402	2.78	< 5	0.32	0.48	88.1	< 10	48.0	0.40	0.51	1.34	0.19	13.60	9.9	69	2.15	50.2	2.76	1.20	< 0.05
345638	94139402	4.56	< 5	0.34	0.56	150.0	< 10	88.0	0.35	0.45	1.61	0.41	16.30	8.4	67	1.85	33.0	2.93	1.50	< 0.05
345639	94139402	3.12	< 5	0.36	0.43	112.5	< 10	62.2	0.45	0.26	1.57	0.39	16.50	8.4	85	3.15	39.2	2.45	1.20	< 0.05
345640	94139402	3.14	< 5	0.32	0.42	10.5	< 10	115.2	0.30	0.20	1.48	0.35	18.20	9.0	72	2.25	38.2	1.96	1.05	< 0.05

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Certificate Date: 24-SEP-2001
Invoice No. :I0124023
P.O. Number :21341
Account :SWY

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0124023

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345628	94139402	0.12	< 0.01	0.025	0.26	10.4	3.9	0.23	170	4.30	0.01	< 0.05	51.4	840	33.2	11.5	0.003	1.08	0.30	1.6
345629	94139402	0.14	< 0.01	0.015	0.26	11.2	3.6	0.18	85	5.20	0.01	< 0.05	50.6	880	9.2	11.0	0.003	0.78	0.25	1.4
345630	22594400	0.38	3.42	0.030	0.49	16.6	8.8	0.32	220	15.10	0.02	0.10	41.2	1220	17.2	26.9	0.006	0.22	33.00	5.7
345631	94139402	0.18	0.09	0.020	0.26	11.4	7.9	0.42	145	4.95	0.01	< 0.05	46.6	1110	6.6	11.6	0.003	0.87	0.40	1.9
345632	94139402	0.18	0.03	0.020	0.26	9.4	6.5	0.48	155	5.10	0.01	< 0.05	57.7	1050	7.6	11.5	0.004	1.51	0.20	2.5
345633	94139402	0.18	0.01	0.015	0.25	10.8	7.9	0.48	105	5.35	0.01	< 0.05	52.4	940	5.4	11.1	0.003	1.13	0.20	1.8
345634	94139402	0.14	0.02	0.015	0.30	10.6	5.1	0.43	100	4.95	0.01	< 0.05	47.8	840	4.6	11.7	0.003	0.97	0.15	1.9
345635	94139402	0.14	0.01	0.020	0.31	9.8	5.1	0.53	125	4.95	0.01	< 0.05	52.2	1070	4.6	12.6	0.003	1.16	0.15	1.9
345636	94139402	0.16	0.01	0.020	0.27	8.6	2.2	0.56	175	4.85	0.01	< 0.05	47.6	1010	4.4	10.8	0.003	1.27	0.20	1.6
345637	94139402	0.16	< 0.01	0.015	0.32	7.4	1.6	0.51	245	4.70	0.01	< 0.05	48.8	940	8.2	14.4	0.003	2.05	0.20	2.1
345638	94139402	0.12	< 0.01	0.010	0.29	8.6	4.4	0.60	430	4.15	0.01	0.05	34.6	1040	15.2	11.2	0.001	1.45	0.25	2.5
345639	94139402	0.18	< 0.01	0.015	0.26	9.0	4.0	0.52	395	8.05	0.01	< 0.05	40.2	970	16.4	10.4	0.008	1.85	0.55	2.1
345640	94139402	0.14	< 0.01	0.015	0.26	10.0	2.2	0.53	345	3.40	0.01	< 0.05	45.0	840	8.4	9.8	0.003	0.94	0.45	1.7

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 24-SEP-2001
Invoice No. :I0124023
P.O. Number :21341
Account :SWY

CERTIFICATE OF ANALYSIS A0124023

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345628	9413 9402	1.8	1.0	11.2	< 0.01	0.03	4.8	< 0.01	0.08	2.40	33	0.15	3.75	268	3.0
345629	9413 9402	1.2	0.2	10.0	< 0.01	0.05	5.6	< 0.01	0.10	2.50	30	0.15	3.25	130	3.5
345630	225 9400	2.2	1.6	68.8	< 0.01	0.09	4.6	0.01	1.74	4.70	177	3.80	12.05	98	7.5
345631	9413 9402	1.2	0.2	16.0	< 0.01	0.05	5.6	< 0.01	0.12	2.85	42	0.20	4.85	162	4.5
345632	9413 9402	2.4	0.2	13.0	< 0.01	0.09	6.4	< 0.01	0.10	3.10	42	0.15	4.85	208	4.0
345633	9413 9402	1.8	0.2	10.0	< 0.01	0.06	6.4	< 0.01	0.08	3.10	40	0.15	4.45	180	4.0
345634	9413 9402	1.6	0.2	11.2	< 0.01	0.06	5.8	< 0.01	0.08	2.80	38	0.15	4.05	156	3.0
345635	9413 9402	1.6	0.2	13.4	< 0.01	0.05	6.2	< 0.01	0.10	3.05	38	0.15	4.75	230	3.5
345636	9413 9402	1.6	0.2	16.4	< 0.01	0.07	5.8	< 0.01	0.08	2.70	27	0.20	5.40	114	3.5
345637	9413 9402	2.4	0.6	19.6	< 0.01	0.07	6.8	< 0.01	0.08	2.30	27	0.25	5.45	42	4.0
345638	9413 9402	1.4	0.4	19.6	< 0.01	0.06	5.0	< 0.01	0.08	1.60	24	0.20	5.95	84	3.0
345639	9413 9402	2.8	1.4	31.4	< 0.01	0.03	5.2	< 0.01	0.08	2.05	31	0.45	5.90	56	4.5
345640	9413 9402	1.6	0.8	27.2	< 0.01	0.04	5.0	< 0.01	0.06	1.70	20	0.30	4.95	54	3.0

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number :1
Total Pages :1
Certificate Date: 25-SEP-2001
Invoice No. : I0125413
P.O. Number :21341
Account : SWY

Project : TAY-LP 8
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125413

SAMPLE	PREP CODE		Pb %
345627	212	--	1.92

CERTIFICATION: _____

OVERLIMITS from A0124023

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP - 9
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 26-SEP-2001
Invoice No. : I0124208
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124208

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345641	94139402	3.32	< 5	0.60	1.99	< 2.0	< 10	37.0	0.25	0.11	>15.00	< 0.01	21.7	6.8	30	3.50	10.4	1.50	3.70	0.05
345642	94139402	5.38	< 5	0.46	3.09	0.4	< 10	54.4	0.45	0.23	14.85	0.01	32.2	11.9	45	7.80	17.8	2.05	6.20	0.10
345643	94139402	5.28	< 5	0.31	2.91	< 2.0	< 10	59.2	0.40	0.25	>15.00	< 0.01	34.1	9.6	46	9.00	14.8	2.08	5.80	0.10
345644	94139402	4.98	< 5	0.12	2.94	< 2.0	< 10	51.2	0.40	0.34	>15.00	0.02	27.9	9.1	46	11.05	15.8	2.09	5.85	0.10
345645	94139402	3.74	< 5	0.11	3.82	< 0.1	< 10	46.2	0.80	0.22	11.30	< 0.01	28.4	11.6	55	17.00	17.0	2.39	7.40	0.05
345646	94139402	2.06	710	0.34	0.41	< 0.1	< 10	23.4	0.55	41.0	8.13	0.07	80.8	26.5	34	5.75	129.0	7.81	1.40	0.20
345647	94139402	1.08	1985	1.36	0.06	< 0.1	< 10	12.8	0.25	88.2	1.26	0.12	51.8	77.9	34	2.60	1035	>15.00	0.65	0.35
345648	94139402	1.36	75	0.88	0.54	< 0.1	< 10	22.4	0.45	11.50	11.15	0.04	87.0	12.6	35	10.85	42.2	3.56	1.65	0.10
345649	94139402	1.64	1135	1.37	0.20	< 0.1	< 10	21.6	0.40	102.5	1.53	0.05	54.8	67.3	26	4.30	454	>15.00	1.00	0.30
345650	94139402	3.86	25	0.95	0.55	2.5	< 10	42.4	0.90	12.85	5.48	0.03	73.2	18.4	40	9.30	84.3	5.29	1.65	0.15
345651	94139402	4.06	15	0.72	0.44	4.7	< 10	33.2	0.50	5.70	2.12	0.04	71.2	14.4	42	4.80	75.1	4.11	1.45	0.10
345652	94139402	2.82	30	0.75	0.28	< 0.1	10	26.6	0.25	8.88	1.72	0.04	147.5	17.3	68	1.85	113.5	4.26	1.30	0.20
345653	94139402	3.30	25	0.68	0.98	< 0.1	< 10	38.0	0.25	10.10	1.21	0.04	129.0	17.3	43	13.65	116.5	5.41	2.50	0.15
345654	94139402	2.42	40	1.02	0.31	< 0.1	< 10	26.0	0.15	26.2	2.56	0.16	59.9	31.3	36	2.20	220	8.92	1.00	0.15
345655	94139402	3.98	60	0.97	1.51	< 0.1	< 10	37.6	0.25	16.45	3.70	0.10	75.3	14.8	51	17.25	85.6	4.97	3.45	0.15
345656	94139402	4.00	230	0.87	2.02	0.2	< 10	36.6	0.30	15.55	1.13	0.01	36.6	24.7	68	22.1	156.5	7.75	4.65	0.15
345657	94139402	3.84	85	0.66	1.48	1.7	< 10	48.4	0.30	10.25	0.97	0.04	59.0	18.0	46	19.90	81.9	5.44	3.45	0.15
345658	94139402	4.18	205	0.72	1.98	0.4	< 10	46.4	0.40	13.95	1.27	0.01	73.3	20.7	66	31.1	101.0	6.35	5.10	0.15
345659	94139402	3.72	< 5	0.45	2.73	< 0.1	< 10	35.0	0.45	0.58	13.60	< 0.01	31.7	9.7	41	13.70	18.2	1.97	6.00	0.05
345660	9400 225	0.12	135	0.53	1.64	670	< 10	812.4	0.40	0.45	1.05	1.24	26.4	6.1	67	2.15	87.4	3.19	3.90	0.05
345661	94139402	3.82	5	0.78	2.26	< 2.0	< 10	25.4	0.45	0.25	>15.00	0.01	21.8	7.1	34	7.80	12.0	1.45	4.80	0.05
345662	94139402	3.72	< 5	0.43	0.83	< 2.0	< 10	16.4	0.25	0.14	>15.00	0.01	18.30	5.3	15	3.20	7.4	1.00	2.45	0.05
345663	94139402	3.86	25	0.13	0.61	< 2.0	< 10	8.6	0.05	3.71	>15.00	< 0.01	10.60	5.1	11	3.50	14.0	1.10	1.55	0.05
345664	94139402	3.08	30	0.26	1.09	< 2.0	< 10	10.4	0.30	2.18	>15.00	0.01	17.90	9.2	24	4.05	24.6	1.78	2.70	0.05
345665	94139402	2.36	125	0.53	1.39	< 0.1	< 10	8.8	0.40	9.07	14.70	0.01	25.4	13.4	43	3.60	61.3	2.83	3.35	0.10
345666	94139402	1.70	1100	0.70	0.43	< 0.1	< 10	21.0	0.40	76.7	4.93	0.06	22.9	55.8	10	3.00	470	14.70	1.25	0.25
345667	94139402	2.08	460	0.85	0.85	11.3	< 10	31.8	1.25	22.7	2.74	0.08	24.5	25.4	41	5.30	296	7.78	2.00	0.15
345668	94139402	3.04	625	0.60	1.09	66.5	< 10	29.4	0.45	4.82	1.11	0.02	30.5	14.2	52	9.45	47.6	4.62	2.45	0.10
345669	94139402	1.80	50	0.96	0.29	1.1	< 10	19.6	0.20	4.07	0.32	0.02	25.2	40.5	61	2.20	142.0	8.25	0.85	0.15
345670	94139402	3.86	15	0.81	0.76	2.2	< 10	27.2	0.40	3.09	1.37	0.04	23.3	18.9	50	4.45	110.5	6.11	1.60	0.10
345671	94139402	3.40	< 5	0.64	2.31	1.5	< 10	19.2	0.85	2.24	2.57	< 0.01	30.5	15.0	60	12.40	41.0	4.80	5.25	0.10
345672	94139402	4.46	15	0.57	2.89	< 0.1	< 10	36.4	0.85	10.80	3.21	0.01	39.9	13.3	72	15.35	21.0	4.03	6.70	0.10
345673	94139402	4.58	15	0.62	2.56	< 0.1	< 10	63.0	0.50	1.67	2.21	< 0.01	34.1	17.6	77	18.00	33.0	4.04	6.70	0.10
345674	94139402	5.50	25	0.52	2.89	0.4	< 10	61.2	0.65	2.13	1.81	< 0.01	37.4	18.7	83	18.75	31.0	4.14	7.70	0.10
345675	94139402	5.40	10	0.30	3.77	< 0.1	< 10	62.8	0.80	1.12	3.51	< 0.01	26.8	17.7	81	21.3	31.4	3.72	8.60	0.10
345676	94139402	4.86	85	0.39	3.09	2.7	< 10	50.2	0.50	0.85	1.34	< 0.01	22.7	22.2	90	23.0	37.6	4.55	7.80	0.10
345677	94139402	5.30	5	0.42	2.67	0.1	< 10	50.6	0.40	7.62	1.55	0.01	24.6	18.4	76	27.3	34.4	4.26	6.60	0.10
345678	94139402	5.14	15	0.33	2.60	0.2	< 10	51.6	0.55	1.34	1.34	< 0.01	26.6	16.5	62	27.6	31.2	4.15	6.35	0.10
345679	94139402	5.52	10	0.32	2.14	< 0.1	< 10	33.0	0.80	1.74	4.19	0.02	36.6	16.6	60	15.95	43.0	3.82	5.20	0.05
345680	94139402	3.24	145	0.26	1.75	0.3	< 10	39.4	0.45	12.60	5.63	0.05	26.5	15.4	56	16.50	69.3	3.56	3.95	0.05

CERTIFICATION: _____ *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :1-B
Total Pages :3
Certificate Date: 26-SEP-2001
Invoice No. :I0124208
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124208

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345641	94139402	0.36	0.04	0.015	0.59	11.2	16.4	0.55	260	0.25	0.12	0.45	30.6	260	2.6	40.2	0.002	0.24	0.05	1.5
345642	94139402	0.20	0.01	0.005	0.84	16.6	25.1	0.72	300	0.40	0.19	0.35	40.2	300	3.0	71.4	0.001	0.38	0.05	2.5
345643	94139402	0.16	< 0.01	0.010	0.92	17.2	24.8	0.77	265	0.25	0.17	0.30	35.4	230	3.2	75.0<	0.001	0.32	0.30	2.7
345644	94139402	0.08	0.03	0.010	0.89	14.2	24.0	0.68	355	0.45	0.16	0.30	34.8	250	3.2	83.6<	0.001	0.34	0.05	3.1
345645	94139402	0.06	< 0.01	0.005	0.96	14.2	30.1	0.75	295	0.30	0.19	0.30	34.6	330	1.8	88.4<	0.001	0.42	< 0.05	3.2
345646	94139402	0.10	< 0.01	0.020	0.21	41.2	6.1	0.63	350	0.80	0.01	0.20	36.2	230	4.2	19.1<	0.001	3.91	0.10	2.7
345647	94139402	0.06	0.09	0.010	0.07	25.8	2.4	0.21	100	0.75	< 0.01	0.30	75.0	190	13.4	5.8	0.001	8.53	0.15	0.6
345648	94139402	0.08	< 0.01	0.025	0.15	43.4	10.5	0.39	395	0.70	0.01	0.15	29.8	230	3.6	17.9<	0.001	1.25	0.15	3.7
345649	94139402	0.06	< 0.01	0.015	0.17	27.8	4.1	0.26	170	0.45	< 0.01	0.25	68.9	190	8.6	12.2<	0.001	8.67	0.15	1.1
345650	94139402	0.06	< 0.01	0.020	0.28	37.4	6.8	0.50	420	0.80	< 0.01	0.05	35.4	270	4.8	23.5<	0.001	2.44	0.25	3.1
345651	94139402	0.06	< 0.01	0.010	0.27	36.4	5.5	0.44	235	0.50	< 0.01	0.05	31.2	300	3.2	18.1<	0.001	1.75	0.15	1.6
345652	94139402	0.06	0.01	0.005	0.17	61.8	2.1	0.08	165	1.65	< 0.01	0.05	27.6	350	7.6	9.9<	0.001	2.53	0.20	1.1
345653	94139402	0.08	< 0.01	0.005	0.51	54.8	11.1	0.41	195	0.55	0.01	0.15	29.4	280	6.8	48.4<	0.001	2.69	0.05	1.7
345654	94139402	0.04	< 0.01	0.005	0.21	31.0	3.7	0.08	250	0.90	< 0.01	0.15	45.8	210	17.2	13.3<	0.001	5.20	0.05	1.0
345655	94139402	0.08	< 0.01	0.010	0.58	38.4	22.7	0.77	335	0.45	0.03	0.15	30.2	350	10.8	57.8<	0.001	2.25	0.05	2.1
345656	94139402	0.06	< 0.01	0.005	0.66	19.0	29.3	0.90	160	0.95	0.06	0.30	38.8	280	2.8	78.7<	0.001	3.71	0.05	2.6
345657	94139402	0.08	< 0.01	0.005	0.62	29.8	21.6	0.62	145	0.35	0.02	0.15	31.2	280	4.8	67.5<	0.001	2.40	0.05	1.9
345658	94139402	0.08	< 0.01	0.010	0.78	37.2	38.4	1.06	235	0.90	0.04	0.25	34.2	320	3.2	97.7<	0.001	2.57	0.05	3.0
345659	94139402	0.06	0.01	0.005	0.84	16.6	26.4	0.77	305	0.20	0.18	0.20	35.6	240	1.8	93.4<	0.001	0.37	< 0.05	2.7
345660	9400 225	0.30	3.34	0.030	0.36	14.2	5.3	0.29	215	14.70	0.01	0.10	40.2	1020	8.8	18.0	0.005	0.17	32.65	4.4
345661	94139402	0.02	< 0.01	0.005	0.57	11.2	19.6	0.58	240	0.40	0.15	0.20	35.2	210	1.8	58.2<	0.001	0.30	0.05	2.0
345662	94139402	0.08	0.01	0.015	0.21	8.8	17.8	0.68	200	0.15	0.03	0.25	34.0	220	3.0	15.8<	0.001	0.28	0.05	2.3
345663	94139402	0.06	< 0.01	0.005	0.15	4.8	12.7	0.80	180	0.15	0.01	0.15	28.0	170	2.6	10.4<	0.001	0.55	0.10	1.7
345664	94139402	0.02	< 0.01	0.005	0.14	9.0	18.4	0.50	265	0.25	0.07	0.20	37.6	220	2.2	17.5<	0.001	0.87	0.15	1.8
345665	94139402	0.02	0.08<	0.005	0.07	13.6	17.4	0.38	430	0.75	0.12	0.35	35.2	250	1.6	10.3<	0.001	1.40	0.05	1.8
345666	94139402	0.02	< 0.01<	0.005	0.10	11.8	9.6	0.16	200	0.40	0.01	0.45	26.6	250	6.2	9.4<	0.001	5.44	0.15	0.9
345667	94139402	0.10	0.05	0.020	0.27	12.6	12.3	0.25	285	0.55	0.02	0.55	16.6	350	7.2	24.1<	0.001	4.23	0.40	1.4
345668	94139402	0.02	< 0.01	0.005	0.42	15.4	23.9	0.62	160	0.75	0.01	0.10	23.2	260	4.0	39.5<	0.001	2.56	0.05	1.6
345669	94139402	< 0.02	< 0.01	0.005	0.18	13.2	4.7	0.09	35	0.45	< 0.01	0.05	58.1	240	3.4	9.7<	0.001	5.04	0.20	0.6
345670	94139402	< 0.02	< 0.01	0.010	0.24	12.0	18.0	0.43	130	1.00	< 0.01	< 0.05	44.6	250	2.6	15.1<	0.001	3.04	0.15	1.3
345671	94139402	0.02	< 0.01	0.015	0.23	16.0	72.9	1.65	235	0.35	< 0.01	< 0.05	39.4	260	3.4	20.2<	0.001	1.36	0.40	3.2
345672	94139402	0.02	< 0.01	0.015	0.42	21.0	67.3	1.70	265	1.00	0.04	0.05	36.6	240	3.0	33.7<	0.001	0.67	0.15	4.4
345673	94139402	0.02	< 0.01	0.015	0.83	17.0	47.3	1.07	315	0.35	0.06	0.25	41.4	290	3.0	71.5<	0.001	0.77	< 0.05	3.9
345674	94139402	0.02	< 0.01	0.010	0.77	18.8	59.5	1.15	270	0.90	0.08	0.20	41.8	320	3.4	72.2<	0.001	0.62	< 0.05	4.0
345675	94139402	< 0.02	< 0.01	0.005	0.92	13.6	46.4	1.04	300	0.35	0.17	0.25	42.4	340	5.0	84.1<	0.001	0.75	< 0.05	4.3
345676	94139402	< 0.02	< 0.01	0.005	0.95	11.4	59.8	1.24	280	0.90	0.09	0.25	47.4	340	3.8	100.5<	0.001	0.78	< 0.05	4.5
345677	94139402	0.02	< 0.01	0.005	1.11	12.0	45.3	1.17	310	0.40	0.04	0.25	46.6	290	2.4	158.5<	0.001	0.61	< 0.05	3.6
345678	94139402	< 0.02	< 0.01	0.005	1.09	13.4	43.3	1.19	235	0.30	0.04	0.20	41.4	320	2.8	153.0<	0.001	0.70	< 0.05	3.4
345679	94139402	0.02	< 0.01	0.010	0.39	19.6	58.8	1.01	340	0.80	0.04	0.10	40.4	370	5.6	37.9<	0.001	0.89	0.10	3.2
345680	94139402	0.02	< 0.01	0.015	0.60	14.0	31.5	0.76	575	0.45	0.04	0.20	37.0	400	5.2	65.0<	0.001	1.21	< 0.05	2.4

CERTIFICATION: _____ *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number :1-C
Total Pages :3
Certificate Date: 26-SEP-2001
Invoice No. :I0124208
P.O. Number :21341
Account :SWY

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124208

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345641	9413 9402	0.4	0.2	1925.0	< 0.01	0.16	3.0	0.04	0.16	0.95	16	0.35	5.75	18	< 0.5
345642	9413 9402	0.4	0.4	1250.0	< 0.01	0.13	5.4	0.06	0.26	1.30	24	0.35	6.65	26	< 0.5
345643	9413 9402	0.4	0.2	1605.0	< 0.01	0.13	6.0	0.06	0.32	1.30	23	0.25	7.45	28	0.5
345644	9413 9402	0.4	0.4	1540.0	< 0.01	0.12	5.4	0.06	0.36	1.15	23	0.25	7.75	26	< 0.5
345645	9413 9402	0.4	0.6	883.0	< 0.01	0.06	6.8	0.08	0.40	1.40	28	0.30	7.80	28	< 0.5
345646	9413 9402	0.6	1.4	508.0	< 0.01	0.22	12.4	< 0.01	0.20	1.90	7	1.15	18.10	14	< 0.5
345647	9413 9402	1.0	0.6	96.4	< 0.01	0.80	9.4	< 0.01	0.12	1.25	< 1	84.8	8.95	6	< 0.5
345648	9413 9402	0.6	1.4	473.0	< 0.01	0.19	7.4	< 0.01	0.12	2.20	11	2.45	19.80	14	< 0.5
345649	9413 9402	1.0	1.0	95.1	< 0.01	1.49	11.4	< 0.01	0.16	1.40	< 1	2.35	10.75	2	< 0.5
345650	9413 9402	0.6	1.2	430.0	< 0.01	0.35	9.2	< 0.01	0.16	2.25	10	2.00	19.70	26	< 0.5
345651	9413 9402	0.4	0.8	186.0	< 0.01	0.15	11.6	< 0.01	0.18	2.65	6	1.65	11.85	26	0.5
345652	9413 9402	0.4	1.2	122.2	< 0.01	0.24	15.0	< 0.01	0.16	2.65	1	6.85	17.70	4	0.5
345653	9413 9402	0.8	1.0	49.4	< 0.01	0.25	15.0	0.02	0.34	2.60	9	1.75	20.65	20	< 0.5
345654	9413 9402	0.8	1.2	115.0	< 0.01	0.59	13.8	< 0.01	0.12	1.95	< 1	0.70	11.65	8	< 0.5
345655	9413 9402	0.6	1.8	142.6	< 0.01	0.31	12.0	0.03	0.38	2.55	17	0.30	20.65	36	< 0.5
345656	9413 9402	0.6	1.0	68.3	< 0.01	0.57	14.4	0.05	0.52	1.95	18	1.95	11.85	30	0.5
345657	9413 9402	0.6	1.4	38.8	< 0.01	0.28	12.2	0.03	0.48	2.20	11	0.35	22.25	24	0.5
345658	9413 9402	0.8	1.4	54.5	< 0.01	0.60	15.4	0.04	0.64	2.30	21	0.30	21.15	34	0.5
345659	9413 9402	0.2	0.6	743.0	< 0.01	0.10	7.4	0.07	0.44	1.40	23	0.35	8.25	12	0.5
345660	9400 225	2.2	1.2	59.9	< 0.01	0.09	4.0	0.01	1.54	4.30	150	4.50	10.60	90	8.0
345661	9413 9402	0.2	0.4	1280.0	< 0.01	0.10	5.2	0.04	0.26	1.25	17	0.25	6.95	6	0.5
345662	9413 9402	0.4	0.2	1970.0	< 0.01	0.18	5.6	0.01	0.08	1.30	10	0.15	8.60	< 2	1.5
345663	9413 9402	0.4	0.2	2110	< 0.01	0.26	2.8	0.01	0.06	0.95	6	0.15	6.00	< 2	0.5
345664	9413 9402	0.4	0.6	1695.0	< 0.01	0.22	3.4	0.02	0.08	1.20	10	0.45	6.20	< 2	< 0.5
345665	9413 9402	0.4	1.6	850.0	< 0.01	0.30	5.2	0.03	0.06	1.30	12	78.7	6.30	4	< 0.5
345666	9413 9402	1.6	2.4	242.0	0.04	3.08	8.4	0.01	0.08	1.10	< 1	13.30	5.65	4	0.5
345667	9413 9402	0.6	6.0	139.1	0.01	0.68	7.6	0.01	0.14	3.85	4	64.1	6.75	20	1.5
345668	9413 9402	0.2	0.8	110.6	< 0.01	0.18	8.4	0.01	0.28	2.55	9	2.15	7.45	20	< 0.5
345669	9413 9402	0.6	0.8	29.4	0.01	0.09	10.4	< 0.01	0.08	1.85	< 1	1.40	3.75	2	< 0.5
345670	9413 9402	0.4	0.8	136.2	< 0.01	0.09	10.2	< 0.01	0.10	2.30	2	1.90	6.70	16	< 0.5
345671	9413 9402	0.2	1.0	229.0	< 0.01	0.05	10.4	< 0.01	0.14	2.40	18	0.55	9.45	36	< 0.5
345672	9413 9402	0.2	1.2	165.5	< 0.01	0.10	10.0	0.03	0.22	2.00	27	0.55	9.95	44	< 0.5
345673	9413 9402	0.2	1.6	111.7	< 0.01	0.05	12.2	0.09	0.48	1.95	30	0.30	10.75	56	< 0.5
345674	9413 9402	0.2	1.2	129.6	< 0.01	0.03	13.0	0.08	0.44	2.05	30	0.30	10.95	50	< 0.5
345675	9413 9402	0.2	1.2	241.0	0.01	0.04	11.2	0.11	0.48	1.75	34	0.45	8.20	40	< 0.5
345676	9413 9402	0.2	1.2	113.5	0.01	0.02	12.4	0.15	0.62	1.90	34	0.85	8.05	52	< 0.5
345677	9413 9402	0.2	1.2	67.4	< 0.01	0.09	13.4	0.13	0.76	2.10	29	0.40	9.70	58	< 0.5
345678	9413 9402	0.2	1.0	67.4	< 0.01	0.03	13.2	0.10	0.72	2.00	26	0.95	8.85	52	< 0.5
345679	9413 9402	0.2	1.2	240.0	< 0.01	0.04	12.2	0.04	0.24	2.05	23	1.25	9.05	44	< 0.5
345680	9413 9402	0.2	2.0	218.0	< 0.01	0.17	11.2	0.05	0.40	1.95	16	0.60	10.60	40	< 0.5

CERTIFICATION: _____ *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :2-A
Total Pages :3
Certificate Date: 26-SEP-2001
Invoice No. : I0124208
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124208

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345681	9413 9402	2.10	945	0.47	2.65	< 0.1	< 10	21.0	0.55	52.1	1.30	0.02	23.6	39.6	72	18.15	152.0	8.93	7.40	0.15
345682	9413 9402	3.98	220	0.40	2.61	0.7	< 10	60.0	0.45	12.50	1.05	0.01	32.8	22.6	81	26.6	63.2	5.34	6.70	0.15
345683	9413 9402	3.76	60	0.69	2.60	< 0.1	< 10	38.2	0.35	3.96	0.94	< 0.01	29.3	20.1	71	23.4	29.4	4.68	6.75	0.15
345684	9413 9402	4.14	< 5	0.48	2.01	< 0.1	< 10	32.6	0.45	0.80	1.23	0.01	52.1	19.8	47	16.40	39.4	4.34	5.45	0.15
345685	9413 9402	2.90	20	0.19	1.35	< 0.1	< 10	36.6	0.40	1.64	2.11	< 0.01	59.5	15.6	47	20.6	51.8	3.81	3.05	0.15
345686	9413 9402	2.82	< 5	0.20	2.51	4.2	< 10	39.8	0.45	0.56	1.19	< 0.01	32.2	21.6	67	22.6	43.6	4.54	6.15	0.10
345687	9413 9402	2.32	< 5	0.17	2.59	2.2	< 10	46.6	0.40	0.62	1.16	< 0.01	26.5	23.5	68	26.0	30.4	4.50	6.30	0.10
345688	9413 9402	2.54	5	0.14	2.33	< 0.1	< 10	48.2	0.50	0.90	1.81	< 0.01	28.8	19.7	71	25.8	40.0	4.32	6.05	0.15
345689	9413 9402	2.74	275	0.21	2.12	< 0.1	< 10	34.8	0.55	11.15	1.75	0.02	58.4	18.4	65	19.20	47.0	4.60	5.55	0.15
345690	9400 225	0.10	< 5	0.26	2.45	5.1	10	695.4	0.90	0.34	1.03	0.36	44.9	8.5	17	2.80	23.6	2.09	6.00	0.10
345691	9413 9402	2.44	10	0.18	2.15	< 0.1	< 10	37.0	0.45	1.20	2.42	0.01	54.3	20.3	60	33.2	60.4	4.76	5.30	0.15
345692	9413 9402	3.38	10	0.23	0.95	< 0.1	< 10	38.6	0.25	3.00	3.75	0.06	69.4	13.2	47	13.35	59.3	3.21	2.45	0.15
345693	9413 9402	1.58	145	0.69	0.23	< 0.1	< 10	11.2	0.15	34.8	0.63	0.11	34.0	49.7	63	2.05	470	11.95	0.90	0.25
345694	9413 9402	1.66	35	0.90	0.18	< 0.1	< 10	25.8	0.10	17.10	0.29	0.11	27.7	21.5	97	0.80	173.5	5.28	0.70	0.10
345695	9413 9402	0.92	< 5	0.89	0.42	< 0.1	< 10	50.8	0.30	6.52	0.89	0.04	55.9	13.7	64	2.00	109.0	3.37	1.40	0.10
345696	9413 9402	1.08	5	0.65	0.26	< 0.1	< 10	20.8	0.20	2.95	1.43	0.13	10.00	7.2	107	2.30	51.2	1.71	0.70	< 0.05
345697	9413 9402	0.76	< 5	0.32	0.36	< 0.1	< 10	40.8	0.20	5.73	1.58	0.05	27.7	10.8	60	1.80	55.8	2.79	0.85	0.05
345698	9413 9402	3.10	20	0.33	2.12	< 0.1	< 10	41.0	0.55	4.31	1.31	0.04	46.0	14.4	60	14.85	65.9	5.10	4.80	0.10
345699	9413 9402	2.82	25	0.59	0.31	< 0.1	< 10	22.6	0.20	10.90	0.36	0.08	21.9	24.1	83	1.60	318	7.34	0.90	0.10
345700	9413 9402	1.32	5	0.87	0.41	< 0.1	< 10	16.6	0.35	10.10	0.76	0.62	3.44	5.0	63	2.85	51.3	1.63	0.90	< 0.05
345701	9413 9402	1.82	< 5	1.06	0.88	0.3	< 10	37.2	0.30	4.73	0.16	0.14	40.9	14.5	37	2.55	94.5	4.53	2.25	0.10
345702	9413 9402	2.28	20	2.05	0.18	2.3	< 10	19.4	0.20	31.7	0.18	0.20	12.60	26.2	90	1.00	245	7.81	0.60	0.10
345703	9413 9402	2.36	< 5	1.26	0.03	0.3	< 10	1.8	0.05	1.30	1.05	0.02	0.86	7.1	151	0.25	41.6	2.14	0.15	< 0.05
345704	9413 9402	1.54	5	1.31	0.05	1.7	10	2.8	0.05	10.50	0.86	0.15	5.74	15.7	117	0.70	180.5	4.87	0.30	0.05
345705	9413 9402	2.64	40	1.94	0.30	1.7	< 10	16.6	0.20	37.4	2.50	0.22	37.2	43.7	37	2.65	388	12.35	1.05	0.20
345706	9413 9402	3.24	25	3.21	0.24	5.5	< 10	32.0	0.20	45.6	3.86	0.28	22.0	29.9	40	1.75	259	8.47	0.80	0.15
345707	9413 9402	3.42	20	1.37	0.47	28.8	< 10	33.2	0.35	5.57	2.68	0.09	31.3	18.5	47	4.30	107.0	6.13	1.10	0.10
345708	9413 9402	2.80	< 5	0.67	0.51	125.5	< 10	35.8	0.50	4.29	2.69	0.14	13.50	12.0	38	4.20	48.2	4.04	1.00	0.05
345709	9413 9402	2.40	85	1.29	0.13	408	< 10	13.8	0.15	21.8	2.16	0.13	5.90	32.6	92	1.10	299	9.59	0.45	0.15
345710	9413 9402	1.70	90	1.80	< 0.01	558	< 10	5.2	< 0.05	12.75	0.15	0.08	2.16	32.3	120	0.40	162.0	9.84	0.20	0.15
345711	9413 9402	2.70	170	4.04	0.19	1060	< 10	18.8	0.20	74.8	4.50	0.21	8.70	24.2	58	2.50	102.0	6.80	0.50	0.10
345712	9413 9402	3.46	20	2.56	0.51	94.1	< 10	30.2	0.35	9.48	1.49	0.04	17.40	13.8	40	3.05	73.0	4.50	1.05	0.05
345713	9413 9402	4.00	35	1.10	0.97	5.3	< 10	32.4	0.50	47.6	1.56	0.01	82.6	13.6	54	7.50	66.8	3.96	2.55	0.15
345714	9413 9402	3.80	45	0.87	1.19	1.2	< 10	23.6	0.65	7.36	1.44	0.04	95.3	29.5	49	11.90	203	7.45	3.40	0.20
345715	9413 9402	5.10	10	0.59	1.29	3.9	< 10	23.2	0.55	3.43	2.81	0.07	63.5	17.4	51	9.35	77.2	4.75	3.35	0.15
345716	9413 9402	5.54	40	0.62	1.14	125.0	< 10	23.6	0.60	5.52	2.68	0.03	18.85	25.6	39	7.70	70.6	5.77	2.65	0.10
345717	9413 9402	4.90	< 5	0.42	1.84	3.0	< 10	38.8	0.90	1.30	2.34	< 0.01	54.1	16.3	54	16.75	35.0	4.26	4.90	0.15
345718	9413 9402	5.30	< 5	0.37	1.26	13.3	< 10	33.4	0.75	1.68	2.43	0.04	51.7	15.9	42	13.50	49.4	3.80	3.00	0.10
345719	9413 9402	4.76	10	0.25	1.95	5.6	< 10	29.2	1.15	2.87	1.85	< 0.01	61.4	26.9	51	10.50	98.7	6.53	4.70	0.15
345720	9400 225	0.12	130	0.31	1.61	712	< 10	451.6	0.60	0.52	1.04	1.30	23.9	7.2	64	1.95	95.6	3.31	4.30	0.05

CERTIFICATION: _____

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 26-SEP-2001
Invoice No. :I0124208
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124208

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345681	9413 9402	0.02	< 0.01	0.005	0.59	12.4	60.1	1.05	195	0.45	0.11	0.15	54.3	330	7.8	66.8<	0.001	4.36	0.05	4.6
345682	9413 9402	0.02	0.06	0.010	1.00	17.2	49.8	1.17	220	0.95	0.05	0.15	42.6	320	4.0	106.0<	0.001	1.45	0.05	3.5
345683	9413 9402	0.02	< 0.01	0.005	0.72	14.4	52.7	1.30	305	0.40	0.01	0.25	46.8	300	3.0	81.2<	0.001	0.56	< 0.05	2.9
345684	9413 9402	0.02	< 0.01	0.010	0.49	27.0	47.9	1.02	265	0.65	0.01	0.15	46.2	330	2.2	50.9<	0.001	0.86	< 0.05	2.7
345685	9413 9402	0.02	< 0.01	0.005	0.57	31.2	24.7	0.64	235	0.35	< 0.01	0.10	37.0	300	2.4	57.3<	0.001	1.53	0.05	1.6
345686	9413 9402	0.02	< 0.01	0.005	0.61	16.6	47.9	1.15	245	0.65	0.02	0.20	48.0	340	2.8	63.7<	0.001	0.72	< 0.05	3.0
345687	9413 9402	< 0.02	< 0.01	0.005	0.73	13.6	48.2	1.25	240	0.35	0.01	0.20	49.8	280	3.2	79.9<	0.001	0.64	< 0.05	2.9
345688	9413 9402	0.02	< 0.01	0.010	0.68	15.2	52.5	1.08	270	0.80	0.03	0.20	49.6	290	3.0	73.1<	0.001	0.83	< 0.05	3.3
345689	9413 9402	0.02	< 0.01	0.010	0.56	31.2	54.6	1.04	275	0.80	0.01	0.05	40.6	300	5.4	59.4<	0.001	1.16	< 0.05	2.5
345690	9400 225	0.64	0.04	0.025	0.50	22.4	18.6	0.56	485	0.75	0.15	0.15	18.8	520	9.8	33.8<	0.001	0.02	0.65	5.1
345691	9413 9402	0.10	< 0.01	0.005	0.74	28.2	47.3	1.03	300	0.40	0.01	0.20	44.0	280	2.2	89.7<	0.001	1.46	< 0.05	3.4
345692	9413 9402	0.04	0.23	0.015	0.47	36.8	20.0	0.43	485	0.75	< 0.01	0.05	27.6	280	3.2	44.5	0.002	1.43	0.05	1.6
345693	9413 9402	< 0.02	0.02	0.005	0.10	18.4	3.7	0.06	75	0.80	0.02	0.15	47.6	120	7.6	8.2<	0.001	5.06	0.05	0.8
345694	9413 9402	< 0.02	< 0.01<	0.005	0.12	14.6	1.4	0.03	50	1.90	< 0.01	0.05	21.6	100	13.2	5.9<	0.001	2.97	0.05	0.5
345695	9413 9402	0.02	< 0.01	0.005	0.27	30.0	2.9	0.06	95	0.65	< 0.01	0.05	15.0	850	6.4	13.6<	0.001	1.78	0.05	0.9
345696	9413 9402	0.06	< 0.01	0.005	0.20	5.2	1.2	0.04	200	2.20	< 0.01	0.20	8.8	340	4.6	13.9<	0.001	0.86	0.05	0.4
345697	9413 9402	0.02	< 0.01	0.005	0.25	14.8	1.5	0.03	235	0.60	< 0.01	< 0.05	10.6	290	5.8	11.2<	0.001	1.58	< 0.05	0.5
345698	9413 9402	0.02	< 0.01	0.005	0.48	24.8	48.2	1.01	200	0.65	0.07	0.05	23.4	390	4.0	46.7<	0.001	2.05	0.05	2.4
345699	9413 9402	< 0.02	< 0.01	0.005	0.18	12.0	4.2	0.09	65	0.55	< 0.01	0.05	24.4	150	10.6	9.1<	0.001	4.30	0.05	0.7
345700	9413 9402	0.10	< 0.01	0.010	0.25	1.4	2.5	0.06	90	1.20	0.02	0.30	4.8	770	20.0	17.0<	0.001	0.82	< 0.05	0.4
345701	9413 9402	0.02	< 0.01	0.005	0.27	21.8	17.2	0.37	75	0.45	< 0.01	0.05	18.2	360	9.2	13.7<	0.001	2.07	0.05	1.2
345702	9413 9402	0.02	< 0.01	0.005	0.12	6.6	2.4	0.06	35	1.65	< 0.01	0.05	25.4	110	57.0	5.8<	0.001	4.66	0.15	0.6
345703	9413 9402	< 0.02	< 0.01<	0.005	< 0.01	0.4	1.0	0.04	185	0.65	< 0.01	< 0.05	10.6	< 10	1.8	0.5<	0.001	1.10	0.05	0.1
345704	9413 9402	< 0.02	< 0.01<	0.005	0.01	3.0	1.8	0.10	110	2.35	< 0.01	0.05	17.8	130	12.2	0.8<	0.001	2.67	0.20	0.3
345705	9413 9402	0.02	< 0.01	0.010	0.22	19.6	3.9	0.14	295	0.55	< 0.01	0.05	43.8	290	43.6	12.1<	0.001	6.99	0.20	1.7
345706	9413 9402	< 0.02	< 0.01	0.010	0.17	11.8	3.6	0.26	505	0.95	< 0.01	0.05	32.2	200	68.8	8.6<	0.001	5.26	0.50	1.2
345707	9413 9402	< 0.02	< 0.01	0.005	0.25	17.2	6.9	0.67	250	0.35	< 0.01	< 0.05	24.4	270	4.6	16.0<	0.001	3.90	0.30	1.8
345708	9413 9402	< 0.02	< 0.01	0.005	0.34	6.8	4.4	0.87	325	0.70	< 0.01	< 0.05	27.4	290	5.0	23.2<	0.001	2.37	0.30	2.4
345709	9413 9402	< 0.02	< 0.01	0.010	0.10	2.8	1.2	0.14	160	0.60	< 0.01	0.05	35.6	280	22.8	7.1<	0.001	9.36	0.55	0.9
345710	9413 9402	< 0.02	< 0.01	0.005	0.04	1.0	0.3	< 0.01	10	2.60	< 0.01	< 0.05	34.6	40	19.2	3.0<	0.001	9.81	0.40	< 0.1
345711	9413 9402	< 0.02	< 0.01	0.015	0.15	4.2	1.2	0.12	210	0.70	< 0.01	< 0.05	33.0	200	67.4	11.7<	0.001	6.99	0.70	0.7
345712	9413 9402	< 0.02	< 0.01	0.005	0.26	9.2	7.2	0.37	175	1.15	< 0.01	< 0.05	22.2	300	5.8	14.6<	0.001	3.14	0.45	1.2
345713	9413 9402	0.02	< 0.01	0.010	0.25	44.6	21.4	0.71	195	0.40	< 0.01	< 0.05	28.0	330	5.0	17.2<	0.001	1.24	0.20	2.3
345714	9413 9402	0.02	< 0.01	0.005	0.23	51.0	45.3	0.82	225	0.95	< 0.01	< 0.05	44.0	400	7.4	20.2<	0.001	3.49	0.15	2.6
345715	9413 9402	< 0.02	< 0.01	0.005	0.26	33.6	40.1	0.75	370	0.50	< 0.01	< 0.05	33.8	310	5.8	22.4<	0.001	1.76	0.30	2.3
345716	9413 9402	< 0.02	< 0.01	0.010	0.27	9.8	36.5	0.80	325	0.80	< 0.01	< 0.05	44.6	240	7.8	23.1<	0.001	3.30	1.10	2.5
345717	9413 9402	0.02	< 0.01	0.015	0.45	28.6	54.5	1.05	370	0.35	0.02	0.05	39.6	340	5.6	43.5<	0.001	0.85	0.05	3.9
345718	9413 9402	0.02	< 0.01	0.010	0.42	27.6	35.2	0.67	345	0.70	< 0.01	0.05	39.8	340	6.2	37.5<	0.001	1.58	0.20	2.4
345719	9413 9402	0.02	< 0.01	0.010	0.33	34.0	62.1	1.05	275	0.45	0.03	< 0.05	54.3	390	6.6	28.1<	0.001	2.60	0.25	3.2
345720	9400 225	0.28	3.47	0.030	0.36	13.2	6.1	0.31	235	14.10	0.01	0.05	39.6	1130	9.2	17.4	0.004	0.19	29.95	4.7

CERTIFICATION: _____ *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Certificate Date: 26-SEP-2001
Invoice No. :I0124208
P.O. Number :21341
Account :SWY

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124208

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345681	9413 9402	0.6	1.2	131.0	0.02	2.23	13.8	0.05	0.40	1.90	31	1.20	8.85	32	0.5
345682	9413 9402	0.2	1.4	71.3	< 0.01	0.29	11.0	0.09	0.64	2.20	29	56.1	11.70	52	< 0.5
345683	9413 9402	0.2	0.8	64.4	0.01	0.07	13.4	0.07	0.56	2.60	25	2.20	11.10	72	< 0.5
345684	9413 9402	0.2	0.8	144.1	0.01	0.03	16.2	0.04	0.36	3.00	17	0.90	10.55	44	< 0.5
345685	9413 9402	0.2	1.0	199.2	< 0.01	0.05	12.4	0.03	0.36	2.40	11	0.60	12.65	24	< 0.5
345686	9413 9402	0.2	0.6	82.4	0.01	0.02	13.6	0.06	0.42	2.20	26	0.70	11.90	70	< 0.5
345687	9413 9402	0.2	0.6	64.3	< 0.01	0.04	14.4	0.07	0.54	2.20	24	0.30	12.55	74	< 0.5
345688	9413 9402	0.2	1.0	114.0	< 0.01	0.03	13.8	0.06	0.48	2.20	25	0.35	14.35	60	< 0.5
345689	9413 9402	0.2	1.0	149.6	< 0.01	0.23	13.8	0.03	0.38	2.40	22	0.55	16.00	52	< 0.5
345690	9400 225	0.4	1.0	82.4	< 0.01	0.03	5.6	0.07	0.30	1.10	50	0.40	14.00	66	23.5
345691	9413 9402	0.4	1.6	97.0	0.01	0.04	14.6	0.07	0.60	2.15	23	3.70	18.25	44	4.0
345692	9413 9402	0.4	1.4	158.3	< 0.01	0.04	12.2	0.02	0.34	2.30	9	240	17.25	20	0.5
345693	9413 9402	1.0	1.2	38.4	0.01	1.53	11.0	< 0.01	0.08	1.40	< 1	21.9	7.50	< 2	0.5
345694	9413 9402	0.4	0.8	22.6	< 0.01	0.35	4.4	< 0.01	0.02	1.05	< 1	6.40	2.65	< 2	< 0.5
345695	9413 9402	0.2	1.4	58.0	< 0.01	0.13	8.0	< 0.01	0.08	2.10	1	1.95	7.50	2	0.5
345696	9413 9402	< 0.2	1.2	114.2	0.03	0.06	3.4	< 0.01	0.08	8.70	< 1	1.25	4.50	6	1.0
345697	9413 9402	< 0.2	1.2	68.6	< 0.01	0.06	6.8	< 0.01	0.06	1.70	< 1	0.90	4.35	< 2	< 0.5
345698	9413 9402	0.2	0.8	111.7	< 0.01	0.15	14.4	0.04	0.30	2.55	24	0.60	11.00	22	< 0.5
345699	9413 9402	0.6	0.8	31.0	< 0.01	0.20	8.8	< 0.01	0.06	1.35	< 1	0.90	2.75	< 2	< 0.5
345700	9413 9402	< 0.2	1.4	97.3	0.03	0.14	1.6	< 0.01	0.08	18.30	< 1	1.15	4.85	28	1.5
345701	9413 9402	0.2	1.6	16.8	< 0.01	0.12	9.2	< 0.01	0.08	2.30	6	0.80	3.90	12	< 0.5
345702	9413 9402	0.6	1.0	18.4	< 0.01	0.35	8.4	< 0.01	0.02	1.35	< 1	0.65	1.35	< 2	< 0.5
345703	9413 9402	< 0.2	0.2	45.4	< 0.01	0.02	0.8	< 0.01	< 0.02	0.30	< 1	0.50	1.15	< 2	< 0.5
345704	9413 9402	< 0.2	0.4	57.2	< 0.01	0.11	3.6	< 0.01	< 0.02	1.65	< 1	0.65	1.95	< 2	< 0.5
345705	9413 9402	1.0	2.4	162.3	0.02	0.44	11.4	< 0.01	0.08	2.05	< 1	1.05	7.70	< 2	< 0.5
345706	9413 9402	0.8	1.4	218.0	0.01	0.42	7.0	< 0.01	0.06	1.80	< 1	1.55	7.25	2	< 0.5
345707	9413 9402	0.6	0.8	343.0	< 0.01	0.12	6.4	< 0.01	0.12	1.65	7	1.20	9.60	22	< 0.5
345708	9413 9402	0.2	0.6	366.0	< 0.01	0.08	8.4	< 0.01	0.18	2.50	5	0.70	9.55	28	< 0.5
345709	9413 9402	0.8	1.0	208.0	0.03	0.46	9.2	< 0.01	0.08	1.25	< 1	0.55	4.50	2	< 0.5
345710	9413 9402	0.6	0.6	16.8	0.01	0.40	2.0	< 0.01	0.02	0.25	< 1	0.30	0.60	< 2	< 0.5
345711	9413 9402	0.8	1.2	627.0	0.01	1.10	4.6	< 0.01	0.06	1.50	< 1	0.45	8.60	< 2	< 0.5
345712	9413 9402	0.2	0.8	150.2	< 0.01	0.14	7.4	< 0.01	0.10	2.35	4	0.50	5.55	18	< 0.5
345713	9413 9402	0.2	0.6	167.7	< 0.01	0.24	11.0	< 0.01	0.14	2.85	12	0.65	14.60	22	< 0.5
345714	9413 9402	0.6	0.6	117.9	0.01	0.10	17.0	< 0.01	0.16	2.90	14	1.30	19.00	18	< 0.5
345715	9413 9402	0.4	0.6	208.0	< 0.01	0.08	11.4	< 0.01	0.16	2.85	14	1.25	13.15	24	< 0.5
345716	9413 9402	0.4	1.2	274.0	0.01	0.11	12.6	< 0.01	0.22	2.30	9	0.50	10.60	28	< 0.5
345717	9413 9402	0.4	0.6	252.0	< 0.01	0.05	10.8	0.02	0.32	2.60	20	0.30	13.45	46	< 0.5
345718	9413 9402	0.2	1.2	191.0	< 0.01	0.04	13.0	0.01	0.28	2.70	11	0.35	11.50	34	< 0.5
345719	9413 9402	0.4	0.6	288.0	< 0.01	0.05	14.6	< 0.01	0.20	2.85	18	0.50	14.40	36	< 0.5
345720	9400 225	2.6	1.2	58.5	< 0.01	0.08	4.2	0.01	1.60	4.30	152	4.05	10.50	94	7.5

CERTIFICATION: _____ *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 26-SEP-2001
Invoice No. : I0124208
P.O. Number :21341
Account : SWY

• PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124208

SAMPLE	PREP CODE		Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
345721	9413	9402	1.42	< 5	0.65	2.63	7.6	< 10	21.4	1.00	0.31	0.61	< 0.01	76.0	15.0	54	5.75	12.2	4.75	6.00	0.15

CERTIFICATION: _____ *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 26-SEP-2001
Invoice No. : I0124208
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124208

SAMPLE	PREP CODE		Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
345721	9413	9402	0.04	< 0.01	0.005	0.27	40.4	76.7	1.36	250	0.65	< 0.01	< 0.05	30.4	280	4.0	19.6	< 0.001	0.29	0.10	2.8

CERTIFICATION: _____ *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 26-SEP-2001
Invoice No. : I0124208
P.O. Number :21341
Account : SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124208

SAMPLE	PREP CODE		Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345721	9413	9402	0.2	0.2	88.5	< 0.01	< 0.01	10.6	< 0.01	0.14	2.65	19	0.20	9.20	78	0.5

CERTIFICATION: _____ *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number :1-A
Total Pages :3
Certificate Date: 24-SEP-2001
Invoice No. :I0124021
P.O. Number :21341
Account :SWY

Project : TAY-LP - II
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124021

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
345773	9413 9402	2.40	< 5	-----	1.27	0.95	2.9	< 10	33.4	0.45	0.14	7.17	0.04	12.95	3.1	75	2.50	5.2	0.73	1.90
345774	9413 9402	3.44	< 5	-----	0.74	0.35	< 2.0	< 10	63.6	0.70	0.08	>15.00	0.07	15.70	2.4	11	0.50	2.4	1.22	1.20
345775	9413 9402	1.46	< 5	-----	0.42	0.51	3.3	< 10	79.0	0.80	0.16	14.10	0.05	14.95	2.6	20	0.50	3.2	1.20	1.65
345776	9413 9402	3.50	< 5	-----	0.40	0.14	2.2	< 10	76.0	0.45	0.20	11.10	0.04	11.00	2.3	23	1.00	3.8	0.95	0.55
345777	9413 9402	1.54	< 5	-----	0.33	1.18	3.9	< 10	98.8	0.65	0.48	11.60	0.07	12.85	11.8	38	7.75	17.6	1.97	3.20
345778	9413 9402	3.26	< 5	-----	0.73	1.19	8.5	< 10	149.8	0.70	0.32	12.10	1.02	17.35	7.5	29	6.70	27.4	2.13	3.40
345779	9413 9402	0.12	< 5	-----	0.48	1.61	4.1	< 10	147.6	0.70	0.30	9.42	1.16	33.6	9.8	54	8.15	49.2	2.34	4.40
345780	9400 225	3.50	10	-----	0.34	2.92	5.4	< 10	701.3	0.95	0.19	1.29	0.40	43.0	8.7	21	2.55	23.4	2.52	6.25
345781	9413 9402	3.94	< 5	-----	0.28	0.32	< 2.0	< 10	28.2	0.20	0.05	>15.00	0.07	6.34	1.3	16	2.20	2.4	1.06	0.95
345782	9413 9402	3.64	< 5	-----	0.21	0.25	< 2.0	< 10	24.0	0.20	0.04	>15.00	0.08	7.32	1.8	2	0.90	1.6	1.49	0.70
345783	9413 9402	3.16	< 5	-----	0.17	0.31	4.0	< 10	25.2	0.20	0.06	>15.00	0.05	6.90	1.5	14	1.20	2.8	0.73	0.75
345784	9413 9402	2.80	< 5	-----	0.20	0.35	2.0	< 10	73.8	0.30	0.25	>15.00	0.07	6.86	1.9	15	1.15	2.6	1.00	0.75
345785	9413 9402	3.78	< 5	-----	0.14	0.09	4.0	< 10	14.8	0.20	0.02	>15.00	0.08	5.44	1.4	4	0.15	1.2	0.93	0.25
345786	9413 9402	3.48	< 5	-----	0.18	2.06	2.7	< 10	133.4	0.75	0.17	12.70	0.87	21.6	7.9	64	4.10	24.4	2.56	4.10
345787	9413 9402	0.60	< 5	-----	0.20	1.63	9.3	< 10	167.8	0.55	0.09	11.20	0.62	26.5	7.9	74	3.75	28.2	2.42	3.50
345788	9413 9402	2.52	< 5	-----	0.25	1.12	31.6	< 10	114.4	0.50	0.12	10.55	4.08	25.2	8.6	76	4.15	31.0	2.12	2.50
345789	9413 9402	1.90	< 5	-----	0.37	1.20	12.9	< 10	82.2	0.50	0.17	8.79	6.82	21.6	6.4	102	2.70	11.6	1.97	2.75
345790	9413 9402	3.30	< 5	-----	0.20	0.33	11.4	< 10	25.4	0.15	0.02	10.90	0.12	6.48	2.0	70	0.35	2.0	0.95	0.85
345791	9413 9402	4.28	< 5	-----	0.30	1.29	10.1	< 10	141.8	0.55	0.16	13.95	3.96	29.0	6.5	45	2.25	12.2	1.86	3.15
345792	9413 9402	3.22	< 5	-----	0.35	1.78	6.9	< 10	76.6	0.65	0.23	5.47	0.40	35.5	9.6	69	3.25	26.6	2.52	4.30
345793	9413 9402	4.20	< 5	-----	0.99	1.33	8.8	< 10	91.4	0.50	0.25	11.25	2.61	34.1	10.1	60	3.15	43.6	3.04	2.95
345794	9413 9402	3.24	< 5	-----	0.62	1.69	7.1	< 10	102.2	0.60	0.35	9.11	1.67	22.2	13.6	87	4.45	60.0	2.77	3.95
345795	9413 9402	3.72	< 5	-----	0.51	2.28	4.7	< 10	129.8	0.95	0.67	7.91	3.09	19.75	11.5	84	6.75	40.2	2.42	5.55
345796	9413 9402	4.92	< 5	-----	0.46	1.80	0.4	< 10	141.6	0.75	2.53	7.42	0.10	16.35	9.6	83	8.95	43.8	2.42	4.40
345797	9413 9402	5.12	< 5	-----	0.36	1.29	1.5	< 10	83.8	0.60	0.66	4.96	0.07	9.40	13.0	80	7.35	49.0	2.40	3.25
345798	9413 9402	4.18	< 5	-----	0.31	1.19	2.4	< 10	55.6	0.85	0.93	4.47	0.06	16.00	14.5	65	7.05	41.0	2.04	3.70
345799	9413 9402	5.26	< 5	-----	0.29	1.26	1.1	< 10	48.8	0.85	0.20	4.74	0.10	22.5	14.2	60	6.40	91.2	2.15	3.95
345800	9413 9402	5.24	< 5	-----	0.25	1.33	0.1	< 10	48.8	0.80	0.05	5.29	1.65	24.9	12.9	55	6.30	104.5	2.22	4.40
345801	9413 9402	5.18	< 5	-----	0.24	1.63	0.1	< 10	51.0	0.75	0.08	6.18	0.12	17.90	13.1	72	5.90	84.6	2.82	4.05
345802	9413 9402	3.90	< 5	-----	0.33	1.36	0.4	< 10	57.0	0.70	0.56	5.75	0.29	13.60	12.1	73	5.45	89.0	2.59	3.60
345803	9413 9402	3.70	< 5	-----	0.26	1.37	0.2	< 10	51.4	0.80	1.15	4.50	0.36	20.5	14.5	65	9.00	120.0	2.57	3.95
345804	9413 9402	2.86	< 5	-----	0.25	1.37	1.9	< 10	95.4	0.65	0.49	5.49	0.26	16.35	13.2	64	5.45	87.7	2.08	4.10
345805	9413 9402	4.14	< 5	-----	0.25	1.43	8.2	< 10	48.8	0.65	0.34	7.32	2.43	18.80	10.2	45	3.80	62.5	2.63	4.55
345806	9413 9402	4.56	< 5	-----	0.32	0.71	8.4	< 10	47.4	0.40	0.40	5.68	3.27	14.50	7.9	57	3.75	19.4	1.87	2.35
345807	9413 9402	5.10	< 5	-----	0.22	1.06	0.9	< 10	108.6	0.50	0.22	4.25	0.04	6.84	2.2	47	7.70	3.4	0.45	2.65
345808	9413 9402	4.30	< 5	-----	0.19	1.68	1.8	< 10	74.8	0.45	0.08	6.56	0.03	8.82	2.2	92	8.05	3.2	0.76	2.90
345809	9413 9402	0.08	< 5	-----	0.17	1.72	1.0	< 10	136.2	0.50	0.15	6.99	0.01	8.16	2.9	74	9.55	5.4	0.95	2.90
345810	9400 225	5.00	6490	-----	0.50	1.59	668	< 10	147.8	1.80	1.21	2.03	1.79	7.66	15.6	143	2.70	142.5	2.87	6.85
345811	9413 9402	3.24	< 5	-----	0.29	1.84	2.2	< 10	245.6	0.65	0.03	7.47	0.02	12.50	2.4	84	9.95	1.8	0.68	3.10
345812	9413 9402	4.04	20	-----	0.26	1.77	1.5	< 10	254.0	0.70	4.60	9.89	0.04	15.30	2.5	53	10.50	1.4	0.82	3.35

CERTIFICATION: _____*+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :1-B
Total Pages :3
Certificate Date: 24-SEP-2001
Invoice No. :I0124021
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124021

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
345773	9413 9402	0.05	0.08	0.04<	0.005	0.20	6.6	12.8	2.15	335	3.90	< 0.01	0.05	13.4	380	3.6	9.1<	0.001	0.01	0.25
345774	9413 9402	0.05	0.08	0.02	0.005	0.01	11.2	5.3	8.31	635	1.95	< 0.01	0.15	21.0	390	5.2	1.8<	0.001	0.01	0.25
345775	9413 9402	< 0.05	0.08	0.01	0.005	0.01	10.6	6.3	7.60	625	2.15	< 0.01	0.10	23.8	540	5.4	1.8<	0.001	0.01	0.20
345776	9413 9402	< 0.05	0.04	< 0.01	0.005	0.03	8.2	2.2	5.66	520	1.55	< 0.01	0.05	15.4	510	8.6	2.6<	0.001	0.01	0.25
345777	9413 9402	0.05	0.12	0.01	0.015	0.59	7.0	14.7	5.83	755	5.55	< 0.01	0.10	27.2	390	9.6	44.0	0.006	0.40	0.25
345778	9413 9402	0.05	0.18	< 0.01	0.030	0.51	9.8	14.4	5.03	740	7.35	< 0.01	0.15	38.8	510	12.6	28.0	0.011	0.71	0.30
345779	9413 9402	0.05	0.24	< 0.01	0.030	0.92	18.6	20.9	2.12	395	9.55	< 0.01	0.10	44.2	850	16.2	50.3	0.012	1.15	0.25
345780	9400 225	0.05	0.68	0.04	0.025	0.60	20.8	19.0	0.69	640	0.65	0.15	0.20	18.0	680	14.8	33.2<	0.001	0.04	0.55
345781	9413 9402	< 0.05	0.06	< 0.01	0.010	0.21	4.4	3.1	6.08	885	2.85	< 0.01	0.05	11.6	840	9.4	13.3	0.007	0.10	0.05
345782	9413 9402	< 0.05	0.02	< 0.01	0.010	0.10	5.6	3.1	9.15	1015	1.45	< 0.01	0.10	10.0	790	5.8	5.5	0.003	0.08	0.05
345783	9413 9402	< 0.05	0.02	< 0.01	0.005	0.11	5.4	2.7	3.68	830	1.50	< 0.01	0.05	9.2	900	4.2	6.6	0.004	0.10	< 0.05
345784	9413 9402	< 0.05	0.04	< 0.01	0.005	0.15	4.8	4.2	6.65	710	3.05	< 0.01	0.05	13.0	820	7.0	6.6	0.004	0.29	0.15
345785	9413 9402	< 0.05	0.02	< 0.01	0.005	0.01	4.0	2.8	11.70	740	6.80	< 0.01	0.10	7.6	730	9.8	0.7	0.006	0.10	0.20
345786	9413 9402	< 0.05	0.22	< 0.01	0.025	0.88	12.6	22.3	2.56	545	10.35	< 0.01	0.05	51.8	720	9.4	28.9	0.007	1.19	0.35
345787	9413 9402	0.05	0.26	< 0.01	0.015	0.86	15.4	17.6	2.48	745	13.45	< 0.01	0.05	51.7	770	9.2	28.7	0.010	0.88	0.30
345788	9413 9402	< 0.05	0.32	< 0.01	0.065	0.68	14.4	13.2	1.23	380	12.10	< 0.01	0.05	54.7	610	32.0	27.3	0.007	1.14	0.55
345789	9413 9402	< 0.05	0.22	< 0.01	0.100	0.77	12.6	13.2	1.52	250	7.80	< 0.01	0.05	40.2	560	86.8	27.2	0.006	1.31	0.75
345790	9413 9402	< 0.05	0.06	< 0.01<	0.005	0.11	4.4	4.1	5.28	480	2.45	< 0.01	0.05	12.6	680	7.4	3.7	0.004	0.12	0.15
345791	9413 9402	0.05	0.14	< 0.01	0.035	0.50	17.8	15.8	4.20	620	6.80	< 0.01	0.05	45.4	700	23.6	18.7	0.007	0.76	0.35
345792	9413 9402	0.05	0.22	< 0.01	0.005	0.85	23.0	19.7	2.21	350	12.00	< 0.01	0.05	52.5	730	10.4	31.7	0.011	1.33	0.35
345793	9413 9402	0.05	0.26	< 0.01	0.030	0.65	18.8	15.2	1.57	510	15.75	< 0.01	0.05	55.7	1470	13.0	22.1	0.012	1.60	0.30
345794	9413 9402	0.05	0.20	< 0.01	0.015	0.54	12.0	19.7	2.63	570	20.70	< 0.01	0.10	64.1	1430	10.0	22.1	0.022	1.20	0.30
345795	9413 9402	0.05	0.30	< 0.01	0.030	0.95	10.8	26.3	3.18	565	38.60	< 0.01	0.05	84.9	1160	12.0	43.4	0.040	0.97	0.25
345796	9413 9402	0.05	0.20	< 0.01	0.005	0.90	8.8	19.5	2.86	540	17.40	< 0.01	0.05	56.2	1040	11.8	51.4	0.017	0.82	0.15
345797	9413 9402	0.05	0.20	< 0.01	0.005	0.73	4.8	16.7	1.89	420	14.00	< 0.01	0.05	63.0	940	8.0	47.4	0.015	1.10	0.20
345798	9413 9402	0.05	0.20	< 0.01	0.005	0.61	9.0	16.2	1.71	375	18.60	< 0.01	0.05	64.5	740	8.2	42.3	0.017	1.01	0.30
345799	9413 9402	0.05	0.22	< 0.01	0.005	0.56	12.2	20.0	1.50	420	18.70	< 0.01	0.05	65.6	1120	5.6	36.1	0.026	1.12	0.25
345800	9413 9402	0.05	0.24	< 0.01	0.025	0.61	13.0	23.5	1.50	450	6.35	< 0.01	0.05	42.0	1350	3.8	36.7	0.004	1.05	0.20
345801	9413 9402	0.05	0.22	< 0.01	0.010	0.78	9.2	20.7	1.87	550	10.65	< 0.01	0.05	54.7	1760	4.2	35.8	0.008	1.43	0.20
345802	9413 9402	0.05	0.24	< 0.01	0.010	0.63	7.2	19.8	1.85	490	14.05	< 0.01	0.05	61.1	1050	33.0	33.1	0.014	1.24	0.20
345803	9413 9402	0.05	0.28	< 0.01	0.015	0.79	11.0	21.1	2.21	435	21.50	< 0.01	0.05	89.0	990	7.2	54.8	0.025	1.19	0.25
345804	9413 9402	0.05	0.18	< 0.01	0.010	0.54	8.8	21.7	2.03	495	20.35	< 0.01	0.05	60.0	1190	12.4	31.9	0.018	0.99	0.20
345805	9413 9402	0.05	0.18	< 0.01	0.040	0.46	9.8	27.6	2.17	445	20.25	< 0.01	0.05	54.2	1090	38.2	24.4	0.018	1.75	0.70
345806	9413 9402	< 0.05	0.28	< 0.01	0.045	0.42	7.8	16.5	0.85	200	9.20	< 0.01	0.05	49.8	510	25.0	25.4	0.006	1.48	0.50
345807	9413 9402	< 0.05	0.06	< 0.01<	0.005	0.56	3.2	20.5	1.87	180	2.60	< 0.01	< 0.05	8.4	240	14.0	33.2	0.002	0.08	0.05
345808	9413 9402	< 0.05	0.06	< 0.01<	0.005	0.81	4.4	24.2	2.99	305	3.60	< 0.01	< 0.05	10.4	370	3.6	34.6	0.001	0.06	0.05
345809	9413 9402	< 0.05	0.06	< 0.01<	0.005	0.88	4.0	22.1	3.00	400	2.40	< 0.01	< 0.05	11.4	400	2.0	40.0	0.001	0.15	0.05
345810	9400 225	0.15	0.04	0.90	2.065	0.32	7.0	9.2	0.07	25	18.90	0.03	0.15	98.5	9420	424.8	16.2	0.004	0.37	738.0
345811	9413 9402	0.05	0.04	0.01	0.005	1.00	6.2	23.0	3.07	325	3.10	< 0.01	< 0.05	10.4	500	3.6	45.0	0.001	0.03	2.15
345812	9413 9402	0.05	0.10	< 0.01	0.005	0.96	8.2	22.0	4.14	395	4.90	< 0.01	0.05	13.4	520	6.2	51.4	0.007	0.04	0.45

CERTIFICATION: *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :1-C
Total Pages :3
Certificate Date: 24-SEP-2001
Invoice No. :I0124021
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124021

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345773	9413 9402	1.6	0.2	0.2	74.1	< 0.01	0.01	1.8	< 0.01	0.10	0.45	6	0.30	6.95	14	2.0
345774	9413 9402	2.9	0.2	0.2	193.9	0.01	0.02	2.4	< 0.01	< 0.02	0.85	118	0.65	10.90	20	2.5
345775	9413 9402	3.2	0.2	< 0.2	181.9	< 0.01	0.01	2.2	< 0.01	< 0.02	0.90	128	0.65	10.15	20	2.5
345776	9413 9402	2.2	0.2	0.2	159.2	< 0.01	0.01	1.2	< 0.01	0.02	0.55	10	0.95	8.00	16	1.5
345777	9413 9402	4.8	0.8	0.6	152.6	< 0.01	0.02	2.6	0.02	0.36	1.95	44	0.30	12.80	28	4.0
345778	9413 9402	4.9	1.2	0.6	185.5	0.01	0.03	4.0	0.01	0.28	3.75	89	1.45	12.75	110	5.5
345779	9413 9402	3.6	2.2	0.6	147.0	< 0.01	0.03	5.8	0.03	0.44	3.85	111	0.30	13.95	130	7.0
345780	9400 225	5.5	0.2	1.2	81.9	< 0.01	0.03	5.4	0.09	0.32	1.10	59	0.25	13.75	88	20.5
345781	9413 9402	1.9	0.2	< 0.2	170.4	< 0.01	0.01	1.2	0.01	0.12	2.75	14	0.15	8.65	10	2.0
345782	9413 9402	1.7	0.2	< 0.2	200.6	< 0.01	0.01	0.8	< 0.01	0.04	2.05	10	0.20	9.35	14	1.0
345783	9413 9402	1.8	< 0.2	< 0.2	166.4	< 0.01	0.01	0.6	< 0.01	0.06	2.90	10	0.15	9.20	4	0.5
345784	9413 9402	2.0	0.2	0.2	193.9	< 0.01	0.02	1.2	< 0.01	0.06	3.05	22	0.15	7.90	8	1.5
345785	9413 9402	1.1	< 0.2	< 0.2	288.2	< 0.01	0.01	0.6	< 0.01	< 0.02	3.25	10	0.20	5.80	8	0.5
345786	9413 9402	3.7	1.8	0.4	188.4	< 0.01	0.03	5.8	0.03	0.28	2.55	196	0.15	11.05	118	5.5
345787	9413 9402	3.1	1.8	0.4	155.1	< 0.01	0.03	6.0	0.03	0.32	4.35	186	0.25	11.30	82	7.0
345788	9413 9402	2.6	2.2	0.2	143.6	< 0.01	0.04	6.8	0.01	0.26	2.30	117	0.30	11.30	334	8.5
345789	9413 9402	2.7	1.6	0.2	144.8	< 0.01	0.06	5.2	0.01	0.34	1.30	96	0.25	10.95	528	6.0
345790	9413 9402	1.5	< 0.2	< 0.2	155.2	< 0.01	0.01	1.2	< 0.01	0.06	1.55	21	0.15	7.20	32	1.0
345791	9413 9402	3.5	1.6	0.2	181.0	< 0.01	0.04	4.6	0.01	0.24	2.85	99	0.30	11.80	338	3.5
345792	9413 9402	3.5	2.4	0.2	83.4	< 0.01	0.05	7.0	0.02	0.36	3.60	149	0.30	9.10	62	6.0
345793	9413 9402	2.8	3.4	0.2	171.1	< 0.01	0.07	6.8	0.01	0.26	4.70	138	0.35	13.35	258	7.0
345794	9413 9402	4.1	3.2	0.6	151.7	< 0.01	0.06	5.2	0.01	0.24	11.30	130	0.35	15.25	196	5.5
345795	9413 9402	4.0	2.8	0.4	122.9	< 0.01	0.06	6.6	0.04	0.36	11.70	240	0.40	14.30	318	7.0
345796	9413 9402	3.3	3.2	0.2	125.3	< 0.01	0.41	6.0	0.04	0.46	10.00	213	0.40	14.00	30	5.0
345797	9413 9402	2.6	2.8	0.4	84.2	< 0.01	0.04	5.8	0.03	0.34	9.90	159	0.35	11.30	6	5.5
345798	9413 9402	2.8	1.8	0.2	89.2	< 0.01	0.06	6.0	0.02	0.34	12.10	107	0.25	10.55	12	5.0
345799	9413 9402	3.0	3.0	0.2	92.8	< 0.01	0.05	7.0	0.02	0.32	14.55	146	0.25	13.20	20	5.5
345800	9413 9402	3.3	3.0	0.2	102.4	< 0.01	0.03	8.0	0.02	0.34	5.45	75	0.15	11.25	174	6.5
345801	9413 9402	3.0	2.8	0.2	100.0	< 0.01	0.04	7.0	0.03	0.32	8.25	122	0.15	11.20	32	5.5
345802	9413 9402	2.8	2.4	0.2	99.5	< 0.01	0.05	6.8	0.02	0.26	9.40	91	0.20	11.80	46	6.0
345803	9413 9402	2.8	2.2	0.4	79.8	< 0.01	0.05	8.0	0.03	0.36	16.60	171	0.35	12.50	58	7.5
345804	9413 9402	3.3	2.2	0.2	88.3	< 0.01	0.04	5.2	0.02	0.28	12.35	166	0.30	12.65	44	4.5
345805	9413 9402	3.7	2.2	0.2	117.7	< 0.01	0.06	6.4	0.01	0.22	6.95	120	0.25	15.55	276	4.5
345806	9413 9402	2.1	1.4	< 0.2	91.8	< 0.01	0.06	6.2	< 0.01	0.26	2.60	47	0.20	10.60	326	7.0
345807	9413 9402	1.7	0.2	0.2	61.1	< 0.01	0.02	2.2	0.01	0.30	0.85	4	0.15	6.35	6	1.5
345808	9413 9402	1.7	0.2	0.2	61.8	< 0.01	0.01	2.4	0.03	0.34	1.20	16	0.15	7.10	20	1.5
345809	9413 9402	1.6	0.2	0.2	56.0	< 0.01	0.01	2.4	0.03	0.38	1.00	10	0.15	7.90	8	1.0
345810	9400 225	3.8	4.2	12.6	434.0	< 0.01	0.24	3.2	< 0.01	6.34	12.20	631	51.7	18.30	210	2.0
345811	9413 9402	1.8	< 0.2	0.2	63.5	< 0.01	0.01	2.4	0.03	0.44	0.50	11	0.80	9.35	6	0.5
345812	9413 9402	2.2	< 0.2	0.2	92.4	< 0.01	0.22	3.0	0.03	0.44	1.85	40	0.35	10.60	10	2.5

CERTIFICATION: *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 24-SEP-2001
Invoice No. :I0124021
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124021

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
345813	9413 9402	0.92	< 5	-----	0.21	0.93	6.5	< 10	138.2	0.50	0.26	8.61	0.08	19.80	6.3	46	9.80	6.0	1.68	2.30
345814	9413 9402	3.46	< 5	-----	1.35	0.25	6.1	< 10	33.4	0.25	0.89	4.32	0.50	20.9	15.3	61	1.55	45.8	2.97	0.75
345815	9413 9402	3.72	< 5	-----	0.36	0.22	4.5	< 10	28.4	0.25	0.43	2.59	0.10	28.3	12.6	64	1.05	32.8	1.61	0.80
345816	9413 9402	3.64	< 5	-----	0.22	0.34	1.1	< 10	27.4	0.20	0.59	2.75	0.15	20.5	10.7	99	0.70	33.0	2.28	0.75
345817	9413 9402	3.52	< 5	-----	0.17	0.42	0.4	< 10	49.4	0.25	0.47	2.25	0.08	66.9	9.1	83	0.80	32.8	2.18	1.00
345818	9413 9402	4.48	< 5	-----	0.14	0.36	0.4	< 10	49.4	0.20	0.76	1.25	0.06	72.2	7.3	74	1.05	27.4	1.82	0.95
345819	9413 9402	3.96	< 5	-----	0.09	0.44	0.8	< 10	54.0	0.25	0.47	0.95	0.01	79.9	6.4	78	1.15	24.4	2.18	1.00
345820	9413 9402	3.86	< 5	-----	0.14	1.03	0.7	< 10	41.4	0.45	0.37	1.20	0.02	106.0	8.0	71	1.90	48.8	5.02	2.60
345821	9413 9402	3.54	< 5	-----	0.11	1.12	0.2	< 10	60.0	0.30	0.35	2.26	0.01	41.1	9.1	77	1.95	36.0	3.27	2.20
345822	9413 9402	3.60	< 5	-----	0.08	0.94	0.1	< 10	61.0	0.20	0.20	2.59	0.02	75.5	8.7	67	1.20	25.2	2.55	1.90
345823	9413 9402	3.76	< 5	-----	0.07	0.50	0.6	< 10	50.0	0.20	0.16	1.86	0.03	38.0	6.6	81	0.85	21.0	2.19	1.00
345824	9413 9402	3.54	< 5	-----	0.06	0.30	6.8	< 10	44.0	0.20	0.24	1.77	0.34	25.0	6.9	68	0.95	22.4	2.22	0.60
345825	9413 9402	3.50	< 5	-----	0.06	0.50	15.7	< 10	50.6	0.25	0.27	1.36	0.05	28.7	8.3	90	0.90	25.8	2.50	1.05
345826	9413 9402	4.40	< 5	-----	0.06	0.92	36.5	< 10	59.6	0.20	0.17	2.42	0.04	71.2	9.9	65	1.65	19.0	2.45	1.90
345827	9413 9402	3.90	< 5	-----	0.08	0.87	28.7	< 10	51.0	0.20	0.34	1.76	0.28	41.1	9.1	67	1.30	26.6	2.57	1.80
345828	9413 9402	3.82	< 5	-----	0.07	0.84	35.8	< 10	51.4	0.20	0.25	1.36	0.64	23.4	7.0	60	0.95	24.0	2.20	1.70
345829	9413 9402	3.78	< 5	-----	0.08	0.63	7.3	< 10	58.4	0.20	0.29	1.05	0.68	30.5	6.7	70	0.95	23.0	1.94	1.40
345830	9413 9402	3.52	< 5	-----	0.19	0.50	2.5	< 10	48.2	0.30	0.56	0.95	0.91	67.4	7.3	57	1.05	28.8	2.24	1.20
345831	9413 9402	3.48	< 5	-----	0.19	0.87	9.8	< 10	36.2	0.35	0.38	0.60	0.08	140.0	5.0	65	0.80	15.8	2.77	4.10
345832	9413 9402	4.00	< 5	-----	0.17	1.32	16.9	< 10	20.8	0.40	0.68	0.73	0.07	80.3	11.2	85	0.50	21.6	3.59	4.35
345833	9413 9402	2.24	< 5	-----	0.26	3.10	27.5	< 10	22.4	0.55	1.03	0.77	0.60	73.3	28.4	99	0.55	34.8	6.30	8.40
345834	9413 9402	4.12	5	-----	0.38	3.00	57.4	< 10	9.4	0.45	1.44	0.87	0.06	29.3	44.0	59	0.45	85.5	12.55	9.50
345835	9413 9402	4.72	< 5	-----	0.28	3.84	6.1	< 10	15.0	0.50	1.09	0.84	0.03	44.1	34.6	77	0.50	29.6	9.38	12.40
345836	9413 9402	2.56	< 5	-----	0.89	4.75	0.9	< 10	3.8	0.35	0.45	1.45	0.03	43.3	22.0	80	0.60	18.4	8.59	17.50
345837	9413 9402	2.68	< 5	-----	0.22	4.82	1.2	< 10	4.6	0.25	0.18	1.48	0.01	33.1	23.6	86	0.75	24.0	6.53	17.90
345838	9413 9402	3.14	< 5	-----	0.19	3.60	1.8	< 10	16.4	0.40	0.34	0.91	0.03	129.0	23.2	59	0.90	59.2	7.38	13.30
345839	9413 9402	0.10	10	-----	0.14	0.79	8.4	< 10	56.2	0.30	0.61	0.56	0.01	68.6	13.3	56	1.10	42.8	2.70	2.00
345840	9400 225	2.82	>10000	13.04	0.20	0.20	1430	< 10	963.9	0.10	0.09	0.08	16.70	1.50	1.4	49	2.20	39.2	2.53	1.90
345841	9413 9402	2.78	< 5	-----	0.12	0.58	26.7	< 10	56.8	0.25	0.51	0.43	0.04	30.1	8.3	55	1.00	43.4	2.14	1.45
345842	9413 9402	1.88	< 5	-----	0.18	1.45	12.6	< 10	69.2	0.45	0.24	1.91	0.03	197.5	3.3	27	1.70	39.8	3.20	5.30
345843	9413 9402	1.06	< 5	-----	0.11	0.44	13.3	< 10	55.2	0.30	0.61	0.54	0.01	30.6	10.1	54	0.75	53.9	2.42	1.25
345844	9413 9402	3.38	< 5	-----	0.06	0.38	1.1	< 10	27.0	0.15	0.10	0.32	< 0.01	17.00	4.1	102	0.30	16.2	1.05	1.05
345845	9413 9402	4.02	< 5	-----	0.09	1.64	1.4	< 10	41.4	0.35	0.37	0.41	0.01	43.4	12.9	54	0.70	92.6	3.66	4.90
345846	9413 9402	4.12	< 5	-----	0.13	0.40	11.2	< 10	54.8	0.35	0.39	0.73	0.01	40.6	8.2	75	0.70	72.0	2.00	1.20
345847	9413 9402	4.00	< 5	-----	0.11	0.88	12.9	< 10	60.4	0.30	0.39	0.18	< 0.01	40.4	13.4	44	0.65	74.9	2.88	2.25
345848	9413 9402	4.46	< 5	-----	0.12	1.01	17.7	< 10	64.0	0.35	0.40	0.25	0.01	39.9	11.9	52	0.75	81.6	3.06	2.90
345849	9413 9402	4.60	< 5	-----	0.15	1.34	29.0	< 10	54.0	0.35	0.49	0.76	0.01	73.6	15.5	45	1.15	97.2	4.37	4.65
345850	9413 9402	4.12	5	-----	0.14	0.46	10.7	< 10	68.4	0.30	0.42	0.75	0.01	13.80	14.3	69	0.90	36.0	2.17	1.40
345851	9413 9402	2.24	< 5	-----	0.14	1.56	0.9	< 10	17.0	0.15	0.44	0.68	0.06	36.8	10.3	21	0.60	24.8	4.07	6.80
345852	9413 9402	2.38	< 5	-----	0.29	1.19	15.8	< 10	43.2	0.25	0.69	0.87	0.20	18.15	16.4	45	1.00	45.8	4.15	3.25

CERTIFICATION: _____ *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :2-B
Total Pages :3
Certificate Date: 24-SEP-2001
Invoice No. :I0124021
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124021

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
345813	9413 9402	< 0.05	0.18	< 0.01	0.015	0.69	11.0	14.8	4.67	750	17.65	< 0.01	0.05	44.8	850	8.6	48.4	0.023	0.20	0.25
345814	9413 9402	< 0.05	0.08	< 0.01	0.030	0.13	10.8	3.0	1.75	670	13.35	< 0.01	0.25	70.8	820	60.4	5.9	0.030	1.70	0.45
345815	9413 9402	< 0.05	0.10	< 0.01	0.005	0.11	15.2	2.9	1.13	260	25.70	< 0.01	0.15	77.1	720	10.2	5.4	0.055	0.58	0.20
345816	9413 9402	< 0.05	0.06	< 0.01	< 0.005	0.12	11.2	3.5	1.26	285	21.75	< 0.01	< 0.05	77.6	830	14.8	4.2	0.043	1.05	0.25
345817	9413 9402	0.05	0.10	< 0.01	< 0.005	0.18	25.2	3.9	0.97	255	11.70	0.01	< 0.05	61.9	1110	8.8	5.8	0.020	1.06	0.15
345818	9413 9402	0.05	0.12	< 0.01	< 0.005	0.19	27.2	3.3	0.49	160	4.80	< 0.01	< 0.05	43.8	1060	5.0	6.9	0.003	1.04	0.05
345819	9413 9402	0.05	0.16	< 0.01	< 0.005	0.24	29.8	3.0	0.37	145	5.40	0.01	< 0.05	47.8	1260	1.8	7.5	0.006	1.15	0.05
345820	9413 9402	0.10	0.14	< 0.01	0.005	0.25	55.8	11.2	0.82	295	6.30	0.01	0.25	35.6	960	2.0	9.1	0.005	2.90	0.05
345821	9413 9402	0.05	0.12	< 0.01	< 0.005	0.28	22.0	11.4	0.99	330	4.10	0.01	< 0.05	49.0	1250	1.4	12.1	0.005	1.54	0.15
345822	9413 9402	0.05	0.12	< 0.01	0.005	0.24	27.8	9.3	0.88	290	3.45	0.01	< 0.05	50.0	1560	1.4	8.8	0.004	0.97	0.15
345823	9413 9402	< 0.05	0.12	< 0.01	0.005	0.19	20.4	4.2	0.70	250	3.05	0.01	< 0.05	40.8	1140	1.2	5.9	0.004	0.77	0.05
345824	9413 9402	< 0.05	0.14	< 0.01	0.005	0.19	13.2	1.4	0.60	205	3.20	< 0.01	< 0.05	47.8	1160	1.2	6.1	0.003	0.80	0.20
345825	9413 9402	< 0.05	0.16	< 0.01	0.005	0.18	15.4	4.1	0.59	180	3.85	< 0.01	< 0.05	53.2	1110	1.2	6.1	0.006	0.86	0.10
345826	9413 9402	0.05	0.10	< 0.01	0.005	0.23	26.2	9.6	0.94	370	2.75	< 0.01	< 0.05	44.4	1100	1.6	9.6	0.004	0.68	0.10
345827	9413 9402	0.05	0.10	< 0.01	0.005	0.19	22.4	9.2	0.79	240	3.45	< 0.01	< 0.05	45.8	1330	3.0	7.6	0.003	0.97	0.05
345828	9413 9402	< 0.05	0.10	< 0.01	0.010	0.17	13.0	9.6	0.63	190	3.45	< 0.01	< 0.05	44.8	970	4.4	7.1	0.002	0.84	0.10
345829	9413 9402	< 0.05	0.10	< 0.01	0.010	0.19	16.6	6.8	0.41	180	3.45	< 0.01	< 0.05	48.6	1070	3.4	7.5	0.002	0.98	0.10
345830	9413 9402	0.05	0.10	< 0.01	0.015	0.18	25.6	5.1	0.32	225	4.45	< 0.01	< 0.05	51.0	980	19.6	7.2	0.003	1.27	0.10
345831	9413 9402	0.10	0.14	< 0.01	0.005	0.15	72.4	10.6	0.52	150	8.90	0.01	3.60	37.6	580	4.2	5.2	0.005	1.26	0.15
345832	9413 9402	0.05	0.10	< 0.01	0.005	0.10	28.6	19.5	1.18	265	8.15	0.01	2.00	37.0	540	3.4	3.7	0.004	1.53	0.05
345833	9413 9402	0.05	0.08	< 0.01	0.025	0.09	26.6	49.6	2.72	390	5.65	0.01	< 0.05	49.2	1560	3.8	3.8	0.004	2.35	0.10
345834	9413 9402	0.15	0.12	< 0.01	0.035	0.03	14.6	44.2	2.56	535	16.10	0.01	< 0.05	83.7	1380	3.6	1.6	0.040	5.43	0.15
345835	9413 9402	0.10	0.12	< 0.01	0.025	0.06	22.4	53.7	3.16	645	9.00	0.01	< 0.05	57.4	2940	2.8	2.6	0.012	3.34	0.10
345836	9413 9402	0.20	0.06	< 0.01	0.045	0.01	21.8	55.6	3.78	865	3.35	0.01	0.15	24.8	3510	1.6	0.9<	0.001	1.85	0.05
345837	9413 9402	0.25	0.06	< 0.01	0.055	0.02	15.4	56.9	3.98	575	2.65	0.01	< 0.05	32.0	4810	1.2	1.4	0.003	0.57	0.05
345838	9413 9402	0.15	0.06	< 0.01	0.070	0.04	67.8	50.9	2.96	520	5.25	0.01	0.20	25.4	2390	1.2	2.3<	0.001	2.00	0.05
345839	9413 9402	0.05	0.14	< 0.01	< 0.005	0.18	26.2	10.1	0.54	100	8.55	0.01	0.20	43.8	1170	1.8	7.8	0.007	1.34	0.15
345840	9400 225	< 0.05	0.10	0.47	0.640	0.11	0.6	0.9	0.03	15	4.80	0.04	0.20	6.2	200	112.4	4.7<	0.001	0.11	149.75
345841	9413 9402	0.05	0.16	< 0.01	< 0.005	0.17	17.0	7.2	0.38	130	7.15	< 0.01	< 0.05	34.8	1060	1.6	7.5	0.005	1.08	0.30
345842	9413 9402	0.10	0.18	< 0.01	0.015	0.19	115.2	22.9	1.16	720	10.45	0.03	5.25	6.2	400	2.8	9.3<	0.001	1.24	0.10
345843	9413 9402	0.05	0.12	< 0.01	< 0.005	0.16	17.2	5.5	0.32	140	7.25	0.01	0.10	41.0	1040	1.8	7.1	0.005	1.26	0.15
345844	9413 9402	< 0.05	0.06	< 0.01	< 0.005	0.08	9.2	5.3	0.25	75	3.20	< 0.01	0.15	11.8	830	0.6	3.5	0.001	0.40	0.05
345845	9413 9402	0.05	0.10	< 0.01	0.010	0.12	24.0	30.2	1.35	200	6.95	< 0.01	0.05	35.2	1320	1.6	5.5	0.003	1.36	0.10
345846	9413 9402	0.05	0.10	< 0.01	< 0.005	0.14	22.8	5.5	0.29	190	6.15	< 0.01	< 0.05	37.4	880	5.2	6.7	0.004	1.00	0.15
345847	9413 9402	0.05	0.08	< 0.01	< 0.005	0.13	22.2	15.7	0.66	85	4.90	< 0.01	< 0.05	34.8	740	1.8	6.2	0.003	1.33	0.15
345848	9413 9402	0.05	0.08	< 0.01	< 0.005	0.15	21.8	18.4	0.80	155	5.60	0.01	< 0.05	31.2	810	2.4	7.1	0.002	1.41	0.15
345849	9413 9402	0.05	0.12	< 0.01	0.015	0.15	27.2	25.3	1.23	925	5.75	< 0.01	0.10	31.6	1240	6.0	8.3	0.003	1.98	0.15
345850	9413 9402	< 0.05	0.08	< 0.01	0.005	0.17	7.2	6.3	0.47	1015	4.65	< 0.01	< 0.05	33.8	850	8.4	8.6	0.003	1.15	0.25
345851	9413 9402	0.05	0.06	< 0.01	0.015	0.08	20.4	25.4	1.34	580	4.55	0.05	0.20	4.8	630	7.0	4.5<	0.001	1.36	0.05
345852	9413 9402	< 0.05	0.08	< 0.01	0.015	0.20	9.8	18.1	1.10	830	6.35	0.01	0.40	19.0	1000	24.4	9.0	0.001	1.87	0.10

CERTIFICATION: *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :2-C
Total Pages :3
Certificate Date: 24-SEP-2001
Invoice No. :I0124021
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124021

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345813	9413 9402	2.5	0.6	0.4	105.4	< 0.01	0.03	3.8	0.03	0.30	4.25	69	0.25	12.00	22	4.5
345814	9413 9402	1.6	2.8	1.0	80.5	< 0.01	0.04	5.6	< 0.01	0.14	9.35	15	0.35	12.90	68	2.0
345815	9413 9402	1.2	1.6	0.6	55.9	< 0.01	0.04	3.4	< 0.01	0.06	11.50	20	0.30	9.55	18	2.0
345816	9413 9402	1.1	1.8	0.2	26.4	< 0.01	0.05	2.6	< 0.01	0.06	7.30	35	0.20	6.20	34	2.0
345817	9413 9402	1.2	1.8	0.2	23.0	< 0.01	0.04	4.6	< 0.01	0.06	5.35	28	0.20	6.60	24	2.5
345818	9413 9402	0.8	1.6	0.2	12.4	< 0.01	0.07	5.0	< 0.01	0.06	3.55	18	0.15	5.25	14	3.5
345819	9413 9402	0.7	1.4	0.2	8.6	< 0.01	0.03	5.8	< 0.01	0.06	3.70	20	0.15	5.15	8	4.0
345820	9413 9402	0.8	3.2	0.2	8.8	< 0.01	0.08	8.2	< 0.01	0.08	3.25	16	0.15	6.50	20	3.5
345821	9413 9402	2.2	2.0	0.2	15.4	< 0.01	0.05	5.8	< 0.01	0.10	2.70	54	0.15	5.40	22	3.5
345822	9413 9402	1.3	1.6	< 0.2	19.4	< 0.01	0.04	6.2	< 0.01	0.08	2.30	30	0.05	6.80	22	3.0
345823	9413 9402	1.0	1.4	0.2	16.8	< 0.01	0.02	5.2	< 0.01	0.06	1.55	19	0.05	5.60	26	3.0
345824	9413 9402	1.0	1.4	0.2	19.2	< 0.01	0.03	5.4	< 0.01	0.04	1.15	13	0.10	5.00	90	4.0
345825	9413 9402	1.2	1.6	< 0.2	15.8	< 0.01	0.04	5.6	< 0.01	0.06	2.30	20	0.15	4.95	40	4.5
345826	9413 9402	1.5	1.4	< 0.2	23.6	< 0.01	0.04	6.4	< 0.01	0.08	1.50	27	0.05	6.10	36	3.0
345827	9413 9402	1.2	1.8	0.2	18.4	< 0.01	0.03	5.6	< 0.01	0.06	2.00	27	0.15	5.95	78	3.0
345828	9413 9402	1.0	1.6	< 0.2	13.4	< 0.01	0.02	4.8	< 0.01	0.06	1.75	29	< 0.05	4.05	148	2.5
345829	9413 9402	0.9	1.4	0.2	12.4	< 0.01	0.02	5.0	< 0.01	0.04	1.70	25	0.05	4.30	132	3.0
345830	9413 9402	0.9	2.0	0.4	11.2	< 0.01	0.03	6.6	< 0.01	0.06	2.25	22	0.05	4.95	118	3.0
345831	9413 9402	0.5	2.8	0.4	12.8	0.10	0.02	13.0	< 0.01	0.02	5.35	11	0.20	16.20	44	2.5
345832	9413 9402	1.6	2.8	0.4	9.0	0.08	0.03	10.8	< 0.01	0.02	3.35	18	0.15	12.00	16	2.5
345833	9413 9402	4.5	2.8	0.6	11.4	< 0.01	0.03	8.2	< 0.01	0.02	0.75	66	0.05	7.05	60	2.0
345834	9413 9402	9.5	5.8	0.6	17.0	< 0.01	0.06	4.4	< 0.01	< 0.02	3.45	198	0.05	5.65	56	6.0
345835	9413 9402	8.2	3.8	0.2	14.4	< 0.01	0.03	4.2	< 0.01	0.02	1.60	105	0.05	10.30	36	3.5
345836	9413 9402	14.3	1.2	0.2	23.4	< 0.01	< 0.01	8.2	< 0.01	0.02	0.60	83	< 0.05	15.00	34	1.5
345837	9413 9402	14.8	1.0	0.2	23.2	< 0.01	< 0.01	4.4	0.01	< 0.02	0.15	86	< 0.05	17.20	28	2.5
345838	9413 9402	8.1	2.8	0.2	16.2	0.01	0.03	8.2	< 0.01	0.02	1.00	65	0.05	12.70	26	1.0
345839	9413 9402	0.9	1.8	0.2	24.0	< 0.01	0.03	6.0	< 0.01	0.06	3.85	29	0.15	5.45	6	3.5
345840	9400 225	4.4	1.2	1.6	121.6	< 0.01	0.05	1.2	< 0.01	10.00	3.25	99	4.40	1.60	82	2.0
345841	9413 9402	0.7	1.4	< 0.2	6.8	< 0.01	0.03	4.6	< 0.01	0.08	2.05	23	0.10	4.45	4	4.0
345842	9413 9402	0.4	2.0	0.2	20.6	0.10	0.03	18.8	< 0.01	0.08	5.50	4	0.20	26.65	10	2.0
345843	9413 9402	0.7	1.8	< 0.2	10.8	< 0.01	0.03	6.8	< 0.01	0.06	2.65	21	0.15	5.20	2	3.5
345844	9413 9402	0.3	0.6	< 0.2	5.8	< 0.01	< 0.01	3.4	< 0.01	0.02	0.50	8	0.05	4.45	2	1.5
345845	9413 9402	1.5	2.2	< 0.2	8.8	< 0.01	0.05	8.4	< 0.01	0.04	1.70	31	0.05	6.15	18	2.5
345846	9413 9402	0.9	1.8	< 0.2	13.4	< 0.01	0.04	6.4	< 0.01	0.06	3.90	18	0.15	5.70	2	3.0
345847	9413 9402	0.8	2.4	0.2	5.0	< 0.01	0.05	8.2	< 0.01	0.06	2.10	23	0.05	3.85	10	2.5
345848	9413 9402	0.7	2.2	0.6	7.2	< 0.01	0.03	9.2	< 0.01	0.06	2.20	18	0.05	4.35	12	2.5
345849	9413 9402	1.1	2.8	1.6	18.6	< 0.01	0.05	10.0	< 0.01	0.06	1.55	25	0.10	8.05	16	3.0
345850	9413 9402	0.7	1.2	1.2	19.6	< 0.01	< 0.01	5.4	< 0.01	0.06	1.70	18	0.10	4.85	4	2.5
345851	9413 9402	0.7	1.4	0.2	14.6	< 0.01	0.01	9.6	< 0.01	0.02	1.25	< 1	< 0.05	7.20	22	1.5
345852	9413 9402	0.6	2.8	3.0	18.4	0.01	0.01	9.0	< 0.01	0.06	2.00	11	0.15	8.35	30	2.5

CERTIFICATION: _____*+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Page Number :3-A
Total Pages :3
Certificate Date: 24-SEP-2001
Invoice No. : I0124021
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124021

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
345853	9413 9402	3.78	< 5	-----	0.40	1.32	14.1	< 10	63.4	0.55	1.30	0.26	0.03	21.0	14.7	88	2.00	32.2	3.50	4.10
345854	9413 9402	3.94	< 5	-----	0.32	2.84	11.3	< 10	69.2	0.50	0.76	0.44	< 0.01	26.5	20.2	97	0.65	25.8	5.15	8.60
345855	9413 9402	4.34	< 5	-----	0.23	2.69	35.0	< 10	75.6	0.70	1.13	0.79	0.02	77.5	25.2	93	0.70	26.2	5.43	7.90
345856	9413 9402	3.98	< 5	-----	0.40	1.69	13.3	< 10	28.4	0.50	1.12	0.55	0.01	92.1	21.7	90	0.75	43.6	5.50	5.40
345857	9413 9402	4.54	< 5	-----	0.19	1.96	12.1	< 10	64.8	0.45	0.84	0.47	0.01	113.5	17.9	52	0.85	19.6	4.36	6.25
345858	9413 9402	3.66	< 5	-----	0.95	2.03	10.5	< 10	80.0	0.55	1.20	0.26	< 0.01	85.9	16.9	64	0.85	20.8	3.86	5.90
345859	9413 9402	1.50	< 5	-----	0.35	1.39	21.7	< 10	97.8	0.55	1.84	0.33	0.06	38.7	13.5	78	1.75	15.6	2.94	3.90
345860	9413 9402	3.66	< 5	-----	2.65	0.67	2.9	< 10	22.4	0.50	4.38	1.00	0.03	11.80	63.0	89	0.60	64.7	6.36	2.10
345861	9413 9402	3.70	< 5	-----	0.43	2.23	12.0	< 10	94.8	0.55	0.48	0.27	0.01	78.8	9.5	72	1.00	16.8	3.38	6.65
345862	9413 9402	4.02	< 5	-----	0.24	2.01	32.3	< 10	74.4	0.55	0.58	0.22	< 0.01	71.8	11.0	80	0.70	19.8	3.62	6.40
345863	9413 9402	2.84	< 5	-----	0.16	1.89	9.4	< 10	77.6	0.65	0.60	0.21	0.05	33.8	8.2	81	2.30	20.8	3.04	6.10
345864	9413 9402	2.22	< 5	-----	0.99	1.50	22.9	< 10	59.0	0.55	2.23	0.30	1.21	39.9	10.5	67	1.35	30.2	3.26	5.25
345865	9413 9402	3.34	< 5	-----	0.30	1.12	0.5	< 10	83.4	0.55	0.56	0.26	0.01	21.2	7.4	93	0.85	19.0	2.20	3.70
345866	9413 9402	3.44	< 5	-----	0.46	2.07	0.3	< 10	14.0	0.30	1.26	0.37	0.08	73.1	23.6	31	0.45	60.3	5.69	13.25
345867	9413 9402	3.78	< 5	-----	0.52	1.36	< 0.1	< 10	3.8	0.20	2.71	0.56	0.21	38.1	17.5	34	0.80	56.7	7.36	10.15
345868	9413 9402	3.66	< 5	-----	0.21	2.60	< 0.1	< 10	7.0	0.30	0.47	0.21	0.01	142.0	11.9	33	0.60	53.4	5.04	17.45
345869	9413 9402	0.08	< 5	-----	0.17	2.12	16.0	< 10	40.0	0.40	0.45	0.17	0.01	114.5	10.6	39	1.75	44.2	4.00	11.00
345870	9400 225	3.86	>10000	12.65	0.19	0.19	1340	< 10	924.5	0.10	0.09	0.07	17.00	1.58	1.5	46	2.25	42.6	2.37	2.05
345871	9413 9402	4.40	< 5	-----	0.32	0.99	46.4	< 10	67.8	0.40	0.65	0.23	0.01	25.7	9.6	106	2.45	21.2	2.15	3.25
345872	9413 9402	3.56	< 5	-----	1.78	1.19	7.7	< 10	88.0	0.55	7.37	0.34	2.46	24.2	7.3	86	3.50	17.6	2.07	3.15
345873	9413 9402	3.94	< 5	-----	0.26	1.54	19.3	< 10	103.0	0.55	0.39	0.22	0.01	30.1	7.6	79	5.85	12.6	2.39	3.70
345874	9413 9402	2.84	< 5	-----	0.18	2.22	0.7	< 10	59.6	0.35	0.39	0.28	0.23	26.6	8.6	66	3.10	16.0	3.48	6.55

CERTIFICATION: _____ *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 24-SEP-2001
Invoice No. : I0124021
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124021

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
345853	9413 9402	< 0.05	0.10	< 0.01	0.005	0.36	11.4	18.2	0.84	165	4.85	0.01	0.05	37.6	920	12.2	20.2	0.004	1.62	0.15
345854	9413 9402	0.05	0.08	< 0.01	0.015	0.22	14.0	50.2	2.27	315	6.20	0.01	< 0.05	43.4	1780	8.0	10.0	0.003	1.54	0.05
345855	9413 9402	0.05	0.10	< 0.01	0.015	0.24	28.0	45.3	2.15	400	6.80	0.01	< 0.05	53.3	1960	3.0	11.0	0.003	1.81	0.10
345856	9413 9402	0.10	0.12	< 0.01	0.005	0.22	33.8	26.4	1.27	250	5.80	0.03	0.30	41.6	910	2.0	10.2	0.003	2.64	0.15
345857	9413 9402	0.05	0.10	< 0.01	0.005	0.19	61.2	32.2	1.52	210	5.30	0.04	0.05	22.0	960	2.2	9.5	0.001	1.70	0.05
345858	9413 9402	0.05	0.10	< 0.01	0.005	0.24	32.4	32.6	1.50	140	5.00	0.02	< 0.05	31.4	950	1.8	12.2	0.003	1.35	0.05
345859	9413 9402	0.05	0.12	< 0.01	0.005	0.32	21.2	20.2	0.96	140	4.70	0.01	< 0.05	38.4	820	4.8	18.8	0.003	1.10	0.10
345860	9413 9402	0.05	0.12	< 0.01	0.020	0.25	6.0	8.4	0.64	940	5.40	0.01	0.15	128.1	860	119.2	12.7	0.004	3.81	0.10
345861	9413 9402	0.05	0.08	< 0.01	0.010	0.24	29.2	34.3	1.56	170	4.25	0.01	< 0.05	32.2	1110	1.6	13.1	0.003	0.70	0.05
345862	9413 9402	0.05	0.10	< 0.01	0.005	0.22	26.8	28.3	1.36	165	4.70	0.03	< 0.05	22.6	830	3.0	10.4	0.002	0.95	0.05
345863	9413 9402	0.05	0.08	< 0.01	0.010	0.33	18.2	25.6	1.31	145	4.45	0.01	0.05	25.4	850	2.6	21.1	0.002	0.76	0.05
345864	9413 9402	0.05	0.14	< 0.01	0.040	0.22	21.4	20.8	1.08	250	5.30	0.02	0.25	24.4	690	141.1	13.3	0.002	1.16	0.10
345865	9413 9402	< 0.05	0.08	< 0.01	0.005	0.30	11.8	13.0	0.66	90	4.35	0.01	< 0.05	30.4	810	3.0	14.5	0.003	0.83	0.25
345866	9413 9402	0.05	0.08	< 0.01	0.020	0.06	26.4	31.0	1.97	255	5.95	0.07	0.35	5.6	1070	14.4	3.7<	0.001	2.54	0.05
345867	9413 9402	0.10	0.08	< 0.01	0.015	0.03	20.6	22.0	1.55	250	6.50	0.06	0.80	6.8	460	14.0	2.7<	0.001	4.18	0.10
345868	9413 9402	0.15	0.12	< 0.01	0.030	0.03	74.6	43.6	2.27	200	6.60	0.06	0.15	5.2	460	1.2	2.7<	0.001	1.52	0.05
345869	9413 9402	0.10	0.12	< 0.01	0.015	0.18	60.0	36.1	1.63	160	6.30	0.05	0.20	12.4	490	1.2	14.0	0.001	1.11	0.05
345870	9400 225	< 0.05	0.10	0.49	0.665	0.10	0.8	0.9	0.02	10	5.20	0.04	0.20	6.8	190	117.6	5.4<	0.001	0.09	105.55
345871	9413 9402	< 0.05	0.08	< 0.01	0.005	0.32	13.6	12.4	0.63	110	3.75	0.01	0.05	30.4	780	6.8	21.3	0.002	0.81	0.20
345872	9413 9402	0.05	0.10	< 0.01	0.040	0.42	13.2	15.5	0.77	225	3.80	0.01	< 0.05	38.0	730	416.8	28.4	0.002	0.71	0.20
345873	9413 9402	0.05	0.10	< 0.01	0.005	0.50	15.8	17.1	1.01	95	4.30	0.01	< 0.05	35.2	990	2.4	35.5	0.002	0.77	0.15
345874	9413 9402	0.05	0.08	< 0.01	0.015	0.32	13.6	29.6	1.79	185	5.10	0.03	0.10	28.6	1090	6.0	23.1	0.002	0.96	0.10

CERTIFICATION: _____*+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Project : TAY-LP
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

Certificate Date: 24-SEP-2001
Invoice No. :I0124021
P.O. Number :21341
Account :SWY

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A0124021

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
345853	94139402	1.5	3.8	1.4	9.0	< 0.01	0.07	6.2	< 0.01	0.12	1.50	46	0.15	4.50	12	3.0
345854	94139402	3.3	3.4	1.8	14.0	< 0.01	0.03	6.6	< 0.01	0.06	1.40	74	0.15	7.80	30	2.5
345855	94139402	3.5	4.4	0.6	20.8	< 0.01	0.05	7.8	< 0.01	0.06	1.75	67	0.15	9.95	24	3.0
345856	94139402	2.0	5.4	0.2	14.0	< 0.01	0.06	9.6	< 0.01	0.10	3.05	55	0.10	7.40	14	3.5
345857	94139402	1.8	4.8	0.2	11.2	< 0.01	0.03	10.4	< 0.01	0.06	1.85	36	0.05	7.50	16	3.0
345858	94139402	1.8	4.4	0.2	9.0	< 0.01	0.06	10.2	< 0.01	0.10	1.95	51	0.05	5.90	20	3.0
345859	94139402	1.6	3.6	0.2	10.6	< 0.01	0.06	8.0	< 0.01	0.12	4.30	58	0.15	5.40	14	3.0
345860	94139402	1.2	9.6	1.2	31.2	< 0.01	0.13	9.6	< 0.01	0.08	2.15	27	0.20	7.75	6	3.5
345861	94139402	2.4	1.8	0.2	10.4	< 0.01	0.04	6.8	< 0.01	0.08	2.50	61	0.10	6.95	18	2.5
345862	94139402	1.9	2.0	0.2	9.2	< 0.01	0.01	7.8	< 0.01	0.06	1.45	44	0.10	5.95	14	3.0
345863	94139402	1.5	1.4	0.6	8.8	< 0.01	0.03	7.2	< 0.01	0.14	1.65	48	0.05	4.55	18	3.0
345864	94139402	1.3	2.2	2.2	14.4	< 0.01	0.05	9.0	< 0.01	0.10	2.25	32	0.10	5.80	126	4.0
345865	94139402	1.2	1.2	0.6	13.6	< 0.01	< 0.01	5.8	< 0.01	0.08	1.75	44	0.15	3.80	8	2.5
345866	94139402	3.6	4.0	0.8	13.4	< 0.01	0.01	8.4	< 0.01	0.02	1.10	28	0.05	8.15	20	2.5
345867	94139402	1.9	5.4	< 0.2	17.4	0.01	0.04	9.0	< 0.01	0.04	1.50	19	0.10	7.75	26	3.0
345868	94139402	3.4	2.4	< 0.2	8.4	< 0.01	0.01	10.4	< 0.01	< 0.02	1.05	19	< 0.05	6.85	14	3.0
345869	94139402	1.8	2.0	0.2	9.0	< 0.01	0.01	10.0	< 0.01	0.08	1.85	22	0.05	5.95	14	3.0
345870	9400 225	5.1	1.2	1.6	124.3	< 0.01	0.04	1.6	< 0.01	10.70	3.80	92	4.45	1.70	78	2.5
345871	94139402	1.1	1.6	0.6	9.2	< 0.01	0.04	5.4	< 0.01	0.12	1.40	32	0.15	4.10	12	2.5
345872	94139402	1.3	2.0	0.8	13.4	< 0.01	0.07	5.6	< 0.01	0.16	1.75	47	0.15	3.95	222	3.0
345873	94139402	1.3	1.4	0.6	9.2	< 0.01	0.04	5.6	< 0.01	0.18	1.95	57	0.10	4.15	18	3.0
345874	94139402	1.9	1.6	0.6	10.4	< 0.01	0.03	5.4	< 0.01	0.14	1.85	44	0.05	4.75	44	2.0

CERTIFICATION: *+

*INTERFERENCE: Ca (>15%) ON ICP-MS As, ICP-AES RESULT SHOWN.

APPENDIX VI

LIST OF PERSONNEL AND CONTRACTORS

LIST OF PERSONNEL AND CONTRACTORS

LIST OF PERSONNEL

Michael Stammers, P. Geo. M.A. Stammers Exploration Management Inc. 941 Kennedy Avenue, North Vancouver, B.C. V7R 1L4	Allan Montgomery, P. Geo. A Montgomery Exploration 25 –1203 Madison Avenue Burnaby, B.C. V6C 6R9
Richard Gorton, Geologist Newmont Mining Corporation 10101 East Dry Creek Road Englewood, Colorado, USA 80112	Tom Weis, Geophysicist Newmont Mining Corporation 10101 East Dry Creek Road Englewood, Colorado, USA 80112
Ed Sinnott, Core Handling/Drill Pad Builder P.O. Box 277 Mayo, YT Y0B IM0	Jan Tindle, Cook/First Aid Attendant 3341 Lakeside Road Whistler, B.C. V0N 1B3
Yvonne Thornton, Drill Pad Builder/First Aid 3341 Lakeside Road Whistler, B.C. V0N 1B3	Nicole Barkhouse, Core Handling 5687 Big Bear Ridge Nanaimo, BC V9T 2K3

LIST OF CONTRACTORS

Major Drilling Group, Driller-Foreman, Ken Griffiths 180 Cree Crescent Winnipeg, Manitoba R3J 3W1
Capital Helicopters (1995) Inc., Pilot- Stephen Soubliere P.O. Box 4367 Whitehorse, Yukon Y1A 3T5
Courier des Bois Ltd./Ltee., Linecutting Contractor 3 Ryder Place Whitehorse, Yukon Y1A 5T5

APPENDIX VII

STATEMENT OF EXPENDITURES

STATEMENT OF EXPENDITURES
TAY-LP AND RAM GROUP OF QUARTZ MINERAL CLAIMS

CANADA -- In the matter of diamond drilling assessment work filed on the ***TAY-LP AND RAM Claim Group*** comprising the following claims: Tay 1-21; Cam 1-40; Gai 1-65; Try 1-60; Jef 9, 11-14, 27, 51; LP 1-4, 7-25, 33, 35-93, 109-115, 130-139, 153, 155, 157, 159, 165-175; and Ram 485-492, 497-504, 509-516, 521-528, 543-552, 554, 615-622, 692, 694, 696,698, 700, 702-714.

I, Michael A. Stammers agent for Newmont Exploration of Canada Limited, 1700 Lincoln Street, Denver, Colorado, do solemnly declare that a program consisting of diamond drilling work was carried out on the ***Try 46; GAI 47; LP 10, 12, 13 & 58 claims*** during the period August 1 - 31, 2001.

The following expenses were incurred during the course of this work and in the compilation and reporting of the results:

PROFESSIONAL FEES AND WAGES

A. Montgomery, Geologist	30.0 days x $425/d	$12,750.00	
M. Stammers, Supervisor/Geologist	36.5 days x $475/d	17,337.50	
J. Tindle, Cook/First Aid	29.5 days x $300/d	8,850.00	
Y. Thornton, Drill Pads & Geotech.	28.25 days x $300/d	8,475.00	
E. Sinnott, Drill Pads & Geotech.	31.5 days x $300/d	9,450.00	
T. Weis, Geophysicist	5.0 days x $500/d	2,500.00	
R. Gorton, Geologist	5.0 days x $500/d	2,500.00	
N. Barkhouse, Core Handling	26.0 days x $250/d	6,500.00	
			$68,362.50

EXPENSES

Truck Rentals	$5,280.32	
Generator Rental	1,179.80	
Hand Held Radio Rentals	401.25	
Lodging – Ketza Camp Rental	10,563.58	
Satellite Telephone Rental and Toll charges	4,336.61	
Camp Groceries	6,689.63	
Travel – Gasoline	2,174.37	
Travel – Hotel	2,381.06	
Travel – Meals	712.95	
Travel – Air	1,427.50	
Freight Charges	2,995.04	
Telephone and Post, Copying	77.50	
Field Supplies and Equipment	1,550.54	
		$39,770.15

STATEMENT OF EXPENDITURES
AUREX GROUP OF QUARTZ MINERAL CLAIMS

DIRECT CHARGES

Major Drilling Group – Footage, Labour, Materials, etc.	$98,411.14	
Drill Fuel, Pad Lumber and Core Saw Blades	7,532.32	
Contract Helicopter (148.9 hours)	126,565.00	
Fixed Wing Charter	1,697.00	
Contract Linecutting	4,173.00	
ALS Chemex Labs Analytical Services	17,723.36	
		$256,101.82

REPORT PREPARATION


A. Montgomery, Geologist	(4.0 days x $425/d)	$1,700.00	
M. Stammers, Geologist	(8.0 days x $475/d)	3,800.00	
Geodrafting Ltd., AutoCAD Map Preparation		2,961.97	
Report reproductions, supplies		400.00	
			$8,861.97

TOTAL EXPENDITURES – FOR ENTIRE PROGRAM **$373,096.44**

PRORATED COST ON A PER METRE BASIS (1213.41 m. total) **$307.48/m**

Drill Hole TLP01-2 on the Try 48 claim had prorated expenditures of $30,926.34
Drill Hole TLP01-5 on the LP 10 claim had prorated expenditures of $33,739.78
Drill Hole TLP01-6 on the LP 12 claim had prorated expenditures of $28,115.97
Drill Hole TLP01-8 on the LP 58 claim had prorated expenditures of $37,487.96
Drill Hole TLP01-9 on the LP 13 claim had prorated expenditures of $33,739.78
Drill Hole TLP01-11 on the GAI 47 claim had prorated expenditures of $45,922.14

And I make this solemn declaration conscientiously believing it to be true and knowing that it is of the same force and effect as if made under oath and by virtue of the Canada Evidence Act. Dated at North Vancouver in the Province of British Columbia this 16 day of November 2001.



Michael A. Stammers, P.Geo.

APPENDIX VIII

STATEMENT OF QUALIFICATIONS

GEOLOGIST'S CERTIFICATE

I, Michael A. Stammers, of 941 Kennedy Avenue, North Vancouver, in the Province of British Columbia, Canada, DO HEREBY CERTIFY:

1 THAT I am a Consulting Geologist with offices at 941 Kennedy Avenue, North Vancouver, British Columbia, V7R 1L4 Canada.

2 THAT I have practiced in my profession with various mining companies in Yukon, British Columbia, Nova Scotia, Northwest Territories, Alaska, Oregon, Vanuatu and Venezuela for 28 years.

3 THAT I am a graduate of McMaster University (1977) and hold a combined Honours B.A. in Geology and Geography.


4 THAT I am duly registered as a Professional Geoscientist in the Province of British Columbia (#18883).

5 THAT I am a Fellow of the Geological Association of Canada.

6 THAT this report is based on property work that I supervised from August 1 - 31, 2001.

7 THAT I have no interest in the property described herein, or in any securities of any company associated with the property, nor do I expect to receive any such interest.

DATED at North Vancouver, British Columbia, Canada, this 16 day of November 2001.



Michael A. Stammers, P. Geo., FGAC

620,000 mE | 621,000 mE | 622,000 mE | 623,000 mE | 624,000 mE | 625,000 mE | 626,000 mE | 627,000 mE

6,834,000 mN | 6,833,000 mN | 6,832,000 mN | 6,831,000 mN | 6,830,000 mN | 6,829,000 mN | 6,828,000 mN | 6,827,000 mN | 6,826,000 mN

2001 Diamond Drill Core Storage

RAM CLAIM BLOCK

TAY - LP CLAIM BLOCK

Seagull Creek

Tolbert Creek

B ZONE

C ZONE

A ZONE

DDH TLP01-1 | DDH TLP01-2 | DDH TLP01-3 | DDH TLP01-4 | DDH TLP01-5 | DDH TLP01-6 | DDH TLP01-7 | DDH TLP01-8 | DDH TLP01-9 | DDH TLP01-10 | DDH TLP01-11

L207 | L210 | L219 | L302 | L305 | L102 | L104 | L106 | L117 | L121

TAY-LP PROJECT NORTHWEST (C) ZONE
2001 PROSPECT ROCK SAMPLE RESULTS

SAMPLE NUMBER	GOLD ppb	SILVER ppm or g/t	ARSENIC ppm	BISMUTH ppm	LEAD ppm or %	ANTIMONY ppm	ZINC ppm or %
254	<5	0.01	1.5	0.17	30.0	0.1	20
255	5	0.49	4.9	243.00	3.8	0.9	4
256	5	0.05	1.8	1.20	11.6	0.8	<2
257	805	0.66	61.4	160.80	46.2	1.1	<2
258	<5	0.09	107.0	0.77	7.2	1.2	2
259	30	13.95	3430.0	69.00	365.7	2.0	2
260	<5	0.03	9.7	0.32	4.0	< .05	2
261	10	0.06	8.7	2.10	3.8	0.1	64
262	10	0.29	3.6	3.29	12.0	0.1	86
263	<5	0.03	58.8	0.47	3.0	4.2	38
264	580	38.30	>10000.	14.90	80.0	120.6	2680
265	65	2.70	>10000.	0.48	540.0	7.2	58
266	70	3.35	9160.0	0.60	918.0	9.5	94
267	205	**196.0 g/t**	>10000.	0.74	**5.81%**	86.1	896
268	785	45.30	>10000.	2.82	**2.15%**	80.9	72
269	900	1.00	214.0	107.80	168.7	0.6	16
270	40	0.22	3.6	10.75	13.8	0.05	12
271	<5	1.49	17.2	14.90	600.0	192.00	70
272	1380	1.83	0.4	53.30	9.0	0.60	12
273	5	0.24	76.6	0.57	17.2	1.15	16
274	15	0.27	102.0	0.29	3.0	2.60	6
275	135	1.53	540.0	0.60	3.2	13.50	28
276	55	0.54	231.0	0.24	4.2	5.90	26
277	25	2.39	51.0	0.50	13.4	14.60	44
278	5570	89.2	>10000.	70.50	**6.11%**	125.80	82
279	25	**125.0 g/t**	309.0	273.00	7590.0	1.10	**1.08%**
1785	10	0.47	415.0	1.41	115.8	0.5	16
1786	<5	0.14	41.2	0.69	40.2	0.2	2
1787	<5	0.24	84.4	0.17	21.6	0.3	234
1788	145	2.87	32.9	70.30	90.2	0.2	12
1789	155	55.00	8070.0	41.20	6490.0	116.3	2380
1790	105	9.58	1820.0	6.19	2450.0	1665.0	4120
1791	150	9.16	203.0	128.90	381.0	7.8	66
1792	140	30.80	13.8	782.00	560.0	6.9	24
1793	<5	0.58	16.0	3.01	91.8	0.7	6

LEGEND

SYMBOLS

- Dirt road, cat track
- Camp
- Claim post location
- BB-22 — Past drill hole, DDH – diamond drill hole, RC – reverse circulation
- Cat trench
- DDH TLP01-6 — 2001 Diamond drill hole collar with surface trace
- L210 700E — 2001 Cut Line (with Line Number, Local Easting) Magnetic and EM Geophysical Surveys
- 1793 — 2001 Prospect Rock Sample (results in table)

Geological

- Outcrop limit
- Geological Contact, defined, approximate, assumed
- Bedding, showing dip where indicated
- Foliation, showing dip where indicated
- Jointing, showing dip where indicated
- Linear elements, including open arrow – small fold axis, solid arrow – slickensides
- Steeply dipping fault, defined, assumed, circle on suspected downthrown side
- Thrust fault, defined, assumed; movement possibly lower Cretaceous
- Vein, showing dip where indicated
- Float , Mineralized
- Auger sample; dnrb – did not reach bedrock

PRELIMINARY STRATIGRAPHIC COLUMN – TAY-LP PROJECT

Cretaceous

- **(Kqm) Biolite Quartz Monzonite – Granite:** medium grained, equigranular, light orange to light greenish grey colour; fresh to moderately sericite, +/- chlorite +/- quartz (veins) +/- iron oxide altered; quartz veins locally common with strong sericite ? silica envelopes +/- pyrite + arsenopyrite. Kmgd – Biolite Microgranodiorite Dyke
- **(skn) Skarn:** age unknown; dark to light green and black, massive magnetite, pyrite, chlorite, amphibole, silica, calcite, wollastinite (?); pyroxene.

Upper Devonian – Mississippian

- **(Mf) Metavolcanic tuff:** rusty weathering, light green to grey colour, fine grained, siliceous, pyritic; 1 – 5% fine grained disseminated pyrite, locally quartz crystals, "sericite schist".
- **(Wy) Syenite:** medium to fine grained, dark orange brown colour, moderately to strongly magnetic, blocky weathering.
- **(uDMs) Slate:** black to dark grey colour, weakly phyllitic, weakly iron oxide stained, minor interbeds of light grey to greenish metasiltstone or ash tuff (?).

Silurian – Devonian

- **(SDd) Dolostone:** tan to grey weathering, medium to light grey colour, weak fizz with HCl, on scratched surface.
- **(SDq) Quartzite:** rusty and grey weathering, medium grey colour, faintly banded, with local bluish "quartz eyes".

Upper Cambrian – Ordovician

- **(uEOp) Phyllite:** dark to medium grey to black or greenish grey colour,non-graphitic or graphitic, non-calcareous or calcareous, quartz lenses, some shale, metasiltstone (?), marble.

Lower Cambrian

- **(lEm) Marble:** light grey to black and tan weathering, medium to light grey colour, weakly banded, typically <10 meters to 50 meters thick beds, interbedded with phyllite
- **(lEs) phyllite – quartz – muscovite – chlorite – biotite schist:** greenish grey, grey-brown and grey colour, calcareous or non-calcareous, predominantly phyllitic texture grades to schist. Es1 – Quartz-Sericite Schist; lEs2 – Phyllite, grey-greenish grey, calcareous; lEs3 – Phyllite, black, slatey, calcareous; lEs4 – Phyllite, green, slatey

Magnetic Declination for the map is: 27° 27' East of True North
Annual change 12.4' West

Grid North 1° 59' East of True North for the map

NTS Map 105/F/10

Grid North

MAP AREA:
X: 619000 – 627500
Y: 6825000 – 6835000
Z: 0 – 10000
Units are meters

YUKON ENERGY, MINES & RESOURCES LIBRARY
P.O. BOX 2703
WHITEHORSE, YUKON Y1A 2C6

0 M 100 200 300 400 500 600 700
0 FT 400 800 1200 1600 2000 2400
Scale 1:10,000

PROFESSIONAL ENGINEER M. A. RAYNOLDS BRITISH COLUMBIA GEOSCIENTIST

NEWMONT EXPLORATION OF CANADA LIMITED

ROSS RIVER GOLD LIMITED


TAY-LP PROJECT, YUKON TERRITORY, CANADA, SEAGULL CREEK AREA
WATSON LAKE MINING DISTRICT

PLATE 1

2001 DRILL HOLE PLAN And Factual Geology Map

001264

Compiled By:	Contour Interval:	Coordinate System:
AM, RF, MS	100 Feet	UTM Zone 8
Drafted By:	**Date Generated:**	**File Name:**
Geodrafting	November, 2001	TAY-LP_NORTH2001.dwg



EXPLANATION

Lithology

Pattern graph from -7 to 2 meters from drillhole trace.
Width of pattern graph is constant.

Class intervals for PlottingCode:

- 01, phyllite, sericite, calcareous, +/- quartz, +/- chlorite, +/- biotite
- 02, phyllite, black calcareous platey, +/- carbonaceous
- 03, phyllite, chlorite, +/- sericite, +/- quartz, +/- biotite
- 04, limestone, massive grey
- 05, phyllite, black carbonaceous
- 06, limestone, blue-grey re-crystallized
- 07, schist, chlorite, +/- quartz, +/- biotite, +/- sericite, +/- calcareous
- 08, schist, sericite, quartz, +/- chlorite, +/- calcareous
- 09, meta-siltstone, calcareous, ?
- 10, vein, quartz, sulfide
- 11, pale green silicified, sericite-chlorite schist ?

Au (ppb)

Bar Graph (Arith)



Class intervals for Au (ppb):

- -5 - 5, Below Detection
- 5 - 10
- 10 - 100
- 100 - 100000

Sample Number

Sample number is plotted to the left of the drillhole trace.


YUKON ENERGY, MINES
& RESOURCES LIBRARY
P.O. BOX 2703
WHITEHORSE, YUKON Y1A 2C6

094264

SECTION PLANE:
Origin X/Y/Z: 625,430 / 6,825,205 / 975
Azm/Inc: 65 / 90
Length: 285
Height: 170
Thickness: 15 (on each side)

Units are meters.






Scale 1:500

NEWMONT EXPLORATION OF CANADA LIMITED
ROSS RIVER GOLD LIMITED

TAY-LP PROJECT, YUKON TERRITORY, CANADA
SEAGULL CREEK AREA, WATSON LAKE MINING DISTRICT

Plate 3
Cross Section Through
Drillholes TLP01-5 and TLP01-10
Zone A - Line 106

Coordinate System: UTM Zone 8 North, NAD27 Datum, NTS Map 105F-10
Geologist: Al Montgomery
Tuesday, November 06, 2001 13:18:25
Stones 2.18



EXPLANATION

Lithology

Pattern graph from -7 to 2 meters from drillhole trace.
Width of pattern graph is constant.
Class intervals for PlottingCode:

- 01, phyllite, sericite, calcareous, +/- quartz, +/- chlorite, +/- biotite
- 02, phyllite, black calcareous platey, +/- carbonaceous
- 03, phyllite, chlorite, +/- sericite, +/- quartz, +/- biotite
- 04, limestone, massive grey
- 05, phyllite, black carbonaceous
- 06, limestone, blue-grey re-crystallized
- 07, schist, chlorite, +/- quartz, +/- biotite, +/- sericite, +/- calcareous
- 08, schist, sericite, quartz, +/- chlorite, +/- calcareous
- 09, meta-siltstone, calcareous, ?
- 10, vein, quartz, sulfide
- 11, pale green silicified, sericite-chlorite schist ?

Au (ppb)

Bar Graph (Arith)

DH 0 500

Class intervals for Au (ppb):

- -5 - 5, Below Detection
- 5 - 10
- 10 - 100
- 100 - 100000

Sample Number

Sample number is plotted to the left of the drillhole trace.

094264

YUKON ENERGY, MINES & RESOURCES LIBRARY
P.O. BOX 2703
WHITEHORSE, YUKON Y1A 2C6

SECTION PLANE:
Origin X/Y/Z: 625,310 / 8,625,592 / 975
Azm/Inc: 55 / 90
Length: 285
Height: 180
Thickness: 10 (on each side)

Units are meters.

PROFESSIONAL GEOSCIENTIST
PROVINCE OF BRITISH COLUMBIA
M. A. MONTGOMERY

0 M 5 10 15 20 25 30
0 Ft 20 40 60 80 100

Scale 1:500

NEWMONT EXPLORATION OF CANADA LIMITED
ROSS RIVER GOLD LIMITED

TAY-LP PROJECT, YUKON TERRITORY, CANADA
SEAGULL CREEK AREA, WATSON LAKE MINING DISTRICT

Plate 4
Cross Section Through
Drillhole TLP01-6
Zone A - Line 104


Coordinate System: UTM Zone 8 North, NAD27 Datum, NTS Map 105F-10
Geologist: Al Montgomery
Tuesday, November 06, 2001 13:18:03 Stones 2.18

TLP01-9

Azimuth = 55.0 deg

625,150 mE | 625,200 mE | 625,250 mE | 625,300 mE

1,175 mElev
1,150 mElev
1,125 mElev
1,100 mElev
1,075 mElev
1,050 mElev
1,025 mElev
1,000 mElev



EXPLANATION

Lithology

Pattern graph from -7 to 2 meters from drillhole trace.
Width of pattern graph is constant.

Class intervals for PlottingCode:

- 01, phyllite, sericite, calcareous, +/- quartz, +/- chlorite, +/- biotite
- 02, phyllite, black calcareous platey, +/- carbonaceous
- 03, phyllite, chlorite, +/- sericite, +/- quartz, +/- biotite
- 04, limestone, massive grey
- 05, phyllite, black carbonaceous
- 06, limestone, blue-grey re-crystallized
- 07, schist, chlorite, +/- quartz, +/- biotite, +/- sericite, +/- calcareous
- 08, schist, sericite, quartz, +/- chlorite, +/- calcareous
- 09, meta-siltstone, calcareous, ?
- 10, vein, quartz, sulfide
- 11, pale green silicified, sericite-chlorite schist ?

Au (ppb)

Bar Graph (Arith)

DH | 0 | 500

Class intervals for Au (ppb):

- -5 - 5, Below Detection
- 5 - 10
- 10 - 100
- 100 - 100000

Sample Number

Sample number is plotted to the left of the drillhole trace.

YUKON ENERGY, MINES & RESOURCES LIBRARY
PO BOX 2703
WHITEHORSE, YUKON Y1A 2C6

094264

SECTION PLANE:
Origin XYZ: 625,116 / 6,825,944 / 1,000
Azm/Inc: 55 / 90
Length: 285
Height: 180
Thickness: 10 (on each side)

Units are meters.

PROFESSIONAL ENGINEER
PROVINCE OF BRITISH COLUMBIA
M. ALISTAIR SIMMERS
GEOSCIENTIST

0 M 5 10 15 20 25 30
0 Ft 20 40 60 80 100

Scale 1:500

NEWMONT EXPLORATION OF CANADA LIMITED
ROSS RIVER GOLD LIMITED

TAY-LP PROJECT, YUKON TERRITORY, CANADA
SEAGULL CREEK AREA, WATSON LAKE MINING DISTRICT

Plate 5
Cross Section Through
Drillhole TLP01-9
Zone A - Line 102

Coordinate System: UTM Zone 8 North, NAD27 Datum, NTS Map 105F-10
Geologist: Al Montgomery
Tuesday, November 06, 2001 13:18:16


Stones 2.18

TLP01-8

Azimuth = 50.0 deg

622,100 mE | 622,150 mE | 622,200 mE | 622,250 mE | 622,300 mE

1,200 mElev
1,175 mElev
1,150 mElev
1,125 mElev
1,100 mElev
1,075 mElev
1,050 mElev
1,025 mElev



EXPLANATION

Lithology

Pattern graph from -7 to 2 meters from drillhole trace.
Width of pattern graph is constant.
Class intervals for PlottingCode:

- 01, phyllite, sericite, calcareous, +/- quartz, +/- chlorite, +/- biotite
- 02, phyllite, black calcareous platey, +/- carbonaceous
- 03, phyllite, chlorite, +/- sericite, +/- quartz, +/- biotite
- 04, limestone, massive grey
- 05, phyllite, black carbonaceous
- 06, limestone, blue-grey re-crystallized
- 07, schist, chlorite, +/- quartz, +/- biotite, +/- sericite, +/- calcareous
- 08, schist, sericite, quartz, +/- chlorite, +/- calcareous
- 09, meta-siltstone, calcareous, ?
- 10, vein, quartz, sulfide
- 11, pale green silicified, sericite-chlorite schist ?

Au (ppb)

Bar Graph (Anth)



Class intervals for Au (ppb):

- -5 - 5, Below Detection
- 5 - 10
- 10 - 100
- 100 - 100000

Sample Number

Sample number is plotted to the left of the drillhole trace.

094264

SECTION PLANE:
Origin XYIZ: 622,097 / 6,830,214 / 1,025
Azm/Inc: 50 / 90
Length: 285
Height: 180
Thickness: 10 (on each side)

Units are meters.

YUKON ENERGY, MINES & RESOURCES LIBRARY
P.O. BOX 2703
WHITEHORSE, YUKON Y1A 2C6



0 M 5 10 15 20 25 30
0 Ft 20 40 60 80 100

Scale 1:500

NEWMONT EXPLORATION OF CANADA LIMITED
ROSS RIVER GOLD LIMITED

TAY-LP PROJECT, YUKON TERRITORY, CANADA
SEAGULL CREEK AREA, WATSON LAKE MINING DISTRICT

Plate 7
Cross Section Through
Drillhole TLP01-8
Zone B - Line 302

Coordinate System: UTM Zone 8 North, NAD27 Datum, NTS Map 105F-10
Geologist: Al Montgomery
Tuesday, November 06, 2001 13:18:12
Stones 2.18

Azimuth = 50.0 deg

TLP01-1

TLP01-2

620,250 mE

620,300 mE

620,350 mE

620,400 mE

1,575 mElev

1,550 mElev

1,525 mElev


1,500 mElev


1,475 mElev

1,450 mElev

1,425 mElev

1,400 mElev





EXPLANATION


Lithology

Pattern graph from -7 to 2 meters from drillhole trace.
Width of pattern graph is constant.
Class intervals for PlottingCode:

- 01, phyllite, sericite, calcareous, +/- quartz, +/- chlorite, +/- biotite
- 02, phyllite, black calcareous platey, +/- carbonaceous
- 03, phyllite, chlorite, +/- sericite, +/- quartz, +/- biotite
- 04, limestone, massive grey
- 05, phyllite, black carbonaceous
- 06, limestone, blue-grey re-crystallized
- 07, schist, chlorite, +/- quartz, +/- biotite, +/- sericite, +/- calcareous
- 08, schist, sericite, quartz, +/- chlorite, +/- calcareous
- 09, meta-siltstone, calcareous, ?
- 10, vein, quartz, sulfide
- 11, pale green silicified, sericite-chlorite schist ?

Au (ppb)

Bar Graph (Anth)



Class intervals for Au (ppb):

- -5 - 5, Below Detection
- 5 - 10
- 10 - 100
- 100 - 100000

Sample Number

Sample number is plotted to the left of the drillhole trace.

094264

SECTION PLANE:
Origin XYZ: 620,200 / 6,828,815 / 1,400
Azm/Inc: 50 / 90
Length: 285
Height: 180
Thickness: 10 (on each side)

Units are meters.

YUKON ENERGY, MINES & RESOURCES LIBRARY
PO BOX 2703
WHITEHORSE, YUKON Y1A 2C6

PROFESSIONAL GEOSCIENTIST
PROVINCE OF BRITISH COLUMBIA
M. ALAN SUMMERS

0 M 5 10 15 20 25 30
0 Ft 20 40 60 80 100

Scale 1:500

NEWMONT EXPLORATION OF CANADA LIMITED
ROSS RIVER GOLD LIMITED


TAY-LP PROJECT, YUKON TERRITORY, CANADA
SEAGULL CREEK AREA, WATSON LAKE MINING DISTRICT

Plate 8
Cross Section Through
Drillholes TLP01-1 and TLP01-2
Zone C - Line 219

Coordinate System: UTM Zone 8 North, NAD27 Datum, NTS Map 105F-10
Geologist: Al Montgomery
Tuesday, November 06, 2001 13:18:21 Stones 2.18

TLP01-11

Azimuth = 55.0 deg



EXPLANATION

Lithology

Pattern graph from -7 to 2 meters from drillhole trace.
Width of pattern graph is constant.

Class intervals for PlottingCode:

- 01, phyllite, sericite, calcareous, +/- quartz, +/- chlorite, +/- biotite
- 02, phyllite, black calcareous platey, +/- carbonaceous
- 03, phyllite, chlorite, +/- sericite, +/- quartz, +/- biotite
- 04, limestone, massive grey
- 05, phyllite, black carbonaceous
- 06, limestone, blue-grey re-crystallized
- 07, schist, chlorite, +/- quartz, +/- biotite, +/- sericite, +/- calcareous
- 08, schist, sericite, quartz, +/- chlorite, +/- calcareous
- 09, meta-siltstone, calcareous, ?
- 10, vein, quartz, sulfide
- 11, pale green silicified, sericite-chlorite schist ?

Au (ppb)

Bar Graph (Arith)



Class intervals for Au (ppb):

- -5 - 5, Below Detection
- 5 - 10
- 10 - 100
- 100 - 100000

Sample Number

Sample number is plotted to the left of the drillhole trace.

094264

YUKON ENERGY, MINES & RESOURCES LIBRARY
P.O. BOX 2703
WHITEHORSE, YUKON Y1A 2C6

SECTION PLANE:
Origin X/Y/Z: 620,380 / 6,830,190 / 1,175
Azm/Inc: 55 / 90
Length: 285
Height: 180
Thickness: 10 (on each side)

Units are meters.





Scale 1:500

NEWMONT EXPLORATION OF CANADA LIMITED
ROSS RIVER GOLD LIMITED

TAY-LP PROJECT, YUKON TERRITORY, CANADA
SEAGULL CREEK AREA, WATSON LAKE MINING DISTRICT

Plate 10
Cross Section Through
Drillhole TLP01-11
Zone C - Line 207

Coordinate System: UTM Zone 8 North, NAD27 Datum, NTS Map 105F-10
Geologist: Al Montgomery
Tuesday, November 06, 2001 12:45:57

Stones 2.18