

094269

**Geochemical and Prospecting Report
on the
ERNI 19, 29-40, 49-60, 69-80 Claims
Dawson Mining District**

by

J. Peter Ross, Prospector



NTS: 115 N/15
Latitude: 63° 58' N
Longitude: 140° 55' W
Dates Worked: J.P. Ross
June 25-30
July 7, 23
August 3-11
October 3, 2001
Hans Algottson
June 25-26, 2001

YUKON ENERGY MINES
RESOURCES LIBRARY
PO BOX 2703
WHITEHORSE, YUKON Y1A 2G6

Dated: December 2001

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 7400.00.

M. B. B.
for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

TABLE OF CONTENTS

Chapter One: SUMMARY AND RECOMMENDATIONS	
1.1 Summary	3
1.2 Recommendations	4
Chapter Two: INTRODUCTION	
2.1 Introductory Statement	12
2.2 Location and Access	12
2.3 History	13
Chapter Three: PROPERTY DESCRIPTION	14
Chapter Four: GEOCHEMICAL SURVEY AND PROSPECTING	
4.1 Rock Geochemistry	16
4.2 Soil Geochemistry	16
4.3 Interpretation	17

LIST OF FIGURES

Figure 1: Location Map	5
Figure 2: Claim Location Map	6
Figure 3: Claims / Magnetic Data	7
Figure 4: Claims / Geology	8
Figure 4a: Geological Legend	9
Figure 5: Float Sample Locations	10
Figure 6: Soil Sample Locations	11

APPENDICES

Appendix 1: References	
Appendix 2: Statement of Costs	
Appendix 3: Statement of Qualifications, J. Peter Ross	
Appendix 4: Rock Sample Geochemistry - Assay Results	
Appendix 5: Rock Sample Descriptions	
Appendix 6: Soil Sample Geochemistry - Assay Results	

Chapter One: SUMMARY and RECOMMENDATIONS

1.1 Summary

The ERNI 1-80 claims were staked and recorded by Paulo Oulette of Dawson City Yukon in June 1999. The claims were then transferred to J. Peter Ross of Whitehorse, Yukon.

The Bedrock Creek (ERNI claim group) area, map sheet 115 N/15, was chosen because;

1. Placer gold occurs in this area.
2. Regional geochemical survey, silt samples no. 1031/32 are on Bedrock Creek and on the ERNI 19 claim (approximate). Sample 1031: Cu 38 ppm, Zn 240 ppm, Pb 10 ppm, Ba 1590 ppm, Au 59 ppb, Hg 70 ppm, As 10 ppm. Sample 1032: Au 18 ppb.
3. A magnetic anomaly similar to one on the UNI and CICI claim groups on 116 C/2 is present. The UNI and CICI claim groups have been under option to Madrona Mining Ltd. of Calgary for 4 years now. In 1999 Kennecott Canada explored the claims under a joint venture agreement with Madrona Mining.
4. One can drive to the site on a rough mining road.
5. The target was thought to be a Cu Mo Au porphyry similar to CASINO or TAURUS, 15 miles to the southwest in Alaska, USA, or a gold rich VMS similar to ESKAY CREEK in British Columbia.

In 1999 J. Peter Ross and Hans Algottson of Dawson City prospected and took float /bedrock, silt, pan concentrate and soil samples. Kennecott Canada Exploration Inc. paid for 11 silt samples, 11 rock samples and 22 soil samples. J. Peter Ross paid for 4 silt samples, 19 rock samples and 12 pan concentrates. Dates worked were J. Peter Ross - June 8, 10-22 and July 13, 1999. Hans Algottson - June 10-22, 1999.

One float sample B26 ran 2,835 ppb Au, 1.1 ppm Ag, 5.8% As, 17 ppm Sb, Hg not detected, Bi not detected, and W not detected.

Of fifteen silt samples for Au -80 +200, Au -80 +250 mesh; two were 25 - 50 ppb Au, two were 51 - 99 ppb Au and three were >100 ppb Au.

Of fifteen silt samples for Au -200, Au -250 mesh; none were 25 - 50 ppb Au, four were 51 - 99 ppb Au, and six were >100 ppb Au.

Of fourteen pan concentrate samples; none were 25 - 49 ppb Au, one was 50 - 99 ppb Au and three were >1000 ppb Au.

Of twenty-two soil samples; four were interesting.

	Au ppb	Sb ppm	As ppm	Bi ppm	Pb ppm	Te ppm	W ppm
T5	34	0.3	18.6	0.14	8	<0.05	0.25
T8	2	2.7	78.8	1.24	74	0.15	0.2
T10	19	1.7	44.6	.018	10	<0.05	0.25
S10	125	0.2	10.8	0.14	14	<0.05	0.95

In 2000 work was done before and after the June 24, 2000 anniversary date. For simplicity all data is in this report.

The soil grid was frozen in many places and I had to return many times in order to get a "decent" sample.

Of 25 float samples tested, the best result was a disappointing 62 ppb Au.

Of 177 soil samples tested, 23 were anomalous for gold, 10 ppb up to 61 ppb; 16 were anomalous for arsenic, 25 ppm up to 226 ppm; the best antimony value was 3.77 ppm.

1.2 Recommendations

Only 37 claims will be kept, see Figure 2. The claims were divided into 3 new groups and 2 years were filed for each group. The groups consist of 10, 14 and 13 claims each.

Future work should be to fill in gaps in the soil grid. Perhaps a magnetometer survey can be done along the soil lines.





FIGURE #1
 LOCATION MAP
 ERNI 19, 29-40, 49-60, 69-80 (2001)

Canada

DAWSON MINING DISTRICT

141° 00'
64° 00'



ERNI 1929-40
 49-60
 69-80

FIGURE #2
 CLAIM LOCATION MAP
 DAWSON CITY MIN. DIST.
 NTS 115 N 15
 DATE 20-NOV-2001
 DRAWN BY JP ROSS
 SCALE 1:31,680

152	150	148								
MOS										
YC12247	YC12245	YC12248								
155	151	149								
YC12248	YC12246	YC12244								
162	160	158								
YC12255	YC12253	YC12251								
163	161	159								
YC12256	YC12254	YC12252	YC12250	YC07698	YC07699	YC07686	YC07687	YC12184	YC12185	YC12192
170	168	166	164	49	50	37	38	9	10	19

141°00'
64°00'


ERNI 19, 29-40, 49-60, 69-80

55'

50'

40'

4269G "Sixtymile"



BEDROCK HILL

River

Mile



FIGURE #3
CLAIMS / MAGNETIC DATA
GEOPHYSICS PAPER 4268
NTS 115 N 15
DATE 20 NOV 200
DRAWN by JP ROSS
SCALE 1:50,000

55'

ALASKA
YUKON TERRITORY

00

4500

57,700

57,600

58,000

57,900

57,580

57,600

3000

2500

57,500

57,700

57,600

SIXTY

3500

57,800

57,900

58,100

58,000

57,900

57,600

57,700

57,800

57,900

58,000

58,100

58,200

58,300

58,400

58,500

58,600

58,700

58,800

58,900

59,000

59,100

59,200

59,300

59,400

59,500

59,600

59,700

59,800

59,900

60,000

60,100

60,200

60,300

60,400

60,500

60,600

60,700

60,800

60,900

61,000

61,100

61,200

61,300

61,400

61,500

61,600

61,700

61,800

61,900

62,000

62,100

62,200

62,300

62,400

62,500

62,600

62,700

62,800

62,900

63,000

63,100

63,200

63,300

63,400

63,500

63,600

63,700

63,800

63,900

64,000

64,100

64,200

64,300

64,400

64,500

64,600

64,700

64,800

64,900

65,000

65,100

65,200

65,300

65,400

65,500

65,600

65,700

65,800

65,900

66,000

66,100

66,200

66,300

66,400

66,500

66,600

66,700

66,800

66,900

67,000

67,100

67,200

67,300

67,400

67,500

67,600

67,700

67,800

67,900

68,000

68,100

68,200

68,300

68,400

68,500

68,600

68,700

68,800

68,900

69,000

69,100

69,200

69,300

69,400

69,500

69,600

69,700

69,800

69,900

70,000

70,100

70,200

70,300

70,400

70,500

70,600

70,700

70,800

70,900

71,000

71,100

71,200

71,300

71,400

71,500

71,600

71,700

71,800

71,900

72,000

72,100

72,200

72,300

72,400

72,500

72,600

72,700

72,800

72,900

73,000

73,100

73,200

73,300

73,400

73,500

73,600

73,700

73,800

73,900

74,000

74,100

74,200

74,300

74,400

74,500

74,600

74,700

74,800

74,900

75,000

75,100

75,200

75,300

75,400

75,500

75,600

75,700

75,800

75,900

76,000

76,100

76,200

76,300

76,400

76,500

76,600

76,700

76,800

76,900

77,000

77,100

77,200

77,300

77,400

77,500

77,600

77,700

77,800

77,900

78,000

78,100

78,200

78,300

78,400

78,500

78,600

78,700

78,800

78,900

79,000

79,100

79,200

79,300

79,400

79,500

79,600

79,700

79,800

79,900

80,000

80,100

80,200

80,300

80,400

80,500

80,600

80,700

80,800

80,900

81,000

81,100

81,200

ERNI 03 17, 29-40, 42-60, 69-80 09




FIGURE #4
 CLAIMS/GEOLOGY
 NTS 115 N 15
 DATE 20 NOV 200
 DRAWN by JP ROSS
 SCALE 1:50,000

UNITED STATES OF AMERICA
 CANADA

GEOLOGICAL LEGEND

NASINA Assemblage

Late (?) Devonian to Early Mississippian

- DMasc** medium to dark weathering chlorite (+- biotite) schist, amphibolite and garnet amphibolite
- DMsqc** graphitic Nasina Assemblage undifferentiated (mainly pale to dark gray weathering, fine grained quartzite, quartz-muscovite (+-chlorite) schist, locally garnetiferous)
- DMs** medium to coarse grained mica schist, commonly garnetiferous, amphibolite, minor quartzite

Meta Plutonic Rocks



Middle to Late Permian

- DMgg** Moderately to strongly foliated K-feldspar augen-bearing quartz monzonite to granite gneiss (S. Fifty Mile Batholith, Mt. Burnham orthogneiss)

Klondike Schist Assemblage

Late Devonian to Early Mississippian

- Psqm** rusty weathering quartz-muscovite schist

-  thrust contact
(defined, approximate, assumed)
-  low-angle normal (?) fault
(defined, approximate, assumed)
- 123 Minfile Occurrence

Summary of Work - Bedrock Creek Area

GEOLOGICAL LEGEND from Open File 1996-1(G)

J.P. Ross

SCALE:	FILE: legend	DATE: 98.12.29
NTS: 105 C	DRAWN: 	FIGURE 4a

Murphy
Creek




FIGURE #5
FLOAT SAMPLE LOCATION
DANSON MINING DISTRICT
NTS 115 N 15
● ERI FLOAT SAMPLE
DATE 20 NOV 2001
DRAWN BY JP ROSS
SCALE 1:15,840

KEY

MIL

MURPHY
Creek




FIGURE #6
 SOIL SAMPLE LOCATIONS
 DAWSON MINING DISTRICT
 NTS 115 N 15
 → A SOIL SAMPLE LINE
 DATE 20 NOV 2001
 DRAWN BY JP ROSS
 SCALE 1:15,840

YC04637

YC04635

YC04633

YC04631

YC04629

YC12547

YA65461

YA65459

YC12339

MIL

YC07370

KEY

MOLY

Chapter Two: INTRODUCTION

2.1 Introductory Statement

On the dates June 8 - June 30, July 23, August 3-11, and October 3, 2000 - J. Peter Ross prospected and took float and soil samples on the claims. June 6, 7, 30 and July 7, 23 and October 3 were travel days for J. Peter Ross.

Hans Algottson worked as a helper from June 14-26, 2000.

NB. The data in this report covers dates preceding and following the claims anniversary date.

Twenty-five (25) float rock samples were taken and tested by fire assay Au (30g) and 30 element ICP.

One hundred and seventy-seven (177) soil samples were taken from 8 soil lines, at 50 or 100 yard intervals and tested for ultratrace ICP 36 element (-80 mesh) and Au (30g).

Float sample locations were marked by orange ribbon. Soil sample locations were marked by blue and yellow ribbon.

Soil sample lines were flagged with red tape at 25 yard intervals to mark locations for a future magnetometer survey. However the survey was not done in 2000.

2.2 Location and Access

The ERNI 1-80 claims are located 75 miles (121 km) west of Dawson City in the Dawson Mining District, N.T.S. 115 N/15, latitude 63° 58' N, longitude 140° 55' W. Access to the claims was by truck on a 2-wheel drive highway (Top of the World Highway) and then by rough mining roads to the claims. The last 1-2 miles were very bad, here 4-wheel drive must be used.

2.3 History

Geology in the claims area is Late Devonian to Early Mississippian.

DM _s and DM _{asc}	Medium to coarse grained mica schist, commonly garnetiferous, amphibolite, minor quartzite. Medium to dark weathering chlorite (\pm biotite) schist, amphibolite and garnet amphibolite.
DM _{sqc}	Graphitic Nasina Assemblage undifferentiated (mainly pale to dark gray weathering, fine grained quartzite, quartz-muscovite (\pm chlorite) schist, locally garnetiferous).
P _{sqm}	Rusty weathering quartz-muscovite schist.
IPu	serpentine, serpentized harsburgite, carbonatized ultramafic rocks; talc carbonate schist

Two thrust faults are present-inferred and join up in the western area of the claims.

An interesting magnetic anomaly is present. A flat center with a magnetic aureole?

Placer mining has taken place and about $\pm 10,000$ ounces was produced. The MOLY claims that were staked in the past and present for hard rock exploration seem to have little data plus a few rumours. Hans Algottson said old placer mines where the MOLY claims were staked were very rich. An area of two placer claims - just below the thrust fault??

Other areas nearby where explored for hard rock. See Minfile Lerner - 115N 039, The - 115N 115, and Bedrock - 115N 123.

Chapter Three: PROPERTY DESCRIPTION

Claim Name	Grant No.	Grouping	Date Staked	Date Recorded	Expiry Date
ERNI 19	YC07289	not issued	98.06.23	98.06.24	2003.06.24
ERNI 29	YC07299	not issued	98.06.10	98.06.24	2004.06.24
ERNI 30	YC07300	not issued	98.06.10	98.06.24	2003.06.24
ERNI 31	YC07301	not issued	98.06.11	98.06.24	2004.06.24
ERNI 32	YC07302	not issued	98.06.11	98.06.24	2003.06.24
ERNI 33	YC07303	not issued	98.06.11	98.06.24	2004.06.24
ERNI 34	YC07304	not issued	98.06.11	98.06.24	2003.06.24
ERNI 35	YC07305	not issued	98.06.11	98.06.24	2004.06.24
ERNI 36	YC07306	not issued	98.06.11	98.06.24	2003.06.24
ERNI 37	YC07307	not issued	98.06.11	98.06.24	2004.06.24
ERNI 38	YC07308	not issued	98.06.11	98.06.24	2003.06.24
ERNI 39	YC07309	not issued	98.06.11	98.06.24	2004.06.24
ERNI 40	YC07310	not issued	98.06.11	98.06.24	2003.06.24
ERNI 49	YC07319	not issued	98.06.20	98.06.24	2003.06.24
ERNI 50	YC07320	not issued	98.06.20	98.06.24	2004.06.24
ERNI 51	YC07321	not issued	98.06.20	98.06.24	2003.06.24
ERNI 52	YC07322	not issued	98.06.20	98.06.24	2004.06.24
ERNI 53	YC07323	not issued	98.06.20	98.06.24	2003.06.24
ERNI 54	YC07324	not issued	98.06.20	98.06.24	2004.06.24
ERNI 55	YC07325	not issued	98.06.20	98.06.24	2003.06.24
ERNI 56	YC07326	not issued	98.06.20	98.06.24	2004.06.24
ERNI 57	YC07327	not issued	98.06.20	98.06.24	2003.06.24
ERNI 58	YC07328	not issued	98.06.20	98.06.24	2004.06.24
ERNI 59	YC07329	not issued	98.06.20	98.06.24	2003.06.24
ERNI 60	YC07330	not issued	98.06.20	98.06.24	2004.06.24
ERNI 69	YC07339	not issued	98.06.19	98.06.24	2003.06.24
ERNI 70	YC07340	not issued	98.06.19	98.06.24	2003.06.24
ERNI 71	YC07341	not issued	98.06.19	98.06.24	2003.06.24
ERNI 72	YC07342	not issued	98.06.19	98.06.24	2003.06.24
ERNI 73	YC07343	not issued	98.06.19	98.06.24	2003.06.24
ERNI 74	YC07344	not issued	98.06.19	98.06.24	2003.06.24
ERNI 75	YC07345	not issued	98.06.19	98.06.24	2003.06.24
ERNI 76	YC07346	not issued	98.06.19	98.06.24	2003.06.24
ERNI 77	YC07347	not issued	98.06.19	98.06.24	2003.06.24
ERNI 78	YC07348	not issued	98.06.19	98.06.24	2003.06.24
ERNI 79	YC07349	not issued	98.06.19	98.06.24	2003.06.24
ERNI 80	YC07350	not issued	98.06.19	98.06.24	2003.06.24

Chapter Four: GEOCHEMICAL SURVEY and PROSPECTING

4.1 Rock Geochemistry

The best rock sample was 62 ppb Au.

4.2 Soil Geochemistry

Of 177 samples, 23 were anomalous for Au, 10 ppb up to 61 ppb; 15 were anomalous for arsenic As 25 ppm up to 226 ppm. Anomalous values are highlighted in the assay data as follows.

	Au ppb	As ppm
A+50	51.1	80.1
B+100	5.3	32.0
B+200	12.2	7.8
B+1500	11.9	32.9
B+1600	11.5	62.9
B+1700	28.6	151.9
B+1800	11.8	8.6
B+2000	23.6	4.3
C+200	1.9	27.9
C+400	17.6	12.9
C+1000	20.5	11.9
C+1700	3.2	28.3
C+2300	7.4	69.4
D+200	12.3	20.9
D+1200	11.0	7.1
D+1400	60.6	5.9
E+1200	34.5	117.5
E+1300	1.3	49.4
E+1500	12.1	16.2
E+1600	42.4	80.4

4.2 Soil Geochemistry (con't)

	Au ppb	As ppm
E+1700	18.9	41.1
E+1800	28.7	58.7
E+1900	10.2	14.5
F+1100	1.8	226
G+1900	12.3	23.4
G+2100	11.0	19.5
S+50	4.8	31.5

4.3 Interpretation

In 1999 Kennecott Canada Exploration Inc. and Madrona Mining Ltd. explored for gold on my UNI - CICI - CREEK claim groups to the north. After this year of exploration the joint venture was terminated. Madrona has explored for 4 years and Kennecott completed a 1 year joint venture with Madrona. Madrona has dropped the option on the UNI - CICI - CREEK claim groups to the north.

Both areas have similar magnetic anomalies from government geophysical surveys and have seen extensive placer mining. Records and rumours suggest that Bedrock creek produced more than 10,000 ounces of placer gold. Norman Blanchard says, when he was a bulldozer operator in the 60's and 70's, the gold recovered on Bedrock Creek was mostly coarse but also a lot of fines were present.

The total gold production for the Sixty Mile area is >600,000 ounces of gold recorded and >553,000 ounces for the larger Forty Mile district in Alaska. Bedrock Creek has some fine gold whereas Miller and Glacier creeks seem to be mostly coarse gold??

The source for lode gold remains elusive. Gold/arsenic anomalies on ERNI 33/54 suggest a 3rd thrust fault may be present. This anomaly was not seen in the stream below it.

The low gold values overall (no erratic highs) may be caused by a lot of ultra-fine gold. Perhaps a -200 mesh or -250 mesh gold test should be used for soils.

On north-facing slopes the soils were full of permafrost, and were muddy and organic. Deeper holes or an auger should be used to get samples.

A sample taken at the mouth of 6 Pup - ERNI 79, had gold in the pan, 3 grains and 1 flake. This drains ERNI 55/76 which is above the 2 thrust faults.

The 2 north flowing pups upstream of 6 Pup were anomalous in 1999 for gold

Silt sample no.	Au -80+250 ppb	Au -250 ppb
ST3	40	180
ST4	54	110

The project still has promise. Future work should be more soil sampling in new areas and also between lines E and D. A soil auger should be used to get below the muddy permafrost organic zones. Hopefully the magnetometer survey can be done after the gap between E and D lines is sampled.

In the future I plan to prospect and explore the area north of the F soil line.

Appendix 1

References

Geophysical paper/map, 4269G, Sixty Mile, 116 C/2.

Geophysical paper/map, 4268G, Crag Mountain, 115 N/15.

GSC Open File #1364, Geochemical Survey, NTS 115 N (E ½), 115 O

TAURUS - CIM special volume #46. Porphyry deposits of the northwest Cordillera p. 451-457.

Metallogeny of Volcanic Arcs. 1998 MRDU Short Course (2 days).

Intrusion Related Au Mineralization - Alaska and Yukon. 1998 Geoscience Forum Workshop.

Open File 1996-1 (G). Geological compilation maps of north Stewart River area, Klondike and Sixty Mile districts. Maps 115 N/15,16; 115 O/13,14; 115 O 15,16. Jim Mortensen.

Geochemical and Prospecting Report on the ERNI 1-80 Claims, Dawson Mining District. NTS 115 N/15 J. Peter Ross, November 1999.

Personal Communication:

Craig Hart, Yukon Geology Program, Whitehorse, YT

John Kowalchuck, NuLite Resources, Vancouver, BC.

Norman Blanchard, Whitehorse, YT

Hans Algottson, prospector and placer miner, Dawson City, YT

**YUKON MINFILE
YUKON GEOLOGY PROGRAM
WHITEHORSE**

NAME(S): Lerner	NTS MAP SHEET: 115 N 15
MINFILE #: 115N 039	LATITUDE: 63°55'29"N
MAJOR COMMODITIES: Ag,Pb	LONGITUDE: 140°48'52"W
MINOR COMMODITIES: Au,Zn	DEPOSIT TYPE: Vein
TECTONIC ELEMENT: Yukon Tanana Terrane	STATUS: Open pit past producer

CLAIMS (PREVIOUS AND CURRENT)

CCL, JACK, REX, LUBRA, JUDY, PRA, HAR

WORK HISTORY

Staked as CCL, Jack, etc cl (87620) in Aug/65 by J. Lerner & M. Chefkoi and optioned to A. Moisey, who enlarged the property and conducted geochem sampling and bulldozing in 1965. The claims were transferred to a new company, Sixty Mile Mg CL, which conducted additional bulldozing and EM surveys in 1966-67 and shipped about 9 tonnes of hand-cobbed ore from the No. 3 Vein in 1966. Mt Crag ML tied on Rex & Lubra cl (Y15162) to the west in Jun/67 but filed no work.

Connaught ML optioned the property early in 1968 and explored with mapping and geochem sampling, extensive bulldozer trenching and 2 holes (112.8 m) in 1968-69. J. Lerner restaked the No. 3 Vein as Judy 2 cl (Y82496) in May/74 and mined and shipped about 191 tonnes in 1974-76. In Jan/81, he restaked the Rex-Lubra as Judy cl (YA55162), transferred the property to Judy Mg Synd, and sold it to Loughheed Res Inc, which performed mapping and trenching later in the year.

The property was transferred to Bethex E Inc and optioned by Madre Mg L in 1983, and transferred to Judy Res Inc in 1984 and Cumo Res L and X-Pat Dev L in 1986. In 1988, the Judy cl were optioned to Shakwak Exp CL.

Croesus Res Inc partially restaked the property and tied on PRA & HAR cl (YA89110) in Apr/87 and performed mapping, geochem and geophysical surveys and bulldozer trenching later in the year and drilled 10 diamond drillholes (315.8 m) in 1988. The Pra & Har cl were transferred in May/89 to Walhala EL. Tombstone Exploration Ltd conducted a drilling program on the Pra cl in 1993.

GEOLOGY

North-northeast-striking, mesothermal(?) quartz-carbonate-sulphide veins cut Nasina Assemblage schists (unit DMs) and Early Mississippian granitic augen gneiss (unit DMgg) south of Mosquito Creek.

Most of the work has been performed at the northwest locality, called No. 3 Vein. Galena and arsenopyrite, with minor sphalerite, tetrahedrite and boulangerite, form lenses over 12.1 m long and 0.9 - 1.2 m thick in quartz veins up to 2.1 m thick in a complex en echelon vein system. The 1966 and 1974-76 shipments were made from a single lens and averaged about 2228.5 g/t Ag, 60% Pb and 1.03 g/t Au. The best 1969 intersection was 130.3 g/t Ag and 2.7% Pb across 0.7 m.

The southeast locality, called the No. 2 and No. 7 Veins, has received less work and is more weakly mineralized.

Glasmacher and Friedrich (1992) recognized three stages of vein formation: (1) quartz-pyrite; (2) arsenopyrite-galena (3) quartz-pyrite-sphalerite-chalcopyrite-freibergite. Precious metals were deposited during the second stage. Fluid inclusion and microprobe studies show that the veins formed from high salinity, low pH fluids at temperatures which were initially as high as 330°C.

GEOLOGY (CONTINUED)

The Tony and Pra claims cover the contact between quartzite, limestone and skarn of the Nasina Series, quartz monzonite and Pelly Gneiss intruded by Cretaceous granite.

Altered quartz monzonite on the property returned anomalous Cu and Mo values, and magnetite-quartz-carbonate and diopside skarn returned anomalous values in Bi, Au, As, Ag with Pb, Zn and Cu.

REFERENCES

GEOLOGICAL SURVEY OF CANADA, Paper 67-40, p. 29.

GEOLOGICAL SURVEY OF CANADA, Paper 68-68, p. 32-33.

GEORGE CROSS NEWSLETTER, 3 Jun/88.

GLASMACHER, U., and FRIEDRICH, G., 1992. Gold-sulphide enrichment processes in mesothermal veins of the Sixtymile River area, Yukon Territory, Canada. In: Yukon Geology Vol. 3, Exploration and Geological Services Division, DIAND, p. 292-311.

KELON RESOURCES AND CROESUS RESOURCES INC., Nov/88. Yukon Exploration Incentive Program Report #093109 by B.J. Price (EIP88-036).

LOUGHEED RESOURCES INC., Feb/81. Engineer's Report by R.T. Heard.

MINERAL INDUSTRY REPORT 1969-70, p. 32-33.

MORTENSEN, J.K., Geological Compilation Maps of the Northern Stewart River map area Klondike and Sixtymile Districts (115N/15,16; 115O/13,14 and parts of 115O/15,16). Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open file 1996-1 (G).

YUKON GEOLOGY PROGRAM AND EXPLORATION 1981, p. 224.

MINFILE: 115N 115
PAGE NO: 1 of 1
UPDATED: 12/18/96

**YUKON MINFILE
YUKON GEOLOGY PROGRAM
WHITEHORSE**

NAME(S): The	NTS MAP SHEET: 115 N 15
MINFILE #: 115N 115	LATITUDE: 63°57'04"N
MAJOR COMMODITIES: -	LONGITUDE: 140°50'17"W
MINOR COMMODITIES: -	DEPOSIT TYPE: Unknown
TECTONIC ELEMENT: Yukon Tanana Terrane	STATUS: Uncertain

CLAIMS (PREVIOUS AND CURRENT)

THE, AIME

WORK HISTORY

Staked as The cl (Y15906) in Jun/69 by Klondike EL, which bulldozer trenched in 1969-71. The property was transferred in 1972 to E. Faucher, L. Grimard & J. Trottier, who trenched in 1973, 1976 and 1980 and enlarged the property in 1979. In Aug/84 M. Grimard restaked the claims as Aime cl (YA87694) and performed trenching in 1986 and mapping and geochem sampling in 1987.

GEOLOGY

The claims are underlain by Nasina Assemblage schist and amphibolite (units DMs and DMasc) and have been explored for gold and silver veins.

REFERENCES

MORTENSEN, J.K., Geological Compilation Maps of the Northern Stewart River map area Klondike and Sixtymile Districts (115N/15,16; 115O/13,14 and parts of 115O/15,16). Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open file 1996-1 (G).

**YUKON MINFILE
YUKON GEOLOGY PROGRAM
WHITEHORSE**

NAME(S): Bedrock
MINFILE #: 115N 123
MAJOR COMMODITIES: Ag
MINOR COMMODITIES: Cu,Au
TECTONIC ELEMENT: Yukon Tanana Terrane

NTS MAP SHEET: 115 N 15
LATTUDE: 63°58'31"N
LONGITUDE: 140°53'15"W
DEPOSIT TYPE: Vein
STATUS: Showing

CLAIMS (PREVIOUS AND CURRENT)

MOLY, SAPPO, NEY

WORK HISTORY

Staked as Moly cl (YA65451) in May/83 by Piedmont EL and Last Frontier Ent L, which added Sappo cl (YA88192) to the SW and NE in Oct/86. L. Mollot tied on MM cl (YA88208) to the northwest in Oct/86 and performed mapping and geochemical sampling in 1987 and 1988.

The Ney cl (YB4742) were tied on north of the Sappo claims in Feb/88 and were explored by mapping, geochem sampling and trenching before being transferred to J. Bergvinson in Feb/89. The Moly claims were transferred to Last Frontier Ent L in May/88.

GEOLOGY

A south-dipping thrust fault is inferred to cross the area, separating Nasina Assemblage schist and amphibolite (units DMs and DMasc) in the hangingwall from rusty-weathering quartz-muscovite of the Permian Klondike Schist Assemblage (unit Pks) in the footwall. A thrust-fault-bounded lens of serpentinite occurs along the fault to the east of the occurrence. A vuggy quartz carbonate vein containing no visible sulphides outcrops in the hangingwall of the fault. It is 1 m wide, strikes 140 and dips 38 S. A specimen from the vein assayed 992.5 g/t Ag with 310 ppb Au and 1140 ppm Cu.

REFERENCES

MORTENSEN, J.K., Geological Compilation Maps of the Northern Stewart River map area Klondike and Sixtymile Districts (115N/15,16; 115O/13,14 and parts of 115O/15,16). Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open file 1996-1 (G).

Appendix 2

Statement of Costs

Claims: ERNI 19 YC07289, ERNI 29-40 YC07299-YC07310, ERNI 49-60 YC07319-YC07330, ERNI 69-80 YC07339 - YC07350

Dates worked: J.P. Ross: June 25-30, July 7, 23, August 3-11, October 3, 2001

Hans Algottson June 25-26, 2001

<u>Item</u>	<u>Details</u>	<u>Amount and Unit Cost</u>	<u>Total Cost</u>
Labour	J. Peter Ross June 25-30, July 7, 23, August 3-11, October 3, 2001	18 days @ \$250/day	\$4,500.00
	Hans Algottson June 25-26, 2001	2 days @ \$150/day	300.00
Camp Costs	J. Peter Ross Hans Algottson	18 days @ \$35.00/day 2 days @ \$35.00/day	630.00 70.00
Transportation	<u>Vehicle</u> Self-owned GMC J. Peter Ross - 1820 km	9 days @\$1,450/month @25% 1820 km @ \$0.42/km	108.75 765.00
	<u>Truck rental</u> H. Algottson GMC rental	2 days @ \$20/day 10 days @ \$2411.93/month	40.00 803.97
Assaying	J. Peter Ross	84 soil @ \$28.17 9 rock @ \$26.25	2,366.28 236.25
Radio	Spilsbury SBX 11	Self owned. 18 days @ \$150/month @ 25%	22.50
Report Preparation			740.00
		TOTAL COST	\$10,582.75

Ten thousand five hundred and eighty two dollars and seventy five cents (\$10,582.75)

\$7,400 will go towards 2 years of assessment work for each claim.

Appendix 3

STATEMENT OF QUALIFICATIONS

I, John Peter Ross, do hereby certify that I:

1. am a qualified prospector with mailing address;
B1-2002 Centennial Street
Whitehorse, Yukon
Canada. Y1A 3Z7
2. graduated from McGill University in 1970 with a B.Sc. General Science
3. have attended and finished completely the following courses;
1974 - BC & Yukon Chamber of Mines, Prospecting Course
1978 - United Keno Hill Mines Limited, Elsa, Yukon, Prospecting Course
1987 - Yukon Chamber of Mines, Advanced Prospecting Course
1991 - Exploration Geochemistry Workshop, GSC Canada
1994 - Diamond Exploration Short Course, Yukon Geoscience Forum
1994 - Yukon Chamber of Mines, Alteration and Petrology for Prospectors
1994 - Applications of Multi-Parameter Surveys (Whitehorse), Ron Shives, GSC
1994 - Drift Exploration in Glaciated and Mountainous Terrain, BCGS
1995 - Applications of Multi-Parameter Surveys, (Vancouver) Ron Shives, GSC
1995 - Diamond Theory and Exploration, Short Course # 20, GSC Canada
1996 - New Mineral Deposit Models of the Cordillera, MDRU
1997 - Geochemical Exploration in Tropical Environments, MDRU
1998 - Metallogeny of Volcanic Arcs, Cordilleran Roundup Short Course
1999 - Volcanic Massive Sulphide Deposits, Cordilleran Roundup Short Course
1999 - Pluton-Related (Thermal Aureole) Gold, Yukon Geoscience Forum
2000 - Sediment Hosted Gold Deposits, MDRU
2001 - Volcanic Processes, MDRU
4. did all the work and the writing of this report
5. have been on the Yukon Prospectors Assistance and Yukon Mining Incentive Program 1986 - 2001
6. have been on the British Columbia Prospectors' Assistance Program 1989 - 1990, 2001
7. have a 100% interest in the claims described in this report at the present time



Appendix 4

Rock Sample Geochemistry - Assay Results





105 Copper Road
Whitehorse, Yukon
Y1A 2Z7
Ph: (867) 668-4968
Fax: (867) 668-4890
E-mail: NAL@hypertech.yk.ca


19/10/2000

Certificate of Analysis

of pages (not including this page): 1

Peter Ross

WO# 00075a

Certified by 
Justin Lemphers (Senior Assayer)

Date Received: 02/10/2000

SAMPLE PREPARATION:						
Code	# of Samples	Type	Preparation Description (All wet samples are dried first.)			
r	25	rock	Crush to -10 mesh; riffle split 200g; pulverize to -100 mesh			

ANALYTICAL METHODS SUMMARY:						
Symbol	Units	Element	Method (A:assay) (G:geochem)	Fusion/Digestion	Lower Limit	Upper Limit
Au 30g	ppb	Gold	G: FA/AAS	30g FA / aqua regia	5	7000

AAS = atomic absorption spectrophotometry
FA = fire assay

1000ppb = 1ppm = 1g/mt = 0.0001% = 0.029166oz/ton

19/10/2000


Certificate of Analysis

Page 1

Peter Ross

WO# 0075a

Certified by



Sample #	Au 30g ppb
ER1	42
ER2	8
ER3	9
ER4	12
ER5	<5
ER6	<5
ER7	<5
ER8	<5
ER9	<5
ER10	5
ER11	<5
ER12	6
ER13	62
ER14	<5
ER15	6
ER16	<5
ER18	11
ER19	25
ER20	<5
ER21	<5
ER21 PUP	6
ER22	8
ER23	23
ER24	6
ER26	<5

Northern Analytical Laboratories

Project: WO#00075a

Sample Name	SampleType	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm
ER 1	Pulp	0.2	20	<2	12	106	15	<3
ER 2	Pulp	0.6	25	38	12	<5	<5	<3
ER 3	Pulp	0.4	42	4	251	16	10	<3
ER 4	Pulp	0.5	43	21	53	<5	<5	<3
ER 5	Pulp	<0.1	10	3	5	<5	<5	<3
ER 6	Pulp	<0.1	14	6	9	123	<5	<3
ER 7	Pulp	<0.1	13	2	10	<5	<5	<3
ER 8	Pulp	0.1	28	9	97	147	<5	<3
ER 9	Pulp	<0.1	2	<2	2	<5	<5	<3
ER10	Pulp	0.1	27	11	122	21	<5	<3
ER11	Pulp	<0.1	3	3	28	<5	<5	<3
ER12	Pulp	<0.1	13	<2	22	<5	<5	<3
ER13	Pulp	0.3	13	12	23	148	27	<3
ER14	Pulp	<0.1	2	5	4	<5	<5	<3
ER15	Pulp	<0.1	6	<2	12	<5	<5	<3
ER16	Pulp	<0.1	12	<2	63	<5	<5	<3
ER18	Pulp	1.7	25	153	189	<5	<5	<3
ER19	Pulp	0.2	15	2	9	29	8	<3
ER20	Pulp	<0.1	7	19	23	<5	5	<3
ER21	Pulp	0.1	17	5	38	<5	<5	<3
ER21 PUP	Pulp	<0.1	154	18	193	<5	<5	<3
ER22	Pulp	0.3	13	17	140	<5	12	<3
ER23	Pulp	0.3	18	<2	16	17	<5	<3
ER24	Pulp	<0.1	27	<2	6	43	9	<3
ER26	Pulp	<0.1	7	<2	24	30	<5	<3
Minimum detection		0.1	1	2	1	5	5	3
Maximum detection		100	20000	20000	20000	10000	1000	10000
Method		ICP	ICP	ICP	ICP	ICP	ICP	ICP

Northern Analytical Laboratories

Project: WO#00075a

Sample Name	Fe %	Mg %	K %	Na %	P %
ER 1	1.01	0.01	0.03	0.01	0.01
ER 2	0.57	0.02	0.07	0.01	0.01
ER 3	1.74	0.03	0.01	0.01	0.01
ER 4	1.27	0.02	0.01	0.01	0.03
ER 5	0.4	<0.01	0.01	0.01	<0.01
ER 6	0.93	0.01	0.02	0.01	0.02
ER 7	0.43	<0.01	0.02	0.01	0.01
ER 8	1.38	0.02	0.04	0.01	<0.01
ER 9	0.17	<0.01	<0.01	0.01	0.02
ER10	1.91	0.09	<0.01	0.01	<0.01
ER11	0.66	0.04	<0.01	0.01	0.07
ER12	1.2	0.05	0.01	0.01	<0.01
ER13	1.08	0.01	0.03	0.01	0.03
ER14	0.23	<0.01	0.01	0.01	<0.01
ER15	1.03	0.01	0.03	0.01	<0.01
ER16	1.26	0.27	0.02	0.01	0.02
ER18	1.13	0.78	0.01	0.01	0.02
ER19	0.93	0.01	0.03	0.01	<0.01
ER20	0.53	0.01	0.01	0.01	0.01
ER21	1.62	0.01	0.03	0.01	0.02
ER21 PUP	11.66	0.02	0.04	0.01	0.29
ER22	7.89	0.19	0.02	0.01	0.17
ER23	0.79	0.08	0.01	0.01	0.02
ER24	0.78	0.01	0.02	0.01	0.01
ER26	0.54	<0.01	0.01	0.01	<0.01
Minimum detection	0.01	0.01	0.01	0.01	0.01
Maximum detection	10	10	10	5	5
Method	ICP	ICP	ICP	ICP	ICP

•

Appendix 5

Rock Sample Descriptions

<u>Sample Number</u>	<u>Description</u>
ER1	Grey quartz slight green stain and sulphides (ER 19 + more holes)
ER2	Black graphite (close to fault)
ER3	Quartz fine grained, slight greenish tinge, Py-As Py?
ER4	Quartz fine grained, slight greenish tinge, Py-As Py?
ER5	Quartz fine grained - no sulphides and 2 sides of wall rock?
ER6	Silicified schist quartz boundary limonite fractures
ER7	Quartz with some clay alteration
ER8	Green quartz with limonite fractures
ER9	Bull quartz and open pockets
ER10	Quartz good, blue green stain/clay? Breccia and some sulphides. Limonite areas.
ER11	Quartz white grey with rusty weathered areas
ER12	Quartz - wisp of mariposite limonite fractures
ER13	Quartz breccia and iron oxide
ER14	Fine grained bull quartz
ER15	Quartz fine grained and 2 wall rock sides, few sulphides
ER16	Fine grained quartz + limonite + holes
ER17	Bedrock. Brown weathering chlorite schist. Less muscovite than ER24. Not tested.
ER18	Quartz limonite with green tinge, black sulphides
ER19	Grey quartz, slight green stain + sulphides
ER20	Quartz, slight green stain with grey quartz areas (grey sulphides?)
ER21	Grey quartz, brecciated schist
ER21 (9 Pup)	Quartz limonite breccia with sulphide fragments
ER22	Quartz fine grained + holes + sulphides + wall rock on side. More sulphides than ER26.
ER23	Quartz, multiple veining lots of sulphides, As Py

Rock Sample Descriptions (con't)

<u>Sample Number</u>	<u>Description</u>
ER24	Bedrock. Brown weathering chlorite muscovite schist. Not tested.
ER25	Quartzite weathered out, Mn + sulphides
ER26	Quartz fine grained + holes + sulphides + wall rock on side. Similar to BC26 (1999).

Appendix 6

Soil Sample Geochemistry - Assay Results



105 Copper Road
Whitehorse, Yukon
Y1A 2Z7

Ph: (867) 668-4968
Fax: (867) 668-4890

E-mail: NAL@hypertech.yk.ca

19/10/2000

Certificate of Analysis

of pages (not including this page): N/A

Peter Ross

WO# 00075e

Certified by 
Justin Lemphers (Senior Assayer)

Date Received: 02/10/2000

SAMPLE PREPARATION:						
Code	# of Samples	Type	Preparation Description (All wet samples are dried first.)			
ss	177	sediment	Screen -80 mesh			
ANALYTICAL METHODS SUMMARY:						
Symbol	Units	Element	Method (A:assay) (G:geochem)	Fusion/Digestion	Lower Limit	Upper Limit

AAS = atomic absorption spectrophotometry
FA = fire assay

1000ppb = 1ppm = 1g/mt = 0.0001% = 0.029166oz/ton

Northern Analytical

ELEMENT	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
SAMPLES	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
D	6.9	2.8	17.0	0.24	1.44	0.25	49	0.2	0.074	13.1	33.1
E	4.7	3.2	16.2	0.21	0.39	0.19	47	0.2	0.051	13.1	41.1
G	11.0	4.7	17.5	0.16	0.30	0.16	48	0.3	0.068	14.6	40.5
STANDARD DS2	196.9	3.7	27.3	10.41	9.22	10.41	72	0.5	0.086	16.4	155.2

Northern Analytical

ELEMENT	Mg	Ba	Tl	B	Al	Na	K	W	Sc	Tl	S
SAMPLES	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
D	0.39	190.4	0.042	2	1.41	0.008	0.05	0.4	2.2	0.16	0.04
E	0.58	131.2	0.048	1	1.19	0.008	0.07	<.2	2.2	0.13	0.03
G	0.77	202.4	0.067	1	1.39	0.008	0.09	<.2	2.8	0.13	0.01
STANDARD DS2	0.57	143.2	0.091	2	1.65	0.029	0.16	7.3	2.7	1.82	0.03

Northern Analytical Laboratories

ELEMENT	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
SAMPLES	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm
D	1.87	38.53	12.80	88.9	365	31.9	15.1	929	2.88	18.0	1.6
E	1.43	22.83	10.56	75.6	277	38.0	10.1	490	2.32	13.0	0.6
G	0.97	24.95	12.63	77.8	146	38.3	14.1	646	2.47	9.0	0.8
STANDARD DS2	14.23	122.30	32.50	150.7	268	36.2	12.1	780	2.95	57.2	18.9

Northern Analytical

ELEMENT	Hg	Se	Te	Ga	Sample
SAMPLES	ppb	ppm	ppm	ppm	gm
D	97	0.6	0.07	4.3	30
E	32	0.4	0.06	4.5	30
G	35	0.5	0.04	5.0	30
STANDARD DS2	225	2.4	1.93	6.1	30

Northern Analytical

ELEMENT SAMPLES	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm
A+50	51.1	4.1	19.6	0.15	0.47	0.16	39	0.3	0.055	12.9	23.7
A+100	4.7	2.9	17.4	0.09	0.41	0.16	45	0.3	0.045	12.5	21.4
A+150	2.8	2.8	20.3	0.12	0.49	0.18	45	0.3	0.052	14.3	24.5
A+200	5.3	2.7	23.8	0.07	0.33	0.15	36	0.4	0.047	12.6	20.1
A+250	6.3	3.9	22.9	0.08	0.48	0.20	48	0.3	0.049	17.4	24.9
A+300	2.9	2.9	20.6	0.14	0.44	0.17	48	0.3	0.054	14.0	22.3
A+350	4.1	3.0	17.0	0.14	0.53	0.17	51	0.2	0.060	15.3	22.9
A+400	2.2	3.1	18.0	0.11	0.39	0.18	35	0.3	0.043	12.5	23.5
A+450	2.6	3.4	23.1	0.09	0.46	0.17	47	0.3	0.053	14.5	23.2
A+500	5.3	3.8	22.1	0.10	0.50	0.17	48	0.3	0.055	17.8	26.3
A+550	3.6	2.9	23.3	0.15	0.49	0.18	48	0.3	0.053	13.4	30.2
A+600	1.4	3.0	22.7	0.14	0.43	0.16	42	0.3	0.052	13.7	21.2
A+650	4.4	3.9	24.4	0.11	0.41	0.14	41	0.4	0.067	14.8	20.8
A+700	3.7	1.4	29.4	0.18	0.44	0.16	40	0.4	0.066	13.8	21.7
A+750	8.0	3.6	24.4	0.09	0.35	0.13	31	0.4	0.065	12.3	20.2
A+800	3.7	3.9	27.3	0.12	0.61	0.17	45	0.4	0.066	13.1	26.5
A+850	5.5	4.0	28.3	0.11	0.62	0.17	51	0.4	0.069	14.5	26.6
A+900	9.5	3.8	25.6	0.16	0.55	0.14	46	0.4	0.072	14.1	22.2
A+950	2.8	4.9	22.3	0.14	0.67	0.18	52	0.3	0.058	18.2	27.2
A+1000	3.7	4.5	27.2	0.13	0.63	0.16	51	0.4	0.063	16.0	26.3
B+100	5.3	7.6	18.3	0.18	0.66	0.21	44	0.2	0.054	26.4	57.2
B+200	12.2	3.6	15.7	0.11	0.40	0.18	44	0.2	0.055	14.2	33.9
B+300	0.9	3.4	17.4	0.10	0.41	0.19	52	0.2	0.050	15.5	25.6
B+400	6.9	2.9	19.9	0.11	0.41	0.18	45	0.2	0.054	15.8	24.7
B+500	3.8	3.3	17.0	0.08	0.34	0.16	44	0.2	0.052	15.1	21.2
RE B+500	2.5	3.0	16.4	0.09	0.31	0.14	43	0.2	0.051	13.6	20.6
B+600	1.9	2.9	19.7	0.08	0.37	0.18	47	0.3	0.044	14.1	23.2
B+700	1.4	2.9	24.2	0.13	0.34	0.17	44	0.3	0.044	12.2	22.5
B+800	3.2	7.8	27.4	0.20	0.81	0.21	56	0.4	0.055	28.1	31.9
B+900	1.7	7.3	25.9	0.11	0.52	0.22	48	0.4	0.046	22.7	28.5
B+1000	3.2	12.6	31.4	0.24	0.95	0.28	48	0.5	0.056	47.0	34.3
B+1100	3.2	7.2	20.7	0.06	0.35	0.23	39	0.3	0.063	28.4	27.5
B+1200	0.6	16.4	7.5	0.06	0.59	0.27	35	0.0	0.018	23.4	26.2
B+1300	1.6	13.2	7.6	0.02	0.32	0.23	36	0.1	0.034	33.6	30.2
STANDARD DS2	190.8	3.6	26.9	10.39	9.48	10.33	73	0.5	0.091	14.9	156.7
B+1400	2.9	9.8	13.3	0.09	0.76	0.23	68	0.1	0.020	15.7	41.0
B+1500	11.9	17.6	21.2	0.05	1.03	0.27	45	0.3	0.021	35.4	31.2
B+1600	11.5	19.7	17.1	0.06	1.16	0.29	32	0.1	0.044	38.2	27.1
B+1700	28.6	28.1	26.4	0.09	1.38	0.37	32	0.4	0.039	45.9	31.8
B+1800	11.8	15.4	21.1	0.05	0.45	0.21	40	0.4	0.042	46.3	28.2
B+1900	9.2	14.9	26.2	0.06	0.53	0.26	37	0.5	0.050	64.4	34.8
B+2000	23.6	8.3	39.2	0.19	0.73	0.25	29	0.6	0.045	43.8	27.0
B+2100	3.0	5.0	15.7	0.11	0.42	0.20	49	0.3	0.073	18.5	24.4
C+100	1.2	3.4	15.7	0.13	0.31	0.18	38	0.2	0.050	13.6	40.0
C+200	1.9	4.3	62.9	0.21	0.86	0.14	46	0.6	0.050	17.5	292.0
C+300	4.8	4.4	41.4	0.16	0.58	0.15	60	0.4	0.039	16.4	217.0

WD 00075E

Northern Analytical Laboratories

ELEMENT SAMPLES	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm
A+50	0.85	9.69	13.56	58.3	57	28.5	9.9	381	2.25	80.1	0.6
A+100	0.73	10.27	10.30	44.7	58	13.7	7.1	316	2.00	10.0	0.6
A+150	0.91	15.71	11.58	50.5	91	14.6	7.7	254	2.91	9.3	0.9
A+200	0.50	8.06	9.26	46.2	51	11.9	6.2	221	1.73	5.1	0.7
A+250		14.10	13.70	51.6	81	16.8	9.5	268	2.50	8.9	1.0
A+300		11.59	10.52	51.7	71	13.2	10.6	627	2.28	10.7	0.9
		10.08	10.83	49.0	82	12.9	9.4	334	3.00	12.3	1.0
		11.40	12.20	50.0	52	13.2	6.2	213	1.62	4.8	0.7
		11.37	11.44	45.6	69	13.7	6.9	295	2.15	9.0	0.8
A+500	0.74	16.17	11.51	50.4	78	16.9	10.3	386	2.20	10.1	1.0
A+550	0.74	13.29	10.77	53.8	74	19.2	14.2	764	2.28	9.4	0.7
A+600	0.62	11.67	10.01	48.2	58	12.3	7.3	314	1.88	7.4	0.7
A+650	0.48	9.73	9.36	47.0	46	12.3	7.6	447	1.84	6.8	0.7
A+700	0.61	14.48	10.19	49.3	68	14.2	7.8	438	1.89	6.7	0.7
A+750	0.26	9.08	8.94	45.8	42	11.5	4.7	167	1.45	3.7	0.5
A+800	0.36	20.22	10.95	57.5	69	16.8	6.1	151	1.83	5.0	0.7
A+850	0.62	17.38	10.58	56.2	65	17.7	7.4	230	2.37	7.7	0.8
A+900	0.70	12.93	8.68	47.9	76	13.6	9.4	490	2.08	7.8	0.7
A+950	0.52	21.81	10.72	51.5	77	15.7	9.9	314	2.38	9.6	1.0
A+1000	0.69	19.87	9.97	50.3	58	17.5	8.7	246	2.24	8.8	0.8
B+100	1.23	23.41	21.14	77.5	122	63.0	10.3	406	2.67	32.0	1.4
B+200	0.80	12.63	13.39	50.7	62	28.7	8.1	246	2.13	7.8	0.8
B+300	0.81	12.47	13.81	50.9	78	15.5	6.8	211	2.20	8.1	0.7
B+400	0.67	12.91	11.94	51.8	88	15.9	10.3	346	2.10	6.6	0.8
B+500	0.58	10.16	10.30	48.5	51	14.0	7.0	226	1.90	5.8	0.6
RE B+500	0.52	9.43	9.19	46.4	49	13.7	6.6	222	1.86	5.6	0.6
B+600	0.72	10.40	10.70	50.5	54	15.3	8.7	298	2.13	6.3	0.6
B+700	0.72	11.47	9.67	53.8	73	14.5	6.8	238	1.94	5.9	0.6
B+800	1.19	31.26	12.57	62.0	106	24.0	13.0	547	3.85	14.1	1.6
B+900	0.47	20.88	13.19	53.4	87	20.0	11.4	447	2.87	9.1	1.4
B+1000	0.49	39.91	17.19	80.7	121	40.2	15.0	477	3.06	7.2	1.6
B+1100	0.64	20.47	15.26	64.3	168	26.2	12.0	565	2.88	7.3	1.2
B+1200	0.52	45.61	11.27	62.6	24	43.2	18.8	515	4.71	14.8	1.2
B+1300	0.77	37.57	15.94	55.1	59	40.0	14.1	355	3.46	8.2	1.0
STANDARD DS2	14.31	127.48	32.02	151.5	249	35.7	12.0	807	3.02	59.7	17.9
B+1400	0.99	34.82	14.85	56.9	86	36.8	15.1	336	3.24	12.5	0.7
B+1500	0.64	33.12	21.19	60.6	71	33.3	12.9	409	3.22	32.9	1.4
B+1600	0.75	42.65	21.13	68.4	84	40.3	17.5	742	3.81	62.9	2.4
B+1700	0.66	38.32	29.74	91.2	242	42.8	16.4	582	4.00	151.9	2.0
B+1800	0.48	29.65	15.53	52.7	79	25.2	10.8	339	2.57	8.6	1.7
B+1900	0.46	28.83	36.55	61.8	197	25.5	11.9	349	2.71	18.4	2.5
B+2000	0.35	33.43	34.25	49.9	235	23.1	8.1	165	1.37	4.3	2.2
B+2100	0.85	17.57	16.84	55.3	58	19.1	9.5	334	2.44	16.9	0.8
C+100	0.69	16.91	13.11	53.3	73	34.6	10.2	354	1.98	8.5	0.5
C+200	0.43	28.58	10.33	64.5	118	469.5	32.0	514	2.89	27.9	0.8
C+300	0.49	21.61	10.74	68.1	90	334.4	22.4	516	2.65	20.3	0.7

Northern Analytical											
ELEMENT	Mg	Ba	Tl	B	Al	Na	K	W	Sc	Tl	S
SAMPLES	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
A+50	0.36	145.7	0.037	1	1.02	0.007	0.07	0.3	1.7	0.08	0.01
A+100	0.36	141.5	0.037	1	1.06	0.008	0.05	0.3	1.5	0.06	0.02
A+150	0.35	198.3	0.035	1	1.30	0.009	0.05	< .2	2.1	0.07	0.03
A+200	0.35	162.4	0.039	2	1.05	0.010	0.06	< .2	1.7	0.07	0.03
A+250	0.36	218.8	0.035	1	1.30	0.011	0.06	< .2	2.2	0.08	0.02
A+300	0.35	183.1	0.040	1	1.23	0.009	0.06	< .2	1.8	0.07	0.02
A+350	0.33	155.8	0.040	1	1.23	0.010	0.05	0.2	1.9	0.07	0.03
A+400	0.37	164.1	0.047	1	1.24	0.009	0.05	< .2	1.8	0.08	0.03
A+450	0.35	184.3	0.047	1	1.19	0.010	0.05	0.2	1.9	0.08	0.03
A+500	0.38	210.2	0.052	1	1.35	0.010	0.05	0.2	2.4	0.08	0.02
A+550	0.40	213.1	0.041	1	1.31	0.009	0.05	< .2	2.0	0.08	0.03
A+600	0.33	181.6	0.042	1	1.15	0.010	0.05	0.2	1.8	0.07	0.03
A+650	0.33	175.0	0.055	1	1.07	0.011	0.05	0.4	1.8	0.06	0.02
A+700	0.35	234.8	0.033	1	1.14	0.009	0.05	< .2	1.7	0.07	0.05
A+750	0.36	165.5	0.055	1	0.99	0.012	0.04	0.5	1.7	0.05	0.02
A+800	0.49	228.1	0.071	2	1.28	0.016	0.05	0.2	2.6	0.07	0.02
A+850	0.47	217.4	0.065	2	1.28	0.014	0.05	0.4	2.4	0.07	0.01
A+900	0.35	180.6	0.064	1	1.08	0.013	0.04	0.5	1.9	0.05	0.02
A+950	0.42	219.1	0.060	1	1.52	0.012	0.05	0.2	2.6	0.08	0.02
A+1000	0.42	228.5	0.073	1	1.39	0.014	0.05	0.3	2.5	0.07	0.01
B+100	0.51	227.9	0.050	1	1.30	0.008	0.10	0.3	4.2	0.17	0.02
B+200	0.43	125.3	0.049	< 1	1.22	0.008	0.06	0.3	1.8	0.11	0.03
B+300	0.42	139.4	0.053	1	1.32	0.009	0.07	0.2	1.9	0.12	0.03
B+400	0.40	173.5	0.048	1	1.35	0.010	0.06	0.2	2.0	0.10	0.03
B+500	0.36	140.3	0.051	1	1.18	0.009	0.05	0.3	1.7	0.09	0.03
RE B+500	0.35	138.6	0.049	1	1.15	0.008	0.05	0.3	1.6	0.07	0.02
B+600	0.40	185.6	0.042	1	1.40	0.009	0.06	< .2	1.9	0.10	0.03
B+700	0.37	184.2	0.047	1	1.24	0.010	0.07	< .2	1.9	0.08	0.02
B+800	0.44	290.3	0.058	1	1.53	0.013	0.07	< .2	3.5	0.09	0.02
B+900	0.44	219.2	0.057	1	1.46	0.011	0.08	< .2	2.7	0.11	0.04
B+1000	0.53	227.1	0.069	2	1.38	0.015	0.18	< .2	4.3	0.15	0.04
B+1100	0.38	207.6	0.035	1	1.47	0.010	0.16	< .2	2.8	0.19	0.03
B+1200	0.18	147.2	0.020	1	1.37	0.004	0.18	0.3	3.0	0.27	0.03
B+1300	0.49	143.8	0.038	1	1.69	0.004	0.26	< .2	2.6	0.24	0.02
STANDARD DS2	0.58	147.2	0.086	1	1.66	0.029	0.16	7.1	2.7	1.74	0.03
B+1400	0.55	275.7	0.077	1	2.74	0.010	0.08	< .2	2.7	0.11	< .01
B+1500	0.45	207.2	0.052	1	1.47	0.007	0.10	< .2	3.2	0.11	< .01
B+1600	0.44	210.9	0.046	1	1.34	0.005	0.24	< .2	2.5	0.21	0.03
B+1700	0.58	169.9	0.055	1	1.67	0.004	0.41	< .2	3.3	0.36	0.03
B+1800	0.52	208.9	0.083	1	1.49	0.011	0.23	< .2	2.9	0.19	0.01
B+1900	0.57	189.6	0.064	1	1.50	0.007	0.27	< .2	2.8	0.21	0.03
B+2000	0.41	210.4	0.045	1	1.31	0.011	0.17	< .2	2.4	0.15	0.08
B+2100	0.47	115.9	0.054	< 1	1.25	0.007	0.07	0.3	1.7	0.10	0.02
C+100	0.59	159.2	0.058	< 1	1.33	0.007	0.13	0.2	1.9	0.12	0.03
C+200	1.91	266.9	0.043	1	1.56	0.009	0.08	< .2	4.5	0.25	0.02
C+300	1.50	255.4	0.083	1	1.75	0.012	0.07	< .2	3.7	0.16	0.01

Northern Analytical.

ELEMENT SAMPLES	Hg ppb	Se ppm	Te ppm	Ga ppm	Sample gm
A+50	22	0.2	0.03	3.4	30
A+100	28	0.2	0.03	3.8	30
A+150	40	0.4	0.02	4.3	30
A+200	34	0.1	0.03	3.8	30
A+250	42	0.3	0.03	4.6	30
A+300	38	0.4	0.02	4.3	30
A+350	39	0.4	0.05	4.3	30
A+400	38	0.1	0.03	4.5	30
A+450	37	0.2	0.03	4.2	30
A+500	39	0.2	0.02	4.5	30
A+550	34	0.2	0.04	4.4	30
A+600	39	0.2	0.02	4.0	30
A+650	41	0.1	0.03	3.6	30
A+700	43	0.4	0.03	4.0	30
A+750	27	0.3	< .02	3.4	30
A+800	35	0.3	0.04	4.4	30
A+850	33	0.2	< .02	4.4	30
A+900	37	0.2	0.03	3.6	30
A+950	40	0.4	0.04	4.6	30
A+1000	33	0.2	0.02	4.3	30
B+100	37	0.2	0.02	4.3	30
B+200	34	0.2	0.03	4.5	30
B+300	36	0.3	0.05	4.8	30
B+400	45	0.4	0.04	4.7	30
B+500	34	0.4	0.04	4.3	30
RE B+500	40	0.4	0.02	3.9	30
B+600	34	0.5	0.03	4.7	30
B+700	34	0.4	0.02	4.8	30
B+800	37	0.8	0.04	4.7	30
B+900	42	0.6	0.04	4.6	30
B+1000	38	1.0	0.03	4.3	30
B+1100	36	0.5	0.03	5.0	30
B+1200	8	0.8	0.06	4.3	15
B+1300	16	0.4	0.05	5.1	30
STANDARD DS2	230	2.3	1.80	6.0	30
B+1400	24	0.3	0.04	6.6	30
B+1500	21	0.5	0.03	4.3	30
B+1600	18	0.3	0.07	4.3	30
B+1700	19	0.5	0.09	5.0	30
B+1800	27	0.4	0.06	4.8	30
B+1900	36	0.5	0.05	5.0	30
B+2000	39	0.4	0.03	4.5	30
B+2100	24	0.3	0.05	4.5	30
C+100	35	0.1	0.03	5.1	30
C+200	34	0.1	0.07	5.4	30
C+300	34	0.4	0.05	6.8	30

Northern Analytical

ELEMENT SAMPLES	Au. ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm
C+400	17.6	4.5	20.4	0.07	0.61	0.13	38	0.4	0.043	12.4	98.0
C+500	3.3	2.3	12.0	0.11	0.46	0.17	44	0.1	0.047	12.6	28.1
C+600	1.9	4.6	17.1	0.25	0.73	0.16	72	0.3	0.087	16.3	46.8
C+700	2.4	2.2	13.7	0.09	0.39	0.18	39	0.2	0.042	12.6	21.9
C+800	5.8	3.5	16.6	0.13	0.61	0.19	45	0.2	0.054	16.1	23.5
C+900	2.1	4.3	22.3	0.09	0.63	0.21	47	0.3	0.049	15.6	25.9
C+1000	20.5	7.5	24.8	0.18	0.92	0.25	51	0.3	0.054	22.9	29.7
REC-1000	7.2	7.2	23.9	0.19	0.88	0.24	50	0.3	0.053	22.1	28.8
C+1100	4.1	8.1	26.3	0.16	0.96	0.25	47	0.3	0.051	28.9	30.2
C+1200	1.0	1.4	7.5	0.07	0.34	0.27	35	0.1	0.030	13.8	20.0
C+1300	0.9	15.0	20.6	0.10	0.72	0.23	61	0.3	0.141	36.5	56.1
C+1400	2.4	17.3	9.7	0.05	3.77	0.44	32	0.1	0.044	45.2	31.6
C+1500	1.8	14.5	13.7	0.02	0.89	0.26	35	0.2	0.052	29.0	29.0
C+1600	5.1	17.9	16.7	0.04	1.42	0.43	30	0.3	0.046	32.1	28.3
C+1700	3.2	12.0	21.8	0.07	1.02	0.23	31	0.2	0.024	26.9	31.6
C+1800	6.6	16.4	32.2	0.09	1.59	0.27	28	0.6	0.035	49.0	23.5
C+2000	4.6	13.0	24.7	0.07	0.79	0.23	39	0.4	0.035	44.0	28.0
C+2300	7.4	3.1	28.8	0.08	0.50	0.17	41	0.5	0.046	11.2	20.9
D+100	5.8	1.4	11.6	0.36	0.62	0.20	41	0.1	0.062	9.1	26.0
D+200	12.3	2.0	18.4	0.19	1.18	0.18	42	0.3	0.063	11.0	40.3
D+300	1.8	2.5	14.2	0.17	0.35	0.26	44	0.2	0.045	11.0	81.2
D+400	3.3	1.9	20.3	0.21	0.37	0.14	40	0.3	0.038	11.6	113.9
D+500	3.1	4.5	21.2	0.13	0.50	0.15	42	0.3	0.055	15.5	167.4
STANDARD DS2	190.5	3.6	26.5	10.17	9.63	10.96	74	0.5	0.090	15.9	161.2
D+600	2.4	5.5	20.1	0.13	0.50	0.18	39	0.3	0.050	16.3	100.7
D+700	3.2	4.5	15.0	0.12	0.39	0.21	47	0.2	0.061	19.6	37.8
D+800	6.7	7.2	16.9	0.16	0.39	0.22	48	0.2	0.063	28.0	42.1
D+900	1.7	6.0	16.9	0.10	0.32	0.22	43	0.3	0.071	26.7	31.8
D+1000	7.6	11.5	17.0	0.11	0.31	0.24	42	0.3	0.076	50.5	36.1
D+1100	9.9	12.8	18.0	0.15	0.34	0.25	44	0.3	0.067	44.2	39.5
D+1200	11.0	4.1	19.7	0.08	0.41	0.24	53	0.3	0.078	25.0	35.1
D+1300	3.3	8.1	17.8	0.08	0.42	0.20	53	0.3	0.039	28.5	38.3
D+1400	60.6	6.8	12.1	0.10	0.39	0.23	47	0.2	0.045	31.8	33.7
D+1500	1.1	8.1	12.8	0.37	0.45	0.24	56	0.2	0.038	24.6	34.4
D+1600	1.4	13.4	8.7	0.10	0.43	0.33	36	0.1	0.024	20.9	25.4
D+1700	0.7	9.8	15.9	0.08	0.34	0.19	41	0.3	0.063	34.1	32.2
D+1800	1.2	3.9	11.0	0.10	0.43	0.15	74	0.2	0.020	7.8	95.6
D+1900	2.8	6.1	16.6	0.10	0.39	0.18	67	0.3	0.049	19.7	52.9
D+2000	1.9	1.1	15.3	0.12	0.37	0.18	68	0.2	0.037	12.8	61.3
D+2100	1.4	4.4	17.7	0.11	0.36	0.13	66	0.4	0.051	15.8	85.5
D+2200	2.9	6.2	21.7	0.11	0.38	0.16	53	0.5	0.054	28.4	59.9
D+2300	2.3	2.8	20.2	0.13	0.30	0.14	55	0.5	0.068	14.5	56.1
D+2400	1.7	6.1	12.8	0.09	0.34	0.17	50	0.2	0.045	18.3	36.6
D+2500	4.4	7.2	20.6	0.10	0.54	0.20	59	0.2	0.054	25.5	37.6
E+100	2.1	3.1	18.1	0.12	0.31	0.16	43	0.4	0.052	12.1	42.6
E+200	2.1	2.4	17.4	0.15	0.32	0.14	39	0.3	0.045	9.6	44.3

Northern Analytical

ELEMENT SAMPLES	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm
C+400	17.6	4.5	20.4	0.07	0.61	0.13	38	0.4	0.043	12.4	98.0
C+500	3.3	2.3	12.0	0.11	0.46	0.17	44	0.1	0.047	12.6	28.1
C+600	1.9	4.6	17.1	0.25	0.73	0.16	72	0.3	0.087	16.3	46.8
C+700	2.4	2.2	13.7	0.09	0.39	0.18	39	0.2	0.042	12.6	21.9
C+800	5.8	3.5	16.6	0.13	0.61	0.19	45	0.2	0.054	16.1	23.5
C+900	2.1	4.3	22.3	0.09	0.63	0.21	47	0.3	0.049	15.6	25.9
C+1000	2.5	7.5	24.8	0.18	0.92	0.25	51	0.3	0.054	22.9	29.7
C+1100	2.2	7.2	23.9	0.19	0.88	0.24	50	0.3	0.053	22.1	28.8
C+1200	1.0	1.4	7.5	0.07	0.34	0.27	35	0.1	0.030	13.8	20.0
C+1300	0.9	15.0	20.6	0.10	0.72	0.23	61	0.3	0.141	36.5	56.1
C+1400	2.4	17.3	9.7	0.05	3.77	0.44	32	0.1	0.044	45.2	31.6
C+1500	1.8	14.5	13.7	0.02	0.89	0.26	35	0.2	0.052	29.0	29.0
C+1600	5.1	17.9	16.7	0.04	1.42	0.43	30	0.3	0.046	32.1	28.3
C+1700	3.2	12.0	21.8	0.07	1.02	0.23	31	0.2	0.024	26.9	31.6
C+1800	6.6	16.4	32.2	0.09	1.59	0.27	28	0.6	0.035	49.0	23.5
C+2000	4.6	13.0	24.7	0.07	0.79	0.23	39	0.4	0.035	44.0	28.0
C+2300	7.4	3.1	28.8	0.08	0.50	0.17	41	0.5	0.046	11.2	20.9
D+100	5.8	1.4	11.6	0.36	0.62	0.20	41	0.1	0.062	9.1	26.0
D+200	12.3	2.0	18.4	0.19	1.18	0.18	42	0.3	0.063	11.0	40.3
D+300	1.8	2.5	14.2	0.17	0.35	0.26	44	0.2	0.045	11.0	81.2
D+400	3.3	1.9	20.3	0.21	0.37	0.14	40	0.3	0.038	11.6	113.9
D+500	3.1	4.5	21.2	0.13	0.50	0.15	42	0.3	0.055	15.5	167.4
STANDARD DS2	190.5	3.6	26.5	10.17	9.63	10.96	74	0.5	0.090	15.9	161.2
D+600	2.4	5.5	20.1	0.13	0.50	0.18	39	0.3	0.050	16.3	100.7
D+700	3.2	4.5	15.0	0.12	0.39	0.21	47	0.2	0.061	19.6	37.8
D+800	6.7	7.2	16.9	0.16	0.39	0.22	48	0.2	0.063	28.0	42.1
D+900	1.7	6.0	16.9	0.10	0.32	0.22	43	0.3	0.071	26.7	31.8
D+1000	7.6	11.5	17.0	0.11	0.31	0.24	42	0.3	0.076	50.5	36.1
D+1100	9.9	12.8	18.0	0.15	0.34	0.25	44	0.3	0.067	44.2	39.5
D+1200	11.0	4.1	19.7	0.08	0.41	0.24	53	0.3	0.078	25.0	35.1
D+1300	3.3	8.1	17.8	0.08	0.42	0.20	53	0.3	0.039	28.5	38.3
D+1400	60.6	6.8	12.1	0.10	0.39	0.23	47	0.2	0.045	31.8	33.7
D+1500	1.1	8.1	12.8	0.37	0.45	0.24	56	0.2	0.038	24.6	34.4
D+1600	1.4	13.4	8.7	0.10	0.43	0.33	36	0.1	0.024	20.9	25.4
D+1700	0.7	9.8	15.9	0.08	0.34	0.19	41	0.3	0.063	34.1	32.2
D+1800	1.2	3.9	11.0	0.10	0.43	0.15	74	0.2	0.020	7.8	95.6
D+1900	2.8	6.1	16.6	0.10	0.39	0.18	67	0.3	0.049	19.7	52.9
D+2000	1.9	1.1	15.3	0.12	0.37	0.18	68	0.2	0.037	12.8	61.3
D+2100	1.4	4.4	17.7	0.11	0.36	0.13	66	0.4	0.051	15.8	85.5
D+2200	2.9	6.2	21.7	0.11	0.38	0.16	53	0.5	0.054	28.4	59.9
D+2300	2.3	2.8	20.2	0.13	0.30	0.14	55	0.5	0.068	14.5	56.1
D+2400	1.7	6.1	12.8	0.09	0.34	0.17	50	0.2	0.045	18.3	36.6
D+2500	4.4	7.2	20.6	0.10	0.54	0.20	59	0.2	0.054	25.5	37.6
E+100	2.1	3.1	18.1	0.12	0.31	0.16	43	0.4	0.052	12.1	42.6
E+200	2.1	2.4	17.4	0.15	0.32	0.14	39	0.3	0.045	9.6	44.3

Northern Analytical Laboratories

ELEMENT	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
SAMPLES	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm
C+400	0.45	21.39	9.11	52.2	63	98.9	11.9	259	1.99	12.9	0.5
C+500	0.65	18.56	10.58	50.1	63	19.3	6.4	156	1.96	7.8	0.7
C+600	1.70	57.77	11.40	100.1	133	44.5	15.4	376	2.98	7.4	0.8
C+700	0.62	13.87	10.60	45.1	79	14.4	5.7	183	1.85	8.5	0.7
C+800	0.80	15.78	14.30	53.8	104	16.0	8.4	271	2.36	9.9	1.0
C+900	0.85	16.80	12.36	53.9	96	17.1	9.9	398	2.55	9.1	1.0
C+1000	0.70	26.57	14.34	62.2	121	22.7	11.7	315	2.67	11.9	1.6
RE C+1000	0.67	25.94	14.01	60.5	115	22.4	12.2	308	2.62	11.9	1.5
C+1100	0.76	34.93	13.96	64.0	136	29.2	13.6	502	2.82	14.7	1.9
C+1200	0.72	18.81	13.63	30.7	45	13.6	5.7	139	1.71	4.5	0.7
C+1300	1.47	54.26	15.40	119.6	21	67.5	27.9	488	4.94	5.1	1.4
C+1400	0.62	41.38	28.67	90.5	23	43.5	18.8	559	4.33	17.9	1.6
C+1500	0.51	35.61	14.66	58.9	90	35.1	14.5	371	3.35	12.8	1.2
C+1600	0.48	41.76	27.82	64.5	84	36.4	15.9	578	3.47	17.2	1.6
C+1700	0.55	31.80	22.86	76.6	96	36.4	15.0	382	3.57	28.3	1.2
C+1800	0.54	26.60	41.69	66.0	292	23.6	16.6	691	3.05	22.5	1.7
C+2000	0.82	25.50	19.48	61.8	166	26.3	12.9	474	2.78	18.6	1.2
C+2300	0.80	10.26	14.56	54.0	110	12.6	7.2	320	1.90	69.4	0.7
D+100	1.62	25.69	10.48	53.8	438	20.6	11.1	697	2.09	10.2	1.1
D+200	0.87	32.90	9.99	54.9	328	26.2	8.1	327	2.10	20.9	0.9
D+300	0.48	33.25	18.45	72.3	105	52.3	10.4	222	2.01	9.3	0.6
D+400	0.26	29.57	10.51	57.9	87	129.3	16.4	213	1.70	5.6	0.6
D+500	0.41	18.73	9.78	58.7	58	210.1	18.1	326	2.23	9.8	0.7
STANDARD DS2	13.99	130.05	34.01	154.9	270	36.2	12.1	817	3.07	58.7	18.8
D+600	0.38	19.43	12.25	59.2	68	135.1	12.8	242	2.32	6.5	0.8
D+700	0.51	19.92	13.18	64.6	86	28.0	9.7	260	2.54	8.4	1.1
D+800	0.58	23.67	13.98	74.1	114	31.3	13.7	409	2.79	8.1	1.3
D+900	0.61	17.84	14.95	67.7	86	22.9	11.1	391	2.65	5.5	1.1
D+1000	0.80	29.18	16.43	75.9	83	27.2	13.7	537	2.91	4.1	2.2
D+1100	0.49	29.52	19.76	81.4	69	33.1	14.5	410	3.07	6.4	1.6
D+1200	0.54	23.23	13.93	58.0	82	23.2	9.8	290	2.78	7.1	1.3
D+1300	0.59	24.54	13.82	62.4	62	28.3	11.5	324	2.65	6.4	1.1
D+1400	0.67	25.17	14.20	55.5	71	25.2	11.3	274	2.76	5.9	1.0
D+1500	1.08	29.36	33.67	89.7	30	31.9	11.9	332	3.07	7.6	0.7
D+1600	1.50	41.87	25.26	67.7	35	38.0	16.5	424	3.15	8.3	1.3
D+1700	0.56	27.11	15.50	53.8	33	27.5	11.4	396	2.55	4.8	1.2
D+1800	0.60	89.60	8.71	66.5	97	55.2	24.2	500	3.49	9.7	0.5
D+1900	0.89	48.56	10.67	62.8	37	39.6	19.1	552	2.93	8.1	0.8
D+2000	0.79	41.53	9.61	46.0	140	35.7	17.0	1117	2.75	7.0	0.5
D+2100	0.52	59.32	8.65	60.3	89	49.5	17.6	626	3.04	6.1	0.6
D+2200	0.52	47.27	11.14	55.2	134	41.3	14.1	428	2.72	5.7	1.4
D+2300	0.48	39.18	8.02	57.7	100	37.0	16.7	546	2.44	5.2	0.6
D+2400	0.60	23.25	13.61	64.1	38	26.8	11.6	364	2.79	6.9	0.8
D+2500	0.75	28.03	12.73	60.7	31	29.1	14.4	567	2.92	10.8	1.3
E+100	0.63	24.38	11.13	57.6	122	35.7	10.0	262	2.06	6.3	0.6
E+200	0.46	24.71	9.20	52.2	93	35.0	8.7	204	1.84	5.4	0.5

Northern Analytical

ELEMENT SAMPLES	Mg %	Ba ppm	Tl %	B ppm	Al %	Na %	K %	W ppm	Sc ppm	Tl ppm	S %
C+400	0.79	152.6	0.055	1	1.31	0.009	0.07	0.2	2.2	0.07	< .01
C+500	0.38	108.5	0.037	1	1.22	0.008	0.05	0.2	1.6	0.10	0.03
C+600	0.66	163.6	0.057	1	1.33	0.008	0.16	0.4	3.7	0.17	0.02
C+700	0.32	145.1	0.034	1	1.23	0.008	0.05	0.2	1.5	0.09	0.03
C+800	0.34	166.4	0.034	1	1.31	0.008	0.05	0.2	1.9	0.08	0.03
C+900	0.40	211.1	0.039	1	1.38	0.011	0.05	< .2	2.1	0.09	0.02
C+1000	0.46	282.8	0.044	< 1	1.47	0.010	0.06	< .2	3.0	0.10	0.02
RE C+1000	0.45	278.5	0.042	1	1.43	0.010	0.06	< .2	3.0	0.09	0.02
C+1100	0.42	286.2	0.056	1	1.48	0.015	0.06	< .2	3.4	0.13	0.02
C+1200	0.18	77.7	0.034	< 1	0.93	0.006	0.07	< .2	1.0	0.12	< .01
C+1300	1.22	211.0	0.113	1	2.58	0.004	0.96	< .2	3.5	0.68	0.01
C+1400	0.34	108.8	0.018	< 1	1.36	0.002	0.18	< .2	3.2	0.22	0.01
C+1500	0.51	132.7	0.053	1	1.23	0.004	0.31	< .2	3.0	0.24	0.01
C+1600	0.53	134.6	0.055	1	1.30	0.004	0.34	< .2	2.8	0.27	0.02
C+1700	0.65	105.9	0.057	1	1.63	0.004	0.32	< .2	1.8	0.24	0.02
C+1800	0.38	177.3	0.030	1	1.10	0.006	0.24	< .2	2.6	0.19	0.04
C+2000	0.47	191.4	0.039	1	1.45	0.009	0.14	< .2	2.5	0.11	0.02
C+2300	0.38	166.3	0.052	1	1.10	0.011	0.06	0.2	1.8	0.07	0.03
D+100	0.28	123.6	0.033	1	1.01	0.008	0.04	0.2	1.7	0.14	0.05
D+200	0.51	172.2	0.040	1	1.16	0.009	0.05	0.3	2.2	0.11	0.04
D+300	0.93	139.9	0.039	1	1.44	0.007	0.04	< .2	2.5	0.09	0.02
D+400	1.24	250.7	0.040	1	1.55	0.009	0.04	< .2	2.4	0.10	0.02
D+500	1.93	183.2	0.052	1	1.49	0.009	0.05	< .2	2.3	0.09	< .01
STANDARD DS2	0.60	150.5	0.088	2	1.70	0.029	0.15	7.2	2.6	1.91	0.03
D+600	1.42	180.1	0.051	2	1.51	0.008	0.06	< .2	2.3	0.10	< .01
D+700	0.56	218.9	0.039	1	1.65	0.007	0.05	< .2	2.5	0.11	0.01
D+800	0.67	263.8	0.054	< 1	1.78	0.006	0.08	< .2	3.0	0.14	< .01
D+900	0.59	210.5	0.052	1	1.71	0.007	0.11	< .2	2.1	0.15	0.01
D+1000	0.69	213.2	0.073	1	1.83	0.007	0.23	< .2	3.0	0.25	0.01
D+1100	0.70	231.6	0.073	1	1.71	0.006	0.21	< .2	3.3	0.22	0.01
D+1200	0.51	249.9	0.040	1	1.85	0.007	0.06	0.2	3.1	0.14	0.01
D+1300	0.63	231.4	0.076	1	1.76	0.007	0.10	< .2	3.0	0.14	0.01
D+1400	0.57	140.3	0.054	< 1	1.79	0.006	0.11	< .2	2.3	0.15	0.01
D+1500	0.45	188.3	0.036	< 1	1.70	0.006	0.06	0.2	3.4	0.15	0.01
D+1600	0.35	105.8	0.022	< 1	1.49	0.003	0.12	0.2	2.4	0.19	0.03
D+1700	0.51	211.7	0.045	1	1.31	0.005	0.07	0.2	3.3	0.09	0.03
D+1800	1.02	127.6	0.047	1	2.11	0.008	0.05	< .2	3.7	0.08	0.02
D+1900	0.76	259.1	0.053	1	1.80	0.008	0.05	< .2	3.4	0.11	0.02
D+2000	0.55	320.9	0.033	1	1.74	0.010	0.05	< .2	2.7	0.10	0.02
D+2100	0.97	281.9	0.040	1	1.74	0.008	0.06	0.2	4.9	0.07	0.02
D+2200	0.70	361.7	0.038	1	1.45	0.008	0.08	< .2	4.4	0.10	0.03
D+2300	0.74	252.5	0.047	2	1.53	0.010	0.06	< .2	3.3	0.08	0.03
D+2400	0.61	163.8	0.062	< 1	1.62	0.005	0.14	< .2	2.1	0.15	< .01
D+2500	0.59	309.8	0.075	1	1.89	0.008	0.08	< .2	4.4	0.09	0.02
E+100	0.68	192.6	0.048	< 1	1.31	0.008	0.08	< .2	2.3	0.10	0.03
E+200	0.66	183.3	0.048	< 1	1.30	0.008	0.09	< .2	2.1	0.09	0.02

Northern Analytical

ELEMENT SAMPLES	Hg ppb	Se ppm	Te ppm	Ga ppm	Sample gm
C+400	26	0.2	0.03	4.2	30
C+500	33	0.3	0.02	4.6	30
C+600	25	0.5	0.05	4.9	30
C+700	36	0.2	0.02	4.6	30
C+800	49	0.3	0.04	4.6	30
C+900	40	0.3	0.03	4.6	30
C+1000	38	0.3	0.02	4.8	30
RE C+1000	35	0.3	0.03	4.8	30
C+1100	36	0.2	0.03	4.9	30
C+1200	20	0.1	0.03	5.0	30
C+1300	13	0.1	0.05	8.4	30
C+1400	12	0.3	0.05	4.0	30
C+1500	14	0.2	0.04	4.3	30
C+1600	14	0.4	0.04	4.3	30
C+1700	14	0.2	0.06	4.6	30
C+1800	29	0.2	0.04	3.8	30
C+2000	20	0.3	0.02	5.1	30
C+2300	34	0.2	0.04	4.2	30
D+100	88	0.4	0.05	4.2	30
D+200	81	0.7	0.04	3.9	30
D+300	53	0.4	0.03	4.6	30
D+400	30	0.3	0.02	5.0	30
D+500	35	0.2	0.04	4.7	30
STANDARD DS2	212	2.2	1.80	6.2	30
D+600	43	0.3	0.04	4.8	30
D+700	39	0.2	0.03	5.2	30
D+800	43	0.3	0.04	5.7	30
D+900	43	0.2	0.04	5.6	30
D+1000	40	0.4	0.04	5.8	30
D+1100	16	0.1	0.03	5.5	30
D+1200	55	0.4	0.04	5.9	30
D+1300	34	0.2	0.06	5.5	30
D+1400	30	0.2	0.02	5.4	30
D+1500	35	0.2	0.03	5.5	30
D+1600	21	0.2	0.04	4.3	30
D+1700	32	0.2	0.02	4.2	30
D+1800	23	0.3	0.03	5.6	30
D+1900	35	0.3	0.04	5.7	30
D+2000	36	0.3	0.03	6.4	30
D+2100	30	0.2	0.03	4.9	30
D+2200	50	0.3	0.02	4.6	30
D+2300	33	0.3	0.02	4.7	30
D+2400	27	0.1	0.03	5.1	30
D+2500	28	0.2	0.03	5.3	30
E+100	27	0.4	0.04	4.4	30
E+200	31	0.4	0.04	4.3	30

Northern Analytical

ELEMENT	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
SAMPLES	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
E+300	2.1	3.1	17.8	0.14	0.36	0.11	34	0.3	0.039	10.3	59.3
E+400	2.6	2.7	15.2	0.10	0.26	0.12	38	0.2	0.039	8.5	55.3
E+500	3.0	4.1	18.9	0.18	0.43	0.17	46	0.3	0.049	15.6	53.9
E+600	2.5	4.3	23.3	0.13	0.50	0.18	42	0.3	0.061	21.0	45.5
E+700	4.3	5.3	21.6	0.14	0.44	0.18	41	0.3	0.065	18.9	30.0
E+800	3.9	4.8	26.3	0.09	0.49	0.17	41	0.4	0.049	14.0	45.9
RE E+800	7.5	4.7	25.6	0.10	0.50	0.17	40	0.4	0.049	14.0	44.8
E+900	5.3	3.1	32.9	0.14	0.39	0.19	39	0.5	0.055	18.1	26.7
E+1000	4.5	3.0	20.5	0.14	0.39	0.18	41	0.3	0.052	14.5	23.1
E+1100	6.8	11.9	19.8	0.15	0.77	0.28	43	0.3	0.042	37.5	29.6
E+1200	34.5	21.9	15.5	0.08	3.29	0.39	33	0.2	0.045	65.0	25.3
E+1300	1.3	23.1	7.1	0.19	2.10	1.62	50	0.1	0.071	38.0	113.6
STANDARD DS2	192.7	4.0	28.2	10.44	9.46	11.14	77	0.5	0.098	16.9	167.4
E+1400	3.9	13.6	7.8	0.13	1.27	0.33	29	0.1	0.029	22.9	35.0
E+1500	12.1	11.7	24.3	0.05	1.14	0.24	47	0.4	0.029	35.5	33.6
E+1600	42.4	17.7	16.8	0.04	4.66	0.27	20	0.4	0.055	55.0	21.1
E+1700	18.9	14.2	26.0	0.07	2.36	0.22	34	0.5	0.054	44.5	23.7
E+1800	28.7	17.5	15.4	0.07	1.71	0.25	26	0.4	0.054	63.3	24.1
E+1900	10.2	10.2	25.3	0.15	0.82	0.21	44	0.5	0.036	22.6	29.9
E+2000	6.2	7.5	31.8	0.07	0.56	0.20	42	0.5	0.042	24.9	28.9
E+2100	13.2	12.5	24.5	0.16	0.71	0.21	41	0.5	0.047	34.8	31.9
F+200	4.4	1.0	18.4	0.41	1.03	0.18	40	0.2	0.057	9.0	29.8
F+300	3.7	2.2	35.5	0.40	1.49	0.24	42	0.4	0.061	12.2	79.5
F+400	2.1	3.4	31.0	0.41	0.60	0.20	40	0.5	0.043	14.2	218.4
F+500	4.3	3.6	20.7	0.25	0.57	0.10	38	0.3	0.036	11.6	380.4
F+600	1.7	1.8	25.1	0.12	0.72	0.12	37	0.3	0.037	9.1	352.4
F+700	3.2	2.6	15.2	0.08	0.41	0.09	37	0.2	0.023	7.8	208.0
F+800	5.0	3.4	19.0	0.09	0.64	0.11	39	0.3	0.035	10.8	319.1
F+900	2.5	3.3	16.3	0.10	0.65	0.10	42	0.2	0.033	10.7	272.9
F+1000	4.1	8.1	17.2	0.22	0.41	0.22	54	0.3	0.048	25.1	53.4
RE F+1000	4.0	8.6	17.3	0.21	0.44	0.24	53	0.3	0.051	26.2	52.2
F+1100	1.8	7.9	17.8	0.32	0.63	0.16	84	0.4	0.037	31.0	470.8
F+1200	7.9	10.0	16.5	0.11	0.32	0.24	43	0.4	0.054	26.1	34.8
F+1300	2.3	9.5	17.4	0.11	0.33	0.23	43	0.3	0.060	39.1	32.8
F+1400	1.2	4.8	20.6	0.15	0.32	0.23	52	0.2	0.066	19.1	33.3
F+1500	1.8	6.4	19.1	0.08	0.31	0.15	45	0.3	0.037	15.9	29.9
F+1600	7.0	3.9	19.8	0.07	0.36	0.19	58	0.3	0.053	16.4	40.0
F+1700	2.4	2.1	16.6	0.08	0.39	0.14	73	0.3	0.046	8.4	67.0
F+1800	0.5	1.0	9.3	0.08	0.23	0.11	53	0.2	0.035	8.6	42.9
F+1900A	2.4	6.0	16.9	0.11	0.56	0.17	71	0.2	0.019	13.3	41.9
F+1900B	2.1	3.2	22.1	0.11	0.55	0.15	48	0.3	0.042	14.0	245.7
F+2000	1.9	11.2	14.5	0.10	0.44	0.23	50	0.1	0.028	37.3	28.0
F+2100	0.5	8.7	9.9	0.16	0.33	0.14	61	0.1	0.024	12.2	58.4
G+100	3.8	3.4	15.3	0.14	0.27	0.13	55	0.3	0.060	10.5	52.7
G+200	2.8	2.3	13.3	0.11	0.33	0.13	53	0.2	0.046	9.4	39.6
G+300	2.4	2.0	19.1	0.13	0.30	0.14	43	0.3	0.039	12.1	52.8

Northern Analytical												
ELEMENT	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	
SAMPLES	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	
E+300	0.68	176.3	0.055	1	1.17	0.010	0.04	< .2	2.4	0.04	0.02	
E+400	0.67	142.2	0.050	1	1.15	0.008	0.04	< .2	2.0	0.05	0.02	
E+500	0.67	242.0	0.053	1	1.47	0.009	0.06	< .2	2.6	0.08	0.02	
E+600	0.59	233.7	0.053	1	1.48	0.010	0.07	< .2	2.6	0.09	0.02	
E+700	0.48	231.6	0.051	2	1.32	0.008	0.06	0.2	2.3	0.08	0.02	
E+800	0.59	192.0	0.045	1	1.36	0.008	0.06	< .2	2.1	0.07	0.03	
RE E+800	0.58	191.6	0.042	1	1.35	0.008	0.06	< .2	2.2	0.07	0.04	
E+900	0.45	221.3	0.037	1	1.36	0.008	0.06	< .2	2.1	0.09	0.04	
E+1000	0.43	218.7	0.037	1	1.34	0.008	0.05	< .2	2.0	0.08	0.03	
E+1100	0.56	234.7	0.066	1	1.70	0.008	0.11	0.2	3.1	0.14	0.03	
E+1200	0.39	140.4	0.030	1	1.17	0.006	0.10	0.2	3.3	0.13	0.02	
E+1300	0.83	110.8	0.024	< 1	2.39	0.002	0.27	< .2	5.1	0.31	0.02	
STANDARD DS2	0.61	153.8	0.096	3	1.76	0.031	0.17	7.0	2.7	1.91	0.04	
E+1400	0.83	101.0	0.046	1	2.06	0.002	0.35	0.3	2.0	0.35	0.01	
E+1500	0.55	249.0	0.050	1	1.66	0.007	0.08	0.2	3.0	0.09	0.01	
E+1600	0.29	85.2	0.008	1	0.88	0.003	0.11	0.2	2.0	0.13	0.02	
E+1700	0.40	188.3	0.024	< 1	1.14	0.008	0.08	0.3	2.8	0.09	0.03	
E+1800	0.47	105.2	0.034	< 1	1.28	0.004	0.17	< .2	2.1	0.14	0.02	
E+1900	0.55	163.3	0.069	< 1	1.66	0.011	0.09	< .2	2.4	0.10	0.02	
E+2000	0.54	200.3	0.050	< 1	1.58	0.010	0.08	< .2	2.4	0.08	0.03	
E+2100	0.63	185.9	0.048	< 1	1.62	0.008	0.09	0.2	2.6	0.09	0.02	
F+200	0.29	131.7	0.036	< 1	0.84	0.009	0.05	0.3	1.2	0.19	0.02	
F+300	0.71	220.5	0.033	1	1.05	0.010	0.06	< .2	2.3	0.13	0.04	
F+400	1.81	240.4	0.047	< 1	1.35	0.010	0.06	< .2	2.5	0.11	0.04	
F+500	2.53	187.1	0.047	< 1	1.42	0.009	0.06	< .2	2.8	0.09	< .01	
F+600	2.72	178.2	0.048	1	1.57	0.013	0.06	< .2	2.4	0.07	0.01	
F+700	2.07	120.8	0.055	1	1.40	0.010	0.04	< .2	1.8	0.05	< .01	
F+800	3.01	170.6	0.051	< 1	1.49	0.011	0.04	< .2	2.5	0.07	< .01	
F+900	2.49	152.8	0.050	1	1.36	0.012	0.04	< .2	2.4	0.07	< .01	
F+1000	0.66	273.6	0.044	1	1.85	0.008	0.06	< .2	3.3	0.13	0.01	
RE F+1000	0.65	271.0	0.042	< 1	1.80	0.007	0.06	0.2	3.4	0.14	0.01	
F+1100	2.75	187.8	0.049	1	2.47	0.005	0.08	< .2	5.6	0.19	0.01	
F+1200	0.51	198.8	0.040	< 1	1.54	0.006	0.08	0.3	2.7	0.12	0.02	
F+1300	0.45	218.8	0.043	1	1.50	0.008	0.08	< .2	2.9	0.13	0.02	
F+1400	0.53	178.4	0.051	1	1.77	0.006	0.12	< .2	2.2	0.13	0.03	
F+1500	0.46	219.8	0.047	1	1.52	0.006	0.07	< .2	2.1	0.08	0.01	
F+1600	0.54	285.2	0.042	1	1.97	0.009	0.06	< .2	2.6	0.10	0.02	
F+1700	0.86	154.5	0.059	< 1	1.73	0.011	0.06	< .2	3.4	0.07	0.01	
F+1800	0.48	85.9	0.054	< 1	1.24	0.014	0.05	< .2	1.6	0.09	0.03	
F+1900A	0.66	211.4	0.094	< 1	2.28	0.008	0.06	< .2	2.7	0.13	0.01	
F+1900B	2.19	224.2	0.042	1	1.66	0.009	0.05	< .2	2.9	0.09	0.02	
F+2000	0.41	186.9	0.061	1	1.36	0.007	0.10	< .2	2.2	0.11	0.03	
F+2100	0.85	153.7	0.089	1	2.79	0.004	0.49	< .2	2.4	0.40	0.02	
G+100	0.94	209.9	0.069	< 1	1.47	0.009	0.19	< .2	2.6	0.14	0.02	
G+200	0.51	123.0	0.048	1	1.25	0.009	0.05	< .2	1.7	0.07	0.02	
G+300	0.64	193.9	0.048	1	1.43	0.009	0.05	< .2	2.1	0.07	0.02	

Northern Analytical Laboratories

ELEMENT	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
SAMPLES	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm
E+300	0.23	39.68	6.44	43.1	56	52.5	10.9	213	1.59	4.4	0.5
E+400	0.33	31.14	6.48	42.6	40	48.1	11.4	279	1.83	5.6	0.3
E+500	0.35	40.04	10.97	57.4	94	64.9	15.4	308	2.29	6.1	0.7
E+600	0.49	32.29	12.09	57.1	81	61.6	13.5	448	2.33	7.5	0.9
E+700	0.52	19.92	12.63	55.9	86	26.2	9.8	379	2.26	7.7	0.9
E+800	0.64	21.81	12.59	57.4	71	62.4	15.4	808	2.53	17.2	0.9
RE E+800	0.61	22.12	12.79	57.8	77	61.9	14.9	795	2.52	16.6	0.9
E+900	0.72	17.31	13.60	55.4	168	26.5	15.9	822	2.19	13.5	1.4
E+1000	0.34	17.00	12.47	52.8	72	14.8	6.7	154	1.86	6.3	0.8
E+1100	0.76	31.24	18.63	67.2	113	26.8	11.1	228	2.85	17.9	2.4
E+1200	0.66	53.40	23.37	77.0	205	35.4	16.2	279	4.15	117.5	2.7
E+1300	0.97	49.27	93.13	142.7	39	72.4	31.0	832	6.50	49.4	2.5
STANDARD DS2	14.25	131.79	33.47	157.8	257	36.5	13.1	840	3.17	60.3	19.3
E+1400	0.47	26.53	58.83	104.5	43	42.3	16.0	420	3.47	12.4	1.1
E+1500	0.74	30.08	17.59	57.4	101	28.4	10.4	346	2.84	16.2	1.7
E+1600	1.39	34.16	22.79	58.7	295	25.1	9.6	276	2.73	80.4	2.4
E+1700	0.80	39.15	17.27	63.1	204	33.1	13.3	457	2.77	41.1	2.5
E+1800	0.70	31.35	23.00	70.5	181	26.7	12.7	453	3.06	58.7	2.9
E+1900	0.55	25.65	21.62	59.0	82	21.4	10.4	359	2.46	14.5	1.3
E+2000	0.49	26.25	13.90	55.7	104	25.5	9.5	286	2.43	12.4	3.1
E+2100	0.59	31.30	18.13	74.3	100	30.2	14.8	484	2.87	15.5	1.9
F+200	1.62	26.53	11.30	63.0	366	35.9	7.3	356	1.90	9.4	1.1
F+300	1.57	25.55	18.65	81.0	273	102.6	13.2	641	2.22	9.5	1.2
F+400	0.71	28.21	21.30	79.9	170	234.0	21.5	620	2.15	7.4	1.1
F+500	0.48	26.66	9.58	52.0	96	391.1	27.1	478	2.03	7.7	1.0
F+600	0.34	34.41	7.25	46.0	54	429.3	25.6	326	2.06	8.3	1.0
F+700	0.13	18.64	6.79	38.2	39	204.2	16.5	178	1.86	7.7	0.3
F+800	0.12	17.01	7.69	42.1	51	352.0	19.0	245	2.12	6.9	0.6
F+900	0.15	16.78	7.66	42.0	45	314.5	22.6	290	2.32	10.2	0.7
F+1000	0.62	25.22	13.97	71.9	117	48.9	15.9	595	3.06	12.7	1.4
RE F+1000	0.67	25.14	14.91	71.0	125	48.4	15.7	602	3.05	12.2	1.5
F+1100	0.60	34.24	11.11	98.4	106	442.3	45.8	617	3.86	226.0	1.0
F+1200	0.34	20.25	18.75	74.2	85	24.6	12.0	339	2.66	4.8	1.0
F+1300	0.70	22.56	15.66	68.0	130	28.7	12.1	395	2.97	5.8	2.0
F+1400	0.57	18.68	15.67	74.5	49	27.6	12.9	419	2.98	8.1	1.0
F+1500	0.63	16.36	14.00	54.2	41	20.1	9.2	353	2.36	7.4	0.8
F+1600	0.90	26.22	13.50	57.6	86	29.6	13.3	372	3.05	7.6	1.0
F+1700	0.64	68.65	6.79	75.2	110	40.9	16.8	421	2.87	8.3	0.4
F+1800	0.65	45.50	6.86	43.9	49	26.4	12.0	324	2.15	4.3	0.5
F+1900A	0.99	23.86	12.06	64.6	18	30.9	13.0	389	3.11	10.4	0.6
F+1900B	0.34	20.84	9.81	56.6	84	306.6	22.2	337	2.40	17.4	0.8
F+2000	0.95	28.99	21.87	62.1	50	30.5	13.0	486	2.93	5.4	1.1
F+2100	1.43	24.96	14.69	102.2	37	42.0	15.3	358	4.02	6.0	1.0
G+100	0.84	33.78	9.67	72.0	126	43.1	11.7	440	2.41	5.4	0.5
G+200	1.06	18.63	9.22	50.5	95	33.4	7.6	274	2.48	9.8	0.5
G+300	0.44	31.44	8.43	48.5	107	47.8	8.0	204	1.93	8.2	0.5

Northern Analytical Laboratories

ELEMENT	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
SAMPLES	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm
G+400	0.31	37.72	8.65	51.5	81	57.9	9.8	198	1.94	6.1	0.6
STANDARD DS2	13.79	123.85	31.12	153.5	255	35.8	11.8	799	2.98	58.1	17.9
G+500	0.48	39.65	9.94	54.5	84	73.8	11.8	349	2.25	6.6	0.8
G+600	0.53	31.36	10.39	55.0	73	54.5	9.6	321	2.09	6.8	0.7
G+700	0.48	33.76	9.00	42.3	71	66.7	13.9	459	1.79	9.7	0.6
G+800	0.71	13.84	9.95	41.3	47	27.6	6.5	194	1.83	9.4	0.5
G+900	0.56	27.64	16.87	67.4	115	23.2	9.6	213	2.44	10.7	1.8
G+1000	0.56	12.37	18.68	65.9	83	15.4	8.9	335	2.36	13.7	1.1
G+1100	0.64	32.77	16.48	66.3	136	26.5	10.5	277	2.45	14.2	3.5
G+1200	0.61	21.56	15.03	46.9	70	20.6	6.6	155	2.16	15.4	1.2
G+1300	0.72	31.05	15.65	64.7	59	44.5	13.2	523	3.02	10.2	1.2
G+1400	0.82	31.88	15.49	69.6	54	42.2	15.4	318	3.51	6.5	0.5
G+1500	1.10	44.45	16.86	80.0	192	41.5	14.6	386	3.78	10.3	0.5
G+1600	0.82	20.89	16.85	50.8	42	21.3	9.8	362	2.60	16.4	0.6
G+1700	1.09	22.63	19.73	51.5	128	21.9	10.2	756	3.09	13.7	0.8
G+1800	0.79	36.39	14.11	73.0	31	37.0	12.5	264	2.96	10.5	1.1
G+1900	0.60	33.20	25.54	66.6	242	27.8	10.1	570	2.66	23.4	3.5
G+2000	0.60	32.88	15.61	58.5	124	25.0	10.1	476	2.58	18.9	1.9
G+2100	0.65	34.22	18.39	61.8	148	24.9	10.6	433	2.65	19.5	2.1
S+50	0.50	11.50	12.55	53.6	87	14.9	9.9	261	1.95	31.5	0.8
S+150	0.73	19.79	14.04	55.3	106	17.1	9.8	606	2.59	14.0	1.3
S+250	0.93	12.22	14.48	53.0	84	16.9	9.0	375	2.46	21.8	0.8
S+360	0.58	11.43	11.45	47.1	64	14.6	7.5	255	1.93	6.6	0.7
S+450	0.85	9.80	11.20	46.7	73	13.8	9.7	473	2.10	8.9	0.7
S+585	0.97	12.24	13.21	55.8	92	15.8	7.7	341	2.26	11.1	0.7
S+650	0.55	9.96	9.30	43.7	57	13.9	7.5	301	1.78	6.6	0.6
RE S+650	0.55	10.19	9.66	43.6	53	13.1	7.8	299	1.77	6.6	0.6
S+750	0.78	15.96	12.22	53.8	85	16.4	10.8	549	2.33	11.2	1.2
S+850	0.64	32.06	21.28	67.0	48	33.6	12.7	412	3.14	5.3	1.0
S+950	0.59	26.76	16.95	58.5	144	30.8	10.2	232	3.08	10.5	2.0
S+1050	0.69	25.59	20.30	60.0	34	27.8	12.1	370	3.07	8.1	0.8
S+1150	1.12	22.98	18.87	53.7	62	29.8	13.3	327	3.54	10.3	0.6
S+1250	0.86	30.87	21.94	76.0	29	37.1	13.2	368	4.23	8.5	1.2
S+1350	1.00	26.48	12.30	73.3	29	33.6	12.3	374	3.88	7.2	1.0
S+1450	0.66	31.83	16.61	70.6	24	37.1	12.3	296	3.56	5.4	1.5
S+1550	0.75	23.81	16.43	68.3	36	31.6	12.4	361	3.21	2.1	1.0
STANDARD DS2	14.29	126.39	33.04	152.3	269	35.9	11.5	805	3.02	59.5	19.7
S+1650	0.52	34.58	22.38	81.8	26	39.9	16.8	399	3.38	16.0	1.5
S+1750	0.58	14.29	13.87	53.8	69	16.7	7.1	224	2.31	13.1	0.7
S+1850	0.62	18.53	9.54	48.9	80	16.6	10.3	687	2.11	9.1	1.3
S+1950	0.93	28.96	21.79	56.6	90	28.0	13.8	271	2.80	13.9	1.6
S+2150	0.63	33.65	20.07	67.9	129	38.4	14.2	490	3.06	6.9	2.1
S+2250	0.54	17.03	15.68	59.3	108	19.3	8.3	254	2.31	16.0	0.9
S+2350	0.44	15.85	12.15	57.5	91	18.5	6.3	182	2.02	10.8	0.9
S+2450	0.74	14.04	13.73	49.5	100	15.4	9.3	350	2.19	20.0	1.0
RE S+2450	0.77	13.86	13.42	51.5	101	14.9	9.6	358	2.20	19.4	1.0

Northern Analytical											
ELEMENT	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
SAMPLES	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
G+400	4.3	2.7	17.7	0.13	0.34	0.14	41	0.3	0.039	12.0	57.5
STANDARD DS2	191.6	3.6	26.1	10.32	9.02	10.46	74	0.5	0.087	15.6	160.9
G+500	4.2	3.8	22.6	0.12	0.42	0.17	46	0.3	0.041	16.1	64.4
G+600	4.1	3.6	23.2	0.18	0.36	0.16	44	0.3	0.042	13.8	52.2
G+700	2.9	2.7	20.5	0.08	0.35	0.13	35	0.3	0.037	11.8	50.9
G+800	1.4	2.5	20.8	0.07	0.38	0.15	41	0.3	0.038	10.7	47.0
G+900	4.8	10.3	30.0	0.16	0.95	0.24	41	0.5	0.051	30.9	27.8
G+1000	2.4	7.6	25.7	0.08	0.85	0.23	40	0.4	0.052	18.0	25.8
G+1100	8.1	9.5	29.5	0.26	1.26	0.24	49	0.4	0.056	26.7	29.6
G+1200	4.1	6.5	14.5	0.05	1.04	0.21	43	0.2	0.033	25.4	27.7
G+1300	3.7	9.6	25.7	0.12	0.90	0.22	62	0.3	0.068	41.3	39.1
G+1400	1.0	6.8	9.8	0.08	0.39	0.22	50	0.1	0.031	7.7	36.0
G+1500	1.6	5.6	11.4	0.12	0.61	0.17	81	0.1	0.021	9.3	63.1
G+1600	3.8	7.0	14.5	0.08	0.69	0.17	52	0.2	0.017	16.6	31.1
G+1700	2.9	7.3	10.0	0.08	0.83	0.27	55	0.1	0.031	17.2	24.0
G+1800	3.2	13.7	14.3	0.04	0.71	0.24	46	0.2	0.016	35.9	32.2
G+1900	12.3	8.5	37.6	0.12	2.09	0.24	32	0.7	0.057	57.6	24.4
G+2000	8.5	7.2	30.0	0.09	1.17	0.21	42	0.6	0.050	29.9	28.3
G+2100	11.0	9.1	35.4	0.14	1.00	0.24	43	0.7	0.043	36.0	30.1
S+50	4.8	3.2	20.9	0.13	0.52	0.17	39	0.3	0.058	16.2	23.0
S+150	3.7	4.5	19.2	0.12	0.59	0.20	47	0.3	0.052	23.6	26.4
S+250	4.4	3.6	20.7	0.13	0.57	0.20	51	0.3	0.063	16.0	25.2
S+360	5.2	3.3	18.3	0.08	0.38	0.18	42	0.3	0.053	15.0	21.6
S+450	3.0	3.2	22.4	0.10	0.38	0.19	45	0.3	0.051	14.3	20.5
S+585	2.3	2.5	24.2	0.15	0.43	0.20	49	0.3	0.053	14.2	23.5
S+650	2.9	3.8	22.5	0.10	0.36	0.14	37	0.4	0.042	12.7	19.6
RE S+650	1.4	3.7	23.0	0.09	0.36	0.14	36	0.4	0.041	12.6	19.0
S+750	5.1	4.7	37.5	0.14	0.61	0.20	44	0.6	0.049	17.9	24.6
S+850	1.4	12.4	18.1	0.05	0.28	0.31	32	0.4	0.041	25.6	26.8
S+950	9.4	14.6	27.1	0.04	0.50	0.27	46	0.4	0.037	68.5	39.8
S+1050	0.8	8.5	11.4	0.07	0.44	0.27	44	0.1	0.039	17.6	28.1
S+1150	0.8	7.0	14.3	0.08	0.52	0.25	69	0.1	0.023	13.8	36.4
S+1250	< .2	14.0	10.3	0.06	0.40	0.32	56	0.1	0.022	28.6	36.2
S+1350	0.6	6.9	10.5	0.05	0.40	0.27	54	0.1	0.033	16.5	30.6
S+1450	0.6	14.0	21.1	0.04	0.35	0.30	35	0.2	0.023	24.0	27.0
S+1550	0.3	10.7	8.5	0.04	0.18	0.32	38	0.1	0.027	19.2	47.2
STANDARD DS2	192.9	3.9	28.4	10.48	9.10	10.87	74	0.5	0.092	16.6	160.8
S+1650	1.6	16.2	16.9	0.05	0.82	0.37	36	0.2	0.027	30.2	29.5
S+1750	3.1	3.0	16.8	0.12	0.37	0.18	45	0.2	0.053	13.8	23.1
S+1850	5.2	3.8	50.9	0.16	0.54	0.16	40	0.9	0.052	16.3	22.3
S+1950	2.1	12.4	27.8	0.14	0.42	0.27	38	0.6	0.037	53.7	28.0
S+2150	5.0	16.8	31.1	0.09	0.38	0.28	36	0.6	0.036	62.7	34.7
S+2250	3.6	4.0	19.7	0.16	0.45	0.22	43	0.3	0.056	17.6	25.9
S+2350	4.0	3.4	20.8	0.16	0.38	0.19	39	0.3	0.050	15.7	24.8
S+2450	4.9	3.4	21.9	0.12	0.42	0.20	44	0.3	0.054	14.6	21.3
RE S+2450	6.3	3.3	21.8	0.12	0.41	0.20	45	0.3	0.052	14.6	21.8

Northern Analytical					
ELEMENT	Hg	Se	Te	Ga	Sample
SAMPLES	ppb	ppm	ppm	ppm	gm
E+300	22	0.3	0.04	3.3	30
E+400	14	0.2	< .02	3.3	30
E+500	40	0.1	0.03	4.5	30
E+600	33	0.1	0.02	4.7	30
E+700	36	0.2	0.04	4.5	30
E+800	28	0.2	0.03	4.4	30
RE E+800	18	0.2	0.07	4.3	30
E+900	43	0.2	0.05	4.4	30
E+1000	34	0.1	0.02	4.4	30
E+1100	41	0.5	0.05	5.0	15
E+1200	31	0.6	0.05	3.3	30
E+1300	25	0.6	0.17	6.2	30
STANDARD DS2	223	2.3	1.77	6.1	30
E+1400	21	0.4	0.06	5.3	30
E+1500	34	0.2	0.03	4.7	30
E+1600	23	0.4	0.02	2.5	30
E+1700	28	0.5	0.04	3.4	30
E+1800	24	0.4	0.03	3.7	30
E+1900	35	0.4	0.04	5.2	30
E+2000	40	0.5	0.03	4.8	30
E+2100	22	0.4	0.02	5.0	30
F+200	98	0.7	0.06	3.7	30
F+300	86	0.7	0.04	3.7	30
F+400	47	0.5	0.03	4.0	30
F+500	30	0.6	< .02	3.9	30
F+600	42	0.3	0.04	4.5	30
F+700	18	0.2	< .02	3.7	30
F+800	46	0.1	0.02	4.1	30
F+900	51	0.2	< .02	4.1	30
F+1000	49	0.2	< .02	5.7	30
RE F+1000	55	0.4	0.04	5.7	30
F+1100	36	0.4	0.06	7.9	30
F+1200	45	0.4	0.02	4.8	30
F+1300	38	0.4	0.02	4.6	30
F+1400	17	0.3	0.04	5.9	30
F+1500	16	0.2	< .02	4.1	30
F+1600	42	0.3	0.03	6.3	15
F+1700	19	0.4	< .02	6.0	30
F+1800	22	0.3	< .02	5.1	30
F+1900A	23	0.3	0.05	6.6	30
F+1900B	49	0.3	< .02	4.9	30
F+2000	12	0.4	0.02	4.9	30
F+2100	20	0.4	0.03	10.3	30
G+100	19	0.4	0.02	5.3	30
G+200	42	0.3	0.05	4.1	30
G+300	35	0.3	< .02	4.5	30

Northern Analytical					
ELEMENT	Hg	Se	Te	Ga	Sample
SAMPLES	ppb	ppm	ppm	ppm	gm
G+400	37	0.4	0.03	4.6	30
STANDARD DS2	219	2.2	1.82	6.1	30
G+500	38	0.1	< .02	5.3	30
G+600	34	0.1	< .02	4.8	30
G+700	25	0.2	< .02	3.6	30
G+800	26	0.2	0.04	4.5	30
G+900	35	0.2	0.03	4.4	30
G+1000	46	0.3	0.04	4.7	30
G+1100	38	0.2	0.04	4.7	30
G+1200	33	< .1	0.02	4.9	30
G+1300	36	0.1	0.03	6.0	30
G+1400	30	< .1	0.04	6.5	30
G+1500	25	0.2	0.07	9.8	15
G+1600	14	0.2	0.04	5.5	30
G+1700	24	0.4	0.03	6.6	30
G+1800	11	0.2	0.03	5.0	30
G+1900	38	0.5	0.03	4.0	30
G+2000	36	0.4	0.04	4.5	30
G+2100	46	0.4	0.05	4.7	30
S+50	38	0.3	0.03	4.0	30
S+150	49	0.3	0.02	4.6	30
S+250	36	0.3	0.03	4.3	30
S+360	50	0.3	0.02	4.1	30
S+450	40	0.1	0.03	4.1	30
S+585	44	0.2	< .02	4.7	30
S+650	27	0.2	0.02	3.5	30
RE S+650	23	0.3	< .02	3.6	30
S+750	38	0.6	0.04	4.3	30
S+850	14	0.2	0.04	4.7	30
S+950	42	0.3	0.04	5.6	30
S+1050	13	0.3	0.02	3.9	30
S+1150	18	0.3	0.04	6.9	30
S+1250	16	0.3	0.04	5.8	30
S+1350	16	0.2	0.05	5.9	30
S+1450	12	0.2	0.03	4.8	30
S+1550	8	0.2	0.02	5.2	30
STANDARD DS2	223	2.3	1.90	6.2	30
S+1650	17	0.2	0.07	3.7	30
S+1750	40	0.3	0.04	4.5	30
S+1850	30	0.5	0.04	3.9	30
S+1950	42	0.2	0.03	3.8	30
S+2150	23	0.2	0.03	4.1	30
S+2250	42	0.2	0.03	4.9	30
S+2350	29	0.2	0.04	4.8	30
S+2450	35	0.4	0.04	4.5	30
RE S+2450	38	0.1	< .02	4.5	30

Northern Analytical

ELEMENT SAMPLES	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Sc ppm	Tl ppm	S %
G+400	0.70	210.7	0.054	1	1.52	0.008	0.05	< .2	2.3	0.07	0.02
STANDARD DS2	0.58	148.3	0.093	2	1.69	0.028	0.16	7.1	2.5	1.79	0.04
G+500	0.73	248.3	0.064	2	1.73	0.010	0.06	< .2	2.8	0.09	0.01
G+600	0.66	211.6	0.061	1	1.51	0.010	0.07	< .2	2.3	0.08	0.02
G+700	0.62	169.8	0.040	< 1	1.13	0.007	0.05	< .2	1.8	0.06	0.01
G+800	0.61	110.6	0.039	1	1.28	0.008	0.05	< .2	1.7	0.07	0.03
G+900	0.44	190.3	0.043	1	1.37	0.009	0.09	< .2	3.1	0.10	0.04
G+1000	0.41	149.3	0.049	2	1.49	0.009	0.08	< .2	2.2	0.09	0.02
G+1100	0.46	275.3	0.057	1	1.49	0.012	0.07	< .2	3.1	0.10	0.04
G+1200	0.41	171.3	0.035	1	1.56	0.007	0.06	< .2	2.1	0.12	0.01
G+1300	0.60	348.9	0.085	1	2.01	0.012	0.08	< .2	4.7	0.12	0.01
G+1400	0.70	178.2	0.063	1	2.64	0.005	0.22	< .2	2.5	0.27	0.01
G+1500	0.90	251.8	0.117	1	2.80	0.007	0.22	< .2	3.0	0.30	0.01
G+1600	0.50	140.1	0.061	1	1.57	0.006	0.10	< .2	2.0	0.10	0.01
G+1700	0.29	139.2	0.035	< 1	1.54	0.006	0.09	< .2	1.7	0.11	< .01
G+1800	0.66	150.1	0.059	1	1.68	0.006	0.09	< .2	2.6	0.15	0.01
G+1900	0.35	204.0	0.019	1	1.27	0.007	0.10	< .2	2.6	0.10	0.05
G+2000	0.51	233.1	0.036	1	1.42	0.009	0.06	< .2	2.6	0.07	0.02
G+2100	0.51	219.8	0.039	1	1.55	0.009	0.08	< .2	3.0	0.08	0.03
S+50	0.36	213.9	0.039	1	1.21	0.009	0.06	0.3	2.1	0.08	0.01
S+150	0.39	221.6	0.037	1	1.42	0.009	0.06	0.2	2.7	0.09	0.02
S+250	0.39	166.7	0.042	1	1.30	0.009	0.06	0.2	1.8	0.08	0.02
S+360	0.37	174.1	0.041	1	1.23	0.008	0.05	0.2	1.8	0.08	0.02
S+450	0.36	168.9	0.037	1	1.15	0.008	0.06	0.2	1.7	0.08	0.02
S+585	0.40	206.2	0.033	1	1.34	0.009	0.05	< .2	1.7	0.09	0.03
S+650	0.37	151.5	0.045	1	1.04	0.009	0.05	< .2	1.7	0.06	0.02
RE S+650	0.37	151.9	0.043	1	1.02	0.009	0.05	< .2	1.6	0.07	0.01
S+750	0.43	215.4	0.043	1	1.24	0.011	0.06	< .2	2.2	0.07	0.05
S+850	0.66	153.9	0.058	1	1.41	0.006	0.27	< .2	3.1	0.26	< .01
S+950	0.57	206.4	0.054	2	1.76	0.007	0.18	< .2	3.5	0.19	0.02
S+1050	0.24	115.1	0.018	1	1.16	0.005	0.09	< .2	2.7	0.09	0.01
S+1150	0.39	225.7	0.048	2	2.15	0.007	0.09	< .2	2.6	0.10	< .01
S+1250	0.40	187.1	0.038	1	2.17	0.005	0.17	< .2	4.3	0.20	0.01
S+1350	0.28	112.4	0.035	1	1.46	0.004	0.12	< .2	2.9	0.18	< .01
S+1450	0.47	134.3	0.055	2	1.33	0.004	0.30	< .2	3.2	0.28	0.01
S+1550	0.58	86.7	0.067	1	1.30	0.004	0.30	< .2	2.4	0.33	0.01
STANDARD DS2	0.58	149.5	0.094	2	1.69	0.029	0.16	7.0	2.6	1.85	0.03
S+1650	0.42	114.2	0.038	1	1.14	0.006	0.12	< .2	3.2	0.15	0.01
S+1750	0.39	142.6	0.040	1	1.27	0.008	0.05	0.2	1.8	0.08	0.02
S+1850	0.37	207.1	0.047	2	1.16	0.012	0.06	< .2	2.3	0.07	0.06
S+1950	0.38	184.1	0.036	1	1.16	0.008	0.11	< .2	3.3	0.13	0.05
S+2150	0.43	195.6	0.040	1	1.20	0.009	0.17	< .2	4.0	0.18	0.02
S+2250	0.42	188.6	0.040	1	1.40	0.008	0.05	0.3	2.2	0.10	0.04
S+2350	0.44	206.2	0.045	1	1.35	0.009	0.05	0.2	2.1	0.08	0.03
S+2450	0.37	184.0	0.039	2	1.15	0.010	0.05	< .2	1.9	0.08	0.04
RE S+2450	0.37	186.5	0.040	< 1	1.19	0.010	0.05	0.2	2.0	0.08	0.04