Assessment Report
on the Myschka Property
Latitude: 62° 59' N, Longitude, 132° 07' W;
NTS sheets 105K/16 and 105N/01.
Mayo Mining District
East-Central Yukon

by Klad Enterprises Ltd.

Serguei Soloviev, PGeo
Klad Enterprises Ltd.
Suite 104 – 135 10th Ave S.
Cranbrook, B.C. V1C 2N1
Tel: 250-489-5156

November 14, 2003

RECEIVED
DEC - 3 2003
MINING RECORDER
MAYO, Y.T.
INDIAN & NORTHERN AFFAIRS

094431

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of $ 65,600 .

for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.




TABLE of CONTENTS

	Page
1. Introduction	4
1.1 General Introduction	4
1.2 Property Location	4
1.3 Topography and Access	8
1.4 History of Previous Exploration	8
1.5 Geochemical Sampling	9
1.6 Personnel	9
2. Geology	10
2.1 Regional Geology	10
2.2 Property Geology	11
3. Alteration and Mineralization	14
4. Year-2002 Program and Sample Results	15
4.1 Year-2002 Field Program	15
4.2 Results of Rock Sampling	15
4.3 Results of Soil and Silt Geochemical Sampling	17
5. Discussion	18
6. Conclusion	20
7. Recommendations	21
8. Itemized Cost Statement	22
References	23
Appendix 1. Statement of Qualifications	24
Appendix 2. Geochemical Results	25

YUKON ENERGY, MINES
& RESOURCES LIBRARY
P.O. BOX 2703
WHITEHORSE, YUKON Y1A 2C6

TABLES

Page

Table 1. Claim Status, Myschka Property Claims 7
Table 2. Representative Rock Sample Assay Results for Various Sulphide Assemblages 12

LIST of FIGURES

Figure 1. Property Location Map 5
Figure 2. Land Tenure Map 6
Figure 3. Hypothetical Section, Line A-B, Myschka Property 13
Figure 4. Sample Location Map (in pocket)
Figure 5. Rock Sample Results (in pocket)
Figure 6. Soil Geochem Plot Maps (in pocket)

APPENDICES

Appendix 1. Statement of Qualifications 24

Appendix 2. Geochemical Results 25
2a) Rock sample geochemical results
2b) Soil and silt sample geochemical results

1. INTRODUCTION

1.1 General Introduction

During the field season of 2002, Klad Enterprises Ltd. conducted a detailed surface mineral exploration program on the Myschka Property consisting of 106 contiguous Yukon quartz mining claims and located on NTS sheets 105K/16 and 105N/01 within the Mayo mining district.


The program was designed to define the geological setting and delineate zones of mineralization and geochemically anomalous areas, leading to the selection of diamond drill targets. The program involved detailed geological and structural mapping and interpretation, detailed rock and stream sediment geochemical sampling, and systematic soil geochemical sampling.

The Sophia 1-4 claims were staked in September 2001 by Ron Berdahl, a Yukon-based prospector, and subsequently optioned to Klad, which staked the Myschka 1-96 claims in June 2002 and incorporated them into the agreement. Under the terms of the agreement, Klad has gained a 100% interest through an initial $5,000 cash payment and issuance of 15,000 Klad shares to Mr. Berdahl. Additionally, Klad must pay $15,000 cash and issue 25,000 shares upon the first anniversary, a further 50,000 shares upon the second anniversary, and $100,000 cash upon the third anniversary. The property is subject to a 2.5% NSR which may be reduced to 1% through a cash payment by Klad of US$1,000,000. The contiguous Dasha 1-6 claims were staked in July 2002 by Klad and also incorporated into the agreement.

1.2 Property Location

The Myschka property, located in east-central Yukon, consists of the SOPHIA 1-4, MYSCHKA 1-96 and DASHA 1-6 unpatented quartz mining claims covering 2,216 hectares (5,475 acres) as one contiguous package (Table 1, Figure 2). The property is centered at 62° 59' N Latitude, 132° 07' W Longitude on NTS map sheets 105K/16 and 105N/01 (Figure 1). The property is situated 110 km north of the town of Ross River, Yukon, within the Tintina Gold Belt (Fig.1). The property is located 60 km west of the North Canol Road, which extends northeast from Ross River to the Yukon - Northwest Territories border near the Mactung tungsten deposit.

Figure 1. Property Location Map






FIGURE 2

Myschka Claim Location Map
Cynthia Property
Klad Enterprises Ltd.

NTS Sheets: 105K/16, 105N/01
East-Central Yukon

Scale: 1" = ½ Mile

Table 1. Claim Status, Myschka Property Claims

CLAIM NAME		CLAIM #	DUE DATE	CLAIM NAME		CLAIM #	DUE DATE
DASHA	1	YC10603	8/13/2007	MYSCHKA	48	YC10314	6/17/2009
DASHA	2	YC10604	8/13/2008	MYSCHKA	49	YC10315	6/17/2009
DASHA	3	YC10605	8/13/2007	MYSCHKA	50	YC10316	6/17/2009
DASHA	4	YC10606	8/13/2007	MYSCHKA	51	YC10317	6/17/2009
DASHA	5	YC10607	8/13/2007	MYSCHKA	52	YC10318	6/17/2009
DASHA	6	YC10608	8/13/2007	MYSCHKA	53	YC10319	6/17/2009
MYSCHKA	1	YC10267	6/17/2009	MYSCHKA	54	YC10320	6/17/2009
MYSCHKA	2	YC10268	6/17/2009	MYSCHKA	55	YC10321	6/17/2009
MYSCHKA	3	YC10269	6/17/2009	MYSCHKA	56	YC10322	6/17/2009
MYSCHKA	4	YC10270	6/17/2009	MYSCHKA	57	YC10323	6/17/2009
MYSCHKA	5	YC10271	6/17/2009	MYSCHKA	58	YC10324	6/17/2009
MYSCHKA	6	YC10272	6/17/2009	MYSCHKA	59	YC10325	6/17/2009
MYSCHKA	7	YC10273	6/17/2009	MYSCHKA	60	YC10326	6/17/2009
MYSCHKA	8	YC10274	6/17/2009	MYSCHKA	61	YC10327	6/17/2009
MYSCHKA	9	YC10275	6/17/2009	MYSCHKA	62	YC10328	6/17/2009
MYSCHKA	10	YC10276	6/17/2009	MYSCHKA	63	YC10329	6/17/2009
MYSCHKA	11	YC10277	6/17/2009	MYSCHKA	64	YC10330	6/17/2009
MYSCHKA	12	YC10278	6/17/2009	MYSCHKA	65	YC10331	6/17/2009
MYSCHKA	13	YC10279	6/17/2009	MYSCHKA	66	YC10332	6/17/2009
MYSCHKA	14	YC10280	6/17/2009	MYSCHKA	67	YC10333	6/17/2009
MYSCHKA	15	YC10281	6/17/2009	MYSCHKA	68	YC10334	6/17/2009
MYSCHKA	16	YC10282	6/17/2009	MYSCHKA	69	YC10335	6/17/2009
MYSCHKA	17	YC10283	6/17/2014	MYSCHKA	70	YC10336	6/17/2009
MYSCHKA	18	YC10284	6/17/2004	MYSCHKA	71	YC10337	6/17/2009
MYSCHKA	19	YC10285	6/17/2009	MYSCHKA	72	YC10338	6/17/2009
MYSCHKA	20	YC10286	6/17/2009	MYSCHKA	73	YC10339	6/17/2009
MYSCHKA	21	YC10287	6/17/2009	MYSCHKA	74	YC10340	6/17/2009
MYSCHKA	22	YC10288	6/17/2009	MYSCHKA	75	YC10341	6/17/2009
MYSCHKA	23	YC10289	6/17/2009	MYSCHKA	76	YC10342	6/17/2009
MYSCHKA	24	YC10290	6/17/2009	MYSCHKA	77	YC10343	6/17/2009
MYSCHKA	25	YC10291	6/17/2009	MYSCHKA	78	YC10344	6/17/2009
MYSCHKA	26	YC10292	6/17/2009	MYSCHKA	79	YC10345	6/17/2009
MYSCHKA	27	YC10293	6/17/2009	MYSCHKA	80	YC10346	6/17/2009
MYSCHKA	28	YC10294	6/17/2009	MYSCHKA	81	YC10347	6/17/2009
MYSCHKA	29	YC10295	6/17/2009	MYSCHKA	82	YC10348	6/17/2009
MYSCHKA	30	YC10296	6/17/2009	MYSCHKA	83	YC10349	6/17/2009
MYSCHKA	31	YC10297	6/17/2009	MYSCHKA	84	YC10350	6/17/2009
MYSCHKA	32	YC10298	6/17/2009	MYSCHKA	85	YC10351	6/17/2009
MYSCHKA	33	YC10299	6/17/2009	MYSCHKA	86	YC10352	6/17/2009
MYSCHKA	34	YC10300	6/17/2009	MYSCHKA	87	YC10353	6/17/2009
MYSCHKA	35	YC10301	6/17/2009	MYSCHKA	88	YC10354	6/17/2009
MYSCHKA	36	YC10302	6/17/2009	MYSCHKA	89	YC10355	6/17/2009
MYSCHKA	37	YC10303	6/17/2009	MYSCHKA	90	YC10356	6/17/2009
MYSCHKA	38	YC10304	6/17/2009	MYSCHKA	91	YC10357	6/17/2009
MYSCHKA	39	YC10305	6/17/2009	MYSCHKA	92	YC10358	6/17/2009
MYSCHKA	40	YC10306	6/17/2009	MYSCHKA	93	YC10359	6/17/2009
MYSCHKA	41	YC10307	6/17/2009	MYSCHKA	94	YC10360	6/17/2009
MYSCHKA	42	YC10308	6/17/2009	MYSCHKA	95	YC10361	6/17/2009
MYSCHKA	43	YC10309	6/17/2009	MYSCHKA	96	YC10362	6/17/2009
MYSCHKA	44	YC10310	6/17/2009	SOPHIA	1	YC09949	9/24/2006
MYSCHKA	45	YC10311	6/17/2009	SOPHIA	2	YC09950	9/24/2006
MYSCHKA	46	YC10312	6/17/2009	SOPHIA	3	YC09951	9/24/2007
MYSCHKA	47	YC10313	6/17/2009	SOPHIA	4	YC09952	9/24/2006

1.3 Topography and Access

The Myschka property is located 110 km north of the town of Ross River within fairly rugged terrain with elevations ranging from 950m to 1750m. The climate is subarctic, with short, cool summers and long, cold winters and moderate precipitation. The snow-free season extends from early June to mid September. Vegetation consists of subalpine boreal forest up to roughly 1,500m, with typical tundra vegetation covering higher elevations.

Access is by helicopter from the North Canol Road, roughly 60 km to the southeast, although an airstrip of unknown condition exists roughly 9 km to the southeast of the center property area. A second airstrip, also of unknown condition exists about 5 km to the southwest; this is believed to be currently in service by Noranda Exploration on the Andrew property southwest of the Myschka claims (see section 1.4).

1.4 History of Previous Exploration

The current north-central portion of the Myschka property was also originally staked in October 1968 as the Solo claims by the Hudson Bay Mining and Smelting Co., which conducted grid soil sampling and geological mapping in 1968 and 1969. In 1990 Noranda Exploration Company Ltd. staked the Rush claims covering portions of the southern Myschka claims. Selected samples returned values to 3017 g/t silver, 75% lead, 0.2% zinc and 665 g/t silver (Yukon Minfile).

In 1998 Viceroy International Exploration Ltd. staked the Myschka 1-16 claims and conducted limited surface geochemical sampling and geological mapping. In 1999, Viceroy transferred its 100% interest in the claims to Novagold Resources Inc. that allowed the claims to lapse prior to the staking of the current Sophia claims.

The first recorded activity in the vicinity of the present Myschka property was the staking of the Lad claims roughly five kilometers of the present property center to the west-southwest in October 1967 by the Hess Project (Atlas EL, Quebec Cartier Mining Co., and Philip Bros. (Canada) Ltd.). Work consisted of geological and geochemical surveying and hand trenching, followed in 1969 by road construction and bulldozer trenching (Yukon Minfile). The program revealed a lead-zinc-silver occurrence exposed for 15m, with values averaging 205.7 g/t silver, 6% lead, 3% zinc and 2% copper across widths of 0.3 to 3.0 meters (Yukon Minfile). In 1974, the Atlas interest was transferred to Cima Resources Ltd, which drilled two holes totaling 252m in 1977 (Yukon Minfile). This drilling intersected two parallel veins within a fault zone; the upper returned 133.7 g/t silver, 5.3% lead and 4.7% zinc across 1.2m, and the lower returned values to 48.0 g/t silver, 0.4% lead and 1.6% zinc across 2.1m.

In 1996 Ron Berdahl staked the Andrew 1-2 claims six kilometers to the southwest of the current Myschka property center, followed in 1997 by the Andrew 3-10 claims as a

separate block further to the south to cover potential "Sedex"-style lead-zinc-silver mineralization. The Andrew property was later optioned to Noranda Exploration Company Ltd, which added the AMB 1-111 claims, and followed up with surface exploration and diamond drilling programs; in 2002, Noranda abandoned its option, as the work shown that the mineralization is represented by narrow veins of hydrothermal origin.

Most of the Yukon Territory, including the Myschka area, has undergone extensive regional silt geochemical sampling by the Geological Survey of Canada (GSC).

1.5 Geochemical Sampling

A total of 256 rock, 417 soil and 27 silt samples were obtained in 2002. All sample locations were recorded in the field by Global Positioning Systems (GPS) instruments and plotted using NAD-27 Universal Transverse Mercator coordinates. All rock samples were systematically described as to sample type, exposure type, lithology and major lithological units, alteration, and mineralization; samples were dated and sampler recorded. Soil samples were similarly described regarding soil horizon, depth, grade of slope, rock chip lithology (if applicable), vegetation, presence of permafrost, date and sampler. Silt sample descriptions included size of stream, stream grade, color, as well as the sampler and date obtained.

All samples were sent in sealed rice bags by established shipping services, utilizing recognized expediting services, to ALS Chemex (Aurora Laboratory Services Ltd) of North Vancouver, B.C. All rock samples were pulverized until 85% of fragments were less than 75 microns in size; then an evenly mixed 30g portion was analyzed for 34-element aqua-regia ICP-AES, as well as gold by fire assay with atomic absorption finish. The procedure was similar for soil and silt samples, except that screening was done to –180 microns. "Over-limits" (values exceeding upper detection limits) of various elements, particularly silver and lead, were reanalyzed to provide respective elemental contents.

1.6 Personnel

The year-2002 field program on the property was conducted under supervision of Mr. Carl Schulze, B.Sc., P.Geo.; the field personnel included also Mr. Olexsiy Baklyukov, M.Sc. (Geol.), Mr. Jeff Boyce, Field Technician, and Mr. Geoff Man, Helicopter Pilot, Fireweed Helicopters Ltd.

2. GEOLOGY

2.1 Regional Geology

The Myschka property is located within the Tintina Gold Belt that follows a trend of mid-late-Cretaceous granitoid (diorite, granodiorite, quartz monzonite, syenite) intrusions that extend from eastern Alaska, across central Yukon, to the Yukon-British Columbia border. This belt is roughly parallel to the ancient North America Craton boundary. In Yukon, the belt is superimposed on the Selwyn Basin, a thick sequence of shelf and off-shelf continental margin sedimentary rocks formed from Late Precambrian to Triassic time (Gordey and Anderson, 1993).

The Selwyn Basin is a thick sequence of shelf and off-shelf continental margin sedimentary rock formed along the margins of the ancient North American Craton. This sequence consists mostly of clastic and turbiditic sediments with lesser chemical sedimentary units emplaced from late Precambrian to Triassic time (Gordey and Anderson, 1993). Within east-central Yukon, the Selwyn Basin underlies most areas extending between the NW – SE-trending Tintina Fault to the south, which forms the boundary between continental terranes to the northeast and accreted terranes to the southwest, and the North American Craton boundary. The Selwyn Basin sediments have undergone subsequent folding and faulting, followed by emplacement of the mid-late Cretaceous Tombstone Intrusive Suite, part of the Tintina Gold Belt. This arcuate belt extends from southwestern Alaska, through Fairbanks, Alaska, Dawson City, Yukon, and continues in an east-southeast trend through the property area beyond the Yukon – Northwest Territories border towards the Yukon - British Columbia border.

The southeastern portion of the Selwyn Basin, hosting the Myschka property, is underlain by a broad package of Ordovician to Devonian Road River Group and Devono-Mississippian Earn Group sedimentary rock, with late-Precambrian to Cambrian Hyland Group sedimentary units extending northwest of the property. Hyland Group sediments consist largely of coarse clastic "grits", shales and lesser limestone and calcareous clastic sediments. Road River Group sediments consist mostly of thick chert horizons with lesser interbedded shale, limestone and calcareous mudstone, with minor mafic volcanic units. Earn Group sediments consist of chert-pebble conglomerate and greywacke, representing a period of uplift and associated deposition of coarse clastic material, as well as lesser shales and sandstones (Gordey and Anderson, 1993). This package has been intruded by the Late Cretaceous (91 Ma) Tombstone Intrusive Suite. Most mineral occurrences within the Tintina belt are hosted or spatially related to this intrusive suite.

The Myschka property is a part of a large cluster of base metal, silver, and gold occurrences found within or close to the eastern contact area of the Mt.Selous batholith belonging to the Tombstone Intrusive Suite, the major magmatic and metallogenic unit of the Tintina Gold Belt. The mineralized cluster, in its currently known extent, occupies an

area exceeding 20 by 20 km, and incorporates several small granitoid stocks apparently satellitic to the Mt. Selous batholith. The set of mineralization found in the cluster includes high-grade lead-zinc-silver (galena, sphalerite) veins, chalcopyrite-pyrrhotite (+ scheelite?) skarns, stockwork and disseminated sulphide-related (pyrite, arsenopyrite) gold mineralization, bismuth-copper (chalcopyrite), arsenic (arsenopyrite) and antimony (stibnite) veins. This is very similar to the set of intrusive-related mineralizations known within some other large mineralized districts of the Tintina Gold Belt. The especially broad occurrence of lead-zinc-silver and gold mineralizations shows the Mt. Selous cluster is most similar to that situated in the Mayo and Keno Hill areas, although some local specify (in particular, larger abundance of sphalerite in the base metal veins) are also well pronounced. A base metal (+As, Sb) signature is usually considered to reflect a distal position of gold mineralization relatively to a parental pluton (Mortensen et al., 1996) although some variations in metallogenic specialization of the intrusives (and related mineralized districts) can also be considered.

The Mt. Selous batholith, roughly 20 by 12 km, represents the largest Tombstone Suite pluton in the property area. The batholith is generally oval-shaped and elongated roughly southeast-northwest; the shape of its eastern contact suggests it extends eastwards beneath the Paleozoic sedimentary rock, which has been intruded by several much smaller satellitic stocks. Notably, the majority of known mineral occurrences in the area are found to the east of the batholith exposure. The intrusives are largely medium to coarse-grained weakly porphyritic hornblende-biotite to biotite-hornblende quartz dioritic to quartz monzonitic in composition. Late felsic dikes (quartz-feldspar porphyritic granites) occur locally.

The area is transected by a number of northwest-striking faults and fault zones, the largest of which is attributed to an eastern extension of the Jurassic – early Cretaceous Robert Service Thrust. This major regional-scale south-dipping thrust fault extends across the southern property boundary, emplacing Hyland Group sediments over the Road River and Earn Group packages, and forming an east-west trending thrust fault contact with Hyland Group stratigraphy to the south (GSC Open File 2174). Distinctive fault zones found within the mid-late-Cretaceous Tombstone Suite intrusives suggest, however, that faulting can also be syn-plutonic (and control the mineralization) and postdate the late-Cretaceous, possibly synchronous with the initialization of motion along the Tintina fault (Flanigan et al., 2000).

2.2 Property Geology

The property is centered on a 1,200 m by 600 m WSW-elongated Tombstone Suite quartz diorite intrusive (referred as to the Main Stock) situated 10 km east of the Mt. Selous batholith (Fig.2). This apparently satellitic stock intrudes the Road River Group sequence composed of thin to medium bedded chert and lesser shale. A smaller quartz diorite stock occurs some 500m southeast of the central stock. A swarm of east-southeast-trending quartz-feldspar porphyritic dikes occurs proximal to the central stock, particularly along


the southeastern contact. Bedding of the sediments extends roughly east-southeast, dipping steeply to the south-southwest. To the west, a northwest-trending fault separates the Road River Group sediments from the Earn Group chert pebble conglomerate to the west. To the south, the Robert Service Thrust fault extension separates the Hyland Group sediments consisting primarily of coarse clastic "grits" and shale but including a kilometer-wide southeast-trending crystalline limestone unit.

The area adjacent and immediately north of the central stock contains a suite of east-west trending lenticular mineralized zones of fracturing, brecciation and hydrothermal alteration. To date, four major zones have been identified: from north to south these are the Rainbow Zone; the Second Zone, which bifurcates into the Second A and Second B Zones; the Upper Zone just north of the intrusive; and the Back Zone along the southern intrusive contact. The zones have been delineated for strike lengths to 1,500m, with widths ranging from 20 to 100m; they have a tendency to coalesce into much wider brecciated packages up to 200 m wide. These breccia zones dip steeply (70-85°) southwards, with local north-dipping sections; they are interpreted to crosscut the intrusive at shallow depths (Fig.3). These zones contain intensive auriferous quartz stockworks and larger quartz-filled shear-like fractures as well as intervals of "bulk" mineralization. Probably, these and other similarly oriented zones also control some portion of lead-zinc-silver veins.

Although narrow and less expressed in the form of brecciation, the west-northwest and north-northeast- trending faults are also important in controlling of mineralization. A significant portion of higher-grade gold mineralization occurs at the intersections of the major east-west-trending breccia zones and west-northwest fault zones. In contrast, some of the north-south and north-northeast-trending fault zones locally control high-grade lead-antimony-silver veins. However, these sulphide-enriched veins often occur along north (or north-northwest) trending faults where they intersect the major east-west-trending breccia zones. Displacement of the major east-west trending zones by barren or weakly mineralized north-trending faults has occurred locally.

Variably oriented fault zones form a closely spaced intersecting network focusing on and adjacent to the central intrusive stock. This "intersection area" marked by higher metal values in brecciated sediments proximal to the stock is also coincident with a large and well-pronounced Au, Bi, Pb, Ag, Sb and much wider As soil anomaly overlying the essentially overburden-covered stock.

Figure 3
HYPOTHETICAL SECTION: LINE A-B, Myschka PROPERTY
Looking West



3. ALTERATION and MINERALIZATION

A broad system of argillic (clay) alteration, silicification and localized phyllic (sericitic) alteration occurs within the Road River Group cherts surrounding the main intrusive stock, particularly to the north and east, where it extends more than 1.0 km outbound from the stock. Alteration, associated with strongly weathered gossans, is intensified within the east-west trending brecciated zones, with localized areas of advanced argillic alteration or intense silicification. Quartz stockwork and thicker quartz-filled shear zones occur throughout the brecciated packages. Local zones of stronger alteration also occur along the NW - SE trending faults. Strong to moderate hornfelsing also occurs adjacent to the stock. Surface exposures of the stock display weak argillic and phyllic alteration occurring along marginal areas.

A broad area of disseminated and fracture controlled sulphide mineralization is coincident with the alteration area largely north and east of the central stock. Disseminated sulphides occurring both within quartz stockwork and altered sediments are represented mostly by fine to medium grained pyrite with subordinate arsenopyrite, often altered to scorodite. Local areas of stronger scorodite staining indicate zones of arsenopyrite enrichment.

Most sulphide grains within the mineralized area, typified by well-developed gossans, have been completely leached, leaving a strongly limonitic "boxwork". However, local zones of relatively unweathered quartz-arsenopyrite veining occur throughout the mineralized area. There is a remarkable difference in gold values returned by strongly weathered and less weathered material. Strongly leached rock samples yielded anomalous but generally low gold values, extending into the 100-200 ppb Au range. In contrast, less weathered quartz-arsenopyrite (+/- pyrite) veins and strongly silicified rock with disseminated pyrite+/-arsenopyrite returned higher gold values, commonly in the range of 300-650 ppb Au, extending up to 800 ppb. These variations in gold grades, and characteristic association of gold with high arsenic values, are typical of the predominately exposed portion of the east-west-trending breccia zones occurred in sediments outside the intrusive stock.

In addition to the major auriferous pyrite-arsenopyrite assemblage, there are several other sulphide-rich mineral assemblages that, although smaller and more sporadically located, contribute to the mineral and geochemical zonation of the property. These assemblages are listed in Table 2. Generally, observed variations in the gold grades and values of associated metals as well as mineralogical signatures indicate the existence of several successive sulphide mineral assemblages (stages?) superimposed within the central property area. Auriferous quartz-pyrite-arsenopyrite stockwork and disseminated mineralization apparently represents the earliest stage, whereas other sulphide-rich assemblages occurred later forming a geochemical evolutionary trend from gold-enriched (with relatively high Au/Ag ratio) associations toward silver-enriched ones. Also quite evident is the presence of at least two generations of bismuth minerals, one associated with chalcopyrite and probably copper sulphosalts, the other associated with galena and lead-antimony sulphosalts.

4. YEAR-2002 WORK PROGRAM and SAMPLE RESULTS

4.1 Year-2002 Field Program

The year-2002 field program focused on detailed geological mapping and rock, soil and silt geochemical sampling primarily across and to the north of the Main Stock . A picketed grid with north-trending (Az = 360°) base and tie lines and east-west trending (Az = 90°) grid lines was established. Line spacing is 200 metres; sample station spacing is 50 metres with 100-metre sample spacing in certain areas. Rock sampling, including abundant chip sampling, was done across mineralized areas. Silt sampling was done where grid lines intersected active or seasonal streams. The gridded area also extends roughly 1.4 km north of the Camp Fault to cover potential extensions of mineralization.

In the Dasha claim area, a reconnaissance-style soil and silt-sampling traverse was conducted, as well as limited geological mapping and prospecting. Also, a small number of rock grab samples were obtained from a gossaneous area hosted by Road River Group sediments roughly 0.5 km east of the main gridded area.

4.2 Results of Rock Sampling

Rock sample analysis within the strongly leached areas generally yielded low anomalous gold values, some extending into the 100 – 200 ppb range. However, these zones host scattered veins and mineralized zones hosting considerably higher gold values to 550 ppb. These are often associated with strongly elevated "pathfinder" elements commonly associated with gold; on the Myschka property, these are arsenic (As), antimony (Sb), bismuth (Bi), lead (Pb) silver (Ag) and, locally, mercury (Hg). The sample returning 550 ppb gold is associated with values to 57.2 g/t silver and 6.87% lead, from an area of abundant quartz-arsenopyrite-galena veining and mineralized chert wallrock in the west-central focus area. This suggests that original gold grades from leached sulphide mineralization were higher, although pathfinder element concentrations would also need to be correspondingly reduced.

Sampling of a 1.5m wide north-trending quartz-stibnite-arsenopyrite vein within the east-west trending Back Zone returned values to 1.05 g/t gold, 560 g/t silver and greater than 1.0% antimony. Although auriferous, this mineralization is interpreted to be of lesser importance than that within the major east-west zones.

A suite of small galena veins occurs to the southwest of the main intrusive, returning values to 652 gpt silver with 10.85% lead. A composite grab sample slightly to the north returned 0.635 gpt gold with 409 gpt silver, with much lower base metal values.

Sampling of the gossaneous area east of the main grid returned two anomalous values of 449 ppb and 185 ppb gold respectively, associated with arsenopyrite veining. All other samples returned background to near-background gold values.

Rock sampling of the Dasha claim area returned background gold values to 20 ppb gold.

The rock sampling program identified a number of gold-, silver-, lead-zinc-bearing and other mineral (sulphide) assemblages mentioned above and listed in Table 2.

Table 2. Representative rock sample assay results for various sulphide assemblages[1]

Major gold-arsenic (pyrite-arsenopyrite) assemblage

Sample	Au,ppb	Ag,ppm	As,ppm	Bi,ppm	Cu,ppm	Pb,ppm	Sb,ppm	Zn,ppm
M3014	360	4.4	570	62	96	12	8	178
M5004	449	0.7	>10000	10	70	7	35	18
M5006	185	3.2	405	<2	47	15	32	12
M1003	455	4.0	>10000	20	84	18	28	22

Copper-arsenic (chalcopyrite-pyrite-arsenopyrite) assemblage

Sample	Au,ppb	Ag,ppm	As,ppm	Bi,ppm	Cu,ppm	Pb,ppm	Sb,ppm	Zn,ppm
M2134	125	41.2	>10000	264	1.73%	<2	82	562
M1060	332	8.2	>10000	22	744	35	252	15
M2133	40	5.0	18	82	1490	<2	2	542

Zinc-copper (sphalerite-chalcopyrite) assemblage

Sample	Au,ppb	Ag,ppm	As,ppm	Bi,ppm	Cu,ppm	Pb,ppm	Sb,ppm	Zn,ppm
M2046	<5	0.6	932	<2	243	34	50	2180
M2128	25	0.4	16	<2	62	12	8	1035

Lead-silver-arsenic-zinc (galena-arsenopyrite-sphalerite) assemblage

Sample	Au,ppb	Ag,ppm	As,ppm	Bi,ppm	Cu,ppm	Pb,ppm	Sb,ppm	Zn,ppm
M3023	20	113	250	<2	17	1.32%	168	160
M3024	385	652	>10000	<2	169	10.85%	558	2270
M3025	25	133	1335	12	23	2.23%	100	1580
M3026	150	197	5760	<2	88	4.22%	178	1020
M3027	75	150	322	<2	42	2.10%	118	462
M1021	135	60.8	566	12	12	1030	212	4
M2104	10	25.4	3620	520	322	1520	102	138
M2075	305	39.6	>10000	384	627	1770	1195	120

[1] Assays were performed in ALS Chemex labs of North Vancouver, B.C. All rock samples were pulverized until 85% of fragments were less than 75 microns in size; then an evenly mixed 30g portion was analyzed for 34-element aqua-regua ICP-AES, as well as gold by fire assay with atomic absorbtion finish. «Overlimits» of Ag, Pb, Sb, Cu were reanalyzed to provide respective elemental contents.

Antimony-lead-arsenic-silver (stibnite-arsenopyrite-galena) assemblage

Sample	Au,ppb	Ag,ppm	As,ppm	Bi,ppm	Cu,ppm	Pb,ppm	Sb,ppm	Zn,ppm
M1000	120	49.0	>10000	834	191	5070	3420	66
M1016	230	46.6	>10000	<2	33	3.46%	8530	96
M1019	550	57.2	>10000	<2	15	6.87%	>10000	228
M1043	1050	560	>10000	1540	174	4.70%	>10000	488
M1045	70	54.4	4430	82	13	1.96%	8210	54
M1046	320	116	>10000	132	120	4.73%	>10000	1225
M1048	635	409	>10000	26	832	3820	2960	1955

4.3 Results of Soil and Silt Geochemical Surveying

A total of 417 soil samples have been taken to date on the Myschka property. The sampling program revealed a broad area of anomalous values of Au, Ag, As, Pb, Sb, Cu, Zn and Bi. This complex anomaly covers the Main Stock, extends far to the east and west along the breccia and alteration zones, and is essentially open in these directions. The anomaly is "mosaic-textured", incorporating a number of local maxima attributed to the intersections of the major east-west trending zones with faults of other orientations. Very notably, some of these maxima occur within overburden overlying portions of the central intrusive stock. This supports the idea that major structures extend across (and within) the stock, perhaps hosting higher metal values here than within altered sedimentary rock. This feature, being relatively less pronounced for gold (with higher gold-in-soil values occurred in the breccia packages mainly outside the stock contours), is clearly evident for Ag, As, Bi, Pb and other elements.

The gold-in-soil anomaly incorporates three especially well pronounced maxima. From west to east they measure 350m by 200m (with values from a minimum of 50 ppb to 260 ppb Au), 400m by 200 m (50-110 ppb Au), and 300m by 150 m (50-105 ppb Au) respectively. The most eastern anomaly is coincident with a west-northwest-trending fault zone crosscutting the major east-west trending breccia packages at a low angle. Several strong silver-in-soil maxima are also present; the strongest one (with values from 10 to 65.6 g/t Ag), measuring 300 m by 250m is coincident with silver-bearing galena veining southwest of the stock. Other elements also form strong in-soil-maxima, including Sb (up to 786-990 g/t in soils), Bi (up to 72 g/t in soils), Pb (up to 1.24% in soils), Cu (up to 736 g/t in soils) and Zn (up to 3940 g/t in soils, higher than the highest zinc-in-rock value obtained). These metal anomalies have a larger aerial extent than the gold anomalies.

The largest one is the east-west elongate arsenic anomaly (locally more than 1% arsenic-in-soils values) that covers an area exceeding1.5 by 2 km and is open to the east and west.

Two very important features of the soil anomalies must be emphasized. Firstly, the occurrence of Ag, Pb, Sb, Bi and Zn maxima and overall anomalies attributed to the later mineralizing stages are found within the much wider As anomaly attributed to the earlier stage; this suggests "telescoping" of spatial evolution of the mineralization toward the lateral centre of system, marked by the central intrusive stock. This indicates essentially structural rather than thermal controlling factor caused this "inverse", or "backward" (earlier assemblages throughout, later assemblages inside) geochemical trend. Interestingly, a similar geochemical trend apparently occurs on a larger scale within the entire Mt. Selous district, where Pb-Zn-Ag veins are more proximal to the batholith than Au-As mineralization.

Secondly, the stronger expression of Ag, Pb, Sb and Zn (later assemblages) mineralization, including soil anomalies, compared to Au mineralization (earlier assemblage) may indicate that the current erosion level exposes just "the top" of the system, here dominated by later assemblages. Respectively, a much stronger expression of the earlier gold-enriched assemblages may be found at deeper levels. This model would be in agreement with relatively high As/Bi ratios typical of the property and, similar to numerous other Tintina Belt gold occurrences, indicates a very high (almost uneroded) vertical level of the exposed mineralized system (Flanigan et al., 2000).

5. DISCUSSION

The Myschka property is located within an extensional fault setting demonstrated by at least four wide east-west trending breccia and alteration zones crosscutting and surrounding a small Tombstone Suite granodioritic intrusive. The breccia zones host fracture controlled gold and silver-bearing sulphide mineralization, predominantly pyrite, arsenopyrite, galena and stibnite, associated with silicification, argillic and local phyllic alteration. The intrusive occurs within the Tombstone Intrusive Suite, representing part of the Tintina Gold Belt. The tectonic setting, intrusive-related character of the mineralization, and pathfinder-element association are some of the features similar to other Tintina Gold Belt occurrences and deposits in other sectors of the belt. These features include: spatial and genetic relationships to intrusives of the late Cretaceous Tombstone Plutonic Suite, and prevalence of fine disseminated and fracture-controlled sulphide (largely pyrite and arsenopyrite)-hosted gold mineralization, resulting in large tonnage, low grade gold deposits.

Mineralization, particularly "pathfinder" element association, is typical of intrusive-related occurrences throughout the Tintina Gold Belt. The extent and nature of the mineralized zones indicates the potential for this system to contain significant intrusive-hosted gold mineralization.

The presence of a disproportionately large alteration and mineralization package surrounding the stock suggests subsurface extension of the intrusive is significantly greater than the surface exposure. The package extends primarily to the north and east,

suggesting that the main intrusive extends subsurface in those directions, resulting in alteration of overlying country rock. This is supported by the existence of the gold-in-soil maxima at lower elevations, due to lesser transport distances from the source of volatile material enriched during late stages of intrusive cooling, or of mineralized connate fluids reactivated by heat from the intrusive.

Strong vein, stringer and replacement-style sulphide mineralization occurs within the major east-west breccia zones hosted by the package. However, in most areas the sulphides have been almost completely leached; these samples generally return weakly anomalous gold values. It is possible that gold values associated with the originally unweathered sulphides may have been higher, and some leaching of gold may have occurred.

Interpretation of structural data obtained during the year-2002 program suggests the major east-west trending brecciation and alteration zones tend to converge at depth. The fault and breccia zones have likely acted as conduits for fluid movement and subsequent mineral emplacement. Gold grades within these are anticipated to increase sharply along these zones as they extend into the intrusive, the main target area of future exploration. The overall dimensions of the gold-bearing brecciation zones and the main stock, particularly if projected subsurface extensions can be proven, are comparable to those of known large gold deposits, including the Fort Knox gold deposit.

The anomalous gold values from soil and silt sampling in the Dasha claim area suggest the presence of a potentially significant mineralized source. Low pathfinder values, with the exception of elevated silver values, together with localized high iron values, suggests gold in association with pyrite only, in contrast to mineralization in the main focus area.

6. CONCLUSION

The Myschka property represents a newly discovered, large and very prospective target with potential to host significant bulk-tonnage gold mineralization. This is defined by:

1. Location of the Main Stock within the large cluster of gold, base metal and other occurrences situated above the "hidden" portion of the Mt. Selous Tombstone Intrusive Suite batholith, and specifically overlying and surrounding a satellitic by a satellitic intrusive stock or intrusive center;
2. Large widths (up to 200 m) and extent (over 1500m) of hydrothermally altered breccia packages hosting intensive auriferous quartz stockworks and quartz-filled fracture zones;
3. Tendency of these auriferous sediment-hosted breccia zones to dip toward the intrusive stock, assuming that the mineralization within the stock at depth hosts higher gold values;
4. Large dimensions (1200m by 600m on surface) of the potentially ore-hosting intrusive stock, similar to these of known large gold deposits (e.g., Fort Knox);
5. The occurrence of ore-controlling fault zones of several orientations contributing to the abundance and grades of the mineralization superimposed on the intrusive stocks and surrounding metasedimentary rock (fault intersection effect);
6. Multi-staged history of formation of auriferous mineralization,
7. Presence of a large (over 1.5km by 2 km) multi-element geochemical anomaly coincident with the intrusive stock and adjacent portion of the metasediments,
8. Favorable geochemical signatures suggesting minimal erosion levels of the mineralized system.

During the year-2002 field season, the property has been advanced to a drill-ready stage. A diamond drill program proposed for follow-up exploration is designed to test the subsurface continuation of major auriferous breccia packages into the intrusive stock.

7. RECOMMENDATIONS

The year-2002 surface program was accomplished in sufficient detail to warrant a preliminary diamond-drilling program across the stock and main breccias zones to the north. A 2,000m diamond drilling program consisting of five holes to test extension of the major east-west trending breccia zones into the Main Stock is proposed. This program will consist of three 400m-deep parallel north-directed holes (Az = 360°) with dips of –45°, designed to intersect the quartz-diorite stock at depth, thus testing the potential for intrusive-hosted mineralization. Two 400m south-directed holes (Az = 180°, dip = -45°) roughly will be collared to the north at longitudes between the north-directed holes. These will test sediment-hosted mineralization within the depth extensions of the breccia zones, possibly extending into to the intrusive.

The follow-up program shall also include limited continuation of surface geological and structural mapping and geochemical surveying along the flanks of the year-2002 focus area. This will be done towards the end of the drilling program, to test extension of known anomalous zones.

8.00 ITEMIZED COST STATEMENT

GEOLOGICAL WAGES			
Serguei Soloviev, PhD., P.Geo, Cranbrook, B.C.			
- Corporate Geologist, program supervision, report writing, etc.			
10 days @ $400/day			$4,000.00
Carl Schultz, P.Geo., Whitehorse, YK			
- field supervisor			
22 days @ $300/day			$6,600.00
Oleksiy Baklyukov, Geologist, Cranbrook, B.C.			
22 days @ $300/day			$6,600.00
WAGES/Assistant:			
Jeff Boyce, Whitehorse, YK			
22 days @ $180/day			$3,960.00
HELICOPTER SUPPORT			
Fireweed Helicopters, Box 26, Whitehorse, YK			
- Helicopter Charter			
June 21-23/02	7,055.00		
June29-July12/02	18,054.00		
Fuel	3,684.10		
		28,793.10	$28,793.10
ASSAY CHARGES			
ALS Chemex Laboratories Ltd., North Vancouver, B.C.			
- samples analyzed using 34 element ICP & Au 30g FA-AA finish			
784 samples @ $21.39/sample			$16,769.76
FIELD SUPPLIES			
Deakin Equipment, Vancouver, B.C.			
- Shaw's Sales & Service, Cranbrook, B.C.			
FIELD EQUIPMENT RENTAL			
Kootenay Communications Ltd., Cranbrook, B.C.			
- Satellite Phone rental			$766.98
DOMICILE			
Ross River Services, Ross River, YK			
- Food costs re: Camp			$1,189.97
MAPS & REPRODUCTIONS			
Kevin Franck, Cranbrook, B.C.			
- Computer Aided Drafting Costs			
31 hours @ $35/hour			$1,085.00
		TOTAL	= ***$69,764.81***

REFERENCES

Burke, M., Yukon mining and exploration overview, 1999, in Yukon Exploration and Geology, 1999, Exploration and Geological Services Division, Yukon Indian and Northern Affairs Canada, 1999, p. 2-31.

Flanigan, B., Freeman, C., Newberry, R., McCoy, D., and Hart, C., 2000. Exploration models for mid and Late Cretaceous intrusion-related gold deposits an Alaska and Yukon Territory, Canada, in Cluer, J.K., Price, J.G., Struhsacker, E.M., Hardyman, R.F., and Morris, C.L., eds, Geology and Ore Deposits 2000: The Great Basin and Beyong: Geological Society of Nevada Symposium Proceedings, May 15-18, 2000, p.591-614.

Flanigan, B., Freeman, C., McCoy, D., Newberry, R., and Hart, C., 2000. Paleo-reconstruction of the Tintina Gold Belt - implications for mineral exploration, in The Tintina Gold Belt: Concepts, Exploration, and Discoveries, Special Volume 2, BC and Yukon Chamber of Mines, Cordilleran Roundup, January 2000, p.35-48.

Geological Survey of Canada, 1990: GSC Open File 2174 (NTS 105K East): Regional Stream Sediment and Water Geochemical Data, Central Yukon: Canada-Yukon Development Program (1989-1990).

Geological Survey of Canada, 1991: GSC Open File 2363 (NTS 105N): Regional Stream Sediment and Water Geochemical Reconnaissance Data, East-Central Yukon: Canada-Yukon Economic Programming Agreement (1989-1990).

Gordey, S.P., and Anderson, R.G., 1993, Evolution of the Northern Cordilleran Miogeocline, Nahanni Map Area (105I), Yukon and Northwest Territories, Geological Survey of Canada, Memoir 428.

Mortensen, J.K., Murphy, D.C., Poulson, K.H., and Bremmer, T.J., 1996, Intrusion related gold and base metal mineralization associated with the Early Cretaceous Tombstone Plutonic Suite, Yukon and east-central Alaska, in New Mineral Deposit Models of the Cordillera, Short Course Notes, British Columbia Geological Survey and Northwest Mining Association, p. G1-G11.

Yukon Geology Program, 2001: Yukon Minfile 2001, 105K.

Appendix 1. Statement of Qualifications

I, Serguei G. Soloviev, P.Geo, hereby certify that:


1) I am employed on a full-time basis as Chief Geologist and Director with:
   Chapleau Resources Ltd. and Klad Enterprises Ltd.
   Suite 104 – 135 10th Avenue South
   Cranbrook, B.C. Canada V1C 2N1

2) I graduated with a Diploma of Geologist (equal to Master of Science Degree, Geological Exploration) from Moscow State University, Moscow, Russia (former USSR), in 1983.

3) I received a Degree of Candidate of Geological and Mineralogical Science (equal to PhD, Geology of Ore Deposits) from Moscow State University, Moscow, Russia (former USSR), in 1987, and then I received a Degree of Doctor of Geological and Mineralogical Science (Geology of Ore Deposits; Metallogeny) from Russian Supreme State Attestation Committee, Moscow, Russia, in 1997.

4) I have practiced my profession since 1983 in a number of capacities in Russia, Central and Eastern Asia, Africa, and North America.

5) I am a Registered Professional Geoscientist and member in good standing of the Association of Professional Engineers and Geoscientists of British Columbia (APEGBC), and I am authorized to use their seal, which has been affixed to this report.



Dated this 14 day of November, 2003

S. Soloviev

Serguei G. Soloviev, P.Geo

Appendix 2: Geochemical Results

Appendix 2a) Rock sample geochemical results

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1-A
Total Pages :4
Certificate Date: 17-JUL-2002
Invoice No. :I0219737
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/JIM STYPULA CC: ERIK WILTZEN/ SERGUEI

CERTIFICATE OF ANALYSIS A0219737

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
C 1000	94139402	1.18	465	0.8	0.09	544	< 10	870	< 0.5	< 2	0.01	< 0.5	< 1	155	7	0.81	< 10	< 1	0.02	< 10
C 1001	94139402	0.56	530	2.0	0.27	1360	< 10	800	< 0.5	< 2	< 0.01	< 0.5	< 1	94	6	1.37	< 10	< 1	0.15	< 10
C 1002	94139402	0.68	130	1.8	0.84	1050	< 10	80	< 0.5	< 2	< 0.01	< 0.5	14	70	243	2.23	< 10	< 1	0.21	< 10
C 1003	94139402	1.72	30	0.6	0.08	100	< 10	110	< 0.5	< 2	0.01	< 0.5	< 1	129	13	1.22	< 10	< 1	0.01	< 10
C 1004	94139402	0.60	2650	>100.0	0.30	>10000	< 10	80	< 0.5	386	< 0.01	6.5	< 1	101	161	3.15	< 10	< 1	0.16	< 10
C 1005	94139402	0.38	1930	>100.0	0.51	>10000	< 10	60	< 0.5	200	< 0.01	0.5	< 1	64	39	1.72	< 10	< 1	0.10	< 10
C 1006	94139402	1.74	15	3.4	0.12	180	< 10	80	< 0.5	2	< 0.01	< 0.5	< 1	110	4	0.24	< 10	< 1	0.04	< 10
C 1007	94139402	1.66	220	4.6	0.42	528	< 10	40	< 0.5	< 2	< 0.01	< 0.5	< 1	93	3	0.44	< 10	< 1	0.11	10
C 1008	94139402	0.88	310	1.8	0.25	154	< 10	180	< 0.5	< 2	< 0.01	< 0.5	< 1	83	7	0.60	< 10	< 1	0.08	< 10
C 1009	94139402	0.50	420	3.8	0.43	42	< 10	170	< 0.5	< 2	< 0.01	< 0.5	< 1	56	1	0.27	< 10	< 1	0.12	10
C 1010	94139402	1.02	175	3.6	0.39	112	< 10	190	< 0.5	< 2	< 0.01	< 0.5	< 1	62	3	0.45	< 10	< 1	0.09	10
C 1011	94139402	0.74	430	6.4	0.52	724	< 10	130	< 0.5	< 2	< 0.01	< 0.5	< 1	60	6	2.03	< 10	< 1	0.15	10
C 1012	94139402	1.10	10	0.6	1.23	20	< 10	160	< 0.5	< 2	0.15	< 0.5	6	47	28	3.24	< 10	< 1	0.21	< 10
C 1013	94139402	1.00	110	0.8	0.48	592	< 10	260	< 0.5	< 2	< 0.01	< 0.5	< 1	46	6	0.51	< 10	< 1	0.13	< 10
C 1014	94139402	1.42	245	0.2	1.09	>10000	< 10	20	< 0.5	< 2	0.34	< 0.5	8	39	8	8.26	< 10	< 1	0.13	< 10
CY 2109	94139402	1.48	75	1.0	0.92	894	< 10	60	< 0.5	< 2	0.01	< 0.5	6	63	138	2.59	< 10	< 1	0.19	< 10
CY 2110	94139402	1.06	40	1.2	0.32	158	< 10	230	< 0.5	< 2	< 0.01	< 0.5	< 1	105	13	0.80	< 10	< 1	0.07	< 10
CY 2111	94139402	0.82	< 5	0.6	0.44	36	< 10	280	< 0.5	< 2	0.01	< 0.5	4	62	21	0.66	< 10	< 1	0.12	< 10
CY 2112	94139402	0.98	10	1.0	0.10	24	< 10	50	< 0.5	< 2	< 0.01	0.5	1	174	9	0.72	< 10	< 1	0.01	< 10
CY 2113	94139402	0.62	110	1.6	0.78	298	< 10	20	< 0.5	< 2	< 0.01	< 0.5	6	66	60	3.88	< 10	< 1	0.17	< 10
CY 2114	94139402	0.86	10	0.8	0.03	28	< 10	80	< 0.5	< 2	< 0.01	< 0.5	1	166	9	0.89	< 10	< 1	< 0.01	< 10
CY 2115	94139402	1.06	100	5.0	1.02	6260	< 10	50	< 0.5	30	< 0.01	< 0.5	8	97	153	3.09	< 10	< 1	0.18	< 10
MY 1000	94139402	0.64	120	49.0	0.52	>10000	< 10	200	< 0.5	834	< 0.01	12.5	1	70	191	4.86	< 10	< 1	0.16	< 10
MY 1001	94139402	2.48	10	2.0	0.52	9430	< 10	830	< 0.5	14	< 0.01	< 0.5	4	96	39	2.80	< 10	< 1	0.18	< 10
MY 1002	94139402	1.00	10	1.0	0.51	322	< 10	880	< 0.5	4	< 0.01	< 0.5	< 1	141	31	1.26	< 10	< 1	0.24	< 10
MY 1003	94139402	0.54	455	4.0	0.39	>10000	< 10	30	< 0.5	20	< 0.01	< 0.5	16	115	84	4.64	< 10	< 1	0.15	< 10
MY 1004	94139402	0.72	75	8.2	0.12	530	< 10	600	< 0.5	20	< 0.01	< 0.5	< 1	107	10	1.04	< 10	< 1	0.15	< 10
MY 1005	94139402	1.16	40	0.8	0.17	454	< 10	770	< 0.5	8	< 0.01	< 0.5	< 1	79	145	5.79	< 10	< 1	0.06	< 10
MY 1006	94139402	1.26	20	0.8	0.35	82	< 10	570	< 0.5	< 2	< 0.01	< 0.5	< 1	83	25	1.22	< 10	< 1	0.13	< 10
MY 1007	94139402	0.98	10	1.4	0.41	434	< 10	640	< 0.5	2	< 0.01	< 0.5	< 1	113	75	2.40	< 10	< 1	0.10	< 10
MY 1008	94139402	1.16	15	2.8	1.24	174	< 10	920	< 0.5	8	< 0.01	< 0.5	< 1	100	33	2.33	< 10	< 1	0.22	< 10
MY 1020	94139402	1.00	10	0.8	0.16	196	< 10	1130	< 0.5	< 2	< 0.01	< 0.5	< 1	140	12	1.11	< 10	< 1	0.08	< 10
MY 1021	94139402	1.02	135	60.8	0.18	566	< 10	730	< 0.5	12	< 0.01	< 0.5	< 1	96	12	0.91	< 10	< 1	0.15	< 10
MY 1022	94139402	0.82	20	2.8	0.10	522	10	730	< 0.5	2	< 0.01	< 0.5	< 1	85	5	0.72	< 10	< 1	0.13	< 10
MY 1023	94139402	1.32	20	12.8	0.27	394	< 10	1130	< 0.5	< 2	< 0.01	0.5	< 1	93	23	0.84	< 10	< 1	0.10	< 10
MY 1024	94139402	1.26	10	1.2	1.38	864	< 10	1500	< 0.5	< 2	0.01	< 0.5	3	109	77	1.75	< 10	< 1	0.22	< 10
MY 1025	94139402	1.56	< 5	0.4	1.56	46	< 10	980	< 0.5	< 2	0.04	< 0.5	13	112	83	1.80	< 10	< 1	0.18	< 10
MY 1026	94139402	0.96	35	2.2	0.34	104	< 10	890	< 0.5	2	< 0.01	< 0.5	< 1	100	6	0.78	< 10	< 1	0.24	< 10
MY 1027	94139402	1.28	65	1.0	0.19	>10000	10	400	< 0.5	24	< 0.01	< 0.5	1	126	94	1.38	< 10	< 1	0.09	< 10
MY 1028	94139402	1.68	< 5	0.4	0.25	20	< 10	960	< 0.5	< 2	0.02	< 0.5	8	166	32	1.24	< 10	< 1	0.05	< 10

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/JIM STYPULA CC: ERIK WILTZEN/ SERGUEI

Page Number :1-B
Total Pages :4
Certificate Date: 17-JUL-2002
Invoice No. :10219737
P.O. Number :
Account :TTY

CERTIFICATE OF ANALYSIS A0219737

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
C 1000	94139402	0.02	25	1	< 0.01	5	130	2	0.06	40	< 1	2	< 0.01	< 10	< 10	4	< 10	2
C 1001	94139402	0.01	10	1	0.01	3	160	6	0.12	66	< 1	4	< 0.01	< 10	< 10	9	< 10	2
C 1002	94139402	0.35	70	< 1	0.01	44	40	26	1.25	16	1	4	< 0.01	< 10	< 10	15	< 10	8
C 1003	94139402	< 0.01	15	2	< 0.01	4	150	4	0.01	24	< 1	1	< 0.01	< 10	< 10	9	< 10	2
C 1004	94139402	< 0.01	15	< 1	0.01	3	50	3100	1.43	2590	< 1	1	< 0.01	< 10	10	< 1	< 10	28
C 1005	94139402	< 0.01	5	< 1	< 0.01	2	260	2730	0.10	434	3	< 1	< 0.01	< 10	< 10	1	< 10	30
C 1006	94139402	0.01	5	1	< 0.01	3	10	20	0.01	40	< 1	1	< 0.01	< 10	< 10	3	< 10	< 2
C 1007	94139402	< 0.01	10	< 1	< 0.01	3	330	98	0.06	28	2	1	< 0.01	< 10	< 10	1	< 10	< 2
C 1008	94139402	0.01	5	1	< 0.01	3	80	12	0.06	26	1	1	< 0.01	< 10	< 10	5	< 10	< 2
C 1009	94139402	0.01	5	1	< 0.01	2	40	14	0.10	32	< 1	1	< 0.01	< 10	< 10	5	< 10	< 2
C 1010	94139402	0.01	5	< 1	< 0.01	3	80	8	0.13	36	< 1	2	< 0.01	< 10	< 10	9	< 10	< 2
C 1011	94139402	0.05	5	1	0.01	5	160	14	0.99	60	< 1	3	< 0.01	< 10	< 10	17	< 10	8
C 1012	94139402	0.65	170	4	0.01	18	1060	16	0.88	< 2	1	4	< 0.01	< 10	< 10	12	< 10	20
C 1013	94139402	< 0.01	5	< 1	< 0.01	1	40	18	0.04	20	< 1	1	< 0.01	< 10	< 10	3	< 10	2
C 1014	94139402	0.32	50	< 1	0.07	4	280	18	4.02	60	< 1	34	< 0.01	< 10	< 10	11	< 10	14
CY 2109	94139402	0.48	55	2	0.02	41	200	14	1.86	6	1	7	< 0.01	< 10	< 10	13	< 10	30
CY 2110	94139402	0.16	35	1	< 0.01	5	60	10	0.29	2	< 1	4	< 0.01	< 10	< 10	10	< 10	12
CY 2111	94139402	0.01	15	< 1	0.06	20	150	18	0.20	2	< 1	7	< 0.01	< 10	< 10	< 1	< 10	38
CY 2112	94139402	0.04	25	1	< 0.01	8	70	6	0.24	2	< 1	3	< 0.01	< 10	< 10	12	< 10	98
CY 2113	94139402	0.45	55	1	0.01	67	90	14	3.54	2	< 1	3	< 0.01	< 10	< 10	12	< 10	12
CY 2114	94139402	0.01	20	1	< 0.01	10	140	4	0.40	6	< 1	3	< 0.01	< 10	< 10	3	< 10	2
CY 2115	94139402	0.57	55	2	0.01	53	200	292	2.24	86	1	4	< 0.01	< 10	< 10	16	< 10	50
MY 1000	94139402	0.16	115	1	0.01	4	400	5070	0.55	3420	7	6	< 0.01	< 10	30	14	< 10	66
MY 1001	94139402	0.12	135	1	0.01	7	170	72	0.19	62	1	11	< 0.01	< 10	< 10	11	< 10	58
MY 1002	94139402	0.09	25	1	0.02	6	140	84	0.21	30	1	56	< 0.01	< 10	< 10	17	< 10	6
MY 1003	94139402	0.06	35	1	0.01	84	150	18	2.09	28	< 1	21	< 0.01	< 10	< 10	11	< 10	22
MY 1004	94139402	< 0.01	15	7	0.01	3	250	112	0.22	48	1	35	< 0.01	< 10	< 10	8	< 10	2
MY 1005	94139402	< 0.01	10	1	< 0.01	5	300	38	0.08	56	< 1	9	< 0.01	< 10	< 10	13	< 10	54
MY 1006	94139402	0.07	20	11	0.01	4	160	10	0.22	2	< 1	11	< 0.01	< 10	< 10	12	< 10	8
MY 1007	94139402	0.17	40	11	0.01	8	190	10	0.19	18	1	25	< 0.01	< 10	< 10	34	< 10	56
MY 1008	94139402	1.68	175	7	< 0.01	8	370	20	0.16	30	3	24	< 0.01	< 10	< 10	61	< 10	42
MY 1020	94139402	0.01	15	1	0.01	5	220	76	0.11	32	< 1	27	< 0.01	< 10	< 10	9	< 10	12
MY 1021	94139402	0.01	30	1	0.01	3	160	1030	0.19	212	< 1	17	< 0.01	< 10	< 10	3	< 10	4
MY 1022	94139402	< 0.01	10	< 1	0.01	3	200	226	0.19	90	1	17	< 0.01	< 10	< 10	3	< 10	2
MY 1023	94139402	0.01	35	1	0.01	4	180	588	0.11	282	< 1	68	< 0.01	< 10	< 10	3	< 10	18
MY 1024	94139402	0.27	270	1	0.04	14	230	1010	0.15	8	3	335	< 0.01	< 10	< 10	14	< 10	92
MY 1025	94139402	0.50	1055	28	0.06	38	200	22	0.26	6	4	49	0.01	< 10	< 10	34	< 10	148
MY 1026	94139402	0.02	20	3	0.01	4	60	142	0.15	48	< 1	12	< 0.01	< 10	< 10	8	< 10	8
MY 1027	94139402	0.01	25	6	0.01	8	170	26	0.36	12	3	17	< 0.01	< 10	< 10	4	< 10	6
MY 1028	94139402	0.05	2140	1	0.01	25	200	30	0.01	< 2	1	37	< 0.01	< 10	< 10	5	< 10	50

Cynthia

Wysenka

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/JIM STYPULA CC: ERIK WILTZEN/ SERGUEI

Page Number :2-A
Total Pages :4
Certificate Date: 17-JUL-2002
Invoice No. :I0219737
P.O. Number :
Account :TTY

YUKON ENERGY, MINES & RESOURCES LIBRARY
P.O. BOX 2703
WHITEHORSE, YUKON Y1A 2C6

CERTIFICATE OF ANALYSIS A0219737

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
MY 1029	94139402	1.26	< 5	0.4	0.16	2	< 10	730	< 0.5	< 2	0.01	< 0.5	7	89	20	1.19	< 10	< 1	0.03	< 10
MY 1030	94139402	1.08	20	0.6	0.72	224	< 10	780	< 0.5	< 2	0.01	< 0.5	< 1	74	61	2.81	< 10	< 1	0.17	< 10
MY 1031	94139402	0.92	< 5	< 0.2	0.30	110	< 10	1760	< 0.5	< 2	< 0.01	< 0.5	< 1	141	15	0.74	< 10	< 1	0.06	< 10
MY 1032	94139402	1.62	15	2.0	0.49	3290	10	350	< 0.5	< 2	< 0.01	< 0.5	11	118	54	2.90	< 10	< 1	0.22	< 10
MY 1033	94139402	0.86	5	0.8	0.50	528	< 10	890	< 0.5	< 2	< 0.01	< 0.5	< 1	109	21	1.31	< 10	< 1	0.25	< 10
MY 1034	94139402	0.82	25	23.2	0.40	>10000	< 10	690	< 0.5	134	< 0.01	< 0.5	< 1	58	114	2.38	< 10	< 1	0.33	< 10
MY 1035	94139402	1.46	< 5	0.8	0.89	514	< 10	550	< 0.5	< 2	< 0.01	< 0.5	< 1	74	72	2.85	< 10	< 1	0.22	< 10
MY 1036	94139402	2.24	< 5	2.2	0.19	60	< 10	780	< 0.5	2	< 0.01	< 0.5	< 1	110	4	0.35	< 10	< 1	0.10	< 10
MY 1037	94139402	1.04	< 5	1.8	0.20	108	< 10	950	< 0.5	< 2	< 0.01	< 0.5	< 1	126	20	1.18	< 10	< 1	0.09	< 10
MY 1038	94139402	1.80	< 5	1.0	0.40	56	20	730	< 0.5	6	< 0.01	< 0.5	< 1	63	10	1.20	< 10	< 1	0.24	10
MY 1039	94139402	0.82	< 5	7.6	1.18	5980	< 10	260	< 0.5	16	0.09	14.0	2	62	166	7.66	10	< 1	0.25	10
MY 1040	94139402	1.00	< 5	0.2	0.72	12	< 10	2050	< 0.5	< 2	0.01	< 0.5	7	132	62	1.68	< 10	< 1	0.06	< 10
MY 1041	94139402	0.58	5	13.4	0.20	114	< 10	300	< 0.5	< 2	< 0.01	< 0.5	1	86	54	2.24	< 10	< 1	0.09	< 10
MY 2001	94139402	0.46	10	1.4	0.84	24	< 10	690	< 0.5	< 2	< 0.01	< 0.5	1	60	87	1.36	< 10	< 1	0.24	10
MY 2002	94139402	0.60	10	1.0	0.44	32	< 10	820	< 0.5	< 2	< 0.01	< 0.5	< 1	52	17	0.91	< 10	< 1	0.23	< 10
MY 2003	94139402	0.66	10	0.2	1.83	80	< 10	1340	0.5	< 2	0.61	0.5	6	92	353	1.65	< 10	< 1	0.52	< 10
MY 2004	94139402	0.86	< 5	0.2	0.45	18	< 10	760	< 0.5	< 2	< 0.01	< 0.5	< 1	98	12	0.91	< 10	< 1	0.10	< 10
MY 2005	94139402	0.62	5	< 0.2	0.15	18	< 10	1220	< 0.5	< 2	< 0.01	< 0.5	< 1	63	11	0.47	< 10	< 1	0.08	< 10
MY 2006	94139402	0.56	5	< 0.2	1.92	2	< 10	2760	< 0.5	< 2	0.13	< 0.5	17	46	52	2.84	< 10	< 1	0.51	10
MY 2007	94139402	0.68	5	< 0.2	1.31	2	< 10	1520	< 0.5	< 2	0.01	< 0.5	5	32	30	2.39	< 10	< 1	0.16	10
MY 2008	94139402	0.64	5	0.2	1.27	132	< 10	1340	< 0.5	< 2	< 0.01	< 0.5	< 1	57	59	1.79	< 10	< 1	0.20	< 10
MY 2009	94139402	0.52	< 5	< 0.2	0.97	< 2	< 10	1720	< 0.5	< 2	0.01	< 0.5	5	47	71	1.42	< 10	< 1	0.12	< 10
MY 2010	94139402	0.72	< 5	< 0.2	1.24	8	< 10	1490	< 0.5	< 2	0.03	< 0.5	7	86	21	1.19	< 10	< 1	0.16	< 10
MY 2011	94139402	0.58	10	1.2	1.33	6	< 10	400	0.5	< 2	0.07	< 0.5	1	56	26	3.19	< 10	< 1	0.28	10
MY 2012	94139402	1.56	< 5	3.2	0.24	228	< 10	1080	< 0.5	6	< 0.01	< 0.5	< 1	102	42	2.13	< 10	< 1	0.07	< 10
MY 2013	94139402	0.62	< 5	0.8	1.65	8	< 10	1060	< 0.5	< 2	0.09	< 0.5	21	30	85	3.07	< 10	< 1	0.08	< 10
MY 2014	94139402	0.50	< 5	1.0	1.65	2	< 10	1060	< 0.5	< 2	0.13	< 0.5	23	30	104	2.91	< 10	< 1	0.08	< 10
MY 2016	94139402	0.54	< 5	< 0.2	0.13	< 2	< 10	1830	< 0.5	< 2	< 0.01	< 0.5	1	100	22	1.64	< 10	< 1	0.03	< 10
MY 2017	94139402	0.52	< 5	< 0.2	0.08	2	< 10	1710	< 0.5	< 2	< 0.01	< 0.5	1	136	16	1.14	< 10	< 1	0.01	< 10
MY 2018	94139402	0.60	< 5	< 0.2	0.35	4	< 10	410	< 0.5	< 2	0.04	< 0.5	< 1	76	21	0.38	< 10	< 1	0.18	< 10
MY 2019	94139402	0.68	< 5	< 0.2	0.50	6	< 10	450	< 0.5	< 2	0.06	< 0.5	1	77	33	1.21	< 10	< 1	0.13	< 10
MY 2020	94139402	0.42	< 5	0.6	0.16	14	< 10	840	< 0.5	< 2	< 0.01	< 0.5	< 1	61	16	0.75	< 10	< 1	0.11	< 10
MY 2021	94139402	0.60	< 5	0.8	1.11	6	< 10	1170	< 0.5	< 2	0.13	< 0.5	6	92	22	1.58	< 10	< 1	0.50	< 10
MY 2022	94139402	1.04	5	0.2	0.28	154	< 10	1380	< 0.5	2	< 0.01	< 0.5	< 1	97	13	0.77	< 10	< 1	0.07	< 10
MY 2023	94139402	0.50	< 5	2.0	0.11	6	< 10	530	< 0.5	< 2	< 0.01	1.5	< 1	98	9	0.31	< 10	< 1	0.06	< 10
MY 2024	94139402	0.60	< 5	< 0.2	0.21	2	< 10	1030	< 0.5	< 2	< 0.01	< 0.5	< 1	42	5	0.43	< 10	< 1	0.11	< 10
MY 2062	94139402	1.24	15	0.4	1.21	232	< 10	30	< 0.5	< 2	0.03	< 0.5	8	75	93	4.44	< 10	< 1	0.35	< 10
MY 2063	94139402	1.08	< 5	< 0.2	0.78	664	< 10	2690	< 0.5	< 2	< 0.01	< 0.5	1	113	51	0.75	< 10	< 1	0.14	< 10
MY 2064	94139402	1.60	< 5	0.4	0.37	140	< 10	170	< 0.5	< 2	< 0.01	< 0.5	1	83	61	1.53	< 10	< 1	0.09	< 10
MY 2065	94139402	1.02	< 5	0.6	0.58	132	< 10	780	< 0.5	< 2	< 0.01	< 0.5	< 1	45	37	1.41	< 10	< 1	0.19	10

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :2-B
Total Pages :4
Certificate Date: 17-JUL-2002
Invoice No. :I0219737
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/JIM STYPULA CC: ERIK WILTZEN/ SERGUEI

CERTIFICATE OF ANALYSIS A0219737

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
MY 1029	94139402	0.03	2110	1	0.01	16	170	14	0.01	< 2	2	21	< 0.01	< 10	< 10	3	< 10	34
MY 1030	94139402	0.24	38	1	0.01	8	980	14	0.19	16	2	86	< 0.01	< 10	< 10	36	< 10	16
MY 1031	94139402	0.11	45	< 1	0.01	6	130	10	0.07	6	< 1	38	< 0.01	< 10	< 10	4	< 10	12
MY 1032	94139402	0.02	30	1	0.02	9	360	228	0.34	10	1	63	< 0.01	< 10	< 10	7	< 10	44
MY 1033	94139402	0.14	25	< 1	0.01	4	210	186	0.19	8	1	43	< 0.01	< 10	< 10	14	< 10	12
MY 1034	94139402	0.04	20	< 1	0.01	1	120	446	0.20	148	2	10	< 0.01	< 10	< 10	4	< 10	12
MY 1035	94139402	0.39	395	7	0.03	4	400	48	0.21	18	4	24	< 0.01	< 10	< 10	30	< 10	42
MY 1036	94139402	0.03	30	1	0.01	3	40	86	0.05	8	< 1	9	< 0.01	< 10	< 10	5	< 10	2
MY 1037	94139402	0.04	40	< 1	0.01	3	130	186	0.05	12	< 1	8	< 0.01	< 10	< 10	9	< 10	8
MY 1038	94139402	0.05	30	4	0.01	3	150	66	0.19	10	< 1	11	< 0.01	< 10	< 10	13	< 10	36
MY 1039	94139402	0.46	165	3	0.01	3	630	288	0.07	28	4	13	< 0.01	< 10	< 10	36	< 10	342
MY 1040	94139402	0.41	955	1	0.01	16	110	8	0.10	< 2	2	37	< 0.01	< 10	< 10	16	< 10	40
MY 1041	94139402	0.01	70	1	< 0.01	4	140	118	0.04	20	1	6	< 0.01	< 10	< 10	4	< 10	122
MY 2001	94139402	0.20	45	1	0.02	8	230	30	0.27	4	< 1	33	< 0.01	< 10	< 10	19	< 10	32
MY 2002	94139402	0.06	15	< 1	0.01	3	120	28	0.20	4	< 1	21	< 0.01	< 10	< 10	14	< 10	8
MY 2003	94139402	0.71	1900	43	0.08	62	1050	6	0.18	2	2	142	0.11	< 10	< 10	407	< 10	78
MY 2004	94139402	0.14	30	< 1	0.01	5	70	2	0.21	6	< 1	17	< 0.01	< 10	< 10	12	< 10	10
MY 2005	94139402	0.01	5	< 1	< 0.01	3	60	2	0.12	6	< 1	20	< 0.01	< 10	< 10	4	< 10	2
MY 2006	94139402	1.05	660	< 1	0.04	62	370	6	0.06	< 2	3	168	0.10	< 10	< 10	49	< 10	116
MY 2007	94139402	0.64	75	< 1	0.01	31	360	4	0.14	< 2	1	61	0.01	< 10	< 10	19	< 10	104
MY 2008	94139402	0.49	260	22	0.03	6	240	8	0.14	4	< 1	32	< 0.01	< 10	< 10	16	< 10	16
MY 2009	94139402	0.50	345	< 1	0.01	17	120	2	0.11	< 2	1	159	0.01	< 10	< 10	16	< 10	58
MY 2010	94139402	0.34	740	< 1	0.03	17	140	2	0.15	6	3	114	< 0.01	< 10	< 10	16	< 10	42
MY 2011	94139402	0.97	125	4	0.02	13	1250	16	0.18	< 2	3	54	< 0.01	< 10	< 10	38	< 10	102
MY 2012	94139402	0.01	15	5	0.01	3	1230	1755	0.14	32	< 1	114	< 0.01	< 10	< 10	52	< 10	24
MY 2013	94139402	1.04	5100	1	0.01	43	160	10	0.02	< 2	5	59	< 0.01	< 10	< 10	42	< 10	154
MY 2014	94139402	1.08	6020	1	0.01	44	170	6	< 0.01	< 2	6	61	< 0.01	< 10	< 10	41	< 10	174
MY 2016	94139402	0.01	60	< 1	< 0.01	7	60	4	0.09	2	< 1	23	< 0.01	< 10	< 10	4	< 10	26
MY 2017	94139402	< 0.01	45	< 1	< 0.01	6	40	4	0.08	2	< 1	19	< 0.01	< 10	< 10	2	< 10	14
MY 2018	94139402	0.03	25	< 1	< 0.01	4	320	4	0.03	4	1	77	< 0.01	< 10	< 10	16	< 10	12
MY 2019	94139402	0.09	80	1	0.01	11	460	2	0.06	< 2	1	29	< 0.01	< 10	< 10	23	< 10	44
MY 2020	94139402	0.01	5	1	< 0.01	1	170	6	0.09	2	< 1	21	< 0.01	< 10	< 10	9	< 10	4
MY 2021	94139402	0.46	635	1	0.04	19	230	6	0.14	< 2	2	28	0.09	< 10	< 10	38	< 10	38
MY 2022	94139402	0.08	35	< 1	0.01	4	50	16	0.08	10	< 1	21	< 0.01	< 10	< 10	4	< 10	18
MY 2023	94139402	< 0.01	10	8	< 0.01	5	30	10	0.08	12	< 1	9	< 0.01	< 10	< 10	71	< 10	76
MY 2024	94139402	0.03	5	1	0.01	1	70	4	0.13	< 2	< 1	19	< 0.01	< 10	< 10	7	< 10	2
MY 2062	94139402	0.66	795	1	0.04	26	390	8	2.91	4	4	53	< 0.01	< 10	< 10	45	< 10	54
MY 2063	94139402	0.23	40	< 1	0.03	8	120	2	0.11	8	< 1	75	< 0.01	< 10	< 10	10	< 10	10
MY 2064	94139402	0.23	65	3	0.01	15	170	8	0.72	8	< 1	21	< 0.01	< 10	< 10	11	< 10	14
MY 2065	94139402	0.26	90	17	0.01	3	290	10	0.20	18	1	20	< 0.01	< 10	< 10	14	< 10	18

Myschka

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :3-A
Total Pages :4
Certificate Date: 17-JUL-2002
Invoice No. :10219737
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/JIM STYPULA CC: ERIK WILTZEN/ SERGUEI

CERTIFICATE OF ANALYSIS A0219737

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
MY 2066	94139402	1.34	10	0.8	0.36	76	< 10	600	< 0.5	2	0.03	< 0.5	< 1	73	67	1.31	< 10	< 1	0.15	10
MY 2067	94139402	1.12	5	0.6	0.59	310	< 10	1070	< 0.5	< 2	0.01	< 0.5	< 1	89	44	2.41	< 10	< 1	0.13	< 10
MY 2068	94139402	0.96	< 5	0.4	0.29	90	< 10	1080	< 0.5	< 2	< 0.01	< 0.5	< 1	91	35	1.37	< 10	< 1	0.05	< 10
MY 2069	94139402	1.04	< 5	0.4	0.29	154	< 10	940	< 0.5	< 2	< 0.01	< 0.5	< 1	143	29	1.34	< 10	< 1	0.06	< 10
MY 2070	94139402	1.32	< 5	0.8	0.54	148	< 10	1440	< 0.5	< 2	< 0.01	< 0.5	< 1	94	46	1.31	< 10	< 1	0.07	< 10
MY 2071	94139402	1.14	< 5	0.4	0.40	162	< 10	1350	< 0.5	< 2	< 0.01	< 0.5	< 1	115	42	2.10	< 10	< 1	0.10	< 10
MY 2072	94139402	0.96	5	< 0.2	0.40	50	< 10	1330	< 0.5	< 2	< 0.01	< 0.5	< 1	112	19	0.79	< 10	< 1	0.10	< 10
MY 2073	94139402	1.12	< 5	0.6	0.14	38	< 10	410	< 0.5	< 2	< 0.01	< 0.5	< 1	100	56	2.72	< 10	< 1	0.04	< 10
MY 2074	94139402	1.22	< 5	0.4	0.46	16	< 10	240	< 0.5	< 2	< 0.01	0.5	< 1	64	74	2.92	< 10	< 1	0.31	< 10
MY 2075	94139402	1.18	305	39.6	0.14	>10000	< 10	150	< 0.5	384	< 0.01	13.5	1	24	627	14.00	< 10	< 1	0.05	< 10
MY 2076	94139402	0.94	< 5	< 0.2	0.57	322	< 10	1170	< 0.5	< 2	0.01	< 0.5	1	108	103	1.04	< 10	< 1	0.15	< 10
MY 2077	94139402	1.28	85	14.6	0.13	434	40	160	< 0.5	28	< 0.01	< 0.5	< 1	98	12	0.90	< 10	< 1	0.06	< 10
MY 2078	94139402	1.32	< 5	< 0.2	0.37	28	10	440	< 0.5	< 2	0.01	< 0.5	< 1	47	18	1.89	< 10	< 1	0.16	< 10
MY 2079	94139402	1.26	< 5	< 0.2	0.40	30	10	160	< 0.5	< 2	0.03	< 0.5	5	60	50	1.92	< 10	< 1	0.19	< 10
MY 2080	94139402	0.84	< 5	0.2	0.22	16	20	340	< 0.5	< 2	< 0.01	< 0.5	< 1	62	11	1.10	< 10	< 1	0.11	< 10
MY 2081	94139402	0.96	< 5	< 0.2	0.20	18	60	230	< 0.5	< 2	< 0.01	< 0.5	1	74	20	1.55	< 10	< 1	0.08	< 10
MY 2082	94139402	1.22	< 5	0.4	0.09	14	< 10	320	< 0.5	4	< 0.01	< 0.5	< 1	99	5	0.45	< 10	< 1	0.05	< 10
MY 2083	94139402	1.44	25	2.4	0.07	>10000	10	660	< 0.5	30	< 0.01	< 0.5	< 1	93	97	1.63	< 10	< 1	0.03	< 10
MY 2084	94139402	1.42	60	5.8	0.11	586	< 10	240	< 0.5	4	< 0.01	< 0.5	< 1	64	102	2.07	< 10	< 1	0.05	< 10
MY 2085	94139402	1.26	< 5	0.2	0.12	76	< 10	1020	< 0.5	< 2	< 0.01	< 0.5	< 1	143	9	0.99	< 10	< 1	0.04	< 10
MY 2086	94139402	1.28	< 5	0.8	0.14	366	< 10	560	< 0.5	< 2	< 0.01	< 0.5	< 1	71	44	3.22	< 10	< 1	0.17	< 10
MY 2087	94139402	1.26	< 5	1.2	0.12	190	< 10	840	< 0.5	< 2	< 0.01	< 0.5	< 1	112	11	0.93	< 10	< 1	0.10	< 10
MY 2088	94139402	1.60	65	0.6	0.18	972	< 10	540	< 0.5	< 2	< 0.01	< 0.5	< 1	55	28	2.74	< 10	< 1	0.08	< 10
MY 2089	94139402	1.04	50	0.6	0.23	270	40	840	< 0.5	< 2	< 0.01	< 0.5	< 1	64	13	0.94	< 10	< 1	0.20	< 10
MY 2090	94139402	1.30	25	2.0	0.15	568	30	900	< 0.5	6	< 0.01	< 0.5	< 1	61	7	0.96	< 10	< 1	0.12	< 10
MY 2091	94139402	1.26	70	2.2	0.10	3320	20	740	< 0.5	6	< 0.01	< 0.5	1	138	17	0.82	< 10	< 1	0.06	< 10
MY 2092	94139402	1.30	35	1.2	0.09	1120	40	810	< 0.5	2	< 0.01	< 0.5	< 1	68	6	0.82	< 10	< 1	0.07	< 10
MY 2093	94139402	1.40	55	0.8	0.11	1330	70	1300	< 0.5	4	< 0.01	< 0.5	< 1	105	9	0.47	< 10	< 1	0.07	< 10
MY 2094	94139402	1.02	40	1.0	0.11	944	20	870	< 0.5	2	< 0.01	< 0.5	< 1	47	7	0.51	< 10	< 1	0.08	< 10
MY 2095	94139402	1.18	< 5	0.6	0.23	36	< 10	730	< 0.5	< 2	< 0.01	< 0.5	< 1	46	6	0.43	< 10	< 1	0.14	< 10
MY 2096	94139402	1.30	125	2.0	0.13	1525	10	880	< 0.5	50	< 0.01	< 0.5	< 1	48	130	5.07	< 10	< 1	0.06	< 10
MY 2097	94139402	0.98	< 5	< 0.2	0.67	44	< 10	510	< 0.5	< 2	0.01	< 0.5	1	114	11	1.25	< 10	< 1	0.10	10
MY 2098	94139402	1.06	< 5	< 0.2	0.89	12	< 10	480	< 0.5	< 2	< 0.01	< 0.5	1	76	16	1.59	< 10	< 1	0.10	10
MY 2099	94139402	1.06	< 5	< 0.2	1.19	16	< 10	700	< 0.5	< 2	< 0.01	< 0.5	4	84	25	2.12	< 10	< 1	0.19	10
MY 2100	94139402	0.90	< 5	< 0.2	0.03	10	< 10	100	< 0.5	< 2	< 0.01	< 0.5	< 1	114	3	0.36	< 10	< 1	0.01	< 10
MY 2101	94139402	0.76	< 5	1.4	0.21	88	< 10	600	< 0.5	< 2	< 0.01	< 0.5	< 1	75	2	0.44	< 10	< 1	0.16	< 10
MY 2102	94139402	0.82	5	0.2	0.22	40	10	1050	< 0.5	< 2	< 0.01	< 0.5	< 1	80	17	0.86	< 10	< 1	0.08	< 10
MY 2103	94139402	0.82	< 5	0.6	0.07	36	< 10	370	< 0.5	< 2	< 0.01	< 0.5	< 1	111	7	0.39	< 10	< 1	0.03	< 10
MY 2104	94139402	0.74	10	25.4	0.42	3620	< 10	520	< 0.5	142	0.03	1.0	< 1	64	322	9.79	< 10	< 1	0.10	20
MY 2105	94139402	0.84	< 5	< 0.2	4.02	52	< 10	330	< 0.5	< 2	1.54	< 0.5	6	68	27	3.13	10	< 1	0.80	10

Myschka

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/JIM STYPULA CC: ERIK WILTZEN/ SERGUEI

Page Number :3-B
Total Pages :4
Certificate Date: 17-JUL-2002
Invoice No. :I0219737
P.O. Number :
Account :TTY

CERTIFICATE OF ANALYSIS A0219737

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
MY 2066	94139402	0.13	40	14	0.01	6	290	14	0.23	16	1	25	< 0.01	< 10	< 10	12	< 10	14
MY 2067	94139402	0.18	40	4	0.01	5	730	10	0.13	10	1	49	< 0.01	< 10	< 10	14	< 10	58
MY 2068	94139402	0.14	25	< 1	0.01	4	240	4	0.07	10	< 1	26	< 0.01	< 10	< 10	7	< 10	16
MY 2069	94139402	0.13	45	4	0.01	4	200	6	0.04	8	< 1	19	< 0.01	< 10	< 10	6	< 10	22
MY 2070	94139402	0.26	55	1	0.01	4	210	8	0.11	16	< 1	39	< 0.01	< 10	< 10	15	< 10	16
MY 2071	94139402	0.17	30	4	0.01	4	460	6	0.11	8	< 1	33	< 0.01	< 10	< 10	13	< 10	20
MY 2072	94139402	0.21	25	< 1	0.01	5	280	4	0.13	2	< 1	45	< 0.01	< 10	< 10	13	< 10	8
MY 2073	94139402	0.01	10	4	< 0.01	3	170	8	0.06	38	< 1	3	< 0.01	< 10	< 10	5	< 10	12
MY 2074	94139402	0.14	65	4	0.01	4	910	16	0.48	12	1	20	< 0.01	< 10	< 10	13	< 10	18
MY 2075	94139402	< 0.01	70	1	0.01	1	1280	1770	0.71	1195	18	< 1	< 0.01	< 10	< 10	12	< 10	120
MY 2076	94139402	0.25	150	< 1	0.01	8	90	18	0.09	8	1	24	0.02	< 10	< 10	16	< 10	26
MY 2077	94139402	0.01	10	2	0.01	2	270	1805	0.26	12	< 1	5	< 0.01	< 10	< 10	4	< 10	6
MY 2078	94139402	0.10	35	< 1	0.01	7	260	14	0.27	6	< 1	7	< 0.01	< 10	< 10	8	< 10	22
MY 2079	94139402	0.10	40	2	0.01	37	210	14	0.99	10	< 1	7	< 0.01	< 10	< 10	8	< 10	52
MY 2080	94139402	0.03	15	< 1	0.01	7	90	8	0.28	20	< 1	4	< 0.01	< 10	< 10	5	< 10	8
MY 2081	94139402	0.03	20	2	0.01	11	160	8	0.43	4	< 1	8	< 0.01	< 10	< 10	4	< 10	10
MY 2082	94139402	< 0.01	10	< 1	< 0.01	2	80	20	0.03	2	< 1	3	< 0.01	< 10	< 10	3	< 10	4
MY 2083	94139402	< 0.01	10	3	0.01	1	170	200	0.07	14	3	5	< 0.01	< 10	< 10	3	< 10	16
MY 2084	94139402	< 0.01	5	1	< 0.01	2	80	960	0.69	14	< 1	9	< 0.01	< 10	< 10	3	< 10	6
MY 2085	94139402	0.04	30	4	0.01	3	120	14	0.05	6	< 1	16	< 0.01	< 10	< 10	4	< 10	12
MY 2086	94139402	< 0.01	5	1	0.01	1	290	22	0.25	18	< 1	6	< 0.01	< 10	< 10	16	< 10	10
MY 2087	94139402	< 0.01	10	4	0.01	2	40	24	0.11	10	< 1	6	< 0.01	< 10	< 10	5	< 10	2
MY 2088	94139402	< 0.01	5	2	< 0.01	1	350	824	0.06	196	< 1	30	< 0.01	< 10	< 10	22	< 10	10
MY 2089	94139402	0.01	5	2	0.01	1	90	76	0.18	28	< 1	12	< 0.01	< 10	< 10	5	< 10	6
MY 2090	94139402	< 0.01	5	1	0.01	1	100	124	0.13	80	< 1	10	< 0.01	< 10	< 10	4	< 10	2
MY 2091	94139402	< 0.01	15	4	0.01	3	120	112	0.07	56	1	5	< 0.01	< 10	< 10	3	< 10	< 2
MY 2092	94139402	< 0.01	5	< 1	< 0.01	1	130	324	0.08	72	< 1	6	< 0.01	< 10	< 10	2	< 10	< 2
MY 2093	94139402	< 0.01	15	4	0.01	2	90	60	0.06	24	< 1	8	< 0.01	< 10	< 10	2	< 10	< 2
MY 2094	94139402	< 0.01	< 5	< 1	< 0.01	1	80	112	0.06	42	< 1	7	< 0.01	< 10	< 10	3	< 10	< 2
MY 2095	94139402	0.01	5	2	0.01	< 1	50	40	0.04	52	< 1	5	< 0.01	< 10	< 10	6	< 10	< 2
MY 2096	94139402	< 0.01	5	1	< 0.01	1	260	532	0.05	282	< 1	3	< 0.01	< 10	< 10	8	< 10	14
MY 2097	94139402	0.34	70	4	0.01	5	190	4	0.08	2	< 1	21	< 0.01	< 10	< 10	18	< 10	18
MY 2098	94139402	0.53	70	1	0.01	5	160	2	0.05	< 2	< 1	14	< 0.01	< 10	< 10	20	< 10	24
MY 2099	94139402	0.60	80	3	0.02	20	180	2	0.13	< 2	1	15	< 0.01	< 10	< 10	28	< 10	48
MY 2100	94139402	< 0.01	5	< 1	< 0.01	2	60	2	0.02	8	< 1	14	< 0.01	< 10	< 10	< 1	< 10	< 2
MY 2101	94139402	0.01	5	2	< 0.01	1	40	46	0.13	24	< 1	4	< 0.01	< 10	< 10	4	< 10	2
MY 2102	94139402	0.02	15	< 1	0.01	4	80	26	0.09	14	< 1	8	< 0.01	< 10	< 10	5	< 10	10
MY 2103	94139402	< 0.01	10	3	< 0.01	2	30	10	0.03	12	< 1	3	< 0.01	< 10	< 10	3	< 10	< 2
MY 2104	94139402	0.01	30	5	0.01	6	2000	1520	0.18	102	1	124	< 0.01	< 10	10	61	< 10	138
MY 2105	94139402	0.80	325	3	0.31	4	530	8	0.05	< 2	5	110	0.26	< 10	< 10	42	< 10	32

Myschka

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/JIM STYPULA CC: ERIK WILTZEN/ SERGUEI

Certificate Date: 17-JUL-2002
Invoice No. :10219737
P.O. Number :
Account :TTY

CERTIFICATE OF ANALYSIS A0219737

Myschka

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
MY 2106	9413 9402	0.56	< 5	< 0.2	7.45	20	< 10	220	2.0	< 2	3.10	< 0.5	5	113	31	1.47	20	< 1	0.75	< 10
MY 2107	9413 9402	0.52	< 5	< 0.2	5.22	16	< 10	440	1.5	< 2	2.06	< 0.5	4	135	23	1.25	10	< 1	0.53	< 10
MY 2108	9413 9402	0.56	< 5	< 0.2	6.70	12	< 10	220	2.0	< 2	2.87	< 0.5	3	99	22	1.33	10	< 1	0.69	< 10
MY 3001	9413 9402	0.24	< 5	< 0.2	1.74	10	< 10	400	< 0.5	< 2	1.14	< 0.5	10	41	5	3.20	< 10	< 1	0.22	10

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :4-B
Total Pages :4
Certificate Date: 17-JUL-2002
Invoice No. :10219737
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/JIM STYPULA CC: ERIK WILTZEN/ SERGUEI

CERTIFICATE OF ANALYSIS A0219737

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
MY 2106	94139402	1.18	100	11	0.37	35	1670	20	0.06	< 2	8	251	0.10	< 10	< 10	143	< 10	28
MY 2107	94139402	0.89	80	12	0.24	24	970	12	0.07	< 2	5	158	0.09	< 10	< 10	101	< 10	30
MY 2108	94139402	1.05	85	9	0.37	22	1230	18	0.06	< 2	7	234	0.09	< 10	< 10	126	< 10	20
MY 3001	94139402	0.78	625	3	0.03	11	550	12	0.02	< 2	5	74	< 0.01	< 10	< 10	24	< 10	50

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

mischka

Certificate Date: 23-JUL-2002
Invoice No. :I0220197
P.O. Number :
Account :TTY

Project : yukon project
Comments: ATTN: CARL SCHULZE/SERGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0220197

Mischka Rocks

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au chec ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %
CY 3001	94139402	0.60	420	440	59.8	0.64	>10000	< 10	10	< 0.5	44	< 0.01	13.0	3	36	44	2.00	< 10	< 1	0.06
MY 1009	94139402	1.98	10	-----	1.2	0.71	1135	50	730	< 0.5	4	< 0.01	< 0.5	1	69	29	1.79	< 10	< 1	0.11
MY 1010	94139402	1.04	< 5	-----	< 0.2	0.43	16	< 10	1560	< 0.5	< 2	< 0.01	< 0.5	10	21	216	3.24	< 10	< 1	0.09
MY 1011	94139402	1.84	< 5	-----	< 0.2	4.15	142	< 10	280	1.5	< 2	2.08	3.0	7	61	63	3.38	< 10	< 1	0.24
MY 1012	94139402	1.50	< 5	-----	8.4	0.27	266	< 10	100	< 0.5	8	< 0.01	2.5	< 1	57	60	2.61	< 10	< 1	0.30
MY 1013	94139402	1.24	< 5	-----	0.8	0.12	88	< 10	850	< 0.5	2	< 0.01	< 0.5	< 1	131	15	0.90	< 10	< 1	0.03
MY 1014	94139402	0.46	100	-----	16.8	0.61	76	< 10	530	< 0.5	142	0.01	< 0.5	< 1	90	31	0.91	< 10	< 1	0.05
MY 1015	94139402	0.96	35	-----	29.0	0.09	>10000	< 10	540	< 0.5	< 2	< 0.01	1.5	< 1	95	45	2.10	< 10	< 1	0.07
MY 1016	94139402	1.36	230	-----	46.6	0.53	>10000	< 10	220	< 0.5	6	0.01	29.0	< 1	45	180	4.89	< 10	< 1	0.19
MY 1017	94139402	1.16	20	-----	3.6	0.25	1520	< 10	460	< 0.5	< 2	< 0.01	< 0.5	< 1	59	33	1.68	< 10	< 1	0.19
MY 1018	94139402	2.18	25	-----	1.6	0.13	1030	< 10	750	< 0.5	< 2	< 0.01	< 0.5	< 1	58	15	0.91	< 10	< 1	0.10
MY 1019	94139402	1.28	550	-----	57.2	1.03	>10000	< 10	100	< 0.5	< 2	0.02	65.5	1	40	248	8.79	< 10	< 1	0.21
MY 2025	94139402	0.68	10	-----	0.2	0.71	894	< 10	1170	< 0.5	< 2	< 0.01	< 0.5	1	57	39	1.87	< 10	< 1	0.06
MY 2026	94139402	0.54	< 5	-----	0.2	0.85	240	< 10	1810	< 0.5	< 2	0.02	< 0.5	8	34	50	1.50	< 10	< 1	0.10
MY 2027	94139402	0.50	< 5	-----	< 0.2	0.32	50	< 10	1160	< 0.5	< 2	0.07	< 0.5	2	49	18	0.67	< 10	< 1	0.05
MY 2028	94139402	0.50	< 5	-----	< 0.2	0.03	70	< 10	100	< 0.5	< 2	< 0.01	< 0.5	< 1	162	11	0.41	< 10	< 1	0.01
MY 2029	94139402	0.60	< 5	-----	< 0.2	0.05	28	< 10	100	< 0.5	< 2	< 0.01	< 0.5	< 1	105	13	0.38	< 10	< 1	0.03
MY 2030	94139402	0.52	< 5	-----	< 0.2	0.14	20	< 10	260	< 0.5	< 2	0.02	< 0.5	1	96	19	0.27	< 10	< 1	0.07
MY 2031	94139402	0.48	< 5	-----	< 0.2	0.25	8	< 10	250	< 0.5	< 2	0.02	< 0.5	1	67	21	0.48	< 10	< 1	0.09
MY 2032	94139402	0.52	< 5	-----	< 0.2	0.04	12	< 10	70	< 0.5	< 2	< 0.01	< 0.5	1	145	4	0.38	< 10	< 1	0.03
MY 2033	94139402	1.18	35	-----	2.4	0.30	3060	< 10	1130	< 0.5	68	< 0.01	< 0.5	8	54	27	0.87	< 10	< 1	0.12
MY 2035	94139402	0.36	< 5	-----	0.2	1.29	26	< 10	680	< 0.5	< 2	0.08	< 0.5	12	76	160	2.06	< 10	< 1	0.44
MY 2036	94139402	1.00	< 5	-----	< 0.2	0.35	154	< 10	230	< 0.5	< 2	0.16	0.5	3	75	20	0.91	< 10	< 1	0.04
MY 2037	94139402	1.38	10	-----	< 0.2	4.89	226	< 10	50	1.5	< 2	2.94	0.5	8	72	76	3.56	10	< 1	0.20
MY 2038	94139402	0.74	< 5	-----	< 0.2	4.90	252	< 10	140	1.5	< 2	3.60	0.5	7	43	54	2.46	10	< 1	0.11
MY 2039	94139402	0.86	< 5	-----	< 0.2	4.34	1265	< 10	50	1.5	< 2	2.62	< 0.5	19	68	95	4.14	10	< 1	0.13
MY 2040	94139402	0.84	< 5	-----	0.2	0.26	322	< 10	120	< 0.5	< 2	0.08	< 0.5	3	75	28	1.15	< 10	< 1	0.03
MY 2041	94139402	0.62	< 5	-----	0.2	0.21	60	< 10	490	< 0.5	< 2	0.02	6.5	1	98	38	0.88	< 10	< 1	0.07
MY 2042	94139402	0.66	< 5	-----	0.4	0.12	10	< 10	310	< 0.5	< 2	< 0.01	0.5	1	54	26	0.60	< 10	< 1	0.08
MY 2043	94139402	0.80	345	-----	1.2	0.11	112	< 10	330	< 0.5	< 2	< 0.01	< 0.5	< 1	37	164	11.35	< 10	< 1	< 0.01
MY 2044	94139402	0.50	< 5	-----	1.0	0.26	18	< 10	620	< 0.5	< 2	< 0.01	< 0.5	< 1	58	16	0.66	< 10	< 1	0.09
MY 2045	94139402	0.76	< 5	-----	0.6	0.65	342	< 10	310	< 0.5	< 2	0.02	0.5	< 1	123	35	2.22	< 10	< 1	0.06
MY 2046	94139402	0.94	< 5	-----	0.6	1.90	932	< 10	240	3.0	< 2	0.11	6.0	11	65	243	8.95	< 10	< 1	0.08
MY 2047	94139402	0.50	< 5	-----	< 0.2	0.55	6	120	380	< 0.5	< 2	>15.00	< 0.5	1	8	33	1.06	< 10	< 1	0.05
MY 2048	94139402	0.48	< 5	-----	1.6	3.60	228	< 10	830	0.5	16	0.54	1.0	15	62	89	3.87	< 10	< 1	0.16
MY 2049	94139402	0.42	< 5	-----	< 0.2	0.35	14	< 10	430	< 0.5	< 2	0.01	< 0.5	1	130	8	0.88	< 10	< 1	0.02
MY 2050	94139402	0.56	< 5	-----	< 0.2	0.05	8	< 10	520	< 0.5	< 2	0.01	< 0.5	< 1	96	4	0.36	< 10	< 1	0.01
MY 2051	94139402	0.54	< 5	-----	1.8	0.34	214	< 10	210	< 0.5	< 2	< 0.01	3.0	1	89	59	1.47	< 10	< 1	0.17
MY 2052	94139402	0.98	< 5	-----	0.2	0.59	106	< 10	130	< 0.5	< 2	< 0.01	< 0.5	3	31	76	1.67	< 10	< 1	0.19
MY 2053	94139402	0.66	< 5	-----	0.8	1.24	70	< 10	180	< 0.5	< 2	< 0.01	< 0.5	1	69	49	3.01	< 10	< 1	0.70

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1-B
Total Pages :2
Certificate Date: 23-JUL-2002
Invoice No. :10220197
P.O. Number :
Account :TTY

Project : yukon project
Comments: ATTN: CARL SCHULZE/SERGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0220197

SAMPLE	PREP CODE	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
CY 3001	94139402	< 10	0.01	5	< 1	< 0.01	12	100	1220	1.36	830	< 1	1	< 0.01	< 10	< 10	< 1	< 10	134
MY 1009	94139402	10	0.04	25	3	0.01	11	250	126	0.16	28	< 1	26	< 0.01	< 10	< 10	4	< 10	58
MY 1010	94139402	< 10	0.01	105	< 1	< 0.01	31	220	12	0.04	2	4	8	< 0.01	< 10	< 10	12	< 10	114
MY 1011	94139402	< 10	0.72	80	12	0.32	68	3090	6	0.51	6	3	252	0.01	< 10	< 10	60	< 10	206
MY 1012	94139402	< 10	0.01	15	17	0.02	4	840	868	0.59	44	1	34	< 0.01	< 10	< 10	15	< 10	148
MY 1013	94139402	< 10	< 0.01	20	4	< 0.01	3	250	50	0.04	16	< 1	41	< 0.01	< 10	< 10	9	< 10	8
MY 1014	94139402	< 10	0.60	80	3	0.01	3	510	202	0.11	40	2	122	< 0.01	< 10	< 10	46	< 10	42
MY 1015	94139402	< 10	< 0.01	10	3	0.01	1	700	3960	0.17	1050	3	17	< 0.01	< 10	< 10	5	< 10	14
MY 1016	94139402	< 10	< 0.01	15	5	< 0.01	< 1	2650	>10000	0.62	8530	8	64	< 0.01	< 10	10	33	< 10	96
MY 1017	94139402	10	0.01	10	5	0.01	1	890	5940	0.33	676	< 1	73	< 0.01	< 10	< 10	20	< 10	18
MY 1018	94139402	< 10	< 0.01	5	< 1	< 0.01	1	330	1215	0.15	158	< 1	22	< 0.01	< 10	< 10	8	< 10	6
MY 1019	94139402	< 10	< 0.01	15	8	0.01	4	5070	>10000	1.15	>10000	9	79	< 0.01	< 10	40	73	< 10	228
MY 2025	94139402	< 10	0.51	140	2	< 0.01	11	360	492	0.09	128	1	119	< 0.01	< 10	< 10	15	< 10	42
MY 2026	94139402	< 10	0.47	380	2	0.01	23	150	236	0.06	58	1	50	< 0.01	< 10	< 10	11	< 10	56
MY 2027	94139402	< 10	0.20	428	< 1	0.01	11	160	38	0.09	14	1	74	< 0.01	< 10	< 10	7	< 10	16
MY 2028	94139402	< 10	< 0.01	20	5	< 0.01	4	50	68	0.03	24	< 1	14	< 0.01	< 10	< 10	1	< 10	2
MY 2029	94139402	< 10	< 0.01	15	< 1	< 0.01	4	60	24	0.01	10	< 1	19	< 0.01	< 10	< 10	1	< 10	8
MY 2030	94139402	< 10	< 0.01	35	3	< 0.01	3	70	20	0.01	6	< 1	21	< 0.01	< 10	< 10	4	< 10	10
MY 2031	94139402	< 10	0.08	45	< 1	< 0.01	7	60	12	< 0.01	2	< 1	8	< 0.01	< 10	< 10	8	< 10	28
MY 2032	94139402	< 10	< 0.01	25	5	< 0.01	4	60	12	0.04	4	< 1	8	< 0.01	< 10	< 10	2	< 10	2
MY 2033	94139402	< 10	0.05	20	3	0.01	15	150	70	0.15	16	1	22	< 0.01	< 10	< 10	6	< 10	14
MY 2035	94139402	< 10	0.41	785	5	0.04	39	210	14	0.30	8	4	49	0.06	< 10	< 10	27	< 10	108
MY 2036	94139402	< 10	0.06	25	1	< 0.01	35	970	8	0.25	8	< 1	43	< 0.01	< 10	< 10	5	< 10	196
MY 2037	94139402	< 10	0.93	110	13	0.40	79	1860	12	2.45	14	3	304	0.04	< 10	< 10	61	< 10	110
MY 2038	94139402	< 10	0.61	65	8	0.38	54	4370	8	0.99	4	1	358	0.02	< 10	< 10	38	< 10	38
MY 2039	94139402	< 10	0.75	65	12	0.33	64	2470	8	2.53	6	2	262	0.03	< 10	< 10	69	< 10	48
MY 2040	94139402	< 10	0.03	15	1	< 0.01	19	540	8	0.87	8	< 1	18	< 0.01	< 10	< 10	5	< 10	134
MY 2041	94139402	< 10	0.06	20	4	< 0.01	8	400	16	0.12	8	< 1	64	< 0.01	< 10	< 10	12	< 10	100
MY 2042	94139402	< 10	0.01	5	< 1	< 0.01	5	90	6	0.31	2	< 1	17	< 0.01	< 10	< 10	4	< 10	6
MY 2043	94139402	< 10	< 0.01	10	4	< 0.01	3	1760	162	0.09	22	< 1	3	< 0.01	< 10	< 10	98	< 10	32
MY 2044	94139402	< 10	0.05	5	3	< 0.01	6	180	10	0.13	2	< 1	15	< 0.01	< 10	< 10	14	< 10	26
MY 2045	94139402	< 10	0.38	75	9	< 0.01	9	1240	12	0.10	8	1	234	< 0.01	< 10	< 10	42	< 10	28
MY 2046	94139402	< 10	0.69	150	19	< 0.01	175	2980	34	0.08	50	5	110	< 0.01	< 10	30	139	< 10	2180
MY 2047	94139402	10	9.78	985	< 1	< 0.01	9	120	2	0.54	2	< 1	3500	0.03	< 10	10	12	< 10	104
MY 2048	94139402	< 10	0.80	355	10	0.04	71	1150	28	0.11	26	6	333	0.02	< 10	< 10	77	< 10	328
MY 2049	94139402	< 10	0.19	60	5	0.01	8	120	4	0.07	2	< 1	34	< 0.01	< 10	< 10	11	< 10	16
MY 2050	94139402	< 10	< 0.01	10	< 1	< 0.01	2	70	16	0.01	4	< 1	13	< 0.01	< 10	< 10	2	< 10	2
MY 2051	94139402	< 10	0.16	30	6	0.01	6	410	74	0.35	6	1	37	< 0.01	< 10	< 10	14	< 10	22
MY 2052	94139402	< 10	0.33	85	1	0.01	12	210	6	0.58	6	< 1	41	< 0.01	< 10	< 10	14	< 10	14
MY 2053	94139402	< 10	0.36	35	3	0.05	10	470	12	0.48	8	3	48	0.01	< 10	< 10	31	< 10	26

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Certificate Date: 23-JUL-2002
Invoice No. :I0220197
P.O. Number :
Account :TTY

Project : yukon project
Comments: ATTN: CARL SCHULZE/SERGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0220197

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au chec ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %
MY 2054	94139402	0.84	< 5	-----	< 0.2	0.33	138	< 10	250	< 0.5	< 2	< 0.01	< 0.5	< 1	70	33	1.80	< 10	< 1	0.17
MY 2055	94139402	0.64	< 5	-----	1.0	1.43	120	< 10	2560	< 0.5	2	< 0.01	< 0.5	1	85	57	3.63	< 10	< 1	0.43
MY 2056	94139402	0.96	< 5	-----	0.2	1.12	138	< 10	2410	< 0.5	< 2	< 0.01	< 0.5	2	81	48	1.34	< 10	< 1	0.31
MY 2057	94139402	0.70	< 5	-----	0.2	0.86	74	< 10	250	< 0.5	< 2	< 0.01	< 0.5	1	58	30	2.17	< 10	< 1	0.26
MY 2058	94139402	0.98	< 5	-----	0.2	0.15	98	< 10	900	< 0.5	< 2	< 0.01	< 0.5	< 1	92	14	0.87	< 10	< 1	0.05
MY 2059	94139402	0.90	< 5	-----	0.2	0.61	194	< 10	360	< 0.5	< 2	< 0.01	< 0.5	< 1	75	46	2.43	< 10	< 1	0.19
MY 2060	94139402	1.02	< 5	-----	0.2	0.51	126	< 10	250	< 0.5	< 2	< 0.01	< 0.5	< 1	63	41	2.22	< 10	< 1	0.19
MY 2061	94139402	1.00	10	-----	0.2	0.12	2320	< 10	530	< 0.5	< 2	< 0.01	< 0.5	5	118	25	0.63	< 10	< 1	0.01
MY 3002	94139402	0.18	< 5	-----	< 0.2	1.23	12	< 10	1630	< 0.5	< 2	0.08	< 0.5	9	36	28	2.29	< 10	< 1	0.18
MY 3003	94139402	0.18	< 5	-----	< 0.2	2.25	10	< 10	790	< 0.5	< 2	1.33	< 0.5	13	87	8	3.40	< 10	< 1	0.12
MY 3005	94139402	0.44	< 5	-----	< 0.2	0.28	6	< 10	340	< 0.5	< 2	0.01	< 0.5	12	59	92	1.52	< 10	< 1	0.05
MY 3006	94139402	0.24	< 5	-----	< 0.2	0.05	2	< 10	40	< 0.5	< 2	< 0.01	< 0.5	1	142	28	0.40	< 10	< 1	< 0.01
MY 3007	94139402	0.58	20	-----	< 0.2	0.06	12	< 10	130	< 0.5	< 2	< 0.01	< 0.5	< 1	86	3	0.28	< 10	< 1	0.03
MY 3008	94139402	0.90	< 5	-----	< 0.2	0.11	8	< 10	180	< 0.5	< 2	0.01	< 0.5	< 1	110	48	1.71	< 10	< 1	0.04
MY 3009	94139402	0.44	< 5	-----	0.8	0.32	422	< 10	30	0.5	8	0.11	6.5	7	13	149	5.40	< 10	< 1	< 0.01
MY 3010	94139402	0.46	10	-----	0.2	0.90	74	130	3280	< 0.5	< 2	>15.00	4.5	3	25	16	0.43	< 10	< 1	0.16
MY 3011	94139402	0.34	15	-----	2.8	0.04	80	10	100	< 0.5	20	0.08	2.0	< 1	74	3	0.24	< 10	< 1	< 0.01
MY 3012	94139402	0.26	15	-----	0.6	0.34	172	< 10	450	< 0.5	12	0.09	< 0.5	< 1	112	29	1.81	< 10	< 1	0.19
MY 3013	94139402	0.38	130	-----	11.2	0.12	1060	< 10	710	< 0.5	6	< 0.01	< 0.5	< 1	65	12	1.53	< 10	< 1	0.16
MY 3014	94139402	0.30	360	-----	4.4	0.16	570	< 10	160	< 0.5	62	0.04	< 0.5	1	43	96	12.25	< 10	< 1	0.12
MY 3015	94139402	0.24	< 5	-----	0.6	0.09	364	< 10	630	< 0.5	18	< 0.01	< 0.5	< 1	62	13	1.27	< 10	< 1	0.14
MY 3016	94139402	1.06	< 5	-----	0.2	0.59	52	< 10	3200	< 0.5	< 2	0.02	< 0.5	1	112	22	0.97	< 10	< 1	0.08
MY 3019	94139402	1.26	< 5	-----	< 0.2	2.33	66	< 10	180	< 0.5	2	0.57	< 0.5	5	36	148	3.09	< 10	< 1	0.13
MY 3020	94139402	0.50	< 5	-----	< 0.2	3.96	208	< 10	110	< 0.5	< 2	1.62	< 0.5	10	65	38	4.11	10	< 1	0.26

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : yukon project
Comments: ATTN: CARL SCHULZE/SERGUEI SOLOVIEV CC: ERIK WILTZEN

Certificate Date: 23-JUL-2002
Invoice No. :10220197
P.O. Number :
Account :TTY

CERTIFICATE OF ANALYSIS A0220197

SAMPLE	PREP CODE	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
MY 2054	94139402	< 10	0.17	40	1	0.01	4	470	8	0.30	6	< 1	47	< 0.01	< 10	< 10	11	< 10	14
MY 2055	94139402	< 10	0.34	45	3	0.03	6	270	6	0.11	6	1	97	< 0.01	< 10	< 10	26	< 10	28
MY 2056	94139402	< 10	0.26	25	1	0.03	6	100	4	0.12	2	1	103	< 0.01	< 10	< 10	20	< 10	14
MY 2057	94139402	< 10	0.47	95	3	0.01	11	330	6	0.37	8	1	39	0.01	< 10	< 10	21	< 10	22
MY 2058	94139402	< 10	0.07	20	< 1	0.01	3	260	4	0.12	4	< 1	21	< 0.01	< 10	< 10	4	< 10	6
MY 2059	94139402	< 10	0.27	50	3	0.01	6	810	6	0.27	6	1	35	< 0.01	< 10	< 10	15	< 10	20
MY 2060	94139402	< 10	0.30	50	< 1	0.01	6	590	6	0.31	8	< 1	34	< 0.01	< 10	< 10	14	< 10	18
MY 2061	94139402	< 10	0.04	20	4	< 0.01	4	70	8	0.11	6	< 1	16	< 0.01	< 10	< 10	1	< 10	6
MY 3002	94139402	10	0.63	400	1	0.01	43	420	2	0.05	< 2	1	60	< 0.01	< 10	< 10	18	< 10	90
MY 3003	94139402	< 10	1.18	730	4	0.08	16	500	10	0.04	< 2	4	72	0.06	< 10	< 10	50	< 10	68
MY 3005	94139402	< 10	0.06	335	1	0.01	31	170	6	0.01	< 2	1	11	< 0.01	< 10	< 10	15	< 10	76
MY 3006	94139402	< 10	< 0.01	25	5	< 0.01	4	30	2	< 0.01	< 2	< 1	2	< 0.01	< 10	< 10	1	< 10	6
MY 3007	94139402	< 10	< 0.01	10	< 1	< 0.01	2	80	2	0.02	2	< 1	19	< 0.01	< 10	< 10	2	< 10	< 2
MY 3008	94139402	< 10	< 0.01	45	3	< 0.01	3	1170	2	0.01	< 2	1	11	< 0.01	< 10	< 10	17	< 10	20
MY 3009	94139402	< 10	0.18	155	17	< 0.01	45	440	12	0.02	< 2	< 1	4	0.05	< 10	< 10	15	< 10	300
MY 3010	94139402	10	8.30	1070	9	< 0.01	52	7960	16	0.03	6	1	2260	0.03	< 10	10	273	< 10	554
MY 3011	94139402	< 10	0.04	10	1	< 0.01	1	300	164	0.01	102	< 1	12	< 0.01	< 10	< 10	7	< 10	4
MY 3012	94139402	< 10	0.11	25	6	< 0.01	3	1270	10	0.24	44	< 1	50	< 0.01	< 10	< 10	91	< 10	20
MY 3013	94139402	20	0.01	10	27	< 0.01	1	2980	288	0.21	38	1	58	< 0.01	< 10	< 10	67	< 10	8
MY 3014	94139402	< 10	0.20	110	3	< 0.01	1	220	12	0.38	8	< 1	12	0.03	< 10	< 10	15	< 10	178
MY 3015	94139402	< 10	< 0.01	5	< 1	< 0.01	1	230	54	0.21	8	< 1	18	< 0.01	< 10	< 10	4	< 10	40
MY 3016	94139402	< 10	0.08	50	4	0.01	10	140	2	0.06	2	< 1	45	< 0.01	< 10	< 10	11	< 10	36
MY 3019	94139402	10	0.91	95	3	0.08	4	430	16	0.78	< 2	8	32	0.11	< 10	< 10	43	< 10	44
MY 3020	94139402	30	1.11	260	5	0.33	4	480	10	1.31	< 2	8	118	0.14	< 10	< 10	54	< 10	78

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

A0220884

Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE A0220884

(TTY) - KLAD ENTERPRISES LTD.

Project: Yukon Project
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 02-AUG-2002.

SAMPLE PREPARATION

METHOD CODE	NUMBER SAMPLES	DESCRIPTION
PUL-31	68	Pulv. <250g to >85%/-75 micron
STO-21	68	Reject Storage-First 90 Days
LOG-22	68	Samples received without barcode
CRU-31	68	Crush to 70% minus 2mm
SPL-21	68	Splitting Charge
229	68	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES 1 of 2

METHOD CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
WEI-21	68	Weight of received sample	BALANCE	0.01	1000.0
Au-AA23	68	Au-AA23 : Au ppb: Fuse 30 grams	FA-AAS	5	10000
Ag-ICP41	68	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
Al-ICP41	68	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
As-ICP41	68	As ppm: 32 element, soil & rock	ICP-AES	2	10000
B-ICP41	68	B ppm: 32 element, rock & soil	ICP-AES	10	10000
Ba-ICP41	68	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
Be-ICP41	68	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
Bi-ICP41	68	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
Ca-ICP41	68	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
Cd-ICP41	68	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
Co-ICP41	68	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
Cr-ICP41	68	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
Cu-ICP41	68	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
Fe-ICP41	68	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
Ga-ICP41	68	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
Hg-ICP41	68	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
K-ICP41	68	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
La-ICP41	68	La ppm: 32 element, soil & rock	ICP-AES	10	10000
Mg-ICP41	68	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
Mn-ICP41	68	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
Mo-ICP41	68	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
Na-ICP41	68	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
Ni-ICP41	68	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
P-ICP41	68	P ppm: 32 element, soil & rock	ICP-AES	10	10000
Pb-ICP41	68	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
S-ICP41	68	S %: 32 element, rock & soil	ICP-AES	0.01	10.00
Sb-ICP41	68	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
Sc-ICP41	68	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
Sr-ICP41	68	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
Ti-ICP41	68	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
Tl-ICP41	68	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
U-ICP41	68	U ppm: 32 element, soil & rock	ICP-AES	10	10000
V-ICP41	68	V ppm: 32 element, soil & rock	ICP-AES	1	10000

ALS Chemex

Aurora Laboratory Services Ltd.
*Analytical Chemists * Geochemists * Registered Assayers*
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

A0220884

Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE A0220884

(TTY) - KLAD ENTERPRISES LTD.

Project: Yukon Project
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 02-AUG-2002.

SAMPLE PREPARATION

METHOD CODE	NUMBER SAMPLES	DESCRIPTION
PUL-31	68	Pulv. <250g to >85%/-75 micron
STO-21	68	Reject Storage-First 90 Days
LOG-22	68	Samples received without barcode
CRU-31	68	Crush to 70% minus 2mm
SPL-21	68	Splitting Charge
229	68	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES 2 of 2

METHOD CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
W-ICP41	68	W ppm: 32 element, soil & rock	ICP-AES	10	10000
Zn-ICP41	68	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1-A
Total Pages :2
Certificate Date: 02-AUG-2002
Invoice No. :10220884
P.O. Number :
Account :TTY

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE OF ANALYSIS A0220884

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
MY 1042	9413 9402	0.60	25	34.2	0.19	2080	< 10	190	< 0.5	6	< 0.01	3.0	< 1	40	6	1.17	< 10	< 1	0.23	< 10
MY 1043	9413 9402	1.04	1050	>100.0	0.04	>10000	< 10	20	< 0.5	1540	< 0.01	48.0	1	18	174	9.64	< 10	< 1	< 0.01	< 10
MY 1044	9413 9402	1.44	10	1.6	2.42	276	< 10	60	0.5	26	1.74	4.0	12	25	55	>15.00	< 10	< 1	0.50	< 10
MY 1045	9413 9402	1.52	70	54.4	0.08	4430	30	70	< 0.5	82	< 0.01	27.5	3	62	13	0.78	< 10	1	0.05	< 10
MY 1046	9413 9402	1.22	320	>100.0	0.03	>10000	< 10	50	< 0.5	132	< 0.01	69.5	8	58	120	2.95	< 10	3	< 0.01	< 10
MY 1047	9413 9402	1.00	20	52.2	0.19	380	< 10	250	< 0.5	6	< 0.01	< 0.5	< 1	49	10	1.13	< 10	< 1	0.13	< 10
MY 1048	9413 9402	1.70	635	>100.0	0.09	>10000	< 10	70	< 0.5	26	0.01	47.0	2	60	852	5.28	< 10	< 1	0.05	< 10
MY 1049	9413 9402	0.84	< 5	3.2	0.79	108	< 10	260	< 0.5	< 2	0.34	< 0.5	4	24	44	2.94	< 10	< 1	0.18	< 10
MY 1050	9413 9402	2.46	40	69.0	0.56	2760	< 10	260	< 0.5	60	0.41	18.5	4	50	28	1.87	< 10	< 1	0.17	< 10
MY 1051	9413 9402	1.08	< 5	0.8	1.35	32	< 10	170	< 0.5	4	1.51	< 0.5	10	19	19	3.15	< 10	< 1	0.13	< 10
MY 1052	9413 9402	1.22	< 5	0.6	0.65	28	< 10	100	< 0.5	2	0.44	< 0.5	4	28	17	1.83	< 10	< 1	0.12	< 10
MY 1053	9413 9402	0.96	10	52.4	0.24	122	< 10	180	< 0.5	2	0.07	4.0	1	54	22	2.03	< 10	< 1	0.10	< 10
MY 1054	9413 9402	0.84	15	42.6	0.34	216	10	120	< 0.5	4	< 0.01	3.0	< 1	44	20	2.35	< 10	< 1	0.10	< 10
MY 1055	9413 9402	1.00	< 5	0.4	0.16	82	< 10	810	< 0.5	< 2	< 0.01	< 0.5	1	109	20	1.32	< 10	< 1	0.04	< 10
MY 1056	9413 9402	1.46	60	6.8	0.06	2210	20	360	< 0.5	4	< 0.01	< 0.5	< 1	54	10	0.88	< 10	< 1	0.12	< 10
MY 1057	9413 9402	0.96	< 5	7.4	0.33	96	< 10	2260	< 0.5	2	< 0.01	< 0.5	1	68	24	1.06	< 10	< 1	0.09	< 10
MY 1058	9413 9402	1.02	5	3.0	0.18	288	< 10	1370	< 0.5	< 2	< 0.01	0.5	< 1	59	22	1.21	< 10	< 1	0.10	< 10
MY 2116	9413 9402	0.98	< 5	< 0.2	0.16	8	< 10	270	< 0.5	< 2	< 0.01	< 0.5	< 1	77	5	0.28	< 10	< 1	0.11	< 10
MY 2117	9413 9402	0.80	< 5	< 0.2	0.06	8	< 10	30	< 0.5	< 2	< 0.01	< 0.5	< 1	71	3	0.23	< 10	< 1	0.01	< 10
MY 2118	9413 9402	1.22	80	2.2	0.04	>10000	10	400	< 0.5	22	< 0.01	< 0.5	1	79	30	2.18	< 10	< 1	0.01	< 10
MY 2119	9413 9402	1.18	< 5	1.4	0.04	2370	40	220	< 0.5	6	< 0.01	< 0.5	< 1	69	6	0.63	< 10	< 1	< 0.01	< 10
MY 2120	9413 9402	1.06	5	9.6	0.14	120	20	830	< 0.5	8	< 0.01	< 0.5	< 1	80	14	1.40	< 10	< 1	0.07	< 10
MY 2121	9413 9402	1.32	< 5	4.4	0.27	52	10	300	< 0.5	10	< 0.01	< 0.5	1	31	14	3.32	< 10	< 1	0.18	< 10
MY 2122	9413 9402	0.92	< 5	0.4	2.39	12	< 10	970	< 0.5	< 2	0.12	2.5	5	72	48	2.71	< 10	< 1	0.28	10
MY 2123	9413 9402	1.24	< 5	0.4	0.08	104	50	600	< 0.5	< 2	< 0.01	< 0.5	< 1	104	4	0.32	< 10	< 1	0.03	< 10
MY 2124	9413 9402	0.98	< 5	< 0.2	0.15	90	70	930	< 0.5	< 2	< 0.01	< 0.5	< 1	101	5	0.34	< 10	< 1	0.05	< 10
MY 2125	9413 9402	1.02	< 5	1.2	0.18	116	< 10	320	< 0.5	6	< 0.01	< 0.5	1	48	33	1.56	< 10	< 1	0.09	< 10
MY 2126	9413 9402	1.28	60	19.4	0.22	144	< 10	1040	< 0.5	12	< 0.01	0.5	< 1	57	195	9.21	< 10	< 1	0.04	< 10
MY 2127	9413 9402	1.04	< 5	6.4	0.10	226	10	960	< 0.5	24	< 0.01	< 0.5	< 1	56	15	1.43	< 10	< 1	0.16	< 10
MY 3022	9413 9402	0.62	55	44.6	0.05	>10000	60	40	< 0.5	32	< 0.01	6.0	< 1	71	34	1.35	< 10	< 1	0.01	< 10
MY 3023	9413 9402	0.36	20	>100.0	0.03	280	30	40	< 0.5	< 2	< 0.01	2.0	< 1	99	17	1.80	< 10	< 1	< 0.01	< 10
MY 3024	9413 9402	0.46	385	>100.0	1.39	>10000	< 10	80	< 0.5	< 2	0.09	5.5	2	54	169	12.35	< 10	< 1	0.10	< 10
MY 3025	9413 9402	0.46	25	>100.0	0.47	1335	< 10	110	< 0.5	12	2.94	31.5	4	47	23	3.41	20	< 1	0.09	< 10
MY 3026	9413 9402	0.62	150	>100.0	1.45	5760	< 10	120	< 0.5	< 2	0.07	7.5	2	69	88	5.10	< 10	< 1	0.11	< 10
MY 3027	9413 9402	0.68	75	>100.0	0.06	322	30	40	< 0.5	< 2	0.01	2.5	< 1	65	42	5.81	< 10	< 1	0.02	< 10
MY 3028	9413 9402	0.34	< 5	2.8	0.97	142	10	30	< 0.5	< 2	6.62	2.5	9	38	37	3.38	< 10	< 1	0.04	< 10
MY 3029	9413 9402	1.70	110	16.4	0.14	3440	10	350	< 0.5	64	0.01	0.5	< 1	57	38	2.41	< 10	< 1	0.10	< 10
MY 3030	9413 9402	2.28	5	5.8	0.24	1460	< 10	380	< 0.5	46	< 0.01	< 0.5	< 1	65	37	2.31	< 10	< 1	0.14	< 10
MY 3031	9413 9402	2.04	< 5	0.6	0.38	316	10	590	< 0.5	< 2	0.01	< 0.5	< 1	45	33	1.92	< 10	< 1	0.14	10
MY 3032	9413 9402	2.26	10	2.4	0.26	222	30	810	< 0.5	2	< 0.01	< 0.5	< 1	78	15	1.03	< 10	< 1	0.10	< 10

CERTIFICATION:_____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

Page Number :1-B
Total Pages :2
Certificate Date: 02-AUG-2002
Invoice No. :10220884
P.O. Number :
Account :TTY

CERTIFICATE OF ANALYSIS A0220884

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
MY 1042	94139402	0.01	10	9	< 0.01	2	300	4670	0.41	1030	< 1	8	< 0.01	< 10	< 10	6	< 10	38
MY 1043	94139402	0.01	20	1	< 0.01	< 1	490	>10000	1.11	>10000	1	6	< 0.01	< 10	< 10	< 1	< 10	488
MY 1044	94139402	1.62	1510	1	0.05	28	4530	118	5.38	54	3	117	0.06	< 10	< 10	36	< 10	90
MY 1045	94139402	0.01	10	5	< 0.01	< 1	180	>10000	0.55	8210	< 1	6	< 0.01	< 10	< 10	2	< 10	54
MY 1046	94139402	< 0.01	15	1	< 0.01	1	240	>10000	2.18	>10000	< 1	6	< 0.01	< 10	< 10	< 1	< 10	1225
MY 1047	94139402	< 0.01	5	1	< 0.01	1	160	2960	0.27	140	< 1	3	< 0.01	< 10	< 10	< 1	< 10	86
MY 1048	94139402	< 0.01	110	1	< 0.01	6	220	3820	2.88	2960	1	7	< 0.01	< 10	< 10	1	< 10	1955
MY 1049	94139402	0.21	115	1	0.05	4	410	232	0.64	158	3	23	< 0.01	< 10	< 10	13	< 10	98
MY 1050	94139402	0.21	195	1	0.04	7	1000	6250	0.37	1780	1	18	0.01	< 10	< 10	8	< 10	358
MY 1051	94139402	0.57	275	< 1	0.08	6	460	52	1.23	18	6	54	< 0.01	< 10	< 10	23	< 10	92
MY 1052	94139402	0.12	100	< 1	0.06	3	340	32	0.57	14	1	19	0.02	< 10	< 10	2	< 10	34
MY 1053	94139402	0.06	35	4	0.01	4	400	4060	1.00	292	< 1	7	< 0.01	< 10	< 10	3	< 10	314
MY 1054	94139402	0.14	30	26	0.01	2	560	3670	0.17	494	< 1	6	< 0.01	< 10	< 10	24	< 10	128
MY 1055	94139402	0.04	45	6	0.01	4	190	60	0.06	30	< 1	12	< 0.01	< 10	< 10	4	< 10	32
MY 1056	94139402	< 0.01	5	13	< 0.01	1	100	890	0.20	222	< 1	13	< 0.01	< 10	< 10	3	< 10	< 2
MY 1057	94139402	0.05	25	1	< 0.01	3	240	506	0.09	62	< 1	40	< 0.01	< 10	< 10	8	< 10	30
MY 1058	94139402	< 0.01	5	6	< 0.01	1	420	1570	0.14	640	< 1	74	< 0.01	< 10	< 10	12	< 10	6
MY 2116	94139402	0.01	5	< 1	< 0.01	2	80	16	0.03	6	< 1	15	< 0.01	< 10	< 10	5	< 10	2
MY 2117	94139402	< 0.01	5	< 1	< 0.01	2	40	6	< 0.01	< 2	< 1	9	< 0.01	< 10	< 10	< 1	< 10	2
MY 2118	94139402	< 0.01	20	< 1	< 0.01	1	250	180	0.11	108	1	3	< 0.01	< 10	< 10	< 1	< 10	20
MY 2119	94139402	< 0.01	10	< 1	< 0.01	1	60	62	0.08	34	< 1	3	< 0.01	< 10	< 10	< 1	< 10	10
MY 2120	94139402	0.02	30	< 1	< 0.01	2	130	1030	0.12	18	< 1	5	< 0.01	< 10	< 10	4	< 10	28
MY 2121	94139402	0.04	90	21	< 0.01	8	150	482	0.43	10	< 1	6	< 0.01	< 10	< 10	18	< 10	56
MY 2122	94139402	1.39	305	< 1	0.04	17	710	12	0.13	< 2	4	15	0.02	< 10	< 10	62	< 10	158
MY 2123	94139402	< 0.01	10	1	< 0.01	2	50	26	0.01	4	< 1	2	< 0.01	< 10	< 10	3	< 10	4
MY 2124	94139402	0.02	15	< 1	< 0.01	3	40	14	0.01	6	< 1	3	< 0.01	< 10	< 10	8	< 10	2
MY 2125	94139402	0.01	5	8	< 0.01	13	120	44	0.66	16	< 1	16	< 0.01	< 10	< 10	9	< 10	14
MY 2126	94139402	0.01	15	5	< 0.01	1	1160	2420	0.16	52	< 1	46	< 0.01	< 10	< 10	23	< 10	50
MY 2127	94139402	< 0.01	5	1	< 0.01	1	580	926	0.28	28	< 1	68	< 0.01	< 10	< 10	7	< 10	6
MY 3022	94139402	0.01	5	< 1	0.01	1	260	3730	0.15	582	< 1	3	< 0.01	< 10	< 10	1	< 10	76
MY 3023	94139402	< 0.01	20	3	0.01	2	300	>10000	0.31	168	< 1	27	< 0.01	< 10	< 10	1	< 10	160
MY 3024	94139402	0.81	245	< 1	< 0.01	4	740	>10000	2.75	558	3	30	< 0.01	< 10	< 10	47	< 10	2270
MY 3025	94139402	0.71	>10000	1	< 0.01	6	580	>10000	2.09	100	1	33	< 0.01	10	< 10	18	< 10	1580
MY 3026	94139402	1.09	265	< 1	< 0.01	5	840	>10000	0.94	178	5	10	< 0.01	< 10	< 10	48	< 10	1020
MY 3027	94139402	0.01	75	5	0.01	5	310	>10000	0.63	118	< 1	45	< 0.01	< 10	< 10	4	< 10	462
MY 3028	94139402	1.23	1920	< 1	< 0.01	17	1780	284	2.57	10	< 1	136	< 0.01	30	< 10	4	< 10	202
MY 3029	94139402	0.01	10	< 1	< 0.01	1	260	1390	0.13	426	< 1	10	< 0.01	< 10	< 10	6	< 10	12
MY 3030	94139402	0.01	20	< 1	< 0.01	1	190	984	0.08	318	< 1	4	< 0.01	< 10	< 10	9	< 10	26
MY 3031	94139402	0.08	55	< 1	< 0.01	3	190	104	0.03	24	< 1	4	< 0.01	< 10	< 10	16	< 10	44
MY 3032	94139402	0.06	30	1	0.01	2	80	130	0.04	34	< 1	5	< 0.01	< 10	< 10	11	< 10	12

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

Certificate Date: 02-AUG-2002
Invoice No. : 10220884
P.O. Number :
Account : TTY

CERTIFICATE OF ANALYSIS A0220884

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
MY 3033	94139402	1.46	5	0.8	0.66	26	< 10	2670	< 0.5	< 2	< 0.01	< 0.5	< 1	75	26	1.43	< 10	< 1	0.11	< 10
MY 3034	94139402	0.44	< 5	0.2	0.14	66	< 10	470	< 0.5	< 2	< 0.01	< 0.5	< 1	83	9	0.64	< 10	< 1	0.09	< 10
MY 3035	94139402	0.38	< 5	6.4	0.12	158	< 10	110	< 0.5	2	< 0.01	< 0.5	< 1	94	23	0.61	< 10	< 1	0.06	< 10
MY1 2135	94139402	1.10	10	26.6	0.83	10	< 10	10	< 0.5	< 2	0.62	5.0	46	11	>10000	>15.00	< 10	< 1	0.01	< 10
MY1 2136	94139402	1.28	15	0.8	0.10	16	< 10	550	< 0.5	< 2	< 0.01	< 0.5	< 1	86	21	0.80	< 10	< 1	0.09	< 10
MY1 2137	94139402	1.16	10	0.4	0.08	2	< 10	130	< 0.5	< 2	< 0.01	< 0.5	< 1	124	14	0.42	< 10	< 1	0.06	< 10
MY1 2138	94139402	0.78	20	1.0	0.12	36	< 10	290	< 0.5	< 2	< 0.01	< 0.5	< 1	89	16	1.62	< 10	< 1	0.10	< 10
MY1 2139	94139402	0.74	10	1.0	0.08	4	< 10	1490	< 0.5	< 2	< 0.01	< 0.5	< 1	110	13	0.60	< 10	< 1	0.06	< 10
MY 3206	94139402	0.80	10	0.6	0.15	2	< 10	220	< 0.5	< 2	< 0.01	< 0.5	< 1	90	7	0.53	< 10	< 1	0.13	< 10
MY 3208	94139402	0.52	< 5	0.4	0.36	8	< 10	110	< 0.5	< 2	< 0.01	< 0.5	< 1	86	50	1.47	< 10	< 1	0.07	< 10
MY6 1201	94139402	0.88	< 5	< 0.2	1.08	8	< 10	460	< 0.5	< 2	1.73	< 0.5	7	27	5	2.51	< 10	< 1	0.20	20
MY6 1202	94139402	0.74	35	< 0.2	0.21	342	< 10	370	< 0.5	< 2	8.58	0.5	5	27	24	2.68	< 10	< 1	0.09	< 10
MY6 1203	94139402	0.68	< 5	< 0.2	4.07	< 2	< 10	450	< 0.5	< 2	1.95	< 0.5	11	35	8	3.79	< 10	< 1	0.17	10
MY6 1204	94139402	0.82	< 5	0.2	0.76	10	< 10	470	< 0.5	< 2	1.36	0.5	7	27	11	2.80	< 10	< 1	0.18	10
MY6 1205	94139402	1.94	< 5	< 0.2	2.37	42	< 10	180	< 0.5	< 2	0.16	0.5	20	54	107	5.84	< 10	< 1	0.23	10
MY8 2128	94139402	1.68	25	0.4	1.85	16	< 10	50	< 0.5	< 2	1.20	4.0	7	63	62	2.16	< 10	< 1	0.07	< 10
MY8 2129	94139402	1.18	25	1.6	0.46	6	< 10	60	< 0.5	< 2	0.22	1.5	3	113	36	1.27	< 10	< 1	0.03	< 10
MY8 2130	94139402	1.04	< 5	0.6	0.18	2	< 10	170	< 0.5	< 2	< 0.01	0.5	3	63	11	0.79	< 10	< 1	0.08	< 10
MY8 2131	94139402	0.82	5	1.0	1.66	2	< 10	50	0.5	< 2	1.07	5.0	6	66	113	3.02	< 10	< 1	0.03	< 10
MY8 2132	94139402	1.16	5	22.0	0.50	10	< 10	< 10	< 0.5	< 2	0.43	4.0	49	8	9710	>15.00	< 10	< 1	< 0.01	< 10
MY8 2133	94139402	1.32	40	5.0	0.23	18	< 10	10	< 0.5	82	1.18	8.5	1	15	1490	1.55	< 10	< 1	< 0.01	< 10
MY8 2134	94139402	2.24	125	41.2	0.04	>10000	< 10	< 10	< 0.5	264	0.55	12.0	65	7	>10000	>15.00	< 10	< 1	< 0.01	< 10
MY8 3201	94139402	0.98	10	0.6	3.25	394	< 10	30	< 0.5	< 2	1.56	0.5	13	68	243	6.88	10	< 1	0.02	< 10
MY8 3202	94139402	1.18	< 5	< 0.2	1.57	544	< 10	170	0.5	< 2	0.18	< 0.5	23	36	142	3.82	< 10	< 1	0.36	10
MY8 3203	94139402	0.42	< 5	< 0.2	0.58	38	< 10	5520	< 0.5	4	0.08	< 0.5	< 1	121	11	0.59	< 10	< 1	0.09	< 10
MY8 3204	94139402	0.80	10	0.4	1.20	34	< 10	480	< 0.5	< 2	0.16	< 0.5	3	23	26	2.39	< 10	< 1	0.22	30
MY8 3205	94139402	2.10	< 5	< 0.2	0.43	38	< 10	390	< 0.5	< 2	0.02	< 0.5	7	46	41	2.00	< 10	< 1	0.12	< 10
MY9 1200	94139402	1.40	< 5	< 0.2	0.77	28	< 10	1860	< 0.5	< 2	0.06	1.0	1	41	78	1.97	< 10	< 1	0.24	10

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

Certificate Date: 02-AUG-2002
Invoice No. : I0220884
P.O. Number :
Account :TTY

CERTIFICATE OF ANALYSIS A0220884

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
MY 3033	94139402	0.32	55	2	0.01	4	100	88	0.10	2	1	20	< 0.01	< 10	< 10	49	< 10	22
MY 3034	94139402	0.03	15	1	< 0.01	3	160	22	0.10	12	< 1	48	< 0.01	< 10	< 10	4	< 10	12
MY 3035	94139402	0.02	15	1	< 0.01	3	180	794	0.03	32	< 1	29	< 0.01	< 10	< 10	6	< 10	26
MY1 2135	94139402	0.07	330	< 1	0.02	31	420	2	>10.00	2	< 1	79	< 0.01	< 10	< 10	1	< 10	230
MY1 2136	94139402	0.01	5	3	< 0.01	3	260	6	0.20	4	1	35	< 0.01	< 10	< 10	28	< 10	2
MY1 2137	94139402	< 0.01	5	< 1	< 0.01	4	40	6	0.09	< 2	1	6	< 0.01	< 10	< 10	11	< 10	< 2
MY1 2138	94139402	< 0.01	10	2	< 0.01	5	290	6	0.14	4	1	8	< 0.01	< 10	< 10	79	< 10	8
MY1 2139	94139402	< 0.01	5	1	< 0.01	4	60	2	0.12	2	< 1	13	< 0.01	< 10	< 10	20	< 10	< 2
MY 3206	94139402	0.01	5	1	< 0.01	2	150	6	0.14	< 2	1	18	< 0.01	< 10	< 10	11	< 10	< 2
MY 3208	94139402	< 0.01	10	3	< 0.01	8	1060	12	0.09	< 2	2	49	< 0.01	< 10	< 10	25	< 10	66
MY6 1201	94139402	0.48	640	< 1	< 0.01	8	460	18	0.16	2	8	78	< 0.01	< 10	< 10	18	< 10	66
MY6 1202	94139402	1.36	1790	< 1	< 0.01	13	170	44	0.47	6	3	283	< 0.01	40	< 10	6	< 10	38
MY6 1203	94139402	1.21	595	< 1	0.23	7	490	18	0.53	2	11	98	0.12	< 10	< 10	62	< 10	90
MY6 1204	94139402	0.33	775	< 1	0.04	11	460	52	0.15	< 2	7	50	< 0.01	< 10	< 10	16	< 10	188
MY6 1205	94139402	1.36	570	1	0.01	50	470	10	0.79	12	5	17	< 0.01	< 10	< 10	40	< 10	92
MY8 2128	94139402	0.25	1095	< 1	0.08	40	580	12	1.01	8	2	145	0.04	< 10	< 10	54	< 10	1035
MY8 2129	94139402	0.10	750	3	< 0.01	12	70	12	0.79	< 2	1	22	0.02	< 10	< 10	23	< 10	186
MY8 2130	94139402	0.01	10	3	0.01	5	80	16	0.39	< 2	< 1	5	< 0.01	< 10	< 10	17	< 10	12
MY8 2131	94139402	0.27	355	3	0.01	41	330	20	1.85	4	< 1	130	0.03	< 10	< 10	22	< 10	234
MY8 2132	94139402	0.06	305	< 1	0.01	34	450	< 2	9.79	6	< 1	50	< 0.01	< 10	< 10	1	< 10	226
MY8 2133	94139402	0.02	885	< 1	< 0.01	3	160	< 2	0.61	2	< 1	8	0.01	< 10	< 10	2	90	542
MY8 2134	94139402	0.03	110	4	< 0.01	65	860	< 2	7.15	82	< 1	15	< 0.01	< 10	< 10	< 1	90	562
MY8 3201	94139402	0.18	180	< 1	0.07	12	380	2	4.70	2	< 1	185	0.01	< 10	< 10	7	70	14
MY8 3202	94139402	0.72	455	< 1	0.03	49	440	8	1.54	< 2	3	16	0.01	< 10	< 10	18	< 10	42
MY8 3203	94139402	0.15	50	< 1	0.01	11	360	2	0.03	< 2	< 1	83	< 0.01	< 10	< 10	7	< 10	8
MY8 3204	94139402	0.44	200	< 1	0.04	6	440	20	0.48	< 2	1	47	< 0.01	< 10	< 10	8	< 10	28
MY8 3205	94139402	0.13	1955	< 1	< 0.01	23	100	8	< 0.01	6	2	9	< 0.01	< 10	< 10	9	< 10	36
MY9 1200	94139402	0.28	110	25	0.02	17	260	4	0.17	10	2	28	0.04	< 10	< 10	27	< 10	64

CERTIFICATION: _____

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
Aurora Laboratory Services Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: KLAD ENTERPRISES LTD.
SUITE 104, 135 10TH AVE. S.
CRANBROOK BC V1C 2N1

Date : 9-Aug-2002
Account: TTY

CERTIFICATE VA02002497

Project : YUKON PROJECT

P.O. No:

This report is for 10 ROCK samples submitted to our lab in North Vancouver, BC, Canada on 31-Jul-2002.

The following have access to data associated with this certificate:

CARL SCHULZE
JIM STYPULA
ERIC WILTZEN

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% 75micro

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 element aqua regia ICP-AES	ICP-AES
As-AA46	Ore grade As - aqua regia/AA	AAS

To: **KLAD ENTERPRISES LTD.**
ATTN: JIM STYPULA
SUITE 104, 135 10TH AVE. S.
CRANBROOK BC V1C 2N1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
Aurora Laboratory Services Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: KLAD ENTERPRISES LTD.
SUITE 104, 135 10TH AVE. S.
CRANBROOK BC V1C 2N1

My Rocks

Date : 9-Aug-2002
Account: TTY

Project : YUKON PROJECT

CERTIFICATE OF ANALYSIS VA02002497

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
MY 1060		1.96	0.332	8.2	0.09	>10000	<10	220	<0.5	22	0.01	<0.5	21	106	744	7.02
MY 1061		2.10	0.030	1.0	0.07	873	<10	670	<0.5	<2	<0.01	<0.5	<1	111	21	1.20
MY 1062		1.66	0.021	1.0	0.08	6910	<10	360	<0.5	4	<0.01	<0.5	1	96	68	1.19
MY 1063		1.58	0.088	3.1	0.06	>10000	<10	210	<0.5	35	<0.01	<0.5	30	76	111	4.42
MY 1064		2.34	0.006	1.0	0.17	739	10	1640	<0.5	<2	<0.01	<0.5	<1	134	22	1.08
MY 2183		2.28	<0.005	0.8	0.55	190	<10	1830	<0.5	6	<0.01	<0.5	<1	117	112	2.15
MY 2184		1.96	<0.005	0.8	2.69	63	<10	550	<0.5	<2	0.60	0.6	7	81	22	2.81
MY 3040		2.50	<0.005	0.4	0.34	133	<10	2340	<0.5	<2	<0.01	<0.5	<1	79	33	1.00
MY 3041		2.26	0.012	0.4	0.13	439	<10	430	<0.5	<2	<0.01	<0.5	<1	106	35	1.21
MY 3042		2.64	<0.005	0.7	0.21	55	<10	1040	<0.5	<2	<0.01	<0.5	<1	105	33	1.41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
Aurora Laboratory Services Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: KLAD ENTERPRISES LTD.
SUITE 104, 135 10TH AVE. S.
CRANBROOK BC V1C 2N1

Date : 9-Aug-2002
Account: TTY

Project : YUKON PROJECT

CERTIFICATE OF ANALYSIS VA02002497

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
MY 1060		<10	<1	0.03	10	0.01	17	1	0.01	7	310	35	0.85	252	28	<1
MY 1061		<10	1	0.05	<10	0.01	10	4	0.01	3	110	19	0.06	19	1	4
MY 1062		<10	<1	0.04	<10	0.01	9	2	0.01	2	100	21	0.06	29	4	3
MY 1063		<10	<1	0.04	10	0.01	8	3	0.01	9	160	24	0.87	126	7	<1
MY 1064		<10	<1	0.13	10	0.01	14	2	0.02	4	100	26	0.19	6	1	11
MY 2183		<10	<1	0.09	10	0.16	36	6	0.01	10	360	23	0.14	24	2	14
MY 2184		10	<1	0.24	10	0.79	190	1	0.15	18	390	18	0.39	3	6	58
MY 3040		<10	<1	0.09	10	0.03	12	2	0.01	7	130	11	0.11	13	1	12
MY 3041		<10	<1	0.06	10	0.01	11	1	0.01	3	140	22	0.03	12	1	3
MY 3042		<10	<1	0.14	10	0.02	11	1	0.01	4	180	11	0.20	5	1	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
Aurora Laboratory Services Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: KLAB ENTERPRISES LTD.
SUITE 104, 135 10TH AVE. S.
CRANBROOK BC V1C 2N1

Date : 9-Aug-2002
Account: TTY

Project : YUKON PROJECT

CERTIFICATE OF ANALYSIS VA02002497

Sample Description	Method Analyte Units LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	As-AA46 As % 0.01
MY 1060		<0.01	<10	<10	3	<10	15	8.80
MY 1061		<0.01	<10	<10	5	<10	3	
MY 1062		<0.01	<10	<10	4	<10	3	
MY 1063		<0.01	<10	<10	3	<10	6	5.06
MY 1064		<0.01	<10	<10	9	<10	4	
MY 2183		<0.01	<10	<10	52	<10	13	
MY 2184		0.05	<10	<10	39	<10	102	
MY 3040		<0.01	<10	<10	11	<10	7	
MY 3041		<0.01	<10	<10	6	<10	6	
MY 3042		<0.01	<10	<10	10	<10	4	

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1
Total Pages :1
Certificate Date: 26-JUL-2002
Invoice No. :10220763
P.O. Number :
Account :TTY

Project : yukon project
Comments: ATTN: CARL SCHULZE/SERGUEI SOLOVIEV CC: ERIK WILTZEN

Rocks

CERTIFICATE OF ANALYSIS A0220763

SAMPLE	PREP CODE		Pb %
MY 1016	212	--	3.46
MY 1019	212	--	6.87

CERTIFICATION:_____

OVERLIMITS from A0220197

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1
Total Pages :1
Certificate Date: 05-AUG-2002
Invoice No. :10221354
P.O. Number :
Account :TTY

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

Rocks

CERTIFICATE OF ANALYSIS A0221354

SAMPLE	PREP CODE	Ag g/t	Cu %	Pb %
MY 1043	212 --	560	-----	4.70
MY 1045	212 --	-----	-----	1.96
MY 1046	212 --	116	-----	4.73
MY 1048	212 --	409	-----	-----
MY 3023	212 --	113	-----	1.32
MY 3024	212 --	652	-----	10.85
MY 3025	212 --	133	-----	2.23
MY 3026	212 --	197	-----	4.22
MY 3027	212 --	150	-----	2.10
MY1 2135	212 --	-----	1.27	-----
MY8 2134	212 --	-----	1.73	-----

CERTIFICATION: C. Severin

OVERLIMITS from A0220884

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

A0221354

Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE A0221354

(TTY) - KLAD ENTERPRISES LTD.

Project: *Yukon Project*
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 05-AUG-2002.

SAMPLE PREPARATION

METHOD CODE	NUMBER SAMPLES	DESCRIPTION
212	11	Overlimit pulp, to be found

ANALYTICAL PROCEDURES

METHOD CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
Ag-AA46	8	Ag g/t: Conc. Nitric HCl dig'n	AAS	1	1500
Cu-AA46	2	Cu %: Conc. Nitric-HCl dig'n	AAS	0.01	50.0
Pb-AA46	8	Pb %: Conc. Nitric-HCl dig'n	AAS	0.01	50.0

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
Aurora Laboratory Services Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: KLAD ENTERPRISES LTD.
SUITE 104, 135 10TH AVE. S.
CRANBROOK BC V1C 2N1

Date : 19-Aug-2002
Account: TTY

Rock

Project : YUKON PROJECTS

CERTIFICATE OF ANALYSIS VA02002630

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
MO-1035		0.76	<0.005	0.3	1.07	35	<10	300	<0.5	<2	<0.01	<0.5	3	49	42	4.29
MO-1036		0.80	0.005	0.4	3.48	79	<10	280	1.3	2	1.26	<0.5	12	68	35	3.95
MO-2185		1.84	<0.005	0.4	1.26	90	<10	270	0.6	<2	0.20	<0.5	7	117	83	2.00
MO-2186		1.46	<0.005	0.2	1.14	43	<10	290	0.6	<2	0.03	<0.5	5	89	38	1.87
MO-2187		0.88	<0.005	0.7	0.26	144	<10	50	<0.5	<2	0.01	<0.5	2	163	53	1.59
MO-2188		1.12	<0.005	<0.2	0.52	21	<10	410	<0.5	<2	0.01	<0.5	10	158	87	1.68
MO-2189		1.32	<0.005	0.2	0.04	77	<10	50	<0.5	<2	0.01	<0.5	1	251	20	0.65
MO-2190		1.10	0.629	0.6	0.70	17	<10	40	0.6	6	0.69	<0.5	14	47	384	5.18
MO-2191		1.66	<0.005	<0.2	0.01	33	<10	40	<0.5	<2	0.01	<0.5	1	263	8	0.41
MO-2192		1.24	0.006	0.2	0.42	66	10	270	<0.5	<2	0.02	<0.5	1	96	38	1.23
MO-2193		1.48	0.005	0.5	7.21	88	<10	110	2.8	<2	4.92	<0.5	13	128	32	2.82
MO-2194		1.08	0.006	0.6	4.79	168	<10	90	1.6	<2	3.21	21.4	13	123	39	3.30
MO-2195		0.70	0.005	0.4	5.04	48	<10	90	2.1	<2	3.51	<0.5	13	121	32	2.64
MO-2196		0.78	0.024	0.4	1.08	64	<10	620	<0.5	<2	0.05	<0.5	10	117	104	1.50
MO-2197		0.76	0.007	0.4	1.02	32	<10	50	<0.5	<2	0.01	<0.5	9	115	81	4.19
MO-2198		0.96	0.026	1.1	4.73	75	<10	30	1.6	<2	3.87	32.3	23	42	73	6.55
MO-3013		1.28	0.016	0.3	1.01	155	<10	260	0.5	<2	0.05	<0.5	4	95	62	3.04
MO-3014		1.80	0.006	0.5	0.73	338	<10	160	<0.5	<2	0.07	<0.5	6	137	105	4.50
MO-3015		2.08	0.018	0.4	0.25	24	<10	350	<0.5	<2	0.01	<0.5	3	214	32	1.19
MO-3016		1.92	0.005	2.2	0.76	68	<10	500	0.7	<2	0.03	0.5	9	107	68	8.43
MO-3017		1.64	<0.005	1.9	0.46	55	<10	130	0.9	<2	0.37	3.0	7	75	5	0.90
MO-3019		0.98	<0.005	0.3	0.40	45	<10	2530	<0.5	<2	0.01	<0.5	2	112	24	1.38
MYI-2199		1.82	0.007	0.8	0.07	13	<10	320	<0.5	<2	<0.01	<0.5	1	254	19	0.75
MYI-2200		1.26	<0.005	<0.2	0.17	6	<10	230	<0.5	<2	0.01	<0.5	1	148	5	0.47
MYI-2201		1.02	0.009	0.7	0.09	10	<10	430	<0.5	<2	<0.01	<0.5	1	216	23	0.80
MYI-2202		0.76	<0.005	0.3	0.27	7	<10	760	<0.5	<2	0.01	<0.5	1	86	8	0.72
MYI-2203		1.20	0.020	0.8	0.17	8	<10	490	<0.5	<2	0.01	<0.5	1	170	8	0.65
MYI-2204		1.14	0.019	0.8	0.19	3	<10	480	<0.5	<2	<0.01	<0.5	1	141	8	0.72
MYI-2205		1.02	0.014	0.5	0.11	10	<10	380	<0.5	<2	0.01	<0.5	1	216	16	0.66
MYI-2206		1.32	<0.005	0.3	0.20	11	<10	410	<0.5	<2	0.01	<0.5	1	135	7	0.70
MYI-2207		1.06	0.009	0.6	0.10	7	<10	230	<0.5	<2	0.01	<0.5	2	201	19	0.85
MYI-2208		1.36	0.009	0.4	0.15	5	<10	370	<0.5	<2	0.01	<0.5	1	176	7	0.63
MYI-2209		2.52	<0.005	0.7	0.08	7	<10	330	<0.5	<2	0.01	<0.5	1	227	17	0.80
MYI-2210		2.28	0.011	0.5	0.24	9	<10	560	<0.5	<2	0.01	<0.5	1	115	18	0.77
MYI-2211		0.38	0.013	0.4	0.08	4	<10	190	<0.5	<2	0.01	<0.5	1	231	15	0.54
MYI-2212		0.20	0.006	0.2	0.07	14	<10	1880	<0.5	<2	<0.01	<0.5	2	197	7	0.42
A6-1000		0.44	0.026	<0.2	0.62	14	<10	200	1.1	<2	3.63	20.9	10	66	155	7.63
A6-1001		0.36	<0.005	0.7	0.26	12	<10	490	<0.5	<2	0.01	<0.5	2	126	11	1.40
A6-1002		1.14	<0.005	1.0	0.26	28	<10	60	<0.5	<2	0.01	<0.5	3	145	56	4.36
A6-1003		1.18	0.019	55.6	0.56	286	<10	160	<0.5	<2	0.01	0.5	7	25	1085	12.45

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
Aurora Laboratory Services Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: KLAD ENTERPRISES LTD.
SUITE 104, 135 10TH AVE. S.
CRANBROOK BC V1C 2N1

Date : 19-Aug-2002
Account: TTY

Project : YUKON PROJECTS

CERTIFICATE OF ANALYSIS VA02002630

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
MO-1035		<10	1	0.54	20	0.48	74	4	0.01	3	660	18	0.29	3	3	31
MO-1036		10	1	0.52	10	1.19	350	1	0.23	46	800	10	0.48	<2	10	112
MO-2185		<10	1	0.54	<10	0.68	166	2	0.05	19	390	18	0.34	<2	2	32
MO-2186		<10	<1	0.69	10	0.64	152	1	0.01	12	280	6	0.11	<2	2	7
MO-2187		<10	1	0.06	<10	0.19	59	3	0.01	5	70	8	0.12	<2	1	3
MO-2188		<10	<1	0.08	<10	0.34	148	6	0.01	27	110	6	0.53	2	1	12
MO-2189		<10	<1	0.02	<10	0.01	50	42	0.01	7	10	6	0.10	<2	<1	1
MO-2190		10	1	0.06	<10	0.41	276	9	0.02	57	2180	16	3.13	3	1	24
MO-2191		<10	<1	0.01	<10	<0.01	24	35	0.01	7	10	3	0.01	<2	<1	1
MO-2192		<10	<1	0.28	10	0.09	18	4	0.01	5	290	10	0.17	<2	1	7
MO-2193		10	3	0.38	<10	0.82	150	5	0.72	37	3440	10	1.92	<2	3	233
MO-2194		10	2	0.17	<10	0.36	114	9	0.52	33	1610	3	1.89	3	2	175
MO-2195		10	2	0.21	<10	0.33	95	8	0.71	42	2630	3	1.97	<2	2	193
MO-2196		<10	<1	0.33	10	0.48	149	5	0.05	34	180	6	0.54	<2	2	102
MO-2197		<10	1	0.21	<10	0.59	49	44	0.02	33	10	9	2.70	<2	2	13
MO-2198		10	1	0.06	<10	0.19	150	6	0.15	50	2530	9	5.47	3	<1	137
MO-3013		<10	<1	0.46	10	0.62	111	1	0.01	9	480	11	0.18	2	1	11
MO-3014		<10	<1	0.33	<10	0.49	89	1	0.01	11	500	16	0.33	3	2	5
MO-3015		<10	1	0.09	<10	0.10	34	1	0.01	17	20	8	0.40	<2	1	27
MO-3016		<10	<1	0.18	10	0.03	51	17	0.02	55	5380	10	0.26	12	5	44
MO-3017		<10	<1	0.23	10	0.03	44	<1	0.05	10	340	101	0.27	<2	<1	9
MO-3019		<10	<1	0.15	<10	0.01	8	22	0.01	2	2130	9	0.07	3	2	110
MYI-2199		<10	1	0.06	<10	0.01	20	1	0.01	10	60	4	0.23	<2	<1	7
MYI-2200		<10	<1	0.13	<10	0.01	16	1	0.01	4	150	2	0.07	<2	1	29
MYI-2201		<10	1	0.07	<10	0.01	20	1	0.01	10	30	3	0.18	<2	<1	5
MYI-2202		<10	<1	0.22	<10	0.02	11	3	0.01	3	230	8	0.12	2	1	28
MYI-2203		<10	<1	0.15	<10	0.02	13	1	0.01	6	80	6	0.13	<2	1	4
MYI-2204		<10	1	0.17	<10	0.02	12	1	0.01	4	70	5	0.13	<2	1	4
MYI-2205		<10	1	0.08	<10	0.01	21	2	0.01	7	100	3	0.10	<2	1	12
MYI-2206		<10	1	0.20	<10	0.02	15	3	0.01	3	310	3	0.18	<2	4	55
MYI-2207		<10	1	0.09	<10	0.01	18	1	0.01	10	30	3	0.42	<2	1	6
MYI-2208		<10	1	0.15	<10	0.02	21	2	0.01	5	130	5	0.12	<2	1	20
MYI-2209		<10	1	0.06	<10	0.01	22	1	0.01	8	70	3	0.17	<2	1	7
MYI-2210		<10	<1	0.25	<10	0.02	12	2	0.01	4	200	7	0.22	<2	1	33
MYI-2211		<10	1	0.06	<10	0.01	19	2	0.01	7	170	<2	0.05	<2	2	14
MYI-2212		<10	<1	0.05	<10	0.01	17	1	0.01	6	50	2	0.09	<2	<1	6
A6-1000		20	<1	0.01	<10	0.73	8630	10	0.01	110	>10000	<2	0.14	2	11	332
A6-1001		<10	<1	0.18	<10	0.02	68	1	0.01	5	160	9	0.12	5	2	4
A6-1002		<10	<1	0.10	<10	0.01	57	2	0.01	10	290	6	0.09	6	3	1
A6-1003		<10	<1	0.26	<10	0.10	219	3	0.01	31	<10	10	0.22	46	4	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
Aurora Laboratory Services Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: KLAD ENTERPRISES LTD.
SUITE 104, 135 10TH AVE. S.
CRANBROOK BC V1C 2N1

Date : 19-Aug-2002
Account: TTY

Project : YUKON PROJECTS

CERTIFICATE OF ANALYSIS VA02002630

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	As-AA46
	Analyte	Tl	Tl	U	V	W	Zn	As
	Units	%	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	10	1	10	2	0.01
MO-1035		0.03	<10	<10	55	<10	24	
MO-1036		0.15	<10	10	82	<10	182	
MO-2185		0.03	<10	<10	30	<10	25	
MO-2186		0.05	<10	<10	21	<10	19	
MO-2187		<0.01	<10	<10	30	<10	5	
MO-2188		<0.01	<10	<10	6	<10	54	
MO-2189		<0.01	<10	<10	3	<10	8	
MO-2190		0.02	<10	<10	42	<10	26	
MO-2191		<0.01	<10	<10	<1	<10	2	
MO-2192		<0.01	<10	<10	10	<10	4	
MO-2193		0.07	<10	10	55	<10	24	
MO-2194		0.06	<10	10	49	<10	1815	
MO-2195		0.06	<10	10	29	<10	39	
MO-2196		0.02	<10	<10	20	<10	56	
MO-2197		0.03	<10	<10	21	<10	95	
MO-2198		0.05	<10	<10	7	<10	2800	
MO-3013		0.02	<10	<10	22	<10	28	
MO-3014		0.02	<10	<10	32	<10	23	
MO-3015		<0.01	<10	<10	8	<10	18	
MO-3016		<0.01	<10	<10	83	<10	514	
MO-3017		0.01	<10	10	<1	<10	268	
MO-3019		<0.01	<10	<10	172	<10	3	
MYI-2199		<0.01	<10	<10	9	<10	2	
MYI-2200		<0.01	<10	<10	6	<10	3	
MYI-2201		<0.01	<10	<10	9	<10	3	
MYI-2202		<0.01	<10	<10	12	<10	2	
MYI-2203		<0.01	<10	<10	14	<10	<2	
MYI-2204		<0.01	<10	<10	17	<10	<2	
MYI-2205		<0.01	<10	<10	14	<10	2	
MYI-2206		<0.01	<10	<10	10	<10	3	
MYI-2207		<0.01	<10	<10	6	<10	4	
MYI-2208		<0.01	<10	<10	13	<10	2	
MYI-2209		<0.01	<10	<10	7	<10	2	
MYI-2210		<0.01	<10	<10	15	<10	9	
MYI-2211		<0.01	<10	<10	7	<10	4	
MYI-2212		<0.01	<10	<10	9	<10	3	
A6-1000		<0.01	<10	10	185	<10	1270	
A6-1001		<0.01	<10	<10	10	<10	44	
A6-1002		<0.01	<10	<10	19	<10	51	
A6-1003		<0.01	<10	<10	17	<10	163	

Appendix 2b) Soil and silt sample geochemical results

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1-B
Total Pages :4
Certificate Date: 01-AUG-2002
Invoice No. :I0220882
P.O. Number :
Account :TTY

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE OF ANALYSIS A0220882

SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
7600N 10050E	9406	9407	0.51	860	14	0.01	31	1250	154	0.10	12	< 1	26	0.01	< 10	< 10	54	< 10	164
7600N 10100E	9406	9407	0.40	1350	6	0.01	17	1720	114	0.16	6	< 1	19	0.01	< 10	< 10	60	< 10	82
7600N 10150E	9406	9407	0.51	430	8	0.01	26	1180	398	0.14	50	1	18	0.03	< 10	< 10	64	< 10	344
7600N 10200E	9406	9407	0.56	595	13	0.02	46	1340	60	0.12	14	2	29	0.06	< 10	< 10	67	< 10	198
7600N 10250E	9406	9407	0.19	175	5	0.01	11	600	510	0.07	80	< 1	10	0.02	< 10	< 10	37	< 10	150
7600N 10300E	9406	9407	0.51	265	8	0.01	25	830	68	0.07	14	1	19	0.03	< 10	< 10	65	< 10	130
7600N 10350E	9406	9407	0.39	155	7	0.02	23	1410	90	0.13	18	< 1	23	0.01	< 10	< 10	58	< 10	122
7600N 10400E	9406	9407	0.02	35	< 1	0.02	2	470	6	0.05	< 2	< 1	10	0.01	< 10	< 10	9	< 10	8
7600N 10450E	9406	9407	< 0.01	20	< 1	0.01	< 1	390	< 2	0.03	< 2	< 1	5	0.01	< 10	< 10	7	< 10	2
7600N 10500E	9406	9407	0.03	965	2	0.02	6	1320	4	0.11	< 2	< 1	21	< 0.01	< 10	< 10	11	< 10	30
7600N 10550E	9406	9407	0.01	45	< 1	0.02	< 1	430	< 2	0.04	< 2	< 1	10	< 0.01	< 10	< 10	7	< 10	10
7600N 10600E	9406	9407	0.01	45	< 1	0.03	1	850	2	0.06	< 2	< 1	12	< 0.01	< 10	< 10	8	< 10	8
7600N 10650E	9406	9407	0.21	90	4	0.01	10	890	8	0.05	< 2	< 1	13	< 0.01	< 10	< 10	35	< 10	40
7600N 10700E	9406	9407	0.03	1085	1	0.03	4	550	12	0.05	< 2	< 1	14	0.01	< 10	< 10	21	< 10	42
7600N 10750E	9406	9407	0.21	185	1	0.02	19	1040	8	0.04	< 2	< 1	23	< 0.01	< 10	< 10	20	< 10	76
7600N 10800E	9406	9407	0.25	260	1	0.01	24	1170	14	0.05	< 2	< 1	28	< 0.01	< 10	< 10	22	< 10	94
7600N 10850E	9406	9407	0.32	245	3	0.01	23	1300	12	0.05	< 2	< 1	25	0.01	< 10	< 10	34	< 10	94
7600N 10900E	9406	9407	0.34	385	8	0.01	37	1700	20	0.05	6	< 1	27	0.01	< 10	< 10	40	< 10	164
7600N 10950E	9406	9407	0.06	95	1	0.01	6	630	8	0.03	< 2	< 1	8	< 0.01	< 10	< 10	15	< 10	28
7600N 11000E	9406	9407	0.06	80	< 1	0.02	6	480	4	0.03	< 2	< 1	8	0.01	< 10	< 10	13	< 10	26
7600N 11050E	9406	9407	0.02	25	1	0.01	4	270	4	0.01	< 2	< 1	6	0.01	< 10	< 10	21	< 10	20
7600N 11100E	9406	9407	0.04	110	2	0.01	7	320	6	0.01	< 2	< 1	7	0.02	< 10	< 10	37	< 10	36
7600N 11150E	9406	9407	0.03	50	1	0.01	5	290	4	0.01	< 2	< 1	5	0.01	< 10	< 10	31	< 10	26
7800N 8850E	9406	9407	0.09	525	3	< 0.01	45	610	16	0.01	2	5	51	< 0.01	< 10	< 10	9	< 10	98
7800N 8900E	9406	9407	0.07	80	< 1	0.02	5	640	6	0.05	2	< 1	10	0.02	< 10	< 10	24	< 10	26
7800N 8950E	9406	9407	0.10	560	4	< 0.01	46	640	18	< 0.01	4	5	68	< 0.01	< 10	< 10	9	< 10	102
7800N 9000E	9406	9407	0.19	460	4	0.01	18	1030	22	0.03	2	1	15	0.02	< 10	< 10	49	< 10	110
7800N 9050E	9406	9407	0.01	75	3	< 0.01	13	1120	36	0.07	2	< 1	26	0.02	< 10	< 10	62	< 10	78
7800N 9100E	9406	9407	0.05	60	1	0.01	6	800	8	0.06	2	< 1	10	0.01	< 10	< 10	27	< 10	32
7800N 9150E	9406	9407	0.13	145	3	0.01	12	710	12	0.05	2	< 1	15	0.03	< 10	< 10	48	< 10	62
7800N 9200E	9406	9407	0.05	80	1	< 0.01	12	520	12	0.02	2	7	50	0.01	< 10	< 10	67	< 10	72
7800N 9250E	9406	9407	0.12	115	2	< 0.01	12	570	12	0.05	2	< 1	8	0.03	< 10	< 10	56	< 10	60
7800N 9300E	9406	9407	0.30	340	2	0.01	24	1110	16	0.05	2	1	17	0.04	< 10	< 10	44	< 10	102
7800N 9350E	9406	9407	0.27	230	3	0.01	26	1190	12	0.04	2	1	17	0.03	< 10	< 10	43	< 10	116
7800N 9400E	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
7800N 9450E	9406	9407	0.11	155	1	0.01	13	550	14	0.04	< 2	< 1	8	0.01	< 10	< 10	30	< 10	56
7800N 9500E	9406	9407	0.03	75	1	0.01	7	410	10	0.03	< 2	< 1	7	0.01	< 10	< 10	30	< 10	44
7800N 9550E	9406	9407	0.04	40	1	0.01	4	500	10	0.04	< 2	< 1	10	0.01	< 10	< 10	35	< 10	20
7800N 9600E	9406	9407	0.05	40	9	0.01	8	1140	42	0.10	10	< 1	22	< 0.01	< 10	< 10	69	< 10	48
7800N 9650E	9406	9407	0.06	150	14	0.01	20	1790	58	0.20	26	2	60	< 0.01	< 10	< 10	67	< 10	148

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Certificate Date: 01-AUG-2002
Invoice No. :I0220882
P.O. Number :
Account :TTY

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE OF ANALYSIS A0220882

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
7800N 9700E	9406 9407	0.30	< 5	0.4	1.22	90	< 10	1020	< 0.5	< 2	0.06	0.5	3	19	102	4.89	< 10	< 1	0.08	< 10
7800N 9750E	9406 9407	0.32	< 5	2.8	0.62	92	< 10	130	< 0.5	< 2	0.05	< 0.5	3	9	72	2.07	< 10	< 1	0.04	< 10
7800N 9800E	9406 9407	0.30	< 5	0.6	1.66	100	< 10	250	0.5	< 2	0.44	1.5	10	27	34	2.78	< 10	< 1	0.08	10
7800N 9850E	9406 9407	0.20	< 5	< 0.2	0.39	12	< 10	60	< 0.5	< 2	0.10	< 0.5	1	8	7	0.88	< 10	< 1	0.03	< 10
7800N 9900E	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
7800N 9950E	9406 9407	0.32	< 5	0.4	1.73	98	< 10	260	0.5	< 2	0.26	0.5	9	22	26	2.55	< 10	< 1	0.06	10
7800N 10050E	9406 9407	0.38	< 5	< 0.2	0.37	2	< 10	30	< 0.5	< 2	0.10	< 0.5	< 1	1	5	0.39	< 10	< 1	0.01	< 10
7800N 10100E	9406 9407	0.48	< 5	1.4	1.27	98	< 10	60	< 0.5	< 2	0.09	0.5	5	19	28	1.78	< 10	< 1	0.05	< 10
7800N 10150E	9406 9407	0.38	< 5	1.0	2.15	308	< 10	130	0.5	2	0.15	1.0	6	39	33	3.23	< 10	< 1	0.04	10
7800N 10200E	9406 9407	0.32	< 5	1.6	1.48	38	< 10	60	< 0.5	< 2	0.11	0.5	6	41	83	3.21	< 10	< 1	0.05	< 10
7800N 10250E	9406 9407	0.28	10	6.6	1.50	566	< 10	70	< 0.5	< 2	0.11	4.5	9	21	95	4.88	< 10	< 1	0.03	< 10
7800N 10300E	9406 9407	0.38	25	9.4	1.08	1385	< 10	130	< 0.5	14	0.05	2.0	2	38	59	5.10	< 10	< 1	0.12	< 10
7800N 10350E	9406 9407	0.48	40	16.6	1.48	2200	< 10	190	0.5	2	0.26	41.0	17	14	56	5.58	< 10	< 1	0.06	10
7800N 10400E	9406 9407	0.20	5	2.2	0.88	274	< 10	40	< 0.5	< 2	0.06	1.5	2	7	20	1.36	< 10	< 1	0.03	< 10
7800N 10450E	9406 9407	0.34	15	1.6	2.15	478	< 10	170	0.5	< 2	0.14	3.0	22	23	96	5.78	< 10	< 1	0.05	10
7800N 10500E	9406 9407	0.36	10	1.4	1.81	122	< 10	80	0.5	< 2	0.08	2.0	5	20	72	5.69	< 10	< 1	0.04	< 10
7800N 10550E	9406 9407	0.40	10	4.4	1.42	140	< 10	130	0.5	< 2	0.08	2.5	5	18	78	7.82	< 10	< 1	0.08	10
7800N 10600E	9406 9407	0.28	< 5	0.8	1.65	30	< 10	220	< 0.5	< 2	0.08	2.0	3	13	61	5.24	< 10	< 1	0.05	< 10
7800N 10650E	9406 9407	0.30	< 5	< 0.2	0.22	< 2	< 10	10	< 0.5	< 2	0.02	< 0.5	< 1	1	3	0.27	< 10	< 1	0.01	< 10
7800N 10700E	9406 9407	0.36	< 5	0.6	0.38	46	< 10	110	< 0.5	< 2	0.01	< 0.5	< 1	5	13	0.93	< 10	< 1	0.03	< 10
7800N 10750E	9406 9407	0.22	15	1.6	1.00	76	< 10	210	< 0.5	< 2	0.04	0.5	1	17	47	1.71	< 10	< 1	0.04	< 10
7800N 10800E	9406 9407	0.32	< 5	0.2	0.24	30	< 10	110	< 0.5	< 2	0.01	< 0.5	1	5	10	0.68	< 10	< 1	0.03	< 10
7800N 10850E	9406 9407	0.34	< 5	1.0	0.52	28	< 10	210	< 0.5	< 2	0.01	0.5	1	6	35	0.97	< 10	< 1	0.03	< 10
7800N 10900E	9406 9407	0.26	< 5	0.6	0.24	< 2	< 10	10	< 0.5	< 2	0.02	< 0.5	< 1	< 1	1	0.21	< 10	< 1	0.01	< 10
7800N 10950E	9406 9407	0.20	10	0.8	0.14	< 2	< 10	30	< 0.5	< 2	0.02	< 0.5	< 1	1	3	0.24	< 10	< 1	0.01	< 10
7800N 11000E	9406 9407	0.32	20	1.0	1.33	146	< 10	560	0.5	< 2	0.17	2.0	16	21	112	3.13	< 10	< 1	0.08	< 10
8000N 9400E	9406 9407	0.40	5	2.4	1.07	122	< 10	560	0.5	< 2	0.05	2.5	5	17	97	4.38	< 10	< 1	0.07	10
8000N 9450E	9406 9407	0.26	< 5	0.6	0.35	12	< 10	50	< 0.5	< 2	0.03	0.5	1	5	16	0.80	< 10	< 1	0.02	< 10
8000N 9500E	9406 9407	0.36	10	2.0	1.14	102	< 10	610	0.5	< 2	0.72	8.5	46	13	95	7.25	< 10	< 1	0.07	20
8000N 9550E	9406 9407	0.28	< 5	6.0	0.86	100	< 10	90	< 0.5	< 2	0.10	1.5	4	10	26	1.64	< 10	< 1	0.03	< 10
8000N 9600E	9406 9407	0.38	45	55.8	1.22	578	< 10	130	0.5	< 2	0.28	19.5	8	13	63	3.37	< 10	< 1	0.05	10
8000N 9650E	9406 9407	0.26	5	13.0	0.95	242	< 10	90	< 0.5	< 2	0.12	4.5	3	11	21	1.89	< 10	< 1	0.03	< 10
8000N 9700E	9406 9407	0.34	40	65.6	1.57	1825	< 10	390	0.5	< 2	0.40	66.5	21	23	101	6.35	10	< 1	0.08	10
8000N 9750E	9406 9407	0.30	15	5.0	2.06	168	< 10	130	0.5	< 2	0.85	19.5	23	17	53	4.51	< 10	< 1	0.05	< 10
8000N 9800E	9406 9407	0.40	30	18.2	1.82	1435	< 10	310	0.5	< 2	0.37	20.0	27	48	152	5.06	< 10	< 1	0.07	10
8000N 9850E	9406 9407	0.38	20	54.0	1.64	692	< 10	210	0.5	2	0.20	17.5	19	50	125	8.37	< 10	< 1	0.11	< 10
8000N 9900E	9406 9407	0.28	< 5	0.8	2.22	122	< 10	270	0.5	< 2	0.28	1.0	10	28	22	2.68	< 10	< 1	0.06	10
8000N 10100E	9406 9407	0.36	5	2.4	2.24	202	< 10	190	0.5	6	0.18	3.0	12	21	36	3.24	< 10	1	0.07	10
8000N 10200E	9406 9407	0.38	10	13.2	1.24	452	< 10	60	< 0.5	8	0.16	3.0	6	13	35	3.27	< 10	< 1	0.05	< 10
8000N 10300E	9406 9407	0.22	5	1.4	0.98	78	< 10	80	< 0.5	2	0.11	1.0	5	6	15	1.46	< 10	< 1	0.04	< 10

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

Certificate Date: 01-AUG-2002
Invoice No. : I0220882
P.O. Number :
Account : TTY

CERTIFICATE OF ANALYSIS A0220882

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
7800N 9700E	94069407	0.15	130	5	0.02	12	1760	56	0.23	36	1	48	0.01	< 10	< 10	43	< 10	58
7800N 9750E	94069407	0.09	160	6	0.01	8	1010	162	0.05	20	1	21	0.01	< 10	< 10	22	< 10	40
7800N 9800E	94069407	0.51	470	7	0.01	32	1680	98	0.04	18	3	36	0.05	< 10	< 10	57	< 10	220
7800N 9850E	94069407	0.07	45	3	0.01	5	480	20	0.05	2	< 1	9	0.02	< 10	< 10	28	< 10	28
7800N 9900E	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
7800N 9950E	94069407	0.52	355	3	0.01	22	1000	90	0.01	10	4	26	0.06	< 10	< 10	47	< 10	170
7800N 10050E	94069407	0.01	75	< 1	0.03	< 1	480	< 2	0.01	< 2	< 1	9	0.02	< 10	< 10	12	< 10	6
7800N 10100E	94069407	0.29	195	4	0.01	13	1270	152	0.09	14	< 1	11	0.04	< 10	< 10	39	< 10	96
7800N 10150E	94069407	0.67	265	5	0.01	21	950	176	0.06	30	2	16	0.09	< 10	< 10	91	< 10	234
7800N 10200E	94069407	0.47	310	11	0.01	28	810	190	0.09	14	1	12	0.08	< 10	< 10	92	< 10	188
7800N 10250E	94069407	0.29	455	24	0.02	35	980	856	0.10	58	1	11	0.03	< 10	< 10	62	< 10	814
7800N 10300E	94069407	0.38	130	11	0.03	8	1000	1335	0.25	484	1	11	0.07	< 10	< 10	51	< 10	372
7800N 10350E	94069407	0.59	1635	3	0.01	19	930	2420	0.12	282	5	39	0.02	< 10	< 10	33	< 10	3130
7800N 10400E	94069407	0.10	120	1	0.01	5	680	294	0.07	32	< 1	7	0.02	< 10	< 10	17	< 10	204
7800N 10450E	94069407	0.44	860	11	0.01	46	1730	168	0.14	48	1	23	0.04	< 10	< 10	49	< 10	300
7800N 10500E	94069407	0.36	270	14	0.01	20	1370	196	0.17	44	< 1	24	0.04	< 10	< 10	50	< 10	158
7800N 10550E	94069407	0.33	220	16	0.06	18	1960	850	0.41	190	1	88	0.03	< 10	< 10	43	< 10	262
7800N 10600E	94069407	0.16	100	32	0.11	12	2100	36	0.55	6	< 1	100	0.02	< 10	< 10	37	< 10	74
7800N 10650E	94069407	< 0.01	10	< 1	0.02	< 1	230	< 2	0.01	< 2	< 1	5	0.01	< 10	< 10	7	< 10	2
7800N 10700E	94069407	0.03	20	5	0.01	3	610	48	0.07	6	< 1	17	< 0.01	< 10	< 10	21	< 10	16
7800N 10750E	94069407	0.15	65	4	0.01	8	770	70	0.10	10	< 1	19	0.01	< 10	< 10	32	< 10	44
7800N 10800E	94069407	0.01	25	1	0.01	4	430	34	0.04	8	< 1	9	< 0.01	< 10	< 10	18	< 10	20
7800N 10850E	94069407	0.01	30	3	0.01	7	400	30	0.03	10	< 1	9	< 0.01	< 10	< 10	28	< 10	32
7800N 10900E	94069407	< 0.01	5	< 1	0.02	< 1	130	< 2	< 0.01	< 2	< 1	5	0.01	< 10	< 10	6	< 10	2
7800N 10950E	94069407	< 0.01	10	< 1	0.02	< 1	160	8	0.01	< 2	< 1	4	0.01	< 10	< 10	6	< 10	2
7800N 11000E	94069407	0.33	505	7	0.01	39	1160	190	0.07	36	1	40	0.02	< 10	< 10	38	< 10	144
8000N 9400E	94069407	0.15	235	5	0.01	19	2280	302	0.14	32	3	261	0.01	< 10	< 10	64	< 10	104
8000N 9450E	94069407	0.03	25	1	0.01	3	510	58	0.06	4	< 1	20	< 0.01	< 10	< 10	14	< 10	18
8000N 9500E	94069407	0.70	2810	63	0.01	151	1620	78	0.19	18	3	51	< 0.01	< 10	< 10	38	< 10	770
8000N 9550E	94069407	0.15	230	5	0.01	11	1090	618	0.10	26	< 1	11	0.01	< 10	< 10	25	< 10	138
8000N 9600E	94069407	0.27	1115	6	0.02	26	1370	7490	0.23	150	1	20	0.02	< 10	< 10	25	< 10	1465
8000N 9650E	94069407	0.15	225	4	0.01	10	770	1280	0.09	26	< 1	11	0.01	< 10	< 10	23	< 10	302
8000N 9700E	94069407	0.56	5280	9	0.01	47	2020	>10000	0.42	228	3	34	0.02	< 10	< 10	44	< 10	3940
8000N 9750E	94069407	0.32	760	8	0.02	36	1530	716	0.22	32	< 1	28	0.02	< 10	< 10	34	< 10	936
8000N 9800E	94069407	0.70	2480	34	0.01	106	1750	5130	0.12	76	4	61	0.05	< 10	< 10	129	< 10	1920
8000N 9850E	94069407	0.64	1205	2	0.01	75	1070	7880	0.34	234	4	26	0.05	< 10	< 10	59	< 10	3280
8000N 9900E	94069407	0.55	375	2	0.01	22	920	214	0.02	18	3	30	0.05	< 10	< 10	55	< 10	222
8000N 10100E	94069407	0.52	785	1	0.02	21	1180	322	0.04	10	4	18	0.05	< 10	< 10	47	< 10	764
8000N 10200E	94069407	0.31	435	1	0.01	13	940	2930	0.06	26	3	16	0.03	< 10	< 10	33	< 10	1145
8000N 10300E	94069407	0.13	295	< 1	0.03	5	580	254	0.04	4	< 1	14	0.02	< 10	< 10	18	< 10	320

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :3-A
Total Pages :4
Certificate Date: 01-AUG-2002
Invoice No. :10220882
P.O. Number :
Account :TTY

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE OF ANALYSIS A0220882

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
8000N 10350E	94069407	0.38	55	2.8	1.68	340	< 10	130	< 0.5	2	0.23	2.5	12	10	39	2.97	< 10	< 1	0.06	10
8000N 10400E	94069407	0.24	10	1.0	1.71	1520	< 10	220	< 0.5	18	0.10	1.0	16	17	103	3.26	< 10	< 1	0.05	10
8000N 10450E	94069407	0.36	15	1.6	1.68	636	< 10	470	< 0.5	6	0.10	< 0.5	40	20	293	5.64	< 10	< 1	0.08	< 10
8000N 10500E	94069407	0.44	15	< 0.2	2.27	222	< 10	180	0.5	< 2	0.06	< 0.5	5	42	152	12.80	< 10	< 1	0.25	< 10
8000N 10550E	94069407	0.44	10	0.6	1.85	356	< 10	300	0.5	2	0.03	0.5	3	36	155	11.20	< 10	< 1	0.20	< 10
8000N 10600E	94069407	0.42	15	1.0	1.83	262	< 10	600	< 0.5	4	0.04	< 0.5	3	31	145	8.47	< 10	1	0.17	< 10
8000N 10650E	94069407	0.34	10	1.6	1.87	472	< 10	680	< 0.5	6	0.05	0.5	5	31	172	8.12	< 10	< 1	0.17	< 10
8000N 10700E	94069407	0.42	10	0.8	1.69	682	< 10	620	< 0.5	< 2	0.03	0.5	3	29	122	8.27	< 10	< 1	0.14	< 10
8000N 10750E	94069407	0.30	< 5	0.2	1.07	140	< 10	200	< 0.5	< 2	0.11	0.5	23	17	93	3.14	< 10	< 1	0.05	< 10
8000N 10800E	94069407	0.28	< 5	< 0.2	0.92	52	< 10	110	< 0.5	4	0.03	< 0.5	4	17	28	2.70	< 10	< 1	0.05	< 10
8000N 10850E	94069407	0.26	< 5	1.0	2.82	108	< 10	220	0.5	8	0.07	< 0.5	6	34	47	4.08	< 10	< 1	0.04	< 10
8000N 10900E	94069407	0.28	< 5	0.2	0.96	98	< 10	460	< 0.5	2	0.04	< 0.5	3	17	33	3.10	< 10	< 1	0.04	< 10
8000N 10950E	94069407	0.32	< 5	1.4	1.33	116	< 10	250	< 0.5	< 2	0.12	0.5	12	25	46	3.44	< 10	< 1	0.07	< 10
8000N 11000E	94069407	0.24	< 5	0.6	0.43	6	< 10	90	< 0.5	< 2	0.02	< 0.5	< 1	3	19	0.44	< 10	< 1	0.02	< 10
8000N 11050E	94069407	0.28	< 5	1.8	0.51	46	< 10	440	< 0.5	< 2	0.03	< 0.5	1	8	27	0.89	< 10	< 1	0.03	< 10
8000N 11100E	94069407	0.38	30	0.2	1.30	156	< 10	420	0.5	6	0.30	0.5	11	24	86	2.89	< 10	< 1	0.08	10
8000N 11150E	94069407	0.34	5	0.2	1.96	86	< 10	400	1.0	2	0.20	0.5	17	25	74	4.24	< 10	1	0.12	< 10
8000N 11200E	94069407	0.30	< 5	0.6	1.44	24	< 10	270	< 0.5	2	0.06	< 0.5	23	16	51	2.59	< 10	1	0.06	< 10
8000N 11250E	94069407	0.24	< 5	0.2	0.78	22	< 10	290	< 0.5	< 2	0.03	< 0.5	3	10	58	1.97	< 10	< 1	0.04	< 10
8000N 11300E	94069407	0.22	10	0.2	0.96	32	< 10	410	< 0.5	< 2	0.06	< 0.5	4	11	38	1.67	< 10	< 1	0.05	< 10
8000N 11350E	94069407	0.32	< 5	< 0.2	0.95	10	< 10	580	< 0.5	< 2	0.04	< 0.5	5	16	43	1.92	< 10	< 1	0.08	< 10
8200N 9350E	94069407	0.32	< 5	1.6	0.55	12	< 10	210	< 0.5	< 2	0.34	0.5	3	8	21	0.99	< 10	< 1	0.03	< 10
8200N 9400E	94069407	0.38	< 5	1.2	1.44	90	< 10	280	0.5	< 2	0.37	2.0	14	25	54	3.23	< 10	< 1	0.07	10
8200N 9450E	94069407	0.36	< 5	< 0.2	0.50	10	< 10	60	< 0.5	< 2	0.07	< 0.5	3	5	8	0.81	< 10	< 1	0.02	< 10
8200N 9500E	94069407	0.32	< 5	0.6	1.34	36	< 10	100	0.5	2	0.16	1.0	5	13	19	1.96	< 10	< 1	0.03	< 10
8200N 9550E	94069407	0.40	10	2.8	2.30	168	< 10	240	1.0	< 2	0.56	3.5	16	26	53	4.15	< 10	1	0.06	10
8200N 9600E	94069407	0.38	25	6.8	2.02	410	< 10	280	0.5	4	0.21	4.0	14	43	80	4.66	< 10	< 1	0.09	< 10
8200N 9650E	94069407	0.32	5	1.2	1.50	106	< 10	150	0.5	< 2	0.15	2.0	10	25	47	2.57	< 10	< 1	0.05	< 10
8200N 9700E	94069407	0.36	10	4.0	2.04	440	< 10	190	0.5	4	0.33	4.0	16	38	97	4.09	< 10	< 1	0.06	10
8200N 9750E	94069407	0.32	5	12.6	1.56	392	< 10	280	< 0.5	6	0.20	1.5	5	52	104	4.83	< 10	< 1	0.10	< 10
8200N 9800E	94069407	0.38	5	6.4	1.67	364	< 10	260	0.5	4	0.12	3.5	13	47	99	5.36	< 10	< 1	0.11	10
8200N 9850E	94069407	0.26	< 5	< 0.2	1.43	104	< 10	170	< 0.5	< 2	0.11	0.5	3	48	36	2.47	< 10	< 1	0.05	< 10
8200N 9900E	94069407	0.36	< 5	< 0.2	1.69	32	< 10	250	0.5	2	0.19	0.5	7	39	31	2.70	< 10	< 1	0.05	< 10
8200N 9950E	94069407	0.40	105	0.6	2.05	70	< 10	320	0.5	< 2	0.23	1.5	9	24	36	2.89	< 10	< 1	0.07	10
8800N 10650E	94069407	0.30	< 5	0.4	0.47	40	< 10	310	< 0.5	2	0.03	< 0.5	2	6	46	1.11	< 10	< 1	0.03	< 10
8800N 10700E	94069407	0.20	< 5	0.6	0.34	46	< 10	90	< 0.5	4	0.02	< 0.5	1	4	34	1.03	< 10	< 1	0.02	< 10
8800N 10750E	94069407	0.32	15	0.6	0.61	254	< 10	160	< 0.5	16	0.02	0.5	3	11	120	3.00	< 10	< 1	0.04	10
8800N 10800E	94069407	0.30	105	0.6	0.59	52	< 10	110	< 0.5	6	0.03	< 0.5	3	7	36	1.30	< 10	< 1	0.02	< 10
8800N 10850E	94069407	0.22	< 5	0.4	0.53	74	< 10	100	< 0.5	8	0.03	< 0.5	1	4	43	0.78	< 10	< 1	0.02	< 10
8800N 10900E	94069407	0.30	30	0.8	0.88	566	< 10	140	< 0.5	22	0.03	< 0.5	3	12	88	2.40	< 10	< 1	0.06	< 10

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Certificate Date: 01-AUG-2002
Invoice No. :I0220882
P.O. Number :
Account :TTY

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE OF ANALYSIS A0220882

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
8000N 10350E	9406 9407	0.33	685	1	0.03	11	980	834	0.07	298	1	25	0.05	< 10	< 10	33	< 10	530
8000N 10400E	9406 9407	0.35	470	1	0.01	29	810	46	0.07	8	1	12	0.03	< 10	< 10	38	< 10	112
8000N 10450E	9406 9407	0.34	1035	6	0.02	41	1200	96	0.15	14	3	16	0.04	< 10	< 10	39	< 10	192
8000N 10500E	9406 9407	0.41	285	32	0.19	13	2820	52	1.19	16	5	174	0.03	< 10	< 10	65	< 10	100
8000N 10550E	9406 9407	0.43	235	24	0.13	14	2400	88	0.84	22	4	108	0.02	< 10	< 10	56	< 10	96
8000N 10600E	9406 9407	0.40	250	23	0.11	12	2260	76	0.61	12	3	86	0.02	< 10	< 10	49	< 10	70
8000N 10650E	9406 9407	0.42	320	19	0.09	18	2060	94	0.54	18	3	80	0.03	< 10	< 10	49	< 10	96
8000N 10700E	9406 9407	0.36	215	17	0.08	17	1630	100	0.45	32	3	67	0.03	< 10	< 10	52	< 10	104
8000N 10750E	9406 9407	0.25	1130	3	0.01	44	920	74	0.05	24	1	24	0.03	< 10	< 10	36	< 10	190
8000N 10800E	9406 9407	0.17	235	4	0.01	13	560	48	0.04	8	< 1	10	0.03	< 10	< 10	53	< 10	64
8000N 10850E	9406 9407	0.20	325	5	0.01	21	1080	46	0.05	6	2	21	0.02	< 10	< 10	53	< 10	82
8000N 10900E	9406 9407	0.15	130	7	0.01	15	750	68	0.05	18	< 1	20	0.03	< 10	< 10	74	< 10	72
8000N 10950E	9406 9407	0.39	805	7	0.01	26	1630	156	0.07	30	1	25	0.01	< 10	< 10	48	< 10	126
8000N 11000E	9406 9407	0.01	25	< 1	0.02	1	360	14	0.01	2	< 1	6	< 0.01	< 10	< 10	12	< 10	8
8000N 11050E	9406 9407	0.07	40	3	0.01	6	440	58	0.04	12	< 1	13	0.01	< 10	< 10	27	< 10	28
8000N 11100E	9406 9407	0.43	550	5	0.01	35	1130	28	0.02	10	3	40	0.04	< 10	< 10	47	< 10	136
8000N 11150E	9406 9407	0.49	565	11	0.01	62	1270	34	0.05	8	3	42	0.03	< 10	< 10	42	< 10	218
8000N 11200E	9406 9407	0.21	1190	4	0.01	15	680	32	0.04	2	1	14	0.03	< 10	< 10	30	< 10	56
8000N 11250E	9406 9407	0.12	195	1	0.01	9	400	48	0.03	10	< 1	10	0.02	< 10	< 10	26	< 10	44
8000N 11300E	9406 9407	0.14	230	< 1	0.02	9	540	46	0.05	14	< 1	13	0.02	< 10	< 10	24	< 10	48
8000N 11350E	9406 9407	0.22	265	< 1	0.01	16	280	12	0.01	2	1	12	0.05	< 10	< 10	41	< 10	56
8200N 9350E	9406 9407	0.08	130	3	0.02	8	690	48	0.05	8	< 1	18	0.01	< 10	< 10	23	< 10	48
8200N 9400E	9406 9407	0.54	545	9	0.02	38	1130	254	0.07	28	2	33	0.02	< 10	< 10	54	< 10	284
8200N 9450E	9406 9407	0.06	230	1	0.02	4	400	36	0.02	2	< 1	8	0.02	< 10	< 10	19	< 10	36
8200N 9500E	9406 9407	0.18	280	5	0.01	12	1010	120	0.09	14	< 1	14	0.01	< 10	< 10	28	< 10	108
8200N 9550E	9406 9407	0.52	850	7	0.06	57	1730	382	0.08	38	3	33	0.03	< 10	< 10	44	< 10	508
8200N 9600E	9406 9407	0.58	540	7	0.01	44	1460	518	0.10	96	3	28	0.04	< 10	< 10	64	< 10	476
8200N 9650E	9406 9407	0.32	435	3	0.02	30	970	108	0.07	8	1	20	0.03	< 10	< 10	39	< 10	244
8200N 9700E	9406 9407	0.46	820	4	0.02	46	1050	416	0.11	14	3	28	0.05	< 10	< 10	57	< 10	678
8200N 9750E	9406 9407	0.58	160	11	0.01	23	1750	1200	0.18	18	2	16	0.06	< 10	< 10	106	< 10	280
8200N 9800E	9406 9407	0.53	680	12	0.01	34	1280	1090	0.18	20	2	17	0.06	< 10	< 10	96	< 10	766
8200N 9850E	9406 9407	0.73	140	5	0.01	18	750	50	0.07	6	2	9	0.12	< 10	< 10	133	< 10	158
8200N 9900E	9406 9407	0.59	260	3	0.01	23	890	36	0.04	2	3	16	0.09	< 10	< 10	89	< 10	150
8200N 9950E	9406 9407	0.51	340	1	0.02	21	880	184	0.04	8	3	28	0.05	< 10	< 10	54	< 10	308
8800N 10650E	9406 9407	0.06	55	1	0.02	9	480	18	0.03	2	< 1	10	0.01	< 10	< 10	21	< 10	42
8800N 10700E	9406 9407	0.01	25	2	0.01	6	470	58	0.04	16	< 1	10	< 0.01	< 10	< 10	25	< 10	40
8800N 10750E	9406 9407	0.04	75	8	0.01	23	590	144	0.06	34	< 1	26	0.01	< 10	< 10	69	< 10	160
8800N 10800E	9406 9407	0.03	155	4	0.01	9	350	20	0.02	6	< 1	8	0.01	< 10	< 10	41	< 10	42
8800N 10850E	9406 9407	0.02	45	2	0.01	5	320	8	0.01	4	< 1	8	0.01	< 10	< 10	19	10	18
8800N 10900E	9406 9407	0.15	80	6	0.01	14	320	50	0.03	22	1	9	0.04	< 10	< 10	56	30	68

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :4-A
Total Pages :4
Certificate Date: 01-AUG-2002
Invoice No. :I0220882
P.O. Number :
Account :TTY

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE OF ANALYSIS A0220882

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
8800N 10950E	94069407	0.22	5	0.2	0.67	70	< 10	90	< 0.5	10	0.04	< 0.5	1	7	52	0.95	< 10	< 1	0.03	< 10
8800N 11000E	94069407	0.28	100	0.2	0.62	34	< 10	70	< 0.5	2	0.03	< 0.5	1	7	38	1.11	< 10	< 1	0.03	< 10
8800N 11050E	94069407	0.26	10	< 0.2	0.66	44	< 10	90	< 0.5	6	0.06	< 0.5	1	11	46	1.36	< 10	< 1	0.03	< 10
8800N 11100E	94069407	0.28	25	< 0.2	0.81	50	< 10	150	< 0.5	4	0.04	< 0.5	5	11	51	2.14	< 10	< 1	0.03	< 10
8800N 11150E	94069407	0.24	35	< 0.2	0.95	48	< 10	230	< 0.5	< 2	0.08	< 0.5	6	11	82	2.16	< 10	< 1	0.03	< 10
8800N 11200E	94069407	0.30	< 5	0.2	1.29	514	< 10	330	< 0.5	2	0.09	< 0.5	5	21	93	3.94	< 10	< 1	0.07	< 10
8800N 11250E	94069407	0.30	< 5	0.4	1.59	192	< 10	400	0.5	2	0.18	< 0.5	7	24	107	2.66	< 10	< 1	0.06	< 10
8800N 11300E	94069407	0.30	5	0.2	1.21	66	< 10	700	0.5	< 2	0.20	< 0.5	18	21	48	2.75	< 10	< 1	0.05	< 10
8800N 11350E	94069407	0.34	10	0.6	1.16	112	< 10	600	0.5	< 2	0.37	1.0	16	22	102	2.98	< 10	< 1	0.07	< 10
8800N 11400E	94069407	0.32	15	0.4	0.62	2	< 10	630	< 0.5	< 2	0.71	0.5	2	5	28	0.76	< 10	< 1	0.01	< 10
10000E 7800N	94069407	0.36	< 5	0.6	1.77	64	< 10	390	0.5	< 2	0.39	1.5	9	47	46	2.49	< 10	< 1	0.07	10
10000E 8450N	94069407	0.38	80	3.2	0.64	820	< 10	580	< 0.5	24	0.01	< 0.5	< 1	23	99	5.15	< 10	< 1	0.11	< 10
10000E 8550N	94069407	0.32	55	3.2	1.18	1120	< 10	320	< 0.5	24	0.02	1.5	1	27	256	9.06	< 10	1	0.25	< 10
10000E 8650N	94069407	0.34	45	5.2	1.75	1585	< 10	490	< 0.5	16	0.15	1.5	4	42	211	10.95	< 10	< 1	0.28	< 10
10000E 8750N	94069407	0.44	55	5.4	1.73	1610	< 10	500	< 0.5	18	0.15	1.5	4	41	209	10.85	< 10	< 1	0.28	< 10
10000E 8850N	94069407	0.26	25	20.4	1.26	348	< 10	1160	< 0.5	10	0.08	0.5	1	23	74	3.55	< 10	< 1	0.23	10
10000E 8950N	94069407	0.34	20	19.6	1.21	326	< 10	1190	< 0.5	6	0.06	0.5	1	21	70	3.45	< 10	< 1	0.22	10
10000E 9050N	94069407	0.34	20	21.4	1.15	340	< 10	1350	< 0.5	6	0.06	< 0.5	1	19	67	3.36	< 10	< 1	0.21	10
10000E 9150N	94069407	0.34	35	20.4	1.39	362	< 10	920	< 0.5	6	0.10	0.5	3	28	81	3.91	< 10	< 1	0.25	10

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :4-B
Total Pages :4
Certificate Date: 01-AUG-2002
Invoice No. :10220882
P.O. Number :
Account :TTY

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE OF ANALYSIS A0220882

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
8800N 10950E	94069407	0.07	30	3	0.01	6	240	22	0.01	6	< 1	9	0.02	< 10	< 10	20	10	18
8800N 11000E	94069407	0.07	50	2	0.01	8	310	6	0.02	< 2	< 1	9	0.01	< 10	< 10	21	< 10	20
8800N 11050E	94069407	0.10	45	4	0.01	9	360	8	0.01	4	< 1	16	0.01	< 10	< 10	32	< 10	24
8800N 11100E	94069407	0.06	115	6	0.01	14	390	10	0.02	2	< 1	17	0.01	< 10	< 10	56	< 10	52
8800N 11150E	94069407	0.15	155	5	0.01	31	730	8	0.03	< 2	1	23	< 0.01	< 10	< 10	26	< 10	80
8800N 11200E	94069407	0.25	120	16	0.03	28	780	16	0.12	2	1	72	0.02	< 10	< 10	51	< 10	80
8800N 11250E	94069407	0.32	100	11	0.02	40	810	12	0.07	2	2	70	0.01	< 10	< 10	41	< 10	78
8800N 11300E	94069407	0.32	460	13	0.01	39	970	16	0.03	2	2	38	< 0.01	< 10	< 10	38	< 10	124
8800N 11350E	94069407	0.35	345	7	0.01	72	1170	20	0.04	6	3	52	0.01	< 10	< 10	38	< 10	178
8800N 11400E	94069407	0.05	30	< 1	0.02	17	910	4	0.11	< 2	1	56	0.01	< 10	< 10	4	< 10	12
10000E 7800N	94069407	0.69	360	3	0.01	28	1280	122	0.01	22	5	27	0.09	< 10	< 10	85	< 10	208
10000E 8450N	94069407	0.18	120	4	0.01	7	1040	492	0.26	128	2	25	< 0.01	< 10	< 10	31	< 10	110
10000E 8550N	94069407	0.14	110	18	0.04	24	1540	202	0.60	66	5	58	0.02	< 10	< 10	74	< 10	256
10000E 8650N	94069407	0.45	295	28	0.07	36	4470	368	0.73	94	4	154	0.02	< 10	< 10	157	< 10	370
10000E 8750N	94069407	0.44	290	27	0.07	35	4480	376	0.73	100	4	154	0.02	< 10	< 10	156	< 10	364
10000E 8850N	94069407	0.14	220	16	0.02	10	2300	2090	0.50	40	< 1	125	0.01	< 10	< 10	55	< 10	88
10000E 8950N	94069407	0.13	225	13	0.02	10	2210	1940	0.49	36	< 1	115	0.01	< 10	< 10	53	< 10	82
10000E 9050N	94069407	0.11	220	13	0.01	9	2140	1940	0.49	34	< 1	105	0.01	< 10	< 10	50	< 10	78
10000E 9150N	94069407	0.20	280	21	0.02	13	2600	2380	0.52	48	1	163	0.01	< 10	< 10	64	< 10	100

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

A0220882

Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE A0220882

(TTY) - KLAD ENTERPRISES LTD.

Project: Yukon Project
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 01-AUG-2002.

SAMPLE PREPARATION

METHOD CODE	NUMBER SAMPLES	DESCRIPTION
SCR-42	137	-180 micron screen - Save Minus
SCR-01	137	Screen - Save Plus Charge
LOG-22	137	Samples received without barcode
229	137	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

METHOD CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
WEI-21	137	Weight of received sample	BALANCE	0.01	1000.0
Au-AA23	137	Au-AA23 : Au ppb: Fuse 30 grams	FA-AAS	5	10000
Ag-ICP41	137	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
Al-ICP41	137	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
As-ICP41	137	As ppm: 32 element, soil & rock	ICP-AES	2	10000
B-ICP41	137	B ppm: 32 element, rock & soil	ICP-AES	10	10000
Ba-ICP41	137	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
Be-ICP41	137	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
Bi-ICP41	137	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
Ca-ICP41	137	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
Cd-ICP41	137	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
Co-ICP41	137	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
Cr-ICP41	137	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
Cu-ICP41	137	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
Fe-ICP41	137	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
Ga-ICP41	137	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
Hg-ICP41	137	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
K-ICP41	137	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
La-ICP41	137	La ppm: 32 element, soil & rock	ICP-AES	10	10000
Mg-ICP41	137	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
Mn-ICP41	137	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
Mo-ICP41	137	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
Na-ICP41	137	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
Ni-ICP41	137	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
P-ICP41	137	P ppm: 32 element, soil & rock	ICP-AES	10	10000
Pb-ICP41	137	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
S-ICP41	137	S %: 32 element, rock & soil	ICP-AES	0.01	10.00
Sb-ICP41	137	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
Sc-ICP41	137	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
Sr-ICP41	137	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
Ti-ICP41	137	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
Tl-ICP41	137	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
U-ICP41	137	U ppm: 32 element, soil & rock	ICP-AES	10	10000
V-ICP41	137	V ppm: 32 element, soil & rock	ICP-AES	1	10000
W-ICP41	137	W ppm: 32 element, soil & rock	ICP-AES	10	10000
Zn-ICP41	137	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

A0221372

Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE A0221372

(TTY) - KLAD ENTERPRISES LTD.

Project: Yukon Project
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 02-AUG-2002.

SAMPLE PREPARATION

METHOD CODE	NUMBER SAMPLES	DESCRIPTION
212	1	Overlimit pulp, to be found

ANALYTICAL PROCEDURES

METHOD CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
Pb-AA46	1	Pb %: Conc. Nitric-HCl dig'n	AAS	0.01	50.0

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

Page Number :1
Total Pages :1
Certificate Date: 02-AUG-2002
Invoice No. :10221372
P.O. Number :
Account :TTY

CERTIFICATE OF ANALYSIS A0221372

SAMPLE	PREP CODE		Pb %									
8000N 9700E	212	--	1.24									

CERTIFICATION: Stuart McLeod

OVERLIMITS from A0220882

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

A0219760

Comments: ATTN: CARL SCHULZE/ SERFGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE A0219760

(TTY) - KLAD ENTERPRISES LTD.

Project: YUKON PROJECT
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 19-JUL-2002.

SAMPLE PREPARATION

METHOD CODE	NUMBER SAMPLES	DESCRIPTION
SCR-42	144	-180 micron screen - Save Minus
SCR-01	144	Screen - Save Plus Charge
LOG-22	144	Samples received without barcode
229	144	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

METHOD CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
WEI-21	144	Weight of received sample	BALANCE	0.01	1000.0
Au-AA23	144	Au-AA23 : Au ppb: Fuse 30 grams	FA-AAS	5	10000
Ag-ICP41	144	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
Al-ICP41	144	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
As-ICP41	144	As ppm: 32 element, soil & rock	ICP-AES	2	10000
B-ICP41	144	B ppm: 32 element, rock & soil	ICP-AES	10	10000
Ba-ICP41	144	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
Be-ICP41	144	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
Bi-ICP41	144	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
Ca-ICP41	144	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
Cd-ICP41	144	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
Co-ICP41	144	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
Cr-ICP41	144	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
Cu-ICP41	144	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
Fe-ICP41	144	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
Ga-ICP41	144	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
Hg-ICP41	144	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
K-ICP41	144	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
La-ICP41	144	La ppm: 32 element, soil & rock	ICP-AES	10	10000
Mg-ICP41	144	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
Mn-ICP41	144	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
Mo-ICP41	144	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
Na-ICP41	144	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
Ni-ICP41	144	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
P-ICP41	144	P ppm: 32 element, soil & rock	ICP-AES	10	10000
Pb-ICP41	144	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
S-ICP41	144	S %: 32 element, rock & soil	ICP-AES	0.01	10.00
Sb-ICP41	144	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
Sc-ICP41	144	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
Sr-ICP41	144	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
Ti-ICP41	144	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
Tl-ICP41	144	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
U-ICP41	144	U ppm: 32 element, soil & rock	ICP-AES	10	10000
V-ICP41	144	V ppm: 32 element, soil & rock	ICP-AES	1	10000
W-ICP41	144	W ppm: 32 element, soil & rock	ICP-AES	10	10000
Zn-ICP41	144	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Certificate Date: 19-JUL-2002
Invoice No. :I0219760
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERFGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219760

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L8200N 10050E	94069407	0.24	< 5	0.8	1.72	180	< 10	120	< 0.5	< 2	0.10	0.5	5	17	23	2.87	< 10	< 1	0.04	< 10
L8200N 10100E	94069407	0.28	< 5	0.4	0.60	32	< 10	50	< 0.5	< 2	0.08	0.5	3	4	9	0.70	< 10	< 1	0.02	< 10
L8200N 10150E	94069407	0.36	< 5	0.4	1.96	96	< 10	280	0.5	< 2	0.22	2.0	9	18	26	2.79	< 10	< 1	0.07	10
L8200N 10200E	94069407	0.18	< 5	0.2	0.52	2	< 10	30	< 0.5	< 2	0.04	< 0.5	< 1	3	9	0.47	< 10	< 1	0.01	< 10
L8200N 10250E	94069407	0.28	5	< 0.2	2.39	104	< 10	180	0.5	< 2	0.09	0.5	10	21	20	3.06	< 10	< 1	0.05	10
L8200N 10300E	94069407	0.28	10	0.2	2.60	300	< 10	250	0.5	8	0.26	1.5	13	13	46	3.06	< 10	< 1	0.11	10
L8200N 10350E	94069407	0.20	< 5	< 0.2	0.47	26	< 10	30	< 0.5	< 2	0.03	< 0.5	< 1	1	6	0.34	< 10	< 1	0.01	< 10
L8200N 10400E	94069407	0.20	< 5	< 0.2	0.34	34	10	30	< 0.5	< 2	0.03	< 0.5	< 1	1	6	0.46	< 10	< 1	0.01	< 10
L8200N 10450E	94069407	0.28	< 5	0.2	1.67	312	< 10	90	< 0.5	< 2	0.05	< 0.5	4	12	24	2.43	< 10	< 1	0.03	< 10
L8200N 10500E	94069407	0.28	15	0.6	2.90	868	< 10	190	0.5	12	0.21	0.5	13	15	115	3.11	< 10	< 1	0.09	10
L8200N 10550E	94069407	0.40	10	12.0	1.27	664	< 10	110	< 0.5	< 2	0.13	10.0	9	8	67	5.16	< 10	< 1	0.04	10
L8200N 10600E	94069407	0.26	< 5	0.6	0.63	24	< 10	120	< 0.5	< 2	0.03	< 0.5	1	6	31	1.07	< 10	< 1	0.02	< 10
L8200N 10650E	94069407	0.38	10	0.2	1.20	200	< 10	1550	< 0.5	< 2	0.18	< 0.5	2	9	82	2.93	< 10	< 1	0.08	10
L8200N 10700E	94069407	0.32	20	12.8	1.42	3740	< 10	160	< 0.5	64	0.04	< 0.5	2	9	76	2.69	< 10	< 1	0.05	< 10
L8200N 10750E	94069407	0.30	15	3.8	1.65	2210	< 10	130	< 0.5	22	0.08	1.0	6	10	154	3.12	< 10	< 1	0.04	< 10
L8200N 10800E	94069407	0.28	15	1.8	1.25	2310	< 10	180	< 0.5	20	0.10	0.5	7	10	139	3.19	< 10	< 1	0.04	10
L8200N 10850E	94069407	0.32	30	4.0	1.38	3100	< 10	170	< 0.5	24	0.09	1.5	7	12	138	3.60	< 10	< 1	0.04	10
L8200N 10900E	94069407	0.22	< 5	1.0	0.97	682	< 10	160	< 0.5	< 2	0.10	1.5	10	10	57	1.97	< 10	< 1	0.06	< 10
L8200N 10950E	94069407	0.30	25	1.2	2.23	3650	< 10	290	0.5	28	0.11	0.5	11	15	247	4.31	< 10	1	0.09	20
L8200N 11000E	94069407	0.30	< 5	0.4	0.55	432	< 10	70	< 0.5	2	0.05	< 0.5	1	4	35	0.93	< 10	< 1	0.02	< 10
L8200N 11050E	94069407	0.22	10	1.2	1.44	2070	< 10	180	< 0.5	14	0.10	0.5	4	12	82	3.09	< 10	< 1	0.04	< 10
L8200N 11100E	94069407	0.32	< 5	0.2	1.35	126	< 10	130	< 0.5	< 2	0.06	< 0.5	3	20	44	2.42	< 10	< 1	0.03	< 10
L8400N 9000E	94069407	0.26	< 5	0.6	0.28	76	< 10	240	< 0.5	< 2	0.03	< 0.5	< 1	6	21	1.50	< 10	< 1	0.03	< 10
L8400N 9950E	94069407	0.48	80	5.6	0.70	1700	< 10	350	< 0.5	28	0.05	< 0.5	3	18	119	4.94	< 10	< 1	0.11	< 10
L8400N 10050E	94069407	0.24	55	5.0	0.84	424	< 10	650	< 0.5	24	0.08	0.5	2	18	131	4.77	< 10	< 1	0.11	< 10
L8400N 10150E	94069407	0.26	15	2.2	0.81	246	< 10	460	< 0.5	6	0.06	< 0.5	1	24	177	3.80	< 10	< 1	0.11	< 10
L8400N 10200E	94069407	0.20	< 5	1.4	0.54	140	< 10	170	< 0.5	< 2	0.02	< 0.5	1	8	40	2.37	< 10	< 1	0.03	< 10
L8400N 10300E	94069407	0.20	< 5	1.2	0.22	38	< 10	90	< 0.5	< 2	0.01	< 0.5	< 1	4	9	0.50	< 10	< 1	0.01	< 10
L8400N 10400E	94069407	0.22	< 5	2.0	0.30	74	< 10	200	< 0.5	< 2	0.01	< 0.5	< 1	10	20	0.76	< 10	< 1	0.03	< 10
L8400N 10450E	94069407	0.24	45	2.4	1.21	2060	< 10	450	< 0.5	10	0.08	0.5	5	24	198	6.02	< 10	< 1	0.13	10
L8400N 10500E	94069407	0.16	10	0.6	0.86	234	< 10	110	< 0.5	< 2	0.04	< 0.5	3	14	83	3.41	< 10	< 1	0.03	< 10
L8400N 10550E	94069407	0.18	15	0.6	0.74	162	< 10	280	< 0.5	< 2	0.04	< 0.5	3	12	101	2.30	< 10	< 1	0.05	< 10
L8400N 10600E	94069407	0.20	5	1.6	0.51	304	< 10	590	< 0.5	< 2	0.03	< 0.5	2	8	72	1.70	< 10	< 1	0.03	< 10
L8400N 10650E	94069407	0.20	10	1.2	1.36	830	< 10	290	< 0.5	< 2	0.06	0.5	7	19	135	3.33	< 10	< 1	0.04	< 10
L8400N 10700E	94069407	0.22	10	9.0	1.44	696	< 10	360	< 0.5	< 2	0.18	12.5	13	11	81	5.04	< 10	< 1	0.08	10
L8400N 10800E	94069407	0.32	10	0.6	1.15	708	< 10	200	< 0.5	< 2	0.10	< 0.5	7	13	61	2.07	< 10	< 1	0.05	< 10
L8400N 10850E	94069407	0.24	< 5	< 0.2	0.37	22	< 10	50	< 0.5	< 2	0.03	< 0.5	1	5	11	0.56	< 10	< 1	0.02	< 10
L8400N 10900E A	94069407	0.20	< 5	0.2	0.36	22	< 10	70	< 0.5	< 2	0.02	< 0.5	1	8	7	0.69	< 10	< 1	0.03	< 10
L8400N 10900E B	94069407	0.28	15	0.8	1.67	118	< 10	400	0.5	< 2	0.24	< 0.5	10	22	86	2.74	< 10	< 1	0.06	10
L8400N 10950E	94069407	0.18	< 5	0.4	2.14	190	< 10	220	0.5	< 2	0.57	1.0	11	20	44	2.72	< 10	< 1	0.05	< 10

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1-B
Total Pages :4
Certificate Date: 19-JUL-2002
Invoice No. :I0219760
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERFGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219760

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L8200N 10050E	9406 9407	0.33	210	1	0.01	12	670	102	0.05	8	1	13	0.05	< 10	< 10	47	< 10	136
L8200N 10100E	9406 9407	0.07	235	< 1	0.01	3	510	42	0.03	< 2	< 1	7	0.01	< 10	< 10	14	< 10	38
L8200N 10150E	9406 9407	0.53	445	< 1	0.01	19	910	88	0.01	8	4	18	0.06	< 10	< 10	46	< 10	182
L8200N 10200E	9406 9407	0.03	25	< 1	0.02	1	400	10	0.04	< 2	< 1	6	0.01	< 10	< 10	10	< 10	8
L8200N 10250E	9406 9407	0.40	385	1	0.01	21	520	42	0.03	2	3	12	0.06	< 10	< 10	56	< 10	118
L8200N 10300E	9406 9407	0.47	530	< 1	0.03	14	920	42	0.06	2	3	26	0.07	< 10	< 10	41	< 10	134
L8200N 10350E	9406 9407	0.03	20	< 1	0.02	1	210	2	0.01	< 2	< 1	5	0.01	< 10	< 10	5	< 10	4
L8200N 10400E	9406 9407	0.03	25	< 1	0.01	1	180	4	0.01	< 2	< 1	5	0.01	< 10	< 10	9	< 10	6
L8200N 10450E	9406 9407	0.20	125	2	0.01	10	270	22	0.03	< 2	1	9	0.05	< 10	< 10	50	< 10	54
L8200N 10500E	9406 9407	0.51	445	3	0.02	17	840	42	0.05	2	4	23	0.07	< 10	< 10	42	< 10	118
L8200N 10550E	9406 9407	0.35	655	< 1	0.02	7	700	1570	0.08	98	3	19	0.02	< 10	< 10	26	< 10	1765
L8200N 10600E	9406 9407	0.07	60	< 1	0.01	6	460	16	0.04	2	< 1	6	0.01	< 10	< 10	14	< 10	28
L8200N 10650E	9406 9407	0.41	135	3	0.01	13	720	18	0.10	10	6	58	0.03	< 10	< 10	41	< 10	112
L8200N 10700E	9406 9407	0.15	170	< 1	0.01	7	550	192	0.10	32	1	20	0.05	< 10	< 10	35	< 10	30
L8200N 10750E	9406 9407	0.19	530	1	0.01	10	450	146	0.05	30	1	13	0.03	< 10	< 10	29	< 10	144
L8200N 10800E	9406 9407	0.22	465	1	0.01	12	510	168	0.05	56	1	25	0.02	< 10	< 10	27	< 10	176
L8200N 10850E	9406 9407	0.24	400	1	0.01	14	630	318	0.06	138	1	21	0.03	< 10	< 10	31	< 10	182
L8200N 10900E	9406 9407	0.17	485	< 1	0.01	13	520	42	0.05	16	< 1	15	0.02	< 10	< 10	28	< 10	142
L8200N 10950E	9406 9407	0.33	320	3	0.03	22	830	90	0.17	46	3	39	0.03	< 10	< 10	34	< 10	138
L8200N 11000E	9406 9407	0.06	75	< 1	0.01	4	240	16	0.04	6	< 1	10	0.01	< 10	< 10	11	< 10	22
L8200N 11050E	9406 9407	0.18	115	1	0.01	12	400	56	0.07	22	1	24	0.04	< 10	< 10	34	< 10	76
L8200N 11100E	9406 9407	0.18	100	4	0.01	16	560	36	0.04	6	< 1	16	0.01	< 10	< 10	46	< 10	60
L8400N 9000E	9406 9407	0.01	25	< 1	0.01	3	660	42	0.10	8	< 1	8	< 0.01	< 10	< 10	17	< 10	30
L8400N 9950E	9406 9407	0.16	160	< 1	0.02	9	1200	518	0.26	200	2	21	0.02	< 10	< 10	33	< 10	86
L8400N 10050E	9406 9407	0.16	90	4	0.02	8	1620	518	0.27	138	1	30	0.01	< 10	< 10	29	< 10	50
L8400N 10150E	9406 9407	0.13	100	2	0.02	8	1030	116	0.25	16	1	15	0.01	< 10	< 10	42	< 10	38
L8400N 10200E	9406 9407	0.03	75	1	0.01	4	730	48	0.07	10	< 1	9	0.01	< 10	< 10	24	< 10	26
L8400N 10300E	9406 9407	< 0.01	10	< 1	0.01	2	320	26	0.04	2	< 1	4	< 0.01	< 10	< 10	10	< 10	4
L8400N 10400E	9406 9407	0.01	135	14	0.01	6	870	156	0.05	18	< 1	38	< 0.01	< 10	< 10	91	< 10	28
L8400N 10450E	9406 9407	0.28	185	8	0.02	17	1290	192	0.32	66	3	34	0.03	< 10	< 10	74	< 10	104
L8400N 10500E	9406 9407	0.13	75	1	0.01	13	910	38	0.08	4	< 1	13	0.01	< 10	< 10	29	< 10	56
L8400N 10550E	9406 9407	0.10	90	5	0.01	13	700	26	0.09	4	< 1	14	0.01	< 10	< 10	22	< 10	44
L8400N 10600E	9406 9407	0.06	55	< 1	0.01	8	350	110	0.05	12	< 1	9	0.01	< 10	< 10	19	< 10	40
L8400N 10650E	9406 9407	0.20	165	1	0.01	22	530	150	0.04	42	1	9	0.03	< 10	< 10	39	< 10	112
L8400N 10700E	9406 9407	0.48	725	2	0.03	11	760	1230	0.10	80	4	26	0.03	< 10	< 10	33	< 10	1690
L8400N 10800E	9406 9407	0.23	200	1	0.01	24	650	26	0.04	8	< 1	15	0.02	< 10	< 10	28	< 10	96
L8400N 10850E	9406 9407	0.03	55	1	0.01	4	240	10	0.01	2	< 1	5	< 0.01	< 10	< 10	19	< 10	16
L8400N 10900E A	9406 9407	0.09	30	1	0.01	6	190	10	0.01	< 2	< 1	6	< 0.01	< 10	< 10	22	< 10	22
L8400N 10900E B	9406 9407	0.36	405	5	0.01	41	1140	70	0.03	16	2	34	0.01	< 10	< 10	41	20	146
L8400N 10950E	9406 9407	0.27	265	4	0.04	45	1310	20	0.07	10	1	74	0.01	< 10	< 10	31	< 10	232

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.

*Analytical Chemists * Geochemists * Registered Assayers*

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Certificate Date: 19-JUL-2002
Invoice No. :I0219760
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERFGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219760

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L8400N 11000E	9406 9407	0.24	< 5	0.4	1.95	152	< 10	180	0.5	< 2	0.65	1.0	9	19	44	2.38	< 10	< 1	0.05	< 10
L8400N 11050E	9406 9407	0.22	5	0.6	2.24	200	< 10	230	0.5	2	0.69	1.0	11	22	47	3.06	< 10	< 1	0.06	< 10
L8400N 11100E	9406 9407	0.26	5	0.2	1.96	158	< 10	180	0.5	< 2	0.69	0.5	8	20	42	2.41	< 10	< 1	0.05	< 10
L8400N 11150E	9406 9407	0.18	< 5	0.2	1.78	88	< 10	140	0.5	< 2	0.76	0.5	6	18	39	1.73	< 10	< 1	0.03	< 10
L8600N 9000E	9406 9407	0.40	< 5	0.8	0.72	38	< 10	470	< 0.5	< 2	0.18	1.5	11	12	51	2.88	< 10	< 1	0.06	10
L8600N 9050E	9406 9407	0.36	< 5	0.6	0.75	28	< 10	480	< 0.5	< 2	0.14	< 0.5	17	14	56	2.58	< 10	< 1	0.06	10
L8600N 9100E	9406 9407	0.34	5	1.0	0.67	2	< 10	1350	< 0.5	< 2	0.23	0.5	3	10	48	1.00	< 10	< 1	0.04	< 10
L8600N 9150E	9406 9407	0.28	< 5	0.8	0.33	2	< 10	550	< 0.5	< 2	0.08	< 0.5	1	4	25	0.50	< 10	< 1	0.03	< 10
L8600N 9200E	9406 9407	0.34	< 5	0.6	0.93	28	< 10	610	< 0.5	< 2	0.09	< 0.5	7	15	68	2.52	< 10	< 1	0.05	10
L8600N 9250E	9406 9407	0.24	10	0.2	0.36	6	< 10	240	< 0.5	< 2	0.03	< 0.5	1	5	24	0.97	< 10	< 1	0.03	< 10
L8600N 9300E	9406 9407	0.32	< 5	1.0	0.97	30	< 10	450	< 0.5	< 2	0.01	< 0.5	5	15	40	2.86	< 10	< 1	0.04	< 10
L8600N 9350E	9406 9407	0.28	< 5	0.6	1.23	36	< 10	440	< 0.5	< 2	0.01	< 0.5	4	16	31	2.91	< 10	< 1	0.05	< 10
L8600N 9400E	9406 9407	0.44	5	1.4	1.42	82	< 10	470	< 0.5	< 2	0.03	0.5	4	20	44	2.79	< 10	< 1	0.06	< 10
L8600N 9450E	9406 9407	0.28	10	0.8	1.73	106	< 10	490	0.5	< 2	0.04	2.5	8	31	52	3.79	< 10	< 1	0.12	< 10
L8600N 9500E	9406 9407	0.40	15	1.4	1.96	122	< 10	650	1.0	< 2	0.13	6.5	12	32	104	4.10	< 10	< 1	0.14	10
L8600N 9550E	9406 9407	0.36	< 5	1.0	2.14	176	< 10	520	1.0	< 2	0.10	3.5	11	35	83	4.51	< 10	< 1	0.15	< 10
L8600N 9600E	9406 9407	0.22	< 5	0.6	1.31	120	< 10	300	0.5	< 2	0.12	0.5	5	20	52	3.08	< 10	< 1	0.10	< 10
L8600N 9650E	9406 9407	0.26	15	1.2	2.58	222	< 10	420	1.0	< 2	0.06	< 0.5	8	26	63	4.44	< 10	< 1	0.08	< 10
L8600N 9700E	9406 9407	0.26	10	1.0	1.08	374	< 10	300	< 0.5	2	0.03	< 0.5	6	22	58	4.74	< 10	1	0.08	< 10
L8600N 9750E	9406 9407	0.40	< 5	0.6	0.89	204	< 10	340	< 0.5	< 2	0.08	< 0.5	3	10	86	2.26	< 10	< 1	0.04	< 10
L8600N 9800E	9406 9407	0.22	< 5	0.4	0.76	74	< 10	280	< 0.5	< 2	0.06	< 0.5	2	8	61	1.79	< 10	< 1	0.04	< 10
L8600N 9850E	9406 9407	0.42	85	4.0	1.21	3280	< 10	350	< 0.5	6	0.05	1.5	4	38	220	8.43	< 10	< 1	0.27	10
L8600N 9900E	9406 9407	0.38	50	2.6	0.63	1275	10	250	< 0.5	< 2	0.01	< 0.5	3	16	165	8.44	< 10	< 1	0.17	< 10
L8600N 9950E	9406 9407	0.28	15	1.2	0.52	532	10	710	< 0.5	< 2	0.03	< 0.5	1	12	60	3.57	< 10	< 1	0.09	< 10
L8600N 10000E A	9406 9407	0.46	195	10.0	0.38	>10000	< 10	210	< 0.5	34	0.01	8.5	< 1	70	81	>15.00	< 10	< 1	0.14	< 10
L8600N 10000E B	9406 9407	0.36	260	10.6	0.43	>10000	< 10	190	< 0.5	72	0.01	7.0	< 1	53	76	>15.00	< 10	2	0.18	< 10
L8600N 10050E	9406 9407	0.36	20	8.4	1.33	612	< 10	570	0.5	< 2	0.27	2.0	6	23	110	4.83	< 10	< 1	0.11	10
L8600N 10100E	9406 9407	0.22	5	2.6	0.66	30	< 10	240	< 0.5	< 2	0.06	0.5	1	8	36	1.16	< 10	< 1	0.04	< 10
L8600N 10150E	9406 9407	0.34	15	2.6	0.97	154	< 10	410	< 0.5	< 2	0.13	0.5	3	17	117	3.10	< 10	1	0.09	< 10
L8600N 10200E	9406 9407	0.32	20	2.8	0.59	314	< 10	1200	< 0.5	2	0.04	< 0.5	1	14	35	2.32	< 10	< 1	0.11	10
L8600N 10250E	9406 9407	0.30	15	1.2	0.82	168	< 10	720	< 0.5	< 2	0.05	< 0.5	1	10	67	2.48	< 10	< 1	0.04	< 10
L8600N 10300E	9406 9407	0.34	25	1.4	0.70	196	< 10	640	< 0.5	< 2	0.06	< 0.5	3	21	95	4.03	< 10	< 1	0.03	< 10
L8600N 10350E	9406 9407	0.34	55	7.2	0.51	938	< 10	180	< 0.5	< 2	0.01	< 0.5	< 1	18	87	10.50	< 10	< 1	0.37	10
L8600N 10400E	9406 9407	0.40	40	3.2	1.48	272	< 10	420	< 0.5	< 2	0.04	< 0.5	7	35	211	11.35	< 10	< 1	0.17	10
L8600N 10529E	9406 9407	0.36	70	3.4	1.49	856	< 10	130	0.5	< 2	0.04	1.5	3	35	348	13.85	< 10	4	0.20	< 10
L8600N 10550E	9406 9407	0.30	55	2.4	1.50	636	< 10	230	< 0.5	2	0.05	< 0.5	4	29	242	7.54	< 10	< 1	0.17	< 10
L8600N 10600E	9406 9407	0.20	< 5	0.8	0.83	78	< 10	290	< 0.5	< 2	0.02	< 0.5	3	9	102	2.15	< 10	< 1	0.03	< 10
L8600N 10650E	9406 9407	0.30	110	5.6	2.32	396	< 10	450	1.0	< 2	0.05	< 0.5	16	26	223	6.00	< 10	< 1	0.12	< 10
L8600N 10700E	9406 9407	0.32	105	6.6	1.19	1745	< 10	700	< 0.5	< 2	0.06	1.5	13	19	80	4.43	< 10	< 1	0.08	< 10
L8600N 10750E	9406 9407	0.34	90	1.8	1.42	554	< 10	520	< 0.5	< 2	0.03	1.0	5	25	218	7.99	< 10	< 1	0.09	< 10

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERFGUEI SOLOVIEV CC: ERIK WILTZEN

Certificate Date: 19-JUL-2002
Invoice No. :I0219760
P.O. Number :
Account :TTY

CERTIFICATE OF ANALYSIS A0219760

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L8400N 11000E	94069407	0.26	225	5	0.04	39	1210	16	0.06	8	1	78	0.01	< 10	< 10	29	< 10	194
L8400N 11050E	94069407	0.31	280	4	0.04	50	1480	22	0.07	8	1	90	0.01	< 10	< 10	34	< 10	254
L8400N 11100E	94069407	0.26	215	4	0.04	40	1220	20	0.07	12	1	78	0.01	< 10	< 10	29	< 10	202
L8400N 11150E	94069407	0.23	165	4	0.04	31	960	12	0.06	2	< 1	74	0.01	< 10	< 10	28	< 10	146
L8600N 9000E	94069407	0.25	815	5	0.01	34	750	74	0.05	6	3	41	< 0.01	< 10	< 10	26	< 10	226
L8600N 9050E	94069407	0.26	870	4	0.01	35	730	40	0.06	6	2	41	< 0.01	< 10	< 10	29	< 10	172
L8600N 9100E	94069407	0.13	65	1	0.01	27	520	20	0.08	< 2	1	47	< 0.01	< 10	< 10	17	< 10	80
L8600N 9150E	94069407	0.03	35	< 1	0.01	6	360	8	0.04	< 2	< 1	18	< 0.01	< 10	< 10	9	< 10	14
L8600N 9200E	94069407	0.26	300	4	0.01	19	400	52	0.07	6	1	48	0.01	< 10	< 10	34	< 10	116
L8600N 9250E	94069407	0.04	55	< 1	0.01	4	250	8	0.03	2	< 1	9	0.01	< 10	< 10	16	< 10	24
L8600N 9300E	94069407	0.13	215	2	0.01	13	500	32	0.04	4	< 1	17	0.03	< 10	< 10	48	< 10	86
L8600N 9350E	94069407	0.20	155	5	0.01	13	400	30	0.04	4	1	19	0.02	< 10	< 10	52	< 10	84
L8600N 9400E	94069407	0.28	130	6	0.01	18	560	46	0.08	10	1	27	0.01	< 10	< 10	38	< 10	102
L8600N 9450E	94069407	0.50	315	8	0.01	25	700	58	0.10	10	2	32	0.04	< 10	< 10	67	< 10	162
L8600N 9500E	94069407	0.57	385	11	0.03	38	890	76	0.18	16	2	52	0.03	< 10	< 10	63	< 10	276
L8600N 9550E	94069407	0.63	410	11	0.03	40	1020	76	0.16	14	2	55	0.04	< 10	< 10	73	< 10	226
L8600N 9600E	94069407	0.33	220	4	0.01	21	780	44	0.12	12	1	27	0.03	< 10	< 10	43	< 10	98
L8600N 9650E	94069407	0.31	290	4	0.01	24	1030	80	0.14	16	1	20	0.03	< 10	< 10	43	< 10	114
L8600N 9700E	94069407	0.20	470	6	0.01	16	900	104	0.15	26	< 1	18	0.02	< 10	< 10	61	< 10	116
L8600N 9750E	94069407	0.11	115	1	0.01	8	770	52	0.07	14	< 1	12	0.02	< 10	< 10	25	< 10	44
L8600N 9800E	94069407	0.09	95	1	0.02	8	650	30	0.08	6	< 1	10	0.01	< 10	< 10	14	< 10	36
L8600N 9850E	94069407	0.31	195	8	0.04	15	1850	166	0.68	72	3	58	0.03	< 10	< 10	62	< 10	114
L8600N 9900E	94069407	0.11	140	14	0.03	12	1390	134	0.43	80	3	39	0.02	< 10	< 10	37	< 10	154
L8600N 9950E	94069407	0.10	65	3	0.03	8	1110	54	0.25	20	< 1	29	< 0.01	< 10	< 10	25	< 10	74
L8600N 10000E A	94069407	0.02	35	6	0.01	9	>10000	234	0.50	990	34	46	0.01	< 10	10	338	< 10	38
L8600N 10000E B	94069407	0.04	40	8	0.01	7	>10000	332	0.53	786	39	63	0.01	< 10	10	167	< 10	32
L8600N 10050E	94069407	0.22	195	45	0.03	33	3960	450	0.26	52	1	181	0.01	< 10	< 10	250	< 10	264
L8600N 10100E	94069407	0.08	55	8	0.03	9	1100	30	0.12	8	< 1	27	< 0.01	< 10	< 10	51	< 10	50
L8600N 10150E	94069407	0.17	140	13	0.02	15	1790	52	0.20	24	< 1	45	0.01	< 10	< 10	92	< 10	76
L8600N 10200E	94069407	0.06	95	14	0.01	5	2430	142	0.25	32	< 1	100	< 0.01	< 10	< 10	80	< 10	22
L8600N 10250E	94069407	0.06	55	2	0.01	7	760	34	0.10	10	< 1	14	0.01	< 10	< 10	27	< 10	32
L8600N 10300E	94069407	0.09	160	2	0.01	7	910	148	0.07	40	< 1	11	0.01	< 10	< 10	40	< 10	44
L8600N 10350E	94069407	0.07	60	6	0.03	5	2510	290	0.81	170	1	66	0.01	< 10	< 10	34	< 10	70
L8600N 10400E	94069407	0.25	425	< 1	0.02	30	2570	100	0.40	38	4	48	0.03	< 10	< 10	59	< 10	122
L8600N 10529E	94069407	0.23	210	3	0.04	18	2600	400	0.64	62	4	54	0.03	< 10	< 10	57	< 10	124
L8600N 10550E	94069407	0.29	145	3	0.03	18	1570	184	0.46	30	3	37	0.02	< 10	< 10	45	< 10	68
L8600N 10600E	94069407	0.10	100	1	0.01	10	490	30	0.05	4	< 1	9	0.02	< 10	< 10	23	< 10	44
L8600N 10650E	94069407	0.40	685	2	0.03	33	1260	594	0.25	24	3	39	0.04	< 10	< 10	44	< 10	156
L8600N 10700E	94069407	0.16	920	1	0.01	20	1250	634	0.16	38	1	22	0.02	< 10	< 10	35	< 10	186
L8600N 10750E	94069407	0.21	205	2	0.01	20	1200	332	0.21	76	1	16	0.03	< 10	< 10	50	< 10	150

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :3-A
Total Pages :4
Certificate Date: 19-JUL-2002
Invoice No. :10219760
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERFGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219760

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L8600N 10800E	94069407	0.28	45	2.0	1.36	508	< 10	660	< 0.5	< 2	0.04	< 0.5	5	23	168	6.25	< 10	< 1	0.11	< 10
L8600N 10850E	94069407	0.36	65	2.2	1.45	350	< 10	610	< 0.5	2	0.01	< 0.5	3	30	216	8.79	< 10	2	0.12	< 10
L8600N 10900E	94069407	0.38	40	3.8	1.11	174	< 10	880	< 0.5	< 2	0.03	< 0.5	3	17	132	4.83	< 10	< 1	0.07	< 10
L8600N 10950E	94069407	0.30	40	3.2	1.01	550	< 10	760	< 0.5	4	0.03	< 0.5	2	15	119	3.99	< 10	< 1	0.07	< 10
L8600N 11000E	94069407	0.38	10	0.2	1.24	202	< 10	230	< 0.5	< 2	0.10	< 0.5	11	21	49	3.11	< 10	1	0.05	< 10
L8600N 11050E	94069407	0.26	15	0.2	1.18	84	< 10	340	< 0.5	< 2	0.10	< 0.5	6	21	57	2.52	< 10	< 1	0.04	< 10
L8600N 11100E	94069407	0.32	10	0.4	1.42	78	< 10	240	0.5	< 2	0.11	< 0.5	6	18	51	2.34	< 10	< 1	0.03	< 10
L8600N 11150E	94069407	0.22	< 5	0.6	1.71	58	< 10	260	< 0.5	< 2	0.08	< 0.5	5	32	33	3.23	< 10	< 1	0.07	< 10
L8600N 11200E	94069407	0.28	< 5	0.4	0.14	2	< 10	30	< 0.5	< 2	0.03	< 0.5	< 1	1	2	0.26	< 10	< 1	0.01	< 10
L8600N 11250E	94069407	0.36	40	0.6	1.45	142	< 10	360	< 0.5	< 2	0.12	< 0.5	5	22	67	3.00	< 10	< 1	0.07	< 10
L8800N 9050E	94069407	0.14	< 5	0.4	0.49	< 2	< 10	170	< 0.5	< 2	0.06	< 0.5	1	5	8	0.96	< 10	< 1	0.03	< 10
L8800N 9300E	94069407	0.28	< 5	1.6	0.38	4	< 10	100	< 0.5	< 2	0.01	< 0.5	1	5	18	0.86	< 10	< 1	0.03	< 10
L8800N 9450E	94069407	0.10	< 5	0.2	0.44	2	< 10	150	< 0.5	< 2	0.05	< 0.5	1	5	6	0.75	< 10	< 1	0.03	< 10
L8800N 10050E	94069407	0.34	10	2.0	0.97	686	< 10	780	< 0.5	< 2	0.05	< 0.5	3	14	83	2.78	< 10	< 1	0.08	< 10
L8800N 10100E	94069407	0.48	45	1.4	0.63	204	< 10	1110	< 0.5	< 2	0.03	< 0.5	< 1	14	78	2.81	< 10	< 1	0.06	20
L8800N 10150E	94069407	0.38	< 5	0.4	0.79	82	< 10	770	< 0.5	< 2	0.03	< 0.5	1	14	46	1.99	< 10	< 1	0.12	< 10
L8800N 10200E	94069407	0.36	< 5	0.2	1.52	80	< 10	950	< 0.5	< 2	0.01	< 0.5	5	32	55	3.79	< 10	< 1	0.21	10
L8800N 10250E	94069407	0.34	< 5	< 0.2	1.05	28	< 10	920	< 0.5	< 2	0.05	< 0.5	6	19	55	2.33	< 10	< 1	0.16	< 10
L8800N 10300E	94069407	0.32	< 5	0.6	0.45	58	10	420	< 0.5	< 2	0.04	< 0.5	1	7	27	1.08	< 10	< 1	0.08	< 10
L8800N 10350E	94069407	0.22	45	0.6	0.23	20	< 10	580	< 0.5	< 2	0.02	< 0.5	< 1	4	18	0.45	< 10	< 1	0.03	< 10
L8800N 10400E	94069407	0.44	20	0.8	1.38	244	< 10	1100	< 0.5	< 2	0.07	< 0.5	4	12	86	3.27	< 10	< 1	0.06	< 10
L8800N 10450E	94069407	0.30	< 5	0.6	0.60	36	< 10	610	< 0.5	< 2	0.03	< 0.5	1	8	50	1.18	< 10	< 1	0.03	< 10
L8800N 10500E	94069407	0.40	10	1.0	1.23	52	< 10	360	< 0.5	< 2	0.04	< 0.5	3	14	106	5.22	< 10	< 1	0.03	< 10
L8800N 10550E	94069407	0.30	10	0.4	0.90	76	< 10	300	< 0.5	< 2	0.04	< 0.5	6	9	65	1.38	< 10	< 1	0.04	< 10
L8800N 10600E	94069407	0.36	< 5	0.2	0.49	12	< 10	150	< 0.5	< 2	0.09	< 0.5	2	4	20	0.72	< 10	< 1	0.02	< 10
L9000N 9250E	94069407	0.26	< 5	< 0.2	0.29	< 2	< 10	50	< 0.5	< 2	0.01	< 0.5	< 1	3	6	0.40	< 10	< 1	0.01	< 10
L9000N 9300E	94069407	0.24	< 5	0.2	0.27	6	< 10	50	< 0.5	< 2	0.01	< 0.5	1	5	10	0.62	< 10	< 1	0.01	< 10
L9000N 9350E	94069407	0.16	< 5	1.0	0.69	10	< 10	250	< 0.5	< 2	0.11	< 0.5	3	11	22	1.49	< 10	< 1	0.04	< 10
L9000N 9400E	94069407	0.24	< 5	0.2	0.30	6	< 10	170	< 0.5	< 2	0.01	< 0.5	1	8	17	1.22	< 10	< 1	0.02	< 10
L9000N 9500E	94069407	0.18	< 5	0.6	0.17	< 2	< 10	130	< 0.5	< 2	0.01	< 0.5	< 1	3	18	0.42	< 10	< 1	0.01	< 10
L9000N 9650E	94069407	0.10	< 5	3.0	0.42	10	< 10	350	< 0.5	< 2	0.01	< 0.5	1	5	41	0.73	< 10	< 1	0.02	< 10
L9000N 9700E	94069407	0.08	< 5	1.2	0.55	16	< 10	950	< 0.5	< 2	0.02	< 0.5	< 1	6	26	0.73	< 10	< 1	0.03	< 10
L9000N 9800E	94069407	0.22	< 5	5.2	0.25	30	< 10	130	< 0.5	< 2	0.01	< 0.5	1	7	15	1.08	< 10	< 1	0.02	< 10
L9000N 9850E	94069407	0.26	< 5	2.0	0.51	118	< 10	490	< 0.5	< 2	0.01	< 0.5	2	11	38	2.82	< 10	< 1	0.08	10
L9000N 9900E	94069407	0.26	< 5	0.6	0.12	18	< 10	620	< 0.5	< 2	0.11	0.5	< 1	4	14	0.59	< 10	< 1	0.04	< 10
L9000N 9950E	94069407	0.22	< 5	1.6	0.34	250	< 10	480	< 0.5	< 2	0.04	< 0.5	1	10	25	1.57	< 10	< 1	0.05	< 10
L9000N 10000E	94069407	0.24	5	6.2	0.70	200	< 10	420	< 0.5	< 2	0.04	< 0.5	1	12	33	1.84	< 10	< 1	0.05	10
L9000N 10050E	94069407	0.28	25	9.2	0.99	522	< 10	990	< 0.5	< 2	0.06	1.5	2	22	196	4.57	< 10	< 1	0.11	10
L9000N 10100E	94069407	0.24	10	0.6	1.05	178	< 10	250	< 0.5	< 2	0.02	0.5	5	24	56	4.12	< 10	< 1	0.06	< 10
L9000N 10150E	94069407	0.20	< 5	0.6	0.66	42	< 10	110	< 0.5	< 2	0.01	1.0	2	6	60	1.82	< 10	< 1	0.02	< 10

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :3-B
Total Pages :4
Certificate Date: 19-JUL-2002
Invoice No. :I0219760
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERFGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219760

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L8600N 10800E	94069407	0.25	275	3	0.02	18	1300	220	0.26	40	1	32	0.02	< 10	< 10	40	< 10	88
L8600N 10850E	94069407	0.29	190	3	0.01	16	1040	248	0.24	56	3	23	0.01	< 10	< 10	60	< 10	162
L8600N 10900E	94069407	0.15	180	1	0.01	9	1060	156	0.16	28	1	17	0.01	< 10	< 10	36	< 10	80
L8600N 10950E	94069407	0.16	110	1	0.01	11	1010	142	0.15	28	1	17	0.01	< 10	< 10	34	< 10	66
L8600N 11000E	94069407	0.31	420	5	0.01	33	940	42	0.03	8	1	19	0.01	< 10	< 10	37	< 10	134
L8600N 11050E	94069407	0.33	180	5	0.01	30	650	38	0.02	8	1	19	0.01	< 10	< 10	45	< 10	122
L8600N 11100E	94069407	0.23	190	4	0.01	24	810	26	0.03	6	1	20	0.01	< 10	< 10	40	< 10	88
L8600N 11150E	94069407	0.26	140	5	0.01	22	1000	26	0.04	6	1	22	0.04	< 10	< 10	73	< 10	82
L8600N 11200E	94069407	< 0.01	10	< 1	0.01	< 1	160	< 2	0.01	< 2	< 1	5	< 0.01	< 10	< 10	7	< 10	< 2
L8600N 11250E	94069407	0.33	130	6	0.01	30	860	28	0.07	6	1	56	0.01	< 10	< 10	39	< 10	92
L8800N 9050E	94069407	0.09	50	1	0.01	6	320	8	0.02	< 2	< 1	11	< 0.01	< 10	< 10	18	< 10	36
L8800N 9300E	94069407	0.03	30	1	0.01	5	440	10	0.02	< 2	< 1	6	< 0.01	< 10	< 10	19	< 10	26
L8800N 9450E	94069407	0.06	35	< 1	0.01	6	260	8	0.01	< 2	< 1	9	< 0.01	< 10	< 10	16	< 10	28
L8800N 10050E	94069407	0.13	125	4	0.01	13	1170	72	0.18	12	< 1	44	0.01	< 10	< 10	46	< 10	62
L8800N 10100E	94069407	0.09	40	< 1	0.01	7	720	22	0.14	36	1	63	< 0.01	< 10	< 10	19	< 10	26
L8800N 10150E	94069407	0.16	175	< 1	0.02	9	510	12	0.18	2	< 1	34	0.01	< 10	< 10	30	< 10	34
L8800N 10200E	94069407	0.39	415	1	0.01	24	840	26	0.16	4	1	70	0.05	< 10	< 10	68	< 10	72
L8800N 10250E	94069407	0.30	375	< 1	0.02	15	640	10	0.14	2	1	47	0.03	< 10	< 10	34	< 10	66
L8800N 10300E	94069407	0.07	115	< 1	0.01	4	430	12	0.12	6	< 1	13	0.01	< 10	< 10	14	< 10	16
L8800N 10350E	94069407	0.03	25	< 1	0.01	3	310	4	0.06	< 2	< 1	12	< 0.01	< 10	< 10	9	< 10	10
L8800N 10400E	94069407	0.13	140	1	0.01	21	740	24	0.11	6	1	32	0.01	< 10	< 10	29	< 10	100
L8800N 10450E	94069407	0.07	30	1	0.01	9	440	12	0.06	2	< 1	10	0.01	< 10	< 10	15	< 10	22
L8800N 10500E	94069407	0.11	80	1	0.01	17	1120	60	0.11	26	< 1	18	0.01	< 10	< 10	41	< 10	98
L8800N 10550E	94069407	0.10	90	< 1	0.01	27	410	40	0.06	6	< 1	11	0.01	< 10	< 10	18	< 10	62
L8800N 10600E	94069407	0.05	45	< 1	0.02	5	490	10	0.03	2	< 1	10	0.01	< 10	< 10	16	< 10	18
L9000N 9250E	94069407	0.01	20	< 1	0.01	1	130	2	< 0.01	< 2	< 1	5	< 0.01	< 10	< 10	14	< 10	10
L9000N 9300E	94069407	0.01	30	1	0.01	6	230	8	0.01	< 2	< 1	7	< 0.01	< 10	< 10	21	< 10	26
L9000N 9350E	94069407	0.11	80	3	0.01	14	530	10	0.03	2	< 1	22	< 0.01	< 10	< 10	30	< 10	70
L9000N 9400E	94069407	0.02	45	1	0.01	8	350	6	0.03	< 2	< 1	9	< 0.01	< 10	< 10	29	< 10	30
L9000N 9500E	94069407	< 0.01	10	< 1	0.01	1	210	< 2	0.04	< 2	< 1	10	< 0.01	< 10	< 10	11	< 10	6
L9000N 9650E	94069407	0.08	25	7	0.01	14	550	10	0.03	6	< 1	23	< 0.01	< 10	< 10	28	< 10	102
L9000N 9700E	94069407	0.04	25	2	0.01	8	620	20	0.06	2	< 1	19	< 0.01	< 10	< 10	18	< 10	30
L9000N 9800E	94069407	0.04	45	4	0.01	8	570	22	0.04	6	< 1	16	< 0.01	< 10	< 10	31	< 10	42
L9000N 9850E	94069407	0.04	60	5	0.01	10	780	352	0.18	20	< 1	63	0.02	< 10	< 10	56	< 10	94
L9000N 9900E	94069407	0.01	65	1	0.01	4	290	40	0.06	4	< 1	21	< 0.01	< 10	< 10	14	< 10	30
L9000N 9950E	94069407	0.03	60	3	0.01	8	590	232	0.10	26	< 1	37	< 0.01	< 10	< 10	39	< 10	40
L9000N 10000E	94069407	0.02	35	19	< 0.01	15	1560	72	0.10	28	< 1	196	< 0.01	< 10	< 10	132	< 10	136
L9000N 10050E	94069407	0.11	115	17	0.02	27	2530	176	0.27	48	< 1	112	< 0.01	< 10	< 10	109	< 10	224
L9000N 10100E	94069407	0.18	155	7	0.01	22	1500	66	0.10	16	< 1	43	0.02	< 10	< 10	91	< 10	164
L9000N 10150E	94069407	0.06	45	1	0.01	15	550	18	0.05	8	< 1	15	< 0.01	< 10	< 10	27	< 10	142

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Certificate Date: 19-JUL-2002
Invoice No. :I0219760
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERFGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219760

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L9000N 10200E	94069407	0.30	< 5	0.2	0.60	92	< 10	90	< 0.5	< 2	0.06	< 0.5	3	8	38	1.82	< 10	< 1	0.03	< 10
L9000N 10250E	94069407	0.24	5	1.2	0.60	78	< 10	130	< 0.5	< 2	0.03	0.5	1	9	42	1.35	< 10	< 1	0.02	< 10
L9000N 10300E	94069407	0.28	10	1.0	1.04	200	< 10	200	0.5	< 2	0.04	1.5	4	12	84	3.32	< 10	< 1	0.04	< 10
L9000N 10350E	94069407	0.24	< 5	0.2	0.18	2	< 10	30	< 0.5	< 2	0.02	< 0.5	< 1	1	4	0.20	< 10	< 1	0.01	< 10
L9000N 10400E	94069407	0.30	< 5	0.2	0.57	12	< 10	190	< 0.5	< 2	0.07	< 0.5	< 1	4	19	0.55	< 10	< 1	0.01	< 10
L9000N 10450E	94069407	0.26	5	0.2	0.62	42	< 10	100	< 0.5	< 2	0.05	< 0.5	2	20	29	1.38	< 10	< 1	0.08	< 10
L9000N 10500E	94069407	0.32	15	0.8	0.97	132	< 10	370	< 0.5	< 2	0.21	1.0	7	22	59	2.53	< 10	2	0.06	< 10
L9000N 10550E	94069407	0.26	< 5	0.2	1.47	94	< 10	320	< 0.5	< 2	0.54	0.5	5	24	51	2.19	< 10	< 1	0.03	< 10
L9000N 10600E	94069407	0.22	10	0.2	0.84	140	< 10	60	< 0.5	12	0.04	< 0.5	2	10	77	1.97	< 10	< 1	0.02	< 10
L9000N 10650E	94069407	0.26	< 5	0.6	0.98	14	< 10	130	< 0.5	< 2	0.06	0.5	3	10	62	0.80	< 10	< 1	0.02	< 10
L9000N 10700E	94069407	0.24	< 5	< 0.2	0.60	12	< 10	50	< 0.5	< 2	0.03	< 0.5	1	5	28	0.58	< 10	< 1	0.01	< 10
L9000N 10750E	94069407	0.26	< 5	0.2	0.56	24	< 10	40	< 0.5	< 2	0.03	< 0.5	1	5	31	0.61	< 10	< 1	0.01	< 10
L9000N 10800E	94069407	0.24	< 5	0.2	0.44	32	< 10	70	< 0.5	< 2	0.05	< 0.5	1	7	43	0.69	< 10	< 1	0.03	< 10
L9000N 10850E	94069407	0.20	< 5	0.6	0.77	38	< 10	90	< 0.5	< 2	0.11	0.5	5	6	87	0.77	< 10	< 1	0.02	< 10
L9000N 10900E	94069407	0.24	< 5	0.2	0.75	36	< 10	110	< 0.5	< 2	0.04	< 0.5	5	7	68	0.82	< 10	< 1	0.01	< 10
L9000N 10950E	94069407	0.28	5	0.2	1.15	130	< 10	90	< 0.5	< 2	0.06	< 0.5	3	16	36	2.50	< 10	< 1	0.04	< 10
L9000N 11000E	94069407	0.20	5	0.4	0.82	36	< 10	130	< 0.5	< 2	0.08	< 0.5	3	9	58	0.99	< 10	< 1	0.02	< 10
L9000N 11050E	94069407	0.24	10	0.2	0.89	38	< 10	80	< 0.5	< 2	0.04	< 0.5	2	13	80	1.96	< 10	< 1	0.02	< 10
L9000N 11100E	94069407	0.22	25	0.2	0.29	< 2	< 10	10	< 0.5	2	0.02	< 0.5	< 1	1	40	0.30	< 10	< 1	0.01	< 10
L9000N 11150E	94069407	0.24	15	0.6	1.21	138	< 10	180	0.5	10	0.13	< 0.5	3	11	207	1.57	< 10	< 1	0.03	< 10
L9000N 11200E	94069407	0.34	5	0.4	1.16	124	< 10	260	< 0.5	10	0.25	< 0.5	7	27	106	2.73	< 10	< 1	0.05	< 10
L9000N 11300E	94069407	0.26	15	1.8	0.87	134	< 10	220	< 0.5	< 2	0.19	< 0.5	6	17	60	1.66	< 10	< 1	0.04	< 10
L9000N 11350E	94069407	0.24	10	1.8	1.10	178	< 10	300	< 0.5	2	0.21	< 0.5	6	22	78	2.25	< 10	< 1	0.04	< 10
L9000N 11500E	94069407	0.42	10	< 0.2	0.73	22	< 10	560	< 0.5	< 2	0.07	< 0.5	10	12	59	3.04	< 10	< 1	0.04	< 10

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Certificate Date: 19-JUL-2002
Invoice No. :10219760
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERFGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219760

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L9000N 10200E	94069407	0.10	95	3	0.01	14	590	28	0.04	8	< 1	17	0.01	< 10	< 10	28	< 10	86
L9000N 10250E	94069407	0.07	50	2	0.01	10	490	34	0.04	6	< 1	15	0.01	< 10	< 10	27	< 10	52
L9000N 10300E	94069407	0.15	130	6	0.01	25	1040	38	0.09	14	< 1	28	< 0.01	< 10	< 10	31	< 10	152
L9000N 10350E	94069407	< 0.01	5	< 1	0.01	1	240	< 2	0.01	< 2	< 1	5	< 0.01	< 10	< 10	4	< 10	< 2
L9000N 10400E	94069407	0.03	30	< 1	0.01	3	500	4	0.04	< 2	< 1	8	0.01	< 10	< 10	10	< 10	6
L9000N 10450E	94069407	0.16	50	8	0.01	9	350	22	0.04	4	1	15	0.07	< 10	< 10	95	< 10	54
L9000N 10500E	94069407	0.36	195	6	0.01	37	1030	148	0.04	106	1	35	0.02	< 10	< 10	52	< 10	190
L9000N 10550E	94069407	0.12	270	5	0.01	15	650	60	0.05	18	< 1	64	0.04	< 10	< 10	53	< 10	66
L9000N 10600E	94069407	0.04	35	3	0.01	10	500	26	0.05	6	< 1	15	0.05	< 10	< 10	51	10	32
L9000N 10650E	94069407	0.06	110	2	0.01	8	570	30	0.04	2	< 1	11	0.01	< 10	< 10	18	< 10	18
L9000N 10700E	94069407	0.03	30	< 1	0.01	4	250	10	0.01	2	< 1	8	0.01	< 10	< 10	19	< 10	8
L9000N 10750E	94069407	0.04	25	1	0.01	4	350	16	0.03	2	< 1	6	0.01	< 10	< 10	16	< 10	14
L9000N 10800E	94069407	0.04	60	1	0.01	5	200	14	0.01	2	< 1	7	0.01	< 10	< 10	22	< 10	18
L9000N 10850E	94069407	0.06	225	3	0.01	10	340	16	0.01	4	< 1	19	0.01	< 10	< 10	14	< 10	60
L9000N 10900E	94069407	0.05	220	5	0.01	7	440	10	0.04	4	< 1	8	0.01	< 10	< 10	17	< 10	18
L9000N 10950E	94069407	0.08	95	5	< 0.01	9	460	12	0.02	< 2	< 1	10	0.03	< 10	< 10	68	< 10	28
L9000N 11000E	94069407	0.08	70	4	0.01	10	430	8	0.03	< 2	< 1	15	0.01	< 10	< 10	20	< 10	22
L9000N 11050E	94069407	0.07	70	4	< 0.01	11	340	12	0.03	< 2	< 1	10	0.03	< 10	< 10	51	< 10	30
L9000N 11100E	94069407	< 0.01	5	< 1	0.02	1	110	< 2	0.01	< 2	< 1	4	0.01	< 10	< 10	7	< 10	4
L9000N 11150E	94069407	0.11	90	4	0.01	13	670	10	0.06	4	< 1	18	0.01	< 10	< 10	20	< 10	28
L9000N 11200E	94069407	0.35	195	12	0.01	34	830	56	0.03	14	2	28	0.01	< 10	< 10	46	< 10	122
L9000N 11300E	94069407	0.24	380	6	0.01	21	720	60	0.04	14	1	21	< 0.01	< 10	< 10	30	< 10	100
L9000N 11350E	94069407	0.30	240	8	0.01	30	1020	74	0.06	18	1	27	< 0.01	< 10	< 10	39	< 10	146
L9000N 11500E	94069407	0.16	260	8	< 0.01	42	820	12	0.03	< 2	3	20	< 0.01	< 10	< 10	27	< 10	152

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1-A
Total Pages :3
Certificate Date: 22-JUL-2002
Invoice No. :I0219761
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219761

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L10200N 8600E	9406 9407	0.28	< 5	0.4	0.45	14	< 10	340	< 0.5	< 2	0.02	< 0.5	< 1	10	39	2.35	< 10	< 1	0.06	10
L10200N 8650E	9406 9407	0.42	< 5	< 0.2	0.98	14	< 10	1370	< 0.5	< 2	0.03	< 0.5	4	17	32	2.58	< 10	< 1	0.05	< 10
L10200N 8700E	9406 9407	0.34	< 5	0.2	0.66	4	< 10	380	< 0.5	< 2	0.02	< 0.5	3	9	14	1.61	< 10	< 1	0.05	< 10
L10200N 8750E	9406 9407	0.28	< 5	0.4	0.88	4	< 10	520	< 0.5	< 2	0.03	< 0.5	9	10	18	1.68	< 10	< 1	0.04	< 10
L10200N 8800E	9406 9407	0.30	< 5	0.2	0.65	10	< 10	530	< 0.5	< 2	0.03	< 0.5	4	13	27	2.25	< 10	< 1	0.05	< 10
L10200N 8850E	9406 9407	0.24	< 5	0.8	0.81	8	< 10	640	< 0.5	< 2	0.04	0.5	4	13	35	2.29	< 10	< 1	0.05	< 10
L10200N 8900E	9406 9407	0.32	5	1.2	1.05	8	< 10	600	< 0.5	< 2	0.03	< 0.5	5	25	61	2.96	< 10	< 1	0.06	< 10
L10200N 8950E	9406 9407	0.28	< 5	3.2	1.45	14	< 10	410	< 0.5	< 2	0.03	< 0.5	4	25	38	3.34	< 10	< 1	0.06	< 10
L10200N 9000E	9406 9407	0.28	< 5	0.6	0.59	8	< 10	300	< 0.5	< 2	0.04	< 0.5	2	9	23	1.68	< 10	< 1	0.05	< 10
L10200N 9050E	9406 9407	0.30	< 5	0.6	0.61	6	< 10	230	< 0.5	< 2	0.02	< 0.5	2	10	18	1.80	< 10	< 1	0.05	< 10
L10200N 9100E	9406 9407	0.28	< 5	0.2	0.73	12	< 10	230	< 0.5	< 2	0.01	< 0.5	3	11	24	2.42	< 10	< 1	0.04	< 10
L10200N 9150E	9406 9407	0.32	< 5	1.0	0.83	20	< 10	910	< 0.5	< 2	0.02	< 0.5	1	17	33	3.41	< 10	< 1	0.08	< 10
L10200N 9200E	9406 9407	0.28	< 5	< 0.2	0.68	6	< 10	440	< 0.5	< 2	0.02	0.5	1	9	18	1.45	< 10	< 1	0.04	< 10
L10200N 9250E	9406 9407	0.30	< 5	0.2	0.54	8	< 10	330	< 0.5	< 2	0.02	< 0.5	3	10	25	1.87	< 10	< 1	0.04	< 10
L10200N 9300E	9406 9407	0.26	< 5	< 0.2	0.52	4	< 10	170	< 0.5	< 2	0.04	< 0.5	2	8	10	1.38	< 10	< 1	0.05	< 10
L10200N 9350E	9406 9407	0.24	< 5	0.2	0.78	8	< 10	220	< 0.5	< 2	0.02	< 0.5	3	7	21	1.56	< 10	< 1	0.04	< 10
L10200N 9400E	9406 9407	0.26	< 5	< 0.2	0.69	8	< 10	210	< 0.5	< 2	0.03	< 0.5	2	8	15	1.45	< 10	< 1	0.04	< 10
L10200N 9450E	9406 9407	0.30	< 5	0.4	0.64	12	< 10	300	< 0.5	< 2	0.01	< 0.5	2	7	21	1.54	< 10	< 1	0.04	10
L10200N 9500E	9406 9407	0.30	< 5	0.2	0.36	2	< 10	140	< 0.5	< 2	0.03	< 0.5	< 1	5	9	0.70	< 10	< 1	0.03	< 10
L10200N 9550E	9406 9407	0.22	5	0.8	0.93	6	< 10	2000	< 0.5	< 2	0.59	< 0.5	3	11	33	1.22	< 10	< 1	0.04	< 10
L10200N 9600E	9406 9407	0.20	< 5	1.0	0.70	< 2	< 10	530	< 0.5	< 2	1.31	0.5	4	8	28	0.98	< 10	< 1	0.03	< 10
L10400N 8650E	9406 9407	0.28	< 5	< 0.2	0.76	8	< 10	340	< 0.5	< 2	0.04	< 0.5	9	11	33	2.60	< 10	< 1	0.06	< 10
L10400N 8700E	9406 9407	0.26	< 5	0.2	1.01	8	< 10	890	< 0.5	< 2	0.04	< 0.5	11	16	29	3.27	< 10	< 1	0.07	< 10
L10400N 8750E	9406 9407	0.26	< 5	< 0.2	0.61	4	< 10	630	< 0.5	< 2	0.07	< 0.5	12	7	19	1.63	< 10	< 1	0.05	< 10
L10400N 8800E	9406 9407	0.28	< 5	0.2	0.84	10	< 10	700	< 0.5	< 2	0.05	< 0.5	8	15	63	3.06	< 10	< 1	0.05	< 10
L10400N 8850E	9406 9407	0.26	< 5	0.2	0.76	18	< 10	390	< 0.5	< 2	0.08	< 0.5	4	15	40	3.19	< 10	< 1	0.06	< 10
L10400N 8900E	9406 9407	0.28	< 5	< 0.2	1.05	14	< 10	110	< 0.5	< 2	0.02	< 0.5	4	18	23	3.86	< 10	< 1	0.05	< 10
L10400N 8950E	9406 9407	0.22	< 5	< 0.2	1.59	16	< 10	180	< 0.5	< 2	0.04	< 0.5	6	21	24	3.28	< 10	< 1	0.06	< 10
L10400N 9000E	9406 9407	0.28	< 5	< 0.2	0.92	12	< 10	280	< 0.5	< 2	0.03	< 0.5	3	13	17	2.54	< 10	< 1	0.05	< 10
L10400N 9050E	9406 9407	0.30	< 5	< 0.2	0.71	6	< 10	340	< 0.5	< 2	0.03	0.5	4	10	34	1.78	< 10	< 1	0.04	< 10
L10400N 9100E	9406 9407	0.28	< 5	0.2	0.95	10	< 10	240	< 0.5	< 2	0.03	< 0.5	5	14	27	2.97	< 10	< 1	0.05	< 10
L10400N 9150E	9406 9407	0.28	< 5	< 0.2	1.41	14	< 10	530	< 0.5	< 2	0.03	< 0.5	10	18	46	3.94	< 10	< 1	0.05	< 10
L10400N 9200E	9406 9407	0.28	< 5	< 0.2	0.90	8	< 10	350	< 0.5	< 2	0.03	< 0.5	6	11	29	2.38	< 10	< 1	0.04	< 10
L10400N 9250E	9406 9407	0.34	< 5	< 0.2	1.15	20	< 10	270	< 0.5	< 2	0.02	< 0.5	6	19	37	4.21	< 10	< 1	0.06	< 10
L10400N 9300E	9406 9407	0.28	< 5	0.2	1.23	18	< 10	330	< 0.5	< 2	0.02	< 0.5	6	17	32	3.69	< 10	< 1	0.05	< 10
L10400N 9350E	9406 9407	0.24	< 5	< 0.2	1.05	16	< 10	580	< 0.5	< 2	0.04	< 0.5	4	14	25	3.14	< 10	< 1	0.06	< 10
L10400N 9400E	9406 9407	0.34	< 5	0.2	1.02	10	< 10	670	< 0.5	< 2	0.04	0.5	5	15	28	2.40	< 10	< 1	0.05	< 10
L10400N 9450E	9406 9407	0.34	< 5	< 0.2	1.07	16	< 10	490	< 0.5	< 2	0.13	< 0.5	9	17	35	2.96	< 10	< 1	0.05	< 10
L10400N 9500E	9406 9407	0.28	< 5	1.6	0.85	6	< 10	610	< 0.5	< 2	0.30	< 0.5	2	11	30	1.38	< 10	< 1	0.04	< 10
L10400N 9550E	9406 9407	0.22	5	0.8	0.73	8	< 10	870	< 0.5	< 2	0.51	0.5	6	13	51	1.71	< 10	< 1	0.05	10

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
*Analytical Chemists * Geochemists * Registered Assayers*
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1-B
Total Pages :3
Certificate Date: 22-JUL-2002
Invoice No. :I0219761
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219761

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L10200N 8600E	9406 9407	0.01	30	5	< 0.01	5	910	20	0.08	2	< 1	72	0.01	< 10	< 10	58	< 10	28
L10200N 8650E	9406 9407	0.20	140	3	< 0.01	17	310	10	0.04	< 2	1	17	0.01	< 10	< 10	45	< 10	60
L10200N 8700E	9406 9407	0.06	155	3	< 0.01	7	240	8	0.01	< 2	< 1	9	0.01	< 10	< 10	46	< 10	36
L10200N 8750E	9406 9407	0.06	985	1	0.01	8	350	8	0.01	< 2	< 1	10	0.02	< 10	< 10	41	< 10	44
L10200N 8800E	9406 9407	0.07	135	3	0.01	11	300	10	0.01	< 2	< 1	12	0.03	< 10	< 10	46	< 10	60
L10200N 8850E	9406 9407	0.08	275	1	0.01	12	460	12	0.03	< 2	< 1	13	0.02	< 10	< 10	44	< 10	70
L10200N 8900E	9406 9407	0.08	545	2	< 0.01	12	690	18	0.05	< 2	< 1	14	0.01	< 10	< 10	46	< 10	84
L10200N 8950E	9406 9407	0.18	125	4	< 0.01	15	440	16	0.04	< 2	1	14	0.04	< 10	< 10	50	< 10	72
L10200N 9000E	9406 9407	0.03	140	2	0.01	8	360	8	0.01	< 2	< 1	13	0.02	< 10	< 10	41	< 10	46
L10200N 9050E	9406 9407	0.07	90	1	< 0.01	9	290	12	0.01	2	< 1	11	0.03	< 10	< 10	40	< 10	56
L10200N 9100E	9406 9407	0.06	115	3	< 0.01	11	340	12	0.01	2	< 1	11	0.03	< 10	< 10	48	< 10	62
L10200N 9150E	9406 9407	0.06	70	3	0.02	11	710	14	0.13	< 2	< 1	42	0.01	< 10	< 10	48	< 10	64
L10200N 9200E	9406 9407	0.04	65	2	0.01	7	400	10	0.01	< 2	< 1	10	0.02	< 10	< 10	37	< 10	46
L10200N 9250E	9406 9407	0.04	80	3	< 0.01	12	350	14	0.02	2	< 1	15	0.02	< 10	< 10	40	< 10	66
L10200N 9300E	9406 9407	0.06	105	1	0.01	7	450	8	0.01	2	< 1	9	0.03	< 10	< 10	37	< 10	48
L10200N 9350E	9406 9407	0.05	200	3	0.01	8	410	10	0.02	< 2	< 1	14	0.01	< 10	< 10	32	< 10	42
L10200N 9400E	9406 9407	0.05	115	2	< 0.01	8	480	10	0.01	< 2	< 1	13	0.03	< 10	< 10	41	< 10	44
L10200N 9450E	9406 9407	0.03	80	4	< 0.01	9	370	16	0.03	2	< 1	19	0.01	< 10	< 10	42	< 10	52
L10200N 9500E	9406 9407	0.02	35	1	0.01	4	230	6	0.01	< 2	< 1	10	0.02	< 10	< 10	25	< 10	22
L10200N 9550E	9406 9407	0.15	345	1	0.02	18	650	38	0.08	< 2	1	88	< 0.01	< 10	< 10	19	< 10	40
L10200N 9600E	9406 9407	0.18	300	< 1	0.02	13	630	12	0.07	< 2	1	96	< 0.01	< 10	< 10	13	< 10	32
L10400N 8650E	9406 9407	0.07	1725	2	0.01	11	770	14	0.01	< 2	< 1	14	0.03	< 10	< 10	41	< 10	52
L10400N 8700E	9406 9407	0.11	950	2	< 0.01	15	470	14	0.02	< 2	< 1	12	0.03	< 10	< 10	52	< 10	116
L10400N 8750E	9406 9407	0.06	1225	< 1	0.01	10	340	12	0.01	< 2	< 1	16	0.02	< 10	< 10	29	< 10	76
L10400N 8800E	9406 9407	0.05	690	2	0.01	17	570	16	0.04	< 2	< 1	12	0.03	< 10	< 10	57	< 10	132
L10400N 8850E	9406 9407	0.14	315	2	< 0.01	15	550	20	0.03	2	< 1	17	0.05	< 10	< 10	57	< 10	78
L10400N 8900E	9406 9407	0.14	305	2	< 0.01	12	690	14	0.01	< 2	1	9	0.05	< 10	< 10	75	< 10	62
L10400N 8950E	9406 9407	0.31	280	3	0.01	17	420	14	0.01	< 2	1	11	0.04	< 10	< 10	57	< 10	84
L10400N 9000E	9406 9407	0.17	130	2	< 0.01	12	360	10	0.02	< 2	< 1	10	0.04	< 10	< 10	45	< 10	68
L10400N 9050E	9406 9407	0.05	540	1	0.01	10	700	10	0.01	< 2	< 1	11	0.01	< 10	< 10	37	< 10	54
L10400N 9100E	9406 9407	0.12	185	2	< 0.01	14	510	12	0.01	< 2	< 1	10	0.04	< 10	< 10	53	< 10	74
L10400N 9150E	9406 9407	0.19	570	3	< 0.01	22	530	16	0.04	< 2	1	27	0.03	< 10	< 10	51	< 10	98
L10400N 9200E	9406 9407	0.05	840	1	< 0.01	10	530	12	0.01	< 2	< 1	9	0.02	< 10	< 10	45	< 10	56
L10400N 9250E	9406 9407	0.19	255	4	< 0.01	22	640	18	0.03	< 2	1	16	0.02	< 10	< 10	50	< 10	94
L10400N 9300E	9406 9407	0.16	540	3	< 0.01	20	660	18	0.03	< 2	1	16	0.01	< 10	< 10	52	< 10	88
L10400N 9350E	9406 9407	0.19	220	3	< 0.01	15	800	16	0.02	< 2	< 1	15	0.03	< 10	< 10	58	< 10	76
L10400N 9400E	9406 9407	0.16	325	2	< 0.01	15	760	12	0.02	< 2	< 1	13	0.01	< 10	< 10	42	< 10	66
L10400N 9450E	9406 9407	0.29	465	3	< 0.01	26	760	16	0.01	< 2	1	20	0.01	< 10	< 10	43	< 10	98
L10400N 9500E	9406 9407	0.16	110	3	0.01	12	850	10	0.03	< 2	< 1	24	< 0.01	< 10	< 10	21	< 10	44
L10400N 9550E	9406 9407	0.22	160	3	0.01	25	730	14	0.04	2	2	46	< 0.01	< 10	< 10	23	< 10	80

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Certificate Date: 22-JUL-2002
Invoice No. :I0219761
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219761

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L10400N 9600E	94069407	0.14	< 5	0.8	0.76	10	< 10	980	< 0.5	< 2	0.29	< 0.5	7	10	43	1.68	< 10	< 1	0.05	< 10
L10600N 8700E	94069407	0.28	< 5	0.4	0.66	8	< 10	220	< 0.5	< 2	0.03	< 0.5	4	10	29	1.97	< 10	< 1	0.04	< 10
L10600N 8750E	94069407	0.34	5	0.8	0.93	22	< 10	160	< 0.5	< 2	0.10	< 0.5	5	16	49	2.78	< 10	< 1	0.06	< 10
L10600N 8800E	94069407	0.28	< 5	< 0.2	0.60	6	< 10	200	< 0.5	< 2	0.04	< 0.5	6	9	25	1.63	< 10	< 1	0.03	< 10
L10600N 8850E	94069407	0.24	< 5	0.2	0.30	< 2	< 10	50	< 0.5	< 2	0.03	< 0.5	< 1	2	7	0.44	< 10	< 1	0.02	< 10
L10600N 8900E	94069407	0.28	< 5	< 0.2	0.43	4	< 10	140	< 0.5	< 2	0.02	< 0.5	3	6	33	1.30	< 10	< 1	0.03	< 10
L10600N 8950E	94069407	0.30	< 5	< 0.2	0.64	10	< 10	280	< 0.5	< 2	0.03	< 0.5	3	9	51	2.22	< 10	< 1	0.03	< 10
L10600N 9050E	94069407	0.30	< 5	0.2	1.00	10	< 10	410	< 0.5	< 2	0.07	< 0.5	17	14	76	3.03	< 10	< 1	0.05	< 10
L10600N 9100E	94069407	0.36	< 5	< 0.2	0.72	8	< 10	300	< 0.5	< 2	0.18	< 0.5	4	4	27	1.51	< 10	< 1	0.03	10
L10600N 9150E	94069407	0.30	5	1.0	0.93	20	< 10	300	< 0.5	< 2	0.11	0.5	10	20	68	3.99	< 10	< 1	0.04	< 10
L10600N 9200E	94069407	0.28	< 5	0.4	0.69	14	< 10	280	< 0.5	< 2	0.06	0.5	7	11	28	2.61	< 10	< 1	0.04	< 10
L10600N 9250E	94069407	0.32	< 5	0.6	0.48	14	< 10	190	< 0.5	< 2	0.08	0.5	6	9	24	2.48	< 10	< 1	0.04	< 10
L10600N 9300E	94069407	0.44	< 5	0.4	0.43	14	< 10	260	< 0.5	< 2	0.19	0.5	10	8	24	2.33	< 10	< 1	0.04	10
L10600N 9350E	94069407	0.28	< 5	0.2	0.76	22	< 10	150	< 0.5	< 2	0.01	0.5	12	12	81	4.58	< 10	< 1	0.04	< 10
L10600N 9400E	94069407	0.20	< 5	0.4	0.62	6	< 10	710	< 0.5	< 2	0.04	< 0.5	1	8	43	1.35	< 10	< 1	0.04	< 10
L10600N 9450E	94069407	0.34	< 5	0.2	0.69	14	< 10	200	< 0.5	< 2	0.01	< 0.5	4	9	25	2.41	< 10	< 1	0.04	< 10
L10600N 9500E	94069407	0.30	< 5	0.2	1.26	18	< 10	260	< 0.5	< 2	0.03	< 0.5	5	17	33	3.32	< 10	< 1	0.06	< 10
L10600N 9550E	94069407	0.28	< 5	< 0.2	0.65	12	< 10	220	< 0.5	< 2	0.02	< 0.5	3	8	19	1.92	< 10	< 1	0.04	< 10
L10600N 9600E	94069407	0.30	< 5	0.2	0.54	22	< 10	280	< 0.5	< 2	0.01	< 0.5	4	9	39	2.60	< 10	< 1	0.06	10
L10800N 9000E	94069407	0.32	< 5	0.2	1.18	10	< 10	810	< 0.5	< 2	0.04	< 0.5	16	17	65	2.89	< 10	< 1	0.04	< 10
L10800N 9050E	94069407	0.30	< 5	< 0.2	1.23	14	< 10	400	< 0.5	< 2	0.02	< 0.5	10	17	59	3.63	< 10	< 1	0.05	< 10
L10800N 9100E	94069407	0.30	< 5	< 0.2	0.92	8	< 10	370	< 0.5	< 2	0.04	< 0.5	10	16	26	3.45	< 10	< 1	0.04	< 10
L10800N 9150E	94069407	0.18	< 5	< 0.2	0.40	2	< 10	530	< 0.5	< 2	0.05	< 0.5	4	4	10	0.88	< 10	< 1	0.04	< 10
L10800N 9200E	94069407	0.30	< 5	0.6	1.12	6	< 10	700	< 0.5	< 2	0.02	< 0.5	14	20	28	4.15	< 10	< 1	0.05	< 10
L10800N 9250E	94069407	0.22	< 5	< 0.2	0.87	10	< 10	220	< 0.5	< 2	0.02	< 0.5	3	10	28	2.75	< 10	< 1	0.03	< 10
L10800N 9300E	94069407	0.24	< 5	0.2	1.39	12	< 10	340	< 0.5	2	0.03	< 0.5	7	15	33	3.50	< 10	1	0.05	< 10
L10800N 9350E	94069407	0.24	< 5	< 0.2	0.58	8	< 10	200	< 0.5	< 2	0.01	< 0.5	1	9	25	1.51	< 10	< 1	0.04	< 10
L10800N 9400E	94069407	0.26	< 5	0.8	0.90	16	< 10	360	< 0.5	< 2	0.01	< 0.5	3	13	29	3.22	< 10	< 1	0.05	< 10
L10800N 9450E	94069407	0.28	< 5	0.6	1.38	18	< 10	320	< 0.5	< 2	0.03	< 0.5	5	20	29	4.00	< 10	< 1	0.06	< 10
L10800N 9500E	94069407	0.28	< 5	0.2	0.63	14	< 10	290	< 0.5	< 2	0.01	< 0.5	3	9	21	2.13	< 10	< 1	0.05	< 10
L10800N 9550E	94069407	0.24	< 5	0.6	0.73	10	< 10	290	< 0.5	< 2	0.01	< 0.5	6	8	27	1.82	< 10	< 1	0.04	< 10
L10800N 9600E	94069407	0.32	< 5	1.0	0.59	18	< 10	170	< 0.5	< 2	0.01	< 0.5	3	17	37	3.11	< 10	< 1	0.04	< 10
L10800N 9650E	94069407	0.30	< 5	1.6	0.61	16	< 10	210	< 0.5	2	0.03	< 0.5	3	14	31	2.67	< 10	< 1	0.05	< 10
L10800N 9700E	94069407	0.36	< 5	0.6	0.49	12	< 10	130	< 0.5	< 2	< 0.01	< 0.5	1	7	25	1.91	< 10	< 1	0.03	< 10
L10800N 9750E	94069407	0.28	< 5	0.2	0.34	4	< 10	170	< 0.5	< 2	0.01	< 0.5	1	4	24	0.82	< 10	< 1	0.03	< 10
L10800N 9800E	94069407	0.32	5	0.4	0.72	14	< 10	320	< 0.5	< 2	0.01	< 0.5	8	11	40	2.65	< 10	< 1	0.05	< 10
L10800N 9850E	94069407	0.36	< 5	0.6	0.35	6	< 10	260	< 0.5	< 2	0.01	< 0.5	< 1	6	13	0.95	< 10	< 1	0.05	10
L10800N 9900E	94069407	0.20	< 5	< 0.2	0.42	6	< 10	130	< 0.5	< 2	0.04	< 0.5	1	6	18	1.40	< 10	< 1	0.04	10
L10800N 9950E	94069407	0.28	< 5	0.6	0.48	6	< 10	240	< 0.5	< 2	0.03	< 0.5	1	5	15	0.99	< 10	< 1	0.05	< 10
L10800N 10000E	94069407	0.40	< 5	0.8	0.52	16	< 10	180	< 0.5	< 2	0.03	< 0.5	2	8	11	1.53	< 10	< 1	0.06	< 10

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Certificate Date: 22-JUL-2002
Invoice No. :I0219761
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219761

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L10400N 9600E	94069407	0.18	905	3	0.01	19	800	12	0.04	< 2	1	48	0.01	< 10	< 10	27	< 10	60
L10600N 8700E	94069407	0.08	225	2	0.01	11	440	8	0.01	< 2	< 1	14	0.03	< 10	< 10	37	< 10	48
L10600N 8750E	94069407	0.12	170	5	0.01	16	870	14	0.05	< 2	1	35	0.02	< 10	< 10	33	< 10	62
L10600N 8800E	94069407	0.11	495	1	0.01	11	480	8	0.01	< 2	< 1	12	0.01	< 10	< 10	21	< 10	44
L10600N 8850E	94069407	0.01	30	< 1	0.01	1	310	2	0.01	< 2	< 1	8	0.01	< 10	< 10	7	< 10	8
L10600N 8900E	94069407	0.01	85	1	0.01	9	420	6	0.02	< 2	< 1	10	0.01	< 10	< 10	21	< 10	42
L10600N 8950E	94069407	0.03	165	2	< 0.01	12	450	12	0.03	< 2	< 1	14	0.02	< 10	< 10	43	< 10	52
L10600N 9050E	94069407	0.20	1755	1	0.01	31	770	14	0.03	< 2	< 1	22	0.01	< 10	< 10	30	< 10	92
L10600N 9100E	94069407	0.03	45	4	< 0.01	19	500	8	0.01	< 2	< 1	23	< 0.01	< 10	< 10	21	< 10	58
L10600N 9150E	94069407	0.06	570	24	< 0.01	50	1710	12	0.02	< 2	1	18	< 0.01	< 10	< 10	112	< 10	182
L10600N 9200E	94069407	0.07	430	8	< 0.01	40	890	12	0.01	< 2	< 1	14	< 0.01	< 10	< 10	30	< 10	122
L10600N 9250E	94069407	0.03	100	9	< 0.01	31	980	10	0.01	< 2	< 1	10	< 0.01	< 10	< 10	25	< 10	114
L10600N 9300E	94069407	0.04	470	8	< 0.01	30	1280	10	0.01	< 2	1	18	< 0.01	< 10	< 10	18	< 10	108
L10600N 9350E	94069407	0.07	405	8	< 0.01	64	1020	16	0.03	< 2	1	18	< 0.01	< 10	< 10	50	< 10	208
L10600N 9400E	94069407	0.04	85	2	0.01	10	720	8	0.02	< 2	< 1	17	< 0.01	< 10	< 10	27	< 10	38
L10600N 9450E	94069407	0.08	155	4	< 0.01	14	410	16	0.02	< 2	< 1	13	0.01	< 10	< 10	37	< 10	74
L10600N 9500E	94069407	0.18	160	4	< 0.01	20	560	16	0.03	< 2	1	17	0.01	< 10	< 10	48	< 10	92
L10600N 9550E	94069407	0.05	95	3	< 0.01	12	430	12	0.02	< 2	< 1	13	0.01	< 10	< 10	42	< 10	62
L10600N 9600E	94069407	0.04	95	6	0.01	18	660	20	0.06	4	< 1	32	0.01	< 10	< 10	47	< 10	96
L10800N 9000E	94069407	0.16	1235	3	< 0.01	17	680	12	0.03	< 2	< 1	15	0.01	< 10	< 10	40	< 10	70
L10800N 9050E	94069407	0.15	840	3	< 0.01	16	600	16	0.03	< 2	1	13	0.02	< 10	< 10	52	< 10	78
L10800N 9100E	94069407	0.08	1185	2	< 0.01	11	560	14	0.02	< 2	< 1	10	0.01	< 10	< 10	50	< 10	74
L10800N 9150E	94069407	0.04	615	< 1	0.01	5	330	6	0.01	< 2	< 1	9	0.01	< 10	< 10	15	< 10	24
L10800N 9200E	94069407	0.07	2820	1	< 0.01	13	840	20	0.02	< 2	< 1	8	0.03	< 10	< 10	56	< 10	126
L10800N 9250E	94069407	0.05	185	3	< 0.01	10	390	14	0.02	< 2	< 1	14	0.03	< 10	< 10	55	< 10	50
L10800N 9300E	94069407	0.18	395	3	0.01	16	580	14	0.02	< 2	1	11	0.03	< 10	< 10	54	< 10	110
L10800N 9350E	94069407	0.04	55	3	0.01	7	350	8	0.02	< 2	< 1	13	0.01	< 10	< 10	40	< 10	40
L10800N 9400E	94069407	0.04	85	4	< 0.01	13	640	16	0.05	< 2	< 1	17	0.03	< 10	< 10	71	< 10	66
L10800N 9450E	94069407	0.15	180	4	< 0.01	14	510	14	0.04	< 2	1	18	0.02	< 10	< 10	71	< 10	86
L10800N 9500E	94069407	0.05	125	3	< 0.01	12	390	10	0.02	< 2	< 1	13	0.02	< 10	< 10	56	< 10	70
L10800N 9550E	94069407	0.03	145	3	0.01	10	500	10	0.02	< 2	< 1	13	0.01	< 10	< 10	42	< 10	50
L10800N 9600E	94069407	0.05	125	5	< 0.01	12	780	14	0.04	< 2	< 1	26	0.01	< 10	< 10	45	< 10	66
L10800N 9650E	94069407	0.06	110	4	< 0.01	11	500	12	0.03	< 2	< 1	20	0.01	< 10	< 10	47	< 10	70
L10800N 9700E	94069407	0.01	45	4	< 0.01	9	320	10	0.02	< 2	< 1	14	0.01	< 10	< 10	55	< 10	50
L10800N 9750E	94069407	0.01	30	2	0.01	5	220	6	0.01	< 2	< 1	13	0.01	< 10	< 10	23	< 10	22
L10800N 9800E	94069407	0.10	205	5	< 0.01	16	640	18	0.04	< 2	1	32	0.01	< 10	< 10	43	< 10	80
L10800N 9850E	94069407	0.01	25	7	< 0.01	5	420	16	0.05	< 2	< 1	23	< 0.01	< 10	< 10	51	< 10	28
L10800N 9900E	94069407	0.02	55	6	< 0.01	12	930	6	0.01	< 2	< 1	8	< 0.01	< 10	< 10	26	< 10	54
L10800N 9950E	94069407	0.04	95	4	0.01	6	560	6	0.03	< 2	< 1	15	< 0.01	< 10	< 10	27	< 10	24
L10800N 10000E	94069407	0.10	90	4	< 0.01	8	620	10	0.03	< 2	< 1	13	0.01	< 10	< 10	45	< 10	42

CERTIFICATION:_____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: ERIK WILTZEN

Certificate Date: 22-JUL-2002
Invoice No. : I0219761
P.O. Number :
Account : TTY

CERTIFICATE OF ANALYSIS A0219761

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L9000E 9150N	94069407	0.24	< 5	< 0.2	0.42	8	< 10	70	< 0.5	< 2	0.01	< 0.5	1	5	10	1.42	< 10	< 1	0.02	< 10
L9000E 9200N	94069407	0.16	< 5	< 0.2	0.36	8	< 10	80	< 0.5	< 2	0.01	< 0.5	1	4	9	1.18	< 10	< 1	0.02	< 10
L9000E 10000N	94069407	0.24	< 5	0.2	0.51	8	< 10	230	< 0.5	< 2	0.04	< 0.5	< 1	5	18	1.10	< 10	< 1	0.04	< 10
L9000E 10050N	94069407	0.28	< 5	0.4	0.47	20	< 10	370	< 0.5	< 2	0.02	< 0.5	2	10	27	2.22	< 10	< 1	0.06	< 10
L9000E 10100N	94069407	0.30	< 5	0.2	0.62	12	< 10	310	< 0.5	< 2	0.02	0.5	3	9	31	1.90	< 10	< 1	0.04	< 10
L9000E 10150N	94069407	0.36	< 5	1.0	1.07	20	< 10	320	< 0.5	< 2	0.03	< 0.5	3	21	49	3.32	< 10	< 1	0.04	< 10
L9000E 10250N	94069407	0.28	< 5	0.6	0.66	10	< 10	300	< 0.5	< 2	0.03	< 0.5	3	12	14	2.39	< 10	< 1	0.06	< 10
L9000E 10300N	94069407	0.30	5	0.2	0.98	14	< 10	240	< 0.5	< 2	0.03	< 0.5	4	16	25	2.90	< 10	< 1	0.05	< 10
L9000E 10350N	94069407	0.32	< 5	< 0.2	1.00	10	< 10	420	< 0.5	< 2	0.04	< 0.5	7	15	24	2.30	< 10	< 1	0.04	< 10
L9000E 10450N	94069407	0.30	5	< 0.2	1.27	10	< 10	730	< 0.5	< 2	0.15	< 0.5	11	21	94	3.15	< 10	< 1	0.05	< 10
L9000E 10500N	94069407	0.28	< 5	0.2	0.52	< 2	< 10	130	< 0.5	< 2	0.04	< 0.5	4	5	36	1.08	< 10	< 1	0.02	< 10
L9000E 10550N	94069407	0.26	< 5	< 0.2	0.84	6	< 10	190	< 0.5	< 2	0.03	< 0.5	4	11	41	2.23	< 10	< 1	0.03	< 10
L9000E 10600N	94069407	0.36	5	0.6	1.60	16	< 10	700	< 0.5	< 2	0.14	< 0.5	17	22	85	3.59	< 10	< 1	0.07	< 10
L9000E 10650N	94069407	0.34	5	< 0.2	0.90	12	< 10	620	< 0.5	< 2	0.18	< 0.5	10	17	72	2.86	< 10	< 1	0.05	< 10
L9000E 10700N	94069407	0.32	< 5	< 0.2	0.27	6	< 10	420	< 0.5	< 2	0.01	< 0.5	2	5	32	1.06	< 10	< 1	0.03	< 10
L9000E 10750N	94069407	0.26	5	1.0	0.91	8	< 10	1010	< 0.5	< 2	0.31	0.5	5	9	46	2.26	< 10	< 1	0.03	10
L10000E 7350N	94069407	0.32	10	0.6	1.21	40	< 10	340	< 0.5	< 2	0.10	< 0.5	6	24	60	3.31	< 10	< 1	0.06	< 10
L10000E 7400N	94069407	0.36	< 5	< 0.2	0.56	< 2	< 10	140	< 0.5	< 2	0.04	< 0.5	1	3	8	0.41	< 10	< 1	0.02	< 10
L10000E 7450N	94069407	0.28	< 5	< 0.2	0.49	< 2	< 10	80	< 0.5	< 2	0.08	< 0.5	< 1	1	4	0.35	< 10	< 1	0.02	< 10
L10000E 7500N	94069407	0.34	5	< 0.2	0.55	14	< 10	650	< 0.5	< 2	0.05	< 0.5	1	10	22	1.60	< 10	< 1	0.03	< 10
L10000E 7550N	94069407	0.42	10	0.2	1.30	24	< 10	830	< 0.5	< 2	0.09	< 0.5	4	24	55	3.61	< 10	< 1	0.05	10
L10000E 7600N	94069407	0.40	10	< 0.2	1.16	32	< 10	740	< 0.5	< 2	0.13	< 0.5	7	21	85	3.77	< 10	< 1	0.05	10
L10000E 7650N	94069407	0.30	< 5	< 0.2	1.40	20	< 10	150	0.5	< 2	0.07	< 0.5	4	20	21	2.32	< 10	< 1	0.04	< 10
L10000E 7700N	94069407	0.34	5	0.2	2.35	32	< 10	280	1.0	< 2	0.45	0.5	9	35	35	2.71	< 10	< 1	0.15	< 10
L10000E 7750N	94069407	0.24	< 5	< 0.2	0.59	2	< 10	30	< 0.5	< 2	0.06	< 0.5	1	2	9	0.43	< 10	< 1	0.01	< 10
L10000E 7800N	94069407	0.36	5	< 0.2	2.07	20	< 10	180	0.5	< 2	0.13	< 0.5	7	30	31	2.80	< 10	< 1	0.07	< 10
L10000E 7850N	94069407	0.26	5	< 0.2	0.56	2	< 10	50	< 0.5	< 2	0.15	< 0.5	1	9	11	0.67	< 10	< 1	0.03	< 10
L10000E 7900N	94069407	0.34	< 5	0.8	2.09	34	< 10	130	0.5	< 2	0.14	< 0.5	5	26	17	2.33	< 10	< 1	0.06	< 10
L10000E 8200N	94069407	0.38	< 5	1.8	2.06	98	< 10	230	0.5	2	0.22	1.5	7	20	29	3.22	< 10	< 1	0.07	10
L10000E 8250N	94069407	0.42	5	1.0	2.10	274	< 10	260	0.5	2	0.21	1.5	8	33	47	4.38	< 10	< 1	0.08	10
L10000E 8300N	94069407	0.40	5	0.8	1.97	172	< 10	330	< 0.5	2	0.12	1.0	4	39	63	5.01	< 10	< 1	0.35	10
L10000E 8350N	94069407	0.48	10	1.4	1.22	216	< 10	510	< 0.5	4	0.01	< 0.5	4	30	134	5.78	< 10	< 1	0.15	< 10
CY 3601	94069407	0.34	60	3.6	0.62	424	< 10	670	< 0.5	< 2	0.12	< 0.5	< 1	30	36	3.94	< 10	< 1	0.12	20
CY 3602	94069407	0.38	20	1.6	0.25	228	< 10	90	< 0.5	< 2	0.01	< 0.5	< 1	9	19	1.15	< 10	< 1	0.03	10
CY 3603	94069407	0.34	20	1.8	0.42	268	< 10	410	< 0.5	< 2	0.05	< 0.5	< 1	22	19	2.34	< 10	< 1	0.06	10
CY 3604	94069407	0.42	245	3.2	1.03	858	< 10	370	< 0.5	< 2	< 0.01	< 0.5	< 1	49	164	7.21	< 10	< 1	0.12	< 10
MY 3723	94069407	0.40	55	1.2	1.50	364	< 10	420	< 0.5	2	< 0.01	< 0.5	2	33	197	10.05	< 10	< 1	0.16	< 10

CERTIFICATION:

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Certificate Date: 22-JUL-2002
Invoice No. :I0219761
P.O. Number :
Account :TTY

Project : YUKON PROJECT
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0219761

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L9000E 9150N	9406 9407	0.03	65	3	< 0.01	7	190	8	< 0.01	< 2	< 1	6	0.01	< 10	< 10	35	< 10	36
L9000E 9200N	9406 9407	0.02	55	3	< 0.01	6	180	6	< 0.01	< 2	< 1	7	0.01	< 10	< 10	32	< 10	32
L9000E 10000N	9406 9407	0.03	45	3	0.01	5	400	8	0.02	< 2	< 1	15	0.01	< 10	< 10	30	< 10	26
L9000E 10050N	9406 9407	0.05	60	3	< 0.01	9	350	10	0.03	< 2	< 1	18	0.01	< 10	< 10	44	< 10	50
L9000E 10100N	9406 9407	0.05	100	3	< 0.01	11	330	12	0.02	< 2	< 1	15	0.01	< 10	< 10	38	< 10	58
L9000E 10150N	9406 9407	0.18	90	3	< 0.01	17	380	16	0.02	< 2	1	16	0.02	< 10	< 10	49	< 10	64
L9000E 10250N	9406 9407	0.08	100	1	< 0.01	10	370	10	0.01	< 2	< 1	11	0.03	< 10	< 10	45	< 10	64
L9000E 10300N	9406 9407	0.18	135	2	0.01	14	640	10	0.03	< 2	1	12	0.03	< 10	< 10	44	< 10	70
L9000E 10350N	9406 9407	0.15	575	1	< 0.01	14	400	10	0.01	< 2	1	12	0.01	< 10	< 10	42	< 10	64
L9000E 10450N	9406 9407	0.39	260	1	0.01	27	680	16	0.03	< 2	2	18	0.04	< 10	< 10	39	< 10	92
L9000E 10500N	9406 9407	0.03	315	< 1	0.01	6	580	4	0.02	< 2	< 1	9	< 0.01	< 10	< 10	15	< 10	22
L9000E 10550N	9406 9407	0.09	410	1	0.01	11	520	8	0.03	< 2	< 1	11	0.01	< 10	< 10	30	< 10	46
L9000E 10600N	9406 9407	0.33	1455	3	0.01	35	1400	20	0.03	< 2	2	29	0.02	< 10	< 10	42	< 10	130
L9000E 10650N	9406 9407	0.27	805	3	< 0.01	31	970	14	0.03	< 2	2	26	0.02	< 10	< 10	33	< 10	106
L9000E 10700N	9406 9407	0.01	120	1	0.01	9	360	6	0.02	< 2	< 1	10	< 0.01	< 10	< 10	20	< 10	36
L9000E 10750N	9406 9407	0.15	275	8	0.01	42	1600	8	0.07	< 2	2	43	< 0.01	< 10	< 10	19	< 10	140
L10000E 7350N	9406 9407	0.33	385	8	0.01	20	830	30	0.10	2	1	31	0.02	< 10	< 10	39	< 10	74
L10000E 7400N	9406 9407	0.03	130	< 1	0.02	3	330	2	0.01	< 2	< 1	7	0.01	< 10	< 10	8	< 10	8
L10000E 7450N	9406 9407	0.01	40	< 1	0.02	1	370	< 2	0.01	< 2	< 1	8	0.01	< 10	< 10	9	< 10	4
L10000E 7500N	9406 9407	0.13	55	4	< 0.01	8	560	22	0.05	2	< 1	18	0.01	< 10	< 10	26	< 10	32
L10000E 7550N	9406 9407	0.34	150	5	< 0.01	18	740	28	0.06	2	1	22	0.03	< 10	< 10	47	< 10	74
L10000E 7600N	9406 9407	0.38	290	15	0.01	22	870	38	0.04	6	2	23	0.03	< 10	< 10	40	< 10	90
L10000E 7650N	9406 9407	0.28	115	7	0.01	15	610	30	0.05	4	< 1	17	0.03	< 10	< 10	54	< 10	68
L10000E 7700N	9406 9407	0.76	305	5	0.02	28	1210	42	0.07	4	1	47	0.04	< 10	< 10	85	< 10	108
L10000E 7750N	9406 9407	0.02	155	< 1	0.02	1	460	6	0.04	< 2	< 1	8	0.01	< 10	< 10	11	< 10	8
L10000E 7800N	9406 9407	0.53	170	5	0.01	21	660	26	0.04	4	1	27	0.06	< 10	< 10	86	< 10	72
L10000E 7850N	9406 9407	0.11	35	< 1	0.02	5	740	4	0.03	< 2	< 1	10	0.02	< 10	< 10	31	< 10	18
L10000E 7900N	9406 9407	0.36	170	3	0.01	16	850	68	0.04	4	1	11	0.05	< 10	< 10	71	< 10	92
L10000E 8200N	9406 9407	0.54	200	1	0.01	15	880	410	0.02	18	3	28	0.04	< 10	< 10	46	< 10	476
L10000E 8250N	9406 9407	0.74	315	4	0.01	27	1330	222	0.09	12	2	24	0.07	< 10	< 10	65	< 10	304
L10000E 8300N	9406 9407	0.96	180	18	0.05	10	1270	80	0.53	4	4	72	0.04	< 10	< 10	120	< 10	162
L10000E 8350N	9406 9407	0.30	235	3	0.01	16	1200	162	0.19	24	3	26	0.02	< 10	< 10	48	< 10	136
CY 3601	9406 9407	0.09	45	11	0.01	4	3450	50	0.27	68	2	42	0.01	< 10	< 10	106	< 10	18
CY 3602	9406 9407	0.05	10	8	< 0.01	2	900	22	0.05	48	1	9	< 0.01	< 10	< 10	20	< 10	6
CY 3603	9406 9407	0.08	50	7	< 0.01	5	2120	38	0.14	38	1	26	< 0.01	< 10	< 10	43	< 10	16
CY 3604	9406 9407	0.17	45	10	0.01	8	1840	68	0.30	42	4	16	0.01	< 10	< 10	85	< 10	26
MY 3723	9406 9407	0.33	150	4	0.01	14	880	272	0.24	58	2	23	0.01	< 10	< 10	67	< 10	168

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

A0220885

Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE A0220885

(TTY) - KLAD ENTERPRISES LTD.

Project: Yukon Project
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 05-AUG-2002.

SAMPLE PREPARATION

METHOD CODE	NUMBER SAMPLES	DESCRIPTION
SCR-42	75	-180 micron screen - Save Minus
SCR-01	75	Screen - Save Plus Charge
LOG-22	75	Samples received without barcode
229	75	ICP - AQ Digestion charge

* NOTE 1:

Code 1000 is used for repeat gold analyses It shows typical sample variability due to coarse gold effects. Each value is correct for its particular subsample.

* NOTE 2:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES 1 of 2

METHOD CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
WEI-21	75	Weight of received sample	BALANCE	0.01	1000.0
Au-AA23	75	Au-AA23 : Au ppb: Fuse 30 grams	FA-AAS	5	10000
1000	1	Au check analysis		N/A	N/A
Ag-ICP41	75	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
Al-ICP41	75	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
As-ICP41	75	As ppm: 32 element, soil & rock	ICP-AES	2	10000
B-ICP41	75	B ppm: 32 element, rock & soil	ICP-AES	10	10000
Ba-ICP41	75	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
Be-ICP41	75	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
Bi-ICP41	75	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
Ca-ICP41	75	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
Cd-ICP41	75	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
Co-ICP41	75	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
Cr-ICP41	75	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
Cu-ICP41	75	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
Fe-ICP41	75	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
Ga-ICP41	75	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
Hg-ICP41	75	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
K-ICP41	75	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
La-ICP41	75	La ppm: 32 element, soil & rock	ICP-AES	10	10000
Mg-ICP41	75	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
Mn-ICP41	75	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
Mo-ICP41	75	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
Na-ICP41	75	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
Ni-ICP41	75	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
P-ICP41	75	P ppm: 32 element, soil & rock	ICP-AES	10	10000
Pb-ICP41	75	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
S-ICP41	75	S %: 32 element, rock & soil	ICP-AES	0.01	10.00
Sb-ICP41	75	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
Sc-ICP41	75	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
Sr-ICP41	75	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
Ti-ICP41	75	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
Tl-ICP41	75	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
U-ICP41	75	U ppm: 32 element, soil & rock	ICP-AES	10	10000
V-ICP41	75	V ppm: 32 element, soil & rock	ICP-AES	1	10000
W-ICP41	75	W ppm: 32 element, soil & rock	ICP-AES	10	10000

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

A0220885

Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE A0220885

(TTY) - KLAD ENTERPRISES LTD.

Project: Yukon Project
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 05-AUG-2002.

SAMPLE PREPARATION

METHOD CODE	NUMBER SAMPLES	DESCRIPTION
SCR-42	75	-180 micron screen - Save Minus
SCR-01	75	Screen - Save Plus Charge
LOG-22	75	Samples received without barcode
229	75	ICP - AQ Digestion charge

* NOTE 1:

Code 1000 is used for repeat gold analyses It shows typical sample variability due to coarse gold effects. Each value is correct for its particular subsample.

* NOTE 2:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES 2 of 2

METHOD CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
Zn-ICP41	75	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

Certificate Date: 05-AUG-2002
Invoice No. :10220885
P.O. Number :
Account :TTY

CERTIFICATE OF ANALYSIS A0220885

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au chec ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %
MY1 3880	94069407	0.26	< 5	-----	< 0.2	0.53	< 2	< 10	50	< 0.5	< 2	0.05	< 0.5	< 1	3	12	0.39	< 10	< 1	0.02
MY1 3881	94069407	0.30	< 5	-----	1.8	0.29	6	< 10	460	< 0.5	< 2	0.02	< 0.5	< 1	11	14	1.13	< 10	< 1	0.07
MY1 3882	94069407	0.34	< 5	-----	1.8	0.34	< 2	< 10	150	< 0.5	< 2	0.01	< 0.5	< 1	7	9	0.67	< 10	< 1	0.06
MY1 3883	94069407	0.34	5	-----	1.0	0.34	10	< 10	170	< 0.5	2	0.01	< 0.5	1	11	16	1.62	< 10	< 1	0.05
MY1 3884	94069407	0.32	10	-----	0.8	0.32	34	< 10	730	< 0.5	< 2	0.03	< 0.5	< 1	45	35	2.72	< 10	< 1	0.28
MY1 3885	94069407	0.30	< 5	-----	2.2	0.42	8	< 10	160	< 0.5	2	0.01	< 0.5	1	10	19	1.21	< 10	< 1	0.04
MY1 3886	94069407	0.24	40	-----	3.2	1.74	20	< 10	230	< 0.5	2	0.05	< 0.5	5	33	33	4.10	< 10	< 1	0.13
MY1 3887	94069407	0.30	15	-----	2.0	0.79	16	< 10	310	0.5	< 2	0.03	< 0.5	4	23	58	2.54	< 10	< 1	0.10
MY1 3888	94069407	0.36	< 5	-----	0.8	0.36	8	< 10	200	< 0.5	< 2	0.01	< 0.5	2	10	25	1.31	< 10	< 1	0.06
MY1 3889	94069407	0.28	5	-----	1.4	0.48	2	< 10	150	< 0.5	< 2	0.02	< 0.5	1	8	22	0.68	< 10	< 1	0.04
MY1 3890	94069407	0.28	10	-----	6.6	0.53	10	< 10	410	< 0.5	< 2	0.01	< 0.5	< 1	28	25	2.10	< 10	< 1	0.22
MY1 3891	94069407	0.26	20	-----	8.6	0.38	20	< 10	1070	< 0.5	< 2	0.02	< 0.5	< 1	43	77	1.74	< 10	2	0.22
MY1 3892	94069407	0.32	< 5	-----	1.4	0.80	8	< 10	170	< 0.5	2	0.03	< 0.5	1	19	52	1.20	< 10	< 1	0.04
MY1 3893	94069407	0.32	< 5	-----	1.2	0.48	14	< 10	240	< 0.5	< 2	0.01	< 0.5	4	17	59	2.28	< 10	< 1	0.09
MY1 3894	94069407	0.22	5	-----	0.2	0.37	< 2	< 10	40	< 0.5	< 2	0.03	< 0.5	< 1	4	8	0.47	< 10	< 1	0.02
MY1 3895	94069407	0.24	< 5	-----	0.8	0.59	12	< 10	220	< 0.5	< 2	0.03	< 0.5	4	22	40	2.55	< 10	< 1	0.08
MY1 3896	94069407	0.32	5	-----	1.0	0.70	12	< 10	240	< 0.5	< 2	0.03	< 0.5	2	23	135	2.60	< 10	< 1	0.09
MY1 3897	94069407	0.28	< 5	-----	0.6	0.24	< 2	< 10	50	< 0.5	< 2	0.01	< 0.5	< 1	5	13	0.49	< 10	< 1	0.02
MY1 3898	94069407	0.38	10	-----	2.4	0.54	32	< 10	320	< 0.5	< 2	0.03	< 0.5	3	28	68	2.74	< 10	< 1	0.09
MY1 3899	94069407	0.32	70	15	5.0	0.42	16	< 10	700	< 0.5	< 2	0.03	< 0.5	< 1	41	51	2.82	< 10	< 1	0.29
MY1 3900	94069407	0.36	< 5	-----	1.0	0.59	14	< 10	210	< 0.5	< 2	0.02	< 0.5	3	23	39	2.06	< 10	< 1	0.06
MY1 3901	94069407	0.30	15	-----	3.6	0.57	8	< 10	160	< 0.5	< 2	0.02	< 0.5	1	30	89	1.12	< 10	< 1	0.05
MY1 3902	94069407	0.34	10	-----	0.6	0.75	8	< 10	180	< 0.5	< 2	0.11	< 0.5	6	19	31	1.83	< 10	< 1	0.06
MY1 3903	94069407	0.34	< 5	-----	0.8	0.67	14	< 10	250	< 0.5	< 2	0.02	< 0.5	3	17	28	2.54	< 10	< 1	0.10
MY1 3904	94069407	0.32	< 5	-----	1.2	0.58	20	< 10	290	< 0.5	< 2	0.03	< 0.5	1	20	23	2.48	< 10	< 1	< 0.01
MY1 3905	94069407	0.26	< 5	-----	0.8	0.47	< 2	< 10	180	< 0.5	< 2	0.02	< 0.5	< 1	6	17	0.49	< 10	< 1	0.02
MY6 1612	94069407	0.46	5	-----	< 0.2	1.76	20	< 10	660	0.5	< 2	0.06	< 0.5	16	24	111	4.44	< 10	< 1	0.09
MY6 1613	94069407	0.38	< 5	-----	< 0.2	1.66	18	< 10	590	0.5	2	0.24	< 0.5	7	14	32	3.66	< 10	< 1	0.12
MY6 1614	94069407	0.38	5	-----	< 0.2	1.57	14	< 10	310	0.5	2	0.04	< 0.5	6	19	31	3.50	< 10	< 1	0.12
MY6 1615	94069407	0.32	< 5	-----	< 0.2	0.34	2	< 10	100	< 0.5	< 2	0.06	< 0.5	1	2	7	0.37	< 10	< 1	0.02
MY6 1616	94069407	0.36	< 5	-----	0.2	1.59	18	< 10	690	0.5	< 2	0.29	< 0.5	11	21	42	3.32	< 10	< 1	0.15
MY8 2689	94069407	0.22	145	-----	49.8	0.16	>10000	< 10	40	< 0.5	320	0.05	10.5	< 1	< 1	678	>15.00	< 10	< 1	0.06
MY8 2690	94069407	0.26	155	-----	54.4	0.16	>10000	< 10	40	< 0.5	342	0.05	8.0	< 1	1	599	>15.00	< 10	< 1	0.07
MY8 3850	94069407	0.32	5	-----	0.8	1.08	98	< 10	200	< 0.5	< 2	0.05	< 0.5	4	26	28	4.51	< 10	< 1	0.09
MY8 3851	94069407	0.18	5	-----	0.6	1.09	20	< 10	240	< 0.5	< 2	0.03	< 0.5	2	8	40	1.36	< 10	< 1	0.04
MY8 3852	94069407	0.30	10	-----	0.2	1.49	34	< 10	410	0.5	2	0.11	< 0.5	11	27	56	3.27	< 10	< 1	0.10
MY8 3853	94069407	0.28	< 5	-----	< 0.2	0.76	12	< 10	260	< 0.5	< 2	0.11	< 0.5	3	9	26	1.36	< 10	< 1	0.05
MY8 3854	94069407	0.28	5	-----	< 0.2	1.23	20	< 10	280	< 0.5	< 2	0.18	< 0.5	8	20	40	2.35	< 10	< 1	0.07
MY8 3855	94069407	0.26	10	-----	< 0.2	0.93	28	< 10	190	< 0.5	< 2	0.03	< 0.5	3	23	42	2.95	< 10	< 1	0.11
MY8 3856	94069407	0.22	20	-----	0.2	1.54	22	< 10	790	0.5	< 2	0.07	< 0.5	20	21	109	2.75	< 10	< 1	0.08

Tyschka Soil Samples

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

Certificate Date: 05-AUG-2002
Invoice No. : I0220885
P.O. Number :
Account : TTY

CERTIFICATE OF ANALYSIS A0220885

SAMPLE	PREP CODE	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
MY1 3880	9406 9407	< 10	0.01	15	1	0.03	3	350	6	0.01	2	< 1	9	0.01	< 10	< 10	11	< 10	10
MY1 3881	9406 9407	< 10	0.01	15	3	0.01	8	980	8	0.12	2	< 1	19	< 0.01	< 10	< 10	37	< 10	26
MY1 3882	9406 9407	< 10	0.01	20	3	0.01	4	200	12	0.05	< 2	< 1	12	0.01	< 10	< 10	35	< 10	12
MY1 3883	9406 9407	< 10	0.01	45	4	0.01	8	320	14	0.06	2	< 1	13	0.03	< 10	< 10	73	< 10	34
MY1 3884	9406 9407	< 10	0.01	20	7	0.01	6	1240	30	0.55	10	3	118	< 0.01	< 10	< 10	95	< 10	26
MY1 3885	9406 9407	< 10	0.01	40	7	< 0.01	10	300	12	0.05	2	< 1	21	0.02	< 10	< 10	71	< 10	52
MY1 3886	9406 9407	< 10	0.27	245	7	0.01	19	680	30	0.18	6	2	47	0.01	< 10	< 10	63	< 10	76
MY1 3887	9406 9407	< 10	0.12	175	8	< 0.01	22	530	16	0.19	4	3	44	0.01	< 10	< 10	71	< 10	92
MY1 3888	9406 9407	< 10	0.01	55	5	< 0.01	11	420	16	0.08	2	< 1	27	0.01	< 10	< 10	62	< 10	62
MY1 3889	9406 9407	< 10	0.01	25	2	0.01	5	610	6	0.03	< 2	< 1	14	0.01	< 10	< 10	26	< 10	20
MY1 3890	9406 9407	< 10	0.01	15	4	0.01	4	800	24	0.46	< 2	< 1	22	< 0.01	< 10	< 10	77	< 10	14
MY1 3891	9406 9407	< 10	0.01	5	14	0.01	9	1020	30	0.45	6	2	94	< 0.01	< 10	< 10	85	< 10	8
MY1 3892	9406 9407	< 10	0.04	60	3	0.01	8	750	10	0.05	< 2	< 1	15	0.01	< 10	< 10	39	< 10	24
MY1 3893	9406 9407	10	0.04	110	6	0.01	22	740	20	0.12	4	< 1	46	0.01	< 10	< 10	87	< 10	126
MY1 3894	9406 9407	< 10	0.01	50	< 1	0.02	3	480	< 2	0.02	< 2	< 1	10	0.01	< 10	< 10	13	< 10	10
MY1 3895	9406 9407	< 10	0.07	205	4	0.01	19	690	18	0.10	< 2	< 1	29	0.02	< 10	< 10	73	< 10	104
MY1 3896	9406 9407	10	0.01	85	4	0.01	21	1600	14	0.14	4	< 1	46	< 0.01	< 10	< 10	75	< 10	96
MY1 3897	9406 9407	< 10	< 0.01	20	< 1	0.01	3	530	2	0.03	< 2	< 1	9	< 0.01	< 10	< 10	13	< 10	14
MY1 3898	9406 9407	< 10	0.05	135	5	0.01	19	870	22	0.16	6	< 1	98	0.02	< 10	< 10	125	< 10	138
MY1 3899	9406 9407	< 10	0.01	55	11	0.01	8	1600	26	0.61	4	< 1	286	0.01	< 10	< 10	84	< 10	36
MY1 3900	9406 9407	< 10	0.05	125	6	< 0.01	16	750	18	0.08	2	< 1	37	0.01	< 10	< 10	98	< 10	78
MY1 3901	9406 9407	< 10	0.03	40	4	0.01	9	650	16	0.06	2	1	19	< 0.01	< 10	< 10	78	< 10	28
MY1 3902	9406 9407	< 10	0.18	195	3	0.01	20	770	10	0.06	< 2	< 1	25	0.01	< 10	< 10	49	< 10	74
MY1 3903	9406 9407	< 10	0.07	90	6	< 0.01	14	510	18	0.12	4	1	29	0.02	< 10	< 10	74	< 10	66
MY1 3904	9406 9407	< 10	0.05	80	6	< 0.01	10	730	14	0.13	6	< 1	27	0.01	< 10	< 10	88	< 10	50
MY1 3905	9406 9407	< 10	0.01	35	1	0.01	4	650	4	0.01	< 2	< 1	8	< 0.01	< 10	< 10	15	< 10	14
MY6 1612	9406 9407	10	0.49	930	4	0.02	31	950	20	0.14	4	2	36	0.02	< 10	< 10	35	< 10	98
MY6 1613	9406 9407	< 10	0.37	320	4	0.10	14	1130	20	0.41	< 2	2	221	0.01	< 10	< 10	23	< 10	64
MY6 1614	9406 9407	10	0.84	268	6	0.05	16	1290	16	0.27	< 2	1	64	< 0.01	< 10	< 10	29	< 10	66
MY6 1615	9406 9407	< 10	0.03	25	< 1	0.04	2	330	< 2	0.02	< 2	< 1	8	0.01	< 10	< 10	9	< 10	8
MY6 1616	9406 9407	10	0.68	605	6	0.03	30	1450	18	0.26	< 2	3	71	< 0.01	< 10	< 10	28	< 10	98
MY8 2689	9406 9407	< 10	0.04	125	1	0.01	4	360	48	4.14	22	< 1	< 1	< 0.01	< 10	< 10	8	< 10	306
MY8 2690	9406 9407	< 10	0.04	110	2	0.01	4	360	54	4.00	22	< 1	< 1	< 0.01	< 10	< 10	8	< 10	292
MY8 3850	9406 9407	< 10	0.18	190	6	0.01	19	800	18	0.11	8	2	24	0.08	< 10	< 10	108	< 10	88
MY8 3851	9406 9407	< 10	0.05	65	3	0.02	7	1120	2	0.12	2	< 1	10	< 0.01	< 10	< 10	24	< 10	28
MY8 3852	9406 9407	10	0.32	565	7	0.01	35	1070	12	0.09	4	1	25	0.04	< 10	< 10	62	< 10	138
MY8 3853	9406 9407	< 10	0.08	95	2	0.03	8	790	4	0.06	< 2	< 1	14	0.03	< 10	< 10	32	< 10	36
MY8 3854	9406 9407	10	0.31	300	3	0.01	26	910	6	0.05	2	1	19	0.04	< 10	< 10	45	< 10	94
MY8 3855	9406 9407	10	0.16	190	7	0.01	11	620	12	0.08	4	1	11	0.08	< 10	< 10	115	< 10	50
MY8 3856	9406 9407	< 10	0.27	1250	3	0.03	34	910	14	0.11	2	1	25	0.03	< 10	< 10	47	< 10	106

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Project : yukon project
Comments: ATTN: CARL SCHULZE/SERGUEI SOLOVIEV CC: ERIK WILTZEN

Page Number :1-A
Total Pages :1
Certificate Date: 23-JUL-2002
Invoice No. :I0220196
P.O. Number :
Account :TTY

CERTIFICATE OF ANALYSIS A0220196

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
C 1400	94069407	0.42	165	3.4	1.25	1645	< 10	140	< 0.5	< 2	0.03	< 0.5	3	29	123	6.61	< 10	< 1	0.07	10
C 1401	94069407	0.38	95	4.8	1.39	376	< 10	130	< 0.5	< 2	0.03	< 0.5	2	34	99	6.75	< 10	< 1	0.06	< 10
C 1402	94069407	0.32	10	6.2	1.19	254	< 10	30	< 0.5	< 2	0.02	< 0.5	1	19	59	10.05	< 10	< 1	0.03	< 10
C 1403	94069407	0.42	30	4.2	0.90	156	< 10	60	< 0.5	< 2	0.01	< 0.5	1	24	58	5.17	< 10	< 1	0.04	< 10
C 1405	94069407	0.40	30	5.2	1.03	592	< 10	320	< 0.5	6	0.09	< 0.5	2	22	154	5.56	< 10	< 1	0.19	10
CY 3501	94069407	0.20	30	1.6	0.84	170	< 10	240	< 0.5	< 2	0.09	< 0.5	2	13	51	2.04	< 10	< 1	0.07	10
CY 3502	94069407	0.26	85	6.6	0.75	494	< 10	300	< 0.5	< 2	0.06	< 0.5	1	20	66	2.95	< 10	< 1	0.07	10
CY 3503	94069407	0.74	25	< 0.2	2.62	82	< 10	330	0.5	< 2	0.52	< 0.5	15	15	69	3.88	< 10	< 1	0.27	20
CY 3504	94069407	0.62	40	2.2	2.56	148	< 10	360	0.5	< 2	0.43	< 0.5	7	18	89	4.30	< 10	< 1	0.28	10
CY 3505	94069407	0.76	50	3.0	2.19	192	< 10	340	0.5	< 2	0.31	< 0.5	6	19	101	4.18	< 10	< 1	0.22	10
CY 3506	94069407	0.78	70	3.6	2.62	292	< 10	380	0.5	< 2	0.30	< 0.5	7	21	220	4.62	< 10	< 1	0.23	10
CY 3507	94069407	0.62	75	2.0	2.58	456	< 10	300	0.5	< 2	0.32	< 0.5	11	17	226	3.59	< 10	< 1	0.21	10
CY 3508	94069407	0.50	75	1.6	3.29	616	< 10	320	1.5	< 2	0.32	1.0	26	16	365	3.47	< 10	< 1	0.21	10
CY 3509	94069407	0.52	85	2.0	2.15	404	< 10	340	0.5	< 2	0.19	< 0.5	7	20	254	3.69	< 10	< 1	0.13	10
CY 3510	94069407	0.72	50	< 0.2	1.45	308	< 10	150	0.5	< 2	0.43	< 0.5	7	5	24	2.38	< 10	< 1	0.24	10
CY 3511	94069407	0.56	40	< 0.2	1.61	302	< 10	210	0.5	< 2	0.33	< 0.5	8	6	60	2.46	< 10	< 1	0.21	10
CY 3512	94069407	0.64	50	0.2	2.00	458	< 10	260	1.0	< 2	0.43	1.5	20	8	127	2.88	< 10	< 1	0.26	20
MY 1400	94069407	0.50	5	1.8	1.36	66	< 10	280	1.0	< 2	0.38	19.5	34	12	124	3.83	< 10	< 1	0.07	20
MY 1401	94069407	0.38	15	2.4	5.21	100	< 10	280	5.0	< 2	0.46	40.5	131	14	584	3.37	< 10	< 1	0.07	70
MY 1402	94069407	0.52	< 5	1.6	1.59	72	< 10	260	1.5	< 2	0.37	24.5	36	13	131	4.10	< 10	< 1	0.07	20
MY 1403	94069407	0.40	5	2.0	2.75	78	< 10	250	2.5	< 2	0.34	34.0	51	12	230	4.00	< 10	< 1	0.06	40
MY 1404	94069407	0.24	5	1.4	5.65	120	< 10	180	3.0	< 2	0.19	5.0	34	16	340	3.52	< 10	< 1	0.06	10
MY 3500	94069407	0.72	5	0.8	2.31	204	< 10	610	1.5	< 2	0.46	8.5	41	20	205	3.86	< 10	< 1	0.08	10
MY 3501	94069407	0.46	25	3.0	2.13	1215	< 10	360	< 0.5	8	0.19	1.5	9	16	256	3.84	< 10	< 1	0.08	10
MY 3502	94069407	0.80	5	2.4	1.93	860	< 10	220	< 0.5	20	0.42	9.5	13	11	88	3.70	< 10	< 1	0.10	20

17 Cynthia
8 Mysches

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1-B
Total Pages :1
Certificate Date: 23-JUL-2002
Invoice No. :I0220196
P.O. Number :
Account :TTY

Project : yukon project
Comments: ATTN: CARL SCHULZE/SERGUEI SOLOVIEV CC: ERIK WILTZEN

CERTIFICATE OF ANALYSIS A0220196

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
C 1400	9406 9407	0.29	85	5	0.01	12	1160	48	0.09	32	1	9	0.03	< 10	< 10	48	< 10	52
C 1401	9406 9407	0.33	90	7	0.01	9	1140	38	0.17	26	1	8	0.01	< 10	< 10	58	< 10	40
C 1402	9406 9407	0.10	40	3	0.01	8	1140	16	0.16	16	< 1	5	0.01	< 10	< 10	55	< 10	62
C 1403	9406 9407	0.16	55	4	0.01	9	950	12	0.13	20	< 1	5	< 0.01	< 10	< 10	35	< 10	42
C 1405	9406 9407	0.22	95	19	0.03	17	2850	264	0.45	46	2	120	0.01	< 10	< 10	74	< 10	122
CY 3501	9406 9407	0.22	95	9	0.01	8	850	28	0.06	22	< 1	20	0.02	< 10	< 10	33	< 10	34
CY 3502	9406 9407	0.18	65	10	0.01	8	1170	72	0.14	44	< 1	19	0.01	< 10	< 10	42	< 10	26
CY 3503	9406 9407	0.73	520	5	0.05	22	960	16	0.06	4	4	75	0.09	< 10	10	53	< 10	172
CY 3504	9406 9407	0.68	330	6	0.04	16	1100	22	0.08	8	4	66	0.08	< 10	< 10	56	< 10	102
CY 3505	9406 9407	0.55	265	7	0.03	16	1090	24	0.09	12	4	54	0.06	< 10	< 10	53	< 10	94
CY 3506	9406 9407	0.57	300	10	0.04	21	1410	38	0.12	18	4	54	0.06	< 10	10	59	< 10	142
CY 3507	9406 9407	0.46	215	7	0.04	31	1110	30	0.06	18	3	56	0.08	< 10	20	44	< 10	218
CY 3508	9406 9407	0.44	590	7	0.05	72	1100	30	0.09	16	3	57	0.08	< 10	30	41	< 10	480
CY 3509	9406 9407	0.37	180	9	0.03	30	1190	36	0.09	20	2	38	0.04	< 10	10	47	< 10	174
CY 3510	9406 9407	0.45	350	2	0.04	6	630	20	0.01	10	4	58	0.11	< 10	20	27	< 10	68
CY 3511	9406 9407	0.43	275	3	0.04	13	650	16	0.02	10	4	57	0.10	< 10	10	29	< 10	94
CY 3512	9406 9407	0.50	460	4	0.05	42	850	20	0.03	12	4	64	0.11	< 10	20	34	10	296
MY 1400	9406 9407	0.44	2530	13	0.01	131	1300	142	0.14	14	2	51	< 0.01	< 10	< 10	27	< 10	1770
MY 1401	9406 9407	0.33	8580	14	0.01	346	1150	118	0.26	18	2	43	0.01	< 10	10	28	< 10	2800
MY 1402	9406 9407	0.51	2680	18	0.01	130	1460	176	0.12	18	2	49	< 0.01	< 10	< 10	28	< 10	2150
MY 1403	9406 9407	0.48	4170	20	0.01	153	1580	194	0.15	18	3	51	< 0.01	< 10	10	27	< 10	2840
MY 1404	9406 9407	0.32	1455	13	0.01	94	1100	154	0.51	24	2	32	0.01	< 10	10	30	< 10	562
MY 3500	9406 9407	0.34	1715	9	0.04	91	1120	62	0.09	8	3	70	0.01	< 10	< 10	36	< 10	722
MY 3501	9406 9407	0.38	325	4	0.02	26	1010	248	0.11	26	2	44	0.03	< 10	< 10	39	< 10	400
MY 3502	9406 9407	0.53	680	3	0.03	14	990	298	0.04	14	3	60	0.06	< 10	< 10	40	< 10	738

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

A0220883

Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE A0220883

(TTY) - KLAD ENTERPRISES LTD.

Project: Yukon Project
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 01-AUG-2002.

SAMPLE PREPARATION

METHOD CODE	NUMBER SAMPLES	DESCRIPTION
SCR-42	40	-180 micron screen - Save Minus
SCR-01	40	Screen - Save Plus Charge
LOG-22	40	Samples received without barcode
229	40	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

METHOD CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
WEI-21	40	Weight of received sample	BALANCE	0.01	1000.0
Au-AA23	40	Au-AA23 : Au ppb: Fuse 30 grams	FA-AAS	5	10000
Ag-ICP41	40	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
Al-ICP41	40	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
As-ICP41	40	As ppm: 32 element, soil & rock	ICP-AES	2	10000
B-ICP41	40	B ppm: 32 element, rock & soil	ICP-AES	10	10000
Ba-ICP41	40	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
Be-ICP41	40	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
Bi-ICP41	40	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
Ca-ICP41	40	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
Cd-ICP41	40	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
Co-ICP41	40	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
Cr-ICP41	40	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
Cu-ICP41	40	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
Fe-ICP41	40	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
Ga-ICP41	40	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
Hg-ICP41	40	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
K-ICP41	40	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
La-ICP41	40	La ppm: 32 element, soil & rock	ICP-AES	10	10000
Mg-ICP41	40	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
Mn-ICP41	40	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
Mo-ICP41	40	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
Na-ICP41	40	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
Ni-ICP41	40	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
P-ICP41	40	P ppm: 32 element, soil & rock	ICP-AES	10	10000
Pb-ICP41	40	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
S-ICP41	40	S %: 32 element, rock & soil	ICP-AES	0.01	10.00
Sb-ICP41	40	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
Sc-ICP41	40	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
Sr-ICP41	40	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
Ti-ICP41	40	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
Tl-ICP41	40	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
U-ICP41	40	U ppm: 32 element, soil & rock	ICP-AES	10	10000
V-ICP41	40	V ppm: 32 element, soil & rock	ICP-AES	1	10000
W-ICP41	40	W ppm: 32 element, soil & rock	ICP-AES	10	10000
Zn-ICP41	40	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

ALS Chemex

Aurora Laboratory Services Ltd
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1-A
Total Pages :1
Certificate Date: 01-AUG-2002
Invoice No. :10220883
P.O. Number :
Account :TTY

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE OF ANALYSIS A0220883

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
MY 1406	94069407	0.20	20	6.6	1.87	418	< 10	180	0.5	< 2	0.15	2.0	6	36	125	6.26	< 10	< 1	0.08	< 10
MY 1407	94069407	0.36	10	2.6	2.12	84	< 10	220	1.0	2	0.38	5.5	19	28	167	4.08	< 10	< 1	0.07	10
MY 1408	94069407	0.34	10	3.0	1.18	106	< 10	280	0.5	4	0.47	18.0	24	17	85	4.90	< 10	< 1	0.09	10
MY 1409	94069407	0.26	10	4.0	2.70	86	< 10	1280	2.0	2	0.35	11.0	40	17	422	2.60	< 10	< 1	0.07	< 10
MY 3503	94069407	0.34	15	4.2	3.53	88	< 10	1370	2.5	4	0.61	27.5	69	15	312	2.60	< 10	< 1	0.07	< 10
MY 3504	94069407	0.60	35	1.0	4.09	232	< 10	750	2.5	< 2	0.43	20.5	86	15	409	4.12	< 10	< 1	0.07	< 10
MY1 3402	94069407	0.32	< 5	2.0	0.51	2	< 10	40	< 0.5	< 2	0.03	< 0.5	< 1	3	8	0.42	< 10	< 1	0.01	< 10
MY1 3403	94069407	0.38	115	6.6	1.14	16	< 10	750	0.5	< 2	0.38	2.0	10	41	129	1.94	< 10	< 1	0.13	< 10
MY1 3404	94069407	0.44	10	2.4	0.69	10	< 10	310	< 0.5	< 2	0.04	< 0.5	2	15	28	1.30	< 10	< 1	0.06	< 10
MY1 3405	94069407	0.54	65	4.8	0.86	20	< 10	790	0.5	< 2	0.25	1.0	13	27	101	2.17	< 10	< 1	0.12	< 10
MY1 3406	94069407	0.64	40	2.4	1.32	32	< 10	940	3.0	< 2	0.76	15.5	63	20	90	7.84	< 10	< 1	0.10	< 10
MY1 3407	94069407	0.68	40	4.0	0.90	34	10	310	0.5	< 2	0.06	1.0	146	21	94	8.08	< 10	< 1	0.08	< 10
MY1 3408	94069407	0.88	25	2.0	0.64	14	< 10	440	0.5	< 2	0.52	1.5	8	19	70	2.53	< 10	< 1	0.11	< 10
MY1 3409	94069407	0.76	40	2.2	1.71	18	10	720	3.0	< 2	0.58	15.5	99	19	156	3.52	< 10	< 1	0.10	< 10
MY1 3410	94069407	0.64	15	1.0	3.61	8	< 10	160	2.0	2	0.03	1.5	8	13	174	>15.00	< 10	< 1	0.06	< 10
MY1 3411	94069407	0.68	15	1.0	1.04	32	< 10	570	2.0	< 2	0.14	5.0	35	20	221	6.92	< 10	< 1	0.12	< 10
MY6 1507	94069407	0.50	10	0.6	1.41	26	< 10	710	0.5	< 2	0.26	1.0	22	20	87	4.30	< 10	< 1	0.11	10
MY6 1508	94069407	0.52	5	0.2	1.83	60	< 10	1730	0.5	< 2	0.27	0.5	24	20	106	4.58	< 10	< 1	0.12	10
MY6 1509	94069407	0.54	10	0.2	1.73	60	< 10	1550	0.5	< 2	0.26	1.5	22	21	99	4.54	< 10	< 1	0.11	10
MY6 1510	94069407	0.46	15	< 0.2	1.70	52	< 10	1740	0.5	< 2	0.26	1.0	21	20	105	4.49	< 10	< 1	0.10	10
MY6 1511	94069407	0.40	10	0.2	1.66	52	< 10	1620	0.5	< 2	0.25	1.0	19	20	100	4.51	< 10	< 1	0.10	10
MY6 1512	94069407	0.44	15	< 0.2	1.63	54	< 10	1580	0.5	< 2	0.25	1.0	20	21	104	4.36	< 10	< 1	0.10	10
MY6 1513	94069407	0.42	15	0.2	1.82	66	< 10	1610	0.5	2	0.14	0.5	24	22	113	4.64	< 10	< 1	0.10	10
MY6 1514	94069407	0.42	15	< 0.2	1.66	54	< 10	1670	0.5	< 2	0.26	1.0	21	20	102	4.32	< 10	< 1	0.10	10
MY6 1515	94069407	0.38	< 5	0.2	1.45	28	< 10	810	0.5	4	0.27	8.0	8	15	41	2.32	< 10	< 1	0.08	< 10
MY6 1516	94069407	0.48	15	0.2	1.57	50	< 10	1360	0.5	2	0.26	3.5	20	21	101	4.31	< 10	< 1	0.09	10
MY6 1517	94069407	0.40	15	< 0.2	1.50	50	< 10	1460	0.5	< 2	0.23	3.0	19	19	93	4.11	< 10	< 1	0.09	10
MY6 1518	94069407	0.48	15	< 0.2	1.57	50	< 10	1560	0.5	< 2	0.25	3.5	20	20	99	4.17	< 10	< 1	0.10	10
MY6 1519	94069407	0.36	15	0.2	1.55	48	< 10	1390	0.5	2	0.30	6.5	18	20	90	3.84	< 10	< 1	0.09	10
MY6 1520	94069407	0.34	10	< 0.2	1.58	74	< 10	1030	1.0	6	0.58	43.5	22	21	76	3.90	< 10	< 1	0.13	< 10
MY6 1521	94069407	0.34	< 5	0.4	3.40	16	< 10	170	2.0	< 2	0.13	1.5	44	16	134	2.15	< 10	< 1	0.05	< 10
MY8 3400	94069407	0.54	30	0.2	2.91	162	< 10	1670	3.5	6	0.29	17.5	73	26	736	5.50	< 10	< 1	0.15	10
MY8 3401	94069407	0.58	20	0.2	2.30	198	< 10	1480	2.5	12	0.38	9.0	90	33	514	5.41	< 10	< 1	0.19	10
MY9 1500	94069407	0.68	15	< 0.2	1.81	42	< 10	1160	1.0	< 2	0.31	8.5	29	18	102	3.42	< 10	< 1	0.09	10
MY9 1501	94069407	0.48	10	0.4	1.07	126	< 10	550	0.5	4	0.35	2.5	13	16	91	3.00	< 10	< 1	0.11	< 10
MY9 1502	94069407	0.50	10	< 0.2	1.43	52	< 10	980	0.5	2	0.24	5.5	26	20	94	3.65	< 10	< 1	0.10	10
MY9 1503	94069407	0.56	10	< 0.2	1.43	52	< 10	860	0.5	2	0.33	7.5	24	17	94	3.04	< 10	< 1	0.09	< 10
MY9 1504	94069407	0.48	15	< 0.2	1.51	50	< 10	1090	0.5	< 2	0.28	6.5	25	18	94	3.39	< 10	< 1	0.09	10
MY9 1505	94069407	0.54	10	0.8	0.99	54	< 10	420	0.5	2	0.58	6.5	11	15	72	2.23	< 10	< 1	0.09	< 10
MY9 1506	94069407	0.58	10	0.2	1.20	56	< 10	820	0.5	2	0.29	3.5	18	18	82	3.12	< 10	< 1	0.10	< 10

Myschka S.14 samples

CERTIFICATION: _____

ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KLAD ENTERPRISES LTD.

STE. 104 - 135 10TH AVE.S.
CRANBROOK, BC
V1C 2N1

Page Number :1-B
Total Pages :1
Certificate Date: 01-AUG-2002
Invoice No. :I0220883
P.O. Number :
Account :TTY

Project : Yukon Project
Comments: ATTN: CARL SCHULZE/ SERGUEI SOLOVIEV CC: JIM STYPULA

CERTIFICATE OF ANALYSIS A0220883

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
MY 1406	94069407	0.41	215	9	0.02	30	1400	322	0.27	32	5	21	0.03	< 10	< 10	49	< 10	460
MY 1407	94069407	0.44	1075	9	0.05	60	1550	466	0.23	34	3	33	0.03	< 10	< 10	45	< 10	550
MY 1408	94069407	0.67	1760	25	0.01	80	1440	306	0.15	28	3	40	0.01	< 10	< 10	36	< 10	1400
MY 1409	94069407	0.31	1475	8	0.01	137	1390	318	0.13	20	3	77	0.01	< 10	< 10	31	< 10	840
MY 3503	94069407	0.29	3670	9	0.02	195	1520	218	0.13	14	3	82	0.01	< 10	< 10	28	< 10	1935
MY 3504	94069407	0.23	3470	10	0.02	150	1020	46	0.12	6	4	63	0.01	< 10	< 10	29	< 10	1220
MY1 3402	94069407	0.01	15	< 1	0.01	1	560	< 2	0.03	< 2	< 1	5	0.01	< 10	< 10	12	< 10	6
MY1 3403	94069407	0.14	540	11	0.01	91	2230	20	0.18	2	1	70	< 0.01	< 10	< 10	109	< 10	162
MY1 3404	94069407	0.05	60	4	0.01	8	790	8	0.08	< 2	< 1	21	0.01	< 10	< 10	46	< 10	32
MY1 3405	94069407	0.09	1215	13	0.01	60	1150	14	0.14	2	3	47	< 0.01	< 10	< 10	82	< 10	170
MY1 3406	94069407	0.16	7070	7	0.01	582	2640	8	0.11	< 2	3	71	< 0.01	< 10	< 10	55	< 10	1740
MY1 3407	94069407	0.06	>10000	8	0.01	166	3100	8	0.19	< 2	5	25	< 0.01	< 10	< 10	57	< 10	348
MY1 3408	94069407	0.13	855	11	0.01	73	990	12	0.11	2	3	52	< 0.01	< 10	< 10	57	< 10	348
MY1 3409	94069407	0.13	>10000	10	0.01	612	1680	8	0.10	< 2	4	56	0.01	< 10	< 10	60	< 10	1965
MY1 3410	94069407	0.04	840	8	< 0.01	45	970	18	1.58	2	3	14	< 0.01	< 10	10	37	< 10	178
MY1 3411	94069407	0.08	2680	20	< 0.01	140	1820	12	0.19	2	5	52	< 0.01	< 10	< 10	87	< 10	508
MY6 1507	94069407	0.60	1675	8	0.01	84	1130	32	0.10	4	4	31	0.01	< 10	< 10	35	< 10	250
MY6 1508	94069407	0.69	1790	6	0.01	103	1020	32	0.11	2	5	38	0.01	< 10	< 10	37	< 10	284
MY6 1509	94069407	0.71	1850	6	0.01	101	1010	32	0.11	2	5	37	0.01	< 10	< 10	39	< 10	290
MY6 1510	94069407	0.68	2230	5	0.01	97	960	34	0.10	2	5	33	0.01	< 10	< 10	41	< 10	290
MY6 1511	94069407	0.67	2010	5	0.01	93	940	36	0.10	2	5	34	0.01	< 10	< 10	43	< 10	282
MY6 1512	94069407	0.62	2040	6	0.01	93	980	34	0.09	4	5	33	0.01	< 10	< 10	47	< 10	290
MY6 1513	94069407	0.60	2230	8	0.01	85	1000	48	0.09	4	4	29	0.01	< 10	< 10	53	< 10	274
MY6 1514	94069407	0.63	2180	6	0.01	93	930	38	0.08	6	5	34	0.01	< 10	< 10	45	< 10	278
MY6 1515	94069407	0.31	1070	14	0.01	86	1180	18	0.09	2	< 1	27	0.01	< 10	< 10	44	< 10	350
MY6 1516	94069407	0.61	1750	7	0.01	101	1020	38	0.09	6	4	32	0.01	< 10	< 10	46	< 10	344
MY6 1517	94069407	0.61	1860	6	0.01	92	880	34	0.08	6	4	29	0.01	< 10	< 10	43	< 10	320
MY6 1518	94069407	0.62	1935	7	0.01	98	930	34	0.08	6	4	32	0.01	< 10	< 10	43	< 10	336
MY6 1519	94069407	0.59	1450	7	0.01	104	920	32	0.08	4	4	35	0.01	< 10	< 10	45	< 10	422
MY6 1520	94069407	0.44	8650	4	0.01	825	580	10	0.11	< 2	2	47	0.04	< 10	< 10	43	< 10	2860
MY6 1521	94069407	0.19	1790	4	0.01	63	650	2	0.13	2	4	17	0.03	< 10	< 10	24	< 10	176
MY8 3400	94069407	0.50	6080	13	0.02	326	1300	20	0.21	10	4	54	0.03	< 10	< 10	75	< 10	1850
MY8 3401	94069407	0.62	4230	16	0.01	224	1490	26	0.16	20	5	49	0.03	< 10	< 10	98	< 10	822
MY9 1500	94069407	0.53	2700	5	0.01	178	790	26	0.08	4	4	35	0.01	< 10	< 10	39	< 10	924
MY9 1501	94069407	0.37	735	4	0.01	53	830	22	0.05	6	3	44	0.02	< 10	< 10	37	< 10	392
MY9 1502	94069407	0.54	2290	5	0.01	139	770	22	0.08	6	4	31	0.01	< 10	< 10	40	< 10	666
MY9 1503	94069407	0.44	2020	5	0.01	166	780	20	0.06	2	3	37	0.01	< 10	< 10	36	< 10	840
MY9 1504	94069407	0.51	2350	5	0.01	143	750	24	0.07	6	3	34	0.01	< 10	< 10	38	< 10	712
MY9 1505	94069407	0.32	390	6	0.01	81	990	40	0.08	12	2	62	0.01	< 10	< 10	33	< 10	722
MY9 1506	94069407	0.44	1415	6	0.01	90	860	26	0.05	6	3	38	0.01	< 10	< 10	37	< 10	428

CERTIFICATION:

640000 641000 642000 643000 644000 645000 646000 647000

6988000 6987000 6986000 6985000 6984000 6983000

63° N Lat.

OSDr

DMe

PrCh

PrChl

Kqm

Rainbow Zone

Second A Zone

Second B Zone

Upper Sophia Zone

Basal Sophia Zone

Main Stock

Kqm Dykes

Robert Service Thrust

(position approximate)

A B C D E F

CAMP

MY3007 MY3002 MY1 2138 MY3009 MY1011 MY1 20 MY1404 MY1405 MY3022 MY1406 MY1407

N

Legend

- Rock Sample Location
- Soil Sample Location
- Silt Sample Location
- Property boundary, present

KLAD ENTERPRISES LTD
Myschka Property
NTS SHEET 105 K/16 ZONE 8
SAMPLE LOCATION MAP

Scale: 1:10,000

0 250 500 750 1000

1 KILOMETER

YUKON ENERGY, MINES & RESOURCES LIBRARY
BOX 2703
WHITEHORSE, YUKON Y1A 2C6

Myschka_South2.dgn
levels: 1-7,14,16,25,42,63

FIGURE 4

640000 641000 642000 643000 644000 645000 646000 647000

6988000 6987000 6986000 6985000 6984000 6983000

63° N Lat.

40 41 42 43 44 45 46 47

OSDr

DMe

PrCh

PrChl

Kqm

Rainbow Zone

Second A Zone

Second B Zone

Upper Sophia Zone

Sophia 4

Sophia 1

Black Sophia 2

Main Stock

Kqm Dykes

Robert Service Thrust (position approximate)

A B C D E F S

1400

N

Legend

Cretaceous

- Kqm — Tombstone Plutonic Suite: Quartz Monzonite, Quartz Diorite

Devonian-Mississippian

- DMe — Earn Group: Chert Pebble Conglomerate, Shale

Ordovician-Devonian

- OSDr — Road River Group: Lake Precambrian-Cambrian
- PrChl — Limestone to Marble
- PrCh — Coarse Clastic "grits", Shale
- Quartz Veining and Stockwork Zones: a) Identified, b) Interpreted
- Sectors of Intensive Quartz Veining: a) Sectors of Most Intensive Alteration, b) Intensive Quartz Veining
- Geological Contact
- Thrust Fault
- Fault (Determined or Interpreted during year-2002 program)
- Rock sample location, gold in ppb
- Silt sample location, gold in ppb
- Property boundary, present

KLAD ENTERPRISES LTD
Myschka Property
NTS SHEET 105 K/16 ZONE 8
ROCK SAMPLE RESULTS
(gold in ppb)


Scale: 1:10,000


0 250 500 750 1000
1 KILOMETER


Myschka_South2.dgn
levels: 1-8,14,16,25,63


FIGURE 5


YUKON ENERGY MINES & RESOURCES LIBRARY
PO BOX 2703
WHITEHORSE, YUKON Y1A 2C6















ROCK & SILT GEOCHEM



KLAD ENTERPRISES LTD
Myschka Property
SOIL GEOCHEM PLOT MAPS

YUKON ENERGY MINES & RESOURCES LIBRARY
60 ICE CRESCENT
WHITEHORSE, YUKON Y1A 3C6

Scale: 1:10,000

0 250 500 750 1000
1 KILOMETER

myschka/overlay_composite.s01

FIGURE 6

SOIL SAMPLE DESCRIPTION SHEET

Sample No.	Easting	Northing	Traverse	Horizon	Depth (cm)	Slope Angle	Colour	Permafrost (yes/no?)	% Coarse Fragments	Vegetation	Surficial Geology	Frag. Lithology	% Organics	Date	Sampler	Comments	
8600N, 10000E	643089	6987113		TF	15	Steep	Grey	No	30	NV	TA	CH	<5	25/6/02	CS		
8600N, 9950E	643044	6987113		B	30	Steep	Grey-brn	No	15	TD	TA	CH	15	25/6/02	CS	Small pod of tundra	
8600N, 9900E	642991	6987141		TF	10	Steep	Lt brn	No	25	NV	TA	CH	<5	25/6/02	CS		
8600N, 9850E	642925	6987145		TF	10	Steep	Lt brn	No	30	TD	TA	CH	5	25/6/02	CS	Minor veg. in talus slope	
8600N, 9800E	642893	6987108		B	10	Steep	Lt brn	No	5	TD	TA	CH	15	25/6/02	CS	Tdra over talus slope	
8600N, 9750E	642841	6987102		B	30	Steep	Dk brn	No	20	TD	TA	CH	10	25/6/02	CS	Stabilized talus slope	
10600N, 8700E	641702	6989109		B	45	Mod	Brown	No	25	BB	CV	CH/SH	10	26/6/02	CS	Stabilized talus slope	
10600N, 8750E	641844	6989106		B	30	RT	Brown	No	30	BB	TA	CH/SH	15	26/6/02	CS	Small ridge	
10600N, 8800E	641794	6989108		B	20	Steep	Brown	No	25	BB	TA	CH/SH	10	26/6/02	CS	Stabilized talus slope	
10600N, 8850E	641842	6989090		B	25	Steep	Gr-brn	No	10	SC	TA	CH	20	26/6/02	CS	Stabilized talus slope	
10600N, 8900E	641896	6989093		B	20	Steep	Gr-brn	No	25	SC	TA	CH	15	26/6/02	CS	Stabilized talus slope	
10600N, 8950E	641946	6989103		B	35	Steep	Gr-brn	No	25	SC	TA	CH/SH	10	26/6/02	CS	Stabilized talus slope	
10600N, 9050E	642046	6989110		B	20	Mod	Brown	No	25	SC	CV	CH	10	26/6/02	CS	Talus just uphill	
10600N, 9100E	642105	6989122		B	25	Gen	Grey	Yes	5	SC	CV		5	26/6/02	CS	Poss. Leached zone?	
10600N, 9150E	642144	6989119		B	20	Gen	Brown	No	15	SC	CV	CH	5	26/6/02	CS		
10600N, 9200E	642192	6989129		B	20	Gen	Brown	No	20	SC	CV	CH	10	26/6/02	CS		
10600N, 9250E	642241	6989130		B	30	Mod	Brown	No	15	SC	CV		10	26/6/02	CS		
10600N, 9300E	642281	6989141		B	15	Mod	Grey	Yes	10	C	CV		10	26/6/02	CS	Poss. Leached zone?	
9000E, 10500N	642001	6989009		B	40	Steep	Lt brn	No	30	TD	TA	SH	10	26/6/02	CS	Stabilized talus slope	
9000E, 10550N	641999	6989065		B	25	Steep	Red-brn	No	15	SC	TA	CH/SH	15	26/6/02	CS	Stabilized talus slope	
9000E, 10600N	642014	6989095		B	15	Steep	Brown	No	20	SC	TA	CH	10	26/6/02	CS	Stabilized talus slope	
9000E, 10200N				B	40	Steep	Brown	No	10	Cf	CV		<5	28/06/02	JB		MY3644
9000E, 10250N				B	40	Steep	Brown	No	10	Cf	CV		<5	28/06/02	JB		MY3645
9000E, 10300N				B	35	Mod	Brown	No	20	Cf	CV		<5	28/06/02	JB		MY3646
9000E, 10350N				B	35	Mod	Brown	No	10	Cf	CV		<5	28/06/02	JB		MY3647
9000E, 10650N				B	30	Steep	Gr-brn	No	30	Cf	CV		<5	28/06/02	JB		MY3648
9000E, 10700N				C/B	30	Steep	Gr-brn	No	50	Cf	CV		<5	28/06/02	JB		MY3649
9000E, 10750N				A/B	15	Mod	Dgy	Yes	0	Cf	CV		15	28/06/02	JB		MY3650
9350E, 10600N				B	40	Mod	Brown	No	5	Cf	CV		<5	28/06/02	JB		MY3651
9400E, 10600N				B	30	Mod	Brown	No	0	Cf	CV		<5	28/06/02	JB		MY3652
9450E, 10600N				B	30	Mod	Brown	No	5	Cf	CV		<5	28/06/02	JB		MY3653
9500E, 10600N				B	40	Mod	Tan	No	0	Cf	CV		<5	28/06/02	JB		MY3654
9550E, 10600N				B	25	Steep	Brown	No	0	Cf	CV		<5	28/06/02	JB		MY3655
9600E, 10600N				B	25	Steep	Brown	No	0	Cf	CV		<5	28/06/02	JB		MY3656
8950E, 10200N				Talus	25	Mod	Tan	No	40	Cf	Talus		<5	28/06/02	JB		MY3657
8900E, 10200N				B	20	Steep	Brown	No	80	Cf	CV		<5	28/06/02	JB		MY3658
8600N, 9700E	642783	6987119		B	10	RL	Brown	No	20	Td	OC	CH	15	28/6/02	CS	Soil on Outcrop	
8600N, 9650E	642846	6098108		A-B	20	Steep	Dk Brn	No	20	BB	TA	CH	20	28/6/02	CS	Mixed A + B, scarce soil	
8600N, 9600E	642695	6987121		A	25	Steep	Dk Brn	No	20	SC	TA	CH	35	28/6/02	CS	Poor soil development	
8600N, 9550E	642624	6987107		B	30	Steep	Gr-brn	No	15	Cf	TA			28/6/02	CS	Stabilized talus	
8600N, 9500E	642599	6987123		B	20	Steep	Gr-brn	No	20	Cf	TA			28/6/02	CS		
8600N, 9450E	642554	6987109		B	25	Steep	Gr-brn	No	25	Cf	TA	SH		28/6/02	CS	Talus slope, loc. Stabilized	
8600N, 9400E	642501	6987127		B	25	Steep	Red-brn	No	15	Cf	CV		10	28/6/02	CS	Improved soil development	
8600N, 9350E	642431	6987105		B	25	Steep	Red-brn	No	15	Cf	CV		5	28/6/02	CS		
8600N, 9300E	642410	6987116		B	20	Steep	Red-brn	No	30	Cf	TA/CV	SH/CH	10	29/6/02	CS	Mixed Ta, CV	
8600N, 9250E	642473	6987100		C	20	Steep	Red-brn	No	30	Cf	TA	SH	10	29/6/02	CS	Some leached material	
8600N, 9200E	642297	6987116		B	20	Steep	Red-brn	No	25	Cf	TA/CV	SH	15	29/6/02	CS		
8600N, 9150E	642246	6987106		B	30	Mod	Gry	Yes	5	Cf			5	29/6/02	CS	Possible leached zone	
8600N, 9100E	642208	6987120		B	20	Mod	Gry	Yes	<5	Cf	CV		10	29/6/02	CS	Possible leached zone	
8600N, 9050E	No reception			B	25	Steep	Gry	Yes	35	Cf	CV		10	29/6/02	CS	Wet; permafrost?	
8600N, 9000E	642108	6987151		B	15	Steep	Gry	No	15	Alders	CV		10	29/6/02	CS	West side of Kitikmeot Ck.	
8800N,9450E				A	20	Mod	Gr-brn	No	20	TD	TA	SH	10	24/6/02	OB		

| | | |

10000E, 7550N				B	10	Flat	Dk brn	No	25	TD	CV	SH	10	2/7/2002	CS	Wet								
10000E, 7500N				B	15	Flat	Brown	No	35	TD	CV	SH	10	2/7/2002	CS	Thin bedded black shale								
10000E, 7450N				B	15	Gen	Rd-brn	No	5	TD	CV	CH	10	2/7/2002	CS	CH with localized QV								
10000E, 7400N				B	15	Htop	Rd-brn	No	10	TD	CV	CH	5	2/7/2002	CS	Small knoll								
10000E, 7350N				A/B	10	Gen	Dk brn	No	5	TD	CV	SH	20	2/7/2002	CS	Poor soil development								
7600N,10050E				B	20	Steep	Gr-brn	No	10	Cf	TA	SH	<5	5/7/2002	OB									
7600N,10100E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	<5	5/7/2002	OB									
7600N,10150E				B	20	Steep	Gr-brn	No	5	Cf	TA	SH	<5	5/7/2002	OB									
7600N,10200E				B	20	Steep	Gr-brn	No	15	Cf	TA	SW	<5	5/7/2002	OB									
7600N,10250E				A/B	15	Steep	Gr-brn	No	10	Cf	TA	SH	10	5/7/2002	OB									
7600N,10300E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	10	5/7/2002	OB									
7600N,10350E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	10	5/7/2002	OB									
7600N,10400E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	10	5/7/2002	OB									
7600N,10450E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	15	5/7/2002	OB									
7600N,10500E				B	15	Steep	Gr-brn	No	15	Cf	TA	SH	10	5/7/2002	OB									
7600N,10550E				B	30	Steep	Gr-brn	No	20	Cf	TA	SH	10	5/7/2002	OB									
7600N,10600E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	15	5/7/2002	OB									
7600N,10650E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	20	5/7/2002	OB									
7600N,10700E				B	20	Steep	Gr-brn	No	15	Cf	TA	SH	20	5/7/2002	OB									
7600N,10750E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	20	5/7/2002	OB									
7600N,10800E				B	20	Steep	Gr-brn	No	10	Cf	TA	SH	20	5/7/2002	OB									
7600N,10850E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	20	5/7/2002	OB									
7600N,10900E				B	20	Steep	Gr-brn	No	15	Cf	TA	SH	15	5/7/2002	OB									
7600N,10950E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	15	5/7/2002	OB									
7600N,11000E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	20	5/7/2002	OB									
7600N,11050E				B	20	Steep	Gr-brn	No	20	Cf	TA	SH	15	5/7/2002	OB									
7600N,11100E				B	20	Steep	Gr-brn	No	15	Cf	TA	SH	15	5/7/2002	OB									
7600N,11150E				B	20	Steep	Gr-brn	No	10	Cf	TA	SH	20	5/7/2002	OB									
7800N, 10050E	643236	6986323		B	15	Htop	Tan	No	10	TD	CV		10	5/7/2002	CS	Overlies SLT, LSLT								
7800N, 10100E	643287	6986326		B	10	Mod	Lt-brn	No	35	TD	CV	SLT-SH	15	5/7/2002	CS	Base of hill, sparse soil								
7800N, 10150E	643339	6986326		B	15	Htop	Brown	No	20	TD	CV	SLT	15	5/7/2002	CS	Peak of mountain								
7800N, 10200E	643380	6986323		B	20	Steep	Brown	No	20	TD	TA	SLT	10	5/7/2002	CS	Hfels siltstone in talus								
7800N, 10250E	643428	6986340		B	15	Steep	Rd-brn	No	10	TD	TA	SLT/QD	10	5/7/2002	CS	TD on TA - good soil								
7800N, 10300E	643479	6986333		B	20	Steep	Rd-brn	No	20	TD	TA	SLT	10	5/7/2002	CS	Arsenical float nearby								
7800N, 10350E	643530	6986399		TF	10	Steep	Brown	No	15	TD	TA	Qdior	<5	5/7/2002	CS	Talus fines in Qdior talus								
7800N, 10400E	643569	6986362		B	10	Steep	Brown	No	15	TD	TA	QD/slt	10	5/7/2002	CS	Edge of Qdior talus								
7800N, 10450E	643623	6986360		B	10	Steep	Brown	No	25	TD	TA	SLT/ARG	10	5/7/2002	CS	Soil over talus								
7800N, 10500E	643664	6986384		B	15	Steep	Brown	No	15	TD	TA	SLT	15	5/7/2002	CS	TD on talus								
7800N, 10550E	643714	6986383		B	15	Steep	Brown	No	25	TD	OC/TA	SLT	15	5/7/2002	CS	Near small QPMon dyke								
7800N, 10600E	643773	6986384		A	10	Rtop	Brown	No	20	TD	TA/CV	SLT	20	5/7/2002	CS	Possible "B"-horizon mixed								
7800N, 10650E	643816	6986391		B	30	Steep	Gr-brn	No	10	BB	CV		5	5/7/2002	CS	Possible leached horizon?								
7800N, 10700E	643864	6986399		B	25	Steep	Red	No	25	SC	CV	SLT	5	5/7/2002	CS	Limited "B"-horizon								
7800N, 10750E	643908	6986412		A-B	25	Steep	Rd-brn	No	25	SC	TA	CH	15	5/7/2002	CS	"B" mixed with "A"								
7800N, 10800E	643958	6986405		B	20	Steep	Grey	No	20	SC	TA/CV	CH	5	7/7/2002	CS	Near arsenical chert								
7800N, 10850E	644008	6986422		B	20	Steep	Grey	No	40	Cf	CV	CH	5	7/7/2002	CS	Sparse fine soil								
7800N, 10900E	644053	6986432		B	20	Steep	Rd-brn	No	5	Cf	CV	CH	5	7/7/2002	CS	Well developed soil								
7800N, 10950E	644096	6986441		B	20	Steep	Lt-brn	No	10	Cf	CV/TA	CH	10	7/7/2002	CS	Contains leached material								
7800N, 11000E	644153	6986452		B	10	Steep	Brown	No	20	Cf	OC	CH	10	7/7/2002	CS	West side, Arviat Ck								
7800N,9550E				B	20	Flat	Gr-brn	No	5	Nv	Flat	QpDior	20	6/7/2002	OB									
7800N,9000E				B	20	Flat	Gr-brn	No	10	Nv	Flat	QpDior	15	6/7/02	OB									
7800N,9850E				B	20	Flat	Gr-brn	No	15	Nv	Flat	QpDior	20	6/7/2002	OB									
7800N,9800E				B	20	Flat	Gr-brn	No	20	Nv	Flat	SH	15	6/7/2002	OB									
7800N,9750E				B	20	Flat	Gr-brn	No	20	Nv	Flat	SH	15	6/7/2002	OB									
7800N,9700E				B	20	Mod	Gr-brn	No	15	Nv	TA	SH	20	6/7/2002	OB									
7800N,9650E				B	20	Mod	Gr-brn	No	10	Nv	TA	CONG	15	6/7/2002	OB									
7800N,9600E				B	15	Mod	Gr-brn	No	10	Nv	TA	CONG	20	6/7/2002	OB									
7800N,9550E				B	20	Mod	Gr-brn	No	15	Nv	TA	CONG	15	6/7/2002	OB									
7800N,9500E				B	20	Mod	Gr-brn	No	20	Nv	TA	CONG	10	6/7/2002	OB									
7800N,9450E				B	15	Mod	Gr-brn	No	15	Nv	TA	CONG	20	6/7/2002	OB									

7800N,9350E				B	20	Mod	Gr-brn	No	10	Nv	TA	CONG	15	6/7/2002	OB									
7800N,9300E				B	30	Mod	Gr-brn	No	5	Nv	TA	CONG	10	6/7/2002	OB									
7800N,9250E				B	20	Mod	Gr-brn	No	20	Nv	TA	CONG	10	6/7/2002	OB									
7800N,9200E				B	20	Mod	Gr-brn	No	15	Nv	TA	CONG	10	6/7/2002	OB									
7800N,9150E				B	15	Mod	Gr-brn	No	10	Nv	TA	CONG	20	6/7/2002	OB									
7800N,9100E				B	20	Mod	Gr-brn	No	10	Nv	TA	CONG	15	6/7/2002	OB									
7800N,9050E				B	20	Mod	Gr-brn	No	5	Cf	TA	CONG	10	6/7/2002	OB									
7800N,9000E				B	20	Gen	Gr-brn	No	10	Cf	TA	SH	10	6/7/2002	OB									
7880N,8950E				B	20	Flat	Gr-brn	No	10	Cf	TA	CONG	20	6/7/2002	OB									
7800N,8900E				B	20	Flat	Gr-brn	No	15	BB	TA	SH	20	6/7/2002	OB									
7800N,8850E				B	20	Flat	Gr-brn	No	10	BB	TA	SH	20	6/7/2002	OB									
8450N,10000E				B	20	Gen	Brown	No	10	Nv	TA	SH	<5	8/7/2002	OB									
8550N,10000E				B	20	Gen	Brown	No	10	Nv	TA	SH	<5	8/7/2002	OB									
8650N,10000E				B	20	Mod	Brown	No	10	Nv	TA	CONG	<5	8/7/2002	OB									
8750N,10000E				B	20	Mod	Brown	No	10	Nv	TA	CONG	<5	8/7/2002	OB									
8850N,10000E				B	20	Mod	Brown	No	5	Cf	TA	CONG	10	8/7/2002	OB									
8950N,10000E				B	20	Mod	Gr-brn	No	10	Cf	TA	CONG	10	8/7/2002	OB									
9050N,10000E				B	20	Mod	Gr-brn	No	10	Cf	TA	SH	10	8/7/2002	OB									
9150N,10000E				B	20	Mod	Gr-brn	No	5	BB	TA	SH	10	8/7/2002	OB									
				B	20	Mod	Brown	No	5	Cf	TA		<5	9/7/2002	OB									
				B	20	Mod	Brown	No	5	Cf	TA		<5	9/7/2002	OB									
10800N,10000E	10000	10800		B																				
8200N, 9950E	643093	6986701		B	15	Htop	Brown	No	10	TD	CV	Qdior	10	6/7/2002	CS	Overlies Qdior rcrop								
8200N, 9900E	643044	6986695		B	15	Htop	Brown	No	15	TD	CV	CH/SH	5	6/7/2002	CS	Contact 20m to east								
8200N, 9850E	642998	6986697		B	20	Mod	Rd-brn	No	20	TD	CV	CH	10	6/7/2002	CS	CV-TA mixture								
8200N, 9800E	642948	6986694		B	10	Steep	Brown	No	25	TD	TA	Qdior	10	6/7/2002	CS	Small Qdior dyke								
8200N, 9750E	642890	6986693		A	15	Steep	Brown	No	10	TD	CV/TA	CH	20	6/7/2002	CS	"A" over TA/CV								
8200N, 9700E	642859	6986689		B	15	Steep	Brown	No	15	TD	CV/TA	SH	20	6/7/2002	CS	Some "A" mixed								
8200N, 9650E	642808	6986683		B	15	Steep	Brown	No	20	TD	TA	SLT	10	6/7/2002	CS	Sparse TD								
8200N, 9600E	642751	6986693		B	20	Steep	Brown	No	20	SC	TA	SH/CH	10	6/7/2002	CS									
8200N, 9550E	642707	6986690		B	10	Steep	Brown	No	15	TD	TA/CV	SH	10	6/7/2002	CS	Bare patch in SC								
8200N, 9500E	642668	6986678		B	20	Steep	Dk-brn	No	20	TD	TA/CV	SH	15	6/7/2002	CS	TD, minor SC on Ta/CV								
8200N, 9450E	642616	6986677		B	10	Steep	Brown	No	15	SC	CV		10	6/7/2002	CS									
8200N, 9400E	642567	6986672		B	20	Steep	Grey	No	35	CF	CV	SH	5	6/7/2002	CS									
8200N, 9350E	642539	6986668		B	20	Mod	Grey	No	20	CF	CV	SH	5	6/7/2002	CS	Possibly leached?								
10800N, 10000E	642874	6989325		B	35	Mod	Brown	No	10	BB	CV		<5	24/06/02	JB		MY3601							
10800N, 9950E	642831	6989324		B	25	Mod	Brown	No	5	BB	CV		<5	24/06/02	JB		MY3602							
10800N, 9900E	642784	6989313		B	30	Mod	Brown	No	10	BB	CV		5	24/06/02	JB		MY3603							
10800N, 9850E				B	40	steep	gbn	No	20	BB	CV		<5	24/06/02	JB		MY3604							
10800N, 9800E				B	40	steep	Brown	No	10	BB	CV		5	24/06/02	JB		MY3605							
10800N, 9750E				B	20	steep	gbn	No	5	BB	CV		<5	24/06/02	JB		MY3606							
10800N, 9700E				B	25	steep	Brown	No	10	BB	CV		<5	24/06/02	JB		MY3607							
10800N, 9650E				B	25	steep	Brown	No	5	BB	CV		5	24/06/02	JB		MY3608							
10800N, 9600E				B	30	steep	Brown	No	10	BB	CV		<5	24/06/02	JB		MY3609							
10800N, 9550E				B	30	steep	Brown	No	5	Cf	CV		<5	25/6/02	JB		MY3610							
10800N, 9500E				B	20	steep	Brown	No	30	Cf	CV		<5	25/6/02	JB		MY3611							
10800N, 9450E				B	25	steep	Brown	No	10	Cf	CV		<5	25/6/02	JB		MY3612							
10800N, 9400E				B	25	mod	Brown	No	35	Cf	CV		<5	25/6/02	JB		MY3613							
10800N, 9350E				B	20	Mod	gbn	No	35	Cf	CV		<5	25/6/02	JB		MY3614							
10800N, 9300E				B/C	15	hill top	gbn	No	50	Cf	CV		<5	25/6/02	JB		MY3615							
10800N, 9250E				B/C	20	hill top	tan	No	20	Cf	CV		<5	25/6/02	JB		MY3616							
10800N, 9200E				B/C	20	Mod	Brown	No	20	Cf	CV		<5	25/6/02	JB		MY3617							
10800N, 9150E				B/C	30	steep	gbn	No	40	Cf	CV		<5	25/6/02	JB		MY3618							
10800N, 9100E				B	25	steep	Brown	No	25	Cf	CV		<5	25/6/02	JB		MY3619							
10800N, 9050E				B	35	steep	tan	No	25	Cf	CV		<5	25/6/02	JB		MY3620							
10800N, 9000E				B	35	steep	tan	No	25	Cf	CV		<5	25/6/02	JB		MY3621							
9000E, 10450N				B	15	hill top	Brn	No	50	BB	Cv		<5	26/6/02	JB		MY3622							
10400N, 8650E				B	25	steep	Brn	No	30	BB	Cv		<5	26/6/02	JB		MY3623							

10400N, 8700E				B	35	steep	Brn	No		10	BB	Cv	<5	26/6/02	JB		MY3624
10400N, 8750E				B	30	steep	Brn	No		5	BB	Cv	20	26/6/02	JB		MY3625
10400N, 8800E				B/C	25	mod	Brn	No		60	BB	Talus	5	26/6/02	JB		MY3626
10400N, 8850E				B	20	mod	Brn	No		40	BB	Talus	<5	26/6/02	JB		MY3627
10400N, 8900E				B	20	hill top	orange	No		20	BB	Talus	<5	26/6/02	JB		MY3628
10400N, 8950E				B	25	hill top	tan	No		20	BB	Talus	<5	26/6/02	JB		MY3629
10400N, 9000E				B	30	hill top	tan	No		20	BB	Talus	<5	26/6/02	JB		MY3630
10400N, 9050E				B	30	hill top	tan	No		20	BB	meadow	20	26/6/02	JB		MY3631
10400N, 9100E				B	30	hill top	tan	No		20	Cf	creek	10	26/6/02	JB		MY3632
10400N, 9150E				B	30	hill top	tan	No	<5		Cf	Cv	20	26/6/02	JB		MY3633
10400N, 9200E				B	30	hill top	tan	No		20	Cf	Cv	5	26/6/02	JB		MY3634
10400N, 9250E				B	30	hill top	tan	No	<5		Cf	Cv	5	26/6/02	JB		MY3635
10400N, 9300E				B	30	hill top	tan	No		20	Cf	Cv	<5	26/6/02	JB		MY3636
10400N, 9350E				B	30	hill top	tan	No	<5		Cf	Cv	<5	26/6/02	JB		MY3637
10400N, 9400E				B	30	hill top	tan	No	<5		Cf	Cv	<5	26/6/02	JB		MY3638
10400N, 9450E				B	30	hill top	tan	No	<5		Cf	Cv	<5	26/6/02	JB		MY3639
10400N, 9500E				B	30	mod	Brn	No		20	Cf	Cv	<5	26/6/02	JB		MY3640
10400N, 9550E				B	30	mod	Brn	No		20	Cf	Cv	<5	26/6/02	JB		MY3641
10400N, 9600E				B	30	mod	Brn	No		20	Cf	Cv	<5	26/6/02	JB		MY3642
10400N, 9650E				B	30	mod	Brn	No		20	Cf	Cv	<5	26/6/02	JB		MY3643

MY1-3880	645913	6987772	#1	B	20	HT	Tan	No		20	Tundra	Cv	5	10/7/2002	JB		MY3880
MY1-3881	645888	6987871	#1	B	25	Mod	dark gry	No		40	Cf	Cv	<5	10/7/2002	JB		MY3881
MY1-3882	645886	6987954	#1	B	40	Mod	gry	No		50	Cf	Cv	<5	10/7/2002	JB		MY3882
MY1-3883	645885	6988040	#1	B	30	Mod	brn	No		50	Cf	Cv	<5	10/7/2002	JB		MY3883
MY1-3884	645856	6988128	#1	B	30	Mod	gry	No		50	Cf	Cv	<5	10/7/2002	JB		MY3884
MY1-3885	645847	6988232	#1	B	30	Mod	gry	No		50	Cf	Cv	<5	10/7/2002	JB		MY3885
MY1-3886	645817	6988323	#1	B	45	Mod	brn	No		50	Cf	Cv	<5	10/7/2002	JB		MY3886
MY1-3887	645808	6988405	#1	B	30	Mod	brn	No		30	Cf	Cv	<5	10/7/2002	JB		MY3887
MY1-3888	645859	6988493	#1	B	30	Mod	brn	No		30	Cf	Cv	<5	10/7/2002	JB		MY3888
MY1-3889	645914	6988570	#1	B	30	Mod	brn	No		20	Cf	Cv	<5	10/7/2002	JB		MY3889
MY1-3890	646002	6988586	#1	B	30	Mod	tan	No		10	Cf	Cv	<5	10/7/2002	JB		MY3890
MY1-3891	646093	6988595	#1	B	30	Mod	blk	No		10	Cf	Cv	10	10/7/2002	JB	very blk, on side of faul	MY3891
MY1-3892	646193	6988583	#1	B	20	Mod	brn	No		20	Cf	Cv	<5	10/7/2002	JB		MY3892
MY1-3893	646283	6988584	#1	B	35	Mod	brn	No		30	Cf	Cv	<5	10/7/2002	JB		MY3893
MY1-3894	646369	6988557	#1	TF	35	Steep	brn	No		50	Cf	Talus	<5	10/7/2002	JB		MY3894
MY1-3895	646469	6988556	#1	B	30	Steep	brn	No		30	Cf	Cv	<5	10/7/2002	JB		MY3895
MY1-3896	646537	6988490	#1	B	30	Steep	brn	No		15	Cf	Cv	<5	10/7/2002	JB		MY3896
MY1-3897	646631	6988426	#1	B	25	Mod	white brn	No		15	Cf	Cv	<5	10/7/2002	JB		MY3897
MY1-3898	646692	6988356	#1	B	30	HT	tan	No		20	Cf	Cv	<5	10/7/2002	JB		MY3898
MY1-3899	646643	6988303	#1	C/B	35	Mod	tan	No		80	Cf	Cv	<5	10/7/2002	JB		MY3899
MY1-3900	646555	6988305	#1	B	35	Mod	tan	No		25	Cf	Cv	<5	10/7/2002	JB		MY3900
MY1-3901	646455	6988302	#1	B	35	Mod	tan	No		25	Cf	Cv	<5	10/7/2002	JB		MY3901
MY1-3902	646354	6988271	#1	B	35	Mod	tan	No		25	Cf	Cv	<5	10/7/2002	JB		MY3902
MY1-3903	646288	6988271	#1	B	35	Mod	tan	No		25	Cf	Cv	<5	10/7/2002	JB		MY3903
MY1-3904	646204	6988234	#1	B	35	Mod	tan	No		25	Cf	Cv	<5	10/7/2002	JB		MY3904
MY1-3905	646115	6988229	#1	B	35	Mod	tan	No		25	Cf	Cv	<5	10/7/2002	JB		MY3905
MY8-3850	629469	6992320	#8	B	20	Mod	brn	No		30	tundra	Cv	5	9/7/2002	JB		MY3850
MY8-3851	629450	6992418	#8	B	45	Mod	brn	No		10	tundra	Cv	20	9/7/2002	JB		MY3851
MY8-3852	629453	6992520	#8	B	30	Mod	brn	No		10	tundra	Cv	5	9/7/2002	JB		MY3852
MY8-3853	629488	6992608	#8	B	40	Mod	tan	No		10	tundra	Cv	<5	9/7/2002	JB		MY3853
MY8-3854	629540	6992691	#8	B	25	Mod	brn	No		10	tundra	Cv	5	9/7/2002	JB		MY3854
MY8-3855	629590	6992778	#8	B	30	Mod	brn	No		15	tundra	Cv	5	9/7/2002	JB		MY3855
MY8-3856	629642	6992863	#8	B	40	Steep	brn	No		30	tundra	Talus	10	9/7/2002	JB		MY3856
MY8-3857	629717	6992933	#8	B	30	Mod	brn	No		10	Cf	Cv	5	9/7/2002	JB		MY3857
MY8-3858	629767	6993018	#8	B	40	Mod	brn	No		0	Cf	Cv	5	9/7/2002	JB		MY3858
MY8-3859	629796	6993102	#8	TF	25	Mod	brn	No		30	tundra	Talus	5	9/7/2002	JB		MY3859
MY8-3860	629874	6993179	#8	B	30	Steep	brn	No		20	tundra	Cv	20	9/7/2002	JB		MY3860

MY8-3861	629923	6993254	#8	B	40	Steep	blk	Yes		0	tundra	Cv			20	9/7/2002	JB		MY3861
MY8-3862	630001	6993300	#8	TF	30	Steep	brn	No		60	tundra	Talus			5	9/7/2002	JB		MY3862
MY8-3863	630094	6993361	#8	TF	20	Steep	brn	No		30	tundra	Cv		<5		9/7/2002	JB		MY3863
MY8-3864	630189	6993392	#8	B	25	Steep	brn	No		30	tundra	Cv		<5		9/7/2002	JB		MY3864
MY8-3865	630272	6993442	#8	B	25	Steep	brn	No		30	tundra	Cv		<5		9/7/2002	JB		MY3865
MY8-3866	630362	6993497	#8	B	25	Mod	brn	No		30	tundra	Talus		<5		9/7/2002	JB		MY3866
MY8-3867	630435	6993561	#8	TF	15	Mod	brn	No		80	tundra	Talus		<5		9/7/2002	JB		MY3867
MY8-3868	630522	6993606	#8	B	35	Mod	tan	No		5	tundra	Talus			15	9/7/2002	JB		MY3868
MY8-3869	630608	6993650	#8	TF	20	Steep	brn	No		60	Nv	Talus			10	9/7/2002	JB		MY3869
MY8-3870	630701	6993681	#8	TF	20	Steep	brn	No		80	Nv	Talus		<5		9/7/2002	JB		MY3870
MY8-3871	630811	6993744	#8	TF	10	Steep	tan	No		95	tundra	Talus			60	9/7/2002	JB		MY3871
MY8-3872	630878	6993772	#8	TF	20	Steep	tan	No		20	tundra	Talus		<5		9/7/2002	JB		MY3872
MY8-3873	630970	6993794	#8	TF	20	Mod	brn	No		10	tundra	Talus		<5		9/7/2002	JB		MY3873
MY8-3874	631063	6993792	#8	B	20	Mod	brn	No		10	Cf	Cv		<5		9/7/2002	JB		MY3874
MY8-3875	631170	6993795	#8	B	35	Mod	brn	No		10	Cf	Cv		<5		9/7/2002	JB		MY3875
MY8-3876	631241	6993839	#8	B	35	Steep	brn	No		20	Cf	Cv			20	9/7/2002	JB		MY3876
MY8-3877	631330	6993879	#8	TF	35	Steep	brn	No		20	Cf	Talus			10	9/7/2002	JB		MY3877
MY8-3878	631388	6993926	#8	B	35	Steep	brn	No		20	Cf	Talus			10	9/7/2002	JB		MY3878
MY8-3879	631705	6994155	#8	B	20	Hill Top	tan	No		30	Cf	Talus		<5		9/7/2002	JB		MY3879
MY9-1600	632081	6993305	MY9	B	25	Gen	rd-brn	N		10	BB	TA	Lslt		10	9/7/2002	CS	West side of fault	
MY9-1601	632142	6993217	MY9	A	30	Mod	Brown	N	<5		Will	Gully			60	9/7/2002	CS	Gully with willows	
MY9-1602	632199	6993139	MY9	B	30	Mod	Gr-brn	N		15	Will	Gully			20	9/7/2002	CS	Damp, willowed gully	
MY9-1603	632242	6993090	MY9	B	20	Mod	Brown	N		20	Will	Gully	CH?		10	9/7/2002	CS	Fairly good "B"	
MY9-1604	632287	6993004	MY9	B	20	Mod	Brown	N		20	CF	CV			15	9/7/2002	CS	Outside of willows	
MY9-1605	632324	6992938	MY9	B	20	Mod	Brown	N		20	CF	CV	CH/SH		10	9/7/2002	CS		
MY9-1606	632390	6992876	MY9	B	15	Mod	Lt brn	N		25	CF	CV	CH		10	9/7/2002	CS	West side of gully	
MY9-1607	632426	6992787	MY9	B	25	Mod	Grey	N		30	CF	CV	SH		5	9/7/2002	CS	Some grey-brown soil also	
MY9-1608	632475	6992727	MY9	B	25	Mod	Gr-brn	N			DE	CV			10	9/7/2002	CS	Somewhat wetter	
MY9-1609	632546	6992673	MY9	B	25	Mod	Gr-brn	Y	<5		CF	CV			5	9/7/2002	CS	"B" under leached zones	
MY9-1610	632579	6992610	MY9	B	25	Gen	Gry	Y	<5		MF	CV			5	9/7/2002	CS	Wet; leached horizon?	
MY9-1611	632616	6992467	MY9	B	25	Gen	Gry	Y		5	CF	?			5	9/7/2002	CS	Poss. Leached horizon?	
MY6-1612	630350	6988646	MY6	B	10	Flat	Brown	N		30	TD	RC	CH		5	10/7/2002	CS	Chert Rcrop near Qmon dyke	
MY6-1613	630274	6988631	MY6	B	20	Mod	Gr-brn	N		50	TD	RC	SH		5	10/7/2002	CS	Sparse "B" hor; fine SH, CH	
MY6-1614	630175	6988642	MY6	B	15	Gen	Gr-brn	N		40	TD	CV	SH		5	10/7/2002	CS	Sparse "B"	
MY6-1615	630087	6988649	MY6	B	25	Gen	Lt-brn	N	<5		TD			<5		10/7/2002	CS	Intrusive nearby	
MY6-1616	629999	6988653	MY6	B	20	Steep	Gr-brn	N		20	TD	CV	SH		10	10/7/2002	CS	East bank of creek	
10200N, 8600E				B	25	stp	brn	no		10	Cf	Cv		<5		6/29/02	JB		MY3659
10200N, 8650E				B	25	stp	brn	no	<5		Cf	Cv		<5		6/29/02	JB		MY3660
10200N, 8700E				B	25	stp	brn	no		10	Cf	Cv			0	6/29/02	JB		MY3661
10200N, 8750E				B	20	stp	brn	no		10	Cf	Cv			0	6/29/02	JB		MY3662
10200N, 8800E				B	40	stp	brn	no		20	Cf	Cv			0	6/29/02	JB		MY3663
10200N, 8850E				B	40	stp	brn	no		10	Cf	Cv			0	6/29/02	JB		MY3664
10200N, 9600E				A/B	50	mod	blk gry	yes		0	BB	Cv			40	6/29/02	JB		MY3665
10200N, 9550E				A/B	50	mod	blk gry	yes		0	BB	Cv			40	6/29/02	JB		MY3666
10200N, 9500E				B	40	mod	gry	no	<5		Cf	Cv		<5		6/29/02	JB		MY3667
10200N, 9450E				B	5	stp	brn	no		15	Cf	Cv		<5		6/29/02	JB		MY3668
10200N, 9400E				B	40	stp	brn	no		15	Cf	Cv		<5		6/29/02	JB		MY3669
10200N, 9350E				B	30	stp	tan	no		10	Cf	Cv		<5		6/29/02	JB		MY3670
10200N, 9300E				B	30	stp	tan	no		20	Cf	Cv		<5		6/29/02	JB		MY3671
10200N, 9250E				B	30	stp	tan	no		20	Cf	Cv		<5		6/29/02	JB		MY3672
10200N, 9200E				B	30	mod	brn	no		25	Cf	Cv		<5		6/29/02	JB		MY3673
10200N, 9150E				B	30	mod	brn	no		25	Cf	Cv		<5		6/29/02	JB		MY3674
10200N, 9100E				B	35	stp	tan	no		30	Cf	Cv		<5		6/29/02	JB		MY3675
10200N, 9050E				B	30	stp	tan	no		30	Cf	Cv		<5		6/29/02	JB		MY3676
9000E, 10150N				B	35	stp	tan	no		40	Cf	Cv		<5		6/29/02	JB		MY3677
9000E, 10100N				B	35	stp	tan	no		40	Cf	Cv		<5		6/29/02	JB		MY3678

9000E, 10050N	B	35	stp	tan	no	45	Cf	Cv	<5		6/29/02	JB		MY3679
9000E, 10000N	B	35	stp	tan	no	40	Cf	Cv	<5		6/29/02	JB		MY3680
9000N, 10000E	B	40	stp	dgy	No	4060	Cf	Cv		10	6/30/02	JB		MY3681
9000N, 10050E	B	40	stp	dgy	No	45	Cf	Cv	<5		6/30/02	JB		MY3682
9000N, 10100E	B	30	stp	dgy	No	60	Cf	Cv	<5		6/30/02	JB		MY3683
9000N, 10150E	B	45	stp	brn	No	60	Cf	Cv	<5		6/30/02	JB		MY3684
9000N, 10200E	B	25	stp	brn	No	60	Cf	Cv	<5		6/30/02	JB		MY3685
9000N, 10250E	B	30	mod	brn	No	60	Cf	Cv	<5		6/30/02	JB		MY3686
9000N, 10300E	B	25	mod	brn	No	25	Cf	Cv	<5		6/30/02	JB	just below cliffs with lot	MY3687
9000N, 10350E	B	40	mod	tan	No	80	Cf	Cv		10	6/30/02	JB		MY3688
9000N, 10400E	B	30	mod	brn	No	60	Cf	Cv	<5		6/30/02	JB		MY3689
9000N, 10450E	B	30	mod	gbn	No	15	Cf	Cv	<5		6/30/02	JB		MY3690
9000N, 10500E	B	45	mod	gbn	No	20	Cf	Cv		15	6/30/02	JB		MY3691
9000N, 10550E	B	50	mod	brn	No	30	Cf	Cv		20	6/30/02	JB		MY3692
9000N, 10600E	B	40	mod	brn	No	25	Cf	Cv		10	6/30/02	JB		MY3693
9000N, 10650E	B	35	stp	brn	No	30	Cf	Cv	>5		6/30/02	JB		MY3694
9000N, 10700E	B	20	stp	gbn	No	50	Cf	Cv		10	6/30/02	JB		MY3695
9000N, 10750E	B	35	stp	brn	No	30	Cf	Cv		20	6/30/02	JB		MY3696
9000N, 10800E	B	35	stp	brn	No	25	Cf	Cv		5	6/30/02	JB		MY3697
9000N, 10850E	B	35	stp	brn	No	10	Cf	Cv		10	6/30/02	JB		MY3698
9000N, 10900E	B	30	stp	brn	No	10	Cf	Cv		20	6/30/02	JB		MY3699
9000N, 10950E	B	30	stp	brn	No	10	Cf	Cv	<5		6/30/02	JB		MY3700
9000N, 11000E	B	40	stp	brn	No	10	Cf	Cv		20	6/30/02	JB		MY3701
9000N, 10050E	B	30	stp	brn	No	10	Cf	Cv	<5		6/30/02	JB		MY3702
9000N, 10100E	B	30	stp	y brn	No	10	Cf	Cv	<5		6/30/02	JB		MY3703
9000N, 10150E	B	30	stp	brn	No	10	Cf	Cv		30	6/30/02	JB		MY3704
9000N, 10200E	B	40	stp	blk brn	No	10	Cf	Cv		20	6/30/02	JB	Very bad permafrost, no	MY3705
9000N, 10300E	B	40	stp	blk brn	No	10	Cf	Cv		30	6/30/02	JB	"	MY3706
9000N, 10350E	B	40	stp	blk brn	No	10	Cf	Cv		30	6/30/02	JB	"	MY3707
9000N, 10500E	B	35	stp	brn	No	10	Cf	Cv		20	6/30/02	JB	"	MY3708
8600N, 10000E	B	40	steep	brn	no	70	Tundra	talus		0	7/1/02	JB	psuedo talus slope	MY3709
8600N, 10050E	B	45	steep	brn	no	15	Tundra	Cv	<5		7/1/02	JB		MY3710
8600N, 10100E	B	30	steep	brn	no	80	Tundra	talus		10	7/1/02	JB	under moss on talus slo	MY3711
8600N, 10150E	B	30	steep	brn	no	80	Tundra	talus		10	7/1/02	JB	under moss on talus slo	MY3712
8600N, 10200E	B	30	steep	brn	no	90	Tundra	talus	<5		7/1/02	JB	under moss on talus slo	MY3713
8600N, 10250E	B	30	steep	brn	no	60	Tundra	talus	<5		7/1/02	JB		MY3714
8600N, 10300E	B	20	steep	brn	no	60	Tundra	talus	<5		7/1/02	JB		MY3715
8600N, 10350E	B	30	mod	omge brn	no	90	Nv	talus	<5		7/1/02	JB	at crest	MY3716
8600N, 10400E	B	20	steep	tan	no	100	Nv	talus		0	7/1/02	JB	very steep talus slope	MY3717
8600N, 10529E	A/B	20	steep	brn	no	80	Tundra	talus		5	7/1/02	JB	extra sample because no	MY3718
8600N, 10550E	B	20	steep	tan	no	10	Tundra	talus		20	7/1/02	JB		MY3719
8600N, 10600E	B	15	steep	brn	no	40	Cf	talus		5	7/1/02	JB		MY3720
8600N, 10650E	B	15	steep	brn	no	40	Cf	talus		5	7/1/02	JB		MY3721
8600N, 10700E	B	15	steep	brn	no	40	Cf	talus		5	7/1/02	JB		MY3722
8600N, 10750E	B	15	steep	tan	no	40	Cf	talus	<5		7/1/02	JB	No GPS signal	
MY3723	Tf	30	steep	tan	no	80	Cf	talus	<5		7/1/02	JB		MY3723
8600N, 10800E	Tf	25	steep	tan	no	90	Cf	talus	<5		7/1/02	JB		MY3724
8600N, 10850E	Tf	15	steep	tan	no	70	Cf	talus	<5		7/1/02	JB		MY3725
8600N, 10900E	Tf	15	steep	tan	no	90	Cf	talus	<5		7/1/02	JB		MY3726
8600N, 10950E	Tf	15	steep	tan	no	90	Cf	talus	<5		7/1/02	JB	just up from creek	MY3727
8600N, 11000E	B	35	mod	brn	no	30	Cf	Cv		10	7/1/02	JB		MY3728
8600N, 11050E	B	30	mod	brn	no	15	BB	Cv		20	7/1/02	JB		MY3729
8600N, 11100E	B	30	mod	brn	no	10	BB	Cv		20	7/1/02	JB	bad GPS coverage	MY3730
8600N, 11150E	B	35	mod	drk brn	yes	<5	BB	Cv		30	7/1/02	JB	permafrost	MY3731
8600N, 11200E	B	45	mod	drk brn	yes	<5	BB	Cv		40	7/1/02	JB	BB thickets	MY3732
8600N, 11250E	B	45	mod	drk brn	yes	<5	BB	Cv		30	7/1/02	JB	End of line	MY3733

8200N, 10050E	B	20	hill top	brn	no	70	Tundra	Cv	intrusive		30	7/2/02 JB	MY3734
8200N, 10100E	B	20	hill top	brn	no	70	Tundra	Cv	intrusive		30	7/2/02 JB	MY3735
8200N, 10150E	TF	15	steep	brn	no	90	Tundra	talus	intrusive	<5		7/2/02 JB	MY3736
8200N, 10200E	TF	15	steep	tan	no	90	Tundra	talus	intrusive	<5		7/2/02 JB	MY3737
8200N, 10250E	TF	15	steep	tan	no	90	Tundra	talus	intrusive	<5		7/2/02 JB	MY3738
8200N, 10300E	TF	15	steep	tan	no	90	Tundra	talus	intrusive	<5		7/2/02 JB	MY3739
8200N, 10350E	TF	15	steep	tan	no	90	Tundra	talus	intrusive	<5		7/2/02 JB	MY3740
8200N, 10400E	TF	15	steep	tan	no	90	Tundra	talus	intrusive	<5		7/2/02 JB	MY3741
8200N, 10450E	B	15	steep	tan	no	90	Tundra	talus	intrusive	<5		7/2/02 JB	MY3742
8200N, 10500E	TF	30	steep	brn	no	80	Tundra	talus	intrusive	<5		7/2/02 JB	MY3743
8200N, 10550E	TF	20	mod	tan	no	80	Tundra	talus	intrusive	<5		7/2/02 JB	material merged from o MY3744
8200N, 10600E	TF	20	mod	brn	no	80	Tundra	talus	chert	<5		7/2/02 JB	change from intrusive t MY3745
8200N, 10650E	TF	20	mod	orange	no	60	Tundra	talus	chert	<5		7/2/02 JB	very yellow soil MY3746
8200N, 10700E	B	30	hill top	dk brn	no	40	Tundra	Cv	intrusive		10	7/2/02 JB	on intrusive MY3748
8200N, 10750E	B	40	steep	brn	no	40	Cf	Cv	intrusive	<5		7/2/02 JB	MY3749
8200N, 10800E	B	30	steep	blk	yes	40	Cf	Cv		<5		7/2/02 JB	MY3750
8200N, 10850E	B	40	steep	blk	yes	40	Cf	Cv		<5		7/2/02 JB	MY3751
8200N, 10900E	B	40	steep	blk	yes	40	Cf	Cv		<5		7/2/02 JB	MY3752
8200N, 10950E	B	40	steep	blk	yes	40	Cf	Cv		<5		7/2/02 JB	MY3753
8200N, 11000E	B	40	steep	blk	yes	40	Cf	Cv		<5		7/2/02 JB	MY3754
8200N, 11050E	B	40	steep	blk	yes	40	Cf	Cv		<5		7/2/02 JB	MY3755
8200N, 11100E	B	35	mod	blk	yes	40	Cf	Cv		<5		7/2/02 JB	MY3756
8200N, 11150E	B	30	mod	brn blk	no	40	Cf	Cv		<5		7/2/02 JB	No GPS signal
8200N, 11200E	B	30	steep	brn	no	40	Cf	Cv		<5		7/2/02 JB	No GPS signal
8000N, 10100E	TF	15	hill top	brn	no	80	Nv	Talus	intrusive	<5		7/5/02 JB	MY3759
8000N, 10200E	TF	15	steep	brn	no	80	Nv	Talus	intrusive	<5		7/5/02 JB	MY3760
8000N, 10300E	TF	15	steep	brn	no	80	Nv	Talus	intrusive	<5		7/5/02 JB	MY3761
8000N, 10350E	TF	15	steep	brn	no	80	Nv	Talus	intrusive	<5		7/5/02 JB	MY3762
8000N, 10400E	TF	15	steep	brn	no	80	Nv	Talus	Chert	<5		7/5/02 JB	MY3763
8000N, 10450E	TF	15	steep	brn	no	60	Nv	Talus	Chert	<5		7/5/02 JB	just downslope from lin MY3764
8000N, 10500E	TF	15	steep	brn	no	60	Nv	Talus	Chert	<5		7/5/02 JB	MY3765
8000N, 10550E	TF	15	steep	brn	no	60	Nv	Talus	Chert		10	7/5/02 JB	MY3766
8000N, 10600E	TF	15	steep	brn	no	80	Nv	Talus	Chert	<5		7/5/02 JB	MY3767
8000N, 10650E	TF	15	steep	brn	no	80	Nv	Talus	Chert	<5		7/5/02 JB	MY3768
8000N, 10700E	TF	15	steep	brn	no	80	Cf	Talus		<5		7/5/02 JB	MY3769
8000N, 10750E	B	30	mod	brn	no	60	Cf	Cv			10	7/5/02 JB	MY3770
8000N, 10800E	B	30	steep	brn	no	60	Cf	Cv		<5		7/5/02 JB	MY3771
8000N, 10850E	B	30	steep	brn	no	60	Cf	Cv		<5		7/5/02 JB	MY3772
8000N, 10900E	B	35	mod	brn	no	60	Cf	Cv		<5		7/5/02 JB	MY3773
8000N, 10950E	B	40	mod	blk brn	no	90	Cf	Cv		<5		7/5/02 JB	very iron rich sed MY3774
8000N, 11000E	B	40	steep	brn	yes	90	Cf	Cv			20	7/5/02 JB	MY3775
8000N, 11050E	B	40	steep	blk	yes	30	Cf	Cv			20	7/5/02 JB	MY3776
8000N, 11100E	B	40	steep	brn	yes	30	Cf	Cv			40	7/5/02 JB	MY3777
8000N, 11150E	B	40	steep	brn	yes	40	Cf	Cv			30	7/5/02 JB	MY3778
8000N, 10200E	B	40	steep	brn	no	40	Cf	Cv			10	7/5/02 JB	MY3779
8000N, 10250E	B	40	steep	brn	no	40	Cf	Cv			10	7/5/02 JB	MY3780
8000N, 10300E	B	40	steep	brn	no	40	Cf	Cv			10	7/5/02 JB	MY3781
8000N, 10350E	B	40	steep	brn	no	40	Cf	Cv		<5		7/5/02 JB	MY3782
8000N, 9900E	B	30	hill top	brn	no	20	Tundra	Till	intrusive	<5		7/6/02 JB	MY3783
8000N, 9850E	Tf	20	steep	tan	no	30	Tundra	till	intrusive	<5		7/6/02 JB	MY3784
8000N, 9800E	Tf	15	steep	tan	no	30	Tundra	till	intrusive	<5		7/6/02 JB	MY3785
8000N, 9750E	B	35	steep	blk	no	15	Tundra	till	intrusive		15	7/6/02 JB	MY3786
8000N, 9700E	B	30	steep	brn	no	10	Tundra	till		<5		7/6/02 JB	MY3787
8000N, 9650E	B	25	steep	brn	no	30	Tundra	till	OSDr	<5		7/6/02 JB	MY3788
8000N, 9600E	B	25	steep	brn	no	30	Tundra	till	OSDr		10	7/6/02 JB	MY3789
8000N, 9550E	Tf	20	steep	blk	no	10	Tundra	till	OSDr		0	7/6/02 JB	MY3790
8000N, 9500E	Tf	20	mod	brn	no	60	Nv	till	Dme	<5		7/6/02 JB	MY3791
8000N, 9450E	Tf	20	mod	tan	no	60	Nv	till	Dme	<5		7/6/02 JB	MY3792

8800N, 10650E	B	40	mod	brn	no		20	Cf	Cv		5	7/7/02	JB		MY3793
8800N, 10700E	B	25	steep	brn	no		10	Cf	Cv	<5		7/7/02	JB		MY3794
8800N, 10750E	B	25	steep	brn	no		15	Cf	Cv	<5		7/7/02	JB		MY3795
8800N, 10800E	B	30	steep	brn	no		15	Cf	Cv	<5		7/7/02	JB		MY3796
8800N, 10850E	B	35	steep	brn	no		15	Cf	Cv		10	7/7/02	JB		MY3797
8800N, 10900E	B	20	steep	tan	no		30	Cf	Cv	<5		7/7/02	JB		MY3798
8800N, 10950E	B	30	steep	tan	no		10	Cf	Cv	<5		7/7/02	JB		MY3799
8800N, 11000E	B	30	steep	tan	no		10	Cf	Cv	<5		7/7/02	JB		MY3800
8800N, 11050E	B	40	steep	brn	no		10	Cf	Cv	<5		7/7/02	JB		MY3801
8800N, 11100E	B	40	steep	tan	no		20	Cf	Cv	<5		7/7/02	JB		MY3802
8800N, 11150E	B	40	steep	tan	no		10	Cf	Cv	<5		7/7/02	JB		MY3803
8800N, 11200E	B	40	steep	dk brn	no		10	Cf	Cv	<5		7/7/02	JB		MY3804
8800N, 11250E	B	40	steep	blk	yes	<5		Cf	Cv		10	7/7/02	JB		MY3805
8800N, 11300E	B	45	steep	blk	yes	<5		BB	Cv		20	7/7/02	JB		MY3806
8800N, 11350E	B	45	mod	brn	no		90	BB	Cv	<5		7/7/02	JB	beside creek	MY3807
8800N, 11400E	B	45	mod	blk	yes	<5		BB	Cv		45	7/7/02	JB	west facing slope	MY3808

ROCK SAMPLE DESCRIPTION SHEET

Sample No	Easting	Northing	Sample Type	Width (m)	Sample Descr.	Form.	Lithology	Modifier	Colour	Carb. Presence	Silicificatio	Alteration 1	Alteration 2	Limonite	Other Alt.	Mineral #1	Amount (%)	Mineral #2	Amt (%)	Other	Amt (%)	Date	Sampler	Comments
MY1000			SCG		Ta	OSDr	CH?	Brec	Buff-grn		S1	A3				As	5	Scor	Mod	Mineral		24/6/02	CS	BL10000, 8400N
MY1001			C	1.5	OC/FM	OSDr	CH	Vned	Buff-grn		S2	A2				As	5	Scor	Mod			24/6/02	CS	Approx. 9925E, 8350N;
MY1003	643064	6987144	G		Ta	OSDr	CH	Vn	Grey		S1			Strong		As	20	Py	3	Scor		25/6/02	CS	Approx. 8610N, 9970E, small vein
MY1004	643085	6987119	CG		Ta	OSDr	CH	Brec	Buff		S2	A2		Tr		As	tr	Scor	wk			25/6/02	CS	Approx. 8595N, 9992E, abnt. Talus
MY1005	643090	6987121	C	1	OC	OSDr	CH	Brec	Purple					Strong								25/6/02	CS	8598N, 10000E
MY1006	643061	6987072	C	1.2	OC	OSDr	SH/CH	Jsed	White		S2	A1		Mod		Py	2	As	tr			25/6/02	CS	Strong Py boxwork
MY1007	642936	6987126	C	1	OC	OSDr	CH	Frac	Brn/grey			A2		Weak		Py	tr					25/6/02	CS	Py boxwork, prob. relic Arseno veins
MY1008	642930	6987121	C	1.2	OC	OSDr	CH	Brec	Buff		S2	A2		Weak		Py	tr	As	tr			25/6/02	CS	Strong Py boxwork
MY1025	642842	6987086	CG		RC	OSDr	CH	Frac	Grey		S2			Phl	Str	Py	4					28/6/02	CS	Minor shale. Sample S of scoroditic zone
MY1026	642884	6987187	CG		RC	OSDr	CH	Stwk	Gry-grn		S2	A1				As	tr	Scor	wk			28/6/02	CS	Part of wider arsenical zone
MY1027	642891	6987163	C	0.75	OC	OSDr	CH	Stwk	Gry-grn		S3	A1		Wk		As	6	Scor	Mod		1	28/6/02	CS	Part of wider arsenical zone, min 8m wide
MY1035	643133	6986822	C	2.1	FM	OSDr	CH/SH	Stwk	Lt brn		S1	A2		Phl	Mod	Scor	wk					2/7/2002	CS	Lim after Py - frost boil
MY1036	643128	6986837	C	2.5	FM	OSDr	CH	Sugary	Buff		S2	A2		Tr		Scor	wk					2/7/2002	CS	White stain after scorodite
MY1037	643118	6986849	CG		RC	OSDr	CH	Stwk	Buff		S3	A2		Weak		Scor	wk					2/7/2002	CS	White stain, scorodite
MY1038	643120	6986895	C	1.8	OC	OSDr	CH	Frac	Bf-green		S2	A1		Mod		Scor	Mod	Py	5			2/7/2002	CS	Loc. Scor, Py; some darker bands
MY1042	643477	6986328	CG		TA	OSDr	Slt	Brec	Buff		S1	A1				Scor	Weak					5/7/2002	CS	Fairly abundant talus
MY1043	643476	6986323	CG		TA	OSDr	Slt	Brec	Green		S1	A2				As	2	Scor	Strong			5/7/2002	CS	Loc. Scorodite veining
MY1044	643484	6986308	CG		TA	OSDr	Lslt?	F.Gr	Black		S1			Strong		Po	5	Py	30			5/7/2002	CS	Massive Po-Py skarn - prox. Talus
MY1045	643443	6986300	CG		TA	OSDr	Slt	Brec	Blue-gn		S1	A1		tr		As	5	Stib	2		tr	5/7/2002	CS	Arseno + stibnite in matrix
MY1046	643436	6986248	CG		TA	OSDr	Slt	Brec	Yellow		S2	A1		tr		As	4	Stib	8	Py	<1	5/7/2002	CS	Similar to above
MY1048	642758	6986675	CG		TA	OSDr	CH	Brec	Blue-gn		S2			Mod		As	4	Py	10			6/7/2002	CS	Replacement-style sulphides; drusy quartz
MY1049	642760	6986679	CG		TA	Kqm	Qmon	Mass	buff-gn		S1	A2		Ph2	Mod	Py	12					6/7/2002	CS	Dissem + nodular Py
MY1050	643407	6986251	C	2	OC	OSDr	CH/SH	Brec	Buff-gn		S2	A1				Py	<1	As	<1		Tr	7/7/2002	CS	1.5m brecc + strongly altered seds
MY1060	643322	6986977	CG		Rc	OSDr	QV/CH	Brec	Bf-grn		S2	A1	Phl	Weak		As	8	Scor	wk			21/7/02	CS	Fracture, vein cont As
MY1064	643307	6986970	C	1.6	Oc	OSDr	QV/CH	Fol	Yellow			A1		Mod		As	<1					21/7/02	CS	Lim after Py, banded As at 195 degrees
MY2073			G		OC	OSDR	SH		mgy		S2											30/6/02	OB	
MY2075			G		Ta	OSDR	SH		mgy		S2			mod		Py	1					30/6/02	OB	
MY2076			G		Ta		QTZ	Va	mgy					mod		Py	1					30/6/02	OB	
MY2077			G		OC		QTZ	Vn	mgy					mod		Py	1					30/6/02	OB	
MY2078			G		OC	OSDR	SH		mgy		S2			mod		Py	1					30/6/02	OB	
MY2079			G		OC	OSDR	SH		mgy		S2			mod		Py	1					30/6/02	OB	
MY2080			G		OC	OSDR	SH		mgy		S2			mod		Py	1					30/6/02	OB	
MY2081			G		OC	OSDR	SH		mgy		S2			mod		Py	1					30/6/02	OB	
MY2082			G		OC	OSDR	SH		mgy		S2			mod		Py	1					30/6/02	OB	
MY2083			G		OC	OSDR	SH		mgy		S2											30/6/02	OB	
MY2084			G		OC	OSDR	SH		mgy		S2			mod		Py	1					30/6/02	OB	
MY2086			G		Ta		QTZ		mgy					mod		Py	1					1/7/2002	OB	
MY2087			G		Ta	OSDR	SH		mgy		S2			mod		Py	1					1/7/2002	OB	
MY2088			G		Ta	OSDR	SH		mgy		S2			mod		Py	1					1/7/2002	OB	
MY2089			G		OC	OSDR	SH		mgy		S2			mod		Py	1					1/7/2002	OB	
MY2090			G		OC	OSDR	SH		mgy		S2			mod		Py	1					1/7/2002	OB	
MY2091			G		OC	OSDR	SH		mgy		S2			mod		Py	1					1/7/2002	OB	
MY2092			G		OC	OSDR	SH		mgy		S2			mod		Py	1					1/7/2002	OB	
MY2093			G		OC	OSDR	SH		mgy		S2			mod		Py	1					1/7/2002	OB	
MY2094			G		OC	OSDR	SH		mgy		S2			mod		Py	1					1/7/2002	OB	
MY2095			G		OC	OSDR	SH		dgy		S2			weak		As	1					1/7/2002	OB	
MY2096			G		OC	OSDR	SH		dgy		S2			weak		As	1					1/7/2002	OB	
MY2097			G		OC	OSDR	SH		dgy													1/7/2002	OB	
MY2098			G		OC	OSDR	SH		dgy		S2											1/7/2002	OB	
MY2099			G		OC	OSDR	SH		dgy		S2											1/7/2002	OB	
MY2101			G		Ta	OSDR	SH		dgy		S2			weak		Py	1					2/7/2002	OB	
MY2102			G		Ta	OSDR	SH		dgy		S2			mod		Py	1					2/7/2002	OB	
MY2103			G		Ta	OSDR	SH		dgy		S2			mod		Py	1					2/7/2002	OB	
MY2104			G		Ta		QTZ		dgy		S2											2/7/2002	OB	
MY2116	7800N	9400E	G		Rb		QTZ	Vn	mgy							Py	1					6/7/2002	OB	
MY2117	7800N	9400E	G		Rb		QTZ	Vn	mgy					mod		As	1	Py	1			6/7/2002	OB	
MY2118			G		Rb		SH		mgy		S2			mod		As	1	Py	1			7/7/2002	OB	
MY2119			G		Rb		SH		mgy		S2			mod		Py	5					7/7/2002	OB	
MY2120			G		Ta		SH		mgy		S2			mod		Py	5					7/7/2002	OB	
MY2121			G		OC		SH		mgy		S2			mod								7/7/2002	OB	
MY3023	642908	6986462	SCG		Ta	OSDr	Chert	veind	buff		S1	A1		mod		G	3	Py	trace			6/7/2002	JB	select composite grab
MY3011	L8600N @	10191E	G		Ta	OSDr	SH	box wk	mgy													1/7/2002	JB	sulphides eroded boxwork
MY3012	643285	6987124	G		Ta	OSDr	SH		mgy					mod								1/7/2002	JB	orange oxidation
MY3013	L8600N @	10231E	G		Ta	OSDr	SH		mgy			A1		weak								1/7/2002	JB	
MY3015	L8600N @	10191E	G		Ta	OSDr	SH	Brec	brn					mod								1/7/2002	JB	sulphides eroded boxwork
MY3016	643708	6986770	G		Ta	OSDr	SH	Brec	brn		S2			mod								2/6/2002	JB	
MY3024	9660m east		G		Ta	OSDr	Chert		buff		S1			mod		G	2					6/7/2002	JB	
MY3025	9650m east		G		Ta	OSDr	Chert		buff		S1	A1		mod		G	2					6/7/2002	JB	
MY3026	9650m east		G		Ta	OSDr	Chert	sheared	buff		S1	A1		mod		G	2	Py	trace			6/7/2002	JB	
MY3027	9650m east		G		Ta	OSDr	Chert	brec	buff		S1	A1		mod		G	2					6/7/2002	JB	veined (druzy) vugy
MY3028	9650m east		G		Oc	OSDr	Chert	stringer	mgy	C3	S1					Py	3					6/7/2002	JB	stringers
MY3029	643235	6986877	CH	1.5	RC	OSDr	Chert	brec	buff		S1	A2		mod		Scor	weak					7/7/2002	JB	at least 25% boxwork
MY3030	643235	6986879	CH	1.5	RC	OSDr	Chert	brec	light brn		S1	A2		mod		Scor	weak					7/7/2002	JB	at least 15% boxwork
MY3031	643213	6986839	CH	1.5	RC	OSDr	Chert	fractured	light brn		S1	A2		mod		Scor	weak	Py	trace			7/7/2002	JB	
MY3032	643241	6986895	CH	2	RC	OSDr	Chert	brec	buff		S2	A2				Scor	weak					7/7/2002	JB	at least 15% boxwork
MY3033	643264	6986911	CH	2	RC	OSDr	Siltstone	fractured	gry			A1				Py	trace	Hem	weak			7/7/2002	JB	some boxwork
MY3040	643342	6987007	CH	2m	Oc	OSDr	Chert	vein'd	gry		S1	A1				Ar	trace					21/7/02	JB	Chloritic, Sericitic, Scoriditic breccia
MY3041	643343	6987008	CH	2.1m	Oc	OSDr	Chert	vein'd	gry		S1	A1				Ar	trace					21/7/02	JB	Chloritic, Sericitic, boxwork breccia

Rock Sample Description Sheet

DONE

Sample No.	Traverse	Zone	Sample Type	Width (m)	Sample Desc.	Fm.	Lithology	Modifier	Colour	Carb. Presence	Silicification	Argillic Alt.	Potassic Alt.	Phyllic Alt.	Limonite	Mineral #1	Amount %	Mineral #2	Amount %	Other Mineral	Amount %	Date	Sampler	Comments
~~MY~~ 1200 MY9	MY9	8	C	1.5	OC	OSDr	Ch	shear	beige		S1	A1			mod	Py	tr					9/7/02	CS	2 dir. Gz-lined fract.
MY6-1201	MY6	8	Cc		RC	Kgm	LAQM	mass	blue	C2	S2	A1		Ph2	mod	Py	4					10/7/02	CS	C. Gr + FG Py
1202	"	"	Cc		RC	Kgm	LAQM	bxc	lt brn	C3	S1				mod	Py	2					"	"	F Gr Py
1203	"	"	Cc		RC	Kgm	LAQM	mass	blue	C2	S1	A1	K1	Ph2	mod	Py	4					"	"	Diss. FG Py
1204	"	"	Cc		RC	Kgm	LAQM	mass	blue	C1	S2			Ph2	mod	Py	3					"	"	F. diss Py
1205	"	"	C	1.7	OC	Kgm	LAQM	Sh	Gl-grn			A1		Ph2	str	Py	5	Cpy	<1	Cu?	tr	"	"	Ln L. minor QV+

ROCK SAMPLE DESCRIPTION SHEET

Date: July 2002
Sampler: Jeff Boyce
Zone: MYSHKA
Traverse:

Sample No.	Easting	Northing	Sample Type	Width (m)	Sample Descr.	Form.	Lithology	Modifier	Colour	Carb. Presence	Silicification	Alteration 1	Alteration 2	Other Alt.	Mineral #1	Amount (%)	Mineral #2	Amt (%)	Other Mineral	Amt (%)	Comments	
MY3033	643264	6986911	CH	2.0	RC	OSDr	Silstn	fracture	gray			A1			Py	Trace	Hem	weak			some boxwk	7/07
MY3034	643555	6987486	G		OC	OSDr	LH	Fractured	buff wh.		S2	A1									on fault	7/07
MY83201	630316	6993463	G		Talus	OSDr	SS?		mgy		S1				Py	5%	cPy	trace				9/07
MY83202	630522	6993606	G		Talus	OSDr	SS?		mgy		S1	Lim.wk										9/07
MY83203	631388	6993926	G		Talus		Qtz	vein	white						Py	trace					fractured	9/07
MY83204	631436	6994042	G		Float	OSDr	CH	foliated	Beige		S1	Lim. mod	A2								found in creek	Valley
MY83205	631705	6994155	CH	1.5m	Rubble crop	OSDr	CH	fractured	grey/brn						Hem.	trace					stringer veins	K.Ilz
MY13206	645885	6987975	CG		OC	OSDr	CH	Bree	Grey/bk						Scar	weak					weak boxwk	10/07
MY13208	646311	6988580	G		OC	OSDr	SS?	veined	grey			lim mod									Qtz veins, boxwk	in ve

Rock Sample Description Sheet MY3011 A

Sample No.	Traverse	Zone	Sample Type	Width (m)	Sample Desc.	Fm.	Lithology	Modifier	Colour	Carb. Presence	Silicification	Argillic Alt	Potassic Alt	Phyllic Alt	Limonite	Mineral #1	Amount %	Mineral #2	Amount %	Other Mineral	Amount %	Date	Sampler	Comments
MY3002			G			OsDr	SH		Mgy													25/06	JTQ	
MY-3003			G			KqM	ABM		Mgy						Mod							25/06		Small
MY3005			G				Qtz	Vn	wh													25/06		Stockwk
MY3006			G				Qtz	Vn	wh						weak							25/06		Irreg
MY3007			G				Qtz	Vn	wh						weak							25/06		
MY3008			G				Qtz	Vn	wh						weak							25/06		
MY3009			G				AQM	brec	yellow	n	SA				Mod							25/06		Radiating needles? Calc Sil
MY3010			G		Ta	OsDr	LST		dgy		S2											1/07		
MY3011			G		Ta	OsDr	SH	boxwk	mgy													1/07		Hydrothermal breccia
MY3012			G		OC	OsDr	SH		mgy						Mod							1/07		Orange
MY3013			G		Ta	OsDr	SH		mgy			A1			weak							1/07		
MY3014			G		Ta	OsDr	SH	Brec	brn						Strg							1/07		
MY3015			G		Ta	OsDr	SH	Brec	Brn						Mod							1/07		Hydrothermal breccia
MY3016			G		Ta	OsDr	SH	Brec	Brn		Sa				Mod							2/07		
MY3017			CH		OC	KqM	AQM	Mas	Mgy		S1					Py	1					2/07	Y	
MY3020			CH		OC	KqM	AQM	Mas	Mgy		S1					Py	1					2/07	JB	
MY3022			G		Ta	OsDr	Ch	boxwk	mgy		S1				wk							5/07		
MY3023			SCG		Ta	OSDR	CH	Vnd	buff		S1	A1			Mod	G	3	Py	Tr			6/07		Silicified
MY3024			G		Ta	OSDR	CH		buff		S1				mod	G	2					6/07		
MY3025			G		Ta	OSDR	CH		buff		S1	A1			mod	G	2					6/07		
MY3026			G		Ta	OSDR	CH	Sheared	buff		S1	A1			mod	G	2	Py	Tr			6/07		
MY3027			G		Ta	OSDR	CH	Brec	buff		S1	A1			mod	G	2					6/07		Mineral (drusy) Mgy
MY3028			G		Dc	OSDR	CH	Stringer	Mgy	C3	S1					P	3					6/07		Stringers
MY3029			CH	1.5	RC	OSDr	CH	Brec	Buff		S1	A2			Mod	Scor	weak					7/07		Py at least 25%
MY3030			CH	1.5	RC	OSDr	CH	Brec	light Brn		S1	A2			Mod	Scor	weak					7/07		Py at least 15% boxwk
MY3031			CH	1.5	RC	OSDr	CH	Fractured	light Brn		S1	A2			mod	Scor	weak	Py	Tr			7/07		
MY3032			CH	2.0	RC	OSDr	CH	Brec	Buff		S2	A2				Scor	weak					7/07		Py at least 15% box wk

Rock Sample Description Sheet

DONE

Sample No.	Traverse	Zone	Sample Type	Width (m)	Sample Desc.	Fm.	Lithology	Modifier	Colour	Carb. Presence	Silicification	Argillic Alt.	Potassic Alt.	Phyllic Alt.	Limonite	Mineral #1	Amount %	Mineral #2	Amount %	Other Mineral	Amount %	Date	Sampler	Comments
MJ 1028			C	1.0	OC	ossor	QVn	Frac	wh to						mod	Py	tr					7/6/02		[illegible]
1029				[illegible]	OC	"	QVn	Frac	white						mod	Py	3	[illegible]	[illegible]					@ [illegible]
MJ 1030			C	0.4	OC	"	CH	Brec	brn		S1	A1		Ph2	str							1/7/02	CS	strong lim. after Py
1031			Co		RC	"	QVn	Frac	white						mod							"	"	Nal lim. al. fract; lo. disseminated
1032			C	1.0	OC	"	CH	Brec	br AF		S3	A1		Ph1	str	Py	4	As	1			"	"	Loc. As @ ~1m"?
1033			C	0.45	OC	"	CH	Brec	diff gy		S3	A1			wk	As	2	Py	<1			"	"	S1 brec - As-Tourm matrix?
1034			Co		TA	"	CH?																	
1035			C	2.1	FM	OSDn	cmlst	Stwk	lt brn		S1	A2		Ph1	mod	Scor	wk					2/7/02		Lim. alt Py - fract fill
1036			C	2.5	FM		CH	sug	buff		S2	A2			tr	Scor	wk					"	"	wh. v. sta. alt scor
1037			Co		RC		CH	stwk	buff		S2	A2			wk	Scor	wk					"	"	wh. to
1038			C	1.8	OC		CH	Frac	lt gy/brn		S2	A1			mod	Sc	mod	Py	5			"	"	Loc. Py
1039			Co		FB		QDior	Frac	bf-wh			A2		Ph2	mod			Py				"	"	Py
1040			Co		TA/RC		QVn	Frac	wh						mod	Py	2					"	"	Mal Py
1041			C	0.2	O/C	OSDn	CH	Brec	gy		S1	A2			mod	Py	2							S-10% Py, Q & Py

DONE

Rock Sample Description Sheet

Sample No.	Traverse	Zone	Sample Type	Width (m)	Sample Desc.	Fm.	Lithology	Modifier	Colour	Carb. Presence	Silicification	Argillic Alt.	Potassic Alt.	Phyllic Alt.	Limonite	Mineral #1	Amount %	Mineral #2	Amount %	Other Mineral	Amount %	Date	Sampler	Comments
1000			Sc	—	Talus	OSDr	CH?	Vuggy	bf-grn		S1	A3			tr	As	5	Sec	mod			24/6	CS	BL 1000 8400 N
1001			C	1.5	C/FM	"	CH	Vuggy	"		S2	A2			tr	As	5	Sec	mod			"	"	1055 E 8550 N - ??
																								+ 1350 E =
MY 1002			Cr	1.5	RC	"	CH	Brec	buff		S2	A1			mod	Py	<1	As	tr	Sec	wk	25/6	"	8400N, 9130E
MY 1003			C		Ta	OSDr	CH	Vn	Grey		S1					As	20%	Py	3					8610N, 9970E -
MY 1004			Cr		Ta	OSDr	CH	Brec	Buff		S2	A2			tr	As	tr	Scor	wk			"	"	8545N, 9992E -
MY 1005			C	1.0	OC	OSDr	CH	Brec	Purple						str							"	"	8575N, 10005E - Irid
MY 1006			C	1.2	OC	"	SH-CH	Jtbl	white		S2	A1			mod	Py	2	As	tr	Trace	Hem?	"	"	Py boxworks strong
MY 1007			C	1.0	OC	"	CH	Frac	br/grey			A2			str	Py	tr					"	"	Py boxwk, prob. As
MY 1008			C	1.2	OC	"	CH	brec	buff		S2	A2			wk	Py	tr	As	tr					strong mod Py boxwork
MY 1009			C	1.2	Rc	"	CH	brec	grey-bf		S3	A2			wk	Py	4	As	tr	Scor	wk	"	"	Incl. minor vein
							CH																	
MY 1010			Cr		Ta	OSDr	SH	brec	brn		S1	A1			str							26/6		CH. brec bldr - matrix shale
MY 1011			C	1.7	OC	OSDr	SH	jtbl	wh-gy	gy	S1	A2		PM	str	Py	2	Po	<1	As	tr	27/6/02	"	CH-SH mix: var. alter
MY 1012			C	1.7	OC	OSDr	CH	stwk	buff		S2	A1			wk	Scor	tr					27/6/02	"	[illegible]
MY 1013			Cr		TA	OSDr	CH	String	wht						mod	Scor	tr					"	"	Vn to vn brec, Py (As?) boxwk
MY 1014			Cr		TA	OSDr	CH?	string	bf-grey		S1	A1			mod							"	"	Chdy vns, weng, strong boxwk
MY 1015			Scr		TA	OSDr	CH QV	Brec	green		S3	A1		Ph2	mod	Scor	mod	As	tr					QV in sil ch. shale
MY 1016			Scr		TA	"	SH-CH	Vnlet	Green		S3	A1		Ph1	tr	scor	str	As	tr			"	"	Bedded, orig. [illegible] 30°
MY 1017			C	1.6	OC	"	SH	Frac	Grey		S1	A1		Ph1	wk	Scor	mod							Local [illegible]
MY 1018			C	1.7	OC	"	SH/CH	Jtbl	Grey		S2	A2		Ph1	wk	Scor	mod	Py	tr					Pods ore [illegible]
MY 1019			Cr		TA(RC)	"	SH/CH	Lmst	Grn		S2	A1			tr	Scor	wk	As	<1					Rusty [illegible]
MY 1020			C	0.9	OC	"	SH	Stwk	buff		S2	A1			tr	Scor	wk					28/6/02	"	Well dev. stwk, pervasive alt
MY 1021			Cr		RC	"	SH	stwk	Yel		S1	A2		Ph1	wk	Scor	wk					"	"	Prob. E-W trending
MY 1022			Cr		Bldr	"	SH	string	buff			A2		Ph2	wk	Scor	wk					"	"	15% Qz str, orig bxwk
MY 1023			Cr		Rc	"	SH	stwk	Yel		S1	A2		Ph1	wk	Py	tr	Scor	wk			"	"	Buff Scor: orig much more
MY 1024			Cr		Rc		SH/CH	brec	buff		S2	A1		Ph1	wk	Py	1	Scor	tr			"	"	Mix of [illegible]
MY 1025			Cr	D	Rc		CH	Frac	Grey		S2			Ph1	str	Py	4					"	"	Minor shale: to soft Scor
1026			Cr		Rc		CH	stwk	dk gy-grn		S2	A1				As	tr	Scor	wk			"	"	Part of wider Argillic zone
1027			C	0.75	OC		CH	stwk	Grn-grey		S3	A1			wk	As	6%	scor	mod	Py	1	"	"	" " " - trend ≈ 50°

Rock Sample Description Sheet

DONE

Sample No.	Traverse	Zone	Sample Type	Width (m)	Sample Desc.	Fm.	Lithology	Modifier	Colour	Carb. Presence	Silicification	Argillic Alt.	Potassic Alt.	Phyllic Alt.	Limonite	Mineral #1	Amount %	Mineral #2	Amount %	Other Mineral	Amount %	Date	Sampler	Comments
MY1042		S	Co-		TA	OSDr	Slt	brec	buff		S1	A1				Scor	wk					5/7/02	C S	Fair abt talus
1043		S	Co-		TA	"	Slt	brec	grn		S1	A2				As	2	Scor	str					Loc scor beginning
1044		S	Co-		TA	"	Is lt?	F.gr	blk		S1				str	Po	5	Py	30					Mass Po Py sheared - prob talus
1045		S	Co-		TA	"	Slt	brec	bl-gn		S1	A1			tr	As	5	Stib	2	Py	tr			As Stib in matrix
1046		S	Co-		TA	"	Slt	brec	yel		S2	A1			tr	As	4	Stib	2	Py	1			Similar to above, more stibnite
1047			Co-		RC	Kym	QFMs	brec	yellow			A1		Ph2	wk	As	2	Scor	wk			↓	↓	As at Coast, loc high-grade
MY1048		S	Co-		TA	OSDr	CH?	Brec	blue-gn		S2				mod	As	4	Py	10			6/7/02	C5	As Sulphides replacing qtz X
MY1049		S	Co-		TA	Kym	QMs	mass	buff-yel		S1	A2		Ph2	mod	Py	12					↓	↓	Disseminated blebs Py
MY1050			C	2.0	OC	OSDr	Ch/sh	brec	gf-grn		S2	A1			tr	Py	2	As	<1	Sb	tr	7/7/02	C5	1.5m brec + str. alt material
1051			Co-		RC	Kym	QFM	mass	blue-gy	C3	S1	A1		Ph1	wk	Py	8	Po	tr	Scor	tr			Ref. unaltered, massive Py
1052			C	1.0	OC	Kym	QFM	mass	blue-gy	C1	S2	A1			mod	Py	8	Po	tr					Less carb alt - more Si
1053			Co-		RC	"	QFM	brec	wh/gy		S1	A2			str	Py	15							Py in brec matrix
1054			Co-		RC/TA	OSDr	CH	brec	gm/gy		S2	A2			mod	Scor	mod	As	tr					Strong Py (As?) bxwk
1055			Co-		RC	OSDr	QVn	Frac	buff/wh						str									Lim after Py al frac
1056			Co-		RC/TA	"	Blk CH	brec-fr	buff-yel		S1	A2			tr	Scor	wk							Fairly strong Py bxwk - mar al frac
1057			Co-		RC/TA	"	CH	Brec	buff-yel		S1	A2			mod	Scor	mod							Some Py bxwk
1058			Co-		RC	"	CH	Brec	yel		S1	A2			mod	Scor	mod	As	tr					well dis. qtz stk loc. ally

Rock Sample Description Sheet

Sample No.	Traverse	Zone	Sample Type	Width (m)	Sample Desc.	Fm.	Lithology	Modifier	Colour	Carb. Presence	Silicification	Argillic Alt.	Potassic Alt.	Phyllic Alt.	Limonite	Mineral #1	Amount %	Mineral #2	Amount %	Other Mineral	Amount %	Date	Sampler	Comments
643312	[illegible]		CH	2m	OC	[illegible]	Chert	[illegible]	[illegible]		S1	A1				Ars	Tr					[illegible]	JE	[illegible]
[illegible]	[illegible]		CH	2.1m	OC	[illegible]	Chert	[illegible]	[illegible]		S1	A1				Ars	Tr					[illegible]	JE	[illegible]
643322 done	M/S4/2		CH	2m	RC	[illegible]	Chert	Veined	Tan			A2			Mod	Ars	Tr					[illegible]	JE	[illegible]

SILT SAMPLE DESCRIPTION SHEET

Sampler:

Zone:

Sample No.	Easting	Northing	% Fines	Colour	Stream Grade	Stream Width	Date	Sampler	Comments
MY1406	642760	6986711	75	Red-brn	Steep	Seasonal	6/7/2002	CS	Some flow upstream - mossmat
MY1407	642705	6986715	80	Brown	Steep	2m	6/7/2002	CS	Seepage stain
MY3502	643641	6986783	50	brn	steep	2m	2/7/2002	JB	a bit down from L8200

DONE

SILT SAMPLE DESCRIPTION SHEET

Sampler: Carl Schulze

Zone: 8

Sample No.	Easting	Northing	% Fines	Colour	Stream Grade	Stream Width	Date	Comments
MY91500			70	Grey	Mod	3 m	9/7/02	Fast, sparse silts
MY91501			60	Grey	Mod	1 m	"	Fine silts over coarse
1502			60	Grey	Gen	3 m	"	Main stream - sparse silts
1503			55	Grey	Gen	4 m	"	" " - " "
1504			65	Grey	Gen	5 m	"	Main st - fines over coarser sil
1505			85	Grey	Mod	1 m	"	Mmat - several sites - high org,
1506			70	Grey	Gen	4 m	"	Flood plain tracing main stream
MY6-1507			65	Grey	Mod	3m -	10/7/02	Channel 3m - sev. sites
1508			50	Grey	Mod	3m	"	" " "
1509			60	Grey	Mod	4m	"	Channel 4m - sev. sites
1510			60	Grey	Mod	3m	"	" 3m " "
1511			70	Grey-brn	Mod	5m		Int. dry (at sampling time) - Smoke
1512			70	Grey-brn	Mod	3m	"	Main dry channel
1513			75	brn	Mod	2m	"	Trib from W - dry
1514			75	brn	Mod	2m	"	Dry main channel - fair fines
1515			90	brn	Gen	0.5m	"	Trib from west - Mmat - wet
1516			70	brn	Stp	2m	"	Main stream - full again
1517			65	brn	Mod	2m	"	Med gr silt but fines rare
1518			70	brn	Mod	2m	"	Several sites
1519			80	brn	Stp	2m	"	Mmat - several sites, high org
1520			75	brn	Gen	15m	"	Mmat - 25% Org - main stream

DONE

SILT SAMPLE DESCRIPTION SHEET

Sampler: C. [illegible]

Zone:

Sample No.	Easting	Northing	% Fines	Colour	Stream Grade	Stream Width	Date	Comments
[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	29/6/02	[illegible]
MT 1401			60	[illegible]	St	0.75m	"	[illegible]
MT 1402			ES	[illegible]	[illegible]	1.0	"	[illegible]
MT 1403			[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
MT 1404			[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
MT 1405			40	gy	St	25cm	1/7/02	[illegible]

DONE

SILT SAMPLE DESCRIPTION SHEET

Sampler:

Zone:

Sample No.	Easting	Northing	% Fines	Colour	Stream Grade	Stream Width	Date	Comments
MY 1406			75	mi to	st	seasonal	6/7/02	Some flow upstream - mossy mat
1407			80	brn	st	2 m	"	Seepage - stain
1408			60	gry	st	Seasonal	"	Dry at time - see site
1409			60	Brn	mod	1 m	"	Swift, below waterfall