


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8

TELEPHONE: 604-688-2568

FAX: 604-688-2578



ASSESSMENT REPORT

describing

PROSPECTING, SOIL SAMPLING AND HAND TRENCHING

at the

HIDDEN PROPERTY

NTS 105F/6

Latitude 61°26'N; Longitude 133°22'W

in the

Whitehorse Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

W. Douglas Eaton, B.Sc. Geology

December 2003

094478 C.1

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY	2
GEOMORPHOLOGY	2
GEOLOGY	2
GEOCHEMISTRY	4
Pre-2003 Soil Geochemistry and Soil Panning	4
2003 Soil Geochemistry	5
MINERALIZATION	6
Pre-2003 Results	6
2003 Prospecting and Trenching Results	8
DISCUSSION AND CONCLUSIONS	9
REFERENCES	11

APPENDICES

- I AUTHOR'S STATEMENT OF QUALIFICATIONS
- II. CERTIFICATES OF ANALYSIS
- III. ROCK DESCRIPTIONS

FIGURES

FOLLOWING PAGE

1	PROPERTY LOCATION	1
2	CLAIM LOCATION	1
3	HISTORICAL COMPILATION	2
4	TECTONIC SETTING	2
5	PROPERTY GEOLOGY	3
6	TABLE OF FORMATIONS	3
7	SAMPLE AND TRENCH LOCATIONS	5
8.	BE AND V GEOCHEMISTRY	6
9.	CROSS SECTION, DISCOVERY ZONE	7

INTRODUCTION

The Hidden property consists of 12 mineral claims owned 100% by Strategic Metals Ltd. The claims were staked in June 2001 to protect tungsten mineralization, soil geochemical anomalies and scheelite panning targets discovered by a previous owner.

In 2003, the claims were explored for emerald by prospecting, soil sampling and hand trenching. The work was done by a three person crew from a tent camp on the property between July 28 and August 3. The author supervised the work and his Statement of Qualifications is given in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Hidden property is located approximately 120 km northeast of Whitehorse in southern Yukon Territory. It is on NTS map sheet 105F/6 at latitude 61°26'N and longitude 133°22'W, as shown on Figure 1.

The property consists of the Hid 1-12 mineral claims registered with the Whitehorse Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited, which holds them in trust for the owner Strategic Metals Ltd. Claim data are listed below while the location of individual claims is shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Hid 1-12	YC19262-YC19273	March 7, 2012

*Expiry dates include 2003 work that has been filed for assessment credit but not yet accepted.

The claims lie 15 km due west of the South Canol Road, a gravel road maintained on a seasonal basis by the Government of Yukon. A bulldozer trail extends from the road to a point 8 km east of the Hidden property.

Access in 2003 was by a Hughes 500C helicopter operated by Kluane Airways Ltd. from a temporary base at Finlayson Lake, about 150 km east of the property. The helicopter ferried the crew and camp gear to and from the South Canol Road.

STRATEGIC METALS LTD.

FIGURE 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION


HIDDEN PROPERTY




SCALE 1:5,000,000

0 50 100 150 200 km

DECEMBER, 2003

- ⚡ Present or past producer owned by others
- ★ Undeveloped deposit owned by others





STRATEGIC METALS LTD.	
FIGURE 2	
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED	
CLAIM LOCATION	
HIDDEN PROPERTY	
SCALE 1:20000	
DRAWN/REVISED BY: WAW	PROJECT: HIDDEN
2003\HIDDEN\F2-HIDDEN-CLAIM LOC-20K	DATE: DECEMBER, 2003

HISTORY

The Hidden area was first staked in 1978 by Cub Joint Venture (Union Carbide Canada Limited, Cassiar Asbestos Corporation Limited and Highland-Crow Resources Ltd., a Teck Corp affiliate). The staking was prompted by discovery of tungsten mineralization during follow up prospecting of earlier Union Carbide stream sediment anomalies.

Exploration work in 1978 included grid panning and soil geochemical sampling, magnetic and electromagnetic surveys, preliminary mapping and two hand trenches (Abbott and Cathro, 1978). In 1979, the claim block was expanded and eight diamond drill holes totalling 915 m were completed. Later that year geological mapping, additional panning and soil geochemical sampling were performed (Abbott and Cathro, 1979).

In 1981 Cub JV conducted a proton magnetometer survey over the core of the geochemical anomaly. It also performed petrographic studies (Main and Cathro, 1981).

The final work program by Cub JV was done in 1984. It consisted of three hand trenches in areas of high panning values, localized ultraviolet night lamping surveys and collection of scheelite bearing soil to compare panning results to assay values (Main, 1984).

The Hid claims cover the core of the old work area, including all of the diamond drill holes, the main showing (Discovery Showing) and most of the panning anomaly, as shown on Figure 3.



GEOMORPHOLOGY







The Hidden property is located within the Pelly Mountains. It is drained by creeks within the watershed of the Big Salmon River, a major tributary of the Yukon River. The claims cover rugged terrain on the flanks of a prominent, unnamed mountain ("the Peak"). Local elevations range from about 1200 m alongside a west flowing creek on the northwestern edge of the property to 1853 m atop the Peak.

Tree line is at about 1500 m. Vegetation ranges from thick stands of black spruce near the creek to scattered stunted spruce and buckbrush near tree line.

GEOLOGY

The property lies southwest of the Tintina Fault within a complex package of rocks where components of Cassiar Platform, Yukon-Tanana Terrane and Slide Mountain Terrane are dismembered and juxtaposed by thrust and high angle faults (Figure 4). Stratigraphic units underlying the property are thought to belong to Cassiar Platform. The main deformation event occurred in Late Paleozoic times. Granitic stocks and batholiths are common in the area. They were emplaced during Cretaceous times (110 - 100 Ma.) and are assigned to the Cassiar Plutonic Suite (Mortensen et al, 2000). The property lies along the southern edge of the Nisutlin Batholith.



-  Thrust fault
-  Transcurrent fault
-  Yukon-Tanana Terrane
-  Slide Mountain Terrane
-  Stikinia and other Terranes
-  Cassiar Platform and other North American Miogeoclinal Strata


STRATEGIC METALS LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

HIDDEN PROPERTY



0 100 200 300 400
KILOMETRES

DRAWN/REVISED BY: DJT	PROJECT: HIDDEN
FILE: 2003/HIDDEN/F4-HIDDEN-TECTONIC SETTING.DWG	DATE: DECEMBER, 2003

Modified after Mortensen and Jilson (1985), Mortensen (1992) and Johnston and Mortensen (1994).

Geology in the immediate vicinity of the Hidden property is shown at 1:5000 scale on Figures 3 and Figure 5. Property mapping was done by Trevor Bremner on behalf of Cub JV in 1979.

Local stratigraphy ranges from Ordovician to Mississippian in age. The section is at least 1300 m thick and has been subdivided into six map units, as described in the following paragraphs and illustrated on Figure 6.

The oldest rocks belong to unit **OSc** which consists of at least 100 m of massive dolomite. The dolomites are characteristically white with black bands. They are only exposed in drill core and on a few outcrops near the Discovery Showing.

The dolomite is overlain by unit **OSsl** comprising about 200 m of recessively weathering, black, graphitic calcareous slate with minor fetid limestone. The Discovery Showing may be hosted by fetid grey limestone near the top of this unit. The contact between this unit and the overlying rocks is gradational.

Unit **OSDqc** is composed of about 500 m of grey-green silty shale interbedded with black graphitic shale and distinctive, thinly laminated silty limestone. These rocks undergo marked lateral facies changes and some lithologies are similar to those within other units.




Unit **OSs** gradationally overlies unit **OSDqc**. It consists of about 100 m of recessively rusty weathering, black non-calcareous slate. A monograph found in slate on the southeast side of the Peak is probably Silurian in age.

Unit **Sd** is a massive, light grey sandy dolomite that is interbedded with lenses of massive grey quartzite. This unit is about 300 m thick. These dolomites are difficult to distinguish from those comprising unit **OSc**.

The youngest sedimentary rocks in the immediate vicinity of the Hidden property are black, graphitic non-calcareous, siliceous slate belonging to unit **uDMs**. These rocks are separated from the other units by a major fault and are believed to belong to a separate stratigraphic package. The exposed section of this unit is at least 300 m thick.

Unit **Kqm** comprises porphyritic granodiorite and quartz monzonite of the 100 - 110 Ma Cassiar Plutonic Suite. These rocks occur within the Nisutlin Batholith, the southern margin of which underlies the northeastern corner of the property. The contact is sharp and dips sharply southwest.

Unit **KTfp** forms two north trending, steeply dipping dykes that cut stratigraphy at a high angle in the central part of the claim block. The dykes are up to 10 m wide and consist of dark brown, feldspar porphyry containing vesicles and calcite filled amygdules. These rocks belong to a suite of subvolcanic dykes and associated flows of Upper Cretaceous or Tertiary age. A small isolated exposure of quartz-biotite-feldspar porphyry located about 800 m due south of the Peak is of uncertain affinity and could be unit **Kqm** or **KTfp** (it is shown on the maps as **Kqm**).



- Cretaceous**
 KTFp dactite porphyry dikes
 Kqm quartz monzonite
- Upper Devonian and Mississippian**
 uDMs slate
- Ordovician, Silurian and Devonian**
 Sd sandy dolomite
 OSs slate
 OSDqc limestone and shale
 OSsl limestone and shale
 OSc banded dolomite


- geological boundary - defined, approximate
- fault - defined with dip direction
- bedding orientation
- anticline
- syncline

STRATEGIC METALS LTD.	
FIGURE 5	
ARCHER, CATRO & ASSOCIATES (1981) LIMITED	
PROPERTY GEOLOGY	
HIDDEN PROPERTY	
SCALE 1:5000	
0 50 100 150 200 METERS	
DRAWN/REVISED BY: [illegible]	PROJECT NUMBER: [illegible]
FILE: [illegible]	DATE: [illegible]

Figure 6


TABLE OF FORMATIONS

CRETACEOUS and/or TERTIARY



KTfp


Dacite porphyry dikes - dark brown, with vesicles and calcite-filled amygdules



Kqm

Nisutlin Batholith - quartz monzonite

UPPER DEVONIAN and MISSISSIPPIAN



uDMs


Slate - Minor Siltstone - black, non-calcareous

ORDOVICIAN, SILURIAN and DEVONIAN




Sq

Massive grey quartzite




Sd

Sandy Dolomite - massive, light grey and tremolite-diopside skarn




OSs ?

Slate, black, graptolitic, weathers rusty



OSDqc

Limestone, light grey, "wavy banded", pellet texture, with interbedded green-grey silty shale




OSsl

Graphitic Limestone and black calcareous shale



OSc

Banded Dolomite - white, massive, with thin black bands



At regional scale, the sedimentary rocks form a gently to moderately southwest dipping sequence. However at property scale, they are mildly deformed by open, upright, northwest trending folds with amplitudes ranging up to 100 m. A penetrative cleavage dips southwesterly subparallel to bedding in fine grained clastic rocks but there is no evidence that it is accompanied by large scale folds.

The dominant structural elements on the property are north trending normal faults but similarities between some rock types makes recognition of these structures difficult without very detailed stratigraphic and structural mapping. Faulting is most intensely developed near the Discovery Showing where displacement of 1000 m or more has been measured. Offsets on the margin of the Nisutlin Batholith and airphoto lineaments, which can be traced from the wallrocks into the intrusion, indicate that some movement on the faults postdates emplacement of the batholith. The orientation of Tertiary dykes parallel to the faults suggests that the two may be related. An exception to the general northerly trend of faults is a postulated northeasterly trending structure situated between diamond drill holes 4 and 7 (see Figure 3). This fault was inferred solely from drill hole data and another interpretation may be possible with further work.

GEOCHEMISTRY

Pre-2003 Soil Geochemistry and Soil Panning

Pre-2003 grid soil sampling was conducted over a strike length of about 6 km along the southern margin of the Nisutlin Batholith. In most areas, samples were taken at 50 m intervals on lines spaced 200 m apart. Over much of what is now the Hid claims, line spacing was tightened to 100 m and in the vicinity of the Discovery Showing the grid was done at 25 m intervals on lines spaced 50 m apart. All of the samples were geochemically analyzed for tungsten, copper, molybdenum and lead at Chemex Labs Ltd. in North Vancouver. Molybdenum values were low across the entire area with only a few scattered values exceeding 10 ppm. Tungsten, copper and lead show greater contrast. For each of these elements the highest values are clustered in the area covered by the Hid claims. The area between the Peak and the Discovery Showing contains the greatest concentration of strongly anomalous tungsten (>400 ppm), copper (>100 ppm) and lead (>25 ppm) values. Of the four metals, tungsten is by far the most enriched relative to regional backgrounds. Unfortunately the technique used for most of the tungsten analyses had an upper limit of 400 ppm and samples containing more than that amount were not reanalyzed to establish absolute values. Thus many samples were reported as >400 ppm. Results from the pre-2003 geochemical sampling are not shown on maps attached to this report, mainly because the panning results discussed in the following section identify essentially the same areas of interest.

Pre-2003 soil panning surveys were also conducted over an area much larger than the current claim block. Sample spacing varies from 50 m intervals on lines spaced 100 to 200 m apart in low priority areas to 25 m intervals on lines spaced 50 m apart in anomalous areas. Sampling was done along pace and compass lines between cut baselines. Each pan contained about 2.5 kg of material that was panned to a concentrate, lamped with an ultraviolet light and the scheelite grains were counted. Results are summarized on Figure 3. The Hid 1-12 claims were staked to cover the main area of anomalous response.

The anomaly, as defined by the 200 grain contour, is 1900 m long and varies between 500 and 1000 m wide. A higher grade core of over 2000 grains was defined after the drill program was completed. It lies about 100 m uphill from the Discovery Showing and has not been drill tested. This core area is about 1000 m long and 300 m wide. Within it are several clusters of samples that contained >10,000 grains per pan. Although downslope dispersion has likely expanded the anomaly in northerly and westerly directions, most of the scheelite appears to be locally derived.

The Discovery Showing is marked as a single site panning anomaly of >10,000 grains. None of the other larger areas of anomalous values is explained by a known showing of significant size or grade. The core of the anomaly is situated at and above timberline where outcrop is relatively abundant and soil cover is usually about 1 m thick. It approximately coincides with an extensive stockwork system of scheelite bearing veinlets hosted by silicified wallrocks. Many of the highest values occur along high angle faults and dykes that have narrow skarn zones developed adjacent to them. The faults form broad recessive linears that are largely filled with talus from adjacent wallrocks. Little is known about the size and nature of skarns developed along them.

The panning anomalies have not been systematically followed up but limited work done in 1981 and 1984 yielded encouraging results. Several sites where high concentrations of scheelite grains were reported were revisited and resampled in 1984. The soil from these sites was sent unprocessed to Chemex Labs where it was assayed for tungsten oxide. The following table compares panning results to assay results.


TABLE I

Panning Results vs. Assay Values


<u>1979 Panning Value (scheelite grains)</u>	<u>1984 Soil Assay (%WO₃)</u>
16,600	0.067
1,500	0.056
22,000	0.090
20,000	0.073
17,000	0.180
9,000	0.298
5,000	0.032
25,000	0.078

2003 Soil Geochemistry

In 2003, 68 soil samples were collected, mostly on a contour controlled reconnaissance line around the ridge forming the centre of the property or from a 100 by 100 m detail grid (Figure 7). The reconnaissance samples were taken at 50 m intervals along the contour line. The grid samples were collected at 25 m intervals on lines spaced 25 m apart. All sample sites are marked by 0.5 m wooden lath bearing aluminum tags inscribed with the sample number. The soil was collected from B or C horizon material at depths ranging between 20 and 40 cm below surface.



-  Hand Trench
 -  Soil Sample
 -  Rock Sample
-  Claim Boundary

STRATEGIC METALS LTD.	
FIGURE 7	
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED	
SAMPLE AND TRENCH LOCATIONS	
HIDDEN PROPERTY	
	
DRAFTED/REVISED BY: MRD	PROJECT: HIDDEN
2003/HIDDEN/F7-HIDDEN-SAMPLE LOCATION.DWG	DATE: DECEMBER, 2003

The samples were sent to ALS Chemex Labs in North Vancouver, B.C. where they were dried, screened to -180 micron, dissolved by HF-HNO₃-HClO₄ acid digestion, leached in HCl and analyzed for 47 elements using a combination of inductively coupled plasma mass spectrometry and atomic emission spectroscopy. Appendix II contains the Certificates of Analysis.

Beryllium backgrounds are very high across the entire sampling area, 3 to 10 ppm (Figure 8). In the author's experience, values in this range would be considered moderately to strongly anomalous on most other properties. The highest values (14 to 171 ppm beryllium) occur in a 250 m diameter cluster which includes the Discovery Zone and areas to the south and west. Most of the anomalous values cannot be explained by downhill dispersion. A second area of high values was outlined about 400 m to the east where seven of eight samples collected over a length of 350 m returned between 10.65 and 18.10 ppm beryllium. A sample taken from a hand trench across a linear depression about 250 m uphill from the second area yielded 22.2 ppm beryllium. Unfortunately this trench did not reach bedrock. Results from the detail grid include several values between 10 and 17.35 ppm beryllium.

Vanadium soil geochemical values are also uncommonly high. The best values of 300 to 906 ppm vanadium are mostly in the vicinity of the Discovery Zone and on the detail grid (Figure 8). Chromium values are uniformly low (<100 ppm).

Geochemical results from other properties in southern Yukon have shown that the analytical technique used at the Hidden property in 2003 is somewhat unreliable for tungsten. Therefore, the earlier soil geochemical and panning provides better data for distribution of that metal.

MINERALIZATION

Pre-2003 Results

The only well tested mineralization on the property is the Discovery Showing. This scheelite occurrence is hosted by skarn likely developed in unit OSsl dark grey, fetid limestone. It consists of an area of felsenmeer 40 m long and 30 m wide that contains mineralized skarn blocks which are typically 0.3 to 1 m across but range up to 5 m. The mineralized blocks were originally interpreted as frost heaved outcrop; however, trenching showed that they are rotated and form a discontinuous layer overlying soil and unmineralized talus.

The mineralized blocks are coated with a thick layer of brown limonite on weathered surfaces. Inside they consist of massive to weakly banded, dark to medium green, fine grained, siliceous skarn. In a few specimens, reddish brown garnets 1 to 2 mm across occur as random disseminations. Up to 5% pyrrhotite is disseminated throughout most of the skarn blocks. Chalcopyrite is a minor component. Scheelite forms subhedral grains ranging from 1 to 5 mm across and is usually fairly evenly disseminated throughout the skarn although it is occasionally segregated into poorly defined bands. Thin sections show that the skarn is comprised of angular to subhedral grains of scheelite, diopside and minor garnet in a quartz groundmass with irregular interstitial sulphide blebs. Two semi-quantitative spectrographic analyses done in 1978 on this type of skarn indicate that in addition to iron, copper and tungsten the skarns are enriched in beryllium (700 and 1000 ppm) and bismuth (150 and 300 ppm). Additional specimens of this

material were collected and analyzed in 2003, as described in the 2003 Prospecting and Trenching Results.

A second type of mineralized rock, which was given the field name altered skarn, forms a minor part of the float at the Discovery Showing. It occurs as both concordant and discordant bands up to several centimetres wide within diopside-garnet-quartz skarn. In hand specimens it is soft, crumbly and intensely fractured. White laths of pyroxene up to 1 cm long give the rock an igneous appearance but thin sections show that the rock is a skarn in which scheelite and pyroxene again occur in a quartz groundmass. The altered skarn typically exhibits strong limonite stains on all weathered surfaces.

Surface samples of mineralized skarn reportedly averaged 1.2% WO_3 across the area of the float showing. Individual chip samples ranged from 0.89% across 5 m to 1.72% across 1.5 m. Soil geochemical results suggest the mineralization could extend 200 m further to the west but this is contradicted by Bremner's geology map which shows a major fault about 50 m west of the showing.


Three holes (1, 2 and 3) were drilled at different dip angles from one setup located above the showing to test the apparent host stratigraphy downdip. Another hole (5) was drilled back toward the first three from downhill to scissor beneath the Discovery Showing. Figure 9 illustrates three possible interpretations of the results.

Holes 1, 2 and 3 intersected black limestone and weakly developed siliceous diopside skarn containing only traces of scheelite. Bedding angles in the holes suggest that the stratigraphy is nearly horizontal. Therefore, assuming the mineralization is stratigraphically controlled, it has limited lateral extent (Interpretation A) or it is derived from a source located uphill from the drill holes (Interpretation B). Hole 5 intersected a fault zone that assayed 0.95% WO_3 across 2.13 m. Rocks within and adjacent to the fault are described as veined and brecciated skarn which was the only skarn logged in that hole. Thus there is a third possible explanation that could account for the observed surface mineralization and drill results. The skarn mineralization could be developed in a narrow band within and along the margins of a vein fault (Interpretation C). Assuming this interpretation is correct, the fault would likely strike northeasterly and dip about 60° to the north. It would extend updip from the intersection in hole 5 to a point immediately above the Discovery Showing float train but downhill from the collars of holes 1, 2 and 3. Descriptions of the mineralized fault and skarn intersected in hole 5 are quite sketchy. However, the mineralized altered skarn float has characteristics that would be expected from rocks adjacent to a fault. Mineralogical variations between the skarn observed in the drill hole and the majority of the mineralized float boulders may be due to differing wallrock chemistry.


Prospecting elsewhere on the property located several areas of skarn along faults and porphyry dykes and widely spaced scheelite bearing quartz veinlets forming a broad stockwork zone.

Most of the outcropping skarns are weak and are not accompanied by strong soil geochemical or panning anomalies. The exposed skarns usually grade less than 0.2% WO_3 and contain little or no magnetite or sulphide mineralization. However, magnetic surveys done in 1981 across the core of the panning anomaly identified several areas of strong positive response along faults and


**CROSS SECTION
LOOKING EAST
(INTERPRETATION A)**



**CROSS SECTION
LOOKING EAST
(INTERPRETATION B)**



**CROSS SECTION
LOOKING EAST
(INTERPRETATION C)**



- | | | | |
|-------|--|-----|--------------------|
| uDMs | slate | --- | fault |
| OSDqc | wavy banded limestone | --- | geological contact |
| OSsl | graphitic limestone and black calcareous shale | — | diamond drill hole |
| OSc | banded dolomite | | |
| | skarn | | |

STRATEGIC METALS LTD.

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CROSS SECTION
DISCOVERY ZONE
HIDDEN PROPERTY

DRAFTED/REVISED BY: WAW

PROJECT: HIDDEN

2003/HIDDEN/F9-HIDDEN-CROSS SECTION.DWG

DATE: DECEMBER, 2003

dykes, perhaps indicating that buried, pyrrhotite rich skarns are present. Hand trenching in 1984 confirmed tungsten bearing skarns are more widespread than is suggested by surface prospecting. All three trenches exposed mineralized bedrock or float grading between 0.3 and 2.8% WO_3 .

The stockwork zone, which covers an area about 850 by 350 m, directly coincides with the high grade core of the panning anomaly. Mapping and petrographic studies done in 1981 indicate that the entire area exhibits pervasive calc-silicate alteration. The quartz-scheelite veins and veinlets typically have bleached envelopes two to five times their width. Diopside is an ubiquitous vein component which implies that they were emplaced at a high temperature. Reportedly there are two to three mineralized fractures per metre over large areas. This type of mineralization has not been systematically sampled to establish its average grade.

2003 Prospecting and Trenching Results

Prospecting and hand trenching conducted in 2003 had three purposes: 1) to explore for emerald; 2) to sample tungsten mineralization to determine what other elements are present; and 3) to expose bedrock within linear, talus- or soil-filled depressions to test for buried tungsten mineralization that might explain some of the soil geochemical and panning anomalies.

Specimen and chip samples were sent to ALS Chemex where they were dried and crushed to better than 70% - 2 mm, then a 250 g split was pulverized to better than 85% passing 75 micron. A split of the pulverized fraction was digested and analyzed by the same procedures used for soils, except that the rocks were also assayed for gold, beryllium and tungsten. Certificates of Analysis form Appendix II while rock descriptions are given in Appendix III.

Prospecting successfully located green beryl crystals in talus (Figures 5 and 8). The crystals occur in a narrow quartz vein. They are opaque and pale green, and range up to 1 cm in length and 1.5 mm in diameter. A specimen has been submitted to Dr. Lee Groat at the University of British Columbia for detailed geochemistry analysis to establish the chromophore but results are not yet available.

Two specimens of skarn were collected from old trenches at the Discovery Zone (Figure 8). The samples were not tested with the ultraviolet lamp in the field and therefore are considered to be relatively representative of typical pyrrhotite bearing skarn. The samples (M012751 and M012752) returned 1.57 and 3.78% of WO_3 , 188.5 and 597 ppm beryllium, 80 and 56 ppm chromium, 433 and 268 ppm vanadium, 79.6 and 167 ppm bismuth and 12 and 24 ppb gold. No beryllium minerals were identified in the specimens.

Two trenches (H03-1 and -2) were dug by hand into north trending linear depressions (Figure 8). A series of chip samples (M012734 - M012738) were taken along the floor of trench H03-1. Bedrock consists of shale, sections of which include 10 cm wide quartz veins, a 10 to 20 cm wide gouge zone and oxidized fractures. The chip samples returned nil to 0.06% WO_3 , 4.24 to 19.20 ppm beryllium, 56 to 110 ppm chromium, 80 to 117 ppm vanadium, 6.84 to 85.4 ppm bismuth and nil to 19 ppb gold.

DISCUSSION AND CONCLUSIONS

The Hidden property has a favourable geological setting for tungsten mineralization and exhibits widespread panning and soil geochemical anomalies that have not been adequately explained. However, surface prospecting and magnetic surveys suggest that it is unlikely that there is a large skarn on the property that contains abundant pyrrhotite and is conformable with bedding. Thus, a Cantung-type skarn deposit (Mathieson and Clark, 1984) is a poor exploration model.

The presence of widespread scheelite bearing veins and narrow skarn zones along steeply dipping faults and dykes suggests that the main controls on mineralization are probably structural. This said, the presence or absence of carbonate minerals in the wallrocks may also be a significant factor in localizing mineralization. Proximity of stockwork zones to the feldspar porphyry dykes may indicate the presence of a buried intrusion which could in turn indicate that the stockwork is part of a larger porphyry system.


A useful model for the Hidden property could be the Logtung tungsten-molybdenum deposit, located 180 km to the southeast in the same belt of intrusions. This deposit contains 229 million tonnes grading 0.104% WO_3 and 0.050% MoS_2 (Deklerk, 2002). It is centred on a small Cretaceous-Tertiary dyke swarm. Recent compilation of old exploration data from Logtung identified general zoning away from molybdenum in the core toward tungsten on the fringes. This work also showed that recessively weathering, steeply dipping, sheeted veins that cut the stockwork zone host much higher than deposit average grade mineralization and comprise a greater proportion of total mineralization than previously thought. Beryllium and bismuth minerals are often present in the veins, especially in the more distal part of that system. Skarn zones host only a small percentage of mineralization at Logtung but where intersected often grade between 0.3 and 1% WO_3 (Wengznowski, in prep.). Their relationship to the steeply dipping veins is uncertain.

Future tungsten exploration at the Hidden property should evaluate stockwork, vein and fault-related skarn potential. This should include night lamping, hand trenching and detailed prospecting. The old drill core, especially hole 5, should be re-logged. Potential for other co-product metals notably beryllium and bismuth, should also be considered.

Future work should also include evaluation of emerald potential. Emerald is the gem variety of beryl, where the characteristic deep green colouration is due to impurities of chromium or vanadium. Limited soil and rock sampling at the Hidden property has shown strong, often coincident enrichment of beryllium and vanadium. Preliminary prospecting located an area of pale green beryl within one of the secondary soil geochemical anomalies. No prospecting for emerald has been done within the strongest geochemical anomaly which is in the vicinity of the best exposed tungsten showing. Recessive weathering linear depressions that are thought to mark veins and fault zones are the most prospective emerald targets. A significant emerald occurrence could easily be hidden beneath soil and talus, especially if the emeralds are hosted in friable, altered wallrocks on the selvages of veins.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



W. Douglas Eaton, B.Sc. Geology
By his Attorney-in-Fact
Joan Mariacher

REFERENCES

- Abbott, J.G and Cathro, R.J.
1978 1978 Final Report, Cub Joint Venture, pp. 42-49.

1979 1979 Final Report, Cub Joint Venture, pp. 44-51.
- Deklerk R. (compiler)
2002 Yukon MINFILE 2002 entry 105B039. Indian and Northern Affairs Canada, Yukon Region: CD-ROM.
- Johnston, S.T. and Mortensen, J.K.
1994 Regional setting of porphyry Cu-Mo deposits, volcanogenic massive sulphide deposits, and mesothermal gold deposits in the Yukon-Tanana Terrane, Yukon; Yukon Metallogeny: Recent Developments, Canadian-Yukon Economic Development Agreement, pp. 30-34.
- Main, C.A. and Cathro, R.J.
1981 1981 Final Report, Cub Joint Venture, pp. 81-88.
- Main, C.A.
1984 Hand Trenching and Sampling program, Hidden 5 Claim, Cub Joint Venture, p. 12.
- Mathieson, G.A. and Clark, A.H.
1984 The Cantung E Zone Scheelite Skarn Orebody, Tungsten, Northwest Territories: A Revised Genetic Model, Econ. Geol. Vol. 79, No. 5, August 1984, pp. 883-890.
- Mortensen, J.K. and Jilson, G.A.
1985 Evolution of the Yukon-Tanana Terrane: evidence from southeastern Yukon Territory; Geology, V.13, pp. 806-810.
- Mortensen J.K.
1992 Pre-Mid-Mesozoic Tectonic Evolution of the Yukon-Tanana Terrane, Yukon and Alaska; Tectonics, Vol. 11, pp. 836-853.
- Mortensen J.K., Hart C.J.R., Murphy D.C. and Heffernan S.
2000 Temporal Evolution of Early and Mid-Cretaceous Magmatism in the Tintina Gold Belt, *in* The Tintina Gold Belt: Concepts, Exploration and Discoveries; B.C. and Yukon Chamber of Mines, Special Volume 2, pp. 49-57.
- Wengzynowski, W.A.
in prep Geology, Mineralization, Geochemical and Geophysics, Logtung Property, Southern Yukon, technical report for Strategic Metals Ltd.

APPENDIX I
AUTHOR'S STATEMENT OF QUALIFICATIONS


STATEMENT OF QUALIFICATIONS

I, W. Douglas Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and

Vancouver, British Columbia and residential address in North Vancouver, British Columbia, hereby

certify that:

1. I graduated from the University of British Columbia in 1980 with a B.Sc. majoring in Geological Sciences.
2. From 1971 to present, I have been actively engaged in mineral exploration in British Columbia and Yukon Territory and on June 1, 1981, became a partner in Archer, Cathro & Associates (1981) Limited.
3. I have personally supervised the work reported herein and have interpreted all data resulting from this work.



W. Douglas Eaton, B.Sc. Geology
By his Attorney-in-Fact
Joan Mariacher

APPENDIX 11
CERTIFICATES OF ANALYSIS



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



STRATEGIC METALS LTD.

C/O ARCHER, CATHRO AND ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8



Page #: 1

Date: 5-Sep-2003

Account: MTT

CERTIFICATE VA03032568

Project : Hidden

P.O. No:

This report is for 8 PULP samples submitted to our lab in North Vancouver, BC, Canada on 27-Aug-2003.

The following have access to data associated with this certificate:

AL ARCHER
JOAN MARIACHER

ROB CARNE
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Be-AA81	Be - Fusion - AA	AAS
ME-XRF10	Fusion XRF - Ore Grade	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project : Hidden

Page # : 2 - A
 Total pages : 2 (A)
 Date : 5-Sep-2003
 Account: MTT

CERTIFICATE OF ANALYSIS VA03032568

Sample Description	Method Analyte Units LOR	Au-AA24	Be-AA81	ME-XRF10
		Au	Be	W
		ppm	%	%
		0.005	0.01	0.01
M012733		<0.005	<0.01	<0.01
M012734		0.007	<0.01	0.01
M012735		0.019	<0.01	0.02
M012736		0.019	<0.01	0.06
M012737		0.015	<0.01	0.03
M012738		0.007	<0.01	0.01
M012751		0.012	0.02	1.57
M012752		0.034	0.06	3.78



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

C: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

C Page #: 1
 . 24-Aug-2003
 Account: MTT

CERTIFICATE VA03030611

Project : Hidden
 P.O. No:
 This report is for 69 SOIL samples submitted to our lab in North Vancouver, BC, Canada on 14-Aug-2003.
 The following have access to data associated with this certificate:

AL ARCHER JOAN MARIACHER	ROB CARNE BILL WENGZYNOWSKI	DOUG EATON
-----------------------------	--------------------------------	------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES	
ALS CODE	DESCRIPTION
ME-MS61	47 element four acid ICP-MS

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page #: 2 - A
 Total # of pages : 3 (A - D)
 Date : 24-Aug-2003
 Account: MTT

Project : Hidden

CERTIFICATE OF ANALYSIS VA03030611

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOR	Recvd Wt kg 0.02	Ag ppm 0.01	Al % 0.01	As ppm 0.2	Ba ppm 10	Be ppm 0.05	Bi ppm 0.01	Ca % 0.01	Cd ppm 0.02	Ce ppm 0.01	Co ppm 0.1	Cr ppm 1	Cs ppm 0.05	Cu ppm 0.2	Fe % 0.01
BB13325		0.40	2.75	5.68	10.9	590	172.5	475	2.24	1.61	44.8	11.9	66	19.65	422	13.55
BB13326		0.28	0.53	7.48	7.2	1490	14.00	26.6	2.56	1.21	98.8	13.7	42	10.80	53.3	4.00
BB13327		0.32	0.54	6.77	4.3	1020	171.0	157.5	2.49	1.87	75.2	16.7	64	16.30	326	9.38
BB13328		0.32	0.62	7.71	3.5	720	14.25	38.5	1.83	8.43	54.9	35.1	38	12.15	145.5	5.73
BB13329		0.34	0.49	7.56	4.6	840	23.8	127.0	3.22	10.00	83.8	21.1	43	24.7	156.0	7.31
BB13330		0.24	0.51	7.15	6.5	880	42.9	158.0	3.06	8.59	77.6	31.3	66	28.7	250	7.14
BB13331		0.28	0.49	7.80	7.8	1370	9.63	40.6	2.34	2.83	74.4	14.6	44	11.30	58.2	4.28
BB13332		0.28	0.66	7.97	6.5	1340	7.94	37.0	2.20	1.48	69.5	16.0	45	10.35	56.3	3.99
BB13333		0.28	0.68	8.08	7.9	1400	6.69	26.1	2.26	3.96	73.0	16.7	49	17.40	50.3	4.18
BB13334		0.32	0.74	8.07	6.7	1240	11.25	49.9	2.90	3.72	68.4	24.7	41	13.25	138.5	5.03
BB13335		0.30	0.58	7.88	7.9	1140	9.43	44.2	2.85	2.36	87.8	20.2	41	14.20	79.5	4.43
BB13336		0.28	0.59	7.87	10.9	1250	9.39	36.7	2.82	2.66	88.1	23.5	43	11.80	88.0	4.83
BB13337		0.28	0.48	7.85	9.4	1340	7.63	25.0	2.98	3.92	79.6	35.2	48	13.45	101.5	6.35
BB13338		0.32	0.70	7.32	9.9	1530	3.49	6.68	3.71	7.29	69.1	26.9	70	13.95	111.5	6.66
BB13339		0.28	0.18	7.52	6.8	1520	4.68	17.20	3.30	3.67	72.9	16.7	41	12.35	51.0	3.75
BB13340		0.26	0.55	7.12	3.7	1550	3.67	9.13	2.29	5.09	64.3	22.8	55	12.95	58.4	4.29
BB13341		0.32	0.61	6.13	6.0	1160	21.5	73.6	2.57	4.44	73.1	12.2	48	15.55	72.9	4.23
BB13342		0.28	0.41	3.99	1.8	1200	9.10	10.65	6.73	3.03	40.1	7.3	33	10.55	24.7	2.45
BB13343		0.32	0.49	6.90	9.6	1420	9.19	29.0	4.01	3.28	70.7	16.8	47	22.5	71.2	4.81
BB13344		0.32	0.60	7.39	6.2	1340	8.92	30.3	3.70	3.60	66.2	13.7	39	13.95	70.7	4.21
BB13345		0.24	0.42	7.40	9.4	1420	6.67	29.3	2.89	1.85	89.1	15.9	44	16.15	65.8	4.55
BB13346		0.32	0.48	8.11	9.6	1400	5.48	22.0	2.61	1.48	71.8	17.3	46	16.75	65.1	4.81
BB13347		0.32	0.39	7.76	7.0	1140	4.69	12.65	2.58	0.72	66.0	14.8	32	12.60	44.7	3.89
BB13348		0.32	0.33	7.19	11.4	1340	6.16	16.85	2.55	1.42	95.3	16.4	42	18.95	53.7	4.55
BB13349		0.42	0.32	7.30	9.9	1360	5.49	10.95	2.58	1.22	88.6	17.3	44	20.9	53.4	5.59
BB13350		0.34	0.32	7.13	9.2	1380	4.12	11.40	2.36	0.55	67.0	13.5	44	13.85	36.8	4.14
BB13351		0.40	0.19	7.28	7.9	1240	4.82	24.9	2.34	1.01	73.3	14.2	43	15.05	52.1	4.33
BB13352		0.32	0.63	8.25	4.2	1030	8.11	38.2	1.91	0.61	52.0	10.9	29	11.10	112.0	3.97
BB13353		0.38	1.17	8.23	11.3	1140	9.70	93.1	3.45	1.33	107.5	18.6	35	15.05	159.0	5.03
BB13354		0.26	0.85	7.16	8.1	940	17.90	53.8	1.90	0.90	93.4	25.8	33	14.85	389	5.36
BB13355		0.30	4.43	7.36	5.9	900	15.10	155.0	2.34	3.28	85.2	30.2	40	21.7	349	7.41
BB13356		0.32	1.70	7.69	4.7	900	8.30	75.3	2.53	2.01	62.2	14.0	24	10.90	138.0	4.42
BB13357		0.38	1.56	8.40	31.5	1080	18.10	198.5	3.04	1.82	109.0	24.4	64	26.0	270	6.34
BB13358		0.32	2.94	8.68	4.5	860	15.30	209	2.49	2.28	75.5	23.1	33	15.00	270	6.44
BB13359		0.26	1.34	8.20	4.6	1380	15.05	94.6	2.63	2.01	46.4	16.3	37	17.35	158.5	4.38
BB13360		0.28	0.61	8.21	5.4	1020	17.25	88.5	2.95	0.92	66.7	16.7	32	13.05	135.0	4.56
BB13361		0.38	0.30	8.59	4.2	940	10.65	37.9	2.74	0.51	54.4	10.9	36	16.55	52.1	3.74
BB13362		0.36	0.25	8.29	5.2	1100	11.00	25.1	3.12	0.32	108.5	15.5	52	14.55	66.4	4.20
BB13363		0.32	0.22	9.32	6.9	980	5.88	18.05	2.70	0.53	59.9	18.2	51	22.5	42.9	4.24
BB13364		0.26	0.15	8.12	2.9	840	5.62	17.10	1.84	0.25	46.5	12.6	35	13.15	44.2	3.22

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project : Hidden

Page # : 3 - A
 Total # of pages : 3 (A - D)
 Date : 24-Aug-2003
 Account: MTT

CERTIFICATE OF ANALYSIS VA03030611

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt kg 0.02	Ag ppm 0.01	Al % 0.01	As ppm 0.2	Ba ppm 10	Be ppm 0.05	Bi ppm 0.01	Ca % 0.01	Cd ppm 0.02	Ce ppm 0.01	Co ppm 0.1	Cr ppm 1	Cs ppm 0.05	Cu ppm 0.2	Fe % 0.01
BB13365		0.38	0.18	8.51	2.8	770	6.18	34.9	3.18	0.16	104.5	18.4	41	13.95	65.0	4.12
BB13366		0.30	0.35	7.94	2.8	700	8.22	36.6	2.49	0.48	72.1	15.4	44	17.90	55.8	3.87
BB13367		0.38	0.40	8.03	51.6	970	9.78	45.4	3.16	3.47	98.2	16.4	52	21.8	65.5	4.05
BB13368		0.36	0.34	7.12	19.7	1020	8.01	54.2	3.13	2.46	90.8	14.6	54	17.75	60.9	3.86
BB13369		0.40	0.29	7.34	11.1	1640	8.14	31.7	3.80	0.74	78.5	16.6	53	18.55	72.2	4.09
BB13370		0.32	0.24	8.63	6.8	890	8.77	41.7	3.43	0.57	65.8	27.3	46	21.3	76.7	5.15
BB13371		0.40	0.23	8.56	4.2	1000	8.85	32.8	4.42	0.61	66.1	17.3	45	18.90	55.2	4.69
BB13372		0.48	0.40	8.69	10.2	1320	7.09	34.3	3.93	1.73	79.4	16.9	43	19.65	64.2	4.25
BB13373		0.38	0.41	7.58	20.3	1980	8.28	78.5	4.75	2.77	94.1	19.5	40	18.90	58.1	3.38
BB13374		0.48	0.36	9.13	30.7	1300	9.56	41.8	3.47	2.24	69.9	19.0	46	26.5	83.8	4.37
BB13375		0.42	0.35	9.66	1.4	850	13.95	43.5	3.47	0.91	70.3	21.6	49	28.4	69.3	4.94
BB13376		0.42	0.32	8.58	2.3	1060	10.75	60.4	4.15	1.57	151.0	26.7	43	24.5	71.8	4.56
BB13377		0.46	0.27	7.89	13.5	1880	11.15	35.7	5.08	1.53	80.4	19.4	47	19.85	57.6	3.86
BB13378		0.46	0.34	7.36	24.1	1630	7.15	36.8	4.16	1.50	73.7	20.5	48	18.90	65.6	3.79
BB13379		0.42	0.26	7.39	21.2	1320	9.11	49.1	4.29	2.33	126.5	17.5	42	18.10	60.2	3.81
BB13380		0.46	0.24	9.44	6.2	1170	7.97	25.1	3.55	0.41	52.7	17.1	48	25.1	59.4	4.75
BB13381		0.36	0.25	8.22	11.8	1330	8.85	49.6	4.44	1.62	74.5	13.4	35	14.35	45.2	3.68
BB13382		0.42	0.27	8.60	24.0	1780	10.60	35.9	4.52	1.63	64.4	18.1	46	23.4	72.6	4.13
BB13383		0.36	0.21	9.09	6.3	1100	6.72	30.9	4.20	0.61	123.5	20.8	48	19.55	51.8	4.42
BB13384		0.38	0.24	8.86	6.4	1140	7.05	31.1	4.06	0.60	89.6	20.3	44	18.05	52.2	4.41
BB13385		0.40	0.21	9.46	9.0	930	8.86	72.5	3.22	1.20	93.7	23.8	48	25.9	57.2	4.83
BB13386		0.38	0.30	8.17	21.9	1380	13.95	60.3	4.13	2.12	77.7	20.0	48	24.6	91.9	4.49
BB13387		0.36	0.31	8.27	7.9	1380	9.86	39.3	4.00	0.74	75.9	16.8	51	20.1	60.2	4.12
BB13388		0.42	0.24	8.25	2.2	770	17.25	79.7	5.03	1.93	117.0	23.1	41	17.75	61.5	4.45
BB13389		0.40	0.33	8.69	2.8	1060	17.35	62.1	3.68	3.06	73.7	15.7	42	19.20	74.7	4.48
BB13390		0.40	0.21	9.51	3.2	1190	11.50	46.9	5.13	0.93	120.0	20.0	48	21.1	58.5	4.90
BB13391		0.40	2.54	6.66	1.4	810	75.7	686	1.70	8.25	61.8	10.4	93	23.3	533	14.30
BB13392		0.44	1.01	7.19	5.1	860	109.0	378	4.15	7.83	75.8	17.7	71	17.60	381	10.15
BB13393		0.42	0.41	8.01	0.6	620	22.2	55.1	4.72	2.19	46.6	13.8	46	10.75	428	5.42

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project : Hidden

Page #: 2 - B
 Total # of pages : 3 (A - D)
 Date : 24-Aug-2003
 Account: MTT

CERTIFICATE OF ANALYSIS VA03030611

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.1	In ppm 0.005	K % 0.01	La ppm 0.5	Li ppm 0.2	Mg % 0.01	Mn ppm 5	Mo ppm 0.05	Na % 0.01	Nb ppm 0.1	Ni ppm 0.2	P ppm 10	Pb ppm 0.5
BB13325		26.0	0.27	0.5	0.281	1.84	28.5	88.0	1.63	2070	19.15	0.47	1.8	81.1	1940	49.6
BB13326		19.55	0.19	0.4	0.128	1.79	53.4	52.1	1.82	766	5.13	0.95	4.3	57.0	1170	26.6
BB13327		26.2	0.24	1.3	0.314	1.87	45.8	60.9	1.51	2540	12.20	0.68	3.8	81.3	1070	26.3
BB13328		18.30	0.20	0.2	0.186	1.72	34.2	43.7	0.85	1440	17.35	0.72	3.7	119.0	1950	20.7
BB13329		23.3	0.28	0.4	0.180	2.19	44.4	68.8	1.62	1285	11.25	0.69	7.0	121.0	2080	15.0
BB13330		27.3	0.24	1.7	0.323	2.95	43.1	79.3	1.94	2400	8.12	0.35	3.8	131.5	1040	20.3
BB13331		20.8	0.18	0.4	0.172	1.88	41.5	58.0	1.82	837	5.62	0.73	3.6	61.0	970	14.8
BB13332		19.70	0.18	1.1	0.128	1.93	36.9	56.6	1.77	829	4.57	0.87	4.7	65.5	860	13.4
BB13333		20.6	0.18	0.3	0.134	2.05	39.6	59.4	1.89	1090	4.73	0.82	4.2	61.5	1130	13.4
BB13334		21.9	0.20	0.3	0.172	2.04	37.6	62.7	1.84	1440	10.95	0.83	4.3	126.0	1100	15.5
BB13335		22.3	0.20	0.2	0.184	2.35	43.5	65.7	1.82	1150	6.43	0.93	2.4	61.9	1050	18.2
BB13336		20.5	0.21	0.3	0.153	2.30	48.0	55.4	1.88	975	10.60	0.76	2.8	90.3	940	20.4
BB13337		19.20	0.23	0.9	0.147	2.23	43.5	52.8	2.07	910	12.10	0.69	11.3	165.0	1030	15.5
BB13338		17.25	0.19	0.9	0.099	2.16	42.3	53.2	2.47	790	25.3	0.72	12.0	151.5	1140	14.3
BB13339		19.75	0.18	0.2	0.124	1.89	41.1	59.5	2.01	878	7.48	0.67	9.0	86.9	1500	12.2
BB13340		20.7	0.17	0.2	0.124	2.09	35.9	61.8	1.91	1220	15.00	0.47	10.5	108.5	1640	13.2
BB13341		20.6	0.20	0.4	0.214	1.86	42.0	66.3	1.76	981	6.38	0.66	2.1	53.0	950	22.5
BB13342		10.10	0.14	0.3	0.077	1.29	25.1	35.8	7.47	536	1.49	0.44	7.3	28.5	1510	24.3
BB13343		19.50	0.20	0.5	0.228	2.28	36.4	72.5	3.85	845	11.35	0.55	6.3	87.5	1730	17.7
BB13344		19.45	0.17	0.3	0.138	1.98	39.1	59.8	2.56	789	8.45	1.00	4.2	71.7	1420	14.9
BB13345		20.1	0.21	0.3	0.149	2.23	46.8	61.4	2.17	812	10.05	0.87	3.8	87.4	1160	16.8
BB13346		21.3	0.19	0.5	0.116	2.32	40.1	64.7	2.14	771	9.32	0.80	7.3	92.2	1510	14.2
BB13347		22.0	0.18	0.8	0.085	1.86	36.6	59.8	1.67	693	6.19	1.34	11.0	51.9	1410	13.4
BB13348		19.55	0.21	0.6	0.108	2.27	49.1	63.6	2.35	754	10.75	0.71	11.9	70.2	1500	20.7
BB13349		20.2	0.23	1.0	0.120	2.28	48.1	72.5	2.37	845	8.12	0.77	8.6	58.8	1770	14.3
BB13350		19.95	0.19	0.5	0.085	1.98	37.0	69.3	1.98	626	6.85	0.81	8.5	57.8	1220	14.4
BB13351		20.2	0.17	0.6	0.108	1.97	39.4	62.4	1.77	634	6.90	0.82	5.3	68.7	1030	13.8
BB13352		21.3	0.15	0.3	0.133	1.87	37.4	51.1	1.36	745	3.32	1.28	6.5	35.3	1410	14.8
BB13353		23.5	0.21	0.6	0.194	1.98	59.5	59.1	1.90	1195	4.92	0.99	4.2	53.2	950	29.8
BB13354		20.1	0.22	0.4	0.180	1.49	51.6	66.1	1.53	1245	4.55	0.56	4.6	44.7	1240	20.5
BB13355		24.2	0.24	0.3	0.243	1.81	57.5	76.0	1.71	2050	11.85	0.56	3.6	69.1	1400	137.0
BB13356		21.7	0.18	0.4	0.173	1.84	38.6	51.7	1.28	889	5.19	1.51	4.4	35.3	890	32.4
BB13357		27.6	0.23	1.2	0.243	2.33	58.8	90.4	2.19	1335	17.95	0.65	2.3	99.1	890	53.0
BB13358		25.2	0.21	0.2	0.304	1.81	41.0	53.3	1.61	1380	7.25	0.91	3.2	48.4	1340	44.8
BB13359		24.4	0.16	2.9	0.203	2.13	29.4	67.0	1.92	1065	6.93	0.89	8.1	79.3	1160	31.0
BB13360		23.6	0.16	0.4	0.206	1.82	39.4	59.5	1.74	1465	7.46	1.19	2.1	52.7	960	17.2
BB13361		22.6	0.14	2.9	0.185	1.86	33.5	72.4	2.02	941	2.29	1.09	8.3	45.6	820	11.4
BB13362		22.2	0.19	0.7	0.144	1.74	59.0	78.7	1.97	838	2.58	0.93	7.9	45.7	920	13.0
BB13363		24.5	0.16	2.7	0.170	2.09	36.4	102.5	2.29	862	1.40	0.91	10.0	44.6	760	11.3
BB13364		20.5	0.15	0.7	0.077	1.87	24.5	66.2	1.37	711	2.01	1.45	6.3	27.2	980	9.8

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



STRATEGIC METALS LTD.

C/O ARCHER, CATHRO AND ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project : Hidden

Page #: 3 - B
Total # of Pages : 3 (A - D)

Date : 24-Aug-2003

Account: MTT

CERTIFICATE OF ANALYSIS

VA03030611

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.1	In ppm 0.005	K % 0.01	La ppm 0.5	Li ppm 0.2	Mg % 0.01	Mn ppm 5	Mo ppm 0.05	Na % 0.01	Nb ppm 0.1	Ni ppm 0.2	P ppm 10	Pb ppm 0.5
BB13365		22.0	0.18	2.7	0.152	1.97	54.6	65.7	1.66	917	1.50	1.14	6.4	31.0	630	11.2
BB13366		22.4	0.16	0.6	0.147	1.66	42.0	67.0	1.69	1070	1.36	0.85	7.6	38.3	1070	11.4
BB13367		23.6	0.20	1.6	0.284	1.91	54.6	92.1	2.43	1270	2.08	0.43	8.1	67.2	930	25.8
BB13368		20.0	0.14	0.6	0.281	1.77	50.5	70.6	2.13	1035	2.90	0.48	3.7	82.5	1360	18.2
BB13369		21.6	0.18	0.3	0.213	1.90	49.0	89.4	3.04	1050	2.63	0.46	8.9	106.5	1310	11.6
BB13370		23.4	0.17	0.7	0.487	1.68	36.4	108.5	3.75	2870	2.74	0.82	6.5	79.9	830	9.1
BB13371		23.4	0.17	1.0	0.388	1.92	42.0	92.0	3.16	1780	1.56	0.52	8.2	52.1	1550	9.1
BB13372		22.7	0.18	3.0	0.227	2.23	48.5	76.7	2.54	1030	2.43	0.81	11.0	75.3	1290	16.1
BB13373		21.6	0.17	0.3	0.160	1.85	51.4	80.6	3.57	1125	7.34	0.53	10.8	190.0	1570	20.7
BB13374		24.0	0.19	2.8	0.214	2.51	42.4	88.0	2.71	1200	5.34	0.54	10.9	90.2	860	12.8
BB13375		28.0	0.20	3.0	0.236	2.33	42.8	104.5	2.60	1480	1.30	0.62	10.9	49.7	730	12.1
BB13376		27.0	0.24	2.7	0.278	2.16	76.9	88.2	2.57	2100	1.74	0.51	8.7	61.9	920	14.3
BB13377		24.2	0.19	0.6	0.213	2.26	46.9	88.7	3.67	1340	3.68	0.57	9.8	111.5	1170	10.2
BB13378		21.7	0.17	0.5	0.178	1.87	44.5	82.7	3.15	945	6.71	0.64	8.1	168.5	1330	11.7
BB13379		21.9	0.19	0.2	0.210	2.15	67.3	76.4	2.76	1215	3.03	0.54	9.6	88.4	1190	17.2
BB13380		24.1	0.16	2.7	0.233	2.36	32.9	116.0	2.94	1160	1.86	0.86	10.3	57.6	1090	9.6
BB13381		22.4	0.14	0.9	0.295	2.00	42.9	66.5	2.52	1430	4.10	0.99	8.7	88.7	1420	11.9
BB13382		24.7	0.16	3.7	0.240	2.23	37.9	95.0	3.75	1345	5.88	0.57	12.8	149.5	1550	10.8
BB13383		23.3	0.18	2.8	0.285	2.24	64.5	89.1	2.54	1495	1.74	0.71	11.3	53.9	1060	8.8
BB13384		23.1	0.19	3.0	0.275	2.22	52.6	86.3	2.50	1535	1.60	0.84	10.9	55.2	1390	9.1
BB13385		24.5	0.20	2.1	0.231	2.29	55.0	108.5	2.80	1335	2.31	1.07	9.4	63.0	780	11.5
BB13386		27.1	0.19	0.3	0.303	2.22	45.6	95.8	3.04	1625	9.40	0.51	5.3	151.0	1650	15.8
BB13387		26.4	0.18	0.8	0.225	2.10	45.0	84.2	2.71	1160	4.33	0.84	9.3	104.5	1300	10.3
BB13388		24.9	0.19	0.5	0.376	1.59	60.8	75.1	2.75	2470	2.88	0.39	2.1	59.7	970	14.1
BB13389		25.4	0.17	0.4	0.360	1.85	42.5	85.0	2.49	2130	3.76	0.87	8.1	59.7	930	14.5
BB13390		25.6	0.21	2.9	0.306	2.08	62.2	77.9	2.90	2110	2.44	0.74	4.7	54.0	1080	10.3
BB13391		25.4	0.24	0.9	0.717	2.82	41.9	108.0	1.68	1020	34.7	0.55	3.0	113.5	1740	109.5
BB13392		25.8	0.23	1.3	0.387	1.78	47.7	69.2	2.53	2030	16.90	0.78	2.2	112.5	1680	23.7
BB13393		26.5	0.15	1.1	0.261	1.06	27.8	26.7	1.59	894	7.62	0.09	5.9	109.5	670	6.2

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page #: 2 - C
Total # of pages : 3 (A - D)
Date : 24-Aug-2003
Account: MTT

Project : Hidden

CERTIFICATE OF ANALYSIS VA03030611

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb ppm 0.1	Re ppm 0.002	S % 0.01	Sb ppm 0.05	Se ppm 1	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.05	Te ppm 0.05	Th ppm 0.2	Ti % 0.01	Tl ppm 0.02	U ppm 0.1	V ppm 1	W ppm 0.1
BB13325		164.0	0.011	0.70	1.16	15	24.9	149.5	<0.05	1.93	10.0	0.27	1.12	22.7	452	1460
BB13326		98.5	0.005	0.05	0.99	2	8.1	285	0.15	0.19	14.7	0.42	0.76	6.0	214	211
BB13327		131.5	0.011	0.20	0.53	3	25.1	195.5	<0.05	0.45	12.1	0.63	1.35	16.5	368	760
BB13328		79.9	0.005	0.22	0.73	3	5.3	214	0.08	0.24	13.0	0.24	0.85	11.5	344	254
BB13329		175.0	0.007	0.14	0.58	3	10.0	194.0	0.16	0.51	11.0	0.77	1.83	6.5	404	740
BB13330		225	0.009	0.12	0.66	2	22.7	179.0	0.08	0.45	11.8	0.66	1.92	7.5	906	470
BB13331		126.0	0.003	0.04	0.90	2	8.6	228	0.14	0.27	12.4	0.36	0.72	4.3	245	207
BB13332		115.0	0.003	0.04	0.99	1	7.1	243	0.17	0.25	12.4	0.35	0.68	3.9	227	143.5
BB13333		188.5	0.004	0.06	0.87	1	7.2	228	0.12	0.15	12.6	0.38	0.76	4.0	233	143.5
BB13334		131.5	0.005	0.07	0.91	2	9.2	269	0.13	0.31	12.4	0.39	0.91	9.1	256	186.0
BB13335		137.5	0.006	0.08	1.14	2	10.4	300	0.07	0.29	13.4	0.44	1.23	5.1	265	256
BB13336		127.0	0.006	0.07	1.38	3	7.9	322	0.07	0.24	14.4	0.35	1.01	7.4	269	233
BB13337		115.0	0.005	0.13	1.36	3	6.9	343	0.48	0.18	13.9	0.55	1.13	18.0	323	199.5
BB13338		102.5	0.005	0.16	2.40	3	4.2	277	0.49	0.12	11.4	0.57	1.18	13.9	488	115.5
BB13339		118.0	0.004	0.07	0.72	2	7.1	261	0.21	0.13	13.2	0.33	0.67	6.5	321	95.4
BB13340		119.5	0.002	0.08	0.85	3	7.5	193.0	0.13	0.11	10.8	0.41	0.90	8.0	475	58.9
BB13341		115.0	0.007	0.06	0.99	2	12.6	198.0	0.06	0.47	11.2	0.42	0.83	5.6	246	440
BB13342		60.0	0.002	0.05	0.57	1	2.5	218	0.24	0.08	5.3	0.34	0.71	2.4	103	134.0
BB13343		142.0	0.006	0.08	5.73	3	10.2	207	0.22	0.15	10.6	0.63	1.34	7.7	326	360
BB13344		101.5	0.005	0.08	1.03	2	8.5	305	0.13	0.20	11.2	0.46	1.04	10.3	265	275
BB13345		125.5	0.005	0.06	1.06	2	8.1	273	0.11	0.17	13.1	0.53	1.10	6.6	320	229
BB13346		132.5	0.006	0.07	1.31	1	7.4	234	0.27	0.18	12.8	0.55	1.33	7.6	350	202
BB13347		96.6	0.004	0.06	1.27	2	6.0	351	0.35	0.09	10.6	0.48	0.82	5.1	215	138.5
BB13348		133.5	0.004	0.04	2.30	3	8.8	206	0.46	0.15	12.7	0.65	1.16	5.7	296	151.5
BB13349		137.5	0.003	0.03	2.09	2	9.5	183.5	0.28	0.09	11.4	0.96	1.48	6.3	353	134.5
BB13350		102.0	0.003	0.05	2.36	2	7.5	216	0.29	0.09	11.0	0.60	0.95	4.6	286	145.5
BB13351		119.5	0.004	0.06	1.15	2	7.4	235	0.20	0.23	12.3	0.45	0.95	4.5	250	153.5
BB13352		96.8	0.003	0.11	0.68	1	6.9	319	0.17	0.33	10.2	0.29	0.58	3.6	136	160.0
BB13353		145.5	0.004	0.05	1.21	2	14.9	399	0.13	0.55	15.7	0.37	0.83	5.0	196	196.5
BB13354		111.5	0.005	0.18	1.29	3	11.0	165.0	0.16	0.40	12.4	0.40	0.78	4.4	149	251
BB13355		178.5	0.006	0.15	1.13	4	22.5	206	0.10	0.86	14.2	0.31	1.07	5.5	146	345
BB13356		98.3	0.006	0.07	0.89	2	10.7	398	0.13	0.42	11.0	0.30	0.57	3.8	115	182.0
BB13357		235	0.007	0.10	2.02	2	18.0	363	0.05	1.07	16.2	0.32	1.20	10.0	270	398
BB13358		134.0	0.006	0.17	2.66	2	13.6	358	<0.05	1.28	12.7	0.36	0.78	4.6	151	290
BB13359		147.0	0.006	0.07	1.32	1	11.8	287	0.34	0.55	11.8	0.29	0.82	7.9	270	191.5
BB13360		113.0	0.005	0.05	1.54	1	10.5	400	0.06	0.62	12.4	0.29	0.71	6.5	168	247
BB13361		116.0	0.002	0.03	0.54	1	8.4	402	0.45	0.29	12.2	0.32	0.64	4.9	189	92.1
BB13362		102.0	0.004	0.06	0.74	2	8.0	317	0.27	0.20	16.3	0.43	0.66	4.2	154	144.5
BB13363		156.5	<0.002	0.04	0.37	1	6.6	319	0.39	0.16	13.7	0.37	0.91	3.5	120	32.6
BB13364		107.0	<0.002	0.06	0.36	1	4.2	383	0.10	0.18	8.8	0.29	0.56	2.5	92	25.3

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page #: 3 - C
 Total # of pages : 3 (A - D)
 Date : 24-Aug-2003
 Account: MTT

CERTIFICATE OF ANALYSIS VA03030611

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb ppm 0.1	Re ppm 0.002	S % 0.01	Sb ppm 0.05	Se ppm 1	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.05	Te ppm 0.05	Th ppm 0.2	Ti % 0.01	Tl ppm 0.02	U ppm 0.1	V ppm 1	W ppm 0.1
BB13365		123.0	<0.002	0.02	0.33	1	5.6	482	0.28	0.55	15.8	0.33	0.70	2.8	93	151.5
BB13366		120.0	0.002	0.08	0.49	2	7.9	444	0.32	0.30	13.8	0.32	0.70	3.0	118	130.5
BB13367		158.0	0.002	0.04	3.97	2	11.8	388	0.26	0.33	16.6	0.33	0.90	5.1	245	63.9
BB13368		129.5	0.003	0.05	1.71	1	10.3	307	0.11	0.41	15.0	0.33	0.72	6.9	293	122.0
BB13369		158.0	0.002	0.03	1.52	1	9.5	264	0.09	0.35	15.1	0.36	0.85	11.4	448	47.4
BB13370		151.0	0.004	0.05	0.46	1	6.2	261	0.26	0.52	13.4	0.30	0.99	5.4	188	156.0
BB13371		154.0	<0.002	0.04	0.65	1	7.2	386	0.34	0.32	15.2	0.32	0.81	5.7	148	73.4
BB13372		162.0	<0.002	0.03	1.68	1	10.4	410	0.54	0.32	15.0	0.39	0.88	9.5	304	42.9
BB13373		134.5	0.002	0.02	16.70	1	9.0	366	0.38	0.45	14.4	0.37	0.76	9.7	675	52.0
BB13374		208	0.002	0.02	2.08	2	10.6	554	0.54	0.39	14.3	0.35	1.06	8.4	308	45.9
BB13375		207	0.003	0.02	0.46	2	13.0	517	0.38	0.31	15.4	0.39	1.10	3.8	139	124.5
BB13376		198.0	0.002	0.01	0.49	1	17.0	500	0.26	0.39	22.4	0.36	1.19	5.2	231	144.0
BB13377		176.0	0.003	0.01	1.12	1	12.4	437	0.41	0.33	14.2	0.37	0.96	8.5	598	130.5
BB13378		143.0	0.004	0.02	8.73	1	7.5	374	0.34	0.28	12.4	0.35	0.76	8.8	519	128.0
BB13379		164.0	0.003	0.02	1.98	2	14.8	355	0.23	0.39	16.2	0.36	0.87	6.3	453	98.3
BB13380		218	<0.002	0.04	0.58	1	6.7	356	0.52	0.26	13.4	0.36	1.02	10.3	175	58.1
BB13381		127.0	0.002	0.02	1.90	1	10.8	444	0.39	0.41	12.4	0.33	0.66	6.1	361	130.0
BB13382		196.0	0.003	0.02	2.69	1	12.3	378	0.66	0.29	13.2	0.37	0.95	10.3	596	52.9
BB13383		167.5	0.003	0.02	0.66	1	9.7	441	0.59	0.34	19.3	0.36	0.96	5.1	192	145.5
BB13384		157.5	<0.002	0.02	0.73	1	9.6	430	0.56	0.30	16.0	0.35	0.86	5.5	187	81.9
BB13385		191.0	0.003	0.02	1.46	1	7.2	347	0.47	0.37	16.0	0.38	1.13	5.2	223	135.5
BB13386		206	0.004	0.02	2.07	1	16.7	426	0.18	0.50	14.2	0.37	1.07	10.1	453	163.0
BB13387		162.5	<0.002	0.02	3.35	2	10.8	410	0.21	0.34	13.6	0.39	0.91	7.0	374	32.8
BB13388		139.0	0.003	0.01	0.57	1	16.6	577	0.07	0.56	16.4	0.31	0.85	3.7	190	137.5
BB13389		141.0	0.003	0.03	0.57	1	14.4	420	0.31	0.47	13.2	0.34	0.84	5.7	250	136.0
BB13390		165.0	0.003	0.01	0.47	1	16.0	573	0.10	0.31	18.5	0.40	0.95	5.4	265	143.5
BB13391		235	0.007	0.65	1.92	17	17.5	177.5	<0.05	1.28	12.8	0.34	1.39	12.7	823	1440
BB13392		133.0	0.015	0.33	0.72	2	17.2	227	<0.05	1.33	12.6	0.44	1.20	17.4	399	1180
BB13393		70.6	0.004	0.07	0.56	2	7.0	145.0	0.21	0.31	11.8	0.20	0.38	7.6	367	243

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project : Hidden

Page #: 2 - D
Total # of Pages : 3 (A - D)
Date : 24-Aug-2003
Account: MTT

CERTIFICATE OF ANALYSIS VA03030611

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61
		Y ppm 0.1	Zn ppm 2	Zr ppm 0.5
BB13325		16.4	583	15.8
BB13326		19.0	270	10.4
BB13327		25.4	412	32.6
BB13328		16.6	850	6.9
BB13329		37.2	1565	13.0
BB13330		26.7	995	49.7
BB13331		14.6	387	11.9
BB13332		13.6	322	32.6
BB13333		14.4	473	9.4
BB13334		17.1	553	10.0
BB13335		17.4	426	6.6
BB13336		18.8	502	7.6
BB13337		23.0	791	25.8
BB13338		21.4	842	28.2
BB13339		16.8	503	6.7
BB13340		29.3	570	8.4
BB13341		16.6	582	11.1
BB13342		13.4	311	9.3
BB13343		35.8	707	13.9
BB13344		22.5	395	7.6
BB13345		22.5	400	7.5
BB13346		23.6	366	15.8
BB13347		19.1	203	24.5
BB13348		27.2	281	13.3
BB13349		35.5	269	27.7
BB13350		20.1	232	12.1
BB13351		17.2	312	15.4
BB13352		12.0	240	10.8
BB13353		19.7	263	21.5
BB13354		19.1	324	9.0
BB13355		19.4	449	8.0
BB13356		12.6	420	15.3
BB13357		21.5	306	37.4
BB13358		15.2	542	8.5
BB13359		15.6	429	91.3
BB13360		14.6	281	14.1
BB13361		13.4	219	70.5
BB13362		17.0	164	15.1
BB13363		15.0	201	67.5
BB13364		8.9	125	17.4

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page #: 3 - D
 Total # of Cases : 3 (A - D)
 Date : 24-Aug-2003
 Account: MTT

Project : Hidden

CERTIFICATE OF ANALYSIS	VA03030611
--------------------------------	-------------------

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61
	Analyte	Y	Zn	Zr
Units		ppm	ppm	ppm
LOR		0.1	2	0.5
BB13365		12.8	132	71.4
BB13366		13.6	157	14.9
BB13367		19.8	445	48.3
BB13368		19.0	469	16.6
BB13369		26.8	296	6.3
BB13370		17.1	284	18.4
BB13371		20.6	276	28.9
BB13372		20.9	338	75.8
BB13373		32.3	376	9.9
BB13374		19.1	385	73.4
BB13375		17.5	229	80.4
BB13376		22.1	206	74.6
BB13377		27.8	292	24.2
BB13378		25.8	326	15.1
BB13379		28.4	309	4.2
BB13380		17.6	246	69.1
BB13381		21.8	332	26.7
BB13382		30.3	403	94.2
BB13383		19.2	226	69.8
BB13384		18.8	241	73.4
BB13385		19.0	303	53.2
BB13386		27.6	411	9.9
BB13387		25.5	232	25.6
BB13388		19.2	346	15.0
BB13389		18.4	484	11.1
BB13390		21.9	232	71.1
BB13391		21.8	1095	27.3
BB13392		27.6	879	38.0
BB13393		15.4	425	30.2

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

C/O STRATEGIC METALS LTD.
C/O ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page #: 1
Date: 25-Aug-2003
Account: MTT

CERTIFICATE VA03030610

Project : Hidden
P.O. No:
This report is for 8 ROCK samples submitted to our lab in North Vancouver, BC, Canada on 14-Aug-2003.
The following have access to data associated with this certificate:

AL ARCHER JOAN MARIACHER	ROB CARNE BILL WENGZYNOWSKI	DOUG EATON
-----------------------------	--------------------------------	------------

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	47 element four acid ICP-MS

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project : Hidden

Page #: 2 - A
 Total # of pages : 2 (A - D)
 Date : 25-Aug-2003
 Account: MTT

CERTIFICATE OF ANALYSIS VA03030610

Method Analyte Units LOR	WEI-21 Recvd Wt kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
Sample Description	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M012733	0.60	0.19	10.30	4.4	670	4.24	26.0	0.30	0.08	130.0	26.5	110	32.2	41.0	6.73
M012734	0.94	0.22	7.56	5.5	540	7.67	24.0	6.10	0.81	76.5	10.2	67	24.7	72.3	3.26
M012735	2.02	0.37	7.00	11.2	550	7.51	6.89	6.10	2.20	76.0	13.6	60	11.95	48.9	3.66
M012736	1.84	0.58	7.56	3.9	390	19.20	85.4	7.96	3.04	64.3	16.2	56	9.98	105.5	4.74
M012737	1.34	0.21	6.96	5.4	420	13.50	40.2	8.09	1.26	64.7	11.0	65	13.95	80.2	4.07
M012738	2.66	2.36	7.31	8.0	380	11.75	72.9	8.36	5.59	65.3	10.0	76	9.33	88.9	4.47
M012751	1.76	0.43	5.43	<0.2	60	188.5	79.6	7.46	0.65	20.5	26.1	80	0.20	350	8.94
M012752	1.76	0.68	5.35	<0.2	70	597	167.0	8.54	1.00	38.1	17.7	56	0.35	682	10.10

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Project : Hidden

Cage # : 2 - B
 Total # of Pages : 2 (A - D)
 Date : 25-Aug-2003
 Account: MTT

CERTIFICATE OF ANALYSIS VA03030610

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.1	In ppm 0.005	K % 0.01	La ppm 0.5	Li ppm 0.2	Mg % 0.01	Mn ppm 5	Mo ppm 0.05	Na % 0.01	Nb ppm 0.1	Ni ppm 0.2	P ppm 10	Pb ppm 0.5
M012733		29.8	0.27	0.3	0.102	3.22	68.2	190.0	1.11	846	3.11	0.51	6.0	53.6	770	22.1
M012734		29.0	0.17	2.4	0.172	2.85	39.4	94.9	1.99	1075	1.48	0.47	7.4	32.7	390	6.9
M012735		18.40	0.18	2.2	0.253	1.92	42.1	45.4	1.30	1250	0.58	0.26	11.2	30.4	480	6.2
M012736		26.4	0.17	1.5	0.361	1.47	36.3	52.6	1.58	2060	2.19	0.32	1.1	27.4	760	14.0
M012737		24.5	0.16	1.8	0.341	1.18	36.4	37.1	1.80	1725	1.86	0.52	2.6	27.2	700	4.9
M012738		27.8	0.17	1.9	0.695	1.46	34.1	39.2	1.56	2520	1.45	0.53	8.1	28.5	510	49.5
M012751		44.5	0.17	0.1	0.291	0.08	13.9	9.4	2.17	3440	10.20	1.88	0.2	85.1	1030	6.1
M012752		41.1	0.22	<0.1	0.226	0.15	28.4	9.5	1.95	3270	12.80	1.50	0.1	133.0	1050	6.4

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project : Hidden

Page # : 2 - C
 Total # of pages : 2 (A - D)
 Date : 25-Aug-2003
 Account: MTT

CERTIFICATE OF ANALYSIS VA03030610

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb ppm	Re ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
M012733		211	<0.002	<0.01	0.20	<1	3.1	73.9	0.07	<0.05	19.8	0.53	1.29	9.2	150	6.8
M012734		291	<0.002	0.01	0.77	<1	56.4	311	0.31	0.24	14.7	0.35	1.40	2.3	144	91.4
M012735		145.0	<0.002	<0.01	1.26	<1	15.9	258	0.63	0.08	15.0	0.36	0.91	2.4	92	31.9
M012736		141.5	0.004	<0.01	1.48	<1	17.0	364	<0.05	0.51	12.2	0.30	0.84	2.7	80	195.0
M012737		117.0	0.003	0.03	1.10	<1	23.1	449	0.07	0.25	13.4	0.32	0.74	2.7	117	139.0
M012738		123.0	0.002	0.01	1.80	<1	34.7	317	0.31	0.34	13.4	0.34	0.67	4.6	99	135.0
M012751		3.1	0.010	3.98	0.10	1	20.9	181.5	<0.05	0.33	2.9	0.09	0.11	9.4	433	270
M012752		7.5	0.005	5.46	0.09	<1	15.4	163.5	<0.05	0.73	4.0	0.07	0.10	8.1	268	170.0

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page #: 2 - D
 Total # of pages : 2 (A - D)
 Date : 25-Aug-2003
 Account: MTT

CERTIFICATE OF ANALYSIS VA03030610

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61
	Analyte	Y	Zn	Zr
	Units	ppm	ppm	ppm
	LOR	0.1	2	0.5
M012733		15.0	108	5.8
M012734		12.6	150	63.9
M012735		13.9	373	56.7
M012736		12.0	391	36.4
M012737		11.9	264	43.3
M012738		12.4	1055	50.3
M012751		21.1	176	2.8
M012752		22.4	206	1.2

Comments: REE's may not be totally soluble in MS61 method.

APPENDIX 111
ROCK DESCRIPTIONS

Rock Sample Descriptions

Project: STRATEGIC Property: HIDDEN

Page 1 of 1

Sample Number: M012751
 Grid North: 6811805
 UTM: 6811805
 Elevation: m
 Grid East: 586595
 UTM: 586595
 Elevation: m
 Type: SPECIMEN
 Sample Width:
 Abundance:
 Comments: Diopside-quartz skarn with 10% disseminated pyrrhotite, 3% disseminated chalcopyrite and 3% blebby scheelite mostly in 1.5 cm thick band containing most of the chalcopyrite. Rusty on fractures.

Sample Number: M012752
 Grid North: 6811844
 UTM: 6811844
 Elevation: m
 Grid East: 586601
 UTM: 586601
 Elevation: m
 Type: SPECIMEN
 Sample Width:
 Abundance:
 Comments: Fine quartz-diopside skarn with fine hairline bands of pyrrhotite parallel to weak foliation plus lesser finely disseminated pyrrhotite, chalcopyrite and scheelite.

Sample Number: NOT SAMPLED
 Grid North: 6811533
 UTM: 6811533
 Elevation: m
 Grid East: 587477
 UTM: 587477
 Elevation: m
 Type:
 Sample Width:
 Abundance:
 Comments: Beryl crystals - pale green - opaque - up to 1cm long and 1.5mm wide

Sample Number: M012734
 Grid North: 6811630
 UTM: 6811630
 Elevation: m
 Grid East: 586916
 UTM: 586916
 Elevation: m
 Type: CHIP
 Sample Width: 3.5m
 Abundance:
 Comments: TRENCH H03-1: 0-3.5m - FRACTURED SHALE 10-20 cm (Gaugy + Buff) WITHIN 3.5m OF FINE GRAINED GREEN TO BLACK BANDED SHALE.

Sample Number: M012735
 Grid North: 6811630
 UTM: 6811630
 Elevation: m
 Grid East: 586916
 UTM: 586916
 Elevation: m
 Type: CHIP
 Sample Width: 2.9m
 Abundance:
 Comments: INCLUDED 20cm SECTION OF OXIDIZED FRACTURED SHALE 3.5-6.4 TRENCH H03-1

Sample Number: M012736
 Grid North: 6811630
 UTM: 6811630
 Elevation: m
 Grid East: 586916
 UTM: 586916
 Elevation: m
 Type: CHIP
 Sample Width: 2.9
 Abundance:
 Comments: TRENCH-03-01 6.4-9.5m DISCONTINUOUS ALTERED SHALE W 2 10cm QUARTZ BANDS CUTTING THROUGH.

Rock Sample Descriptions

Project: STRATEGIC Property: HIDDEN

Sample Number: M012737 Grid North: _____ N Grid East: _____ E Type: CHIP Dimension: _____
 UTM: 6811630 N UTM: 586916 E Sample Width: 2.3m Abundance: _____
 Elevation: _____ m
 Comments: TRENCH-03-1 9.5-11.8m @ FINE GRAINED QUARTZ RICH SHALES

Sample Number: M012738 Grid North: _____ N Grid East: _____ E Type: CHIP Dimension: _____
 UTM: 6811630 N UTM: 586916 E Sample Width: 2.6m Abundance: _____
 Elevation: _____ m
 Comments: TRENCH-03-1 11.8-14.4 FINE GRAINED QUARTZ RICH SHALES

Sample Number: _____ Grid North: _____ N Grid East: _____ E Type: _____ Dimension: _____
 UTM: _____ N UTM: _____ E Sample Width: _____ Abundance: _____
 Elevation: _____ m
 Comments: _____

Sample Number: _____ Grid North: _____ N Grid East: _____ E Type: _____ Dimension: _____
 UTM: _____ N UTM: _____ E Sample Width: _____ Abundance: _____
 Elevation: _____ m
 Comments: _____

Sample Number: _____ Grid North: _____ N Grid East: _____ E Type: _____ Dimension: _____
 UTM: _____ N UTM: _____ E Sample Width: _____ Abundance: _____
 Elevation: _____ m
 Comments: _____

Sample Number: _____ Grid North: _____ N Grid East: _____ E Type: _____ Dimension: _____
 UTM: _____ N UTM: _____ E Sample Width: _____ Abundance: _____
 Elevation: _____ m
 Comments: _____