Yukon
Energy, Mines and Resources

Claim Status Report

04 October 2005

	Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s	
R	ARCH 1 - 2	YB89663 - YB89664	2014/03/07	YUKON ZINC CORPORATION	100.00	105G08	F
R	ARCH 3 - 4	YB89665 - YB89666	2014/03/07	YUKON ZINC CORPORATION	100.00	105G08	
R	ARCH 5 - 6	YB89667 - YB89668	2014/03/07	YUKON ZINC CORPORATION	100.00	105G08	F
R	ARCH 9 - 10	YB89671 - YB89672	2014/03/07	YUKON ZINC CORPORATION	100.00	105G08	P
R	FOOT 37 - 70	YB51548 - YB51581	2020/03/31	YUKON ZINC CORPORATION	100.00	105G08	
R	FOOT 71 - 80	YB51582 - YB51591	2016/03/31	YUKON ZINC CORPORATION	100.00	105G08	
R	FOOT 83 - 86	YB51592 - YB51595	2020/03/31	YUKON ZINC CORPORATION	100.00	105G08	
R	FOOT 87 - 94	YB51596 - YB51603	2016/03/31	YUKON ZINC CORPORATION	100.00	105G08	
R	FOOT 131 - 132	YB58687 - YB58688	2014/03/31	YUKON ZINC CORPORATION	100.00	105G08	
R	FOOT 180	YB59982	2014/03/31	YUKON ZINC CORPORATION	100.00	105G08	
R	FOOT 181 - 182	YB59983 - YB59984	2016/03/31	YUKON ZINC CORPORATION	100.00	105G08	
R	FOOT 215 - 216	YB87460 - YB87461	2014/03/31	YUKON ZINC CORPORATION	100.00	105G08	F
R	FOOT 217 - 222	YB60946 - YB60951	2016/03/31	YUKON ZINC CORPORATION	100.00	105G08	F
R	FOOT 223 - 226	YB60952 - YB60955	2017/03/31	YUKON ZINC CORPORATION	100.00	105G08	F
R	FOOT 227 - 231	YB60956 - YB60960	2016/03/31	YUKON ZINC CORPORATION	100.00	105G08	F

Criteria(s) used for search:


CLAIM STATUS: ACTIVE & PENDING DOCUMENT NUMBER: QL25782 REGULATION TYPE: QUARTZ

Total claims selected : 86

Left column indicator legend:
- R - Indicates the claim is on one or more pending renewal(s).
- P - Indicates the claim is pending.

Right column indicator legend:
- L - Indicates the Quartz Lease.
- F - Indicates Full Quartz fraction (25+ acres)
- P - Indicates Partial Quartz fraction (<25 acres)
- D - Indicates Placer Discovery
- C - Indicates Placer Codiscovery
- B - Indicates Placer Fraction

Yukon Zinc CORPORATION



Assessment Report
Diamond Drilling Activities
Between October and December, 2004
for the
Fisher Zone

List of calims and Grant Numbers

FOOT 37-93 (YB51548-YB51602) FOOT 94 YB51603
FOOT 129-131 (YB58685-YB58687)
FOOT 180-182 (YB59982-YB59984)
FOOT 217-231 (YB60949-YB60960)
FOOT 215-216 (YB87460-87461)
ARCH 1-6 (YB89663-YB89668)
ARCH 9-10 (YB89671-YB89672)
~~JACK 16-17 (YC27486-YC27487)~~

NTS Map sheet number

105G/08, Wolverine Lake

In the

Watson Lake Mining District, Yukon Territory

Prepared by:
Gilles R. Dessureau, M.Sc.
Project Geologist, Yukon Zinc Corporation.

Supervised by:
Jason K. Dunning, M.Sc., P.Geo
V.P. Exploration, Yukon Zinc Corporation.

Submitted:
August, 2005

This report has been examined by the Geological Evaluation Unit under Section 53 (4) Yukon Quartz Mining Act and is allowed as representation work in the amount of $ 34,400.-

M. Burke

for Regional Manager, Exploration and Geological Services for Commissioner of Yukon Territory

Costs associated with this report have been approved in the amount of $ 34,400.00 for assessment credit under Certificate of Work No. QL25782

Mining Recorder
Watson Lake Mining District

Table of Contents

Introduction....3
Property Location and Access....3
Regional Geology....3
Wolverine Succession Geology....4
Methods....4
Detailed Geology of Drill Core....6
2004 Drilling Sections....6
Discussion on the Mineralization in the Fisher Zone....6
2004 Drilling Geochemistry....8
Implications for Exploration and Recommendations....9
References....9
Summary of Costs 11

List of Tables

Table 1. List of claims and grant numbers....3
Table 2. Diamond drill hole information for the Fisher Zone, fall 2004....5

List of Figures

Figure 1. Location of the Wolverine Deposit (in the Wolverine Succession) near the Fisher Zone, and other VHMS deposits with respect to the Yukon-Tanana Terrane, Yukon, Canada (modified from Piercey, 2001; Wheeler and McFeely, 1991 and Hunt, 1998) 4
Figure 2. Map of Claims within the Finlayson District....Attached
Figure 3. Map of the Claims included in this Assessment....Attached
Figure 4. Plan map of the Fisher Zone showing historical drill holes and new drill holes: WV04-130 and WV04-131....5
Figure 5. a) disseminated sphalerite in siliceous argillite (NQ core), b) disseminated and wispy sphalerite and pyrite in intensely silicified argillite (note the relict fragments of non-silicified argillite (NQ core), c) disseminated and wispy sphalerite in siliceous argillite (NQ core), d) close-up of disseminated sphalerite in argillite (NQ core)....7
Figure 6. Plot of Zn, Pb, Cu, Ag, and Au for a) WV04-130 and b) WV04-131....8

Appendices

I – Author's statement of qualifications
II – Drill Hole Logs
III – Assay certificates
IV – Drill Hole Sections including: L_8000E, L_8200E, L_8400E, L_8600E, L_8800E, L_9000E, L_9200E, L_9400E, L_9600E, L_9800E, L_10000E, L_10200E, L_10400E, L_10600E

Introduction

Yukon Zinc Corporation (formerly Expatriate Resources Ltd.) holds a 100% interest in the FOOT and ARCH claims, and 100% interest in some of JACK claims covering approximately 10 kilometres of a thick sequence of felsic stratigraphy similar to, and along strike with the Wolverine deposit. This western portion of the Wolverine Stratigraphy has been named the Fisher zone, and been the focus of exploration for several periods between 1995 and 2004. In 1995, 1996, and 1997 a total of 13 drill holes were drilled to test moderate to strong zinc, lead, and copper soil anomalies associated with moderate to strong Geophysical anomalies including airborne EM and Magnetics. In 2004, 2 holes were drilled to further test these targets.

Property Location and Access

The Fisher zone is approximately 10 kilometres from the Wolverine Camp, where exploration and drilling crews stayed during the exploration program. The Wolverine Camp is located 275.5 kilometres east-north-east of Whitehorse in the Yukon Territory and it is located about 15 kilometres from the Robert Campbell Highway (kilometre 198) about halfway between Ross River and Watson Lake in the Campbell Range of the Pelly Mountains. Access to Wolverine camp is restricted to airplane (a 1 kilometre gravel airstrip is located 6.6 kilometres away from camp with road access between them) or helicopter. The Fisher Property (where all exploration was focused) was helicopter access only from camp by 5 minute flight. A list of the claims and grant numbers is given in Table 1.

Grant Number	Claim Number	Grant Number	Claim Number	Grant Number	Claim Number	Grant Number	Claim Number
YB51548	FOOT 37	YB51570	FOOT 59	YB51593	FOOT 84	YB60954	FOOT 225
YB51549	FOOT 38	YB51571	FOOT 60	YB51594	FOOT 85	YB60955	FOOT 226
YB51550	FOOT 39	YB51572	FOOT 61	YB51595	FOOT 86	YB60956	FOOT 227
YB51551	FOOT 40	YB51573	FOOT 62	YB51596	FOOT 87	YB60957	FOOT 228
YB51552	FOOT 41	YB51574	FOOT 63	YB51597	FOOT 88	YB60958	FOOT 229
YB51553	FOOT 42	YB51575	FOOT 64	YB51599	FOOT 90	YB60959	FOOT 230
YB51554	FOOT 43	YB51576	FOOT 65	YB51600	FOOT 91	YB60960	FOOT 231
YB51554	FOOT 43	YB51577	FOOT 66	YB51601	FOOT 92	YB87460	FOOT 215
YB51555	FOOT 44	YB51578	FOOT 67	YB51602	FOOT 93	YB87461	FOOT 216
YB51556	FOOT 45	YB51579	FOOT 68	YB58685	FOOT 129	YB87461	ARCH 1
YB51557	FOOT 46	YB51580	FOOT 69	YB58686	FOOT 130	YB89663	ARCH 2
YB51558	FOOT 47	YB51581	FOOT 70	YB58687	FOOT 131	YB89664	ARCH 3
YB51559	FOOT 48	YB51582	FOOT 71	YB59982	FOOT 180	YB89665	ARCH 3
YB51560	FOOT 49	YB51583	FOOT 72	YB59983	FOOT 181	YB89665	ARCH 4
YB51561	FOOT 50	YB51584	FOOT 73	YB59984	FOOT 182	YB89666	ARCH 5
YB51562	FOOT 51	YB51585	FOOT 74	YB60946	FOOT 217	YB89667	ARCH 6
YB51563	FOOT 52	YB51586	FOOT 75	YB60947	FOOT 218	YB89668	ARCH 9
YB51564	FOOT 53	YB51587	FOOT 76	YB60948	FOOT 219	YB89671	ARCH 10
YB51565	FOOT 54	YB51588	FOOT 77	YB60949	FOOT 220	~~YB89672~~	~~JACK 16~~
YB51566	FOOT 55	YB51589	FOOT 78	YB60950	FOOT 221	~~YC27486~~	~~JACK 17~~
YB51567	FOOT 56	YB51590	FOOT 79	YB60951	FOOT 222	~~YC27486~~	
YB51568	FOOT 57	YB51591	FOOT 80	YB60952	FOOT 223	~~YC27486~~	FOOT 94 YB51603
YB51569	FOOT 58	YB51592	FOOT 83	YB60953	FOOT 224	~~YC27487~~	

Table 1. List of claims and grant numbers.

Regional Geology

The Yukon-Tanana Terrane is a large autocthonous geological province extending from Alaska, through The Yukon Terrirory and into north-central British Columbia (Figure 1.). It consists of mid-late paleozoic volcanic, plutonic, and sedimentary rocks (References). The volcanic-hosted massive sulphide deposits of the Finlayson Lake District are located in the eastern most section of the Yukon Tanana Terrrane, which has been displaced to the south-east by the Tintina Fault Zone (Figure 1). The Finlayson Lake district has been divided into 3 distinct successions separated by regional unconformities (Murphy, 1998; Piercey and Murphy, 2000). The lower most unit (called the Grass Lakes Succesion) consists of mafic and felsic metavolcanics, carbonaceous metaclastic rocks, marbles, and granitic orthogneiss. The Kudz Ze Kayah and GP4F deposits are located within the upper portion of this succession. The Middle unit (called the Wolverine Succession) consists of carbonaceous argillite, felsic volcanics and high level intrusions, and as well as exhalative carbonate and/or iron oxides. The Wolverine (polymetalic, sediment hosted, massive sulphide) deposit occurs near the base of Wolverine Succession. The upper most unit (called the Campbell Range Succession) consists of mafic metavolcanics and wackes.




Figure 1. Location of the Wolverine Deposit (in the Wolverine Succession) near the Fisher Zone, and other VHMS deposits with respect to the Yukon-Tanana Terrane, Yukon, Canada (modified from Piercey, 2001; Wheeler and McFeely, 1991 and Hunt, 1998).

Wolverine Succession Geology

Bradshaw et al. (2001) have divided the Wolverine Stratigraphy into 4 units. These four units, described briefly below, carry over to the Fisher Zone.

The lowermost unit (Unit 1) consists of the footwall volcaniclastic, carbonaceous sedimentary, and porphyritic intrusive rocks. Stratigraphically above unit one is Unit 2, which consists of interbedded argillite, rhyolite, magnetite-silica, magnetite-carbonate, and carbonate-pyrite exhalite followed by Unit 3, which consists of fragmental rhyolite, and Unit 4, which consists of interbedded carbonaceous argillite and greywacke, with lesser basalt and rhyolite. All of these units are present in variable amounts in the Fisher Zone. An interpreted north-east trending, syn-volcanic fault divides the Fisher Zone into the eastern and western zones with a marked change in stratigraphy across this boundary. To the west of the Fisher Fault the footwall argillites and argillitic tuffs are overlain by massive aphyric rhyolite volcanic flows and rhyolite volcaniclastic tuff and tuff-breccias. The Fisher Porphyry, an interpreted as a shallow, subvolcanic intrusion or as an extrusive volcanic dome, occurs between these two units to the west of the Fisher Fault. To the east of the Fisher Fault, a thick sequence of carbonate + silica + magnetite + barite exhalative unit occurs above the carbonaceous argillite and below the aphyric rhyolite. The mineralization (in WV04-130 and WV04-131 specifically) will be discussed below in the detailed geology.

Methods

Two diamond drill holes were successfully completed on the property between October 8 and December 17, 2004, east of the interpreted syn-volcanic fault to test an interesting magnetic anomaly. These holes were drilled on line 9400E and 9600E. Information on the 2004 drill holes is given in Table 2.

Hole ID	Grid North	Grid East	Elev. (m)	Length (m)	Hole Angle (°)	Grid Direction (°)	Azimuth (°)	UTM Datum	Zone	UTM East	UTM North
WV04-130	19000	9500	1715	514.60	-75.0	180	220	NAD 27	9	435115	6816663
WV04-131	18750	9600	1695	487.80	-74.0	180	200	NAD 27	9	435190	6816500

Claim #	NTS NO	NTS Name	Date start	Date finish	Drill Company	Logged by	Size
Foot 74	105G/08	Wolverine Lake	08/10/2004	03/11/2004	E. Caron Diamond Drilling	G. Dessureau	NQ
Foot 74	105G/08	Wolverine Lake	17/11/2004	17/12/2004	E. Caron Diamond Drilling	G. Dessureau	NQ

Table 2. Diamond drill hole information for the Fisher Zone, fall 2004.

The location of the two new holes, along with the historical drilling are shown in Figure 4.




Figure 4. Plan map of the Fisher Zone showing historical drill holes and new drill holes: WV04-130 and WV04-131

The core from both holes was logged and sampled from upper iron formation to the bottom of the core. Sample lengths were dictated by geology, but were between 1.5m and 30cm. The core was cut in half using a diamond saw, and half the core was stored in the upper core storage at Wolverine Camp. The other half of the core was shipped to ALS Chemex in Vancouver for Assay. The core was assayed for Au and Ag (GRA21), Cu, Pb, and Zn, and As (AA46), Se (XRF), Ba, Ce, Co, Cr, Cs, Cu, Dy, Er, Eu, Ga, Gd, Hf, Ho, La, Lu, Mo, Nb, Nd, Ni, Pb, Pr, Rb, Sm, Sn, Ta, Tb, Th, Tl, Tm, U, V, W, Y, Yb, Zn, and Zr (Me-MS81). Assay certificates are given in Appendix IV. Assay results are discussed in the 'Discussion on the Mineralization in the Fisher Zone' section.

Detailed Geology of Drill Core

As with all diamond drill holes in the Fisher Zone, both WV04-130 and WV04-131 intersected a thick package of fragmental rhyolite volcanic rocks. This package was approximately 250 metres thick in both holes and contained dozens of distinct fragmental units within. The individual units were distinguished by variations in the clast size, clast abundance, clast composition (although most clasts were generally very similar in composition), and matrix composition. The clast size ranged from 1 millimetre up to several centimetres along the long axis, and some gradation was noted within individual units with the coarser fragments lower in the drill core possibly representing turbidity or mass flow deposits. The clasts ranged in abundance from a matrix supported (10-15% clasts) to clast supported (up to 95% clast) and were generally very homogenous in composition, with very high silica content. The fragmental rhyolite volcanic rocks can be broken up into two groups based on matrix composition: 1) The most abundant matrix was a sericite-rich ash matrix, and the second less abundant matrix was composed of a carbonaceous to weakly graphitic argillitic matrix, and 2) The ash matrix was present in both the clast support and matrix supported fragmental units whereas the argillite matrix was generally present only in the matrix supported fragmental.

An interbedded unit occurs below the fragmental rhyolite volcanic rocks. This unit contains centimetre scale, high silica bands (sometimes very uniform and consistent in thickness), interbedded with thin millimeter scale interbeds of argillitic (rarely ash) material. The high silica bands often resemble the high silica fragments of the rhyolite fragmental unit.

The first down-hole appearance of an iron formation marks the transition from Unit 3 (of Bradshaw) described above to Unit 2, where Unit 2 consists of a thick sequence of exhalative rocks interbedded siliceous and carbonaceous argillite with thin, rare rhyolite ash and/or crystal tuffs volcaniclastic rocks. A similar sequence was observed below most iron formations, where the iron formation graded down hole into a very silica rich (occasionally banded with thin sericite bands), or occasionally a carbonate rich exhalative unit, which graded down hole into a siliceous (rarely carbonaceous) argillite with increasing argillite interbeds down hole. These iron formations did vary from each other with respect to pyrite, magnetite and silica content; however, it is unknown if these reoccurring sequences represent either a structural stacking of stratigraphy (of a laterally variable iron formation) or several successive pulses of iron formation accumulation.

2004 Drilling Sections

Drill Sections were produced for all drilling to date on the Fisher Zone and are included with this report in Appendix III.

Discussion on the Mineralization in the Fisher Zone

There are two distinct stratigraphic zones within the Fisher zone that are mineralized and contain at least minor amounts of zinc. The upper mineralized zone contains at least two mineralized horizons, both occurring below two distinct iron formation. This mineralization occurs as rare, very fine disseminated sphalerite in interbedded siliceous and carbonaceous argillite. The two horizons in the upper zone contain elevated concentrations of Zn and generally do not contain significant concentrations of Pb, Cu, Ag, and Au.

The lower mineralized zone contains at least three mineralized horizons, all occurring below distinct iron formations. This mineralization occurs as 1-5% fine to wispy sphalerite $\pm$ pyrite $\pm$ galena in an interbedded siliceous and carbonaceous argillite. The lower zone contains several horizons with elevated Zn, and Pb, and

anomalous Cu. Stratigraphically the lower most mineralized horizon in the Fisher Zone correlates with the mineralized Wolverine horizon.

Pictures of Fisher Mineralization




Figure 5. a) disseminated sphalerite in siliceous argillite (NQ core), b) disseminated and wispy sphalerite and pyrite in intensely silicified argillite (note the relict fragments of non-silicified argillite (NQ core), c) disseminated and wispy sphalerite in siliceous argillite (NQ core), d) close-up of disseminated sphalerite in argillite (NQ core).

2004 Drilling Geochemistry

The drill core from WV04-130 and WV04-131 was cut and half the core was submitted to ALS Chemex for analyses. The core was sampled from just above the first occurrence of the iron formation to the bottom of the hole. A plot of Zn, Pb, Cu, Ag, and Au is show in Figure 6 for each of the holes drilled in 2004.




Figure 6. Plot of Zn, Pb, Cu, Ag, and Au for a) WV04-130 and b) WV04-131.

Implications for Exploration and Recommendations

WV04-130 was terminated, when the rods became stuck in the hole, in the middle of the target stratigraphy and two of the three mineralized horizons were intersected. WV04-131 did reach the target stratigraphy and intersected three mineralized horizons, the lowermost horizon correlating with the Wolverine mineralized horizon. Several possibilities exist to explain the nature of the mineralization encountered in the Fisher Zone:

1) Sub horizontal thrusts have thickened the stratigraphy in the Fisher Zone and the target mineralized horizon has not been reached. However other drill holes in the area (WV97-91 and WV97-103) were terminated in relatively thick sequences of carbonaceous and tuffaceous argillite which could correlate with Unit 1 of Bradshaw which is the footwall of the Wolverine deposit.
2) The sedimentation rate was too great in the Area of the Fisher Zone drilled in 2004 and the mineralization was distributed over thick sequences of siliceous exhalite and argillite.
3) The diamond drilling program did not intersect the graphitic argillite observed at the Wolverine Deposit, which would be present in the deepest, most anoxic sub-basins within the Wolverine Basin. This may suggest that more drilling is required within the Fisher Zone to better define third-order basins where mineralization will tend to be focused, within the Fisher Zone.

It is therefore thought that the next best targets would be east of current drilling where the sedimentary package thins. Several other targets still exist in the Fisher Zone, and more drilling is required to further this project.

It is recommended that this property and all respective Quartz Mining Claims be held in good standing and maintained, as this project area warrants further exploration activities.

References


Bradshaw, G.D., Tucker, T.L., Peter, J.M., Paradis, S., and Rowins, S.M., 2001. Geology of the Wolverine polymateallic volcanic hosted massive sulphide deposit, Finlayson Lake district, Yukon Territory, Canada. Yukon Exploration and Geology, 2001. D.S. Emond and L.H. Weston (eds), Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 269-287.

Hunt, J.A., 1998. Recent discoveries of volcanic-associated massive sulphide deposits in the Yukon: Canadian Institute of Mining and Metallurgy Bulletin, v. 90, p. 56-65.

Piercey, S.J. 2001. Petrology and tectonic setting of the feslic and mafic volcanic and intrusive rocks in the Finlayson Lake Volcanic-hosted massive sulphide (VHMS) District, Yukon, Canada: A record of Mid-Paleozoic Arc and Back Arc Magmatism and Metallogeny. PhD. Thesis, University of British Colombia, Canada.

Wheeler, J.O., and McFeely, P., 1991. Tectonic Assemblage Map of the Canadian Cordillera and Adjacent Parts of the United States of America: Geological Survey of Canada, Map 1712A, Scale 1: 2000 000.

Respectfully Submitted,



Gilles Dessureau, M.Sc.
Project Geologist
Yukon Zinc Corporation


Appendix I

Author's statement of qualifications

I, Gilles Dessureau, Project Geologist, for Yukon Zinc Corporation, do herby certify that:

1. I graduated from St. Mary's University in Halifax, Nova Scotia with a Bachelor of Science with Honors in Geology in 1998.
2. I graduated from Laurentian University in Sudbury, Ontario with a Masters of Science in Geology in 2003.
3. From 2004 to present I have been an employee of Yukon Zinc Corporation (formerly Expatriate Resources Ltd.)
4. I have personally supervised and participated in the work described herein.

Respectfully submitted,



Gilles Dessureau, M.Sc.
Project Geologist
Yukon Zinc Corporation

Summary of Costs for Fisher Zone Assesment 2004

YUKON ZINC CORPORATION - 2004
Project 1615 - Fisher Zone

	1615 Fisher Zone (Finlayson)
Ordinary Income/Expense	
Expense	
5000 · SCHEDULE OF DEFERRED COSTS	
5010 · Explor. & Dev. Costs	
5012 · Explor. & Dev. - Subtotal	
5014 · Accommodation & Meals	28,434.36
5040 · Fixed Wing	77,953.59
5042 · Helicopter	257,707.56
5050 · Communications/Telephone	6,713.62
5060 · Drilling	231,491.69
5082 · Equipment Rentals	19,190.00
5085 · Expediting	63.53
5112 · Fuel - Unleaded/100LL	3,537.90
5114 · Fuel - Propane	8,787.08
5116 · Fuel - Jet B	27,834.61
5118 · Fuel - Diesel	73,878.76
5132 · Geological Consultants	53,092.00
5140 · Cook/First Aid Attendant	21,975.65
5150 · Labour	13,581.66
5152 · Contract labour	787.50
5175 · Materials & Supplies	9,626.49
5200 · Supplies	18.50
5214 · Truck/Ship/Postage/Courier	2,347.47
5231 · Parking/Taxi	53.40
5232 · Travel Costs	6,492.80
5235 · Vehicle Maintenance & Insurance	979.13
5250 · Workers' Compensation	1,897.75
5260 · Warehouse	124.77
5710 · Safety Supplies	991.67
Total 5012 · Explor. & Dev. - Subtotal	847,561.49

DRILL LOG

PROJECT: Fisher Zone	GROUND ELEV.
HOLE NO.: WV04-130	BEARING: Grid South
LOCATION: 950CE, 1900CN — UTM: 0435115, 6816663	DIP: -75°
	TOTAL LENGTH: 514.6m
LOGGED BY: G. Dessureau	HORIZONTAL PROJECT
DATE: October 12 04	VERTICAL PROJECT
CONTRACTOR: E Caron Diamond Drilling	ALTERATION SCALE
CORE SIZE: NQ	0 1 2 3 — absent; slight; moderate; intense
DATE STARTED: Oct 7, 2004	TOTAL SULPHIDE SCALE
DATE COMPLETED	0 1 2 3 4 — traces only; < 1%; 1% – 3%; 3% – 10%; > 10%
DIP TESTS	
COMMENTS	LEGEND

PAGE 1 OF | PROJECT: Fisher Zone | HOLE NO. WVC4-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
1				0-3.6 DHOB-							
2	0%										
3											
4				3.6-7.4 RHFK - dark dominant Rhyolite fragmental 0.1-2cm clasts							
5											
6	99%										
7				7.4-7.9 RHLT - grey-beige Ash tuff ≈ 5% lapilli fragments							
8	100%			7.9-43.4 RHFK - dark speckled Rhyolite fragmental ≈ 0.5-2cm clasts							
9											
10											
11											
12	95%										
13											
14											
15				Strongly weathered zone ↑							
16	70%			16.5-16.7 Sand							
17	16.5 10%			16.9-17.4 - Sand							
18				Strongly weathered below ↓							
19	75%										
20											
21											
22	20%										
23											

PAGE 2 OF	PROJECT: Fisher Zone	HOLE NO. WV04-13c

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 3 OF | PROJECT: Fisher Zone | HOLE NO. WW4-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	ALTERATION B	ALTERATION C	ALTERATION D	ALTERATION E	FRACTURE INTENSITY	% VEIN QTZ.
24											
25											
26	95%										
27											
28											
29											
30											
31	70%										
32											
33				33.2-33.4 - Argillic rich Bands of RHLT Dk grey-Black							
34											
35	95%										
36											
37											
38											
39											
40	80%										
41											
42											
43	90%			43.4-44.1 RHLT- H grey-brown rock Tuffaceous 5-10% 1 Mm Lapilli angular fragments							
44			65°								
45				44.1-46.4 RHLT- lt grey-cloudy pervasive silicification Lapilli 2-3 Mm Glass shards lithic fragments and ats with Ash Matrix							
46											

PAGE 4 OF	PROJECT: Fisher Zone	HOLE NO. WV04-13

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 5 OF | PROJECT: Fisher Zone | HOLE NO. UV04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
47	90%			46.4-50.0 ARTF -							
48											
49	90%										
50				50.00-56.18 RHAT - pale green matrix; chalky white to grey fragments; angular - subrounded matrix supported - aligned to foliation (locally clast supported); fining sequences downhole (reverse grading) sharp contacts; fine tuff to fine lapilli-tuff with sharp contacts; locally rapid facies changes altn - wk-mod chl-perv matrix to matrix locally appears patchy; replacing Ank ?; locally pitting with rusty orange - dolomite to ankerite							
51	90%										
52			50°								
53	85%										
54											
55											
56	100%		70°	LCT sharp @ 70° to CA							
57				56.8-83.3 RHLT - chalky white to med; minor pale green matrix(?); moderate to weak foliation; weak to moderate alignment of fragments NB: <5-10% T-sized fragments - >90% L/A-sized fragments angular to subrounded. fragment supported (possibly autobrecciated flow top ?)							
58											
59	95%		50°								
60											
61				- flows appear aphyric, aphanitic locally pitted (weathering out of fe-feldspar or carbonate); inclusions weak oxidation staining							
62											
63	80%			- altn: chl wk-mod pervasive in matrix; mod-wk ser altn pervasive; patchy pervasive oxidation staining							
64											
65				- moderately broken; locally rubbly							
66				56.7-57.5 BROKEN							
67				58.5-58.6 BROKEN							
68	85%			59.4-59.6 BROKEN							
69				61.46-61.66 BROKEN							
				63.35-63.85 BROKEN to RUBBLE							
				65.4-66.65 BROKEN to RUBBLE							
				67.5-67.8 BROKEN							
				70.33-71.0 BROKEN TO RUBBLY							

PAGE 7 OF | PROJECT: Fisher Zone | HOLE NO. W104-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
70											
71											
72											
73	100%										
74											
75											
76	80%										
77											
78	100%										
79											
80											
81	100%										
82											
83				83.3-90.5 ARIF - Dk grey Finely laminated Mudstone - ω 10-20% angular-subangular rhyolitic lapilli fragments.							
84											
85											
86	80%			83.7-83.9 - Lt grey-beige rhy ash matrix							
87											
88				87.5-87.9 - Broken core.							
89											
90	80%										
91				90.5-104 RHFR - Brown 'weathered' Frequent suspected rhyolitic fragments 2-5 cm fragments in 1-10mm ash matrix							
92											

PAGE 8 OF	PROJECT: Fisher Zone	HOLE NO. WH04-13C

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 9 OF | PROJECT: Fisher Zone | HOLE NO. WH04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE		GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
93												
94												
95	92%											
96												
97					97.0-97.2 - QV							
98	75%				97.4-98.0 - QV. 98.7-99.6 - QV. 99.4-99.6 - clay-mud seam							
99												
100	60%											
101	85%											
102				65°	101.4-101.8 RHLT - Rhyolitic ash-lapilli Tuff 1mm-2cm fragments							
103					101.8-110.0 ARTF - matrix supported mudstone w 10% Rhyolitic fragments 1-5cm angular fragments							
104	100%											
105				65°								
106					104.7-104.9 - Rhyolitic fragment							
107												
108												
109	80%											
110				65°	110.0-111.7 RHLT - matrix supported ash-lapilli Tuff. 10%. 1-2cm - Rhyolite frags							
111	80%				110-111.0 - STFL - Fault Gouge							
112				65°	111.7-113 RHFR - clast supported Rhyolite fragmental. 5-10cm Rhyolitic frags w 1-5cm ash (Rhyl) matrix							
113												
114												
115												

PAGE 10 OF	PROJECT: Fisher Zone	HOLE NO. WV04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 11 OF | PROJECT: | HOLE NO.

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
116											
117	90%										
118			65°	118.3-134.6 ARTF - Matrix supported and clast supported mud matrix = Rhyolitic fragments. Variable Matrix - 10% mud matrix up to 80% matrix. vesicular Rhyolite fragments. aphyric Rhyolite frags.							
119			60°								
120											
121											
122											
123											
124											
125											
126											
127											
128	65%										
129				129.0-129.3 - Pumice Bomb - ash + qtz + Feldspar Tuff fragments.							
130	90%										
131	60%										
132	70%		60°								
133	70%										
134				134.6-143.4 RHFR - Beige-Brown - rhyolitic fragmental in sericitic ash matrix.							
135	80%										
136											
137	70%										
138											

PAGE 12 OF	PROJECT: Fisher Zone	HOLE NO. WV04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 13 OF | PROJECT: Fisher Zone | HOLE NO. WW04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE		GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
139					139-145- Broken core							
140												
141	60%											
142												
143				143.4-145.9	ARTF - Beige-Brown matrix supported argillitic lapilli frag.							
144	95%		60°									
145				143.9-149.3	RHFR - Brownish-Beige - clast supported rhyolitic fragmental with thin 1-2mm sericitic ash matrix.							
146	95%											
147					147-148.5 Broken core							
148	100%											
149	100%			149.3-158.9	ARTF - Grey-Beige-Brown - matrix supported argillitic fragmental - variable clast composition - 1mm - 8cm angular clasts.							
150	100%		60°									
151												
152					Clast size increases down core to 151.4.							
153												
154	95%				151.6 - 151.7 - 1ft Brown ash matrix.							
155					Seems to be several Graded Sections. Bottoms @ 152.8, 155.1, 157.9.							
156												
157												
158												
159				158.9-159.2	RHFF - Grey - Fine ash Tuff. generally structureless - massive unit.							
160				159.2-174.9	ARTF - DK grey matrix supported argillitic fragmental							
161												

PAGE 14 OF	PROJECT: Fisher Zone	HOLE NO. WV04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 15 OF | PROJECT: Fisher Zone | HOLE NO.

DE (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
162				ARTF contained 1mm - 10cm high Silica frogments							
163	10%			159.8 - 160.0 - RHFF - Fine Rhyolitic Ash 163.4 - 163.9 - Sand and Broken core							
164				164.9 - 165.1 - QV.							
165				165.4 - 165.6 - QV.							
166	70%			166.1 - 166.3 - QV.							
167				170.2 - 170.6 - RHFF - Fine Rhyolitic ash.							
168				171.4 - 171.8 - RHFF - Fine Rhyolitic ash							
169	10%										
170				172.8 - Coarse Base of a unit and Fine top of unit							
171											
172											
173											
174											
175				174.9 - 179.8 RHFR - Dk grey - lt grey - clast supported Rhyolitic fragmental High Si Frags with argillitic Matrix.							
176				176.0 - 176.7 - Sand Broken core.							
177	15%										
178											
179	95%			179.8 - 194.0 RHFR / RHAT - Brownish - Beige clast supported fragmental unit. High Si frags in devitrite ash matrix.							
180											
181											
82	60%										
183	50%										
184											

PAGE 16 OF	PROJECT: Fisher Zone	HOLE NO. WV04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 16 OF | PROJECT: Fisher Zone | HOLE NO. WV04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 17 OF | PROJECT: Fisher Zone | HOLE NO. WV04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
185	30%			188.8 - 189.0 - RHFF - Fine rhyolitic ash.							
186											
187	80%										
188											
189	70%										
190											
191	90%										
192											
193	80%			1940 - 1956 RHFF - Brown - lt grey - dk grey fine, ash Tuff. Trace mm z/s. Brown alteration (oxidation) around a possible degassing vent.							
194			45°								
195				1956 - 2470 RHFR - lt grey - dk grey clast supported rhyolitic fragmental - high silica frags with variable Sericite or argillite Matrix clasts vary from 1-m- 5cm.							
196			45°								
197											
198	95%										
199											
200											
201											
202											
203	95%										
204											
205				205.1 - 205.5 - QV							
206	95%										
207											

PAGE 18 OF | PROJECT: Fisher Zone | HOLE NO. WH04-136

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 19 OF | PROJECT: Fisher Zone | HOLE NO. WW04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	ALTERATION B	ALTERATION C	ALTERATION D	ALTERATION E	FRACTURE INTENSITY	% VEIN QTZ.
208											
209											
210											
211	95%			211.6 - 211.7 - ash-rich zone 212.0 - 212.2 ash-rich zone							
212											
213											
214	80%										
215											
216	95%										
217											
218	80%										
219											
220											
221											
222	95%			221.0 - 222.5 - trace Py.							
223											
224											
225	10%			225.3 - 225.6 - Sand & Gravel							
226											
227											
228	95%										
229											
230											

PAGE 20 OF | PROJECT: Fisher Zone | HOLE NO. WU04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 21 OF | PROJECT: Fisher Zone | HOLE NO. WW04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
231											
232											
233											
234											
235											
236											
237											
238	100%										
239											
240											
241											
242			60°	242.0-275.0 RHAR - lt grey - dk grey clast supported high silica fragments in mud matrix. 1-5cm stretched fragments. Variable matrix dominantly argillitic but minor sericitic ash.							
243											
244											
245											
246											
247											
248											
249											
250				250.9-251.2 - QV with Quartz Breccia.							
251											
252				Increasing chloritic alteration matrix is dominantly chlorite + sericite.							
253											

PAGE 22 OF | PROJECT: Fisher Zone | HOLE NO. WV04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 23 OF | PROJECT: Fisher Zone | HOLE NO. WW04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
254											
255				255.9 - 256.1 - Quartz Brecciated vein							
256				trace pyrite							
257	100%		60°								
258				261.3 - 265.0 - less chloritic alteration quartz Breccia more white stockwork veins							
259											
260											
261											
262	95%										
263	100%										
264											
265	95%										
266				266.7 - 266.9 - Quartz + chlorite veins less than trace pyrite							
267											
268	100%		60°	267.0 - 267.1 - Quartz + chlorite vein							
269				267.2 - 267.4 - Quartz + chlorite vein 268.3 - 268.5 - Quartz + chlorite vein 269.6 - 269.7 - Qtz + chlorite vein							
270				269.8 - 271.9 - Abundant Qtz + chlorite veins, trace pyrite + cpy.							
271	95%										
272				Decreasing chlorite alteration ↓							
273	100%			Becoming more and more like RHFS ↓							
274											
275	95%										
276			60°	275.0 - 282.2 RHFS - Very gradational change to RHFS.							

PAGE 24 OF | PROJECT: Fisher Zone | HOLE NO. WV09-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 25 OF | PROJECT: Fisher Zone | HOLE NO. WV04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE		GEOLOGICAL DESCRIPTION	ALTERATION A	ALTERATION B	ALTERATION C	ALTERATION D	ALTERATION E	FRACTURE INTENSITY	% VEIN QTZ.
277					RHFS - continued... ltgray - white Banded high Silica Bands with fewer interbands of white Bands generally 1-5mm. Qtz rich Bands 1-5cm. Occasional fragment But generally well Banded.							
278												
279	95%											
280												
281												
282	90%		60°	282.2-284.3	QZBX - Quartz + Sericite (Beige matrix) Igneous Breccia - originally RHFS.							
283												
284			60°	284.3-287.3	RHFS - Hgrey-white Banded Quartz rich Crosscore Bands to massive sericite rich Bands trace Pyrite							
285												
286	95%											
287			60°	287.3-290.4	ARTF/ARSI dk grey Hard laminated tuffbreccia argillite							
288			60°	288.1-288.3	QV. - quartz + chlorite + trace pyrite vein, strongly silicified Argillite on either side.							
289												
290	70%		60°	290.4-294.0	EXSI - ltgrey fine grained, high Silica weakly Banded Silica Exhalite, upper margin insitu recrete Breccia. lower contact gradational to ARSI with increasing Argillite interBands.							
291												
292												
293												
294			60°	294.0-299.6	ARSI - red - ltgrey and Beige - mod - strongly carbonate altered Siliceous argillite.							
295												
296	90%											
297												
298												
299												

PAGE 26 OF | PROJECT: Fisher Zone | HOLE NO. WV04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS
		284.4	285.4	1.0	242551	
		285.4	286.4		242552	
		286.4	287.7		242553	
		287.7	288.1		242554	
Quartz vein & trace Py etc		288.1	288.3		242555	
		288.3	289.3	1.0	242556	
		289.3	290.9		242557	
		290.9	291.9		242558	
		291.9	292.4		242559	
2-5m Pyrite vein		292.4	294.0		242560	
		294.0	295.0	1.0	242561	
		295.0	296.0	1.0	242562	
		296.0	297.0	1.0	242563	
		297.0	298.0	1.0	242564	
		298.0	299.0	1.0	242565	
		299.0	299.6	0.6	242566	
		299.6	300.6	1.0	242567	
		300.6	301.6	1.0	242568	
		301.6	302.4	0.8	242569	
EXMT 5-10% Mt, 1-5% Py		302.4	303.4	1.0	242570	
EXMT 20-30% Mt, 10% Py		303.4	304.4	1.0	242571	
5% Mt, 20% Py		304.4	305.4	1.0	242572	
20-30% Py		305.4	306.4	1.0	242573	

PAGE 27 OF | PROJECT: Fisher Zone | HOLE NO. WW04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
300				299.6 - 302.4 EXSI - M grey, white wavy Banded strongly altered (carbonate) silica exhalite.							
301											
302			60°	302.4 - 309.6 EXMT - strongly carbonate altered Iron formation. Iron formation varies from ~15% Mt to 80% Mt locally. Fine grained cryptocrystalline Quartz + Pyrite make up the rest of rock. Strong Carbonate alteration appears conformable in spots and discordant, crosscutting in spots. Some of the pyrite mineralization appears associated with conformable alt., and some pyrite veins are definitely crosscutting.							
303											
304	100%										
305											
306											
307											
308											
309											
310				308.6 - 308.7 - QV.							
311	1			309.6 - 317.3 EXSI - Beige - grey - white irregular banding Silica rich exhalite. trace - 2% pyrite.							
312											
313											
314											
315											
316	100%										
317				317.3 - 318.5 ARSI - Med grey - lt grey - siliceous Argillite finely laminated minor hyc Silica fragments or Bands.							
318			85°								
319				318.5 - 322.4 EXSI/EXCP - Quartz + Pyrite + Carbonate silicite. Irregular laminations with patchy silica rich and/or Carbonate rich zones.							
320			85°								
321											
322											

PAGE 28 OF | PROJECT: Fisher Zone | HOLE NO. WD4-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS
20-50% Py		306.4	307.4	1.0	242574	
20-50% Py		307.4	308.4	1.0	242575	
20-50% Py		308.4	309.6	1.2	242576	
20-50% Py		309.6	310.6	1.0	242577	
10-20% Py		310.6	311.6	1.0	242578	
Tr-1% Py		311.6	312.6	1.0	242579	
Tr-1% Py		312.6	313.6	1.0	242580	
Tr-1% Py		313.6	314.6	1.0	242581	
Tr-1% Py		314.6	315.6	1.0	242582	
Tr-1% Py		315.6	316.6	1.0	242583	
		316.6	317.3	0.7	242584	
		317.3	318.3	1.0	242585	
Tr-1% Py		318.3	318.5	0.2	242586	
		318.5	319.5	1.0	242587	
		319.5	320.5	1.0	242588	
		320.5	321.5	1.0	242589	
5-10%		321.5	322.4	0.9	242590	
5-10% Py		322.4	323.4	1.0	242591	
5-10% Py		323.4	324.2	0.8	242592	
5-10% Py		324.2	325.2	1.0	242593	

PAGE 29 OF | PROJECT: Fisher Zone | HOLE NO. UW04-120

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
323				322.4-324.2 ARSI - dk grey - Pyrite rich Siliceous Argillite finely laminated silica rich and carbonaceous mud rich zones up 50% Pyrite							
324											
325				324.2-325.8 EXCP - Irregular banded and Patchy Quartz + Pyrite + carbonate matrix Pumice clast or vuggy textured silica 50-80% Pyrite							
326											
327				325.8-327.3 ARSI - highly Silicified Pyrite rich Argillite - finely laminated							
328				327.3-329.5 EXCP/EXSI - Grades from EXCP to EXSI. up to 60% Pyrite in EXCP and 20% in EXSI.							
329											
330				329.5-333.8 EXSI/ARSI high silica Exhalite - interbedded argillite beds							
331				330.8-331.0 QV. with Sericite alt ~40cm above and below							
332				331.6-331.7 - QV							
333				332.0-332.2 - QV							
334			60°	332.7-333.0 - QV + Dolomite + Pyrite							
335				333.8-340.3 ARSI - strongly Sericite altered Siliceous argillite, 1-5% Pyrite Trace sphalerite (locally up to 5%) → 337.7m							
336											
337											
338											
339											
340											
341			40°	340.3-341.8 EXCP Quartz Carbonate + Pyrite. Exhalite Pyrite stringers and veins crosscutting quartz + Carbonate - Py mineralization							
342			70°	341.8-343.4 RHFS - lt grey to white Banded highSilica Bands in sericite (nn)							
343											
344			40°	343.4-345.3 ARSI - Med - ltgrey high Silica argillite. finely laminated high Silica Band and low Silica bands.							
345											

PAGE 30 OF | PROJECT: Fisher Zone | HOLE NO. WV24-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS
20-30% Py		325.2	325.8	0.6	242594	
20-30% Py		325.8	326.8	1.0	242595	
20-30% Py		326.8	327.3	0.5	242596	
20-30% Py		327.3	328.3	1.0	242597	
20-30% Py		328.3	329.5	1.2	242598	
STANDARD #1		—	—	—	242599	
		329.5	330.6	1.1	242600	
		330.6	331.0	0.4	242601	
		331.0	331.6	0.6	242602	
		331.6	332.2	0.6	242603	
Trace-1% Py		332.2	332.7	0.5	242604	
		332.7	333.0	0.3	242605	
		333.0	333.8	0.8	242606	
		333.8	334.8	1.0	242607	
		334.8	335.8	1.0	242608	
		335.8	336.8	1.0	242609	
		336.8	337.4	0.6	242610	
1% Py - 1% Spl		337.4	338.0	0.6	242611	
		338.0	338.5	0.5	242612	
STANDARD #3		—	—	—	242613	
		338.5	339.0	0.5	242614	
Tr-1% Py		339.0	340.0	1.0	242615	

PAGE 31 OF | PROJECT: Fisher Zone | HOLE NO. WUC14-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
346			65°	345.3-349.0 RHFS - Hgrey to white Banded Silica and Sericite. trace Pyrite veinlets.							
347											
348											
349			60°	349.0-356.9 ARSI - Irregular Banding, high Silica w high Mud mm scale interbeds							
350				350.5-350.6 - Finely laminated weathered mudstone.							
351											
352				349.1-349.2 - QV 349.4-349.6 - QV.							
353				351.8 - Banding is much more regular Finely laminated ARSI trace Py							
354											
355				355.0-355.1 Carbonate Altered zone. ARSI grades down into RHFS							
356											
357				356.9-357.1 RHFT - Very fine Ash Horizon cut by calcite							
358				357.1-359.2 ARSI - Hgrey-red grey finely laminated to irregularly laminated Siliceous argillite							
359											
360				359.2-364.8 EXCP/ARSI - weakly Banded. Patchy Extensive Silica + Carbonate + Pyrite. Some crosscutting features some finely laminated textures							
361											
362											
363											
364			60°	364.8-365.5 - EXMT - Dk grey-Black Iron formation locally 95% Mt. - Weakly Banded, Pyrite + qtz Bands							
365											
366			90°	365.5-367.0 - RHFR - Silica + Carbonate + Pyrite altered rhyolite fragmental some flags altered some not							
367											
368				367.0-367.6 RHFT - Beige grey fine grained ash Tuff.							

PAGE 32 OF | PROJECT: Fisher Zone | HOLE NO. WV04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS
1-2% Pyrite		340.3	341.2	0.9	242616	
40% Sulfide - Pyrite.		341.2	341.8	0.6	242617	
		341.8	342.8	1.0	242618	
		342.8	343.4	0.6	242619	
		343.4	344.4	1.0	242620	
		344.4	345.2	0.8	242621	
		345.2	346.2	1.0	242622	
		346.2	347.2	1.0	242623	
		347.2	348.2	1.0	242624	
		348.2	349.0	0.8	242625	
		349.0	349.4	0.4	242626	
		349.4	349.6	0.2	242627	
		349.6	350.6	1.0	242628	
		350.6	351.6	1.0	242629	
		351.6	352.6	1.0	242630	
		352.6	353.6	1.0	242631	
1-2% Pyrite in Mafic bands		353.6	354.6	1.0	242632	
1-2% Pyrite		354.6	355.6	1.0	242633	
		355.6	356.9	1.3	242634	
		356.9	357.1	0.2	242635	
		357.1	358.1	1.0	242636	
		358.1	359.2	1.1	242637	
5-10% Pyrite		359.2	360.2	1.0	242638	

PAGE 33 OF | PROJECT: Fisher Zone | HOLE NO. WW04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
369				367.6-368.4 ARSI - carbonate altered, silica altered, Pyrite rich argillite.							
370				368.4-370.1 ARSI - unaltered Finely laminated Siliceous argillite.							
371				370.1-372.3 EXCP - Calcite + Pyrite + Qtz alteration or Exhalite minor Mt near bottom of unit							
372			60°	372.3-382.5 ARSI/ARMg - Strongly Sericite altered top of unit down to 374.4. Weakly Siliceous finely laminated carbonaceous argillite abund. Sphalerite mineralization abund. pyrite mineralization minor quartz vein banded sharp lower contact - sphalerite mineralization - very fine grained Banded sphalerite. 1 cm band @ 50% sph. 10% pyrite 20% Qtz 20% mud.							
373											
374											
375											
376											
377											
378			60°								
379											
380											
381											
382											
383			65°	382.5-385.2 BHFT - Hg very low ast. T. to heavily sericite altered. Trace Pyrite.							
384											
385			80°	385.2-391.2 EXCP/ETSI - Quartz + Carbonate + Sericite + Magnetite + Pyrite Exhalite/Alteration highly Irregular textures NO Banding all Patchy Patchy chlorite as well.							
386											
387											
388											
389											
390											
391											

PAGE 34 OF | PROJECT: Fisher Zone | HOLE NO. WH04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS
5-10% Pyrite.		360.2	361.2	1.0	242639	
5-10% Pyrite		361.2	361.7	0.5	242640	
5-10% Pyrite		361.7	362.0	0.3	242641	
1-5% Pyrite		362.0	363.0	1.0	242642	
		363.0	364.0	1.0	242643	
		364.0	364.8	0.8	242644	
5-10% Pyrite.		364.8	365.5	0.7	242645	
<5-10% Pyrite + 40-75% MT.		365.5	367.2	0.7	242646	
1-2% Pyrite		367.2	367.6	0.4	242647	
5-10% Pyrite.		367.6	368.4	0.8	242648	
Trace Pyrite		368.4	369.4	1.0	242649	
		369.4	370.4	1.0	242650	
5-10% Py.		370.4	371.4	1.0	242651	
		371.4	372.3	0.9	242652	
		372.3	373.3	1.0	242653	
		373.3	374.3	1.0	242654	
		374.3	374.9	0.6	242655	
Standard #2		0	0	0	242656	
		374.9	375.9	1.0	242657	
		375.9	376.9	0	242658	
		376.9	377.9	1.0	242659	
Trace Pyrite + Trace-1% sph		377.9	378.9	0	242660	
		378.9	379.9	1.0	242661	
		379.9	380.9	1.0	242662	
		380.9	381.7	0.8	242663	
		381.7	382.5	0.8	242664	
Standard #1		0	0	0	242665	
		382.5	383.5	1.0	242666	
		383.5	384.5	1.0	242667	
		384.5	385.2	0.7	242668	
50% MT, 5% Py.		385.2	385.6	0.4	242669	
1% Mt - 5% Py		385.6	386.9	1.3	242670	
		386.9	387.4	0.5	242671	
		387.4	388.3	0.9	242672	
		388.3	388.9	0.6	242673	
		388.9	389.3	0.4	242674	
		389.3	390.3	1.0	242675	
		390.3	391.2	0.9	242676	
		391.2	392.2	0.9	242677	
		392.2	393.2	1.0	242678	
		393.2	394.2	1.0	242679	
		394.2	395.2	1.0	242680	
		395.2	396.2	1.0	242681	
		396.2	397.4	1.2	242682	
		397.4	398.2	0.8	242683	

PAGE 35 OF | PROJECT: Fisher Zone | HOLE NO. [illegible]

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	ALTERATION B	ALTERATION C	ALTERATION D	ALTERATION E	FRACTURE INTENSITY	% VEIN QTZ.
392				391.2-397.2 EXSI - high Silica Exhalite.							
393											
394											
395											
396											
397				397.2-418.2 ARGI - Med-Hgrey high wtd Silica argillite (Mudstone) Finely laminated rare pyrite-rich bands.							
398											
399											
400				400.0-401.0 - Carbonaceous rich argillite							
401											
402				402.4-402.5 - QV							
403											
404				404.1-404.2 QV.							
405				406.2-406.3 QV.							
406											
407											
408											
409											
410											
411											
412											
413											
414											

PAGE 36 OF | PROJECT: Fisher Zone | HOLE NO. WU04-136

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS
Trace Pyrite		398.2	399.2	1.0	242684	
		399.2	400.2	1.0	242685	
		400.2	401.2	1.0	242686	
		401.2	402.2	1.0	242687	
		402.2	403.2	1.0	242688	
		403.2	404.2	1.0	242689	
		404.2	405.2	1.0	242690	
		405.2	406.2	1.0	242691	
		406.2	407.2	1.0	242692	
		407.2	408.2	1.0	242693	
Trace Pyrite		408.2	409.2	1.0	242694	
		409.2	410.2	1.0	242695	
		410.2	411.2	1.0	242696	
		411.2	412.2	1.0	242697	
		412.2	413.2	1.0	242698	
		413.2	414.2	1.0	242699	
		414.2	415.2	1.0	242700	
		415.2	416.2	1.0	242701	
		416.2	417.2	1.0	242702	
		417.2	417.8	0.6	242703	
		417.8	418.0	0.2	242704	
		418.0	418.2	0.2	242705	
		418.2	419.2	1.0	242706	

PAGE 37 OF | PROJECT: Fisher | HOLE NO. WC4-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
415				415.4-415.6 - QV							
416											
417				417.8-418.0 - QV							
418				418.2-420.1 ARSI - very Silica rich, cm-fine laminations, chert, trace pyrite.							
419											
420				420.1-420.2 ARSI - dk-lt grey Irregularly Banded Siliceous argillite generally very fine laminations with very irregular shapes some very mud rich some very silica rich Tr pyrite with silica rich bands							
421											
422											
423											
424											
425											
426											
427											
428			60	428.2-430.8 ARSI - Strongly Silica Altered Argillite							
429											
430											
431				430.8-434.8 RHFS - Banded high silica and thin sericite Bands							
432											
433											
434											
435				434.8-436.3 - ARSI - dk-med grey finely laminated to irregular laminated Siliceous argillite							
436											
437											

PAGE 38 OF | PROJECT: Fisher Zone | HOLE NO. KK04-170

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS
Tuff ?		419.2	420.1	0.9	242707	
		420.1	421.1	1.0	242708	
		421.1	422.1	1.0	242709	
		422.1	423.1	1.0	242710	
		423.1	424.1	1.0	242711	
		424.1	425.0	0.9	242712	
		425.0	426.0	1.0	242713	
		426.0	427.0	1.0	242714	
		427.0	428.1	1.1	242715	
		428.1	429.1	1.0	242716	
		429.1	430.1	1.0	242717	
		430.1	430.8	0.7	242718	
		430.8	431.8	1.0	242719	
		431.8	432.8	1.0	242720	
		432.8	433.8	1.0	242721	
		433.8	434.8	1.0	242722	
		434.8	435.8	1.0	242723	
		435.8	436.7	0.9	242724	
		436.7	437.4	0.7	242725	
		437.4	437.7	0.3	242726	
		437.7	438.7	1.0	242727	
		438.7	439.7	1.0	242728	
		439.7	440.7	1.0	242729	

PAGE 39 OF | PROJECT: Fisher Zone | HOLE NO. WD04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
438				436.7-437.7 RHMS - very fine grained phyllitic dyke. slightly altered @ margins. fragments of ARSI @ lower contact very abrupt contacts w 50cm alteration zone @ top very little alt @ bottom.							
439	75%										
440											
441				437.7-443.8 ARSI - dk grey - lt grey finely laminated to irregular laminations silicious to weakly tuffaceous. argillite							
442	80%										
443											
444			70°	443.8-451.7 EXSI -							
445	90%										
446	70%										
447											
448	95%										
449											
450				451.2-451.5 - Q+Carb Vein.							
451	60%										
452			60°	451.7-456.8 EXMT - Highly Irregular Bedding high Silica, low Fe Banded Iron Fm. Trace mineral types.							
453											
454	100%										
455											
456				456.8-461.7 EXMT - regular banded Iron formation high MT content up to 90% Trace euhedral pyrite							
457											
458											
459	95%			457.0-457.1 - QV,							
460											

PAGE 40 OF | PROJECT: Fisher Zone | HOLE NO. WW04-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				
		440.7	441.7	1.0	242730					
		441.7	442.7	1.0	242731					
		442.7	443.8	1.1	242732					
		443.8	444.8	1.0	242733					
		444.8	445.8	1.0	242734					
		445.8	446.8	1.0	242735					
		446.8	447.8	1.0	242736					
		447.8	448.8	1.0	242737					
		448.8	449.8	1.0	242738					
		449.8	450.8	1.0	242739					
		450.8	451.7	0.9	242740					
		451.7	452.7	1.0	242741					
		452.7	453.7	1.0	242742					
		453.7	454.7	1.0	242743					
		454.7	455.7	1.0	242744					
		455.7	457.0	1.3	242745					
		457.0	457.2	0.2	242746					
		457.2	458.2	1.0	242747					
		458.2	459.2	1.0	242748					
		459.2	460.2	1.0	242749					
		460.2	461.0	0.8	242750					
		461.0	461.7	0.7	242751					
		461.7	462.7	1.0	242752					

PAGE 41 OF | PROJECT: Fisher Zone | HOLE NO. WN04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
461	90%		55°	461.7-463.4 ARSI - dk-med grey fine grained [illegible] to irregular laminations, Siliceous matrix. No mineralization.							
462											
463	95%										
			70°	463.4-464.1 EXSI - Banded [illegible] Sericite increase - trace Py.							
464	95%			464.1-466.8 ARSI - Irregular laminations, [illegible] bands of lower silica bands. Trace Pyrite							
465											
466	60%										
467			80°	466.8-467.9 EXSI - high Silica w/ Variable texture. Intense Sericite alteration w/ Pyrite. Alteration is crosscutting.							
468											
				467.9-468.4 EXMT - Banded High Silica and High Alt Iron Fm							
469				468.4-477.2 EXSI - highly Variable texture [illegible] silica Exhalite, cut by abundant Sericite + Pyrite veinlets.							
470											
471		↑		locally strongly laminated w/ thin (1-2mm) Continuous Sericite bands							
472	100%										
473											
474		↓									
475											
476											
477				477.2-477.4 EXMT - Finely laminated Iron Fm, High Si and High Fe Bands. Tr Pyrite							
			55°	477.4-480.2 EXSI - Laminated to Irregular high Silica Exhalite with 1-2mm sericite Band and or 1-2 mm Pyrite Bands.							
478											
479											
480											
				480.2-507.8 HRSI - Exhalite + Pyrite [illegible] Siliceous argillite,							
481			85°	(27.6m) very fine grained Exhalite							
482											
				1-10mm bands of 10-50% Exhalite							
483											

PAGE 42 OF | PROJECT: Fisher Zone | HOLE NO. WV04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS
		462.7	463.4	0.7	242763	
		463.4	464.5	1.1	242764	
		464.5	465.5	1.0	242765	
		465.5	466.5	1.0	242766	
		466.5	467.5	1.0	242767	
		467.5	468.1	0.6	242768	
		468.1	469.1	1.0	242769	
		469.1	470.1	1.0	242760	
		470.1	470.4	0.3	242761	
		470.4	471.4	1.0	242762	
		471.4	472.4	1.0	242763	
1-5% Pyrite associated w/ qtz		472.4	473.0	0.6	242764	
15-20% Pyrite		473.0	474.0	1.0	242765	
15-20% Pyrite		474.0	475.0	1.0	242766	
15-20% Pyrite		475.0	476.0	1.0	242767	
1-5% Pyrite		476.0	477.0	1.0	242768	
1-5% Pyrite		477.0	477.3	0.3	242769	
		477.3	477.5	0.2	242770	
		477.5	478.5	1.0	242771	
1% Euhedral Pyrite		478.5	479.5	1.0	242772	
		480.5	481.5	1.0	242773	
1-5% Pyrite in QCR veins		481.5	482.2	0.7	242774	
		482.2	483.2	1.0	242775	

PAGE 43 OF | PROJECT: Fisher Zone | HOLE NO. WU04130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
484				generally Intercalations of [illegible]							
485											
486				486.9-487.0 - pyrite rich (5%) band							
487											
488											
489				489.1-489.2 - 1% sphalerite Band; first appearance of disseminated sphalerite							
490				490.8-491.0 - Strong Silicification							
491											
492											
493											
494											
495											
496											
497											
498											
499				499.0-500.6 - Abundant sphalerite							
500				502.3-503.0 - Abundant sph							
501				503.9-504.0 - sph							
502											
503											
504											
505				505.9-506.2 Abundant sphalerite							
506				506.4-506.7 - Quartz + Pyrite Vein.							

PAGE 44 OF | PROJECT: Fisher Zone | HOLE NO. aN04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS
		482.2	483.2	1.0	242776	
		483.2	484.7	1.0	242777	
		484.7	485.2	1.0	242778	
		485.2	486.2	1.0	242779	
1-5% Pyrite - 1-5% sph.		486.2	487.2	1.0	242780	
		487.2	488.7	1.0	242781	
		488.2	489.1	0.9	242782	
1-5% Pyrite - 1-5% sph.		489.1	489.6	0.5	242783	
1-5% Pyrite - 1-5% sph.		489.6	490.8	1.2	242784	
		490.8	491.0	0.2	242785	
		491.0	492.0	1.0	242786	
		492.0	493.0	1.0	242787	
		493.0	494.0	1.0	242788	
		494.0	495.3	1.3	242789	
		495.3	496.3	1.0	242790	
1-5% Pyrite - 1-5% sph.		496.3	496.7	0.4	242791	
		496.7	496.9	0.2	242792	
		496.9	497.9	1.0	242793	
		497.9	498.9	1.0	242794	
		498.9	499.4	0.5	242795	
		499.4	500.4	1.0	242796	
		500.4	501.4	1.0	242797	
		501.4	502.3	0.9	242798	

PAGE 45 OF | PROJECT: Fisher Zone | HOLE NO. WB04-130

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	ALTERATION B	ALTERATION C	ALTERATION D	ALTERATION E	FRACTURE INTENSITY	% VEIN QTZ.
507				507.8 - 510.2 ARTF - Interbedded Rhyolitic fine tuff and argillite. Trace to 1% sphalerite + py associated w quartz in argillite horizons. 507.9 - 508.0 - qtz + py + sph veining							
508	90%										
509											
510			5°	510.2 - 512.6 RHFT - Hyaline very fine ash tuff, calcite veining							
511											
512			60°	512.6 - 514.6 ARTF - dk grey - finely laminated argillite w 1-5cm quartz rich fragmental horizons							
513											
514	90%			512.9 - 513.0 - QV. 513.5 - 513.6 - Ash horizon. 513.6 - 513.7 - QV							
515											
516											
517				514.6 - EOH.							
518											
519											
520											
521	100%										
522											
523											
524	90%										
525											
526											
527											
528											
529											

PAGE 46 OF 46 | PROJECT: Fisher Zone | HOLE NO. WH04-130

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				
1-5% Bl. Ap. Trace Sph.		502.3	503.3	1.0	242799					
		503.3	503.9	0.6	242800					
		503.9	504.3	0.4	242801					
		504.3	505.3	1.0	242802					
		505.3	506.4	1.1	242803					
		506.4	506.7	0.3	242804					
		506.7	507.8	1.1	242805					
		507.8	508.0	0.2	242806					
		508.0	509.0	1.0	242807					
		509.0	509.4	0.4	242808					
		509.4	510.2	0.8	242809					
No Mineralization		510.2	511.2	1.0	242810					
		511.2	512.6	1.4	242811					
		512.6	513.6	1.0	242812					
Trace Py in		513.6	514.6	1.0	242813					
EOS.										

PAGE	OF	PROJECT:	HOLE NO.

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.

DRILL LOG

PROJECT: Fisher Zone	GROUND ELEV.: 1695 m
HOLE NO.: WU04-131	BEARING: 200°
LOCATION: 9600E, 18750N; UTM NAD27 Zone 9, 435190E, 6816500N	DIP: -75
	TOTAL LENGTH: 478.8 m
LOGGED BY: G. Dessureault	HORIZONTAL PROJECT
DATE: Nov 25/04	VERTICAL PROJECT
CONTRACTOR: E. Caron Diamond Drilling	ALTERATION SCALE: 0 1 2 3 — absent; slight; moderate; intense
CORE SIZE: NQ	
DATE STARTED: Nov 14/04	TOTAL SULPHIDE SCALE: 0 1 2 3 4 — traces only; < 1%; 1% – 3%; 3% – 10%; > 10%
DATE COMPLETED: Dec 17, 2004	
DIP TESTS	
COMMENTS	LEGEND

PAGE 1 OF | PROJECT: Fisher Zone | HOLE NO. WHC-13-

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ
1				0.0 - 6.4 DHOB -							
2											
3	0%										
4											
5											
6				6.4 - 7.5 RHFF - lt brown white Fine ash Tuff.							
7				6.6m - 6.8m - QV.							
8	95%		70°	7.5 - 18.4 RHFR/ARTF - med grey - lt grey matrix supported Rhyolite fragmental Dk grey muddy matrix mm - cm scale Fragments.							
9											
10	50%										
11											
12	90%										
13											
14	60%										
15											
16	90%										
17											
18				18.4 - 30.5 RHFR - med - light grey matrix supported Rhyolite fragmental. 1-2 cm fragments in an silty matrix. Possible matrix - generally fine smaller fragments							
19			70°								
20	60%										
21											
22	75%										
23				coarsening down hole to 1-5cm fragments							

PAGE 2 OF	PROJECT: Fisher Zone	HOLE NO. WHA1-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 3 OF | PROJECT: Fisher Zone | HOLE NO. WR4151

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
24											
25	50%										
26	90%										
27	50%										
28											
29											
30			70°	30.5-34.6 RHFR-ARTF - lt grey - matrix supported fine rhyolite frag. - fining upward from 2-5cm fragments to mm-1cm scale fragments. - conformable upper and lower contacts.							
31											
32	95%										
33											
34			70°	34.6-35.7 RHFR - lt grey-med grey coarse rhyolite fragmental. varies from clast supported to matrix supported. 5-10cm fragments - mud-ash matrix.							
35											
36			70°								
37				35.7-38.9 RHFR-ARTF - lt grey - fine rhyolite fragmental 1-2cm fragments in a mud-ash matrix.							
38											
39			70°	38.9-73.5 RHFR - lt grey - green grey coarse rhyolite fragmental 1-10cm high silica rhyolite fragments in a mud-ash matrix. clast supported.							
40											
41											
42	60%										
43											
44	75%										
45											
46											

PAGE 4 OF	PROJECT: Fisher Zone	HOLE NO. WH04-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 5 OF | PROJECT: Fisher Zone | HOLE NO. W04-131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
47											
48	96%										
49											
50	100%										
51											
52											
53	100%										
54											
55											
56											
57											
58											
59											
60											
61											
62				62.1 - 62.2 - Thin calcite vein.							
63											
64											
65											
66											
67	55%										
68	95%										
69	100%										
70											

PAGE 6 OF	PROJECT: Fisher Zone	HOLE NO. WU04-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 7 OF | PROJECT: Fisher Zone | HOLE NO. WBC4-131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
70				69.2 - 72.3 - Sand - clay poor TOR.							
71											
72	1%										
73											
74				73.5 - 112.1 RHFR - FiRTF - Upper, matrix supported fine rhyolite fragmental 1-3 cm high silica rhyolite fragments in a devitrified ash matrix. Locally muddy. Contains several weakly defined fining upwards sequences.							
75											
76											
77											
78											
79											
80											
81	95%										
82											
83											
84											
85											
86											
87			60°								
88											
89											
90											
91											
92											

PAGE 8 OF	PROJECT: Fisher Zone	HOLE NO. WUN-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 9 OF | PROJECT: Fisher Zone | HOLE NO.

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
93				RHFR-ARTF continued							
94											
95				95.1 - 95.5 - 2 Quartz + calcite + trace chlorite veins. generally No alteration @ margins.							
96											
97			55°								
98											
99											
100											
101											
102			80°	102.0 - 102.6 - Quartz + calcite vein							
103											
104											
105											
106											
107											
108			45°								
109											
110											
111											
112			60°	112.1 - 149.4 RHLT - Med Grey - Rhyolitic Ash Tuff. Fragments [illegible]							
113											
114											
115											

PAGE 10 OF	PROJECT: Fisher Zone	HOLE NO. W104-71

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 11 OF

PROJECT: Fisher Zone

HOLE NO. WD4-171

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	ALTERATION B	ALTERATION C	ALTERATION D	ALTERATION E	FRACTURE INTENSITY	% VEIN QTZ.
116	100%			RHLT cont...							
117				Veining from 30-40% 1-2 cm chert-qtz rock matrix to >1% 1cm veinlets							
118			60°								
119											
120											
121											
122											
123											
124											
125	80%										
126											
127											
128											
129											
130											
131											
132											
133			60°								
134											
135											
136				136.8 - 137.3 - Quartz + Calcite stockwork veining ~50 cm on either side of vein							
137											
138											

PAGE 12 OF | PROJECT: Fisher Zone | HOLE NO. WVD4-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 13 OF | PROJECT: Fisher Zone | HOLE NO. W04-171

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
139											
140											
141											
142	95%										
143											
144				The overlying unit requires dewatering. The [illegible] is over 5cm at the base.							
145											
146											
147											
148											
149				149.4-150.5 ARSI - dk grey-med grey finely laminated siliceous argillite							
150	100%										
151				150.5-156.9 ARTF - Dk grey finely laminated argillite w 0.5-1cm light Silica fragments. Contains occasional 1-3cm ash horizon.							
152											
153											
154				151.2-151.3 - QV							
155											
156				Carbonaceous argillite fault Gouge at Base of unit.							
157	85%			156.9-164.3 RHFR - lt grey Rhyolite fragmental [illegible] 1-5cm [illegible] Silica frags in Ash (recrystallized) matrix.							
158											
159				Trace Po.							
160											
161											

PAGE 14 OF | PROJECT: Fisher Zone | HOLE NO. WW04-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 15 OF | PROJECT: Fisher Zone | HOLE NO. WHM-131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ
162	45%										
163	65%										
164				164.3 - 169.1 RHFR - lt grey - dk grey generally Clast supported Rhyolite Fragmental [illegible] Matrix 1mm - 10cm thigh Silica Fragments.							
165											
166											
167											
168				167.7 - 168.7 - Ash Horizon.							
169				169.1 - 180 RHFR - Interbedded Rhyolite [illegible]							
170											
171											
172											
173											
174				174.0 - 176.4 - Small calcite + qtz Veins / Breccia.							
175	50%										
176				176.4 - 178.3 - Fault Gouge.							
177	50%										
178											
179	60%										
180											
181	90%										
182											
183	80%										
184				184.5 - 184.8 - Fault Gouge							
	50%										

PAGE 16 OF | PROJECT: Fisher Zone | HOLE NO. W104-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 17 OF | PROJECT: Fisher Zone | HOLE NO. WV04-131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
185	50%										
186				186.0-197.3 RHFR - lt grey - biege clast supported Rhyolite Fragmental 7.2 cm high Silica fragments - Some variability within the frags. mm scale ash matrix.							
187	85%										
188											
189											
190											
191											
192	95%										
193											
194											
195											
196											
197	80%			197.3-200.4 RHFR - lt grey - dk grey clast supported rhyolite fragmental ? pyroclastic mat. 1-2 cm high Silica frags in a muddy matrix.							
198											
199	95%										
200	80%			200.4-230.5 RHFR - lt grey - biege clast supported rhyolite tuff							
201											
202	45%										
203											
204											
205	50%			204.1-204.5 - Fault Gouge							
206	60%			204.9-205.9 - Fault Gouge							
207	50%										
	40%										

PAGE 18 OF | PROJECT: Fisher Zone | HOLE NO. WV04-31

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 19 OF | PROJECT: Fisher Zone | HOLE NO. WJ04-171

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ
208											
209	100%										
210											
211											
212				212.5 - 213.6 - Mud Matrix							
213	20%			213.0 - 213.4 - Sand and Mud Fault Gouge.							
214											
215				Broken Core up to 221.6							
216	50%										
217											
218											
219											
220											
221											
222	70%			223.5 - 223.7 - Carbonaceous mud marker - Fine, laminated							
223				223.7 - 227.0 - Variable matrix muddy and clasts.							
224											
225	90%										
226											
227	50%										
228											
229	95%										
230											

PAGE 20 OF | PROJECT: Fisher Zone | HOLE NO. W04131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 21 OF | PROJECT: Fisher Zone | HOLE NO. WV04-171

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
231				230.5-239.9 RHFR-RHAR - lt grey green/grey - Interbedded fine grained fragments (calcedic) with minor crystal sericite chlorite + mud matrix trace fine pyrite.							
232	10%										
233											
234											
235											
236	5%										
237											
238	80%										
239											
240				239.9-242.0 GTFG - Major Fault - Filled w Sand, Mud, Gravels Intense alteration, fracturing, weathering for several meters above and below							
241	90%										
242				242.0-258.0 RHFR - Interbedded/Minor fragmental Rhyolite - Highly Sericite altered. Pale - med Grey with Purple Hue.							
243											
244											
245											
246	95%										
247											
248											
249				249.7- along fractures bright green silky very soft coating minerals perfect cleavage most likely malachite.							
250											
251											
252											
253											

PAGE 22 OF | PROJECT: Fisher Zone | HOLE NO. W104-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 23 OF | PROJECT: Fisher Zone | HOLE NO. WH04-137

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
254											
255											
256	85%										
257											
258				258.0-270.0 RHFR - Faulted Rhyolite fragmental (STFL) - Heavily Broken textonized, redrilled, shattered core, limonite ± hematite staining poor recovery.							
259											
260	50%										
261											
262	75%										
263											
264	30%										
265											
266	50%										
267											
268	20%										
269	50%										
270				270.0-273.5 RHFR - Interbedded/fragmental Rhyolite - Carbonate alter							
271											
272											
273				273.5-276.0 RHAT - Interbedded Rhyolite tuff - ocre, magnetic especially downhole grading down to EXMT.							
274											
275											
276											

PAGE 24 OF | PROJECT: Fisher Zone | HOLE NO. WW04-171

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS	Comments
py veins/veinlets		272.5	273.5	1.0	242814		
py veins		273.5	274.8	1.3	242815		
		274.8	276.3	1.5	242816		poor recovery
massive sulphides		276.30	276.9	0.6	242817		
"		276.9	279.57	2.67	242818		poor recovery
"		279.57	282.23	2.66	242819		very poor recovery
		282.23	283.3	1.07	242820		
		283.3	284.3	1.00	242821		
		284.3	285.67	1.37	242822		
		285.67	286.6	0.93	242823		
		286.6	287.75	1.15	242824		
		287.75	289.0	1.25	242825		
py veinlets		289.0	290.3	1.3	242826		

EXMT

PAGE 25 OF | PROJECT: Fisher Zone | HOLE NO. WV04-131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ
277				276.0-282.1 PYMS - Pyrite rich Massive Sulfides -Brassy yellow, Non Magnetic Fine Grained Massive sulfides Calcite clasts and BIF. Rusty with limonite staining							
278											
279											
280											
281											
282				282.2-287.8 EXMT - Banded Magnetite Iron Formation Pale to Medium grey, strongly Calcareous. Locally Vuggy with chalcocrosite and ankerite infilling cavities. Tr Py.							
283											
284											
285											
286											
287											
288				287.8-292.2 RHFR - highly Carbonate Altered Interbedded Rhyolite lt. grey - green grey, Interbedded Rhyolite - sericite Tr mgt							
289											
290											
291											
292				292.2-295.0 RHAT - Carbonate - Sericite altered Bedded Rhyolite							
293											
294											
295				or ARCB 295.0-297.8 ARGR - Graphitic Argillite -Dk grey to Black, calcareous when leached, non Magnetic graphitic argillite.							
296											
297											
298				297.8-300.4 ARSI - Pyrite rich siliceous argillite.							
299											

PAGE 26 OF | PROJECT: Fisher Zone | HOLE NO. WU04-137

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS	Comments
		290.3	292.2	2	242827		poor recovery
		292.2	293.6	1.4	242828		
		293.6	294.96	1.36	242829		
		294.96	296.04	1.08	242830		
		296.04	297.81	1.77	242831		poor recovery
		297.81	298.88	1.07	242832		
		298.88	300.38	1.52	242833		poor recovery
		300.38	301.7	1.32	242834		
		301.7	303	1.3	242835		
		303.0	304	1.0	242836		
		304	304.7	0.7	242837		
		304.7	305.9	1.2	242838		
		305.49	306.2	0.71	242839		
		306.2	307.23	1.03	242840		
		307.23	310.06	2.83	242841		very poor recovery, lost
		310.06	311.6	1.54	242842		
		311.6	312.88	1.28	242843		
		312.88	314.4	1.52	242844		
		314.4	315.93	1.53	242845		
		315.93	317.1	1.17	242846		
		317.1	318.52	1.42	242847		
		318.52	320	1.48	242848		
		320	321.5	1.5	242849		
		321.5	323	1.5	242850		
		323	324.2	1.2	242851		
		324.2	325.55	1.35	242852		
		325.55	326.8	1.25	242853		
		326.8	328.27	1.47	242854		
		328.27	329.6	1.33	242855		
		329.6	330.7	1.1	242856		
		330.7	331.8	1.1	242857		
		331.8	333	1.2	242858		
		333	334.21	1.21	242859		
		334.21	335.28	1.07	242860		
		335.28	336.45	1.17	242861		
		336.45	337.85	1.4	242862		
		337.85	339.3	1.45	242863		
		339.3	340.8	1.5	242864		
		340.8	341.9	1.1	242865		
		341.9	343	1.1	242866		
		343	344.1	1.1	242867		
		344.1	345.34	1.24	242868		

PAGE 27 OF | PROJECT: Fisher Zone | HOLE NO. WD94-31

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
300				300.4-304.7 EXCP - Calcite Pyrite Exhalite lt. grey - greenish grey Interbedded Calcite, lt rock Pyrite ± Carbonate							
301											
302											
303											
304				or ARCB 304.7-306.2 ARGR - Graphitic Argillite Rock. Dk grey finely laminated argillite							
305											
306				306.2-309.2 RHCT - chloritic Rhyolite Tuff.							
307											
308				309.2-310.1 STFL - Fault sand and mud. soft. rewal							
309											
310				310.1-311.6 RHFS - Aphanitic Rhyolite							
311				311.6-318.5 ARSI - Siliceous Argillite Med - dk grey finely laminated graphitic and siliceous Argillite							
312											
313											
314											
315											
316											
317											
318				318.5-325.5 EXCP - Calcite Pyrite Exhalite. lt grey, pinkish very calcareous Interbedded Carbonate - Sericite - pyrite calcite.							
319											
320											
321											
322											

PAGE 28 OF | PROJECT: Fisher Zone | HOLE NO. W04-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				
		345.31	346.8	1.46	242869					
		346.8	348.3	1.5	242870					
		348.3	349.61	1.31	242871					
		349.61	351	1.39	242872					
		351	352	1	242873					
		352	353.1	1.1	242874					
		353.1	354.1	1	242875					
		354.1	355	0.9	242876					
		355	355.73	0.73	242877					
		355.73	357.2	1.47	242878					
		357.2	358.5	1.3	242879					
		358.5	359.9	1.4	242880					
		359.9	361.3	1.4	242881					
		361.3	362.7	1.4	242882					
		362.7	364.08	1.38	242883					
		364.08	365.5	1.42	242884					
		365.5	366.65	1.15	242885					

PAGE 29 OF | PROJECT: Fisher Zone | HOLE NO. WY04-31

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ
323											
324											
325				325.5-333.0 ARSI - Siliceous Argillite gradual upper contact. Finely laminated Pyrite rich and graphite rich. Some very altered sericite and or carbonate intervals							
326											
327											
328											
329											
330				330.8-331.5 - common sphalerite (0.8) fine grained parallel tobedding and associated to Pyrite							
331											
332											
333				333.0-336.9 EXSP - Silica Pyrite Exhalite Med grey-pale grey-green slightly to strongly calcareous. Interbedded w sericite rich Bands.							
334											
335											
336											
337				336.9-340.8 QTVN - Quartz Vein							
338											
339											
340				340.8-343.0 EXMT - Banded Magnetite Iron FM. sharp upper contact fine grained Magnetite abundant Pyrite disseminated recrystallized cubes or veinlets							
341											
342											
343											
344				343.0-345.7 EXSP - Silica Pyrite Exhalite							
345											

PAGE 30 OF | PROJECT: Fisher Zone | HOLE NO. W104-31

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 31 OF | PROJECT: Fisher Zone | HOLE NO. MH4-131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
346				EXSP continued							
347				Ltgrey - greenish grey - white quartz, pyrite, carbonate altered rock. Possibly altered Rhyolite.							
348				Trace fine Pyrite							
349											
350											
351											
352											
353											
354											
355				353.7-372.8 ARSI - Siliceous Argillite							
356				Met-lt grey finely laminated Siliceous argillite.							
357				Fine trace Pyrite.							
358											
359											
360											
361											
362											
363											
364											
365											
366											
367											
368											

PAGE 32 OF | PROJECT: Fisher Zone | HOLE NO. WD4131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 33 OF | PROJECT: Fisher Zone | HOLE NO. HJKCM131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ
369	95%										
370											
371	85%										
372			Fv	372.8-379.1 ARMS - Dk grey med grey finely laminated carbonaceous argillite.							
373											
374	75%			374.5-379.9 - QV							
375				376.2-376.3 - QV - strong deformation around QV							
376											
377	60%			377.4 - down hole increasing silicification							
378											
379				379.1-390.5 EXSI - RHFS - Banded high silica and high sericite Exhalite or Alteration composed of >90% silica. Locally up to 98% silica. up to 10% sericite + tr pyrite.							
380	99%										
381											
382											
383											
384											
385											
386											
387											
388											
389											
390				390.5-391.5 EXMT - Lean Iron Formation high silica (80%+), 1-5% mt, trace Porphyroblastic Pyrite							
391											

PAGE 34 OF	PROJECT: Fisher Zone	HOLE NO. W404-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 35 OF | PROJECT: Fisher Zone | HOLE NO. LW04-31

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
392				3926 - 392.9 - QV.							
393	97%										
394											
395				or RHFS							
				395.5-400.4 EXSI - Hg grey - White high Silica +Sericite + Minor int + minor Py ± minor calcite Enhalite or alteration							
396											
397	90%			weakly Banded to patch and irregular Zones.							
398											
399				398.7-399.1 - Sericite rich zone finely laminated.							
400											
				400.4-402.9 EXSP - Silica Pyrite Exhalite fine, weakly bedded Silica + pyrite gradational contact to ARSI -							
401											
402	60%										
				402.9-408.4 ARSI - Sphalerite + Pyrite, Siliceous Argillite. >1% Sphalerite very fine disseminated. Grades in and out of EXSI and EXSP							
403											
404											
405	95%										
406											
407											
408				408.4-417.0 EXMT - Med Grey Iron Formation - 10-50% fine grained Mt. 1-5% Pyrite, up to 50% Silica Minor chlorite - greenish tint.							
409											
410											
411				1-5mm porphyroblastic Pyrite locally well Banded with high Si and high Mt Bands							
412											
413											
414											

PAGE 36 OF | PROJECT: Fisher Zone | HOLE NO. WH04-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 37 OF | PROJECT: Fisher Zone | HOLE NO.

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
415				lower contact very sharp conformable contact.							
416				416.8-417.0 QV but doesn't destroy contact.							
417			85°	417.0-418.3 EXSI - lt grey-white finely laminated high Silica high Sericite Exhalite. (chert)							
418											
419			60°	418.3-423.3 EXSP - ltgrey-white Banded and Patchy Silica-Pyrite exhalite locally abundant sphalerite up to 2% very interesting oval spots rimmed with Pyrite - may evidence of Bacterial processes.							
420											
421											
422											
423			80°	Gradational Contact.							
424				423.3-438.1 ARSI - ltgrey-med grey - Pyrite rich siliceous argillite. Tr sphalerite Finely laminated to irregular laminations Intense Silica Alteration							
425											
426											
427											
428											
429											
430											
431											
432											
433											
434											
435											
436											
437											

PAGE 38 OF	PROJECT: Fisher Zone	HOLE NO. WVC4-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 39 OF | PROJECT: Fisher Zone | HOLE NO. WW04131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ
438				438.1-439.4 EXSP - Silica Pyrite Exhalite or Intense silica + Pyrite alteration							
439				439.4-439.9 EXSI or BHPS - Silica + fine Sericite Exhalite or Alt. tr.-no pyrite.							
440				439.9-440.9 EXSP - Silica Pyrite Exhalite or Intense Silica + Pyrite alt.							
441				440.9-445.3 ARSI - Pyrite ± sphalerite, Siliceous Argillite - lt. - med grey.							
442											
443											
444											
445				445.3-445.9 BHSR - Intensly Sericite altered high Silica bearing - strongly deformed. crenulated ~1% Py							
446				445.9-446.6 RHFs - Intensly sericite altered Banded high Silica unit.							
447				446.6-451.2 EXMT - Iron Formation up to 50% Mt + Silica + trace Pyrite Banded Iron Fm							
448											
449				450.0-450.6 - Mt poor horizon. 1-2% Py. Possibly both Tuff.							
450											
451				451.2-455.7 EXSI - high Silica Exhalite or alteration. upper portion finely laminated possibly silicified tuff while lower portion contains possible argillite horizons. Cut by abundant Qtz VN.							
452											
453				452.1-453.1 - QV- 7, 2-20cm Qtz+chl veins							
454				454.0-459.2 - QV. 1 Qtz + chl vein. veins.							
455											
456				455.7-464.9 ARSI - Siliceous Argillite - Interbedded with high Pyrite Siliceous Argillite. - generally irregular laminations - crenulations							
457											
458											
459				Pyrite-rich bands up to 20 cm with up to 20% Pyrite.							
460											

PAGE 40 OF | PROJECT: Fisher Zone | HOLE NO. WV04-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 41 OF | PROJECT: Fisher Zone | HOLE NO. WM4-131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
461											
462											
463											
464				464.9 465.3 QVN - Quartz vein with mylllite.							
465				465.3-466.1 ARSI - Continued same as above							
466				466.8 - Tr sphalerite. very fine grained wispy sph.							
467											
468				468.1-469.7 ESI - Intense Silica + Sericite alteration Pyrite + trace sphalerite.							
469											
470				468.7-469 - Qtz + chlorite VN with minor Brecciation.							
471				469.7-472.5 ADTF - Intermediate Ash Tuff. pale green - chlorite + carbonate + trace Po. cut by abundant carb VNs							
472											
473				472.5-474.7 ARSI - Siliceous Argillite. cut by abundant small Qtz VNs. recrystalized. Tr sphalerite, upto1%							
474											
475				474.7-488.3 ADTF - Intermediate ash Tuff. Fine units - originally feldspars now calcite chlorite + carbonate + Po. cut by abundant calcite VNs.							
476											
477											
478				478.5-478.6 - Sphalerite, pyrite + pyrrhotite + qtz vein							
479											
480											
481											
482											
483											

PAGE 42 OF	PROJECT: Fisher Zone	HOLE NO. WW4-131

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH						

PAGE 43 OF | PROJECT: Fisher Zone | HOLE NO. WW04-131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.
484	98										
485				485.3-487.0 RHSI- Pyrite rich - Siliceous sericite - grain ~ 0.5 mm high silica trans - RHFS.							
486	62										
487				487.0-487.8 RHFS- Intercalated high silica sericite. Poor recovery. ~1cm Bands of high silica with minor band of Epidote.							
488											
489											
490											
491				487.8 - EOH							
492											
493											
494											
495											
496											
497											
498											
499											
500											
501											
502											
503											
504											
505											
506											

PAGE 44 OF | PROJECT: Fisher Zone | HOLE NO. WN04-03

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 45 OF | PROJECT: | HOLE NO.

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	B	C	D	E	FRACTURE INTENSITY	% VEIN QTZ.

DRILL LOG

PROJECT Fisher Zone	**GROUND ELEV.** 1695 m
HOLE NO. WU04-131A	**BEARING**
LOCATION	**DIP**
	TOTAL LENGTH 43.6
LOGGED BY G. Desgagneau	**HORIZONTAL PROJECT**
DATE Nov 2/5/04	**VERTICAL PROJECT**
CONTRACTOR E Caron Diamond Drilling	**ALTERATION SCALE** 0 1 2 3 absent slight moderate intense
CORE SIZE NQ	
DATE STARTED Nov 11, 2004	**TOTAL SULPHIDE SCALE** 0 1 2 3 4 traces only < 1% 1% – 3% 3% – 10% > 10%
DATE COMPLETED Nov 13, 2004	
DIP TESTS	
COMMENTS This hole was terminated on Nov 13, 04 by G. Desgagneau. The Drill was not set up to the proper orientation. The Drill was moved and recollered at the correct azimuth.	**LEGEND**

PAGE 1 OF 3 | PROJECT: Fisher Zone | HOLE NO. WM4-131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	ALTERATION B	ALTERATION C	ALTERATION D	ALTERATION E	FRACTURE INTENSITY	% VEIN QTZ.
1				0-3.0m DHOB-							
2	0%										
3				3.0m-4.36m. RHFR - rhyolite fragmental with angelitic matrix. with several interbedded ash horizons. occasionally the matrix consists of ash instead of mud.							
4	50%										
5	90%		30°								
6											
7	95%			3.8m-4.0m- QV.							
8											
9											
10											
11	90%										
12											
13											
14											
15											
16											
17	90%										
18											
19											
20											
21											
22											
23											

PAGE 2 OF 3 | PROJECT: Fisher Zone | HOLE NO. WV04-131d

MINERALIZATION DESCRIPTION	TOTAL SULPHIDES	SAMPLES FROM	SAMPLES TO	SAMPLES WIDTH	SAMPLE NUMBER	ASSAYS				

PAGE 3 OF 3 | PROJECT: Fisher Zone | HOLE NO. WB04-131

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION A	ALTERATION B	ALTERATION C	ALTERATION D	ALTERATION E	FRACTURE INTENSITY	% VEIN QTZ.
24											
25											
26											
27											
28											
29											
30											
31											
32											
33											
34											
35											
36											
37											
38											
39											
40				40.3-41.6 RHFR. Clast supported, coarse Rhyolite breccia to (2mm)							
41											
42											
43				43.6- EOH.							
44											
45											
46											

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

QC CERTIFICATE VA05005031

Project: FISHER 1615

P.O. No.:

This report is for 209 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-JAN-2005.

The following have access to data associated with this certificate:

G. DESSUREAU ACCOUNTS PAYABLE	GILLES DESSUREAU	JASON DUNNING

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	47 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
Cu-AA62	Ore grade Cu - four acid / AAS	AAS
Pb-AA62	Ore grade Pb - four acid / AAS	AAS
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **YUKON ZINC CORPORATION**
ATTN: JASON DUNNING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	Au-GRA21 Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
STANDARDS																
BPL-04																
Target Range - Lower Bound																
Upper Bound																
CU-106																
Target Range - Lower Bound																
Upper Bound																
G2000			6.26	5.07	512	2370	1.28	1.02	0.58	8.00	56.8	23.5	102	12.55	306	3.82
G2000			3.44	5.07	467	2340	1.34	1.00	0.58	7.77	55.3	23.8	97	12.40	290	3.78
G2000			3.69	5.10	502	2380	1.66	1.06	0.58	7.66	53.9	24.6	102	12.45	310	3.83
G2000			3.29	4.86	459	2350	1.59	1.15	0.57	7.51	54.5	26.0	97	12.85	289	3.75
G2000			3.34	5.14	458	2470	1.58	1.14	0.59	8.04	55.9	25.0	102	13.45	304	3.89
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000			3.82	5.00	479	2410	1.49	1.08	0.58	7.44	54.7	22.6	100	12.75	281	3.79
G2000			3.35	5.10	486	2460	1.28	1.07	0.57	7.69	53.9	24.9	100	12.60	303	3.81
Target Range - Lower Bound			3.22	4.52	435	2110	1.25	0.98	0.51	6.82	47.9	22.6	90	11.10	273	3.41
Upper Bound			3.96	5.54	533	2810	1.83	1.22	0.65	8.38	58.6	27.8	112	13.70	334	4.19
GBM399-5																
GBM399-5																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
STANDARDS																
BPL-04																
Target Range - Lower Bound																
Upper Bound																
CU-106																
Target Range - Lower Bound																
Upper Bound																
G2000		12.65	0.20	1.4		0.378	1.29	32.2	38.6	0.76	570	6.31	0.13	10.8	284	960
G2000		12.25	0.16	1.5		0.385	1.22	30.9	37.6	0.75	552	6.23	0.13	10.4	273	970
G2000		13.25	0.24	1.1		0.403	1.33	29.0	41.2	0.76	561	6.50	0.14	11.0	283	970
G2000		13.15	0.14	1.3		0.412	1.26	30.7	39.4	0.73	548	6.02	0.14	10.8	271	930
G2000		13.40	0.21	1.2		0.419	1.29	30.8	38.1	0.77	570	6.57	0.14	10.8	279	980
G2000					0.76											
G2000					0.74											
G2000					0.80											
G2000					0.78											
G2000					0.75											
G2000					0.78											
G2000					0.74											
G2000					0.77											
G2000					0.71											
G2000					0.74											
G2000					0.79											
G2000					0.77											
G2000					0.73											
G2000					0.70											
G2000		12.90	0.15	1.3		0.412	1.23	30.3	37.4	0.72	566	6.04	0.13	10.8	283	930
G2000		13.00	0.20	1.6		0.395	1.29	27.7	41.1	0.77	566	6.33	0.14	11.0	288	950
Target Range - Lower Bound		11.40	0.11	1.1	0.68	0.355	1.16	25.9	35.4	0.67	506	5.47	0.12	8.9	257	840
Upper Bound		14.00	0.25	1.5	0.81	0.445	1.44	32.7	43.8	0.85	630	6.79	0.16	11.1	315	1050
GBM399-5																
GBM399-5																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Tl % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
STANDARDS																
BPL-04																
Target Range - Lower Bound																
Upper Bound																
CU-106																
Target Range - Lower Bound																
Upper Bound																
G2000		665	70.6	0.005	0.26	34.2	4	2.5	118.0	0.81	0.19	6.9	0.358	1.08	3.0	109
G2000		670	67.5	0.003	0.26	33.9	3	2.5	116.5	0.78	0.19	6.9	0.337	0.96	3.0	102
G2000		675	67.6	0.010	0.27	33.6	6	2.5	121.0	0.88	0.16	7.7	0.356	1.01	3.1	108
G2000		679	72.1	0.005	0.25	33.3	6	2.2	115.5	0.76	0.14	7.8	0.344	1.13	3.4	103
G2000		697	75.6	0.005	0.26	33.4	5	2.3	121.0	0.82	0.18	7.7	0.352	0.96	3.5	106
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000		664	62.5	0.005	0.24	33.2	6	2.2	104.0	0.80	0.17	7.2	0.348	0.89	3.4	102
G2000		674	70.0	0.007	0.27	34.4	6	2.4	120.5	0.80	0.15	7.6	0.360	1.04	3.6	108
Target Range - Lower Bound		603	62.9	0.003	0.23	29.7	4	1.8	104.5	0.65	0.09	6.4	0.314	0.89	2.9	96
Upper Bound		738	77.1	0.009	0.30	36.4	7	2.8	128.0	0.91	0.22	8.2	0.395	1.13	3.7	120
GBM399-5																
GBM399-5																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-AA62 Cu % 0.01	Pb-AA62 Pb % 0.01	Zn-AA62 Zn % 0.01	Ag-GRA21 Ag ppm 5
STANDARDS									
BPL-04									685
Target Range - Lower Bound									630
Upper Bound									736
CU-106						1.43	0.01	0.06	
Target Range - Lower Bound						1.37			
Upper Bound						1.49			
G2000		18.0	23.8	1370	50.8				
G2000		16.9	23.5	1250	57.0				
G2000		15.6	21.0	1260	38.2				
G2000		17.7	24.0	1250	41.4				
G2000		17.7	23.5	1290	38.0				
G2000									
G2000									
G2000									
G2000									
G2000									
G2000									
G2000									
G2000									
G2000									
G2000									
G2000									
G2000									
G2000									
G2000									
G2000		17.1	24.7	1255	57.9				
G2000		16.6	23.3	1265	53.0				
Target Range - Lower Bound		14.6	20.4	1130	35.0				
Upper Bound		18.4	25.2	1385	48.6				
GBM399-5								0.92	
GBM399-5						2.88	2.09	0.95	
GBM399-5								0.92	
Target Range - Lower Bound						2.83	2.03	0.91	
Upper Bound						3.06	2.20	0.99	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	Au-GRA21 Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
STANDARDS																
GEOMS-03			0.72	5.32	629	2460	1.48	0.34	0.38	0.35	52.8	10.8	119	9.95	133.0	4.18
GEOMS-03			0.70	5.08	607	2410	1.46	0.33	0.37	0.35	53.7	11.5	114	10.15	130.0	4.02
GEOMS-03			0.67	5.10	620	2410	1.58	0.35	0.37	0.33	48.8	10.8	117	9.36	132.5	4.05
GEOMS-03			0.74	5.25	619	2560	1.62	0.36	0.39	0.32	52.2	12.8	124	10.40	138.5	4.23
GEOMS-03			0.70	5.19	631	2500	1.58	0.33	0.38	0.36	51.5	10.8	116	10.35	129.5	4.11
GEOMS-03			0.76	5.43	663	2630	1.55	0.36	0.41	0.39	53.6	12.2	126	10.30	133.5	4.41
Target Range - Lower Bound			0.67	4.61	570	2180	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04	120.5	3.64
Upper Bound			0.85	5.65	697	2690	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15	147.5	4.48
GS-30		35.1														
GS-30		33.7														
GS-30		34.8														
GS-30		34.4														
GS-30		34.5														
Target Range - Lower Bound		31.1														
Upper Bound		35.9														
OXK35		3.53														
OXK35		3.58														
OXK35		3.56														
OXK35		3.60														
OXK35		3.56														
Target Range - Lower Bound		3.19														
Upper Bound		3.78														
Pb-107																
Pb-107																
Pb-107																
Target Range - Lower Bound																
Upper Bound																
SP17		18.00														
Target Range - Lower Bound		16.80														
Upper Bound		19.45														

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
STANDARDS																
GEOMS-03		13.45	0.17	1.5		0.046	1.08	30.8	40.6	0.53	535	3.50	0.08	13.8	53.5	1090
GEOMS-03		13.00	0.17	1.5		0.048	1.04	31.1	41.6	0.50	507	3.40	0.07	13.6	52.3	1050
GEOMS-03		12.30	0.19	1.1		0.043	1.12	26.0	43.2	0.51	519	3.27	0.08	13.4	48.8	1080
GEOMS-03		14.00	0.13	1.6		0.045	1.14	29.9	37.6	0.53	525	3.45	0.08	14.3	52.5	1080
GEOMS-03		13.60	0.14	1.5		0.043	1.08	30.0	37.0	0.50	529	3.44	0.08	14.2	54.5	1060
GEOMS-03		13.75	0.15	1.2		0.047	1.15	27.9	45.2	0.55	565	3.55	0.08	14.2	52.7	1120
Target Range - Lower Bound		12.00	0.10	1.1		0.035	1.03	25.6	36.8	0.48	483	3.05	0.06	12.8	48.1	970
Upper Bound		14.75	0.24	1.5		0.053	1.29	32.4	45.5	0.60	601	3.83	0.10	15.8	59.3	1210
GS-30																
GS-30																
GS-30																
GS-30																
GS-30																
Target Range - Lower Bound																
Upper Bound																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
Pb-107																
Pb-107																
Pb-107																
Target Range - Lower Bound																
Upper Bound																
SP17																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Tl % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
STANDARDS																
GEOMS-03		6.6	60.6	<0.002	0.03	18.15	2	2.8	170.5	0.99	0.16	6.3	0.443	1.23	3.2	116
GEOMS-03		6.7	61.4	<0.002	0.04	18.45	2	2.8	167.0	0.98	0.16	6.3	0.421	1.20	3.1	110
GEOMS-03		6.2	56.1	0.003	0.03	17.50	3	2.2	166.0	0.96	0.13	6.6	0.457	1.26	3.1	115
GEOMS-03		9.8	66.3	<0.002	0.04	18.20	3	2.6	172.5	0.98	0.14	7.2	0.477	1.21	3.8	118
GEOMS-03		8.0	55.9	0.002	0.03	17.80	4	2.5	157.5	1.01	0.14	6.5	0.446	1.12	3.5	112
GEOMS-03		7.2	64.2	0.003	0.04	19.65	4	2.7	176.0	0.94	0.14	6.6	0.491	1.36	3.5	125
Target Range - Lower Bound		5.4	55.7	<0.002	0.03	16.75	2	2.1	157.5	0.81	0.07	6.2	0.409	1.05	3.1	104
Upper Bound		7.7	68.3	0.004	0.05	20.6	4	3.0	192.5	1.10	0.19	6.8	0.511	1.33	4.0	130
GS-30																
GS-30																
GS-30																
GS-30																
GS-30																
Target Range - Lower Bound																
Upper Bound																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
Pb-107																
Pb-107																
Pb-107																
Target Range - Lower Bound																
Upper Bound																
SP17																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-AA62	Pb-AA62	Zn-AA62	Ag-GRA21
	Analyte	W	Y	Zn	Zr	Cu	Pb	Zn	Ag
	Units	ppm	ppm	ppm	ppm	%	%	%	ppm
	LOR	0.1	0.1	2	0.5	0.01	0.01	0.01	5
STANDARDS									
GEOMS-03		22.0	22.5	47	52.3				
GEOMS-03		21.7	23.4	44	58.8				
GEOMS-03		19.3	20.1	45	40.1				
GEOMS-03		21.6	23.6	49	51.4				
GEOMS-03		21.8	23.9	47	65.3				
GEOMS-03		21.8	22.3	51	38.4				
Target Range - Lower Bound		19.2	19.8	40	36.9				
Upper Bound		23.6	24.4	54	51.1				
GS-30									
GS-30									
GS-30									
GS-30									
GS-30									
Target Range - Lower Bound									
Upper Bound									
OXK35									
OXK35									
OXK35									
OXK35									
OXK35									
Target Range - Lower Bound									
Upper Bound									
Pb-107								2.72	
Pb-107						1.58	1.79	2.74	
Pb-107								2.70	
Target Range - Lower Bound						1.54	1.75	2.69	
Upper Bound						1.68	1.89	2.91	
SP17									
Target Range - Lower Bound									
Upper Bound									

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	Au-GRA21 Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
BLANKS																
BLANK			<0.02	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
BLANK			<0.02	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
BLANK			<0.02	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
BLANK			<0.02	<0.01	<0.2	<10	<0.05	0.02	<0.01	0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
BLANK			<0.02	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.05														
BLANK		<0.05														
BLANK		<0.05														
BLANK			<0.02	<0.01	<0.2	<10	<0.05	<0.01	<0.01	0.04	<0.01	<0.1	<1	<0.05	<0.2	<0.01
BLANK		<0.05														
BLANK																
BLANK		<0.05														
BLANK			<0.02	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	0.2	<0.01
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.05	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
Upper Bound		0.10	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02
DUPLICATES																
180909		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
BLANKS																
BLANK		<0.05	<0.05	<0.1		<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
BLANK		0.05	<0.05	<0.1		<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
BLANK		<0.05	<0.05	<0.1		<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
BLANK		<0.05	<0.05	<0.1		<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
BLANK		<0.05	<0.05	<0.1		<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
BLANK					<0.01											
BLANK					<0.01											
BLANK					<0.01											
BLANK					<0.01											
BLANK					<0.01											
BLANK					<0.01											
BLANK					<0.01											
BLANK																
BLANK																
BLANK																
BLANK		<0.05	<0.05	<0.1		<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
BLANK																
BLANK																
BLANK																
BLANK		0.09	0.10	<0.1		<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2	<10
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.05	<0.05	<0.1	<0.01	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
Upper Bound		0.10	0.10	0.2	0.02	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20
DUPLICATES																
180909																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Tl % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
BLANKS																
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	0.03	<0.1	<1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.5	<0.1	<0.002	<0.01	0.05	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1
BLANK																
BLANK																
BLANK																
BLANK		<0.5	0.1	<0.002	<0.01	<0.05	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.5	<0.1	<0.002	<0.01	<0.05	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1
Upper Bound		1.0	0.2	0.004	0.02	0.10	6	0.4	0.4	0.10	0.10	0.4	0.010	0.04	0.2	2
DUPLICATES																
180909 DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-AA62 Cu % 0.01	Pb-AA62 Pb % 0.01	Zn-AA62 Zn % 0.01	Ag-GRA21 Ag ppm 5
BLANKS									
BLANK		<0.1	<0.1	<2	<0.5				
BLANK		<0.1	<0.1	<2	<0.5				
BLANK		<0.1	<0.1	<2	<0.5				
BLANK		<0.1	<0.1	<2	<0.5				
BLANK		<0.1	<0.1	<2	<0.5				
BLANK									
BLANK									
BLANK									
BLANK									
BLANK									
BLANK									
BLANK									
BLANK									
BLANK									
BLANK									
BLANK		<0.1	<0.1	<2	<0.5				
BLANK									
BLANK								<0.01	
BLANK									
BLANK		<0.1	<0.1	2	<0.5				
BLANK									<5
BLANK						<0.01	<0.01	<0.01	
BLANK								<0.01	
Target Range - Lower Bound		<0.1	<0.1	<2	<0.5	<0.01	<0.01	<0.01	<5
Upper Bound		0.2	0.2	4	1.0	0.02	0.02	0.02	10
DUPLICATES									
180909 DUP									
Target Range - Lower Bound									
Upper Bound									

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	Au-GRA21 Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
DUPLICATES																
180912			0.17	7.97	2.6	2280	6.08	<0.01	6.5	0.49	50.5	25.8	213	16	69.8	5.13
DUP			0.18	8.80	2.7	2640	6.33	<0.01	6.61	0.47	56.5	24.8	231	17.50	64.9	5.31
Target Range - Lower Bound			0.15	7.95	2.1	2320	5.79	<0.01	6.21	0.42	50.8	23.8	209	15.80	63.6	4.94
Upper Bound			0.20	8.82	3.2	2600	6.62	0.02	6.90	0.54	56.2	26.8	235	17.70	71.1	5.50
242820		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242839			1.16	4.52	27.7	280	5.2	0.18	1.87	3.55	59.6	9.7	122	14.45	50.1	2.95
DUP			1.42	4.37	26.6	290	4.82	0.17	1.81	3.56	59.9	9.7	115	13.90	46.7	2.88
Target Range - Lower Bound			1.21	4.20	25.4	250	4.66	0.15	1.73	3.34	56.7	9.0	111	13.35	45.6	2.75
Upper Bound			1.37	4.69	28.9	320	5.36	0.20	1.95	3.77	62.8	10.4	126	15.00	51.2	3.08
242840		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242856																
DUP																
Target Range - Lower Bound																
Upper Bound																
242875			0.32	3.35	9.6	1990	3.65	0.13	0.34	0.86	28.3	5.9	75	5.8	103.5	1.14
DUP			0.29	3.32	8.3	1910	3.38	0.12	0.34	0.79	26.6	5.3	77	5.44	98.5	1.14
Target Range - Lower Bound			0.27	3.15	8.1	1830	3.24	0.10	0.30	0.74	26.1	5.1	70	5.24	95.6	1.06
Upper Bound			0.34	3.52	9.8	2070	3.79	0.15	0.38	0.91	28.8	6.1	82	6.00	106.5	1.22
242878		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242892																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
DUPLICATES																
180912		25.8	0.18	0.8		0.069	4.6	25	49.3	0.94	1325	1.85	0.05	28.1	59.4	1830
DUP		25.4	0.19	0.7		0.065	4.62	29.0	52.6	1.05	1355	1.81	0.05	33.2	57.6	1840
Target Range - Lower Bound		24.2	0.08	0.5		0.054	4.36	24.7	48.0	0.93	1265	1.64	0.03	28.9	55.2	1720
Upper Bound		27.0	0.29	1.0		0.080	4.86	29.4	53.9	1.06	1415	2.02	0.07	32.4	61.8	1950
242820					0.04											
DUP					0.04											
Target Range - Lower Bound					0.02											
Upper Bound					0.06											
242839		12.9	0.15	2.4		0.038	1.62	34.1	21.2	0.95	692	13.35	0.05	13.2	54	310
DUP		12.55	0.15	2.4		0.039	1.57	34.8	21.4	0.92	669	13.20	0.05	13.1	53.6	300
Target Range - Lower Bound		12.00	<0.05	2.1		0.027	1.50	31.7	19.8	0.87	636	12.50	0.03	12.3	50.7	270
Upper Bound		13.45	0.26	2.7		0.050	1.69	37.2	22.8	1.00	725	14.05	0.07	14.0	56.9	340
242840																
DUP																
Target Range - Lower Bound																
Upper Bound																
242856					0.02											
DUP					0.03											
Target Range - Lower Bound					<0.01											
Upper Bound					0.05											
242875		10.45	0.13	1.3		0.044	1.37	14.7	26.7	0.36	102	8.71	0.07	3.3	29.8	140
DUP		9.66	0.12	1.2		0.041	1.35	13.5	26.3	0.36	103	8.04	0.07	3.0	27.4	130
Target Range - Lower Bound		9.45	<0.05	1.0		0.030	1.27	12.4	24.8	0.32	87	7.86	0.05	2.8	26.8	110
Upper Bound		10.65	0.23	1.5		0.055	1.45	15.8	28.2	0.40	118	8.89	0.09	3.5	30.4	160
242878																
DUP																
Target Range - Lower Bound																
Upper Bound																
242892					0.05											
DUP					0.05											
Target Range - Lower Bound					0.03											
Upper Bound					0.07											

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Tl % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
DUPLICATES																
180912		14.4	84.9	0.003	1.29	0.73	5	2.3	203	1.91	<0.05	2.2	0.981	2.92	0.6	310
DUP		13.8	110.5	0.003	1.29	0.75	5	2.3	208	2.25	<0.05	2.7	1.110	2.97	0.7	324
Target Range - Lower Bound		12.4	92.6	<0.002	1.21	0.60	3	1.6	195.0	1.88	<0.05	1.9	0.983	2.76	0.4	299
Upper Bound		15.8	103.0	0.004	1.37	0.88	7	2.8	216	2.28	0.10	3.0	1.110	3.13	0.9	335
242820																
DUP																
Target Range - Lower Bound																
Upper Bound																
242839		92.3	86.6	0.011	1.85	4.67	2	2.8	74.1	0.86	0.12	8.1	0.181	4.46	3.2	168
DUP		87.7	84.7	0.010	1.81	4.58	2	2.7	74.0	0.82	0.12	8.1	0.181	4.39	3.2	165
Target Range - Lower Bound		84.5	81.2	0.006	1.72	4.29	<1	2.2	69.9	0.70	<0.05	7.3	0.162	4.16	2.8	156
Upper Bound		95.5	90.1	0.015	1.94	4.96	4	3.3	78.2	0.98	0.23	8.9	0.200	4.69	3.6	177
242840																
DUP																
Target Range - Lower Bound																
Upper Bound																
242856																
DUP																
Target Range - Lower Bound																
Upper Bound																
242875		67.4	82.8	0.004	0.13	0.6	3	1.4	138.5	0.24	<0.05	5	0.128	2.39	1.5	96
DUP		62.5	75.7	0.003	0.13	0.55	2	1.3	132.0	0.22	0.05	4.5	0.126	2.09	1.4	97
Target Range - Lower Bound		60.7	75.1	<0.002	0.10	0.45	<1	0.9	128.0	0.12	<0.05	4.1	0.111	2.09	1.2	90
Upper Bound		69.2	83.4	0.004	0.16	0.70	5	1.8	142.5	0.34	0.10	5.4	0.143	2.39	1.7	103
242878																
DUP																
Target Range - Lower Bound																
Upper Bound																
242892																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description / Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-AA62 Cu % 0.01	Pb-AA62 Pb % 0.01	Zn-AA62 Zn % 0.01	Ag-GRA21 Ag ppm 5
DUPLICATES								
180912	3.4	20.9	139	43.9				
DUP	4.1	21.3	140	35.8				
Target Range - Lower Bound	3.4	19.8	129	36.9				
Upper Bound	4.1	22.4	150	42.8				
242820								
DUP								
Target Range - Lower Bound								
Upper Bound								
242839	5.5	10.3	790	95.8				
DUP	13.1	10.2	801	94.2				
Target Range - Lower Bound	8.6	9.5	752	89.3				
Upper Bound	10.0	11.0	839	101.0				
242840								
DUP								
Target Range - Lower Bound								
Upper Bound								
242856								
DUP								
Target Range - Lower Bound								
Upper Bound								
242875	0.9	4.2	634	53				
DUP	0.7	3.9	649	48.3				
Target Range - Lower Bound	0.6	3.6	605	47.1				
Upper Bound	1.0	4.5	678	54.2				
242878								
DUP								
Target Range - Lower Bound								
Upper Bound								
242892								
DUP								
Target Range - Lower Bound								
Upper Bound								

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	Au-GRA21 Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
DUPLICATES																
242898		<0.05														
DUP		<0.05														
Target Range - Lower Bound		≤0.05														
Upper Bound		0.10														
242911			0.04	2.84	1.5	1080	8.87	0.13	0.48	<0.02	26.5	2.6	152	11.9	16.5	8
DUP			0.04	2.75	1.3	1340	7.77	0.16	0.47	0.03	25.1	2.5	150	11.50	15.6	7.90
Target Range - Lower Bound			0.02	2.64	0.9	1130	7.80	0.12	0.43	≤0.02	24.5	2.2	141	11.00	14.8	7.53
Upper Bound			0.06	2.95	1.9	1290	8.84	0.17	0.52	0.04	27.1	2.9	161	12.40	17.3	8.37
242918		<0.05														
DUP		<0.05														
Target Range - Lower Bound		≤0.05														
Upper Bound		0.10														
242925		<0.05														
DUP		<0.05														
Target Range - Lower Bound		≤0.05														
Upper Bound		0.10														
242928																
DUP																
Target Range - Lower Bound																
Upper Bound																
242943																
DUP																
Target Range - Lower Bound																
Upper Bound																
242947			0.25	2.78	12.4	110	5.06	0.11	0.38	6.19	32.2	2.9	141	5.91	43.9	4.82
DUP			0.27	2.78	12.2	140	4.96	0.12	0.37	6.16	32.2	2.8	136	5.78	43.3	4.71
Target Range - Lower Bound			0.23	2.62	11.3	100	4.66	0.09	0.34	5.83	30.6	2.5	130	5.45	41.0	4.51
Upper Bound			0.29	2.94	13.3	150	5.36	0.14	0.41	6.52	33.8	3.2	147	6.24	46.2	5.02
242956		<0.05														
DUP		<0.05														
Target Range - Lower Bound		≤0.05														
Upper Bound		0.10														

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
DUPLICATES																
242898																
DUP																
Target Range - Lower Bound																
Upper Bound																
242911		9.36	0.15	0.7		0.038	1.07	11.2	26.9	0.32	123	3.39	0.08	4.2	8.1	490
DUP		8.75	0.14	0.7		0.035	1.01	10.8	22.8	0.31	122	3.22	0.08	4.1	8.0	460
Target Range - Lower Bound		8.50	<0.05	0.5		0.025	0.97	9.5	23.2	0.28	108	3.04	0.06	3.7	7.2	430
Upper Bound		9.61	0.25	0.9		0.048	1.11	12.6	26.5	0.35	139	3.57	0.10	4.6	8.9	520
242918																
DUP																
Target Range - Lower Bound																
Upper Bound																
242925																
DUP																
Target Range - Lower Bound																
Upper Bound																
242928					0.14											
DUP					0.14											
Target Range - Lower Bound					0.11											
Upper Bound					0.17											
242943																
DUP																
Target Range - Lower Bound																
Upper Bound																
242947		9.39	0.11	1.1		0.036	1.33	13.6	20.7	0.32	255	21.9	0.01	2	19.8	680
DUP		9.10	0.12	1.2		0.034	1.34	12.9	21.1	0.32	249	21.9	0.01	2.1	19.0	650
Target Range - Lower Bound		8.68	<0.05	0.9		0.023	1.25	11.6	19.5	0.28	229	20.7	<0.01	1.7	18.0	610
Upper Bound		9.81	0.22	1.4		0.047	1.42	14.9	22.3	0.36	275	23.1	0.02	2.4	20.8	720
242956																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
DUPLICATES																
242898 DUP																
Target Range - Lower Bound																
Upper Bound																
242911		2.1	73.2	<0.002	0.16	0.23	1	1.2	403	0.26	0.07	4.4	0.096	2.61	0.5	102
242911 DUP		2.0	72.5	<0.002	0.16	0.24	2	1.1	392	0.26	0.06	4.3	0.097	2.28	0.5	98
Target Range - Lower Bound		0.9	69.0	<0.002	0.13	0.12	<1	0.7	377	0.15	<0.05	3.7	0.082	2.28	0.3	93
Upper Bound		3.2	76.7	0.004	0.19	0.35	2	1.6	418	0.37	0.10	5.0	0.111	2.61	0.7	107
242918 DUP																
Target Range - Lower Bound																
Upper Bound																
242925 DUP																
Target Range - Lower Bound																
Upper Bound																
242928 DUP																
Target Range - Lower Bound																
Upper Bound																
242943 DUP																
Target Range - Lower Bound																
Upper Bound																
242947		502	78.9	<0.002	4.82	2.91	3	1.1	32.7	0.11	0.05	3.9	0.083	10.95	0.8	131
242947 DUP		500	77.3	<0.002	4.76	2.80	3	1.2	31.7	0.13	0.06	3.7	0.084	10.15	0.8	130
Target Range - Lower Bound		475	74.0	<0.002	4.53	2.61	<1	0.7	30.2	<0.05	<0.05	3.2	0.069	9.98	0.6	122
Upper Bound		527	82.2	0.004	5.05	3.10	5	1.6	34.2	0.23	0.10	4.4	0.098	11.10	1.0	139
242956 DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-AA62 Cu % 0.01	Pb-AA62 Pb % 0.01	Zn-AA62 Zn % 0.01	Ag-GRA21 Ag ppm 5
		DUPLICATES							
242898									
DUP									
Target Range - Lower Bound									
Upper Bound									
242911		0.6	5.6	16	26				
DUP		0.6	5.3	15	25.9				
Target Range - Lower Bound		0.4	5.0	11	23.7				
Upper Bound		0.8	5.9	20	28.2				
242918									
DUP									
Target Range - Lower Bound									
Upper Bound									
242925									
DUP									
Target Range - Lower Bound									
Upper Bound									
242928									
DUP									
Target Range - Lower Bound									
Upper Bound									
242943								1.23	
DUP								1.21	
Target Range - Lower Bound								1.17	
Upper Bound								1.27	
242947		0.7	9.8	5870	40				
DUP		0.8	10.3	5740	38.9				
Target Range - Lower Bound		0.5	9.3	5510	36.5				
Upper Bound		1.0	10.8	6100	42.4				
242956									
DUP									
Target Range - Lower Bound									
Upper Bound									

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
DUPLICATES																
242964																
DUP																
Target Range - Lower Bound																
Upper Bound																
242966																
DUP																
Target Range - Lower Bound																
Upper Bound																
242974			0.45	3.01	6.2	920	5.41	0.18	0.31	1.28	22.6	4.2	64	7.82	63.6	3.65
DUP			0.43	2.98	6.2	1030	4.87	0.20	0.32	1.34	22.3	4.1	66	7.78	62.5	3.62
Target Range - Lower Bound			0.40	2.83	5.5	910	4.78	0.16	0.28	1.20	21.3	3.7	60	7.31	59.5	3.43
Upper Bound			0.48	3.16	6.9	1040	5.50	0.22	0.35	1.42	23.6	4.6	70	8.29	66.6	3.84
242976		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242992		4.36														
DUP		4.55														
Target Range - Lower Bound		4.13														
Upper Bound		4.78														
242996		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
243000																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL			0.11	8.33	11.9	420	1.17	0.25	1.63	0.13	37.3	15.2	60	6.10	35.8	4.07
DUP			0.09	8.26	11.0	400	1.25	0.25	1.55	0.13	36.3	14.2	58	5.75	34.0	3.83
Target Range - Lower Bound			0.08	7.86	10.5	370	1.05	0.22	1.49	0.08	34.9	13.8	54	5.53	32.8	3.73
Upper Bound			0.13	8.73	12.4	450	1.37	0.28	1.69	0.18	38.7	15.6	64	6.32	37.0	4.17

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
DUPLICATES																
242964					0.94											
DUP					0.96											
Target Range - Lower Bound					0.88											
Upper Bound					1.02											
242966																
DUP																
Target Range - Lower Bound																
Upper Bound																
242974		9.72	0.11	1.2		0.052	1.26	7.3	41.3	0.31	68	10.45	0.01	2.9	33	140
DUP		9.15	0.10	1.2		0.047	1.23	6.8	40.3	0.31	68	10.30	0.01	2.8	31.8	150
Target Range - Lower Bound		8.86	<0.05	0.9		0.037	1.16	5.7	38.4	0.27	55	9.76	<0.01	2.5	30.4	120
Upper Bound		10.00	0.21	1.5		0.062	1.33	8.4	43.2	0.35	81	11.00	0.02	3.2	34.4	170
242976																
DUP																
Target Range - Lower Bound																
Upper Bound																
242992																
DUP																
Target Range - Lower Bound																
Upper Bound																
242996																
DUP																
Target Range - Lower Bound																
Upper Bound																
243000					0.66											
DUP					0.66											
Target Range - Lower Bound					0.61											
Upper Bound					0.71											
ORIGINAL		18.60	0.17	1.9		0.066	1.29	17.6	28.1	1.10	860	0.58	1.35	6.9	37.5	410
DUP		18.25	0.15	1.8		0.062	1.23	17.1	29.1	1.04	796	0.55	1.29	6.5	35.3	380
Target Range - Lower Bound		17.40	<0.05	1.6		0.051	1.18	15.5	26.8	1.00	777	0.44	1.23	6.2	34.2	360
Upper Bound		19.45	0.27	2.1		0.077	1.34	19.2	30.4	1.14	879	0.69	1.41	7.2	38.6	430

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Tl % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
DUPLICATES																
242964																
DUP																
Target Range - Lower Bound																
Upper Bound																
242966																
DUP																
Target Range - Lower Bound																
Upper Bound																
242974		390	78.4	0.004	2.54	1.13	5	1.3	65	0.19	0.09	3.3	0.121	6.12	1.5	136
DUP		376	79.6	0.003	2.50	1.02	5	1.2	62.3	0.19	0.08	3.3	0.118	6.60	1.7	135
Target Range - Lower Bound		363	74.9	<0.002	2.37	0.92	3	0.8	60.1	0.08	<0.05	2.7	0.104	6.00	1.3	127
Upper Bound		403	83.2	0.004	2.67	1.23	7	1.7	67.2	0.30	0.10	3.9	0.135	6.72	1.9	144
242976																
DUP																
Target Range - Lower Bound																
Upper Bound																
242992																
DUP																
Target Range - Lower Bound																
Upper Bound																
242996																
DUP																
Target Range - Lower Bound																
Upper Bound																
243000																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		14.0	49.6	<0.002	0.02	0.73	<1	2.0	188.5	0.59	0.16	5.4	0.383	0.52	1.2	127
DUP		14.8	46.2	<0.002	0.02	0.66	<1	1.9	180.0	0.55	0.14	5.5	0.372	0.50	1.2	121
Target Range - Lower Bound		12.7	45.3	<0.002	<0.01	0.56	<1	1.5	174.5	0.44	<0.05	4.8	0.349	0.44	0.9	116
Upper Bound		16.1	50.5	0.004	0.04	0.83	2	2.4	194.0	0.70	0.26	6.1	0.406	0.58	1.5	132

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-AA62 Cu % 0.01	Pb-AA62 Pb % 0.01	Zn-AA62 Zn % 0.01	Ag-GRA21 Ag ppm 5
DUPLICATES									
242964									
DUP									
Target Range - Lower Bound									
Upper Bound									
242966								1.46	
DUP								1.47	
Target Range - Lower Bound								1.41	
Upper Bound								1.52	
242974		0.6	4.8	833	43.7				
DUP		0.6	5.0	829	42.8				
Target Range - Lower Bound		0.4	4.5	785	40.1				
Upper Bound		0.8	5.3	877	46.4				
242976									
DUP									
Target Range - Lower Bound									
Upper Bound									
242992						2.34	2.47	23.1	155
DUP						2.38	2.45	23.2	150
Target Range - Lower Bound						2.28	2.38	22.6	135
Upper Bound						2.44	2.54	23.7	170
242996									
DUP									
Target Range - Lower Bound									
Upper Bound									
243000									
DUP									
Target Range - Lower Bound									
Upper Bound									
ORIGINAL		1.5	17.9	90	59.6				
DUP		1.3	17.4	88	56.6				
Target Range - Lower Bound		1.1	16.6	81	54.2				
Upper Bound		1.7	18.7	97	62.0				

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
DUPLICATES																
ORIGINAL					0.11											
DUP					0.10											
Target Range - Lower Bound					0.08											
Upper Bound					0.13											

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Tl % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

QC CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-AA62 Cu % 0.01	Pb-AA62 Pb % 0.01	Zn-AA62 Zn % 0.01	Ag-GRA21 Ag ppm 5
DUPLICATES									
ORIGINAL									
DUP									
Target Range - Lower Bound									
Upper Bound									

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

CERTIFICATE VA05005031

Project: FISHER 1615

P.O. No.:

This report is for 209 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-JAN-2005.

The following have access to data associated with this certificate:

G. DESSUREAU ACCOUNTS PAYABLE	GILLES DESSUREAU	JASON DUNNING

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	47 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
Cu-AA62	Ore grade Cu - four acid / AAS	AAS
Pb-AA62	Ore grade Pb - four acid / AAS	AAS
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **YUKON ZINC CORPORATION**
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 5	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
180901		1.60	<0.05	0.38	3.2		<0.2	570	5.3	0.27	1.16	4.53	35.2	7.9	153	6.22
180902		1.22	<0.05	0.37	5.32		2.3	720	8.24	0.42	0.96	9.32	69.3	10.4	89	8.55
180903		0.58	<0.05	0.13	5.15		1	3120	2.97	0.06	1.14	6.84	61.2	9.5	168	3.43
180904		1.56	<0.05	0.35	3.35		6.7	700	4.85	0.15	0.21	16.6	29.3	9.6	104	6.12
180905		2.22	<0.05	0.14	7.48		10.6	940	6.09	<0.01	8.24	6.88	41.6	30.4	176	12.3
180906		2.12	<0.05	0.07	7.78		40.7	>10000	5.08	<0.01	9.07	0.11	21.2	39.5	231	14.9
180907		1.78	<0.05	0.08	7.38		74.1	4660	3.02	<0.01	8.58	1.9	22.2	31.8	228	15.6
180908		2.02	<0.05	0.17	4.52		1	2300	3.56	0.15	0.76	8.36	44.5	12.4	98	8.99
180909		3.04	<0.05	0.32	3.11		0.5	690	2.64	0.12	2.86	30.6	35.4	10.6	142	5.71
180910		2.36	<0.05	0.08	7.54		16.3	2490	3.99	<0.01	8.86	0.71	44.3	28.6	174	14.5
180911		1.78	<0.05	0.13	7.81		2.8	2200	4.18	<0.01	8.85	0.27	57.9	29	163	15
180912		2.20	<0.05	0.17	7.97		2.6	2280	6.08	<0.01	6.5	0.49	50.5	25.8	213	16
180913		2.10	<0.05	0.04	8.56		12.1	2040	4.22	<0.01	8.54	0.14	58.4	27.3	187	18.35
180914		0.82	<0.05	1.29	7.58		1.2	290	5.29	<0.01	4.11	70.4	30.3	49.1	233	15.1
180915		1.88	<0.05	0.14	8.31		5.7	1900	3.86	<0.01	7.84	23.5	56.8	39.1	206	15.4
180916		2.22	<0.05	0.05	7.45		43.6	1750	2.82	<0.01	8.45	1.5	80.3	43.4	65	13.8
180917		2.32	<0.05	0.04	7.75		18.5	1620	2.48	<0.01	8.96	0.06	73	23.6	22	11
180918		2.14	<0.05	0.03	7.74		27.1	1530	2.4	<0.01	8.81	0.08	87.9	29.9	45	8.62
180919		2.22	<0.05	0.04	7.78		15.7	1400	2.12	<0.01	4.08	0.07	93.9	27.4	54	8.48
180920		2.84	<0.05	0.03	7.89		24.6	1720	2.21	<0.01	6.69	0.08	88.9	29.8	38	5.15
180921		3.26	<0.05	0.67	3.78		0.9	300	2.42	0.15	1.48	3.3	44.6	8.6	106	6.28
180922		1.10	<0.05	0.27	1.36		1.2	4330	0.52	0.19	0.35	0.07	14.8	2.8	134	2.12
242814		1.56	<0.05	0.27	2.47		2.6	>10000	1.75	0.14	0.05	0.21	30.4	4.1	156	7.17
242815		2.76	<0.05	0.53	2.46		3.4	280	1.52	0.04	0.18	19.2	12.5	6.6	113	3.79
242816		2.44	<0.05	0.62	1.39		4.2	450	1.05	0.05	0.08	2.04	2.58	3.1	89	2.15
242817		1.38	<0.05	5.04	0.85		115.5	140	3.71	0.03	0.05	0.04	0.43	3.2	108	2.93
242818		0.80	<0.05	1.15	0.68		155.5	250	6.9	0.02	0.04	0.06	1.44	4.3	93	2.76
242819		0.90	0.07	0.33	0.33		74.5	140	7.44	0.05	0.05	0.05	0.14	3.6	144	1.42
242820		2.70	<0.05	0.09	0.5		10.4	130	11.1	<0.01	0.13	0.03	1.16	1.7	64	1.94
242821		3.18	<0.05	0.06	0.78		7.5	250	5.04	<0.01	2.06	<0.02	9.76	2.2	52	1.65
242822		2.24	<0.05	0.18	1.45		6.2	160	3.42	0.03	2.35	0.02	14.75	7.7	70	0.95
242823		2.52	<0.05	0.06	1.28		4.4	270	2.03	<0.01	1.12	0.02	12.3	3.4	83	1.4
242824		1.92	<0.05	0.27	1.86		9.5	100	3.52	0.05	2.77	<0.02	3.58	3.9	90	3.63
242825		2.70	<0.05	0.32	1.88		6.3	710	2.47	0.05	9.93	0.03	25.8	4.2	70	5.8
242826		3.10	<0.05	0.4	2.57		49.2	230	2.58	0.13	6.44	3.18	30.8	9.2	62	5.14
242827		1.58	<0.05	0.27	2.57		30.3	140	3.21	0.12	4.43	0.02	33.6	7.6	88	5.22
242828		2.82	<0.05	0.37	2.67		38.2	1960	2.75	0.11	2.3	<0.02	39.2	13.1	112	5.96
242829		2.84	<0.05	0.35	2.46		19.5	350	3.26	0.12	3.23	<0.02	29	9.1	89	4.32
242830		1.40	<0.05	0.35	2.6		30	120	2.92	0.18	4.93	0.05	28.4	20.5	81	5.2
242831		2.70	<0.05	0.24	2.76		22.9	1620	3.32	0.15	3.25	9.11	30.5	21.1	88	6.14

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
180901		76.1	2.22	9.35	0.14	1.1	0.53	0.035	1.54	19.2	47.9	0.38	440	2.69	0.02	4
180902		110	2.15	15.45	0.15	2.6	0.83	0.064	2.5	36	75.9	0.79	502	2.71	0.05	10.2
180903		43.6	2.85	10.75	0.13	1.2	0.40	0.031	2.36	32.6	4.9	0.48	504	6.14	0.2	8.1
180904		59.4	3.25	10.15	0.11	1.2	0.85	0.023	1.58	16.8	50	0.35	234	5.25	0.02	6.5
180905		55	5.3	16.25	0.17	0.5	0.72	0.047	3.04	20.7	53	0.88	1350	1.35	0.79	19.4
180906		43.2	4.46	15.75	0.13	0.4	0.01	0.037	2.9	11.7	38.8	1.22	1410	1.01	0.48	9.7
180907		54.4	5.24	14	0.14	0.8	0.06	0.038	3.47	11.1	50.1	2.02	1900	0.9	0.24	8.9
180908		52.9	1.86	12.4	0.09	1.5	0.29	0.033	2.24	26.3	32.5	0.44	441	1.08	0.03	8.3
180909		54.3	2.68	8.68	0.11	1.3	0.91	0.04	1.57	22.2	20.2	0.34	753	4.2	0.02	7.5
180910		48.6	5.41	18.25	0.17	2.2	0.02	0.058	3.68	22.5	38.3	1.33	1770	1.49	0.05	26.6
180911		58.8	6.04	19.85	0.16	1.9	0.01	0.064	3.79	29.5	40.1	1.4	2100	1.87	0.05	21.5
180912		69.8	5.13	25.8	0.18	0.8	0.02	0.069	4.6	25	49.3	0.94	1325	1.85	0.05	28.1
180913		35.5	5.85	21	0.19	2.3	0.01	0.058	3.93	29.2	39.4	1.1	1395	1.34	0.2	37.4
180914		78.9	6.49	24.3	0.17	1.5	3.49	0.083	4.28	13.1	49.9	0.7	619	2.22	0.07	26.9
180915		49.1	4.71	21.4	0.17	0.9	1.44	0.065	3.43	29.1	38.3	0.82	1320	1.78	0.41	33.3
180916		31.9	5.93	20.5	0.19	2.5	0.10	0.073	2.78	41.6	32.3	1.24	1245	2.23	0.69	53.6
180917		26.1	5.71	20.9	0.18	2.2	<0.01	0.06	2.37	37.8	29.9	1.14	1170	1.98	1.29	50.1
180918		31.7	5.49	22.1	0.18	2.7	<0.01	0.067	1.94	46.3	26.4	1.02	1240	2.62	1.86	55.2
180919		24.6	6.55	23	0.19	2.5	<0.01	0.071	1.58	48.7	47.9	3.58	843	3.25	0.94	40.7
180920		29.6	5.9	23.9	0.17	2	<0.01	0.073	1.22	44.3	28.8	2.2	1020	3.1	1.92	48.8
180921		54.6	2.92	12.35	0.11	2.6	0.12	0.048	1.76	22.4	19	0.77	467	4.23	0.03	11.6
180922		29.7	0.98	4.26	<0.05	0.5	0.02	0.013	0.49	6.9	6.5	0.27	118	1.38	<0.01	1.8
242814		42.4	1.7	7.69	0.08	1	0.04	0.022	1.01	17.3	17.5	0.24	94	1.47	<0.01	3.2
242815		170	3.47	7.33	0.09	0.4	5.84	0.564	0.07	4.3	2.6	0.21	188	1.01	0.03	3.3
242816		134.5	3.69	4.38	0.07	0.3	1.17	0.282	0.04	0.9	4.6	0.11	981	2.06	0.01	1.8
242817		45.3	25.3	3.48	0.43	0.3	0.11	0.006	0.27	<0.5	5.8	0.05	354	19.3	0.01	0.7
242818		37.85	27.6	3.13	0.51	0.2	0.39	<0.005	0.25	0.6	7.3	0.06	459	18.95	0.01	0.7
242819		39	21	1.63	0.31	0.2	0.14	<0.005	0.09	<0.5	4.3	0.03	243	17.25	<0.01	0.6
242820		10.2	21.9	2.42	0.32	0.1	0.04	<0.005	0.06	<0.5	2.8	0.08	1190	4.93	0.01	1.2
242821		9.6	21.6	3.45	0.32	0.2	0.01	0.011	0.09	3.7	2.3	0.6	7520	2.84	0.01	1.4
242822		43.7	14.1	4.6	0.19	0.4	0.17	0.018	0.05	4.5	15.1	0.92	8360	6.97	0.01	2
242823		11.9	19.05	4.93	0.25	0.3	0.05	0.014	0.06	4.7	7	0.39	3700	2.6	0.01	1.9
242824		37.4	12.7	6.48	0.17	0.5	0.08	0.016	0.22	0.7	25.3	0.59	5340	4.94	0.01	2.7
242825		59.3	4.27	5.72	0.1	0.5	0.01	0.022	0.71	13.3	20.5	0.44	4170	1.88	0.03	2.8
242826		68.8	10.25	8.22	0.16	0.9	0.32	0.046	0.87	16.4	18.7	1.32	11100	1.91	0.01	5
242827		61.7	9.79	8.04	0.17	0.8	0.04	0.072	0.93	18.4	14.6	1.2	6620	2.57	0.01	4.3
242828		64.4	6.44	8.1	0.12	0.9	0.01	0.046	1.14	24.3	17	0.73	5800	1.41	<0.01	4.5
242829		59.9	3.83	7.41	0.1	0.7	0.03	0.033	0.8	17	17.6	0.63	2940	1.56	0.01	3.9
242830		38.8	6.39	6.33	0.19	0.8	0.03	0.035	1.18	16.9	15.1	1.32	6900	2.59	<0.01	3.1
242831		43.1	4.11	6.65	0.14	0.9	0.21	0.043	1.25	18.8	19.1	1.07	5470	1.89	<0.01	3.6

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Tl	Tl
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
180901		50.1	950	699	64.4	<0.002	0.97	1.16	1	1.1	43.4	0.27	0.29	4.3	0.131	2.31
180902		40.3	230	140	94.8	<0.002	0.47	0.71	<1	4.2	65.5	0.83	0.15	15.4	0.148	3.7
180903		44.7	430	15.4	46	0.002	0.24	0.85	2	0.8	166.5	0.51	0.11	6.7	0.156	4.81
180904		46.9	290	77.1	57.1	0.005	2.24	1.27	4	1.2	11.6	0.38	0.27	4.5	0.12	2.38
180905		65.6	1360	48.8	102	<0.002	1.31	0.68	4	1.1	384	1.24	0.05	2.2	0.487	3.87
180906		89.7	670	5.7	95.4	0.003	0.33	0.88	3	0.8	360	0.62	<0.05	1.3	0.32	3.98
180907		103.5	440	5.8	117.5	0.003	0.28	0.5	2	0.7	305	0.55	<0.05	1.3	0.317	3.42
180908		43.7	230	29.2	70.6	<0.002	0.5	0.39	2	1.4	27.1	0.55	0.1	6.6	0.209	1.87
180909		46.3	450	68.8	46.8	0.006	1.21	0.63	3	1.2	136.5	0.51	0.12	4.7	0.14	1.14
180910		62.9	1470	9	104.5	0.002	0.61	0.47	3	1.3	327	1.81	<0.05	2.4	0.989	2.35
180911		56.4	1630	6.9	112	0.002	1.12	0.74	4	1.5	297	1.49	<0.05	2.5	0.856	2.34
180912		59.4	1830	14.4	84.9	0.003	1.29	0.73	5	2.3	203	1.91	<0.05	2.2	0.981	2.92
180913		51.5	1700	6.9	121	0.002	0.5	0.51	3	1.5	317	2.49	<0.05	2.8	1.215	2.29
180914		112.5	2000	797	82.7	0.002	3.32	2.65	3	1.6	121.5	1.78	<0.05	1.9	0.935	2.18
180915		81.9	1750	78.4	90.4	0.003	1.1	0.77	3	1.5	151	2.18	<0.05	2.5	1.14	1.71
180916		45.3	1950	7.9	86.1	<0.002	0.11	0.42	3	1.6	306	3.42	<0.05	4	1.385	1.23
180917		29.6	1850	8.9	71.6	<0.002	0.05	0.39	3	1.5	387	3.2	<0.05	3.7	1.32	1.02
180918		32.2	2390	10	61.3	0.003	0.2	0.45	3	1.9	463	3.62	<0.05	4.5	1.475	0.77
180919		30.5	2770	3.2	55.1	<0.002	0.03	0.76	3	1.8	153	2.84	<0.05	4.6	1.095	0.74
180920		35	2680	5.6	42.4	<0.002	0.09	0.49	2	1.9	375	3.31	<0.05	4.5	1.245	0.51
180921		51	460	99.2	58.6	0.008	1.04	1.36	5	2.3	79.5	0.79	0.07	6.1	0.218	0.79
180922		21	120	10.3	20	<0.002	0.17	0.52	2	0.5	58.1	0.12	0.09	1.9	0.068	0.16
242814		43.4	240	27.9	50.8	0.002	0.09	0.48	3	0.9	21.2	0.23	0.1	3.9	0.136	0.75
242815		60.2	220	14	6.9	<0.002	0.72	0.21	6	1.1	177.5	0.24	0.07	2.3	0.171	0.33
242816		24.7	450	21.7	3.5	<0.002	0.41	0.36	3	0.6	138.5	0.14	0.07	0.8	0.074	0.17
242817		15.3	900	458	14.8	<0.002	>10.0	7.47	29	0.5	17	<0.05	0.14	0.2	0.022	0.92
242818		17.6	540	494	15.2	<0.002	>10.0	7.12	46	0.4	5.3	<0.05	0.14	0.7	0.02	1.69
242819		19.6	320	400	5.8	0.002	>10.0	5.92	23	0.3	3.3	<0.05	0.26	<0.2	0.014	0.79
242820		9.2	710	36	3.5	<0.002	1.85	1.08	10	0.3	120	0.06	0.1	0.3	0.026	0.32
242821		9.4	920	4.6	4.8	<0.002	0.62	0.35	5	0.4	359	0.08	0.08	0.8	0.033	0.38
242822		24.3	1150	14.1	4	0.002	0.82	0.32	3	0.5	301	0.14	0.12	1.5	0.056	0.43
242823		11.7	1420	6.2	4.8	<0.002	0.53	0.35	3	0.4	291	0.12	0.1	1.2	0.05	0.29
242824		24.8	1980	41.6	20.4	<0.002	2.08	2.09	4	0.7	66.5	0.18	0.17	1.2	0.078	1.12
242825		19.3	1330	46.3	44.6	0.002	0.42	0.31	4	0.7	542	0.2	0.17	2.3	0.081	2.3
242826		53.5	1380	118.5	59.8	0.002	0.95	0.73	4	0.9	435	0.29	0.29	3.6	0.103	2.49
242827		25.9	2380	64.4	62.9	0.002	1.89	0.99	6	0.9	272	0.27	0.42	3.3	0.114	2.23
242828		42.2	1770	69.1	76.5	0.002	0.34	0.38	3	1	146	0.29	0.45	3.6	0.12	2.84
242829		30.6	1310	67.8	55.4	<0.002	1.04	1.02	3	0.8	141	0.25	0.67	3	0.102	2.79
242830		47.9	750	118	76.6	<0.002	1.45	1.48	<1	1	166	0.19	1	2.6	0.091	3.22
242831		41.6	620	35.7	85.1	<0.002	0.41	0.65	<1	1.1	96.2	0.23	0.99	3.1	0.109	2.84

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-AA62	Pb-AA62	Zn-AA62	Ag-GRA21
	Analyte	U	V	W	Y	Zn	Zr	Cu	Pb	Zn	Ag
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	0.01	0.01	0.01	5
180901		0.8	180	1.6	9.3	2350	46.3				
180902		2.1	116	1.5	9.7	2700	88.4				
180903		1.4	92	2.7	7.5	1340	56.3				
180904		2.5	211	0.8	4.7	1780	58.3				
180905		0.5	208	1.6	21.3	1480	26.4				
180906		0.4	212	1.6	15	54	19.5				
180907		0.5	155	1.3	13.9	304	38				
180908		1.4	139	1.2	5.3	1180	69.6				
180909		2.2	134	1.3	8.6	3300	60.8				
180910		0.9	223	1.4	20	176	124				
180911		0.7	235	2.8	22.5	106	104				
180912		0.6	310	3.4	20.9	139	43.9				
180913		0.7	258	1.5	21.6	96	128				
180914		0.9	298	1.9	13.6	8700	86.5				
180915		0.5	266	1.4	19.4	3900	53.6				
180916		0.9	235	0.8	21.3	552	145				
180917		0.8	228	0.7	20	71	122				
180918		1.3	231	1.3	22.5	70	163				
180919		1	221	2.6	17.6	91	161				
180920		1	212	1.4	21.5	90	140.75				
180921		2.7	125	1.4	11.9	734	124				
180922		0.7	34	1.6	2.8	59	27.8				
242814		1.5	100	1.5	4.7	72	50.4				
242815		1.2	82	1.7	4.9	4580	19.7				
242816		0.9	90	2	4.1	893	15.7				
242817		2.5	166	1.1	5.6	63	14.7				
242818		3.9	108	1.8	3.7	75	13.4				
242819		0.9	74	1.3	1.5	62	8.9				
242820		0.8	135	1.7	3.4	123	8.1				
242821		0.4	104	1.5	10.7	32	9				
242822		1.1	116	1.6	13.9	34	20.8				
242823		0.6	142	1.4	11.5	23	14.7				
242824		0.8	229	1.5	14.2	37	25.7				
242825		0.8	156	1.3	17.8	23	29.6				
242826		1	178	1.2	16.1	752	46.4				
242827		1.4	233	1.5	16	43	40.7				
242828		1	248	1.6	12.6	30	43.4				
242829		1	242	1.6	11.5	17	34.3				
242830		0.8	150	1.3	7.7	17	29.3				
242831		0.8	160	1.7	6.9	1235	32.8				

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	WEI-21	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	0.01	0.01	5	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
242832		1.74	<0.05	0.21	2.57		19.4	120	3.79	0.15	6.58	0.09	31.1	18.2	74	5.61
242833		1.68	<0.05	0.15	2.83		11.3	440	3.91	0.15	2.98	0.03	39.9	15.9	88	6.14
242834		2.50	<0.05	0.07	3.05		6.4	80	3.6	0.17	1.95	0.02	2.14	10.7	78	6.27
242835		3.04	<0.05	0.12	3.14		7.6	110	4.14	0.12	6.18	0.05	13.9	7.3	67	9.1
242836		2.22	<0.05	0.28	3.13		6.4	90	3.97	0.14	1.15	0.02	32.8	9.5	90	13.6
242837		1.64	<0.05	0.3	4.32		9.2	210	6.06	0.21	0.51	<0.02	39.8	13.8	99	18.85
242838		1.74	<0.05	0.13	4.21		0.5	1500	7.02	0.14	0.48	1.62	38.2	9.5	97	19.05
242839		2.64	0.10	1.16	4.52		27.7	280	5.2	0.18	1.87	3.55	59.6	9.7	122	14.45
242840		2.08	<0.05	0.23	7.54		2.1	2090	6.14	0.26	1.12	0.02	163	2.6	35	34.2
242841		1.02	<0.05	22	3.71		18.5	170	3.66	0.16	1.32	1.6	89.5	6.1	143	13.35
242842		2.04	<0.05	0.32	1.86		8.2	430	1.18	0.21	0.69	0.42	23.7	7.8	147	3.39
242843		2.54	<0.05	0.17	2.01		9.5	300	1.86	0.12	0.29	0.4	18.75	5.3	136	4.97
242844		2.88	0.06	0.19	2.5		9	340	2.11	0.13	0.61	0.39	27.1	5.8	118	6.61
242845		3.34	<0.05	0.15	3.27		6	420	2.71	0.11	2.08	0.03	31.9	5.5	105	8.29
242846		2.30	<0.05	0.47	3.46		20.4	210	8.2	0.14	4.44	6.97	25.6	5.3	97	8.9
242847		2.98	<0.05	0.38	3.05		38.1	190	9.75	0.08	9.24	11.55	33.3	5.4	59	8.71
242848		3.42	<0.05	0.31	1.53	26		60	7.54	0.07	12.45	0.16	18.1	4.6	43	4.67
242849		3.46	<0.05	0.2	1.43	<5		90	8.86	0.06	13.65	0.52	14.85	3.8	39	4.52
242850		3.26	<0.05	0.48	0.93	60		90	6.13	0.04	16.3	0.93	11.65	2.4	52	2.98
242851		2.86	<0.05	0.34	0.45	39		70	2.68	0.02	19.7	0.23	9.12	1.5	49	1.38
242852		2.98	<0.05	0.2	2.39	47		130	5.97	0.12	10.15	1.38	29.1	7.2	75	6.83
242853		2.30	<0.05	0.1	3.83		32	4060	5.34	0.13	5.82	0.19	34.7	21.4	92	10.8
242854		3.12	<0.05	0.21	3.87		26.3	100	4.49	0.15	2.57	0.05	35.4	15.4	93	12
242855		2.22	<0.05	0.17	3.87		10.4	110	4.73	0.19	1.44	<0.02	39.9	13.7	113	12.95
242856		2.26	<0.05	0.12	4.67		4.1	260	5.52	0.16	1.32	0.08	60.1	11.2	115	16
242857		2.68	<0.05	0.6	2.51		34.1	80	3.18	0.14	0.67	34.1	30.1	11.2	150	7.92
242858		1.96	<0.05	0.62	4.67		24.9	140	4.42	0.23	3.6	3.37	65.1	8.3	113	13.45
242859		3.94	<0.05	0.27	3.68		9.1	60	4.95	0.12	2.37	0.21	13.4	8.8	107	5.88
242860		2.14	<0.05	0.84	3.34		17.6	160	3.07	0.17	4.66	9.88	42.2	9.2	115	6.46
242861		1.68	<0.05	0.29	2.05		8.2	150	2.57	0.11	1.13	2.67	12.55	4.8	166	3.86
242862		2.92	<0.05	0.26	0.56		0.9	230	0.28	0.04	1.44	13	2.56	3.3	218	0.08
242863		3.42	<0.05	0.56	1.64		3	90	1.82	0.12	0.53	5.85	9.59	4.1	207	0.38
242864		3.20	<0.05	0.25	2.23		4.4	140	2.96	0.11	3.34	3.45	12.9	6.5	153	1.72
242865		2.80	<0.05	0.11	1.26		1.3	230	4.04	0.02	1.29	0.09	6.75	20.9	133	1.8
242866		1.72	<0.05	0.07	0.71		1.1	270	1.92	0.02	0.89	0.02	5.15	1.2	144	0.23
242867		2.34	<0.05	0.78	2.28		3.5	140	4.09	0.3	0.46	10.2	7.32	8.6	142	4.32
242868		1.58	<0.05	0.41	1.87		2.4	290	2.4	0.15	0.58	9.71	15.95	3.7	91	3.7
242869		3.12	<0.05	0.33	2.48		5.1	450	2.7	0.11	0.41	1.56	18.8	5	144	3
242870		2.76	<0.05	0.27	3.32		2.1	1370	3.53	0.14	0.21	1.02	29.3	8.9	72	7.26
242871		2.80	<0.05	0.39	3.7		3.1	840	3.69	0.2	0.28	1.08	29.6	7.4	136	7.3

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
242832		50.5	7.47	6.46	0.2	0.8	0.03	0.035	1.18	17.4	13.6	1.02	6480	1.54	0.01	3.3
242833		115.5	2.7	7.62	0.13	0.8	0.01	0.062	1.3	20.3	16.9	0.64	3380	0.85	0.01	3.3
242834		102	4.84	7.84	0.13	0.9	0.01	0.038	0.97	<0.5	18.3	0.37	2210	1.09	0.12	4.3
242835		53.3	10.6	8.2	0.24	0.9	0.01	0.036	0.76	3.3	16.5	0.63	3590	2.75	0.41	6
242836		50.9	9.75	8.79	0.22	1.1	0.03	0.032	1.36	14	21	0.42	2280	3.83	0.02	4.1
242837		83.8	4.5	11.6	0.18	1.6	0.02	0.03	1.92	19.6	28.6	0.46	384	2.11	0.04	7.7
242838		69.8	1.52	11.9	0.11	1.5	0.05	0.024	1.86	23.8	27	0.46	174	1.15	0.03	8
242839		50.1	2.95	12.9	0.15	2.4	0.13	0.038	1.62	34.1	21.2	0.95	692	13.35	0.05	13.2
242840		10	2.59	26.5	0.2	9	0.01	0.077	3.31	84.8	49.9	1.16	647	2.13	0.08	27.9
242841		85	5.38	11.55	0.21	3.6	0.08	0.044	1.39	45.2	20.2	0.62	2610	6.33	0.04	10.6
242842		157.5	1.05	5.98	0.09	0.8	0.09	0.026	0.52	13.2	11.9	0.21	192	2.9	0.01	2.5
242843		69.5	1.24	6.45	0.08	0.7	0.17	0.028	0.82	8.7	12.8	0.25	160	2.29	0.01	2.3
242844		74.6	1.48	7.79	0.1	1	0.13	0.036	1.04	12.8	14.8	0.31	171	1.9	0.01	3.1
242845		70.9	2.68	8.9	0.11	1.2	0.06	0.038	1.3	16.6	16.5	0.41	1045	1.73	0.01	4.3
242846		31.1	5.25	8.48	0.15	1.2	0.79	0.035	1.28	13.6	16.7	0.53	1865	5.74	0.02	3.3
242847		46	7.39	7.63	0.21	1.1	1.28	0.035	1.18	18.9	16.3	0.57	3070	7.11	0.01	2.7
242848		48.8	10.95	4.38	0.25	0.5	0.06	0.019	0.63	9.6	10.1	0.71	5250	7.73	0.01	1.3
242849		40.8	12.2	4.05	0.26	0.5	0.09	0.017	0.57	7.6	10.8	0.88	5950	6.48	0.01	1.6
242850		29.3	13.05	2.77	0.27	0.4	0.13	0.009	0.36	7.4	7.2	0.3	3010	11.05	<0.01	1.1
242851		21.2	15.85	1.61	0.31	0.2	0.03	0.006	0.17	6.7	3.6	0.47	5850	8.57	<0.01	0.9
242852		68	7.25	6.37	0.17	0.9	0.08	0.028	0.99	17.4	17	0.54	4270	3.53	0.01	2.8
242853		194	1.79	9.98	0.08	1.1	0.01	0.039	1.66	19.4	25.2	0.39	6330	1.54	0.02	4.7
242854		85.5	7.14	10.35	0.18	1.3	0.02	0.044	1.72	15.7	19.8	0.58	7420	2.39	0.02	5.5
242855		68.5	4.91	10.85	0.15	1.3	0.03	0.032	1.78	18.4	22.9	0.51	2260	3.06	0.02	6.2
242856		66.2	3.38	12.55	0.14	1.6	0.02	0.044	2.16	31.4	27.5	0.59	761	2.21	0.03	15.8
242857		68.9	3.87	7.38	0.14	0.9	2.38	0.033	1.15	16.8	15.9	0.31	352	2.34	0.01	4
242858		48	3.5	13.65	0.17	2.7	0.22	0.072	2.16	33.9	30.1	1.14	1385	7.8	0.03	18.5
242859		48.3	4.72	10.25	0.13	1.6	0.04	0.04	1.02	2.2	26.9	0.64	2140	2.56	0.01	8
242860		62.8	3.56	9.43	0.13	1.7	0.57	0.126	1.42	22.5	18.1	0.76	1555	2.94	0.01	9.6
242861		59.7	2.07	5.95	0.08	0.8	0.33	0.026	0.89	5.8	21.5	0.21	279	3.94	0.01	2
242862		18.9	1.15	1.35	<0.05	0.2	1.39	0.014	0.01	1.4	8.6	0.06	131	3.44	<0.01	0.6
242863		75.4	2.66	4.76	0.08	0.7	1.13	0.039	0.07	4.9	14.3	0.14	92	7.62	<0.01	2.1
242864		60.9	2.77	6.29	0.11	0.9	0.26	0.031	0.31	3.1	22.7	0.43	440	36.9	0.01	2.6
242865		589	10.05	4.27	0.19	0.4	0.02	0.014	0.34	2.9	7.3	0.23	553	2.76	0.02	1.2
242866		10.6	15	2.29	0.15	0.2	0.02	0.009	0.06	1.9	2.2	0.25	515	3.69	0.01	1
242867		69.7	2.28	7.52	0.12	1	2.38	0.04	0.86	1.5	22.9	0.28	176	25.6	0.1	3
242868		62	1.39	5.97	0.11	0.8	2.82	0.036	0.83	5.9	27.2	0.23	78	7.09	0.03	2
242869		49.6	1.91	6.77	0.1	1	0.26	0.032	0.87	7.9	14.7	0.26	128	8.53	0.07	1.8
242870		60.3	0.99	10.6	0.11	1.6	0.17	0.046	1.45	13.6	33.8	0 36	53	40.3	0.36	3.6
242871		57.8	1.21	11.6	0.11	1.6	0.19	0.049	1.68	14	39.3	0 38	85	21	0.08	3.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Tl	Tl
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
242832		36.2	1270	71.8	77.2	<0.002	5.41	2.28	<1	0.9	98	0.21	1	2.6	0.087	4.68
242833		26	620	13.2	88.4	<0.002	0.54	0.75	<1	1	70.5	0.23	1.53	3.5	0.12	3.43
242834		15.6	420	29.9	65.3	<0.002	3.09	0.74	<1	1	70.1	0.29	1.61	0.5	0.13	3.43
242835		13.9	1090	92.3	50	<0.002	6.96	1.8	<1	1.1	247	0.39	0.19	1.8	0.118	5.13
242836		18.2	330	35.1	85.7	<0.002	5.59	1.4	<1	1.1	41.1	0.3	0.12	3.2	0.108	8.74
242837		44.4	510	38.5	123.5	<0.002	3.14	1.22	<1	1.7	29.1	0.57	0.18	5.5	0.152	10.95
242838		30.7	250	13.2	129	<0.002	0.51	0.47	<1	1.7	33.3	0.57	0.1	6.3	0.17	7.16
242839		54	310	92.3	86.6	0.011	1.85	4.67	2	2.8	74.1	0.86	0.12	8.1	0.181	4.46
242840		7.3	140	18.5	141	<0.002	0.31	0.79	<1	14.3	52.2	2.27	<0.05	27.3	0.126	4.5
242841		35.8	470	95.8	64.5	0.005	1.34	3.81	3	4.7	50.6	0.78	0.07	12	0.098	2.5
242842		34.9	380	54.6	28	<0.002	0.51	0.35	<1	0.9	35.1	0.17	0.12	2.7	0.069	1.52
242843		40.2	80	60.2	44.7	<0.002	0.74	0.76	1	0.8	24.2	0.17	0.09	2.4	0.084	3.21
242844		44	140	76	56.9	<0.002	0.81	1.1	1	1	19.9	0.23	0.09	3.2	0.11	4.91
242845		28	460	37.8	66.6	<0.002	0.77	1.19	<1	1.1	38.4	0.31	0.09	4.1	0.136	6.22
242846		31.2	1160	416	63.1	<0.002	2.74	2.49	1	1	59.6	0.23	0.17	2.9	0.117	6.53
242847		27.4	2410	159	61	<0.002	4.03	6.22	2	0.9	118	0.19	0.13	2.7	0.094	6.75
242848		14.4	980	213	34.3	<0.002	5.15	2.81	2	0.5	128.5	0.07	0.13	1.6	0.047	4.34
242849		9.8	840	165	32.2	<0.002	3.87	2.11	1	0.5	120	0.09	0.1	1.5	0.05	4.29
242850		10.8	1010	715	20.9	<0.002	>10.0	14.15	2	0.4	216	0.06	0.13	1	0.03	3.29
242851		7.5	1790	477	10.1	<0.002	>10.0	11.15	2	0.2	282	0.05	0.1	0.6	0.019	1.72
242852		32.5	2410	160.5	59.2	<0.002	4.74	4.69	1	0.9	147	0.18	0.55	2.8	0.084	8.67
242853		33.7	490	37.2	101	<0.002	0.3	0.71	<1	1.2	115.5	0.31	1.15	3.3	0.212	10.65
242854		22.8	590	30.7	101.5	<0.002	4.21	4.53	<1	1.4	46.6	0.38	0.91	3.9	0.14	15.9
242855		28.5	300	28.9	110	<0.002	2.71	2.04	<1	1.4	30.8	0.4	0.18	5.2	0.14	17
242856		35.2	270	11.7	130.5	<0.002	1.36	0.92	<1	1.7	33.2	1.04	0.1	7.2	0.18	14.8
242857		70.9	550	93.8	68.6	<0.002	3.79	4.04	3	1	15.9	0.26	0.18	3.1	0.101	6.77
242858		41.2	330	53.6	112.5	0.003	1.94	3.54	2	3	79.1	1.31	0.13	8.7	0.186	8.89
242859		24.3	460	22.8	59.9	<0.002	1.99	1.36	<1	1.8	111.5	0.55	0.25	2.7	0.137	5.38
242860		32.3	470	301	72.3	<0.002	1.82	3.7	2	2.3	110.5	0.59	0.14	4.8	0.113	5.97
242861		19.6	190	172	50	<0.002	1.6	0.92	1	0.9	31	0.13	0.06	1.9	0.073	3.67
242862		13.7	50	126.5	0.9	<0.002	1.11	0.74	<1	0.5	63.7	<0.05	<0.05	0.3	0.014	0.14
242863		26.1	70	237	5	<0.002	2.83	1.86	1	0.8	53.5	0.15	0.06	2	0.067	0.34
242864		33.3	1820	130	21.5	<0.002	2.37	0.96	3	1	187.5	0.2	0.07	1.2	0.083	1.48
242865		215	430	4.5	17.6	0.029	0.53	0.64	<1	0.7	128	0.09	<0.05	1.3	0.037	1.81
242866		3.5	440	2.3	2.3	0.003	0.55	0.77	1	0.7	140	0.08	<0.05	1	0.031	0.37
242867		27.8	450	332	44.7	0.006	1.3	1.23	7	1.3	169	0.24	0.12	1.9	0.102	3.95
242868		18.2	970	91.5	43.9	0.003	0.9	0.71	3	1.2	191	0.16	0.05	2.5	0.073	3.02
242869		20.8	120	85.3	40.1	0.002	0.35	0.92	3	1	139	0.13	<0.05	3.4	0.068	2.23
242870		31.9	100	64.1	81	0.004	0.15	0.61	2	1.5	221	0.28	<0.05	5.4	0.134	3.26
242871		23.9	80	193	98.4	0.002	0.24	0.66	4	1.6	200	0.26	0.05	5.9	0.141	3.65

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-AA62	Pb-AA62	Zn-AA62	Ag-GRA21
	Analyte	U	V	W	Y	Zn	Zr	Cu	Pb	Zn	Ag
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	0.01	0.01	0.01	5
242832		0.6	193	1.4	11.4	25	30				
242833		0.5	158	1.7	7.2	19	29.7				
242834		0.7	132	1.4	6.2	19	31.3				
242835		0.7	122	0.8	13.3	27	36.2				
242836		0.8	128	1	6.3	28	41.2				
242837		1.2	136	1.6	7	23	61.6				
242838		1.2	160	1.9	4.9	185	57.9				
242839		3.2	168	5.5	10.3	790	95.8				
242840		3.3	5	2.6	30	67	284				
242841		2.8	121	169	15.5	431	119.5				
242842		0.8	102	2.1	5.1	370	34.3				
242843		0.8	102	1.1	3	596	32.2				
242844		0.9	122	1.1	3.9	407	40.9				
242845		0.9	116	1.1	6.5	73	47.8				
242846		1	170	1.1	10.7	2980	47.4				
242847		0.8	171	0.9	19.1	4460	41.5				
242848		0.7	122	0.5	10.2	47	23				
242849		0.7	114	0.5	9.5	381	22.5				
242850		0.5	102	0.4	7.9	549	14.3				
242851		0.4	84	0.2	8.1	34	9.6				
242852		0.9	216	0.9	18.9	273	36.2				
242853		0.8	178	1.8	10.8	35	43.9				
242854		0.9	152	1.4	7.7	28	46.5				
242855		1.2	136	1.6	5.6	23	53.5				
242856		1.3	136	1.8	6.9	48	68.3				
242857		1	139	1.4	8.1	>10000	37.4			1.17	
242858		2.9	120	1.7	17	925	107				
242859		1.2	126	2.2	11.4	70	62.2				
242860		1.1	95	1.6	13.6	2650	67.8				
242861		0.7	75	1	4.4	1355	32.2				
242862		0.3	11	0.8	1.3	1820	13.4				
242863		0.7	88	1	2.8	3720	28.5				
242864		1.7	118	1.7	24	1370	37.8				
242865		0.3	61	3010	3.3	527	15.3				
242866		0.3	35	3.6	2.4	24	13				
242867		1.3	166	1.7	6.6	4400	40.3				
242868		0.8	110	0.9	8.1	3820	33.4				
242869		1.1	91	0.6	3.8	608	39.5				
242870		1.4	114	1	4.5	245	62				
242871		1.6	127	1.1	4.7	375	67				

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 5	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
242872		3.12	<0.05	0.21	2.88		1.3	1040	3.38	0.12	0.29	4.17	22.8	5.6	166	5.25
242873		2.18	<0.05	0.19	2.49		1	3140	2.66	0.1	0.17	0.52	25.6	6.1	63	4.25
242874		2.36	<0.05	0.38	3.62		15.6	860	3.6	0.19	0.27	0.65	33.1	7.9	132	6.43
242875		2.06	<0.05	0.32	3.35		9.6	1990	3.65	0.13	0.34	0.86	28.3	5.9	75	5.8
242876		1.92	<0.05	0.1	2.88		4.5	1720	2.53	0.1	0.32	0.02	22	4.8	132	3.57
242877		1.58	<0.05	0.33	2.26		0.9	6130	2.05	0.3	0.25	0.03	13.4	2.8	140	3.09
242878		2.62	<0.05	0.41	1.89		3.1	1010	1.12	0.1	0.48	0.03	17.9	3.3	148	2.78
242879		2.66	<0.05	0.53	2.03		6.9	560	1.04	0.1	0.23	0.04	17	4.2	127	3.31
242880		2.68	<0.05	0.65	2.07		7.2	340	1.02	0.16	0.22	0.02	18.3	3.3	125	2.76
242881		3.10	<0.05	0.65	1.98		6.1	400	0.8	0.11	0.38	0.04	16.95	2.6	142	1.71
242882		2.90	<0.05	0.84	2.52		6.2	1100	0.97	0.15	0.2	0.06	23	5.1	71	3.49
242883		2.80	<0.05	0.7	2.26		2.1	4570	1.01	0.16	0.21	0.02	20.1	3.6	164	3.15
242884		1.66	<0.05	0.29	1.98		0.7	3130	0.89	0.06	0.45	0.05	17.3	2.8	65	1.7
242885		2.18	<0.05	0.8	2.22		0.6	4100	1.09	0.12	0.27	0.11	20.3	2.7	69	3.1
242886		1.96	<0.05	0.98	2.33		1.4	1940	0.99	0.12	0.16	<0.02	20.3	2.9	140	3.72
242887		2.46	<0.05	1.04	2.37		4.2	930	0.99	0.14	0.24	0.08	20.4	3.1	76	3.34
242888		2.00	<0.05	0.79	2.79		3	1390	1.1	0.11	0.53	0.03	19.75	6.5	152	3.35
242889		1.96	<0.05	0.49	2.57		0.9	500	1.12	0.09	0.4	0.08	20.5	3.3	68	3.19
242890		2.24	<0.05	0.53	2.5		1.1	980	0.9	0.12	0.31	0.04	22.1	3.4	140	2.69
242891		1.12	<0.05	0.59	2.81		2.2	630	1.21	0.13	0.32	0.14	21.9	5.7	76	5.05
242892		1.64	<0.05	0.78	3.32		11.5	810	1.46	0.17	0.25	0.16	25.7	11.9	85	6.5
242893		1.18	<0.05	0.46	2.41		2.6	510	0.94	0.2	0.18	0.06	22.8	3.6	153	3.61
242894		0.72	<0.05	0.08	0.52		0.4	2590	0.17	0.01	0.03	<0.02	11.85	1.7	107	1.09
242895		1.92	<0.05	0.45	2.95		0.7	1820	1.3	0.12	0.19	<0.02	24.9	3.7	144	6.63
242896		2.58	<0.05	0.58	3.03		9.8	1040	1.16	0.09	0.23	0.24	30.6	9.8	78	6.55
242897		1.72	<0.05	1.36	3.09		20.8	1150	1.06	0.18	0.3	0.16	28.3	15	160	6.42
242898		2.60	<0.05	0.33	3.06		0.6	1640	1.34	0.14	0.4	0.08	25.8	3.5	59	5.75
242899		2.24	<0.05	0.22	3.73		1.8	3520	4.06	0.13	0.38	0.41	28.7	3.3	113	7.73
242900		2.22	<0.05	0.07	3.21		0.8	1420	3.85	0.13	0.25	0.03	30.2	1.7	63	8.5
242901		2.56	<0.05	0.28	3.27		0.9	5190	4.23	0.17	0.18	0.25	28.6	2.1	145	8.34
242902		2.08	<0.05	0.12	3.75		1.1	1680	4.86	0.13	0.26	0.1	37.7	2.5	66	10.25
242903		1.60	<0.05	0.08	3.43		0.6	6340	4.46	0.14	0.15	0.05	33.7	3.1	109	9.37
242904		2.12	<0.05	0.17	2.77		0.8	3650	3.78	0.14	0.19	0.66	26.1	2.2	58	8.6
242905		1.94	<0.05	0.08	2.02		0.9	4040	3.05	0.14	0.16	0.04	21.6	2.2	130	5.31
242906		2.36	<0.05	0.06	1.95		0.8	7090	2.86	0.12	0.14	1.2	20.5	2.1	64	5.92
242907		2.32	<0.05	0.11	1.67		1	760	2.48	0.13	0.15	5.4	16.9	1.9	188	4.81
242908		2.24	<0.05	0.18	2.75		1.2	1780	3.44	0.16	0.17	2.59	31.6	3.6	75	10.5
242909		1.84	<0.05	0.08	3.64		1.8	2590	4.61	0.12	0.18	0.04	41.1	5.3	137	16.75
242910		0.88	<0.05	0.19	3.54		1.1	2120	5.78	0.21	0.21	0.02	46.9	6.2	56	15.9
242911		2.40	<0.05	0.04	2.84		1.5	1080	8.87	0.13	0.48	<0.02	26.5	2.6	152	11.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
242872		50	0.95	9.94	0.1	1.5	0.80	0.056	1.27	10.6	28.7	0.32	90	16.9	0.08	3.5
242873		45.3	0.74	8.02	0.1	1.2	0.08	0.03	0.99	11.6	21.1	0.26	58	7.47	0.02	2.9
242874		78.8	1.32	10.45	0.13	1.5	0.06	0.031	1.63	14.5	30	0.41	85	1.98	0.07	3.1
242875		103.5	1.14	10.45	0.13	1.3	0.24	0.044	1.37	14.7	26.7	0.36	102	8.71	0.07	3.3
242876		24.4	2	8.38	0.12	0.9	<0.01	0.023	0.93	10.8	17.6	0.34	156	0.64	0.03	3.1
242877		82.5	1.37	7.21	0.11	1	0.01	0.025	0.78	7.3	16	0.28	148	10.2	<0.01	3.2
242878		61.1	1.1	5.77	0.11	0.7	0.02	0.018	0.69	8.3	15.4	0.25	99	2.95	0.01	2.2
242879		75.3	1.08	6.63	0.09	0.8	0.01	0.026	0.76	8.1	16.9	0.27	84	1.48	0.01	2.3
242880		86.9	1.3	7.08	0.1	0.8	0.05	0.023	0.65	8.5	17.4	0.27	110	3.65	0.01	2.1
242881		64.7	1.14	6.1	0.08	0.7	0.04	0.022	0.42	7.6	17	0.23	127	7.34	0.01	2.2
242882		95.8	1.56	7.83	0.12	0.9	0.02	0.027	0.81	10.6	17.4	0.31	233	63.8	0.01	3
242883		76.2	1.22	7	0.11	0.7	0.01	0.02	0.74	9	16.7	0.27	122	34.1	<0.01	2.5
242884		65.2	1.79	6.08	0.1	0.6	<0.01	0.019	0.41	7.8	13.8	0.35	411	4.12	<0.01	2.3
242885		88.7	1.6	7.19	0.11	0.7	0.01	0.025	0.66	9.6	15.4	0.29	234	1.44	<0.01	2.9
242886		83.6	1.33	7.08	0.11	0.8	0.02	0.023	0.8	9.5	16.8	0.26	101	6.63	0.01	3
242887		77.5	1.46	7.02	0.12	0.8	0.02	0.029	0.75	9.4	15.1	0.28	172	12.4	0.03	2.7
242888		58.1	2.33	7.54	0.12	1	0.01	0.025	0.81	9.3	16.2	0.37	388	14.65	0.04	2.7
242889		57.4	2.97	7.39	0.11	0.8	0.02	0.027	0.7	9.4	16.4	0.46	238	4.51	0.02	2.9
242890		46.7	3.06	6.78	0.11	0.8	0.02	0.025	0.58	10.4	13.4	0.44	204	7.05	0.03	3.3
242891		72.9	1.98	8.11	0.12	1	0.05	0.034	1	10.4	22.6	0.41	249	4.08	0.02	3.1
242892		67	2.48	9.38	0.14	1.2	0.05	0.037	1.24	12.1	25.1	0.52	206	31.8	0.03	4.4
242893		46.5	2.89	6.58	0.11	0.7	0.02	0.021	0.69	10.3	16	0.4	262	4.73	0.02	3.2
242894		32.2	0.8	1.42	0.07	0.3	0.01	<0.005	0.21	5.9	2.7	0.07	59	1.04	0.01	1.6
242895		57.9	1.61	9	0.11	1	0.01	0.03	1.2	12.5	25.1	0.38	192	1.49	0.02	3.6
242896		54.3	1.84	8.17	0.14	1.3	0.11	0.033	1.22	12.9	25.7	0.39	406	7.46	0.02	3.7
242897		91.6	2.94	8.77	0.13	1.2	0.04	0.038	1.21	11.6	21.7	0.42	416	10.5	0.07	3.8
242898		77.6	4.96	8.41	0.14	1	0.01	0.032	1.02	11.5	16.1	0.43	401	11.95	0.09	4.9
242899		47.5	2.15	10.35	0.14	1.2	0.07	0.045	1.41	13.9	24.8	0.42	119	42.9	0.11	4.4
242900		30	1.24	9.8	0.12	1.1	0.01	0.035	1.45	13	24.1	0.36	64	0.49	0.03	3.3
242901		57.6	0.91	10.75	0.12	1.4	0.03	0.049	1.45	12.6	27.9	0.38	47	1.21	0.14	4
242902		49.7	1.29	12.35	0.07	1.6	0.02	0.047	1.68	17.4	30.3	0.4	62	0.55	0.03	3.8
242903		43.2	1.12	10.95	0.06	1.4	0.01	0.034	1.56	15.8	29.5	0.35	70	0.52	0.02	3.3
242904		85	1	9.59	0.05	1.3	0.04	0.052	1.24	11.9	27.5	0.31	74	0.56	0.01	2.9
242905		64.2	0.66	7.66	<0.05	1.1	0.01	0.033	0.88	9.7	19.2	0.24	60	0.83	<0.01	2.7
242906		38.2	0.64	7.17	<0.05	1	0.05	0.025	0.87	9.3	21	0.23	42	0.57	0.02	2.5
242907		39.6	0.62	6.31	<0.05	0.9	0.17	0.029	0.66	7.6	16.8	0.2	42	1.71	0.09	1.8
242908		50.7	0.89	9.63	0.05	1.5	0.23	0.041	1.18	14.2	37.9	0.35	70	9.46	0.17	3.4
242909		35.7	1.21	11.7	0.08	1.8	0.02	0.04	1.7	18.3	58.7	0.46	52	1.14	0.08	4.5
242910		95.4	1.23	10.65	0.09	2.3	0.01	0.031	1.56	19.3	50.9	0.38	30	5.17	0.21	3.9
242911		16.5	8	9.36	0.15	0.7	<0.01	0.038	1.07	11.2	26.9	0.32	123	3.39	0.08	4.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Tl	Tl
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
242872		19.6	120	53.5	74.7	0.002	0.2	0.52	2	1.4	194	0.27	<0.05	4.6	0.124	2.6
242873		21.8	60	118.5	59.3	0.003	0.09	0.42	2	1.1	77.9	0.22	<0.05	4.1	0.105	1.9
242874		23.1	110	180	88.4	0.003	0.28	0.77	3	1.4	136	0.22	0.07	5.4	0.13	3.04
242875		29.8	140	67.4	82.8	0.004	0.13	0.6	3	1.4	138.5	0.24	<0.05	5	0.128	2.39
242876		13.6	180	6.2	52.7	<0.002	0.16	0.38	1	1.2	131.5	0.23	<0.05	3.9	0.124	1.46
242877		14.2	50	15.1	45.7	0.002	0.21	0.44	2	1	33.6	0.26	<0.05	3.5	0.118	1.24
242878		31	1360	5.4	40.7	0.003	0.39	0.87	3	0.8	223	0.16	0.05	2.6	0.081	1.14
242879		29.7	230	4	48.7	0.002	0.35	0.83	3	0.9	98.5	0.17	<0.05	2.8	0.083	1.22
242880		21.6	60	5.4	39.7	0.002	0.62	1.2	4	0.9	88.1	0.16	0.05	2.8	0.08	1.29
242881		19.4	80	4.6	27.1	<0.002	0.51	0.74	4	0.8	172	0.16	0.05	2.6	0.079	0.74
242882		44.7	80	5.9	55	0.002	0.24	0.62	5	1	93.6	0.22	0.06	3.6	0.108	1.24
242883		28.3	70	5	47.1	0.002	0.23	0.49	4	1	55.8	0.2	0.05	3.1	0.096	1.02
242884		16.8	70	3	25.5	0.003	0.11	0.29	2	0.8	28.1	0.18	<0.05	2.7	0.083	0.52
242885		17.7	70	3.9	43.8	0.002	0.23	0.53	4	1	38.4	0.23	<0.05	3.1	0.099	0.88
242886		24.2	70	5.1	53.4	0.002	0.21	0.5	5	1	72.7	0.23	0.06	3.2	0.105	1.24
242887		24.7	80	7	48.5	0.003	0.22	0.61	5	1	167.5	0.2	0.06	3.3	0.096	1.49
242888		46.3	220	14.5	49.2	0.004	0.33	0.63	5	1	334	0.19	0.07	3.3	0.103	1.53
242889		20.1	300	5	43.5	0.002	0.54	1.05	4	1	183	0.22	0.05	3.2	0.104	1.2
242890		23.2	250	9.3	37.5	0.002	0.33	0.78	3	0.9	160.5	0.24	0.07	3.2	0.106	1.16
242891		31.3	100	10.5	66.1	0.004	0.41	1.18	4	1	166	0.23	0.05	3.4	0.112	1.46
242892		69.9	140	22.2	85.2	0.008	0.34	1.78	4	1.3	107.5	0.33	0.14	4.3	0.156	2.04
242893		27.5	150	6	42.3	0.004	0.4	0.86	3	0.9	80.3	0.28	0.49	3	0.112	1.04
242894		9.3	10	0.9	12.2	0.002	0.26	0.43	2	0.5	27	0.11	<0.05	1.5	0.041	0.46
242895		28.6	50	5.1	79.2	0.002	0.2	0.78	3	1.1	85.5	0.26	0.12	3.9	0.13	1.56
242896		53	150	39.7	77.9	0.004	0.27	1.15	3	1.1	92.6	0.3	0.07	4.3	0.134	1.56
242897		58.1	150	188.5	76.3	0.003	0.2	1.45	4	1.1	112.5	0.26	0.18	4.3	0.132	1.54
242898		16.7	210	76	61.1	0.002	0.22	0.5	2	1.1	138.5	0.42	0.05	4.4	0.128	1.04
242899		11.4	150	77.3	87	0.003	0.12	0.71	3	1.3	158.5	0.34	0.1	5.1	0.165	1.18
242900		5.6	90	65.7	86.1	<0.002	0.16	0.34	2	1.2	133	0.26	0.05	4.4	0.138	1.06
242901		10.2	80	650	90	0.002	0.14	0.68	2	1.3	102	0.31	0.07	5.5	0.134	1.18
242902		7.3	100	129.5	109	<0.002	0.16	0.44	2	1.5	89.8	0.25	0.05	5.6	0.156	1.36
242903		9.1	70	29.6	97.5	<0.002	0.08	0.32	1	1.3	110	0.21	0.05	4.8	0.136	1.32
242904		7.2	80	263	80.3	<0.002	0.13	0.41	2	1.1	68.5	0.19	<0.05	4.1	0.113	1.16
242905		8.4	50	80.3	56.3	<0.002	0.14	0.36	1	0.9	79.4	0.2	0.05	3.1	0.097	0.87
242906		7.5	60	25.4	55	0.002	0.15	0.28	2	0.8	52.7	0.18	<0.05	2.9	0.093	0.98
242907		8.7	40	370	41.9	<0.002	0.12	0.41	1	0.8	315	0.13	0.05	2.5	0.071	0.89
242908		11.6	100	405	72.1	<0.002	0.11	0.6	2	1.2	252	0.24	0.06	4.6	0.125	1.88
242909		18.2	130	5.6	110.5	0.002	0.13	0.38	2	1.5	135	0.33	<0.05	6.3	0.156	2.92
242910		15.2	270	5.8	100.5	<0.002	0.09	0.27	2	1.4	452	0.25	0.05	5.9	0.128	2.91
242911		8.1	490	2.1	73.2	<0.002	0.16	0.23	1	1.2	403	0.26	0.07	4.4	0.096	2.61

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-AA62	Pb-AA62	Zn-AA62	Ag-GRA21
	Analyte	U	V	W	Y	Zn	Zr	Cu	Pb	Zn	Ag
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	0.01	0.01	0.01	5
242872		1.3	116	1	4.3	941	58.3				
242873		1.3	76	0.6	3.2	157	46				
242874		1.5	104	0.8	4.1	255	55.9				
242875		1.5	96	0.9	4.2	634	53				
242876		0.7	82	0.9	3.8	25	36.8				
242877		1.1	74	1.5	2.8	29	39.9				
242878		0.7	83	1.2	7	31	29.4				
242879		0.6	81	1	3.2	43	31.6				
242880		0.5	95	1	2.4	50	30.9				
242881		0.5	93	1	2.5	107	29				
242882		0.7	125	1	2.7	162	37.9				
242883		0.6	114	0.9	2.5	39	29.1				
242884		0.6	96	0.6	3.2	150	28.1				
242885		0.7	124	1	3.2	151	30.2				
242886		0.6	125	1	2.5	32	32				
242887		0.6	112	0.8	2.9	83	34.7				
242888		1	92	0.8	4.4	54	37.8				
242889		0.7	101	0.7	4.4	68	33.3				
242890		0.8	101	0.7	4.4	78	33.8				
242891		0.8	102	0.8	4.1	186	38				
242892		1.3	104	1.2	4.3	243	47.3				
242893		0.8	110	1.1	3.7	162	29.3				
242894		0.4	24	0.3	3.1	17	14				
242895		0.8	112	1	3.3	35	41.2				
242896		1.6	101	1	4.6	661	46.2				
242897		1.6	102	1.1	3.9	298	48.3				
242898		0.8	89	0.7	4	100	35.3				
242899		1	102	1.1	4.1	282	46.9				
242900		0.8	88	0.8	3.5	22	44.6				
242901		1.3	92	0.8	3.6	47	52.2				
242902		1.1	100	0.9	4.6	26	55.2				
242903		1.1	91	0.9	3.9	19	49.2				
242904		1.1	81	0.7	3.7	47	45.7				
242905		0.8	68	0.7	3.1	24	38.2				
242906		0.8	65	0.5	3	70	35.5				
242907		0.9	58	0.7	3	176	34				
242908		1.6	92	0.9	4.6	271	53.9				
242909		1.7	101	0.9	4.8	32	60.8				
242910		3.8	94	1.1	6.8	20	63.1				
242911		0.5	102	0.6	5.6	16	26				

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

TO: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 5	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
242912		2.36	<0.05	0.03	3.36		0.6	6210	8.2	0.1	0.3	<0.02	25.4	1.8	69	18.25
242913		1.14	<0.05	0.04	2.28		0.8	1260	4.74	0.14	3.19	<0.02	16.9	3.1	122	8.73
242914		0.60	<0.05	0.04	1.67		1.2	260	0.56	0.24	6.86	<0.02	19.45	4.4	39	1.39
242915		2.38	<0.05	0.06	3.13		0.8	2390	7.62	0.19	1.5	<0.02	37.5	2.6	136	17.4
242916		2.28	<0.05	0.1	3.17		2.5	390	6.06	0.29	0.26	<0.02	40.4	2.9	64	18.65
242917		2.28	<0.05	0.1	3.52		0.4	3850	5.49	0.08	0.28	<0.02	41.1	7.2	122	20.2
242918		2.20	<0.05	0.1	3.52		0.7	870	5.18	0.15	0.33	<0.02	32.6	5.9	66	22.8
242919		2.42	<0.05	0.04	2.63		0.8	1360	5.62	0.09	0.43	<0.02	48.7	2	146	14.6
242920		1.58	<0.05	0.05	1.77		0.5	950	3.33	0.09	0.86	<0.02	34.3	3	55	9.68
242921		1.10	<0.05	0.12	6.67		1.2	6240	7.06	0.18	0.35	<0.02	31.6	6.9	73	32.5
242922		3.02	<0.05	0.13	2.2		0.9	230	4.19	0.19	1.23	1.3	13.9	6.1	59	5.1
242923		1.46	<0.05	0.06	1.93		13.4	30	3.9	0.14	0.16	0.56	23.1	4.9	186	5.14
242924		1.44	<0.05	0.05	1.56		20.1	60	2.67	0.13	0.2	5.61	22.7	8.1	94	4.66
242925		1.28	<0.05	0.09	1.51		20.4	100	2.42	0.11	0.32	2.52	40.7	6.7	184	4.73
242926		2.08	<0.05	0.3	2.32		19.4	80	3.9	0.14	0.36	6.59	21.4	4.7	95	7.25
242927		2.26	<0.05	0.16	1.33		4.8	70	2.49	0.09	0.68	6.39	16.55	4.2	195	4.36
242928		2.24	<0.05	0.09	1.56		9.5	160	2.36	0.12	4.32	4.43	40.2	3.1	51	5.03
242929		2.38	<0.05	0.22	2.05		11.4	90	3.71	0.12	0.77	2.71	64.7	3.7	141	6.54
242930		3.14	<0.05	0.29	1.46		12.2	50	2.57	0.12	0.15	4.71	12.35	5.2	73	4.63
242931		3.10	<0.05	0.55	2.57		2.5	60	6.17	0.23	0.39	0.77	5.69	7.7	132	5.1
242932		2.70	<0.05	0.05	1.08		1.2	270	4.63	0.06	1.84	0.04	19.1	1.7	53	0.99
242933		1.26	<0.05	0.11	1.28		1.5	190	3.78	0.11	0.25	1.04	5.11	6.4	146	3.99
242934		2.38	<0.05	0.05	1.59		3.5	330	8.97	0.11	0.53	<0.02	16.8	2.8	65	7.85
242935		2.60	<0.05	0.06	2.35		0.7	1820	5.77	0.06	0.48	<0.02	24.3	2.6	153	17.5
242936		2.46	<0.05	0.07	2.33		1	840	3.68	0.15	0.77	<0.02	23.8	2.3	68	16.7
242937		1.90	<0.05	0.04	2.8		0.7	3240	6.46	0.09	1.06	<0.02	21.7	2.3	150	18.2
242938		2.44	<0.05	0.06	2.29		1.9	900	4.93	0.19	0.67	<0.02	21.5	2.2	66	20.2
242939		2.40	<0.05	0.13	2.79		0.9	1590	7.02	0.12	1.4	<0.02	26.6	2.6	142	21.7
242940		2.96	<0.05	0.06	1.07		0.4	1820	5.13	0.02	3.42	<0.02	10.7	2	41	5.17
242941		0.66	<0.05	0.04	0.45		0.4	790	1.13	0.02	2.5	0.04	17	1.6	137	0.79
242942		3.30	<0.05	0.05	1.62		3.4	260	3.44	0.09	1.2	1.77	11.05	2.9	34	5.27
242943		0.82	<0.05	0.21	2.68		2.8	90	4.92	0.17	0.42	10.85	13.15	3.8	170	4.06
242944		2.12	<0.05	0.34	2.35		23	90	4.35	0.16	0.07	2.32	14.8	3.9	86	6
242945		2.40	<0.05	0.31	2.02		15.2	80	3.55	0.11	0.14	3.18	12.85	2.4	172	4.62
242946		2.32	<0.05	0.27	2.42		18	90	4.07	0.15	0.16	8.29	12.25	2.5	66	5.02
242947		2.40	<0.05	0.25	2.78		12.4	110	5.06	0.11	0.38	6.19	32.2	2.9	141	5.91
242948		1.64	<0.05	0.37	2.85		9.7	80	5.02	0.14	0.15	2.62	26.9	2.9	74	6.76
242949		1.94	<0.05	0.36	2.08		9.7	100	4.05	0.12	0.1	3.24	20.1	2.4	144	5.23
242950		2.08	<0.05	0.47	2.18		16	60	3.92	0.16	0.09	1.66	20.2	4.3	65	5.7
242951		2.12	<0.05	0.17	2.54		5.2	340	4.34	0.14	0.05	0.19	24.6	4.6	158	6.33

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

TO: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
242912		23.7	7.19	10.2	0.15	0.7	<0.01	0.034	1.38	11.6	42.6	0.34	66	2.62	0.03	5
242913		17.2	9.75	7.47	0.17	0.3	<0.01	0.033	0.73	7.2	18.2	0.38	485	5.31	0.12	2.7
242914		15.9	11.7	5.25	0.2	0.4	<0.01	0.035	0.28	6.3	1.1	0.28	970	11.1	0.74	0.9
242915		17.6	5.57	10.3	0.12	1	<0.01	0.039	1.2	15.3	36.3	0.34	270	13.4	0.14	5.9
242916		46.7	5.5	10.05	0.13	1.2	<0.01	0.041	1.2	13	39.1	0.34	84	5.73	0.03	6.2
242917		56.3	1.52	11.1	0.07	1.6	<0.01	0.037	1.38	18	59.5	0.37	105	2.02	0.01	4.1
242918		74.7	2.5	11.15	0.08	1.6	<0.01	0.04	1.49	13.7	61.4	0.42	100	2.04	0.02	5.4
242919		18.6	4.79	9.02	0.14	1.1	0.01	0.039	1.06	19.4	34.8	0.3	115	3.57	0.13	5
242920		24.7	3.79	6.24	0.11	0.7	0.01	0.029	0.71	11.6	25	0.27	173	5.55	0.1	2.7
242921		265	1.6	20.1	0.08	3.2	0.01	0.045	3.2	12.8	166	0.84	29	1.72	0.04	10.8
242922		40.9	0.95	7.05	0.05	1	0.23	0.032	0.61	3.4	35.4	0.27	188	22.9	0.01	3.1
242923		75.5	12.05	7.47	0.2	0.9	0.51	0.033	0.92	7.7	16.8	0.19	16	47.3	0.01	2.2
242924		118.5	11	6.41	0.2	0.7	0.86	0.038	0.75	6.9	11.4	0.16	38	42.2	0.01	1.5
242925		89.1	9.84	5.86	0.2	0.6	0.07	0.039	0.74	11.9	10.4	0.16	56	42.9	0.01	1.7
242926		85.9	8.46	8.65	0.18	0.9	0.29	0.042	1.12	10.9	16.6	0.26	178	36.8	0.01	2.2
242927		60	3.7	5.16	0.1	0.6	0.47	0.029	0.66	9.1	9.3	0.32	602	44.8	0.01	1.4
242928		67	4.68	5.95	0.12	0.6	0.14	0.032	0.78	28.8	16.5	0.23	773	57.4	0.01	1.7
242929		47	3.59	7.84	0.14	0.8	0.09	0.033	1.02	32.6	19.4	0.2	127	55	0.01	2.5
242930		82	9.99	5.95	0.17	0.6	0.37	0.028	0.69	4.4	16.4	0.14	86	40	0.01	1.4
242931		81	2.84	7.82	0.09	1.1	0.83	0.038	0.62	0.8	22.3	0.23	49	31.2	0.02	3.1
242932		34.4	15.5	3.65	0.21	0.2	0.01	0.019	0.09	5.4	2	0.21	488	7.48	0.01	1.3
242933		55.2	1.23	3.65	<0.05	0.6	0.48	0.017	0.22	1.6	11	0.11	42	23.7	0.05	1.8
242934		26.5	10.7	5.07	0.16	0.4	<0.01	0.018	0.4	5.8	14.5	0.18	147	26.4	0.22	2.2
242935		23.9	10.1	7.59	0.16	0.7	<0.01	0.04	0.9	9.8	32.9	0.27	154	6.45	0.18	3.6
242936		30.9	6.24	7.59	0.12	0.7	<0.01	0.045	0.76	9.2	29	0.25	165	5.21	0.33	3.3
242937		22.6	7.86	8.48	0.13	0.8	<0.01	0.041	0.86	10.1	28.9	0.34	275	2.8	0.55	4.1
242938		27.8	4.28	7.78	0.07	0.7	<0.01	0.037	0.97	8.8	35.2	0.25	147	2.03	0.09	3.8
242939		77.1	7.33	8.82	0.11	0.8	<0.01	0.043	1.05	11.5	37.9	0.31	265	46.2	0.21	4.3
242940		17	12.15	3.46	0.13	0.2	<0.01	0.018	0.25	4.5	7.2	0.15	666	6.87	0.14	1.4
242941		30.7	9.66	1.91	0.11	0.1	0.01	0.012	0.03	6.4	2.3	0.27	387	10.4	<0.01	0.6
242942		35.1	0.84	5.43	<0.05	0.7	0.25	0.02	0.31	3.5	25.7	0.16	85	45.4	0.01	2.1
242943		98.5	4.55	9.1	0.07	1.1	1.87	0.036	0.91	4.5	31.9	0.25	59	51	0.01	1.9
242944		48	7.94	8.15	0.12	1.1	0.07	0.036	1.17	4.6	22.5	0.23	77	8.97	0.01	1.8
242945		34.2	6.01	7.05	0.09	0.9	0.12	0.035	0.99	4.6	15	0.22	118	5.66	0.01	1.4
242946		35	5.84	8.1	0.1	0.9	0.70	0.032	1.17	4.3	16.2	0.24	107	12.9	0.01	1.7
242947		43.9	4.82	9.39	0.11	1.1	0.52	0.036	1.33	13.6	20.7	0.32	255	21.9	0.01	2
242948		42	3.79	9.91	0.08	1.4	0.08	0.042	1.38	10.5	20.6	0.28	99	3.29	0.01	2.2
242949		84.1	3.31	7.88	0.09	1.1	0.12	0.061	1.07	8.6	16.4	0.23	44	2.32	0.01	1.4
242950		58.9	4.1	7.9	0.09	1.1	0.09	0.05	1.1	8.1	17.8	0.25	50	2.17	0.01	1.3
242951		47.3	1.48	8.37	0.06	1.1	0.06	0.024	1.3	11.3	19.7	0.27	26	2.03	0.01	2.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Tl	Tl
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
242912		6.1	450	1.8	93.4	<0.002	0.08	0.16	1	1.4	380	0.33	<0.05	5.1	0.122	3.81
242913		7.2	540	3	47.9	<0.002	0.17	0.17	2	0.8	1345	0.19	0.06	3	0.063	2.19
242914		7.1	530	6.3	12	<0.002	0.37	0.16	2	0.2	2050	0.1	0.08	2.9	0.033	0.74
242915		8.5	350	2.6	83.1	<0.002	0.08	0.18	2	1.3	727	0.38	0.34	4.9	0.148	4.08
242916		6.9	350	3.1	87.3	<0.002	0.58	0.22	4	1.4	335	0.41	0.06	4.6	0.157	4.42
242917		17	170	2.5	94.5	<0.002	0.06	0.24	1	1.4	220	0.28	<0.05	5.4	0.158	5.19
242918		10.8	210	3.4	103.5	<0.002	0.19	0.18	2	1.4	414	0.39	<0.05	5.7	0.164	5.98
242919		7.1	450	2	71.2	<0.002	0.11	0.16	2	1.1	441	0.33	<0.05	4.3	0.121	5.07
242920		5.7	320	2.1	51.8	<0.002	0.25	0.1	3	0.8	678	0.19	<0.05	2.5	0.081	5.05
242921		7.9	90	4.4	188	<0.002	0.14	0.18	2	2.4	259	0.96	<0.05	11.8	0.144	23.6
242922		16.2	280	18.8	40.3	<0.002	0.78	0.91	2	1	305	0.22	<0.05	1.9	0.101	9.22
242923		15.1	650	90.5	52.9	<0.002	>10.0	2.82	4	0.8	15	0.15	0.07	1.8	0.081	14.6
242924		17.6	750	20.7	46.6	<0.002	>10.0	2.49	4	0.8	16.1	0.09	0.05	1.7	0.059	14.2
242925		12.9	1160	161.5	45.6	<0.002	>10.0	4.3	3	0.7	21.7	0.1	0.06	2	0.063	13.9
242926		22.4	950	1210	70.2	<0.002	8.44	4.78	5	1.1	18.9	0.14	0.09	3.1	0.087	19.95
242927		25.6	540	563	39.8	0.005	3.14	1.6	3	0.6	30.3	0.09	0.05	1.7	0.054	10.95
242928		23.9	3000	1005	44.7	<0.002	4.11	2.47	3	0.7	116	0.12	0.05	2.3	0.06	12.5
242929		26.6	3120	809	58.4	<0.002	3.24	2.29	3	0.9	36.7	0.18	0.07	3	0.091	15.35
242930		16.4	440	223	43.1	<0.002	>10.0	2.11	3	0.7	8.2	0.08	0.06	1.3	0.055	12.45
242931		20.1	410	116	36	<0.002	2.12	14.65	3	1	85.1	0.21	<0.05	1.1	0.098	10.6
242932		4.1	630	5	5.4	<0.002	0.53	0.36	2	0.4	354	0.09	<0.05	1.5	0.034	1.4
242933		8.7	60	26.9	16.9	<0.002	0.52	0.4	1	0.6	301	0.12	<0.05	1	0.047	3.86
242934		9.4	370	31.4	29.8	<0.002	0.34	0.2	2	0.7	524	0.13	<0.05	2	0.051	5.21
242935		8.6	510	2.6	66.9	<0.002	0.07	0.16	2	0.9	572	0.21	<0.05	3.2	0.088	8.86
242936		7.3	390	3.8	58.9	<0.002	0.17	0.12	3	1	657	0.23	0.05	3.3	0.092	6.08
242937		8.8	530	2.5	62.1	<0.002	0.06	0.14	2	1.1	809	0.27	<0.05	4	0.122	6.02
242938		7.5	320	2.5	72.1	<0.002	0.16	0.19	2	1.1	358	0.26	0.06	3.3	0.111	6.43
242939		9.8	520	2.9	78.7	<0.002	0.06	0.14	2	1.1	570	0.28	0.06	4.2	0.116	6.02
242940		4.3	390	4.3	17.4	<0.002	0.07	0.09	2	0.5	804	0.08	<0.05	1.5	0.032	1.43
242941		4.8	490	4.3	2.3	<0.002	0.12	0.16	1	0.2	697	<0.05	<0.05	1.3	0.019	0.18
242942		5.7	170	23.3	24.4	<0.002	0.36	1.15	2	0.7	403	0.15	<0.05	1.6	0.06	1.84
242943		20.7	150	519	51.8	<0.002	5.21	1.22	3	1.1	32.3	0.12	0.08	2.9	0.077	5.83
242944		52.5	100	1005	71.9	<0.002	8.08	1.73	3	1.1	11.5	0.11	0.08	2.5	0.082	8.57
242945		31.4	110	835	59.4	<0.002	5.91	2.63	2	0.9	12	0.08	0.06	2.1	0.067	7.21
242946		24.1	80	825	68.8	<0.002	6.25	3.82	3	1	10.8	0.1	0.07	2.6	0.074	9.47
242947		19.8	680	502	78.9	<0.002	4.82	2.91	3	1.1	32.7	0.11	0.05	3.9	0.083	10.95
242948		21.6	150	582	82.3	0.002	3.49	1.4	3	1.2	14.3	0.13	0.05	4	0.101	10.55
242949		52.1	70	411	65.9	<0.002	3.18	1.25	3	0.9	10.2	0.08	0.07	2.4	0.066	7.49
242950		80.9	70	544	70.3	<0.002	3.9	2.24	4	1	9.7	0.08	0.08	2.9	0.064	8.07
242951		36.7	70	92.1	78.2	0.002	1	1.4	2	1	7	0.14	0.08	3.3	0.094	8.47

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

TO: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-AA62 Cu % 0.01	Pb-AA62 Pb % 0.01	Zn-AA62 Zn % 0.01	Ag-GRA21 Ag ppm 5
242912		0.4	97	0.7	4.9	16	24.4				
242913		0.3	89	0.6	8	14	12.6				
242914		0.4	74	0.8	14.9	14	12.1				
242915		0.7	104	0.8	7.6	16	37				
242916		0.8	109	1	6.1	19	42.8				
242917		1.1	104	1.2	6.1	51	60.3				
242918		1.1	118	1	6.1	23	57.2				
242919		0.9	106	0.7	7.5	13	41.5				
242920		0.6	85	1	6.8	9	27.7				
242921		1.6	58	0.8	5.3	46	68.3				
242922		0.9	110	1	7.2	1100	36.3				
242923		0.7	182	0.6	11.7	5810	33.5				
242924		0.6	153	0.7	8.8	>10000	28.4			1.22	
242925		0.7	143	0.7	13.2	735	25.7				
242926		0.8	166	0.9	12.6	3250	34.2				
242927		0.9	138	0.6	6.5	6130	25				
242928		0.5	160	0.7	21.6	1665	22.3				
242929		0.6	208	0.9	21.6	1145	32.4				
242930		0.5	136	0.5	7.7	2450	23.9				
242931		1	134	1	7.4	1965	40.1				
242932		0.2	98	0.5	5.8	41	8.3				
242933		0.5	61	1.1	2.7	1855	25				
242934		0.3	76	0.7	3.6	20	14.1				
242935		0.5	89	0.7	5.2	21	27.6				
242936		0.5	97	0.8	5.2	16	28.1				
242937		0.6	106	0.8	5.7	17	26.3				
242938		0.4	85	0.6	4.2	16	24.4				
242939		0.8	94	0.8	6.7	15	27.7				
242940		0.2	54	1	6.9	9	7.5				
242941		0.1	42	0.6	6.1	13	5.7				
242942		0.5	99	0.7	3.6	1200	23				
242943		0.7	132	0.4	4.9	>10000	36.1			1.23	
242944		0.9	112	0.7	4.4	848	42.7				
242945		0.8	103	0.7	3.6	1230	34				
242946		0.7	108	0.7	3.4	8280	33				
242947		0.8	131	0.7	9.8	5870	40				
242948		1.3	121	1.1	6.2	1150	54				
242949		1.3	128	0.6	4.1	1585	40.6				
242950		1.3	133	0.7	4.3	839	41.1				
242951		1.2	119	0.9	3.4	416	40				

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

TO: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 5	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
242952		2.10	<0.05	0.29	1.64		22.2	70	2.85	0.09	0.02	0.23	9.77	5.4	74	3.54
242953		2.08	<0.05	0.17	1.48		4.1	360	2.72	0.09	0.03	0.21	15.95	2.5	154	3.41
242954		2.28	<0.05	0.43	1.23		14.8	70	2.23	0.11	0.41	3.7	14.55	3.6	70	2.75
242955		2.02	<0.05	0.45	2.55		19.2	120	4.37	0.15	0.22	1.61	19.9	4.7	132	5.76
242956		2.02	<0.05	0.39	2.61		12	250	4.44	0.12	0.1	1.84	22.4	3.7	66	6.5
242957		2.50	<0.05	0.6	2.39		15.5	110	3.85	0.15	0.12	1.89	18.2	5	150	5.95
242958		2.14	<0.05	0.42	3.49		6.7	350	5.92	0.17	0.22	8.33	30.8	3.7	48	9.09
242959		2.36	<0.05	0.32	2.22		8	150	3.75	0.11	0.12	1.79	21	2.3	121	5.76
242960		2.30	<0.05	0.7	2.48		20.6	60	4.13	0.18	0.17	4.2	23.7	3.7	66	6.08
242961		1.70	<0.05	0.21	3.31		6.6	200	5.28	0.17	0.11	0.72	30.5	7.2	122	8.61
242962		1.98	<0.05	0.53	2.75		17.1	120	4.55	0.18	0.21	2.66	25.2	6.4	68	6.8
242963		1.90	<0.05	0.42	2.36		11.2	110	3.7	0.16	1.14	1.47	20.7	4.7	115	5.89
242964		2.66	<0.05	0.2	3.19		5.5	110	5.39	0.19	0.05	4.63	23.2	3.9	66	6.98
242965		1.44	<0.05	0.12	3.14		1.5	1120	4.43	0.08	0.57	0.6	19.7	2.7	72	3.41
242966		0.52	<0.05	0.12	4.22		2.1	370	7.32	0.16	0.03	8.46	30.6	3.6	60	8.03
242967		1.76	<0.05	0.14	2.5		11	1200	4.2	0.16	0.04	6.56	15.9	3.4	123	5.56
242968		2.22	<0.05	0.37	2.39		14.4	590	3.76	0.15	0.14	1.94	18.7	4.4	52	5.81
242969		2.08	<0.05	0.29	2.77		9.5	740	4.35	0.15	0.14	1.14	29	4.7	121	6.98
242970		2.14	<0.05	0.54	3.06		14.2	490	4.51	0.18	0.04	3.21	30	6	75	7.81
242971		1.88	<0.05	0.29	1.78		8.1	450	2.57	0.14	0.01	1.27	16.55	6.4	126	4.74
242972		0.88	<0.05	0.35	2.01		10.9	700	2.84	0.13	0.01	2.18	17.4	6.2	58	5.36
242973		1.38	<0.05	0.11	3.4		3.8	1570	5.21	0.11	0.02	0.32	32.9	7	99	10.75
242974		1.48	<0.05	0.45	3.01		6.2	920	5.41	0.18	0.31	1.28	22.6	4.2	64	7.82
242975		2.86	<0.05	0.03	1.02		0.3	570	4.4	0.05	0.26	<0.02	3.33	1.2	87	1.36
242976		2.84	<0.05	0.03	1.14		<0.2	1420	7.03	0.04	0.13	<0.02	6.2	1.3	35	6.52
242977		3.08	<0.05	0.02	1.26		0.7	1160	6.78	0.05	0.35	<0.02	8.23	1.3	59	7.14
242978		1.02	<0.05	0.05	1.16		5.4	830	3.91	0.1	0.95	<0.02	11.25	2.1	59	1.78
242979		1.32	<0.05	0.14	3.67		1	1400	7.6	0.21	0.29	0.02	28.5	4	189	13.35
242980		1.50	<0.05	0.02	0.69		0.7	690	3.4	0.03	1.2	<0.02	5.52	1.2	41	0.35
242981		2.08	<0.05	0.12	2.52		4.2	930	3.18	0.09	0.65	0.73	14.3	7.7	124	3.11
242982		2.18	<0.05	0.21	3.78		2.8	>10000	4.95	0.09	0.61	1.23	24.9	3.7	59	1.77
242983		2.04	<0.05	0.36	2.91		9	1170	4.44	0.17	0.11	3.08	22.6	4.4	138	5.21
242984		0.50	<0.05	0.31	2.74		9.8	1040	4	0.2	0.24	1.07	23	4.1	81	4.77
242985		2.22	<0.05	0.36	2.3		13.5	850	2.81	0.14	0.13	2.08	22.1	2.8	124	4.38
242986		1.10	<0.05	0.15	2.74		3.3	770	3.62	0.13	0.14	0.21	29.4	3.1	65	4.91
242987		1.86	<0.05	0.83	2.92		25.2	780	3.86	0.22	0.08	2.09	25.2	6	134	5.22
242988		2.24	<0.05	0.28	1.28		11.6	390	1.52	0.16	0.04	0.77	9.26	4.7	151	2.23
242989		1.12	<0.05	0.33	2.58		18.8	580	3.03	0.12	0.07	0.28	9.59	9.2	77	4.7
242990		0.32	<0.05	0.18	0.66		0.9	610	0.77	0.06	0.51	0.5	4.75	2.6	235	1.3
242991		0.14	2.36	>100	0.65		220	1360	<0.05	10.5	0.21	>500	0.66	2.5	<1	0.07

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
242952		55.8	4.2	6.06	0.07	0.7	0.08	0.025	0.8	4.4	11.2	0.15	17	2.83	0.01	1.4
242953		61.2	1.02	5.97	<0.05	0.7	0.07	0.019	0.72	7.6	9.7	0.14	19	5.44	<0.01	1.8
242954		68	3.9	4.8	0.08	0.7	0.24	0.036	0.6	6.3	7.8	0.19	267	3.8	<0.01	1.3
242955		42.9	5.81	9.2	0.13	1.2	0.11	0.041	1.26	8.9	16	0.27	102	3.2	0.01	2
242956		38.4	3.25	8.54	0.09	1.3	0.13	0.034	1.3	9.3	18.6	0.26	39	6.04	0.01	2.1
242957		41.6	5.71	7.7	0.11	1.2	0.14	0.037	1.19	7	17.4	0.29	261	3.67	0.01	2
242958		42.8	3.56	10.7	0.11	2	0.50	0.049	1.75	12.2	25.9	0.42	530	7.17	0.01	3
242959		26.2	2.58	7.56	0.07	1.2	0.14	0.03	1.12	8.6	15.8	0.24	70	3.65	0.01	1.9
242960		61.4	5.92	8.8	0.13	1.3	0.21	0.051	1.2	8.4	17.4	0.3	175	2.47	0.01	1.6
242961		47.9	1.68	10.25	0.07	1.3	0.07	0.043	1.64	13.9	24.6	0.35	44	1.54	0.01	2.6
242962		59.2	4.31	9.42	0.13	1.3	0.14	0.047	1.36	10.2	18.9	0.32	94	2.32	0.01	1.8
242963		46.6	3.36	7.71	0.11	1.2	0.11	0.034	1.18	8.6	17.8	0.25	96	3.72	0.01	1.7
242964		28.7	2.9	10.8	0.09	1.3	0.94	0.042	1.46	9.5	29.2	0.33	27	10.65	0.01	2.8
242965		22.1	0.95	9.64	0.07	1.2	0.61	0.026	0.83	8.2	17.4	0.27	89	32.4	0.03	3.8
242966		12.5	1.96	13.35	0.09	1.6	2.63	0.044	1.94	13.1	44.3	0.44	25	7.89	0.02	4.4
242967		30.3	3.45	8.27	0.1	1	1.12	0.043	1.17	6.4	23.7	0.26	26	8.86	0.01	2.4
242968		40.4	3.8	7.91	0.1	1.1	0.18	0.03	1.13	7.4	18.4	0.27	63	3.33	0.01	2.2
242969		52.6	3.21	9.47	0.12	1.5	0.08	0.023	1.35	11.7	22.2	0.31	65	3.72	0.01	2.5
242970		73.6	4.74	10.3	0.13	1.6	0.20	0.045	1.51	11.4	25.9	0.32	40	3.11	0.01	2.8
242971		73.7	2.67	6.78	0.08	0.9	0.16	0.034	0.89	7.2	17.8	0.2	23	1.55	0.01	1.7
242972		74.3	3.78	7.49	0.09	0.9	0.24	0.045	1.01	7.4	22.2	0.21	19	1.72	0.01	1.6
242973		42.6	1.12	10.55	0.11	1.3	0.08	0.029	1.67	16.1	54.2	0.35	21	0.93	0.01	2.9
242974		63.6	3.65	9.72	0.11	1.2	0.11	0.052	1.26	7.3	41.3	0.31	68	10.45	0.01	2.9
242975		7.9	9.75	3.17	0.08	0.2	<0.01	0.014	0.08	1	2.6	0.12	98	7.66	0.2	1
242976		8.7	10.25	3.52	0.07	0.2	<0.01	0.017	0.12	2.7	9	0.12	119	8.38	0.48	1.4
242977		11.4	10.85	3.58	0.07	0.2	<0.01	0.016	0.18	3.2	12.4	0.12	128	9.29	0.51	1.4
242978		33.7	16.05	3.48	0.14	0.2	<0.01	0.02	0.26	3.2	9	0.16	229	10.9	0.16	1.4
242979		152	4.18	10.3	0.08	1.2	<0.01	0.042	1.39	12	61.3	0.35	93	15.2	0.51	6
242980		5.9	10.2	2.26	0.06	0.1	<0.01	0.01	0.06	2.4	1.3	0.08	196	9.35	0.01	0.8
242981		50.1	1.49	7.07	<0.05	0.8	0.34	0.037	0.18	6	16	0.26	408	123	0.66	3.5
242982		31.5	1.68	9.26	0.07	0.9	0.39	0.033	0.54	11.4	24.6	0.4	335	34.2	<0.01	2.9
242983		62.4	3.54	10.1	0.09	1.3	0.45	0.052	1.35	8.1	59.3	0.31	43	3.99	0.02	3.1
242984		31.8	2.95	9.3	0.07	1.1	0.14	0.035	1.28	8.4	51.4	0.28	56	3.15	0.01	2.4
242985		56.8	3.22	7.59	0.07	1.1	0.24	0.053	1.11	8.2	39.5	0.26	67	2.66	0.01	2.7
242986		47.4	1.72	8.51	0.06	1.1	0.03	0.026	1.3	11.2	37.2	0.31	86	2.45	0.01	3
242987		108	5.25	9.2	0.11	1.1	0.29	0.065	1.42	9.9	34.8	0.31	53	3.28	0.01	2.8
242988		70.3	4.96	4.43	0.06	0.5	0.13	0.025	0.63	3.9	14.4	0.14	51	2.18	0.01	1.3
242989		77.9	6.48	8.01	0.07	0.9	0.10	0.014	1.27	3.9	29.6	0.28	63	2.73	0.01	2.5
242990		42.3	1.04	2.1	<0.05	0.2	0.06	0.014	0.33	2.4	6.5	0.14	161	1.2	<0.01	0.9
242991		>10000	15.7	12.05	0.36	0.3	1.62	8.42	0.24	<0.5	0.4	0.05	177	135	0.02	0.3

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
242952		105	50	304	47	<0.002	4.25	2.3	3	0.7	2.9	0.09	0.07	1.4	0.054	4.81
242953		21	50	142	43.9	<0.002	0.77	1.09	2	0.6	3.4	0.11	0.06	2.4	0.065	4.54
242954		66	80	614	35.3	<0.002	3.89	3.02	3	0.6	18.1	0.08	0.09	1.5	0.048	4
242955		48.8	120	844	75.4	0.002	5.84	3.94	3	1.1	13.7	0.12	0.08	2.5	0.09	8.2
242956		20	100	371	77.8	<0.002	2.95	4.2	3	1.1	10	0.14	0.05	3.6	0.095	8.68
242957		24	70	703	71.5	<0.002	5.46	5.87	4	1	10.5	0.12	0.06	2.9	0.081	8.22
242958		20.6	130	403	102	<0.002	2.66	2.79	4	1.4	18.8	0.18	0.05	5.1	0.102	12.25
242959		16.4	90	330	68.1	<0.002	2.35	2.52	3	0.9	11.3	0.13	0.05	3	0.082	7.63
242960		44.6	130	717	74	0.002	5.8	4.76	4	1	12.9	0.09	0.1	3.2	0.078	8.79
242961		52.2	100	89.9	96.1	0.002	1.07	1.59	3	1.3	11.8	0.16	0.09	4.4	0.112	10.9
242962		49.9	110	524	81.1	0.002	4.11	4.38	4	1.2	15.8	0.11	0.09	3.3	0.088	9.08
242963		32.5	100	579	69.7	0.002	3.32	2.58	4	1	20.4	0.11	0.06	3.3	0.078	7.53
242964		30.4	110	753	84.6	<0.002	2.95	1.19	3	1.4	6.6	0.18	0.07	4.1	0.118	10.75
242965		9.2	80	220	41.3	<0.002	0.24	0.9	2	1.3	297	0.27	<0.05	3.3	0.138	4.91
242966		14.9	130	477	99.6	<0.002	2.44	1.08	3	1.7	7.7	0.31	<0.05	5.3	0.199	11.5
242967		35.1	80	586	62.9	<0.002	3.86	0.9	3	1.1	6.5	0.16	<0.05	3	0.108	6.19
242968		25.6	80	540	65.4	<0.002	3.64	4.93	4	1	12.3	0.14	0.05	3	0.1	6.34
242969		37	120	479	79.6	0.002	2.92	2.89	3	1.2	14.1	0.16	0.06	4	0.138	7.6
242970		51.8	130	905	86.7	0.003	4.65	4.17	4	1.2	7.6	0.19	0.1	3.7	0.129	7.9
242971		54.6	60	245	53.7	<0.002	2.55	1.78	3	0.8	3.9	0.11	0.09	2.1	0.073	4.73
242972		59.9	80	310	58.9	<0.002	3.84	1.64	3	0.8	3.8	0.1	0.12	2.2	0.08	4.99
242973		40	90	31	104.5	0.002	0.34	0.52	2	1.3	5.8	0.18	0.06	4.5	0.128	8.72
242974		33	140	390	78.4	0.004	2.54	1.13	5	1.3	65	0.19	0.09	3.3	0.121	6.12
242975		4.1	110	1.9	5.4	<0.002	0.3	0.12	1	0.5	307	0.07	<0.05	0.7	0.032	0.64
242976		3.4	110	2.4	10	0.002	0.14	0.08	1	0.6	618	0.1	<0.05	1	0.042	0.88
242977		3.8	140	1.6	13	<0.002	0.13	0.11	2	0.5	611	0.09	<0.05	1.4	0.047	1.05
242978		4.3	380	3.3	13.2	<0.002	0.29	0.3	3	0.5	395	0.08	<0.05	1.4	0.045	1
242979		13.5	320	3.4	102.5	<0.002	0.22	0.46	3	1.5	199.5	0.39	0.06	5.3	0.186	6.03
242980		2.3	590	2	2.8	<0.002	0.31	0.21	2	0.4	491	0.06	<0.05	0.7	0.023	0.35
242981		15.3	240	431	14.4	<0.002	0.48	11.6	2	1	369	0.24	<0.05	2.6	0.112	2.07
242982		14.4	320	263	27.1	0.008	0.06	86.3	2	1	116.5	0.19	<0.05	3.1	0.092	2.36
242983		29.4	120	359	78.2	0.002	3.41	3.15	3	1.4	14.2	0.2	0.05	3.3	0.134	5.22
242984		23.9	120	259	69.6	0.003	2.58	2.8	3	1.3	14.6	0.17	0.05	3.5	0.118	4.89
242985		27	100	354	57.8	<0.002	3	2.51	3	1.1	8.2	0.2	0.07	2.5	0.115	3.92
242986		20.5	110	83.4	69.5	0.002	0.94	3.58	2	1.1	8.4	0.22	<0.05	3.8	0.132	4.47
242987		80	150	574	73.5	0.003	4.78	8.53	5	1.2	5.9	0.2	0.18	2.9	0.118	4.74
242988		61.3	50	148	32.3	<0.002	4.86	4.67	3	0.6	2.6	0.08	0.11	1.4	0.051	2.59
242989		91.6	90	118.5	65	0.002	6.18	7.83	4	1.1	4.4	0.21	0.11	4.1	0.092	4.92
242990		17.4	60	69	15.6	<0.002	0.56	1.94	1	0.5	13.3	0.07	<0.05	0.9	0.034	1
242991		107	10	>10000	4.5	0.052	>10.0	69.9	78	0.8	62	<0.05	42	<0.2	0.014	1.66

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-AA62 Cu % 0.01	Pb-AA62 Pb % 0.01	Zn-AA62 Zn % 0.01	Ag-GRA21 Ag ppm 5
242952		0.7	106	0.6	3.4	549	26.7				
242953		0.7	105	0.6	2.6	608	29.8				
242954		0.9	77	0.5	3.4	2560	26.7				
242955		1.3	112	0.8	5.6	927	45.5				
242956		1.2	113	0.8	4.7	1515	45.7				
242957		1.1	110	0.7	4.2	1495	43.7				
242958		1.5	111	1	5.3	5930	59				
242959		1	88	0.8	4	1395	41				
242960		1.5	124	0.9	6.1	2290	47.6				
242961		1.3	157	1.2	4	491	51.3				
242962		1.2	131	0.9	5.6	1505	48.5				
242963		1	98	0.9	3.7	1120	41.8				
242964		0.9	137	0.6	5	6150	48				
242965		1	168	1.5	4	1030	43.8				
242966		1	175	0.7	5.1	>10000	64			1.46	
242967		0.6	131	0.6	3.4	8650	40.3				
242968		0.9	104	0.7	3.7	1520	43.1				
242969		1.3	112	0.9	4.4	583	59.9				
242970		1.6	125	1	5.4	1720	61.3				
242971		0.7	105	0.6	3.2	1250	35.3				
242972		0.8	124	0.7	4.2	2060	40.3				
242973		1.4	134	0.9	3	541	53.4				
242974		1.5	136	0.6	4.8	833	43.7				
242975		0.2	59	0.7	1.5	14	6.6				
242976		0.2	69	0.3	1.4	14	7.4				
242977		0.2	62	0.5	1.7	9	7.2				
242978		0.3	71	0.3	4	14	9.2				
242979		1.2	124	0.4	5.3	17	37.9				
242980		0.2	58	0.7	4.1	7	4.6				
242981		0.8	130	0.9	6.2	831	26				
242982		1.1	94	0.6	5.2	1420	30.4				
242983		1.5	118	0.7	5.2	1790	46.3				
242984		1.2	126	0.8	4.1	590	38.9				
242985		1.3	85	0.7	4.3	1025	37.9				
242986		1.2	108	0.9	4.2	108	40.7				
242987		1.3	142	0.9	5.7	1160	41				
242988		0.6	86	0.5	2.6	418	18.6				
242989		1.3	150	0.9	3.7	182	32.3				
242990		0.5	38	0.4	1.6	178	8.7				
242991		7.4	50	2.9	1.3	>10000	9.3	2.28	1.23	21.4	90

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 5	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
242992		0.14	4.36	>100	0.77		671	1780	0.05	33.4	0.11	>500	0.56	2	<1	0.11
242993		2.42	<0.05	0.67	3.22		3.4	820	4.42	0.21	0.22	2.06	35.2	5.5	68	5.96
242994		2.18	<0.05	0.41	2.08		5.9	990	2.86	0.11	0.15	0.65	17.6	5	66	3.95
242995		2.26	<0.05	0.31	2.38		5.6	930	3.29	0.13	0.16	0.43	22.6	4.4	146	4.42
242996		1.86	<0.05	0.94	2.23		11.8	390	3.18	0.19	0.16	7.66	20.3	10.2	64	4.18
242997		1.74	<0.05	0.32	2.26		4	1020	3.35	0.25	2.5	3.33	27.3	12.6	56	4.25
242998		0.78	<0.05	0.09	1.84		0.6	1020	2.41	0.15	9	0.33	33.4	5.3	108	3.82
242999		2.68	<0.05	0.18	3.99		3.5	2260	5.43	0.21	1.4	1.18	35.5	10.4	52	8.01
243000		2.00	<0.05	0.15	3.88		0.4	1600	5.38	0.11	4.12	3.91	35.3	13.3	87	7.95

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
242992		>10000	14.85	18.3	0.19	0.3	14.75	7.52	0.27	<0.5	0.5	0.04	104	91.5	0.03	0.3
242993		101	1.56	10.15	0.07	1.2	0.17	0.056	1.59	16	35.9	0.36	88	2.29	0.02	4.5
242994		67.9	1.24	6.56	<0.05	0.7	0.30	0.038	1.05	8.4	24	0.23	47	1.46	0.01	2.5
242995		80.6	1.72	7.31	<0.05	0.9	0.12	0.029	1.2	10.3	29.1	0.26	61	1.74	0.01	3.2
242996		83.1	1.76	6.97	0.06	0.9	0.62	0.042	1.14	9.3	26.2	0.22	38	1.45	0.01	3.2
242997		138.5	1.88	7.43	0.1	0.8	0.40	0.049	1.15	15.6	28.3	0.24	286	2.11	0.01	2.5
242998		45	1.36	5.64	0.09	0.7	0.02	0.042	0.95	19.8	22.9	0.23	767	1.12	0.01	1.9
242999		140	2.18	10.9	0.12	1.3	0.10	0.042	2.07	18.9	51.2	0.34	185	1.44	0.02	3.9
243000		70.9	2.03	10.45	0.14	1.4	0.66	0.065	1.98	21.1	51.6	0.37	592	1.18	0.02	5.3

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Tl	Tl
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
242992		74.2	20	>10000	5.3	0.036	>10.0	336	39	0.9	66.6	<0.05	38.4	<0.2	0.015	1.53
242993		40.8	250	279	81.4	0.002	0.8	2.89	3	1.3	12.4	0.32	0.13	4.7	0.172	5.05
242994		38.9	90	172.5	49.4	<0.002	0.82	3.08	3	0.9	4.9	0.18	0.08	2.6	0.098	3.36
242995		22.8	80	105	52.9	0.002	1.24	3.06	3	1.1	5	0.25	0.05	3.4	0.11	3.86
242996		55.8	280	633	51.1	0.002	1.4	4	4	1.1	6.9	0.22	0.12	3.5	0.102	4.61
242997		27.9	240	257	48.5	<0.002	1.2	1.35	2	1.2	80.4	0.17	0.14	3.3	0.084	2.67
242998		13.2	380	44.6	39.4	<0.002	0.4	0.53	2	1.4	233	0.13	0.08	2.7	0.064	1.7
242999		19.6	370	78.4	84.5	<0.002	0.58	0.88	3	1.3	52.4	0.26	0.11	4.5	0.174	3.22
243000		32.4	690	251	80.4	0.002	0.83	0.81	2	1.4	120	0.34	0.08	5	0.2	2.81

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

): YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-FEB-2005
Account: MPO

Project: FISHER 1615

CERTIFICATE OF ANALYSIS VA05005031

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-AA62	Pb-AA62	Zn-AA62	Ag-GRA21
	Analyte	U	V	W	Y	Zn	Zr	Cu	Pb	Zn	Ag
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	0.01	0.01	0.01	5
242992		1.6	36	4	1.6	>10000	8.5	2.34	2.47	23.1	155
242993		1.3	168	1.3	5.1	939	44				
242994		0.7	121	0.8	3.3	855	25.3				
242995		0.8	134	0.8	3.6	274	33.6				
242996		0.8	152	0.8	5	1990	33.8				
242997		1	128	0.8	7.6	1150	33.5				
242998		0.5	80	0.6	19.1	92	25.1				
242999		1.3	158	1.2	8.9	352	48				
243000		1.1	174	1.1	17.4	3650	48				

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE VA04091517

Project:

P.O. No.:

This report is for 263 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-JAN-2005.

The following have access to data associated with this certificate:

G. DESSUREAU ACCOUNTS PAYABLE	GILLES DESSUREAU	JASON DUNNING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Pb-AA46	Ore grade Pb - aqua regia/AA	AAS
Zn-AA46	Ore grade Zn - aqua regia/AA	AAS
As-AA46	Ore grade As - aqua regia/AA	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-XRF05	Trace Level XRF Analysis	XRF
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS

To: **YUKON ZINC CORPORATION**
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	Au-GRA21	Ag-GRA21	Cu-AA46	Pb-AA46	Zn-AA46	As-AA46	Hg-CV41	ME-XRF05	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Au	Ag	Cu	Pb	Zn	As	Hg	Se	Ag	Ba	Ce	Co	Cr	Cs	Cu
	Units	ppm	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	5	0.01	0.01	0.01	0.01	0.01	2	1	0.5	0.5	0.5	10	0.1	5
STANDARDS																
BPL-04			672													
BPL-04			669													
BPL-04			663													
BPL-04			687													
BPL-04			675													
BPL-04			677													
BPL-04			668													
BPL-04			664													
BPL-04			679													
BPL-04			686													
BPL-04			696													
BPL-04			690													
BPL-04			688													
Target Range - Lower Bound			630													
Upper Bound			736													
CU-106				1.44	0.02	0.02	0.01									
CU-106				1.45	0.02	0.02	0.01									
CU-106				1.48	0.02	0.02	0.01									
CU-106				1.38	0.02	0.02	0.01									
CU-106				1.45	0.02	0.02	0.01									
CU-106				1.40	0.02	0.02	0.01									
CU-106				1.44	0.02	0.02	0.01									
CU-106				1.42	0.02	0.02	<0.01									
CU-106				1.48	0.02											
CU-106				1.48	0.02											
CU-106				1.46												
CU-106				1.47	0.02	0.02	0.01									
Target Range - Lower Bound				1.37			<0.01									
Upper Bound				1.49			0.02									
G2000								0.76								
G2000								0.74								
G2000								0.80								
G2000								0.74								
G2000								0.79								
G2000								0.75								
G2000								0.71								
G2000								0.81								
G2000								0.79								
G2000								0.79								

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
STANDARDS																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
Target Range - Lower Bound																
Upper Bound																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
Target Range - Lower Bound																
Upper Bound																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.1	1	0.1	0.5	0.1	1	0.5	0.1	0.5	5	1	0.5	0.1	5
STANDARDS																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
BPL-04																
Target Range - Lower Bound																
Upper Bound																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
CU-106																
Target Range - Lower Bound																
Upper Bound																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Zr ppm 0.5
		STANDARDS
BPL-04		
BPL-04		
BPL-04		
BPL-04		
BPL-04		
BPL-04		
BPL-04		
BPL-04		
BPL-04		
BPL-04		
BPL-04		
BPL-04		
Target Range - Lower Bound		
Upper Bound		
CU-106		
CU-106		
CU-106		
CU-106		
CU-106		
CU-106		
CU-106		
CU-106		
CU-106		
CU-106		
CU-106		
CU-106		
Target Range - Lower Bound		
Upper Bound		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

TO: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1	ME-MS81 Cu ppm 5
STANDARDS																
G2000								0.77								
G2000								0.79								
G2000								0.77								
G2000								0.76								
G2000								0.81								
G2000								0.81								
G2000								0.80								
G2000								0.76								
G2000				0.03	0.07	0.13	0.05									
G2000				0.03	0.07	0.14	0.05									
G2000				0.03	0.07	0.14	0.05									
G2000				0.03	0.07	0.14	0.05									
G2000				0.03	0.08	0.14	0.04									
G2000				0.03	0.07	0.13	0.05									
G2000				0.03	0.07	0.13	0.05									
G2000				0.03	0.08	0.14	0.05									
G2000				0.03	0.07	0.14	0.05									
Target Range - Lower Bound				0.02	0.05	0.11	0.04	0.68								
Upper Bound				0.04	0.08	0.14	0.06	0.81								
GBM399-5							0.03									
GBM399-5							0.03									
GBM399-5				2.89	2.11	0.91	0.03									
GBM399-5				2.86	2.13	0.94	0.03									
GBM399-5				2.88	2.13	0.93	0.03									
GBM399-5				2.93	2.15		0.03									
GBM399-5				2.96	2.10		0.03									
GBM399-5				2.93		0.93	0.03									
GBM399-5				2.96	2.16											
GBM399-5				2.96	2.17											
GBM399-5					2.17											
GBM399-5				2.93												
GBM399-5				2.95	2.15	0.98	0.03									
GBM399-5						0.95										
GBM399-5						0.91										
Target Range - Lower Bound				2.83	2.03	0.91	0.02									
Upper Bound				3.06	2.20	0.99	0.04									

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
STANDARDS																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
STANDARDS																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81
	Analyte	Zr
	Units	ppm
	LOR	0.5
STANDARDS		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
Target Range - Lower Bound		
Upper Bound		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
GBM399-5		
Target Range - Lower Bound		
Upper Bound		

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	Au-GRA21	Ag-GRA21	Cu-AA46	Pb-AA46	Zn-AA46	As-AA46	Hg-CV41	ME-XRF05	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Au	Ag	Cu	Pb	Zn	As	Hg	Se	Ag	Ba	Ce	Co	Cr	Cs	Cu
	Units	ppm	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	5	0.01	0.01	0.01	0.01	0.01	2	1	0.5	0.5	0.5	10	0.1	5
STANDARDS																
GBM9001c							0.27									
GBM9001c				0.43	0.04		0.27									
GBM9001c				0.42	0.04	0.13	0.26									
GBM9001c				0.43	0.06		0.27									
GBM9001c				0.43	0.04	0.14	0.27									
GBM9001c				0.43	0.04	0.13	0.27									
GBM9001c				0.43	0.04	0.12	0.28									
GBM9001c				0.43	0.04	0.14	0.27									
GBM9001c				0.42	0.03	0.13	0.26									
Target Range - Lower Bound				0.40	0.02	0.11	0.25									
Upper Bound				0.45	0.05	0.14	0.28									
GS-30		34.7														
GS-30		34.2														
GS-30		34.0														
GS-30		34.5														
GS-30		34.8														
GS-30		34.5														
Target Range - Lower Bound		31.1														
Upper Bound		35.9														
GXR-1									19							
GXR-1									20							
GXR-1									18							
GXR-1									18							
GXR-1									18							
GXR-1									19							
GXR-1									19							
GXR-1									18							
GXR-1									19							
GXR-1									18							
GXR-1									18							
GXR-1									18							
GXR-1									18							
GXR-1									18							
GXR-1									18							
GXR-1									18							
Target Range - Lower Bound									13							
Upper Bound									21							

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
STANDARDS																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
Target Range - Lower Bound																
Upper Bound																
GS-30																
GS-30																
GS-30																
GS-30																
GS-30																
GS-30																
Target Range - Lower Bound																
Upper Bound																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
STANDARDS																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
GBM9001c																
Target Range - Lower Bound																
Upper Bound																
GS-30																
GS-30																
GS-30																
GS-30																
GS-30																
GS-30																
Target Range - Lower Bound																
Upper Bound																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
GXR-1																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Zr ppm 0.5
		STANDARDS
GBM9001c		
GBM9001c		
GBM9001c		
GBM9001c		
GBM9001c		
GBM9001c		
GBM9001c		
GBM9001c		
GBM9001c		
Target Range - Lower Bound		
Upper Bound		
GS-30		
GS-30		
GS-30		
GS-30		
GS-30		
GS-30		
Target Range - Lower Bound		
Upper Bound		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
GXR-1		
Target Range - Lower Bound		
Upper Bound		

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

TO: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1	ME-MS81 Cu ppm 5
STANDARDS																
OXK35		3.53														
OXK35		3.46														
OXK35		3.49														
OXK35		3.56														
OXK35		3.60														
OXK35		3.51														
OXK35		3.50														
Target Range - Lower Bound		3.19														
Upper Bound		3.78														
Pb-107				1.57	1.81	2.81	0.12									
Pb-107				1.65	1.78	2.74	0.12									
Pb-107				1.66	1.79	2.78	0.12									
Pb-107				1.65	1.80		0.12									
Pb-107				1.63	1.81	2.85	0.12									
Pb-107				1.63	1.81	2.88	0.12									
Pb-107				1.64	1.80	2.88	0.12									
Pb-107				1.64	1.87	2.88	0.12									
Pb-107				1.68	1.88											
Pb-107				1.63	1.85											
Pb-107					1.87											
Pb-107				1.64	1.88	2.82	0.12									
Pb-107						2.80										
Pb-107						2.76										
Target Range - Lower Bound				1.54	1.75	2.69										
Upper Bound				1.68	1.89	2.91										
SP17		18.20														
SP17		18.10														
Target Range - Lower Bound		16.80														
Upper Bound		19.45														
SY-4										<1	364	121.5	3.0	10	1.6	7
SY-4										<1	358	120.5	3.3	10	1.6	7
SY-4										<1	347	133.0	2.8	20	1.7	6
SY-4										<1	347	125.0	2.9	20	1.4	5
SY-4										<1	317	125.5	2.6	10	1.6	5
SY-4										<1	352	125.0	2.6	20	1.6	6
SY-4										<1	356	125.0	2.7	20	1.6	6
SY-4										<1	374	124.5	2.9	20	1.6	5
SY-4										<1	344	125.0	2.9	20	1.7	6
SY-4										<1	369	132.5	2.9	10	1.5	6

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
STANDARDS																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Target Range - Lower Bound																
Upper Bound																
SP17																
SP17																
Target Range - Lower Bound																
Upper Bound																
SY-4		18.2	13.8	2.1	39	13.2	12	4.2	60.7	2.2	4	15	59.5	14	9	15.4
SY-4		19.0	14.5	2.2	38	14.4	11	4.6	61.0	2.3	4	15	61.2	14	24	16.2
SY-4		19.9	14.6	2.2	37	14.4	10	4.5	60.4	2.4	4	14	58.3	12	11	15.4
SY-4		19.8	15.2	2.1	39	15.0	10	4.6	62.3	2.3	4	15	59.8	14	11	16.2
SY-4		18.7	14.4	1.8	38	14.2	12	4.2	62.7	2.2	4	14	61.1	10	11	16.2
SY-4		18.1	14.0	1.9	37	13.6	11	4.0	61.0	2.1	3	14	57.7	12	142	15.2
SY-4		19.2	15.0	2.1	37	14.8	11	4.6	61.6	2.4	4	14	55.7	11	11	16.0
SY-4		20.1	15.6	2.3	39	13.6	12	4.4	61.6	2.3	5	15	54.1	11	20	15.8
SY-4		19.2	15.6	2.2	39	14.4	11	4.2	59.1	2.0	5	15	57.9	15	11	15.4
SY-4		19.4	15.6	2.2	39	14.8	12	4.7	61.6	2.3	5	15	61.6	12	36	16.0

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

TO: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
STANDARDS																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Pb-107																
Target Range - Lower Bound																
Upper Bound																
SP17																
SP17																
Target Range - Lower Bound																
Upper Bound																
SY-4		59.9	13.1	9	1230	0.8	2.7	1	<0.5	2.3	0.7	11	2	130.5	14.6	89
SY-4		56.0	13.4	8	1230	0.9	2.9	2	<0.5	2.5	1.2	10	8	122.0	15.5	88
SY-4		53.7	13.8	9	1215	0.9	2.8	1	<0.5	2.5	0.8	14	1	124.5	15.8	94
SY-4		56.4	12.6	8	1280	0.9	2.9	2	<0.5	2.4	1.0	13	1	129.0	15.7	94
SY-4		56.3	12.0	7	1185	1.0	2.7	1	<0.5	2.3	0.9	15	1	125.5	15.0	92
SY-4		54.4	12.2	7	1205	0.9	2.7	1	<0.5	2.2	0.7	16	1	122.5	14.6	114
SY-4		57.0	13.0	8	1180	0.9	2.9	1	<0.5	2.5	0.7	16	2	127.0	15.4	93
SY-4		56.8	13.4	8	1220	1.0	2.7	2	<0.5	2.4	1.0	14	2	124.5	15.6	95
SY-4		55.9	12.6	8	1225	0.9	2.6	1	<0.5	2.3	1.0	5	1	117.0	15.6	94
SY-4		58.2	13.2	9	1250	1.1	2.9	1	<0.5	2.6	1.1	11	1	127.0	16.0	96

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Zr ppm 0.5
		STANDARDS
OXK35		
OXK35		
OXK35		
OXK35		
OXK35		
OXK35		
OXK35		
Target Range - Lower Bound		
Upper Bound		
Pb-107		
Pb-107		
Pb-107		
Pb-107		
Pb-107		
Pb-107		
Pb-107		
Pb-107		
Pb-107		
Pb-107		
Pb-107		
Pb-107		
Pb-107		
Target Range - Lower Bound		
Upper Bound		
SP17		
SP17		
Target Range - Lower Bound		
Upper Bound		
SY-4		541
SY-4		538
SY-4		512
SY-4		534
SY-4		544
SY-4		557
SY-4		549
SY-4		568
SY-4		529
SY-4		591

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	Au-GRA21	Ag-GRA21	Cu-AA46	Pb-AA46	Zn-AA46	As-AA46	Hg-CV41	ME-XRF05	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Au	Ag	Cu	Pb	Zn	As	Hg	Se	Ag	Ba	Ce	Co	Cr	Cs	Cu
	Units	ppm	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	5	0.01	0.01	0.01	0.01	0.01	2	1	0.5	0.5	0.5	10	0.1	5
STANDARDS																
SY-4										<1	355	130.5	2.8	10	1.7	6
SY-4										<1	345	129.0	2.8	10	1.7	5
SY-4										<1	364	137.5	2.8	20	1.7	8
SY-4										<1	354	127.0	2.7	10	1.5	6
SY-4										<1	325	120.0	2.5	10	1.5	<5
SY-4										<1	347	131.0	2.6	10	1.7	5
SY-4										<1	365	131.0	2.6	20	1.7	5
SY-4										<1	362	129.0	2.6	10	1.7	5
Target Range - Lower Bound										<1	306	109.5	2.0	<10	1.3	<5
Upper Bound										2	375	134.5	3.6	20	1.8	10
BLANKS																
BLANK		<0.05														
BLANK		<0.05														
BLANK		<0.05														
BLANK		<0.05														
BLANK			<5													
BLANK			<5													
BLANK			<5													
BLANK			<5													
BLANK			<5													
BLANK			<5													
BLANK			<5													
BLANK			<5													
BLANK			<5													
BLANK			<5													
BLANK			<5													
BLANK								<0.01								
BLANK								<0.01								
BLANK								<0.01								
BLANK								<0.01								
BLANK								<0.01								
BLANK								<0.01								
BLANK								<0.01								
BLANK								<0.01								
BLANK								<0.01								
BLANK									<2							

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
STANDARDS																
SY-4		20.1	15.5	2.2	38	15.2	12	4.7	58.7	2.4	4	14	56.7	12	19	15.5
SY-4		19.0	14.8	1.9	37	15.3	12	4.6	61.5	2.2	4	14	61.0	11	10	16.4
SY-4		20.1	15.2	2.2	38	15.4	12	4.6	61.1	2.2	4	15	62.8	11	11	16.4
SY-4		19.0	14.3	2.0	35	14.0	11	4.4	54.3	2.1	4	14	57.3	13	15	14.9
SY-4		17.9	14.4	2.1	36	14.2	11	4.5	61.9	2.2	<2	14	60.2	11	9	15.8
SY-4		18.4	14.8	2.2	37	15.0	11	4.9	63.5	2.4	<2	14	62.5	12	7	16.2
SY-4		19.2	15.0	2.2	38	15.1	10	4.6	58.9	2.4	<2	15	60.7	12	15	16.4
SY-4		19.6	15.3	2.1	39	15.2	12	4.7	61.2	2.3	<2	15	61.6	12	14	16.4
Target Range - Lower Bound		16.3	12.7	1.7	31	12.5	9	3.8	51.7	1.8	<2	11	50.8	<5	<5	13.4
Upper Bound		20.1	15.7	2.3	40	15.5	13	4.8	64.3	2.4	4	15	63.2	10	16	16.6
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
STANDARDS																
SY-4		57.6	14.0	9	1245	1.0	2.9	1	<0.5	2.5	1.1	12	1	122.0	16.0	89
SY-4		59.7	13.2	8	1245	0.9	2.8	1	<0.5	2.3	1.1	9	<1	125.0	15.4	98
SY-4		57.6	14.0	9	1190	0.9	2.8	1	<0.5	2.4	0.9	<5	2	118.5	16.2	102
SY-4		53.8	12.9	8	1130	0.9	2.6	1	<0.5	2.3	0.9	<5	1	111.5	15.4	99
SY-4		52.5	12.8	7	1195	0.9	2.7	1	<0.5	2.4	0.8	12	1	123.5	15.0	88
SY-4		56.2	13.4	8	1260	0.9	3.0	2	<0.5	2.6	1.2	13	2	132.0	15.4	98
SY-4		56.4	13.4	8	1305	1.0	2.9	1	<0.5	2.5	0.9	9	<1	130.5	15.9	94
SY-4		56.3	13.4	8	1310	0.9	2.9	1	<0.5	2.5	0.9	10	2	129.0	16.2	93
Target Range - Lower Bound		49.3	11.3	5	1070	<0.5	2.2	<1	<0.5	2.0	<0.5	<5	<1	106.5	13.2	79
Upper Bound		60.7	14.1	9	1310	1.0	3.0	2	1.0	2.6	1.0	10	2	131.5	16.4	107
BLANKS																
BLANK																
BLANK																
BLANK

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Zr ppm 0.5
STANDARDS		
SY-4		551
SY-4		538
SY-4		594
SY-4		517
SY-4		553
SY-4		603
SY-4		507
SY-4		582
Target Range - Lower Bound		465
Upper Bound		569
BLANKS		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1	ME-MS81 Cu ppm 5
BLANKS																
BLANK									<2							
BLANK									<2							
BLANK									<2							
BLANK									<2							
BLANK									<2							
BLANK									<2							
BLANK									<2							
BLANK										<1	<0.5	<0.5	<0.5	<10	<0.1	<5
BLANK		<0.05														
BLANK			<5													
BLANK		<0.05														
BLANK			<5													
BLANK		<0.05														
BLANK										<1	0.7	<0.5	<0.5	<10	0.1	<5
BLANK										<1	0.9	<0.5	<0.5	<10	<0.1	<5
BLANK										<1	0.6	<0.5	<0.5	10	<0.1	<5
BLANK										<1	<0.5	<0.5	<0.5	<10	0.2	<5
BLANK										<1	<0.5	<0.5	<0.5	<10	<0.1	<5
BLANK										<1	<0.5	<0.5	<0.5	<10	0.1	<5
BLANK										<1	0.6	<0.5	<0.5	<10	<0.1	<5
BLANK				<0.01	<0.01	<0.01	<0.01									
BLANK				<0.01	<0.01	<0.01	<0.01									
BLANK				<0.01	<0.01	<0.01	<0.01									
BLANK				<0.01	<0.01	<0.01	<0.01									
BLANK				<0.01	<0.01	<0.01	<0.01									
BLANK				<0.01	<0.01	<0.01	<0.01									
BLANK				<0.01	<0.01	<0.01	<0.01									
BLANK				<0.01	<0.01	<0.01	<0.01									
BLANK				<0.01	<0.01											
BLANK				<0.01	<0.01											
BLANK					<0.01											
BLANK				<0.01												
BLANK										<1	<0.5	<0.5	<0.5	<10	<0.1	<5
BLANK				<0.01	<0.01	<0.01	<0.01									
BLANK						<0.01										
BLANK						<0.01										
Target Range - Lower Bound		<0.05	<5	<0.01	<0.01	<0.01	<0.01	<0.01	<2	<1	<0.5	<0.5	<0.5	<10	<0.1	<5
Upper Bound		0.10	10	0.02	0.02	0.02	0.02	0.02	4	2	1.0	1.0	1.0	20	0.2	10

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.1	<0.1	<0.1	<1	<0.1	<1	<0.1	<0.5	<0.1	<2	<1	<0.5	<5	<5	<0.1
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.1	<0.1	<0.1	<1	<0.1	<1	<0.1	<0.5	<0.1	<2	<1	<0.5	<5	<5	<0.1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.2	<0.1	<1	<0.1	<0.5	<0.1	<1	<0.5	<0.1	<0.5	<5	<1	<0.5	<0.1	<5
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		0.4	<0.1	<1	0.1	<0.5	<0.1	<1	<0.5	<0.1	<0.5	6	1	<0.5	<0.1	<5
BLANK		<0.2	<0.1	<1	0.1	<0.5	<0.1	<1	<0.5	<0.1	<0.5	9	1	<0.5	<0.1	<5
BLANK		<0.2	<0.1	<1	0.1	<0.5	<0.1	<1	<0.5	<0.1	<0.5	7	1	<0.5	<0.1	6
BLANK		0.3	<0.1	<1	0.1	<0.5	<0.1	<1	<0.5	<0.1	<0.5	<5	<1	0.5	<0.1	<5
BLANK		<0.2	<0.1	<1	<0.1	<0.5	<0.1	<1	<0.5	<0.1	<0.5	5	<1	<0.5	<0.1	<5
BLANK		0.2	<0.1	<1	<0.1	<0.5	<0.1	<1	<0.5	<0.1	<0.5	<5	1	0.5	<0.1	10
BLANK		<0.2	<0.1	<1	0.1	<0.5	<0.1	<1	<0.5	<0.1	<0.5	5	1	0.5	<0.1	7
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.2	<0.1	<1	0.1	<0.5	<0.1	<1	<0.5	<0.1	<0.5	<5	1	<0.5	<0.1	<5
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.2	<0.1	<1	<0.1	<0.5	<0.1	<1	<0.5	<0.1	<0.5	<5	<1	<0.5	<0.1	<5
Upper Bound		0.4	0.2	2	0.2	1.0	0.2	2	1.0	0.2	1.0	10	2	1.0	0.2	10

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Zr ppm 0.5
		BLANKS
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		<0.5
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		1.3
BLANK		<0.5
BLANK		1.0
BLANK		<0.5
BLANK		0.5
BLANK		<0.5
BLANK		0.8
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		0.7
BLANK		
BLANK		
BLANK		
Target Range - Lower Bound		<0.5
Upper Bound		1.0

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1	ME-MS81 Cu ppm 5
DUPLICATES																
ORIGINAL			266													
DUP			270													
Target Range - Lower Bound			245													
Upper Bound			291													
ORIGINAL								0.16								
DUP								0.16								
Target Range - Lower Bound								0.13								
Upper Bound								0.19								
ORIGINAL										<1	129.5	399	168.0	40	0.4	207
DUP										<1	133.5	360	149.0	30	0.3	209
Target Range - Lower Bound										<1	124.0	360	149.5	<10	<0.1	188
Upper Bound										2	139.0	399	167.5	60	0.6	228
242559			<5													
DUP			<5													
Target Range - Lower Bound			<5													
Upper Bound			10													
242560		<0.05		0.01	<0.01	<0.01	<0.01		<2							
DUP		<0.05		0.01	<0.01	<0.01	<0.01		<2							
Target Range - Lower Bound		<0.05		<0.01	<0.01	<0.01	<0.01		<2							
Upper Bound		0.10		0.02	0.02	0.02	0.02		4							
242563								0.01		<1	8020	43.8	9.6	70	16.0	99
DUP								0.01		<1	8990	43.1	9.9	80	16.0	102
Target Range - Lower Bound								<0.01		<1	8080	40.3	8.3	50	15.0	85
Upper Bound								0.02		2	8930	46.6	11.2	100	17.0	116
242580		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242584			<5													
DUP			<5													
Target Range - Lower Bound			<5													
Upper Bound			10													

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		17.0	7.8	13.0	11	35.9	1	3.3	173.0	0.6	<2	9	252	71	6	59.2
DUP		17.0	7.8	12.8	10	34.8	1	3.1	170.5	0.6	<2	8	246	54	<5	57.6
Target Range - Lower Bound		16.0	7.2	12.1	8	33.4	<1	2.8	162.0	0.4	<2	6	236	49	<5	55.3
Upper Bound		18.1	8.4	13.7	13	37.3	2	3.6	181.5	0.8	4	11	262	76	10	61.5
242559																
DUP																
Target Range - Lower Bound																
Upper Bound																
242560																
DUP																
Target Range - Lower Bound																
Upper Bound																
242563		3.7	2.1	1.2	14	4.6	2	0.8	21.8	0.3	2	7	23.3	18	18	5.7
DUP		4.1	2.3	1.2	14	4.4	3	0.7	21.9	0.3	2	8	21.8	19	21	5.6
Target Range - Lower Bound		3.5	1.9	0.9	11	4.1	<1	0.5	19.8	<0.1	<2	5	20.4	8	9	5.2
Upper Bound		4.3	2.5	1.5	17	4.9	5	1.0	23.9	0.5	4	10	24.7	29	30	6.1
242580																
DUP																
Target Range - Lower Bound																
Upper Bound																
242584																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		2.3	42.4	1	504	0.6	4.2	3	<0.5	0.9	0.5	466	2	91.9	4.6	176
DUP		2.1	41.1	1	467	0.6	3.9	3	<0.5	0.9	0.5	426	1	88.3	4.5	162
Target Range - Lower Bound		1.7	39.5	<1	481	<0.5	3.6	<1	<0.5	0.7	<0.5	414	<1	84.6	4.1	151
Upper Bound		2.7	44.0	2	510	1.0	4.5	5	1.0	1.1	1.0	478	2	95.6	5.0	187
242559																
DUP																
Target Range - Lower Bound																
Upper Bound																
242560																
DUP																
Target Range - Lower Bound																
Upper Bound																
242563		112.0	4.6	2	77.8	0.5	0.7	6	1.2	0.3	1.7	128	3	23.0	2.1	23
DUP		105.5	4.7	1	89.0	0.5	0.7	6	1.2	0.3	1.7	132	2	22.2	2.3	28
Target Range - Lower Bound		103.0	4.2	<1	79.0	<0.5	0.5	4	<0.5	<0.1	0.6	114	<1	20.5	1.9	14
Upper Bound		114.5	5.1	2	87.8	1.0	0.9	8	2.3	0.5	2.8	147	5	24.7	2.5	37
242580																
DUP																
Target Range - Lower Bound																
Upper Bound																
242584																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Zr ppm 0.5
		DUPLICATES
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
ORIGINAL		28.4
DUP		22.6
Target Range - Lower Bound		23.2
Upper Bound		27.8
242559		
DUP		
Target Range - Lower Bound		
Upper Bound		
242560		
DUP		
Target Range - Lower Bound		
Upper Bound		
242563		88.3
DUP		92.1
Target Range - Lower Bound		84.7
Upper Bound		95.7
242580		
DUP		
Target Range - Lower Bound		
Upper Bound		
242584		
DUP		
Target Range - Lower Bound		
Upper Bound		

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	Au-GRA21	Ag-GRA21	Cu-AA46	Pb-AA46	Zn-AA46	As-AA46	Hg-CV41	ME-XRF05	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Au	Ag	Cu	Pb	Zn	As	Hg	Se	Ag	Ba	Ce	Co	Cr	Cs	Cu
	Units	ppm	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	5	0.01	0.01	0.01	0.01	0.01	2	1	0.5	0.5	0.5	10	0.1	5
DUPLICATES																
242586						0.15										
DUP						0.15										
Target Range - Lower Bound						0.13										
Upper Bound						0.17										
242588				0.02	<0.01											
DUP				0.02	<0.01											
Target Range - Lower Bound				<0.01	<0.01											
Upper Bound				0.04	0.02											
242589				<0.01												
DUP				<0.01												
Target Range - Lower Bound				<0.01												
Upper Bound				0.02												
242593				0.01	<0.01	<0.01	<0.01									
DUP				0.01	<0.01	<0.01	<0.01									
Target Range - Lower Bound				<0.01	<0.01	<0.01	<0.01									
Upper Bound				0.02	0.02	0.02	0.02									
242595									<2							
DUP									<2							
Target Range - Lower Bound									<2							
Upper Bound									4							
242599								0.99		9	8980	3.4	2.5	30	0.1	6610
DUP								1.07		10	9780	3.6	2.4	30	0.1	6940
Target Range - Lower Bound								0.96		7	8910	2.3	1.3	<10	<0.1	6430
Upper Bound								1.10		12	9850	4.7	3.6	50	0.2	7120
242600		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242609			<5													
DUP			<5													
Target Range - Lower Bound			<5													
Upper Bound			10													

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
		DUPLICATES														
242586	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242588	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242589	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242593	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242595	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242599		0.3	0.1	0.1	13	0.3	<1	<0.1	2.2	<0.1	142	1	1.8	51	3940	0.4
	DUP	0.3	0.2	0.2	14	0.3	<1	<0.1	2.0	<0.1	140	1	1.6	53	4710	0.3
	Target Range - Lower Bound	<0.1	<0.1	<0.1	11	<0.1	<1	<0.1	1.0	<0.1	130	<1	0.6	39	4100	<0.1
	Upper Bound	0.5	0.2	0.2	18	0.5	2	0.2	3.2	0.2	152	2	2.8	65	4550	0.6
242600	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242609	DUP															
	Target Range - Lower Bound															
	Upper Bound															

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
DUPLICATES																
242586																
DUP																
Target Range - Lower Bound																
Upper Bound																
242588																
DUP																
Target Range - Lower Bound																
Upper Bound																
242589																
DUP																
Target Range - Lower Bound																
Upper Bound																
242593																
DUP																
Target Range - Lower Bound																
Upper Bound																
242595																
DUP																
Target Range - Lower Bound																
Upper Bound																
242599		5.6	0.3	1	217	<0.5	<0.1	<1	1.3	<0.1	6.0	67	5	2.7	0.2	>10000
DUP		5.2	0.4	1	234	<0.5	<0.1	<1	1.1	<0.1	6.7	65	5	2.8	0.2	>10000
Target Range - Lower Bound		4.7	<0.1	<1	214	<0.5	<0.1	<1	<0.5	<0.1	5.0	53	3	1.6	<0.1	9490
Upper Bound		6.1	0.6	2	237	1.0	0.2	2	2.3	0.2	7.7	79	7	3.9	0.4	>10000
242600																
DUP																
Target Range - Lower Bound																
Upper Bound																
242609																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description / Method / Analyte / Units / LOR	ME-MS81 Zr ppm 0.5
	DUPLICATES
242586 DUP	
Target Range - Lower Bound	
Upper Bound	
242588 DUP	
Target Range - Lower Bound	
Upper Bound	
242589 DUP	
Target Range - Lower Bound	
Upper Bound	
242593 DUP	
Target Range - Lower Bound	
Upper Bound	
242595 DUP	
Target Range - Lower Bound	
Upper Bound	
242599	16.4
DUP	14.1
Target Range - Lower Bound	13.5
Upper Bound	17.0
242600 DUP	
Target Range - Lower Bound	
Upper Bound	
242609 DUP	
Target Range - Lower Bound	
Upper Bound	

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	Au-GRA21	Ag-GRA21	Cu-AA46	Pb-AA46	Zn-AA46	As-AA46	Hg-CV41	ME-XRF05	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Au	Ag	Cu	Pb	Zn	As	Hg	Se	Ag	Ba	Ce	Co	Cr	Cs	Cu
	Units	ppm	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	5	0.01	0.01	0.01	0.01	0.01	2	1	0.5	0.5	0.5	10	0.1	5
DUPLICATES																
242617		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242621			<5													
DUP			<5													
Target Range - Lower Bound			<5													
Upper Bound			10													
242626				0.01	<0.01	0.03	<0.01									
DUP				0.01	<0.01	0.03	<0.01									
Target Range - Lower Bound				<0.01	<0.01	<0.01	<0.01									
Upper Bound				0.02	0.02	0.05	0.02									
242630									2							
DUP									<2							
Target Range - Lower Bound									<2							
Upper Bound									4							
242634			<5													
DUP			<5													
Target Range - Lower Bound			<5													
Upper Bound			10													
242635								<0.01		<1	1705	16.1	5.1	180	1.9	28
DUP								0.02		<1	1570	15.2	5.0	170	1.9	25
Target Range - Lower Bound								<0.01		<1	1555	13.9	3.8	150	1.6	15
Upper Bound								0.02		2	1720	17.4	6.3	200	2.2	38
242637		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242657		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
DUPLICATES																
242617	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242621	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242626	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242630	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242634	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242635	DUP	1.6	1.0	0.5	4	2.0	<1	0.3	10.5	0.2	3	1	8.5	19	26	2.3
	DUP	1.6	0.9	0.5	4	1.9	<1	0.3	10.6	0.1	3	1	8.4	19	212	2.4
	Target Range - Lower Bound	1.3	0.7	0.3	2	1.7	<1	<0.1	9.0	<0.1	<2	<1	7.0	8	103	2.0
	Upper Bound	1.9	1.2	0.7	6	2.2	2	0.5	12.1	0.2	4	2	9.9	30	135	2.7
242637	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242657	DUP															
	Target Range - Lower Bound															
	Upper Bound															

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
DUPLICATES																
242617																
DUP																
Target Range - Lower Bound																
Upper Bound																
242621																
DUP																
Target Range - Lower Bound																
Upper Bound																
242626																
DUP																
Target Range - Lower Bound																
Upper Bound																
242630																
DUP																
Target Range - Lower Bound																
Upper Bound																
242634																
DUP																
Target Range - Lower Bound																
Upper Bound																
242635		15.4	1.8	1	151.5	<0.5	0.3	1	<0.5	0.1	0.6	62	2	10.4	1.0	57
DUP		13.8	1.8	1	159.0	<0.5	0.2	1	0.5	0.1	0.6	54	2	8.8	1.0	70
Target Range - Lower Bound		13.5	1.5	<1	147.5	<0.5	<0.1	<1	<0.5	<0.1	<0.5	45	<1	8.1	0.8	50
Upper Bound		15.7	2.1	2	163.0	1.0	0.6	2	1.0	0.2	1.0	71	4	11.1	1.3	77
242637																
DUP																
Target Range - Lower Bound																
Upper Bound																
242657																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description / Method / Analyte / Units / LOR	ME-MS81 Zr ppm 0.5
	DUPLICATES
242617 DUP	
Target Range - Lower Bound	
Upper Bound	
242621 DUP	
Target Range - Lower Bound	
Upper Bound	
242626 DUP	
Target Range - Lower Bound	
Upper Bound	
242630 DUP	
Target Range - Lower Bound	
Upper Bound	
242634 DUP	
Target Range - Lower Bound	
Upper Bound	
242635 DUP	13.1
	13.0
Target Range - Lower Bound	11.4
Upper Bound	14.7
242637 DUP	
Target Range - Lower Bound	
Upper Bound	
242657 DUP	
Target Range - Lower Bound	
Upper Bound	

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1	ME-MS81 Cu ppm 5
DUPLICATES																
242659			<5	0.01	0.01	<0.01	<0.01									
DUP			<5	0.01	0.01	0.01	<0.01									
Target Range - Lower Bound			<5	<0.01	<0.01	<0.01	<0.01									
Upper Bound			10	0.02	0.02	0.02	0.02									
242665				2.40	1.22				20							
DUP				2.34	1.27				20							
Target Range - Lower Bound				2.29	1.19				15							
Upper Bound				2.45	1.30				25							
242671								0.01		<1	3450	15.6	1.8	80	0.3	11
DUP								0.01		<1	3470	15.2	1.8	80	0.2	11
Target Range - Lower Bound								<0.01		<1	3290	13.6	0.7	60	<0.1	<5
Upper Bound								0.02		2	3630	17.2	2.9	100	0.5	22
242677		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242679		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242684			<5													
DUP			<5													
Target Range - Lower Bound			<5													
Upper Bound			10													
242692				0.01	<0.01	0.01	<0.01									
DUP				0.01	<0.01	0.01	<0.01									
Target Range - Lower Bound				<0.01	<0.01	<0.01	<0.01									
Upper Bound				0.02	0.02	0.02	0.02									
242700									2							
DUP									3							
Target Range - Lower Bound									<2							
Upper Bound									4							

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

TO: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
DUPLICATES																
242659	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242665	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242671	DUP	4.7	3.6	0.7	2	3.5	<1	1.2	7.6	0.5	22	1	8.6	9	38	2.1
	DUP	5.0	3.8	0.7	2	3.2	<1	1.1	7.1	0.5	23	1	8.7	11	23	2.0
	Target Range - Lower Bound	4.4	3.3	0.5	<1	3.0	<1	0.9	6.0	0.3	17	<1	7.2	<5	19	1.7
	Upper Bound	5.3	4.1	0.9	4	3.7	2	1.4	8.7	0.7	28	2	10.1	21	42	2.4
242677	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242679	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242684	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242692	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242700	DUP															
	Target Range - Lower Bound															
	Upper Bound															

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
DUPLICATES																
242659	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242665	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242671		1.6	2.5	<1	536	<0.5	0.7	<1	<0.5	0.5	1.1	31	1	31.4	3.4	54
	DUP	1.4	2.5	<1	548	<0.5	0.7	<1	<0.5	0.5	1.2	29	3	31.9	3.4	55
	Target Range - Lower Bound	1.0	2.2	<1	515	<0.5	0.6	<1	<0.5	0.3	<0.5	19	<1	29.1	3.0	42
	Upper Bound	2.0	2.8	2	589	1.0	0.9	2	1.0	0.7	2.2	42	4	34.2	3.8	67
242677	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242679	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242684	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242692	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242700	DUP															
	Target Range - Lower Bound															
	Upper Bound															

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description / Method / Analyte / Units / LOR	ME-MS81 Zr ppm 0.5
	DUPLICATES
242659 DUP	
Target Range - Lower Bound	
Upper Bound	
242665 DUP	
Target Range - Lower Bound	
Upper Bound	
242671 DUP	18.1 16.8
Target Range - Lower Bound	15.6
Upper Bound	19.3
242677 DUP	
Target Range - Lower Bound	
Upper Bound	
242679 DUP	
Target Range - Lower Bound	
Upper Bound	
242684 DUP	
Target Range - Lower Bound	
Upper Bound	
242692 DUP	
Target Range - Lower Bound	
Upper Bound	
242700 DUP	
Target Range - Lower Bound	
Upper Bound	

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	Au-GRA21	Ag-GRA21	Cu-AA46	Pb-AA46	Zn-AA46	As-AA46	Hg-CV41	ME-XRF05	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Au	Ag	Cu	Pb	Zn	As	Hg	Se	Ag	Ba	Ce	Co	Cr	Cs	Cu
	Units	ppm	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	5	0.01	0.01	0.01	0.01	0.01	2	1	0.5	0.5	0.5	10	0.1	5
DUPLICATES																
242707								0.03		<1	>10000	17.8	3.1	290	1.9	59
DUP								0.03		<1	>10000	18.8	3.2	310	1.9	58
Target Range - Lower Bound								<0.01		<1	9500	16.4	<2.0	270	1.6	46
Upper Bound								0.05		2	>10000	20.2	4.3	340	2.2	71
242709			<5													
DUP			<5													
Target Range - Lower Bound			<5													
Upper Bound			10													
242715		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242725				<0.01	<0.01	0.01	<0.01									
DUP				<0.01	<0.01	0.01	<0.01									
Target Range - Lower Bound				<0.01	<0.01	<0.01	<0.01									
Upper Bound				0.02	0.02	0.02	0.02									
242734			<5													
DUP			<5													
Target Range - Lower Bound			<5													
Upper Bound			10													
242735									<2							
DUP									<2							
Target Range - Lower Bound									<2							
Upper Bound									4							
242743								<0.01		<1	>10000	13.2	1.6	240	3.2	5
DUP								<0.01		<1	>10000	13.2	1.5	230	3.0	<5
Target Range - Lower Bound								<0.01		<1	9500	11.5	<0.5	200	2.7	<5
Upper Bound								0.02		2	>10000	14.9	2.6	270	3.5	10
242753						0.01										
DUP						0.01										
Target Range - Lower Bound						<0.01										
Upper Bound						0.02										

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
DUPLICATES																
242707		1.6	1.0	0.4	7	1.7	1	0.3	9.1	0.2	2	3	8.1	25	8	2.2
DUP		1.4	0.9	0.4	7	1.6	1	0.3	9.3	0.2	2	3	8.4	25	8	2.2
Target Range - Lower Bound		1.2	0.7	0.2	5	1.4	<1	<0.1	7.7	<0.1	<2	<1	6.8	14	<5	1.9
Upper Bound		1.8	1.2	0.6	9	1.9	2	0.5	10.7	0.4	4	5	9.7	36	10	2.5
242709																
DUP																
Target Range - Lower Bound																
Upper Bound																
242715																
DUP																
Target Range - Lower Bound																
Upper Bound																
242725																
DUP																
Target Range - Lower Bound																
Upper Bound																
242734																
DUP																
Target Range - Lower Bound																
Upper Bound																
242735																
DUP																
Target Range - Lower Bound																
Upper Bound																
242743		0.9	0.5	0.6	6	1.2	1	0.2	6.2	0.1	3	3	5.9	10	<5	1.5
DUP		0.9	0.6	0.6	6	1.2	1	0.2	5.8	0.1	3	3	5.6	10	<5	1.4
Target Range - Lower Bound		0.7	0.3	0.4	4	0.9	<1	<0.1	4.7	<0.1	<2	<1	4.5	<5	<5	1.2
Upper Bound		1.1	0.8	0.8	8	1.5	2	0.4	7.3	0.2	4	5	7.0	21	10	1.7
242753																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
								DUPLICATES								
242707		28.4	1.7	1	312	<0.5	0.3	3	<0.5	0.1	0.6	112	2	9.4	1.2	46
DUP		28.8	1.8	1	313	<0.5	0.2	3	<0.5	0.1	0.7	114	2	8.0	1.1	49
Target Range - Lower Bound		26.8	1.5	<1	297	<0.5	<0.1	<1	<0.5	<0.1	<0.5	97	<1	7.3	0.9	35
Upper Bound		30.4	2.0	2	328	1.0	0.5	5	1.0	0.2	1.0	129	4	10.1	1.4	60
242709																
DUP																
Target Range - Lower Bound																
Upper Bound																
242715																
DUP																
Target Range - Lower Bound																
Upper Bound																
242725																
DUP																
Target Range - Lower Bound																
Upper Bound																
242734																
DUP																
Target Range - Lower Bound																
Upper Bound																
242735																
DUP																
Target Range - Lower Bound																
Upper Bound																
242743		37.9	1.3	1	335	<0.5	0.1	2	<0.5	0.1	<0.5	95	2	5.0	0.7	39
DUP		36.3	1.3	1	335	<0.5	0.1	2	<0.5	0.1	<0.5	88	2	4.9	0.7	38
Target Range - Lower Bound		34.8	1.0	<1	318	<0.5	<0.1	<1	<0.5	<0.1	<0.5	77	<1	3.7	0.5	27
Upper Bound		39.4	1.6	2	352	1.0	0.2	4	1.0	0.2	1.0	106	4	6.2	0.9	50
242753																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

TO: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Zr ppm 0.5
		DUPLICATES
242707		39.0
DUP		39.9
Target Range - Lower Bound		36.5
Upper Bound		42.4
242709		
DUP		
Target Range - Lower Bound		
Upper Bound		
242715		
DUP		
Target Range - Lower Bound		
Upper Bound		
242725		
DUP		
Target Range - Lower Bound		
Upper Bound		
242734		
DUP		
Target Range - Lower Bound		
Upper Bound		
242735		
DUP		
Target Range - Lower Bound		
Upper Bound		
242743		37.1
DUP		37.7
Target Range - Lower Bound		34.5
Upper Bound		40.3
242753		
DUP		
Target Range - Lower Bound		
Upper Bound		

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	Au-GRA21	Ag-GRA21	Cu-AA46	Pb-AA46	Zn-AA46	As-AA46	Hg-CV41	ME-XRF05	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Au	Ag	Cu	Pb	Zn	As	Hg	Se	Ag	Ba	Ce	Co	Cr	Cs	Cu
	Units	ppm	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	5	0.01	0.01	0.01	0.01	0.01	2	1	0.5	0.5	0.5	10	0.1	5
DUPLICATES																
242755		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242758				0.01	<0.01	<0.01	<0.01									
DUP				0.01	<0.01	<0.01	<0.01									
Target Range - Lower Bound				<0.01	<0.01	<0.01	<0.01									
Upper Bound				0.02	0.02	0.02	0.02									
242759			<5													
DUP			<5													
Target Range - Lower Bound			<5													
Upper Bound			10													
242770									<2							
DUP									<2							
Target Range - Lower Bound									<2							
Upper Bound									4							
242779								0.06		<1	950	21.7	3.9	270	5.3	63
DUP								0.06		<1	910	21.6	3.9	290	5.1	58
Target Range - Lower Bound								0.04		<1	883	19.6	2.7	250	4.7	47
Upper Bound								0.08		2	978	23.7	5.1	310	5.7	74
242780				0.01	0.01	0.03	<0.01									
DUP				0.01	0.01	0.04	<0.01									
Target Range - Lower Bound				<0.01	<0.01	<0.01	<0.01									
Upper Bound				0.02	0.02	0.06	0.02									
242784			<5													
DUP			<5													
Target Range - Lower Bound			<5													
Upper Bound			10													
242791				0.01	0.01	0.02	<0.01									
DUP				0.01	<0.01	0.02	<0.01									
Target Range - Lower Bound				<0.01	<0.01	<0.01	<0.01									
Upper Bound				0.02	0.02	0.04	0.02									

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
DUPLICATES																
242755	DUP															
Target Range - Lower Bound																
Upper Bound																
242758	DUP															
Target Range - Lower Bound																
Upper Bound																
242759	DUP															
Target Range - Lower Bound																
Upper Bound																
242770	DUP															
Target Range - Lower Bound																
Upper Bound																
242779		1.6	1.0	0.4	7	1.8	1	0.3	10.2	0.1	2	4	10.4	29	75	2.7
242779	DUP	1.7	1.0	0.5	7	1.9	2	0.3	10.2	0.1	3	4	10.2	28	68	2.7
Target Range - Lower Bound		1.4	0.8	0.2	5	1.6	<1	<0.1	8.7	<0.1	<2	2	8.8	17	58	2.4
Upper Bound		1.9	1.3	0.7	9	2.1	2	0.6	11.7	0.2	4	6	11.8	40	84.2	3.0
242780	DUP															
Target Range - Lower Bound																
Upper Bound																
242784	DUP															
Target Range - Lower Bound																
Upper Bound																
242791	DUP															
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
DUPLICATES																
242755	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242758	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242759	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242770	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242779		51.9	2.2	1	9.3	<0.5	0.3	3	1.0	0.1	0.8	123	2	7.9	1.0	190
	DUP	48.7	2.2	1	9.3	<0.5	0.3	3	1.1	0.1	0.8	122	3	7.3	1.0	213
	Target Range - Lower Bound	47.4	1.9	<1	8.6	<0.5	<0.1	<1	<0.5	<0.1	<0.5	106	<1	6.2	0.8	181
	Upper Bound	53.2	2.5	2	10.0	1.0	0.5	6	2.1	0.2	1.0	139	5	9.0	1.3	222
242780	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242784	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242791	DUP															
	Target Range - Lower Bound															
	Upper Bound															

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description / Method / Analyte / Units / LOR	ME-MS81 Zr ppm 0.5
	DUPLICATES
242755 DUP	
Target Range - Lower Bound	
Upper Bound	
242758 DUP	
Target Range - Lower Bound	
Upper Bound	
242759 DUP	
Target Range - Lower Bound	
Upper Bound	
242770 DUP	
Target Range - Lower Bound	
Upper Bound	
242779	51.7
DUP	60.9
Target Range - Lower Bound	52.5
Upper Bound	60.1
242780 DUP	
Target Range - Lower Bound	
Upper Bound	
242784 DUP	
Target Range - Lower Bound	
Upper Bound	
242791 DUP	
Target Range - Lower Bound	
Upper Bound	

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	Au-GRA21	Ag-GRA21	Cu-AA46	Pb-AA46	Zn-AA46	As-AA46	Hg-CV41	ME-XRF05	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Au	Ag	Cu	Pb	Zn	As	Hg	Se	Ag	Ba	Ce	Co	Cr	Cs	Cu
	Units	ppm	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	5	0.01	0.01	0.01	0.01	0.01	2	1	0.5	0.5	0.5	10	0.1	5
DUPLICATES																
242793		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
242797					0.07											
DUP					0.07											
Target Range - Lower Bound					0.05											
Upper Bound					0.09											
242805									<2							
DUP									<2							
Target Range - Lower Bound									<2							
Upper Bound									4							
242809			<5													
DUP			<5													
Target Range - Lower Bound			<5													
Upper Bound			10													
242813		<0.05						1.47								
DUP		<0.05						1.51								
Target Range - Lower Bound		<0.05						1.40								
Upper Bound		0.10						1.58								
ORIGINAL										<1	472	32.7	27.3	220	4.2	45
DUP										<1	499	33.8	28.1	220	4.3	46
Target Range - Lower Bound										<1	460	30.6	25.3	190	3.8	33
Upper Bound										2	511	35.9	30.1	250	4.7	58
ORIGINAL		0.07														
DUP		0.07														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														
ORIGINAL		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
DUPLICATES																
242793	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242797	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242805	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242809	DUP															
	Target Range - Lower Bound															
	Upper Bound															
242813	DUP															
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL		3.4	2.2	1.0	16	3.4	3	0.8	16.1	0.4	<2	10	15.2	112	11	3.9
DUP		3.7	2.3	1.0	17	3.3	4	0.7	17.0	0.4	<2	10	16.1	112	13	4.1
Target Range - Lower Bound		3.2	1.9	0.8	14	3.0	<1	0.5	14.7	0.2	<2	8	13.9	96	<5	3.6
Upper Bound		3.9	2.6	1.3	19	3.7	6	1.0	18.4	0.6	4	13	17.4	128	23	4.4
ORIGINAL	DUP															
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL	DUP															
	Target Range - Lower Bound															
	Upper Bound															

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1	ME-MS81 Zn ppm 5
DUPLICATES																
242793																
DUP																
Target Range - Lower Bound																
Upper Bound																
242797																
DUP																
Target Range - Lower Bound																
Upper Bound																
242805																
DUP																
Target Range - Lower Bound																
Upper Bound																
242809																
DUP																
Target Range - Lower Bound																
Upper Bound																
242813																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		66.9	3.4	1	304	0.6	0.6	4	<0.5	0.4	1.3	201	2	21.7	2.2	80
DUP		66.5	3.7	2	312	0.7	0.6	4	<0.5	0.3	1.2	198	5	22.3	2.2	86
Target Range - Lower Bound		63.0	3.2	<1	292	<0.5	0.4	2	<0.5	<0.1	<0.5	180	<1	19.9	1.9	69
Upper Bound		70.4	3.9	2	324	1.0	0.6	6	1.0	0.6	2.3	219	6	24.1	2.5	97
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description / Method / Analyte / Units / LOR	ME-MS81 Zr ppm 0.5
	DUPLICATES
242793 DUP	
Target Range - Lower Bound	
Upper Bound	
242797 DUP	
Target Range - Lower Bound	
Upper Bound	
242805 DUP	
Target Range - Lower Bound	
Upper Bound	
242809 DUP	
Target Range - Lower Bound	
Upper Bound	
242813 DUP	
Target Range - Lower Bound	
Upper Bound	
ORIGINAL	122.0
DUP	117.0
Target Range - Lower Bound	112.5
Upper Bound	126.5
ORIGINAL DUP	
Target Range - Lower Bound	
Upper Bound	
ORIGINAL DUP	
Target Range - Lower Bound	
Upper Bound	

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	Au-GRA21	Ag-GRA21	Cu-AA46	Pb-AA46	Zn-AA46	As-AA46	Hg-CV41	ME-XRF05	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Au	Ag	Cu	Pb	Zn	As	Hg	Se	Ag	Ba	Ce	Co	Cr	Cs	Cu
	Units	ppm	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	5	0.01	0.01	0.01	0.01	0.01	2	1	0.5	0.5	0.5	10	0.1	5
DUPLICATES																
ORIGINAL		<0.05														
DUP		<0.05														
Target Range - Lower Bound		<0.05														
Upper Bound		0.10														

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.1
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

QC CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Zr ppm 0.5
		DUPLICATES
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE VA04091517

Project:

P.O. No.:

This report is for 263 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-JAN-2005.

The following have access to data associated with this certificate:

G. DESSUREAU ACCOUNTS PAYABLE	GILLES DESSUREAU	JASON DUNNING

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Pb-AA46	Ore grade Pb - aqua regia/AA	AAS
Zn-AA46	Ore grade Zn - aqua regia/AA	AAS
As-AA46	Ore grade As - aqua regia/AA	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-XRF05	Trace Level XRF Analysis	XRF
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS

To: **YUKON ZINC CORPORATION**
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1
242551		2.12	<0.05	9	0.01	0.01	0.01	<0.01	0.03	<2	9	6930	24.3	6.0	180	7.2
242552		1.76	<0.05	<5	0.01	<0.01	0.01	<0.01	0.05	<2	2	9090	26.3	7.3	160	7.7
242553		1.90	<0.05	<5	0.02	<0.01	0.01	0.01	0.02	<2	1	9350	32.8	17.0	150	6.6
242554		1.22	<0.05	<5	0.02	<0.01	0.10	<0.01	0.06	<2	1	>10000	82.3	23.9	200	16.1
242555		0.76	<0.05	<5	0.01	0.01	0.02	<0.01	0.01	<2	<1	6820	30.3	8.1	200	5.5
242556		1.96	<0.05	<5	0.01	0.02	<0.01	<0.01	0.01	<2	1	4200	12.8	15.6	140	3.2
242557		2.70	<0.05	<5	0.01	0.01	0.12	<0.01	0.11	2	1	2930	11.6	4.5	150	1.7
242558		1.22	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.05	3	<1	2910	25.1	5.8	130	1.8
242559		1.06	<0.05	<5	0.01	0.01	0.01	<0.01	0.05	<2	<1	4930	23.5	5.5	90	2.9
242560		2.88	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	6700	32.0	8.7	110	7.8
242561		2.10	<0.05	<5	0.01	<0.01	<0.01	0.01	0.02	<2	<1	5740	24.0	10.3	100	9.8
242562		1.90	<0.05	<5	0.01	<0.01	<0.01	0.01	0.02	<2	<1	6520	35.6	9.2	100	14.0
242563		2.04	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	8020	43.8	9.6	70	16.0
242564		2.00	<0.05	<5	0.01	<0.01	<0.01	0.01	0.01	<2	<1	8230	53.1	12.4	50	16.5
242565		2.18	<0.05	<5	0.01	0.01	<0.01	0.01	0.01	<2	<1	6060	39.8	15.0	90	16.0
242566		1.14	<0.05	<5	<0.01	<0.01	<0.01	<0.01	<0.01	<2	<1	5930	45.6	8.2	100	14.1
242567		2.32	<0.05	<5	<0.01	<0.01	<0.01	<0.01	<0.01	<2	<1	7160	57.5	3.9	40	15.4
242568		2.10	0.25	<5	0.01	0.01	0.01	<0.01	0.04	3	<1	5380	48.0	7.1	130	8.1
242569		1.64	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	2	<1	>10000	51.4	8.1	110	7.4
242570		2.32	<0.05	<5	<0.01	<0.01	<0.01	<0.01	<0.01	2	<1	>10000	24.0	3.7	90	3.4
242571		2.28	<0.05	<5	<0.01	<0.01	<0.01	<0.01	<0.01	<2	<1	>10000	23.3	3.2	80	6.7
242572		2.38	<0.05	<5	0.01	0.02	0.04	<0.01	0.18	2	1	>10000	18.6	6.2	100	7.7
242573		2.22	<0.05	<5	<0.01	0.04	<0.01	<0.01	0.01	<2	<1	5740	12.0	2.4	60	3.0
242574		2.62	<0.05	<5	0.01	0.06	<0.01	<0.01	0.02	<2	<1	>10000	8.8	2.1	110	0.2
242575		2.50	<0.05	<5	<0.01	0.02	0.01	<0.01	0.01	<2	<1	>10000	6.9	1.0	80	<0.1
242576		2.82	<0.05	<5	<0.01	0.01	0.01	<0.01	0.02	2	<1	>10000	12.9	4.3	150	0.1
242577		2.62	<0.05	<5	0.01	0.01	0.01	<0.01	0.05	<2	<1	>10000	24.1	4.7	190	0.7
242578		2.20	<0.05	<5	0.01	0.01	0.07	0.01	0.50	2	<1	>10000	32.3	8.0	190	4.7
242579		1.62	0.06	<5	0.01	<0.01	0.01	<0.01	0.01	<2	<1	>10000	52.2	13.0	190	8.4
242580		2.16	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	2	<1	>10000	35.8	12.6	230	6.4
242581		2.42	<0.05	<5	0.01	0.02	<0.01	<0.01	0.01	<2	<1	>10000	28.7	14.4	210	5.5
242582		2.16	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	<2	<1	>10000	31.0	9.7	230	5.4
242583		1.96	<0.05	<5	0.01	0.13	<0.01	<0.01	0.03	2	1	>10000	29.3	19.6	210	4.5
242584		1.44	<0.05	<5	0.01	0.01	<0.01	0.01	0.02	2	<1	6790	28.0	19.4	280	5.1
242585		1.20	<0.05	<5	<0.01	0.01	0.04	0.01	0.07	<2	<1	5350	42.4	27.9	250	5.3
242586		1.32	<0.05	<5	<0.01	0.01	0.15	<0.01	0.30	<2	<1	4640	24.7	19.5	250	5.9
242587		1.52	<0.05	<5	0.01	0.01	0.22	<0.01	0.61	<2	<1	3430	20.7	49.2	220	3.6
242588		2.42	<0.05	<5	0.02	<0.01	<0.01	<0.01	0.01	<2	<1	>10000	24.0	61.1	210	2.4
242589		2.46	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	<2	<1	>10000	13.4	6.0	130	2.3
242590		2.00	<0.05	<5	0.01	0.01	<0.01	<0.01	0.04	<2	<1	>10000	39.5	18.6	220	8.3

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Cu	Dy	Er	Eu	Ga	Gd	Hf	He	La	Lu	Mo	Nb	Nd	Ni	Pb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	5	0.1	0.1	0.1	1	0.1	1	0.1	0.5	0.1	2	1	0.5	5	5
242551		48	1.8	1.1	0.6	11	2.2	1	0.4	11.5	0.2	2	4	11.1	24	50
242552		136	2.3	1.4	0.7	11	2.3	2	0.5	13.0	0.3	<2	4	12.6	21	12
242553		257	3.0	1.9	0.9	11	3.2	3	0.6	17.5	0.3	4	5	17.2	116	25
242554		130	7.0	4.4	1.6	22	6.7	6	1.3	45.4	0.7	3	13	37.7	165	17
242555		49	2.5	1.6	0.6	8	2.7	2	0.4	18.0	0.2	2	5	14.4	74	25
242556		83	1.8	1.1	0.3	7	1.5	1	0.3	7.6	0.1	16	4	6.1	143	106
242557		49	1.4	0.8	0.3	5	1.2	1	0.3	5.8	0.1	2	2	4.7	28	84
242558		76	2.1	1.4	0.5	7	2.1	1	0.4	14.6	0.2	2	4	11.4	37	16
242559		91	2.6	1.7	0.6	7	2.3	1	0.5	12.4	0.2	2	4	10.2	34	27
242560		96	3.3	1.9	0.8	10	3.5	1	0.6	20.0	0.2	<2	5	18.9	29	17
242561		86	2.3	1.4	0.7	9	2.6	2	0.4	15.2	0.2	<2	4	13.4	28	18
242562		70	3.6	2.2	1.0	13	3.6	3	0.7	19.7	0.3	2	9	16.8	25	23
242563		99	3.7	2.1	1.2	14	4.6	2	0.8	21.8	0.3	2	7	23.3	18	18
242564		51	5.2	2.9	1.6	15	5.2	3	0.9	27.4	0.4	2	8	26.8	15	27
242565		52	3.0	1.8	1.0	13	3.8	2	0.6	22.5	0.3	2	8	20.6	39	44
242566		18	3.9	2.4	1.0	12	4.2	3	0.8	23.6	0.3	2	8	21.6	33	24
242567		30	5.0	3.3	1.4	13	6.2	4	1.1	35.9	0.5	2	12	31.1	17	15
242568		67	7.4	3.9	1.8	8	8.1	1	1.5	25.9	0.5	8	6	32.7	74	81
242569		72	8.1	4.4	2.0	9	8.0	2	1.4	30.3	0.4	3	5	34.6	51	36
242570		26	1.9	1.2	1.4	8	2.2	1	0.3	14.8	0.2	3	4	11.8	23	8
242571		30	2.2	1.4	2.1	8	2.5	1	0.4	13.0	0.2	2	3	11.7	20	10
242572		49	2.6	1.6	0.7	8	2.5	1	0.4	12.7	0.2	9	4	12.0	43	122
242573		25	1.6	1.0	0.4	5	1.4	1	0.3	6.5	0.1	11	2	6.4	12	251
242574		33	1.6	1.0	0.6	3	1.5	1	0.3	5.4	0.1	12	2	6.5	14	383
242575		33	1.5	1.0	0.4	2	1.4	<1	0.3	4.3	0.1	14	1	5.9	12	142
242576		19	1.4	0.8	1.2	7	1.9	1	0.3	9.5	0.1	5	3	8.8	27	42
242577		40	3.3	1.9	2.0	6	3.8	2	0.6	20.1	0.3	7	5	17.7	26	53
242578		70	3.7	2.4	1.4	8	4.2	2	0.8	22.8	0.4	2	6	20.1	44	68
242579		104	6.7	4.0	1.7	12	7.0	2	1.4	36.2	0.6	2	8	32.6	51	35
242580		44	4.0	2.4	1.1	9	4.4	1	0.8	22.7	0.3	2	6	20.8	39	49
242581		46	3.1	1.9	0.8	8	3.4	1	0.6	19.8	0.3	3	5	17.6	41	150
242582		49	3.2	1.9	1.0	8	4.1	1	0.7	22.5	0.3	2	5	21.2	37	35
242583		89	2.8	1.7	0.9	8	3.5	1	0.6	18.4	0.2	4	5	16.3	56	924
242584		75	3.0	1.7	0.8	8	3.2	1	0.6	17.8	0.2	3	5	15.4	57	97
242585		28	4.5	2.5	1.3	8	4.6	1	0.8	24.5	0.3	3	6	22.5	52	54
242586		43	2.1	1.3	0.5	8	2.5	1	0.4	17.0	0.1	2	5	13.8	49	64
242587		61	2.1	1.2	0.6	6	2.5	1	0.4	12.8	0.1	6	3	11.9	96	100
242588		132	2.4	1.4	1.7	6	3.1	1	0.5	16.6	0.2	3	3	14.6	86	59
242589		15	1.3	0.8	3.5	4	1.9	1	0.2	11.0	0.2	2	2	7.9	18	13
242590		110	4.1	2.2	1.1	8	5.0	1	0.8	24.8	0.3	2	5	24.6	45	61

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Pr ppm 0.1	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.1	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.5	ME-MS81 Tb ppm 0.1	ME-MS81 Th ppm 1	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.1	ME-MS81 U ppm 0.5	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.1
242551		2.8	70.3	2.2	2	101.0	<0.5	0.3	3	<0.5	0.2	0.9	61	1	10.4	1.2
242552		3.2	72.1	2.7	2	69.7	<0.5	0.4	4	<0.5	0.2	1.0	89	2	12.8	1.5
242553		4.3	68.4	3.6	1	111.0	<0.5	0.5	5	<0.5	0.3	1.7	120	2	17.6	1.8
242554		10.4	145.0	7.4	3	84.9	0.9	1.0	11	1.0	0.6	3.1	227	5	40.0	4.5
242555		4.0	51.4	2.7	1	83.4	<0.5	0.4	4	<0.5	0.2	1.2	83	3	14.0	1.6
242556		1.6	29.0	1.3	1	43.7	<0.5	0.2	3	<0.5	0.1	1.6	83	3	9.9	1.3
242557		1.2	20.2	1.1	1	44.1	<0.5	0.2	2	<0.5	0.1	0.9	77	2	8.3	1.0
242558		3.1	20.2	2.2	1	79.6	<0.5	0.3	4	<0.5	0.2	1.1	106	2	12.0	1.6
242559		2.7	28.9	2.3	1	180.0	<0.5	0.3	3	0.5	0.2	1.0	110	2	15.1	1.7
242560		4.9	58.1	3.7	1	83.3	<0.5	0.5	4	0.7	0.2	1.1	169	3	17.2	1.9
242561		3.5	64.0	2.6	1	110.5	<0.5	0.4	4	0.9	0.2	1.6	149	2	12.7	1.5
242562		4.5	94.0	3.8	2	58.4	0.6	0.5	7	1.1	0.3	1.8	132	2	20.1	2.3
242563		5.7	112.0	4.6	2	77.8	0.5	0.7	6	1.2	0.3	1.7	128	3	23.0	2.1
242564		6.6	107.5	5.8	2	114.0	0.5	0.8	6	1.0	0.3	1.5	162	3	28.0	2.7
242565		5.3	105.5	4.0	2	71.9	0.6	0.5	7	1.1	0.2	1.8	192	2	18.4	1.9
242566		5.6	95.2	4.6	2	62.1	0.5	0.6	6	1.0	0.3	1.9	163	2	22.4	2.2
242567		8.2	114.5	5.6	2	278	0.9	1.0	8	1.0	0.5	2.0	94	2	36.6	3.3
242568		7.9	59.9	7.8	1	105.5	<0.5	1.3	4	0.7	0.6	1.5	217	1	39.3	3.2
242569		8.6	48.7	8.3	1	147.5	<0.5	1.3	5	0.6	0.5	1.5	209	1	39.0	3.5
242570		3.1	24.6	2.3	1	375	<0.5	0.3	3	0.5	0.1	0.8	142	1	12.2	1.3
242571		2.9	52.0	2.6	1	451	<0.5	0.3	3	1.2	0.2	0.7	123	1	14.7	1.4
242572		3.0	53.0	2.6	1	213	<0.5	0.3	3	1.9	0.2	0.8	237	2	14.1	1.6
242573		1.7	28.1	1.6	1	236	<0.5	0.2	1	1.1	0.1	<0.5	172	1	7.6	1.1
242574		1.5	3.1	1.5	1	433	<0.5	0.2	2	<0.5	0.1	0.7	96	1	10.4	1.0
242575		1.4	0.8	1.3	<1	465	<0.5	0.2	<1	<0.5	0.1	<0.5	37	1	10.5	0.9
242576		2.1	3.6	1.9	1	312	<0.5	0.2	2	<0.5	0.1	0.8	79	1	8.4	0.9
242577		4.5	8.1	3.8	1	432	<0.5	0.5	5	0.7	0.2	1.2	256	4	17.6	1.9
242578		5.2	57.0	3.7	1	495	0.5	0.6	4	1.8	0.3	1.0	221	2	24.3	2.5
242579		8.4	112.0	6.3	2	305	0.5	1.1	6	2.7	0.5	1.7	367	3	39.7	3.8
242580		5.3	97.4	4.4	2	164.0	<0.5	0.7	4	2.9	0.3	1.1	345	2	24.1	2.2
242581		4.6	79.0	3.3	1	272	<0.5	0.5	4	1.8	0.2	1.2	280	3	19.0	2.0
242582		5.4	77.8	3.6	2	309	<0.5	0.6	4	1.7	0.3	0.8	309	2	22.1	1.9
242583		4.3	74.3	3.2	1	211	<0.5	0.5	3	2.7	0.2	1.4	218	2	19.4	1.6
242584		4.0	84.3	3.2	1	155.5	<0.5	0.5	4	2.5	0.2	1.1	222	2	17.7	1.6
242585		6.0	85.9	4.7	2	154.5	<0.5	0.7	5	2.1	0.3	0.9	167	3	25.6	2.1
242586		3.7	91.3	2.5	1	79.3	<0.5	0.3	4	1.9	0.1	0.8	185	3	13.2	1.2
242587		3.0	58.6	2.3	1	145.0	<0.5	0.3	3	1.6	0.1	0.8	158	3	13.3	1.2
242588		3.8	35.9	3.0	1	730	<0.5	0.4	3	1.2	0.2	0.7	208	2	16.0	1.3
242589		1.8	22.8	1.9	1	1295	<0.5	0.2	2	0.7	0.1	<0.5	108	3	10.0	1.0
242590		6.3	75.0	4.5	1	190.5	<0.5	0.8	4	12.2	0.3	0.7	170	4	26.9	1.8

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

TO: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 0.5
242551		59	60.0
242552		52	71.2
242553		122	100.0
242554		895	223
242555		201	83.1
242556		47	47.3
242557		1005	25.6
242558		36	55.2
242559		92	43.7
242560		28	50.4
242561		31	56.5
242562		28	93.4
242563		23	88.3
242564		30	88.4
242565		34	102.0
242566		23	97.4
242567		31	135.0
242568		134	64.0
242569		23	61.3
242570		37	51.6
242571		40	47.1
242572		345	48.1
242573		26	19.6
242574		46	18.9
242575		77	6.6
242576		108	31.5
242577		131	56.6
242578		628	63.0
242579		46	83.2
242580		39	56.9
242581		36	51.8
242582		33	45.1
242583		52	39.2
242584		34	40.7
242585		328	45.1
242586		1195	40.2
242587		1870	29.2
242588		63	28.6
242589		82	19.9
242590		50	42.4

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1
242591		2.04	<0.05	<5	0.01	0.01	<0.01	<0.01	0.01	<2	<1	4140	26.2	15.0	220	8.3
242592		1.92	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	<2	<1	3590	23.0	7.0	240	11.8
242593		2.64	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	2040	25.8	6.7	150	6.3
242594		1.60	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	1570	31.8	8.9	160	7.0
242595		2.20	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.02	<2	<1	1985	36.4	4.6	220	10.2
242596		1.30	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.04	<2	<1	1460	27.1	4.0	220	5.8
242597		2.14	<0.05	<5	0.01	0.01	<0.01	<0.01	0.02	<2	<1	1740	32.8	5.4	190	8.6
242598		2.44	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	<2	<1	3950	54.4	13.0	250	15.8
242599		0.14	2.56	84	2.30	1.20	20.4	0.02	0.99	20	9	8980	3.4	2.5	30	0.1
242600		2.36	<0.05	<5	0.01	<0.01	0.18	<0.01	0.29	<2	<1	5900	86.5	5.6	210	23.2
242601		0.78	<0.05	<5	<0.01	0.01	0.37	<0.01	0.79	2	<1	5670	87.5	4.8	280	19.4
242602		1.16	<0.05	<5	<0.01	<0.01	0.06	<0.01	0.13	<2	<1	8140	155.5	8.4	220	31.2
242603		1.24	<0.05	<5	<0.01	<0.01	0.02	<0.01	0.04	<2	<1	4780	63.8	5.6	380	14.2
242604		1.20	<0.05	<5	0.01	<0.01	0.04	<0.01	0.08	2	<1	3190	61.6	11.3	340	13.6
242605		0.70	<0.05	<5	0.01	<0.01	0.01	<0.01	0.01	<2	<1	1660	38.6	6.7	360	7.0
242606		1.72	<0.05	<5	<0.01	<0.01	0.09	<0.01	0.14	<2	<1	3860	67.6	7.9	360	16.2
242607		2.08	<0.05	<5	<0.01	<0.01	0.01	<0.01	0.01	<2	<1	7100	185.0	2.4	180	36.6
242608		1.86	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	<2	<1	6500	152.5	2.8	150	35.9
242609		2.02	<0.05	<5	<0.01	<0.01	0.01	<0.01	<0.01	<2	<1	6280	142.5	3.2	150	31.3
242610		1.12	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	<2	<1	9130	150.0	2.5	170	29.1
242611		1.34	<0.05	<5	0.01	0.01	0.08	<0.01	0.18	2	<1	4280	36.1	13.7	280	10.2
242612		0.98	<0.05	<5	0.01	<0.01	0.13	0.01	0.25	<2	<1	6350	37.6	21.6	230	12.4
242613		0.14	5.27	174	3.93	2.95	21.2	0.08	10.20	<2	25	>10000	7.8	2.3	20	0.2
242614		1.20	<0.05	<5	0.01	<0.01	0.11	<0.01	0.16	<2	<1	6030	44.0	19.1	230	10.6
242615		2.60	<0.05	<5	0.01	0.01	0.02	<0.01	0.04	2	<1	>10000	44.3	16.6	240	14.0
242616		1.90	<0.05	<5	0.01	<0.01	0.13	<0.01	0.26	<2	<1	>10000	38.3	24.9	240	11.9
242617		1.72	<0.05	<5	0.01	0.04	0.01	0.01	0.05	2	1	1910	6.0	2.2	160	2.2
242618		2.00	<0.05	<5	0.01	<0.01	0.02	<0.01	0.04	<2	<1	>10000	34.9	3.7	260	10.2
242619		1.12	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	7460	23.7	3.3	310	7.1
242620		2.04	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	2	<1	5660	16.0	2.6	280	4.9
242621		1.70	<0.05	<5	0.01	<0.01	0.01	<0.01	0.02	<2	<1	7980	20.4	5.3	310	6.9
242622		1.92	<0.05	<5	0.01	<0.01	0.01	<0.01	0.02	<2	<1	6600	25.6	4.0	310	7.7
242623		1.52	<0.05	<5	0.01	<0.01	0.01	<0.01	0.01	<2	<1	5140	20.3	3.9	280	8.5
242624		1.50	<0.05	<5	0.01	<0.01	0.01	<0.01	0.01	<2	<1	4000	17.8	5.0	310	6.3
242625		1.56	<0.05	<5	0.01	<0.01	0.01	<0.01	0.01	<2	<1	7230	26.8	4.9	310	8.2
242626		0.84	<0.05	<5	0.01	<0.01	0.03	<0.01	0.07	3	<1	8280	21.8	7.3	310	6.8
242627		0.54	<0.05	<5	0.01	<0.01	0.02	<0.01	0.04	<2	<1	7220	20.4	4.3	280	5.5
242628		1.96	<0.05	<5	0.01	<0.01	0.02	<0.01	0.04	<2	<1	7240	19.7	6.1	320	6.1
242629		2.26	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	2	<1	7020	15.0	3.5	300	3.5
242630		2.42	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	2	<1	5030	15.4	2.3	280	3.3

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	5	0.1	0.1	0.1	1	0.1	1	0.1	0.5	0.1	2	1	0.5	5	5
242591		86	1.7	0.9	0.5	8	2.1	1	0.3	14.8	0.1	3	5	11.6	25	68
242592		44	1.2	0.8	0.2	10	1.5	2	0.2	14.0	0.1	2	9	9.9	22	92
242593		78	2.1	1.3	0.6	6	2.6	1	0.4	12.4	0.2	4	8	13.2	16	132
242594		47	2.0	1.3	0.5	7	2.4	1	0.4	13.3	0.1	5	7	12.8	15	74
242595		34	2.6	1.5	0.6	9	2.8	2	0.5	16.7	0.2	4	8	14.0	18	18
242596		37	2.4	1.4	0.7	6	2.4	1	0.4	15.6	0.2	4	4	11.3	16	44
242597		49	3.4	1.9	0.8	7	3.3	1	0.5	19.2	0.2	6	7	15.5	26	64
242598		63	3.4	2.0	0.8	12	4.6	2	0.7	30.4	0.3	2	14	25.6	39	170
242599		6610	0.3	0.1	0.1	13	0.3	<1	<0.1	2.2	<0.1	142	1	1.8	51	3940
242600		47	7.3	4.7	1.0	17	7.1	7	1.4	49.4	0.7	5	24	37.0	29	236
242601		15	7.1	4.5	1.0	16	7.2	6	1.6	44.9	0.7	5	22	34.6	21	113
242602		45	11.5	7.0	1.7	23	13.4	10	2.3	85.6	1.1	4	31	72.1	39	29
242603		73	5.7	3.6	0.8	12	5.9	5	1.1	33.8	0.5	7	17	27.5	35	48
242604		111	5.7	3.3	1.0	10	7.1	2	1.1	41.8	0.3	3	12	37.3	58	66
242605		56	4.0	2.5	0.7	6	3.9	2	0.8	24.3	0.3	4	14	19.0	26	116
242606		36	4.3	2.6	0.9	13	5.6	3	0.9	39.7	0.4	6	14	34.3	45	380
242607		12	15.2	9.5	1.9	27	14.8	16	3.0	95.8	1.4	6	44	76.4	13	317
242608		8	13.0	8.3	1.5	27	12.2	13	2.6	77.2	1.3	3	42	61.0	9	134
242609		7	12.8	8.3	1.4	24	11.9	14	2.4	75.2	1.2	7	40	59.1	9	18
242610		10	12.2	7.8	1.6	24	12.4	12	2.6	75.7	1.3	2	37	59.2	9	26
242611		46	5.2	2.9	0.8	9	5.7	2	1.0	23.3	0.3	3	8	23.7	56	122
242612		44	3.1	1.8	0.6	10	3.5	2	0.5	23.7	0.2	2	7	19.0	47	474
242613		6640	0.6	0.4	1.1	23	0.8	1	0.1	5.3	<0.1	114	1	3.6	32	4840
242614		77	3.9	2.2	1.1	9	4.7	2	0.8	22.1	0.3	4	7	20.0	46	653
242615		75	4.4	2.5	1.2	11	5.1	2	0.9	26.5	0.3	2	8	24.5	53	57
242616		92	3.1	1.8	0.9	10	3.9	2	0.6	23.9	0.3	4	8	20.3	76	66
242617		40	1.3	0.7	0.4	3	1.4	<1	0.2	4.8	<0.1	15	1	5.9	12	360
242618		55	2.8	1.7	0.7	10	3.3	2	0.6	18.6	0.3	4	6	17.4	30	120
242619		55	1.8	1.1	0.4	7	2.1	1	0.4	11.2	0.1	2	3	10.4	36	384
242620		66	1.4	0.9	0.4	6	1.4	1	0.2	8.0	0.1	5	3	6.6	21	683
242621		74	1.5	1.0	0.4	7	1.5	1	0.3	10.1	0.1	9	4	8.3	69	343
242622		78	2.2	1.3	0.6	8	2.3	2	0.4	13.4	0.2	5	4	12.1	33	16
242623		62	1.7	1.0	0.4	7	1.9	1	0.3	11.5	0.1	2	3	11.0	36	18
242624		45	1.7	1.0	0.4	7	1.8	1	0.3	9.2	0.1	4	3	8.9	40	36
242625		76	2.3	1.4	0.6	8	2.5	2	0.5	13.3	0.2	4	4	12.8	49	85
242626		67	2.2	1.4	0.5	8	2.1	1	0.4	11.4	0.2	10	4	9.5	98	14
242627		60	1.6	1.0	0.5	7	1.7	1	0.3	9.8	0.2	4	3	8.0	47	9
242628		65	1.6	1.0	0.4	7	1.6	1	0.3	10.8	0.1	3	4	9.1	60	10
242629		65	1.6	1.1	0.5	5	1.7	1	0.3	7.0	0.2	3	2	6.7	36	13
242630		58	1.4	1.0	0.4	5	1.5	1	0.3	7.5	0.1	2	2	7.1	20	12

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	0.2	0.1	1	0.1	0.5	0.1	1	0.5	0.1	0.5	5	1	0.5	0.1
242591		3.2	76.7	2.1	1	89.1	<0.5	0.3	4	11.4	0.1	0.7	152	4	10.6	0.9
242592		2.8	108.0	1.4	1	53.0	0.6	0.2	5	17.6	0.1	0.8	150	3	8.7	1.0
242593		3.3	55.9	2.3	1	151.5	<0.5	0.4	3	10.4	0.2	1.0	104	3	21.0	1.1
242594		3.3	56.1	2.3	1	163.5	<0.5	0.3	4	10.4	0.1	0.6	110	2	14.4	1.2
242595		3.7	81.8	2.7	1	116.5	0.6	0.4	5	14.6	0.2	0.9	144	4	16.4	1.4
242596		3.0	48.0	2.1	1	214	<0.5	0.4	3	10.6	0.2	0.6	93	2	17.4	1.4
242597		4.1	53.8	3.1	1	89.7	0.6	0.5	4	8.5	0.2	0.8	109	3	19.0	1.9
242598		6.7	107.5	4.3	2	71.7	1.0	0.6	7	13.5	0.3	1.6	160	4	22.6	2.0
242599		0.4	5.6	0.3	1	217	<0.5	<0.1	<1	1.3	<0.1	6.0	67	5	2.7	0.2
242600		10.2	129.5	6.7	6	27.9	1.8	1.1	17	7.2	0.7	3.4	126	4	45.3	4.8
242601		9.6	118.5	6.7	7	34.9	1.6	1.3	16	6.6	0.7	3.6	90	3	46.7	4.5
242602		20.2	174.0	13.0	8	37.3	2.4	2.0	25	9.0	1.1	7.2	150	5	70.1	6.9
242603		7.5	82.7	5.5	5	33.1	1.3	0.9	12	4.5	0.5	1.6	82	4	35.8	3.3
242604		9.8	74.6	6.2	2	55.5	0.8	1.0	6	4.2	0.4	3.0	178	4	35.5	2.7
242605		5.1	41.7	3.3	1	57.2	0.9	0.6	5	2.6	0.3	1.3	82	5	26.0	2.4
242606		9.3	108.0	5.4	3	27.8	0.8	0.8	8	5.7	0.4	2.6	194	4	29.4	2.3
242607		21.4	188.5	14.2	11	29.6	3.9	2.5	36	8.3	1.4	5.8	24	4	88.2	9.5
242608		17.0	183.5	12.1	12	39.3	3.3	2.1	32	7.2	1.2	7.5	13	4	76.2	8.7
242609		16.7	150.5	11.6	11	39.4	3.2	2.0	30	6.2	1.2	7.2	12	4	73.6	8.3
242610		16.8	160.0	11.6	10	47.2	3.1	2.2	29	6.4	1.2	7.4	15	3	76.5	8.0
242611		5.9	59.6	4.5	2	57.2	0.6	0.9	5	4.3	0.3	1.3	148	5	33.6	2.3
242612		5.1	73.6	3.6	2	110.0	0.5	0.5	5	3.2	0.2	1.2	194	4	19.2	1.7
242613		0.8	7.4	0.8	1	1660	<0.5	0.1	<1	0.7	<0.1	1.8	56	4	5.6	0.4
242614		5.2	65.3	4.0	1	124.5	0.5	0.7	5	4.3	0.3	1.5	158	4	26.7	2.0
242615		6.4	84.2	4.9	2	115.5	0.5	0.8	6	3.4	0.4	1.6	299	3	27.1	2.2
242616		5.3	77.2	3.8	2	180.5	0.6	0.5	5	2.6	0.3	1.6	250	4	20.4	1.9
242617		1.3	14.2	1.2	1	243	<0.5	0.2	1	0.6	<0.1	0.8	138	1	8.5	0.6
242618		4.4	70.9	2.9	1	56.9	<0.5	0.5	5	1.7	0.3	1.5	107	3	17.8	1.7
242619		2.6	47.5	1.8	2	41.5	<0.5	0.3	3	1.2	0.1	1.0	66	2	11.6	1.1
242620		1.7	31.9	1.3	1	30.1	<0.5	0.2	2	0.9	0.1	0.6	90	3	8.9	1.0
242621		2.2	44.2	1.6	1	31.9	<0.5	0.2	3	1.2	0.1	1.0	102	3	9.6	1.1
242622		3.1	43.0	2.5	1	41.1	<0.5	0.3	4	1.2	0.1	1.4	81	4	11.6	1.3
242623		2.8	42.2	1.9	1	38.2	<0.5	0.3	3	1.1	0.1	1.1	65	3	9.6	1.1
242624		2.2	33.1	1.7	1	33.9	<0.5	0.2	3	0.9	0.1	0.9	66	4	10.0	1.1
242625		3.2	47.6	2.3	1	38.1	<0.5	0.4	4	1.1	0.2	1.5	85	3	14.2	1.4
242626		2.7	47.0	2.2	1	64.8	<0.5	0.3	3	1.0	0.2	1.2	118	2	12.6	1.5
242627		2.2	39.3	1.8	1	30.8	<0.5	0.2	3	1.0	0.1	0.8	96	3	9.7	1.1
242628		2.5	43.1	1.8	1	28.8	<0.5	0.2	3	0.9	0.1	0.8	100	2	9.9	1.2
242629		1.8	26.8	1.7	1	51.9	<0.5	0.2	2	0.6	0.1	0.5	87	3	10.6	1.2
242630		1.9	25.4	1.6	1	37.7	<0.5	0.2	2	0.5	0.1	<0.5	88	2	9.0	1.0

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 0.5
242591		21	41.0
242592		24	68.1
242593		603	37.0
242594		25	50.9
242595		18	70.3
242596		17	35.1
242597		26	49.7
242598		38	89.8
242599		>10000	16.4
242600		1290	226
242601		3060	208
242602		502	306
242603		802	160.5
242604		340	75.6
242605		57	76.7
242606		739	110.5
242607		91	464
242608		77	417
242609		49	406
242610		58	387
242611		637	67.6
242612		1085	61.1
242613		>10000	14.4
242614		966	58.7
242615		155	75.5
242616		1275	79.1
242617		79	14.2
242618		232	76.8
242619		51	49.1
242620		57	34.1
242621		66	41.9
242622		81	61.0
242623		46	51.6
242624		65	51.4
242625		63	63.2
242626		287	50.4
242627		114	38.1
242628		142	44.3
242629		38	35.4
242630		25	30.7

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1
242631		2.06	<0.05	<5	0.01	<0.01	0.02	<0.01	0.05	2	<1	6090	19.2	3.7	290	5.9
242632		1.78	<0.05	<5	0.01	<0.01	0.08	<0.01	0.19	3	1	7150	24.5	8.1	260	7.3
242633		2.46	<0.05	<5	0.01	<0.01	0.04	<0.01	0.07	2	<1	9400	31.9	6.8	220	9.4
242634		2.66	<0.05	<5	0.01	<0.01	0.05	<0.01	0.20	<2	<1	8290	35.4	8.9	220	8.7
242635		0.46	<0.05	<5	<0.01	<0.01	0.01	0.01	<0.01	<2	<1	1705	16.1	5.1	180	1.9
242636		1.80	<0.05	<5	0.01	<0.01	<0.01	<0.01	<0.01	<2	<1	>10000	43.3	9.9	200	14.2
242637		2.76	<0.05	<5	0.01	0.01	0.03	<0.01	0.08	<2	<1	>10000	43.9	10.2	150	16.7
242638		2.10	<0.05	<5	0.01	0.03	<0.01	<0.01	0.01	2	<1	2690	13.4	3.3	140	3.1
242639		2.70	<0.05	<5	<0.01	0.04	<0.01	<0.01	<0.01	2	<1	1995	10.3	3.5	90	2.2
242640		1.20	<0.05	<5	<0.01	0.02	<0.01	<0.01	0.01	2	<1	1780	7.8	2.2	100	2.2
242641		0.82	<0.05	<5	0.01	0.03	<0.01	0.01	0.03	2	<1	4990	16.1	3.5	170	5.6
242642		2.40	<0.05	<5	0.01	0.01	0.04	0.01	0.11	2	<1	>10000	17.8	3.0	150	3.7
242643		2.34	<0.05	<5	0.01	0.03	<0.01	<0.01	0.01	2	<1	4670	15.8	4.0	130	5.1
242644		2.04	<0.05	<5	0.01	0.03	<0.01	<0.01	<0.01	2	<1	>10000	15.2	4.0	140	2.4
242645		1.96	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	2	<1	>10000	11.9	1.5	100	0.8
242646		3.38	<0.05	<5	0.01	0.01	0.05	<0.01	0.13	2	<1	>10000	25.5	6.4	250	1.6
242647		1.58	<0.05	<5	0.01	0.01	0.06	<0.01	0.16	<2	<1	8040	28.7	23.0	170	9.3
242648		1.84	<0.05	<5	0.01	0.02	0.01	<0.01	0.05	<2	<1	4540	28.5	21.6	250	6.5
242649		2.30	<0.05	<5	0.01	<0.01	<0.01	<0.01	<0.01	<2	<1	5530	38.2	16.4	170	10.3
242650		2.34	<0.05	<5	0.02	<0.01	<0.01	<0.01	<0.01	<2	<1	5440	29.0	21.3	260	10.5
242651		2.16	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	>10000	29.4	28.8	280	10.0
242652		2.20	<0.05	<5	<0.01	0.01	<0.01	<0.01	0.01	<2	<1	>10000	36.8	7.9	150	5.3
242653		1.78	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	7620	46.4	19.4	270	19.8
242654		1.86	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	<2	<1	4510	39.3	9.0	200	16.0
242655		1.24	<0.05	<5	0.01	<0.01	<0.01	<0.01	<0.01	<2	<1	4100	47.4	10.2	120	20.6
242656		0.14	5.35	174	2.53	3.23	23.7	0.07	10.15	<2	39	>10000	5.3	2.2	20	0.2
242657		2.18	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	<2	<1	3960	59.6	13.7	150	23.8
242658		1.82	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	2300	39.4	12.3	250	17.3
242659		2.14	<0.05	<5	0.01	0.01	<0.01	<0.01	0.05	<2	1	2300	37.7	18.2	150	15.8
242660		2.26	<0.05	<5	0.01	<0.01	0.59	<0.01	1.34	2	<1	1150	29.9	10.3	200	9.1
242661		1.98	<0.05	<5	0.01	0.01	0.65	<0.01	1.39	6	1	2220	59.1	12.8	210	19.5
242662		1.46	<0.05	<5	<0.01	0.01	0.15	<0.01	0.21	9	<1	2990	73.1	7.6	220	15.4
242663		1.02	<0.05	<5	<0.01	0.01	0.13	<0.01	0.22	5	<1	3230	72.7	5.2	170	11.9
242664		1.50	<0.05	<5	<0.01	0.02	0.62	<0.01	1.01	9	<1	2860	47.1	4.5	210	8.8
242665		0.14	2.14	98	2.40	1.22	22.2	0.02	1.93	20	14	8150	3.6	2.4	20	0.1
242666		2.28	<0.05	<5	<0.01	<0.01	0.02	<0.01	0.05	<2	<1	7410	166.0	1.9	80	23.1
242667		2.18	<0.05	<5	<0.01	<0.01	0.03	<0.01	0.06	<2	<1	>10000	169.5	3.0	70	35.8
242668		1.40	<0.05	<5	<0.01	<0.01	0.02	<0.01	0.04	<2	<1	>10000	216	4.5	40	25.3
242669		0.90	<0.05	<5	0.02	0.03	0.03	<0.01	0.09	5	1	>10000	123.5	14.6	150	12.5
242670		1.74	<0.05	<5	<0.01	<0.01	0.04	<0.01	0.07	<2	<1	3550	9.4	3.3	130	1.4

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Cu ppm 5	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5
242631		64	1.8	1.1	0.4	7	1.8	1	0.3	9.9	0.1	22	3	9.0	29	18
242632		58	2.4	1.4	0.5	8	2.2	2	0.4	12.8	0.2	6	5	11.3	62	45
242633		48	3.0	1.9	0.9	10	2.8	2	0.5	17.8	0.2	3	6	14.1	27	30
242634		100	3.3	1.9	0.8	10	3.7	2	0.6	20.8	0.2	3	5	18.2	48	46
242635		28	1.6	1.0	0.5	4	2.0	<1	0.3	10.5	0.2	3	1	8.5	19	26
242636		116	3.9	2.4	1.1	12	4.7	2	0.8	26.4	0.4	2	5	24.0	36	45
242637		58	3.6	2.1	1.1	15	3.9	3	0.7	24.2	0.3	3	9	20.8	27	70
242638		40	1.8	1.1	0.5	4	1.8	1	0.4	8.1	0.2	8	2	8.2	19	192
242639		28	1.4	0.8	0.4	3	1.2	<1	0.2	6.0	0.1	9	1	5.6	10	241
242640		27	1.0	0.7	0.2	3	1.1	<1	0.2	5.3	0.1	8	1	5.0	11	180
242641		46	2.1	1.2	0.5	6	2.3	1	0.4	11.6	0.2	13	3	10.8	27	260
242642		47	2.9	1.8	0.8	5	3.1	1	0.6	15.0	0.2	9	2	14.3	26	156
242643		38	2.1	1.2	0.5	5	2.0	1	0.4	9.9	0.2	9	2	9.3	19	207
242644		39	1.7	1.1	0.6	4	1.8	1	0.3	10.6	0.1	13	2	9.3	18	235
242645		18	1.7	1.1	3.2	3	2.0	1	0.3	7.9	0.2	6	1	7.9	13	14
242646		60	3.9	2.5	1.4	7	4.4	1	0.8	19.4	0.4	14	4	19.8	49	122
242647		43	2.7	1.6	0.8	8	2.9	2	0.5	17.6	0.2	4	6	14.2	48	105
242648		57	3.4	2.0	0.9	7	3.7	1	0.7	16.6	0.3	4	4	15.8	46	310
242649		88	3.4	1.8	1.0	10	3.7	2	0.6	22.4	0.2	<2	6	18.8	37	270
242650		140	2.1	1.2	0.6	10	2.6	2	0.4	16.6	0.1	3	6	13.2	35	74
242651		91	1.7	1.0	0.6	9	2.0	2	0.3	16.8	0.1	4	7	12.0	36	29
242652		33	2.0	1.3	1.6	9	2.5	2	0.4	19.4	0.2	2	7	14.0	20	58
242653		67	3.8	2.3	0.8	14	3.9	3	0.7	25.1	0.3	5	11	20.3	40	37
242654		57	2.8	1.8	0.8	11	2.9	2	0.5	21.4	0.3	2	10	15.0	28	57
242655		49	3.0	1.9	0.8	12	3.5	3	0.6	29.4	0.2	2	18	20.7	35	195
242656		9090	0.4	0.2	0.8	19	0.6	<1	0.1	4.4	<0.1	99	1	2.6	38	7180
242657		59	4.0	2.5	1.1	14	4.4	3	0.7	36.1	0.3	3	36	25.4	44	469
242658		69	3.5	2.1	0.9	11	3.9	2	0.7	25.6	0.3	3	12	18.6	36	27
242659		113	3.0	1.8	0.8	11	3.6	2	0.6	24.6	0.3	4	8	17.9	53	58
242660		66	4.1	2.2	0.9	7	4.5	2	0.7	19.8	0.2	<2	5	19.8	62	54
242661		76	4.5	2.7	1.1	14	5.1	3	0.9	40.8	0.4	11	19	28.8	87	78
242662		28	5.6	3.6	0.9	17	6.4	8	1.1	41.0	0.5	16	47	33.9	59	97
242663		43	5.6	3.3	0.5	16	6.0	7	1.1	34.9	0.4	15	53	30.0	25	72
242664		32	4.4	2.9	0.3	13	4.2	5	0.8	24.2	0.4	3	38	20.3	25	184
242665		8600	0.3	0.2	0.1	14	0.4	<1	0.1	1.9	<0.1	150	1	1.6	55	4600
242666		19	9.9	5.7	0.7	33	12.2	17	1.9	70.7	0.8	3	116	66.2	11	226
242667		20	12.7	8.2	1.6	31	13.9	14	2.7	82.7	1.1	3	48	69.2	25	39
242668		7	12.2	8.4	1.9	35	16.3	17	2.8	112.0	1.3	6	43	86.1	21	47
242669		113	4.1	3.3	1.0	21	6.1	17	0.9	75.3	0.6	18	16	43.7	66	208
242670		32	2.7	1.7	0.5	4	2.1	1	0.6	4.2	0.3	12	5	5.8	26	52

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	0.2	0.1	1	0.1	0.5	0.1	1	0.5	0.1	0.5	5	1	0.5	0.1
242631		2.5	44.9	1.9	1	44.9	<0.5	0.3	3	0.9	0.1	0.8	124	3	9.0	1.1
242632		3.2	50.1	2.5	1	26.0	<0.5	0.3	4	1.2	0.1	1.1	118	2	10.6	1.4
242633		4.0	65.1	3.2	1	135.5	<0.5	0.4	5	1.3	0.2	1.2	122	3	15.0	1.9
242634		5.2	66.5	3.7	2	38.1	0.5	0.6	6	1.2	0.2	1.3	158	7	16.8	1.8
242635		2.3	15.4	1.8	1	151.5	<0.5	0.3	1	<0.5	0.1	0.6	62	2	10.4	1.0
242636		6.5	106.5	4.7	2	85.4	<0.5	0.7	6	1.9	0.3	1.7	172	3	24.8	2.1
242637		5.7	130.0	4.6	2	99.1	0.6	0.6	7	2.4	0.3	1.9	174	3	21.1	2.2
242638		2.1	25.6	1.8	1	319	<0.5	0.3	1	<0.5	0.1	0.5	122	2	11.0	1.2
242639		1.5	16.5	1.6	1	325	<0.5	0.2	1	<0.5	0.1	0.5	114	2	6.6	0.8
242640		1.3	17.2	1.0	1	259	<0.5	0.1	2	<0.5	0.1	0.5	96	2	7.3	0.7
242641		2.9	41.4	2.5	1	70.8	<0.5	0.3	3	1.1	0.1	0.6	249	3	10.3	1.2
242642		3.7	24.5	3.1	1	212	<0.5	0.5	2	0.6	0.2	0.5	244	2	17.0	1.6
242643		2.5	38.7	2.1	1	284	<0.5	0.3	2	0.8	0.1	0.6	156	2	11.6	1.2
242644		2.5	16.4	2.0	1	381	<0.5	0.3	2	0.5	0.1	0.6	154	1	10.4	1.0
242645		1.8	3.4	2.2	1	817	<0.5	0.3	1	<0.5	0.1	0.7	135	3	11.4	1.1
242646		5.1	13.2	4.2	1	755	<0.5	0.7	3	1.0	0.4	0.9	269	2	26.4	2.2
242647		4.1	94.9	3.1	1	100.0	<0.5	0.4	4	2.8	0.2	1.1	209	2	16.2	1.5
242648		4.2	72.9	3.5	1	190.0	<0.5	0.6	3	4.5	0.2	0.8	198	3	22.1	1.7
242649		5.3	112.0	3.9	2	47.8	<0.5	0.6	5	3.3	0.2	0.9	219	3	19.4	1.7
242650		3.8	115.5	2.7	1	57.2	<0.5	0.3	4	3.0	0.2	0.9	201	4	12.8	1.1
242651		3.5	93.2	2.2	1	216	0.5	0.2	4	4.8	0.1	0.9	170	4	12.4	1.0
242652		4.1	31.9	2.9	1	857	0.5	0.3	5	2.6	0.2	1.0	124	2	15.4	1.3
242653		5.8	132.5	4.2	2	81.4	0.7	0.6	7	7.2	0.3	1.5	186	4	23.1	2.2
242654		4.6	113.5	3.1	2	54.7	0.7	0.4	6	9.6	0.2	1.2	159	3	17.2	1.8
242655		6.2	135.0	3.7	2	48.9	0.9	0.5	7	6.9	0.2	1.3	152	3	18.2	1.9
242656		0.6	6.2	0.6	1	1565	<0.5	<0.1	<1	0.9	<0.1	1.3	51	5	4.0	0.3
242657		7.7	150.5	4.6	2	66.9	2.2	0.6	10	5.3	0.3	2.3	163	5	23.2	2.4
242658		5.6	116.0	3.8	2	35.3	0.8	0.6	6	4.2	0.3	1.3	165	4	21.5	2.0
242659		5.3	111.5	3.4	2	34.8	0.6	0.5	6	8.8	0.3	1.3	169	4	19.9	1.7
242660		5.4	58.2	4.5	1	18.0	<0.5	0.7	4	2.4	0.2	0.9	166	3	23.5	1.7
242661		8.6	121.0	5.1	2	17.8	1.0	0.8	10	4.4	0.3	4.8	396	4	27.2	2.4
242662		9.5	112.0	6.5	5	74.7	3.4	1.0	18	2.4	0.5	10.1	355	3	34.3	3.8
242663		8.4	83.2	6.5	6	24.5	3.6	0.9	16	2.1	0.5	11.6	98	2	27.8	2.9
242664		6.0	58.5	4.7	5	27.9	2.1	0.7	11	1.3	0.4	11.4	102	3	23.3	2.8
242665		0.4	4.7	0.4	1	213	<0.5	0.1	<1	0.8	<0.1	8.2	58	5	2.3	0.2
242666		19.1	145.5	13.6	12	16.0	8.1	1.8	36	3.3	0.9	12.4	54	3	46.8	5.6
242667		20.0	204	14.0	15	30.4	3.7	2.3	35	4.2	1.2	6.0	36	2	69.8	7.6
242668		24.8	134.5	15.0	16	100.5	3.8	2.4	44	2.8	1.4	8.4	349	3	66.5	8.5
242669		13.1	37.8	6.0	6	135.5	1.6	0.8	35	1.8	0.5	10.5	555	3	22.8	3.9
242670		1.3	4.3	1.7	1	346	0.5	0.4	<1	<0.5	0.3	1.0	120	1	16.2	1.6

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 0.5
242631		160	40.8
242632		622	62.8
242633		298	77.5
242634		436	69.6
242635		57	13.1
242636		41	69.9
242637		309	105.0
242638		37	23.3
242639		36	17.4
242640		27	13.8
242641		46	36.4
242642		327	30.2
242643		36	28.0
242644		32	26.9
242645		65	16.8
242646		407	43.1
242647		514	48.9
242648		146	36.1
242649		40	51.0
242650		46	50.3
242651		28	52.2
242652		49	59.4
242653		33	100.0
242654		26	74.3
242655		38	97.6
242656		>10000	12.2
242657		92	124.0
242658		43	82.6
242659		59	82.9
242660		5260	50.9
242661		5370	120.5
242662		1220	254
242663		1045	224
242664		5260	161.0
242665		>10000	13.0
242666		95	566
242667		262	436
242668		182	542
242669		242	591
242670		307	36.4

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1
242671		2.32	<0.05	<5	<0.01	<0.01	0.01	<0.01	0.01	<2	<1	3450	15.6	1.8	80	0.3
242672		2.06	<0.05	<5	<0.01	<0.01	0.01	<0.01	0.01	<2	<1	4880	15.6	2.0	30	0.3
242673		0.44	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	<2	<1	3010	13.0	1.0	400	0.2
242674		1.86	<0.05	<5	<0.01	0.01	0.01	<0.01	0.01	<2	<1	>10000	21.7	2.0	40	0.5
242675		2.38	<0.05	<5	<0.01	<0.01	0.03	<0.01	0.05	<2	<1	4840	16.6	3.3	40	1.4
242676		1.52	<0.05	<5	0.01	0.02	0.08	<0.01	0.14	2	<1	5070	24.3	3.8	90	3.6
242677		2.06	<0.05	<5	0.01	<0.01	0.01	<0.01	0.04	<2	<1	>10000	29.1	7.9	220	12.4
242678		2.22	<0.05	<5	<0.01	<0.01	0.01	<0.01	0.04	<2	<1	>10000	20.6	3.8	170	7.5
242679		2.20	<0.05	<5	0.01	0.16	0.11	<0.01	0.69	<2	<1	>10000	21.9	6.9	250	3.7
242680		2.70	<0.05	<5	<0.01	<0.01	0.03	<0.01	0.15	<2	<1	>10000	17.2	5.2	190	3.7
242681		2.22	<0.05	<5	0.01	<0.01	0.01	<0.01	0.03	<2	<1	>10000	33.3	6.9	220	6.4
242682		1.76	<0.05	<5	0.01	0.01	0.01	<0.01	0.03	<2	<1	>10000	33.3	5.8	200	4.7
242683		1.18	<0.05	<5	0.01	0.01	0.43	<0.01	1.38	5	1	5170	23.9	14.7	290	3.4
242684		1.98	<0.05	<5	0.01	0.01	0.19	<0.01	0.56	5	1	4910	24.9	9.6	220	3.5
242685		1.62	<0.05	<5	0.01	<0.01	0.20	<0.01	0.54	3	<1	5080	25.8	15.6	320	3.8
242686		2.48	<0.05	<5	0.01	<0.01	0.11	<0.01	0.24	5	1	6320	27.0	16.4	230	4.2
242687		2.40	<0.05	<5	0.01	<0.01	0.01	<0.01	0.03	2	<1	2650	14.8	4.6	330	1.5
242688		1.96	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	1130	9.7	2.8	300	0.8
242689		2.18	<0.05	<5	0.01	<0.01	0.02	<0.01	0.06	5	<1	3950	23.6	6.2	270	3.2
242690		1.56	<0.05	<5	0.01	<0.01	0.01	<0.01	0.05	2	1	5960	16.2	4.9	290	2.1
242691		2.20	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	<2	<1	4310	16.5	4.3	320	2.3
242692		2.14	<0.05	<5	0.01	<0.01	0.01	<0.01	0.03	<2	<1	4540	15.8	3.9	300	2.1
242693		2.14	<0.05	<5	0.01	<0.01	0.01	<0.01	0.03	2	<1	3990	14.4	4.5	340	1.9
242694		1.96	<0.05	<5	0.01	<0.01	0.02	<0.01	0.05	4	1	2430	17.7	4.4	270	1.5
242695		1.76	<0.05	<5	0.01	<0.01	0.02	<0.01	<0.01	2	<1	1340	11.8	3.6	320	1.1
242696		2.32	<0.05	<5	0.01	<0.01	0.01	<0.01	0.02	2	<1	2450	14.7	5.0	270	2.0
242697		2.06	<0.05	<5	0.01	<0.01	0.03	<0.01	0.06	2	<1	3540	23.7	4.5	240	2.8
242698		1.62	<0.05	<5	0.01	<0.01	0.01	<0.01	0.05	2	<1	4130	21.7	4.2	290	3.7
242699		2.08	<0.05	<5	0.01	<0.01	0.02	<0.01	0.06	<2	<1	4120	21.1	4.4	290	3.6
242700		1.76	<0.05	<5	0.01	<0.01	0.01	<0.01	0.03	2	<1	6100	17.7	5.4	310	2.4
242701		2.18	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	<2	<1	7250	16.4	4.6	310	1.9
242702		1.92	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	3	1	>10000	10.5	3.9	310	1.9
242703		0.82	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	3	<1	>10000	11.9	6.2	360	3.4
242704		0.40	<0.05	<5	<0.01	<0.01	0.01	<0.01	0.01	<2	<1	728	1.4	2.0	370	0.3
242705		0.46	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	2	<1	8690	18.5	2.7	330	1.7
242706		2.46	<0.05	<5	0.01	<0.01	0.01	<0.01	0.02	2	1	>10000	20.7	5.2	250	1.0
242707		1.94	<0.05	<5	0.01	<0.01	0.01	<0.01	0.03	4	<1	>10000	17.8	3.1	290	1.9
242708		2.12	<0.05	<5	0.01	<0.01	0.02	<0.01	0.04	4	1	9340	26.6	6.9	230	5.4
242709		1.62	<0.05	<5	0.01	<0.01	0.02	<0.01	0.07	6	1	8320	20.8	6.2	290	4.7
242710		2.20	<0.05	<5	0.01	<0.01	0.01	<0.01	0.05	5	1	9670	23.5	5.7	250	5.5

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	5	0.1	0.1	0.1	1	0.1	1	0.1	0.5	0.1	2	1	0.5	5	5
242671		11	4.7	3.6	0.7	2	3.5	<1	1.2	7.6	0.5	22	1	8.6	9	38
242672		14	2.9	2.0	0.6	3	2.6	<1	0.6	7.9	0.3	20	1	8.0	10	97
242673		<5	2.2	1.2	0.4	2	2.4	<1	0.4	5.5	0.1	4	1	8.1	9	65
242674		<5	5.8	4.1	1.1	5	4.5	1	1.3	9.2	0.6	35	2	12.6	10	27
242675		28	2.8	1.8	0.6	6	2.5	1	0.6	8.3	0.2	43	2	8.9	14	24
242676		55	3.7	2.4	0.9	5	3.6	1	0.8	11.0	0.4	59	3	12.4	23	119
242677		54	1.7	1.2	0.9	13	2.3	3	0.4	15.2	0.2	11	8	12.4	30	31
242678		33	1.2	0.8	0.7	9	1.6	2	0.3	10.4	0.2	7	5	8.8	16	49
242679		52	1.4	0.9	0.8	9	1.9	2	0.3	11.4	0.2	24	5	9.1	30	1065
242680		38	1.0	0.7	0.6	7	1.4	1	0.2	8.4	0.1	12	4	7.3	16	24
242681		57	2.0	1.2	0.7	12	2.4	2	0.4	16.4	0.2	4	7	14.4	32	32
242682		67	2.2	1.3	0.7	12	2.6	2	0.4	16.4	0.2	6	7	14.8	33	57
242683		67	2.0	1.3	0.5	9	2.3	1	0.4	11.2	0.2	18	4	10.9	95	81
242684		59	2.4	1.6	0.5	10	2.4	2	0.5	12.1	0.2	14	5	11.6	64	79
242685		51	2.0	1.3	0.6	9	2.3	1	0.4	12.7	0.2	6	5	12.0	85	38
242686		63	2.5	1.6	0.7	10	2.8	2	0.6	13.2	0.3	16	5	12.8	118	42
242687		58	1.7	1.2	0.3	6	1.7	1	0.4	7.1	0.2	6	2	7.4	42	9
242688		48	0.8	0.5	0.2	4	0.9	1	0.2	4.6	0.1	5	2	4.1	28	9
242689		88	1.9	1.3	0.5	8	2.3	1	0.4	11.1	0.2	4	4	10.8	96	23
242690		60	1.4	1.1	0.4	6	1.5	1	0.3	7.8	0.2	4	3	7.3	52	25
242691		60	1.3	1.0	0.3	7	1.3	1	0.3	8.3	0.2	2	3	7.5	35	22
242692		57	1.7	1.1	0.4	6	2.0	1	0.4	8.0	0.2	3	2	7.9	32	24
242693		55	1.4	0.9	0.3	6	1.6	1	0.3	7.2	0.1	2	2	7.0	38	37
242694		67	2.3	1.4	0.5	6	2.4	1	0.5	8.4	0.2	3	2	9.0	50	16
242695		59	1.0	0.7	0.2	5	1.1	1	0.2	5.6	0.1	2	2	5.6	35	8
242696		52	1.2	0.8	0.3	6	1.4	1	0.3	7.2	0.1	3	2	6.7	51	10
242697		70	3.3	2.1	0.6	8	3.1	1	0.7	10.8	0.3	2	3	11.4	33	9
242698		69	2.2	1.5	0.4	8	2.1	1	0.5	9.9	0.2	2	3	9.0	39	6
242699		58	2.1	1.4	0.4	8	1.9	1	0.4	9.7	0.2	2	3	9.1	44	5
242700		56	1.3	0.9	0.3	6	1.6	1	0.3	8.4	0.2	10	3	7.3	47	10
242701		57	1.6	1.1	0.3	5	1.6	1	0.3	8.1	0.2	7	3	6.8	39	7
242702		100	0.8	0.6	0.2	4	1.0	1	0.2	5.4	0.1	3	2	4.3	32	8
242703		57	0.7	0.6	0.3	7	1.0	1	0.1	5.3	0.1	4	3	4.7	44	8
242704		29	0.2	0.1	<0.1	2	0.2	<1	<0.1	0.8	<0.1	2	1	0.6	15	8
242705		50	2.4	1.4	0.5	6	2.4	1	0.4	8.7	0.2	<2	3	8.6	20	9
242706		53	2.3	1.4	0.6	7	2.1	1	0.4	9.6	0.2	2	4	9.0	26	12
242707		59	1.6	1.0	0.4	7	1.7	1	0.3	9.1	0.2	2	3	8.1	25	8
242708		84	2.1	1.4	0.5	9	2.4	1	0.4	12.4	0.2	3	4	12.0	93	12
242709		77	1.9	1.2	0.4	8	2.1	1	0.4	10.2	0.2	4	4	10.0	79	13
242710		74	2.2	1.4	0.5	9	2.3	1	0.5	11.6	0.2	3	4	10.8	84	16

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	0.2	0.1	1	0.1	0.5	0.1	1	0.5	0.1	0.5	5	1	0.5	0.1
242671		2.1	1.6	2.5	<1	536	<0.5	0.7	<1	<0.5	0.5	1.1	31	1	31.4	3.4
242672		2.0	1.5	2.1	1	558	<0.5	0.5	1	<0.5	0.3	0.9	45	1	19.4	1.8
242673		1.8	2.0	2.2	<1	186.0	<0.5	0.4	<1	<0.5	0.2	<0.5	11	1	13.4	1.0
242674		2.9	2.9	3.6	1	524	<0.5	0.8	1	<0.5	0.6	1.3	54	1	36.4	4.0
242675		2.2	4.0	1.9	1	493	<0.5	0.5	1	<0.5	0.3	1.1	88	<1	17.6	1.8
242676		3.0	20.2	3.2	1	678	<0.5	0.6	2	<0.5	0.4	1.5	132	1	24.4	2.3
242677		3.4	77.8	2.2	2	126.0	0.7	0.3	7	1.1	0.2	1.8	162	2	10.6	1.4
242678		2.4	57.3	1.7	1	217	<0.5	0.2	4	<0.5	0.1	1.2	102	2	7.4	0.9
242679		2.5	40.4	2.0	2	407	0.5	0.3	4	<0.5	0.2	1.7	99	2	8.5	1.1
242680		2.1	48.9	1.6	1	342	<0.5	0.2	3	<0.5	0.1	1.2	70	3	5.5	0.7
242681		4.0	95.6	2.7	2	210	0.6	0.4	6	0.6	0.2	2.2	124	3	10.7	1.3
242682		4.1	76.8	2.9	2	558	0.5	0.4	6	0.6	0.2	2.7	116	2	11.2	1.4
242683		3.0	53.3	2.5	2	94.6	<0.5	0.3	4	<0.5	0.2	2.0	119	2	10.6	1.3
242684		3.0	54.9	2.5	2	159.0	<0.5	0.4	4	<0.5	0.2	1.8	116	3	13.2	1.5
242685		3.2	61.8	2.4	1	99.5	<0.5	0.3	4	<0.5	0.2	2.8	112	2	11.2	1.3
242686		3.3	66.4	2.7	2	124.0	<0.5	0.4	4	0.8	0.3	2.8	123	2	14.4	1.6
242687		1.9	23.9	1.7	1	146.5	<0.5	0.3	2	<0.5	0.2	0.9	80	2	10.2	1.2
242688		1.1	13.2	0.9	1	91.4	<0.5	0.1	1	<0.5	0.1	0.6	54	1	4.9	0.5
242689		2.8	54.1	2.2	1	117.0	<0.5	0.3	3	<0.5	0.2	1.2	125	3	12.7	1.4
242690		1.9	35.8	1.6	1	143.0	<0.5	0.2	3	<0.5	0.2	0.9	93	2	9.2	1.1
242691		2.0	38.0	1.5	1	73.9	<0.5	0.2	3	<0.5	0.1	0.9	86	2	8.2	1.0
242692		2.0	34.9	1.8	1	121.0	<0.5	0.3	2	<0.5	0.2	0.9	83	2	9.5	1.0
242693		1.8	30.7	1.6	1	130.5	<0.5	0.2	2	<0.5	0.2	0.8	88	2	8.2	0.9
242694		2.3	24.9	2.1	1	378	<0.5	0.4	2	<0.5	0.2	1.0	93	2	13.6	1.3
242695		1.4	17.2	1.1	1	103.0	<0.5	0.2	2	<0.5	0.1	0.8	67	1	6.0	0.8
242696		1.8	34.3	1.3	1	83.9	<0.5	0.2	2	<0.5	0.1	0.8	83	2	8.0	0.9
242697		2.9	46.1	2.9	1	146.5	<0.5	0.5	3	<0.5	0.3	1.1	103	3	19.4	2.0
242698		2.5	51.6	2.0	1	116.0	<0.5	0.3	3	<0.5	0.2	0.8	94	2	14.0	1.6
242699		2.4	53.0	2.1	1	116.5	<0.5	0.3	3	<0.5	0.2	0.8	104	2	13.1	1.5
242700		1.9	38.2	1.6	1	148.5	<0.5	0.2	3	<0.5	0.1	0.8	86	2	7.9	0.9
242701		1.9	27.4	1.5	1	108.5	<0.5	0.2	3	<0.5	0.1	0.7	86	1	9.0	1.0
242702		1.2	28.6	0.9	1	84.2	<0.5	0.1	2	<0.5	0.1	0.6	55	1	5.4	0.6
242703		1.3	52.4	1.0	1	49.6	<0.5	0.1	2	<0.5	0.1	0.8	91	1	4.5	0.7
242704		0.1	5.0	0.2	1	189.0	<0.5	<0.1	<1	<0.5	<0.1	<0.5	12	<1	1.5	0.1
242705		2.3	25.8	2.2	1	245	<0.5	0.4	3	<0.5	0.2	0.7	98	2	13.4	1.4
242706		2.4	12.4	2.3	1	376	<0.5	0.3	3	<0.5	0.2	0.7	98	2	12.6	1.5
242707		2.2	28.4	1.7	1	312	<0.5	0.3	3	<0.5	0.1	0.6	112	2	9.4	1.2
242708		3.2	77.4	2.5	2	100.5	<0.5	0.3	4	0.7	0.2	0.9	148	2	11.2	1.4
242709		2.6	67.5	2.1	1	109.5	<0.5	0.3	3	0.5	0.1	0.7	118	2	9.4	1.2
242710		3.0	77.0	2.3	1	138.0	<0.5	0.3	4	<0.5	0.2	0.8	135	2	13.5	1.5

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81
	Analyte	Zn	Zr
	Units	ppm	ppm
	LOR	5	0.5
242671		54	18.1
242672		57	16.6
242673		18	5.7
242674		49	38.2
242675		245	37.2
242676		717	44.9
242677		138	106.0
242678		97	65.4
242679		966	63.8
242680		295	50.3
242681		74	86.7
242682		49	73.6
242683		3540	52.1
242684		1615	59.1
242685		1685	57.0
242686		921	58.9
242687		44	32.4
242688		28	27.5
242689		158	48.4
242690		115	38.1
242691		38	40.2
242692		51	33.9
242693		45	31.7
242694		142	32.2
242695		152	29.1
242696		92	37.4
242697		258	42.8
242698		45	42.1
242699		160	39.9
242700		79	34.6
242701		32	32.1
242702		26	26.4
242703		31	36.4
242704		47	6.0
242705		23	32.9
242706		68	37.0
242707		46	39.0
242708		131	49.6
242709		181	41.8
242710		119	47.0

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1
242711		2.04	<0.05	<5	0.01	<0.01	0.01	<0.01	0.04	5	1	>10000	24.1	5.4	240	4.9
242712		2.00	<0.05	<5	0.01	<0.01	0.01	<0.01	0.07	3	1	>10000	21.9	4.1	190	3.1
242713		2.40	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.06	3	1	>10000	24.3	3.9	240	3.1
242714		2.06	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	3	<1	>10000	25.5	4.6	190	5.7
242715		2.16	<0.05	<5	0.01	0.01	0.02	<0.01	0.04	3	<1	7800	28.2	10.0	200	5.5
242716		2.02	<0.05	<5	0.01	<0.01	0.04	<0.01	0.04	<2	<1	2970	43.9	9.8	140	2.2
242717		1.80	<0.05	<5	0.01	<0.01	0.01	<0.01	0.03	<2	<1	6930	30.9	9.1	200	6.1
242718		1.70	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.03	<2	<1	7650	28.7	9.2	250	6.4
242719		1.52	<0.05	<5	0.01	<0.01	0.03	<0.01	0.05	<2	<1	6830	41.2	6.2	250	6.9
242720		2.32	<0.05	<5	0.01	0.02	0.01	<0.01	0.02	<2	<1	>10000	35.4	3.7	230	6.7
242721		1.56	<0.05	<5	0.01	0.02	0.02	<0.01	0.03	2	<1	>10000	30.7	4.5	250	6.4
242722		1.60	<0.05	<5	0.01	0.01	0.03	<0.01	0.02	3	<1	6120	31.6	8.6	200	2.5
242723		3.82	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	5540	35.9	11.4	210	5.5
242724		2.78	<0.05	<5	0.01	<0.01	0.02	<0.01	0.02	3	<1	5750	45.8	19.9	190	4.9
242725		1.28	<0.05	<5	<0.01	<0.01	0.01	<0.01	0.02	<2	<1	1050	89.0	20.3	130	0.5
242726		0.88	<0.05	<5	<0.01	<0.01	0.01	<0.01	0.03	<2	<1	1810	92.5	19.4	150	0.7
242727		1.56	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	<2	<1	6210	35.8	4.8	140	5.4
242728		1.46	<0.05	<5	0.01	<0.01	<0.01	<0.01	<0.01	<2	<1	5970	36.5	5.1	140	7.2
242729		1.50	<0.05	<5	0.01	<0.01	0.06	<0.01	0.07	2	<1	5880	32.3	17.6	180	6.6
242730		1.98	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	6130	35.4	5.2	180	7.0
242731		2.90	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	<2	<1	6020	41.8	4.8	170	6.2
242732		1.98	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.06	<2	<1	6810	39.9	5.8	170	8.2
242733		2.06	<0.05	<5	0.01	<0.01	0.01	<0.01	0.01	2	<1	>10000	35.1	10.2	200	5.5
242734		2.38	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	3	<1	7730	30.7	2.9	190	4.8
242735		2.08	<0.05	<5	<0.01	<0.01	0.01	<0.01	0.01	<2	<1	>10000	30.6	3.6	230	8.0
242736		1.86	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	<2	<1	>10000	36.2	2.4	190	8.5
242737		2.08	<0.05	<5	<0.01	<0.01	<0.01	<0.01	<0.01	<2	<1	>10000	36.4	2.9	190	8.9
242738		2.10	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	2	<1	>10000	37.6	3.3	170	9.7
242739		2.18	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	>10000	40.2	5.2	170	9.7
242740		1.70	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	>10000	28.6	5.5	200	5.1
242741		2.14	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	<2	<1	>10000	14.9	1.9	210	3.4
242742		2.70	<0.05	<5	<0.01	<0.01	0.01	<0.01	<0.01	<2	<1	>10000	10.8	1.6	180	1.4
242743		2.12	<0.05	<5	<0.01	<0.01	<0.01	<0.01	<0.01	<2	<1	>10000	13.2	1.6	240	3.2
242744		2.34	<0.05	<5	<0.01	<0.01	0.01	<0.01	<0.01	<2	<1	>10000	15.2	2.7	160	5.8
242745		2.62	<0.05	<5	0.01	<0.01	0.01	<0.01	<0.01	<2	<1	>10000	15.8	2.5	280	7.5
242746		0.48	<0.05	<5	<0.01	<0.01	0.03	<0.01	<0.01	<2	<1	>10000	8.0	4.0	220	0.8
242747		2.80	<0.05	<5	<0.01	<0.01	0.02	<0.01	<0.01	<2	<1	>10000	4.6	3.0	110	2.9
242748		2.64	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.02	<2	<1	>10000	6.9	1.6	80	3.8
242749		1.92	<0.05	<5	<0.01	<0.01	0.01	<0.01	0.07	<2	<1	>10000	6.2	2.5	170	3.5
242750		1.90	<0.05	<5	<0.01	<0.01	0.02	<0.01	0.13	<2	<1	>10000	6.1	6.3	150	0.6

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Cu ppm 5	ME-MS81 Dy ppm 0.1	ME-MS81 Er ppm 0.1	ME-MS81 Eu ppm 0.1	ME-MS81 Ga ppm 1	ME-MS81 Gd ppm 0.1	ME-MS81 Hf ppm 1	ME-MS81 Ho ppm 0.1	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.1	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 1	ME-MS81 Nd ppm 0.5	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5
242711		70	2.2	1.3	0.6	9	2.3	1	0.4	11.2	0.2	3	4	10.4	59	25
242712		63	2.2	1.3	0.6	7	2.6	1	0.4	10.4	0.2	2	3	10.2	32	21
242713		56	2.9	1.7	0.8	8	3.1	1	0.5	11.4	0.2	2	4	11.8	23	34
242714		58	1.9	1.2	0.5	9	2.2	1	0.4	12.2	0.2	<2	5	10.9	27	17
242715		60	2.8	1.9	0.5	10	3.1	2	0.6	13.8	0.3	12	5	13.0	51	19
242716		55	4.6	3.1	0.9	11	4.7	2	1.0	19.1	0.5	2	6	19.2	27	7
242717		54	2.7	1.6	0.5	11	2.7	2	0.5	13.8	0.3	<2	6	13.0	23	6
242718		56	2.6	1.6	0.6	10	2.6	2	0.5	12.4	0.2	<2	5	12.0	24	9
242719		64	3.0	1.8	0.7	13	3.5	2	0.6	18.2	0.3	2	7	17.8	26	18
242720		70	2.2	1.3	0.7	11	3.0	2	0.5	15.2	0.2	3	5	14.6	20	137
242721		62	2.0	1.1	0.6	10	2.6	2	0.4	13.8	0.2	2	5	13.7	16	138
242722		73	2.4	1.4	0.6	10	2.8	2	0.5	14.0	0.2	11	6	13.8	32	85
242723		57	2.8	1.7	0.6	12	3.0	2	0.6	18.2	0.3	30	7	15.9	49	9
242724		67	4.5	2.9	1.0	14	4.7	3	0.9	21.9	0.5	45	9	20.8	81	15
242725		20	6.6	4.2	1.8	20	7.8	5	1.3	44.5	0.6	3	21	38.6	52	25
242726		16	7.1	4.4	1.9	21	8.3	5	1.4	44.2	0.7	3	20	39.7	51	19
242727		37	3.2	1.9	0.7	12	3.2	2	0.6	16.2	0.3	3	6	15.5	20	8
242728		74	2.6	1.8	0.6	12	3.0	2	0.6	18.0	0.3	<2	7	15.9	25	10
242729		64	2.9	1.8	0.6	11	3.1	2	0.6	15.8	0.3	84	6	14.7	74	22
242730		102	2.6	1.7	0.6	12	3.1	2	0.6	16.5	0.3	2	6	15.1	24	<5
242731		33	3.1	1.9	0.7	13	3.4	2	0.6	18.9	0.3	2	7	17.4	18	8
242732		42	3.4	2.2	0.7	13	3.8	3	0.7	18.4	0.3	2	7	18.3	29	21
242733		50	3.1	1.9	0.8	12	3.3	2	0.7	16.0	0.3	24	6	15.6	41	21
242734		32	2.0	1.3	0.5	10	2.3	2	0.4	14.2	0.2	2	7	13.3	14	6
242735		37	2.3	1.4	0.6	11	2.6	2	0.4	14.3	0.2	3	6	13.8	20	11
242736		33	2.8	1.7	0.8	11	2.9	2	0.6	15.2	0.3	<2	7	14.8	13	15
242737		22	2.8	1.7	0.8	11	2.8	2	0.5	15.8	0.3	<2	7	15.3	15	6
242738		35	2.9	1.8	0.9	12	3.2	2	0.6	16.8	0.3	<2	7	16.5	14	5
242739		76	3.0	1.9	0.8	12	3.2	3	0.6	17.8	0.3	<2	8	17.4	20	11
242740		87	2.7	1.9	0.6	8	2.9	1	0.6	12.4	0.3	2	5	12.8	16	18
242741		6	1.6	1.1	0.5	7	1.4	1	0.3	7.2	0.2	2	4	6.2	11	<5
242742		<5	0.9	0.5	0.5	5	1.1	1	0.1	5.1	0.1	3	2	4.6	10	<5
242743		5	0.9	0.5	0.6	6	1.2	1	0.2	6.2	0.1	3	3	5.9	10	<5
242744		16	1.7	1.0	1.1	6	2.1	1	0.3	7.0	0.2	2	3	7.1	11	<5
242745		42	1.0	0.6	0.7	6	1.4	1	0.2	7.2	0.1	4	3	7.2	13	6
242746		33	1.1	0.6	1.2	3	1.5	<1	0.2	4.3	0.1	21	1	3.8	15	5
242747		11	0.5	0.3	1.5	3	1.2	1	0.1	3.1	0.1	23	1	2.1	14	<5
242748		6	0.8	0.6	2.1	2	1.7	<1	0.2	3.9	0.2	14	1	2.8	7	<5
242749		5	0.6	0.4	1.5	2	1.3	<1	0.1	3.7	0.1	15	1	2.7	13	5
242750		12	0.9	0.5	1.2	3	1.5	<1	0.2	3.2	0.1	38	1	2.9	15	5

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	0.2	0.1	1	0.1	0.5	0.1	1	0.5	0.1	0.5	5	1	0.5	0.1
242711		2.8	72.8	2.4	2	179.0	<0.5	0.3	4	0.6	0.2	1.1	128	1	11.0	1.4
242712		2.7	46.5	2.5	1	376	<0.5	0.4	3	0.8	0.2	0.8	96	1	11.1	1.2
242713		3.0	46.1	3.2	1	310	<0.5	0.5	3	<0.5	0.2	0.9	108	1	15.8	1.6
242714		3.0	80.3	2.3	2	73.4	<0.5	0.3	4	<0.5	0.2	0.9	114	1	11.3	1.3
242715		3.5	83.1	2.8	2	95.8	<0.5	0.5	4	<0.5	0.3	1.3	112	3	18.4	1.8
242716		5.1	32.8	4.5	2	272	0.5	0.8	6	<0.5	0.5	2.3	96	1	30.1	3.1
242717		3.5	88.0	2.9	2	39.3	0.5	0.4	5	<0.5	0.2	1.2	96	2	14.0	1.7
242718		3.2	93.2	2.7	2	56.9	<0.5	0.4	4	<0.5	0.2	1.1	90	1	13.4	1.6
242719		4.8	96.1	3.8	2	52.0	0.6	0.5	6	<0.5	0.3	1.4	110	2	16.0	2.0
242720		4.0	90.9	3.1	2	192.0	0.5	0.4	5	<0.5	0.2	1.2	102	1	11.8	1.4
242721		3.7	84.8	3.0	2	332	0.5	0.4	5	<0.5	0.1	1.5	96	2	10.0	1.2
242722		3.7	32.5	3.1	2	64.0	0.5	0.4	5	<0.5	0.2	1.9	92	2	11.8	1.4
242723		4.4	81.0	3.2	2	24.8	0.5	0.4	6	<0.5	0.3	1.7	132	2	15.0	1.9
242724		5.6	71.0	4.5	2	93.8	0.6	0.7	7	<0.5	0.4	3.9	154	2	25.2	2.8
242725		10.8	7.6	8.4	3	165.0	1.1	1.1	20	<0.5	0.6	6.8	178	3	37.6	3.9
242726		10.6	10.9	9.3	3	128.5	1.2	1.2	19	<0.5	0.6	6.1	216	2	36.7	4.3
242727		4.2	74.9	3.5	2	30.2	0.5	0.5	6	<0.5	0.3	1.3	118	2	16.7	1.9
242728		4.5	101.5	3.2	2	22.1	0.5	0.4	6	<0.5	0.2	1.2	121	2	15.2	1.7
242729		4.0	95.8	3.1	2	66.9	<0.5	0.5	5	<0.5	0.2	2.3	117	2	16.8	1.7
242730		4.1	98.4	3.0	2	27.4	0.5	0.4	6	<0.5	0.2	1.2	124	2	14.5	1.7
242731		4.7	86.3	3.9	2	41.4	0.5	0.5	6	<0.5	0.3	1.3	134	2	15.2	2.0
242732		4.9	107.5	3.9	2	28.4	0.6	0.5	6	<0.5	0.3	1.1	136	6	19.0	2.2
242733		4.3	71.4	3.4	2	139.5	0.5	0.5	5	<0.5	0.3	1.7	112	2	16.7	1.9
242734		3.5	56.3	2.5	2	76.6	0.5	0.3	5	<0.5	0.2	0.9	106	3	11.2	1.4
242735		3.6	91.2	2.5	2	126.0	0.5	0.4	5	<0.5	0.2	0.9	104	4	12.0	1.6
242736		3.9	103.0	3.2	2	172.0	0.5	0.4	5	<0.5	0.2	1.0	117	2	14.2	1.8
242737		4.0	109.0	3.2	2	142.0	0.5	0.4	5	<0.5	0.2	1.0	108	4	13.7	1.9
242738		4.3	115.0	3.4	2	246	0.6	0.5	6	<0.5	0.3	1.0	118	3	15.6	2.0
242739		4.5	117.5	3.4	2	121.0	0.6	0.5	6	<0.5	0.2	1.1	128	4	15.6	2.1
242740		3.3	61.9	2.7	1	1005	<0.5	0.4	4	<0.5	0.3	1.1	75	3	19.2	2.1
242741		1.6	42.7	1.4	1	441	<0.5	0.2	3	<0.5	0.1	0.6	79	2	11.0	1.1
242742		1.2	17.3	1.1	1	474	<0.5	0.1	2	<0.5	0.1	<0.5	70	2	4.9	0.7
242743		1.5	37.9	1.3	1	335	<0.5	0.1	2	<0.5	0.1	<0.5	95	2	5.0	0.7
242744		1.7	48.0	1.8	1	737	<0.5	0.3	2	<0.5	0.1	<0.5	74	2	9.2	1.1
242745		1.7	54.0	1.5	1	347	<0.5	0.2	2	<0.5	0.1	<0.5	95	3	5.7	0.7
242746		0.9	9.9	1.2	1	604	<0.5	0.2	1	<0.5	0.1	<0.5	90	3	6.3	0.8
242747		0.4	11.4	0.9	1	1105	<0.5	0.1	1	<0.5	<0.1	<0.5	86	2	3.4	0.6
242748		0.6	10.2	1.2	1	1090	<0.5	0.2	1	<0.5	0.1	<0.5	54	2	6.1	0.9
242749		0.5	5.8	0.9	1	1215	<0.5	0.1	<1	<0.5	0.1	<0.5	47	2	3.9	0.7
242750		0.6	1.7	1.0	1	772	<0.5	0.2	1	<0.5	0.1	<0.5	68	3	5.7	0.8

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81
	Analyte	Zn	Zr
	Units	ppm	ppm
	LOR	5	0.5
242711		58	49.6
242712		74	41.3
242713		36	45.8
242714		23	49.5
242715		156	53.7
242716		267	56.1
242717		78	64.3
242718		40	59.8
242719		298	79.4
242720		87	67.4
242721		166	67.4
242722		262	73.1
242723		62	72.3
242724		202	99.3
242725		112	165.5
242726		91	176.5
242727		35	71.3
242728		31	76.4
242729		520	64.7
242730		33	74.5
242731		40	76.7
242732		56	76.1
242733		57	75.2
242734		34	70.1
242735		103	65.7
242736		45	68.8
242737		52	77.8
242738		64	82.6
242739		44	90.9
242740		41	51.3
242741		39	45.6
242742		66	33.3
242743		39	37.1
242744		87	37.3
242745		122	43.1
242746		229	17.6
242747		164	16.3
242748		75	10.8
242749		118	7.7
242750		196	15.9

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

): YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1
242751		1.02	<0.05	<5	<0.01	<0.01	0.01	<0.01	0.04	<2	<1	>10000	16.3	5.9	260	3.5
242752		1.54	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.02	<2	<1	7300	27.1	8.7	200	6.0
242753		1.84	<0.05	<5	0.01	<0.01	0.01	<0.01	0.03	<2	<1	8670	35.2	8.4	200	7.8
242754		2.16	<0.05	<5	<0.01	<0.01	0.03	<0.01	0.11	<2	<1	8830	33.9	7.7	190	5.4
242755		2.06	<0.05	<5	0.01	<0.01	0.03	<0.01	0.13	2	<1	6460	35.2	10.1	170	6.2
242756		1.74	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.06	<2	<1	7890	35.1	8.0	160	7.7
242757		1.94	<0.05	<5	0.01	<0.01	0.01	<0.01	0.07	<2	<1	8080	34.3	11.2	180	7.8
242758		1.04	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.03	<2	<1	7140	31.2	15.8	180	6.5
242759		2.40	<0.05	<5	0.01	<0.01	0.15	<0.01	0.70	2	<1	8450	34.6	11.0	180	7.0
242760		1.84	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.02	<2	<1	>10000	28.5	5.1	180	7.5
242761		0.60	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.02	<2	<1	>10000	17.4	3.9	190	1.5
242762		2.20	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	<2	<1	>10000	37.6	6.4	230	13.0
242763		2.56	<0.05	<5	0.01	0.01	0.10	<0.01	0.68	<2	<1	>10000	36.8	7.3	270	9.6
242764		1.18	<0.05	<5	0.02	0.01	0.27	<0.01	1.64	2	<1	8720	43.5	6.6	250	15.0
242765		2.18	0.25	<5	0.01	0.04	0.46	<0.01	2.48	2	<1	>10000	32.1	9.9	300	9.3
242766		2.10	<0.05	<5	0.01	0.02	0.20	<0.01	1.10	3	<1	10000	36.7	7.0	220	10.2
242767		2.20	<0.05	<5	0.01	0.03	0.40	<0.01	2.17	2	<1	>10000	40.0	5.8	260	9.4
242768		2.24	<0.05	<5	<0.01	0.01	0.05	<0.01	0.28	<2	<1	9370	32.8	8.0	210	10.5
242769		0.64	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.01	<2	<1	>10000	13.7	1.5	280	2.7
242770		0.42	<0.05	<5	<0.01	<0.01	<0.01	<0.01	0.06	<2	<1	>10000	12.8	1.4	170	2.4
242771		2.50	<0.05	<5	0.01	<0.01	<0.01	<0.01	0.01	<2	<1	>10000	37.2	4.3	240	7.7
242772		2.20	<0.05	<5	<0.01	0.01	0.09	<0.01	0.18	<2	<1	>10000	43.1	5.1	210	8.9
242773		1.24	<0.05	<5	0.01	0.01	0.08	0.01	0.17	<2	<1	6940	26.3	7.4	220	6.9
242774		2.34	<0.05	<5	0.01	0.01	0.07	<0.01	0.15	<2	1	2140	15.6	3.6	220	3.0
242775		1.92	<0.05	<5	0.01	0.02	0.08	<0.01	0.17	2	<1	2370	30.7	8.4	270	6.2
242776		1.44	<0.05	<5	0.01	0.01	0.02	<0.01	<0.01	<2	<1	2000	28.4	5.4	310	6.7
242777		2.18	<0.05	<5	0.01	0.02	0.05	<0.01	0.15	2	<1	1895	25.8	6.5	240	7.2
242778		2.14	<0.05	<5	0.01	0.02	0.03	<0.01	0.13	2	<1	1455	25.9	5.7	190	6.9
242779		1.94	<0.05	<5	0.01	0.01	0.02	0.01	0.06	<2	<1	950	21.7	3.9	270	5.3
242780		3.04	<0.05	<5	0.01	0.01	0.03	<0.01	0.12	3	<1	929	25.7	5.6	230	5.6
242781		2.04	<0.05	<5	0.01	<0.01	0.01	<0.01	0.04	2	<1	738	19.2	3.4	250	4.4
242782		2.06	<0.05	<5	0.01	0.01	0.12	<0.01	0.23	<2	<1	1095	29.9	7.2	190	6.9
242783		0.96	<0.05	<5	0.01	0.02	1.08	<0.01	2.23	<2	<1	1030	32.6	3.8	160	6.4
242784		2.56	<0.05	<5	0.01	0.02	0.11	<0.01	0.21	<2	<1	1235	33.8	8.3	220	7.7
242785		0.50	<0.05	<5	<0.01	0.01	<0.01	<0.01	0.02	<2	<1	327	76.7	4.9	20	3.7
242786		1.94	<0.05	<5	0.01	0.01	0.23	<0.01	0.29	<2	<1	1295	45.8	6.2	190	9.6
242787		1.90	<0.05	<5	0.01	<0.01	0.02	<0.01	0.04	<2	<1	1095	29.9	4.9	200	9.2
242788		1.94	<0.05	<5	0.01	<0.01	0.05	<0.01	0.05	<2	<1	1250	30.4	7.7	170	11.0
242789		2.98	<0.05	<5	0.01	0.02	0.15	<0.01	0.22	<2	1	1240	34.6	10.3	220	12.2
242790		1.98	<0.05	<5	0.01	0.05	0.15	<0.01	0.23	<2	<1	980	29.3	8.2	200	10.6

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	5	0.1	0.1	0.1	1	0.1	1	0.1	0.5	0.1	2	1	0.5	5	5
242751		39	1.5	0.9	0.9	6	1.7	1	0.2	7.7	0.1	32	4	7.2	18	<5
242752		85	2.2	1.3	0.6	9	2.5	1	0.4	11.8	0.2	2	5	12.0	33	8
242753		61	2.7	1.7	0.7	12	3.0	2	0.6	15.4	0.3	2	7	15.2	36	6
242754		39	2.9	1.8	0.6	11	2.9	2	0.6	15.2	0.3	4	7	14.4	28	6
242755		59	2.9	1.8	0.6	12	3.1	2	0.6	16.6	0.2	5	7	16.2	36	13
242756		42	3.0	1.8	0.7	12	3.1	2	0.6	15.8	0.3	2	7	15.8	28	5
242757		65	3.0	2.0	0.6	12	3.0	2	0.6	16.0	0.3	2	7	15.4	42	7
242758		58	2.7	1.6	0.6	11	2.8	2	0.5	14.3	0.2	5	6	13.8	39	18
242759		49	2.8	1.7	0.6	11	3.0	2	0.6	15.2	0.3	2	7	15.2	25	12
242760		24	2.2	1.4	0.5	10	2.3	2	0.4	13.0	0.2	2	6	12.6	15	6
242761		10	2.0	1.4	1.1	4	2.1	1	0.4	8.0	0.3	2	3	7.1	10	5
242762		55	2.6	1.7	0.9	12	3.2	3	0.5	17.0	0.3	2	8	15.6	22	19
242763		62	2.4	1.5	1.0	9	3.0	3	0.5	15.6	0.2	9	7	14.8	27	36
242764		174	3.4	2.0	0.7	11	3.7	4	0.7	18.6	0.3	6	9	18.6	42	47
242765		71	2.2	1.3	0.6	8	2.6	2	0.4	13.4	0.2	44	5	13.8	102	255
242766		110	2.1	1.2	0.6	10	2.8	2	0.4	14.9	0.2	3	5	15.1	51	138
242767		63	2.7	1.6	0.8	9	3.5	2	0.5	16.8	0.2	6	6	17.4	62	172
242768		46	2.4	1.4	0.6	10	2.9	2	0.5	14.8	0.2	47	6	14.0	52	44
242769		43	1.1	0.7	0.9	6	1.4	1	0.2	6.9	0.1	<2	3	5.6	12	9
242770		<5	1.4	1.0	2.0	4	1.7	1	0.3	8.6	0.2	3	2	6.0	10	7
242771		40	2.6	1.5	1.5	9	3.2	2	0.5	17.2	0.3	4	6	16.1	17	15
242772		43	2.8	1.8	0.9	11	3.4	2	0.6	19.2	0.3	2	7	18.4	33	110
242773		52	2.2	1.3	0.7	8	2.5	1	0.5	12.5	0.2	3	4	12.3	58	123
242774		53	1.2	0.7	0.4	5	1.5	1	0.2	7.3	0.1	2	2	7.9	34	105
242775		54	3.6	2.0	0.8	8	3.8	2	0.8	14.0	0.3	2	5	15.4	52	182
242776		47	3.1	1.7	0.7	8	3.2	1	0.6	13.0	0.2	2	4	14.6	29	88
242777		57	2.3	1.4	0.7	9	2.5	2	0.5	11.8	0.2	2	5	11.8	48	129
242778		66	2.3	1.4	0.7	8	2.6	2	0.5	12.2	0.2	2	5	12.9	45	104
242779		63	1.6	1.0	0.4	7	1.8	1	0.3	10.2	0.1	2	4	10.4	29	75
242780		69	2.5	1.5	0.6	7	2.6	2	0.5	12.8	0.2	3	5	12.2	42	78
242781		51	1.4	0.8	0.4	6	1.8	1	0.3	9.5	0.1	2	3	9.3	26	22
242782		81	1.7	0.9	0.5	9	2.5	1	0.3	14.0	0.1	2	4	14.9	35	102
242783		45	2.2	1.2	0.7	8	2.9	2	0.4	15.2	0.2	<2	5	16.0	18	98
242784		112	2.5	1.5	0.8	10	3.2	2	0.5	17.5	0.2	2	6	16.6	31	156
242785		30	15.2	10.8	3.1	4	14.6	1	3.5	67.0	2.1	<2	2	47.9	12	48
242786		75	3.3	1.8	1.0	11	4.6	2	0.7	24.8	0.2	<2	5	27.4	24	64
242787		53	1.8	1.1	0.6	10	2.4	2	0.3	17.6	0.2	<2	5	15.5	22	33
242788		72	2.3	1.3	0.7	12	2.7	2	0.4	16.2	0.2	<2	6	16.0	25	36
242789		84	3.3	2.0	1.0	11	3.9	2	0.7	18.0	0.3	2	6	19.4	33	124
242790		122	3.6	2.2	0.9	10	3.8	2	0.7	15.7	0.3	2	6	17.0	43	346

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

TO: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	0.2	0.1	1	0.1	0.5	0.1	1	0.5	0.1	0.5	5	1	0.5	0.1
242751		1.8	39.6	1.7	1	470	<0.5	0.2	2	<0.5	0.1	0.5	95	4	7.9	1.1
242752		3.0	95.8	2.5	2	70.7	<0.5	0.4	4	<0.5	0.2	0.7	90	3	11.6	1.4
242753		4.0	120.5	3.1	2	70.7	0.5	0.4	5	<0.5	0.2	1.1	122	3	15.2	1.9
242754		3.8	81.1	2.9	2	242	0.5	0.4	5	<0.5	0.2	1.1	112	5	15.8	2.0
242755		4.2	98.8	3.2	2	212	0.5	0.4	5	<0.5	0.2	1.2	134	3	16.4	1.9
242756		4.1	120.0	3.2	2	77.8	0.5	0.4	6	<0.5	0.2	1.0	126	4	15.8	2.0
242757		4.0	119.5	3.1	2	93.7	0.5	0.4	5	<0.5	0.3	1.2	122	3	17.6	2.2
242758		3.5	103.5	2.8	2	104.5	<0.5	0.4	5	<0.5	0.2	1.0	118	3	14.5	1.7
242759		3.9	100.5	3.1	2	95.9	0.5	0.4	5	<0.5	0.2	1.0	114	3	15.4	1.9
242760		3.2	93.7	2.6	2	287	<0.5	0.3	4	<0.5	0.2	0.8	106	3	12.4	1.6
242761		1.8	15.8	1.9	1	1210	<0.5	0.3	2	<0.5	0.2	0.6	68	5	13.4	1.7
242762		4.1	133.5	3.0	2	442	0.6	0.4	6	0.6	0.2	1.4	130	4	13.9	1.9
242763		3.9	73.7	3.2	2	471	0.6	0.4	5	1.1	0.2	1.8	112	3	13.1	1.7
242764		4.9	82.6	3.5	2	90.3	0.6	0.5	6	1.1	0.3	2.2	139	3	17.2	2.2
242765		3.5	69.3	2.9	2	88.5	<0.5	0.3	4	4.4	0.2	1.7	117	2	9.7	1.4
242766		3.9	89.8	3.1	2	114.5	<0.5	0.4	5	2.1	0.2	1.7	154	2	10.0	1.3
242767		4.4	71.2	3.7	2	111.5	0.5	0.4	5	2.1	0.2	1.8	140	3	12.8	1.6
242768		3.7	89.2	2.7	2	53.8	<0.5	0.4	4	0.9	0.2	1.6	158	3	12.0	1.4
242769		1.5	27.1	1.3	1	853	<0.5	0.2	2	<0.5	0.1	0.5	75	3	5.8	0.9
242770		1.4	20.5	1.4	1	2160	<0.5	0.2	2	<0.5	0.2	0.6	69	2	9.9	1.2
242771		4.2	73.9	3.3	2	769	0.5	0.4	5	0.7	0.2	1.6	106	3	15.0	1.7
242772		4.9	95.5	3.8	2	127.5	0.5	0.5	6	1.8	0.3	1.8	142	2	15.4	1.9
242773		3.3	70.1	2.6	1	23.1	<0.5	0.4	4	1.4	0.2	1.3	132	2	11.0	1.3
242774		2.0	33.1	1.7	1	6.8	<0.5	0.2	2	0.5	0.1	0.6	95	5	5.3	0.7
242775		4.0	65.9	3.5	1	23.8	<0.5	0.6	4	1.5	0.3	1.0	152	2	17.4	1.8
242776		3.7	67.8	3.2	1	21.8	<0.5	0.5	3	1.1	0.2	0.9	142	2	15.5	1.7
242777		3.1	74.1	2.5	1	17.8	<0.5	0.4	4	1.4	0.2	1.0	162	2	11.6	1.4
242778		3.4	71.0	2.5	1	14.7	<0.5	0.4	4	1.5	0.2	0.9	158	2	11.8	1.4
242779		2.7	51.9	2.2	1	9.3	<0.5	0.3	3	1.0	0.1	0.8	123	2	7.9	1.0
242780		3.3	56.8	2.6	1	20.0	<0.5	0.4	5	1.0	0.2	1.1	140	2	13.2	1.4
242781		2.5	43.4	1.9	1	7.9	<0.5	0.2	3	0.6	0.1	0.7	107	2	6.7	0.8
242782		3.9	66.6	2.8	1	9.2	<0.5	0.3	4	1.2	0.1	0.9	136	2	8.1	0.9
242783		4.2	60.4	3.1	1	7.4	<0.5	0.4	5	0.9	0.2	1.2	93	2	9.9	1.1
242784		4.4	71.5	3.4	1	19.8	<0.5	0.5	6	1.0	0.2	1.3	152	2	12.2	1.5
242785		11.6	25.5	10.8	1	274	<0.5	2.4	2	<0.5	1.7	1.2	69	1	112.0	11.4
242786		7.0	88.6	5.2	2	15.4	<0.5	0.7	6	0.9	0.2	1.1	182	2	17.8	1.6
242787		4.3	79.3	2.6	1	10.8	<0.5	0.3	4	0.7	0.1	1.0	159	3	9.7	1.1
242788		4.3	90.2	3.1	1	9.1	<0.5	0.4	5	1.5	0.2	1.4	174	2	14.4	1.3
242789		5.0	101.5	4.1	1	29.5	<0.5	0.5	5	1.3	0.3	1.5	179	4	19.4	1.8
242790		4.4	85.2	3.7	1	39.0	<0.5	0.6	5	0.9	0.3	1.3	212	2	21.2	2.0

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 0.5
242751		94	45.9
242752		54	48.1
242753		87	70.0
242754		261	70.1
242755		260	73.3
242756		59	75.5
242757		90	68.1
242758		61	62.6
242759		1280	73.5
242760		75	62.2
242761		48	43.2
242762		52	100.5
242763		883	107.0
242764		2290	150.5
242765		3850	71.2
242766		1630	69.6
242767		3240	81.3
242768		456	57.2
242769		45	41.5
242770		69	36.7
242771		37	84.1
242772		789	96.7
242773		683	50.2
242774		622	32.6
242775		676	58.9
242776		142	51.1
242777		496	60.7
242778		258	60.6
242779		190	51.7
242780		280	59.7
242781		61	46.1
242782		1065	56.9
242783		8360	66.8
242784		966	70.7
242785		45	35.2
242786		1920	64.6
242787		193	60.2
242788		428	63.0
242789		1300	76.6
242790		1315	69.0

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-GRA21 Au ppm 0.05	Ag-GRA21 Ag ppm 5	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	As-AA46 As % 0.01	Hg-CV41 Hg ppm 0.01	ME-XRF05 Se ppm 2	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.1
242791		0.92	<0.05	5	0.01	0.01	0.02	<0.01	0.03	<2	<1	1385	32.0	8.5	160	13.4
242792		0.36	<0.05	<5	0.01	0.02	0.02	<0.01	0.03	<2	<1	578	43.1	10.6	210	5.0
242793		1.98	<0.05	<5	0.01	0.01	0.14	<0.01	0.19	<2	<1	1205	27.5	9.2	140	11.4
242794		2.40	<0.05	<5	0.01	0.02	0.11	<0.01	0.17	<2	<1	1100	25.2	7.6	170	10.7
242795		1.06	<0.05	<5	0.01	0.06	0.91	<0.01	1.76	<2	<1	1175	24.8	8.7	200	9.8
242796		1.96	<0.05	5	<0.01	0.34	1.69	<0.01	4.60	<2	1	1525	73.4	4.9	160	13.4
242797		2.86	0.07	<5	0.01	0.07	0.62	<0.01	1.98	<2	<1	1200	36.0	9.6	170	9.4
242798		1.66	<0.05	<5	0.01	0.13	0.47	<0.01	1.47	<2	<1	1680	40.8	16.4	200	9.5
242799		1.94	<0.05	<5	0.02	0.04	0.77	<0.01	3.14	<2	<1	1935	46.4	32.8	200	10.3
242800		1.12	0.24	<5	0.02	0.81	0.44	<0.01	0.53	<2	3	2160	55.9	21.5	200	12.6
242801		1.16	<0.05	<5	0.01	0.07	0.23	<0.01	0.48	<2	<1	1650	37.1	13.2	250	9.6
242802		2.12	<0.05	<5	0.01	0.08	0.53	<0.01	2.17	<2	1	1995	52.2	12.6	180	12.0
242803		2.46	<0.05	<5	<0.01	0.01	0.48	<0.01	2.38	2	<1	1025	28.8	6.2	250	5.2
242804		0.62	<0.05	<5	0.01	0.02	0.17	<0.01	0.78	<2	1	1020	67.9	9.4	350	4.7
242805		2.30	<0.05	<5	0.01	0.01	0.44	<0.01	1.83	<2	<1	1600	39.0	11.4	200	7.4
242806		0.60	<0.05	<5	<0.01	0.02	0.26	<0.01	0.72	<2	<1	1285	38.6	7.2	240	5.6
242807		2.14	<0.05	<5	0.01	0.02	0.54	<0.01	1.42	5	<1	2410	74.2	25.2	200	10.7
242808		0.94	<0.05	<5	<0.01	0.01	0.01	0.01	0.06	<2	<1	3380	32.9	36.7	450	10.3
242809		1.92	0.13	<5	0.01	0.06	0.99	<0.01	2.15	8	1	2140	46.2	42.8	200	8.2
242810		2.26	<0.05	<5	0.01	<0.01	0.01	<0.01	0.03	<2	<1	2510	74.6	33.0	80	8.3
242811		2.90	<0.05	<5	<0.01	<0.01	0.01	<0.01	0.03	<2	<1	4340	79.9	29.5	110	9.0
242812		1.46	<0.05	<5	0.01	0.04	0.68	<0.01	1.24	5	1	4880	97.7	22.6	170	10.5
242813		1.50	<0.05	<5	0.01	0.03	0.69	<0.01	1.47	4	1	5050	84.5	25.8	120	11.2

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	5	0.1	0.1	0.1	1	0.1	1	0.1	0.5	0.1	2	1	0.5	5	5
242791		66	2.8	1.8	0.8	13	3.2	2	0.6	15.6	0.3	<2	7	16.5	30	51
242792		76	7.1	4.8	1.9	6	6.6	1	1.6	25.3	0.7	2	3	25.7	28	117
242793		89	1.9	1.4	0.6	11	2.5	2	0.5	15.4	0.3	<2	7	14.0	30	63
242794		61	2.0	1.3	0.6	10	2.4	2	0.4	13.4	0.2	<2	6	13.6	38	129
242795		72	2.6	1.6	0.6	11	2.9	2	0.6	12.2	0.2	2	6	13.2	55	430
242796		42	6.7	4.4	1.0	17	6.5	8	1.5	34.4	0.7	6	38	31.8	36	2100
242797		74	3.2	2.0	0.8	10	3.6	2	0.6	19.0	0.3	3	8	18.5	43	506
242798		108	3.5	1.8	1.0	11	4.4	2	0.6	21.2	0.2	2	7	20.8	52	929
242799		157	2.7	1.5	0.8	12	3.7	2	0.6	23.5	0.2	3	9	20.8	76	302
242800		125	2.9	1.9	0.9	15	3.7	3	0.6	27.3	0.3	<2	15	22.9	66	5510
242801		76	1.9	1.2	0.6	11	2.5	2	0.4	19.2	0.2	2	10	16.0	42	458
242802		59	3.0	1.9	0.9	14	3.8	3	0.6	27.0	0.3	<2	12	22.8	40	647
242803		32	1.6	0.9	0.5	7	2.1	1	0.3	19.2	0.1	2	7	13.2	33	83
242804		62	9.3	4.9	1.7	7	9.5	2	2.0	43.3	0.5	2	16	41.0	42	138
242805		52	1.9	1.2	0.6	10	2.4	2	0.4	25.8	0.2	2	10	17.0	47	61
242806		28	6.2	4.5	1.3	10	4.8	8	1.4	21.1	0.7	4	28	18.8	29	88
242807		94	6.0	4.3	1.6	17	6.9	8	1.5	40.7	0.7	14	28	37.1	95	90
242808		24	2.6	1.4	1.2	14	3.4	3	0.5	17.3	0.2	2	24	17.0	142	37
242809		77	3.2	1.9	1.3	13	4.6	3	0.7	28.3	0.2	14	27	24.8	99	399
242810		51	4.7	2.4	2.4	20	6.3	7	0.8	40.5	0.2	4	62	36.0	48	18
242811		26	5.3	2.6	2.6	20	7.0	6	0.9	42.0	0.3	3	60	35.7	43	16
242812		90	6.0	3.9	1.9	21	8.0	9	1.3	52.7	0.6	10	45	46.3	61	174
242813		86	5.8	3.3	2.3	22	7.9	7	1.2	47.0	0.4	5	54	41.7	48	149

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO

CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	0.2	0.1	1	0.1	0.5	0.1	1	0.5	0.1	0.5	5	1	0.5	0.1
242791		4.2	120.0	3.4	2	17.6	0.5	0.5	6	1.2	0.3	1.5	200	3	18.4	1.7
242792		6.2	46.1	5.6	1	789	<0.5	1.1	3	<0.5	0.7	1.1	95	2	54.2	4.5
242793		3.6	103.5	2.6	2	45.3	0.5	0.4	5	0.8	0.2	1.3	184	4	13.0	1.5
242794		3.6	93.8	2.8	1	13.0	<0.5	0.3	4	0.9	0.2	1.1	184	2	12.2	1.3
242795		3.4	93.2	2.8	2	22.9	<0.5	0.5	5	0.9	0.2	1.3	224	2	16.6	1.5
242796		8.9	125.0	6.4	5	14.4	3.1	1.2	19	2.1	0.7	7.3	131	2	42.1	4.7
242797		4.9	85.9	3.7	2	119.5	0.6	0.5	6	0.9	0.3	2.1	160	3	18.6	1.9
242798		5.5	87.8	4.4	2	42.1	0.5	0.6	5	0.9	0.2	1.6	210	4	17.3	1.7
242799		5.7	101.5	3.7	2	27.1	0.6	0.5	6	1.2	0.2	3.0	198	4	15.9	1.5
242800		6.3	118.0	4.1	2	27.8	0.9	0.5	9	1.4	0.3	2.3	184	3	16.8	2.0
242801		4.6	92.5	2.9	2	21.4	0.6	0.3	6	0.7	0.2	1.6	167	3	10.7	1.3
242802		6.2	113.0	4.2	2	31.0	0.8	0.5	7	1.2	0.3	1.7	182	4	16.4	2.0
242803		3.7	52.6	2.3	1	18.6	0.5	0.3	4	0.8	0.1	1.7	145	2	9.3	0.9
242804		9.9	50.6	9.2	1	45.9	0.9	1.6	5	0.5	0.7	3.5	118	4	57.2	3.7
242805		5.0	75.2	2.6	1	26.0	0.6	0.3	6	1.3	0.2	2.1	205	3	11.0	1.3
242806		5.2	56.3	4.2	2	129.5	2.3	0.9	7	0.8	0.7	3.5	141	2	42.3	4.6
242807		10.2	109.5	6.9	4	233	2.0	1.1	11	1.4	0.7	4.8	285	2	42.8	4.5
242808		4.2	92.9	3.5	2	432	1.6	0.5	2	1.3	0.2	0.9	213	3	15.8	1.1
242809		6.6	75.3	4.3	2	508	1.9	0.6	4	0.8	0.3	4.8	386	4	20.6	1.7
242810		9.5	74.6	7.2	2	539	4.3	0.8	5	0.8	0.3	2.0	285	2	23.6	1.8
242811		9.4	86.8	7.6	2	567	4.1	1.0	6	0.8	0.3	2.1	287	5	25.8	2.1
242812		12.4	105.0	8.6	4	261	3.4	1.1	13	1.3	0.6	5.0	325	5	35.2	3.8
242813		10.8	111.0	8.3	5	531	3.8	1.1	7	1.0	0.4	3.7	345	13	34.7	2.8

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

: YUKON ZINC CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JAN-2005
Account: MPO


CERTIFICATE OF ANALYSIS VA04091517

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 0.5
242791		201	82.5
242792		202	36.0
242793		1235	75.5
242794		989	67.7
242795		7960	68.0
242796		>10000	243
242797		5340	80.7
242798		3870	71.3
242799		6610	86.2
242800		3900	126.5
242801		1990	78.5
242802		4470	98.3
242803		3870	49.5
242804		1485	67.2
242805		3690	84.2
242806		2230	303
242807		4760	341
242808		175	121.5
242809		9240	147.0
242810		155	298
242811		130	262
242812		5610	373
242813		5880	294

Comments: Some samples may be not be suitable for ME-MS81 due to highly mineralized zinc concentrations.


18600 mE
18700 mE
18800 mE
18900 mE
19000 mE
19100 mE

1700 mN
1600 mN
1500 mN
1400 mN
1300 mN
1200 mN
1100 mN
1000 mN
900 mN


DHCS
RHFR
RHTT
RHFR
ADTT
RHFR
ADTT
RHFR
ADTT
RHFR
RHTT
RHFR
STFB
RHFR
ARGR
RHFR
RHFS
RHFS
STGB
RHFR
RHTT
RHFR
RHFS
RHFR
RHFS
RHAR
RHFR
RHFS
EXCP
EXSP
EXCP
EXSP
EXCP
EXSP
EXCP
RHFR
ARTF
RHFS
EXMT
RHFR
EXSP
EXMT
RHFR
EXSP
EXMT
EXSP
EXMT
RHFR
ARSI
EXMT
RHFS
EXSP
EXMT
EXMT
EXSP
EXMT
EXSP
EXMT
EXSP

18600 mE | 18700 mE | 18800 mE | 18900 mE | 19000 mE | 19100 mE

1700 mN | 1600 mN | 1500 mN | 1400 mN | 1300 mN | 1200 mN | 1100 mN | 1000 mN | 900 mN



Legend

RHFS	EXCP	ADMS
RHMS	EXSP	ADTT
RHFR	EXMT	ADFF
RHAT	EXMP	ADTF
RHTT	SSMS	ARMS
RHFF	PYMS	ARCB
RHAL	SPMS	ARRT
RHST	CPMS	ARGR
RHCT	CSMS	ARSI
RHSR	PMMS	ARTF
RHCL	PYSM	ARQE
RPAT	CPSM	RHAR
RPQL	CSSM	ARRH
RPTF	PMSM	ARGT
FDPH	QTVN	EFL
QFPH	CAVN	GG

HoleID | R_TYPE Text | EOH

094553

Yukon Zinc Yukon Zinc Corporation

Date:06/02/2005
Author: Dessureau
Office: Vancouver
Drawing: L_10200E
Scale: 1:1250
Projection: Non-Earth (meters)

Fisher Zone Section L_10200E

20 40 80
metres

18600 mE
18700 mE
18800 mE
18900 mE
19000 mE
19100 mE

1700 mN
1600 mN
1500 mN
1400 mN
1300 mN
1200 mN
1100 mN
1000 mN
900 mN

WWW-03
DHCS
RHAL
RHTT
RHAT
RHAL
RHTT
ARTF
ARGT
ARTF
RHAL
RHAT
RHAL
RHAT
RHAT
RHAT
RHST
EXMT
EXCM
EXMT
EXCP
ARSI
RHST
EXMT
RHAR
EXCP
RHAR
EXCP
ARSI
EXCP
RHFS
EXMT
EXMT
RHFS
RHCL
RHFS
RHAR
EXMT
RHFS
EXCP
RHFS
EXCP
RHFS
RHCL
EXCP
ARMS
RHAR
EXCP
RHBR
EXCP
RHBR
RHAR
ARGT
RHBR
RHAR
ARGT
ARGT
ARGT
RHAR
RHBR
ARSI
ARMS
ARMS
ARDG
ARDG
ARDG
ARDG
ARMS
WWW-103
WWW-103A
DHCS
RHFR
RHAR
RHFS
ARSI
RHFS
RHFS
EXSP
EXCP
EXMT
EXCP
EXSP
EXSP
RHTT
RHFS
RHFS
RHFS
ARSI
RHFS
EXCP
EXCP
EXSP
EXSP
ARTF
ARTF
ARTF
RHFS
ARSI
RHBR
RHFS
ARSI
RHBR
ARSI
RHFS
EXMT
EXMT
EXMT
ARSI
RHFS
EXCP
ARSI
EXCP
RHFS
RHFS
ARSI
RHFS
ADTT
ARGT
RHFF
ARGT
RHFR
RHFS
ARSI
RHFS
RHFR
RPTF
ARSI
STGG
RHFR
ARSI

Legend

HoleID
B_TYPE
Txt
EOH

RHFS
RHMS
RHFR
RHAT
RHTT
RHFF
RHAL
RHST
RHCT
RHSR
RHCL
RPAT
RPQL
RPTF
FDPH
QFPH

EXCP
EXSP
EXMT
EXMP
SSMS
PYMS
SPMS
CPMS
CSMS
PMMS
PYSM
CPSM
CSSM
PMSM
QTVN
CAVN

ADMS
ADTT
ADFF
ADTF
ARMS
ARCB
ARRT
ARGR
ARSI
ARTF
ARQE
RHAR
ARRH
ARGT
RPTF
STGG

Yukon Zinc Yukon Zinc Corporation

Date: 08/02/2005
Author: Dessureau
Office: Vancouver
Drawing: L_10000E
Scale: 1:1250
Projection: Non-Earth (meters)

Fisher Zone
Section L_10000E

20 40 80
metres

094553

18600 mE
18700 mE
18800 mE
18900 mE
19000 mE
19100 mE

1700 mN
1600 mN
1500 mN
1400 mN
1300 mN
1200 mN
1100 mN
1000 mN
900 mN

DHCS
RHFR
RHFS
RHAT
RHTT
ARSI
EXSP
EXMT
RHLT
ARCB
SAND

Legend

RHFS
RHMS
RHFR
RHAT
RHTT
RHFF
RHAL
RHST
RHCT
RHSR
RHCL
RPAT
RPQL
RPTF
FDPH
QFPH

EXCP
EXSP
EXMT
EXMP
SSMS
PYMS
SPMS
CPMS
CSMS
PMMS
PYSM
CPSM
CSSM
PMSM
QTVN
CAVN

ADMS
ADTT
ADFF
ADTF
ARMS
ARCB
ARRT
ARGR
ARSI
ARTF
ARQE
RHAR
ARRH
ARGT
STFL
STGG

HoleID
R_TYPE
Text
ECH

094553

Yukon Zinc CORPORATION Yukon Zinc Corporation

Date:06/02/2005
Author: Dessureau
Office: Vancouver
Drawing: L_9800E
Scale: 1:1250
Projection: Non-Earth (meters)

Fisher Zone
Section L_9800E

0 20 40 80
metres

18600 mE
18700 mE
18800 mE
18900 mE
19000 mE
19100 mE

1700 mN
1600 mN
1500 mN
1400 mN
1300 mN
1200 mN
1100 mN
1000 mN
900 mN



Legend

HoleID

IE_TYPE
Text

EOH

RHFS	EXCP	ADMS
RHMS	EXSP	ADTT
RHFR	EXMT	ADFF
RHAT	EXMP	ADTF
RHTT	SSMS	ARMS
RHFF	PYMS	ARCB
RHAL	SPMS	ARRT
RHST	CPMS	ARGR
RHCT	CSMS	ARSI
RHSR	PMMS	ARTF
RHCL	PYSM	ARQE
RPAT	CPSM	RHAR
RPQL	CSSM	ARRH
RPTF	PMSM	ARGT
FDPH	QTVN	RTFL
QFPH	CAVN	RTGG

094553

Yukon Zinc Yukon Zinc Corporation

Date:06/02/2005
Author: Dessureau
Office: Vancouver
Drawing: L_9600E
Scale: 1:1250

Fisher Zone
Section L_9600E

Projection: Non-Earth (meters)

0 20 40 80
metres

18600 mE
18700 mE
18800 mE
18900 mE
19000 mE
19100 mE

1700 mN
1600 mN
1500 mN
1400 mN
1300 mN
1200 mN
1100 mN
1000 mN
900 mN

WV97-96
WV04-130

Legend

HoleID
R_TYPE
Text
EOH

RHFS
RHMS
RHFR
RHAT
RHTT
RHFF
RHAL
RHST
RHCT
RHSR
RHCL
RPAT
RPQL
RPTF
FDPH
QFPH

EXCP
EXSP
EXMT
EXMP
SSMS
PYMS
SPMS
CPMS
CSMS
PMMS
PYSM
CPSM
CSSM
PMSM
QTVN
CAVN

ADMS
ADTT
ADFF
ADTF
ARMS
ARCB
ARRT
ARGR
ARSI
ARTF
ARQE
RHAR
ARRH
ARGT
RHFL
RHDG

094553

Yukon Zinc CORPORATION Yukon Zinc Corporation

Date: 06/02/2005
Author: Dessureau
Office: Vancouver
Drawing: L_9800E
Scale: 1:1250
Projection: Non-Earth (meters)

Fisher Zone
Section L_9400E

0 20 40 80
metres

18600 mE
18700 mE
18800 mE
18900 mE
19000 mE
19100 mE

1700 mN
1600 mN
1500 mN
1400 mN
1300 mN
1200 mN
1100 mN
1000 mN
900 mN

WV95-07

DHCS
RHFR
RHFS
EXMT
EXCP
ARRT
RHAL
RHAT
RPTF
RPFL
RPAT
RHXL
ARGR
ARCB

Legend

RHFS RHMS RHFR RHAT RHTT RHFF RHAL RHST RHCT RHSR RHCL RPAT RPQL RPTF FDPH QFPH

EXCP EXSP EXMT EXMP SSMS PYMS SPMS CPMS CSMS PMMS PYSM CPSM CSSM PMSM QTVN CAVN

ADMS ADTT ADFF ADTF ARMS ARCB ARRT ARGR ARSI ARTF ARQE RHAR ARRH ARGT

HoleID
R_TYPE
Text
EOH

094553

Yukon Zinc CORPORATION Yukon Zinc Corporation

Date:06/02/2005
Author: Dessureau
Office: Vancouver
Drawing: L_9000E
Scale: 1:1250
Projection: Non-Earth (meters)

Fisher Zone
Section L_9000E

0 20 40 80
metres

18600 mE
18700 mE
18800 mE
18900 mE
19000 mE
19100 mE

1700 mN
1600 mN
1500 mN
1400 mN
1300 mN
1200 mN
1100 mN
1000 mN
900 mN

WV96-41
DHCS
RHFR
ARSI
RHAR
RHAT
ARRT
RHST
STGG
ARMS
ARGT
ARGR
FDPH
RHQL

WV96-51
DHCS
RHFR
LMST
ARRT
ARGT
ADTE
ADTF
EXSP
EXCP
RHST
ARSI
RHTF
RHFS
CAVN
RHAL
EXCA
ARGR
ARMS
RHSR
ARXT
RHAR
FDPH

Legend

RHFS, RHMS, RHFR, RHAT, RHTT, RHFF, RHAL, RHST, RHCT, RHSR, RHCL, RPAT, RPQL, RPTF, FDPH, QFPH

EXCP, EXSP, EXMT, EXMP, SSMS, PYMS, SPMS, CPMS, CSMS, PMMS, PYSM, CPSM, CSSM, PMSM, QTVN, CAVN

ADMS, ADTT, ADFF, ADTF, ARMS, ARCB, ARRT, ARGR, ARSI, ARTF, ARQE, RHAR, ARRH, ARGT, RHTF, STGG

HoleID
K_TYPE Text
EOH

094553

Yukon Zinc — Yukon Zinc Corporation

Date: 06/02/2005
Author: Dessureau
Office: Vancouver
Drawing: L_8800E
Scale: 1:1250
Projection: Non-Earth (meters)

Fisher Zone Section L_8800E

0 20 40 80
metres

18600 mE
18700 mE
18800 mE
18900 mE
19000 mE
19100 mE

1700 mN
1600 mN
1500 mN
1400 mN
1300 mN
1200 mN
1100 mN
1000 mN
900 mN

WY06-45

DHCS
ARTF
RHFS
STBX
RHAL
RHAT
ARTF
RHAL
RHFR
ADTF
RHFR
RHAT
RHFR
RHAT
RHFR
RHAT
RHAL
RHAT
RHAL
RHST
RHAT
RHAR
RHST
RHAR
RHFS
ARSI
RHAT
ARSI
RHAT
RHAR
RHAT
ARSI
RHAT
ARSI
RHAR
ARSI
ADFF
ARMS
RHSR
ARMS

Legend

RHFS	EXCP	ADMS
RHMS	EXSP	ADTT
RHFR	EXMT	ADFF
RHAT	EXMP	ADTF
RHTT	SSMS	ARMS
RHFF	PYMS	ARCB
RHAL	SPMS	ARRT
RHST	CPMS	ARGR
RHCT	CSMS	ARSI
RHSR	PMMS	ARTF
RHCL	PYSM	ARQE
RPAT	CPSM	RHAR
RPQL	CSSM	ARRH
RPTF	PMSM	ARGT
FDPH	QTVN	ARFL
QFPH	CAVN	ARGG

HoleID
R_TYPE
Text
EOH

094553

Yukon Zinc Yukon Zinc Corporation

Date:08/02/2005
Author: Dessureau
Office: Vancouver
Drawing: L_8600E
Scale: 1:1250
Projection: Non-Earth (meters)

Fisher Zone
Section L_8600E

0 20 40 80
metres

18600 mE
18700 mE
18800 mE
18900 mE
19000 mE
19100 mE

1700 mN
1600 mN
1500 mN
1400 mN
1300 mN
1200 mN
1100 mN
1000 mN
900 mN

WV96-42
DHCS
RHAT
ADTT
RHAL
ARGT
RHAT
RHAL
ADTF
RHFR
ARRT
RHAT
RHAR
STGG
RHAT
ARRH
RHAT
RHAR
RHAT
RHAR
RHFS
RHAR
RHAT
RHAR
RHAT
ARSI
ARGT
ADTF
RHFR
RHST
ARGT
RHST
STGG
FDPH

Legend

HoleID
R_TYPE
Text
EOH

RHFS	EXCP	ADMS
RHMS	EXSP	ADTT
RHFR	EXMT	ADFF
RHAT	EXMP	ADTF
RHTT	SSMS	ARMS
RHFF	PYMS	ARCB
RHAL	SPMS	ARRT
RHST	CPMS	ARGR
RHCT	CSMS	ARSI
RHSR	PMMS	ARTF
RHCL	PYSM	ARQE
RPAT	CPSM	RHAR
RPQL	CSSM	ARRH
RPTF	PMSM	ARGT
FDPH	QTVN	STGG
QFPH	CAVN	FDPH

Yukon Zinc Yukon Zinc Corporation

Date:06/02/2005
Author: Dessureau
Office: Vancouver
Drawing: L_8400E
Scale: 1:1250
Projection: Non-Earth (meters)

Fisher Zone
Section L_8400E

0 20 40 80
metres

094553

18600 mE
18700 mE
18800 mE
18900 mE
19000 mE
19100 mE

1700 mN
1600 mN
1500 mN
1400 mN
1300 mN
1200 mN
1100 mN
1000 mN
900 mN

WV95-06

DHCS
RHFR
RHFR
RHFR
RHFR
ARRT
RHFR
ARRT
RHFR
ARGR
STQG
ARGR
ARCB
SSMS
ARCB
RHAL
ARTF

WV96-37

DHCS
RHFR
MFDK
RHFR
STBX
RHFR
STBX
RHFR
ARSI
RHFR
ARSI
RHFR
ARSI
RHFS
ARSI
ADTT
ARSI
RHFS
ARSI
RHFR
ARSI
RHFR
ARSI
FDPH
ARSI
STBX
ARSI
RHFF
ARGR

Legend

EXCP
EXSP
EXMT
EXMP
SSMS
PYMS
SPMS
CPMS
CSMS
PMMS
PYSM
CPSM
CSSM
PMSM
QTVN
CAVN

094553

Yukon Zinc CORPORATION Yukon Zinc Corporation

Date:08/02/2005
Author: Dessureau
Office: Vancouver
Drawing: L_8200E
Scale: 1:1250
Projection: Non-Earth (meters)

Fisher Zone
Section L_8200E

0 20 40 80
metres

18600 mE
18700 mE
18800 mE
18900 mE
19000 mE
19100 mE

1700 mN
1600 mN
1500 mN
1400 mN
1300 mN
1200 mN
1100 mN
1000 mN
900 mN

WV95-15
WV96-38

DHCS
RHFR
RHCT
RHFR
RHFR
RHFR
RHFR
ARRT
RHFR
ARRT
RHFR
ARGR
RHFR
ARSI
RHFS
ARSI
RHFS
ARRT
RHFS
SSMS
ARGR

DHCS
RHFR
RHCT
RHFR
STGG
RHFR
QTVN
STBX
RHTT
STBX
STGG
STBX
STGG
RHFS
STGG
ARGR
ARGT
RHFS
ARSI
RHFS
ARSI
ARGR
ARTF
ARGR
ARTF
ARGR
ARSI
ARTF
IRMS

Legend

HoleID
R_TYPE Text
EOH

RHFS
RHMS
RHFR
RHAT
RHTT
RHFF
RHAL
RHST
RHCT
RHSR
RHCL
RPAT
RPQL
RPTF
FDPH
QFPH

EXCP
EXSP
EXMT
EXMP
SSMS
PYMS
SPMS
CPMS
CSMS
PMMS
PYSM
CPSM
CSSM
PMSM
QTVN
CAVN

ADMS
ADTT
ADFF
ADTF
ARMS
ARCB
ARRT
ARGR
ARSI
ARTF
ARQE
RHAR
ARRH
ARGT
RHFL
STGG

094553

Yukon Zinc CORPORATION
Yukon Zinc Corporation

Date:08/02/2005
Author: Dessureau
Office: Vancouver
Drawing: L_8000E
Scale: 1:1250
Projection: Non-Earth (meters)

Fisher Zone Section L_8000E

0 20 40 80
metres

Fisher Zone

Wolverine Deposit

CAMP

AIRSTRIP

Alaska

Yukon Territory

N.W.T

B.C.

Map Location

Whitehorse

Yukon Zinc Corporation

	Fisher Zone Claims 2004 Assessment Report NTS Map Sheet: 105G/08 Wolverine Lake
Date:1/8/2005	
Author: GRD	
Office: Vancouver	
Drawing: Figure 2.	
Scale: 1:25000	Projection: UTM Zone 9 (NAD 27 for Canada)

0 500 1000 metres

094553

Finlayson Region Quartz Mineral Claims

