GEOLOGICAL MAPPING, ROCK AND SOIL GEOCHEMISTRY, TRENCHING AND BULK SAMPLING ON THE LONE STAR (KLONDIKE) PROPERTY

Klondike Star Mineral Corp.

Klondike Gold Corp.

094689
C. 2

By:

T. Liverton, Ph.D., F.G.S., F.G.A.C.

W. Mann, M.Sc.


Claims:

Stam 1-53	YC27202 to YC27253	Oyro	YA32828
Ron 1-40	YA10300 to YA10339	ON 1-2	YC33726 to YC33727
Syndicate 32-83	YA79229 to YA79280	UELD 1-2	YB38768 to YB38769
Bad 1-16	YC17895 to YC19907	VI 1-4	YA55285 to YA55288
RJ 1-62	YA64216 to YA65618	VI 11,12,16,18	YA55295 to YA65525
Win 1--156	YC30697 to YC30852	VI 43-44	YA65550 to YA65551
Nug 1-10	YC28449 to YC28458	Cal 1-24	YC28493 to YC28516
DN-DH33	YA47088 to YA47605	GB 1-3	YC25503 to YC25505
CIM 2, 1, 4, 3	YA64519 to YA64522	BR 1-32	YC30853 to YC30884
Joe 1-10	Y65536 to Y99618	Hun 1-2	YC27270 to YC27271
Rado 55-58	YB17066 to YB17069	Hun 4, 6	YC27273 to YC27275
Rado 179-187	YB17186 to YB17193	Jac 1-30	YC27301 to YC27330
Rex 22-31	YA84204 to YA84213	Jac 31-47	YC25580 to YC25596
K 1-10	YA80506 to YA80515	Indy 1-69	YC28932 to YC29000
Cal 1-32	YC32864 to YC32890	Indy 70-121	YC25401 to YC25452
Chi 1-14	YC28459 to YC28472	Reka 1-6	YC28671 to YC28676
Cul 1-14	YC32830 to YC32843	Reka 7	YC28913
Cul 19-38	YC32844 to YC32863	Reka 9-32	YC28677 to YC28700
ND-ND32	YA47089 to YA49745	Reka 33-50	YC28801 to YC28818
DE 1-14	YA55250 to YA55263	Reka 51-60	YC28914 to YC28923
AC 7-10	YA64276 to YA64279	Reka 61-68	YC28819 to YC28826
AC 11	YA64281	Reka 69-76	YC34307 to YC34314
AC 14	YA65629	FB 1-74	YC25506 to YC25579
AC 16-26	YA65631 to YA65641	May 1-22	YC28517 to YC28538
LB 1-132	YC28539 to YC28670	May 25-32	YC28924 to YC28931
Red 1-20	YC28473 to YC28492	May 1-6	YC33720 to YC33725
Nugget 1-10	YA88228 to YA88237	Gre 1-32	YC27331 to YC27362

Claim owners: Klondike Gold Corp. and its predecessor Arbor Resources Inc.

Map sheets 116 B 03, 115 O 14, 115 O 15 and 115 O 10. Coordinates of the centre of the main claim block are: 63°53'N, 138°16'W.

Work performed between 28th. May and 26th. October 2004



Costs associated with this report have been approved in the amount of $ 210,100 for assessment credit under Certificate of Work No. 200521-524; 533-534; 537; 541; 551-552; 574-577; 579-582

Mining Recorder
Dawson City Mining District

CONTENTS

1.	INTRODUCTION	p.	6
2.	PROPERTY DESCRIPTION	p.	6
3.	ACCESSIBILITY, CLIMATE, INFRASTRUCTURE AND PHYSIOGRAPHY	p.	9
4.	HISTORY OF THE QUARTZ CLAIMS	p.	9
5.	GEOLOGICAL SETTING		
5.1	YUKON-TANANA TERRANE	p.	12
5.2	KLONDIKE REGIONAL GEOLOGY	p.	13
5.3	GOLD MINERALIZATION	p.	15
5.4	PLUTON-RELATED GOLD	p.	16
5.5	PREVIOUS EXPLORATION	p.	16
	THE LONE STAR (BOULDER LODE)	p.	17
	REGIONAL EXPLORATION AS WELL AS LONE STAR	p.	20
5.6	COMMENTS ON PRE-1993 WORK	p.	37
6	2004 EXPLORATION		
6.1	TECHNIQUES	p.	38
6.2	THE 2004 PROGRAMME	p.	39
6.3	TRENCHING, SAMPLING AND SURVEYS		
	NW EXTENSION OF THE LONE STAR	p.	40
	TRENCHING AT THE HILCHEY ZONE	p.	42
	TRENCHING AT THE NUGGET ZONE	p.	48
	TRENCHING AT 27 PUP	p.	54
	BUCKLAND SHEAR ZONE	p.	57
	MAPPING AT O'NEIL GULCH	p.	59
	LONE STAR SURVEY	p.	59
6.4	BULK SAMPLING	p.	61

6.5 PERIPHERAL CLAIMS

STAMPEDE GULCH PROSPECTING p. 65

MAP SHEET 116 B 03 - BR and JAC blocks p. 67

MAP SHEET 115 O 10 - FB CLAIMS p. 67

MAP SHEET 115 O 14:

CLAIMS SEPARATE FROM THE MAIN BLOCK

GRE 1-32 BLOCK p. 71

GB 1-3 BLOCK p. 71

HUN CLAIMS p. 71

MAY CLAIMS p. 75

REEF CLAIM p. 75

7 DISCUSSION

7.1 LONE STAR – NW EXTENSION p. 81

7.2 BUCKLAND ZONE p. 83

7.3 HILCHEY TO NUGGET ZONE p. 83

7.4 27 PUP p. 84

8 CONCLUSIONS AND RECOMMENDATIONS

8.1 LONE STAR p. 84

8.2 HILCHEY p. 85

8.3 NUGGET p. 85

8.4 27 PUP p. 86

8.5 GAY GULCH p. 86

8.6 PIONEER / 13 PUP (SE EXTENSION OF LONE STAR) p. 86

9 REFERENCES p. 87

10 STATEMENTS OF QUALIFICATION p. 92

11 APPENDIX 1: STATISTICAL ANALYSIS OF SOIL GEOCHEMISTRY p. 94

APPENDIX 2: CERTIFICATES OF ANALYSIS p. 95

APPENDIX 3: STATEMENT OF EXPENDITURE

FIGURES AND TABLES

Fig. 1	Location	p. 10
Fig. 2	Claim disposition	p. 11
Fig. 3	Regional geology	p. 14
Fig. 4	Mineralized zones in the claim block	p. 19
Fig. 5	Cross section of drill holes in the Buckland zone from Grunenberg (1987)	p. 22
Fig. 6	Map of 1987 rotary drill holes highlighting those of interest (from Grunenberg, 1987)	p. 23
Fig. 7	Location of 1989 grid, soil As and Pb anomalies (data from Grunenberg (1989)	p. 25
Fig. 8	Compilation of data from Grunenberg (1989): I.P and soil Au	p. 26
Fig. 9	Trenches of interest (from Grunenberg, 1989)	p. 27
Fig. 10	Lone Star drilling and trenches, 1989	p. 28
Fig. 11	Interpretation of the Boulder Lode horizon (Doyle, 1992)	p. 30
Fig. 12	1992 Lone Star drilling	p. 31
Fig. 13	Lone Star drill section through the Boulder opencut	p. 32
Fig. 14	Lone Star 200W drill section	p. 33
Fig. 15	Kennecott 1994 auger soil Au anomalies: Lone Star	p. 35
Fig. 16	Kennecott 1994 auger soil Au anomalies: 27 Pup / Gay Gulch	p. 36
Fig. 17	2004 work: trenches 04-09S & 04-11S at 1: 1000 scale	p. 41
Fig. 18	Trench 04-14 at 1: 200 scale. Geology	p. 43
Fig. 19	Trench 04-15 at 1: 200 scale. Geology	p. 44
Fig. 20	Trench 04-16 at 1: 200 scale. Geology	p. 45
Fig. 21	Trench 04-17 at 1: 200 scale. Geology	p. 46
Fig. 22	Oro Grande Hilchey zone: new trenches at 1: 5000 scale	p. 47
Fig. 23	Oro Grande Pit No. 1 sketch	p. 49
Fig. 24	Oro Grande NUG zone bulk sample sketch	p. 50
Fig. 25	Oro Grande: map of NUG zone and new trenches and roads	p. 51
Fig. 26	Oro Grande: map of NUG zone at 1: 500 scale	p. 52
Fig. 27	Oro Grande: sketch map of NUG lower zone	p. 53

Fig. 28	27 Pup: geological mapping at 1: 500 scale	[pkt]
Fig. 29	27 Pup: Anomalous Au in trench 03-05	p. 55
Fig. 30	27 Pup: Anomalous gold in trench 03-01 Extension	p. 56
Fig. 31	Buckland shear zone: trench sampling (1: 500 scale)	p. 58
Fig. 32	O'Neil Gulch. Geology of graphitic phyllites (1: 250 scale)	[pkt]
Fig. 33	O'Neil Gulch: sketches of structures	p. 60
Fig. 34	Survey of Lone Star O'Neil area (1: 2000 scale)	[pkt]
Fig. 35	27 Pup bulk samples	p. 63
Table 1.	Bulk sampling	p. 64
Fig. 36	SE Extension of the Lone Star	[pkt]
Fig. 37	Stampede Gulch / Irish Gulch prospecting	p. 66
Fig. 38	JAC & BR claims: 116 B 03	p. 68
Fig. 39	JAC & BR claims: 116 B 03	p. 69
Fig. 40	FB claims	p. 70
Fig. 41	GRE claims	p. 72
Fig. 42	GB claims	p. 73
Fig. 43	HUN claims	p. 74
Fig. 44	MAY claims	p. 76
Fig. 45	CAL (N) claims	p. 77
Fig. 46	CAL (S) claims	p. 78
Fig. 47	REEF claim	p. 79
Fig. 48	Lone Star NW extension (Nigger Jim gulch)	p. 80
Fig. 49	Sketch of possible consequences of folding	p. 82

2004 KLONDIKE PROGRAM

1. INTRODUCTION

This report describes the mineral exploration carried out by the Klondike Gold Corp. and Klondike Star Mineral Corp. joint venture during 2004 on the Klondike quartz claims owned by Klondike Gold Corp., previously called Arbor Resources, and is primarily intended as an assessment report as prescribed under the Yukon Quartz Mining Act.

The 2004 season's work consisted of geological mapping, soil and/or rock sampling on all claim blocks and physical work in the form of bulldozing and backhoe trenching where appropriate to provide rock exposure and access for exploration. Bulk rock sampling was initiated in several localities in the main claim block on map sheet 115 O-14. No drilling was attempted in 2004.

This exploration programme was performed by W. Mann (Exploration Manager), geologists T. Liverton, H. Mueller, F. Andersen, G. McKercher and J. Boyce and prospectors J. Bryde, T. Morgan and V. Matkovitch. This report is based on first-hand data from T. Liverton and W. Mann and the contemporaneous written records (computer files) prepared by the other staff.

2. PROPERTY DESCRIPTION

The claim blocks are comprised of the following units:

MAP SHEET 115 O - 14

The main contiguous claim block in the Bonanza-Eldorado area consists of:

Stam 1-51	YC27202 to YC27252	Klondike Gold Corp.
Stam 53	YC27253	Klondike Gold Corp.
Ron 1-40	YA10300 to YA10339	Arbor Resources Inc.
Syndicate 32	YA79229	Arbor Resources Inc.
Syndicate 39	YA79236	Arbor Resources Inc.
Syndicate 48	YA79245	Arbor Resources Inc.
Syndicate 53-56	YA79250 to YA79253	Arbor Resources Inc.
Syndicate 60-63	YA79257 to YA79260	Arbor Resources Inc.
Syndicate 66-69	YA79263 to YA79266	Arbor Resources Inc.
Syndicate 71-74	YA79268 to YA79271	Arbor Resources Inc.
Syndicate 77-83	YA79274 to YA79280	Arbor Resources Inc.
Bad 1-6	YC17895 to YC17900	Klondike Gold Corp.
Bad 7-8	YC19908 to YC19909	Klondike Gold Corp.
Bad 9-12	YC19901 to YC19904	Klondike Gold Corp.
Bad 14-16	YC19905 to YC19907	Klondike Gold Corp.
RJ 1-32	YA64216 to YA64247	Arbor Resources Inc.

RJ 49-50	YA65605 to YA65606	Arbor Resources Inc.
RJ 59-60	YA65615 to YA65616	Arbor Resources Inc.
RJ 62	YA65618	Arbor Resources Inc.
Win 1-34	YC30697 to YC30730	Klondike Gold Corp.
Win 35-38	YC30731 to YC30734	Klondike Gold Corp.
Win 39-156	YC30735 to YC30852	Klondike Gold Corp.
Nug 1-10	YC28449 to YC28458	Klondike Gold Corp.
DN	YA47088	Arbor Resources Inc.
DN 1-2	YA32783 to YA32784	Arbor Resources Inc.
DN 1-2	YA47090 to YA47091	Arbor Resources Inc.
DN 3-9	YA47890 to YA47896	Arbor Resources Inc.
DN 10	YA47082	Arbor Resources Inc.
DN 11-26	YA32946 to YA32961	Arbor Resources Inc.
DN 27-31	YA47083 to YA47087	Arbor Resources Inc.
DN 32-33	YA47604 to YA47605	Arbor Resources Inc.
CIM 2, 1, 4, 3	YA64519 to YA64522	Arbor Resources Inc.
Joe 1-4	Y65536 toY65539	Arbor Resources Inc.
Joe 5-10	Y99613 to Y99618	Arbor Resources Inc.
Rado 55-58	YB17066 to YB17069	Arbor Resources Inc.
Rado 179-183	YB17186 to YB17190	Arbor Resources Inc.
Rado 186-187	YB17192 to YB17193	Arbor Resources Inc.
Rex 22	YA84204	Arbor Resources Inc.
Rex 24	YA84206	Arbor Resources Inc.
Rex 26	YA84208	Arbor Resources Inc.
Rex 28	YA84210	Arbor Resources Inc.
Rex 30-31	YA84212 to YA84213	Arbor Resources Inc.
K 1-10	YA80506 to YA80515	Arbor Resources Inc.
Cal 1-5	YC32864 to YC32868	Klondike Gold Corp.
Cal 7-14	YC32869 to YC32876	Klondike Gold Corp.
Cal 19-32	YC32877 to YC32890	Klondike Gold Corp.
Chi 1-14	YC28459 to YC28472	Klondike Gold Corp.
Cul 1-14	YC32830 to YC32843	Klondike Gold Corp.
Cul 19-38	YC32844 to YC32863	Klondike Gold Corp.
ND	YA47089	Arbor Resources Inc.
ND 1-22	YA49724 to YA49745	Arbor Resources Inc.
DE 1-14	YA55250 to YA55263	Arbor Resources Inc.
AC 7-10	YA64276 to YA64279	Arbor Resources Inc.
AC 11	YA64281	Arbor Resources Inc.
AC 14	YA65629	Arbor Resources Inc.
AC 16-23	YA65631 to YA65638	Arbor Resources Inc.
AC 25-26	YA65640 to YA65641	Arbor Resources Inc.
LB 1-132	YC28539 to YC28670	Klondike Gold Corp.
Red 1-20	YC28473 to YC28492	Klondike Gold Corp.
Nugget 1-10	YA88228 to YA88237	Arbor Resources Inc.
Oyro	YA32828	Arbor Resources Inc.
ON 1-2	YC33726 to YC33727	Klondike Gold Corp.
UELD 1-2	YB38768 to YB38769	Arbor Resources Inc.
VI 1-4	YA55285 to YA55288	Arbor Resources Inc.
VI 11-12	YA55295 to YA55296	Arbor Resources Inc.
VI 16	YA65523	Arbor Resources Inc.
VI 18	YA65525	Arbor Resources Inc.
VI 43-44	YA65550 to YA65551	Arbor Resources Inc.
Separate blocks		
In the south central part of the map sheet:		
Cal 1-24	YC28493 to YC28516	Klondike Gold Corp.
In the NW of the sheet:		
GB 1-3	YC25503 to YC25505	Klondike Gold Corp.

At the N edge, overlapping into 116 B 03:			
BR 1-10	YC30853 to YC30862	Klondike Gold Corp.	
BR 12-32	YC30864 to YC30884	Klondike Gold Corp.	
In the NE:			
Hun 1-2	YC27270 to YC27271	Klondike Gold Corp.	
Hun 4	YC27273	Klondike Gold Corp.	
Hun 6	YC27275	Klondike Gold Corp.	(reduced to 4 claims)

MAP SHEET 116 B 03:

Jac 1-30	YC27301 to YC27330	Klondike Gold Corp.	
Jac 31-47	YC25580 to YC25596	Klondike Gold Corp.	

MAP SHEET 115 O 10:

Indy 1-69	YC28932 to YC29000	Klondike Gold Corp.	
Indy 70-121	YC25401 to YC25452	Klondike Gold Corp.	
Reka 1-6	YC28671 to YC28676	Klondike Gold Corp.	
Reka 7	YC28913	Klondike Gold Corp.	
Reka 9-32	YC28677 to YC28700	Klondike Gold Corp.	
Reka 33-50	YC28801 to YC28818	Klondike Gold Corp.	
Reka 51-60	YC28914 to YC28923	Klondike Gold Corp.	
Reka 61-68	YC28819 to YC28826	Klondike Gold Corp.	
Reka 69-76	YC34307 to YC34314	Klondike Gold Corp.	
FB 1-20	YC25506 to YC25525	Klondike Gold Corp.	
FB 22-74	YC25527 to YC25579	Klondike Gold Corp.	
FB 21 Fraction	YC25526	Klondike Gold Corp.	

MAP SHEET 115 O 15:

May 1-22	YC28517 to YC28538	Klondike Gold Corp.	
May 25-32	YC28924 to YC28931	Klondike Gold Corp.	
May 1-6	YC33720 to YC33725	Klondike Gold Corp.	(reduced)
Overlap onto 115 O 14:			
Gre 1-32	YC27331 to YC27362	Klondike Gold Corp.	

Note: due to the extensive forest fires this last summer relief was granted from assessment requirements for the Reka, Indy, Cal 1-24 (YC28493 etc.), Chi and Nug claim blocks.
As part of the joint venture agreement between Klondike Gold Corporation and Klondike Star Mineral Corporation the latter company has now earned a 55% interest in the property (klondikestar.com news release November 30th. 2004).


3. ACCESSIBILITY, CLIMATE, INFRASTRUCTURE AND PHYSIOGRAPHY


The Klondike region consists of rugged topography of rounded hills and V-section valleys (since this region was not recently glaciated: Nelson and Jackson, 2003). Dawson City is on the Yukon River at 1050' (320m) elevation and the highest region of the claims, Eldorado Dome is at 1175m. The immediate region of the claims has been historically denuded of large timber by either cutting or forest fires and is now covered by regrowth of spruce, lodgepole pine, poplar and birch. Only the very highest ridges are covered by dwarf willow ("buckbrush").

The Klondike Gold Fields have been the target of prospectors and placer gold miners since 1896. The region therefore, is very accessible by road and trail. Dawson City is approximately 480 km from Whitehorse along the Klondike Highway which is now a completely sealed two-lane road, except for the construction zone within 10 km of Dawson. A 5000'x100' gravel surface, lighted Yukon Government airfield at 1214' (370m) elevation serves Dawson. A gravel airstrip at 640m elevation suitable for light STOL aircraft exists on the claim block at Eldorado Creek. Dawson is served by a scheduled service of twin-engined aircraft from Whitehorse and by highway there are regular freight and bus services. The major valleys (Bonanza and Hunker Creeks) have summer maintained graded gravel roads linking with the Klondike Highway. Eldorado creek has a summer accessible gravel mining road (approximately 26 km to the airstrip from Dawson) and many ridges are traversed by four wheel drive trails. Dawson City offers normal town services such as hotels, restaurants, grocery, clothing and hardware stores, engineering supplies and two bulk fuel depots.

4. HISTORY OF THE QUARTZ CLAIMS

The Klondike region has been prospected since the discovery of gold on Bonanza Creek in 1896 and the subsequent gold rush. Immediately after the prospecting and staking of the placer claims on Bonanza and Eldorado Creeks the search for a hard-rock source began. The Lone Star property was first staked in 1897 and the adjacent Victoria and Pioneer prospects in 1900. The Violet Prospect was staked in 1901. The Lone Star (Boulder Lode) and Violet properties are the hard-rock prospects that have received substantial underground development, but only the Boulder Lode has produced more than a few tonnes of ore. Various attempts at underground development took place between 1911 and 1948. The property then languished until a renewal of interest in 1960. The exploration history of the Lone Star area is included in section 5.5.






KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT
LOCATION MAP

SCALE: 1 : 6,000,000		DATE: Feb. 11, 2005
	DRAWN:	FIGURE 1



KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT

Claim Group Location

KLONDIKE AREA

0 1 2 3 4 5km

SCALE: 1:150000	NTS: 115 O/10, 11, 14, 15, 116 B/3
DATE: FEB. 11, 2005	FIGURE 2

5. GEOLOGICAL SETTING

5.1 YUKON-TANANA TERRANE

The Bonanza-Eldorado-Hunker region is underlain by the Klondike Schist, which is correlated with units of the Yukon-Tanana terrane in Alaska and southern Yukon. The Yukon-Tanana terrane is now considered to include those Devonian-Mississippian strata of continental affinity that are overlain by volcanic arc successions that include backarc and island arc tectonic settings (e.g: Colpron, 2001; Piercey et al., 1999; Murphy, 2004). These units are now polydeformed and, over a regional scale, show a range of metamorphic grade from lower greenschist to amphibolite facies (e.g., Mortensen et al., 1992) and have been intruded by Mississippian to Permian granitoids (e.g., Nelson et al., 2000, Liverton et al., 2005). Structural styles are similar between the Klondike (Mortensen et al., 1992) and the SE Yukon (D'El-Rey Silva et al., 2001), although no comprehensive analysis of the whole terrane has been attempted hence no direct link between NW and SE demonstrated. Folding is consistent with deformation during east to northeastward directed accretion and crustal shortening.

The terrane is preserved in fault-bounded fragments from southern B.C. to Alaska (Nelson and Friedman, 2004; Dusel-Bacon et al., 2004) and is interpreted to represent extended continental margin on which the late Paleozoic volcanic assemblages were intruded and extruded. In part the Yukon-Tanana terrane forms the basement for Quesnellia and the existance of mid Jurassic plutons that intrude both terranes indicate that they were sutured by that time (Nelson and Friedman, 2004). Various workers differ in their interpretation of the extent of separation of Lower Paleozoic basement to the Yukon-Tanana terrane from the continent. For the Alaskan part Dusel-Bacon et al. (2004) require rifting only to produce the bimodal volcanism built on the Devono-Mississippian. In the Yukon, the wide range of chemical signatures of the volcanics would indicate more considerable separation. Perhaps the tectonic analogue of the present day Aleutian / Kurile arcs proposed by Nelson and Friedman (2004) explains the differences: where cusps of island arcs impinged on promontaries of continental basement the Aleutians and Kuriles have Tertiary backarc basins; in the central parts of the arcs the magmatism was of primitive oceanic affinity.

YUKON-TANANA: FOLDING

In both the Klondike and the Yukon-Tanana equivalents in the SE Yukon and adjacent B.C. styles of deformation are similar in that F_1 folding transposed original bedding into parallelism with axial planar foliation such that F_1 fold hinges are rarely seen. During this


ductile deformation the rocks were metamorphosed to chlorite-biotite facies (and in some regions to amphibolite grade). F_2 folds are more open and often E to NE vergent and in the case of the SE Yukon, are coaxial with F_1 folds. In the Klondike regional scale thrust faulting coincided with the second deformation and is constrained at late Triassic (Rushton et al., 1993). In the SE Yukon the F_3 event produced very open folds nearly normal to the earlier trends and minor extensional faults (D'El-Rey Silva et al., 2001). In the Klondike, third folding F_3 produced open, N-S trending folds over the district, but this deformation is not obvious on the scale of individual ridges.

5.2 KLONDIKE REGIONAL GEOLOGY

The northwestern Klondike area is underlain by three recognisable thrust fault bounded assemblages (Rushton et al., 1993) that constitute the mid Permian Klondike Schist. These are: Assemblage III of carbonaceous quartz-muscovite phyllite, schist and marble that crops out SW of the Indian River and also to the NE of Hunker Creek; structurally above is Assemblage II of micaceous and chloritic quartzite, feldspathic quatzite, marble and calcareous schists which is intruded by the Mt. Burnham orthogneiss, found in the east of the Klondike; and Assemblage I, of three units: quartz augen schist; the Sulphur Creek orthogneiss; and intercalated chloritic schist, metagabbro, amphibolite, quartzite and felsic schist. The Sulphur Creek orthogneiss and the latter sequence are found in the Eldorado-Bonanza area. Thrust faults are in part marked by slivers of serpentinised ultramafics.

In the immediate claim block area Mortensen (1996) has mapped quartz- and quartz-feldspar-augen schist, interpreted as being a metamorphosed subvolcanic intrusion (his unit Psa) on the immediate west side of Eldorado Creek. The Eldorado to Bonanza ridge (Lone Star) is underlain by unit Psqm: felsic schists, interpreted to have been derived from a sequence of tuffs, cherty tuffs and cherts, on the 27 Pup side and over the Lone Star area. The east side of the ridge is largely unit Psc: chlorite schist, mafic meta-volcanics. Northeast of Bonanza Creek units Psq and Psc predominate.

In the Eldorado-Bonanza area the obvious foliation seen is S_1 i.e, compositional layering transposed by F_1 folding. In only one instance during the present work was original bedding (S_0) observed (at 27 Pup). The attitude of S_2 foliation in the Eldorado-Bonanza area describes a ridge-scale macroscopic antiformal structure whose NE limb is likely sheared by a thrust fault low on the NE side of the Lone Star ridge. This is indicated by sheared serpentinite, soapstone and graphitic phyllite encountered during the 2004 trenching (trench 04-17, NW of Jerry Bryde's camp. Late, brittle structures such as the near vertical Buckland shear on the SW side of the antiform strike almost parallel to fold axes and may be strike-slip faults of little displacement, but



KLONDIKE GOLD CORP.

DAWSON AREA
YUKON TERRITORY

REGIONAL GEOLOGY OF THE KLONDIKE

DATE: 2004

FIGURE: 3

significance in introduction of local gold mineralization.

5.3 GOLD MINERALIZATION

Two types of quartz vein are ubiquitous in the Klondike: foliaform veins that are (a) typically concordant with S_1 and which may be up to metres thick, but which are usually lenticular. these are almost ubiquitously barren of gold, and (b) sharply discordant veins that carry sulphide (pyrite, with minor galena, chalcopyrite and tetrahedrite) mineralization and visible gold which is both commonly contained in selvedges of pyrite (or after weathering, pseudomorphs of goethite/limonite) and as free gold grains in the white quartz. The discordant veins are up to 2-3m thick and can persist for hundreds of metres strike length. Some spectacular gold grades are reported from this vein type (Rushton et al., 1993). Those authors date Sheba prospect (Mitchell: Minfile 068) vein formation at early Cretaceous which was a time of lull in magmatic activity (Armstrong, 1988) but of crustal thickening and rapid uplift. Similar ages are also reported for gold mineralization at Erickson Mine, Cassiar and the Cariboo (Rushton et al., 1993).

A model of mesothermal-type vein formation is proposed by Rushton et al. (1993), whereby the SE part of Klondike represents a deeper level in the system and that the Hunker Dome region would have been mineralized as ascending meteoric / metamorphic CO_2 - bearing fluids reached a level sufficient for the exsolved CO_2 gas to have effervesced. They interpret the 27 Pup-Lonestar area as having being mineralized at a comparatively shallow level (pressures of 0.3 to 0.625 kb). More recent work (J.K. Mortensen, pers. comm.) favours a model for foliaform vein formation as secondary structures developed between near horizontal extensional floor and roof faults during the process of rapid early Cretaceous uplift, analagous to formation of detachment faults above metamorphic core complexes.

Studies of morphology of gold grains in the placers of the Klondike (Knight et al., 1999; Dumula and Mortensen, 2002) demonstrated a clear relationship between gold particle shape and distance from lode sources in the Klondike. Major and trace element compositions give an even more useful indication of source of placers. Gold, silver, copper and mercury contents are diagnostic of the lode sources e.g., the 27 Pup-Oro Grande-Lone Star quartz lodes and Hunker Dome show distinctively high-fineness gold that is reflected in the placers downstream. Bear Creek and Violet quartz lodes are of lower fineness. Further work on placer gold has the potential to indicate unrecognised just-buried lode sources. Knight et al. (1999) conclude that the composition of placer gold is consistent with its derivation from quartz lode sources.

5.4 PLUTON-RELATED GOLD

In addition to possible 'mesothermal' mineralization a number of moderate-sized gold deposits in the Northern Cordillera are associated with mid Cretaceous granitic plutons (Hart et al., 2000), but may be considered to be part of the spectrum of 'orogenic gold deposits' (see Groves et al., 2003). The Livengood suite and Tombstone suite (92-87 Ma age) of plutons are correlable across the younger Tintina fault. The suite is quite variable in magnetite content, but is considered to be of the oxidized magnetite-series. The Brewery Creek gold deposits (Lindsay et al., 2000) have a spatial relationship to one of the Tombstone suite plutons (Hart et al., 2004). The Mayo suite (95-92 Ma old) is associated with sheeted vein and contact-aureole gold deposits (Dublin Gulch, Scheelite Dome and Clear Creek). This latter group of intrusions are considered to be ilmenite-series by Hart et al. (2004) and to represent a separate type of deposit associated with reduced granitoids. The search for magnetite-series pluton related gold was largely the focus of Kennecott's exploration over the larger part of the Klondike property.

5.5 PREVIOUS EXPLORATION

Since 1897 prospectors in the Klondike region have searched for the hard-rock source of the rich placer deposits of Bonanza and Eldorado Creeks. Many small gold showings were investigated by the excavation of pits and trenches with shallow shafts sunk or short adits driven on the notable prospects. Gold in quartz veins has been the traditional target for the 'pick-and-shovel' prospecting efforts. Any prospects discovered by hand methods would contain an appreciable content of their metal as free gold that would be liberated by simple crushing and panning. The notable properties that were discovered around the turn of the 20th. century were the Lone Star with the Pioneer and Parnell showings (Minfile 072, 150 & 147) on the same trend on the ridge between Eldorado and Bonanza Creeks, the Violet vein (Minfile 146) to the west of Eldorado Creek and the Mitchell and Sheba Veins on King Solomon Dome (Minfile 068).

The principal current Klondike Gold / Klondike Star property is a block of claims that covers the region between Bonanza and Eldorado Creeks, much of the ridge on the SW side of Eldorado, and extends SE across Canyon Creek to the east border of map sheet 115O-14. This property covers the abovementioned historical gold mines and prospects as well more recently discovered showings such as the Hilchey (Minfile 076).

Although this region has been intermittently prospected for a hundred years, with examinations by government geologists over 90 of these, there is still no consensus regarding the

geological setting of the hard-rock gold mineralization. Exploration has been largely a matter of following (the historical approach) either visible gold or assay values from excavations in loosely defined 'zones', without a clear understanding of structural or lithologic controls on the mineralization.

THE LONE STAR ZONE (BOULDER LODE)

The prospect was first staked in 1897 by Messrs. *Chute, Corthay and Stewart.* They prospected the discordant quartz body known as the Corthay vein by shaft sinking and drifting. The larger, more disseminated mineralization of the Boulder Lode was developed from 1909 on by the *Lone Star company,* who mined the opencut and connected it to a 225m adit by means of an orepass. An amalgamation 4-head stamp mill was built on Victoria Gulch and a gravity tramway connected this to the mine. By 1914 some 7650 tons of rock had been mined and milled (calculated to represent approximately a head grade of 0.202 oz/ton: Cathro, 1979). Engineering problems and the First World War lead to closure. By 1931 the reorganized company had driven a new adit in more stable ground and opened up further undergound exposures, but production did not resume. It is obvious that conventional chip sampling of surface and underground rock exposures has been repeatedly unable to duplicate the grades of gold obtained during the early milling. The first attempt at grade estimation was by the government (MacLean, 1914). Re-sampling by Farrell in 1935 encountered similar problems and a combined surface-underground sampling program by the *Yukon Consolidated Gold Corp.* in 1946-7 also lead to uncertain estimates. The probable understimation of ore grade in small-sized samples has likely been a major factor in the property having lain dormant until 1960.

In 1960 *Klondike Lode Gold Mines* acquired the property and carried out two years of prospecting for extensions of the mineralization by bulldozing five contour trenches of 20,000 ft. total, partly along old placer flumes, and sluicing samples of 3 ft^3 volume (i.e., 85 litres or four-five bucketsful). Gold concentrated was expressed qualitatively as number of colours. Colluvial gold was found in the 7 Pup-O'Neil area. In addition to trenching the Bonanza side of the ridge by the Lone Star, sampling was also performed by Hilchey east of Eldorado at French Gulch (one 2100 ft.) and between Gay Gulch and Oro Grande (five smaller trenches). This other work lead to the discovery of several possible sources in the latter area, including the Hilchey prospect.

Archer Cathro and Associates Ltd. re-evaluated the Lone Star for *Dawson Eldorado Gold Explorations Ltd.* (Paul White and Ed Asp) between 1979 and 1983. A resistivity survey and geological mapping were performed in order to form a model for structure. Mortensen proposes a model for the Boulder Lode to contain a part of the gold in vertical quartz 'stringers' that are

discordant to the attitude of the dominant foliation of the host schist, the lode and dissseminated mineralization being in the hinge zone of a second-generation (F_2) antiformal fold.

Van Angeren (1986) summarized the 1985 regional exploration work and the geology of the Lone Star and Violet properties. He concluded that the known placer deposits in this area were derived mostly from the known hard-rock mineralization. Three types of quartz vein are recognized over the Klondike district: lenticular conformable quartz that is ubiquitous throughout the Klondike Schist and is typically barren of gold; veins that are discordant to foliation in the schist and which typically carry pyrite and very occasionally galena, chalcopyrite or tetrahedrite in their selvedges: these are auriferous. Large (metre-scale widths) barite-bearing veins have fairly planar geometry and can carry sulphides and sulphosalts and display high but erratic gold grades, such as the Violet vein and perhaps the Corthay vein at Lone Star. At Lone Star much of the gold present is contained in the discordant quartz veinlets that form a stockwork-like zone, but presence of gold in surrounding pyritic schist is likely (in microfractures). The Boulder Lode was exposed in the opencut that was mined at 20° to the foliation in the country rock, but which does not follow any obvious hanging- or footwall, the NW end being the only portion ending in an obvious NW striking fault. Van Angeren comments on results of conventional soil geochemistry obtained from 1981-84 (original reports are not available). Well-defined gold anomalies were obtained from around the Lone Star, Eldorado Dome and Hilchey showings and as discontinuous 'spot' anomalies from O'Neil Gulch to lower Glacier Gulch (source unknown in 1985, but postulated to be a NW trending fault zone).

After 1985 the exploration of the area was conducted on a larger scale to cover much of the region from the Klondike River to the Lone Star area, as well as continuing geophysics, geochemistry and drilling in the immediate Lone Star area.

LEGEND

Tr04-14 Trench, year, number

87R26 Drill hole, year, number

Glacier Gulch

27 Gulch

Oro Grande Gulch

Eldorado Creek

Gay Gulch

STEWART

CHRISTY

7087000

7085000

584000

144498 14.7

144483 38.2

144482 20

144481 16.6

Paydirt Slump

O'Neil Shaft

Hand Trench

87R48

Hand-Stacked Tailings

RJ 14 YA64229

RJ 8 YA64223

RJ 15 YA64230

RJ 6 YA64221

RJ 13 YA64228

RJ 12 YA64227

RJ 5 YA64220

RJ 11 YA64226

RJ 3 YA64218

RJ 2 YA64217

RJ 1 YA64216

DE 3 YA55252

DE 4 YA55253

DE 1 YA55250

DE 2 YA55251

DE 5 YA55254

DN 25 YA32960

DN 23 YA32958

DN 21 YA32956

DN 24 YA32959

DN 22 YA32957

DN 19 YA32954

DN 20 YA32955

DN 18 YA32953

DN 16 YA32951

DN 15 YA32950

DN 14 YA32949

DN 13 YA32948

DN 12 YA32947

DN 2 YA32784

DN 1 YA32783

DN 10 YA47082

DN 32 YA47088

RON 13 YA10312

RON 11 YA10310

RON 12 YA10311

RON 10 YA10309

RON 9 YA10308

RON 7 YA10306

Tr04-17

Tr04-15

Tr04-14

Tr04-16

7 Pup

Tr04-09N

Tr04-11N

Tr04-10

Tr04-09S

Tr04-11S

Tr90-L1

LONE STAR ZONE

Tr90-Dowse

ROBN Zone

87R09

87R10

87R11

PION Zone

Tr96-26

Tr96-27

Tr96-28

Tr96-29

Tr94-02

Nugget Shear Zone

27 Pup Zone

Tr04-05

Tr04-04

Tr04-03

Pit No. 1

Hilchey Zone

Tr04-02

Tr04-01

Tr96-35

Tr95-B1

Tr89-04

Tr91-20

BUKS Zone

93LS20

Tr90GG2

Tr86GG3

N

KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT

Core Area

0 100 200 300 400 500m

SCALE: 1:10000	NTS: 115 O/14 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005	FIGURE 4

REGIONAL EXPLORATION AS WELL AS LONE STAR: 1986 on

The Dawson Syndicate (1983) carried out more systematic prospecting over the claim block that covered much of the Klondike from upper Adams Gulch to Hunker Creek and from Grand Forks to the Klondike River. Five grids were laid out for soil sampling and geophysics, four on the south side of the Klondike R., within 3km of its valley and the fourth (Penibe claims) south of Hunker on the ridge to the west of Last Chance Creek. Induced polarization surveys detected no response in the Oro Grande to Gay Gulch grids, but a very obvious response from the 27 Pup area (this likely due to the outcropping graphitic phyllite unit). At the French Gulch / Eldorado junction a split anomaly was defined and at Big Skookum a resistivity anomaly noted. Detailed surveying of the Lone Star grid produced some very distinct response. Twenty seven diamond drill holes were used to test anomalies. Seven of these on the west side of Hunker Creek (where distinct magnetic anomalies were noted) encountered sheared graphitic schist and serpentine-peridotite bodies that presumably mark the major thrust fault zones. Thirteen holes drilled in the Bonanza drainage basin tested geologically inferred fault zones: by California Gulch holes EAN 1-3 cut graphitic Nasina schists interlayered with muscovite schist. Magnetised diabase dykes explain the magnetic response. Although carbonate-mariposite veining indicated some hydrothermal activity no significant gold was reported, merely anomalous (22ppm) silver. At the junction of Boulder Creek and Bonanza (hole K1) graphitic schists were again found with mariposite and carbonate alteration. Fracturing with only high arsenic content was noted. At the Adams Gulch-Bonanza junction holes K2-3 investigated apparent sericite alteration seen on the placer ground of Adams Creek and Cheechako Hill. Muscovite schist with no anomalous geochemistry was encountered and the sericite was interpreted to be a weathering product. A presumed fault zone at Little Skookum Gulch intersected by hole K-4 again only found high As (725 ppm). Hole K5 at Big Skookum Gulch tested magnetic and I.P. anomalies and found a magnetite-bearing diabase dyke but no significant assays. On the east side of Bonanza holes KDR 1-3 encountered graphitic pyritic schist and diabase dykes again and in Bonanza Creek hole KDR 4 found brecciated graphitic schist.


Arbor Resources Inc. optioned the Klondike property in 1986 and continued exploration of both the large claim block and the Lone Star Crown grants (Grunenberg and Gonzales, 1987). At French Gulch, near the junction with Eldorado, 10 diamond drill holes were used to investigate I.P. and V.L.F.E.M. anomalies close to zones of quartz veins exposed in placer workings. The shear zone intersected did not yield any anomalous geochemistry and pyritic chlorite schists were barren of gold. The geophysical anomalies correlated with graphitic layers and linear magnetic anomalies with diabase dykes that are reverse polarized and hence give very

sharp negative anomalies. Five zones of from 1.5 to 8 ft. (0.46-2.4m) thickness were intersected giving gold grades of 0.01-0.20 oz/t, each in quartz veins. Seven holes were drilled along Eldorado Creek between Golden Gulch and Little Eldorado Gulch to test shear zones indicated by geophysics and five holes were abandoned due to 'broken ground'. Hole EL3 intersected quartz muscovite schist, quartzite and epidote-bearing muscovite schist and a shear zone beneath pyritic schist exposed in placer workings without finding gold above 0.009 oz/t.

At Lone Star twelve diamond drill holes were completed, numbers LS1-2 to penetrate beneath the Boulder Lode opencut and the rest to test soil geochemistry or I.P. chargeability/resistivity anomalies. DDHs 3 and 11 proved the most promising, with many intersections of >0.05 oz/t and some smaller intervals (2.5 ft.) up to 0.345 oz/t. Also 23 rotary drill holes were completed during the '86-'87 winter, mostly between Oro Grande and Gay Gulch. Several 5-10 ft. zones of 0.013-0.23 oz/t were intersected. The interpretation made of Lone Star mineralization was of two shallow NNE-dipping Au-bearing zones that project beneath the Boulder opencut. This interpretation was made by joining assay intervals between drill holes and has no geological (lithological) control.


In 1987 (Grunenberg and Gonzales, 1988) prospecting of the outlying areas continued with geological mapping of Eldorado Creek and the Lone Star ridge at 1: 10,000 scale. A unit of 'carbonaceous quartz schist' has been interpreted to underlie Eldorado Creek, with its widest extent at French Gulch. The unit is shown as continuing to the SE on the NE side of Eldorado, being about 400 m uphill at Gay Gulch. Work on the Buckland Zone aimed to verify assay values obtained from Rotary hole 87R-21 by diamond drilling. Two holes were lost, but after pre-collaring with a rotary rig DDH 12 reached the target zone and obtained grades of from 0.01-0.17 oz/t. A 0.8m thick layer of Au-bearing rock interpreted to be rhyolitic tuff was intersected and a 6.7m interval of 0.133 oz/t (Fig. 5). Since in this particular locality there was a correlation between Au and As, Grunenberg and Gonzales (1988) p. 33 interpret this mineralization to be volcanogenic. Above Gay Gulch DDHs 10 and 11 encountered short intervals of good grade in muscovite schist containing quartz stringers (presumably a discordant vein system). 37 rotary holes were drilled in the upper part of 27 Pup and towards Gay-Gulch, in the O'Neil-Lone Star-Victoria area. Numerous significant gold assays were obtained, particularly in 87R- 24, 38, 39 in the Gay Gulch-Oro Grande area (Fig. 6).. Soil geochemistry detected an extensive Au anomaly between Oro Grande and Gay Gulch.

On the Lone Star ridge Rotary holes 87R- 47 and 48 returned significant intersections (the SE projection of the Boulder zone). VLFEM measurements traced an inphase anomaly for 3 km across the head of 7 Pup to Victoria Gulch. On a separate grid on the NE side of the Boulder lode crown grants VLFEM also defined an anomalous zone that coincided with airborne anomalies (possibly a graphitic unit).



COPY OF ARBOR RESOURCES 1987 DRILL SECTION
FOR THE BUCKLAND ZONE (GRUNENBERG, 1987)

Figure 5





MAP OF ROTARY DRILL HOLES FROM GRUNENBERG (1987)
HIGHLIGHTING THOSE OF INTEREST


The 1988 programme (Grunenberg, 1989) extended the Lone Star grid to the SE and detected a base metal (especially Pb and As) anomaly at its eastern edge. Ground geophysics (I.P. and magnetic) over the larger claim block and Lone Star grids was employed. It is difficult to now accurately plot the position of the grid (geologists seem to think their grids as being eternal, whereas 16 years later there is no longer any physical evidence of that grid) as no permanent cultural detail is shown on the 1989 sketches. The abovementioned geochemical anomaly on the Lone Star grid is just downslope of a gold anomaly and coincides with the easternmost I.P. anomaly (It is just north of the ridge road). Trenching in this region is somewhat topographically above the anomalies if Grunenberg's maps can be trusted. His notes for trench 35 also indicate this: See Figs.7, 8, 9. Analyses from trenches 31 and 32 did not find gold above detection limit. Trenching on the east side of Eldorado, from 27 Pup to the spur south of Gay Gulch did produce some significant assays (Trenches 11, 26, 6, 3 in progression to south). In the Lone Star area new trenches 88LS2, 88LS3, 88LS4, 88-17, and 88-36 yielded gold assays varying from 0.013 / 10m through 0.332 / 1m to 2.132 / 0.15m (Fig. 9).

The best summary of work up to and including the 1988 season is provided by Van Angeren (1989) for *Dawson Eldorado Mines Ltd.* Comments pertinent to the Boulder Lode in that report are that there were two mineralized zones recognized: to the SW of the opencut, "zone LS3-a" is 11m wide and interpreted to strike northwesterly and dip 50°NE and at the mouth of the opencut "zone LS3-b" is the historical lode and is separated from LS3-a by 19m of barren schist. In this report Van Angeren interprets the mineralized zones as being shear structures. He quotes assays from four channel samples across LS3a as averaging 0.155 oz/t / 11m. Upon re-assay a value of 0.046 oz/t was obtained and once the 'screen metallics' assay was added the grade was raised to 0.139 oz/t. This data is used to infer a considerable contribution of free gold to the grade. He also notes that several narrow (?) shear zones are mineralized. These are from 3 to 5m width and are exposed in the 1935 and 1947 trenches. An estimate of the overall grades is given as 0.03-0.055 oz/t for the softer clay-altered part of the lode (much of the opencut) and 0.224 oz/t for the siliceous part. Van Angeren's interpretation is that the lode is offset from 80-100m south at trench 87-17/88-02 and again after 88-04 (to be eventually intersected by trench 96-09). Bulk sampling of lode material followed by gravity concentration and cyanide leaching showed that significant amounts of free gold are present, but Van Angeren considers that the coarser fractions from the tests may have contained considerable amounts of sulphides and their contained gold, which would not have been liberated in the leach. He also condsiders that much of the "LSA" sample may have contained wall-rocks, which were mineralized but of lower grade than the lode material. Although he presents no quantitative data for sulphide content, there does exist a potential problem with gold in sulphides.

Van Angeren describes the Boulder Lode as =25 metre wide siliceous body of ~0.1 oz/t









1989 GRID LOCATION RELATIVE TO THE BOULDER LODE AND SOIL GEOCHEMICAL ANOMALIES AT THE PIONEER PROSPECT


Figure 7



COMPILATION OF I.P. ANOMALIES, INTERPRETED FAULTS AND SOIL GOLD ANOMALIES FOR THE LONE STAR-PIONEER AREA FROM GRUNENBERG (1989)



COPY OF PORTION OF TRENCH MAP FROM GRUNENBERG (1989)
WITH TRENCHES YIELDING SIGNIFICANT RESULTS HIGHLIGHTED



COPY OF PORTION OF LONE STAR DRILL/TRENCH MAP FROM GRUNENBERG (1989). Figure 10


bulk grade within an alteration zone from 20-80m width and of grade =0.04 oz/t. Additional parallel narrower zones exist. On consideration of alteration mineralogy he concludes that the mineralization is of Tertiary age epithermal origin (but this is from visual identification. There was no X-ray diffraction data presented (this will be one topic for the future research).

Arbor Resources 1990 work (Tomlinson, 1991) carried out further I.P. surveys in seven localities (Lone Star, 7 Pup, McKay-O'Neil, Eldorado between Skookum and Gay Gulches, Eldorado north of Irish Gulch and French Gulch. The geophysical report was not available to T.L. however, Tomlinson notes that one of the more useful results was that on the Lone Star grid attempts to reach greater depth did detect a response and correlation was noted between chargeability highs, resistivity lows and the mineralized zones. 40 trenches were excavated and 45 reverse circulation rotary holes drilled, numbers 8-24 in the Lone Star area, each of which obtained some economic-grade intervals.


In 1992 *Kennecott* optioned the Lone Star property and continued the rotary percussion and reverse circulation drilling started by Arbor Resources. The Lone Star mineralization was extended out to 250m WNW of the Boulder opencut. Doyle (1993) considers that this is part of an alteration zone that trends NW from the Pioneer prospect (with R.H. fault offset) and which continues towards O'Neil gulch (Fig. 10).

With the additional drill data the mineralized intervals no longer appear to be a shallow-dipping horizon at the Boulder lode (Figs. 12, 13). Significant gold grades were encountered 200 metres west (Fig. 14).


The 1993 programme (Finlayson, 1994) was preceded by preparation of heavy mineral concentrates from cuttings of drill hole LS14. Assays of concentrates produced slightly lower values than the original 1992 drill cutting assays and free gold was not found in mineral concentrates from that hole. The Kennecott report concluded that coarse free gold was not present and, on the basis of gold content in pyrite, that two generations of sulphides exist in the Lone Star rocks: i.e., that gold mineralization was impressed upon existing pyritic schists. Haematite and magnetite are considered to have been formed by oxidation of pyrite during hydrothermal alteration. Also Finlayson fails to find any correlation between metamorphic quartz and gold grade; propylitic vein assemblages of quartz ± calcite ± epidote ± adularia ± chlorite ± haematite seem to be barren of sulphides or gold; neither do white saccharoidal calcite ± quartz veins containing galena and traces of blue chlorite ± sphalerite correlate with gold. Mineralization is seen as being of low-sulphidation, low sulphide epithermal or mesothermal origin. The 1993 drilling was largely undertaken to test the gold soil anomaly downslope of the mine workings that Arbor Resources' work defined and to investigate geophysical anomalies resulting from re-processing of earlier-obtained helicopter airborne data. Mineralization encountered in their drilling consisted of intersections of <10m of >1g/t (>0.029 oz/t) in Boulder




COPY OF MAP FROM DOYLE (1992) SHOWING INTERPRETATION OF MINERALIZED HORIZON. Figure 11



LONE STAR 1992 DRILLING. FROM DOYLE (1993). Figure 12



BOULDER LODE DRILL SECTION. FROM DOYLE (1993). Figure 13



LONE STAR DRILL SECTION 200W. FROM DOYLE (1993). Figure 14

Lode drillholes LS-1, 3, 4 , 7, 8 and 9. In the Buckland shear zone holes 20-22 encountered 3 to 15m intersections of >1g/t.


Kennecott's 1994 programme (Cranswick et al., 1995a) aimed at further evaluation of the entire property, especially the Buckland shear zone. Power-driven soil augers were used to obtain continuous sample lines spaced roughly at 1 kilometre intervals down the spurs from the ridge road to Eldorado Ck. and over the Lone Star area (Fig. 15). Significant Au anomalies up to 500 ppm were obtained from the spurs between 27 Pup and Oro Grande and over the NW side of Gay gulch valley and, also perhaps more significantly for present day exploration, directly above O'Neil gulch (Fig. 16). The anomalous region over the Nugget zone was trenched (94-02). Assays of 2.35g/t / 12.0m and 26.5g/t / 2.0m were obtained. In addition low in Gay Gulch, trench 90GG-06 was re-cut and sampled, yielding individual assays of 3.71g/t / 2m; 3.01g/t / 2m; 1.25g/t / 2m; and 1.17g/t / 2m in discordant pyritic quartz veins.

In addition to the work on the Lone Star - Buckland zones regional work was carried out over the rest of the claim block (Cranswick et al., 1995b) in the search for intrusion-related gold (Fort Knox model). The re-processed helicopter-borne magnetic survey was used to infer the presence of a magnetite-type granitic intrusion at Sourdough Gulch, magnetite-bearing porphyry dykes at 77 Pup and the further anomalies at Discovery Pup (Bonanza Creek). Weakly mineralized quartz muscovite schist was exposed by trenching of the hornfelsed aureole of the Sourdough pluton. Auger sampling found no significant gold at the other localities.


At the end of the season's work Kennecott decided that the mineralization that had been discovered was not sufficiently continuous to meet their criteria for a bulk tonnage target. The option on the property ended January 1995.

Work was continued on the property after Arbor Resources became *Klondike Gold Corp.* A study of the mineralogy and amenability to milling of bulk samples was performed by Newmont Exploration Ltd. as an evaluation of the property. Significant amounts of gold >100 mesh were found in their laboratory tests as well as their assays indicating considerably higher numbers than some of the original rotary drill cutting results. J.E. Tilsley and Associates (Hayden and Tilsley, 1997) carried out further surface sampling of the Lone Star during 1996 to investigate techniques to obtain representative assays. Again, considerable coarse gold was detected in their large-sized (~30kg) samples. This size of sample, however, still did not give reproducable results.

The 1996 work consisted of new trenching plus re-sampling many of the exposures in the Lone Star, Pioneer, Parnell, Buckland, French Hill, Glacier and Oro Grande zones, together with a reinterpretation of the geology (Van Angeren, 1996). Van Angeren has rejected the shear zone model for mineralization that he originally proposed and which was prevalent during Kennecott's work. He now interprets the Boulder Lode as being a "--- foliated zone of alteration apparently



SOIL GOLD ANOMALIES: LONESTAR-O'NEIL AREA FROM CRANSWICK (1995), Figure 15



Kennecott 1994 Auger Soil Anomalies: 27 Pup to Gay Gulch

SOIL GOLD ANOMALIES: 27 PUP TO GAY GULCH: FROM CRANSWICK (1995), Figure 16

constrained to a unique volcanosedimentary horizon. Boulder Lode is thought to represent metamorposed 'syngenetic' or 'paleo-epigenetic' mineralization (such as gold exhalites or structurally-controlled, replacement or alteration zones)." He recognizes that the host lithology is polydeformed and hence difficult to correlate over any distance.

The Buckland zone in contrast is seen as a post-metamorphic, weakly altered, near vertical shear zone that is discordant to the schists and which may also be of anastomosing geometry. Widths of from 4 to 8m are interpreted with grades from 0.04 to 0.19 oz/t found in previous work. The Oro Grande mineralization is seen to be cross-cutting mesothermal quartz veins that contain coarse gold. 27 Pup is seen as being a distinct stratigraphic (tuff-exhalative) horizon characterized by high silver and mercury with gold to 3.77 g/T. Van Angeren recommended concentration of work on the Boulder Lode, Buckland Shear and 27 Pup zones (Van Angeren, 2002), with the work aimed at finding primarily disseminated mineralization rather than crosscutting quartz veins. An emphasis is made on understanding the geology.

5.6 COMMENTS ON PRE-1993 WORK

The various attempts at finding continuous mineralized zones have been hampered primarily by the need to artificially expose all outcrop. Observations made in trenches at best record a variable amount of weathering alteration that makes interpretation of any hydrothermal alteration and even rock type often conjectural. This historical work has been carried out primarily by attempting to correlate assay values between drill holes and trenches with little regard to geology and structure. Future work must make an attempt at careful mapping of lithologies and structures. It may well be necessary to use frequent recourse to petrography to interpret lithologies and alteration assemblages. All mesoscopic-scale structures must be mapped in an attempt to interpret fold structure. No conclusive evidence has been amassed to favour any particular genetic model for the gold of the Lone Star. There are some features present that might be interpreted to indicate any of a syngenetic (V.M.S.) source, mesothermal metamorphic mineralization, post-metamorphic shear zone alteration or an epithermal origin. Again, any future successful exploration must depend upon gaining a better knowledge of the geology of these deposits rather than relying on the old formula of blindly following geophysics and geochemistry. Previous bulk sampling tests, although not entirely reproducable, do indicate that such an approach is preferable for grade determination.

6. 2004 EXPLORATION

6.1 TECHNIQUES

Work on the main claim block in the Lone Star - Gay Gulch - 27 Pup area was aimed at two objectives: to extend the known mineralization NW from the Lone Star and to confirm previously identified mineralized zones in the Oro Grande, Buckland and 27 Pup zones so that material would be available for mill tests once the plant was operational (see section 6.2). The secondary objective was to increase our knowledge of the geology of the property with the mapping.

Excavation of new trenches was achieved by stripping the surface, especially the 'black muck', with D8K bulldozer and then digging to solid rock where feasible with a large backhoe (EX300). Sampling these trenches consisted of breaking small pieces of rock from the sides of the trench to provide a reasonably continuous sample. For a 5 metre interval approximately 2 kg of material was collected (one 30 x 50 cm plastic bag full). The trenches were geologically mapped at the same time as sampling.

Samples were packed into 'poly-weave' sacks that were sealed with zip ties, packed onto pallets and then covered with shrink-wrap before trucking to Vancouver. They were shipped directly to Acme Analytical Laboratories of Vancouver for assay. Preparation of rock consists of crushing to 70% of the material <10 mesh, split to 250g and further pulverizing. The custom inductively coupled plasma mass spectroscopy (ICPMS) uses a sample aliquot of 30g that is digested in 95°C aqua regia. 35 elements plus gold are determined by ICPMS. Gold is reported for concentrationa down to 0.5 ppb. Fire assay for gold was carried out on samples that yielded 300 ppb or more on initial analysis. Either 1 or 2 assay-ton (29.2g or 58.4g) pulverized samples. Lead collection followed by acid digestion of the doré bead is followed by determination using inductively coupled plasma emission spectroscopy.

Soil sampling for geochemistry was achieved by hand augering and collecting material from 20-40cm dep†h. The material was described in the field and a GPS receiver used to obtain the U.T.M. coordinates. Localities were flagged. Acme Analytical Laboratories performed analysis using ICPMS on a 15g aqua regia digested sample.

Since the trench sampling consisted of selection of small pieces of rock across the interval desired rather than a continuous channel sample these results may not be totally representative. It is likely, however, that this technique would underestimate any grades rather than exaggerate them. Also to be considered is the possibility of discreet gold grains being present in the rock. Some of these grains would be expected to be flattened during pulverization and to be removed from the sample during screening at the laboratory. Our trench sampling was

aimed at identifying mineralized zones, not precise gold grades.

Geological mapping at the reconnaissance scale was performed using coarse-acquisition GPS location of data points. Compilation of data was achieved using GIS software and AutoCad. Detailed mapping (as at 27 Pup) used classical surveying techniques for control. End points of trenches and rock exposures were located using tachymetry. Trench mapping used fibreglass survey tapes stretched out from the control points. Compass, clinometer and tape traverses were used to provide some detail of roads.

6.2 THE 2004 PROGRAMME

During the 2004 season much of the first work over the whole claim block was driven by the need for assessment work, as all claims were due to expire. Out-lying claims were the subject of soil sampling and reconnaissance-type geological mapping and rock sampling for assay. The principal targets of Lone Star, Buckland shear and 27 Pup received more detailed work in the latter part of the summer. As part of the joint venture agreement between Klondike Gold Corp. and Klondike Star the latter company undertook construction of a pilot plant for gravity concentration of heavy minerals from bulk rock samples and of a small sluicing plant capable of being rapid dismantled and cleaned-up to test bulk soil or alluvial samples. The hard-rock plant was built on Eldorado Creek by 27 Pup (alongside the 'Dysle' prospect). It consists of jaw crushers (a roller mill is to be added in 2005), two unlined ball mills that allow quick clean-up, a screen and feed to a Deister shaker table. This allows bulk samples of from a few tens of kilograms to 1 tonne to be milled to recover free gold and to produce a heavy mineral concentrate. This concentrate would include sulphides that may be assayed. A suite of 11 samples from 9 to 384 Kg weight were run through the plant during October 2004 to test the equipment. It is hoped that the bulk sampling of surface material may produce a representative grade for samples that is unaffected by 'nugget effect' or gold content in sulphides.

Exploration over the Lone Star ridge consisted of excavation of two very long trenches over the NW strike extension of the Boulder Lode soil geochemical anomaly. These utilized previously (1987) bulldozer stripped areas that had allowed the thawing of a 1-1.5m thick layer of Pleistocene peat and soil (the "Klondike black muck"). Other smaller excavations lower on the ridge towards O'Neil Gulch ran into some permafrost and hence provided somewhat discontinuous rock exposure. The new trenches were sampled (2-3 kg bags from each 2-5 m section as required) and sent for assay.

In the Oro grande area (Hilchey Zone) new trenches were cut along the contour and down the spur by backhoe and appropriate sampling carried out. At the Nugget shear zone between

Oro Grande and 27 Pup One bulk sample ('NUG') was taken from the upper zone before stripping commenced. The mineralized intervals at top and bottom of trench 94-02 were stripped to expose outcrop. The Buckland shear was investigated by re-sampling of trenches 91-20, 89-04, 95B-1 and 96-35 to accurately locate the mineralized interval for bulk sampling in 2005. Also some continuous sampling of Kennecott's trenches on the spur south of Gay Gulch (samples 158936 to 950) failed to locate the mineralized zone.


At 27 Pup the recent trenches (2003) were sampled and all exposures mapped in detail using either theodolite or plane table and alidade to provide vertical as well as horizontal control. Within this mapped area, the historic showings above the Dysle adit were later stripped and bulk sampled.

6.3 DESCRIPTION OF TRENCHING, SAMPLING AND SURVEY

NW EXTENSION OF THE BOULDER ZONE: TRENCHING TOWARDS O'NEIL GULCH

Contour cuts were opened up between Hilchey's lower road at ~870m elevation and O'Neil Gulch. This bulldozing was stopped about 150m short of the Gulch due to permafrost and 'black muck'. Significant gold colours were obtained from colluvium from the cut. The uppermost left-hand branch of the gully was sampled by Tom Morgan for colluvial gold by sluicing approximately 1.3 m^3 of ground through a 'long tom'. This work returned over 1g raw gold, indicating that there are grades of placer mineable colluvium present on this part of the hillside and that it would be advisable to investigate the source. These roads will provide access for further trenching and drilling on the steep frozen NE slope and the work will likely be continued once the 2005 summer allows some thawing.

In order to investigate the northwestern previously unexplored part of the Lone Star soil gold anomaly two long trenches were excavated by backhoe along the routes stripped in previous years. Trenches 04-09 (N & S) and 04-11 (N &S) run NNW down the slope of the ridge and extend the rock exposure a further 320 m further north for 04-09 past trench 87-16. Trench 04-10 cuts along the contour. The geology of these trenches is shown in detail in Fig. 17. Analyses of rock sampling (taken as 2 to 5m intervals according to geology) produced anomalous gold (i.e, >200 ppb) in both southern parts of trenches 9 and 11 in muscovite-chlorite schist, which likely represents an intermediate volcanic protolith. Also in one locality in each of the northern sections interesting grades were obtained (this may coincide with a quartz vein system). In trench 04-10 ore-grade values to 19 g/t could be 'real' or could be a result of some colluvial gold being present


04-09N
Fe-stained, 'pods' qtz, Py layers
063
37.9
134.1
52.1
36.0
mcs
17.7
068
37.6
20.6
21.4
069-073
(2m)
21.7
42.0
255.2
Fe-stained, 'pods' qtz, Py layers
mcs, 1cm qtz-lim. veins
074
53.6
73.5
mcs, 30% chlor. + mica
077= 66.7
(qtz)=
6828 ppb
076
172.2
23.0
51.6
44.6
20.3
mcs
081
42.4
51.3
39.2
085= 33.8
(qtz)=
20.3 ppb
084
12.3
24.9
3.7
3.1
090
10.6
ms to mq
Road
No
exposure
00m
04-10
092= 1150
005= 1878
253.5
N.S.
538=
15.3
37.0
43.8
689.4
260.0
112.7
71.7
147.0
120.2
158529
300.8
7.8
146.8
230.9
ms
80.4
67.6
10.3
25.5
15.0
2.8
519
4.6
11.6
9.3
mcq
9.8
12.2
7.4
Py
6.5
6.3
6.9
ms
8.3
509
46.4
(508= qtz
at 157m)
47.0 ppb
507
15.9
25.1
mcs
(crenulated)
3.0
2.1
mcs
2.6
mcs (crenulated)
6.8
158501
12.1
ms, 2-8cm qtz
No exposure
bottom of trench sampled
Trend of contact?
04-11N
119= 44.5
30
28.2
ms
13.2
55
095°
35.1
10.0
45.9
125= 280.9
096°
mcs
67
48.2
19.1
40
115°
128= 15.3
0m (N)
Road
0m for sampling S
117= 91.7
30cm
182.2
55
090°
188.2
100cm
41.8
149.0
50cm
38.9
mcq+mcs
12.1
mcs
14.4
84.5
mcq
245.6
90cm
mcs
359.8
80cm
318.3
mcs
81.9
mcs+mcq
193.9
266.6
mcq+mcs
102= 21.7
"Sub-outcrop"
mcq
04-11S
N
0
50
Metres
04-09S
Sample numbers are prefixed by158
Gold analyses are shown in ppb
TRENCHES 04-9 to 11
GEOLOGY & SAMPLING
Scale: 1 to 1000
T. Liverton, January 2005


in the sample. That trench was not as well cleaned-out as the others due to frozen 'Klondike muck' overlying this ground which had not been previously stripped. Averages from this sampling gave 0.28 g/t / 24.0 m and 1.36 g/t / 23.0 m.

Other trenches dug to the NW of the Lone Star in the 7 Pup area are:
04-14, a deep excavation into muscovite schist and muscovite-chlorite schist (Fig. 18). This was in a region reported to carry colluvial gold (Jerry Bryde quoting the work of Hilchey). Only foliaform quartz is seen in this trench, but some concordant pyritic zones were noted. Trench 04-15 also covered one of Hilchey's targets. It was found to follow a basic dyke, hence coincides with a magnetic anomaly (Fig. 19). Trench 04-16 was dug at Jerry Bryde's workshop on a graphitic zone that had yielded placer gold from colluvial material. It was found to intersect a fault zone that, when correlating intersections on opposite walls of the trench indicates an approximately north strike. Samples 158139-142 of fault zone material yielded only 1.7-14.5 ppm Au (Fig. 20).


Trench 04-17 was excavated along one of Hilchey's old contour cuts, where anecdotal evidence identified one of the geophysical (I.P.) anomalies. The country rock consists of muscovite schist, quartzite and graphitic phyllite. In the centre of the trench are serpentinite, soapstone and asbestos over 10 metres (Fig. 21). This is interpreted to represent altered ultrabasics intruded along a thrust fault zone, probably one of the WNW-trending faults. It may correlate with the similar zone reported from 7 Pup. Rock samples at 5 metre intervals (158143-148) gave analyses of <4 ppb Au, which are surprisingly low for an ultrabasic rock.

TRENCHING AT THE HILCHEY ZONE (ORO GRANDE GULCH)


Five trenches were dug early in the 2004 season over the Hilchey anomaly (see 1:5000 scale sketch, Fig. 22). G. McKercher sampled trenches 01, 02 and 05. Only background Au values were obtained on analysis except for the 64-66m interval in trench 01, which yielded 104 ppb. He terminated the sampling of trench 04-02 at about mid point due to poor rock exposure and an unstable excavation (See notes in appendix). Trench 04-03 was not sampled since it was felt that the material in that trench was colluvial. The mid point of that trench however, did unearth many boulders of quartz in which visible gold was noted by Jerry Bryde and later separated (T.L.) from a 26.8 kg composite grab sample "Oro Grande Quartz" in a mill test. Also, opposite the south end of trench 03 two zones of quartz with limonitic material alongside were noted by Jerry Bryde and he panned gold from this material. Samples 158164-166 from this ~1m wide zone (T.L.) gave fire assays of 0.11, 0.23 and 1.57 g/t. Re-examination (by T.L.) noted that above the mid-point of trench 03 much of the rock in the bottom of the trench appeared to be




TRENCH 04-14
("CHARLIE'S")
Figure 18




TRENCH 04-15
Figure 19



TRENCH 04-16
(by Jerry Bryde's
camp) Figure 20



TRENCH 04-17
Figure 21



Scale: 1 to 5000. 100m grid squares shown.

Road
Trail
Old trenches
2004 trenches

HILCHEY ZONE, ORO GRANDE. LOCATION OF
2004 TRENCHES 1 TO 5 AND "PIT 1"


sub-outcrop rather than colluvial or a slump (solifluction lobe) as originally was suspected. It was decided to create an access trail and to excavate this central part. A deep pit, named "Pit No.1", was dug with the backhoe (Fig 23 is a field sketch). Several in-situ discordant quartz veins were intersected in the pit. A further bulk sample was taken from this pit ("Pit No.1").

TRENCHING AT THE NUGGET ZONE (ORO GRANDE TO 27 PUP)

Assays obtained by Kennecott in trench 94-02 indicated that there were mineralized intervals both at the bottom of the trench and near the top. Their sample intervals were discontinuous, so the 'ripper sub-crop' material was re-sampled in a continuous series by Bill Mann early in the 2004 season. The results from the interval 204-206m (measured from the top or NE end) gave a 2 assay-ton fire assay of 7.18 g/t (sample 144778), as well as 326-330m averaging1.16 g/t (samples 144823-25) at the lower end of the trench. Other results in the 1 g/t range were obtained from below the 200m level .


At the end of the season the upper region (200m mark) of the trench was sampled as a "panel-sample" by Tom Morgan. A 0.2m thick section of the west face of the trench was cut out over a 4.5m length (see field sketch: Fig.24). Half of this sample was run through the mill before winter weather ceased operations. Immediately after the sampling (and before the mill test) the upper region was stripped for placer assessment (Fig. 25) and the quartz vein system cut for this "NUG" sample followed eastwards by backhoe trenching. These excavations were mapped using theodolite tachymetry (Fig. 26). It was noted that the discordant quartz vein stockwork is displaced by shallow-dipping faults that are distinctly limonitic at surface, possibly due to pyrite content. Individual quartz veins in this upper trenching were sampled by Jerry Bryde: samples 144995, 96 and 98 yielding ICP analyses of 5.01, 1.51 and 14.48 ppm Au. Trace copper content, perhaps due to weathering of tetrahedrite, was noted as azurite-malachite in the larger, easternmost vein.

The lower part of trench 94-02 was excavated to expose the quartz vein system there, but was not systematically sampled due to snow fall immediately after it had been roughly mapped (Figs. 27). Grab samples were taken by Jerry Bryde during excavation. Samples 145860, 62 and 63 yielded ICP analyses of 38.9, 43.0 and 32.1 ppm Au. There the quartz vein system dips at ~60° to the NE.



ORO GRANDE HILCHEY ZONE 'PIT NO.1': FIELD SKETCH TO SHOW WIDTHS AND ATTITUDES OF QUARTZ VEIN SYSTEM


Figure 23



FIELD SKETCH OF 'NUG' BULK SAMPLE (12 BUCKETS) TAKEN AS A 20 cm THICK PANEL OVER THE 4.5 m WIDTH.

Quartz veins are shown as a stipple, faults as bold lines. True thickness of quartz veins given at the position measured. Attitude of veins and faults is strike & dip relative to magnetic North.

Figure 24




ORO GRANDE: NUGGET SHEAR ZONE SHOWING NEW EXCAVATIONS AND ACCESS TRAILS

Mapped October 2004: T.Liverton

Scale: 1:2000


Figure 25



ORO GRANDE NUG ZONE: DETAILED GEOLOGICAL MAPPING OF NEW EXCAVATIONS

Mapped using theodolite tachymetry. Scale = 1 to 500. T. Iverton, October 2004

Figure 26.




ORO GRANDE NUGGET SHEAR ZONE: DETAILED GEOLOGY
OF LOWER QUARTZ VEIN SYSTEM
Figure 27

TRENCHING AT 27 PUP AND GEOLOGICAL MAPPING

Late in the 2003 season a limited amount of trenching was carried out at 27 Pup, but was not sampled that year. Trench 03-01 was sampled by G. McKercher and J. Boyce early in 2004, and 03-01 extension and 03-03 and 03-05 sampled by G. McKercher and T.L. in August. The other 2003 trenches in the 27 Pup area did not expose outcrop and were not sampled. Trench 03-01 (samples 144537-544) gave analyses all <72 ppb Au; trench 03-01 Ext., samples 144545-565 gave some anomalous values up to 389 ppb; trench 03-03 sampled at 5m intervals from 2 to 70m (uphill) (158051-158062) produced only one anomalous Au analysis: the interval from 2-7m was 320.3 ppb. Trench 03-05, sampled at 2m intervals (numbers 144566-600) produced three anomalous values: 144573= 288.7 ppb, 144577= 650.4 and 144584= 317.3 ppb, corresponding to the 16-18, 22-24 and 36-38m intervals measured from the lower (SW) end of the trench. These are in micaceous quartzite and muscovite-chlorite schist without any prominent quartz veins.


Once the sampling was completed the 27 Pup area was mapped at 1:500 scale using theodolite tachymetry for the larger part and plane table and alidade for the Dysle showing. This is presented as Fig. 28.[pocket] Interpretation of the geology is hampered by lack of suitably distinct lithologies (as a hand specimen) to use as a marker horizon. Variably chloritic lithologies may represent a volcanic protolith (but are not readily correlated between trenches) and particularly sericitic schist such as in trench 91-14 and adjacent exposures is likely meta-rhyolite. The graphitic phyllite unit is seen in several trenches and interpretation of its trend is made assuming fold structures. In trench 03-01 (extension) the graphitic unit is obviously sheared at a low angle to foliation. The zone interpreted by Van Angeren as the Buckland shear zone extension is shown on his complilation map as passing through the lower (i.e., SW) third of trench 90-04, which was not mapped in detail this season since much of the sides had slumped. That location would place the shear through the lower part of trench 03-05. Although no ore-grade results were obtained in our 2004 sampling, anomalous Au values to 650 ppb were found (Fig. 29). Anomalous results found at the west end of trench '03-01 Extension' (Fig. 30). cannot be correlated with this mineralization and may represent separate mineralization.

Only in the natural exposure at the bottom of the 27 Pup gully can original bedding be observed in the phyllite and there it is partially transposed by en-echelon micro-faulting. Elsewhere the foliation observed is a completely D_1 transposed surface. Although it is likely that there are common brittle (i.e., late to post-folding) faults in the area only one has been recognized in the centre of the area of the 1:500 scale map (Fig. 28). At the intersection of trenches 89-01 and 90-01 this structure strikes at about 010° true and demonstates a clear lithological break. These trenches are also the site of two discordant quartz vein systems: en-echelon veins from 10-



SAMPLE	INTERVAL	Au, ppb	SAMPLE	INTERVAL	Au, ppb
144577	22-24m	650.4	144582	32-34m	39
144578	24-26m	255.9	144583	34-36m	214.6
144579	26-28m	142.3	144584	36-38m	317.3
144580	28-30m	224.5	144585	38-40m	246.3
144581	30-32m	39.4	144586	40-42m	219.8

Figure 29



SAMPLE INTERVAL Au, ppb

144563	34-36m	204.7
144564	36-38m	171
144565	38-40m	389.3


TRENCH 03-01 EXTENSION ANOMALOUS GOLD VALUES Figure 30

20 cm thickness dipping to the east from 18°-42° in trench 89-01 and, in the region of the trench intersection, flat-lying sets dipping from 9 to 15° to both the north and east, spaced a few centimetres apart and each of a few centimetres thickness. This locality was the site of significant gold grades being extracted from ripped hard-rock during placer operations. Four bulk samples (A, B, C and D) were cut from the walls of the trenches in order to attempt identification of the source. Work on the mineral concentrates is incomplete, but it can be stated that at least some gold is present in all of the lithologies collected. Bulk sampling is described in later section 6.4 (see accompanying Fig. 35 and Table 1).

BUCKLAND SHEAR ZONE

Previously reported areas of interesting gold grades in the Buckland zone were investigated at two sites. Reverse circulation drillhole 93-20 had shown mineralized sections from 70-75 ft. - 1.18 g/t; 110-115 ft. - 7.41 g/t; 115-120 ft. - 3.57 g/t and 120-125 ft. - 1.44 g/t (mean for the 15' of consecutive intervals = 4.14 ppm). The drill cuttings at the site of this hole were identified and re-sampled after crushing and sieving (see "BULK SAMPLING"). The gold values were confirmed. A trench, 04-18, was excavated by backhoe from alongside the drill collar towards the NE for 52m. The NW face was sampled continuously at 5m intervals. It was noted however, that the rock of the drill cuttings did not correlate with that in the trench. The cuttings were full of quartz, but no quartz veins were seen in the trench. The mineralized zone is either dipping only slightly discordant to the foliation in the schist (strike and dip measurements in the trench were 116/43S and 081/30S true) or it is faulted close to the collar of the hole. The trench was sampled continuously in 5m intervals from 52 to 2m from the west end. The only sample that gave above background values was 158155 = 42 to 47m. This assayed 1.21 g/t by ICP. This interval likely does not correlate with the drillhole mineralization. Neither does it seem to be a structure parallel to the Buckland shear, an ESE strike.

In the western part of the Buckland zone trenches 89-04, 91-20, 95-B1 and 96-35 had yielded some significant assays from the original sampling. Trench 91-20 was examined without finding any obvious indication of a possible mineralized zone, save a few cm-scale quartz veins. Three samples were cut from the NE face at the projected strike of the shear zone from 89-04, from 6 to 12 metres from the NE end of the trench. Samples 145926-28 gave ICP analyses of 11.5, 419.2 and 1031.9 ppb Au. In trench 89-04, despite considerable sampling, (1:500 sketch, Fig. 31) only the interval 30-32m from the SW end gave an analysis of 305.3 ppb. In trench 95B-1, consecutive 2m samples yielded 1.98 and 0.81 g/t Au in obvious limonite-stained rock. Trench 96-35, to the west was also sampled at 2m intervals from 14m to 26m from its south end,



BUKS ZONE: RE-SAMPLING OF TRENCHES 89-04 & 95B-1

T.Liverton, August 2004

Scale: 1 to 500

which should have included the strike projection of the zone. No analyses >11 ppb resulted.


It is obvious that the shear zone is mineralized discontinuously and perhaps anastomoses. It would still be worthwhile to attempt bulk sampling in 2005 between trenches 91-20 and 95B-1 to determine the actual grade of the zone.

MAPPING AT O'NEIL GULCH


At the end of the season's reclamation of placer mined ground on O'Neil Gulch the miners had stacked and levelled their tailings in the upper part of the workings on the east side of the gully and had left a carefully constructed channel for the stream. This provided a continuous exposure for over 100 metres which showed outcrop of a graphitic phyllite unit. It was decided to map these exposures this year in case placer mining in 2005 covered them again. They were mapped at a scale of 1: 250 with compass, tape and clinometer by G. McKercher and T.L. (Figs. 32 [pocket], 33). The two graphitic phyllite bands are interpreted as having a northerly strike. Two samples chipped across the graphitic unit in the creek showed just background gold contents. Only foliaform quartz veins were noted in the schists so these were not sampled.

LONE STAR SURVEY


Much of the historical data in map form has been incorporated into an AutoCad version by P. Van Angeren, and this has been used as a base for data collection. Much of the positioning was by GPS, hence apart from a likely horizontal error of 5-10m, there was no accurate vertical control. The lack of this third dimension hampers any attempt to construct an accurate geological cross section. A survey using theodolite tachymetry was carried out over the Lone Star and towards the O'Neil area. Many of the drill holes were located as well as some of the major trenches, the road to Bonanza Creek, and buildings. Although about $^2/_3$ of this work covered the Crown Grant leases, the northern part of the survey was on the surrounding claims (DN1 and DN 10) and is suitable for assessment. A sketch is presented at 1:2000 scale: Fig. 34. [pocket]



SKETCH 1: PLAN VIEW



SKETCH 2: PROFILE



SKETCH 3: PROFILE

O'NEIL GULCH DETAILED MAPPING: SKETCHES OF STRUCTURES
Figure 33

6.4 BULK SAMPLING FOR MILL TESTS

During the latter part of September and October a series of 12 rock samples were taken for preliminary test of the ball mills and Deister table at the mill. Some of these samples will also serve to identify gold-bearing lithologies from the 27 Pup and Gay Gulch areas. Sample weights are given in the accompanying table. The various sample types are:

27 Pup: 4 samples (up to five 20 l buckets each) from the trenches 89-01 and 90-01 (see sketch: Fig 35). Sample 'A' is from pyritic muscovite-rich schist, probable meta-rhyolite with shallow-dipping cm-scale quartz veins; Sample 'B' is from quartz muscovite schist with decimetre-scale steep-dipping discordant quartz veins; 'C' is from micaceous quartzite and 'D' is from muscovite chlorite schist with occasional mm-scale quartz veins. This locality is reputed to have yielded good gold grades when the rock was bulldozed and passed through the sluice during placer mining. (Fig. 35)

Gay Gulch 93-20 Percussion drillhole 93-20 yielded assay results of 1.18 g/t for the interval 70-75 ft, 7.41 g/t for 110-115 ft, 3.37 g/t for 115-120 ft and 1.44 g/t for 120-125 ft sample intervals in the original (1993) assaying. This material had bee split from the cuttings without being crushed. Fortunately every bag of cuttings stacked on site were laid with numbers down so that the bags were still identifiable (which is rarely the case). These samples were recovered, hand crushed and sieved to -20 mesh, then split several times by cone-and-quarter method to obtain a sample for re-assay. Results of new 2 assay-ton fire assays were 1.86, 4.17, 3.67 and 0.99 g/t respectively and the combined sample for 110-125' gave 3.19 g/t. The remainder of the material for the three bags from between 110 and 125 ft was combined and this, plus the bagful from 70-75 ft, were passed over the Deister table at the mill.

Oro Grande Quartz Quartz boulders excavated during trenching of the Hilchey zone were broken to obtain a 26.8 kg sample. This was crushed using the two small jaw crushers at the mill and then pulverised in a chain impactor before passing over the table.

Oro Grande 'Pit 1' Discordant quartz veins from the 4m square pit dug at {585,000E, 7,085,172N} were sampled by Jerry Bryde and T.L. (Fig. 23). 11 buckets (total 314.6 kg) were crushed in the jaw crushers and pulverised, then passed over the table. (Fig. 23)

Oro Grande 'NUG' — This sample was obtained by Tom Morgan, with some assistance from T.L. It consisted of a 20 cm thick panel of 4.5m length cut from the face of the small trench at the upper end of trench 94-02 (see 1: 500 scale map and sketch of trench face). Approximately half (340.5 kg) of this sample was prepared and concentrated. The remainder needs to be processed next Spring, so values from this run should be combined with the 2005 run to obtain a representative assay for the zone.

Dysle veins Mill 1/10/04 — Material from 7 small discordant quartz veins was sampled by Vern Matkovich, Jerry Bryde et al. This sample was 383.9 kg weight.

Mill 3/10/04 — 299 kg from the NW end of the Dysle zone (Jerry Bryde et al.) was processed.

Mill 4/10/04 — 163.9 kg run through the mill. This sample includes chloritic fines and clay gouge. The raw sample was puddled and run through the sluice box to remove clays. The remainder (wet weight recorded) was crushed and run through the mill. An estimated (by Jerry Bryde) total of 24 kg of clays were removed before weighing.

At the time of writing this report the microscopic examination of concentrates, middlings and tailings and their assay is incomplete. The following table, however presents available data. It may be seen that even with say, 300 kg bulk samples, it is feasible to estimate gold content accurately to well below 1g/t content. [Excel: Table 1]



584,000 E
Trench 89-01
C
mq with rare qtz
mcs,
rare qtz
D
Trench 90-01
mv with
abundant
qtz veins
A
7,085,500 N
B
ms with 3
major qtz
veins
Trench 89-01
27 PUP BULK SAMPLES
A to D
September 2004
Road
0
50 m

Figure 35

Sample	Weight lbs	Weight kg	Weight of concentrate	Weight of initial middlings	Weight of final tabling Middlings (re-processed at Don Kenzie's plant)			Sampling Notes	Microscopy		
			grammes	grammes	Metallics	Middlings	Tailings		Final clean-up tailings	Middlings	Concentrate
27Pup 'A'	231	104.9	0.16		19.8g	20.14	348	4 buckets of chip samples: see sketch			Iron, qtz, some goethite, considerable gold
27Pup 'B'	302	137.1	0.14		13.67	21.95	806	5 buckets of chip samples			Flattened gold, iron, broken goethite, a little qtz, 1 piece lead.
27Pup 'C'	260.5	118.3	0.11		14.02	36.83	13.46	5 buckets of chip samples			Iron, goethite, fine gold, gold flakes to 5mm and (1) wire 10mm long
27Pup 'D'	264.5	120.1	0.1		86.81	40.03	322	5 buckets of chip samples	Quartz, mica, broken goethite/limonite: no gold found		Much broken goethite/limonite, some qtz & mica. Fine gold and flattened flakes, 1 flake of copper, 1 grain cinnabar.
93-20: 70-75'	54	24.5	34.87 (not re-tabled)	228				Drill cuttings, hand crushed to -20 mesh			
93-20: 110-125	19	8.6	0.18		3.55	65.16	94	Drill cuttings, hand crushed to -20 mesh and three intervals combined	Limonite pseudo., qtz., mica, rare Py, 2 grains Au: 0.5 & 0.15mm long, flattened (picked, added to conc.)		Gold, both crystals and flattened. Much cubic lim. pseudomorphs of Py (0.07mm), broken pseud., some mica. About 1% cinnabar.
Oro Grande quartz boulders	59	26.8	45								
Oro Grande Pit 1 585000E, 7085172N	693	314.6	0.5		45.29	46.11		11 buckets from face of pit sampled on 1/10/04. 585000E, 7085172N			V.flattened gold, much Fe, 4 flakes of lead
Oro Grande NUG 584910E, 7085137N	750	340.5	1.53		29.53	234	1094	Tom Morgan's panel sample (approx. half of material, remainder to be run 2005 i.e., present run is not representative of the whole panel. The remaining material should be run and the two results combined).		Not re-tabled. Qtz, goethite, mica. No gold noted.	Gold, iron
Dysle veins Mill Site 1st. Oct	845.5	383.9			First run 86, second run 189	First run135, second run 107	1637	SE end of zone (7 ≤10cm quartz veins)			
Mill Site 3rd. Oct	658.5	299.0	9.12			Second run 107	749	NW end of sampled zone			Much gold, iron, a few Py crystals, 1 grain cinnabar.
Mill Site 4th. Oct	361	163.9				Second run 83	558	NW end of sampled zone. Chloritic fines, clay gouge. Sample run through sluice to remove clays. Coarse remainder crushed in jaw crusher. Estimated 50lbs of fines washed out. Weighed wet after washing.			

6.5 PERIPHERAL CLAIMS

STAMPEDE GULCH TRENCHING AND PROSPECTING

The trail running up Stampede Gulch had been overgrown and was cleaned up by bulldozer. Two small trenches were cut into the northern slope of the gully. This region was examined and rock sampled by Jerry Bryde and Tim Liverton on the 6th. August. Notes are as follows:

At 579352E, 7089176N (NAD 27) a suboutcrop of brown soil containing remnant cobbles of diabase is seen for 10 m along the trail.

579207E, 7088678N is at the NE end of the new trench alongside the road. There are 3m of slightly bluish muscovite-chlorit schist in the bottom with one 0.5m block of white quartz containing vughs of Fe-stained microscopic 'books' of clay minerals (crystals <0.2mm long). No fresh sulphide noted. Loose material at the edge of the trench is massive pyrolusite.

{578796E, 7088120N} is 30m on 186°T from a natural hollow (presumably the site of a pingo). The hollow contains very Fe-stained rock that when broken is a white, fine-grained quartz-muscovite schist. Quartz is in recognisable 0.5mm equant grains (phenocrysts?). Contains 0.2mm euhedral pyrite (~0.5%). Possibly a meta-rhyolite. Samples previously taken by Jerry Bryde (19th. July) are:

578821 E	7088196 N	sample 156328	'rusty' quartz vein, 1m wide	Assay= 0.9
578821 E	7088200 N	sample 156329	adjacent red 'crush-zone'	Assay= 12.8
578833 E	7088195 N	sample 156330	'material adj. to crush zone	Assay= 2.0
578834 E	7088199 N	sample 156331	silvery schist with py	Assay= 1.8

(Assays in ppb)

The prospecting traverse lead up the east side of Stampede Gulch from the fork. Little outcrop is visible, but a few quartz boulders and old prospecting pits were noted.

{579224 E, 7097903 N}is a 75cm quartz boulder with 8mm pseudomorphs of pyrite on the ridge towards Irish Gulch.

{579296 E, 7087934 N} is a very old 4x1m section pit with enough dump for 3m depth.

{579769 E, 7087503 N} is on the top of the ridge. A bulldozer trench, a few years old is about 25m long running 162°. Dump material is mostly muscovite-chlorite schist with some feldspar to 1mm size. Shows anastomosing mica layers. Possibly a meta-granitoid, and therefore is likely the Sulphur Creek Orthogneiss. Some more micaceous material also seen (meta intermediate volcanic?). 0.5m block of quartz on dump showing 4mm limonite pseudomorphs after pyrite in

Stam 14
YC27215

Stam 41
YC27242

Stam 40
YC27241

Stam 45
YC27246

RON 31
YA10330

SYNDICATE 83
YA79280

Stampede Gulch

Skookum Gulch

N

Stam 16
YC27214

Stam 39
YC27240

Stam 38
YC27239

RON 32
YA10331

RON 29
YA10328

BAD 16
YC19907

156329
12.8

156338
1.6

156331
1.8

156328
0.9

156330
2

Stam 12
YC27213

156339
<.5

Stam 37
YC27238

Stam 36
YC27237

RON 30
YA10329

RON 27
YA10326

Stam 11
YC27212

Stam 35
YC27236

Stam 34
YC27235

RON 28
YA10327

Irish Gulch

144812
1

144813
1

156340
2.3

156341
3.1

RON 25
YA10324

145901
2.3

156342
73.2

145902
11.5

Q

Q

Q

prospecting traverse

Stam 10
YC27211

RON 26
YA10325

Stam 32
YC27233

Stam 33
YC27234

Stam 9
YC27210

Stam 31
YC27232

Stam 29
YC27230

Stam 8
YC27209

LEGEND

●144480 0.9 Soil sample number ppb Au

▲144450 0.5 Rock sample number ppb Au

KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT

Rock and Soil Samples - 2004

STAM CLAIMS

0 100 200 300 400 500m

SCALE: 1:10000	NTS: 115 O/14 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005	FIGURE 37

schist at the margin of the quartz. In the trench one 15cm quartz vein trends 075°M (specimen 145901) and a further vein, 2.5m to the SE dips at a shallow angle to the SE (145902). Jerry Bryde also collected material: Sample 156342
Assays: 145901= 2.3 ppb; 145902= 11.5 ppb 579813= 73.2 ppb

The route down the east side of the spur into the head of Irish Gulch was as follows:

UTM, E	UTM, N	UTM, E	UTM, N
579913	7087302	Quartz boulders were noted at:	
580111	7087296	580735	7087608
580231	7087345	580931	7087586
580435	7087433	581022	7087594
580436	7087434	581030	7087624
580633	7087533		

This side of the spur is heavily mantled with colluvium and no exposure was found.


MAP SHEET 116 B 03 - BR and JAC blocks

Heiko Mueller, Gord McKercher and Jeff Boyce carried out prospecting with rock and soil sampling on the BR block and a more extensive soil and rock sampling on the JAC claims. The BR claims on Bear Creek surround the historic Virgin mine, one of the more significant showings in the Klondike (minfile 127). Bear creek was a substantial placer gold producer, with low-fineness gold thought to be locally derived (Knight et. al. 1999b). The western part of the JAC claims is mantled by a thick blanket of White Channel gravel; outcrop is confined to placer cuts.

Soil anomalies of 48 and 49 ppb gold on the BR claims, and of 54 and 43 ppb gold on the JAC claims should be followed up. Results of rock sampling were dissappointing. Results are shown on the 1: 10,000 scale compilation maps Figs. 38 & 39.

MAP SHEET 115 O 10 - FB CLAIMS

Heiko Mueller and Jeff Boyce prospected, took rock and soil samples from these claims in the Gold Run creek area. Historic workings thought to be part of the "Kentucky Lode" occurrence (not listed in Minfile) are present near the northern part of the claims, including old shafts and adits, and more recent trenching. Results were generally disappointing, with a maximum value of 2.43 g/t gold returned from a quartz vein in a trench. See 1: 15,000 scale compilation map Fig. 40



KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT

Rock and Soil Samples - 2004

BR & JAC CLAIMS

0 100 200 300 400 500m

LEGEND

●144480 0.9 Soil sample number ppb Au

▲144450 0.5 Rock sample number ppb Au

SCALE: 1:10000	NTS: 116 B/3 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005	FIGURE 38

placer mined area

Bonanza Creek

Jac 1 YC27301 | Jac 2 YC27302 | Jac 3 YC27303 | Jac 4 YC27304 | Jac 5 YC27305 | Jac 6 YC27306 | Jac 7 YC27307 | Jac 8 YC27308 | Jac 9 YC27309 | Jac 10 YC27310 | Jac 11 YC27311 | Jac 12 YC27312 | Jac 13 YC27313 | Jac 14 YC27314 | Jac 15 YC27315 | Jac 16 YC27316

Jac 31 YC25580 | Jac 32 YC25581 | Jac 33 YC25582 | Jac 34 YC25583 | Jac 35 YC25584 | Jac 36 YC25585 | Jac 37 YC25586 | Jac 38 YC25587 | Jac 39 YC25588 | Jac 40 YC25589 | Jac 41 YC25590 | Jac 42 YC25591 | Jac 43 YC25592 | Jac 44 YC25593 | Jac 45 YC25594 | Jac 46 YC25595

581000 | 582000 | 583000 | 7099000

N

LEGEND

●144480 0.9 Soil sample number ppb Au

▲144450 0.5 Rock sample number ppb Au

KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT

Rock and Soil Samples - 2004

JAC CLAIMS

0 100 200 300 400 500m

SCALE: 1:10000	NTS: 116 B/3 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005	FIGURE 39

KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT

Rock and Soil Samples - 2004

FB CLAIMS

0 100 200 300 400 500m

SCALE: 1:15000	NTS: 115 O/10 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005	FIGURE 40

LEGEND

● 144480 0.9 — Soil sample number ppb Au

▲ 144450 0.5 — Rock sample number ppb Au

MAP SHEET 115 O 14: CLAIMS SEPARATE FROM THE MAIN BLOCK

Gre 1-32 BLOCK

Heiko Mueller, Jeff Boyce, Jerry Bryde and Tom Morgan prospected this claim block and collected rock and soil samples. See 1: 10,000 scale compilation map Fig. 41.
There are two main areas of interest on the GRE claims, with gold-rush era pits, shafts and adits near the western part of the claim, and 1980's work near Sulphur creek. The DOT claim adit adjacent to the GRE had galena-bearing rock in the waste dump, however assays were only weakly anomalous. The veins along the ridge that are part of the historic Lloyd group (minfile 115O 066) were moderately anomalous, with a maximum value of 2,448.3 ppb Au from a rusty vein with euhedral quartz and large pyrite crystals.

An assay value of 8.32 g/t gold was returned from a sample of quartz float near the Sulphur Creek and Green gulch confluence. This is near an area trenched and drilled by United Keno Hill Mine in the 1980's. The reports for that work were not available, and the physical work was not obvious on the ground, likely because of subsequent placer mining in the area. A few moderately anomalous soil samples could be followed up.


The GRE block is the most promising of the peripheral claim blocks, and is an area that warrants a substantial follow-up exploration program. Work should begin with re-excavation of the Keno Hill trenches.

GB 1-3 BLOCK

These claims located east of Bonanza creek were reported to have been prospected by Jeff Boyce on his time sheets, and 15 soil samples taken. There is no record of this work in Boyce's field notes, other than a note to "see other notebook", which upon examination has no relevant data. There are no soil sample assays with locations that are unaccounted for. The sample tag books have no record of this work. There are no samples from this area recorded in Boyce's sample spreadsheet. The results of this work are lost to the company. See 1: 10,000 scale compilation map Fig. 42.

HUN CLAIM BLOCK

Heiko Mueller and Jeff Boyce prospected this block on lower Hunker creek with little of encouragement to report. There was extensive evidence of previous exploration on the



LEGEND

●144480 0.9 Soil sample number ppb Au

▲144450 0.5 Rock sample number ppb Au

KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.


LONE STAR PROJECT

Rock and Soil Samples - 2004

GRE CLAIMS

0 100 200 300 400 500m

SCALE: 1:10000	NTS: 115 O/15 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005	FIGURE 41



LEGEND


- ●144480 0.9 Soil sample number ppb Au
- ▲144450 0.5 Rock sample number ppb Au

0 100 200 300 400 500m

KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT
2004
GB CLAIMS

SCALE: 1:10000	UTM NAD 83, ZONE 7	DATE: Feb. 11, 2005
NTS: 115 O/14	DRAWN:	FIGURE 42



KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT

Rock and Soil Samples - 2004

HUN CLAIMS

0 100 200 300 400 500m

SCALE: 1:15000	NTS: 115 O/14, 15 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005	FIGURE 43


claims, and review of this work indicated only trace amounts of gold in bedrock. The work program on this block was terminated early, and the claim block was reduced to four claims. See 1: 15,000 scale compilation map Fig. 43.

MAY CLAIM BLOCK

Heiko Mueller and Jeff Boyce prospected this block on upper Hunker creek with little of encouragement to report. There was extensive evidence of previous exploration on the claims, and review of this work indicated only trace amounts of gold in bedrock. The work program on this block was terminated early, and the size of the claim block was reduced. See 1: 10,000 scale compilation map Fig. 44.

REEF CLAIM BLOCK

This single claim is located on the ridge between Hunker and Bonanza creeks, and is surrounded by the claims of Klondike Source Ltd. Heiko Mueller spent one day prospecting here. There are many quartz veins apparent on surface. A maximum value of 46.9 ppb Au was obtained. See 1: 10,000 scale compilation map Fig. 47.



LEGEND

●144480 0.9 Soil sample number ppb Au

▲144450 0.5 Rock sample number ppb Au

KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.


LONE STAR PROJECT

Rock and Soil Samples - 2004

MAY CLAIMS

0 100 200 300 400 500m

SCALE: 1:10000	NTS: 115 O/15 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005	FIGURE 44



LEGEND

● 144480 0.9 Soil sample number ppb Au

▲ 144450 0.5 Rock sample number ppb Au

KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.


LONE STAR PROJECT

Rock and Soil Samples - 2004

CAL NORTH CLAIMS

0 100 200 300 400 500m

SCALE: 1:10000	NTS: 115 O/14 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005	FIGURE 45


CAL 14
YC28506
CAL 15
YC28507
CAL 16
YC28508
CAL 17
YC28509
CAL 18
YC28510
CAL 19
YC28511
CAL 20
YC28512
CAL 21
YC28513
CAL 22
YC28514
CAL 23
YC28515
CAL 24
YC28516
placer mined area
Quartz Creek
Reaford
N
7074000
7072000
591000
592000
593000
594000
145391 <.5
145392 1
145393 1.1
145394 6.1
145395 <.5
145396 1.1
145397 0.7
145398 <.5
145399 0.5
144410 3.5
144409 0.9
144408 1.3
144407 1
144406 4.3
144405 3.6
144404 1.5
144403 2
144402 2.1
144401 2.3
145521 7.4
158251 2.3
LEGEND
144480 0.9 Soil sample number ppb Au
144450 0.5 Rock sample number ppb Au
KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.
LONE STAR PROJECT
Rock and Soil Samples - 2004
CAL SOUTH CLAIMS
0 100 200 300 400 500m
SCALE: 1:10000
NTS: 115 O/14 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005
FIGURE 46



LEGEND


▲144450 Rock sample number
0.5 ppb Au

0 100 200 300 400 500m

KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT
Rock Samples - 2004
REEF CLAIMS

SCALE: 1:10000	UTM NAD 83, ZONE 7	DATE: Feb. 11, 2005
NTS: 115 O/14	DRAWN:	FIGURE 47



LEGEND

●144480 0.9 Soil sample number ppb Au

▲144450 0.5 Rock sample number ppb Au

KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT

Rock and Soil Samples - 2004

LONE STAR NORTHWEST EXTENSION

0 100 200 300 400 500m

SCALE: 1:10000	NTS: 105 O/14 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005	FIGURE 48

7 DISCUSSION


7.1 THE LONE STAR - NW EXTENSION

The 2004 work on the NW extension of the Lone Star lode has had mixed results. Discovery of significant grades of colluvial gold above O'Neil Gulch may indicate a nearby hard-rock source that would be an extension of the Boulder Lode zone. The long trenches 04-09 and 11 produced only a few analyses that were highly anomalous in Au. These were in "muscovite chlorite quartzites" that could have a tuff protolith and might indicate a stratiform mineralization, but no ore grade analyses were seen. Only trench 04-10 produced analyses of up to 19 g/t. If these are representative of the rock content the result is significant. The position of the anomalous region is to the north of the projected Lone Star trend.

Soil sampling to the northwest towards Nigger Jim gulch returned significant anomalous values that should be followed up (fig. 48).

THE LONE STAR ZONE

As already mentioned the previous prospecting in this region has been carried with several metallogenic models in vogue (syn metamorphic mesothermal extensional gold-bearing quartz veins, shear zone hosted mineralization, pluton-related and epithermal mineralization) but there has been little successful documentation of the detailed geology of the Lone Star ridge, simply following assay values in exposures or drillholes, and no attempt at structural mapping. One possible consequence of a polydeformed stratiform mineralization is shown in Fig. 49. This diagram is taken from the structural analysis of the Swift River base metal mineralization, part of the Yukon-Tanana terrane in the SE Yukon. Since the Klondike Schist is recognized as being polydeformed such a scenario is likely. The possibility that such a structural model might exist here (if indeed the original gold was of volcanic exhalative origin) and the additional complication of remobilization of any stratiform mineralization into extensional veins during metamorphism demonstrate the likely complexity of an ore horizon. Some very careful observation needs to be applied to this property. This is planned for the 2005 season with



Cross section of a horizon deformed by two coaxial generations of folding (after D'El-Rey Silva et al., 2001). Axial surfaces of the folds are shown as F_1 and F_2 If such a structural situation were present at the Lone Star a stratiform zone mineralization could appear to have an overall shallow-dipping envelope, Especially if the level of erosion were that indicated by the red line. Foliation seen at surface would appear to be steeply dipping. This type of structural style is possible in the Klondike, although at present there is no detailed structural mapping to demonstrate the true geometry.

initiation of research projects that, as well as structural geology, should identify rock textures, mineralogies and alteration.

7.2 BUCKLAND ZONE

Some marginally economic gold grades have been obtained from an alteration zone on the postulated 'Buckland Shear' in trenches 95-B1 and 91-20. Although adjacent trenches gave disappointing results this may reflect the analysis (these were acid-digested ICP analyses, not fire assay and no 'screen metallic' assays were carried out). Once the mill is fully operational during this coming summer a bulk sample should be taken from 95B-1 to determine the grade. Although a correlation may be made between mineralization in several trenches along this zone it is obvious that there is also gold associated with quartz veins alongside this 'shear', especially coarse gold that was noted by Jerry Bryde during this last season in the selvedge of the quartz in trench 86GG3 and the mineralization investigated in drillhole 93LS20. It is uncertain whether these ESE striking 'veins' are of metamorphic origin or whether they are genetically linked to the 'shear'. It is equally uncertain whether those assays previously reported from other trenches in this vicinity indicate a zone of some width or are just sub-metre scale discontinuous quartz veins (Fig. ***). Bulk sampling will indicate whether any substantial grade and width occurs, at least in the immediate region of 86GG3. It is uncertain whether simple trenching would yield rock exposure much further SE than trench 86GG3. An examination of the old trench 90GG2 revealed that there were 7 metres of colluvium at that locality with no outcrop seen at the bottom of the trench. The side of Gay Gulch is obviously thoroughly mantled with soil and colluvium.

7.3 HILCHEY ZONE TO NUGGET ZONE

The excavations at the Hilchey Zone have revealed mineralization of ore grade. It is, however associated with quartz vein systems, both in trench 04-02 and in "Pit No. 1". The only way to investigate the extent of this mineralization would be by a considerable amount of stripping of the 2m thick overburden. A further larger bulk sample from Pit No. 1 to avoid possible bias towards the quartz veins is warranted as a first step in determining grade. If the present sample has 75% of its concentrate as gold (it has not been not assayed yet) it would represent 1.2 g/t grade over a width of 4m.

The excavation and sampling of the Nugget zone has also discovered interesting gold grades, again associated with quartz veins. Compared to other localities of quartz veins this area

(both the upper and lower zones at trench 94-02) has the distinction that the mineralized zones are also associated with systems of low-angle faulting that displace the quartz on scale of =1m and which presumably carry sulphides. It is not known yet whether these faults are also gold mineralized. Sampling of these zones, with the exception of the "NUG" panel sample was cursory and much more detailed work is required in 2005, as well as bulk sampling.

7.4 27 PUP-DYSLE

The presence of gold in each of the localities sampled (bulk samples A to D) at trenches 89-01 and 90-01 (Fig. 35) is both encouraging and perplexing. It is obvious that much more sampling is needed to determine the extent of the mineralization. If the Buckland shear zone persists at the 27 Pup as stated by Van Angeren it too should be identified and sampled. The region of trench 03-05 (Fig. 29) deserves more careful mapping and sampling.
Above the mill site (the Dysle zone) the seven quartz veins and intervening schist gave coarse gold in the mill tests. Grades are not yet available, but this promises to be a zone that can develop grade. It would be useful to apply some better geological techniques in this area. Several of the trench exposures are thought to represent metavolcanics. Rock sampling for petrography and some whole-rock analyses would help us to at least understand the protolith of these units and this could enable us to better recognize lithological units.

8 CONCLUSIONS AND RECOMMENDATIONS

8.1 LONE STAR - O'NEIL

During the 2004 season little new work was performed in the immediate vicinity of the Lone Star opencut. Continued work on the Lone Star Lode proper should be aimed at a better understanding of the geology of the mineralization. This will be addressed by the planned research project and core (diamond) drilling will need to be employed to obtain fresh rock and to distinguish actual hydrothermal alteration from weathering. Bulk sampling for mill test of various mineralized zones in the old trenches is feasible and will be useful to verify grades and to determine the extent of free coarse gold present. At least initially large (1-5t) duplicate bulk samples should be taken to verify reproducability.

An attempt should be made to open the portal of the 1931 adit and if sufficient underground workings are accessible these should be mapped in detail.

The 2004 trenching towards O'Neil Gulch has shown some enigmatic high grades in

trench 04-10. Once that immediate area has thawed late in the 2005 summer the trench could be both deepened to obtain cleaner rock and extended to the west. Further geological work on these trenches could be aimed at a better understanding of lithologies by selecting material for petrography and analysis. Diamond drilling may be warranted here.

The results of the most recent I.P. survey by Kennecott indicate that there was a significant response over the Lone Star that persisted at depth (detected by their increased dipole spacings). That data, together with earlier material (e.g., Walcott and Associates, 1987) should be compiled on the current database and reinterpreted.

8.2 HILCHEY ZONE

The gold grades revealed by last season's sampling in trench 04-02 and 'Pit No. 1' are encouraging. They demonstrate that there is hard-rock mineralization beneath this zone of gold-bearing soil and colluvium. The zone should be re-sampled to obtain representative material that may be used for a bulk test. Further trenching is warranted to follow the mineralization and a programme of diamond drilling using large diameter holes, close-spaced core sampling and screen-metallics assays as well as fire assay should be planned once more surface data is available.

8.3 NUGGET ZONE

Chip sampling by Jerry Bryde at the minerization uncovered at the head of trenches 94-02 and 96-28 ('NUG' zone) indicates that ore-grade material exists there. Once the processing of the bulk sample 'NUG' is completed next summer a better idea of the overall grade may be obtained. Further trenching is warranted to trace the mineralization along strike. This could be combined with work on the placer ground. Further bulk samples (e.g. at the position of the 2004 excavation across trench 96-28) should be taken and a programme of diamond drilling using large diameter holes, close-spaced core sampling and screen-metallics assays as well as fire assay should be planned once more surface data is available.

8.4 27 PUP

At 27 Pup three matters of geology need to be clarified: the nature and extent of possible volcanic-derived rock units; the nature (and gold grades) of the "shear zone" postulated in the region of trench 03-05; and extent of gold-bearing units at trench 89-01. Once that is complete a programme of diamond drilling using large diameter holes, close-spaced core sampling and screen-metallics assays as well as fire assay should be planned. At the Dysle prospect final evaluation of grade in the quartz stockwork once 2004 mill concentrates are assayed likely will indicate further physical work at this locality.

8.5 GAY GULCH

The small amount of sampling carried out SE of Gay Gulch failed to confirm Kennecott's mineralized zone, the SE extension of the "Buckland Shear". A better attempt should be made to locate the mineralization and to investigate the extent. Further work on the NW slopes of the Gulch is warranted from earlier showings of gold, but it is uncertain how to approach this at present due to the great depth of cover on that slope.

8.6 OTHER: PIONEER / 13 PUP - SE EXTENSION OF LONE STAR

The Lone Star zone appears to be terminated to the southeast by a fault. Previous exploration has assumed a right-lateral offset to mineralization, with an assumed correlation with the historical Pioneer workings. There are significant soil geochemical anomalies in the 13 Pup area that could indicate an offset in the opposite direction, or an additional mineralized zone. An access trail was constructed in 2004 to the 13 Pup area to facilitate future exploration.

Further extrapolations of the Lone Star and Buckland mineralized trends into the Quartz creek drainage are covered by the Red, Win, LB, CUL and CAL claims. Preliminary soil geochemical surveys have returned some gold anomalies that warrant further investigation, especially at the Win and LB claims. Some of the higher gold in soil anomalies are:

122.5 ppb at LB 122

79.8 ppb at LB 63

75.1 ppb at WIN 26

56.3 ppb at WIN 58

A statistical evaluation of gold in soil geochemistry is presented in Appendix 1.

9 REFERENCES

Armstrong, R.L. 1988. Mesozoic and early Cenozoic magmatic evolution of the Canadian Cordillera. *In:* Clark, S.P., Burchfiel, B. and Suppe, J., (eds.): Processes in continental lithospheric deformation. Geol. Soc. Amer. Special Paper 218 p. 55-91.

Cathro, R.J. 1979. Summary report on the Lone Star gold property. Unpublished report for Dawson Eldorado Gold Explorations Ltd., pp. 21.

Colpron, M. 2001. Geochemical characterization of Carboniferous volcanic successions from Yukon-Tanana terrane, Glenlyon map area (105L), central Yukon. *In:* Yukon Exploration and Geology 2000, D.S. Emond and L.H. Weston (eds.), Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 111-136.

Cranswick, R., Martin, L. and de Wit, S. 1995. 1994 Annual report on the Lone Star project, Dawson Mining District, Yukon Territory. Unpublished report for Kennecott Canada Inc., pp. 23 + appendices.

Cranswick, R., de Wit, S. and Vary, A. 1995. 1994 Annual report on the Klondike gold project. Unpublished report for Kennecott Canada Inc., pp. 22 + appendices.

D'el-Rey Silva, L.J.H., Liverton, T., Paradis, S. and Roots, C. 2001. A structural analysis of the upper Swift River area (105B/3), Yukon, Part I: Dan Zn occurrence and implications for sulphide mineralization. *In:* Yukon Exploration and Geology 2000, D.S. Emond and L.H. Weston (eds.), Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 289-300.

Doyle, A. 1993. 1992 rotary drilling report on the Lone Star property, Yukon. Unpublished report for Kennecott Canada Inc., pp. 23 + appendices.

Dumula, M.R. and Mortensen, J.K. 2002. Composition of placer and lode gold as an exploration tool in the Stewart River map area, western Yukon. *In:* Yukon Exploration and Geology 2001, D.S. Emond L.H. Weston and L.L. Lewis (eds.), Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada, p. 87-102.

Dusel-Bacon, C., Wooden, J.L. and Hopkins, M.J. 2004. U-Pb zircon and geochemical evidence

for bimodal mid-Paleozoic magmatism and syngenetic base-metal mineralization in the Yukon-Tanana terrane, Alaska. Bulletin of the Geological Society of America, **116:** 989-1015.

Finlayson, E.J. 1994. 1993 Exploration report for the Lone Star property, Dawson Mining District, Yukon Territory. Unpublished report for Kennecott Canada Inc., pp. 26 + appendices.

Groves, D.I., Goldfarb, R.J., Robert, F. and Hart, C.J.R. 2003. Gold deposits in metamorphic belts: Overview of current understanding, outstanding problems, future research, and exploration significance. Economic Geology, **93:** 1-29.

Grunenberg, P. and Gonzalez, R.A. 1987. Geological, geochemical and diamond drill report for work performed by Mark Management Ltd. on the Dawson property. Unpublished report for Dawson Syndicate (1983) Expl. Ltd. partnership, pp. 50 + appendices.

Grunenberg, P. 1988. Geological, geochemical, geophysical and trenching report on the Dawson property, Dawson Mining District, Yukon. Unpublished report for Arbor Resorces Inc., pp. 56 + appendices.

Grunenberg, P. 1989. Geological, geochemical, geophysical and trenching report on the Dawson property, Dawson Mining District, Yukon. Unpublished report for Arbor Resorces Inc., pp. 57 + appendices.

Grunenberg, P. and Gonzalez, R.A. 1987. Geological, geochemical, and diamond and rotary drilling report on the Lone Star property, Dawson Mining District, Yukon. Unpublished report for Arbor Resorces Inc., pp. 48 + appendices.

Hart, C.J.R., Baker, T. and Burke, M. 2000. New exploration concepts for country-rock-hosted, intrusion-related gold systems: Tintina Gold belt in Yukon. 145-171. *In:* The Tintina Gold Belt: Concepts, Exploration, and Discoveries. Special Volume 2, Cordilleran Roundup January 2000, British Columbia and Yukon Chamber of Mines.

Hart, C.J.R., Goldfarb, R.J., Lewis, L.L. and Mair, J.L. 2004. The northern mid-Cretaceous plutonic province: ilmenite/magnetite series granitoids and intrusion-related mineralization. Resource Geology, **54 (3):** 253-280.

Hilchey, G.R. 1961. Report of exploration - 1960. Unpublished report for Klondike Lode Mines

Ltd. (N.P.L.), pp. 21.

Knight, J.B., Morison, S.R. and Mortensen, J.K. 1999. The relationship between placer gold particle shape, rimming, and distance of fluvial transport as exemplified by gold from the Klondike district, Yukon Territory, Canada. Economic Geology, **94:** 635-648.

Knight, J.B., Morison, S.R. and Mortensen, J.K. 1999. Lode and placer gold composition in the Klondike district, Yukon Territory, Canada: Implications for the nature and genesis of Klondike placer and lode gold deposits. Economic Geology, **94:** 649-664.

Lindsay, M.J., Baker, T., Oliver, N.H.S., Diment, R. and Hart, C.J.R. 2000. The magmatic and structural setting of the Brewery Creek gold mine, central Yukon. *In:* D.S. Emond and L.H. Weston (eds.): Yukon Exploration and Geology 1999. Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 219-227.

Liverton, T., Mortensen, J.K. and Roots, C.F. 2005. Character and metallogeny of Permian, Jurassic and Cretaceous plutons in the southern Yukon-Tanana Terrane. *In:* Yukon Exploration and Geology 2004. D.S. Emond, L.L. Lewis and G.D. Bradshaw L.H. (eds.). Yukon Geological Survey, p. 147-165.

Mortensen, J.K. 1983. Summary report 1983 mapping and interpretation Lone Star gold property, Dawson Mining Division, Y.T. Unpublished report for Dawson Eldorado Gold Explorations Ltd., pp. 13.

Mortensen, J.K. 1996. Geological compilation maps of the Northern Stewart River map area, Klondike and Sixtymile districts. Indian and Northern Affairs Canada Yukon Region, Open File 1996-1 (G).

Mortensen, J.K., Nesbitt, B.E. and Rushton, R. 1992. Preliminary observations on the geology and geochemistry of quartz veins in the Klondike dsitrict, west-central Yukon. *In:* Bremner, T.J. (ed.): Yukon Geology, Vol. 3. Exploration and Geological Services Division, Indian and Northern Affairs Canada, p. 260-270.

Nelson, F.E.N. and Jackson, L.E., Jr., 2004. High-level terraces, Indian River valley, Yukon. *In:* Yukon Exploration and Geology 2003, D.S. Emond and L.L. Lewis (eds.), Yukon Geological Survey, p. 177-190.

Nelson, J.L. and Friedman, R. 2004. *Superimposed Quesnel (late Paleozoic-Jurassic) and* Yukon-Tanana (Devonian-Mississippian) arc assemblages, Cassiar Mountains, northern British columbia: field, U-Pb, and igneous petrochemical evidence. Canadian Journal of Earth Sciences, **41:** 1201-1235.

Nelson, J., *Mihalynuk, M., Murphy, D.C., Colpron, M., Roots, C.F., Mortensen, J.K.* and Friedman, R.M. 2000. Ancient Pacific Margin: A preliminary comparison of potential VMS-hosting successions of the Yukon-Tanana Terrane, from Finlayson Lake district to northern British Columbia. *In:* Emond, D.S. and Weston, L.H. (eds.): Yukon Exploration and Geology 1999. Exploration and Geological Services Division, Yukon, Indian and Northern Affairs *Canada, p. 79-86.*

Piercey, S.J., Hunt, J.A. and Murphy, D.C. 1999. Lithogeochemistry of meta-volcanic rocks from Yukon-Tanana terrane, Finlayson Lake region, Yukon: preliminary results. *In:* Roots, C.F. and Emond, D.S. (eds.): Yukon Exploration and Geology 1998. Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 125-138.

Rushton, R.W., Nesbitt, B.E. and Mortensen, J.K. 1993. A fluid inclusion and stable isotope study of Au quartz veins in the Klondike district, Yukon Territory, Canada: A section through a mesothermal vein system. Economic Geology, **88:** 647-678.

Ryan, J.J., Gordey, S.P., Glombick, P., Piercey, S.J. and Villeneuve, M.E. 2003. Update on bedrock geological mapping of the Yukon-Tanana terrane, southern Stewart River map area, Yukon Territory; Geological Survey of Canada, Current Research 2003-A9, 7 p.

Hayden, A.S. and Tilsley, J.E. 1997. Sampling study Lone Star area. Unpublished report for Klondike Gold Corporation, pp. 10 + appendices.

Tomlinson, S. 1991. Geological and geochemical report on the Lone Star property, Dawson Mining District, Y.T. Unpublished report for Arbor Resources Inc., pp. 38 + appendices.

Van Angeren, 1986. Compilation report on the Lone Star property, Dawson Mining District, Y.T. Unpublished report for Dawson Eldorado Mines Ltd., pp. 63.

Van Angeren, 1989. The Lone Star property. A new assessment of the Boulder Lode.

Unpublished report for Dawson Eldorado Mines Ltd., pp. 57.

Van Angeren, 1989. The Lone Star property. Summary seven lesser targets. Unpublished report for Dawson Eldorado Mines Ltd., pp. 24.

Van Angeren, 1996. Summary report on the 1996 exploration activities for the Lone Star project. Unpublished report for Klondike Gold Corp., pp. 7 + appendices.

Van Angeren, 1997. Summary report on the Lone Star project. Unpublished report for Klondike Gold Corp., pp. 3 + appendices.

Van Angeren, 2002. Summary report on the Lone Star project. (Revised 2002). Unpublished report for Klondike Gold Corp., pp. 6 + appendices.

Walcott, P.E. and Associates, 1987. A report on magnetic and induced polarization surveying. Unpublished report for Dawson Arbor Resources Ltd., pp. 14 + appendices.

Yukon MINFILE - Mineral Occurrence Map: 115 O & N (eastern half) - Stewart River (1: 250 000 scale), version 2004-1. Yukon Geological Survey, Energy, Mines and Resources, Yukon Government, 2004.

STATEMENT OF QUALIFICATIONS

WILLIAM D. MANN
19 HAYES CRESCENT, WHITEHORSE, YUKON

1. I am a Graduate of Queen's University, 1986, with a Master of Science Degree in Mineral Exploration Geology.

2. I am a Graduate of the University of British Columbia, 1983, with a Bachelor of Science Degree in Geology.

3. I have worked in mineral exploration and mining continuously since 1979.

4. I designed, supervised and conducted the work program on the Lone Star project in 2004.

5. I am an employee of Klondike Gold Corp., owner of the claims, and hold stock options in Klondike Gold Corp.

February 10, 2005

William D. Mann

William D. Mann, M.Sc.

STATEMENT OF QUALIFICATIONS

TIMOTHY LIVERTON
102 Komish Court, Watson Lake, Yukon

Professional qualifications:

B.Sc. in geology and geophysics, University of Sydney, Australia: 1965
B.Sc. in economic geology, University of Adelaide, Australia: 1968
Ph.D. (Thesis: "Tectonics and metallogeny of the Thirtymile Range, Yukon Territory, Canada.")
Royal Holloway, University of London, U.K.

Professional experience:

1965-1972	Exploration and mine geologist in Australia, working on tin, tungsten, porphyry copper, VMS base metals, uranium, nickel and placer properties
1973	Working in civil engineering in England.
1974-1988	Exploration geologist (tungsten, manganese, uranium, gold and molybdenum properties) in Canada, Brasil, Portugal, Norway and Greenland and mine geologist (Pine Creek mine California).
1988-1992	Performing research at the Royal Holloway College.
1993-1995	At the Museum of North Devon: cataloging collections, preparing displays, lecturing.
1996-1997	Visiting professor at the University of Brasilia (Economic Geology).
1998-present	Self employed in mineral exploration in Yukon, B.C. and the N.W.T.

I have been working as an independent contractor on the Klondike project and do not hold any stock in either Klondike Gold Corp. or Klondike Star Mineral Corp.

Timothy Liverton

Timothy Liverton
February 10th. 2005

11 APPENDIX 1
STATISTICAL ANALYSIS OF GOLD IN SOIL GEOCHEMISTRY

The 2004 soil geochemistry program conducted by Klondike Gold Corp. in the Klondike area detected gold to a detection limit of 0.5 ppb. This trace level analysis allows workers to detect subtle anomalies in gold distribution.

There were 1165 soil samples collected in 2004. The median gold value was 2.6 ppb, the mean is 4.7 ppb, with a standard deviation of 8.8. Gold greater than or equal to 10 ppb is in the top 10% of all samples, and is used as an indication of moderately anomalous value. The mean plus two standard deviations is 22.3 ppb, and identifies highly anomalous gold.

Samples were analyzed by ICP, with 36 elements reported. Gold was not found to correlate well with any of the other elements. While gold is locally observed to occur in veins with Ba, Pb, and Cu, these elements are often abundant without significant gold.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A403467 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
G-1	2.3	3.2	2.8	47	<.1	4.7	4.3	616	2.10	<.5	2.3	<.5	4.4	95	<.1	<.1	.2	44	.66	.080	10	20.6	.61	274	.142	1	1.14	.132	.60	4.7	<.01	2.3	.4	<.05	6	<.5	15.0
144851	1.3	32.8	8.2	82	.2	17.8	13.7	472	3.89	11.2	.7	4.8	3.5	18	.1	.4	.1	75	.25	.059	13	20.6	1.71	264	.049	<1	2.24	.005	.06	.1	.02	5.9	.1	<.05	9	<.5	15.0
144852	.7	29.6	8.3	60	.5	17.4	9.4	438	3.01	59.9	1.6	4.7	2.9	38	.1	.6	.2	57	.67	.059	14	23.8	.85	398	.040	1	1.68	.015	.06	.2	.04	5.0	.1	<.05	6	<.5	15.0
144853	.9	22.0	7.7	61	.2	12.1	9.8	920	3.16	14.5	1.1	.8	2.8	28	.1	.4	.1	41	.56	.058	15	15.5	.84	351	.033	1	1.88	.008	.09	.2	.03	3.9	.1	<.05	6	<.5	15.0
144854	.6	12.4	7.6	56	.1	8.8	7.2	486	2.43	19.3	.5	.5	3.0	18	.1	.4	.2	28	.36	.057	8	12.1	.64	229	.032	1	1.29	.006	.05	.1	.01	2.4	.1	<.05	4	<.5	15.0
144855	.9	11.0	6.7	64	.1	10.9	6.9	595	2.84	16.4	.4	.5	2.3	17	.1	.4	.1	35	.25	.029	8	16.5	.78	283	.043	<1	1.71	.005	.07	.1	.01	2.1	.1	<.05	5	<.5	15.0
144856	1.2	19.8	8.1	67	.2	16.9	8.1	369	2.76	9.2	.6	2.1	3.0	20	.2	.4	.2	49	.29	.056	11	21.1	.84	255	.071	<1	1.61	.009	.08	.1	.02	2.7	.1	<.05	6	<.5	15.0
144857	.8	12.8	7.6	58	.1	11.0	6.6	365	2.50	24.8	.6	11.0	3.2	21	.1	.6	.1	35	.32	.039	11	16.2	.71	250	.053	<1	1.46	.008	.07	.1	.01	2.5	<.1	<.05	5	<.5	15.0
144858	.7	19.1	7.1	59	<.1	11.9	8.6	354	2.88	7.6	.7	1.2	3.0	19	.1	.4	.1	51	.33	.047	10	17.3	1.08	234	.067	<1	1.75	.007	.05	.1	.01	2.9	.1	<.05	6	<.5	15.0
144859	.8	34.0	9.1	73	.1	19.4	10.7	432	3.24	10.2	1.6	2.3	4.4	34	.1	.6	.2	55	.48	.055	15	22.6	.99	360	.065	<1	1.74	.015	.05	.2	.03	4.7	.1	<.05	6	<.5	15.0
144860	.7	15.2	6.6	56	.1	14.5	7.3	280	2.47	10.7	.6	2.0	3.1	19	.1	.4	.1	48	.28	.045	12	24.1	1.01	222	.053	<1	1.50	.006	.05	.1	.01	3.4	<.1	<.05	5	<.5	15.0
144861	.9	21.9	8.1	66	.1	22.3	13.2	507	2.89	21.2	.6	1.6	4.1	18	.1	.6	.2	57	.23	.063	12	38.3	1.09	202	.065	<1	1.86	.008	.08	.1	.01	4.4	.1	<.05	6	<.5	15.0
144862	.8	17.3	7.4	62	.2	17.5	8.2	337	2.60	22.8	.6	2.6	3.1	21	.1	.5	.1	50	.27	.051	12	28.5	.86	315	.048	<1	1.59	.009	.06	.2	.02	3.6	.1	<.05	5	<.5	15.0
144863	1.0	25.4	8.8	69	.1	20.3	10.3	400	2.67	10.8	1.3	2.4	3.6	30	.2	.6	.2	51	.47	.053	16	29.4	.87	454	.046	<1	1.60	.011	.05	.2	.04	4.1	.1	<.05	5	.7	15.0
144864	1.0	23.5	8.0	54	.1	19.2	8.5	399	2.32	13.7	1.3	2.1	3.9	28	.1	.6	.2	46	.36	.047	15	25.3	.61	417	.045	1	1.38	.011	.04	.2	.02	3.7	.1	<.05	4	.7	15.0
144865	.9	33.0	8.1	70	.1	35.2	14.2	589	2.99	5.6	2.7	2.5	4.2	33	.2	.6	.2	61	.59	.054	14	69.9	1.47	471	.031	1	1.90	.008	.05	.1	.04	6.6	.1	<.05	6	.8	15.0
144866	.8	28.4	7.2	61	.1	22.1	9.5	380	2.53	4.0	.7	3.6	3.0	18	.1	.4	.1	50	.29	.031	12	46.2	1.10	493	.040	<1	1.86	.008	.05	.1	.02	4.2	.1	<.05	6	<.5	15.0
144867	1.2	19.0	9.9	79	.3	17.0	9.6	616	3.18	11.8	.6	.6	3.6	14	.1	.6	.2	67	.21	.032	11	26.9	.91	538	.033	<1	2.12	.006	.07	.1	.01	4.7	.1	<.05	7	<.5	7.5
RE 144869	.7	27.0	9.2	62	.1	32.8	10.4	342	2.69	5.0	1.2	3.8	3.1	12	.1	.5	.1	51	.22	.018	13	71.1	1.43	612	.030	<1	1.93	.005	.04	.1	.02	4.6	.1	<.05	6	<.5	7.5
144868	2.2	145.9	29.2	155	1.3	8.1	7.3	586	4.48	5.2	.6	17.8	2.8	14	.1	.5	.3	47	.13	.047	11	14.8	1.53	480	.017	<1	2.09	.032	.07	<.1	.03	3.9	<.1	.17	7	.9	7.5
144869	.8	26.5	8.9	62	.1	34.1	10.7	334	2.67	4.7	1.1	4.1	3.1	12	<.1	.5	.1	49	.22	.018	13	70.2	1.43	587	.033	<1	1.98	.005	.04	.1	.02	4.9	<.1	<.05	6	<.5	7.5
144870	2.6	38.8	11.6	102	.3	10.6	14.1	616	4.99	6.0	1.3	21.2	4.6	18	.1	.3	.8	43	.17	.054	15	18.6	.76	368	.013	<1	1.35	.044	.05	.1	.04	5.7	<.1	.16	4	1.7	15.0
144871	.7	22.8	6.0	43	.1	18.0	9.4	367	3.00	3.0	.9	2.7	4.2	6	<.1	.3	.3	36	.10	.032	19	20.0	.81	343	.011	<1	1.27	.003	.07	.1	.01	4.8	.1	<.05	4	.5	15.0
144901	.7	11.3	18.3	44	<.1	10.6	4.7	133	1.61	5.6	1.2	2.0	8.8	13	.1	.4	.2	30	.10	.018	20	16.4	.42	153	.041	<1	1.19	.005	.05	.1	.01	1.6	.1	<.05	4	<.5	15.0
144902	.9	16.4	13.7	56	.1	14.6	6.6	234	2.06	7.2	1.2	.9	4.1	18	.1	.6	.2	41	.19	.049	19	22.3	.46	299	.039	<1	1.26	.009	.05	.2	.03	2.5	.1	<.05	4	.5	15.0
144903	.8	15.8	12.9	52	.1	13.4	5.5	174	1.89	6.8	1.1	5.6	2.2	17	.2	.4	.2	39	.19	.043	19	19.6	.38	289	.025	<1	1.21	.007	.04	.2	.02	2.0	.1	<.05	4	.5	15.0
144904	.6	23.9	10.7	70	.1	18.5	8.0	258	2.10	8.4	1.3	2.2	5.2	24	.2	.7	.2	42	.31	.069	18	23.2	.50	368	.044	<1	1.20	.013	.04	.3	.04	3.3	.1	<.05	4	.6	15.0
144905	1.0	29.2	9.9	80	.1	26.2	10.8	350	2.59	11.3	.7	2.8	4.6	31	.3	.9	.2	51	.53	.080	17	26.6	.57	367	.059	<1	1.23	.021	.06	.2	.04	3.6	.1	<.05	4	.5	15.0
144906	.5	12.0	8.0	47	.1	12.6	5.6	192	1.48	3.7	.8	2.9	2.4	21	.2	.3	.1	30	.25	.050	15	19.5	.37	228	.039	<1	1.03	.010	.04	.2	.04	2.1	.1	<.05	4	<.5	7.5
144907	.9	14.8	9.5	62	.1	16.0	7.0	215	2.02	7.1	.7	1.4	3.8	19	.1	.6	.2	43	.28	.057	14	23.3	.45	216	.040	<1	1.10	.012	.05	.2	.02	2.4	.1	<.05	4	<.5	15.0
144908	1.2	19.0	12.4	68	.1	16.9	6.7	212	2.58	10.0	1.0	1.7	2.9	22	.3	.7	.2	51	.22	.066	19	26.9	.47	272	.040	<1	1.43	.010	.05	.2	.04	2.8	.1	<.05	5	.7	15.0
144909	1.3	36.2	10.8	69	.1	27.5	13.8	710	2.65	10.5	1.1	1.6	4.3	30	.2	.8	.2	53	.50	.070	19	30.3	.58	415	.053	<1	1.31	.017	.06	.2	.04	4.1	.1	<.05	4	.5	15.0
144910	1.3	17.0	11.1	63	.1	22.4	10.9	518	2.17	6.0	2.0	.8	4.8	29	.2	.5	.1	44	.40	.069	19	52.6	.66	295	.050	<1	1.18	.011	.06	.2	.03	3.1	.1	<.05	4	.6	15.0
144911	.6	8.8	6.6	36	<.1	15.1	6.6	354	1.23	3.1	1.2	1.9	4.2	26	.2	.2	.1	23	.31	.064	13	36.9	.48	131	.036	<1	.65	.006	.04	.2	.01	1.5	<.1	<.05	2	<.5	15.0
144912	.4	6.5	10.3	15	<.1	3.1	2.2	152	.52	1.8	1.0	.5	5.3	19	<.1	.3	.1	6	.20	.043	13	4.2	.16	104	.020	<1	.37	.002	.06	<.1	.01	1.0	<.1	<.05	1	<.5	15.0
STANDARD DS5	12.5	146.9	24.8	140	.3	24.5	12.3	806	3.05	19.0	6.3	41.6	2.9	51	5.7	4.0	6.5	61	.77	.096	12	192.8	.72	143	.102	17	2.07	.035	.14	5.0	.17	3.6	1.0	<.05	7	4.7	15.0

GROUP 1DX - 15.0 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: JUL 12 2004 DATE REPORT MAILED: July 23/04

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403467

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
G-1	2.2	3.2	3.8	50	<.1	4.6	4.3	647	2.09	<.5	2.5	.5	5.2	101	<.1	.1	.2	43	.68	.081	15	20.9	.63	257	.138	2	1.17	.128	.54	4.4	<.01	2.9	.3	.06	5	<.5	15.0
144913	1.4	14.8	13.2	47	.1	19.9	9.0	345	2.07	5.0	3.1	1.3	4.8	35	.1	.3	.1	44	.35	.046	19	37.9	.65	304	.047	1	1.26	.006	.10	.2	.02	2.6	.1	<.05	4	<.5	15.0
144914	.6	8.9	6.9	48	<.1	7.4	5.0	200	1.28	2.4	1.0	1.0	6.6	23	<.1	.2	.1	13	.22	.041	25	10.0	.36	145	.037	<1	.74	.002	.06	.1	.01	1.6	.1	<.05	2	<.5	15.0
144915	.5	8.9	17.4	21	<.1	5.8	3.9	464	.90	2.9	1.0	1.5	5.7	15	<.1	.3	.1	13	.14	.037	20	9.7	.26	117	.030	1	.56	.002	.06	.1	.01	1.3	<.1	<.05	2	<.5	15.0
144916	.6	17.9	8.4	54	.1	15.1	7.6	264	2.20	4.3	1.0	2.4	6.6	24	.1	.5	.1	54	.32	.071	27	28.0	.75	261	.092	1	1.25	.007	.13	.1	.02	2.7	.1	<.05	4	.6	15.0
144917	.8	14.4	14.5	42	.1	11.6	5.0	185	1.62	5.3	1.6	3.3	8.4	20	.1	.4	.2	31	.19	.035	31	18.4	.36	333	.042	<1	.94	.008	.06	.1	.02	2.3	.1	<.05	3	<.5	15.0
144918	.3	17.3	5.5	62	<.1	8.7	10.7	495	3.40	1.6	1.4	.8	8.0	27	.1	.2	.1	80	.51	.155	29	12.1	1.20	375	.097	<1	1.55	.003	.66	.1	.01	4.0	.2	<.05	7	<.5	15.0
144919	1.4	5.6	18.0	33	.1	4.2	2.4	101	1.15	2.1	2.0	1.3	11.6	28	.1	.2	.1	12	.12	.031	37	6.4	.62	170	.020	<1	.82	.008	.06	.1	.02	1.4	<.1	<.05	3	<.5	15.0
144920	.9	7.4	10.7	49	<.1	6.5	4.0	193	1.32	2.6	1.9	.6	8.2	30	.1	.3	.1	12	.22	.049	23	8.3	.55	213	.030	<1	.80	.004	.05	<.1	.01	1.8	<.1	<.05	3	<.5	15.0
144921	1.3	12.4	9.7	39	<.1	10.6	4.8	208	1.75	5.9	1.5	1.9	5.3	22	.1	.4	.1	32	.23	.050	19	17.0	.38	215	.049	1	.85	.007	.04	.3	.03	2.3	.1	<.05	3	<.5	15.0
144922	2.1	10.9	32.9	48	.3	11.1	4.1	161	2.02	18.4	1.1	12.2	6.0	11	.1	.5	.5	37	.11	.025	21	19.0	.35	140	.042	1	1.06	.005	.05	.2	.05	1.6	.1	<.05	4	<.5	15.0
144923	.9	18.9	12.4	55	.6	19.6	7.9	251	2.66	12.7	.6	12.1	4.7	14	.1	1.2	.2	58	.11	.015	17	32.5	.51	272	.068	1	1.66	.007	.06	.1	.05	3.5	.1	<.05	5	<.5	15.0
144924	1.2	36.9	11.2	64	.3	19.5	16.9	309	3.93	8.8	1.3	4.4	13.8	11	.1	.8	.1	32	.04	.053	48	16.5	.50	165	.021	1	1.49	.005	.05	.1	.03	2.0	.1	<.05	5	<.5	15.0
144925	.5	18.7	8.2	54	<.1	15.7	8.5	256	2.27	4.3	1.0	.5	6.4	24	<.1	.4	.1	53	.31	.072	25	26.1	.76	269	.089	<1	1.27	.008	.13	.1	.01	2.7	.1	<.05	5	<.5	15.0
144926	1.5	18.8	15.5	54	.3	14.2	7.7	256	3.24	10.5	1.0	7.5	12.5	19	.1	1.3	.2	48	.08	.046	40	28.0	.42	302	.036	1	1.96	.006	.07	.1	.06	3.1	.1	<.05	5	.5	15.0
144927	8.4	11.3	20.9	31	.4	6.0	3.0	108	2.57	8.8	1.2	5.4	13.1	10	<.1	2.1	.2	23	.02	.029	53	14.1	.18	174	.016	<1	1.11	.005	.07	.1	.18	2.2	.1	<.05	3	.9	15.0
144928	1.6	10.4	20.3	29	.1	11.0	4.7	166	3.04	8.9	.8	2.0	7.8	12	.1	.8	.2	40	.07	.032	20	20.9	.28	365	.035	1	1.29	.013	.09	.1	.12	1.8	.1	.06	5	.5	15.0
144929	1.9	17.4	50.5	59	.1	20.0	10.7	329	3.26	14.7	1.4	4.8	20.6	12	.1	.7	.3	64	.10	.025	26	43.8	.50	417	.050	2	2.79	.007	.11	.2	.04	3.9	.2	<.05	7	.9	15.0
144930	.4	6.8	25.3	21	<.1	2.4	1.1	67	.77	3.2	1.6	.9	13.2	8	.1	.2	.2	11	.03	.009	80	5.9	.15	472	.006	<1	.88	.002	.10	.1	.01	1.4	.1	<.05	3	<.5	15.0
144931	1.0	11.2	21.6	56	.1	16.5	9.3	273	3.08	23.5	1.1	5.9	7.6	16	.2	.7	.2	57	.14	.033	22	34.0	.60	282	.054	1	2.10	.007	.08	.1	.03	3.4	.2	<.05	6	.6	15.0
144932	.3	3.5	13.2	11	<.1	2.1	1.1	44	.66	2.7	.5	.9	10.8	6	<.1	.1	.1	11	.03	.009	49	4.1	.18	698	.004	<1	.82	.003	.06	<.1	.01	.7	.1	<.05	2	.5	7.5
RE 144932	.3	3.6	13.3	12	<.1	1.7	1.1	41	.64	2.6	.6	.8	11.1	5	<.1	.1	.1	10	.03	.009	49	4.1	.17	691	.005	<1	.80	.003	.06	<.1	<.01	.8	.1	<.05	2	<.5	7.5
144933	.7	13.3	21.7	39	.1	14.7	6.3	189	1.98	7.5	.8	3.7	10.4	15	<.1	.5	.2	41	.13	.014	30	24.7	.42	314	.048	1	1.48	.006	.06	.1	.03	2.4	.1	<.05	4	.6	15.0
144934	.4	7.3	23.7	37	<.1	5.3	3.2	141	1.37	11.4	1.3	1.3	11.9	17	.1	.3	.2	14	.06	.008	21	8.9	.38	118	.033	<1	1.06	.003	.10	.1	.01	1.9	.1	<.05	3	<.5	15.0
144935	.8	15.0	18.6	47	.1	19.3	8.0	210	2.90	13.5	.9	2.9	7.4	17	<.1	.7	.2	58	.14	.028	21	34.2	.54	245	.054	1	2.30	.008	.07	.2	.05	3.9	.1	<.05	5	.7	15.0
144936	1.3	16.5	13.6	58	.1	17.4	9.3	352	3.20	10.8	1.3	2.1	7.0	13	.1	.7	.2	67	.10	.027	20	38.7	.54	244	.075	1	2.14	.007	.07	.1	.02	4.9	.2	<.05	6	.5	15.0
144937	.7	14.7	15.6	49	<.1	16.1	7.9	259	2.12	9.6	1.0	4.4	13.5	13	.1	.4	.2	40	.10	.015	45	25.4	.60	251	.040	1	1.81	.006	.10	.2	.02	3.0	.1	<.05	4	.5	15.0
144938	.8	17.0	14.8	41	.1	14.7	5.2	152	2.36	9.0	1.0	2.4	7.6	14	<.1	.4	.2	52	.14	.049	28	30.9	.44	270	.050	<1	1.80	.006	.06	.1	.03	3.9	.1	<.05	6	.8	15.0
144939	.4	6.8	17.1	36	.1	5.9	3.2	145	1.41	11.9	.9	4.9	7.3	19	.1	.3	.1	23	.11	.018	24	12.3	.42	140	.026	1	1.05	.003	.07	.1	.02	1.9	.1	<.05	4	<.5	15.0
144940	1.6	16.9	16.5	52	.3	13.7	6.9	243	3.31	10.3	1.0	6.9	11.9	19	<.1	1.3	.2	47	.07	.043	40	27.0	.41	307	.027	<1	1.93	.006	.07	.1	.06	2.8	.1	<.05	5	.7	15.0
144941	1.2	13.6	28.2	48	.1	13.9	6.8	221	2.55	11.3	1.1	30.1	8.0	15	<.1	.5	.2	43	.14	.027	26	26.1	.50	232	.037	1	1.68	.005	.09	.2	.03	3.0	.1	<.05	5	.8	15.0
144942	.9	17.8	16.7	53	<.1	18.7	9.1	284	2.47	13.6	1.0	26.1	8.7	19	<.1	.6	.2	44	.12	.014	29	29.0	.55	318	.040	<1	1.64	.006	.07	.1	.02	3.6	.1	<.05	5	.9	15.0
144943	.9	13.8	19.7	50	<.1	19.3	9.1	254	2.94	13.3	.9	7.3	5.7	15	.1	.5	.2	53	.13	.032	24	31.8	.50	336	.037	1	2.00	.006	.06	.1	.03	3.1	.1	<.05	5	.6	15.0
144944	1.0	29.6	6.9	78	.1	23.0	12.7	517	3.58	5.2	.6	3.9	3.7	12	.1	.3	.1	62	.20	.033	16	42.8	1.55	346	.035	<1	2.08	.004	.07	.1	.02	6.4	.1	<.05	6	.7	15.0
144945	2.6	49.1	5.3	93	.1	64.9	19.7	510	4.65	8.3	1.3	2.1	4.7	11	.1	.4	.1	73	.19	.034	21	93.8	.85	679	.007	1	1.63	.003	.06	.1	.01	12.5	.1	<.05	5	.7	15.0
STANDARD DS5	12.8	138.5	24.8	138	.2	24.3	11.9	784	2.95	17.7	5.9	40.5	3.0	51	5.7	4.1	6.0	62	.76	.087	15	188.1	.69	137	.101	17	1.97	.033	.14	4.5	.17	3.7	1.0	<.05	6	4.6	15.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403467

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
G-1	2.1	3.0	3.2	47	<.1	4.6	4.3	624	2.09	<.5	2.5	1.0	4.3	92	<.1	<.1	.2	42	.69	.077	12	20.2	.61	239	.160	2	1.14	.121	.48	4.3	<.01	2.4	.3	<.05	5	<.5	15
144946	1.4	30.4	8.0	94	.1	25.1	11.3	632	3.91	84.3	.8	2.5	3.1	14	.2	1.8	.1	68	.16	.024	16	28.8	1.57	279	.033	<1	2.06	.004	.05	.1	.01	5.0	.1	<.05	7	.9	15
144947	1.3	20.5	11.3	83	.3	20.2	11.0	708	3.69	12.7	.7	1.7	3.8	15	.2	.6	.2	75	.23	.035	14	31.1	1.01	568	.047	1	2.33	.005	.07	.1	.01	5.2	.1	<.05	7	<.5	15
144948	1.4	37.1	8.1	83	<.1	23.2	15.1	687	3.86	6.4	.7	4.3	4.4	9	.1	.4	.2	47	.14	.023	18	25.2	1.57	226	.053	<1	2.23	.003	.05	.1	.01	2.7	.1	<.05	5	.7	15
144949	1.3	18.0	9.4	63	.2	13.3	12.2	768	2.87	8.3	.7	7.2	2.8	13	.1	.3	.2	51	.15	.027	11	19.6	.98	501	.061	1	2.02	.004	.08	.1	.01	3.4	.1	<.05	7	<.5	15
144950	.7	16.6	7.1	59	.1	11.8	8.9	356	2.82	5.3	.8	2.7	3.0	16	<.1	.4	.1	57	.19	.028	14	18.2	1.00	241	.096	1	1.63	.006	.04	.1	.02	3.9	.1	<.05	5	<.5	15
145014	1.3	14.2	45.5	81	.3	6.6	8.0	593	1.74	3.7	3.1	2.5	17.7	11	.3	.3	.2	8	.15	.053	50	5.7	.73	98	.018	<1	.84	.003	.07	.1	.03	1.2	.1	<.05	2	<.5	15
145015	.1	17.6	23.3	61	.2	11.3	15.8	451	2.18	3.1	1.1	1.2	15.6	27	.2	.3	.1	25	.28	.063	62	34.4	1.93	250	.067	4	1.24	.003	.30	.1	<.01	5.6	.4	<.05	4	<.5	15
145016	1.1	10.3	15.2	37	.1	10.4	6.1	259	2.20	6.8	.8	1.8	5.6	14	.2	.5	.2	39	.12	.035	17	21.4	.38	188	.038	1	1.53	.005	.10	.2	.02	2.4	.1	<.05	5	<.5	15
145017	1.4	14.9	12.5	51	.1	16.3	9.3	379	3.17	9.0	1.5	1.7	6.6	16	.1	.6	.2	64	.14	.033	22	37.3	.56	219	.096	1	2.24	.007	.06	.1	.04	4.1	.2	<.05	6	.7	15
145018	.4	4.7	5.9	40	<.1	4.1	3.6	227	1.23	2.7	.6	<.5	2.7	22	.1	.3	.1	15	.18	.043	6	7.3	.43	60	.071	1	.73	.002	.08	.1	.01	1.0	.1	<.05	3	<.5	15
145019	.4	16.5	7.5	87	<.1	4.4	11.6	496	3.38	1.8	1.3	<.5	9.9	27	.2	.3	.1	41	.38	.115	27	7.9	1.25	301	.206	1	1.62	.003	.67	.2	<.01	3.0	.4	<.05	7	<.5	15
145020	.2	6.6	16.7	37	<.1	2.2	3.1	393	1.01	1.7	1.0	<.5	9.4	23	.1	.2	.1	6	.17	.052	18	3.7	.31	50	.077	1	.47	.002	.13	.1	<.01	1.2	.1	<.05	2	<.5	15
145021	.3	20.7	3.9	47	<.1	35.1	15.2	390	2.55	2.2	.4	2.3	2.1	21	<.1	.3	.1	37	.29	.048	6	77.8	1.26	62	.147	1	1.57	.002	.04	.1	<.01	1.6	.1	<.05	5	<.5	15
145022	.1	7.4	10.6	43	<.1	8.3	5.4	229	1.35	2.1	1.4	1.5	12.5	17	<.1	.3	.1	15	.21	.019	22	20.3	1.43	67	.073	1	1.16	.002	.04	.1	<.01	2.5	.1	<.05	3	<.5	15
145023	.6	15.1	8.8	47	<.1	16.7	7.7	280	1.98	6.7	.9	2.7	5.5	22	.1	.5	.1	36	.17	.027	14	23.1	.56	131	.083	2	1.42	.005	.07	.1	.01	2.5	.1	<.05	4	.5	15
RE 145023	.7	16.2	9.1	52	<.1	16.8	7.7	290	2.09	7.4	.9	1.9	6.0	25	.1	.5	.1	38	.19	.028	15	25.0	.58	138	.088	2	1.47	.006	.08	.2	.01	2.6	.1	<.05	4	<.5	15
145024	.4	11.6	12.8	62	<.1	14.5	8.7	362	2.36	3.5	1.4	<.5	13.4	15	.1	.4	.1	35	.16	.013	20	40.2	1.72	127	.117	1	2.03	.003	.07	.1	.01	3.1	.1	<.05	6	<.5	15
145025	.4	7.8	11.9	33	<.1	6.3	3.7	179	1.25	3.5	1.0	<.5	5.8	18	<.1	.3	.1	18	.15	.010	16	12.0	.43	125	.072	1	.99	.002	.07	.1	<.01	1.8	.1	<.05	3	<.5	15
145026	.4	6.5	36.3	31	.1	1.5	1.3	165	.76	1.2	3.8	<.5	18.2	10	.1	.7	.2	5	.08	.025	78	3.4	.27	86	.007	1	.60	.002	.08	.1	<.01	1.5	.1	<.05	2	.5	15
145027	.4	15.3	31.4	69	.1	18.6	8.1	322	2.00	3.3	2.4	1.7	14.8	31	.1	.4	.3	32	.38	.054	54	33.8	1.16	315	.096	2	1.35	.006	.21	.1	.01	3.6	.2	<.05	5	<.5	15
145028	.2	10.8	21.7	39	<.1	12.0	5.8	335	1.33	1.9	2.9	1.6	15.5	11	.1	.4	.1	17	.12	.024	58	17.7	.52	170	.042	2	.93	.003	.12	<.1	<.01	2.6	.2	<.05	3	<.5	15
145029	.4	15.8	7.5	89	<.1	3.9	11.3	511	3.35	1.5	1.2	<.5	9.9	24	.1	.3	.1	41	.37	.111	25	7.7	1.27	309	.204	1	1.61	.003	.69	.1	<.01	2.8	.4	<.05	7	<.5	15
145030	.3	28.8	3.9	51	<.1	25.2	14.6	320	2.41	3.0	.5	.9	2.1	30	.1	.4	<.1	59	.56	.084	9	24.4	1.07	177	.179	2	1.51	.010	.09	.1	<.01	3.5	.1	<.05	4	<.5	15
145031	1.0	33.1	36.4	89	.1	22.4	13.0	528	3.16	7.5	1.0	2.5	2.9	23	.2	.6	.2	85	.36	.049	16	47.8	.91	138	.217	4	2.12	.008	.06	.1	.02	3.8	.1	<.05	8	<.5	15
145032	1.1	32.7	34.9	85	.1	22.4	13.5	526	3.18	7.5	.9	1.2	2.9	22	.3	.6	.2	81	.32	.048	15	47.2	.90	138	.197	2	2.07	.007	.05	.2	.02	3.5	.1	<.05	7	<.5	15
145033	1.0	14.9	23.8	66	.1	14.8	10.1	607	2.52	6.0	1.5	1.0	11.0	14	.2	.4	.2	45	.15	.031	25	28.8	.69	155	.088	1	1.50	.005	.10	.1	<.01	2.9	.2	<.05	6	<.5	15
145034	.3	35.2	5.1	124	<.1	42.8	32.3	1076	6.42	3.9	.6	.6	1.0	38	.2	.3	<.1	144	.66	.175	8	114.2	2.49	562	.275	1	3.02	.005	.82	.1	<.01	4.6	.3	<.05	10	<.5	15
145035	.2	61.8	10.3	126	<.1	70.9	36.3	1292	6.36	2.1	.4	.7	2.0	29	.2	.4	<.1	160	.80	.211	8	206.9	3.87	250	.232	1	3.52	.003	.31	.1	<.01	10.0	.2	<.05	15	<.5	15
145036	.6	24.0	21.4	61	.1	20.9	9.7	357	2.72	4.2	.7	1.3	7.6	18	.1	.4	.1	69	.31	.043	19	54.8	1.07	110	.191	2	1.56	.005	.09	.1	<.01	3.5	.2	<.05	6	<.5	15
145037	.5	29.7	1.4	70	<.1	4.8	26.3	936	5.62	1.0	.2	<.5	.5	34	.1	.2	<.1	201	.59	.189	4	2.6	1.91	485	.221	1	2.37	.005	.85	.1	<.01	3.2	.3	<.05	10	<.5	15
145038	1.0	24.5	7.6	65	.3	17.7	19.3	1019	3.70	8.0	.5	1.3	2.2	19	.2	.4	.1	92	.26	.111	11	28.6	.91	194	.137	2	2.07	.007	.10	.2	.01	3.1	.1	<.05	7	<.5	15
145039	.3	110.6	4.2	42	<.1	101.2	22.6	383	2.50	4.5	.4	1.0	1.9	24	.1	.3	.1	54	.40	.034	9	387.9	2.26	75	.131	1	2.19	.005	.03	.1	.01	4.6	.1	<.05	5	<.5	15
145040	.3	10.0	29.9	31	<.1	4.6	2.1	161	.93	1.7	1.7	<.5	13.2	4	<.1	.3	.4	9	.05	.028	37	9.6	.41	146	.012	1	.77	.003	.10	.1	<.01	1.1	.1	<.05	3	<.5	15
145041	.2	6.8	26.0	25	<.1	2.9	2.1	195	1.05	2.6	1.5	<.5	17.4	6	.1	.2	.2	12	.07	.013	26	5.7	.37	92	.008	1	.68	.002	.08	.1	<.01	1.7	.1	<.05	3	<.5	15
STANDARD DS5	12.4	137.2	25.3	137	.3	24.0	11.9	798	3.07	18.0	6.2	44.1	3.0	53	5.7	3.7	6.0	64	.77	.093	15	186.6	.69	137	.127	16	2.00	.034	.14	4.7	.18	3.6	1.0	<.05	7	5.0	15

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data RPA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403467

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
G-1	2.3	3.5	3.1	48	<.1	5.4	4.5	681	2.26	<.5	2.5	1.0	5.5	104	<.1	<.1	.2	45	.71	.088	12	22.1	.68	301	.172	1	1.23	.157	.64	4.5	<.01	2.5	.4	<.05	6	<.5	15.0
145042	.5	10.5	11.1	40	.1	10.7	4.0	194	1.61	5.3	.5	2.4	9.5	11	.1	.4	.2	26	.09	.015	14	15.4	.38	162	.031	1	1.12	.004	.09	.2	.01	1.8	.1	<.05	4	<.5	15.0
145043	.9	28.7	2.5	63	.1	21.1	9.9	366	1.75	1.7	.7	2.1	3.5	19	<.1	.1	.1	31	.40	.080	11	30.5	.97	154	.143	1	.94	.003	.40	<.1	<.01	1.4	.2	<.05	4	<.5	15.0
145044	.5	9.7	14.6	58	.2	7.6	4.0	194	1.58	3.8	1.0	<.5	11.4	8	.1	.2	.1	16	.04	.016	23	10.5	.59	83	.027	<1	.97	.002	.08	.1	.01	1.9	.1	<.05	4	<.5	15.0
145045	.3	10.2	25.9	29	.2	4.5	3.6	385	1.00	1.8	1.5	.9	16.2	15	.1	.2	.2	8	.16	.046	56	6.6	.41	110	.013	<1	.55	.002	.09	.1	.01	2.0	.1	<.05	2	<.5	15.0
145046	.5	8.1	19.0	36	<.1	4.1	3.1	175	1.22	3.2	1.2	1.6	15.3	12	<.1	.3	.2	7	.11	.026	38	5.8	.58	161	.013	1	.73	.002	.04	.1	<.01	2.1	<.1	<.05	2	<.5	15.0
145047	.8	7.8	13.8	49	.1	5.5	4.1	198	1.81	5.6	.4	1.0	3.8	15	<.1	.3	.2	14	.08	.016	5	8.5	.73	108	.035	<1	1.14	.002	.05	.1	<.01	1.0	.1	<.05	4	<.5	15.0
145048	.8	11.1	14.2	50	.4	15.0	7.2	205	2.33	21.2	.5	.8	3.4	11	.1	.5	.2	34	.08	.026	7	21.0	.60	186	.041	1	1.70	.004	.06	.1	.02	1.8	.1	<.05	4	<.5	15.0
145049	1.2	28.1	15.4	48	.1	18.3	7.8	287	2.65	10.6	4.3	2.2	16.4	9	.2	.6	.2	54	.08	.022	59	32.3	.45	536	.050	1	1.90	.007	.05	.1	.02	4.0	.1	<.05	5	<.5	15.0
145050	.4	106.9	3.9	33	.1	75.3	17.1	315	1.98	4.9	.4	3.3	2.0	15	<.1	.4	.1	42	.25	.033	7	294.9	1.71	71	.066	<1	1.75	.005	.03	.1	.01	3.7	.1	<.05	4	<.5	15.0
145101	.4	7.8	14.5	23	.1	5.8	2.5	91	1.24	7.1	.6	2.6	4.4	8	<.1	.3	.1	20	.05	.011	16	11.4	.24	223	.021	<1	.76	.003	.07	.1	.01	1.2	.1	<.05	3	<.5	15.0
145102	.4	6.4	18.5	32	.1	6.2	3.2	145	1.38	12.6	.9	3.4	9.7	8	<.1	.3	.1	19	.07	.015	23	11.3	.30	168	.022	<1	.79	.003	.09	.1	.01	1.4	.1	<.05	3	<.5	15.0
145103	.4	9.2	17.4	43	.1	8.8	4.0	153	1.84	6.3	1.3	1.2	11.0	21	<.1	.3	.2	30	.14	.026	34	15.9	.64	242	.043	<1	1.32	.006	.08	.3	.02	2.3	.1	<.05	5	<.5	15.0
145104	.8	8.0	28.2	42	.3	8.4	4.0	170	1.93	9.2	.6	1.7	6.8	12	.1	.3	.2	37	.09	.021	19	18.6	.37	196	.039	<1	1.18	.005	.07	.1	.02	1.9	.1	<.05	4	<.5	15.0
145105	.7	9.2	18.4	28	.1	7.7	3.2	107	1.37	6.8	.6	1.1	11.4	8	.1	.4	.2	25	.05	.009	28	15.1	.27	231	.028	<1	.90	.003	.06	.1	<.01	1.5	.1	<.05	3	<.5	15.0
145106	.5	5.5	15.2	21	.1	4.8	2.3	91	1.14	8.3	.7	1.6	8.3	11	<.1	.3	.2	23	.08	.009	15	9.3	.23	341	.048	<1	.64	.003	.06	.1	.01	1.0	.1	<.05	3	<.5	15.0
145107	.9	13.0	22.7	36	.1	12.7	4.8	189	2.04	9.5	1.0	4.8	9.9	9	.1	.4	.2	43	.07	.012	33	25.9	.36	332	.045	<1	1.38	.005	.06	.1	.01	2.3	.1	<.05	4	<.5	15.0
145108	.8	4.1	20.6	19	.2	4.1	2.0	102	1.13	5.5	.5	1.4	5.3	9	<.1	.2	.1	31	.07	.013	20	8.6	.14	323	.029	<1	.65	.003	.06	.1	.01	.9	.1	<.05	4	<.5	15.0
145109	.5	5.1	20.1	18	.2	3.7	1.3	53	.97	8.0	.8	3.5	9.7	4	<.1	.2	.1	14	.02	.007	24	7.9	.15	149	.015	<1	.66	.002	.06	.1	<.01	1.0	<.1	<.05	2	<.5	7.5
RE 145109	.5	5.2	20.1	17	.2	3.3	1.4	52	.94	8.2	.8	10.5	9.8	4	<.1	.2	.1	14	.02	.007	23	7.1	.14	140	.015	<1	.63	.002	.06	.1	.01	1.0	<.1	<.05	2	<.5	7.5
145110	1.1	11.0	20.9	33	.2	9.7	3.8	140	1.95	9.1	1.4	1.1	10.9	8	.1	.5	.2	40	.06	.012	47	21.1	.31	539	.034	<1	1.31	.004	.06	.1	.01	2.2	.1	<.05	5	<.5	15.0
145111	.5	6.5	22.3	16	.1	5.8	2.0	82	.92	5.8	1.0	1.2	10.8	12	<.1	.3	.2	16	.04	.009	31	8.8	.14	879	.016	<1	.71	.003	.07	.1	.01	1.1	<.1	<.05	2	<.5	15.0
145112	.6	13.1	15.2	33	.1	10.6	4.2	154	1.58	6.6	2.1	3.5	8.9	10	.1	.3	.2	33	.09	.014	31	19.0	.33	271	.044	<1	1.05	.005	.05	.1	.01	2.0	.1	<.05	3	<.5	15.0
145113	.9	11.7	17.0	29	.1	9.2	3.5	110	1.63	6.0	.9	3.1	9.9	13	.1	.6	.2	28	.09	.017	29	16.5	.26	499	.040	<1	.80	.006	.06	.1	.02	1.5	<.1	<.05	3	<.5	15.0
145114	1.5	15.4	13.9	35	1.4	10.9	4.8	164	2.35	10.6	.9	6.0	5.3	16	.1	.8	.1	39	.08	.025	18	21.0	.39	352	.051	<1	.99	.007	.05	.1	.05	2.3	.1	<.05	3	<.5	15.0
145115	1.4	9.2	22.3	22	2.9	6.4	2.9	88	2.21	7.9	.5	17.8	5.8	26	<.1	1.5	.2	26	.07	.038	20	12.4	.23	364	.025	<1	.79	.007	.07	.1	.04	1.4	.1	.07	3	<.5	15.0
145116	1.2	14.5	37.9	28	6.6	10.2	4.2	118	2.01	7.7	.7	26.6	6.0	17	.1	1.3	.2	32	.08	.025	17	17.7	.30	476	.037	<1	.96	.006	.07	.1	.09	2.1	.1	<.05	3	<.5	15.0
145117	.5	13.7	9.3	32	.1	10.5	4.1	153	1.51	6.2	.8	2.2	6.1	19	.1	.4	.1	30	.25	.026	20	16.9	.36	259	.051	1	.88	.009	.05	.2	.02	2.3	<.1	<.05	3	<.5	15.0
145118	.8	9.5	12.1	31	.1	8.5	4.0	124	1.45	6.8	1.0	.8	5.3	16	.1	.4	.1	30	.16	.022	17	15.9	.30	211	.040	<1	.95	.006	.06	.1	.02	1.8	<.1	<.05	3	<.5	15.0
145119	.6	18.6	12.0	39	.1	15.5	5.4	180	1.83	8.0	2.1	1.7	8.1	20	.1	.4	.2	35	.26	.030	25	20.6	.38	350	.045	<1	1.06	.008	.06	.2	.02	3.4	.1	<.05	4	<.5	15.0
145120	.7	14.0	13.7	39	.1	12.2	5.2	155	1.85	8.3	1.2	4.3	7.5	17	.1	.5	.2	38	.17	.017	26	22.3	.38	266	.049	<1	1.14	.007	.05	.1	.02	2.7	.1	<.05	3	<.5	15.0
145121	.7	16.4	13.2	37	.1	11.0	4.2	179	1.71	8.3	4.5	1.9	7.9	20	.1	.4	.2	34	.19	.021	32	19.6	.37	449	.054	<1	1.04	.008	.06	.1	.01	3.3	.1	<.05	3	<.5	15.0
145122	.8	17.9	15.6	48	.2	19.0	7.8	271	2.42	10.8	.6	2.6	5.9	19	.1	.6	.2	51	.18	.023	18	28.0	.51	422	.056	1	1.46	.009	.08	.1	.02	3.0	.1	<.05	4	<.5	15.0
145123	1.4	12.9	28.4	51	1.6	9.4	7.0	388	2.11	6.9	13.7	9.7	7.6	58	.9	1.1	.2	19	.46	.068	41	9.7	.21	696	.019	<1	.78	.007	.05	.1	.14	1.8	.1	.09	2	.7	15.0
145124	1.6	48.6	21.7	119	.5	25.8	16.3	917	3.91	11.8	.8	9.6	8.7	20	.5	.3	.1	49	.55	.109	42	21.2	1.18	179	.018	<1	1.56	.004	.06	<.1	.02	5.1	<.1	<.05	6	.6	15.0
STANDARD DS5	13.0	144.8	25.0	137	.3	24.7	12.0	790	3.01	18.9	6.3	44.2	2.7	48	5.7	3.9	6.4	61	.76	.094	13	190.7	.70	136	.106	19	1.96	.035	.14	4.8	.18	3.3	1.1	<.05	7	4.8	15.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403467

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
G-1	2.5	3.1	3.4	46	<.1	4.6	4.5	603	2.14	.5	2.6	<.5	4.7	90	<.1	<.1	.1	42	.67	.086	11	20.6	.59	239	.161	<1	1.09	.132	.54	4.4	<.01	2.3	.3	<.05	5	<.5	15
145125	.8	23.9	8.7	57	.1	20.6	9.3	344	2.25	9.9	.5	1.3	4.4	22	.1	.7	.1	42	.36	.067	15	23.6	.50	313	.053	<1	1.05	.013	.05	.2	.03	3.3	.1	<.05	3	.7	15
145126	.8	31.4	12.9	61	.2	17.0	11.7	624	2.74	7.8	1.8	3.3	3.8	25	.1	.4	.2	47	.51	.058	18	22.8	.60	351	.041	<1	1.68	.009	.04	.1	.05	4.5	.1	<.05	5	.7	15
145127	1.1	70.8	21.3	95	.6	9.7	15.7	637	4.13	8.2	.9	22.2	5.9	14	.3	.3	.2	54	.38	.069	24	12.6	1.03	226	.021	<1	2.19	.006	.03	<.1	.07	8.2	<.1	<.05	7	.6	15
145128	1.0	30.9	9.2	58	.1	14.0	10.5	293	2.72	7.3	.9	6.2	4.4	13	<.1	.5	.2	48	.16	.018	23	22.2	.64	230	.049	<1	1.73	.006	.04	.1	.03	5.3	.1	<.05	5	<.5	15
145129	6.6	32.7	14.2	93	.1	6.1	11.1	391	4.07	6.9	.6	1.4	3.5	6	.1	.4	.2	37	.07	.026	9	9.3	1.45	188	.030	<1	2.11	.004	.04	.1	.01	3.2	.1	<.05	6	.9	15
145130	1.2	25.2	13.4	59	.1	12.4	8.2	311	2.72	6.1	1.0	4.8	3.4	12	.1	.4	.2	45	.18	.021	14	20.0	.70	216	.028	<1	1.52	.006	.04	.1	.03	4.6	<.1	<.05	5	.6	15
145131	1.4	47.1	16.5	81	.3	12.2	22.3	483	4.41	5.1	.7	7.6	5.3	6	.1	.3	.2	43	.08	.022	24	17.9	1.77	141	.007	<1	2.67	.003	.02	<.1	.02	5.6	.1	<.05	6	.6	15
145132	1.1	35.3	12.1	96	.3	29.8	16.6	692	4.63	12.8	.6	1.3	5.1	4	.1	.3	.2	64	.08	.016	7	36.3	1.77	146	.106	<1	2.67	.003	.04	<.1	.01	5.3	.1	<.05	8	.7	15
145133	.8	12.9	6.3	87	.2	8.1	8.9	410	3.65	22.4	.3	2.5	1.6	8	.1	.3	.1	39	.13	.045	5	13.5	.71	260	.114	<1	1.81	.005	.32	.2	.01	3.4	.3	<.05	5	<.5	15
145134	1.2	31.2	11.6	57	.9	17.1	7.5	243	3.05	48.1	.9	13.6	3.9	13	.1	.7	.1	37	.14	.018	15	21.2	.53	264	.115	<1	1.40	.005	.07	.1	.02	4.8	.1	<.05	4	1.0	15
145135	.6	28.9	4.7	62	.1	22.3	8.9	267	2.73	17.5	.4	<.5	2.2	9	.1	.4	.1	39	.14	.015	5	36.6	.68	187	.166	<1	1.39	.003	.04	<.1	.01	3.8	.1	<.05	4	.5	15
145136	.6	17.3	6.6	55	.1	13.4	7.6	252	2.21	7.5	.8	3.3	2.9	12	.1	.3	.1	41	.18	.029	13	26.9	.67	213	.077	<1	1.39	.005	.04	.1	.01	3.2	.1	<.05	4	.5	15
145137	.6	19.3	7.0	68	.2	16.8	7.9	242	2.49	7.6	.6	2.0	2.4	13	.1	.4	.1	44	.20	.047	11	32.4	.77	193	.062	<1	1.62	.006	.04	.1	.03	3.5	.1	<.05	5	.5	15
RE 145137	.6	19.8	7.3	67	.2	17.7	8.1	243	2.59	7.4	.6	1.0	2.6	14	.1	.3	.1	44	.22	.048	12	32.3	.77	207	.068	1	1.67	.006	.04	.1	.02	3.6	.1	<.05	5	<.5	15
145138	.8	11.8	15.1	33	.1	12.5	6.1	259	2.00	10.7	1.4	1.4	9.1	10	<.1	.4	.2	38	.07	.021	30	22.4	.28	242	.032	<1	1.28	.005	.06	.1	.01	2.6	.1	<.05	4	<.5	15
145229	1.8	9.4	24.5	26	2.3	7.8	3.6	106	2.07	9.2	.5	10.1	6.4	8	<.1	1.3	.2	32	.04	.019	25	18.5	.26	220	.033	1	1.23	.005	.06	.1	.02	1.8	.1	<.05	3	.5	15
145230	1.1	4.9	15.9	13	1.5	3.6	1.5	53	1.35	6.3	.3	8.4	6.7	7	<.1	.8	.1	21	.03	.018	25	9.9	.16	189	.020	1	.75	.004	.07	.1	.01	1.0	.1	<.05	3	<.5	15
145231	2.4	17.0	23.3	29	.7	9.2	3.7	115	3.43	17.5	.8	5.0	6.3	17	<.1	1.7	.2	42	.06	.048	17	21.1	.28	379	.035	<1	1.26	.012	.10	.1	.03	1.6	.1	<.05	4	.5	15
145232	2.0	10.5	39.3	19	1.7	6.5	2.8	81	2.95	19.8	.6	6.3	8.3	16	<.1	2.2	.1	23	.03	.036	14	13.0	.16	313	.030	1	.91	.015	.18	.1	.05	1.3	.2	.23	3	.8	15
145233	1.7	7.9	31.7	14	1.7	4.1	1.9	50	2.07	13.1	.5	10.6	8.6	23	<.1	.9	.2	19	.04	.037	21	7.8	.11	381	.018	<1	.61	.014	.18	.1	.02	.9	.2	.23	2	<.5	15
145234	1.5	9.1	28.4	16	1.8	5.4	2.2	53	1.88	8.1	.8	17.5	6.3	18	<.1	.7	.2	21	.04	.034	16	10.7	.15	478	.018	<1	.74	.008	.10	.1	.04	1.2	.1	.09	3	.5	15
145235	.6	24.3	15.4	61	<.1	80.4	28.0	751	4.41	6.1	.5	<.5	4.5	12	.1	.5	.1	97	.16	.031	13	135.5	2.58	123	.133	1	2.91	.005	.25	.1	.02	6.7	.5	<.05	9	.6	15
145236	2.0	38.2	41.7	106	.1	21.1	11.3	429	2.87	10.1	1.9	2.4	14.4	12	.3	.7	.3	51	.11	.033	26	36.8	.78	174	.064	2	2.04	.006	.12	.1	.04	3.6	.3	<.05	6	.6	15
145237	1.2	10.2	31.1	59	<.1	5.7	4.0	233	1.84	5.2	1.6	.7	10.2	10	.2	.5	.2	38	.11	.023	20	13.9	.59	157	.071	1	1.16	.004	.06	.2	.01	2.0	.1	<.05	5	.5	15
145238	1.1	12.0	24.6	58	<.1	9.4	6.8	307	2.35	5.3	2.0	.7	10.6	10	.2	.4	.2	39	.12	.033	23	18.5	.59	135	.051	1	1.49	.004	.07	.1	.02	2.4	.1	<.05	6	.5	15
145239	1.2	13.5	24.0	63	<.1	12.8	7.6	310	2.28	5.3	2.1	.9	5.5	11	.3	.4	.2	46	.16	.033	22	27.5	.67	164	.064	<1	1.31	.005	.14	.1	.03	2.5	.1	<.05	6	<.5	15
145240	.7	10.1	14.2	42	<.1	16.0	9.0	260	2.93	8.8	.9	.7	4.4	14	.1	.5	.2	66	.16	.034	15	42.1	.65	166	.081	<1	1.87	.006	.04	.2	.03	2.8	.2	<.05	7	.5	15
145241	1.4	12.5	23.4	39	<.1	8.0	3.3	179	2.16	8.1	1.6	<.5	2.3	10	.1	.6	.4	58	.07	.028	25	23.7	.28	68	.036	1	.92	.004	.08	.1	.01	1.2	.1	<.05	7	.5	15
145242	.9	22.7	12.7	65	<.1	18.9	12.7	368	3.23	8.4	.7	4.6	3.2	14	.2	.6	.1	72	.20	.059	11	24.0	.79	168	.114	1	1.87	.007	.16	.1	.02	2.8	.1	<.05	6	.5	15
145243	.7	30.7	15.8	53	<.1	32.7	14.3	328	2.62	8.4	.4	1.7	2.0	14	.2	.4	.1	52	.20	.049	8	57.5	1.03	103	.099	1	1.74	.005	.08	.1	.02	2.2	.1	<.05	4	.6	15
145244	1.0	21.4	12.6	58	.1	19.1	10.7	344	2.78	9.1	.4	1.2	1.6	12	.2	.7	.2	68	.17	.038	10	30.8	.71	99	.109	<1	1.54	.005	.05	.2	.03	2.6	.2	<.05	6	<.5	15
145245	1.3	28.5	11.1	49	.1	16.7	10.6	344	3.12	8.2	.6	2.3	2.9	11	.1	.5	.2	83	.12	.036	11	35.0	.77	133	.127	1	1.85	.007	.06	.2	.02	2.9	.1	<.05	8	.5	15
145246	.4	16.6	5.5	20	<.1	26.8	10.0	211	1.37	3.2	.1	.6	.3	16	.1	.1	.1	35	.21	.033	3	51.2	.87	40	.105	1	1.08	.004	.03	.1	<.01	1.1	<.1	<.05	4	<.5	15
145247	.9	71.4	1.6	49	<.1	12.2	18.6	413	3.42	35.5	.3	1.5	.8	7	.1	.2	<.1	63	.36	.116	3	22.1	1.18	253	.160	<1	2.01	.013	.46	.1	.01	1.7	.3	<.05	4	.5	15
STANDARD DS5	12.4	136.0	25.2	138	.3	23.2	11.7	744	2.99	17.9	6.2	45.0	2.9	49	5.3	3.9	6.0	60	.72	.094	13	179.7	.67	134	.099	17	1.97	.035	.14	4.6	.17	3.4	1.1	<.05	6	5.0	15

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data 1 FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
G-1	2.3	3.3	3.0	49	<.1	5.2	4.4	616	2.21	<.5	2.5	.6	4.7	93	<.1	<.1	.2	41	.66	.068	11	20.4	.60	267	.140	2	1.13	.119	.53	5.0	<.01	2.5	.4	<.05	5	<.5	15
145248	.8	56.7	4.1	53	<.1	14.7	16.7	365	3.49	26.5	.3	.8	1.3	9	.1	.4	.1	63	.27	.073	5	27.6	1.03	239	.130	2	2.11	.009	.34	.2	.03	1.9	.3	<.05	5	.5	15
145249	.6	33.0	7.8	40	.1	49.7	14.5	306	2.82	5.4	.5	.9	3.2	11	.1	.4	.1	66	.16	.017	13	149.8	1.34	160	.156	1	2.05	.004	.05	.2	.02	2.9	.2	<.05	7	<.5	15
145250	1.0	7.9	32.0	29	.1	9.2	4.1	200	1.67	5.8	.8	.9	9.4	6	.1	.4	.2	31	.06	.012	20	15.4	.31	175	.015	1	1.34	.003	.05	.1	.03	1.6	.1	<.05	5	<.5	15
145251	2.8	3.9	3.0	31	<.1	3.1	4.1	163	1.53	3.7	.3	1.0	1.6	12	.1	.3	.1	10	.06	.011	2	15.3	.92	50	.040	1	1.21	.002	.04	<.1	.03	.6	.1	<.05	4	<.5	15
145252	1.0	7.8	9.6	29	<.1	6.8	3.7	220	2.06	6.7	.6	1.3	2.1	7	.1	.6	.2	48	.06	.028	10	16.9	.27	79	.029	<1	.95	.003	.04	.2	.02	1.4	.1	<.05	6	<.5	15
145253	.9	8.3	15.5	44	<.1	10.4	5.2	232	2.50	6.0	.9	1.8	5.6	8	.1	.4	.2	45	.06	.016	18	25.1	.76	122	.023	1	1.64	.003	.05	.1	.03	2.3	.2	<.05	6	.5	15
145254	1.0	13.7	11.9	49	<.1	16.2	7.9	243	2.73	10.1	.8	2.4	3.4	12	.1	.6	.2	55	.11	.022	13	29.1	.51	149	.058	1	1.78	.005	.05	.1	.03	2.7	.1	<.05	6	<.5	15
145255	.7	8.5	14.3	38	<.1	9.7	5.7	255	1.91	6.1	1.2	1.6	9.1	12	.1	.5	.2	35	.08	.019	17	20.3	.36	160	.033	1	1.37	.004	.06	.2	.03	2.4	.1	<.05	5	<.5	15
145256	.7	14.3	7.0	50	<.1	13.4	13.2	288	2.97	6.5	.7	1.5	2.8	18	.1	.5	.1	64	.21	.024	12	73.7	.92	132	.195	1	1.86	.004	.10	.1	.03	3.2	.1	<.05	5	<.5	15
145257	1.0	10.0	7.1	42	<.1	11.8	10.9	319	3.17	7.2	.6	.7	4.7	8	.1	.5	.1	65	.14	.027	11	40.5	.92	137	.124	1	2.07	.004	.06	.1	.02	2.7	.1	<.05	6	<.5	15
145258	.4	4.0	10.3	22	<.1	2.0	1.1	86	1.19	2.8	1.1	.6	7.7	10	<.1	.2	.2	20	.05	.016	11	5.4	.16	52	.043	<1	.50	.002	.07	.1	<.01	.9	.1	<.05	4	<.5	15
145259	.8	13.9	14.4	58	<.1	20.4	9.7	256	2.44	7.4	1.5	.9	11.9	11	.1	1.0	.2	39	.11	.017	34	26.6	.68	192	.032	1	1.65	.005	.07	.1	.01	3.7	.2	<.05	6	<.5	15
145260	1.0	16.2	15.6	69	.5	16.7	9.3	297	2.87	9.5	.8	1.9	5.5	13	.2	.5	.2	62	.12	.029	13	38.6	.52	169	.064	2	2.11	.006	.07	.1	.04	3.2	.1	<.05	6	<.5	15
145261	1.1	13.2	26.7	52	.3	13.8	6.3	266	2.38	12.0	1.1	1.0	7.9	9	.1	.4	.3	46	.08	.020	18	23.4	.45	158	.028	1	1.65	.005	.09	.2	.02	2.1	.1	<.05	6	.5	15
145262	.7	21.8	28.5	51	<.1	19.7	8.0	223	2.49	9.4	2.6	1.1	17.6	14	.1	.5	.3	43	.10	.010	34	31.9	.70	189	.053	1	1.66	.006	.08	.1	.04	5.1	.1	<.05	6	.6	15
145263	1.0	19.4	11.7	25	<.1	10.2	8.9	135	1.48	4.4	1.5	1.2	11.2	13	.1	.7	.1	29	.20	.012	109	18.0	.50	136	.193	<1	.94	.002	.09	.1	.01	2.9	.1	<.05	4	.5	15
145264	1.6	10.8	6.9	106	.1	10.3	8.0	559	3.23	7.4	1.1	1.0	5.9	12	.3	.6	.1	38	.13	.054	12	22.9	.64	207	.047	1	1.52	.004	.13	.1	.02	3.6	.1	<.05	9	.5	15
145265	.7	10.1	11.4	56	<.1	7.0	3.5	236	1.79	3.2	.7	1.5	6.9	14	<.1	.5	.1	19	.11	.017	10	11.1	.40	120	.071	1	.92	.003	.15	.1	.01	1.5	.1	<.05	4	.5	15
145266	.8	22.4	9.8	60	<.1	20.0	8.3	342	2.48	9.1	1.0	3.7	6.6	29	<.1	.6	.2	48	.34	.046	23	30.7	.56	395	.068	1	1.43	.012	.06	.2	.04	4.3	.1	<.05	4	.5	15
RE 145266	.8	22.7	7.9	56	<.1	18.6	7.9	337	2.35	8.4	.9	2.3	5.9	27	.1	.6	.1	45	.32	.044	22	29.7	.52	394	.062	1	1.28	.011	.06	.2	.03	4.1	.1	<.05	4	.5	15
145267	.7	10.6	3.8	87	<.1	8.9	5.4	609	3.40	3.8	.9	1.8	5.7	20	.1	.4	.1	25	.28	.068	17	13.0	.63	292	.069	1	1.29	.004	.23	.1	.02	3.0	.1	<.05	7	<.5	15
145268	.7	15.0	9.5	54	<.1	15.7	7.1	302	2.47	5.9	.7	2.0	4.3	22	<.1	.4	.1	43	.27	.041	19	28.0	.61	274	.067	1	1.36	.007	.09	.1	.02	3.1	.1	<.05	5	.6	15
145269	1.2	21.2	8.9	63	.1	17.5	7.8	328	2.60	6.6	1.3	2.6	6.7	22	.1	.5	.1	46	.21	.024	25	27.1	.55	260	.054	1	1.42	.008	.06	.1	.02	4.3	.1	<.05	5	<.5	15
145451	1.1	13.0	13.8	52	.1	16.2	7.3	238	2.76	17.1	.8	6.0	5.7	13	.1	.6	.2	49	.11	.019	24	28.1	.52	220	.034	1	1.86	.006	.09	.1	.02	2.6	.1	<.05	5	<.5	15
145452	.9	18.4	15.3	46	.1	17.2	6.6	230	2.17	10.4	1.4	4.6	5.0	17	.1	.4	.2	41	.15	.040	25	23.7	.46	269	.039	<1	1.40	.006	.06	.2	.04	3.1	.1	<.05	4	<.5	15
145453	1.4	14.7	28.5	41	.3	12.4	4.2	159	1.74	13.2	1.8	5.8	7.4	15	.1	.3	.2	30	.13	.022	35	17.9	.42	351	.024	<1	1.19	.005	.07	.2	.02	2.3	.1	<.05	4	<.5	15
145454	1.1	10.6	27.3	42	.1	10.7	4.7	197	1.69	10.6	1.3	3.0	4.2	16	.1	.3	.2	31	.13	.023	31	17.4	.47	297	.026	1	1.16	.005	.08	.1	.02	1.8	.1	<.05	4	<.5	15
145455	.9	11.9	25.1	40	.2	9.8	4.3	149	1.63	8.0	1.5	3.2	7.2	16	.1	.3	.2	30	.14	.025	30	17.3	.39	436	.026	1	1.28	.005	.07	.2	.03	2.3	.1	<.05	4	<.5	15
145456	.7	7.4	22.6	30	.1	5.8	2.8	105	1.25	5.5	1.1	1.8	11.1	9	.1	.3	.2	20	.07	.015	37	11.5	.35	161	.025	1	.94	.003	.06	.1	.01	1.6	.1	<.05	3	<.5	15
145457	.4	4.8	14.7	28	<.1	4.7	3.0	158	1.26	5.0	1.2	1.2	7.7	8	<.1	.2	.1	16	.05	.014	20	7.3	.23	93	.025	1	.73	.002	.08	.1	.01	1.2	.1	<.05	3	<.5	15
145458	.3	8.9	20.2	18	.2	3.2	1.6	61	.93	7.4	2.4	2.3	.1	55	.1	.1	.2	12	.49	.053	33	8.6	.22	433	.004	1	.90	.008	.09	.1	.04	.3	.1	<.05	4	.5	15
145459	.6	5.0	14.2	31	.1	4.2	2.1	82	1.09	7.8	1.0	3.4	3.7	22	.1	.1	.2	19	.08	.014	22	7.4	.34	145	.015	<1	.83	.003	.08	.1	.02	1.2	.1	<.05	4	<.5	15
145460	.7	8.0	24.5	40	.1	7.4	3.8	123	1.51	8.0	.9	2.6	7.0	14	.1	.3	.2	30	.11	.016	27	15.3	.34	185	.024	1	1.13	.005	.07	.1	.01	1.6	.1	<.05	4	<.5	15
145461	.8	9.6	19.7	37	.2	8.4	4.0	123	1.60	10.4	1.0	3.7	4.7	18	.1	.3	.2	27	.14	.026	24	14.4	.32	153	.024	1	1.03	.005	.06	.1	.02	1.8	.1	<.05	4	.6	15
STANDARD DS5	12.5	138.2	24.5	135	.3	23.3	11.6	779	3.04	18.9	6.1	45.0	2.9	50	5.3	4.1	5.9	59	.73	.088	13	184.4	.68	136	.099	16	1.97	.034	.14	4.8	.16	3.4	1.1	<.05	6	4.9	15

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403467

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
G-1	2.0	3.1	3.2	42	<.1	4.0	3.8	579	1.93	.5	2.4	.9	4.5	90	<.1	<.1	.2	40	.70	.075	14	18.5	.53	246	.124	2	1.04	.120	.48	4.6	<.01	2.4	.3	<.05	5	<.5	15.0
145462	.5	11.2	21.9	43	.1	7.9	3.6	186	1.46	9.4	1.0	3.5	4.3	20	.1	.3	.2	26	.14	.026	30	14.0	.35	168	.026	1	1.04	.005	.08	.2	.01	1.8	.1	<.05	4	.5	15.0
145463	.6	7.8	14.5	47	<.1	11.8	5.2	193	2.24	8.9	.6	3.4	4.8	16	.1	.4	.2	37	.13	.019	16	18.3	.45	129	.040	2	1.45	.004	.07	.1	.02	1.9	.1	<.05	5	<.5	15.0
145464	.6	8.9	25.5	47	<.1	10.3	5.4	207	2.01	19.8	1.0	5.2	9.1	14	.1	.4	.2	27	.11	.019	23	16.1	.35	137	.022	1	1.16	.004	.08	.1	.02	1.9	.1	<.05	4	.6	15.0
145465	.7	10.1	21.3	42	.1	10.7	5.2	215	1.81	12.5	1.1	4.5	10.2	12	.1	.3	.2	28	.10	.019	30	17.7	.47	208	.023	1	1.20	.004	.07	.1	.02	2.1	.1	<.05	4	<.5	15.0
145466	.7	7.6	20.3	28	.1	6.7	3.1	110	1.26	5.5	.9	2.5	8.5	11	.1	.3	.2	24	.11	.015	32	12.9	.32	183	.035	1	.92	.003	.07	.1	.01	1.7	.1	<.05	3	<.5	15.0
145467	.8	7.6	21.8	30	.1	7.1	3.0	128	1.29	8.5	1.0	5.8	7.6	13	.1	.3	.3	26	.12	.026	34	13.6	.29	369	.023	1	.94	.004	.10	.1	.01	1.8	.1	<.05	3	<.5	15.0
145468	.9	11.1	28.5	23	.2	6.3	2.0	79	1.31	7.2	.8	8.3	1.1	15	.1	.2	.2	33	.14	.035	29	19.7	.24	196	.023	3	1.05	.005	.11	.1	<.01	1.6	.2	<.05	6	<.5	7.5
145469	1.1	10.3	66.5	24	.1	5.2	2.0	84	2.30	9.7	.8	3.9	3.5	13	.1	.3	.3	71	.09	.051	23	22.3	.19	221	.048	1	1.28	.004	.09	.1	.04	2.1	.2	<.05	9	.6	7.5
145470	1.1	13.5	21.1	43	.1	13.6	5.5	175	1.84	10.0	1.3	4.2	4.1	16	.1	.4	.2	34	.11	.023	26	19.1	.43	229	.030	2	1.37	.005	.11	.1	<.01	1.9	.1	<.05	5	<.5	15.0
145471	1.2	21.7	17.2	54	.1	20.8	8.4	223	2.31	11.9	1.5	4.9	8.0	13	.1	.5	.2	42	.12	.024	26	26.3	.51	205	.039	2	1.66	.006	.09	.1	.03	2.8	.1	<.05	5	.7	15.0
04GM 040	1.0	5.9	21.1	34	.1	3.8	3.5	190	1.69	5.2	1.2	1.0	2.5	14	.1	.3	.2	23	.11	.034	27	8.6	.44	146	.010	1	.98	.003	.11	.1	.01	1.8	.2	<.05	5	<.5	15.0
04GM 041	.7	12.8	17.4	48	.2	11.0	5.7	239	1.81	6.4	1.2	2.0	4.0	17	.1	.3	.2	29	.17	.046	30	19.7	.60	136	.031	2	1.16	.006	.10	.1	.01	2.6	.2	<.05	4	<.5	15.0
04GM 042	.6	10.6	25.0	55	.2	8.2	5.0	249	1.72	7.4	1.5	.8	11.5	20	.2	.3	.2	20	.20	.046	43	12.7	.57	164	.023	1	.93	.004	.09	.1	.01	2.6	.1	<.05	4	<.5	15.0
04GM 043	.9	13.3	18.9	43	.3	8.2	5.4	257	1.70	4.8	1.7	1.3	3.6	20	.2	.2	.2	25	.19	.050	50	14.1	.57	224	.021	1	1.09	.005	.10	.1	.02	2.4	.2	<.05	5	.5	15.0
04GM 044	1.2	11.2	17.6	54	.2	9.3	5.5	303	1.79	5.9	1.6	3.3	9.7	23	.1	.4	.2	28	.23	.051	39	14.9	.57	158	.058	1	1.02	.005	.10	.2	.02	2.3	.1	<.05	4	<.5	15.0
04GM 045	1.1	11.0	16.3	53	.9	8.0	4.2	229	1.85	5.7	1.3	2.9	2.3	22	.2	.4	.2	32	.21	.046	21	16.9	.55	138	.059	1	1.00	.006	.13	.1	.02	1.8	.2	<.05	5	.6	15.0
04GM 046	.6	12.0	14.5	49	.1	10.2	5.7	267	1.77	4.9	1.2	1.3	4.1	20	.1	.4	.2	29	.24	.053	20	18.5	.59	109	.056	1	.98	.005	.09	.1	.01	1.9	.2	<.05	4	.5	15.0
RE 04GM 049	.8	11.5	21.2	41	.1	9.8	4.5	229	1.57	5.0	1.5	2.5	4.5	17	.1	.5	.1	32	.17	.035	31	18.2	.42	153	.046	1	.96	.005	.08	.1	.01	2.0	.1	<.05	4	<.5	15.0
04GM 047	.7	11.4	16.0	37	.1	7.9	4.0	203	1.54	5.1	1.6	1.5	1.8	19	.1	.4	.1	31	.19	.040	25	17.3	.37	109	.048	1	.92	.006	.10	.1	.02	1.7	.2	<.05	4	.5	15.0
04GM 049	.8	11.3	20.0	41	.1	8.6	4.5	225	1.54	4.7	1.6	1.5	4.7	19	.2	.4	.1	31	.17	.034	31	18.1	.42	155	.049	2	1.00	.006	.08	.1	.01	2.2	.1	<.05	4	<.5	15.0
04GM 050	.7	58.4	12.9	42	.3	38.8	10.1	305	2.26	5.9	1.0	3.2	.6	16	.1	.4	.1	51	.19	.041	20	105.8	.93	163	.050	2	1.58	.009	.09	.1	.03	2.1	.2	<.05	5	<.5	15.0
04GM 051	.5	34.4	13.0	49	.1	33.2	14.8	379	2.75	4.8	.4	1.8	2.4	18	.1	.3	.1	64	.34	.041	9	79.2	1.33	98	.153	1	1.68	.005	.07	.1	.02	2.6	.2	<.05	5	<.5	15.0
04GM 052	.8	27.6	17.7	74	.2	33.9	17.3	560	3.47	4.5	1.1	<.5	5.9	20	.1	.4	.1	87	.37	.050	21	82.3	1.71	228	.163	1	1.95	.004	.09	.1	.01	4.6	.2	<.05	8	<.5	15.0
04GM 053	1.3	16.5	28.7	56	<.1	20.9	6.4	235	1.90	6.2	1.5	.6	15.0	12	.2	.4	.2	33	.13	.011	35	63.4	.80	137	.057	2	1.50	.004	.14	.1	.01	2.6	.2	<.05	5	<.5	15.0
04GM 054	2.1	17.6	49.6	89	<.1	10.8	6.1	371	1.90	5.0	2.3	1.1	10.8	14	.2	.5	.1	34	.17	.016	31	19.7	.62	111	.083	1	1.23	.005	.11	.1	.01	2.2	.2	<.05	4	<.5	15.0
04GM 055	1.8	17.3	56.5	76	<.1	12.0	6.2	268	2.67	8.8	1.7	1.5	9.3	12	.2	.4	.2	50	.11	.025	25	25.5	.54	159	.062	1	1.64	.004	.12	.1	.02	2.5	.2	<.05	6	.5	15.0
04GM 056	1.7	15.0	57.4	54	.1	13.4	5.8	251	2.07	8.2	1.7	2.0	11.0	13	.2	.5	.4	43	.13	.022	26	23.3	.40	176	.054	2	1.48	.006	.10	.2	.03	2.4	.2	<.05	4	.5	15.0
04GM 057	1.5	9.9	19.4	48	.1	11.0	6.4	298	2.22	8.5	1.2	<.5	5.5	14	.2	.4	.3	59	.15	.028	22	25.8	.40	165	.066	2	1.37	.006	.10	.1	.01	2.3	.2	<.05	6	<.5	15.0
04GM 058	.5	50.0	25.1	70	.1	35.8	19.0	513	3.13	3.1	.2	<.5	.7	23	.2	.3	<.1	73	.43	.084	4	48.5	1.93	135	.165	<1	1.99	.003	.19	.1	<.01	1.9	.1	<.05	5	<.5	15.0
04GM 059	.8	11.0	17.6	39	.3	13.3	4.5	177	2.08	7.5	.7	1.6	6.7	11	.1	.4	.2	46	.09	.013	20	23.9	.38	240	.042	1	1.68	.004	.07	.1	<.01	2.2	.1	<.05	5	<.5	15.0
04GM 060	.7	6.7	11.8	27	.2	4.6	2.4	102	1.43	5.7	1.0	<.5	14.8	11	.1	.3	.3	24	.06	.016	27	11.4	.34	202	.016	1	1.20	.003	.10	.1	.01	2.1	.1	<.05	4	<.5	15.0
04GM 061	.9	12.1	12.2	44	.1	12.6	6.0	189	2.25	8.7	1.4	2.3	8.0	17	.1	.4	.2	50	.12	.015	21	27.6	.47	201	.059	2	1.99	.005	.07	<.1	.01	2.9	.1	<.05	5	<.5	15.0
04GM 062	.1	8.4	24.9	93	.1	5.7	2.1	239	2.52	1.3	4.4	<.5	19.4	35	<.1	.3	.2	6	.12	.033	56	14.8	.91	380	.002	<1	1.86	.004	.05	<.1	.03	4.5	.1	<.05	5	<.5	15.0
04GM 064	.7	8.5	12.2	46	.1	8.0	3.6	138	1.50	5.2	1.3	1.5	5.8	18	.1	.4	.2	26	.11	.011	19	12.7	.56	144	.046	1	1.34	.003	.06	.1	.01	1.8	.1	<.05	4	<.5	15.0
STANDARD DS5	12.5	139.8	24.4	138	.3	24.2	11.5	764	2.99	18.8	5.9	42.5	2.9	54	5.6	3.7	6.0	64	.77	.098	17	187.1	.69	140	.105	18	2.00	.036	.16	4.5	.19	3.6	1.1	<.05	7	5.1	15.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
G-1	2.3	3.2	2.9	43	<.1	4.1	4.0	549	2.01	.7	2.8	.8	4.9	93	<.1	<.1	.2	42	.68	.072	11	19.5	.57	224	.146	1	1.03	.122	.49	4.1	<.01	2.3	.3	<.05	5	<.5	15.0
04GM 065	.5	4.1	14.3	19	<.1	3.6	1.6	57	.68	2.1	1.2	6.3	5.0	11	<.1	.2	.2	13	.07	.013	20	5.0	.21	130	.017	<1	.59	.004	.04	.1	<.01	.8	.1	<.05	2	<.5	15.0
04GM 066	.7	9.5	15.0	43	.1	8.3	4.6	216	1.61	5.6	1.4	.9	6.7	18	<.1	.4	.1	28	.14	.035	24	13.8	.38	207	.033	1	1.00	.005	.06	.1	.01	2.0	.1	<.05	4	<.5	15.0
04GM 067	.7	10.0	13.8	45	.1	9.1	4.9	150	1.60	5.6	1.3	.5	6.7	12	.1	.4	.2	31	.11	.024	21	14.8	.35	227	.032	1	1.02	.004	.04	.1	.02	1.8	.1	<.05	4	<.5	15.0
04GM 068	.7	15.0	11.4	50	.1	13.8	6.6	197	1.89	5.3	1.3	2.8	5.0	15	.1	.3	.2	36	.17	.041	19	24.5	.58	232	.040	1	1.32	.005	.05	.1	.02	2.1	.1	<.05	5	<.5	15.0
04GM 069	.6	17.5	12.6	53	.1	14.7	7.0	202	1.84	7.1	1.2	1.4	7.3	19	.1	.5	.2	36	.23	.042	24	21.6	.45	305	.040	<1	1.13	.008	.05	.1	.03	2.6	.1	<.05	4	.5	15.0
04GM 070	.5	13.2	10.2	45	.1	12.4	6.7	214	1.72	4.6	.9	.8	6.3	17	.1	.3	.2	30	.22	.039	23	23.5	.53	224	.042	1	1.07	.006	.05	.1	.03	2.1	.1	<.05	4	.5	15.0
04GM 071	.6	11.6	17.9	43	.2	17.0	6.1	118	1.63	3.9	1.5	1.2	1.8	16	.1	.2	.2	36	.18	.048	24	35.6	.57	234	.030	1	1.26	.006	.04	.2	.03	2.0	.1	<.05	5	<.5	15.0
04GM 072	.3	8.9	23.8	47	.1	15.9	5.6	182	1.51	2.6	1.2	<.5	11.1	17	.1	.1	.1	25	.17	.042	32	40.2	.84	132	.083	<1	1.09	.005	.18	.1	.01	1.5	.2	<.05	4	<.5	15.0
04GM 073	.6	19.8	18.5	56	.1	53.1	14.4	391	2.12	2.5	2.1	<.5	7.5	30	.2	.2	.2	40	.50	.061	26	167.8	1.43	347	.081	1	1.50	.006	.28	.1	.01	2.7	.2	<.05	5	<.5	15.0
04GM 074	.8	15.5	7.5	39	.1	16.2	10.8	284	2.85	3.3	.7	<.5	7.4	15	.1	.3	.1	82	.29	.019	15	31.0	1.16	157	.144	<1	1.51	.007	.11	.1	.01	3.4	.1	<.05	7	<.5	15.0
04GM 076	.4	56.7	6.8	92	.5	37.8	23.9	749	5.02	3.5	.6	2.0	4.5	71	.1	.3	.1	114	2.20	.115	24	93.8	2.52	144	.084	1	2.54	.006	.10	.1	.02	11.1	.1	<.05	12	.6	15.0
04GM 077	.8	8.0	13.9	32	.1	9.9	5.2	226	1.75	4.0	.5	<.5	6.9	16	.1	.3	.2	39	.24	.010	23	20.0	.43	357	.030	2	1.22	.009	.10	.1	.01	2.0	.1	<.05	4	<.5	15.0
04GM 078	.7	12.1	16.6	43	.1	8.8	4.9	222	1.66	6.4	1.5	1.1	1.8	15	.1	.3	.1	30	.15	.039	23	17.6	.42	135	.039	1	.93	.006	.07	.1	.02	1.4	.1	<.05	4	.5	15.0
04GM 079	.6	7.4	15.2	35	.1	6.9	3.8	124	1.48	4.4	.6	<.5	5.2	16	.1	.3	.2	30	.13	.008	14	13.5	.41	314	.027	<1	1.05	.005	.06	.1	<.01	1.6	.1	<.05	4	<.5	15.0
04GM 080	.4	7.4	14.7	32	.1	6.1	2.8	99	1.16	2.7	1.2	<.5	9.7	14	<.1	.4	.2	18	.10	.009	16	9.7	.43	188	.022	1	.82	.004	.05	.1	.02	1.4	<.1	<.05	3	.5	15.0
04GM 081	.9	7.7	17.8	50	.4	12.1	5.7	203	2.33	6.6	.6	<.5	4.4	14	.1	.5	.2	49	.11	.021	13	20.3	.36	416	.032	1	1.54	.005	.09	.1	<.01	1.8	.1	<.05	6	<.5	15.0
04GM 082	.5	7.5	11.1	27	.1	6.5	3.1	129	1.50	4.0	.6	2.0	7.0	13	<.1	.4	.1	31	.10	.020	18	14.3	.28	191	.029	<1	1.09	.004	.07	.1	.01	1.7	.1	<.05	5	<.5	15.0
04GM 083	.5	14.3	7.1	41	.1	11.8	5.1	171	1.74	4.6	.8	.6	4.6	19	.1	.4	.1	39	.24	.038	17	19.6	.48	243	.065	<1	1.08	.007	.04	.1	<.01	2.6	<.1	<.05	4	<.5	15.0
04GM 084	.5	12.3	6.7	41	.1	10.9	5.3	165	1.58	4.0	1.1	.8	5.4	18	.1	.3	.1	32	.20	.034	20	17.6	.48	231	.050	<1	1.06	.007	.03	.1	.02	2.4	.1	<.05	3	<.5	7.5
RE 04GM 084	.6	12.5	7.3	42	.1	11.3	5.3	171	1.67	4.3	1.1	3.1	5.4	19	<.1	.4	.1	35	.21	.035	20	18.7	.51	234	.055	<1	1.09	.008	.04	.1	.03	2.4	.1	<.05	3	<.5	7.5
04GM 085	.4	12.5	9.9	35	<.1	9.3	4.3	167	1.38	4.5	1.1	4.3	3.2	16	<.1	.4	.1	28	.16	.027	18	14.9	.34	211	.042	1	.85	.005	.05	.1	.01	2.1	.1	<.05	3	<.5	15.0
04GM 106	1.4	9.1	24.0	28	.4	5.4	3.1	51	1.95	6.7	3.3	3.1	11.6	45	.1	2.8	.1	16	.11	.036	49	6.6	.14	688	.016	<1	.66	.013	.07	3.6	.60	1.3	.1	.08	2	.5	15.0
04GM 107	.3	5.1	15.3	45	.1	2.4	2.9	94	.96	2.6	2.2	<.5	16.7	9	<.1	.2	.2	9	.09	.015	40	12.1	.62	127	.044	<1	.84	.003	.09	<.1	.01	1.9	.1	<.05	2	<.5	15.0
04GM 108	.5	6.7	17.4	35	.1	5.7	2.6	117	1.14	4.4	1.6	3.3	11.4	12	.1	.2	.2	18	.11	.022	35	9.9	.48	195	.035	<1	.80	.004	.07	.1	.01	1.2	.1	<.05	3	<.5	15.0
04GM 109	.6	7.2	15.2	35	.3	5.5	2.5	134	1.56	11.2	1.2	1.8	10.0	9	.1	.3	.2	23	.08	.017	30	10.1	.32	148	.036	<1	.99	.004	.13	.1	.01	1.8	.1	<.05	4	<.5	15.0
04GM 110	1.0	7.6	12.8	37	.4	9.5	5.7	215	2.14	8.9	.4	.5	4.0	11	.1	.3	.2	46	.10	.023	16	17.2	.32	182	.057	<1	.95	.006	.12	.1	.01	1.7	.1	<.05	5	<.5	15.0
04GM 111	.6	9.4	15.3	58	.3	12.2	5.5	204	2.19	10.7	.7	.9	5.3	13	.1	.4	.2	33	.09	.016	14	17.3	.48	229	.039	<1	1.40	.004	.14	.1	.01	1.9	.1	<.05	5	<.5	15.0
04GM 112	.5	12.3	15.2	42	.1	11.7	5.8	190	1.85	6.5	1.2	1.7	10.0	13	.1	.3	.1	29	.10	.013	31	19.1	.53	211	.053	<1	1.23	.005	.09	.2	.02	2.3	.1	<.05	4	<.5	15.0
04GM 113	.5	9.0	19.3	35	.1	5.4	2.3	88	1.27	4.1	.8	1.3	7.3	9	.1	.3	.2	22	.06	.012	34	11.1	.47	230	.031	<1	1.02	.004	.09	.1	.01	1.4	.1	<.05	4	.5	15.0
04GM 114	.7	8.9	12.9	34	.1	9.0	4.0	133	1.58	6.6	1.1	2.4	7.0	10	<.1	.3	.2	31	.09	.010	23	17.2	.36	230	.044	<1	1.08	.005	.06	.1	.01	2.0	.1	<.05	3	<.5	15.0
04GM 115	.8	9.4	15.1	38	.1	9.5	4.4	157	1.62	9.2	.9	2.6	5.9	14	.1	.4	.2	30	.12	.025	29	16.3	.36	259	.041	<1	1.03	.005	.07	.1	.02	1.7	.1	<.05	4	<.5	15.0
04GM 116	.5	7.4	13.0	25	.1	6.2	2.8	77	1.25	5.1	.8	1.0	5.6	13	<.1	.2	.1	28	.13	.020	24	14.1	.29	234	.052	1	.97	.005	.06	.1	.02	1.6	.1	<.05	3	.5	15.0
04GM 117	.5	6.8	16.4	31	.3	7.1	3.3	121	1.24	7.4	.9	4.0	4.5	11	.2	.2	.2	23	.10	.017	20	11.8	.31	212	.031	1	.82	.005	.08	.1	.02	1.5	.1	<.05	3	<.5	15.0
04GM 118	.8	10.4	21.2	37	.1	8.8	4.2	140	1.54	9.4	.7	1.7	8.2	12	.1	.4	.2	27	.09	.014	24	16.0	.40	213	.039	<1	1.06	.005	.09	.1	.02	1.9	.1	<.05	3	<.5	15.0
STANDARD DS5	12.8	145.3	24.0	138	.3	25.1	12.3	741	3.02	18.8	6.4	44.0	2.9	50	5.6	3.9	6.3	61	.76	.090	14	182.0	.68	136	.109	17	2.12	.035	.14	4.8	.17	3.6	1.2	<.05	7	5.0	15.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
G-1	2.1	3.3	2.8	44	<.1	4.8	4.1	572	2.11	<.5	2.3	<.5	4.3	91	<.1	<.1	.1	45	.62	.077	12	20.4	.59	235	.139	1	1.04	.117	.53	4.3	<.01	2.2	.3	<.05	5	<.5	15.0
04GM 119	.6	13.1	17.8	49	.1	11.8	5.4	155	1.74	11.8	.8	2.3	7.4	18	.5	.4	.2	37	.13	.012	23	21.4	.44	212	.052	<1	1.14	.005	.07	.2	.01	2.3	.1	<.05	3	<.5	15.0
04GM 120	.4	5.0	12.6	24	<.1	3.9	2.3	67	.96	5.6	1.0	.9	7.9	11	.1	.2	.1	17	.07	.017	26	7.5	.17	132	.030	1	.68	.003	.06	.1	<.01	1.2	.1	<.05	2	<.5	15.0
04GM 121	.5	7.8	11.6	29	.1	7.2	3.5	118	1.34	6.5	1.2	16.0	6.9	13	<.1	.3	.1	26	.14	.026	24	14.0	.27	218	.036	1	.84	.005	.06	.2	.02	1.8	<.1	<.05	3	<.5	15.0
04GM 122	.3	10.1	7.6	32	.1	7.7	4.2	138	1.30	6.3	1.5	7.2	6.3	18	<.1	.3	.1	23	.17	.035	25	11.4	.29	231	.035	1	.70	.006	.06	.1	.01	1.7	<.1	<.05	2	<.5	15.0
04GM 123	.2	15.2	4.3	88	<.1	5.0	5.5	699	3.29	4.1	.5	.8	3.6	21	.1	.3	.1	24	.43	.105	10	2.9	.87	191	.054	1	1.35	.004	.24	<.1	.01	3.9	.1	<.05	6	<.5	15.0
04GM 124	.9	27.1	9.1	69	.1	16.7	10.7	530	3.54	10.4	.7	1.2	4.3	24	<.1	.6	.2	58	.48	.029	13	20.9	1.05	286	.066	2	1.92	.011	.09	.1	.03	5.3	.1	<.05	6	.5	15.0
04GM 125	.7	32.3	7.7	91	.1	5.3	9.4	1015	4.48	5.1	1.0	1.2	4.1	25	.2	.3	.1	54	.52	.097	17	4.4	1.18	280	.058	1	1.87	.006	.14	<.1	.02	7.5	.1	<.05	8	<.5	15.0
04GM 126	.7	31.6	7.6	95	.1	3.9	5.9	598	3.97	4.3	.8	5.3	5.0	19	.2	.3	.1	23	.39	.088	33	4.3	1.00	139	.020	1	1.75	.004	.07	<.1	.04	4.5	<.1	<.05	6	<.5	15.0
04GM 127	.5	29.4	7.6	81	<.1	8.9	6.1	665	3.25	4.6	1.7	2.3	6.2	18	.1	.4	.2	24	.26	.040	26	10.6	.74	275	.049	<1	1.52	.005	.12	<.1	.04	6.5	.1	<.05	6	.6	15.0
04GM 128	.7	46.4	10.4	78	.1	23.0	12.3	615	3.86	9.9	.6	3.5	4.9	22	.1	.8	.2	69	.36	.026	18	23.3	1.11	376	.079	<1	2.15	.011	.07	.1	.05	6.4	.1	<.05	7	<.5	15.0
04GM 129	.7	33.8	10.0	68	.1	15.9	9.5	504	3.12	5.7	.7	3.5	6.7	16	.1	.7	.2	54	.31	.047	31	18.9	1.10	289	.033	<1	2.02	.006	.06	.1	.03	6.1	<.1	<.05	6	<.5	15.0
04GM 130	.6	20.7	7.6	86	.1	13.2	12.0	799	4.10	5.5	1.0	.9	3.6	25	.1	.3	.2	68	.41	.032	12	18.1	1.39	419	.028	<1	2.35	.007	.06	.1	.01	6.3	.1	<.05	9	<.5	15.0
04GM 134	.9	21.0	8.0	59	.2	13.9	10.1	451	3.03	5.2	.4	122.5	2.2	20	.1	.4	.1	71	.36	.017	9	17.7	1.15	317	.028	<1	1.86	.005	.07	.1	.01	4.5	<.1	<.05	7	<.5	15.0
04GM 135	.4	46.8	8.1	99	<.1	10.5	12.8	865	4.41	3.8	.8	5.9	3.1	13	.1	.4	.1	68	.25	.043	12	8.8	1.76	222	.040	<1	2.35	.004	.04	.1	.03	6.4	<.1	<.05	9	<.5	15.0
04GM 136	.7	33.8	9.2	68	.1	26.0	11.1	535	2.91	10.9	.7	2.7	4.5	58	.2	.6	.2	52	2.17	.070	19	23.5	.99	366	.056	2	1.42	.017	.06	.2	.04	4.3	.1	<.05	4	<.5	15.0
RE 04GM 136	.6	33.7	8.7	69	.1	26.4	10.6	531	2.75	11.2	.6	2.3	4.3	55	.2	.6	.1	55	2.01	.069	20	24.2	.98	386	.059	1	1.41	.017	.06	.2	.02	4.1	.1	<.05	5	<.5	15.0
04GM 137	1.4	22.9	5.7	85	.1	26.0	10.0	388	3.14	11.5	.7	<.5	3.5	12	.1	.4	.1	60	.18	.052	10	27.1	1.20	272	.040	<1	1.69	.003	.08	.1	.01	4.6	<.1	<.05	6	.6	15.0
04GM 138	.9	30.3	7.9	59	<.1	26.4	9.4	320	2.94	13.8	1.3	4.8	5.5	19	.1	.7	.2	60	.27	.038	21	39.2	.75	360	.057	<1	1.54	.009	.05	.2	.04	7.3	<.1	<.05	5	<.5	15.0
04GM 140	1.9	40.3	16.7	127	.4	14.6	18.9	810	5.20	5.4	1.0	9.0	4.0	15	.4	.3	.2	61	.91	.082	16	25.1	1.26	224	.009	<1	1.56	.011	.04	.1	.09	7.6	<.1	.06	5	.7	15.0
04GM 141	.8	28.2	12.6	132	.2	8.5	8.6	465	4.18	5.0	.6	6.6	2.4	16	.1	.3	.3	57	.09	.026	12	13.9	1.33	292	.024	<1	1.97	.020	.06	<.1	.04	3.6	<.1	.08	7	1.2	15.0
04GM 142	1.2	19.7	14.5	77	.5	11.8	5.8	339	3.85	7.8	.4	21.2	3.2	19	.1	.4	.2	53	.09	.033	14	21.7	.97	571	.032	1	2.21	.037	.07	.1	.05	3.0	.1	.17	7	.9	15.0
04GM 143	1.0	55.5	8.7	71	.1	53.3	16.9	494	3.43	7.0	1.2	5.4	5.3	10	.1	.7	.1	57	.15	.018	31	123.0	2.30	531	.085	<1	2.33	.003	.04	.1	.02	6.8	<.1	<.05	7	<.5	15.0
04GM 144	.8	11.4	6.4	90	.1	15.4	8.8	355	3.17	4.5	.3	.6	2.4	12	<.1	.1	.1	51	.23	.071	14	83.9	1.87	592	.008	<1	2.32	.004	.06	.1	.02	6.4	<.1	<.05	7	<.5	15.0
04GM 145	.6	14.4	6.0	55	.1	14.4	6.9	232	2.37	2.9	.5	1.3	3.3	9	<.1	.2	.1	41	.14	.009	19	44.9	1.34	263	.021	<1	1.89	.006	.04	.1	.02	3.3	.1	<.05	5	<.5	15.0
04GM 146	.6	155.5	9.5	59	.8	11.1	43.3	1203	6.90	14.5	.5	10.2	1.4	17	.1	.6	.8	128	1.02	.056	10	8.0	2.26	34	.003	<1	2.34	.002	.01	<.1	.04	17.5	<.1	.06	7	.9	15.0
04GM 147	1.4	92.5	6.3	254	.6	48.3	24.7	1183	4.60	9.0	.6	12.3	1.3	27	1.7	.4	.2	69	3.31	.061	8	118.9	1.64	94	.005	<1	1.69	.005	.02	<.1	.47	11.9	<.1	.06	5	.6	15.0
S054H	.8	14.7	8.3	46	.1	19.7	8.1	283	2.59	9.8	.5	.9	3.1	18	<.1	.4	.2	59	.23	.038	13	32.2	.56	199	.053	1	1.71	.008	.04	.2	.02	3.0	.1	<.05	6	<.5	15.0
S055H	.8	8.3	23.6	41	.1	9.4	4.1	232	1.94	9.1	1.2	1.3	7.3	21	.2	.4	.7	33	.10	.021	20	16.3	.33	120	.048	<1	1.22	.004	.12	.1	.02	2.0	.2	<.05	4	<.5	15.0
S056H	.2	3.6	6.6	10	.1	.9	.7	100	.35	1.3	.4	<.5	3.8	3	<.1	.1	.1	10	.03	.013	7	2.3	.05	119	.010	<1	.38	.001	.09	.1	.01	.5	.1	<.05	2	<.5	15.0
S057H	.6	2.4	5.9	33	<.1	1.0	.8	88	1.10	2.2	.8	<.5	2.5	17	.1	.2	.1	13	.09	.012	10	2.5	.65	63	.021	<1	1.05	.002	.03	<.1	<.01	1.1	.1	<.05	5	<.5	15.0
S058H	.5	3.5	6.7	15	.1	3.8	1.7	82	.93	3.2	.4	<.5	3.7	9	<.1	.4	.1	33	.07	.008	14	7.2	.08	167	.033	<1	.51	.003	.05	.1	.01	.9	.1	<.05	4	<.5	15.0
S059H	1.0	8.8	20.0	34	.1	7.3	3.6	167	1.88	6.8	1.0	<.5	8.5	10	.2	.4	.2	33	.07	.038	35	11.8	.46	162	.017	<1	1.11	.004	.08	.1	.01	1.9	.1	<.05	5	.5	15.0
S060H	1.0	5.5	14.9	25	.1	4.3	2.0	103	1.45	5.5	1.4	2.3	5.2	14	<.1	.4	.1	25	.08	.018	11	8.5	.28	167	.024	<1	.90	.003	.06	.1	.01	1.3	.1	<.05	4	<.5	15.0
S061H	.6	4.4	16.1	21	.2	3.3	1.7	83	1.38	5.1	.7	<.5	8.4	9	<.1	.3	.2	26	.04	.025	11	8.1	.14	134	.013	<1	.83	.002	.07	.1	.01	1.2	.1	<.05	4	<.5	15.0
STANDARD DS5	13.1	147.0	24.8	141	.3	25.5	12.5	795	3.05	19.1	6.5	44.5	2.8	50	5.7	4.1	6.4	62	.72	.090	13	189.0	.70	134	.093	18	1.96	.034	.15	5.2	.19	3.4	1.1	<.05	7	5.1	15.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data K FA

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A403843 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	2.3	3.6	3.0	46	<.1	5.2	4.5	638	2.03	<.5	2.0	.8	4.8	95	<.1	<.1	.2	43	.68	.076	10	20.8	.59	267	.143	1	1.06	.136	.57	4.3	<.01	2.7	.4	<.05	5	<.5
145051	.8	33.2	9.3	65	.1	24.3	11.0	537	2.84	23.4	.4	4.0	4.5	25	.2	.7	.2	48	.52	.049	17	25.6	.79	343	.035	1	1.70	.012	.06	.2	.03	4.5	.1	<.05	5	<.5
145052	1.0	25.2	8.0	52	.1	21.2	8.6	302	2.29	37.5	2.4	3.3	2.3	53	.2	.5	.1	44	.90	.060	11	25.1	.63	332	.033	1	1.28	.013	.04	.1	.02	3.0	<.1	.06	4	.9
145053	1.1	36.8	10.1	62	.2	30.0	10.3	512	2.60	37.5	4.3	5.6	3.3	43	.3	.8	.2	46	.77	.048	15	31.0	.75	533	.032	1	1.73	.012	.05	.1	.03	4.3	.1	<.05	5	1.2
145054	1.2	36.9	9.5	62	.1	28.3	10.9	375	2.65	52.7	.8	3.5	4.0	30	.1	.8	.2	43	.55	.052	16	27.3	.71	343	.027	<1	1.52	.010	.04	.1	.03	4.1	<.1	<.05	5	.5
145055	.8	33.5	9.6	65	.1	25.6	11.6	503	2.83	17.6	.7	3.5	3.9	29	.2	.7	.2	55	.57	.050	14	28.0	.84	387	.040	1	1.49	.015	.05	.1	.04	4.8	.1	<.05	5	1.1
145056	1.9	46.6	9.7	86	.2	36.5	12.1	407	3.80	78.6	.6	4.0	5.3	21	.1	.9	.2	54	.27	.030	18	34.5	1.17	487	.008	<1	2.03	.004	.04	.1	.01	3.6	<.1	<.05	6	.8
145057	1.1	17.4	7.8	54	.1	21.8	9.0	229	2.56	41.3	.4	1.1	3.2	12	.1	.4	.1	49	.19	.017	12	27.9	.81	453	.020	<1	1.61	.005	.06	.1	<.01	2.8	.1	<.05	5	<.5
145058	1.0	15.3	9.1	43	.3	17.4	8.5	496	2.39	17.4	.5	2.5	3.0	19	.1	.5	.2	47	.27	.024	10	24.5	.58	446	.031	<1	1.43	.008	.08	.1	.01	3.0	.1	<.05	4	<.5
145059	1.0	20.9	8.9	65	.1	19.1	10.2	488	3.03	4.8	.5	3.2	3.0	23	.2	.3	.1	59	.40	.033	15	28.6	1.07	524	.017	<1	2.02	.006	.06	.1	.01	4.1	.1	<.05	6	<.5
145060	.8	13.9	7.9	41	<.1	16.1	7.2	257	2.20	7.4	.6	2.2	4.6	16	<.1	.5	.1	42	.28	.016	13	25.5	.61	345	.036	<1	1.53	.008	.04	.1	.01	3.5	.1	<.05	4	<.5
145061	1.2	18.5	90.1	43	.5	4.6	2.1	72	1.33	7.0	.7	3.0	7.3	8	.2	.8	.3	26	.05	.015	21	8.7	.13	255	.018	<1	.65	.004	.08	.1	.01	1.1	.1	<.05	3	<.5
145062	.7	11.6	27.5	35	.2	8.6	3.5	111	1.36	6.1	.7	1.4	5.2	8	.2	.5	.2	27	.07	.014	17	14.4	.25	217	.028	<1	.84	.004	.07	.1	.01	1.3	.1	<.05	3	<.5
145063	.7	10.0	17.3	35	.1	10.8	4.8	165	1.76	8.4	.7	2.5	6.7	10	.1	.5	.2	38	.10	.016	15	19.2	.32	243	.036	<1	1.25	.005	.07	.1	.01	2.0	.1	<.05	4	<.5
145064	.8	6.5	26.3	24	.1	5.6	2.2	72	1.08	5.4	.8	1.3	6.0	7	.1	.4	.2	24	.06	.011	17	10.9	.18	201	.026	1	.79	.004	.06	.1	.01	1.2	<.1	<.05	3	<.5
145065	1.0	5.4	24.9	22	.1	4.4	2.2	88	1.07	5.8	.8	1.4	7.9	5	<.1	.3	.2	23	.04	.011	19	9.3	.16	230	.024	<1	.73	.003	.05	.1	<.01	1.1	<.1	<.05	3	<.5
145066	.9	9.3	45.5	50	.2	6.4	3.0	104	1.30	7.9	.9	2.8	8.3	12	.1	.3	.3	23	.09	.016	20	12.1	.34	203	.035	<1	.83	.005	.07	.1	.01	1.4	.1	<.05	3	<.5
RE 145066	1.0	9.5	47.3	49	.2	6.9	2.9	107	1.31	7.7	.8	2.7	8.1	11	.1	.4	.3	24	.10	.017	20	12.0	.35	201	.034	<1	.85	.005	.07	.1	<.01	1.4	.1	<.05	3	<.5
145067	1.0	13.0	44.9	52	.2	7.9	3.9	178	1.54	21.0	1.2	1.9	9.2	17	.1	.4	.2	23	.11	.028	29	13.9	.46	355	.037	1	.91	.006	.09	.1	.01	1.5	.1	<.05	3	<.5
145068	.9	12.0	26.2	44	.1	9.2	4.6	138	1.55	11.1	1.0	2.5	7.4	14	.1	.5	.2	29	.14	.020	25	16.2	.36	382	.037	<1	1.01	.006	.07	.1	.01	2.1	.1	<.05	3	<.5
145069	.8	12.2	22.4	58	.1	11.7	4.8	165	1.67	10.5	.9	1.7	6.7	17	.2	.4	.2	32	.21	.035	21	16.9	.46	406	.046	1	1.14	.009	.09	.2	.01	2.3	.1	<.05	4	<.5
145070	.8	13.7	34.6	73	.2	11.0	4.3	131	1.58	7.9	1.7	5.2	2.5	19	.3	.4	.2	30	.19	.044	23	17.2	.39	490	.029	<1	1.08	.008	.06	.2	.02	1.8	.1	<.05	4	.5
145071	.5	10.3	16.3	44	<.1	9.1	3.8	120	1.27	5.7	.8	3.4	5.2	14	.1	.3	.1	27	.16	.029	18	16.6	.29	253	.041	<1	.83	.007	.05	.2	.01	1.6	<.1	<.05	2	<.5
145072	.8	11.8	13.8	76	.5	8.0	4.1	170	2.02	12.8	1.2	56.3	1.7	17	.3	.3	.1	25	.23	.071	17	15.0	.66	247	.032	<1	1.41	.004	.06	<.1	.02	2.9	.1	<.05	5	<.5
145073	.7	14.5	7.1	71	.1	10.4	5.5	220	2.21	9.3	.9	1.4	3.5	14	.1	.3	.1	33	.21	.054	13	17.0	.77	222	.046	1	1.36	.005	.03	.1	.01	2.9	<.1	<.05	4	<.5
145074	1.1	27.2	63.9	141	.5	10.6	4.2	316	3.19	8.1	.9	6.9	3.0	20	.2	.6	.2	41	.20	.051	13	18.0	1.21	314	.032	<1	1.69	.006	.03	.1	.06	3.0	<.1	<.05	5	1.2
145075	.9	46.7	35.8	126	.9	15.7	11.0	621	2.67	6.1	.8	6.3	1.9	24	1.1	.8	.2	48	.46	.053	11	25.3	1.02	466	.021	<1	1.82	.007	.03	.1	.04	4.1	.1	<.05	5	.7
145076	.5	84.9	18.1	213	.4	26.5	12.7	502	3.87	7.7	.4	8.5	2.4	12	.6	.4	.2	72	.28	.045	8	47.8	1.65	187	.045	<1	2.61	.005	.02	.1	.04	5.0	<.1	<.05	7	<.5
145077	.5	29.0	10.3	94	.2	12.2	9.2	252	2.70	7.5	.4	5.2	2.7	13	.2	.3	.1	51	.23	.044	11	18.6	1.06	178	.026	<1	1.88	.005	.04	.1	.02	3.6	.1	<.05	6	<.5
145078	.7	26.7	7.9	65	.1	14.8	8.1	292	2.59	9.1	.6	2.9	4.4	17	.1	.4	.1	47	.29	.049	16	23.0	.83	272	.034	1	1.69	.006	.04	.1	.02	3.9	<.1	<.05	5	<.5
145079	1.0	14.7	8.0	64	.2	11.8	7.1	247	2.61	14.1	.5	1.9	3.0	17	.1	.3	.1	51	.32	.048	13	28.5	1.08	322	.028	1	1.81	.006	.04	.1	.01	3.4	<.1	<.05	5	<.5
145080	.6	18.8	7.3	66	.1	16.4	7.9	280	2.43	21.2	.6	5.3	2.9	18	.2	.4	.1	42	.30	.052	11	31.9	.85	277	.037	<1	1.58	.006	.05	.1	.02	3.1	<.1	<.05	5	.5
145081	.9	35.5	7.3	70	.3	22.8	11.6	549	2.87	15.0	.8	5.7	3.1	29	.2	.4	.1	51	.53	.059	11	43.7	1.24	375	.039	1	2.03	.008	.04	.1	.01	4.3	<.1	<.05	6	.6
145082	.8	31.8	7.9	70	.2	22.5	10.2	457	2.80	12.5	1.0	4.2	3.4	24	.2	.4	.2	48	.41	.054	12	44.2	1.04	425	.048	1	1.94	.009	.05	.1	.02	4.1	<.1	<.05	6	.6
145083	.8	44.7	8.3	66	.3	31.2	12.1	598	2.69	9.8	1.2	11.0	3.8	30	.3	.5	.2	51	.45	.058	13	57.0	.99	398	.048	1	1.81	.012	.04	.2	.10	4.5	.1	<.05	5	.7
STANDARD DS5	12.4	139.6	25.4	134	.3	25.3	11.8	798	3.01	17.9	6.2	41.3	2.7	47	5.7	4.1	6.1	62	.76	.097	12	190.7	.68	137	.102	19	2.06	.034	.15	5.0	.17	3.5	1.1	<.05	7	4.7

GROUP 1DX - 15.0 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SOIL SS80 60 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data L FA ____ DATE RECEIVED: JUL 22 2004 DATE REPORT MAILED: Aug. 7/04

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403843

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	2.2	3.6	3.0	49	<.1	5.4	4.4	581	2.17	.7	2.1	.8	4.9	90	<.1	<.1	.2	42	.62	.080	9	20.0	.62	265	.138	1	1.08	.134	.57	4.0	<.01	2.4	.4	<.05	5	<.5
145084	.6	38.3	9.1	59	.2	36.8	12.3	413	2.71	9.8	1.4	4.8	3.2	29	.1	.4	.2	47	.47	.043	11	86.4	1.16	440	.035	1	1.72	.009	.04	.2	.03	4.3	<.1	<.05	5	.7
145085	.5	13.9	7.1	51	.1	11.8	6.1	221	1.78	15.1	.9	3.0	3.2	17	.1	.4	.1	28	.30	.032	10	18.8	.70	300	.027	<1	1.18	.006	.06	.1	.01	2.6	<.1	<.05	4	.5
145086	.7	12.2	7.0	49	.1	11.4	5.4	196	1.92	21.4	.4	2.9	2.7	15	.1	.4	.1	31	.23	.037	11	15.2	.67	265	.025	<1	1.18	.006	.05	.1	<.01	1.9	<.1	<.05	4	<.5
145087	.5	15.4	6.4	49	.1	12.0	7.3	244	2.06	9.4	.8	4.8	2.9	19	<.1	.3	.1	35	.30	.023	10	15.9	.83	335	.034	<1	1.35	.008	.04	.1	.01	2.5	<.1	<.05	4	.5
145088	.7	23.4	5.9	49	.1	12.4	8.4	250	2.12	5.6	.8	2.0	2.9	21	<.1	.3	.1	38	.35	.022	11	15.8	.71	304	.036	1	1.28	.007	.04	.1	.02	2.9	<.1	<.05	4	.5
145089	.4	30.2	5.5	43	.1	11.4	8.3	259	1.96	5.8	.8	2.3	2.8	26	.1	.3	.1	37	.53	.030	10	13.8	.65	244	.032	<1	1.19	.007	.03	.1	.02	2.9	<.1	<.05	4	.5
145270	1.3	77.6	220.5	678	.4	55.3	13.8	990	3.68	9.1	2.5	3.7	4.4	15	1.2	.3	.4	79	.24	.026	10	181.4	3.40	135	.058	<1	2.84	.004	.05	.2	.02	9.0	<.1	<.05	7	.8
145271	.5	12.0	6.9	56	.2	12.4	6.2	263	2.15	7.4	.7	12.5	3.9	22	.1	.3	.1	33	.39	.056	15	24.0	.68	257	.026	<1	1.39	.007	.04	.1	.02	3.3	.1	<.05	4	<.5
145272	.8	9.8	7.2	65	.1	12.6	8.6	339	2.51	7.4	.5	14.3	3.7	19	.1	.3	.1	41	.35	.065	11	24.8	.67	200	.035	<1	1.24	.006	.04	.2	.01	2.8	<.1	<.05	4	<.5
145273	.7	9.4	6.5	49	.1	11.9	5.6	177	2.01	6.5	.6	4.1	3.1	21	.1	.3	.1	37	.34	.049	12	20.9	.51	233	.033	<1	1.25	.008	.04	.2	.02	2.4	.1	<.05	4	<.5
145274	.8	24.9	8.2	62	.4	20.9	8.0	366	2.55	10.4	2.5	2.6	2.5	54	.4	.5	.2	43	.82	.064	32	29.6	.62	399	.031	1	1.60	.010	.06	.2	.05	4.2	.1	<.05	5	.9
145275	.6	15.2	7.1	56	.2	15.1	7.3	327	2.09	8.0	1.2	2.9	3.3	30	.1	.5	.1	37	.43	.061	15	22.8	.53	286	.033	<1	1.13	.011	.04	.1	.03	3.1	.1	<.05	4	.5
145276	.8	31.5	11.3	77	.2	28.5	10.9	453	2.81	11.6	.7	1.8	4.1	35	.2	.9	.2	52	.64	.074	15	29.1	.66	412	.054	2	1.30	.023	.07	.2	.05	3.5	.1	<.05	4	.5
145277	.5	16.1	7.7	59	.2	15.7	6.9	258	2.29	7.2	1.1	5.2	4.0	28	.1	.5	.1	44	.42	.043	17	27.7	.67	367	.040	1	1.54	.012	.05	.2	.04	3.5	.1	<.05	5	<.5
145278	.6	21.3	8.2	67	.3	19.8	7.5	332	2.41	8.2	1.2	3.2	3.4	35	.2	.5	.1	43	.58	.053	20	28.7	.66	460	.030	<1	1.73	.013	.05	.1	.03	3.9	.1	<.05	6	.6
145279	.6	25.9	7.6	60	.2	20.5	7.2	353	2.34	8.1	1.8	3.0	3.5	35	.2	.4	.1	42	.59	.064	17	29.3	.65	403	.029	1	1.48	.018	.04	.2	.03	3.8	.1	<.05	4	.7
145280	.6	19.0	8.8	59	.1	17.1	7.6	303	2.29	11.9	.7	2.4	4.2	26	.2	.6	.2	42	.45	.055	14	26.9	.61	274	.040	1	1.36	.011	.07	.2	.04	3.4	<.1	<.05	4	.5
145281	.8	21.4	7.8	54	.1	18.1	7.7	311	2.25	8.8	1.1	3.1	3.6	29	.1	.5	.1	43	.45	.052	13	24.9	.52	323	.041	1	1.35	.014	.05	.2	.02	3.0	.1	<.05	4	.7
145282	.8	27.9	9.8	62	.2	21.1	7.9	283	2.57	11.8	.8	2.9	4.8	27	.1	.8	.2	47	.42	.039	19	29.6	.64	369	.051	<1	1.56	.014	.06	.2	.04	4.2	.1	<.05	5	.5
RE 145282	.7	29.5	9.7	63	.2	22.1	8.2	306	2.65	12.1	.8	3.0	4.8	27	.1	.7	.2	50	.44	.040	18	30.6	.62	359	.052	1	1.49	.015	.07	.2	.03	4.2	.1	<.05	5	.5
145283	.9	17.2	10.9	67	.2	18.4	7.3	260	2.83	21.7	.7	3.9	5.0	20	.1	.7	.1	47	.29	.033	19	31.1	.77	276	.031	1	1.72	.008	.08	.1	.03	4.3	.1	<.05	5	<.5
145284	.9	20.3	9.0	63	.1	17.8	7.6	311	2.79	42.7	.8	3.1	4.1	20	.1	.7	.2	50	.29	.023	17	33.2	.67	406	.026	<1	1.78	.008	.06	.1	.03	5.0	.1	<.05	6	<.5
145285	.8	23.7	11.5	64	.1	19.9	8.1	312	2.88	22.2	1.2	2.6	5.5	24	.1	.6	.2	55	.37	.043	22	36.3	.75	381	.042	<1	1.61	.010	.06	.1	.03	5.4	.1	<.05	6	<.5
145286	.7	25.0	8.8	56	.1	20.2	7.6	313	2.63	19.2	1.7	2.7	4.6	27	.1	.6	.2	49	.36	.043	17	33.3	.63	369	.050	<1	1.49	.012	.05	.2	.03	4.9	.1	<.05	5	<.5
145287	1.0	28.0	11.2	53	.2	20.4	8.9	400	2.55	16.1	4.2	3.1	4.4	47	.1	.7	.2	50	.59	.055	19	28.6	.60	438	.044	1	1.55	.013	.05	.2	.05	4.5	.1	<.05	5	1.2
145288	.7	26.3	8.7	54	.1	19.5	8.0	340	2.34	11.3	2.9	10.6	3.8	40	.2	.7	.1	47	.62	.067	14	26.5	.52	385	.046	1	1.20	.014	.04	.3	.03	3.6	.1	<.05	4	.6
145289	.7	25.9	9.8	55	.1	21.4	9.1	361	2.41	12.2	2.0	5.0	4.3	32	.1	.6	.2	46	.51	.058	16	27.4	.54	394	.046	<1	1.38	.012	.04	.2	.03	3.8	.1	<.05	4	.9
145290	.7	19.2	8.1	55	.1	16.3	7.0	296	2.28	10.4	1.0	4.0	3.9	26	.1	.5	.1	40	.46	.062	15	27.4	.57	280	.041	1	1.34	.010	.05	.2	.03	3.8	.1	<.05	4	.5
145291	1.3	20.3	9.9	53	.1	20.5	11.0	397	3.34	14.5	.6	.8	4.5	18	.1	.7	.2	64	.40	.015	12	35.2	.91	357	.021	<1	1.99	.006	.05	.1	.02	6.2	<.1	<.05	6	<.5
145292	1.1	12.1	9.8	48	.1	15.8	7.4	331	2.71	6.7	.6	3.3	3.7	14	.1	.3	.1	45	.32	.018	11	25.7	.72	308	.020	<1	1.52	.005	.06	.1	.01	3.1	.1	<.05	5	.5
145293	1.9	30.3	9.1	70	.3	32.1	11.1	249	3.24	34.2	.5	1.7	3.8	10	.1	.7	.1	56	.17	.016	14	31.0	.80	428	.009	<1	1.96	.005	.04	.1	.01	2.9	.1	<.05	6	.7
145294	1.9	17.9	8.5	56	.6	21.6	7.1	243	2.66	55.8	.4	<.5	2.9	12	.1	.8	.1	52	.21	.021	15	23.8	.57	458	.007	<1	1.50	.004	.06	.1	.01	2.8	.1	<.05	5	<.5
145295	1.4	30.8	8.0	72	.2	29.1	9.1	242	3.08	64.0	.5	1.7	3.7	7	.1	.9	.1	54	.10	.014	15	29.5	.92	236	.007	<1	1.79	.003	.03	.1	.01	2.6	.1	<.05	6	.7
145296	1.4	37.1	9.8	61	.2	30.2	11.7	424	3.21	86.4	1.0	2.9	5.3	14	.1	1.0	.2	61	.29	.019	15	33.2	.92	261	.015	<1	1.96	.005	.03	.1	.02	5.4	.1	<.05	6	.6
STANDARD	12.8	145.8	25.0	139	.3	25.1	12.2	789	3.08	18.0	6.0	42.2	2.8	47	5.6	4.0	6.0	65	.74	.094	12	192.8	.69	135	.093	19	1.99	.033	.14	5.0	.18	3.5	1.1	<.05	6	5.0

Standard is STANDARD DS5. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403843 Page 3

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	2.3	3.8	2.9	50	<.1	5.1	4.3	605	2.15	.5	2.0	.9	4.8	87	<.1	<.1	.1	43	.60	.081	9	21.3	.62	255	.142	1	1.05	.136	.62	3.8	<.01	2.4	.3	<.05	6	<.5
145297	2.2	62.9	12.0	117	.2	51.1	15.2	444	4.44	44.6	.9	2.1	7.0	7	.3	1.1	.2	69	.15	.056	20	37.1	1.28	188	.004	<1	2.27	.003	.03	.1	.01	5.1	<.1	<.05	7	1.6
145298	1.0	22.4	8.2	53	.1	20.4	8.2	267	2.32	9.9	.9	2.6	4.6	17	.1	.5	.2	46	.25	.040	16	27.2	.51	309	.039	1	1.20	.007	.03	.1	.02	4.1	<.1	<.05	4	.5
145299	1.5	35.1	15.8	91	.2	20.0	12.4	593	4.11	11.7	.7	5.1	6.6	22	.1	.5	.2	51	.40	.064	19	22.2	1.07	563	.009	<1	1.94	.004	.06	.1	.03	6.4	<.1	<.05	6	.6
145300	1.1	18.5	9.1	55	.2	14.4	9.1	311	2.79	7.6	.4	2.9	4.3	9	.1	.3	.1	42	.13	.013	12	21.4	.61	450	.011	<1	1.61	.004	.04	.1	.01	2.6	.1	<.05	5	.5
145301	.8	10.8	21.3	39	.2	10.4	4.1	131	1.46	13.6	1.1	3.4	8.3	13	.2	.5	.1	26	.12	.017	20	15.1	.29	246	.023	<1	.77	.005	.07	.1	.01	1.5	.1	<.05	3	<.5
145302	1.3	11.5	17.6	54	.1	12.6	6.1	283	1.78	8.6	.9	39.2	3.0	20	.1	.4	.2	39	.29	.060	15	19.7	.40	266	.030	1	.91	.009	.04	.4	.03	1.9	.1	<.05	3	.6
145303	1.2	11.3	48.4	49	.1	10.4	8.1	326	1.64	7.6	1.4	1.4	5.0	18	.2	.4	.2	33	.24	.042	21	17.4	.32	356	.028	<1	.89	.007	.04	.2	.02	1.8	.1	<.05	3	<.5
145304	.6	13.7	12.7	65	.2	13.6	6.1	182	2.07	8.0	.8	3.8	1.3	16	.2	.3	.1	38	.20	.057	11	22.4	.62	224	.029	<1	1.36	.007	.04	.1	.04	2.3	.1	<.05	4	<.5
145305	.6	17.5	11.6	70	.3	14.6	6.7	221	2.18	8.2	.8	1.8	3.6	16	.2	.4	.1	40	.22	.055	14	24.2	.77	191	.052	<1	1.38	.006	.04	.1	.02	3.1	.1	<.05	4	<.5
145306	.7	20.2	9.4	67	.1	15.3	8.2	240	2.36	9.2	.5	2.5	1.8	16	.2	.3	.1	38	.23	.062	12	23.8	.92	150	.043	<1	1.37	.004	.05	.1	.01	2.9	<.1	<.05	4	<.5
145307	1.4	27.5	43.6	115	.3	29.0	13.0	232	3.04	27.8	.8	9.2	8.0	28	.2	.4	.6	42	.09	.024	13	29.0	1.18	181	.014	<1	2.18	.004	.04	.1	.02	3.1	.1	<.05	7	.6
145308	.6	20.7	9.5	64	.2	19.1	11.1	397	3.36	9.9	.5	3.4	4.3	45	.1	.4	.1	61	.42	.058	15	30.6	1.16	406	.064	<1	2.00	.012	.05	.1	.02	6.3	.1	<.05	7	<.5
145309	.7	12.0	7.8	53	.2	13.1	6.2	212	2.36	6.8	.5	3.5	3.3	18	.1	.3	.1	41	.24	.050	12	24.4	.78	265	.038	<1	1.45	.007	.05	.1	.01	3.2	.1	<.05	5	<.5
145310	.6	14.4	7.9	72	.1	12.8	8.0	374	2.84	7.7	.7	1.8	4.8	23	.1	.3	.1	37	.36	.090	15	24.1	1.15	276	.047	<1	1.67	.007	.06	.1	.01	4.5	.1	<.05	6	.5
RE 145310	.6	14.9	7.7	75	.1	12.2	8.2	377	2.88	7.5	.7	2.2	4.8	23	.1	.3	.1	36	.37	.092	15	23.7	1.19	282	.047	<1	1.71	.008	.06	.1	.01	4.5	.1	<.05	6	<.5
145311	1.2	8.8	8.8	59	.2	9.5	5.7	214	2.18	9.2	.8	5.1	2.5	18	.1	.3	.1	35	.28	.086	11	16.2	.59	221	.036	<1	1.16	.006	.03	.3	.05	2.0	<.1	<.05	4	<.5
145312	.9	24.9	9.0	59	.1	22.8	9.0	297	2.37	9.7	.6	3.2	4.3	24	.1	.7	.1	44	.39	.060	12	25.4	.53	332	.039	1	1.14	.012	.05	.2	.02	3.6	<.1	<.05	4	<.5
145313	1.2	31.5	11.4	81	.1	28.5	11.6	512	2.83	12.4	.5	3.6	4.3	38	.3	.9	.2	53	.91	.084	15	30.4	.79	422	.056	1	1.33	.026	.08	.2	.03	4.1	.1	.08	4	.5
145314	1.3	38.8	12.3	82	.2	32.3	12.7	533	2.98	13.6	.7	4.1	5.3	36	.2	1.1	.2	59	.58	.071	17	32.2	.74	386	.063	2	1.51	.022	.08	.2	.03	4.5	.1	<.05	5	.6
145316	1.3	24.6	11.4	54	.2	20.6	7.9	403	2.21	10.2	1.7	2.9	5.0	33	.2	.7	.2	38	.62	.045	20	22.1	.45	417	.039	1	1.32	.011	.06	.2	.04	3.6	.1	<.05	4	.7
145317	1.5	14.2	9.6	54	.1	12.5	7.0	256	2.12	11.0	.7	3.0	4.6	16	.1	.4	.1	33	.28	.034	15	16.4	.63	251	.018	<1	1.34	.006	.06	.1	.01	2.5	.1	<.05	4	<.5
145318	.9	29.3	12.1	108	.2	16.7	9.5	475	3.92	30.6	.4	1.9	6.5	13	.1	.2	.2	52	.30	.081	17	33.6	1.69	205	.006	<1	2.43	.003	.04	<.1	.01	4.5	<.1	<.05	8	<.5
145319	.9	16.2	9.0	76	.2	16.4	8.6	447	3.34	12.1	.7	1.5	6.5	18	.1	.4	.2	46	.39	.019	18	26.6	.78	336	.023	<1	2.06	.006	.05	.1	.03	5.6	.1	<.05	6	.5
145320	1.2	23.5	10.5	79	.3	25.9	9.0	405	3.07	161.2	.5	3.9	4.3	18	.1	.5	.2	69	.27	.036	16	58.3	.96	425	.022	<1	1.85	.006	.05	.1	.01	4.5	.1	<.05	7	<.5
145321	1.2	22.1	10.8	66	.2	22.1	8.8	401	2.92	92.8	.7	2.3	4.1	22	.2	.4	.1	66	.41	.020	16	52.7	.84	466	.019	<1	1.76	.007	.06	.1	.01	4.7	.1	<.05	7	<.5
145322	1.3	26.6	10.6	76	.2	25.7	9.2	305	2.70	73.4	1.3	3.6	5.9	27	.3	.5	.1	47	.43	.043	19	42.3	.80	520	.016	<1	1.68	.011	.08	.1	.02	4.8	.1	<.05	5	.5
145323	1.0	36.0	14.5	56	.3	28.8	8.2	475	2.24	24.3	3.7	3.3	3.4	63	.7	.6	.2	38	1.42	.065	17	27.6	.54	508	.024	1	1.47	.012	.09	.1	.04	3.7	.1	.07	4	1.1
145324	1.3	33.1	17.8	62	.4	24.1	8.1	318	2.73	39.1	1.7	5.5	4.8	43	.1	.9	.2	45	.79	.049	19	29.2	.64	387	.029	1	1.72	.011	.07	.1	.04	4.6	.1	<.05	5	.8
145325	.8	4.2	21.2	35	.1	3.8	2.3	70	1.36	15.1	.8	7.5	7.9	12	.1	.3	.1	18	.15	.033	19	6.4	.22	92	.020	<1	.51	.003	.06	.1	.01	1.2	<.1	<.05	2	<.5
145326	.8	17.8	19.7	83	.4	16.6	8.1	307	2.60	12.7	1.4	4.6	9.3	27	.1	.4	.2	48	.46	.070	48	31.5	1.10	234	.029	1	1.85	.007	.06	.1	.04	4.8	.1	<.05	6	.5
145327	.6	10.6	7.2	61	.2	11.6	5.7	220	2.30	8.4	.6	3.0	3.7	21	.1	.3	.1	43	.40	.045	14	24.6	.74	220	.034	1	1.51	.008	.05	.2	.02	3.2	.1	<.05	5	<.5
145328	.6	12.3	7.8	59	.2	13.4	6.4	234	2.28	9.6	.8	4.7	3.9	29	.1	.3	.1	43	.51	.042	19	25.6	.64	295	.033	<1	1.52	.008	.05	.2	.03	3.5	.1	<.05	5	<.5
145329	.5	12.2	6.8	61	.1	12.3	6.5	237	2.34	8.1	.6	3.7	3.9	19	.1	.3	.1	39	.35	.063	15	28.0	.78	243	.027	<1	1.52	.006	.04	.1	.02	3.5	<.1	<.05	5	<.5
145330	.6	15.7	7.7	63	.2	13.9	6.3	268	2.26	7.7	.9	2.3	5.0	22	.1	.4	.1	38	.39	.052	18	27.1	.66	273	.027	<1	1.46	.007	.05	.1	.02	3.6	<.1	<.05	4	.5
STANDARD	12.9	146.4	25.9	141	.3	25.5	12.1	816	3.08	18.6	6.3	41.4	2.8	43	5.6	4.0	6.3	62	.72	.098	11	195.0	.70	144	.093	17	2.01	.034	.14	4.9	.17	3.4	1.1	<.05	7	5.0

Standard is STANDARD DS5. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403843

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	2.5	3.9	3.1	51	<.1	5.5	4.5	658	2.27	.6	2.2	.5	4.6	94	<.1	<.1	.2	46	.68	.079	10	21.2	.66	277	.161	1	1.15	.137	.60	4.4	<.01	2.5	.4	<.05	6	<.5
145331	.5	12.5	8.0	57	.2	13.2	5.8	204	2.10	8.7	.7	10.0	2.9	16	.2	.3	.1	37	.25	.050	15	24.6	.65	236	.030	<1	1.42	.005	.05	.1	.02	2.9	<.1	<.05	4	<.5
145332	.5	14.1	7.5	63	.3	13.6	6.2	224	2.25	10.3	.8	3.3	4.5	20	.1	.3	.1	38	.32	.049	16	25.0	.69	269	.033	<1	1.37	.005	.05	.2	.02	3.2	<.1	<.05	4	<.5
145333	.5	23.1	14.8	113	.4	15.8	7.1	246	2.43	15.7	.5	36.8	5.1	16	.4	.4	.1	40	.26	.053	18	26.7	.78	208	.038	1	1.46	.006	.05	.1	.02	3.4	.1	<.05	5	<.5
145334	.6	12.6	7.4	59	.3	13.5	5.9	209	2.36	12.5	.3	3.5	3.3	11	.1	.4	.1	44	.17	.032	12	25.7	.69	196	.024	<1	1.52	.005	.04	.1	.02	2.8	.1	<.05	5	<.5
145335	1.0	12.4	7.6	54	.3	13.2	8.2	448	2.31	11.6	.4	1.7	1.1	18	.1	.3	.1	49	.27	.047	12	26.7	.64	311	.033	<1	1.45	.005	.08	.1	.02	2.4	.1	<.05	5	<.5
145336	.8	15.8	8.8	60	.1	16.5	7.8	229	2.18	13.2	.7	2.9	4.8	17	.1	.5	.1	41	.25	.035	20	25.8	.58	285	.044	<1	1.28	.008	.05	.1	.02	3.0	<.1	<.05	4	<.5
145337	.9	23.1	10.7	67	.2	21.0	9.2	342	2.84	15.1	.8	4.6	5.2	21	.1	.6	.2	55	.35	.036	21	34.3	.74	363	.045	1	1.80	.009	.06	.1	.03	4.8	.1	<.05	5	<.5
145338	.9	18.7	11.2	51	.1	16.0	7.2	208	2.54	16.1	.7	2.4	7.0	11	.1	.4	.2	42	.12	.010	22	26.6	.70	312	.024	<1	1.79	.004	.06	.1	.02	3.3	.1	<.05	4	<.5
145339	.8	6.4	8.7	27	.1	8.0	3.0	118	1.58	8.7	.4	1.6	4.7	9	<.1	.2	.1	35	.10	.007	16	13.7	.31	207	.026	<1	.99	.004	.07	.1	.01	1.6	.1	<.05	3	<.5
145340	.7	15.0	18.0	46	.2	10.4	4.8	156	1.91	10.1	.7	2.3	9.4	10	.1	.4	.2	27	.10	.011	35	15.8	.60	253	.022	<1	1.36	.004	.08	.1	.01	2.5	.1	<.05	4	<.5
145341	.6	15.0	9.8	45	<.1	17.1	6.6	216	2.27	9.8	1.1	3.2	5.7	20	.1	.4	.1	42	.27	.013	17	24.8	.59	386	.043	<1	1.55	.008	.06	.1	.01	3.7	.1	<.05	5	.5
145342	.6	23.8	9.6	51	.1	17.0	6.6	306	2.37	13.0	2.3	9.0	4.5	48	.1	.6	.2	39	.78	.041	18	24.4	.62	418	.041	1	1.51	.010	.07	.2	.04	3.9	.1	<.05	5	.7
145343	.7	27.5	8.9	55	.1	20.3	8.5	372	2.45	12.6	1.4	3.4	3.4	32	.1	.6	.2	47	.54	.047	15	28.9	.59	359	.048	<1	1.48	.012	.05	.2	.03	3.9	.1	<.05	4	.8
145344	.8	22.4	9.1	48	.1	18.5	8.5	375	2.26	12.1	1.3	2.3	2.8	45	.1	.6	.1	46	.74	.072	15	25.8	.54	398	.043	1	1.34	.011	.05	.2	.03	3.4	.1	<.05	4	.7
145345	.7	26.0	8.2	53	.1	21.1	7.3	263	2.15	8.7	.7	2.5	3.5	36	.1	.6	.2	42	.58	.063	13	22.7	.54	380	.053	1	1.15	.017	.05	.3	.03	3.1	.1	<.05	3	.7
145346	.8	31.9	7.9	51	.1	28.5	10.1	411	2.21	11.0	1.2	1.7	2.2	49	.2	.7	.1	41	.88	.078	14	24.6	.52	451	.036	1	1.23	.011	.04	.2	.04	3.3	.1	<.05	4	.8
145347	.9	23.6	8.0	83	.1	22.8	10.4	520	3.03	26.9	.8	1.7	3.6	31	.2	.5	.1	63	.59	.075	16	43.7	1.03	276	.036	1	1.57	.009	.07	.2	.02	5.4	.1	<.05	6	.6
145348	.9	26.7	12.7	65	.2	19.2	9.5	489	2.69	26.9	1.4	4.2	4.0	37	.2	.5	.1	38	.73	.046	14	26.4	.77	316	.027	1	1.65	.007	.06	.1	.03	3.6	<.1	<.05	5	.7
145349	.8	24.7	7.9	53	.2	18.9	7.9	432	2.41	19.8	2.3	3.8	2.9	55	.2	.5	.1	37	1.00	.057	12	24.7	.82	245	.035	1	1.66	.009	.05	.1	.03	3.5	<.1	<.05	5	.9
145350	.8	31.1	19.0	65	.2	17.2	8.5	249	2.47	31.3	2.2	37.4	6.5	39	.2	.4	.2	37	.49	.035	18	19.5	.78	412	.029	1	1.56	.008	.07	.1	.04	3.8	<.1	<.05	5	1.1
145402	.8	6.9	18.4	26	.2	5.0	2.6	89	.90	6.4	2.1	2.3	10.1	11	.1	.2	.1	17	.10	.012	29	8.5	.25	461	.025	<1	.61	.004	.06	.1	.01	1.4	<.1	<.05	2	<.5
RE 145402	.7	6.7	18.8	26	.2	4.9	2.3	87	.87	6.5	2.2	2.6	10.4	11	.1	.2	.1	16	.10	.011	28	8.2	.24	454	.026	<1	.61	.004	.06	.1	.01	1.4	<.1	<.05	2	<.5
145403	1.2	13.1	72.0	39	.4	5.8	2.3	58	1.24	6.6	.7	2.4	7.8	7	.1	.4	.3	23	.06	.008	16	10.1	.18	229	.026	<1	.72	.004	.05	.1	.01	1.2	.1	<.05	3	<.5
145404	1.0	20.1	74.3	67	.2	9.2	4.0	157	2.07	8.9	.8	1.5	10.0	19	.1	.4	.3	29	.10	.018	24	15.7	.52	232	.043	<1	1.17	.007	.11	.1	.01	1.8	.1	.06	4	<.5
145405	1.3	16.3	90.4	118	.2	8.0	4.5	283	1.51	11.7	2.5	2.6	8.2	20	.2	.4	.3	19	.15	.022	28	16.1	.64	353	.021	<1	.90	.005	.08	.1	.02	1.7	.1	<.05	3	.5
145406	.7	12.8	37.5	54	.1	9.2	4.2	137	1.50	8.0	1.1	2.3	8.7	9	.1	.4	.2	25	.08	.012	26	15.4	.34	325	.035	<1	.88	.005	.06	.1	.01	2.0	.1	<.05	3	.5
145407	.7	18.6	26.6	58	.1	12.3	4.9	261	1.62	8.8	2.4	1.5	7.8	18	.1	.5	.2	27	.21	.023	24	17.4	.38	573	.039	<1	.94	.007	.06	.1	.02	2.9	.1	<.05	3	<.5
145408	.7	13.0	10.8	93	.3	4.8	3.2	272	2.69	21.3	1.0	2.0	2.9	20	.2	.2	.1	14	.29	.080	11	7.2	.62	166	.061	<1	1.14	.003	.09	<.1	.01	3.3	<.1	<.05	4	<.5
145409	.7	13.7	5.9	75	.1	8.1	5.9	260	2.64	27.7	.9	3.3	2.8	15	.1	.3	.1	28	.25	.064	11	14.2	.85	217	.047	<1	1.36	.003	.04	.1	.01	3.2	<.1	<.05	5	<.5
145410	1.1	22.9	72.0	145	.4	10.6	4.3	277	2.85	6.8	.9	6.1	3.6	21	.1	.4	.1	35	.18	.052	13	16.6	1.15	292	.027	1	1.47	.008	.04	.1	.03	3.1	<.1	<.05	5	.8
145411	1.1	31.4	40.2	150	.5	14.2	9.0	410	2.68	6.3	.4	7.4	1.8	14	1.0	.8	.1	43	.14	.036	8	22.2	1.21	272	.016	<1	1.70	.004	.04	.1	.04	2.9	.1	<.05	6	<.5
145412	.7	51.9	17.5	111	.4	18.4	9.0	362	2.87	8.3	.7	5.5	3.1	16	.3	.6	.1	49	.27	.041	11	27.7	1.05	316	.034	<1	1.64	.007	.03	.1	.04	4.2	<.1	<.05	5	.5
145413	.4	24.3	13.7	88	.1	14.5	7.8	335	2.61	7.5	.6	6.8	4.3	15	.1	.4	.1	37	.26	.046	17	21.7	1.07	292	.023	<1	1.70	.005	.04	.1	.07	3.2	<.1	<.05	5	<.5
145414	.7	25.2	14.9	95	.2	12.3	7.8	315	2.53	11.6	.5	7.5	3.2	19	.3	.4	.1	44	.30	.039	12	18.1	.96	243	.028	<1	1.62	.007	.04	.1	.02	3.5	.1	<.05	5	<.5
STANDARD	13.0	145.4	24.8	137	.3	24.5	11.9	790	3.01	18.2	6.3	43.7	2.7	49	5.5	3.9	6.2	61	.74	.087	12	178.8	.68	136	.103	17	1.93	.034	.15	4.8	.17	3.5	1.1	<.05	6	4.9

Standard is STANDARD DS5. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	2.0	3.3	2.8	45	<.1	5.4	4.6	608	2.08	.7	2.0	<.5	4.7	97	<.1	<.1	.1	41	.67	.083	10	20.9	.62	278	.143	9	1.09	.135	.62	4.0	<.01	2.6	.3	<.05	5	<.5
145415	.6	12.9	7.3	67	.1	11.8	6.0	276	2.51	17.6	.4	3.1	3.1	13	.1	.4	.1	35	.24	.047	12	23.9	.89	268	.022	1	1.49	.005	.04	.1	.01	2.5	<.1	<.05	5	<.5
145416	.8	14.9	10.3	67	.2	13.7	7.1	390	2.37	18.7	.8	3.5	3.6	18	.2	.4	.1	38	.34	.060	13	36.6	.90	354	.028	<1	1.49	.006	.04	.1	.02	3.5	<.1	<.05	5	<.5
145417	.9	10.9	7.3	53	.2	11.1	7.2	264	2.20	24.8	.3	.8	2.0	10	.1	.3	.1	41	.15	.046	8	33.7	.77	204	.030	<1	1.19	.003	.05	.1	.01	2.8	<.1	<.05	5	<.5
145418	.6	11.6	7.1	56	.2	14.4	7.3	259	2.40	17.6	.3	.7	2.4	14	.1	.3	.1	42	.22	.037	7	39.0	.91	290	.037	<1	1.37	.004	.05	.1	.01	2.6	<.1	<.05	5	<.5
145419	.6	15.9	8.8	58	.1	16.2	7.9	214	2.47	19.7	.3	4.4	3.0	14	.1	.5	.1	41	.19	.032	8	39.0	.82	330	.028	<1	1.47	.005	.05	.1	.01	2.9	<.1	<.05	4	<.5
145420	.6	12.6	8.5	51	.1	14.1	7.2	250	2.28	14.7	.5	2.5	3.1	20	.1	.3	.1	39	.27	.022	11	28.9	.79	517	.034	<1	1.45	.006	.05	.1	.02	3.4	<.1	<.05	4	<.5
145421	.6	18.3	7.6	62	.2	15.6	7.1	262	2.40	32.4	.9	3.5	4.1	20	.2	.4	.1	38	.33	.059	19	31.0	.99	400	.035	<1	1.50	.006	.06	.1	.02	3.2	<.1	<.05	5	<.5
145422	.7	22.7	8.5	54	.2	15.5	7.3	299	2.19	56.8	1.6	7.8	4.2	18	.1	.5	.1	35	.29	.043	17	18.9	.86	461	.018	<1	1.65	.005	.06	.1	.02	4.0	<.1	<.05	5	<.5
145423	.6	15.9	6.3	51	.1	10.2	7.8	239	2.22	11.0	.4	1.8	2.6	10	.1	.4	.1	34	.12	.016	8	14.8	.86	180	.033	<1	1.32	.003	.05	.1	.01	2.3	<.1	<.05	4	<.5
145424	.5	11.5	8.4	32	.1	8.1	5.2	184	1.59	5.4	.4	1.1	3.3	14	<.1	.3	.1	29	.25	.016	10	12.9	.51	332	.029	<1	1.00	.005	.07	.1	.01	2.5	<.1	<.05	3	<.5
145425	.8	34.3	4.9	42	.1	13.6	17.5	417	3.03	7.1	.2	.6	1.2	13	<.1	.3	.1	69	.21	.013	4	20.9	.90	188	.052	<1	1.62	.004	.05	.1	.01	3.1	<.1	<.05	5	<.5
145426	.7	20.1	4.4	49	<.1	17.0	16.9	444	3.22	6.2	.2	12.0	1.3	12	.1	.4	.1	74	.23	.012	4	26.6	1.12	181	.053	<1	1.92	.003	.05	.1	.01	3.9	<.1	<.05	6	<.5
4000-0500	.7	22.0	7.6	53	.1	18.4	6.8	257	2.05	16.9	.7	1.9	4.0	24	.1	.7	.1	39	.43	.054	13	23.6	.51	227	.046	1	1.12	.011	.05	.2	.03	3.0	<.1	<.05	3	<.5
4000-0600	1.6	29.2	21.2	51	.4	22.4	9.1	353	2.41	28.1	3.9	4.5	4.4	36	.1	.9	.2	42	.62	.048	17	24.8	.53	360	.034	1	1.38	.009	.07	.1	.05	3.8	.1	<.05	4	.9
4000-0700	.9	23.9	11.8	61	.2	19.0	6.5	227	2.11	20.8	1.1	3.4	3.9	23	.1	.7	.1	40	.42	.047	13	23.6	.48	221	.041	1	1.04	.011	.06	.2	.03	3.3	<.1	<.05	4	.5
RE 4000-0700	.8	23.4	11.5	58	.2	17.7	6.2	220	2.08	21.0	1.1	6.8	3.8	23	.1	.7	.1	37	.40	.047	13	22.5	.50	229	.039	1	1.04	.012	.06	.2	.03	3.1	.1	<.05	4	.6
4000-0800	1.0	17.5	30.7	43	.3	13.2	5.7	199	1.99	22.2	.8	3.7	4.9	19	.1	1.2	.2	37	.25	.017	18	22.8	.49	345	.036	1	1.13	.007	.07	.1	.03	2.9	.1	<.05	4	.6
4000-0900	.6	33.7	9.6	68	.2	26.7	8.0	284	2.65	38.1	2.7	2.9	5.0	33	.1	.5	.1	49	.64	.055	18	43.7	.95	333	.029	1	1.77	.009	.06	.1	.03	5.2	<.1	<.05	6	.5
4000-1000	.7	31.3	10.8	89	.2	27.4	9.5	324	3.12	34.2	1.3	3.6	6.4	33	.2	.5	.1	51	.68	.048	23	48.6	.99	328	.028	1	2.04	.007	.07	.1	.03	6.3	.1	<.05	7	<.5
4000-1100	.9	26.1	9.8	69	.2	20.4	8.6	398	2.74	18.4	1.0	2.8	5.2	28	.2	.6	.2	45	.54	.055	19	28.5	.80	336	.033	1	1.67	.009	.05	.1	.03	4.5	<.1	<.05	5	<.5
4000-1200	1.0	28.7	8.8	63	.2	21.6	9.5	367	2.53	11.4	1.0	3.4	4.1	27	.2	.6	.2	45	.62	.054	16	26.8	.73	318	.040	1	1.49	.012	.05	.2	.03	3.8	<.1	<.05	4	.5
4000-1300	.9	28.7	9.7	74	.1	26.6	10.4	431	2.54	11.4	.5	2.4	3.4	43	.2	.8	.2	50	1.33	.057	14	27.7	.66	372	.054	2	1.32	.024	.08	.2	.04	3.5	.1	<.05	4	.5
4000-1400	1.1	31.4	10.8	81	.1	28.9	12.4	559	2.70	14.1	.5	1.6	3.3	53	.3	1.0	.2	50	1.97	.068	15	29.2	.77	397	.055	2	1.22	.022	.09	.2	.03	3.6	.1	<.05	4	.7
4000-1500	1.2	30.2	9.1	72	.1	25.0	10.2	483	2.33	11.9	.5	4.2	3.9	48	.3	.9	.2	46	1.50	.078	14	25.8	.72	360	.053	1	1.00	.018	.07	.2	.03	3.2	.1	<.05	4	<.5
4000-1600	1.0	29.6	9.0	77	.1	26.2	9.9	396	2.46	10.8	.5	2.7	4.3	33	.2	.9	.2	49	.76	.073	15	25.5	.63	384	.056	2	1.14	.017	.08	.2	.03	3.6	.1	<.05	4	.6
4000-1700	1.0	16.9	7.8	55	<.1	18.6	7.6	249	2.11	8.4	.7	1.3	4.0	20	.2	.6	.1	46	.33	.056	13	24.3	.45	272	.048	1	1.06	.011	.06	.3	.03	2.8	<.1	<.05	4	<.5
4000-1800	.9	22.1	8.0	70	.2	16.9	7.8	361	2.18	9.9	1.1	79.8	3.7	32	.3	.5	.1	38	.59	.084	15	21.0	.53	374	.045	1	1.12	.013	.07	.4	.05	3.0	<.1	<.05	4	.5
4000-1900	.6	18.3	9.1	58	.2	17.6	9.0	380	2.48	9.1	.7	1.5	4.1	32	.1	.5	.1	47	.54	.071	15	27.3	.69	322	.055	1	1.29	.015	.08	.3	.02	4.2	.1	<.05	4	<.5
4000-2000	.7	20.4	6.9	67	.1	16.3	9.6	209	2.71	6.4	.6	3.4	3.6	20	.1	.4	.1	41	.35	.041	13	25.2	1.12	327	.067	<1	1.69	.005	.06	.1	.02	4.6	<.1	<.05	6	<.5
4000-2100	.6	21.3	9.5	67	.4	14.0	9.7	243	3.03	7.0	.7	7.6	6.0	31	.1	.3	.1	44	.49	.056	15	27.7	1.08	359	.039	<1	1.58	.004	.08	.1	.01	6.3	.1	<.05	6	<.5
4000-2200	.7	12.1	8.0	52	.1	13.8	8.4	219	2.45	6.2	.4	2.0	2.9	15	.1	.3	.1	47	.19	.018	9	25.4	.66	262	.059	<1	1.47	.006	.07	.1	.01	3.1	.1	<.05	5	<.5
4000-2300	1.0	15.2	16.3	54	.4	12.7	7.5	207	2.27	11.0	.4	1.2	3.2	12	.2	.3	.2	46	.13	.052	11	20.2	.49	264	.039	<1	1.50	.007	.07	.1	.02	2.5	.1	<.05	6	<.5
4000-2400	.8	17.7	17.2	66	.3	15.5	7.7	199	2.16	14.5	.7	2.0	4.2	19	.2	.5	.2	36	.25	.053	14	22.4	.66	268	.048	<1	1.44	.006	.05	.1	.04	3.2	<.1	<.05	4	.5
4000-2500	.6	23.4	20.4	81	.3	19.5	10.8	423	2.42	7.5	1.4	2.4	3.3	29	.3	.6	.2	43	.46	.062	18	27.2	.71	427	.048	1	1.65	.008	.05	.1	.06	4.1	.1	<.05	5	.9
STANDARD DS5	12.6	140.1	25.8	139	.3	25.6	12.9	785	3.00	18.9	6.4	43.7	2.8	46	5.6	4.0	6.4	59	.74	.096	12	187.5	.70	136	.094	17	1.99	.034	.15	4.9	.18	3.4	.9	<.05	7	5.0

Sample type: SOIL SS80 60. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA ___

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403843 Page 6

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
4000-2600	1.1	25.3	8.4	67	.1	23.0	9.0	378	2.25	10.2	.7	2.7	3.9	31	.2	.8	.1	53	.50	.066	15	25.9	.53	353	.055	2	1.07	.019	.05	.2	.03	3.0	.1	<.05	3	.9
4000-2700	.9	6.8	24.2	23	.6	5.4	2.4	88	1.12	4.9	3.0	7.9	3.3	29	.1	.4	.1	21	.28	.026	30	7.4	.16	447	.015	1	.57	.005	.05	.1	.06	1.0	.1	.07	2	<.5
STANDARD DS5	12.6	140.6	24.8	131	.3	24.9	11.7	781	2.99	17.9	6.1	45.7	2.9	46	5.4	3.9	6.0	62	.76	.091	13	182.6	.66	133	.099	16	1.98	.033	.13	4.9	.17	3.4	1.1	<.05	6	4.9

Sample type: SOIL SS80 60.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA ___

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A404520 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
145351	2.0	29.9	8.9	73	.2	23.9	6.6	206	2.37	10.8	1.7	4.0	4.7	24	.2	.8	.2	53	.24	.023	18	27.6	.48	403	.053	1	1.41	.012	.04	.1	.05	4.4	.1	<.05	5	.9
145352	4.9	22.4	12.5	86	.3	24.9	6.3	140	2.32	9.2	.7	1.5	5.3	17	.4	.7	.2	50	.15	.030	22	25.1	.67	280	.039	1	1.61	.005	.04	.1	.04	2.5	.1	<.05	5	1.5
145353	5.2	28.8	14.3	83	.2	24.1	5.2	132	2.03	15.3	1.3	1.7	6.2	25	.3	.8	.2	35	.20	.042	23	21.5	.60	249	.035	1	1.26	.007	.03	.1	.06	2.2	<.1	<.05	3	1.4
145354	2.0	26.8	9.3	59	.2	20.6	5.7	176	2.20	10.1	.9	2.4	5.2	24	.1	.7	.2	44	.27	.030	18	28.0	.49	366	.047	1	1.29	.011	.05	.1	.05	3.5	<.1	<.05	4	.8
145355	2.9	22.0	18.5	107	.2	22.6	10.7	505	2.67	11.6	1.0	<.5	7.9	28	.7	.6	.2	28	.39	.084	25	19.0	.83	249	.046	<1	1.49	.005	.08	.1	.04	2.8	<.1	<.05	4	1.3
145356	2.4	24.6	12.0	71	.2	26.0	9.1	362	2.21	12.4	1.0	1.3	5.1	28	.1	.8	.2	43	.36	.064	22	27.7	.49	300	.047	1	1.18	.013	.06	.2	.05	2.6	.1	<.05	3	1.2
145357	3.8	26.7	14.5	77	.2	24.3	8.1	389	2.08	13.4	1.0	1.1	6.0	24	.4	.7	.1	33	.26	.053	25	20.3	.53	272	.035	<1	1.19	.008	.06	.1	.03	2.2	.1	<.05	3	1.2
145358	1.9	21.8	9.7	60	.1	19.5	6.8	184	1.93	7.5	.9	2.6	5.2	27	.1	.7	.1	39	.36	.047	17	23.9	.51	326	.048	<1	1.32	.013	.06	.1	.03	3.0	.1	<.05	4	1.0
145359	2.2	23.1	10.2	64	.1	20.6	7.9	253	2.11	10.9	.9	4.0	4.6	25	.3	.6	.1	41	.32	.057	19	24.1	.47	278	.045	<1	1.20	.013	.06	.1	.04	2.8	.1	<.05	3	1.0
145360	3.4	33.0	14.4	100	.2	28.9	8.2	273	2.71	14.1	1.1	2.0	6.8	31	.4	.7	.2	47	.36	.053	26	30.5	.76	365	.044	1	1.73	.013	.07	.1	.06	3.6	.1	<.05	5	1.1
145361	2.4	22.5	12.5	65	.1	21.4	8.2	261	2.29	10.7	1.1	2.2	5.7	29	.1	.7	.2	47	.39	.053	21	27.6	.56	342	.056	<1	1.53	.014	.06	.2	.04	3.7	.1	<.05	5	1.1
145362	1.7	22.8	9.7	55	.1	19.1	6.0	167	2.15	7.9	1.4	3.2	5.6	27	.1	.6	.1	45	.36	.045	20	26.5	.54	342	.058	<1	1.53	.012	.05	.1	.03	3.7	.1	<.05	4	.8
145363	1.5	23.9	9.5	62	.1	19.9	6.7	191	2.14	8.6	1.1	10.1	5.3	26	.1	.6	.2	40	.36	.050	20	26.3	.48	324	.047	<1	1.34	.010	.05	.1	.03	3.4	.1	<.05	4	.8
145364	1.5	18.3	8.9	56	.1	15.7	5.9	152	2.05	7.3	1.2	2.9	5.6	23	<.1	.6	.1	40	.31	.046	19	26.2	.47	266	.057	<1	1.34	.010	.05	.1	.03	3.1	.1	<.05	4	<.5
145365	1.8	23.2	10.8	62	.1	19.6	7.3	201	2.39	10.1	1.2	2.5	5.1	32	.2	.6	.2	46	.43	.052	21	27.4	.46	325	.059	<1	1.58	.012	.06	.1	.04	3.7	.1	<.05	5	.7
145366	1.6	28.1	10.9	67	.1	23.1	9.9	341	2.51	10.1	1.2	9.4	4.6	37	.2	.7	.2	52	.51	.053	19	29.8	.49	418	.062	<1	1.60	.016	.06	.1	.04	4.3	.1	<.05	5	1.0
RE 145366	1.9	27.5	10.7	63	.1	22.3	9.7	360	2.48	10.1	1.2	5.2	4.1	37	.2	.6	.2	51	.50	.051	19	29.9	.49	431	.060	1	1.68	.014	.06	.1	.03	3.9	.1	<.05	5	1.3
145367	1.4	26.8	15.7	67	.1	21.0	5.6	201	2.25	10.0	1.1	3.4	7.5	21	<.1	1.0	.2	38	.25	.031	25	24.7	.60	360	.040	1	1.43	.010	.06	.1	.03	3.4	.1	<.05	4	.6
145368	.6	16.6	5.9	37	<.1	14.2	5.2	182	1.68	5.2	.7	2.2	3.7	21	<.1	.4	.1	37	.31	.036	13	22.9	.39	247	.049	1	1.12	.012	.04	.1	.03	3.1	.1	<.05	3	<.5
145369	.6	21.5	7.4	52	.1	19.8	6.7	233	2.12	7.7	.8	4.7	4.8	29	.1	.6	.1	47	.45	.042	15	28.9	.46	277	.065	1	1.27	.024	.07	.1	.03	3.9	.1	<.05	4	<.5
145370	.7	27.2	8.1	55	.1	23.6	7.9	277	2.28	8.8	.8	3.0	4.8	33	.1	.7	.1	49	.50	.054	17	29.3	.51	321	.060	1	1.36	.021	.07	.1	.03	4.0	.1	<.05	4	<.5
145371	.9	20.4	8.4	52	.1	16.9	7.4	245	2.03	8.7	.6	3.5	5.3	23	.1	.7	.1	35	.35	.065	17	20.5	.39	209	.045	1	.96	.014	.06	.1	.03	2.7	.1	<.05	3	.5
145372	1.0	22.5	7.7	54	.1	18.6	7.0	255	1.96	9.3	.6	2.1	4.9	25	.2	.7	.1	38	.36	.062	16	22.2	.37	245	.048	<1	.97	.014	.05	.2	.03	2.8	.1	<.05	3	<.5
145401	1.2	6.2	10.7	56	.2	9.2	5.2	188	2.47	3.7	.5	<.5	5.3	7	.1	.2	.1	33	.12	.013	24	16.7	.94	302	.011	<1	1.88	.004	.09	<.1	<.01	1.9	.1	<.05	5	<.5
145472	.5	13.1	16.0	80	.1	10.3	5.3	357	2.28	6.8	1.0	5.2	12.1	18	.2	.3	.1	24	.37	.029	40	22.8	.88	266	.003	<1	1.48	.006	.10	<.1	.04	8.5	.1	<.05	5	<.5
145473	.9	14.2	8.3	86	.1	17.2	7.6	296	2.80	30.2	.7	2.8	4.0	22	.2	.4	.2	46	.40	.078	19	31.4	.75	188	.031	<1	1.54	.009	.10	.2	.02	4.9	.1	<.05	5	<.5
145504	3.1	24.9	16.8	79	.2	23.3	8.1	504	2.31	21.4	.9	2.9	7.8	27	.3	.9	.1	36	.33	.050	39	23.5	.57	290	.042	<1	1.35	.008	.08	.1	.06	3.2	.2	<.05	4	.6
145505	10.7	45.7	27.4	147	.4	45.5	10.1	620	2.59	25.4	2.1	2.5	12.1	53	1.1	.8	.2	31	.27	.099	50	25.3	.84	301	.009	<1	1.59	.005	.07	.1	.09	2.3	.1	<.05	4	1.7
145506	16.0	97.8	22.5	200	1.2	81.3	13.0	407	3.53	44.1	1.6	4.7	9.3	30	2.4	2.4	.3	32	.29	.116	50	28.8	.75	309	.008	<1	1.37	.005	.06	.2	.23	3.3	.1	<.05	4	11.8
145507	6.4	63.8	18.1	144	.4	48.7	8.8	249	2.69	28.3	1.0	4.3	8.5	26	.8	1.9	.2	38	.31	.067	42	24.3	.61	270	.036	<1	1.26	.009	.05	.1	.10	3.5	.1	<.05	4	3.5
145508	14.4	60.1	30.7	215	.9	63.2	11.0	228	3.27	22.6	1.6	2.9	8.8	37	1.8	.9	.2	45	.31	.107	52	35.3	1.05	348	.010	<1	1.84	.006	.06	.1	.19	3.0	.1	<.05	5	8.1
145509	14.3	70.6	59.8	220	1.0	60.9	11.0	346	3.17	21.1	1.6	10.1	8.8	27	2.3	1.3	.2	38	.29	.107	46	26.4	.77	339	.007	<1	1.52	.003	.05	.2	.19	2.9	.1	<.05	4	6.5
145510	10.7	39.7	25.8	149	.4	41.9	7.7	494	2.24	8.1	1.5	2.3	10.8	23	2.0	.9	.2	21	.19	.068	82	13.8	.62	272	.013	<1	1.24	.004	.04	.1	.09	2.0	.1	<.05	4	4.6
145551	7.3	37.1	17.8	107	.6	36.0	9.6	301	2.67	11.5	1.3	4.2	8.6	25	1.1	.9	.2	44	.27	.051	35	25.7	.73	329	.039	<1	1.72	.010	.05	.1	.09	3.4	.1	<.05	5	1.8
STANDARD DS5	12.4	136.0	25.3	134	.3	24.1	11.9	741	3.02	18.6	6.0	43.1	2.9	51	5.8	4.0	6.0	61	.76	.089	13	184.7	.66	143	.103	18	2.00	.035	.15	4.9	.17	4.0	1.1	<.05	6	4.9

GROUP 1DX - 15.0 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data We FA ____ **DATE RECEIVED:** AUG 16 2004 **DATE REPORT MAILED:** Aug 31/04....

BRITISH COLUMBIA CERTIFIED ASSAYER
C.T.
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
145552	15.2	64.9	33.6	176	.6	52.8	10.1	281	2.75	27.0	1.6	3.6	15.7	33	1.6	1.1	.2	35	.38	.118	60	25.2	.96	230	.007	1	1.60	.004	.04	.2	.13	2.7	.1	<.05	4	4.0
145553	8.4	53.3	18.5	175	.6	49.1	9.8	346	2.52	9.4	1.6	2.5	12.7	36	1.2	.8	.2	36	.39	.080	56	26.4	.96	213	.012	1	1.69	.006	.04	.1	.11	2.6	.1	<.05	5	2.7
145554	6.1	54.8	19.9	163	.6	46.9	11.1	283	3.14	32.4	2.2	2.8	9.9	46	.9	1.1	.2	48	.41	.091	30	25.5	.55	403	.017	1	1.68	.006	.06	.1	.11	4.8	.1	<.05	5	2.1
145555	6.7	54.8	22.4	143	.3	47.9	8.9	273	2.42	20.8	1.6	3.0	10.2	14	1.4	.8	.2	26	.17	.040	41	19.5	.64	207	.006	<1	1.12	.002	.04	.1	.10	2.1	.1	<.05	3	1.4
145556	8.0	57.6	29.3	186	.5	56.2	10.7	751	2.36	13.6	3.6	2.5	9.8	20	2.0	.7	.2	35	.23	.045	49	23.0	.69	320	.013	<1	1.46	.004	.04	.1	.12	2.2	.1	<.05	4	1.2
145557	4.1	51.7	14.3	154	.3	44.6	8.4	324	2.36	14.6	2.5	3.1	9.0	18	1.1	.7	.2	36	.22	.045	35	24.9	.62	263	.020	<1	1.41	.005	.04	.1	.10	2.4	.1	<.05	4	.9
145558	6.2	50.4	21.4	138	.4	45.7	8.8	337	2.41	13.0	2.1	2.4	9.7	20	1.5	.9	.2	35	.21	.046	36	20.9	.55	251	.020	1	1.13	.006	.03	.1	.08	2.7	.1	<.05	3	1.4
145559	7.9	53.1	20.9	178	.5	53.5	6.8	186	2.43	17.5	1.6	6.1	10.8	41	.6	.9	.2	37	.26	.061	37	25.2	.65	266	.024	1	1.37	.005	.04	.1	.08	2.9	.1	<.05	4	3.1
145560	8.5	55.3	23.0	135	.7	40.1	6.6	179	2.84	11.2	1.4	4.3	9.4	39	.6	.7	.2	39	.27	.080	34	27.2	.78	254	.015	1	1.38	.005	.04	.2	.11	2.8	.1	<.05	4	4.3
145561	6.5	29.1	16.9	131	.4	32.9	11.5	467	3.04	5.7	1.3	2.1	7.3	25	1.0	.7	.2	49	.28	.066	29	20.0	.61	383	.019	1	1.51	.007	.05	.1	.08	4.3	.1	<.05	5	6.0
145562	19.1	67.2	32.5	231	.8	69.3	14.9	618	3.60	22.6	1.6	2.7	9.6	31	2.3	1.2	.3	46	.24	.086	44	22.6	.47	382	.026	2	1.36	.006	.04	.2	.13	4.0	.1	<.05	4	5.3
145563	21.6	75.8	28.2	202	.9	58.0	13.5	409	3.54	18.5	1.1	3.9	7.9	28	1.8	1.2	.3	40	.26	.083	34	22.0	.40	276	.019	1	1.13	.005	.04	.2	.12	3.3	.1	<.05	4	7.9
145564	55.8	132.1	51.4	259	1.3	81.3	18.0	654	4.83	79.3	1.3	4.7	13.4	31	3.7	2.1	.5	31	.39	.139	56	17.7	.49	251	.003	1	.80	.002	.05	.2	.27	3.1	.1	<.05	3	18.5
145565	22.4	67.2	32.6	176	1.0	58.3	11.6	398	3.30	25.4	1.1	1.9	10.4	45	1.5	1.4	.3	29	.69	.079	25	21.2	.34	407	.008	1	.73	.003	.05	.2	.19	2.5	.1	<.05	2	7.9
RE 145565	22.4	69.1	41.1	182	1.0	61.3	11.4	407	3.34	25.5	1.1	3.2	10.5	55	1.8	1.4	.3	30	.71	.082	24	23.3	.34	403	.008	2	.73	.006	.05	.2	.19	2.7	.1	<.05	3	8.1
145566	7.6	87.9	20.3	156	.8	234.3	35.7	1013	4.01	62.9	.8	1.3	4.7	27	.8	1.1	.1	102	.43	.049	20	339.7	2.74	344	.017	1	2.59	.004	.03	.1	.08	13.7	.1	<.05	7	3.0
145567	17.6	58.1	28.9	204	.9	60.9	9.0	335	3.01	13.7	1.2	9.8	11.1	24	1.3	1.6	.3	29	.27	.074	36	20.0	.30	375	.011	2	.76	.003	.05	.2	.16	2.7	.1	<.05	2	4.4
145568	21.5	64.6	17.7	364	.7	158.3	18.8	858	4.86	<.5	1.2	1.3	6.6	46	1.9	1.2	.1	38	.44	.176	16	19.7	.08	358	.002	1	.45	.002	.06	.1	.15	4.5	.1	<.05	2	17.6
145569	8.4	46.3	16.5	102	1.0	37.0	9.5	400	2.32	7.7	1.8	2.5	4.4	33	1.5	.7	.2	44	.45	.051	30	24.1	.33	841	.019	1	1.33	.007	.05	.1	.12	3.7	.1	<.05	4	2.4
145570	4.2	35.1	10.1	87	.4	27.7	5.7	187	1.93	5.2	1.4	4.2	5.1	27	.4	.6	.1	39	.34	.058	19	25.0	.35	424	.030	1	1.03	.008	.04	.1	.08	3.3	.1	<.05	3	1.5
145571	3.3	15.7	10.1	54	.4	14.3	3.8	98	1.46	4.7	.7	1.0	2.3	24	.4	.3	.1	36	.32	.044	12	19.8	.32	349	.024	2	1.08	.007	.04	.1	.04	1.9	.1	<.05	4	1.1
145572	4.5	23.6	9.5	71	.4	18.3	3.7	104	1.51	7.4	1.0	2.5	3.8	23	.3	.6	.1	31	.26	.044	17	18.2	.33	344	.023	2	.90	.006	.04	.2	.06	1.8	.1	<.05	3	1.3
145573	3.7	22.7	6.1	94	.4	24.4	5.4	175	2.00	19.6	.7	2.5	2.5	26	.5	.6	.1	35	.30	.067	13	23.2	.38	223	.020	2	.92	.005	.04	.2	.04	1.9	.1	<.05	3	1.1
145574	2.8	26.9	8.4	89	.5	21.8	6.8	261	2.21	13.9	1.1	2.6	2.8	57	.5	.6	.1	44	.32	.054	15	26.1	.59	461	.023	1	1.22	.012	.05	.1	.08	2.8	.1	<.05	4	1.6
145575	2.0	22.3	6.7	72	.2	19.8	6.9	261	1.89	8.4	1.0	3.6	3.7	27	.3	1.0	.1	42	.41	.072	15	23.3	.42	285	.040	2	1.03	.013	.04	.3	.04	2.6	.1	<.05	3	.8
145576	1.6	17.9	8.6	68	.2	17.6	7.7	333	1.98	8.9	.9	4.1	3.5	28	.3	.9	.1	44	.43	.058	16	24.2	.39	343	.041	2	1.08	.012	.05	.3	.04	2.6	.1	<.05	4	.8
145577	1.3	23.5	9.4	62	.2	21.2	9.1	485	2.24	10.1	1.2	2.1	4.6	31	.2	1.0	.2	50	.48	.057	17	25.6	.42	366	.044	2	1.14	.015	.05	.3	.06	3.3	.1	<.05	4	.9
145578	1.0	20.3	10.4	74	.1	20.4	8.0	360	1.99	8.2	.8	4.8	3.7	35	.4	.6	.2	44	.73	.067	15	23.9	.47	330	.044	2	1.12	.019	.05	.4	.03	3.0	.1	<.05	3	.7
145579	1.0	18.4	8.7	61	.1	21.5	9.7	456	2.07	8.1	.8	1.1	3.1	32	.2	.7	.1	43	.53	.059	15	24.3	.44	404	.038	3	1.17	.015	.05	.2	.03	3.0	.1	<.05	3	.7
145580	.9	16.7	8.4	49	.1	15.1	6.6	224	1.80	6.1	1.0	2.2	3.7	27	.1	.5	.2	39	.43	.037	14	22.8	.40	282	.039	1	1.10	.015	.04	.1	.03	2.8	.1	<.05	4	.7
145581	.8	27.7	8.3	76	.3	38.0	14.4	427	3.06	11.9	.8	5.6	2.3	15	.4	.7	.2	66	.28	.058	14	98.0	1.20	273	.029	1	1.76	.006	.04	.1	.08	5.3	.1	<.05	5	.8
145582	.8	20.1	9.2	62	.2	15.9	7.7	217	2.67	8.6	.8	2.3	1.6	18	.1	.6	.2	51	.26	.049	13	24.1	.67	308	.027	1	1.58	.007	.04	.2	.10	3.7	.1	<.05	5	.7
145583	.7	19.6	7.8	61	.2	13.7	7.4	270	2.54	10.0	.7	3.0	2.7	16	.1	.6	.1	47	.28	.049	13	23.4	.71	278	.031	1	1.41	.006	.04	.1	.09	3.8	.1	<.05	5	.7
145584	.5	20.9	6.0	62	.1	13.4	7.1	285	2.32	10.1	.6	1.3	3.4	18	.1	.5	.1	41	.33	.069	12	21.1	.77	221	.031	1	1.17	.006	.04	.1	.06	3.6	<.1	<.05	4	.5
STANDARD DS5	12.3	142.2	25.2	135	.3	23.6	11.5	768	2.85	17.6	5.8	41.0	2.9	48	5.2	3.8	5.7	60	.77	.085	12	184.7	.65	135	.096	19	1.94	.034	.14	4.5	.16	3.8	1.0	<.05	7	4.8

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data We FA ___

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A404520

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
145585	.6	24.6	5.8	74	.2	19.7	8.9	314	2.93	9.7	.6	3.4	3.5	15	.2	.7	.1	46	.30	.074	13	22.8	.95	209	.036	1	1.38	.004	.07	<.1	.10	4.5	.1	<.05	5	<.5
145586	.5	21.1	4.8	60	.1	17.3	9.6	440	2.48	5.5	.7	5.5	2.4	14	.1	.5	.1	40	.22	.042	13	21.8	.88	231	.036	1	1.49	.005	.03	.1	.02	3.8	<.1	<.05	5	<.5
145587	.6	17.0	5.1	49	.1	13.9	7.7	269	2.52	6.1	.5	1.5	2.1	12	.1	.3	.1	47	.19	.046	10	18.6	.74	212	.042	1	1.36	.005	.03	.1	.02	3.1	.1	<.05	5	<.5
145588	.5	66.3	8.9	75	.1	23.8	16.5	663	4.24	8.7	.6	2.8	2.4	11	.2	.5	.1	65	.21	.042	10	25.3	1.65	195	.029	1	2.41	.003	.03	<.1	.02	6.0	<.1	<.05	6	<.5
145589	.8	21.0	15.6	45	<.1	16.9	7.6	301	2.19	10.1	1.3	3.9	10.6	13	.1	.6	.2	41	.12	.013	36	24.9	.41	332	.040	1	1.27	.005	.07	.1	.02	3.6	.1	<.05	4	<.5
145590	.6	10.0	12.3	24	.1	8.4	3.3	127	1.25	6.3	1.0	1.5	5.1	13	.1	.4	.2	24	.14	.021	23	13.8	.23	207	.024	1	.79	.005	.07	.1	.02	1.5	.1	<.05	3	<.5
145591	.7	14.5	12.5	40	.1	13.3	5.6	204	1.82	7.3	1.4	2.5	6.5	14	<.1	.5	.2	36	.17	.031	25	21.3	.37	329	.037	1	1.17	.005	.06	.2	.03	2.7	.1	<.05	4	.5
145592	.5	9.3	10.8	27	<.1	8.9	3.5	126	1.24	5.5	.8	4.5	7.3	9	.1	.3	.1	23	.11	.021	25	13.6	.25	196	.024	1	.83	.004	.06	.1	.01	1.5	.1	<.05	3	<.5
145593	1.4	14.1	18.6	50	.1	17.9	8.5	239	3.13	13.2	.7	1.7	6.2	11	.1	.6	.2	55	.09	.033	15	32.1	.43	213	.033	1	2.07	.005	.07	.2	.02	2.7	.1	<.05	6	.5
145594	.8	5.3	9.3	20	.1	5.8	2.9	133	1.11	9.1	.6	3.9	3.0	10	.1	.3	.1	23	.11	.040	20	10.2	.15	117	.019	1	.65	.003	.08	.2	.01	1.1	.1	<.05	3	<.5
145595	1.2	15.5	16.6	43	.1	17.8	7.6	237	2.45	12.9	.9	3.6	8.0	20	.1	.5	.2	46	.11	.019	22	33.5	.46	350	.035	1	1.63	.005	.07	.1	.02	3.2	.1	<.05	5	.5
145596	.8	12.5	11.4	37	<.1	11.6	5.0	171	1.78	13.5	.8	2.6	7.5	18	.1	.5	.1	29	.09	.024	18	16.5	.32	241	.029	1	1.07	.004	.07	.1	.01	2.1	.1	<.05	4	<.5
145597	.8	9.3	15.2	32	<.1	9.9	4.4	143	1.81	8.8	.6	1.5	6.6	12	.1	.4	.2	39	.09	.014	19	19.5	.28	198	.030	1	1.19	.004	.06	.2	<.01	1.8	.1	<.05	4	<.5
145598	.9	18.8	14.5	43	.1	15.4	5.5	235	1.86	10.4	1.2	4.8	7.6	21	.1	.7	.2	36	.24	.037	30	21.0	.36	421	.042	1	1.04	.007	.06	.1	.02	3.0	.1	<.05	4	<.5
145599	.9	15.6	11.2	43	.1	13.4	5.7	313	1.81	8.9	1.2	1.8	7.8	21	.1	.5	.2	38	.23	.039	28	21.6	.33	329	.052	1	1.09	.007	.06	.2	.01	3.1	.1	<.05	3	.6
145600	.9	14.6	12.1	43	.1	14.5	5.4	173	1.81	6.9	1.0	1.5	5.0	20	.1	.4	.2	38	.23	.041	27	22.5	.36	356	.044	1	1.17	.007	.06	.2	.02	2.6	.1	<.05	4	.6
145801	1.1	18.1	12.8	48	.1	15.0	5.6	151	2.13	7.5	1.0	5.2	2.8	19	.2	.5	.2	41	.21	.043	22	23.9	.35	408	.037	1	1.47	.007	.07	.2	.03	2.7	.1	<.05	5	<.5
145802	.9	9.1	12.9	40	.1	10.5	5.6	180	1.87	7.1	.8	1.5	6.3	13	.1	.4	.2	38	.17	.033	23	19.7	.31	259	.035	<1	1.24	.005	.07	.2	.02	2.1	.1	<.05	4	.5
145803	.5	64.7	5.2	85	<.1	23.2	19.4	957	5.04	5.8	.4	26.7	2.4	5	<.1	.1	.1	81	.18	.028	12	43.9	1.64	108	.004	<1	2.59	.003	.03	<.1	.01	14.2	<.1	<.05	8	<.5
145804	.3	47.4	4.7	85	<.1	135.7	31.6	710	5.22	3.9	.3	1.9	1.4	6	<.1	.2	.1	123	.17	.024	10	351.5	3.59	92	.032	<1	3.72	.003	.02	<.1	.01	14.0	<.1	<.05	10	<.5
145805	.5	24.6	6.1	59	.1	19.8	8.7	284	2.74	5.8	.7	2.4	3.0	16	<.1	.3	.1	52	.24	.046	16	33.5	.87	207	.050	1	1.71	.006	.04	.1	.02	4.0	.1	<.05	5	.5
RE 145805	.5	26.2	6.1	64	.1	21.3	9.4	289	2.68	5.8	.7	11.7	3.1	16	.1	.3	.1	54	.24	.043	16	35.5	.84	212	.050	<1	1.71	.006	.04	.1	.02	4.2	.1	<.05	6	.5
145806	.6	39.1	5.9	70	.1	22.5	12.0	375	3.42	5.4	.6	12.8	2.9	11	.1	.3	.1	69	.14	.018	12	37.0	1.12	176	.038	1	2.11	.005	.03	.1	.02	6.2	.1	<.05	6	.5
145807	.4	28.2	6.0	51	.1	19.9	9.5	341	2.70	5.3	.6	3.3	3.1	18	.1	.3	.1	60	.39	.046	14	32.1	.86	196	.044	1	1.73	.008	.04	.1	.03	4.8	.1	<.05	5	.5
145808	.6	24.2	6.5	55	.1	21.8	9.4	310	2.72	5.8	.6	1.5	3.1	16	<.1	.4	.1	59	.31	.034	13	39.0	.98	227	.051	1	1.82	.007	.04	.1	.02	4.7	.1	<.05	5	<.5
145809	.4	48.8	5.7	67	.1	31.5	13.3	510	3.56	5.8	.7	2.3	2.7	13	.1	.4	.1	70	.31	.027	11	58.5	1.35	210	.038	1	2.20	.006	.03	.1	.03	6.3	<.1	<.05	6	.6
145810	.4	71.0	4.4	80	.1	29.9	18.1	691	4.40	4.7	.7	2.5	2.3	11	.1	.3	.2	121	.25	.025	11	81.7	2.15	167	.033	<1	2.69	.004	.03	<.1	.01	11.1	.1	<.05	9	.5
145811	1.3	17.5	8.5	42	.1	15.8	5.5	151	1.92	6.7	.6	1.2	4.3	16	.1	.5	.1	45	.19	.013	16	25.5	.38	235	.056	1	1.31	.006	.04	.1	.02	3.3	.1	<.05	4	.7
145812	1.1	19.4	6.7	47	.1	16.6	5.6	152	1.47	6.7	.7	.9	4.3	15	.1	.7	.1	28	.20	.038	19	17.9	.26	212	.038	<1	.78	.005	.05	.1	.04	2.0	.1	<.05	3	.6
145813	1.2	25.9	10.5	67	.2	22.6	6.6	192	2.04	8.6	.6	1.0	5.1	24	.3	.7	.2	40	.31	.054	18	27.2	.45	260	.064	<1	1.24	.011	.05	.1	.05	3.2	.1	<.05	4	.5
145814	.9	16.4	6.2	43	<.1	13.3	4.2	89	1.31	5.8	.7	1.2	4.6	14	.1	.6	.1	29	.17	.041	15	15.4	.22	255	.034	<1	.67	.004	.04	.1	.02	1.8	.1	<.05	2	.5
145815	2.0	25.5	10.1	69	.2	21.3	6.6	197	2.32	8.5	1.3	11.5	5.2	27	.2	.7	.2	52	.36	.049	20	29.6	.46	369	.063	1	1.48	.008	.05	.2	.04	3.6	.1	<.05	5	.9
145816	1.6	17.2	8.3	51	.1	15.8	5.3	149	1.76	6.6	.9	.9	4.2	17	.2	.5	.1	41	.23	.033	16	23.5	.37	206	.049	<1	1.08	.006	.04	.2	.03	2.6	.1	<.05	4	.8
145817	4.1	42.6	15.4	111	.3	36.1	5.8	211	2.24	9.8	1.4	7.7	7.2	18	.3	.7	.2	39	.18	.017	29	28.7	.66	331	.035	<1	1.38	.006	.04	.1	.07	3.4	.1	<.05	4	1.1
STANDARD DS5	12.6	139.0	26.0	139	.3	24.9	11.9	786	3.03	18.2	6.1	42.4	3.0	50	5.7	4.0	6.3	62	.76	.095	13	181.1	.70	139	.105	17	2.06	.033	.15	4.9	.19	3.6	1.0	<.05	7	4.9

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data We FA ___

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A404520 Page 4

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
145818	2.7	26.9	10.1	70	.2	24.8	5.3	172	1.96	11.3	1.1	5.1	4.7	17	.2	.8	.2	40	.17	.031	17	25.4	.39	320	.035	<1	1.18	.006	.03	.2	.05	2.8	.1	<.05	3	.6
145819	2.5	17.5	8.1	57	.2	28.4	5.4	139	1.65	11.9	.9	2.2	3.7	19	.2	.6	.1	38	.24	.054	15	37.6	.40	236	.042	<1	1.06	.006	.03	.1	.03	2.4	.1	<.05	3	.5
145820	4.8	31.2	10.2	95	.2	30.3	5.1	143	1.85	19.0	1.2	54.7	5.0	23	.4	.6	.2	36	.28	.069	21	29.1	.53	247	.037	1	1.04	.006	.03	.1	.05	2.2	<.1	<.05	3	1.6
145821	2.6	21.5	7.5	54	.3	28.0	5.7	158	1.65	8.7	1.0	2.1	3.9	23	.2	.5	.1	36	.29	.054	16	34.2	.52	286	.041	<1	1.12	.007	.03	.2	.04	2.4	<.1	<.05	3	.9
145822	1.8	13.2	12.4	49	.1	13.9	4.2	118	1.63	35.3	.8	6.6	4.8	19	.1	.5	.1	33	.20	.049	15	21.1	.36	251	.031	<1	1.05	.006	.04	.2	.03	2.0	.1	<.05	3	.6
145823	1.4	9.7	15.7	37	.1	11.9	4.1	113	1.57	41.2	.7	2.4	5.3	20	.1	.5	.1	32	.18	.024	16	18.2	.31	271	.029	<1	.95	.006	.06	.1	.02	1.4	.1	<.05	3	<.5
145824	1.0	27.4	8.6	61	.1	27.2	9.2	519	2.25	11.2	.7	5.0	4.4	34	.2	.7	.2	51	.55	.065	16	26.7	.53	462	.053	1	1.25	.019	.05	.3	.04	3.4	.1	<.05	4	.7
145825	1.7	23.4	8.4	86	.4	16.8	7.7	520	2.23	14.6	7.5	16.3	2.2	69	.7	.5	.1	41	.53	.088	20	19.4	1.00	497	.022	1	1.30	.018	.07	.2	.04	2.8	.1	.32	4	2.0
145826	2.0	24.1	5.4	100	.1	16.5	7.2	337	2.92	11.6	.6	3.9	2.6	28	.5	.7	.1	43	.51	.139	12	19.6	.74	257	.028	1	1.42	.007	.06	.1	.02	3.4	<.1	<.05	4	1.0
145827	1.4	21.6	7.1	59	.1	17.6	7.8	332	2.25	8.6	.9	2.8	4.0	27	.1	.6	.1	47	.40	.070	16	24.0	.48	339	.041	1	1.30	.012	.04	.2	.04	3.3	<.1	<.05	4	.7
145828	1.1	14.8	6.5	44	.1	14.1	6.5	253	1.71	6.3	.8	2.5	3.6	23	.1	.5	.1	40	.34	.060	15	19.9	.36	249	.048	1	.98	.010	.03	.2	.03	2.3	.1	<.05	3	.6
RE 145833	.8	8.9	10.2	18	1.9	11.2	4.8	138	1.41	8.8	1.0	8.1	6.4	5	<.1	.2	5.3	23	.06	.025	26	15.9	.49	99	.014	<1	1.16	.003	.03	<.1	.02	2.1	<.1	<.05	3	.5
145829	.5	30.5	5.0	49	.1	22.5	10.9	441	2.77	12.3	.8	4.8	3.6	21	.1	.3	.2	66	.50	.056	14	38.2	1.08	365	.035	1	1.84	.009	.04	.1	.03	5.4	<.1	<.05	5	<.5
145830	.6	43.5	5.8	50	.2	21.1	12.9	499	3.85	10.4	.7	13.8	3.5	8	<.1	.3	.2	68	.18	.020	12	35.6	1.32	267	.017	1	2.18	.004	.02	<.1	.01	7.7	<.1	<.05	7	.7
145831	.9	5.8	3.3	7	.1	2.4	2.2	128	.87	5.6	.9	1.0	6.6	4	<.1	.1	.4	11	.03	.023	25	4.2	.07	146	.006	<1	.56	.003	.09	<.1	<.01	.8	<.1	<.05	2	<.5
145832	.6	9.5	4.9	28	.1	6.6	4.8	192	2.17	7.9	.9	1.5	5.9	5	<.1	.2	.2	22	.05	.014	26	10.5	.52	163	.009	1	1.41	.003	.04	.1	<.01	1.4	.1	<.05	4	<.5
145833	.8	8.7	10.1	18	1.8	10.5	4.7	135	1.36	8.5	.9	8.8	6.5	5	<.1	.2	5.5	22	.06	.026	28	15.0	.48	95	.013	1	1.10	.003	.02	.1	.02	2.0	<.1	<.05	3	.5
145834	.6	10.5	5.6	28	.2	10.3	5.4	179	1.99	9.0	.9	1.8	5.0	10	<.1	.3	.9	30	.17	.042	21	16.3	.64	145	.029	1	1.26	.005	.03	.1	.01	1.9	<.1	<.05	4	<.5
145835	.9	40.8	5.4	50	.1	12.3	11.9	613	3.75	15.4	1.0	2.7	4.8	14	.1	.4	.5	41	.33	.092	23	16.4	1.21	218	.023	1	1.87	.005	.03	.1	.01	3.7	<.1	<.05	6	.9
145836	.7	32.8	6.6	66	.2	74.7	14.9	617	3.32	11.5	.7	2.7	4.0	23	.1	.5	.2	80	.51	.061	16	199.7	1.71	255	.041	2	2.32	.012	.04	.1	.02	8.2	.1	<.05	7	<.5
145837	.6	22.9	6.0	44	.1	21.5	8.2	333	2.35	8.3	1.1	2.1	4.3	21	.1	.3	.2	46	.40	.051	17	39.6	.72	296	.049	1	1.53	.009	.04	.1	.03	4.1	.1	<.05	4	<.5
145838	.5	29.8	3.7	48	.2	36.6	9.4	361	2.69	6.8	.6	2.7	3.3	17	.1	.3	.2	50	.44	.084	13	90.5	1.27	209	.041	1	1.80	.007	.03	.1	.01	4.6	<.1	<.05	5	<.5
145839	.7	26.8	5.1	48	.3	33.3	9.0	434	2.45	6.6	.9	2.4	2.3	35	.2	.4	.2	51	.91	.066	14	78.1	1.01	293	.035	1	1.79	.010	.03	.2	.03	4.7	<.1	<.05	5	.6
145840	.6	22.1	4.9	51	.2	14.2	7.9	245	2.49	5.5	.5	1.4	1.9	14	.1	.3	.1	45	.23	.051	9	21.7	.80	203	.050	1	1.51	.005	.03	.1	.03	2.7	<.1	<.05	4	<.5
145841	.6	26.8	4.3	58	.1	15.3	10.1	326	2.90	4.8	.6	1.6	2.2	15	.1	.3	.1	51	.24	.051	9	20.7	.97	221	.051	<1	1.63	.005	.03	.1	.01	3.5	<.1	<.05	5	.5
145842	.7	30.2	7.3	62	.1	19.2	10.1	295	2.65	7.8	.7	1.7	3.6	24	.1	.4	.1	56	.35	.052	13	25.9	.75	330	.071	<1	1.51	.009	.03	.1	.02	3.7	.1	<.05	5	.6
145843	.4	21.6	4.8	47	.1	12.8	8.5	265	2.29	4.6	.5	1.5	2.3	14	<.1	.3	.1	46	.24	.037	10	18.1	.76	192	.054	1	1.31	.006	.03	.1	.01	2.9	<.1	<.05	4	<.5
145844	.4	69.2	2.4	54	.1	16.9	19.2	675	3.33	3.5	.4	1.8	1.0	20	.1	.3	<.1	71	.39	.036	3	16.0	1.22	147	.060	<1	1.72	.006	.03	.1	.01	6.3	<.1	<.05	5	<.5
145845	.5	14.2	5.4	46	.1	11.2	5.5	193	1.86	5.5	.6	1.3	2.6	14	.1	.3	.1	31	.22	.045	11	16.7	.52	204	.053	<1	1.05	.005	.04	.1	.01	2.5	.1	<.05	3	<.5
STANDARD DS5	13.0	145.8	25.5	133	.3	24.7	12.4	813	3.03	19.3	6.4	44.6	3.0	50	5.6	3.9	6.3	63	.79	.093	12	191.4	.70	137	.112	17	1.98	.035	.14	4.8	.17	3.5	1.0	<.05	7	5.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA ___

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE 3-1716
(ISO 9002 Accredited Co.)

30g digestion in error

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT Klondike File # A404942
711 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %						S %	Ga ppm	Se ppm
C 144401	1.3	18.6	13.2	50	<.1	15.7	7.6	240	2.31	8.3	1.8	2.3	12.6	18	.1	.7	.2	44	.21	.013	39	25.8	.36	333	.049						<.05	5	<.5
C 144402	1.0	9.6	13.6	42	<.1	12.2	6.1	232	2.00	6.8	.6	2.1	6.3	17	.1	.4	.2	39	.20	.009	11	22.1	.36	454	.036	1	1.26	.007	.06	.1	.01	2.6	.1	<.05	4	<.5
C 144403	1.3	31.5	12.2	62	.1	16.9	7.6	284	2.83	6.4	23.2	2.0	16.0	54	.1	.4	.3	38	.87	.055	78	30.3	.56	745	.045	1	1.49	.013	.20	.1	.05	7.1	.2	.06	5	1.2
C 144404	1.1	24.6	16.7	53	.1	19.9	8.9	527	2.57	8.6	1.8	1.5	9.3	24	.1	.5	.2	50	.55	.016	33	29.9	.39	640	.057	1	1.62	.011	.10	.2	.02	4.7	.1	<.05	5	.6
C 144405	.9	31.2	19.8	62	.1	14.8	6.4	307	2.33	7.9	1.4	3.6	12.3	22	<.1	.5	.3	43	.34	.012	34	26.3	.43	407	.060	<1	1.40	.011	.08	.1	.03	4.9	.1	<.05	4	<.5
C 144406	1.1	37.7	45.1	121	.3	12.9	7.0	406	2.24	8.1	1.1	4.3	11.7	19	.2	.5	.5	37	.31	.018	25	29.8	.43	399	.054	<1	1.29	.010	.15	.2	.03	4.3	.1	<.05	4	<.5
C 144407	1.0	27.7	21.1	68	.1	14.4	6.9	341	2.35	6.9	2.0	1.0	13.0	20	<.1	.5	.3	38	.33	.012	34	30.0	.41	445	.058	1	1.31	.010	.13	.1	.02	5.1	.1	<.05	4	<.5
C 144408	1.3	15.0	29.7	61	<.1	8.3	4.7	203	1.99	4.6	.9	1.3	11.4	12	<.1	.3	.2	25	.18	.014	34	18.1	.38	420	.039	<1	1.17	.005	.13	.1	.01	2.8	.2	<.05	4	<.5
C 144409	1.1	26.9	16.4	48	.2	17.3	8.8	539	2.23	6.7	3.3	.9	9.9	26	.1	.5	.2	36	.45	.033	54	22.1	.39	614	.047	1	1.39	.012	.10	.1	.03	3.9	.1	<.05	4	.7
C 144410	.9	32.9	19.3	42	.2	20.8	9.0	684	2.24	8.2	6.5	3.5	5.7	55	.1	.6	.3	36	1.25	.058	37	21.4	.36	750	.035	<1	1.23	.013	.07	.1	.05	3.5	.1	.06	4	1.3
C 144411	1.6	29.4	12.7	38	.2	12.8	7.5	413	2.18	8.6	2.7	1.5	.3	29	.4	.4	.2	43	.48	.061	22	18.3	.49	373	.020	1	1.32	.009	.05	.1	.04	1.1	.1	<.05	5	.7
C 144412	1.3	11.9	15.9	39	.1	11.5	4.3	172	1.71	14.6	.9	4.6	2.5	11	.1	.4	.2	33	.10	.022	16	17.2	.30	171	.025	<1	1.01	.005	.06	.2	.02	1.3	.1	<.05	4	<.5
C 144413	1.0	14.1	17.7	52	.1	10.2	6.1	267	2.49	18.8	.8	13.1	2.8	11	.1	.4	.2	35	.11	.022	17	19.9	.60	138	.027	<1	1.48	.004	.04	.1	.02	1.9	.1	<.05	5	<.5
C 144414	1.3	6.9	21.6	40	.1	6.3	3.2	327	2.12	9.9	.7	1.0	2.0	9	.1	.5	.3	39	.09	.037	20	13.7	.32	85	.026	1	.93	.003	.05	.1	.02	1.0	.1	<.05	5	.5
C 144415	.7	12.1	16.5	38	.1	11.1	5.0	322	1.65	7.7	1.1	2.0	5.4	9	<.1	.4	.2	35	.08	.012	26	18.6	.32	186	.034	1	1.08	.004	.04	.1	.02	2.2	.1	<.05	4	<.5
C 144416	.8	6.0	13.4	31	.1	6.6	2.7	103	1.44	7.3	.6	1.9	4.9	7	<.1	.3	.2	28	.06	.014	14	12.4	.32	102	.022	<1	.97	.003	.04	.1	.01	1.4	.1	<.05	4	<.5
C 144417	.8	8.3	17.1	35	.1	8.3	4.0	156	1.60	7.8	.7	1.2	3.9	8	.1	.4	.2	32	.07	.017	16	15.5	.36	149	.023	<1	1.13	.004	.05	.1	.02	1.7	.1	<.05	4	<.5
C 144418	.6	5.3	8.4	35	.1	5.4	3.7	140	1.64	6.5	.6	.9	5.7	7	.1	.4	.1	24	.05	.017	8	13.5	.67	99	.021	<1	1.24	.002	.02	.1	.02	1.6	<.1	<.05	4	<.5
C 144419	1.0	8.8	15.2	45	.1	8.0	4.8	241	2.11	13.0	.9	2.7	3.1	8	.1	.4	.2	38	.07	.029	13	18.5	.57	139	.018	<1	1.30	.004	.03	.2	.01	1.9	.1	<.05	5	<.5
C 144420	1.6	15.3	21.4	46	.1	14.6	6.4	224	1.92	18.1	1.0	4.9	7.2	10	.1	.5	.2	34	.06	.016	24	24.7	.44	178	.025	1	1.11	.004	.04	.1	.02	2.2	.1	<.05	4	.6
RE C 144420	1.7	15.9	24.1	51	.1	15.4	7.1	244	2.02	19.5	1.1	3.3	7.9	10	.2	.6	.2	36	.08	.016	27	26.0	.45	197	.026	<1	1.18	.004	.04	.1	.01	2.3	.1	<.05	4	<.5
C 144421	1.1	11.5	14.1	43	.1	12.4	5.3	222	1.91	12.8	.7	1.4	6.0	11	.1	.3	.1	34	.12	.022	17	21.2	.41	249	.025	1	1.20	.005	.04	.1	.01	2.3	.1	<.05	4	<.5
C 144422	.7	17.1	9.0	50	.3	13.9	4.8	262	2.07	21.3	.6	12.6	2.8	11	.1	.3	.2	30	.15	.044	13	17.0	.49	196	.019	<1	1.18	.004	.05	.1	.02	1.8	.1	<.05	4	<.5
C 144423	.5	17.6	11.4	47	.1	13.0	5.2	198	1.78	11.5	.8	8.8	6.5	11	.1	.5	.1	29	.10	.013	23	18.6	.40	385	.031	<1	1.10	.004	.05	.1	.03	2.8	.1	<.05	3	<.5
C 144424	1.0	11.0	18.6	59	.2	10.2	4.7	213	2.04	7.1	.8	1.8	5.2	11	.2	.4	.2	39	.10	.041	19	19.9	.40	288	.048	<1	1.25	.005	.08	.1	.02	2.3	.1	<.05	5	<.5
C 144425	1.4	18.4	8.9	61	.1	6.7	13.9	369	3.67	6.2	.7	<.5	2.6	10	.1	.5	.1	44	.11	.021	4	7.8	1.00	151	.042	<1	1.70	.003	.10	<.1	.02	2.8	.2	<.05	6	<.5
C 145373	1.4	19.0	27.9	52	5.2	14.5	8.8	478	2.33	16.5	2.2	55.7	6.6	31	.1	1.4	.3	37	.40	.055	30	20.9	.42	495	.008	<1	1.61	.007	.06	.2	.03	3.3	.1	<.05	5	.6
C 145374	1.4	12.4	23.0	38	.3	8.9	4.6	223	1.71	9.8	1.5	8.4	5.5	23	.1	.4	.5	24	.33	.047	28	13.6	.31	353	.010	2	.98	.006	.07	.1	.03	1.9	.1	<.05	3	.6
C 145375	1.3	9.2	18.2	48	.1	11.7	7.0	250	1.71	13.3	1.5	3.9	6.5	18	.1	.5	.2	32	.24	.050	30	17.7	.35	247	.032	1	.94	.006	.05	.2	.01	1.7	.1	<.05	3	.5
C 145376	2.2	9.0	19.4	39	.1	9.7	3.9	90	1.69	6.6	4.5	2.6	5.6	43	.1	.3	.3	26	.48	.037	20	14.4	.26	519	.017	1	.90	.006	.04	.2	.03	1.7	.1	.06	3	.5
C 145377	.6	10.1	15.9	48	.2	12.0	4.0	103	1.70	10.9	.8	11.8	3.4	21	.1	.3	.2	36	.24	.045	19	21.7	.34	391	.018	1	1.26	.006	.04	.3	.04	2.3	.1	<.05	4	.6
C 145378	1.0	18.0	26.7	49	.2	16.2	5.9	107	1.95	10.1	1.8	3.3	7.5	18	.2	.5	.3	36	.22	.045	32	26.4	.43	444	.018	1	1.43	.005	.06	.1	.04	3.0	.1	<.05	4	<.5
C 145379	.8	17.5	10.7	40	.1	12.8	5.2	195	1.57	6.6	1.1	4.9	6.1	19	.1	.4	.2	33	.24	.042	27	19.0	.32	435	.040	1	.90	.007	.05	.1	.02	2.5	.1	<.05	3	.5
C 145380	1.0	15.3	12.6	41	<.1	13.5	5.4	201	1.77	6.7	.8	3.0	4.3	16	<.1	.4	.2	37	.14	.033	21	20.7	.35	250	.035	1	1.12	.006	.05	.1	.02	2.1	.1	<.05	4	.6
STANDARD DS5	12.4	141.7	24.8	133	.3	24.1	11.8	769	2.98	18.7	6.1	42.1	2.8	48	5.6	3.7	6.2	61	.75	.088	11	186.4	.67	135	.094	19	2.03	.032	.13	5.0	.17	3.3	1.2	<.05	7	4.8

GROUP 1DX - 30.0 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data L FA ____ DATE RECEIVED: AUG 26 2004 DATE REPORT MAILED: Sept. 9/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L.
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL

Klondike Gold Corp. PROJECT Klondike FILE # A404942

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C 145381	1.3	11.4	15.1	39	.1	11.0	5.3	177	1.99	9.1	.8	1.3	8.5	16	.1	.5	.2	42	.06	.014	16	20.0	.30	185	.029	2	1.41	.004	.05	.1	.02	2.2	.1	<.05	4	<.5
C 145382	1.0	15.2	17.9	48	.2	15.8	8.2	495	2.37	9.5	1.0	4.2	8.6	11	.1	.4	.2	51	.08	.020	48	29.2	.40	296	.041	1	1.66	.006	.05	.1	.03	4.2	.1	<.05	5	<.5
C 145383	4.7	42.9	15.4	87	.3	37.7	9.6	461	2.53	12.7	1.5	2.9	5.4	33	.4	.7	.2	53	.28	.031	18	29.1	.47	461	.074	<1	1.60	.010	.04	.1	.06	4.3	.1	<.05	5	1.0
C 145384	2.1	21.9	9.3	52	.1	18.4	5.6	167	1.93	8.1	1.0	2.9	4.8	19	.1	.6	.2	41	.23	.040	15	26.6	.41	245	.047	<1	1.23	.007	.03	.1	.03	3.2	.1	<.05	4	.7
C 145385	2.0	20.6	9.4	53	.1	16.8	5.8	186	1.96	9.1	1.1	7.7	4.3	27	.2	.6	.2	42	.34	.056	16	22.2	.36	306	.042	1	1.21	.009	.03	.2	.04	3.2	.1	<.05	4	.7
C 145386	.7	13.1	6.3	35	<.1	10.4	3.2	70	1.21	4.6	.6	3.0	3.9	15	.1	.5	.1	25	.18	.031	13	13.6	.22	253	.029	<1	.70	.005	.03	.1	.02	1.9	<.1	<.05	2	<.5
C 145387	1.0	24.2	9.1	62	.1	23.1	7.6	270	2.03	10.3	.6	2.9	5.4	23	.2	1.0	.2	34	.31	.073	16	22.6	.31	285	.040	1	.86	.007	.05	.2	.03	3.1	.1	<.05	3	<.5
C 145388	1.2	27.6	10.2	66	.1	23.3	7.4	218	2.42	10.7	.7	3.3	5.5	28	.2	.8	.2	46	.40	.057	16	27.5	.42	379	.062	<1	1.43	.012	.05	.1	.04	4.5	.1	<.05	4	.5
C 145389	1.0	26.5	8.4	43	.1	19.0	6.1	203	2.15	9.3	.9	2.8	4.8	27	.1	.6	.1	46	.35	.046	15	26.6	.37	360	.058	1	1.27	.011	.04	.1	.04	4.2	.1	<.05	4	<.5
C 145390	3.8	47.8	21.2	85	.1	117.3	11.1	357	2.77	57.1	1.0	6.9	6.0	22	.3	1.9	.2	52	.20	.022	15	151.2	.80	462	.035	1	1.54	.007	.04	.2	.07	5.6	.1	<.05	5	.8
C 145391	1.2	16.8	24.1	89	.1	6.3	4.4	312	2.60	4.2	.9	<.5	8.0	10	<.1	.6	.3	29	.20	.046	10	13.6	.53	209	.040	2	.99	.003	.33	.1	.01	5.5	.4	<.05	6	<.5
C 145392	1.1	15.6	30.8	74	.3	13.7	7.2	335	2.15	7.1	.5	1.0	4.9	14	.2	.4	.3	40	.23	.026	9	28.7	.41	234	.046	2	1.17	.007	.13	.1	.01	2.7	.1	<.05	4	<.5
C 145393	1.2	18.7	22.5	70	.2	7.6	5.5	462	2.34	5.0	1.1	1.1	10.3	9	.1	.4	.4	27	.13	.012	18	15.9	.31	295	.041	1	1.10	.005	.18	.1	.02	5.4	.2	<.05	4	<.5
C 145394	.9	10.1	8.9	38	.1	13.1	6.1	225	2.22	7.7	.5	6.1	5.2	10	.1	.4	.1	44	.11	.013	6	23.6	.40	181	.047	1	1.31	.005	.14	.1	.01	2.7	.1	<.05	4	<.5
C 145395	.8	10.1	9.0	43	.1	15.5	7.0	319	2.06	6.6	.4	<.5	6.8	16	.1	.4	.2	43	.17	.016	15	20.9	.37	437	.038	1	1.28	.005	.13	.1	.01	3.3	.1	<.05	4	<.5
C 145396	.7	16.5	8.4	44	<.1	21.8	8.0	246	2.30	7.6	.7	1.1	6.7	15	<.1	.5	.2	48	.21	.016	17	37.2	.46	278	.057	1	1.24	.008	.14	.1	.02	4.5	.1	<.05	4	<.5
C 145397	.7	7.6	8.7	38	.1	12.4	5.5	146	1.85	4.5	.5	.7	5.7	18	.1	.3	.1	41	.24	.008	14	21.6	.35	789	.037	1	1.15	.006	.07	.1	<.01	2.6	.1	<.05	4	<.5
C 145398	1.9	16.8	11.2	52	.1	14.1	4.1	215	1.97	6.6	2.7	<.5	13.8	21	.2	.5	.3	33	.27	.042	77	21.7	.32	486	.030	1	1.06	.008	.10	.2	.02	3.4	.1	<.05	4	.5
C 145399	1.7	14.5	11.1	43	.1	9.5	3.5	199	1.77	3.9	4.4	.5	17.6	17	.1	.5	.2	23	.25	.031	92	16.3	.29	404	.034	2	.93	.007	.15	.1	.04	4.7	.1	<.05	4	<.5
RE C 145427	.9	29.2	9.9	42	.1	18.3	7.8	388	2.19	6.5	3.6	2.8	12.4	29	.1	.7	.2	40	.44	.036	57	23.8	.41	521	.052	<1	1.33	.012	.08	.1	.04	4.5	.1	<.05	4	.6
C 145427	.9	29.6	10.1	47	.1	18.6	7.9	382	2.20	6.7	3.5	1.6	12.6	28	.2	.7	.2	39	.44	.035	54	24.4	.41	526	.052	1	1.37	.010	.08	.1	.04	4.7	.1	<.05	4	.6
C 145428	.8	14.1	7.7	36	.1	13.2	6.2	240	2.00	6.9	.8	2.5	5.4	23	.1	.6	.2	42	.34	.025	14	22.0	.38	350	.054	<1	1.29	.009	.06	.2	.01	2.9	.1	<.05	4	<.5
C 145429	1.1	9.1	5.2	33	<.1	9.3	4.9	267	2.38	5.6	.8	.8	8.6	17	.1	.5	.1	31	.23	.023	24	15.3	.53	345	.078	1	1.20	.007	.26	.1	.02	2.5	.2	<.05	5	<.5
C 145430	1.0	9.2	7.5	27	<.1	7.3	4.8	399	1.84	6.6	.8	1.0	8.3	13	<.1	.3	.2	28	.17	.017	13	12.0	.32	344	.037	2	.89	.007	.17	.1	.01	2.8	.1	<.05	4	<.5
C 145431	1.1	13.0	8.4	35	<.1	10.6	5.6	376	2.03	5.9	1.1	<.5	16.1	15	.1	.7	.2	26	.25	.022	55	15.7	.36	498	.032	<1	1.06	.007	.18	.1	.02	4.2	.1	<.05	4	<.5
C 145432	.9	16.6	10.1	48	<.1	20.7	9.2	277	2.96	11.5	.8	2.2	11.0	21	<.1	.7	.2	54	.33	.021	15	34.1	.43	575	.056	2	1.80	.007	.17	.1	.01	5.7	.1	<.05	5	<.5
C 145846	1.1	11.2	7.7	35	<.1	16.2	6.4	272	2.24	6.7	.6	1.4	6.3	20	<.1	.5	.2	46	.27	.012	23	24.5	.39	769	.041	1	1.34	.007	.10	.2	.01	3.6	.1	<.05	4	<.5
C 145847	1.3	16.7	12.3	48	.1	15.4	6.8	343	2.19	6.3	1.1	1.8	10.7	20	.1	.6	.3	45	.25	.014	51	24.2	.42	643	.056	1	1.24	.008	.11	.3	.02	3.9	.1	<.05	4	.6
C 145848	.8	15.5	7.0	38	<.1	14.5	5.5	199	1.94	5.9	1.1	3.9	13.3	17	.1	.5	.1	39	.24	.031	67	21.3	.41	445	.053	<1	1.10	.010	.06	.3	.02	3.6	.1	<.05	3	<.5
C 145849	1.2	9.5	7.9	39	<.1	10.8	5.3	237	2.00	5.6	.7	.5	10.0	12	.1	.5	.2	34	.14	.015	31	18.0	.36	470	.044	2	1.11	.006	.12	.2	.01	2.9	.1	<.05	4	<.5
C 145850	1.1	11.9	9.9	42	<.1	13.4	5.4	170	2.13	7.2	.7	1.6	6.5	17	.1	.5	.2	42	.21	.022	18	21.1	.40	426	.049	2	1.16	.008	.07	.2	.01	3.2	.1	<.05	4	<.5
C 145951	1.1	10.9	22.5	51	.1	10.5	4.9	221	2.39	27.3	.7	3.5	5.9	9	.2	.4	.2	43	.07	.019	18	16.8	.36	306	.023	1	1.44	.005	.10	.1	.01	3.1	.1	<.05	5	<.5
C 145952	.4	4.1	10.9	34	<.1	2.9	2.3	146	.83	7.2	1.0	2.3	6.3	4	.1	.2	<.1	9	.04	.010	18	4.8	.12	147	.008	1	.52	.002	.09	.1	<.01	2.8	.1	<.05	2	<.5
C 145953	.7	17.6	11.9	48	.1	14.5	5.5	212	2.03	9.9	1.4	3.4	5.5	12	.1	.4	.1	40	.12	.017	24	22.9	.41	279	.044	<1	1.19	.006	.05	.1	.03	3.4	.1	<.05	4	<.5
STANDARD DS5	12.5	142.3	24.5	132	.2	24.6	11.7	771	2.91	18.0	6.0	43.7	2.6	46	5.6	3.7	6.1	60	.71	.093	11	188.6	.66	132	.087	18	1.91	.032	.13	4.7	.17	3.4	1.0	<.05	7	5.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT Klondike FILE # A404942 Page 3

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C 145954	.8	7.9	14.1	31	.2	7.6	3.2	159	1.28	14.5	.7	4.3	4.2	8	.1	.4	.1	25	.07	.012	15	12.8	.21	143	.023	1	.78	.004	.09	.2	.01	1.4	.1	<.05	3	.5
C 145955	.9	7.0	15.9	28	.3	6.2	2.4	131	1.20	7.7	.6	5.7	2.0	9	.2	.3	.2	34	.07	.021	15	11.6	.17	279	.030	1	.80	.004	.07	.3	.01	1.3	.1	<.05	5	.5
C 145956	.8	4.7	17.9	37	.2	2.8	1.7	77	1.24	18.7	1.0	3.3	4.8	4	.1	.4	.2	14	.03	.017	9	6.8	.10	221	.004	<1	1.02	.002	.10	.2	.01	1.7	.1	<.05	3	<.5
C 145957	1.2	16.6	14.2	44	.3	10.3	5.0	178	2.06	18.6	.9	4.4	6.0	7	.1	.5	.2	39	.05	.017	16	19.1	.28	234	.017	<1	1.55	.004	.05	.3	.02	2.5	.1	<.05	4	<.5
C 145958	1.0	22.6	16.4	53	.5	18.5	6.4	278	2.65	20.9	.8	4.6	5.5	8	.1	.5	.3	50	.07	.022	15	30.6	.54	238	.026	<1	1.90	.004	.06	.2	.04	3.1	.1	<.05	6	.5
C 145959	.9	16.4	12.4	43	.2	12.1	5.6	182	2.05	21.7	.5	1.0	4.4	6	.1	.3	.2	27	.08	.017	12	15.8	.46	335	.004	<1	1.68	.003	.08	.1	.01	1.8	.1	<.05	4	.5
C 145960	.7	15.9	12.1	57	.1	15.2	8.6	325	2.65	14.4	.5	.5	3.9	9	.2	.4	.3	42	.09	.017	7	25.6	.81	218	.021	<1	1.92	.004	.04	.1	.01	2.9	.1	<.05	6	<.5
C 145961	3.8	27.8	60.7	88	.2	34.4	13.3	407	2.81	154.5	.7	5.4	3.7	17	.3	1.4	.2	42	.19	.066	16	54.6	.76	224	.015	<1	1.49	.004	.07	.2	.03	2.9	.1	<.05	5	1.5
C 145962	1.2	6.7	35.7	38	.1	6.1	3.2	169	2.07	10.1	1.1	2.2	8.4	7	.2	.7	.4	31	.06	.038	19	14.0	.47	65	.013	<1	1.00	.004	.05	.1	.02	2.0	.1	<.05	4	<.5
C 145963	1.5	26.0	16.5	65	.3	18.6	9.5	300	2.43	17.6	1.3	4.4	2.2	18	.3	.4	.2	43	.24	.067	21	27.8	.67	201	.026	<1	1.54	.006	.05	.2	.05	3.2	.1	<.05	5	.5
C 145964	1.8	21.5	26.8	74	.4	14.9	7.4	291	2.66	25.8	.8	5.9	2.9	16	.2	.5	.3	43	.20	.058	17	23.6	.82	184	.022	1	1.55	.005	.07	.2	.05	3.2	.1	<.05	6	.9
C 145965	1.0	21.7	24.1	69	.3	15.5	6.4	236	2.07	14.6	.9	3.6	5.8	18	.2	.5	.2	32	.25	.069	24	22.3	.62	226	.026	1	1.24	.005	.06	.2	.04	3.5	.1	<.05	4	.5
C 145966	1.0	15.8	18.4	55	.2	12.9	6.5	255	1.69	10.6	.7	3.5	4.4	16	.2	.4	.1	27	.24	.077	18	18.0	.52	160	.028	1	.99	.005	.04	.2	.02	2.4	.1	<.05	3	.7
RE C 145966	1.0	15.8	18.2	57	.2	12.5	6.2	267	1.69	11.1	.7	12.6	4.4	17	.2	.5	.1	27	.26	.081	18	18.1	.51	159	.029	<1	.99	.006	.06	.1	.03	2.5	.1	<.05	3	.8
C 145967	.8	17.4	13.2	55	.2	15.1	6.6	203	1.97	7.4	1.0	4.4	1.8	19	.2	.4	.2	40	.25	.066	19	24.7	.51	250	.033	1	1.47	.006	.05	.2	.05	2.6	.1	<.05	4	.7
C 145968	.8	16.6	9.9	53	.2	15.2	6.1	201	1.92	8.2	.9	11.0	2.5	18	.2	.3	.1	37	.23	.062	20	24.5	.46	239	.036	1	1.20	.006	.05	.2	.04	3.0	.1	<.05	4	.6
C 145969	.9	18.3	9.5	60	.1	14.2	6.3	239	1.96	9.0	1.0	4.0	4.4	19	.1	.4	.1	33	.24	.059	22	22.7	.63	284	.035	<1	1.27	.006	.05	.1	.02	3.3	.1	<.05	4	.6
C 145970	1.3	25.8	54.7	155	.1	9.6	8.3	457	2.41	10.6	.9	12.0	3.2	11	.4	.4	.2	22	.11	.043	13	13.8	.67	91	.017	<1	1.16	.003	.04	.1	.02	1.7	.1	<.05	3	.6
C 145971	.9	18.6	21.7	64	.1	11.9	6.1	243	1.89	17.2	1.9	7.7	6.4	11	.1	.4	.1	31	.10	.025	24	19.7	.53	277	.025	1	1.26	.005	.05	.1	.03	2.9	.1	<.05	4	<.5
C 145972	.7	19.2	13.3	54	.1	13.3	6.1	266	1.95	14.4	1.1	3.0	5.6	14	.1	.3	.1	36	.14	.030	26	24.3	.55	304	.029	<1	1.19	.005	.06	.1	.02	3.4	.1	<.05	4	.7
STANDARD DS	12.5	147.3	25.8	136	.3	25.0	12.4	753	2.97	18.9	6.1	45.4	2.9	49	5.6	3.9	6.2	64	.76	.097	13	199.8	.66	135	.097	19	2.12	.033	.15	5.2	.18	3.4	1.1	<.05	7	5.2

Standard is STANDARD DS5. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data M FA ___

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A405359 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	1.2	2.1	2.0	41	<.1	3.9	3.8	512	1.71	<.5	1.8	<.5	4.0	70	<.1	<.1	.1	38	.47	.074	6	40.7	.54	243	.121	1	.88	.086	.57	.3	<.01	2.1	.3	<.05	4	<.5
144426	.6	5.5	14.6	23	.1	5.8	2.2	79	1.44	2.2	1.6	1.2	12.7	10	<.1	.2	.8	14	.04	.019	24	8.8	.33	162	.026	1	.72	.004	.10	.1	.02	1.2	.1	.08	2	1.6
144427	.8	14.7	7.4	47	.1	13.7	5.3	241	1.66	4.5	1.0	2.4	7.0	13	<.1	.4	.2	31	.18	.028	23	18.2	.48	215	.051	1	.92	.008	.05	.1	.02	2.4	.1	<.05	3	.5
144428	1.0	10.2	8.9	33	.1	8.7	5.7	148	1.91	6.3	1.6	.5	8.0	14	<.1	.4	.5	25	.05	.022	21	13.9	.26	170	.030	1	.85	.004	.08	.1	.02	1.9	.1	<.05	2	1.0
144429	1.8	23.4	15.3	56	.3	12.0	13.0	830	2.60	9.1	1.2	2.4	5.6	10	.1	.5	.4	53	.09	.040	18	23.6	.37	322	.049	1	1.57	.006	.07	.2	.03	2.6	.1	<.05	6	.6
144430	1.1	17.4	11.5	49	.2	12.7	6.8	256	1.96	7.0	.9	1.6	4.6	16	.1	.5	.3	38	.18	.041	17	21.7	.39	275	.051	1	1.16	.008	.06	.2	.02	2.6	.1	<.05	4	.6
144431	4.7	14.1	13.7	997	.1	17.2	15.4	1004	7.53	7.7	6.1	9.4	5.9	26	1.4	.6	.2	29	.34	.070	21	16.0	.28	277	.038	2	.63	.011	.06	.2	.04	2.2	.1	<.05	2	.9
144432	.4	3.0	16.1	32	<.1	1.8	1.0	50	.60	.9	2.0	.7	20.0	3	<.1	.1	.2	5	.01	.007	53	3.6	.20	62	.016	<1	.45	.002	.13	<.1	<.01	1.0	.1	<.05	2	<.5
144433	.3	4.4	22.1	20	<.1	1.8	.8	41	.48	1.3	1.3	1.1	3.9	4	.1	.1	.2	8	.02	.010	30	3.6	.08	103	.011	<1	.38	.002	.07	<.1	<.01	.6	.1	<.05	1	<.5
144434	.6	4.6	13.8	35	.1	3.7	2.4	365	.96	2.8	1.2	.5	6.9	7	<.1	.2	.1	18	.07	.012	31	7.1	.16	717	.014	<1	.70	.002	.09	.1	<.01	1.0	.1	<.05	2	<.5
144435	.9	8.8	44.6	34	<.1	1.1	1.1	127	.35	.9	2.9	.8	22.7	2	.1	.1	.8	1	.01	.012	70	1.2	.07	110	.002	1	.27	.001	.07	<.1	.01	.6	<.1	<.05	1	.5
145973	1.6	43.3	67.8	109	.3	27.5	9.2	280	3.14	90.6	.7	5.6	4.4	5	.2	.9	.4	38	.05	.021	21	26.5	.59	228	.013	1	1.75	.005	.04	.1	.04	3.5	.1	<.05	5	1.0
145974	.8	30.2	13.4	62	.1	17.4	6.6	232	2.09	12.0	.6	3.4	4.0	11	.1	.7	.2	36	.16	.032	15	24.8	.52	198	.030	1	1.17	.006	.03	.1	.02	3.3	.1	<.05	4	.5
145975	.4	51.2	3.9	58	.2	20.0	17.2	497	3.42	9.9	.6	2.4	2.2	7	<.1	.4	.1	52	.10	.007	8	22.4	1.23	102	.061	<1	1.99	.003	.02	.1	.03	5.1	<.1	<.05	5	.5
145976	.5	36.2	6.1	57	.1	18.5	10.1	385	2.68	8.5	.9	2.1	3.2	13	<.1	.5	.1	44	.27	.034	11	24.3	.71	312	.028	<1	1.54	.007	.03	.1	.03	4.6	<.1	<.05	4	.5
145977	.5	59.2	5.4	47	.2	22.2	16.5	701	3.26	23.6	.5	2.8	2.5	8	.1	.4	.1	48	.29	.045	9	21.3	1.18	125	.011	1	1.86	.004	.02	.1	.02	5.5	<.1	<.05	5	.7
145978	.8	24.4	8.2	71	.2	17.5	7.3	297	2.91	73.8	.8	2.8	4.7	9	.1	.6	.1	27	.25	.047	13	17.1	.54	200	.007	1	1.33	.006	.03	.1	.03	3.8	<.1	<.05	3	.7
145979	.8	88.7	5.9	88	.6	21.0	23.8	1171	5.44	4.4	.5	4.9	1.9	8	.1	.1	.1	76	.38	.087	9	15.0	1.68	87	.002	<1	2.76	.005	.03	.1	.02	11.8	<.1	<.05	6	.5
145980	.4	55.4	6.6	67	.2	20.6	14.0	478	3.10	6.1	.9	3.5	3.2	17	<.1	.4	.1	49	.40	.044	11	21.2	.87	296	.018	<1	1.85	.010	.03	.1	.03	6.6	<.1	<.05	5	.6
RE 145980	.4	51.2	6.0	60	.2	19.2	13.6	484	3.10	5.3	.8	2.8	3.2	16	.1	.4	.1	50	.37	.043	11	21.0	.84	294	.020	1	1.82	.009	.03	.2	.03	6.6	<.1	<.05	5	.5
145981	.6	76.7	4.8	76	.2	12.6	16.8	586	4.25	3.3	.3	14.2	1.9	8	<.1	.2	.3	62	.26	.045	6	11.7	1.03	218	.009	<1	1.84	.005	.02	.2	.03	9.2	<.1	<.05	5	.9
145982	1.1	21.8	8.6	37	.2	15.9	6.2	174	2.25	15.1	.9	6.4	7.1	7	<.1	.6	.1	32	.06	.014	19	20.6	.28	160	.021	1	1.43	.005	.04	.1	.01	2.0	.1	<.05	3	.5
145983	1.4	22.7	8.7	48	.4	27.8	8.8	343	2.82	19.5	1.2	4.1	5.1	8	.1	.6	.2	52	.07	.022	18	29.7	.39	260	.032	1	1.87	.006	.03	.2	.02	3.8	.1	<.05	5	.7
145984	.9	15.0	8.5	36	.6	14.6	6.4	198	1.87	46.3	.6	18.6	5.5	9	.1	.4	.1	30	.10	.012	19	19.1	.33	293	.025	1	1.25	.006	.06	.2	.03	2.2	.1	<.05	3	.5
145985	5.1	67.3	7.2	124	.2	70.2	16.7	432	4.23	340.3	1.5	5.2	5.5	4	.4	.5	.2	29	.04	.054	24	21.5	.24	100	.004	1	.96	.003	.02	.2	.01	2.1	<.1	<.05	3	1.8
145986	1.8	34.8	7.3	73	.1	32.0	9.0	261	2.49	163.3	1.0	12.0	4.5	9	.1	.4	.2	35	.11	.042	17	24.2	.46	279	.016	2	1.26	.004	.03	.2	.02	2.4	<.1	<.05	3	1.1
145987	2.3	36.0	6.3	54	.1	35.3	12.0	406	2.57	57.6	.8	4.9	3.7	9	.2	.4	.3	34	.15	.065	13	25.6	.47	119	.020	1	1.12	.004	.03	.2	.01	1.8	<.1	<.05	3	1.7
145988	1.1	17.1	6.7	40	.1	17.5	7.5	417	1.92	22.5	1.0	5.1	4.3	17	.1	.4	.2	37	.34	.061	18	20.1	.34	370	.028	1	1.27	.007	.04	.2	.02	3.2	.1	<.05	4	.7
145989	1.1	21.1	7.5	43	.1	23.1	7.4	240	2.08	33.4	1.3	4.0	4.9	21	<.1	.4	.2	35	.49	.074	17	23.2	.39	364	.030	1	1.29	.008	.04	.2	.02	3.2	.1	<.05	4	1.0
145990	.7	21.0	9.7	40	.2	14.7	5.8	147	2.07	40.6	1.6	14.2	6.5	17	.1	.5	.3	33	.38	.054	28	18.1	.29	287	.023	1	1.15	.006	.08	.2	.04	3.8	.1	<.05	3	1.0
145991	.9	24.9	8.8	50	.2	21.0	9.6	465	2.21	24.3	1.9	41.6	4.3	25	.2	.5	.2	41	.56	.071	18	23.3	.38	420	.031	1	1.38	.009	.05	.2	.05	3.4	.1	<.05	4	1.1
145992	.8	24.9	8.5	52	.1	21.9	7.9	304	2.27	18.1	1.5	2.4	4.7	27	.1	.6	.2	43	.48	.068	17	24.4	.39	371	.045	1	1.42	.011	.05	.2	.04	3.6	.1	<.05	4	1.2
158005	.4	16.5	7.1	51	<.1	12.8	6.3	254	2.06	11.6	.7	1.8	4.4	11	.1	.3	.2	29	.20	.055	13	16.3	.34	171	.037	<1	1.20	.005	.15	.2	.01	2.2	.1	<.05	3	.6
158006	.6	17.5	7.2	37	<.1	14.3	6.3	173	1.86	14.6	1.0	1.7	5.7	11	.1	.4	.1	33	.15	.028	21	19.9	.33	247	.037	<1	1.20	.006	.09	.1	.01	2.6	.1	<.05	3	.7
158007	1.2	25.4	7.5	57	.1	21.6	7.2	223	2.34	32.9	1.1	3.5	4.0	14	.2	.4	.2	41	.22	.051	16	26.5	.42	223	.032	1	1.39	.007	.05	.2	.02	2.8	.1	<.05	4	.8
STANDARD DS5	13.2	146.0	25.1	138	.3	25.4	11.8	764	2.92	18.3	6.0	41.3	2.7	46	5.6	3.9	5.8	61	.73	.097	12	189.0	.67	144	.093	18	2.01	.032	.15	4.8	.17	3.3	1.0	<.05	6	5.0

GROUP 1DX - 15.0 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA ___ DATE RECEIVED: SEP 7 2004 DATE REPORT MAILED: Sept. 28/04

Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL

Klondike Gold Corp. PROJECT DAWSON FILE # A405359

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	1.4	1.9	2.3	47	<.1	4.7	4.5	615	2.06	<.5	1.9	<.5	4.1	81	<.1	<.1	.1	46	.60	.089	8	48.4	.62	277	.139	1	.99	.067	.52	.3	<.01	2.0	.3	<.05	5	<.5
158008	.9	21.6	9.1	55	.1	18.7	7.3	246	2.20	30.0	.9	3.4	3.5	14	.2	.4	.2	44	.19	.048	16	24.0	.37	230	.037	1	1.35	.006	.05	.2	.01	2.7	.1	<.05	4	.5
158009	.7	19.6	7.9	42	.1	13.7	5.3	206	1.73	39.7	1.0	6.0	5.1	12	.1	.4	.2	29	.16	.035	19	15.8	.31	343	.025	<1	.97	.006	.05	.2	.03	3.0	.1	<.05	3	.5
158010	.6	14.9	9.5	38	.1	7.5	4.6	201	1.44	34.2	.7	18.2	5.4	5	.1	.2	.2	13	.10	.033	10	7.4	.17	166	.014	<1	.69	.004	.14	.1	.01	1.6	.1	<.05	2	<.5
158011	.7	35.8	7.8	78	.2	13.4	19.1	649	4.81	4.2	.9	7.4	2.6	14	.2	.5	.4	65	.24	.048	10	15.1	.95	231	.015	1	1.61	.006	.02	.4	.03	9.1	<.1	<.05	4	2.1
158012	.8	51.3	6.5	82	.2	15.0	22.1	1030	4.41	4.9	.5	10.6	2.9	13	.1	.4	.4	56	.43	.054	9	13.5	1.02	255	.013	2	1.47	.008	.03	.4	.03	9.2	<.1	.06	4	.7
158013	.5	54.0	4.7	66	.1	12.1	16.6	514	3.60	4.2	.3	5.2	1.5	6	<.1	.2	.2	60	.14	.025	4	11.6	1.14	155	.010	1	1.81	.003	.02	.1	.02	5.4	<.1	<.05	5	<.5
158014	.4	91.0	4.1	68	.3	13.5	30.0	1381	4.93	4.8	.4	11.1	2.2	7	<.1	.3	.4	69	.32	.070	8	9.5	1.44	132	.003	<1	1.76	.003	.02	.2	.02	9.8	<.1	.38	5	1.1
158015	.8	28.3	4.9	51	.1	12.1	14.7	390	2.95	6.1	.5	2.3	2.6	10	.1	.4	.2	45	.26	.064	8	16.1	.62	145	.020	1	1.19	.005	.02	.2	.02	3.2	<.1	<.05	4	.5
158016	.5	43.9	7.3	58	.3	23.9	10.7	427	2.68	8.6	.6	3.5	2.8	16	.1	.4	.2	51	.52	.054	12	37.9	.77	249	.028	1	1.64	.007	.03	.1	.03	5.3	.1	<.05	5	<.5
158017	.5	22.4	7.5	57	.2	17.8	10.6	441	2.39	10.2	.6	.5	2.3	17	.2	.3	.1	43	.54	.066	11	25.0	.67	196	.022	1	1.37	.006	.03	.2	.02	3.3	<.1	<.05	4	<.5
158018	.6	20.7	6.2	61	.1	20.3	11.0	480	2.53	10.2	.5	3.9	2.3	20	.3	.2	.1	39	.61	.073	9	31.8	.77	173	.025	<1	1.41	.006	.02	.2	.03	3.0	<.1	<.05	4	<.5
RE 158018	.7	21.4	6.2	62	.1	19.7	10.5	518	2.50	9.8	.4	1.3	2.1	20	.2	.3	.1	41	.57	.062	9	35.4	.78	180	.023	1	1.27	.006	.02	.2	.03	2.8	<.1	<.05	4	<.5
158019	.7	21.2	6.6	63	.1	21.8	10.6	422	2.16	6.9	.5	1.0	1.9	27	.3	.3	.1	43	.76	.064	9	46.7	.68	184	.026	2	1.29	.007	.03	.2	.04	3.4	<.1	<.05	4	<.5
158020	.8	50.9	8.3	89	.2	35.8	16.4	542	3.12	15.7	1.0	1.0	2.8	26	.3	.5	.1	58	.84	.060	12	63.0	1.00	325	.024	1	1.78	.007	.03	.2	.04	8.0	<.1	<.05	5	.8
158021	.7	23.8	6.9	48	.1	17.7	7.9	242	2.11	6.5	.8	5.8	3.6	13	.1	.5	.1	44	.21	.021	14	27.8	.54	261	.036	1	1.43	.006	.03	.1	.03	3.6	.1	<.05	4	.6
158022	.6	22.4	7.3	48	<.1	23.5	8.7	255	2.27	8.2	.4	3.6	2.2	9	.1	.4	.1	43	.12	.022	10	43.7	.70	150	.028	1	1.48	.006	.02	.1	.01	3.0	.1	.06	4	<.5
158023	1.3	23.0	13.3	65	.7	25.0	12.0	468	3.06	11.2	1.1	1.2	3.6	9	.2	.6	.2	69	.08	.025	16	37.9	.56	251	.051	2	2.30	.007	.03	.1	.02	3.7	.1	<.05	7	<.5
158024	.9	25.1	29.0	89	.8	25.5	9.0	296	2.88	13.8	.7	2.9	4.9	6	.1	.5	.3	52	.06	.016	13	35.2	.93	172	.039	1	2.22	.005	.03	.1	.01	3.5	.1	<.05	6	<.5
158025	.9	44.5	56.5	183	.2	25.7	8.8	349	2.83	35.3	.8	3.1	6.3	7	.5	.8	.4	46	.08	.019	20	34.6	.86	177	.024	1	1.87	.004	.04	.1	.04	4.0	.1	<.05	6	.7
158026	.8	30.4	15.0	222	.3	17.2	7.3	250	2.60	30.4	.8	<.5	5.4	8	.9	.6	.3	40	.09	.021	13	23.4	.46	254	.023	1	1.70	.004	.05	.1	.02	2.5	.1	<.05	5	<.5
158027	.6	17.4	10.2	48	.2	19.3	8.0	230	2.40	16.2	.6	7.4	4.2	11	.1	.5	.1	53	.13	.019	13	31.4	.47	221	.045	1	1.53	.005	.05	.1	.01	2.9	.1	<.05	4	<.5
STANDARD	12.4	144.6	25.6	136	.3	24.6	12.0	762	3.01	18.4	6.1	42.0	2.7	46	5.3	3.7	5.9	60	.77	.090	12	186.9	.66	135	.097	18	2.09	.032	.16	5.0	.16	3.3	1.0	<.05	6	4.8

Standard is STANDARD DS5. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A402741

711 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample kg
STD	<.1	.7	.2	1	<.1	.2	<.1	<1	.04	<.5	<.1	<.5	<.1	1	<.1	<.1	<.1	<1	.07	<.001	<1	<1	<.01	2	<.001	1	.01	.384	<.01	<.1	<.01	.1	<.1	<.05	<1	<.5	-
C 156304	3.1	50.5	2.1	120	.1	14.7	5.6	1678	4.47	316.9	2.0	2.5	2.7	119	1.8	2.3	.3	19	11.82	.027	8	18.2	3.39	103	.001	<1	.31	.008	.06	.3	.21	2.0	.4	<.05	1	1.3	4.16
C 156305	4.1	54.0	2.7	145	.2	17.6	6.3	1784	4.48	341.5	3.2	<.5	3.0	131	3.3	2.4	.3	23	12.16	.029	9	20.0	2.52	90	.001	1	.28	.006	.06	.1	.23	2.5	.3	.07	1	1.7	2.22
C 156306	1.3	38.9	138.1	90	33.2	1.9	1.0	43	1.47	6.9	1.7	13339.9	3.4	37	1.0	.7	.1	2	.07	.017	6	7.2	.05	1845	.002	<1	.21	.025	.08	1.0	.05	.8	<.1	<.05	1	.8	2.11
C 156307	.2	2.7	15.0	7	.2	.6	.8	362	.40	2.3	.4	33.2	4.4	3	.1	.5	.1	1	.04	.002	6	6.0	.01	69	<.001	1	.08	.015	.05	.2	.01	.8	<.1	<.05	<1	<.5	1.70
C 156308	1.6	9.0	22.7	56	.3	4.6	4.3	343	2.99	3.0	.2	46.0	.5	11	.5	.1	.4	3	1.44	.015	2	8.4	.13	36	<.001	<1	.08	.003	.03	1.7	.01	1.0	<.1	1.92	<1	.8	1.43
C 156309	.1	425.2	3641.4	68	29.2	.1	.6	430	.28	15.0	.7	289.4	.8	182	5.2	121.2	3.4	<1	1.74	.003	5	3.8	.02	1668	<.001	2	.07	.001	.03	.2	3.66	.6	<.1	<.05	<1	2.4	2.05
C 156310	1.1	106.7	728.7	27	31.3	1.5	.3	23	.71	9.4	1.2	1798.7	.3	90	.4	87.0	10.7	<1	.08	.001	1	10.5	.02	1141	<.001	1	.03	.001	.01	1.8	4.00	.3	<.1	.10	<1	2.1	2.19
C 156311	.4	1111.0	8881.2	482	52.4	.4	.7	195	.60	35.6	1.0	2485.2	.3	175	26.1	271.9	6.2	<1	.57	.001	3	2.5	.01	452	<.001	1	.04	<.001	.01	.2	8.64	.5	<.1	.13	<1	5.8	4.45
C 156312	3.0	10.1	50.5	50	.4	3.5	1.6	456	.30	2.3	.3	4.0	.4	53	.4	1.7	.1	3	2.53	.026	4	4.5	1.01	1960	.004	<1	.06	.003	.01	.6	.10	1.5	<.1	<.05	<1	<.5	.97
C 156313	.8	44.1	46.3	69	.3	37.3	10.8	348	1.37	4.8	.8	4.9	1.8	31	.1	1.3	.1	15	.04	.013	4	7.3	.03	1585	.001	2	.23	.004	.06	.4	.09	3.0	.1	<.05	1	<.5	.28
C 156314	2.3	29.0	11.6	90	.5	33.5	6.0	332	1.87	<.5	1.8	1.2	5.4	19	.3	.4	.2	9	.85	.024	14	8.1	.74	216	.001	1	.37	.006	.13	.6	.04	1.0	.2	.47	1	3.8	.90
C 156315	.1	3.5	10.2	3	.1	1.3	.3	7	.17	<.5	.7	6.4	4.7	5	<.1	.3	.2	5	.06	.020	10	5.1	.02	258	.002	1	.22	.002	.08	.1	.04	1.0	.1	<.05	1	<.5	.58
C 156316	.4	10.5	4.6	9	.1	2.1	3.3	50	.61	1.5	1.1	1.5	7.4	11	<.1	.1	.1	2	.11	.031	13	4.0	.10	265	.009	<1	.37	.009	.20	1.2	.01	.9	<.1	.14	1	<.5	.50
RE C 156316	.4	9.9	4.4	9	.1	2.0	3.2	48	.60	1.6	1.1	1.0	7.0	11	<.1	.1	.1	2	.11	.030	13	3.9	.08	266	.008	<1	.36	.008	.20	1.1	.01	.9	<.1	.14	1	<.5	-
C 156317	.3	7.9	22.9	26	.1	11.0	6.5	613	1.02	532.9	.3	2.1	.8	9	.3	1.0	.2	1	.07	.032	2	9.7	.02	157	<.001	<1	.06	.003	.01	.3	.02	.7	<.1	<.05	<1	<.5	.94
C 156318	5.6	2.6	22.2	7	.1	1.5	1.0	50	.40	22.8	.8	6.5	2.7	10	<.1	1.1	<.1	3	.01	.006	1	8.0	.01	536	<.001	1	.14	.001	.08	1.3	.04	.2	.1	<.05	<1	<.5	1.15
C 156319	51.4	2.8	9.8	4	.2	.9	.4	12	.25	15.1	1.0	21.5	3.5	27	<.1	2.8	.1	4	.03	.006	3	8.3	.01	1250	<.001	1	.18	.002	.16	.3	.07	.5	.1	<.05	1	<.5	.61
C 156320	.7	19.0	2.0	3	2.1	1.2	.3	19	.35	1.4	<.1	.8	.2	1	<.1	.2	.1	<1	<.01	.001	1	6.6	<.01	52	<.001	<1	.02	.002	.02	2.2	.05	.1	<.1	<.05	<1	<.5	1.05
C 156321	.7	14.2	5.0	30	.2	4.7	3.7	383	.96	6.9	.1	.9	.4	7	.2	.2	.1	<1	.12	.004	3	8.0	.01	57	<.001	<1	.05	.008	.01	.2	.03	.3	<.1	.08	<1	.6	.75
E 175951	1.9	8.2	4.1	11	.4	2.1	.6	14	.82	37.8	.3	4.5	.2	1	.1	.6	<.1	2	<.01	.009	<1	11.3	<.01	48	<.001	<1	.03	.001	.01	2.1	.03	.2	<.1	<.05	<1	<.5	4.54
E 175952	1.2	6.8	7.1	9	.4	1.4	.5	12	.67	34.8	.3	4.0	.2	2	.1	.5	.1	1	<.01	.007	<1	10.3	.01	32	<.001	<1	.04	.001	.01	.3	.03	.2	<.1	<.05	<1	<.5	5.66
E 175953	1.4	7.2	6.0	9	.4	2.0	.5	16	.68	35.9	.3	3.8	.3	1	.1	.5	.1	2	<.01	.008	<1	12.5	.01	42	<.001	<1	.04	.001	.01	2.2	.03	.2	<.1	<.05	<1	<.5	5.20
E 175954	1.8	32.9	15.3	67	1.2	7.2	3.7	99	2.71	104.6	2.4	21.6	3.8	20	.4	1.6	.1	8	.11	.053	9	6.6	.22	273	.003	<1	.84	.011	.20	.1	.15	2.0	.1	<.05	3	1.2	4.02
E 175955	1.9	47.6	21.2	70	1.0	10.3	4.6	91	2.28	77.6	2.8	19.3	5.4	8	.5	1.5	.1	7	.12	.059	15	7.4	.11	265	.003	1	.74	.005	.22	1.0	.10	1.6	.1	<.05	2	1.3	2.51
E 175956	17.6	41.5	51.4	220	6.2	19.6	7.7	172	13.16	1601.6	3.4	199.3	8.6	152	.8	17.1	.7	18	.13	.159	10	12.8	.11	94	.011	<1	.74	.303	.50	.4	.87	5.4	.4	1.23	4	9.5	3.65
E 175957	.1	1253.0	2699.0	212	33.0	.8	.6	175	.43	36.1	.4	934.9	.2	107	12.5	275.1	2.3	<1	.29	.001	2	<1	.04	814	<.001	1	.05	.001	.01	.1	6.34	.3	<.1	.08	<1	2.7	1.16
STANDARD DS5	13.6	137.2	24.3	130	.3	25.7	12.2	786	3.01	17.6	6.2	44.0	2.7	47	5.8	3.8	6.1	57	.75	.089	13	193.2	.68	136	.088	17	2.05	.035	.14	5.0	.19	3.4	1.2	<.05	7	5.1	-

GROUP 1DX - 30.0 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data ✓ FA ____ DATE RECEIVED: JUN 14 2004 DATE REPORT MAILED: June 21/04

Assay recommend for Au > 1000 ppb

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

ASSAY CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A403126R

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Au** gm/mt	Sample gm
C 144010	.31	58.4
C 144011	.01	58.4
C 144012	14.75	58.4
C 144015	8.32	58.4
C 144685	.45	58.4
RE C 144685	.41	58.4
C 144697	.75	58.4
RE C 144697	.68	58.4
C 144698	.02	58.4
RE C 144698	.08	29.2
C 144699	.70	58.4
RE C 144699	.76	29.2
C 144700	22.08	58.4
RE C 144700	10.13	58.4
C 144701	.21	58.4
RE C 144701	.08	58.4
STANDARD AU-1	3.32	58.4

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 2 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK PULP
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data We FA ___ **DATE RECEIVED:** AUG 2 2004 **DATE REPORT MAILED:** Aug 11/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A403466 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
SI	.2	.7	.2	<1	<.1	.1	<.1	3	.06	<.5	<.1	<.5	<.1	3	<.1	<.1	<.1	<1	.12	.001	<1	<1	<.01	3	<.001	1	.01	.507	<.01	<.1	.01	.1	<.1	<.05	<1	<.5
C144018	2.2	65.6	178.9	215	2.1	15.5	7.0	215	2.74	9.3	18.9	8.3	11.1	60	2.3	.9	.8	19	.25	.056	47	23.2	.56	1012	.004	1	1.35	.012	.28	.1	.02	2.9	.1	.11	5	.7
C144019	2.1	104.1	281.1	311	2.2	25.2	11.1	304	3.83	11.4	22.8	14.2	9.3	70	3.2	1.0	.7	42	.34	.070	50	29.3	.83	1212	.001	1	1.92	.010	.30	<.1	.03	4.1	.1	.06	7	.7
C144020	1.3	38.3	172.5	267	.8	12.0	10.8	381	2.00	6.7	11.2	1.8	12.7	26	2.2	.6	2.7	14	.23	.041	33	17.3	.61	1395	.001	1	1.27	.008	.25	<.1	.02	2.2	.1	<.05	4	<.5
C144021	1.6	48.4	291.6	298	1.1	20.8	14.7	354	2.90	10.3	20.5	2.0	10.3	57	2.8	1.0	1.4	27	.30	.059	40	28.1	.71	1230	.001	1	1.69	.011	.29	<.1	.02	3.7	.2	<.05	6	.6
C144022	.9	13.4	43.9	50	.2	2.7	1.4	88	.72	6.1	5.3	5.7	14.5	9	.4	.4	.2	3	.05	.011	36	4.6	.14	578	.002	1	.46	.024	.23	.1	.02	.9	.1	<.05	2	<.5
C144023	2.5	9.8	21.3	21	.2	1.1	.5	19	.64	14.7	3.6	14.2	12.1	3	.2	.6	.4	<1	.01	.005	17	6.5	.03	298	.001	1	.22	.012	.26	.1	.01	.6	.1	<.05	1	<.5
C144024	.7	9.8	16.6	183	.7	7.3	5.9	306	1.84	4.6	4.2	2.3	13.4	21	1.7	.4	.2	7	.24	.039	41	8.8	.60	627	.004	1	1.12	.020	.30	.1	.01	2.4	.1	<.05	5	<.5
C144025	1.7	22.3	75.6	32	.3	.8	.3	20	.83	2.0	1.1	1.9	9.4	18	.1	1.3	.3	1	.01	.011	22	4.0	.05	1145	.003	<1	.29	.026	.25	.1	.02	.7	.1	<.05	1	<.5
C144026	.5	4.8	24.3	16	.1	1.0	.6	34	.46	5.2	3.0	4.3	15.8	2	.1	.4	.2	<1	.01	.006	37	3.1	.05	176	.001	2	.35	.024	.23	.1	.02	.8	.1	<.05	1	<.5
C144027	1.2	2.1	8.8	13	<.1	.8	.2	18	.49	.8	2.4	1.3	19.0	2	<.1	.2	.2	1	.01	.004	25	5.9	.12	245	.002	2	.54	.013	.49	.1	<.01	1.0	.1	<.05	2	<.5
C144028	.5	6.0	3.1	70	.1	3.9	5.0	292	2.00	6.5	2.6	<.5	2.1	24	.3	.5	<.1	10	.40	.048	7	4.6	.29	349	.070	1	.96	.042	.18	.1	.01	3.2	<.1	<.05	3	<.5
C144029	.2	2.6	1.7	3	.1	.8	.2	9	.41	.7	.3	1.1	1.4	2	<.1	.4	<.1	1	.01	.001	4	8.7	.02	71	.001	1	.09	.003	.08	.3	.01	.2	<.1	<.05	<1	<.5
C144030	2.0	3.3	4.1	3	.2	1.1	.3	18	.53	1.4	1.1	.6	.6	4	<.1	.8	.1	1	.02	.001	2	16.6	.02	115	.001	1	.08	.003	.06	3.7	<.01	.3	<.1	<.05	<1	<.5
C144031	.2	2.4	6.7	4	.1	.8	.2	40	.44	.5	.1	2.6	.3	1	<.1	.4	.1	<1	<.01	.001	1	10.1	.03	29	<.001	1	.04	.001	.02	<.1	.01	.3	<.1	<.05	<1	<.5
C144032	1.7	2.6	1.2	4	.1	1.1	.5	54	.50	1.0	.1	<.5	.8	2	<.1	.3	<.1	1	.01	.001	2	17.9	.06	72	<.001	1	.10	.009	.05	<.1	.01	.2	<.1	<.05	<1	<.5
C144033	.5	12.8	8.5	19	.2	2.1	.9	44	.75	5.1	1.0	55.6	1.9	5	.1	.5	<.1	2	.03	.005	6	8.8	.07	57	.002	<1	.20	.003	.06	.9	.01	1.0	<.1	<.05	1	<.5
RE C144033	.5	12.9	8.8	22	.2	2.4	1.1	44	.80	5.2	1.0	47.1	1.8	5	.1	.6	<.1	2	.04	.005	6	10.5	.07	61	.002	2	.21	.003	.07	.9	.01	1.0	<.1	<.05	1	<.5
C144034	2.7	24.3	19.2	62	1.0	10.3	7.4	471	4.10	34.3	.5	5.1	3.9	30	.3	4.9	.1	35	1.34	.062	9	26.9	1.26	127	.002	2	1.25	.005	.33	.1	.27	3.6	.5	1.42	4	.7
C144035	4.7	59.0	2.8	332	.2	16.5	5.0	1662	5.20	338.8	5.6	.5	3.3	134	3.3	2.8	.7	24	14.75	.034	11	27.5	2.57	170	.001	1	.44	.007	.11	<.1	.19	2.5	.1	<.05	2	1.4
C144036	1.9	103.6	6.5	211	.3	28.2	9.0	704	3.38	125.5	2.8	<.5	5.6	20	1.9	1.0	.6	33	.41	.071	17	39.4	.37	319	.003	<1	1.20	.011	.18	<.1	.22	4.2	.4	<.05	4	.9
C144037	.4	2.3	17.5	16	.1	.5	.2	21	1.01	2.5	1.5	4.8	9.9	6	.2	.2	<.1	2	.07	.004	37	2.5	.08	141	<.001	2	.55	.005	.16	<.1	.09	1.6	<.1	<.05	2	1.3
C144038	1.0	3.6	2.1	18	.2	3.9	1.7	2223	2.47	11.1	.3	<.5	.8	595	.2	1.0	<.1	10	12.63	.008	5	8.7	.50	61	.002	1	.25	.004	.05	<.1	.04	2.5	.4	1.66	1	2.9
C144039	.3	4.0	235.9	97	.9	1.9	1.1	314	.73	2.0	.1	<.5	.7	15	1.9	.1	2.0	1	.29	.002	2	7.7	.09	69	<.001	1	.05	.004	.03	<.1	.09	.6	<.1	<.05	<1	1.2
C144040	1.7	6.1	103.4	14	2.0	2.5	2.0	202	.85	3.5	.1	<.5	.3	32	.2	.1	4.4	6	1.47	.008	1	15.5	.23	91	.001	2	.21	.011	.06	<.1	.01	.5	<.1	.10	1	.8
C144041	2.0	30.4	5.3	171	.5	27.9	12.1	560	3.76	15.6	.6	.6	4.8	6	.4	.2	.1	32	.22	.084	9	55.4	1.89	210	.007	2	2.04	.008	.26	<.1	.04	2.5	.1	.54	6	.9
C144064	2.2	2.0	57.4	5	1.4	1.3	.6	46	.57	1.1	<.1	2027.9	.1	1	<.1	.2	1.0	2	.02	.002	<1	14.9	.02	16	.001	1	.03	.002	.01	<.1	.01	.1	<.1	<.05	<1	<.5
C144065	.7	18.0	25.3	78	.2	11.3	8.8	518	2.08	9.2	1.2	78.5	6.4	16	.6	.5	.1	18	.24	.044	17	16.4	.42	313	.017	1	.95	.017	.29	.7	.01	2.4	.1	<.05	3	.6
C144066	.7	19.9	5.3	64	.2	16.4	9.2	638	2.79	3.1	1.0	9.6	10.2	17	.4	.2	.1	41	.30	.072	30	60.9	1.20	175	.005	<1	1.48	.031	.17	.1	.01	3.4	.1	<.05	8	<.5
C144067	12.1	7.4	45.8	21	1.8	1.9	.3	29	1.98	32.4	1.5	15.4	3.0	43	.1	2.0	.2	22	.09	.049	12	21.3	.30	164	.002	1	.43	.158	.10	.2	.05	2.4	.1	.35	2	3.8
C144068	13.2	15.6	43.0	33	2.3	5.9	.5	71	2.43	147.0	3.8	6.5	2.8	49	.2	4.3	.3	55	.14	.083	11	45.0	.77	349	.003	3	.79	.010	.29	.2	.04	1.9	.1	.10	4	2.9
C144069	11.7	9.2	1068.7	93	6.1	2.0	.2	27	1.08	41.2	1.3	5.1	1.2	14	1.2	3.1	5.0	17	.04	.030	2	18.8	.27	109	.001	1	.21	.004	.05	.3	1.47	.9	<.1	<.05	1	6.3
C144070	8.7	19.7	36.4	39	2.2	3.2	.5	34	3.39	132.5	3.0	40.3	4.6	68	.3	2.0	.2	31	.18	.105	12	18.0	.47	555	.002	1	.82	.022	.54	.2	.07	2.1	.1	.52	3	6.3
C144071	7.4	33.3	21.1	96	.8	6.5	.7	59	3.14	1329.5	5.8	2.5	3.2	29	.8	4.6	.1	47	.20	.138	9	21.9	.83	356	.002	2	1.09	.010	.29	.4	.05	2.3	.1	.09	3	2.3
C144072	2.6	31.2	145.6	85	10.8	2.2	1.2	62	1.34	9.6	2.5	2814.4	5.2	68	.8	.8	.1	4	.02	.021	12	13.8	.08	1997	.002	<1	.33	.026	.22	.1	.03	.8	<.1	<.05	1	.5
STANDARD DS5	12.7	144.5	24.0	140	.3	24.7	12.3	786	3.02	18.7	6.3	42.2	2.8	47	5.4	3.9	6.0	63	.76	.096	13	190.1	.67	136	.105	17	2.04	.036	.16	4.9	.17	3.5	1.1	<.05	7	5.1

GROUP 1DX - 30.0 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ___ DATE RECEIVED: JUL 12 2004 DATE REPORT MAILED: July 29/04

Assay recommend for Au > 1000 PPB

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

BRITISH COLUMBIA CERTIFIED ASSAYER Clarence Leong

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C144073	1.7	4.4	30.8	42	1.2	1.3	.4	27	.80	4.1	2.1	74.6	12.5	34	.5	.9	.1	1	.01	.006	25	3.8	.10	2391	.001	2	.35	.046	.16	.1	.01	.8	<.1	.07	1	<.5
C144075	1.9	45.5	117.8	95	10.7	1.6	1.5	56	1.71	5.3	2.4	3652.5	6.3	29	1.1	1.0	.4	2	.03	.023	14	10.5	.08	894	.002	1	.37	.032	.22	.1	.03	1.0	<.1	.06	2	.6
C144076	.8	516.3	26.0	133	3.3	12.0	46.8	1109	9.94	196.4	.2	94.0	.4	15	2.1	2.5	4.4	109	.51	.030	1	7.0	2.48	11	.004	1	2.35	.007	.04	<.1	.01	8.4	<.1	7.42	7	3.9
C144077	2.1	14.2	90.2	152	.3	1.5	1.7	973	2.16	52.1	.6	19.7	1.7	19	2.0	.7	.3	5	.59	.028	2	6.3	1.31	76	.001	<1	.91	.027	.09	<.1	<.01	1.2	<.1	1.32	2	1.0
C144705	.3	4.1	7.9	9	.1	1.4	.4	36	.51	1.4	.1	3.3	.7	2	<.1	.2	.1	1	.02	.003	3	10.5	.05	50	.001	1	.09	.007	.04	.1	<.01	.3	<.1	<.05	<1	<.5
C144706	2.0	2.8	11.0	17	.1	1.5	.5	66	.63	1.4	.2	8.6	2.2	3	.1	.3	.1	1	.03	.003	7	17.5	.10	103	.001	<1	.18	.008	.09	.1	.01	.7	<.1	<.05	1	<.5
C144707	.3	33.6	50.2	125	.6	10.3	7.0	417	2.29	4.1	1.1	113.5	8.4	22	1.0	.8	.4	16	.35	.071	25	22.4	.67	243	.006	<1	1.21	.015	.28	.2	.02	2.9	.2	<.05	5	<.5
C144708	1.2	29.2	31.4	88	.3	13.6	8.0	493	2.53	2.9	1.4	15.1	9.7	19	.9	1.4	.2	21	.35	.065	32	34.6	.83	201	.012	1	1.31	.017	.30	.3	.01	3.0	.2	<.05	5	<.5
C144709	.2	13.3	15.0	59	.2	10.8	7.2	304	2.05	3.8	1.0	5.9	8.0	30	.3	1.0	.1	21	.49	.061	19	25.7	.90	351	.077	2	1.07	.023	.37	.4	.01	4.8	.3	<.05	4	<.5
C144710	1.1	15.9	20.0	60	.4	10.4	7.8	313	1.87	3.9	1.0	3.8	6.0	39	.3	.6	.2	17	.56	.062	15	26.8	.64	360	.096	2	.94	.043	.29	.3	.01	4.1	.2	<.05	3	<.5
C144711	.3	13.6	16.2	57	.2	9.8	6.7	305	1.82	4.5	1.1	1.7	5.7	39	.3	.6	.1	16	.55	.050	13	27.6	.69	189	.082	1	1.01	.046	.21	.2	<.01	3.4	.2	<.05	4	<.5
C144712	1.1	13.9	15.1	65	.2	8.8	6.1	303	1.75	3.9	.9	3.0	5.5	24	.2	.6	.2	15	.47	.051	12	24.0	.67	171	.059	<1	.96	.033	.24	.2	.01	3.0	.1	<.05	3	<.5
C144713	.2	12.6	15.4	79	.2	11.8	7.4	371	2.02	4.5	1.4	4.9	6.6	56	.4	1.7	.1	21	.87	.062	16	33.5	.95	137	.095	<1	1.31	.024	.32	.8	.01	4.5	.2	<.05	5	<.5
C144714	1.5	17.4	19.4	52	1.9	6.9	5.4	278	1.72	29.0	1.3	126.5	9.9	26	.5	1.8	.2	14	.36	.049	18	20.0	.65	268	.063	<1	.87	.021	.41	.7	.01	3.4	.2	<.05	3	<.5
C144715	1.2	25.2	28.7	34	17.3	8.2	3.3	105	2.89	38.2	1.0	48763.6	.9	5	1.0	3.1	.5	3	.07	.013	2	12.0	.12	42	.008	<1	.15	.009	.06	.2	.04	.8	.1	<.05	1	1.5
C144716	1.4	12.7	20.7	53	.5	9.5	6.1	297	1.93	11.5	1.2	42.4	9.0	21	.2	1.0	.3	19	.33	.053	19	26.9	.74	255	.078	1	.94	.037	.46	.5	.01	4.5	.2	<.05	4	<.5
C144717	1.0	18.8	17.5	44	.4	13.9	5.7	344	1.79	41.7	1.1	92.7	9.9	12	.3	1.2	.4	11	.24	.059	26	16.7	.60	258	.025	<1	.89	.018	.35	.4	.01	2.9	.1	<.05	3	<.5
C144718	1.2	16.5	32.2	64	.6	9.3	5.8	436	2.19	348.4	1.3	133.0	9.5	16	.6	1.3	.3	18	.28	.062	19	25.8	.76	209	.030	1	.96	.027	.37	.4	.01	3.9	.2	<.05	4	<.5
C144719	.4	9.8	17.9	53	.5	9.8	4.9	318	1.71	112.8	.9	84.2	9.3	23	.4	1.2	.2	9	.28	.048	17	13.0	.61	176	.021	1	.78	.026	.29	.4	.01	2.0	.1	<.05	3	.5
C144720	1.1	22.2	18.7	57	1.1	13.1	6.2	362	1.85	32.5	1.0	62.0	11.3	18	.7	2.1	.2	12	.24	.052	17	19.7	.70	234	.034	<1	.88	.017	.40	.2	<.01	2.5	.1	.07	3	.6
RE C144720	1.3	21.3	17.5	51	1.0	11.5	5.8	356	1.83	31.0	.9	63.8	10.8	17	.5	2.0	.2	13	.24	.050	16	17.9	.69	217	.032	1	.87	.016	.34	.2	.01	2.4	.1	<.05	3	.6
C144721	.3	58.9	63.8	183	14.5	8.2	5.2	320	1.75	21.9	.5	2213.6	6.7	13	1.5	12.6	.3	8	.15	.038	13	11.7	.68	189	.019	<1	.76	.015	.35	.2	.02	2.1	.1	<.05	3	.5
C144722	1.8	6.9	35.3	21	3.2	2.6	1.3	98	.70	23.5	.2	13633.9	.9	3	.3	2.3	.8	2	.03	.006	2	13.1	.12	38	.005	<1	.13	.006	.05	.1	.02	.7	<.1	<.05	1	<.5
C144723	.3	4.7	6.7	13	.3	2.9	1.2	191	.88	6.8	.2	21.7	.8	4	.2	.5	<.1	2	.03	.005	2	10.8	.18	41	.004	<1	.20	.007	.05	.1	<.01	1.0	<.1	.08	1	<.5
C144751	.8	23.2	79.2	69	1.3	2.0	1.8	68	1.16	4.7	2.4	496.3	8.9	44	.9	.9	.1	2	.03	.032	10	7.4	.10	341	.002	<1	.29	.024	.22	1.1	.47	.6	<.1	.08	1	.5
C144955	2.1	1.2	.5	1	<.1	.9	.2	16	.51	.7	<.1	28.1	.1	<1	<.1	.1	<.1	<1	<.01	.001	<1	13.1	.01	7	.001	<1	.02	.001	<.01	<.1	.01	.1	<.1	<.05	<1	<.5
C144956	1.6	21.5	27.8	36	.1	2.1	2.9	186	1.24	4.2	4.5	<.5	25.0	17	.3	.8	.2	12	.15	.008	31	8.2	.03	52	.013	1	.41	.026	.18	.2	.01	1.1	.1	<.05	4	<.5
C144957	3.7	4.9	12.3	19	.2	.9	.3	26	1.36	17.1	3.3	6.1	19.8	7	<.1	.3	.2	2	.02	.008	2	6.0	.02	413	.001	1	.35	.007	.27	.3	.01	.5	.1	<.05	2	<.5
C144958	1.4	5.2	40.6	2	4.9	.7	.1	12	1.72	4.9	.3	3.8	6.1	7	<.1	3.4	.3	2	<.01	.025	10	7.0	.01	345	.002	1	.11	.023	.37	<.1	.61	.4	.1	.47	1	<.5
C144959	.8	1.4	26.2	79	.1	.8	.9	116	1.25	2.2	3.3	1.8	20.8	4	.3	.1	.3	3	.03	.016	72	6.1	.06	137	.002	1	.43	.042	.19	.1	.01	1.1	.1	<.05	4	.5
C145146	.4	23.0	16.2	92	.2	23.3	11.0	453	3.26	13.8	.3	1.4	4.6	12	.1	.1	<.1	57	.27	.084	15	30.6	1.62	209	.054	<1	1.69	.024	.17	.1	.01	3.7	<.1	<.05	7	.5
C145147	2.1	44.6	28.4	91	.3	26.1	15.2	398	4.14	63.1	.4	2.4	5.2	14	.5	.2	<.1	49	.27	.092	11	31.0	1.44	215	.018	1	1.52	.018	.15	<.1	.01	3.5	<.1	<.05	6	1.3
C145148	.8	12.7	16.3	30	.2	12.2	6.3	518	1.30	8.4	.1	3.0	1.4	4	.2	.1	.4	12	.07	.026	13	10.4	.47	156	.004	<1	.52	.008	.09	<.1	.01	1.3	<.1	<.05	2	<.5
C145149	1.7	7.7	7.4	9	.1	2.3	1.8	147	.84	1.2	<.1	<.5	.2	1	<.1	.1	.1	7	.07	.029	3	14.4	.16	45	.002	<1	.24	.003	.03	<.1	<.01	1.0	<.1	<.05	1	<.5
STANDARD DS5	12.7	145.6	23.9	138	.3	24.7	12.1	785	3.06	17.8	6.1	43.0	2.7	47	5.5	3.9	6.2	62	.76	.099	13	190.4	.71	135	.107	15	1.98	.035	.16	4.8	.17	3.5	1.1	<.05	7	5.1

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data f FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C156327	.7	3.2	14.0	6	.1	1.2	.6	20	1.18	7.9	2.9	<.5	14.5	38	<.1	.9	<.1	7	.02	.047	24	5.9	.02	378	.148	1	.18	.040	.22	.1	.02	2.2	.1	.31	2	<.5
STANDARD DS5	13.1	147.5	25.5	140	.3	25.7	12.3	4	3.07	18.0	6.2	44.0	2.7	46	5.8	3.9	6.1	66	.76	.098	13	192.2	.70	134	.107	17	2.08	.034	.13	5.0	.18	3.5	1.1	<.05	7	5.1

Sample type: ROCK R150 60C.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data f FA

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A403844 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample kg
SI	<.1	1.3	.5	1	<.1	.2	.1	2	.06	<.5	<.1	.6	<.1	2	<.1	<.1	<.1	<1	.09	<.001	<1	<1	<.01	2	<.001	<1	.01	.401	<.01	<.1	<.01	.1	<.1	<.05	<1	<.5	-
144601	.5	25.0	14.5	65	.1	22.8	7.6	641	2.29	37.4	.8	<.5	8.2	13	.4	.3	.1	29	.24	.060	29	17.8	.56	340	.002	1	1.22	.026	.17	.1	.01	4.3	.1	.06	5	<.5	1.67
144602	1.1	26.1	29.4	61	.2	21.2	7.2	572	2.10	37.0	.8	2.1	8.3	14	.3	.3	.2	27	.22	.055	27	15.9	.49	422	.002	1	1.11	.028	.26	.1	.01	5.7	.1	<.05	4	<.5	1.43
144603	.4	28.3	16.2	67	.2	23.1	7.6	396	2.21	24.5	.9	1.3	8.5	11	.4	.3	.2	24	.22	.056	27	15.1	.58	360	.002	1	1.19	.019	.22	.1	.01	4.7	.1	<.05	5	<.5	1.29
144604	1.1	29.7	13.2	59	.2	20.8	7.0	357	2.18	42.4	.9	1.4	8.0	11	.3	.4	.1	28	.21	.055	25	18.2	.42	340	.002	1	1.05	.026	.21	<.1	.01	4.4	.1	<.05	5	<.5	1.32
144605	1.6	29.1	15.0	62	.3	20.8	7.1	416	2.01	12.9	1.0	.5	8.6	18	.6	.3	.2	23	.27	.057	27	12.5	.62	405	.002	1	1.14	.017	.25	.1	.03	4.6	.1	.10	4	.7	1.24
144606	1.1	29.5	12.7	67	.3	23.2	8.4	457	2.05	26.6	.9	1.9	8.1	26	.5	.3	.1	25	.38	.053	25	16.6	.49	386	.002	1	1.10	.027	.21	.1	.02	4.9	.1	<.05	4	.5	1.74
144607	.5	29.0	13.5	75	.3	23.4	8.5	560	2.18	38.9	.9	1.8	9.0	17	.4	.4	.1	31	.22	.058	26	20.0	.42	473	.003	1	1.09	.032	.18	<.1	.01	5.5	.1	<.05	5	<.5	1.64
144608	1.0	23.7	14.1	69	.3	20.6	7.0	438	2.35	26.2	.8	.6	8.1	15	.3	.3	.1	50	.20	.057	27	33.0	.54	257	.004	<1	1.18	.054	.10	<.1	.01	5.6	<.1	<.05	6	<.5	1.58
144609	.3	28.0	12.7	67	.3	19.2	7.2	338	2.39	21.0	.9	.9	7.7	14	.2	.3	.1	34	.20	.058	26	23.7	.56	329	.003	1	1.17	.046	.11	<.1	.02	5.1	.1	<.05	4	<.5	1.78
144610	.9	26.5	14.7	64	.2	19.5	6.9	415	2.34	32.0	.7	1.7	7.5	12	.2	.3	.2	35	.21	.053	25	21.7	.49	290	.003	1	1.19	.042	.15	.1	.01	5.0	.1	<.05	5	<.5	1.85
144611	.3	13.8	6.6	32	.1	10.3	4.1	249	1.33	15.6	.4	.7	3.3	8	.1	.1	.1	16	.12	.028	11	12.8	.31	177	.003	1	.59	.024	.09	.1	<.01	2.6	<.1	<.05	2	<.5	1.68
144612	.8	23.0	11.8	64	.2	23.7	9.8	340	2.23	54.3	.7	2.7	6.1	18	.3	.3	.1	34	.24	.052	22	47.6	.82	220	.002	1	1.35	.024	.16	.1	.01	4.0	.1	<.05	5	<.5	1.72
144613	.3	22.4	10.8	80	.2	37.5	14.8	397	2.91	70.1	.8	2.9	5.8	21	.4	.2	.1	54	.33	.065	22	104.3	1.42	185	.001	1	1.81	.015	.13	.1	.01	6.5	<.1	<.05	6	<.5	3.08
144614	.3	19.5	8.9	60	.4	91.7	24.3	591	3.12	83.0	.6	2.5	3.9	29	.5	.3	.1	66	.38	.048	15	290.7	2.04	142	.002	1	2.18	.007	.11	.1	.01	9.0	.1	<.05	6	<.5	3.06
144615	1.3	28.1	17.6	50	.7	29.0	9.7	263	2.51	134.4	.9	13.2	6.0	28	.6	.6	.3	31	.25	.054	21	58.7	.76	254	.002	1	1.20	.017	.23	.1	.01	3.5	.1	.12	4	1.2	3.28
144616	.9	24.9	14.7	65	.5	19.8	7.9	275	2.54	49.9	1.0	2.1	8.3	25	.3	.3	.2	28	.21	.054	27	19.1	1.01	302	.002	2	1.37	.030	.21	.1	.01	3.3	.1	<.05	5	.5	2.51
RE 144616	.9	26.8	14.1	69	.5	19.4	7.2	281	2.60	50.3	.9	1.5	7.3	22	.3	.2	.1	25	.22	.056	27	19.6	1.03	289	.002	1	1.37	.029	.18	.1	<.01	3.4	.1	<.05	5	<.5	-
144617	.4	29.5	17.8	82	.4	25.4	11.5	331	3.21	74.3	.9	1.4	7.4	28	.3	.2	.2	35	.28	.057	25	29.7	1.45	235	.002	2	1.71	.018	.15	.1	.01	4.2	.1	<.05	6	.5	3.52
144618	.3	25.7	14.8	69	.3	19.9	8.1	279	2.34	62.8	1.0	1.7	8.3	22	.2	.2	.2	22	.23	.061	27	16.6	.88	303	.002	2	1.25	.025	.20	<.1	<.01	3.2	.1	<.05	4	<.5	2.36
144619	1.2	28.0	11.7	65	.3	20.4	7.2	248	2.53	76.0	.8	1.6	6.7	14	.3	.6	.1	23	.21	.059	22	17.4	.95	299	.002	2	1.32	.022	.21	.1	<.01	3.1	.1	<.05	4	.5	2.27
144620	.5	23.4	13.2	62	.3	18.0	7.1	342	2.18	84.1	.8	2.0	6.7	19	.4	.6	.2	23	.20	.045	23	14.3	.73	264	.002	2	1.06	.023	.15	.1	<.01	3.4	.1	<.05	4	<.5	2.88
144621	1.0	37.6	18.4	78	.4	24.5	8.4	233	2.49	63.3	1.1	2.7	8.4	30	.3	.5	.2	20	.24	.053	27	17.2	.87	319	.002	1	1.36	.025	.22	.1	<.01	3.6	.1	<.05	5	<.5	2.20
144622	.3	29.2	12.3	58	.3	21.3	7.1	252	2.08	41.6	.8	1.3	7.6	22	.3	.3	.1	18	.21	.057	25	14.3	.72	306	.002	1	1.23	.028	.20	.1	<.01	2.9	.1	<.05	4	<.5	2.32
144623	1.0	18.4	10.1	73	.2	13.8	7.4	321	2.67	34.3	.8	1.2	5.3	23	.3	.2	.1	39	.29	.068	22	41.8	1.21	329	.002	1	1.51	.020	.24	.1	<.01	6.9	.1	<.05	4	<.5	2.19
144624	.3	15.4	7.9	83	.2	12.7	8.1	393	2.98	45.2	.8	3.9	4.8	23	.4	.3	.1	48	.39	.085	20	51.5	1.24	268	.003	2	1.66	.017	.20	.1	<.01	9.2	.1	<.05	5	<.5	2.11
144625	1.0	16.6	8.4	84	.2	15.8	9.8	476	3.73	42.1	.8	.9	4.3	21	.4	.4	.1	59	.36	.083	20	66.2	1.61	278	.002	2	2.07	.012	.16	.1	.01	8.6	<.1	<.05	7	<.5	2.07
144626	.4	17.0	16.9	82	.3	14.7	8.7	397	3.28	39.6	.6	1.7	3.6	18	.4	.2	.2	47	.33	.073	15	55.3	1.80	252	.003	2	2.00	.009	.17	.1	<.01	7.6	<.1	<.05	5	<.5	2.04
144627	.9	17.5	5.7	82	.2	16.1	8.3	287	2.44	27.6	.8	1.1	5.7	20	.3	.2	<.1	45	.29	.087	22	46.7	1.09	317	.003	2	1.38	.022	.29	.1	<.01	6.6	.1	<.05	5	<.5	1.74
144628	.3	14.7	8.4	85	.2	14.2	8.7	326	2.35	42.0	.7	.5	5.4	18	.2	.3	.1	36	.31	.085	19	37.3	.97	294	.003	1	1.31	.018	.28	.1	<.01	5.8	.1	.09	4	<.5	1.77
144629	1.0	16.8	7.5	89	.2	15.9	8.0	435	2.73	78.8	.8	.7	5.3	17	.4	.5	.1	37	.30	.086	20	41.0	.86	310	.003	1	1.35	.020	.26	.1	<.01	7.4	.1	<.05	4	<.5	1.99
144630	.4	18.9	11.7	81	.2	14.5	7.1	380	2.52	59.3	.7	.6	5.1	14	.2	.3	.1	31	.24	.082	19	29.3	1.05	268	.003	1	1.34	.016	.25	.1	<.01	5.6	.1	<.05	4	<.5	2.09
144631	1.2	22.1	12.6	91	.2	18.1	7.8	500	2.97	125.0	.6	<.5	5.1	17	.4	.3	.1	45	.28	.079	20	44.4	1.41	299	.003	1	1.68	.021	.23	.1	.01	4.8	.1	<.05	6	<.5	1.87
144632	.4	18.6	7.7	87	.1	16.2	7.4	421	2.76	95.8	.7	2.8	5.6	18	.4	.3	<.1	37	.28	.075	20	34.4	1.28	284	.004	1	1.53	.019	.24	.1	<.01	5.6	.1	<.05	5	<.5	1.93
144724	1.7	18.9	6.9	57	.2	10.4	6.5	324	1.83	7.6	1.1	23.5	8.1	24	.3	.6	.1	13	.34	.047	20	19.2	.83	270	.077	2	1.03	.023	.56	.6	.01	3.2	.2	<.05	4	<.5	1.28
STANDARD DS5	12.6	139.9	25.4	140	.3	24.5	13.0	739	3.03	18.2	5.8	41.0	2.9	45	5.6	3.7	5.9	58	.73	.089	12	178.9	.68	132	.097	16	1.98	.034	.15	4.8	.17	3.4	1.0	.07	6	4.9	-

GROUP 1DX - 15.0 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ___ DATE RECEIVED: JUL 22 2004 DATE REPORT MAILED: Aug 10/04

Assay recommend for Au > 1000 ppb

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

BRITISH COLUMBIA CERTIFIED ASSAYER Clarence Leong

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403844

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample kg
144725	2.0	5.7	2.7	31	.1	4.0	1.3	203	.80	12.3	.3	2.9	1.4	9	.3	.2	.1	1	.10	.013	4	9.1	.22	38	.014	1	.23	.018	.04	.3	<.01	.9	<.1	<.05	1	<.5	1.28
144726	1.0	18.5	5.7	39	.5	12.6	6.4	454	1.66	5.8	.8	476.0	8.5	18	.4	.2	.1	8	.22	.047	17	13.2	.65	250	.013	1	.90	.020	.32	1.0	.01	2.0	.1	.11	4	<.5	1.37
144727	1.1	15.4	6.5	30	.5	11.0	6.0	431	1.58	6.0	.7	676.7	7.4	20	.3	.2	.3	8	.27	.047	16	11.9	.54	260	.017	1	.76	.026	.31	.3	.01	1.8	.1	.09	3	.5	1.58
144728	.7	19.1	8.5	50	.3	12.3	6.9	465	1.94	6.0	1.0	53.4	8.7	27	.3	.2	.3	14	.41	.046	19	17.5	.68	282	.030	<1	.97	.024	.34	1.0	.01	2.2	.1	<.05	4	.5	1.44
144729	1.4	12.8	6.2	24	.4	11.7	5.6	418	1.43	6.4	.8	410.7	6.8	14	.3	.1	.2	8	.15	.040	16	11.6	.50	285	.010	1	.68	.017	.35	.2	.01	1.6	.1	.11	2	.6	1.35
144730	.6	12.6	6.7	49	.2	11.6	6.3	396	1.76	4.1	.8	33.9	7.6	23	.2	.2	.2	12	.31	.044	17	14.9	.78	283	.072	1	.98	.018	.54	1.2	<.01	2.8	.2	<.05	4	<.5	1.27
144731	1.2	14.2	11.4	39	.1	10.0	6.7	571	2.06	3.4	.5	5.0	7.4	15	.1	.1	<.1	12	.23	.041	19	13.3	.79	273	.006	1	1.15	.016	.34	<.1	.01	2.4	.1	<.05	3	<.5	1.53
144732	.8	17.9	15.2	51	.2	13.1	7.6	515	2.15	7.2	.6	2.0	9.1	17	.2	.2	.2	14	.20	.058	25	17.1	.78	274	.004	1	1.15	.017	.31	.8	.01	2.5	.1	<.05	5	<.5	1.42
144733	1.1	10.9	6.8	44	.1	10.4	6.1	410	1.95	5.7	.7	7.8	7.2	16	.1	.1	<.1	12	.16	.047	16	15.3	.76	743	.019	<1	1.01	.023	.32	.1	<.01	2.4	.1	<.05	4	<.5	1.60
144734	.7	16.4	14.3	60	.2	12.9	7.9	558	2.47	3.5	.5	2.5	8.0	12	.2	.2	<.1	20	.16	.047	22	22.4	1.04	191	.005	1	1.29	.017	.23	.6	.01	2.4	.1	<.05	6	<.5	1.48
144735	1.2	16.9	20.5	59	.2	11.3	7.2	505	2.35	5.7	.6	2.7	9.5	14	.2	.2	.1	17	.18	.055	26	20.0	.95	287	.005	1	1.29	.020	.29	.1	.01	2.9	.1	<.05	6	<.5	1.26
144736	.6	15.0	7.7	46	.2	10.4	6.5	448	1.96	3.9	.5	89.0	7.2	15	.2	.2	<.1	12	.15	.043	19	16.4	.78	286	.010	1	1.05	.018	.28	.8	.01	2.3	.1	<.05	4	<.5	1.74
144737	1.3	19.1	4.5	31	.4	9.1	6.2	367	1.53	3.7	.7	378.7	6.9	13	.2	.3	.1	6	.13	.037	17	8.9	.47	296	.004	<1	.80	.013	.33	.1	.01	1.9	.1	<.05	3	<.5	1.65
144738	.4	19.6	6.3	55	.2	10.6	6.4	466	1.86	2.3	.7	34.0	7.7	21	.2	.3	.1	12	.19	.049	21	14.8	.85	300	.017	1	1.13	.016	.41	.7	<.01	2.7	.1	<.05	4	<.5	1.70
144739	1.3	20.1	11.8	56	.3	10.1	6.6	489	1.90	6.0	.6	459.5	6.8	19	.3	.2	.2	12	.18	.048	19	15.1	.75	260	.011	1	1.04	.016	.34	.1	.01	2.6	.1	<.05	4	<.5	1.77
144740	1.0	11.0	7.9	47	.1	10.7	7.2	449	1.89	4.0	.9	72.8	8.7	25	.2	.2	<.1	11	.28	.046	22	15.8	.81	290	.017	1	1.07	.019	.36	.8	.01	2.7	.1	<.05	4	<.5	1.58
144741	1.3	14.0	15.1	50	.1	9.2	6.1	590	1.88	2.6	.8	4.8	7.9	42	.2	.2	.1	14	.61	.046	19	14.3	.86	275	.019	<1	1.05	.016	.35	.1	.01	2.6	.1	<.05	4	<.5	1.70
144742	.7	14.3	12.3	46	.2	11.3	6.9	561	2.01	3.5	.7	6.6	9.0	19	.2	.2	.1	16	.21	.053	26	17.8	.90	252	.009	1	1.17	.019	.33	.7	<.01	2.9	.1	<.05	6	.5	1.78
144743	1.1	13.8	11.7	56	.2	10.2	6.8	434	1.95	5.9	.5	20.0	7.8	15	.3	.2	.1	13	.18	.046	22	15.8	.78	235	.012	<1	1.05	.021	.31	.1	<.01	2.5	.1	<.05	5	<.5	1.53
RE 144743	1.2	13.5	11.8	56	.2	9.8	6.9	433	1.94	6.3	.4	7.9	7.9	15	.2	.2	.1	14	.18	.046	23	16.7	.77	241	.013	1	1.03	.021	.32	.1	<.01	2.8	.1	<.05	5	<.5	-
144744	.5	14.9	18.0	43	.2	10.4	6.3	498	1.95	8.2	.4	4.0	7.0	16	.3	.3	<.1	14	.17	.043	22	17.7	.84	214	.009	1	1.05	.018	.29	.7	.01	3.0	.1	<.05	4	<.5	1.62
144745	.9	15.8	12.3	53	.2	10.7	7.5	490	2.16	5.2	.5	2.2	8.7	16	.3	.2	<.1	13	.18	.052	27	18.7	.92	231	.005	<1	1.19	.020	.30	.1	.01	2.7	.1	<.05	6	<.5	1.81
144746	.7	17.2	36.9	70	.2	11.2	8.6	539	2.25	4.0	.8	5.8	9.1	21	.3	.2	.2	16	.19	.052	26	19.1	.96	241	.007	1	1.24	.017	.33	.6	<.01	2.5	.1	<.05	6	<.5	1.93
144747	1.6	6.3	2.3	5	.7	1.8	1.1	115	.60	2.5	.1	4526.3	.8	2	<.1	.1	<.1	<1	.01	.003	3	6.7	.08	46	.004	<1	.11	.004	.04	.1	.01	.4	<.1	<.05	<1	<.5	1.72
144748	.5	19.6	13.5	63	.2	12.4	7.5	519	2.13	1.1	.8	39.7	9.4	22	.3	.3	.1	18	.29	.055	23	20.1	1.00	257	.058	<1	1.23	.018	.51	.9	<.01	3.7	.2	<.05	5	<.5	1.58
144749	1.5	19.5	8.8	53	.2	10.7	7.3	436	2.09	3.9	1.0	58.7	8.2	28	.2	.4	.1	13	.33	.050	20	17.6	.85	260	.052	1	1.15	.020	.38	.3	<.01	2.9	.2	<.05	4	<.5	1.39
144750	.6	15.2	6.7	41	.2	9.3	5.6	476	1.81	3.3	.8	133.7	8.1	26	.2	.5	<.1	9	.25	.041	24	14.0	.75	264	.024	1	1.02	.013	.38	1.0	<.01	2.7	.1	<.05	3	<.5	1.95
144752	1.0	21.5	33.2	78	.4	11.4	8.4	633	2.32	8.5	1.0	63.0	10.3	37	.7	.6	.1	13	.34	.055	26	16.0	.92	267	.020	2	1.24	.018	.44	.3	.01	3.2	.2	<.05	5	<.5	2.10
144753	.6	18.3	6.8	44	.4	11.8	8.8	495	2.08	6.4	1.1	388.0	10.0	30	.3	.6	<.1	6	.27	.061	28	10.8	.68	266	.007	1	1.01	.013	.40	.9	<.01	2.2	.1	<.05	4	<.5	2.24
144754	1.2	13.3	7.8	40	.7	9.7	7.5	529	2.00	6.5	.9	1387.2	9.8	19	.3	.3	<.1	7	.20	.044	30	10.6	.64	270	.006	1	1.00	.013	.41	.1	.01	2.6	.1	<.05	4	<.5	1.88
144755	.4	9.6	6.1	25	.5	5.3	3.9	228	1.09	3.3	.4	932.6	5.4	15	.2	.4	<.1	3	.13	.022	17	8.7	.35	180	.011	1	.54	.010	.25	1.7	.01	1.4	.1	<.05	2	<.5	2.10
144756	1.2	6.4	7.2	23	.6	7.8	5.9	347	1.60	3.9	.6	713.4	7.4	17	.2	.3	<.1	4	.16	.034	23	9.1	.45	257	.008	1	.72	.012	.33	.2	.01	1.7	.1	<.05	2	.5	2.53
144757	.5	14.8	7.8	37	.5	8.6	6.3	381	1.62	4.4	.7	595.6	7.2	21	.3	.5	.1	9	.19	.043	19	12.9	.62	228	.015	1	.88	.014	.44	1.1	.01	2.6	.1	<.05	3	<.5	1.92
144758	1.0	12.8	13.0	41	.6	7.4	6.8	368	1.77	12.8	1.0	432.2	9.8	21	.2	.6	.1	10	.27	.048	19	12.6	.75	231	.028	1	1.05	.017	.52	.4	<.01	2.8	.2	<.05	3	<.5	1.80
STANDARD DS5	12.4	145.0	25.6	131	.3	23.1	11.9	787	2.99	17.8	6.1	41.2	2.7	47	5.5	3.9	5.9	62	.75	.093	12	191.0	.68	134	.101	17	2.01	.034	.13	5.0	.18	3.4	1.0	<.05	7	5.0	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample kg
144759	1.7	20.4	8.9	53	1.1	16.9	10.2	1758	2.68	7.5	1.1	1688.1	12.3	30	1.1	.7	.1	11	.26	.041	35	12.7	.95	441	.003	1	1.23	.010	.36	.5	.01	3.3	.2	<.05	5	.5	1.95
144760	1.3	5.3	3.5	6	1.1	3.7	1.8	165	.63	1.5	.1	3730.0	1.4	5	.1	.2	.1	3	.04	.008	4	7.3	.11	67	.002	<1	.18	.007	.07	1.7	.01	.7	<.1	<.05	1	<.5	2.54
144761	1.2	14.7	7.9	41	1.0	9.6	6.7	292	1.85	9.1	.7	2550.9	8.3	15	.3	.7	.1	10	.26	.053	19	14.8	.61	266	.030	2	.82	.021	.41	1.1	.01	2.5	.1	<.05	3	.5	2.47
144762	1.7	13.8	8.3	51	1.0	11.4	7.5	248	2.04	6.8	1.2	3000.7	7.5	21	.2	.7	.1	16	.40	.053	16	24.9	.74	220	.063	1	.99	.024	.49	1.4	.02	3.3	.2	<.05	4	.5	2.60
144763	1.1	9.3	22.4	51	.2	8.3	5.0	256	1.61	3.8	.8	39.7	6.8	15	.3	.4	.3	10	.36	.049	13	19.6	.70	141	.051	1	.84	.030	.30	.8	.01	2.6	.1	<.05	3	<.5	2.78
144764	.9	11.8	16.1	58	.1	9.2	5.7	269	1.75	3.4	.9	7.8	6.9	23	.2	.6	.2	14	.45	.046	13	23.0	.80	136	.070	<1	.92	.025	.37	1.1	.01	2.8	.2	<.05	3	<.5	2.53
144765	1.1	16.4	11.6	63	.2	10.0	7.1	285	1.85	4.7	1.0	148.2	8.2	22	.3	.5	.1	19	.42	.057	15	26.5	.84	182	.069	1	1.01	.025	.42	1.2	.01	3.0	.2	<.05	4	.5	2.35
144766	2.0	16.0	12.9	57	.2	9.1	6.3	270	1.69	3.5	1.1	47.6	9.0	26	.3	.7	.1	13	.43	.045	18	20.2	.79	194	.055	1	.90	.028	.43	.9	.01	2.7	.2	<.05	4	.8	2.14
144767	1.6	15.2	5.6	35	1.2	13.3	7.7	353	1.93	9.5	1.3	3371.2	8.4	15	.1	.5	.1	10	.29	.046	25	15.2	.59	291	.013	1	.88	.017	.31	.7	.01	2.8	.1	<.05	3	<.5	2.37
144768	1.0	14.5	6.6	46	.3	11.8	6.6	369	1.92	7.9	.6	116.2	7.7	14	.1	.5	.1	13	.25	.056	22	19.6	.74	193	.013	<1	.96	.024	.20	.7	.01	2.9	.1	<.05	3	<.5	1.83
144769	.8	10.9	12.6	47	.2	9.9	6.1	426	1.92	6.0	.9	17.1	10.2	18	.3	.3	.1	10	.44	.044	26	13.9	.69	207	.004	1	1.10	.015	.30	.4	.01	2.6	.1	<.05	4	<.5	1.86
144770	1.4	12.5	13.7	42	.3	9.8	5.8	371	1.68	6.1	1.0	162.0	8.8	34	.3	.5	.1	11	.69	.042	21	16.9	.64	211	.007	1	.93	.016	.26	.6	.01	2.6	.1	<.05	3	<.5	1.93
144771	1.5	2.8	1.5	4	.1	2.7	.4	54	.38	.8	<.1	353.0	.1	1	<.1	.1	<.1	1	.01	.001	<1	7.3	.02	11	<.001	<1	.03	.002	.01	2.0	.02	.2	<.1	<.05	<1	<.5	1.49
144772	1.3	13.0	15.8	50	.2	11.9	6.4	375	2.02	7.0	.9	11.4	8.5	27	.3	.4	.1	16	.55	.050	20	21.6	.82	199	.028	<1	1.11	.022	.26	.6	.01	3.2	.1	<.05	4	<.5	1.96
144773	2.2	21.4	13.9	71	.1	17.1	8.9	489	2.67	6.2	.8	7.1	8.5	23	.3	.2	.1	26	.57	.051	20	34.9	1.24	212	.041	<1	1.43	.022	.27	.7	<.01	5.5	.1	<.05	5	<.5	1.98
RE 144773	2.1	20.4	14.4	70	.1	17.5	9.1	483	2.65	6.3	.8	5.6	8.7	22	.3	.2	.1	25	.56	.064	21	34.6	1.23	219	.039	1	1.42	.022	.22	.7	<.01	5.2	.1	<.05	5	<.5	-
144774	1.4	17.3	16.3	65	.1	12.4	6.8	486	2.14	5.4	.8	11.0	8.9	27	.3	.2	.2	17	.54	.062	22	19.9	.90	233	.055	<1	1.16	.025	.24	.6	<.01	4.2	.1	<.05	5	<.5	2.11
144775	2.1	17.7	13.6	64	.2	12.8	7.2	324	2.03	8.2	1.4	8.9	9.7	23	.2	.5	.1	17	.41	.056	21	21.6	.78	259	.061	1	1.12	.028	.39	.9	.01	4.3	.2	<.05	5	<.5	1.62
144776	1.6	15.3	10.1	56	.1	14.9	7.5	379	2.22	4.6	1.1	3.3	6.8	19	.2	.7	.1	25	.45	.052	17	32.7	.99	173	.055	1	1.20	.020	.31	1.1	.01	4.3	.2	<.05	4	<.5	1.41
144777	1.6	17.2	14.2	60	.2	16.4	9.4	409	2.39	5.3	1.3	4.9	8.2	20	.2	.8	.2	24	.43	.070	17	32.7	1.02	197	.074	1	1.24	.023	.36	1.2	.01	4.7	.2	.06	4	<.5	1.87
144778	1.3	15.0	23.5	55	1.0	15.3	7.6	345	1.88	6.8	1.0	2078.3	6.6	13	.2	.7	.4	16	.29	.049	13	22.9	.81	189	.047	<1	.94	.016	.30	1.2	.02	3.4	.1	<.05	3	.5	1.59
144779	1.2	11.8	11.4	37	.3	8.0	5.2	271	1.52	4.7	1.0	125.2	7.5	13	.2	.5	.1	10	.29	.047	18	13.5	.48	201	.021	1	.79	.018	.25	1.1	.01	2.0	.1	<.05	3	<.5	1.63
144780	1.2	9.9	13.0	50	.4	9.5	6.3	316	1.95	10.7	1.5	402.4	10.0	42	.2	.8	.1	13	.89	.058	23	18.7	.60	216	.018	1	.96	.014	.38	.6	.01	3.1	.1	<.05	4	<.5	1.26
144781	.7	11.3	19.7	51	.5	8.4	6.2	311	2.00	5.6	1.3	2050.9	9.8	40	.2	.5	.1	12	1.10	.050	22	17.5	.66	186	.026	<1	1.06	.020	.30	.6	.01	3.1	.1	.06	4	<.5	1.18
144782	.7	12.3	11.8	63	.1	9.3	6.6	289	2.01	3.0	.9	3.3	7.5	32	.1	.2	.1	11	.70	.057	17	17.5	.75	219	.041	1	1.07	.022	.25	.5	<.01	2.4	.1	<.05	4	<.5	1.24
144783	.7	11.8	10.2	53	.1	10.6	7.5	299	2.01	10.5	.8	2.1	6.7	42	.1	.7	.1	22	.99	.053	16	17.9	.75	214	.092	<1	1.14	.030	.29	.7	<.01	3.8	.1	.09	4	<.5	1.58
144784	.8	16.3	11.7	74	.2	15.0	11.4	403	2.73	7.8	1.2	2.9	8.7	36	.2	.8	.1	33	.77	.064	20	26.9	1.10	176	.125	2	1.47	.053	.23	.6	.01	4.9	.1	<.05	6	<.5	1.51
144785	.7	14.0	13.0	66	.2	17.0	14.4	494	3.17	4.4	.8	4.9	6.4	39	.2	.8	.1	46	1.03	.089	17	29.9	1.29	156	.204	<1	1.71	.081	.20	.6	.01	3.2	.1	.06	7	<.5	1.30
144786	.7	27.2	4.7	161	.2	31.5	28.2	854	5.43	3.9	.5	113.8	3.5	64	.1	3.3	.1	112	1.80	.121	13	38.9	2.27	108	.317	<1	2.59	.107	.22	.4	<.01	5.4	.1	<.05	11	<.5	1.34
144787	.6	18.1	15.0	74	.1	25.9	20.8	670	4.41	4.1	.7	22.5	5.8	59	.1	.6	.1	77	1.36	.093	12	39.4	1.95	299	.247	<1	2.47	.142	.32	.6	.01	4.5	.1	<.05	10	<.5	1.39
144788	.6	22.0	5.7	69	.1	22.0	19.8	570	3.66	3.9	.8	14.2	6.1	57	.1	.6	<.1	71	1.20	.069	12	34.1	1.63	278	.230	1	2.03	.091	.31	.6	<.01	4.8	.1	<.05	9	<.5	1.72
144789	.7	13.5	6.4	40	.3	9.8	7.6	308	2.01	7.7	.6	269.3	8.5	22	.2	.7	.1	16	.40	.067	22	21.0	.73	150	.044	1	.96	.041	.24	.8	.01	2.9	.1	<.05	4	<.5	2.01
144790	.6	14.5	16.5	51	.2	8.9	6.7	245	1.80	5.8	.8	34.3	11.0	17	.2	.4	.2	12	.34	.067	27	17.7	.59	177	.011	<1	.91	.021	.30	.4	<.01	2.7	.1	<.05	4	<.5	2.34
144791	.8	16.9	13.9	57	.2	8.0	6.2	273	1.76	5.7	.9	4.0	10.0	28	.4	.6	.1	14	.70	.053	23	18.9	.63	221	.033	1	.94	.021	.32	.7	.01	3.5	.1	<.05	4	<.5	1.69
STANDARD DS5	12.4	145.4	24.3	140	.3	24.8	11.9	795	2.99	17.7	6.1	42.0	2.7	46	5.6	3.8	5.8	58	.72	.081	11	189.5	.69	130	.095	18	1.98	.034	.13	4.9	.16	3.4	1.0	<.05	6	4.9	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data ✓ FA ____

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample kg
~~G-1~~	1.3	2.9	2.0	43	<.1	4.8	4.4	586	2.05	.5	1.7	<.5	4.1	70	<.1	<.1	.1	42	.55	.082	7	35.3	.61	252	.141	1	1.02	.081	.48	.7	<.01	1.9	.3	<.05	5	<.5	-
144792	.9	9.7	11.7	48	.1	8.4	5.3	263	1.52	2.6	.6	2.5	5.6	25	.2	.5	.1	9	.75	.050	12	12.8	.58	163	.037	1	.90	.022	.22	.7	<.01	1.9	.1	<.05	3	<.5	1.80
144793	.8	8.8	8.7	63	.1	9.3	7.3	319	2.10	3.1	.7	.6	4.2	45	.2	.4	.1	14	.86	.045	9	12.5	.84	178	.063	<1	1.09	.020	.22	.9	<.01	2.5	.1	.06	5	<.5	1.51
144794	.8	9.9	9.2	34	.1	5.7	4.3	165	1.14	2.6	.5	1.9	3.7	20	.1	.2	.1	7	.30	.050	9	10.7	.37	219	.079	<1	.66	.026	.22	1.1	<.01	1.9	<.1	<.05	3	<.5	1.64
144795	.6	12.5	12.0	42	.1	6.3	5.0	144	1.24	2.1	.7	.9	3.8	22	.1	.4	.1	9	.36	.046	7	12.0	.48	177	.079	<1	.66	.023	.20	.9	<.01	1.7	.1	<.05	3	<.5	1.48
144796	1.0	10.7	12.9	48	.1	8.5	6.0	194	1.55	2.9	.6	42.5	4.5	19	.1	.4	.1	10	.36	.050	9	14.7	.62	178	.074	<1	.92	.022	.22	1.0	<.01	2.1	.1	<.05	3	<.5	1.56
144797	.7	11.7	15.6	56	.1	9.5	6.5	208	1.76	5.6	.8	<.5	6.5	17	.2	.6	.1	15	.37	.052	13	17.0	.64	174	.071	<1	.94	.030	.26	1.0	<.01	3.2	.1	<.05	4	<.5	1.63
144798	1.0	12.3	36.4	38	.3	8.1	5.7	307	1.74	3.3	.8	2.5	7.1	69	.2	.3	.6	11	1.09	.045	16	13.3	.58	234	.059	1	.76	.016	.49	.8	<.01	3.2	.2	<.05	2	.6	.98
144799	1.2	16.5	17.7	47	.2	9.3	6.7	387	2.08	7.9	1.2	3.1	10.0	50	.2	1.0	.2	12	.74	.067	21	13.8	.75	275	.033	1	.94	.016	.46	.6	<.01	3.5	.2	<.05	3	<.5	.82
144800	1.0	17.3	13.0	57	.4	9.4	7.2	417	2.24	13.2	1.6	22.9	10.9	46	.3	1.1	.3	13	.61	.060	23	14.8	.82	257	.023	1	1.03	.019	.48	.5	<.01	3.8	.2	<.05	5	<.5	1.26
144801	1.2	14.2	15.6	48	.2	10.6	7.1	467	2.24	27.5	1.3	4.2	9.1	15	.3	.9	.4	16	.24	.068	22	16.9	.74	245	.030	2	.96	.022	.41	.6	<.01	4.7	.2	<.05	3	.7	1.40
144802	1.0	16.5	15.5	46	.2	10.9	6.9	440	2.24	28.3	1.3	5.4	9.0	13	.2	.6	.4	19	.25	.056	22	17.1	.79	263	.028	1	1.05	.020	.42	.6	<.01	4.5	.1	<.05	3	.7	1.50
144803	1.1	15.7	11.4	47	.4	10.3	7.4	464	2.08	25.7	1.4	52.9	9.3	18	.3	1.0	.4	14	.31	.054	21	13.8	.74	253	.022	1	.94	.016	.43	.6	.01	4.0	.1	<.05	3	.6	1.30
144804	2.0	17.9	20.9	36	.8	9.8	6.9	375	1.71	22.9	1.3	33.5	9.5	12	.3	1.8	1.2	12	.27	.057	22	12.7	.62	246	.025	<1	.83	.016	.42	.8	.01	3.3	.1	<.05	2	.7	1.10
144805	1.6	14.0	18.6	39	.5	10.1	6.4	442	1.94	17.7	1.3	196.7	8.5	19	.2	1.1	.8	13	.42	.064	17	13.9	.67	204	.030	1	.89	.021	.38	.8	<.01	3.2	.1	<.05	3	.5	1.46
144806	1.3	13.1	10.3	33	12.3	8.4	5.7	375	1.73	21.5	1.1	64239.0	6.6	16	.2	1.4	.3	9	.29	.056	14	11.0	.57	202	.023	1	.72	.018	.38	1.2	.03	2.8	.1	<.05	2	.7	1.57
144807	1.1	16.0	20.5	45	2.1	11.8	7.2	427	2.01	20.0	1.2	7820.0	7.3	22	.3	1.2	.3	17	.45	.056	13	17.3	.69	185	.050	1	.86	.018	.36	1.1	.01	4.2	.1	<.05	3	.5	2.18
144808	1.0	14.9	9.1	59	.2	11.5	7.8	390	2.33	20.8	1.3	162.0	8.6	32	.3	1.6	.1	21	.72	.069	14	20.1	.85	191	.061	1	1.05	.024	.50	1.1	<.01	5.6	.2	<.05	4	.5	1.34
144809	.9	21.9	23.4	50	.4	12.1	8.1	448	2.37	82.6	1.4	14.0	8.0	19	.3	1.8	.2	16	.39	.059	10	14.1	.81	162	.052	1	.90	.013	.37	.5	<.01	4.3	.2	<.05	3	.6	1.73
RE 144809	.9	23.0	21.4	51	.4	12.2	8.4	443	2.33	79.0	1.4	11.0	7.9	19	.3	1.7	.2	18	.38	.057	11	14.5	.79	170	.055	1	.90	.012	.36	.6	<.01	4.2	.1	<.05	3	.6	-
144810	.7	15.7	29.8	52	.3	10.3	6.8	400	2.16	54.0	1.2	16.0	8.0	24	.3	2.0	.6	20	.54	.067	14	17.8	.81	150	.069	1	.95	.018	.38	.5	<.01	4.6	.2	<.05	4	<.5	1.57
144811	1.1	16.4	22.2	59	.3	13.2	7.1	444	2.28	64.3	1.5	73.0	7.9	52	.3	4.0	.3	26	1.08	.065	14	23.7	.84	148	.087	<1	1.02	.015	.39	.8	<.01	5.2	.2	<.05	5	<.5	1.26
144812	.4	1.8	6.4	42	.1	.8	.6	289	.70	3.9	.5	1.0	2.6	54	.6	.2	.1	1	1.41	.004	8	1.0	.22	108	.001	<1	.31	.003	.09	<.1	.01	.6	<.1	.06	1	<.5	1.80
144813	1.6	2.9	22.5	23	.2	1.0	.5	81	.96	4.9	1.0	1.0	7.1	35	.3	.3	.1	1	.43	.004	15	<1	.07	1075	<.001	1	.27	.009	.18	<.1	.03	.7	<.1	.07	1	.6	1.84
144042	.5	3.4	10.3	7	.2	3.3	1.3	73	1.74	14.0	.6	5.9	3.0	34	<.1	.3	<.1	4	.08	.044	6	2.2	.02	52	.001	1	.25	.027	.07	<.1	.01	.8	<.1	.53	<1	<.5	1.14
144043	.2	1.4	.7	1	.1	1.4	.3	66	.53	.8	<.1	.9	.2	4	<.1	.2	<.1	2	.02	.002	1	1.8	<.01	9	<.001	<1	.02	.008	.01	<.1	<.01	<.1	<.1	<.05	<1	<.5	1.25
144044	.4	2.9	4.3	9	.1	3.0	.7	20	1.91	13.0	.8	4.4	2.4	5	<.1	.2	<.1	15	.07	.036	1	3.5	.01	15	.001	<1	>10	.003	.02	<.1	.01	9.0	<.1	6.80	4	.5	1.11
144045	1.1	2.5	9.7	74	.4	7.8	5.8	176	1.87	19.4	.7	5.8	6.3	74	.5	.5	<.1	4	1.24	.046	14	1.1	.01	99	.002	2	.24	.019	.17	.1	.01	.9	<.1	1.74	1	<.5	1.02
144046	.3	2.2	7.3	7	<.1	1.9	1.6	150	.52	1.9	.1	<.5	.4	3	<.1	.1	.1	1	.06	.020	1	2.8	.07	23	.003	<1	.07	.006	.02	<.1	.01	.4	<.1	<.05	<1	<.5	1.29
144047	.3	10.7	31.2	24	.2	5.8	5.5	181	.99	2.6	1.0	4.2	8.8	11	.3	.3	.6	9	.22	.056	20	7.1	.26	227	.064	<1	.42	.015	.26	.1	<.01	1.7	.1	<.05	2	<.5	1.34
144048	.7	14.8	28.8	37	.2	10.5	5.7	187	1.20	7.4	1.9	1.1	11.9	18	.2	2.6	.9	11	.24	.067	23	9.7	.27	209	.059	1	.52	.023	.29	.3	<.01	2.0	.1	<.05	3	<.5	1.55
144049	.6	4.5	20.0	6	.2	1.6	.8	62	.51	.7	.3	10.1	1.1	4	<.1	.1	.5	4	.09	.029	2	3.9	.05	31	.026	<1	.09	.018	.04	<.1	<.01	.3	<.1	<.05	<1	<.5	1.31
144050	.2	1.7	3.2	7	<.1	2.0	1.2	85	.50	<.5	.1	1.6	.3	2	<.1	.1	<.1	4	.02	.006	<1	3.4	.05	19	.010	<1	.08	.004	.02	<.1	<.01	.3	<.1	<.05	<1	<.5	1.35
STANDARD DS5	12.4	144.8	25.1	135	.3	25.2	11.9	765	3.03	18.9	5.9	44.0	2.7	45	5.5	3.8	6.0	62	.73	.097	11	185.9	.68	135	.100	17	2.01	.034	.13	5.0	.16	3.4	1.0	.06	6	5.0	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A404519 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm	Total kg
SI	.1	.7	.3	1	<.1	.3	<.1	1	.07	<.5	<.1	<.5	<.1	2	<.1	<.1	<.1	<1	.10	<.001	<1	<1	<.01	3	<.001	<1	.01	.468	.01	.1	<.01	<.1	<.1	<.05	<1	<.5	30	-
C144501	.9	25.3	11.9	79	.3	15.8	9.1	397	2.71	20.7	1.4	2.6	10.8	26	.5	.5	.1	23	.32	.085	35	24.5	.79	260	.004	<1	1.32	.026	.26	.3	.01	5.9	.1	<.05	5	<.5	30	2.25
C144502	.9	16.8	12.6	74	.2	14.0	8.2	374	2.55	28.5	1.5	.7	10.2	23	.6	1.1	.1	20	.30	.074	29	21.4	.64	185	.004	<1	1.12	.019	.23	.5	.02	5.5	.1	<.05	4	<.5	30	2.14
C144503	.6	25.4	23.7	116	.2	18.2	9.8	470	2.75	21.0	1.7	.8	11.2	29	1.0	1.2	.1	29	.39	.087	31	31.1	.83	197	.014	<1	1.36	.019	.29	.4	.03	6.7	.1	<.05	6	<.5	30	2.04
C144504	.7	16.8	16.1	61	.2	14.6	7.0	365	1.69	3.6	1.0	<.5	9.9	30	.3	.6	.5	12	.29	.066	26	13.4	.74	168	.008	1	1.09	.009	.23	.8	.01	2.8	.1	<.05	3	<.5	30	1.99
C144505	.8	18.2	18.4	49	.3	10.9	5.8	357	1.60	5.5	1.1	1.5	7.7	22	.4	.4	.4	11	.26	.061	20	15.9	.52	175	.004	<1	.90	.011	.24	.6	.01	2.1	.1	<.05	3	<.5	30	1.95
C144506	1.0	13.9	91.4	110	.3	9.6	5.4	414	1.84	12.8	1.6	2.0	7.4	17	.7	.5	.1	13	.29	.058	18	17.3	.50	172	.009	<1	.93	.013	.20	.7	.01	2.8	.1	<.05	4	<.5	30	2.07
C144507	.8	23.4	169.7	173	.3	9.0	6.2	501	1.95	14.0	2.1	2.2	9.6	21	1.0	.5	.1	15	.30	.071	21	17.8	.59	170	.005	1	.99	.017	.20	.4	.01	2.9	.1	<.05	4	<.5	30	2.22
C144508	.9	3.8	51.8	29	.1	2.7	.9	123	.57	4.1	.4	1.5	1.0	5	.1	.2	.1	3	.05	.013	3	6.1	.11	29	.002	<1	.19	.004	.03	1.5	<.01	.6	<.1	<.05	1	<.5	30	2.13
C144509	1.0	26.1	97.4	148	.3	11.2	7.4	615	2.03	14.5	2.2	3.1	10.9	20	1.1	.4	.1	17	.28	.064	25	22.5	.55	206	.004	<1	.98	.018	.22	.3	.01	3.0	.1	<.05	5	<.5	30	1.91
C144510	1.4	42.0	216.5	230	.4	14.4	7.8	749	2.49	19.9	2.9	3.3	8.9	21	1.2	.6	.1	25	.34	.084	25	34.2	.73	194	.005	<1	1.23	.019	.22	.4	.01	4.3	.1	<.05	6	<.5	30	2.09
C144511	1.1	21.5	32.7	107	.2	16.2	8.9	523	2.21	31.2	3.0	2.7	8.2	21	1.3	.7	.2	20	.34	.079	24	22.0	.69	275	.012	<1	1.10	.013	.28	.5	<.01	5.3	.1	<.05	4	<.5	30	2.21
C144512	1.2	22.8	18.3	95	.3	16.1	10.6	519	2.69	22.2	3.8	.8	10.1	21	1.0	.8	.1	22	.36	.090	27	22.3	.80	292	.036	1	1.19	.015	.34	.4	<.01	8.0	.2	<.05	4	<.5	30	2.13
RE C144512	1.3	22.1	18.7	96	.3	16.6	10.0	534	2.76	22.4	3.8	1.1	10.5	22	1.0	.9	.1	24	.37	.090	28	23.0	.82	317	.039	<1	1.22	.017	.35	.4	.01	8.2	.2	<.05	4	<.5	30	-
C144513	1.2	17.3	21.9	82	.3	12.5	7.4	446	2.30	97.1	3.0	11.0	7.9	18	1.1	.8	.2	19	.30	.079	24	21.2	.55	215	.005	<1	1.02	.024	.20	.4	.01	4.4	.1	<.05	4	<.5	30	2.27
C144514	1.2	57.7	292.0	216	.6	18.9	8.5	728	2.68	20.8	2.9	1.5	9.6	25	.7	.8	.2	22	.32	.078	29	27.5	.69	204	.004	<1	1.28	.015	.24	.5	.03	4.0	.1	<.05	5	<.5	30	1.94
C144515	1.1	41.0	273.6	263	.4	11.7	7.0	796	2.23	14.7	2.3	.6	8.6	32	.7	.8	.1	13	.30	.079	29	16.9	.76	182	.002	<1	1.26	.010	.22	.4	.02	2.6	.1	<.05	5	<.5	30	2.29
C144516	1.0	21.6	48.5	100	.2	10.6	6.5	534	1.68	15.1	1.4	<.5	8.1	26	.4	.5	.1	8	.22	.057	25	10.1	.60	181	.002	<1	1.00	.008	.24	.8	.02	2.2	.1	<.05	3	<.5	30	1.85
C144517	.8	35.6	198.8	184	.6	11.1	5.9	656	1.89	13.0	1.6	.5	9.0	22	.4	.4	.2	15	.24	.064	26	15.8	.70	183	.002	<1	1.11	.014	.19	.4	.01	2.5	.1	<.05	4	<.5	30	2.36
C144518	1.1	39.5	151.8	270	.6	34.6	16.3	715	3.81	50.8	2.9	2.2	6.8	35	1.5	1.0	.1	57	.51	.119	25	50.8	1.19	235	.005	<1	2.00	.013	.19	.2	.01	6.9	.1	<.05	8	<.5	30	2.00
C144519	1.2	34.4	79.9	170	.6	30.5	17.3	738	3.51	71.8	3.7	2.0	7.7	39	1.5	1.5	.1	48	.50	.116	28	54.3	.98	262	.017	<1	2.11	.026	.18	.2	.02	7.4	.1	<.05	8	<.5	30	2.03
C144520	1.0	20.5	53.7	89	.2	13.3	6.5	462	2.05	31.0	2.1	.7	9.9	31	.5	.9	.2	17	.33	.066	27	20.1	.73	213	.015	<1	1.20	.016	.25	.8	.01	3.7	.1	<.05	4	<.5	30	1.80
C144521	1.0	7.0	14.8	44	.1	2.3	.9	43	.76	8.0	1.7	5.9	10.3	5	.2	.4	.1	2	.04	.011	31	4.6	.10	343	.001	1	.39	.014	.30	.6	.02	2.2	.1	<.05	2	<.5	30	2.04
C144522	1.6	3.2	9.8	17	.2	1.5	.5	23	.47	3.3	1.1	3.6	7.9	5	.1	.3	.1	<1	.02	.007	18	3.0	.06	496	.001	<1	.31	.016	.21	.7	.03	1.4	<.1	<.05	1	<.5	30	2.01
C144523	.9	4.3	11.8	26	.1	1.7	.5	24	.54	4.2	1.5	12.9	9.3	5	.1	.4	.1	1	.02	.008	20	3.7	.04	331	.001	1	.30	.020	.25	.7	.03	1.7	<.1	<.05	1	<.5	30	2.27
C144524	.7	4.3	15.0	26	.5	1.4	.5	19	.53	2.6	1.8	131.7	10.4	12	<.1	.4	.1	<1	.03	.012	22	2.7	.05	571	.001	<1	.33	.015	.26	.6	.04	1.6	.1	<.05	1	<.5	30	2.13
C144525	.7	5.8	15.8	12	.6	1.4	.5	24	.42	1.0	1.7	168.9	5.8	7	<.1	.3	.1	<1	.04	.017	13	4.2	.04	541	.001	1	.26	.009	.21	.7	.03	.8	<.1	<.05	1	<.5	30	2.35
C144526	1.4	2.5	20.9	2	1.3	2.1	.3	26	.38	1.1	.3	83.4	.3	1	<.1	.3	2.6	<1	<.01	.001	1	7.0	<.01	96	<.001	<1	.04	.002	.02	2.7	.01	.2	<.1	<.05	<1	<.5	30	2.16
C144527	1.2	2.3	2.7	2	.2	2.0	.2	26	.32	.9	.3	144.3	.4	1	<.1	.1	<.1	<1	<.01	.001	1	6.6	<.01	79	<.001	<1	.04	.002	.02	2.5	<.01	.2	<.1	<.05	<1	<.5	30	1.82
C144528	1.5	13.4	12.1	48	.3	3.8	2.8	73	1.31	14.7	1.9	11.1	5.8	11	.2	.6	<.1	5	.10	.037	18	5.8	.12	309	.004	1	.60	.021	.31	.9	.04	2.6	.1	<.05	2	<.5	30	2.13
C144529	2.7	28.3	12.7	32	.7	6.7	2.9	63	1.20	31.9	2.9	26.1	8.0	20	.2	.9	.1	7	.08	.031	24	7.5	.07	299	.007	1	.41	.015	.25	.6	.04	2.8	.1	<.05	1	.9	30	2.60
C144530	1.1	5.5	9.3	46	.1	2.6	3.0	97	1.33	2.4	1.3	15.8	4.8	9	.1	.8	.1	7	.17	.046	13	4.4	.17	248	.010	<1	.63	.017	.27	.6	.01	3.6	.1	<.05	2	<.5	30	2.11
C144531	1.3	4.8	4.0	53	.1	4.0	3.8	195	1.43	2.0	1.1	1.5	4.7	11	.3	1.0	<.1	7	.18	.051	11	5.1	.29	210	.011	<1	.63	.015	.25	1.0	.02	3.4	<.1	<.05	2	<.5	30	2.65
C144532	1.7	3.6	3.4	46	.1	3.5	2.8	215	1.11	.9	.9	.9	3.5	8	.2	.5	<.1	3	.09	.030	10	6.9	.27	200	.007	<1	.50	.016	.19	1.2	.02	1.9	<.1	<.05	2	<.5	30	2.26
C144533	.8	3.6	3.3	62	.1	4.5	3.9	409	1.46	.9	1.1	.5	5.5	11	.1	.3	<.1	5	.16	.050	15	3.7	.53	220	.007	<1	.82	.015	.22	.6	.01	2.2	<.1	<.05	3	<.5	30	2.79
STANDARD DS5	12.3	147.9	25.2	138	.3	24.1	11.6	802	2.99	19.2	6.5	41.1	2.5	46	5.9	3.8	6.3	57	.72	.102	11	185.2	.68	137	.092	18	2.08	.033	.13	5.2	.17	3.6	1.0	<.05	7	4.9	30	-

GROUP 1DX - 30.0 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data ✓ FA ____ DATE RECEIVED: AUG 16 2004 DATE REPORT MAILED: Sept. 1/04

BRITISH COLUMBIA CERTIFIED

Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A404519

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm	Total kg
C144534	.9	3.3	4.7	41	.1	2.2	3.1	192	1.21	2.2	1.2	4.4	5.9	9	.1	.3	<.1	5	.11	.036	20	3.8	.33	304	.006	1	.67	.022	.28	.5	.02	2.6	.1	<.05	2	<.5	30	1.98
C144535	.9	1.9	8.4	13	.1	1.2	.4	36	.38	2.6	1.3	10.4	8.3	4	<.1	.2	<.1	<1	.02	.008	24	2.4	.05	256	.002	2	.25	.017	.31	.6	.01	1.8	.1	<.05	1	<.5	30	1.89
C144633	.8	2.7	13.0	18	.1	1.8	1.4	82	.53	12.2	1.0	4.8	10.6	3	.1	.6	<.1	2	.02	.007	30	3.2	.04	175	.002	2	.26	.013	.28	.5	.01	.7	<.1	<.05	1	<.5	30	1.94
C144634	.9	3.9	16.9	21	.1	1.9	2.0	137	.47	8.0	.9	2.5	10.9	3	<.1	.5	<.1	1	.02	.007	33	2.7	.05	186	.002	2	.24	.011	.26	.6	.01	.6	<.1	<.05	1	<.5	30	1.65
C144635	.8	3.1	8.7	17	.1	1.9	1.5	110	.47	8.9	.9	3.4	10.1	3	.1	.4	.1	1	.02	.006	31	2.7	.05	202	.001	2	.28	.019	.25	.6	.02	.7	.1	<.05	1	<.5	30	1.88
C144636	.8	3.9	16.2	54	.1	3.2	2.5	224	.87	10.4	1.5	2.0	11.3	7	.1	.7	.1	1	.07	.010	33	2.8	.24	283	.001	1	.53	.015	.16	.7	.20	2.6	<.1	<.05	2	<.5	30	1.94
C144637	.8	3.5	18.3	66	.1	3.7	2.0	254	.96	6.7	1.7	1.0	12.1	10	.2	.6	.1	2	.10	.010	27	2.9	.34	350	.001	1	.73	.026	.15	.8	.06	3.2	<.1	<.05	3	<.5	30	1.36
C144638	1.1	2.3	15.1	22	.1	2.1	1.2	347	.39	2.7	1.1	1.1	10.9	4	.1	.4	.1	1	.03	.005	28	2.9	.11	358	.001	1	.28	.015	.17	.9	.05	1.4	<.1	<.05	1	<.5	30	1.95
C144639	.7	2.0	11.3	10	.1	1.2	.9	146	.33	2.3	1.4	<.5	12.1	3	<.1	.3	.1	1	.02	.004	27	3.4	.04	378	.001	2	.31	.016	.25	.7	.09	1.1	.1	<.05	1	<.5	30	1.71
C144640	.9	3.7	14.6	31	.1	2.9	1.5	238	.59	4.5	1.2	1.1	11.6	4	.1	.4	.1	2	.04	.006	30	3.7	.14	286	.001	2	.39	.006	.17	1.0	.10	1.4	.1	<.05	1	<.5	30	1.44
C144641	.7	2.4	14.4	24	.1	2.1	1.1	159	.45	2.7	1.1	.7	10.7	3	.1	.3	.1	1	.03	.005	30	3.6	.12	314	.001	1	.37	.010	.21	.8	.13	1.2	.1	<.05	1	<.5	30	1.66
C144642	1.7	4.5	48.1	39	.2	4.7	2.6	314	1.00	10.7	1.2	1.7	10.0	6	.2	.6	1.3	5	.08	.010	27	4.7	.31	289	.001	1	.51	.005	.16	1.3	.05	2.7	.1	<.05	2	<.5	30	1.97
C144643	1.4	2.9	17.5	11	.1	2.5	.8	147	.55	6.8	.4	<.5	1.8	2	.1	.4	1.2	2	.01	.003	5	8.3	.06	93	.001	1	.11	.005	.04	1.6	.01	1.3	<.1	<.05	<1	<.5	30	1.78
C144644	.9	3.2	12.8	15	.1	2.1	1.1	120	.52	3.8	1.2	1.7	9.9	3	.1	.4	.1	2	.03	.006	30	4.0	.10	269	.001	1	.29	.010	.19	1.1	.07	1.1	.1	<.05	1	<.5	30	1.93
C144645	.9	4.0	11.0	31	.1	2.7	1.6	102	.85	6.6	1.7	2.5	9.8	6	.1	.5	.1	4	.08	.012	32	4.8	.23	287	.001	1	.52	.019	.21	.8	.08	1.9	.1	<.05	2	<.5	30	2.30
C144646	1.2	11.6	16.4	84	.2	8.8	5.8	208	2.18	18.3	3.4	5.2	7.5	15	.4	1.2	.1	17	.26	.038	27	10.2	.67	330	.001	1	1.22	.008	.20	.5	.18	3.9	.1	<.05	4	<.5	30	1.52
C144647	1.4	19.3	15.9	66	.1	8.0	6.0	188	1.84	15.3	3.1	6.0	7.1	15	.4	.8	.1	19	.24	.040	24	13.9	.64	328	.001	1	1.06	.011	.20	.5	.07	2.9	.1	<.05	3	.6	30	2.31
RE C144647	1.5	20.0	16.3	69	.1	8.3	6.2	195	1.82	15.5	3.2	5.5	7.1	15	.4	.8	.2	22	.24	.040	25	15.3	.63	325	.001	1	1.05	.010	.23	.5	.07	3.2	.1	<.05	4	.5	30	-
C144648	1.2	21.6	18.8	80	.1	13.2	9.4	248	2.46	16.6	3.9	11.6	5.8	22	.5	1.1	.2	42	.33	.068	22	25.0	.86	292	.002	1	1.24	.012	.16	.4	.07	4.9	.1	<.05	5	.5	30	2.49
C144649	1.2	33.4	11.4	68	.2	14.9	10.0	240	2.38	11.9	2.8	130.6	6.3	19	.6	.5	.1	25	.30	.052	21	21.3	.89	324	.003	1	1.23	.018	.22	.5	.03	3.4	.1	<.05	4	<.5	30	2.47
C144650	1.4	27.7	15.2	95	.2	21.2	11.2	316	2.59	16.2	3.4	8.9	5.1	27	.8	.7	.1	32	.38	.070	15	38.6	1.10	270	.003	1	1.39	.012	.14	.6	.04	3.8	.1	<.05	4	<.5	30	2.93
C145090	.1	1.4	.5	8	<.1	1161.8	38.0	213	2.52	31.7	.1	1.9	.1	1	<.1	.9	<.1	16	.01	.001	<1	513.8	7.00	13	.002	9	.17	.001	.01	<.1	<.01	3.5	<.1	<.05	<1	<.5	30	.41
C145091	.4	1.5	.7	36	<.1	18.6	12.0	398	1.71	.7	.2	.8	.2	16	<.1	.1	<.1	16	.60	.011	1	28.6	1.07	17	.002	1	1.02	.061	.01	.5	<.01	.4	<.1	<.05	2	<.5	30	.26
C145092	1.1	320.0	1.9	19	.2	28.5	25.4	1106	3.13	10.8	.1	2.3	.1	94	.1	.1	<.1	61	8.93	.051	1	44.6	.95	64	.104	1	.80	.023	.11	.3	<.01	4.1	<.1	1.45	3	4.1	30	1.23
C145093	1.0	4.8	.6	3	<.1	2.1	.7	75	.29	5.2	.1	2.0	.1	3	.1	<.1	<.1	1	.24	.002	<1	6.1	.02	8	<.001	<1	.03	.003	.01	2.2	<.01	.3	<.1	<.05	<1	<.5	30	.30
C145094	1.7	7.2	2.2	17	<.1	4.2	1.7	384	.69	35.0	.2	21.4	.3	32	.2	.1	<.1	3	2.14	.073	1	5.4	.04	75	.002	<1	.05	.002	.02	2.0	<.01	1.1	<.1	<.05	<1	<.5	30	.36
C145095	.6	2.9	.5	17	<.1	7.2	9.3	323	1.96	<.5	.2	1.5	1.9	27	<.1	.1	<.1	23	1.23	.060	8	24.1	.90	57	.080	1	1.12	.021	.04	1.0	<.01	2.7	<.1	<.05	3	<.5	30	.90
C145096	.7	2.3	.4	26	<.1	10.7	15.4	408	3.18	4.6	.2	.5	1.2	39	<.1	.1	<.1	34	1.69	.144	4	13.9	1.31	111	.052	1	1.62	.027	.08	.9	<.01	2.0	<.1	<.05	4	<.5	30	.61
C145097	.4	.4	4.1	5	.1	.1	3.0	3457	1.53	<.5	.1	1.4	.2	586	.3	.1	<.1	5	29.49	.023	1	3.7	.67	19	.002	<1	.35	.003	.01	.4	<.01	7.6	<.1	<.05	1	<.5	30	.45
C145098	3.5	7.8	7.9	34	.3	8.3	1.0	114	1.17	271.1	1.5	3.8	2.3	17	1.2	.3	.2	15	.15	.111	11	9.3	.03	303	.002	1	.19	.008	.14	1.7	<.01	.7	<.1	<.05	1	1.8	30	.69
C145099	5.3	63.3	6.1	98	.1	45.0	7.6	181	1.89	10.1	.9	5.1	2.2	5	.5	.1	.4	29	.19	.104	9	21.0	.15	160	.002	1	.38	.004	.09	2.0	<.01	1.5	<.1	<.05	1	3.4	30	.40
C145100	1.3	25.9	4.6	57	<.1	14.1	2.8	131	.99	1.5	.8	<.5	3.8	6	.1	<.1	.2	11	.25	.062	9	8.8	.31	89	.002	1	.47	.014	.08	1.2	.01	.6	<.1	<.05	1	1.1	30	.31
C145140	1.2	3.2	1.2	3	.1	3.1	.9	49	.46	2.9	.1	32.7	.2	1	<.1	.1	<.1	2	.03	.002	1	6.7	.01	11	.001	<1	.05	.001	.01	2.1	.01	.2	<.1	<.05	<1	<.5	30	.84
C145141	1.3	1.9	22.1	20	.1	1.4	.5	26	.47	16.0	2.5	<.5	13.0	11	<.1	.3	.1	2	.15	.005	39	3.3	.04	103	<.001	1	.27	.013	.16	.6	.06	1.1	.1	<.05	1	<.5	30	.28
STANDARD DS5	12.5	149.4	25.1	140	.3	25.1	12.0	765	3.04	19.1	6.6	44.7	2.7	47	6.1	4.0	6.0	62	.73	.092	13	189.5	.68	145	.105	17	2.02	.033	.14	5.1	.18	3.6	1.1	<.05	7	5.1	30	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm	Total kg
C145142	.6	7.3	13.9	50	.3	1.7	.8	112	1.07	1.7	1.3	<.5	15.5	29	.2	.8	.1	1	.15	.007	41	3.5	.09	265	.001	1	.30	.027	.16	1.0	.01	3.3	<.1	.37	1	<.5	30	.41
C145143	.9	1.9	7.8	10	.1	1.3	.4	44	.40	2.6	1.2	116.6	6.7	2	.1	.1	<.1	1	.02	.005	38	4.2	.02	46	<.001	1	.28	.002	.09	.9	<.01	.8	<.1	<.05	1	<:5	30	.50
C145144	.5	16.3	3.4	80	.2	5.0	14.7	1014	4.15	3.3	.2	8.9	1.7	40	.1	.4	.1	26	2.18	.055	8	6.5	1.85	136	.003	1	1.92	.026	.10	.6	.01	5.9	<.1	1.47	5	.7	30	.39
C145501	1.7	13.8	2.9	30	<.1	13.5	7.5	353	1.24	1.5	.4	1.2	1.5	2	.1	.1	.1	14	.07	.023	3	14.6	.33	69	.036	<1	.48	.005	.05	1.9	<.01	1.4	<.1	<.05	1	<.5	30	.23
C145502	.8	1.9	.2	1	<.1	1.6	.2	34	.21	.6	<.1	<.5	<.1	<1	<.1	<.1	<.1	1	.01	<.001	<1	6.9	.01	4	<.001	<1	.02	.001	<.01	1.8	<.01	.1	<.1	<.05	<1	<.5	30	.34
C145503	1.3	3.5	.3	3	<.1	2.0	.5	58	.41	.7	<.1	<.5	.1	1	<.1	<.1	<.1	2	.01	.001	<1	7.2	.05	7	.001	<1	.06	.002	.01	2.6	<.01	.3	<.1	<.05	<1	<.5	30	.45
C145511	4.1	67.5	16.0	111	.4	31.9	8.0	207	2.09	12.2	.8	1.3	1.4	10	.3	1.1	.3	14	.05	.039	7	14.6	.18	337	.003	2	.44	.002	.08	1.4	.03	1.6	.1	<.05	1	3.8	30	.24
C145512	2.2	5.0	1.9	11	.1	4.3	.8	99	.45	3.4	.3	<.5	.7	11	.1	.3	<.1	3	.02	.009	2	6.1	.01	96	.001	1	.06	.001	.02	2.1	.01	.3	<.1	<.05	<1	.7	30	.36
C145513	9.9	129.5	10.6	128	4.5	73.0	9.1	212	2.49	51.0	2.0	7.9	3.2	15	1.9	9.4	.2	12	.06	.071	21	16.7	.04	265	.002	2	.42	.003	.13	1.1	.22	3.1	.1	<.05	1	5.4	30	.27
C145514	2.3	172.3	16.8	37	1.6	13.4	37.2	710	4.03	98.1	.5	17.4	3.9	43	.1	1.4	1.8	27	2.88	.031	10	7.7	1.59	39	.006	<1	1.48	.017	.03	.8	.01	4.3	<.1	2.71	4	4.1	30	1.00
C145515	1.1	11.9	1.5	26	.1	9.9	3.6	361	1.72	1.3	.1	.7	.8	23	.1	.2	.1	12	.84	.032	4	19.6	.74	79	.004	<1	.95	.008	.08	1.6	.01	2.4	<.1	<.05	2	<.5	30	.45
C145516	1.0	90.4	2.7	26	.4	5.3	15.3	1717	2.86	8.5	.3	3.8	.9	157	.3	.2	.3	76	5.97	.056	9	9.5	1.23	87	.002	<1	1.45	.008	.02	.7	<.01	15.0	<.1	.22	5	.6	30	.32
C145517	1.0	4.3	13.1	12	.1	2.5	1.6	154	.66	7.4	4.5	1.4	17.1	5	.3	.2	<.1	1	.03	.010	50	6.5	.04	218	.001	6	.35	.006	.31	1.2	.01	.6	.1	<.05	1	<.5	30	.42
C145531	10.4	30.9	13.3	118	.2	24.8	5.1	75	3.34	.6	2.2	7.4	13.5	9	.8	2.3	.1	6	.06	.050	22	5.5	.03	120	.001	<1	.38	.008	.05	.6	.05	1.4	.1	<.05	1	7.6	30	.27
C145532	1.9	9.1	6.3	12	<.1	6.1	.8	45	.55	2.1	.3	<.5	.6	3	.1	.2	<.1	3	.02	.010	3	9.2	.03	40	.001	1	.11	.003	.02	2.2	.01	.4	<.1	<.05	<1	.5	30	.40
C145533	1.4	16.0	10.9	34	.1	5.6	4.3	299	.94	2.9	1.0	.8	6.6	18	.1	.6	.2	11	.17	.042	22	11.3	.14	115	.004	1	.46	.043	.06	1.3	.01	2.3	.1	<.05	2	<.5	30	.42
C145534	.7	4.6	8.6	79	<.1	26.5	27.9	2190	3.93	1.4	.5	<.5	15.4	18	<.1	.2	.2	40	.24	.047	28	27.1	1.80	97	.006	<1	2.34	.022	.04	.5	.01	3.6	<.1	<.05	10	<.5	30	.38
C145535	.9	20.5	13.6	56	.1	16.8	13.4	1429	2.25	2.3	.6	.9	6.0	22	<.1	.2	.3	18	.20	.037	16	17.8	1.11	139	.023	<1	1.37	.021	.06	.6	.01	1.9	<.1	<.05	6	<.5	30	.43
C145536	1.4	9.1	1.0	62	<.1	9.5	3.8	414	2.28	2.5	.6	.5	11.6	10	.3	.4	<.1	15	.17	.049	29	17.3	.54	198	.004	1	1.13	.035	.11	.4	.01	2.1	<.1	<.05	5	<.5	30	.83
RE C145536	1.4	9.5	1.2	62	.1	9.8	3.9	407	2.27	2.3	.6	.5	11.8	10	.3	.4	<.1	17	.18	.046	31	18.4	.54	206	.004	1	1.12	.031	.12	.4	.01	2.2	.1	<.05	5	<.5	30	-
C145537	14.6	64.5	46.0	114	1.7	48.3	7.2	149	4.03	61.5	2.8	1.5	8.7	26	.8	.6	.2	37	.18	.112	30	31.5	.90	296	.026	2	1.21	.013	.12	.8	.10	1.7	.1	<.05	4	7.8	30	.39
C145538	1.9	6.2	1.0	7	.3	4.3	.6	41	.47	2.4	.3	<.5	.5	2	.1	.1	<.1	2	.01	.008	1	8.2	.03	24	.001	<1	.10	.003	.01	2.0	.01	.3	<.1	<.05	<1	.9	30	.31
C145539	1.4	35.5	5.7	85	.2	27.4	11.3	542	2.64	38.8	.7	1.8	3.3	35	.3	.4	.1	40	.95	.075	9	41.5	1.28	177	.043	1	1.51	.012	.11	.8	<.01	3.3	<.1	.35	4	1.2	30	.46
C145540	2.1	6.8	3.8	10	.2	10.2	6.0	428	2.02	14.7	.6	3.0	.2	3	.1	.2	.2	11	.04	.022	2	14.1	.04	17	<.001	1	.07	.004	.01	2.2	<.01	3.9	<.1	<.05	<1	.7	30	.48
C145541	.4	7.9	28.4	14	.1	2.7	2.8	2740	.99	<.5	.5	2.6	2.1	440	.8	.1	<.1	8	28.56	.012	17	1.6	.34	59	.002	1	.38	.002	.05	.3	<.01	14.2	<.1	<.05	1	.5	30	.67
C145542	1.5	6.4	.2	7	<.1	10.5	2.6	109	.49	14.4	.2	.6	.1	6	<.1	.2	<.1	<1	.10	.006	<1	8.5	.04	14	<.001	1	.05	.002	.01	1.8	<.01	.4	<.1	.08	<1	<.5	30	.63
C145543	7.4	50.7	43.0	112	.2	35.9	7.6	134	2.34	7.6	3.6	6.5	8.3	12	.5	.5	.4	22	.17	.036	19	13.5	.23	355	.002	2	.68	.009	.14	.9	.06	1.8	.1	<.05	2	1.2	30	.33
C145544	1.6	4.2	1.7	2	<.1	3.8	.4	33	.45	.8	.2	.6	.1	2	.1	.1	.1	1	.01	.002	1	9.3	.01	19	<.001	1	.03	.002	.01	2.5	<.01	.1	<.1	<.05	<1	<.5	30	.34
C145545	.5	4.5	4.2	50	<.1	6.2	3.3	108	1.28	.9	.3	<.5	4.6	31	<.1	.2	<.1	6	.32	.044	12	7.4	1.22	259	.057	2	1.54	.035	.10	.8	<.01	1.4	<.1	<.05	4	<.5	30	.39
C145547	5.9	64.1	17.0	93	.5	40.1	5.3	124	2.38	12.2	1.0	1.6	2.7	12	2.2	.3	.5	23	.14	.072	10	23.4	.69	261	.005	1	1.17	.009	.11	1.2	.07	2.3	.1	<.05	3	4.4	30	.36
C145548	2.3	4.9	2.3	9	.1	4.4	.7	53	.51	1.7	.1	.7	.6	4	.2	.1	<.1	4	.04	.009	2	8.9	.09	41	.002	<1	.14	.007	.02	2.0	.01	.2	<.1	<.05	<1	1.0	30	.38
C145549	4.3	36.5	15.9	80	.2	24.0	3.3	133	1.24	5.7	.4	.7	2.4	11	1.0	.2	.2	16	.16	.064	14	12.9	.54	170	.003	1	.73	.004	.06	1.5	.05	2.6	.1	<.05	2	1.1	30	.30
C145550	2.4	4.9	2.0	12	.1	6.3	2.9	278	.35	.9	.1	<.5	.2	2	.2	.1	<.1	2	.02	.005	1	6.0	.02	70	<.001	1	.05	.005	.01	2.0	.01	.2	<.1	<.05	<1	<.5	30	.71
C145601	1.6	31.4	14.5	165	.3	20.1	10.1	354	2.71	20.6	4.6	4.8	4.4	32	.7	1.0	.2	44	.39	.078	14	33.8	1.12	308	.002	1	1.60	.014	.13	.6	.02	4.4	.1	<.05	5	.5	30	2.89
STANDARD DS5	12.5	147.7	25.3	141	.3	25.9	11.9	763	3.04	19.8	6.6	42.9	3.0	50	5.6	3.8	6.3	62	.77	.092	12	187.5	.69	146	.102	16	2.05	.034	.14	4.9	.19	3.8	1.1	<.05	7	5.0	30	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA ___

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A404519

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm	Total kg
C145602	2.0	32.8	20.1	137	.2	19.2	11.0	396	3.03	19.2	5.0	2.5	4.2	33	.8	1.5	.3	40	.39	.071	14	28.3	1.19	289	.002	<1	1.65	.009	.13	.8	.03	4.0	.1	<.05	5	.7	30	2.03
C145603	2.2	38.4	52.4	149	.3	24.4	12.1	459	3.33	28.6	7.4	6.3	4.9	39	.9	1.7	.3	57	.39	.069	16	39.5	1.28	349	.003	1	1.85	.013	.17	.7	.01	5.5	.1	<.05	7	1.3	30	2.88
C145604	3.3	34.8	15.2	129	.3	28.7	15.5	1005	3.57	34.2	7.6	4.5	5.6	30	1.1	3.3	.1	42	.41	.076	19	24.6	1.25	402	.004	1	1.76	.009	.14	.8	.01	3.5	.1	<.05	6	.9	30	2.30
C145605	3.5	33.3	13.0	117	.3	24.6	15.9	953	3.45	27.8	5.7	2.9	5.3	21	.9	4.2	.2	32	.35	.077	18	25.6	1.21	379	.004	1	1.64	.008	.13	1.0	<.01	2.7	.1	<.05	5	.7	30	2.54
C145606	3.9	42.4	11.9	118	.3	24.9	17.5	841	3.64	29.1	5.5	2.6	5.3	21	.9	5.7	.3	36	.34	.081	18	24.8	1.19	337	.005	<1	1.63	.008	.14	1.1	.01	3.4	.1	<.05	5	.7	30	2.39
C145607	3.6	39.2	16.5	143	.3	19.0	17.2	995	3.57	97.5	5.9	3.4	5.2	25	.9	7.5	.2	41	.35	.084	17	22.5	1.09	363	.006	<1	1.51	.014	.19	.6	.01	3.6	.1	<.05	5	.8	30	2.41
C145608	2.9	33.7	34.8	118	.3	18.0	12.3	868	3.45	106.3	7.0	3.0	7.8	27	.8	4.8	.3	43	.36	.080	21	25.2	1.07	307	.025	1	1.34	.010	.22	.4	.02	6.4	.1	<.05	5	<.5	30	2.87
C145609	1.6	19.8	15.2	75	.2	11.9	8.4	697	2.27	20.4	4.0	6.2	12.5	25	.6	1.0	.1	20	.29	.062	31	17.3	.79	362	.032	1	1.07	.017	.40	.4	.04	5.8	.2	<.05	4	<.5	30	2.76
C145610	1.2	22.0	33.3	52	.2	8.2	5.7	425	1.63	16.4	3.1	8.4	11.6	16	.4	.8	.2	13	.20	.046	25	13.4	.50	236	.024	1	.78	.012	.29	.5	.03	3.8	.1	<.05	3	<.5	30	3.29
C145611	1.6	20.1	73.6	67	.2	6.9	4.7	399	1.70	30.0	3.0	104.3	13.2	13	.4	1.4	.8	10	.16	.045	26	8.5	.32	271	.008	1	.70	.013	.29	.6	.03	2.0	.1	<.05	2	<.5	30	2.90
C145612	1.3	4.6	15.1	6	.2	2.1	.4	51	.37	4.0	.4	20.9	2.1	1	.1	.4	.9	1	.01	.004	6	6.4	.02	43	.001	1	.07	.005	.06	2.0	<.01	.3	<.1	<.05	<1	<.5	30	2.92
C145613	1.3	6.5	17.3	21	.1	3.4	2.1	181	.81	13.7	1.5	25.6	10.8	6	.1	.5	.2	5	.06	.016	29	8.2	.11	191	.002	1	.35	.020	.22	.8	.03	1.3	<.1	<.05	2	<.5	30	2.78
C145614	1.7	16.1	17.3	56	<.1	9.6	6.7	423	2.18	22.2	3.5	3.9	13.7	22	.3	1.0	.1	15	.23	.049	35	16.4	.59	282	.013	<1	1.00	.012	.30	.5	<.01	3.9	.2	<.05	5	<.5	30	2.56
C145615	1.9	18.3	18.0	67	<.1	11.8	6.2	315	2.45	16.1	4.3	5.0	14.5	26	.2	.8	<.1	17	.24	.056	45	19.8	.76	311	.035	1	1.21	.024	.47	.5	<.01	5.1	.3	<.05	6	<.5	30	2.66
C145616	2.0	18.0	17.4	58	<.1	9.9	5.1	246	2.14	7.4	4.5	3.7	14.1	26	.1	.5	.1	13	.25	.062	37	14.4	.69	261	.074	<1	1.02	.012	.43	.6	.01	5.1	.3	<.05	4	<.5	30	3.09
C145617	2.0	20.7	16.7	77	<.1	12.0	8.6	517	2.18	10.8	4.3	2.4	14.4	22	.3	.6	<.1	17	.25	.055	34	17.1	.66	402	.038	<1	1.04	.015	.40	.4	<.01	4.8	.2	<.05	5	<.5	30	2.72
C145618	1.6	14.4	15.7	52	<.1	9.0	7.0	364	1.77	10.9	2.7	1.5	10.8	18	.2	.5	<.1	11	.19	.046	28	12.5	.50	275	.030	<1	.78	.012	.33	.7	<.01	4.2	.2	<.05	3	<.5	30	3.04
C145619	1.6	17.3	14.0	54	<.1	9.2	6.1	357	1.89	12.4	2.9	1.7	11.1	17	.2	.5	<.1	10	.18	.046	31	11.7	.49	304	.025	1	.84	.014	.36	.6	.01	4.5	.2	<.05	3	<.5	30	2.98
C145620	1.7	15.0	18.0	53	<.1	7.7	9.5	457	1.85	12.8	2.9	1.5	13.1	15	.2	.5	.1	9	.21	.051	28	10.3	.34	348	.037	<1	.69	.019	.29	.5	<.01	4.7	.1	<.05	2	<.5	30	2.21
C145621	1.8	17.9	16.7	57	.1	7.7	7.3	417	2.02	9.4	2.9	3.5	13.3	17	.2	.5	.1	10	.26	.058	21	11.0	.36	349	.075	<1	.73	.016	.30	.5	<.01	4.6	.2	<.05	2	<.5	30	2.68
C145622	2.0	19.1	18.3	48	<.1	7.2	6.3	277	1.91	8.0	3.9	3.8	12.2	15	.2	.6	.2	12	.26	.059	15	14.5	.31	277	.086	<1	.78	.015	.29	.4	.01	4.1	.1	<.05	3	<.5	30	2.44
C145623	1.7	17.1	18.5	45	<.1	7.2	5.8	287	1.59	10.8	3.8	3.7	9.0	23	.2	.7	.1	11	.23	.057	12	12.9	.21	264	.087	1	.59	.014	.27	.5	.01	3.8	.1	<.05	2	<.5	30	2.45
C145624	1.4	3.9	3.0	10	<.1	2.9	1.3	89	.60	2.2	.6	<.5	1.7	2	<.1	.1	<.1	2	.03	.007	2	10.9	.06	56	.013	1	.15	.004	.05	1.7	<.01	.7	<.1	<.05	1	<.5	30	1.59
RE C145624	1.2	3.8	2.9	11	<.1	2.8	1.3	87	.59	1.9	.6	.7	1.6	2	<.1	.1	<.1	2	.03	.007	2	9.9	.06	51	.013	<1	.14	.004	.05	1.6	<.01	.7	<.1	<.05	1	<.5	30	-
C145625	1.9	17.3	16.9	44	<.1	7.8	6.5	357	1.62	7.7	2.8	1.5	9.7	19	.1	.5	.3	11	.26	.056	12	12.7	.28	287	.073	1	.69	.017	.27	.6	<.01	3.4	.1	<.05	3	<.5	30	2.34
C145626	1.8	16.1	15.0	51	<.1	8.7	7.0	426	1.80	8.5	3.8	2.3	10.5	14	.2	.5	.1	11	.24	.054	17	12.4	.28	300	.068	<1	.73	.015	.26	.4	<.01	4.0	.1	<.05	2	<.5	30	2.01
C145627	2.1	16.4	19.0	57	.1	8.5	8.4	663	2.16	8.9	3.4	2.1	11.8	19	.3	.5	.1	13	.26	.054	14	14.2	.28	333	.072	<1	.81	.017	.24	.4	<.01	4.4	.1	<.05	3	<.5	30	1.94
C145628	2.2	18.9	17.2	57	<.1	11.3	7.9	526	2.04	10.4	3.3	3.3	10.2	16	.3	.5	.1	13	.26	.056	18	16.6	.35	410	.066	<1	.84	.017	.26	.7	.01	4.9	.1	<.05	2	<.5	30	1.71
C145629	2.0	23.5	26.3	79	.1	11.9	8.0	539	2.55	10.5	3.7	3.9	15.2	22	.3	.6	.1	18	.32	.076	24	18.9	.55	374	.081	1	1.02	.018	.33	.7	.01	6.6	.2	<.05	4	<.5	30	2.12
C145630	2.3	19.6	14.3	76	.1	12.6	10.6	768	2.65	13.4	3.9	3.9	13.8	20	.4	.5	.1	16	.25	.061	28	17.5	.66	415	.035	<1	1.07	.017	.40	.4	<.01	8.2	.2	<.05	4	<.5	30	1.70
C145631	.7	26.4	14.1	74	.2	19.1	11.4	449	3.01	26.8	4.0	24.2	12.2	24	.5	1.3	.1	46	.41	.092	29	35.4	.85	437	.042	1	1.42	.019	.37	.3	.02	9.9	.2	<.05	7	.5	30	2.25
C145632	.6	26.4	6.6	95	.4	52.6	40.0	1095	6.56	29.9	7.0	23.5	3.6	66	1.0	1.2	.1	135	1.10	.140	19	36.4	2.34	874	.159	<1	4.29	.030	.26	<.1	.04	15.2	.2	<.05	15	<.5	30	1.45
C145633	.5	23.0	6.9	91	.7	34.1	30.8	962	5.93	25.8	6.2	35.4	5.4	51	.8	.9	<.1	115	.90	.130	18	38.1	2.18	659	.117	<1	3.72	.027	.37	<.1	.03	16.4	.3	<.05	14	<.5	30	1.42
C145634	.7	19.0	15.8	65	.2	11.3	9.4	378	2.39	21.2	3.2	17.1	13.6	23	.5	.9	.1	32	.33	.080	27	21.5	.65	347	.039	<1	1.22	.022	.29	.2	.02	7.5	.2	<.05	6	<.5	30	1.92
STANDARD DS5	12.3	144.8	24.8	136	.3	24.8	11.9	782	3.02	18.5	6.5	44.0	2.7	47	6.0	3.9	6.4	58	.71	.087	12	186.9	.68	144	.097	17	1.98	.031	.13	5.2	.17	3.5	1.0	<.05	6	5.0	30	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data ✓ FA ___

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A404519

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm	Total kg
C145635	.3	15.2	13.8	60	.1	10.8	7.4	423	2.29	11.3	2.4	10.2	9.7	16	.3	1.0	.1	22	.31	.077	27	19.3	.71	278	.039	1	1.10	.020	.38	.1	.01	6.9	.2	<.05	4	<.5	30	2.10
C145636	.4	19.1	15.2	61	.2	12.1	7.7	400	2.30	17.9	3.8	14.5	9.5	15	.4	.7	.1	25	.34	.084	25	23.0	.59	353	.044	1	1.16	.020	.34	.2	.01	6.9	.1	<.05	5	<.5	30	1.92
C145637	.4	22.3	13.8	68	.1	13.9	9.0	432	2.41	17.9	4.2	10.2	10.8	15	.4	.8	.1	24	.31	.082	30	22.0	.76	357	.029	1	1.23	.018	.44	<.1	.01	7.6	.2	<.05	5	<.5	30	2.02
C145638	.5	13.0	19.0	73	.2	11.4	7.5	397	2.59	22.4	4.2	13.2	10.5	16	.4	.6	.1	26	.32	.077	29	22.1	.75	343	.021	1	1.39	.017	.33	.4	.02	7.5	.2	<.05	5	<.5	30	1.86
C145639	.4	34.1	22.1	60	.1	11.7	8.2	342	2.06	25.4	4.0	9.9	9.5	15	.3	.7	.2	23	.26	.071	23	21.0	.61	323	.020	<1	1.12	.019	.33	<.1	.01	6.5	.2	<.05	4	<.5	30	2.13
C145640	.5	20.1	14.5	66	.2	18.2	11.0	319	2.76	24.2	6.1	14.5	11.3	24	.4	.7	.1	42	.35	.079	34	22.2	.88	472	.032	1	1.92	.017	.39	.3	.02	8.0	.2	<.05	6	<.5	30	1.83
C145641	.6	26.3	13.1	92	.2	49.3	35.3	886	5.98	26.8	9.0	16.2	2.9	55	.8	.7	.1	140	.82	.119	19	44.5	2.52	876	.100	<1	4.78	.020	.39	<.1	.01	16.9	.4	<.05	15	<.5	30	1.21
C145642	.3	24.5	22.4	92	.2	45.4	38.9	1007	5.81	13.9	7.1	12.4	1.6	51	.6	.4	<.1	121	.85	.113	19	40.5	2.69	759	.115	<1	4.97	.016	.45	<.1	.01	17.1	.4	<.05	14	<.5	30	1.35
C145643	.3	20.4	11.5	67	.3	28.9	23.7	635	4.70	13.2	6.5	18.6	5.2	38	.5	.5	.1	89	.60	.093	25	41.4	2.03	722	.117	<1	3.94	.016	.47	<.1	.01	13.7	.4	<.05	12	<.5	30	1.37
C145644	.6	32.0	14.2	66	.2	12.1	9.6	317	2.75	18.8	5.3	15.0	11.9	21	.3	.7	.1	39	.39	.090	34	28.2	.91	387	.090	1	1.69	.018	.42	.4	.01	8.5	.3	<.05	6	<.5	30	1.86
C145645	.4	19.3	12.2	45	.2	9.8	6.9	232	2.03	13.7	3.8	12.2	7.9	15	.3	.5	.1	25	.29	.064	22	17.9	.65	316	.074	1	1.29	.017	.34	.4	.01	6.0	.2	<.05	4	<.5	30	1.80
C145646	.6	21.0	13.2	77	.2	21.8	14.9	510	3.32	21.1	6.9	14.8	10.6	28	.4	.5	.1	53	.42	.086	30	29.1	1.23	448	.101	<1	2.38	.018	.45	<.1	.02	10.0	.4	<.05	8	<.5	30	2.11
RE C145646	.6	21.5	13.4	80	.2	21.4	15.0	517	3.44	21.2	7.0	17.4	10.9	28	.4	.5	.1	53	.44	.092	31	29.0	1.27	463	.102	1	2.45	.017	.46	<.1	.02	10.1	.4	<.05	8	<.5	30	-
C145647	.9	23.8	17.7	75	.2	16.8	10.4	426	2.76	28.1	7.8	26.3	10.5	29	.5	.7	.1	32	.40	.082	27	24.9	.79	388	.078	1	1.69	.018	.32	.1	.01	7.7	.2	<.05	6	<.5	30	1.88
C145648	1.1	28.2	7.4	88	.3	52.9	27.8	1088	5.09	30.7	1.9	3.5	5.1	63	.4	1.9	<.1	85	.85	.175	33	84.5	1.46	223	.040	<1	3.10	.019	.17	<.1	.03	12.6	.2	<.05	11	<.5	30	1.52
C145649	.8	23.3	8.9	67	.2	26.3	14.8	689	3.37	18.3	1.3	1.4	7.2	33	.2	.9	.1	43	.48	.100	28	50.0	1.18	197	.021	<1	2.06	.026	.24	.2	.01	5.7	.1	<.05	7	<.5	30	2.00
C145650	.7	18.5	20.5	83	.2	17.3	9.0	573	2.66	13.3	1.1	3.5	6.2	22	.2	.4	.2	28	.29	.065	22	29.5	1.08	135	.004	<1	1.47	.014	.17	.1	.01	3.3	.1	<.05	6	<.5	30	2.11
C145901	.9	50.4	11.4	45	1.2	7.4	6.9	594	.70	2.5	.4	2.3	.6	2	.7	.1	.7	2	.02	.010	3	10.6	.07	89	.002	1	.17	.004	.05	2.1	.02	.5	<.1	<.05	<1	<.5	30	3.67
C145902	.7	51.0	7.1	81	.8	4.1	3.8	429	.51	2.9	.3	11.5	.7	12	1.0	.1	.2	<1	.15	.007	3	1.8	.03	88	.001	2	.12	.009	.04	<.1	.03	.6	<.1	<.05	<1	<.5	30	2.46
04GM-132	1.8	54.8	3.2	102	.1	46.2	13.8	474	2.61	6.4	1.0	4.8	4.3	9	.3	.2	.3	30	.28	.080	26	21.2	.83	155	.023	1	1.33	.007	.18	.6	<.01	3.0	<.1	<.05	4	.7	30	3.11
04GM-148	.2	23.5	10.2	64	.3	19.1	6.7	247	2.30	36.1	1.0	2.3	8.6	24	.2	.2	.1	23	.21	.057	28	15.8	1.02	262	.002	1	1.26	.017	.16	<.1	<.01	3.1	.1	<.05	5	<.5	30	2.99
04GM-149	.4	5.6	2.7	30	.9	4.2	2.1	134	1.08	114.2	.4	21.4	1.0	4	.1	.4	.1	11	.10	.030	5	14.3	.28	68	.002	1	.47	.009	.05	1.2	<.01	1.3	<.1	<.05	2	<.5	30	2.88
04GM-150	.8	17.5	8.1	100	1.0	16.1	8.6	327	3.25	378.8	1.6	13.7	4.8	18	.4	.8	.3	49	.36	.088	19	38.1	1.04	237	.003	1	1.64	.017	.14	<.1	<.01	6.1	.1	<.05	7	<.5	30	3.62
STANDARD DS5	12.4	142.8	24.3	139	.3	24.8	11.6	739	2.91	18.6	6.4	43.0	2.7	49	5.6	3.8	5.9	60	.73	.093	13	188.0	.68	143	.095	18	2.00	.034	.15	4.9	.17	3.5	1.0	<.05	7	5.0	30	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data V FA

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT Klondike File # A404941 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample kg
SI	.1	1.5	.2	1	<.1	.4	.1	<1	.04	<.5	<.1	<.5	<.1	2	<.1	<.1	<.1	1	.11	<.001	<1	1.7	.01	2	.002	2	.01	.461	<.01	<.1	<.01	.1	<.1	<.05	<1	<.5	-
C 144537	2.9	13.7	33.0	20	11.0	2.1	1.3	25	2.69	115.8	.4	52.4	3.0	30	.2	3.0	2.0	9	.06	.033	8	7.4	.04	272	.004	3	.34	.039	.36	.1	.10	1.3	.1	.43	2	9.2	2.08
C 144538	5.4	19.3	23.5	39	3.1	6.0	2.0	36	2.86	262.9	1.2	22.4	3.6	28	.4	1.8	.7	8	.05	.038	9	8.7	.05	291	.003	3	.36	.041	.21	.2	.14	.9	.1	.20	1	2.4	1.83
C 144539	5.3	11.3	39.1	20	4.4	2.9	1.7	21	2.96	105.3	.8	26.1	3.3	40	.2	2.1	1.2	5	.05	.037	9	4.7	.04	323	.002	2	.33	.044	.22	.1	.13	.8	.1	.27	1	3.7	1.46
C 144540	3.6	10.2	11.0	17	1.2	2.8	.7	16	1.25	96.6	.5	12.0	.8	7	.2	.9	.2	3	.02	.016	1	19.0	.01	58	.001	<1	.07	.010	.02	.4	.03	.3	<.1	<.05	<1	<.5	2.22
C 144541	3.2	6.6	24.3	17	3.6	2.3	1.1	13	1.25	45.3	.6	71.8	2.5	10	.1	3.4	.5	5	.03	.015	10	3.9	.04	190	.003	3	.27	.011	.22	.1	.18	.7	.1	.07	1	4.5	1.80
C 144542	5.3	8.3	29.8	22	3.4	3.0	1.5	23	2.08	81.2	.8	47.3	2.1	20	.2	3.1	.4	5	.02	.031	8	7.0	.03	200	.003	<1	.34	.026	.21	.2	.45	.9	.1	.10	1	3.7	1.73
C 144543	9.6	24.3	35.5	60	2.6	6.1	3.1	31	4.77	234.1	2.0	30.1	2.8	46	.4	3.0	.7	8	.04	.063	7	5.4	.03	267	.004	1	.36	.061	.22	.1	.27	1.1	.1	.25	1	2.3	2.00
C 144544	10.9	34.9	27.2	94	2.4	8.4	3.2	46	5.29	374.4	3.0	41.0	1.7	34	.6	2.9	.4	13	.03	.078	4	16.7	.02	223	.002	1	.19	.044	.09	.3	.26	.7	.1	.26	1	1.3	1.84
C 144545	1.4	20.6	9.4	142	.5	20.7	10.8	679	2.82	52.6	1.5	5.8	4.7	11	1.0	.7	.1	24	.31	.102	21	23.6	.74	293	.004	<1	1.35	.009	.21	.1	.05	2.8	.1	<.05	4	<.5	1.67
C 144546	2.5	30.4	8.1	178	.9	15.1	11.3	328	3.39	92.1	2.8	12.1	3.7	11	.9	1.1	.1	21	.23	.086	11	12.7	.50	335	.006	<1	1.40	.013	.23	.2	.09	3.9	.1	<.05	5	.6	2.15
C 144547	1.2	16.6	9.6	71	.5	7.2	4.0	174	1.46	31.6	2.6	7.1	4.8	10	1.3	.7	.1	6	.22	.082	20	1.9	.13	362	.008	<1	.74	.014	.30	.2	.08	2.8	.1	<.05	3	.7	1.81
C 144548	2.9	17.6	9.6	157	.6	10.4	18.4	711	2.58	45.9	2.2	4.9	5.0	10	.8	1.1	.1	7	.24	.083	29	5.4	.19	468	.004	1	.98	.014	.31	.2	.07	3.7	.2	<.05	5	.6	1.88
C 144549	2.4	42.7	12.5	55	2.3	10.0	5.4	101	2.68	169.5	3.7	27.1	6.0	27	.3	3.8	.1	9	.09	.059	19	6.2	.14	332	.003	1	.87	.013	.26	.1	.13	3.3	.1	.10	3	4.0	2.15
C 144550	8.7	59.0	39.2	121	3.1	15.7	10.0	160	5.50	346.3	4.5	85.8	6.0	65	.7	5.9	.2	24	.14	.127	17	20.0	.26	452	.003	1	.89	.023	.34	.2	.16	2.4	.2	.22	4	3.5	2.61
RE C 144550	9.3	58.8	40.3	126	3.0	15.5	9.7	159	5.47	341.1	4.5	70.7	5.7	67	.7	6.0	.2	23	.14	.121	18	18.7	.26	465	.003	1	.87	.023	.34	.2	.17	2.4	.2	.15	4	3.7	-
C 144551	3.6	43.9	20.7	149	1.3	32.1	8.3	228	3.01	177.9	2.6	12.1	7.1	18	.8	2.7	.1	30	.28	.096	17	15.4	.60	387	.002	1	1.25	.006	.21	.2	.08	1.9	.1	<.05	3	2.0	1.97
C 144552	12.0	44.6	20.6	148	2.3	33.7	9.6	218	3.57	195.7	1.9	5.5	9.5	20	1.3	2.3	.1	34	.36	.112	25	21.9	1.13	492	.002	1	1.51	.005	.19	.2	.04	1.6	.1	<.05	4	4.3	2.66
C 144553	6.2	57.6	40.0	211	2.1	152.0	27.8	2057	3.59	211.0	1.2	7.7	5.1	21	2.5	4.9	.2	59	.40	.068	18	121.9	1.68	697	.001	1	2.25	.005	.14	.1	.05	4.1	.2	<.05	7	.9	1.90
C 144554	8.4	48.4	33.4	163	1.4	92.1	15.7	1818	2.96	159.3	1.1	5.6	6.3	19	2.0	4.9	.2	53	.38	.074	22	71.2	1.28	649	.001	1	1.86	.005	.17	.2	.02	3.3	.2	<.05	5	1.0	1.65
C 144555	5.3	56.6	29.4	158	1.1	95.6	14.7	928	3.09	148.8	1.0	10.0	6.7	18	1.5	3.9	.2	48	.38	.078	21	60.3	1.38	415	.001	<1	1.85	.005	.16	.1	.02	3.0	.1	<.05	5	2.7	2.45
C 144556	5.4	64.1	40.6	160	1.2	89.3	19.1	1100	3.28	145.5	1.0	4.0	4.6	18	1.5	4.4	.3	45	.39	.090	15	63.6	1.49	436	.002	1	1.93	.008	.16	.1	.02	3.3	.1	<.05	5	1.7	2.32
C 144557	3.5	49.6	37.9	186	.8	56.8	13.3	579	3.08	125.4	1.0	4.7	5.2	18	1.2	3.5	.2	35	.32	.062	16	35.1	1.28	287	.001	<1	1.68	.005	.17	.1	.02	2.5	.1	<.05	4	2.4	2.81
C 144558	6.2	27.8	24.1	133	3.7	24.3	9.2	182	2.85	165.9	2.3	46.6	6.9	15	1.2	3.0	.9	27	.22	.080	25	15.7	.51	368	.004	2	1.09	.007	.23	.1	.13	1.8	.1	<.05	3	2.6	2.40
C 144559	6.7	46.3	22.7	139	1.6	52.3	11.4	606	2.89	196.9	1.8	22.0	7.0	15	1.2	2.8	.2	36	.29	.076	20	37.4	.97	346	.002	1	1.37	.004	.15	.2	.06	2.3	.1	<.05	4	2.3	2.11
C 144560	5.2	59.6	18.6	154	2.5	29.3	6.9	152	3.12	607.9	2.8	16.3	5.9	19	2.2	2.0	.4	25	.24	.090	23	12.6	.45	355	.004	1	.98	.007	.19	.2	.09	2.0	.2	<.05	3	3.1	1.98
C 144561	7.6	47.2	32.3	123	6.9	22.9	5.7	139	3.26	302.3	2.9	31.3	5.7	12	1.5	2.6	1.1	23	.21	.101	18	12.7	.30	357	.004	2	.79	.007	.20	.2	.10	1.8	.1	<.05	2	3.8	1.81
C 144562	3.0	28.4	11.5	102	2.4	19.7	2.8	144	2.83	105.6	1.7	115.0	5.6	18	.9	1.3	.3	23	.13	.062	14	14.1	.46	489	.004	2	.97	.007	.21	.1	.04	1.8	.2	.06	3	3.8	1.93
C 144563	5.9	36.5	23.0	116	5.1	22.9	3.9	113	2.75	178.3	2.5	204.7	5.4	15	1.1	2.7	.9	17	.10	.059	17	12.3	.28	430	.004	1	.71	.005	.17	.1	.07	1.8	.2	<.05	2	3.7	1.76
C 144564	4.9	35.3	12.1	115	2.8	20.0	3.4	131	3.28	191.7	3.0	171.0	6.7	22	1.3	2.0	.1	17	.11	.075	22	10.0	.33	620	.005	1	.88	.004	.20	.1	.05	2.0	.2	<.05	2	3.0	1.95
C 144565	8.1	43.4	22.6	158	3.2	28.6	5.3	178	3.14	169.0	3.1	389.3	6.4	15	1.2	2.6	.4	27	.16	.072	27	18.4	.38	643	.005	2	1.12	.005	.22	.1	.08	2.3	.2	<.05	3	2.6	1.75
C 144566	2.1	14.1	67.5	95	1.1	4.9	2.8	124	2.93	51.8	.8	9.1	5.4	29	.6	1.8	.1	6	.07	.043	14	6.3	.45	211	.002	1	.74	.006	.18	.1	.14	1.4	.1	<.05	2	1.7	1.54
C 144567	2.2	28.8	15.5	138	1.2	13.3	5.4	269	3.38	42.8	.9	11.1	5.5	44	.6	1.4	.1	18	.18	.069	14	20.3	1.32	263	.002	1	1.56	.007	.17	<.1	.08	1.6	.1	<.05	4	2.0	1.78
C 144568	3.2	30.2	20.8	194	1.0	25.4	8.5	329	3.89	52.7	1.3	10.3	6.3	43	1.5	1.2	.1	30	.23	.087	17	22.7	1.25	261	.002	1	1.75	.009	.14	<.1	.10	2.5	<.1	<.05	4	2.2	2.08
C 144569	4.8	39.6	16.7	309	1.5	45.9	18.4	808	3.45	56.2	1.0	18.6	5.5	40	2.4	1.9	.1	47	.33	.084	17	41.2	1.10	522	.001	1	1.81	.009	.14	.1	.12	3.2	.1	<.05	5	1.4	2.12
STANDARD DS5	12.8	147.2	24.7	136	.3	25.3	11.9	792	2.99	18.6	6.4	43.0	3.0	44	5.4	3.9	6.2	63	.76	.093	13	190.6	.68	138	.095	16	2.10	.034	.15	5.3	.18	3.4	1.1	<.05	7	5.3	-

GROUP 1DX - 30.0 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data ✓ FA ____ DATE RECEIVED: AUG 26 2004 DATE REPORT MAILED: Sept 13/04

BRITISH COLUMBIA CERTIFIED ASSAYER — Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL

Klondike Gold Corp. PROJECT Klondike FILE # A404941

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample kg
C 144570	7.8	55.8	32.4	396	2.3	92.3	30.8	955	3.72	128.5	1.4	84.6	6.1	33	3.1	3.6	.2	50	.43	.080	21	56.6	1.54	378	.001	<1	2.11	.007	.14	.1	.43	3.6	.1	<.05	6	4.8	1.89
C 144571	2.7	43.9	10.7	222	3.9	31.3	15.0	422	3.42	98.4	1.1	42.5	5.9	22	1.8	1.4	.1	34	.38	.095	17	28.7	1.06	446	.003	1	1.78	.012	.15	.1	.27	3.2	.1	<.05	5	2.6	2.21
C 144572	5.6	43.0	27.1	134	14.8	17.8	5.3	149	2.47	76.3	.8	65.4	4.2	28	.7	2.8	.7	26	.21	.071	10	15.6	.43	454	.003	1	.85	.013	.23	.1	.36	1.6	.1	.16	3	10.0	2.57
C 144573	2.5	9.1	73.6	33	22.0	2.4	1.0	32	.85	13.5	.2	288.7	1.8	27	.2	3.1	1.5	4	.02	.017	9	9.2	.04	479	.003	1	.26	.014	.18	.1	.32	.8	.1	.08	1	6.2	2.61
C 144574	2.0	23.8	77.7	85	12.5	2.2	1.0	41	1.74	24.3	.4	93.6	1.7	37	.5	2.7	1.0	4	.02	.035	6	3.0	.03	288	.002	1	.21	.007	.12	<.1	.21	.6	.1	.07	1	3.5	1.82
C 144575	3.3	25.8	27.3	65	4.7	3.2	.9	35	1.52	16.2	.4	33.5	.7	6	.4	1.3	.9	2	.01	.023	1	14.3	.01	118	.001	<1	.10	.002	.05	.2	.17	.4	<.1	<.05	<1	1.1	2.00
C 144576	3.1	79.1	149.5	225	16.9	5.8	5.0	197	4.08	46.5	.8	85.4	4.0	120	1.6	20.5	1.0	5	.05	.076	11	3.0	.04	361	.002	<1	.32	.041	.31	.1	1.19	1.0	.1	.47	1	12.6	1.81
C 144577	4.0	92.4	393.6	268	40.8	6.4	2.9	126	2.94	23.4	.9	650.4	4.1	48	1.1	35.6	4.2	6	.03	.065	10	8.4	.05	525	.003	<1	.37	.006	.18	.1	2.72	1.4	.1	.10	1	19.0	1.75
C 144578	4.8	114.5	242.5	366	47.9	7.9	5.3	152	3.63	53.1	1.4	255.9	5.9	46	1.5	61.6	4.9	10	.06	.071	13	5.8	.11	365	.002	1	.43	.007	.15	.1	1.82	1.5	.1	.08	2	22.3	2.10
C 144579	6.8	85.0	36.1	129	6.4	7.4	5.6	135	3.32	136.2	1.5	142.3	6.1	66	1.2	7.2	1.0	21	.14	.072	17	15.5	.28	567	.002	<1	.64	.014	.21	.1	1.55	1.9	.2	.18	3	5.5	2.44
C 144580	7.8	122.4	59.8	261	8.2	19.8	5.7	144	3.74	124.0	2.6	224.5	7.4	45	1.5	14.0	.8	27	.15	.079	20	15.0	.48	407	.002	<1	1.03	.006	.17	.1	1.18	2.2	.2	<.05	3	11.4	2.19
C 144581	7.1	81.1	21.7	363	3.0	25.7	5.9	138	3.47	104.8	1.8	39.4	7.6	30	1.3	5.6	.3	21	.12	.063	19	16.8	.56	358	.002	<1	.94	.006	.15	.1	.44	1.5	.1	<.05	3	5.3	1.58
C 144582	6.3	57.6	14.1	512	3.0	29.4	9.7	186	3.75	507.5	2.0	39.0	8.1	33	2.8	3.5	.2	22	.14	.065	23	13.0	.73	521	.003	<1	1.18	.010	.18	.1	.23	1.8	.2	.06	3	3.6	1.82
C 144583	5.7	46.2	32.3	150	15.0	8.0	4.1	100	3.32	131.8	1.1	214.6	5.0	42	.8	4.5	1.3	14	.09	.061	14	13.9	.17	362	.003	<1	.51	.021	.34	.1	.82	1.9	.2	.36	2	15.0	1.76
C 144584	2.8	5.3	95.0	14	38.6	1.4	.6	23	1.60	26.8	.2	317.3	2.4	23	.1	6.1	4.8	5	.02	.025	7	4.0	.03	330	.004	2	.27	.013	.41	<.1	1.84	.9	.1	.40	1	21.6	1.56
C 144585	5.2	6.8	74.6	8	38.7	1.4	.4	19	1.34	23.7	.2	246.3	2.9	45	.1	6.7	2.1	5	.02	.027	6	6.1	.02	521	.003	1	.20	.023	.26	<.1	1.03	.6	.1	.26	1	20.6	1.81
C 144586	2.6	13.3	102.2	25	15.5	2.0	.8	25	1.59	64.3	.6	219.8	2.9	48	.2	7.4	2.8	4	.03	.045	7	3.7	.03	343	.002	1	.21	.013	.15	<.1	1.47	.7	.1	.12	1	5.1	2.47
C 144587	5.0	22.6	22.1	38	6.1	3.2	1.3	44	1.89	70.5	1.0	39.3	4.5	53	.4	5.2	.7	6	.04	.050	9	6.9	.06	305	.003	<1	.28	.017	.18	.1	1.37	1.0	.2	.12	1	6.2	2.39
C 144588	2.5	50.7	11.8	165	2.3	7.4	7.7	106	2.47	77.9	2.3	30.4	4.6	61	1.3	8.3	.1	9	.06	.076	13	5.4	.08	225	.002	<1	.50	.007	.21	<.1	.16	1.5	.2	.07	1	7.0	1.67
C 144589	2.8	37.1	8.2	140	1.5	5.4	2.9	127	2.50	29.5	2.0	17.4	5.1	30	1.2	3.4	.1	5	.12	.062	18	5.6	.07	467	.013	<1	.61	.023	.33	.1	.15	3.0	.2	.16	2	2.6	1.59
C 144590	1.0	28.4	11.0	166	.9	9.1	13.5	231	2.16	30.8	3.3	11.1	4.3	21	2.1	1.8	.1	9	.28	.073	14	2.0	.18	258	.057	1	.91	.013	.16	.1	.11	5.5	.1	<.05	3	.6	1.89
RE C 144590	1.0	30.2	11.1	168	.9	9.5	12.5	224	2.10	31.6	3.2	11.1	4.3	20	2.0	1.8	.1	8	.26	.076	14	1.8	.17	252	.054	<1	.88	.013	.15	.1	.10	5.1	.1	<.05	3	.6	-
C 144591	1.6	20.3	12.5	93	.6	5.3	2.4	236	2.26	29.9	2.7	7.4	5.1	20	.4	.7	.1	4	.14	.077	18	4.5	.12	317	.020	<1	.81	.018	.24	.1	.11	3.2	.1	<.05	2	.6	2.17
C 144592	1.1	29.8	7.9	203	.6	6.6	4.5	179	2.78	21.9	2.3	8.4	4.8	18	.5	.7	.1	4	.09	.074	15	1.1	.09	284	.036	1	.79	.013	.17	<.1	.10	4.4	.1	<.05	3	.7	1.76
C 144593	1.7	32.2	10.6	110	.7	4.3	2.7	170	2.66	18.2	1.9	8.6	4.8	22	.3	.5	.1	4	.09	.067	22	3.5	.08	294	.014	<1	.63	.014	.19	.1	.11	2.4	.1	.06	2	.9	1.56
C 144594	.9	57.1	11.4	198	.7	8.2	3.8	177	3.00	29.6	2.6	22.9	5.0	20	.2	1.3	.1	8	.11	.077	16	2.1	.10	296	.020	<1	.99	.009	.17	.1	.15	3.3	.1	<.05	3	.8	1.80
C 144595	2.2	55.0	10.2	258	1.7	7.2	4.3	212	3.82	63.9	1.9	27.0	4.1	27	.3	1.9	.1	7	.10	.080	12	8.1	.27	242	.014	<1	.72	.016	.20	.1	.23	2.6	.3	.20	2	1.7	2.21
C 144596	1.5	48.9	9.5	276	2.1	11.5	5.4	417	4.27	50.6	1.3	34.7	4.1	22	.2	.9	.2	16	.21	.076	8	18.9	1.32	186	.006	<1	1.75	.007	.14	.8	.25	2.3	.1	.13	5	1.3	2.11
C 144597	3.6	70.5	70.8	401	4.6	8.6	4.0	163	7.00	79.2	1.3	125.5	5.7	37	.4	8.1	2.3	9	.06	.115	14	8.5	.06	331	.014	<1	.55	.011	.21	.1	.69	2.0	.1	.11	2	7.0	1.73
C 144598	3.2	32.6	28.0	169	2.8	2.9	2.4	107	2.59	49.9	.5	46.4	2.9	18	.3	3.9	.4	4	.02	.043	12	3.9	.07	191	.004	1	.34	.006	.16	.1	.40	1.3	.1	<.05	1	3.2	1.72
C 144599	2.4	29.5	44.9	101	11.2	2.8	1.1	78	1.56	13.9	.6	66.6	2.5	56	.2	6.2	1.5	6	.02	.029	9	7.3	.06	357	.005	1	.35	.013	.16	<.1	.35	1.3	.1	.09	1	8.2	1.69
C 144600	1.7	58.6	62.5	256	8.5	10.1	6.7	320	3.32	12.0	1.0	62.0	4.1	31	.6	4.1	1.3	18	.24	.068	11	10.3	.54	285	.051	<1	.92	.021	.16	<.1	.32	2.6	.1	.10	3	11.6	1.88
C 144814	2.3	6.1	11.0	10	.2	2.1	.3	38	.37	2.2	.1	<.5	.3	1	<.1	.4	<.1	<1	.01	.003	1	10.2	.02	23	.001	<1	.06	.001	.03	<.1	.02	.1	<.1	<.05	<1	<.5	.92
C 144815	1.0	17.3	12.7	54	.3	13.8	5.9	381	1.74	84.3	.8	<.5	5.6	66	.3	2.2	.3	13	1.23	.082	16	12.7	.78	208	.035	1	.77	.019	.56	.1	.01	4.7	.2	<.05	2	.6	1.27
STANDARD DS5	12.5	144.5	25.5	135	.3	25.4	12.0	792	3.04	18.9	6.1	43.2	2.7	46	5.7	3.8	6.2	60	.76	.093	12	186.0	.68	139	.094	18	2.05	.034	.13	5.0	.20	3.6	1.1	<.05	7	5.3	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data ℒ FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample kg
C 144816	1.4	6.9	11.7	13	.1	3.5	1.1	47	.46	1.2	.2	.6	1.0	4	.1	.2	.2	3	.10	.027	2	11.0	.10	50	.024	<1	.13	.017	.06	1.7	<.01	.5	<.1	<.05	1	<.5	1.36
C 144817	.5	14.2	16.3	28	.6	2.3	1.6	25	.95	3.0	.4	436.8	3.9	75	.1	.5	.1	2	.06	.046	7	11.1	.06	1273	.002	1	.17	.034	.11	.2	.01	.6	<.1	.11	1	<.5	2.28
C 144818	9.4	100.9	262.3	354	7.0	40.2	39.3	1106	4.00	167.9	5.9	>100000	12.9	18	1.5	3.8	.1	7	.12	.035	19	9.6	1.31	759	.001	<1	1.93	.006	.12	1.1	.11	6.8	.1	<.05	3	.6	1.10
C 144819	.4	15.8	6.4	75	<.1	3.7	2.3	216	.71	3.7	.2	23.3	.3	4	.5	.1	<.1	1	.03	.010	1	8.3	.08	61	<.001	<1	.12	.005	.02	.2	.01	.4	<.1	<.05	<1	<.5	.94
C 144820	2.4	113.7	20.9	376	.3	88.2	72.5	3613	3.54	529.0	1.2	26.1	6.4	12	2.4	.9	<.1	24	.13	.081	21	31.6	1.01	276	.034	1	1.41	.010	.21	.7	.01	4.0	.7	<.05	3	.7	1.31
C 144821	4.6	194.4	470.8	77	1.0	19.8	1.1	102	7.67	309.7	1.3	14.0	10.4	56	.1	1.6	.2	18	.03	.170	9	37.9	.58	401	.004	<1	1.35	.014	.21	.1	.10	2.6	.2	.22	3	3.4	2.00
C 144872	1.6	14.3	39.2	25	.2	4.3	3.4	285	.78	29.2	.4	10.0	5.8	25	.3	.9	.1	1	.08	.023	11	7.4	.22	2497	.001	1	.38	.013	.16	1.5	.10	.8	.1	<.05	1	<.5	.98
C 144873	.2	18.6	6821.4	325	49.2	.8	.3	22	.49	<.5	.8	7190.2	.2	51	5.2	4.9	12.6	3	.01	.005	1	7.8	.01	760	<.001	<1	.02	.002	.01	.2	.48	.1	<.1	.14	<1	13.0	1.00
C 144874	2.5	18.9	11.1	33	.3	17.2	7.7	494	1.38	59.0	.5	10.4	3.0	10	.4	.7	.1	8	.11	.034	10	14.8	.32	222	.002	1	.50	.005	.11	1.4	<.01	2.0	.1	<.05	1	.7	1.19
C 145518	.3	4.0	65.5	32	.4	1.9	1.0	121	.95	4.9	1.2	43.5	4.8	11	.1	.4	.3	3	.12	.010	9	6.2	.22	99	.016	<1	.36	.038	.02	.1	.01	.7	<.1	<.05	2	.6	.40
C 145519	1.7	11.4	60.2	158	.2	1.5	11.9	158	3.06	.5	1.7	2.3	7.1	2	1.0	.4	.7	1	.02	.006	20	4.7	.24	36	.007	<1	.44	.007	.33	1.8	.03	.7	.1	2.83	1	2.9	.35
RE C 145519	1.7	11.1	58.9	153	.2	1.7	11.3	161	3.11	<.5	1.7	2.4	7.0	2	1.0	.4	.6	1	.02	.006	20	4.8	.25	35	.007	<1	.42	.006	.30	1.8	.03	.5	.1	2.52	1	2.8	-
C 145521	.4	1.8	14.4	33	.1	1.1	2.0	133	1.10	2.0	.6	7.4	10.9	4	.1	.3	.1	3	.04	.012	3	5.0	.14	173	.021	1	.44	.029	.33	.5	.01	1.8	.2	<.05	3	<.5	.25
C 145522	1.3	4.8	3.3	5	.2	2.1	.4	80	.33	1.7	.1	1.7	.6	1	<.1	.2	<.1	1	<.01	.003	3	8.5	.02	20	.001	<1	.09	.002	.01	2.0	.01	.3	<.1	<.05	<1	<.5	.72
C 145523	.1	1.6	10.7	56	<.1	.9	.9	84	.71	.7	.3	2.9	12.4	17	<.1	.1	.2	1	.02	.008	12	3.0	.95	525	.001	1	.87	.008	.16	.1	<.01	1.4	<.1	<.05	3	<.5	.27
C 145524	1.1	12.9	19.5	28	<.1	4.6	3.4	221	.69	2.6	1.1	1.5	9.2	18	.3	.2	.2	3	.10	.013	8	6.5	.03	242	.004	1	.40	.024	.22	.9	.01	2.1	.1	<.05	2	.5	.27
C 145525	.2	8.2	13.1	47	.1	3.3	3.5	416	.79	6.7	1.0	2.9	6.5	23	.4	.2	<.1	3	.44	.036	16	4.1	.15	284	.043	<1	.50	.022	.30	.1	.01	1.4	.1	.07	2	<.5	.18
C 145526	.8	4.8	23.0	33	.3	1.7	1.0	45	.69	1.7	2.5	2.6	18.0	10	.1	.3	.6	1	.04	.017	30	7.8	.10	110	.011	<1	.28	.045	.17	.8	.01	2.0	.1	<.05	2	<.5	.34
C 145527	.3	2.4	11.9	15	.1	.8	.8	72	.44	2.5	1.4	2.0	13.4	4	.1	.3	.1	2	.03	.014	38	2.2	.04	137	.005	<1	.25	.030	.21	.1	.01	1.5	.1	<.05	1	<.5	.25
C 145528	.8	9.8	12.5	20	.1	2.6	1.7	111	.60	1.8	1.4	.9	12.5	8	.1	.2	<.1	4	.08	.025	24	8.5	.12	263	.005	<1	.45	.022	.30	.9	.03	2.1	.1	<.05	2	<.5	.40
C 144903	1.3	12.6	12.2	58	.2	11.5	6.8	564	2.24	13.9	1.6	1.5	7.6	96	.3	1.0	.2	21	1.99	.056	24	20.0	.59	245	.028	1	.87	.020	.42	.1	<.01	5.2	.3	<.05	3	<.5	1.22
C 144904	1.3	15.5	20.1	53	.3	9.8	5.6	378	1.82	29.3	1.2	1.6	7.9	34	.3	1.6	.2	17	.62	.053	24	21.5	.50	268	.007	<1	.79	.017	.26	.8	.01	4.0	.1	<.05	4	.7	1.17
C 144905	.7	13.1	29.4	47	.2	9.2	5.2	530	1.85	14.1	.9	2.1	7.4	57	.2	.4	.3	19	1.41	.056	23	18.9	.61	251	.004	<1	.88	.012	.21	<.1	<.01	3.2	.1	<.05	4	.5	1.05
C 144906	1.1	9.9	21.0	43	.3	9.6	5.4	440	1.98	5.8	1.3	1.3	7.5	40	.2	.6	.4	18	.73	.058	22	19.4	.68	245	.021	1	.72	.025	.32	.7	<.01	4.2	.2	<.05	3	<.5	.99
C 144907	.8	18.3	18.1	63	.2	12.6	8.0	412	2.51	5.9	1.6	1.2	8.8	26	.2	.3	.2	22	.49	.065	26	22.2	.99	306	.042	<1	1.08	.020	.34	.1	<.01	4.2	.2	<.05	5	.5	1.20
C 144908	1.2	15.5	12.9	47	.1	10.4	6.5	419	2.01	4.5	1.5	1.1	7.6	43	.3	.2	.2	14	.72	.053	22	17.8	.65	422	.033	<1	.72	.018	.30	.8	<.01	3.6	.2	<.05	3	.5	1.21
C 144909	.7	15.5	21.2	41	.2	8.8	5.4	418	1.60	1.6	1.4	.8	6.7	113	.3	.3	.2	13	1.14	.058	21	12.9	.51	429	.065	<1	.57	.023	.27	.1	<.01	3.4	.2	<.05	2	.6	1.99
C 144910	1.8	19.8	20.9	58	.2	12.3	7.4	511	2.18	4.5	1.4	1.2	8.0	54	.2	.7	.1	16	.82	.055	24	20.9	.61	612	.051	1	.75	.021	.35	1.2	<.01	4.0	.2	<.05	3	<.5	1.23
C 144911	.9	15.9	19.6	63	.1	11.7	6.1	644	2.36	22.6	1.3	1.3	7.9	85	.3	1.1	.1	19	1.70	.062	26	19.1	.90	281	.023	1	1.05	.017	.40	.1	<.01	5.2	.2	<.05	4	<.5	1.04
C 144912	1.3	9.9	64.0	41	.3	8.5	5.0	509	1.73	60.4	1.1	.9	5.7	73	.3	1.2	.4	11	1.48	.061	19	17.8	.55	224	.016	1	.71	.017	.38	1.1	<.01	3.9	.2	<.05	2	.5	1.32
C 144913	.9	23.0	26.2	57	.2	10.1	6.9	520	2.19	92.6	1.6	4.7	9.7	84	.3	1.3	.2	13	1.42	.065	32	11.4	.69	254	.009	3	1.02	.015	.38	.1	<.01	4.4	.2	<.05	3	<.5	1.28
C 144914	1.0	9.7	29.7	32	.2	5.3	3.0	283	1.07	22.2	1.0	16.8	9.2	53	.2	.5	.3	6	.65	.032	31	11.7	.32	180	.003	1	.50	.012	.23	.9	<.01	2.1	.1	<.05	2	<.5	1.26
C 156342	4.4	158.8	84.8	549	6.6	61.5	19.2	2337	3.36	50.0	.9	73.2	5.9	12	13.3	1.2	3.9	9	.16	.077	15	14.6	.20	330	.004	1	.52	.004	.28	.1	.22	2.3	.1	.06	2	2.9	1.65
C 156343	1.0	3.3	8.4	48	.2	3.0	4.2	138	1.04	3.2	1.6	<.5	5.7	32	.5	1.3	<.1	5	.48	.019	21	5.9	.26	331	.023	1	.80	.035	.14	.8	.12	2.5	.1	<.05	4	<.5	1.82
STANDARD DS5	13.1	142.7	25.6	138	.3	24.6	12.5	784	3.02	18.7	6.2	42.5	2.8	44	5.3	3.6	6.0	61	.76	.091	12	184.5	.68	137	.095	17	2.04	.033	.14	4.9	.18	3.5	1.0	<.05	7	5.2	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT Klondike FILE # A404941

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample kg
C 156344	1.2	5.3	10.3	24	.2	1.8	1.0	56	.64	21.1	3.4	1.1	4.7	14	.4	.5	.1	3	.06	.029	28	2.0	.05	481	.002	1	.34	.023	.24	.1	.08	1.2	.1	<.05	1	<.5	1.60
C 156345	1.4	7.9	12.5	8	.2	1.2	.8	75	1.02	17.2	3.8	1.1	23.3	9	.1	.3	.1	1	.02	.014	17	4.1	.02	714	<.001	2	.41	.003	.30	.7	.02	.5	.1	<.05	1	<.5	1.63
C 156346	.5	11.4	19.5	27	.2	2.4	2.9	454	1.05	5.7	.8	1.9	5.1	34	.2	1.1	.1	3	.12	.034	14	3.3	.32	1850	.001	<1	.37	.015	.13	.2	.13	.9	<.1	<.05	1	<.5	1.24
C 156347	.9	15.5	28.6	37	.2	3.3	6.2	519	1.19	15.6	1.4	3.8	14.5	15	.3	1.6	.1	3	.18	.050	37	5.3	.42	728	.002	1	.73	.011	.35	.5	.11	1.8	.1	<.05	2	<.5	1.26
C 156348	.5	13.1	13.7	21	.2	2.1	1.8	433	.77	25.5	.6	3.1	4.3	28	.3	2.8	<.1	1	.12	.030	12	3.1	.22	1492	.001	1	.27	.005	.13	<.1	.97	.8	.1	<.05	1	<.5	1.01
C 156349	.5	5.7	7.5	42	.2	4.6	4.7	238	1.24	119.7	1.2	16.3	12.6	16	.1	.6	.1	4	.16	.047	34	6.4	.50	876	.003	<1	.75	.014	.31	.5	.09	1.5	.1	<.05	2	<.5	1.20
C 156350	1.1	3.6	1.9	5	.1	4.4	2.1	127	.93	18.5	.3	5.5	.1	1	.1	.2	<.1	2	.01	.002	1	6.4	.02	14	<.001	<1	.05	.002	.01	<.1	.01	.3	<.1	<.05	<1	<.5	2.71
C 158051	1.5	23.1	18.0	132	.6	8.1	9.8	880	3.96	7.2	1.6	320.3	5.1	22	1.3	.7	.1	30	.52	.078	16	15.1	1.01	270	.034	1	1.86	.014	.34	.5	.06	4.8	.2	<.05	6	.5	2.00
C 158052	.5	22.3	63.5	96	.2	8.7	6.8	611	2.13	3.5	1.3	2.3	6.8	16	1.0	.6	.1	23	.41	.077	19	14.4	.45	296	.037	<1	1.19	.026	.48	.6	.09	4.6	.3	<.05	5	<.5	1.68
C 158053	.8	109.5	27.8	163	.6	18.3	12.4	919	3.66	9.0	1.9	10.0	6.4	18	1.6	.6	.1	62	.46	.099	21	51.4	.80	301	.008	<1	1.64	.022	.35	.9	.03	7.6	.3	<.05	9	.5	2.08
C 158054	.2	7.1	13.2	24	.1	2.1	.6	182	.72	2.1	.7	.8	9.5	4	.2	.3	<.1	4	.06	.013	32	2.2	.10	186	.004	<1	.44	.026	.32	.3	.01	1.2	.1	<.05	2	<.5	2.32
C 158055	.2	7.9	12.5	26	.1	2.1	.8	213	.86	3.1	.6	1.1	9.7	7	.2	.3	.1	4	.11	.014	29	3.6	.10	204	.006	<1	.46	.019	.30	.3	.01	1.3	.1	<.05	2	<.5	2.29
RE C 158055	.2	7.6	11.6	25	.1	2.2	.7	216	.87	3.1	.5	1.1	9.0	7	.2	.3	.1	4	.11	.012	28	3.6	.09	204	.006	<1	.47	.019	.32	.2	<.01	1.2	.1	<.05	2	<.5	-
C 158056	.1	6.0	9.4	15	.1	1.6	.4	118	.57	1.6	.5	134.0	9.5	5	.1	.3	<.1	3	.07	.013	25	1.7	.06	194	.006	1	.32	.024	.32	.5	.01	1.1	.1	<.05	1	<.5	1.69
C 158057	.1	4.1	9.8	20	.1	1.8	.6	131	.78	2.2	.7	145.0	8.5	5	.1	.2	<.1	4	.07	.011	27	3.4	.08	174	.003	1	.38	.021	.31	.5	.01	1.2	.1	<.05	2	<.5	1.64
C 158058	.3	5.8	10.2	16	.1	1.7	.8	107	1.14	1.7	.5	8.6	8.2	8	.2	.3	.1	3	.09	.013	16	1.9	.07	172	.006	<1	.38	.013	.29	.1	.01	1.2	.1	<.05	1	<.5	1.60
C 158059	.9	29.2	19.9	100	.3	19.2	11.1	494	3.15	12.4	1.6	2.6	5.3	22	.9	.9	.1	40	.57	.076	13	37.3	1.13	220	.064	<1	1.78	.013	.22	.2	.01	3.8	.1	<.05	6	.6	2.20
C 158060	.3	41.8	44.8	149	.4	16.2	16.0	894	3.97	3.1	.9	1.6	4.5	21	.8	.4	.1	67	.52	.072	14	19.3	1.53	263	.034	<1	2.34	.024	.23	.2	.01	6.0	.1	<.05	8	<.5	1.92
C 158061	.4	26.7	20.7	89	.3	23.1	12.7	641	3.07	15.2	.7	1.5	5.7	17	.3	.4	.1	52	.44	.079	14	37.4	1.28	280	.028	1	1.90	.020	.20	.2	<.01	4.2	.1	<.05	6	<.5	2.50
C 158062	.9	34.6	18.9	106	.3	20.5	12.1	756	3.36	31.8	.9	2.3	5.4	16	.7	.6	.2	46	.36	.073	16	25.4	1.27	291	.010	<1	1.87	.013	.20	.1	.01	3.3	.1	<.05	5	.8	2.11
STANDARD DS5	12.4	140.9	25.4	139	.3	25.1	12.7	784	3.00	18.0	6.1	43.0	2.8	44	5.1	3.7	6.1	61	.76	.090	12	190.1	.68	133	.096	16	2.03	.032	.14	5.2	.17	3.4	1.1	<.05	6	5.0	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data ✓ FA ___

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A405358 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
SI	.1	.6	.2	1	<.1	.2	<.1	<1	.06	<.5	<.1	<.5	<.1	3	<.1	<.1	<.1	<1	.12	<.001	<1	1.7	<.01	6	<.001	1	.01	.575	.01	.1	<.01	.1	<.1	<.05	<1	<.5
C144441	36.6	6.2	345.8	6	.1	5.3	.5	46	1.41	9.0	.2	.8	10.4	1	<.1	.6	9.1	1	<.01	.013	5	15.5	.03	143	.004	1	.25	.004	.21	5.1	.08	.4	.3	.08	1	<.5
C144442	1.0	6.3	53.7	2	.1	1.8	.1	23	.36	<.5	.2	<.5	.2	1	<.1	.1	1.6	<1	.01	.002	<1	8.1	<.01	41	<.001	<1	.01	.008	.01	1.5	<.01	<.1	<.1	<.05	<1	<.5
C144443	3.7	8.1	11.8	5	<.1	2.5	.2	27	.50	1.1	1.2	.6	14.0	2	<.1	.2	.6	<1	<.01	.006	10	7.9	.04	97	.002	<1	.24	.002	.22	2.2	<.01	.3	.1	<.05	1	<.5
C144444	1.4	40.0	50.6	14	<.1	1.0	.1	26	.71	1.0	1.9	.8	12.1	1	.1	.6	1.8	1	.01	.007	13	4.6	.05	102	.004	<1	.33	.005	.26	.3	.04	.6	.1	<.05	1	<.5
C144445	1.6	3.0	20.0	14	<.1	3.5	.8	201	.51	.5	1.2	<.5	9.3	14	.1	.2	.2	<1	.07	.016	18	9.9	.12	141	.017	<1	.38	.011	.29	3.5	<.01	.6	.1	<.05	1	<.5
C144446	1.0	4.4	15.3	46	<.1	1.6	1.0	137	.95	.8	1.7	.6	13.1	15	.1	.2	.1	2	.08	.007	13	4.5	.29	207	.031	<1	.55	.034	.34	1.3	<.01	1.4	.2	<.05	2	<.5
C144447	2.4	3.1	12.9	37	<.1	4.1	.7	69	.59	.8	2.2	<.5	13.6	15	.2	.2	.1	1	.07	.009	16	10.5	.11	159	.010	<1	.41	.034	.25	3.4	<.01	1.1	.1	<.05	1	<.5
C144448	1.2	12.6	9.1	78	.2	1.4	1.6	21	1.70	7.1	1.4	<.5	10.2	4	<.1	.2	.7	1	.02	.023	3	3.3	.02	263	.003	<1	.25	.016	.24	.7	.01	.7	.1	.11	1	2.9
C144449	2.2	5.4	7.2	2	.1	3.2	.3	23	.41	3.2	.8	<.5	7.4	6	<.1	.1	.1	<1	<.01	.003	14	8.5	.02	120	.001	1	.21	.020	.20	2.7	.01	.3	<.1	<.05	1	<.5
C144450	.9	6.2	5.3	12	<.1	1.5	1.4	74	.50	.5	1.1	.5	4.8	3	.1	.3	.2	<1	.01	.005	3	3.0	.03	107	.001	<1	.27	.004	.20	.9	.03	.4	<.1	<.05	1	<.5
C144451	2.0	3.1	19.5	21	<.1	4.4	.6	165	.54	<.5	.6	<.5	12.0	71	.1	.1	.5	<1	.02	.006	13	12.2	.12	2123	.008	<1	.31	.029	.23	4.0	<.01	.4	.1	<.05	1	<.5
C144452	.9	4.6	22.9	17	<.1	2.1	1.1	93	.64	<.5	1.4	<.5	15.8	18	.1	.1	.5	<1	.05	.009	62	4.1	.14	1015	.007	<1	.38	.020	.29	1.6	<.01	.8	.1	<.05	2	<.5
C144453	1.7	3.5	30.3	17	<.1	3.7	1.0	255	.62	<.5	3.1	<.5	15.1	3	<.1	.1	.8	1	.01	.007	57	11.0	.16	168	.010	<1	.40	.012	.31	3.5	<.01	.9	.1	<.05	1	<.5
C144454	.9	2.2	10.7	21	<.1	1.8	.5	466	.87	49.4	.6	<.5	11.9	4	.1	.4	.1	<1	.01	.012	45	4.4	.01	134	.001	<1	.23	.009	.22	1.2	<.01	1.1	.1	<.05	1	<.5
C144455	2.6	5.6	19.9	9	.1	5.6	.5	117	.48	8.8	.2	<.5	2.4	1	<.1	.1	.1	<1	.01	.005	6	15.5	.10	55	<.001	<1	.23	.034	.07	5.1	<.01	.4	<.1	<.05	<1	<.5
RE C144455	2.7	5.9	21.9	9	.1	5.2	.6	119	.49	9.0	.2	3.5	2.5	1	<.1	.1	.1	<1	.01	.005	6	15.5	.10	57	.001	<1	.23	.037	.07	5.6	<.01	.4	<.1	<.05	1	<.5
C144456	1.2	6.9	18.0	12	.2	2.0	1.1	72	.82	64.0	.5	27.7	13.4	1	.1	.4	.2	<1	.01	.004	12	6.3	.14	261	.002	1	.49	.005	.31	1.8	<.01	1.4	.1	<.05	1	<.5
C144457	1.4	3.1	11.4	7	.1	2.6	.3	37	.70	129.1	.6	46.9	10.8	3	<.1	.5	<.1	<1	.01	.006	23	8.0	.01	100	.002	<1	.21	.007	.25	1.9	<.01	.8	.1	<.05	1	<.5
C144458	1.2	2.4	4.8	28	.2	1.3	.3	45	.51	42.6	.2	3.8	4.9	4	<.1	1.5	<.1	<1	.01	.005	24	3.7	.01	107	.001	<1	.22	.003	.22	1.1	<.01	.4	<.1	<.05	1	<.5
C144459	3.7	8.1	8.3	15	1.6	4.4	1.0	36	.69	419.8	1.8	39.0	4.3	9	.1	3.2	.1	1	.02	.004	17	9.8	.04	101	<.001	<1	.24	.001	.17	3.0	<.01	.6	.1	<.05	1	<.5
C144822	1.8	10.0	7.0	26	.2	8.2	1.8	46	.80	15.2	.5	5.5	.8	4	.3	.2	.1	5	.03	.014	6	10.1	.13	55	.001	<1	.19	.004	.03	1.7	<.01	.6	<.1	<.05	<1	.6
C144875	1.9	16.3	23.7	40	.1	6.7	2.7	117	1.11	14.5	2.3	1.9	5.6	10	.2	2.2	.4	4	.20	.040	11	13.4	.21	140	.043	<1	.45	.029	.16	3.9	<.01	1.9	.1	<.05	2	.5
C144876	1.8	50.8	33.0	71	.2	18.3	18.4	319	3.38	4.7	1.6	16.1	4.2	58	.6	.2	.5	108	1.10	.063	8	55.0	1.40	180	.199	2	2.68	.266	.70	1.0	<.01	11.0	.7	.98	10	1.7
C144877	3.2	7.6	9.9	8	.1	7.8	1.5	69	1.21	7.1	.2	9.9	.6	7	<.1	.1	.4	5	.02	.015	4	19.3	.02	254	.002	<1	.08	.012	.06	7.5	<.01	.8	<.1	.08	<1	<.5
C144878	3.1	3.6	6.9	55	<.1	20.0	19.6	952	5.06	1.4	3.4	12.8	16.6	48	.3	.3	.4	90	.39	.140	46	12.2	.27	1487	.062	<1	1.26	.034	.24	1.9	<.01	7.2	.2	<.05	6	<.5
C144879	1.9	64.6	12.7	40	<.1	20.5	6.1	225	2.69	27.3	2.0	.6	5.7	15	.1	.6	.3	46	.25	.063	12	33.1	.73	545	.065	1	1.60	.010	.71	1.9	<.01	5.2	.7	<.05	6	.5
C144880	2.6	5.7	3.6	32	.1	4.2	4.0	65	2.85	68.7	.5	37.6	.9	5	<.1	.1	1.4	23	.02	.028	2	11.4	.05	155	.002	<1	.25	.021	.17	1.7	<.01	1.6	.2	.16	1	2.2
C144881	.8	147.1	7.0	65	.2	11.9	19.8	824	4.92	22.5	.3	3.1	.6	68	.2	.7	.9	134	1.96	.034	1	16.7	2.07	462	.096	2	2.46	.070	.19	1.2	<.01	8.8	.2	.28	8	<.5
C144882	2.2	22.5	199.7	126	.6	6.0	8.3	299	2.77	13.8	.1	8.0	1.1	4	.2	.8	.9	15	.07	.033	3	8.9	1.75	95	.003	<1	1.40	.022	.20	1.3	.01	2.1	<.1	1.67	3	4.8
C144883	2.8	45.3	182.3	24	12.6	5.8	1.0	122	.74	3.2	2.2	5311.1	1.1	11	.3	.8	2.5	2	.12	.049	2	19.3	.06	77	.002	1	.16	.010	.05	5.4	.01	1.0	<.1	<.05	<1	.5
C144884	1.1	13.9	8.0	20	.8	3.1	1.4	192	.66	1.3	.6	182.4	.9	8	.2	.3	<.1	2	.08	.028	3	8.6	.13	73	.001	<1	.19	.013	.05	1.6	<.01	.6	<.1	<.05	1	<.5
C144885	2.9	3.6	5.1	5	.1	5.4	1.0	123	.36	.8	<.1	16.8	<.1	1	<.1	.1	.1	1	<.01	.001	<1	18.2	.02	15	<.001	<1	.03	.002	<.01	5.3	.01	.2	<.1	<.05	<1	<.5
C144886	2.0	5.9	14.7	41	<.1	2.3	1.0	70	1.13	117.0	3.3	17.5	20.1	4	.2	1.2	.1	3	.01	.019	36	3.1	.03	37	.001	1	.36	.003	.22	.7	<.01	.4	.1	<.05	2	<.5
C144887	3.7	109.7	398.4	183	27.2	237.1	181.0	29	33.88	104.7	.5	23085.0	1.7	10	4.3	3.0	1.4	<1	.01	.002	3	11.9	.01	8	.012	<1	.02	.003	.01	5.4	1.37	.1	<.1	>10	<1	17.7
STANDARD DS5	12.8	143.8	24.6	138	.3	23.3	12.2	784	3.01	18.3	6.3	44.0	2.9	47	5.6	3.9	6.0	58	.76	.090	12	178.4	.68	134	.101	19	2.07	.034	.14	5.0	.19	3.4	1.0	<.05	6	5.1

GROUP 1DX - 30.00 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: P1 TO P8 ROCK P Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data We FA ____ DATE RECEIVED: SEP 7 2004 DATE REPORT MAILED: Sept. 28/04

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

ACME ANALYTICAL

Klondike Gold Corp. PROJECT DAWSON FILE # A405358

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C144888	1.1	20.9	82.5	63	.3	11.1	1.8	3390	3.06	6.8	.2	13.4	.1	89	.5	3.5	1.1	27	7.84	.046	2	6.1	1.90	816	.002	3	.10	.007	.01	3.4	.04	12.0	.2	.07	<1	<.5
C144889	2.1	10.4	24.2	77	.4	9.2	18.4	507	6.00	6.3	.2	15.9	.1	26	.6	.2	1.5	13	2.64	.004	2	12.2	.54	11	<.001	<1	.15	.007	.04	2.9	.01	3.6	.1	5.65	<1	1.7
C144890	3.6	4.2	5.5	26	.2	37.4	14.8	641	5.10	3.9	3.1	9.3	13.4	64	.1	.1	1.2	40	2.88	.238	19	28.0	1.07	39	.003	1	.88	.007	.19	.7	<.01	5.1	.2	4.25	3	.8
C144891	.2	240.1	17.9	72	.3	20.5	24.9	1132	5.40	7.4	.3	47.2	1.3	54	.2	.4	.7	242	3.58	.076	3	35.2	2.82	116	.124	2	3.70	.241	.14	.3	.01	23.2	.2	1.87	13	.5
C144892	5.1	98.7	107.2	93	1.3	23.4	8.0	1370	5.46	61.2	.5	25.0	1.1	62	.8	4.6	2.3	19	6.66	.023	5	27.0	2.58	35	.001	<1	.31	.008	.11	3.3	.03	3.6	.1	4.35	1	1.3
C144893	.5	22.7	11.9	67	.1	10.5	9.3	499	2.21	3.1	.3	2.3	1.2	53	.2	.2	<.1	33	1.47	.061	3	34.2	1.15	163	.071	<1	1.09	.019	.14	2.5	.01	3.7	.1	<.05	3	.6
C145436	2.7	7.1	4.9	22	<.1	10.7	3.0	134	.95	1.5	.1	<.5	.1	46	<.1	.8	<.1	26	.65	.036	1	23.5	.38	19	.050	1	.67	.010	.02	5.2	.01	.6	<.1	<.05	2	<.5
C145437	1.4	15.7	1.4	4	.2	2.5	2.6	66	.66	8.0	.4	<.5	.2	22	<.1	.2	<.1	12	.27	.025	1	8.6	.10	9	.082	1	.18	.024	.01	2.1	.01	1.1	<.1	<.05	1	<.5
C145438	1.6	26.4	2.7	91	.1	86.0	33.9	1437	5.07	1.3	.1	<.5	.5	14	.5	.1	<.1	112	.40	.053	2	226.2	2.96	108	.039	1	3.09	.029	.03	2.0	.01	8.1	<.1	<.05	9	<.5
C145439	3.0	3.3	34.5	9	.2	2.0	.6	131	.80	4.1	2.9	.5	8.2	27	.2	.2	.2	2	.34	.005	20	5.9	.02	148	.001	1	.18	.005	.25	1.2	.02	1.4	.1	.12	<1	.5
C145440	2.0	71.8	4.9	23	.1	11.2	6.8	256	1.59	1.9	.3	1.5	.6	40	.1	.3	<.1	61	.69	.071	2	17.3	.51	89	.055	1	.84	.067	.07	3.3	<.01	2.7	<.1	.18	4	<.5
C145441	1.6	12.2	1.7	24	.1	3.6	2.0	181	.52	6.2	.1	2.3	.2	8	.5	.1	.1	2	.73	.009	1	9.0	.02	39	<.001	<1	.06	.003	.03	2.0	.01	.5	<.1	<.05	<1	<.5
C145442	2.7	6.6	8.9	33	.1	8.2	3.1	885	1.16	23.5	.5	24.7	.5	156	.4	.4	.1	8	5.21	.039	4	15.9	.06	185	.001	<1	.14	.002	.02	4.5	<.01	2.4	<.1	.07	1	.5
C145443	1.3	20.5	.8	23	.1	16.4	17.5	259	2.76	60.4	.3	21.5	1.1	20	<.1	.2	.1	28	.67	.028	6	17.2	.88	53	.018	<1	1.07	.014	.06	1.8	.01	2.2	<.1	<.05	4	<.5
C145444	4.2	8.9	.5	1	<.1	9.1	1.9	59	.57	24.6	<.1	14.2	<.1	2	<.1	.1	<.1	6	.06	.002	<1	27.7	.01	9	<.001	<1	.02	.001	.01	6.4	<.01	.4	<.1	.14	<1	<.5
C145445	.7	2.1	.7	17	<.1	10.4	12.6	368	3.06	8.2	.4	1.0	3.4	64	.1	.1	<.1	40	1.96	.076	11	24.8	1.36	103	.065	<1	1.72	.042	.13	.8	<.01	5.1	<.1	<.05	5	<.5
C145447	2.4	17.5	3.4	65	<.1	17.9	7.9	502	2.70	4.4	.3	.6	1.2	13	.1	.1	<.1	50	.28	.048	3	30.1	1.12	99	.072	<1	1.37	.024	.08	3.4	<.01	2.8	<.1	<.05	4	<.5
C145448	1.1	6.3	2.8	10	.1	3.3	2.2	263	.81	13.5	.8	2.6	7.8	7	.1	.2	<.1	1	.12	.023	34	4.4	.04	265	.003	1	.37	.041	.36	1.5	<.01	1.5	.1	<.05	1	<.5
C145529	3.7	3.7	.7	1	<.1	7.5	.5	55	.48	1.1	<.1	<.5	.6	1	<.1	.1	<.1	1	.01	.002	<1	24.5	.01	25	.001	1	.03	.004	.01	7.2	<.01	.1	<.1	<.05	<1	<.5
C145530	1.2	7.5	3.9	11	.1	1.6	.6	29	.53	1.4	1.7	<.5	8.4	3	<.1	.2	.2	1	.01	.004	4	4.2	.02	136	.001	1	.22	.004	.26	1.0	.19	.6	<.1	<.05	1	<.5
C145751	2.9	7.6	1.3	18	.1	6.9	2.7	991	1.53	3.3	.1	.9	.8	6	<.1	.1	.1	6	.56	.044	3	18.2	.39	62	.002	1	.55	.017	.06	5.1	.01	2.1	<.1	<.05	2	<.5
RE C145751	2.9	8.2	1.4	19	.1	6.3	2.9	989	1.52	2.9	.1	1.0	.8	6	.1	.1	.1	7	.57	.045	3	18.5	.39	64	.002	1	.55	.019	.06	5.0	.01	2.1	<.1	<.05	2	<.5
C145752	1.8	10.8	3.6	35	.1	4.1	22.5	2827	2.42	7.2	.7	5.9	2.5	14	.4	.1	.1	16	.16	.065	8	5.2	.73	180	.003	1	1.32	.026	.16	1.4	.01	3.9	<.1	<.05	3	<.5
C145753	2.2	20.7	4.1	36	.1	5.2	10.2	2044	2.79	5.8	.2	5.0	1.9	24	.3	.2	.1	14	3.71	.064	7	13.1	.75	74	.003	1	1.05	.022	.07	3.4	.01	5.1	<.1	<.05	3	<.5
C145754	1.2	9.6	2.5	51	.1	5.7	14.8	1917	4.70	3.1	.3	1.6	1.8	8	.2	.1	.1	56	.27	.080	17	6.6	1.83	53	.013	1	2.48	.048	.09	.8	<.01	8.4	<.1	<.05	7	<.5
C145755	1.0	19.9	2.3	46	.1	6.2	17.2	917	5.69	8.8	.6	1.6	3.1	8	.1	.2	.2	76	.47	.156	10	9.6	1.89	65	.010	<1	2.86	.032	.13	1.3	.01	11.1	<.1	<.05	9	<.5
C145756	1.3	31.2	14.6	73	.1	4.1	7.7	983	2.47	.9	.2	1.4	1.5	34	.6	.1	<.1	37	2.69	.031	5	6.6	.92	97	.002	1	1.18	.022	.06	1.4	<.01	4.8	<.1	<.05	4	<.5
C145757	2.1	11.3	13.5	79	.1	11.0	22.3	1620	5.67	4.6	.5	5.8	1.8	31	.5	.1	<.1	88	5.00	.061	8	8.5	2.05	168	.003	1	2.64	.027	.12	1.6	<.01	10.3	<.1	<.05	7	.5
C145758	3.1	9.6	2.2	13	<.1	8.0	.8	47	.58	1.8	.2	.7	.5	2	.1	.1	<.1	4	.04	.006	2	9.3	.03	37	.002	1	.16	.002	.02	1.8	.01	.5	<.1	<.05	<1	<.5
C145759	9.4	58.3	11.1	118	2.6	59.6	7.6	135	2.30	54.3	1.4	3.8	2.9	4	1.1	3.5	.2	13	.05	.037	10	22.9	.07	266	.002	1	.33	.007	.13	3.2	.04	2.0	.1	<.05	1	10.0
C145760	9.0	19.7	13.8	113	.7	39.3	4.7	211	2.16	18.6	1.4	.6	9.2	45	.9	.3	.1	28	.23	.067	31	23.9	1.07	421	.003	1	1.43	.010	.18	.9	.07	1.4	.1	<.05	4	2.0
C145761	6.1	16.7	15.0	109	.3	44.5	4.3	185	2.35	20.6	1.3	.7	9.4	23	.2	.6	.2	42	.32	.069	11	40.7	1.30	363	.059	2	1.65	.009	.20	1.3	.06	1.9	.1	<.05	5	2.4
C145762	3.8	15.1	15.9	97	.5	31.6	2.8	90	1.41	9.5	1.0	1.2	9.6	27	.1	.3	.2	23	.17	.045	27	18.8	.89	343	.003	2	1.06	.013	.20	.5	.04	1.5	.1	<.05	4	2.1
C145763	4.3	7.0	3.9	13	.2	9.9	.9	54	.64	7.0	.3	<.5	.7	5	.1	.2	.1	5	.03	.013	4	22.9	.09	65	.001	1	.14	.003	.04	5.1	.01	.5	<.1	<.05	<1	<.5
STANDARD DS5	13.3	144.7	24.9	139	.3	25.1	12.1	783	3.03	18.8	6.1	45.0	2.9	47	5.6	4.0	6.3	62	.77	.098	13	188.7	.69	137	.098	18	1.98	.034	.16	5.0	.18	3.6	1.1	<.05	7	5.2

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data We FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C145764	8.8	20.2	15.2	71	.6	26.6	2.3	109	1.95	63.1	1.3	.9	8.7	36	.4	.6	.2	21	.18	.060	28	23.0	.88	269	.002	2	.98	.006	.16	1.8	.05	1.1	.1<.05	4	3.1
C145765	5.5	50.3	9.8	122	.5	35.2	6.1	117	2.47	44.0	1.3	1.1	10.6	24	.8	1.4	.1	12	.09	.066	28	10.7	.33	325	.002	1	.67	.007	.22	.1	.07	1.1	.1<.05	2	3.9
C145766	1.5	25.1	14.7	136	<.1	20.6	4.9	116	1.77	14.9	.9	<.5	13.8	14	1.1	.6	.3	12	.24	.069	16	12.4	.40	289	.004	1	.97	.007	.37	.6	.01	4.9	.1<.05	3	<.5
C145767	1.0	5.7	9.7	85	<.1	16.3	3.8	214	2.28	5.6	.5	<.5	12.6	14	.9	.1	.1	12	.33	.062	18	12.9	1.15	340	.032	3	1.66	.024	.16	.1<.01	2.1	.1<.05	5	<.5
C145768	1.1	10.4	16.9	75	.1	12.8	4.4	230	1.93	4.6	.9	<.5	13.2	13	.7	.2	.3	8	.25	.058	14	13.3	1.04	339	.015	1	1.39	.019	.18	.8	.01	1.5	.1<.05	4	.5
C145769	5.3	37.9	28.9	105	.8	34.3	4.2	142	2.36	31.2	1.2	1.8	6.9	25	.8	.4	.2	25	.23	.075	18	17.4	.93	292	.003	2	1.16	.013	.15	.2	.05	1.3	.1<.05	4	6.7
C145770	9.3	25.8	10.4	104	.9	29.5	4.4	125	2.32	13.4	.7	1.7	5.2	29	.4	.3	.1	30	.22	.064	20	29.3	.97	308	.003	2	1.16	.029	.14	1.4	.07	1.8	.1<.05	4	5.5
C145771	1.9	4.2	4.2	3	.1	2.1	.9	68	.84	5.5	.7	222.7	2.6	2	<.1	.1	<.1	1	.01	.004	7	5.4	.03	155	.001	2	.12	.006	.07	.1<.01	.4	<.1<.05	<1	<.5
C145772	2.9	17.8	1825.4	100	7.0	6.0	.7	84	.86	28.8	.3	310.6	.5	8	1.0	.8	10.3	<1	.01	.001	2	18.5	.01	562	<.001	2	.06	.002	.04	4.8	.08	.2	<.1 .23	<1	.5
C145773	.5	4.6	30.6	21	.1	1.7	1.7	211	.97	.9	1.3	20.2	18.3	39	.1	.3	.2	3	.83	.025	46	3.4	.11	431	.001	2	.48	.020	.28	.1<.01	1.4	.1<.05	2	<.5
C145774	5.3	3.7	12.4	1	.1	6.3	.5	44	.72	1.2	.4	7.3	.4	2	<.1	.2	.1	<1	<.01	.001	2	20.5	<.01	134	<.001	2	.03	.002	.02	6.4	<.01	.3	<.1<.05	<1	<.5
C145775	4.3	3.4	23.0	3	.7	2.9	1.7	126	2.06	8.6	3.0	2448.3	2.2	5	.1	.3	.1	1	.01	.007	5	5.7	.01	672	<.001	2	.10	.003	.08	.1	.01	.4	<.1<.05	<1	<.5
C145776	1.7	12.3	13.8	27	.1	9.0	3.7	188	1.52	8.2	1.7	25.8	16.3	8	.1	.1	.1	6	.10	.032	48	13.2	.17	660	.001	1	.71	.011	.33	2.0	<.01	1.9	.1<.05	2	<.5
C145777	1.9	5.7	31.4	14	.2	2.4	.8	43	1.01	6.7	1.7	66.2	.7	1	<.1	.1	.1	<1	<.01	.005	1	5.8	<.01	21	<.001	2	.03	.002	.02	1.3	<.01	.3	<.1<.05	<1	<.5
RE C145777	1.9	6.3	32.6	15	.2	2.5	.7	45	1.06	7.2	1.9	28.0	.8	1	<.1	.2	.1	1	<.01	.005	1	5.4	<.01	22	<.001	2	.03	.002	.02	1.3	<.01	.3	<.1<.05	<1	<.5
C145778	3.2	5.0	3.0	12	.1	5.4	.7	40	1.15	3.8	.2	1.2	2.1	3	<.1	.1	.5	<1	<.01	.002	3	17.2	.01	588	.001	1	.14	.004	.10	5.2	<.01	.5	<.1<.05	1	<.5
C145779	.7	4.1	4.2	44	<.1	1.5	1.4	106	2.51	.8	.8	1.3	16.0	2	<.1	.2	.4	<1	<.01	.006	6	3.1	.15	266	.002	<1	.76	.010	.26	.6	<.01	1.9	<.1<.05	3	<.5
C145780	1.9	4.2	35.3	8	<.1	3.9	2.4	484	.46	<.5	1.0	<.5	14.4	50	.1	.1	.2	1	.05	.025	26	10.8	.04	1496	.003	1	.39	.020	.32	3.0	<.01	.7	.1<.05	1	<.5
C145781	.6	1.9	26.0	14	.2	.9	.2	30	.40	2.8	.8	1.5	8.6	10	.1	.2	.1	1	.03	.011	25	2.8	.02	227	.001	3	.25	.003	.35	.1	.01	.6	.1<.05	1	<.5
C145782	2.6	5.9	18.1	19	.2	4.6	.3	187	.37	2.6	.3	2.8	4.6	6	.2	.3	<.1	1	.02	.008	10	13.1	.01	371	.001	3	.16	.003	.26	6.1	.01	.7	.1<.05	<1	<.5
C145783	.6	3.7	22.1	11	.1	1.4	.5	32	.43	1.1	.5	3.5	5.7	12	.1	.2	.1	1	.03	.006	6	2.6	.04	429	<.001	3	.29	.006	.27	.1	.02	1.0	.1<.05	1	<.5
C145784	1.9	3.9	13.6	59	.2	5.5	.8	275	1.04	9.5	1.8	2.5	5.5	14	.9	.4	.4	2	.03	.007	5	7.6	.02	981	.001	2	.24	.002	.28	2.0	.21	1.6	.1<.05	1	<.5
C145785	.7	5.4	17.6	13	.3	1.8	.5	24	.56	8.7	.6	6.2	7.4	12	.1	.2	.1	1	.02	.005	25	3.1	.02	823	<.001	2	.23	.005	.23	.1	.01	.7	.1<.05	1	<.5
C145786	2.1	2.4	21.4	5	1.1	3.3	.2	26	.39	29.3	.3	16.0	3.1	11	<.1	.4	<.1	1	.01	.002	12	11.3	<.01	533	.001	1	.16	.004	.26	2.6	.03	.5	.1 .06	1	<.5
C145787	1.0	1.4	17.8	1	.9	1.2	.2	18	.58	26.5	.3	16.2	2.5	13	<.1	.3	<.1	<1	.02	.001	7	3.6	.01	236	.001	3	.15	.004	.27	<.1	.02	.4	.1 .14	<1	<.5
C145788	1.7	2.3	10.9	4	1.2	3.3	.2	18	.39	10.3	.8	8.2	6.5	9	<.1	.3	.1	<1	.01	.004	21	8.3	.04	337	.001	2	.30	.006	.36	2.2	.02	.8	.1<.05	1	1.0
C145789	.8	26.5	8.3	58	.1	126.4	17.9	1223	3.30	11.2	.2	1.2	2.3	239	.2	.1	.1	85	5.70	.040	9	179.0	2.59	78	.018	1	2.16	.012	.08	<.1	<.01	10.9	<.1<.05	7	<.5
C145790	.3	36.4	3.4	106	<.1	87.5	38.2	1095	7.48	.8	<.1	1.1	.3	88	.1	.1	<.1	291	2.35	.063	2	203.3	3.68	1432	.437	1	4.22	.040	2.75	.2	.02	22.7	.7<.05	15	<.5
C145791	.7	2.4	.5	17	<.1	9.3	3.7	427	1.52	<.5	<.1	<.5	<.1	59	<.1	<.1	<.1	42	1.75	<.001	<1	11.9	.71	130	.030	1	.68	.002	.23	<.1	<.01	2.8	.1<.05	2	<.5
C145792	2.1	10.3	10.7	17	<.1	20.4	5.7	844	1.14	3.3	.3	<.5	1.4	346	.1	.1	<.1	9	8.46	.032	7	23.9	.45	67	.005	1	.42	.005	.08	3.6	<.01	2.0	<.1<.05	1	.5
C145793	.4	72.5	1.0	128	<.1	232.5	30.5	850	6.02	1.1	.3	<.5	4.8	10	<.1	.1	.1	151	.30	.078	16	335.5	4.55	93	.014	<1	4.33	.013	.11	<.1	.01	18.0	<.1<.05	14	<.5
C145794	.1	31.5	1.3	90	<.1	42.7	30.2	883	5.60	<.5	<.1	<.5	.3	41	.1	.2	<.1	156	1.15	.122	2	64.6	2.32	394	.324	1	2.68	.064	.54	<.1	<.01	8.2	.1<.05	9	<.5
C145795	3.4	3.3	.2	1	<.1	6.9	.4	47	.39	.5	<.1	<.5	<.1	2	<.1	.1	<.1	2	.05	.003	<1	21.0	.01	6	.001	<1	.01	.009	.01	6.4	<.01	.2	<.1<.05	<1	<.5
C145796	.8	3.9	1.1	17	<.1	2.3	.4	35	.45	.6	<.1	1.0	.1	2	<.1	.8	<.1	3	.02	.001	<1	6.2	.02	38	.006	1	.03	.003	.01	.1	.01	.3	<.1<.05	<1	<.5
STANDARD DS5	12.3	146.1	24.9	137	.3	23.8	12.1	790	3.00	18.4	6.2	41.6	2.6	46	5.3	3.8	5.9	59	.73	.092	11	190.9	.68	133	.087	18	1.99	.032	.14	5.5	.17	3.2	1.0<.05	7	5.2

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C145797	3.8	3.2	11.1	4	.1	4.7	.2	36	.42	.5	.4	2.3	1.5	2	<.1	.1	.3	1	.01	<.001	1	15.3	.05	373	.002	1	.34	.007	.26	4.3	.01	.8	.1	<.05	1	<.5
C145798	.9	5.2	8.6	5	<.1	1.4	.3	28	.51	1.9	2.3	<.5	14.6	8	<.1	.1	.1	<1	.01	.008	21	3.5	.06	339	.004	<1	.29	.022	.27	.1	<.01	.6	.1	<.05	1	<.5
C145799	3.0	5.0	.5	1	<.1	6.2	.4	41	.37	.8	.1	<.5	.5	1	<.1	.2	<.1	<1	<.01	<.001	2	20.0	<.01	59	.001	<1	.03	.002	.02	6.1	.01	.1	<.1	<.05	<1	<.5
C145800	.9	6.6	12.1	17	.7	1.9	.6	84	.66	<.5	.2	<.5	1.2	14	<.1	.6	.1	<1	.18	.002	4	5.9	.28	60	.001	<1	.28	.003	.04	<.1	.07	.7	<.1	<.05	1	<.5
C145915	1.7	5.7	18.3	14	.2	3.8	1.2	183	.54	13.1	.6	305.3	9.8	21	.2	.3	.2	<1	.28	.012	31	12.0	.15	243	.002	1	.38	.015	.28	2.8	.01	1.2	.1	<.05	1	<.5
C145916	.6	2.9	17.7	11	.2	1.6	.9	95	.54	2.5	.6	2.8	9.4	7	.1	.2	.2	3	.04	.014	31	3.9	.10	278	.002	1	.34	.024	.24	.1	.01	1.0	.1	<.05	1	<.5
C145917	1.4	3.7	15.1	17	.1	3.6	.9	101	.47	4.6	.6	1.7	9.7	6	.1	.2	.1	1	.03	.009	32	10.9	.11	253	.001	<1	.33	.018	.24	2.6	.01	.8	.1	<.05	1	<.5
C145918	.6	5.1	15.1	28	.2	2.0	1.4	156	.78	5.7	.7	2.0	10.3	10	.3	.2	.2	1	.05	.016	33	6.5	.20	262	.002	<1	.47	.027	.25	.1	.02	1.4	.1	<.05	2	<.5
C145919	1.1	5.4	21.0	25	.1	3.4	1.1	101	.52	8.2	.6	5.2	10.6	9	.4	.3	.1	<1	.04	.015	35	8.7	.11	260	.002	<1	.37	.027	.28	1.8	.01	1.0	.1	<.05	1	<.5
C145920	.9	16.1	21.4	47	.7	9.9	6.1	482	2.07	936.5	2.0	60.1	7.4	55	.3	.8	.1	11	.69	.050	25	11.5	.62	177	.006	1	.83	.028	.24	.3	.01	4.0	.1	<.05	3	<.5
C145921	1.6	15.2	26.9	42	.9	12.0	6.3	400	2.18	973.9	2.3	150.5	8.2	25	.2	.9	.2	12	.22	.051	24	16.3	.70	186	.007	<1	.95	.021	.28	1.8	<.01	4.3	.1	<.05	3	<.5
C145922	.9	13.3	17.0	58	.5	11.4	7.0	417	2.60	591.7	2.0	40.8	9.4	36	.2	1.3	.1	13	.32	.055	30	14.1	1.01	193	.014	2	1.26	.016	.43	.2	.01	5.6	.2	<.05	4	<.5
C145923	1.5	16.3	15.8	53	2.3	11.1	5.7	391	2.23	2230.9	3.4	1975.0	8.3	51	.3	1.5	.1	12	.23	.060	25	17.0	.75	175	.008	1	.90	.020	.35	1.9	.01	4.9	.2	<.05	3	<.5
C145924	.8	12.4	14.0	39	1.6	9.1	5.6	417	2.16	1224.4	3.1	805.6	6.9	49	.2	1.3	.1	11	.20	.048	22	11.6	.61	164	.005	2	.81	.026	.24	.4	.01	4.6	.1	<.05	3	.6
C145925	2.3	11.5	14.8	35	1.2	9.9	3.9	312	1.80	2575.8	2.4	470.9	5.5	49	.2	1.4	.2	7	.22	.051	18	16.7	.47	156	.004	2	.67	.021	.26	2.9	<.01	4.1	.1	<.05	2	.5
C145926	1.0	18.8	14.2	56	.3	12.5	7.9	575	2.33	293.4	1.9	11.5	9.0	48	.4	2.1	.1	14	.63	.063	30	14.3	.75	237	.005	1	1.06	.019	.28	.1	.01	5.1	.1	<.05	4	<.5
C145927	1.5	14.0	13.8	55	.5	12.9	6.8	499	2.33	1544.6	2.1	419.2	9.1	24	.5	1.7	.1	11	.25	.058	30	16.2	.76	257	.003	1	.99	.023	.23	1.7	.01	4.4	.1	<.05	4	<.5
C145928	1.0	9.1	21.5	35	.8	10.5	5.9	497	1.91	966.4	2.1	1031.9	7.9	37	.3	1.0	.2	8	.19	.058	25	7.9	.56	247	.002	4	.78	.021	.26	.3	.01	4.0	.1	<.05	2	<.5
RE C145928	.9	9.0	21.0	33	.7	10.1	6.0	488	1.87	952.7	2.1	995.4	7.6	36	.4	1.0	.2	7	.19	.058	24	8.0	.55	250	.002	2	.76	.020	.25	.3	.01	3.8	.1	<.05	2	<.5
C145929	1.0	32.3	32.6	36	.3	3.1	1.8	136	.65	68.5	1.0	10.5	15.5	9	.4	.2	.3	3	.06	.021	41	8.1	.17	240	.003	1	.46	.026	.29	1.9	.01	1.0	.1	<.05	2	<.5
C145930	1.1	18.4	32.3	82	.3	3.8	3.9	178	1.33	25.2	1.6	9.2	12.9	17	.5	.3	.2	4	.14	.034	26	5.1	.40	223	.005	<1	.73	.031	.26	.1	.01	1.4	.1	<.05	3	<.5
C145931	1.3	17.2	25.6	63	.2	4.9	3.4	257	1.18	25.1	.8	3.5	12.1	16	.2	.3	.2	5	.15	.037	26	9.4	.49	253	.005	1	.80	.018	.30	1.5	.01	1.5	.1	<.05	3	<.5
C145932	.8	9.1	31.7	46	.1	5.1	4.6	350	1.17	24.3	1.3	3.5	14.3	15	.5	.2	.2	4	.12	.039	34	5.8	.36	283	.004	<1	.66	.032	.28	.1	.01	1.5	.1	<.05	3	<.5
C145933	1.3	6.8	18.9	50	.2	6.1	4.0	294	1.13	74.4	.9	3.1	11.8	14	.7	.2	.1	4	.12	.033	30	11.2	.45	252	.003	1	.74	.028	.28	1.8	.01	1.6	.1	<.05	3	<.5
C145934	.6	8.2	16.9	31	.1	3.8	4.2	243	.94	10.5	.9	2.0	15.3	14	.2	.2	<.1	3	.10	.039	39	5.6	.37	283	.004	1	.65	.037	.34	.1	<.01	1.7	.1	<.05	3	<.5
C145935	2.2	20.7	25.1	30	.2	5.2	.6	81	.46	9.9	.9	2.1	6.9	6	.1	.3	.3	<1	.03	.011	18	14.9	.09	108	.001	<1	.17	.028	.10	4.1	.01	.5	<.1	<.05	1	<.5
C145936	.6	2.6	13.6	19	.1	1.3	.7	91	.59	1.4	.9	1.2	9.1	5	.1	.3	.1	<1	.01	.005	25	2.8	.13	524	.001	1	.42	.020	.28	.1	.09	1.6	.1	<.05	1	<.5
C145937	1.5	3.9	9.6	19	<.1	3.5	.5	62	.45	1.4	.9	.7	7.9	3	.1	.4	.1	<1	.03	.005	24	9.6	.12	322	.001	2	.34	.020	.23	2.3	.04	1.5	<.1	<.05	1	<.5
C145938	.4	3.0	11.3	26	.1	1.1	.5	101	.64	24.1	1.2	8.4	8.8	5	.2	.5	.1	1	.03	.007	29	2.7	.16	373	.001	2	.46	.023	.25	.2	.04	2.4	.1	<.05	2	<.5
C145939	1.4	3.6	11.7	32	.2	3.2	.4	101	.62	3.3	1.3	2.6	8.7	12	.3	.3	.1	<1	.06	.007	23	9.4	.27	555	.002	2	.52	.024	.23	2.2	.01	2.7	.1	<.05	2	.5
C145940	.7	3.0	13.2	34	.1	1.6	.8	105	.68	2.9	1.3	.8	9.0	8	.3	.3	.2	<1	.03	.007	29	2.4	.23	629	.002	1	.50	.023	.25	.1	.02	2.4	.1	<.05	2	<.5
C145941	1.2	4.1	11.3	27	<.1	3.6	1.2	147	.68	5.0	1.1	1.2	7.8	8	.2	.3	.1	<1	.03	.008	29	8.3	.19	673	.003	1	.48	.017	.27	2.1	.02	2.2	<.1	<.05	2	<.5
C145942	.5	3.2	12.9	22	.1	1.4	.5	93	.60	4.4	1.0	.5	8.1	6	.1	.2	.1	<1	.02	.007	25	2.9	.14	507	.002	1	.41	.021	.25	.1	.01	2.3	<.1	<.05	1	<.5
C145943	1.0	6.0	12.9	25	.1	3.4	1.4	122	.53	9.6	1.1	1.5	9.4	4	.3	.4	.2	<1	.02	.008	31	7.2	.10	377	.003	1	.38	.018	.35	1.5	.01	1.3	.1	<.05	1	<.5
STANDARD DS5	12.5	147.9	25.7	131	.3	24.5	12.5	782	3.00	19.0	6.2	43.6	2.9	49	5.6	3.8	6.1	61	.75	.089	12	192.1	.67	136	.099	17	2.00	.033	.14	4.8	.17	3.4	1.0	<.05	7	5.0

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT DAWSON FILE # A405358

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C145944	.3	11.8	12.9	32	.1	3.2	2.8	235	.92	13.3	1.1	4.7	8.2	9	.5	.5	.2	1	.05	.015	31	1.3	.12	791	.003	2	.53	.009	.46	.3	.01	1.8	.1	<.05	1	<.5
C145945	.7	9.5	11.5	30	.1	4.8	2.5	201	.87	6.5	.9	1.6	6.3	12	.4	.3	.1	<1	.04	.016	25	3.5	.11	979	.008	2	.49	.011	.44	.5	<.01	1.7	.1	<.05	1	<.5
C145946	.3	8.8	11.7	39	.1	4.5	2.9	208	.94	8.2	1.1	1.9	9.1	7	.4	.4	.1	<1	.04	.018	31	1.7	.14	654	.009	2	.61	.007	.55	.2	.01	2.2	.1	<.05	2	<.5
C145947	.5	3.4	13.8	14	.1	1.2	.4	78	.35	5.1	.9	.9	9.2	6	.1	.3	.2	1	.02	.006	24	2.8	.06	466	.001	2	.31	.016	.36	.4	.01	1.0	<.1	<.05	1	<.5
C145948	.4	4.0	10.1	15	.1	1.3	.6	162	.49	5.4	1.1	<.5	9.7	6	.1	.4	.1	2	.02	.008	31	1.7	.10	589	.002	2	.47	.013	.41	.1	<.01	1.8	.1	<.05	2	<.5
C145949	.5	5.6	13.4	10	.1	1.8	.7	110	.48	4.6	1.0	1.1	9.3	6	.1	.3	.2	1	.02	.007	25	3.2	.07	552	.001	2	.37	.012	.38	.5	.01	1.3	<.1	<.05	1	.5
C145950	.5	5.9	6.2	10	.1	1.8	1.2	115	.47	2.0	.5	<.5	3.9	36	.1	.2	.1	1	.18	.010	16	3.0	.05	331	.003	<1	.30	.005	.31	<.1	<.01	1.3	<.1	<.05	1	<.5
158001	3.1	3.4	2.5	18	<.1	3.7	3.1	285	1.79	2.4	1.1	3.6	.5	42	.1	<.1	<.1	25	3.77	.012	2	5.3	.04	54	<.001	<1	.13	.004	.02	.6	<.01	2.0	<.1	<.05	<1	<.5
158002	4.9	2.0	2.5	20	.1	4.4	5.1	654	2.72	10.1	1.3	50.9	1.2	16	.1	<.1	<.1	4	3.08	.052	5	3.5	.04	130	.001	<1	.15	.029	.03	.2	<.01	5.1	<.1	<.05	<1	<.5
158003	1.0	31.8	54.2	20	1.1	10.8	1.3	31	.55	.6	1.2	1.9	2.2	6	.2	.1	.4	4	.05	.017	8	6.1	.02	222	.001	1	.16	.004	.10	.6	.02	.5	<.1	<.05	<1	1.0
158004	.4	24.4	1.6	4	.2	1.5	1.1	1005	.53	.5	<.1	<.5	<.1	77	<.1	.1	<.1	5	3.30	.001	<1	3.6	.12	74	.001	<1	.09	.002	<.01	<.1	<.01	.4	<.1	<.05	1	<.5
158063	.8	12.1	15.9	40	.3	5.9	3.4	278	.97	11.7	2.7	37.9	13.8	16	.5	.3	.2	3	.14	.037	31	5.6	.18	378	.003	1	.61	.031	.31	.4	<.01	1.2	.1	<.05	2	<.5
158064	.6	10.4	21.0	54	.3	5.1	3.3	402	1.29	10.2	2.8	134.1	12.4	19	.6	.3	.1	4	.18	.037	27	4.9	.30	378	.006	<1	.85	.031	.29	.1	<.01	1.6	.1	<.05	3	<.5
158065	1.1	36.5	18.3	91	.3	8.7	6.4	486	2.09	16.6	2.8	52.1	9.0	26	.8	.3	.2	9	.27	.058	24	12.6	.54	368	.006	2	1.09	.020	.32	.4	<.01	1.9	.1	<.05	4	<.5
158066	.8	19.9	31.6	85	.5	9.1	7.3	551	2.02	30.6	2.2	36.0	9.4	22	1.1	.2	.6	7	.26	.059	25	9.1	.38	416	.004	<1	.96	.015	.32	.1	<.01	1.7	.1	<.05	3	<.5
158067	1.0	20.6	32.1	83	.2	7.8	6.1	582	1.84	11.4	2.7	17.7	8.4	19	.8	.2	.2	6	.24	.051	22	10.2	.36	370	.003	1	.82	.016	.28	.4	<.01	1.8	.1	<.05	3	<.5
158068	1.3	23.3	40.3	125	.2	6.5	6.5	651	1.48	28.8	2.6	37.6	9.8	16	1.2	.3	.1	5	.15	.044	24	5.0	.33	298	.004	1	.83	.013	.29	.1	<.01	1.5	.1	<.05	2	.5
158069	1.5	25.0	46.9	203	.2	7.9	6.5	488	1.77	20.1	2.6	20.6	9.7	24	1.4	.2	.1	5	.17	.042	22	7.6	.40	227	.003	<1	.88	.015	.24	.3	.01	1.2	.1	<.05	3	.6
158070	1.5	15.9	85.2	62	.3	2.2	1.9	130	1.31	24.1	2.8	21.4	7.3	30	.8	.3	.6	2	.04	.032	13	3.4	.09	209	.003	1	.44	.016	.23	<.1	<.01	.7	.1	<.05	1	<.5
158071	1.6	19.9	32.8	53	.5	2.6	5.0	185	1.31	18.2	2.1	21.7	8.3	33	1.0	.3	.3	1	.03	.032	19	3.8	.06	260	.003	1	.40	.018	.27	.3	.01	.8	.1	<.05	1	.7
158072	1.0	29.0	40.4	121	.3	3.1	7.0	260	1.48	17.0	3.4	42.0	11.5	17	1.7	.3	.4	1	.04	.036	23	2.3	.11	301	.003	<1	.60	.013	.29	.1	.01	.8	.1	<.05	1	.6
158073	1.4	49.2	125.9	225	.4	6.6	8.6	642	1.56	7.4	3.2	255.2	10.5	14	2.4	.3	.1	2	.10	.041	22	4.8	.26	357	.003	1	.66	.015	.30	.4	.01	1.1	.1	<.05	2	<.5
RE 158073	1.6	46.7	123.5	218	.3	6.0	8.2	623	1.52	7.4	2.8	58.6	9.8	14	2.3	.3	.1	1	.09	.039	20	4.7	.26	349	.003	<1	.63	.013	.29	.4	.01	.9	.1	<.05	2	.5
158074	1.0	29.0	71.4	111	.2	4.4	4.2	393	1.33	7.2	2.9	53.6	9.4	22	.8	.2	.1	2	.08	.033	20	3.3	.21	276	.005	1	.64	.017	.30	.1	<.01	1.3	.1	<.05	2	<.5
158075	.8	10.6	48.9	35	.3	2.8	2.5	280	.68	1.9	1.6	73.5	11.6	11	.4	.2	.2	1	.05	.016	29	3.9	.13	427	.002	2	.44	.020	.30	.4	.01	1.1	.1	<.05	1	<.5
158076	.6	14.7	35.2	56	.6	4.2	3.6	366	.90	5.1	1.4	172.2	11.9	15	.7	.4	.4	1	.11	.031	31	4.2	.20	411	.002	1	.52	.019	.29	.1	.01	1.0	.1	<.05	2	<.5
158077	.8	8.3	159.7	8	11.5	2.3	.3	60	.50	.6	.3	6827.5	.3	40	.1	.7	1.1	<1	.02	.008	1	6.8	.01	1284	<.001	<1	.03	.002	.01	1.0	.04	.2	<.1	.09	<1	.6
158078	.4	8.8	18.7	57	.3	5.1	3.1	396	1.07	5.0	1.5	23.0	12.9	11	.8	.2	.1	3	.11	.026	32	3.9	.26	346	.003	<1	.70	.034	.29	.1	<.01	1.8	.1	<.05	2	<.5
158079	.5	16.8	86.9	21	.6	5.8	1.2	147	.46	3.2	1.3	51.6	14.0	7	.2	.1	.3	1	.05	.013	33	3.4	.12	255	.001	1	.40	.013	.29	.4	<.01	.9	.1	<.05	1	<.5
158080	.5	8.2	37.2	43	.3	3.4	2.9	391	.96	31.0	1.6	44.6	14.4	18	.5	.3	.1	2	.14	.051	33	3.5	.30	526	.003	<1	.67	.027	.38	.1	.01	1.6	.1	<.05	2	<.5
158081	.6	34.3	72.6	84	.5	5.2	3.6	580	1.14	21.6	1.5	20.3	13.7	14	.7	.4	.2	5	.14	.028	33	16.7	.44	473	.002	<1	.79	.021	.34	.4	.01	1.5	.1	<.05	3	<.5
158082	.3	11.0	30.5	51	.4	4.5	3.7	338	1.11	5.1	2.0	42.4	12.9	21	.6	.2	.2	2	.14	.044	28	4.3	.28	1203	.006	1	.76	.023	.39	.1	<.01	2.1	.1	<.05	2	.5
158083	.9	17.6	25.2	61	.3	6.6	5.3	379	1.25	3.4	2.1	51.3	10.5	18	.6	.2	.1	1	.12	.037	22	5.5	.27	841	.003	<1	.69	.017	.32	.5	.01	1.4	.1	<.05	2	<.5
158084	.5	39.5	30.7	56	.4	3.6	2.6	221	1.00	6.9	2.8	39.2	13.9	19	.5	.3	.1	2	.08	.023	23	4.5	.21	1278	.004	<1	.70	.014	.30	.1	.01	1.5	.1	<.05	2	<.5
STANDARD DS5	12.5	144.5	25.5	133	.3	24.5	11.7	758	2.98	18.7	6.2	42.0	2.7	49	5.8	3.9	5.9	59	.73	.092	12	177.0	.64	139	.096	17	2.01	.034	.15	4.7	.18	3.3	1.0	<.05	7	4.6

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data We FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
158085	.7	6.0	38.2	8	.1	1.3	.2	69	.34	.5	.2	20.3	.9	108	<.1	.4	.1	<1	<.01	.001	2	6.1	.01	2583	<.001	<1	.05	.002	.04	.7	.09	.2	<.1	.11	<1	<.5
158086	.4	15.1	83.7	36	.3	.9	.3	130	.45	1.3	1.2	12.3	11.0	7	.1	1.5	.4	<1	.03	.003	21	2.4	.09	420	.001	1	.31	.004	.19	.1	.01	.6	<.1	<.05	1	<.5
158087	.6	8.7	41.9	19	.2	1.5	.3	157	.37	.7	.8	24.9	8.5	67	.1	.4	.2	<1	.01	.002	16	4.8	.07	2625	.001	<1	.23	.010	.17	.7	.01	.7	<.1	.09	1	<.5
158088	.3	4.8	28.7	13	.1	.8	.4	57	.32	1.1	1.3	3.7	14.7	7	.1	.1	.2	1	.02	.004	34	1.9	.09	409	.002	<1	.41	.023	.25	.2	<.01	1.0	<.1	<.05	1	<.5
158089	.5	5.0	24.2	11	.1	1.6	.6	108	.41	1.4	1.2	3.1	14.3	21	.1	.2	.1	1	.06	.010	32	3.3	.12	1030	.002	<1	.34	.021	.25	.5	<.01	.7	.1	<.05	1	<.5
158090	.2	4.1	24.0	30	.1	2.3	2.2	197	.84	1.6	1.2	10.6	14.3	15	.1	.1	.2	2	.12	.029	37	3.1	.34	300	.004	1	.74	.021	.30	.1	<.01	1.9	.1	<.05	2	<.5
158091	.4	7.2	15.4	38	.3	3.3	3.5	203	1.47	3.4	1.3	115.0	12.9	17	.2	.2	.1	4	.16	.041	39	7.0	.36	336	.008	<1	.75	.028	.23	.2	<.01	2.2	.1	<.05	3	<.5
158092	.3	9.7	17.2	27	.5	2.6	2.6	269	1.15	5.9	1.4	489.1	10.2	15	.2	.2	.1	3	.12	.029	32	4.0	.23	278	.003	<1	.60	.038	.20	.1	.01	2.0	.1	<.05	2	<.5
158093	.5	10.4	16.3	28	.6	3.5	3.4	380	1.33	3.6	1.4	253.5	10.3	14	.2	.3	.2	4	.16	.037	31	5.7	.33	294	.004	1	.68	.020	.23	.3	<.01	1.5	.1	<.05	2	<.5
158094	.2	9.8	10.8	34	.6	4.5	4.0	384	1.27	4.5	1.6	187.8	13.0	16	.3	.2	.1	4	.18	.038	32	5.0	.38	314	.003	<1	.82	.013	.29	.1	.01	1.4	.1	<.05	2	<.5
158095	.5	10.0	16.7	43	.4	4.0	3.4	268	1.02	5.7	2.0	123.9	13.4	10	.3	.2	.3	2	.12	.033	36	4.1	.27	297	.003	1	.64	.013	.28	.3	.01	1.4	.1	<.05	2	<.5
158096	.4	17.0	15.8	43	1.7	10.0	5.0	384	1.51	37.7	1.9	19209.7	9.2	14	.3	.6	.1	8	.20	.035	24	22.0	.49	270	.022	<1	.79	.022	.21	.2	.01	2.1	.1	<.05	3	<.5
158097	.5	31.3	13.0	77	1.1	23.4	9.3	548	1.90	17.1	2.7	483.2	8.3	22	.7	.4	.1	16	.27	.034	20	46.5	.71	470	.060	<1	.82	.018	.24	.9	.01	3.8	.1	<.05	3	<.5
RE 158097	.6	33.0	13.0	77	1.2	24.4	9.6	547	1.93	16.8	2.5	341.6	8.1	22	.6	.4	.1	18	.27	.034	21	48.3	.72	474	.062	1	.84	.020	.24	.9	.01	3.8	.1	<.05	3	<.5
158098	.3	7.5	15.4	47	.2	4.6	3.5	325	1.40	6.5	1.4	42.4	12.6	32	.2	.3	.1	6	.27	.034	30	5.7	.59	276	.017	1	.90	.024	.27	.1	.01	2.5	.1	<.05	3	<.5
158099	.6	10.2	22.7	35	1.1	4.3	2.6	217	1.09	2.0	1.3	177.6	10.4	28	.2	.3	.1	4	.20	.029	23	7.0	.39	589	.017	<1	.59	.016	.23	.4	<.01	1.5	.1	<.05	2	<.5
158100	.4	56.4	341.6	45	6.8	1.7	.4	44	.44	.9	.4	3132.6	.5	12	.6	1.4	.5	1	.01	.002	1	5.1	.04	578	.002	<1	.07	.005	.02	<.1	.06	.3	<.1	<.05	<1	.6
158101	.6	22.4	44.7	40	1.4	3.1	2.6	238	.97	1.3	1.3	267.9	12.1	24	.2	.4	.1	3	.19	.028	31	5.6	.26	530	.009	<1	.49	.034	.21	.4	<.01	1.5	.1	<.05	2	<.5
158102	.4	9.6	15.9	52	.2	10.1	5.7	503	1.68	4.6	1.0	21.7	10.9	18	.4	.3	.1	9	.15	.035	29	14.7	.82	399	.013	1	1.07	.015	.28	.2	.01	2.8	.1	<.05	3	<.5
158103	.6	8.2	19.9	34	1.1	3.7	2.5	244	1.00	3.7	.8	266.6	10.0	23	.1	.2	.2	4	.18	.045	23	5.8	.38	262	.004	<1	.63	.018	.25	.3	<.01	1.6	.1	<.05	2	<.5
158104	.3	11.8	7.9	38	.2	4.3	4.3	253	1.20	1.4	.9	193.9	8.0	47	.2	.2	.1	6	.41	.046	21	5.5	.59	231	.006	<1	.77	.010	.29	.1	.01	2.0	.1	<.05	2	<.5
158105	.5	16.0	30.7	42	.2	4.6	4.3	327	1.24	4.3	1.0	81.9	8.4	24	.2	.2	.1	4	.21	.030	20	5.7	.47	272	.009	1	.66	.013	.23	.5	<.01	1.5	.1	.07	2	<.5
158106	.3	15.3	7.5	32	.3	4.1	3.1	290	.98	5.3	.8	318.3	8.4	15	.2	.2	.1	4	.13	.041	22	3.9	.40	241	.004	<1	.69	.015	.29	.1	<.01	1.9	.1	<.05	2	<.5
158107	.9	13.4	5.7	32	.4	2.9	1.7	203	.63	2.8	.5	359.8	3.8	8	.1	.9	<.1	2	.07	.018	11	5.9	.16	173	.002	<1	.29	.008	.15	.6	<.01	.8	<.1	<.05	1	<.5
158108	.4	7.1	15.9	18	.6	2.6	2.2	221	.64	2.7	.9	245.6	9.7	12	.1	.1	.1	1	.08	.023	25	2.9	.28	575	.002	1	.56	.015	.26	.1	<.01	1.2	.1	<.05	1	<.5
158109	.6	7.0	42.6	14	.6	2.0	1.4	138	.51	2.7	1.2	84.5	12.9	10	.1	.2	.1	1	.05	.013	32	4.0	.11	219	.002	<1	.36	.016	.21	.5	<.01	.7	.1	<.05	1	<.5
158110	.3	6.7	47.9	43	.3	2.8	2.8	420	.51	5.0	1.3	14.4	13.6	10	.4	.3	.2	1	.07	.015	33	2.0	.18	201	.001	<1	.48	.009	.24	.1	.01	.9	.1	<.05	1	<.5
158111	.5	6.0	29.9	26	.2	2.7	2.4	379	.52	3.2	1.1	12.1	13.8	19	.3	.2	.1	1	.07	.015	31	3.2	.17	966	.004	<1	.43	.017	.23	.3	<.01	1.0	.1	<.05	1	<.5
158112	.6	10.9	32.7	96	.6	21.0	9.5	615	1.39	15.7	2.8	38.9	10.4	19	.7	.6	.1	8	.19	.019	27	31.9	.52	1963	.002	<1	.89	.007	.24	.1	.01	2.6	.1	<.05	2	<.5
158113	.9	18.5	23.1	130	.9	30.7	11.3	687	1.79	19.9	2.8	149.0	7.3	21	.9	.5	<.1	9	.23	.045	21	37.5	.59	371	.002	<1	.93	.007	.26	.2	.01	3.2	.1	<.05	3	<.5
158114	.3	7.9	18.8	30	.3	2.7	2.4	296	.76	6.6	1.1	41.8	11.1	16	.3	.2	.1	2	.14	.040	28	2.1	.28	325	.003	<1	.66	.009	.31	.1	.01	1.3	.1	<.05	2	<.5
158115	.6	13.0	14.0	33	.6	4.9	3.8	328	1.08	4.1	1.2	188.2	10.6	16	.3	.2	.2	4	.14	.043	24	5.4	.37	378	.003	1	.67	.012	.27	.4	.01	1.6	.1	<.05	2	<.5
158116	.5	5.0	9.2	21	.3	2.3	1.9	151	.67	1.1	.6	182.2	9.4	9	.1	.1	.2	1	.09	.023	25	3.0	.28	318	.003	1	.59	.015	.28	.1	<.01	1.4	<.1	<.05	1	<.5
158117	.5	10.7	40.4	17	.5	2.2	2.0	123	.54	2.5	.9	91.7	13.9	11	.1	.2	.1	1	.06	.021	34	3.3	.14	280	.002	1	.40	.020	.25	.3	.01	.8	.1	<.05	1	<.5
STANDARD DS5	12.4	137.5	24.7	138	.3	24.0	11.9	751	3.03	19.0	6.1	43.9	2.7	49	5.5	4.0	6.0	60	.76	.090	13	183.2	.68	136	.106	16	1.98	.033	.13	4.8	.18	3.6	1.1	<.05	6	4.7

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
158118	.9	7.5	2.8	24	.8	5.5	2.2	228	.53	3.9	.6	4161.6	1.1	3	.2	.2	<.1	2	.04	.005	4	12.7	.12	87	.001	<1	.20	.002	.06	.7	<.01	.5	<.1	<.05	1	<.5
158119	1.0	20.9	26.8	136	.3	6.5	6.9	634	1.50	8.1	3.0	44.5	10.2	17	.9	.3	.2	7	.14	.037	23	5.8	.36	353	.005	1	.89	.011	.28	.1	.01	1.2	.1	<.05	2	<.5
158120	1.0	27.1	60.2	115	.3	5.0	5.3	485	1.38	8.0	3.4	28.2	10.1	21	.9	.2	.3	4	.05	.033	20	5.0	.16	285	.005	<1	.56	.014	.24	.3	.01	1.0	.1	<.05	1	<.5
158121	1.0	31.6	47.5	149	.3	3.9	5.5	410	1.42	7.5	4.8	13.2	11.8	23	.9	.3	.2	4	.07	.035	24	3.5	.23	407	.006	1	.76	.014	.27	.1	.01	1.2	.1	<.05	2	<.5
158122	1.5	35.7	136.3	109	.4	4.1	4.5	286	1.30	7.2	3.3	35.1	10.4	19	.6	.3	.2	3	.06	.029	21	4.8	.20	647	.006	1	.61	.013	.27	.4	.03	.9	.1	<.05	2	<.5
158123	.4	12.1	40.7	61	.2	2.6	2.7	176	.77	2.8	2.2	10.0	13.1	10	.4	.2	.1	2	.06	.019	35	3.2	.18	285	.004	1	.63	.013	.27	.1	.01	1.0	.1	<.05	2	<.5
158124	.7	13.6	23.1	67	.2	5.7	4.6	433	1.05	6.0	2.7	45.9	13.2	11	.6	.3	.3	4	.11	.027	37	8.8	.25	328	.002	1	.70	.012	.25	.3	.01	1.1	.1	<.05	2	<.5
158125	.6	8.5	25.1	64	.4	7.1	4.5	463	1.32	4.6	2.3	280.9	11.9	13	.8	.2	.1	5	.14	.029	35	12.0	.31	421	.003	1	.81	.016	.25	.1	.01	2.0	.1	<.05	2	<.5
158126	.6	10.4	14.9	58	.2	4.8	3.7	367	1.36	5.0	2.6	48.2	12.5	15	.5	.2	.1	6	.14	.036	37	6.4	.28	310	.004	1	.78	.024	.23	.3	.01	1.9	.1	<.05	2	<.5
158127	.4	8.4	24.7	30	.3	3.3	2.5	184	.69	2.8	1.5	19.1	13.5	11	.2	.3	.5	4	.10	.031	36	3.4	.18	356	.003	1	.59	.015	.33	.1	<.01	1.2	.1	<.05	2	<.5
158128	.5	9.5	21.9	29	.1	3.0	2.4	212	.49	1.0	.9	15.3	12.4	12	.1	.2	.2	2	.06	.017	31	3.5	.19	335	.002	1	.48	.012	.25	.3	.01	.9	.1	<.05	1	<.5
158251	20.4	2.1	31.0	49	.8	4.0	.7	15	1.26	2.5	2.1	2.3	2.7	5	.4	1.5	.7	1	.01	.001	2	1.6	.02	89	.002	1	.31	.029	.16	.1	.26	.5	1.6	1.19	1	<.5
158252	.5	6.3	7.0	49	.1	6.8	4.9	293	1.80	1.1	.7	.7	9.2	13	.3	.2	.1	15	.13	.030	11	11.4	.65	310	.057	<1	.92	.037	.56	.3	.01	3.4	.2	<.05	4	<.5
158253	.6	3.8	5.2	7	.3	1.8	.6	53	.49	.7	.3	<.5	.3	3	<.1	<.1	.9	2	.03	.011	1	4.8	.09	40	.004	<1	.11	.004	.05	<.1	.01	.3	<.1	<.05	<1	<.5
158254	.8	5.2	7.1	5	<.1	2.0	1.9	46	.55	2.0	.1	.9	.2	2	<.1	.1	.1	1	<.01	.002	1	7.4	.02	108	.002	<1	.09	.004	.09	.8	.01	.3	<.1	<.05	<1	<.5
158501	.9	23.5	13.3	81	.3	11.9	7.4	307	2.02	13.4	2.0	12.1	8.2	20	.4	.4	.1	13	.11	.061	22	16.8	.31	317	.003	<1	.94	.021	.25	.1	.01	2.0	.1	.07	3	.6
158502	1.4	17.0	13.6	102	.2	17.0	11.4	734	2.10	1.6	1.0	6.8	8.2	28	.8	.2	.1	9	.67	.059	21	26.2	.57	268	.006	<1	1.07	.023	.18	.4	.01	2.4	.1	.22	3	.5
RE 158502	1.4	17.6	14.8	108	.2	18.6	12.2	766	2.19	1.6	1.1	5.5	9.2	29	.8	.2	.1	10	.70	.065	21	27.5	.59	277	.006	<1	1.10	.023	.18	.4	.01	2.4	.1	.23	3	<.5
158503	.8	15.3	7.0	78	.2	12.4	8.4	509	1.73	1.6	.8	2.6	9.1	18	.5	.4	.1	10	.28	.054	26	14.7	.41	284	.013	1	.80	.022	.23	.1	.01	1.7	.1	.42	3	<.5
158504	1.2	12.5	8.1	65	.2	12.1	8.1	616	1.87	1.7	.9	2.1	8.5	35	.6	.1	.1	9	.91	.058	19	12.5	.37	245	.007	<1	.71	.024	.20	.3	.01	1.7	.1	.58	3	.5
158505	1.3	16.4	12.4	80	.2	13.1	9.7	666	1.99	1.5	1.1	3.0	9.7	40	.4	.2	.1	10	.85	.059	23	14.0	.44	290	.010	1	.93	.027	.26	.1	.01	2.2	.1	.57	3	<.5
158506	1.5	28.0	14.9	107	.2	14.1	10.7	824	2.25	3.2	1.2	25.1	8.2	44	.7	.7	<.1	10	1.13	.064	19	16.3	.89	208	.004	1	1.11	.014	.24	.2	.01	1.9	.1	.55	3	<.5
158507	1.9	30.8	34.3	71	.5	10.0	5.3	399	1.73	2.3	1.5	15.9	6.7	25	.5	.7	.1	7	.12	.040	17	56.4	.58	356	.005	<1	.84	.018	.25	.1	.01	1.5	.1	.17	2	.5
158508	.9	6.4	16.7	11	.1	2.1	.4	44	.48	.5	.3	47.0	.4	8	<.1	.6	<.1	<1	.01	.005	1	7.9	.04	187	<.001	<1	.06	.003	.02	.9	.01	.2	<.1	<.05	<1	<.5
158509	1.2	18.7	24.8	61	.3	6.1	2.1	228	1.69	2.5	1.4	46.4	6.9	23	.2	.7	.1	9	.09	.042	18	42.6	.75	403	.005	<1	.90	.022	.24	<.1	.01	1.4	.1	.10	3	.5
158510	1.4	20.7	40.9	62	.5	5.5	2.4	196	1.62	2.8	1.6	8.3	8.8	16	.1	.4	.1	6	.09	.045	23	19.8	.68	287	.003	<1	.87	.019	.23	.4	.01	1.1	.1	<.05	3	<.5
158511	1.2	18.6	27.9	66	.4	4.4	2.1	229	1.68	4.3	1.8	6.9	9.3	29	.1	.4	.1	9	.07	.038	25	33.7	.77	414	.007	<1	.98	.028	.27	.1	.01	1.8	.1	.06	3	<.5
158512	2.1	23.7	63.0	42	.6	4.1	2.0	115	1.41	5.9	2.4	6.3	9.4	17	.2	.9	.2	5	.05	.034	26	16.5	.30	389	.003	<1	.70	.022	.28	.6	.01	1.2	.1	<.05	2	<.5
158513	1.0	11.9	37.3	39	.3	3.6	2.9	150	.88	2.6	1.9	6.5	11.9	23	.3	.3	.1	2	.03	.016	28	5.0	.28	775	.003	<1	.66	.017	.30	.1	.01	1.1	.1	<.05	2	<.5
158514	.6	5.4	13.4	43	.2	4.0	2.4	163	.70	2.9	1.1	7.4	15.7	7	.2	.2	.1	1	.05	.008	39	5.5	.70	357	.001	<1	.87	.012	.24	.4	.02	1.0	.1	<.05	2	<.5
158515	.3	9.9	21.3	66	.2	6.9	5.2	331	1.30	7.4	1.4	12.2	13.1	14	.4	.3	.1	7	.14	.033	36	7.8	.76	357	.002	<1	1.13	.015	.27	.1	.01	1.8	.1	<.05	4	<.5
158516	.6	18.5	18.6	61	.3	8.0	6.9	497	1.88	14.4	1.8	9.8	11.6	31	.4	.6	.1	12	.48	.050	31	13.5	.75	350	.013	<1	1.16	.017	.26	.4	.01	2.7	.1	<.05	4	<.5
158517	.6	10.7	17.6	60	.2	9.8	7.8	393	2.17	19.5	2.3	9.3	9.3	41	.4	1.0	.1	17	.43	.049	23	16.7	.69	400	.095	1	1.23	.016	.27	.3	<.01	4.3	.1	<.05	5	<.5
158518	.4	7.7	14.4	40	.2	5.0	3.9	205	1.27	8.2	1.5	11.6	13.9	24	.1	.4	.2	6	.18	.041	34	7.4	.48	386	.007	<1	.84	.020	.30	.3	<.01	2.3	.1	<.05	3	<.5
STANDARD DS5	12.5	138.6	24.3	139	.3	25.5	11.8	749	3.00	18.4	6.2	43.1	3.0	52	5.3	3.8	5.9	62	.77	.088	15	191.1	.68	139	.117	22	2.01	.033	.15	5.0	.18	3.5	1.0	<.05	7	4.7

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data We FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT DAWSON FILE # A405358 Page 8

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
158519	.8	3.3	10.6	36	.1	3.1	2.2	202	.90	.9	1.2	4.6	16.1	14	.2	.2	.1	3	.10	.012	34	2.9	.66	346	.004	2	.79	.019	.28	.1	<.01	1.9	.1	<.05	2	<.5
158520	.3	3.6	12.4	11	.1	1.5	1.2	151	.44	1.5	.9	2.8	11.0	11	.2	.2	.2	1	.08	.012	33	2.4	.10	303	.004	1	.38	.022	.25	.1	<.01	.9	.1	<.05	1	<.5
158521	.6	4.4	22.8	25	.2	2.3	1.4	202	.71	.7	1.2	15.0	10.9	23	.3	.1	.4	1	.10	.012	24	3.4	.34	412	.002	1	.49	.012	.24	.1	<.01	1.2	.1	<.05	1	<.5
158522	.5	5.3	21.6	26	.2	1.3	1.2	212	.65	1.1	1.2	25.5	12.0	10	.3	.3	.1	1	.05	.006	23	1.9	.27	311	.002	1	.49	.010	.25	.1	.01	1.1	.1	.06	1	<.5
158523	.7	4.9	12.8	25	.2	2.0	1.6	192	.74	.8	1.1	10.3	10.0	15	.3	.2	.2	1	.07	.017	24	2.7	.23	353	.007	1	.46	.014	.24	.1	<.01	1.1	.1	<.05	1	<.5
158524	.8	4.6	18.7	36	.2	1.9	1.4	184	.80	.8	.9	67.6	11.1	10	.3	.3	.2	1	.06	.007	19	1.5	.54	265	.002	2	.62	.009	.23	.1	<.01	1.4	.1	.18	2	<.5
158525	1.0	9.9	27.5	42	.3	4.2	2.8	197	1.00	1.0	1.1	80.4	13.3	31	.3	.6	.1	2	.09	.017	32	5.3	.72	773	.004	1	.80	.015	.29	.2	.01	1.9	.1	<.05	2	<.5
158526	.6	17.4	54.5	33	.7	2.1	1.4	154	.66	1.3	.9	230.9	10.1	10	.3	.8	.2	2	.05	.008	22	2.7	.31	385	.003	<1	.50	.014	.24	.1	.01	1.4	.1	<.05	1	<.5
158527	1.1	17.4	33.9	41	.4	4.9	2.9	245	.96	1.9	1.4	146.8	8.5	29	.3	.4	.1	2	.09	.020	21	5.6	.62	817	.003	<1	.62	.007	.23	.1	.01	1.4	.1	.07	2	<.5
158528	.3	4.6	18.0	15	.1	1.4	1.1	140	.48	1.2	1.2	7.8	13.8	14	.2	.3	.1	<1	.04	.009	34	2.4	.26	249	.003	1	.48	.014	.24	.1	<.01	1.1	.1	<.05	1	<.5
158529	.7	7.3	33.4	21	.3	1.8	.5	70	.53	1.7	1.6	300.8	15.9	5	.1	.4	.2	<1	.02	.005	35	3.1	.13	368	.002	2	.47	.022	.29	.2	<.01	1.0	.1	<.05	1	<.5
158530	.4	6.7	16.0	17	.4	2.9	2.5	132	.59	1.9	1.6	120.2	12.3	6	.2	.8	.1	2	.02	.009	26	3.1	.18	399	.003	1	.41	.008	.27	.1	.01	1.2	.1	<.05	1	<.5
158531	.7	12.2	41.3	34	1.8	1.5	.4	42	.67	1.4	1.5	147.0	12.6	41	.1	2.1	.1	<1	.02	.003	23	3.0	.06	1629	.001	1	.26	.025	.21	.1	.01	.4	<.1	.09	1	<.5
158532	.3	15.8	49.5	24	.2	1.2	.5	89	.46	2.3	1.8	71.7	14.6	16	.1	.7	.1	<1	.02	.006	33	2.1	.08	788	.002	2	.38	.028	.24	.1	.01	1.0	.1	<.05	1	<.5
158533	.2	10.9	24.6	20	.4	1.5	.9	72	.34	1.4	1.2	112.7	11.5	9	.1	.6	.1	<1	.03	.006	26	2.5	.12	608	.002	1	.33	.022	.22	.1	.01	1.0	<.1	<.05	1	<.5
RE 158533	.2	10.7	25.1	21	.4	1.3	.8	68	.34	1.2	1.1	431.9	11.7	9	.1	.5	.1	<1	.03	.006	24	2.3	.12	591	.001	2	.33	.019	.20	.1	.01	.8	<.1	<.05	1	<.5
158534	.4	11.9	14.6	15	1.2	3.1	3.2	135	.88	1.8	1.3	260.0	11.0	21	.2	.4	.1	1	.11	.040	21	4.5	.19	1121	.003	2	.43	.019	.26	.1	.01	1.0	.1	.06	1	<.5
158535	.2	7.4	61.1	34	.9	2.1	1.8	229	.73	2.5	1.4	689.4	10.4	11	.3	.3	.1	<1	.08	.028	23	2.4	.16	419	.002	<1	.39	.015	.19	.1	.01	1.0	<.1	<.05	1	<.5
158536	.4	15.0	15.1	56	.3	16.3	7.5	356	1.51	3.9	1.3	43.8	9.9	16	.4	.2	.1	16	.20	.036	23	37.8	.74	312	.003	1	.96	.012	.18	.1	.01	2.8	.1	<.05	2	<.5
158537	.2	18.4	15.0	47	.5	42.1	15.2	397	2.37	2.6	1.4	37.0	9.1	23	.3	.1	.1	32	.27	.059	23	84.9	1.24	311	.006	1	1.35	.012	.16	<.1	<.01	5.1	.1	<.05	4	<.5
158538	.4	10.1	19.1	37	.2	7.2	4.5	257	1.34	3.8	1.2	15.3	9.2	14	.2	.2	.2	5	.15	.034	29	11.8	.38	291	.004	1	.70	.015	.19	.1	.01	2.2	.1	<.05	2	<.5
158539	.2	4.6	345.2	91	3.1	3.2	2.1	392	1.17	1.5	1.0	398.4	3.9	74	.7	.3	.2	<1	.11	.034	9	3.0	.24	2174	.001	1	.34	.019	.08	.1	.04	2.0	<.1	<.05	1	<.5
158540	.4	2.5	39.9	36	.1	1.2	.6	122	.32	1.8	1.1	9.1	13.8	5	.2	.3	.2	<1	.02	.007	39	2.2	.06	181	.001	2	.24	.018	.22	.1	.01	.5	.1	<.05	1	<.5
158541	.6	3.3	133.3	136	.5	1.7	.6	490	.55	4.8	2.1	7.8	18.7	10	.7	.4	.6	<1	.05	.009	52	1.5	.12	407	<.001	1	.38	.008	.22	.1	.01	.9	.1	<.05	1	<.5
158542	1.9	7.9	30.8	50	.3	2.4	1.9	222	.57	9.0	1.1	18.3	11.7	19	.6	.2	.5	<1	.18	.022	27	2.3	.22	403	.001	1	.37	.010	.21	.1	.01	.9	<.1	<.05	1	<.5
158543	.5	12.2	31.4	36	2.4	2.9	2.3	271	.68	6.4	1.7	273.0	10.6	35	.5	.3	.1	<1	.10	.033	22	2.8	.19	1552	.002	1	.40	.017	.23	.1	<.01	.9	.1	<.05	1	<.5
158544	.8	12.9	24.5	42	1.6	4.4	3.6	311	.96	9.3	2.2	3909.9	12.3	14	.5	.5	.1	2	.10	.033	30	4.1	.19	504	.002	1	.42	.019	.22	.1	.01	1.0	.1	<.05	1	<.5
158545	.4	13.7	35.1	55	.4	6.7	4.9	324	.98	7.9	1.8	125.6	13.3	13	.5	.4	.2	6	.12	.035	31	11.6	.39	457	.005	1	.62	.016	.21	.1	.01	1.5	.1	<.05	2	.5
158546	.5	9.4	17.5	42	.2	9.7	4.1	315	1.19	8.4	1.6	12.5	12.2	14	.3	.3	.1	8	.14	.036	31	14.7	.58	379	.002	1	.74	.016	.18	.1	.01	1.8	.1	<.05	3	<.5
158547	.3	8.5	15.3	52	.2	11.9	6.7	387	1.50	8.7	1.2	8.0	11.3	15	.3	.4	.1	7	.14	.033	30	13.9	.73	336	.003	2	.91	.010	.21	.1	.01	2.0	.1	<.05	3	<.5
158548	.5	18.4	16.6	52	.7	12.4	6.5	395	1.66	8.7	1.5	176.3	8.7	12	.2	.3	.5	6	.12	.031	23	11.7	.62	347	.003	<1	.81	.014	.15	.1	.01	1.8	.1	<.05	2	<.5
158549	.5	17.8	19.9	56	.3	5.1	4.2	538	1.57	15.4	1.3	47.6	11.7	11	.3	.5	.1	6	.14	.037	33	9.1	.67	241	.002	<1	.87	.012	.21	.1	.01	1.7	.1	<.05	3	<.5
158550	.5	17.2	15.0	52	.2	16.0	6.8	428	1.84	3.1	.9	14.7	9.6	44	.2	.2	.1	7	.48	.038	24	19.4	1.07	272	.004	2	1.11	.013	.19	.1	<.01	2.5	.1	<.05	3	<.5
STANDARD DS5	12.9	146.7	24.7	138	.3	24.7	11.7	744	3.00	19.0	6.1	42.0	2.7	48	5.2	3.9	6.0	60	.73	.086	13	185.6	.69	137	.092	16	2.00	.032	.13	4.7	.17	3.4	1.1	<.05	6	4.9

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data hk FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C 145400	.5	8.5	12.7	39	.1	11.8	6.0	144	1.37	5.8	1.0	4.9	6.0	22	.1	.3	.1	26	.35	.042	23	22.4	.37	290	.024	1	.90	.005	.04	.2	.03	2.3	.1	<.05	3	<.5
C 145446	.5	18.0	6.8	52	.1	15.3	9.8	591	2.04	5.7	.6	1.4	2.4	23	.1	.4	.1	39	.60	.058	12	23.9	.50	251	.030	1	1.19	.007	.03	.3	.04	3.2	.1	<.05	3	.6
STANDARD DS5	12.7	142.6	24.8	138	.3	25.6	11.8	793	3.01	18.8	6.3	45.0	3.0	47	5.3	3.7	6.4	62	.76	.095	13	187.9	.68	137	.096	21	1.98	.034	.14	5.0	.16	3.4	1.2	<.05	6	5.0

Sample type: STREAM SED..

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

ASSAY CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A406447R

711 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Au** gm/mt
C 144823	1.85
C 144824	.57
C 144825	1.05
C 144826	.32
158155	.02
158258	2.43
C 144460	.19
STANDARD AU-1	3.32

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 2 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK PULP

Data___ FA ____ DATE RECEIVED: NOV 17 2004 DATE REPORT MAILED: Nov 26/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A406918 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
SI	<.1	.5	.2	<1	<.1	.1	<.1	4	.03	<.5	<.1	<.5	<.1	2	<.1	<.1	<.1	<1	.06	<.001	<1	<1	<.01	2	<.001	<1	<.01	.278	<.01	<.1	<.01	<.1	<.1	<.05	<1	<.5
C 144978	2.2	3.5	1.5	4	.3	4.8	.9	176	.38	2.0	.5	856.0	2.6	2	.1	.1	<.1	<1	.01	.004	19	20.6	.03	78	.002	<1	.09	.009	.04	3.6	<.01	.3	<.1	<.05	<1	<.5
C 144979	2.1	6.4	5.6	18	.2	3.4	2.0	753	.84	6.6	2.5	34.4	1.5	2	.2	.4	<.1	2	.02	.007	4	10.1	.07	167	.003	1	.19	.006	.03	<.1	.02	1.5	<.1	<.05	1	<.5
C 144980	8.1	60.2	47.8	119	5.3	23.6	10.8	2259	4.98	71.9	22.3	23253.0	23.3	14	1.1	3.3	.3	21	.14	.064	42	37.6	.47	506	.013	<1	1.29	.008	.28	.8	.06	9.5	.2	<.05	5	<.5
C 144981	.5	3.8	2.0	12	.1	1.7	.3	75	.42	2.2	.8	15.9	.6	<1	<.1	.7	<.1	<1	<.01	.003	1	12.5	.01	14	.001	1	.04	.002	.01	<.1	<.01	.3	<.1	<.05	<1	<.5
C 144982	29.3	123.3	43.7	135	4.5	27.4	18.4	10464	6.50	81.2	30.0	3401.1	18.5	19	3.2	3.3	.3	27	.15	.067	33	23.1	.44	2385	.015	<1	1.30	.008	.21	.9	.06	10.8	.3	<.05	4	<.5
C 144983	2.8	25.3	56.3	20	1.3	4.4	9.2	979	1.06	9.2	3.0	4041.7	13.7	6	.3	.6	.2	3	.04	.020	30	3.6	.12	420	.002	<1	.64	.014	.27	.1	.01	1.2	.1	<.05	1	<.5
C 144984	1.6	10.2	51.1	38	.3	6.6	5.5	188	1.23	13.5	4.1	535.0	19.6	10	.2	.7	.2	5	.09	.030	22	6.2	.19	296	.005	<1	.76	.011	.34	.5	.02	1.9	.1	<.05	2	<.5
C 144985	1.2	5.9	9.0	8	.2	1.9	1.8	369	.53	3.4	1.3	46.2	.9	1	.1	.4	<.1	1	<.01	.004	2	9.4	.03	104	.002	<1	.10	.003	.03	<.1	.02	.7	<.1	<.05	<1	<.5
C 144986	1.1	12.6	17.1	78	.3	11.7	9.6	1116	2.79	8.3	2.0	3.0	3.4	14	.5	.1	.2	43	.25	.056	16	32.0	1.45	519	.004	1	1.81	.024	.11	.9	.03	5.4	.1	<.05	7	<.5
C 144987	.6	16.3	17.3	125	.3	14.3	11.9	1389	4.66	22.1	2.7	3.1	4.5	22	.8	.3	.1	74	.33	.059	20	35.8	2.17	693	.007	<1	2.67	.020	.10	<.1	.02	10.4	.1	<.05	11	<.5
C 144988	1.5	2.5	4.7	4	.1	3.4	.5	143	.34	1.4	.2	1.5	.7	1	<.1	.1	.3	2	.01	.005	2	17.2	.05	64	<.001	<1	.10	.007	.02	2.6	.01	.3	<.1	<.05	<1	<.5
C 144989	.2	3.0	5.6	64	.1	2.8	2.3	324	1.13	2.0	1.5	1.3	17.7	13	.3	.1	.1	3	.09	.010	13	4.5	.89	452	.007	<1	1.26	.016	.21	<.1	.01	2.3	.1	<.05	3	<.5
C 144990	.9	34.3	12.7	83	.4	13.5	8.0	629	2.81	16.6	1.8	6.4	3.8	34	.7	.3	.2	30	.33	.078	12	34.5	1.41	425	.060	<1	1.63	.016	.10	.7	.02	3.3	<.1	<.05	5	<.5
RE C 144990	.9	33.4	12.8	84	.4	13.9	8.4	643	2.87	16.5	1.8	6.3	3.9	32	.6	.3	.2	30	.34	.079	13	35.2	1.43	434	.061	<1	1.65	.015	.10	.7	.02	3.3	.1	<.05	5	<.5
C 144991	.3	3.9	6.4	27	.1	3.2	2.8	334	1.04	5.1	.3	<.5	.9	5	.1	.1	.1	13	.10	.028	4	18.7	.41	186	.004	<1	.58	.010	.05	<.1	.01	1.9	<.1	<.05	2	<.5
C 144992	1.9	48.4	21.9	47	.2	6.1	1.9	232	.75	2.3	.1	124.3	1.1	3	.1	.3	.3	3	.03	.003	5	20.5	.23	48	.002	1	.30	.004	.04	2.9	.01	1.3	<.1	<.05	2	<.5
C 144993	.5	61.4	3.0	21	6.2	5.2	3.7	195	1.33	5.1	.3	36810.0	2.3	12	.1	1.0	.1	2	.09	.026	7	11.6	.29	108	.001	<1	.40	.006	.11	.1	.02	1.0	<.1	<.05	1	<.5
C 144994	1.8	104.1	16.1	41	12.8	9.1	5.5	402	1.46	12.2	.4	57300.0	7.4	19	.3	2.3	.1	11	.18	.039	17	19.2	.25	180	.009	1	.79	.004	.22	2.1	.06	2.6	.1	<.05	3	<.5
C 144995	.3	49.2	8.7	13	4.4	1.6	1.0	125	.64	2.9	.1	5010.2	1.5	3	.1	1.0	.1	1	.03	.006	4	11.5	.15	39	.001	1	.19	.008	.04	<.1	.01	.7	<.1	<.05	1	<.5
C 144996	2.0	7.8	2.5	14	.5	5.2	.6	147	.51	3.9	.1	1505.4	.4	2	.1	.5	<.1	2	.01	.001	2	21.7	.08	24	.001	1	.12	.004	.02	3.5	.01	.5	<.1	<.05	1	<.5
C 144997	.3	9.6	1.9	19	.2	4.6	3.6	307	1.04	5.2	.3	138.5	4.1	11	.1	.3	.1	4	.13	.040	13	13.0	.32	130	.002	<1	.52	.014	.15	.1	.01	1.1	<.1	<.05	2	<.5
C 144998	2.3	10.2	3.1	9	2.7	6.4	1.7	352	.71	6.5	.1	14478.0	1.7	6	.2	.6	.1	2	.04	.011	5	22.4	.12	83	.002	1	.22	.003	.06	3.2	.02	1.0	<.1	<.05	1	<.5
C 144999	.3	9.9	1.2	12	.1	1.7	.7	257	.57	1.3	.2	55.4	.6	5	.1	.2	<.1	1	.02	.005	2	12.6	.11	42	.001	2	.15	.004	.04	<.1	.01	.8	<.1	<.05	1	<.5
C 145000	2.3	3.9	.8	4	.1	5.7	.7	117	.46	1.0	.1	196.2	.9	3	.1	.2	<.1	1	.01	.003	3	22.8	.04	36	.001	1	.09	.002	.04	3.7	<.01	.4	<.1	<.05	<1	<.5
C 145852	.2	17.4	4.4	31	.5	9.3	5.0	606	1.66	3.7	.4	970.0	5.9	10	.3	.4	<.1	8	.09	.009	15	26.9	.72	143	.006	1	.75	.029	.09	.3	.02	3.2	<.1	<.05	3	<.5
C 145853	2.0	6.0	1.5	9	.5	6.1	1.5	112	.73	2.0	.1	410.0	1.0	3	.1	.4	<.1	1	.02	.004	4	22.5	.11	20	.001	<1	.13	.012	.02	3.1	<.01	.7	<.1	<.05	<1	<.5
C 145854	.6	33.9	13.1	111	.4	33.2	13.8	654	3.08	17.4	1.4	7.0	7.5	39	.8	.4	.1	65	.52	.055	20	140.4	1.77	287	.067	1	2.10	.030	.20	.1	.01	8.2	.2	<.05	9	<.5
C 145855	2.3	22.4	12.5	46	1.2	12.8	6.8	374	2.19	23.7	1.6	1656.8	7.3	50	.4	1.3	.2	11	.37	.099	22	19.6	.57	131	.004	3	1.03	.008	.28	1.7	.02	3.1	.1	<.05	3	<.5
C 145856	.8	10.2	5.2	24	.3	5.3	2.2	662	1.07	4.3	.9	21.3	2.7	11	.4	.5	<.1	5	.11	.016	7	13.7	.27	134	.006	2	.49	.010	.09	.1	.01	2.2	<.1	<.05	1	<.5
C 145857	2.4	7.2	2.9	15	8.3	5.9	1.4	345	.77	3.6	.3	48200.0	.8	5	.2	.4	<.1	1	.04	.004	3	22.5	.17	49	.001	2	.21	.004	.06	3.3	.02	1.1	<.1	<.05	1	<.5
C 145858	.3	478.7	3.0	14	49.7	2.5	.8	51	.62	6.6	.3	13372.0	.4	1	.5	34.4	.1	2	<.01	.002	1	12.1	.03	21	.001	1	.07	.002	.03	<.1	.05	.3	<.1	<.05	<1	<.5
C 145859	2.7	25.3	8.2	30	.5	7.3	1.9	931	1.09	9.4	.4	210.2	1.9	9	.4	.6	<.1	3	.07	.005	7	23.9	.39	82	.006	1	.39	.004	.07	3.3	.01	3.0	<.1	<.05	1	<.5
C 145860	.4	5.7	.5	3	.4	1.5	.5	238	.52	8.2	.1	38.9	.4	34	.1	.6	<.1	1	.96	.002	3	12.3	.09	22	.001	1	.04	.001	.02	<.1	<.01	.7	<.1	<.05	<1	<.5
STANDARD DS5	12.4	145.6	25.0	134	.3	24.4	11.9	743	3.00	18.3	5.8	45.0	2.7	49	5.3	3.9	6.4	59	.72	.077	11	189.3	.68	137	.083	17	2.00	.031	.13	5.1	.19	3.4	1.1	<.05	7	4.8

GROUP 1DX - 30.0 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: NOV 4 2004 DATE REPORT MAILED: Dec 3/04

BRITISH COLUMBIA CERTIFIED ASSAYER Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL

Klondike Gold Corp. PROJECT DAWSON FILE # A406918

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C 145861	2.2	4.9	2.0	19	3.2	8.4	2.1	267	.99	2.9	.4	32008.7	2.3	9	.1	.3	<.1	4	.07	.010	7	24.2	.26	100	.005	1	.38	.010	.12	3.4	.01	1.8	<.1	<.05	2	<.5
C 145862	.8	7.4	2.7	4	.2	2.2	1.2	494	.73	32.0	.2	43.0	1.1	16	.1	1.5	<.1	2	.48	.003	5	14.3	.14	54	.002	1	.06	.002	.02	.1	.01	1.6	<.1	.07	<1	<.5
C 145863	2.3	10.5	12.9	13	.1	7.4	2.5	350	.80	3.0	.3	23.1	2.3	17	.1	.4	<.1	5	.12	.026	6	26.8	.27	108	.010	1	.27	.016	.14	3.3	<.01	1.3	.1	<.05	1	<.5
158167	.3	15.6	13.3	51	.4	8.0	5.1	238	1.87	12.0	1.3	55.7	7.6	17	.4	.7	.1	13	.23	.044	20	15.5	.60	172	.005	1	.94	.015	.28	.1	.01	2.6	.1	<.05	3	<.5
158168	1.6	21.4	19.0	52	.6	11.6	6.8	420	2.09	16.6	1.9	985.5	7.9	24	.4	.7	.1	13	.30	.065	22	20.6	.57	202	.007	1	1.01	.018	.31	1.3	.02	3.0	.1	<.05	3	<.5
158169	.3	17.1	200.9	7	4.2	1.5	.6	291	.46	13.2	.1	3479.7	.3	55	.3	2.8	3.9	1	1.07	.002	1	14.8	.07	32	.001	1	.06	.001	.02	<.1	.01	.8	<.1	.09	<1	.6
STANDARD	11.9	126.8	30.3	146	.3	25.6	10.5	697	2.89	22.0	6.7	46.0	3.0	38	6.3	3.8	5.1	58	.87	.079	14	184.7	.59	173	.077	17	1.82	.076	.15	3.6	.25	3.2	1.8	<.05	6	4.6

Standard is STANDARD DS6.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data f FA ___

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A406920

711 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
SI	<.1	.9	.1	<1	<.1	.1	<.1	<1	.03	<.5	<.1	.9	<.1	2	<.1	<.1	<.1	2	.09	<.001	<1	<1	<.01	2	<.001	<1	.01	.400	<.01	<.1	<.01	<.1	<.1	<.05	<1	<.5
158171	2.0	8.6	20.1	10	2.4	10.3	.6	71	.51	3.8	.6	10116.8	.4	2	.1	.3	.4	2	.01	.001	2	22.8	<.01	195	<.001	<1	.01	.004	.01	2.6	.16	.2	<.1	.15	<1	<.5
158172	1.5	12.4	36.6	14	1.7	16.0	.9	149	.82	3.7	.6	3386.1	3.6	7	.2	.4	.2	1	.02	.006	17	19.1	.01	569	.001	<1	.13	.013	.19	.4	.18	.5	<.1	.14	<1	<.5
158173	2.1	9.2	20.8	10	1.3	6.9	.7	72	.69	3.6	.5	7997.2	3.0	6	.2	.6	.1	1	.04	.018	13	17.9	.02	198	.002	<1	.13	.008	.16	1.9	.19	.5	<.1	.13	1	.5
158174	4.0	84.5	61.2	55	21.9	184.0	167.9	561	30.29	80.8	5.5	53859.4	12.8	131	4.4	3.7	.6	20	.81	.345	26	26.4	.17	123	.007	<1	.23	.004	.12	.3	.20	1.8	<.1	<.05	2	6.1
158175	2.2	16.3	49.7	32	.8	9.1	1.5	68	1.42	16.6	1.3	1931.2	5.9	11	.3	.6	.1	2	.04	.013	19	12.9	.03	180	.001	1	.18	.009	.19	1.7	.66	.7	<.1	<.05	1	<.5
158176	2.9	15.6	12.3	34	1.0	13.2	7.6	241	3.38	13.2	1.1	1514.4	3.8	44	.3	1.3	.2	10	1.55	.719	11	20.8	.19	217	.015	2	.45	.013	.15	2.9	.32	1.8	<.1	.16	2	1.4
158177	14.6	141.0	99.9	97	38.3	206.0	211.1	800	34.08	206.1	18.7	63407.1	19.1	190	3.4	2.2	2.2	20	1.69	.600	26	18.0	.30	261	.017	<1	.43	.014	.19	.7	.33	5.6	.1	.35	2	16.5
158178	1.7	12.3	8.6	33	2.2	14.1	10.7	344	2.30	11.0	1.6	3459.3	7.4	48	.3	.3	.1	8	.91	.093	21	12.1	.50	193	.013	<1	.62	.010	.28	1.5	.02	2.3	.1	<.05	2	1.0
C 144829	2.2	5.4	9.6	9	.6	8.7	2.3	270	.56	3.8	.9	1290.4	3.2	4	.1	.4	.1	2	.03	.013	14	15.2	.04	116	.002	<1	.13	.012	.07	2.2	.01	.2	<.1	<.05	<1	<.5
C 144830	1.4	6.8	10.7	10	1.0	6.9	3.0	276	.93	4.6	1.0	1947.9	4.0	5	.1	.4	.1	2	.04	.014	18	10.2	.05	151	.003	<1	.21	.044	.12	.1	.01	.4	<.1	<.05	1	<.5
C 144831	1.6	1.9	3.3	3	.3	3.3	.2	23	.25	.6	.3	723.5	.6	1	<.1	.3	.1	1	.01	.001	2	9.9	<.01	64	<.001	2	.05	.002	.05	3.1	.03	.1	<.1	<.05	<1	<.5
C 144832	.4	6.4	15.9	11	1.1	.8	.5	22	.55	1.5	1.8	719.9	4.0	17	<.1	.4	.1	1	.06	.027	10	<1	.04	762	.002	<1	.27	.005	.28	.2	.13	.7	<.1	<.05	1	.5
RE C 144832	.4	6.4	17.0	12	1.1	.7	.5	24	.54	2.0	1.9	721.4	4.2	17	.1	.5	.1	2	.05	.026	10	<1	.04	769	.002	2	.27	.005	.29	.2	.12	.6	<.1	<.05	1	<.5
C 144833	4.8	38.4	16.5	29	.8	8.4	3.0	76	1.67	141.2	2.7	743.8	2.8	15	.3	2.1	.3	13	.03	.024	11	13.5	.04	227	.007	<1	.31	.002	.26	1.6	.11	2.6	.1	<.05	1	1.9
C 144834	.6	3.3	13.2	8	.5	5.1	.4	51	.36	2.1	.6	585.5	3.0	5	<.1	.1	.1	<1	.01	.004	14	6.3	.02	274	.001	1	.17	.016	.22	.1	.03	.3	<.1	<.05	1	<.5
C 144835	1.6	3.8	12.0	8	.4	7.0	.5	56	.39	2.8	.5	373.5	3.0	4	.1	.2	.1	<1	.01	.004	14	11.8	.02	268	.001	1	.17	.019	.23	1.7	.03	.4	<.1	<.05	1	<.5
C 144836	.5	3.3	10.9	6	.3	2.0	.3	33	.38	2.0	.4	333.4	2.7	4	.1	.5	.1	<1	.03	.009	11	4.7	.02	178	.001	2	.16	.012	.19	<.1	.06	.3	<.1	<.05	<1	<.5
C 144837	1.2	5.1	9.9	6	.4	3.8	.4	39	.39	2.1	.4	593.3	2.9	4	.1	.4	.1	1	.03	.010	11	9.8	.02	171	.001	4	.16	.013	.20	1.5	.05	.3	<.1	<.05	1	<.5
C 144838	.4	4.3	14.3	15	.2	2.6	.4	26	.45	4.2	1.0	175.7	5.7	5	.1	.2	<.1	1	.02	.007	17	3.5	.03	152	.001	3	.17	.013	.18	<.1	.05	.5	<.1	<.05	1	<.5
C 144839	1.5	5.2	13.9	16	.2	4.9	.4	35	.54	4.7	1.0	207.3	5.7	5	.1	.2	<.1	1	.02	.007	17	9.7	.03	173	.001	1	.21	.019	.22	1.8	.03	.8	<.1	<.05	1	<.5
C 144840	.6	5.2	4.7	27	.2	5.0	2.7	163	1.55	3.0	.6	75.7	3.0	13	.2	.4	.1	6	.35	.163	9	6.5	.21	155	.006	<1	.43	.016	.15	.3	.01	1.3	<.1	<.05	1	.7
C 144841	1.3	5.3	4.3	29	.1	6.4	2.7	169	1.61	2.9	.6	75.7	2.9	12	.2	.4	.1	6	.35	.143	9	9.9	.21	161	.006	<1	.45	.018	.15	1.4	.02	1.3	<.1	<.05	1	<.5
C 144842	2.4	9.2	20.6	10	1.7	9.7	4.9	587	.88	7.5	1.5	3922.7	4.8	8	.2	.6	.2	3	.06	.031	24	14.4	.03	198	.002	<1	.13	.010	.06	.1	<.01	.3	<.1	<.05	<1	<.5
C 144843	4.2	10.0	24.3	12	2.1	13.7	5.7	633	1.05	8.8	1.7	6703.2	5.5	9	.9	.6	.3	3	.08	.037	26	26.1	.04	212	.002	<1	.13	.013	.07	3.1	.01	.3	<.1	<.05	1	<.5
C 144844	.5	8.2	9.6	58	.7	7.8	5.1	477	1.97	2.4	1.2	1355.5	7.1	72	.5	.3	.1	15	1.00	.045	19	13.8	.97	169	.029	<1	.92	.018	.39	.1	<.01	2.8	.2	<.05	3	<.5
C 144845	1.0	7.9	9.2	57	.6	9.2	5.2	464	1.96	2.4	1.1	1005.1	7.0	71	.5	.2	.1	15	.98	.043	19	16.8	.95	174	.028	<1	.92	.017	.38	1.0	.01	2.7	.2	<.05	3	<.5
STANDARD DS6	11.3	118.8	29.8	143	.4	24.1	10.2	729	2.82	20.5	6.3	47.3	2.9	38	5.6	3.3	4.8	58	.82	.072	14	186.5	.59	160	.081	19	1.84	.073	.16	3.5	.22	3.1	1.8	<.05	6	4.5

GROUP 1DX - 30.0 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: TAILING P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ DATE RECEIVED: NOV 4 2004 DATE REPORT MAILED: Nov 27/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

ASSAY CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A406920R

711 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Au** gm/mt
158171	25.81
158172	2.90
158173	.70
158174	59.10
158175	3.65
158176	1.16
158177	73.55
158178	4.50
C 144829	1.22
C 144830	1.89
C 144831	.74
C 144832	.85
RE C 144832	.73
C 144833	1.68
C 144834	.46
C 144835	.43
C 144836	.33
C 144837	.35
C 144842	3.73
C 144843	4.79
C 144844	1.81
C 144845	1.17
STANDARD AU-1	3.39

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 2 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: TAILING
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ DATE RECEIVED: DEC 2 2004 DATE REPORT MAILED: Dec. 10/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A406919

711 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** gm/mt
SI	.1	.5	.1	<1	<.1	.9	.1	2	.02	<.5	<.1	.5	<.1	2	.1	.1	<.1	<1	.12	<.001	<1	1.9	.01	4	<.001	2	.01	.46	<.01	.1	.01	.1	<.1	.08	<1	<.5	.01
158149	1.0	11.3	14.7	72	.9	11.9	9.2	609	2.54	4.2	1.6	1397.6	9.5	80	.6	.4	.1	14	1.06	.050	22	18.2	1.16	231	.033	1	1.05	.019	.46	.6	<.01	3.8	.2	.06	4	.5	1.86
158150	1.1	12.6	10.1	43	1.0	12.1	9.1	557	2.15	8.5	1.9	1471.0	10.8	44	.4	.5	.2	7	.87	.073	23	9.7	.74	224	.011	3	.80	.009	.34	.4	.01	2.9	.1	.07	2	.8	3.19
158151	1.3	14.3	8.1	38	1.1	12.0	8.1	495	1.91	8.3	1.6	1937.2	10.7	43	.3	.4	.2	8	.88	.063	26	12.7	.70	259	.019	2	.79	.009	.40	1.2	<.01	2.6	.1	<.05	2	.5	4.17
158152	1.4	11.1	10.0	38	1.6	11.8	9.0	491	2.17	9.5	2.0	2859.5	10.9	26	.5	.5	.1	7	.43	.071	24	8.0	.67	240	.007	2	.76	.006	.33	.5	.01	2.5	.1	<.05	2	.7	3.67
158153	1.0	13.3	9.3	46	.8	11.7	8.3	649	2.24	7.0	1.8	1006.0	9.9	58	.5	.4	.1	7	1.28	.074	21	12.0	.80	200	.011	4	.84	.013	.31	1.2	.01	3.3	.1	<.05	2	.7	.99
158164	.9	17.7	26.7	64	.2	5.7	4.3	214	1.50	17.2	4.7	109.1	17.4	13	.3	.7	.1	8	.15	.035	32	10.5	.37	265	.011	2	.86	.022	.19	.1	.02	3.7	.1	<.05	3	<.5	.11
158165	1.5	3.2	14.8	6	.1	3.3	.8	55	.41	10.8	.8	62.6	1.7	2	.1	1.6	<.1	1	.02	.004	3	11.0	.04	69	.002	1	.12	.003	.05	2.3	<.01	.5	<.1	<.05	<1	<.5	.23
158166	1.3	43.7	28.7	50	.3	4.9	3.7	181	1.67	32.6	5.9	461.0	18.9	10	.3	1.1	.1	7	.11	.036	37	10.3	.31	148	.009	<1	.86	.026	.13	<.1	.03	4.5	.1	<.05	3	<.5	1.57
STANDARD DS5/AU-1	13.3	144.6	26.1	139	.3	24.3	12.0	767	3.03	18.9	6.0	43.8	2.7	47	5.6	3.8	6.5	61	.74	.092	11	189.3	.69	137	.088	16	2.00	.031	.13	5.0	.18	3.3	1.1	<.05	6	5.0	3.32

GROUP 1DX - 30.0 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
AU** BY FIRE ASSAY FROM 2 A.T. SAMPLE.
- SAMPLE TYPE: TAILING P150

Data f FA ____ DATE RECEIVED: NOV 4 2004 DATE REPORT MAILED: Nov 26/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

Hand crushed, sieved rock representative of 6v/K sample

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A403126 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
SI	.1	6.0	.6	21	.1	.6	.2	25	.11	4.7	<.1	<.5	<.1	4	.1	.6	<.1	<1	.19	<.001	<1	<1	.02	4	<.001	1	.01	.711	.01	.1	.01	.1	<.1	<.05	<1	<.5
C144001	.4	9.8	.8	10	.1	1.2	.4	25	.29	24.1	2.9	4.9	2.3	64	<.1	1.5	.1	16	.02	.031	8	20.4	.03	543	.003	1	.36	.006	.10	.1	.51	.9	<.1	<.05	1	.5
C144002	.9	18.0	.6	50	<.1	7.2	1.4	36	2.14	20.4	.5	4.6	.3	1	.1	.2	<.1	18	.01	.036	1	19.5	.01	20	.001	1	.04	.003	<.01	1.8	.06	.8	<.1	<.05	<1	<.5
C144003	1.1	5.2	18.7	42	.1	3.2	2.0	201	1.19	9.3	7.0	1.4	15.1	40	.1	2.0	.6	5	.09	.017	17	5.2	.11	703	<.001	3	.53	.003	.17	.1	.02	2.1	.1	<.05	2	<.5
C144004	.8	3.1	6.9	13	<.1	1.4	.6	42	.55	3.7	2.8	1.6	25.3	2	<.1	.3	.1	3	.05	.012	20	12.5	.02	32	.002	1	.21	.034	.11	.7	<.01	1.2	.1	<.05	1	<.5
C144005	.2	3.0	2.3	7	.1	2.1	.4	28	.36	2.9	.6	2.0	3.3	5	<.1	.3	<.1	3	.02	.003	9	11.5	.01	195	.003	1	.24	.002	.03	<.1	.01	.5	<.1	<.05	1	<.5
C144006	1.7	14.6	4832.6	2091	14.3	1.6	.9	161	1.03	5.2	1.4	98.8	.8	5	35.5	1.8	13.4	<1	.02	.002	2	18.1	.01	371	<.001	2	.05	.002	.02	2.1	1.46	.3	<.1	.15	<1	.9
C144007	1.0	27.6	10.8	42	.8	7.6	2.0	17	1.52	100.3	.3	7.5	.4	3	.3	3.3	.1	8	.01	.019	1	23.0	.01	117	.001	1	.09	.001	.03	<.1	.13	.4	.1	<.05	<1	1.5
C144008	.4	5.3	22.4	73	.1	7.7	8.3	617	3.03	2.8	.9	.6	15.2	17	.1	.1	.1	33	.35	.074	74	18.9	.64	347	.123	<1	1.74	.028	.86	.5	.02	6.5	.6	<.05	9	<.5
C144009	.2	2.5	2.9	5	.1	.8	.2	18	.31	5.3	.2	.5	1.5	2	<.1	.3	<.1	<1	.01	.003	5	12.4	.02	35	.001	1	.05	.003	.03	.1	.01	.1	<.1	<.05	<1	<.5
C144010	.6	2.9	6.9	8	.3	1.4	.2	17	.26	1.5	.1	697.5	.2	2	.1	.1	.1	<1	<.01	<.001	1	19.0	<.01	297	<.001	<1	.02	.006	.01	2.5	.01	.1	<.1	<.05	<1	<.5
C144011	.2	5.5	20.7	7	.1	.8	.4	14	.41	3.7	.2	30.8	.1	<1	<.1	.3	.4	1	<.01	.001	<1	16.9	<.01	15	<.001	1	.02	.001	.01	.1	.01	.1	<.1	<.05	<1	<.5
C144012	.7	5.7	40.4	116	4.4	1.4	.3	26	.44	2.0	.2	30307.2	.2	2	1.4	.3	1.7	1	<.01	.001	<1	19.4	<.01	241	<.001	<1	.02	.001	.01	1.9	.08	.1	<.1	.07	<1	<.5
C144013	.2	2.2	1.7	2	.2	.6	.2	13	.33	1.7	.1	6.8	.6	<1	<.1	.7	<.1	1	<.01	.001	2	18.3	.01	32	.001	<1	.05	.001	.04	.1	.01	.1	<.1	<.05	<1	<.5
RE C144013	.2	2.0	1.7	2	.1	.7	.1	11	.32	1.6	.1	1.7	.6	<1	<.1	.6	<.1	1	<.01	.001	1	16.7	<.01	29	.001	<1	.05	.001	.04	<.1	.01	.1	<.1	<.05	<1	<.5
RRE C144013	.7	3.2	2.2	2	.2	1.5	.2	20	.33	1.5	.1	19.5	.6	<1	<.1	.7	<.1	1	<.01	.001	1	22.5	<.01	29	<.001	1	.04	.001	.04	2.2	.01	.1	<.1	<.05	<1	<.5
C144014	.2	6.0	3.1	10	.1	.1	1.6	372	.81	1.1	.2	2.4	.9	38	.2	.1	<.1	7	1.42	.025	3	10.3	.28	181	.002	<1	.43	.010	.06	<.1	<.01	1.5	<.1	<.05	1	<.5
C144015	.9	3.6	57.6	42	1.8	2.6	1.7	123	.90	4.9	.2	6933.4	<.1	1	.2	.1	1.2	2	.01	.002	<1	21.7	<.01	6	<.001	<1	.02	.001	.01	2.3	.09	.6	<.1	<.05	<1	<.5
C144016	.3	14.6	2.9	11	.3	<.1	2.8	1063	1.19	2.6	.1	7.2	.3	30	.2	.1	<.1	5	3.03	.017	2	10.8	.45	42	.001	<1	.23	.005	.02	<.1	<.01	1.7	<.1	.10	1	<.5
C144017	1.7	2.4	5.7	2	<.1	1.5	.7	47	.50	4.9	1.0	7.2	.4	1	<.1	.1	.1	1	.01	.001	1	20.4	<.01	76	<.001	2	.03	.001	.02	2.3	<.01	.1	<.1	<.05	<1	<.5
C144051	10.6	62.3	3.4	278	.2	152.1	9.2	350	15.08	26.8	3.1	4.3	1.3	10	1.0	.3	.1	101	.03	.250	7	44.0	.05	239	.009	<1	.40	.001	.07	.7	.17	5.8	1.4	<.05	2	.8
C144052	6.5	94.6	3.7	492	.3	142.3	20.7	1158	15.18	14.7	1.5	4.7	1.9	3	1.9	.8	.1	201	.02	.204	8	59.1	.03	291	.009	<1	.60	.001	.04	.4	.06	11.0	.2	<.05	3	.9
C144053	6.7	145.9	6.2	12	.1	7.9	1.4	117	3.27	89.8	3.5	2.8	3.2	316	.1	60.8	.1	51	.03	.192	12	33.2	.01	1943	.003	2	.50	.002	.05	.1	4.03	1.7	.1	<.05	3	7.0
C144054	2.6	99.1	4.4	23	.1	10.2	3.1	156	5.17	321.2	2.1	4.0	1.1	43	.1	131.7	.1	93	.01	.067	4	29.2	.01	464	.003	1	.32	.004	.03	.8	5.50	1.6	.1	<.05	2	3.2
C144055	5.8	126.4	4.2	209	.2	67.4	14.9	435	9.53	40.4	2.1	5.5	2.3	11	.4	5.7	.2	91	.02	.272	11	52.6	.04	267	.007	<1	.55	.001	.06	.1	.05	4.2	.3	<.05	2	2.4
C144056	.4	12.5	4.3	29	<.1	10.1	5.5	1123	1.96	1.9	.7	1.1	4.5	108	<.1	.6	.1	24	4.94	.005	10	26.0	1.26	102	.027	1	.96	.013	.20	.5	.04	3.2	.1	<.05	4	<.5
C144057	1.0	15.8	2.8	9	<.1	5.7	1.7	95	1.81	121.7	.5	.9	1.1	6	<.1	1.7	.1	6	.02	.023	2	13.9	.01	82	.002	1	.18	.005	.07	<.1	.07	.5	.1	<.05	1	1.1
C144058	1.5	34.7	2.9	63	.1	25.2	9.1	365	3.60	26.7	1.4	1.6	1.6	3	.2	.5	.1	24	.04	.037	4	22.8	.02	70	.003	1	.21	.002	.04	.9	.06	2.5	.2	<.05	1	.8
C144059	.4	7.8	4.4	38	.2	1.8	3.8	455	1.55	10.2	.4	8.5	10.5	50	.4	.2	.4	3	1.95	.024	8	3.4	.45	167	.002	1	.71	.018	.20	<.1	.01	1.6	<.1	.48	2	.9
C144060	4.1	9.2	19.1	20	.4	3.6	1.9	147	1.67	391.8	.7	50.4	10.8	7	.2	.9	.1	10	.07	.026	43	10.0	.03	75	.001	<1	.31	.002	.24	.6	.01	.7	.1	<.05	1	.7
C144061	.5	8.9	2.8	18	.2	3.3	1.8	102	.63	8.7	.4	1.2	.9	7	.1	1.9	.1	17	.02	.013	2	38.7	.01	125	.003	1	.14	.001	.01	.1	.47	1.4	.1	<.05	1	<.5
C144062	2.2	19.4	5087.9	2058	14.1	1.7	.8	126	1.19	6.6	1.7	91.5	.6	5	42.8	2.2	16.0	<1	.01	.002	2	21.8	.01	456	<.001	1	.05	.001	.02	2.8	1.59	.2	<.1	.26	<1	1.0
C144651	3.1	34.1	79.5	145	.3	14.2	10.8	340	2.31	6.6	3.0	32.4	7.5	17	.2	.5	.1	13	.15	.064	15	78.7	1.33	418	.005	1	1.28	.007	.21	.1	.02	2.3	.1	<.05	4	.7
C144652	1.4	26.7	46.7	99	.4	12.2	26.8	862	1.43	3.4	4.0	20.9	8.7	11	.4	.9	.2	4	.08	.031	16	22.5	.52	394	.002	1	.84	.009	.21	1.0	.03	1.2	.1	<.05	2	<.5
C144653	.8	26.8	73.2	102	.3	7.9	8.6	397	1.81	3.5	1.8	42.6	7.9	24	.2	.4	.2	8	.11	.046	14	35.5	.85	676	.003	1	.98	.010	.20	.1	.01	1.4	.1	<.05	2	<.5
STANDARD DS5	12.5	143.2	24.4	141	.3	23.6	12.4	765	3.00	18.0	5.8	44.9	2.8	46	5.7	3.9	6.0	61	.76	.091	12	191.2	.69	132	.118	17	2.02	.033	.14	4.6	.17	3.5	1.0	<.05	7	4.8

GROUP 1DX - 30.0 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data ✓ FA ____ DATE RECEIVED: JUN 28 2004 DATE REPORT MAILED: July. 12/04...

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403126

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C144654	2.6	37.2	53.0	112	.4	12.7	8.1	399	2.00	4.2	3.2	18.5	8.3	11	.2	.5	.2	6	.12	.055	14	36.3	.90	234	.002	2	1.15	.009	.21	<.1	.01	1.5	.1	<.05	3	1.0
C144655	.8	15.5	18.3	25	.3	2.6	2.2	125	.94	4.0	2.0	41.0	6.9	4	.1	1.2	.1	1	.04	.022	12	8.8	.21	142	.001	<1	.39	.011	.17	.8	.02	.6	.1	<.05	1	.5
C144656	.3	15.0	27.2	37	.3	3.5	3.7	222	.94	17.3	2.4	26.5	8.3	6	.2	.7	.1	1	.04	.019	15	6.7	.28	166	.001	1	.47	.008	.19	.1	.01	.6	.1	<.05	1	<.5
C144657	.4	11.4	13.1	53	.1	5.4	7.9	398	.84	2.9	1.9	10.9	8.8	5	.2	.3	.1	1	.04	.016	18	9.6	.33	224	.001	1	.51	.009	.20	.8	.01	.8	.1	<.05	1	<.5
C144658	.1	3.1	21.3	24	.1	2.8	.9	180	.40	.7	1.3	3.8	14.5	4	.3	.2	.1	<1	.01	.003	25	3.4	.20	300	.001	2	.40	.015	.25	<.1	.01	.7	<.1	<.05	1	<.5
C144659	.4	5.3	10.1	58	.1	6.3	2.3	320	.81	3.5	1.3	7.2	9.0	7	.4	.2	.1	1	.05	.015	19	7.7	.39	298	.001	1	.54	.011	.20	.8	.01	1.0	<.1	<.05	1	<.5
C144660	.2	8.2	10.9	52	.1	6.8	3.4	401	1.06	3.3	.9	8.8	8.6	13	.5	.2	<.1	2	.10	.038	19	6.6	.48	345	.002	3	.68	.010	.24	<.1	.01	1.4	.1	.06	2	<.5
C144661	.6	20.4	60.9	75	.4	14.1	6.1	985	1.15	17.8	1.5	9.6	12.1	9	1.0	.2	.3	4	.08	.020	25	10.3	.66	272	.001	1	.82	.011	.20	.7	.01	1.3	.1	<.05	2	<.5
C144662	.1	8.7	57.3	62	.6	9.9	5.8	470	1.25	95.9	2.0	22.2	9.3	10	.6	.5	.4	4	.10	.031	20	12.0	.78	383	.001	1	.89	.008	.20	<.1	<.01	1.5	<.1	<.05	2	.5
C144663	.4	12.4	57.4	76	.6	14.1	7.8	711	1.52	98.0	2.3	21.4	9.1	12	1.0	.7	.3	5	.11	.039	20	16.0	.92	214	.001	1	1.06	.011	.23	.7	.01	1.7	.1	<.05	3	.6
C144664	.2	13.6	23.6	68	.4	10.5	10.9	530	1.21	158.9	2.6	19.1	10.2	8	.6	.5	.1	3	.09	.029	21	9.3	.78	206	.001	2	.96	.006	.23	<.1	<.01	1.0	.1	<.05	2	<.5
C144665	.4	9.7	12.9	87	.3	8.4	10.3	440	1.00	135.4	2.4	20.7	14.1	7	.6	.4	.1	2	.08	.020	30	7.2	.75	200	.001	<1	.88	.007	.21	.8	.01	1.8	.1	<.05	2	<.5
C144666	.1	2.6	11.5	21	.2	2.2	1.2	167	.40	17.4	.9	3.3	11.8	2	.2	.2	<.1	1	.01	.003	23	3.5	.22	167	.001	1	.33	.006	.18	.1	.01	.5	<.1	<.05	1	<.5
C144667	.3	7.5	8.9	43	.2	5.3	2.7	242	1.00	94.6	1.5	5.1	12.3	8	.4	.4	<.1	2	.10	.035	29	7.0	.65	182	.001	2	.82	.009	.24	.5	<.01	1.0	.1	<.05	2	<.5
C144668	.2	15.3	8.4	52	.3	8.5	4.1	408	1.35	121.7	1.7	5.4	10.3	13	.4	.4	.1	4	.12	.042	25	8.8	.77	173	.002	1	.98	.006	.24	<.1	.01	1.3	.1	<.05	2	.5
C144669	.7	12.9	16.2	67	.3	9.0	4.9	445	1.68	82.7	1.7	16.9	12.1	11	.3	.4	.1	8	.14	.048	26	10.4	.79	234	.003	1	1.03	.014	.27	.5	.02	2.3	.1	<.05	3	<.5
C144670	.3	15.5	48.2	50	.8	2.7	2.6	293	.94	29.1	1.0	52.0	11.9	8	.3	.3	.2	3	.09	.031	25	4.5	.35	381	.001	1	.49	.015	.21	<.1	.01	1.0	.1	<.05	1	<.5
RE C144670	.3	13.3	44.9	45	.7	2.4	2.2	278	.89	26.4	1.0	50.4	11.6	7	.3	.2	.2	2	.07	.028	26	4.6	.33	352	.001	1	.51	.016	.21	<.1	.01	.9	<.1	<.05	1	<.5
RRE C144670	.6	13.6	44.1	48	.7	2.7	2.3	269	.85	26.6	.9	69.5	11.5	8	.3	.3	.2	2	.08	.027	26	7.2	.31	346	.001	<1	.49	.019	.22	.8	<.01	.8	<.1	<.05	1	<.5
C144671	.4	10.8	766.7	30	3.4	2.5	1.5	285	.58	6.9	1.3	63.8	12.7	4	.4	.6	5.3	1	.02	.003	21	3.0	.58	181	.001	2	.63	.007	.20	.2	.02	.6	.1	<.05	1	.8
C144672	.8	19.0	64.0	42	.5	3.2	2.0	339	.81	3.8	.9	51.1	10.7	6	.2	.2	.2	1	.04	.012	18	7.3	.68	306	.001	<1	.71	.009	.19	1.1	.09	.8	<.1	<.05	2	<.5
C144673	.2	4.0	25.1	31	.1	3.9	1.3	230	.53	1.2	1.1	21.1	12.3	6	.2	.1	.1	1	.01	.003	21	4.9	.22	382	.001	1	.40	.014	.21	.1	.01	.7	<.1	<.05	1	<.5
C144674	1.1	17.1	46.5	47	.5	4.1	2.2	203	1.44	3.9	3.1	5.4	10.5	30	.1	.2	.2	5	.05	.033	16	14.7	.70	977	.003	1	.85	.015	.21	.7	.01	1.1	.1	<.05	3	<.5
C144675	.5	15.5	40.9	65	.4	3.0	2.0	272	1.49	1.7	3.0	1.8	8.8	6	.2	.2	.1	5	.06	.035	12	10.7	.92	184	.002	<1	1.04	.014	.17	<.1	.01	1.1	.1	<.05	3	<.5
C144676	1.1	34.0	117.1	75	.6	5.2	2.6	223	1.56	2.7	2.7	3.5	9.1	20	.2	.2	.3	7	.06	.037	13	13.5	.74	672	.003	1	.93	.013	.22	.6	.02	1.1	.1	.07	3	<.5
C144677	1.3	37.4	55.5	92	.7	5.8	2.2	278	1.90	2.6	1.9	3.5	7.9	19	.1	.3	.2	7	.07	.043	13	12.0	1.13	644	.002	<1	1.14	.010	.16	<.1	.01	1.1	.1	<.05	3	<.5
C144678	1.4	34.0	52.7	51	.6	7.1	4.1	245	1.56	3.5	1.2	10.6	6.6	19	.1	.8	.4	5	.05	.037	13	12.5	.63	705	.002	1	.73	.012	.15	1.1	.02	.8	<.1	<.05	2	<.5
C144679	2.4	22.3	35.8	66	.3	7.2	3.8	320	1.61	1.9	1.2	2.8	7.4	9	<.1	.2	.1	6	.07	.042	12	12.0	.87	276	.002	2	.97	.012	.16	<.1	.01	.9	<.1	<.05	2	<.5
C144680	.7	22.9	15.3	38	.3	6.4	5.3	261	1.26	3.0	1.7	3.8	8.6	5	.1	.5	.1	4	.08	.052	16	9.6	.24	179	.002	1	.47	.013	.20	1.0	<.01	1.0	<.1	<.05	1	<.5
C144681	.6	37.8	20.3	81	.7	9.7	10.4	501	2.61	3.5	1.8	4.1	9.3	10	.2	.2	<.1	8	.08	.076	17	15.4	.51	264	.002	<1	.93	.010	.24	.1	.02	1.7	.1	<.05	3	1.0
C144682	4.4	28.8	73.0	51	.8	5.7	3.0	209	2.19	2.2	1.5	7.7	8.6	17	.1	.3	.3	6	.07	.064	19	14.8	.37	325	.002	1	.66	.012	.19	.8	.02	1.3	.1	<.05	2	.6
C144683	.5	27.1	9.6	92	.5	11.4	6.5	388	2.05	.7	1.0	4.6	9.7	10	.2	.2	<.1	6	.08	.056	16	10.9	.70	511	.003	1	.96	.015	.20	<.1	.01	1.6	<.1	<.05	3	<.5
C144684	1.9	25.6	14.2	89	.5	9.5	4.2	244	1.81	.9	1.2	3.3	9.3	6	.1	.2	.1	5	.07	.051	15	11.8	.69	296	.002	1	.95	.010	.21	1.2	.02	1.2	.1	.06	2	<.5
C144685	.3	72.4	33.4	140	.8	15.0	16.1	868	2.10	.9	1.3	389.0	7.9	11	.7	.2	.1	7	.11	.065	13	10.0	.67	522	.002	<1	1.01	.008	.21	.1	.01	1.3	.1	<.05	2	<.5
STANDARD DS5	11.7	138.1	23.9	132	.3	23.6	11.5	782	2.93	18.6	5.9	39.7	2.6	44	5.6	3.8	6.0	58	.72	.090	10	179.0	.67	131	.095	17	2.00	.033	.15	4.7	.18	3.4	1.0	<.05	6	5.0

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C144686	1.4	51.7	27.9	91	.8	13.8	12.6	562	1.77	3.2	2.1	5.2	8.2	8	.5	.3	.2	7	.08	.055	19	17.9	.48	330	.003	1	.89	.013	.19	1.2	.01	1.4	.1	.06	2	.6
C144687	.4	21.3	9.8	55	.3	9.4	9.2	451	1.34	2.5	1.1	2.5	7.1	6	.1	.2	.1	5	.07	.047	17	9.7	.36	343	.001	1	.73	.010	.20	.1	.01	1.2	.1	<.05	2	<.5
C144688	.7	31.6	11.1	78	.4	11.2	6.7	285	2.13	1.2	1.5	3.5	9.4	15	.2	.3	.1	8	.11	.070	21	16.9	.58	789	.003	1	.91	.010	.23	1.2	.02	1.4	.1	<.05	3	.6
C144689	.4	31.1	11.5	53	.4	7.1	5.4	260	1.90	3.8	1.6	6.5	8.8	8	.1	.3	.1	5	.06	.056	21	10.6	.45	411	.002	1	.82	.009	.24	.1	.01	1.3	.1	<.05	2	.6
C144690	3.7	26.4	48.0	44	.6	4.4	1.8	95	1.94	8.3	1.6	13.2	7.8	21	.1	.5	.2	5	.03	.057	20	12.0	.40	540	.002	1	.69	.011	.23	1.3	.02	1.2	.1	.07	2	.8
C144691	2.2	31.3	49.7	47	1.0	5.2	3.7	319	2.38	1.9	1.5	8.5	8.4	22	.4	.3	.1	6	.05	.049	22	13.5	.28	635	.002	<1	.69	.014	.21	.1	.02	1.3	.1	.12	3	.9
C144692	.8	13.7	12.3	61	.2	5.7	4.2	474	2.16	2.3	1.0	3.4	7.4	63	.2	.3	.1	11	.51	.042	12	23.9	.60	699	.016	<1	.73	.012	.22	1.4	.01	1.6	.1	.17	3	<.5
C144693	.5	16.5	6.2	74	.3	11.1	6.6	674	1.60	2.1	.9	49.4	7.8	25	.7	.3	.1	7	.64	.059	14	12.0	.44	367	.013	1	.78	.014	.28	.2	.02	1.9	.1	.22	2	.5
C144694	1.2	37.9	70.3	111	.5	10.9	8.3	632	1.81	3.5	2.5	7.5	8.9	20	.7	.4	.1	7	.13	.049	20	18.2	.52	654	.007	<1	.93	.012	.24	1.3	.01	1.5	.1	.06	3	<.5
C144695	1.5	53.9	203.1	104	1.6	3.9	1.7	198	1.89	3.9	2.9	26.1	8.6	30	.3	1.1	.2	8	.07	.044	20	20.7	.65	734	.009	1	.99	.018	.22	.2	.01	1.6	.1	.08	3	.7
C144696	1.7	40.5	132.8	85	.8	5.6	2.7	197	1.81	3.4	2.3	29.1	6.9	26	.2	.4	.2	7	.05	.037	16	35.5	.72	723	.010	<1	.86	.017	.20	1.0	.01	1.4	.1	.06	3	<.5
C144697	1.0	31.3	13.4	81	.7	5.0	2.9	105	2.04	3.5	1.7	575.1	6.7	32	.2	.3	.1	5	.06	.066	15	8.9	.18	356	.001	<1	.56	.028	.24	.1	<.01	1.3	.1	.23	2	.7
C144698	2.2	34.5	21.2	115	.4	6.0	5.2	207	1.66	1.5	1.3	20.9	6.7	42	.3	1.0	.1	4	.06	.052	14	13.8	.39	1030	.002	<1	.64	.017	.26	1.3	.02	1.0	.1	.18	2	.5
C144699	.9	21.3	14.1	46	.6	4.3	3.0	91	1.61	1.7	1.1	840.4	6.8	49	.2	.7	.1	4	.05	.050	14	8.3	.25	920	.003	1	.54	.017	.24	.1	.01	1.3	.1	.16	2	.5
RE C144699	1.0	22.3	13.6	48	.6	4.2	2.9	93	1.63	1.6	1.0	668.1	6.6	48	.2	.6	<.1	4	.05	.051	15	8.7	.25	936	.004	<1	.57	.018	.25	.1	.01	1.4	.1	.16	2	<.5
RRE C144699	1.4	23.6	13.9	46	.6	5.0	2.8	96	1.58	1.7	1.0	823.8	6.6	49	.2	.7	.1	3	.05	.049	14	13.2	.24	949	.003	<1	.55	.020	.25	1.6	.01	1.5	.1	.14	2	.5
C144700	.6	14.7	8.2	34	2.2	3.2	2.3	47	1.41	1.4	.8	14730.1	6.6	53	.2	.4	<.1	3	.04	.063	15	10.1	.10	1016	.003	1	.37	.025	.24	.1	.02	1.0	.1	.14	1	.5
C144701	1.2	20.0	19.9	46	.6	3.0	1.5	52	1.66	2.2	.9	137.9	7.5	51	.2	1.1	.1	3	.03	.057	15	11.8	.10	574	.002	<1	.34	.033	.23	1.3	.02	1.0	.1	.28	1	.6
C144702	.7	24.5	16.6	61	.4	4.8	3.8	172	1.59	1.2	.8	17.1	6.9	32	.2	1.5	<.1	5	.07	.062	16	15.5	.32	636	.003	1	.58	.018	.24	.1	.01	1.1	.1	.13	2	.6
C144703	3.6	22.8	62.4	64	.4	4.8	3.3	136	1.59	1.3	.7	6.0	6.5	40	.3	1.1	.1	4	.05	.055	13	14.7	.29	1507	.003	<1	.53	.012	.21	1.4	.01	1.0	.1	.11	2	.5
C144704	1.0	83.9	838.1	131	1.3	3.9	1.7	189	1.65	9.1	1.3	30.6	7.3	28	.4	1.0	.2	6	.04	.044	14	17.5	.50	606	.001	1	.90	.013	.27	.1	.03	1.2	.1	.27	2	1.0
C144951	3.6	20.1	59.0	34	1.0	7.3	3.6	221	2.58	4.7	1.6	6.1	14.9	7	.1	9.2	.5	2	.01	.038	25	9.4	.31	257	.002	1	.49	.013	.16	1.6	.80	1.0	.2	.10	1	.9
C144952	2.1	1.4	28.7	5	3.0	.6	.1	12	.46	1.8	.4	6.4	5.4	19	<.1	2.5	.1	2	<.01	.014	21	6.6	.04	853	.002	<1	.34	.014	.22	.1	1.40	.8	.2	.08	1	<.5
C144953	.8	9.7	7.0	6	.3	4.9	7.3	392	.93	1.9	1.1	1.4	8.0	67	.2	1.8	<.1	<1	.03	.029	15	14.7	.04	1692	.007	1	.27	.017	.15	1.9	.27	.7	<.1	.11	1	<.5
C144954	.3	4.8	3.0	3	1.1	.9	.6	205	.38	.7	.1	1.5	.2	1	<.1	.1	<.1	<1	.01	.006	1	14.5	.01	27	<.001	<1	.05	.002	.01	<.1	.02	.4	<.1	<.05	<1	<.5
C156322	1.4	10.0	19.5	32	.2	8.6	4.5	165	1.92	7.3	1.5	6.3	8.4	11	.1	.3	.2	32	.08	.020	23	21.5	.30	353	.035	1	1.23	.016	.14	.6	.02	2.0	.1	<.05	5	<.5
C156325	.4	15.0	41.4	49	.4	5.2	3.7	188	1.33	4.4	2.5	3.1	11.4	15	.2	1.3	.2	6	.11	.041	21	15.9	.60	548	.016	1	.86	.016	.31	.2	<.01	1.6	.2	<.05	3	.5
E175958	.6	3.8	6.3	4	<.1	1.0	1.1	102	.41	1.2	.9	1.1	5.8	1	<.1	.1	.1	<1	<.01	.006	13	10.4	.04	106	.001	<1	.17	.037	.09	1.7	.01	.5	<.1	<.05	1	<.5
E175961	.2	4.3	.8	12	.2	1.7	.5	90	.46	1.1	.1	348.2	.1	1	.1	.3	<.1	<1	.03	.001	<1	21.3	.03	45	<.001	1	.04	.001	.01	<.1	.03	.7	<.1	.07	<1	<.5
CTRL	3.8	62.5	38.9	143	.6	19.0	25.2	1208	2.49	12.0	5.1	87.9	9.3	7	.9	1.2	.1	15	.09	.050	31	76.5	1.08	243	.002	1	1.44	.008	.23	.6	.05	2.4	.2	<.05	5	.5
STANDARD DS5	13.3	137.7	24.0	142	.3	25.1	12.1	746	2.98	18.0	6.1	39.8	3.1	50	5.4	3.8	5.8	66	.77	.087	14	191.0	.69	136	.101	16	2.01	.034	.14	4.4	.17	3.7	1.0	<.05	7	4.8

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A406447 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	S pp
GI	.1	1.4	.3	1	<.1	.3	<.1	7	.08	.6	<.1	<.5	<.1	5	<.1	<.1	<.1	<1	.23	<.001	<1	<1	<.01	6	<.001	<1	.01	.825	.01	.1	.01	<.1	<.1	<.05	<1	<.
C144823	.5	5.0	4.9	7	.3	3.1	1.7	249	.52	8.2	.2	616.1	.8	45	.1	.5	.1	6	.38	.104	3	5.6	.11	57	.014	<1	.14	.012	.06	.1	<.01	.8	<.1	<.05	1	<.
C144824	1.1	15.3	11.0	43	.7	11.6	8.8	363	2.20	32.9	1.6	468.1	9.9	22	.3	1.5	.4	12	.52	.081	18	12.7	.69	209	.027	<1	.86	.012	.46	.7	.01	3.2	.1	<.05	3	.
C144825	.5	5.1	94.5	16	1.3	3.8	2.8	274	.79	12.0	.4	443.7	2.3	36	.1	1.0	1.6	4	.58	.025	5	5.9	.21	95	.010	<1	.29	.016	.12	.2	.01	.9	<.1	<.05	1	.
C144826	1.0	14.9	13.5	54	.3	12.0	7.7	398	2.23	23.3	1.5	101.6	9.0	30	.2	1.0	.3	18	.79	.068	14	21.4	.84	199	.052	<1	1.05	.018	.42	1.2	.01	4.7	.1	<.05	3	<.
C144827	.5	15.0	1318.7	7	4.6	1.0	.4	26	.39	2.7	.5	31.1	1.4	6	.1	1.8	3.2	1	.02	.006	3	3.9	.03	183	.004	<1	.07	.006	.04	<.1	.01	.2	<.1	<.05	<1	2.
C144828	1.6	2.0	84.7	14	.4	3.0	.4	49	.32	2.9	.1	60.2	.1	10	.1	.3	.7	<1	.21	.001	<1	10.5	.02	221	.002	<1	.03	.002	.01	2.4	.07	.1	<.1	<.05	<1	<.
C144894	.4	138.7	325.8	666	.4	86.2	32.5	901	5.12	6.7	5.4	4.2	6.8	6	2.1	.4	.4	143	.05	.028	9	276.9	5.09	144	.006	<1	3.98	.006	.04	.1	.01	17.3	<.1	1.17	9	1.
C144895	1.0	14.1	28.2	135	.1	3.2	1.8	169	1.79	9.1	1.2	1.2	2.8	13	.1	.2	.3	4	.03	.026	6	6.7	1.05	91	.005	<1	.89	.028	.15	1.1	.01	1.3	<.1	.43	3	1.
C144896	1.6	1466.3	8673.8	1637	18.9	1.3	1.6	155	1.63	42.5	2.8	93.0	4.4	5	15.0	63.5	5.4	1	.01	.006	11	3.5	.48	99	.005	<1	.46	.009	.14	.1	1.46	.6	<.1	1.83	1	17.
C144897	2.9	5.7	80.8	20	.2	4.8	.4	42	.86	.9	.5	3.9	7.1	98	.1	.2	.4	<1	.01	.007	2	10.9	.01	1750	.001	<1	.07	.029	.02	3.2	.02	<.1	<.1	<.05	1	<.
C144898	.3	44.3	189.5	207	.5	62.5	12.7	743	4.46	30.2	.8	6.2	.9	3	.1	.4	.9	89	.02	.014	1	228.5	4.37	100	.055	<1	2.80	.005	.06	<.1	.03	9.6	<.1	1.10	7	1.
C144899	.6	280.7	127.8	651	.2	94.8	34.7	1172	3.66	4.0	2.1	<.5	.3	64	7.2	.2	.1	85	2.64	.017	3	173.6	3.61	52	.005	<1	2.63	.007	.10	.8	.01	16.8	<.1	1.35	5	.
RE C144899	.5	294.6	128.8	680	.3	98.6	36.3	1212	3.80	4.2	2.3	1.1	.4	68	7.0	.3	.1	84	2.76	.018	3	175.0	3.71	52	.005	<1	2.71	.007	.10	.9	.01	16.9	<.1	1.50	5	<.
C144900	.4	137.5	104.1	476	.2	88.8	34.7	1178	3.95	9.6	.9	2.7	.2	73	6.1	.1	.2	120	2.27	.016	6	275.4	4.45	181	.020	<1	3.08	.009	.13	.1	.01	14.5	.1	.60	7	.
C144960	1.2	4.3	9.2	13	.1	3.4	.9	83	.33	1.6	.4	<.5	8.9	13	.1	.1	<.1	1	.06	.017	17	10.7	.10	189	.001	<1	.22	.006	.18	1.9	<.01	.3	<.1	<.05	1	<.
C144961	2.2	18.4	14.3	50	.4	17.2	9.8	1439	2.61	94.1	.5	12.6	3.4	472	.4	.8	.1	36	5.27	.058	11	24.7	1.06	124	.002	<1	1.14	.009	.11	.2	<.01	3.0	<.1	.21	4	.
C144962	1.5	15.6	16.9	57	.3	17.2	7.7	878	2.40	19.7	.3	11.6	2.3	246	.3	.4	.1	39	6.43	.056	9	28.8	1.13	81	.021	<1	1.31	.007	.06	.9	<.01	3.6	<.1	.07	4	<.
C144963	2.6	33.6	71.7	119	1.1	434.6	23.9	2568	3.24	548.4	1.1	2.8	1.9	275	3.0	2.6	.2	54	6.45	.031	12	857.3	3.37	128	.002	<1	1.55	.002	.03	<.1	.01	5.6	.1	<.05	5	.
C144964	.4	4.2	3.7	8	<.1	498.0	30.5	1884	1.94	20.1	.1	35.7	<.1	1811	1.2	.5	<.1	6	13.09	<.001	2	420.0	9.94	28	.001	2	.07	.001	<.01	<.1	<.01	3.8	<.1	<.05	<1	<.
C144965	1.6	15.1	1.1	23	<.1	1111.3	121.1	764	3.35	46.1	.2	.9	<.1	14	.3	.5	<.1	29	.15	.001	<1	1552.5	11.93	44	.003	5	.42	.001	<.01	<.1	.01	5.2	<.1	.06	1	1.
C144966	5.3	40.9	1.0	21	.1	922.2	76.8	730	2.98	3.7	.8	<.5	.4	100	.7	.5	<.1	31	.98	.031	2	1560.8	5.07	54	.001	3	.48	.001	<.01	<.1	<.01	6.2	<.1	<.05	1	5.
C144967	2.0	24.0	2.8	67	.2	632.9	73.3	689	3.20	35.2	.3	<.5	4.9	43	.5	.7	<.1	84	.57	.212	28	694.7	4.43	10	.084	<1	2.51	.001	<.01	.1	<.01	4.6	<.1	<.05	8	.
C144968	2.4	20.9	6.5	57	.2	480.4	33.4	408	2.27	32.8	.4	<.5	4.9	13	.4	.3	<.1	62	.29	.055	28	672.6	3.58	109	.095	1	2.14	.002	.05	.5	<.01	2.3	<.1	<.05	6	<.
C144969	8.7	36.6	3.0	11	.1	990.7	78.8	353	2.71	40.2	2.2	<.5	.3	2	.8	.7	<.1	13	.02	.003	3	848.0	.98	33	.003	<1	.30	.001	<.01	<.1	<.01	3.6	<.1	<.05	1	5.
C144970	2.5	35.0	33.8	59	.5	112.4	10.6	182	1.58	53.4	1.8	3.6	4.3	24	.3	.5	.4	19	.21	.019	15	141.5	1.03	311	.004	1	.48	.003	.17	1.0	.01	1.3	.1	<.05	2	1.
C144971	.9	6.3	5.8	27	.1	9.1	1.2	2733	1.28	2.5	.7	2.4	7.7	11	2.6	.3	<.1	4	.06	.007	20	9.9	.65	1045	.005	1	.52	.031	.02	<.1	.01	3.7	<.1	<.05	1	<.
C144972	1.3	3.9	1.6	20	.1	4.6	.4	532	.50	1.6	.2	<.5	6.6	7	.6	.1	<.1	2	.06	.012	21	9.6	.28	305	.004	<1	.28	.037	.03	1.5	<.01	1.1	<.1	<.05	1	<.
C144973	5.8	60.6	11.3	122	.5	32.0	6.1	172	2.84	70.7	3.0	3.2	6.5	21	1.0	.9	.1	45	.18	.091	28	27.3	1.04	234	.002	<1	1.23	.012	.11	.1	.01	1.3	.1	<.05	4	2.
C144974	10.0	35.5	20.6	126	.6	29.3	4.2	125	2.00	76.5	2.6	1.6	6.1	29	.7	1.3	.2	48	.29	.136	10	30.6	.70	299	.002	2	.94	.007	.17	1.9	.02	1.5	.1	<.05	3	2.
C144975	.3	5.1	6.9	10	.1	.4	.5	675	.36	4.6	2.3	1.1	5.3	273	.1	.5	<.1	1	4.18	.006	13	2.0	.17	48	<.001	1	.24	.002	.10	<.1	.01	.2	<.1	.07	1	<.
C144976	2.9	3.9	18.5	28	.1	3.0	1.2	130	.62	6.1	3.5	.8	17.8	44	.3	.2	.1	<1	.49	.009	45	8.0	.44	99	<.001	1	.59	.005	.23	2.1	<.01	.2	.1	.07	1	<.
C144977	.9	5.3	176.3	1254	.5	2.5	1.2	179	4.74	2.2	.8	1.4	6.4	13	23.9	.6	.8	<1	.02	.004	5	3.5	.88	10	.002	<1	.56	.012	.10	<.1	.42	.2	<.1	5.06	1	2.
C156328	1.3	9.2	64.9	56	.2	1.6	.4	22	1.01	15.2	.6	.9	9.3	5	.2	.2	.2	<1	<.01	.008	23	6.2	.02	148	.001	1	.20	.013	.20	1.4	.10	.3	<.1	.40	1	1.
STANDARD DS5	12.5	140.9	24.7	137	.2	24.2	11.8	767	3.03	18.0	6.1	43.5	2.6	47	5.5	3.5	6.1	62	.77	.099	12	185.8	.69	135	.100	19	1.99	.034	.15	5.2	.17	3.6	1.0	<.05	6	4.

GROUP 1DX - 30.0 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILI
- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data ✓ FA ____ DATE RECEIVED: OCT 12 2004 DATE REPORT MAILED: Nov. 8/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL

Klondike Gold Corp. PROJECT DAWSON FILE # A406447

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C156329	3.0	62.0	1909.0	3295	21.8	1.4	.6	25	4.55	31.2	.3	12.8	5.1	13	23.6	2.1	32.9	2	.01	.007	18	1.9	.06	105	.004	1	.30	.003	.31	<.1	3.46	.6	.2	1.62	1	20.7
C156330	3.6	12.3	134.0	100	.6	3.0	.4	20	1.72	13.2	.4	2.0	7.1	3	.2	.4	.8	2	<.01	.017	19	6.5	.06	122	.001	<1	.23	.002	.22	1.6	.17	.5	.1	.21	1	2.4
C156331	.9	7.9	13.3	69	.2	6.0	4.3	436	1.52	5.8	1.8	1.8	9.8	40	.2	.1	.1	7	1.57	.036	23	9.1	.78	456	.002	<1	1.16	.014	.19	<.1	.03	2.1	<.1	.17	3	<.5
C156332	3.3	10.7	10.5	17	.6	8.5	1.6	543	.64	12.5	.3	5.6	.5	302	.2	1.2	.1	6	5.02	.009	2	10.8	.18	360	<.001	1	.15	.001	.03	2.0	.01	.6	<.1	.30	<1	2.4
C156333	.4	3.9	9.2	57	.1	3.4	3.3	154	1.87	2.6	1.4	1.4	7.4	17	.1	.3	.1	14	.24	.048	12	3.9	.23	194	.035	1	.81	.048	.34	.1	.06	2.7	.1	<.05	4	<.5
C156334	16.0	53.9	10.3	73	1.1	33.3	8.4	433	1.40	117.0	2.7	3.2	3.5	189	.6	2.4	.2	21	3.70	.097	4	9.2	.37	216	.004	2	.48	.004	.21	.2	<.01	1.8	.1	.88	1	5.8
C156335	2.5	11.8	12.0	36	.4	2.7	.7	199	.62	4.2	1.3	19.8	9.2	76	.3	2.2	.1	1	1.30	.007	30	5.7	.13	298	<.001	1	.51	.008	.29	1.2	.02	1.4	.1	.13	2	<.5
C156336	.4	2.8	1.3	4	<.1	2.3	.9	54	.36	1.4	<.1	.8	.1	4	<.1	.2	<.1	2	.04	.009	<1	6.7	.03	15	.001	<1	.06	.001	.01	<.1	<.01	.2	<.1	<.05	<1	<.5
C156337	1.8	32.1	4.3	74	.1	28.2	11.3	319	2.34	9.8	.7	<.5	3.5	15	.1	.4	<.1	57	.30	.093	8	43.7	.76	273	.060	<1	1.20	.016	.17	.8	.01	6.6	.1	<.05	4	.6
C156338	.8	18.8	334.7	164	.7	1.0	.5	23	1.14	10.3	.7	1.6	8.6	5	.8	.3	.5	<1	<.01	.007	23	2.2	.03	121	.001	1	.28	.003	.24	<.1	.30	.6	.1	.94	1	2.5
C156339	2.0	10.0	9.3	34	.1	13.8	4.6	304	1.25	1.4	.2	<.5	2.3	5	.2	.1	.1	13	.09	.040	7	39.0	.66	120	.015	1	.67	.013	.06	2.3	.01	1.5	<.1	<.05	2	<.5
C156340	.4	1.5	13.9	10	.2	.5	.1	73	.43	27.2	2.7	2.3	12.0	42	.3	.6	.1	<1	.76	.008	37	2.2	.05	267	.001	2	.32	.022	.24	<.1	.03	1.3	.1	.09	1	.5
C156341	1.4	19.3	59.2	115	.4	2.0	.9	144	.98	8.9	1.7	3.1	7.2	17	2.4	.4	.2	1	.30	.008	25	5.8	.32	172	.001	1	.67	.003	.24	1.3	.03	1.3	.1	.08	2	2.6
158129	.4	5.8	38.6	39	.1	.9	.4	69	.44	7.8	5.1	10.0	18.2	4	.4	.3	.2	1	.03	.008	41	2.8	.05	167	.001	1	.33	.018	.20	<.1	.01	.8	.1	<.05	1	<.5
158130	.5	3.3	25.3	26	.1	.9	.6	61	.32	4.8	3.3	5.7	18.1	4	.3	.2	.1	1	.02	.006	36	2.2	.05	154	.001	1	.35	.010	.24	<.1	.01	.5	.1	<.05	1	<.5
RE 158130	.5	3.2	26.2	27	.1	1.0	.4	62	.32	4.7	3.7	6.6	18.2	4	.3	.2	.1	<1	.02	.006	37	1.8	.05	158	.001	1	.35	.011	.25	<.1	.01	.6	.1	<.05	1	<.5
158131	.5	4.7	33.2	43	.1	1.0	.6	71	.43	10.3	5.7	8.1	17.6	5	.4	.3	.1	<1	.03	.008	43	2.7	.06	169	<.001	1	.39	.011	.23	<.1	.01	.5	.1	<.05	1	<.5
158132	.8	4.5	29.1	48	.1	1.5	.6	70	.42	10.6	5.1	6.2	16.0	6	.3	.8	.1	1	.04	.008	37	2.2	.05	189	<.001	1	.33	.011	.22	<.1	.01	.5	.1	<.05	1	<.5
158133	.5	4.1	28.8	41	.2	1.2	.5	47	.49	17.2	3.8	11.4	15.2	5	.3	.4	.2	1	.03	.012	55	1.8	.05	212	.001	<1	.35	.011	.21	<.1	.01	.8	.1	<.05	1	<.5
158134	.8	4.7	23.5	37	.2	1.5	1.0	58	.53	12.7	3.2	13.2	16.6	5	.2	.3	.4	2	.03	.011	35	1.8	.04	137	.001	1	.38	.012	.17	<.1	.01	.8	.1	<.05	1	<.5
158135	1.6	13.6	6.5	97	1.3	38.8	31.3	1229	8.10	333.0	2.3	8.0	1.1	58	1.1	2.2	<.1	151	1.22	.220	22	28.7	2.24	878	.018	<1	3.66	.018	.06	<.1	.03	11.3	.1	<.05	13	.5
158136	1.1	15.5	5.3	99	1.0	29.6	33.4	1297	7.60	182.4	1.4	4.3	1.2	78	.9	1.5	<.1	151	1.19	.230	23	27.9	2.24	1591	.045	<1	3.54	.047	.07	<.1	.02	14.3	.4	<.05	11	.5
158137	8.6	72.0	29.8	163	1.0	43.0	6.0	159	2.66	84.9	3.9	12.9	6.3	35	1.1	1.2	.2	54	.31	.163	34	28.6	.85	271	.002	<1	1.11	.008	.12	.2	.01	1.5	.1	<.05	4	2.9
158138	10.0	48.4	19.9	126	.5	34.3	5.0	154	2.77	73.0	3.4	2.6	9.7	26	.8	1.3	.2	37	.17	.090	23	28.1	.92	274	.002	1	1.25	.009	.12	1.4	.02	1.5	.1	<.05	3	2.8
158139	.4	6.2	18.9	46	.3	2.8	1.7	173	1.14	12.4	1.5	1.7	13.8	10	.3	.2	.2	4	.10	.018	38	3.6	.61	153	<.001	<1	.87	.011	.14	<.1	.01	1.8	.1	<.05	3	<.5
158140	2.3	26.0	41.7	93	.6	99.7	9.0	543	1.92	56.5	1.1	14.5	10.7	14	.5	.7	.2	34	.18	.054	32	112.9	1.69	196	.001	1	1.46	.006	.12	1.0	.01	3.0	.1	<.05	5	.7
158141	.7	3.7	12.9	24	.2	13.6	.8	163	.63	27.3	.9	2.2	15.3	4	.2	.7	.1	2	.03	.007	38	4.9	.32	254	.001	1	.58	.006	.22	<.1	<.01	2.1	.1	<.05	2	<.5
158142	1.7	7.4	19.5	63	.3	25.4	4.0	198	1.85	16.9	1.1	2.3	12.0	10	.3	.5	.2	14	.09	.030	37	14.7	.98	189	.001	1	1.32	.010	.14	1.2	.01	2.9	.1	<.05	4	<.5
158143	1.5	29.8	17.6	53	.5	877.2	62.7	1106	3.90	146.0	.3	2.9	2.5	153	.4	2.2	.1	46	1.74	.037	10	1013.6	8.33	88	.003	4	1.31	.002	.04	<.1	.01	5.9	.1	<.05	4	.8
158144	.9	12.9	.8	26	.1	1523.2	100.1	641	3.62	49.2	.2	3.8	.1	37	.1	.5	<.1	29	.27	.002	1	1639.2	12.09	32	.004	7	.47	.001	.01	.1	.01	8.1	<.1	<.05	1	.8
158145	1.8	17.7	.6	26	.1	1226.9	113.4	646	3.59	56.4	.3	<.5	.1	18	.2	.8	<.1	30	.15	.002	1	1573.0	11.25	34	.004	7	.41	.002	<.01	<.1	<.01	5.7	<.1	<.05	1	1.3
158146	3.8	30.1	1.2	22	.1	780.4	69.3	492	2.90	25.0	.7	<.5	.7	35	.3	.9	<.1	38	.28	.035	4	1445.3	5.71	17	.022	3	.81	.001	<.01	<.1	<.01	5.1	<.1	<.05	2	2.4
158147	1.4	21.1	3.5	69	.1	536.8	45.3	682	3.30	28.6	.3	<.5	4.7	29	.3	.3	<.1	79	.47	.148	23	655.7	4.34	18	.104	1	2.64	.002	<.01	<.1	<.01	4.1	<.1	<.05	7	.6
STANDARD DS5	13.2	141.4	24.3	139	.3	24.8	11.9	768	3.03	17.8	6.4	44.0	2.7	47	5.4	3.8	5.9	61	.74	.093	12	192.6	.70	133	.093	18	2.04	.033	.14	5.0	.16	3.6	1.0	<.05	6	5.2

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
158148	3.4	29.5	15.7	62	.3	302.8	22.9	310	1.64	79.0	.9	1.0	9.7	11	.7	.8	.2	25	.13	.041	30	312.1	1.74	188	.003	1	.93	.003	.10	.1	.01	3.3	.1	<.05	2	.9
158154	.6	5.4	24.4	57	.1	5.9	3.3	235	1.35	1.8	.7	4.6	11.6	13	.3	.2	.2	6	.14	.033	21	7.7	.71	183	.035	1	.84	.017	.48	.1	.01	1.7	.3	<.05	3	<.5
158155	.8	14.4	15.8	61	.2	10.6	6.7	412	1.82	15.7	1.3	1205.2	10.5	17	.7	.8	.1	17	.20	.046	24	14.1	.59	160	.013	3	.86	.015	.28	<.1	.01	2.9	.2	<.05	4	<.5
158156	.6	6.9	20.8	47	.1	4.1	3.6	250	1.24	1.6	1.1	25.1	11.2	19	.2	.3	.2	6	.13	.034	20	5.6	.61	170	.026	1	.78	.012	.40	.1	<.01	1.4	.2	<.05	3	<.5
158157	1.1	7.5	26.1	44	.1	7.0	3.5	244	1.27	2.9	.8	7.2	12.4	14	.2	.3	.1	5	.12	.034	18	9.5	.64	157	.031	<1	.81	.013	.40	1.1	.01	1.5	.2	<.05	3	<.5
158158	.7	8.2	26.3	46	.1	4.1	4.0	240	1.37	5.2	.8	4.5	14.7	13	.2	.3	.2	7	.12	.038	28	7.1	.52	196	.022	<1	.84	.021	.37	.1	.01	1.9	.2	<.05	4	<.5
158159	.7	8.3	21.6	42	.1	4.1	3.6	198	1.19	3.7	.9	5.6	12.8	12	.2	.3	.1	6	.13	.035	20	4.0	.49	159	.017	<1	.73	.013	.33	<.1	.01	1.4	.2	<.05	3	.5
158160	.6	8.2	28.3	51	.1	4.1	3.5	218	1.24	6.6	.7	5.0	12.9	11	.4	.2	.1	6	.12	.038	24	5.4	.43	192	.027	<1	.72	.018	.39	.1	.01	1.5	.2	<.05	3	<.5
158161	1.0	9.1	24.9	31	.2	4.1	3.2	172	.98	7.8	.7	2.0	13.6	10	.2	.2	.2	4	.10	.036	28	6.6	.32	157	.024	1	.61	.017	.35	.9	.01	1.1	.2	<.05	2	<.5
158162	.7	11.0	28.3	48	.2	4.0	3.6	163	1.18	6.2	.8	4.8	13.9	13	.3	.3	.2	4	.13	.033	29	5.0	.48	164	.025	1	.77	.012	.39	.1	.01	1.5	.2	<.05	3	<.5
158163	1.0	9.4	25.3	50	.1	5.6	2.9	186	.99	3.9	.7	3.5	14.0	10	.4	.4	.1	4	.10	.029	28	7.7	.42	176	.037	<1	.60	.012	.41	1.4	.01	1.0	.2	<.05	2	<.5
158255	1.5	6.5	25.1	56	.1	2.8	6.9	870	2.85	6.3	1.3	18.7	4.2	35	.3	<.1	.1	2	3.66	.062	8	2.0	.11	142	.001	<1	.53	.022	.15	.1	.01	3.9	<.1	.15	1	<.5
158256	2.8	4.4	1.1	11	<.1	4.7	3.7	286	1.55	7.2	.8	25.1	1.8	6	<.1	<.1	.1	3	1.69	.040	7	9.4	.03	64	<.001	1	.17	.018	.06	1.8	.01	1.9	<.1	<.05	<1	<.5
158257	4.9	1.0	4.5	35	<.1	4.3	5.6	868	2.99	<.5	2.3	2.8	1.3	275	.1	<.1	<.1	27	11.44	.014	8	6.3	.08	85	<.001	<1	.20	.005	.01	.1	.11	5.4	<.1	<.05	1	<.5
158258	2.5	10.9	3.7	33	.5	8.7	6.7	601	2.51	35.6	.9	2929.3	1.4	27	.1	<.1	.1	7	3.53	.024	6	12.6	.06	76	<.001	<1	.28	.012	.07	1.5	.03	4.8	<.1	<.05	1	<.5
158259	2.2	2.0	2.2	5	<.1	3.5	2.6	560	.96	2.7	2.4	8.8	.5	346	<.1	<.1	<.1	4	8.73	.011	3	6.3	.04	80	<.001	<1	.07	.005	.02	1.4	.02	2.3	<.1	<.05	<1	<.5
158260	.3	4.7	1.9	48	.1	9.4	19.2	591	4.95	4.8	.3	.8	.9	49	<.1	.2	<.1	101	.78	.064	6	4.1	1.98	40	.136	<1	2.21	.025	.03	.1	.01	6.3	<.1	<.05	6	<.5
158261	.2	1.8	.9	18	<.1	5.9	5.1	238	1.70	1.0	.4	2.3	1.8	29	<.1	.1	<.1	27	.92	.071	4	12.0	.67	9	.058	<1	.95	.046	.01	.1	.01	2.4	<.1	<.05	3	<.5
158262	1.1	9.6	.6	10	<.1	4.9	2.6	806	1.55	<.5	.4	<.5	.3	35	<.1	.1	<.1	11	4.77	.002	3	8.0	.08	118	<.001	1	.13	.004	.01	1.6	.01	2.2	<.1	<.05	1	<.5
RE 158262	1.0	9.6	.5	11	<.1	4.9	2.5	791	1.53	.5	.3	<.5	.3	33	<.1	.1	<.1	11	4.70	.001	3	7.8	.08	115	<.001	<1	.13	.004	.01	1.6	.02	2.2	<.1	<.05	1	.5
158263	.3	63.2	1.9	55	.1	3.7	13.0	651	2.10	2.8	.3	3.6	1.7	28	<.1	.1	.2	19	1.63	.093	3	2.1	1.04	94	.025	<1	1.34	.032	.11	.1	.02	2.4	<.1	.07	3	<.5
158264	.7	34.4	1.1	20	<.1	4.4	20.0	372	2.51	.6	.4	<.5	1.9	12	<.1	.1	.1	23	.36	.081	4	4.4	.96	52	.042	<1	1.11	.054	.01	.9	.01	2.3	<.1	<.05	3	.9
158265	.4	9.6	1.5	13	<.1	2.7	2.8	1033	1.47	.5	.2	<.5	.5	32	<.1	.1	<.1	26	.46	.033	1	3.8	.74	152	.049	<1	1.05	.050	.04	<.1	.01	3.5	<.1	<.05	3	<.5
158266	.5	54.8	2.2	7	.1	2.7	4.0	780	1.16	.6	.3	.9	1.1	58	<.1	.3	.1	31	.80	.056	3	3.8	.36	210	.095	<1	.94	.053	.03	.7	.02	4.8	<.1	<.05	3	<.5
158267	.3	72.4	2.8	24	.1	11.0	18.2	2586	3.93	.5	.3	3.2	1.4	28	.1	.2	.1	68	.43	.017	4	7.0	2.47	298	.085	<1	2.23	.021	.01	<.1	.02	9.1	<.1	<.05	7	.7
158268	2.6	17.2	7.6	60	<.1	26.4	2.2	89	.82	3.1	1.0	.5	2.0	20	.2	.1	.1	39	.66	.325	10	22.5	.08	255	.004	<1	.29	.006	.14	2.8	.01	1.2	<.1	<.05	1	.6
158269	.4	2.8	.3	2	<.1	1.7	.3	39	.30	<.5	<.1	<.5	.1	1	<.1	<.1	<.1	1	.01	.002	<1	5.2	.01	12	.001	<1	.02	.002	<.01	<.1	.01	<.1	<.1	<.05	<1	<.5
158270	1.8	3.7	.7	20	<.1	4.7	.8	75	.38	1.0	<.1	.6	.1	1	<.1	.8	<.1	2	.01	.002	1	13.0	.01	21	<.001	<1	.03	.001	.01	2.5	.01	.2	<.1	<.05	<1	<.5
158271	.4	3.4	1.3	17	<.1	3.9	2.8	583	1.73	1.0	.1	<.5	.4	62	.2	<.1	<.1	2	2.52	.033	2	3.8	.85	20	<.001	<1	.08	.008	.03	.1	.01	5.6	<.1	<.05	<1	<.5
158272	1.6	2.6	.6	4	<.1	4.0	.9	150	.32	3.3	<.1	<.5	.1	1	<.1	.1	<.1	1	.01	.001	<1	11.5	<.01	31	<.001	1	.02	.001	.01	2.5	.01	.3	<.1	<.05	<1	<.5
158273	.3	4.1	2.3	34	<.1	5.1	3.7	215	1.25	<.5	.1	<.5	.2	12	.1	.1	<.1	20	.31	.061	1	9.1	.52	38	.034	<1	.69	.012	.02	<.1	<.01	1.1	<.1	<.05	2	<.5
158274	.7	13.5	7.6	63	.1	6.1	4.1	3249	5.20	1.8	1.0	4.1	2.0	136	.6	<.1	.1	3	7.41	.031	2	5.1	3.52	26	.001	<1	.58	.021	.02	1.1	.01	2.3	<.1	.18	2	.8
C144460	.9	4.2	18.8	21	.3	2.0	.4	46	.77	10.7	2.2	191.6	9.3	13	.2	.5	.1	1	.10	.008	25	2.0	.05	929	.005	1	.33	.019	.22	.1	.05	1.7	.1	<.05	1	.5
STANDARD DS5	13.2	141.2	24.8	137	.2	24.3	12.0	743	2.97	19.0	6.1	45.0	2.9	47	5.5	3.9	6.0	58	.72	.096	12	188.3	.69	140	.091	16	1.94	.034	.14	5.0	.17	3.4	1.1	<.05	7	5.1

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
C145520	.4	6.8	24.4	14	<.1	1.3	1.0	89	.62	1.0	.8	.5	9.1	7	<.1	.1	.2	1	.03	.015	11	2.6	.06	186	.003	1	.21	.008	.18	<.1	<.01	1.5	.1	.07	1	<.5
C145150	1.6	1.7	25.3	4	.1	4.2	.8	181	.40	.9	.1	1.2	.2	2	.1	<.1	.1	2	.03	.009	3	11.1	.01	33	<.001	<1	.04	.008	.01	1.7	.01	.6	<.1	<.05	<1	<.5
C145546	.2	14.1	5.6	72	.1	6.6	5.4	127	1.76	2.1	.3	1.0	5.2	48	<.1	.3	<.1	8	.39	.045	9	8.0	1.73	321	.075	1	1.84	.040	.12	.1	.01	1.9	<.1	.12	5	<.5
C145139	1.6	1.9	1.9	11	<.1	4.9	.8	69	.52	.7	.1	<.5	.6	4	<.1	.1	<.1	1	.03	.002	2	12.2	.12	32	.001	<1	.18	.002	.02	2.4	.01	.2	<.1	<.05	1	<.5
STANDARD DS5	12.5	146.8	24.0	140	.2	25.0	11.9	738	2.97	18.7	6.0	44.0	2.7	46	5.5	3.5	5.9	59	.72	.091	12	186.7	.68	137	.097	19	2.01	.032	.12	5.1	.17	3.4	1.1	<.05	7	5.1

Sample type: ROCK R150 60C.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data___ FA ___

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

ASSAY CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A403844R

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Au** gm/mt	Au** gm/mt
144726	.52	.42
144727	.86	.81
144729	.71	.77
144739	1.09	.97
144754	1.82	1.76
144755	.87	.75
144756	.85	.88
144757	.48	.55
144758	.47	.54
144759	1.84	2.29
144760	5.80	8.51
144761	2.56	2.41
144762	3.06	2.87
RE 144760	10.97	5.75
144767	3.81	4.02
144778	3.96	7.18
144781	.42	.78
144805	.85	.15
144806	76.76	71.29
144807	13.74	8.20
144808	.40	.43
STANDARD AU-1	3.40	3.37

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 2 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK PULP
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: AUG 18 2004 DATE REPORT MAILED: Aug. 26/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.T
Clarence Leung

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

ASSAY CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A405358R

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Au** gm/mt
C 144883	4.59
C 144887	38.56
C 145775	2.67
C 145923	2.28
C 145924	1.02
C 145925	.56
C 145927	.52
C 145928	1.24
C 158077	3.04
C 158092	.67
C 158096	5.57
C 158097	.32
C 158100	1.44
RE C 158100	1.53
C 158106	.40
C 158107	.24
C 158108	.11
C 158118	3.48
C 158533	.13
C 158534	.78
C 158535	.48
C 158544	.90
STANDARD AU-1	3.40

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 2 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK PULP
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data h FA ____ DATE RECEIVED: OCT 8 2004 DATE REPORT MAILED: Oct. 14/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

ASSAY CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A406920R

711 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Au** gm/mt
158171	25.81
158172	2.90
158173	.70
158174	59.10
158175	3.65
158176	1.16
158177	73.55
158178	4.50
C 144829	1.22
C 144830	1.89
C 144831	.74
C 144832	.85
RE C 144832	.73
C 144833	1.68
C 144834	.46
C 144835	.43
C 144836	.33
C 144837	.35
C 144842	3.73
C 144843	4.79
C 144844	1.81
C 144845	1.17
STANDARD AU-1	3.39

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 2 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: TAILING
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: DEC 2 2004 DATE REPORT MAILED: Dec. 10/04.

COLUMBIA CERTIFIED ASSAYER BRITISH

Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

ASSAY CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A406920R2

711 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Au** gm/mt	Au** gm/mt	Au** gm/mt
158171	17.30	-	-
*158172	4.09	3.24	29.62
*158173	1.56	.97	.86
*158174	54.36	59.28	63.88
*158175	1.08	1.11	1.34
*158176	1.94	.76	.74
*158177	87.61	76.46	-
158178	4.32	-	-
C 144829	1.42	-	-
C 144830	1.41	-	-
RE C 144842	4.06	-	-
C 144842	4.65	-	-
C 144843	1.55	-	-
C 144844	1.69	-	-
C 144845	1.54	-	-
STANDARD AU-1	3.43	-	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 2 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: TAILING
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data ✓ FA ____ DATE RECEIVED: DEC 9 2004 DATE REPORT MAILED: Dec 20/04

* 3 time fire assay from 1/2 A.T

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

ASSAY CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A402741R

741 - 675 W. Hastings St. Vancouver BC V6B 1N2 Submitted by: Bill Mann

SAMPLE#	Au** gm/mt
C 156306	13.38
C 156310	1.31
C 156311	3.38
E 175957	1.23
STANDARD AU-1	3.40

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 2 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK PULP

Data FA ____ DATE RECEIVED: AUG 18 2004 DATE REPORT MAILED: Aug. 25/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

ASSAY CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A403456R

ATT: 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Au** gm/mt
C 144064	3.11
C 144072	2.70
C 144075	3.60
C 144715	52.99
RE C 144715	42.16
C 144722	12.70
RE C 144722	10.07
C 144751	.29
RE C 144751	.30
STANDARD AU-1	3.37

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 2 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK PULP
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ DATE RECEIVED: AUG 18 2004 DATE REPORT MAILED: Sept. 24/04.

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L.
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT KLONDIKE File # A4031127 Page 1
711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
C145001	.9	17.9	38.7	50	.2	11.4	4.1	105	1.66	9.4	2.3	2.6	3.0	14	.2	.4	.3	31	.12	.033	23	20.7	.35	402	.026	1	1.25	.006	.05	.2	.03	2.2	.1	<.05	4	.5	15.0
C145002	.8	17.5	33.0	55	.2	10.7	4.6	138	1.53	8.8	1.9	2.3	7.6	18	.1	.4	.2	32	.19	.033	24	21.1	.39	385	.041	<1	.95	.008	.05	.2	.02	2.5	<.1	<.05	3	<.5	15.0
C145003	.8	9.6	20.1	135	.1	9.4	25.5	1504	1.43	39.3	2.4	2.9	5.9	22	1.1	.2	.1	15	.23	.052	19	10.1	.38	257	.015	<1	.57	.004	.04	.1	.01	1.3	<.1	<.05	2	.6	15.0
C145004	1.2	18.3	12.2	59	.2	16.8	13.1	389	2.19	66.7	.6	6.8	3.2	15	.2	.3	.2	41	.23	.065	12	23.7	.67	128	.026	<1	1.25	.006	.04	.2	.02	2.0	<.1	<.05	4	.6	15.0
C145005	.7	17.8	9.0	63	.1	16.2	8.9	250	2.17	43.6	.9	4.3	3.2	26	.1	.3	.1	41	.37	.053	13	23.9	.67	265	.030	1	1.39	.009	.03	.2	.04	2.9	.1	<.05	4	.6	15.0
C145006	1.0	24.0	8.3	67	.1	19.0	10.2	307	2.70	88.1	.7	34.7	4.0	21	.2	.6	.1	48	.30	.091	14	30.5	.99	235	.030	1	1.40	.006	.03	.2	.02	3.3	<.1	<.05	4	.6	15.0
C145007	.8	19.3	8.2	60	.1	17.2	8.9	255	2.28	30.5	.7	6.0	4.5	20	.1	.4	.1	47	.27	.060	15	26.6	.63	238	.043	1	1.33	.009	.03	.3	.03	2.9	.1	<.05	4	<.5	15.0
C145008	1.0	16.7	11.4	79	.1	16.9	10.8	381	2.78	60.0	.6	28.0	3.0	18	.2	.4	.1	43	.30	.076	10	25.7	.94	150	.024	<1	1.41	.006	.03	.2	.02	2.8	<.1	<.05	4	.5	15.0
C145009	1.0	25.3	9.2	64	.1	21.6	11.6	538	2.34	20.0	1.0	1.3	3.3	37	.3	.7	.2	50	.53	.064	14	27.6	.56	360	.038	<1	1.20	.012	.04	.4	.03	3.4	.1	<.05	4	.7	15.0
C145010	.9	32.3	9.3	72	.2	25.1	13.1	509	2.75	24.8	1.0	4.0	3.7	36	.2	.7	.2	55	.54	.059	15	33.9	.77	420	.040	1	1.61	.015	.04	.2	.03	4.4	.1	<.05	5	.7	15.0
C145011	.7	34.8	10.0	72	.2	27.2	12.8	501	2.78	27.8	1.2	3.9	4.1	36	.2	.7	.2	57	.52	.061	17	35.4	.79	419	.042	1	1.62	.017	.05	.2	.03	4.6	.1	<.05	5	.5	15.0
C145012	1.0	29.5	10.0	68	.2	21.8	12.9	401	2.96	23.2	.5	4.9	3.6	21	.2	.4	.1	56	.34	.049	15	38.2	1.01	304	.037	1	1.83	.008	.04	.1	.02	4.4	<.1	<.05	6	<.5	15.0
C145013	.7	38.7	9.1	90	.2	35.4	20.1	464	4.26	31.9	.5	17.5	4.6	10	.1	.3	.1	84	.18	.038	15	66.3	1.94	322	.014	<1	2.71	.004	.05	<.1	<.01	6.5	.1	<.05	8	.5	7.5
RE C145013	.7	36.9	9.2	86	.2	32.7	18.5	433	4.06	32.0	.4	12.7	4.5	9	.1	.3	.1	80	.17	.037	15	62.4	1.88	318	.012	<1	2.64	.004	.05	<.1	.01	6.3	.1	<.05	7	.5	7.5
C145201	.6	15.0	7.9	67	.3	9.8	9.6	577	2.52	100.3	.3	6.9	2.7	6	.1	.5	.1	34	.06	.035	14	16.8	.88	206	.015	<1	1.47	.004	.04	.1	.01	3.0	.1	<.05	5	<.5	15.0
C145202	.9	29.9	7.9	75	.1	22.3	11.1	474	4.06	37.1	.3	.7	2.6	10	.2	.4	.1	80	.13	.028	8	53.1	1.65	169	.011	<1	2.41	.004	.03	.1	.01	4.0	.1	<.05	8	<.5	15.0
C145203	.8	22.9	9.8	61	.1	19.4	10.0	318	2.91	125.8	.6	8.4	4.1	13	.1	.6	.2	64	.14	.021	15	39.8	.98	224	.032	1	1.97	.006	.04	.1	.02	4.4	.1	<.05	7	.5	15.0
C145204	1.2	28.1	11.1	68	.1	23.2	11.3	306	2.83	85.9	.6	16.2	4.3	14	.1	.6	.1	53	.14	.033	14	32.3	.94	173	.027	1	1.78	.005	.04	.1	.02	3.3	.1	<.05	5	<.5	7.5
C145205	1.1	30.3	11.5	76	.3	23.3	9.7	257	2.95	90.5	.7	13.1	2.2	14	.2	.6	.2	55	.17	.059	16	34.6	1.01	220	.023	1	2.05	.005	.04	.1	.03	3.1	.1	<.05	6	.6	15.0
C145210	.8	8.7	14.4	26	.2	6.6	4.8	195	1.45	24.0	1.1	6.8	7.4	15	.1	.3	.1	21	.14	.021	27	9.4	.20	505	.020	<1	.62	.004	.06	.1	.01	1.4	<.1	<.05	2	.5	15.0
C145211	.5	5.8	9.8	29	.1	6.1	3.9	228	1.16	12.3	.4	.7	4.2	11	.1	.2	.1	29	.09	.019	16	12.0	.21	397	.030	<1	.75	.005	.07	.1	.01	1.4	.1	<.05	3	<.5	15.0
C145212	.8	8.5	14.3	31	.1	7.9	3.7	123	1.34	23.4	.6	2.1	5.1	16	.1	.4	.2	31	.13	.024	18	13.7	.29	423	.035	1	.92	.006	.07	.1	.01	1.5	.1	<.05	4	<.5	15.0
C145213	.8	18.4	11.1	59	.1	17.1	8.6	386	1.88	13.8	1.0	3.2	5.5	25	.4	.5	.1	40	.31	.068	23	22.2	.42	346	.051	1	1.01	.011	.07	.2	.03	2.7	.1	<.05	3	.6	15.0
C145214	1.1	16.7	30.9	65	.2	11.0	6.4	303	1.62	14.4	2.3	9.9	6.7	39	.3	.4	.2	31	.36	.033	23	19.5	.39	342	.036	<1	1.05	.009	.07	.1	.03	2.2	.1	<.05	3	.6	15.0
C145216	.8	18.1	22.7	42	.1	13.3	7.9	238	1.98	10.0	1.1	5.7	9.1	18	.1	.5	.2	37	.19	.029	26	20.5	.35	336	.041	1	.98	.009	.06	.1	.03	3.0	.1	<.05	3	<.5	15.0
C145217	.5	12.4	11.8	31	.1	10.2	5.6	187	1.38	6.8	.8	5.4	7.3	16	.1	.4	.1	30	.19	.035	19	16.5	.28	265	.039	1	.76	.007	.05	.1	.01	2.1	<.1	<.05	3	.5	15.0
C145218	.6	14.7	12.9	32	.1	11.2	5.7	200	1.50	7.3	.9	4.8	8.1	17	.1	.4	.1	31	.21	.035	20	17.4	.29	309	.040	1	.80	.007	.06	.1	.01	2.3	<.1	<.05	3	.6	15.0
C145219	.6	10.2	18.6	32	.1	8.7	4.6	129	1.40	7.5	.8	2.8	10.0	12	.1	.4	.2	27	.11	.018	22	13.7	.27	228	.040	1	.79	.006	.06	.1	.01	1.8	<.1	<.05	3	<.5	15.0
C145220	.5	10.0	16.1	28	.1	7.4	3.7	105	1.27	6.5	.9	3.7	9.6	8	.1	.4	.2	25	.06	.009	17	13.7	.26	155	.031	<1	.75	.004	.07	.1	<.01	1.6	<.1	<.05	3	<.5	15.0
C145221	.6	4.4	10.1	20	.2	3.9	2.2	118	.99	5.2	.7	<.5	7.1	8	.1	.2	.1	23	.07	.030	12	7.9	.17	168	.023	1	.48	.003	.09	.1	<.01	1.1	<.1	<.05	3	<.5	15.0
C145222	.6	14.0	21.4	31	.3	11.4	5.2	138	1.58	8.5	.6	4.2	7.5	9	.1	.4	.2	33	.08	.014	17	17.2	.31	275	.032	1	1.02	.005	.06	.1	.02	1.7	.1	<.05	3	<.5	15.0
C145223	1.1	8.1	19.1	28	.2	8.1	3.8	132	1.81	14.0	.7	2.7	8.2	8	.1	.5	.2	33	.07	.018	17	15.7	.24	162	.023	1	1.01	.004	.07	.1	.01	1.7	.1	<.05	4	<.5	15.0
C145224	.8	8.8	20.2	39	.3	8.3	4.3	176	2.06	10.6	.9	5.6	9.1	8	.1	.4	.2	36	.07	.020	27	17.3	.44	219	.027	1	1.31	.004	.09	.1	.02	2.1	.1	<.05	5	<.5	15.0
C145225	.5	5.0	23.5	21	.3	3.5	2.1	89	1.13	7.4	.9	2.0	8.6	8	<.1	.2	.5	25	.07	.010	27	9.2	.22	211	.021	1	.82	.004	.07	.1	.01	1.4	.1	<.05	4	<.5	15.0
STANDARD DS5	13.1	143.9	25.4	136	.3	24.9	12.8	788	3.03	19.1	6.3	45.9	2.8	46	5.6	3.8	6.2	62	.72	.092	12	188.7	.69	138	.095	18	1.98	.034	.13	4.9	.17	3.4	1.0	<.05	6	4.9	15.0

GROUP 1DX - 15.0 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data ✓ FA ____ DATE RECEIVED: JUN 28 2004 DATE REPORT MAILED: July 16/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
C145226	1.2	23.9	20.3	54	.3	17.7	8.4	289	3.15	12.8	1.3	2.6	10.0	10	.1	.7	.2	61	.08	.020	22	35.4	.55	232	.056	1	1.96	.007	.06	.1	.03	4.8	.1<.05	6	<.5	15.0
C145227	.8	9.0	16.8	34	.1	8.5	4.1	145	1.90	8.2	.6	1.6	7.6	6	.1	.3	.2	37	.05	.012	18	17.8	.38	186	.028	<1	1.21	.004	.06	.1	.01	2.0	.1<.05	4	<.5	15.0
C145228	.7	6.1	15.7	36	.2	3.3	2.6	134	2.16	5.4	.7	.9	8.6	9	.1	.3	.3	20	.05	.022	23	7.5	.44	204	.055	1	.96	.003	.07	.1	.01	1.6	.1<.05	4	<.5	15.0
E175959	.8	11.2	21.6	40	.1	6.9	4.1	196	1.46	7.9	1.3	3.3	9.5	14	.2	.3	.1	14	.08	.021	25	9.1	.34	240	.030	<1	.79	.003	.09	.1	.01	1.9	.1<.05	3	<.5	15.0
E175960	.5	11.8	33.8	41	.4	9.0	3.8	125	1.55	6.8	1.1	7.1	10.3	8	.1	.4	.2	29	.07	.014	28	16.5	.37	224	.027	<1	.94	.004	.05	.1	.02	2.0	.1<.05	3	<.5	15.0
E175962	.6	12.6	22.4	38	.2	11.9	5.4	159	2.37	9.1	.9	2.8	9.9	8	.1	.4	.2	41	.06	.014	25	21.7	.46	267	.027	1	1.59	.005	.06	.1	.02	2.8	.1<.05	5	<.5	15.0
E175963	.6	6.2	23.1	34	.2	3.4	4.4	254	1.01	2.3	1.7	2.1	16.1	23	.1	.2	.2	8	.16	.022	44	6.9	.49	174	.023	1	.67	.003	.11	.1	.01	1.8	.1<.05	2	<.5	15.0
E175964	.3	6.7	25.2	38	<.1	4.3	3.8	151	1.43	4.0	1.0	1.5	14.8	7	.1	.3	.2	14	.04	.010	35	11.8	.60	151	.035	1	.90	.003	.09	.1	.01	2.0	.1<.05	3	<.5	15.0
E175965	.8	9.1	22.3	43	.1	8.3	4.3	195	2.14	7.5	1.0	1.7	8.4	9	.1	.4	.2	36	.07	.019	28	17.5	.52	218	.036	<1	1.28	.004	.08	.1	.01	2.2	.1<.05	5	<.5	15.0
E175966	1.0	6.0	27.9	24	.1	6.1	3.1	124	1.15	4.9	.9	1.7	9.4	8	.1	.2	.2	23	.06	.010	22	12.4	.25	420	.020	<1	.82	.004	.05	.1	.01	1.2	.1<.05	3	<.5	15.0
E175967	2.9	8.8	33.2	20	1.7	5.2	2.7	93	2.23	6.2	1.2	7.1	14.8	29	.1	1.0	.1	16	.03	.031	34	10.2	.17	353	.014	<1	.58	.019	.09	.1	.03	1.0	.1 .16	2	.5	15.0
E175968	1.1	10.8	17.6	21	.4	5.7	2.8	98	1.73	6.2	1.1	5.7	3.2	20	<.1	.5	.1	23	.05	.039	27	12.0	.18	312	.022	<1	.58	.009	.06	.1	.02	.9	.1 .07	2	<.5	15.0
E175969	2.1	17.3	20.6	32	1.4	9.2	4.6	125	2.84	8.1	2.0	30.6	13.2	23	.1	1.1	.1	25	.04	.031	39	15.4	.27	286	.026	<1	.92	.009	.07	.1	.16	1.8	.1<.05	3	.7	15.0
E175970	1.9	5.1	36.3	9	.5	2.0	1.4	88	2.51	13.7	.8	2.5	10.7	30	<.1	.6	.2	10	.02	.058	48	5.4	.05	534	.009	<1	.35	.040	.21	<.1	.03	.7	.1 .50	2	.5	15.0
E175971	2.2	11.0	22.5	22	1.1	6.7	2.7	80	2.81	9.9	1.1	18.4	10.4	46	<.1	1.2	.1	21	.03	.046	40	11.9	.17	475	.020	<1	.71	.027	.18	.1	.03	1.2	.1 .39	3	.5	15.0
E175972	1.8	8.8	29.5	26	.1	8.0	3.2	114	1.73	7.4	.9	1.5	8.2	9	.1	.4	.2	30	.05	.017	17	14.1	.21	199	.025	<1	.79	.005	.06	.1	.02	1.3	.1<.05	3	<.5	15.0
E175973	1.4	16.4	24.5	46	.1	16.3	7.8	342	2.54	10.4	1.1	2.1	6.2	12	.1	.6	.2	45	.08	.034	20	25.2	.41	378	.032	1	1.44	.006	.07	.1	.02	2.3	.1<.05	5	.5	7.5
RE E175973	1.2	15.2	21.4	42	.1	14.5	7.1	304	2.26	9.8	1.1	4.4	6.1	11	.1	.5	.2	41	.07	.031	19	23.0	.37	336	.031	<1	1.36	.006	.07	.1	.02	2.3	.1<.05	4	.5	7.5
E175974	1.3	19.9	14.5	49	.2	17.1	7.5	248	2.73	10.5	1.0	2.5	7.2	18	.1	.6	.1	44	.09	.030	26	25.9	.42	373	.048	<1	1.22	.013	.11	.1	.03	2.9	.1 .13	4	.5	15.0
E175975	.7	9.2	28.3	46	.1	7.1	4.5	212	2.10	6.3	1.1	1.0	12.6	10	.1	.4	.2	28	.06	.019	40	15.3	.61	213	.039	<1	1.22	.004	.11	.1	.01	2.6	.2<.05	4	<.5	15.0
E175976	1.7	24.4	22.1	53	.2	18.3	7.5	245	3.94	14.3	1.3	5.0	8.9	25	.1	.9	.2	54	.09	.053	34	31.9	.49	616	.041	1	1.37	.019	.22	.2	.05	3.3	.1 .38	5	.7	15.0
E175977	1.3	16.7	17.3	65	.1	18.2	7.7	239	3.18	11.6	.8	4.6	9.1	19	.2	.7	.1	41	.12	.051	23	25.3	.41	328	.048	1	1.39	.016	.18	.2	.04	2.6	.1 .28	4	.6	15.0
E175978	3.1	13.0	29.4	46	1.1	9.7	5.9	191	2.83	7.0	1.5	10.6	11.5	29	.1	2.2	.3	24	.06	.042	26	14.1	.33	264	.025	<1	.94	.010	.07	.1	.25	1.5	.1 .08	3	.7	15.0
E175979	3.4	10.4	27.3	25	1.0	4.0	3.0	167	2.18	5.0	1.3	7.0	11.9	33	.1	2.7	.2	5	.03	.034	43	3.9	.33	275	.002	<1	.52	.023	.07	.1	.31	.7	.1 .19	1	1.1	15.0
E175980	5.3	7.6	44.0	13	2.4	1.5	.9	35	2.13	5.1	1.4	26.2	15.6	24	<.1	7.8	.2	4	.01	.044	50	2.8	.08	284	.008	<1	.33	.010	.08	<.1	.35	.6	.1 .13	1	1.1	15.0
E175981	2.9	13.1	37.6	33	.4	7.7	3.3	116	2.11	6.7	1.2	10.0	2.0	23	.1	5.2	.3	21	.06	.048	28	11.0	.24	200	.014	<1	.77	.011	.05	.1	.27	.8	.1<.05	3	.9	15.0
E175982	3.3	12.5	64.0	19	.6	4.4	2.4	69	2.87	8.7	1.2	4.1	13.8	43	<.1	.8	.2	14	.03	.061	38	8.2	.11	575	.015	<1	.49	.044	.19	.1	.05	.9	.1 .45	2	.9	15.0
E175983	3.4	23.6	38.2	64	1.5	10.4	8.8	533	2.70	3.4	2.3	2.8	15.3	31	.4	.3	.3	10	.04	.046	38	9.4	.75	176	.005	<1	1.23	.033	.08	<.1	.03	1.3	.1 .23	3	.6	15.0
E175984	3.4	9.9	36.8	43	.1	4.0	1.8	125	1.48	3.7	3.8	1.0	19.7	9	.1	.3	.3	12	.02	.020	36	3.7	.70	295	.009	<1	.90	.002	.04	.2	.01	.7	<.1<.05	3	<.5	15.0
E175985	1.7	3.0	10.9	6	.4	1.7	.8	32	1.61	3.9	.3	1.3	4.1	28	<.1	.2	.2	7	.01	.033	36	3.9	.05	222	.006	<1	.26	.112	.09	<.1	.01	.5	.1 .50	1	.5	15.0
E175986	1.1	19.4	29.4	100	.3	7.6	10.3	868	3.98	9.3	1.3	.9	15.1	6	.2	.5	.4	14	.05	.042	36	11.5	.71	91	.004	<1	1.71	.003	.04	.1	.03	3.0	.1<.05	4	.5	15.0
E175987	.4	3.9	11.9	23	.1	2.9	2.5	316	.89	4.6	.4	<.5	4.8	8	.1	.2	.1	17	.06	.021	8	4.8	.17	213	.014	<1	.57	.003	.10	.1<.01	.9	.1<.05	3	<.5	15.0
E175988	.2	6.1	13.3	25	.1	3.8	1.9	79	.91	11.6	1.1	1.0	10.2	6	<.1	.5	.1	9	.04	.012	11	6.3	.25	97	.011	<1	.64	.002	.07	<.1	.01	1.2	.1<.05	3	<.5	15.0
E175989	.9	13.4	16.3	40	.1	15.0	6.2	169	2.15	11.0	.7	1.6	7.1	8	.1	.5	.2	41	.07	.014	14	24.2	.39	263	.033	<1	1.42	.005	.05	.1	.02	2.2	.1<.05	4	<.5	15.0
STANDARD DS5	12.4	142.1	25.5	132	.3	24.8	11.9	768	3.03	18.7	6.0	42.5	2.7	47	5.5	3.7	6.1	62	.71	.087	12	179.8	.68	139	.091	18	1.93	.034	.14	4.8	.17	3.3	1.1<.05	6	4.8	15.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
E175990	.8	5.4	17.4	20	.1	5.0	2.3	80	1.28	7.4	.7	1.5	9.2	4	<.1	.3	.2	19	.03	.011	10	9.8	.20	189	.012	<1	.81	.003	.06	.1	.01	1.3	.1	<.05	3	<.5	15
E175991	.7	9.9	19.2	28	.1	8.4	3.8	171	1.55	8.7	1.8	3.4	11.8	7	.1	.4	.2	29	.06	.011	29	17.8	.29	223	.030	<1	1.04	.004	.06	.1	.01	2.3	.1	<.05	3	<.5	15
E175992	.6	17.2	14.6	35	.2	13.1	4.8	158	1.74	7.5	1.0	2.3	7.8	10	.1	.4	.2	36	.09	.008	27	21.9	.36	256	.038	<1	1.04	.006	.04	.1	.02	2.9	.1	<.05	3	.5	15
E175993	1.5	12.9	60.5	31	.3	8.3	3.4	135	1.86	10.9	.7	2.7	8.5	6	.1	.6	.2	36	.06	.014	14	15.9	.25	247	.025	<1	1.17	.004	.06	.1	.01	1.8	.1	<.05	4	<.5	15
E175994	1.2	14.0	49.3	39	.4	7.3	3.3	127	1.58	8.1	.6	3.5	8.2	6	.1	.6	.3	29	.05	.010	14	14.7	.28	238	.022	<1	.98	.004	.06	.1	.01	1.5	.1	<.05	3	<.5	15
E175995	.8	9.7	24.1	25	.1	5.8	2.4	73	1.18	6.6	.5	2.0	8.0	6	<.1	.5	.2	23	.05	.008	16	11.3	.22	167	.025	<1	.73	.004	.05	.1	.01	1.1	<.1	<.05	3	<.5	15
E175996	.9	11.5	22.7	33	.1	9.5	3.5	101	1.66	7.7	.5	5.2	7.3	8	.1	.5	.2	31	.07	.012	17	16.6	.27	273	.034	<1	1.03	.005	.05	.1	.01	1.7	<.1	<.05	3	<.5	15
E175997	.9	10.6	40.1	32	.2	7.4	2.8	83	1.26	7.9	.6	1.9	7.5	9	.1	.6	.3	25	.07	.012	18	13.6	.24	294	.027	<1	.74	.004	.05	.1	.01	1.5	<.1	<.05	2	<.5	15
E175998	.7	12.0	40.0	45	.1	8.2	3.6	134	1.23	11.6	.8	4.7	5.9	9	.1	.4	.2	24	.09	.017	14	19.2	.36	188	.029	<1	.71	.004	.04	.1	.01	1.7	<.1	<.05	2	<.5	15
E175999	.2	6.0	14.2	25	.1	4.1	2.1	90	.96	11.3	1.1	1.5	9.7	6	<.1	.5	.1	11	.04	.013	10	6.6	.26	95	.012	<1	.68	.002	.07	<.1	.01	1.4	.1	<.05	3	<.5	15
E176000	.6	11.6	29.8	56	.1	6.9	3.2	139	1.06	17.4	1.0	3.2	7.6	10	.2	.3	.1	17	.12	.026	21	13.1	.38	203	.035	<1	.63	.005	.06	.1	.01	1.7	.1	<.05	2	<.5	15
1700E 3900N	1.4	15.1	35.9	73	.8	6.8	4.1	262	1.70	5.2	2.9	4.6	9.9	36	.3	.2	.4	20	.34	.034	42	12.2	.55	269	.018	<1	1.12	.006	.10	.1	.02	2.0	.1	<.05	4	.6	15
1700E 4000N	2.0	12.2	38.3	61	.8	6.3	2.3	78	1.31	4.7	1.0	4.5	9.2	5	.2	1.0	.2	22	.05	.011	19	9.7	.26	222	.017	<1	.77	.005	.05	.1	.01	1.2	.1	<.05	3	<.5	15
1700E 4100N	.8	10.2	47.8	77	.8	9.1	6.0	261	1.84	5.3	1.3	3.1	9.5	7	.3	.4	.2	32	.05	.018	30	17.4	.42	294	.021	<1	1.37	.004	.07	.1	.02	2.2	.1	<.05	5	<.5	15
1700E 4200N	1.0	13.0	33.1	76	1.5	13.7	6.4	298	2.73	10.3	1.4	5.2	10.0	9	.3	.4	.2	56	.08	.025	22	30.2	.48	248	.041	<1	1.98	.006	.07	.1	.02	3.3	.1	<.05	7	<.5	15
1700E 4300N	.9	5.0	17.9	24	.1	5.0	2.1	89	1.16	3.9	.9	6.0	10.0	6	.1	.3	.1	21	.04	.011	29	9.1	.26	147	.020	<1	.83	.003	.08	.1	.01	1.2	.1	<.05	3	<.5	15
RE 1700E 4300N	.8	5.0	17.7	24	.1	4.8	2.0	85	1.14	4.0	.9	2.8	10.5	5	.1	.3	.1	20	.04	.011	28	9.7	.26	136	.019	<1	.83	.003	.08	.1	.01	1.2	.1	<.05	3	<.5	15
1900E 3900N	4.2	39.4	363.7	99	1.4	4.6	1.7	72	1.93	4.6	1.7	10.7	10.6	12	.2	1.3	.6	11	.02	.019	27	10.8	.28	226	.005	<1	.68	.003	.07	.6	.04	1.1	.1	.06	2	1.3	15
1900E 4000N	.5	6.1	25.9	43	.4	4.9	1.9	74	.99	3.7	1.0	2.9	9.2	8	.1	.2	.2	21	.07	.013	22	10.9	.28	242	.023	<1	.82	.004	.06	.1	.01	1.4	.1	<.05	3	<.5	15
1900E 4100N	.5	10.8	30.8	40	.4	8.6	3.5	126	1.47	6.0	1.1	12.1	9.9	8	.1	.4	.2	28	.08	.015	25	16.7	.36	193	.031	<1	.97	.005	.06	.1	.02	2.1	.1	<.05	3	<.5	15
1900E 4200N	.6	14.7	22.3	57	.3	11.8	5.1	190	1.87	7.1	1.5	3.7	12.1	9	.2	.4	.2	32	.07	.017	27	20.7	.39	182	.033	<1	1.21	.004	.06	.1	.02	3.0	.1	<.05	4	<.5	15
1900E 4300N	.4	14.0	24.2	46	.1	7.3	4.0	143	1.28	4.7	1.8	3.5	16.3	6	.1	.4	.2	18	.04	.010	45	13.1	.36	169	.021	<1	.84	.003	.07	<.1	.02	2.9	.1	<.05	3	<.5	15
2100E 3900N	.9	10.6	53.5	48	.8	6.4	3.0	159	1.06	3.9	1.6	3.8	9.2	9	.1	.4	.3	18	.09	.015	23	9.9	.21	272	.017	<1	.61	.004	.07	.1	.03	1.3	<.1	<.05	2	<.5	15
2100E 4000N	.9	11.9	22.5	48	.2	11.8	4.8	207	1.83	8.8	1.3	3.7	6.5	17	.1	.4	.2	32	.13	.021	27	19.9	.41	259	.033	<1	1.12	.006	.07	.1	.02	2.3	.1	<.05	4	<.5	15
2100E 4100N	.6	12.2	17.0	37	.2	12.4	6.1	259	1.80	7.8	1.0	1.9	9.8	16	<.1	.4	.1	31	.13	.018	31	21.9	.56	503	.030	<1	1.08	.005	.08	.1	.01	3.3	.1	<.05	4	<.5	15
2100E 4200N	.5	10.0	24.9	32	.2	7.4	4.0	124	1.39	8.0	.7	2.6	11.2	8	<.1	.3	.1	19	.06	.017	27	13.0	.36	148	.018	<1	.92	.003	.07	.1	.01	2.0	.1	<.05	3	<.5	15
2100E 4300N	.6	5.0	9.8	21	.2	4.1	2.2	185	1.00	7.2	.5	.6	1.7	11	.1	.2	.1	26	.09	.031	17	7.4	.17	175	.025	<1	.52	.004	.07	.1	.01	.9	.1	<.05	3	<.5	15
2500E 3400N	.5	6.9	14.8	30	.2	4.7	2.6	89	1.09	7.1	1.0	1.8	5.4	12	.1	.2	.1	17	.11	.028	21	8.9	.22	239	.024	<1	.64	.004	.08	.1	.01	1.5	.1	<.05	3	<.5	15
2500E 3500N	.5	8.5	15.7	30	.1	5.0	2.9	114	1.23	9.1	1.6	3.1	8.8	12	.1	.2	.1	17	.13	.032	26	9.3	.22	210	.024	<1	.65	.004	.08	.1	.01	1.9	<.1	<.05	3	<.5	15
2500E 3600N	.5	8.7	11.7	34	.1	6.3	3.4	116	1.43	8.8	1.1	4.2	8.2	11	<.1	.3	.1	21	.12	.019	23	11.7	.28	202	.025	<1	.70	.004	.07	.1	.01	2.0	.1	<.05	3	<.5	15
2500E 3700N	.4	6.9	9.5	39	.1	3.9	2.7	138	1.40	8.6	1.2	1.9	9.8	11	.1	.2	.1	10	.09	.029	26	6.2	.22	170	.013	<1	.58	.003	.10	.1	<.01	1.8	.1	<.05	3	<.5	15
2500E 3800N	.7	8.8	15.4	30	.1	8.5	3.9	154	1.50	8.1	.9	4.3	6.1	10	.1	.3	.1	26	.12	.022	22	15.7	.31	215	.025	<1	.84	.004	.06	.1	.01	1.7	<.1	<.05	3	<.5	15
2500E 3900N	.8	9.8	14.6	29	.1	7.2	3.6	142	1.33	7.6	1.2	1.7	8.4	14	.1	.3	.1	20	.13	.022	23	12.7	.31	259	.026	<1	.74	.004	.08	.1	.01	2.0	.1	<.05	3	<.5	15
2500E 4000N	.8	10.0	14.8	43	.1	9.8	4.8	227	1.91	7.9	.9	1.6	6.2	14	.1	.3	.2	29	.12	.016	14	16.5	.39	301	.036	<1	1.09	.004	.07	.1	.01	2.2	.1	<.05	4	<.5	15
STANDARD DS5	12.3	143.2	25.5	137	.3	24.6	11.7	794	3.05	18.7	6.1	40.9	2.9	45	5.6	3.8	6.3	62	.72	.092	12	186.6	.69	142	.098	16	2.00	.036	.14	5.0	.18	3.7	1.0	<.05	6	5.2	15

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
5200 2900	1.5	6.2	24.5	25	.1	7.0	2.4	87	1.23	17.3	.8	4.1	8.8	4	.1	.4	.1	20	.04	.011	21	10.8	.19	129	.013	<1	.97	.004	.06	.1	.01	1.4	.1	<.05	3	<.5	15.0
5200 3000	1.3	12.8	38.0	41	.2	9.3	3.8	128	2.19	8.9	.9	2.4	6.0	10	.1	.5	.3	51	.09	.022	26	22.1	.30	369	.041	1	1.23	.005	.06	.1	.02	2.0	.1	<.05	5	.5	15.0
5200 3100	.8	9.6	33.8	37	.2	7.5	3.2	124	1.51	11.7	1.0	2.6	12.6	7	.1	.4	.2	24	.06	.009	27	15.7	.31	155	.015	<1	1.22	.003	.08	.1	.01	1.9	.1	<.05	4	<.5	15.0
5200 3200	.6	10.7	18.3	32	<.1	8.5	4.6	213	1.26	10.0	1.2	3.8	10.6	9	.1	.5	.1	22	.08	.016	26	13.4	.28	181	.028	<1	.71	.004	.07	.1	.01	1.8	.1	<.05	2	<.5	15.0
5200 3300	.9	14.3	20.3	40	.1	13.5	4.8	167	1.85	7.6	.9	2.3	9.0	9	<.1	.6	.3	35	.09	.016	21	21.6	.39	352	.030	<1	1.30	.005	.07	.1	.01	2.4	.1	<.05	4	<.5	15.0
5200 3400	.9	31.2	14.3	71	.2	23.2	8.4	380	2.45	12.4	.8	19.4	6.2	24	.2	.8	.2	45	.36	.070	22	28.3	.53	322	.055	1	1.15	.015	.07	.2	.03	3.7	.1	<.05	4	<.5	15.0
5200 3500	.8	16.1	17.8	40	.1	11.9	4.2	142	1.75	7.4	1.9	4.5	6.5	15	.1	.4	.2	37	.15	.020	24	20.6	.35	310	.038	<1	1.14	.006	.08	.1	.02	3.0	.1	<.05	4	<.5	15.0
5200 3600	.5	13.5	14.4	41	.1	10.5	3.8	146	1.55	5.8	1.3	2.1	7.7	17	.1	.3	.2	29	.20	.034	25	17.0	.35	274	.042	<1	.96	.006	.09	.1	.01	2.7	.1	<.05	4	<.5	15.0
5200 3700	.8	12.5	15.6	45	.1	12.2	4.1	161	1.92	7.8	1.1	4.4	7.4	13	.1	.4	.2	37	.14	.028	21	20.9	.39	268	.040	<1	1.24	.006	.08	.2	.02	2.7	.1	<.05	5	.5	15.0
5200 3800	.6	6.4	24.0	33	.1	8.4	3.9	137	1.55	7.1	1.0	1.5	7.9	9	.1	.3	.2	31	.09	.022	22	16.2	.29	236	.029	<1	1.02	.004	.06	.1	.02	1.9	.1	<.05	4	<.5	15.0
5200 3900	.8	12.1	17.0	31	.1	9.4	3.1	89	1.43	4.9	1.3	1.6	2.0	18	.1	.2	.2	31	.14	.031	18	18.5	.26	531	.029	1	1.10	.006	.08	.1	.03	1.8	.1	<.05	4	.5	15.0
5200 4000	.7	13.0	13.9	30	.1	9.9	3.8	127	1.48	5.8	1.3	4.0	7.1	13	.1	.4	.1	32	.13	.023	27	17.7	.31	527	.042	1	.94	.006	.06	.1	.03	2.3	.1	<.05	3	<.5	15.0
RE 5200 4000	.7	13.4	14.8	31	.1	10.1	3.7	127	1.49	6.0	1.3	1.0	7.3	12	.1	.3	.1	31	.12	.023	26	17.9	.31	523	.039	<1	.92	.006	.06	.1	.02	2.3	.1	<.05	3	.5	15.0
5200 4100	1.5	15.7	13.0	32	.2	11.2	4.5	146	1.88	7.7	1.2	2.4	5.4	14	.1	.5	.1	35	.12	.032	21	20.8	.32	454	.039	<1	.97	.007	.05	.1	.05	2.6	.1	<.05	3	.6	15.0
5200 4200	1.0	12.3	15.9	40	.4	8.3	3.3	118	2.24	6.1	1.6	3.5	3.4	22	<.1	.3	.2	29	.09	.042	29	16.4	.34	227	.025	<1	1.04	.007	.06	.1	.03	1.7	.1	<.05	4	.6	15.0
5200 4300	.9	15.8	34.8	106	.2	6.0	6.7	335	2.08	6.3	3.1	.7	14.3	10	.1	.4	.3	6	.03	.033	41	6.0	.32	115	.004	<1	1.18	.002	.03	<.1	.01	1.9	.1	<.05	3	.6	15.0
5400 2800	.7	4.2	17.8	18	.2	4.1	1.7	74	.99	7.4	.7	.9	7.4	6	<.1	.3	.1	21	.05	.011	19	7.7	.17	265	.020	<1	.55	.003	.08	.1	.01	1.1	.1	<.05	3	<.5	15.0
5400 2900	1.1	12.4	34.5	38	.4	13.5	4.7	137	1.98	12.0	1.5	5.8	11.7	7	.1	.5	.2	39	.06	.013	21	24.0	.34	167	.037	1	1.50	.004	.07	.1	.03	3.1	.1	<.05	5	.5	15.0
5400 3000	1.9	17.8	67.6	73	1.1	12.0	4.8	207	2.87	13.6	.7	1.5	6.8	8	.1	.8	.4	60	.08	.021	15	26.5	.38	275	.045	<1	1.54	.005	.08	.1	.02	2.4	.1	<.05	7	<.5	7.5
5400 3100	1.1	8.1	26.4	42	.6	7.9	3.2	143	2.21	9.6	.8	6.3	7.6	9	.2	.4	.2	41	.08	.016	16	18.6	.32	154	.034	<1	1.35	.004	.10	.1	.01	2.2	.1	<.05	6	<.5	15.0
5400 3200	.8	6.0	14.6	19	.1	4.4	2.2	88	1.10	8.9	.7	1.2	4.8	6	.1	.4	.2	22	.05	.016	13	7.7	.17	170	.014	<1	.58	.002	.07	.1	.01	1.2	.1	<.05	3	<.5	15.0
5400 3300	.7	4.5	9.3	16	.1	2.2	1.5	102	1.07	5.9	.8	<.5	6.5	4	.1	.3	.1	23	.03	.021	30	6.8	.11	323	.011	<1	.70	.002	.09	.1	.01	1.1	.1	<.05	3	<.5	15.0
5400 3400	.6	8.1	19.7	32	.2	8.9	4.0	146	1.64	7.2	.7	2.2	7.3	9	.1	.4	.2	35	.09	.011	21	21.0	.37	156	.039	1	1.15	.004	.10	.1	.02	2.1	.1	<.05	4	<.5	15.0
5400 3500	.9	4.8	18.4	19	.1	3.0	1.8	73	1.00	9.2	1.0	.9	9.7	4	.1	.3	.1	10	.03	.007	16	6.0	.22	133	.009	<1	.67	.002	.10	<.1	.01	1.5	.1	<.05	2	<.5	15.0
5400 3600	.7	12.7	32.9	45	.2	13.3	5.9	185	2.13	10.2	1.0	3.0	12.1	9	.1	.5	.3	35	.07	.015	14	24.3	.42	160	.034	1	1.59	.005	.08	.1	.03	2.6	.1	<.05	4	.5	15.0
5400 3700	.5	11.2	15.4	38	<.1	8.6	4.3	221	1.48	8.4	1.5	3.4	7.6	9	.1	.3	.2	22	.08	.017	28	13.4	.31	227	.030	<1	.85	.004	.09	.1	.01	2.5	.1	<.05	3	<.5	15.0
5400 3800	.3	6.4	21.3	28	.1	3.7	2.2	88	.90	2.2	1.3	.6	3.9	10	.1	.1	.2	12	.08	.021	30	7.0	.38	226	.022	1	.84	.004	.10	.1	.01	1.1	.1	<.05	3	<.5	15.0
5400 3900	.5	11.2	14.7	40	.1	8.3	4.1	151	1.56	4.8	1.2	11.0	9.4	13	.1	.4	.1	25	.11	.022	30	15.0	.42	208	.041	1	1.08	.005	.08	.1	.02	2.6	.1	<.05	4	<.5	15.0
5400 4000	.9	14.2	26.2	43	.1	14.6	5.6	163	2.12	8.2	.8	2.5	6.9	13	.1	.5	.2	41	.13	.026	16	24.0	.38	419	.043	1	1.22	.005	.06	.2	.03	2.4	.1	<.05	4	.5	15.0
5400 4100	.6	10.4	15.9	32	.1	8.9	3.6	126	1.41	6.0	.9	2.5	8.0	8	<.1	.4	.1	29	.07	.011	19	15.8	.29	396	.031	1	.84	.005	.05	.1	.02	2.0	<.1	<.05	3	<.5	15.0
5400 4200	1.2	10.8	31.4	33	.2	10.6	4.6	188	2.05	9.4	.9	.6	9.7	9	.1	.4	.2	39	.08	.032	20	19.1	.29	438	.027	1	1.45	.006	.08	.2	.03	2.1	.1	<.05	4	.7	15.0
5400 4300	1.7	19.2	13.9	43	.1	14.8	7.2	244	2.22	10.1	1.3	2.6	7.1	12	.1	.6	.1	40	.09	.020	21	24.6	.36	383	.039	<1	1.22	.007	.06	.1	.03	3.2	.1	<.05	4	.7	15.0
5400 4500	1.1	15.2	27.0	33	.4	11.1	7.5	260	1.84	14.6	1.0	5.3	4.5	14	.1	.7	.2	23	.08	.038	20	15.1	.25	237	.027	<1	.81	.011	.08	.1	.07	1.6	.1	.07	3	.6	15.0
5600 2800	.8	4.1	16.5	19	.3	5.0	2.3	134	1.27	6.8	.8	.8	9.3	6	<.1	.3	.2	24	.05	.023	14	9.7	.15	384	.015	<1	.83	.002	.07	.1	.01	1.1	<.1	<.05	3	<.5	15.0
STANDARD DS5	12.3	147.2	25.7	139	.3	24.4	11.7	773	2.98	17.8	6.2	43.6	3.0	46	5.7	3.9	6.0	60	.72	.092	13	177.9	.68	144	.101	17	1.97	.036	.15	4.5	.17	3.8	1.0	<.05	7	5.1	15.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
5600 2900	1.2	6.9	22.0	25	.2	6.1	2.4	85	1.54	7.7	.6	1.9	7.5	6	.1	.4	.2	31	.05	.016	13	14.1	.18	256	.020	1	.97	.003	.06	.2	.01	1.3	.1	<.05	3	<.5	15
5600 3000	.7	5.4	22.6	21	.1	3.8	1.6	63	.81	6.6	.8	3.3	7.8	5	.1	.3	.1	14	.04	.006	13	7.4	.16	99	.017	<1	.55	.003	.07	.1	.01	.9	<.1	<.05	2	<.5	15
5600 3100	.5	6.3	19.8	21	.1	4.5	2.1	73	.95	9.6	1.1	3.3	10.6	5	.1	.4	.2	13	.03	.009	12	8.2	.15	83	.014	<1	.66	.002	.06	.1	.01	1.0	<.1	<.05	2	<.5	15
5600 3200	.6	10.1	24.9	33	.1	9.5	4.4	129	1.57	10.5	2.0	6.4	13.1	7	.1	.4	.2	27	.06	.010	38	17.6	.30	167	.025	1	.98	.004	.06	.1	.02	1.8	.1	<.05	3	.5	15
5600 3300	.4	6.7	18.7	21	.1	5.9	2.9	81	1.16	5.1	1.0	2.1	9.4	6	<.1	.3	.2	23	.04	.009	28	12.1	.23	303	.018	<1	.80	.004	.06	.1	.01	1.3	.1	<.05	3	<.5	15
5600 3400	.6	17.1	12.7	38	.2	15.3	6.4	194	2.03	8.6	1.5	4.5	7.9	10	<.1	.4	.1	41	.08	.009	22	26.8	.42	314	.042	<1	1.30	.006	.04	.1	.02	2.8	.1	<.05	4	.5	15
5600 3500	.5	8.2	12.1	31	.1	7.8	3.8	121	1.50	7.1	.6	4.0	6.3	8	.1	.3	.1	27	.05	.015	11	14.2	.27	160	.025	<1	1.03	.003	.07	.1	.01	1.5	.1	<.05	3	<.5	15
5600 3600	.9	*16.0*	17.1	*45*	.3	21.2	9.0	192	2.49	12.0	.7	1.9	6.1	9	.1	.6	.2	49	.08	.033	34	27.6	.41	214	.036	1	2.07	.006	.06	.1	.06	2.9	.1	<.05	5	<.5	15
5600 3700	.4	3.2	11.1	28	.1	4.9	3.0	139	1.60	4.9	.8	.7	9.0	6	.1	.2	.1	20	.04	.030	8	9.1	.30	81	.028	<1	.96	.002	.07	.1	.01	1.8	.1	<.05	4	<.5	15
5600 3800	.7	5.2	10.1	23	.1	4.2	2.2	141	1.76	8.0	.7	9.5	2.8	6	.1	.2	.2	34	.05	.026	10	9.8	.18	179	.022	<1	.81	.003	.07	.1	.01	1.0	.1	<.05	4	<.5	15
5600 3900	.5	7.3	16.4	30	.1	5.3	3.7	123	1.35	4.4	.5	<.5	8.5	6	.1	.3	.2	28	.05	.014	28	11.8	.37	131	.038	<1	.90	.004	.06	.1	.01	1.3	.1	<.05	4	<.5	15
5600 4000	.4	10.8	18.4	37	.1	7.1	4.1	148	1.58	6.4	.8	1.1	10.0	8	.1	.3	.2	18	.05	.011	19	10.4	.37	160	.023	<1	.98	.003	.09	.1	.02	1.9	.1	<.05	3	<.5	15
L5600 4100	1.1	19.7	30.4	65	.6	16.3	10.9	401	2.79	10.0	1.0	1.7	8.1	11	.1	.4	.3	64	.09	.025	27	34.5	.46	607	.045	<1	2.05	.007	.08	.1	.02	3.2	.1	<.05	6	.5	15
L5600 4200	1.0	17.1	43.1	47	.2	17.7	7.4	198	2.29	11.0	.9	3.5	11.8	8	.1	.6	.2	46	.07	.016	22	28.5	.39	401	.036	<1	1.79	.006	.06	.1	.04	2.9	.1	<.05	4	.5	15
L5600 4300	1.0	9.0	13.2	35	.4	5.4	3.4	299	1.75	5.3	.4	1.1	2.5	8	.2	.3	.2	51	.07	.034	11	13.9	.13	306	.032	<1	1.01	.004	.04	.2	.03	1.2	.1	<.05	5	<.5	15
RE L5800 3100	.5	5.8	16.3	22	.2	5.3	2.6	93	1.26	7.6	.8	3.1	6.9	6	.1	.3	.2	24	.05	.013	19	11.5	.21	153	.022	<1	.81	.003	.06	.1	.01	1.2	.1	<.05	3	<.5	15
L5600 4400	1.0	7.1	17.7	19	.2	4.2	1.8	123	.94	4.1	.5	3.0	1.5	12	.1	.3	.2	41	.08	.022	17	9.8	.10	538	.036	1	.65	.005	.05	.1	.02	1.0	.1	<.05	4	<.5	15
5600 4500	.5	9.4	16.3	28	<.1	10.6	5.4	144	1.46	7.0	.8	.9	7.4	8	.1	.4	.2	31	.07	.015	20	16.7	.25	355	.028	1	1.01	.004	.05	.1	.01	1.5	.1	<.05	3	<.5	15
5800 2800	.4	5.8	19.5	20	.1	3.8	1.8	54	.71	7.5	1.1	1.7	7.3	4	.1	.3	.1	11	.03	.009	29	6.5	.14	154	.013	<1	.45	.003	.06	.1	<.01	.8	<.1	<.05	1	<.5	15
5800 2900	.7	7.4	30.5	30	.4	3.4	1.4	55	.72	5.5	1.5	2.2	8.6	6	.1	.2	.2	16	.05	.009	26	6.9	.16	182	.025	<1	.60	.003	.06	.1	.01	1.0	.1	<.05	2	<.5	15
5800 3000	.9	14.7	61.2	48	.1	7.7	3.7	125	1.52	13.7	2.5	4.1	12.3	6	.1	.5	.2	25	.06	.017	28	12.8	.24	122	.037	<1	.82	.004	.05	.1	.01	1.6	.1	<.05	3	<.5	15
5800 3100	.5	5.6	15.7	22	.2	5.4	2.5	89	1.18	7.1	.7	2.5	7.1	6	.1	.3	.2	23	.05	.011	19	11.4	.20	145	.023	<1	.74	.003	.07	.1	.01	1.3	.1	<.05	3	<.5	15
5800 3200	.6	11.3	21.5	33	.3	8.8	4.3	132	1.55	8.8	1.4	2.3	8.0	6	.1	.4	.2	30	.05	.016	23	15.4	.25	187	.025	<1	.99	.004	.08	.1	.02	1.8	.1	<.05	4	<.5	15
5800 3300	.6	16.8	16.2	46	.1	15.1	6.5	163	2.03	9.0	2.2	3.8	11.9	8	.1	.5	.2	39	.06	.008	36	25.4	.39	247	.045	1	1.23	.006	.06	.1	.02	3.1	.1	<.05	4	<.5	15
5800 3400	.8	11.9	20.9	39	.3	11.8	5.5	153	1.98	9.0	.7	4.2	9.3	8	.1	.4	.2	39	.06	.013	21	21.9	.37	289	.038	<1	1.41	.005	.07	.1	.02	2.2	.1	<.05	4	<.5	15
5800 3500	.6	10.2	17.5	29	.1	9.6	4.2	111	1.50	7.5	.6	3.1	8.3	7	<.1	.4	.2	28	.06	.011	17	16.0	.28	243	.028	<1	.99	.004	.06	.1	.01	1.9	.1	<.05	3	<.5	15
5800 3600	.6	5.3	12.4	18	.2	3.2	2.1	77	1.18	6.4	.8	<.5	8.9	5	.1	.3	.2	18	.03	.018	11	7.1	.14	94	.024	<1	.48	.002	.07	.1	.01	1.3	.1	<.05	2	<.5	15
5800 3700	.8	10.0	18.4	34	.1	10.3	4.6	143	2.19	9.7	.8	4.6	7.4	7	.1	.4	.2	36	.06	.024	13	17.3	.31	133	.027	<1	1.23	.004	.07	.1	.02	1.9	.1	<.05	4	<.5	15
5800 3800	.5	5.1	11.0	55	.1	3.9	3.6	212	1.98	8.1	1.3	.6	11.3	8	<.1	.2	.1	17	.06	.027	11	7.3	.48	125	.034	<1	1.03	.003	.14	.1	.01	1.9	.1	<.05	5	<.5	15
5800 3900	.5	5.9	11.1	33	.1	4.7	3.3	141	1.41	14.3	2.3	4.5	10.3	5	<.1	.4	.1	15	.04	.018	23	9.0	.24	129	.010	<1	.91	.003	.06	<.1	.02	1.8	<.1	<.05	3	<.5	15
5800 4000	.9	6.5	19.3	32	.3	3.7	2.5	112	1.09	2.3	2.6	3.1	13.3	26	.1	.2	.2	10	.21	.025	44	5.3	.39	348	.027	<1	.75	.003	.09	.1	.02	2.0	.1	.07	3	<.5	15
5800 4100	.7	9.1	28.0	59	.1	6.9	7.1	259	2.19	5.0	1.8	2.3	18.8	25	.1	.3	.2	21	.21	.017	84	21.5	.97	233	.065	<1	1.29	.004	.19	.1	.01	3.6	.3	<.05	5	<.5	15
5800 4200	.8	10.4	51.0	46	.1	12.1	5.1	161	2.02	6.6	.8	1.8	8.9	10	.1	.4	.2	41	.09	.014	25	22.3	.44	335	.047	<1	1.26	.006	.06	.1	.02	2.1	.1	<.05	4	<.5	15
5800 4300	.7	14.0	43.4	32	.1	10.2	4.1	142	1.72	7.3	1.3	2.7	7.6	8	.1	.4	.2	36	.07	.023	33	19.5	.28	310	.030	1	1.17	.005	.06	.1	.02	2.0	.1	<.05	4	<.5	15
STANDARD DS5	12,8	140.9	25.2	134	.3	25.0	12.7	764	3.04	18.8	6.3	43.2	2.7	47	5.5	3.7	6.4	61	.72	.093	12	186.7	.69	145	.092	19	1.95	.035	.14	4.9	.17	3.3	1.1	<.05	6	4.9	15

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
5800 4400	.9	11.0	21.7	37	.1	12.3	5.2	178	1.78	8.5	.8	4.7	8.3	6	.1	.5	.2	37	.05	.010	16	20.6	.30	302	.029	1	1.28	.004	.04	.1	.01	1.9	.1	<.05	4	<.5	15.0
5800 4500	1.4	16.5	31.4	31	.3	9.3	3.3	156	1.63	8.2	1.0	1.7	1.2	10	.2	.4	.3	43	.08	.030	26	17.9	.21	323	.021	<1	.99	.007	.05	.1	.04	1.2	.1	<.05	5	.5	15.0
5800 4600	.6	8.7	37.7	35	.1	6.6	2.6	122	1.08	3.7	1.7	1.3	18.1	7	.1	.3	.2	18	.06	.010	46	11.0	.43	229	.023	1	.91	.004	.07	.1	.01	1.6	.1	<.05	3	<.5	15.0
5800 4700	2.1	16.6	14.9	60	.1	17.8	6.2	239	3.28	14.0	.8	2.4	7.0	15	.1	.8	.2	50	.07	.038	22	25.3	.33	358	.033	1	1.43	.011	.16	.1	.04	2.5	.1	.27	5	.6	15.0
6000E 3200N	1.7	18.6	64.8	54	.3	9.1	3.6	135	2.21	10.1	.6	1.4	7.8	9	.2	.7	.3	43	.06	.016	19	18.9	.28	309	.020	1	1.30	.004	.07	.1	.01	1.8	.1	<.05	4	<.5	15.0
6000E 3300N	1.2	7.2	25.9	29	.3	7.6	3.2	129	1.93	12.1	.4	1.5	5.3	9	.1	.4	.2	53	.10	.013	13	16.8	.27	188	.038	<1	1.03	.004	.07	.1	.02	1.8	.1	<.05	5	<.5	15.0
6000E 3400N	.9	9.2	53.7	43	.1	8.9	4.2	178	1.75	10.4	1.5	5.5	12.1	8	.1	.4	.2	31	.07	.011	20	18.3	.34	221	.027	1	1.22	.005	.08	.1	.01	2.2	.1	<.05	4	<.5	15.0
6000E 3500N	.7	5.4	12.9	20	.1	4.6	2.4	100	1.08	6.7	1.1	.6	9.8	5	<.1	.3	.2	16	.05	.022	19	7.2	.17	119	.017	<1	.57	.002	.08	.1	.01	1.4	.1	<.05	2	<.5	15.0
6000E 3600N	.3	9.1	15.1	29	<.1	8.2	3.9	163	1.26	5.5	1.5	4.7	8.9	8	.1	.5	.1	24	.08	.018	31	14.6	.28	119	.034	<1	.75	.004	.05	.1	.01	2.0	.1	<.05	3	<.5	15.0
6000E 3700N	.8	6.7	22.9	34	.2	7.5	3.3	149	1.75	9.6	1.3	8.8	7.1	10	.1	.3	.2	33	.09	.028	24	15.1	.29	165	.027	<1	.98	.004	.08	.1	.02	2.0	.1	<.05	4	<.5	15.0
6000E 3800N	.3	6.8	13.9	31	.1	6.3	3.3	146	1.28	5.2	1.6	3.6	9.2	8	.1	.3	.1	17	.06	.013	18	11.1	.31	179	.023	<1	.90	.003	.09	.1	.01	2.2	.1	<.05	3	<.5	15.0
6000E 3900N	.4	7.9	14.9	36	.1	7.2	3.4	156	1.57	7.4	.8	10.1	8.1	8	<.1	.4	.1	26	.08	.010	18	14.7	.33	190	.025	<1	1.07	.004	.09	.1	.01	2.3	.1	<.05	4	<.5	15.0
6000E 4000N	.8	6.7	13.8	32	.1	5.8	3.2	146	1.53	9.0	1.5	5.0	10.2	5	.1	.4	.1	22	.05	.013	16	13.4	.28	184	.015	1	1.15	.003	.10	.1	.01	2.3	.1	<.05	4	<.5	15.0
6000E 4100N	.5	6.9	17.0	40	.1	6.2	3.6	152	1.72	5.2	1.2	1.7	9.6	7	.1	.4	.2	23	.04	.015	29	12.6	.38	210	.025	1	1.22	.004	.09	.1	.02	2.2	.1	<.05	4	<.5	15.0
6000E 4200N	1.2	9.4	22.7	48	.1	5.5	4.1	230	1.87	10.6	1.7	4.1	11.6	18	.1	.5	.2	19	.12	.017	18	10.9	.46	216	.040	1	1.18	.004	.11	.1	.01	2.6	.2	<.05	4	<.5	15.0
6000 4300N	1.0	3.5	17.3	11	.2	2.5	.9	42	.58	5.0	1.1	.6	8.9	6	.1	.3	.2	10	.05	.006	14	3.9	.08	225	.011	<1	.65	.002	.07	.1	.01	1.3	.1	<.05	2	<.5	15.0
6000E 4400N	.5	4.2	34.7	15	<.1	4.2	2.3	116	.73	3.8	1.6	.6	15.6	4	.1	.3	.2	10	.04	.011	30	7.2	.15	145	.013	<1	.51	.003	.06	.1	.01	1.1	.1	<.05	2	<.5	15.0
6000E 4500N	2.1	5.8	22.9	20	.4	5.6	2.7	98	2.09	7.0	.6	3.2	9.1	18	.1	.7	.2	31	.05	.026	34	15.3	.19	280	.024	<1	.90	.013	.06	.1	.02	1.4	.1	.07	4	.5	15.0
6000E 4600N	2.4	11.0	23.0	26	.2	8.4	3.4	106	2.27	10.2	.7	4.3	8.2	21	.1	.5	.2	30	.07	.033	32	17.7	.23	274	.024	1	1.07	.014	.11	.1	.01	1.6	.1	.18	3	.6	15.0
RE 2183E 3876N	1.4	14.9	17.1	71	.2	20.5	7.6	253	2.64	40.0	1.1	8.8	6.8	18	.2	.7	.2	54	.14	.027	18	32.4	.44	243	.064	1	1.59	.009	.15	.1	.01	3.6	.1	<.05	5	<.5	15.0
6000E 4700N	3.2	9.2	29.3	19	.4	4.6	2.5	63	2.66	11.3	1.3	4.3	14.9	49	<.1	.4	.2	20	.03	.056	54	10.5	.14	591	.010	1	.95	.024	.21	.1	.01	1.2	.2	.39	3	.6	15.0
6000E 4800N	3.9	13.8	32.0	25	.2	7.2	6.3	172	2.75	11.3	1.6	.6	11.5	27	.1	.5	.2	19	.04	.057	60	12.4	.16	390	.014	<1	.81	.028	.13	.1	.01	1.4	.1	.36	2	.8	15.0
6000E 4900N	2.3	11.3	28.7	48	.1	9.4	6.1	379	2.88	5.7	2.1	.9	7.1	20	.1	.3	.1	27	.07	.052	42	15.6	.45	131	.013	<1	1.19	.006	.06	.1	.02	1.4	.1	.06	4	.5	15.0
6000E 5000N	2.0	9.1	33.5	41	.2	5.3	2.8	171	1.58	4.7	2.2	1.9	2.1	13	.1	.3	.2	18	.06	.035	38	8.9	.53	212	.011	1	1.10	.008	.10	.1	.03	1.0	.1	.09	4	<.5	15.0
1557 4135	1.8	10.1	318.4	22	1.6	4.6	1.6	67	1.27	11.3	.6	7.0	9.3	9	.1	8.1	.2	17	.04	.018	23	11.2	.22	275	.023	<1	.66	.004	.11	.1	.16	1.4	.2	.09	2	.8	15.0
1634E 4059N	1.6	31.4	101.9	51	1.6	8.8	3.4	125	1.66	9.4	1.3	5.4	10.9	7	.1	7.8	.2	33	.05	.012	36	17.2	.40	188	.017	<1	1.44	.005	.05	.1	.04	2.0	.2	<.05	5	.5	15.0
1653E 4154N	.7	11.0	45.7	83	.8	10.7	4.9	199	2.11	9.6	1.7	10.7	9.8	13	.2	.5	.2	36	.07	.017	35	21.7	.44	215	.029	1	1.34	.006	.08	.1	.02	2.9	.1	<.05	5	<.5	15.0
1715E 4057N	1.1	49.8	121.3	229	.4	26.3	7.6	452	3.13	9.9	1.4	2.5	6.1	11	.2	.4	.4	62	.07	.025	20	71.6	1.96	230	.027	<1	2.37	.005	.08	.1	.03	5.7	.1	<.05	6	.8	15.0
1816E 3915N	1.0	12.0	46.0	189	.3	6.0	3.8	440	.97	3.2	4.4	1.9	21.9	13	.8	.2	.3	7	.10	.029	63	4.6	.33	174	.004	<1	.58	.003	.09	<.1	.01	1.8	.1	<.05	3	<.5	15.0
1928E 3919N	2.8	150.4	973.6	156	4.6	3.2	.8	87	1.54	3.1	2.4	26.3	17.0	16	.1	2.6	.4	7	.01	.019	37	7.3	.58	230	.003	<1	.81	.003	.09	.1	.05	1.1	.1	.19	2	1.2	7.5
2022E 3894N	2.5	26.5	187.2	87	.9	7.1	2.4	91	1.34	4.0	6.3	8.0	18.4	8	.1	.9	.7	20	.07	.013	45	11.2	.31	305	.020	<1	.87	.004	.06	.3	.04	2.4	.1	<.05	3	.5	15.0
2065E 3871N	3.6	29.0	191.0	294	1.3	3.3	.7	273	2.49	5.5	13.2	2.3	5.1	40	.9	.7	1.3	8	.03	.046	52	1.0	1.43	116	.002	<1	1.37	.013	.05	.1	.01	1.3	<.1	.19	4	.5	15.0
2183E 3876N	1.3	13.8	16.7	66	.2	19.8	7.4	252	2.64	37.2	1.2	5.6	6.6	16	.3	.7	.2	52	.12	.028	17	31.5	.46	227	.057	1	1.58	.010	.14	.1	.01	3.4	.1	<.05	5	<.5	15.0
2212E 3824N	.6	5.8	15.1	47	.2	10.3	6.6	591	1.74	9.7	.9	3.5	6.1	18	.2	.3	.2	35	.19	.029	22	19.6	.35	324	.041	1	1.12	.007	.13	.1	.01	2.5	.1	<.05	4	<.5	15.0
STANDARD DS5	12.5	146.4	24.8	138	.3	25.5	12.0	803	3.00	18.5	6.3	43.9	3.1	45	5.7	3.9	6.3	63	.72	.089	13	187.8	.68	143	.095	19	1.96	.035	.14	4.8	.17	3.7	1.1	<.05	6	4.8	15.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data d FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
2281E 3728N	2.4	16.6	42.2	91	.4	12.0	4.6	359	2.20	97.9	8.6	131.9	16.8	21	.8	.6	.5	24	.14	.038	50	18.6	.33	205	.030	<1	.79	.010	.09	.2	.02	3.6	.1	.07	4	.5	15.0
2300E 3800N	.6	7.2	14.4	31	.1	7.3	3.4	118	1.51	8.4	1.1	2.9	7.3	10	.1	.3	.1	23	.09	.021	17	13.4	.28	144	.025	<1	.81	.004	.07	.2	.01	1.7	.1	<.05	3	<.5	15.0
2300E 4095N	.5	6.5	18.2	31	.1	5.9	3.2	313	1.24	6.0	.7	.6	6.6	17	<.1	.2	.1	19	.10	.024	19	12.2	.34	461	.018	<1	.93	.004	.09	.1	.02	1.8	.1	<.05	4	<.5	7.5
2301E 4002N	.5	6.8	14.2	26	.1	6.3	2.9	110	1.20	5.0	.7	.6	6.4	9	<.1	.3	.1	23	.07	.008	18	12.6	.27	265	.028	<1	.72	.004	.07	.1	.01	1.5	.1	<.05	3	<.5	15.0
2301E 4203N	1.1	16.0	19.9	54	.1	14.8	7.1	256	2.47	11.7	1.2	1.7	7.9	13	.1	.5	.2	49	.11	.018	21	31.5	.48	378	.046	<1	1.69	.006	.07	.1	.02	4.0	.1	<.05	5	.5	15.0
2305E 4294N	1.0	9.7	18.2	36	.1	10.1	4.9	203	2.02	11.8	.7	1.1	6.0	10	<.1	.5	.1	36	.09	.018	18	21.7	.39	295	.030	<1	1.27	.005	.08	.1	.01	2.0	.1	<.05	4	<.5	15.0
2306E 3900N	.4	6.9	15.6	26	.2	6.7	2.9	99	1.32	5.2	.6	.5	6.2	10	<.1	.3	.1	26	.09	.012	19	14.7	.31	215	.030	<1	.90	.004	.09	.2	.01	1.8	.1	<.05	3	<.5	15.0
2344E 3613N	.6	6.0	16.1	30	.2	4.4	2.2	104	1.10	8.4	1.3	6.6	8.1	11	.1	.3	.1	16	.10	.016	26	9.0	.22	216	.021	<1	.62	.004	.09	.1	.01	1.6	.1	<.05	3	<.5	15.0
2696E 3801N	.3	9.3	11.2	36	.1	5.2	3.3	110	1.25	6.0	1.6	3.6	8.9	18	<.1	.3	.1	13	.10	.013	28	8.8	.30	325	.036	<1	.61	.004	.08	.1	.01	2.3	.1	<.05	3	<.5	15.0
2699E 3500N	.5	9.8	15.4	35	.2	6.6	3.2	111	1.49	9.3	1.1	2.8	7.6	13	.1	.3	.1	24	.14	.025	27	12.5	.31	272	.032	<1	.81	.005	.09	.1	.01	2.1	.1	<.05	4	<.5	15.0
2701E 3402N	.4	8.8	23.0	33	.1	6.6	3.1	102	1.36	7.7	1.0	3.7	7.6	14	.1	.3	.1	22	.14	.025	22	13.2	.30	175	.039	<1	.74	.006	.09	.4	.01	1.9	.1	<.05	3	<.5	15.0
2701E 4100N	.8	8.8	18.8	33	.3	7.9	4.1	203	1.63	10.3	.7	2.2	7.0	22	.1	.4	.1	29	.07	.024	17	16.3	.30	290	.025	<1	.98	.004	.08	.1	.02	1.9	.1	<.05	4	<.5	15.0
2702E 3301N	.5	7.5	11.4	32	.1	6.9	3.3	96	1.32	6.9	.8	2.9	6.4	12	.1	.3	.1	22	.13	.026	20	13.8	.29	161	.036	1	.74	.005	.07	.1	.01	1.7	<.1	<.05	3	<.5	15.0
2702E 3692N	.3	6.5	12.3	29	.1	3.4	2.0	72	1.14	12.1	1.6	.8	9.5	9	.1	.2	.1	10	.07	.023	18	4.3	.21	127	.012	<1	.58	.003	.13	.1	.01	1.6	.1	<.05	3	<.5	15.0
RE 2702E 3692N	.3	6.6	11.7	28	.1	3.2	1.9	73	1.15	11.6	1.6	1.7	8.9	9	.1	.2	.1	10	.07	.023	18	5.6	.21	134	.013	<1	.62	.003	.14	.1	.01	1.6	.1	<.05	3	<.5	15.0
2702E 3899N	.4	7.6	15.1	33	.1	5.6	3.7	122	1.35	7.7	1.1	1.9	7.6	15	.1	.3	.1	16	.11	.031	17	9.6	.29	180	.031	<1	.68	.003	.08	.1	.01	1.7	.1	<.05	3	<.5	15.0
2705E 3197N	.5	6.7	13.5	22	.3	3.9	2.2	67	.87	7.1	1.1	4.0	7.8	9	.1	.2	.1	12	.08	.023	25	6.6	.16	139	.016	<1	.52	.003	.08	.1	.02	1.2	<.1	<.05	2	<.5	15.0
2706E 4297N	.8	13.6	13.1	43	.1	13.0	7.0	335	2.00	12.9	.7	1.9	4.2	14	.1	.5	.2	37	.09	.028	16	21.9	.39	259	.030	1	1.47	.005	.07	.1	.01	2.4	.1	<.05	4	<.5	15.0
2709E 3597N	.5	12.5	29.9	40	.3	6.5	2.9	126	1.66	12.6	1.9	12.8	7.6	13	.1	.3	.1	22	.12	.025	25	11.8	.28	267	.022	1	.90	.005	.12	.1	.02	2.7	.1	<.05	4	<.5	15.0
2711E 4003N	.7	7.7	17.4	28	.2	6.2	3.4	100	1.38	8.0	.8	2.4	7.5	13	.1	.4	.2	25	.09	.016	18	13.7	.31	256	.032	<1	.88	.004	.08	.1	.01	1.8	.1	<.05	3	<.5	15.0
2711E 4204N	.6	6.4	14.1	25	.2	4.0	2.1	107	1.15	8.0	.7	<.5	3.9	8	.1	.3	.1	24	.06	.031	11	8.6	.19	265	.018	<1	.64	.003	.08	.1	.01	1.3	.1	<.05	4	<.5	15.0
5318E 4666N	2.1	18.3	30.2	51	.3	13.1	6.2	248	2.16	8.6	2.1	4.4	7.8	13	.1	.6	.2	35	.12	.044	31	22.3	.39	289	.037	1	1.23	.006	.07	.1	.04	2.5	.1	<.05	4	<.5	15.0
5363E 4414N	1.4	21.4	17.8	47	1.5	16.1	7.5	256	3.00	9.4	1.3	10.4	10.3	13	.1	.7	.2	57	.09	.026	20	36.9	.44	262	.052	1	2.09	.007	.06	.1	.06	3.6	.2	<.05	6	<.5	15.0
5464E 4259N	.6	3.0	9.2	9	.1	1.3	.7	32	.55	4.3	.7	2.2	9.4	3	<.1	.2	.2	14	.02	.011	17	3.0	.06	181	.010	<1	.39	.002	.06	.1	.01	.6	<.1	<.05	2	<.5	15.0
5536E 4136N	1.2	14.3	31.5	42	.2	14.9	6.7	272	2.51	10.2	.8	.9	6.2	9	.1	.6	.2	50	.08	.027	17	28.0	.40	378	.043	1	1.64	.006	.06	.1	.03	3.0	.1	<.05	5	<.5	15.0
5601E 4843N	2.5	14.2	27.8	37	.9	6.4	3.0	107	2.09	5.2	1.6	7.4	16.5	17	.1	.6	.2	17	.06	.040	36	11.1	.35	212	.031	<1	.74	.009	.10	.1	.06	1.4	.1	.06	2	.5	15.0
5694E 4915N	1.2	15.5	14.2	59	.3	13.3	8.0	318	2.09	6.1	1.2	2.1	7.4	17	.2	.5	.1	31	.19	.059	23	19.8	.53	257	.039	1	1.13	.006	.05	.2	.02	2.2	.1	<.05	4	<.5	15.0
5800E 5663N	1.1	12.4	16.9	51	.1	12.4	6.8	307	2.69	8.5	.7	.6	4.7	14	.1	.6	.2	56	.13	.039	14	30.1	.55	128	.058	1	1.63	.006	.06	.3	.01	2.8	.2	<.05	8	<.5	15.0
5825E 5099N	1.0	16.0	15.3	44	.1	12.6	5.8	234	1.63	5.5	1.4	1.5	6.3	16	.1	.4	.2	27	.18	.049	26	19.5	.40	262	.040	1	1.07	.005	.06	.1	.02	2.5	.1	<.05	3	<.5	15.0
5873E 5570N	.7	8.5	8.2	55	<.1	6.6	5.3	273	2.11	6.8	1.2	.9	7.3	10	.1	.5	.1	31	.10	.034	14	13.8	.55	80	.084	<1	1.25	.004	.09	.2	.01	2.6	.1	<.05	5	<.5	15.0
5327E 4520N	2.4	20.3	27.9	41	.6	11.0	4.9	204	2.52	6.9	1.7	5.3	8.9	25	.1	.5	.3	27	.10	.049	32	16.2	.40	286	.029	1	1.08	.014	.08	.1	.03	1.7	.1	.12	3	.6	15.0
5419E 4331N	4.0	9.0	21.1	26	.1	6.8	5.3	269	2.54	16.3	1.4	<.5	8.4	13	.1	.6	.1	27	.05	.044	25	15.7	.18	296	.024	<1	.86	.008	.08	.1	.01	1.6	.1	.09	3	.6	15.0
5432E 4730N	1.5	17.5	22.6	41	1.2	10.9	4.2	98	2.34	11.1	2.0	75.1	5.0	15	.1	.8	.2	36	.15	.065	25	21.7	.35	259	.032	1	1.17	.006	.06	.2	.10	2.4	.1	<.05	4	.5	15.0
5597E 5739N	.7	7.5	9.0	37	.1	7.1	4.8	146	1.68	5.2	.7	<.5	5.7	12	<.1	.4	.1	28	.08	.015	8	24.4	.56	94	.049	1	1.28	.004	.04	.1	.01	1.8	.1	<.05	4	<.5	15.0
STANDARD DS6	12.5	145.2	25.7	140	.3	24.7	11.9	772	3.08	19.1	6.3	44.3	3.0	46	5.5	4.0	6.4	61	.74	.094	13	186.0	.70	146	.102	17	2.00	.036	.15	4.7	.18	3.8	1.1	<.05	7	4.7	15.0

Sample type: SOIL SSB0 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA ___

ACME ANALYTICAL

Klondike Gold Corp. PROJECT KLONDIKE FILE # A403127

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample gm
5685 4039	.9	11.1	15.2	47	.1	6.0	5.4	298	1.64	4.6	1.4	2.6	4.6	10	.1	.5	.2	18	.10	.052	14	11.7	.41	149	.028	1	.81	.003	.07	.1	.01	1.7	.1	<.05	4	<.5	15
5697E 5703N	.8	18.0	8.7	48	.1	19.1	8.2	260	2.58	7.3	.7	.8	2.8	10	.1	.4	.2	53	.11	.045	11	44.6	.71	127	.066	1	1.61	.004	.04	.2	.01	2.6	.1	<.05	6	<.5	15
5780E 5012N	1.5	16.2	21.0	44	.2	11.2	4.3	174	1.55	5.8	1.9	1.9	8.7	13	.1	.4	.2	29	.14	.030	39	18.1	.39	342	.032	1	.90	.005	.04	.1	.03	2.3	.1	<.05	3	<.5	15
5928E 5484N	.6	8.2	12.5	38	<.1	7.8	3.6	152	2.05	7.7	.9	5.8	5.3	11	.1	.5	.2	30	.09	.028	11	15.0	.32	65	.046	1	.84	.004	.05	.2	.01	1.8	.1	<.05	4	<.5	15
5938E 5272N	.7	10.3	24.5	42	.3	6.2	4.4	243	1.49	5.1	1.5	1.9	5.8	17	.1	.5	.2	18	.16	.043	31	10.7	.39	222	.025	<1	.86	.003	.08	.1	.02	2.3	.1	<.05	3	<.5	15
RE 156324	.9	6.9	22.5	48	.9	7.2	3.5	160	2.08	7.2	1.1	.8	12.0	17	.1	.3	.2	38	.06	.035	23	16.4	.28	194	.017	<1	1.13	.004	.09	.1	.02	1.5	.1	<.05	5	<.5	15
5944E 5380N	.8	10.8	14.2	41	<.1	10.3	4.8	180	1.97	7.4	.8	1.3	1.8	9	.1	.4	.2	40	.08	.034	15	21.7	.38	152	.032	1	1.22	.005	.05	.1	.02	1.9	.1	<.05	5	.5	15
1736E 3917N	.8	11.8	21.0	52	.2	8.1	3.9	158	1.62	4.7	1.1	1.4	9.1	12	.1	.3	.2	26	.10	.023	30	15.9	.56	176	.035	<1	1.06	.004	.07	.1	.01	1.9	.1	<.05	4	<.5	15
1756E 4008N	1.7	24.6	313.0	63	.6	9.4	3.2	152	2.03	9.3	1.0	5.9	4.2	12	.2	1.5	.3	35	.09	.052	19	24.6	.49	282	.021	<1	1.16	.004	.06	.2	.07	1.9	.1	<.05	4	.8	15
156324	1.0	7.3	21.0	50	.9	7.2	3.5	166	2.10	7.6	1.1	.8	11.6	17	.1	.3	.2	39	.06	.035	23	16.9	.29	197	.021	<1	1.19	.004	.09	.1	.02	1.6	.1	<.05	5	<.5	15
591800 7084400	.9	8.3	19.3	30	.1	6.6	3.3	126	1.44	5.3	1.2	2.1	10.0	19	.1	.3	.2	28	.05	.016	29	14.7	.27	436	.025	1	1.00	.005	.06	.1	.01	1.6	.1	<.05	4	<.5	15
STANDARD DS5	12.8	146.0	26.0	138	.3	24.2	11.8	805	3.05	18.9	6.4	42.7	2.8	46	5.7	3.9	6.3	62	.72	.096	13	190.9	.69	143	.098	16	1.96	.035	.14	5.0	.19	3.7	1.0	<.05	6	5.3	15

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Klondike Gold Corp. PROJECT DAWSON File # A406448 Page 1

711 - 675 W. Hastings St., Vancouver BC V6B 1N2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	1.2	2.3	2.4	43	<.1	3.7	3.4	487	1.66	<.5	3.0	.9	4.7	57	<.1	<.1	.1	32	.48	.068	6	10.1	.54	230	.107	1	.72	.050	.38	1.1	<.01	1.1	.3	<.05	4	<.5
144461	.6	9.6	28.0	46	<.1	9.7	3.4	159	1.68	2.4	1.6	1.1	12.6	13	<.1	.2	.6	15	.10	.022	34	9.8	.64	202	.030	1	.86	.004	.11	.1	.01	1.8	.1	.10	2	.7
144462	1.2	8.3	9.2	29	<.1	6.6	3.0	128	1.77	7.4	1.7	1.4	15.7	12	<.1	.3	.9	20	.04	.021	52	11.5	.38	190	.028	1	.95	.005	.10	.1	.02	1.4	.1	.10	3	1.1
144463	1.0	43.4	9.7	77	<.1	11.9	5.8	286	2.16	7.7	1.3	2.1	11.0	14	.1	.5	.5	30	.11	.013	23	19.6	.53	322	.054	1	1.10	.007	.07	.1	.03	2.8	.1	<.05	4	1.0
144464	1.0	19.3	12.1	44	.1	10.9	4.7	170	1.79	6.0	.9	2.2	5.7	13	<.1	.4	.5	31	.10	.019	18	18.7	.38	222	.046	<1	.92	.006	.05	.1	.01	2.0	.1	<.05	3	.7
144465	1.2	11.2	6.1	50	<.1	12.1	5.5	281	2.36	5.3	1.0	1.8	7.5	10	<.1	.3	.2	38	.08	.017	15	20.4	.78	172	.085	1	1.41	.007	.11	.1	<.01	1.9	.1	<.05	5	<.5
144466	.3	2.0	2.7	35	<.1	1.9	1.6	91	1.11	1.4	2.1	1.0	13.5	8	.1	.1	.1	5	.04	.008	50	3.0	.92	438	.042	<1	.96	.004	.18	<.1	<.01	1.8	.1	<.05	4	<.5
144467	1.6	6.2	5.9	51	.1	4.8	2.4	143	2.24	6.8	2.1	1.1	11.8	5	.1	.6	.2	29	.04	.025	8	10.2	.39	99	.032	1	1.00	.004	.07	.1	.01	1.8	.1	<.05	5	<.5
144468	.8	40.9	23.5	71	<.1	11.4	5.4	353	1.94	4.9	1.5	1.2	10.3	9	.1	.4	.2	36	.07	.018	42	20.6	.39	387	.037	1	1.25	.005	.07	.1	.02	4.7	.1	<.05	4	.5
144469	1.2	20.9	26.6	74	<.1	14.8	6.9	393	2.17	7.1	1.3	1.1	14.1	8	.2	.5	.2	41	.06	.021	39	21.5	.41	183	.045	<1	1.44	.005	.07	.1	.01	2.8	.1	<.05	5	<.5
144470	.9	12.6	22.4	52	.1	15.2	6.0	219	2.28	8.8	.5	.7	4.6	7	.1	.5	.3	41	.07	.028	12	22.9	.37	185	.030	1	1.60	.005	.06	.2	.02	1.8	.1	<.05	5	.5
144471	1.1	12.5	16.4	50	.1	14.4	5.1	252	2.43	8.0	.7	.9	7.1	7	.1	.5	.2	49	.07	.033	27	24.7	.40	201	.040	1	1.69	.006	.06	.1	.02	2.2	.1	<.05	5	<.5
144472	.7	16.3	18.5	45	.1	12.0	4.5	203	1.89	6.4	1.2	1.2	12.3	8	<.1	.4	.2	36	.07	.012	38	20.4	.35	246	.026	<1	1.43	.005	.06	.1	.03	2.5	.1	<.05	4	<.5
144473	.8	15.7	24.7	63	.3	8.1	5.0	441	1.89	6.9	.8	1.7	5.2	7	.2	.8	.4	34	.05	.028	19	17.2	.28	204	.025	1	1.29	.004	.08	.2	.04	1.4	.1	<.05	4	.5
144474	.6	18.3	13.1	47	<.1	11.6	5.2	255	1.77	5.2	.8	2.2	14.5	6	.1	.4	.3	28	.05	.014	19	18.5	.39	184	.032	<1	1.34	.005	.10	.1	.01	2.0	.1	<.05	4	<.5
144475	.8	9.7	15.0	41	.1	12.5	6.8	264	2.01	4.4	.8	1.4	10.3	7	<.1	.6	.2	40	.08	.019	32	34.4	.57	258	.032	<1	1.19	.004	.09	.1	.02	3.5	.1	<.05	3	<.5
RE 144475	.8	9.7	14.8	41	.1	12.7	6.8	249	1.91	4.1	.8	1.3	10.0	7	<.1	.5	.2	38	.08	.017	31	33.3	.59	255	.033	1	1.18	.005	.09	.1	.01	3.4	.2	<.05	4	<.5
144476	1.0	10.4	17.4	65	<.1	7.6	4.3	330	2.14	6.7	.5	.6	2.0	8	.1	.4	.2	51	.07	.043	18	16.0	.36	113	.051	1	.87	.005	.13	.1	.01	2.0	.1	<.05	5	<.5
144477	1.0	15.0	15.4	61	.1	16.6	7.3	251	2.46	7.4	1.0	.9	9.0	14	.1	.4	.2	45	.13	.017	25	26.6	.51	462	.051	<1	1.62	.006	.07	.2	.02	2.6	.1	<.05	5	<.5
144478	1.1	16.1	20.4	57	<.1	9.8	3.6	152	1.73	5.9	1.3	.9	10.4	8	.1	.5	.3	31	.07	.010	30	17.4	.32	217	.033	<1	.97	.005	.05	.1	.01	1.6	.1	<.05	3	<.5
144479	1.5	13.8	15.7	48	.1	8.9	4.0	162	1.67	6.0	2.2	1.7	11.4	8	<.1	.8	.4	26	.05	.012	28	16.1	.33	243	.032	<1	1.01	.006	.06	.1	.03	2.2	.1	<.05	3	.5
144480	1.5	11.4	11.4	39	.1	8.0	4.7	182	1.89	6.9	.7	.9	2.9	8	.2	.4	.4	40	.05	.018	15	17.1	.23	213	.030	<1	1.12	.006	.05	.1	.01	1.7	.1	<.05	5	<.5
144481	1.1	19.6	29.8	76	.1	12.6	7.5	306	1.90	7.4	2.0	16.6	6.3	12	.3	.6	.3	27	.09	.035	25	23.3	.42	223	.038	<1	1.10	.005	.06	.5	.02	1.6	.1	<.05	4	.6
144482	.9	11.2	19.6	50	.1	7.8	5.0	167	1.58	13.6	1.4	20.0	8.9	21	.2	.8	.1	14	.04	.035	24	16.7	.20	324	.010	<1	.63	.016	.08	.1	.01	1.2	.1	.15	2	.5
144483	.3	14.5	13.2	91	.1	16.5	8.5	342	2.12	14.9	1.2	38.2	12.0	12	.2	.9	.1	20	.13	.037	45	26.5	1.02	262	.014	<1	1.45	.004	.08	.1	.01	2.8	.1	<.05	5	<.5
144484	.6	6.9	17.1	48	.1	5.6	2.7	126	1.04	5.3	1.0	10.4	10.3	11	.1	.5	.2	14	.07	.017	27	11.4	.53	135	.019	<1	.79	.004	.07	.1	.01	1.1	.1	<.05	3	<.5
144485	.5	9.3	23.3	48	.2	6.8	3.3	103	1.23	4.5	1.7	20.4	5.8	11	.2	.4	.2	18	.10	.029	30	17.6	.43	208	.020	<1	.83	.005	.06	.1	.01	1.6	.1	<.05	3	.5
144486	.7	14.3	21.9	37	.2	4.6	1.9	88	.90	4.0	2.2	23.0	4.3	10	.2	.3	.1	11	.08	.025	26	11.6	.27	176	.016	<1	.59	.003	.08	.1	.02	1.1	.1	<.05	3	<.5
144487	.4	11.7	25.0	61	.3	6.4	3.0	95	1.23	4.4	2.3	44.6	5.2	11	.3	.4	.1	16	.10	.032	29	14.9	.40	289	.023	<1	.88	.004	.10	.1	.03	1.7	.1	<.05	3	<.5
144488	.5	11.3	28.3	56	.2	7.2	2.8	88	1.22	5.1	2.2	19.6	3.1	11	.3	.3	.2	18	.11	.032	24	15.2	.37	230	.024	<1	.88	.004	.08	.1	.04	1.3	.1	<.05	3	<.5
144489	.5	12.5	70.4	70	.2	5.9	2.5	107	1.27	5.7	2.0	25.0	2.7	10	.2	.4	.2	21	.10	.032	21	14.9	.34	154	.023	<1	.83	.005	.07	.1	.03	1.3	.1	<.05	3	.5
144490	.5	12.3	60.5	52	.1	5.5	2.2	87	1.22	6.3	1.5	34.6	2.9	9	.2	.2	.2	22	.10	.035	23	14.3	.32	194	.025	<1	.86	.005	.07	.1	.03	1.3	.1	<.05	3	.5
144491	.7	16.1	139.7	246	.2	8.7	5.2	258	1.68	14.4	1.4	2.4	8.5	10	.5	.6	.1	25	.13	.035	30	23.6	.59	202	.035	<1	.91	.005	.07	.1	.01	2.2	.1	<.05	3	<.5
144492	.5	14.9	55.6	72	.2	6.7	2.9	113	1.38	5.3	2.2	9.5	3.5	11	.3	.4	.2	21	.10	.037	23	14.0	.34	167	.019	<1	.92	.005	.07	.2	.03	1.2	.1	<.05	3	.6
STANDARD	12.7	139.1	25.3	141	.2	23.9	11.4	762	2.92	17.9	6.8	44.7	3.0	47	5.5	3.9	6.4	58	.71	.091	12	187.5	.71	128	.098	18	1.94	.034	.14	5.1	.18	3.2	1.0	<.05	6	5.1

Standard is STANDARD DS5.

GROUP 1DX - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.

(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.

- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA ____ DATE RECEIVED: OCT 12 2004 DATE REPORT MAILED: Nov. 5/2004

BRITISH COLUMBIA CERTIFIED ASSAYER Jacky Wang

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	1.2	2.4	2.0	41	<.1	3.8	3.9	452	1.65	.5	2.3	<.5	3.5	57	<.1	<.1	.1	37	.48	.068	6	10.3	.53	215	.110	1	.82	.052	.38	1.2	<.01	2.0	.3	<.05	5	<.5
144493	.6	16.6	30.7	44	.2	7.7	3.2	73	1.48	6.1	2.1	9.9	1.6	12	.3	.5	.3	23	.10	.034	22	15.2	.31	217	.015	<1	.98	.004	.07	.1	.04	1.4	.1	<.05	4	.6
144494	.5	10.9	21.1	36	.2	5.3	2.5	75	1.13	4.4	1.5	16.9	.8	11	.3	.4	.2	18	.10	.033	21	13.5	.28	155	.012	1	.76	.004	.07	.1	.03	1.1	.1	<.05	3	<.5
144495	.5	8.0	25.7	34	.2	4.6	2.0	59	.99	4.6	1.4	30.3	1.7	12	.2	.4	.2	16	.10	.030	23	12.4	.26	113	.016	1	.67	.004	.06	.1	.03	1.1	.1	<.05	3	.5
144496	.4	13.1	26.8	35	.3	7.0	2.4	61	1.23	4.3	2.3	11.1	1.3	13	.3	.3	.3	16	.11	.035	27	13.3	.28	254	.010	1	.82	.005	.06	.1	.03	1.3	.1	<.05	4	<.5
144497	.3	8.2	32.7	49	.3	5.3	2.3	82	.94	3.4	1.9	8.1	5.2	13	.2	.4	.3	12	.09	.026	38	12.9	.40	176	.014	<1	.77	.003	.07	.1	.02	1.5	.1	<.05	3	<.5
144498	.7	11.9	23.8	78	.3	12.9	6.5	216	1.78	4.9	1.1	14.7	5.6	21	.2	.5	.2	26	.19	.043	30	32.7	.75	251	.041	<1	1.22	.005	.07	.3	.02	2.7	.1	<.05	5	<.5
144499	.4	17.0	78.3	77	.2	8.0	3.7	113	1.41	7.7	2.2	6.4	2.3	12	.4	.3	.2	27	.11	.032	26	19.0	.36	231	.021	<1	1.07	.006	.06	.1	.03	2.2	.1	<.05	4	<.5
144500	.5	20.8	59.2	89	.2	13.2	7.7	205	2.07	8.3	2.2	3.2	3.3	15	.3	.3	.2	34	.19	.053	24	27.2	.73	321	.022	<1	1.49	.005	.05	.1	.03	3.6	.1	<.05	5	.5
145993	.5	9.8	6.7	37	<.1	8.2	4.0	126	1.50	10.7	.9	5.0	2.7	11	.1	.3	.1	27	.12	.026	17	14.6	.33	210	.033	<1	.97	.005	.05	.2	.02	2.6	<.1	<.05	3	<.5
145994	.5	5.4	6.3	37	<.1	4.7	2.9	141	1.43	14.6	1.0	10.5	4.1	11	<.1	.3	.1	16	.15	.029	25	7.7	.36	297	.016	<1	.92	.004	.07	.1	.01	3.7	.1	<.05	3	<.5
145995	.7	7.9	8.5	35	.1	9.2	4.0	145	1.52	5.8	.6	3.0	2.7	16	.1	.3	.1	32	.16	.020	14	16.5	.31	391	.032	1	.99	.006	.05	.1	.01	2.6	.1	<.05	4	<.5
145996	.5	12.5	8.9	53	<.1	13.2	6.1	240	2.08	6.5	.7	2.0	4.5	12	<.1	.3	.2	37	.16	.024	16	20.6	.50	354	.025	<1	1.63	.006	.05	.1	.03	4.2	.1	<.05	5	.5
145997	.7	8.2	8.8	38	.1	10.6	4.2	127	1.97	7.9	.5	1.2	1.2	13	.2	.4	.2	40	.13	.027	12	21.8	.35	321	.025	<1	1.36	.006	.06	.1	.03	3.0	.1	<.05	5	.5
145998	.5	9.4	7.7	45	.1	11.5	5.9	149	2.24	9.2	.5	<.5	3.4	13	.1	.4	.2	41	.14	.023	12	25.4	.53	249	.017	<1	1.57	.005	.04	.1	.04	4.0	.1	<.05	5	<.5
145999	.8	16.0	8.9	96	<.1	15.9	11.1	381	3.72	130.4	.6	6.4	2.2	13	.2	1.1	.1	53	.06	.036	11	37.8	.35	200	.009	2	1.22	.004	.05	.1	.01	8.9	.1	<.05	3	.6
146000	1.1	13.7	8.4	73	.1	13.4	10.0	391	3.20	13.2	.5	1.0	3.1	11	.2	.5	.2	69	.11	.037	10	55.3	.76	250	.036	<1	2.02	.004	.04	.1	.02	5.6	.1	<.05	7	<.5
158028	1.0	21.5	10.4	67	.2	20.0	10.8	268	2.62	11.9	1.0	3.1	2.8	25	.2	.4	.2	59	.30	.056	16	38.8	.81	304	.041	1	1.65	.007	.04	.2	.03	4.3	.1	<.05	6	.7
158029	.6	16.3	11.0	54	.3	14.2	7.6	266	1.94	8.8	.9	2.3	1.2	21	.3	.2	.2	37	.29	.059	13	33.0	.75	211	.020	1	1.43	.006	.04	.1	.05	3.6	.1	<.05	5	.7
158030	.7	40.6	11.2	76	.3	23.6	9.5	308	2.64	15.1	1.9	2.1	3.4	47	.2	.4	.1	47	.98	.076	27	41.0	1.04	326	.013	1	1.81	.006	.03	.1	.04	7.5	.1	.06	6	1.1
158031	.9	19.8	12.9	69	.2	17.2	10.4	359	2.56	16.4	1.0	1.1	3.8	35	.1	.5	.3	47	.52	.058	18	35.6	.75	423	.028	1	1.66	.008	.04	.2	.02	5.2	.1	<.05	6	.7
158032	1.0	28.8	12.2	72	.3	20.1	10.8	552	2.50	9.5	1.9	1.4	4.7	58	.2	.4	.1	36	.89	.085	37	37.0	.79	461	.013	1	1.54	.008	.06	.1	.03	8.1	.1	.07	4	1.1
RE 158032	.9	28.2	11.5	70	.3	20.1	11.1	536	2.54	9.4	1.8	1.0	4.3	53	.2	.4	.1	38	.83	.078	35	37.9	.77	439	.017	1	1.57	.008	.06	.1	.03	8.1	.1	<.05	5	.8
158033	.9	13.8	8.4	69	.2	14.5	7.3	279	2.26	11.8	.7	1.0	2.9	20	.3	.6	.2	42	.26	.055	14	33.4	.54	374	.024	<1	1.43	.007	.08	.1	.03	4.5	.1	<.05	5	.5
158034	.6	6.7	10.3	28	.1	7.9	4.5	399	1.42	14.0	.6	1.1	3.6	15	.1	.4	.1	24	.16	.019	15	13.6	.25	498	.014	1	1.00	.004	.14	.1	.02	1.8	.1	<.05	3	<.5
158035	.9	8.9	12.2	34	<.1	10.6	4.9	146	2.09	12.4	.6	2.4	4.5	10	.1	.5	.2	41	.10	.014	14	24.5	.36	237	.019	<1	1.59	.004	.05	.1	.02	3.1	.1	<.05	5	<.5
158036	.6	34.3	8.4	40	.1	35.1	19.1	268	2.47	15.5	.9	1.2	4.4	29	.1	.5	.2	43	.29	.033	18	85.8	1.18	340	.016	2	1.65	.004	.07	.1	.02	6.1	.1	<.05	5	1.0
158037	1.0	19.7	8.7	57	.2	20.9	9.8	288	2.55	85.6	.9	4.8	4.0	17	.1	.8	.1	51	.24	.037	20	35.3	.64	535	.023	1	1.81	.006	.06	.2	.02	5.5	.1	<.05	6	.5
158038	1.4	28.9	11.0	58	1.1	17.3	8.9	252	2.54	49.6	1.0	2.0	.3	22	.6	.6	.2	51	.25	.061	15	32.9	.52	435	.015	1	1.85	.008	.07	.1	.05	3.3	.1	<.05	8	.5
158039	.6	16.5	5.7	62	.1	14.5	8.2	247	2.43	11.4	.6	4.3	2.8	16	.1	.4	.1	47	.23	.048	12	25.3	.74	259	.035	<1	1.75	.006	.04	.1	.03	3.8	.1	<.05	5	<.5
158040	.6	6.9	11.7	48	.4	7.2	4.0	208	1.47	7.2	.6	6.4	3.6	16	.1	.5	.1	27	.17	.024	18	14.0	.32	577	.020	<1	1.06	.005	.06	.6	.02	3.0	.1	<.05	4	<.5
158041	.4	15.6	6.6	45	<.1	11.1	5.8	233	1.82	6.0	1.0	2.2	4.7	16	<.1	.5	.1	32	.17	.021	21	20.6	.46	478	.036	<1	1.26	.006	.05	.1	.03	4.4	<.1	<.05	4	<.5
158042	.7	12.1	8.1	50	.1	11.2	6.1	249	2.17	5.5	.7	1.1	4.0	12	.1	.4	.1	38	.11	.014	16	21.9	.54	349	.028	1	1.60	.005	.04	.1	.02	3.8	.1	<.05	5	<.5
158043	.6	15.7	7.7	54	.1	14.5	6.6	285	2.25	7.1	.5	1.6	4.4	10	<.1	.5	.1	42	.10	.013	14	25.1	.55	262	.041	1	1.79	.005	.04	.1	.02	4.1	.1	<.05	5	<.5
STANDARD	12.2	142.0	23.2	136	.2	23.9	12.3	726	2.86	18.5	6.0	44.7	2.7	49	5.5	4.1	6.8	60	.75	.085	13	183.4	.68	138	.096	18	2.03	.033	.13	5.3	.18	3.7	1.0	<.05	7	5.1

Standard is STANDARD DS5. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT DAWSON FILE # A406448

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	1.2	2.6	2.0	41	<.1	3.9	3.8	546	1.70	<.5	2.5	<.5	3.8	61	<.1	<.1	.1	37	.47	.079	6	12.0	.54	216	.113	<1	.82	.055	.45	1.0	<.01	1.7	.3	<.05	4	<.5
158044	.8	11.5	8.4	66	.2	12.2	4.9	390	2.41	5.7	.3	.7	5.2	5	<.1	.5	.1	28	.04	.020	9	15.9	.59	273	.011	1	1.81	.003	.05	.1	.02	4.4	.1	<.05	5	<.5
158045	.6	6.5	10.4	38	.2	6.7	2.6	134	1.77	7.2	.7	3.3	4.6	6	.1	.4	.1	25	.05	.015	9	13.3	.27	252	.009	<1	1.10	.003	.05	.1	.01	2.6	<.1	<.05	4	<.5
158046	.6	3.6	10.2	21	.2	3.1	1.2	138	1.18	6.1	.6	10.5	.9	6	.1	.4	.2	31	.05	.040	8	7.2	.09	130	.018	<1	.56	.002	.06	.1	<.01	1.0	<.1	<.05	3	<.5
158047	.8	6.0	10.4	30	.1	6.4	2.3	99	1.39	13.1	.7	3.3	3.9	7	.1	.4	.1	27	.06	.012	13	12.4	.21	181	.021	<1	.86	.004	.07	.1	.01	1.9	.1	<.05	3	<.5
158048	.8	6.9	13.9	40	.2	6.3	2.9	130	1.45	16.3	.7	13.9	4.5	8	.1	.4	.2	27	.07	.013	14	13.2	.21	221	.022	1	.91	.003	.10	.1	.02	2.0	.1	<.05	3	<.5
158049	.5	8.9	10.6	29	.1	8.0	2.9	164	1.20	12.5	.9	3.6	4.2	9	.1	.4	.1	21	.08	.014	16	12.3	.22	188	.023	<1	.68	.004	.05	.2	.02	1.6	<.1	<.05	2	<.5
158050	.7	14.8	25.8	40	.2	12.5	4.4	182	1.56	9.1	.7	12.0	4.3	11	.1	.8	.1	31	.10	.024	19	18.2	.31	264	.032	<1	.96	.005	.05	.3	.02	2.1	<.1	<.05	3	<.5
158275	1.6	20.3	8.8	91	.1	17.6	10.9	355	3.85	64.5	.6	.5	4.3	5	.2	.7	.2	51	.07	.055	11	69.1	1.12	155	.005	<1	1.95	.003	.05	.1	.01	7.4	.2	<.05	5	.8
158276	1.4	16.7	8.0	70	.1	17.0	9.5	491	3.33	18.8	.6	1.0	3.9	11	.1	.3	.1	69	.15	.055	14	90.0	1.50	242	.038	<1	2.35	.004	.02	.1	.01	6.1	.1	<.05	6	<.5
158277	1.0	17.8	9.7	64	.3	17.2	14.7	893	3.33	13.8	.7	.7	3.7	18	.2	.3	.1	69	.17	.064	22	67.2	.89	373	.029	1	2.01	.005	.05	.1	.03	7.2	.1	<.05	6	.5
158278	.8	15.2	6.5	70	.1	13.9	6.7	427	3.18	6.4	.5	.6	2.5	12	.2	.2	.1	53	.19	.061	11	69.4	1.09	310	.023	<1	1.72	.003	.05	.1	.01	5.9	.1	<.05	5	<.5
158279	1.2	13.2	12.9	51	.1	12.6	5.5	237	2.35	15.2	.5	2.2	3.9	10	.1	.7	.1	34	.13	.036	15	21.3	.40	362	.011	<1	1.42	.004	.04	.1	.02	2.3	.1	<.05	4	<.5
158280	.7	24.1	9.1	71	.1	20.8	11.2	482	2.88	22.0	.7	1.0	4.4	10	.1	.5	.1	50	.17	.065	20	41.4	1.09	191	.020	<1	1.82	.004	.03	.1	.01	4.3	.1	<.05	5	<.5
RE 158280	.7	22.6	8.3	67	<.1	19.5	10.2	442	2.76	19.4	.7	.6	4.1	9	.1	.4	.1	50	.16	.059	18	39.2	1.07	170	.018	<1	1.75	.004	.03	.1	.01	3.9	<.1	<.05	5	<.5
158281	.8	29.6	8.1	52	.2	21.6	11.3	458	2.95	6.8	.8	4.9	3.1	18	<.1	.3	.1	61	.23	.044	17	42.1	.99	345	.039	<1	2.09	.006	.03	.1	.02	5.3	.1	<.05	6	<.5
158282	.5	19.8	11.2	48	<.1	12.3	10.9	364	2.71	6.7	.6	4.8	2.1	8	.1	.3	.1	55	.12	.032	10	22.0	1.09	168	.020	<1	1.85	.004	.02	.1	.01	3.6	.1	<.05	5	<.5
158283	1.0	34.5	10.0	58	.1	18.4	10.3	382	2.98	15.4	2.2	2.9	4.9	21	.1	.5	.1	52	.15	.055	18	22.6	.62	276	.032	<1	1.56	.009	.05	.1	.03	5.0	.1	<.05	4	.6
158401	.6	16.8	23.2	69	.2	15.7	8.9	283	2.34	7.3	1.3	2.8	3.8	17	.2	.4	.2	39	.21	.057	20	29.3	.86	235	.036	<1	1.77	.007	.05	.1	.03	3.2	.1	<.05	5	<.5
158402	.6	19.4	11.5	67	.2	16.7	7.7	266	2.25	8.2	1.0	2.0	3.9	20	.2	.3	.1	41	.23	.065	22	30.4	1.17	191	.037	<1	1.76	.006	.04	.1	.01	3.0	<.1	<.05	5	.5
158403	.6	16.4	13.4	56	.1	15.7	6.7	242	2.19	5.6	1.0	3.2	5.4	18	.1	.3	.2	37	.24	.044	22	27.3	.85	250	.036	<1	1.73	.006	.04	.1	.02	3.6	.1	<.05	5	<.5
158404	.4	15.3	7.7	47	.1	15.1	6.7	219	2.04	4.9	.6	2.3	4.2	13	.1	.4	.1	38	.17	.023	15	25.8	.82	261	.052	1	1.45	.005	.04	.1	.02	2.9	.1	<.05	4	<.5
158405	1.5	20.8	37.0	34	.2	9.7	2.5	116	1.40	4.8	1.4	3.8	.4	16	.8	.3	.3	31	.10	.043	32	16.3	.19	305	.016	1	1.33	.011	.05	<.1	.04	.8	.1	<.05	6	.6
158406	1.2	11.9	23.5	38	.1	9.5	3.0	128	1.34	4.9	.7	2.7	4.7	10	.1	.4	.2	24	.09	.018	28	15.3	.51	263	.024	<1	1.16	.005	.05	.1	.01	1.6	.1	<.05	3	<.5
158407	.5	5.1	13.2	33	.1	3.4	1.2	80	.84	1.6	.5	<.5	3.8	10	.2	.1	.2	12	.06	.017	15	6.1	.66	136	.022	1	1.09	.005	.03	.1	.02	1.2	.1	<.05	3	<.5
158408	1.0	11.3	40.5	50	.1	13.7	6.7	226	2.31	32.0	.6	2.1	4.2	15	.2	.3	.2	45	.16	.034	15	24.9	.53	258	.049	2	1.46	.007	.05	.1	.01	2.6	.1	<.05	5	<.5
158409	.5	5.8	23.3	36	<.1	7.0	2.6	121	1.45	6.0	.5	1.5	4.0	11	.1	.2	.2	32	.09	.013	12	19.7	.59	120	.040	<1	1.26	.004	.03	<.1	<.01	1.6	.1	<.05	5	<.5
158410	1.2	8.7	19.9	38	.9	11.3	4.1	135	1.73	11.6	.5	1.9	5.9	13	.1	.4	.2	33	.13	.011	27	18.2	.52	179	.023	<1	1.40	.005	.04	.1	.01	1.7	.1	<.05	4	.5
158411	.2	4.3	12.6	34	.2	4.6	1.6	90	.84	1.4	.5	.5	5.7	8	<.1	.1	.1	10	.08	.007	22	6.6	.44	212	.009	<1	.78	.004	.04	<.1	<.01	1.1	<.1	<.05	2	<.5
158412	.5	16.2	15.5	40	.3	7.2	4.2	183	1.75	2.0	.7	2.0	.2	11	.4	.1	.1	33	.10	.039	18	20.1	.67	251	.013	1	1.40	.007	.05	.1	.02	1.3	.1	<.05	5	<.5
158413	.4	14.5	13.9	62	.2	12.1	5.8	218	2.22	4.3	.9	2.4	4.7	16	.1	.2	.1	33	.19	.047	21	21.8	1.10	209	.041	1	1.67	.005	.06	.1	.01	3.3	.1	<.05	5	.5
158414	.5	15.7	19.9	70	.1	16.2	14.0	497	2.79	10.3	.9	3.1	6.4	13	.1	.3	.1	39	.17	.056	20	28.1	1.46	148	.038	<1	2.10	.004	.04	.1	.01	2.7	.1	<.05	5	<.5
158415	.8	10.9	30.1	65	.1	11.8	6.6	325	2.69	8.9	.9	2.8	4.5	13	.2	.4	.2	46	.13	.038	18	26.7	.79	208	.042	<1	1.66	.006	.06	.1	.02	2.5	.1	<.05	6	.5
158416	.4	12.7	65.0	61	.2	9.1	3.2	115	1.42	5.7	1.7	28.7	2.9	12	.2	.3	.2	22	.12	.035	24	19.5	.41	192	.026	<1	1.24	.005	.07	.1	.03	1.6	.1	<.05	4	.5
STANDARD	13.1	145.7	24.7	134	.3	25.6	11.6	793	3.00	19.0	6.8	42.0	2.9	51	5.8	4.2	6.2	61	.72	.100	13	199.7	.68	144	.093	17	2.04	.034	.14	5.3	.18	3.2	1.0	<.05	7	5.0

Standard is STANDARD DS5. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Date 4 FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT DAWSON FILE # A406448 Page 4

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	1.2	2.4	2.5	48	<.1	4.4	4.2	556	1.76	<.5	2.6	<.5	4.2	65	<.1	<.1	.1	41	.54	.078	7	11.1	.60	238	.125	2	.95	.058	.43	1.1	<.01	1.9	.3	.09	5	<.5
158417	1.9	16.9	23.2	63	.2	13.9	5.7	215	2.10	5.1	.9	3.8	5.6	19	.1	.5	.3	41	.28	.049	20	25.5	.83	243	.056	1	1.65	.006	.05	.1	.02	3.3	.1	.08	5	<.5
158418	.6	19.3	12.6	78	.3	18.9	12.7	473	2.49	6.6	.7	3.1	4.9	24	.3	.4	.1	51	.37	.071	19	37.3	1.38	220	.041	1	1.93	.007	.05	.1	.02	4.9	.1	.07	6	<.5
158419	.4	17.8	16.0	74	.2	14.0	6.6	236	2.08	6.8	1.1	2.7	5.1	24	.2	.3	.1	39	.35	.050	22	29.2	.91	273	.043	<1	1.71	.008	.05	.1	.02	3.4	.1	<.05	5	<.5
158420	.4	15.5	25.6	78	.2	15.3	8.1	237	2.06	5.8	1.4	5.3	4.1	23	.2	.3	.1	39	.28	.060	20	29.0	.84	281	.043	1	1.77	.009	.06	.1	.03	3.0	.1	<.05	5	<.5
158421	.6	13.5	55.1	84	.2	10.6	5.5	233	1.79	8.4	1.5	4.8	4.0	18	.3	.4	.2	28	.22	.051	23	20.9	.59	209	.026	<1	1.25	.006	.06	.1	.02	1.9	.1	<.05	4	<.5
158422	.7	15.0	46.3	66	.2	8.2	2.9	84	1.47	7.6	2.1	4.2	3.3	10	.2	.4	.3	24	.11	.036	25	16.1	.31	214	.020	1	1.00	.006	.06	.1	.03	1.6	.1	.07	3	<.5
158423	.7	11.1	23.6	39	.2	5.8	2.0	71	1.16	6.1	1.4	2.7	1.4	10	.2	.3	.2	20	.09	.030	19	12.3	.23	160	.016	1	.74	.006	.06	.1	.03	.8	.1	<.05	3	<.5
158424	.6	12.2	25.0	60	.2	8.7	4.0	139	1.39	6.7	1.8	5.0	5.0	14	.2	.5	.2	24	.14	.041	25	13.7	.36	263	.030	<1	.98	.007	.06	.1	.02	1.6	.1	<.05	3	<.5
158425	.4	18.9	39.6	59	.3	9.2	3.5	115	1.38	6.2	2.9	10.1	3.2	13	.3	.5	.3	21	.14	.039	26	17.9	.34	251	.020	1	1.25	.006	.08	.1	.05	2.0	.1	<.05	4	.5
158426	.7	11.0	29.2	94	.1	7.5	4.3	223	1.48	3.6	1.2	5.3	8.4	15	.3	.3	.2	14	.16	.041	24	11.1	.53	229	.062	1	.93	.005	.22	.1	.01	1.4	.2	<.05	3	<.5
158427	.5	13.5	31.1	56	.3	9.3	3.9	113	1.50	4.9	2.3	33.7	3.9	15	.2	.5	.3	27	.14	.038	26	19.2	.40	221	.027	1	1.14	.006	.07	.2	.03	1.7	.1	<.05	4	<.5
RE 158427	.4	12.7	30.7	54	.3	9.4	3.5	111	1.46	4.9	2.1	8.2	3.8	14	.2	.4	.3	24	.14	.037	25	18.6	.37	210	.025	<1	1.04	.006	.07	.1	.04	1.8	.1	<.05	4	<.5
158428	.5	5.5	13.3	31	.1	6.3	2.0	67	1.11	3.8	.8	7.2	1.8	10	.1	.3	.1	24	.11	.030	16	14.3	.26	103	.026	1	.77	.005	.03	.3	.03	1.0	.1	<.05	3	<.5
158429	.4	7.8	16.2	35	.1	7.7	2.3	67	1.18	4.0	1.1	30.9	1.3	12	.3	.3	.2	20	.12	.035	17	16.2	.23	155	.024	<1	.88	.007	.04	.2	.04	1.3	.1	<.05	3	<.5
158430	.5	8.9	16.4	33	.1	7.0	2.4	65	1.12	4.1	1.1	5.7	.9	13	.2	.3	.2	16	.12	.034	16	12.7	.22	173	.020	<1	.79	.007	.05	.2	.04	1.0	.1	<.05	3	<.5
158431	.5	9.3	22.8	46	.1	6.9	2.8	76	1.06	4.4	1.3	3.4	2.7	10	.2	.4	.2	18	.10	.032	18	12.6	.26	151	.021	<1	.80	.005	.05	.2	.03	1.1	.1	<.05	3	<.5
158432	.7	9.8	27.4	44	.1	6.2	2.5	87	1.42	6.3	1.5	4.5	1.9	11	.2	.3	.2	24	.10	.034	19	13.9	.27	185	.020	<1	.91	.005	.05	.1	.03	1.0	.1	<.05	3	<.5
158433	.5	10.1	38.3	42	.2	5.9	2.4	75	1.26	5.4	1.7	6.3	1.4	11	.2	.4	.2	20	.10	.041	21	15.3	.26	258	.018	<1	.91	.006	.06	.1	.04	1.2	.1	<.05	3	<.5
158434	.6	8.4	19.6	58	.1	7.7	2.8	112	1.34	6.6	1.0	35.7	3.9	11	.2	.3	.2	23	.13	.039	24	14.5	.45	129	.028	<1	.97	.005	.05	.1	.02	1.4	.1	<.05	3	<.5
158435	.8	15.0	35.5	72	.2	10.3	4.9	202	1.90	8.8	1.4	5.2	2.9	12	.2	.4	.2	33	.15	.050	20	22.3	.49	169	.030	1	1.23	.005	.06	.1	.02	1.7	.1	<.05	4	<.5
158436	.6	14.3	21.3	77	.2	13.1	6.7	226	2.15	7.0	1.2	1.6	3.2	21	.2	.4	.2	34	.27	.061	19	23.9	.77	273	.030	<1	1.51	.007	.05	.2	.03	2.7	.1	<.05	5	<.5
158451	1.2	17.7	13.3	59	.1	16.0	6.7	269	2.53	21.6	.9	4.1	2.0	9	.2	.5	.2	44	.09	.038	20	25.4	.68	143	.027	1	1.63	.005	.04	.1	.03	2.1	.1	<.05	4	.5
158452	1.1	24.4	19.7	67	.4	13.1	8.3	374	2.89	7.6	.7	12.3	2.8	13	.2	.5	.2	35	.09	.040	19	19.4	.88	202	.025	1	1.49	.005	.04	.1	.04	2.6	<.1	<.05	4	<.5
158453	1.0	20.1	15.9	57	.2	13.1	8.2	322	2.12	17.9	1.0	3.4	7.6	6	.2	.7	.1	23	.05	.024	35	13.2	.34	228	.013	<1	1.13	.003	.07	.1	.04	2.0	.1	<.05	3	.7
158454	.7	34.1	6.0	30	.2	11.7	4.1	178	1.75	2.4	.9	.8	<.1	12	.6	.2	.1	21	.10	.119	12	14.4	.34	144	.001	<1	1.41	.008	.03	<.1	.06	<.1	<.1	<.05	3	.5
158455	.8	14.6	8.5	61	<.1	11.4	6.8	360	2.50	7.1	.4	10.5	.3	8	.1	.3	.1	33	.12	.040	9	33.4	.82	94	.018	<1	1.55	.003	.03	.1	.01	1.4	<.1	<.05	4	<.5
158456	1.2	14.9	8.7	46	<.1	13.9	7.1	264	2.75	12.2	.4	1.6	.7	7	.2	.5	.2	66	.07	.028	8	23.6	.52	70	.042	<1	1.23	.004	.03	.1	.02	1.8	.1	<.05	7	<.5
158457	.8	22.7	12.1	73	.1	16.6	7.7	420	2.93	37.5	.6	3.6	1.3	7	.2	.5	.2	52	.09	.032	15	40.6	.80	162	.015	<1	1.66	.004	.04	.1	.02	3.0	.1	<.05	6	<.5
158458	1.8	25.7	14.8	84	.1	30.4	12.1	505	3.65	36.5	.6	1.2	4.0	10	.4	1.0	.2	79	.09	.027	12	46.6	.74	196	.040	1	2.31	.006	.06	.2	.03	2.8	.1	<.05	7	<.5
158459	1.8	42.0	13.1	67	1.2	40.6	10.1	352	3.00	245.6	1.4	5.4	2.5	13	.3	1.1	.2	66	.10	.048	18	35.4	.56	247	.037	1	2.18	.007	.05	.2	.08	2.8	.1	<.05	6	.6
158460	3.0	16.3	30.5	67	.6	12.5	6.9	534	2.49	35.1	11.1	3.0	3.5	42	.2	.4	.3	36	.50	.048	18	18.7	.77	366	.008	<1	1.92	.005	.07	.1	.04	3.1	.1	<.05	5	1.2
158461	1.4	8.8	33.1	31	.1	8.3	2.9	107	1.42	8.5	.8	1.1	2.9	10	.1	.5	.2	30	.06	.020	13	13.3	.24	90	.027	<1	.80	.007	.06	.1	.02	1.1	.1	<.05	3	<.5
158462	2.8	12.7	85.4	57	1.6	6.8	2.5	127	1.33	6.0	1.3	32.9	6.2	8	.1	2.7	.2	24	.07	.013	23	13.0	.35	148	.023	<1	.92	.004	.04	.1	.34	1.8	.1	<.05	2	.6
STANDARD	12.3	138.4	25.6	136	.3	24.2	11.2	806	2.83	17.4	6.6	42.0	2.8	49	5.6	4.1	6.1	62	.75	.087	13	190.1	.67	138	.097	19	2.03	.033	.13	4.9	.17	3.3	1.0	<.05	6	4.9

Standard is STANDARD DS5. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data L FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	S pp
G-1	1.2	2.7	2.1	45	<.1	4.0	3.9	550	1.95	<.5	2.7	.5	3.7	61	<.1	<.1	.1	39	.52	.074	6	11.6	.59	216	.116	<1	.82	.057	.44	1.1	<.01	1.8	.3	<.05	5	<.
158463	.6	7.9	12.4	24	<.1	5.6	2.0	79	1.23	5.5	1.1	3.1	.6	10	.1	.3	.2	26	.09	.020	18	12.6	.19	196	.015	<1	.73	.004	.05	.1	.03	1.1	.1	<.05	3	<.
158464	.8	12.3	18.8	39	.1	10.7	4.4	198	1.73	8.0	1.2	7.7	1.7	11	.1	.4	.2	36	.10	.035	26	18.3	.37	239	.020	<1	1.04	.005	.04	.1	.03	1.5	.1	<.05	4	<.
158465	.6	8.4	19.8	35	.1	6.9	3.2	184	1.46	6.0	.9	2.3	3.2	8	.1	.3	.3	30	.06	.024	27	13.7	.33	188	.016	<1	.94	.004	.06	.1	.01	1.8	.1	<.05	4	<.
158466	.4	6.6	25.1	31	<.1	5.6	2.2	103	1.34	4.7	.9	.9	9.9	6	.1	.3	.2	21	.04	.011	33	9.9	.29	106	.011	<1	.80	.003	.04	.1	.01	1.6	.1	<.05	3	<.
158467	1.1	21.1	38.3	107	.3	14.3	10.5	415	3.21	12.7	1.1	14.6	4.8	17	.4	.5	.2	46	.23	.058	22	26.6	1.00	227	.019	<1	1.71	.005	.07	.2	.04	5.2	.1	<.05	6	<.
158468	1.7	27.5	141.6	198	.4	18.3	12.2	505	3.64	13.9	.9	5.1	4.9	16	.4	.6	.3	43	.21	.076	26	35.4	1.49	148	.026	<1	1.63	.004	.08	.1	.03	4.5	.2	<.05	5	1.
158469	.6	13.9	9.5	57	.1	11.9	7.3	345	2.44	23.2	.6	1.4	2.3	11	.2	.4	.1	38	.12	.031	17	20.8	.67	226	.019	1	1.32	.004	.08	.1	.02	3.0	.1	<.05	5	<.
158470	1.8	16.1	13.0	55	.1	16.6	6.1	262	2.09	68.0	.6	4.5	.8	12	.3	.6	.2	48	.13	.043	15	23.8	.51	171	.022	<1	1.36	.006	.04	.1	.02	2.6	.1	.10	6	.
158471	.4	6.6	13.3	39	<.1	6.2	3.0	161	1.39	4.6	.7	.9	5.5	8	<.1	.3	.2	23	.08	.020	26	12.1	.60	117	.013	<1	1.00	.003	.03	.1	.02	2.0	.1	<.05	3	<.
158472	.5	9.4	21.8	40	.1	7.5	3.2	192	1.49	5.1	1.1	2.0	5.5	8	.1	.3	.2	27	.07	.024	37	14.0	.45	182	.020	<1	.96	.004	.04	.1	.01	2.1	.1	<.05	3	<.
158473	1.0	14.1	9.1	50	.1	11.8	5.4	260	2.46	8.4	.7	1.0	.8	11	.1	.5	.2	55	.11	.054	13	23.4	.50	199	.035	<1	1.33	.005	.06	.1	.02	2.5	.1	<.05	6	.
158474	5.4	21.7	17.9	82	.1	23.4	7.4	337	3.40	34.6	.5	.8	3.1	8	.6	.9	.3	60	.07	.040	12	29.3	.42	95	.042	<1	1.40	.004	.04	.2	.03	2.2	.1	<.05	6	.
158475	.8	6.0	14.2	39	.1	7.6	4.1	219	2.21	8.2	.8	1.7	4.0	9	.2	.4	.2	40	.09	.026	16	17.6	.33	124	.020	<1	1.14	.004	.04	.2	.03	1.9	.1	<.05	4	.
158476	.9	18.4	16.3	54	.1	15.8	6.2	276	2.32	8.8	1.4	5.3	2.4	14	.1	.5	.2	44	.16	.058	32	25.3	.44	224	.031	<1	1.34	.006	.05	.2	.05	2.7	.1	<.05	5	.
158477	.5	7.5	32.1	35	.1	6.2	2.9	152	1.36	5.8	1.0	1.8	10.9	7	.1	.4	.3	23	.06	.019	35	12.0	.25	131	.013	<1	.95	.003	.06	.1	.03	2.1	.1	<.05	3	<.
158478	.6	8.2	19.9	30	.1	5.4	2.2	135	1.52	9.2	.9	1.2	1.0	7	.2	.4	.2	31	.05	.032	19	11.3	.18	110	.013	<1	.86	.004	.08	.1	.02	1.4	.1	<.05	4	<
158479	1.5	20.3	70.4	142	.4	14.4	6.6	486	2.16	12.7	1.9	6.6	5.9	16	.6	.8	.2	37	.16	.042	22	20.3	.35	167	.030	<1	1.02	.005	.07	.2	.07	2.4	.1	<.05	3	<
158480	1.7	19.3	26.3	59	.4	16.6	6.3	267	2.16	7.7	1.1	7.8	3.7	17	.1	.8	.2	42	.19	.046	21	24.0	.50	221	.040	1	1.23	.007	.04	.1	.08	3.0	.1	<.05	4	.
158481	.7	7.1	16.3	27	.1	7.9	3.6	167	1.48	5.9	.5	.6	5.3	12	.1	.4	.2	29	.14	.011	14	14.0	.28	462	.016	<1	.88	.004	.07	.1	.01	2.0	.1	<.05	3	<.
158482	1.1	9.0	13.8	33	.1	11.3	4.2	147	1.89	8.2	.5	1.4	2.9	16	.2	.4	.1	44	.17	.019	13	18.6	.31	204	.029	<1	.99	.005	.08	.1	.02	1.7	.1	<.05	4	<.
158483	.6	13.8	20.9	64	.2	10.9	4.6	380	1.53	6.5	1.4	3.2	4.0	29	.6	.4	.1	25	.40	.048	23	14.7	.29	457	.016	<1	.91	.006	.12	.1	.03	2.2	.1	<.05	3	
158484	.9	11.4	37.4	58	.1	9.1	3.9	381	1.55	7.1	.7	1.4	3.7	22	.5	.3	.5	33	.18	.023	14	14.6	.26	335	.021	<1	.78	.006	.07	.2	.02	1.7	.1	<.05	3	<.
158485	.8	7.5	18.9	40	.1	6.7	3.1	173	1.28	10.4	1.0	1.7	5.8	18	.2	.3	.1	18	.23	.034	15	9.5	.19	165	.013	<1	.54	.006	.12	.1	.02	1.4	.1	<.05	1	<.
158486	.8	11.3	26.0	54	.2	9.6	3.0	153	1.32	57.4	2.1	7.8	7.6	32	.2	.7	.2	16	.36	.035	32	10.6	.22	574	.008	1	.67	.005	.06	.1	.07	3.2	.1	<.05	2	.
158487	.5	14.4	11.5	41	.1	24.5	12.6	449	3.61	62.6	2.5	4.2	6.7	54	.1	.4	.1	44	.54	.038	31	21.4	.25	664	.001	<1	.81	.008	.14	<.1	.04	10.4	.1	<.05	2	
158488	.7	20.5	22.8	73	.2	31.2	11.6	417	3.26	236.1	2.9	49.8	6.2	52	.3	1.1	.2	42	.71	.083	36	33.5	.64	715	.007	<1	1.45	.026	.11	.1	.06	8.8	.1	<.05	4	
RE 158488	.6	19.9	23.5	70	.2	30.1	11.6	429	3.33	233.1	3.1	48.9	6.4	52	.3	1.1	.2	41	.69	.080	36	32.0	.62	700	.007	<1	1.39	.025	.11	.1	.06	8.7	.1	<.05	4	
158489	.7	6.2	14.6	34	.1	7.2	4.3	402	1.76	25.3	.9	<.5	4.6	23	.1	.4	.1	28	.28	.015	20	12.4	.18	683	.010	<1	.83	.006	.12	.1	.02	2.6	.1	<.05	3	
158490	1.2	10.7	34.3	69	.8	6.7	2.6	150	1.52	303.3	6.7	48.4	7.1	44	.6	1.1	.2	10	.52	.025	25	5.7	.17	402	.002	<1	.50	.005	.12	.1	.08	3.6	.1	<.05	1	1
158491	3.9	42.1	16.2	100	.4	41.6	8.7	309	2.68	32.0	1.0	3.6	6.3	52	.5	.9	.2	26	.68	.083	30	19.3	.58	264	.007	<1	.86	.006	.06	.1	.05	2.7	<.1	<.05	3	1
158492	12.2	53.4	12.6	157	.5	112.1	19.2	662	3.07	29.7	2.8	3.3	3.5	141	1.7	2.2	.2	41	1.93	.130	22	40.6	1.11	420	.006	2	1.06	.011	.05	.2	.08	4.5	.1	.09	3	3
158493	2.0	21.5	28.1	72	.2	29.9	8.8	504	2.43	74.6	1.5	1.7	9.2	45	.3	.7	.3	38	.43	.025	12	23.2	.50	917	.008	<1	1.36	.011	.06	.1	.02	2.7	.1	<.05	4	
158494	1.5	29.4	17.5	62	.2	29.9	8.7	163	2.53	43.9	2.8	6.0	6.6	37	.2	1.4	.2	36	.29	.024	19	25.0	.44	467	.019	<1	1.08	.016	.04	.1	.03	3.4	.1	<.05	3	1
STANDARD DS5	12.1	144.8	25.3	137	.3	25.1	11.7	760	3.09	18.8	6.6	44.0	2.7	47	5.4	3.8	6.3	63	.75	.091	13	189.5	.70	139	.093	20	1.96	.034	.15	5.0	.19	3.7	1.1	<.05	7	5

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA

ACME ANALYTICAL

Klondike Gold Corp. PROJECT DAWSON FILE # A406448

ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
158495	9.3	52.6	25.3	111	.8	58.9	10.5	397	2.85	30.9	3.4	4.5	4.5	72	1.8	2.0	.3	44	1.14	.067	15	35.9	.89	457	.015	4	1.30	.015	.05	.2	.08	3.7	.1	<.05	4	3.7
STANDARD	12.7	148.7	26.1	141	.3	25.2	11.2	769	2.98	18.0	6.7	44.5	3.1	48	5.7	3.7	6.1	61	.73	.091	13	190.2	.73	136	.097	16	1.99	.034	.14	4.7	.18	3.3	1.1	<.05	6	5.0

Standard is STANDARD DS5.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA

KLONDIKE GOLD CORP. Lonestar

Date	Narrative	Ck #	$	
Assay				
11-Aug-04	Kluane Freight Lines Ltd.	145	313.68	
17-Aug-04	Kluane Freight Lines Ltd.	153	511.92	
20-Sep-04	Acme Analytical - klondike project	167	22,379.93	
8-Nov-04	Acme Analytical - klondike project		13,320.22	
1-Dec-04	Acme Analytical - klondike project		4,168.69	
20-Sep-04	Kluane Freight Lines Ltd.	176	339.83	41,034.27
Consulting				
1-Jun-04	Dennis Fong - Trip Expenses	61	887.68	
2-Jun-04	Michael C. Lam - geological services Lonestar	80	900.00	
2-Jun-04	Trygve Hoy - Yukon Exp	81	5,000.00	
9-Jun-04	Richard Hughes - expenses over $700 ch 56	83	438.73	
14-Jun-04	Phil van Angeren - Lonestar expenses	86	6,132.03	
14-Jun-04	Trygve Hoy - Yukon Trip	89	2,994.49	
14-Jul-04	Richard Hughes - Advance on Expenses	125	500.00	
5-Aug-04	Trygve Hoy	808	4,745.72	
20-Sep-04	Vizon SciTec Inc. - Acid Base Accounting	168	360.00	
				21,958.65
Equipment Rental / Supplies				
1-Jun-04	Holt Agencies - Jerry Bryde Insurance	73	808.00	
1-Jun-04	Klondike Travel - May trailers June houses & trailer	72	7,600.00	
25-Jun-04	19651 Yukon Inc - Excavator to Dawson	106	14,402.78	
1-Jul-04	Klondike Travel - house rental x 3 trailer x 4	110	5,200.00	
1-Aug-04	Klondike Travel - Aug 3 houses & 4 trailers	133	5,200.00	
3-Aug-04	Grenon Enterprises - Water	136	625.95	
3-Aug-04	Yukon Energy - Callison	137	233.57	
5-Aug-04	Northwestel Inc.	138	920.27	
11-Aug-04	Northern Superior Mechanical	142	2,589.74	
11-Aug-04	Grenon Enterprises - Water Dawson	146	96.30	
17-Aug-04	MacKenzie Petroleum Ltd	152	3,693.93	
17-Aug-04	Dawson City internet - 525 Dugas Street August	154	55.95	
26-Aug-04	Yukon Energy - X 4	155	481.32	
1-Sep-04	Klondike Travel - Sept 3 houses & 4 trailers	158	5,200.00	
15-Sep-04	Peace Hills General Insurance - 4 trucks 2 atv	164	3,240.00	
20-Sep-04	Grenon Enterprises - water	173	588.50	
20-Sep-04	Northwestel Inc - inv July 27	175	498.78	
20-Sep-04	MacKenzie Petroleum Ltd.	172	2,926.83	
23-Sep-04	Northern Superior Mechanical	179	5,346.55	
1-Oct-04	Klondike Travel - 3 houses	188	2,800.00	

5-Oct-04	Northwestel Inc - inv Aug & Sept	190	1,122.02	
	Vehicle costs - Klondike Star		2,398.51	
	Travel - Klondike Star		10,053.68	
	Communication costs - Klondike Star		7,990.74	
	Light equipment - Klondike Star		4,247.16	
	Fuel -Klondike Star		2,135.11	
18-Oct-04	Yukon Energy - X 4	195	393.35	90,849.04
Trenching				
9-Aug-04	Eagle Mining - trenching / Road clearing	140	3,500.00	
	Vern Matkovich - bulldozer hourly rental May-July		9,897.50	
	Vern Matkovich - bulldozer hourly rental Aug.		3,638.00	
	Vern Matkovich - bulldozer hourly rental Sept.		4,150.00	
	Vern Matkovich - bulldozer hourly rental Oct.		7,276.00	28,461.50
Geology & Mapping (Labour)				
1-Jun-04	Andrew Robinson - contract work 1/2 May	68	2,000.00	
1-Jun-04	Dave Sufady - contract work 1/2 May	66	3,000.00	
1-Jun-04	Graham Lloyd - contract work May	65	4,000.00	
1-Jun-04	Jerry Bryde - contract work 1 week May	62	1,000.00	
1-Jun-04	Tom Morgan - contract work Apr/May	64	12,000.00	
1-Jun-04	Vern Matkovich - contract work Apr/May	63	16,000.00	
1-Jun-04	Wes Darling - contract work 1/2 May	67	2,750.00	
1-Jun-04	William Mann - Pay May 1 - May 31	69	6,083.68	
2-Jun-04	Gord Mckercher -	78	6,960.00	
2-Jun-04	Heiko Mueller -	77	1,875.00	
2-Jun-04	Jeff Boyce -	76	1,000.00	
2-Jun-04	Sylvan Montreuil - May 21 31	79	1,375.00	
10-Jun-04	Farrell Andersen - Invoice	88	3,832.92	
14-Jun-04	Rec. General - May payroll	84	2,067.74	
16-Jun-04	William Mann - Pay	91	3,041.84	
17-Jun-04	Heiko Mueller - contract work	92	7,125.00	
17-Jun-04	Jeff Boyce -	93	3,750.00	
17-Jun-04	Gord Mckercher -	94	3,600.00	
17-Jun-04	Vern Matkovich - contract work	95	4,000.00	
17-Jun-04	Tom Morgan - contract work	96	3,000.00	
17-Jun-04	Dave Sufady - contract work	97	3,000.00	
17-Jun-04	Wes Darling - contract work	98	2,750.00	
17-Jun-04	Andrew Robinson - contract work	99	2,000.00	
17-Jun-04	Sylvan Montreuil - contrack work	100	2,000.00	
17-Jun-04	Graham Lloyd - contract work	101	2,000.00	
17-Jun-04	Jerry Bryde - contract work	102	2,000.00	
21-Jun-04	Andrew Robinson - contract work	103	1,000.00	
21-Jun-04	Sylvan Montreuil - contract work	104	750.00	
23-Jun-04	Farrell Andersen - Invoice 2004-002	105	3,419.25	
30-Jun-04	William Mann - Pay	721	3,041.84	

30-Jun-04	Jeff Boyce - Pay	722	2,250.00
30-Jun-04	Wes Darling - contract work	724	3,500.00
30-Jun-04	Sylvan Montreuil - contrack work	725	3,937.50
30-Jun-04	Jerry Bryde - contract work	726	2,000.00
30-Jun-04	Vern Matkovich - contract work	727	4,500.00
30-Jun-04	Dave Sufady - contract work	728	3,000.00
30-Jun-04	Andrew Robinson - contract work	729	4,000.00
30-Jun-04	Heiko Mueller - contract work + exp	734	5,485.13
30-Jun-04	Tom Morgan - contract work	109	3,000.00
30-Jun-04	Graham Lloyd - contract work	111	2,000.00
30-Jun-04	Richard Hughes - yukon time	112	6,000.00
30-Jun-04	Gord Mckercher - Pay	113	2,640.00
5-Jul-04	Farrell Andersen - Invoice 2004-003	118	5,693.91
15-Jul-04	Rec. General - June payroll	120	8,270.96
15-Jul-04	Tom Morgan - contract work	121	3,000.00
15-Jul-04	Graham Lloyd - contract work	122	2,000.00
15-Jul-04	Gord Mckercher - Pay	123	2,880.00
15-Jul-04	William Mann - Pay	749	3,041.84
15-Jul-04	Jeff Boyce - Pay	750	4,000.00
15-Jul-04	Heiko Mueller - contract work + exp	751	5,735.03
15-Jul-04	Wes Darling - contract work	752	3,000.00
15-Jul-04	Sylvan Montreuil - contrack work	753	3,000.00
15-Jul-04	Jerry Bryde - contract work	754	2,000.00
15-Jul-04	Vern Matkovich - contract work	755	4,500.00
15-Jul-04	Dave Sufady - contract work	756	3,000.00
15-Jul-04	Andrew Robinson - contract work	757	3,000.00
15-Jul-04	Melissa Mann -	760	82.80
20-Jul-04	Farrell Andersen - Invoice 2004-004	127	2,247.00
30-Jul-04	Tom Morgan - contract work	131	3,000.00
30-Jul-04	Graham Lloyd - contract work	132	2,000.00
30-Jul-04	Gord Mckercher - Pay	134	2,400.00
30-Jul-04	William Mann - Pay	787	3,041.84
30-Jul-04	Jeff Boyce - Pay	788	3,500.00
30-Jul-04	Heiko Mueller - contract work	789	5,625.00
30-Jul-04	Wes Darling - contract work	790	3,000.00
30-Jul-04	Sylvan Montreuil - contrack work	791	3,000.00
30-Jul-04	Jerry Bryde - contract work	792	2,000.00
30-Jul-04	Vern Matkovich - contract work	793	4,500.00
30-Jul-04	Dave Sufady - contract work	794	3,000.00
30-Jul-04	Andrew Robinson - contract work	795	3,000.00
30-Jul-04	Melissa Mann -	796	36.00
13-Aug-04	Rec. General - July payroll	147	4,135.48
13-Aug-04	Tom Morgan - contract work	148	3,000.00
13-Aug-04	William Mann - Pay	817	2,996.38
13-Aug-04	Jerry Bryde - contract work	818	3,000.00
13-Aug-04	Melissa Mann - casual	819	36.00

16-Aug-04	Yukon Workers' Compensation Board	150	6,123.02	
17-Aug-04	Tim Liverton - Geo	151	4,312.19	
31-Aug-04	KG CIBC PAY - Aug 31	157	7,609.36	
31-Aug-04	Tom Morgan - contract work	156	3,000.00	
3-Sep-04	Part Pay: Andrew & Dave	159	6,000.00	
15-Sep-04	Gord Mckercher - Employee deductions	161	366.57	
15-Sep-04	KG CIBC PAY - Sept 15	162	12,774.20	
15-Sep-04	Rec. General - Aug payroll	163	37,197.79	
15-Sep-04	Tom Morgan - contract work	165	3,000.00	
20-Sep-04	Tim Liverton - Geo	166	10,015.46	
20-Sep-04	Charlie Brown Excavating Ltd	170	4,223.70	
30-Sep-04	Gord Mckercher - Employee deductions	186	2,135.40	
30-Sep-04	KG CIBC PAY - Sept 30	187	10,348.71	
30-Sep-04	Tom Morgan - contract work - phone calls	185	1,036.42	
14-Oct-04	Rec. General - Sept payroll	191	9,131.44	
15-Oct-04	Gord Mckercher - Employee deductions	193	2,470.97	
15-Oct-04	KG CIBC PAY - Oct 15	194	12,520.45	
15-Oct-04	Tom Morgan - contract work	192	3,000.00	
18-Oct-04	Tim Liverton	196	5,304.00	
29-Oct-04	Klondike Gold Oct 31 pay	198	6,333.97	
29-Oct-04	Tom Morgan - contract work	197	3,000.00	
29-Oct-04	Charlie Brown Excavating Ltd.	200	2,893.95	412,254.74
Field Supplies				
30-Jun-04	Gord Mckercher - exp	113	285.84	
12-Jul-04	Deakin Equipment - Invoice # 5176 & 5264	119	2,508.95	
11-Aug-04	Deakin Equipment	143	1,046.20	
20-Sep-04	Deakin Equipment	169	961.45	14,470.32
	Supplies - Klondike Star		9,667.88	
Food & Lodging				
	Food - Klondike Star		31,920.78	
19-Jul-04	William Mann - Advance	126	5,000.00	
20-Sep-04	William Mann - Advance	178	5,000.00	41,920.78
			650,949.30	650,949.30

Gold Bottom Gulch

Gold Bottom Creek

Gold Bottom Gulch

Soap Creek

11 Pup

Ready Bullion Gulch

Chief Gulch

Little Blanche Creek

Little Blanche Creek

Canyon Creek

Quartz Creek

placer mined area

placer mined area

placer mined area

KLONDIKE STAR MINERAL CORP.
KLONDIKE GOLD CORP.

LONE STAR PROJECT

Rock and Soil Samples - 2004

LONE STAR SOUTHEAST RECONNAISSANCE
RED-WIN-LB-CUL-AC CLAIMS

0 100 200 300 400 500m


LEGEND

● 144480 0.9 Soil sample number ppb Au

▲ 144450 0.5 Rock sample number ppb Au

SCALE: 1:10000	NTS: 115 O/14, 15 - UTM NAD 83, ZONE 7
DATE: FEB. 11, 2005	FIGURE 36


LONESTAR AND 7 PUP AREA: SURVEY TO PROVIDE VERTICAL CONTROL



Trenches and drillholes surveyed using theodolite tachymetry. Detail of road by compass survey and levelling between station 'Q' and point '57'. Between '57' and '69' elevations determined using tachymetry. The fit to UTM coordinates is approximate from coarse acquisition readings.

Fieldwork: October 2004 T. Liverton

Station 'A' is assumed to be at 1026m.



SYMBOLS

- Foliation (cleavage)
- Bedding
- Shear fabric
- Jointing
- Attitude of quartz vein
- Plunge of small-scale folds
- Contact, accurate
- Contact, approximate
- Instrument station
- Control point

Q denotes a quartz vein and F a fault.

Trench outlines shown as continuous lines have been accurately mapped. Those shown as dashed lines are old, slumped, excavations without rock exposure. Spot heights are relative to an arbitrary datum and are only approximate to NAD 83.
Control survey by theodolite tachymetry, topographic detail by compass, tape and clinometer.
Rock exposures are shown as dotted lines.
90R33 etc. denote percussion drill hole collars.

True North 1° 27' 30" West of Magnetic North 2004

KLONDIKE GOLD CORPORATION & KLONDIKE STAR MINERAL CORPORATION JOINT VENTURE

27 PUP AREA, ELDORADO CREEK: GEOLOGY

SHOWING OLD EXCAVATIONS AND 2004 TRENCHES

Geology and surveying by T.Liverton, G.McKercher and H.Müller
Fieldwork performed August 2004.

0 50
Metres
Scale = 1:500 metric

LITHOLOGIES

- mq Micaceous quartzite
- mcq Muscovite-chlorite quartzite
- ms Muscovite-quartz schist
- mcs Bleached muscovite schist (meta-rhyolite ?)
- mcs Muscovite-chlorite-quartz schist
- gp Graphitic phyllite

N denotes no exposure in face of trench

O'NEIL GULCH
NEW EXPOSURES IN
PLACER WORKINGS

