

GEOCHEMICAL

REPORT

CATHY CLAIMS

35 - 72
YC30575-YC30612

89 - 120
YC30629-YC30660

137 - 156
YC30677-YC30696

NTS # 115 O \ 3

LAT: 63° 11' N

LONG: 139° 24' W

DAWSON MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED SEPTEMBER 8 - SEPTEMBER 16, 2006

DATE OF REPORT OCTOBER 19, 2007

TABLE OF CONTENT

SUMMARY	P.3
1.0 INTRODUCTION	P.3
2.0 LOCATIONS AND ACCESS	P.3
3.0 PROPERTY DESCRIPTION	P.3
4.0 PHYSIOGRAPHY	P.3
5.0 REGIONAL AND PROPERTY GEOLOGY	P.4
5.1 REGIONAL GEOLOGY	p.4
5.2 PROPERTY GEOLOGY	P.4
6.0 WORK PROGRAM / METHODS	P.4
6.1 SOIL WORK	P.4
7.0 INTERPRETATION	P.5
7.1 SOIL WORK	P.5
8.0 RECOMMENDATION	P.5
9.0 REFERENCES CITED	P.5
10.0 COST	P.6
11.0 QUALIFICATION	P.6
Claim Map	
Arsenic Soil Map	Figure 1
Antimony Soil Map	Figure 2
Nickel Soil Map	Figure 3
Arsenic on Magnetic Map	Figure 4
Assay Data	Appendix
Soil GPS Data	Appendix

SUMMARY

A two day soil survey was undertaken on September 8 and 16, 2006. A total of 207 soils were collected. The soil survey was targeting a magnetic contact zone that may be the edge of a flat lying gabbro. The soil survey was hoping to uncover a gold, arsenic and antimony anomaly such as the White Property anomaly found 8 kilometers to the south west. The Cathy 2006 soil program outlined a nice arsenic and antimony anomaly but very little gold was detected.

1.0 INTRODUCTION

The Cathy 35-72 YC30575-YC30612, 89-120 YC30629-YC30660, 137-156 YC30677-YC30696 claims will be renewed for one year.

2.0 LOCATIONS AND ACCESS

The Cathy claims are located on NTS 115 O / 3 in the Dawson Mining District. The Property lies 92 kilometers south of Dawson City, Yukon. The claim block covers a north - south trending ridge. Access is via helicopter from Dawson City, Yukon.

3.0 PROPERTY DESCRIPTION

The Property consists of 90 full Quartz mining claims, which are registered in the Dawson Mining District. The Property covers 3105 hectares or 4500 acres.

4.0 PHYSIOGRAPHY

The property lies between the elevations of 1600 feet and 4000 feet. The entire property is covered with boreal forest vegetation such as white spruce and poplar on well-drained soil and black spruce on poorly drained frozen north facing slope.

5.0 REGIONAL AND PROPERTY GEOLOGY

5.1 REGIONAL GEOLOGY

The Yukon-Tanana terrane in the Stewart River area consists of twice-transposed, amphibolite-facies gneiss and schist of mostly of (?) Paleozoic age. Quartz-rich metaclastic rocks (quartzite, quartz-mica schist, psammite, conglomerate) appear to have deposited during the mid-Paleozoic, rather than the Proterozoic as previously suspected. Broadly contemporaneous amphibolite of intermediate to mafic composition interdigitates with , and lies structurally (and possibly stragraphically) above, the metaclastic rocks. Extensive orthogneiss (including augen granite) intrudes both. The orthogneiss and amphibolite formed the subvolcanic root and volcanic cover, respectively, of a Devonian-Mississippian island arc. These rocks served in turn as basement to a Permian magmatic arc, manifested as the Klondike schist and related plutons. A co-magmatic Permian orogeny resulted in extensive transposition and metamorphism of the mid- and late Paleozoic rocks. The Lucky Joe Cu-Au occurrence, of recent interest in the area, occurs generally within the complex, possibly structurally modified interface between metaclastic and amphibolite successions. (geology excerpt from Ryan @ Gordey 2003)

5.2 PROPERTY GEOLOGY

The Cathy Claims cover four different rock units. The rock units are all trending in a north south direction. The four units consist of the oldest to youngest Devonian to Mississippian unit one DMps , quartz mica schist , unit two DMA, amphibolite schist and gneiss Unit three Devonian and or Permian DPg a felsic gneiss and the final fourth unit is a Mid to Late Paleozoic mPum Ultra mafic to Gabro.,

6.0 WORK PROGRAM / METHODS

The Cathy claims seen seven man days of soil work with a contract soil sampling crew of Ryanwood Exploration. The Crew consists of Issac Fage, Don Marshall, Jeremy Duplisea, Matthew McHugh and Kyle McDougall. In total there was 207 soil sample collected.

6.1 SOIL WORK

The soil work consists of soil sampling with soil augers at an average depth of 60 centimeter. Soil sample where place in Kraft soil bags with sample numbers marked on the bags. A sample description of the color, depth, slope, and horizon and UTM location was noted in field notes. A Garmin 76 GPS was used to get the exact UTM location. All GPS soil sample location where electronically downloaded every evening back in town. Soil sample where taken at 50 and 100 meters intervals on soil traverse. All assay where process at the Acme Lab in Vancouver with Group 1DX: ICP - MS on 15 grams.

7.0 INTERPRETATION

7.1 SOIL WORK

The soil work indicated low gold values but a very nice arsenic and antimony anomaly following the contact of the magnetic high low contact. This magnetic high low contact is presumed to be (base on the nickel soil anomalies, Fig 3) the edge of the gabbro and sediment contact. This is the exact geological setting where we have found gold mineralization in sediments and in quartz veins on the White property 8 kilometers to the south west. The fact that we have a good arsenic and antimony soil anomaly following the exact same geological setting give me some hope that gold mineralization may be found somewhere along the magnetic high low contact.

8.0 RECOMMENDATION

I would recommend more soil work on 25 meter station spacing around the magnetic contact. Even though the soil work so far have not produced any real good gold anomalies I feel the claims still has some potential. With the right indicator elements being found (As, Sb) one may be only a 100 meter above or next to a gold system.

9.0 REFERENCES CITED

Ryan, J.J., Gordey, S.P., Glombick, P., Piercey, S.J., and Villeneuve, M.E., 2003: Update on Bedrock geological mapping of the Yukon-Tanana terrane, southern Stewart River map area, Yukon Territory. Current Research 2003.

Ryan, J.J. and Gordey, S.P. 2001. GSC Open File 3690 Geology of Thistle Creek Area, Yukon Territory.

10.0 COST

Assay Cost 207 sample @ \$18.00 per sample	\$3,726.00
Wage 7 man day @ \$250.00 per day	\$1,750.00
Helicopter cost 4.2 hours at \$1259.00	\$5,287.00
Report Writing	\$350.00

Total	\$11,114.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 8 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and Vlf surveys.


I have overseen the Cathy soil Survey.

I own 100 % of the Cathy claims and have now option the claims to International Gold Resource Inc.

Dated this 19 of October 2007 in Dawson City, Yukon.

Respectfully submitted

Shawn Ryan





Cathy 2006 Soils
As ppm

■ (Pink)	80 to 471	(7)
■ (Red)	40 to 80	(12)
■ (Orange)	20 to 40	(27)
● (Yellow)	10 to 20	(29)
• (Black)	1 to 10	(132)

RyanWood Exploration

S. Ryan	Cathy Claims
115 0 / 03	Arsenic Anomaly
Date: 17/10/2007	Figure 1
Scale: 1:50000	UTM Zone 7 (NAD 83)






Cathy 2006 Soils
Sb ppm

■	6 to 12.7	(2)
■	4 to 6	(4)
■	3 to 4	(2)
●	2 to 3	(3)
•	0.1 to 2	(196)

RyanWood Exploration

S. Ryan	Cathy Claims
115 0 / 03	Antimony Anomaly
Date: 17/10/2007	Figure 2
Scale: 1:50000	UTM Zone 7 (NAD 83)






Cathy 2006 Soils
Ni ppm

■	150 to 420	(22)
■	100 to 150	(15)
■	75 to 100	(8)
●	50 to 75	(25)
•	13 to 50	(137)

RyanWood Exploration

S. Ryan	Cathy Claims
115 0 / 03	Nickel Anomaly
Date: 17/10/2007	Figure 3
Scale: 1:50000	UTM Zone 7 (NAD 83)






**Cathy 2006 Soils
As ppm**

■ (Pink)	80 to 471	(7)
■ (Red)	40 to 80	(12)
■ (Orange)	20 to 40	(27)
● (Yellow)	10 to 20	(29)
• (Black)	1 to 10	(132)

RyanWood Exploration

S.Ryan	Cathy Claims
115 0 / 03	Magnetic Map
Date: 17/10/2007	Figure 4
Scale: 1:25000	UTM Zone 7 (NAD 83)



SAMPLES	GPS ID	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co
CA03708	CA03708	NAD83-7V	579647	7010005	1.3	18.8	10.1	51	0	23.3	8.2
CA03789	CA03789	NAD83-7V	579881	7009894	0.9	17.1	9.3	55	0	23.5	11.7
CA03790	CA03790	NAD83-7V	579841	7009886	1.3	20.5	14.3	60	0.1	23.7	10.2
CA03791	CA03791	NAD83-7V	579783	7009870	0.7	31.3	10.2	93	0	36	15.5
CA03792	CA03792	NAD83-7V	579747	7009893	0.8	23.5	10.1	69	0	26.8	12.5
CA03793	CA03793	NAD83-7V	579674	7009926	1	25.4	9.6	66	0.1	25.7	12.8
CA03828	CA03828	NAD83-7V	579606	7009947	1.6	68.4	10.8	87	0.2	64.4	19.5
CA03829	CA03829	NAD83-7V	579588	7009970	1.3	56.4	9.6	78	0.2	48.5	16
CA03830	CA03830	NAD83-7V	579546	7009945	2	59.6	9.6	78	0.5	52.2	11.9
CA03831	CA03831	NAD83-7V	579461	7009929	2.6	71.2	12	135	0.6	49.8	12.4
CA03832	CA03832	NAD83-7V	579415	7009927	2.1	39.3	12.3	119	0.3	31.4	9.8
CA03833	CA03833	NAD83-7V	579383	7009933	1.2	37.5	6.7	79	0.3	54.1	10.5
CA03834	CA03834	NAD83-7V	579323	7009934	1.4	67	7.5	96	0.2	163.6	18
CA03835	CA03835	NAD83-7V	579274	7009920	0.3	106.2	2.3	35	0.1	302.5	23.9
CA03836	CA03836	NAD83-7V	579213	7009929	0.5	37.3	4	30	0	51.9	9.7
CA03837	CA03837	NAD83-7V	579174	7009911	0.5	37.5	4.7	37	0	31.8	8.7
CA03838	CA03838	NAD83-7V	579105	7009890	0.7	24.5	6.1	50	0	27.4	12.5
CA03839	CA03839	NAD83-7V	579062	7009866	0.5	14.4	3.8	35	0	28.4	8.1
CA03840	CA03840	NAD83-7V	579077	7009970	0.8	22.9	6.6	72	0	21.1	9.1
CA03841	CA03841	NAD83-7V	579125	7009980	0.5	38.8	4	45	0	29.4	11.9
CA03842	CA03842	NAD83-7V	579175	7009967	0.6	23.8	6.9	42	0	27	9.4
CA03843	CA03843	NAD83-7V	579230	7009982	0.5	31.9	5.2	38	0	257.5	22.8
CA03844	CA03844	NAD83-7V	579272	7010006	0.4	53.6	2.9	25	0	192.7	16.3
CA03845	CA03845	NAD83-7V	579310	7010006	1.1	52.7	5.8	64	0.1	124.2	17.2
CA03846	CA03846	NAD83-7V	579345	7009981	0.6	41.1	6.4	51	0.3	97.2	13.1
CA03847	CA03847	NAD83-7V	579445	7010087	2.3	39.1	11.1	108	0.4	38.2	11.4
CA03848	CA03848	NAD83-7V	579457	7009992	2.1	58.7	8.4	76	0.2	57.6	22
CA03849	CA03849	NAD83-7V	579519	7009991	3.1	73.5	12.1	134	0.1	57	16.7
CA03850	CA03850	NAD83-7V	579606	7010001	1.3	20.6	9.4	66	0.2	26.1	10.5
CA03933	CA03933	NAD83-7V	578422	7011461	0.7	24	7.7	51	0	22.3	10.3
CA03934	CA03934	NAD83-7V	578468	7011473	0.9	22.7	8.5	51	0	23.1	10.4
CA03935	CA03935	NAD83-7V	578519	7011482	0.7	23.8	9.5	51	0	22.6	9.1
CA03936	CA03936	NAD83-7V	578568	7011493	0.8	22.5	8.7	52	0	21.9	8.8
CA03937	CA03937	NAD83-7V	578615	7011500	1.3	27.1	10.1	53	0	26.7	11
CA03938	CA03938	NAD83-7V	578666	7011514	1.1	14.5	8.3	55	0	18.5	10.2
CA03939	CA03939	NAD83-7V	578713	7011520	0.9	28.8	9	43	0.2	17.8	7

SAMPLES	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
CA03708	221	2.47	12.3	0.6	1.4	5.1	21	0.1	0.4	0.1	62	0.26
CA03789	520	2.86	8.6	0.5	1.4	4.9	16	0.1	0.5	0.2	64	0.15
CA03790	383	3.06	7.3	0.6	1.1	6.1	17	0.1	0.4	0.2	64	0.15
CA03791	308	3.93	4.8	0.7	1.7	11.8	14	0.1	0.3	0.1	54	0.17
CA03792	360	3.24	5.8	0.7	2.4	7.4	19	0.1	0.4	0.1	61	0.21
CA03793	433	2.94	10.7	1.1	2.9	6.2	32	0.1	0.4	0.1	57	0.42
CA03828	749	4.6	35.2	1.2	23.3	7.7	34	0.2	1.4	0.1	89	0.59
CA03829	613	3.6	24.4	1.5	14.3	6.2	45	0.2	0.9	0.1	78	0.81
CA03830	521	3.63	78.1	1.1	26.1	2.2	52	0.5	2.9	0.2	58	1.19
CA03831	530	3.47	48.1	2.1	3.2	4.5	43	0.9	1.1	0.2	71	0.62
CA03832	623	3.43	31.9	1.4	0.8	4.8	45	0.7	0.8	0.2	62	0.39
CA03833	355	2.68	33.5	0.8	4.4	3.7	26	0.3	0.8	0.1	55	0.47
CA03834	393	2.65	48.8	1	1.2	4	16	0.3	1.8	0.1	55	0.34
CA03835	211	2.2	1.6	0.5	1.1	0.6	30	0.2	0.2	0	51	0.92
CA03836	138	1.7	3	0.3	3.1	1.3	13	0	0.2	0.1	43	0.25
CA03837	182	2.02	5.4	0.2	0.8	1.5	15	0.1	0.3	0.1	54	0.26
CA03838	252	2.54	5.3	0.3	2.1	1.6	12	0.1	0.4	0.1	61	0.15
CA03839	379	1.66	2.1	0.2	0.5	1.1	14	0.1	0.2	0.1	41	0.22
CA03840	1232	2.34	5.1	0.2	0.8	1.3	33	0.3	0.4	0.1	56	0.51
CA03841	251	2.15	5	0.3	1.1	1.8	16	0.1	0.3	0.1	56	0.26
CA03842	208	2.28	6.5	0.4	1.2	2.4	18	0.1	0.4	0.1	58	0.23
CA03843	524	2.66	3.9	0.5	1.6	1.7	21	0.1	0.2	0.1	60	0.41
CA03844	316	1.67	1.8	0.3	0	0.7	18	0.1	0.1	0	42	0.49
CA03845	514	2.52	6.5	0.5	0.5	2.5	28	0.2	0.4	0.1	60	0.47
CA03846	375	2.63	6.5	0.7	6.4	3.1	22	0.2	0.3	0.1	59	0.36
CA03847	1025	3.18	38.3	0.8	0	3.4	19	1.1	1.1	0.2	56	0.21
CA03848	1215	5.01	99.2	0.5	9.8	1.1	44	0.8	3.6	0.2	80	0.65
CA03849	959	7.07	128.3	0.6	9.8	1.8	33	1	2.9	0.2	81	0.28
CA03850	610	2.98	18.1	0.5	5.2	2.7	21	0.3	0.7	0.2	62	0.21
CA03933	331	2.66	23	0.6	2.3	3.1	21	0.1	1.1	0.1	56	0.25
CA03934	309	2.72	20.9	0.7	2.1	2.9	22	0.1	0.9	0.1	66	0.26
CA03935	324	2.53	29	0.9	1.9	3.8	25	0.1	1.2	0.1	52	0.29
CA03936	271	2.58	20.2	0.7	3.2	3.5	22	0.1	1	0.1	56	0.25
CA03937	380	2.74	23.8	1	4.7	2.8	28	0.1	1	0.1	61	0.33
CA03938	417	2.57	20.4	0.5	1.4	2.6	17	0.2	0.9	0.2	64	0.17
CA03939	214	2.14	13.4	1	1.3	2.2	27	0.2	0.5	0.2	47	0.26

SAMPLES	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg
CA03708	0.028	18	36	0.66	190	0.097	0	1.49	0.011	0.16	0.1	0.03
CA03789	0.023	10	33	0.6	170	0.073	1	1.83	0.009	0.09	0.1	0.01
CA03790	0.021	14	35	0.57	190	0.103	0	1.8	0.009	0.18	0.1	0.02
CA03791	0.038	27	46	0.98	181	0.158	0	2.3	0.011	0.62	0.1	0.01
CA03792	0.021	21	40	0.76	186	0.139	0	1.8	0.012	0.17	0.1	0.01
CA03793	0.049	29	36	0.66	340	0.086	0	1.67	0.014	0.11	0.1	0.03
CA03828	0.09	39	75	0.94	605	0.081	1	1.6	0.012	0.35	0.2	0.06
CA03829	0.075	41	66	0.91	663	0.089	1	1.86	0.014	0.32	0.2	0.08
CA03830	0.059	19	38	0.41	1248	0.018	3	1.22	0.012	0.14	0.3	0.18
CA03831	0.092	25	35	0.94	908	0.047	1	1.71	0.014	0.3	0.1	0.09
CA03832	0.07	19	25	0.89	566	0.056	1	1.49	0.013	0.41	0.1	0.03
CA03833	0.079	14	45	0.7	239	0.064	1	1.12	0.02	0.12	0.2	0.03
CA03834	0.048	15	106	0.91	239	0.046	0	1.2	0.013	0.07	0.1	0.02
CA03835	0.042	4	268	2.26	181	0.075	1	1.77	0.014	0.03	0.1	0.02
CA03836	0.033	6	56	0.74	90	0.081	0	1.21	0.014	0.02	0.1	0
CA03837	0.025	5	42	0.66	105	0.076	0	1.47	0.017	0.04	0.1	0.01
CA03838	0.048	6	36	0.59	134	0.076	0	1.63	0.012	0.05	0.1	0.01
CA03839	0.023	4	37	0.41	182	0.056	1	1.14	0.015	0.02	0.1	0
CA03840	0.081	6	29	0.42	333	0.055	2	1.44	0.014	0.05	0.1	0.02
CA03841	0.018	8	42	0.71	95	0.106	1	1.49	0.012	0.04	0.1	0
CA03842	0.019	9	36	0.57	173	0.07	0	1.6	0.015	0.03	0.1	0.02
CA03843	0.028	8	166	1.53	200	0.058	0	1.77	0.019	0.03	0.1	0.02
CA03844	0.027	4	143	1.19	168	0.054	0	1.19	0.019	0.03	0.1	0.01
CA03845	0.05	14	100	1.19	254	0.084	1	1.59	0.016	0.31	0.2	0.02
CA03846	0.049	15	86	1.01	303	0.076	0	1.59	0.017	0.06	0.1	0.02
CA03847	0.056	13	24	0.54	530	0.063	1	1.28	0.011	0.17	0.1	0.03
CA03848	0.088	8	50	0.34	1391	0.012	3	1.11	0.012	0.17	0.3	0.12
CA03849	0.108	11	30	0.16	1190	0.004	2	0.7	0.005	0.13	0.2	0.05
CA03850	0.034	11	34	0.43	392	0.056	0	1.43	0.012	0.08	0.1	0.01
CA03933	0.041	16	31	0.48	159	0.076	2	1.46	0.016	0.04	0.1	0.04
CA03934	0.037	13	35	0.5	197	0.077	1	1.75	0.015	0.04	0.1	0.04
CA03935	0.042	16	29	0.48	197	0.069	0	1.3	0.016	0.04	0.1	0.04
CA03936	0.043	15	32	0.44	190	0.073	0	1.51	0.014	0.04	0.1	0.03
CA03937	0.054	14	39	0.54	265	0.054	2	1.75	0.02	0.04	0.2	0.04
CA03938	0.056	10	29	0.45	138	0.06	1	1.39	0.01	0.05	0.3	0.02
CA03939	0.051	12	25	0.34	219	0.041	1	1.49	0.015	0.04	0.1	0.04

SAMPLES	Sc	Tl	S	Ga	Se	Analysis:	Acme file
CA03708	3.3	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA03789	2.8	0.1	0	5	0.5	GROUP 1DX - 15.0 GM	A608129
CA03790	3.2	0.2	0	6	0.6	GROUP 1DX - 15.0 GM	A608129
CA03791	4.2	0.4	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA03792	3.7	0.2	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA03793	4	0.1	0	5	0.6	GROUP 1DX - 15.0 GM	A608129
CA03828	9.9	0.3	0	6	0.8	GROUP 1DX - 15.0 GM	A608129
CA03829	7.7	0.3	0	6	0.7	GROUP 1DX - 15.0 GM	A608129
CA03830	9.6	0.2	0	4	0.8	GROUP 1DX - 15.0 GM	A608129
CA03831	7.1	0.3	0.09	6	1.7	GROUP 1DX - 15.0 GM	A608129
CA03832	5.6	0.3	0.1	5	1.7	GROUP 1DX - 15.0 GM	A608129
CA03833	4.6	0.2	0	4	0.5	GROUP 1DX - 15.0 GM	A608129
CA03834	4.7	0.1	0	4	0.8	GROUP 1DX - 15.0 GM	A608129
CA03835	4.4	0.1	0	5	0.5	GROUP 1DX - 15.0 GM	A608129
CA03836	2.1	0.1	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA03837	2.6	0.1	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA03838	2.3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03839	2.1	0.1	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA03840	2.2	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03841	2.8	0.1	0	4	0.5	GROUP 1DX - 15.0 GM	A608129
CA03842	3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03843	3.7	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA03844	3.4	0	0	3	0	GROUP 1DX - 15.0 GM	A608129
CA03845	4	0.2	0.06	5	0.6	GROUP 1DX - 15.0 GM	A608129
CA03846	4.6	0.1	0	5	0.6	GROUP 1DX - 15.0 GM	A608129
CA03847	3.2	0.2	0	5	0.8	GROUP 1DX - 15.0 GM	A608129
CA03848	10.9	0.2	0.07	4	0	GROUP 1DX - 15.0 GM	A608129
CA03849	10.3	0.2	0.07	3	0.7	GROUP 1DX - 15.0 GM	A608129
CA03850	3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03933	3.7	0.1	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA03934	4	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03935	4.1	0.1	0	4	0.6	GROUP 1DX - 15.0 GM	A608129
CA03936	3.7	0.1	0	5	0.6	GROUP 1DX - 15.0 GM	A608129
CA03937	4.3	0.1	0	5	0.5	GROUP 1DX - 15.0 GM	A608129
CA03938	2.5	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03939	3.5	0.1	0	6	0.6	GROUP 1DX - 15.0 GM	A608129

SAMPLES	GPS ID	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co
CA03940	CA03940	NAD83-7V	578762	7011528	0.9	19.9	8.6	57	0	21.2	9.3
CA03941	CA03941	NAD83-7V	578812	7011543	1.2	25	9.3	53	0	35.6	9.8
CA03942	CA03942	NAD83-7V	578861	7011549	0.5	64	4	65	0	313.1	31.7
CA03943	CA03943	NAD83-7V	578918	7011557	1.2	23.8	8.5	62	0.1	41.6	10.2
CA03944	CA03944	NAD83-7V	578958	7011568	2	46.4	10	95	0.3	43.4	11.7
CA03945	CA03945	NAD83-7V	579008	7011577	2	28.9	12.5	80	0.3	47.3	10.2
CA03946	CA03946	NAD83-7V	579064	7011595	5.5	80.7	27.8	235	0.4	76.8	15.1
CA03947	CA03947	NAD83-7V	579106	7011596	3.7	49.9	17.9	108	0.4	31	7.3
CA03948	CA03948	NAD83-7V	579154	7011609	5.7	42.4	35.9	150	0.4	40	10.1
CA03949	CA03949	NAD83-7V	579176	7011421	5.3	57	17.5	169	0.5	51.7	14.6
CA03950	CA03950	NAD83-7V	579135	7011415	3.9	28.3	9.9	73	0.2	22.5	5.5
CA03951	CA03951	NAD83-7V	579082	7011404	2.6	31.9	11.7	76	0.2	40.5	9.1
CA03952	CA03952	NAD83-7V	579038	7011397	2.2	57.7	11.6	122	0.2	117.2	16.3
CA03953	CA03953	NAD83-7V	578986	7011377	1.3	33.2	8.9	76	0	239.8	26.9
CA03954	CA03954	NAD83-7V	578939	7011369	1.1	28.7	7.9	60	0.2	43.8	12.1
CA03955	CA03955	NAD83-7V	578891	7011353	1	25.1	7.7	49	0	30.3	8.8
CA03956	CA03956	NAD83-7V	578842	7011349	0.9	27.6	9.7	60	0	42	12
CA03957	CA03957	NAD83-7V	578790	7011338	0.9	24.4	11.4	54	0.2	24	11.8
CA03958	CA03958	NAD83-7V	578743	7011328	0.8	17.6	9.4	40	0	13.4	6.2
CA03959	CA03959	NAD83-7V	578680	7011316	0.9	21.6	9.7	49	0	22.2	9.5
CA03960	CA03960	NAD83-7V	578647	7011303	1.2	17	10	53	0.1	22.7	17.4
CA03961	CA03961	NAD83-7V	578595	7011295	1	23.6	9	45	0	21.6	9
CA03962	CA03962	NAD83-7V	578546	7011279	0.7	24	8.3	51	0	22.2	10.2
CA03963	CA03963	NAD83-7V	578497	7011269	1	27.8	8.8	58	0	26.7	11.6
CA03964	CA03964	NAD83-7V	578454	7011258	1.4	26.7	11.6	61	0.2	25.9	14.5
CA03968	CA03968	NAD83-7V	579878	7010097	1.3	43.8	10.9	111	0	52.7	20.1
CA03969	CA03969	NAD83-7V	579827	7010099	0.9	41.2	9.4	96	0.1	40.5	17.9
CA03970	CA03970	NAD83-7V	579776	7010094	0.9	34.4	10.8	93	0	36.1	15.9
CA03971	CA03971	NAD83-7V	579728	7010094	1.3	24	10	66	0.1	26.3	13
CA03972	CA03972	NAD83-7V	579677	7010092	1.7	66.1	11.1	117	0.1	62.7	21.4
CA03973	CA03973	NAD83-7V	579627	7010089	1.2	88.4	9.7	101	0	100.6	26
CA03974	CA03974	NAD83-7V	579576	7010087	2.5	44.6	12.4	80	0.4	46.4	12.9
CA03975	CA03975	NAD83-7V	579527	7010085	1.7	39.8	13.9	83	0.2	43.1	15.5
CA03976	CA03976	NAD83-7V	579476	7010085	3.6	38.8	61.9	115	0.2	40.4	11.1
CA03977	CA03977	NAD83-7V	579425	7010103	2.1	49.8	10	112	0.7	58.7	14.1
CA03978	CA03978	NAD83-7V	579375	7010099	2.1	51.1	12.2	117	0.3	49.8	11.7

SAMPLES	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
CA03940	295	2.4	24.8	0.9	2.4	3.8	19	0.2	1	0.1	53	0.21
CA03941	254	2.7	18.9	0.9	2	2.8	23	0.1	0.7	0.2	66	0.27
CA03942	728	3.9	21.2	0.5	2.2	2.4	24	0.1	0.4	0.1	100	0.58
CA03943	258	2.76	9	0.5	1.2	3.5	19	0.1	0.4	0.2	68	0.24
CA03944	316	3.35	40.6	1.2	2.4	5.8	24	0.2	0.6	0.2	72	0.19
CA03945	233	3.42	147.3	0.6	2.8	3.4	17	0.3	2.5	0.2	65	0.17
CA03946	390	4.11	75.4	3.2	3.4	6	68	1	5.3	0.4	90	0.29
CA03947	301	3.56	82.1	1.3	1.8	5.9	69	0.3	4.8	0.2	79	0.16
CA03948	253	3.09	183.7	1.2	2.3	1.3	40	0.5	5.2	0.2	64	0.15
CA03949	443	3.51	58.7	1.4	1.8	3.4	43	1.4	1.6	0.2	66	0.38
CA03950	168	2.21	39	0.8	2.2	3.1	24	0.3	0.9	0.2	69	0.17
CA03951	334	2.92	40.3	0.9	2.5	4	21	0.3	0.8	0.2	78	0.17
CA03952	410	4.37	29.1	1.2	1.3	6.1	21	0.3	0.6	0.2	105	0.13
CA03953	474	4.05	35.4	0.8	1.9	6.7	23	0.1	0.3	0.2	84	0.33
CA03954	274	3.77	9.9	0.3	1.5	2.1	12	0.1	0.4	0.2	95	0.16
CA03955	235	2.54	9.2	0.6	4.6	2.8	21	0.1	0.4	0.1	65	0.33
CA03956	479	2.82	32.3	0.9	1.7	3.2	23	0.2	1	0.1	59	0.28
CA03957	457	2.56	33.4	1	2.5	1.4	20	0.1	1	0.2	57	0.21
CA03958	219	1.91	13.8	0.6	2.2	2	17	0.1	0.4	0.2	47	0.18
CA03959	313	2.65	23.7	1	3.4	4.3	19	0.1	1	0.1	59	0.21
CA03960	541	3.04	17.9	0.6	1.9	2.5	16	0.2	0.7	0.2	64	0.17
CA03961	222	2.95	12.7	0.9	2.3	2.3	18	0.1	0.6	0.2	67	0.2
CA03962	267	2.79	9.4	0.7	3	3.9	22	0.1	0.5	0.1	65	0.24
CA03963	363	3.05	10.5	1.2	3.6	4.4	24	0.1	0.6	0.2	69	0.23
CA03964	431	3.51	16.2	1.1	2.5	4.4	18	0.1	0.8	0.2	77	0.17
CA03968	623	4.84	7.2	3	4.1	18.1	24	0.1	0.7	0.1	56	0.36
CA03969	591	4.39	5.5	2.5	4.3	15.5	23	0.1	0.5	0.1	56	0.34
CA03970	433	3.88	4.5	1.3	2.7	15.7	21	0.1	0.3	0.1	54	0.26
CA03971	501	3.09	7.7	1.4	3	6.6	26	0.1	0.6	0.1	59	0.29
CA03972	736	4.27	27.6	1.2	3.1	9.5	32	0.3	0.6	0.3	124	0.55
CA03973	901	5.83	15.2	1.2	1.5	10.7	39	0.2	0.2	0.1	190	0.64
CA03974	876	3.55	72.7	0.9	5	4.9	20	0.3	1.1	0.2	96	0.3
CA03975	721	3.93	31.2	2.4	5.7	10.3	53	0.1	0.8	0.1	60	0.8
CA03976	670	3.66	470.3	0.7	1.3	3.9	31	1.2	12.7	0.2	56	0.31
CA03977	824	3.05	36.8	1.5	1.8	4.3	39	0.6	0.9	0.2	62	1.11
CA03978	292	3.77	26.9	1	0.8	5.8	17	0.3	0.8	0.2	85	0.19

SAMPLES	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg
CA03940	0.041	13	28	0.4	174	0.056	2	1.29	0.013	0.05	0.1	0.03
CA03941	0.044	11	50	0.57	191	0.061	2	1.69	0.014	0.05	0.2	0.03
CA03942	0.052	9	312	2.53	231	0.094	1	2.22	0.015	0.05	0.1	0.02
CA03943	0.031	10	50	0.78	182	0.099	1	1.63	0.013	0.1	0.2	0.02
CA03944	0.049	16	49	0.94	344	0.105	0	1.83	0.016	0.37	0.1	0.01
CA03945	0.036	9	42	0.48	277	0.05	1	1.44	0.008	0.1	0.1	0.02
CA03946	0.107	22	46	0.62	398	0.033	1	1.43	0.014	0.33	0.1	0.07
CA03947	0.073	14	37	1.11	408	0.092	0	1.59	0.033	0.33	0.1	0.04
CA03948	0.095	10	29	0.29	376	0.012	2	1.02	0.006	0.13	0.2	0.12
CA03949	0.072	11	27	0.4	447	0.015	3	1.05	0.011	0.1	0.2	0.11
CA03950	0.047	10	27	0.4	267	0.071	1	0.96	0.014	0.17	0.1	0.02
CA03951	0.048	12	40	0.59	315	0.098	1	1.32	0.012	0.26	0.2	0.02
CA03952	0.062	18	95	1.11	296	0.116	0	1.7	0.015	0.39	0.1	0.02
CA03953	0.038	24	214	2.12	276	0.147	1	2.92	0.012	0.33	0.1	0.01
CA03954	0.033	7	68	0.8	216	0.105	0	1.9	0.012	0.09	0.1	0.02
CA03955	0.034	9	47	0.56	182	0.07	0	1.64	0.015	0.05	0.2	0.04
CA03956	0.053	14	51	0.56	219	0.051	0	1.51	0.011	0.06	0.1	0.05
CA03957	0.059	12	30	0.36	223	0.031	2	1.52	0.01	0.05	0.2	0.07
CA03958	0.043	11	23	0.31	133	0.056	2	1.24	0.012	0.04	0.1	0.02
CA03959	0.035	15	32	0.39	150	0.062	1	1.38	0.011	0.04	0.1	0.04
CA03960	0.049	10	34	0.43	146	0.05	1	1.89	0.009	0.04	0.2	0.03
CA03961	0.037	12	33	0.47	177	0.064	1	1.88	0.012	0.04	0.1	0.03
CA03962	0.02	14	35	0.55	192	0.07	1	1.65	0.012	0.03	0.1	0.02
CA03963	0.014	16	43	0.56	238	0.08	0	1.93	0.016	0.05	0.1	0.04
CA03964	0.023	12	43	0.53	225	0.068	0	2.59	0.013	0.04	0.1	0.05
CA03968	0.06	48	54	0.93	210	0.176	0	2.08	0.011	0.92	0.1	0.03
CA03969	0.048	46	50	0.96	207	0.197	0	2.14	0.013	0.89	0.1	0.03
CA03970	0.051	38	45	0.91	207	0.151	0	2.21	0.011	0.6	0.1	0.02
CA03971	0.055	33	40	0.69	231	0.089	1	1.93	0.012	0.13	0.1	0.06
CA03972	0.116	44	116	1.79	418	0.087	0	2.74	0.009	0.57	0.1	0.04
CA03973	0.139	48	196	2.63	1053	0.202	0	3.46	0.018	1.12	0.1	0.03
CA03974	0.059	24	73	0.79	747	0.086	0	1.64	0.013	0.23	0.2	0.12
CA03975	0.091	67	51	0.85	533	0.09	0	1.89	0.012	0.42	0.1	0.13
CA03976	0.027	12	38	0.29	752	0.014	3	1.34	0.012	0.09	0.1	0.05
CA03977	0.072	21	38	0.74	806	0.045	3	1.31	0.011	0.28	0.1	0.07
CA03978	0.042	17	45	1.13	317	0.077	0	1.94	0.009	0.18	0.1	0.02

SAMPLES	Sc	Tl	S	Ga	Se	Analysis:	Acme file
CA03940	3.1	0.1	0	5	0.6	GROUP 1DX - 15.0 GM	A608129
CA03941	3.7	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA03942	9.4	0.1	0	8	0.5	GROUP 1DX - 15.0 GM	A608129
CA03943	3.3	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA03944	3.3	0.3	0.12	6	1.1	GROUP 1DX - 15.0 GM	A608129
CA03945	3.2	0.1	0	5	0.7	GROUP 1DX - 15.0 GM	A608129
CA03946	7.6	0.4	0.33	6	2.3	GROUP 1DX - 15.0 GM	A608129
CA03947	4.6	0.6	0.42	6	2.7	GROUP 1DX - 15.0 GM	A608129
CA03948	2.7	0.3	0.15	4	2	GROUP 1DX - 15.0 GM	A608129
CA03949	5.6	0.2	0.07	4	2.2	GROUP 1DX - 15.0 GM	A608129
CA03950	2.4	0.2	0.09	6	0.9	GROUP 1DX - 15.0 GM	A608129
CA03951	3.5	0.2	0.06	7	0.7	GROUP 1DX - 15.0 GM	A608129
CA03952	4.9	0.3	0.15	8	0.7	GROUP 1DX - 15.0 GM	A608129
CA03953	6.2	0.3	0	9	0.6	GROUP 1DX - 15.0 GM	A608129
CA03954	3.6	0.1	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA03955	3.5	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03956	4.2	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03957	3.3	0.2	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03958	2.5	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA03959	3.3	0.1	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA03960	2.8	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA03961	3.8	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA03962	4.6	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03963	6.1	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03964	5.3	0.2	0	7	0.8	GROUP 1DX - 15.0 GM	A608129
CA03968	6.3	0.5	0	8	0	GROUP 1DX - 15.0 GM	A608129
CA03969	5.2	0.5	0	8	0	GROUP 1DX - 15.0 GM	A608129
CA03970	4.5	0.4	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA03971	4.2	0.1	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA03972	8.2	0.6	0	11	0	GROUP 1DX - 15.0 GM	A608129
CA03973	13.4	0.6	0	14	0	GROUP 1DX - 15.0 GM	A608129
CA03974	6.4	0.2	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA03975	6.7	0.3	0.09	6	0.8	GROUP 1DX - 15.0 GM	A608129
CA03976	4.4	0.2	0	4	1.1	GROUP 1DX - 15.0 GM	A608129
CA03977	5.3	0.3	0.07	5	1.2	GROUP 1DX - 15.0 GM	A608129
CA03978	5.4	0.2	0	6	1.1	GROUP 1DX - 15.0 GM	A608129

SAMPLES	GPS ID	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co
CA03979	CA03979	NAD83-7V	579324	7010092	0.5	50.9	3.3	42	0	143.4	15.3
CA03980	CA03980	NAD83-7V	579275	7010090	1	23.3	6.2	36	0	253.7	16.2
CA03981	CA03981	NAD83-7V	579223	7010082	0.5	42.8	3.3	31	0	75.5	11.8
CA03982	CA03982	NAD83-7V	579175	7010080	0.4	61.2	2.8	33	0	420	22.6
CA03983	CA03983	NAD83-7V	579125	7010073	0.4	39.4	2.9	42	0	213.7	22.6
CA03984	CA03984	NAD83-7V	579074	7010070	0.9	28.2	7.1	45	0	28.6	12.3
CA03985	CA03985	NAD83-7V	579073	7010166	0.4	85.2	4	32	0	67.4	10
CA03986	CA03986	NAD83-7V	579124	7010175	0.5	35.8	6.2	41	0	227.6	23
CA03987	CA03987	NAD83-7V	579170	7010175	0.4	30.5	4.6	32	0	196.6	17.4
CA03988	CA03988	NAD83-7V	579221	7010176	0.8	39.8	6	38	0	105.7	14.5
CA03989	CA03989	NAD83-7V	579271	7010180	0.6	45.1	4.4	55	0	164.3	18.6
CA03990	CA03990	NAD83-7V	579322	7010180	1.9	55.5	11.5	121	0.4	57.8	12.3
CA03991	CA03991	NAD83-7V	579373	7010183	1.8	40.7	8.2	110	0.4	46.6	10.2
CA03992	CA03992	NAD83-7V	579423	7010178	1.7	51.2	9.4	96	0.5	138.9	16.6
CA03993	CA03993	NAD83-7V	579423	7010177	2.7	34.7	22.4	103	0.7	36	10.6
CA03994	CA03994	NAD83-7V	579471	7010193	2.2	25.6	20.9	76	0.3	38	8.8
CA03995	CA03995	NAD83-7V	579521	7010189	1.5	18.2	11.1	44	0.1	18.2	9.8
CA04536	CA04536	NAD83-7V	579232	7009005	1.2	27.4	7.1	55	0	115.3	44.5
CA04605	CA04605	NAD83-7V	581326	7007156	0.8	22.9	32	91	0	56	18.9
CA04606	CA04606	NAD83-7V	581226	7007161	1.4	36.2	49.7	82	0.1	35.5	15.2
CA04607	CA04607	NAD83-7V	581126	7007170	1.4	26.2	30.8	75	0	34.7	14.9
CA04608	CA04608	NAD83-7V	581025	7007174	1.9	55.6	62.3	118	0	40.3	13.5
CA04609	CA04609	NAD83-7V	580924	7007180	1	27.9	27.8	86	0.1	31	14
CA04610	CA04610	NAD83-7V	580824	7007170	1.7	28.7	21.7	107	0.1	35.5	14.4
CA04611	CA04611	NAD83-7V	580721	7007164	1.5	43	11.8	112	0.1	48.9	14.5
CA04612	CA04612	NAD83-7V	580624	7007193	1.6	43.8	12.2	82	0	59.2	13.5
CA04613	CA04613	NAD83-7V	580518	7007208	1.5	31.9	12.7	66	0.3	29.2	9.5
CA04614	CA04614	NAD83-7V	580418	7007249	1.3	30.5	13.1	76	0.3	26.7	9
CA04615	CA04615	NAD83-7V	580310	7007270	1.7	48.9	16.6	100	0.2	36.6	13.3
CA04616	CA04616	NAD83-7V	580165	7007313	19.8	63.6	35.9	188	0.9	53.2	9.9
CA04617	CA04617	NAD83-7V	580128	7007409	1.3	54.5	10.7	100	0.3	129.8	18.4
CA04618	CA04618	NAD83-7V	580087	7007506	1.4	61.1	16.3	103	0.3	120.5	17.1
CA04619	CA04619	NAD83-7V	580016	7007685	0.6	42.5	18.4	61	0	241.5	25.6
CA04620	CA04620	NAD83-7V	579980	7007780	1.1	40.7	12.4	65	0.2	135.5	18.8
CA04621	CA04621	NAD83-7V	579955	7007878	0.7	51.7	5.5	59	0.1	278.1	26.8
CA04622	CA04622	NAD83-7V	579907	7007974	0.8	28.2	7.3	54	0.1	95.5	12.2

SAMPLES	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
CA03979	324	2.37	4.3	0.4	1	1.7	17	0.1	0.2	0.1	65	0.4
CA03980	287	2.66	6.8	0.3	1.6	1.8	16	0.1	0.3	0.1	55	0.23
CA03981	216	2.08	2.8	0.3	1.4	1.2	15	0.1	0.2	0.1	58	0.32
CA03982	344	2.1	2.5	0.3	2.2	0.9	16	0.1	0.2	0	54	0.52
CA03983	256	3.03	4	0.2	0	0.9	7	0	0.2	0	85	0.12
CA03984	225	2.66	8.1	0.3	1.3	2.2	14	0.1	0.5	0.1	60	0.21
CA03985	217	1.92	3.7	0.9	3.1	1.9	14	0	0.2	0.1	47	0.35
CA03986	221	2.9	4.4	0.6	0.9	2.5	14	0	0.3	0.1	101	0.23
CA03987	182	1.94	3.9	0.3	1	1.6	12	0	0.2	0.1	45	0.2
CA03988	438	2.26	5.1	0.7	2.5	2.4	20	0.1	0.3	0.1	53	0.33
CA03989	288	3.11	7	0.5	1.6	3.4	21	0.1	0.3	0.1	77	0.37
CA03990	412	3.78	34.6	1	1.5	7.7	13	0.6	1.5	0.3	76	0.23
CA03991	328	3.63	31	0.9	1.1	4.8	13	0.4	0.8	0.2	68	0.14
CA03992	618	2.88	49.9	1.6	1.6	2.6	38	0.6	1.3	0.2	73	0.95
CA03993	605	2.68	171.5	0.7	3.2	1.9	42	1.9	4.3	0.2	50	0.38
CA03994	403	2.83	53.3	0.6	1.8	2.1	31	0.4	1.8	0.2	58	0.25
CA03995	442	2.4	46.5	0.4	3.4	2.1	36	0.1	3.9	0.2	52	0.42
CA04536	1741	2.74	4.4	0.6	1.4	2.3	12	0.1	0.2	0.1	60	0.16
CA04605	517	5.14	5.5	1	1.2	14.6	10	0.1	0.3	0.2	84	0.1
CA04606	480	3.8	5.9	1.4	1.8	9.6	22	0.1	0.3	0.3	83	0.22
CA04607	467	3.75	5.2	0.9	1.7	6.5	22	0.1	0.3	0.2	79	0.27
CA04608	453	4.76	9.5	1.6	1.2	10	36	0.1	0.6	0.4	102	0.29
CA04609	436	3.57	8.6	1.4	6.3	7.5	24	0.1	0.3	0.2	72	0.31
CA04610	597	3.44	14.4	1.3	1.8	5.6	21	0.3	0.6	0.2	72	0.25
CA04611	483	3.25	13.1	1.2	3.2	5.6	19	0.4	0.6	0.2	66	0.24
CA04612	326	3.26	29.4	1.6	4.6	5	16	0.3	0.8	0.2	66	0.12
CA04613	255	2.82	12	1.4	6.2	3.3	19	0.2	0.4	0.2	66	0.18
CA04614	226	2.68	11.2	1.1	6.4	2.7	20	0.2	0.4	0.2	60	0.22
CA04615	347	3.69	11.4	1.3	3.5	6.4	26	0.3	0.5	0.2	74	0.28
CA04616	219	3.39	59.2	1.8	3.1	0.7	29	0.6	8.1	0.3	57	0.17
CA04617	531	3.06	14	1.2	0	1.8	71	0.5	1.8	0.1	70	1.58
CA04618	477	2.79	1.9	1.5	0.6	2.8	45	0.6	0.2	0.1	81	1.11
CA04619	424	2.93	2.5	0.5	2.6	1.7	23	0.2	0.2	0.1	82	0.53
CA04620	315	2.79	2.7	0.6	0.5	1.8	19	0.1	0.2	0.1	75	0.39
CA04621	533	2.71	3	0.6	1.5	2	22	0.1	0.2	0.1	61	0.45
CA04622	214	2.33	3.8	0.7	1.7	2	18	0.1	0.2	0.1	56	0.27

SAMPLES	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg
CA03979	0.042	7	147	1.47	202	0.071	0	1.59	0.012	0.04	0.1	0.02
CA03980	0.017	6	116	0.7	158	0.046	2	1.31	0.011	0.03	0.1	0.01
CA03981	0.045	5	62	0.86	150	0.056	0	1.37	0.017	0.03	0.1	0.01
CA03982	0.053	3	166	1.54	132	0.07	0	1.46	0.025	0.03	0.1	0.02
CA03983	0.016	4	268	2.84	69	0.081	0	2.57	0.01	0.02	0.1	0.01
CA03984	0.04	6	40	0.64	151	0.077	0	1.94	0.014	0.05	0.2	0.01
CA03985	0.046	8	72	0.81	153	0.08	0	1.3	0.019	0.06	0.1	0.02
CA03986	0.043	9	199	1.34	149	0.05	0	1.56	0.012	0.02	0.1	0.02
CA03987	0.02	5	109	1.11	105	0.056	0	1.45	0.014	0.02	0.1	0.01
CA03988	0.051	10	55	0.77	223	0.05	0	1.3	0.016	0.03	0.2	0.02
CA03989	0.061	12	217	1.47	223	0.086	2	2.15	0.011	0.05	0.1	0.01
CA03990	0.071	31	44	0.93	616	0.097	0	1.74	0.009	0.39	0.1	0.02
CA03991	0.032	13	40	0.81	306	0.108	0	1.62	0.009	0.42	0.1	0.01
CA03992	0.094	17	100	1.16	602	0.05	2	1.48	0.015	0.21	0.1	0.09
CA03993	0.115	9	24	0.35	538	0.031	0	1.06	0.012	0.09	0.1	0.03
CA03994	0.047	6	31	0.45	965	0.029	0	1.52	0.009	0.09	0.2	0.03
CA03995	0.032	7	31	0.42	1151	0.039	3	1.29	0.013	0.11	0.1	0.06
CA04536	0.059	11	140	1.11	109	0.081	0	1.29	0.01	0.1	0.1	0.02
CA04605	0.029	13	211	1.29	157	0.261	0	3.47	0.01	0.8	0.1	0.03
CA04606	0.059	35	66	1.06	287	0.172	0	2.25	0.012	0.47	0.1	0.03
CA04607	0.073	17	57	0.93	203	0.178	0	1.98	0.012	0.35	0.1	0.01
CA04608	0.081	32	76	1.2	383	0.239	0	2.6	0.015	0.78	0.1	0.02
CA04609	0.059	22	50	0.79	312	0.146	0	1.98	0.015	0.26	0.1	0.02
CA04610	0.07	19	47	0.84	268	0.122	0	1.9	0.01	0.25	0.2	0.03
CA04611	0.065	18	56	0.83	278	0.113	0	1.63	0.012	0.22	0.1	0.03
CA04612	0.024	14	46	0.49	277	0.048	0	1.54	0.009	0.05	0.1	0.02
CA04613	0.053	14	39	0.52	361	0.054	0	1.7	0.01	0.06	0.2	0.06
CA04614	0.052	11	37	0.55	301	0.057	1	1.49	0.011	0.08	0.1	0.05
CA04615	0.078	19	56	0.65	424	0.126	1	1.76	0.014	0.19	0.1	0.05
CA04616	0.098	8	18	0.1	230	0.007	2	0.44	0.006	0.07	0.1	0.06
CA04617	0.067	10	143	1.62	462	0.075	3	1.59	0.016	0.13	0.1	0.04
CA04618	0.084	14	97	1.29	372	0.109	2	1.6	0.024	0.23	0.1	0.03
CA04619	0.046	8	235	1.95	233	0.117	1	1.67	0.021	0.08	0.1	0.03
CA04620	0.057	8	152	1.51	217	0.118	2	1.66	0.019	0.11	0.1	0.02
CA04621	0.048	10	178	1.66	213	0.088	2	1.83	0.023	0.06	0.1	0.03
CA04622	0.051	10	85	1	137	0.082	2	1.57	0.018	0.07	0.1	0.03

SAMPLES	Sc	Tl	S	Ga	Se	Analysis:	Acme file
CA03979	5.2	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03980	3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03981	4	0.1	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA03982	4	0.1	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA03983	5.1	0.1	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA03984	2.4	0.1	0	5	0.5	GROUP 1DX - 15.0 GM	A608129
CA03985	3.6	0.1	0	4	0.5	GROUP 1DX - 15.0 GM	A608129
CA03986	4.6	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA03987	2.2	0.1	0	3	0	GROUP 1DX - 15.0 GM	A608129
CA03988	4.3	0.1	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA03989	5.8	0.1	0	6	0.6	GROUP 1DX - 15.0 GM	A608129
CA03990	4.1	0.3	0	5	0.7	GROUP 1DX - 15.0 GM	A608129
CA03991	3.3	0.3	0.06	6	0.9	GROUP 1DX - 15.0 GM	A608129
CA03992	6.2	0.3	0.11	5	1	GROUP 1DX - 15.0 GM	A608129
CA03993	2.6	0.1	0	4	1.4	GROUP 1DX - 15.0 GM	A608129
CA03994	2.9	0.2	0.06	4	0.6	GROUP 1DX - 15.0 GM	A608129
CA03995	3.3	0.1	0	4	0.5	GROUP 1DX - 15.0 GM	A608129
CA04536	3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04605	6.2	0.7	0	11	0.6	GROUP 1DX - 15.0 GM	A608129
CA04606	4.7	0.3	0.09	8	0	GROUP 1DX - 15.0 GM	A608129
CA04607	3.9	0.3	0	9	0.6	GROUP 1DX - 15.0 GM	A608129
CA04608	5.1	0.6	0.2	10	1.4	GROUP 1DX - 15.0 GM	A608129
CA04609	4.6	0.3	0.08	7	0.6	GROUP 1DX - 15.0 GM	A608129
CA04610	3.6	0.2	0.08	7	0.7	GROUP 1DX - 15.0 GM	A608129
CA04611	3.9	0.2	0.06	6	0	GROUP 1DX - 15.0 GM	A608129
CA04612	5.2	0.1	0	5	0.6	GROUP 1DX - 15.0 GM	A608129
CA04613	3.8	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04614	3	0.1	0	5	0.6	GROUP 1DX - 15.0 GM	A608129
CA04615	5.1	0.2	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04616	2.2	0.2	0.1	2	4	GROUP 1DX - 15.0 GM	A608129
CA04617	6.3	0.2	0.15	5	1.3	GROUP 1DX - 15.0 GM	A608129
CA04618	4.5	0.2	0.14	5	1.3	GROUP 1DX - 15.0 GM	A608129
CA04619	4.7	0.1	0.07	6	0.5	GROUP 1DX - 15.0 GM	A608129
CA04620	4.3	0.1	0.09	6	0	GROUP 1DX - 15.0 GM	A608129
CA04621	4.2	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04622	3.3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129

SAMPLES	GPS ID	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co
CA04623	CA04623	NAD83-7V	579893	7008080	0.7	30.1	5.6	51	0	152.8	17.3
CA04624	CA04624	NAD83-7V	579897	7008187	1	38.4	6.8	62	0.1	114.7	17.4
CA04625	CA04625	NAD83-7V	579898	7008287	1	43.2	5.6	67	0.1	112.9	15.7
CA04626	CA04626	NAD83-7V	579876	7008386	1	40.5	6.8	71	0.2	120.5	15.4
CA04627	CA04627	NAD83-7V	579868	7008497	1.2	47.7	5.7	77	0.3	112.7	15.4
CA04628	CA04628	NAD83-7V	579741	7008672	1.6	51.4	7.6	100	0.2	160.9	18.5
CA04629	CA04629	NAD83-7V	579659	7008750	0.7	94.5	5.6	58	0	175.3	23.7
CA04630	CA04630	NAD83-7V	579493	7008866	0.5	38.7	3.3	46	0	316.9	38.6
CA04631	CA04631	NAD83-7V	579406	7008902	1.4	31.3	14.3	104	0.3	44.1	14.9
CA04632	CA04632	NAD83-7V	579311	7008942	1.2	27.9	9.3	78	0.2	49.8	12.8
CA04633	CA04633	NAD83-7V	579404	7007631	0.6	25.4	9	46	0	27.2	10.7
CA04634	CA04634	NAD83-7V	579349	7007635	1.7	17.6	14.7	51	0	21.5	9.2
CA04635	CA04635	NAD83-7V	579304	7007604	1.1	26.7	9.6	54	0	68.6	16.4
CA04636	CA04636	NAD83-7V	579259	7007566	1.3	24	12	68	0	33.2	12.7
CA04637	CA04637	NAD83-7V	579261	7007610	0.9	18.5	8.1	45	0.1	22.5	8.8
CA04638	CA04638	NAD83-7V	579266	7007657	1.8	20	11.4	52	0.3	24.8	19.4
CA04639	CA04639	NAD83-7V	579266	7007725	1	24.3	9.1	48	0	30.5	11
CA04640	CA04640	NAD83-7V	579224	7007743	1.2	29.4	10.1	79	0	45.2	13.9
CA04641	CA04641	NAD83-7V	579222	7007811	0.9	34.6	9.5	68	0	46.2	13.4
CA04642	CA04642	NAD83-7V	579205	7007859	1.2	25.8	9.7	59	0	32.2	13.2
CA04643	CA04643	NAD83-7V	579197	7007930	1.4	37.8	13.5	79	0	35.8	10.5
CA04644	CA04644	NAD83-7V	579167	7007977	1.2	38.2	13.2	82	0	36.1	12.4
CA04645	CA04645	NAD83-7V	579173	7008032	1.2	49.5	15.9	113	0	80.1	20.3
CA04646	CA04646	NAD83-7V	579215	7008065	1.3	16.9	11	52	0	27.3	8.6
CA04647	CA04647	NAD83-7V	579254	7008112	1.4	30	13.4	74	0	33.3	12.6
CA04648	CA04648	NAD83-7V	579303	7008151	0.8	39.5	10.9	70	0	153.3	20
CA04649	CA04649	NAD83-7V	579342	7008177	1	18.7	10.3	53	0	28.5	9.5
CA04650	CA04650	NAD83-7V	579364	7008223	0.8	25.1	11.3	67	0	41.1	13
CA04651	CA04651	NAD83-7V	579352	7008280	1	29.6	9.8	121	0	76.5	11.5
CA04652	CA04652	NAD83-7V	579340	7008333	0.8	32.5	9.9	98	0	108	18.8
CA04653	CA04653	NAD83-7V	579291	7008372	1.1	21.8	11.1	59	0	29.1	11.5
CA04654	CA04654	NAD83-7V	579247	7008414	0.9	44.1	13	93	0	40.8	11.4
CA04655	CA04655	NAD83-7V	579153	7008408	1	36.9	17	89	0	36.6	15.5
CA04656	CA04656	NAD83-7V	579093	7008371	0.8	41.7	10	75	0.1	56.2	14.6
CA04657	CA04657	NAD83-7V	579011	7008387	0.9	34.6	7.8	54	0.2	39.6	10
CA04658	CA04658	NAD83-7V	578942	7008368	0.9	53.2	5.8	57	0.1	156.6	21.7

SAMPLES	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
CA04623	358	2.51	4.7	0.6	1.4	2.6	18	0.1	0.2	0.1	55	0.32
CA04624	330	2.89	4.1	0.8	3	3.7	20	0.1	0.2	0.1	61	0.31
CA04625	299	2.59	3.3	0.9	1.5	2.9	20	0.1	0.1	0.1	63	0.3
CA04626	256	2.81	3.1	1	2.7	3	20	0.2	0.2	0.1	62	0.3
CA04627	328	3.14	3.2	1.1	1.3	3.1	27	0.2	0.2	0.1	76	0.49
CA04628	359	3.18	4.9	1.3	0.8	4.8	24	0.3	0.5	0.1	71	0.39
CA04629	328	2.9	3.3	0.4	0.7	1.9	15	0.1	0.2	0.1	68	0.32
CA04630	727	2.41	2	0.2	0.9	0.9	12	0	0.1	0.1	58	0.22
CA04631	552	3.77	3.8	1.4	2.4	7.3	17	0.1	0.2	0.2	66	0.23
CA04632	380	3.02	4.5	0.9	1.3	4.8	14	0.1	0.2	0.2	63	0.16
CA04633	258	2.87	6.9	0.6	4.4	3.1	24	0.1	0.4	0.1	67	0.29
CA04634	227	3.63	9.9	0.7	1.5	4.1	18	0.1	0.5	0.2	88	0.18
CA04635	366	3.79	8.7	0.8	2.9	4.1	19	0.1	0.5	0.2	78	0.2
CA04636	471	3.6	10	0.7	2	5	20	0.1	0.5	0.2	71	0.23
CA04637	282	2.67	6.3	0.5	2.9	2.7	23	0	0.4	0.1	66	0.25
CA04638	3183	3.29	4.9	0.7	1.2	3.6	22	0.1	0.3	0.2	73	0.23
CA04639	322	3.12	7.7	0.7	1.7	2.5	23	0.1	0.4	0.2	74	0.26
CA04640	321	3.74	9.5	1.3	3	7.1	20	0.1	0.5	0.2	74	0.22
CA04641	403	3.23	10.4	1.1	16.1	5.1	26	0.1	0.4	0.2	77	0.29
CA04642	284	3.28	8.8	1.3	4.4	4.8	20	0.1	0.5	0.2	69	0.23
CA04643	209	3.89	8	1.2	3.5	9	17	0.1	0.4	0.3	73	0.15
CA04644	280	3.99	6.5	2	2.3	11.9	16	0.1	0.4	0.3	75	0.17
CA04645	600	4.81	4.4	2.2	0	19.6	16	0.1	0.1	0.3	71	0.27
CA04646	210	3.04	7.9	1	3.4	4.9	18	0.1	0.4	0.2	70	0.2
CA04647	313	3.77	5.7	1.3	1.4	9	13	0.1	0.3	0.2	57	0.15
CA04648	375	3.54	5.4	1.1	1.5	5.2	21	0.1	0.3	0.2	76	0.22
CA04649	227	2.9	7.9	1.1	2.7	5	17	0.1	0.4	0.2	68	0.16
CA04650	247	3.47	8.5	0.9	2.3	6.5	18	0	0.4	0.2	69	0.2
CA04651	412	3.29	5.3	1.1	0.6	5.5	20	0.1	0.2	0.2	82	0.2
CA04652	403	3.91	4	1.6	0.7	11.6	17	0.1	0.2	0.2	69	0.2
CA04653	252	3.32	8.8	1.3	4.2	7.7	15	0.1	0.4	0.2	66	0.18
CA04654	292	3.28	17	3.3	1.2	8.5	20	0.1	0.4	0.3	41	0.17
CA04655	472	3.42	8.8	1.3	1.8	11.6	17	0.1	0.3	0.2	49	0.24
CA04656	520	3.04	5.8	1	1.3	7.3	27	0.2	0.3	0.2	60	0.56
CA04657	178	2.15	2.6	1.2	2.8	5.1	27	0.1	0.2	0.2	48	0.5
CA04658	288	2.56	2.2	1.1	1.3	2.8	21	0.1	0.1	0.1	67	0.49

SAMPLES	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg
CA04623	0.049	10	112	1.21	155	0.076	0	1.56	0.017	0.05	0.1	0.03
CA04624	0.052	12	118	1.24	192	0.105	2	1.83	0.015	0.1	0.1	0.02
CA04625	0.053	11	118	1.33	212	0.108	2	1.76	0.017	0.2	0.1	0.01
CA04626	0.047	13	124	1.27	212	0.108	1	1.82	0.016	0.13	0.1	0.02
CA04627	0.059	12	109	1.35	297	0.113	1	1.99	0.02	0.15	0.1	0.03
CA04628	0.063	16	136	1.46	315	0.095	2	1.72	0.017	0.18	0.1	0.01
CA04629	0.047	7	123	1.26	121	0.077	3	1.58	0.015	0.04	0.1	0.01
CA04630	0.035	4	428	2.7	62	0.076	0	1.95	0.015	0.03	0.1	0.02
CA04631	0.063	25	54	0.96	198	0.12	2	2.11	0.013	0.36	0.1	0.03
CA04632	0.051	19	72	0.96	151	0.13	2	1.74	0.014	0.27	0.1	0.02
CA04633	0.035	14	36	0.57	232	0.102	0	2.32	0.017	0.04	0.1	0.02
CA04634	0.024	11	38	0.56	161	0.113	1	2.13	0.011	0.09	0.2	0.02
CA04635	0.029	14	74	0.71	202	0.09	2	2.52	0.014	0.06	0.1	0.02
CA04636	0.048	13	45	0.69	226	0.094	2	2.23	0.013	0.11	0.1	0.03
CA04637	0.024	11	34	0.49	176	0.082	2	1.66	0.013	0.06	0.1	0.02
CA04638	0.099	13	38	0.47	329	0.097	1	1.68	0.014	0.09	0.1	0.02
CA04639	0.034	13	41	0.6	190	0.096	1	2.09	0.016	0.04	0.1	0.03
CA04640	0.032	21	59	0.96	227	0.132	2	2.5	0.015	0.13	0.1	0.02
CA04641	0.042	19	51	0.94	262	0.117	2	2.46	0.014	0.07	0.1	0.03
CA04642	0.052	16	37	0.71	205	0.095	2	2.44	0.014	0.1	0.1	0.03
CA04643	0.024	29	40	0.67	212	0.114	2	2.37	0.01	0.22	0.1	0.02
CA04644	0.041	37	45	0.77	194	0.142	3	3.13	0.012	0.47	0.1	0.02
CA04645	0.091	60	82	1.41	331	0.146	2	3.2	0.013	0.85	0	0.01
CA04646	0.03	15	40	0.57	161	0.098	3	2.06	0.011	0.1	0.1	0.02
CA04647	0.048	22	38	0.81	116	0.105	2	1.96	0.009	0.37	0.1	0.01
CA04648	0.037	23	147	1.85	209	0.111	1	2.6	0.012	0.24	0.1	0.02
CA04649	0.029	13	43	0.63	144	0.091	0	1.97	0.011	0.07	0.2	0.03
CA04650	0.029	21	57	0.74	168	0.072	1	2.25	0.011	0.12	0.1	0.02
CA04651	0.044	24	98	1.69	188	0.152	1	2.29	0.01	0.59	0.1	0.02
CA04652	0.042	43	130	1.89	253	0.164	0	2.8	0.014	0.69	0.1	0.01
CA04653	0.039	16	42	0.65	131	0.092	2	2.27	0.015	0.12	0.1	0.02
CA04654	0.052	40	33	0.48	163	0.065	1	1.44	0.008	0.27	0.1	0.02
CA04655	0.049	24	37	0.72	170	0.09	1	1.64	0.01	0.26	0.1	0.02
CA04656	0.059	22	66	0.89	234	0.107	1	1.97	0.016	0.2	0.1	0.03
CA04657	0.048	19	52	0.71	215	0.101	0	1.45	0.02	0.09	0.1	0.04
CA04658	0.066	13	193	1.69	379	0.127	1	1.89	0.014	0.24	0.1	0.02

SAMPLES	Sc	Tl	S	Ga	Se	Analysis:	Acme file
CA04623	3.4	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04624	3.3	0.1	0.07	5	0	GROUP 1DX - 15.0 GM	A608129
CA04625	3.2	0.1	0.06	6	0	GROUP 1DX - 15.0 GM	A608129
CA04626	3.6	0.2	0.09	6	0.7	GROUP 1DX - 15.0 GM	A608129
CA04627	4.6	0.2	0.08	7	0.5	GROUP 1DX - 15.0 GM	A608129
CA04628	4.3	0.2	0.07	5	0.5	GROUP 1DX - 15.0 GM	A608129
CA04629	4.1	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04630	2.3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04631	4	0.3	0.06	7	0	GROUP 1DX - 15.0 GM	A608129
CA04632	3.4	0.3	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA04633	4.1	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04634	3.6	0.1	0	9	0.5	GROUP 1DX - 15.0 GM	A608129
CA04635	4	0.2	0	7	0.5	GROUP 1DX - 15.0 GM	A608129
CA04636	3.5	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04637	3.1	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04638	3.3	0.1	0	8	0	GROUP 1DX - 15.0 GM	A608129
CA04639	4.3	0.1	0	6	0.6	GROUP 1DX - 15.0 GM	A608129
CA04640	5.2	0.2	0	7	1	GROUP 1DX - 15.0 GM	A608129
CA04641	5.2	0.2	0	7	0.7	GROUP 1DX - 15.0 GM	A608129
CA04642	4.2	0.2	0	6	0.5	GROUP 1DX - 15.0 GM	A608129
CA04643	4.3	0.3	0	8	0.5	GROUP 1DX - 15.0 GM	A608129
CA04644	4.2	0.4	0	8	0	GROUP 1DX - 15.0 GM	A608129
CA04645	4.9	0.5	0	10	0	GROUP 1DX - 15.0 GM	A608129
CA04646	3.4	0.2	0	7	0.9	GROUP 1DX - 15.0 GM	A608129
CA04647	2.9	0.3	0	7	0.5	GROUP 1DX - 15.0 GM	A608129
CA04648	4.3	0.4	0	8	0.7	GROUP 1DX - 15.0 GM	A608129
CA04649	3.3	0.1	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA04650	3.7	0.2	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04651	4.1	0.4	0	10	0.5	GROUP 1DX - 15.0 GM	A608129
CA04652	5.2	0.5	0	9	0	GROUP 1DX - 15.0 GM	A608129
CA04653	3.5	0.2	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04654	4.5	0.3	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA04655	3.9	0.3	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04656	4.3	0.2	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04657	3.4	0.2	0	5	0.5	GROUP 1DX - 15.0 GM	A608129
CA04658	3.4	0.2	0	6	0.6	GROUP 1DX - 15.0 GM	A608129

SAMPLES	GPS ID	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co
CA04659	CA04659	NAD83-7V	578878	7008357	0.9	64.9	5.6	56	0.1	154.7	22.1
CA04660	CA04660	NAD83-7V	578835	7008369	0.9	27.8	10.3	70	0.1	67.1	26.7
CA04661	CA04661	NAD83-7V	578783	7008371	0.5	64.5	8.1	49	0.1	33.5	11.8
CA04662	CA04662	NAD83-7V	578752	7008405	0.5	68.1	7.4	49	0.1	55.6	14.8
CA04663	CA04663	NAD83-7V	578524	7008486	0.7	32.1	7	50	0.1	32.8	7.8
CA04664	CA04664	NAD83-7V	578474	7008526	0.7	33.1	6.6	54	0	34	12.5
CA04674	CA04674	NAD83-7V	581594	7006707	1.1	40.3	46	84	0.1	33.7	15.5
CA04675	CA04675	NAD83-7V	581495	7006682	1.3	44	54.4	80	0.3	35.3	15.5
CA04676	CA04676	NAD83-7V	581399	7006653	1.2	29.6	25.6	59	0.2	26.4	9.5
CA04677	CA04677	NAD83-7V	581301	7006622	1.2	27	17.3	56	0.1	25.2	9.5
CA04678	CA04678	NAD83-7V	581207	7006593	1.5	35.3	13.6	86	0.1	31	12.3
CA04679	CA04679	NAD83-7V	581107	7006565	3.5	80	16.7	110	0.9	40.5	12.9
CA04680	CA04680	NAD83-7V	581012	7006537	2.3	66.7	15.1	158	0.2	69.4	22.6
CA04681	CA04681	NAD83-7V	580911	7006510	1.2	69.7	6.2	80	0.4	74.3	18.7
CA04682	CA04682	NAD83-7V	580811	7006484	0.9	66.8	6.1	62	0	95.4	21.2
CA04683	CA04683	NAD83-7V	580711	7006450	2.4	63.1	18.7	151	0.2	87.3	17.3
CA04684	CA04684	NAD83-7V	580614	7006421	2.1	29.7	12.2	55	0.3	24.2	8.5
CA04685	CA04685	NAD83-7V	580514	7006400	3.2	50.5	37	101	0.2	53	15
CA04686	CA04686	NAD83-7V	580415	7006366	2.7	42.2	21.9	73	0.3	37.7	8.8
CA04687	CA04687	NAD83-7V	580326	7006422	1.8	32.6	13.9	60	0.2	20.7	10.5
CA04688	CA04688	NAD83-7V	580249	7006480	1.7	38.3	13.9	66	0.3	25.3	8
CA04689	CA04689	NAD83-7V	580160	7006532	3.8	42.7	18.2	98	0.2	45.8	9.5
CA04690	CA04690	NAD83-7V	580074	7006584	2.2	23.7	10.3	57	0.2	20.3	7.5
CA04691	CA04691	NAD83-7V	579981	7006639	3.4	34.8	19.1	83	0.5	27.4	7.4
CA04692	CA04692	NAD83-7V	579904	7006685	2.7	40.8	12.5	75	0.4	29.7	10.5
CA04693	CA04693	NAD83-7V	579699	7006758	0.6	48.8	6	33	0	163.3	18.8
CA04694	CA04694	NAD83-7V	579595	7006769	0.3	44.2	4.6	24	0	49	9.3
CA04695	CA04695	NAD83-7V	579491	7006743	2.5	38.3	30.2	51	0.2	42	11.1
CA04696	CA04696	NAD83-7V	579380	7006778	0.8	60.3	10.5	78	0.1	70.7	15.1
CA04697	CA04697	NAD83-7V	579278	7006774	0.7	39.7	10.2	54	0.1	47.9	12.3
CA04698	CA04698	NAD83-7V	579158	7006790	0.5	64.1	43.8	61	0	69.9	24.2
CA04699	CA04699	NAD83-7V	579051	7006786	0.7	24.1	5.4	47	0	23.9	13.7
CA04700	CA04700	NAD83-7V	578932	7006755	0.6	70.6	6.7	43	0	19.6	13.9
CA04701	CA04701	NAD83-7V	578829	7006700	0.3	61.4	2.4	36	0	17.9	10.3
CA04702	CA04702	NAD83-7V	578708	7006593	1.1	15.6	6	44	0	19.1	10.7
CA04703	CA04703	NAD83-7V	578602	7006565	1	11.6	12.3	44	0	21.6	9.6

SAMPLES	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
CA04659	400	2.69	3.8	1.4	2.8	2.9	33	0.2	0.2	0.1	67	0.86
CA04660	1197	2.85	4.4	1.2	1.7	3.7	27	0.2	0.2	0.2	62	0.55
CA04661	193	2.35	2.1	0.4	3.5	1	15	0.1	0.1	0.1	71	0.37
CA04662	257	2.16	2.1	0.4	1.7	1.1	19	0.1	0.1	0.1	63	0.32
CA04663	163	2.21	4.9	0.7	2.6	0.9	19	0.2	0.2	0.1	59	0.28
CA04664	393	2.2	4	0.5	4.1	1.5	21	0.1	0.2	0.1	63	0.35
CA04674	572	4.33	8.8	1.7	1.7	14.6	17	0.1	0.3	0.3	69	0.18
CA04675	432	3.78	5.9	1.9	4	8.7	24	0.1	0.3	0.4	81	0.27
CA04676	235	2.81	4.9	1.2	4.5	3.3	20	0.1	0.3	0.3	66	0.21
CA04677	274	2.66	6.7	1.2	3.2	2.2	20	0.1	0.3	0.2	71	0.23
CA04678	405	3.42	10.1	1.3	2.8	6.4	26	0.2	0.4	0.2	77	0.26
CA04679	669	3.09	16	4.5	2.5	4.4	51	0.4	0.6	0.2	99	0.54
CA04680	1003	4.72	12	1.7	9.2	8.5	25	0.5	0.5	0.2	106	0.41
CA04681	543	3.04	4.8	1.2	5.8	4.1	44	0.3	0.2	0.1	87	0.4
CA04682	462	3.52	4.8	0.6	3.1	3.9	22	0.1	0.2	0.1	99	0.44
CA04683	568	4.07	6.4	1.3	3.8	5.2	41	0.2	0.3	0.2	94	0.28
CA04684	233	2.59	21	1.2	2.8	3.7	25	0.2	0.6	0.2	63	0.27
CA04685	689	3.6	5.1	1.2	1.7	4	25	0.4	0.7	0.3	88	0.27
CA04686	220	2.83	11.8	1.6	3.6	2.2	33	0.3	0.6	0.2	69	0.35
CA04687	351	2.73	8	1.5	2.4	4.5	29	0.1	0.4	0.2	62	0.37
CA04688	235	2.95	10.5	1.7	1.7	3.6	30	0.2	0.5	0.2	65	0.31
CA04689	223	2.91	13.5	1.5	1.2	4	25	0.4	1.3	0.2	56	0.3
CA04690	212	2.38	13.8	0.8	1.7	2.5	27	0.2	0.8	0.2	62	0.31
CA04691	175	2.65	12.5	1.3	1.5	2.4	39	0.4	0.6	0.2	68	0.57
CA04692	302	2.85	7.7	1.8	4	4	33	0.5	0.4	0.2	71	0.42
CA04693	288	2.07	2.1	0.3	0.5	1.1	17	0.1	0.2	0	56	0.41
CA04694	149	1.48	1.8	0.4	0	0.7	12	0.1	0.1	0	43	0.34
CA04695	296	4.73	5.2	1.3	1.6	10	40	0.1	0.3	0.3	68	0.25
CA04696	505	3.38	4.3	1.6	3	4.4	45	0.2	0.3	0.1	86	0.95
CA04697	454	2.67	4.4	0.9	0	3.4	39	0.2	0.3	0.1	61	0.88
CA04698	444	3.69	2.6	0.7	0	3.4	34	0.1	0.1	0.2	95	0.49
CA04699	250	2.54	4.9	0.3	0	1.4	24	0	0.2	0.1	69	0.3
CA04700	234	2.79	5.3	0.4	0	2	18	0.1	0.3	0.1	74	0.32
CA04701	179	1.85	1.8	0.5	1.2	3	14	0	0.1	0.1	48	0.24
CA04702	291	3.01	6.5	0.4	2.5	2.9	18	0.1	0.3	0.1	72	0.18
CA04703	377	3.24	5.1	0.9	0	7.7	23	0.1	0.2	0.1	57	0.35

SAMPLES	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg
CA04659	0.064	14	178	1.57	429	0.113	2	1.86	0.018	0.09	0.1	0.04
CA04660	0.071	20	90	1.06	281	0.088	2	1.7	0.018	0.07	0.2	0.03
CA04661	0.064	5	85	1.02	195	0.108	2	1.49	0.037	0.11	0.1	0.02
CA04662	0.043	6	101	1.14	192	0.096	1	1.54	0.024	0.09	0.1	0.02
CA04663	0.067	8	44	0.56	207	0.059	1	1.31	0.018	0.04	0.1	0.03
CA04664	0.064	8	40	0.59	235	0.073	1	1.35	0.022	0.04	0.1	0.03
CA04674	0.044	36	49	0.72	169	0.14	4	2.23	0.011	0.39	0.1	0.04
CA04675	0.065	42	55	0.98	239	0.174	1	2.28	0.012	0.42	0.1	0.04
CA04676	0.059	22	44	0.68	156	0.116	2	1.74	0.014	0.15	0.1	0.03
CA04677	0.058	20	44	0.72	211	0.093	1	2	0.015	0.09	0.1	0.04
CA04678	0.058	21	45	0.79	218	0.124	1	2.08	0.013	0.2	0.1	0.02
CA04679	0.081	36	43	0.67	511	0.085	2	1.84	0.015	0.16	0.2	0.09
CA04680	0.114	30	75	1.28	524	0.223	1	2.66	0.01	0.78	0.1	0.03
CA04681	0.086	14	134	1.29	700	0.175	1	2.05	0.019	0.46	0.2	0.03
CA04682	0.05	12	161	1.77	482	0.177	1	2.35	0.02	0.34	0.2	0.01
CA04683	0.073	14	82	0.9	569	0.108	2	1.91	0.009	0.41	0.1	0.02
CA04684	0.042	12	35	0.5	363	0.055	3	1.58	0.013	0.06	0.1	0.14
CA04685	0.085	13	72	0.72	565	0.079	2	1.7	0.01	0.13	0.6	0.03
CA04686	0.06	13	48	0.58	613	0.056	1	1.92	0.015	0.08	0.1	0.08
CA04687	0.046	16	33	0.69	461	0.079	0	1.65	0.02	0.08	0.2	0.03
CA04688	0.057	18	34	0.7	584	0.075	0	1.75	0.015	0.08	0.1	0.05
CA04689	0.068	17	36	0.41	416	0.061	1	1.04	0.01	0.08	0.2	0.03
CA04690	0.043	10	28	0.49	349	0.052	1	1.43	0.015	0.04	0.1	0.02
CA04691	0.06	12	35	0.57	569	0.038	1	1.46	0.012	0.07	0.1	0.04
CA04692	0.041	19	35	0.62	647	0.066	2	1.46	0.013	0.08	0.1	0.02
CA04693	0.04	4	144	1.28	122	0.064	1	1.24	0.017	0.03	0	0.01
CA04694	0.062	4	60	0.57	67	0.059	0	0.86	0.015	0.02	0.1	0.01
CA04695	0.043	33	42	0.48	222	0.076	0	1.62	0.011	0.38	0.1	0.01
CA04696	0.053	18	100	1.26	671	0.143	0	2.08	0.021	0.33	0.1	0.03
CA04697	0.051	14	61	0.83	392	0.108	2	1.47	0.02	0.19	0.1	0.02
CA04698	0.101	11	129	1.81	785	0.204	1	2.06	0.015	0.65	0.3	0.01
CA04699	0.048	4	46	1.11	296	0.136	0	1.62	0.013	0.19	0.1	0.01
CA04700	0.043	7	25	0.68	213	0.119	0	1.53	0.014	0.28	0.1	0.01
CA04701	0.045	6	24	0.85	141	0.126	0	1.28	0.011	0.36	0.1	0
CA04702	0.029	9	30	0.84	342	0.149	0	1.83	0.014	0.22	0.2	0.01
CA04703	0.06	10	30	1.26	290	0.181	0	2.12	0.012	0.6	0.1	0.01

SAMPLES	Sc	Tl	S	Ga	Se	Analysis:	Acme file
CA04659	4.8	0.2	0	5	0.8	GROUP 1DX - 15.0 GM	A608129
CA04660	3.9	0.2	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04661	5.2	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04662	4.5	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04663	2.9	0.1	0	5	0.5	GROUP 1DX - 15.0 GM	A608129
CA04664	3.4	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04674	5.7	0.4	0	8	0.7	GROUP 1DX - 15.0 GM	A608129
CA04675	5.2	0.3	0	8	0.6	GROUP 1DX - 15.0 GM	A608129
CA04676	3.7	0.2	0	7	0.6	GROUP 1DX - 15.0 GM	A608129
CA04677	3.5	0.2	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA04678	4.1	0.2	0	7	0.8	GROUP 1DX - 15.0 GM	A608129
CA04679	5	0.3	0.09	6	1.8	GROUP 1DX - 15.0 GM	A608129
CA04680	6.4	0.4	0	10	1.2	GROUP 1DX - 15.0 GM	A608129
CA04681	4.8	0.3	0	7	0.7	GROUP 1DX - 15.0 GM	A608129
CA04682	5.5	0.3	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA04683	5.9	0.3	0.07	7	1.1	GROUP 1DX - 15.0 GM	A608129
CA04684	3.6	0.2	0	5	0.5	GROUP 1DX - 15.0 GM	A608129
CA04685	5.7	0.2	0	6	1.1	GROUP 1DX - 15.0 GM	A608129
CA04686	4.8	0.2	0	6	1.1	GROUP 1DX - 15.0 GM	A608129
CA04687	4.2	0.1	0	5	1	GROUP 1DX - 15.0 GM	A608129
CA04688	4.2	0.1	0	6	1	GROUP 1DX - 15.0 GM	A608129
CA04689	4	0.1	0.07	3	0.9	GROUP 1DX - 15.0 GM	A608129
CA04690	3.5	0.1	0.06	5	0.5	GROUP 1DX - 15.0 GM	A608129
CA04691	3.8	0.1	0.08	5	1.6	GROUP 1DX - 15.0 GM	A608129
CA04692	4.6	0.1	0.1	5	0.8	GROUP 1DX - 15.0 GM	A608129
CA04693	4.4	0	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA04694	3	0	0	3	0	GROUP 1DX - 15.0 GM	A608129
CA04695	3.3	0.2	0.23	5	0	GROUP 1DX - 15.0 GM	A608129
CA04696	6.5	0.2	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA04697	4.1	0.1	0.07	5	0.5	GROUP 1DX - 15.0 GM	A608129
CA04698	4.4	0.3	0	8	0.7	GROUP 1DX - 15.0 GM	A608129
CA04699	2.4	0.1	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA04700	3.8	0.1	0	5	0.5	GROUP 1DX - 15.0 GM	A608129
CA04701	2.3	0.1	0	4	0	GROUP 1DX - 15.0 GM	A608129
CA04702	3	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04703	4.2	0.3	0	7	0	GROUP 1DX - 15.0 GM	A608129

SAMPLES	GPS ID	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co
CA04751	CA04751	NAD83-7V	580272	7009579	0.8	48.5	10.6	91	0	46	19.5
CA04752	CA04752	NAD83-7V	580305	7009619	1.4	65.1	17.9	112	0	37.6	13.2
CA04753	CA04753	NAD83-7V	580349	7009642	1.2	57	17	112	0	49	14.1
CA04754	CA04754	NAD83-7V	580395	7009668	1.2	34.3	10	68	0	36.4	15
CA04755	CA04755	NAD83-7V	580433	7009690	1.5	57.9	13.2	54	0	27.8	12.9
CA04756	CA04756	NAD83-7V	580479	7009715	3.1	141	16.9	136	0	43.6	18.1
CA04757	CA04757	NAD83-7V	580570	7009538	1.7	67.3	11.3	59	0	32.9	15.5
CA04758	CA04758	NAD83-7V	580536	7009509	1.3	30.9	20.5	67	0	30.9	12.3
CA04759	CA04759	NAD83-7V	580499	7009473	1	25.9	12.6	64	0	33.3	13.6
CA04760	CA04760	NAD83-7V	580459	7009442	1.5	43.5	11.5	85	0	50.7	17.2
CA04761	CA04761	NAD83-7V	580418	7009412	1.6	64	28.6	72	0	38.8	16.8
CA04762	CA04762	NAD83-7V	580377	7009380	1.1	38	11.6	73	0	30.9	14.9
CA04763	CA04763	NAD83-7V	580343	7009349	1.4	28.9	11.6	67	0	32.5	13.6
CA04764	CA04764	NAD83-7V	580302	7009317	1.2	29.6	12.1	72	0	35.1	15.6
CA04765	CA04765	NAD83-7V	580264	7009289	1.3	41.2	9.8	78	0	40.1	16
CA04766	CA04766	NAD83-7V	580220	7009256	1	36.4	9.6	79	0	38.8	17.3
CA04767	CA04767	NAD83-7V	580183	7009223	1	31.6	9	63	0	32	13.1
CA04768	CA04768	NAD83-7V	580137	7009188	0.8	28.7	8.5	69	0	37.4	13.2
CA04769	CA04769	NAD83-7V	580106	7009165	0.9	32.3	9.3	68	0.1	31	15.2
CA04770	CA04770	NAD83-7V	580066	7009133	0.8	29.1	8.9	63	0	28.8	13.3
CA04771	CA04771	NAD83-7V	580026	7009097	0.8	26.2	8.8	61	0	27.4	12.7
CA04772	CA04772	NAD83-7V	579982	7009070	0.9	20.5	10.7	61	0	26.4	12.9
CA04773	CA04773	NAD83-7V	579950	7009038	0.8	29.7	9.8	64	0	29	15.7
CA04774	CA04774	NAD83-7V	579910	7009006	1.1	24.7	10.2	64	0	28.7	13.1
CA04775	CA04775	NAD83-7V	579867	7008975	0.9	21.5	8.9	57	0	23	12.7
CA04776	CA04776	NAD83-7V	579828	7008942	1.2	20.8	9.5	62	0	24.2	13.9
CA04782	CA04782	NAD83-7V	579797	7008912	0.8	20	7.7	55	0	20.1	12.7

SAMPLES	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
CA04751	407	4.82	5.5	1.1	1	15.1	14	0	0.2	0.1	89	0.13
CA04752	494	4.6	8.1	1.4	0.7	16.8	21	0	0.3	0.1	86	0.15
CA04753	534	4.98	7.1	1.2	1.3	14.3	21	0	0.3	0.1	88	0.16
CA04754	354	3.74	9.8	1	3.1	6.8	18	0.1	0.5	0.2	72	0.18
CA04755	315	3.21	7.5	1	4.7	3.5	18	0.1	0.3	0.2	77	0.22
CA04756	1105	5.23	7.2	2.3	1	9.9	53	0.1	0.1	0.2	173	0.63
CA04757	462	3.25	7.1	1.1	3.4	3.7	23	0.1	0.3	0.2	83	0.31
CA04758	390	3.73	8.4	1.1	1.2	8.4	17	0.1	0.2	0.2	65	0.17
CA04759	444	3.46	10.1	1	1.8	6.6	20	0.1	0.4	0.2	62	0.17
CA04760	438	3.92	8.6	0.9	2	4.3	26	0.1	0.3	0.1	97	0.2
CA04761	482	4	5.4	1.5	2.3	6.4	27	0.1	0.3	0.2	147	0.31
CA04762	409	3.96	6.2	1.4	2.9	12	17	0.1	0.3	0.1	78	0.17
CA04763	593	3.75	7.4	0.9	5.8	9.4	16	0.1	0.3	0.1	71	0.17
CA04764	872	3.94	6.4	0.8	1.5	8.4	21	0	0.3	0.1	66	0.22
CA04765	321	3.91	7.6	1.1	1.8	11	20	0.1	0.3	0.1	63	0.19
CA04766	339	4.06	6.6	0.9	1.7	11.1	19	0.1	0.3	0.1	64	0.19
CA04767	324	3.13	5.1	1.2	2.5	10.1	32	0.1	0.3	0.1	60	0.35
CA04768	287	3.3	4.9	0.8	1.3	8.5	23	0.1	0.2	0.1	61	0.26
CA04769	642	3.2	5.3	1.5	2.8	10.1	51	0.1	0.4	0.1	61	0.46
CA04770	377	3.06	5.2	1.3	4.7	9.2	37	0	0.4	0.1	60	0.38
CA04771	381	3.03	5	1.1	2	8	46	0	0.3	0.1	59	0.42
CA04772	387	2.96	6.1	1.1	3.2	6.7	34	0.1	0.3	0.1	59	0.3
CA04773	421	3.17	5.7	2.4	8.5	7.9	54	0.1	0.3	0.1	60	0.44
CA04774	396	3.02	8.3	1.6	3.6	6.3	48	0.1	0.4	0.1	63	0.44
CA04775	458	2.85	6.9	1.3	4.9	6.7	41	0.1	0.3	0.1	59	0.38
CA04776	488	2.95	9.3	0.9	1.8	5.5	37	0.1	0.3	0.1	61	0.4
CA04782	380	2.68	8.6	1	73.8	5.9	34	0.1	0.4	0.1	59	0.37

SAMPLES	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg
CA04751	0.026	32	76	1.26	275	0.276	0	2.54	0.01	0.93	0.1	0.01
CA04752	0.024	33	75	1.14	271	0.222	0	2.51	0.009	0.62	0.1	0.01
CA04753	0.026	26	78	1.13	381	0.239	0	3.15	0.012	0.75	0.1	0
CA04754	0.034	20	46	0.74	366	0.13	0	2.4	0.012	0.28	0.1	0.02
CA04755	0.069	15	38	0.67	237	0.086	1	1.95	0.011	0.1	0.2	0.01
CA04756	0.305	42	126	1.51	535	0.239	0	2.97	0.01	1.1	0.1	0.01
CA04757	0.085	18	40	0.76	294	0.099	0	1.89	0.015	0.13	0.1	0.02
CA04758	0.032	37	41	0.64	396	0.136	2	1.9	0.009	0.34	0.1	0.01
CA04759	0.027	28	44	0.67	530	0.126	1	1.96	0.012	0.27	0.1	0.02
CA04760	0.059	21	60	0.98	275	0.128	0	2.47	0.01	0.32	0.1	0.01
CA04761	0.075	31	68	1.34	539	0.214	1	2.48	0.014	0.54	0.1	0.01
CA04762	0.035	37	54	0.97	336	0.2	1	2.5	0.013	0.47	0.1	0.01
CA04763	0.048	25	49	0.8	289	0.154	0	2.21	0.01	0.32	0.1	0.02
CA04764	0.034	22	46	0.74	403	0.148	1	1.84	0.01	0.41	0.1	0.02
CA04765	0.025	40	47	0.78	286	0.149	0	2.02	0.011	0.34	0.1	0.01
CA04766	0.027	26	46	0.83	251	0.152	2	2.12	0.011	0.41	0.1	0.01
CA04767	0.029	34	42	0.73	244	0.138	0	1.67	0.014	0.27	0.1	0.03
CA04768	0.039	30	61	0.94	212	0.156	0	2.09	0.013	0.42	0.1	0.01
CA04769	0.043	38	43	0.73	296	0.124	1	1.89	0.015	0.2	0.2	0.03
CA04770	0.04	33	42	0.74	239	0.134	1	1.72	0.017	0.19	0.1	0.03
CA04771	0.041	31	40	0.68	249	0.117	1	1.73	0.012	0.18	0.2	0.02
CA04772	0.046	22	36	0.61	191	0.119	1	1.62	0.014	0.15	0.1	0.02
CA04773	0.048	29	38	0.66	289	0.126	1	1.77	0.018	0.1	0.2	0.03
CA04774	0.049	21	38	0.64	258	0.118	1	1.76	0.016	0.11	0.2	0.03
CA04775	0.048	20	35	0.56	228	0.105	1	1.51	0.015	0.11	0.2	0.02
CA04776	0.05	18	34	0.56	262	0.101	1	1.61	0.017	0.09	0.2	0.03
CA04782	0.051	19	30	0.5	223	0.096	1	1.45	0.016	0.07	0.2	0.03

SAMPLES	Sc	Tl	S	Ga	Se	Analysis:	Acme file
CA04751	7	0.6	0	10	0.8	GROUP 1DX - 15.0 GM	A608129
CA04752	5.9	0.5	0	9	1	GROUP 1DX - 15.0 GM	A608129
CA04753	6	0.7	0.06	11	0.5	GROUP 1DX - 15.0 GM	A608129
CA04754	5.6	0.2	0	6	0.9	GROUP 1DX - 15.0 GM	A608129
CA04755	3.7	0.1	0	7	0.7	GROUP 1DX - 15.0 GM	A608129
CA04756	9.1	0.6	0.1	14	1.3	GROUP 1DX - 15.0 GM	A608129
CA04757	4.1	0.1	0	6	0.6	GROUP 1DX - 15.0 GM	A608129
CA04758	5.1	0.2	0	8	0	GROUP 1DX - 15.0 GM	A608129
CA04759	5.5	0.2	0	6	0.5	GROUP 1DX - 15.0 GM	A608129
CA04760	4.6	0.2	0.06	7	0.6	GROUP 1DX - 15.0 GM	A608129
CA04761	5.7	0.3	0	9	0.7	GROUP 1DX - 15.0 GM	A608129
CA04762	5.8	0.4	0	8	0.5	GROUP 1DX - 15.0 GM	A608129
CA04763	4.5	0.2	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA04764	4.6	0.3	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA04765	4.9	0.4	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA04766	4.5	0.4	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA04767	5	0.2	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04768	4.3	0.3	0	7	0	GROUP 1DX - 15.0 GM	A608129
CA04769	4.9	0.2	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04770	4.5	0.2	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04771	4.1	0.2	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04772	3.4	0.2	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04773	4.9	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608129
CA04774	4.2	0.1	0	6	0.5	GROUP 1DX - 15.0 GM	A608129
CA04775	3.5	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04776	3.5	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129
CA04782	3.4	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608129