

**GEOCHEMICAL**

**REPORT**

**BREAD 1 - 24**

**YC46806 – YC46829**

**NTS # 115 I \ 07**

**LAT: 62° 24 N**

**LONG: 136° 48 W**

**WHITEHORSE MINING DISTRICT**

**AUTHOR OF REPORT SHAWN RYAN**

**WORK PERFORMED AUGUST 03, 2006**

**DATE OF REPORT OCTOBER 10, 2007**

## **TABLE OF CONTENT**

<b>1.0</b>	<b>SUMMARY</b>	<b>p.3</b>
<b>2.0</b>	<b>INTRODUCTION</b>	<b>p.3</b>
<b>3.0</b>	<b>PROJECT LOCATION</b>	<b>p.3</b>
<b>4.0</b>	<b>ACCESS</b>	<b>p.3</b>
<b>5.0</b>	<b>GEOLOGY</b>	<b>p.3</b>
	<b>GEOLOGY MAP</b>	<b>p.4</b>
<b>6.0</b>	<b>WORK PERFORMED / METHODS</b>	<b>p.5</b>
<b>7.0</b>	<b>INTERPRETATION</b>	<b>p.5</b>
<b>8.0</b>	<b>RECOMMENDATION</b>	<b>p.5</b>
<b>9.0</b>	<b>REFERENCES CITED</b>	<b>p.5</b>
<b>10.0</b>	<b>Cost</b>	<b>p.6</b>
<b>11.0</b>	<b>Qualification</b>	<b>p.6</b>
	<b>Claim Location Map</b>	<b>Figure 1</b>
	<b>Sample Location Map</b>	<b>Figure 2</b>
	<b>Assay / GPS Data</b>	<b>Appendix</b>

## **1.0 SUMMARY**

The Bread 1 – 24 Claims were staked to cover a magnetic high sitting south of the Stu showing.

## **2.0 INTRODUCTION**

The Bread Claims had two men; Matthew McHugh and Adam Fage collect a total of 30 soil samples on August 3, 2007. The soil sampling was conducted to see if deeper auger (1 meter) soil sampling assayed with normal ICP-MS could come up with anomalous results. Due to heavy overburden no anomalies were detected.

## **3.0 LOCATION**


The Bread Claims are located 40 kilometers North West of the community of Carmacks. The claims block consists of 24 claims all located in the Whitehorse mining district on NTS 115 I / 11.

## **4.0 ACCESS**

The Bread Claims can be reached via helicopter from Carmacks.

## **5.0 PROPERTY GEOLOGY**

The Yukon Geology web site indicates the Bread Claims are sitting on one distinct rock unit. The claims are sitting on early Jurassic granodiorite.



## EARLY JURASSIC



### **EJgA: AISHIHIK SUITE**

medium- to coarse- grained, foliated biotite-hornblende granodiorite; biotite rich screens and gneiss schlieren; foliated hornblende diorite to monzodiorite with local K-feldspar megacrysts; may include unfoliated monzonite of the Long Lake Suite (**Aishihik Suite**)

## **6.0 WORK PERFORMED / METHODS**

### **Soil Survey**

The Bread Claims had 2 man days of soil work with a total of 30 soil samples collected.

The ICP Samples are collected as such;

All soil sample where taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil sample location where marked in the field with pink flagging and sample number inscribe on flagging with black permanent markers. Sample location where recorded with Garmin GPS. About 400-500 grams of soil were collected and place in well mark kraft soil bags.

All samples where brought out to Dawson and air dried repacked in rice bags and sent to Acme Labs in Vancouver. Sample where process with Aqua Regia ICP-MS for 36 elements.

The GPS where downloaded every night and store in a personal computer.

## **7.0 INTERPRETATION**

### **Soil Survey**

The 30 soil samples did not show any anomalous elements so no interpretation could be done.

## **8.0 RECOMMENDATION**

I would recommend trying a new soil technique called MMI I would conducted it on a small grid pattern of 500 meter by 500 meters with soil lines on 100 meter spacing and station should be on 50 meter spacing.

## **9.0 REFERENCES CITED**

YTG Geology Map, Yukon geology web site.

## 10.0 COST

Wage 2 man days @ \$250.00 per day	\$500.00
Assay Cost ICP 30 soil @ \$18.00 per sample	\$540.00
Transportation Cost, Helicopter 1.2 hour @\$1259.00 per hour	\$1510.00
Report writing	\$350.00
Total	\$2,900.00

## 11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson City.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked the last 8 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and VLF surveys.


I have overseen the entire Bread Project and was party chief in charge.

I own 100% of the Bread claims.

Dated this 10 of October 2007 in Dawson City, Yukon.

Respectfully submitted


Shawn Ryan



### RyanWood Exploration

S. Ryan	Claim Location Map Figure 1
1151 / 07	
Date: 9/10/2007	
Scale: 1:100000	UTM Zone 8 (NAD 83)

0 1 2 4  
kilometres



SAMPLES	GPS ID	Datum	Easting	Northing	Elevation	Mo	Cu	Pb	Zn	Ag	Ni
BD 00266	BD00266	NAD83-8V	406167	6920219	864.1	0.4	10.5	4.3	54	0	8.9
BD 00267	BD00267	NAD83-8V	406198	6920255	859.5	0.6	19.7	5.6	55	0	14
BD 00268	BD00268	NAD83-8V	406230	6920299	855	0.5	11	4.9	50	0	9.4
BD 00269	BD00269	NAD83-8V	406262	6920337	858.9	0.4	19.8	5.3	56	0	12.1
BD 00270	BD00270	NAD83-8V	406293	6920374	860.1	0.5	10.9	3.7	40	0	9.3
BD 00271	BD00271	NAD83-8V	406323	6920412	864.4	0.4	19.4	4.5	43	0	8.3
BD 00272	BD00272	NAD83-8V	406357	6920458	873.9	0.4	16	4	76	0	9.3
BD 00273	BD00273	NAD83-8V	406388	6920494	871.4	0.3	18.4	4.1	45	0	8.1
BD 00274	BD00274	NAD83-8V	406417	6920523	849.8	0.4	10.7	3.7	41	0	8.8
BD 00275	BD00275	NAD83-8V	406448	6920562	855.9	0.8	19.7	6.9	48	0	16.9
BD 00276	BD00276	NAD83-8V	406484	6920615	856.5	0.8	17.2	7.3	47	0	16.7
BD 00277	BD00277	NAD83-8V	406510	6920652	847	0.7	20.8	6.9	51	0	17.8
BD 00278	BD00278	NAD83-8V	406542	6920687	848	0.7	12.2	6.8	63	0	15.1
BD 00279	BD00279	NAD83-8V	406570	6920738	832.7	0.3	30.6	1.4	13	0	6.3
BD 00280	BD00280	NAD83-8V	406601	6920777	838.5	0.4	10.4	3.2	30	0	6
BD 00281	BD00281	NAD83-8V	406647	6920807	832.4	0.6	17.1	5.5	51	0	11.9
BD 00282	BD00282	NAD83-8V	406673	6920833	837.9	0.6	20.2	4.1	41	0	10.2
BD 00283	BD00283	NAD83-8V	406708	6920879	838.5	0.5	17.5	5.1	40	0	10.2
BD 00284	BD00284	NAD83-8V	406741	6920851	833.9	0.5	14.7	5	39	0	10.7
BD 00285	BD00285	NAD83-8V	406783	6920817	834.2	0.6	14.9	6.3	53	0	16.2
BD 00286	BD00286	NAD83-8V	406828	6920783	835.5	0.9	22.1	7.8	55	0	20.1
BD 00287	BD00287	NAD83-8V	406868	6920740	836.1	0.3	17.9	2.8	58	0	8.1
BD 00288	BD00288	NAD83-8V	406960	6921186	828.4	0.3	16.6	3.3	29	0	5.7
BD 00289	BD00289	NAD83-8V	406924	6921152	828.1	0.5	13.5	4.8	60	0	11.8
BD 00290	BD00290	NAD83-8V	406885	6921111	828.4	0.6	18.2	5.9	59	0	9.8
BD 00291	BD00291	NAD83-8V	406863	6921070	827.2	0.4	18.9	4.6	44	0	10.3
BD 00292	BD00292	NAD83-8V	406832	6921035	829.4	0.1	4.5	0.3	10	0	2.2
BD 00293	BD00293	NAD83-8V	406797	6920993	825.7	0.4	10.2	2.8	39	0	5.3
BD 00294	BD00294	NAD83-8V	406781	6920955	837.3	1	20.1	8.8	64	0	19.8
BD 00295	BD00295	NAD83-8V	406737	6920917	828.8	0.7	15.8	6.5	49	0	15.3

SAMPLES	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
BD 00266	5.9	221	1.83	2.1	0.2	10	1.3	16	0	0.2	0.1	44
BD 00267	8.3	333	2.37	5.4	0.3	4.2	2.5	26	0.1	0.4	0.1	57
BD 00268	6.3	189	2.05	2.9	0.3	1.4	1.5	16	0	0.2	0.1	57
BD 00269	7	207	2.24	3.8	0.3	1.8	1.7	18	0	0.2	0.1	57
BD 00270	5.6	197	1.54	1.6	0.2	1.8	1	17	0.1	0.2	0.1	40
BD 00271	6.1	208	1.86	2.3	0.2	0.7	1.3	19	0.1	0.2	0.1	46
BD 00272	9.7	441	2.7	3.6	0.2	1.1	1.2	30	0	0.2	0.1	64
BD 00273	5.6	256	1.67	2.2	0.2	1.4	1	19	0	0.2	0.1	42
BD 00274	4.9	137	1.45	1.9	0.2	1	1.1	13	0	0.2	0.1	38
BD 00275	7.5	224	2.5	6.9	0.4	21.5	3.5	26	0.1	0.4	0.1	65
BD 00276	7.7	283	2.48	6.2	0.8	2.9	4	27	0.1	0.4	0.1	66
BD 00277	7.2	253	2.41	7.1	0.4	2.1	2.8	22	0.1	0.5	0.1	61
BD 00278	10.6	446	3.08	5.4	0.3	1	2.5	45	0.1	0.2	0.1	72
BD 00279	4	100	1.03	0.9	1.5	2.2	0.4	42	0	0.2	0	31
BD 00280	4.3	184	1.64	1.9	0.6	0.7	1.5	18	0	0.2	0.1	45
BD 00281	6.9	374	1.99	3.4	0.3	0.9	1.9	19	0.1	0.3	0.1	50
BD 00282	6.8	373	1.78	2.9	0.3	0.6	1.9	23	0	0.2	0.1	46
BD 00283	6.4	333	1.74	2.6	0.3	1.6	1.9	20	0.1	0.2	0.1	47
BD 00284	6.2	344	1.72	2.7	0.3	1.1	1.8	21	0.1	0.3	0.1	47
BD 00285	8.4	732	2.19	4.4	0.3	1.5	2.6	23	0.1	0.3	0.1	54
BD 00286	7.7	223	2.75	7.6	0.5	1.4	4.2	22	0	0.5	0.1	71
BD 00287	11.7	318	3.16	2.3	0.4	0	2.1	28	0	0.1	0	86
BD 00288	3.8	128	1.15	1.3	0.2	0.7	1	18	0	0.2	0.1	34
BD 00289	9.2	398	2.6	4.8	0.2	0.9	1.9	25	0.1	0.2	0.1	67
BD 00290	6.9	327	2.26	3.7	0.2	1	1.6	23	0.1	0.3	0.1	60
BD 00291	6.7	259	2.04	3	0.3	0.5	1.7	27	0	0.2	0.1	53
BD 00292	2.1	41	0.74	0	0.1	0.7	0.1	12	0	0	0	29
BD 00293	5.7	238	1.87	2.5	0.3	1.1	1	28	0	0.1	0	54
BD 00294	9	322	3.11	9.1	0.4	1	3.1	27	0	0.5	0.2	76
BD 00295	8.5	322	2.38	5	0.4	0.9	2.7	24	0.1	0.4	0.1	63

SAMPLES	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
BD 00266	0.19	0.046	5	15	0.38	139	0.078	0	1.24	0.031	0.07	0.1
BD 00267	0.35	0.104	7	23	0.61	158	0.093	1	1.93	0.016	0.16	0.1
BD 00268	0.18	0.042	7	18	0.39	88	0.085	1	1.46	0.016	0.07	0.1
BD 00269	0.19	0.041	7	21	0.42	115	0.09	1	1.73	0.017	0.07	0.1
BD 00270	0.21	0.064	5	15	0.31	81	0.071	1	1.08	0.024	0.06	0.1
BD 00271	0.18	0.062	5	15	0.31	144	0.064	0	1.23	0.029	0.06	0.1
BD 00272	0.45	0.11	6	13	0.81	141	0.148	0	2.02	0.031	0.13	0.1
BD 00273	0.2	0.058	5	13	0.28	98	0.071	0	1.2	0.028	0.05	0.1
BD 00274	0.12	0.03	5	15	0.22	72	0.061	0	0.97	0.026	0.04	0.1
BD 00275	0.23	0.024	8	31	0.52	147	0.084	0	1.99	0.025	0.06	0.1
BD 00276	0.28	0.032	20	33	0.5	159	0.083	0	1.84	0.019	0.05	0.2
BD 00277	0.19	0.054	9	27	0.45	221	0.071	1	1.88	0.027	0.06	0.1
BD 00278	0.54	0.093	8	25	0.78	138	0.132	0	2.98	0.022	0.09	0.1
BD 00279	0.56	0.073	18	8	0.1	91	0.03	0	0.54	0.034	0.02	0.1
BD 00280	0.28	0.048	26	12	0.31	101	0.063	0	1.08	0.026	0.08	0.1
BD 00281	0.19	0.031	8	21	0.35	144	0.063	1	1.33	0.021	0.05	0.1
BD 00282	0.23	0.039	8	17	0.38	145	0.075	0	1.09	0.03	0.07	0.1
BD 00283	0.24	0.044	8	20	0.32	142	0.072	0	1.15	0.025	0.06	0.1
BD 00284	0.22	0.026	8	20	0.31	151	0.063	0	1.07	0.028	0.05	0.1
BD 00285	0.25	0.027	9	29	0.4	204	0.07	0	1.46	0.017	0.05	0.1
BD 00286	0.21	0.026	10	39	0.55	124	0.102	1	2.28	0.037	0.08	0.2
BD 00287	0.55	0.139	7	11	0.83	241	0.213	0	2.38	0.03	0.44	0.1
BD 00288	0.18	0.026	5	12	0.15	75	0.057	0	0.64	0.031	0.04	0.1
BD 00289	0.36	0.094	7	19	0.75	133	0.121	0	2.06	0.035	0.22	0.1
BD 00290	0.26	0.084	6	18	0.42	168	0.09	0	1.42	0.029	0.07	0.1
BD 00291	0.52	0.172	7	21	0.46	143	0.09	1	1.45	0.029	0.16	0.2
BD 00292	0.15	0.045	2	4	0.04	39	0.041	0	0.2	0.054	0.03	0
BD 00293	0.39	0.111	5	11	0.42	107	0.096	0	1.1	0.033	0.15	0.1
BD 00294	0.27	0.053	8	38	0.64	183	0.107	1	2.53	0.014	0.13	0.2
BD 00295	0.27	0.045	10	29	0.49	161	0.087	1	1.66	0.024	0.08	0.1

SAMPLES	Hg	Sc	Tl	S	Ga	Se	Analysis:	Acme file #
BD 00266	0	1.4	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606503
BD 00267	0.01	2.2	0.1	0	7	0	GROUP 1DX - 15.0 GM	A606503
BD 00268	0	1.7	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606503
BD 00269	0.01	1.8	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606503
BD 00270	0	1.3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606503
BD 00271	0	1.7	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606503
BD 00272	0.01	2.3	0.1	0	10	0	GROUP 1DX - 15.0 GM	A606503
BD 00273	0	1.5	0	0	5	0	GROUP 1DX - 15.0 GM	A606503
BD 00274	0	1.1	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606503
BD 00275	0.01	2.5	0.1	0	7	0	GROUP 1DX - 15.0 GM	A606503
BD 00276	0.01	3.6	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606503
BD 00277	0.01	2.6	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606503
BD 00278	0	3.2	0.1	0	12	0	GROUP 1DX - 15.0 GM	A606503
BD 00279	0.05	2	0	0.06	2	0	GROUP 1DX - 15.0 GM	A606503
BD 00280	0.02	2.7	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606503
BD 00281	0	2	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606503
BD 00282	0.01	1.9	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606503
BD 00283	0	1.8	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606503
BD 00284	0	1.6	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606503
BD 00285	0.01	2.4	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606503
BD 00286	0	3.1	0.2	0	7	0	GROUP 1DX - 15.0 GM	A606503
BD 00287	0.01	2.2	0.1	0	8	0	GROUP 1DX - 15.0 GM	A606503
BD 00288	0	1	0.1	0	3	0	GROUP 1DX - 15.0 GM	A606503
BD 00289	0	2.5	0.1	0	8	0	GROUP 1DX - 15.0 GM	A606503
BD 00290	0	1.9	0.1	0	7	0	GROUP 1DX - 15.0 GM	A606503
BD 00291	0	2.1	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606503
BD 00292	0	0.3	0	0	1	0	GROUP 1DX - 15.0 GM	A606503
BD 00293	0.01	1.9	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606503
BD 00294	0.01	3	0.1	0	8	0	GROUP 1DX - 15.0 GM	A606503
BD 00295	0.01	2.7	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606503