

GEOCHEMICAL

REPORT

BUTTER 1 - 24

YC46830 – YC46853

NTS # 115 I \ 07

LAT: 62° 24 N

LONG: 136° 43 W

WHITEHORSE MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED AUGUST 04, 2006

DATE OF REPORT OCTOBER 10, 2007

TABLE OF CONTENT

1.0	SUMMARY	p.3
2.0	INTRODUCTION	p.3
3.0	PROJECT LOCATION	p.3
4.0	ACCESS	p.3
5.0	GEOLOGY	p.3
	GEOLOGY MAP	p.4
6.0	WORK PERFORMED / METHODS	p.5
7.0	INTERPRETATION	p.5
8.0	RECOMMENDATION	p.5
9.0	REFERENCES CITED	p.5
10.0	Cost	p.6
11.0	Qualification	p.6
	Claim Location Map	Figure 1
	Sample Location Map	Figure 2
	Assay / GPS Data	Appendix

1.0 SUMMARY

The Butter 1 – 24 Claims were staked to cover a magnetic high sitting east of the William Creek Property.

2.0 INTRODUCTION

The Butter Claims had two men; Matthew McHugh and Adam Fage collect a total of 65 soil samples on August 4, 2007. The soil sampling was conducted to see if deeper auger (1 meter) soil sampling assayed with normal ICP-MS could come up with anomalous results. Due to heavy overburden no anomalies were detected.

3.0 LOCATION


The Butter Claims are located 36 kilometers North West of the community of Carmacks. The claims block consists of 24 claims all located in the Whitehorse mining district on NTS 115 I / 11.

4.0 ACCESS

The Butter Claims can be reached via helicopter from Carmacks.

5.0 PROPERTY GEOLOGY

The Yukon Geology web site indicates the Bread Claims are sitting on one distinct rock unit. The claims are sitting on early Jurassic granodiorite.



EARLY JURASSIC



EJgA: AISHIHIK SUITE

medium- to coarse- grained, foliated biotite-hornblende granodiorite; biotite rich screens and gneiss schlieren; foliated hornblende diorite to monzodiorite with local K-feldspar megacrysts; may include unfoliated monzonite of the Long Lake Suite (**Aishihik Suite**)

6.0 WORK PERFORMED / METHODS

Soil Survey

The Butter Claims had 2 man days of soil work with a total of 65 soil samples collected.

The ICP Samples are collected as such;

All soil sample where taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil sample location where marked in the field with pink flagging and sample number inscribe on flagging with black permanent markers. Sample location where recorded with Garmin GPS. About 400-500 grams of soil were collected and place in well mark kraft soil bags.

All samples where brought out to Dawson and air dried repacked in rice bags and sent to Acme Labs in Vancouver. Sample where process with Aqua Regia ICP-MS for 36 elements.

The GPS where downloaded every night and store in a personal computer.

7.0 INTERPRETATION

Soil Survey

The 65 soil samples did not show any anomalous elements so no interpretation could be done. I feel this was due to heavy overburden found in the area.

8.0 RECOMMENDATION

I would recommend trying a new soil technique called MMI. I would conduct it on a small grid pattern of 500 meter by 500 meters with soil lines on 100 meter spacing and station should be on 50 meter spacing.

9.0 REFERENCES CITED

YTG Geology Map, Yukon geology web site.

10.0 COST

Wage 2 man days @ \$250.00 per day	\$500.00
Assay Cost ICP 65 soil @ \$18.00 per sample	\$1,170.00
Transportation Cost, Helicopter .8 hour @\$1259.00 per hour	\$1,007.00
Report writing	\$300.00
Total	\$2,977.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson City.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked the last 8 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and VLF surveys.


I have overseen the entire Butter Project and was party chief in charge.

I own 100% of the Butter claims.

Dated this 10 of October 2007 in Dawson City, Yukon.



Respectfully submitted

Shawn Ryan



RyanWood Exploration

S. Ryan	Claim Location Map Figure 1
1151 / 07	
Date: 9/10/2007	UTM Zone 8 (NAD 83)
Scale: 1:100000	



RyanWood Exploration

S.Ryan	Butter Claims
1151/07	Sample Location Map
Date: 11/10/2007	Figure 2
Scale: 1:20000	UTM Zone 8 (NAD 83)

0 200 400 800 metres

SAMPLES	GPS ID	Datum	Easting	Northing	Elevation	Mo	Cu	Pb	Zn	Ag	Ni
BT 00002	BT00002	NAD83-8V	411359	6920130	762	0.4	12.1	4.6	52	0	9.4
BT 00251	BT00251	NAD83-8V	411516	6920254	762.6	0.5	19.7	5.2	50	0	10.7
BT 00252	BT00252	NAD83-8V	411480	6920223	761.4	0.5	18.1	5.5	51	0	12.5
BT 00253	BT00253	NAD83-8V	411437	6920190	753.2	0.6	41.6	6.5	49	0	13.1
BT 00254	BT00254	NAD83-8V	411398	6920159	759.9	0.5	21.9	6.1	49	0	14.9
BT 00255	BT00255	NAD83-8V	411319	6920100	768.1	0.3	18.4	4.1	32	0	10.9
BT 00256	BT00256	NAD83-8V	411277	6920074	769	0.2	30.5	4	32	0	11.1
BT 00257	BT00257	NAD83-8V	411238	6920043	776	0.2	26.4	2.9	26	0	7.1
BT 00258	BT00258	NAD83-8V	411191	6920009	791.3	0.5	33.4	4.9	52	0	12.3
BT 00259	BT00259	NAD83-8V	411156	6919980	795.2	0.5	13.8	4.5	35	0	11.5
BT 00260	BT00260	NAD83-8V	411102	6919941	810.8	0.5	19.2	6.1	55	0	13.7
BT 00261	BT00261	NAD83-8V	411079	6919922	814.4	0.5	14.7	5.5	39	0	12
BT 00262	BT00262	NAD83-8V	411040	6919887	826.6	0.3	11.3	4.4	28	0	9
BT 00263	BT00263	NAD83-8V	411001	6919855	836.4	0.7	17.8	6.8	46	0	13.8
BT 00264	BT00264	NAD83-8V	410958	6919816	849.2	0.5	14.1	6	51	0	12.2
BT 00265	BT00265	NAD83-8V	410918	6919786	858.3	0.5	16.5	4.8	34	0	12
BT 00296	BT00296	NAD83-8V	411013	6919600	848	0.1	5.5	0.7	12	0	1.7
BT 00297	BT00297	NAD83-8V	411054	6919627	843.4	0.5	14.3	5.7	44	0	13.7
BT 00298	BT00298	NAD83-8V	411098	6919653	832.4	0.4	16.1	5.7	37	0	14.2
BT 00299	BT00299	NAD83-8V	411140	6919683	819.6	0.5	23.3	5.5	45	0	12.9
BT 00300	BT00300	NAD83-8V	411177	6919715	813.8	0.5	12.4	5	39	0	11.4
BT 00301	BT00301	NAD83-8V	411219	6919744	794	0.5	14.5	4.5	35	0	11.2
BT 00302	BT00302	NAD83-8V	411263	6919776	779.4	0.4	13.5	4.7	39	0	10
BT 00303	BT00303	NAD83-8V	411299	6919804	771.4	0.5	16.7	6.3	44	0	14.3
BT 00304	BT00304	NAD83-8V	411336	6919836	761.4	0.7	16.9	6	53	0	15.2
BT 00305	BT00305	NAD83-8V	411373	6919873	753.5	0.7	29.7	6.4	115	0	14.1
BT 00306	BT00306	NAD83-8V	411409	6919909	744.6	0.6	13.5	7	50	0	14.3
BT 00307	BT00307	NAD83-8V	411444	6919939	736.4	0.6	15.8	6.7	51	0	15.2
BT 00751	BT00751	NAD83-8V	410250	6919758	763.2	0.4	20.6	4	62	0	9.6
BT 00752	BT00752	NAD83-8V	410286	6919787	766	0.6	18.7	6.3	63	0	13.9
BT 00753	BT00753	NAD83-8V	410327	6919820	766.9	0.6	28.4	7.4	62	0	13.8
BT 00754	BT00754	NAD83-8V	410365	6919851	782.7	0.5	9.1	5.8	74	0	14.5
BT 00755	BT00755	NAD83-8V	410406	6919882	788.5	0.6	9.3	6.2	56	0	13.3
BT 00756	BT00756	NAD83-8V	410445	6919913	804.4	0.5	15.9	6	46	0	16
BT 00757	BT00757	NAD83-8V	410484	6919944	820.5	0.5	12.7	5.6	81	0	12.4
BT 00758	BT00758	NAD83-8V	410523	6919976	840.9	0.4	13.7	5.7	40	0	13.2

SAMPLES	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
BT 00002	6	318	1.62	2.4	0.3	1	1.6	28	0.1	0.2	0.1	45
BT 00251	6.5	215	1.68	2.9	0.3	0.7	2.3	25	0	0.2	0.1	49
BT 00252	6.2	219	1.81	3.7	0.4	0.6	2.6	29	0	0.3	0.1	50
BT 00253	7.6	417	2.29	5.6	2.5	1.2	3.3	40	0	0.3	0.1	57
BT 00254	7.1	242	2.09	5.1	0.4	1.2	3	25	0.1	0.4	0.1	54
BT 00255	6.9	307	1.71	4	1.1	1	2.6	41	0	0.2	0.1	50
BT 00256	5	208	1.58	3	1.3	0.9	2.4	52	0.1	0.2	0.1	42
BT 00257	4.5	172	1.37	2.3	0.9	0.9	1.4	31	0.1	0.1	0	38
BT 00258	10.7	346	2.75	4.7	0.4	0.7	2.1	46	0	0.2	0.1	77
BT 00259	5.5	159	1.63	3.9	0.4	0.5	2.1	23	0	0.3	0.1	43
BT 00260	7.3	210	2.19	5	0.5	2.2	2.9	26	0.1	0.3	0.1	53
BT 00261	6	207	1.85	3.4	0.4	1.8	2.5	23	0.1	0.3	0.1	50
BT 00262	4.6	131	1.48	4.1	0.4	0	1.9	26	0	0.3	0.1	44
BT 00263	7.8	315	1.99	4.9	0.5	0	3.2	32	0.1	0.3	0.1	58
BT 00264	6.7	252	1.89	3.4	0.4	0.6	3.1	51	0.1	0.2	0.1	51
BT 00265	5.8	351	1.59	3.6	0.4	0.5	2.2	21	0	0.3	0.1	43
BT 00296	1.8	99	0.49	0	0.1	0	0.2	13	0	0.1	0	17
BT 00297	6.7	229	1.75	3.5	0.4	2.6	2.8	23	0.1	0.3	0.1	48
BT 00298	6.8	196	1.9	5.2	0.7	1.4	3.1	26	0.1	0.4	0.1	48
BT 00299	6.7	193	2.12	4.7	0.4	1.1	2.7	32	0	0.3	0.1	53
BT 00300	6.4	183	1.77	3.9	0.4	1.6	2.4	22	0.1	0.3	0.1	45
BT 00301	6.3	226	1.51	3.1	0.4	1.3	2.3	24	0	0.3	0.1	41
BT 00302	6	204	1.62	2.4	0.3	1	2	24	0.1	0.2	0.1	45
BT 00303	6.9	184	2.23	5.7	0.4	2	2.7	27	0.1	0.4	0.1	58
BT 00304	6.8	255	2.13	5.4	0.4	0.8	2.6	26	0.1	0.4	0.1	54
BT 00305	11.2	587	2.9	4.1	0.5	0	3.8	32	0.1	0.3	0.1	67
BT 00306	6.4	200	2.29	5.7	0.4	0	2.6	26	0	0.3	0.1	58
BT 00307	8.9	358	2.34	5	0.5	0.5	3	28	0.1	0.4	0.1	61
BT 00751	7.6	391	1.94	2.7	0.4	0	1.3	33	0.1	0.2	0.1	51
BT 00752	8.7	719	2.14	3.8	0.6	0	3.3	30	0	0.3	0.1	53
BT 00753	8.4	277	2.55	4.6	0.8	0	5.4	33	0	0.3	0.1	64
BT 00754	9.8	302	2.64	3.5	0.5	0	4.4	31	0.1	0.2	0.1	69
BT 00755	7.6	260	2.19	3.4	0.5	0	3.1	28	0	0.3	0.1	60
BT 00756	7.5	219	2.29	5.5	0.5	1.4	3.5	27	0.1	0.4	0.1	58
BT 00757	9.1	551	2.74	2.9	0.5	0.5	3.2	41	0	0.3	0.1	65
BT 00758	7.5	255	2.17	3.9	0.6	0	4.7	29	0	0.3	0.1	56

SAMPLES	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K
BT 00002	0.27	0.043	6	16	0.29	142	0.06	1	1.1	0.024	0.05
BT 00251	0.23	0.027	8	21	0.33	162	0.07	1	1.19	0.026	0.05
BT 00252	0.25	0.024	8	22	0.36	123	0.068	1	1.37	0.026	0.04
BT 00253	0.42	0.042	57	28	0.45	195	0.08	1	2.01	0.036	0.08
BT 00254	0.26	0.028	9	25	0.41	144	0.062	1	1.33	0.018	0.06
BT 00255	0.58	0.079	10	18	0.34	152	0.063	1	0.89	0.025	0.05
BT 00256	0.65	0.058	9	17	0.34	206	0.062	1	1.11	0.029	0.05
BT 00257	0.35	0.06	16	11	0.27	122	0.057	1	0.95	0.03	0.06
BT 00258	0.35	0.03	7	19	0.83	183	0.124	0	1.82	0.023	0.08
BT 00259	0.19	0.018	7	19	0.33	124	0.058	0	1.07	0.034	0.05
BT 00260	0.29	0.048	9	24	0.44	156	0.069	1	1.32	0.021	0.07
BT 00261	0.23	0.029	9	21	0.34	128	0.075	1	1.09	0.027	0.05
BT 00262	0.22	0.025	7	16	0.27	107	0.063	1	0.92	0.023	0.04
BT 00263	0.33	0.03	10	26	0.44	200	0.088	1	1.5	0.021	0.05
BT 00264	0.39	0.035	10	21	0.44	155	0.068	1	1.5	0.024	0.06
BT 00265	0.23	0.018	8	19	0.29	182	0.068	0	1.12	0.028	0.06
BT 00296	0.11	0.037	1	3	0.05	36	0.028	1	0.27	0.04	0.04
BT 00297	0.24	0.021	9	22	0.36	130	0.071	1	1.14	0.027	0.06
BT 00298	0.29	0.033	11	23	0.35	148	0.066	1	1.07	0.038	0.05
BT 00299	0.28	0.048	7	21	0.39	109	0.089	2	1.52	0.034	0.09
BT 00300	0.24	0.023	8	21	0.34	117	0.068	1	1.06	0.018	0.06
BT 00301	0.23	0.036	8	19	0.29	140	0.068	1	1.02	0.03	0.08
BT 00302	0.23	0.031	7	18	0.3	131	0.071	1	1.1	0.025	0.06
BT 00303	0.25	0.033	8	26	0.39	121	0.079	1	1.44	0.021	0.08
BT 00304	0.24	0.033	8	26	0.43	144	0.067	0	1.41	0.014	0.06
BT 00305	0.32	0.097	7	21	0.66	230	0.084	1	1.91	0.016	0.2
BT 00306	0.26	0.055	9	28	0.46	133	0.08	1	1.65	0.012	0.15
BT 00307	0.27	0.039	10	26	0.5	173	0.084	1	1.46	0.015	0.08
BT 00751	0.41	0.063	6	15	0.51	130	0.098	1	1.36	0.037	0.13
BT 00752	0.39	0.035	10	27	0.42	248	0.083	0	1.58	0.025	0.07
BT 00753	0.34	0.029	13	26	0.47	134	0.053	0	1.93	0.016	0.1
BT 00754	0.32	0.076	8	24	0.57	148	0.088	1	1.78	0.011	0.12
BT 00755	0.31	0.056	9	26	0.42	134	0.082	1	1.46	0.012	0.08
BT 00756	0.31	0.044	10	27	0.45	135	0.085	0	1.27	0.013	0.11
BT 00757	0.38	0.058	10	22	0.64	160	0.093	0	1.79	0.014	0.11
BT 00758	0.33	0.045	9	23	0.42	110	0.074	2	1.26	0.013	0.13

SAMPLES	W	Hg	Sc	Tl	S	Ga	Se	Analysis:	Acme file #
BT 00002	0.1	0.01	1.7	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00251	0.1	0.01	2	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00252	0.1	0.01	2.3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00253	0.2	0.03	5.8	0.1	0	6	0	GROUP 1DX - 15.0 GM	A608138
BT 00254	0.1	0.01	2.4	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00255	0.1	0.02	2.7	0	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00256	0.1	0.02	2.7	0	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00257	0.1	0.01	2	0	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00258	0.1	0	2.3	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606508
BT 00259	0.1	0.01	1.8	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00260	0.1	0.01	2.4	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00261	0.1	0	2	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00262	0.1	0.01	1.7	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00263	0.1	0	2.8	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00264	0.1	0	2.4	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606508
BT 00265	0.1	0.01	1.8	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00296	0	0	0.3	0	0	1	0	GROUP 1DX - 15.0 GM	A606508
BT 00297	0.1	0	2.1	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00298	0.1	0.01	2.8	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00299	0.1	0	2.2	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00300	0.1	0.01	2	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00301	0.1	0	2	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00302	0.1	0	1.8	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00303	0.1	0	2.4	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00304	0.1	0.01	2.3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00305	0.1	0.01	3.6	0.1	0	8	0	GROUP 1DX - 15.0 GM	A606508
BT 00306	0.1	0	2.4	0.1	0	5	0	GROUP 1DX - 15.0 GM	A608138
BT 00307	0.1	0	2.6	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00751	0.1	0.01	2.1	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606508
BT 00752	0.1	0	3.8	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606508
BT 00753	0.1	0.01	4.3	0.1	0	8	0	GROUP 1DX - 15.0 GM	A606508
BT 00754	0.1	0.01	2.8	0.1	0	7	0	GROUP 1DX - 15.0 GM	A606508
BT 00755	0.1	0	2.5	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00756	0.2	0.01	2.7	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00757	0.1	0.01	3.1	0.1	0	8	0	GROUP 1DX - 15.0 GM	A606508
BT 00758	0.1	0	3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508

SAMPLES	GPS ID	Datum	Easting	Northing	Elevation	Mo	Cu	Pb	Zn	Ag	Ni
BT 00759	BT00759	NAD83-8V	410562	6920007	863.5	0.5	19.8	5.2	34	0	15.7
BT 00760	BT00760	NAD83-8V	410764	6919912	889.1	0.6	41.2	5.7	62	0	14.2
BT 00761	BT00761	NAD83-8V	410648	6919822	846.4	0.6	21	6.6	38	0	15.5
BT 00762	BT00762	NAD83-8V	410611	6919791	832.7	0.6	17.1	6	46	0	14.4
BT 00763	BT00763	NAD83-8V	410570	6919758	826	0.4	29	5.3	64	0	10.3
BT 00764	BT00764	NAD83-8V	410531	6919729	805.6	0.5	13.2	6.2	60	0	14
BT 00766	BT00766	NAD83-8V	410453	6919664	772.4	0.6	16.8	6.2	66	0	17
BT 00767	BT00767	NAD83-8V	410413	6919635	757.1	0.6	25.4	6.4	101	0	15.5
BT 00768	BT00768	NAD83-8V	410853	6919723	868.1	0.5	26.8	5.5	56	0	13.7
BT 00769	BT00769	NAD83-8V	410813	6919696	-9999	0.6	19.3	5.4	86	0	9.9
BT 00770	BT00770	NAD83-8V	410775	6919666	836.4	0.6	19.1	6.7	64	0	13.5
BT 00771	BT00771	NAD83-8V	410734	6919635	824.2	0.7	30.1	7.3	55	0	16.3
BT 00772	BT00772	NAD83-8V	410698	6919600	812.9	0.5	14.7	6.5	70	0	14.6
BT 00773	BT00773	NAD83-8V	410657	6919571	-9999	0.5	16	6.3	64	0	13.1
BT 00774	BT00774	NAD83-8V	410614	6919534	771.4	0.5	20.2	12.1	52	0	16.4
BT 00775	BT00775	NAD83-8V	410576	6919509	-9999	0.4	18.9	4.4	121	0	15.6
BT 00776	BT00776	NAD83-8V	410536	6919482	745.2	0.6	21.5	5.7	43	0	14.4
BT 00777	BT00777	NAD83-8V	410500	6919444	-9999	0.5	18	5.7	48	0	14.6
BT 00961	BT00961	NAD83-8V	411485	6919972	727.6	0.2	15.7	0.9	12	0	5.1
BT 00962	BT00962	NAD83-8V	411525	6920001	729.1	0.4	24.4	4.2	27	0	9.2
BT 00963	BT00963	NAD83-8V	411563	6920035	735.2	0.5	16.5	3.6	38	0	7.9
BT 00964	BT00964	NAD83-8V	411602	6920064	734	0.1	14.8	0.4	8	0	1.3
BT 00965	BT00965	NAD83-8V	411641	6920099	746.2	0.8	13.8	4.8	45	0	9.3

SAMPLES	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
BT 00759	6.6	236	1.87	4.4	0.4	0	3.7	21	0	0.4	0.1	49
BT 00760	7.3	625	2.14	5.2	0.4	1.1	3.8	25	0	0.4	0.1	50
BT 00761	6.8	221	2.11	4.8	0.5	0.8	4.6	20	0	0.3	0.1	53
BT 00762	7.4	262	2.11	4.2	0.5	2	4.2	24	0	0.3	0.1	54
BT 00763	10.5	485	2.73	2.5	0.7	1.8	4.3	51	0.1	0.2	0.1	64
BT 00764	8.2	331	2.36	3	0.5	0	4.7	37	0	0.2	0.1	60
BT 00766	10.3	434	2.91	5.6	0.8	1.1	5.4	33	0	0.3	0.1	71
BT 00767	11.4	711	3.15	3.5	0.9	1	4.9	42	0.1	0.3	0.1	72
BT 00768	7.6	289	2.25	4.7	0.5	0	3.7	28	0	0.4	0.1	56
BT 00769	7	396	1.96	1.6	0.3	0.5	1.8	38	0	0.2	0.1	48
BT 00770	8	231	2.21	3.4	0.4	1	2.9	27	0	0.3	0.1	55
BT 00771	8.8	335	2.92	7.8	0.8	0	4.8	42	0	0.5	0.1	69
BT 00772	9.4	451	2.6	3.4	0.6	0	4.6	31	0.1	0.3	0.1	62
BT 00773	9.2	402	2.53	3.4	0.6	0	4.2	36	0	0.3	0.1	56
BT 00774	8.5	245	2.53	5	0.6	0	4.5	31	0.1	0.4	0.1	62
BT 00775	13.9	765	3.71	4.4	0.4	0	3	43	0	0.2	0.1	86
BT 00776	8	338	2.21	4.2	0.5	2.3	3.3	26	0	0.3	0.1	59
BT 00777	7.3	283	2.15	3.8	0.4	3.1	2.9	24	0.1	0.3	0.1	55
BT 00961	2.1	113	0.61	0.9	0.3	0	0.2	32	0	0.1	0	18
BT 00962	4.7	279	1.3	3.7	1.4	1.2	1	57	0.1	0.2	0.1	30
BT 00963	5.3	214	1.47	2.8	0.3	0	1.7	24	0	0.2	0.1	38
BT 00964	0.8	41	0.31	0.5	0.8	0.6	0.1	58	0	0.1	0	7
BT 00965	5.9	264	1.94	4.2	0.4	9.2	3	18	0	0.3	0.1	48

SAMPLES	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K
BT 00759	0.24	0.03	9	24	0.38	137	0.076	1	1.09	0.017	0.1
BT 00760	0.23	0.032	9	22	0.46	175	0.055	1	1.51	0.034	0.06
BT 00761	0.24	0.035	9	24	0.35	162	0.058	1	1.26	0.027	0.09
BT 00762	0.28	0.048	10	25	0.45	139	0.074	1	1.3	0.011	0.12
BT 00763	0.39	0.055	11	17	0.73	152	0.068	1	1.84	0.013	0.08
BT 00764	0.38	0.069	9	23	0.56	160	0.084	2	1.78	0.012	0.12
BT 00766	0.32	0.07	14	29	0.61	124	0.1	1	1.92	0.009	0.19
BT 00767	0.38	0.077	11	24	0.77	244	0.12	1	2.2	0.016	0.17
BT 00768	0.29	0.043	11	25	0.44	124	0.061	1	1.48	0.016	0.1
BT 00769	0.33	0.042	8	15	0.48	106	0.089	1	1.52	0.024	0.06
BT 00770	0.25	0.029	9	24	0.45	116	0.07	0	1.49	0.018	0.05
BT 00771	0.34	0.048	16	28	0.68	70	0.094	1	1.9	0.01	0.11
BT 00772	0.39	0.088	9	24	0.55	157	0.095	2	1.75	0.012	0.14
BT 00773	0.46	0.082	11	23	0.67	102	0.067	2	1.75	0.012	0.15
BT 00774	0.34	0.058	15	29	0.53	117	0.098	1	1.63	0.011	0.15
BT 00775	0.64	0.189	9	23	1.3	208	0.175	1	2.57	0.013	0.72
BT 00776	0.31	0.059	11	27	0.37	193	0.071	1	1.34	0.024	0.07
BT 00777	0.26	0.04	9	26	0.44	154	0.066	0	1.25	0.012	0.05
BT 00961	0.36	0.044	4	6	0.1	96	0.023	0	0.37	0.046	0.04
BT 00962	0.73	0.049	18	15	0.25	139	0.038	2	1.1	0.041	0.07
BT 00963	0.28	0.047	6	14	0.33	98	0.051	1	0.95	0.034	0.08
BT 00964	1.32	0.045	3	2	0.07	111	0.013	3	0.26	0.061	0.03
BT 00965	0.25	0.03	10	20	0.27	162	0.06	2	1.28	0.017	0.11

SAMPLES	W	Hg	Sc	Tl	S	Ga	Se	Analysis:	Acme file #
BT 00759	0.1	0	2.6	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00760	0.1	0.01	3	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606508
BT 00761	0.1	0	2.8	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00762	0.2	0	3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00763	0.1	0.01	3.1	0.1	0	8	0	GROUP 1DX - 15.0 GM	A606508
BT 00764	0.1	0	2.6	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606508
BT 00766	0.1	0.01	4.4	0.1	0	7	0	GROUP 1DX - 15.0 GM	A606508
BT 00767	0.1	0.01	3.9	0.1	0	8	0	GROUP 1DX - 15.0 GM	A606508
BT 00768	0.1	0	2.8	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00769	0.1	0	1.8	0.1	0	7	0	GROUP 1DX - 15.0 GM	A606508
BT 00770	0.1	0	2.3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00771	0.1	0.01	4.7	0.1	0	7	0	GROUP 1DX - 15.0 GM	A606508
BT 00772	0.2	0	3.4	0.1	0	7	0	GROUP 1DX - 15.0 GM	A606508
BT 00773	0.1	0.01	4	0.1	0	8	0	GROUP 1DX - 15.0 GM	A606508
BT 00774	0.1	0.01	4.2	0.1	0	6	0	GROUP 1DX - 15.0 GM	A606508
BT 00775	0.2	0	3.5	0.3	0	11	0	GROUP 1DX - 15.0 GM	A606508
BT 00776	0.1	0.01	3	0.1	0	5	0	GROUP 1DX - 15.0 GM	A606508
BT 00777	0.1	0.01	2.3	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00961	0.1	0.01	0.8	0	0	1	0	GROUP 1DX - 15.0 GM	A606508
BT 00962	0.1	0.04	2.4	0.1	0.07	3	0.5	GROUP 1DX - 15.0 GM	A608138
BT 00963	0.1	0	1.7	0.1	0	4	0	GROUP 1DX - 15.0 GM	A606508
BT 00964	0	0.01	0.4	0	0.11	1	0.5	GROUP 1DX - 15.0 GM	A608138
BT 00965	0.1	0.02	3.3	0.1	0	4	0	GROUP 1DX - 15.0 GM	A608138