

GEOCHEMICAL

REPORT

COFFEE 1-16 CLAIMS

YC46734 – YC46749

NTS # 115 J \ 14

LAT: 62° 53 N

LONG: 139° 20 W

WHITEHORSE MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED JUNE 17 to SEPTEMBER 03, 2006

DATE OF REPORT SEPTEMBER 28, 2007

TABLE OF CONTENT

1.0	Summary	p.3
2.0	INTRODUCTION	p.3
3.0	PROJECT LOCATION	p.3
4.0	ACCESS	p.3
5.0	GEOLOGY	p.4
5.1	REGIONAL GEOLOGY	p.5
	GEOLOGY DESCRIPTION	p.6
6.0	WORK PERFORMED / METHODS	p.7
6.1	Soil Survey	p.7
7.0	INTERPRETATION	p.8
7.1	Soil Survey	p.8
8.0	RECOMMENDATION	p.8
9.0	REFERENCES CITED	p.8
10.0	Cost	p.8
11.0	Qualification	p.9
	Claim Location Map	p.10
	Gold Soil geochemistry map	Figure 1
	Arsenic Soil geochemistry map	Figure 2
	Antimony Soil geochemistry map	Figure 3
	Assay Data and GPS Locations	Appendix

1.0 SUMMARY

The Coffee 1 - 16 Project had a small soil sampling program collect 193 soils. The soil sampling program outlined a large 1300 meters by 1200 meters gold, arsenic and antimony soil anomaly. The anomaly is still open in all directions and will be followed up in the 2007 field season.

2.0 INTRODUCTION

The Coffee Project had 193 soil collected across an area measuring 1300 meters by 1200 meters. A grid was established on 100 to 200 meter line spacing and 50 meter station spacing. Soil values as high as 839 ppb Au, 553 ppm As and 117 ppm Sb were found.

3.0 LOCATION

The Coffee Project is located at the headwaters of Halfway Creek; it's in Whitehorse Mining Division, on NTS # 115 J / 14. The latitude 62°53'N and longitude 139°20'W.

The Coffee Claims are located 130 kilometers south of Dawson City or 97 kilometers north east of Beaver Creek.

4.0 ACCESS

The Coffee claims can be reached via helicopter from Dawson City

5.0 REGIONAL AND PROPERTY GEOLOGY

5.1 REGIONAL GEOLOGY

(Excerpts from Assessment report 094174, Deltango)

The Dan, Man and Indy Claims are in a poorly exposed area of Schist-Gneiss unit (Tempelman-Kluit, 1974) along the northeast contact of the Coffee Creek granite, part of the Cretaceous Dawson Range Batholith (Gordey and Makepeace, 2000). Due to the poor exposure only a general reconnaissance could be carried out in the time available. The geology of the properties is outlined on Plates 1 (Dan Claims) and 2 (Man and Indy Claims) in Appendix D and an overview of the entire area is compiled on Figure 9.


The Dan and Man Claims are underlain mainly by metamorphic rocks. Two sequences predominate. The first is a biotite and hornblende-bearing mafic schist with subordinate interlayered felsic schists with augen of feldspar in a fine grained gneissic matrix. These rocks are thought to be mafic and felsic meta-volcanic rocks. Interlayered are minor amounts of marble and calcareous meta-sedimentary schists. The second sequence consists of a body of quartz-feldspar-muscovite-biotite augen schist to gneiss with a strong planar foliation. This body is generally compositionally homogeneous, although there are textural variations from area to area within it. The body is thought to be a deformed granitoid body, similar to and perhaps related to the felsic schists of the first sequence. The meta-volcanic sequence is found along the entire 25 km strike length spanned by the Dan-Man-Indy property. The felsic schist sequence is restricted to the central 5 km of that strike length. The overall impression of this sequence is of a mafic > felsic meta-volcanic pile intruded by comagmatic meta-granitoids. In the southwest of the property, at the south end of the Indy Claims, is a sequence of dark bluish-grey micaceous quartzites perhaps related to the Nasina quartzite (Tempelman-Kluit, 1974). The relationship of these quartzites to the meta-volcanic sequence is unclear, but the general south dip suggests the quartzites overlie the metavolcanics.

The topographically highest and most southerly parts of the Dan and Man Claims are underlain by coarse-grained, massive, quartz-biotite-hornblende granite to granodiorite of the Coffee Creek granite (Tempelman-Kluit, 1974). Outcrop of this unit consists of isolated tors with intervening tundra-covered boulder fields and felsenmeer. The contact with the schists to the north is poorly exposed, but was observed in one location. The granitic rock there is sheared and foliated within about 1.5 m of the contact and classic, quartz-ribbon, mylonite textures were noted within 0.5 m of the contact. The contact dips gently south, parallel to the foliation of the schists north of the granite.

This very unexpected contact relationship suggests that the granite may overlie the south dipping Schist-Gneiss unit along a structural contact.

Immediately north of the granitic body, exposure is non-existent but persistent float of weakly foliated, garnet bearing, quartz muscovite rock and altered meta-basic igneous rocks with minor sulphides were found, particularly in the saddles east and west of the head of Halfway Creek. On the Man Claims, a garnet-bearing felsite dike, texturally similar to the garnet-bearing float in the contact zone, was found in the Coffee Creek granite, suggesting these garnet-bearing rocks may be late stage differentiates related to the granite. Float from this assemblage was found all along the 15 km stretch of granite contact. Where it is developed, abundant garnet was noted in pan concentrates.

A small body of diorite along Halfway Creek is of unknown age. It is generally unfoliated and could be a member of the early-Mesozoic suite. No other candidates for this suite are known on the property however, the foliated granitic rock on the Indy Claims might belong to this suite rather than being an extension of the Coffee Creek granite as portrayed on Figure 9.



Yukon Geology Map

YTG Geology Description

LOWER EOCENE

IES

IES: SKUKUM

various felsic volcanic dykes, plugs, domes, laccoliths and flows (1) and (2)

2. heterogeneous intermediate to felsic, hornblende-feldspar porphyritic tuff, flow breccia; volcanoclastic mudstone, sandstone and conglomerate; aphanitic to feldspar porphyritic dacite flows and dykes; flow-banded rhyolite and felsic dykes and sills (**Mount Creedon Volcanics, some strata formerly mapped as Mt. Nansen Gp.**)

MID-CRETACEOUS

mKW

mKW: WHITEHORSE SUITE

grey, medium to coarse grained, generally equigranular granitic rocks of felsic (q), intermediate (g), locally mafic (d) and rarely syenitic (y) composition

- g. biotite-hornblende granodiorite, hornblende quartz diorite and hornblende diorite; leucocratic, biotite hornblende granodiorite locally with sparse grey and pink potassium feldspar phenocrysts (**Whitehorse Suite, Casino granodiorite, McClintock granodiorite, Nisling Range granodiorite**)

EARLY JURASSIC

EJgA

EJgA: AISHIHIK SUITE

medium- to coarse- grained, foliated biotite-hornblende granodiorite; biotite rich screens and gneiss schlieren; foliated hornblende diorite to monzodiorite with local K-feldspar megacrysts; may include unfoliated monzonite of the Long Lake Suite (**Aishihik Suite**)

DEVONIAN TO CRETACEOUS?



PMW: WINDY

oceanic assemblage of ultramafic rocks (1), greenstone (2), chert (3) and carbonate (4) and metamorphosed equivalents? (5)

1. dun-brown weathering, dark green to black, partly serpentinized massive harzburgite and dunite

DEVONIAN, MISSISSIPPIAN AND(?) OLDER



DMN: NASINA

graphitic quartzite and muscovite quartz-rich schist (1), (3)-(5), and(?) (6) with interspersed marble (2) and probable correlative successions (7) - (9)



3. quartzite, micaceous quartzite, quartz muscovite (+/-chlorite; +/- feldspar augen) schist, and minor metaconglomerate and metagrit as in (1), but may locally include significant Nisling Assemblage

6.0 WORK PERFORMED / METHODS

6.1 Soil Survey

The Coffee Project had 7 man days of soil work collecting 193 soils.

All soil sample where taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil sample location where marked on the ground with orange flagging and recorded in Garmin GPS. About 400-500 grams of soil was collected and place in well mark kraft soil bags.

All samples where brought out to Dawson and air dried repacked in rice bags and sent to Acme Labs in Vancouver. Sample where process with Aqua Regia ICP-MS for 36 elements.

The GPS where downloaded every night and store in a personal computer.

7.0 INTERPRETATION

7.1 Soil Survey

The soil survey demonstrated a large 1300 meters by 1200 meters gold soil anomaly that is also anomalous in arsenic, antimony and slightly mercury. The anomalous soil values are found in gneiss type rocks. I feel the soil anomaly may be related to the Coffee Creek intrusive found 1 kilometer to the south.

8.0 RECOMMENDATION

I would recommend a large soil grid extending the east and west lines by 500 meters and taking soil on 50 meter station spacing. A magnetic survey might also help in defining regional and property structures.

9.0 REFERENCES CITED

YTG Assessment report 094174, Deltango

10.0 COST

Wage 7 man days @ \$250.00 per day	\$1,750.00
Assay Cost 193 soil @ \$18.00 per sample	\$3,474.00
Helicopter Travel 3.2 hours @ \$1259.00	\$4,028.00
Report writing	\$350.00
Total	\$9,602.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson City.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked the last 8 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and VLF surveys.


I have overseen the entire Coffee Project and was party chief in charge.

I own 100% of the Coffee Claims.

Dated this 28 of September 2007 in Dawson City, Yukon.


Respectfully submitted

Shawn Ryan



Claim Location Map

NTS 115J / 14




Coffee Soil Survey Au ppb


- 120 to 839 (24)
- 60 to 120 (39)
- 30 to 60 (46)
- 15 to 30 (44)
- 0 to 15 (70)

RyanWood Exploration

S.Ryan	Coffee 2006 Soils
115 J / 14	Gold Map
Date: 21/8/2007	Figure 1
Scale: 1:10000	UTM Zone 7 (NAD 83)

0 100 200 400 meters






Coffee Soil Survey
Sb ppm

- 24 to 117 (2)
- 12 to 24 (10)
- 6 to 12 (22)
- 4 to 6 (28)
- 0 to 4 (161)

RyanWood Exploration

S. Ryan	Coffee 2006 Soils
115 J / 14	Antimony Map
Date: 21/8/2007	Figure 3
Scale: 1:10000	UTM Zone 7 (NAD 83)



ELEMENT	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn
CF00575	NAD83-7V	584731	6975480	0.8	20.7	7.7	56	0	27.7	14.8	319
CF00576	NAD83-7V	584743	6975527	0.9	24.3	7.2	58	0	30.6	16	440
CF00577	NAD83-7V	584746	6975580	0.8	17.9	6.1	48	0	19.4	11.2	378
CF00578	NAD83-7V	584782	6975616	1	31.2	7.8	63	0	30.2	14.9	340
CF00579	NAD83-7V	584819	6975652	0.8	21.5	8.5	57	0	25.1	12.7	336
CF00580	NAD83-7V	584840	6975690	1	17.5	10.9	55	0	20.5	10.6	317
CF00581	NAD83-7V	584861	6975740	0.6	18.2	7.1	47	0	18.9	9	243
CF00582	NAD83-7V	584879	6975791	1.5	20.6	10.5	54	0	25.6	11.9	361
CF00583	NAD83-7V	584890	6975846	0.8	19.9	8.3	51	0	39.4	14.3	408
CF02156	NAD83-7V	584921	6975894	1.9	15.5	11.8	58	0	19	9.2	301
CF02157	NAD83-7V	584935	6975948	0.5	20.7	8.9	57	0	34.2	12.6	351
CF02158	NAD83-7V	584964	6975991	0.6	18.7	7.9	53	0	25.2	13.9	387
CF02159	NAD83-7V	584983	6976038	1	18.6	9.1	62	0	24.3	13	338
CF02160	NAD83-7V	584999	6976088	0.8	26.7	11.7	63	0	27.8	13.7	420
CF02161	NAD83-7V	585023	6976133	1	27.7	12.6	55	0.1	30	12.1	325
CF02199	NAD83-7V	584662	6975011	0.6	13.1	8	48	0	14.4	7.7	203
CF02200	NAD83-7V	584663	6975059	0.8	15.4	10.6	58	0	19.3	10.6	335
CF02398	NAD83-7V	585056	6976171	0.8	19.9	13.9	43	0	23.9	8.9	261
CF02399	NAD83-7V	585080	6976219	1.4	18.2	20.3	73	0	26.1	11.3	407
CF02400	NAD83-7V	585131	6976301	1	17.3	11.3	52	0	18.4	8.1	298
CF02762	NAD83-7V	584821	6974632	1	11.2	12.3	71	0.1	20.4	16	734
CF02763	NAD83-7V	584819	6974588	1.3	17.7	12.4	65	0.1	24.9	19.1	888
CF02764	NAD83-7V	584814	6974538	1.5	22.6	12.1	76	0.1	32.3	17.7	1185
CF02765	NAD83-7V	584805	6974492	1	20	10.1	65	0	26.4	14.6	671
CF02766	NAD83-7V	584799	6974435	0.7	19.5	8.3	48	0	23.2	10.9	394
CF02767	NAD83-7V	584797	6974392	0.8	24.3	10.4	57	0	28.3	14.1	545
CF02768	NAD83-7V	584788	6974341	0.6	18.7	9.2	52	0	31.3	15.5	407
CF02769	NAD83-7V	584785	6974288	0.6	23.7	9.3	81	0	29	21.7	928
CF02770	NAD83-7V	584783	6974242	0.8	20	10.8	51	0	24.8	12	292
CF02771	NAD83-7V	584765	6974193	0.7	19	8.8	49	0	23.1	13	410
CF02772	NAD83-7V	584762	6974139	0.6	25.9	9.8	55	0	25.7	10.9	386
CF02773	NAD83-7V	584757	6974095	0.8	20.5	10.6	53	0	23.9	10.8	365
CF02774	NAD83-7V	584753	6974042	0.7	18.5	7.3	53	0	26.4	12	435
CF02775	NAD83-7V	584741	6973993	0.7	19.5	7.4	59	0	46.6	14.5	495
CF02776	NAD83-7V	584742	6973947	0.5	16.1	5.4	55	0	76.5	15	442
CF02777	NAD83-7V	584733	6973901	1	19.9	6.7	57	0	53.7	14.9	504
CF02778	NAD83-7V	584733	6973854	0.7	19.2	6.7	55	0	44.7	14.3	432
CF02779	NAD83-7V	584826	6973829	0.6	21.5	7.6	51	0	27	12.9	468
CF02780	NAD83-7V	584830	6973886	0.8	21.2	8.8	52	0	24	11.4	537
CF02781	NAD83-7V	584835	6973939	0.9	21.2	9.8	60	0	26.3	11.9	420
CF02782	NAD83-7V	584851	6973983	0.9	18.6	11.4	56	0	24.8	14.4	608
CF02783	NAD83-7V	584856	6974031	0.7	22.5	5.8	54	0	80.3	17.3	543
CF02784	NAD83-7V	584950	6973971	0.8	23.6	7	59	0	49	15.1	467
CF02785	NAD83-7V	584938	6973920	1.3	18.3	7.7	57	0	42.3	17.3	566
CF02786	NAD83-7V	584928	6973870	0.9	17.8	7.7	51	0	39.6	12.6	391
CF02787	NAD83-7V	584921	6973835	0.6	19.9	6.8	56	0	50.4	17.1	704
CF02788	NAD83-7V	585027	6973817	0.6	13	7.6	58	0	47.5	19.6	787
CF02789	NAD83-7V	585030	6973876	1	19.4	7.8	55	0	36.8	11.7	403
CF02790	NAD83-7V	585035	6973913	0.6	19.6	5.7	52	0	60.7	14	438
CF02791	NAD83-7V	585048	6973961	0.6	20.4	5.5	50	0	29.2	12.9	468
CF02865	NAD83-7V	585751	6974333	1.1	24.9	13.3	57	0	29.4	14.1	378
CF02866	NAD83-7V	585899	6974382	0.8	30.3	12.3	61	0	36.7	13.5	479
CF02867	NAD83-7V	584862	6974135	0.7	21.6	9.5	61	0	20.1	12.4	451
CF05618	NAD83-7V	584677	6974302	0.4	27.3	6.2	64	0	49.4	15.4	489
CF05751	NAD83-7V	584075	6974323	0.7	20.7	8.6	48	0	21.7	9.3	361
CF05752	NAD83-7V	584085	6974370	5.9	22.6	8.9	56	0	23.8	11.2	413
CF05753	NAD83-7V	584092	6974419	1.2	18.8	10.1	61	0	22.5	11.7	402
CF05754	NAD83-7V	584096	6974470	0.8	19.1	9.1	52	0	22.4	10.9	292

ELEMENT	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
CF00575	3.09	30.2	2.7	27.7	4.7	22	0.1	2.7	0.2	72	0.34	0.051
CF00576	3.26	30.2	2.1	25.6	3.7	23	0.1	2.2	0.2	76	0.41	0.062
CF00577	2.45	15.7	1.7	11.8	2.1	22	0.1	1.1	0.1	58	0.37	0.059
CF00578	3.43	19.4	1.6	13.8	4.8	30	0.1	1.3	0.2	84	0.56	0.077
CF00579	2.96	10.6	0.9	6.8	4.6	24	0.1	0.8	0.2	71	0.41	0.058
CF00580	3.17	14	0.6	5.8	3.7	19	0.1	2.3	0.2	74	0.26	0.025
CF00581	2.61	6.8	0.5	7	2.6	16	0.1	0.7	0.1	57	0.22	0.035
CF00582	3.44	8.3	0.7	8.4	3	25	0.1	0.4	0.2	72	0.35	0.027
CF00583	3.84	9.2	0.7	3.2	7.6	26	0.1	1.7	0.2	71	0.36	0.031
CF02156	3.54	10.8	0.6	3.7	3.9	15	0.2	0.8	0.2	91	0.13	0.029
CF02157	3.03	7.5	0.9	7.2	8.1	24	0.1	0.7	0.1	71	0.38	0.058
CF02158	3.03	6	0.7	5.1	7.1	21	0.1	0.6	0.1	69	0.32	0.05
CF02159	3.61	74.1	0.6	33.1	3.2	20	0.2	1.4	0.2	75	0.25	0.046
CF02160	3.55	9.4	0.7	3.2	6	28	0.1	1.3	0.2	82	0.38	0.036
CF02161	3.22	10.7	1.1	3.5	13.1	19	0.1	0.8	0.2	67	0.2	0.039
CF02199	2.07	23.1	2.4	14.3	3	16	0.2	1.8	0.2	50	0.17	0.047
CF02200	2.53	35.7	3.5	32.3	6.2	20	0.2	2.2	0.2	61	0.24	0.056
CF02398	2.65	11.7	1.2	2.8	8.7	18	0.1	1.5	0.2	58	0.2	0.02
CF02399	4.13	20.6	0.7	13.6	11.3	18	0.1	1.5	0.4	79	0.2	0.046
CF02400	2.73	8.3	1	5.1	9.6	24	0.1	1	0.2	56	0.31	0.031
CF02762	2.4	97.4	3.3	69.2	5.2	28	0.2	3.5	0.2	56	0.38	0.07
CF02763	3.09	157.2	5.9	75.6	8.2	31	0.1	5.1	0.2	65	0.5	0.068
CF02764	3.68	221.4	7.6	82.1	10	39	0.2	5.8	0.2	74	0.6	0.072
CF02765	3.03	169.6	4.6	83.5	9.1	28	0.1	6	0.2	66	0.46	0.068
CF02766	2.54	103	3.6	62.5	9.7	25	0.1	4.8	0.1	55	0.37	0.071
CF02767	3.36	93.5	3.1	70.4	12	35	0.1	6.9	0.2	77	0.4	0.044
CF02768	3.16	54.8	1.7	21.5	7.8	28	0.1	4.7	0.1	70	0.39	0.063
CF02769	4.75	119.3	2.9	41.9	10.8	28	0.1	16.9	0.1	102	0.47	0.112
CF02770	2.89	44.6	1.8	29.7	11.1	28	0.1	3.2	0.1	66	0.39	0.042
CF02771	2.87	43.2	1.5	32.9	13.8	25	0.1	2.5	0.1	66	0.31	0.048
CF02772	3.01	26.5	1.8	14.9	10.2	30	0.1	1.9	0.1	67	0.4	0.056
CF02773	2.98	45.7	1.4	48.8	11	23	0.1	3.1	0.2	69	0.29	0.05
CF02774	2.99	46.6	1.6	23.2	12	26	0.1	4	0.2	66	0.39	0.06
CF02775	3.21	47	1.4	38.5	7.3	22	0	3.8	0.2	71	0.31	0.044
CF02776	3.13	37.5	0.7	15.1	5.2	18	0	3	0.1	62	0.29	0.059
CF02777	3.4	26.5	1.1	8.2	5.1	21	0.1	1.9	0.2	68	0.28	0.049
CF02778	3.2	15.7	0.8	4.1	5.1	28	0.1	1.1	0.1	68	0.35	0.048
CF02779	2.99	20.3	1.3	5.4	8.4	22	0	2	0.1	65	0.36	0.045
CF02780	2.88	37.2	1.4	8.9	8.8	21	0.1	4.7	0.1	66	0.3	0.037
CF02781	3.16	65.2	1	24.7	10.6	16	0.1	8.1	0.2	71	0.2	0.039
CF02782	3.21	47.3	0.8	10.6	11.6	14	0.1	4.9	0.2	61	0.2	0.042
CF02783	3.38	33.8	0.8	5.4	5.5	22	0.1	4	0.2	64	0.29	0.043
CF02784	3.4	84.5	0.9	45	5.5	18	0.1	3.5	0.2	72	0.27	0.044
CF02785	3.52	61.8	0.5	36.6	4.1	18	0.1	4.2	0.2	78	0.29	0.055
CF02786	3.22	123.9	0.8	73	5.5	17	0.1	7.5	0.2	74	0.23	0.035
CF02787	3.61	154.7	1.6	79.8	8.9	22	0.1	12.4	0.2	71	0.59	0.062
CF02788	3.43	147.3	0.7	32.1	6.8	28	0.1	14.4	0.1	68	0.55	0.085
CF02789	3.13	46.1	0.6	8.7	3.6	18	0.1	2.7	0.2	70	0.26	0.052
CF02790	3.08	121.3	0.8	59.9	7.3	21	0.1	6.5	0.2	60	0.32	0.054
CF02791	2.9	205.4	1.3	74.6	6.7	26	0.1	7.1	0.2	59	0.41	0.056
CF02865	3.43	13.8	1	1.6	12.6	19	0.3	0.6	1.1	80	0.24	0.045
CF02866	3.26	24.7	1	3.3	4.4	19	0.2	0.6	0.2	74	0.24	0.047
CF02867	3.29	181.7	2.3	219.4	10.6	33	0.1	14.6	0.2	81	0.41	0.08
CF05618	3.54	11.1	1.9	2.1	8.8	29	0.1	1.1	0.1	81	0.47	0.103
CF05751	2.43	26.2	1.1	22.1	10	25	0.1	0.9	0.1	68	0.35	0.05
CF05752	2.81	34.9	1.4	25.6	7.9	29	0.1	1.1	0.1	72	0.4	0.06
CF05753	2.95	11.7	0.9	2.9	8.1	21	0.1	0.6	0.2	67	0.24	0.043
CF05754	3.42	40.7	0.6	21.3	5.5	20	0.1	1	0.2	76	0.25	0.037

ELEMENT	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl
CF00575	14	52	0.92	186	0.111	2	2.02	0.014	0.1	0.2	0.04	5.3	0.2
CF00576	12	61	1.1	189	0.113	0	2.12	0.015	0.12	0.2	0.04	5.6	0.2
CF00577	9	44	0.89	167	0.087	1	1.62	0.02	0.09	0.1	0.03	4	0.2
CF00578	18	67	1.2	374	0.138	1	2.11	0.018	0.18	0.2	0.04	8	0.3
CF00579	13	45	1.08	161	0.128	0	2.08	0.016	0.1	0.2	0.03	4.8	0.2
CF00580	9	34	0.73	145	0.105	2	2.31	0.014	0.07	0.2	0.02	4.3	0.1
CF00581	9	31	0.67	107	0.092	0	1.87	0.015	0.05	0.2	0.02	4.3	0.1
CF00582	11	38	0.9	175	0.092	1	2.47	0.019	0.06	0.2	0.02	6.4	0.1
CF00583	24	66	1.03	167	0.103	1	2.53	0.014	0.11	0.5	0.01	8.6	0.2
CF02156	10	36	0.4	119	0.076	0	2.15	0.012	0.03	0.2	0.02	3.1	0.1
CF02157	24	59	1.09	130	0.138	1	2.1	0.018	0.13	0.4	0.02	3.7	0.2
CF02158	17	42	1	121	0.136	1	2.03	0.015	0.18	0.4	0.01	3.7	0.2
CF02159	11	36	0.63	153	0.059	1	2.33	0.014	0.07	0.2	0.03	4.3	0.1
CF02160	19	45	0.9	208	0.114	1	2.53	0.018	0.08	0.2	0.03	7.2	0.2
CF02161	16	38	0.64	200	0.077	1	2.56	0.015	0.06	0.3	0.04	4.7	0.1
CF02199	13	26	0.47	108	0.062	2	1.39	0.013	0.05	0.2	0.06	2.9	0.1
CF02200	24	33	0.6	178	0.064	2	1.97	0.016	0.06	0.2	0.08	4.2	0.2
CF02398	20	32	0.49	162	0.069	0	1.94	0.019	0.06	0.3	0.02	4.1	0.1
CF02399	16	41	0.59	171	0.064	1	2.29	0.014	0.07	0.2	0.02	3.8	0.1
CF02400	21	32	0.64	156	0.092	2	1.76	0.015	0.06	0.2	0.02	5	0.1
CF02762	18	39	0.63	182	0.063	3	1.92	0.017	0.08	0.2	0.17	4.1	0.3
CF02763	29	46	0.66	218	0.088	1	1.98	0.02	0.13	0.3	0.22	5.4	0.3
CF02764	38	59	0.86	261	0.094	1	2.64	0.018	0.16	0.3	0.2	6.6	0.4
CF02765	24	52	0.78	183	0.092	0	2.15	0.014	0.16	0.3	0.18	5.4	0.4
CF02766	26	46	0.72	136	0.105	0	1.59	0.013	0.14	0.2	0.11	4.7	0.3
CF02767	34	62	0.99	215	0.136	1	2.63	0.015	0.12	0.2	0.1	8.2	0.3
CF02768	20	69	1.27	151	0.143	1	2.29	0.013	0.28	0.2	0.06	5.2	0.4
CF02769	39	56	1.93	311	0.212	0	3.1	0.01	1.38	0.6	0.08	6.2	1.2
CF02770	19	56	1.17	147	0.137	1	2.46	0.015	0.19	0.2	0.03	4.9	0.3
CF02771	21	59	1.14	116	0.139	0	2.21	0.014	0.23	0.2	0.03	4.2	0.4
CF02772	22	42	0.68	199	0.113	0	1.93	0.016	0.07	0.2	0.04	5.6	0.2
CF02773	17	41	0.74	150	0.112	1	2.21	0.012	0.12	0.2	0.05	4.7	0.2
CF02774	25	46	1.08	168	0.127	1	1.98	0.013	0.29	0.2	0.04	4.8	0.3
CF02775	18	74	1.23	167	0.145	0	2.14	0.012	0.34	0.2	0.04	4.6	0.3
CF02776	14	120	1.56	144	0.153	0	2.35	0.011	0.47	0.2	0.02	3.4	0.4
CF02777	15	88	1.25	169	0.135	0	2.49	0.015	0.28	0.2	0.03	4	0.3
CF02778	13	72	1.24	173	0.151	0	2.25	0.012	0.22	0.1	0.02	3.7	0.2
CF02779	22	58	1.1	217	0.126	1	2.17	0.015	0.15	0.2	0.02	4.4	0.2
CF02780	23	46	0.86	184	0.102	1	1.94	0.013	0.09	0.2	0.05	4.4	0.2
CF02781	17	47	0.88	132	0.108	2	2.5	0.011	0.12	0.2	0.05	4.2	0.2
CF02782	19	43	0.79	106	0.123	1	1.9	0.01	0.25	0.2	0.03	3.2	0.3
CF02783	20	135	1.6	165	0.15	1	2.37	0.011	0.44	0.1	0.01	3.9	0.4
CF02784	13	67	1.05	149	0.133	1	2.32	0.012	0.2	0.2	0.06	4.1	0.3
CF02785	10	72	1.24	146	0.157	1	2.38	0.015	0.29	0.2	0.03	3.8	0.3
CF02786	13	67	1.07	137	0.126	1	2.38	0.011	0.19	0.2	0.08	4.1	0.4
CF02787	24	123	1.66	332	0.136	1	2.58	0.013	0.53	0.2	0.24	7.7	0.6
CF02788	25	163	2.08	271	0.151	0	2.63	0.013	0.55	0.2	0.03	4.5	0.5
CF02789	11	63	0.94	122	0.107	1	2.04	0.012	0.12	0.2	0.01	3.4	0.2
CF02790	19	84	1.41	156	0.135	1	2.18	0.014	0.34	0.1	0.04	3.7	0.4
CF02791	26	45	1.14	172	0.125	0	1.77	0.015	0.31	0.2	0.12	4.7	0.4
CF02865	15	39	0.64	134	0.111	1	3.05	0.015	0.06	0.3	0.04	4.2	0.1
CF02866	16	40	0.72	157	0.103	0	2.72	0.016	0.07	0.1	0.03	5	0.1
CF02867	27	33	1.01	173	0.124	0	1.98	0.013	0.27	0.2	0.19	4.8	0.5
CF05618	29	96	1.82	199	0.177	1	2.96	0.013	0.87	0.2	0.01	6.2	0.6
CF05751	23	35	0.59	147	0.11	1	1.7	0.018	0.05	0.4	0.02	4.1	0.1
CF05752	26	34	0.77	167	0.127	1	2.05	0.021	0.12	0.3	0.03	4.2	0.2
CF05753	13	39	0.64	154	0.089	1	2.63	0.016	0.06	0.2	0.04	4.4	0.1
CF05754	10	40	0.72	131	0.117	0	2.17	0.011	0.08	0.2	0.02	3.3	0.1

ELEMENT	S	Ga	Se	Analysis:	Acme file
CF00575	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF00576	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF00577	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF00578	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF00579	0	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF00580	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF00581	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF00582	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF00583	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02156	0	8	0	GROUP 1DX - 15.0 GM	A608135
CF02157	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02158	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02159	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02160	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02161	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02199	0.07	5	0	GROUP 1DX - 15.0 GM	A608135
CF02200	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02398	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF02399	0.06	7	0	GROUP 1DX - 15.0 GM	A608135
CF02400	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF02762	0.1	6	0	GROUP 1DX - 15.0 GM	A608135
CF02763	0.08	6	0	GROUP 1DX - 15.0 GM	A608135
CF02764	0.09	7	0	GROUP 1DX - 15.0 GM	A608135
CF02765	0.06	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF02766	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF02767	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02768	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02769	0	10	0	GROUP 1DX - 15.0 GM	A608135
CF02770	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02771	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02772	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02773	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02774	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02775	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02776	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02777	0	8	0.5	GROUP 1DX - 15.0 GM	A608135
CF02778	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02779	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02780	0	6	0.6	GROUP 1DX - 15.0 GM	A608135
CF02781	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02782	0	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF02783	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02784	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02785	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02786	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02787	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF02788	0	7	0.6	GROUP 1DX - 15.0 GM	A608135
CF02789	0	8	0	GROUP 1DX - 15.0 GM	A608135
CF02790	0	7	0.5	GROUP 1DX - 15.0 GM	A608135
CF02791	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF02865	0	7	0.5	GROUP 1DX - 15.0 GM	A608135
CF02866	0	6	0.6	GROUP 1DX - 15.0 GM	A608135
CF02867	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF05618	0	8	0	GROUP 1DX - 15.0 GM	A608135
CF05751	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF05752	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF05753	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF05754	0	6	0	GROUP 1DX - 15.0 GM	A608135

ELEMENT	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn
CF05755	NAD83-7V	584104	6974520	0.9	18.7	11	54	0	22.7	11.3	549
CF05756	NAD83-7V	584108	6974570	1.1	25.1	13.9	69	0.1	30.6	15.4	602
CF05757	NAD83-7V	584111	6974619	0.7	30.8	9.8	64	0	24.2	13.7	316
CF05758	NAD83-7V	584119	6974668	0.5	23.1	9.3	58	0.1	23.9	11.6	218
CF05759	NAD83-7V	584123	6974719	0.5	27.3	9.4	60	0	23.6	12.3	248
CF05760	NAD83-7V	584130	6974768	0.8	15.1	10.3	54	0	21.7	12.8	423
CF05761	NAD83-7V	584136	6974817	0.7	21.4	10.7	47	0	26.7	14	467
CF05762	NAD83-7V	584149	6974917	0.9	27.4	10.8	60	0	29.3	14	580
CF05763	NAD83-7V	584152	6974966	0.7	17	10.5	63	0	23.5	14.3	765
CF05764	NAD83-7V	584160	6975016	0.7	14.7	9.1	55	0	19.1	10.3	556
CF05765	NAD83-7V	584171	6975119	0.7	13.6	10.2	54	0	17.2	10.5	345
CF05766	NAD83-7V	583966	6975136	0.6	13.9	10.1	56	0	16.8	10.8	488
CF05767	NAD83-7V	583962	6975041	0.7	15.5	8.5	49	0	16.3	11.1	401
CF05768	NAD83-7V	583950	6974987	0.9	13.2	9.1	56	0	15.8	13	901
CF05769	NAD83-7V	583945	6974940	0.7	17.2	8.9	53	0	19.8	11.9	546
CF06203	NAD83-7V	583940	6974884	0.9	13.5	8.9	50	0	17.2	13.6	658
CF06204	NAD83-7V	583934	6974840	1.3	23.7	20.8	73	0.1	24.6	16.2	1564
CF06205	NAD83-7V	583931	6974791	0.6	19.5	9.2	56	0	19.3	11.6	313
CF06206	NAD83-7V	583923	6974741	0.4	20.5	9.3	56	0	19.7	9.1	178
CF06207	NAD83-7V	583918	6974691	0.7	20	9	54	0	20	12.4	347
CF06208	NAD83-7V	583912	6974642	0.7	16.9	13.7	52	0	18.2	10.7	375
CF06209	NAD83-7V	583908	6974592	0.7	15.2	12.2	48	0	17.5	12.5	589
CF06248	NAD83-7V	586316	6977588	0.4	19.6	8.2	75	0	28.3	16.4	594
CF06251	NAD83-7V	583901	6974543	1.1	18.4	11.8	62	0	17.5	10.1	558
CF06252	NAD83-7V	583895	6974492	0.8	25.3	16.2	52	0	19.9	9.7	457
CF06253	NAD83-7V	583889	6974444	0.6	20.8	13.5	55	0	22.3	11.3	292
CF06254	NAD83-7V	583886	6974392	1.4	19.7	27.6	57	0	28.8	15.3	512
CF06255	NAD83-7V	583879	6974343	0.9	17.8	10.8	51	0	51.2	14.1	457
CF06434	NAD83-7V	584545	6974872	0.9	17.4	10.8	72	0.1	21.8	14	685
CF06436	NAD83-7V	584555	6974973	0.7	16	10.4	65	0	20.2	13.5	393
CF06437	NAD83-7V	584561	6975022	0.8	13.4	9.4	58	0	16.1	13.7	874
CF06438	NAD83-7V	584566	6975072	0.6	13.7	9.9	55	0	16	12.6	461
CF06439	NAD83-7V	584566	6975124	0.6	14.6	10.1	56	0	15.6	11.8	395
CF06440	NAD83-7V	584572	6975170	0.5	5.3	3.4	12	0	2.7	1.6	73
CF06441	NAD83-7V	584580	6975220	1.2	17.1	6.9	50	0	18.3	14.1	527
CF06442	NAD83-7V	584591	6975269	0.7	18.2	8.8	54	0	18.7	11.2	386
CF06443	NAD83-7V	584596	6975318	0.7	19.7	8.9	56	0	19.3	12.1	391
CF06444	NAD83-7V	584601	6975368	1	11.4	8.9	55	0	16	20.1	1097
CF06445	NAD83-7V	584699	6975358	0.7	17.8	7	52	0	18.7	11.8	480
CF06446	NAD83-7V	584695	6975305	0.9	16.6	7	50	0	19.5	11	438
CF06447	NAD83-7V	584693	6975258	1	17	7	53	0	19.3	9.8	357
CF06448	NAD83-7V	584692	6975208	0.9	17.7	7.5	56	0	19.8	9.1	340
CF06449	NAD83-7V	584686	6975163	0.8	13.9	9.4	56	0	15.9	9.4	406
CF06450	NAD83-7V	584671	6975108	0.8	14.9	8.2	61	0	17.6	9.2	375
CF06451	NAD83-7V	584649	6974912	1.2	13.6	9.4	35	0	10	5.8	341
CF06452	NAD83-7V	584643	6974860	0.7	17.5	8.3	50	0	19.6	9.4	416
CF06453	NAD83-7V	584635	6974809	1.1	15.9	11	45	0.1	16	6.9	333
CF06454	NAD83-7V	584637	6974761	1.6	20.8	19.9	67	0.1	22.2	10.8	387
CF06456	NAD83-7V	584625	6974612	1.2	15	8.7	35	0	8.3	4.6	279
CF06457	NAD83-7V	584615	6974564	0.8	21.1	10.8	57	0	25.3	11.9	390
CF06458	NAD83-7V	584608	6974513	0.7	16.9	8.1	46	0	18.9	11.5	451
CF06459	NAD83-7V	584601	6974463	0.8	19.8	8.8	53	0	24.1	13.5	507
CF06461	NAD83-7V	584583	6974312	0.4	23.3	6.3	52	0	32.1	13.7	376
CF06462	NAD83-7V	584575	6974264	0.9	22	6.7	52	0	30.5	16	379
CF06466	NAD83-7V	584343	6974944	1.7	23.1	12.4	57	0	17.7	8.1	261
CF06467	NAD83-7V	584351	6974992	0.7	20.4	10.6	57	0	18.8	10.6	232
CF06468	NAD83-7V	584364	6975093	0.7	21.7	9.6	53	0.1	20.9	10.1	345
CF06469	NAD83-7V	584377	6975191	0.8	18.8	10.7	56	0	20.3	11.1	544

ELEMENT	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
CF05755	2.76	147.4	4.1	242.5	12.9	24	0.2	3.5	0.2	60	0.32	0.078
CF05756	3.34	224.5	6.9	560.7	24	29	0.2	116.3	0.2	72	0.37	0.062
CF05757	3.1	47.5	3.5	42	9.7	38	0.2	11.5	0.2	77	0.54	0.093
CF05758	3.04	32.3	2.5	31.4	5.1	30	0.1	3	0.2	73	0.39	0.08
CF05759	2.99	52.5	2	28.4	7.6	31	0.2	2.7	0.2	75	0.41	0.091
CF05760	3.17	37.4	0.8	20.8	5.5	19	0.3	2.5	0.2	75	0.25	0.045
CF05761	2.67	64.5	2	106.1	10.4	23	0.1	3.5	0.1	68	0.37	0.075
CF05762	3.2	53.9	7.1	69.1	7	22	0.2	2.7	0.2	71	0.27	0.071
CF05763	2.92	38.5	1.9	37.7	8.6	16	0.3	2	0.2	67	0.22	0.067
CF05764	2.61	28.5	1.5	15.8	4.5	17	0.2	2.3	0.2	65	0.24	0.067
CF05765	2.51	28.4	2.3	17.6	6	18	0.2	1.5	0.2	56	0.24	0.063
CF05766	2.36	26.7	2	20.2	9.1	18	0.2	1.6	0.2	60	0.26	0.061
CF05767	2.3	36.9	2.7	26.6	6.4	17	0.1	1.4	0.2	57	0.21	0.059
CF05768	2.19	32.1	2.3	27.7	4.8	18	0.1	1.5	0.1	55	0.24	0.067
CF05769	2.45	46.7	1.7	62.4	10.2	17	0.2	2.2	0.2	58	0.23	0.05
CF06203	2.48	41.8	1.4	36.9	8.1	22	0.2	2	0.1	63	0.3	0.057
CF06204	3.13	169.6	7.7	74.7	6.3	25	0.2	6.7	0.2	67	0.3	0.088
CF06205	2.93	51.3	2.3	28.8	5.8	22	0.1	2.7	0.2	70	0.35	0.076
CF06206	2.42	25	2.5	26.4	5	26	0.2	2	0.2	62	0.35	0.072
CF06207	3.61	43.4	2.6	21	7.7	27	0.1	1.8	0.2	66	0.37	0.077
CF06208	2.58	88.5	5	122.2	8.8	21	0.1	3.2	0.2	56	0.27	0.072
CF06209	2.55	62.4	2.1	109.2	12.4	19	0.2	2.1	0.1	59	0.26	0.058
CF06248	4.45	2.9	0.7	1.2	8.7	32	0.1	0.1	0.1	64	0.64	0.119
CF06251	3.1	35.8	1.2	30.6	4.1	18	0.3	1.3	0.2	80	0.18	0.053
CF06252	2.86	65.5	4.3	48.1	11	34	0.1	2.5	0.1	66	0.38	0.067
CF06253	2.81	22	1.3	16.3	5.4	21	0.1	1	0.2	66	0.28	0.067
CF06254	3.92	16.6	0.7	4.1	3.3	14	0.2	0.7	0.2	84	0.17	0.041
CF06255	3.14	24.7	1.1	15.2	6.1	22	0.1	1	0.2	68	0.3	0.048
CF06434	2.85	79.6	4.9	130.2	7.5	22	0.2	4.3	0.2	59	0.28	0.075
CF06436	2.92	49	2.5	41.2	7.2	20	0.2	2.5	0.2	64	0.29	0.073
CF06437	2.62	54.5	1.6	57.4	6.9	19	0.2	2.2	0.2	61	0.25	0.063
CF06438	2.37	34.5	2.4	42.1	5	18	0.1	1.8	0.1	53	0.22	0.059
CF06439	2.25	48.7	4.3	80.1	3.6	20	0.1	4.1	0.2	51	0.23	0.059
CF06440	0.62	5.8	0.6	6.3	0.5	7	0.1	0.6	0.1	18	0.05	0.014
CF06441	2.93	42.1	3	73.1	8.6	20	0.1	2.8	0.1	66	0.3	0.068
CF06442	2.54	40.6	3.3	43.5	4.4	22	0.1	3.6	0.2	58	0.28	0.067
CF06443	2.65	78.3	5.5	85.5	5	21	0.1	6.9	0.2	61	0.3	0.061
CF06444	2.74	120.3	3.1	102.4	4.7	16	0.1	9.5	0.1	65	0.22	0.073
CF06445	2.76	40.8	2.1	24	4.9	20	0.1	2.3	0.1	69	0.28	0.055
CF06446	2.61	33.1	1.6	17	5.4	22	0.1	1.8	0.1	65	0.35	0.059
CF06447	2.48	76.5	2.1	54.9	4.4	23	0.2	2	0.2	61	0.46	0.053
CF06448	2.49	59.3	3.2	31.1	5.2	29	0.2	3.4	0.2	52	0.46	0.061
CF06449	2.26	41.5	3.5	45.7	3.7	16	0.1	4.4	0.2	52	0.18	0.053
CF06450	2.29	27.9	2.3	36.8	4.5	20	0.2	1.8	0.1	57	0.28	0.055
CF06451	2.09	28.1	0.7	15.8	1.9	12	0.2	1.5	0.2	58	0.11	0.031
CF06452	2.31	75.7	5.6	180.6	9.8	19	0.1	6.3	0.1	52	0.29	0.058
CF06453	2.62	32.9	0.8	24.3	2.4	13	0.3	2.5	0.2	69	0.15	0.041
CF06454	3.92	116.5	3.8	155.7	13	11	0.3	16.5	0.3	79	0.1	0.055
CF06456	1.83	15.4	0.5	6.6	1.4	9	0.1	1.2	0.2	51	0.07	0.036
CF06457	3.18	27.1	1	23.4	5.6	18	0.2	1.7	0.2	66	0.21	0.04
CF06458	2.51	39.4	1.8	36	8	14	0.2	2.9	0.1	58	0.19	0.048
CF06459	2.9	36.9	1.3	19.8	7.3	20	0.1	1.9	0.2	65	0.25	0.055
CF06461	2.88	25.2	2.6	20.6	4.5	26	0.1	1.3	0.1	68	0.39	0.073
CF06462	3.21	55.7	1	30.3	4.9	21	0.1	3.8	0.1	75	0.3	0.054
CF06466	3.55	58.7	1.5	17.5	4.1	14	0.2	2.3	0.2	88	0.13	0.061
CF06467	2.56	72.5	4.2	33.4	9.3	21	0.2	4.1	0.2	56	0.29	0.058
CF06468	2.81	50	3.5	19.3	8.6	29	0.2	2.6	0.2	64	0.37	0.078
CF06469	2.56	48.6	1.6	11.1	3.9	17	0.2	2.5	0.2	58	0.22	0.063

ELEMENT	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl
CF05755	35	36	0.64	139	0.091	2	1.77	0.017	0.11	0.2	0.06	3.4	0.2
CF05756	59	44	0.78	242	0.105	2	2.34	0.017	0.14	0.3	0.17	5.2	0.5
CF05757	25	39	0.69	233	0.113	1	1.67	0.027	0.07	0.2	0.07	6	0.2
CF05758	19	39	0.63	213	0.093	2	2.23	0.017	0.06	0.1	0.06	5.1	0.2
CF05759	19	37	0.68	204	0.095	1	1.96	0.016	0.07	0.2	0.05	5.3	0.2
CF05760	11	36	0.58	100	0.114	1	2.24	0.012	0.06	0.2	0.03	3.8	0.1
CF05761	17	38	0.72	139	0.101	1	1.88	0.014	0.11	0.2	0.05	3.9	0.3
CF05762	35	44	0.63	278	0.08	1	2.44	0.013	0.1	0.2	0.07	5.6	0.2
CF05763	18	38	0.58	120	0.086	2	2.27	0.013	0.07	0.2	0.04	3.6	0.2
CF05764	21	35	0.52	87	0.097	1	1.47	0.015	0.08	0.3	0.03	2.7	0.1
CF05765	23	31	0.49	131	0.075	1	1.74	0.017	0.06	0.2	0.08	3.5	0.2
CF05766	20	31	0.55	97	0.098	0	1.41	0.015	0.09	0.3	0.06	2.9	0.2
CF05767	20	31	0.48	102	0.077	2	1.5	0.017	0.06	0.2	0.08	3.4	0.2
CF05768	17	30	0.44	123	0.066	0	1.32	0.016	0.06	0.2	0.07	3.2	0.1
CF05769	19	34	0.51	108	0.087	2	1.7	0.014	0.06	0.2	0.06	3.3	0.2
CF06203	15	32	0.51	117	0.101	1	1.43	0.012	0.07	0.3	0.05	3.1	0.2
CF06204	25	42	0.59	263	0.077	3	2.05	0.015	0.09	0.5	0.52	4.8	0.9
CF06205	15	37	0.7	165	0.094	2	1.96	0.012	0.07	0.2	0.06	4.4	0.2
CF06206	16	35	0.6	185	0.091	0	1.85	0.014	0.06	0.2	0.07	4.3	0.1
CF06207	19	31	0.59	201	0.082	1	1.7	0.013	0.06	0.2	0.07	4.4	0.1
CF06208	24	32	0.55	171	0.067	1	1.77	0.013	0.06	0.2	0.14	3.9	0.2
CF06209	21	30	0.49	113	0.092	1	1.5	0.011	0.1	0.2	0.04	2.6	0.1
CF06248	33	52	1.56	337	0.177	0	2.48	0.01	1.24	0.1	0.01	7.1	0.6
CF06251	13	32	0.42	104	0.086	0	1.76	0.01	0.05	0.2	0.05	2.5	0.1
CF06252	44	39	0.7	200	0.11	0	1.86	0.016	0.12	0.2	0.18	5.7	0.3
CF06253	12	35	0.65	159	0.09	1	2.54	0.012	0.05	0.2	0.04	3.8	0.2
CF06254	8	42	0.59	156	0.094	1	2.65	0.012	0.05	0.1	0.03	4	0.1
CF06255	22	82	1.28	193	0.135	0	2.19	0.013	0.23	0.2	0.04	4.8	0.3
CF06434	28	40	0.58	223	0.07	0	1.91	0.012	0.08	0.3	0.14	4.6	0.3
CF06436	15	37	0.63	136	0.087	0	2.04	0.013	0.06	0.2	0.07	3.6	0.2
CF06437	15	30	0.5	136	0.067	0	1.62	0.012	0.06	0.2	0.07	3.1	0.1
CF06438	13	33	0.56	154	0.065	0	1.72	0.01	0.05	0.2	0.08	3.1	0.2
CF06439	15	31	0.5	166	0.057	0	1.7	0.013	0.06	0.2	0.16	3.4	0.2
CF06440	4	6	0.08	44	0.038	0	0.41	0.016	0.03	0.1	0.02	0.8	0.1
CF06441	29	35	0.85	162	0.112	0	1.78	0.015	0.18	0.1	0.07	4.5	0.3
CF06442	15	35	0.68	162	0.078	1	1.84	0.013	0.09	0.2	0.1	4.2	0.2
CF06443	16	35	0.6	192	0.07	1	1.84	0.013	0.06	0.3	0.11	4.6	0.2
CF06444	13	34	0.63	127	0.073	1	1.64	0.012	0.08	0.4	0.12	3.7	0.2
CF06445	12	39	0.85	135	0.109	0	1.87	0.014	0.12	0.2	0.05	4	0.2
CF06446	14	36	0.79	157	0.094	0	1.61	0.015	0.11	0.2	0.04	3.8	0.2
CF06447	16	38	0.72	177	0.081	1	1.68	0.015	0.1	0.2	0.07	4.2	0.2
CF06448	23	36	0.8	214	0.076	0	1.85	0.015	0.1	0.3	0.09	4	0.2
CF06449	17	30	0.6	141	0.056	0	1.64	0.011	0.06	0.2	0.09	2.9	0.2
CF06450	18	32	0.65	158	0.07	0	1.61	0.011	0.07	0.2	0.07	3	0.2
CF06451	8	20	0.28	92	0.054	0	1.35	0.01	0.04	0.1	0.02	1.8	0.1
CF06452	35	31	0.57	145	0.078	0	1.24	0.012	0.09	0.3	0.16	3.7	0.2
CF06453	10	26	0.41	105	0.074	0	1.53	0.011	0.05	0.2	0.06	2.1	0.1
CF06454	48	46	0.6	110	0.054	0	2.74	0.008	0.07	0.7	0.09	3.8	0.3
CF06456	7	15	0.14	63	0.045	0	0.82	0.012	0.03	0.1	0.03	1.4	0.1
CF06457	13	38	0.64	141	0.088	0	2.61	0.012	0.06	0.2	0.03	3.4	0.1
CF06458	22	32	0.59	103	0.067	0	1.99	0.01	0.05	0.2	0.02	2.6	0.1
CF06459	21	39	0.65	155	0.093	0	2.29	0.01	0.06	0.2	0.02	4	0.1
CF06461	15	72	1.31	162	0.145	0	2.28	0.012	0.28	0.1	0.03	3.6	0.3
CF06462	13	71	1.45	118	0.148	0	2.43	0.009	0.31	0.1	0.04	3.7	0.4
CF06466	12	36	0.48	92	0.073	0	2.22	0.01	0.05	0.2	0.03	3.3	0.2
CF06467	23	34	0.51	193	0.07	0	1.55	0.014	0.06	0.2	0.22	4.6	0.2
CF06468	20	32	0.53	237	0.072	1	1.78	0.015	0.05	0.2	0.09	5	0.1
CF06469	14	31	0.5	139	0.062	0	1.93	0.011	0.05	0.2	0.04	3.1	0.1

ELEMENT	S	Ga	Se	Analysis:	Acme file
CF05755	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF05756	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF05757	0	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF05758	0	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF05759	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF05760	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF05761	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF05762	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF05763	0.06	6	0	GROUP 1DX - 15.0 GM	A608135
CF05764	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF05765	0	5	0.8	GROUP 1DX - 15.0 GM	A608135
CF05766	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF05767	0.06	5	0	GROUP 1DX - 15.0 GM	A608135
CF05768	0	5	0.5	GROUP 1DX - 15.0 GM	A608135
CF05769	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF06203	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF06204	0	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF06205	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06206	0	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF06207	0	5	0.5	GROUP 1DX - 15.0 GM	A608135
CF06208	0	5	0.6	GROUP 1DX - 15.0 GM	A608135
CF06209	0	4	0	GROUP 1DX - 15.0 GM	A608135
CF06248	0	11	0	GROUP 1DX - 15.0 GM	A608135
CF06251	0	7	0.6	GROUP 1DX - 15.0 GM	A608135
CF06252	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06253	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06254	0	7	0.6	GROUP 1DX - 15.0 GM	A608135
CF06255	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF06434	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06436	0	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF06437	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF06438	0	5	0.6	GROUP 1DX - 15.0 GM	A608135
CF06439	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF06440	0	3	0	GROUP 1DX - 15.0 GM	A608135
CF06441	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06442	0	5	0.5	GROUP 1DX - 15.0 GM	A608135
CF06443	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06444	0	5	0.5	GROUP 1DX - 15.0 GM	A608135
CF06445	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06446	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF06447	0.08	6	0	GROUP 1DX - 15.0 GM	A608135
CF06448	0.06	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF06449	0.07	6	0	GROUP 1DX - 15.0 GM	A608135
CF06450	0.06	5	0.5	GROUP 1DX - 15.0 GM	A608135
CF06451	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06452	0	4	0	GROUP 1DX - 15.0 GM	A608135
CF06453	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF06454	0	8	0.6	GROUP 1DX - 15.0 GM	A608135
CF06456	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06457	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF06458	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF06459	0	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF06461	0	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF06462	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF06466	0	9	0	GROUP 1DX - 15.0 GM	A608135
CF06467	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF06468	0	5	0.7	GROUP 1DX - 15.0 GM	A608135
CF06469	0	6	0.5	GROUP 1DX - 15.0 GM	A608135

ELEMENT	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn
CF06470	NAD83-7V	584386	6975237	1.9	17.8	13.4	63	0	21.7	11.5	620
CF06471	NAD83-7V	584402	6975389	0.9	21.7	11.4	64	0.1	23.2	10	279
CF06472	NAD83-7V	584500	6975381	1.5	14.9	11	37	0	10.7	4.6	208
CF06473	NAD83-7V	584493	6975333	1.3	10.9	9.6	31	0	8.3	4.5	150
CF06474	NAD83-7V	584486	6975282	1.4	19.1	12.8	71	0	20.9	15.1	1099
CF06475	NAD83-7V	584486	6975230	1	18.5	11.4	54	0	22.2	11.4	357
CF06476	NAD83-7V	584476	6975180	0.6	17.7	9.9	52	0	18.7	9.5	249
CF06477	NAD83-7V	584472	6975133	0.6	19	9.7	52	0	18	9.9	252
CF06478	NAD83-7V	584465	6975084	0.7	15.2	10.4	52	0	18.2	9.5	219
CF06479	NAD83-7V	584460	6975033	0.8	20.8	11.7	59	0	20.4	13.6	327
CF06480	NAD83-7V	584456	6974982	0.8	19.2	11.1	51	0	18.6	9.5	343
CF06481	NAD83-7V	584444	6974883	0.7	15.5	9.9	49	0	20.9	11	443
CF06482	NAD83-7V	584430	6974786	0.6	18.8	10	45	0	18.5	8.3	295
CF06483	NAD83-7V	584414	6974637	0.7	21	13.9	54	0	22.8	12	437
CF06484	NAD83-7V	584411	6974587	1	15.2	9.6	58	0	20.4	14	742
CF06485	NAD83-7V	584403	6974537	1.1	16	10.2	51	0	18	11.7	565
CF06486	NAD83-7V	584399	6974486	0.5	31.3	8	53	0	28	10.4	358
CF06488	NAD83-7V	584394	6974438	0.5	23.9	8.8	50	0	21.1	10.2	344
CF06489	NAD83-7V	584387	6974388	0.5	21.9	9.1	48	0	21.2	10.6	286
CF06490	NAD83-7V	584385	6974337	0.5	24.7	8.3	53	0	21.1	11	373
CF06491	NAD83-7V	584374	6974289	0.5	28.5	8.4	51	0	23.7	9.7	337
CF08735	NAD83-7V	585182	6976393	1.2	13.8	18.2	44	0	14.9	8.1	282
CF08736	NAD83-7V	585228	6976492	0.5	21.4	10.3	52	0	17.6	9.7	252
CF08737	NAD83-7V	585287	6976571	0.6	25.6	9.8	52	0	19.2	9.4	343
CF08738	NAD83-7V	585351	6976645	1	13.1	17.1	53	0	11.4	7	445
CF08739	NAD83-7V	585414	6976728	0.8	23.8	22.7	60	0	17.1	10	576
CF08740	NAD83-7V	585471	6976811	0.9	24	21.4	53	0	25	9.8	307
CF08741	NAD83-7V	585541	6976881	0.7	16.7	15.8	55	0	15.7	8.7	425
CF08742	NAD83-7V	585608	6976957	1.3	19.6	16.9	60	0	20	10	315
CF08743	NAD83-7V	585680	6977026	0.8	16.1	16.8	59	0	16.7	7.4	358
CF08744	NAD83-7V	585756	6977101	1	20.5	10.6	48	0	24.4	11.9	350
CF08745	NAD83-7V	585831	6977174	1.7	16.4	13.8	44	0	20.2	8.3	269
CF08746	NAD83-7V	585906	6977252	0.9	21.6	12.1	49	0	22.1	11	330
CF08747	NAD83-7V	585980	6977326	1.3	12.5	18.8	41	0	12.8	6.8	293
CF08748	NAD83-7V	586064	6977387	1.5	15	16.4	49	0	22.6	10.4	282
CF08749	NAD83-7V	586147	6977456	1.1	10.7	21.5	50	0	10.5	6.8	350
CF08750	NAD83-7V	586233	6977523	0.6	13.3	12.8	33	0	10.5	5.1	160
CF-6430	Nad 83-7V	584476	6974275	1.1	13.5	7.3	38	0	14.9	6.7	263
CF-6431	Nad 83-7V	584482	6974325	0.8	19.1	8.6	51	0	22	13.1	311
CF-6432	Nad 83-7V	584487	6974375	0.7	22.6	8.4	48	0	22.3	10.9	266
CF-6433	Nad 83-7V	584493	6974424	0.7	20.1	7.9	48	0	21.5	12	430
CF-6434	Nad 83-7V	584498	6974473	1.6	13.2	7.5	28	0	9.8	7.6	432
CF-6435	Nad 83-7V	584505	6974523	1.2	14.5	8.9	42	0	14.7	8.7	377
CF-6436	Nad 83-7V	584511	6974574	0.5	16.2	12.4	49	0	22	8.8	312
CF-6437	Nad 83-7V	584522	6974673	0.6	15.2	9.7	52	0	18.9	10.2	466
CF-6438	Nad 83-7V	584527	6974723	1.5	16	13.2	59	0	23.2	11.4	418
CF-6439	Nad 83-7V	584538	6974821	1	19.2	10.5	58	0	28.1	13.2	551
CF-6440	Nad 83-7V	584545	6974872	1.1	17.9	11.3	73	0.1	24.4	13.9	819
CF-6441	Nad 83-7V	584345	6974895	1.1	15.2	9.2	53	0	21.6	13.9	608
CF-6442	Nad 83-7V	584336	6974847	0.9	20.2	9.3	53	0	25.7	14.8	488
CF-6443	Nad 83-7V	584331	6974795	1.1	18.7	10.7	57	0	26.4	12.7	378
CF-6444	Nad 83-7V	584325	6974746	1	21	10.7	64	0	26	15.1	610
CF-6445	Nad 83-7V	584320	6974697	0.9	18.3	9.6	55	0	24.9	11.8	395
CF-6446	Nad 83-7V	584315	6974647	0.7	17.7	10.1	63	0	22.4	12.3	359
CF-6447	Nad 83-7V	584309	6974596	0.7	25	8.6	58	0	25.6	13	355
CF-6448	Nad 83-7V	584306	6974546	0.6	26.4	8.7	60	0	26.7	11.6	269
CF-7651	Nad 83-7V	584299	6974497	0.4	27.8	8.8	54	0	25.9	12.7	274
CF-7965	Nad 83-7V	584295	6974449	0.4	28.1	9.2	52	0	24.7	14.2	504

ELEMENT	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
CF06470	3.93	30.9	0.7	2.9	3.4	14	0.2	1.4	0.2	90	0.13	0.048
CF06471	2.68	112.3	5.3	110.7	5	23	0.2	4.8	0.2	57	0.3	0.069
CF06472	2.46	42.9	1.4	28.1	4.3	9	0.2	3.2	0.2	63	0.09	0.038
CF06473	2.23	22.1	0.5	22.6	2.5	10	0.1	2	0.2	65	0.1	0.023
CF06474	3.31	173.1	5.1	127.8	6	19	0.2	13.4	0.2	69	0.21	0.061
CF06475	3.17	50.4	1.6	56.6	6.7	15	0.3	3.4	0.2	65	0.17	0.041
CF06476	2.38	49.6	3.2	45.5	5.3	21	0.1	2.8	0.2	54	0.28	0.059
CF06477	2.45	48.5	3.7	36.6	6.3	22	0.2	3.1	0.2	58	0.3	0.062
CF06478	2.49	59	3.5	54.5	6.1	18	0.2	3.5	0.2	60	0.24	0.061
CF06479	3.11	119.7	3.8	93	9.5	20	0.2	3.8	0.2	60	0.25	0.069
CF06480	2.52	72.6	5.7	68.1	8.4	18	0.1	3.6	0.2	53	0.26	0.064
CF06481	2.48	129.2	3.9	170.2	11.8	17	0.1	7.1	0.2	57	0.26	0.054
CF06482	2.28	71.3	3.9	86	10.8	22	0.1	5.1	0.1	51	0.32	0.068
CF06483	3.19	77.7	4.7	42.6	9	25	0.1	11	0.1	65	0.35	0.076
CF06484	3.09	109	1.2	35.4	7.6	16	0.3	2.7	0.2	66	0.23	0.062
CF06485	2.97	96.7	1.2	32.8	6.3	16	0.2	2.3	0.2	68	0.18	0.055
CF06486	3.01	71.4	2.3	60.6	7.9	32	0.1	2.3	0.2	65	0.44	0.08
CF06488	2.79	22	1.6	40.3	6.6	29	0.1	1.3	0.2	64	0.43	0.065
CF06489	2.56	12.2	1.3	19.2	6.6	26	0.1	0.9	0.2	66	0.36	0.067
CF06490	2.72	9.6	2.9	6.1	7.3	32	0.2	0.7	0.2	67	0.46	0.07
CF06491	2.61	10.2	3.1	7.2	8.2	33	0.1	0.8	0.2	64	0.46	0.072
CF08735	3.57	32.5	0.4	29.6	2.3	12	0.1	1.6	0.2	72	0.11	0.032
CF08736	2.74	9.2	1	8.5	6	24	0.1	1.4	0.2	64	0.33	0.038
CF08737	2.39	8.1	1.4	6	9	27	0.1	0.9	0.2	53	0.33	0.044
CF08738	2.77	10.6	2.4	4.5	16.6	16	0.1	1	0.3	53	0.16	0.039
CF08739	2.99	11.9	3.9	8.8	19	28	0.1	0.9	0.3	58	0.32	0.049
CF08740	3.15	9.9	1	11.5	13.5	22	0.1	0.7	0.3	68	0.24	0.023
CF08741	2.53	12.6	1.4	18.1	14.8	22	0.1	0.8	0.3	49	0.27	0.029
CF08742	3.76	13.9	1.4	5.2	12.5	24	0.1	1.4	0.3	79	0.23	0.032
CF08743	2.8	11.6	1.9	2	22.7	24	0.1	1	0.3	51	0.27	0.025
CF08744	3.33	12.7	0.8	3.3	12.5	26	0.1	0.6	0.3	76	0.26	0.021
CF08745	3.25	13.6	0.6	3.7	9.2	13	0.1	0.8	0.3	77	0.11	0.022
CF08746	2.85	10.2	2.1	1.9	25.2	23	0.1	0.6	0.4	56	0.26	0.02
CF08747	2.47	7.6	1.1	2.6	11.9	18	0.1	0.7	0.3	58	0.21	0.022
CF08748	3.32	9.3	1	2.1	15.5	17	0.1	1.2	0.3	60	0.17	0.032
CF08749	2.63	5.8	1.4	0	27.8	16	0.1	0.6	0.5	31	0.2	0.037
CF08750	1.67	4.1	1.1	1.6	21.2	23	0	0.4	0.2	30	0.32	0.036
CF-6430	2.15	71.2	0.9	34.2	2	18	0.2	2.6	0.1	50	0.25	0.042
CF-6431	2.95	143.8	1.5	210.4	6.4	21	0.1	8.5	0.2	67	0.3	0.048
CF-6432	2.74	74.9	2.2	76	6.5	24	0.1	4.4	0.1	64	0.34	0.058
CF-6433	2.74	117.1	1.9	121	5.7	25	0.1	4.2	0.1	60	0.34	0.061
CF-6434	1.77	12.7	0.6	8.7	1	13	0.2	0.8	0.2	48	0.11	0.029
CF-6435	2.6	21.6	0.7	18.4	4	13	0.3	1	0.2	67	0.13	0.03
CF-6436	2.34	42	2.6	71.6	8.8	18	0.1	3.1	0.1	52	0.28	0.062
CF-6437	2.17	99.3	3.8	216	9.4	18	0.1	6.5	0.1	50	0.25	0.056
CF-6438	3.53	83.3	1.7	79.1	6.2	20	0.2	6.6	0.2	81	0.2	0.047
CF-6439	3.15	230.1	9.7	838.1	12	25	0.1	27.2	0.2	63	0.33	0.062
CF-6440	2.94	99.4	4.8	152.4	6.6	19	0.3	4.8	0.2	65	0.26	0.07
CF-6441	3.05	295.8	3.8	569.7	7	17	0.1	13.7	0.2	66	0.21	0.051
CF-6442	3.2	83.3	2.1	118.7	7.1	19	0.2	3.1	0.2	72	0.25	0.042
CF-6443	3.45	96.1	1.1	201.9	4.9	20	0.2	3	0.2	77	0.26	0.052
CF-6444	3.48	71.7	2.2	51.8	7.5	20	0.2	2.6	0.2	71	0.26	0.066
CF-6445	3.24	34.3	1.2	13.8	5.8	17	0.2	1.4	0.2	75	0.23	0.045
CF-6446	2.82	46.2	1.7	34	5.7	22	0.1	1.4	0.2	68	0.33	0.081
CF-6447	2.83	74.1	1.9	317	7	31	0.2	4.1	0.1	68	0.47	0.074
CF-6448	2.91	38.5	3.4	81.1	6.3	30	0.2	2	0.1	70	0.42	0.083
CF-7651	2.83	41.7	2.9	43.9	7.5	30	0.2	2	0.1	72	0.48	0.075
CF-7965	3.4	48.5	3.5	50.8	8.2	30	0.1	1.7	0.2	77	0.47	0.078

ELEMENT	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl
CF06470	9	35	0.44	148	0.065	0	1.93	0.009	0.05	0.2	0.03	2.9	0.1
CF06471	24	34	0.56	283	0.052	1	2.08	0.016	0.06	0.3	0.18	4.8	0.2
CF06472	10	21	0.18	81	0.039	1	1.66	0.008	0.04	0.2	0.05	2	0.1
CF06473	7	18	0.22	75	0.066	0	1.13	0.01	0.03	0.1	0.03	1.8	0.1
CF06474	13	36	0.52	181	0.057	1	1.81	0.01	0.06	0.4	0.13	3.7	0.2
CF06475	13	34	0.51	158	0.064	0	2.27	0.011	0.04	0.3	0.09	3.4	0.1
CF06476	14	31	0.52	169	0.06	0	1.65	0.012	0.04	0.2	0.13	3.7	0.2
CF06477	16	32	0.53	186	0.067	0	1.73	0.012	0.05	0.2	0.11	4.3	0.2
CF06478	16	32	0.52	145	0.061	1	1.83	0.011	0.04	0.2	0.15	3.6	0.2
CF06479	28	35	0.51	175	0.062	0	1.77	0.013	0.05	0.2	0.13	5.1	0.2
CF06480	37	33	0.47	159	0.078	0	1.85	0.013	0.07	0.2	0.1	4	0.2
CF06481	29	32	0.46	118	0.08	0	1.68	0.011	0.06	0.4	0.11	3.3	0.4
CF06482	47	33	0.53	153	0.092	0	1.47	0.013	0.07	0.3	0.12	4.2	0.3
CF06483	46	40	0.9	188	0.111	0	2.13	0.011	0.25	0.3	0.11	5	0.5
CF06484	14	36	0.62	98	0.081	1	2.05	0.01	0.06	0.2	0.05	3.4	0.2
CF06485	13	32	0.57	96	0.08	1	1.89	0.01	0.05	0.2	0.05	3.3	0.2
CF06486	21	49	0.86	197	0.117	1	1.9	0.015	0.16	0.2	0.11	6.2	0.3
CF06488	18	40	0.76	173	0.107	1	1.82	0.013	0.1	0.2	0.03	4.6	0.1
CF06489	18	37	0.75	143	0.114	2	1.9	0.012	0.08	0.2	0.03	4.2	0.2
CF06490	22	36	0.62	199	0.109	2	1.65	0.017	0.08	0.2	0.03	5.1	0.1
CF06491	24	35	0.68	224	0.111	1	1.71	0.018	0.07	0.2	0.03	5.2	0.1
CF08735	7	27	0.45	85	0.092	1	1.85	0.01	0.05	0.3	0.03	2.9	0.1
CF08736	20	31	0.61	168	0.113	1	1.84	0.013	0.06	0.3	0.03	4.8	0.1
CF08737	28	31	0.6	179	0.104	1	1.63	0.015	0.06	0.3	0.03	4.9	0.1
CF08738	46	24	0.39	108	0.084	1	1.71	0.008	0.14	1.6	0.02	2.5	0.3
CF08739	62	32	0.6	180	0.097	1	2.01	0.01	0.15	0.6	0.02	4.8	0.3
CF08740	26	46	0.63	204	0.097	1	2.36	0.011	0.05	0.3	0.03	4	0.2
CF08741	29	34	0.54	160	0.09	1	1.75	0.012	0.09	0.2	0.02	4.1	0.2
CF08742	25	39	0.55	178	0.093	1	2.81	0.01	0.08	0.3	0.02	3.9	0.2
CF08743	45	31	0.49	157	0.088	1	1.76	0.011	0.12	0.2	0.02	3.4	0.2
CF08744	14	42	0.54	206	0.099	1	2.35	0.011	0.07	0.1	0.02	3.3	0.2
CF08745	9	37	0.44	110	0.09	1	2.42	0.006	0.09	0.2	0.02	2.8	0.1
CF08746	52	33	0.55	201	0.092	1	1.98	0.01	0.13	0.1	0.02	5.5	0.3
CF08747	23	25	0.34	127	0.076	1	1.76	0.012	0.1	0.1	0.01	2.6	0.2
CF08748	14	39	0.46	148	0.062	1	2.12	0.007	0.1	0.4	0.02	3.2	0.2
CF08749	24	18	0.34	102	0.04	1	1.6	0.005	0.14	0.3	0.01	2.3	0.3
CF08750	34	17	0.25	139	0.042	1	0.94	0.011	0.06	0.3	0.02	2.8	0.1
CF-6430	9	26	0.44	100	0.072	2	1.3	0.012	0.06	0.1	0.05	2.5	0.2
CF-6431	14	42	0.83	116	0.107	2	2.07	0.008	0.13	0.1	0.24	4.1	0.5
CF-6432	16	41	0.72	151	0.102	2	2	0.01	0.07	0.2	0.19	4.5	0.3
CF-6433	15	37	0.6	153	0.084	1	1.82	0.011	0.08	0.1	0.29	4.6	0.4
CF-6434	8	20	0.25	87	0.069	2	1.16	0.008	0.04	0.1	0.03	2	0.1
CF-6435	8	24	0.34	87	0.081	2	1.56	0.009	0.04	0.1	0.03	2.5	0.1
CF-6436	31	36	0.59	102	0.089	1	1.6	0.009	0.07	0.2	0.05	3.1	0.2
CF-6437	24	29	0.46	122	0.078	2	1.44	0.01	0.07	0.3	0.24	3.3	0.3
CF-6438	18	37	0.53	183	0.084	2	2.05	0.009	0.07	0.2	0.04	3.6	0.3
CF-6439	40	43	0.75	200	0.095	2	1.77	0.011	0.21	0.7	0.34	5.1	0.7
CF-6440	24	37	0.58	197	0.062	2	2.07	0.009	0.08	0.3	0.16	4.2	0.3
CF-6441	15	30	0.43	148	0.065	2	1.7	0.009	0.06	0.2	0.27	3.6	0.6
CF-6442	17	37	0.6	163	0.087	1	2.36	0.009	0.07	0.2	0.07	4.5	0.2
CF-6443	12	40	0.62	136	0.092	2	2.35	0.008	0.08	0.2	0.05	4	0.2
CF-6444	22	35	0.62	179	0.083	2	2.49	0.008	0.09	0.2	0.04	4	0.2
CF-6445	14	31	0.56	147	0.1	2	2.36	0.009	0.06	0.2	0.02	3.5	0.2
CF-6446	14	36	0.69	163	0.095	2	2.06	0.01	0.07	0.2	0.04	3.9	0.2
CF-6447	16	35	0.66	197	0.104	1	1.8	0.014	0.07	0.1	0.06	5.2	0.2
CF-6448	16	33	0.63	224	0.102	1	1.88	0.014	0.05	0.1	0.06	5.3	0.2
CF-7651	18	37	0.71	233	0.103	1	1.87	0.017	0.09	0.2	0.06	5.6	0.2
CF-7965	26	36	0.65	221	0.114	1	1.92	0.018	0.08	0.2	0.06	6.2	0.2

ELEMENT	S	Ga	Se	Analysis:	Acme file
CF06470	0	8	0.5	GROUP 1DX - 15.0 GM	A608135
CF06471	0.07	6	0	GROUP 1DX - 15.0 GM	A608135
CF06472	0.06	7	0	GROUP 1DX - 15.0 GM	A608135
CF06473	0	7	0.6	GROUP 1DX - 15.0 GM	A608135
CF06474	0.06	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF06475	0	6	0.6	GROUP 1DX - 15.0 GM	A608135
CF06476	0	5	0.5	GROUP 1DX - 15.0 GM	A608135
CF06477	0	5	0.5	GROUP 1DX - 15.0 GM	A608135
CF06478	0.06	5	0	GROUP 1DX - 15.0 GM	A608135
CF06479	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF06480	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF06481	0	4	0	GROUP 1DX - 15.0 GM	A608135
CF06482	0	4	0	GROUP 1DX - 15.0 GM	A608135
CF06483	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06484	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06485	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF06486	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF06488	0	5	0.8	GROUP 1DX - 15.0 GM	A608135
CF06489	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF06490	0	5	0.6	GROUP 1DX - 15.0 GM	A608135
CF06491	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF08735	0	8	0.5	GROUP 1DX - 15.0 GM	A608135
CF08736	0	5	0.7	GROUP 1DX - 15.0 GM	A608135
CF08737	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF08738	0	5	0.5	GROUP 1DX - 15.0 GM	A608135
CF08739	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF08740	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF08741	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF08742	0	8	0	GROUP 1DX - 15.0 GM	A608135
CF08743	0	5	0	GROUP 1DX - 15.0 GM	A608135
CF08744	0	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF08745	0	7	0	GROUP 1DX - 15.0 GM	A608135
CF08746	0	5	0.6	GROUP 1DX - 15.0 GM	A608135
CF08747	0	6	0	GROUP 1DX - 15.0 GM	A608135
CF08748	0	6	0.5	GROUP 1DX - 15.0 GM	A608135
CF08749	0	5	0.8	GROUP 1DX - 15.0 GM	A608135
CF08750	0	3	0	GROUP 1DX - 15.0 GM	A608135
CF-6430	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-6431	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-6432	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-6433	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-6434	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-6435	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-6436	0	4	0	GROUP 1DX - 15.0 GM	A604644
CF-6437	0	4	0	GROUP 1DX - 15.0 GM	A604644
CF-6438	0	8	0	GROUP 1DX - 15.0 GM	A604644
CF-6439	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-6440	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-6441	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-6442	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-6443	0	8	0	GROUP 1DX - 15.0 GM	A604644
CF-6444	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-6445	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-6446	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-6447	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-6448	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-7651	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-7965	0	6	0	GROUP 1DX - 15.0 GM	A604644

ELEMENT	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn
CF-7966	Nad 83-7V	584289	6974397	0.6	25.1	7.3	50	0	23.7	9.6	304
CF-7967	Nad 83-7V	584278	6974299	0.6	24.1	7.3	51	0	22.3	10.3	342
CF-8160	Nad 83-7V	584972	6974220	0.7	5.4	3	12	0	4	3.4	310
CF-8161	Nad 83-7V	584977	6974267	0.9	19.3	8.7	50	0	24.4	13.6	368
CF-8162	Nad 83-7V	584986	6974320	0.7	21.4	8.6	54	0	28.4	13.5	365
CF-8163	Nad 83-7V	584990	6974368	0.6	18.6	8.8	46	0	21	10.8	358
CF-8164	Nad 83-7V	584993	6974419	0.7	19.1	10.6	58	0	27.9	11.9	378
CF-8165	Nad 83-7V	584999	6974468	1.3	29.8	15	73	0.2	31	13.2	531
CF-8166	Nad 83-7V	585008	6974519	0.7	9.9	5.5	29	0	7.2	3.6	170
CF-8167	Nad 83-7V	585011	6974565	1.3	16.2	10.5	59	0.1	18.9	8.9	372
CF-8168	Nad 83-7V	585119	6974606	0.8	12.3	9	57	0	19.3	9.7	323
CF-8169	Nad 83-7V	585115	6974554	1.4	25.5	15.6	66	0.1	28.6	14.1	846
CF-8170	Nad 83-7V	585109	6974506	0.9	9.3	3.3	17	0	4.7	2	45
CF-8171	Nad 83-7V	585103	6974459	0.7	17.5	9.4	45	0	23.6	9.1	348
CF-8172	Nad 83-7V	585098	6974405	1.2	11.3	7	36	0	14.3	6.8	264
CF-8173	Nad 83-7V	585090	6974359	0.6	15	9.8	40	0	20.4	9.4	280
CF-8174	Nad 83-7V	585089	6974309	0.6	19.7	8.1	47	0	34.2	13.6	387
CF-8175	Nad 83-7V	585082	6974257	1.1	23.1	7.5	45	0	24.1	12.4	305
CF-8176	Nad 83-7V	585073	6974208	0.6	21.3	9.2	45	0	19	7.8	276
CF-8177	Nad 83-7V	585069	6974158	1.1	18.5	9.3	46	0	19.9	9.3	327
CF-8178	Nad 83-7V	585066	6974109	0.6	17.2	6.9	51	0	25.8	10.7	359
CF-8179	Nad 83-7V	585060	6974057	1.3	13.7	6.1	46	0	20.5	10.9	358
CF-8180	Nad 83-7V	585050	6974011	1.3	17.3	7	46	0	23.8	11.5	440
CF-8181	Nad 83-7V	584951	6974020	1	18.7	8.5	47	0	38.6	12.7	430
CF-8182	Nad 83-7V	584959	6974071	0.9	16.3	7.6	51	0	27.4	14.3	529
CF-8183	Nad 83-7V	584965	6974122	0.8	20.4	7.3	51	0	25.3	13.4	436
CF-8184	Nad 83-7V	584970	6974170	0.8	22.6	8	48	0	25.9	12.5	373
CF-8205	Nad 83-7V	584672	6974249	0.5	23.6	9	49	0	22.7	8.7	271
CF-8206	Nad 83-7V	584676	6974304	0.5	19.5	8	51	0	28.6	12.5	284
CF-8207	Nad 83-7V	584687	6974356	0.9	19.9	9.3	54	0	26.2	11.2	351
CF-8208	Nad 83-7V	584685	6974400	0.4	21.9	10.3	54	0	29.6	14.2	384
CF-8209	Nad 83-7V	584703	6974452	1.1	10.5	7.8	31	0	9.5	4.4	196
CF-8210	Nad 83-7V	584713	6974498	2.4	30.4	17	57	0.4	31	23.6	2253
CF-8212	Nad 83-7V	584715	6974602	0.8	17.6	9.8	52	0	21	12.4	611
CF-8213	Nad 83-7V	584915	6974581	1.3	21.2	12.2	62	0.2	23.3	13.1	592
CF-8214	Nad 83-7V	584908	6974479	1.8	27.1	11.9	65	0.2	31	18.1	1118
CF-8215	Nad 83-7V	584894	6974428	1	21.8	9.7	54	0.1	27.5	11.7	461
CF-8216	Nad 83-7V	584897	6974377	0.8	15.3	12.3	50	0	21.8	10.7	404
CF-8217	Nad 83-7V	584888	6974327	0.9	18	8.8	50	0	23.7	12.9	413
CF-8218	Nad 83-7V	584876	6974279	0.8	21.5	8	52	0	30.8	13.3	367
CF-8219	Nad 83-7V	584869	6974227	0.5	16	6.8	42	0	19	12.3	307
CF-8220	Nad 83-7V	584862	6974182	0.6	20.1	9.5	50	0	22.2	11.2	438
CF-8221	Nad 83-7V	584852	6974032	0.6	16.9	8.6	54	0	17.1	11.3	327
CF-8222	Nad 83-7V	584848	6974077	1.4	14.3	9.9	46	0	79.4	14.8	507
CF-8223	Nad 83-7V	584850	6974041	1.5	17	8.4	33	0	16.7	6.5	251
CF-8224	Nad 83-7V	584656	6974056	0.6	18.3	6.8	50	0	27.8	12	431
CF-8225	Nad 83-7V	584666	6974107	0.7	20.6	7.9	50	0	26	11.5	355
CF-8226	Nad 83-7V	584663	6974152	0.7	17	6.9	52	0	24.3	13.4	399
CF-8227	Nad 83-7V	584670	6974202	0.9	17.1	9.3	57	0	23.8	12	324

ELEMENT	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
CF-7966	2.65	36.6	2	80.1	7.5	28	0.1	2.1	0.2	68	0.43	0.079
CF-7967	2.65	14.5	2.1	10.8	7.3	26	0.1	0.8	0.1	63	0.4	0.063
CF-8160	0.99	6.6	0.3	4	0.5	9	0	0.6	0.1	22	0.08	0.033
CF-8161	2.72	30.8	1	12.7	8.1	21	0.1	2.4	0.1	64	0.35	0.057
CF-8162	3.28	59.6	1.1	20.6	6.5	24	0.1	2.2	0.1	75	0.44	0.061
CF-8163	2.57	82.9	1.2	51.1	7.5	23	0.1	3.6	0.1	60	0.34	0.052
CF-8164	2.82	79.2	1.1	81.8	7.3	18	0.1	3.2	0.3	63	0.27	0.047
CF-8165	3.56	135.5	5.2	99.5	10.7	22	0.1	5.2	0.3	74	0.31	0.07
CF-8166	1.5	6.5	0.3	2.7	0.5	9	0.2	0.5	0.1	40	0.08	0.026
CF-8167	2.23	48.5	2.3	26.1	5.6	27	0.2	2.8	0.2	50	0.4	0.069
CF-8168	2.11	34.4	1.3	21.2	4.5	23	0.1	2.6	0.2	52	0.35	0.053
CF-8169	3.34	89	4.7	32.5	7.7	27	0.2	5.2	0.3	73	0.35	0.072
CF-8170	0.88	3	0.3	1	0.3	8	0.1	0.3	0.1	24	0.06	0.026
CF-8171	2.33	70.4	2.8	51.2	9.6	19	0.1	3.7	0.2	54	0.26	0.047
CF-8172	1.9	42.7	0.8	18.4	4.7	11	0.1	2.2	0.2	45	0.14	0.032
CF-8173	2.22	29.9	1	20.4	5.3	21	0.1	3	0.1	49	0.29	0.04
CF-8174	2.77	17.5	0.9	6.8	7.9	27	0.1	2.1	0.1	62	0.38	0.051
CF-8175	2.91	26.8	1.4	6.6	9.5	24	0.1	3.1	0.1	60	0.34	0.047
CF-8176	2.61	91.1	1.8	304.9	11.2	22	0.1	8	0.1	64	0.28	0.032
CF-8177	2.89	38.6	1.1	6.7	8.7	15	0.1	5.9	0.2	70	0.19	0.038
CF-8178	2.92	34.1	1.1	20.8	7.1	20	0	3.9	0.2	70	0.29	0.054
CF-8179	2.94	166	0.7	97.8	2.2	15	0.1	6.8	0.2	65	0.24	0.051
CF-8180	2.88	188.8	1.2	72.3	4.1	17	0.1	5.9	0.2	58	0.24	0.06
CF-8181	3.21	552.5	3.2	430.6	4.9	18	0.1	15.1	0.3	61	0.27	0.044
CF-8182	3.49	73.6	0.8	35.5	6.3	16	0.1	3	0.2	74	0.22	0.047
CF-8183	3.06	90.8	1.2	25.7	5	24	0.1	3	0.2	76	0.32	0.063
CF-8184	3	29.9	1.3	8.2	8.7	28	0.1	1.9	0.1	69	0.45	0.049
CF-8205	2.64	13.7	1.4	3.5	7.3	27	0.1	1.6	0.2	66	0.36	0.05
CF-8206	3.13	11.8	1.2	2.2	8	21	0.1	1	0.1	76	0.3	0.059
CF-8207	3.08	28	1.8	9.1	6.7	23	0.1	2.2	0.2	72	0.32	0.055
CF-8208	3.4	51.9	3	33.5	8.5	24	0.1	2.3	0.1	80	0.33	0.057
CF-8209	1.99	20.2	1	45.2	2.8	9	0.1	1.6	0.2	62	0.09	0.027
CF-8210	4	123.3	9.9	79.2	3.4	49	0.1	6.1	0.3	91	0.56	0.154
CF-8212	2.65	52.6	4.7	89.6	11.3	20	0.2	3.4	0.3	60	0.25	0.054
CF-8213	2.82	216.3	7.1	100.4	4.8	32	0.4	6.2	0.2	65	0.37	0.089
CF-8214	3.47	303.6	7.7	139.8	7.1	35	0.2	12.3	0.2	72	0.55	0.075
CF-8215	2.9	270.5	4.9	181.8	7.6	29	0.1	11.6	0.2	64	0.48	0.073
CF-8216	2.76	317.1	2.1	268.5	8.8	20	0.1	20.5	0.2	59	0.24	0.041
CF-8217	3	131	1.5	76	7.1	21	0.1	4.1	0.2	67	0.32	0.054
CF-8218	2.97	174.2	1.4	110.2	6.2	22	0.1	4.3	0.1	69	0.36	0.045
CF-8219	2.69	117.2	1.3	112.1	7.2	23	0.1	5.9	0.1	67	0.35	0.059
CF-8220	2.99	74.9	1.7	280.9	10.5	27	0	5.9	0.1	78	0.34	0.05
CF-8221	3.07	144.4	1.7	200.7	8.5	22	0.1	10.6	0.1	77	0.31	0.07
CF-8222	3.44	105.5	1	13.8	2.2	20	0.1	5.3	0.2	67	0.33	0.059
CF-8223	2.67	8.3	0.8	4.2	3	14	0.1	0.6	0.2	59	0.13	0.023
CF-8224	2.93	22.9	1.1	8	6.2	21	0.1	1.4	0.1	67	0.32	0.055
CF-8225	3.02	23.5	1.2	12.9	6.6	26	0.1	1.1	0.2	70	0.39	0.051
CF-8226	2.89	12.7	1	5.3	5.2	20	0.1	0.6	0.1	69	0.31	0.062
CF-8227	3.28	31.1	1.5	7.8	5.7	18	0.1	1.9	0.1	77	0.25	0.045

ELEMENT	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl
CF-7966	23	33	0.68	160	0.118	1	1.68	0.013	0.1	0.2	0.04	4.7	0.2
CF-7967	25	34	0.65	162	0.106	1	1.62	0.013	0.05	0.1	0.02	4.6	0.1
CF-8160	5	9	0.08	39	0.032	1	0.62	0.019	0.03	0.1	0.04	1	0.1
CF-8161	24	50	1.04	121	0.128	1	1.9	0.01	0.23	0.2	0.03	3.5	0.4
CF-8162	19	54	1.13	154	0.133	1	2.28	0.01	0.24	0.1	0.03	4.3	0.3
CF-8163	28	39	0.83	111	0.107	1	1.73	0.009	0.11	0.2	0.04	3.8	0.2
CF-8164	18	35	0.64	125	0.1	2	2.19	0.011	0.08	0.2	0.04	3.3	0.2
CF-8165	49	50	0.71	192	0.078	1	2.53	0.009	0.13	0.2	0.17	5.8	0.4
CF-8166	5	11	0.13	52	0.045	1	0.81	0.012	0.02	0.1	0.02	0.9	0.1
CF-8167	32	29	0.47	129	0.056	1	1.36	0.011	0.08	0.2	0.08	2.8	0.1
CF-8168	17	28	0.53	119	0.071	2	1.38	0.018	0.07	0.2	0.07	3	0.1
CF-8169	64	45	0.68	216	0.07	1	2.37	0.012	0.11	0.2	0.12	5.1	0.3
CF-8170	3	8	0.06	34	0.029	1	0.47	0.014	0.02	0.1	0.02	0.7	0
CF-8171	33	41	0.56	112	0.094	1	1.75	0.011	0.07	0.2	0.08	4	0.3
CF-8172	15	26	0.35	56	0.071	1	1.14	0.01	0.07	0.1	0.03	2.1	0.1
CF-8173	27	43	0.88	97	0.105	1	1.51	0.012	0.13	0.1	0.03	3	0.3
CF-8174	27	68	1.43	111	0.144	1	2.03	0.01	0.41	0.1	0.02	4	0.5
CF-8175	28	49	1.05	119	0.119	1	2.09	0.009	0.16	0.2	0.02	5	0.3
CF-8176	32	32	0.58	136	0.09	1	1.77	0.011	0.07	0.2	0.12	4.7	0.2
CF-8177	21	29	0.53	114	0.077	1	1.98	0.009	0.05	0.2	0.03	3.3	0.2
CF-8178	18	39	0.89	145	0.123	1	2.1	0.01	0.15	0.1	0.03	4.6	0.3
CF-8179	9	31	1.03	113	0.091	1	1.76	0.012	0.22	0.1	0.09	3.3	0.3
CF-8180	15	37	0.9	118	0.083	1	1.9	0.009	0.25	0.1	0.08	3.6	0.3
CF-8181	26	50	0.83	256	0.063	2	2.05	0.009	0.22	0.2	0.69	5.4	1
CF-8182	12	44	1	103	0.126	1	2.02	0.008	0.21	0.2	0.04	3.5	0.3
CF-8183	17	39	1.07	177	0.108	1	2.07	0.011	0.28	0.1	0.07	4.6	0.4
CF-8184	23	47	1.15	155	0.148	1	2.1	0.012	0.29	0.1	0.02	5.3	0.3
CF-8205	22	38	0.65	168	0.11	1	2.02	0.013	0.07	0.1	0.03	5.3	0.2
CF-8206	18	50	1.01	128	0.135	1	2.44	0.009	0.25	0.1	0.02	4.6	0.3
CF-8207	18	47	0.82	165	0.111	1	2.3	0.01	0.1	0.2	0.04	5.2	0.2
CF-8208	22	55	0.9	198	0.122	1	2.38	0.009	0.12	0.2	0.09	6.2	0.3
CF-8209	12	19	0.26	44	0.101	1	0.99	0.01	0.05	0.1	0.02	1.7	0.1
CF-8210	53	55	0.65	404	0.056	2	3.09	0.014	0.11	0.3	0.35	8.5	0.5
CF-8212	46	33	0.52	148	0.095	2	1.85	0.009	0.08	0.2	0.07	4.6	0.2
CF-8213	57	39	0.58	200	0.069	2	2.05	0.013	0.11	0.2	0.21	4.4	0.3
CF-8214	46	52	0.77	241	0.084	2	2.66	0.015	0.16	0.2	0.3	6.4	0.6
CF-8215	38	45	0.72	174	0.098	2	2.07	0.013	0.16	0.2	0.25	4.9	0.6
CF-8216	32	36	0.66	115	0.089	2	1.98	0.008	0.1	0.2	0.18	3.2	0.6
CF-8217	21	43	0.9	130	0.112	1	2.19	0.01	0.13	0.2	0.1	4.3	0.4
CF-8218	14	55	1	150	0.117	2	2.16	0.01	0.2	0.1	0.15	4.5	0.5
CF-8219	20	33	0.88	121	0.114	1	1.83	0.012	0.2	0.1	0.14	4.5	0.5
CF-8220	27	35	0.8	183	0.125	2	1.91	0.012	0.17	0.1	0.14	4.8	0.4
CF-8221	23	29	0.86	109	0.112	2	1.91	0.009	0.23	0.2	0.18	3.8	0.5
CF-8222	15	106	1.1	222	0.087	2	2.12	0.008	0.31	0.1	0.05	3.6	0.3
CF-8223	14	28	0.4	115	0.117	1	1.51	0.011	0.09	0.1	0.03	2.2	0.2
CF-8224	21	47	1.05	144	0.135	0	2	0.01	0.21	0.1	0.03	4	0.3
CF-8225	18	46	0.94	164	0.124	0	2.07	0.01	0.14	0.1	0.04	5	0.2
CF-8226	16	43	1.02	108	0.131	1	2.06	0.009	0.17	0.2	0.06	3.7	0.3
CF-8227	13	46	0.88	127	0.12	1	2.46	0.009	0.12	0.2	0.04	4.8	0.2

ELEMENT	S	Ga	Se	Analysis:	Acme file
CF-7966	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-7967	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-8160	0	3	0	GROUP 1DX - 15.0 GM	A604644
CF-8161	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8162	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-8163	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-8164	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8165	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-8166	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-8167	0.06	5	0	GROUP 1DX - 15.0 GM	A604644
CF-8168	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-8169	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-8170	0	3	0	GROUP 1DX - 15.0 GM	A604644
CF-8171	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-8172	0	4	0	GROUP 1DX - 15.0 GM	A604644
CF-8173	0	4	0	GROUP 1DX - 15.0 GM	A604644
CF-8174	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8175	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-8176	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-8177	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8178	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8179	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-8180	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8181	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8182	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-8183	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-8184	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8205	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8206	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-8207	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-8208	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-8209	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-8210	0.17	8	0.7	GROUP 1DX - 15.0 GM	A604644
CF-8212	0	5	0	GROUP 1DX - 15.0 GM	A604644
CF-8213	0.09	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8214	0.07	7	0.5	GROUP 1DX - 15.0 GM	A604644
CF-8215	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8216	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8217	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8218	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8219	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8220	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8221	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8222	0	8	0	GROUP 1DX - 15.0 GM	A604644
CF-8223	0	7	0	GROUP 1DX - 15.0 GM	A604644
CF-8224	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8225	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8226	0	6	0	GROUP 1DX - 15.0 GM	A604644
CF-8227	0	8	0	GROUP 1DX - 15.0 GM	A604644