

**REPORT on the 2007 SOIL  
SAMPLING PROGRAM on the WILDCAT PROPERTY,  
RANCHERIA AREA, YUKON TERRITORY**

Claims	Grant Number
L 1 and L 2	YB62265 and YB62266
Wildcat 1- 6	YB87611-616
Wildcat 8-18	YB87618-628
Wildcat 21-22	YB87631-632
Wildcat 25. 27	YB87635, YB87637
Wildcat 30	YB92576
Wildcat 41-46	YB87651-656
Wildcat 47-48	YB91856-857
Wildcat 49-50	YB92577-578
Wildcat 51-52	YB91858-859

Report By:  
Scott Casselman B.Sc, P. Geo.  
CASSELMAN GEOLOGICAL SERVICES  
33 Firth Road  
Whitehorse, Yukon, Y1A 4R5

For:  
Gary Lee  
Whitehorse, Yukon

Location: 60° 03' N, 130° 22' W  
NTS: 105B/01  
Mining District: Watson Lake, YT  
Date: December 6, 2007

## TABLE OF CONTENTS

	Summary .....	1
1.0	Introduction.....	2
2.0	Location and Access .....	2
3.0	Claims .....	4
4.0	Physiography, Vegetation and Climate.....	4
5.0	History .....	6
6.0	Geological Setting .....	6
7.0	2007 Exploration Program.....	10
8.0	Geochemical Analytical Procedure.....	10
9.0	Interpretation and Conclusions.....	16
10.0	Recommendations.....	16
11.0	Statement of Expenditures .....	17
12.0	References .....	18

## LIST OF FIGURES

1	Property Location Map .....	3
2	Claim Location Map.....	5
3	Regional Geology Map .....	9
4	Soil Sample Location Map.....	11
5	Soil Sample Copper Geochemistry Map.....	12
6	Soil Sample Silver Geochemistry Map .....	13
7	Soil Sample Lead Geochemistry Map .....	14
8	Soil Sample Zinc Geochemistry Map.....	15

## TABLES

1	Claim Information .....	4
2	Significant drill results from 1983, 1984 and 1985 drilling by Butler Mountain..	7
3	Stratigraphic Column of the Rancheria – Wildcat Area.....	8

## APPENDICES

Appendix I	Statement of Qualifications
Appendix II	Geochemical Analytical Certificates

## SUMMARY

The Wildcat Property consists of 36 quartz claims and is located near Rancheria in southeast Yukon. The property is accessible by gravel road from the Alaska highway. In 2007, Mr Gary Lee conducted an exploration program consisting of soil sampling on a small grid (46 samples collected) and trail upgrading.

The property is in Cassiar Terrane of the Northern Cordillera and is underlain by Paleozoic carbonates and clastic sediments, which are intruded by a large, mid-Cretaceous batholith of the Cassiar Plutonic Suite.

The property has seen a moderate amount of historic work including diamond drilling in 1983, 1984 and 1985 by Butler Mountain Minerals Corp. Best assays from the drilling include 6.2% zinc over 3.66 m in hole 83-3; 5.06 % zinc and 338.1 g/t silver over 2.13 m in hole 83-6; 9.45% zinc and 51.8 g/t silver over 1.52 m and 8.55% zinc and over 1.22 m in hole 85-5; 11.57% zinc and 36.3 g/t silver in hole 85-10; and 15.4 g/t gold and 13.4 g/t silver over 3.4 m in hole 83-3. The results demonstrate the potential for significant concentrations of base metals over mineable widths and significant concentrations of precious metals.

Three types of mineralization have been observed on the property, they are:

- 1 Fracture fillings/veins in the north to northeasterly trending fractures in dolomite, limestone and breccia zones.
- 2 Conformable lenses and beds in thinly laminated argillite.
- 3 Irregular zones of veinlets, stringers and lenses associated with quartz feldspar porphyry dykes.

The 2007 soil geochemical sampling program returned weak anomalies for silver, copper, lead and zinc. Historic work on the property has returned very significant concentrations of gold, silver, copper, lead and zinc from what appears to be a Manto or Skarn-type setting. The drill intercepts are fairly deep, however and would not likely have been identified by the soil sampling program, unless they trend to surface in some locations.

Recommendations for future work on the property are continue to prospect the area to explore for the possibility of the mineralized Mantos/Skarns at surface, to conduct further soil geochemical surveying in areas of poor bedrock exposure, to perform total magnetic field surveys and to perform a deep penetrating electromagnetic survey, such as horizontal loop EM, to look for massive sulphide bodies at depth. A structural interpretation is also recommended to determine if there are structural controls on the mineralization at Wildcat. If successful, this program would be followed with additional diamond drilling. The proposed budget geophysical surveys and prospecting program is \$100,000. A proposed budget for follow-up drilling of 1200 m is \$300,000.

## 1.0 INTRODUCTION


Mr Gary Lee of Whitehorse, Yukon conducted an exploration program on the Wildcat Property consisting of soil sampling and trail upgrading. The program was conducted in two phases, the first phase consisting of trail work and collection of the soil samples from July 28 to August 5, 2007 and the second phase consisting of additional trail work from August 18 to 20, 2007. A total of 46 soil samples were collected during this program. Vehicles and equipment for this program were supplied by Mr. Lee.

This report and maps were prepared by Casselman Geological Services based on information supplied by Mr. Lee. Analytical certificates were provided directly from the laboratory in digital format. Other information used in the preparation of the report includes government publications and assessment reports in the public domain. The author is a professional geologist and has not visited the property.

## 2.0 LOCATION AND ACCESS

The Wildcat Property is located approximately 18 km east of Rancheria, Yukon and 3 km south of the Alaska Highway in southeastern Yukon. It is 95 km west of the community of Watson Lake along the Alaska Highway. The property is centred at latitude 60° 03' N and longitude 130° 22' W (Figure 1) on NTS map sheet 105B/01.

Access to the property from the Alaska Highway is via Midway (Silvertip) gravel road for 9.0 km then via a 4x4 gravel access road to the property. The property access road runs through the property in an east-west direction.



**GARY LEE**  
**WILDCAT PROPERTY**  
 Figure 1. Property Location Map

CASSELMAN GEOLOGICAL SERVICES

### 3.0 CLAIMS

The Wildcat Property consists of 36 Quartz Claims staked in accordance with the Yukon Quartz Mining Act in the Watson Lake Mining District (Figure 2). The mineral claim boundaries have not yet been legally surveyed. Claim data is as follows:

Table 1. Claim Information

Claims	Grant Number	Expiry Date *
L 1 and L 2	YB62265 and YB62266	December 22, 2009
Wildcat 1, 3, 9-16, 44	YB87611, 613, 619-626, 654	October 16, 2009
Wildcat 2, 4-6, 8, 17-18, 21-22, 25, 27, 42, 45-46	YB87612, 614-616, 618, 627-628, 631-632, 635, 637, 652, 655-656	October 16, 2007
Wildcat 30, 49-50	YB92576, YB92577-578	January 28, 2008
Wildcat 41, 43	YB87651, 653	October 16, 2008
Wildcat 47-48, 51-52	YB91856-857, 858-859	October 28, 2007

\*claims have been renewed to 2009 pending the acceptance of this report for assessment purposes.



The claims are jointly owned by Mr. Gary Lee and Mr. Ron Stack of Whitehorse, Yukon.

The land in which the mineral claims are situated is Crown Land and falls under the jurisdiction of the Yukon Government.

### 4.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE

The property is in the Cassiar Mountains at the western margin of the Liard River Plain of south-central Yukon. The topography in the area is gentle rolling hills at lower elevations with rugged rocky terrain at higher elevations and broad river valleys. Elevations on the property range from about 900 m to 1700 m above sea level. The lower elevations are covered with spruce and pine forest which gradually give way to barren alpine terrain. Steeper slopes are covered by talus and felsenmeer.

The area receives moderate to high precipitation of approximately 450 cm annually. Snow generally begins accumulating in the alpine areas in early September and begins receding in late April to early May. The snow is generally melted back sufficiently by late May to allow for fieldwork at lower elevations. Summer temperatures range up to 30° Celsius and winter temperatures down to -50° Celsius.



<b>GARY LEE</b>	
<b>WILDCAT PROPERTY</b> <b>Figure 2 - Claim Location Map</b>	
NTS: 105B01	Mining District: Watson Lake
Projection: UTM Zone 9	Datum: NAD 83
December 4, 2007	
<b>CASSELMAN GEOLOGICAL SERVICES</b>	

## 5.0 HISTORY

The exploration history for the Wildcat Property and area is taken from Power, 2000. The showings on the Wildcat Property were discovered by the Geological Survey of Canada in 1944. Mineral claims were first staked on the property in 1946 by Western Ranges Prospecting Syndicate, which built a road and performed trenching. During 1948, limited hand cobbing of argentiferous galena was conducted, but there is no record of any shipments of ore from the property. The property was repeatedly staked and explored with limited surface exploration programs by a number of prospectors from 1951 to 1980. In 1982, property holdings in the area were consolidated by Butler Mountain Minerals Corp. From 1983 to 1985, Butler Mountain conducted diamond drilling, geophysics, trenching and road building on the property. No further work was done and the property was allowed to lapse in 1992.

The Wildcat Property claims were staked by the current owners in 1995. Since that time, they have conducted soil sampling, prospecting, re-sampling of trenches, magnetic and VLF-EM ground geophysical surveys.

## 6.0 GEOLOGICAL SETTING

The Wildcat Property is in Cassiar Terrane of the Northern Cordillera (Gordey and Makepeace, 2000). The regional geology of the area consists of Paleozoic carbonates and clastic sediments intruded by a large, mid-Cretaceous batholith of the Cassiar Plutonic Suite. The stratigraphy of the property is summarized in Table 3. Figure 3 shows the regional geology of the area.

The Wildcat Property is underlain predominantly by carbonate rocks of the Rosella Formation which are intruded by Cassiar Suite granitic rocks to the west. Regional structure of the area is dominated by the Kechika and Cassiar faults to the east and west of the property, respectively. Both of these are dextral strike slip faults involving significant displacement. In the area of the property the structure is dominated by the east-trending Dale Fault and by two north-trending faults.

Mineralization at the Wildcat Property consists of (Power, 2000):

- 4 Fracture fillings/veins in the north to northeasterly trending fractures in dolomite, limestone and breccia zones.
- 5 Conformable lenses and beds in thinly laminated argillite.
- 6 Irregular zones of veinlets, stringers and lenses associated with quartz feldspar porphyry dykes.

Type 1 mineralization consists of argentiferous steel galena with siderite and sphalerite in weathered pods and lenses. This style of mineralization was the focus of initial exploration and returns silver grades to 925 g/t.

Type 2 mineralization consists of conformable lenses and layers of up to 60% pyrrhotite and minor chalcopyrite in sections up to 30 m thick. Galena and sphalerite are rare in this style of mineralization and precious metal content is low.

Type 3 mineralization consists of irregular lenses and pipe-like bodies of altered rock containing sulphide stringers, veinlets and occasional massive to sub-massive lenses. Mineralization consists of vuggy concentrations of pyrrhotite, pyrite and sphalerite with varying but lesser amounts of galena, arsenopyrite and chalcopyrite in quartz-calcite-rhodochrosite gangue. This style of mineralization carries silver and, in one instance, gold mineralization. Best assays from this mineralization include 15.4 g/t gold, 13.4 g/t silver with negligible base metals over 3.4 m in drill hole 83-3.

Type 3 mineralization occurs in zones or pipes of mineralization from 1 to 20 m wide, striking north to northeast and dipping moderately to steeply west. This style of mineralization is associated with quartz porphyry dykes. It occurs over a strike length of 450 m and has been compared to an epithermal chimney setting and Manto-style deposit.


Results from drilling campaigns on the property by Butler Mountain in 1983, 1984 and 1985 included the following significant intercepts (Furieux, 1985):

Table 2. Significant drill results from 1983, 1984 and 1985 drilling by Butler Mountain.

Hole	From (m)	To (m)	Width (m)	Silver (g/t)	Lead (%)	Zinc (%)
83-3	222.50	226.16	3.66	37.4	0.32	6.20
83-4	198.42	201.47	3.05			4.35
83-5	37.80	42.06	4.27	55.5	3.56	3.01
and	53.64	56.39	2.74	109.7	5.92	2.40
83-6	206.04	208.18	2.13	104.2		10.70
and	209.09	211.23	2.13	338.1		5.06
84-2	173.43	174.19	0.76	119.3	1.32	5.00
84-6	84.58	86.56	1.98	49.0	0.61	4.40
85-5	119.18	120.70	1.52	51.8	0.23	9.45
and	121.01	122.22	1.22	9.3	0.06	8.55
85-6	187.45	188.98	1.52	44.6	0.18	6.10
85-10	149.96	153.01	3.05	36.3	0.70	11.57

Table 3. Stratigraphic Column of the Rancheria – Wildcat Area (Gordey, 2000)

<b>Age</b>	<b>Rock Unit</b>	<b>Description</b>
Mid Cretaceous	Cassiar Suite ( <b>mKqC</b> )	medium to coarse grained, equigranular to porphyritic (K-feldspar) granite and biotite quartz monzonite; biotite-hornblende quartz monzonite and granodiorite
Upper Devonian to Lower Mississippian	Earn Group – Cassiar ( <b>DMEC</b> )	dark grey, recessive weathering, thin bedded, black siliceous slate with interbeds and members of quartz-chert greywacke, chert granule grit and chert pebble to cobble conglomerate; may include lenses of intermediate to felsic volcanoclastic rocks
Middle Silurian to Middle Devonian	Askin Group ( <b>SDA</b> )	tan, medium grey and locally maroon weathering, light grey, thin bedded to platy dolomitic siltstone, dolomitic fine grained sandstone and minor silty dolomite
Upper Cambrian and Lower Ordovician	Kechika Group ( <b>COK</b> )	thin bedded, lustrous, calcareous, grey slate, phyllite, limestone, minor grey dolomite and dolomitic limestone; quartz-carbonate veins; minor sills and flows of basalt and basaltic tuff ; may include Ordovician black slate at top of succession
Lower Cambrian	Rossella Formation ( <b>ICR</b> )	resistant, thick bedded to massive, limestone and argillaceous limestone; local archaeocyathid buildups, trilobite fragments, oolites, and pisolites; pisolitic massive dolomite and limestone; marble, calc-silicate, calcareous phyllite and minor schist
Lower Cambrian	Boya Formation ( <b>ICB</b> )	light grey to medium brown, fine to medium grained quartz arenite and interbedded argillite, slate, siltstone, phyllite and minor limestone



- LEGEND**
- mKqC** mid Cretaceous  
Cassiar Suite - granite to quartz monzonite
  - DMEC** Upper Devonian to Lower Mississippian  
Earn (Cassiar) Suite - sediments
  - SDA** Middle Silurian to Middle Devonian  
Askin Group - carbonates
  - COK** Upper Cambrian and Lower Ordovician  
Kechika Group - sediments
  - LCR** Lower Cambrian  
Rosella Formation - carbonates
  - ICB** Lower Cambrian  
Boya Formation - sediments

<b>GARY LEE</b>	
<b>WILDCAT PROPERTY</b>	
<b>Figure 3 - Regional Geology Map</b>	
NTS: 105B01	Mining District: Watson Lake
Projection: UTM Zone 9	Datum: NAD 83
December 4, 2007	
<b>CASSELMAN GEOLOGICAL SERVICES</b>	




## **7.0 2007 EXPLORATION PROGRAMS**

The 2007 exploration program consisted of collecting 46 soil samples and performing 5 days of work on repairing a trail on the property. The soil sampling was performed on three lines (6100 N, 6200 N and 6300 N). The lines were surveyed by hipchain and compass and stations were marked by flagging. Soil samples were collected using a 2 inch split spoon sampler to auger down to 20 to 30 cm. Then material encountered was gravelly soil with occasional large angular boulders. Approximately 0.5 kg of sandy-silty material was collected and placed in a labelled Kraft bag. Figure 4 shows the locations of the samples collected on a grid map.


## **8.0 GEOCHEMICAL ANALYTICAL PROCEDURE**

The samples were sent to Eco Tech Laboratory Ltd in Whitehorse for sample preparation, where they were sieved in an 80 mesh seive. The -80 mesh material was then sent to the main laboratory in Kamloops, where it was analysed by for 36 elements, including gold by aqua-regia digestion and mass spectrometry according to the BMS-11 procedure.


Analytical certificates are included in Appendix II and plots of the copper, silver, lead and zinc are included in Figure 5 to 8, respectively.



<b>GARY LEE</b>	
<b>WILDCAT PROPERTY</b>	
<b>Figure 4 - Soil Sample Location Map</b>	
NTS: 105B01	Mining District: Watson Lake
Local Grid Projection December 4, 2007	
<b>CASSELMAN GEOLOGICAL SERVICES</b>	










GARY LEE

**WILDCAT PROPERTY**  
**Figure 7 - Soil Sample Lead Geochemistry Map**

NTS: 105B01 Mining District: Watson Lake  
 Local Grid Projection  
 December 4, 2007

**CASSELMAN GEOLOGICAL SERVICES**



**GARY LEE**

**WILDCAT PROPERTY**

**Figure 8 - Soil Sample Zinc Geochemistry Map**

NTS: 105B01 Mining District: Watson Lake  
 Local Grid Projection  
 December 4, 2007

**CASSELMAN GEOLOGICAL SERVICES**

## 9.0 INTERPRETATION AND CONCLUSIONS

The 2007 soil sampling program was conducted on a small portion of the property and only 46 soil samples were collected. The geochemical results returned no significant anomalies for gold, silver, copper, lead or zinc. The plots of the soil geochemical values for copper, silver, lead and zinc show a few scattered, weakly anomalous values, however there is poor correlation between elements. The area tested by the soil sampling in 2007 did not return any anomalies which would appear to require further testing.

Historic work on the property has returned very significant concentrations of gold, silver, copper, lead and zinc from what appears to be a Manto or Skarn-type setting. The drill intercepts are fairly deep, however and would not likely have been identified by the soil sampling program, unless they trend to surface in some locations.

## 10.0 RECOMMENDATIONS

Recommendations for future work on the property are continue to prospect the area to explore for the possibility of the mineralized Mantos/Skarns at surface, to conduct further soil geochemical surveying in areas of poor bedrock exposure, to perform additional total magnetic field surveys to map the contact of the intrusive rocks with the carbonate rocks on the property and to perform a deep penetrating electromagnetic survey, such as horizontal loop EM, to look for massive sulphide bodies at depth. A structural interpretation may be helpful to determine if there are structural controls on the mineralization at Wildcat. If successful, this program would be followed with additional diamond drilling. The proposed budget geophysical surveys and prospecting program is \$100,000. A proposed budget for follow-up drilling of 1200 m is \$300,000.

Respectfully Submitted,

Scott Casselman, B.Sc., P.Geo  
Geologist

**11.0 STATEMENT OF EXPENDITURES**

Labour	Gary Lee – 11 days @ \$275	3,025.00
Truck rental – 1500 km @ \$0.55/km		825.00
ATV rental – 11 days @ \$100.00 /day		1,100.00
Room and Board – 11 days @ \$100.00 /day		1,100.00
Chain saw rental – 7 days @ \$30.00 /day		210.00
Assay charges		885.00
Report Writing, map preparation, reproduction and binding– Casselman Geological Services		<u>381.60</u>
Total		<u>\$ 7,526.60</u>

## 12.0 REFERENCES

- DIAND, 2002. Yukon Minfile, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada.
- Furneaux, B. T., 1985. Summary Report of the 1984 and 1985 Field Seasons on the YP Property for Butler Mountain Minerals Corp. Private Company Report.
- Gordey, S.P., Makepeace, A.J., (compilers), 2000. Yukon Digital Geology, Geological Survey of Canada, Open File D3826.
- Power, M. A., 2000. Total Magnetic Field and VLF-EM Surveys at the Wildcat Property, Rancheria Area, Yukon. Yukon Territorial Government Assessment Report.

**APPENDIX I**

**STATEMENT OF QUALIFICATIONS**

## STATEMENT OF QUALIFICATIONS

I, Scott Casselman, of 33 Firth Road, Whitehorse, Yukon Territory, certify that

- 1) I am a geologist employed by Casselman Geological Services of Whitehorse, Yukon Territory.
- 2) I graduated from Carleton University in Ottawa, Ontario with a Bachelor of Science Degree in Geology in 1985 and have worked as a geologist since that time
- 3) I am a Professional Geoscientist registered with the Association of Professional Engineers and Geoscientists of British Columbia, Registration No. 20032.
- 4) I am responsible for preparation of this report based on information provided to me by Mr. Gary Lee and on original analytical certificates provided by Eco Tech Laboratory Ltd.
- 5) I have not visited the Wildcat Property.

Dated 6<sup>th</sup> of December, 2007.

Scott Casselman, P.Geo.

**APPENDIX II**  
**GEOCHEMICAL ANALYTICAL CERTIFICATES**

30-Nov-07

ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

Phone: 250-573-5700

Fax : 250-573-4557

ICP MS CERTIFICATE OF ANALYSIS AW 2007- 1524

Extended Package

ECO TE

10041 [

KAMLC

V2C 6T

Phone:

Fax :

Values in ppm unless otherwise reported

Fire Assay

Values

Et #.	Tag #	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppb	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Et #.
1	WC6100275	2	0.2	1.96	58.0	78.5	0.56	0.37	0.42	41.30	10.9	31.0	10.90	8.04	3.46	8.1	4.1	0.04	20	0.15	17.0	43.0	0.63	1236	0.74	0.043	4.34	17.4	248.0	1
2	WC6100300	5	0.2	2.07	375.0	91.5	0.80	0.48	0.78	29.89	13.2	43.5	13.78	8.85	3.84	11.6	5.1	0.04	20	0.14	15.0	56.2	0.94	989	0.43	0.046	5.34	19.6	255.0	2
3	WC6100325	1	0.2	1.71	40.7	84.5	0.50	0.28	0.54	38.42	9.1	22.5	8.78	6.02	3.01	8.6	4.4	<0.02	15	0.16	19.0	33.0	0.53	1296	0.74	0.023	3.56	10.6	291.0	3
4	WC6100350	1	0.2	1.43	30.5	76.5	0.42	0.14	0.55	45.17	8.0	16.0	5.18	4.88	2.45	6.5	3.9	<0.02	15	0.10	19.0	29.3	0.38	1415	0.41	0.020	2.42	8.6	287.0	4
5	WC6100375	1	0.2	1.57	73.1	92.0	0.44	0.26	0.62	35.13	13.3	25.5	15.96	7.10	2.84	7.0	4.2	<0.02	25	0.09	13.0	43.7	0.47	3214	0.73	0.022	2.78	12.6	249.0	5
6	WC6100400	1	0.1	1.26	21.7	58.5	0.28	0.12	0.11	43.40	5.4	15.0	3.94	4.98	2.22	6.6	3.9	0.04	5	0.09	24.5	33.2	0.38	225	0.35	0.021	2.84	8.8	148.0	6
7	WC6100425	1	0.3	1.99	63.5	49.0	1.44	0.33	0.36	72.42	20.1	43.5	15.00	15.04	5.31	10.2	6.8	0.08	30	0.11	25.5	58.1	0.79	386	0.47	0.052	3.70	40.3	442.0	7
8	WC6100450	1	0.1	1.21	28.8	40.0	0.50	0.14	0.15	31.55	5.0	17.5	8.26	4.04	1.95	4.9	3.5	<0.02	10	0.09	16.5	21.4	0.36	402	0.24	0.029	2.24	8.9	185.0	8
9	WC6100475	1	0.1	1.21	28.9	40.5	0.50	0.14	0.14	31.65	5.0	17.5	8.30	4.05	1.94	4.9	3.5	<0.02	10	0.08	16.5	21.6	0.37	401	0.24	0.030	2.24	9.0	184.0	9
10	WC6100500	1	0.2	0.91	26.5	50.5	0.54	0.17	0.33	24.13	7.1	14.5	6.65	3.69	2.05	6.1	3.3	<0.02	10	0.06	12.0	19.0	0.29	739	0.50	0.020	2.54	5.4	191.0	10
11	WC6100525	1	0.4	1.90	33.1	38.5	0.44	0.24	0.35	35.44	6.4	29.5	5.62	5.35	2.79	8.2	4.4	<0.02	20	0.09	18.0	31.0	0.59	465	0.53	0.028	3.50	11.5	388.0	11
12	WC6100550	2	0.2	1.01	28.6	32.5	0.32	0.17	0.21	23.59	3.8	13.0	2.32	3.90	2.24	6.5	3.4	0.02	10	0.09	13.0	24.4	0.34	232	0.59	0.022	3.40	5.7	218.0	12
13	WC6100575	1	0.7	1.97	36.5	79.0	0.54	0.20	0.43	36.99	7.9	28.0	4.02	7.76	3.39	9.0	4.6	0.04	30	0.13	18.5	43.8	0.68	474	0.51	0.026	4.38	16.2	356.0	13
14	WC6100600	2	0.3	1.55	47.7	71.0	0.44	0.16	0.33	44.29	6.9	22.5	3.72	5.56	2.77	6.9	4.0	<0.02	15	0.10	22.5	34.6	0.53	1038	0.38	0.021	2.20	11.8	440.0	14
15	WC6100625	1	0.3	1.29	24.3	55.5	0.42	0.11	0.33	28.73	5.2	28.0	2.20	4.90	2.84	6.7	4.0	<0.02	15	0.07	15.5	24.8	0.41	401	0.57	0.022	2.76	9.0	315.0	15
16	WC6100650	2	0.3	1.04	71.9	69.5	0.28	0.44	0.51	31.87	5.6	16.5	5.88	7.77	1.99	4.4	3.2	<0.02	20	0.06	17.5	22.3	0.33	672	0.29	0.021	1.44	9.4	476.0	16
17	WC6100675	1	0.5	1.92	65.5	101.0	0.50	0.21	0.19	52.63	9.8	26.0	5.40	8.85	3.23	6.8	4.5	<0.02	20	0.10	25.5	34.6	0.62	781	0.45	0.026	2.02	22.3	295.0	17
18	WC6100700	1	0.3	1.22	24.8	69.0	0.36	0.12	0.73	38.17	5.6	17.0	4.50	4.91	2.37	6.1	3.5	<0.02	15	0.08	19.5	26.7	0.40	900	0.35	0.021	2.44	8.0	305.0	18
19	WC6100725	1	0.3	1.53	42.0	27.0	0.34	0.26	0.14	86.22	7.4	23.0	5.95	5.08	2.44	5.1	3.9	<0.02	10	0.08	29.0	31.5	0.61	745	0.16	0.048	1.54	13.9	209.0	19
20	WC6100754	1	0.3	1.40	24.2	93.5	0.58	0.27	0.28	30.28	6.3	24.0	3.02	5.40	3.00	7.5	4.0	0.02	20	0.10	16.0	28.1	0.46	549	0.60	0.025	3.66	11.1	329.0	20
21	WC6200550	2	0.4	2.19	90.7	77.0	0.46	1.12	0.43	47.01	10.9	42.5	10.10	33.21	3.63	9.9	5.5	0.04	35	0.07	29.5	82.5	0.80	659	0.31	0.072	5.12	27.0	504.0	21
22	WC6200575	2	0.5	1.52	76.2	55.5	0.50	1.01	0.20	50.29	8.6	26.0	14.76	17.46	2.83	5.7	3.9	0.02	20	0.10	26.5	46.8	0.68	676	0.30	0.052	2.22	22.9	417.0	22
23	WC6200600	1	0.4	1.82	25.6	35.0	0.38	0.38	0.22	36.11	6.4	24.0	4.16	4.27	2.41	6.5	4.1	<0.02	15	0.07	18.5	34.4	0.55	278	0.25	0.029	3.34	11.8	395.0	23
24	WC6200625	1	0.2	2.01	40.6	87.0	0.48	0.37	0.25	44.24	8.8	43.0	5.24	6.71	3.66	8.4	4.9	<0.02	15	0.10	21.5	47.8	0.79	735	0.41	0.031	3.66	15.5	345.0	24
25	WC6200650	<1	0.5	1.61	26.2	56.5	0.36	0.26	0.44	46.34	7.2	23.5	3.66	6.13	2.57	6.0	3.9	0.02	25	0.07	18.5	22.1	0.42	1141	0.51	0.023	2.64	12.9	235.0	25
26	WC6200675	1	1.6	1.48	43.9	44.5	0.36	0.44	0.24	47.84	7.2	23.5	4.58	4.79	2.58	5.4	3.9	<0.02	20	0.11	22.5	30.7	0.49	737	0.29	0.029	2.20	12.4	460.0	26
27	WC6200700	1	0.2	2.03	26.7	59.5	0.38	0.29	0.11	62.63	8.2	33.0	5.74	4.92	3.11	8.4	5.0	<0.02	20	0.11	29.0	42.8	0.72	489	0.22	0.039	3.98	15.2	381.0	27
28	WC6200725	1	0.5	2.15	22.5	59.5	0.46	0.62	0.35	44.10	10.6	30.5	6.30	5.03	4.71	8.7	6.4	0.06	50	0.08	17.5	33.4	0.66	893	0.51	0.025	4.90	14.3	715.0	28
29	WC6200750	1	0.3	1.80	25.6	87.0	0.40	0.29	0.15	46.28	9.3	47.0	6.34	5.66	3.91	11.3	6.1	0.04	30	0.14	24.0	56.1	0.81	456	0.31	0.060	6.08	19.4	672.0	29
30	WC6200775	<1	0.2	1.80	24.0	66.5	0.32	0.16	0.09	46.64	5.4	21.0	4.20	3.78	2.29	6.2	4.1	<0.02	20	0.11	24.5	34.1	0.49	317	0.24	0.022	2.48	11.6	566.0	30

Fire Assay

Et #.	Tag #	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppb	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Et #.
31	WC6200800	<1	0.3	1.85	18.5	71.0	0.44	0.19	0.57	38.27	12.4	25.0	6.40	5.41	3.14	8.8	4.6	<0.02	20	0.10	19.5	29.9	0.43	1318	0.54	0.023	3.50	10.1	284.0	31
32	WC6300175	1	0.6	2.13	44.4	45.0	0.44	0.43	0.36	52.63	12.1	32.0	5.10	9.34	3.83	6.4	5.5	0.10	20	0.13	24.5	38.6	0.67	499	0.31	0.057	3.08	24.0	272.0	32
33	WC6300230	1	0.3	1.66	41.8	60.0	0.40	0.76	0.42	45.93	7.6	24.0	4.96	7.23	3.08	6.0	4.4	0.02	30	0.11	25.5	46.2	0.53	675	0.42	0.035	3.12	13.6	357.0	33
34	WC6300250	2	0.3	2.05	67.9	111.5	0.58	2.60	0.38	59.22	11.7	38.0	10.64	10.88	3.73	7.1	3.9	0.02	25	0.19	27.0	42.2	1.51	1088	0.24	0.097	2.80	20.1	678.0	34
35	WC6300275	<1	0.2	1.68	40.5	77.0	0.46	0.39	0.54	34.01	9.6	29.0	6.40	7.50	3.33	7.2	4.0	<0.02	15	0.12	16.5	49.5	0.57	625	0.41	0.033	3.28	16.0	251.0	35
36	WC6300300	2	0.3	1.57	38.6	71.0	0.46	0.48	0.45	39.63	8.3	23.5	14.28	8.01	3.07	7.2	4.0	0.02	10	0.16	19.0	44.4	0.56	697	0.38	0.027	3.76	14.0	256.0	36
37	WC6300325	2	0.3	2.13	43.0	97.5	0.54	0.62	0.37	49.66	12.8	34.0	8.64	10.52	4.17	7.9	4.9	0.04	15	0.11	23.5	43.8	0.74	396	0.35	0.034	3.04	23.1	253.0	37
38	WC6300350	2	0.3	2.28	27.0	99.0	0.56	1.25	0.21	64.23	18.0	53.0	10.92	14.16	4.96	10.8	6.3	0.04	20	0.17	29.0	82.1	1.32	640	0.22	0.101	6.16	26.0	305.0	38
39	WC6300375	1	0.2	2.18	49.6	102.0	0.46	0.46	0.96	35.70	13.2	40.5	28.26	8.18	4.14	9.9	5.3	0.02	20	0.19	17.0	66.5	0.84	1165	0.52	0.050	4.68	17.2	301.0	39
40	WC6300400	1	0.1	2.12	201.9	80.0	0.48	0.63	0.28	57.35	10.6	30.0	19.08	12.31	3.39	7.3	4.8	0.02	20	0.10	31.0	61.2	0.75	737	0.27	0.045	2.62	23.3	326.0	40
41	WC6300425	1	0.2	1.96	37.2	88.0	0.46	0.27	0.13	59.57	8.5	25.5	9.64	6.72	3.03	6.6	4.6	0.02	20	0.19	25.0	31.9	0.60	659	0.28	0.036	2.72	18.9	332.0	41
42	WC6300450	1	0.4	1.53	48.1	70.5	0.32	0.49	0.41	34.49	7.2	20.5	17.94	10.16	2.35	5.1	3.9	0.02	20	0.08	20.5	36.6	0.43	993	0.32	0.033	2.38	17.0	261.0	42
43	WC6300475	1	0.4	1.60	36.6	99.0	0.42	0.67	0.42	59.02	7.0	21.0	11.82	12.58	2.50	5.6	4.0	0.02	20	0.12	28.0	40.7	0.55	1002	0.24	0.038	2.56	15.4	352.0	43
44	WC6300500	1	0.3	1.26	138.7	48.5	0.74	0.58	0.29	46.14	7.6	20.0	11.66	8.25	2.55	4.4	3.7	<0.02	15	0.12	22.5	43.9	0.50	657	0.27	0.040	1.78	14.1	336.0	44
45	WC6300525	1	0.3	1.41	79.8	74.0	0.34	0.65	0.20	58.82	7.9	20.5	6.76	7.81	3.08	5.3	3.9	0.02	20	0.11	30.5	31.3	0.51	965	0.32	0.035	2.18	14.2	438.0	45
46	WC6300550	1	0.5	2.00	137.1	69.5	0.40	0.81	0.47	51.79	11.1	29.5	22.90	15.27	3.20	6.5	4.5	0.02	20	0.11	34.0	54.6	0.68	817	0.33	0.053	3.36	23.9	396.0	46
47	WCSS-1	<1	0.1	0.37	54.8	26.5	0.10	0.37	0.20	20.60	2.4	5.0	3.20	1.86	0.83	1.7	1.9	<0.02	<5	0.04	10.5	11.2	0.28	529	0.08	0.025	0.62	3.0	244.0	47
48	WCSS-2	<1	0.1	0.37	50.0	24.5	0.18	0.42	0.21	28.26	2.4	5.5	3.42	2.17	0.97	1.8	2.0	<0.02	5	0.04	15.0	11.7	0.28	445	0.07	0.026	0.84	3.3	355.0	48

QC DATA:

Repeat:

1	WC6100275	1	0.2	1.91	58.5	81.0	0.56	0.37	0.43	43.00	11.2	32.0	11.32	8.11	3.52	8.2	4.8	0.04	20	0.16	18.0	42.9	0.67	1267	0.69	0.043	4.38	17.6	241.0	1
10	WC6100500	<1	0.2	0.95	28.8	52.5	0.60	0.17	0.33	25.69	7.3	15.5	6.76	3.94	2.14	6.6	3.3	<0.02	10	0.07	13.5	19.7	0.30	759	0.55	0.021	2.66	6.2	190.0	10
19	WC6100725	1	0.3	1.59	43.8	29.5	0.38	0.27	0.15	88.01	7.8	24.0	6.20	5.36	2.53	5.4	4.4	<0.02	15	0.08	31.5	33.6	0.65	767	0.17	0.050	1.58	14.5	217.0	19
28	WC6200725	1	0.5	2.16	20.0	57.5	0.44	0.59	0.33	42.54	10.0	28.5	6.16	5.27	4.59	7.7	5.7	0.04	45	0.08	17.0	31.8	0.64	879	0.49	0.026	4.72	13.4	692.0	28
36	WC6300300	1	0.3	1.51	39.2	69.5	0.44	0.46	0.43	39.09	7.8	22.0	14.10	8.67	2.97	6.6	4.2	<0.02	10	0.15	19.0	43.2	0.54	682	0.34	0.029	3.68	13.1	267.0	36
45	WC6300525	1	0.4	1.46	81.5	74.0	0.36	0.67	0.19	59.09	8.2	21.0	6.94	8.27	3.17	5.4	3.9	0.02	20	0.12	32.0	32.3	0.53	960	0.31	0.038	2.22	14.8	451.0	45

QC DATA:

Repeat:

Standard:

Till-3			1.5	1.04	78.8	38.5	0.31	0.52	0.09	28.73	10.3	59.7	0.64	20.74	2.09	4.5	4.1	0.04	107	0.07	13.4	19.9	0.65	325	0.62	0.058	0.76	31.7	458.2	Till-3	
Till-3			1.5	1.08	81.7	39.7	0.30	0.54	0.09	29.23	10.5	61.4	0.63	21.18	2.14	4.5	4.1	0.04	106	0.07	13.5	19.4	0.67	331	0.62	0.062	0.82	32.0	456.0	Till-3	
Till-3			1.5	1.01	83.7	40.8	0.31	0.54	0.09	30.12	10.2	59.7	0.65	21.52	2.11	4.6	4.1	0.04	110	0.08	14.0	20.6	0.66	331	0.62	0.061	0.77	32.3	457.0	Till-3	
SE29		597																													SE29
SE29		604																													SE29
SE29		601																													SE29

Standard:

JJ/nl

dt/mse-1524S

XLS/07

JJ/nl

dt/mse-15

XLS/07

30-Nov-07  
 ECH LABORATORY LTD.  
 Dallas Drive  
 OOPS, B.C.  
 4

Gary Lee  
 PO Box 31800  
 Whitehorse, YK

250-573-5700  
 250-573-4557

Submitted by: Gary Lee

*in ppm unless otherwise reported*

Tag #	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
WC6100275	112.10	66.5	<0.001	0.04	0.78	3.5	<0.1	1.4	58.5	<0.05	0.04	6.8	0.091	0.20	1.0	42	<0.1	216.5	2.3
WC6100300	52.85	42.6	<0.001	0.04	0.46	5.2	<0.1	1.5	54.0	<0.05	0.04	6.3	0.116	0.18	0.7	54	<0.1	287.6	2.8
WC6100325	74.53	51.3	<0.001	0.04	0.56	2.9	<0.1	1.8	22.0	<0.05	0.02	5.5	0.083	0.14	0.7	50	<0.1	258.1	1.1
WC6100350	91.45	49.2	<0.001	0.04	0.62	1.9	<0.1	1.4	13.0	<0.05	<0.02	3.9	0.046	0.12	0.9	36	<0.1	287.5	0.5
WC6100375	52.90	37.6	<0.001	0.06	1.04	2.1	<0.1	1.1	22.0	<0.05	0.02	3.2	0.064	0.16	1.9	44	<0.1	247.8	1.0
WC6100400	21.06	21.8	<0.001	0.04	0.58	1.9	<0.1	1.2	20.0	<0.05	<0.02	8.7	0.061	0.08	0.6	44	<0.1	75.5	2.4
WC6100425	38.86	23.2	<0.001	0.06	3.34	5.2	0.2	1.0	70.0	<0.05	0.06	14.9	0.029	0.18	1.0	50	<0.1	147.8	6.3
WC6100450	41.71	23.8	<0.001	0.04	0.80	2.1	<0.1	0.9	20.0	<0.05	<0.02	6.7	0.057	0.08	0.6	32	<0.1	92.8	1.3
WC6100475	41.67	23.7	<0.001	0.04	0.80	2.1	<0.1	0.9	20.0	<0.05	<0.02	6.8	0.057	0.08	0.6	32	<0.1	92.0	1.3
WC6100500	46.19	26.1	<0.001	0.04	0.63	1.3	<0.1	1.1	10.5	<0.05	0.02	2.5	0.057	0.08	0.4	42	<0.1	159.9	0.7
WC6100525	85.78	31.4	<0.001	0.06	1.62	2.8	<0.1	1.2	24.0	<0.05	0.02	4.5	0.078	0.10	1.1	50	<0.1	177.4	1.3
WC6100550	49.05	29.1	<0.001	0.04	0.96	1.8	<0.1	1.7	9.5	<0.05	0.02	4.9	0.062	0.08	0.5	38	<0.1	168.7	1.6
WC6100575	98.80	33.8	<0.001	0.04	0.88	3.6	<0.1	2.1	17.5	<0.05	0.02	7.9	0.073	0.14	0.9	56	<0.1	274.0	2.5
WC6100600	72.99	29.9	<0.001	0.04	1.50	2.4	<0.1	1.4	14.5	<0.05	0.04	6.7	0.043	0.12	0.9	42	<0.1	281.8	0.6
WC6100625	45.74	20.8	<0.001	0.04	0.60	2.1	<0.1	1.2	13.0	<0.05	0.02	5.7	0.063	0.08	0.6	50	<0.1	191.1	1.2
WC6100650	28.85	16.2	<0.001	0.06	1.12	1.4	<0.1	0.7	32.5	<0.05	0.02	2.1	0.025	0.08	2.1	34	<0.1	167.0	0.5
WC6100675	109.70	24.0	<0.001	0.04	3.14	3.1	<0.1	1.3	24.0	<0.05	0.04	10.2	0.032	0.14	1.4	42	<0.1	210.3	1.1
WC6100700	62.78	28.2	<0.001	0.04	0.90	1.9	<0.1	1.2	11.0	<0.05	0.02	5.7	0.049	0.08	1.0	38	<0.1	248.3	0.6
WC6100725	124.70	12.7	<0.001	0.04	1.48	3.6	<0.1	0.9	47.5	<0.05	0.04	10.8	0.048	0.12	1.5	34	<0.1	122.1	0.9
WC6100754	63.80	31.0	<0.001	0.04	0.64	2.5	<0.1	1.4	20.0	<0.05	0.04	5.9	0.057	0.08	0.6	46	0.1	165.3	1.5
WC6200550	35.56	17.9	<0.001	0.08	0.74	5.0	0.4	1.5	136.0	<0.05	0.06	5.1	0.077	0.18	3.9	56	<0.1	213.2	2.5
WC6200575	71.10	14.2	<0.001	0.08	2.06	3.2	0.2	1.0	98.0	<0.05	0.06	5.0	0.052	0.16	1.8	36	<0.1	141.5	1.0
WC6200600	42.90	14.9	<0.001	0.06	0.68	2.7	<0.1	1.1	25.0	<0.05	0.02	3.7	0.049	0.08	5.3	40	<0.1	124.9	0.5
WC6200625	77.45	30.7	<0.001	0.06	1.60	4.0	<0.1	1.5	31.0	<0.05	0.04	6.2	0.058	0.14	1.6	56	<0.1	151.6	1.0
WC6200650	48.91	26.6	<0.001	0.04	1.46	2.3	<0.1	1.0	22.5	<0.05	0.02	5.8	0.055	0.12	1.4	44	<0.1	128.9	1.6
WC6200675	84.66	20.3	<0.001	0.06	2.76	2.7	0.1	1.0	36.0	<0.05	0.02	5.5	0.032	0.12	0.9	36	<0.1	153.7	0.5
WC6200700	73.32	19.8	<0.001	0.06	0.66	4.4	0.1	1.5	39.0	<0.05	0.02	10.8	0.080	0.14	1.1	52	<0.1	111.9	1.1
WC6200725	77.40	26.6	<0.001	0.06	0.60	3.5	0.2	1.2	31.5	<0.05	0.04	7.8	0.061	0.14	1.2	56	0.2	173.9	3.5
WC6200750	60.41	27.8	<0.001	0.06	0.32	5.8	0.2	1.4	58.5	<0.05	0.04	10.4	0.127	0.14	0.9	64	<0.1	127.4	2.3
WC6200775	53.72	19.5	<0.001	0.04	0.40	2.5	<0.1	1.2	9.5	<0.05	<0.02	8.7	0.031	0.12	1.0	40	<0.1	117.3	0.9

ECO TECH LABORATORY LTD.

Tag #	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
WC6200800	75.20	37.1	<0.001	0.04	0.42	2.5	<0.1	1.5	19.5	<0.05	0.02	5.8	0.056	0.10	0.7	54	<0.1	250.5	0.9
WC6300175	97.18	28.0	<0.001	0.04	1.66	3.5	0.1	0.9	56.0	<0.05	0.04	12.3	0.077	0.14	1.1	42	<0.1	125.7	6.0
WC6300230	65.04	31.0	<0.001	0.08	1.54	2.7	0.1	1.0	46.0	<0.05	0.04	5.0	0.042	0.14	2.7	38	<0.1	108.6	1.3
WC6300250	74.81	33.8	<0.001	0.08	4.76	3.7	0.4	1.2	170.5	<0.05	0.06	5.6	0.045	0.20	1.7	30	<0.1	132.0	1.3
WC6300275	55.84	45.9	<0.001	0.06	1.68	2.8	<0.1	1.2	40.0	<0.05	0.04	5.2	0.069	0.14	0.9	44	<0.1	259.3	1.6
WC6300300	35.11	48.6	<0.001	0.06	1.08	3.1	<0.1	1.8	48.0	<0.05	0.04	6.8	0.095	0.16	1.6	48	<0.1	196.0	1.2
WC6300325	77.06	32.5	<0.001	0.06	8.68	3.8	0.1	1.3	80.5	<0.05	0.04	7.7	0.017	0.28	2.1	40	<0.1	206.7	2.5
WC6300350	28.30	24.3	<0.001	0.06	1.64	5.7	0.2	1.5	145.5	<0.05	0.08	14.1	0.152	0.18	2.2	52	<0.1	132.6	3.0
WC6300375	39.24	87.2	<0.001	0.06	1.68	4.0	<0.1	1.5	70.0	<0.05	0.04	5.4	0.079	0.18	2.0	58	<0.1	365.2	1.9
WC6300400	60.31	16.8	<0.001	0.06	2.54	3.7	0.2	1.2	82.5	<0.05	0.04	6.4	0.042	0.18	2.2	42	<0.1	151.3	1.1
WC6300425	66.89	38.9	<0.001	0.04	1.70	3.2	0.1	1.2	33.0	<0.05	0.02	10.8	0.057	0.18	1.3	40	<0.1	127.1	1.8
WC6300450	40.77	20.0	<0.001	0.06	1.26	2.5	<0.1	0.9	44.5	<0.05	0.02	4.3	0.043	0.12	1.9	34	<0.1	156.8	1.2
WC6300475	74.64	25.0	<0.001	0.06	1.32	3.0	0.1	1.2	65.0	<0.05	0.04	6.7	0.043	0.16	2.5	38	<0.1	147.2	1.0
WC6300500	44.63	37.0	<0.001	0.08	2.36	2.3	<0.1	0.8	55.5	<0.05	0.06	3.7	0.029	0.12	2.1	28	<0.1	111.4	0.7
WC6300525	47.21	32.1	<0.001	0.06	1.44	2.9	0.1	0.9	48.5	<0.05	0.02	4.3	0.033	0.20	2.6	34	<0.1	85.8	0.9
WC6300550	53.38	23.7	<0.001	0.08	4.54	3.4	0.1	1.1	77.5	<0.05	0.04	4.1	0.038	0.16	2.5	38	<0.1	180.1	1.3
WCSS-1	39.86	6.7	<0.001	0.04	0.44	0.8	<0.1	0.4	13.5	<0.05	<0.02	3.1	0.019	0.04	0.4	10	<0.1	68.9	0.3
WCSS-2	34.32	7.3	<0.001	0.06	0.38	0.9	<0.1	0.5	16.0	<0.05	<0.02	4.1	0.022	0.04	0.5	12	<0.1	76.0	0.3

LA:

WC6100275	115.50	66.9	<0.001	0.06	0.80	3.6	<0.1	1.5	58.0	<0.05	0.04	7.2	0.090	0.18	0.9	44	<0.1	221.0	2.1
WC6100500	49.50	27.6	<0.001	0.04	0.68	1.4	<0.1	1.2	11.0	<0.05	0.02	3.4	0.056	0.08	0.5	44	<0.1	165.3	0.7
WC6100725	130.30	13.2	<0.001	0.04	1.54	3.8	0.1	0.9	50.0	<0.05	0.04	11.3	0.055	0.14	1.5	36	<0.1	127.1	0.9
WC6200725	75.44	24.9	<0.001	0.06	0.56	3.2	0.2	1.1	30.0	<0.05	0.04	7.1	0.059	0.12	1.1	50	0.2	169.3	3.2
WC6300300	34.63	47.1	<0.001	0.06	1.16	2.8	<0.1	1.7	46.5	<0.05	0.04	5.4	0.098	0.16	1.5	46	<0.1	188.4	1.1
WC6300525	47.33	32.5	<0.001	0.08	1.36	2.8	0.1	0.9	50.0	<0.05	0.04	4.3	0.035	0.20	2.7	36	0.1	88.0	0.8

rd:

18.07	6.7	<0.001	0.03	0.68	3.2	0.6	1.4	13.4	<0.05	0.07	2.3	0.035	0.07	1.1	35	<0.1	38.9	1.1
16.32	7.0	<0.001	0.03	0.70	3.2	0.5	1.4	14.1	<0.05	0.06	2.4	0.038	0.06	1.2	36	<0.1	39.7	1.1
17.69	7.3	<0.001	0.03	0.72	3.3	0.5	1.4	14.7	<0.05	0.06	2.4	0.036	0.07	1.3	35	<0.1	40.3	1.0