ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

PROSPECTING, MAPPING, GEOCHEMICAL SAMPLING AND DIAMOND DRILLING

at the

FOX PROPERTY

FOX 1-188 YC52526-YC52713

NTS 116I/16
Latitude 66º56'N; Longitude 136º16'W

in the

Dawson Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

SOUTHAMPTON VENTURES INC.
and
STRATEGIC METALS LTD.

by

Matthew R. Dumala, B.A.Sc., EIT
November 2007

TABLE OF CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY	1
GEOMORPHOLOGY	2
REGIONAL GEOLOGY	2
PROPERTY GEOLOGY	3
MINERALIZATION AND GEOCHEMISTRY	4
DIAMOND DRILLING	6
DISCUSSION AND CONCLUSIONS	7
REFERENCES	8

APPENDICES

I STATEMENT OF QUALIFICATIONS

II CERTIFICATES OF ANALYSIS

III ROCK SAMPLE DESCRIPTIONS

IV GEOLOGICAL AND GEOTECHNICAL LOGS

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Location	1
3	Tectonic Setting	2
4	Property Geology	3
5	Stratigraphic Section	3
6	Sample Locations	4
7	Geochemistry	in pocket
8	Drill Plan	4

TABLES

No.	Description	Page
I	Regional Lithological Descriptions	2
II	Drill Hole Data	4

INTRODUCTION

The Fox property hosts a sheet-like massive sulphide layer enriched with nickel, molybdenum and zinc. It is located in north-central Yukon and is owned 100% by Strategic Metals Ltd. This property and seven others in northern Yukon are under option to Southampton Ventures Inc. as part of the NiMo Project.

This report describes exploration work that was conducted between June 6 and September 4, 2007 by Archer, Cathro & Associates (1981) Limited on behalf of Southampton Ventures. The work was supervised by the author and consisted of prospecting, mapping and diamond drilling. The author's statement of qualifications appears in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Fox property comprises 188 contiguous mineral claims located in north-central Yukon Territory on NTS map sheet 116I/16 at latitude 66˚56'N and longitude 136˚16'W (Figure 1). The claims are registered with the Dawson Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Claim data are listed below while the locations of individual claims are shown on Figure 2.

Claim Number	Grant Number	Expiry Date*
Fox 1-188	YC52526-YC52713	February 22, 2012

* Expiry date includes 2007 work which has been filed for assessment credit but not yet accepted.


The Fox property is located 70 km north of Eagle Plains Lodge and is accessible via the Yukon highway system using the Klondike Highway and Dempster Highway. The property is situated 936 km by road north of Whitehorse.


In 2007, daily access to the property from the Eagle Plains Lodge was by truck or by Bell 206B and 206L helicopters operated by Fireweed Helicopters Ltd.

HISTORY

The potential for nickel-molybdenum-zinc rich mineralization along the contact between the Earn and Road River Groups within the Eagle Plain Basin was first recognized during a mineral potential assessment conducted by the Yukon Geological Survey in 1997 (Héon, 2006). This assessment identified a number of stream sediment anomalies over which Strategic staked the Fox property in 2006.

Prior to 2007 little mineral exploration had been conducted in the immediate vicinity of the Fox property. The closest significant work programs in 2007 were at the Nor property, 82 km to the southeast and in the Wernecke Mountains, 182 km to the southeast. Both of these programs explored for IOCG type deposits in Proterozoic basement rock.


SOUTHAMPTON VENTURES INC.
STRATEGIC METALS LTD.
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
FIGURE 1
PROPERTY LOCATION
FOX PROPERTY
NiMo PROJECT
0 50 100 150 200 km
FILE: ...2007/NIMO/FOX-F_1-LOCATION.DWG
NOVEMBER 2007
IVVAVIK NATIONAL PARK
VUNTUT NATIONAL PARK
INUVIK
ALASKA
YUKON TERRITORY
FOX
EAGLE PLAINS
DEMPSTER HWY
DAWSON
NORTHWEST
TERRITORIES
YUKON
KLONDIKE
HWY
ELSA
MAYO
CARMACKS
FARO
ROSS RIVER
RIVER
KLUANE
NATIONAL
PARK
HAINES JUNCTION
WHITEHORSE
CARCROSS
ALASKA
WATSON LAKE
HWY
ALASKA
SKAGWAY
ATLIN
HAINES
CASSIAR
BRITISH
COLUMBIA



SOUTHAMPTON VENTURES INC.
STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 2

CLAIM LOCATION

FOX PROPERTY

NiMo PROJECT

0 0.5 1 2 3 km

UTM ZONE 8W, NAD 83, 116I/16

FILE: ...2007/NIMO/FOX-F_2-CLAIMS.WOR | DATE: NOVEMBER 2007

The Eagle Plain Basin, located about 20 km south west of the property, was the focus of extensive petroleum exploration between the mid 1950s and mid 1980s. This work included drilling of 33 wells and 9952 line-km of reflection seismic surveys. A total of 83.7 Bcf of natural gas and 11.05 MMbbls of crude oil was identified within the basin (Osadetz, 2005).

GEOMORPHOLOGY

The Fox property is located within foothills on the western edge of the Richardson Mountains. The property is drained by White Fox Creek and its tributaries, which ultimately flows into the Bering Sea via the Rock, Porcupine and Yukon Rivers.

Local elevations ranging from about 470 m alongside the Dempster Highway in the western part of the property up to 800 m atop a small hill to the southeast. Outcrop is only found along some of the more deeply incised drainages and steeper hillsides. Vegetation consists of stunted spruce, buckbrush, moss and grass.

REGIONAL GEOLOGY

The Fox property lies along the western margin of the Richardson Fault Array, a cluster of north-trending curvilinear, near vertical faults. Episodic reactivation of the Richardson Fault Array in Early and Middle Paleozoic formed a north- to northwest-trending intracratonic depression known as the Richardson Trough (Figure 3). Deep water shale and argillaceous limestone of the Ordovician to Silurian Road River Group were deposited within the trough atop Cambrian- and Proterozoic-age strata. Younger Paleozoic sediments unconformably cap the Road River Group within the trough and elsewhere in a surrounding broader basin. The entire stratigraphic section is folded by a large-scale anticline that plunges to the north. This anticline is called the Richardson Anticlinorium and its axis approximately coincides with the centre of the trough. To the east, the Richardson Trough is bound by the Trevor Fault and to the west, by the Deception Fault.

The following table summarizes the main lithologies in the Fox area from youngest to oldest.

Table I: Regional Lithological Descriptions (after Norris, 1975)

QUATERNARY
Fluvial silt, sand and gravel.


-UNCONFORMITY-

PERMIAN
Jungle Creek Formation: mudstone, calcareous, cherty; limestone, and silty micrite.

-UNCONFORMITY-

UPPER CARBONIFEROUS
Ettrain Formation: cherty limestone.

Hart River Formation: limestone, dolomite and chert.



ANCESTRAL NORTH AMERICA

- MP — Mackenzie Platform
- SB — Selwyn Basin
- RT — Richardson Trough

TERRANES
Displaced Continental Margin

- AA — Arctic Alaska
- CA — Cassiar
- PC — Porcupine

Pericratonic Terranes

- YT — Yukon-Tanana / Slide Mountain

ACCRETED TERRANES

- ST — Stikinia / Cache Creek
- AX — Alexander
- WR — Wrangellia
- CG — Chugach

SOUTHAMPTON VENTURES INC.
STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 3

TECTONIC SETTING
FOX PROPERTY
NiMo PROJECT

0 100 200 km

FILE: ...2007\NIMO\FOX\F_3-REGIONAL.DWG

DATE: NOVEMBER 2007

UPPER DEVONIAN TO LOWER CARBONIFEROUS
Ford Lake Shale: siliceous shale, chert and limestone.

MIDDLE TO UPPER DEVONIAN
Earn Group: a conformable marine sequence consisting of upper Imperial Formation and basal Canol Formation. Imperial Formation consists of sandstone, siltstone and shale. The Canol Formation is a sequence of siliceous shale representing a rapid rise of sea level in early Late Devonian.

-UNCONFORMITY-

ORDOVICIAN TO SILURIAN
Road River Group: a 150 to 750 m thick sequence of fossiliferous limestone and calcareous shale.

-UNCONFORMITY-

LOWER AND MIDDLE CAMBRIAN
Slats Creek Formation: siltstone, conglomerate, sandstone and limestone.

PROPERTY GEOLOGY


The Fox property is situated over shallowly (15-20°) west dipping shale, which belong to the Middle to Upper Devonian Earn Group and Ordovician to Silurian Road River Group (Figure 4). The Earn Group is composed of sandy shale belonging to the Imperial Formation, which is exposed immediately west of the property, and conformably underlying siliceous shale of the Canol Formation, which forms a narrow north-south band across the property. The Earn Group sits unconformably above calcareous shale belonging to the Road River Group, which underlies the eastern part of the property. Figure 5 shows a generalized stratigraphic section.

On some other properties belonging to the NiMo Project, the contact between the Earn Group and Road River Group is typically marked by a unique lithological sequence consisting of a phosphatic chert member, sulphide horizon, nodular shale and limestone ball member. However, these distinctive lithologies are often missing at the Fox Property. Where the contact is seen, it is usually sharp and is defined by an abrupt change in carbonate content and competency.

MINERALIZATION AND GEOCHEMISTRY

Regionally a thin, nickeliferous, massive sulphide layer, known as the NiMo horizon, is found within the contact zone between the Earn and Road River Groups. This sulphide layer is usually less than 0.5 cm thick and often appears to be lenticular.

A similar massive sulphide horizon is reported at the same stratigraphic location at the Nick property, 245 km to the south. The Nick massive sulphide horizon covers an area greater than 80 km^2 and comprises pyrite, vaesite, melnikovite-type pyrite, sphalerite and wurtzite hosted in a gangue of phosphatic-carbonaceous chert, silica and bitumen (Hulbert et al, 1992). Assays from the Nick horizon average 3.01% nickel, 0.20% molybdenum, 0.82% zinc, 0.82% vanadium, 310 ppb platinum and 150 ppb palladium. Anomalous rhenium (up to 61 ppm), uranium (up to 107.7 ppm), barium (up to 4300 ppm), selenium (up to 2400 ppm) and arsenic (up to 4200 ppm) were also reported. This horizon was the type deposit for exploration at the Fox property.



Devonian Imperial Formation

Devonian Canol Formation

Ordivician to Devonian Road River Group

Contact (known, infered)

Normal fault (known, infered)

Thrust fault

FX07-01 2007 diamond drill hole

SOUTHAMPTON VENTURES INC.
STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 4

PROPERTY GEOLOGY


FOX PROPERTY

NiMo PROJECT

0 3.0 km

UTM ZONE 8W, NAD83
116I16

FILE: ...2007/NIMO/FOX/F_4-GEO.DWG | DATE: NOVEMBER 2007



SOUTHAMPTON VENTURES INC.
STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 5

STRATIGRAPHIC SECTION
FOX PROPERTY
NiMo PROJECT

not to scale

...2007/NIMO/FOX/F_5-STRAT.CDR OCTOBER 2007

In 2007, 5 rock, 291 soil and 61 silt samples were collected on the Fox property. All samples were sent to ALS Chemex in North Vancouver. Rock samples were analyzed using the inductively coupled plasma technique for 49 elements (ME-MS61m). These samples were also analyzed for gold, platinum and palladium (PGM-ICP23). Silt and soil samples were analyzed using the inductively coupled plasma technique for 32 elements (ME-MS41). Sample locations are illustrated on Figure 6 while soil and silt geochemical results for nickel, molybdenum and zinc are shown on Figure 7.

Samples collected near the projected surface trace of the NiMo horizon returned the highest values. Silt samples reached maximum values of 254 ppm nickel, 95.2 ppm molybdenum and 1230 ppm zinc. Soil samples returned maximum values of 1255 ppm nickel, 154.5 ppm molybdenum and 2.15% zinc. The most anomalous samples were all taken from a soil line that crosses a small hill in the southern portion of the property. Rock samples produced near background values for all metals.

DIAMOND DRILLING


General

Drilling was done between August 28 and September 3, 2007 and was contracted to North Star Drilling Services Inc. of Delta, BC. The work was completed with a unitized JKS Super-300 diesel powered drill using BTW equipment. A total of 425.20 m of diamond drilling was completed in 4 holes. All drill moves were made by helicopter. The 2007 holes tested along the contact between the Canol Formation and Road River Group (Figure 8). All drill sites were constructed by hand atop natural ground cover using 6”x 6” timbers. Drill data for the holes is listed in Table II.

Table II: Drill Hole Data

Hole	Easting	Northing	Elevation	Azimuth	Angle	Depth (m)
FX07-01	442448	7420653	553	110°	-75°	32.00
FX07-02	442197	7420757	549	110°	-75°	106.68
FX07-03	442337	7423398	550	110°	-75°	210.31
FX07-04	442940	7424258	581	110°	-75°	76.20

Core was transported from the drill sites to a central logging area on the property, where recovery was measured and geological and geotechnical logging were performed. Geologically and mineralogically favourable intervals from each hole were transported by truck to the Eagle Plains Lodge where they were sawn with one-half bagged and sent for analysis and the other half returned to the core box. Core boxes containing sampled core were shipped to Whitehorse and placed in storage. All other core is stored on the property. Appendix IV contains the geological and geotechnical logs.


T.N.
1°09'
26°57'
Grid north
Magnetic north
Annual change decreasing 32'
7 428 000 mN
7 426 000 mN
7 424 000 mN
7 422 000 mN
7 420 000 mN
442 000 mN
444 000 mN
Dempster Highway
Property Boundary
CC39602
CC39603
CC39604
CC39606
CC39607
CC39608
CC39609
CC39610
CC39611
CC39612
CC39613
CC39614
CC39615
CC39616
CC39617
CC39618
CC39619
CC39620
CC29759
CC29760
CC29761
CC29762
CC29651
CC29652
CC29653
CC29654
CC29655
CC29656
CC39877
CC39880
CC39882
CC39884
CC39885
CC39886
CC39887
CC39888
CC39889
CC39890
CC39892
C385638
C385639
CC39893
CC39894
CC39895
CC39899
CC39951
CC39962
CC27886
CC27888
CC27974
CC27990
CC39978
CC39997
CC39852
CC39858
CC27921
CC40000
CC39987
CC27925
CC27957
CC27973
CC27922
CC20226
CC20221
CC20463
CC20464
CC39942
CC27507
CC27501
CC39927
CC39941
CC39915
CC39926
CC39638
CC39663
CC39623
CC39637
CC39600
CC39561
CC39596
C385640
CC39597
CC39599
CC39598
CC39908
CC39913
CC39594
CC39593
B375553
CC39591
CC39592
CC39621
CC39622
CC39636
CC39624
CC39628
CC39631
CC39907
CC39625
CC39901
CC39799
CC39810
CC27944
CC27955
CC27956
CC39851
CC39811
CC27929
CC27943
CC39838
CC39841
CC39626
CC39632
CC27827
CC39837
CC27823
CC27826
CC27828
CC27829
CC27830
CC27831
CC39633
CC39634
CC20241
C385627
CC27832
CC27833
CC39829
CC39814
CC39828
CC27788
CC27789
CC27790
CC27792
CC27787
CC27780
CC27777
CC27779
Soil sample
Silt sample
Rock sample
SOUTHAMPTON VENTURES INC.
STRATEGIC METALS LTD.
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
FIGURE 6
SAMPLE LOCATIONS
FOX PROPERTY
NiMo PROJECT
0 0.5 1 2 3 km
UTM ZONE 8W, NAD 83, 116I/16
FILE: ...2007/NIMO/FOX-F_6-SAMPLES.WOR
DATE: NOVEMBER 2007

T.N.
1°09'
26°57'
Grid north
Magnetic north
Annual change decreasing 32'

7 428 000 mN
7 426 000 mN
7 424 000 mN
7 422 000 mN
442 000 mN
444 000 mN

Dempster Highway
uDc
OSr
Property Boundary
FX07-01
FX07-02
FX07-03
FX07-04

Nickel (ppm)
- ≥ 500
- ≥ 200 < 500
- ≥ 100 < 200
- ≥ 50 < 100
- ≥ 0 < 50

Molybdenum (ppm)
- ≥ 100
- ≥ 50 < 100
- ≥ 20 < 50
- ≥ 10 < 20
- ≥ 0 < 10

Zinc (ppm)
- ≥ 5,000
- ≥ 2,000 < 5,000
- ≥ 1,000 < 2,000
- ≥ 500 < 1,000
- ≥ 200 < 500
- ≥ 0 < 200

uDc Devonian Canol Formation
OSr Ordivician to Devonian Road River Group
Contact


Soil sample
Silt sample
Rock sample

SOUTHAMPTON VENTURES INC.
STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
FIGURE 7
GEOCHEMISTRY
FOX PROPERTY
NiMo PROJECT

0 0.5 1 1.5 km
UTM ZONE 8W, NAD 83, 116I/16

FILE: ...2007/NIMO/FOX-F_7-GEOCHEM.WOR
DATE: NOVEMBER2007



Canol-Road River contact (known, infered)

SOUTHAMPTON VENTURES INC.
STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 8

DRILL PLAN

FOX PROPERTY
NiMo PROJECT

0 1.5 km

UTM ZONE 8W, NAD83
116I16

FILE: ...2007/NIMO/FOX/F_8-DRILL.DWG | DATE: NOVEMBER 2007

Core samples were transported from Eagle Plains to Whitehorse by truck, escorted by a representative of Archer Cathro. The samples were then shipped to ALS Chemex in North Vancouver. Core samples were dried and crushed to 70% minus 2 mm, before a 1.5 kg split was taken and pulverized to better than 85% minus 75 microns. A split of the pulverized fraction was dissolved in aqua regia and analyzed using the inductively coupled plasma technique for 49 elements (ME-MS61m). Certificates of Analysis are found in Appendix II.

Results

Diamond drilling intersected shales belonging to the Canol Formation and the Road River Group in all holes except for FX07-01, which collared directly into Road River Group.

In drill core, the Canol Formation shale is black, non-calcareous and finely laminar. It is slightly to moderately weathered, fissile and somewhat friable. The Road River Formation comprised calcareous, finely laminar, black shale that is distinguished from shale belonging to the Canol Formation by its vigorous reaction with dilute hydrochloric acid.

Drill core from FX07-03 and FX07-04 was very hard, almost cherty. The only recognizable differences between the Canol Formation and Road River Group were increases in carbonate content and competency within the Road River. The contact was often gradational, occurring over several metres and was not marked by a sulphide horizon or limestone ball member like other NiMo properties. A total of 13 samples was taken from these holes returning an average of 250 ppm nickel, 2692 ppm zinc, 61 ppm molybdenum and 2.82 ppm silver.

The contact area in FX07-02 exhibits sharper changes in carbonate content, competency and hardness. Five samples were taken from this hole returning an average of 395 ppm nickel, 917 ppm zinc, 66 ppm molybdenum and 1.00 ppm silver.

DISCUSSION AND CONCLUSIONS

Regionally, the nickel rich, NiMo horizon occurs at a predictable stratigraphic location and has demonstrated considerable lateral continuity. These factors coupled with the horizon's diverse metal suite and consistently high metal value makes it an attractive exploration target.

The contact zone intersected in holes FX07-03 and FX07-04 differed from the expected NiMo model, returning only slightly elevated zinc and silver values without any nickel and molybdenum rich massive sulphide layer. Although no visible mineralization was reported, it is possible that fine grained disseminated tetrahedrite is present.

The subdued topography and thick blanket of glacial and fluvial cover present at this property severely limit the effectiveness of surface exploration techniques in tracing and evaluating NiMo type mineralization. Although drilling returned disappointing results, only a small portion of the property has been tested. The effectiveness of drilling was hampered by late season thaw, which caused unstable ground for the drill set ups.

Further widely spaced drilling and soil sampling are recommended. The drilling should begin in late March before the frost melts and drill pads become unstable. Core from the 2007 drilling should be re-examined for possible fine grained mineralization in the contact zone and additional samples should be taken around the previous sample intervals to identify the full extent of the elevated zinc and silver values.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Matthew R. Dumala, B.A.Sc. EIT.

REFERENCES

Coveney, R.M., Murowchick, J.B., Grauch, R.I., Nansheng, C. and Glascock, M.D.
1992 Field Relations, Origins, and Resource Implications for Platiniferous Molybdenum-Nickel Ores in Black Shales of South China; Exploration Mining Geology, Vol. 1, No. 1, pp 21-28.

Héon, D
2006 Mineral Assessment of the Eagle Plain Study Area, Yukon; Yukon Geological Survey Open File 2006-3.

Hulbert, L.J., Grégoire, D.C., Paktunc, D. and Carne, R.C.
1992 Sedimentary Nickel, Zinc, and Platinum-group-element Mineralization in Devonian black Shales at the Nick Property, Yukon, Canada: A New Deposit Type; Exploration Mining Geology, Vol. 1, No. 1, pp 39-62.

Lott, D.A., Coveney, R.M., Murowchick, J.B. and Grauch, R.I.
1999 Sedimentary Exhalative Nickel-Molybdenum Ores in South China; Economic Geology, Vol. 94, pp 1051-1066.

Norris, D.K.
1975 Geology, Eagle River (116I), Yukon Territory; Geological Survey of Canada, Map 1523A.

Osadetz, K.G., Chen, Z. and Bird, T.D.
2005 Petroleum Resource Assessment, Eagle Plain Basin and Environs, Yukon Territory, Canada; Yukon Geological Survey Open File 2005-2; Geological Survey of Canada Open File 4922.

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Matthew R. Dumala, geological engineer, with business addresses in Vancouver, British Columbia and Whitehorse, Yukon Territory and residential address in Vancouver, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 2002 with a B.A.Sc in Geological Engineering, Option l, mineral and fuel exploration.

2. I am registered as an Engineer in Training in the Province of British Columbia.

3. From 2003 to present, I have been actively engaged in mineral exploration in the Yukon Territory.

4. I have personally participated in the fieldwork reported herein.

Matthew R. Dumala, B.A.Sc., EIT

APPENDIX II

CERTIFICATES OF ANALYSIS

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-OCT-2007
Account: MTT

CERTIFICATE EL07115441

Project: NIMO-FOX

P.O. No.: FM07-04

This report is for 6 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-36	Pulverize 1.5 kg to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO-FOX

Finalized Date: 28-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS EL07115441

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
G087049		1.61	2.4	2.71	44	250	1.6	0.13	2.16	34.1	19.5	5.3	86	2.5	94.5	1.34
G087050		1.50	2.5	2.51	48.2	290	1.36	0.11	2.25	38.2	22.3	5.3	94	2.51	111.5	1.25
G087051		0.50	2.47	2.19	40.5	380	1.47	0.1	1.12	38.6	15	5.2	104	2.48	87.9	1.21
G087052		1.68	3.37	2.71	61.4	510	1.78	0.15	2.49	55.5	27.2	6.3	123	3.28	153	1.39
G087053		1.79	2.84	2.86	53	320	1.57	0.14	3.09	46.2	24.9	6.2	101	2.9	116	1.39
G087054		1.09	0.03	0.07	<5	70	0.08	0.01	19.6	0.29	1.2	1	<1	0.17	2.2	0.4

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO-FOX

Finalized Date: 28-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS EL07115441

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
G087049		7.05	0.21	1.1	0.30	0.02	0.87	12.4	9.6	0.62	103	74.5	0.13	3.9	251	440
G087050		7.02	0.24	1.1	0.31	0.023	0.8	15	9.2	0.4	71	78.6	0.12	3.7	260	440
G087051		6.79	0.2	1	0.30	0.024	0.7	10.5	8.9	0.29	59	62.5	0.12	3.6	224	330
G087052		8.93	0.29	1.3	0.39	0.033	0.87	19.4	11.2	0.4	67	88.1	0.13	4.4	282	940
G087053		8.38	0.25	1.2	0.37	0.025	0.94	16.7	12.1	0.94	127	87.3	0.13	4.3	271	440
G087054		0.4	0.23	<0.1	<0.01	<0.005	0.03	0.6	1.2	11.7	180	0.73	0.01	0.2	2.3	150

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO-FOX

Finalized Date: 28-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS EL07115441

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
G087049		11.4	45.5	0.092	1.6	24.5	6.1	37	0.8	314	0.25	0.18	2.8	0.129	4.91	17.8
G087050		10.6	43.2	0.094	1.39	29.7	5.7	36	0.8	391	0.22	0.17	2.6	0.12	4.65	17.5
G087051		9.5	41.2	0.104	1.31	20.4	4.9	34	0.8	154.5	0.23	0.15	2.2	0.107	3.45	14
G087052		13.5	52.9	0.123	1.75	44.7	7.9	54	1	396	0.28	0.19	3.7	0.134	4.4	23
G087053		13.1	51.3	0.093	1.73	30.1	7	44	0.9	343	0.27	0.22	3	0.144	5.08	20.4
G087054		1.3	1.6	<0.002	0.03	0.26	0.6	2	<0.2	46.7	<0.05	<0.05	<0.2	<0.005	0.03	0.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO-FOX

Finalized Date: 28-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS EL07115441

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
G087049		2700	0.8	25.4	2820	45.9
G087050		2850	0.7	27.3	3030	44.8
G087051		2500	0.6	24.9	2860	42.9
G087052		3240	0.8	37.7	3750	55.3
G087053		3230	0.8	30.1	3470	50.9
G087054		15	0.1	0.9	27	0.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized L : 27-OCT-2007
Account: MTT

CERTIFICATE EL07115440

Project: NIMO-FOX

P.O. No.: FX07-03

This report is for 8 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-36	Pulverize 1.5 kg to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO-FOX

Finalized Date: 27-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS EL07115440

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
G087041		0.80	2.28	2.61	38	370	1.8	0.11	2.41	48.9	24.3	6.2	106	3.12	100.5	1.24
G087042		0.50	2.26	2.35	38	220	1.31	0.1	7.97	54.7	24.1	5.4	66	2.77	115.5	1.21
G087043		0.87	2.47	2.83	45	340	1.83	0.12	4.21	77.3	30.8	6.2	81	3.55	116	1.35
G087044		1.77	3.02	3.68	47.4	330	2.78	0.16	4.67	18.45	36.9	6.8	226	4.16	130	1.85
G087045		1.83	3.43	4.2	69	450	2.4	0.18	4.5	21.9	35.8	7.8	196	4.72	197.5	1.88
G087046		0.62	3.55	4.04	47.9	470	2.13	0.13	4.45	17.55	37.3	6.7	241	4.01	160.5	1.75
G087047		1.73	3.33	4.01	37.5	340	2.08	0.15	5.19	13.1	31.8	6.6	216	3.53	110	1.78
G087048		1.79	2.74	3.49	33.3	300	1.52	0.13	6.24	8.51	31.2	5.8	226	2.7	113	1.75

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO-FOX

Finalized Date: 27-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS EL07115440

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
G087041		8.17	0.21	1.1	0.40	0.025	0.89	18.2	9.9	0.37	62	79.6	0.14	4.2	267	330
G087042		7.62	0.22	1	0.44	0.025	0.81	16.7	9.5	0.89	74	70.1	0.12	3.4	251	470
G087043		9.9	0.25	1.1	0.58	0.034	0.99	22.6	10.2	0.42	70	83.5	0.14	4.3	262	510
G087044		10.3	0.24	1.5	0.29	0.035	1.29	23.1	21.1	1.34	105	40.2	0.19	6.2	242	1750
G087045		11.45	0.23	1.8	0.40	0.04	1.44	21	22.2	1.14	110	57.4	0.2	7.1	249	1950
G087046		9.94	0.19	1.6	0.28	0.034	1.38	22.6	19.9	1.07	105	39.7	0.2	6.3	293	850
G087047		10.15	0.19	1.7	0.25	0.042	1.16	18.8	15.1	1.25	107	26.4	0.19	6.4	210	5500
G087048		8.53	0.21	1.5	0.21	0.038	1.21	18.7	10.9	1.64	127	10.9	0.19	6.1	187.5	9820

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO-FOX

Finalized Date: 27-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS EL07115440

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
G087041		11.9	49.5	0.094	1.6	21.9	5.9	34	0.9	247	0.26	0.16	2.6	0.133	3.94	21.5
G087042		10.7	44.9	0.086	1.67	35.5	7.3	34	0.8	895	0.21	0.15	2.6	0.11	3.4	19.2
G087043		13.7	56.5	0.078	1.81	30.3	7.2	42	1.1	487	0.28	0.16	2.9	0.14	4.07	21.4
G087044		10.3	70.9	0.091	2.23	33.6	7.7	29	1.3	452	0.37	0.18	4.4	0.183	2.29	17.4
G087045		12.7	78.5	0.091	2.16	57.7	8.3	28	1.5	434	0.44	0.21	5.3	0.205	3.09	17.9
G087046		8.8	70.6	0.112	2.09	43.3	6.9	23	1.3	471	0.38	0.2	4.6	0.192	2.26	17.7
G087047		8.4	71	0.085	2.08	29.6	8.2	24	1.4	618	0.39	0.22	4.6	0.151	2.2	14.9
G087048		6.9	61.8	0.051	1.91	31.8	7.7	24	1.3	747	0.36	0.18	4.4	0.161	1.8	10.8

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO-FOX

Finalized Date: 27-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS EL07115440

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
G087041		2880	0.8	28.7	3350	44.3
G087042		2490	0.6	41.8	3600	38.9
G087043		3470	0.8	32.3	5130	48.1
G087044		1740	0.8	45.1	1570	69.8
G087045		1925	1	38.9	1960	76.8
G087046		1535	0.8	42.7	1710	71.5
G087047		789	0.8	45.9	1000	73.2
G087048		426	0.6	47.5	741	65.8

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-OCT-2007
Account: MTT

CERTIFICATE VA07104209

Project: NIMO FOX

P.O. No.: FX07-02

This report is for 5 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-36	Pulverize 1.5 kg to 85% <75 um
BAG-01	Bulk Master for Storage

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-MS61	48 element four acid ICP-MS	

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO FOX

Finalized Date: 7-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07104209

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
G087036		1.46	0.93	3.59	26.8	340	1.73	0.15	0.49	17.05	27	9.3	102	4.79	62.7	0.37
G087037		1.43	0.95	3.05	34.5	270	1.46	0.27	0.81	10.6	27.1	15.8	100	3.72	66	0.77
G087038		0.31	1.17	4.08	31.9	290	1.89	0.18	0.81	4.42	25.9	21.7	116	5.41	61	1.28
G087039		1.77	0.84	2.61	32	100	1.17	0.1	2.33	11.35	20.2	9.2	90	3.56	55.8	2.08
G087040		1.73	0.77	2.31	28.1	150	0.85	0.12	5.63	20.6	14.7	9.7	69	2.69	39.8	1.73

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO FOX

Finalized Date: 7-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07104209

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
G087036		8.3	0.14	1.6	0.16	0.022	1.18	19.7	9.1	0.3	14	69.5	0.03	7.1	184.5	160
G087037		7.05	0.16	1.4	0.16	0.021	1.07	20.5	8.7	0.26	33	83.9	0.03	6.1	366	400
G087038		8.95	0.18	1.8	0.16	0.026	1.37	17.8	10.9	0.34	24	75.1	0.03	7.8	478	1070
G087039		5.98	0.17	1.1	0.13	0.027	0.89	15.6	11.1	0.23	151	67.2	0.02	4.9	519	520
G087040		4.88	0.14	0.9	0.13	0.017	0.79	11.5	13.8	0.22	144	36.7	0.02	4.3	427	330

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO FOX

Finalized Date: 7-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07104209

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
G087036		18.4	64.8	0.067	0.79	15.35	7	20	1.1	44.2	0.42	0.16	4.6	0.187	6.17	13.7
G087037		23.7	56.6	0.07	1.2	14.8	5.9	22	1.1	65.4	0.37	0.2	3.9	0.171	6.7	15.3
G087038		19	75.6	0.075	1.69	18.25	8.6	23	1	106	0.48	0.19	4.6	0.208	8.68	21.2
G087039		10	49.7	0.06	2.27	13.85	6.4	18	0.7	94.4	0.31	0.15	2.7	0.127	5.38	13.9
G087040		10.5	46.7	0.046	1.94	9.92	4.7	15	0.6	512	0.24	0.09	2.1	0.105	4.18	8.8

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO FOX

Finalized Date: 7-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07104209

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
G087036		1505	0.9	15.6	39	71.3
G087037		1620	0.9	23.4	323	65.7
G087038		1790	1	34.9	113	85.5
G087039		1465	0.7	38.9	2330	50.4
G087040		1095	0.5	28.5	1780	41.1

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE VA07098783

Project: NIMO

P.O. No.:

This report is for 156 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC27939		0.34	2.01	0.56	27.4	<0.2	<10	3090	0.68	0.18	0.97	11.15	24.10	6.6	51	0.81
CC27940		0.34	1.43	0.80	41.9	<0.2	10	3540	0.96	0.19	0.62	14.05	26.60	6.5	61	0.87
CC27941		0.32	1.55	0.76	35.1	<0.2	10	3290	0.88	0.17	0.60	11.75	23.40	4.7	51	0.77
CC27942		0.36	0.60	0.90	18.7	<0.2	<10	5450	0.81	0.20	0.42	4.04	38.60	7.7	23	0.63
CC27943		0.38	0.65	0.86	10.3	<0.2	<10	2970	0.53	0.23	0.20	0.48	48.20	4.5	16	0.56
CC27944		0.26	0.79	1.02	6.4	<0.2	10	2010	0.73	0.21	1.19	0.97	31.90	15.9	18	0.85
CC27945		0.26	0.84	1.07	7.8	<0.2	10	2690	0.77	0.22	1.03	0.71	34.90	10.4	20	0.91
CC27946		0.28	0.55	1.08	5.2	<0.2	<10	2750	0.49	0.19	0.99	0.35	27.60	7.7	18	0.90
CC27947		0.32	1.63	1.01	12.6	<0.2	10	2840	0.79	0.19	0.74	14.65	31.00	8.3	48	1.14
CC27948		0.38	2.23	0.76	43.9	<0.2	10	4800	0.93	0.19	0.75	15.25	23.00	2.6	67	0.84
CC27949		0.38	2.11	0.64	29.3	<0.2	10	4140	0.76	0.17	1.36	16.50	17.80	6.0	63	0.69
CC27950		0.40	4.06	0.83	27.8	<0.2	10	3920	0.96	0.20	1.34	28.40	20.90	2.7	83	1.18
CC27951		0.34	3.14	0.65	60.3	<0.2	10	4720	0.84	0.20	1.67	21.20	18.40	5.4	70	1.12
CC27952		0.34	2.62	1.23	43.4	<0.2	20	1920	1.05	0.17	1.98	75.70	21.80	16.0	58	1.34
CC27953		0.36	2.29	1.63	69.1	<0.2	10	1760	0.78	0.27	0.12	9.41	19.15	9.7	66	2.59
CC27954		0.42	1.38	1.00	61.5	<0.2	10	1000	0.81	0.24	0.03	1.91	19.10	3.4	66	1.99
CC27955		0.38	0.91	1.31	50.5	<0.2	10	1740	0.70	0.25	0.06	3.01	18.90	4.2	75	2.12
CC27956		0.36	0.83	1.58	47.2	<0.2	10	2200	0.64	0.24	0.08	4.11	17.30	4.9	78	1.75
CC27957		0.12	0.38	1.16	3.1	<0.2	<10	2100	0.53	0.15	0.13	1.34	32.70	1.7	31	0.84
CC27958		0.36	0.52	1.14	13.5	<0.2	<10	2740	0.55	0.18	0.18	2.93	31.00	3.3	31	0.77
CC27959		0.20	0.42	0.99	3.6	<0.2	<10	2340	0.45	0.16	0.16	2.26	27.10	2.0	27	0.66
CC27960		0.22	0.58	1.22	15.5	<0.2	<10	2760	0.55	0.18	0.20	2.56	31.20	4.3	32	0.74
CC27961		0.16	0.55	1.30	12.1	<0.2	<10	3540	0.70	0.18	0.19	3.10	34.60	4.2	36	0.82
CC27962		0.34	0.69	1.26	13.9	<0.2	<10	3540	0.60	0.20	0.20	3.96	32.30	6.5	34	0.70
CC27963		0.34	0.76	1.22	14.1	<0.2	<10	3350	0.56	0.18	0.25	3.36	31.60	4.7	33	0.77
CC27964		0.22	0.84	1.09	10.8	<0.2	<10	3800	0.49	0.17	0.31	6.23	32.40	8.1	31	0.64
CC27965		0.20	0.90	0.90	6.4	<0.2	<10	3720	0.46	0.15	0.16	5.31	24.30	1.5	32	0.67
CC27966		0.22	1.88	0.93	5.8	<0.2	<10	3600	0.48	0.14	0.14	4.26	21.90	1.2	37	0.90
CC27967		0.30	1.13	1.22	16.6	<0.2	<10	4400	0.60	0.17	0.23	8.89	30.50	5.6	38	0.86
CC27968		0.20	1.49	1.23	9.8	<0.2	<10	4050	0.50	0.17	0.30	6.46	27.70	5.7	35	0.78
CC27969		0.10	1.62	0.76	82.0	<0.2	<10	980	0.32	0.45	0.03	1.14	22.30	3.4	83	1.49
CC27970		0.14	0.92	1.03	14.7	<0.2	<10	4060	0.63	0.16	0.34	2.89	25.10	2.4	40	0.75
CC27971		0.10	1.12	0.83	3.6	<0.2	<10	4920	0.61	0.17	0.76	6.59	21.80	1.8	45	0.71
CC27972		0.20	2.31	1.09	32.5	<0.2	<10	5640	0.88	0.20	0.47	15.60	26.60	6.6	52	1.26
CC27973		0.26	4.49	1.25	14.7	<0.2	<10	4150	0.79	0.19	0.41	29.40	27.60	5.3	57	1.39
CC27974		0.20	0.31	1.24	7.6	<0.2	<10	1190	0.50	0.18	0.39	5.66	32.60	9.2	21	0.68
CC27975		0.14	0.24	1.16	8.0	<0.2	<10	1080	0.49	0.17	0.50	7.77	28.30	10.6	20	0.69
CC27976		0.14	0.34	1.19	8.4	<0.2	<10	1210	0.53	0.18	0.48	8.17	31.40	9.8	22	0.67
CC27977		0.14	0.40	1.32	17.3	<0.2	<10	1360	0.64	0.20	0.58	13.40	33.40	17.0	21	0.66
CC27978		0.14	0.31	1.25	9.7	<0.2	<10	1060	0.50	0.19	0.38	4.91	30.70	14.5	22	0.71

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC27939		73.5	1.36	2.96	0.10	0.09	0.47	0.031	0.08	15.5	4.0	0.16	154	36.80	<0.01	0.33
CC27940		86.5	1.95	3.77	0.11	0.08	0.31	0.028	0.09	16.3	5.7	0.12	132	47.90	<0.01	0.44
CC27941		81.3	1.91	3.49	0.10	0.06	0.33	0.028	0.08	15.3	5.3	0.11	144	33.70	<0.01	0.46
CC27942		57.8	2.57	2.71	0.10	0.06	0.28	0.040	0.14	22.5	4.3	0.11	184	34.40	<0.01	0.22
CC27943		30.2	3.29	2.51	0.11	0.04	0.14	0.037	0.13	27.3	3.6	0.10	30	10.90	<0.01	0.16
CC27944		33.0	2.76	2.85	0.09	0.11	0.14	0.036	0.11	17.2	6.5	0.21	621	3.46	<0.01	0.22
CC27945		39.3	3.67	3.06	0.11	0.10	0.15	0.039	0.12	19.2	6.9	0.21	267	3.53	<0.01	0.24
CC27946		15.8	2.16	3.19	0.07	0.08	0.14	0.029	0.11	15.8	8.3	0.23	239	2.15	<0.01	0.23
CC27947		80.5	1.48	3.67	0.14	0.12	0.36	0.032	0.13	17.7	7.7	0.21	78	6.49	<0.01	0.55
CC27948		99.9	1.73	3.61	0.11	0.07	0.37	0.030	0.08	15.2	5.3	0.10	60	32.80	<0.01	0.43
CC27949		77.0	1.24	3.06	0.10	0.08	0.35	0.025	0.09	11.8	4.7	0.17	196	23.70	<0.01	0.43
CC27950		114.5	1.30	3.64	0.13	0.11	0.69	0.029	0.10	14.0	5.6	0.15	53	17.90	<0.01	0.52
CC27951		103.0	1.99	3.28	0.15	0.12	0.54	0.032	0.10	12.5	4.7	0.18	134	37.30	<0.01	0.42
CC27952		182.5	1.64	4.93	0.13	0.07	0.29	0.029	0.10	14.6	5.7	0.29	674	51.10	<0.01	0.99
CC27953		114.0	2.75	6.78	0.13	0.04	0.23	0.035	0.13	12.5	7.7	0.17	256	87.10	<0.01	0.63
CC27954		63.6	2.11	5.59	0.14	0.02	0.13	0.025	0.10	14.0	4.2	0.09	53	74.50	<0.01	0.71
CC27955		73.0	2.20	6.69	0.12	0.02	0.12	0.029	0.10	12.6	6.0	0.13	102	53.50	<0.01	0.65
CC27956		67.1	2.57	6.97	0.10	0.02	0.10	0.033	0.11	10.6	10.1	0.22	120	26.60	<0.01	0.67
CC27957		25.2	0.64	4.41	0.05	0.03	0.10	0.025	0.07	18.5	10.3	0.18	31	1.20	<0.01	0.52
CC27958		34.6	1.64	4.49	0.06	0.02	0.11	0.028	0.07	16.9	10.3	0.20	40	2.82	0.02	0.67
CC27959		31.5	0.75	4.14	0.05	<0.02	0.12	0.025	0.06	14.6	9.4	0.17	31	0.97	0.02	0.53
CC27960		33.9	1.91	4.90	0.06	0.02	0.11	0.029	0.07	16.7	10.1	0.21	47	4.65	0.02	0.60
CC27961		44.2	1.34	4.99	0.07	0.03	0.12	0.033	0.07	18.6	11.8	0.25	47	1.75	0.02	0.68
CC27962		42.8	2.13	4.72	0.07	0.04	0.13	0.033	0.08	17.2	11.1	0.26	83	5.75	0.02	0.75
CC27963		39.1	1.83	4.70	0.06	0.03	0.15	0.030	0.08	16.7	10.5	0.24	75	6.29	0.02	0.65
CC27964		49.3	1.68	4.14	0.08	0.05	0.15	0.029	0.09	17.0	10.7	0.28	104	9.78	0.02	0.71
CC27965		44.2	0.50	4.00	0.07	<0.02	0.26	0.024	0.06	13.5	8.1	0.15	24	1.01	0.02	0.60
CC27966		52.0	0.45	4.62	0.06	<0.02	0.55	0.022	0.06	12.4	7.9	0.13	20	0.97	0.02	0.61
CC27967		56.9	1.65	4.56	0.07	0.02	0.24	0.029	0.09	16.6	10.5	0.24	86	15.25	0.02	0.73
CC27968		59.7	1.37	4.39	0.07	0.03	0.29	0.028	0.09	14.7	10.5	0.25	92	10.05	0.02	0.59
CC27969		52.0	2.66	8.78	0.10	<0.02	0.07	0.035	0.11	12.3	3.0	0.07	42	43.90	0.02	1.15
CC27970		46.4	1.18	4.26	0.06	<0.02	0.18	0.024	0.09	14.0	8.9	0.17	46	7.36	0.02	0.65
CC27971		56.9	0.63	3.52	0.09	0.03	0.20	0.027	0.07	12.2	5.5	0.12	19	1.15	0.03	0.49
CC27972		76.6	1.89	4.82	0.08	0.03	0.32	0.032	0.11	14.9	8.3	0.19	137	32.40	0.03	0.71
CC27973		124.0	1.33	4.83	0.10	0.05	0.90	0.042	0.12	15.5	9.8	0.24	82	6.86	0.02	0.81
CC27974		29.8	2.55	4.21	0.07	0.03	0.08	0.033	0.06	16.3	12.1	0.30	130	3.06	0.02	0.51
CC27975		25.8	3.62	3.95	0.06	0.04	0.09	0.030	0.06	14.5	11.4	0.29	168	2.29	0.02	0.50
CC27976		27.9	2.38	3.90	0.06	0.03	0.08	0.031	0.06	16.1	11.6	0.29	373	2.80	0.02	0.47
CC27977		29.2	5.70	4.31	0.07	0.03	0.08	0.039	0.06	16.7	10.8	0.28	537	9.39	0.02	0.51
CC27978		24.0	3.19	4.26	0.07	0.03	0.07	0.032	0.07	15.3	12.1	0.30	359	4.06	0.01	0.52

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC27939		88.6	1110	10.7	8.9	0.020	0.09	10.60	3.3	6.8	0.8	160.5	0.01	0.15	1.2	0.010
CC27940		145.0	1140	13.1	11.6	0.010	0.06	16.60	4.1	7.0	0.8	129.5	0.01	0.17	2.6	0.012
CC27941		126.5	1080	13.6	11.4	0.016	0.10	11.85	3.6	7.7	0.8	117.5	0.01	0.15	1.6	0.010
CC27942		92.7	850	12.4	12.1	0.007	0.05	5.64	4.8	3.6	0.6	60.2	0.01	0.10	3.2	<0.005
CC27943		25.2	510	19.4	12.7	0.003	0.01	2.30	4.7	2.3	0.4	25.7	<0.01	0.06	6.1	<0.005
CC27944		38.6	740	13.9	13.9	0.004	0.07	1.34	5.2	3.4	0.4	100.5	0.01	0.06	3.5	<0.005
CC27945		39.8	720	15.3	14.4	0.004	0.08	1.53	5.8	3.7	0.4	78.2	0.01	0.06	3.9	<0.005
CC27946		23.9	560	12.6	15.5	0.004	0.08	0.92	4.2	2.6	0.4	71.7	<0.01	0.05	3.1	<0.005
CC27947		104.0	1530	12.4	12.2	0.026	0.13	7.92	5.4	15.8	0.6	136.5	0.01	0.09	3.5	0.014
CC27948		95.2	1380	13.6	11.4	0.009	0.07	16.70	3.8	7.5	0.8	155.0	0.01	0.17	1.4	0.012
CC27949		106.0	1820	9.8	9.9	0.010	0.10	12.75	3.0	8.4	0.7	232.0	0.01	0.15	1.0	0.014
CC27950		143.0	2470	11.9	12.5	0.013	0.10	15.60	4.9	11.3	0.9	299.0	0.01	0.17	2.0	0.018
CC27951		146.5	1950	12.2	10.2	0.021	0.11	19.20	4.4	15.1	0.8	302.0	0.01	0.17	1.8	0.015
CC27952		221.0	1530	14.8	11.2	0.006	0.11	21.20	2.1	15.7	0.6	151.0	0.01	0.15	0.2	0.028
CC27953		196.0	1240	20.8	25.5	0.004	0.13	40.00	3.7	16.5	0.9	35.2	0.01	0.24	0.4	0.026
CC27954		135.5	580	19.8	21.4	0.004	0.09	38.00	2.6	17.5	0.7	13.0	<0.01	0.26	0.3	0.050
CC27955		117.5	850	20.4	20.7	0.003	0.11	24.30	2.2	16.5	0.8	18.6	<0.01	0.21	0.2	0.032
CC27956		93.3	850	20.7	19.2	0.003	0.11	15.65	1.9	12.4	0.8	25.6	<0.01	0.16	0.2	0.019
CC27957		17.2	440	9.8	9.6	0.004	0.04	1.94	3.3	2.3	0.6	29.0	<0.01	0.06	3.1	0.010
CC27958		32.3	580	12.9	13.7	0.007	0.05	3.38	3.5	2.8	0.7	43.8	<0.01	0.06	4.4	0.010
CC27959		19.4	480	10.6	10.7	0.005	0.05	2.23	2.7	2.4	0.7	33.0	<0.01	0.05	3.1	0.009
CC27960		37.8	640	12.4	15.3	0.005	0.04	3.03	3.6	2.7	0.8	43.5	<0.01	0.06	3.4	0.007
CC27961		41.1	620	12.8	14.6	0.004	0.04	3.89	4.4	3.2	0.8	50.4	<0.01	0.06	4.3	0.010
CC27962		47.2	680	13.3	16.0	0.004	0.05	3.82	4.5	3.2	0.7	52.8	<0.01	0.06	4.6	0.012
CC27963		44.0	630	12.1	15.4	0.006	0.05	3.41	3.9	3.6	0.7	59.1	<0.01	0.06	4.2	0.010
CC27964		72.3	800	9.9	12.6	0.004	0.06	4.77	4.4	5.5	0.6	75.1	<0.01	0.06	4.3	0.017
CC27965		22.0	530	10.3	11.1	0.010	0.08	3.63	2.8	5.9	0.6	46.2	<0.01	0.04	2.6	0.013
CC27966		21.8	450	9.5	11.8	0.018	0.09	3.26	2.4	4.9	0.7	37.2	<0.01	0.03	1.5	0.012
CC27967		75.8	800	10.6	15.5	0.004	0.06	5.02	3.6	3.6	0.8	62.8	<0.01	0.07	2.3	0.015
CC27968		65.8	1040	9.1	14.7	0.006	0.06	3.34	3.4	3.6	0.8	58.5	<0.01	0.06	2.0	0.012
CC27969		56.5	510	31.9	17.2	0.003	0.22	22.90	2.1	18.3	1.3	30.6	<0.01	0.29	0.9	0.046
CC27970		42.8	1070	9.3	14.6	0.007	0.06	3.75	2.5	2.8	0.7	93.7	<0.01	0.07	1.2	0.013
CC27971		65.8	1830	9.9	11.0	0.015	0.11	5.16	3.3	12.7	0.8	208.0	<0.01	0.08	2.3	0.013
CC27972		137.0	1200	11.6	18.1	0.007	0.06	12.35	5.2	6.4	1.0	118.5	<0.01	0.12	3.6	0.018
CC27973		178.5	940	13.2	17.7	0.013	0.08	13.45	7.4	9.5	0.9	103.5	<0.01	0.11	3.8	0.016
CC27974		33.9	720	11.5	13.2	0.007	0.07	1.22	3.6	4.7	0.5	40.0	<0.01	0.05	3.5	0.006
CC27975		36.3	720	10.7	13.8	0.007	0.10	1.03	3.6	4.8	0.5	46.0	<0.01	0.05	3.5	0.006
CC27976		33.8	800	11.6	15.6	0.006	0.08	1.09	3.3	4.8	0.5	45.0	<0.01	0.04	3.1	0.006
CC27977		41.6	980	12.8	17.4	0.007	0.09	1.59	3.7	6.4	0.5	57.4	<0.01	0.06	2.9	<0.005
CC27978		32.1	740	11.5	16.2	0.005	0.07	1.14	3.5	5.0	0.5	37.6	<0.01	0.04	3.5	0.006

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5
CC27939		1.17	8.78	515	0.36	25.80	556	2.7
CC27940		1.02	13.80	767	0.36	30.70	692	2.7
CC27941		1.11	13.25	722	0.35	30.00	524	1.6
CC27942		0.60	4.93	260	0.20	27.50	547	1.0
CC27943		0.20	1.86	71	<0.05	12.40	162	1.4
CC27944		0.17	1.80	55	0.07	17.75	171	2.4
CC27945		0.19	2.20	61	0.06	20.10	144	2.3
CC27946		0.21	1.81	61	0.05	10.85	114	2.0
CC27947		0.92	5.80	436	0.17	25.50	1085	4.3
CC27948		1.13	11.85	758	0.40	32.80	558	1.7
CC27949		0.94	9.21	582	0.27	24.40	804	2.5
CC27950		1.46	12.15	738	0.28	33.70	1640	3.8
CC27951		1.01	10.15	777	0.35	29.70	1145	4.3
CC27952		3.08	5.19	1375	0.29	48.20	4310	1.0
CC27953		7.38	15.55	1510	0.38	20.20	1165	0.5
CC27954		4.86	8.94	1835	0.48	9.16	537	<0.5
CC27955		3.97	8.44	1735	0.35	11.50	568	<0.5
CC27956		2.74	6.32	1370	0.24	10.55	645	<0.5
CC27957		0.47	1.86	250	0.09	9.63	90	0.7
CC27958		0.47	3.25	277	0.16	12.95	174	1.0
CC27959		0.42	2.30	205	0.09	9.55	99	0.5
CC27960		0.41	3.23	266	0.16	12.90	187	0.8
CC27961		0.48	3.27	327	0.14	16.90	225	1.9
CC27962		0.42	3.58	278	0.27	16.30	257	2.4
CC27963		0.47	3.41	285	0.10	14.40	211	1.4
CC27964		0.43	3.68	240	0.11	16.35	350	3.3
CC27965		0.58	3.27	312	0.11	11.30	160	0.5
CC27966		1.15	3.40	374	0.15	11.10	143	0.5
CC27967		0.69	4.42	380	0.18	19.60	469	0.8
CC27968		0.73	4.43	243	0.15	19.20	315	1.0
CC27969		2.84	3.13	1075	0.40	7.75	283	<0.5
CC27970		0.54	4.27	359	0.17	15.65	303	<0.5
CC27971		0.52	4.16	206	0.20	18.45	410	1.7
CC27972		1.07	7.54	577	0.28	30.50	995	2.0
CC27973		1.68	8.96	591	0.27	34.30	1920	3.0
CC27974		0.24	3.36	61	0.10	13.25	174	1.1
CC27975		0.22	2.99	48	0.08	12.45	172	1.5
CC27976		0.22	3.26	56	0.13	13.45	175	1.1
CC27977		0.25	3.54	76	0.11	18.10	222	1.5
CC27978		0.24	2.93	60	0.09	12.10	176	1.2

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC27979		0.18	0.37	1.27	12.3	<0.2	<10	1290	0.62	0.19	0.38	8.12	33.50	16.6	22	0.73
CC27980		0.16	0.30	1.10	7.6	<0.2	<10	1100	0.47	0.17	0.37	6.09	32.70	5.6	21	0.65
CC27981		0.20	0.34	1.19	8.4	<0.2	<10	1230	0.57	0.19	0.41	9.42	33.70	8.3	21	0.71
CC27982		0.14	0.38	1.16	18.1	<0.2	<10	1250	0.56	0.19	0.62	9.11	33.30	22.6	20	0.65
CC27983		0.12	0.37	1.14	13.1	<0.2	<10	1270	0.59	0.19	0.49	8.04	33.30	10.3	21	0.65
CC27984		0.22	0.30	1.14	7.3	<0.2	<10	1310	0.60	0.17	0.50	6.07	32.40	5.7	20	0.70
CC27985		0.14	0.45	1.14	22.2	<0.2	<10	1310	0.63	0.20	0.67	19.65	33.70	23.5	19	0.66
CC27986		0.20	0.31	1.10	8.3	<0.2	<10	1260	0.55	0.17	0.43	9.14	33.80	8.2	20	0.66
CC27987		0.12	0.38	1.12	13.4	<0.2	<10	1360	0.62	0.19	0.72	13.40	36.40	12.0	20	0.65
CC27988		0.10	0.39	1.23	9.3	<0.2	<10	1290	0.54	0.17	0.53	9.46	30.60	4.6	22	0.71
CC27989		0.10	0.31	1.23	7.9	<0.2	<10	1420	0.62	0.18	0.43	9.23	34.60	8.2	22	0.67
CC27990		0.12	0.34	1.22	10.0	<0.2	<10	1450	0.67	0.19	0.56	16.95	36.70	20.8	22	0.68
CC27991		0.22	3.11	1.24	38.3	<0.2	<10	970	0.50	0.28	0.12	1.06	26.50	2.4	32	1.09
CC27992		0.06	2.29	0.60	9.4	<0.2	<10	770	0.37	0.11	0.13	2.09	11.15	0.9	13	0.93
CC27993		0.04	0.59	0.47	35.8	<0.2	<10	350	0.21	0.19	0.14	1.09	9.17	1.9	12	0.64
CC27994		0.18	0.25	0.85	5.9	<0.2	<10	150	0.43	0.15	2.49	0.67	38.20	6.5	11	0.89
CC27995		0.04	0.11	0.68	7.7	<0.2	<10	240	0.37	0.13	6.41	1.29	29.00	8.7	9	0.63
CC27996		0.08	0.32	0.98	4.9	<0.2	<10	190	0.59	0.19	1.58	1.36	39.10	6.7	14	1.05
CC27997		0.08	0.28	0.92	5.4	<0.2	<10	190	0.50	0.17	2.21	1.06	36.80	6.7	12	0.91
CC27998		0.14	0.16	0.72	7.4	<0.2	<10	290	0.44	0.14	4.64	0.74	30.70	7.9	10	0.68
CC27999		0.18	0.32	0.82	9.5	<0.2	<10	390	0.49	0.17	4.84	1.01	32.80	9.3	12	0.77
CC28000		0.20	0.21	0.77	7.1	<0.2	<10	330	0.45	0.14	4.87	0.81	32.60	7.5	11	0.75
CC29810		0.14	0.81	1.24	6.2	<0.2	10	360	0.84	0.13	3.04	4.50	30.00	7.5	24	1.14
CC29811		0.06	0.92	1.24	9.1	<0.2	10	400	0.87	0.12	2.09	3.83	29.90	5.7	24	1.10
CC29812		0.14	0.30	0.97	8.2	<0.2	10	420	0.71	0.14	1.51	1.93	29.00	7.4	17	0.67
CC29813		0.08	0.79	0.74	5.7	<0.2	<10	1020	0.62	0.15	2.31	3.02	22.20	4.9	13	0.72
CC29814		0.14	0.42	0.99	5.9	<0.2	10	1070	0.66	0.15	1.60	1.61	29.70	5.9	18	0.70
CC29815		0.24	0.58	0.83	11.1	<0.2	10	2660	0.64	0.20	1.46	1.83	25.10	12.0	17	0.72
CC29816		0.16	0.59	0.98	8.1	<0.2	10	2210	0.62	0.16	1.66	2.43	27.60	9.1	20	0.86
CC29817		0.22	0.51	0.96	9.3	<0.2	10	2340	0.67	0.16	1.44	2.06	26.20	8.9	20	0.86
CC29818		0.18	0.56	0.99	8.8	<0.2	10	2360	0.64	0.16	1.42	2.37	26.60	9.7	19	0.82
CC29819		0.14	0.65	0.99	7.5	<0.2	10	2150	0.60	0.15	1.42	1.76	25.70	7.1	18	0.69
CC29820		0.14	0.52	0.92	6.9	<0.2	10	2090	0.58	0.14	1.28	1.95	23.30	6.9	18	0.70
CC29821		0.10	0.26	0.99	10.3	<0.2	10	540	0.69	0.17	1.23	0.86	19.40	26.2	19	0.77
CC29822		0.28	0.18	0.86	16.1	<0.2	10	840	0.68	0.15	1.16	0.82	18.90	29.3	17	0.73
CC29823		0.28	0.37	1.08	17.7	<0.2	10	800	0.90	0.18	1.30	1.23	21.10	41.8	22	0.78
CC29824		0.16	0.30	1.08	13.5	<0.2	10	680	0.81	0.18	1.16	0.97	21.20	26.5	21	0.83
CC29825		0.10	0.30	1.01	12.8	<0.2	10	630	0.79	0.17	1.22	1.10	19.20	31.3	21	0.74
CC29826		0.18	0.27	1.02	14.8	<0.2	10	750	0.80	0.17	1.18	0.98	20.20	27.0	21	0.80
CC29827		0.16	0.34	0.96	11.8	<0.2	10	520	0.77	0.17	1.54	1.29	19.40	28.4	19	0.66

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC27979		26.7	3.31	4.19	0.07	0.03	0.09	0.036	0.06	16.9	11.9	0.27	401	2.81	0.02	0.45
CC27980		28.4	1.90	3.74	0.07	0.03	0.07	0.029	0.06	17.0	11.5	0.28	97	2.04	0.02	0.45
CC27981		33.1	2.32	4.06	0.07	0.03	0.07	0.033	0.06	17.1	12.4	0.29	163	2.67	0.02	0.50
CC27982		28.1	4.93	3.72	0.07	0.04	0.08	0.037	0.06	16.1	10.0	0.27	844	9.28	0.02	0.46
CC27983		31.0	3.04	3.78	0.07	0.03	0.08	0.035	0.06	16.8	11.0	0.26	287	4.22	0.02	0.45
CC27984		29.4	1.97	3.73	0.07	0.03	0.08	0.032	0.05	16.5	10.9	0.25	92	1.59	0.01	0.40
CC27985		28.1	7.15	3.38	0.08	0.04	0.09	0.036	0.05	16.7	8.5	0.23	824	6.73	0.02	0.44
CC27986		27.7	2.30	3.58	0.06	0.03	0.07	0.031	0.06	17.4	10.9	0.26	160	2.01	0.02	0.39
CC27987		33.4	4.65	3.46	0.08	0.04	0.09	0.039	0.06	18.4	9.5	0.25	322	3.95	0.02	0.44
CC27988		31.9	1.87	3.86	0.07	0.03	0.12	0.034	0.06	15.9	11.7	0.25	53	1.69	0.02	0.43
CC27989		32.5	2.24	3.97	0.07	0.03	0.10	0.035	0.06	17.7	11.3	0.26	161	2.02	0.02	0.43
CC27990		31.3	3.05	3.93	0.07	0.04	0.09	0.038	0.07	18.5	11.3	0.28	840	2.24	0.02	0.40
CC27991		66.8	1.73	4.88	0.13	0.02	0.56	0.053	0.11	13.5	6.1	0.17	47	36.10	0.01	0.54
CC27992		79.2	0.91	2.09	0.10	<0.02	0.34	0.029	0.06	6.9	0.6	0.03	20	12.55	0.02	0.18
CC27993		24.1	1.50	3.60	0.06	0.03	0.09	0.023	0.12	5.6	2.0	0.04	50	43.90	0.02	0.45
CC27994		17.1	1.75	2.33	0.09	0.12	0.05	0.017	0.06	19.6	24.6	1.65	137	1.82	0.01	0.14
CC27995		15.7	1.81	1.81	0.09	0.19	0.03	0.017	0.06	15.3	20.0	3.83	492	2.45	0.02	0.09
CC27996		24.1	1.71	2.59	0.08	0.17	0.08	0.021	0.07	20.1	25.2	1.03	179	1.19	0.01	0.20
CC27997		22.0	1.74	2.46	0.08	0.15	0.08	0.019	0.06	18.9	25.1	1.28	174	1.38	0.01	0.16
CC27998		22.7	1.89	1.92	0.08	0.20	0.04	0.018	0.06	16.4	21.7	3.38	225	2.48	0.01	0.07
CC27999		38.3	2.62	2.25	0.10	0.21	0.08	0.023	0.08	17.7	22.9	2.61	244	3.41	0.01	0.11
CC28000		23.2	1.96	2.06	0.08	0.15	0.05	0.019	0.07	17.3	22.8	2.97	207	2.40	0.01	0.10
CC29810		54.9	1.58	3.81	0.09	0.15	0.25	0.026	0.15	17.7	20.4	1.27	267	2.07	0.01	0.48
CC29811		57.7	1.50	3.87	0.09	0.16	0.20	0.027	0.12	17.8	23.7	1.03	145	2.11	0.01	0.51
CC29812		30.8	1.92	2.89	0.08	0.11	0.10	0.025	0.12	15.2	11.5	0.57	240	2.16	0.01	0.30
CC29813		69.6	1.63	2.16	0.08	0.09	0.24	0.025	0.06	14.5	7.5	0.35	119	1.15	0.01	0.27
CC29814		37.7	1.61	2.86	0.08	0.11	0.16	0.025	0.11	16.4	10.5	0.55	82	1.42	0.01	0.34
CC29815		50.0	3.41	2.39	0.09	0.13	0.11	0.034	0.14	13.7	7.6	0.65	331	4.97	<0.01	0.19
CC29816		42.7	2.13	2.79	0.08	0.11	0.16	0.029	0.15	15.4	9.5	0.64	237	3.54	<0.01	0.28
CC29817		42.8	2.23	2.87	0.08	0.11	0.12	0.028	0.15	14.6	8.9	0.57	191	5.92	<0.01	0.24
CC29818		45.3	2.26	2.82	0.08	0.11	0.15	0.029	0.14	14.8	9.9	0.51	246	4.61	<0.01	0.31
CC29819		43.7	1.83	2.79	0.07	0.12	0.17	0.027	0.11	14.5	10.6	0.44	144	2.85	<0.01	0.32
CC29820		37.7	1.71	2.71	0.07	0.11	0.15	0.025	0.10	13.2	10.4	0.47	143	3.27	<0.01	0.29
CC29821		22.5	2.73	2.66	0.07	0.09	0.07	0.033	0.08	10.3	15.5	0.74	776	1.85	0.02	0.36
CC29822		22.8	3.21	2.61	0.09	0.10	0.05	0.031	0.08	10.7	15.1	0.55	756	3.53	0.01	0.17
CC29823		39.9	3.49	3.11	0.09	0.10	0.07	0.035	0.10	12.0	17.9	0.65	1355	4.26	0.02	0.24
CC29824		25.5	3.09	3.04	0.08	0.09	0.08	0.035	0.09	11.7	17.4	0.66	734	2.64	0.02	0.33
CC29825		25.0	2.89	2.85	0.08	0.09	0.08	0.033	0.09	10.5	16.7	0.62	775	2.31	0.02	0.31
CC29826		25.1	3.14	3.00	0.08	0.09	0.07	0.035	0.09	11.2	17.1	0.65	740	3.00	0.02	0.29
CC29827		28.5	2.60	2.64	0.08	0.09	0.08	0.033	0.08	10.7	14.5	0.60	688	1.99	0.01	0.34

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC27979		35.7	800	12.7	16.3	0.007	0.08	1.20	3.8	5.4	0.5	39.0	<0.01	0.05	3.4	0.005
CC27980		27.8	840	11.3	13.6	0.007	0.07	1.01	3.3	4.6	0.4	39.1	<0.01	0.04	3.5	0.007
CC27981		33.0	750	12.2	14.6	0.008	0.08	1.17	3.7	5.1	0.5	41.3	<0.01	0.05	3.6	0.006
CC27982		33.4	990	12.4	17.2	0.007	0.10	1.52	3.5	6.2	0.4	58.5	<0.01	0.05	2.8	0.005
CC27983		35.2	880	12.4	15.0	0.007	0.08	1.28	3.6	5.6	0.4	49.6	<0.01	0.05	3.3	0.005
CC27984		29.6	750	11.0	13.4	0.008	0.08	1.07	3.3	5.2	0.5	49.2	<0.01	0.04	3.2	0.005
CC27985		41.0	940	11.5	16.3	0.008	0.10	1.41	3.7	7.0	0.4	65.5	<0.01	0.05	3.6	<0.005
CC27986		31.4	850	11.3	14.1	0.006	0.07	1.09	3.3	5.0	0.4	43.4	<0.01	0.04	3.5	0.005
CC27987		37.5	970	12.0	15.0	0.009	0.10	1.48	4.1	7.2	0.4	68.3	<0.01	0.05	3.7	0.005
CC27988		31.7	750	10.3	13.4	0.012	0.12	1.02	3.4	5.8	0.5	50.8	<0.01	0.04	2.8	<0.005
CC27989		30.3	790	12.2	14.3	0.007	0.09	1.09	3.6	5.6	0.5	48.8	<0.01	0.04	3.4	<0.005
CC27990		42.2	860	13.0	17.3	0.007	0.08	1.16	4.1	5.9	0.5	54.9	<0.01	0.05	3.5	0.005
CC27991		25.2	1890	20.6	18.9	0.015	0.12	19.95	3.5	21.3	1.2	104.5	<0.01	0.19	1.3	0.011
CC27992		14.5	1260	11.0	5.7	0.006	0.18	13.70	0.5	17.7	0.6	58.1	<0.01	0.14	<0.2	<0.005
CC27993		15.5	660	15.5	10.5	0.001	0.24	6.55	1.4	7.1	0.9	58.4	<0.01	0.15	1.3	0.010
CC27994		18.2	740	19.5	6.6	0.001	0.03	0.82	1.9	1.2	0.2	38.5	<0.01	0.03	4.5	<0.005
CC27995		19.4	870	88.2	4.6	0.001	0.02	0.95	1.8	1.1	<0.2	108.0	<0.01	0.03	4.8	<0.005
CC27996		20.3	890	40.2	8.9	0.002	0.07	0.75	2.5	1.7	0.2	42.3	<0.01	0.03	4.2	<0.005
CC27997		19.6	880	35.8	7.5	0.002	0.06	0.78	2.3	1.6	0.2	48.6	<0.01	0.03	4.0	<0.005
CC27998		22.7	800	29.8	5.0	0.001	0.03	1.03	2.0	1.3	<0.2	75.4	<0.01	0.03	5.0	<0.005
CC27999		29.4	990	34.2	6.3	0.003	0.05	1.35	2.3	2.2	0.2	86.0	<0.01	0.04	5.2	<0.005
CC28000		22.2	910	30.0	5.7	0.002	0.03	1.02	2.0	1.4	<0.2	72.6	<0.01	0.03	4.7	<0.005
CC29810		42.2	2100	10.2	15.9	0.004	0.11	1.95	3.6	4.1	0.5	115.5	<0.01	0.05	1.9	0.014
CC29811		36.0	1850	11.3	12.3	0.008	0.16	2.38	3.3	4.9	0.7	75.9	0.01	0.06	1.7	0.012
CC29812		32.7	1850	11.0	11.1	0.005	0.06	1.31	2.7	2.7	0.4	53.5	<0.01	0.07	2.5	0.008
CC29813		48.6	1310	11.4	9.4	0.008	0.16	1.11	2.6	5.4	0.4	90.2	0.01	0.07	1.0	0.006
CC29814		32.1	1870	11.0	11.0	0.004	0.10	1.14	2.9	3.7	0.4	60.5	<0.01	0.06	1.9	0.008
CC29815		54.9	1210	13.1	10.6	0.006	0.09	2.37	4.1	3.7	0.6	129.0	<0.01	0.07	3.3	0.005
CC29816		45.5	1870	10.9	13.1	0.008	0.11	1.95	3.6	3.7	0.4	121.5	<0.01	0.07	2.4	0.007
CC29817		48.5	1690	10.6	13.0	0.010	0.09	2.40	3.5	3.7	0.5	124.5	<0.01	0.06	2.7	0.006
CC29818		52.7	1680	10.9	12.9	0.009	0.10	2.24	3.5	3.9	0.5	106.0	<0.01	0.06	2.4	0.007
CC29819		41.2	1470	10.5	10.7	0.009	0.11	1.71	3.3	4.1	0.4	88.2	<0.01	0.06	1.8	0.007
CC29820		37.4	1300	9.3	10.4	0.007	0.11	1.62	3.1	4.0	0.4	83.0	<0.01	0.05	2.0	0.007
CC29821		76.1	880	11.3	9.4	0.005	0.10	0.73	3.7	2.4	0.5	49.8	<0.01	0.05	3.5	0.006
CC29822		73.4	1510	12.6	8.8	0.007	0.08	1.25	3.7	2.2	0.4	62.9	<0.01	0.06	3.5	<0.005
CC29823		104.0	1310	14.3	10.8	0.011	0.10	1.39	4.3	3.2	0.7	75.7	0.01	0.08	3.8	<0.005
CC29824		86.3	1020	13.1	10.4	0.006	0.09	0.92	4.2	2.7	0.6	61.9	0.01	0.07	3.6	0.005
CC29825		89.8	1000	12.6	10.0	0.006	0.10	0.90	4.0	3.0	0.5	61.4	<0.01	0.07	3.3	<0.005
CC29826		78.7	1090	13.6	10.4	0.007	0.09	1.02	4.1	2.5	0.7	63.1	<0.01	0.07	3.6	<0.005
CC29827		76.9	920	12.3	9.0	0.006	0.10	0.84	4.1	3.2	0.6	62.8	<0.01	0.06	3.0	0.005

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC27979		0.25	3.08	70	0.08	14.50	186	1.1
CC27980		0.22	2.84	54	0.08	12.60	139	1.1
CC27981		0.23	3.16	59	0.13	13.80	160	1.2
CC27982		0.22	3.47	69	0.12	17.10	190	1.4
CC27983		0.22	3.25	61	0.09	15.70	166	1.3
CC27984		0.22	2.71	53	0.10	13.30	146	1.1
CC27985		0.22	3.15	68	0.11	19.75	239	1.7
CC27986		0.20	2.68	56	0.06	14.40	170	1.1
CC27987		0.20	3.47	55	0.09	19.75	191	1.5
CC27988		0.25	2.62	53	0.06	14.45	155	1.3
CC27989		0.21	2.78	57	0.14	15.25	142	1.2
CC27990		0.22	2.85	54	0.09	17.45	234	1.4
CC27991		3.89	10.10	259	0.34	13.20	53	0.8
CC27992		0.87	5.85	79	0.12	8.77	25	<0.5
CC27993		2.16	1.77	222	0.27	3.61	83	1.4
CC27994		0.10	0.77	20	<0.05	9.16	109	4.5
CC27995		0.12	0.85	18	<0.05	9.15	208	8.2
CC27996		0.16	0.92	23	<0.05	11.90	172	5.3
CC27997		0.13	0.95	21	<0.05	11.20	147	4.9
CC27998		0.08	0.93	19	<0.05	9.78	164	9.0
CC27999		0.09	1.19	24	<0.05	11.30	220	9.3
CC28000		0.09	0.97	21	<0.05	10.20	169	6.5
CC29810		0.24	1.99	96	0.08	17.55	299	4.1
CC29811		0.21	2.88	124	0.17	17.85	248	4.4
CC29812		0.11	1.89	79	0.07	13.90	201	2.8
CC29813		0.14	1.48	36	0.07	15.75	240	2.2
CC29814		0.12	2.03	65	0.06	15.50	155	2.5
CC29815		0.13	1.94	71	0.07	16.40	269	4.2
CC29816		0.18	1.96	87	0.08	17.40	243	2.8
CC29817		0.21	2.33	125	0.10	16.65	270	3.1
CC29818		0.17	2.14	103	0.08	17.20	285	3.0
CC29819		0.24	1.86	92	0.08	15.80	211	2.7
CC29820		0.28	1.86	85	0.08	14.10	207	2.7
CC29821		0.15	1.26	44	0.18	19.00	276	2.2
CC29822		0.11	1.56	59	0.05	17.15	280	2.9
CC29823		0.15	1.89	75	0.06	23.20	368	2.5
CC29824		0.16	1.50	56	0.07	21.00	306	2.4
CC29825		0.16	1.44	51	0.08	21.80	307	2.0
CC29826		0.15	1.38	59	0.06	19.10	288	2.4
CC29827		0.16	1.36	47	0.06	22.40	262	2.2

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC29828		0.24	0.30	1.05	11.9	<0.2	10	650	0.81	0.16	1.33	1.07	20.40	29.5	21	0.77
CC29829		0.20	0.25	0.97	12.1	<0.2	10	630	0.77	0.17	1.31	1.01	19.30	31.9	18	0.76
CC29830		0.08	0.27	0.95	19.5	<0.2	10	710	0.80	0.17	1.30	1.10	19.70	32.2	18	0.68
CC29831		0.18	0.24	0.93	11.3	<0.2	10	570	0.70	0.15	1.25	0.85	19.05	25.5	18	0.72
CC29832		0.12	0.25	0.99	12.5	<0.2	10	860	0.75	0.16	1.18	0.97	22.40	27.6	20	0.77
CC29833		0.32	0.26	0.98	17.9	<0.2	10	700	0.77	0.16	1.59	1.06	21.60	30.8	20	0.77
CC29834		0.26	0.27	0.92	12.1	<0.2	10	550	0.72	0.16	1.57	0.99	18.70	27.7	19	0.73
CC39667		0.24	0.25	0.94	12.6	<0.2	10	660	0.71	0.15	1.72	0.88	18.80	25.4	18	0.72
CC39668		0.34	0.23	0.93	18.1	<0.2	10	720	0.79	0.16	2.00	1.21	25.00	31.2	20	0.78
CC39669		0.22	0.24	0.96	12.5	<0.2	10	630	0.72	0.15	1.74	0.94	18.90	27.4	19	0.75
CC39670		0.18	0.35	1.08	12.6	<0.2	10	570	0.86	0.18	1.65	1.15	20.40	32.0	22	0.85
CC39671		0.22	0.19	0.74	17.0	<0.2	<10	480	0.65	0.15	1.95	0.72	16.95	20.8	15	0.71
CC39672		0.24	0.26	0.81	13.6	<0.2	<10	430	0.67	0.15	1.70	0.88	16.50	22.9	16	0.65
CC39673		0.20	0.29	0.73	23.4	<0.2	10	430	0.81	0.18	1.21	1.01	20.10	26.0	16	0.84
CC39674		0.26	0.21	0.63	18.9	<0.2	10	380	0.66	0.15	1.50	0.92	17.40	24.5	14	0.77
CC39675		0.30	0.17	0.50	12.1	<0.2	10	320	0.73	0.18	0.68	0.65	21.50	24.3	12	0.96
CC39676		0.20	0.25	0.78	12.6	<0.2	10	430	0.68	0.15	1.60	0.95	16.90	28.3	16	0.67
CC39677		0.30	0.19	0.57	12.2	<0.2	10	350	0.73	0.16	1.43	0.66	20.00	23.4	13	0.83
CC39678		0.22	0.20	0.66	10.6	<0.2	10	410	0.62	0.13	2.00	0.65	15.45	17.9	13	0.64
CC39679		0.22	0.23	0.82	11.4	<0.2	10	470	0.79	0.14	1.55	0.79	18.10	25.8	15	0.70
CC39680		0.26	1.47	0.56	52.5	<0.2	10	670	0.84	0.18	2.06	18.20	23.50	11.1	57	0.49
CC39681		0.26	2.71	0.58	37.3	<0.2	10	770	0.92	0.17	3.08	28.70	21.90	4.7	58	0.48
CC39682		0.40	3.43	0.89	41.7	<0.2	10	800	0.97	0.18	3.50	33.80	20.60	6.6	40	0.68
CC39683		0.36	1.35	1.56	43.3	<0.2	<10	850	1.20	0.22	1.40	15.60	33.70	10.5	41	0.63
CC39684		0.40	0.99	1.30	70.1	<0.2	<10	220	0.79	0.21	0.18	12.80	19.70	8.3	65	1.22
CC39685		0.32	0.58	1.00	157.0	<0.2	<10	140	0.26	0.31	0.04	1.80	13.90	2.9	56	0.95
CC39686		0.40	0.54	0.27	13.7	<0.2	<10	360	0.18	0.13	0.07	0.98	4.88	0.4	11	0.50
CC39687		0.40	1.41	1.16	28.4	<0.2	<10	450	0.34	0.24	0.03	0.69	13.40	3.2	21	0.53
CC39688		0.46	1.09	1.36	32.2	<0.2	<10	440	0.40	0.24	0.03	0.82	17.55	3.4	32	0.76
CC39689		0.22	0.34	0.35	6.5	<0.2	<10	250	0.17	0.16	0.02	0.25	6.43	0.3	11	0.58
CC39690		0.44	0.42	0.32	29.8	<0.2	<10	510	0.34	0.14	0.02	0.48	12.20	0.3	28	0.36
CC39691		0.30	1.80	0.86	47.3	<0.2	10	490	0.58	0.44	0.84	0.45	14.85	1.7	28	0.49
CC39692		0.28	0.30	1.03	35.8	<0.2	<10	420	0.30	0.28	0.04	0.45	14.95	3.2	21	0.46
CC39693		0.38	0.64	1.29	20.6	<0.2	<10	930	0.50	0.21	0.11	0.60	19.35	4.4	23	0.54
CC39694		0.32	0.56	0.68	25.3	<0.2	<10	380	0.29	0.21	0.05	0.74	17.75	3.0	19	0.31
CC39695		0.48	1.33	1.06	108.0	<0.2	<10	1700	0.82	0.18	0.09	5.29	21.00	8.2	24	0.35
CC39696		0.34	0.27	0.51	34.5	<0.2	<10	1320	0.49	0.14	0.19	1.69	10.85	4.6	10	0.45
CC39697		0.30	0.99	1.08	21.8	<0.2	<10	2330	0.65	0.18	1.22	6.06	28.30	9.7	23	0.69
CC39698		0.34	0.95	1.18	13.3	<0.2	<10	2840	0.71	0.15	1.22	5.93	27.90	17.4	24	0.63
CC39699		0.32	0.72	1.35	11.9	<0.2	<10	2020	0.85	0.21	0.17	2.47	43.00	7.0	45	0.67

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC29828		24.2	2.84	2.88	0.08	0.08	0.08	0.033	0.09	11.2	17.0	0.73	715	2.12	0.02	0.37
CC29829		22.1	2.78	2.76	0.08	0.09	0.07	0.031	0.08	10.5	16.1	0.73	1005	2.35	0.01	0.34
CC29830		25.3	3.94	2.80	0.10	0.09	0.05	0.034	0.08	11.1	14.8	0.62	1055	4.51	0.01	0.25
CC29831		20.3	2.66	2.69	0.07	0.08	0.06	0.029	0.08	10.5	15.5	0.72	750	2.05	0.01	0.34
CC29832		22.7	2.91	2.77	0.08	0.09	0.07	0.031	0.09	12.2	16.4	0.67	672	2.57	0.01	0.34
CC29833		33.0	3.45	2.86	0.09	0.09	0.06	0.034	0.09	12.2	16.0	0.76	939	3.66	0.02	0.29
CC29834		23.4	2.63	2.65	0.08	0.09	0.08	0.032	0.08	10.3	15.0	0.78	775	2.37	0.02	0.31
CC39667		22.1	2.71	2.70	0.07	0.08	0.06	0.030	0.08	10.6	15.2	0.92	691	2.48	0.01	0.30
CC39668		25.2	3.53	2.87	0.10	0.09	0.06	0.033	0.09	14.3	16.2	1.02	1020	3.91	0.01	0.29
CC39669		21.8	2.77	2.65	0.07	0.08	0.06	0.030	0.08	10.4	15.8	0.91	722	2.42	0.02	0.29
CC39670		26.5	2.88	3.03	0.08	0.09	0.10	0.036	0.09	11.0	17.6	0.86	865	2.19	0.02	0.38
CC39671		20.4	2.92	2.34	0.09	0.08	0.05	0.031	0.06	9.4	12.7	1.06	522	3.06	0.01	0.28
CC39672		21.8	2.55	2.43	0.08	0.07	0.07	0.031	0.07	8.8	13.3	0.91	609	2.20	0.01	0.28
CC39673		25.4	3.45	2.36	0.09	0.09	0.08	0.037	0.08	10.9	12.4	0.61	867	3.09	0.01	0.18
CC39674		21.4	3.24	2.08	0.09	0.08	0.07	0.031	0.06	9.1	10.6	0.76	744	2.51	0.01	0.21
CC39675		22.6	3.07	2.00	0.08	0.12	0.07	0.042	0.08	11.0	8.8	0.34	706	1.81	0.01	0.08
CC39676		26.5	2.64	2.27	0.07	0.08	0.08	0.031	0.07	8.9	12.4	0.84	792	2.03	0.02	0.26
CC39677		22.1	2.99	2.02	0.09	0.09	0.07	0.037	0.07	10.5	9.4	0.69	616	2.39	0.01	0.17
CC39678		18.6	2.41	1.97	0.07	0.07	0.07	0.027	0.06	8.2	11.2	1.14	421	2.02	0.01	0.23
CC39679		20.0	2.62	2.12	0.07	0.08	0.07	0.029	0.07	9.6	15.0	0.84	585	1.80	0.02	0.26
CC39680		83.5	1.71	3.03	0.11	0.11	0.31	0.026	0.06	14.8	3.7	0.14	436	20.60	0.01	0.21
CC39681		101.0	1.28	2.91	0.13	0.14	0.53	0.025	0.06	15.3	3.8	0.57	102	22.00	0.01	0.24
CC39682		98.7	1.69	3.41	0.14	0.13	0.70	0.028	0.07	16.7	6.7	0.76	106	34.70	0.01	0.37
CC39683		49.7	2.57	4.98	0.15	0.12	0.20	0.034	0.07	20.2	11.4	0.35	243	36.20	0.01	0.67
CC39684		59.9	2.24	6.09	0.12	0.02	0.19	0.031	0.09	14.4	9.3	0.14	241	26.40	0.01	0.58
CC39685		41.4	2.65	8.06	0.14	0.02	0.08	0.033	0.05	8.8	2.8	0.08	48	73.20	0.01	0.79
CC39686		32.4	0.74	2.08	0.05	<0.02	0.04	0.017	0.08	2.8	0.4	0.02	7	30.60	<0.01	0.10
CC39687		35.1	2.88	4.36	0.08	0.02	0.12	0.034	0.10	6.8	9.0	0.15	107	39.00	0.01	0.67
CC39688		41.0	2.90	5.47	0.08	0.02	0.08	0.044	0.09	8.9	8.5	0.15	113	45.00	<0.01	0.72
CC39689		23.2	0.53	2.16	<0.05	<0.02	0.03	0.015	0.05	3.0	0.4	0.01	6	16.70	0.01	0.11
CC39690		48.8	1.01	2.46	0.07	0.02	0.08	0.057	0.10	4.1	0.6	0.01	8	55.30	<0.01	0.08
CC39691		57.2	2.20	5.17	0.10	0.05	0.53	0.063	0.16	8.2	4.2	0.10	28	43.70	0.01	0.29
CC39692		24.0	3.32	5.14	0.08	<0.02	0.05	0.036	0.12	8.1	5.0	0.11	79	33.20	0.01	0.75
CC39693		24.0	2.35	4.48	0.07	0.02	0.07	0.030	0.10	11.4	11.3	0.25	101	25.90	<0.01	0.45
CC39694		27.0	2.48	3.18	0.11	<0.02	0.03	0.031	0.16	9.8	5.4	0.12	55	47.70	0.01	0.29
CC39695		65.4	4.22	3.13	0.12	0.04	0.08	0.033	0.11	12.0	7.6	0.15	83	99.60	<0.01	0.28
CC39696		32.1	1.77	1.64	0.08	0.04	0.10	0.024	0.06	6.0	2.3	0.06	95	42.50	<0.01	0.15
CC39697		53.5	1.81	2.97	0.08	0.10	0.28	0.029	0.07	16.8	9.4	0.27	109	10.05	<0.01	0.35
CC39698		41.4	2.52	3.41	0.09	0.10	0.25	0.027	0.06	16.1	10.6	0.33	2880	13.40	<0.01	0.32
CC39699		61.1	2.14	4.45	0.09	0.07	0.24	0.033	0.06	24.6	10.3	0.22	218	9.61	<0.01	0.37

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC29828		89.5	1030	12.0	9.9	0.006	0.09	0.82	4.0	2.7	0.6	60.1	0.01	0.06	3.6	0.006
CC29829		84.2	990	11.7	9.5	0.005	0.08	0.83	3.7	2.4	0.6	56.8	<0.01	0.06	3.3	0.006
CC29830		83.1	1490	14.5	8.8	0.008	0.08	1.49	3.9	2.7	0.6	64.0	<0.01	0.08	3.5	0.005
CC29831		73.1	1000	11.3	9.0	0.005	0.08	0.78	3.6	2.1	0.4	52.1	<0.01	0.05	3.4	0.006
CC29832		85.2	1110	11.8	9.7	0.007	0.09	1.07	3.9	2.5	0.6	59.8	<0.01	0.07	4.3	0.007
CC29833		80.4	1740	13.9	9.4	0.007	0.13	1.29	4.0	2.7	0.6	71.2	0.01	0.07	3.7	0.006
CC29834		73.0	960	14.2	9.1	0.005	0.09	0.91	3.8	2.5	0.6	58.6	<0.01	0.06	3.3	0.005
CC39667		69.4	1060	12.1	9.2	0.005	0.08	0.92	3.7	2.4	0.4	59.3	<0.01	0.07	3.2	0.005
CC39668		82.6	1670	14.1	9.1	0.006	0.10	1.41	4.0	2.6	0.6	69.5	<0.01	0.07	4.1	0.006
CC39669		75.9	1060	11.8	9.5	0.005	0.09	0.91	3.7	2.4	0.5	59.8	<0.01	0.06	3.2	0.005
CC39670		82.9	960	14.0	11.1	0.005	0.11	0.85	4.3	3.0	0.6	62.8	0.01	0.07	3.4	0.006
CC39671		60.4	1370	12.7	7.2	0.003	0.14	1.05	3.4	2.2	0.4	56.6	<0.01	0.06	3.4	0.005
CC39672		64.8	900	11.8	7.8	0.003	0.12	0.81	3.6	2.3	0.4	51.3	<0.01	0.06	3.2	<0.005
CC39673		75.9	1070	16.9	8.6	0.004	0.15	1.06	4.1	2.4	0.5	63.7	<0.01	0.07	4.1	<0.005
CC39674		67.6	1140	12.8	7.4	0.002	0.20	0.96	3.6	2.1	0.6	54.9	<0.01	0.06	3.5	<0.005
CC39675		57.4	650	11.8	8.6	0.002	0.08	0.55	4.2	1.5	0.5	66.7	<0.01	0.05	5.1	<0.005
CC39676		71.0	910	11.9	7.6	0.002	0.14	0.75	3.6	2.1	0.5	54.4	<0.01	0.05	3.3	<0.005
CC39677		61.5	890	12.1	7.9	0.002	0.09	0.71	4.0	1.8	0.5	82.5	<0.01	0.05	4.3	<0.005
CC39678		57.1	890	10.1	6.6	0.002	0.11	0.74	3.2	1.9	0.4	52.8	<0.01	0.05	3.0	<0.005
CC39679		87.9	880	11.7	7.9	0.002	0.11	0.71	3.5	2.3	0.4	55.1	<0.01	0.05	3.2	<0.005
CC39680		150.0	1540	12.5	7.6	0.015	0.12	14.35	3.0	9.6	0.6	146.0	0.01	0.17	1.3	0.005
CC39681		212.0	1120	11.3	6.7	0.019	0.12	18.50	3.9	14.8	0.6	193.0	0.01	0.17	1.1	0.006
CC39682		254.0	940	12.1	8.3	0.005	0.09	17.80	4.7	15.4	0.6	168.5	0.01	0.14	1.4	0.009
CC39683		171.5	570	15.8	7.5	0.001	0.07	12.30	5.0	16.5	0.7	55.7	0.01	0.13	2.0	0.008
CC39684		94.0	630	20.4	15.5	<0.001	0.06	31.60	2.3	14.2	0.6	17.9	<0.01	0.20	0.4	0.013
CC39685		399.0	240	26.3	7.6	0.001	0.04	34.80	2.1	21.3	1.0	13.7	<0.01	0.40	1.5	0.017
CC39686		9.7	370	9.2	7.3	0.011	0.17	6.76	1.0	7.5	0.6	69.8	<0.01	0.17	0.6	<0.005
CC39687		13.3	570	14.2	10.7	<0.001	0.22	9.24	2.5	8.2	0.7	48.4	<0.01	0.20	1.4	0.013
CC39688		15.2	820	13.9	10.1	<0.001	0.17	7.94	2.6	6.3	0.8	42.4	<0.01	0.20	1.1	0.013
CC39689		4.1	430	11.1	6.4	0.004	0.09	2.01	1.3	3.5	0.5	21.6	<0.01	0.11	0.5	<0.005
CC39690		5.2	660	9.5	5.7	0.020	0.26	4.48	3.4	4.4	0.4	112.0	<0.01	0.13	0.8	<0.005
CC39691		29.6	940	30.4	11.8	0.013	0.37	5.10	3.9	13.9	1.3	173.5	<0.01	0.34	0.9	<0.005
CC39692		31.0	780	16.8	11.0	<0.001	0.23	4.58	2.0	7.6	0.8	46.3	<0.01	0.16	1.3	0.009
CC39693		26.8	690	15.3	11.5	<0.001	0.09	4.76	2.4	4.3	0.6	45.9	<0.01	0.12	2.2	0.007
CC39694		31.7	860	14.7	9.6	0.001	0.41	6.97	1.9	13.3	0.6	119.5	<0.01	0.23	1.6	0.006
CC39695		84.8	1230	15.1	8.5	<0.001	0.15	36.50	3.6	11.2	0.6	86.3	<0.01	0.19	2.1	<0.005
CC39696		53.3	300	8.8	7.0	0.026	0.06	4.45	2.3	11.8	0.4	62.9	<0.01	0.22	1.7	<0.005
CC39697		64.8	850	10.9	10.3	0.014	0.12	2.91	3.6	5.8	0.4	104.5	0.01	0.06	1.9	0.005
CC39698		65.2	940	10.7	8.5	0.010	0.10	2.99	3.5	6.4	0.4	94.3	<0.01	0.07	1.5	0.006
CC39699		46.0	760	12.3	8.7	0.001	0.05	3.16	3.9	3.8	0.6	23.9	0.01	0.09	1.8	0.006

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC29828		0.16	1.47	51	0.13	22.40	301	2.1
CC29829		0.16	1.25	48	0.18	20.10	302	2.2
CC29830		0.13	1.81	73	0.08	19.80	307	2.6
CC29831		0.14	1.26	46	0.06	18.15	264	2.0
CC29832		0.15	1.46	55	0.07	19.85	275	2.3
CC29833		0.15	1.71	63	0.06	21.20	301	2.5
CC29834		0.15	1.29	49	0.06	18.65	262	2.1
CC39667		0.14	1.36	51	0.05	17.20	251	2.0
CC39668		0.13	1.73	70	0.08	20.10	290	2.7
CC39669		0.15	1.34	52	0.09	18.45	283	1.9
CC39670		0.17	1.52	52	0.06	22.50	298	2.2
CC39671		0.11	1.40	51	0.05	15.50	222	2.8
CC39672		0.12	1.22	43	0.05	16.20	238	2.2
CC39673		0.12	1.51	55	0.05	17.75	252	2.7
CC39674		0.12	1.29	46	0.11	15.35	232	2.5
CC39675		0.07	1.07	42	<0.05	12.15	214	3.9
CC39676		0.13	1.21	42	<0.05	16.95	247	2.2
CC39677		0.09	1.35	42	<0.05	14.25	216	3.0
CC39678		0.11	1.19	38	<0.05	14.85	208	2.0
CC39679		0.12	1.20	41	0.05	20.90	280	2.0
CC39680		0.82	8.19	825	0.25	29.50	1395	3.8
CC39681		1.18	10.15	742	0.24	37.30	1885	5.2
CC39682		1.72	5.71	656	0.24	40.10	2790	3.9
CC39683		1.22	3.76	563	0.23	32.10	1240	3.3
CC39684		3.01	4.30	1530	0.31	17.05	1125	<0.5
CC39685		6.11	2.20	1525	0.33	5.04	495	1.5
CC39686		2.31	2.96	135	0.16	3.78	29	<0.5
CC39687		2.32	3.38	239	0.27	4.80	55	<0.5
CC39688		2.72	6.54	378	0.26	6.40	52	<0.5
CC39689		1.41	3.72	81	0.11	2.88	8	<0.5
CC39690		2.29	13.35	152	0.19	6.38	8	0.6
CC39691		4.49	6.92	213	0.44	5.76	82	1.8
CC39692		2.19	1.38	238	0.23	2.82	135	0.5
CC39693		1.20	2.66	217	0.13	3.95	169	1.0
CC39694		3.78	2.57	181	0.21	4.59	172	<0.5
CC39695		1.67	9.50	416	0.25	14.85	642	1.1
CC39696		1.76	4.19	109	0.12	9.22	156	1.5
CC39697		0.53	7.03	216	0.12	21.50	412	3.1
CC39698		0.43	5.49	196	0.12	19.65	390	2.7
CC39699		0.56	4.33	232	0.21	25.90	196	1.7

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC39700		0.36	0.69	1.26	6.7	<0.2	<10	3630	0.69	0.19	0.46	1.18	29.50	10.9	20	0.66
CC39701		0.36	0.44	1.28	4.9	<0.2	<10	2410	0.41	0.20	0.10	0.30	24.90	6.6	19	0.48
CC39702		0.34	0.91	1.31	8.8	<0.2	<10	6320	0.65	0.20	0.66	1.60	29.80	9.0	23	0.48
CC39703		0.42	0.42	1.21	13.4	<0.2	<10	4950	0.65	0.19	0.36	1.13	29.60	6.5	23	0.47
CC39704		0.40	0.45	0.90	14.5	<0.2	<10	3110	0.61	0.16	0.29	2.03	26.80	5.1	26	0.44
CC39705		0.36	1.72	1.11	23.3	<0.2	<10	1440	0.87	0.21	0.69	13.80	29.90	7.2	46	0.65
CC39706		0.32	1.70	1.18	32.4	<0.2	<10	1110	0.98	0.18	2.13	19.10	26.30	7.7	35	0.55
CC39707		0.38	0.20	2.53	17.7	<0.2	<10	480	0.74	0.21	0.05	0.77	22.00	10.7	33	0.99
CC39708		0.32	0.28	3.00	24.1	<0.2	<10	690	1.04	0.23	0.07	1.09	24.80	14.4	38	1.33
CC39709		0.46	0.27	0.55	13.6	<0.2	<10	740	0.58	0.13	0.17	1.36	16.60	4.7	10	0.66
CC39859		0.22	0.45	0.77	11.5	<0.2	<10	170	0.56	0.19	6.87	1.58	30.30	9.6	18	1.71
CC39860		0.28	0.34	0.81	10.4	<0.2	<10	150	0.48	0.19	5.74	1.13	25.70	9.2	13	1.75
CC39861		0.30	0.39	0.83	12.5	<0.2	<10	170	0.57	0.21	6.46	1.43	23.10	10.7	18	1.47
CC39862		0.16	0.34	0.79	11.6	<0.2	<10	160	0.55	0.21	6.77	1.36	25.10	10.6	16	1.50
CC39863		0.28	0.32	0.73	10.0	<0.2	<10	140	0.51	0.18	6.00	1.08	25.10	9.0	12	1.52
CC39864		0.26	0.33	0.75	10.7	<0.2	<10	160	0.52	0.19	7.31	1.24	24.10	9.8	14	1.45
CC39865		0.26	0.27	0.74	9.3	<0.2	<10	160	0.47	0.18	5.51	1.02	25.50	9.0	12	1.50
CC39866		0.34	0.32	0.76	9.9	<0.2	<10	380	0.49	0.18	6.37	1.20	27.10	10.0	14	1.39
CC39867		0.26	0.32	0.75	10.1	<0.2	<10	230	0.49	0.18	6.24	1.17	33.10	9.4	12	1.56
CC39868		0.18	0.34	0.85	12.3	<0.2	<10	310	0.55	0.22	6.45	1.38	23.70	11.9	22	1.38
CC39869		0.26	0.34	0.77	10.3	<0.2	<10	250	0.54	0.18	6.52	1.12	25.40	9.5	14	1.56
CC39870		0.32	0.44	0.78	10.8	<0.2	<10	580	0.55	0.19	7.01	1.76	23.60	9.9	17	1.52
CC39871		0.26	0.32	0.78	10.6	<0.2	<10	410	0.50	0.19	5.99	1.28	24.50	9.7	12	1.52
CC39872		0.36	0.57	0.71	15.9	<0.2	<10	890	0.52	0.18	6.16	3.73	28.70	8.9	17	1.55
CC39873		0.30	0.47	0.73	13.7	<0.2	<10	680	0.51	0.18	5.63	2.76	23.80	9.3	15	1.54
CC39874		0.28	0.39	0.68	13.2	<0.2	<10	510	0.50	0.18	5.32	3.41	22.20	9.6	13	1.36
CC39875		0.24	0.49	0.73	14.4	<0.2	<10	910	0.53	0.18	6.03	4.75	32.00	9.8	16	1.45
CC39876		0.22	0.55	1.00	18.4	<0.2	<10	810	1.19	0.16	5.08	126.50	24.80	20.0	18	1.47
CC39979		0.10	0.24	0.83	4.1	<0.2	<10	130	0.53	0.16	2.21	1.02	40.40	4.7	12	1.12
CC39980		0.16	0.30	0.89	7.0	<0.2	<10	160	0.59	0.17	1.97	0.87	41.50	7.2	13	1.11
CC39981		0.08	0.26	0.87	6.2	<0.2	<10	160	0.54	0.16	2.13	0.78	42.40	6.7	12	1.05
CC39982		0.16	0.13	0.74	8.4	<0.2	<10	120	0.49	0.15	5.02	0.86	36.90	10.4	10	0.80
CC39983		0.14	0.13	0.75	8.2	<0.2	<10	100	0.51	0.16	4.17	0.66	37.00	8.7	10	0.85
CC39984		0.14	0.17	0.76	5.7	<0.2	<10	140	0.46	0.14	2.38	0.56	41.80	6.0	11	0.94
CC39985		0.22	0.34	0.74	10.7	<0.2	<10	130	0.48	0.18	6.08	1.29	28.20	9.5	11	1.46
CC39986		0.22	0.38	0.81	11.0	<0.2	<10	130	0.54	0.18	6.87	1.30	24.40	9.6	12	1.57

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC39700		36.6	2.01	3.76	0.07	0.07	0.17	0.028	0.07	16.6	10.4	0.25	346	5.12	<0.01	0.33
CC39701		20.7	2.14	4.09	0.06	0.05	0.08	0.027	0.09	13.5	11.2	0.27	152	2.70	<0.01	0.44
CC39702		31.8	2.08	3.93	0.07	0.07	0.16	0.029	0.08	16.7	9.9	0.27	275	9.90	<0.01	0.38
CC39703		33.5	2.27	3.70	0.07	0.06	0.14	0.028	0.07	16.6	10.2	0.28	142	15.45	<0.01	0.36
CC39704		39.2	1.61	3.21	0.06	0.04	0.16	0.022	0.05	15.8	6.8	0.18	129	19.75	<0.01	0.31
CC39705		68.1	1.83	3.86	0.11	0.09	0.31	0.033	0.07	15.3	9.8	0.28	152	21.80	<0.01	0.40
CC39706		69.6	2.01	3.73	0.13	0.13	0.28	0.027	0.07	18.5	9.1	0.28	171	22.20	0.01	0.53
CC39707		35.8	3.08	5.01	0.07	0.14	0.04	0.038	0.06	11.3	25.1	0.36	174	7.74	0.01	0.79
CC39708		41.2	3.46	6.40	0.08	0.22	0.07	0.047	0.07	13.0	29.8	0.34	211	14.80	0.02	0.91
CC39709		39.3	1.51	1.79	0.08	0.06	0.08	0.024	0.06	8.7	2.8	0.07	56	35.00	0.01	0.14
CC39859		40.4	1.95	2.54	0.12	0.19	0.07	0.024	0.09	16.6	23.6	1.62	194	7.35	0.01	0.09
CC39860		31.2	2.11	2.40	0.11	0.14	0.06	0.024	0.07	13.7	25.3	1.39	181	4.88	0.01	0.08
CC39861		36.7	2.20	2.49	0.11	0.34	0.06	0.026	0.09	12.1	24.9	1.42	240	6.68	0.01	0.06
CC39862		33.9	2.16	2.36	0.11	0.25	0.05	0.026	0.08	13.2	24.6	1.44	224	6.09	0.01	0.07
CC39863		30.6	1.97	2.21	0.10	0.14	0.05	0.022	0.06	13.4	23.7	1.33	178	4.71	0.01	0.08
CC39864		33.0	2.04	2.25	0.10	0.27	0.06	0.024	0.08	12.9	23.0	1.58	219	5.53	0.01	0.08
CC39865		26.2	2.01	2.20	0.10	0.15	0.05	0.022	0.06	13.4	24.1	1.30	188	4.12	0.01	0.06
CC39866		32.7	2.03	2.31	0.10	0.20	0.05	0.024	0.08	14.6	22.5	1.42	221	4.74	0.02	0.06
CC39867		33.6	2.06	2.28	0.10	0.17	0.06	0.025	0.07	17.7	23.7	1.37	184	4.57	0.01	0.06
CC39868		34.8	2.29	2.54	0.09	0.34	0.05	0.027	0.09	12.3	25.6	1.33	262	7.37	0.02	0.05
CC39869		33.0	2.05	2.31	0.10	0.20	0.05	0.023	0.08	13.6	23.9	1.45	195	5.07	0.01	0.06
CC39870		36.9	2.02	2.34	0.09	0.20	0.06	0.025	0.09	12.9	21.9	1.47	215	5.86	0.02	0.07
CC39871		30.5	2.10	2.34	0.10	0.17	0.04	0.024	0.07	13.0	24.0	1.36	199	4.52	0.02	0.06
CC39872		41.8	1.95	2.42	0.12	0.20	0.11	0.025	0.09	15.7	18.9	1.50	192	10.20	0.02	0.09
CC39873		36.8	2.01	2.34	0.10	0.17	0.09	0.026	0.08	12.9	20.8	1.33	193	8.56	0.02	0.07
CC39874		37.6	2.01	2.05	0.10	0.19	0.07	0.024	0.06	12.0	20.0	1.24	186	8.85	0.02	0.06
CC39875		40.2	2.02	2.37	0.12	0.17	0.10	0.027	0.09	17.0	18.9	1.45	204	9.80	0.02	0.08
CC39876		67.2	4.06	2.30	0.12	0.19	0.10	0.031	0.09	13.3	17.7	1.31	229	14.90	0.02	0.09
CC39979		19.1	1.53	2.57	0.09	0.12	0.04	0.017	0.06	20.4	27.7	1.55	86	1.38	0.01	0.11
CC39980		22.5	1.79	2.77	0.09	0.12	0.05	0.020	0.06	21.1	27.7	1.27	158	2.05	0.01	0.13
CC39981		20.3	1.69	2.73	0.09	0.12	0.05	0.018	0.07	21.6	26.7	1.37	149	1.89	0.01	0.12
CC39982		17.2	1.76	2.28	0.09	0.14	0.02	0.018	0.06	18.3	24.6	2.82	376	2.80	0.01	0.08
CC39983		16.0	1.79	2.30	0.09	0.13	0.03	0.017	0.05	18.3	26.6	2.49	244	2.60	0.01	0.08
CC39984		14.9	1.59	2.39	0.10	0.11	0.03	0.015	0.06	21.0	25.9	1.58	130	1.82	0.01	0.09
CC39985		32.3	2.02	2.28	0.10	0.20	0.05	0.022	0.07	14.9	24.0	1.41	198	5.00	0.01	0.07
CC39986		33.2	2.00	2.46	0.10	0.19	0.05	0.023	0.09	12.7	24.9	1.59	207	5.18	0.01	0.07

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
CC39700		33.6	700	11.3	11.2	<0.001	0.05	1.86	3.6	3.4	0.4	51.5	<0.01	0.06	2.2	0.005
CC39701		22.0	450	10.0	10.4	<0.001	0.04	0.76	2.7	1.1	0.5	31.4	<0.01	0.05	2.8	0.008
CC39702		57.8	760	10.0	10.5	<0.001	0.07	1.69	3.5	2.3	0.5	87.9	<0.01	0.06	1.5	0.007
CC39703		55.0	540	10.7	9.2	<0.001	0.06	2.31	3.6	2.1	0.5	66.2	<0.01	0.06	2.8	0.007
CC39704		47.5	610	9.2	8.2	0.001	0.06	3.38	2.7	2.5	0.6	43.6	<0.01	0.07	1.6	0.007
CC39705		126.0	920	12.0	9.8	0.001	0.05	9.66	5.6	6.3	0.7	81.8	0.01	0.12	2.1	0.010
CC39706		138.5	790	12.0	9.2	0.001	0.09	12.40	3.8	11.0	0.5	90.8	0.01	0.11	1.3	0.009
CC39707		51.0	280	12.8	13.0	<0.001	0.03	2.76	4.4	1.8	0.6	11.2	0.01	0.06	5.8	0.020
CC39708		92.7	300	14.3	16.3	<0.001	0.02	3.91	5.2	2.3	0.7	13.3	0.01	0.09	5.9	0.018
CC39709		97.1	260	7.8	7.4	0.011	0.02	3.63	3.7	5.7	0.4	25.0	0.01	0.07	2.6	<0.005
CC39859		31.9	1070	18.6	7.1	0.009	0.18	2.47	3.2	2.1	0.3	223.0	<0.01	0.04	5.4	<0.005
CC39860		26.6	870	18.0	5.8	0.006	0.16	1.77	2.7	1.7	0.2	197.0	<0.01	0.03	5.1	<0.005
CC39861		33.5	870	20.7	6.4	0.007	0.18	2.27	3.1	1.8	0.2	217.0	<0.01	0.04	5.8	<0.005
CC39862		32.1	940	20.4	5.7	0.007	0.17	2.05	3.0	1.8	0.2	226.0	<0.01	0.04	5.7	<0.005
CC39863		26.0	880	17.3	5.2	0.006	0.16	1.73	2.7	1.6	0.2	198.0	<0.01	0.04	4.8	<0.005
CC39864		28.6	950	18.7	5.7	0.009	0.20	1.91	3.0	1.8	0.2	242.0	<0.01	0.04	5.4	<0.005
CC39865		25.2	790	16.9	4.8	0.005	0.15	1.47	2.5	1.4	0.2	182.0	<0.01	0.03	5.0	<0.005
CC39866		31.0	960	17.5	5.4	0.008	0.21	1.66	2.8	1.8	0.2	209.0	<0.01	0.04	5.2	<0.005
CC39867		27.6	900	17.0	5.5	0.008	0.20	1.65	2.8	1.7	0.2	202.0	<0.01	0.04	5.3	<0.005
CC39868		38.7	860	21.1	6.2	0.009	0.18	2.06	3.1	1.8	0.2	218.0	<0.01	0.04	6.1	<0.005
CC39869		28.1	950	17.7	5.9	0.008	0.19	1.77	2.9	1.9	0.2	214.0	<0.01	0.04	5.3	<0.005
CC39870		34.0	910	17.7	6.7	0.013	0.21	2.08	3.2	2.1	0.2	237.0	<0.01	0.05	5.2	<0.005
CC39871		30.7	870	18.4	5.7	0.006	0.16	1.73	2.8	1.6	0.2	204.0	<0.01	0.03	5.2	<0.005
CC39872		45.5	920	17.7	7.1	0.031	0.26	4.05	3.4	4.4	0.3	232.0	<0.01	0.05	5.2	<0.005
CC39873		40.8	860	16.7	6.4	0.023	0.21	3.14	3.1	2.8	0.2	202.0	<0.01	0.05	5.1	<0.005
CC39874		46.6	840	16.1	5.0	0.017	0.19	2.85	3.0	3.0	0.2	188.5	<0.01	0.04	4.9	<0.005
CC39875		53.1	930	16.4	6.8	0.026	0.23	3.51	3.4	3.3	0.3	231.0	<0.01	0.05	5.2	<0.005
CC39876		165.5	870	15.3	7.1	0.023	0.27	4.09	3.9	4.6	0.3	200.0	0.01	0.05	4.7	<0.005
CC39979		15.8	760	18.5	6.5	0.001	0.06	0.84	2.0	1.3	0.2	33.2	<0.01	0.02	5.1	<0.005
CC39980		19.6	770	19.7	7.7	0.002	0.06	1.06	2.3	1.6	0.2	41.9	<0.01	0.03	4.7	<0.005
CC39981		18.4	750	18.1	7.4	0.002	0.05	0.95	2.2	1.4	0.3	41.8	<0.01	0.02	4.9	<0.005
CC39982		18.8	750	22.9	5.5	0.001	0.02	1.13	1.8	1.1	0.2	73.3	<0.01	0.02	5.9	<0.005
CC39983		18.1	730	21.9	5.5	0.001	0.02	1.11	1.8	1.0	<0.2	53.1	<0.01	0.02	5.9	<0.005
CC39984		15.7	710	15.8	6.1	0.001	0.03	0.89	1.8	1.0	<0.2	34.8	<0.01	0.02	5.5	<0.005
CC39985		25.6	920	18.1	5.3	0.006	0.16	1.96	2.6	1.7	0.2	201.0	<0.01	0.04	5.3	<0.005
CC39986		25.1	1000	18.7	6.4	0.007	0.16	2.18	2.9	1.7	0.2	235.0	<0.01	0.04	5.1	<0.005

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098783

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5
CC39700		0.31	2.75	93	0.11	16.65	136	1.7
CC39701		0.13	0.74	44	0.08	5.85	89	1.4
CC39702		0.59	4.57	160	0.12	16.25	152	1.6
CC39703		0.44	4.09	258	0.14	14.25	183	1.6
CC39704		0.74	4.86	324	0.19	15.30	169	1.1
CC39705		1.20	4.96	408	0.20	32.80	1110	2.6
CC39706		0.82	5.36	496	0.23	33.40	1335	4.0
CC39707		0.37	1.07	144	0.18	4.42	245	4.5
CC39708		0.76	1.43	202	0.18	6.78	327	7.4
CC39709		1.23	3.68	107	0.14	25.10	299	1.2
CC39859		0.17	1.81	38	0.05	13.65	177	9.9
CC39860		0.13	1.33	25	<0.05	11.60	147	6.7
CC39861		0.14	1.63	35	0.05	12.40	169	14.4
CC39862		0.13	1.63	29	<0.05	12.50	167	11.8
CC39863		0.11	1.41	24	<0.05	11.45	137	7.1
CC39864		0.12	1.54	29	<0.05	12.45	150	12.1
CC39865		0.11	1.23	20	<0.05	10.50	131	7.3
CC39866		0.11	1.44	28	<0.05	12.50	162	9.6
CC39867		0.11	1.44	25	<0.05	12.20	159	8.3
CC39868		0.13	1.61	32	0.05	12.80	165	14.3
CC39869		0.11	1.50	29	<0.05	12.40	140	9.8
CC39870		0.14	1.74	34	<0.05	13.30	188	9.6
CC39871		0.13	1.38	25	<0.05	11.85	168	8.8
CC39872		0.29	3.26	128	0.07	15.05	344	10.1
CC39873		0.25	2.53	81	0.05	13.75	278	8.4
CC39874		0.32	2.26	56	0.05	13.80	298	8.9
CC39875		0.34	2.81	92	0.06	15.65	326	8.3
CC39876		0.53	6.69	109	0.09	28.40	1940	7.8
CC39979		0.10	0.80	18	<0.05	9.78	107	4.5
CC39980		0.11	1.02	21	<0.05	11.40	116	4.2
CC39981		0.11	0.88	20	<0.05	10.60	112	4.0
CC39982		0.08	0.89	19	<0.05	9.35	119	6.3
CC39983		0.07	0.83	17	<0.05	8.83	118	6.0
CC39984		0.08	0.78	16	<0.05	8.40	104	3.8
CC39985		0.12	1.46	27	<0.05	11.50	157	9.7
CC39986		0.14	1.67	34	<0.05	12.45	151	8.8

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: MTT

CERTIFICATE VA07098782

Project: NIMO

P.O. No.:

This report is for 149 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC27676		0.18	0.49	0.95	10.8	<0.2	10	400	0.74	0.17	5.35	1.76	42.70	16.3	17	2.16
CC27677		0.08	0.63	0.87	6.5	<0.2	10	350	0.66	0.16	5.06	3.01	34.90	8.3	15	1.71
CC27678		0.28	0.23	0.93	8.1	<0.2	<10	450	0.68	0.25	4.13	1.37	48.00	14.2	15	1.72
CC27679		0.12	1.41	0.48	9.7	<0.2	<10	1590	0.29	0.25	1.66	1.54	20.10	13.2	7	0.83
CC27680		0.18	0.93	0.56	6.0	<0.2	<10	2400	0.35	0.24	1.55	1.10	24.40	14.1	11	1.10
CC27681		0.22	0.92	0.46	9.0	<0.2	<10	2720	0.33	0.18	2.08	2.14	16.90	11.6	8	1.01
CC27682		0.24	0.73	0.57	16.6	<0.2	<10	2430	0.35	0.21	2.48	2.29	11.50	13.9	13	1.28
CC27750		0.16	0.24	0.69	8.4	<0.2	<10	300	0.45	0.15	5.51	0.96	33.70	8.1	11	0.78
CC27777		0.12	0.59	0.18	30.2	<0.2	<10	580	0.21	0.16	0.08	0.72	6.44	0.7	9	0.98
CC27778		0.16	0.37	0.21	14.9	<0.2	<10	350	0.17	0.13	0.07	0.39	7.67	0.8	9	1.24
CC27779		0.08	0.53	0.47	4.1	<0.2	<10	960	0.28	0.15	0.10	3.03	9.61	0.6	14	0.52
CC27780		0.14	0.60	1.23	17.3	<0.2	10	620	0.93	0.14	3.48	5.04	33.40	8.1	28	1.07
CC27781		0.12	0.58	1.00	15.1	<0.2	<10	600	0.78	0.11	3.84	9.96	27.40	7.0	26	0.92
CC27782		0.12	0.48	1.04	27.0	<0.2	<10	890	0.76	0.18	0.29	3.54	24.70	2.9	31	1.09
CC27783		0.10	0.50	1.06	27.6	<0.2	10	800	0.87	0.15	0.66	4.99	24.80	4.8	30	1.15
CC27784		0.18	0.60	1.18	20.0	<0.2	<10	770	1.09	0.16	0.78	7.69	29.50	6.7	32	0.92
CC27785		0.24	0.56	1.32	17.2	<0.2	<10	930	0.92	0.18	0.81	3.55	32.20	11.7	32	0.99
CC27786		0.32	0.45	1.37	10.8	<0.2	<10	950	0.80	0.18	0.40	2.60	33.10	9.2	31	0.82
CC27787		0.34	0.52	1.39	7.9	<0.2	10	980	0.90	0.17	0.71	3.07	37.10	8.2	30	0.88
CC27788		0.24	0.49	1.55	13.0	<0.2	10	790	1.00	0.18	1.75	2.69	37.80	8.9	29	0.91
CC27789		0.22	0.44	1.39	8.7	<0.2	10	650	0.76	0.16	2.18	2.30	34.40	7.7	26	0.95
CC27790		0.16	0.48	1.39	9.5	<0.2	<10	1340	0.87	0.17	1.71	2.86	31.40	10.4	28	0.61
CC27791		0.08	0.20	0.77	13.2	<0.2	<10	540	0.38	0.18	0.33	1.88	18.70	4.5	21	1.25
CC27792		0.20	0.64	1.45	15.9	<0.2	10	800	0.98	0.16	2.25	1.91	36.20	7.5	30	0.99
CC27793		0.46	0.26	0.71	21.0	<0.2	<10	280	0.31	0.20	0.03	0.69	15.95	5.2	14	0.71
CC27794		0.30	0.77	2.86	36.8	<0.2	<10	510	0.60	0.30	0.03	0.60	18.45	8.7	40	1.28
CC27795		0.40	0.61	0.40	22.6	<0.2	<10	450	0.38	0.14	0.01	0.86	9.92	1.0	13	0.41
CC27796		0.42	0.40	2.06	21.0	<0.2	<10	290	0.51	0.22	0.05	0.43	20.00	6.9	30	1.05
CC27797		0.12	0.30	1.18	3.5	<0.2	<10	490	0.57	0.20	0.80	0.47	32.10	9.2	16	0.86
CC27798		0.06	0.68	1.13	16.3	<0.2	10	530	0.76	0.10	2.31	2.83	27.30	15.7	19	1.21
CC27799		0.12	0.48	1.20	5.2	<0.2	10	710	0.68	0.08	1.80	1.57	29.10	5.0	21	1.18
CC27800		0.10	0.57	1.20	10.6	<0.2	10	690	0.75	0.13	2.56	2.00	32.60	10.0	21	1.14
CC27801		0.10	0.43	0.97	6.6	<0.2	<10	1320	0.50	0.16	1.12	1.55	25.10	6.0	17	0.65
CC27802		0.16	0.36	1.56	10.4	<0.2	<10	1060	0.74	0.21	0.93	0.75	30.40	14.2	26	0.68
CC27803		0.18	0.47	1.46	9.5	<0.2	10	740	0.93	0.18	1.65	1.55	29.80	8.8	26	0.63
CC27804		0.14	0.35	0.95	7.7	<0.2	10	900	0.60	0.08	1.60	1.65	22.00	25.5	18	0.77
CC27805		0.08	0.37	0.95	7.4	<0.2	10	980	0.63	0.09	1.61	1.66	22.80	10.4	19	0.78
CC27807		0.12	0.67	0.61	21.8	<0.2	10	2790	0.39	0.17	2.81	6.02	14.40	11.5	17	1.19
CC27808		0.22	0.67	0.59	19.6	<0.2	10	1180	0.48	0.16	3.09	5.90	17.40	10.5	17	1.15
CC27809		0.18	0.68	0.57	23.8	<0.2	10	1230	0.49	0.17	3.90	6.74	18.10	10.6	17	1.15

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC27676		47.4	2.37	3.21	0.09	0.12	0.12	0.027	0.16	22.4	14.4	1.52	263	4.56	0.02	0.24
CC27677		52.4	1.65	2.80	0.08	0.11	0.18	0.024	0.13	18.6	14.0	1.45	312	1.95	0.02	0.22
CC27678		29.2	2.66	2.85	0.07	0.23	0.10	0.032	0.14	22.2	13.0	0.88	423	3.95	0.01	0.07
CC27679		103.0	3.25	1.08	0.09	0.21	0.17	0.037	0.14	9.8	3.0	0.44	216	4.91	0.04	0.05
CC27680		69.3	2.57	1.40	0.07	0.18	0.12	0.031	0.12	12.1	4.9	0.52	260	2.39	0.05	0.05
CC27681		64.5	2.06	1.03	0.07	0.24	0.13	0.029	0.13	8.5	2.5	0.86	190	9.68	0.06	<0.05
CC27682		81.6	3.09	1.07	0.07	0.46	0.28	0.043	0.19	5.1	1.3	1.29	229	7.79	0.05	0.05
CC27750		26.1	1.88	1.98	0.06	0.14	0.06	0.018	0.06	16.6	22.3	2.98	230	2.77	0.02	0.08
CC27777		41.0	0.81	1.77	0.05	<0.02	0.07	0.021	0.08	3.6	0.5	0.02	7	34.20	0.01	0.07
CC27778		30.7	0.72	2.06	<0.05	<0.02	0.03	0.015	0.05	4.4	0.7	0.02	8	20.70	0.01	0.09
CC27779		63.8	0.44	1.62	0.07	0.04	0.18	0.029	0.03	4.7	1.1	0.02	8	37.50	0.02	0.19
CC27780		46.5	1.81	4.31	0.08	0.13	0.10	0.030	0.13	17.6	21.2	0.95	234	10.10	0.02	0.37
CC27781		47.2	1.37	3.58	0.07	0.11	0.09	0.028	0.10	14.8	17.3	0.94	217	6.33	0.02	0.32
CC27782		55.2	1.64	3.79	0.05	0.04	0.14	0.034	0.07	13.9	10.5	0.25	21	3.59	0.02	0.26
CC27783		46.8	1.87	3.83	0.07	0.07	0.14	0.030	0.08	14.0	15.0	0.44	21	3.73	0.02	0.27
CC27784		60.2	1.50	4.08	0.06	0.11	0.12	0.033	0.08	16.8	16.2	0.51	50	2.58	0.01	0.34
CC27785		38.8	1.67	4.37	0.06	0.12	0.12	0.036	0.09	16.0	19.3	0.60	182	5.60	0.02	0.49
CC27786		35.1	2.15	4.56	0.06	0.08	0.11	0.033	0.10	17.4	20.0	0.59	112	3.93	0.02	0.43
CC27787		43.8	1.88	4.65	0.06	0.13	0.09	0.033	0.12	19.9	21.7	0.73	98	3.74	0.02	0.38
CC27788		39.3	1.90	4.94	0.06	0.17	0.09	0.036	0.10	19.8	20.6	0.87	106	3.80	0.02	0.55
CC27789		39.9	1.56	4.53	0.05	0.12	0.08	0.033	0.10	18.2	19.9	0.98	127	1.84	0.02	0.53
CC27790		47.7	1.96	4.27	0.06	0.13	0.13	0.031	0.09	17.6	17.4	0.85	223	6.52	0.03	0.38
CC27791		19.8	1.58	4.51	<0.05	<0.02	0.07	0.022	0.07	8.7	6.3	0.15	201	15.05	0.02	0.40
CC27792		45.8	2.06	4.97	0.07	0.13	0.11	0.032	0.15	19.9	23.2	1.04	188	12.40	0.02	0.30
CC27793		29.5	2.24	3.41	0.05	0.02	0.05	0.024	0.08	8.0	3.3	0.07	105	26.50	<0.01	0.34
CC27794		36.4	4.34	7.36	0.06	0.15	0.06	0.056	0.10	9.2	28.8	0.31	189	23.30	0.01	0.89
CC27795		48.9	2.28	1.65	0.07	0.02	0.06	0.030	0.18	4.6	2.5	0.04	23	48.10	0.01	0.16
CC27796		22.7	3.16	5.58	0.05	0.17	0.07	0.037	0.07	10.1	23.6	0.33	144	14.95	0.01	0.70
CC27797		16.7	1.95	3.56	0.05	0.11	0.14	0.028	0.11	14.3	16.0	0.45	355	1.17	0.01	0.24
CC27798		39.6	2.99	3.59	0.08	0.14	0.18	0.018	0.13	14.8	23.8	0.97	1375	1.35	0.03	0.37
CC27799		29.6	1.52	3.81	0.07	0.13	0.11	0.015	0.17	15.5	23.0	1.00	281	0.59	0.03	0.37
CC27800		39.2	2.43	3.87	0.07	0.12	0.12	0.023	0.15	17.0	20.9	1.03	475	2.92	0.02	0.41
CC27801		29.5	1.69	3.10	0.05	0.06	0.11	0.023	0.08	12.6	11.7	0.37	222	1.44	0.03	0.40
CC27802		28.6	2.60	4.88	0.05	0.07	0.08	0.033	0.09	15.5	17.2	0.46	462	4.00	0.03	0.46
CC27803		51.5	2.22	4.39	0.08	0.16	0.09	0.030	0.10	16.2	17.1	0.68	219	2.28	0.01	0.68
CC27804		23.2	4.84	3.09	0.10	0.09	0.12	0.013	0.10	12.1	12.9	0.58	1060	1.57	0.01	0.37
CC27805		26.5	3.80	3.01	0.11	0.09	0.15	0.014	0.11	12.5	12.5	0.57	416	1.53	0.01	0.33
CC27807		71.4	2.72	1.66	0.10	0.28	0.32	0.034	0.19	7.1	1.9	1.23	202	25.90	0.02	0.09
CC27808		64.0	2.60	1.75	0.10	0.16	0.30	0.027	0.16	9.1	3.0	1.25	200	26.20	0.01	0.11
CC27809		66.8	2.58	1.66	0.12	0.25	0.27	0.031	0.16	9.3	2.8	1.22	205	31.00	0.01	0.08

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC27676		44.8	2930	17.5	13.6	0.003	0.12	2.79	3.3	2.3	0.4	109.0	<0.01	0.07	3.9	0.007
CC27677		42.6	2030	13.5	13.0	0.005	0.22	1.93	3.0	3.5	0.4	95.3	<0.01	0.03	2.6	0.007
CC27678		38.4	1100	16.4	11.0	0.006	0.21	1.41	4.0	1.5	0.3	116.5	<0.01	0.05	6.3	<0.005
CC27679		72.4	810	14.5	6.4	0.007	0.25	2.57	5.3	10.9	0.2	75.5	<0.01	0.06	4.9	<0.005
CC27680		51.4	800	12.2	7.1	0.007	0.21	1.52	5.3	3.5	0.2	83.0	<0.01	0.05	5.3	<0.005
CC27681		59.9	760	10.6	7.0	0.016	0.19	3.16	4.7	4.1	0.2	122.0	<0.01	0.05	4.1	<0.005
CC27682		85.5	580	9.7	10.1	0.009	0.25	3.43	7.7	4.4	0.3	165.0	<0.01	0.04	4.8	<0.005
CC27750		25.6	850	31.7	5.4	0.001	0.04	1.20	2.2	1.5	0.2	79.1	<0.01	0.01	5.0	<0.005
CC27777		14.4	330	10.8	9.1	0.023	0.16	8.07	1.2	5.1	0.6	31.7	<0.01	0.18	0.9	<0.005
CC27778		12.6	300	7.4	8.7	0.019	0.07	5.48	1.0	5.1	0.6	16.3	<0.01	0.13	1.0	<0.005
CC27779		18.6	820	6.4	3.7	0.045	0.28	7.04	1.7	12.2	0.4	14.0	<0.01	0.06	0.3	0.008
CC27780		66.0	1630	10.4	14.1	0.002	0.06	5.23	4.3	3.6	0.5	140.0	<0.01	0.05	2.5	0.010
CC27781		77.6	1270	8.6	11.5	0.002	0.06	6.11	3.9	3.0	0.4	159.5	<0.01	0.04	2.2	0.010
CC27782		70.2	490	12.0	11.8	0.009	0.04	8.50	4.1	5.7	0.6	31.3	<0.01	0.09	3.1	0.006
CC27783		77.3	840	11.0	12.6	0.008	0.05	6.52	4.0	5.0	0.6	51.0	<0.01	0.08	3.6	0.007
CC27784		107.5	840	12.0	11.7	0.004	0.04	6.62	5.3	4.5	0.6	55.3	<0.01	0.06	4.4	0.007
CC27785		75.0	1040	13.1	12.9	0.005	0.06	5.01	5.5	4.2	0.6	55.5	<0.01	0.04	5.2	0.014
CC27786		56.5	1030	11.4	13.7	0.003	0.03	3.80	4.9	3.5	0.5	37.5	<0.01	0.05	5.1	0.012
CC27787		64.8	1200	11.6	15.1	0.001	0.01	3.67	5.5	1.6	0.5	47.4	<0.01	0.04	5.7	0.016
CC27788		57.5	1130	13.1	13.6	0.002	0.04	2.81	5.9	2.0	0.6	77.4	<0.01	0.05	5.7	0.015
CC27789		52.7	1120	12.0	12.8	0.002	0.06	2.81	5.3	2.0	0.6	93.4	<0.01	0.04	5.0	0.015
CC27790		131.5	970	9.7	10.4	0.001	0.04	3.50	5.3	1.9	0.5	94.1	<0.01	0.04	3.6	0.013
CC27791		30.8	660	11.2	10.8	0.003	0.05	3.61	2.0	2.3	0.6	24.8	<0.01	0.06	1.0	0.013
CC27792		75.0	1760	10.4	15.2	0.001	0.03	4.09	5.5	2.0	0.6	108.0	<0.01	0.04	4.0	0.012
CC27793		70.5	330	10.6	12.5	0.001	0.04	3.97	2.2	3.5	0.6	27.0	<0.01	0.04	2.4	0.008
CC27794		52.6	450	17.9	18.2	<0.001	0.06	4.87	4.5	4.7	0.9	33.7	<0.01	0.14	5.3	0.014
CC27795		11.8	520	9.6	10.9	0.003	0.54	14.05	1.9	9.2	0.5	127.5	<0.01	0.13	1.5	0.006
CC27796		30.1	250	12.8	14.0	<0.001	0.02	5.78	3.3	2.0	0.7	17.1	<0.01	0.06	4.7	0.019
CC27797		23.3	720	11.0	15.2	<0.001	0.07	0.52	3.8	1.1	0.4	35.0	<0.01	0.03	3.6	0.006
CC27798		33.2	2040	8.1	16.0	0.005	0.16	1.51	3.0	5.2	0.4	96.9	<0.01	0.07	1.8	0.010
CC27799		25.5	2350	7.0	16.2	0.003	0.10	0.99	3.0	2.3	0.4	70.7	<0.01	0.01	2.7	0.012
CC27800		33.6	2030	9.7	15.0	0.003	0.10	2.12	3.5	3.4	0.4	96.6	<0.01	0.05	3.0	0.013
CC27801		26.5	860	9.7	10.4	0.005	0.09	1.06	3.3	3.2	0.4	55.3	<0.01	0.02	2.8	0.011
CC27802		36.0	790	12.3	11.4	0.001	0.02	1.46	4.7	1.5	0.6	45.7	<0.01	0.04	3.6	0.012
CC27803		42.4	980	12.1	10.5	<0.001	0.05	1.91	5.1	1.9	0.5	68.8	<0.01	0.06	4.0	0.016
CC27804		61.9	1390	6.6	11.8	0.003	0.09	1.11	2.9	2.7	0.3	74.3	<0.01	0.03	2.6	0.011
CC27805		39.4	1640	7.2	12.6	0.003	0.10	1.22	2.9	3.2	0.4	73.5	<0.01	0.03	2.6	0.010
CC27807		99.5	770	10.1	11.5	0.015	0.17	8.95	6.3	5.6	0.5	184.5	<0.01	0.07	4.3	<0.005
CC27808		89.7	870	10.4	10.3	0.021	0.27	7.63	5.2	5.3	0.4	181.5	<0.01	0.08	3.7	<0.005
CC27809		100.5	790	10.6	10.0	0.031	0.25	8.47	5.7	6.4	0.5	213.0	<0.01	0.10	4.3	<0.005

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC27676		0.16	2.44	86	0.06	18.50	244	4.0	
CC27677		0.20	2.23	62	0.05	16.20	244	3.2	
CC27678		0.10	1.39	31	<0.05	14.50	184	8.3	
CC27679		0.12	3.24	20	<0.05	14.05	293	8.3	
CC27680		0.10	2.01	22	<0.05	13.15	216	7.3	
CC27681		0.13	3.45	41	<0.05	13.90	296	8.9	
CC27682		0.14	2.93	33	<0.05	17.55	282	14.2	
CC27750		0.08	0.98	18	<0.05	10.05	163	5.5	
CC27777		1.97	5.37	105	0.28	3.96	61	<0.5	
CC27778		1.29	2.56	106	0.18	4.17	39	<0.5	
CC27779		0.64	5.05	90	0.09	7.94	18	1.1	
CC27780		0.69	1.91	193	0.12	19.35	481	3.4	
CC27781		0.71	1.55	239	0.12	17.30	1100	3.3	
CC27782		1.49	3.98	349	0.16	18.50	406	1.2	
CC27783		1.37	2.51	374	0.17	18.05	600	2.6	
CC27784		1.10	2.86	332	0.15	22.30	718	4.3	
CC27785		0.82	3.98	254	0.11	17.35	499	4.6	
CC27786		0.58	2.27	222	0.12	16.00	373	2.9	
CC27787		0.55	1.30	196	0.12	18.75	394	5.6	
CC27788		0.61	1.28	145	0.13	18.85	282	5.9	
CC27789		0.65	1.14	118	0.09	17.40	306	4.2	
CC27790		0.55	1.85	133	0.13	33.20	459	3.6	
CC27791		0.69	1.66	192	0.16	4.94	168	<0.5	
CC27792		0.55	1.54	187	0.12	22.20	333	3.2	
CC27793		1.29	1.88	153	0.13	4.09	240	0.6	
CC27794		1.35	1.65	235	0.17	3.74	151	4.6	
CC27795		2.56	9.17	161	0.17	6.14	43	1.2	
CC27796		0.65	1.06	172	0.15	2.70	105	4.9	
CC27797		0.13	1.13	27	0.05	10.25	87	2.5	
CC27798		0.19	1.80	88	0.07	13.80	214	3.1	
CC27799		0.20	2.01	100	0.07	13.25	180	3.2	
CC27800		0.19	1.91	97	0.17	14.95	203	3.0	
CC27801		0.17	1.49	56	0.09	10.30	134	1.5	
CC27802		0.19	1.26	82	0.11	12.10	146	1.7	
CC27803		0.17	1.27	79	0.12	13.95	149	5.1	
CC27804		0.25	1.61	95	0.06	10.05	318	2.4	
CC27805		0.26	1.90	108	0.05	10.95	255	2.5	
CC27807		0.24	5.18	146	0.07	19.50	656	11.8	
CC27808		0.35	5.42	153	0.09	18.95	562	7.8	
CC27809		0.44	5.94	155	0.08	20.10	605	11.4	

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC27810		0.26	1.11	0.64	40.8	<0.2	<10	1020	0.71	0.19	2.93	30.00	19.70	14.4	19	1.17
CC27811		0.10	0.48	0.42	26.3	<0.2	<10	890	0.46	0.18	0.99	15.85	10.95	5.2	14	0.65
CC27812		0.20	0.78	0.55	33.8	<0.2	<10	1580	0.53	0.22	2.21	10.75	18.45	18.0	18	0.99
CC27813		0.14	0.60	0.80	5.6	<0.2	<10	400	0.61	0.09	2.25	2.90	24.00	4.2	16	0.79
CC27814		0.06	0.77	0.83	6.9	<0.2	<10	430	0.61	0.12	2.36	3.34	26.20	5.6	17	0.81
CC27815		0.12	0.64	1.03	7.1	<0.2	<10	460	0.72	0.13	1.58	2.62	33.30	6.5	18	0.83
CC27816		0.22	0.36	1.02	4.1	<0.2	<10	650	0.49	0.10	0.88	1.03	34.20	6.0	17	0.79
CC27817		0.18	0.74	0.99	5.2	<0.2	<10	660	0.54	0.16	1.78	2.21	31.30	6.6	17	0.70
CC27818		0.12	0.69	0.89	8.1	<0.2	<10	1770	0.63	0.16	1.70	6.25	28.50	7.0	17	0.72
CC27819		0.06	0.85	0.85	10.3	<0.2	<10	1450	0.68	0.17	2.04	7.94	27.90	7.3	17	0.62
CC27820		0.20	0.69	0.96	21.5	<0.2	10	1810	0.95	0.12	3.22	11.10	26.70	12.9	28	0.90
CC27821		0.18	0.95	0.56	41.5	<0.2	<10	1090	0.77	0.16	3.29	15.25	20.10	13.8	26	0.90
CC27822		0.24	0.80	0.64	28.4	<0.2	10	1770	0.72	0.15	3.19	6.35	21.70	10.7	26	1.09
CC27823		0.22	0.85	0.79	29.2	<0.2	<10	4100	0.80	0.17	0.28	4.87	22.80	1.5	49	0.88
CC27824		0.12	0.55	1.22	14.2	<0.2	10	3590	0.89	0.24	0.59	2.98	43.20	9.6	30	1.03
CC27825		0.24	0.91	1.00	11.4	<0.2	10	3390	0.65	0.22	1.06	1.30	35.30	11.4	22	0.85
CC27826		0.20	0.83	1.16	10.0	<0.2	<10	2730	0.79	0.24	0.77	0.66	36.10	5.0	24	0.91
CC27827		0.22	2.86	2.00	47.3	<0.2	10	3850	1.16	0.27	0.18	25.90	27.60	8.6	85	1.66
CC27828		0.30	0.31	0.75	26.4	<0.2	10	610	0.82	0.16	0.51	3.37	23.80	7.7	16	0.69
CC27829		0.18	0.38	1.46	14.4	<0.2	10	1300	1.05	0.15	0.43	1.56	30.80	8.2	29	1.11
CC27830		0.40	0.41	0.56	22.7	<0.2	<10	510	0.44	0.19	0.46	0.88	16.15	2.2	14	0.72
CC27831		0.18	0.56	1.44	13.8	<0.2	10	1000	1.00	0.13	3.22	2.72	31.60	8.7	28	0.73
CC27832		0.30	0.44	1.32	9.5	<0.2	<10	1100	0.89	0.14	1.98	2.42	29.10	8.1	24	0.59
CC27833		0.40	0.38	1.38	5.6	<0.2	10	1080	0.99	0.14	1.99	2.39	34.00	6.4	26	0.69
CC27834		0.12	0.27	0.48	25.7	<0.2	<10	130	0.20	0.13	0.06	1.42	9.24	1.9	21	0.89
CC27835		0.10	0.60	0.46	26.1	<0.2	<10	360	0.40	0.14	0.55	4.92	9.46	4.8	17	0.64
CC27836		0.30	0.38	0.59	28.1	<0.2	<10	350	0.59	0.18	0.38	3.16	14.45	7.3	16	0.66
CC27837		0.34	0.24	0.29	4.1	<0.2	<10	110	0.12	0.12	0.02	0.50	8.09	0.7	8	0.77
CC27838		0.30	2.43	1.10	24.4	<0.2	<10	1640	1.41	0.16	0.95	26.90	12.75	4.3	32	0.49
CC27839		0.22	1.07	0.90	16.4	<0.2	<10	190	0.26	0.25	0.03	0.82	12.60	2.1	23	0.82
CC27840		0.22	0.54	0.46	12.1	<0.2	<10	180	0.36	0.15	0.02	0.33	8.44	1.1	13	0.47
CC27841		0.16	1.04	0.58	5.3	<0.2	<10	290	0.21	0.14	0.04	0.94	14.45	1.0	12	0.94
CC27842		0.22	0.54	0.89	9.0	<0.2	10	1550	0.44	0.36	0.04	3.03	15.80	1.7	19	1.52
CC27843		0.24	1.36	0.81	20.5	<0.2	<10	700	0.33	0.43	0.05	1.22	12.45	0.9	26	1.17
CC27844		0.16	2.45	0.55	18.6	<0.2	<10	620	0.24	0.26	0.06	1.54	9.85	0.9	14	0.61
CC27845		0.16	1.55	0.35	9.9	<0.2	<10	290	0.13	0.22	0.06	1.19	7.32	0.6	14	0.71
CC27846		0.32	0.20	0.45	17.5	<0.2	<10	860	0.51	0.15	0.11	1.17	14.65	6.4	8	0.42
CC27847		0.24	0.84	0.40	27.3	<0.2	<10	360	0.42	0.15	0.70	1.84	10.80	6.6	11	0.46
CC27848		0.14	0.34	0.55	43.3	<0.2	<10	210	0.33	0.16	0.25	2.06	11.40	6.5	19	0.67
CC27849		0.20	1.07	1.15	21.0	<0.2	<10	1800	0.52	0.17	1.27	7.51	34.10	14.6	26	0.86

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC27810		104.0	5.52	1.81	0.21	0.23	0.33	0.046	0.16	10.3	2.6	0.95	213	50.90	0.01	0.11
CC27811		63.7	5.01	1.67	0.12	0.04	0.22	0.029	0.11	5.4	0.9	0.17	70	34.90	<0.01	0.09
CC27812		78.4	3.51	1.80	0.09	0.18	0.29	0.043	0.15	9.7	2.9	0.84	268	35.20	0.01	0.10
CC27813		45.8	1.11	2.54	0.07	0.09	0.17	0.015	0.07	14.8	8.6	0.53	148	0.72	0.01	0.36
CC27814		53.0	1.34	2.61	0.09	0.11	0.21	0.018	0.07	16.2	8.5	0.47	276	0.85	0.01	0.40
CC27815		43.8	1.59	3.24	0.09	0.12	0.18	0.019	0.10	18.8	10.8	0.44	276	1.36	0.01	0.35
CC27816		24.1	1.57	3.35	0.08	0.08	0.10	0.015	0.10	18.0	10.5	0.39	213	0.77	<0.01	0.24
CC27817		48.2	1.50	2.74	0.07	0.12	0.20	0.024	0.07	17.0	8.5	0.36	395	0.91	0.01	0.35
CC27818		49.2	1.60	2.67	0.08	0.10	0.20	0.025	0.08	15.3	7.8	0.38	367	5.36	0.01	0.32
CC27819		68.4	1.70	2.45	0.10	0.11	0.25	0.025	0.07	15.1	6.9	0.37	437	6.27	0.01	0.31
CC27820		62.2	1.90	3.52	0.13	0.10	0.14	0.028	0.15	14.8	11.8	1.68	177	15.40	0.01	0.26
CC27821		83.4	2.33	2.37	0.14	0.13	0.23	0.034	0.11	10.8	3.6	0.95	246	40.40	0.01	0.15
CC27822		72.8	2.10	2.70	0.13	0.21	0.21	0.029	0.14	11.5	4.6	1.38	235	32.50	0.01	0.14
CC27823		43.8	1.17	4.54	0.07	0.03	0.24	0.020	0.07	14.2	9.3	0.18	35	15.25	0.01	0.77
CC27824		54.4	2.35	4.01	0.12	0.08	0.18	0.040	0.13	24.1	10.3	0.27	194	9.17	0.01	0.31
CC27825		44.7	3.38	3.01	0.12	0.08	0.17	0.038	0.12	19.8	7.2	0.31	325	10.55	0.01	0.24
CC27826		37.2	2.78	3.46	0.10	0.08	0.14	0.038	0.11	20.2	7.8	0.23	109	2.93	0.01	0.25
CC27827		191.0	2.43	6.45	0.11	0.07	1.03	0.042	0.14	16.2	12.1	0.30	255	28.90	0.01	0.71
CC27828		43.2	1.96	2.24	0.07	0.07	0.09	0.025	0.10	14.1	3.7	0.16	70	21.40	<0.01	0.11
CC27829		44.2	2.63	4.28	0.09	0.07	0.15	0.036	0.11	16.6	12.6	0.53	185	13.95	<0.01	0.33
CC27830		14.6	1.89	2.10	0.07	0.03	0.07	0.016	0.11	7.9	3.6	0.10	42	24.30	<0.01	0.22
CC27831		44.1	1.92	4.47	0.10	0.12	0.11	0.029	0.09	19.2	15.4	1.26	329	7.91	0.01	0.41
CC27832		31.2	1.91	4.13	0.08	0.09	0.09	0.027	0.07	16.7	11.1	0.42	276	2.45	0.01	0.44
CC27833		29.8	1.54	4.29	0.08	0.10	0.09	0.027	0.10	19.2	14.8	0.66	169	0.78	0.01	0.40
CC27834		20.9	1.15	3.55	0.06	<0.02	0.04	0.015	0.04	5.4	0.6	0.03	22	45.10	<0.01	0.23
CC27835		31.2	1.18	1.96	0.06	0.04	0.12	0.019	0.05	5.5	1.3	0.05	49	35.10	0.01	0.26
CC27836		47.2	2.16	2.31	0.09	0.02	0.09	0.027	0.07	8.1	3.1	0.09	101	47.40	<0.01	0.19
CC27837		9.7	0.41	2.76	<0.05	<0.02	0.02	0.006	0.04	4.5	0.4	0.02	16	7.97	<0.01	0.17
CC27838		85.2	1.59	2.87	0.10	0.14	0.25	0.035	0.10	6.8	2.2	0.13	288	17.95	<0.01	0.14
CC27839		20.1	2.03	5.36	0.06	<0.02	0.04	0.027	0.06	6.8	4.0	0.09	80	16.10	<0.01	0.68
CC27840		56.7	0.67	1.81	<0.05	<0.02	0.03	0.018	0.06	4.5	1.7	0.04	24	10.50	0.01	0.20
CC27841		15.8	0.63	3.20	<0.05	<0.02	0.05	0.016	0.04	7.4	1.0	0.03	16	4.30	0.01	0.24
CC27842		90.7	1.19	5.15	0.08	<0.02	0.22	0.045	0.08	8.5	0.8	0.02	12	12.65	0.01	0.24
CC27843		44.0	1.45	5.83	0.07	<0.02	0.25	0.040	0.14	8.3	1.3	0.04	17	38.30	0.01	0.37
CC27844		31.5	1.57	3.03	0.08	<0.02	0.06	0.043	0.19	6.8	1.0	0.03	13	37.10	0.01	0.24
CC27845		14.6	0.81	2.79	<0.05	<0.02	0.03	0.023	0.12	4.8	0.6	0.02	20	18.45	0.01	0.18
CC27846		35.0	1.88	1.49	0.06	0.02	0.06	0.026	0.08	9.4	1.2	0.03	49	32.50	0.01	0.12
CC27847		39.4	1.64	1.27	<0.05	0.03	0.11	0.027	0.05	7.5	1.2	0.03	53	35.80	0.01	0.14
CC27848		41.3	1.94	2.73	0.05	<0.02	0.05	0.029	0.06	7.7	1.8	0.05	52	46.40	0.01	0.30
CC27849		49.1	1.52	3.15	0.07	0.07	0.24	0.032	0.08	14.4	8.4	0.18	232	24.80	0.02	0.36

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC27810		157.5	1080	13.0	10.8	0.031	0.36	13.40	6.2	12.3	0.6	184.5	0.01	0.16	4.4	<0.005
CC27811		86.7	410	11.1	7.9	0.029	0.33	3.15	3.2	8.0	0.5	81.9	<0.01	0.16	1.6	<0.005
CC27812		125.0	780	12.1	9.4	0.031	0.26	7.75	5.4	8.3	0.5	141.5	<0.01	0.14	4.0	<0.005
CC27813		31.9	1780	8.6	7.9	0.006	0.12	1.66	2.6	3.4	0.3	43.5	<0.01	0.04	1.4	0.012
CC27814		38.4	1550	10.5	8.4	0.009	0.15	2.00	3.1	4.1	0.4	51.2	0.01	0.05	1.6	0.012
CC27815		33.7	1580	11.3	10.9	0.006	0.10	1.65	3.1	3.6	0.5	41.7	<0.01	0.05	2.0	0.008
CC27816		24.9	1250	8.6	11.1	0.004	0.06	0.76	2.8	1.6	0.4	31.4	<0.01	0.02	3.3	0.007
CC27817		32.3	1130	11.4	8.8	0.010	0.16	1.32	3.5	3.7	0.5	46.9	<0.01	0.05	1.9	0.009
CC27818		75.8	1060	12.1	9.7	0.009	0.15	2.15	3.6	4.2	0.6	87.4	<0.01	0.05	1.9	0.008
CC27819		89.0	1100	12.4	9.3	0.013	0.20	2.50	3.8	5.4	0.6	95.5	<0.01	0.06	1.7	0.008
CC27820		102.5	2290	10.3	13.7	0.015	0.11	5.48	3.9	5.6	0.5	196.5	<0.01	0.07	2.6	0.008
CC27821		165.5	1080	12.0	9.6	0.050	0.28	10.90	5.0	11.5	0.6	209.0	<0.01	0.14	3.2	<0.005
CC27822		110.5	1660	11.3	11.5	0.045	0.24	9.16	5.3	8.0	0.6	269.0	<0.01	0.10	4.0	0.005
CC27823		31.9	690	10.2	13.7	0.009	0.09	5.92	2.2	4.3	0.8	73.5	<0.01	0.11	0.9	0.016
CC27824		75.5	870	15.4	16.9	0.011	0.08	3.11	6.4	5.7	0.6	82.7	<0.01	0.08	5.4	0.005
CC27825		66.5	780	13.3	12.8	0.004	0.06	2.43	6.4	5.3	0.5	88.1	<0.01	0.06	4.4	0.005
CC27826		29.3	720	16.2	14.2	0.006	0.07	1.58	5.6	5.5	0.4	79.7	<0.01	0.07	4.2	<0.005
CC27827		115.0	1530	14.7	20.6	0.002	0.10	18.30	6.0	5.8	1.0	66.1	<0.01	0.18	1.5	0.019
CC27828		126.5	350	10.9	9.0	0.002	0.02	7.19	4.6	3.4	0.6	44.5	<0.01	0.10	4.3	<0.005
CC27829		71.8	730	11.1	13.4	<0.001	0.03	4.76	4.9	2.5	0.7	32.8	<0.01	0.07	3.6	0.007
CC27830		29.2	310	14.1	9.9	<0.001	0.14	10.30	2.1	4.1	0.6	50.1	<0.01	0.08	3.7	0.006
CC27831		76.2	1230	9.5	11.8	<0.001	0.05	2.55	4.2	2.1	0.6	169.0	<0.01	0.06	1.8	0.010
CC27832		42.2	780	9.6	10.5	<0.001	0.06	1.65	3.7	2.0	0.5	90.7	<0.01	0.05	1.6	0.007
CC27833		44.7	1190	10.0	12.3	<0.001	0.06	1.35	4.3	1.8	0.5	84.3	<0.01	0.05	2.8	0.007
CC27834		133.5	260	7.4	5.8	0.001	0.01	7.33	1.3	4.8	0.8	6.5	<0.01	0.12	0.6	0.011
CC27835		112.0	770	9.6	6.6	0.004	0.10	7.39	2.4	5.5	0.7	39.2	<0.01	0.09	0.7	0.006
CC27836		169.0	360	10.6	9.1	0.005	0.03	6.45	3.4	5.8	0.6	41.7	<0.01	0.09	1.4	0.006
CC27837		6.7	150	6.5	6.4	<0.001	0.01	2.62	0.9	1.5	0.7	11.0	<0.01	0.07	0.7	0.008
CC27838		134.5	2180	12.7	9.0	0.002	0.11	26.50	3.7	9.7	0.8	277.0	<0.01	0.24	1.1	<0.005
CC27839		11.7	270	14.0	11.5	<0.001	0.04	12.05	2.0	4.5	0.8	25.1	<0.01	0.20	1.9	0.019
CC27840		13.3	240	9.9	6.9	0.005	0.09	4.19	2.3	3.9	0.4	16.1	<0.01	0.11	1.4	0.005
CC27841		12.0	400	8.4	5.6	0.001	0.04	1.73	0.6	2.4	0.7	10.8	<0.01	0.07	<0.2	0.009
CC27842		42.3	510	23.2	8.7	0.010	0.08	2.97	1.1	12.6	1.2	29.0	<0.01	0.19	<0.2	<0.005
CC27843		8.7	620	25.6	14.9	0.003	0.24	8.97	1.3	9.7	1.5	63.1	<0.01	0.27	0.7	0.005
CC27844		8.2	830	18.9	12.1	0.002	0.41	14.60	1.3	14.8	1.0	85.4	<0.01	0.20	0.7	0.005
CC27845		5.5	440	16.2	9.0	0.001	0.20	8.02	0.7	5.9	0.8	35.8	<0.01	0.13	0.4	0.005
CC27846		94.7	200	9.5	7.5	0.006	0.07	2.22	3.1	4.9	0.4	32.9	<0.01	0.08	1.9	<0.005
CC27847		141.5	360	9.4	6.2	0.005	0.05	5.92	2.8	4.2	0.6	41.8	<0.01	0.11	1.1	<0.005
CC27848		191.0	320	10.0	8.3	0.007	0.04	7.57	2.2	6.0	0.7	17.0	<0.01	0.14	0.8	0.006
CC27849		82.2	650	9.6	10.9	0.032	0.19	6.84	3.6	6.6	0.5	78.1	<0.01	0.06	1.8	0.005

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC27810		1.75	6.83	167	0.16	30.80	1530	10.7	
CC27811		2.20	4.48	79	0.25	24.30	1020	1.9	
CC27812		0.92	5.47	137	0.14	22.30	849	7.8	
CC27813		0.20	2.83	77	0.05	15.35	298	2.7	
CC27814		0.21	2.70	70	0.06	16.50	306	3.1	
CC27815		0.17	3.05	68	0.06	16.50	261	2.8	
CC27816		0.14	1.86	45	0.29	11.70	168	2.1	
CC27817		0.16	2.39	48	0.05	17.75	190	3.2	
CC27818		0.68	2.43	94	0.07	18.55	456	2.7	
CC27819		0.93	3.69	105	0.08	20.90	444	3.1	
CC27820		0.81	4.49	242	0.11	20.10	556	3.7	
CC27821		1.32	7.20	311	0.17	25.50	1090	6.6	
CC27822		0.58	6.60	279	0.16	23.60	583	11.5	
CC27823		1.27	4.98	694	0.26	15.20	197	0.6	
CC27824		0.43	5.26	178	0.10	22.00	453	2.4	
CC27825		0.27	2.69	78	0.08	20.10	180	2.4	
CC27826		0.17	2.09	72	0.06	17.10	126	2.2	
CC27827		4.32	17.90	1350	0.31	25.60	985	1.5	
CC27828		1.02	1.10	163	0.17	20.10	420	2.1	
CC27829		1.18	1.91	192	0.12	17.40	295	1.8	
CC27830		2.72	2.08	115	0.17	6.69	130	1.3	
CC27831		0.43	1.26	153	0.11	24.40	339	3.2	
CC27832		0.21	1.07	121	0.08	16.40	237	2.2	
CC27833		0.20	1.31	108	0.08	16.55	298	2.9	
CC27834		1.95	1.30	363	0.21	2.90	217	<0.5	
CC27835		1.37	2.19	226	0.17	11.05	354	1.7	
CC27836		2.05	2.60	291	0.25	17.80	480	0.6	
CC27837		0.85	1.14	138	0.13	2.00	29	<0.5	
CC27838		1.65	6.14	394	0.25	26.10	875	3.6	
CC27839		1.45	1.62	450	0.22	2.92	58	0.7	
CC27840		1.23	4.76	157	0.18	5.85	34	0.8	
CC27841		0.76	1.47	94	0.09	3.95	40	<0.5	
CC27842		0.85	7.06	120	0.13	7.29	21	<0.5	
CC27843		2.35	4.81	219	0.31	7.46	29	0.5	
CC27844		4.08	3.54	178	0.35	6.15	35	<0.5	
CC27845		2.18	1.26	105	0.26	2.15	31	<0.5	
CC27846		1.08	3.01	96	0.13	15.35	145	1.4	
CC27847		1.08	2.59	166	0.21	13.70	329	1.2	
CC27848		1.95	2.47	354	0.27	10.40	399	0.6	
CC27849		0.53	5.04	265	0.12	21.00	783	3.0	

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC27850		0.24	0.74	1.17	20.5	<0.2	<10	3010	0.71	0.19	0.28	3.40	32.40	6.8	40	0.77
CC27851		0.32	1.52	1.04	20.5	<0.2	<10	400	0.37	0.31	0.08	0.50	23.70	2.1	23	0.76
CC27852		0.28	0.62	1.41	13.4	<0.2	<10	760	0.49	0.23	0.15	0.79	28.60	4.9	27	0.71
CC27853		0.34	0.51	1.37	9.8	<0.2	<10	870	0.50	0.20	0.13	0.70	28.50	3.7	24	0.85
CC27854		0.38	0.38	1.38	11.3	<0.2	<10	1040	0.49	0.19	0.27	0.64	33.40	7.6	24	0.84
CC27855		0.50	0.41	1.55	8.8	<0.2	<10	1280	0.60	0.20	0.35	0.64	33.60	8.0	27	0.94
CC27856		0.26	0.43	1.73	11.7	<0.2	<10	2150	0.89	0.20	0.66	0.42	38.40	12.7	29	0.96
CC27857		0.12	0.30	0.81	6.5	<0.2	<10	280	0.43	0.15	3.32	0.89	36.70	7.0	12	1.06
CC27858		0.16	0.33	0.86	6.0	<0.2	<10	270	0.44	0.16	3.04	1.05	40.20	7.2	13	1.15
CC27859		0.14	0.28	0.82	5.3	<0.2	<10	260	0.36	0.14	2.61	0.81	41.20	6.5	12	1.05
CC27860		0.24	0.27	0.69	7.6	<0.2	<10	460	0.36	0.14	5.41	0.78	35.70	7.8	12	0.89
CC27861		0.20	0.24	0.73	6.5	<0.2	<10	350	0.39	0.13	4.72	0.74	38.90	7.1	12	0.97
CC27881		0.40	0.32	1.44	10.2	<0.2	<10	1070	0.55	0.20	0.89	1.78	39.90	13.5	27	0.85
CC27882		0.32	0.29	1.51	9.9	<0.2	<10	1150	0.51	0.21	0.31	1.16	38.40	10.3	27	0.83
CC27883		0.44	0.26	1.43	13.9	<0.2	<10	640	0.50	0.21	2.37	1.63	41.30	15.8	25	1.14
CC27884		0.48	0.33	1.45	12.6	<0.2	<10	1320	0.58	0.21	0.32	1.93	39.80	10.5	27	0.79
CC27885		0.18	0.36	1.44	11.5	<0.2	<10	1260	0.51	0.21	0.46	1.93	37.10	11.4	26	0.76
CC27886		0.26	0.30	1.44	13.4	<0.2	<10	1180	0.58	0.20	0.58	2.08	38.60	12.6	26	0.87
CC27887		0.14	2.09	0.52	53.6	<0.2	10	660	0.59	0.16	2.55	18.65	17.65	7.4	46	0.70
CC27888		0.10	2.00	0.62	67.1	<0.2	20	630	0.74	0.21	2.01	22.30	15.65	10.3	42	0.77
CC27889		0.22	4.35	0.82	92.0	<0.2	20	730	0.84	0.26	5.30	45.40	21.50	9.6	53	1.38
CC27890		0.06	5.42	1.27	97.1	<0.2	20	750	1.30	0.30	2.25	49.10	37.90	11.1	110	1.94
CC27891		0.10	6.63	0.83	87.5	<0.2	10	780	1.06	0.25	1.70	38.20	35.30	8.2	102	1.26
CC27892		0.10	4.07	0.77	57.5	<0.2	10	900	0.82	0.15	3.34	35.40	27.60	4.7	68	1.01
CC27893		0.04	2.89	0.73	44.2	<0.2	10	770	0.75	0.14	3.44	41.30	22.40	4.3	53	0.90
CC27894		0.12	1.88	0.69	28.5	<0.2	<10	590	0.51	0.11	2.73	30.60	12.90	4.1	33	0.69
CC27895		0.12	0.34	0.54	16.7	<0.2	<10	490	0.55	0.16	0.43	2.17	12.05	11.3	9	0.45
CC27896		0.10	1.13	0.38	11.8	<0.2	<10	410	0.22	0.13	0.20	0.99	6.83	0.7	11	0.42
CC27897		0.12	0.84	0.66	10.4	<0.2	<10	230	0.26	0.19	0.02	0.37	6.30	0.4	16	0.56
CC27898		0.10	0.28	0.52	10.7	<0.2	<10	150	0.11	0.22	0.11	0.65	20.30	2.0	12	0.54
CC27899		0.10	0.80	0.37	3.0	<0.2	<10	130	0.15	0.10	0.04	0.48	8.73	0.7	10	0.67
CC27900		0.12	0.72	0.75	14.8	<0.2	<10	110	0.13	0.21	0.02	0.22	9.23	1.7	15	0.65
CC27901		0.08	0.40	0.56	7.9	<0.2	<10	310	0.24	0.18	0.12	0.94	11.50	2.0	11	0.69
CC27902		0.20	0.29	0.56	10.4	<0.2	<10	180	0.22	0.14	0.03	0.38	4.48	0.7	9	0.44
CC27903		0.18	0.08	1.36	18.5	<0.2	<10	240	0.26	0.25	0.04	0.35	18.50	4.7	22	0.72
CC27904		0.16	0.07	0.36	29.7	<0.2	<10	80	0.17	0.14	0.01	0.31	2.94	3.9	11	0.57
CC27905		0.14	0.14	0.36	40.3	<0.2	<10	130	0.14	0.13	0.05	0.49	4.60	3.9	14	0.51
CC27906		0.02	1.15	0.54	26.8	<0.2	<10	170	0.22	0.15	0.09	1.60	15.30	1.7	40	0.85
CC27907		0.04	1.22	2.43	44.9	<0.2	<10	1440	1.40	0.25	0.72	8.11	43.00	11.9	73	1.24
CC27908		0.12	2.22	0.73	70.5	<0.2	10	680	0.93	0.24	2.37	23.80	16.85	9.0	42	0.60

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC27850		46.0	2.10	4.44	0.07	0.03	0.16	0.031	0.07	17.5	10.0	0.20	126	14.45	0.02	0.54
CC27851		33.7	1.84	4.15	0.08	0.02	0.32	0.033	0.08	11.9	7.6	0.18	41	25.20	0.01	0.61
CC27852		30.6	2.17	4.95	0.07	0.02	0.13	0.037	0.08	14.5	12.6	0.25	78	14.70	0.01	0.71
CC27853		29.8	1.61	4.66	0.08	0.03	0.09	0.033	0.07	14.1	11.1	0.21	52	10.35	0.01	0.72
CC27854		28.4	2.33	4.64	0.06	0.05	0.05	0.033	0.07	16.0	13.2	0.28	131	7.65	0.02	0.84
CC27855		27.8	2.02	5.21	0.07	0.05	0.07	0.036	0.08	16.4	14.5	0.30	105	5.48	0.02	0.85
CC27856		39.8	2.47	5.43	0.07	0.08	0.08	0.038	0.08	19.0	16.0	0.41	287	5.15	0.02	0.82
CC27857		22.6	1.77	2.25	0.06	0.09	0.05	0.023	0.06	18.8	25.3	1.89	158	1.73	0.02	0.14
CC27858		23.8	1.72	2.48	0.05	0.10	0.06	0.023	0.07	20.0	26.0	1.67	161	1.52	0.02	0.17
CC27859		19.4	1.66	2.29	0.05	0.08	0.05	0.020	0.07	20.4	25.3	1.60	143	1.39	0.01	0.13
CC27860		24.5	1.85	2.01	0.05	0.11	0.03	0.022	0.07	18.3	19.8	2.93	198	2.41	0.02	0.08
CC27861		19.9	1.77	2.04	0.05	0.08	0.03	0.020	0.07	19.4	21.8	2.67	180	1.92	0.02	0.10
CC27881		32.6	2.94	4.68	0.06	0.08	0.02	0.037	0.10	19.7	15.5	0.60	361	3.76	0.02	0.73
CC27882		26.8	2.63	4.92	0.06	0.03	0.04	0.036	0.08	19.3	14.5	0.39	165	3.32	0.02	0.65
CC27883		33.3	3.49	4.75	0.06	0.14	0.03	0.040	0.13	19.6	17.2	1.15	562	2.70	0.02	0.62
CC27884		27.8	3.09	4.84	0.06	0.07	0.04	0.037	0.09	20.0	13.9	0.38	120	2.31	0.02	0.72
CC27885		27.6	2.93	4.65	0.06	0.02	0.04	0.037	0.08	18.4	13.1	0.36	252	5.26	0.02	0.60
CC27886		28.4	3.52	4.68	0.06	0.04	0.04	0.039	0.08	19.0	14.1	0.44	431	6.07	0.02	0.67
CC27887		68.6	1.26	3.02	0.08	0.07	0.37	0.027	0.07	9.2	3.0	0.15	169	29.50	0.02	0.20
CC27888		79.3	1.97	3.37	0.08	0.10	0.27	0.038	0.10	9.2	3.1	0.18	149	43.60	0.02	0.23
CC27889		131.0	1.77	5.19	0.10	0.12	0.50	0.045	0.15	10.8	3.0	0.85	111	43.50	0.02	0.21
CC27890		139.0	1.84	6.71	0.15	0.06	0.58	0.046	0.15	24.5	4.8	0.29	104	72.40	0.02	0.35
CC27891		139.0	1.76	4.66	0.17	0.08	0.87	0.038	0.11	24.5	3.8	0.12	95	49.60	0.02	0.27
CC27892		97.5	1.15	3.49	0.15	0.09	0.63	0.026	0.08	27.6	3.9	0.16	88	45.90	0.02	0.34
CC27893		84.6	0.98	3.14	0.12	0.08	0.43	0.025	0.06	18.1	3.5	0.13	134	25.50	0.03	0.32
CC27894		64.7	1.01	2.64	0.09	0.07	0.39	0.023	0.05	8.8	3.7	0.14	176	13.25	0.02	0.34
CC27895		24.1	2.11	1.74	0.08	0.06	0.10	0.025	0.05	6.5	1.8	0.04	268	38.60	0.01	0.15
CC27896		30.8	0.89	1.92	0.06	0.02	0.12	0.018	0.10	4.1	0.6	0.02	11	25.60	0.01	0.12
CC27897		27.0	0.95	3.30	0.05	0.03	0.10	0.014	0.08	3.7	1.1	0.03	9	13.40	0.01	0.17
CC27898		14.0	1.07	6.39	0.05	<0.02	0.02	0.011	0.03	10.7	0.8	0.03	46	13.50	0.01	0.35
CC27899		9.5	0.45	2.35	<0.05	<0.02	0.04	0.009	0.05	4.9	0.4	0.02	12	4.90	0.01	0.16
CC27900		10.6	2.04	4.65	0.05	0.04	0.05	0.018	0.05	5.2	3.0	0.07	54	21.40	0.01	0.81
CC27901		17.0	0.97	3.75	<0.05	<0.02	0.05	0.015	0.04	6.2	0.9	0.03	46	12.05	0.02	0.38
CC27902		19.1	0.90	2.01	<0.05	0.03	0.04	0.017	0.07	2.5	2.0	0.04	41	32.30	0.01	0.19
CC27903		16.6	3.07	6.63	0.07	0.04	0.02	0.025	0.05	9.8	9.0	0.17	126	21.80	0.01	1.00
CC27904		21.7	1.41	2.66	0.05	0.02	0.01	0.019	0.04	1.9	0.4	0.02	28	63.70	0.01	0.17
CC27905		24.6	1.43	2.74	0.07	<0.02	0.02	0.021	0.03	2.7	0.4	0.02	20	69.90	0.01	0.19
CC27906		24.9	1.04	5.65	0.08	<0.02	0.05	0.014	0.05	9.5	1.2	0.04	30	32.70	0.01	0.34
CC27907		43.2	2.83	7.45	0.13	0.11	0.11	0.046	0.08	17.3	14.6	0.28	207	45.80	0.03	0.78
CC27908		106.5	2.18	3.84	0.14	0.13	0.38	0.038	0.10	9.1	3.6	0.90	115	66.40	0.02	0.21

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC27850		70.1	580	11.3	12.0	0.008	0.06	4.20	4.3	4.3	0.7	45.6	<0.01	0.09	3.0	0.009
CC27851		14.8	640	18.2	11.5	0.005	0.04	11.00	3.0	9.8	0.9	34.5	<0.01	0.19	2.2	0.012
CC27852		27.8	550	13.5	12.1	0.001	0.03	4.17	3.8	6.1	0.7	39.0	<0.01	0.09	2.4	0.013
CC27853		29.8	420	11.7	12.6	0.001	0.03	3.31	4.3	6.5	0.7	34.5	<0.01	0.09	3.1	0.012
CC27854		24.6	480	10.9	12.2	0.001	0.02	2.03	4.9	2.4	0.6	30.3	<0.01	0.06	4.3	0.015
CC27855		30.4	430	12.2	14.1	0.002	0.03	1.98	5.2	2.7	0.6	35.7	<0.01	0.07	4.4	0.013
CC27856		53.6	650	12.2	13.9	0.001	0.05	1.95	5.6	2.3	0.6	50.9	<0.01	0.07	4.4	0.012
CC27857		20.8	850	26.4	7.0	0.002	0.07	0.83	2.0	1.3	0.2	53.1	<0.01	0.03	4.9	<0.005
CC27858		20.9	870	25.6	8.0	0.002	0.08	0.83	2.2	1.4	0.2	56.8	<0.01	0.03	4.3	<0.005
CC27859		18.7	800	22.3	7.3	0.001	0.05	0.73	1.9	1.2	0.2	41.4	<0.01	0.03	4.7	<0.005
CC27860		24.7	830	23.7	6.3	0.003	0.05	1.02	2.1	1.4	0.2	74.3	<0.01	0.03	5.0	<0.005
CC27861		21.2	800	20.0	6.3	0.002	0.05	0.90	1.9	1.1	0.2	60.5	<0.01	0.03	4.6	<0.005
CC27881		40.1	740	11.9	13.5	0.002	0.10	1.01	5.2	1.7	0.5	52.1	<0.01	0.05	5.6	0.014
CC27882		33.2	680	12.5	14.8	0.002	0.08	0.88	4.9	1.7	0.5	30.7	<0.01	0.05	4.8	0.009
CC27883		44.0	820	13.5	15.0	0.001	0.05	0.94	5.6	1.8	0.6	62.2	<0.01	0.05	6.9	0.022
CC27884		36.7	760	13.5	15.5	0.003	0.09	0.94	5.3	1.8	0.6	37.0	<0.01	0.05	5.6	0.010
CC27885		37.8	850	13.1	14.0	0.003	0.11	0.97	5.0	1.8	0.5	42.1	<0.01	0.05	4.5	0.008
CC27886		38.8	880	13.0	12.8	0.002	0.11	0.97	5.6	1.8	0.5	41.0	<0.01	0.06	5.4	0.010
CC27887		163.0	680	12.0	9.8	0.021	0.14	19.80	2.9	10.9	0.7	136.5	<0.01	0.16	0.8	0.005
CC27888		252.0	590	14.6	11.4	0.015	0.12	22.70	4.0	11.3	0.9	89.8	<0.01	0.18	1.4	0.005
CC27889		278.0	790	18.8	17.9	0.013	0.06	27.10	7.0	12.9	1.0	194.5	<0.01	0.18	4.2	0.006
CC27890		270.0	960	22.0	16.8	0.008	0.08	29.30	5.7	24.3	1.1	155.5	<0.01	0.32	1.9	0.012
CC27891		258.0	870	18.5	15.5	0.008	0.11	29.40	5.4	28.3	0.8	134.5	<0.01	0.30	1.7	0.008
CC27892		191.0	980	12.2	11.1	0.015	0.19	31.40	3.7	23.3	0.5	183.0	<0.01	0.19	0.7	0.009
CC27893		180.0	930	10.4	8.1	0.013	0.17	26.50	2.6	16.7	0.5	209.0	<0.01	0.15	0.5	0.008
CC27894		166.5	800	7.4	6.9	0.020	0.17	13.95	2.6	15.0	0.4	160.0	<0.01	0.10	0.5	0.008
CC27895		68.1	390	9.1	8.0	0.016	0.05	2.85	2.7	5.2	0.4	50.0	<0.01	0.07	1.3	<0.005
CC27896		17.3	400	8.9	7.5	0.004	0.21	14.15	1.3	8.2	0.5	52.0	<0.01	0.10	0.6	<0.005
CC27897		4.7	170	11.7	7.8	0.002	0.09	5.44	2.0	4.0	0.6	17.9	<0.01	0.14	1.3	<0.005
CC27898		15.0	220	7.9	3.9	<0.001	0.01	2.93	0.7	2.2	0.9	11.0	<0.01	0.09	<0.2	0.016
CC27899		4.4	380	5.3	5.1	<0.001	0.03	1.88	0.7	1.3	0.5	7.6	<0.01	0.04	0.3	0.008
CC27900		6.5	210	11.7	9.1	<0.001	0.03	12.85	1.4	2.9	0.6	10.9	<0.01	0.08	1.6	0.017
CC27901		12.6	410	10.1	5.9	<0.001	0.05	2.18	0.9	1.9	0.7	16.6	<0.01	0.06	<0.2	0.017
CC27902		7.2	250	7.8	8.1	0.001	0.09	6.66	1.2	3.2	0.5	11.5	<0.01	0.09	0.8	0.005
CC27903		38.1	210	13.2	11.0	<0.001	0.02	2.73	2.2	2.4	0.8	11.5	<0.01	0.07	2.7	0.017
CC27904		146.0	100	5.6	7.6	0.001	0.01	7.87	1.2	4.0	0.5	1.8	<0.01	0.13	0.6	0.005
CC27905		194.5	220	5.2	4.6	0.003	0.02	10.80	1.1	7.1	0.7	4.6	<0.01	0.15	0.2	0.005
CC27906		56.8	330	8.9	6.9	0.001	0.03	22.90	1.3	9.1	0.7	9.0	<0.01	0.14	0.4	0.013
CC27907		170.5	460	17.9	12.6	0.001	0.04	17.20	5.1	10.5	0.9	34.5	<0.01	0.15	3.0	0.009
CC27908		271.0	850	14.6	9.6	0.004	0.04	22.50	6.5	10.6	0.9	103.5	0.01	0.17	2.7	0.005

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC27850		0.62	5.60	406	0.18	18.05	276	1.4	
CC27851		1.76	4.07	327	0.25	7.17	51	0.9	
CC27852		0.85	3.39	187	0.15	9.19	98	0.7	
CC27853		0.80	4.08	153	0.14	10.75	138	1.4	
CC27854		0.45	1.89	112	0.14	9.94	101	3.2	
CC27855		0.52	2.49	130	0.14	10.90	125	3.0	
CC27856		0.33	1.78	133	0.14	17.00	196	3.8	
CC27857		0.11	0.94	20	<0.05	12.70	149	5.1	
CC27858		0.12	0.95	21	<0.05	11.55	147	5.2	
CC27859		0.11	0.87	19	<0.05	11.65	136	4.4	
CC27860		0.09	1.09	23	<0.05	10.35	159	6.3	
CC27861		0.10	0.93	20	<0.05	11.95	143	5.6	
CC27881		0.18	1.58	64	0.07	13.75	149	4.5	
CC27882		0.20	1.69	67	0.09	12.05	132	1.7	
CC27883		0.19	1.36	47	0.07	14.55	141	7.3	
CC27884		0.19	2.02	72	0.10	13.30	158	3.4	
CC27885		0.19	2.07	69	0.12	13.30	179	1.2	
CC27886		0.18	1.08	67	0.12	13.70	187	1.9	
CC27887		0.92	12.90	812	0.23	24.90	1400	4.4	
CC27888		1.41	5.73	943	0.34	31.40	1620	5.1	
CC27889		1.34	8.85	1410	0.28	42.00	3270	8.5	
CC27890		2.21	7.26	2550	0.45	51.10	2980	3.3	
CC27891		2.03	7.58	1625	0.39	47.20	2480	4.5	
CC27892		2.03	15.95	1340	0.30	51.60	2170	5.6	
CC27893		1.86	12.10	985	0.21	36.10	2070	4.5	
CC27894		1.72	10.15	502	0.16	22.70	1870	4.1	
CC27895		0.87	1.57	125	0.13	16.75	151	1.2	
CC27896		1.50	2.21	148	0.18	5.20	44	<0.5	
CC27897		1.15	3.08	154	0.15	3.05	17	1.2	
CC27898		0.28	0.65	163	0.17	1.83	61	<0.5	
CC27899		0.51	0.88	103	0.08	1.60	16	<0.5	
CC27900		0.90	0.60	282	0.20	1.46	25	1.4	
CC27901		0.18	0.80	110	0.13	1.97	38	<0.5	
CC27902		1.77	2.32	209	0.16	3.14	24	0.8	
CC27903		0.53	0.69	252	0.17	2.64	160	2.0	
CC27904		1.50	0.72	535	0.23	3.05	333	1.3	
CC27905		2.06	1.07	318	0.30	2.65	295	<0.5	
CC27906		0.85	1.03	719	0.23	2.42	274	<0.5	
CC27907		1.42	2.84	1130	0.26	20.30	877	3.4	
CC27908		1.32	6.50	894	0.31	43.20	1880	3.9	

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC27909		0.10	4.29	0.54	29.6	<0.2	<10	650	0.93	0.18	3.29	12.80	27.20	6.5	142	0.42
CC27910		0.16	0.33	0.72	59.1	<0.2	<10	790	0.89	0.23	0.55	12.30	23.10	7.2	51	0.75
CC27911		0.16	0.62	0.53	41.7	<0.2	<10	760	0.38	0.20	0.12	3.40	18.75	3.2	37	0.78
CC27912		0.12	0.51	0.93	6.7	<0.2	<10	5610	0.65	0.17	0.49	2.69	34.60	7.3	22	0.51
CC27913		0.22	0.91	1.21	14.9	<0.2	<10	4660	0.53	0.24	0.49	1.12	29.80	37.9	23	0.70
CC27914		0.10	2.27	0.72	28.9	<0.2	<10	960	0.80	0.11	3.52	55.90	18.15	5.6	35	0.61
CC27915		0.06	0.93	0.41	17.7	<0.2	<10	270	0.20	0.13	0.50	5.31	8.94	1.6	34	0.52
CC27916		0.12	0.94	1.44	92.2	<0.2	10	2370	0.82	0.28	1.38	2.36	13.75	3.6	24	0.62
CC27917		0.32	0.41	1.21	8.1	<0.2	<10	2180	0.56	0.19	0.28	4.81	34.50	7.3	26	0.58
CC27918		0.18	0.33	1.27	11.4	<0.2	<10	1770	0.58	0.21	0.16	2.06	35.80	6.2	26	0.70
CC27919		0.26	0.31	1.16	8.0	<0.2	<10	1690	0.52	0.20	0.13	2.15	35.40	4.4	25	0.68
CC27920		0.40	0.38	1.26	16.6	<0.2	<10	1910	0.61	0.21	0.17	2.44	35.50	5.4	26	0.71
CC27921		0.26	0.30	1.24	19.7	<0.2	<10	1440	0.51	0.22	0.15	1.17	34.00	4.5	26	0.64
CC27922		0.14	1.57	0.46	3.9	<0.2	<10	1590	0.3	0.1	0.09	5.49	10.05	0.6	41	0.98
CC27923		0.16	0.91	0.41	3	<0.2	<10	1190	0.27	0.06	0.06	2.69	16.8	0.4	35	0.87
CC27924		0.12	1.21	0.47	3.7	<0.2	<10	2580	0.35	0.1	0.13	5.77	10.7	0.8	31	0.68
CC27925		0.10	0.89	0.5	3.4	<0.2	<10	1320	0.3	0.08	0.1	2.8	13.9	0.6	30	0.63
CC27927		0.20	0.36	0.97	5.0	<0.2	<10	1920	0.41	0.16	0.30	0.91	23.70	3.8	16	0.57
CC27928		0.06	0.65	1.10	6.1	<0.2	10	370	0.73	0.11	2.24	4.04	25.50	6.5	21	0.92
CC27929		0.32	1.43	2.30	101.0	<0.2	<10	670	0.74	0.23	0.09	7.35	11.45	2.8	110	1.89
CC27930		0.42	0.55	3.25	77.4	<0.2	<10	480	0.83	0.30	0.06	4.58	19.50	7.0	80	2.50
CC27931		0.40	2.38	2.46	166.5	<0.2	10	240	1.55	0.34	0.17	33.30	15.00	9.5	150	3.17
CC27932		0.38	1.89	2.18	99.4	<0.2	<10	1440	1.51	0.27	0.59	139.00	29.30	29.1	99	2.98
CC27933		0.40	3.73	2.12	88.9	<0.2	<10	750	1.15	0.29	1.00	171.50	36.00	35.2	80	3.02
CC27934		0.40	6.44	2.85	144.5	<0.2	<10	590	1.28	0.33	0.76	150.00	22.30	36.9	118	2.78
CC27935		0.30	2.08	1.90	54.4	<0.2	<10	2210	0.88	0.26	0.58	53.00	24.40	13.7	66	1.50
CC27936		0.40	3.31	1.63	46.7	<0.2	<10	2970	0.76	0.24	0.28	26.60	27.70	14.8	59	1.17
CC27937		0.24	6.40	1.07	36.1	<0.2	<10	2560	0.64	0.18	0.54	29.60	14.30	7.2	87	1.13
CC27938		0.16	2.29	0.44	13.2	<0.2	<10	1220	0.37	0.10	1.43	15.60	9.31	2.6	21	0.47

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC27909		133.5	1.51	2.98	0.16	0.14	0.72	0.028	0.05	20.0	3.2	0.84	208	18.70	0.03	0.22
CC27910		89.4	1.89	5.53	0.11	0.04	0.14	0.035	0.05	13.7	4.3	0.09	80	77.70	0.02	0.28
CC27911		55.5	1.49	4.81	0.08	0.02	0.12	0.019	0.04	11.6	1.8	0.04	43	72.00	0.02	0.34
CC27912		42.4	1.21	3.30	0.09	0.10	0.28	0.030	0.05	19.5	6.5	0.16	147	7.82	0.10	0.28
CC27913		27.7	4.49	4.16	0.12	0.07	0.25	0.036	0.06	15.3	7.8	0.21	1670	75.50	0.09	0.35
CC27914		79.3	0.90	2.67	0.14	0.10	0.31	0.018	0.04	18.3	2.9	0.10	283	22.20	0.04	0.32
CC27915		37.2	0.69	3.00	0.06	<0.02	0.10	0.015	0.04	6.1	0.6	0.04	27	15.15	0.02	0.20
CC27916		47.9	2.41	5.13	0.16	0.14	0.42	0.057	0.13	7.8	3.9	0.14	87	51.40	0.06	0.34
CC27917		34.3	2.04	4.41	0.09	0.06	0.08	0.029	0.08	19.1	10.5	0.30	137	7.28	0.04	0.48
CC27918		29.9	2.04	4.66	0.08	0.06	0.07	0.030	0.07	19.6	11.8	0.28	76	2.68	0.03	0.51
CC27919		26.3	1.70	4.33	0.08	0.04	0.07	0.029	0.07	19.7	11.4	0.26	49	1.69	0.03	0.49
CC27920		31.1	2.69	4.55	0.09	0.05	0.08	0.032	0.07	19.5	11.2	0.26	69	5.87	0.04	0.50
CC27921		24.5	2.93	4.46	0.09	0.07	0.07	0.028	0.06	18.7	12.2	0.29	62	13.30	0.03	0.53
CC27922		42.4	0.2	2.32	0.09	0.03	0.26	0.017	0.03	6.6	1	0.03	11	3.4	0.03	1.09
CC27923		24.5	0.12	2.81	0.07	<0.02	0.24	0.011	0.04	10.5	1	0.02	7	1.23	0.02	0.68
CC27924		58	0.34	2.93	0.06	<0.02	0.12	0.015	0.04	6.9	1.2	0.03	13	3.2	0.05	0.41
CC27925		23.7	0.23	3.06	0.06	<0.02	0.18	0.013	0.04	8.4	1.5	0.03	9	1.08	0.03	0.46
CC27927		25.1	1.34	3.27	0.07	0.04	0.09	0.024	0.06	12.5	8.6	0.20	65	2.26	0.04	0.45
CC27928		47.7	1.31	3.46	0.10	0.14	0.21	0.024	0.12	14.9	18.5	0.87	240	1.67	0.03	0.43
CC27929		285.0	1.95	6.78	0.16	0.05	0.48	0.092	0.11	7.5	3.5	0.08	60	49.90	0.02	0.62
CC27930		93.3	3.72	9.88	0.12	0.10	0.14	0.083	0.12	10.8	16.2	0.31	170	47.40	0.02	0.94
CC27931		308.0	3.62	9.55	0.36	0.10	0.36	0.094	0.28	9.8	7.3	0.15	236	154.50	0.02	1.07
CC27932		297.0	2.60	8.02	0.25	0.28	0.32	0.074	0.16	14.9	11.1	0.23	685	81.70	0.02	0.65
CC27933		238.0	3.47	7.74	0.34	0.24	1.07	0.093	0.20	19.3	11.9	0.34	807	80.80	0.02	0.61
CC27934		265.0	4.11	7.27	0.36	0.37	0.95	0.121	0.20	11.8	8.7	0.25	656	89.90	0.02	0.59
CC27935		100.5	3.09	6.52	0.15	0.19	0.33	0.055	0.16	12.0	14.5	0.48	387	30.90	0.03	0.63
CC27936		85.9	2.88	5.82	0.13	0.07	0.36	0.051	0.13	13.7	13.1	0.36	416	29.70	0.03	0.69
CC27937		139.5	1.63	3.96	0.13	0.06	1.11	0.032	0.11	8.2	5.9	0.13	126	22.60	0.02	0.41
CC27938		73.8	0.90	1.74	0.16	0.09	0.44	0.022	0.04	5.3	1.5	0.13	54	12.10	0.02	0.17

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC27909		175.5	1390	10.4	6.0	0.004	0.11	11.35	6.2	15.2	0.7	173.5	0.01	0.14	1.5	0.006
CC27910		207.0	520	14.4	9.1	0.001	0.05	16.60	2.7	8.4	1.0	43.8	<0.01	0.17	0.9	0.006
CC27911		134.0	340	11.6	7.6	0.001	0.04	18.70	1.3	7.8	0.8	17.2	<0.01	0.13	0.3	0.009
CC27912		58.2	630	9.6	7.7	0.007	0.08	1.58	3.8	3.1	0.7	69.9	0.01	0.05	1.9	0.006
CC27913		40.8	860	12.5	10.6	0.012	0.08	3.13	3.6	3.9	0.6	64.9	<0.01	0.08	2.1	0.005
CC27914		130.0	980	9.2	6.1	0.007	0.16	18.25	2.5	11.4	0.4	153.0	0.01	0.09	0.4	0.009
CC27915		31.5	750	9.7	3.2	0.003	0.08	16.50	1.1	6.6	0.5	44.4	<0.01	0.12	<0.2	0.008
CC27916		112.0	1320	17.1	14.3	0.044	0.18	7.81	4.7	26.1	1.1	225.0	<0.01	0.53	1.4	<0.005
CC27917		50.2	640	10.4	12.0	0.007	0.02	2.54	4.6	3.8	0.5	45.4	<0.01	0.06	4.8	0.009
CC27918		37.5	540	12.3	12.5	0.007	0.02	2.48	4.2	2.7	0.6	29.5	<0.01	0.06	5.1	0.007
CC27919		30.6	490	11.7	12.7	0.005	0.02	2.25	3.8	2.2	0.5	25.8	<0.01	0.05	4.9	0.008
CC27920		39.2	650	13.1	12.0	0.003	0.03	2.31	4.4	3.1	0.5	30.9	<0.01	0.06	5.0	0.007
CC27921		29.1	580	12.4	11.3	0.003	0.02	2.30	3.9	2.7	0.6	27.0	<0.01	0.06	5.1	0.008
CC27922		20.2	600	10.7	4.4	0.006	0.1	8.04	2.1	8.7	0.5	17.2	<0.01	0.1	<0.2	0.048
CC27923		13.2	330	7.6	5	0.007	0.06	4.14	1.4	6.2	0.4	13	<0.01	0.06	0.3	0.028
CC27924		36.6	760	10.3	4.3	0.004	0.11	3	0.5	4.4	0.5	39.1	<0.01	0.07	<0.2	0.015
CC27925		14.4	620	6.7	5.9	0.005	0.09	3.34	0.8	5.6	0.4	19.3	<0.01	0.05	<0.2	0.014
CC27927		21.2	550	9.6	9.1	0.007	0.06	0.88	3.3	2.9	0.4	30.5	<0.01	0.04	2.7	0.009
CC27928		40.3	1950	8.5	13.3	0.004	0.16	1.51	3.1	4.8	0.4	84.9	<0.01	0.04	1.7	0.010
CC27929		98.7	2660	13.8	19.4	0.019	0.23	20.70	2.8	23.5	1.0	90.3	0.01	0.23	0.3	0.012
CC27930		105.0	1590	16.2	20.1	0.007	0.08	13.30	6.4	9.1	1.4	41.1	0.01	0.18	3.3	0.015
CC27931		298.0	2050	26.0	21.7	0.013	0.51	95.00	9.7	48.6	1.5	211.0	0.01	0.47	2.3	0.062
CC27932		534.0	1590	28.9	22.9	0.004	0.18	27.10	7.6	31.6	1.3	94.5	0.02	0.29	1.4	0.021
CC27933		1255.0	1320	27.6	18.5	0.005	0.25	22.90	10.0	49.6	1.6	148.0	0.01	0.27	2.8	0.022
CC27934		1155.0	2010	29.7	18.9	0.009	0.31	31.10	9.0	50.7	2.2	160.5	0.02	0.38	2.9	0.021
CC27935		229.0	1010	20.7	17.4	0.003	0.17	10.50	5.5	15.2	1.1	96.8	0.01	0.15	1.7	0.016
CC27936		205.0	830	19.1	15.1	0.004	0.11	11.55	5.3	11.5	0.9	76.5	0.01	0.15	1.9	0.018
CC27937		193.5	1440	13.7	12.2	0.009	0.17	14.45	3.2	15.4	0.7	110.0	0.01	0.15	0.5	0.011
CC27938		159.0	1140	7.6	4.4	0.067	0.25	11.05	2.4	25.0	0.7	213.0	0.01	0.11	0.6	0.006

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07098782

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC27909		0.79	4.41	302	0.26	35.60	1080	5.0	
CC27910		1.68	5.96	759	0.52	24.10	817	0.9	
CC27911		1.76	4.56	656	0.43	10.10	525	<0.5	
CC27912		0.59	7.34	145	0.12	23.20	123	2.9	
CC27913		0.51	3.69	236	0.17	15.25	126	1.4	
CC27914		1.05	10.30	572	0.15	44.90	1620	3.0	
CC27915		0.52	3.08	289	0.13	4.47	245	<0.5	
CC27916		6.55	5.82	279	0.19	12.05	209	4.6	
CC27917		0.28	2.99	174	0.10	15.10	393	1.7	
CC27918		0.31	2.56	180	0.11	13.00	237	1.7	
CC27919		0.28	2.09	168	0.08	10.90	188	1.3	
CC27920		0.29	2.99	170	0.11	14.00	203	1.5	
CC27921		0.26	2.25	160	0.09	10.85	167	2.1	
CC27922		1.01	4.73	572	0.05	8.61	117	1.1	
CC27923		0.96	2.72	400	0.05	6.47	71	0.5	
CC27924		0.84	4.76	326	<0.05	8.88	149	<0.5	
CC27925		0.87	2.51	342	0.05	5.7	91	<0.5	
CC27927		0.15	2.14	59	0.08	8.74	83	0.9	
CC27928		0.16	1.69	73	0.07	16.10	231	3.4	
CC27929		3.64	12.70	1205	0.50	16.15	218	1.7	
CC27930		3.16	11.65	1355	0.32	7.84	507	3.7	
CC27931		8.73	36.60	2660	0.91	46.50	1280	3.6	
CC27932		6.02	38.50	1935	0.71	91.10	6210	7.6	
CC27933		8.62	15.70	1295	0.66	69.70	>10000	7.3	2.15
CC27934		6.27	57.90	1695	0.78	89.70	>10000	14.4	1.47
CC27935		2.19	13.55	832	0.32	32.80	2840	4.7	
CC27936		1.67	7.25	716	0.31	23.90	2690	1.6	
CC27937		1.69	26.80	587	0.28	25.50	1605	1.3	
CC27938		0.49	8.87	173	0.16	18.35	1205	2.8	

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D... 10-AUG-2007
Account: MTT

CERTIFICATE VA07077186

Project: NIMO

P.O. No.:

This report is for 14 Rock samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-36	Pulverize 1.5 kg to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 10-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077186

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
C385640		0.26	0.002	0.017	0.047	2.73	2.68	144.5	20	4.46	1.27	3.05	6.12	33.70	5.0	51
C385641		1.44	<0.001	<0.005	<0.001	0.24	0.21	10	3770	0.41	<0.01	34.60	4.03	2.88	1.2	9
C385642		1.42	<0.001	<0.005	<0.001	0.33	6.20	20.8	350	1.95	0.17	0.84	5.21	44.60	4.0	71
C385643		1.70	0.001	<0.005	0.001	0.32	5.88	19.8	360	2.13	0.17	0.81	4.96	40.90	3.8	66
C385644		1.28	0.002	<0.005	<0.001	0.08	1.89	9	8400	1.80	0.04	17.45	1.82	13.80	5.0	18
C385645		1.72	0.002	<0.005	0.001	0.31	4.66	26.3	300	2.05	0.15	0.19	1.23	32.30	2.0	54
C385646		0.46	0.001	<0.005	0.003	0.25	2.05	12.1	1420	1.00	0.09	0.10	0.23	15.55	1.7	34
C385647		1.28	0.001	<0.005	0.002	0.36	6.30	20.0	920	2.42	0.18	0.26	4.79	46.60	2.5	68
C385648		1.80	0.003	<0.005	0.009	0.09	1.68	9	160	0.94	0.04	20.10	7.55	14.00	6.3	13
C385649		1.18	<0.001	<0.005	<0.001	0.26	5.22	40	900	2.78	0.12	10.45	15.90	32.40	11.6	67
C385650		1.12	0.002	<0.005	0.004	0.36	6.44	82.8	340	2.80	0.17	8.53	13.65	61.30	14.5	100
B375551		0.56	0.110	0.091	0.121	2.49	1.16	198.5	80	0.50	1.30	0.33	2.32	64.20	2.0	17
B375552		1.90	0.002	<0.005	0.003	0.23	1.66	16.1	1240	0.73	0.09	0.18	0.55	17.20	1.6	24
B375553		0.92	0.001	<0.005	0.001	0.22	1.10	7.5	1820	0.10	0.05	0.24	0.20	1.51	1.3	12

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 10-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077186

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
C385640		2.42	185.0	10.75	7.39	0.69	1.6	0.31	0.018	1.04	9.0	13.3	0.58	57	55.50	0.06
C385641		0.16	15.9	0.18	0.92	0.08	0.1	0.04	<0.005	0.03	2.8	1.8	1.95	234	2.84	0.11
C385642		9.52	38.7	2.83	18.55	0.14	2.0	0.02	0.072	1.92	25.7	12.5	0.75	66	28.80	0.06
C385643		8.85	37.0	2.69	17.70	0.15	1.8	0.12	0.065	1.85	23.7	12.3	0.73	63	27.30	0.05
C385644		2.03	10.6	0.80	4.40	0.12	0.7	0.02	0.014	0.53	8.4	5.6	9.80	653	6.87	0.17
C385645		8.00	66.9	2.49	16.50	0.15	1.8	0.11	0.053	1.49	19.9	12.7	0.38	35	55.60	0.05
C385646		2.94	121.5	1.71	6.73	0.11	1.2	0.11	0.025	0.59	8.9	5.6	0.18	50	27.60	0.04
C385647		11.80	29.5	2.33	19.90	0.21	2.2	0.13	0.049	1.93	28.6	12.2	0.49	25	31.70	0.05
C385648		1.28	15.6	1.04	3.51	0.10	0.5	0.03	0.008	0.32	8.3	3.3	6.64	584	9.97	0.56
C385649		8.15	202.0	4.04	18.40	0.17	1.4	0.10	0.089	1.66	19.3	9.7	0.47	112	39.70	0.05
C385650		9.81	135.0	4.76	23.10	0.28	2.0	0.12	0.108	2.04	46.7	12.1	0.52	135	81.80	0.11
B375551		1.85	39.2	4.45	4.65	0.47	1.6	1.31	0.066	0.95	48.5	6.2	0.08	29	487.00	0.03
B375552		2.71	26.9	1.75	5.80	0.07	1.2	0.09	0.038	0.61	10.6	7.0	0.13	47	56.80	0.04
B375553		0.44	22.2	1.76	3.43	<0.05	0.4	0.01	0.009	0.06	1.1	13.2	0.08	42	17.05	0.73

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 10-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077186

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
C385640		7.1	219.0	1090	100.0	60.2	0.037	>10.0	244.00	3.1	177	0.5	134.5	0.79	0.38	2.7
C385641		0.3	9.3	650	0.9	1.9	0.015	0.15	4.93	0.9	4	<0.2	1545.0	<0.05	<0.05	0.3
C385642		9.0	59.7	190	13.2	131.0	0.023	0.85	8.55	11.6	12	2.2	120.5	0.62	0.09	7.6
C385643		8.4	58.2	180	12.6	124.5	0.021	0.80	7.88	11.2	11	2.0	115.0	0.57	0.07	7.4
C385644		2.6	29.4	370	3.1	33.3	0.006	0.09	2.38	3.6	4	0.5	1130.0	0.17	<0.05	2.1
C385645		8.4	36.1	440	10.9	106.0	0.270	0.80	7.22	9.1	17	1.8	89.2	0.55	0.24	5.9
C385646		4.9	36.5	280	8.2	39.5	0.223	0.28	4.07	7.6	14	0.7	43.3	0.27	0.23	3.1
C385647		9.6	42.2	150	13.9	134.5	0.050	0.52	17.40	11.2	18	2.2	78.9	0.66	0.10	7.1
C385648		2.4	83.1	490	3.5	20.6	0.015	0.99	3.08	3.8	6	0.4	1030.0	0.15	0.06	1.8
C385649		6.6	444.0	960	7.9	101.0	0.233	0.55	8.04	12.1	16	1.7	382.0	0.44	0.38	5.7
C385650		9.4	370.0	2790	11.0	124.0	0.257	0.97	12.10	17.9	24	2.2	832.0	0.55	0.79	6.6
B375551		6.2	103.0	350	85.6	50.7	0.745	1.85	74.70	3.2	91	22.3	253.0	0.39	3.21	5.3
B375552		4.5	28.7	170	7.0	38.9	0.266	0.49	4.26	4.0	14	1.7	62.6	0.28	0.30	2.6
B375553		1.4	6.4	70	2.7	3.5	0.030	0.10	2.90	0.7	3	0.2	118.0	0.08	0.18	0.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 10-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077186

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.1	1	0.1	0.1	2	0.5
C385640		0.093	3.81	14.2	1040	0.8	28.0	580	84.0
C385641		0.009	0.24	0.7	128	0.1	8.9	220	9.8
C385642		0.285	4.87	4.4	882	1.0	16.9	289	70.1
C385643		0.272	4.73	4.2	852	0.9	16.1	277	65.6
C385644		0.077	1.01	1.1	206	0.3	15.8	164	38.7
C385645		0.229	5.60	7.7	646	0.9	11.8	75	69.9
C385646		0.125	2.62	13.7	405	0.4	7.7	12	48.6
C385647		0.301	4.65	5.5	871	1.1	13.5	169	75.8
C385648		0.066	0.82	1.7	200	0.3	18.2	195	26.1
C385649		0.189	5.29	9.2	705	0.8	52.1	648	55.1
C385650		0.254	8.84	13.7	1055	1.0	52.2	527	85.4
B375551		0.143	161.50	12.8	182	2.9	9.4	55	68.0
B375552		0.117	5.60	6.2	329	0.5	7.3	21	55.5
B375553		0.042	0.84	1.1	122	0.2	0.9	5	13.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE VA07077185

Project: NiMo

P.O. No.:

This report is for 199 Soil samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC27572		0.28	1.21	1.72	62.0	<0.2	<10	1010	0.45	0.28	0.07	0.54	21.50	1.8	44	2.56
CC27573		0.14	1.46	1.25	47.9	<0.2	<10	1290	0.39	0.30	0.05	0.64	18.40	1.5	27	2.69
CC27574		0.20	0.82	0.84	55.7	<0.2	<10	650	0.41	0.20	0.11	1.17	12.80	0.9	20	2.00
CC27575		0.32	0.43	0.52	73.2	<0.2	<10	810	0.34	0.18	0.10	0.83	15.50	4.9	23	0.88
CC27576		0.26	0.41	0.74	21.0	<0.2	<10	870	0.36	0.17	0.17	1.48	26.10	2.9	19	0.88
CC27577		0.16	0.58	0.91	9.9	<0.2	<10	1350	0.38	0.14	0.40	4.44	23.90	8.6	19	1.06
CC27578		0.14	0.79	1.23	9.6	<0.2	<10	3190	0.60	0.20	0.69	3.59	45.30	22.9	20	0.98
CC27579		0.12	0.67	1.42	12.2	<0.2	<10	3030	0.65	0.22	0.97	2.26	42.40	23.8	20	1.03
CC27580		0.12	0.68	1.23	5.3	<0.2	<10	3110	0.51	0.19	0.55	1.30	37.70	4.7	21	1.09
CC27581		0.18	3.08	1.23	18.3	<0.2	<10	2550	0.65	0.22	0.68	21.90	35.30	7.3	42	1.50
CC27582		0.14	1.58	1.08	130.0	<0.2	<10	1190	0.67	0.38	0.47	8.40	23.80	10.4	89	2.39
CC27583		0.24	0.98	1.22	10.7	<0.2	<10	2680	0.62	0.21	0.80	1.96	40.40	5.8	30	1.14
CC27584		0.18	1.90	0.97	25.1	<0.2	<10	2260	0.81	0.21	1.02	6.41	28.90	5.2	62	1.17
CC27585		0.28	1.43	0.81	22.5	<0.2	<10	2140	0.81	0.19	0.52	5.45	39.80	4.0	33	0.96
CC27586		0.18	0.50	1.32	7.7	<0.2	<10	3130	0.55	0.22	0.30	0.46	44.40	8.1	22	0.80
CC27587		0.32	0.40	1.30	9.5	<0.2	<10	3480	0.63	0.21	0.26	0.32	41.50	8.3	26	0.81
CC27588		0.26	0.48	1.17	12.3	<0.2	<10	3660	0.58	0.23	0.35	0.75	40.70	10.0	25	0.96
CC27589		0.32	0.57	1.12	12.6	<0.2	<10	3740	0.64	0.23	0.40	0.80	40.40	11.1	25	1.03
CC27590		0.28	0.77	0.99	13.3	<0.2	<10	3120	0.68	0.25	0.49	0.81	36.00	12.9	21	1.08
CC27591		0.20	0.66	0.83	13.3	<0.2	<10	4590	0.57	0.25	0.32	1.42	43.60	10.5	20	0.80
CC27592		0.28	0.33	0.97	8.1	<0.2	<10	2870	0.56	0.26	0.23	0.50	34.60	9.6	20	0.92
CC27593		0.18	1.03	0.94	27.9	<0.2	10	6640	0.96	0.16	1.14	5.52	37.60	6.7	41	1.01
CC27594		0.10	0.69	0.69	51.1	<0.2	10	4610	1.00	0.19	0.63	12.65	43.70	8.0	52	0.94
CC27595		0.10	1.31	0.51	28.2	<0.2	<10	2960	0.73	0.14	1.53	18.25	39.00	5.3	33	0.68
CC27596		0.14	1.82	0.54	37.9	<0.2	10	4850	0.84	0.17	1.60	10.15	35.10	4.8	65	0.53
CC27597		0.16	3.66	0.53	42.4	<0.2	10	>10000	0.55	0.16	2.64	7.37	19.40	5.0	119	0.62
CC27598		0.18	2.42	0.75	53.7	<0.2	10	4510	0.87	0.23	0.22	13.55	27.50	6.3	81	1.29
CC27599		0.10	6.69	0.72	61.1	<0.2	10	5950	0.82	0.24	0.74	35.90	22.60	13.0	106	1.16
CC27600		0.12	3.65	1.72	95.2	<0.2	<10	640	0.76	0.37	0.08	4.32	17.30	6.1	140	1.66
CC27601		0.12	2.35	0.70	46.0	<0.2	<10	3190	0.66	0.17	0.14	15.65	16.15	3.6	64	1.13
CC27602		0.10	3.46	0.65	44.6	<0.2	<10	2840	0.64	0.14	0.10	18.55	14.95	3.9	67	1.24
CC27603		0.14	5.30	0.99	69.5	<0.2	<10	2570	0.96	0.18	0.35	55.30	22.10	5.1	81	1.66
CC27604		0.16	2.28	0.89	57.4	<0.2	10	2180	0.79	0.17	0.08	21.30	17.25	7.2	52	1.35
CC27605		0.14	0.71	0.47	47.7	<0.2	<10	450	0.35	0.18	0.04	1.51	17.90	2.4	47	1.62
CC27606		0.10	1.77	0.44	23.9	<0.2	<10	260	0.35	0.10	0.08	1.83	12.55	1.2	65	1.08
CC27607		0.06	1.07	0.62	14.1	<0.2	<10	440	0.31	0.15	0.07	2.10	20.80	1.9	30	1.29
CC27608		0.08	1.17	1.17	46.3	<0.2	<10	480	0.37	0.27	0.08	5.20	20.40	4.4	53	1.32
CC27609		0.18	0.59	0.66	68.3	<0.2	<10	570	0.60	0.23	0.10	9.27	23.50	3.1	60	1.83
CC27610		0.26	1.14	0.82	34.3	<0.2	<10	1230	0.53	0.16	0.24	14.15	24.70	5.6	39	1.18
CC27611		0.12	3.29	1.64	37.4	<0.2	<10	1670	0.77	0.24	0.11	14.40	21.50	9.3	59	1.93

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC27572		88.0	1.68	6.22	0.12	0.06	0.32	0.086	0.10	10.7	6.8	0.17	40	43.90	<0.01	0.39
CC27573		66.4	2.01	4.37	0.11	0.04	0.42	0.056	0.08	9.1	4.7	0.12	34	54.00	<0.01	0.38
CC27574		55.9	1.99	3.13	0.14	0.04	0.21	0.040	0.05	6.3	2.5	0.07	17	84.60	<0.01	0.25
CC27575		49.9	2.87	2.67	0.13	0.08	0.16	0.044	0.08	7.5	3.0	0.09	208	74.30	<0.01	0.20
CC27576		34.4	1.39	2.74	0.09	0.05	0.11	0.027	0.07	13.9	5.1	0.15	52	29.60	<0.01	0.27
CC27577		21.5	2.05	3.17	0.07	0.04	0.15	0.021	0.07	12.9	5.7	0.13	393	21.70	<0.01	0.20
CC27578		40.1	5.22	3.86	0.12	0.10	0.14	0.034	0.10	22.4	8.5	0.26	918	17.00	<0.01	0.24
CC27579		35.6	4.35	4.16	0.10	0.11	0.14	0.033	0.11	19.7	11.2	0.30	2390	5.10	<0.01	0.19
CC27580		33.6	1.55	3.92	0.07	0.07	0.15	0.031	0.10	20.0	10.1	0.25	61	1.29	<0.01	0.24
CC27581		80.4	1.64	4.27	0.09	0.08	0.48	0.036	0.11	19.0	9.5	0.25	129	9.94	<0.01	0.24
CC27582		110.5	3.53	7.86	0.16	0.03	0.05	0.060	0.18	15.4	6.1	0.14	153	104.50	<0.01	0.41
CC27583		38.2	2.07	3.84	0.09	0.08	0.19	0.034	0.10	21.2	11.1	0.27	114	4.96	<0.01	0.21
CC27584		78.0	1.79	3.65	0.08	0.07	0.23	0.032	0.10	17.6	6.4	0.17	113	15.15	<0.01	0.22
CC27585		77.0	1.46	3.18	0.08	0.06	0.35	0.028	0.08	20.8	6.5	0.14	95	42.40	<0.01	0.22
CC27586		33.1	2.48	4.34	0.09	0.06	0.10	0.035	0.11	22.7	11.7	0.31	317	5.84	<0.01	0.21
CC27587		33.1	2.73	4.25	0.09	0.04	0.13	0.036	0.12	20.9	9.8	0.25	225	4.36	<0.01	0.23
CC27588		38.9	2.66	3.69	0.08	0.05	0.14	0.042	0.13	20.7	6.9	0.21	171	3.94	<0.01	0.22
CC27589		45.2	3.37	3.41	0.09	0.06	0.18	0.043	0.14	21.2	6.5	0.22	288	3.79	<0.01	0.23
CC27590		51.9	3.65	2.82	0.10	0.06	0.19	0.051	0.13	19.2	4.5	0.17	263	4.87	<0.01	0.13
CC27591		54.6	3.28	2.35	0.10	0.07	0.16	0.042	0.14	21.3	3.7	0.15	111	8.13	<0.01	0.22
CC27592		34.1	3.06	3.28	0.08	0.04	0.06	0.043	0.10	18.2	6.0	0.13	262	6.60	<0.01	0.18
CC27593		66.4	1.98	4.15	0.10	0.13	0.41	0.033	0.13	22.0	6.4	0.15	209	43.40	<0.01	0.24
CC27594		87.8	1.69	3.69	0.10	0.10	0.35	0.030	0.09	27.8	8.7	0.09	102	95.10	<0.01	0.25
CC27595		84.3	1.25	2.42	0.09	0.09	0.27	0.023	0.05	25.5	3.1	0.11	126	54.90	<0.01	0.24
CC27596		94.4	1.30	3.15	0.09	0.12	0.44	0.029	0.07	24.3	5.6	0.20	132	44.00	<0.01	0.19
CC27597		144.0	1.47	3.09	0.13	0.07	0.36	0.030	0.08	14.1	2.9	0.64	202	11.70	<0.01	0.11
CC27598		93.6	1.96	4.83	0.10	0.06	0.33	0.033	0.11	17.6	7.1	0.09	40	54.10	<0.01	0.14
CC27599		118.5	2.03	3.66	0.13	0.06	0.79	0.038	0.12	15.7	4.4	0.14	205	37.30	<0.01	0.11
CC27600		109.0	2.99	7.78	0.13	0.05	0.30	0.058	0.15	9.9	12.5	0.17	117	56.60	<0.01	0.46
CC27601		85.3	1.35	3.30	0.08	0.03	0.21	0.026	0.07	11.1	2.0	0.04	22	35.20	<0.01	0.18
CC27602		72.0	1.24	3.49	0.08	0.03	0.51	0.023	0.08	11.1	3.0	0.06	32	42.20	<0.01	0.14
CC27603		139.5	1.87	4.88	0.12	0.06	1.18	0.033	0.10	15.4	8.0	0.18	67	60.00	<0.01	0.33
CC27604		90.5	1.69	3.74	0.12	0.04	0.24	0.023	0.09	11.7	4.7	0.08	252	76.40	<0.01	0.23
CC27605		34.1	1.40	5.09	0.09	<0.02	0.06	0.013	0.07	14.1	1.4	0.04	19	80.30	<0.01	0.25
CC27606		47.0	0.78	3.58	0.06	<0.02	0.10	0.016	0.06	10.6	1.0	0.03	28	38.00	<0.01	0.19
CC27607		30.1	0.95	4.88	<0.05	<0.02	0.06	0.016	0.05	13.3	1.3	0.04	24	21.10	<0.01	0.31
CC27608		37.5	2.60	7.76	0.07	<0.02	0.08	0.026	0.07	12.3	5.9	0.15	123	43.50	<0.01	0.82
CC27609		101.5	1.89	5.33	0.13	0.04	0.12	0.046	0.09	17.0	2.9	0.07	44	68.60	<0.01	0.10
CC27610		78.8	1.68	3.66	0.08	0.03	0.21	0.030	0.07	15.2	7.1	0.19	102	43.30	<0.01	0.34
CC27611		105.0	2.17	5.94	0.08	0.03	0.63	0.041	0.11	12.9	10.0	0.21	271	45.00	<0.01	0.40

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC27572		26.2	1720	18.6	16.4	0.006	0.14	12.40	8.3	20.1	1.0	212.0	<0.01	0.15	1.7	0.012
CC27573		20.6	1230	19.9	15.4	0.013	0.14	17.95	6.4	21.0	1.1	98.4	<0.01	0.24	1.1	0.012
CC27574		29.5	980	14.0	9.7	0.014	0.10	14.60	5.3	22.6	0.7	87.8	<0.01	0.19	1.1	0.009
CC27575		44.8	500	12.9	8.0	0.033	0.20	9.42	5.2	16.5	0.5	89.8	<0.01	0.41	3.7	0.010
CC27576		37.1	430	11.2	9.1	0.028	0.05	5.85	3.7	12.6	0.5	39.6	<0.01	0.15	3.9	0.010
CC27577		33.0	620	9.4	11.5	0.018	0.10	3.65	3.1	4.3	0.5	42.3	<0.01	0.05	2.0	0.005
CC27578		43.3	890	12.8	14.1	0.006	0.12	2.26	5.0	5.3	0.4	62.0	0.01	0.06	3.4	0.005
CC27579		51.0	940	13.8	18.1	0.010	0.12	1.44	4.9	4.6	0.4	70.8	0.01	0.08	2.9	<0.005
CC27580		31.9	620	12.8	13.9	0.010	0.11	1.33	4.8	4.1	0.4	47.3	<0.01	0.06	3.9	0.005
CC27581		98.5	1090	11.8	15.2	0.009	0.08	8.30	5.1	6.5	0.6	72.2	0.01	0.09	2.4	0.006
CC27582		189.0	680	26.0	23.0	0.003	0.22	50.80	3.4	21.1	1.3	55.7	<0.01	0.40	1.8	0.016
CC27583		40.2	1050	12.8	14.4	0.012	0.09	2.78	4.7	6.2	0.4	74.0	0.01	0.07	3.1	0.006
CC27584		126.5	1460	12.4	12.2	0.005	0.06	10.35	4.8	5.7	0.7	120.0	0.01	0.13	2.6	0.007
CC27585		137.5	550	9.7	10.2	0.004	0.05	8.85	4.8	3.5	0.7	65.3	0.01	0.14	2.4	0.007
CC27586		40.0	780	12.3	13.5	0.002	0.04	1.65	4.9	3.3	0.4	45.7	0.01	0.06	4.6	0.005
CC27587		32.3	860	11.6	13.8	0.003	0.03	1.84	4.9	3.4	0.5	49.4	<0.01	0.06	4.2	0.007
CC27588		36.4	910	14.4	14.1	0.002	0.03	2.11	5.8	2.2	0.5	52.3	<0.01	0.07	5.2	0.006
CC27589		45.1	920	13.1	13.3	0.003	0.04	1.85	6.7	2.7	0.4	63.6	0.01	0.07	5.9	0.007
CC27590		58.3	700	14.8	12.2	0.001	0.03	2.22	7.2	2.6	0.4	57.2	0.01	0.07	4.3	<0.005
CC27591		60.4	800	15.8	10.3	0.001	0.04	3.30	7.2	2.9	0.3	56.9	0.01	0.09	5.9	0.010
CC27592		29.9	610	14.0	11.4	0.001	0.03	1.95	3.8	2.9	0.4	25.9	<0.01	0.09	3.9	0.006
CC27593		197.0	1320	11.6	13.4	0.005	0.10	8.18	4.4	6.4	1.0	181.0	0.01	0.10	2.5	0.007
CC27594		249.0	620	15.3	11.3	0.002	0.10	18.00	3.3	9.7	0.8	115.0	0.01	0.15	1.2	0.005
CC27595		231.0	710	11.3	7.1	0.003	0.12	12.65	3.0	7.6	0.6	160.5	0.02	0.12	1.0	0.006
CC27596		174.5	1410	11.0	8.3	0.003	0.13	15.10	3.3	8.3	0.7	191.5	0.02	0.12	1.2	0.005
CC27597		180.5	4530	8.7	7.3	0.006	0.05	21.50	2.5	9.9	0.7	693.0	0.01	0.16	0.7	<0.005
CC27598		180.0	1170	16.2	14.8	0.003	0.09	24.60	1.8	10.8	0.9	78.7	0.01	0.18	0.6	0.006
CC27599		295.0	2340	15.6	11.2	0.004	0.10	30.60	3.4	15.8	1.0	179.5	<0.01	0.20	1.2	0.005
CC27600		127.5	1290	25.8	20.5	0.003	0.31	38.40	1.7	23.8	1.2	119.5	<0.01	0.34	0.4	0.009
CC27601		102.5	1390	17.1	11.3	0.003	0.13	20.40	0.4	11.6	0.5	45.2	0.01	0.22	<0.2	<0.005
CC27602		105.0	940	14.4	12.4	0.002	0.09	25.50	0.5	10.0	0.5	28.1	0.01	0.16	<0.2	<0.005
CC27603		258.0	610	17.0	15.0	0.004	0.04	36.30	6.9	14.0	0.7	74.2	0.01	0.16	1.9	0.015
CC27604		173.5	900	15.7	14.5	0.008	0.11	30.70	1.8	20.5	0.6	27.8	<0.01	0.18	0.4	0.008
CC27605		124.5	310	13.9	14.3	0.010	0.03	33.90	1.5	15.3	0.6	7.1	<0.01	0.21	0.4	0.012
CC27606		57.8	660	9.2	8.0	0.008	0.06	21.90	0.9	9.0	0.5	7.8	<0.01	0.14	0.2	0.009
CC27607		39.0	400	11.9	7.1	0.002	0.04	8.38	1.0	4.3	0.8	9.0	<0.01	0.10	0.2	0.013
CC27608		75.2	520	17.7	12.1	0.003	0.03	20.60	2.1	7.4	0.9	17.0	<0.01	0.13	0.5	0.023
CC27609		151.5	1140	18.6	13.0	0.010	0.03	36.50	1.2	20.7	0.8	27.6	<0.01	0.21	0.3	<0.005
CC27610		135.5	830	10.0	10.0	0.005	0.04	17.30	3.8	8.2	0.5	48.3	<0.01	0.11	1.6	0.014
CC27611		136.0	970	15.8	17.5	0.006	0.05	15.70	3.6	7.5	0.8	32.8	<0.01	0.14	0.7	0.008

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC27572		3.31	23.60	233	0.30	11.10	62	1.3
CC27573		3.47	12.95	246	0.38	11.45	54	0.9
CC27574		3.19	9.89	221	0.29	15.10	63	0.7
CC27575		3.76	7.01	134	0.25	12.30	144	4.4
CC27576		1.55	2.56	145	0.15	10.30	96	2.2
CC27577		1.01	2.33	184	0.09	10.40	223	0.9
CC27578		0.28	3.38	116	0.10	22.90	311	2.2
CC27579		0.21	2.35	68	0.09	20.50	296	2.2
CC27580		0.26	2.52	79	0.06	15.65	150	1.8
CC27581		0.95	6.98	359	0.18	25.90	781	2.2
CC27582		3.25	7.16	1250	0.56	20.90	892	0.7
CC27583		0.46	3.94	163	0.10	19.80	165	2.0
CC27584		0.88	6.15	474	0.16	22.00	396	1.8
CC27585		2.08	8.20	349	0.33	34.10	416	2.0
CC27586		0.22	3.18	69	0.10	16.80	113	1.3
CC27587		0.20	2.93	67	0.10	15.35	132	0.8
CC27588		0.20	2.33	68	0.09	17.60	157	1.0
CC27589		0.18	2.37	57	0.08	20.10	156	1.6
CC27590		0.21	1.85	52	0.07	23.30	190	1.0
CC27591		0.18	1.47	65	0.09	20.60	199	2.3
CC27592		0.14	1.45	69	0.06	9.44	165	0.9
CC27593		1.25	14.35	482	0.27	35.10	397	4.4
CC27594		2.71	14.60	817	0.49	35.40	1100	3.1
CC27595		0.89	19.70	406	0.36	35.10	674	3.1
CC27596		1.24	13.95	481	0.34	35.50	739	3.7
CC27597		0.79	4.64	261	0.18	24.80	898	1.7
CC27598		1.91	8.72	1050	0.33	30.70	1110	1.0
CC27599		1.74	9.45	867	0.28	28.40	2980	1.2
CC27600		4.11	14.75	1230	0.37	28.80	477	0.9
CC27601		1.58	9.84	884	0.31	22.60	488	<0.5
CC27602		1.72	6.22	1175	0.28	22.60	572	<0.5
CC27603		3.81	8.66	1640	0.34	34.60	3930	1.3
CC27604		3.33	9.11	1320	0.35	23.00	992	0.6
CC27605		1.99	2.41	1335	0.40	5.53	480	<0.5
CC27606		0.69	3.87	829	0.24	7.34	247	<0.5
CC27607		0.98	2.71	454	0.20	5.33	166	<0.5
CC27608		2.04	2.08	1135	0.32	8.42	468	<0.5
CC27609		4.23	5.34	826	0.33	21.80	805	0.7
CC27610		2.88	5.11	503	0.24	19.30	960	0.6
CC27611		4.72	6.84	750	0.25	20.90	872	<0.5

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC27612		0.14	1.26	1.07	21.7	<0.2	<10	960	0.47	0.20	0.13	5.85	26.10	3.8	38	1.25
CC27613		0.14	0.65	1.13	18.1	<0.2	<10	1290	0.57	0.22	0.16	2.29	21.90	4.2	23	1.14
CC27614		0.16	1.70	0.94	15.1	<0.2	10	2580	0.55	0.50	0.15	1.45	10.95	0.9	24	2.58
CC27617		0.12	0.08	0.20	6.0	<0.2	<10	800	0.22	0.07	0.01	0.18	5.59	0.4	5	0.41
CC27618		0.14	0.67	0.12	11.2	<0.2	<10	960	0.19	0.11	0.01	0.15	2.64	0.2	2	0.51
CC20221		0.10	11.00	0.98	122.0	<0.2	10	1280	0.75	0.32	0.04	2.79	13.75	2.2	93	2.44
CC20222		0.20	7.16	1.32	79.9	<0.2	10	>10000	0.70	0.26	2.32	34.30	16.90	7.9	114	1.91
CC20223		0.08	2.98	1.12	51.5	<0.2	10	5100	0.95	0.22	0.16	16.30	17.80	2.8	99	1.63
CC20224		0.20	3.21	0.93	59.3	<0.2	<10	3550	0.87	0.22	0.06	17.55	15.05	1.9	94	1.47
CC20225		0.16	5.83	0.92	69.6	<0.2	<10	3200	0.79	0.22	0.07	16.95	14.70	1.9	101	1.40
CC20226		0.32	6.33	1.09	54.1	<0.2	10	3420	1.02	0.24	0.12	11.60	16.80	1.7	120	1.54
CC39801		0.16	0.29	1.13	29.4	<0.2	<10	440	0.35	0.19	0.04	0.85	21.30	6.0	25	1.06
CC39802		0.10	1.25	0.95	40.0	<0.2	<10	890	0.40	0.22	0.15	1.67	16.20	5.7	33	1.03
CC39803		0.10	0.60	1.38	46.9	<0.2	10	730	0.50	0.27	0.04	2.11	13.70	4.3	44	2.42
CC39804		0.12	0.66	0.77	32.3	<0.2	<10	800	0.39	0.15	0.04	1.97	17.35	5.2	31	0.90
CC39805		0.08	0.85	0.75	31.3	<0.2	10	690	0.42	0.16	0.06	2.33	20.90	2.9	32	1.74
CC39806		0.10	3.83	1.31	50.3	<0.2	10	1470	0.77	0.21	0.48	36.90	16.95	5.6	82	2.69
CC39807		0.10	0.50	1.80	41.2	<0.2	10	740	0.68	0.21	0.07	5.98	23.40	7.7	61	1.93
CC39808		0.26	1.75	0.60	46.5	<0.2	10	5630	0.37	0.04	6.97	13.25	9.01	4.3	42	0.54
CC39809		0.18	3.25	1.42	72.6	<0.2	10	1780	0.93	0.21	0.12	14.15	18.10	7.9	67	2.15
CC39810		0.08	3.92	0.71	35.5	<0.2	10	2220	0.85	0.16	1.22	20.30	17.85	5.0	68	1.19
CC39811		0.12	8.13	1.02	82.2	<0.2	10	4830	1.16	0.26	1.06	24.70	24.90	9.7	117	1.65
CC39812		0.14	9.35	0.95	76.1	<0.2	<10	3340	0.94	0.25	5.47	41.40	17.90	9.5	115	1.49
CC39813		0.14	3.51	0.90	87.5	<0.2	<10	1220	0.57	0.36	0.11	5.54	21.20	4.2	91	1.70
CC39814		0.20	0.28	1.58	5.9	<0.2	<10	1460	0.85	0.16	0.79	0.79	39.70	6.6	28	0.90
CC39815		0.18	0.39	1.73	7.2	<0.2	10	1610	1.00	0.15	1.13	1.27	43.00	9.8	30	0.96
CC39816		0.22	0.34	1.63	7.2	<0.2	10	1420	0.85	0.15	1.18	1.26	40.90	8.3	29	0.77
CC39817		0.22	0.37	1.49	7.0	<0.2	10	1370	0.91	0.15	1.76	2.15	38.30	8.3	26	0.75
CC39818		0.18	0.43	1.48	9.6	<0.2	10	1200	0.90	0.12	2.15	2.02	38.00	7.8	24	0.78
CC39819		0.20	0.38	1.62	7.1	<0.2	10	1410	0.99	0.14	2.31	1.55	40.30	8.0	28	0.93
CC39820		0.14	0.42	1.65	9.2	<0.2	10	1240	1.00	0.14	1.68	1.34	40.40	8.7	29	0.84
CC39821		0.26	0.43	1.54	8.2	<0.2	10	1300	0.98	0.14	1.61	1.61	41.60	8.3	29	0.91
CC39822		0.16	0.46	1.48	9.4	<0.2	10	1440	0.90	0.14	2.85	2.44	41.00	8.8	31	0.78
CC39823		0.16	0.48	1.33	9.7	<0.2	10	1870	0.92	0.16	1.58	2.45	40.90	6.9	32	0.80
CC39824		0.18	0.64	1.00	22.9	<0.2	10	2750	1.05	0.13	0.43	4.77	38.50	5.4	40	0.88
CC39825		0.14	0.56	1.20	24.3	<0.2	10	4630	1.07	0.15	0.56	3.52	39.10	6.4	39	0.85
CC39826		0.12	0.52	1.15	25.1	<0.2	10	4310	1.03	0.14	0.54	1.46	38.90	6.4	36	0.82
CC39827		0.14	0.50	1.33	3.2	<0.2	10	1450	0.77	0.14	1.86	1.30	39.30	7.4	25	0.90
CC39828		0.18	0.44	1.64	7.7	<0.2	10	1630	0.88	0.16	1.75	1.74	41.20	9.9	29	0.97
CC39829		0.18	0.29	1.45	5.7	<0.2	<10	1420	0.79	0.19	0.71	0.44	48.90	8.5	24	0.69

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC27612		52.4	1.57	4.38	0.05	0.02	0.23	0.031	0.08	16.6	8.2	0.19	70	42.00	<0.01	0.38
CC27613		27.0	1.40	3.90	0.05	0.03	0.16	0.032	0.09	12.2	7.3	0.13	66	29.00	<0.01	0.27
CC27614		58.3	0.48	4.27	0.11	0.04	1.42	0.041	0.10	5.7	2.8	0.06	10	23.80	<0.01	0.31
CC27617		16.7	0.38	0.75	<0.05	0.03	0.02	0.011	0.04	2.3	0.6	0.01	9	14.15	<0.01	0.10
CC27618		25.3	1.07	0.38	<0.05	0.14	0.19	<0.005	0.10	1.2	0.2	0.01	<5	14.50	<0.01	<0.05
CC20221		94.0	2.53	8.10	0.13	0.02	0.86	0.046	0.14	9.2	7.1	0.09	22	77.60	<0.01	0.99
CC20222		211.0	2.23	5.11	0.16	0.08	0.60	0.038	0.15	11.2	6.6	0.69	191	54.00	<0.01	1.11
CC20223		111.5	1.97	5.33	0.08	0.04	0.27	0.033	0.08	11.6	6.7	0.08	31	34.10	<0.01	1.03
CC20224		139.5	1.95	4.56	0.09	0.03	0.35	0.038	0.05	10.1	2.8	0.04	11	22.50	<0.01	0.85
CC20225		135.5	2.14	4.60	0.12	0.03	0.49	0.039	0.05	9.4	2.9	0.05	11	31.80	<0.01	0.84
CC20226		170.5	2.31	5.52	0.14	0.04	0.60	0.046	0.09	11.7	6.1	0.09	18	47.40	<0.01	1.54
CC39801		39.1	2.42	4.62	0.06	0.02	0.03	0.028	0.09	11.9	8.4	0.15	167	41.10	<0.01	0.53
CC39802		61.3	2.45	3.79	0.09	0.05	0.26	0.047	0.18	9.4	8.8	0.19	83	85.00	<0.01	0.49
CC39803		44.7	2.31	7.20	0.08	0.03	0.14	0.036	0.16	8.3	5.7	0.12	47	75.80	<0.01	0.53
CC39804		42.5	1.81	3.59	0.07	0.02	0.10	0.027	0.10	11.0	5.3	0.13	84	49.80	<0.01	0.43
CC39805		41.9	1.28	3.26	0.06	0.03	0.29	0.026	0.10	13.4	4.7	0.11	40	39.40	<0.01	0.35
CC39806		118.0	1.85	5.79	0.10	0.05	0.70	0.042	0.17	10.6	9.4	0.24	128	53.40	0.01	0.47
CC39807		72.6	2.72	6.47	0.07	0.03	0.16	0.037	0.16	12.6	17.7	0.33	240	30.00	0.01	0.70
CC39808		294.0	0.64	3.02	0.06	0.07	0.20	0.017	0.08	6.1	2.1	0.59	257	38.20	<0.01	0.46
CC39809		131.0	2.10	5.92	0.13	0.04	0.35	0.033	0.13	11.0	7.5	0.13	369	78.60	<0.01	0.33
CC39810		110.0	1.16	3.41	0.10	0.08	0.63	0.027	0.10	10.3	6.0	0.16	108	19.45	<0.01	0.35
CC39811		162.0	2.29	5.01	0.17	0.11	1.01	0.033	0.16	15.8	7.7	0.14	103	42.20	<0.01	0.51
CC39812		191.0	2.03	3.84	0.20	0.07	1.45	0.029	0.15	12.9	4.7	2.88	441	35.80	0.01	0.33
CC39813		92.2	2.27	5.33	0.13	0.03	0.38	0.031	0.16	12.2	5.5	0.11	74	51.50	<0.01	0.51
CC39814		30.5	1.44	4.99	0.05	0.12	0.07	0.033	0.09	21.7	15.8	0.41	92	0.73	<0.01	0.52
CC39815		45.4	2.31	5.49	0.07	0.15	0.10	0.035	0.11	24.6	19.6	0.56	366	2.28	0.01	0.52
CC39816		38.0	2.13	5.12	0.07	0.14	0.07	0.034	0.12	23.0	18.4	0.54	148	2.56	0.01	0.51
CC39817		44.7	1.80	4.67	0.06	0.13	0.09	0.031	0.11	21.7	17.7	0.62	181	1.36	<0.01	0.50
CC39818		42.0	1.95	4.82	0.07	0.12	0.11	0.029	0.09	22.8	18.4	0.71	238	2.27	0.01	0.44
CC39819		40.1	1.84	5.18	0.06	0.14	0.09	0.033	0.13	23.0	20.2	0.77	160	1.50	0.01	0.49
CC39820		45.1	2.11	5.27	0.06	0.16	0.10	0.032	0.13	22.5	21.0	0.79	205	2.92	0.01	0.49
CC39821		43.1	1.91	5.01	0.07	0.16	0.08	0.031	0.14	22.9	20.0	0.79	123	1.82	0.01	0.52
CC39822		49.6	1.86	5.00	0.07	0.18	0.10	0.033	0.14	23.1	19.6	0.88	161	3.25	0.01	0.51
CC39823		52.6	1.54	4.68	0.06	0.19	0.11	0.032	0.14	23.3	16.8	0.61	80	3.01	<0.01	0.61
CC39824		83.3	1.58	4.28	0.06	0.12	0.24	0.029	0.10	23.9	12.6	0.27	93	14.20	<0.01	0.76
CC39825		78.1	1.71	4.93	0.07	0.08	0.24	0.034	0.11	24.0	14.4	0.32	137	23.50	<0.01	0.82
CC39826		71.9	1.91	4.66	0.06	0.10	0.15	0.030	0.11	23.8	14.6	0.33	145	21.30	<0.01	0.83
CC39827		45.8	1.52	4.14	0.06	0.14	0.09	0.033	0.14	21.9	17.1	0.74	106	1.01	<0.01	0.44
CC39828		48.8	2.27	5.19	0.06	0.12	0.08	0.035	0.17	22.5	19.4	0.77	157	3.23	<0.01	0.36
CC39829		34.7	2.14	4.57	0.06	0.12	0.08	0.035	0.12	26.1	15.3	0.40	206	0.72	<0.01	0.39

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC27612		58.2	760	12.0	12.1	0.004	0.02	8.83	2.8	4.6	0.6	31.9	<0.01	0.09	1.5	0.010
CC27613		46.0	400	14.1	14.0	0.013	0.03	4.66	3.4	5.2	0.8	33.3	<0.01	0.18	2.3	<0.005
CC27614		49.2	440	37.3	21.2	0.043	0.12	9.88	2.5	16.4	2.0	50.6	0.01	0.23	0.7	0.006
CC27617		5.4	70	5.7	3.7	0.009	0.06	3.22	1.3	2.5	0.3	18.1	<0.01	0.07	1.1	<0.005
CC27618		3.9	90	8.9	6.4	0.017	0.25	6.74	0.8	2.5	<0.2	19.9	<0.01	0.13	1.1	<0.005
CC20221		88.7	750	28.3	18.9	0.008	0.19	39.60	2.9	19.5	1.2	55.3	<0.01	0.30	0.6	0.043
CC20222		306.0	1990	21.1	15.9	0.014	0.04	33.50	5.6	23.9	0.8	664.0	0.01	0.26	1.5	0.049
CC20223		97.3	1210	18.2	14.6	0.005	0.09	18.70	4.3	9.7	0.9	92.5	<0.01	0.19	1.1	0.035
CC20224		70.3	1220	17.9	11.7	0.005	0.09	14.75	1.6	11.5	0.8	29.1	0.01	0.19	<0.2	0.028
CC20225		73.9	1370	16.7	11.2	0.010	0.12	24.30	1.4	16.9	0.8	29.5	0.01	0.20	<0.2	0.026
CC20226		64.2	1370	20.5	16.6	0.015	0.09	25.30	3.8	23.3	0.9	51.3	<0.01	0.20	0.4	0.060
CC39801		70.5	320	11.8	11.6	0.002	0.11	9.02	2.7	5.2	0.7	19.9	<0.01	0.09	2.2	0.016
CC39802		132.5	650	16.7	11.1	0.007	0.29	17.45	5.0	12.2	0.7	107.5	<0.01	0.15	3.0	0.015
CC39803		113.0	700	21.2	16.9	0.003	0.18	16.30	3.9	10.7	1.1	51.1	<0.01	0.18	1.6	0.008
CC39804		95.6	460	11.6	10.6	0.003	0.12	12.85	1.8	6.2	0.6	33.4	<0.01	0.12	0.4	0.015
CC39805		81.4	420	12.7	12.4	0.006	0.09	12.90	2.8	4.5	0.6	31.8	0.01	0.12	1.2	0.012
CC39806		249.0	950	14.5	21.3	0.009	0.13	27.10	4.4	10.1	0.8	89.0	0.01	0.20	0.6	0.013
CC39807		101.0	550	13.8	22.0	0.002	0.07	13.80	4.7	5.7	0.7	20.5	<0.01	0.10	1.8	0.018
CC39808		146.0	1130	5.3	7.8	0.001	0.12	44.40	1.9	7.1	0.3	752.0	0.01	0.06	0.4	0.021
CC39809		157.5	1180	18.3	21.4	0.007	0.19	36.00	2.0	20.6	0.7	50.2	<0.01	0.17	0.2	0.019
CC39810		143.0	1750	10.3	13.5	0.017	0.15	14.50	4.1	14.4	0.7	214.0	0.02	0.12	1.1	0.013
CC39811		314.0	2860	17.5	17.4	0.022	0.11	38.50	8.2	18.9	0.9	307.0	0.01	0.18	2.6	0.028
CC39812		307.0	3140	19.0	13.2	0.010	0.19	37.00	7.4	21.0	0.9	876.0	<0.01	0.18	2.2	0.018
CC39813		101.0	1020	29.1	20.0	0.005	0.32	27.10	2.2	19.3	0.8	84.7	<0.01	0.31	0.3	0.027
CC39814		29.5	600	12.6	15.6	0.001	0.07	1.13	5.5	1.4	0.6	45.5	<0.01	0.04	5.3	0.008
CC39815		46.8	1030	11.6	17.3	0.001	0.07	1.49	6.0	1.8	0.6	60.9	0.01	0.05	4.8	0.009
CC39816		43.6	1080	11.5	14.9	<0.001	0.06	1.25	5.7	1.5	0.5	59.5	<0.01	0.05	5.0	0.010
CC39817		46.3	1100	11.2	13.8	<0.001	0.07	1.37	5.3	1.6	0.5	81.1	<0.01	0.03	4.1	0.009
CC39818		45.7	1310	10.8	11.3	<0.001	0.09	1.53	4.6	2.1	0.5	97.2	0.01	0.03	2.1	0.009
CC39819		51.7	1280	11.0	16.6	<0.001	0.06	1.37	5.8	1.6	0.5	96.5	<0.01	0.03	4.8	0.009
CC39820		49.7	1260	11.5	15.1	<0.001	0.07	1.63	5.5	1.6	0.5	69.7	<0.01	0.02	3.7	0.011
CC39821		50.1	1260	11.3	16.2	<0.001	0.05	1.75	5.6	1.5	0.6	70.7	<0.01	0.02	5.1	0.011
CC39822		66.2	1210	11.5	15.5	0.001	0.04	2.44	5.9	1.9	0.6	110.5	0.01	0.05	5.6	0.011
CC39823		68.2	790	12.8	16.0	0.002	0.06	3.09	6.1	2.2	0.6	76.3	<0.01	0.05	6.3	0.012
CC39824		95.0	450	11.3	15.1	0.001	0.05	6.26	5.1	2.3	0.7	47.1	<0.01	0.07	4.5	0.015
CC39825		97.2	630	11.4	15.2	0.001	0.05	4.73	5.5	1.9	0.7	64.8	<0.01	0.06	4.0	0.013
CC39826		76.2	620	12.1	15.5	0.001	0.05	3.67	5.3	2.3	0.6	63.5	<0.01	0.09	4.3	0.016
CC39827		40.9	910	9.0	15.0	<0.001	0.06	0.96	5.7	1.3	0.5	83.8	<0.01	0.03	4.9	0.011
CC39828		50.7	870	10.2	17.8	<0.001	0.04	1.39	6.4	1.1	0.6	84.1	<0.01	0.03	5.4	0.011
CC39829		38.1	930	13.3	16.4	0.001	0.06	0.78	5.5	1.5	0.5	45.9	<0.01	0.04	5.7	0.006

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC27612		2.88	3.32	498	0.19	12.15	385	<0.5
CC27613		2.17	2.87	233	0.16	11.65	204	0.6
CC27614		7.61	20.80	224	0.34	12.10	49	1.6
CC27617		1.16	4.65	50	0.19	4.23	14	1.7
CC27618		1.44	3.79	32	0.14	12.25	10	5.5
CC20221		4.07	5.94	1640	0.62	10.95	500	<0.5
CC20222		3.26	12.70	1445	0.45	56.40	2320	1.3
CC20223		2.22	9.58	1155	0.37	28.20	444	0.6
CC20224		1.77	10.80	1010	0.29	22.70	242	<0.5
CC20225		2.06	10.45	1005	0.32	29.90	336	<0.5
CC20226		3.15	12.45	1685	0.39	29.10	382	0.6
CC39801		1.79	2.42	298	0.21	6.29	145	0.5
CC39802		3.92	8.38	376	0.38	11.65	302	2.7
CC39803		5.36	3.56	689	0.43	8.22	306	1.1
CC39804		2.02	3.18	446	0.29	9.06	333	<0.5
CC39805		3.77	4.50	449	0.32	10.60	242	0.5
CC39806		6.41	5.49	1190	0.42	22.40	2590	0.7
CC39807		2.71	3.77	790	0.25	11.90	1110	0.5
CC39808		1.19	1.75	859	0.17	14.40	1840	1.6
CC39809		4.34	16.15	1760	0.35	23.30	907	0.6
CC39810		1.40	13.45	643	0.28	27.70	1170	1.7
CC39811		1.93	25.90	1045	0.38	40.00	2810	2.5
CC39812		1.99	8.45	822	0.35	34.30	3230	1.7
CC39813		3.09	11.15	1055	0.37	15.05	521	<0.5
CC39814		0.20	1.20	85	0.09	16.30	120	3.3
CC39815		0.20	1.07	93	0.12	20.90	156	3.7
CC39816		0.18	1.11	89	0.11	18.25	182	3.7
CC39817		0.19	1.24	84	0.16	18.70	196	3.6
CC39818		0.17	1.48	93	0.12	19.95	189	2.4
CC39819		0.22	1.16	105	0.10	19.50	236	4.0
CC39820		0.18	0.98	110	0.10	19.80	172	3.4
CC39821		0.20	1.17	125	0.09	19.25	200	4.4
CC39822		0.30	1.57	149	0.13	21.40	262	5.8
CC39823		0.41	1.96	233	0.14	22.30	237	6.6
CC39824		1.29	4.94	641	0.22	29.10	407	4.5
CC39825		1.07	4.49	510	0.23	29.10	355	2.8
CC39826		0.73	5.19	495	0.25	30.10	299	3.1
CC39827		0.25	0.87	70	0.07	18.20	135	4.0
CC39828		0.36	0.84	92	0.09	19.40	168	2.8
CC39829		0.14	1.48	49	0.08	19.35	97	2.7

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC39830		0.18	0.21	1.47	7.5	<0.2	<10	1390	0.76	0.19	0.47	0.21	48.00	6.7	25	0.74
CC39831		0.16	0.50	1.27	16.9	<0.2	10	4040	1.09	0.18	0.63	1.68	42.60	7.5	34	1.06
CC39832		0.16	0.47	1.19	15.9	<0.2	10	7600	0.78	0.16	0.58	2.09	39.60	9.2	29	0.75
CC39833		0.18	0.47	1.48	7.1	<0.2	10	2450	0.95	0.20	0.88	0.61	47.30	8.9	26	0.75
CC39834		0.12	0.28	1.47	7.4	<0.2	<10	1700	0.90	0.19	0.70	0.35	46.90	8.9	25	0.68
CC39835		0.16	0.36	1.52	9.1	<0.2	<10	2930	0.85	0.19	0.66	0.92	41.70	9.8	25	0.73
CC39836		0.10	1.35	1.59	51.8	<0.2	<10	1270	0.69	0.22	0.06	7.98	24.50	6.0	51	1.66
CC39837		0.16	1.47	2.31	62.7	<0.2	<10	3410	1.09	0.24	0.31	57.90	28.70	9.1	56	1.54
CC39838		0.22	3.39	1.36	29.0	<0.2	10	3710	0.95	0.19	0.42	86.80	23.60	4.3	84	2.07
CC39839		0.14	2.67	0.89	26.2	<0.2	10	4540	1.04	0.19	0.56	76.90	27.80	7.4	71	1.19
CC39840		0.16	2.10	0.74	28.5	<0.2	10	4420	1.09	0.15	0.75	71.00	28.50	4.0	73	1.33
CC39841		0.20	2.03	0.67	47.1	<0.2	<10	4040	0.89	0.20	1.01	32.40	26.60	4.4	46	1.15
CC39842		0.14	0.98	0.67	48.4	<0.2	<10	6110	0.78	0.16	1.31	16.50	24.70	4.6	36	0.81
CC39843		0.20	0.64	0.91	37.7	<0.2	<10	8140	0.80	0.18	0.81	10.35	32.30	7.4	29	0.87
CC39845		0.10	2.00	0.49	30.6	<0.2	10	2040	0.56	0.14	0.61	21.60	10.45	2.9	37	1.21
CC39846		0.14	1.52	1.17	46.4	<0.2	<10	630	0.56	0.21	0.04	3.28	18.05	2.8	57	1.74
CC39847		0.14	0.39	0.86	39.4	<0.2	<10	1700	0.42	0.24	0.16	5.07	15.00	4.8	42	1.56
CC39848		0.08	0.55	0.56	31.4	<0.2	<10	610	0.38	0.21	0.05	2.23	18.25	2.7	34	1.97
CC39849		0.14	2.62	1.86	103.0	<0.2	<10	1220	0.96	0.20	0.09	19.80	13.85	14.0	79	3.02
CC39850		0.10	3.92	0.77	35.9	<0.2	<10	920	0.46	0.15	0.14	8.46	11.65	2.8	47	2.69
CC39851		0.16	3.33	1.99	24.5	<0.2	10	3040	1.24	0.35	0.44	19.25	29.80	9.1	89	2.76
CC39852		0.26	0.25	1.45	10.9	<0.2	<10	960	0.56	0.22	0.31	1.02	37.00	9.8	25	0.75
CC39853		0.26	0.26	1.41	10.8	<0.2	<10	1070	0.50	0.23	0.33	1.22	33.80	9.0	25	0.68
CC39854		0.06	0.24	1.30	8.7	<0.2	<10	1010	0.32	0.21	0.25	0.84	25.60	2.9	22	0.73
CC39855		0.22	0.30	1.47	10.4	<0.2	<10	1150	0.59	0.23	0.33	1.55	35.60	8.8	25	0.83
CC39856		0.22	0.26	1.38	8.0	<0.2	<10	990	0.45	0.22	0.19	1.44	31.50	4.6	23	0.80
CC39857		0.26	0.29	1.36	9.5	<0.2	<10	1040	0.52	0.25	0.28	1.61	32.50	6.2	23	0.81
CC39858		0.26	0.27	1.27	11.5	<0.2	<10	980	0.48	0.22	0.20	1.13	30.50	5.1	21	0.74
CC39877		0.24	0.27	1.32	15.2	<0.2	<10	970	0.56	0.22	0.11	0.64	29.00	3.6	27	1.01
CC39878		0.12	0.23	1.02	5.6	<0.2	<10	590	0.34	0.17	0.10	0.43	23.20	1.9	22	0.90
CC39879		0.16	0.25	1.34	14.3	<0.2	<10	1090	0.53	0.20	0.34	0.69	28.30	6.3	28	0.92
CC39880		0.14	0.26	1.37	15.3	<0.2	<10	1320	0.62	0.21	0.39	0.94	29.40	7.7	30	0.86
CC39882		0.22	0.26	1.35	14.8	<0.2	10	1200	0.67	0.21	1.22	0.90	30.40	10.4	28	0.97
CC39883		0.18	0.22	1.36	11.9	<0.2	10	810	0.59	0.20	1.14	0.70	29.20	9.7	26	1.00
CC39884		0.12	0.30	1.37	12.1	<0.2	10	1530	0.63	0.21	0.56	0.64	27.00	8.5	30	0.99
CC39885		0.30	0.22	1.53	14.6	<0.2	<10	1840	0.76	0.22	0.24	0.31	35.90	7.9	33	1.02
CC39886		0.18	0.27	1.37	13.1	<0.2	<10	1750	0.62	0.22	0.24	0.57	29.50	9.0	30	0.99
CC39887		0.32	0.35	1.35	11.1	<0.2	<10	1960	0.66	0.21	0.23	0.79	30.50	11.2	32	1.11
CC39888		0.30	0.48	1.41	11.3	<0.2	<10	2000	0.74	0.22	0.45	1.69	29.00	8.7	34	1.20
CC39889		0.12	0.32	1.35	6.6	<0.2	<10	920	0.65	0.23	0.24	0.73	34.00	6.1	26	0.91

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC39830		27.6	2.12	4.66	0.06	0.09	0.08	0.034	0.12	25.2	15.8	0.40	183	1.05	<0.01	0.34
CC39831		57.0	2.25	4.97	0.08	0.07	0.20	0.035	0.15	24.5	15.3	0.29	183	23.20	<0.01	0.27
CC39832		46.3	2.04	4.62	0.07	0.10	0.17	0.028	0.15	22.9	10.3	0.19	240	32.30	<0.01	0.33
CC39833		42.0	2.26	4.58	0.07	0.16	0.10	0.039	0.16	30.5	15.7	0.45	260	7.57	<0.01	0.30
CC39834		31.4	2.41	4.66	0.07	0.11	0.08	0.033	0.12	25.4	15.7	0.40	201	2.86	<0.01	0.36
CC39835		35.8	2.42	4.71	0.07	0.11	0.09	0.034	0.10	23.0	15.5	0.37	325	4.01	<0.01	0.41
CC39836		114.5	2.30	6.81	0.07	0.04	0.14	0.032	0.08	13.6	8.4	0.13	187	38.20	<0.01	0.58
CC39837		208.0	3.08	7.39	0.09	0.08	0.12	0.043	0.12	15.4	12.8	0.25	463	40.50	<0.01	0.75
CC39838		160.5	1.15	4.93	0.09	0.07	1.31	0.032	0.13	14.7	10.5	0.21	138	21.50	<0.01	0.78
CC39839		141.5	1.50	4.14	0.13	0.16	0.63	0.033	0.12	16.6	9.1	0.16	119	17.50	<0.01	0.61
CC39840		150.0	1.12	3.66	0.11	0.11	0.61	0.034	0.11	17.5	6.4	0.11	92	30.00	<0.01	0.42
CC39841		111.5	1.51	3.19	0.13	0.11	0.57	0.032	0.10	20.3	5.2	0.13	62	81.20	<0.01	0.78
CC39842		106.0	1.24	3.18	0.10	0.10	0.33	0.029	0.09	18.7	5.2	0.14	136	63.40	<0.01	1.09
CC39843		61.8	1.84	3.68	0.10	0.16	0.26	0.033	0.14	21.9	5.1	0.10	97	64.10	<0.01	0.27
CC39845		50.9	0.95	2.81	0.09	0.06	0.24	0.016	0.09	7.2	2.5	0.10	149	40.40	<0.01	0.47
CC39846		89.4	1.90	4.72	0.09	0.03	0.18	0.029	0.09	12.4	3.7	0.08	59	55.60	0.01	0.44
CC39847		34.1	1.89	5.84	0.08	0.02	0.11	0.031	0.09	9.7	6.0	0.09	175	60.20	<0.01	0.60
CC39848		41.1	1.35	5.01	0.07	<0.02	0.10	0.020	0.06	12.3	1.4	0.03	30	43.50	<0.01	0.43
CC39849		214.0	2.03	5.67	0.12	0.04	0.39	0.042	0.10	10.3	6.1	0.09	314	93.40	<0.01	0.44
CC39850		70.3	1.33	3.84	0.09	0.02	0.34	0.025	0.09	7.8	2.3	0.06	42	43.70	<0.01	0.34
CC39851		138.0	1.71	7.86	0.10	0.09	1.10	0.063	0.18	18.2	18.0	0.35	196	25.00	<0.01	0.78
CC39852		29.2	3.11	4.82	0.08	0.07	0.08	0.034	0.09	22.3	17.2	0.40	264	2.69	0.01	0.53
CC39853		25.3	2.99	4.57	0.07	0.07	0.05	0.034	0.09	19.7	13.4	0.38	201	2.97	0.01	0.51
CC39854		17.1	1.30	4.93	0.06	0.03	0.07	0.026	0.07	14.7	11.5	0.29	48	3.67	0.01	0.37
CC39855		28.8	2.68	4.98	0.08	0.04	0.05	0.033	0.09	21.2	14.0	0.36	210	5.74	0.01	0.48
CC39856		22.6	1.93	4.67	0.08	0.04	0.05	0.031	0.07	19.1	13.6	0.33	63	1.84	0.01	0.48
CC39857		24.8	2.40	4.56	0.07	0.04	0.06	0.033	0.07	20.0	12.9	0.32	84	4.60	0.01	0.47
CC39858		20.8	2.30	4.31	0.07	0.04	0.07	0.030	0.06	18.7	12.4	0.30	69	2.91	0.01	0.44
CC39877		30.7	1.79	4.50	0.07	0.04	0.09	0.037	0.08	16.3	13.7	0.27	54	1.28	0.01	0.53
CC39878		19.8	0.92	4.10	0.05	0.02	0.09	0.028	0.06	13.0	9.3	0.18	34	0.78	0.01	0.44
CC39879		29.0	2.16	4.55	0.07	0.08	0.07	0.035	0.09	16.9	16.0	0.39	153	3.35	0.01	0.55
CC39880		35.1	2.77	4.62	0.08	0.10	0.08	0.036	0.10	17.5	15.9	0.41	160	5.41	0.01	0.60
CC39882		34.3	2.85	4.31	0.08	0.11	0.05	0.034	0.10	17.7	16.6	0.73	289	4.67	0.01	0.63
CC39883		30.3	2.64	4.37	0.08	0.11	0.04	0.033	0.12	17.2	16.4	0.79	312	2.87	0.02	0.66
CC39884		27.6	2.49	4.57	0.07	0.06	0.08	0.037	0.11	16.0	14.2	0.35	442	4.98	0.01	0.48
CC39885		28.2	2.81	5.05	0.07	0.04	0.07	0.038	0.11	20.7	16.0	0.35	136	7.29	<0.01	0.50
CC39886		27.2	2.63	4.42	0.07	0.06	0.08	0.038	0.10	17.3	15.2	0.36	254	4.77	<0.01	0.47
CC39887		33.1	2.67	4.52	0.08	0.08	0.08	0.037	0.10	18.1	15.5	0.34	291	6.14	<0.01	0.45
CC39888		43.0	2.37	4.85	0.08	0.07	0.12	0.041	0.12	17.3	18.7	0.41	196	5.81	<0.01	0.52
CC39889		28.0	1.84	4.34	0.07	0.04	0.09	0.036	0.07	19.8	14.7	0.29	94	0.91	0.01	0.49

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC39830		27.9	930	13.7	15.1	<0.001	0.03	0.85	5.1	1.0	0.5	38.5	<0.01	0.04	6.2	0.007
CC39831		83.8	1300	13.3	19.6	0.003	0.05	4.07	5.2	2.9	0.8	87.6	<0.01	0.06	4.3	0.006
CC39832		83.4	1020	12.1	16.3	0.005	0.05	3.92	5.6	3.0	0.6	72.5	<0.01	0.06	4.3	0.008
CC39833		61.5	1200	10.7	16.5	0.001	0.04	1.44	6.4	1.3	0.5	51.5	<0.01	0.04	5.4	0.007
CC39834		37.6	990	13.4	15.3	0.001	0.06	0.95	5.2	1.6	0.5	58.4	<0.01	0.04	5.2	0.006
CC39835		42.4	870	13.2	14.6	0.001	0.07	1.15	5.3	1.9	0.5	55.8	<0.01	0.03	4.6	0.006
CC39836		83.0	960	19.1	17.5	0.005	0.09	18.40	2.1	9.7	0.9	18.4	<0.01	0.11	0.4	0.017
CC39837		207.0	1190	18.6	18.7	0.003	0.13	18.00	4.8	9.7	0.9	64.4	0.01	0.12	1.6	0.025
CC39838		212.0	1040	11.4	20.1	0.011	0.11	16.20	5.6	8.7	0.8	106.0	0.01	0.11	1.1	0.025
CC39839		311.0	1250	13.5	13.1	0.016	0.11	21.20	6.6	12.0	0.8	141.5	0.01	0.11	4.1	0.020
CC39840		163.0	1640	8.9	12.3	0.009	0.09	15.20	5.4	7.6	0.8	195.5	0.01	0.11	2.8	0.017
CC39841		266.0	560	12.4	11.6	0.007	0.12	17.20	5.1	11.4	0.8	116.0	0.01	0.16	1.6	0.017
CC39842		204.0	600	11.3	10.5	0.007	0.11	11.45	3.4	8.6	0.8	182.0	0.01	0.12	1.0	0.019
CC39843		191.0	640	13.6	12.2	0.008	0.09	10.15	5.0	7.5	1.0	99.4	0.01	0.12	4.6	0.007
CC39845		137.5	700	10.1	13.6	0.019	0.13	15.70	2.4	7.7	0.5	118.0	0.01	0.14	0.6	0.018
CC39846		86.0	760	14.8	12.3	0.004	0.12	15.10	2.1	9.0	0.7	23.4	0.01	0.16	0.5	0.020
CC39847		115.0	510	14.9	13.0	0.002	0.07	12.80	2.2	8.1	0.8	31.0	<0.01	0.16	0.8	0.017
CC39848		67.1	520	12.9	10.3	0.003	0.05	12.60	1.2	6.0	0.9	11.1	<0.01	0.17	0.2	0.019
CC39849		321.0	1430	16.3	19.1	0.006	0.15	31.10	1.0	13.3	0.7	29.6	0.01	0.22	<0.2	0.008
CC39850		87.6	1370	11.5	14.4	0.003	0.11	14.30	0.6	8.1	0.6	36.4	0.01	0.16	<0.2	0.008
CC39851		176.0	1030	16.3	22.0	0.010	0.12	10.75	7.1	5.1	1.2	105.0	0.01	0.19	2.3	0.018
CC39852		31.3	720	13.2	13.4	0.003	0.07	1.21	4.5	1.7	0.5	33.6	<0.01	0.06	5.7	0.012
CC39853		31.3	780	13.8	13.8	0.003	0.08	1.19	4.1	2.0	0.5	38.2	<0.01	0.06	5.9	0.009
CC39854		20.4	730	12.4	12.4	0.005	0.09	0.91	2.3	2.2	0.5	39.5	<0.01	0.05	1.6	0.006
CC39855		36.0	770	12.5	14.1	0.003	0.04	1.12	4.4	2.5	0.6	40.4	<0.01	0.05	4.8	0.009
CC39856		24.4	580	13.0	12.4	0.005	0.07	1.10	3.7	2.7	0.5	28.0	<0.01	0.04	4.7	0.008
CC39857		28.2	650	13.2	13.6	0.004	0.02	1.17	4.0	2.7	0.5	35.1	<0.01	0.05	5.1	0.008
CC39858		23.4	690	13.2	11.7	0.005	0.05	1.12	3.4	2.3	0.5	27.0	<0.01	0.05	4.7	0.007
CC39877		22.1	410	13.9	15.0	0.002	0.01	2.35	4.4	2.4	0.6	21.6	<0.01	0.06	4.6	0.010
CC39878		13.4	310	11.0	11.8	0.001	0.04	1.21	3.1	1.5	0.5	17.2	<0.01	0.04	2.9	0.010
CC39879		31.0	520	12.7	12.3	0.002	0.07	1.94	4.8	1.3	0.6	39.9	<0.01	0.06	5.3	0.014
CC39880		39.8	710	12.4	12.1	0.002	0.04	1.93	5.5	1.4	0.6	43.9	<0.01	0.06	5.7	0.017
CC39882		42.5	740	12.2	12.8	0.002	0.04	1.63	5.4	1.5	0.6	72.2	<0.01	0.05	5.7	0.017
CC39883		37.8	740	11.0	13.1	0.001	0.03	1.13	5.1	1.1	0.5	50.0	<0.01	0.04	5.3	0.021
CC39884		37.3	850	11.3	15.2	0.003	0.04	1.36	4.9	1.6	0.6	57.8	<0.01	0.05	3.6	0.010
CC39885		32.8	690	13.2	15.3	0.002	0.01	1.61	5.2	1.7	0.7	35.9	0.01	0.06	5.3	0.010
CC39886		34.7	660	12.2	13.4	0.001	0.01	1.61	4.7	1.6	0.7	37.0	<0.01	0.06	5.1	0.011
CC39887		35.2	710	9.9	15.2	0.001	0.01	1.63	5.6	1.8	0.7	40.3	0.01	0.05	5.9	0.011
CC39888		66.4	750	11.5	15.8	0.003	0.02	1.98	6.4	1.5	0.7	66.2	<0.01	0.06	5.3	0.013
CC39889		24.1	720	13.6	13.8	0.002	0.03	0.97	4.3	1.8	0.5	30.4	<0.01	0.05	4.1	0.009

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC39830		0.15	1.15	54	0.07	16.45	100	2.0
CC39831		0.51	5.36	346	0.16	22.80	280	1.6
CC39832		0.58	7.60	241	0.22	26.50	230	2.4
CC39833		0.26	2.01	74	0.09	25.90	135	3.4
CC39834		0.19	1.54	68	0.08	18.55	101	2.5
CC39835		0.20	2.13	85	0.09	18.50	127	2.4
CC39836		1.44	8.07	955	0.24	20.50	383	<0.5
CC39837		2.51	20.20	1095	0.28	26.60	670	1.5
CC39838		3.31	14.20	1220	0.28	41.40	1640	1.0
CC39839		1.41	15.60	851	0.32	38.40	2100	6.2
CC39840		1.76	12.40	729	0.29	40.90	1690	3.9
CC39841		3.17	14.35	764	0.60	44.70	1270	3.5
CC39842		1.99	13.80	727	0.48	40.00	1260	3.3
CC39843		1.41	14.40	488	0.36	34.20	660	6.4
CC39845		2.44	5.75	886	0.30	12.20	1100	1.4
CC39846		1.96	10.35	1090	0.37	13.00	354	0.6
CC39847		1.95	3.66	1000	0.37	7.79	815	0.5
CC39848		1.26	5.07	768	0.34	6.83	251	<0.5
CC39849		3.86	18.25	1580	0.64	37.50	1090	0.6
CC39850		3.26	9.15	824	0.34	18.00	379	<0.5
CC39851		4.92	18.60	1150	0.32	33.70	1660	2.4
CC39852		0.20	1.58	68	0.07	12.60	141	2.6
CC39853		0.19	3.28	65	0.09	10.75	127	2.5
CC39854		0.28	1.55	68	0.09	6.03	66	0.5
CC39855		0.22	2.32	61	0.09	12.45	136	0.9
CC39856		0.24	2.17	67	0.09	8.94	115	1.0
CC39857		0.23	2.67	68	0.10	10.35	124	1.1
CC39858		0.21	1.68	66	0.09	9.05	104	1.0
CC39877		0.52	2.33	129	0.11	10.15	99	1.2
CC39878		0.42	1.07	70	0.08	5.54	44	0.5
CC39879		0.32	1.49	98	0.12	11.55	115	2.6
CC39880		0.32	1.80	101	0.13	13.50	148	3.1
CC39882		0.26	1.40	80	0.15	14.50	146	3.7
CC39883		0.24	0.94	61	0.13	13.10	121	3.4
CC39884		0.30	1.85	92	0.16	14.10	134	1.4
CC39885		0.29	2.22	115	0.13	14.75	145	1.1
CC39886		0.28	1.49	94	0.12	12.85	154	1.6
CC39887		0.29	1.85	100	0.13	15.40	156	2.5
CC39888		0.43	1.77	130	0.13	17.05	230	2.4
CC39889		0.22	2.09	59	0.08	13.50	98	1.0

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC39890		0.14	0.27	1.29	11.9	<0.2	<10	1490	0.60	0.20	0.29	0.56	32.20	9.7	31	0.81
CC39891		0.16	0.34	1.35	12.2	<0.2	10	1790	0.68	0.21	0.41	1.17	31.10	8.8	30	0.95
CC39892		0.34	0.32	1.47	15.2	<0.2	10	1880	0.78	0.22	0.45	0.98	32.50	10.1	34	0.95
CC39893		0.12	0.35	1.33	10.6	<0.2	<10	960	0.48	0.25	0.25	0.86	29.10	8.7	26	1.00
CC39894		0.14	0.19	1.18	4.4	<0.2	<10	720	0.38	0.16	0.20	0.37	24.50	4.1	21	0.98
CC39895		0.22	0.29	1.42	11.5	<0.2	<10	860	0.64	0.23	0.38	0.66	33.40	9.1	25	0.80
CC39896		0.32	0.31	1.47	13.0	<0.2	<10	780	0.61	0.23	0.91	0.90	33.60	11.9	27	0.91
CC39897		0.20	0.24	1.43	12.7	<0.2	<10	550	0.55	0.22	0.27	0.36	31.50	7.2	26	0.82
CC39898		0.16	0.26	1.50	12.7	<0.2	<10	750	0.65	0.23	0.45	0.44	31.30	8.9	28	0.83
CC39899		0.26	0.19	1.44	11.4	<0.2	<10	550	0.55	0.21	0.23	0.33	28.70	7.2	24	0.81
CC39900		0.30	0.19	1.39	12.1	<0.2	<10	720	0.57	0.23	0.25	0.49	30.80	8.4	25	0.74
CC39901		0.14	0.99	0.67	37.2	<0.2	<10	1260	0.58	0.20	0.56	11.40	14.80	8.3	25	1.54
CC39902		0.16	1.41	0.67	34.3	<0.2	<10	1340	0.60	0.17	0.89	14.40	15.20	7.0	31	1.01
CC39903		0.10	1.69	0.96	47.8	<0.2	<10	1110	0.69	0.18	1.85	26.80	18.60	9.0	46	0.63
CC39904		0.10	6.40	1.09	67.6	<0.2	<10	1320	0.78	0.19	1.05	71.60	18.35	7.4	77	2.08
CC39905		0.14	6.61	1.01	64.9	<0.2	<10	2350	0.75	0.18	0.96	47.00	17.35	8.2	86	1.77
CC39906		0.08	4.73	0.81	18.1	<0.2	<10	2020	0.49	0.11	1.22	41.30	10.75	3.6	37	1.10
CC39907		0.10	1.20	0.46	15.5	<0.2	<10	1620	0.41	0.07	2.89	13.90	6.26	2.0	19	0.46
CC39908		0.06	0.43	0.75	4.2	<0.2	<10	1850	0.41	0.14	0.26	2.84	24.30	2.0	21	0.55
CC39909		0.20	0.37	1.11	8.0	<0.2	<10	2360	0.53	0.19	0.17	1.83	35.50	2.9	27	0.66
CC39910		0.06	0.41	0.80	2.9	<0.2	<10	1210	0.31	0.11	0.32	6.75	20.40	1.7	20	0.61
CC39911		0.12	0.28	0.42	2.6	<0.2	<10	850	0.19	0.08	0.41	10.85	10.55	0.7	13	0.52
CC39912		0.10	0.39	0.97	3.3	<0.2	<10	1120	0.52	0.19	0.49	13.10	26.20	2.2	20	0.66
CC39913		0.12	0.50	0.35	22.2	<0.2	<10	970	0.28	0.13	0.49	18.50	9.20	5.3	9	0.31
CC39915		0.06	0.39	0.33	2.3	<0.2	<10	1080	0.32	0.05	2.38	6.68	4.80	2.5	6	0.28
CC39916		0.06	0.46	0.35	2.4	<0.2	<10	1340	0.28	0.07	1.81	5.14	6.44	2.2	10	0.42
CC39917		0.08	0.41	0.58	17.5	<0.2	<10	1690	0.34	0.14	0.18	0.85	17.90	1.1	20	0.69
CC39918		0.10	0.45	0.63	23.9	<0.2	<10	2570	0.49	0.23	0.56	3.08	21.00	3.3	31	0.83
CC39919		0.10	0.80	0.64	10.5	<0.2	10	2220	0.65	0.11	3.49	13.60	20.30	7.0	20	0.77
CC39920		0.10	0.88	1.07	24.6	<0.2	<10	3340	0.67	0.21	1.19	9.72	30.90	8.9	35	0.80
CC39921		0.16	1.59	1.00	59.5	<0.2	10	7590	0.92	0.18	6.82	9.20	26.50	6.5	50	1.37
CC39922		0.08	0.31	0.89	8.7	<0.2	<10	1100	0.53	0.13	3.44	2.52	24.80	5.9	15	0.63
CC39923		0.10	0.59	1.09	11.3	<0.2	<10	1010	0.75	0.12	2.31	2.53	33.70	7.6	19	0.71
CC39924		0.16	0.36	1.05	11.4	<0.2	<10	1190	0.59	0.18	1.82	1.22	25.10	10.0	21	0.65
CC39925		0.20	0.52	1.34	17.8	<0.2	<10	1990	0.89	0.18	2.60	1.68	33.20	8.6	25	0.95
CC39926		0.12	0.14	1.69	13.9	<0.2	<10	860	0.61	0.21	1.29	0.70	25.60	10.1	24	0.96
CC39927		0.08	0.42	1.24	8.3	<0.2	<10	2530	0.80	0.20	0.35	0.61	31.90	8.3	32	0.94
CC39928		0.16	0.34	1.23	9.5	<0.2	<10	2820	0.60	0.16	0.34	0.58	25.60	4.3	33	0.57
CC39929		0.12	0.32	1.19	13.7	<0.2	<10	1370	0.59	0.20	0.26	0.68	29.50	5.1	23	0.64
CC39930		0.26	0.10	1.47	8.7	<0.2	<10	1580	0.67	0.21	0.18	0.20	39.00	8.9	23	0.68

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC39890		26.1	2.58	4.21	0.07	0.05	0.07	0.034	0.10	18.8	14.6	0.35	279	5.29	0.01	0.48
CC39891		37.0	2.61	4.40	0.08	0.08	0.07	0.039	0.12	18.2	15.6	0.39	219	4.29	<0.01	0.50
CC39892		36.0	3.00	4.75	0.08	0.08	0.07	0.042	0.12	19.1	15.6	0.38	217	6.06	0.01	0.50
CC39893		20.5	2.41	4.36	0.06	0.04	0.09	0.036	0.08	17.0	14.0	0.30	143	1.89	0.01	0.47
CC39894		14.8	1.18	4.30	0.05	0.02	0.06	0.023	0.06	14.0	11.4	0.22	74	0.59	0.01	0.42
CC39895		29.3	2.62	4.46	0.07	0.07	0.06	0.035	0.09	19.9	15.3	0.39	326	2.13	0.01	0.56
CC39896		38.9	2.89	4.60	0.09	0.12	0.04	0.034	0.11	19.4	16.8	0.69	444	2.04	0.02	0.73
CC39897		23.1	2.71	4.77	0.08	0.04	0.05	0.032	0.07	17.1	15.3	0.36	219	1.87	0.01	0.63
CC39898		31.7	2.65	4.91	0.08	0.08	0.05	0.032	0.09	18.9	16.8	0.43	212	2.06	0.01	0.68
CC39899		22.3	2.37	4.75	0.06	0.03	0.08	0.028	0.07	17.0	14.4	0.33	241	1.42	0.01	0.54
CC39900		22.1	2.55	4.69	0.08	0.05	0.05	0.030	0.07	18.3	14.5	0.35	184	1.58	0.01	0.59
CC39901		62.2	1.69	2.52	0.10	0.05	0.25	0.028	0.09	9.6	3.4	0.07	117	65.60	<0.01	0.23
CC39902		80.3	1.40	2.41	0.08	0.08	0.31	0.029	0.07	10.5	3.5	0.12	182	39.80	<0.01	0.25
CC39903		88.8	1.82	3.60	0.09	0.05	0.24	0.031	0.07	11.7	5.6	0.69	1050	26.50	0.01	0.25
CC39904		192.5	1.81	4.68	0.14	0.06	1.13	0.043	0.11	13.4	7.2	0.20	177	55.10	0.01	0.74
CC39905		141.5	1.81	4.33	0.13	0.05	0.93	0.027	0.09	11.9	7.1	0.19	192	51.60	<0.01	1.21
CC39906		115.0	0.88	2.83	0.11	0.04	0.68	0.019	0.05	6.6	3.9	0.12	77	13.05	0.01	0.46
CC39907		56.0	0.62	1.61	0.07	0.06	0.22	0.011	0.03	4.6	1.1	0.22	113	14.85	0.01	0.32
CC39908		33.1	0.79	2.90	0.05	0.02	0.11	0.019	0.07	14.2	6.3	0.15	33	1.97	0.01	0.34
CC39909		29.0	1.17	3.88	0.07	0.08	0.09	0.027	0.11	22.2	11.1	0.28	53	0.82	<0.01	0.61
CC39910		46.5	0.71	3.03	0.06	<0.02	0.14	0.021	0.06	11.4	6.6	0.19	33	5.95	0.01	0.32
CC39911		49.2	0.54	1.65	0.06	0.02	0.17	0.016	0.03	5.7	2.8	0.13	12	10.90	0.01	0.21
CC39912		60.2	0.71	3.36	0.08	0.03	0.12	0.033	0.05	15.8	9.7	0.33	36	7.49	0.01	0.38
CC39913		84.1	3.65	1.15	0.10	0.04	0.21	0.016	0.02	4.6	0.7	0.04	210	75.20	0.01	0.20
CC39915		39.9	0.77	0.74	0.05	0.07	0.16	0.008	0.02	2.9	0.7	0.04	232	4.06	0.02	0.14
CC39916		27.9	0.75	1.06	<0.05	0.07	0.12	0.013	0.04	3.6	1.9	0.06	502	5.41	0.02	0.12
CC39917		29.0	1.78	2.88	0.05	0.03	0.14	0.017	0.05	11.2	5.1	0.10	14	2.21	<0.01	0.68
CC39918		40.1	1.50	3.98	0.05	0.02	0.08	0.017	0.09	13.3	7.0	0.17	47	14.10	<0.01	0.80
CC39919		72.3	1.08	2.08	0.08	0.11	0.21	0.020	0.07	13.2	10.1	0.51	395	5.77	0.01	0.35
CC39920		58.7	2.12	3.84	0.09	0.08	0.20	0.029	0.11	19.5	12.5	0.35	274	20.30	<0.01	0.72
CC39921		102.5	1.93	3.78	0.11	0.15	0.45	0.022	0.18	18.0	10.9	1.79	154	81.00	<0.01	0.69
CC39922		25.7	1.56	3.12	0.06	0.06	0.09	0.022	0.07	13.6	11.2	0.65	248	4.09	0.01	0.30
CC39923		39.4	1.81	3.36	0.10	0.07	0.13	0.027	0.08	23.3	19.5	0.75	387	4.97	0.01	0.25
CC39924		32.8	2.21	3.44	0.07	0.06	0.09	0.025	0.07	15.7	11.3	0.37	548	6.85	0.01	0.39
CC39925		39.6	2.39	4.17	0.08	0.10	0.13	0.034	0.12	20.4	21.0	0.83	281	11.30	0.01	0.32
CC39926		19.1	2.92	4.86	0.06	0.07	0.06	0.036	0.09	13.8	21.3	0.56	250	4.32	0.01	0.68
CC39927		26.2	1.34	4.41	0.07	0.05	0.18	0.034	0.11	18.3	16.2	0.34	119	1.70	<0.01	0.22
CC39928		26.8	2.19	3.34	0.05	0.03	0.11	0.024	0.11	16.0	10.7	0.31	117	1.29	<0.01	0.25
CC39929		19.8	2.56	4.34	0.07	0.02	0.09	0.026	0.09	17.1	13.4	0.32	113	14.35	<0.01	0.32
CC39930		28.7	2.63	4.71	0.08	0.04	0.07	0.030	0.08	23.2	14.8	0.39	268	5.22	<0.01	0.34

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC39890		34.2	650	11.9	13.3	0.001	0.04	1.47	4.9	1.4	0.6	37.0	<0.01	0.05	4.8	0.012
CC39891		48.7	700	11.7	13.9	0.002	0.04	1.61	5.8	1.6	0.7	51.6	<0.01	0.05	5.5	0.013
CC39892		45.0	770	13.0	14.9	0.002	0.03	1.77	6.1	1.8	0.7	54.4	<0.01	0.06	5.9	0.012
CC39893		24.1	820	12.8	15.4	0.002	0.04	1.13	3.8	1.6	0.7	33.6	<0.01	0.05	3.8	0.009
CC39894		15.8	530	10.1	11.2	0.002	0.03	0.55	2.6	1.0	0.5	23.1	<0.01	0.04	2.1	0.007
CC39895		31.8	800	13.3	12.5	0.001	0.02	1.03	4.3	1.5	0.4	35.4	<0.01	0.05	5.0	0.012
CC39896		41.2	940	13.3	12.2	0.001	0.01	1.20	5.2	1.2	0.5	47.6	<0.01	0.06	5.4	0.025
CC39897		20.9	710	12.3	12.7	<0.001	<0.01	1.14	3.9	1.5	0.5	24.8	<0.01	0.05	4.4	0.012
CC39898		33.0	770	12.9	12.6	<0.001	<0.01	1.13	4.8	1.4	0.5	36.1	<0.01	0.04	5.3	0.016
CC39899		20.2	610	12.5	12.9	<0.001	<0.01	0.93	3.7	1.2	0.5	22.0	<0.01	0.04	4.0	0.010
CC39900		25.2	700	13.5	13.1	<0.001	<0.01	1.02	4.0	1.2	0.4	26.1	<0.01	0.04	5.2	0.011
CC39901		250.0	800	12.3	9.2	0.026	0.13	16.10	2.5	12.6	0.6	103.5	<0.01	0.14	0.7	0.006
CC39902		194.0	810	10.6	8.2	0.008	0.07	17.15	4.0	9.5	0.5	113.0	0.01	0.12	1.0	0.007
CC39903		118.0	1100	13.1	7.5	0.003	0.11	27.90	2.3	9.2	0.6	204.0	0.01	0.09	0.4	0.007
CC39904		371.0	1120	14.9	13.8	0.021	0.09	34.70	4.7	18.6	0.6	142.0	0.01	0.18	0.6	0.024
CC39905		238.0	1250	15.5	12.0	0.014	0.11	33.50	4.4	18.2	0.5	144.0	0.01	0.17	0.6	0.051
CC39906		154.0	1360	7.6	8.6	0.023	0.18	12.10	1.9	16.2	0.4	157.5	0.01	0.08	0.2	0.012
CC39907		69.9	1090	5.7	3.6	0.002	0.20	10.85	1.9	9.7	0.3	293.0	0.01	0.06	0.3	0.013
CC39908		21.9	790	8.5	7.6	0.009	0.08	2.72	2.7	2.7	0.4	38.3	<0.01	0.04	2.3	0.009
CC39909		25.9	630	11.5	11.8	0.004	<0.01	3.52	3.8	3.0	0.4	33.1	<0.01	0.05	5.8	0.017
CC39910		26.9	670	9.3	7.7	0.012	0.18	2.98	2.8	5.5	0.4	40.0	<0.01	0.04	1.8	0.007
CC39911		40.4	490	7.7	3.9	0.044	0.18	3.52	2.0	7.2	0.2	48.6	<0.01	0.04	1.2	0.005
CC39912		45.7	700	13.9	7.0	0.030	0.15	4.02	3.2	5.0	0.3	50.4	<0.01	0.04	2.5	0.009
CC39913		56.0	1050	4.8	2.4	0.138	0.24	8.04	1.7	13.1	0.2	60.9	0.01	0.07	0.8	0.005
CC39915		52.1	580	4.4	2.0	0.005	0.22	3.50	1.3	5.9	0.2	126.0	0.01	0.02	0.8	<0.005
CC39916		39.8	790	5.4	4.1	0.008	0.14	2.00	1.5	3.6	0.3	96.7	<0.01	0.03	0.9	<0.005
CC39917		16.1	610	9.2	8.7	0.002	0.07	2.48	2.0	2.5	0.4	20.1	<0.01	0.04	1.4	0.011
CC39918		34.1	470	11.9	13.4	0.005	0.04	3.29	1.8	2.4	0.7	41.5	<0.01	0.08	1.1	0.015
CC39919		142.0	940	8.4	9.4	0.003	0.12	3.77	3.1	3.9	0.3	174.0	0.01	0.04	1.3	0.006
CC39920		106.0	1210	12.2	12.0	0.010	0.07	7.07	3.8	6.2	0.5	116.5	<0.01	0.08	2.7	0.015
CC39921		269.0	1040	12.3	14.1	0.005	0.08	15.30	6.2	7.3	0.5	438.0	0.01	0.14	3.1	0.025
CC39922		31.7	890	10.5	8.9	0.001	0.06	1.69	2.2	1.8	0.3	110.0	<0.01	0.05	1.0	0.006
CC39923		48.9	860	10.7	10.2	<0.001	0.05	2.22	3.2	3.0	0.3	83.2	0.01	0.04	1.2	0.006
CC39924		34.8	790	11.0	9.8	<0.001	0.05	2.09	3.1	2.2	0.3	69.0	<0.01	0.05	1.8	0.008
CC39925		54.7	1020	17.3	13.0	<0.001	0.03	2.89	4.6	2.4	0.5	98.7	<0.01	0.06	2.6	0.008
CC39926		37.9	570	16.3	14.6	<0.001	0.01	1.32	3.3	1.2	0.5	50.0	<0.01	0.04	3.5	0.015
CC39927		21.5	700	12.1	15.7	0.003	0.04	1.74	4.1	2.4	0.8	60.4	<0.01	0.03	4.7	<0.005
CC39928		19.6	1120	9.9	12.2	0.002	0.03	1.39	3.5	2.2	0.4	43.8	<0.01	0.05	4.0	0.006
CC39929		20.2	670	12.2	12.5	0.003	<0.01	2.07	2.9	2.6	0.5	34.2	<0.01	0.06	3.7	0.005
CC39930		25.8	470	12.3	12.8	0.001	<0.01	1.08	4.1	1.4	0.4	22.4	<0.01	0.05	5.3	0.006

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC39890		0.23	2.19	95	0.13	13.45	154	1.3
CC39891		0.27	1.53	89	0.12	16.20	170	2.6
CC39892		0.28	2.64	108	0.11	17.10	187	2.6
CC39893		0.25	1.59	65	0.10	11.25	115	0.8
CC39894		0.23	0.85	46	0.09	6.15	54	0.5
CC39895		0.20	1.38	57	0.17	12.85	118	1.7
CC39896		0.19	0.75	56	0.12	14.60	129	3.5
CC39897		0.21	1.24	66	0.14	9.49	97	1.4
CC39898		0.20	1.17	60	0.12	12.60	118	2.5
CC39899		0.20	1.07	54	0.11	9.16	87	0.9
CC39900		0.17	1.06	56	0.12	10.65	102	1.6
CC39901		3.59	6.63	326	0.44	23.70	601	1.6
CC39902		2.97	6.10	349	0.33	23.70	812	2.7
CC39903		2.01	2.50	532	0.22	23.40	1400	1.7
CC39904		4.59	15.05	1030	0.44	32.00	6170	1.6
CC39905		3.27	11.00	1180	0.44	29.90	3440	1.5
CC39906		2.35	14.35	382	0.19	22.50	1880	1.2
CC39907		0.91	8.21	288	0.12	12.25	612	2.2
CC39908		0.28	1.98	128	0.08	10.35	146	<0.5
CC39909		0.31	2.37	188	0.12	12.60	245	2.8
CC39910		0.24	1.83	68	0.07	9.12	179	0.5
CC39911		0.16	1.65	39	0.06	7.26	346	1.0
CC39912		0.21	1.99	83	0.09	17.00	417	0.8
CC39913		0.12	3.34	156	0.12	10.90	421	1.5
CC39915		0.09	1.44	25	<0.05	5.31	301	2.7
CC39916		0.14	1.29	40	<0.05	5.67	253	2.3
CC39917		0.51	2.41	232	0.09	7.13	41	1.0
CC39918		0.61	2.45	385	0.19	8.80	151	<0.5
CC39919		1.32	4.16	181	0.09	23.20	391	4.1
CC39920		0.79	6.80	330	0.24	21.60	669	2.2
CC39921		2.28	17.00	783	0.45	38.90	802	7.1
CC39922		0.24	1.28	80	0.09	11.35	161	1.5
CC39923		0.29	1.60	86	0.08	24.80	181	1.7
CC39924		0.25	2.32	97	0.13	13.20	136	1.6
CC39925		0.32	1.74	133	0.13	22.10	197	2.6
CC39926		0.22	0.88	79	0.10	7.45	146	1.9
CC39927		0.27	2.02	61	0.07	11.65	101	1.3
CC39928		0.18	2.01	124	0.10	11.40	109	0.9
CC39929		0.21	2.12	151	0.21	7.30	121	0.7
CC39930		0.17	2.00	62	0.07	11.55	97	1.3

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC39931		0.16	0.22	1.38	11.6	<0.2	<10	1430	0.63	0.22	0.23	0.50	39.00	7.0	24	0.71
CC39932		0.14	0.15	1.32	9.2	<0.2	<10	930	0.45	0.20	0.22	0.18	31.20	5.1	20	0.74
CC39933		0.14	0.24	1.37	10.6	<0.2	<10	1080	0.63	0.20	0.30	0.44	29.20	7.0	22	0.71
CC39934		0.10	0.24	1.40	11.5	<0.2	<10	1110	0.61	0.20	0.22	0.38	44.40	7.1	25	0.84
CC39935		0.18	0.30	1.58	12.0	<0.2	<10	1290	0.85	0.22	0.26	0.40	50.00	9.7	26	0.93
CC39936		0.12	0.27	1.44	12.7	<0.2	<10	1080	0.51	0.21	0.29	0.41	36.90	14.1	24	0.86
CC39937		0.08	4.22	0.76	30.3	<0.2	<10	1370	0.62	0.07	2.85	18.10	15.80	4.4	38	0.56
CC39938		0.28	8.84	1.04	84.9	<0.2	10	5270	1.22	0.21	1.01	69.40	24.00	14.2	122	1.67
CC39939		0.10	1.53	1.28	35.8	<0.2	<10	1950	0.63	0.21	0.29	6.40	21.80	6.8	57	1.27
CC39940		0.08	0.35	0.86	14.7	<0.2	<10	580	0.34	0.16	0.10	1.60	18.60	3.7	32	1.05
CC39941		0.14	0.57	1.29	15.6	<0.2	<10	1370	0.59	0.19	0.47	3.04	25.40	7.0	32	0.81
CC39942		0.24	1.62	1.40	49.9	<0.2	<10	2950	1.03	0.22	0.27	15.70	36.30	12.5	62	1.52
CC39943		0.20	5.17	1.48	126.0	<0.2	10	340	1.26	0.27	0.23	11.40	22.90	70.2	132	2.09
CC39944		0.20	0.66	1.28	14.4	<0.2	<10	2130	0.72	0.21	0.73	5.83	49.80	13.9	28	0.76
CC39945		0.10	0.30	1.41	7.1	<0.2	<10	1220	0.64	0.19	1.21	3.69	39.20	25.3	20	0.76
CC39946		0.12	0.39	1.38	23.8	<0.2	<10	5240	0.92	0.20	0.36	3.19	43.10	10.9	26	0.95
CC39947		0.10	0.21	1.37	9.5	<0.2	<10	840	0.53	0.20	0.40	0.31	38.00	12.8	23	0.72
CC39948		0.18	0.24	1.67	8.3	<0.2	<10	1000	0.79	0.21	0.42	0.44	49.60	10.5	26	0.76
CC39949		0.16	0.22	1.61	8.8	<0.2	<10	760	0.70	0.21	0.25	0.23	46.00	8.6	25	0.81
CC39950		0.16	0.24	1.57	8.5	<0.2	<10	850	0.82	0.21	0.33	0.23	45.00	8.8	25	0.78
CC39951		0.32	0.24	1.51	11.0	<0.2	<10	600	0.57	0.21	0.18	0.51	40.80	8.0	25	0.80
CC39952		0.14	0.24	1.52	11.9	<0.2	<10	750	0.69	0.21	0.15	0.34	40.50	5.1	25	0.82
CC39953		0.24	0.26	1.55	11.2	<0.2	<10	810	0.77	0.22	0.34	0.47	41.60	7.5	26	0.78
CC39954		0.22	0.26	1.49	9.9	<0.2	<10	810	0.53	0.20	0.26	0.75	33.60	4.2	24	0.77
CC39955		0.20	0.27	1.54	11.3	<0.2	<10	800	0.62	0.21	0.37	0.68	40.50	8.7	27	0.74
CC39956		0.24	0.20	1.49	6.1	<0.2	<10	620	0.46	0.19	0.22	0.36	35.10	3.7	25	0.78
CC39957		0.20	0.22	1.45	7.5	<0.2	<10	610	0.42	0.18	0.19	0.33	31.50	3.1	24	0.77
CC39958		0.24	0.26	1.45	8.1	<0.2	<10	1040	0.61	0.20	0.33	0.87	41.00	5.4	24	0.71
CC39959		0.26	0.25	1.43	9.4	<0.2	<10	800	0.56	0.19	0.33	0.48	36.30	6.3	24	0.78
CC39960		0.16	0.25	1.17	7.7	<0.2	<10	840	0.48	0.15	0.22	0.52	30.10	3.4	19	0.68
CC39961		0.24	0.19	1.34	10.3	<0.2	<10	680	0.48	0.19	0.30	0.29	34.90	5.9	23	0.64
CC39962		0.16	0.24	1.47	9.6	<0.2	<10	730	0.57	0.19	0.38	0.40	33.80	6.4	24	0.72
CC39972		0.10	0.24	1.30	6.9	<0.2	<10	970	0.50	0.18	0.20	0.67	35.40	4.4	23	0.67
CC39973		0.20	0.25	1.32	5.4	<0.2	<10	1140	0.40	0.18	0.21	1.12	37.40	3.6	23	0.64
CC39974		0.12	0.15	1.21	3.2	<0.2	<10	690	0.37	0.11	0.14	1.64	28.80	2.6	20	0.61
CC39975		0.28	0.24	1.39	8.0	<0.2	<10	960	0.43	0.18	0.15	1.02	34.60	3.5	22	0.65
CC39976		0.24	0.27	1.34	9.5	<0.2	<10	1380	0.48	0.18	0.24	2.43	38.10	5.0	23	0.70
CC39977		0.18	0.31	1.22	8.1	<0.2	<10	1380	0.39	0.19	0.25	2.08	32.00	4.2	21	0.70
CC39978		0.18	0.28	1.26	8.8	<0.2	<10	1400	0.45	0.17	0.20	1.39	34.80	4.1	22	0.66

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC39931		29.6	2.75	4.41	0.07	0.05	0.08	0.031	0.09	23.6	15.5	0.42	142	2.86	<0.01	0.36
CC39932		14.8	2.27	4.36	0.06	0.02	0.06	0.026	0.08	19.3	14.6	0.37	62	1.31	<0.01	0.37
CC39933		26.7	2.67	4.51	0.07	0.03	0.07	0.030	0.07	17.7	14.0	0.35	139	3.45	<0.01	0.44
CC39934		23.1	2.11	4.58	<0.05	0.05	0.09	0.027	0.08	22.5	15.0	0.39	114	2.09	0.01	0.58
CC39935		32.7	3.02	4.79	0.05	0.06	0.07	0.033	0.09	25.7	15.7	0.44	185	3.05	<0.01	0.62
CC39936		19.1	2.55	4.81	0.05	0.03	0.07	0.026	0.08	18.6	13.6	0.38	482	4.28	0.01	0.53
CC39937		143.5	0.99	1.72	0.12	0.10	0.79	0.013	0.05	10.1	2.7	0.37	141	14.85	0.02	0.36
CC39938		243.0	2.19	4.94	0.17	0.10	0.98	0.034	0.16	16.3	7.4	0.23	258	64.70	<0.01	1.78
CC39939		55.8	2.08	5.30	0.06	0.02	0.19	0.022	0.10	12.3	10.2	0.28	171	22.70	<0.01	0.96
CC39940		14.6	1.36	4.52	<0.05	<0.02	0.06	0.011	0.07	10.3	6.0	0.16	109	9.53	0.01	0.48
CC39941		36.0	1.97	4.76	<0.05	0.02	0.10	0.023	0.08	13.4	10.4	0.25	136	9.32	<0.01	0.70
CC39942		135.0	2.75	5.27	0.08	0.05	0.17	0.043	0.12	20.8	11.8	0.28	213	65.20	<0.01	0.84
CC39943		190.0	3.86	8.78	0.20	0.12	0.42	0.075	0.21	13.3	10.4	0.22	1240	131.50	0.02	1.28
CC39944		47.9	3.04	3.82	0.09	0.08	0.14	0.034	0.12	25.1	13.4	0.45	628	11.70	<0.01	0.43
CC39945		25.3	2.46	3.92	0.05	0.08	0.10	0.029	0.08	17.9	12.5	0.44	3480	7.73	0.02	0.38
CC39946		48.9	2.50	4.40	0.06	0.06	0.10	0.031	0.13	23.6	11.7	0.35	301	40.00	<0.01	0.45
CC39947		19.8	2.60	4.26	0.05	0.06	0.06	0.028	0.09	19.2	13.1	0.44	499	3.12	0.01	0.52
CC39948		34.8	2.73	4.86	0.06	0.09	0.06	0.031	0.10	25.5	16.6	0.52	317	1.46	0.01	0.56
CC39949		22.8	2.71	4.69	0.06	0.05	0.05	0.030	0.10	23.1	16.0	0.49	256	1.64	0.01	0.49
CC39950		30.7	2.56	4.54	0.05	0.06	0.06	0.029	0.10	23.0	16.1	0.52	309	1.74	0.01	0.54
CC39951		25.9	2.34	4.56	0.05	0.05	0.06	0.029	0.07	20.2	14.1	0.36	132	1.12	0.01	0.72
CC39952		27.0	2.64	4.71	0.05	0.04	0.08	0.032	0.07	20.2	12.8	0.27	112	1.04	0.01	0.68
CC39953		33.0	2.47	4.59	0.05	0.04	0.08	0.034	0.07	21.0	12.8	0.33	196	1.27	0.01	0.67
CC39954		23.5	2.48	4.57	0.05	0.03	0.08	0.026	0.06	17.3	10.9	0.25	88	0.66	0.01	0.63
CC39955		30.2	2.63	4.62	0.05	0.07	0.10	0.030	0.08	20.4	14.2	0.38	188	1.14	0.01	0.80
CC39956		18.9	1.55	4.62	<0.05	0.04	0.07	0.025	0.07	18.2	13.0	0.31	59	0.29	0.01	0.66
CC39957		15.2	1.68	4.46	<0.05	0.03	0.07	0.024	0.06	16.2	12.0	0.28	52	0.27	0.01	0.62
CC39958		28.1	1.85	4.31	0.05	0.07	0.08	0.029	0.07	20.7	12.6	0.33	73	0.44	0.01	0.72
CC39959		22.7	2.34	4.35	<0.05	0.04	0.07	0.026	0.07	18.4	12.0	0.32	137	1.20	0.01	0.64
CC39960		17.3	2.14	3.63	<0.05	0.03	0.06	0.020	0.05	15.4	8.0	0.19	46	0.66	0.01	0.48
CC39961		19.3	2.42	4.02	0.05	0.04	0.05	0.025	0.06	17.5	11.4	0.32	108	1.40	0.01	0.61
CC39962		19.3	2.57	4.30	0.05	0.03	0.07	0.026	0.07	17.2	12.4	0.33	163	1.12	0.01	0.60
CC39972		25.8	2.14	4.03	0.05	0.03	0.09	0.025	0.06	18.3	10.4	0.28	71	5.57	0.01	0.51
CC39973		20.8	1.44	4.09	<0.05	0.04	0.07	0.025	0.07	19.5	11.5	0.30	52	2.55	0.01	0.49
CC39974		9.8	0.83	4.00	<0.05	<0.02	0.07	0.015	0.06	15.4	9.5	0.22	39	2.55	0.01	0.33
CC39975		15.5	2.05	4.29	<0.05	0.03	0.06	0.022	0.07	18.2	10.5	0.28	48	2.62	0.01	0.48
CC39976		26.6	2.22	4.13	0.06	0.04	0.09	0.028	0.07	19.7	10.4	0.30	65	3.53	0.01	0.56
CC39977		22.3	2.00	4.16	<0.05	0.03	0.10	0.021	0.06	16.6	9.0	0.24	56	3.67	0.01	0.52
CC39978		23.1	2.01	4.04	0.06	0.03	0.10	0.023	0.07	18.2	9.6	0.26	59	5.21	<0.01	0.50

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC39931		29.9	640	13.0	11.6	0.001	<0.01	1.39	4.1	1.5	0.4	27.9	<0.01	0.05	5.7	0.006
CC39932		18.0	470	12.2	12.4	<0.001	<0.01	0.75	2.9	0.8	0.4	20.3	<0.01	0.04	4.6	0.007
CC39933		25.7	670	12.9	11.4	0.001	0.01	1.07	3.6	1.4	0.4	26.3	<0.01	0.05	3.7	0.006
CC39934		25.6	580	13.0	13.4	0.002	0.02	0.95	4.3	1.4	0.5	24.5	<0.01	0.05	4.7	0.009
CC39935		31.2	710	12.6	15.2	<0.001	0.02	0.88	5.0	1.4	0.5	25.5	<0.01	0.05	5.2	0.012
CC39936		23.8	730	12.9	14.6	<0.001	0.04	0.80	3.6	1.2	0.5	25.5	<0.01	0.06	3.2	0.009
CC39937		94.5	1630	8.0	5.1	0.020	0.22	12.85	2.6	21.4	0.3	402.0	0.02	0.09	0.3	0.009
CC39938		378.0	1770	20.5	16.2	0.008	0.09	68.80	10.0	28.8	0.8	264.0	0.01	0.24	2.2	0.087
CC39939		54.9	820	14.1	15.1	0.003	0.10	9.11	2.3	6.9	0.8	45.3	<0.01	0.14	0.3	0.022
CC39940		18.2	700	8.7	13.1	<0.001	0.04	2.85	0.8	1.8	0.6	16.0	<0.01	0.07	<0.2	0.010
CC39941		35.9	520	12.4	12.4	<0.001	0.04	2.70	2.3	2.3	0.6	29.3	<0.01	0.07	0.6	0.012
CC39942		202.0	1040	14.0	15.3	0.006	0.08	13.15	5.6	6.3	0.8	82.5	0.01	0.17	2.1	0.026
CC39943		171.5	1760	25.9	18.4	0.021	0.41	36.50	9.8	37.2	1.0	105.5	0.01	0.42	3.9	0.057
CC39944		79.6	1060	12.4	12.6	0.008	0.10	2.74	5.0	6.7	0.5	86.7	<0.01	0.08	4.8	0.008
CC39945		36.5	1040	10.9	14.1	0.001	0.11	0.94	4.0	2.4	0.4	107.0	<0.01	0.05	2.2	0.006
CC39946		118.0	820	13.7	13.8	0.002	0.05	4.03	4.5	3.8	0.8	36.4	<0.01	0.09	3.7	0.012
CC39947		25.1	900	13.1	13.0	<0.001	0.05	0.70	3.9	1.2	0.4	25.4	<0.01	0.06	3.6	0.009
CC39948		34.9	700	12.9	14.5	<0.001	0.03	0.59	5.4	1.2	0.5	25.2	<0.01	0.05	5.5	0.009
CC39949		23.6	710	13.7	14.9	<0.001	0.03	0.56	4.3	1.1	0.5	19.0	<0.01	0.06	4.4	0.007
CC39950		27.9	880	13.0	13.7	<0.001	0.03	0.68	4.7	1.2	0.5	22.8	<0.01	0.05	4.5	0.009
CC39951		22.9	720	13.5	11.9	<0.001	0.02	0.75	4.7	1.3	0.5	20.5	<0.01	0.05	4.8	0.012
CC39952		22.2	690	14.2	13.3	<0.001	0.04	0.68	4.6	1.4	0.5	17.6	<0.01	0.06	3.6	0.009
CC39953		28.4	760	13.8	13.4	<0.001	0.03	0.75	5.0	1.6	0.5	34.6	<0.01	0.07	3.9	0.011
CC39954		22.0	590	13.0	12.9	<0.001	0.04	0.56	3.8	1.3	0.5	26.2	<0.01	0.04	2.8	0.008
CC39955		29.4	820	13.8	13.2	<0.001	0.03	0.73	5.1	1.5	0.5	35.0	<0.01	0.06	5.3	0.014
CC39956		16.0	480	12.5	12.2	<0.001	0.04	0.51	4.0	1.0	0.6	22.0	<0.01	0.04	4.4	0.010
CC39957		14.5	500	11.8	10.8	<0.001	0.04	0.51	3.7	1.0	0.5	19.6	<0.01	0.04	3.5	0.009
CC39958		25.5	780	13.5	11.6	<0.001	0.05	0.60	4.8	1.3	0.5	32.4	<0.01	0.04	4.9	0.012
CC39959		23.0	760	12.3	13.0	<0.001	0.03	0.66	4.5	1.2	0.5	32.3	<0.01	0.05	4.3	0.010
CC39960		16.2	830	9.8	9.7	<0.001	0.06	0.54	3.4	1.3	0.5	23.1	<0.01	0.04	2.2	0.007
CC39961		19.8	650	11.8	11.2	<0.001	0.02	0.62	4.0	1.0	0.4	26.8	<0.01	0.04	4.3	0.011
CC39962		21.4	730	11.8	13.1	<0.001	0.03	0.60	3.9	1.2	0.5	33.1	<0.01	0.05	3.7	0.009
CC39972		20.8	670	11.2	12.2	0.006	0.08	0.91	3.8	3.3	0.5	27.8	<0.01	0.05	3.0	0.007
CC39973		19.4	520	11.3	12.1	0.005	0.07	0.75	3.7	2.5	0.4	33.1	<0.01	0.03	4.0	0.007
CC39974		16.2	370	9.2	10.0	0.002	0.07	0.44	2.6	2.0	0.4	21.9	<0.01	0.03	2.7	0.005
CC39975		17.2	620	10.8	12.5	0.003	0.09	0.70	3.3	2.3	0.5	21.6	<0.01	0.04	3.4	0.006
CC39976		27.6	630	11.5	11.9	0.003	0.08	0.93	4.2	3.1	0.5	36.0	<0.01	0.05	4.5	0.008
CC39977		26.9	580	10.4	11.3	0.003	0.09	0.91	3.4	3.0	0.5	34.9	<0.01	0.05	2.9	0.007
CC39978		23.9	600	10.8	12.0	0.007	0.07	1.11	3.5	5.0	0.5	31.5	<0.01	0.05	3.6	0.006

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077185

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC39931		0.20	1.98	80	0.07	12.15	146	1.5
CC39932		0.15	0.75	54	0.07	5.69	74	0.7
CC39933		0.17	1.39	65	0.09	10.30	97	0.8
CC39934		0.24	1.49	91	0.13	9.16	116	1.4
CC39935		0.22	1.39	62	0.11	13.25	123	1.4
CC39936		0.21	0.97	66	0.13	6.60	102	0.7
CC39937		0.81	19.30	285	0.19	50.50	343	3.0
CC39938		2.77	12.95	1845	0.47	50.20	4080	3.2
CC39939		1.56	4.55	842	0.26	12.15	443	0.5
CC39940		0.50	0.89	381	0.16	3.14	150	<0.5
CC39941		0.48	2.40	296	0.19	9.76	221	<0.5
CC39942		2.21	13.65	911	0.40	29.80	1570	1.0
CC39943		4.56	21.80	1790	0.67	34.50	1030	6.1
CC39944		0.52	5.40	156	0.12	17.75	622	2.3
CC39945		0.22	1.55	45	0.10	14.05	153	1.6
CC39946		0.99	6.47	248	0.29	22.40	386	1.6
CC39947		0.18	0.79	51	0.12	8.28	94	1.5
CC39948		0.18	1.11	49	0.09	13.60	105	2.3
CC39949		0.19	0.84	50	0.07	9.66	98	1.3
CC39950		0.19	1.07	53	0.09	12.80	108	1.5
CC39951		0.21	1.10	55	0.10	11.10	102	1.6
CC39952		0.22	1.26	58	0.09	12.60	71	0.9
CC39953		0.21	1.46	59	0.11	13.90	103	0.9
CC39954		0.22	1.05	54	0.11	8.81	62	0.7
CC39955		0.20	1.20	62	0.08	12.35	113	2.4
CC39956		0.21	0.91	53	0.07	7.11	78	1.3
CC39957		0.20	0.85	57	0.08	6.37	63	0.9
CC39958		0.20	1.16	52	0.08	12.60	90	1.9
CC39959		0.19	1.27	56	0.09	10.55	89	1.2
CC39960		0.17	1.08	42	0.11	9.44	52	0.6
CC39961		0.17	0.94	53	0.08	9.24	86	1.3
CC39962		0.18	0.99	56	0.14	8.67	87	1.0
CC39972		0.20	2.16	68	0.09	10.60	81	0.8
CC39973		0.21	1.53	63	0.07	8.20	94	1.0
CC39974		0.19	0.68	39	0.06	3.49	63	<0.5
CC39975		0.20	1.24	63	0.09	6.44	78	0.8
CC39976		0.22	2.17	76	0.08	10.45	103	1.3
CC39977		0.24	2.12	83	0.10	7.96	83	0.7
CC39978		0.27	2.63	96	0.09	8.77	91	0.8

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized **Page: 1**
Date: 3-AUG-2007
Account: MTT

CERTIFICATE VA07077184

Project: NiMo

P.O. No.:

This report is for 159 Soil samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC39987		0.28	0.54	1.22	15.4	<0.2	<10	2350	0.60	0.19	0.23	5.08	35.60	5.3	28	0.65
CC39988		0.20	0.58	1.33	10.4	<0.2	<10	1940	0.67	0.20	0.16	4.42	36.00	5.0	32	0.87
CC39989		0.26	0.94	1.38	17.9	<0.2	<10	2350	0.76	0.21	0.22	9.96	35.20	6.2	35	0.83
CC39990		0.26	0.77	1.25	8.5	<0.2	<10	1900	0.61	0.19	0.13	10.30	36.90	3.2	33	0.87
CC39991		0.32	4.27	2.06	16.1	<0.2	<10	3420	0.82	0.25	0.16	13.05	27.90	5.0	63	2.75
CC39992		0.16	2.17	2.00	29.8	<0.2	<10	1650	0.69	0.22	0.08	3.50	25.20	5.2	56	2.40
CC39993		0.24	0.86	0.95	13.2	<0.2	<10	1910	0.39	0.15	0.17	2.72	33.00	6.5	33	0.65
CC39994		0.10	3.49	0.87	63.8	<0.2	<10	780	0.40	0.26	0.04	1.45	18.15	2.4	44	1.73
CC39995		0.12	4.14	1.43	46.4	<0.2	<10	620	0.77	0.28	0.75	26.20	20.80	11.7	80	2.31
CC39996		0.20	1.39	0.97	17.2	<0.2	<10	4510	0.74	0.20	0.59	11.05	29.60	6.1	41	1.00
CC39997		0.16	1.05	1.01	15.7	<0.2	<10	3740	0.59	0.25	0.41	2.88	29.70	2.6	50	0.70
CC39998		0.14	2.73	1.22	30.8	<0.2	<10	3970	0.99	0.21	0.21	13.00	31.70	6.0	48	1.05
CC39999		0.16	0.27	1.18	14.1	<0.2	<10	1820	0.62	0.18	0.09	1.51	33.20	5.0	29	0.79
CC40000		0.28	0.40	1.09	13.8	<0.2	<10	2250	0.66	0.18	0.27	3.20	32.90	5.3	25	0.76
CC27716		0.10	0.26	0.59	18.3	<0.2	<10	590	0.21	0.17	0.13	1.20	12.35	1.7	13	1.45
CC27717		0.12	0.29	1.36	38.3	<0.2	<10	310	0.39	0.29	0.03	0.89	20.60	5.5	30	1.66
CC27718		0.10	0.27	0.67	14.6	<0.2	<10	300	0.23	0.17	0.04	0.84	23.20	2.7	21	1.32
CC27719		0.14	0.48	1.83	43.8	<0.2	<10	350	0.61	0.28	0.05	1.34	22.40	6.1	48	2.10
CC27720		0.10	1.45	1.40	48.0	<0.2	<10	300	0.35	0.29	0.08	1.58	20.60	5.8	47	1.91
CC27721		0.08	0.89	1.04	39.1	<0.2	<10	280	0.42	0.23	0.04	1.42	20.00	3.4	45	1.28
CC27722		0.10	2.45	1.90	47.8	<0.2	<10	520	0.68	0.23	0.16	7.76	25.20	12.8	57	1.67
CC27723		0.08	1.07	1.14	24.0	<0.2	<10	230	0.28	0.28	0.07	0.83	18.65	3.5	31	1.05
CC27724		0.08	1.45	0.33	5.6	<0.2	<10	330	0.21	0.06	0.12	1.97	5.45	0.8	19	0.49
CC27725		0.10	1.43	1.24	21.7	<0.2	<10	570	0.36	0.27	0.04	0.72	26.40	3.3	29	1.29
CC27726		0.10	1.27	1.24	38.0	<0.2	<10	640	0.49	0.26	0.06	1.15	19.30	4.5	42	1.59
CC27727		0.12	0.88	1.10	28.8	<0.2	<10	500	0.47	0.21	0.03	1.83	18.65	3.4	37	1.39
CC27728		0.14	0.70	0.59	27.5	<0.2	<10	760	0.53	0.12	0.09	2.85	11.85	1.9	36	1.20
CC27729		0.12	1.53	1.41	54.3	<0.2	10	450	0.52	0.25	0.03	1.50	19.60	4.0	50	1.88
CC27730		0.22	2.29	1.38	73.6	<0.2	10	2270	0.94	0.24	0.08	35.20	19.50	13.3	98	1.96
CC27731		0.12	6.09	1.06	73.2	<0.2	10	5340	1.16	0.28	0.23	44.60	21.90	13.8	106	1.90
CC27732		0.18	3.65	0.89	29.4	<0.2	10	6540	1.09	0.20	0.84	24.60	24.70	4.0	91	1.36
CC27733		0.18	5.47	1.06	58.6	<0.2	10	6560	1.15	0.23	0.93	23.90	26.90	7.9	134	1.42
CC27734		0.14	1.88	0.70	35.1	<0.2	10	4990	0.82	0.17	1.40	16.70	33.10	7.5	64	0.78
CC27735		0.14	1.91	0.80	43.2	<0.2	10	5800	1.01	0.19	1.08	17.45	35.40	7.6	73	0.88
CC27736		0.20	1.15	1.14	38.6	<0.2	20	>10000	1.33	0.19	1.01	10.90	38.40	8.9	54	1.42
CC27737		0.14	0.68	0.91	6.7	<0.2	10	2860	0.65	0.22	0.52	1.42	34.10	23.1	16	0.72
CC27738		0.06	1.03	0.75	5.6	<0.2	10	2600	0.49	0.18	0.68	1.67	23.50	19.6	12	0.58
CC27739		0.22	0.53	0.98	7.9	<0.2	<10	2800	0.46	0.22	0.20	0.41	27.30	4.8	15	0.52
CC27740		0.36	0.39	1.05	6.8	<0.2	<10	3520	0.46	0.22	0.19	0.36	34.20	4.3	16	0.55
CC27741		0.12	2.09	0.83	7.4	<0.2	<10	2840	1.04	0.23	1.13	1.56	37.20	14.2	32	0.90

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC39987		35.6	2.10	4.03	0.06	0.10	0.10	0.028	0.08	19.5	10.9	0.28	70	9.59	<0.01	0.56
CC39988		36.0	1.83	5.30	0.08	0.08	0.14	0.034	0.09	21.1	15.1	0.30	60	2.23	0.03	0.52
CC39989		51.0	2.25	5.25	0.10	0.09	0.22	0.034	0.11	20.8	14.5	0.30	76	5.93	0.04	0.60
CC39990		47.6	1.54	4.88	0.09	0.07	0.22	0.034	0.08	20.8	12.3	0.26	46	1.45	0.03	0.54
CC39991		140.0	1.68	6.98	0.09	0.06	1.55	0.050	0.13	15.9	16.1	0.30	66	6.80	0.05	0.63
CC39992		99.3	2.74	7.17	0.09	0.05	0.78	0.049	0.13	14.0	11.1	0.25	119	26.20	0.02	0.63
CC39993		47.6	1.84	4.03	0.08	0.03	0.13	0.029	0.09	18.7	9.0	0.23	158	13.85	0.03	0.56
CC39994		70.1	2.02	8.34	0.09	<0.02	0.27	0.035	0.10	10.9	3.8	0.08	40	49.90	0.01	0.83
CC39995		129.5	3.39	4.00	0.21	0.06	0.32	0.030	0.16	13.1	7.1	0.08	135	26.50	0.02	0.33
CC39996		77.2	1.95	4.23	0.10	0.06	0.27	0.033	0.11	17.1	7.0	0.18	78	14.50	0.07	0.46
CC39997		63.9	1.68	4.21	0.08	0.04	0.21	0.040	0.08	16.9	7.7	0.16	33	3.44	0.06	0.34
CC39998		159.0	1.80	5.89	0.09	0.04	0.73	0.056	0.09	18.8	10.4	0.18	132	22.30	0.06	0.59
CC39999		30.5	1.82	5.07	0.06	0.04	0.07	0.024	0.08	19.7	11.1	0.23	94	34.40	0.03	0.56
CC40000		32.9	2.05	4.55	0.07	0.03	0.09	0.026	0.08	19.1	9.0	0.22	94	26.60	0.03	0.42
CC27716		34.2	1.41	4.88	0.06	<0.02	0.06	0.020	0.06	6.7	1.2	0.04	34	68.60	0.01	0.49
CC27717		37.6	3.47	7.40	0.07	0.05	0.03	0.040	0.12	11.6	7.5	0.22	102	46.60	0.01	0.94
CC27718		18.9	1.19	6.73	0.05	0.02	0.03	0.016	0.05	13.8	2.0	0.05	30	23.70	0.01	0.51
CC27719		43.2	3.42	8.52	0.08	0.13	0.06	0.043	0.09	13.1	16.1	0.24	132	34.30	0.01	1.06
CC27720		33.8	3.00	9.24	0.07	0.02	0.11	0.032	0.09	10.5	12.0	0.25	158	31.90	0.01	1.12
CC27721		48.7	2.08	7.78	0.08	<0.02	0.13	0.028	0.07	12.0	4.6	0.10	66	26.20	0.01	0.75
CC27722		99.6	2.98	6.98	0.10	0.07	0.59	0.036	0.11	13.8	17.1	0.39	293	23.50	0.01	0.91
CC27723		23.9	2.64	9.08	0.05	<0.02	0.09	0.024	0.05	10.8	4.5	0.12	101	14.00	0.01	1.27
CC27724		17.5	0.41	1.59	<0.05	<0.02	0.16	0.010	0.05	3.5	0.5	0.03	45	8.05	0.01	0.15
CC27725		25.7	2.41	9.05	0.05	0.03	0.05	0.022	0.05	15.4	8.4	0.13	84	14.90	0.01	1.22
CC27726		38.6	2.71	7.73	0.08	0.02	0.12	0.028	0.09	11.8	9.0	0.15	148	31.60	0.02	0.96
CC27727		34.4	2.16	6.81	0.08	<0.02	0.12	0.026	0.08	11.5	4.6	0.09	61	28.10	0.01	0.78
CC27728		41.4	1.13	3.86	0.09	<0.02	0.20	0.020	0.07	8.6	1.7	0.04	26	32.50	0.01	0.23
CC27729		60.7	2.51	7.38	0.09	0.02	0.14	0.032	0.10	12.7	9.6	0.14	93	44.10	0.01	0.64
CC27730		131.5	2.17	6.12	0.15	0.05	0.21	0.040	0.14	13.7	10.6	0.19	250	51.50	0.03	0.27
CC27731		143.0	2.57	5.51	0.20	0.06	0.88	0.046	0.14	13.8	8.5	0.11	159	57.80	0.08	0.19
CC27732		137.5	1.24	4.78	0.12	0.07	0.68	0.035	0.12	15.5	8.5	0.15	53	25.00	0.10	0.22
CC27733		162.5	2.15	5.52	0.14	0.07	0.96	0.041	0.14	17.8	9.7	0.16	107	47.80	0.10	0.19
CC27734		101.5	1.43	3.82	0.12	0.08	0.57	0.030	0.09	21.9	6.9	0.12	131	56.90	0.08	0.20
CC27735		111.5	1.73	4.29	0.13	0.10	0.56	0.031	0.11	22.9	8.1	0.13	161	72.10	0.09	0.21
CC27736		103.0	2.27	5.69	0.12	0.26	0.48	0.046	0.25	24.1	10.4	0.16	91	83.70	0.17	0.28
CC27737		44.5	2.99	2.91	0.08	0.06	0.12	0.038	0.11	16.4	5.2	0.16	1485	6.53	0.05	0.21
CC27738		40.8	2.29	2.16	0.07	0.05	0.20	0.032	0.08	12.1	3.6	0.12	431	5.64	0.05	0.18
CC27739		30.9	3.20	3.00	0.06	0.04	0.15	0.030	0.08	14.7	4.9	0.10	148	5.24	0.04	0.23
CC27740		24.1	2.47	3.26	0.07	0.04	0.12	0.030	0.10	18.7	7.1	0.17	62	6.14	0.05	0.20
CC27741		77.9	8.12	1.47	0.14	0.12	0.36	0.043	0.09	19.8	2.8	0.33	1335	1.95	0.06	0.25

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC39987		52.4	720	11.5	12.1	0.005	0.04	2.30	4.9	4.5	0.5	45.5	<0.01	0.05	5.4	0.010
CC39988		44.3	510	13.1	13.5	0.005	0.02	3.70	4.2	5.0	0.7	36.1	<0.01	0.07	5.5	0.009
CC39989		65.0	670	13.5	14.6	0.009	0.04	4.72	4.8	7.7	0.7	50.1	<0.01	0.08	5.4	0.011
CC39990		38.3	490	11.6	14.2	0.009	0.03	4.40	4.6	7.1	0.7	41.2	<0.01	0.06	5.4	0.010
CC39991		81.8	1000	14.6	20.4	0.010	0.09	6.50	5.5	9.3	1.0	74.0	<0.01	0.08	2.0	0.008
CC39992		46.0	1430	14.2	20.6	0.009	0.10	7.52	4.0	7.9	1.0	42.3	<0.01	0.12	1.5	0.009
CC39993		43.7	810	8.5	8.8	0.002	0.10	5.05	2.9	4.9	0.5	58.4	<0.01	0.06	2.4	0.021
CC39994		28.6	540	16.2	19.8	0.006	0.12	17.05	2.1	9.4	1.1	50.0	<0.01	0.20	0.7	0.026
CC39995		244.0	4980	14.2	13.4	0.012	0.28	22.10	5.1	24.0	1.1	270.0	0.01	0.21	2.4	0.018
CC39996		114.0	1340	12.1	12.9	0.008	0.08	9.81	4.9	8.1	0.8	141.0	<0.01	0.10	3.9	0.012
CC39997		44.6	1630	11.3	10.9	0.009	0.06	7.74	4.1	5.3	0.8	147.5	<0.01	0.10	4.1	0.007
CC39998		117.5	780	13.7	15.1	0.006	0.06	12.00	3.3	5.2	0.9	55.0	0.01	0.13	0.8	0.011
CC39999		38.6	430	10.0	15.0	0.002	0.02	3.38	2.7	2.5	0.7	21.9	<0.01	0.07	2.9	0.010
CC40000		53.9	640	11.1	13.9	0.005	0.03	3.00	3.2	4.1	0.6	41.9	<0.01	0.08	2.9	0.007
CC27716		12.8	550	11.0	7.2	0.002	0.08	5.47	1.2	4.0	0.9	34.6	<0.01	0.15	0.2	0.013
CC27717		46.1	350	17.7	17.5	0.001	0.09	6.20	3.7	6.6	0.9	45.4	<0.01	0.13	3.4	0.015
CC27718		43.2	210	8.6	8.3	0.001	0.02	6.02	1.8	4.1	0.9	7.9	<0.01	0.09	2.0	0.014
CC27719		87.2	310	17.2	17.5	0.002	0.03	10.75	3.9	7.2	1.0	11.9	<0.01	0.11	4.0	0.016
CC27720		66.8	380	19.2	18.6	0.001	0.03	13.45	3.1	5.8	0.8	13.9	<0.01	0.12	1.6	0.023
CC27721		54.1	400	14.3	12.4	0.001	0.04	15.35	2.0	9.8	0.8	10.2	<0.01	0.13	0.7	0.016
CC27722		118.0	850	16.4	18.6	0.002	0.03	18.15	5.0	10.8	0.7	28.1	<0.01	0.13	3.7	0.024
CC27723		27.9	510	14.0	8.3	0.001	0.04	6.58	1.9	4.2	1.0	8.3	<0.01	0.09	0.6	0.029
CC27724		13.7	1020	4.8	3.3	0.002	0.11	3.95	1.3	3.1	0.4	7.8	<0.01	0.04	0.2	0.009
CC27725		28.2	270	15.4	12.0	0.001	0.03	5.40	2.2	3.5	1.0	16.9	<0.01	0.08	3.1	0.026
CC27726		60.0	650	15.1	20.7	0.001	0.05	11.80	2.5	9.2	0.9	13.8	<0.01	0.12	1.1	0.023
CC27727		52.3	700	12.1	18.2	0.002	0.06	12.20	1.8	8.9	0.8	8.2	<0.01	0.12	0.3	0.018
CC27728		62.0	840	9.4	13.6	0.007	0.09	17.90	0.6	18.3	0.5	12.7	<0.01	0.13	<0.2	0.006
CC27729		69.3	600	16.9	21.5	0.003	0.07	20.20	2.7	13.4	0.9	11.3	<0.01	0.18	1.1	0.017
CC27730		169.0	1170	19.0	21.4	0.004	0.13	31.10	2.2	25.6	0.8	37.4	0.01	0.26	0.3	0.010
CC27731		234.0	1290	19.8	15.9	0.005	0.09	36.70	4.4	33.2	1.1	72.0	0.01	0.25	1.2	0.009
CC27732		169.0	1490	11.8	15.2	0.007	0.09	14.30	5.1	11.1	0.9	172.0	0.01	0.17	2.0	0.008
CC27733		256.0	2470	12.1	15.9	0.004	0.07	27.60	6.0	16.1	0.9	233.0	0.01	0.21	2.2	0.008
CC27734		236.0	1080	11.6	9.8	0.004	0.11	17.95	2.9	11.5	0.7	183.5	0.01	0.14	0.8	0.005
CC27735		242.0	1300	12.3	12.5	0.003	0.11	19.15	3.9	11.3	0.9	174.0	0.01	0.16	1.3	0.006
CC27736		243.0	2210	11.5	19.0	0.003	0.06	13.90	6.5	5.6	1.2	178.5	0.01	0.15	6.3	0.011
CC27737		49.8	910	16.0	12.4	0.001	0.07	1.51	3.9	2.5	0.5	52.2	<0.01	0.06	2.1	<0.005
CC27738		37.1	940	13.3	10.2	0.002	0.09	1.69	3.5	2.8	0.5	70.7	<0.01	0.06	2.1	<0.005
CC27739		20.7	720	13.7	11.1	0.003	0.04	1.22	3.3	2.7	0.4	28.3	<0.01	0.07	3.4	<0.005
CC27740		16.4	740	14.1	13.0	0.002	0.03	1.20	3.3	2.1	0.3	27.8	<0.01	0.07	4.6	<0.005
CC27741		82.5	600	15.6	8.3	0.001	0.09	1.59	11.1	3.4	0.3	124.0	0.01	0.06	3.6	0.010

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5
CC39987		0.34	3.73	195	0.06	14.45	409	3.6
CC39988		0.44	3.26	259	0.12	12.45	438	2.7
CC39989		0.57	3.44	283	0.12	16.10	586	3.1
CC39990		0.51	4.27	260	0.13	15.90	364	2.4
CC39991		1.43	15.75	491	0.17	24.70	509	1.1
CC39992		1.48	7.29	509	0.25	16.10	266	0.9
CC39993		0.83	3.53	216	0.26	12.25	193	<0.5
CC39994		1.70	4.44	988	0.42	5.63	141	<0.5
CC39995		1.70	23.60	388	0.37	47.10	1095	0.9
CC39996		0.73	6.58	323	0.20	24.30	651	2.0
CC39997		0.62	3.40	133	0.12	17.85	157	1.1
CC39998		1.21	9.17	619	0.30	30.30	495	0.6
CC39999		0.72	2.97	312	0.23	12.10	161	0.8
CC40000		0.55	4.11	246	0.16	14.20	193	0.7
CC27716		0.94	2.49	189	0.27	3.60	45	<0.5
CC27717		2.27	1.49	268	0.19	4.51	191	2.2
CC27718		0.83	1.12	382	0.21	3.08	131	0.6
CC27719		2.96	1.51	721	0.21	6.13	598	5.2
CC27720		2.11	1.35	853	0.26	4.15	626	0.7
CC27721		1.50	2.09	820	0.27	5.69	308	<0.5
CC27722		2.38	3.76	771	0.23	16.45	1585	2.1
CC27723		0.61	1.12	567	0.28	3.08	146	<0.5
CC27724		0.21	1.47	197	0.07	2.80	62	0.5
CC27725		0.89	1.15	536	0.22	3.40	121	1.2
CC27726		2.29	2.39	754	0.28	5.93	287	<0.5
CC27727		1.51	2.66	701	0.27	6.82	244	<0.5
CC27728		1.60	4.81	867	0.23	9.82	306	<0.5
CC27729		4.74	7.29	1385	0.36	10.50	397	<0.5
CC27730		3.92	14.75	1730	0.37	29.80	1645	0.6
CC27731		3.62	10.45	1210	0.42	30.70	1575	1.2
CC27732		1.95	10.60	902	0.29	34.50	1070	1.9
CC27733		2.28	10.70	983	0.36	34.00	1835	1.7
CC27734		1.75	16.00	569	0.38	32.90	1280	1.8
CC27735		1.81	15.85	718	0.44	36.40	1280	2.7
CC27736		1.69	12.20	773	0.36	38.40	727	12.1
CC27737		0.19	1.83	63	0.07	18.00	155	0.9
CC27738		0.16	2.07	44	0.06	16.00	119	1.1
CC27739		0.13	2.36	60	0.08	13.35	64	0.7
CC27740		0.14	1.66	53	0.07	10.70	72	0.7
CC27741		0.31	1.04	44	0.09	34.30	157	3.3

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC27742		0.16	0.72	1.19	9.8	<0.2	<10	1050	0.51	0.28	0.04	0.39	27.30	14.0	27	0.83
CC27743		0.26	1.13	1.31	16.2	<0.2	<10	>10000	0.43	0.20	0.54	1.37	33.50	13.8	24	0.57
CC27744		0.12	0.64	0.63	34.8	<0.2	<10	>10000	0.61	0.16	1.08	11.70	39.40	5.8	33	0.52
CC27745		0.16	1.29	0.87	38.8	<0.2	10	6240	0.83	0.19	0.85	13.90	45.50	5.9	43	0.77
CC27746		0.26	1.33	0.78	34.7	<0.2	<10	5130	0.87	0.20	1.04	10.65	45.30	7.2	43	0.63
CC27747		0.14	3.15	0.76	34.9	<0.2	10	3930	0.86	0.18	1.88	8.34	23.00	5.8	176	0.55
CC27748		0.12	10.30	1.04	54.3	<0.2	<10	5010	0.94	0.28	0.80	22.70	21.10	8.7	110	1.20
CC27749		0.10	8.27	1.55	105.5	<0.2	<10	2250	1.23	0.29	0.77	60.70	23.60	15.8	108	1.70
CC27751		0.12	1.58	1.46	48.5	<0.2	<10	600	0.43	0.29	0.07	2.23	19.55	6.2	64	1.15
CC27752		0.12	0.69	1.20	30.6	<0.2	<10	370	0.41	0.27	0.05	1.55	22.60	4.5	43	1.30
CC27753		0.08	2.41	0.82	13.2	<0.2	<10	1010	0.29	0.16	0.07	6.45	13.50	1.3	33	0.80
CC27754		0.40	2.64	0.81	6.7	<0.2	<10	1270	0.63	0.18	0.23	9.44	21.00	1.5	33	1.15
CC27755		0.42	0.46	0.93	10.7	<0.2	<10	970	0.46	0.19	0.17	2.56	24.50	2.7	22	0.80
CC27756		0.14	1.32	0.61	12.1	<0.2	<10	1290	0.41	0.14	1.16	1.68	6.90	1.0	11	0.89
CC27757		0.24	0.24	0.43	36.0	<0.2	<10	360	0.24	0.13	0.02	0.31	5.92	1.0	16	0.74
CC27758		0.18	0.08	0.77	53.7	<0.2	<10	200	0.17	0.23	0.03	0.10	16.35	3.6	19	0.82
CC27759		0.14	0.09	1.08	21.3	<0.2	<10	140	0.19	0.35	0.04	0.23	19.55	5.3	22	1.05
CC20495		0.26	0.34	1.08	16.0	<0.2	<10	600	0.64	0.17	0.65	3.64	15.95	8.7	16	0.70
CC20496		0.18	0.33	0.92	12.9	<0.2	<10	890	0.54	0.14	0.78	3.50	17.20	6.8	15	0.57
CC20497		0.18	0.34	1.10	13.1	<0.2	<10	740	0.63	0.15	0.73	6.30	17.10	9.3	16	0.63
CC20463		0.12	1.19	1.16	26.5	<0.2	<10	2600	0.58	0.19	0.20	2.27	21.80	6.6	61	1.01
CC20464		0.08	3.82	0.96	51.1	<0.2	10	5760	0.95	0.28	0.79	21.10	19.80	13.3	123	1.38
CC27501		0.16	0.67	1.19	13.3	<0.2	<10	1930	0.59	0.18	1.06	9.85	30.80	11.8	25	0.68
CC27502		0.20	0.17	1.42	5.8	<0.2	<10	790	0.55	0.22	0.27	0.27	39.90	10.3	23	0.60
CC27503		0.06	0.28	1.28	6.5	<0.2	<10	980	0.64	0.21	0.43	0.20	31.30	15.2	20	0.60
CC27504		0.14	0.14	1.50	6.0	<0.2	<10	770	0.59	0.22	0.21	0.16	40.70	8.5	24	0.61
CC27505		0.14	0.19	1.52	7.2	<0.2	<10	970	0.66	0.23	0.38	0.44	40.90	10.8	24	0.59
CC27506		0.20	0.22	1.55	6.8	<0.2	<10	1030	0.69	0.26	0.36	0.36	42.10	10.7	25	0.65
CC27507		0.16	0.20	1.54	8.5	<0.2	<10	1010	0.70	0.24	0.23	0.37	43.90	11.3	24	0.63
CC29888		0.14	0.28	1.55	10.1	<0.2	<10	690	0.58	0.24	0.18	0.41	29.80	8.0	26	0.84
CC29889		0.20	0.27	1.43	9.0	<0.2	<10	400	0.39	0.21	0.13	0.30	23.60	7.0	24	0.73
CC29890		0.12	0.21	1.38	7.4	<0.2	<10	260	0.32	0.22	0.13	0.21	21.30	4.4	24	0.75
CC29891		0.14	0.44	1.07	39.2	<0.2	<10	530	0.69	0.22	0.15	2.54	20.90	9.5	27	0.60
CC29892		0.14	0.24	1.94	15.2	<0.2	<10	560	0.41	0.23	0.07	0.47	21.30	7.1	31	1.36
CC29893		0.10	0.56	1.56	21.9	<0.2	<10	870	0.81	0.28	0.24	1.00	27.40	6.1	30	1.18
CC29894		0.18	0.18	1.55	11.2	<0.2	<10	390	0.47	0.21	0.16	0.28	27.90	5.6	27	1.12
CC29895		0.12	0.28	1.48	11.1	<0.2	<10	490	0.53	0.23	0.19	0.47	28.90	7.3	26	1.00
CC29896		0.16	0.35	1.46	10.9	<0.2	<10	560	0.50	0.21	0.22	0.26	28.30	8.1	26	0.95
CC29897		0.10	0.28	1.41	10.9	<0.2	<10	420	0.35	0.21	0.22	0.24	21.30	6.2	24	0.86
CC29898		0.08	0.31	1.22	9.5	<0.2	<10	490	0.34	0.19	0.23	0.25	21.80	7.4	21	0.97

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC27742		48.0	4.29	4.06	0.07	0.07	0.12	0.047	0.07	13.7	7.0	0.13	291	2.67	0.01	0.43
CC27743		71.7	3.15	3.53	0.11	0.12	0.37	0.056	0.31	18.0	2.5	0.08	131	6.06	0.24	0.09
CC27744		92.5	1.51	2.87	0.10	0.11	0.25	0.023	0.08	26.6	4.6	0.07	118	71.90	0.31	0.21
CC27745		103.5	1.75	3.98	0.12	0.12	0.63	0.031	0.10	29.7	7.6	0.10	90	92.60	0.10	0.33
CC27746		82.4	1.92	3.21	0.12	0.13	0.42	0.025	0.09	30.0	5.9	0.13	155	90.70	0.08	0.27
CC27747		135.0	1.66	3.70	0.11	0.09	0.49	0.041	0.10	16.3	4.9	0.17	153	11.15	0.07	0.16
CC27748		131.5	2.53	3.73	0.16	0.09	0.84	0.039	0.12	14.1	5.5	0.11	286	34.10	0.08	0.16
CC27749		173.0	2.46	6.25	0.18	0.13	1.29	0.046	0.13	16.1	8.2	0.30	924	95.50	0.04	0.26
CC27751		59.2	3.19	7.36	0.11	0.02	0.09	0.038	0.09	11.2	12.7	0.19	171	32.40	0.01	0.77
CC27752		38.7	2.72	8.02	0.08	<0.02	0.07	0.030	0.07	14.0	6.1	0.11	93	35.80	0.01	0.87
CC27753		53.4	0.84	4.53	0.05	0.02	0.50	0.022	0.05	8.5	2.2	0.05	18	11.45	0.02	0.27
CC27754		62.5	0.61	3.86	0.07	0.04	0.43	0.028	0.07	13.3	5.5	0.13	24	11.10	0.02	0.26
CC27755		45.8	1.27	3.33	0.08	0.08	0.14	0.032	0.07	13.9	7.4	0.22	49	16.95	0.01	0.49
CC27756		38.0	1.23	1.83	0.08	0.04	0.26	0.023	0.06	3.7	1.6	0.16	21	26.30	0.03	0.26
CC27757		52.4	1.12	3.42	0.06	0.02	0.06	0.047	0.06	3.2	0.7	0.02	19	30.10	0.01	0.16
CC27758		20.0	2.53	7.63	0.05	<0.02	0.03	0.025	0.04	8.8	4.0	0.11	96	57.40	<0.01	0.75
CC27759		16.1	3.63	10.70	0.06	0.02	0.03	0.027	0.05	10.4	4.6	0.12	205	29.40	<0.01	1.58
CC20495		36.2	2.53	3.27	0.08	0.11	0.14	0.027	0.10	8.0	7.2	0.25	141	26.30	0.01	0.43
CC20496		33.7	1.86	2.78	0.07	0.11	0.15	0.026	0.08	8.6	6.1	0.28	174	16.45	0.01	0.39
CC20497		39.7	2.73	2.99	0.10	0.15	0.14	0.026	0.09	8.6	7.1	0.28	134	21.00	0.01	0.44
CC20463		46.3	2.05	5.10	0.07	0.03	0.19	0.027	0.08	12.7	11.0	0.19	135	23.80	0.04	0.65
CC20464		137.5	2.58	5.02	0.13	0.07	0.72	0.041	0.14	12.2	9.3	0.15	152	44.30	0.09	0.27
CC27501		42.6	2.16	3.64	0.08	0.09	0.24	0.029	0.09	16.3	12.1	0.37	588	8.13	0.04	0.45
CC27502		23.6	2.60	4.80	0.07	0.06	0.05	0.030	0.08	21.2	16.1	0.48	264	1.13	0.01	0.46
CC27503		30.2	2.39	4.36	0.07	0.06	0.08	0.032	0.08	16.3	11.8	0.34	477	2.84	0.02	0.36
CC27504		24.6	2.32	4.98	0.07	0.05	0.06	0.032	0.08	21.4	15.7	0.47	162	0.87	0.01	0.42
CC27505		28.5	2.99	4.98	0.08	0.07	0.05	0.035	0.09	21.2	15.4	0.46	233	1.25	0.02	0.46
CC27506		32.6	2.92	5.02	0.09	0.08	0.05	0.039	0.09	22.2	15.8	0.48	287	1.32	0.02	0.46
CC27507		29.7	3.41	5.22	0.08	0.06	0.05	0.036	0.09	22.6	15.4	0.45	208	1.78	0.02	0.44
CC29888		25.2	2.42	5.00	0.07	0.06	0.13	0.036	0.07	15.4	13.7	0.34	159	7.72	0.01	0.73
CC29889		18.5	2.04	5.12	0.06	0.04	0.12	0.029	0.06	12.7	13.8	0.30	164	9.26	0.01	0.70
CC29890		16.5	1.78	5.09	0.05	0.04	0.09	0.024	0.06	11.5	13.0	0.29	91	8.82	0.01	0.74
CC29891		48.1	2.84	3.81	0.10	0.08	0.17	0.036	0.11	12.6	9.9	0.27	157	43.80	0.01	0.60
CC29892		23.0	3.18	6.27	0.05	0.07	0.01	0.038	0.06	11.9	21.4	0.33	198	7.71	<0.01	0.79
CC29893		45.2	2.39	5.66	0.07	0.04	0.27	0.043	0.10	14.9	11.7	0.29	123	19.60	<0.01	0.57
CC29894		17.4	1.99	5.14	0.05	0.04	0.15	0.033	0.07	14.7	15.1	0.35	87	10.05	<0.01	0.65
CC29895		20.0	2.13	5.07	0.05	0.04	0.08	0.030	0.07	15.4	13.8	0.32	170	8.58	<0.01	0.66
CC29896		20.0	2.15	4.99	0.06	0.04	0.07	0.031	0.07	15.2	13.6	0.33	217	11.75	<0.01	0.58
CC29897		17.3	2.03	5.02	0.05	0.03	0.07	0.027	0.05	11.6	11.3	0.28	167	10.40	<0.01	0.58
CC29898		16.0	1.91	4.35	0.05	0.02	0.09	0.023	0.06	11.5	10.3	0.25	230	10.75	<0.01	0.50

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC27742		47.5	360	14.6	12.9	0.001	0.02	1.27	5.3	1.7	0.9	13.0	<0.01	0.07	5.3	0.008
CC27743		98.1	1820	9.7	15.4	0.002	0.03	7.40	8.1	3.4	1.6	161.0	0.01	0.07	6.4	<0.005
CC27744		237.0	600	11.1	8.3	0.002	0.05	12.30	3.2	5.5	0.6	212.0	0.01	0.14	1.1	0.006
CC27745		255.0	650	14.7	12.3	0.002	0.07	17.10	3.9	8.4	0.8	108.5	0.01	0.15	1.6	0.008
CC27746		268.0	650	14.1	9.3	0.001	0.08	12.55	4.5	7.5	0.8	116.0	0.01	0.14	1.7	0.007
CC27747		215.0	5110	7.6	9.5	0.002	0.08	19.35	5.4	10.3	0.9	413.0	0.01	0.18	1.9	0.006
CC27748		259.0	2530	15.9	11.7	0.009	0.07	40.10	3.9	23.4	1.1	129.5	0.01	0.25	1.3	0.006
CC27749		351.0	870	30.3	19.9	0.011	0.06	57.50	5.8	28.4	0.9	90.5	0.01	0.30	1.6	0.006
CC27751		86.8	600	16.6	17.4	0.002	0.09	19.10	2.5	15.7	0.9	19.8	<0.01	0.21	1.2	0.014
CC27752		69.1	450	16.0	15.8	0.002	0.03	12.55	2.1	7.7	1.0	10.2	<0.01	0.16	1.3	0.018
CC27753		26.7	940	13.5	6.9	0.002	0.06	4.86	0.4	5.9	0.7	13.2	<0.01	0.06	<0.2	<0.005
CC27754		47.6	660	11.2	11.4	0.012	0.04	7.27	2.8	5.5	0.8	54.4	<0.01	0.12	1.2	0.007
CC27755		37.4	490	12.1	8.3	0.013	0.04	6.19	3.9	9.1	0.7	47.0	<0.01	0.12	4.2	0.013
CC27756		36.4	1290	9.9	7.3	0.053	0.23	4.80	1.2	9.3	0.6	168.0	<0.01	0.17	0.2	0.005
CC27757		18.8	570	8.7	6.4	0.017	0.14	3.66	1.1	5.9	0.6	63.6	<0.01	0.12	0.3	<0.005
CC27758		17.7	330	10.2	10.8	0.001	0.04	5.43	1.5	3.4	0.7	40.5	<0.01	0.16	1.8	0.018
CC27759		21.4	290	14.5	10.4	<0.001	0.02	3.49	2.0	2.4	1.1	10.9	<0.01	0.14	1.9	0.041
CC20495		100.5	580	11.7	11.1	0.017	0.11	3.20	3.9	9.0	0.4	63.1	<0.01	0.08	2.5	<0.005
CC20496		73.1	590	10.1	9.6	0.015	0.11	2.49	3.4	7.4	0.4	62.2	<0.01	0.06	2.1	0.005
CC20497		122.0	620	10.3	10.0	0.018	0.14	2.84	3.8	10.2	0.4	61.8	0.01	0.07	2.4	0.005
CC20463		81.0	1620	10.8	13.4	0.001	0.05	9.82	2.8	4.6	0.8	72.8	<0.01	0.12	1.9	0.016
CC20464		302.0	3110	14.1	16.3	0.004	0.08	31.60	3.1	15.8	0.9	227.0	0.01	0.27	0.7	0.011
CC27501		100.5	980	11.0	12.5	0.010	0.09	3.03	3.5	5.9	0.4	93.0	<0.01	0.06	3.0	0.008
CC27502		25.2	600	11.8	11.4	0.001	0.02	0.58	3.9	1.1	0.4	22.0	<0.01	0.05	5.6	0.008
CC27503		25.5	900	11.4	11.8	0.001	0.06	0.67	3.6	1.5	0.4	30.4	<0.01	0.05	2.6	0.005
CC27504		24.6	500	12.9	12.6	0.001	0.02	0.56	4.0	1.0	0.4	18.1	<0.01	0.04	5.6	0.007
CC27505		31.2	600	13.6	13.2	0.001	0.02	0.62	4.4	1.2	0.4	27.6	<0.01	0.05	5.8	0.007
CC27506		34.9	600	12.9	13.6	0.001	0.02	0.66	4.9	1.3	0.4	27.6	<0.01	0.05	5.7	0.008
CC27507		28.7	560	13.8	13.7	<0.001	0.02	0.70	4.6	1.3	0.4	21.3	<0.01	0.05	5.8	0.006
CC29888		22.7	480	14.1	12.0	0.002	0.02	1.60	4.2	3.2	0.5	20.5	<0.01	0.07	4.3	0.012
CC29889		17.7	420	12.3	12.2	0.001	0.02	1.55	3.0	2.9	0.6	17.8	<0.01	0.06	3.3	0.010
CC29890		14.7	360	12.0	11.8	0.002	0.02	2.42	2.8	2.8	0.6	18.6	<0.01	0.06	3.0	0.011
CC29891		144.0	660	13.8	8.9	0.003	0.15	10.35	4.2	11.5	0.6	44.6	<0.01	0.19	3.7	0.015
CC29892		25.4	290	12.5	12.5	<0.001	0.04	2.53	3.0	1.8	0.7	17.2	0.01	0.07	3.9	0.018
CC29893		46.0	650	13.9	12.8	0.006	0.07	7.32	4.6	4.0	0.7	33.0	0.01	0.12	1.5	0.012
CC29894		22.2	330	12.8	12.9	0.002	0.02	3.82	4.1	2.7	0.6	18.6	<0.01	0.07	4.2	0.015
CC29895		25.6	430	13.3	11.9	0.003	0.04	3.42	3.9	2.5	0.6	21.2	<0.01	0.07	3.7	0.014
CC29896		22.1	490	12.4	11.9	0.003	0.03	3.86	3.9	2.5	0.6	22.1	<0.01	0.07	3.5	0.014
CC29897		18.0	450	12.0	9.9	0.003	0.03	2.70	3.1	2.8	0.5	20.4	<0.01	0.07	2.7	0.010
CC29898		16.5	510	11.9	13.4	0.003	0.04	1.87	2.5	2.7	0.5	20.6	<0.01	0.07	1.8	0.011

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC27742		0.30	0.88	53	0.10	10.75	134	2.1
CC27743		0.56	2.89	49	0.12	25.60	358	3.9
CC27744		1.44	10.20	555	0.47	46.30	946	3.1
CC27745		2.00	21.80	720	0.51	43.10	951	3.6
CC27746		2.12	19.80	560	0.47	46.10	661	4.0
CC27747		0.61	5.43	246	0.19	28.30	1200	2.8
CC27748		1.44	7.03	601	0.30	35.90	1980	1.8
CC27749		3.33	13.45	2090	0.59	58.00	3350	2.7
CC27751		1.34	3.48	639	0.27	11.35	346	<0.5
CC27752		0.70	2.48	780	0.28	7.59	290	<0.5
CC27753		0.96	5.61	389	0.13	13.00	144	<0.5
CC27754		3.06	7.14	543	0.17	19.95	390	0.7
CC27755		1.69	7.04	172	0.23	13.25	156	3.0
CC27756		1.88	6.82	93	0.19	9.51	95	1.3
CC27757		2.22	8.55	143	0.21	6.55	84	<0.5
CC27758		1.63	1.73	240	0.34	3.44	100	<0.5
CC27759		0.66	0.73	239	0.27	2.48	82	0.6
CC20495		1.74	4.78	152	0.18	24.00	284	3.1
CC20496		1.25	4.79	128	0.12	23.20	219	2.7
CC20497		1.52	5.83	137	0.13	33.10	374	3.6
CC20463		1.20	4.06	476	0.28	12.85	539	0.5
CC20464		2.15	9.38	711	0.40	35.30	1520	1.1
CC27501		0.78	5.26	161	0.20	19.45	1020	2.0
CC27502		0.14	0.88	41	0.08	11.25	88	1.7
CC27503		0.14	1.18	40	0.11	13.15	65	1.2
CC27504		0.13	0.90	42	0.07	11.05	84	1.3
CC27505		0.13	1.00	44	0.08	13.05	92	1.8
CC27506		0.14	1.02	43	0.09	16.20	95	2.0
CC27507		0.14	1.09	44	0.08	14.30	90	1.6
CC29888		0.69	2.16	91	0.13	10.95	87	1.4
CC29889		0.79	1.37	94	0.10	5.91	74	0.9
CC29890		0.66	1.35	117	0.12	4.45	71	1.1
CC29891		2.40	4.60	308	0.19	17.65	299	2.5
CC29892		0.39	0.56	114	0.15	2.98	100	2.5
CC29893		1.06	4.32	246	0.26	15.40	127	0.5
CC29894		0.80	1.28	127	0.15	6.89	95	1.4
CC29895		0.60	1.59	121	0.22	8.71	83	1.0
CC29896		0.59	1.81	130	0.31	8.13	78	1.0
CC29897		0.53	1.40	124	0.16	5.15	64	0.9
CC29898		0.46	1.27	95	0.17	4.98	63	<0.5

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC29899		0.14	0.29	1.10	7.0	<0.2	<10	480	0.28	0.18	0.20	0.23	20.40	4.0	19	0.90
CC29900		0.14	0.27	1.18	9.2	<0.2	<10	440	0.39	0.18	0.14	0.21	25.20	5.0	21	0.76
CC39501		0.14	0.22	1.22	9.9	<0.2	<10	450	0.36	0.18	0.13	0.24	25.40	5.5	20	0.80
CC39502		0.12	0.25	1.32	8.6	<0.2	<10	670	0.53	0.20	0.21	0.39	27.90	5.8	23	0.82
CC39503		0.10	0.21	1.46	10.8	<0.2	<10	550	0.60	0.20	0.17	0.50	27.60	7.4	25	0.92
CC39504		0.12	0.21	1.29	7.5	<0.2	<10	650	0.47	0.18	0.19	0.72	29.30	8.3	22	0.77
CC39505		0.10	0.14	1.16	13.8	<0.2	<10	450	0.34	0.21	0.13	0.46	21.10	6.8	21	0.79
CC39506		0.12	0.57	1.07	25.7	<0.2	<10	660	0.44	0.20	0.08	1.26	16.20	4.8	21	0.84
CC39507		0.16	0.57	0.87	24.2	<0.2	<10	2100	0.64	0.19	0.25	2.52	16.50	14.2	20	0.90
CC39508		0.10	0.50	0.93	8.0	<0.2	<10	2060	0.29	0.18	0.13	0.87	17.20	3.3	18	0.76
CC39509		0.06	0.48	1.09	11.9	<0.2	<10	1940	0.56	0.17	0.41	1.49	18.85	8.3	19	0.88
CC39552		0.12	0.40	0.74	5.1	<0.2	<10	2870	0.41	0.15	0.76	0.94	20.90	6.1	13	0.55
CC39620		0.12	0.34	1.48	11.0	<0.2	<10	1390	0.75	0.16	0.96	1.91	36.70	10.5	25	0.67
CC39624		0.24	0.53	1.02	50.3	<0.2	<10	410	0.43	0.22	0.15	2.80	15.30	6.2	26	1.19
CC39625		0.14	0.45	0.98	69.9	<0.2	<10	350	0.30	0.22	0.13	2.73	12.20	3.5	23	1.18
CC39628		0.20	0.50	0.47	32.6	<0.2	10	1030	0.48	0.16	0.43	3.73	15.65	6.5	13	1.38
CC39629		0.12	0.48	0.57	35.7	<0.2	10	850	0.51	0.17	0.66	5.06	13.30	4.5	20	1.27
CC39630		0.20	0.44	0.73	19.0	<0.2	<10	830	0.40	0.15	0.22	2.31	16.70	2.6	18	1.11
CC39631		0.16	1.63	0.48	36.7	<0.2	<10	820	0.41	0.17	0.06	2.16	12.90	5.5	26	1.68
CC39664		0.14	0.08	1.68	10.4	<0.2	<10	1230	0.36	0.21	0.15	0.19	22.80	8.5	27	1.10
CC39665		0.10	0.13	1.75	8.7	<0.2	<10	4280	0.34	0.19	0.31	0.20	20.90	7.7	26	0.90
CC39666		0.10	0.41	1.14	9.1	<0.2	<10	4500	0.63	0.19	0.98	1.76	27.20	10.0	22	0.73
CC39740		0.12	3.76	1.36	106.5	<0.2	<10	180	0.89	0.32	0.18	35.50	16.00	6.1	111	3.14
CC39741		0.14	1.18	1.15	58.5	<0.2	<10	1010	0.65	0.22	0.04	10.25	18.25	3.3	72	2.28
CC39742		0.16	3.41	0.89	53.9	<0.2	<10	2270	0.80	0.20	0.32	36.30	17.05	8.9	60	1.95
CC39710		0.18	0.14	1.18	24.1	<0.2	<10	770	0.72	0.19	0.59	2.47	32.30	7.5	28	0.78
CC39711		0.10	0.15	1.05	16.6	<0.2	<10	800	0.83	0.16	0.32	1.81	34.00	7.4	28	0.56
CC39712		0.08	0.22	0.57	13.5	<0.2	<10	780	0.70	0.11	2.52	2.47	62.20	7.1	36	0.35
CC39713		0.10	1.15	1.19	8.1	<0.2	<10	5020	0.62	0.18	0.92	0.96	24.10	9.9	22	0.60
CC39714		0.08	0.70	1.28	6.2	<0.2	<10	3910	0.46	0.14	0.65	0.40	19.35	6.4	20	1.14
CC39715		0.08	0.69	1.33	7.1	<0.2	<10	5200	0.49	0.17	0.75	0.83	19.75	8.9	21	1.08
CC39716		0.04	0.71	0.80	3.2	<0.2	<10	4530	0.34	0.12	0.47	1.01	13.80	3.4	14	0.49
CC39717		0.12	0.73	1.49	11.0	<0.2	<10	830	0.31	0.20	0.05	0.37	19.25	7.4	22	1.02
CC39718		0.08	0.41	1.54	6.7	<0.2	<10	2480	0.51	0.18	0.12	0.52	27.30	7.5	24	0.88
CC39719		0.08	0.58	1.81	7.9	<0.2	<10	3180	0.44	0.20	0.20	0.60	22.90	8.4	29	1.15
CC39720		0.04	0.28	1.07	6.8	<0.2	<10	3340	0.48	0.16	0.62	0.49	19.25	7.2	19	0.59
CC39721		0.08	0.45	0.42	26.3	<0.2	<10	760	0.94	0.12	2.69	4.79	45.30	6.9	40	0.51
CC39722		0.06	0.35	0.60	27.5	<0.2	<10	730	0.92	0.15	2.01	5.09	54.40	8.7	33	0.50
CC39723		0.08	0.75	0.84	35.6	<0.2	<10	970	1.20	0.19	1.34	7.55	42.00	8.6	47	0.72
CC39799		0.08	0.40	0.65	27.1	<0.2	<10	350	0.17	0.16	0.09	0.63	19.10	2.2	15	0.94

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC29899		12.9	1.44	4.15	<0.05	0.02	0.15	0.020	0.06	11.0	8.7	0.21	104	6.00	<0.01	0.45
CC29900		15.2	1.73	4.12	0.05	0.03	0.08	0.025	0.05	13.5	10.8	0.25	116	8.51	<0.01	0.50
CC39501		15.3	1.83	4.10	<0.05	0.02	0.08	0.025	0.05	13.4	10.7	0.24	123	6.84	<0.01	0.48
CC39502		20.8	1.68	4.31	0.05	0.03	0.08	0.028	0.06	15.0	10.7	0.25	89	5.06	<0.01	0.52
CC39503		20.5	2.20	4.94	0.06	0.03	0.08	0.031	0.06	14.7	11.5	0.26	185	7.90	<0.01	0.56
CC39504		19.7	1.70	4.25	0.05	0.03	0.09	0.025	0.06	15.7	11.4	0.27	164	4.98	<0.01	0.50
CC39505		14.8	2.07	4.45	<0.05	0.02	0.05	0.021	0.06	11.3	9.1	0.22	271	12.50	<0.01	0.53
CC39506		31.0	2.00	3.33	0.05	0.04	0.21	0.029	0.05	9.2	5.6	0.11	61	19.90	<0.01	0.36
CC39507		44.6	2.50	2.69	0.07	0.04	0.20	0.033	0.08	9.8	4.0	0.09	183	26.80	<0.01	0.19
CC39508		24.7	1.13	2.83	<0.05	0.05	0.20	0.020	0.06	10.0	5.3	0.12	28	4.90	<0.01	0.32
CC39509		33.4	1.61	3.19	0.05	0.05	0.19	0.026	0.05	10.5	6.6	0.15	85	7.00	<0.01	0.34
CC39552		27.0	1.47	2.18	0.05	0.08	0.11	0.022	0.08	11.1	5.2	0.25	160	2.01	<0.01	0.27
CC39620		28.4	2.36	4.81	0.07	0.12	0.08	0.035	0.11	19.5	14.2	0.62	362	3.93	<0.01	0.36
CC39624		128.0	3.04	4.31	0.12	0.03	0.18	0.052	0.21	8.0	5.4	0.13	180	79.40	<0.01	0.37
CC39625		86.8	2.92	4.24	0.10	0.03	0.14	0.043	0.22	6.4	3.8	0.10	92	82.90	<0.01	0.36
CC39628		70.4	2.13	2.06	0.08	0.05	0.28	0.029	0.10	8.6	1.1	0.08	130	66.00	<0.01	0.09
CC39629		63.8	2.04	2.62	0.08	0.05	0.29	0.033	0.11	7.1	1.4	0.09	126	48.00	<0.01	0.12
CC39630		30.1	1.14	2.88	0.05	0.02	0.18	0.022	0.07	10.3	3.0	0.08	70	26.50	<0.01	0.20
CC39631		42.8	1.61	2.32	0.08	0.03	0.13	0.023	0.07	8.6	1.0	0.03	27	79.10	<0.01	0.13
CC39664		18.5	2.84	5.44	0.05	0.04	0.02	0.031	0.06	12.5	14.6	0.36	180	2.24	<0.01	0.68
CC39665		12.0	2.48	5.62	0.05	0.10	0.02	0.030	0.06	11.5	13.8	0.40	130	1.93	<0.01	0.62
CC39666		25.0	2.32	3.46	0.08	0.12	0.11	0.032	0.07	14.2	7.6	0.37	252	6.19	<0.01	0.46
CC39740		142.0	3.02	7.12	0.20	0.05	0.47	0.084	0.24	10.9	8.1	0.11	88	97.60	<0.01	0.41
CC39741		88.8	1.86	5.19	0.11	0.04	0.16	0.041	0.11	12.6	5.4	0.08	47	56.10	<0.01	0.19
CC39742		113.5	1.75	4.46	0.14	0.05	0.49	0.030	0.13	11.5	4.8	0.12	219	73.40	<0.01	0.38
CC39710		34.8	2.16	4.88	0.06	0.05	0.06	0.028	0.04	16.4	7.0	0.17	75	45.10	<0.01	0.43
CC39711		32.3	1.87	4.32	0.06	0.06	0.09	0.029	0.04	20.1	6.2	0.15	78	31.60	<0.01	0.35
CC39712		25.2	1.20	2.25	0.09	0.16	0.24	0.022	0.03	33.5	3.6	0.18	265	31.40	<0.01	0.21
CC39713		33.7	2.78	3.29	0.08	0.10	0.19	0.032	0.09	12.5	5.9	0.32	171	2.56	<0.01	0.35
CC39714		18.1	1.70	4.60	<0.05	0.05	0.09	0.026	0.06	10.4	7.7	0.28	106	2.71	<0.01	0.59
CC39715		25.8	1.86	4.34	0.05	0.07	0.13	0.031	0.07	10.7	8.0	0.30	135	3.36	<0.01	0.52
CC39716		24.6	1.12	3.05	<0.05	0.05	0.09	0.021	0.04	7.5	2.2	0.09	27	2.03	<0.01	0.42
CC39717		23.6	2.67	5.04	0.05	0.02	0.04	0.030	0.07	10.7	13.6	0.25	141	2.81	<0.01	0.73
CC39718		24.5	2.07	4.82	0.06	0.03	0.08	0.029	0.07	14.9	12.4	0.28	132	3.12	<0.01	0.62
CC39719		25.2	2.29	6.12	0.05	0.07	0.08	0.034	0.08	12.2	13.0	0.28	115	3.15	<0.01	0.68
CC39720		20.5	1.83	3.48	0.05	0.10	0.10	0.026	0.08	10.3	6.7	0.26	124	2.80	<0.01	0.49
CC39721		48.8	1.57	2.07	0.10	0.12	0.35	0.024	0.04	35.2	2.8	0.17	103	48.70	<0.01	0.18
CC39722		48.3	1.85	2.67	0.09	0.11	0.25	0.026	0.05	30.6	4.6	0.23	181	50.80	<0.01	0.30
CC39723		74.8	1.92	3.72	0.11	0.13	0.44	0.034	0.06	25.7	6.2	0.17	161	40.20	<0.01	0.40
CC39799		17.2	1.60	4.01	0.05	<0.02	0.08	0.020	0.12	10.7	2.1	0.07	81	30.90	<0.01	0.58

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC29899		12.9	430	9.8	12.1	0.003	0.04	1.17	2.5	2.2	0.5	18.7	<0.01	0.05	2.1	0.011
CC29900		14.6	380	10.8	10.2	0.001	0.03	1.59	2.9	2.2	0.5	16.3	<0.01	0.06	3.2	0.011
CC39501		15.2	400	12.0	11.0	0.001	0.03	1.35	2.9	1.8	0.5	15.5	<0.01	0.06	2.8	0.011
CC39502		29.6	390	12.7	11.1	0.002	0.03	1.28	3.7	2.1	0.5	19.9	<0.01	0.06	3.3	0.010
CC39503		28.1	470	13.3	10.7	0.001	0.03	1.39	3.8	2.0	0.5	18.1	<0.01	0.06	3.3	0.010
CC39504		26.5	430	11.0	10.2	0.001	0.02	1.16	3.4	1.4	0.5	19.0	<0.01	0.04	3.2	0.013
CC39505		23.9	480	13.5	11.9	<0.001	0.03	1.80	2.2	1.4	0.5	15.5	<0.01	0.06	2.0	0.012
CC39506		45.3	670	12.5	9.0	0.001	0.08	3.80	2.4	4.3	0.5	23.5	<0.01	0.12	1.2	0.006
CC39507		90.1	890	15.3	11.2	0.004	0.12	5.41	3.1	5.0	0.4	54.9	<0.01	0.11	1.4	<0.005
CC39508		44.8	490	12.4	10.1	0.004	0.09	1.57	2.4	2.8	0.4	34.9	<0.01	0.06	1.8	0.006
CC39509		69.5	540	12.0	10.9	0.006	0.08	1.90	3.0	3.2	0.4	46.2	0.01	0.07	1.7	0.006
CC39552		33.5	590	8.9	8.5	0.004	0.11	0.99	3.3	2.3	0.3	64.1	<0.01	0.04	2.8	0.008
CC39620		49.6	870	10.5	11.9	0.001	0.05	1.40	4.8	1.3	0.5	54.4	0.01	0.05	2.9	0.011
CC39624		71.8	700	13.9	15.0	0.006	0.57	10.10	3.4	14.0	0.7	77.2	<0.01	0.24	2.0	0.015
CC39625		64.2	700	14.2	16.4	0.007	0.56	10.15	2.6	15.9	0.8	96.9	<0.01	0.31	2.1	0.011
CC39628		47.8	390	10.9	11.4	0.032	0.13	11.25	3.0	12.9	0.6	73.2	<0.01	0.15	2.1	<0.005
CC39629		95.5	410	11.1	11.9	0.024	0.15	11.00	3.4	9.8	0.6	98.5	<0.01	0.18	1.9	<0.005
CC39630		42.3	400	9.8	9.9	0.013	0.10	4.46	2.2	6.0	0.6	58.6	<0.01	0.08	1.4	0.005
CC39631		267.0	580	10.8	9.0	0.009	0.09	16.10	2.2	10.2	0.6	16.7	<0.01	0.20	0.6	0.005
CC39664		25.1	210	12.0	13.4	<0.001	0.02	0.82	3.2	0.8	0.6	17.6	<0.01	0.05	3.6	0.017
CC39665		25.2	210	10.2	8.8	<0.001	0.03	0.68	3.6	0.7	0.6	28.5	<0.01	0.04	3.3	0.014
CC39666		45.3	420	12.4	8.2	0.001	0.10	1.59	5.8	2.0	0.4	80.0	0.01	0.06	3.4	0.011
CC39740		139.5	1700	29.6	23.0	0.008	0.59	28.60	1.5	39.4	1.3	170.5	0.01	0.45	0.2	0.023
CC39741		104.5	920	22.5	19.8	0.005	0.18	19.50	0.8	16.3	0.9	30.0	0.01	0.21	<0.2	0.008
CC39742		187.5	980	17.6	13.4	0.007	0.15	23.10	3.6	17.7	0.6	104.5	0.01	0.19	0.5	0.023
CC39710		132.0	230	12.8	7.4	0.001	0.04	2.96	3.4	3.2	0.7	37.7	<0.01	0.10	2.7	0.009
CC39711		105.0	290	10.8	5.6	0.001	0.04	1.80	3.8	2.5	0.7	23.7	<0.01	0.07	2.6	0.008
CC39712		112.0	370	9.7	3.7	0.003	0.12	1.58	5.4	4.2	0.4	133.5	0.01	0.06	2.5	0.006
CC39713		48.2	590	12.9	8.7	0.001	0.09	1.32	5.3	3.2	0.4	104.0	0.01	0.06	2.7	0.007
CC39714		24.7	510	8.8	11.0	0.001	0.05	0.79	3.6	1.3	0.5	70.3	<0.01	0.04	2.1	0.010
CC39715		36.1	690	9.2	9.0	0.001	0.07	1.19	4.3	2.3	0.5	86.1	<0.01	0.06	2.1	0.009
CC39716		22.9	420	7.8	4.7	<0.001	0.07	0.51	3.4	1.8	0.4	63.5	<0.01	0.04	2.7	0.006
CC39717		27.2	430	9.7	11.9	<0.001	0.03	1.14	2.8	1.4	0.5	10.1	<0.01	0.05	2.8	0.017
CC39718		27.3	490	9.4	12.3	<0.001	0.02	0.90	3.7	1.1	0.5	20.3	<0.01	0.03	3.1	0.015
CC39719		36.1	370	10.3	12.5	<0.001	0.04	1.11	4.2	1.3	0.7	26.4	<0.01	0.05	3.6	0.011
CC39720		23.2	460	10.6	10.7	<0.001	0.05	1.01	3.9	1.7	0.4	65.4	<0.01	0.05	3.3	0.008
CC39721		194.0	630	10.0	5.4	0.003	0.14	3.66	4.7	6.4	0.5	136.5	0.01	0.08	1.3	<0.005
CC39722		196.5	380	12.0	6.1	0.001	0.08	3.91	5.4	5.3	0.6	91.6	0.01	0.10	2.5	0.007
CC39723		236.0	390	12.7	8.8	0.003	0.08	7.87	5.4	7.1	0.8	80.5	0.01	0.13	2.9	0.008
CC39799		26.0	630	7.4	16.5	0.001	0.11	5.50	1.6	3.7	0.6	27.3	<0.01	0.10	1.1	0.015

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC29899		0.48	1.16	69	0.11	4.41	51	<0.5
CC29900		0.48	1.24	85	0.14	5.60	60	0.8
CC39501		0.41	1.37	84	0.22	5.91	61	<0.5
CC39502		0.41	1.98	90	0.15	9.58	87	0.7
CC39503		0.39	2.27	111	0.16	9.31	96	0.8
CC39504		0.34	1.74	81	0.17	9.48	100	0.5
CC39505		0.42	0.95	131	0.24	4.88	99	<0.5
CC39506		1.40	3.85	172	0.14	13.40	120	0.8
CC39507		1.29	3.76	190	0.16	17.65	289	0.6
CC39508		0.98	2.98	75	0.10	9.14	80	1.2
CC39509		1.05	4.61	109	0.13	16.60	137	1.1
CC39552		0.14	2.18	49	0.08	13.10	113	2.1
CC39620		0.18	0.82	89	0.12	18.55	270	2.4
CC39624		5.91	8.28	319	0.38	11.00	144	0.9
CC39625		6.62	5.55	337	0.33	6.80	135	1.0
CC39628		2.16	7.93	189	0.23	10.65	161	1.6
CC39629		2.70	8.55	226	0.27	11.40	265	1.7
CC39630		1.86	3.30	235	0.20	8.51	104	0.6
CC39631		3.08	4.87	409	0.53	17.25	418	0.5
CC39664		0.16	0.59	68	0.14	4.16	86	1.4
CC39665		0.14	0.63	71	0.12	4.81	86	2.8
CC39666		0.19	3.03	83	0.41	19.65	127	2.8
CC39740		5.90	18.80	1850	0.65	31.30	1225	0.5
CC39741		2.50	11.35	1375	0.35	20.70	638	0.5
CC39742		3.80	13.20	1465	0.45	27.90	1650	0.7
CC39710		1.14	9.45	288	0.24	13.90	207	2.0
CC39711		0.93	6.78	248	0.23	18.80	159	1.7
CC39712		0.86	17.25	149	0.20	39.40	113	7.1
CC39713		0.12	3.10	68	0.12	22.60	128	1.9
CC39714		0.13	1.30	62	0.21	10.55	64	1.3
CC39715		0.15	1.69	67	0.10	12.60	99	1.7
CC39716		0.07	1.37	43	0.07	6.83	41	1.5
CC39717		0.14	0.85	62	0.12	3.58	112	0.5
CC39718		0.15	1.59	62	0.17	9.33	96	0.6
CC39719		0.19	1.36	86	0.10	7.12	125	2.2
CC39720		0.09	1.37	61	0.09	10.00	76	2.9
CC39721		1.45	10.60	247	0.25	39.50	229	5.6
CC39722		1.23	6.30	274	0.26	35.70	261	4.8
CC39723		1.39	10.20	462	0.28	40.20	546	6.3
CC39799		1.31	1.23	240	0.19	3.63	95	<0.5

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NiMo

Finalized Date: 3-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC39800		0.08	2.27	0.85	18.7	<0.2	<10	700	0.30	0.15	0.09	1.18	12.45	2.5	19	1.56
CC27651		0.14	0.49	1.00	12.2	<0.2	<10	3320	0.70	0.24	0.23	0.36	41.70	7.4	22	0.82
CC27652		0.10	0.51	0.85	7.1	<0.2	<10	2990	0.49	0.21	0.28	0.39	30.20	3.9	20	0.77
CC27653		0.18	3.48	1.29	49.8	<0.2	<10	>10000	0.79	0.25	0.65	22.20	53.20	7.9	69	1.61
CC27654		0.18	0.98	0.94	43.4	<0.2	<10	3450	0.87	0.22	0.19	8.03	33.50	7.0	51	1.20
CC27655		0.30	1.35	0.90	40.0	<0.2	<10	4080	0.98	0.21	0.63	8.04	41.10	5.4	49	1.13
CC27656		0.18	1.14	0.78	35.0	<0.2	<10	2410	0.72	0.20	0.71	2.04	24.40	3.2	86	0.73
CC27657		0.24	2.02	1.00	41.6	<0.2	10	6340	0.83	0.20	0.35	9.76	25.50	5.1	58	1.57
CC27658		0.12	3.73	1.26	26.9	<0.2	<10	1200	0.43	0.20	0.07	1.41	19.75	4.0	45	1.16
CC27659		0.18	5.46	1.43	57.7	<0.2	10	>10000	0.63	0.24	0.43	14.30	25.90	8.6	75	1.55
CC27660		0.20	7.09	1.43	32.9	<0.2	<10	>10000	0.54	0.23	0.45	12.80	18.40	5.0	63	1.93
CC27661		0.16	1.70	1.16	8.8	<0.2	<10	5140	0.58	0.19	0.30	5.89	34.10	5.9	44	1.06
CC27662		0.24	0.72	1.35	6.6	<0.2	<10	2940	0.64	0.23	0.74	2.42	44.90	6.5	23	1.23
CC27663		0.08	0.60	1.30	7.0	<0.2	<10	2470	0.58	0.25	0.76	3.96	42.00	10.1	22	1.05
CC27664		0.30	0.55	0.80	31.6	<0.2	<10	1530	0.51	0.21	0.27	1.18	27.30	1.7	18	1.43
CC27665		0.32	0.49	0.41	30.2	<0.2	<10	1100	0.51	0.16	0.19	2.63	22.90	2.2	16	1.20
CC27666		0.20	0.35	0.24	29.6	<0.2	<10	590	0.19	0.13	0.09	1.60	14.00	0.8	14	1.40
CC27667		0.10	0.35	0.37	13.0	<0.2	<10	860	0.25	0.14	0.35	1.85	9.96	1.1	8	1.03
CC27668		0.16	0.18	0.38	16.1	<0.2	<10	320	0.27	0.14	0.01	0.18	6.38	0.4	6	1.05
CC27669		0.16	0.29	0.37	14.5	<0.2	<10	610	0.19	0.16	0.01	0.17	7.73	1.0	7	0.97
CC27670		0.16	0.24	0.47	21.2	<0.2	<10	510	0.21	0.17	0.01	0.18	7.23	0.6	9	1.26
CC27671		0.14	0.17	0.20	1.5	<0.2	<10	320	0.17	0.06	0.02	0.09	7.08	0.2	3	0.83
CC27672		0.20	0.58	1.41	45.7	<0.2	<10	660	0.39	0.23	0.03	1.47	15.50	6.5	29	1.52
CC27673		0.18	0.18	0.72	17.3	<0.2	<10	190	0.18	0.18	0.01	0.14	19.05	2.1	13	1.48
CC27674		0.18	0.20	0.81	22.0	<0.2	<10	200	0.14	0.30	0.02	0.08	19.15	2.9	15	1.99
CC27558		0.12	14.05	2.16	113.5	<0.2	10	1980	1.14	0.41	0.56	61.30	22.60	8.0	130	3.57
CC27559		0.16	2.22	1.19	53.8	<0.2	<10	1180	0.80	0.20	0.14	20.20	28.60	12.0	62	1.82
CC27560		0.08	1.18	0.68	19.0	<0.2	<10	670	0.35	0.18	0.03	5.87	20.10	1.7	32	1.16
CC27561		0.18	2.30	0.88	61.6	<0.2	<10	2820	1.04	0.19	0.11	17.30	25.90	4.8	53	1.85
CC27562		0.18	1.48	1.95	60.4	<0.2	<10	1970	0.77	0.29	0.12	19.10	26.40	18.9	55	2.04
CC27563		0.18	4.17	1.47	89.7	<0.2	<10	2410	0.77	0.25	0.06	25.00	19.30	10.8	99	2.27
CC27564		0.10	4.39	1.08	102.5	<0.2	<10	2580	0.93	0.28	0.04	8.16	21.90	3.8	104	2.14
CC27565		0.12	0.89	1.12	10.6	<0.2	<10	1900	0.64	0.22	1.28	1.49	34.30	21.4	19	0.86
CC27566		0.14	0.71	0.98	10.4	<0.2	<10	2860	0.54	0.22	0.31	0.87	35.40	13.8	20	0.79
CC27567		0.20	0.77	1.04	10.6	<0.2	<10	3210	0.60	0.24	0.29	0.98	36.90	8.7	23	0.92
CC27568		0.26	0.82	1.01	10.8	<0.2	<10	3400	0.66	0.24	0.34	1.20	36.90	12.2	22	0.90
CC27569		0.16	0.44	0.62	16.4	<0.2	<10	1020	0.50	0.18	0.11	0.65	25.10	2.0	13	1.11
CC27570		0.12	1.13	1.19	16.4	<0.2	<10	670	0.44	0.20	0.13	3.27	22.40	2.8	29	2.04
CC27571		0.14	0.11	0.60	5.1	<0.2	<10	360	0.20	0.22	0.10	0.50	18.50	1.5	12	0.79

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC39800		29.2	1.37	4.88	0.05	0.02	0.16	0.026	0.09	7.1	1.8	0.08	32	37.20	<0.01	0.45
CC27651		46.6	2.82	3.15	0.08	0.05	0.24	0.046	0.11	23.0	5.8	0.11	121	6.70	<0.01	0.21
CC27652		26.4	2.96	2.68	0.07	0.04	0.19	0.033	0.08	17.1	4.2	0.10	108	4.82	<0.01	0.22
CC27653		95.4	2.14	4.66	0.11	0.11	0.68	0.038	0.13	29.3	10.0	0.19	227	87.50	<0.01	0.42
CC27654		68.7	2.04	4.57	0.09	0.05	0.22	0.027	0.08	21.6	8.7	0.09	63	106.50	<0.01	0.25
CC27655		88.0	1.72	4.74	0.09	0.09	0.31	0.033	0.09	25.1	10.1	0.19	133	61.10	<0.01	0.31
CC27656		62.1	1.67	4.49	0.10	0.05	0.25	0.032	0.05	16.4	6.4	0.09	74	13.85	<0.01	0.21
CC27657		55.9	1.78	5.18	0.08	0.04	0.36	0.026	0.11	16.2	8.9	0.13	123	18.40	<0.01	0.29
CC27658		41.4	1.95	5.45	0.06	0.03	0.45	0.028	0.07	11.6	7.7	0.18	82	16.05	<0.01	0.61
CC27659		141.5	2.28	5.64	0.10	0.07	0.98	0.038	0.11	15.2	8.9	0.26	300	25.60	<0.01	0.78
CC27660		64.3	1.75	6.12	0.07	0.06	0.96	0.034	0.13	10.9	8.9	0.26	108	18.30	<0.01	0.55
CC27661		52.8	1.28	4.45	0.06	0.04	0.31	0.028	0.11	19.9	10.8	0.28	106	10.15	<0.01	0.39
CC27662		46.8	1.79	4.21	0.08	0.08	0.18	0.038	0.12	24.9	13.0	0.33	62	3.24	<0.01	0.34
CC27663		36.3	2.41	3.99	0.09	0.10	0.18	0.040	0.12	22.8	12.6	0.34	325	5.19	<0.01	0.31
CC27664		33.0	2.14	3.25	0.09	0.03	0.18	0.036	0.08	16.3	4.0	0.08	24	53.80	<0.01	0.25
CC27665		68.2	1.62	2.16	0.08	0.07	0.11	0.044	0.11	13.6	1.6	0.03	15	45.30	<0.01	0.11
CC27666		28.5	1.79	1.92	0.06	0.13	0.06	0.037	0.19	7.7	0.9	0.02	6	31.20	<0.01	0.06
CC27667		17.8	0.81	1.83	0.05	0.02	0.14	0.014	0.08	6.0	1.0	0.05	14	26.00	<0.01	0.14
CC27668		23.5	0.68	1.13	0.07	0.04	0.02	0.013	0.07	3.7	0.7	0.01	11	50.80	<0.01	0.11
CC27669		18.2	0.95	1.44	0.07	0.02	0.04	0.023	0.11	4.4	1.6	0.05	25	68.90	<0.01	0.15
CC27670		14.3	1.30	1.88	0.07	0.02	0.03	0.030	0.11	3.7	1.5	0.04	23	89.00	<0.01	0.19
CC27671		9.3	0.20	0.82	<0.05	<0.02	0.02	0.006	0.03	4.0	0.3	0.01	<5	10.90	<0.01	0.05
CC27672		58.3	3.23	5.33	0.10	0.05	0.06	0.071	0.18	7.9	10.5	0.20	139	98.80	<0.01	0.64
CC27673		13.8	1.44	4.57	0.05	<0.02	0.03	0.019	0.05	10.3	2.9	0.05	59	32.40	<0.01	0.53
CC27674		17.1	2.13	8.03	0.06	<0.02	0.03	0.021	0.06	10.3	1.9	0.06	119	70.30	<0.01	1.09
CC27558		189.0	3.01	10.55	0.15	0.10	1.90	0.063	0.22	14.7	10.0	0.29	233	82.40	<0.01	0.46
CC27559		101.5	1.92	5.29	0.10	0.04	0.33	0.029	0.10	17.2	8.7	0.19	366	52.10	<0.01	0.28
CC27560		45.1	1.13	5.22	0.06	<0.02	0.07	0.018	0.04	13.0	1.1	0.03	23	26.50	<0.01	0.28
CC27561		87.4	1.84	4.23	0.14	0.06	0.32	0.024	0.10	17.7	4.6	0.08	119	86.10	<0.01	0.20
CC27562		73.7	3.03	6.69	0.10	0.16	0.38	0.040	0.12	14.1	13.4	0.39	538	37.60	<0.01	0.45
CC27563		128.0	2.23	5.68	0.13	0.09	0.51	0.039	0.11	12.5	9.0	0.15	206	61.30	<0.01	0.23
CC27564		102.5	2.09	5.48	0.14	0.06	0.31	0.036	0.12	14.5	6.5	0.08	32	69.20	<0.01	0.20
CC27565		39.9	5.19	3.51	0.11	0.09	0.19	0.040	0.10	17.4	8.4	0.24	841	6.81	<0.01	0.20
CC27566		30.6	3.33	3.23	0.08	0.05	0.20	0.037	0.08	18.1	6.8	0.16	468	5.72	<0.01	0.20
CC27567		38.2	2.64	3.25	0.08	0.05	0.29	0.039	0.10	19.2	6.6	0.14	121	4.55	<0.01	0.22
CC27568		42.3	3.26	2.97	0.09	0.06	0.26	0.041	0.09	19.2	5.5	0.12	246	6.04	<0.01	0.19
CC27569		20.2	1.03	2.31	0.06	0.03	0.19	0.023	0.07	14.3	3.0	0.08	38	20.90	<0.01	0.15
CC27570		28.9	1.36	4.89	0.05	0.03	0.20	0.028	0.08	13.1	7.4	0.16	57	15.05	<0.01	0.30
CC27571		7.1	0.67	3.44	0.05	<0.02	0.03	0.013	0.07	10.9	3.1	0.09	52	20.20	<0.01	0.50

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC39800		38.6	940	7.9	11.6	0.011	0.14	7.41	1.9	6.1	0.9	24.9	<0.01	0.12	0.7	0.009
CC27651		31.5	790	16.0	12.6	0.002	0.03	2.53	6.2	3.5	0.7	39.5	0.01	0.07	5.9	0.005
CC27652		19.3	880	12.5	11.1	0.002	0.05	1.54	4.0	2.4	0.6	34.0	<0.01	0.06	4.3	<0.005
CC27653		382.0	750	16.5	15.7	0.002	0.06	13.70	5.3	6.8	0.8	143.5	0.01	0.15	1.4	0.014
CC27654		257.0	570	12.7	13.2	<0.001	0.07	15.45	2.6	7.5	0.8	28.6	0.01	0.17	0.8	0.008
CC27655		173.0	490	13.3	12.9	0.002	0.07	16.95	4.9	4.9	0.8	81.2	0.01	0.15	2.7	0.010
CC27656		57.9	3040	8.4	10.1	0.003	0.06	8.65	3.1	4.2	0.8	202.0	<0.01	0.15	2.5	0.006
CC27657		84.7	830	13.0	18.0	0.004	0.09	9.75	3.8	5.6	0.8	59.2	0.01	0.15	1.9	0.009
CC27658		38.7	820	10.9	12.5	0.001	0.08	8.76	2.4	3.7	0.7	20.6	<0.01	0.08	1.3	0.012
CC27659		171.5	1560	15.4	13.7	0.002	0.04	19.85	4.5	8.8	0.7	170.5	0.01	0.17	1.3	0.027
CC27660		112.0	950	10.8	16.5	0.005	0.05	12.65	4.2	6.1	0.9	125.0	<0.01	0.11	1.3	0.013
CC27661		70.3	750	7.6	13.0	0.003	0.08	5.50	4.4	2.5	0.6	94.1	<0.01	0.06	3.6	0.014
CC27662		41.7	710	14.6	17.8	0.012	0.14	1.86	5.8	4.2	0.5	90.7	0.01	0.05	5.1	0.005
CC27663		63.7	750	14.8	15.4	0.009	0.11	1.49	5.6	3.7	0.6	74.3	0.01	0.06	4.5	0.006
CC27664		41.9	330	14.0	12.9	0.014	0.09	8.13	3.4	12.4	1.0	60.9	<0.01	0.13	3.7	<0.005
CC27665		65.8	250	11.3	10.6	0.010	0.20	7.94	5.0	7.9	0.8	66.1	0.01	0.12	4.3	<0.005
CC27666		30.1	230	8.5	11.7	0.025	0.50	5.51	3.7	7.3	0.6	75.5	<0.01	0.05	4.8	<0.005
CC27667		28.4	310	8.8	8.9	0.020	0.12	4.60	1.7	6.1	0.6	60.7	<0.01	0.11	1.2	<0.005
CC27668		11.2	140	8.5	5.6	0.011	0.15	4.16	1.5	6.5	0.6	13.0	<0.01	0.13	1.6	<0.005
CC27669		7.8	200	10.4	7.5	0.007	0.22	6.37	1.7	5.6	0.5	19.0	<0.01	0.13	1.5	0.006
CC27670		6.1	320	11.1	10.6	0.004	0.25	7.12	2.3	6.3	0.7	73.7	<0.01	0.18	1.6	0.005
CC27671		3.1	230	3.3	4.5	0.009	0.05	0.91	0.9	1.0	0.2	6.3	<0.01	0.03	0.5	<0.005
CC27672		36.2	610	13.0	17.4	0.002	0.45	15.30	5.0	14.0	1.0	88.5	<0.01	0.21	3.7	0.020
CC27673		8.4	180	7.9	9.5	0.001	0.03	6.06	1.6	2.2	0.8	10.9	<0.01	0.09	1.5	0.019
CC27674		9.0	230	12.1	12.5	<0.001	0.04	11.60	1.8	2.9	1.1	18.1	<0.01	0.15	1.9	0.033
CC27558		278.0	1590	26.4	29.3	0.011	0.14	57.90	6.4	16.7	1.2	98.1	0.01	0.31	0.8	0.011
CC27559		135.0	980	15.7	16.8	0.002	0.04	29.60	3.6	10.6	0.6	36.5	0.01	0.16	1.1	0.017
CC27560		47.9	460	12.5	5.4	0.002	0.04	12.40	1.7	6.3	0.8	7.4	<0.01	0.14	0.7	0.015
CC27561		167.0	760	16.5	14.7	0.012	0.12	36.90	4.6	17.5	0.6	85.2	0.01	0.23	1.5	0.013
CC27562		145.5	1060	22.5	18.9	0.003	0.07	22.00	5.3	8.8	0.7	25.1	0.01	0.14	1.9	0.020
CC27563		180.5	1010	23.4	18.1	0.004	0.11	40.40	3.3	18.5	0.7	19.9	0.01	0.24	0.7	0.011
CC27564		147.0	730	30.9	19.9	0.004	0.17	40.20	3.5	19.7	0.8	107.5	0.01	0.36	1.0	0.012
CC27565		41.1	940	14.0	14.3	0.003	0.11	1.96	5.2	3.6	0.5	71.3	0.01	0.09	2.8	<0.005
CC27566		30.2	990	13.8	12.4	0.003	0.05	2.05	4.8	3.4	0.8	48.1	<0.01	0.07	4.1	0.005
CC27567		32.2	1030	15.7	13.2	0.004	0.05	2.53	5.8	3.8	0.7	47.7	<0.01	0.08	4.8	0.006
CC27568		33.6	900	15.3	12.5	0.003	0.04	2.47	6.0	4.4	0.8	52.0	0.01	0.08	4.8	0.005
CC27569		25.3	220	11.8	8.4	0.011	0.03	6.21	3.1	5.3	0.6	42.1	<0.01	0.10	3.3	0.005
CC27570		31.5	530	13.3	14.6	0.008	0.04	5.07	2.9	3.4	0.8	34.5	<0.01	0.09	1.6	0.007
CC27571		8.7	210	5.8	9.9	0.005	0.03	1.45	1.8	1.1	0.6	19.3	<0.01	0.05	1.4	0.010

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2007
Account: MTT

Project: NiMo

CERTIFICATE OF ANALYSIS VA07077184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC39800		1.62	2.87	336	0.23	4.49	89	0.7
CC27651		0.17	2.73	81	0.08	20.30	132	1.2
CC27652		0.14	1.93	76	0.07	13.30	87	0.9
CC27653		5.18	21.10	717	0.41	52.20	1145	2.3
CC27654		2.77	9.97	786	0.47	28.20	701	0.9
CC27655		2.01	11.95	732	0.42	34.60	563	3.1
CC27656		0.63	5.32	231	0.17	20.30	246	1.0
CC27657		1.58	6.25	1005	0.25	20.70	429	0.8
CC27658		0.93	2.48	470	0.19	8.08	250	0.6
CC27659		1.73	9.29	831	0.27	32.80	1230	0.9
CC27660		3.12	4.44	742	0.20	18.45	1025	1.3
CC27661		1.06	4.66	404	0.13	20.30	503	1.0
CC27662		0.26	3.49	94	0.07	21.40	228	2.0
CC27663		0.22	2.72	63	0.08	20.60	275	2.2
CC27664		2.56	4.84	218	0.18	12.15	102	1.2
CC27665		3.31	6.49	151	0.21	23.50	129	3.1
CC27666		2.81	4.26	102	0.16	5.26	70	6.9
CC27667		1.74	2.12	101	0.17	5.21	54	0.9
CC27668		1.78	4.89	87	0.24	7.53	16	2.4
CC27669		3.71	4.53	99	0.33	5.11	19	1.3
CC27670		4.16	7.61	139	0.41	4.77	16	1.5
CC27671		0.68	2.83	35	0.09	2.94	7	<0.5
CC27672		6.39	6.41	263	0.36	8.19	77	2.3
CC27673		0.89	1.75	160	0.21	3.48	32	<0.5
CC27674		1.00	1.76	302	0.35	2.94	35	<0.5
CC27558		10.25	7.39	2260	0.55	50.70	3120	1.7
CC27559		3.51	7.14	1235	0.32	23.30	1125	0.5
CC27560		0.82	4.56	532	0.22	7.99	231	<0.5
CC27561		5.11	9.10	1380	0.42	29.90	791	1.1
CC27562		3.31	5.20	1025	0.28	21.30	2190	3.8
CC27563		4.28	8.84	1510	0.36	37.00	1605	1.7
CC27564		4.35	9.40	1885	0.46	29.80	814	1.2
CC27565		0.21	1.93	70	0.10	20.40	169	1.9
CC27566		0.19	1.97	65	0.12	16.10	127	1.0
CC27567		0.23	2.51	82	0.09	17.15	140	1.2
CC27568		0.22	2.65	78	0.09	20.40	140	1.1
CC27569		1.22	2.29	144	0.14	8.61	58	0.8
CC27570		2.61	2.25	316	0.15	8.38	217	0.8
CC27571		0.79	0.95	91	0.09	3.08	40	0.5

Comments: Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE VA07077183

Project: NIMO

P.O. No.:

This report is for 193 Soil samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC39510		0.08	1.11	1.06	14.8	<0.2	<10	3780	0.64	0.20	0.87	5.39	32.70	6.7	24	0.91
CC39511		0.06	2.23	0.94	10.9	<0.2	<10	1360	0.44	0.14	0.24	18.80	16.60	1.9	29	1.18
CC39512		0.04	1.50	0.57	6.3	<0.2	<10	50	0.14	0.08	0.06	1.23	6.21	1.3	17	0.97
CC39513		0.06	0.58	1.33	13.7	<0.2	<10	740	0.58	0.18	0.17	10.80	18.65	9.3	25	0.98
CC39514		0.14	0.35	1.28	20.5	<0.2	<10	870	0.62	0.25	0.17	3.38	20.30	13.4	26	0.88
CC39515		0.12	0.15	1.54	33.1	<0.2	<10	900	1.00	0.24	0.36	2.74	24.10	22.2	29	0.88
CC39516		0.18	0.15	1.81	14.1	<0.2	<10	250	0.73	0.22	0.11	0.35	12.05	11.1	32	1.52
CC39517		0.08	0.07	1.72	20.1	<0.2	<10	190	0.67	0.21	0.15	0.27	6.64	13.0	31	1.21
CC39518		0.20	0.21	1.25	15.9	<0.2	<10	1100	0.70	0.17	0.26	2.04	18.70	12.6	24	0.95
CC39519		0.16	0.30	1.51	17.7	<0.2	<10	1020	0.75	0.22	0.32	2.14	23.90	32.4	28	0.95
CC39520		0.12	0.30	1.52	14.4	<0.2	<10	1030	0.85	0.21	0.39	3.49	21.90	21.1	27	1.03
CC39521		0.14	0.27	1.39	13.7	<0.2	<10	1160	0.76	0.19	0.36	5.33	19.75	27.2	24	1.09
CC39522		0.10	0.32	1.51	17.2	<0.2	<10	1310	0.78	0.22	0.38	3.65	19.90	11.3	28	1.23
CC39523		0.18	0.30	1.60	17.7	<0.2	<10	1020	0.74	0.23	0.27	1.76	20.60	9.4	29	1.43
CC39524		0.16	0.35	1.54	17.5	<0.2	<10	1280	0.84	0.22	0.27	2.48	20.70	11.7	29	1.30
CC39525		0.04	0.41	1.48	24.0	<0.2	<10	1350	0.74	0.22	0.35	2.23	21.20	10.6	27	1.17
CC39526		0.10	0.42	1.75	9.4	<0.2	<10	1130	0.86	0.27	0.43	4.34	16.80	6.6	28	1.80
CC39527		0.08	0.48	1.36	20.2	<0.2	<10	1720	1.27	0.20	0.31	6.51	25.60	12.3	20	0.98
CC39528		0.14	0.61	1.30	16.0	<0.2	<10	1960	1.10	0.22	0.42	9.18	25.70	8.6	24	1.07
CC39529		0.02	0.78	1.13	14.4	<0.2	<10	2350	1.12	0.19	0.30	10.80	30.50	8.7	22	0.93
CC39530		0.08	0.68	1.15	9.0	<0.2	10	530	1.04	0.11	5.43	2.59	34.80	6.4	26	1.24
CC39531		0.14	0.63	1.06	8.0	<0.2	10	370	0.83	0.09	7.95	2.89	32.20	6.1	22	1.20
CC39532		0.10	0.77	1.10	9.5	<0.2	10	270	0.98	0.10	7.60	2.62	34.60	6.7	23	1.30
CC39533		0.08	0.73	0.95	8.5	<0.2	10	270	0.87	0.11	7.36	4.52	33.30	6.2	20	1.14
CC39534		0.10	0.36	1.09	6.5	<0.2	10	420	0.71	0.07	8.58	1.31	33.90	5.0	24	1.00
CC39535		0.08	0.80	1.05	8.1	<0.2	10	330	0.89	0.16	4.31	2.83	37.60	8.1	21	0.94
CC39536		0.10	0.87	1.18	8.7	<0.2	10	370	0.96	0.17	4.62	2.78	40.10	8.0	24	1.06
CC39537		0.14	0.51	1.11	6.8	<0.2	10	340	0.75	0.12	5.97	1.75	38.40	6.9	22	1.09
CC39538		0.02	0.61	1.11	6.7	<0.2	10	390	0.78	0.16	1.40	1.99	40.10	8.1	22	0.94
CC39539		0.20	0.52	1.10	11	<0.2	10	170	0.85	0.08	12.55	1.73	38.50	5.8	25	1.11
CC39540		0.08	0.80	1.12	7.0	<0.2	10	510	0.92	0.11	3.49	3.04	31.10	6.0	25	1.14
CC39541		0.02	0.55	1.14	13.2	<0.2	10	830	0.83	0.12	3.66	2.69	33.20	7.3	26	1.18
CC39542		0.12	0.46	1.13	15.5	<0.2	10	980	0.79	0.14	3.39	2.74	32.80	8.6	27	1.06
CC39543		0.04	0.53	1.12	8.1	<0.2	10	600	0.77	0.11	4.22	2.36	31.70	6.1	25	1.19
CC39544		0.14	0.49	1.21	11.6	<0.2	<10	620	0.80	0.15	3.59	2.46	31.30	8.9	24	1.12
CC39545		0.10	0.05	0.37	7.1	<0.2	<10	120	0.31	0.10	0.09	0.15	12.25	5.3	6	0.66
CC39546		0.02	0.08	0.57	7.7	<0.2	<10	170	0.49	0.12	0.13	0.20	15.10	10.3	8	0.85
CC39547		0.18	0.05	0.49	6.6	<0.2	<10	190	0.31	0.10	0.10	0.09	10.90	2.7	8	0.69
CC39548		0.18	0.09	0.87	8.4	<0.2	<10	280	0.47	0.14	0.17	0.25	13.75	9.8	14	1.07
CC39549		0.10	0.10	0.60	10.5	<0.2	<10	380	0.41	0.12	0.13	0.22	13.55	7.1	10	0.93

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC39510		49.1	2.53	2.97	0.08	0.07	0.26	0.035	0.11	18.8	8.2	0.20	183	7.02	0.02	0.23
CC39511		69.9	0.84	3.34	0.07	0.02	0.51	0.023	0.07	9.3	4.6	0.13	48	18.25	0.01	0.34
CC39512		15.1	19.95	2.12	0.16	0.02	0.33	0.008	0.05	3.3	3.4	0.09	27	12.75	0.01	0.30
CC39513		58.8	1.34	3.46	0.06	0.03	0.13	0.035	0.07	9.4	12.3	0.19	54	18.35	0.01	0.35
CC39514		46.1	2.72	3.77	0.06	0.04	0.08	0.037	0.08	10.4	16.4	0.28	96	12.35	0.01	0.35
CC39515		38.9	5.19	4.48	0.07	0.07	0.04	0.043	0.10	12.1	22.0	0.44	825	11.30	0.02	0.32
CC39516		32.4	3.89	5.30	0.05	0.04	0.09	0.044	0.10	5.5	21.5	0.43	182	2.50	0.01	0.19
CC39517		26.0	5.29	5.08	0.05	0.04	0.07	0.045	0.09	2.8	21.9	0.45	234	2.76	0.01	0.12
CC39518		28.4	3.21	3.62	0.05	0.03	0.06	0.033	0.08	9.8	15.6	0.30	178	7.09	0.01	0.22
CC39519		36.0	4.21	4.43	0.08	0.05	0.07	0.038	0.09	12.2	17.1	0.36	317	8.97	0.01	0.42
CC39520		32.6	3.17	4.39	0.06	0.05	0.08	0.035	0.09	11.0	18.1	0.37	602	5.71	0.01	0.35
CC39521		28.3	3.40	3.95	0.06	0.04	0.09	0.032	0.09	10.3	17.3	0.33	1390	6.76	0.01	0.24
CC39522		34.8	3.23	4.32	0.06	0.04	0.11	0.040	0.10	10.3	19.6	0.34	284	7.12	0.01	0.26
CC39523		29.6	3.24	4.83	0.06	0.04	0.10	0.038	0.10	10.6	18.1	0.36	137	7.56	0.01	0.30
CC39524		36.4	3.42	4.49	0.06	0.05	0.11	0.043	0.10	10.4	18.6	0.32	174	5.93	0.01	0.27
CC39525		33.3	4.63	4.16	0.07	0.04	0.12	0.038	0.09	11.0	17.9	0.31	218	11.00	0.02	0.31
CC39526		47.6	2.99	4.79	0.06	0.04	0.20	0.045	0.11	8.4	23.8	0.33	161	5.69	0.02	0.24
CC39527		42.3	3.47	3.53	0.09	0.05	0.14	0.032	0.07	13.8	18.9	0.23	250	10.10	0.03	0.32
CC39528		58.3	1.67	3.74	0.08	0.05	0.16	0.037	0.08	13.9	18.0	0.25	62	7.29	0.03	0.33
CC39529		64.8	1.42	3.13	0.09	0.05	0.20	0.032	0.08	16.9	13.5	0.18	70	6.97	0.04	0.32
CC39530		61.3	1.32	4.45	0.12	0.11	0.11	0.026	0.15	20.3	24.1	1.48	185	3.61	0.01	0.28
CC39531		57.8	1.25	4.05	0.11	0.11	0.11	0.022	0.14	18.0	23.0	1.58	239	2.97	0.01	0.26
CC39532		68.4	1.34	4.25	0.13	0.12	0.13	0.024	0.13	19.2	25.1	1.65	184	4.37	0.01	0.29
CC39533		66.7	1.13	3.91	0.11	0.12	0.11	0.024	0.13	18.6	21.7	1.39	223	3.07	0.01	0.28
CC39534		38.5	1.19	3.65	0.11	0.08	0.06	0.019	0.16	18.6	18.9	1.62	170	2.50	0.01	0.22
CC39535		74.0	1.54	3.75	0.08	0.12	0.15	0.029	0.12	21.2	17.4	0.91	375	2.46	0.01	0.29
CC39536		82.2	1.62	4.14	0.08	0.11	0.17	0.032	0.13	23.1	19.0	0.96	350	2.51	0.01	0.34
CC39537		51.3	1.44	3.98	0.10	0.10	0.10	0.023	0.15	20.6	18.3	1.07	266	2.45	0.01	0.27
CC39538		61.6	1.64	3.82	0.08	0.10	0.13	0.026	0.14	22.5	15.4	0.59	374	1.88	0.01	0.27
CC39539		52.1	1.16	4.46	0.15	0.10	0.07	0.022	0.16	21.5	25.5	1.99	213	4.06	0.01	0.26
CC39540		67.3	1.23	4.11	0.10	0.13	0.13	0.024	0.12	18.2	21.0	1.22	161	1.90	0.01	0.32
CC39541		53.7	1.57	4.22	0.09	0.10	0.09	0.027	0.15	18.3	19.8	1.18	242	5.85	0.01	0.25
CC39542		53.6	1.88	3.99	0.09	0.10	0.09	0.031	0.15	18.5	18.0	1.03	316	6.96	0.01	0.20
CC39543		49.5	1.33	3.97	0.09	0.11	0.09	0.024	0.13	18.0	19.7	1.22	168	3.03	0.01	0.24
CC39544		50.1	1.80	4.14	0.10	0.11	0.09	0.030	0.12	17.8	20.4	1.12	218	4.09	0.01	0.20
CC39545		10.4	1.26	1.16	<0.05	0.02	0.03	0.019	0.05	5.3	5.6	0.07	134	0.62	<0.01	0.11
CC39546		14.4	1.55	1.59	0.05	0.03	0.04	0.023	0.07	6.2	9.1	0.12	204	0.72	<0.01	0.14
CC39547		9.3	1.46	1.20	<0.05	<0.02	0.03	0.018	0.06	4.7	4.9	0.09	74	0.55	<0.01	0.12
CC39548		17.0	1.83	2.64	<0.05	0.02	0.09	0.026	0.07	5.9	13.7	0.19	364	2.28	<0.01	0.17
CC39549		16.0	1.92	1.87	<0.05	0.02	0.16	0.022	0.07	5.9	9.4	0.13	212	3.90	<0.01	0.12

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC39510		48.2	910	12.8	13.0	0.018	0.14	2.91	5.1	5.5	0.4	83.2	0.01	0.07	3.2	0.005
CC39511		39.8	720	9.5	10.0	0.061	0.17	6.50	2.9	12.3	0.4	43.3	<0.01	0.06	0.7	0.011
CC39512		28.1	610	3.2	7.4	0.027	2.05	5.92	2.1	7.9	0.3	16.4	<0.01	0.05	0.9	0.010
CC39513		116.5	570	11.2	10.4	0.018	0.34	3.55	4.0	6.3	0.4	29.6	<0.01	0.04	1.9	0.006
CC39514		82.9	630	13.3	10.0	0.011	0.16	2.70	4.8	4.1	0.4	40.3	<0.01	0.06	3.1	0.006
CC39515		67.0	850	21.5	10.4	0.004	0.07	2.54	5.5	2.7	0.5	56.1	<0.01	0.08	4.5	0.007
CC39516		39.9	460	15.2	13.7	0.001	0.03	0.77	6.1	1.4	0.6	15.8	<0.01	0.05	3.0	<0.005
CC39517		45.9	510	17.8	10.8	0.001	0.04	0.89	5.1	1.0	0.6	17.4	<0.01	0.05	2.3	<0.005
CC39518		45.8	600	13.0	10.2	0.004	0.06	1.82	4.6	2.4	0.4	39.5	<0.01	0.05	3.2	<0.005
CC39519		98.2	680	14.6	11.9	0.005	0.07	2.21	5.5	4.4	0.5	44.1	<0.01	0.06	4.0	0.007
CC39520		54.1	590	13.3	12.9	0.005	0.09	1.68	5.2	2.9	0.5	42.2	<0.01	0.06	3.5	0.006
CC39521		71.1	560	12.2	12.2	0.006	0.07	1.59	4.7	2.9	0.4	37.0	<0.01	0.04	3.2	0.005
CC39522		63.0	640	14.8	13.7	0.009	0.09	1.75	5.5	3.6	0.5	43.1	<0.01	0.06	3.4	<0.005
CC39523		37.3	570	14.7	14.6	0.005	0.06	1.76	5.0	2.9	0.5	31.4	<0.01	0.06	3.4	0.005
CC39524		48.0	670	15.0	13.7	0.007	0.11	1.87	5.9	3.8	0.5	37.3	<0.01	0.05	3.6	<0.005
CC39525		44.1	620	13.5	13.6	0.007	0.10	2.21	5.0	4.3	0.5	42.4	<0.01	0.07	3.4	<0.005
CC39526		40.5	560	18.0	16.6	0.010	0.16	1.38	6.2	3.8	0.6	43.0	0.01	0.05	3.0	<0.005
CC39527		57.7	580	12.4	13.4	0.013	0.14	2.93	4.8	6.3	0.4	47.8	<0.01	0.06	3.8	0.005
CC39528		66.5	640	13.4	14.3	0.017	0.21	2.99	5.7	7.1	0.4	55.7	<0.01	0.05	3.6	0.005
CC39529		74.0	710	12.0	12.7	0.025	0.18	3.25	5.0	8.5	0.4	52.1	<0.01	0.06	3.5	0.006
CC39530		36.7	2650	8.7	19.4	0.004	0.08	2.27	3.9	3.2	0.4	239.0	<0.01	0.05	2.6	0.008
CC39531		33.1	2590	8.1	18.7	0.002	0.07	2.02	3.6	2.9	0.4	359.0	<0.01	0.05	2.3	0.008
CC39532		68.4	2270	9.0	19.6	0.003	0.08	2.17	4.1	3.6	0.4	331.0	<0.01	0.05	2.2	0.009
CC39533		41.4	2150	8.8	17.2	0.002	0.07	2.26	3.8	3.2	0.4	348.0	<0.01	0.05	2.1	0.008
CC39534		21.4	3980	6.6	16.5	0.001	0.04	1.57	2.9	1.7	0.3	367.0	<0.01	0.04	3.0	0.008
CC39535		36.2	2180	11.4	16.0	0.005	0.08	1.83	4.0	3.3	0.4	189.5	<0.01	0.06	2.3	0.008
CC39536		38.7	2280	12.0	17.7	0.004	0.08	1.82	4.4	3.3	0.4	205.0	<0.01	0.07	2.3	0.009
CC39537		28.8	2920	8.8	17.5	0.002	0.05	1.47	3.7	2.3	0.4	246.0	<0.01	0.05	2.9	0.009
CC39538		35.5	2360	10.6	15.3	0.003	0.06	1.28	3.7	2.5	0.4	57.7	<0.01	0.06	2.9	0.008
CC39539		24.1	3990	7.8	18.5	0.002	0.04	2.40	3.4	2.5	0.4	562.0	<0.01	0.05	2.6	0.008
CC39540		37.0	2190	8.6	16.7	0.007	0.11	1.95	3.9	3.7	0.4	155.0	<0.01	0.05	2.6	0.010
CC39541		41.0	2340	9.6	18.2	0.004	0.07	2.75	3.8	2.8	0.4	174.5	<0.01	0.06	3.3	0.007
CC39542		45.2	2100	10.8	17.2	0.005	0.07	2.90	3.8	2.7	0.4	167.0	<0.01	0.07	3.6	0.005
CC39543		34.6	2790	8.3	17.6	0.004	0.07	1.78	3.5	2.5	0.4	188.0	<0.01	0.05	3.0	0.007
CC39544		42.2	2470	10.3	15.8	0.004	0.07	2.00	4.0	2.5	0.4	176.5	<0.01	0.05	3.4	0.005
CC39545		12.2	280	7.5	6.9	<0.001	0.03	0.21	1.7	0.7	0.2	14.9	<0.01	0.03	2.4	<0.005
CC39546		17.1	460	8.8	8.4	<0.001	0.04	0.24	2.4	3.6	0.2	19.2	<0.01	0.03	2.2	<0.005
CC39547		8.8	340	7.4	7.1	<0.001	0.03	0.16	1.6	0.6	0.2	14.0	<0.01	0.02	1.9	<0.005
CC39548		21.6	420	10.2	11.6	0.001	0.03	0.32	2.8	1.2	0.3	18.7	<0.01	0.03	2.4	<0.005
CC39549		18.2	460	8.1	9.3	0.003	0.04	0.40	2.3	2.1	0.3	18.5	<0.01	0.03	2.3	<0.005

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC39510		0.46	4.00	174	0.10	19.35	355	1.7
CC39511		1.92	4.80	299	0.12	10.80	312	0.5
CC39512		1.22	1.20	299	0.08	7.61	113	<0.5
CC39513		0.67	2.77	180	0.11	13.25	263	0.8
CC39514		0.45	2.56	128	0.10	13.65	224	1.1
CC39515		0.30	1.75	121	0.12	11.75	275	2.4
CC39516		0.24	0.68	52	<0.05	7.46	124	1.0
CC39517		0.18	0.39	48	<0.05	5.53	131	1.0
CC39518		0.32	2.02	103	0.10	9.68	226	1.2
CC39519		0.41	4.71	92	0.10	12.55	399	1.4
CC39520		0.40	2.03	93	0.12	11.35	271	1.5
CC39521		0.38	1.95	94	0.09	9.61	277	0.9
CC39522		0.42	2.26	108	0.10	10.25	288	1.1
CC39523		0.42	1.75	100	0.08	8.66	210	1.0
CC39524		0.46	2.42	107	0.09	11.25	266	1.2
CC39525		0.47	2.61	123	0.09	10.55	278	1.1
CC39526		0.59	1.80	85	0.06	10.25	237	1.0
CC39527		0.49	3.86	123	0.13	16.50	297	1.2
CC39528		0.50	4.52	135	0.08	15.25	310	1.1
CC39529		0.59	5.88	166	0.09	18.90	339	1.2
CC39530		0.29	2.46	135	0.06	19.85	235	3.4
CC39531		0.25	2.05	111	0.06	18.35	246	3.0
CC39532		0.50	4.07	107	0.07	20.00	275	3.3
CC39533		0.22	2.23	100	0.06	19.50	300	3.2
CC39534		0.12	2.14	118	0.07	17.75	177	2.7
CC39535		0.16	2.15	82	0.07	20.60	194	2.9
CC39536		0.18	2.33	89	0.08	21.80	198	2.7
CC39537		0.15	2.10	93	0.06	18.95	182	2.4
CC39538		0.16	2.10	79	0.07	18.60	185	2.4
CC39539		0.13	2.68	131	0.05	21.10	200	3.1
CC39540		0.32	2.27	129	0.05	17.50	265	3.7
CC39541		0.38	2.84	170	0.07	17.25	286	3.3
CC39542		0.39	2.85	174	0.07	16.70	299	3.3
CC39543		0.33	2.40	134	0.06	17.15	245	3.1
CC39544		0.32	2.30	122	0.05	16.60	270	3.3
CC39545		0.05	0.39	13	<0.05	4.71	40	<0.5
CC39546		0.07	0.51	17	0.05	7.94	63	<0.5
CC39547		0.05	0.39	17	<0.05	4.23	34	<0.5
CC39548		0.22	0.53	27	<0.05	6.25	63	<0.5
CC39549		0.44	0.63	22	0.05	5.93	57	0.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC39550		0.12	0.16	0.83	16.8	<0.2	<10	570	0.71	0.17	0.30	0.85	17.35	23.2	14	1.11
CC39553		0.12	1.51	1.43	51.8	<0.2	<10	530	0.40	0.36	0.04	0.75	18.30	2.0	34	1.47
CC39554		0.14	0.19	1.03	42.2	<0.2	10	340	0.48	0.24	0.11	2.23	11.65	5.7	21	0.87
CC39555		0.12	1.45	0.36	40.8	<0.2	10	700	0.73	0.16	3.15	17.00	19.40	7.4	42	0.69
CC39556		0.04	1.57	0.27	29.1	<0.2	10	860	0.66	0.12	4.30	12.60	19.25	4.1	37	0.62
CC39557		0.08	1.13	0.28	30.5	<0.2	10	790	0.78	0.12	4.00	9.78	22.80	4.1	34	0.60
CC39558		0.06	0.21	0.29	18.2	<0.2	10	1530	0.53	0.09	3.18	17.75	12.35	5.6	11	0.45
CC39559		0.06	0.36	0.44	31.8	<0.2	10	1550	0.65	0.13	1.89	5.21	13.70	5.4	19	0.59
CC39560		0.12	0.59	0.69	18.6	<0.2	10	4950	0.71	0.19	0.77	2.69	12.55	9.1	22	0.59
CC39561		0.32	0.44	0.53	12.0	<0.2	<10	1310	0.56	0.15	8.26	1.24	23.10	6.0	16	0.95
CC39562		0.06	1.38	0.92	4.7	<0.2	10	5030	0.43	0.12	2.06	1.23	14.20	5.1	17	0.64
CC39563		0.12	2.12	1.19	5.3	<0.2	<10	7750	0.50	0.12	1.26	1.75	19.25	4.3	19	0.81
CC39564		0.10	0.92	1.09	6.1	<0.2	<10	3920	0.38	0.17	0.27	0.86	20.40	4.7	19	0.64
CC39565		0.12	1.27	1.21	6.4	<0.2	<10	5270	0.44	0.17	0.21	0.88	21.70	8.1	22	0.85
CC39566		0.10	0.49	1.20	7.4	<0.2	<10	3960	0.33	0.18	0.18	0.50	19.45	6.9	21	0.71
CC39567		0.10	0.70	1.28	7.6	<0.2	10	9660	0.85	0.17	0.65	0.71	23.80	9.3	22	0.63
CC39568		0.12	0.89	1.15	5.1	<0.2	<10	5230	0.38	0.15	0.46	1.01	12.05	4.5	22	0.78
CC39569		0.04	1.22	0.75	3.4	<0.2	10	6330	0.48	0.09	1.48	1.43	17.75	5.3	13	0.62
CC39570		0.12	2.37	1.50	5.2	<0.2	10	6210	0.71	0.18	0.90	2.51	21.40	9.3	27	1.12
CC39571		0.18	0.61	1.08	8.9	<0.2	<10	3030	0.30	0.20	0.32	0.77	15.45	7.2	22	0.50
CC39572		0.08	1.80	1.18	6.2	<0.2	<10	3840	0.54	0.15	1.57	1.02	15.60	7.2	23	0.73
CC39573		0.14	0.63	0.45	7.8	<0.2	<10	3720	0.24	0.14	0.22	0.47	7.17	4.1	16	0.64
CC39574		0.20	1.24	0.72	12.3	<0.2	<10	4270	0.45	0.20	0.26	1.04	11.80	11.4	35	0.67
CC39575		0.06	1.05	0.44	15.9	<0.2	10	600	0.58	0.09	3.11	8.04	15.85	4.3	27	0.49
CC39576		0.06	0.91	0.34	15.4	<0.2	10	520	0.60	0.09	3.97	6.29	18.80	4.0	26	0.45
CC39577		0.16	0.53	0.78	14	<0.2	10	640	0.56	0.12	11.40	2.04	24.10	7.8	15	1.76
CC39578		0.24	0.70	0.73	27.7	<0.2	10	4930	0.83	0.14	4.74	5.99	26.80	10.0	32	2.85
CC39579		0.16	0.72	0.75	29.9	<0.2	10	4770	0.85	0.15	4.20	9.90	27.90	10.9	34	3.13
CC39580		0.24	0.44	0.70	11	<0.2	10	780	0.49	0.11	11.85	1.27	23.70	7.9	15	1.37
CC39581		0.14	0.42	0.67	11	<0.2	10	650	0.53	0.10	12.35	1.21	23.10	7.4	14	1.29
CC39582		0.16	0.47	0.72	13	<0.2	<10	640	0.54	0.11	12.25	1.28	24.00	8.1	14	1.40
CC39583		0.20	0.35	0.69	11	<0.2	<10	380	0.52	0.09	13.35	1.11	24.10	6.7	13	1.25
CC39584		0.22	0.40	0.79	11	<0.2	<10	230	0.58	0.10	13.00	1.14	24.30	7.0	14	1.47
CC39585		0.14	0.31	0.74	10	<0.2	<10	210	0.54	0.08	14.00	1.11	24.40	6.2	13	1.19
CC39586		0.14	0.49	0.74	9	<0.2	<10	330	0.57	0.10	12.55	1.31	25.20	6.9	17	1.34
CC39587		0.14	0.25	0.75	12	<0.2	<10	180	0.47	0.07	15.75	0.92	22.40	6.0	13	1.15
CC39588		0.08	1.14	1.16	7.3	<0.2	10	230	0.85	0.08	3.64	4.83	32.90	6.2	31	1.67
CC39591		0.24	0.44	0.56	11.6	<0.2	10	1400	0.50	0.12	8.43	1.67	23.00	6.5	17	0.98
CC39592		0.30	0.40	0.52	10.3	<0.2	<10	1410	0.51	0.19	8.80	1.14	23.40	6.1	16	0.91
CC39593		0.22	0.50	0.58	11.1	<0.2	<10	1500	0.57	0.12	8.37	1.35	22.60	6.7	17	1.05

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC39550		26.2	2.96	2.78	0.07	0.03	0.24	0.031	0.08	7.0	12.3	0.20	1125	7.60	0.01	0.15
CC39553		52.2	3.76	5.70	0.20	0.05	0.08	0.066	0.13	10.1	7.1	0.11	54	162.00	0.01	0.59
CC39554		30.9	3.00	3.56	0.07	0.02	0.05	0.036	0.12	7.4	4.3	0.06	46	47.60	<0.01	0.27
CC39555		81.7	1.23	1.81	0.12	0.15	0.50	0.023	0.06	12.0	1.7	0.15	130	45.40	0.02	0.18
CC39556		80.1	0.87	1.43	0.11	0.14	0.61	0.019	0.04	14.8	1.5	0.27	66	30.00	0.02	0.16
CC39557		73.8	1.03	1.60	0.13	0.14	0.55	0.020	0.04	20.1	1.7	0.21	84	39.60	0.02	0.19
CC39558		40.5	0.94	1.28	0.07	0.11	0.25	0.014	0.04	8.3	1.1	0.12	146	34.60	0.03	0.16
CC39559		42.6	1.60	2.02	0.06	0.10	0.28	0.022	0.05	7.7	2.4	0.20	175	32.30	0.02	0.19
CC39560		66.0	3.41	2.16	0.07	0.08	0.25	0.037	0.07	6.7	2.5	0.12	222	29.00	0.08	0.15
CC39561		66.8	1.33	2.01	0.07	0.09	0.17	0.026	0.12	14.3	10.0	2.39	222	4.45	0.02	0.09
CC39562		31.7	1.45	2.39	0.05	0.10	0.18	0.021	0.05	8.2	5.2	0.44	183	2.43	0.10	0.35
CC39563		33.2	1.58	3.44	0.06	0.08	0.18	0.026	0.05	10.7	5.3	0.33	81	2.62	0.13	0.44
CC39564		32.3	1.63	4.11	0.05	0.04	0.09	0.024	0.10	11.2	6.3	0.18	61	2.84	0.06	0.50
CC39565		30.9	2.28	3.82	0.06	0.06	0.12	0.028	0.08	10.6	7.6	0.21	112	3.17	0.08	0.52
CC39566		21.4	2.15	4.38	0.05	0.03	0.07	0.024	0.07	8.8	9.7	0.22	123	2.91	0.05	0.52
CC39567		36.5	2.72	3.68	0.07	0.09	0.10	0.031	0.07	11.5	5.6	0.24	192	8.65	0.14	0.41
CC39568		36.0	1.80	4.73	<0.05	0.06	0.06	0.022	0.06	6.1	2.9	0.21	46	6.72	0.08	0.44
CC39569		23.5	1.38	2.01	0.05	0.07	0.13	0.017	0.04	8.6	2.5	0.30	79	3.51	0.11	0.23
CC39570		46.6	2.45	4.60	0.07	0.07	0.11	0.031	0.07	10.3	5.9	0.31	229	4.10	0.09	0.52
CC39571		25.5	2.69	3.74	0.05	0.06	0.05	0.027	0.09	7.4	6.7	0.24	144	5.71	0.04	0.54
CC39572		34.2	2.01	3.30	0.06	0.10	0.19	0.026	0.06	7.7	6.7	0.39	223	3.58	0.07	0.40
CC39573		30.7	1.64	1.78	<0.05	0.03	0.17	0.019	0.05	3.6	1.2	0.06	36	7.81	0.05	0.12
CC39574		50.5	4.23	2.53	0.07	0.05	0.28	0.033	0.05	5.3	2.7	0.11	148	7.31	0.06	0.25
CC39575		51.1	0.80	1.66	0.09	0.11	0.39	0.017	0.03	9.6	1.7	0.20	107	11.70	0.01	0.20
CC39576		44.6	0.69	1.34	0.09	0.11	0.42	0.015	0.03	11.6	1.7	0.14	108	12.15	0.01	0.16
CC39577		48.0	1.68	2.61	0.10	0.09	0.08	0.020	0.12	12.0	17.7	1.65	208	6.72	0.01	0.17
CC39578		66.6	1.87	3.12	0.10	0.33	0.25	0.032	0.19	13.6	6.3	1.59	168	51.10	0.08	0.12
CC39579		70.5	2.01	2.99	0.11	0.34	0.26	0.034	0.19	14.1	5.0	1.70	184	55.60	0.08	0.09
CC39580		40.4	1.63	2.45	0.09	0.11	0.06	0.020	0.12	12.0	16.1	1.61	192	4.86	0.01	0.13
CC39581		39.0	1.59	2.32	0.09	0.16	0.06	0.019	0.13	11.7	15.1	1.51	190	4.34	0.01	0.11
CC39582		43.6	1.66	2.51	0.09	0.09	0.07	0.021	0.12	12.1	17.7	1.65	195	4.42	0.01	0.15
CC39583		36.0	1.42	2.37	0.09	0.10	0.05	0.017	0.11	12.0	17.4	1.60	182	3.85	0.01	0.13
CC39584		36.1	1.47	2.73	0.10	0.08	0.06	0.018	0.11	12.0	19.8	1.69	194	3.57	0.01	0.19
CC39585		32.7	1.26	2.58	0.09	0.12	0.05	0.016	0.10	11.9	19.0	1.63	177	3.61	0.01	0.14
CC39586		55.2	1.55	2.74	0.09	0.09	0.08	0.021	0.13	12.6	18.9	1.60	190	5.79	0.01	0.16
CC39587		22.7	1.24	2.55	0.09	0.09	0.04	0.015	0.10	11.0	19.3	1.74	193	2.54	0.01	0.17
CC39588		80.9	1.05	4.60	0.12	0.13	0.23	0.017	0.20	17.0	28.6	1.54	185	2.52	0.02	0.42
CC39591		62.4	1.42	2.18	0.07	0.08	0.15	0.022	0.12	12.2	11.0	2.38	227	5.24	0.02	0.10
CC39592		52.8	1.33	2.10	0.07	0.11	0.14	0.022	0.13	12.6	10.7	2.58	231	4.64	0.02	0.08
CC39593		62.9	1.48	2.29	0.07	0.07	0.19	0.024	0.13	12.1	11.8	2.45	226	5.79	0.02	0.10

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC39550		51.3	640	11.1	11.3	0.005	0.08	0.64	3.5	3.8	0.4	33.2	<0.01	0.06	2.7	<0.005
CC39553		9.4	860	18.9	19.9	0.001	0.24	28.10	2.9	43.7	0.9	159.0	<0.01	0.34	3.0	0.009
CC39554		126.5	380	16.1	14.4	0.002	0.15	6.81	2.7	8.9	0.7	27.7	<0.01	0.12	2.3	<0.005
CC39555		235.0	570	11.7	6.8	0.014	0.13	10.40	3.3	16.2	0.5	109.5	0.01	0.14	1.3	<0.005
CC39556		268.0	810	7.9	6.6	0.011	0.19	8.47	2.6	15.4	0.4	157.0	0.01	0.11	0.6	<0.005
CC39557		270.0	820	8.1	6.8	0.024	0.22	8.29	2.4	17.0	0.5	175.0	0.01	0.09	0.6	<0.005
CC39558		141.0	490	6.4	5.3	0.009	0.18	9.14	2.1	7.2	0.3	167.5	0.01	0.07	0.6	<0.005
CC39559		86.8	570	8.7	8.1	0.005	0.12	6.88	3.2	4.2	0.5	109.5	<0.01	0.09	1.4	<0.005
CC39560		48.9	540	10.0	9.4	0.004	0.11	3.01	5.0	3.3	0.4	78.8	<0.01	0.07	2.3	<0.005
CC39561		26.9	1540	19.1	8.9	0.009	0.17	2.42	4.1	2.0	0.2	197.0	<0.01	0.05	3.4	<0.005
CC39562		42.4	900	6.9	5.5	0.004	0.15	1.26	4.7	3.1	0.3	176.5	<0.01	0.03	1.6	0.008
CC39563		36.5	1040	6.5	5.2	0.001	0.13	1.12	5.2	3.0	0.4	128.5	<0.01	0.04	1.7	0.008
CC39564		26.7	490	9.0	13.7	<0.001	0.04	0.75	3.7	1.7	0.5	38.3	<0.01	0.05	2.5	0.010
CC39565		34.9	400	8.4	9.7	0.001	0.05	1.13	4.3	2.2	0.5	32.6	<0.01	0.05	3.5	0.011
CC39566		25.4	420	9.3	10.0	0.001	0.05	0.97	3.2	1.4	0.5	32.8	<0.01	0.04	2.5	0.011
CC39567		36.9	500	12.1	7.0	0.001	0.04	1.21	5.4	2.9	0.5	73.0	<0.01	0.05	2.4	0.008
CC39568		36.1	220	8.8	7.0	0.001	0.04	1.18	3.2	1.5	0.7	52.6	<0.01	0.05	2.1	0.007
CC39569		34.3	840	6.3	5.3	0.001	0.13	1.16	3.3	2.5	0.3	149.5	0.01	0.03	1.3	0.006
CC39570		60.9	560	12.8	10.5	0.002	0.05	1.21	6.6	2.5	0.6	87.4	<0.01	0.05	2.4	0.009
CC39571		32.2	330	11.0	9.0	0.001	0.03	1.28	3.3	1.7	0.4	37.8	<0.01	0.04	2.9	0.013
CC39572		48.7	840	9.1	7.7	0.003	0.09	1.33	4.9	4.2	0.4	137.0	<0.01	0.05	1.5	0.008
CC39573		28.6	470	7.5	7.7	0.004	0.10	2.13	2.1	2.9	0.3	54.6	<0.01	0.05	1.0	<0.005
CC39574		70.8	440	14.9	5.9	0.002	0.07	5.13	4.7	5.3	0.5	60.3	<0.01	0.06	2.7	0.005
CC39575		146.0	710	5.9	4.1	0.010	0.18	6.58	2.6	11.7	0.3	132.0	0.01	0.08	0.7	<0.005
CC39576		160.0	700	6.0	4.8	0.011	0.18	5.78	2.4	13.4	0.3	170.0	0.01	0.08	0.5	<0.005
CC39577		31.3	1370	12.8	11.2	0.006	0.13	2.57	3.6	2.8	0.3	538.0	<0.01	0.05	3.3	<0.005
CC39578		132.5	1620	10.5	13.4	0.045	0.13	8.86	6.4	7.9	0.8	370.0	0.01	0.09	5.5	<0.005
CC39579		171.0	2050	10.5	12.8	0.046	0.13	9.85	6.6	10.1	0.9	395.0	0.01	0.10	6.0	<0.005
CC39580		28.2	1430	11.3	10.3	0.006	0.16	1.90	3.9	2.5	0.2	567.0	<0.01	0.04	3.5	<0.005
CC39581		26.1	1450	10.8	9.6	0.006	0.17	1.72	3.8	2.5	0.2	575.0	<0.01	0.04	3.6	<0.005
CC39582		27.6	1380	11.7	10.5	0.005	0.17	1.85	3.9	2.6	0.2	572.0	<0.01	0.05	3.3	<0.005
CC39583		21.1	1450	10.3	9.5	0.004	0.15	1.56	3.3	2.0	0.2	633.0	<0.01	0.04	3.3	<0.005
CC39584		22.3	1320	11.2	11.0	0.003	0.10	1.53	3.3	2.2	0.2	607.0	<0.01	0.04	2.7	0.005
CC39585		17.2	1420	10.0	9.6	0.003	0.09	1.44	3.1	1.7	0.2	725.0	<0.01	0.04	3.3	<0.005
CC39586		25.9	1480	10.9	10.6	0.005	0.10	2.05	3.5	2.6	0.3	570.0	<0.01	0.05	3.1	<0.005
CC39587		13.8	1330	9.1	9.8	0.002	0.08	1.13	3.0	1.4	0.2	775.0	<0.01	0.03	2.8	<0.005
CC39588		42.2	4800	9.5	19.5	0.007	0.10	3.19	3.1	4.9	0.4	99.6	<0.01	0.06	2.1	0.013
CC39591		30.4	1550	17.9	8.4	0.008	0.17	2.63	4.1	2.3	0.3	217.0	<0.01	0.05	3.1	<0.005
CC39592		26.4	1680	16.7	8.0	0.009	0.19	2.56	4.2	2.1	0.3	227.0	<0.01	0.05	3.1	<0.005
CC39593		30.3	1440	18.5	8.8	0.010	0.21	2.80	4.2	2.4	0.3	222.0	<0.01	0.05	3.0	<0.005

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC39550		0.92	1.09	31	0.07	11.35	132	0.6
CC39553		7.84	13.30	499	0.41	12.60	32	2.1
CC39554		2.62	1.86	390	0.15	9.22	374	0.8
CC39555		1.59	11.25	440	0.23	32.20	823	6.4
CC39556		2.05	16.05	350	0.18	36.10	594	7.0
CC39557		2.13	34.00	343	0.21	34.80	522	7.7
CC39558		0.52	21.70	224	0.14	29.30	872	4.0
CC39559		0.60	13.20	275	0.15	19.75	325	3.3
CC39560		0.21	5.60	109	0.08	21.00	167	1.9
CC39561		0.26	1.57	46	0.08	14.35	168	4.2
CC39562		0.11	2.84	52	0.07	14.40	77	2.6
CC39563		0.14	3.28	54	0.10	16.95	79	1.7
CC39564		0.13	1.56	56	0.10	7.80	88	0.9
CC39565		0.13	1.91	67	0.11	8.92	150	1.8
CC39566		0.12	1.17	70	0.10	5.23	112	0.9
CC39567		0.12	3.49	72	0.10	18.50	104	2.0
CC39568		0.18	1.34	88	0.10	4.84	86	1.7
CC39569		0.09	3.25	40	0.06	15.30	57	1.8
CC39570		0.15	3.48	83	0.13	14.80	95	1.6
CC39571		0.13	1.13	85	0.11	4.59	134	2.0
CC39572		0.12	3.61	61	0.08	12.95	101	2.5
CC39573		0.13	1.53	55	0.08	5.71	124	0.7
CC39574		0.20	2.40	143	0.10	10.10	358	1.6
CC39575		1.00	10.30	211	0.12	20.80	406	5.2
CC39576		1.02	41.90	209	0.11	25.20	298	5.5
CC39577		0.21	2.16	71	0.05	13.05	211	4.6
CC39578		0.46	12.25	315	0.21	24.90	502	15.8
CC39579		0.43	14.65	337	0.23	28.90	687	16.2
CC39580		0.12	1.77	50	<0.05	13.25	153	5.6
CC39581		0.09	1.63	50	<0.05	12.60	151	7.6
CC39582		0.11	1.67	49	<0.05	13.00	154	4.7
CC39583		0.10	1.52	45	<0.05	11.55	135	5.7
CC39584		0.12	1.47	46	<0.05	11.95	137	3.6
CC39585		0.09	1.41	45	<0.05	10.95	121	6.2
CC39586		0.13	1.53	56	0.06	12.45	181	5.0
CC39587		0.09	1.22	40	<0.05	10.45	99	4.6
CC39588		0.33	5.05	210	0.07	18.20	433	4.4
CC39591		0.26	1.55	56	0.08	13.05	205	4.0
CC39592		0.20	1.49	52	0.07	13.35	171	5.1
CC39593		0.26	1.62	57	0.09	12.85	203	3.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC39594		0.28	0.43	0.49	10.7	<0.2	<10	1410	0.54	0.12	8.03	1.36	23.50	6.3	15	0.90
CC39595		0.28	0.41	0.52	10.4	<0.2	<10	1640	0.52	0.11	7.75	1.21	22.90	6.3	17	0.93
CC39596		0.36	0.41	0.53	10.6	<0.2	<10	1510	0.52	0.13	8.01	1.23	23.40	6.4	17	0.99
CC39597		0.28	0.44	0.58	11.2	<0.2	<10	1980	0.57	0.12	7.90	1.46	23.50	6.9	19	1.00
CC39598		0.34	0.46	0.57	10.9	<0.2	<10	1220	0.58	0.12	8.18	1.20	24.20	6.9	16	1.06
CC39599		0.40	0.56	0.59	11.8	<0.2	<10	1240	0.61	0.13	8.40	1.28	23.30	7.1	16	1.10
CC39600		0.24	0.51	0.59	10.9	<0.2	<10	1300	0.59	0.12	8.86	1.33	23.60	6.7	17	1.06
CC39724		0.12	0.88	0.74	15.3	<0.2	10	2360	0.50	0.20	0.92	4.33	26.20	7.0	17	0.94
CC39726		0.16	0.56	0.72	10.5	<0.2	10	2520	0.44	0.14	0.83	2.32	28.00	4.6	19	0.86
CC39727		0.18	0.19	1.77	14.4	<0.2	<10	330	0.54	0.27	0.14	0.48	10.60	17.3	31	1.24
CC39728		0.24	0.16	1.97	26.7	<0.2	<10	720	1.62	0.30	0.31	4.85	9.49	200.0	34	2.25
CC39729		0.22	0.30	1.89	21.3	<0.2	<10	1100	1.50	0.31	0.54	6.23	12.80	108.5	31	1.91
CC39730		0.18	0.30	1.91	19.0	<0.2	<10	1190	1.44	0.27	0.49	5.21	15.15	102.0	30	2.11
CC39731		0.20	0.17	1.83	19.9	<0.2	<10	900	1.31	0.26	0.24	3.55	16.15	161.5	30	1.64
CC39732		0.24	0.43	0.88	12.0	<0.2	<10	920	0.55	0.15	9.60	2.22	24.80	9.2	18	1.76
CC39733		0.24	0.42	0.87	14	<0.2	<10	860	0.59	0.14	10.35	2.23	24.00	9.0	18	1.71
CC39734		0.18	0.45	0.87	11.7	<0.2	<10	910	0.65	0.14	9.82	2.45	24.70	9.1	18	1.74
CC39735		0.14	0.40	0.80	11.7	<0.2	<10	580	0.62	0.15	9.03	2.02	27.10	8.8	15	1.64
CC39736		0.30	0.43	0.82	18	<0.2	10	970	0.62	0.13	11.10	2.42	25.60	8.5	18	1.65
CC39737		0.20	0.42	0.75	10	<0.2	<10	840	0.56	0.12	11.20	2.47	23.80	7.9	16	1.49
CC39738		0.24	0.43	0.80	16	<0.2	<10	780	0.58	0.12	11.25	2.30	24.60	7.8	16	1.60
CC39743		0.20	0.29	0.84	12.3	<0.2	<10	300	0.58	0.16	5.26	2.09	22.80	9.2	15	1.11
CC39744		0.22	0.36	0.96	12.9	<0.2	<10	290	0.64	0.17	6.40	2.41	24.50	9.8	17	1.25
CC39745		0.20	0.27	0.85	10.7	<0.2	<10	260	0.54	0.15	5.57	1.90	25.20	8.9	15	1.09
CC39746		0.14	0.40	0.97	10.1	<0.2	<10	290	0.66	0.15	7.49	2.03	25.90	8.4	16	1.30
CC39747		0.20	0.37	0.89	12.3	<0.2	<10	260	0.60	0.17	6.03	2.48	25.10	9.3	17	1.13
CC39748		0.22	0.36	0.87	10.4	<0.2	<10	270	0.64	0.15	6.29	2.25	25.00	8.5	15	1.14
CC39749		0.18	0.30	0.81	11.2	<0.2	<10	270	0.56	0.16	6.00	2.21	25.30	8.5	15	1.01
CC39750		0.14	0.34	0.89	11.5	<0.2	<10	250	0.62	0.17	4.89	2.18	26.20	9.2	16	1.15
CC39751		0.12	0.34	0.95	14.6	<0.2	<10	400	0.64	0.18	5.80	2.83	26.40	9.7	23	1.19
CC39752		0.18	0.32	0.98	11.3	<0.2	<10	240	0.64	0.19	3.68	1.79	33.80	9.1	17	1.19
CC39753		0.12	0.37	0.88	11.0	<0.2	<10	280	0.65	0.15	8.27	2.63	26.90	8.5	15	1.10
CC39754		0.16	0.40	0.89	13.4	<0.2	<10	280	0.60	0.15	7.91	2.91	27.30	8.2	16	1.19
CC39755		0.20	0.40	0.87	12.3	<0.2	<10	300	0.67	0.16	7.46	3.08	29.00	8.5	16	1.08
CC39756		0.24	0.42	0.85	12.1	<0.2	<10	290	0.61	0.15	7.86	3.31	27.10	8.5	16	1.14
CC39757		0.28	0.43	0.86	13.3	<0.2	<10	270	0.60	0.15	7.57	3.58	26.40	8.8	19	1.11
CC39758		0.24	0.24	0.81	8.7	<0.2	<10	190	0.56	0.14	8.52	1.15	28.50	8.1	14	1.05
CC39759		0.16	0.25	0.83	8.2	<0.2	<10	180	0.53	0.13	8.69	1.11	24.30	7.9	14	1.00
CC39760		0.16	0.27	0.87	9.4	<0.2	<10	210	0.58	0.15	9.19	1.29	26.50	8.9	14	1.11
CC39761		0.14	0.30	0.93	9.0	<0.2	<10	210	0.63	0.16	8.49	1.25	25.70	8.7	15	1.24

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC39594		54.3	1.33	1.99	0.08	0.08	0.15	0.023	0.11	12.4	10.2	2.42	219	5.52	0.02	0.10
CC39595		55.0	1.32	2.09	0.07	0.11	0.17	0.022	0.13	12.2	10.1	2.26	220	5.67	0.02	0.08
CC39596		57.2	1.39	2.14	0.07	0.10	0.16	0.023	0.13	12.4	10.8	2.45	224	5.40	0.02	0.08
CC39597		56.2	1.44	2.29	0.08	0.09	0.16	0.023	0.14	12.4	10.9	2.37	224	7.73	0.03	0.09
CC39598		57.4	1.37	2.35	0.08	0.08	0.19	0.022	0.13	13.0	12.8	2.28	226	4.75	0.02	0.09
CC39599		67.0	1.53	2.38	0.08	0.07	0.21	0.025	0.12	12.5	13.3	2.34	225	5.07	0.02	0.11
CC39600		63.4	1.46	2.30	0.07	0.08	0.22	0.024	0.13	12.7	12.7	2.45	238	4.92	0.02	0.10
CC39724		45.2	1.75	2.65	0.07	0.06	0.25	0.028	0.09	12.8	7.5	0.20	204	10.75	0.04	0.21
CC39726		37.6	1.29	2.95	0.06	0.05	0.19	0.022	0.11	14.2	7.1	0.19	116	6.34	0.04	0.17
CC39727		27.8	3.54	5.61	0.05	0.04	0.07	0.040	0.10	5.4	21.5	0.39	379	3.92	0.01	0.24
CC39728		59.9	7.00	5.71	0.09	0.09	0.06	0.061	0.10	4.1	25.1	0.58	4680	8.96	0.02	0.10
CC39729		58.9	5.69	5.49	0.08	0.06	0.11	0.054	0.11	6.0	23.4	0.44	2880	7.22	0.02	0.15
CC39730		58.2	5.59	5.10	0.09	0.09	0.11	0.048	0.10	6.1	22.7	0.45	2820	7.52	0.02	0.15
CC39731		51.0	4.21	5.18	0.08	0.11	0.08	0.051	0.10	6.9	23.8	0.47	4350	7.23	0.02	0.11
CC39732		43.3	1.97	2.87	0.07	0.15	0.06	0.026	0.14	13.8	15.3	1.51	241	8.59	0.02	0.12
CC39733		43.8	1.92	2.79	0.07	0.13	0.07	0.025	0.13	13.3	17.2	1.61	230	8.05	0.02	0.12
CC39734		41.5	1.91	2.78	0.07	0.12	0.07	0.025	0.13	13.8	18.0	1.53	229	8.77	0.02	0.14
CC39735		38.5	1.90	2.57	0.07	0.11	0.06	0.022	0.12	14.7	19.4	1.37	235	6.46	0.02	0.12
CC39736		40.9	1.80	2.68	0.06	0.17	0.08	0.022	0.15	14.3	16.5	1.67	222	8.74	0.02	0.11
CC39737		40.2	1.71	2.44	0.07	0.15	0.08	0.022	0.13	13.4	16.7	1.62	206	8.18	0.02	0.12
CC39738		37.7	1.71	2.59	0.06	0.12	0.07	0.022	0.14	13.8	18.4	1.67	211	7.30	0.02	0.12
CC39743		28.1	2.10	2.50	0.06	0.09	0.05	0.023	0.07	12.2	23.1	0.83	208	5.77	0.01	0.09
CC39744		32.9	2.23	2.86	0.06	0.09	0.07	0.025	0.08	13.0	25.6	1.03	216	6.11	0.01	0.11
CC39745		25.7	2.06	2.44	0.06	0.10	0.05	0.022	0.07	13.6	24.6	0.92	178	4.93	0.01	0.09
CC39746		32.2	1.94	2.95	0.07	0.10	0.06	0.023	0.09	14.3	26.8	1.29	242	4.35	0.01	0.15
CC39747		30.4	2.17	2.58	0.07	0.09	0.06	0.024	0.07	13.5	24.8	0.99	209	6.32	0.01	0.10
CC39748		30.8	1.95	2.60	0.07	0.10	0.06	0.022	0.08	13.7	26.3	1.09	200	4.89	0.01	0.12
CC39749		27.1	2.00	2.42	0.07	0.09	0.05	0.023	0.07	13.4	24.2	0.94	191	5.40	0.01	0.09
CC39750		31.7	2.17	2.65	0.06	0.09	0.05	0.024	0.07	14.1	27.4	0.95	175	5.49	0.01	0.10
CC39751		31.8	2.34	2.78	0.06	0.11	0.06	0.027	0.08	14.2	25.9	0.94	209	8.31	0.01	0.09
CC39752		28.2	2.28	2.89	0.06	0.10	0.05	0.023	0.08	18.1	29.6	0.96	151	4.84	0.01	0.10
CC39753		29.3	1.93	2.64	0.06	0.10	0.06	0.021	0.08	14.5	25.7	1.31	213	5.37	0.01	0.13
CC39754		28.7	1.94	2.69	0.09	0.09	0.08	0.024	0.09	14.2	23.2	1.26	203	6.53	0.01	0.12
CC39755		29.0	2.02	2.55	0.06	0.09	0.07	0.021	0.08	15.8	24.3	1.16	205	6.44	0.01	0.11
CC39756		29.2	1.92	2.57	0.06	0.09	0.08	0.023	0.08	14.7	24.6	1.21	202	6.38	0.01	0.12
CC39757		30.3	1.97	2.56	0.06	0.09	0.08	0.022	0.08	14.5	23.9	1.20	213	7.63	0.01	0.12
CC39758		23.8	1.85	2.45	0.08	0.09	0.03	0.020	0.07	15.2	24.8	1.20	205	3.39	0.01	0.11
CC39759		24.4	1.78	2.44	0.06	0.09	0.04	0.020	0.08	13.1	24.2	1.26	204	3.32	0.01	0.12
CC39760		27.1	2.00	2.53	0.07	0.11	0.04	0.022	0.08	14.4	25.8	1.29	229	3.76	0.01	0.13
CC39761		27.8	1.97	2.76	0.06	0.09	0.05	0.022	0.09	13.9	27.2	1.32	215	3.48	0.01	0.13

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC39594		29.6	1620	18.7	7.6	0.009	0.18	2.62	4.2	2.4	0.3	227.0	<0.01	0.05	3.0	<0.005
CC39595		29.7	1640	16.6	8.0	0.010	0.16	2.63	4.2	2.1	0.3	211.0	<0.01	0.05	3.2	<0.005
CC39596		29.9	1610	16.7	8.3	0.009	0.19	2.72	4.3	2.4	0.3	225.0	<0.01	0.05	3.1	<0.005
CC39597		36.4	1570	16.7	9.0	0.010	0.18	2.90	4.4	2.6	0.3	235.0	<0.01	0.05	3.3	<0.005
CC39598		28.4	1500	18.8	8.8	0.009	0.16	2.58	4.3	2.0	0.3	201.0	<0.01	0.05	3.1	<0.005
CC39599		31.6	1350	20.8	8.8	0.010	0.20	2.75	4.4	2.5	0.3	208.0	<0.01	0.05	3.0	<0.005
CC39600		28.7	1490	20.0	8.6	0.009	0.21	2.67	4.4	2.2	0.3	220.0	<0.01	0.06	3.0	<0.005
CC39724		43.2	620	12.5	10.1	0.020	0.19	3.44	4.2	8.4	0.4	99.2	<0.01	0.09	2.4	0.005
CC39726		33.0	750	9.5	10.4	0.021	0.16	2.26	4.0	5.1	0.4	83.4	<0.01	0.08	2.7	0.005
CC39727		41.8	540	15.9	13.7	0.001	0.05	0.85	4.7	2.2	0.6	19.0	<0.01	0.05	2.4	<0.005
CC39728		168.5	570	19.9	12.9	0.008	0.19	1.37	7.1	3.8	0.6	46.9	0.01	0.09	3.5	<0.005
CC39729		143.0	580	17.8	14.2	0.006	0.14	1.32	7.1	4.3	0.6	53.0	0.01	0.08	3.0	<0.005
CC39730		155.0	550	16.0	14.4	0.006	0.17	1.29	6.9	4.7	0.5	56.3	0.01	0.07	3.1	<0.005
CC39731		208.0	540	17.2	12.6	0.007	0.17	1.32	5.9	3.7	0.6	44.7	0.01	0.08	3.2	<0.005
CC39732		40.8	1460	13.2	11.5	0.009	0.13	2.37	4.0	2.7	0.3	469.0	0.01	0.05	4.6	<0.005
CC39733		40.1	1430	12.8	11.4	0.007	0.14	2.34	4.0	2.5	0.3	508.0	<0.01	0.05	4.2	<0.005
CC39734		41.9	1410	12.8	11.6	0.007	0.14	2.55	3.8	2.7	0.3	478.0	<0.01	0.05	4.1	<0.005
CC39735		34.1	1320	14.1	10.0	0.003	0.09	2.23	3.5	2.2	0.2	417.0	<0.01	0.04	4.3	<0.005
CC39736		40.6	1530	12.0	11.5	0.009	0.16	2.52	3.8	2.7	0.3	540.0	<0.01	0.05	4.4	<0.005
CC39737		36.8	1470	11.7	10.3	0.008	0.16	2.71	3.6	2.5	0.3	552.0	<0.01	0.04	4.1	<0.005
CC39738		33.9	1410	12.3	11.0	0.006	0.13	2.34	3.5	2.3	0.3	544.0	<0.01	0.04	4.0	<0.005
CC39743		33.9	830	14.6	6.9	0.005	0.07	2.14	3.0	2.0	0.2	302.0	<0.01	0.04	3.9	<0.005
CC39744		35.7	940	15.5	8.4	0.005	0.08	2.22	3.4	2.4	0.2	355.0	<0.01	0.04	4.0	<0.005
CC39745		30.2	830	14.0	6.8	0.003	0.06	1.83	2.8	1.7	0.2	308.0	<0.01	0.03	4.1	<0.005
CC39746		29.4	1090	13.7	9.7	0.003	0.08	1.76	3.4	2.1	0.2	398.0	<0.01	0.04	3.2	<0.005
CC39747		35.2	900	15.9	7.5	0.005	0.07	2.40	3.1	2.3	0.2	338.0	<0.01	0.04	4.0	<0.005
CC39748		30.1	950	14.4	7.7	0.003	0.07	1.96	3.0	2.2	0.2	352.0	<0.01	0.03	3.4	<0.005
CC39749		31.0	900	14.5	6.7	0.004	0.07	2.07	2.8	2.1	0.2	337.0	<0.01	0.03	3.9	<0.005
CC39750		32.1	880	16.0	7.3	0.003	0.06	2.04	3.1	2.1	0.2	271.0	<0.01	0.03	4.1	<0.005
CC39751		43.0	880	16.5	7.7	0.007	0.08	2.86	3.3	2.5	0.3	337.0	<0.01	0.04	4.6	<0.005
CC39752		29.9	870	17.5	7.7	0.002	0.05	1.78	3.1	1.8	0.2	206.0	<0.01	0.03	4.8	<0.005
CC39753		30.0	1040	14.3	8.4	0.003	0.07	2.15	3.0	2.2	0.2	458.0	<0.01	0.03	3.7	<0.005
CC39754		33.5	1020	15.7	8.3	0.005	0.06	2.54	2.9	2.4	0.2	459.0	<0.01	0.05	4.1	<0.005
CC39755		33.0	990	14.6	7.6	0.005	0.07	2.66	2.9	2.5	0.2	415.0	<0.01	0.04	4.0	<0.005
CC39756		32.8	1000	14.0	8.1	0.005	0.07	2.67	3.0	2.6	0.2	435.0	<0.01	0.04	3.9	<0.005
CC39757		37.2	950	14.6	7.9	0.006	0.07	3.03	3.0	2.8	0.2	432.0	<0.01	0.04	3.8	<0.005
CC39758		22.5	1010	13.6	7.4	0.001	0.05	1.28	2.7	1.3	0.2	478.0	<0.01	0.03	3.8	<0.005
CC39759		22.3	970	13.1	7.7	0.001	0.05	1.21	2.7	1.3	0.2	495.0	<0.01	0.02	3.5	<0.005
CC39760		25.1	1020	15.2	8.0	0.001	0.06	1.44	2.9	1.5	0.2	507.0	<0.01	0.03	4.0	<0.005
CC39761		24.6	1010	15.4	8.8	0.001	0.07	1.33	3.0	1.6	0.2	474.0	<0.01	0.03	3.8	<0.005

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC39594		0.23	1.66	53	0.08	13.55	193	4.3
CC39595		0.23	1.73	60	0.08	13.05	192	5.4
CC39596		0.22	1.69	57	0.08	13.35	186	4.9
CC39597		0.27	2.19	77	0.09	14.10	212	4.7
CC39598		0.24	1.48	51	0.08	13.15	180	4.4
CC39599		0.26	1.40	48	0.08	13.05	196	3.6
CC39600		0.27	1.41	49	0.10	13.00	199	3.9
CC39724		1.04	4.12	93	0.12	13.45	278	1.8
CC39726		0.84	2.72	128	0.09	12.30	295	1.7
CC39727		0.31	0.67	65	0.08	5.30	131	0.7
CC39728		0.61	1.62	62	<0.05	12.55	662	2.5
CC39729		0.64	1.99	70	0.06	16.25	590	1.2
CC39730		0.65	2.00	67	0.06	27.20	628	1.4
CC39731		0.53	1.42	67	0.06	30.70	518	2.0
CC39732		0.21	2.63	88	0.05	15.15	233	6.7
CC39733		0.21	2.47	85	0.05	14.60	231	6.0
CC39734		0.23	2.48	87	0.05	14.50	263	5.3
CC39735		0.20	1.84	66	0.07	13.45	208	5.3
CC39736		0.19	2.65	96	0.06	15.20	243	7.6
CC39737		0.17	2.42	79	0.05	14.65	240	6.8
CC39738		0.19	2.19	79	0.05	13.95	225	6.3
CC39743		0.18	1.44	58	<0.05	10.55	212	3.7
CC39744		0.20	1.57	62	<0.05	12.15	232	3.5
CC39745		0.15	1.24	46	<0.05	10.50	194	3.7
CC39746		0.18	1.38	53	0.05	12.75	193	3.2
CC39747		0.19	1.54	60	<0.05	11.85	235	3.4
CC39748		0.18	1.37	48	<0.05	11.90	203	3.2
CC39749		0.16	1.37	51	<0.05	10.95	214	3.4
CC39750		0.17	1.28	49	<0.05	11.75	212	3.4
CC39751		0.22	1.72	77	0.05	11.90	270	4.5
CC39752		0.15	1.16	46	<0.05	12.20	187	3.3
CC39753		0.18	1.43	55	0.05	12.55	241	3.4
CC39754		0.20	1.45	65	0.06	11.65	260	3.6
CC39755		0.20	1.55	66	<0.05	12.35	272	3.5
CC39756		0.20	1.52	66	0.05	12.30	283	3.5
CC39757		0.21	1.63	73	0.05	12.55	307	3.6
CC39758		0.10	1.12	30	<0.05	11.15	121	3.8
CC39759		0.10	1.13	32	<0.05	11.00	119	3.4
CC39760		0.10	1.24	34	<0.05	12.00	133	4.1
CC39761		0.11	1.22	33	<0.05	12.40	131	3.4

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC39762		0.22	0.29	0.88	9.0	<0.2	<10	210	0.58	0.15	8.90	1.27	25.50	8.5	14	1.18
CC39763		0.10	0.28	0.92	8.7	<0.2	<10	210	0.63	0.14	9.91	1.16	26.40	8.4	14	1.22
CC39764		0.22	0.19	0.78	8.7	<0.2	<10	190	0.50	0.14	8.44	1.17	33.30	8.4	13	0.96
CC39765		0.26	0.26	0.91	8.7	<0.2	<10	200	0.63	0.14	9.87	1.09	25.50	8.1	14	1.16
CC39766		0.16	0.23	0.85	9.0	<0.2	<10	200	0.55	0.15	9.57	1.11	25.10	8.7	15	1.13
CC39784		0.24	0.43	1.21	9.8	<0.2	10	720	0.85	0.16	3.39	1.65	38.80	8.6	25	0.92
CC39785		0.10	0.66	1.08	8.2	<0.2	10	1070	0.83	0.14	3.50	2.29	35.30	7.8	23	1.15
CC39786		0.14	0.56	1.08	9.3	<0.2	10	1070	0.89	0.15	3.69	2.07	37.20	7.7	24	1.09
CC39787		0.22	0.53	1.06	8.8	<0.2	10	1870	0.80	0.14	3.83	1.72	36.70	7.3	23	1.01
CC39788		0.24	0.68	1.01	11.9	<0.2	10	2400	0.77	0.15	3.63	3.06	35.90	7.8	24	1.08
CC39789		0.36	0.63	0.78	16.8	<0.2	10	3050	0.66	0.17	3.32	5.02	34.00	9.1	22	1.06
CC39790		0.14	0.52	0.72	18.6	<0.2	10	2340	0.74	0.15	2.81	6.27	30.90	7.5	21	0.94
CC39791		0.14	0.59	0.74	20.8	<0.2	10	2770	0.62	0.17	2.86	5.29	31.10	8.7	25	0.95
CC39792		0.16	0.63	0.71	19.9	<0.2	<10	2440	0.63	0.16	2.91	5.99	28.90	8.2	22	0.92
CC39793		0.24	0.61	0.71	19.2	<0.2	10	2020	0.67	0.15	2.76	4.80	26.90	6.6	21	0.94
CC39794		0.36	0.62	0.66	25.7	<0.2	10	2290	0.71	0.19	2.31	4.98	26.60	8.2	24	0.98
CC39795		0.34	0.61	0.63	28.5	<0.2	10	1850	0.67	0.18	2.04	5.11	23.60	7.7	21	0.96
CC39796		0.26	0.58	0.74	22.3	<0.2	10	1560	0.65	0.16	2.23	5.53	23.50	8.9	21	1.08
CC39797		0.28	0.51	0.79	22.4	<0.2	<10	1750	0.66	0.18	1.96	6.80	23.90	18.9	21	1.15
CC39798		0.26	0.55	0.87	29.3	<0.2	10	1670	0.76	0.21	1.57	7.52	21.40	18.1	23	1.23
CC39601		0.16	0.56	0.11	14.4	<0.2	10	440	0.13	0.14	0.05	0.17	3.39	1.1	5	0.83
CC39602		0.28	0.43	0.16	25.4	<0.2	<10	360	0.23	0.19	0.06	0.27	4.87	3.1	8	0.86
CC39603		0.22	0.29	0.21	16.7	<0.2	<10	610	0.16	0.13	0.03	0.20	4.61	1.6	10	0.61
CC39604		0.16	0.48	0.18	31.0	<0.2	<10	450	0.27	0.15	0.06	1.17	4.38	3.1	11	0.79
CC39606		0.24	0.50	0.31	49.0	<0.2	<10	260	0.33	0.15	0.01	0.83	4.78	0.9	38	1.10
CC39607		0.08	0.58	0.42	63.2	<0.2	<10	150	0.21	0.14	0.02	0.57	4.21	1.1	62	1.04
CC39608		0.12	0.58	0.29	48.2	<0.2	<10	310	0.20	0.15	0.02	0.55	4.41	1.2	36	1.12
CC39609		0.12	0.58	0.28	41.5	<0.2	<10	300	0.22	0.15	0.01	0.75	5.19	1.2	31	1.24
CC39610		0.14	0.64	0.39	38.5	<0.2	<10	480	0.26	0.18	0.02	0.70	7.45	2.7	24	1.47
CC39611		0.20	0.62	0.52	60.6	<0.2	<10	400	0.23	0.16	0.02	0.62	5.68	1.5	35	1.27
CC39612		0.16	0.56	0.30	40.1	<0.2	<10	380	0.21	0.16	0.02	0.55	5.78	1.5	27	1.30
CC39613		0.18	0.64	0.43	52.2	<0.2	<10	310	0.34	0.17	0.02	1.63	6.11	2.1	26	1.17
CC39614		0.12	0.65	0.39	50.4	<0.2	<10	320	0.26	0.15	0.02	0.85	5.37	2.1	40	1.25
CC39615		0.28	0.60	0.45	45.7	<0.2	<10	400	0.39	0.17	0.02	1.38	6.07	1.9	26	1.16
CC39616		0.20	0.71	0.79	70.7	<0.2	<10	140	0.59	0.22	0.04	2.47	6.74	3.8	28	1.21
CC39617		0.22	0.70	0.78	55.6	<0.2	<10	280	0.58	0.18	0.05	2.91	6.54	3.0	26	1.15
CC39618		0.18	0.55	0.51	38.1	<0.2	<10	380	0.33	0.15	0.02	1.25	5.97	2.0	23	1.18
CC39619		0.20	0.77	0.94	42.7	<0.2	<10	480	0.58	0.16	0.12	5.18	6.65	3.4	30	1.24
CC39632		0.18	0.68	0.98	20.7	<0.2	10	4940	0.87	0.14	6.34	9.95	26.80	8.6	34	1.43
CC39633		0.20	0.83	0.83	25.6	<0.2	10	5850	0.72	0.18	3.82	20.40	27.10	10.9	33	1.23

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC39762		26.0	1.92	2.59	0.06	0.09	0.04	0.022	0.08	13.9	25.8	1.31	215	3.45	0.01	0.13
CC39763		25.5	1.88	2.71	0.06	0.09	0.04	0.021	0.09	14.4	26.6	1.46	226	3.31	0.01	0.14
CC39764		21.1	1.92	2.27	0.06	0.11	0.02	0.020	0.07	17.8	23.7	1.04	196	3.28	0.01	0.09
CC39765		25.7	1.79	2.66	0.06	0.09	0.04	0.021	0.10	14.0	26.0	1.45	213	3.24	0.01	0.14
CC39766		24.0	1.93	2.47	0.06	0.10	0.05	0.022	0.08	13.5	25.3	1.26	226	3.54	0.01	0.11
CC39784		38.3	2.05	4.04	0.08	0.12	0.08	0.029	0.19	21.5	19.6	2.10	220	4.64	0.02	0.22
CC39785		52.7	1.65	3.71	0.08	0.11	0.13	0.027	0.20	20.4	20.0	2.04	234	3.33	0.02	0.25
CC39786		45.7	1.79	3.61	0.08	0.12	0.11	0.030	0.20	21.4	19.4	2.15	238	4.29	0.02	0.22
CC39787		42.3	1.81	3.62	0.08	0.11	0.10	0.027	0.20	21.2	17.8	2.24	220	4.26	0.03	0.19
CC39788		46.8	2.10	3.37	0.09	0.11	0.12	0.031	0.19	20.8	16.0	2.14	182	6.91	0.04	0.18
CC39789		53.9	2.21	2.58	0.08	0.11	0.13	0.033	0.16	19.9	9.7	1.76	247	19.15	0.06	0.12
CC39790		53.3	1.98	2.63	0.09	0.10	0.10	0.030	0.15	18.1	9.2	1.42	222	20.60	0.04	0.13
CC39791		63.0	2.20	2.60	0.10	0.12	0.11	0.035	0.16	18.0	8.3	1.47	257	23.60	0.05	0.12
CC39792		66.2	2.11	2.45	0.09	0.10	0.12	0.032	0.14	17.0	9.0	1.49	238	21.70	0.05	0.13
CC39793		61.3	1.84	2.59	0.08	0.08	0.12	0.030	0.15	15.8	8.8	1.42	183	17.90	0.04	0.12
CC39794		70.8	2.05	2.71	0.09	0.10	0.12	0.035	0.15	15.6	6.9	1.10	215	22.60	0.04	0.11
CC39795		72.1	2.07	2.57	0.09	0.11	0.11	0.038	0.15	13.7	6.2	0.96	196	22.60	0.03	0.10
CC39796		62.7	2.20	2.57	0.08	0.08	0.11	0.034	0.14	13.7	8.5	1.17	206	16.85	0.03	0.12
CC39797		64.7	2.42	2.65	0.07	0.08	0.10	0.034	0.14	13.9	8.9	0.98	412	16.75	0.03	0.10
CC39798		66.6	2.71	2.69	0.08	0.11	0.09	0.041	0.12	12.2	9.1	0.82	384	19.80	0.03	0.09
CC39601		25.7	1.40	0.93	0.05	0.10	0.32	0.024	0.20	1.7	0.5	0.02	89	40.70	0.01	<0.05
CC39602		36.8	1.87	1.80	0.06	0.09	0.46	0.029	0.24	2.3	1.1	0.02	244	40.90	0.01	0.05
CC39603		39.4	1.59	1.35	<0.05	0.02	0.42	0.018	0.14	2.2	1.2	0.03	41	21.40	0.01	<0.05
CC39604		51.5	1.72	1.59	0.06	0.11	0.26	0.027	0.20	2.1	1.2	0.03	187	41.60	0.01	0.05
CC39606		74.0	4.84	4.08	0.10	0.05	0.35	0.067	0.16	2.2	1.5	0.02	35	57.60	<0.01	0.08
CC39607		73.2	9.88	5.32	0.17	0.05	0.31	0.101	0.15	1.8	1.1	0.02	49	77.60	<0.01	0.10
CC39608		68.3	6.12	3.58	0.12	0.06	0.35	0.060	0.17	2.0	1.2	0.02	57	67.60	0.01	0.08
CC39609		72.6	5.52	3.37	0.11	0.05	0.36	0.064	0.16	2.4	1.4	0.02	53	64.60	0.01	0.08
CC39610		73.5	3.77	3.16	0.09	0.03	0.46	0.051	0.17	3.5	3.0	0.05	121	62.30	0.01	0.10
CC39611		73.6	4.63	3.38	0.13	0.07	0.39	0.066	0.17	2.8	1.7	0.03	60	79.10	0.01	0.09
CC39612		66.7	4.28	3.32	0.10	0.04	0.39	0.051	0.16	2.8	1.8	0.03	62	57.50	0.01	0.09
CC39613		99.9	3.72	3.06	0.11	0.09	0.39	0.053	0.20	2.9	1.6	0.02	72	73.20	0.01	0.11
CC39614		80.6	5.92	3.91	0.13	0.05	0.41	0.071	0.15	2.4	1.9	0.03	88	74.10	0.01	0.11
CC39615		108.0	3.41	2.85	0.11	0.09	0.41	0.054	0.17	2.9	1.4	0.02	69	67.00	0.01	0.10
CC39616		141.0	4.27	3.56	0.15	0.15	0.37	0.069	0.32	3.0	2.9	0.04	114	95.20	0.01	0.14
CC39617		145.5	3.40	3.14	0.12	0.11	0.38	0.058	0.22	3.1	1.9	0.03	89	76.90	0.01	0.14
CC39618		97.8	3.19	2.73	0.10	0.05	0.36	0.046	0.16	2.8	2.0	0.03	74	57.70	0.01	0.10
CC39619		146.5	3.16	2.93	0.10	0.07	0.41	0.046	0.16	3.3	2.6	0.05	98	62.10	0.01	0.24
CC39632		60.1	1.94	3.48	0.09	0.11	0.18	0.028	0.20	15.4	10.6	1.97	242	32.20	0.09	0.28
CC39633		69.4	2.22	2.99	0.09	0.11	0.24	0.032	0.18	15.3	6.3	1.68	244	42.30	0.10	0.23

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC39762		23.6	990	14.3	8.3	0.001	0.06	1.30	2.9	1.6	0.2	500.0	<0.01	0.03	3.7	<0.005
CC39763		23.3	1070	13.9	9.3	<0.001	0.07	1.22	3.0	1.4	0.2	568.0	<0.01	0.03	3.6	<0.005
CC39764		22.1	990	13.9	6.0	<0.001	0.05	1.13	2.5	1.1	0.2	482.0	<0.01	0.03	4.5	<0.005
CC39765		21.8	1130	13.6	8.9	<0.001	0.07	1.20	3.0	1.4	0.2	600.0	<0.01	0.03	3.5	<0.005
CC39766		23.3	1060	14.5	8.0	<0.001	0.06	1.20	2.7	1.3	0.2	546.0	<0.01	0.03	4.0	<0.005
CC39784		39.4	2860	43.0	14.9	0.003	0.06	2.33	3.2	2.2	0.4	54.2	<0.01	0.07	3.8	0.006
CC39785		39.3	3330	34.5	15.2	0.004	0.09	2.04	3.5	2.7	0.4	60.8	<0.01	0.06	2.9	0.008
CC39786		39.5	3060	40.0	14.9	0.005	0.11	2.53	3.5	2.6	0.4	67.2	<0.01	0.07	3.3	0.006
CC39787		37.3	2990	30.7	14.5	0.007	0.12	2.26	3.6	2.5	0.3	76.8	<0.01	0.07	3.7	0.005
CC39788		53.0	2440	30.1	13.7	0.013	0.14	2.95	4.0	3.2	0.3	102.5	<0.01	0.07	3.7	0.005
CC39789		82.6	1500	21.6	11.0	0.027	0.14	3.66	4.5	4.0	0.4	146.0	<0.01	0.09	4.1	<0.005
CC39790		80.2	1860	22.2	11.6	0.021	0.11	4.82	3.7	4.7	0.4	122.5	<0.01	0.09	3.5	<0.005
CC39791		79.8	1670	20.6	10.9	0.028	0.14	5.37	4.2	5.1	0.4	149.0	<0.01	0.11	4.0	<0.005
CC39792		80.0	1660	21.5	10.4	0.025	0.14	5.09	4.1	5.2	0.4	141.5	<0.01	0.10	3.5	<0.005
CC39793		64.1	1690	20.3	11.0	0.025	0.15	4.24	3.9	5.4	0.4	124.5	<0.01	0.10	3.0	<0.005
CC39794		72.0	1360	20.1	10.8	0.034	0.18	5.16	4.6	6.9	0.5	137.5	<0.01	0.13	3.5	<0.005
CC39795		67.4	1270	19.6	10.5	0.035	0.22	4.86	4.6	7.1	0.5	123.5	<0.01	0.12	3.3	<0.005
CC39796		64.3	1410	19.6	10.7	0.023	0.22	4.18	4.2	6.3	0.4	100.5	<0.01	0.11	3.0	<0.005
CC39797		69.0	1500	19.6	10.8	0.024	0.21	3.97	4.3	5.5	0.4	102.0	<0.01	0.11	3.4	<0.005
CC39798		79.5	1080	20.5	10.2	0.030	0.22	4.66	5.3	6.3	0.5	107.0	<0.01	0.12	3.7	<0.005
CC39601		4.5	110	9.5	10.4	0.028	0.56	3.25	0.9	6.7	0.4	24.6	<0.01	0.08	1.6	<0.005
CC39602		7.9	190	10.6	12.3	0.029	0.68	2.84	1.5	8.0	0.5	35.4	<0.01	0.13	2.1	<0.005
CC39603		5.2	230	7.5	6.4	0.013	0.37	1.83	1.2	5.4	0.3	23.6	<0.01	0.10	1.2	<0.005
CC39604		11.8	290	10.0	11.4	0.029	0.60	2.99	1.7	8.0	0.5	31.8	<0.01	0.13	2.0	<0.005
CC39606		6.8	880	9.4	9.4	0.028	0.75	8.10	3.6	11.1	0.5	28.4	<0.01	0.16	2.1	<0.005
CC39607		6.8	2680	9.3	9.3	0.024	1.16	12.25	6.2	15.2	0.5	34.4	<0.01	0.19	2.5	<0.005
CC39608		7.9	1280	10.0	10.1	0.032	0.84	10.10	4.0	14.3	0.5	32.9	<0.01	0.18	2.4	<0.005
CC39609		6.8	1110	9.5	10.2	0.031	0.77	9.25	3.7	13.6	0.5	31.7	<0.01	0.19	2.3	<0.005
CC39610		9.1	860	11.5	11.5	0.028	0.58	6.93	3.4	12.5	0.5	32.9	<0.01	0.16	1.9	<0.005
CC39611		12.7	1450	10.8	10.6	0.030	0.74	11.05	5.0	16.1	0.6	54.4	<0.01	0.19	2.7	<0.005
CC39612		8.8	1020	10.3	10.0	0.029	0.64	7.91	3.7	12.5	0.5	32.9	<0.01	0.16	2.2	<0.005
CC39613		22.5	900	12.3	11.9	0.035	0.72	10.40	3.5	17.0	0.6	48.0	<0.01	0.21	2.6	0.005
CC39614		15.6	1550	10.0	9.4	0.027	0.74	10.70	4.7	14.6	0.5	32.9	<0.01	0.19	2.2	<0.005
CC39615		17.5	810	11.6	10.4	0.034	0.62	9.25	3.8	15.1	0.6	39.1	<0.01	0.19	2.5	<0.005
CC39616		29.4	1030	15.1	16.2	0.032	1.08	11.40	4.7	21.6	0.8	71.2	<0.01	0.24	3.1	0.007
CC39617		32.8	860	12.4	12.3	0.034	0.75	10.40	4.4	17.2	0.6	54.3	<0.01	0.22	2.7	0.006
CC39618		16.0	710	10.3	9.5	0.029	0.56	7.82	3.2	12.8	0.5	35.6	<0.01	0.15	2.1	<0.005
CC39619		49.6	760	11.2	9.9	0.030	0.60	11.00	4.1	13.8	0.5	49.3	<0.01	0.17	2.3	0.010
CC39632		116.0	1670	10.3	15.5	0.025	0.12	6.13	5.2	6.2	0.6	382.0	<0.01	0.08	3.9	0.011
CC39633		190.0	1270	10.9	13.0	0.033	0.12	7.71	6.2	8.0	0.7	349.0	0.01	0.09	4.5	0.008

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27-JUL-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC39762		0.11	1.18	33	<0.05	11.85	130	3.6
CC39763		0.11	1.20	34	<0.05	12.05	120	3.5
CC39764		0.08	1.14	30	<0.05	10.35	120	5.2
CC39765		0.11	1.26	35	<0.05	12.10	114	3.7
CC39766		0.10	1.18	30	<0.05	11.65	115	4.1
CC39784		0.15	1.90	108	0.09	15.95	285	2.7
CC39785		0.19	1.98	108	0.08	17.70	274	2.5
CC39786		0.17	2.04	112	0.09	17.35	287	2.7
CC39787		0.16	1.96	98	0.06	16.90	261	2.6
CC39788		0.25	2.17	108	0.08	17.80	337	2.7
CC39789		0.46	3.00	111	0.12	18.10	434	3.5
CC39790		0.76	3.40	179	0.14	18.45	431	3.4
CC39791		0.75	3.58	162	0.14	18.15	422	4.3
CC39792		0.88	3.32	151	0.14	17.80	437	3.2
CC39793		0.92	3.20	149	0.13	16.10	358	2.7
CC39794		1.02	3.71	159	0.16	15.55	366	3.7
CC39795		1.07	3.68	155	0.15	14.60	342	4.0
CC39796		0.89	3.26	138	0.13	14.20	336	2.6
CC39797		0.87	3.41	139	0.12	14.80	348	2.9
CC39798		0.78	3.69	132	0.13	13.65	372	4.0
CC39601		1.86	2.64	116	0.19	1.52	13	4.4
CC39602		2.58	3.37	99	0.22	2.67	16	4.6
CC39603		1.73	2.45	68	0.12	2.12	17	1.0
CC39604		2.23	4.25	99	0.22	3.51	22	4.8
CC39606		2.79	13.25	931	0.21	7.56	19	2.4
CC39607		2.68	10.30	1190	0.22	8.44	23	2.1
CC39608		2.47	9.73	521	0.25	6.60	20	3.1
CC39609		2.71	9.93	476	0.23	6.91	21	2.1
CC39610		3.10	9.24	284	0.23	8.95	27	0.7
CC39611		3.02	12.20	389	0.26	7.50	23	3.2
CC39612		2.77	8.91	350	0.22	6.69	23	1.5
CC39613		3.09	10.60	278	0.29	9.19	70	4.3
CC39614		2.85	10.35	503	0.24	8.99	46	1.5
CC39615		2.85	14.80	249	0.28	9.09	63	4.1
CC39616		4.62	19.10	266	0.35	12.20	130	6.9
CC39617		3.27	19.70	267	0.31	11.85	163	5.5
CC39618		2.76	14.40	241	0.22	8.22	70	2.0
CC39619		2.71	18.40	356	0.25	13.40	418	2.8
CC39632		0.65	6.95	312	0.18	24.60	705	3.8
CC39633		0.78	8.99	303	0.23	28.20	1230	4.3

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC39634		0.16	0.66	0.85	29.4	<0.2	10	7630	0.84	0.16	5.10	7.90	24.20	10.3	30	1.20
CC39635		0.18	1.14	0.78	28.7	<0.2	<10	4170	0.66	0.27	1.68	17.65	35.40	8.3	32	1.05
CC39636		0.22	0.72	0.64	15.9	<0.2	<10	3940	0.51	0.22	1.28	2.75	28.30	10.6	22	1.24
CC39637		0.18	0.45	0.51	10.4	<0.2	<10	1380	0.46	0.12	8.40	1.23	21.70	5.8	15	0.82
CC39638		0.22	0.48	0.53	10.8	<0.2	<10	1230	0.46	0.14	8.59	1.29	21.10	5.9	14	0.88
CC39639		0.10	0.35	0.81	10	<0.2	<10	270	0.51	0.09	10.85	1.30	25.20	5.0	14	1.03
CC39640		0.14	0.48	0.90	9	<0.2	10	260	0.65	0.10	11.30	1.71	26.40	6.4	15	1.18
CC39641		0.18	0.26	0.72	8	<0.2	<10	210	0.50	0.11	11.65	1.31	28.40	6.0	13	0.89
CC39642		0.16	0.28	0.80	9	<0.2	<10	210	0.41	0.07	11.85	1.00	22.00	4.6	14	0.71
CC39643		0.20	0.29	0.73	8	<0.2	<10	210	0.50	0.09	12.40	1.28	28.60	6.3	13	0.86
CC39644		0.24	0.29	0.77	10	<0.2	<10	300	0.51	0.08	14.15	1.38	27.90	6.3	15	0.80
CC39645		0.14	0.40	0.91	10	<0.2	<10	220	0.59	0.09	11.30	1.37	29.00	6.4	15	0.99
CC39646		0.14	0.42	0.86	14	<0.2	<10	210	0.58	0.09	12.75	1.41	29.30	6.5	15	1.08
CC39647		0.32	0.41	0.90	12	<0.2	<10	490	0.55	0.09	15.10	1.73	26.60	6.6	18	0.83
CC39648		0.18	0.31	0.79	9	<0.2	<10	200	0.51	0.08	13.95	1.33	29.50	6.0	14	0.93
CC39649		0.08	0.32	0.83	8	<0.2	<10	180	0.50	0.08	14.05	1.34	28.60	6.0	15	0.93
CC39650		0.08	0.38	0.84	11	<0.2	<10	190	0.53	0.10	10.50	1.38	26.40	6.1	15	1.12
CC39651		0.22	0.24	0.85	7.5	<0.2	<10	170	0.54	0.10	8.76	0.95	31.20	6.5	14	0.99
CC39652		0.16	0.38	0.88	10.1	<0.2	<10	410	0.59	0.11	8.07	1.38	27.90	6.6	16	0.98
CC39653		0.14	0.31	0.87	12.4	<0.2	<10	500	0.52	0.13	8.57	1.44	26.50	6.6	16	1.01
CC39654		0.08	0.36	0.90	9.9	<0.2	<10	410	0.58	0.11	8.73	1.55	26.90	6.9	16	1.12
CC39655		0.16	0.33	0.86	10.5	<0.2	<10	450	0.54	0.12	8.25	1.46	26.90	7.1	16	1.07
CC39621		0.22	0.47	0.59	12.5	<0.2	<10	1640	0.52	0.20	8.51	1.84	21.40	6.4	18	0.96
CC39622		0.22	0.51	0.56	12.2	<0.2	<10	1490	0.52	0.14	8.08	1.67	21.60	6.7	16	0.94
CC39623		0.22	0.50	0.55	11.6	<0.2	<10	1250	0.48	0.14	8.74	1.28	20.90	6.2	15	0.88
CC39624		Not Recvd														
CC39625		Not Recvd														
CC39626		0.26	0.56	0.82	15.7	<0.2	10	2660	0.65	0.13	9.45	5.11	24.60	7.1	25	1.21
CC39627		0.22	0.71	0.87	17.0	<0.2	10	2480	0.68	0.14	7.84	5.68	25.10	7.3	26	1.39
CC39663		0.30	0.48	0.52	10.9	<0.2	<10	1220	0.46	0.14	8.56	1.27	20.80	6.1	14	0.87
CC27806		0.04	0.99	0.58	14.6	<0.2	<10	2360	0.43	0.21	0.70	5.19	17.95	4.5	14	0.81
CC29665		0.08	0.61	0.77	24.9	<0.2	<10	500	0.56	0.15	1.12	4.88	12.45	5.5	20	0.72
CC20213		0.20	0.20	1.21	21.5	<0.2	<10	560	0.69	0.24	5.40	1.63	21.70	12.1	24	1.32

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC39634		60.4	2.01	3.10	0.09	0.28	0.23	0.029	0.20	14.1	5.9	2.24	220	61.30	0.13	0.18
CC39635		81.6	2.55	3.06	0.13	0.08	0.25	0.033	0.12	20.4	7.9	0.59	187	46.20	<0.01	0.34
CC39636		60.5	2.72	2.47	0.11	0.09	0.24	0.046	0.15	14.5	6.6	0.51	222	9.21	<0.01	0.12
CC39637		57.6	1.42	1.89	0.07	0.09	0.18	0.024	0.13	11.9	10.1	2.51	230	4.73	0.01	0.07
CC39638		57.1	1.46	1.97	0.07	0.07	0.19	0.025	0.12	11.7	11.0	2.42	228	4.68	0.01	0.08
CC39639		27.0	1.46	2.72	0.09	0.08	0.06	0.017	0.10	13.2	20.8	1.48	108	2.91	0.01	0.14
CC39640		36.3	1.47	3.10	0.10	0.09	0.08	0.020	0.11	13.8	23.9	1.69	222	3.70	0.02	0.17
CC39641		25.4	1.36	2.48	0.09	0.08	0.04	0.021	0.09	14.6	19.3	1.25	222	3.59	0.01	0.12
CC39642		23.7	1.46	2.01	0.08	0.06	0.04	0.014	0.10	10.9	15.7	1.39	244	2.65	0.02	0.10
CC39643		27.9	1.40	2.49	0.10	0.09	0.05	0.019	0.09	14.6	20.0	1.30	229	3.86	0.01	0.13
CC39644		30.5	1.45	2.54	0.10	0.10	0.04	0.018	0.11	14.4	18.6	1.34	277	4.84	0.02	0.12
CC39645		31.1	1.50	2.97	0.09	0.09	0.05	0.020	0.11	14.6	22.3	1.57	241	3.57	0.02	0.16
CC39646		34.3	1.51	2.91	0.10	0.09	0.06	0.020	0.11	14.9	21.8	1.58	252	3.90	0.02	0.15
CC39647		39.6	1.49	3.07	0.10	0.16	0.05	0.020	0.15	13.8	20.8	1.57	292	7.01	0.02	0.12
CC39648		28.5	1.38	2.67	0.10	0.09	0.04	0.018	0.11	14.7	19.6	1.44	234	4.07	0.02	0.13
CC39649		28.5	1.41	2.74	0.09	0.09	0.04	0.018	0.11	14.3	20.0	1.47	231	3.94	0.02	0.13
CC39650		33.6	1.50	2.85	0.10	0.09	0.06	0.020	0.11	13.6	21.5	1.52	207	3.25	0.02	0.14
CC39651		27.0	1.52	2.76	0.10	0.09	0.05	0.019	0.10	15.3	22.2	1.44	108	2.85	0.01	0.14
CC39652		31.8	1.54	2.88	0.09	0.09	0.06	0.022	0.10	14.0	21.3	1.34	170	4.69	0.01	0.14
CC39653		29.3	1.72	2.84	0.09	0.08	0.05	0.023	0.11	14.2	18.9	1.20	201	6.84	0.01	0.13
CC39654		29.8	1.59	3.01	0.09	0.08	0.06	0.022	0.11	14.2	21.4	1.40	215	4.85	0.01	0.15
CC39655		29.3	1.65	2.90	0.09	0.09	0.05	0.022	0.10	14.1	20.1	1.23	197	5.57	0.01	0.14
CC39621		53.1	1.56	2.21	0.08	0.07	0.17	0.025	0.14	11.9	10.8	2.49	232	6.55	0.01	0.11
CC39622		60.6	1.50	2.13	0.08	0.08	0.17	0.027	0.13	12.3	10.9	2.29	222	6.27	0.01	0.11
CC39623		60.8	1.55	1.98	0.07	0.08	0.18	0.024	0.12	11.9	10.9	2.41	229	4.97	0.01	0.10
CC39624																
CC39625																
CC39626		48.4	1.71	2.97	0.11	0.08	0.12	0.025	0.16	14.1	12.4	1.93	198	18.50	0.01	0.21
CC39627		54.1	1.91	3.30	0.12	0.09	0.16	0.029	0.19	14.2	14.8	1.86	181	20.30	0.01	0.23
CC39663		58.8	1.45	1.98	0.07	0.08	0.17	0.025	0.12	11.8	10.8	2.49	225	4.76	0.01	0.10
CC27806		40.5	1.43	2.15	0.08	0.05	0.25	0.026	0.08	9.6	4.8	0.14	148	12.30	<0.01	0.15
CC29665		51.3	3.11	2.37	0.13	0.07	0.23	0.023	0.06	6.2	5.0	0.11	77	21.60	0.01	0.29
CC20213		40.8	2.80	3.86	0.10	0.11	0.06	0.036	0.11	10.7	19.0	0.86	265	7.84	0.01	0.09

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC39634		183.0	920	10.3	12.7	0.036	0.12	9.02	6.1	6.4	0.7	407.0	0.01	0.10	5.0	0.008
CC39635		180.5	1140	14.8	10.6	0.017	0.10	12.95	5.1	10.4	0.6	197.5	0.01	0.13	3.7	0.010
CC39636		87.3	1150	11.9	10.9	0.028	0.08	5.26	5.9	5.4	0.9	176.0	<0.01	0.07	5.8	0.005
CC39637		27.4	1400	19.5	7.0	0.010	0.22	2.58	3.6	1.9	0.3	205.0	<0.01	0.06	2.9	<0.005
CC39638		29.0	1340	19.4	7.4	0.009	0.22	2.48	3.5	2.1	0.2	216.0	<0.01	0.06	2.7	<0.005
CC39639		19.2	1630	10.1	10.8	0.001	0.07	1.50	2.7	1.6	0.2	610.0	<0.01	0.05	2.5	0.005
CC39640		26.3	1440	11.6	12.6	0.001	0.07	1.70	3.3	1.9	0.3	630.0	<0.01	0.05	2.2	0.006
CC39641		19.4	1980	10.6	9.3	0.001	0.04	1.81	2.4	1.3	0.2	679.0	<0.01	0.05	3.0	<0.005
CC39642		15.4	1900	8.6	7.6	0.001	0.05	1.42	2.0	1.1	0.2	676.0	<0.01	0.04	2.1	0.005
CC39643		19.7	1960	11.4	9.3	0.001	0.04	2.11	2.5	1.5	0.2	730.0	<0.01	0.05	2.9	<0.005
CC39644		21.5	2010	11.2	9.5	0.001	0.04	2.24	2.5	1.5	0.2	845.0	<0.01	0.06	3.1	<0.005
CC39645		21.2	1810	11.6	11.0	0.001	0.05	1.77	2.8	1.4	0.3	639.0	<0.01	0.05	2.7	0.006
CC39646		21.0	1890	11.7	11.2	0.001	0.05	1.98	2.9	1.7	0.2	718.0	<0.01	0.05	2.7	0.005
CC39647		24.5	1740	11.7	11.3	0.003	0.05	3.56	2.8	1.8	0.2	875.0	<0.01	0.07	3.4	0.005
CC39648		18.9	2050	10.6	9.9	0.001	0.06	2.08	2.6	1.5	0.2	810.0	<0.01	0.05	2.9	<0.005
CC39649		19.0	2040	10.9	10.2	0.001	0.06	2.10	2.5	1.5	0.2	824.0	<0.01	0.06	2.9	<0.005
CC39650		20.4	1650	11.7	11.5	0.001	0.07	1.70	2.9	2.1	0.2	580.0	<0.01	0.05	2.3	0.005
CC39651		20.2	1810	11.9	10.6	0.001	0.05	1.32	2.7	1.5	0.2	503.0	<0.01	0.04	3.0	0.005
CC39652		26.1	1580	11.8	10.8	0.002	0.06	3.55	2.9	2.0	0.3	451.0	<0.01	0.05	2.5	0.005
CC39653		28.0	1860	11.9	9.9	0.004	0.06	2.02	2.7	1.9	0.3	503.0	<0.01	0.05	3.0	<0.005
CC39654		27.6	1800	11.5	11.4	0.002	0.06	1.74	2.9	1.8	0.3	491.0	<0.01	0.05	2.8	0.005
CC39655		27.9	1900	11.2	10.0	0.003	0.05	1.82	2.8	1.8	0.3	473.0	<0.01	0.05	3.0	<0.005
CC39621		36.1	1550	18.2	8.5	0.010	0.21	2.79	3.6	2.2	0.3	257.0	<0.01	0.05	3.2	<0.005
CC39622		36.1	1410	18.5	7.8	0.010	0.20	2.84	3.6	2.2	0.3	227.0	<0.01	0.06	3.1	<0.005
CC39623		30.5	1390	20.5	6.9	0.010	0.21	2.60	3.5	1.9	0.3	222.0	<0.01	0.06	2.9	<0.005
CC39624																
CC39625																
CC39626		70.1	1980	9.5	11.5	0.019	0.13	4.54	3.6	3.8	0.4	409.0	<0.01	0.07	3.4	0.007
CC39627		81.9	1720	10.8	14.2	0.019	0.22	5.15	4.0	4.6	0.5	343.0	<0.01	0.08	3.1	0.008
CC39663		29.1	1460	20.2	6.9	0.010	0.20	2.57	3.4	2.0	0.2	214.0	<0.01	0.06	2.9	<0.005
CC27806		35.9	510	11.7	7.8	0.020	0.15	3.71	2.9	8.3	0.5	96.5	<0.01	0.11	2.0	<0.005
CC29665		110.5	560	9.0	7.6	0.047	0.22	6.98	3.1	15.1	0.4	53.5	<0.01	0.10	1.6	0.006
CC20213		52.9	1270	16.3	10.6	0.008	0.12	2.27	4.4	1.8	0.4	306.0	<0.01	0.07	4.0	<0.005

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 27-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077183

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC39634		0.42	12.95	359	0.26	29.90	797	12.1
CC39635		1.17	6.37	323	0.25	26.60	698	2.6
CC39636		0.44	3.08	90	0.10	18.05	406	3.2
CC39637		0.28	1.26	43	0.09	11.65	175	3.9
CC39638		0.29	1.34	45	0.09	11.65	184	3.0
CC39639		0.19	1.30	58	<0.05	11.75	144	2.8
CC39640		0.24	1.37	63	0.05	13.80	167	3.1
CC39641		0.12	1.38	53	<0.05	12.40	128	3.4
CC39642		0.09	1.08	57	<0.05	9.56	136	2.3
CC39643		0.10	1.44	53	<0.05	12.90	132	3.7
CC39644		0.11	1.56	68	0.05	12.60	149	4.8
CC39645		0.12	1.33	65	<0.05	13.05	145	3.1
CC39646		0.13	1.44	64	<0.05	13.55	145	3.4
CC39647		0.13	1.84	101	0.05	12.60	205	7.7
CC39648		0.11	1.52	64	<0.05	12.95	138	4.1
CC39649		0.11	1.51	66	<0.05	12.75	141	4.0
CC39650		0.11	1.31	57	<0.05	13.20	142	3.0
CC39651		0.10	1.22	48	<0.05	12.40	121	3.2
CC39652		0.27	1.43	74	0.05	13.05	174	2.8
CC39653		0.37	1.89	81	0.08	12.90	183	2.9
CC39654		0.31	1.61	77	0.06	13.30	199	2.8
CC39655		0.30	1.79	82	0.06	13.00	190	2.9
CC39621		0.33	2.03	72	0.09	13.40	225	3.3
CC39622		0.33	1.79	58	0.09	13.20	205	3.5
CC39623		0.30	1.48	47	0.09	12.15	187	3.3
CC39624								
CC39625								
CC39626		0.63	4.47	208	0.12	18.05	514	3.4
CC39627		0.85	4.49	202	0.13	18.50	531	2.9
CC39663		0.29	1.43	45	0.09	12.35	184	3.4
CC27806		1.41	5.24	94	0.14	10.45	235	1.2
CC29665		1.19	8.13	318	0.15	15.85	298	2.2
CC20213		0.37	2.16	104	0.08	11.85	228	4.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE VA07067610

Project: NIMO

P.O. No.:

This report is for 240 Soil samples submitted to our lab in Vancouver, BC, Canada on 28-JUN-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-JUL-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC20350		0.10	0.66	0.84	13.6	<0.2	<10	3630	0.61	0.18	1.32	2.19	16.50	11.1	19	0.73
CC20351		Not Recvd														
CC20383		0.16	0.50	0.96	16.1	<0.2	<10	3720	0.61	0.19	1.07	1.76	16.90	10.5	22	0.76
CC20384		0.10	0.78	0.72	12.5	<0.2	10	4460	0.53	0.19	1.36	2.10	15.85	12.3	17	0.88
CC20385		0.14	0.92	0.70	11.0	<0.2	<10	4200	0.45	0.18	1.38	1.89	14.80	11.4	16	0.89
CC20386		0.14	1.03	0.68	8.3	<0.2	10	2090	0.43	0.16	3.06	2.23	18.95	9.9	12	1.11
CC20387		0.14	0.93	0.85	9.5	<0.2	10	1760	0.56	0.14	3.95	3.49	21.70	8.7	16	1.11
CC20388		0.26	0.83	0.65	8.3	<0.2	10	2170	0.45	0.17	2.76	1.87	19.40	9.1	12	1.10
CC20389		0.12	1.12	0.84	9.2	<0.2	<10	1740	0.51	0.14	3.34	4.13	22.00	8.3	16	1.08
CC20390		0.24	0.97	0.67	7.7	<0.2	10	1770	0.44	0.16	2.61	1.64	18.65	10.7	11	1.20
CC20391		0.12	0.99	0.88	8.5	<0.2	10	660	0.57	0.14	3.58	4.81	23.50	7.5	17	0.99
CC20392		0.18	1.06	0.81	9.8	<0.2	10	700	0.53	0.13	7.41	5.82	24.90	7.0	15	0.95
CC20393		0.14	0.86	0.95	11.0	<0.2	10	630	0.62	0.15	3.79	5.05	29.10	8.6	18	1.04
CC20394		0.18	1.03	0.88	9.7	<0.2	<10	480	0.55	0.12	3.33	5.55	27.80	6.9	18	0.91
CC29649		0.14	0.86	0.65	35.6	<0.2	10	550	0.67	0.15	3.44	18.00	23.50	15.0	26	0.98
CC29651		0.10	0.52	0.81	11.3	<0.2	<10	1570	0.60	0.21	1.38	2.53	35.10	12.0	17	1.66
CC29652		0.14	0.47	0.71	16.7	<0.2	10	1710	0.66	0.23	2.29	2.80	32.00	14.4	26	2.21
CC29653		0.12	0.39	0.79	16.8	<0.2	10	2530	0.62	0.18	2.22	4.15	28.90	12.9	26	1.92
CC29654		0.14	0.41	0.77	13.9	<0.2	10	1640	0.63	0.21	2.16	2.68	28.10	14.2	25	1.92
CC29655		0.14	0.50	0.81	17.1	<0.2	10	2370	0.69	0.22	1.53	5.33	31.70	12.9	29	1.90
CC29656		0.18	0.51	0.82	20.6	<0.2	10	2860	0.64	0.19	1.92	10.75	28.60	13.4	30	1.92
CC29657		0.20	0.08	0.61	29.9	<0.2	<10	1050	0.52	0.13	0.08	1.23	19.15	7.3	12	0.28
CC29658		0.18	0.17	0.65	15.7	<0.2	<10	190	0.29	0.14	0.06	0.48	14.15	4.6	11	0.38
CC29659		0.14	0.16	1.05	17.9	<0.2	<10	230	0.32	0.20	0.02	0.37	19.35	3.9	17	1.24
CC29660		0.14	0.28	0.70	11.8	<0.2	<10	230	0.19	0.16	0.03	0.64	25.30	2.9	16	0.97
CC29661		0.18	1.15	1.96	146.5	<0.2	<10	1410	1.08	0.30	0.51	11.30	38.00	15.2	47	1.25
CC29662		0.14	1.27	1.29	53.9	<0.2	<10	1860	0.80	0.21	1.84	23.30	28.60	11.5	45	1.01
CC29663		0.12	1.05	0.87	39.0	<0.2	10	2560	0.65	0.14	2.65	15.50	22.60	5.4	38	0.73
CC29664		0.12	1.01	0.80	20.6	<0.2	<10	2560	0.61	0.12	2.79	13.45	24.50	3.9	37	0.72
CC29666		0.12	0.43	0.64	22.2	<0.2	10	280	0.13	0.19	0.09	0.41	8.15	2.5	13	0.64
CC29667		0.14	0.33	1.18	14.6	<0.2	<10	810	0.44	0.20	0.25	1.35	17.35	11.2	20	0.79
CC29668		0.20	0.31	0.95	14.9	<0.2	<10	580	0.30	0.18	0.09	0.59	18.85	4.1	15	0.71
CC29669		0.14	0.39	1.21	9.6	<0.2	<10	1640	0.61	0.18	0.73	4.98	21.10	16.5	19	0.67
CC29670		0.20	0.16	1.49	15.9	<0.2	<10	480	0.49	0.23	0.10	0.31	13.50	10.4	27	0.94
CC29714		0.10	1.12	0.51	8.1	<0.2	10	690	0.22	0.14	0.18	1.70	12.45	2.2	15	0.79
CC29715		0.16	0.31	1.03	15.4	<0.2	<10	150	0.17	0.30	0.04	0.22	28.00	2.8	17	0.78
CC29716		0.12	0.37	0.49	13.3	<0.2	<10	320	0.13	0.20	0.04	0.34	13.35	0.9	13	0.51
CC29717		0.16	2.16	0.43	7.9	<0.2	<10	1320	0.57	0.12	0.06	7.38	7.66	0.5	16	0.28
CC29718		0.08	0.22	0.63	11.1	<0.2	<10	120	0.09	0.19	0.03	0.37	23.80	2.3	15	0.65
CC29719		0.10	0.48	0.87	16.4	<0.2	<10	860	0.62	0.15	1.02	4.91	19.30	4.6	16	0.52

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC20350		42.0	2.60	2.61	0.09	0.06	0.19	0.029	0.09	8.5	6.0	0.34	341	10.95	<0.01	0.32
CC20351																
CC20383		39.9	2.82	3.19	0.08	0.05	0.15	0.029	0.10	8.5	8.0	0.38	254	11.95	<0.01	0.33
CC20384		51.3	2.86	2.20	0.09	0.06	0.16	0.028	0.12	8.0	4.1	0.47	333	12.50	<0.01	0.20
CC20385		55.1	2.80	2.03	0.08	0.06	0.17	0.027	0.13	7.6	3.6	0.48	293	10.90	<0.01	0.17
CC20386		71.9	2.40	1.93	0.10	0.08	0.19	0.026	0.17	10.3	5.7	0.93	218	4.62	0.01	0.16
CC20387		65.1	1.96	2.73	0.09	0.08	0.20	0.022	0.15	12.1	10.4	0.82	280	4.70	0.01	0.32
CC20388		57.8	2.18	1.81	0.09	0.10	0.15	0.028	0.19	10.4	4.4	0.99	232	4.55	<0.01	0.09
CC20389		77.4	1.90	2.71	0.10	0.09	0.23	0.023	0.14	12.6	11.0	0.80	240	4.50	0.01	0.33
CC20390		60.4	2.50	1.81	0.09	0.09	0.17	0.026	0.18	10.0	4.7	1.01	218	4.31	<0.01	0.13
CC20391		76.3	1.70	2.94	0.09	0.09	0.21	0.024	0.12	13.1	12.7	0.73	256	3.77	0.01	0.41
CC20392		83.6	1.41	2.60	0.07	0.10	0.23	0.025	0.11	13.2	14.0	0.75	238	3.83	0.05	0.42
CC20393		75.2	1.80	2.95	0.06	0.10	0.23	0.028	0.12	13.9	15.9	0.79	271	3.83	0.03	0.45
CC20394		81.5	1.49	2.83	0.06	0.10	0.26	0.024	0.11	14.4	15.2	0.78	242	3.90	0.03	0.45
CC29649		84.8	2.27	2.43	0.09	0.17	0.28	0.038	0.13	10.5	5.0	1.18	271	37.20	0.02	0.15
CC29651		48.2	2.90	2.36	0.08	0.05	0.17	0.043	0.12	17.8	10.8	0.68	193	4.33	0.02	0.16
CC29652		52.1	3.29	2.88	0.07	0.08	0.20	0.044	0.16	14.2	12.5	1.27	342	5.16	0.02	0.09
CC29653		43.4	2.78	2.93	0.07	0.07	0.17	0.036	0.16	13.2	11.5	1.27	495	14.50	0.03	0.11
CC29654		43.5	3.19	2.80	0.06	0.06	0.17	0.043	0.16	14.4	12.1	1.19	602	4.94	0.02	0.12
CC29655		51.4	3.00	3.20	0.08	0.07	0.21	0.042	0.16	15.9	13.2	0.88	331	8.80	0.02	0.14
CC29656		55.0	2.79	3.06	0.07	0.07	0.17	0.037	0.16	13.5	11.9	1.13	493	16.90	0.03	0.20
CC29657		34.7	1.48	2.07	0.05	0.05	0.08	0.025	0.08	8.8	4.3	0.11	98	28.80	0.01	0.30
CC29658		21.0	1.56	2.48	<0.05	0.03	0.03	0.022	0.07	6.9	2.2	0.07	54	29.20	0.01	0.33
CC29659		23.3	1.92	5.37	<0.05	0.02	0.05	0.021	0.07	9.1	3.3	0.07	50	29.00	0.02	0.54
CC29660		22.7	1.15	5.67	<0.05	<0.02	0.05	0.014	0.05	11.5	1.2	0.03	31	16.00	0.01	0.36
CC29661		86.7	3.43	6.56	0.21	0.09	0.36	0.072	0.09	18.9	13.2	0.15	198	89.00	0.02	0.70
CC29662		76.1	2.27	4.51	0.10	0.10	0.41	0.035	0.08	14.7	9.7	0.30	235	37.40	0.02	0.61
CC29663		56.0	1.41	3.36	0.10	0.13	0.37	0.027	0.06	12.4	5.0	0.22	135	35.10	0.03	0.36
CC29664		53.5	1.18	2.93	0.07	0.12	0.44	0.023	0.05	12.8	5.1	0.25	86	18.75	0.03	0.34
CC29666		21.9	7.28	2.33	0.09	0.03	0.22	0.022	0.08	3.5	4.4	0.09	37	18.85	0.02	0.28
CC29667		32.7	4.33	3.17	0.07	0.07	0.19	0.039	0.08	7.1	10.7	0.26	143	8.14	0.02	0.45
CC29668		29.8	2.63	3.12	0.07	0.04	0.17	0.032	0.07	8.3	9.2	0.16	48	13.45	0.02	0.41
CC29669		36.0	4.11	3.24	0.07	0.10	0.18	0.037	0.09	9.1	11.3	0.31	310	4.90	0.02	0.36
CC29670		37.6	3.32	5.21	0.05	0.06	0.14	0.048	0.09	5.1	22.2	0.37	120	5.41	0.02	0.25
CC29714		23.8	0.87	2.70	<0.05	<0.02	0.15	0.013	0.09	5.8	2.3	0.08	39	13.25	0.02	0.20
CC29715		15.3	1.98	7.56	<0.05	0.02	0.05	0.023	0.04	12.4	2.6	0.07	56	12.55	0.01	1.04
CC29716		10.3	0.87	3.65	0.05	<0.02	0.05	0.016	0.07	5.7	0.9	0.03	16	15.10	0.02	0.32
CC29717		85.3	0.39	1.47	0.07	0.04	0.11	0.024	0.08	3.3	0.6	0.02	6	13.30	0.01	0.06
CC29718		13.1	1.27	5.64	<0.05	<0.02	0.05	0.011	0.03	10.7	1.3	0.04	42	10.60	0.01	0.63
CC29719		44.7	1.27	2.65	0.05	0.09	0.17	0.027	0.06	9.3	4.7	0.14	172	15.30	0.02	0.33

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC20350		59.3	780	14.1	9.7	0.010	0.11	3.60	4.2	4.1	0.4	93.4	0.01	0.07	2.3	0.007
CC20351																
CC20383		53.8	830	14.4	10.6	0.012	0.09	4.35	4.1	3.8	0.4	90.2	<0.01	0.09	2.6	0.007
CC20384		67.8	800	13.4	10.1	0.009	0.10	3.58	4.2	4.6	0.4	118.0	<0.01	0.08	2.6	0.006
CC20385		65.8	780	13.3	10.0	0.009	0.11	3.11	4.1	4.8	0.3	120.5	<0.01	0.07	2.4	0.006
CC20386		47.8	1160	16.3	9.6	0.008	0.25	2.74	4.3	4.7	0.2	133.5	<0.01	0.07	3.1	0.005
CC20387		42.5	1620	21.7	10.6	0.006	0.19	3.43	3.4	4.3	0.3	114.5	<0.01	0.08	2.3	0.010
CC20388		41.5	1260	16.0	10.2	0.012	0.19	2.15	4.5	4.1	0.6	136.5	<0.01	0.07	4.1	<0.005
CC20389		47.3	1370	22.0	10.0	0.007	0.18	3.83	3.4	4.7	0.3	106.0	<0.01	0.07	1.9	0.010
CC20390		49.3	1040	15.4	9.7	0.008	0.24	2.21	4.7	4.7	0.2	129.0	<0.01	0.07	3.8	0.005
CC20391		45.6	1350	23.7	9.8	0.005	0.13	3.69	3.2	4.2	0.4	86.2	<0.01	0.07	1.8	0.012
CC20392		46.9	1360	24.1	9.7	0.005	0.27	3.91	3.2	4.0	0.3	168.0	0.01	0.06	1.6	0.011
CC20393		49.3	1510	25.1	11.1	0.005	0.16	3.19	3.7	3.4	0.4	89.0	0.01	0.07	2.3	0.012
CC20394		44.3	1520	24.6	9.7	0.005	0.13	3.91	3.1	3.8	0.3	78.7	0.01	0.06	1.7	0.013
CC29649		140.0	1440	12.4	10.6	0.053	0.27	9.34	5.0	9.8	0.5	243.0	0.01	0.12	3.7	<0.005
CC29651		62.1	690	16.1	12.5	0.003	0.09	1.52	5.7	3.4	0.3	101.0	0.01	0.07	4.4	<0.005
CC29652		75.6	570	13.9	17.8	0.005	0.14	3.36	6.3	3.2	0.7	167.0	<0.01	0.05	5.9	<0.005
CC29653		91.7	720	11.9	16.2	0.009	0.13	3.32	5.4	3.7	0.6	193.0	<0.01	0.06	5.0	<0.005
CC29654		70.6	690	12.9	16.5	0.005	0.14	2.32	5.6	2.9	0.6	159.0	<0.01	0.05	5.2	<0.005
CC29655		100.0	770	12.2	17.4	0.007	0.10	3.42	6.2	3.8	0.7	154.0	<0.01	0.05	5.5	<0.005
CC29656		118.0	770	12.0	16.2	0.014	0.12	5.09	5.4	4.6	0.6	177.0	0.01	0.06	4.9	0.007
CC29657		110.0	180	8.1	6.5	0.005	0.06	2.40	3.1	4.7	0.3	27.4	<0.01	0.12	2.8	0.007
CC29658		67.1	170	9.1	8.1	0.001	0.04	1.81	2.1	1.7	0.4	19.2	<0.01	0.05	2.0	0.005
CC29659		71.0	230	11.0	12.1	<0.001	0.03	1.91	2.1	1.9	0.8	9.1	<0.01	0.07	1.8	0.010
CC29660		46.7	180	9.4	6.4	0.001	0.02	1.94	1.7	1.4	0.9	8.4	<0.01	0.06	0.9	0.015
CC29661		829.0	1170	19.8	13.7	0.008	0.10	18.90	5.9	29.6	1.2	51.2	0.01	0.30	2.5	0.009
CC29662		269.0	600	14.9	11.3	0.010	0.08	13.30	4.6	10.3	0.6	86.8	0.01	0.13	1.9	0.012
CC29663		142.5	1080	9.5	8.2	0.011	0.16	15.15	3.2	12.4	0.5	136.0	0.01	0.11	1.2	0.008
CC29664		118.5	990	8.3	7.5	0.007	0.16	9.00	3.1	7.4	0.4	159.5	0.01	0.08	1.0	0.008
CC29666		24.2	590	12.1	9.3	0.025	0.58	3.17	3.1	13.3	0.5	24.1	<0.01	0.06	2.0	<0.005
CC29667		72.2	580	12.8	11.3	0.013	0.21	1.71	5.2	5.5	0.4	30.6	0.01	0.06	3.2	0.005
CC29668		42.2	480	12.7	9.7	0.013	0.10	2.34	4.0	6.2	0.4	23.2	<0.01	0.05	2.8	0.005
CC29669		210.0	570	12.4	10.5	0.009	0.15	1.16	4.8	3.9	0.4	49.6	0.01	0.05	3.3	0.005
CC29670		46.3	440	17.3	12.3	0.016	0.08	1.06	5.2	2.9	0.6	25.3	<0.01	0.06	3.0	<0.005
CC29714		19.6	940	11.1	8.8	0.004	0.09	4.43	0.6	2.6	0.5	44.8	<0.01	0.09	<0.2	<0.005
CC29715		15.2	220	10.7	7.6	<0.001	0.02	1.84	2.0	1.1	1.0	16.5	<0.01	0.09	2.6	0.023
CC29716		6.6	490	13.0	8.1	0.001	0.13	4.83	1.4	6.2	0.6	104.0	<0.01	0.18	1.4	0.010
CC29717		10.7	830	12.3	5.8	0.004	0.12	13.60	3.4	9.1	0.5	314.0	<0.01	0.21	1.2	<0.005
CC29718		16.9	200	8.6	5.3	<0.001	0.02	4.21	1.3	1.4	0.8	19.3	<0.01	0.08	1.2	0.021
CC29719		97.7	600	10.4	8.8	0.018	0.09	2.93	3.5	5.2	0.4	75.6	<0.01	0.07	1.1	0.005

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-JUL-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC20350		0.35	3.64	101	0.17	15.20	300	1.8
CC20351								
CC20383		0.35	3.52	117	0.11	13.35	349	1.3
CC20384		0.28	3.16	93	0.09	14.65	324	1.7
CC20385		0.27	3.02	86	0.09	14.50	302	1.7
CC20386		0.21	2.64	52	0.06	13.95	304	2.5
CC20387		0.22	2.61	79	0.08	14.05	375	2.3
CC20388		0.14	2.27	51	0.05	14.50	251	4.5
CC20389		0.24	2.77	78	0.10	15.20	397	2.6
CC20390		0.18	2.36	45	0.05	13.85	255	3.5
CC20391		0.24	2.49	77	0.09	14.60	436	2.7
CC20392		0.22	3.86	73	0.11	15.80	442	3.1
CC20393		0.23	2.79	78	0.11	15.00	404	3.1
CC20394		0.22	3.07	87	0.18	14.95	470	3.0
CC29649		0.98	7.65	309	0.17	26.40	1005	8.6
CC29651		0.22	1.31	46	0.06	18.10	292	1.4
CC29652		0.34	1.55	51	0.11	20.20	383	2.9
CC29653		0.53	4.20	95	0.10	19.65	533	2.7
CC29654		0.30	1.66	55	0.08	17.80	364	2.2
CC29655		0.52	3.16	79	0.10	22.10	604	2.5
CC29656		0.75	4.88	162	0.13	21.40	1005	2.7
CC29657		1.40	2.52	104	0.10	12.45	141	2.1
CC29658		0.91	1.17	139	0.20	4.63	152	1.2
CC29659		1.85	0.97	232	0.18	3.75	170	0.8
CC29660		0.52	0.95	202	0.16	2.76	108	<0.5
CC29661		12.30	9.98	550	0.36	50.50	1925	3.0
CC29662		2.22	7.17	684	0.25	27.40	1740	3.8
CC29663		1.60	5.75	516	0.20	24.90	864	4.8
CC29664		1.42	8.25	426	0.18	20.70	626	4.5
CC29666		0.86	1.68	119	0.09	7.08	78	1.3
CC29667		0.58	2.23	79	0.09	19.55	184	2.2
CC29668		0.72	2.66	104	0.18	12.30	108	1.4
CC29669		0.29	2.31	55	0.07	34.30	775	2.8
CC29670		0.36	0.81	57	0.21	7.20	113	2.1
CC29714		0.56	2.35	121	0.12	3.74	78	<0.5
CC29715		0.52	0.88	225	0.19	2.39	56	0.8
CC29716		2.05	2.55	176	0.20	3.62	29	0.6
CC29717		2.36	11.25	192	0.19	14.05	28	1.3
CC29718		0.52	0.73	250	0.19	2.01	60	<0.5
CC29719		1.00	4.67	197	0.15	19.75	207	2.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC29720		0.06	0.96	0.42	7.9	<0.2	<10	410	0.37	0.09	2.44	10.95	13.10	2.1	11	0.54
CC29721		0.12	0.58	0.73	18.1	<0.2	<10	350	0.26	0.20	0.21	4.21	24.10	3.3	24	0.76
CC29722		0.12	0.14	0.76	23.8	<0.2	<10	170	0.13	0.20	0.05	0.67	27.50	3.4	19	0.76
CC29723		0.12	2.30	1.44	117.5	<0.2	<10	390	0.99	0.22	0.21	25.70	15.95	6.8	139	1.13
CC29724		0.12	0.37	0.61	37.2	<0.2	<10	220	0.32	0.16	0.10	5.98	17.60	1.7	57	0.99
CC29725		0.12	5.70	1.29	124.0	<0.2	10	670	1.24	0.25	1.97	63.90	33.80	9.3	96	1.41
CC29726		0.08	3.82	0.98	72.8	<0.2	<10	810	0.88	0.17	3.43	53.80	30.60	7.7	54	0.86
CC29727		0.12	3.42	0.64	77.9	<0.2	10	930	0.80	0.18	4.63	47.20	21.40	9.1	38	0.89
CC29728		0.08	0.61	0.58	12.9	<0.2	10	2080	0.57	0.09	2.30	6.34	15.95	5.4	13	0.38
CC29729		0.20	0.49	0.63	17.1	<0.2	<10	1540	0.70	0.13	0.54	4.06	19.50	5.1	16	0.40
CC29730		0.10	0.50	0.74	23.6	<0.2	10	1820	0.60	0.13	0.89	3.53	18.50	8.1	20	0.52
CC29731		0.10	0.46	0.60	21.8	<0.2	10	1280	0.52	0.12	1.12	3.49	16.20	6.3	15	0.47
CC29732		0.32	0.57	0.56	24.4	<0.2	<10	1130	0.67	0.16	0.73	4.78	16.15	5.3	13	0.38
CC29733		0.16	1.58	0.87	34.7	<0.2	<10	1650	1.14	0.19	1.80	12.05	31.10	8.8	30	0.76
CC29734		0.10	1.89	0.94	61.9	<0.2	10	1930	0.89	0.19	1.40	17.10	28.40	9.3	42	0.63
CC29735		0.04	0.98	0.47	13.0	<0.2	<10	1010	0.44	0.06	4.03	40.70	11.70	2.1	14	0.36
CC29736		0.06	1.10	0.80	27.4	<0.2	<10	1570	0.66	0.11	3.64	15.00	20.10	5.1	26	0.60
CC29737		0.04	0.32	0.32	4.3	<0.2	<10	1260	0.35	0.02	5.65	9.15	11.30	1.7	9	0.13
CC29738		0.28	5.27	0.89	61.9	<0.2	<10	1940	1.05	0.21	1.61	51.30	23.30	6.1	51	1.12
CC29739		0.24	1.10	0.75	36.1	<0.2	<10	2700	0.99	0.21	1.09	10.60	27.60	4.4	53	0.36
CC29740		0.24	0.98	0.56	37.7	<0.2	<10	1980	1.01	0.20	1.25	8.14	46.20	6.7	39	0.33
CC29741		0.24	0.52	0.63	28.3	<0.2	<10	2160	0.75	0.18	0.25	3.41	28.20	1.8	25	0.55
CC29742		0.14	0.26	1.32	14.0	<0.2	<10	760	0.50	0.13	0.87	0.99	27.20	5.7	25	0.85
CC29743		0.08	0.73	1.02	13.2	<0.2	<10	1380	0.71	0.15	2.04	3.56	25.70	4.8	22	0.73
CC29744		0.04	3.24	0.28	4.4	<0.2	<10	430	0.16	0.05	0.81	1.10	5.54	0.6	6	0.29
CC29745		0.04	0.96	0.26	3.9	<0.2	<10	590	0.20	0.06	0.59	1.21	6.56	0.9	6	0.54
CC29746		0.06	0.44	0.79	9.9	<0.2	10	1930	0.60	0.06	3.54	4.25	22.80	3.7	18	0.53
CC29747		0.10	0.94	0.58	39.1	<0.2	10	1540	0.75	0.17	4.04	10.45	36.90	7.9	37	0.75
CC29748		0.14	2.36	0.39	82.5	<0.2	10	200	0.78	0.23	8.70	25.70	16.45	14.4	35	1.24
CC29749		0.18	2.10	0.33	66.0	<0.2	10	420	0.72	0.22	6.12	20.70	17.05	11.4	32	1.21
CC29750		0.16	0.37	0.68	17.9	<0.2	<10	1640	0.83	0.15	0.40	2.51	18.55	4.4	14	0.44
CC29751		0.18	1.41	0.36	49.2	<0.2	10	620	0.72	0.17	6.04	17.40	21.20	10.0	28	0.98
CC29752		0.16	1.10	0.36	46.3	<0.2	<10	570	0.83	0.16	5.54	14.70	24.90	13.0	23	0.99
CC29753		0.18	1.16	0.34	48.3	<0.2	10	630	0.84	0.16	5.24	15.55	25.10	13.0	23	0.99
CC29754		0.16	1.04	0.31	43.8	<0.2	<10	550	0.73	0.16	5.04	14.55	21.60	12.2	21	0.82
CC29755		0.16	1.12	0.37	51.6	<0.2	10	530	0.79	0.15	5.29	15.20	24.00	14.2	22	1.00
CC29756		0.12	0.94	0.35	42.6	<0.2	10	600	0.76	0.15	5.04	13.55	23.80	12.9	23	0.84
CC29757		0.14	0.75	0.36	42.1	<0.2	10	580	0.84	0.16	6.20	12.30	24.30	14.2	19	0.92
CC29758		0.14	1.31	0.54	132.5	<0.2	<10	280	0.76	0.20	4.63	11.50	25.70	12.9	29	0.93
CC29759		0.08	0.28	0.67	25.3	<0.2	<10	1170	0.46	0.09	0.11	0.96	10.65	5.9	12	0.96

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC29720		24.6	0.71	1.64	<0.05	0.06	0.20	0.016	0.04	6.6	1.0	0.06	30	11.15	0.03	0.22
CC29721		26.8	1.37	4.97	0.05	<0.02	0.09	0.021	0.05	11.7	2.0	0.07	105	18.95	0.02	0.40
CC29722		19.1	1.73	6.28	0.05	<0.02	0.05	0.021	0.04	12.6	2.9	0.07	71	24.90	0.02	0.76
CC29723		127.0	1.89	8.68	0.15	0.04	0.34	0.047	0.11	11.6	6.2	0.10	82	95.10	0.01	0.30
CC29724		49.6	1.11	5.39	0.07	<0.02	0.07	0.020	0.05	11.4	1.7	0.04	30	30.30	0.02	0.32
CC29725		169.5	2.05	6.03	0.18	0.10	1.14	0.036	0.16	25.7	8.1	0.30	108	117.00	0.02	0.44
CC29726		112.5	1.58	3.95	0.13	0.10	0.72	0.028	0.08	22.7	5.6	0.22	158	59.70	0.03	0.43
CC29727		111.0	1.51	3.45	0.15	0.13	0.53	0.027	0.08	13.2	3.9	0.68	152	58.80	0.03	0.32
CC29728		38.5	1.06	1.95	0.06	0.10	0.13	0.017	0.04	8.4	3.0	0.12	202	19.00	0.03	0.23
CC29729		45.4	1.39	2.34	0.06	0.08	0.13	0.025	0.06	9.9	4.1	0.12	90	27.20	0.01	0.25
CC29730		40.5	1.64	2.77	0.05	0.10	0.16	0.023	0.06	9.4	5.2	0.13	234	31.10	0.02	0.29
CC29731		39.6	1.62	2.21	0.05	0.11	0.15	0.023	0.05	8.2	3.8	0.11	330	29.50	0.02	0.25
CC29732		51.6	1.76	2.11	0.07	0.12	0.19	0.028	0.07	8.3	2.7	0.07	56	29.30	0.02	0.22
CC29733		98.7	1.78	3.31	0.11	0.14	0.48	0.034	0.07	19.2	5.0	0.11	112	32.10	0.02	0.40
CC29734		76.1	1.97	4.07	0.10	0.14	0.33	0.037	0.08	14.3	7.5	0.19	213	48.60	0.02	0.51
CC29735		45.1	0.56	1.72	0.07	0.09	0.22	0.010	0.02	10.0	1.4	0.06	54	7.63	0.03	0.26
CC29736		42.2	1.13	3.01	0.08	0.09	0.19	0.020	0.04	12.7	4.9	0.11	122	20.50	0.02	0.44
CC29737		12.1	0.29	0.92	0.05	0.06	0.15	0.007	0.01	9.3	0.4	0.07	87	1.43	0.02	0.21
CC29738		125.0	1.81	4.14	0.12	0.08	0.86	0.037	0.09	15.8	5.6	0.39	61	46.30	0.02	0.31
CC29739		97.9	1.65	3.43	0.06	0.08	0.32	0.033	0.06	12.3	4.5	0.15	135	31.50	0.02	0.25
CC29740		80.1	1.73	2.70	0.09	0.13	0.44	0.032	0.06	26.6	3.8	0.14	133	60.10	0.02	0.27
CC29741		64.9	1.40	3.47	0.06	0.04	0.29	0.027	0.05	14.6	3.8	0.06	12	14.10	0.02	0.31
CC29742		16.5	1.66	4.83	0.06	0.08	0.12	0.023	0.07	12.8	18.7	0.68	98	4.64	0.02	0.53
CC29743		41.5	1.52	4.03	0.12	0.09	0.17	0.029	0.04	12.7	9.5	0.33	84	4.68	0.02	0.55
CC29744		17.6	0.41	0.67	0.08	0.05	0.35	0.010	0.02	2.4	0.4	0.03	5	2.86	0.02	0.11
CC29745		24.9	0.44	0.95	0.05	0.04	0.14	0.013	0.03	3.0	0.4	0.03	7	7.07	0.02	0.10
CC29746		31.9	0.97	2.71	0.08	0.13	0.13	0.015	0.06	13.0	14.3	0.93	191	8.80	0.03	0.26
CC29747		80.4	1.69	2.92	0.11	0.22	0.30	0.024	0.09	22.9	5.6	0.99	201	40.00	0.03	0.24
CC29748		121.5	1.95	3.31	0.15	0.48	0.29	0.033	0.12	6.7	2.3	2.43	141	101.00	0.03	0.12
CC29749		101.0	1.84	2.68	0.15	0.50	0.34	0.033	0.11	7.7	2.1	2.42	147	80.40	0.03	0.11
CC29750		41.1	1.80	2.24	0.06	0.11	0.18	0.028	0.07	9.2	3.5	0.09	43	19.55	0.01	0.26
CC29751		84.6	1.66	2.23	0.11	0.29	0.28	0.030	0.10	10.9	2.3	1.46	157	53.80	0.02	0.13
CC29752		88.2	2.04	2.00	0.11	0.27	0.21	0.038	0.10	12.5	2.3	1.26	195	54.90	0.02	0.11
CC29753		91.0	2.00	2.12	0.11	0.27	0.22	0.037	0.09	12.6	2.2	1.22	183	55.20	0.02	0.12
CC29754		83.9	2.04	1.75	0.11	0.27	0.20	0.036	0.09	10.6	1.7	1.14	192	52.30	0.02	0.09
CC29755		90.9	2.34	2.02	0.12	0.23	0.19	0.043	0.11	11.3	2.2	1.15	204	60.00	0.02	0.11
CC29756		81.2	2.16	1.79	0.10	0.24	0.21	0.035	0.09	11.7	2.1	1.18	212	47.80	0.02	0.11
CC29757		81.3	2.60	1.60	0.10	0.24	0.17	0.041	0.10	11.0	1.7	0.99	237	52.00	0.03	0.10
CC29758		99.0	5.12	2.29	0.22	0.13	0.18	0.068	0.17	12.1	3.5	0.80	215	108.00	0.03	0.14
CC29759		25.4	1.67	1.95	<0.05	0.02	0.07	0.018	0.05	4.6	7.8	0.11	159	15.80	0.01	0.28

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-JUL-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC29720		47.5	720	8.6	3.8	0.003	0.17	3.75	3.1	4.6	0.3	119.0	0.01	0.06	0.8	0.008
CC29721		62.1	390	12.0	6.4	0.001	0.03	5.25	1.2	3.1	0.7	20.0	<0.01	0.07	0.2	0.015
CC29722		79.9	170	10.0	6.1	<0.001	0.02	5.22	1.6	3.3	0.8	8.8	<0.01	0.09	1.3	0.025
CC29723		231.0	730	23.0	15.1	0.003	0.10	43.20	2.7	26.4	0.9	30.7	0.01	0.32	0.4	0.007
CC29724		63.5	370	14.6	7.8	0.002	0.06	27.90	1.5	10.5	0.6	17.6	<0.01	0.18	0.2	0.014
CC29725		537.0	1420	26.3	15.7	0.012	0.09	48.40	7.3	23.7	0.7	116.0	0.01	0.26	2.5	0.014
CC29726		340.0	1230	17.0	9.0	0.011	0.14	31.50	4.4	17.4	0.5	169.5	0.01	0.15	0.8	0.012
CC29727		285.0	1080	14.4	9.6	0.011	0.12	31.40	3.9	22.0	0.6	226.0	0.01	0.15	1.0	0.008
CC29728		91.4	740	6.3	6.2	0.004	0.13	5.88	2.4	4.1	0.4	119.0	0.01	0.05	0.9	0.005
CC29729		62.0	440	7.9	7.9	0.006	0.03	4.20	3.6	2.5	0.4	46.8	<0.01	0.08	2.3	<0.005
CC29730		60.8	550	9.3	9.2	0.006	0.06	5.56	3.3	2.8	0.4	56.7	<0.01	0.07	1.9	0.005
CC29731		72.5	510	8.8	7.6	0.008	0.06	5.43	3.1	3.2	0.4	65.4	<0.01	0.08	1.6	<0.005
CC29732		95.6	270	10.8	7.8	0.007	0.04	4.08	3.6	4.0	0.5	46.4	<0.01	0.08	1.9	<0.005
CC29733		249.0	420	13.2	10.2	0.006	0.07	11.05	6.1	6.8	0.6	83.0	0.01	0.13	1.6	0.006
CC29734		214.0	520	13.7	8.4	0.005	0.10	21.80	4.7	10.7	0.7	81.4	0.01	0.15	2.2	0.009
CC29735		67.4	800	4.8	2.8	0.002	0.19	8.29	1.7	5.8	0.2	159.5	0.01	0.04	0.3	0.008
CC29736		105.0	760	8.2	5.4	0.006	0.15	11.70	2.7	8.0	0.4	115.5	0.01	0.08	0.6	0.008
CC29737		17.7	910	2.7	1.2	0.007	0.20	1.26	0.8	3.7	<0.2	118.0	0.01	0.02	<0.2	0.005
CC29738		257.0	780	13.0	12.0	0.005	0.08	23.00	7.4	13.1	0.8	88.7	0.01	0.14	1.4	0.009
CC29739		183.5	600	11.3	7.0	0.002	0.08	10.30	3.6	3.8	0.7	84.2	0.01	0.13	2.0	0.005
CC29740		292.0	610	12.3	6.0	0.001	0.07	10.15	4.8	4.2	1.0	102.5	0.01	0.12	3.0	0.006
CC29741		70.8	460	12.3	9.1	0.002	0.07	5.76	3.0	3.2	0.8	49.9	<0.01	0.10	1.5	0.006
CC29742		24.6	950	9.9	10.7	0.005	0.04	2.95	2.7	3.2	0.5	47.0	<0.01	0.05	2.5	0.013
CC29743		44.6	930	10.7	8.0	0.010	0.12	8.53	3.3	20.7	0.5	110.0	<0.01	0.08	1.7	0.009
CC29744		19.5	670	3.3	1.1	0.019	0.17	7.16	2.1	15.5	0.2	58.7	0.01	0.04	0.6	0.005
CC29745		23.0	490	4.6	2.6	0.009	0.12	3.74	2.0	6.4	0.3	67.6	<0.01	0.06	0.7	0.005
CC29746		70.2	1040	6.4	6.5	0.017	0.14	3.49	1.9	3.1	0.4	175.0	<0.01	0.03	0.8	0.006
CC29747		151.0	1720	13.6	8.8	0.044	0.20	11.00	3.7	9.6	0.6	285.0	<0.01	0.12	3.1	0.007
CC29748		287.0	1020	16.7	10.6	0.114	1.10	27.80	5.5	25.7	0.9	350.0	0.01	0.21	4.3	0.005
CC29749		246.0	760	15.2	9.1	0.149	0.38	18.75	5.6	25.0	0.9	208.0	<0.01	0.15	4.9	<0.005
CC29750		74.7	290	10.5	8.7	0.017	0.05	2.42	3.9	7.4	0.5	41.3	<0.01	0.06	3.4	<0.005
CC29751		183.5	800	12.4	8.8	0.099	0.32	13.20	4.8	14.2	0.7	260.0	<0.01	0.12	4.0	<0.005
CC29752		190.0	870	11.6	9.2	0.074	0.36	10.80	5.6	14.5	0.6	252.0	<0.01	0.13	4.1	<0.005
CC29753		190.5	830	12.0	8.9	0.079	0.35	11.40	5.7	15.0	0.7	238.0	0.01	0.11	4.2	<0.005
CC29754		195.5	700	11.8	7.5	0.080	0.34	10.05	5.4	13.9	0.6	221.0	0.01	0.12	4.2	<0.005
CC29755		209.0	880	12.1	9.4	0.086	0.37	11.45	6.0	16.9	0.7	237.0	0.01	0.13	4.2	<0.005
CC29756		185.0	820	11.2	7.9	0.083	0.33	9.31	5.3	12.6	0.5	235.0	0.01	0.12	4.1	<0.005
CC29757		211.0	840	12.6	8.9	0.071	0.38	8.40	6.1	13.6	0.5	277.0	0.01	0.12	4.5	<0.005
CC29758		239.0	1870	19.3	11.5	0.100	0.63	16.40	6.5	38.8	0.8	274.0	0.01	0.37	4.8	<0.005
CC29759		40.5	530	7.9	7.6	0.004	0.06	2.44	2.3	3.6	0.3	22.5	<0.01	0.03	1.4	0.005

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC29720		0.56	2.64	108	0.10	11.00	181	2.1
CC29721		1.09	1.61	285	0.19	4.85	287	<0.5
CC29722		1.73	0.90	395	0.22	2.82	199	<0.5
CC29723		7.54	5.92	2260	0.46	24.50	1795	0.8
CC29724		1.44	2.76	945	0.25	8.02	349	<0.5
CC29725		6.63	12.90	2190	0.46	46.80	6590	3.8
CC29726		3.51	14.40	1040	0.30	42.10	4000	3.4
CC29727		2.04	9.85	884	0.29	39.30	3230	5.1
CC29728		0.48	3.07	168	0.13	17.50	446	3.6
CC29729		0.67	3.38	225	0.17	20.10	347	3.0
CC29730		0.85	3.93	320	0.17	15.85	396	3.2
CC29731		0.86	2.96	254	0.18	16.05	424	3.7
CC29732		0.79	3.94	229	0.16	19.05	432	4.4
CC29733		2.75	10.40	457	0.27	52.40	1175	5.3
CC29734		2.84	4.33	676	0.29	24.80	1820	5.3
CC29735		0.46	7.09	206	0.08	21.60	799	3.8
CC29736		0.85	5.31	388	0.15	20.70	648	3.9
CC29737		0.12	5.66	65	<0.05	20.60	89	2.6
CC29738		2.16	4.45	804	0.26	48.90	3930	2.6
CC29739		1.04	6.56	665	0.40	27.90	787	2.6
CC29740		1.59	7.61	496	0.43	37.90	714	4.9
CC29741		1.35	8.01	350	0.26	20.90	166	1.1
CC29742		0.33	2.18	198	0.14	9.05	196	2.1
CC29743		0.65	11.45	221	0.14	14.85	172	3.2
CC29744		0.09	3.94	25	<0.05	4.40	11	1.9
CC29745		0.39	4.04	48	<0.05	3.85	77	1.6
CC29746		0.49	4.15	145	0.10	16.70	379	3.8
CC29747		1.37	11.40	488	0.31	27.60	735	9.1
CC29748		1.48	17.35	785	0.36	26.30	2330	19.8
CC29749		1.21	14.35	576	0.32	24.80	1750	20.2
CC29750		0.59	6.70	204	0.12	15.15	206	4.7
CC29751		1.22	11.90	468	0.25	25.70	1300	13.4
CC29752		1.24	11.05	351	0.23	31.90	1135	13.7
CC29753		1.32	11.60	349	0.24	32.70	1100	13.9
CC29754		1.29	10.95	307	0.24	29.70	1105	12.3
CC29755		1.49	11.00	338	0.23	32.80	1180	12.2
CC29756		1.36	11.20	324	0.22	30.90	1050	11.4
CC29757		1.67	11.25	249	0.24	35.70	946	10.9
CC29758		6.27	12.35	297	0.35	36.60	991	6.3
CC29759		0.52	3.07	112	0.09	7.73	162	0.6

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC29760		0.12	0.82	1.32	60.7	<0.2	10	3680	1.60	0.18	0.36	12.05	34.40	23.7	46	2.18
CC29761		0.14	0.46	0.50	8.9	<0.2	<10	2060	0.51	0.18	6.22	2.84	31.90	13.9	13	1.60
CC29762		0.16	0.83	0.52	12.8	<0.2	<10	1240	0.63	0.29	1.69	4.11	31.90	18.5	13	1.71
CC29765		0.16	0.98	0.84	9.8	<0.2	<10	460	0.56	0.13	2.99	4.59	23.20	6.6	17	0.97
CC29766		0.14	0.94	0.85	9.4	<0.2	<10	440	0.54	0.13	2.98	4.53	24.00	6.6	17	0.97
CC29767		0.22	0.71	0.98	14.5	<0.2	<10	550	0.77	0.19	2.59	4.25	27.80	9.8	20	0.99
CC29771		0.10	0.24	1.59	8.7	<0.2	<10	1000	0.55	0.21	0.55	0.34	30.40	8.4	25	0.95
CC29772		0.10	0.26	1.53	5.7	<0.2	<10	1410	0.73	0.23	0.26	0.72	35.50	6.8	24	0.83
CC29773		0.10	0.32	1.64	10.1	<0.2	<10	1400	0.66	0.24	0.27	0.55	38.90	7.7	27	0.92
CC29774		0.12	0.24	1.62	6.2	<0.2	<10	1410	0.62	0.22	0.24	0.35	35.60	8.1	26	0.94
CC29775		0.10	0.23	1.58	8.7	<0.2	<10	1630	0.60	0.22	0.32	0.26	30.80	8.2	24	0.85
CC29776		0.12	0.22	1.57	10.2	<0.2	<10	1680	0.63	0.22	0.19	0.26	32.80	8.0	26	0.84
CC29777		0.10	0.27	1.53	8.7	<0.2	<10	1840	0.68	0.23	0.23	0.36	34.80	8.6	24	0.82
CC29778		0.12	0.27	1.57	6.6	<0.2	<10	1860	0.53	0.22	0.23	0.23	29.60	7.3	24	0.83
CC29779		0.14	0.24	1.53	7.4	<0.2	<10	1610	0.52	0.22	0.14	0.22	32.40	6.4	24	0.88
CC29780		0.10	0.24	1.60	9.1	<0.2	<10	1610	0.53	0.23	0.20	0.20	32.00	8.5	25	0.95
CC29781		0.08	0.28	1.60	9.6	<0.2	<10	1930	0.55	0.23	0.17	0.26	35.00	7.1	24	0.95
CC29782		0.10	0.31	1.34	4.2	<0.2	<10	1910	0.34	0.17	0.20	0.12	22.70	3.9	21	0.58
CC29783		0.10	0.41	1.60	7.1	<0.2	<10	2390	0.58	0.23	0.14	0.20	34.20	7.9	24	0.92
CC29784		0.10	0.39	1.32	5.1	<0.2	<10	2760	0.44	0.21	0.16	0.15	28.30	4.5	20	0.73
CC29785		0.08	0.45	1.42	4.2	<0.2	<10	2360	0.46	0.23	0.13	0.21	29.90	4.2	21	0.76
CC29786		0.14	0.52	1.48	4.1	<0.2	<10	2480	0.44	0.22	0.15	0.17	30.60	5.3	21	0.74
CC29787		0.14	0.71	1.19	6.4	<0.2	<10	4080	0.56	0.22	0.18	0.42	25.30	6.3	18	0.70
CC29788		0.12	0.48	1.45	4.2	<0.2	<10	3320	0.63	0.22	0.21	0.46	30.00	6.5	22	0.77
CC29789		0.12	0.47	1.41	8.4	<0.2	<10	3980	0.67	0.21	0.16	0.68	29.10	6.0	26	0.75
CC29790		0.10	0.41	1.42	7.5	<0.2	<10	3650	0.62	0.23	0.17	0.55	29.80	6.2	24	0.74
CC29791		0.10	0.83	0.97	25.2	<0.2	<10	3680	1.14	0.20	0.94	9.38	35.80	9.3	48	0.61
CC29792		0.14	2.29	0.70	87.6	<0.2	10	770	0.90	0.27	5.97	32.80	23.90	8.9	50	1.21
CC29793		0.14	0.36	0.55	26.9	<0.2	<10	480	0.76	0.15	0.76	3.99	12.80	7.9	17	0.42
CC29794		0.12	0.31	0.48	20.6	<0.2	<10	630	0.97	0.15	0.27	19.00	14.70	11.1	13	0.44
CC29795		0.16	0.22	0.64	23.6	<0.2	<10	380	0.85	0.14	0.37	4.84	13.55	4.5	15	0.60
CC29796		0.08	0.76	1.20	25.9	<0.2	<10	810	0.65	0.24	0.24	2.05	20.40	6.9	27	0.80
CC29797		0.08	0.35	1.26	12.9	<0.2	<10	510	0.51	0.20	0.22	0.63	19.85	3.5	22	0.75
CC29798		0.08	0.26	1.54	12.2	<0.2	<10	300	0.42	0.21	0.11	0.28	21.30	3.7	25	0.99
CC29799		0.06	0.73	0.41	10.2	<0.2	<10	430	0.18	0.09	0.44	0.43	4.62	1.4	8	0.63
CC29800		0.08	0.60	1.09	26.5	<0.2	10	690	0.72	0.18	2.25	8.43	15.50	7.8	28	0.65
CC29801		0.08	1.04	0.94	41.5	<0.2	10	810	0.95	0.20	2.77	10.55	23.00	8.5	46	0.56
CC29802		0.08	0.29	0.67	15.4	<0.2	10	770	0.68	0.11	3.48	3.46	24.20	4.6	26	0.46
CC29803		0.06	0.29	0.83	18.5	<0.2	<10	900	0.67	0.16	1.96	3.76	23.20	9.5	22	0.57
CC29804		0.10	0.36	1.00	22.5	<0.2	<10	1920	0.36	0.15	0.17	2.87	13.10	4.2	22	0.97

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC29760		101.0	2.67	5.15	0.13	0.11	0.19	0.037	0.16	16.5	19.5	0.48	643	64.20	0.02	1.19
CC29761		50.9	2.42	1.58	0.07	0.05	0.08	0.033	0.11	14.1	7.2	2.51	389	4.47	0.03	0.08
CC29762		78.0	3.37	1.60	0.08	0.08	0.10	0.039	0.11	15.2	6.1	0.80	460	6.29	0.02	0.09
CC29765		71.9	1.51	2.75	0.09	0.11	0.17	0.021	0.10	13.6	14.5	0.83	229	4.07	0.02	0.42
CC29766		69.6	1.46	2.80	0.09	0.11	0.17	0.021	0.11	14.0	14.4	0.82	245	4.00	0.01	0.43
CC29767		65.5	2.17	3.30	0.10	0.10	0.19	0.032	0.14	15.6	16.0	0.78	321	6.03	0.01	0.35
CC29771		20.4	2.35	4.94	0.08	0.04	0.06	0.031	0.09	15.2	15.4	0.38	177	1.20	0.01	0.55
CC29772		27.3	1.77	5.09	0.07	0.07	0.06	0.031	0.08	17.1	15.8	0.35	87	0.34	<0.01	0.62
CC29773		31.0	2.58	5.41	0.09	0.08	0.07	0.036	0.10	18.9	16.3	0.38	92	0.47	0.01	0.69
CC29774		24.6	2.19	5.03	0.08	0.08	0.06	0.030	0.09	17.6	16.1	0.38	101	0.44	0.01	0.66
CC29775		22.0	2.86	4.96	0.07	0.04	0.06	0.030	0.09	15.7	14.5	0.35	164	0.85	<0.01	0.55
CC29776		25.2	2.69	4.81	0.08	0.07	0.06	0.031	0.09	16.0	14.6	0.35	111	1.34	<0.01	0.54
CC29777		28.7	2.46	4.89	0.08	0.06	0.05	0.033	0.09	16.9	14.5	0.33	101	0.86	<0.01	0.53
CC29778		24.6	2.64	4.45	0.08	0.05	0.06	0.030	0.09	14.9	13.1	0.34	104	0.50	<0.01	0.48
CC29779		23.1	2.31	4.55	0.07	0.06	0.23	0.028	0.08	16.2	14.0	0.35	92	0.45	<0.01	0.49
CC29780		22.1	2.67	5.06	0.07	0.04	0.11	0.030	0.09	16.1	14.9	0.35	141	0.88	<0.01	0.56
CC29781		27.3	2.73	5.00	0.08	0.06	0.10	0.031	0.09	17.2	14.0	0.36	84	0.68	<0.01	0.53
CC29782		16.8	2.16	3.71	0.05	0.03	0.08	0.021	0.09	11.5	9.7	0.30	80	0.78	<0.01	0.34
CC29783		27.4	2.52	4.94	0.07	0.06	0.11	0.033	0.10	17.4	15.1	0.38	99	0.67	<0.01	0.46
CC29784		26.0	2.08	3.85	0.06	0.05	0.12	0.028	0.08	14.4	11.7	0.30	62	0.38	<0.01	0.39
CC29785		24.7	2.14	4.32	0.07	0.05	0.15	0.029	0.09	15.4	13.4	0.31	66	0.45	<0.01	0.41
CC29786		24.1	2.16	4.48	0.07	0.05	0.13	0.028	0.10	15.4	14.4	0.33	94	0.96	<0.01	0.42
CC29787		33.3	2.58	3.33	0.07	0.04	0.16	0.029	0.11	13.2	10.1	0.26	121	3.80	<0.01	0.25
CC29788		30.6	1.76	4.32	0.07	0.05	0.11	0.030	0.09	15.0	12.9	0.31	80	0.66	<0.01	0.38
CC29789		36.0	3.97	4.08	0.08	0.05	0.12	0.031	0.10	14.9	11.0	0.28	129	4.73	<0.01	0.46
CC29790		36.1	2.13	4.46	0.07	0.04	0.11	0.031	0.10	15.0	12.2	0.28	76	3.46	<0.01	0.42
CC29791		85.5	1.83	3.93	0.10	0.15	0.39	0.034	0.08	19.2	8.1	0.23	402	28.00	<0.01	0.35
CC29792		129.5	2.18	3.74	0.14	0.15	1.03	0.036	0.17	13.7	3.9	1.64	107	86.30	0.02	0.21
CC29793		48.8	1.56	1.68	0.07	0.08	0.17	0.025	0.07	9.2	2.1	0.08	113	32.50	0.01	0.13
CC29794		69.0	1.91	1.47	0.08	0.11	0.13	0.028	0.08	9.5	1.3	0.04	324	37.00	<0.01	0.12
CC29795		60.7	2.07	2.13	0.07	0.04	0.12	0.032	0.06	7.1	2.1	0.05	49	38.70	<0.01	0.15
CC29796		65.7	2.55	4.83	0.09	0.06	0.25	0.041	0.13	11.4	8.4	0.20	122	27.30	0.01	0.55
CC29797		27.4	1.85	4.47	0.06	0.04	0.16	0.029	0.07	10.8	8.4	0.23	81	9.03	0.01	0.55
CC29798		24.0	2.29	5.19	0.05	0.04	0.13	0.034	0.08	11.5	12.2	0.25	75	10.15	0.01	0.66
CC29799		18.0	0.92	0.94	0.08	0.03	0.18	0.016	0.04	2.3	0.9	0.06	24	16.95	0.02	0.20
CC29800		48.0	1.74	3.32	0.09	0.15	0.25	0.031	0.07	9.0	7.6	0.24	194	19.30	0.01	0.45
CC29801		76.4	2.31	3.49	0.12	0.14	0.45	0.033	0.09	13.8	7.5	0.36	173	49.90	0.01	0.44
CC29802		33.5	1.53	2.01	0.08	0.09	0.21	0.018	0.05	21.7	4.5	0.25	96	27.00	0.01	0.29
CC29803		34.8	2.10	2.78	0.07	0.12	0.20	0.022	0.05	11.6	6.3	0.22	257	41.50	0.01	0.46
CC29804		35.3	1.83	3.87	0.05	0.03	0.14	0.020	0.06	6.8	5.9	0.15	83	22.20	<0.01	0.28

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC29760		254.0	830	13.0	16.9	0.045	0.08	13.40	6.0	14.5	0.8	65.8	0.01	0.15	4.0	0.026
CC29761		59.4	540	10.9	10.3	0.005	0.16	1.76	5.5	3.0	0.2	528.0	<0.01	0.05	4.5	<0.005
CC29762		85.1	660	15.4	9.5	0.010	0.18	2.63	6.1	4.9	0.2	105.0	<0.01	0.08	5.8	<0.005
CC29765		41.9	1510	21.9	9.0	0.004	0.10	3.79	2.9	3.4	0.3	73.2	<0.01	0.06	1.9	0.014
CC29766		41.2	1550	21.4	9.3	0.005	0.10	3.79	2.9	3.4	0.3	73.6	<0.01	0.05	1.9	0.013
CC29767		50.8	2140	31.2	11.9	0.006	0.11	3.63	3.6	3.3	0.4	73.1	<0.01	0.08	3.0	0.008
CC29771		19.7	610	13.3	13.6	0.001	0.01	0.75	3.8	0.8	0.5	29.8	<0.01	0.04	4.0	0.014
CC29772		22.0	480	13.9	12.3	0.001	<0.01	0.85	4.6	0.9	0.5	24.8	<0.01	0.04	5.2	0.013
CC29773		25.7	640	14.6	14.4	0.001	0.01	0.95	5.2	1.2	0.5	25.5	<0.01	0.05	5.7	0.015
CC29774		21.8	460	13.5	13.4	0.001	0.01	1.00	4.7	0.9	0.5	21.9	<0.01	0.04	5.5	0.017
CC29775		21.5	490	13.3	11.9	0.001	0.01	0.64	4.2	0.9	0.5	27.0	<0.01	0.03	4.4	0.011
CC29776		22.4	510	12.7	12.0	0.001	<0.01	0.80	4.6	0.9	0.5	19.7	<0.01	0.04	5.3	0.013
CC29777		25.6	520	13.6	13.4	0.001	<0.01	0.78	4.7	1.1	0.5	24.3	<0.01	0.05	5.2	0.011
CC29778		21.7	450	12.4	11.4	0.001	0.01	0.62	4.1	1.0	0.4	22.4	<0.01	0.03	4.7	0.012
CC29779		19.9	440	12.4	11.7	0.001	<0.01	0.71	4.0	1.1	0.4	18.4	<0.01	0.04	5.2	0.013
CC29780		21.5	460	13.4	13.7	0.001	0.01	0.65	4.1	1.3	0.5	22.7	<0.01	0.04	4.6	0.013
CC29781		23.3	530	12.9	12.7	0.001	0.01	0.69	4.7	1.3	0.5	22.5	<0.01	0.05	5.2	0.012
CC29782		15.0	480	8.4	10.1	<0.001	0.02	0.35	2.7	0.8	0.3	21.3	<0.01	0.03	2.8	0.008
CC29783		23.6	460	12.8	13.1	0.001	0.01	0.61	4.2	1.3	0.4	22.4	<0.01	0.04	5.2	0.011
CC29784		19.5	370	11.1	10.7	0.001	0.02	0.53	3.8	1.2	0.3	27.4	<0.01	0.05	4.3	0.008
CC29785		17.1	410	11.7	11.8	0.001	0.02	0.50	3.7	1.3	0.4	22.5	<0.01	0.03	4.5	0.009
CC29786		17.9	460	10.6	11.5	0.001	0.02	0.46	3.5	1.4	0.4	24.8	<0.01	0.04	4.4	0.008
CC29787		21.6	430	12.5	10.7	0.001	0.04	1.02	3.2	1.9	0.3	38.3	<0.01	0.05	3.7	0.006
CC29788		23.5	360	12.3	12.2	0.002	0.03	0.75	4.0	1.6	0.4	36.5	<0.01	0.04	4.2	0.008
CC29789		22.6	660	12.0	11.7	0.002	0.07	1.61	4.1	3.4	0.5	44.5	<0.01	0.05	4.1	0.009
CC29790		29.7	530	12.6	13.2	0.001	0.06	1.83	4.3	2.0	0.5	39.3	<0.01	0.06	4.1	0.009
CC29791		224.0	730	11.1	10.2	0.003	0.09	9.73	5.4	3.4	0.8	82.1	0.01	0.10	4.3	0.009
CC29792		340.0	1100	16.2	14.2	0.007	0.03	32.30	6.6	6.2	0.9	147.5	0.01	0.21	4.6	0.008
CC29793		203.0	270	10.0	6.5	0.016	0.03	4.86	4.0	4.2	0.4	28.1	<0.01	0.10	1.8	<0.005
CC29794		264.0	260	8.1	7.0	0.007	0.01	4.12	4.8	3.5	0.3	22.9	<0.01	0.08	3.1	<0.005
CC29795		84.3	350	8.6	8.4	0.011	0.02	2.70	3.7	3.6	0.4	62.7	<0.01	0.10	2.1	<0.005
CC29796		57.5	490	11.7	11.6	0.002	0.18	4.59	4.2	5.9	0.6	33.7	<0.01	0.12	2.8	0.009
CC29797		20.4	460	9.9	8.4	0.004	0.04	1.87	3.2	3.5	0.5	20.6	<0.01	0.07	2.4	0.010
CC29798		16.4	390	11.4	11.1	0.002	0.02	1.73	3.2	2.7	0.5	13.7	<0.01	0.05	2.7	0.011
CC29799		19.1	1260	3.9	3.0	0.061	0.16	12.90	1.8	17.0	0.2	29.2	<0.01	0.10	0.2	0.005
CC29800		127.0	520	10.0	8.4	0.017	0.12	5.37	4.3	10.1	0.5	95.1	<0.01	0.13	1.9	0.007
CC29801		265.0	500	12.5	7.9	0.006	0.08	8.86	4.8	9.9	0.6	100.5	0.01	0.13	2.5	0.009
CC29802		159.0	620	7.0	5.3	0.004	0.15	2.19	2.5	4.6	0.3	144.0	<0.01	0.06	0.7	0.007
CC29803		129.0	360	10.4	7.1	0.003	0.08	3.87	3.4	3.9	0.5	88.2	<0.01	0.07	2.4	0.010
CC29804		34.1	440	12.5	10.2	0.001	<0.01	13.10	2.8	2.5	0.5	23.2	<0.01	0.06	2.1	0.008

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC29760		1.33	13.45	777	0.39	45.60	1120	5.8
CC29761		0.18	1.14	40	0.05	15.90	299	2.1
CC29762		0.17	1.61	50	0.05	17.25	454	2.9
CC29765		0.25	2.63	79	0.18	13.15	451	2.6
CC29766		0.24	2.70	82	0.15	13.40	451	2.5
CC29767		0.25	2.90	92	0.09	16.55	438	2.6
CC29771		0.18	1.06	54	0.09	7.84	94	1.0
CC29772		0.17	1.13	53	0.08	10.55	99	2.2
CC29773		0.18	1.24	58	0.12	12.45	97	2.6
CC29774		0.16	1.42	57	0.13	9.91	95	2.7
CC29775		0.15	1.27	52	0.12	9.08	91	1.1
CC29776		0.15	1.23	53	0.10	9.32	95	2.1
CC29777		0.15	1.49	48	0.12	10.70	90	1.8
CC29778		0.15	1.22	45	0.10	8.13	87	1.4
CC29779		0.15	1.34	46	0.09	8.16	85	1.7
CC29780		0.15	1.30	48	0.11	7.71	85	1.1
CC29781		0.16	1.23	46	0.08	9.96	85	1.9
CC29782		0.10	0.69	34	0.06	5.02	63	0.7
CC29783		0.15	0.98	40	0.10	7.65	90	1.9
CC29784		0.13	1.02	32	0.07	7.68	64	1.2
CC29785		0.13	0.80	32	0.08	6.66	64	1.3
CC29786		0.13	0.84	33	0.07	6.88	70	1.4
CC29787		0.14	1.39	45	0.05	9.02	94	1.1
CC29788		0.16	1.52	45	0.06	9.29	95	1.1
CC29789		0.18	2.87	88	0.08	10.95	143	1.3
CC29790		0.22	2.84	96	0.08	10.80	125	1.0
CC29791		1.44	8.73	582	0.26	32.70	681	6.1
CC29792		1.71	9.02	1075	0.26	40.30	2530	6.7
CC29793		0.79	3.39	276	0.17	20.30	554	2.4
CC29794		0.75	4.52	175	0.15	30.30	971	6.6
CC29795		0.93	7.90	199	0.13	17.55	279	1.2
CC29796		2.00	4.84	198	0.15	11.85	148	1.6
CC29797		0.85	2.41	111	0.11	5.90	71	1.0
CC29798		0.75	2.00	121	0.27	3.99	68	1.0
CC29799		0.53	2.47	81	0.05	4.09	33	0.8
CC29800		1.69	5.14	297	0.13	15.50	440	4.6
CC29801		1.63	5.61	425	0.27	29.80	730	5.0
CC29802		0.88	12.00	168	0.13	24.50	187	3.6
CC29803		0.67	8.24	215	0.16	20.10	269	4.4
CC29804		0.46	3.14	391	0.12	6.02	374	1.0

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC29805		0.10	0.91	0.80	10.3	<0.2	<10	5530	0.60	0.17	0.21	0.63	13.80	8.4	26	0.52
CC29806		0.10	0.49	0.61	5.6	<0.2	<10	3800	0.39	0.14	1.22	0.40	11.90	6.0	13	0.35
CC29807		0.10	0.61	0.64	3.4	<0.2	10	2410	0.30	0.06	2.99	0.36	8.95	3.6	12	0.64
CC29808		0.10	0.93	1.27	4.3	<0.2	<10	4940	0.54	0.14	0.56	0.64	18.65	4.9	20	0.84
CC29809		0.12	0.25	1.77	10.2	<0.2	<10	4040	1.00	0.20	0.08	0.34	37.10	14.7	31	0.76
CC29851		0.16	0.37	0.77	6.7	<0.2	<10	440	0.39	0.17	0.12	1.32	21.50	3.4	17	0.49
CC29852		0.14	0.41	0.69	10.0	<0.2	<10	250	0.17	0.15	0.11	0.20	8.97	0.8	16	0.40
CC29853		0.22	0.39	0.35	6.5	<0.2	<10	500	0.32	0.17	0.55	0.26	6.30	0.3	10	0.55
CC29854		0.26	0.19	0.31	14.0	<0.2	<10	550	0.48	0.16	0.17	0.48	6.34	2.3	9	0.24
CC29855		0.22	0.15	0.15	2.8	<0.2	<10	110	0.12	0.12	0.02	0.12	3.45	0.1	6	0.42
CC29856		0.22	0.50	0.41	16.1	<0.2	<10	150	0.35	0.17	0.01	0.15	8.37	0.5	12	0.60
CC29857		0.26	0.40	0.29	20.1	<0.2	<10	210	0.21	0.13	0.01	0.20	6.99	0.3	12	0.50
CC29858		0.24	2.32	0.65	123.0	<0.2	<10	420	0.32	0.30	0.01	0.28	12.20	0.7	36	0.76
CC29859		0.24	1.37	0.55	8.2	<0.2	<10	110	0.26	0.14	<0.01	0.20	6.11	0.4	17	0.51
CC29860		0.24	0.14	0.45	13.2	<0.2	<10	350	0.47	0.13	0.18	0.98	12.75	3.2	8	0.56
CC29861		0.20	0.60	0.70	23.8	<0.2	<10	490	0.67	0.15	0.65	5.80	16.30	5.0	18	0.56
CC29862		0.16	1.08	0.87	33.8	<0.2	<10	610	0.84	0.14	1.69	12.15	19.20	5.9	28	0.60
CC29863		0.18	1.39	0.77	57.0	<0.2	<10	550	0.80	0.14	2.12	28.80	26.40	6.6	40	0.66
CC29864		0.22	1.49	1.38	192.5	<0.2	<10	380	0.83	0.28	0.55	24.50	17.95	11.2	90	1.37
CC29865		0.26	7.80	0.79	44	<0.2	<10	760	1.14	0.12	14.70	51.20	26.10	5.6	80	0.74
CC29866		0.20	5.41	0.57	105.0	<0.2	10	1090	0.86	0.25	4.81	43.30	17.80	12.3	52	1.84
CC29867		0.22	5.00	0.92	87.1	<0.2	<10	590	1.66	0.14	3.68	68.30	29.60	5.5	105	0.89
CC29868		0.16	4.77	0.63	80.6	<0.2	<10	500	0.87	0.11	3.87	93.40	16.90	4.8	55	0.64
CC29869		0.12	0.77	0.43	24.7	<0.2	<10	230	0.31	0.09	1.52	11.05	10.15	1.6	26	0.85
CC29870		0.08	1.24	0.79	17.6	<0.2	<10	3130	0.52	0.18	1.23	4.96	20.90	4.6	24	0.71
CC29871		0.14	0.86	2.29	68.5	<0.2	<10	800	0.60	0.26	0.05	0.52	16.15	6.3	46	1.64
CC29872		0.18	0.88	1.17	54.9	<0.2	<10	630	0.34	0.27	0.05	0.62	18.80	4.1	32	1.33
CC29873		0.08	0.58	0.73	16.4	<0.2	<10	600	0.24	0.17	0.28	0.44	11.75	1.8	20	1.31
CC29874		0.12	0.49	0.97	19.2	<0.2	<10	580	0.28	0.16	0.27	0.34	15.50	2.4	21	1.16
CC29875		0.16	0.20	1.53	16.8	<0.2	<10	330	0.38	0.22	0.09	0.25	24.00	3.9	26	1.09
CC29876		0.14	0.38	1.51	16.2	<0.2	<10	370	0.45	0.22	0.12	0.25	20.60	3.3	26	1.24
CC29877		0.10	0.76	1.26	30.7	<0.2	<10	1070	0.82	0.19	1.59	8.24	21.40	11.8	38	0.98
CC29878		0.14	0.49	0.57	26.2	<0.2	<10	1060	0.90	0.15	3.45	9.00	25.40	7.6	31	0.61
CC29879		0.06	0.41	1.09	18.2	<0.2	<10	820	0.46	0.19	0.96	0.53	20.10	3.5	24	0.98
CC29880		0.14	0.31	1.09	12.6	<0.2	<10	2250	0.59	0.20	0.31	0.53	22.00	8.7	25	0.66
CC29881		0.10	0.27	0.76	10.6	<0.2	<10	3310	0.56	0.18	1.19	1.56	19.15	9.4	17	0.42
CC29882		0.14	0.44	0.68	8.3	<0.2	<10	3190	0.49	0.14	1.78	2.47	21.70	9.9	16	0.48
CC29883		0.10	0.49	0.73	5.3	<0.2	<10	3610	0.52	0.13	1.87	1.51	17.70	7.2	16	0.52
CC29884		0.10	0.32	1.34	10.8	<0.2	<10	740	0.99	0.16	0.27	1.28	23.60	6.5	26	0.85
CC29885		0.16	0.34	0.99	26.1	<0.2	<10	770	1.12	0.19	0.60	2.51	26.30	9.6	31	0.72

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-JUL-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC29805		54.6	3.30	2.35	0.07	0.06	0.25	0.030	0.05	6.6	4.2	0.12	234	4.98	<0.01	0.15
CC29806		24.8	1.72	1.61	0.06	0.08	0.12	0.020	0.07	6.1	2.8	0.20	110	2.87	<0.01	0.07
CC29807		19.2	0.97	1.52	0.06	0.08	0.17	0.012	0.04	5.4	3.5	0.57	145	1.54	<0.01	0.16
CC29808		25.8	1.62	4.12	0.06	0.04	0.12	0.021	0.06	9.7	5.5	0.20	60	1.74	<0.01	0.28
CC29809		39.3	3.31	4.74	0.10	0.12	0.10	0.032	0.09	18.9	13.5	0.35	353	1.84	<0.01	0.39
CC29851		30.1	1.09	2.87	0.07	0.05	0.09	0.020	0.05	10.8	7.3	0.19	55	6.04	<0.01	0.35
CC29852		18.4	1.20	2.26	0.05	0.02	0.18	0.014	0.05	5.0	2.8	0.10	22	11.85	<0.01	0.17
CC29853		27.7	0.36	2.32	<0.05	0.02	0.20	0.014	0.04	3.3	0.9	0.05	6	4.76	<0.01	<0.05
CC29854		35.0	0.71	1.72	<0.05	0.04	0.15	0.017	0.06	3.0	0.9	0.02	67	11.95	<0.01	<0.05
CC29855		30.4	0.14	0.89	<0.05	<0.02	0.04	0.006	0.04	2.0	0.3	0.01	<5	6.13	<0.01	<0.05
CC29856		43.9	0.76	2.27	0.06	0.02	0.09	0.024	0.06	4.8	1.2	0.03	15	22.80	<0.01	0.09
CC29857		50.8	0.89	2.24	0.07	<0.02	0.04	0.021	0.09	4.2	0.6	0.01	<5	29.40	<0.01	0.07
CC29858		46.2	2.84	4.74	0.17	<0.02	0.13	0.056	0.21	7.6	2.0	0.04	20	74.80	<0.01	0.10
CC29859		27.5	0.44	2.01	<0.05	<0.02	0.07	0.009	0.07	4.3	1.2	0.03	8	7.16	<0.01	0.07
CC29860		29.0	1.21	1.48	0.08	0.03	0.06	0.016	0.07	6.6	1.3	0.03	28	22.60	<0.01	<0.05
CC29861		57.4	1.64	2.47	0.08	0.07	0.18	0.026	0.07	9.3	4.1	0.12	72	26.40	<0.01	0.17
CC29862		67.6	1.67	3.10	0.11	0.09	0.30	0.025	0.05	14.0	5.9	0.19	173	19.25	<0.01	0.30
CC29863		74.8	1.64	2.98	0.20	0.09	0.34	0.024	0.06	20.9	3.6	0.15	282	44.40	<0.01	0.21
CC29864		109.0	2.73	7.26	0.54	0.05	0.46	0.058	0.08	12.5	7.1	0.13	153	95.10	<0.01	0.29
CC29865		195.0	0.99	4.20	0.25	0.13	1.66	0.024	0.08	37.4	4.1	0.14	85	34.80	<0.01	0.10
CC29866		156.0	2.19	3.73	0.20	0.12	1.34	0.032	0.13	11.2	2.7	1.70	130	104.50	0.01	0.09
CC29867		160.0	1.37	4.93	0.25	0.11	0.42	0.023	0.08	30.9	5.0	0.14	165	71.20	<0.01	0.21
CC29868		199.0	1.33	3.34	0.20	0.08	0.68	0.020	0.05	18.4	2.2	0.09	127	63.80	<0.01	0.14
CC29869		44.3	0.80	2.34	0.08	0.02	0.21	0.016	0.03	7.1	0.9	0.04	23	21.80	<0.01	0.11
CC29870		51.6	1.58	2.41	0.10	0.09	0.36	0.027	0.06	11.5	5.1	0.16	124	6.65	<0.01	0.16
CC29871		84.5	3.53	6.15	0.11	0.06	0.14	0.063	0.16	8.6	13.1	0.24	146	82.30	<0.01	0.60
CC29872		32.1	3.45	5.95	0.12	0.02	0.10	0.039	0.18	10.5	8.0	0.20	93	75.40	<0.01	0.52
CC29873		23.6	1.30	3.79	0.06	<0.02	0.44	0.019	0.10	6.6	2.8	0.09	29	17.10	<0.01	0.29
CC29874		23.9	1.55	4.28	0.06	0.02	0.30	0.019	0.08	8.2	4.4	0.14	34	12.10	<0.01	0.36
CC29875		20.1	2.62	5.62	0.07	0.02	0.16	0.027	0.08	12.5	11.3	0.29	92	21.20	<0.01	0.57
CC29876		22.4	2.48	5.47	0.06	0.02	0.14	0.025	0.07	10.7	11.1	0.24	56	13.50	<0.01	0.56
CC29877		50.1	2.26	4.06	0.11	0.10	0.29	0.033	0.07	11.4	11.1	0.26	412	31.60	<0.01	0.50
CC29878		58.9	1.95	2.36	0.11	0.11	0.30	0.025	0.05	14.5	4.7	0.44	166	48.20	<0.01	0.19
CC29879		22.2	1.81	4.03	0.07	0.03	0.16	0.024	0.06	10.6	8.7	0.26	96	9.49	<0.01	0.42
CC29880		39.9	2.81	3.43	0.07	0.04	0.13	0.030	0.09	11.5	9.1	0.20	161	6.77	<0.01	0.30
CC29881		30.1	1.98	2.40	0.08	0.11	0.13	0.028	0.07	10.0	6.1	0.30	264	8.13	0.03	0.35
CC29882		27.2	1.64	2.32	0.08	0.10	0.12	0.024	0.06	9.6	4.4	0.36	288	7.81	0.03	0.30
CC29883		24.2	1.65	2.13	0.08	0.10	0.14	0.021	0.05	9.4	5.3	0.41	270	4.20	0.04	0.32
CC29884		37.6	1.68	3.71	0.08	0.06	0.17	0.025	0.05	12.5	9.4	0.18	98	13.85	0.01	0.43
CC29885		52.9	2.33	3.77	0.10	0.07	0.24	0.029	0.05	13.9	8.3	0.16	175	29.10	0.01	0.41

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC29805		44.0	370	11.7	6.6	0.001	0.04	1.58	5.0	3.2	0.3	56.2	<0.01	0.05	2.1	<0.005
CC29806		19.2	620	8.4	6.1	0.002	0.11	0.73	3.1	3.1	0.3	99.6	<0.01	0.05	1.8	<0.005
CC29807		27.5	810	4.4	4.2	0.002	0.17	0.83	2.7	3.5	0.2	222.0	0.01	0.03	0.8	0.006
CC29808		27.8	410	10.9	6.3	<0.001	0.01	0.73	3.5	1.8	0.6	46.7	<0.01	0.04	2.2	0.007
CC29809		42.0	300	12.4	9.1	<0.001	<0.01	0.97	7.9	1.6	0.5	15.8	0.01	0.04	6.3	0.015
CC29851		23.2	340	9.7	6.9	0.002	<0.01	5.23	4.0	4.8	0.4	19.1	<0.01	0.09	4.1	0.015
CC29852		7.1	290	8.8	5.5	0.006	0.01	2.17	1.7	6.1	0.4	14.2	<0.01	0.09	1.2	0.007
CC29853		9.3	240	10.4	4.8	0.008	0.02	1.26	1.9	3.5	0.5	51.6	<0.01	0.08	0.7	<0.005
CC29854		14.8	180	9.6	3.9	0.007	0.07	1.34	2.4	4.3	0.4	65.0	<0.01	0.11	1.4	<0.005
CC29855		4.5	40	7.2	4.0	0.012	<0.01	1.75	1.3	2.2	0.3	6.8	<0.01	0.05	1.1	<0.005
CC29856		9.9	180	10.5	6.8	0.008	0.04	7.61	2.5	7.1	0.4	25.0	<0.01	0.16	1.5	<0.005
CC29857		9.5	640	10.0	7.0	0.010	0.13	9.03	2.5	10.4	0.4	24.4	<0.01	0.13	0.7	<0.005
CC29858		8.3	1210	24.3	15.3	0.004	0.50	25.10	7.4	35.7	0.8	63.0	<0.01	0.64	2.2	<0.005
CC29859		5.4	80	9.0	8.6	0.003	<0.01	18.05	1.5	3.9	0.4	5.2	<0.01	0.16	1.0	<0.005
CC29860		67.2	150	8.6	7.4	0.010	<0.01	2.29	2.5	11.3	0.3	24.4	<0.01	0.05	1.6	<0.005
CC29861		155.0	390	9.9	7.5	0.008	<0.01	5.59	4.0	4.7	0.4	47.3	<0.01	0.09	2.1	0.005
CC29862		184.5	790	9.3	7.2	0.009	0.04	9.64	3.6	11.5	0.5	71.2	<0.01	0.10	1.2	0.008
CC29863		220.0	1330	12.0	6.2	0.017	0.10	22.30	3.4	31.5	0.4	90.5	0.01	0.17	0.7	0.009
CC29864		881.0	1010	22.1	12.7	0.024	0.03	59.30	4.5	124.0	0.9	36.5	<0.01	0.44	1.6	0.008
CC29865		251.0	750	14.8	9.8	0.010	0.07	43.00	4.0	40.5	0.5	562.0	0.01	0.18	0.6	0.006
CC29866		476.0	920	20.2	13.0	0.018	0.11	44.40	7.0	25.4	0.8	195.0	<0.01	0.21	2.8	0.006
CC29867		355.0	1430	13.7	9.6	0.012	0.16	52.30	2.9	30.5	0.4	105.0	0.01	0.24	0.4	0.006
CC29868		492.0	1340	11.3	5.8	0.020	0.17	37.30	3.2	25.7	0.4	114.0	0.01	0.19	0.3	0.006
CC29869		147.5	680	6.5	4.0	0.014	0.09	9.79	2.6	13.3	0.5	52.6	<0.01	0.11	0.6	0.009
CC29870		63.2	890	11.6	9.4	0.054	0.15	3.68	3.2	11.2	0.4	106.0	<0.01	0.07	1.4	0.005
CC29871		31.2	630	17.6	18.4	0.001	0.30	15.70	5.4	15.8	0.8	53.7	<0.01	0.23	3.2	0.012
CC29872		36.2	730	19.4	15.8	<0.001	0.32	16.40	3.0	15.8	0.8	65.5	<0.01	0.24	2.6	0.014
CC29873		21.1	600	10.8	13.8	0.009	0.10	6.39	2.4	6.0	0.6	48.3	<0.01	0.09	1.6	0.006
CC29874		18.5	620	8.7	10.9	0.009	0.05	4.49	2.7	5.3	0.6	36.8	<0.01	0.08	1.6	0.008
CC29875		17.4	340	11.7	12.8	0.001	<0.01	3.32	3.2	4.2	0.6	17.1	<0.01	0.08	3.3	0.014
CC29876		16.8	420	11.1	13.4	0.003	<0.01	2.70	3.2	4.2	0.6	16.9	<0.01	0.07	2.5	0.009
CC29877		156.5	540	11.7	10.7	0.005	0.05	5.85	4.3	8.6	0.6	66.8	<0.01	0.11	1.9	0.008
CC29878		203.0	430	11.1	6.5	0.005	0.06	3.86	5.0	7.6	0.5	107.0	<0.01	0.09	3.1	0.008
CC29879		26.9	510	11.7	11.6	0.014	0.06	2.57	3.1	4.1	0.5	49.1	<0.01	0.05	2.0	0.011
CC29880		34.2	660	13.9	10.2	0.003	0.01	1.89	4.1	2.9	0.5	38.1	<0.01	0.06	3.5	0.007
CC29881		43.4	520	11.3	6.9	0.003	0.12	2.20	3.9	3.1	0.3	76.0	<0.01	0.06	2.3	0.008
CC29882		39.5	450	11.4	6.6	0.001	0.11	2.64	3.8	3.2	0.3	104.5	<0.01	0.06	1.8	0.006
CC29883		36.2	590	8.4	6.3	0.001	0.12	1.40	3.7	3.1	0.3	124.5	<0.01	0.05	1.4	0.007
CC29884		80.2	510	10.8	9.5	0.008	0.05	1.42	3.5	4.3	0.5	24.6	<0.01	0.07	2.6	0.007
CC29885		109.0	490	14.0	9.9	0.006	0.04	2.91	4.1	4.8	0.7	53.9	0.01	0.10	3.2	0.007

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-JUL-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC29805		0.14	2.06	50	0.19	15.60	144	1.6
CC29806		0.05	1.92	46	<0.05	10.80	51	2.0
CC29807		0.07	3.47	28	<0.05	10.90	45	2.4
CC29808		0.13	1.89	58	0.22	12.10	81	0.8
CC29809		0.12	1.33	68	0.11	23.40	125	4.5
CC29851		0.66	3.29	139	0.13	9.18	91	2.4
CC29852		0.79	1.88	116	0.12	2.36	35	0.8
CC29853		0.96	3.84	57	0.09	3.67	10	1.0
CC29854		0.78	2.27	62	0.15	7.36	31	2.0
CC29855		0.99	3.86	42	0.09	2.30	5	0.6
CC29856		1.64	6.07	211	0.15	3.87	26	1.4
CC29857		1.74	9.22	155	0.23	4.57	27	<0.5
CC29858		4.02	7.64	557	0.35	8.69	31	0.9
CC29859		0.92	2.74	295	0.11	3.68	14	0.7
CC29860		1.03	1.56	99	0.09	13.10	106	1.1
CC29861		1.26	3.49	215	0.19	18.75	499	2.8
CC29862		2.08	5.17	287	0.17	27.80	1180	3.0
CC29863		2.58	8.80	521	0.23	44.30	1800	2.7
CC29864		10.80	7.38	1135	0.46	42.30	3930	1.9
CC29865		4.65	2.72	1065	0.34	64.80	4660	3.6
CC29866		4.68	13.25	1275	0.35	42.60	3680	4.8
CC29867		3.95	6.60	1260	0.29	70.60	4510	2.7
CC29868		4.37	16.50	599	0.25	54.90	5010	2.4
CC29869		1.74	5.32	178	0.13	11.25	642	1.0
CC29870		0.78	7.26	266	0.14	19.70	334	2.5
CC29871		4.60	6.47	582	0.26	5.36	95	2.2
CC29872		4.40	2.47	461	0.28	4.98	114	0.9
CC29873		2.01	2.42	115	0.11	3.92	65	0.8
CC29874		1.70	2.35	102	0.12	5.02	52	0.8
CC29875		1.22	1.40	143	0.16	4.32	87	1.0
CC29876		1.13	1.67	140	0.17	4.79	66	0.9
CC29877		1.66	9.64	373	0.19	22.70	508	3.0
CC29878		1.14	6.64	266	0.25	33.50	416	6.1
CC29879		1.11	3.75	188	0.20	8.96	83	1.1
CC29880		0.17	2.30	74	0.09	13.60	124	1.2
CC29881		0.13	3.01	64	0.08	14.70	157	2.7
CC29882		0.15	3.00	80	0.07	15.70	155	2.5
CC29883		0.14	3.14	49	0.07	15.10	93	2.3
CC29884		0.60	8.42	132	0.14	19.95	170	1.7
CC29885		0.71	9.37	271	0.23	25.10	236	2.3

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-JUL-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC29886		0.12	0.62	1.22	22.1	<0.2	<10	990	0.90	0.23	0.36	2.73	26.20	15.9	35	0.97
CC29887		0.14	0.28	1.29	13.0	<0.2	<10	400	0.33	0.21	0.11	0.17	20.50	4.6	22	0.95
CC29901		0.02	0.98	0.70	12.5	<0.2	<10	1590	0.60	0.17	1.15	3.76	14.40	1.9	14	0.73
CC29902		0.12	0.09	0.81	16.5	<0.2	<10	210	0.16	0.23	0.04	0.28	14.55	2.4	19	0.80
CC29903		0.10	0.22	0.16	8.2	<0.2	<10	210	0.12	0.13	0.01	0.22	3.41	0.1	6	0.33
CC29904		0.10	0.77	1.15	31.1	<0.2	<10	380	0.27	0.28	0.04	0.37	17.30	3.5	29	0.95
CC29905		0.08	0.91	0.83	25.6	<0.2	<10	260	0.22	0.25	0.02	0.22	12.95	2.0	27	0.66
CC29906		0.14	1.47	1.20	42.0	<0.2	<10	410	0.52	0.21	0.03	1.18	18.40	4.5	33	0.90
CC29907		0.12	0.30	1.71	43.1	<0.2	<10	230	0.49	0.27	0.01	0.54	15.00	5.8	36	1.22
CC29908		0.08	0.16	0.90	17.5	<0.2	<10	1880	0.77	0.16	0.26	1.58	20.30	6.4	22	0.56
CC29909		0.08	0.14	0.33	17.6	<0.2	<10	240	0.34	0.13	0.28	1.55	8.61	3.1	10	0.39
CC29910		0.08	0.29	0.41	44.3	<0.2	<10	290	0.56	0.15	0.16	7.10	13.70	6.1	18	0.46
CC29911		0.06	2.77	1.16	241.0	<0.2	<10	550	1.98	0.24	0.63	15.30	25.80	7.7	137	1.00
CC29912		0.10	3.13	1.02	96.3	<0.2	10	2140	0.91	0.23	4.77	34.00	20.50	9.6	57	1.06
CC29913		0.10	2.29	0.88	46.5	<0.2	10	1880	0.93	0.21	1.98	27.80	20.80	7.8	51	0.99
CC29914		0.12	0.79	0.67	36.5	<0.2	<10	4210	0.94	0.18	1.54	10.45	41.50	7.3	42	0.58
CC29915		0.12	1.51	1.44	56.4	<0.2	<10	530	0.47	0.26	0.11	9.78	21.70	6.2	49	1.16
CC29916		0.14	0.38	1.51	55.4	<0.2	<10	180	0.38	0.26	0.03	0.85	17.00	6.6	34	1.22
CC29917		0.12	0.25	1.11	41.2	<0.2	<10	180	0.34	0.24	0.03	0.78	17.00	5.9	25	0.85
CC29918		0.08	0.12	0.61	16.7	<0.2	<10	250	0.23	0.18	0.04	0.42	18.90	3.9	15	0.97
CC29919		0.16	0.32	0.41	19.1	<0.2	<10	670	0.35	0.21	0.21	1.38	14.30	4.4	10	0.62
CC29920		0.10	0.29	0.96	12.7	<0.2	<10	1590	0.63	0.16	0.36	1.80	17.90	5.2	16	0.55
CC29921		0.14	0.62	0.88	23.0	<0.2	<10	260	0.35	0.16	0.03	0.63	14.45	3.1	18	0.53
CC29922		0.16	0.49	0.62	29.8	<0.2	<10	310	0.25	0.19	0.01	0.32	10.55	1.3	16	0.56
CC29923		0.12	0.45	0.40	37.5	<0.2	<10	290	0.09	0.19	0.01	0.13	5.01	0.5	13	0.50
CC29924		0.10	0.22	0.64	12.9	<0.2	<10	220	0.28	0.16	0.02	0.19	9.53	0.9	12	0.58
CC29925		0.14	0.10	0.28	6.5	<0.2	<10	460	0.42	0.17	0.06	0.94	9.57	0.8	10	0.32
CC29926		0.14	0.07	0.30	5.5	<0.2	<10	270	0.23	0.15	0.08	0.91	6.42	0.4	8	0.37
CC29927		0.08	0.59	1.67	41.4	<0.2	<10	1600	0.95	0.18	0.40	1.25	29.50	7.6	32	0.91
CC29951		0.16	0.34	1.44	10.2	<0.2	<10	1570	0.59	0.23	0.63	1.33	30.00	8.2	29	0.85
CC29952		0.14	0.35	1.57	9.6	<0.2	<10	1690	0.69	0.19	1.18	1.28	28.80	7.7	32	0.71
CC29953		0.14	0.26	1.20	11.5	<0.2	<10	960	0.57	0.19	0.24	0.94	24.60	5.4	23	0.82
CC29954		0.04	0.65	0.89	5.9	<0.2	<10	4090	0.31	0.18	0.17	0.34	17.25	4.5	17	0.65
CC29955		0.04	0.48	0.91	10.7	<0.2	<10	3540	0.40	0.15	0.55	2.15	18.30	45.8	22	0.76
CC29956		0.08	1.58	0.66	23.6	<0.2	<10	1680	0.64	0.12	3.34	30.60	20.50	4.8	31	0.59
CC29957		0.08	1.48	1.01	80.4	<0.2	<10	2280	0.94	0.19	2.17	13.30	26.90	8.2	48	0.67
CC29958		0.20	1.83	1.21	49.1	<0.2	10	3350	1.11	0.20	1.44	16.05	31.50	10.9	50	0.80
CC29959		0.16	5.06	0.90	59.4	<0.2	<10	2170	1.02	0.20	1.69	32.50	26.10	8.2	51	0.96
CC29960		0.12	0.62	1.15	11.6	<0.2	<10	1150	0.88	0.16	0.30	6.55	15.95	1.7	32	0.86
CC29961		0.08	1.72	1.15	23.4	<0.2	<10	1790	0.74	0.21	1.06	5.76	15.25	3.4	29	0.84

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC29886		48.2	2.41	4.19	0.11	0.06	0.26	0.039	0.05	13.5	9.4	0.16	274	25.60	0.01	0.52
CC29887		13.9	2.20	4.75	0.06	0.05	0.19	0.027	0.06	10.7	12.5	0.23	116	9.53	0.01	0.69
CC29901		52.7	1.42	2.69	0.10	0.04	0.32	0.033	0.06	7.7	1.5	0.12	27	15.50	0.03	0.27
CC29902		11.9	1.66	5.66	0.05	0.03	0.04	0.015	0.05	7.8	4.3	0.09	60	20.60	0.01	0.61
CC29903		22.8	0.49	1.12	<0.05	<0.02	0.03	0.011	0.07	2.2	0.4	0.01	<5	18.10	0.01	0.09
CC29904		21.3	2.86	6.42	0.10	0.03	0.07	0.034	0.11	9.7	6.0	0.15	110	31.60	0.01	0.82
CC29905		23.8	2.52	4.73	0.09	<0.02	0.05	0.031	0.09	7.2	2.8	0.08	51	23.90	0.01	0.67
CC29906		37.6	3.03	4.61	0.11	0.03	0.07	0.042	0.14	10.7	9.9	0.15	113	43.60	0.01	0.49
CC29907		30.4	3.45	6.94	0.08	0.05	0.03	0.038	0.10	7.8	14.1	0.16	91	52.80	0.01	0.71
CC29908		43.0	1.81	3.15	0.08	0.05	0.10	0.027	0.08	11.3	5.1	0.12	88	29.90	0.02	0.30
CC29909		34.0	1.19	1.36	0.05	0.03	0.07	0.020	0.06	5.6	0.8	0.03	24	28.70	0.01	0.10
CC29910		66.0	1.72	1.43	0.13	0.05	0.10	0.032	0.06	9.4	1.2	0.03	45	65.60	0.01	0.10
CC29911		179.0	3.31	6.41	0.40	0.10	0.69	0.045	0.10	22.3	7.0	0.07	66	253.00	0.01	0.24
CC29912		127.0	2.11	4.86	0.17	0.11	0.75	0.034	0.13	12.9	5.9	0.72	111	97.70	0.03	0.29
CC29913		111.5	1.77	4.24	0.13	0.14	0.77	0.035	0.11	13.0	6.0	0.53	85	55.80	0.03	0.38
CC29914		71.6	1.65	3.28	0.11	0.11	0.35	0.028	0.06	22.1	4.5	0.23	257	47.80	0.04	0.30
CC29915		48.9	2.97	7.75	0.11	0.04	0.20	0.030	0.09	11.8	9.4	0.17	148	37.90	0.01	0.69
CC29916		40.9	3.28	6.28	0.11	0.03	0.08	0.041	0.08	8.8	11.1	0.15	147	50.90	0.01	0.72
CC29917		30.0	3.07	5.29	0.09	0.02	0.05	0.029	0.08	8.8	8.3	0.15	122	38.60	0.01	0.75
CC29918		21.3	1.59	4.34	0.06	<0.02	0.04	0.018	0.05	10.0	1.3	0.03	46	23.20	0.01	0.42
CC29919		25.8	2.37	1.78	0.07	0.09	0.10	0.039	0.16	8.5	2.6	0.06	65	30.20	0.02	0.14
CC29920		30.1	2.73	3.05	0.10	0.05	0.12	0.027	0.07	9.3	3.8	0.10	77	24.10	0.02	0.28
CC29921		29.0	1.98	3.55	0.07	0.03	0.05	0.023	0.07	8.0	6.4	0.11	90	15.45	0.01	0.52
CC29922		29.2	1.89	3.58	0.07	0.02	0.06	0.021	0.11	6.5	2.7	0.05	37	30.60	0.01	0.31
CC29923		15.7	1.79	3.41	0.05	<0.02	0.02	0.018	0.13	3.1	0.9	0.02	10	57.70	0.01	0.24
CC29924		26.9	1.36	2.48	0.05	0.02	0.07	0.020	0.07	5.3	1.6	0.04	21	31.00	0.01	0.28
CC29925		57.2	0.52	1.57	<0.05	0.04	0.06	0.016	0.04	5.0	1.3	0.04	18	7.37	0.01	0.14
CC29926		33.4	0.43	1.54	<0.05	<0.02	0.05	0.010	0.03	3.7	0.8	0.03	8	5.77	0.01	0.13
CC29927		40.6	1.92	5.20	0.09	0.08	0.13	0.031	0.08	15.8	14.1	0.44	136	4.46	0.02	0.45
CC29951		36.8	2.42	5.08	0.08	0.08	0.07	0.034	0.09	15.3	13.9	0.37	165	4.05	0.03	0.70
CC29952		34.3	2.12	4.87	0.08	0.10	0.07	0.033	0.09	15.2	13.3	0.39	176	3.99	0.03	0.63
CC29953		24.4	1.70	4.08	0.08	0.08	0.07	0.029	0.06	12.3	11.0	0.22	101	5.24	0.02	0.48
CC29954		17.6	2.42	2.75	0.07	0.07	0.13	0.021	0.07	8.9	6.0	0.16	103	7.81	0.04	0.31
CC29955		20.6	2.82	3.63	0.09	0.05	0.14	0.022	0.05	9.0	5.1	0.12	2050	20.90	0.04	0.31
CC29956		58.7	1.05	2.46	0.11	0.11	0.31	0.019	0.04	15.4	3.5	0.16	93	19.10	0.03	0.34
CC29957		77.1	1.98	4.09	0.15	0.16	0.33	0.029	0.08	18.2	6.9	0.18	138	84.70	0.03	0.43
CC29958		88.1	2.21	4.67	0.15	0.16	0.40	0.031	0.08	22.5	9.2	0.28	178	58.40	0.04	0.46
CC29959		114.0	1.57	3.92	0.16	0.15	0.89	0.030	0.08	16.4	5.3	0.17	132	50.90	0.02	0.36
CC29960		44.5	1.04	4.80	0.11	0.04	0.12	0.031	0.07	8.7	2.1	0.05	19	14.65	0.02	0.27
CC29961		45.1	1.69	4.26	0.13	0.09	0.29	0.036	0.11	8.4	3.7	0.10	30	35.60	0.02	0.34

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
CC29886		109.0	660	16.4	10.4	0.011	0.06	4.02	4.2	7.9	0.7	29.9	<0.01	0.12	2.3	0.006
CC29887		13.4	320	12.7	12.0	0.001	0.02	1.36	2.9	3.3	0.5	14.1	<0.01	0.08	3.0	0.011
CC29901		38.9	1010	11.6	7.2	0.008	0.23	4.02	2.7	15.9	0.5	105.5	<0.01	0.13	0.4	0.007
CC29902		17.9	150	12.6	9.3	<0.001	0.04	3.42	1.6	2.8	0.9	22.9	<0.01	0.12	2.0	0.016
CC29903		4.2	120	7.6	4.8	0.016	0.12	1.66	0.7	3.3	0.3	23.8	<0.01	0.10	0.9	<0.005
CC29904		22.8	490	17.9	14.5	0.001	0.14	14.85	2.7	11.6	0.9	81.8	<0.01	0.23	2.6	0.016
CC29905		17.1	480	16.3	9.2	0.001	0.14	12.15	1.7	12.5	0.7	66.0	<0.01	0.24	1.4	0.016
CC29906		35.5	790	14.4	14.0	0.003	0.31	14.40	3.4	11.3	0.8	69.2	<0.01	0.23	1.6	0.012
CC29907		79.4	380	13.1	18.4	<0.001	0.06	10.85	2.9	4.5	0.9	31.2	<0.01	0.16	3.0	0.013
CC29908		75.6	350	10.1	10.0	0.006	0.04	3.50	4.0	3.3	0.5	40.0	<0.01	0.08	2.7	0.006
CC29909		91.2	150	7.6	6.5	0.010	0.03	4.18	2.3	2.8	0.4	16.3	<0.01	0.09	1.3	<0.005
CC29910		332.0	360	7.9	6.0	0.017	0.03	8.35	3.2	10.9	0.5	16.3	<0.01	0.17	1.4	<0.005
CC29911		1190.0	2640	17.8	13.0	0.036	0.05	83.40	4.4	45.9	0.8	72.9	0.01	0.57	1.1	0.007
CC29912		310.0	710	14.5	13.6	0.005	0.07	36.00	5.6	17.3	0.8	219.0	<0.01	0.21	3.1	0.009
CC29913		348.0	880	11.1	12.4	0.003	0.08	21.10	7.0	8.4	0.8	118.5	0.01	0.16	2.8	0.012
CC29914		193.5	630	11.1	7.6	0.001	0.11	10.30	3.9	6.3	0.7	146.5	0.01	0.13	1.5	0.008
CC29915		100.5	360	16.1	14.6	0.002	0.03	19.05	3.7	11.8	0.8	16.4	<0.01	0.14	2.7	0.017
CC29916		194.5	410	14.0	14.4	0.001	0.04	9.31	3.1	10.3	0.8	7.5	<0.01	0.15	2.1	0.016
CC29917		123.0	310	13.5	12.5	0.002	0.03	5.72	2.7	4.8	0.7	8.1	<0.01	0.11	2.1	0.017
CC29918		61.0	230	9.5	9.5	<0.001	0.02	3.44	1.6	2.8	0.7	7.2	<0.01	0.08	1.5	0.013
CC29919		66.8	300	13.2	12.3	0.009	0.36	2.99	3.0	3.9	0.4	98.0	<0.01	0.08	3.4	<0.005
CC29920		91.5	500	10.4	10.1	0.011	0.06	2.00	3.9	6.1	0.4	42.1	<0.01	0.07	2.1	<0.005
CC29921		18.9	300	9.0	9.2	0.004	0.10	5.38	1.9	5.4	0.4	24.3	<0.01	0.10	1.8	0.013
CC29922		9.4	350	12.3	9.8	0.004	0.25	7.45	1.8	6.3	0.5	87.5	<0.01	0.17	2.1	0.009
CC29923		6.5	360	12.0	9.7	0.002	0.30	5.26	1.0	5.4	0.5	67.1	<0.01	0.15	1.0	0.006
CC29924		6.6	310	8.9	6.2	0.003	0.18	1.35	1.3	3.8	0.5	20.5	<0.01	0.11	0.5	0.009
CC29925		6.4	70	7.9	4.3	0.009	0.06	0.61	2.1	1.6	0.4	16.2	<0.01	0.08	1.7	0.005
CC29926		4.0	130	7.4	4.6	0.004	0.03	0.44	1.0	1.4	0.3	10.4	<0.01	0.09	0.6	<0.005
CC29927		36.7	860	12.0	12.3	0.003	0.05	2.27	4.3	3.8	0.6	52.9	<0.01	0.09	3.0	0.008
CC29951		36.8	590	11.7	12.0	0.002	0.05	1.90	4.7	2.1	0.5	48.2	<0.01	0.07	4.2	0.015
CC29952		37.1	610	11.4	12.2	0.001	0.05	1.84	4.5	1.8	0.6	62.5	<0.01	0.06	3.7	0.012
CC29953		33.7	330	12.1	9.8	0.005	0.02	2.19	3.9	3.0	0.5	25.5	<0.01	0.06	4.1	0.008
CC29954		22.1	600	7.2	11.4	0.002	0.11	1.23	2.7	2.9	0.5	56.6	<0.01	0.05	1.9	0.006
CC29955		36.5	950	9.5	6.9	0.005	0.10	2.34	2.7	5.0	0.5	63.3	<0.01	0.07	1.1	0.006
CC29956		143.5	690	8.0	6.1	0.006	0.15	12.65	3.2	7.6	0.3	189.5	0.01	0.07	0.7	0.009
CC29957		352.0	870	13.5	10.0	0.006	0.11	23.00	4.2	11.9	0.6	90.6	0.01	0.19	1.6	0.010
CC29958		209.0	830	13.3	11.2	0.003	0.10	16.30	5.4	8.0	0.7	114.5	0.01	0.14	1.9	0.010
CC29959		195.5	730	14.6	11.9	0.006	0.10	28.00	4.9	14.2	0.6	157.5	0.01	0.19	1.2	0.009
CC29960		41.2	1120	10.4	8.3	0.007	0.10	3.71	2.9	14.3	0.8	89.8	<0.01	0.16	1.1	0.005
CC29961		85.7	1140	14.3	15.3	0.017	0.17	10.65	3.4	20.4	0.8	177.0	<0.01	0.21	1.4	<0.005

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-JUL-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC29886		1.12	7.83	293	0.28	24.00	266	1.4
CC29887		0.56	1.26	86	0.16	4.19	54	1.2
CC29901		1.23	6.41	104	0.12	9.83	116	1.1
CC29902		1.05	0.81	228	0.18	2.28	72	1.3
CC29903		1.12	5.34	56	0.12	1.88	7	<0.5
CC29904		2.34	1.97	427	0.26	4.24	88	1.3
CC29905		1.57	1.79	278	0.24	3.18	68	<0.5
CC29906		2.64	3.84	259	0.30	9.89	136	0.6
CC29907		1.42	1.91	476	0.23	5.03	288	2.1
CC29908		0.71	3.42	233	0.17	17.10	210	1.5
CC29909		0.80	1.74	181	0.14	11.50	219	0.6
CC29910		1.83	4.05	309	0.27	29.80	642	1.5
CC29911		12.25	13.85	1375	0.62	65.50	2930	1.8
CC29912		2.06	9.00	1275	0.30	36.60	2470	3.7
CC29913		2.28	7.34	835	0.28	39.80	2380	5.6
CC29914		1.43	9.17	536	0.32	36.70	579	3.3
CC29915		2.38	1.83	794	0.23	8.68	1110	1.4
CC29916		2.49	1.87	330	0.24	5.73	585	1.0
CC29917		1.72	1.17	264	0.21	4.65	459	0.8
CC29918		0.82	0.75	209	0.17	2.86	197	<0.5
CC29919		1.71	1.59	91	0.09	9.74	157	4.7
CC29920		0.80	2.67	135	0.12	19.00	121	1.4
CC29921		0.89	2.24	164	0.15	4.92	61	0.7
CC29922		1.80	3.62	187	0.19	3.78	35	0.9
CC29923		2.58	1.40	277	0.22	2.36	34	<0.5
CC29924		1.22	2.32	80	0.16	3.16	15	<0.5
CC29925		0.35	4.53	34	0.11	5.75	26	1.5
CC29926		0.30	3.36	32	0.10	2.61	13	<0.5
CC29927		0.70	3.08	178	0.11	18.10	169	2.2
CC29951		0.42	1.82	105	0.12	12.00	126	2.8
CC29952		0.28	2.90	115	0.12	13.10	140	3.0
CC29953		0.42	2.63	121	0.12	9.15	133	2.3
CC29954		0.15	1.36	57	0.08	7.62	79	1.3
CC29955		0.41	5.14	229	0.13	10.60	186	0.9
CC29956		1.26	7.33	405	0.17	30.50	1275	3.1
CC29957		2.48	7.33	798	0.34	37.20	1215	4.3
CC29958		1.38	4.31	739	0.32	44.00	1170	4.0
CC29959		2.74	13.80	1050	0.30	47.10	2480	3.8
CC29960		1.38	15.60	185	0.15	14.55	104	0.6
CC29961		2.46	8.77	324	0.23	13.90	220	2.0

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC29962		0.20	0.25	0.38	15.4	<0.2	<10	180	0.21	0.14	0.02	0.32	9.29	1.4	11	0.35
CC29963		0.12	0.17	1.14	33.6	<0.2	<10	300	0.28	0.29	0.03	0.38	19.95	4.0	25	1.11
CC29964		0.16	0.34	1.66	22.7	<0.2	<10	290	0.49	0.25	0.04	0.34	20.30	5.1	29	1.24
CC29965		0.14	0.31	0.78	16.9	<0.2	<10	130	0.18	0.21	0.02	0.13	19.65	2.3	14	0.84
CC29966		0.18	0.94	0.67	24.9	<0.2	<10	320	0.32	0.15	0.01	0.74	11.00	1.9	17	0.51
CC29967		0.14	1.20	0.49	33.1	<0.2	<10	5260	0.88	0.12	2.38	12.55	40.60	3.5	31	0.51
CC29968		0.08	2.24	0.59	14.1	<0.2	<10	2320	0.87	0.11	2.48	11.20	39.30	6.3	22	0.54
CC29969		0.14	1.19	0.61	46.7	<0.2	<10	1310	1.17	0.21	2.09	13.25	55.20	6.3	44	0.56
CC29970		0.10	0.47	0.75	5.2	<0.2	<10	3750	0.43	0.14	0.16	1.49	17.90	2.1	17	0.61
CC29971		0.12	1.06	1.45	18.9	<0.2	<10	1430	0.85	0.22	0.46	13.40	29.70	7.4	48	0.95
CC29972		0.14	1.42	1.44	17.2	<0.2	<10	2230	0.72	0.23	0.37	16.85	33.60	9.7	43	0.83
CC29973		0.18	1.11	1.56	8.6	<0.2	<10	2530	0.65	0.22	0.44	12.05	32.40	9.4	42	0.84
CC29974		0.20	0.32	1.27	8.5	<0.2	<10	1490	0.49	0.19	0.33	2.22	28.20	7.2	32	0.77
CC29975		0.18	0.37	1.66	8.7	<0.2	<10	1720	0.62	0.21	0.36	1.29	27.60	7.0	28	1.10
CC29976		0.14	1.35	0.31	17.6	<0.2	<10	340	0.15	0.23	0.01	0.54	8.82	0.6	14	0.61
CC29977		0.14	0.78	0.96	26.3	<0.2	<10	170	0.19	0.23	0.03	0.33	18.60	3.1	22	1.05
CC29978		0.12	0.40	0.73	12.5	<0.2	<10	990	0.50	0.15	0.37	4.43	13.55	3.1	24	0.62
CC29979		0.16	0.41	0.71	18.5	<0.2	<10	820	0.80	0.16	0.33	4.72	14.90	5.2	17	0.60
CC29980		0.16	0.08	0.40	27.6	<0.2	<10	220	0.43	0.16	0.10	1.82	7.60	5.6	17	0.50
CC29981		0.08	1.00	0.45	16.6	<0.2	<10	420	0.26	0.10	0.66	4.86	6.48	2.7	19	1.10
CC29982		0.20	3.48	0.69	93.2	<0.2	10	620	0.78	0.27	3.69	43.50	18.75	11.7	52	1.37
CC29983		0.14	3.99	0.78	69.2	<0.2	10	1450	1.20	0.24	1.84	29.90	24.80	5.9	100	0.93
CC29984		0.08	1.46	0.57	36.4	<0.2	10	2080	0.98	0.15	2.47	16.20	33.70	5.4	55	0.58
CC29985		0.08	0.81	0.46	30.8	<0.2	<10	1690	0.79	0.13	2.29	7.27	24.00	1.9	38	0.52
CC29986		0.06	0.61	0.62	2.3	<0.2	<10	1800	0.24	0.18	0.44	0.58	14.45	3.2	10	0.77
CC29987		0.08	1.72	0.94	2.0	<0.2	<10	2850	0.37	0.12	0.39	0.46	18.20	3.5	10	0.71
CC29988		0.16	1.59	1.44	5.7	<0.2	<10	6220	0.67	0.21	0.13	0.98	22.40	8.9	23	0.97
CC29989		0.18	0.86	0.78	9.8	<0.2	<10	570	0.31	0.26	0.02	0.25	11.05	8.0	16	0.94
CC29990		0.22	1.77	0.76	11.6	<0.2	10	4030	0.85	0.26	0.55	1.41	19.45	8.9	15	0.89
CC29991		0.04	0.63	0.68	3.8	<0.2	10	3940	0.29	0.10	2.30	0.71	6.78	2.3	12	0.54
CC29992		0.12	0.65	0.81	9.0	<0.2	<10	2250	0.49	0.31	0.01	0.45	14.25	23.7	19	0.75
CC29993		0.22	0.84	0.76	31.9	<0.2	10	3500	0.93	0.17	0.21	14.65	23.90	6.6	37	0.91
CC29994		0.18	0.26	1.12	25.8	<0.2	<10	3230	1.14	0.21	0.32	6.70	16.45	10.4	33	0.74
CC29995		0.16	1.11	1.17	35.3	<0.2	<10	5730	1.01	0.20	0.26	10.25	32.80	6.2	48	0.75
CC29996		0.14	1.63	2.50	45.0	<0.2	<10	2070	1.92	0.27	0.84	14.30	74.60	11.5	75	1.44
CC29997		0.16	3.26	0.80	62.2	<0.2	10	1450	1.40	0.22	1.61	29.40	26.30	5.5	103	0.73
CC29998		0.14	0.16	1.45	40.5	<0.2	<10	270	0.36	0.28	0.06	0.56	19.35	6.0	37	1.29
CC29999		0.20	0.95	1.25	47.8	<0.2	<10	3270	1.02	0.23	0.46	7.66	27.90	9.8	37	0.98
CC30000		0.20	0.25	1.00	38.6	<0.2	<10	680	0.48	0.24	0.03	0.96	14.90	6.7	33	0.81
CC39551		0.24	0.17	1.41	13.2	<0.2	<10	460	0.44	0.23	0.08	0.31	13.70	8.8	27	0.98

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC29962		33.3	1.18	2.39	<0.05	0.02	0.04	0.020	0.06	5.0	2.0	0.05	35	15.50	0.01	0.24
CC29963		24.3	3.39	8.28	0.08	0.02	0.03	0.036	0.09	10.6	4.9	0.12	122	24.10	0.01	1.07
CC29964		43.8	3.18	6.47	0.09	0.09	0.10	0.041	0.10	10.7	13.5	0.20	155	28.20	0.01	0.87
CC29965		14.7	1.77	5.93	0.06	0.03	0.02	0.014	0.04	10.4	1.6	0.04	43	14.50	0.01	0.71
CC29966		29.3	1.63	2.79	0.07	0.06	0.06	0.025	0.09	6.5	3.7	0.07	44	19.40	0.01	0.33
CC29967		72.3	1.00	2.30	0.14	0.12	0.53	0.018	0.03	28.6	2.0	0.10	60	38.80	0.05	0.25
CC29968		47.1	1.00	1.85	0.13	0.11	0.72	0.022	0.03	26.7	1.6	0.15	114	13.10	0.04	0.24
CC29969		73.9	1.93	3.06	0.15	0.14	0.62	0.034	0.05	31.8	3.7	0.33	128	83.00	0.02	0.30
CC29970		30.0	0.93	2.61	0.06	0.05	0.17	0.020	0.06	9.4	5.2	0.10	31	5.68	0.03	0.20
CC29971		52.2	1.69	4.85	0.11	0.09	0.22	0.033	0.09	15.8	11.7	0.29	117	3.67	0.02	0.50
CC29972		70.7	2.23	5.17	0.14	0.18	0.24	0.036	0.10	18.3	13.1	0.34	131	5.18	0.03	0.67
CC29973		67.9	1.74	5.15	0.11	0.16	0.24	0.039	0.11	17.4	14.9	0.38	172	5.29	0.03	0.64
CC29974		28.2	1.86	4.21	0.08	0.07	0.07	0.025	0.08	14.7	12.3	0.30	127	7.51	0.02	0.52
CC29975		27.2	2.03	5.32	0.09	0.06	0.09	0.032	0.10	14.4	12.6	0.28	142	6.59	0.02	0.50
CC29976		15.6	1.56	3.02	0.08	<0.02	0.03	0.026	0.20	6.1	1.2	0.02	10	39.60	0.01	0.17
CC29977		17.0	2.52	6.26	0.08	0.03	0.06	0.023	0.08	10.4	5.1	0.10	66	21.50	0.01	0.84
CC29978		30.5	1.15	2.92	0.06	0.04	0.15	0.019	0.07	7.9	3.9	0.09	82	14.85	0.02	0.27
CC29979		46.8	1.63	2.35	0.07	0.05	0.17	0.025	0.06	8.9	3.2	0.08	55	28.20	0.01	0.20
CC29980		31.8	1.71	1.68	0.06	0.02	0.03	0.025	0.06	5.5	1.6	0.03	21	37.50	0.01	0.15
CC29981		25.5	0.79	1.94	0.06	0.05	0.22	0.012	0.05	3.5	0.8	0.09	12	28.80	0.02	0.14
CC29982		133.0	2.07	4.07	0.19	0.14	1.14	0.040	0.17	11.6	2.6	1.24	132	87.90	0.02	0.20
CC29983		152.0	1.86	4.16	0.18	0.15	1.28	0.035	0.11	16.0	4.2	0.24	114	59.30	0.02	0.22
CC29984		70.3	1.24	2.86	0.14	0.16	0.65	0.024	0.05	20.2	3.3	0.21	129	44.20	0.03	0.22
CC29985		61.5	1.00	2.53	0.10	0.12	0.34	0.021	0.05	14.7	2.9	0.15	59	22.80	0.02	0.23
CC29986		14.4	1.25	2.13	0.06	0.05	0.19	0.016	0.06	7.1	2.1	0.11	53	2.15	0.03	0.17
CC29987		20.8	1.47	1.87	0.07	0.05	0.21	0.020	0.04	8.7	1.3	0.07	23	1.63	0.03	0.19
CC29988		43.5	2.24	4.46	0.08	0.09	0.31	0.035	0.08	11.9	8.8	0.17	130	4.65	0.05	0.31
CC29989		75.2	2.23	4.89	<0.05	0.04	0.04	0.032	0.08	6.1	1.7	0.05	44	6.37	0.02	0.22
CC29990		78.8	2.68	2.15	0.07	0.06	0.17	0.043	0.16	11.1	2.3	0.09	135	4.49	0.04	0.07
CC29991		17.1	0.93	2.11	<0.05	0.13	0.11	0.018	0.05	3.4	2.3	0.39	52	3.23	0.05	0.17
CC29992		62.0	4.58	2.57	0.06	0.18	0.10	0.041	0.10	6.5	2.0	0.05	162	3.11	0.03	0.16
CC29993		91.6	2.02	3.50	0.10	0.06	0.21	0.032	0.12	13.9	3.9	0.06	80	39.40	0.04	0.13
CC29994		52.8	2.39	4.82	0.06	0.11	0.35	0.038	0.07	8.6	7.1	0.14	65	85.80	0.03	0.28
CC29995		73.3	1.55	4.36	0.09	0.05	0.33	0.024	0.05	14.6	6.2	0.07	81	50.80	<0.01	0.37
CC29996		57.0	2.98	6.28	0.12	0.15	0.39	0.049	0.08	29.9	16.0	0.26	315	58.00	0.03	0.84
CC29997		167.0	1.79	4.35	0.12	0.15	0.94	0.040	0.11	16.0	5.4	0.25	72	43.70	0.02	0.26
CC29998		23.8	3.63	7.65	0.06	0.05	0.03	0.033	0.08	10.1	11.6	0.21	104	30.90	0.01	1.30
CC29999		65.9	2.71	4.56	0.09	0.07	0.35	0.039	0.10	17.3	7.6	0.18	153	43.90	0.03	0.38
CC30000		44.0	2.87	4.68	0.06	0.04	0.07	0.036	0.10	8.7	4.7	0.10	67	39.20	0.02	0.54
CC39551		29.8	3.04	4.98	0.06	0.06	0.09	0.036	0.09	6.3	19.5	0.33	96	5.61	0.02	0.29

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC29962		13.9	250	7.6	6.8	0.001	0.14	1.86	1.6	2.3	0.4	35.5	<0.01	0.08	1.5	0.007
CC29963		30.0	410	17.5	14.3	<0.001	0.10	4.26	2.7	3.0	0.9	40.2	<0.01	0.14	2.5	0.025
CC29964		25.6	440	15.4	16.3	<0.001	0.14	5.05	3.3	4.6	0.8	33.3	<0.01	0.13	3.7	0.017
CC29965		18.9	150	11.1	7.6	<0.001	0.02	3.73	1.5	1.7	0.8	7.8	<0.01	0.10	2.3	0.023
CC29966		27.9	300	9.9	10.4	0.003	0.16	8.61	2.1	5.9	0.4	63.8	<0.01	0.13	2.3	0.007
CC29967		389.0	640	9.5	5.9	0.001	0.10	11.70	2.6	5.7	0.4	216.0	0.01	0.11	0.5	0.007
CC29968		116.0	1340	9.9	4.1	0.003	0.21	4.86	2.8	6.2	0.3	206.0	0.01	0.07	0.4	0.008
CC29969		328.0	530	14.0	6.8	0.001	0.09	11.25	5.2	8.0	1.0	129.0	0.01	0.14	2.0	0.005
CC29970		16.8	550	8.9	8.6	0.004	0.08	1.36	2.6	2.3	0.4	67.5	<0.01	0.04	2.1	0.005
CC29971		138.5	540	13.5	13.5	0.008	0.04	8.55	5.3	7.6	0.5	44.7	<0.01	0.09	4.3	0.011
CC29972		113.5	540	13.5	14.2	0.008	0.07	10.40	6.1	8.4	0.6	54.1	<0.01	0.09	5.1	0.015
CC29973		181.5	600	10.1	13.3	0.004	0.06	5.99	6.3	3.3	0.7	66.0	<0.01	0.07	4.8	0.017
CC29974		65.2	460	9.8	11.5	0.003	0.03	2.45	4.1	1.8	0.5	37.1	<0.01	0.05	4.1	0.016
CC29975		53.5	620	10.5	16.0	0.005	0.04	1.76	4.7	2.3	0.6	36.7	<0.01	0.05	2.8	0.010
CC29976		9.3	390	17.2	11.7	0.001	0.44	7.76	1.1	11.7	0.7	63.1	<0.01	0.19	1.3	0.006
CC29977		28.5	450	10.8	12.5	<0.001	0.08	6.20	2.1	4.5	0.7	24.8	<0.01	0.13	2.6	0.023
CC29978		42.5	600	8.4	9.4	0.012	0.07	2.29	2.3	4.0	0.5	31.0	<0.01	0.09	1.2	0.005
CC29979		107.0	340	9.8	9.2	0.010	0.03	3.61	3.5	4.2	0.4	28.5	<0.01	0.09	1.8	<0.005
CC29980		292.0	200	9.5	7.5	0.006	0.02	5.37	1.9	3.3	0.4	9.1	<0.01	0.10	1.0	<0.005
CC29981		79.7	800	6.7	7.7	0.003	0.15	8.97	2.0	5.4	0.4	30.2	<0.01	0.08	0.8	0.005
CC29982		409.0	910	18.5	15.4	0.021	0.05	34.60	6.4	15.2	0.9	104.5	0.01	0.23	3.2	0.006
CC29983		310.0	1250	15.8	13.3	0.009	0.10	24.40	5.7	12.0	0.8	100.5	0.01	0.24	1.7	0.006
CC29984		209.0	910	10.9	6.6	0.013	0.18	13.05	3.5	13.1	0.6	151.5	0.01	0.12	1.1	0.005
CC29985		100.5	870	8.4	7.1	0.008	0.14	9.45	2.2	7.3	0.5	133.5	<0.01	0.11	0.9	0.005
CC29986		13.9	1000	7.8	6.9	<0.001	0.15	0.58	2.5	1.5	0.3	51.7	<0.01	0.03	0.9	<0.005
CC29987		19.1	950	9.7	3.6	<0.001	0.16	0.39	3.2	1.9	0.2	56.8	<0.01	0.04	0.8	0.007
CC29988		38.5	830	12.8	9.5	0.001	0.06	1.10	3.4	2.5	0.5	35.0	<0.01	0.06	1.5	0.005
CC29989		49.6	400	13.4	12.6	0.001	0.05	2.04	2.8	3.4	0.6	21.5	<0.01	0.09	1.7	0.005
CC29990		61.2	1720	15.8	11.2	0.001	0.04	1.95	5.7	4.2	0.4	153.5	<0.01	0.14	2.6	<0.005
CC29991		15.9	1110	5.4	6.4	0.006	0.16	1.28	2.2	2.7	0.3	215.0	<0.01	0.04	0.7	<0.005
CC29992		86.3	270	18.1	12.5	0.001	0.12	2.57	7.4	4.0	0.6	25.0	<0.01	0.08	4.6	<0.005
CC29993		96.9	1070	12.5	13.1	0.002	0.07	18.85	3.2	6.8	0.8	103.0	0.01	0.14	1.0	0.006
CC29994		190.5	380	12.6	10.2	<0.001	0.05	7.34	4.5	3.1	1.0	34.0	<0.01	0.12	2.0	0.006
CC29995		206.0	540	13.2	7.7	<0.001	0.07	11.45	2.4	4.1	0.8	49.0	<0.01	0.14	0.7	0.009
CC29996		212.0	490	20.1	14.8	0.001	0.06	9.78	6.1	6.5	0.9	71.3	0.01	0.12	3.3	0.011
CC29997		278.0	1670	11.2	12.2	0.003	0.06	23.00	6.5	8.0	0.9	90.9	0.01	0.24	3.0	0.007
CC29998		104.0	270	14.1	13.8	0.001	0.02	5.68	3.1	4.0	0.8	11.6	<0.01	0.10	3.0	0.030
CC29999		250.0	720	13.2	12.4	0.002	0.06	7.87	5.0	6.2	0.7	54.6	<0.01	0.14	1.5	0.009
CC30000		148.0	350	14.8	13.5	0.002	0.04	7.46	3.2	5.4	0.7	13.1	<0.01	0.12	2.2	0.010
CC39551		37.3	430	13.8	12.0	0.017	0.08	1.31	4.9	4.4	0.6	22.6	<0.01	0.05	3.1	<0.005

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067610

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC29962		1.07	2.83	76	0.15	3.02	38	0.6
CC29963		1.13	1.09	245	0.26	3.12	100	0.8
CC29964		1.62	1.41	209	0.22	3.51	82	3.2
CC29965		0.56	0.59	212	0.18	1.89	61	1.0
CC29966		1.98	1.91	162	0.16	5.34	68	2.2
CC29967		1.30	26.60	436	0.30	44.90	658	3.5
CC29968		1.45	19.95	254	0.14	36.10	325	2.9
CC29969		2.41	8.29	537	0.46	40.20	867	3.8
CC29970		0.31	3.20	122	0.08	9.22	65	0.8
CC29971		1.04	6.52	646	0.14	18.80	1500	3.1
CC29972		1.22	4.59	408	0.13	21.80	1160	6.4
CC29973		1.65	3.93	227	0.13	20.60	1025	5.6
CC29974		0.50	1.31	124	0.14	10.65	249	2.1
CC29975		0.54	1.81	133	0.14	11.95	191	1.4
CC29976		3.60	1.43	149	0.23	2.58	37	<0.5
CC29977		1.22	1.09	272	0.19	2.98	98	1.3
CC29978		0.89	2.90	242	0.27	10.15	147	0.8
CC29979		0.95	4.27	241	0.18	18.00	291	1.1
CC29980		0.81	2.50	269	0.18	6.60	507	0.5
CC29981		1.17	1.94	322	0.11	7.18	340	1.6
CC29982		1.88	7.98	1195	0.25	39.40	3310	5.3
CC29983		1.56	8.52	1095	0.33	47.00	2350	4.2
CC29984		1.50	11.00	580	0.27	36.10	1145	5.2
CC29985		1.16	9.92	614	0.25	21.60	394	3.8
CC29986		0.12	1.15	21	0.05	5.48	38	1.1
CC29987		0.07	1.83	13	0.05	13.15	21	1.2
CC29988		0.19	2.25	64	0.08	13.00	118	1.2
CC29989		0.27	1.05	93	0.08	3.62	236	1.4
CC29990		0.10	2.18	55	0.05	19.50	256	1.1
CC29991		0.10	1.42	46	<0.05	4.40	67	3.2
CC29992		0.21	0.99	69	<0.05	9.39	213	7.4
CC29993		0.32	5.69	590	0.15	31.00	636	0.8
CC29994		1.34	4.84	500	0.28	24.00	601	2.5
CC29995		1.95	10.00	570	0.22	21.50	429	1.0
CC29996		2.51	12.45	802	0.35	41.30	883	5.1
CC29997		1.39	7.56	824	0.33	41.60	1535	5.5
CC29998		1.39	1.24	571	0.22	3.28	343	2.2
CC29999		2.41	3.92	517	0.22	25.80	901	1.3
CC30000		1.43	2.02	488	0.21	5.91	526	1.3
CC39551		0.45	0.91	62	<0.05	6.13	96	1.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D. . 20-JUL-2007
Account: MTT

CERTIFICATE VA07067539

Project: NIMO

P.O. No.:

This report is for 6 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-JUN-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
Ni-AA62	Ore grade Ni - four acid / AA	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067539

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
C385634		0.60	<0.001	<0.005	0.001	0.40	6.36	31.3	610	2.05	0.17	1.06	0.25	41.30	2.1	74
C385635		1.00	<0.001	<0.005	0.002	0.25	5.20	22.9	1920	2.36	0.14	5.76	6.47	44.40	27.5	67
C385636		0.38	0.241	0.470	0.282	3.23	0.71	3820.0	690	0.17	1.08	0.03	0.55	2.08	58.0	38
C385637		0.96	0.005	0.005	0.006	0.36	7.31	157.0	720	3.02	0.28	0.05	0.07	65.00	1.5	92
C385638		0.30	0.025	<0.005	0.041	6.37	2.73	138.0	190	9.72	3.30	1.21	3.19	55.20	0.5	21
C385639		0.42	<0.001	<0.005	0.007	0.90	4.01	58.7	440	2.80	0.31	1.04	5.39	49.20	4.4	93

Comments: Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067539

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01
C385634		9.53	19.9	2.06	17.80	0.14	2.8	0.42	0.044	2.41	23.8	13.1	0.45	20	41.60	0.13
C385635		6.26	119.5	5.17	13.60	0.19	2.3	0.34	0.078	1.85	24.8	9.1	0.38	366	22.30	0.09
C385636		0.94	133.0	19.15	3.82	17.50	0.3	0.29	0.050	0.20	0.9	4.3	0.04	125	2690.00	0.02
C385637		10.45	7.2	0.99	24.80	0.50	3.8	0.14	0.033	2.41	36.2	14.8	0.57	18	116.00	0.05
C385638		2.76	58.1	6.31	10.40	0.49	2.8	4.39	0.015	1.52	14.6	6.2	0.17	8	40.30	0.07
C385639		5.81	110.0	4.15	14.10	0.26	3.1	0.47	0.062	1.50	20.8	21.6	0.55	33	54.70	0.35

Comments: Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067539

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
C385634		10.3	45.3	260	16.8	131.0	0.049	1.49	6.79	10.9	10	2.2	88.8	0.75	0.07	8.2
C385635		8.4	339.0	980	12.7	94.8	0.017	4.79	4.92	16.3	10	1.6	139.0	0.53	0.06	9.5
C385636		1.2	>10000	40	75.2	14.9	>50	>10.0	130.00	1.8	>1000	1.3	134.0	0.06	18.70	0.3
C385637		14.4	406.0	380	16.5	165.0	0.737	0.75	22.80	14.1	131	2.7	530.0	0.87	0.55	7.5
C385638		13.5	36.7	340	195.5	77.0	0.030	4.00	977.00	2.5	65	4.6	334.0	4.43	0.32	20.2
C385639		17.6	263.0	570	21.9	96.3	0.191	3.74	67.90	7.2	39	2.2	203.0	1.91	0.19	8.4

Comments: Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 20-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067539

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ni-AA62
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.1	1	0.1	0.1	2	0.5	0.01
C385634		0.341	4.81	6.2	775	1.3	9.3	87	93.6	
C385635		0.252	2.62	16.2	499	0.9	42.3	564	70.7	
C385636		0.026	213.00	2.9	155	1.6	2.1	299	10.4	4.16
C385637		0.394	33.70	7.4	865	1.5	15.9	23	117.0	
C385638		0.116	6.28	4.6	1540	1.1	33.9	56	81.9	
C385639		0.228	3.16	9.3	1810	1.1	36.2	477	89.2	

Comments: Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 30-JUN-2007
Account: MTT

CERTIFICATE VA07060911

Project: NIMO

P.O. No.:

This report is for 33 Rock samples submitted to our lab in Vancouver, BC, Canada on 13-JUN-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
Ni-AA62	Ore grade Ni - four acid / AA	AAS
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 30-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060911

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
C385601		2.20	0.121	0.300	0.163	1.43	1.02	5280.0	120	0.22	0.74	0.81	50.30	63.50	176.5	33
C385602		1.16	0.002	<0.005	0.002	0.37	8.31	61.6	330	3.59	0.25	0.05	0.81	37.30	6.0	89
C385603		2.16	0.153	0.321	0.174	2.48	1.16	3570.0	80	0.36	0.65	0.27	1.93	53.60	84.2	38
C385604		1.44	0.004	0.006	0.002	0.34	6.29	129.5	310	2.92	0.20	0.25	1.33	29.00	3.5	77
C385605		4.46	0.095	0.241	0.129	1.72	0.94	5680.0	40	0.28	0.44	0.33	24.70	26.10	131.0	31
C385606		2.08	0.002	<0.005	<0.001	0.29	5.14	64.5	130	2.33	0.15	0.05	1.94	2.98	6.7	67
C385607		3.64	0.103	0.259	0.143	2.32	0.64	5060.0	70	0.24	0.53	0.31	7.64	12.05	115.5	25
C385608		1.64	0.003	0.006	0.002	0.33	7.33	65.3	730	3.45	0.20	0.02	0.35	37.90	2.4	74
C385609		1.60	0.110	0.285	0.154	2.06	1.92	3290.0	70	0.76	0.59	0.08	<0.02	19.25	66.5	43
C385610		0.84	0.006	0.011	0.006	0.40	7.82	135.0	440	3.07	0.22	0.01	<0.02	39.00	3.2	90
C385611		3.08	0.090	0.240	0.131	1.49	1.00	4750.0	70	0.38	0.45	0.20	16.60	19.65	125.0	37
C385612		0.92	0.005	<0.005	0.002	0.47	8.07	65.4	410	3.73	0.25	0.02	0.37	43.90	4.7	92
C385613		0.96	0.165	0.322	0.214	2.27	5.57	90.7	530	1.89	0.85	0.07	<0.02	83.90	1.0	110
C385614		0.90	0.001	0.014	0.003	0.13	2.50	263	170	1.38	0.03	20.10	56.80	23.10	79.1	55
C385615		0.62	0.155	0.368	0.245	2.05	3.25	64.2	160	1.24	0.66	0.19	3.22	26.10	6.0	95
C385616		1.90	0.120	0.315	0.196	2.33	1.30	4310.0	120	0.31	0.97	0.18	24.30	11.55	182.5	55
C385617		1.44	0.356	0.464	0.296	4.12	1.07	4390.0	80	0.07	0.74	0.02	<0.02	11.00	37.4	47
C385618		0.68	0.001	<0.005	<0.001	0.02	0.02	<5	250	<0.05	<0.01	31.70	1.83	0.12	0.8	<1
C385619		0.46	0.027	0.038	0.025	4.79	3.25	891.0	320	1.63	0.29	3.99	37.50	69.70	8.9	182
C385620		0.28	0.018	0.033	0.028	4.47	2.05	876.0	210	1.19	0.17	9.20	80.90	52.30	14.3	191
C385621		0.34	0.003	0.010	0.004	0.29	0.24	38	1330	0.21	0.01	13.50	4.30	11.65	2.0	29
C385622		0.28	0.004	0.011	0.004	0.74	0.63	119	1030	0.63	0.03	34.70	13.00	40.40	6.3	36
C385623		0.34	0.021	0.076	0.037	4.81	2.47	1520	70	0.83	0.15	19.85	43.00	122.00	39.2	102
C385624		0.36	0.256	0.449	0.296	3.60	2.83	56.0	410	1.12	0.81	0.15	1.63	128.50	1.5	73
C385625		1.12	0.007	0.011	0.003	0.82	8.53	47.8	620	3.73	0.32	0.05	0.47	63.30	1.0	120
C385626		0.06	0.468	0.638	0.391	3.96	2.52	131.0	150	0.74	0.57	0.10	1.81	54.10	6.7	74
C385627		1.66	0.002	0.010	<0.001	0.27	0.33	12	4340	0.23	<0.01	17.65	9.35	4.57	1.5	10
C385628		0.38	0.017	<0.005	0.012	14.25	2.59	89.8	460	1.47	0.84	6.41	2.25	105.50	29.5	113
C385629		0.26	0.001	<0.005	0.006	6.04	2.86	90.7	440	1.40	0.43	4.55	2.79	87.30	50.3	90
C385630		0.26	0.015	0.015	0.019	11.20	2.61	161.5	410	1.80	0.71	4.78	3.68	37.10	5.0	202
C385631		0.36	0.002	<0.005	0.004	0.04	0.07	0.9	160	<0.05	<0.01	0.06	<0.02	0.52	0.8	2
C385632		0.18	0.032	0.044	0.037	1.60	4.85	438.0	340	1.73	0.30	0.56	12.15	79.20	50.3	102
C385633		0.48	0.047	0.162	0.100	6.31	1.45	2880	370	0.80	0.54	10.10	67.10	44.90	116.5	53

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Mo>400ppm on ICP-MS Cd,ICP-AES results shown. Detection limits on samples requiring dilutions for Hg-CV41 have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 30-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060911

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
C385601		1.19	231.0	20.40	14.30	9.47	0.3	1.00	0.261	0.44	32.9	6.7	0.03	101	2190.00	0.03
C385602		13.70	37.1	2.71	28.80	0.32	2.2	0.13	0.035	2.95	19.5	24.3	0.58	94	56.20	0.06
C385603		1.48	127.5	19.45	5.98	9.70	0.4	0.5	0.025	0.57	24.3	6.9	0.04	94	2350.00	0.03
C385604		12.40	19.5	2.18	22.90	0.36	1.9	0.08	0.031	2.26	11.7	21.4	0.46	28	75.60	0.05
C385605		1.31	205.0	22.70	8.75	7.54	0.3	1	0.154	0.41	12.1	6.0	0.03	139	2760.00	0.03
C385606		9.10	38.1	2.64	18.90	0.27	1.4	0.08	0.027	1.73	0.7	16.8	0.35	75	41.20	0.04
C385607		0.86	129.0	23.70	4.38	7.89	0.2	1	<0.005	0.29	5.9	6.0	0.01	102	2820.00	0.02
C385608		13.10	16.5	1.46	26.80	0.33	2.1	0.11	0.028	2.63	22.4	20.8	0.51	29	72.40	0.06
C385609		2.83	140.5	17.80	7.34	7.02	0.5	0.5	<0.005	0.77	7.3	8.3	0.10	86	2160.00	0.03
C385610		12.55	21.0	1.92	25.70	0.45	1.9	0.12	0.029	2.78	24.7	19.1	0.55	40	138.50	0.06
C385611		1.63	141.5	22.70	7.34	7.13	0.4	0.4	0.085	0.43	9.3	6.3	0.04	126	2420.00	0.02
C385612		15.65	25.3	1.96	29.90	0.35	2.4	0.12	0.030	2.91	26.5	24.5	0.57	58	76.10	0.06
C385613		6.37	8.4	0.89	19.35	0.65	1.7	1.02	0.022	1.66	61.7	12.1	0.38	25	168.50	0.04
C385614		1.28	387.0	6.25	6.68	0.69	0.5	0.05	0.118	0.27	14.9	4.6	0.16	910	180.00	0.01
C385615		3.98	97.4	1.63	14.60	1.14	1.4	0.74	0.037	0.91	14.6	10.2	0.24	53	145.50	0.03
C385616		1.72	372.0	20.50	11.10	8.78	0.5	2	0.240	0.39	4.8	3.5	0.07	129	2380.00	0.03
C385617		1.36	89.9	17.00	5.41	16.50	0.4	0.8	<0.005	0.31	5.4	3.5	0.06	93	2530.00	0.02
C385618		<0.05	1.1	0.02	0.12	0.16	<0.1	<0.01	<0.005	0.01	<0.5	<0.2	0.02	16	2.51	0.01
C385619		4.37	196.0	2.65	12.45	1.03	1.7	1.30	0.051	1.14	64.2	18.7	0.27	46	374.00	0.13
C385620		2.91	284.0	2.30	7.47	1.43	1.1	1.08	0.027	0.74	64.4	10.8	0.37	52	410.00	0.05
C385621		0.35	17.7	0.82	1.25	0.21	0.2	0.29	<0.005	0.07	23.3	1.2	0.26	79	28.60	0.02
C385622		0.63	50.3	0.59	3.71	0.40	0.2	0.65	<0.005	0.22	71.1	3.0	0.63	75	80.60	0.03
C385623		2.32	353.0	3.24	11.40	2.49	1.0	2.75	<0.005	0.92	104.8	13.9	0.73	95	783.00	0.12
C385624		3.59	11.4	0.96	11.95	1.20	1.1	0.88	0.018	0.87	93.6	9.6	0.20	44	112.00	0.03
C385625		12.55	9.7	1.82	33.60	0.43	3.1	0.30	0.084	2.86	44.9	18.3	0.62	17	161.50	0.09
C385626		3.00	29.5	4.12	10.05	1.31	1.2	0.79	0.033	0.91	27.0	14.4	0.19	179	349.00	0.04
C385627		0.13	12.1	0.18	0.75	0.07	0.2	0.04	<0.005	0.08	4.2	1.1	11.40	439	16.85	0.03
C385628		2.26	43.9	2.48	5.90	0.28	1.4	0.79	0.011	0.98	46.9	6.2	0.17	92	22.60	0.18
C385629		2.27	46.7	2.86	5.73	0.27	1.3	0.38	0.011	1.02	41.5	6.2	0.16	103	23.70	0.21
C385630		2.62	124.5	4.06	6.66	0.45	1.4	0.66	0.016	0.94	21.7	7.8	0.25	39	48.40	0.13
C385631		0.08	1.1	0.21	1.87	0.05	<0.1	0.01	<0.005	0.01	<0.5	0.6	0.01	<5	36.80	2.88
C385632		6.74	86.1	7.70	12.70	1.09	2.0	0.33	0.030	1.65	51.7	39.4	0.37	410	484.00	0.06
C385633		1.28	401.0	8.83	8.06	4.50	0.7	0.33	0.082	0.47	36.8	7.0	0.49	66	1420.00	0.03

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Mo>400ppm on ICP-MS Cd,ICP-AES results shown. Detection limits on samples requiring dilutions for Hg-CV41 have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 30-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060911

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
C385601		1.4	>10000	4560	30.6	18.8	37.000	>10.0	164.50	3.6	>1000	7.9	169.5	<0.05	23.40	1.5
C385602		10.5	186.0	310	17.2	176.0	0.144	2.94	24.60	13.2	68	2.5	190.5	0.75	0.20	6.5
C385603		1.9	>10000	1260	36.0	23.7	41.500	>10.0	160.50	3.1	>1000	3.8	84.2	<0.05	15.95	0.9
C385604		9.0	508.0	260	13.0	138.0	0.623	1.09	23.20	11.3	80	2.1	413.0	0.63	0.46	3.9
C385605		1.4	>10000	1820	22.2	18.0	34.200	>10.0	181.00	2.6	>1000	6.8	105.5	<0.05	19.20	0.8
C385606		6.7	203.0	270	11.4	109.0	0.139	2.71	19.45	8.9	60	1.5	173.0	0.47	0.22	1.2
C385607		0.9	>10000	1450	22.8	12.8	39.200	>10.0	184.00	1.6	>1000	4.3	98.1	<0.05	16.35	0.6
C385608		10.4	144.0	170	14.4	160.0	0.319	1.24	32.70	12.4	75	2.7	87.4	0.69	0.40	4.3
C385609		2.6	>10000	310	26.2	39.1	30.200	>10.0	159.50	3.3	>1000	2.6	79.2	<0.05	12.85	0.8
C385610		9.5	1045.0	300	14.3	154.5	1.100	1.84	33.30	11.2	106	2.6	64.3	0.65	0.82	4.2
C385611		1.6	>10000	1010	20.1	21.9	35.500	>10.0	172.00	2.6	>1000	5.1	45.5	<0.05	15.65	1.0
C385612		11.4	273.0	270	18.1	187.0	0.336	2.02	29.60	12.8	83	2.8	60.7	0.80	0.36	4.6
C385613		8.1	124.5	510	52.9	92.4	31.800	0.56	75.80	9.7	162	2.0	207.0	0.55	1.48	5.2
C385614		2.1	5260.0	2800	3.0	19.7	1.140	7.86	6.35	10.2	83	0.6	400.0	0.14	0.41	2.9
C385615		5.5	375.0	560	42.5	63.4	43.000	2.30	74.70	7.6	314	1.3	171.5	0.39	0.57	3.0
C385616		1.8	>10000	940	49.2	26.2	38.400	>10.0	156.00	3.3	>1000	5.6	49.4	<0.05	24.90	2.3
C385617		1.8	>10000	50	68.3	21.0	>50	>10.0	166.00	1.6	>1000	1.8	72.1	<0.05	9.88	1.0
C385618		0.1	63.1	10	1.2	0.1	0.041	8.26	1.75	0.2	3	<0.2	2000.0	<0.05	0.05	<0.2
C385619		5.9	1010.0	7480	28.2	68.7	3.700	2.66	122.50	7.6	225	1.8	302.0	0.51	1.00	5.2
C385620		3.4	4350.0	4420	26.2	42.6	4.210	3.84	163.00	7.4	358	0.8	450.0	0.24	1.13	2.9
C385621		0.8	457.0	1580	2.9	3.6	0.641	0.40	7.37	1.7	44	0.2	901.0	<0.05	0.09	0.4
C385622		1.1	1585.0	6290	6.6	11.8	0.900	1.31	23.10	3.4	70	0.2	1430.0	0.05	0.19	1.0
C385623		3.1	7410.0	>10000	30.5	43.6	7.720	5.07	265.00	5.2	565	2.7	1090.0	0.11	1.11	3.4
C385624		5.4	198.0	530	60.1	55.8	>50	0.81	80.20	8.9	300	1.1	346.0	0.39	0.67	4.0
C385625		12.8	62.1	320	22.8	182.5	0.692	1.08	32.90	14.7	92	3.1	220.0	0.94	1.79	7.3
C385626		4.0	679.0	440	63.5	53.0	>50	2.22	82.80	5.3	361	1.9	274.0	0.27	1.64	3.6
C385627		0.6	46.6	370	1.8	2.9	0.038	0.15	3.15	1.4	5	<0.2	1635.0	<0.05	<0.05	0.4
C385628		5.7	64.4	270	67.5	52.2	0.035	7.23	91.00	6.0	40	0.6	710.0	0.34	1.31	3.4
C385629		6.4	123.0	260	44.7	56.6	0.039	5.18	41.60	6.2	38	0.6	644.0	0.35	0.70	3.9
C385630		5.0	89.3	1560	68.0	54.9	0.075	5.66	95.90	9.1	88	0.8	710.0	0.35	1.10	3.3
C385631		0.1	719.0	30	0.5	1.0	0.002	2.40	0.41	0.6	<1	<0.2	9.9	<0.05	<0.05	0.2
C385632		8.7	5880.0	300	35.3	103.5	3.880	>10.0	43.20	8.8	203	1.7	114.0	0.56	0.90	5.2
C385633		2.6	>10000	810	59.6	24.0	10.200	>10.0	126.00	5.0	>1000	3.8	388.0	0.15	4.04	1.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Mo>400ppm on ICP-MS Cd,ICP-AES results shown. Detection limits on samples requiring dilutions for Hg-CV41 have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 30-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060911

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ni-AA62	Zn-AA62
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Ni	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.02	0.1	1	0.1	0.1	2	0.5	0.01	0.01
C385601		0.034	340.00	66.6	185	1.3	64.1	>10000	14.6	4.89	1.40
C385602		0.341	11.65	7.7	1375	1.3	16.7	121	80.1		
C385603		0.046	268.00	21.5	240	1.6	44.8	954	16.0	3.73	
C385604		0.267	13.50	7.1	1075	1.1	15.3	181	68.1		
C385605		0.035	280.00	40.9	196	1.7	40.9	6710	14.1	3.61	
C385606		0.205	8.69	8.3	850	0.8	14.3	246	52.0		
C385607		0.021	295.00	10.5	128	1.7	27.6	2320	8.0	3.32	
C385608		0.308	20.80	6.8	1220	1.2	15.3	130	78.9		
C385609		0.075	256.00	5.9	363	1.7	16.6	361	20.7	3.20	
C385610		0.329	27.20	6.2	1345	1.2	13.9	36	74.1		
C385611		0.040	281.00	18.4	190	1.8	19.8	4100	14.8	3.46	
C385612		0.344	15.10	7.3	1390	1.5	15.0	57	86.3		
C385613		0.288	25.80	9.5	1240	1.4	10.9	38	73.2		
C385614		0.049	11.60	50.5	207	0.5	135.5	6540	24.0		
C385615		0.158	28.20	18.8	727	1.3	27.6	258	66.0		
C385616		0.055	257.00	26.9	374	1.5	22.4	6170	27.2	4.78	
C385617		0.056	248.00	5.4	319	2.2	6.4	189	18.4	1.29	
C385618		<0.005	0.32	27.9	2	<0.1	0.1	387	0.9		
C385619		0.157	14.50	124.0	2540	1.4	120.0	2930	70.5		
C385620		0.099	20.30	73.1	2600	1.1	95.2	5340	57.1		
C385621		0.011	2.14	20.0	241	0.1	33.5	637	15.1		
C385622		0.028	4.48	64.1	552	0.3	119.5	2130	31.6		
C385623		0.090	36.10	193.5	1255	1.7	256.0	4500	54.9		
C385624		0.144	14.90	15.7	582	1.2	62.8	181	45.1		
C385625		0.400	52.60	10.2	2040	1.6	14.5	27	114.0		
C385626		0.105	62.70	9.1	541	1.1	50.0	193	48.7		
C385627		0.015	0.49	4.0	379	0.1	11.3	360	14.4		
C385628		0.156	14.30	7.4	1460	0.7	33.2	137	57.6		
C385629		0.160	5.92	6.9	1230	0.9	29.9	221	51.3		
C385630		0.138	13.20	18.3	2060	1.3	25.4	283	58.0		
C385631		<0.005	<0.02	0.2	2410	0.1	0.3	<2	2.1		
C385632		0.248	39.40	14.5	1470	1.6	41.7	1030	64.9		
C385633		0.058	161.50	43.2	544	1.5	84.1	9680	26.1	3.54	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Mo>400ppm on ICP-MS Cd,ICP-AES results shown. Detection limits on samples requiring dilutions for Hg-CV41 have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized L...: 25-JUN-2007
Account: MTT

CERTIFICATE VA07060639

Project: NIMO

P.O. No.:

This report is for 185 Soil samples submitted to our lab in Vancouver, BC, Canada on 18-JUN-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
DRY-22	Drying - Maximum Temp 60C
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC20201		0.20	0.19	2.38	14.8	<0.2	<10	300	0.49	0.21	0.06	0.22	21.60	8.6	34	1.27
CC20202		0.22	0.41	2.09	21.9	<0.2	<10	380	0.57	0.22	0.06	0.34	23.50	7.8	38	1.57
CC20203		0.20	0.37	1.79	26.3	<0.2	<10	340	0.45	0.25	0.07	0.34	21.60	5.8	35	1.13
CC20204		0.26	0.39	1.05	11.4	<0.2	<10	220	0.26	0.19	0.04	0.30	20.40	3.5	19	0.80
CC20205		0.14	0.29	1.74	20.4	<0.2	<10	230	0.33	0.30	0.05	0.26	17.15	4.2	28	1.11
CC20206		0.08	0.32	0.66	9.5	<0.2	<10	670	0.21	0.11	0.25	0.22	11.05	1.4	14	0.74
CC20207		0.12	0.27	0.74	29.5	<0.2	<10	360	0.20	0.18	0.36	0.66	12.75	4.6	22	0.62
CC20208		0.16	0.19	1.33	44.6	<0.2	<10	280	0.33	0.20	0.04	0.61	13.55	5.0	27	0.77
CC20209		0.08	0.53	0.70	9.2	<0.2	<10	610	0.22	0.17	0.19	1.56	13.70	2.1	13	0.51
CC20210		0.12	1.67	1.11	36.5	<0.2	<10	420	0.27	0.27	0.03	0.43	14.10	2.3	36	1.09
CC20211		0.14	1.54	0.86	64.6	<0.2	<10	480	0.23	0.30	0.02	0.67	14.35	2.0	33	0.85
CC20212		Not Recvd														
CC20213		Not Recvd														
CC20214		Not Recvd														
CC20215		Not Recvd														
CC20216		Not Recvd														
CC20217		Not Recvd														
CC20218		Not Recvd														
CC20219		Not Recvd														
CC20220		0.18	1.62	1.53	15.8	<0.2	<10	330	0.37	0.22	0.04	0.36	18.90	4.3	26	0.98
CC20227		0.12	0.57	0.82	76.6	<0.2	<10	290	0.13	0.28	0.03	0.08	17.80	2.0	22	1.18
CC20228		0.16	0.21	1.28	38.5	<0.2	<10	280	0.16	0.24	0.05	0.08	18.25	3.1	29	1.27
CC20229		0.16	0.48	1.37	86.9	<0.2	<10	450	0.24	0.24	0.05	0.08	16.15	1.8	61	1.60
CC20230		0.14	0.82	0.41	33.9	<0.2	<10	460	0.09	0.23	0.02	<0.01	15.85	1.2	13	1.00
CC20231		0.20	2.41	1.25	59.3	<0.2	<10	770	0.31	0.25	0.07	0.17	17.65	1.7	59	1.86
CC20232		0.12	0.44	1.00	23.9	<0.2	<10	230	0.20	0.27	0.03	0.05	20.20	2.7	22	0.91
CC20233		0.14	0.94	1.13	82.9	<0.2	<10	750	0.29	0.23	0.04	0.72	15.60	2.2	31	1.42
CC20234		0.14	1.09	0.93	54.7	<0.2	<10	930	0.31	0.24	0.05	2.50	15.60	1.5	23	1.32
CC20235		0.28	0.83	0.71	14.1	<0.2	<10	710	0.25	0.13	0.05	0.93	17.95	2.4	16	0.71
CC20236		0.20	0.54	0.56	16.3	<0.2	<10	540	0.17	0.13	0.06	0.84	16.10	1.1	14	0.70
CC20237		0.12	0.47	0.91	6.1	<0.2	<10	1050	0.33	0.13	1.03	1.01	24.00	10.5	15	0.49
CC20238		0.12	0.89	0.89	6.5	<0.2	<10	2860	0.35	0.12	0.88	1.02	21.20	6.0	15	0.50
CC20239		0.14	0.97	0.94	6.2	<0.2	<10	3920	0.45	0.11	1.66	1.19	25.50	7.0	17	0.50
CC20240		0.12	0.69	1.30	7.2	<0.2	<10	4450	0.66	0.16	0.77	0.40	36.50	9.0	22	0.58
CC20241		0.24	0.57	0.97	14.8	<0.2	10	3440	0.66	0.07	9.25	6.42	28.30	6.9	30	1.41
CC20242		0.28	0.46	0.75	9	<0.2	10	1740	0.51	0.07	11.50	2.27	24.50	7.3	20	1.65
CC20246		0.18	0.57	0.65	9.4	<0.2	10	2070	0.45	0.11	3.09	1.87	21.60	6.5	15	0.98
CC20247		0.12	0.70	0.54	11.2	<0.2	10	1240	0.35	0.11	4.84	2.69	22.10	7.6	16	1.05
CC20248		0.18	0.65	0.67	15.0	<0.2	10	1030	0.38	0.11	4.63	3.37	22.60	9.7	14	1.06
CC20249		0.20	0.62	0.61	14.8	<0.2	10	4040	0.25	0.15	2.56	1.96	10.55	11.8	13	1.24

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC20201		17.6	3.04	5.97	<0.05	0.09	0.02	0.037	0.06	11.3	21.4	0.40	204	7.99	0.01	1.10
CC20202		23.3	3.15	5.88	0.05	0.09	0.03	0.038	0.08	12.7	21.2	0.37	180	13.15	0.01	0.72
CC20203		20.2	3.26	6.07	0.05	0.05	0.02	0.035	0.09	11.6	13.8	0.32	176	22.60	0.01	0.89
CC20204		10.6	2.05	4.37	<0.05	0.03	0.01	0.018	0.04	11.0	8.1	0.13	107	13.40	<0.01	0.73
CC20205		14.9	3.55	6.51	0.09	0.04	0.03	0.041	0.09	8.9	15.6	0.20	124	25.20	0.01	1.05
CC20206		12.3	0.94	2.90	0.05	0.03	0.11	0.018	0.04	5.8	3.8	0.09	29	6.92	0.01	0.31
CC20207		23.6	2.42	3.47	0.09	0.04	0.10	0.028	0.12	6.6	5.5	0.16	111	37.70	0.01	0.49
CC20208		26.3	3.76	4.83	0.12	0.05	0.03	0.035	0.10	7.2	11.2	0.21	93	69.60	0.01	0.74
CC20209		23.1	1.61	4.31	0.06	<0.02	0.06	0.017	0.05	7.2	0.9	0.05	48	16.65	0.01	0.42
CC20210		25.3	3.53	5.66	0.12	0.02	0.03	0.040	0.16	9.4	7.6	0.12	75	53.80	0.01	0.72
CC20211		27.1	4.09	5.80	0.16	0.02	0.04	0.055	0.25	8.2	3.0	0.07	52	143.50	0.02	0.65
CC20212																
CC20213																
CC20214																
CC20215																
CC20216																
CC20217																
CC20218																
CC20219																
CC20220		18.8	2.92	5.63	0.09	0.03	0.02	0.030	0.08	10.0	13.2	0.21	131	22.70	0.01	0.93
CC20227		14.1	2.90	6.35	0.09	0.03	0.08	0.024	0.07	9.3	2.3	0.09	94	98.00	0.01	0.94
CC20228		11.3	3.18	6.62	0.09	0.02	0.09	0.025	0.06	9.3	5.6	0.18	154	39.70	0.01	1.19
CC20229		15.5	3.74	5.49	0.12	0.03	0.36	0.063	0.08	8.8	3.2	0.13	79	77.80	0.02	0.48
CC20230		9.3	1.67	4.61	0.12	<0.02	0.09	0.016	0.08	8.4	0.8	0.03	34	85.80	0.01	0.50
CC20231		19.3	3.29	5.13	0.16	0.07	0.56	0.097	0.11	10.2	5.0	0.11	80	84.70	0.01	0.25
CC20232		14.1	3.08	6.96	0.09	0.02	0.10	0.028	0.06	10.7	2.9	0.09	97	35.20	0.01	1.13
CC20233		171.0	4.08	3.58	0.20	0.03	0.53	0.057	0.17	9.1	2.1	0.08	66	125.50	0.02	0.43
CC20234		77.1	3.17	3.35	0.22	0.03	0.87	0.049	0.16	9.5	2.0	0.07	31	115.00	0.01	0.32
CC20235		29.3	1.48	2.73	0.09	0.02	0.37	0.029	0.08	9.7	3.8	0.13	75	37.00	0.01	0.33
CC20236		21.7	1.09	2.41	0.10	0.02	0.27	0.022	0.07	8.8	2.4	0.09	26	33.80	0.01	0.29
CC20237		17.9	2.36	2.55	0.08	0.06	0.14	0.021	0.06	12.1	7.2	0.27	563	2.46	0.02	0.28
CC20238		31.4	1.93	2.36	0.08	0.08	0.17	0.025	0.07	11.1	5.0	0.22	246	3.37	0.02	0.28
CC20239		31.6	2.47	2.43	0.09	0.07	0.13	0.027	0.07	13.8	4.5	0.30	319	3.56	0.02	0.29
CC20240		26.1	3.09	3.31	0.12	0.09	0.10	0.032	0.09	19.0	7.0	0.27	267	3.36	0.02	0.37
CC20241		48.3	1.85	3.22	0.11	0.08	0.13	0.026	0.18	16.2	12.8	2.23	216	20.20	0.03	0.24
CC20242		41.1	1.89	2.38	0.10	0.12	0.10	0.025	0.14	13.4	13.4	1.79	209	12.65	0.03	0.14
CC20246		44.1	1.91	1.81	0.08	0.08	0.13	0.028	0.14	12.1	6.2	0.98	183	4.49	0.02	0.17
CC20247		46.3	2.38	1.24	0.09	0.20	0.14	0.029	0.16	11.4	2.8	2.20	264	8.57	0.03	0.09
CC20248		60.7	2.73	1.57	0.11	0.12	0.17	0.033	0.15	11.9	4.3	1.84	266	13.05	0.03	0.13
CC20249		68.4	3.08	0.99	0.10	0.30	0.27	0.042	0.20	4.9	1.1	1.27	233	7.22	0.03	0.05

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC20201		25.2	240	12.0	11.0	<0.001	0.02	1.44	3.7	2.7	0.7	10.8	<0.01	0.07	3.9	0.026
CC20202		22.2	320	13.5	17.3	<0.001	0.04	5.80	4.2	3.3	0.7	17.3	<0.01	0.07	4.2	0.022
CC20203		19.4	390	12.9	14.4	<0.001	0.06	8.50	3.7	4.0	0.7	19.1	<0.01	0.11	3.3	0.018
CC20204		10.7	210	11.3	9.3	<0.001	0.03	2.26	1.9	2.4	0.6	11.4	<0.01	0.06	2.6	0.018
CC20205		14.9	450	12.9	15.3	<0.001	0.07	2.42	2.3	2.7	0.7	12.8	0.01	0.13	2.4	0.016
CC20206		8.6	420	7.4	6.9	0.004	0.07	1.45	2.1	4.0	0.4	23.1	0.02	0.08	1.3	0.007
CC20207		58.3	430	12.5	11.4	0.001	0.22	4.54	2.4	7.1	0.5	39.5	0.01	0.14	1.9	0.011
CC20208		65.1	320	13.9	10.7	<0.001	0.18	6.41	2.3	11.3	0.7	24.8	<0.01	0.20	2.3	0.011
CC20209		14.2	530	10.7	3.4	<0.001	0.05	1.64	0.6	3.1	0.7	13.1	0.01	0.08	<0.2	0.015
CC20210		12.4	870	22.5	12.1	<0.001	0.36	10.60	2.0	11.5	0.8	36.4	<0.01	0.25	1.3	0.014
CC20211		17.4	940	21.1	15.3	<0.001	0.64	16.40	2.2	21.4	0.9	76.0	<0.01	0.33	2.1	0.015
CC20212																
CC20213																
CC20214																
CC20215																
CC20216																
CC20217																
CC20218																
CC20219																
CC20220		12.1	400	11.9	11.5	<0.001	0.12	3.95	2.4	7.2	0.7	14.9	<0.01	0.11	2.4	0.018
CC20227		14.0	1060	16.7	11.6	0.001	0.10	12.45	1.5	7.9	1.1	27.6	<0.01	0.18	1.5	0.023
CC20228		11.1	580	11.9	9.2	<0.001	0.05	5.44	1.7	4.8	0.8	21.4	<0.01	0.12	1.1	0.026
CC20229		11.2	4450	17.0	11.0	0.002	0.10	9.86	2.4	11.2	0.8	19.5	<0.01	0.17	0.7	0.012
CC20230		4.6	460	19.3	8.3	0.001	0.12	15.15	1.5	19.6	1.0	14.8	<0.01	0.29	1.2	0.016
CC20231		8.7	4680	20.8	13.5	0.004	0.16	23.40	1.7	21.3	1.1	38.7	<0.01	0.43	0.6	0.008
CC20232		9.0	510	13.1	10.6	0.001	0.05	8.08	1.6	6.1	0.9	11.1	<0.01	0.16	1.8	0.029
CC20233		37.8	1620	16.5	15.3	0.025	0.46	19.30	2.4	31.1	0.9	37.0	<0.01	0.31	1.5	0.010
CC20234		39.5	950	18.7	13.9	0.019	0.40	18.50	2.7	37.1	1.1	66.5	<0.01	0.31	2.0	0.007
CC20235		19.2	450	10.6	8.1	0.002	0.08	8.65	2.1	10.0	0.5	28.0	<0.01	0.17	1.5	0.013
CC20236		15.6	420	11.2	8.5	0.012	0.04	7.92	1.7	14.6	0.5	31.5	<0.01	0.14	1.6	0.009
CC20237		18.5	670	9.5	9.1	0.006	0.11	0.95	2.4	2.6	0.3	41.6	<0.01	0.04	2.2	0.007
CC20238		23.1	740	9.8	7.2	0.008	0.09	1.14	2.9	3.3	0.3	57.8	<0.01	0.05	1.8	0.006
CC20239		31.6	910	10.9	6.9	0.002	0.09	1.13	2.8	3.4	0.3	91.1	0.01	0.06	1.4	0.007
CC20240		30.5	700	11.1	9.3	0.002	0.05	0.86	3.6	3.0	0.3	61.2	<0.01	0.05	3.0	0.007
CC20241		72.2	2180	9.1	14.0	0.016	0.13	4.57	3.6	4.4	0.5	418.0	<0.01	0.07	3.2	0.008
CC20242		42.6	1530	10.5	10.9	0.010	0.18	2.81	3.5	3.2	0.3	577.0	<0.01	0.06	3.8	<0.005
CC20246		33.2	1940	17.6	9.3	0.008	0.18	2.17	3.0	2.9	0.2	107.0	<0.01	0.07	3.4	0.006
CC20247		42.7	960	9.3	7.9	0.026	0.33	3.82	4.5	3.8	0.3	190.5	<0.01	0.06	4.5	<0.005
CC20248		89.0	1260	10.0	8.7	0.025	0.39	3.39	3.9	5.7	0.3	178.5	0.01	0.09	3.7	<0.005
CC20249		78.7	650	8.8	10.1	0.008	0.15	2.81	6.1	3.9	0.3	153.5	<0.01	0.06	4.4	<0.005

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC20201		0.38	0.69	95	0.16	2.62	84	3.2
CC20202		0.59	1.21	204	0.15	3.49	74	3.3
CC20203		0.79	1.40	316	0.18	3.06	75	1.9
CC20204		0.57	0.62	139	0.13	1.78	52	1.3
CC20205		1.26	0.66	201	0.37	2.14	75	1.1
CC20206		0.82	1.10	75	0.22	2.76	30	0.6
CC20207		2.21	1.43	215	0.22	3.38	191	1.1
CC20208		3.63	1.22	289	0.23	3.58	141	1.8
CC20209		0.40	1.05	120	0.20	2.31	55	<0.5
CC20210		2.35	1.79	357	0.32	3.07	88	<0.5
CC20211		6.15	2.88	666	0.39	4.16	121	0.7
CC20212								
CC20213								
CC20214								
CC20215								
CC20216								
CC20217								
CC20218								
CC20219								
CC20220		1.03	0.87	167	0.19	2.65	63	1.1
CC20227		2.97	2.14	423	0.43	4.51	31	0.6
CC20228		1.13	1.11	310	0.29	3.39	43	<0.5
CC20229		2.48	11.40	451	0.37	6.41	28	0.7
CC20230		2.12	1.31	308	0.34	2.87	18	<0.5
CC20231		4.27	19.45	427	0.46	9.07	26	1.6
CC20232		1.00	1.45	331	0.26	2.45	38	0.5
CC20233		5.23	7.40	570	0.38	6.57	97	0.9
CC20234		4.79	7.40	380	0.38	8.07	112	0.9
CC20235		1.86	2.99	151	0.18	6.27	67	0.5
CC20236		1.61	2.28	154	0.15	5.04	47	0.5
CC20237		0.15	1.21	63	0.09	9.58	106	1.4
CC20238		0.12	1.82	45	0.06	11.15	93	2.0
CC20239		0.10	2.94	66	0.09	15.65	105	1.6
CC20240		0.10	2.47	74	0.11	21.70	103	1.8
CC20241		0.53	4.61	242	0.13	20.60	563	3.4
CC20242		0.23	3.57	109	0.08	15.85	231	6.2
CC20246		0.14	2.38	66	0.10	15.05	286	3.0
CC20247		0.14	2.90	75	0.07	15.65	329	11.0
CC20248		0.53	3.75	69	0.08	17.30	408	4.9
CC20249		0.12	2.99	35	0.05	17.55	279	12.0

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC20250		0.10	0.78	0.66	20.1	<0.2	10	960	0.49	0.13	3.09	12.50	19.80	11.5	15	1.08
CC20251		0.18	0.35	1.36	9.7	<0.2	<10	1260	0.32	0.14	0.24	0.58	23.40	7.3	23	0.74
CC20252		0.08	0.39	0.98	6.4	<0.2	<10	310	0.18	0.11	0.25	0.62	15.80	2.5	19	0.73
CC20253		0.10	1.27	0.15	18.6	<0.2	<10	360	0.07	<0.01	0.99	0.86	4.39	2.0	4	0.10
CC20254		0.08	0.36	0.11	3.1	<0.2	<10	260	<0.05	<0.01	0.94	3.19	2.14	1.4	2	0.10
CC20255		0.10	0.24	0.15	3.0	<0.2	<10	370	0.08	<0.01	0.79	2.31	4.60	1.7	1	0.11
CC20256		0.28	0.33	1.54	8.8	<0.2	<10	520	0.40	0.16	0.20	1.20	27.70	4.8	25	0.81
CC20257		0.26	0.24	1.56	11.4	<0.2	<10	510	0.42	0.16	0.28	0.80	22.50	7.0	24	0.89
CC20258		0.10	0.32	0.45	3.7	<0.2	<10	470	0.30	0.06	1.74	5.03	8.80	3.5	8	0.42
CC20259		0.14	0.20	0.77	4.0	<0.2	<10	390	0.17	0.09	1.24	5.37	9.48	3.2	13	0.52
CC20260		0.12	0.79	0.27	7.5	<0.2	<10	760	0.16	0.06	0.95	3.26	8.14	4.2	6	0.09
CC20261		0.12	0.30	0.35	3.1	<0.2	10	1550	0.51	0.04	3.92	4.35	15.70	20.8	5	0.14
CC20262		0.08	0.08	0.12	0.8	<0.2	10	540	0.14	0.03	2.36	3.42	2.28	1.2	2	0.19
CC20263		0.16	0.64	1.03	5.9	<0.2	<10	2390	0.47	0.15	1.50	0.58	18.70	10.1	16	0.52
CC20264		0.14	0.63	0.88	3.4	<0.2	<10	2260	0.61	0.11	2.40	2.64	17.10	9.9	12	0.43
CC20265		0.20	0.59	0.99	2.5	<0.2	<10	1990	0.29	0.14	0.91	0.23	14.75	2.5	15	0.53
CC20266		0.20	0.72	0.97	7.1	<0.2	<10	1860	0.28	0.18	0.89	0.20	15.65	7.2	16	0.69
CC20267		0.08	0.13	0.22	1.4	<0.2	<10	1070	0.14	0.04	1.28	0.51	4.55	1.6	4	0.19
CC20268		0.10	0.87	0.60	9.2	<0.2	10	4270	0.33	0.21	1.62	1.73	15.15	10.5	13	0.34
CC20269		0.06	0.17	0.14	2.4	<0.2	10	680	0.09	0.05	2.43	0.78	2.17	2.0	3	0.22
CC20270		0.18	2.00	0.62	14.9	<0.2	10	3800	0.46	0.25	3.94	1.83	20.60	15.6	13	0.39
CC20271		0.20	0.62	0.96	7.9	<0.2	10	1270	0.56	0.18	5.02	1.35	32.60	9.0	18	1.31
CC20272		0.14	0.10	2.73	21.9	<0.2	<10	260	0.61	0.23	0.06	0.68	21.20	10.0	36	1.23
CC20273		0.06	1.08	1.91	41.3	<0.2	10	1620	0.57	0.27	0.79	4.33	17.90	9.8	24	1.10
CC20274		0.10	0.64	0.59	6.2	<0.2	10	1620	0.29	0.17	3.25	1.50	11.35	5.9	11	0.33
CC20275		0.10	0.39	0.88	6.8	<0.2	10	1530	0.45	0.12	2.27	1.64	16.35	7.2	14	0.41
CC20276		0.08	0.17	0.28	2.3	<0.2	<10	540	0.12	0.05	0.95	2.40	3.99	2.4	6	0.34
CC20277		0.10	0.21	0.20	4.6	<0.2	<10	720	0.15	0.03	3.97	23.90	2.41	1.2	3	0.15
CC20279		0.08	0.29	0.29	4.9	<0.2	10	1240	0.22	0.04	5.04	8.89	4.70	2.5	7	0.23
CC20280		0.12	0.44	0.40	11.1	<0.2	10	870	0.28	0.06	3.58	9.69	7.04	7.2	10	0.32
CC20281		0.10	0.46	0.51	9.9	<0.2	10	1530	0.43	0.06	3.10	10.40	8.34	5.0	12	0.40
CC20282		0.28	0.35	0.86	10.3	<0.2	<10	3110	0.45	0.18	0.52	0.68	18.70	9.7	15	0.49
CC20283		0.12	0.28	0.51	2.1	<0.2	10	1870	0.32	0.07	2.60	2.82	7.85	7.5	7	0.31
CC20284		0.16	0.48	1.16	1.5	<0.2	<10	1260	0.29	0.09	0.44	0.20	16.85	1.8	20	0.76
CC20285		0.28	0.36	1.08	5.3	<0.2	<10	1040	0.39	0.19	0.16	0.29	27.30	5.2	17	0.52
CC20286		0.28	0.37	1.13	5.2	<0.2	<10	750	0.32	0.20	0.17	0.19	21.40	5.2	18	0.50
CC20287		0.10	0.51	0.47	2.2	<0.2	<10	1890	0.20	0.08	0.52	0.81	18.15	5.8	5	0.25
CC20288		0.14	0.59	0.98	2.0	<0.2	<10	900	0.18	0.10	0.29	0.22	16.20	2.7	15	0.68
CC20289		0.22	0.64	0.77	2.7	<0.2	<10	940	0.20	0.15	0.22	0.14	18.50	2.1	13	0.54
CC20290		0.12	0.68	0.86	4.3	<0.2	<10	1290	0.31	0.13	0.73	0.95	13.15	3.3	14	0.52

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC20250		85.7	4.03	1.43	0.15	0.16	0.29	0.034	0.15	10.3	3.0	1.05	225	25.80	0.02	0.11
CC20251		16.9	2.05	3.93	0.08	0.05	0.09	0.028	0.06	12.1	9.7	0.29	204	11.60	0.01	0.60
CC20252		11.7	1.26	3.43	0.06	0.03	0.13	0.016	0.06	8.3	5.5	0.17	48	6.60	0.02	0.46
CC20253		14.8	0.60	0.28	0.23	0.22	0.14	0.013	0.04	2.0	0.3	0.10	51	13.85	0.04	0.25
CC20254		6.2	0.39	0.29	<0.05	0.02	0.10	<0.005	0.07	1.1	0.4	0.09	41	20.20	0.03	0.06
CC20255		7.8	0.64	0.27	<0.05	0.02	0.12	<0.005	0.04	2.1	0.2	0.08	52	20.00	0.03	0.07
CC20256		23.7	1.90	4.51	0.09	0.05	0.12	0.028	0.07	14.3	10.6	0.32	83	6.28	0.01	0.63
CC20257		14.3	2.40	4.68	0.09	0.04	0.10	0.028	0.07	11.7	10.6	0.32	196	9.62	0.01	0.63
CC20258		16.4	0.71	1.00	<0.05	0.03	0.13	0.013	0.04	4.5	1.7	0.13	45	9.75	0.02	0.13
CC20259		13.5	0.93	2.23	<0.05	0.05	0.12	0.014	0.06	4.9	4.9	0.24	89	8.31	0.02	0.32
CC20260		16.1	1.42	0.33	<0.05	0.02	0.15	0.013	0.04	3.9	0.5	0.09	49	11.90	0.02	0.09
CC20261		36.4	0.85	0.52	<0.05	0.07	0.10	0.008	0.03	7.8	0.9	0.24	3520	4.15	0.02	0.07
CC20262		13.8	0.22	0.30	<0.05	0.02	0.12	<0.005	0.05	1.4	0.7	0.13	211	5.42	0.03	<0.05
CC20263		29.5	2.20	2.37	0.05	0.08	0.13	0.023	0.07	10.0	5.4	0.23	654	3.19	0.01	0.28
CC20264		58.9	1.52	1.97	<0.05	0.07	0.10	0.017	0.05	9.2	4.3	0.20	777	2.01	0.01	0.21
CC20265		14.3	1.21	2.77	<0.05	0.04	0.13	0.014	0.06	7.7	6.1	0.22	65	0.74	0.01	0.27
CC20266		15.8	2.85	2.85	0.05	0.03	0.13	0.018	0.06	8.3	5.1	0.19	343	3.38	0.01	0.35
CC20267		8.7	0.56	0.50	<0.05	0.02	0.11	0.005	0.05	2.5	0.9	0.13	68	1.72	0.02	0.06
CC20268		71.6	3.05	1.17	0.06	0.12	0.10	0.029	0.15	8.2	2.0	0.41	199	7.00	<0.01	0.07
CC20269		14.6	0.57	0.34	<0.05	0.04	0.14	0.005	0.04	1.2	0.6	0.26	34	2.23	0.03	<0.05
CC20270		61.8	3.78	1.05	0.07	0.13	0.27	0.033	0.16	11.5	1.9	1.27	252	33.70	0.01	0.08
CC20271		49.2	2.42	2.76	0.08	0.08	0.14	0.026	0.19	17.8	12.2	1.73	258	4.38	0.02	0.13
CC20272		30.2	3.50	5.71	0.06	0.13	0.04	0.045	0.09	11.1	21.6	0.37	186	23.10	0.01	0.93
CC20273		49.4	4.11	5.01	0.13	0.07	0.31	0.045	0.18	10.0	6.3	0.16	230	54.20	0.01	0.44
CC20274		37.8	1.70	1.40	<0.05	0.08	0.10	0.020	0.06	6.4	3.1	0.27	173	3.59	0.01	0.17
CC20275		30.7	1.74	2.04	<0.05	0.08	0.12	0.021	0.07	8.9	5.7	0.23	444	3.78	0.01	0.27
CC20276		9.4	0.47	0.84	<0.05	0.02	0.12	0.006	0.07	2.3	1.2	0.07	60	8.56	0.03	0.11
CC20277		16.9	0.24	0.49	<0.05	0.04	0.11	<0.005	0.02	1.4	0.6	0.05	66	5.61	0.02	0.08
CC20279		23.9	0.41	0.72	0.05	0.07	0.13	0.005	0.03	3.2	1.3	0.23	396	3.96	0.03	0.11
CC20280		32.3	0.75	1.02	0.06	0.07	0.17	0.009	0.03	4.1	1.6	0.23	869	12.55	0.02	0.15
CC20281		40.7	0.82	1.28	<0.05	0.10	0.16	0.012	0.04	4.8	2.1	0.23	519	16.15	0.02	0.18
CC20282		28.8	2.54	2.25	0.06	0.06	0.14	0.026	0.10	9.4	4.4	0.16	417	5.83	<0.01	0.20
CC20283		29.8	0.89	1.08	<0.05	0.07	0.11	0.010	0.05	4.0	2.1	0.32	1055	2.54	0.01	0.13
CC20284		13.6	0.90	3.68	<0.05	0.03	0.10	0.014	0.07	9.1	5.4	0.24	37	0.76	<0.01	0.30
CC20285		26.0	1.96	3.17	0.06	0.03	0.07	0.022	0.07	14.0	7.4	0.22	91	1.51	<0.01	0.30
CC20286		16.3	1.95	3.37	<0.05	0.03	0.09	0.020	0.06	11.2	8.3	0.25	131	1.38	<0.01	0.28
CC20287		25.7	1.58	0.86	0.05	0.03	0.13	0.012	0.04	8.9	1.0	0.08	58	1.42	0.01	0.12
CC20288		18.2	1.12	3.22	<0.05	0.02	0.13	0.013	0.06	8.7	3.9	0.15	42	1.15	0.01	0.26
CC20289		18.2	1.25	2.54	<0.05	0.02	0.14	0.013	0.06	9.6	4.3	0.16	35	0.71	<0.01	0.21
CC20290		16.8	1.52	2.43	<0.05	0.05	0.13	0.019	0.07	7.2	4.1	0.20	78	2.27	0.01	0.23

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-JUN-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC20250		112.0	960	10.4	8.8	0.018	0.31	7.56	4.7	7.4	0.3	175.0	0.01	0.08	3.8	<0.005
CC20251		22.7	450	10.7	10.1	0.005	0.04	3.34	2.7	2.8	0.5	26.6	<0.01	0.05	3.0	0.014
CC20252		13.6	530	8.7	8.1	0.007	0.06	3.83	2.0	3.6	0.4	21.7	<0.01	0.06	1.6	0.009
CC20253		9.3	690	13.0	1.3	0.007	0.11	9.31	0.9	2.2	2.1	46.2	0.17	0.24	0.4	<0.005
CC20254		5.4	790	3.2	2.7	0.002	0.10	4.53	0.4	1.3	0.3	39.9	0.03	0.02	0.2	<0.005
CC20255		10.6	940	3.4	2.1	0.003	0.12	2.19	0.7	1.6	0.3	38.6	0.03	0.02	0.3	<0.005
CC20256		28.6	490	11.0	11.4	0.002	0.02	2.48	3.7	2.4	0.6	21.8	<0.01	0.06	3.6	0.014
CC20257		25.3	440	11.4	12.4	0.004	0.02	2.02	2.9	2.6	0.6	22.4	<0.01	0.06	3.2	0.013
CC20258		18.7	1020	13.6	2.8	0.002	0.17	1.51	1.1	1.7	1.5	61.3	<0.01	0.03	0.5	0.006
CC20259		19.0	820	11.4	5.4	0.004	0.13	1.43	1.8	1.8	0.3	52.8	<0.01	0.04	1.2	0.008
CC20260		33.0	1240	17.0	1.7	0.017	0.18	1.73	1.9	3.5	2.9	43.2	<0.01	0.04	0.6	0.006
CC20261		51.9	930	6.8	1.3	0.003	0.24	1.38	0.9	2.8	0.5	146.5	<0.01	0.03	0.4	<0.005
CC20262		9.2	900	2.8	2.1	<0.001	0.19	0.33	0.4	1.1	0.2	67.2	<0.01	0.02	0.2	<0.005
CC20263		28.9	840	10.0	8.3	0.003	0.10	1.16	2.8	2.4	0.3	54.8	<0.01	0.05	2.0	0.006
CC20264		53.6	1190	7.8	7.0	0.003	0.15	0.87	2.0	2.2	0.3	92.8	<0.01	0.05	1.1	0.005
CC20265		13.7	740	6.9	9.2	0.003	0.08	0.46	2.1	1.5	0.3	43.4	<0.01	0.04	1.7	0.006
CC20266		13.1	970	9.4	8.9	0.004	0.10	0.59	2.6	2.1	0.4	44.6	<0.01	0.05	1.7	0.007
CC20267		7.3	890	4.4	2.8	0.001	0.16	0.47	0.8	1.0	0.2	57.4	<0.01	0.02	0.4	<0.005
CC20268		71.3	920	11.4	6.3	0.007	0.17	2.94	3.5	5.4	0.2	53.6	<0.01	0.10	2.1	<0.005
CC20269		11.5	570	3.9	2.2	0.001	0.20	0.86	0.7	4.7	<0.2	146.5	<0.01	0.03	0.4	<0.005
CC20270		122.5	750	17.6	7.3	0.012	0.18	5.24	4.6	6.5	0.2	119.5	<0.01	0.09	1.7	<0.005
CC20271		37.6	2500	12.9	11.5	0.006	0.22	2.01	3.8	3.0	0.3	99.6	<0.01	0.07	4.2	0.005
CC20272		37.5	300	12.0	14.6	<0.001	0.04	4.01	3.8	4.6	0.7	17.0	<0.01	0.09	5.4	0.022
CC20273		150.0	1130	18.1	15.8	0.035	0.14	5.72	4.9	21.7	0.9	92.0	<0.01	0.17	1.7	<0.005
CC20274		34.3	840	7.8	5.8	0.003	0.19	1.51	1.9	4.1	0.2	98.8	<0.01	0.06	0.9	0.005
CC20275		34.7	920	7.9	7.4	0.006	0.14	1.66	2.4	2.9	0.3	66.0	<0.01	0.05	1.5	0.007
CC20276		30.1	730	6.7	3.3	0.005	0.14	2.12	1.0	1.8	0.3	51.8	<0.01	0.03	0.4	<0.005
CC20277		58.7	660	2.3	0.8	0.010	0.22	6.24	0.5	8.6	<0.2	195.0	<0.01	0.03	0.2	0.005
CC20279		45.6	980	5.2	1.8	0.027	0.22	3.03	0.7	10.5	<0.2	220.0	<0.01	0.03	0.3	<0.005
CC20280		91.0	1030	6.7	1.9	0.034	0.22	5.13	1.0	9.3	0.2	170.5	<0.01	0.04	0.4	0.005
CC20281		135.5	880	5.0	4.2	0.003	0.18	7.72	1.4	3.2	0.2	165.0	<0.01	0.06	0.7	0.005
CC20282		25.5	750	9.6	9.0	0.003	0.05	1.75	3.0	1.9	0.3	37.2	<0.01	0.06	2.7	0.005
CC20283		43.5	1070	4.8	5.0	0.003	0.18	0.85	1.3	1.8	<0.2	159.0	<0.01	0.05	0.6	0.005
CC20284		12.3	610	5.0	9.4	0.002	0.05	0.29	2.2	1.1	0.4	32.8	<0.01	0.04	1.9	0.005
CC20285		20.5	640	10.6	8.7	0.002	0.02	0.65	2.7	1.8	0.3	19.2	<0.01	0.05	3.3	0.007
CC20286		16.9	630	10.4	8.8	0.001	0.02	0.56	1.9	1.4	0.3	19.1	<0.01	0.04	2.1	0.008
CC20287		28.2	1540	4.3	3.3	0.001	0.17	0.73	1.8	1.9	<0.2	38.2	<0.01	0.04	0.8	0.005
CC20288		12.1	860	5.8	8.1	0.001	0.08	0.39	1.9	1.4	0.3	23.5	<0.01	0.05	1.4	0.005
CC20289		11.7	550	7.8	7.6	0.002	0.04	0.35	1.8	1.6	0.2	19.3	<0.01	0.04	2.1	0.006
CC20290		12.0	900	8.4	6.8	0.001	0.10	0.76	2.5	1.8	0.3	48.4	<0.01	0.04	1.5	0.005

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC20250		0.68	5.34	112	0.12	28.40	853	7.0
CC20251		0.56	2.21	112	0.16	6.64	104	1.3
CC20252		0.50	1.66	62	0.15	3.80	48	0.9
CC20253		0.05	0.84	10	0.16	3.26	36	0.7
CC20254		0.04	0.35	12	0.12	1.52	40	<0.5
CC20255		0.02	0.82	7	0.09	4.19	37	<0.5
CC20256		0.61	2.19	95	0.12	10.35	100	1.4
CC20257		0.53	1.45	97	0.15	5.38	106	1.1
CC20258		0.09	1.05	20	0.07	5.80	54	0.9
CC20259		0.28	1.02	45	0.07	3.30	93	1.7
CC20260		0.13	1.38	10	0.06	7.80	63	0.7
CC20261		0.04	0.98	15	<0.05	14.30	215	2.1
CC20262		0.03	0.17	5	<0.05	1.67	142	0.7
CC20263		0.12	1.64	48	0.07	11.10	109	2.3
CC20264		0.06	1.17	31	0.07	12.75	143	1.9
CC20265		0.10	0.91	27	0.06	5.06	57	1.0
CC20266		0.11	1.20	44	0.08	6.01	54	1.0
CC20267		0.02	0.33	6	<0.05	3.11	43	0.6
CC20268		0.12	1.50	59	0.05	11.80	296	4.6
CC20269		0.06	1.56	10	<0.05	1.50	86	1.5
CC20270		0.46	3.69	144	0.06	18.15	204	4.4
CC20271		0.14	2.23	78	0.06	16.75	226	3.3
CC20272		1.18	1.51	146	0.18	3.69	107	4.9
CC20273		3.08	4.92	250	0.25	16.55	262	2.8
CC20274		0.10	1.86	43	0.05	7.54	150	2.7
CC20275		0.17	1.76	57	0.06	10.35	157	2.7
CC20276		0.28	0.51	26	<0.05	2.42	130	0.7
CC20277		0.13	0.30	72	<0.05	2.24	900	1.5
CC20279		0.12	16.45	99	0.05	6.24	346	2.4
CC20280		0.19	2.95	98	0.07	8.13	342	2.8
CC20281		0.31	2.61	143	0.07	11.35	734	3.8
CC20282		0.12	1.67	67	0.15	11.60	121	1.5
CC20283		0.05	0.79	21	<0.05	5.86	130	2.0
CC20284		0.14	0.83	33	0.10	4.01	45	0.8
CC20285		0.10	1.12	38	0.08	9.17	77	0.8
CC20286		0.09	0.82	39	0.10	5.18	79	0.5
CC20287		0.03	1.27	7	0.05	15.60	61	0.7
CC20288		0.11	0.94	26	0.07	5.76	44	0.6
CC20289		0.08	0.64	19	<0.05	4.70	42	0.7
CC20290		0.10	1.19	45	0.05	6.44	57	1.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC20291		0.14	1.53	1.48	7.0	<0.2	<10	2030	0.51	0.25	0.55	0.37	24.00	11.8	23	1.04
CC20292		0.20	0.73	1.10	6.7	<0.2	<10	1420	0.40	0.20	0.26	0.39	19.70	4.2	18	0.69
CC20293		0.18	0.42	1.05	5.8	<0.2	<10	1050	0.29	0.18	0.23	0.65	16.95	4.7	17	0.65
CC20294		0.18	0.56	1.05	8.7	<0.2	<10	2760	0.38	0.20	0.39	0.59	20.80	9.5	17	0.65
CC202300		0.14	0.05	0.80	15.6	<0.2	<10	240	0.20	0.17	0.04	0.41	21.50	3.4	14	0.66
CC202301		0.08	0.27	0.74	14.0	<0.2	<10	470	0.21	0.27	0.06	0.44	24.60	2.6	18	1.15
CC202302		0.14	0.29	1.76	24.4	<0.2	<10	790	0.71	0.36	0.38	0.27	49.30	5.8	31	1.58
CC202303		0.08	0.37	2.10	24.4	<0.2	<10	790	0.66	0.38	0.25	0.37	39.50	6.5	36	1.93
CC202304		0.12	0.24	1.53	10.9	<0.2	<10	200	0.27	0.20	0.03	0.07	25.50	2.7	20	1.21
CC202305		0.12	0.36	1.57	22.1	<0.2	<10	880	0.67	0.32	0.22	0.13	38.20	7.3	25	1.42
CC202306		0.10	0.17	1.82	13.8	<0.2	<10	340	0.58	0.26	0.10	0.17	35.00	6.4	27	1.28
CC202307		0.10	0.17	1.69	16.7	<0.2	<10	450	0.58	0.34	0.06	0.13	25.60	6.4	31	1.52
CC202308		0.08	0.29	1.09	17.0	<0.2	<10	230	0.53	0.22	0.11	0.36	23.40	7.3	18	1.46
CC202309		0.12	0.26	0.98	19.7	<0.2	<10	410	0.75	0.28	0.10	0.70	35.20	9.2	18	1.47
CC202310		0.12	0.43	0.88	18.8	<0.2	<10	510	0.66	0.27	0.33	0.40	31.70	10.5	22	0.98
CC202311		0.06	0.21	0.92	11.9	<0.2	<10	530	0.28	0.23	0.22	0.61	27.40	5.3	14	0.94
CC202312		0.04	0.17	0.43	4.7	<0.2	10	700	0.23	0.04	4.21	0.64	7.75	3.2	6	0.35
CC202313		0.04	0.21	0.35	5.4	<0.2	<10	940	0.19	0.03	3.38	0.94	7.63	3.2	5	0.55
CC202326		0.06	0.37	0.57	15.3	<0.2	<10	470	0.23	0.13	0.13	1.06	10.40	1.3	20	0.89
CC202327		0.18	0.32	0.49	24.2	<0.2	<10	650	0.31	0.11	0.12	2.70	17.55	5.8	14	0.41
CC202328		0.20	0.10	2.47	24.9	<0.2	<10	400	0.61	0.18	0.06	0.58	24.40	10.7	36	1.12
CC202329		0.18	0.27	2.72	16.2	<0.2	<10	190	0.51	0.18	0.05	0.37	23.50	10.0	34	1.17
CC202330		0.22	0.32	2.19	28.0	<0.2	<10	160	0.40	0.20	0.03	0.19	20.60	6.6	35	1.26
CC202331		0.20	1.26	0.68	17.8	<0.2	<10	330	0.18	0.17	0.04	0.47	12.05	1.3	20	0.58
CC202332		0.18	1.11	0.60	5.3	<0.2	<10	220	0.14	0.11	0.02	0.39	11.10	0.5	11	0.68
CC202337		0.08	0.62	0.54	29.6	<0.2	<10	760	0.23	0.18	0.08	0.64	14.75	1.6	23	0.89
CC202338		0.04	1.84	0.28	5.2	<0.2	<10	420	0.11	0.02	0.21	1.59	3.70	0.8	8	0.50
CC202339		0.06	1.70	0.91	45.8	<0.2	<10	450	0.27	0.24	0.03	0.18	14.75	2.1	32	1.00
CC202340		0.06	1.03	0.70	36.5	<0.2	<10	220	0.13	0.23	0.04	0.07	14.20	2.4	20	0.71
CC202341		0.06	0.59	1.93	28.3	<0.2	<10	200	0.51	0.21	0.05	0.25	20.80	6.9	33	1.17
CC202342		0.08	0.75	1.16	87.3	<0.2	<10	440	0.36	0.21	0.03	0.23	21.80	3.9	41	0.89
CC202343		0.30	0.09	1.06	24.8	<0.2	<10	140	0.19	0.17	0.02	0.09	22.80	2.7	19	1.20
CC202344		0.16	0.28	2.13	17.7	<0.2	<10	160	0.39	0.17	0.04	0.15	20.50	5.6	29	1.25
CC202345		0.02	0.87	0.28	6.7	<0.2	<10	790	0.11	<0.01	0.70	3.87	3.53	2.0	4	0.41
CC202346		0.02	1.01	0.57	10.2	<0.2	<10	300	0.16	0.05	0.39	1.31	9.65	1.3	11	0.72
CC202347		0.02	0.71	0.43	11.5	<0.2	<10	280	0.10	<0.01	0.45	0.95	5.26	1.5	2	0.09
CC202348		0.08	0.68	0.55	15.8	<0.2	<10	580	0.22	0.13	0.06	1.29	11.50	1.4	16	1.01
CC202349		Not Recvd														
CC202350		Not Recvd														
CC202351		0.20	0.51	1.64	11.9	<0.2	<10	430	0.72	0.12	1.30	1.56	33.80	8.8	30	0.90

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC20291		32.5	2.62	4.16	0.07	0.07	0.17	0.032	0.07	12.3	7.2	0.26	255	4.75	<0.01	0.37
CC20292		23.5	1.90	3.33	<0.05	0.03	0.12	0.024	0.07	10.2	7.6	0.20	55	1.96	<0.01	0.32
CC20293		15.1	1.73	3.50	<0.05	0.03	0.10	0.019	0.06	9.1	7.0	0.20	85	2.35	<0.01	0.34
CC20294		25.9	2.49	2.92	0.05	0.04	0.12	0.025	0.10	10.1	5.2	0.18	253	4.37	<0.01	0.28
CC202300		15.1	2.06	5.22	0.07	<0.02	0.03	0.022	0.05	11.4	2.2	0.07	66	16.75	0.01	0.57
CC202301		22.1	2.26	5.40	0.08	0.02	0.08	0.031	0.12	15.4	1.8	0.06	48	6.75	0.01	0.56
CC202302		28.5	3.80	6.57	0.15	0.05	0.09	0.062	0.19	28.9	8.9	0.18	163	6.22	0.01	0.76
CC202303		28.7	4.80	7.04	0.13	0.05	0.09	0.067	0.20	25.7	8.6	0.22	160	6.53	0.02	0.79
CC202304		12.1	2.15	7.32	0.08	<0.02	0.04	0.027	0.05	14.4	6.8	0.07	55	2.54	0.01	0.70
CC202305		35.6	3.83	5.53	0.13	0.05	0.09	0.052	0.17	25.3	9.7	0.15	100	3.15	0.01	0.38
CC202306		25.8	3.28	6.72	0.11	0.04	0.04	0.043	0.08	21.3	8.3	0.23	134	2.63	0.01	0.55
CC202307		32.1	4.17	8.18	0.10	0.03	0.04	0.057	0.08	15.6	5.2	0.14	94	5.99	0.01	0.19
CC202308		31.7	3.10	4.45	0.10	0.03	0.06	0.041	0.07	13.2	5.3	0.09	80	9.54	0.01	0.31
CC202309		47.5	3.97	4.91	0.14	0.04	0.09	0.048	0.11	20.5	3.0	0.08	98	15.05	0.01	0.60
CC202310		73.1	3.70	3.76	0.14	0.05	0.09	0.056	0.11	22.2	3.1	0.07	99	9.57	0.01	0.29
CC202311		17.8	2.07	5.89	0.08	0.02	0.04	0.029	0.08	14.3	4.2	0.07	71	5.94	0.01	0.64
CC202312		17.9	0.88	1.18	<0.05	0.07	0.10	0.014	0.05	4.0	1.3	0.11	275	2.43	0.03	0.21
CC202313		18.5	0.83	1.04	<0.05	0.08	0.12	0.013	0.05	3.8	1.3	0.09	222	2.90	0.02	0.16
CC202326		24.8	1.22	4.85	0.05	<0.02	0.04	0.019	0.10	6.0	0.8	0.05	22	35.40	0.02	0.29
CC202327		35.8	2.51	1.87	0.11	0.11	0.09	0.035	0.10	9.4	4.0	0.12	81	39.10	0.01	0.30
CC202328		43.3	3.64	6.09	0.12	0.16	0.03	0.042	0.10	12.5	16.9	0.34	294	20.20	0.01	1.07
CC202329		25.2	3.23	6.33	0.09	0.19	0.05	0.038	0.06	11.9	21.6	0.35	214	10.10	0.01	1.32
CC202330		19.4	3.83	7.62	0.11	0.09	0.04	0.047	0.06	10.8	19.4	0.27	154	25.20	0.01	1.24
CC202331		15.3	1.45	5.08	0.07	<0.02	0.03	0.022	0.07	7.2	1.1	0.04	29	33.60	0.01	0.25
CC202332		13.3	0.70	3.61	<0.05	<0.02	0.07	0.016	0.04	6.3	0.7	0.02	9	8.33	0.01	0.21
CC202337		42.3	1.53	3.57	0.17	0.02	0.18	0.033	0.16	8.1	0.8	0.03	18	54.10	0.02	0.15
CC202338		14.4	0.42	1.27	0.06	0.02	0.14	0.010	0.07	2.1	0.3	0.03	39	14.35	0.03	0.11
CC202339		33.6	3.16	7.20	0.21	0.02	0.16	0.038	0.26	8.9	3.7	0.09	120	98.80	0.01	0.39
CC202340		17.2	3.68	8.48	0.11	0.02	0.10	0.022	0.15	7.6	2.4	0.08	80	86.30	0.01	1.03
CC202341		28.2	3.66	6.75	0.11	0.09	0.06	0.045	0.08	10.8	20.5	0.26	138	18.10	0.01	1.18
CC202342		28.3	4.11	6.97	0.15	0.04	0.05	0.069	0.14	11.5	7.4	0.18	131	53.20	0.01	0.82
CC202343		10.9	2.49	6.52	0.08	0.06	0.02	0.023	0.05	12.0	4.3	0.10	79	20.50	0.01	0.86
CC202344		14.0	3.10	6.38	0.07	0.10	0.03	0.038	0.05	10.7	25.2	0.22	142	10.50	<0.01	1.33
CC202345		14.1	0.46	0.77	0.09	0.03	0.19	0.010	0.08	1.7	0.5	0.05	49	22.80	0.04	0.11
CC202346		28.8	1.11	1.76	0.15	0.04	0.31	0.023	0.06	4.9	0.7	0.04	37	23.10	0.03	0.16
CC202347		14.9	1.68	0.45	0.07	0.02	0.11	0.011	0.06	2.6	0.2	0.04	63	21.60	0.06	0.07
CC202348		26.5	1.39	4.32	0.05	<0.02	0.08	0.030	0.09	6.1	0.6	0.03	38	30.70	0.02	0.29
CC202349																
CC202350																
CC202351		36.8	2.29	5.08	0.10	0.13	0.08	0.028	0.08	19.2	18.4	0.68	299	1.64	0.02	0.80

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC20291		29.5	1020	14.3	9.3	0.006	0.09	1.04	3.9	2.8	0.4	43.7	<0.01	0.06	1.9	0.006
CC20292		18.7	470	12.0	10.8	0.002	0.03	1.03	3.1	2.1	0.3	24.9	<0.01	0.06	3.0	0.007
CC20293		14.4	610	9.8	10.5	0.001	0.04	0.65	2.4	1.5	0.3	23.5	<0.01	0.05	2.2	0.007
CC20294		22.2	780	12.1	10.5	0.001	0.04	1.18	3.3	1.6	0.3	32.7	<0.01	0.05	2.6	0.006
CC202300		32.2	220	11.0	7.7	<0.001	0.03	2.24	1.6	1.7	0.7	8.5	<0.01	0.07	0.8	0.022
CC202301		14.8	2350	25.2	7.3	0.001	0.23	1.42	1.1	2.0	0.7	21.0	0.01	0.12	0.3	0.015
CC202302		23.6	6110	35.0	11.8	0.001	0.31	1.32	3.4	3.1	0.7	39.1	0.01	0.21	2.9	0.024
CC202303		28.8	7370	35.5	13.9	<0.001	0.30	1.45	2.9	3.1	0.8	42.6	0.01	0.22	1.2	0.021
CC202304		8.9	1400	16.6	6.2	<0.001	0.04	0.47	1.6	1.1	0.9	10.5	<0.01	0.07	1.0	0.018
CC202305		37.3	5500	42.8	12.3	0.001	0.32	1.50	2.3	3.8	0.6	49.6	<0.01	0.19	0.9	0.011
CC202306		26.5	3950	17.4	10.9	0.001	0.05	0.96	2.2	1.7	0.7	14.9	0.01	0.08	0.8	0.019
CC202307		34.8	4780	22.9	8.5	<0.001	0.05	1.51	1.1	2.3	0.8	13.0	<0.01	0.12	0.2	0.008
CC202308		45.8	1830	20.6	9.5	0.001	0.03	2.26	1.7	2.7	0.6	9.3	<0.01	0.15	0.6	0.013
CC202309		48.9	3270	33.5	14.7	0.002	0.06	2.92	3.8	4.3	0.5	14.3	<0.01	0.14	2.4	0.018
CC202310		78.4	2690	29.9	10.5	0.002	0.11	3.14	3.3	8.7	0.5	30.2	<0.01	0.21	2.3	0.008
CC202311		24.3	680	12.5	10.3	0.001	0.03	1.02	2.1	1.6	0.7	13.9	<0.01	0.10	1.2	0.018
CC202312		17.1	930	4.2	3.7	0.002	0.25	0.81	1.2	2.1	0.2	103.5	0.03	0.05	0.4	0.008
CC202313		22.8	850	4.2	4.7	0.002	0.23	0.64	1.2	1.8	0.2	86.7	0.03	0.05	0.5	0.005
CC202326		28.7	550	12.3	13.9	0.003	0.09	5.48	1.4	3.7	0.9	26.8	<0.01	0.14	0.3	0.009
CC202327		79.6	420	9.9	6.4	0.005	0.20	5.07	3.5	6.1	0.5	46.0	<0.01	0.08	4.4	0.013
CC202328		41.1	360	11.5	14.0	<0.001	0.09	2.74	4.3	11.1	0.7	29.6	<0.01	0.13	5.0	0.028
CC202329		28.2	250	12.6	11.3	<0.001	0.03	1.69	4.4	3.2	0.9	9.7	0.01	0.07	5.1	0.033
CC202330		22.3	250	11.7	12.0	<0.001	0.03	4.28	3.7	9.6	0.8	11.7	<0.01	0.14	4.0	0.028
CC202331		8.1	570	12.5	7.5	0.001	0.11	6.61	0.6	8.4	0.8	17.7	<0.01	0.14	<0.2	0.008
CC202332		3.5	310	10.0	5.6	0.001	0.03	3.01	0.8	3.0	0.7	9.1	<0.01	0.05	0.2	0.007
CC202337		32.1	930	15.0	13.2	0.033	0.32	7.86	2.4	28.9	0.7	92.3	<0.01	0.22	0.8	<0.005
CC202338		7.4	950	5.0	3.4	0.013	0.17	2.56	1.7	11.5	0.3	18.9	0.02	0.07	0.4	0.006
CC202339		11.2	840	18.2	19.5	0.005	0.59	20.60	3.2	44.4	1.1	26.6	<0.01	0.32	0.6	0.015
CC202340		9.3	360	11.8	14.6	0.001	0.25	11.55	2.3	12.8	0.9	12.5	<0.01	0.21	2.2	0.036
CC202341		22.6	320	11.3	13.0	0.001	0.07	4.34	4.3	7.6	0.7	15.8	<0.01	0.11	4.3	0.021
CC202342		21.6	720	15.4	13.3	0.001	0.21	13.15	3.9	15.5	0.9	47.4	<0.01	0.22	3.3	0.022
CC202343		9.6	200	9.6	8.4	<0.001	0.03	3.31	2.3	4.1	0.8	11.2	<0.01	0.10	3.2	0.024
CC202344		16.8	290	11.1	12.9	<0.001	0.03	2.05	3.2	2.9	0.7	10.3	<0.01	0.08	3.8	0.021
CC202345		31.6	1220	3.0	3.2	0.040	0.20	6.73	2.5	18.5	<0.2	42.3	0.03	0.04	0.3	<0.005
CC202346		29.1	1220	6.0	6.1	0.120	0.17	9.93	4.8	25.2	0.3	41.2	0.02	0.09	0.6	0.005
CC202347		22.6	1040	2.6	1.4	0.041	0.17	6.07	2.0	9.9	<0.2	21.5	0.02	0.06	0.5	<0.005
CC202348		18.9	760	10.7	8.6	0.003	0.13	3.52	0.5	4.5	0.7	15.6	<0.01	0.12	<0.2	<0.005
CC202349																
CC202350																
CC202351		30.8	1320	20.1	9.9	0.001	0.05	1.75	4.8	1.8	0.6	41.2	<0.01	0.05	4.5	0.023

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC20291		0.18	1.91	74	0.09	11.75	86	1.7
CC20292		0.14	1.26	59	0.08	6.46	74	0.9
CC20293		0.11	1.11	51	0.08	4.62	67	0.7
CC20294		0.13	1.50	67	0.08	9.65	90	1.1
CC202300		0.41	0.68	145	0.18	2.66	103	<0.5
CC202301		0.52	1.60	60	0.20	6.96	52	<0.5
CC202302		0.52	3.16	94	0.22	18.90	84	0.6
CC202303		0.52	2.51	119	0.25	12.05	114	0.6
CC202304		0.19	0.77	81	0.15	2.45	33	<0.5
CC202305		0.32	2.24	85	0.14	9.60	118	0.7
CC202306		0.17	2.17	80	0.17	12.25	96	0.5
CC202307		0.26	2.74	130	0.15	8.62	144	<0.5
CC202308		0.16	1.80	108	0.14	8.03	137	0.5
CC202309		0.16	2.55	76	0.15	14.35	178	0.7
CC202310		0.10	3.31	103	0.09	19.30	335	0.7
CC202311		0.14	1.41	111	0.14	7.33	80	<0.5
CC202312		0.05	0.56	17	0.09	4.02	56	2.1
CC202313		0.07	0.37	15	0.09	4.03	49	2.4
CC202326		1.44	2.40	270	0.26	2.70	92	<0.5
CC202327		2.00	2.68	104	0.14	12.35	228	4.5
CC202328		1.15	4.02	187	0.20	5.88	90	5.6
CC202329		0.36	1.10	110	0.17	3.48	61	5.8
CC202330		0.77	0.91	194	0.18	2.85	65	3.5
CC202331		0.89	1.58	195	0.18	3.06	20	<0.5
CC202332		0.62	1.41	88	0.11	2.79	8	<0.5
CC202337		3.03	4.39	196	0.19	6.07	67	<0.5
CC202338		0.39	1.55	57	0.12	1.49	29	0.7
CC202339		3.59	3.64	376	0.32	5.64	35	0.5
CC202340		1.85	0.96	352	0.29	2.15	37	0.9
CC202341		0.70	1.14	165	0.20	4.38	67	3.3
CC202342		2.36	2.39	419	0.23	3.80	79	1.4
CC202343		0.72	0.76	190	0.14	2.23	37	2.3
CC202344		0.47	0.64	121	0.17	2.20	59	3.1
CC202345		0.46	2.40	54	0.11	3.91	60	0.9
CC202346		1.63	5.04	69	0.15	8.34	44	1.1
CC202347		0.30	1.85	43	0.10	6.21	45	0.6
CC202348		0.84	2.21	166	0.20	2.93	56	<0.5
CC202349								
CC202350								
CC202351		0.14	1.31	102	0.23	14.90	159	4.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC202352		0.04	0.09	0.21	1.5	<0.2	<10	450	0.11	<0.01	2.63	0.91	1.87	4.5	2	0.20
CC202353		0.10	0.32	1.14	11.7	<0.2	<10	720	0.39	0.07	1.74	1.55	18.65	18.9	18	0.75
CC202354		0.14	0.16	0.62	4.0	<0.2	<10	1690	0.39	0.03	2.10	2.51	5.31	72.6	4	0.17
CC202355		0.12	0.13	0.48	6.6	<0.2	<10	1160	0.24	<0.01	1.76	2.45	6.86	64.7	4	0.13
CC202356		0.06	0.03	0.06	0.5	<0.2	<10	500	0.05	<0.01	0.92	0.36	1.30	2.2	1	0.06
CC202357		0.06	0.09	0.10	1.0	<0.2	<10	720	0.06	<0.01	0.83	0.21	2.24	1.8	1	0.06
CC202358		0.02	0.07	0.06	0.6	<0.2	<10	550	0.05	<0.01	0.83	0.35	1.57	2.1	1	0.08
CC202359		0.02	0.21	0.09	0.9	<0.2	<10	530	0.05	<0.01	0.76	0.21	1.81	1.5	1	0.11
CC202360		0.04	0.14	0.23	1.9	<0.2	<10	510	0.08	0.01	0.47	0.16	4.52	1.3	4	0.27
CC202361		0.06	0.44	1.50	13.0	<0.2	<10	1210	0.98	0.09	1.37	1.93	38.00	20.6	25	0.85
CC202362		0.04	0.34	1.02	5.4	<0.2	<10	690	0.40	0.10	0.25	0.70	22.80	4.2	17	0.65
CC202363		0.08	0.24	1.52	9.3	<0.2	<10	810	0.77	0.15	1.41	0.93	33.40	6.9	26	0.94
CC202364		0.08	0.32	1.63	8.2	<0.2	<10	500	0.43	0.15	0.15	0.48	27.00	4.1	27	0.85
CC202365		0.06	0.12	0.15	4.3	<0.2	<10	420	0.14	<0.01	5.08	4.49	2.45	2.4	2	0.30
CC202366		0.12	0.46	0.97	17.8	<0.2	<10	1090	0.67	0.10	1.28	9.32	27.60	10.7	18	0.75
CC202367		0.14	1.03	1.30	51.4	<0.2	<10	160	1.01	0.19	3.31	6.77	28.40	10.1	35	1.06
CC202368		0.26	0.36	0.65	19.1	<0.2	<10	320	0.53	0.11	0.41	1.91	15.15	2.3	16	0.60
CC202369		0.12	1.60	0.75	33.7	<0.2	<10	720	0.77	0.15	1.34	16.25	25.40	5.2	46	0.88
CC202370		0.06	1.39	0.76	25.3	<0.2	10	490	0.57	0.09	2.71	13.75	12.75	6.4	18	1.02
CC202371		0.12	0.40	0.68	30.4	<0.2	<10	350	0.43	0.17	0.13	0.86	14.65	5.4	16	0.89
CC202372		0.12	0.30	0.57	29.8	<0.2	<10	340	0.34	0.14	0.03	0.60	13.10	7.0	13	0.78
CC202373		0.12	0.26	0.58	36.5	<0.2	<10	330	0.40	0.14	0.04	1.40	16.30	8.4	15	0.94
CC202374		0.16	0.41	1.58	6.6	<0.2	<10	420	0.71	0.11	1.32	1.24	32.80	7.3	28	1.04
CC202375		0.08	0.36	0.73	39.5	<0.2	<10	460	0.43	0.14	0.07	1.84	19.55	13.2	17	1.09
CC202395		0.04	0.35	1.43	11.3	<0.2	<10	520	0.75	0.09	1.82	2.05	28.60	8.2	24	0.69
CC202396		0.08	0.37	1.34	9.9	<0.2	<10	370	0.64	0.08	2.53	1.74	27.20	6.8	24	0.85
CC202397		0.12	0.49	1.12	27.3	<0.2	10	2550	0.82	0.12	1.90	4.64	17.40	13.1	23	0.52
CC202398		0.06	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202399		0.08	0.35	1.09	7.1	<0.2	<10	400	0.54	0.06	2.22	1.86	22.60	5.6	20	0.56
CC202400		0.06	0.38	1.16	7.5	<0.2	<10	460	0.63	0.07	2.73	2.59	23.10	6.0	19	0.68
CC202401		0.20	1.03	1.20	38.4	<0.2	<10	240	0.24	0.17	0.02	0.08	8.91	1.6	26	1.07
CC202402		0.14	0.82	0.78	90.5	<0.2	<10	360	0.23	0.19	0.02	0.34	10.20	1.0	30	0.84
CC202403		0.08	0.70	1.71	26.7	<0.2	<10	190	0.31	0.23	0.04	0.34	17.80	3.7	33	1.48
CC202404		0.06	1.25	2.81	32.4	<0.2	<10	990	2.19	0.16	0.44	11.25	29.50	11.8	54	1.38
CC202405		0.08	0.32	1.70	45.0	<0.2	<10	380	0.67	0.19	0.06	1.61	19.95	9.2	29	0.73
CC202406		0.08	0.13	0.96	15.9	<0.2	<10	180	0.20	0.16	0.05	0.51	20.20	3.0	16	1.02
CC202407		0.02	0.47	0.53	12.1	<0.2	<10	1830	0.61	0.10	0.53	14.75	21.00	8.8	18	0.47
CC202408		0.08	0.81	0.99	10.7	<0.2	<10	2750	0.80	0.14	1.09	1.34	24.60	8.8	20	0.44
CC202409		0.02	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202410		0.02	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC202352		9.6	0.43	0.39	<0.05	0.02	0.14	<0.005	0.05	1.3	0.5	0.10	1075	2.29	0.04	0.06
CC202353		18.0	3.12	3.26	0.08	0.07	0.12	0.019	0.06	9.5	10.8	0.41	2820	2.75	0.02	0.44
CC202354		13.1	7.10	1.83	0.10	0.07	0.13	0.007	0.02	2.9	0.5	0.04	20200	8.37	0.23	0.12
CC202355		11.7	3.81	1.70	0.07	0.05	0.10	0.007	0.02	2.7	0.4	0.03	16500	4.10	0.51	0.10
CC202356		5.7	0.34	0.31	<0.05	<0.02	0.10	<0.005	0.08	0.6	0.1	0.14	124	8.65	0.03	0.06
CC202357		4.9	0.93	0.34	<0.05	0.02	0.07	<0.005	0.04	1.2	0.1	0.12	50	1.51	0.58	<0.05
CC202358		5.9	0.31	0.25	<0.05	<0.02	0.14	<0.005	0.09	0.7	0.1	0.13	134	2.60	0.03	<0.05
CC202359		5.8	0.44	0.28	<0.05	<0.02	0.16	<0.005	0.05	0.9	0.1	0.11	59	1.57	0.21	<0.05
CC202360		5.3	1.10	0.87	<0.05	0.02	0.08	<0.005	0.04	2.4	0.8	0.08	18	2.25	0.41	0.12
CC202361		23.3	3.53	3.97	0.11	0.11	0.10	0.031	0.09	21.3	15.5	0.57	638	4.90	0.02	0.48
CC202362		17.7	1.91	3.06	0.08	0.06	0.13	0.021	0.08	11.5	7.1	0.21	99	1.90	0.02	0.42
CC202363		25.6	2.17	4.43	0.10	0.09	0.10	0.029	0.10	18.1	14.3	0.50	120	2.99	0.02	0.55
CC202364		18.8	2.08	4.96	0.08	0.05	0.11	0.027	0.07	14.1	11.4	0.31	75	0.97	0.01	0.66
CC202365		17.6	0.47	0.36	<0.05	0.05	0.12	0.007	0.05	1.4	0.8	0.23	139	7.95	0.21	0.07
CC202366		67.0	2.23	2.83	0.13	0.11	0.19	0.030	0.12	16.3	8.9	0.41	175	21.40	0.01	0.30
CC202367		131.0	4.90	3.57	0.21	0.16	0.43	0.074	0.35	16.8	10.7	0.84	207	61.10	0.03	0.30
CC202368		34.0	1.49	2.33	0.08	0.06	0.12	0.026	0.10	8.4	2.4	0.09	51	37.10	0.01	0.22
CC202369		92.8	1.64	2.96	0.13	0.17	0.59	0.034	0.10	15.4	3.3	0.10	113	31.40	0.02	0.26
CC202370		41.4	1.55	2.35	0.12	0.21	0.40	0.026	0.10	8.4	2.8	0.11	140	25.30	0.02	0.33
CC202371		34.3	2.83	3.46	0.09	0.03	0.06	0.034	0.13	8.4	1.2	0.05	72	52.30	0.01	0.33
CC202372		32.9	2.95	2.36	0.11	0.04	0.05	0.033	0.13	7.2	0.9	0.04	81	50.10	0.02	0.22
CC202373		38.4	3.21	2.57	0.14	0.04	0.06	0.035	0.13	8.3	1.4	0.05	135	62.60	0.03	0.27
CC202374		24.7	1.59	4.82	0.08	0.12	0.11	0.029	0.08	18.0	16.7	0.58	469	1.66	0.02	0.69
CC202375		43.5	3.74	2.40	0.17	0.12	0.09	0.041	0.19	10.1	2.1	0.07	198	57.30	0.05	0.29
CC202395		32.5	2.29	3.95	0.09	0.13	0.10	0.024	0.08	16.5	14.6	0.59	631	2.88	0.02	0.63
CC202396		23.1	1.99	3.95	0.09	0.14	0.09	0.022	0.09	15.4	15.1	0.76	263	3.75	0.03	0.67
CC202397		82.3	2.21	2.94	0.13	0.16	0.18	0.031	0.16	10.4	9.9	0.40	122	50.50	0.01	0.19
CC202398		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202399		19.2	1.54	3.39	0.07	0.08	0.13	0.020	0.06	12.8	11.1	0.47	255	2.62	0.02	0.47
CC202400		22.8	1.61	3.45	0.08	0.12	0.11	0.021	0.07	13.4	11.8	0.55	271	3.53	0.02	0.51
CC202401		17.2	2.66	5.09	0.11	0.06	0.04	0.053	0.08	4.8	9.7	0.08	51	79.80	0.01	0.74
CC202402		43.2	2.85	5.71	0.15	0.02	0.08	0.051	0.08	5.2	1.0	0.03	31	95.80	0.01	0.26
CC202403		16.7	4.23	8.09	0.11	0.06	0.07	0.040	0.09	9.6	11.3	0.22	146	24.70	0.01	1.30
CC202404		55.2	4.11	5.68	0.17	0.15	0.14	0.050	0.10	13.3	14.4	0.37	286	22.10	0.02	0.89
CC202405		41.8	3.98	5.25	0.21	0.11	0.11	0.054	0.14	10.2	11.1	0.20	278	65.30	0.02	1.00
CC202406		10.5	1.97	5.29	0.07	<0.02	0.05	0.020	0.08	10.5	3.9	0.14	104	18.20	0.01	0.73
CC202407		50.3	2.13	1.36	0.12	0.07	0.14	0.022	0.09	9.8	2.2	0.10	240	10.05	0.02	0.20
CC202408		32.3	2.58	2.60	0.11	0.12	0.16	0.032	0.11	12.9	5.4	0.25	223	9.09	0.01	0.30
CC202409		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202410		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC202352		7.6	810	3.1	2.6	0.001	0.18	0.62	0.4	1.2	<0.2	67.3	0.01	0.02	<0.2	<0.005
CC202353		23.8	1390	8.0	6.5	0.001	0.14	1.46	2.4	2.0	0.3	55.2	<0.01	0.05	1.3	0.014
CC202354		21.6	1460	2.0	1.4	0.002	0.40	0.78	1.0	2.0	<0.2	58.1	<0.01	0.05	0.3	<0.005
CC202355		21.4	1090	1.4	0.9	0.002	0.65	0.62	1.3	2.0	<0.2	50.6	<0.01	0.04	0.3	<0.005
CC202356		4.0	760	1.0	1.2	0.001	0.13	0.19	0.3	0.7	<0.2	37.1	0.06	0.01	<0.2	<0.005
CC202357		5.9	1050	1.1	0.8	0.001	0.65	0.31	1.1	1.1	<0.2	42.6	0.03	0.02	<0.2	<0.005
CC202358		4.0	1000	1.2	2.2	0.001	0.12	0.19	0.2	0.8	<0.2	38.2	0.03	0.01	<0.2	<0.005
CC202359		4.6	840	1.6	1.5	0.001	0.28	0.42	0.6	0.8	<0.2	37.4	0.03	0.01	<0.2	<0.005
CC202360		4.3	910	1.9	2.4	0.001	0.50	0.32	1.6	1.4	<0.2	22.3	0.02	0.02	0.4	<0.005
CC202361		29.7	1440	9.6	9.6	0.004	0.09	1.88	5.1	3.2	0.4	36.3	0.01	0.05	3.3	0.013
CC202362		12.3	670	8.1	9.1	0.003	0.07	0.84	3.0	3.2	0.3	12.8	0.01	0.03	2.3	0.009
CC202363		21.8	1070	10.9	11.9	0.002	0.05	1.52	4.4	2.9	0.5	40.6	<0.01	0.04	3.5	0.012
CC202364		11.6	480	10.2	8.4	0.005	0.05	0.92	3.8	3.4	0.5	12.6	<0.01	0.05	3.2	0.012
CC202365		32.2	1120	1.9	2.8	0.003	0.46	1.33	0.9	7.2	<0.2	89.3	0.03	0.03	0.3	<0.005
CC202366		205.0	1060	9.8	10.1	0.018	0.18	3.61	4.7	7.4	0.4	48.9	0.01	0.06	3.1	0.007
CC202367		230.0	1660	16.2	18.6	0.015	0.89	8.95	7.1	16.9	0.8	129.5	0.01	0.15	4.6	0.006
CC202368		35.9	320	8.3	9.4	0.011	0.08	3.74	3.3	6.0	0.4	35.2	<0.01	0.08	2.1	0.006
CC202369		233.0	840	10.9	10.4	0.014	0.13	8.91	5.0	10.8	0.7	70.9	0.01	0.16	2.2	0.005
CC202370		134.5	800	8.2	9.4	0.009	0.25	9.50	4.0	13.8	0.5	84.7	0.02	0.11	1.3	0.006
CC202371		78.5	410	12.8	11.6	0.003	0.21	5.53	2.6	8.5	0.7	32.2	<0.01	0.12	1.8	0.007
CC202372		91.5	470	12.9	11.4	0.004	0.28	5.48	2.8	12.2	0.5	32.8	<0.01	0.11	1.9	<0.005
CC202373		118.5	610	13.1	10.1	0.005	0.36	7.16	3.0	18.3	0.6	39.2	<0.01	0.16	1.5	0.007
CC202374		21.6	1530	11.2	10.5	0.002	0.09	1.36	4.7	2.5	0.5	40.9	<0.01	0.05	3.6	0.017
CC202375		135.0	580	13.4	11.6	0.007	0.53	6.70	4.8	19.1	0.4	61.1	<0.01	0.17	3.5	0.009
CC202395		26.2	1180	10.1	8.5	0.001	0.09	1.75	4.0	2.3	0.4	57.1	<0.01	0.06	2.4	0.019
CC202396		21.6	1520	9.0	8.7	0.001	0.10	1.75	4.1	2.2	0.4	60.3	0.01	0.04	2.6	0.022
CC202397		249.0	810	9.5	9.4	0.009	0.07	7.08	5.4	7.0	0.5	53.2	0.01	0.13	2.4	<0.005
CC202398		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202399		17.9	1190	7.4	6.1	0.001	0.11	1.30	3.1	2.4	0.3	53.6	0.01	0.05	1.4	0.014
CC202400		21.8	1230	7.3	6.9	0.001	0.11	1.61	3.3	2.5	0.4	61.8	0.01	0.04	1.5	0.013
CC202401		6.6	400	10.2	11.3	0.002	0.10	12.40	2.8	17.7	0.7	27.3	<0.01	0.16	2.1	0.018
CC202402		21.5	670	13.7	7.8	0.002	0.13	22.70	2.4	24.8	1.0	25.7	<0.01	0.40	0.8	0.009
CC202403		13.8	400	11.7	14.0	<0.001	0.05	5.75	3.1	8.2	0.9	16.8	<0.01	0.16	3.0	0.031
CC202404		178.0	910	12.9	11.6	0.001	0.14	7.38	5.6	16.3	0.8	60.3	0.01	0.15	3.6	0.014
CC202405		76.0	680	14.5	12.7	0.004	0.25	15.85	4.5	34.6	0.8	83.6	<0.01	0.25	4.0	0.025
CC202406		21.0	260	9.5	13.2	0.001	0.03	2.55	2.1	4.1	0.7	12.3	<0.01	0.07	1.7	0.023
CC202407		133.5	1180	7.8	5.3	0.004	0.09	4.07	2.9	9.7	0.3	39.7	0.01	0.07	1.3	0.007
CC202408		41.4	660	10.6	8.1	0.002	0.06	3.08	5.0	2.8	0.4	47.5	0.01	0.07	2.7	0.007
CC202409		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202410		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC202352		0.05	0.26	5	0.08	2.94	60	0.5
CC202353		0.11	1.63	70	0.14	10.25	167	1.6
CC202354		0.22	0.58	22	0.12	9.27	208	1.3
CC202355		0.14	0.88	18	0.07	8.37	166	1.1
CC202356		<0.02	0.05	2	0.08	1.37	36	<0.5
CC202357		<0.02	0.20	3	0.07	2.33	32	<0.5
CC202358		<0.02	0.05	3	0.07	1.55	50	<0.5
CC202359		<0.02	0.08	3	0.06	1.82	31	<0.5
CC202360		0.03	0.46	10	0.07	1.97	19	0.7
CC202361		0.16	2.48	111	0.25	20.80	191	2.2
CC202362		0.13	1.47	48	0.10	7.08	66	1.4
CC202363		0.20	1.98	95	0.14	12.95	125	2.0
CC202364		0.27	1.76	92	0.11	6.40	79	1.3
CC202365		0.39	0.86	21	0.08	2.98	121	1.2
CC202366		1.41	4.90	115	0.14	29.80	738	2.0
CC202367		6.03	11.10	210	0.24	33.70	554	4.0
CC202368		1.43	3.94	194	0.12	10.55	169	1.5
CC202369		1.41	10.65	384	0.25	31.60	971	5.1
CC202370		2.34	6.94	224	0.20	23.30	697	6.1
CC202371		2.19	2.65	264	0.17	7.30	171	0.7
CC202372		2.64	2.05	229	0.15	9.41	194	1.1
CC202373		3.44	2.71	225	0.20	14.60	245	0.6
CC202374		0.19	2.06	97	0.12	13.65	124	2.7
CC202375		4.17	2.63	200	0.17	15.00	265	4.1
CC202395		0.14	1.78	95	0.18	14.10	135	2.8
CC202396		0.14	1.57	96	0.13	11.65	159	3.1
CC202397		1.06	2.83	310	0.19	28.30	682	3.8
CC202398		NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202399		0.12	2.10	80	0.11	10.00	108	1.8
CC202400		0.16	1.23	72	0.12	11.60	129	2.7
CC202401		2.50	2.03	303	0.33	3.54	33	1.9
CC202402		3.24	4.07	660	0.50	4.76	58	<0.5
CC202403		1.28	1.05	238	0.23	2.51	63	2.0
CC202404		1.30	3.10	310	0.40	26.90	670	3.0
CC202405		4.67	1.89	226	0.32	8.67	224	3.8
CC202406		0.82	0.55	162	0.17	2.54	81	<0.5
CC202407		0.28	2.92	96	0.12	19.80	379	1.7
CC202408		0.15	2.06	94	0.12	18.15	204	2.3
CC202409		NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202410		NSS	NSS	NSS	NSS	NSS	NSS	NSS

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-JUN-2007
Account: MTT

Project: NIMO

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC202411		0.04	0.84	0.41	4.4	<0.2	<10	870	0.35	0.11	0.24	1.04	10.95	4.1	8	0.58
CC202412		0.02	0.80	0.51	1.9	<0.2	<10	1180	0.19	0.08	0.56	0.50	8.77	2.9	9	0.44
CC202413		0.02	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202414		0.04	0.65	0.91	4.5	<0.2	<10	1320	0.33	0.15	0.21	0.39	14.40	5.0	16	0.46
CC202415		0.02	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202416		0.02	0.09	0.04	0.8	<0.2	<10	300	<0.05	0.02	0.88	0.27	0.52	0.5	1	0.06
CC202417		0.06	0.35	0.21	0.9	<0.2	<10	1530	0.10	0.04	2.22	0.19	4.30	5.5	3	0.24
CC202418		0.02	0.13	0.26	1.6	<0.2	<10	1160	0.20	0.03	2.25	1.02	8.09	8.2	2	0.08
CC202419		0.02	0.56	0.33	1.4	<0.2	<10	960	0.26	0.05	1.89	1.85	8.39	2.7	4	0.58
CC202420		0.02	0.09	0.14	0.8	<0.2	10	760	0.11	0.02	3.19	3.10	3.38	1.6	2	0.21
CC202421		0.06	0.55	0.90	5.7	<0.2	<10	1970	0.50	0.15	1.77	0.96	19.70	7.5	15	0.47
CC202422		0.04	0.16	0.23	1.0	<0.2	10	1360	0.28	0.04	3.65	2.80	7.64	2.2	3	0.23
CC202423		0.06	0.42	0.91	4.8	<0.2	<10	1750	0.31	0.14	2.12	1.83	11.70	6.6	15	0.47
CC202424		0.04	0.14	0.15	0.8	<0.2	10	930	0.15	0.03	2.41	1.33	3.76	1.2	2	0.10
CC202425		0.06	0.39	0.64	3.9	<0.2	10	1780	0.31	0.08	3.35	2.05	8.10	3.8	11	0.33
CC202426		0.04	0.09	0.13	1.2	<0.2	10	930	0.09	0.03	4.45	2.84	1.77	1.0	2	0.17
CC202427		0.02	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202428		0.16	0.13	2.38	15.7	<0.2	<10	300	0.46	0.25	0.06	0.50	21.30	8.3	36	1.42
CC20295		0.18	0.58	1.12	10.9	<0.2	<10	3240	0.62	0.19	0.30	0.37	22.10	13.1	24	0.68
CC20296		0.12	1.12	0.65	4.7	<0.2	10	3820	0.55	0.07	1.55	3.19	24.70	4.8	7	0.35
CC20297		0.14	0.72	0.34	5.0	<0.2	<10	1060	0.24	0.05	3.37	25.20	5.12	3.0	12	0.25
CC20298		0.18	2.14	0.88	80.3	<0.2	10	1290	0.74	0.27	0.45	39.40	30.70	10.0	41	1.02
CC20448		0.10	0.23	0.62	24.4	<0.2	<10	750	0.23	0.20	0.06	0.67	12.60	1.8	21	1.09
CC20449		0.06	0.40	0.68	34.0	<0.2	<10	740	0.31	0.25	0.13	0.82	13.05	1.8	22	0.84
CC20450		0.06	0.39	0.65	18.5	<0.2	<10	460	0.21	0.18	0.11	0.53	10.75	1.1	17	0.86

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC202411		36.7	1.04	1.59	<0.05	0.02	0.07	0.017	0.07	6.1	1.3	0.06	33	1.62	0.01	0.20
CC202412		16.1	0.92	1.88	<0.05	0.03	0.15	0.012	0.05	4.8	1.7	0.10	56	2.49	0.02	0.21
CC202413		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202414		24.6	2.01	2.82	0.05	0.04	0.09	0.021	0.08	7.5	5.4	0.15	77	1.19	0.01	0.31
CC202415		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202416		4.2	0.08	0.11	<0.05	<0.02	0.10	<0.005	0.03	0.3	0.1	0.10	25	2.93	0.21	<0.05
CC202417		9.7	0.49	0.56	<0.05	0.03	0.09	0.006	0.02	2.2	0.5	0.18	342	1.42	0.37	0.08
CC202418		13.0	0.36	0.32	<0.05	0.04	0.11	0.006	0.03	4.0	0.3	0.09	466	1.21	0.26	0.05
CC202419		17.5	0.51	0.89	<0.05	0.04	0.10	0.008	0.04	4.7	1.3	0.09	87	1.86	0.32	0.12
CC202420		13.2	0.24	0.31	<0.05	0.04	0.10	<0.005	0.05	1.9	0.6	0.12	221	1.73	0.22	0.06
CC202421		32.3	1.83	2.42	0.06	0.11	0.10	0.024	0.07	10.5	6.6	0.24	390	2.64	0.06	0.30
CC202422		24.7	0.37	0.53	<0.05	0.06	0.09	0.006	0.03	5.7	1.2	0.14	307	1.00	0.37	0.08
CC202423		18.0	1.66	2.70	<0.05	0.08	0.09	0.023	0.07	5.9	6.4	0.23	363	2.43	0.02	0.32
CC202424		19.5	0.25	0.29	<0.05	0.04	0.12	<0.005	0.04	2.7	0.5	0.14	165	1.41	0.40	0.05
CC202425		24.4	1.10	1.70	<0.05	0.09	0.12	0.017	0.05	4.4	3.8	0.29	189	2.18	0.02	0.23
CC202426		13.8	0.21	0.30	<0.05	0.04	0.10	<0.005	0.02	1.1	0.6	0.32	316	0.77	0.24	0.06
CC202427		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202428		27.0	3.88	6.26	0.07	0.08	0.05	0.041	0.09	11.4	23.1	0.41	203	8.71	0.01	0.99
CC20295		39.8	4.85	2.88	0.09	0.06	0.19	0.037	0.10	11.6	6.3	0.17	453	2.69	0.01	0.34
CC20296		25.6	0.90	1.19	0.07	0.06	0.18	0.014	0.04	13.9	1.3	0.21	94	1.53	0.11	0.16
CC20297		41.5	0.43	0.83	0.06	0.09	0.25	0.009	0.02	3.3	1.1	0.17	156	3.25	0.44	0.13
CC20298		120.0	2.85	3.46	0.12	0.07	0.96	0.044	0.13	16.9	5.0	0.12	173	81.40	0.01	0.26
CC20448		20.4	1.76	5.36	0.05	<0.02	0.07	0.033	0.09	6.9	1.1	0.04	42	41.50	0.01	0.39
CC20449		30.7	1.97	5.12	0.06	<0.02	0.08	0.039	0.11	7.1	1.3	0.06	55	45.20	0.01	0.39
CC20450		20.2	1.17	4.49	<0.05	0.02	0.06	0.018	0.07	6.2	1.1	0.05	20	28.90	0.01	0.33

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC202411		25.8	1110	7.2	6.6	0.001	0.08	0.95	1.2	2.0	0.2	31.8	<0.01	0.05	0.4	0.005
CC202412		13.7	1350	4.0	4.6	0.001	0.13	0.62	1.8	2.1	0.2	36.1	0.01	0.04	0.7	<0.005
CC202413		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202414		15.5	640	7.2	7.6	0.002	0.05	0.60	2.4	1.6	0.3	18.8	<0.01	0.05	2.1	0.005
CC202415		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202416		2.1	640	0.8	1.1	0.001	0.29	0.35	0.4	0.8	<0.2	56.2	<0.01	0.01	<0.2	<0.005
CC202417		10.5	910	2.1	1.6	0.003	0.48	0.70	1.3	1.9	<0.2	141.0	<0.01	0.02	0.2	<0.005
CC202418		9.4	880	1.6	1.7	0.001	0.33	1.30	0.9	1.2	<0.2	85.9	<0.01	0.02	0.2	<0.005
CC202419		11.1	800	4.1	6.1	<0.001	0.40	0.60	1.7	1.2	<0.2	65.4	<0.01	0.02	0.4	0.005
CC202420		7.8	890	1.1	3.5	0.002	0.34	1.00	0.8	1.2	<0.2	91.7	<0.01	0.02	0.2	<0.005
CC202421		31.0	900	7.9	7.5	0.002	0.12	1.30	3.2	2.5	0.2	63.1	<0.01	0.05	1.9	0.007
CC202422		23.9	840	2.4	3.1	0.001	0.47	0.60	1.5	1.6	<0.2	107.0	<0.01	0.02	0.4	<0.005
CC202423		20.2	940	7.9	11.7	0.001	0.09	1.08	2.9	1.8	0.3	67.4	<0.01	0.05	1.3	0.007
CC202424		19.2	890	1.3	2.3	0.005	0.49	0.76	1.1	1.5	<0.2	79.1	<0.01	0.02	0.2	<0.005
CC202425		30.5	860	4.1	5.3	0.002	0.15	1.32	2.2	2.6	0.2	129.0	<0.01	0.04	0.9	0.005
CC202426		14.8	750	1.8	1.4	0.003	0.38	0.69	0.7	1.8	<0.2	145.5	<0.01	0.02	0.2	<0.005
CC202427		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202428		39.7	270	15.6	15.4	<0.001	<0.01	1.85	4.3	1.7	0.7	12.5	<0.01	0.07	4.1	0.021
CC20295		38.9	580	9.5	10.6	0.002	0.03	1.05	5.6	2.0	0.3	23.4	<0.01	0.05	2.9	0.007
CC20296		27.6	1000	6.7	2.9	0.004	0.22	1.27	2.8	3.9	<0.2	113.0	0.01	0.03	0.7	0.007
CC20297		84.2	1000	3.2	1.7	0.004	0.56	3.44	2.1	7.7	<0.2	147.0	0.01	0.05	0.3	0.005
CC20298		302.0	620	14.7	13.1	0.003	0.03	31.60	6.7	6.3	0.8	38.1	0.01	0.20	3.1	0.010
CC20448		22.0	660	11.2	9.1	0.002	0.14	5.68	1.8	5.0	0.7	25.8	<0.01	0.14	0.4	0.011
CC20449		23.9	810	13.1	10.5	0.002	0.18	5.92	2.0	5.6	0.8	36.8	<0.01	0.17	0.4	0.010
CC20450		20.6	410	11.5	9.5	0.003	0.06	5.19	1.8	4.2	0.7	27.1	<0.01	0.12	1.4	0.009

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO

Finalized Date: 25-JUN-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07060639

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
CC202411		0.07	0.81	23	0.09	6.10	87	<0.5
CC202412		0.07	0.86	21	0.06	5.42	46	0.7
CC202413		NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202414		0.07	0.59	34	0.07	6.03	69	1.0
CC202415		NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202416		<0.02	<0.05	1	<0.05	0.28	24	<0.5
CC202417		0.03	0.25	6	<0.05	3.23	11	1.0
CC202418		0.02	0.29	3	<0.05	6.25	38	0.9
CC202419		0.03	0.40	9	<0.05	5.42	43	1.2
CC202420		0.02	0.17	3	<0.05	2.69	70	1.1
CC202421		0.07	1.39	37	0.07	11.70	110	2.8
CC202422		0.03	0.32	6	<0.05	7.65	76	1.7
CC202423		0.09	1.03	43	0.05	4.30	131	1.9
CC202424		0.02	0.33	4	<0.05	5.28	51	1.1
CC202425		0.07	2.02	37	0.05	4.85	144	2.7
CC202426		0.03	0.55	4	<0.05	1.49	156	1.3
CC202427		NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC202428		0.53	0.81	115	0.16	3.45	153	3.1
CC20295		0.14	1.37	42	0.08	16.60	116	1.5
CC20296		0.05	2.00	20	0.06	21.10	62	1.5
CC20297		0.17	7.59	155	0.06	8.13	376	3.4
CC20298		1.36	4.24	754	0.25	32.80	1730	1.5
CC20448		1.69	1.78	255	0.23	3.06	73	<0.5
CC20449		2.17	2.22	253	0.25	3.23	76	<0.5
CC20450		1.42	2.08	233	0.19	2.48	52	0.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g). NSS is non-sufficient sample.

APPENDIX III

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions Project: NiMo Property: Fox

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
C385627	UTM:	442411	E	UTM:	7420478	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: Fine grained, dark grey dolomite lens? With fine disseminated pyrite.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
C385638	UTM:	444351	E	UTM:	7426260	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: Dark black, gouge believed to be weathering product of NiMo horizon

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
C385639	UTM:	444351	E	UTM:	7426260	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: Fine grained, dark grey bioturbated shale - NiMo horizon?

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
C385640	UTM:	441004	E	UTM:	7422948	N	Sample Width:	Abundance: lat. Discon. Pinching to N.
	Elevation:		m					

Comments: Gouge like material, sulphide rich horizon (NiMo?)

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
B375553	UTM:	441623	E	UTM:	7422909	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: red fine grained hard shale

APPENDIX IV

GEOLOGICAL AND GEOTECHNICAL LOGS

NiMo PROJECT

PROPERTY: Fox

HOLE: FX07-01

Easting	Northing	Elev.	Depth (m)
442448	7420653	553	32.08

Contractor: North Star
Drill: MD-002

SURVEY							
Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
collar	110°	-75°	compass				

Core size: BTW
Casing depth: 9.14 (m) out

Drilling dates: August 28 to 29, 2007

Logged by: J. Lane

Target: _____

SUMMARY				
From (m)	To (m)	Interval	Unit	Comments
0.00	5.55	5.55	OVB	
5.55	32.00	26.45	OSR	

SAMPLES

Numbers:

Total: 0
Date sent:

COMMENTS

NiMo PROJECT

PROPERTY: Fox

HOLE: FX07-02

Easting	Northing	Elev.	Depth (m)
442197	7420757	549	106.68

Contractor: North Star
Drill: MD-002

SURVEY							
Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
collar	110°	-75°	compass				

Core size: BTW
Casing depth: 13.72 (m) out

Drilling dates: August 29 to 31, 2007

Logged by: J. Lane

Target: _____

SUMMARY				
From (m)	To (m)	Interval	Unit	Comments
0	5.92	5.92	OVB	
5.92	68.37	62.45	DME	
68.37	106.68	38.31	OSR	

SAMPLES

Numbers: G087036 - G087040

Total: 5
Date sent: Septemer 5, 2007

COMMENTS

PROPERTY: FOX **HOLE:** FX07-02

Struct.		LITHOLOGY								ALT.			MINERALS				SAMPLES							Blocks			GEOTECHNICAL						JOINTS					
																											REC		RQD									
Type	Attitude	From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	lim	als		car				From (m)	To (m)	Interval (m)	Sample	Ni (ppm)	Zn (ppm)	Mo (ppm)	From (m)	To (m)	Intvl. (m)	(m)	Percent	(m)	Percent	Weathering	Hardness	Frequency	Attitude	Shape	Roughness	Infilling	
		0.00	5.92	5.92	OVB																																
BD	80	5.92	22.05	16.13	SHL	DME	FG	BK	Very black organic rich shale easily	m																										
FX	5								scratched with a nail. Orange limonite																												
									alteration is visible on fractured surfaces.															6.10	9.14	3.04	0.70	23	0.00	0	HW	W	30	m	5	3	
																								9.14	12.19	3.05	1.75	57	0.20	7	HW	W	30	m	5	3	
																								12.19	15.24	3.05	2.90	95	0.15	5	HW	W	30	80	5	3	
									Around 17m thin white carbonate stringers															15.24	18.29	3.05	1.10	36	0.00	0	HW	W	30	80	5	3	
									are visible in the core roughly parallel to																												
																								18.29	21.34	3.05	2.65	87	1.20	39	MW	MS	10	30	2	3	
									Moderately hard medium grey																												
									carbonaceous horizon containing carbonate																												
BD	80	22.05	23.04	0.99	CBR	DME	FG	BK	veinlets showing limonite alteration.	m			l											21.34	24.38	3.04	2.87	94	0.96	32	MW	MS	12	30	2	2	
BD	80	23.04	34.54	11.50	SHL	DME	FG	BK	reaction to acid except for the occasional				t																								
									thin white carbonate stringers, but not all of																												
									these fizz. In general the rock is very soft-															24.38	27.43	3.05	2.83	93	1.08	35	W	MS	11	80	2	2	
									easily scratched with a nail and very																												
									uniform.																												
																								27.43	30.48	3.05	3.11	102	1.21	40	W	W	9	80	2	2	
																								30.48	33.53	3.05	3.14	103	1.08	35	W	W	10	80	2	2	
BD	80	34.54	43.30	8.76	CBR	DME	FG	BK	Slightly harder black carbonaceous shale.															33.53	36.58	3.05	2.90	95	1.49	49	W	W	12	80	2	2	
									In general it barely fizzes with acid.																												
																								36.58	39.62	3.04	3.01	99	1.89	62	W	W	13	80	2	2	
									At 39.08 the shale begins to have thin																												
									(1mm) thick white stringers. These however																												
									do not seem to fizz (while there is trace																												
									reaction to the surrounding black shale).																												
									These white stringers are as soft as the																												
									surrounding rock. At 39.73 begin t see 1-																												
									2cm thick lenses of lighter grey non-reactive																												
									rock spaced 10-15cm apart until 40.39m.																												
									These lenses have weak yellow staining (																												
									limonite?). Note that the core also becomes																												
									harder at this point.																												
																								39.62	42.67	3.05	3.15	103	2.02	66	FR	MS	8	80	2	2	

PROPERTY: FOX **HOLE:** FX07-02

Struct.		LITHOLOGY								ALT.			MINERALS				SAMPLES								Blocks			GEOTECHNICAL						JOINTS					
																												REC		RQD									
Type	Attitude	From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	lim	als		car				From (m)	To (m)	Interval (m)	Sample	Ni (ppm)	Zn (ppm)	Mo (ppm)	From (m)	To (m)	Intvl. (m)	(m)	Percent	(m)	Percent	Weathering	Hardness	Frequency	Attitude	Shape	Roughness	Infilling	
		43.30	68.37	25.07	SHL	DME	FG	BK	Moderatly hard black shale (not as organic rich as the above shale has been) The rock appears to be predominatly non-carbonaceous, though there is trace horizons (2%of rock) a few cm thick that wizz very weakly				t												42.67	45.72	3.05	3.03	99	1.15	38	FR	MS	9	80	3	2		
																								45.72	48.77	3.05	3.13	103	2.43	80	FR	MS	7	80	3	2		
									Broken surfaces at 47.55 have a glittery appearance in the sun. There are now visible sulfides thought. The remainder of the fractured surfaces show white aluminosilicate powder.		m												48.77	51.82	3.05	3.11	102	2.26	74	FR	W	6	80	2	2		
																								51.82	54.56	2.74	3.10	113	2.91	106	FR	W	6	80	3	2		
																								54.86	57.91	3.05	3.05	100	1.34	44	FR	MS	10	80	3	2		
																								57.91	60.96	3.05	3.04	100	1.71	56	FR	W	13	80	3	2		
									59.82- First appearance of quartz in a series of 1-5mm veinlets running roughly 5 deg to ca. In general it is very hard.																														
									At 60.70-60.71 there appears to be a milky clear soft material (gypsum?). It is quite soft and has weak limonite alteration . This gypsum floods into the core from 60.96-61.27, the surrounding rock isquite hard, but looks somewhat vuggy and altered.	w												60.96	64.01	3.05	6.97	229	2.10	69	FR	W	6	80	3	2		
																								64.01	67.06	3.05	2.97	97	0.37	12	FR	W	30	m	3	2		
																	66.30	67.30	1.00	G087036	184.5	39	69.5															
		68.37	73.10	4.73	SHL	OSR	FG	GY	Difficult to determine but may be the possible contact. The rock becomes much less organic rich in appearance. It becomes a medium to dark grey in colour, also the rock gradually becomes very hard- not being scratched by a nail. There are no sulfides visible in the core (nor has there been any up to this point)								67.30	68.30	1.00	G087037	366.0	323	83.9	67.06	70.10	3.04	3.01	99	1.88	62	FR	MS	12	80	3	2		
																	68.30	68.50	0.20	G087038	478.0	113	75.1															
									At 70.10-70.28m carbonate floods into the core. It is much softer than the surrounding rock.								68.50	69.50	1.00	G087039	519.0	2330	67.2															
																	69.50	70.50	1.00	G087040	427.0	1780	36.7	70.10	73.15	3.05	3.07	101	1.80	59	FR	S	10	75	2	2		
		73.10	106.68	33.58	SHL	OSR	FG	GY	At this point the core becomes slightly lighter in colour and becomes moderately to strongly carbonaceous. Thin (<1mm) white carbonate stringers occur 15-30 deg to ca.	ms															73.15	76.20	3.05	3.06	100	2.13	70	FR	S	7	75	2	2		
									From 76.05-roughly 78.40 there is trace to no reaction to acid				t											76.20	79.25	3.05	3.17	104	1.16	38	FR	S	13	75	2	2		
									From 78.40 to 93.18 the core is quite uniform with moderate reaction to acid.																														

PROPERTY: FOX **HOLE:** FX07-02

Struct.		LITHOLOGY								ALT.			MINERALS				SAMPLES							Blocks			GEOTECHNICAL						JOINTS					
																											REC		RQD									
Type	Attitude	From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	lim	als		car				From (m)	To (m)	Interval (m)	Sample	Ni (ppm)	Zn (ppm)	Mo (ppm)	From (m)	To (m)	Intvl. (m)	(m)	Percent	(m)	Percent	Weathering	Hardness	Frequency	Attitude	Shape	Roughness	Infilling	
																								79.25	82.30	3.05	3.15	103	2.15	70	FR	S	8	80	2	2	
																								82.30	85.34	3.04	3.10	102	2.45	81	FR	S	7	80	2	3	
																								85.34	88.39	3.05	3.14	103	1.51	50	FR	MS	12	75	2	1	
																								88.39	91.44	3.05	2.98	98	1.29	42	FR	MS	11	75	2	2	
																								91.44	94.50	3.06	3.00	98	0.67	22	FR	MS	30	80	2	2	
									At 93.18 the core does become less carbonate rich, but the rock has the same general appearance with very reactive carbonate stringer veins and moderately carbonaceous horizons within.																														
																								94.50	97.54	3.04	2.97	98	1.05	35	FR	MS	15	80	2	2	
									broken up. The fractured surfaces are somewhat graphitic looking with visible slickensides.															97.54	100.60	3.06	2.90	95	0.63	21	FR	MS	30	m	4	3	
									carbonate breccia with the wall rock fragments having trace to no reaction to acid. The wallrock fragments have trace to no reaction to acid. The remainder of the hole is quite uniform wuth trace to no acid reaction. The exception to this being the carbonate stringer veins.				t											100.60	103.63	3.03	2.92	96	0.69	23	FR	MS	30	m	4	3	
																								103.63	106.68	3.05	3.01	99	0.32	10	FR	MS	30	80	3	2	
		106.68							END OF HOLE																													

NiMo PROJECT

PROPERTY: Fox

HOLE: FX07-03

Easting	Northing	Elev.	Depth (m)
442337	7423398	550	210.31

Contractor: North Star
Drill: MD-002

SURVEY							
Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
collar	110°	-75°	compass				

Core size: BTW
Casing depth: 12.19 (m) out

Drilling dates: August 31 to September 2, 2007

Logged by: J. Lane

Target: _____

SUMMARY				
From (m)	To (m)	Interval	Unit	Comments
0.00	113.56	113.56	DME	
113.56	210.31	96.75	OSR	

SAMPLES

Numbers: G087041 - G087048

Total: 8
Date sent: September 5, 2007

COMMENTS

PROPERTY: FOX **HOLE:** FX07-03

Struct. Type	Struct. Attitude	LITHOLOGY From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	ALT. lim			MINERALS car	py			SAMPLES From (m)	To (m)	Interval (m)	Sample	Ni (ppm)	Zn (ppm)	Mo (ppm)	Blocks From (m)	To (m)	Intvl. (m)	GEOTECHNICAL REC (m)	REC Percent	RQD (m)	RQD Percent	Weathering	Hardness	JOINTS Frequency	Attitude	Shape	Roughness	Infilling
		0.00	14.81	14.81	SHL	DME	FG	BK	Fine grained very hard shale with orange limonite staining o fractured surfaces. Very uniform with few to no carbonate stringers.	m														0.00	12.19	12.19	0.90	7	0.00	0	VW	W					
																								12.19	15.24	3.05	3.05	100	0.80	26	MW	W	30	80	1	2	Cb
		14.81	15.24	0.43	CBR	DME	FG	GY	very carbonaceous light grey rock that is very hard.				l																								
		15.24	45.82	30.58	SHL	DME	FG	BK	Very hard black shale with generally weak carbonate content and moderate medium grey carbonate horizons. Very thin carbonate stringers occur parallel to bedding and are <1mm thick- occur every 1-5mm. The rocks look quite uniform and are very competent. Note that the carbonate horizons appear to be slightly coarser grained starting to see small grains with the unaided eye.				w																												
																								15.24	18.29	3.05	3.00	98	0.21	7	MW	MS	20	80	1	2	Cb
																								18.29	21.34	3.05	3.05	100	0.69	23	SW	S	20	80	1	2	Cb
																								21.34	24.38	3.04	3.05	100	2.70	89	FR	S	10	80	1	2	Cb
																								24.38	27.43	3.05	3.05	100	3.00	98	FR	S	10	80	1	2	Cb
																								27.43	30.48	3.05	3.05	100	2.28	75	FR	S	10	80	2	2	Cb
																								30.48	33.53	3.05	3.05	100	2.74	90	FR	S	5	80	1	2	Cb
																								33.53	36.58	3.05	3.05	100	1.97	65	FR	S	5	80	1	2	Cb
																								36.58	39.62	3.04	3.05	100	2.71	89	FR	S	10	75	1	2	Cb
									which shows some layering with darker shale - top surfaces are non-linear somewhat swaley.															39.62	42.67	3.05	3.05	100	3.00	98	FR	S	5	75	1	2	Cb
																								42.67	45.72	3.05	3.05	100	1.98	65	FR	S	10	75	1	2	Cb
									At 44.95 there is a white carbonate band- quite massive looking.																														
		45.82	80.29	34.47	SHL	DME	FG	BK	Black very hard, competent shale with no carbonate stringers thin 1-3cm medium grey fine to medium grained carbonate horizons spaced every 1-1.5m in the core. They in general have irregular upper and lower contacts, in some cases they fine upwards but fining downwards is also noticed.					t										45.72	48.77	3.05	3.05	100	1.74	57	FR	VS	10	75	1	2	Qz+Cb
																								48.77	51.82	3.05	3.05	100	0.89	29	FR	VS	20	80	1	2	A
																								51.82	54.86	3.04	3.05	100	0.51	17	FR	VS	20	80	1	2	A
																								54.86	57.91	3.05	3.05	100	0.22	7	FR	VS	20	80	1	2	A
																								57.91	60.96	3.05	3.05	100	1.22	40	FR	VS	10	80	1	3	A

PROPERTY: FOX **HOLE:** FX07-03

LITHOLOGY										ALT.			MINERALS				SAMPLES								Blocks			GEOTECHNICAL						JOINTS				
Struct.																												REC		ROD								
Type	Attitude	From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	lim			car	py			From (m)	To (m)	Interval (m)	Sample	Ni (ppm)	Zn (ppm)	Mo (ppm)	From (m)	To (m)	Intvl. (m)	(m)	Percent	(m)	Percent	Weathering	Hardness	Frequency	Attitude	Shape	Roughness	Infilling
																								60.96	64.01	3.05	3.05	100	0.52	17	FR	VS	15	80	1	2	A
									65.92 the first appearance to pyrite. Is in the form of a fine band <1mm thick. They occur sparsely in the core.														64.01	67.06	3.05	3.05	100	1.20	39	FR	VS	10	80	1	2	A
																								67.06	70.10	3.04	3.05	100	1.13	37	FR	VS	10	80	1	2	A
									69.19- 69.56- medium grey carbonate horizon containing 2 3mm thick white medium grained carbonate beds. At 69.56- the shale itself does not appear to have any carbonate while there are 1-3cm carbonate beds spaced every roughly 50cm.														70.10	73.15	3.05	3.05	100	1.08	35	FR	VS	10	80	1	2	A
																								73.15	76.20	3.05	3.05	100	1.34	44	FR	VS	10	85	1	2	A
																								76.20	79.25	3.05	3.05	100	0.62	20	FR	VS	10	85	1	2	A
		80.29	80.54	0.25	SHL	DME	FG	BX	80.29-80.54 there is a carbonate breccia. Clasts are weakly carbonaceous angular and rather rectangular (elongate) in shape upper 7cm contains very fine-grained sulfides. Matrix consists of white carbonate.				w				79.79	80.29	0.50	G087041	267	3350	79.6	79.25	82.30	3.05	3.05	100	0.58	19	FR	VS	20	80	1	2	A
		80.54	113.56	33.02	SHL	DME	FG	BK					t				80.29	80.54	0.25	G087042	251	3600	70.1														
									Similar shale as above however it does seem to have a higher concentration of thin carbonate beds giving the overall rock trace to weak carbonate reaction. The concentration of grey 1-3cm carbonate layers seems to be increasing in concentration. Now seem to occur every 10-15cm Very thin pyrite layers <1mm and often quite faint looking are visible one every roughly meter.								80.54	81.04	0.50	G087043	262	5130	83.5														
																								82.30	85.34	3.04	3.05	100	1.19	39	FR	VS	25	75	1	2	A
																								85.34	88.39	3.05	3.05	100	1.18	39	FR	VS	15	80	1	2	A
																								88.39	91.44	3.05	3.05	100	1.28	42	FR	VS	10	80	1	2	Cb
																								91.44	94.49	3.05	3.05	100	1.79	59	FR	VS	10	80	1	2	A
									Around 93.04 the carbonate concentration in the core decreases to trace to no reaction with few medium grey carbonate layers. Pyrite is still in thin layers every roughly 1m. From 93.01-93.02 there is a layered pyrite horizon somewhat granular in appearance.																													
									Around 95.03 start to see less of the medium grey 1-3cm layers and darker grey 0.5-1cm moderately carbonaceous and spaced 10-15cm apart. These become more closely packed around 102.32m.														94.49	97.54	3.05	3.05	100	1.59	52	FR	VS	10	80	1	2	A
																								97.54	100.58	3.04	3.05	100	0.48	16	FR	VS	20	85	1	2	A

PROPERTY: FOX **HOLE:** FX07-03

LITHOLOGY										ALT.			MINERALS				SAMPLES								Blocks			GEOTECHNICAL						JOINTS				
Struct.																												REC		ROD								
Type	Attitude	From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	lim			car	py			From (m)	To (m)	Interval (m)	Sample	Ni (ppm)	Zn (ppm)	Mo (ppm)	From (m)	To (m)	Intvl. (m)	(m)	Percent	(m)	Percent	Weathering	Hardness	Frequency	Attitude	Shape	Roughness	Infilling
									104.95- there is a swirly looking carbonate band (it looks like a meandering stream) 1cm thick running generally parallel t bedding (80 deg to ca).																													
																								100.58	103.63	3.05	3.05	100	1.14	37	FR	VS	20	80	1	2	A
									107.20 there is a decrease in the concentration of grey carbonate horizons now only trace in the core . Pyrite bands are now getting slightly thicker up to 0.5cm but they have generally fuzzy upper and lower contacts- they are not as concentrated.				t																									
																								103.63	106.68	3.05	3.05	100	2.19	72	FR	VS	20	80	1	2	A
																								106.68	109.73	3.05	3.05	100	2.50	82	FR	VS	10	80	1	2	A
																								109.73	112.78	3.05	3.05	100	2.11	69	FR	VS	15	80	1	2	A
		113.56	117.62	4.06	SHL	OSR	FG	BK	From 113.56- 113.84 there is a very faint carbonate breccia. Both the black angular shale fragments and the white carbonate matrix fizz strongly. The breccia seems quite compact making if difficult to see from a distance. Below this point there is faint disseminated pyrite throughout and it looks like if could be matrix down until 114.02. From this point on there is a noticible competence change. Can now see very long 50-75cm lengths of core where as before they were generally 15-20cm.				s	t												112.78	115.82	3.04	3.05	100	2.30	76	FR	VS	5	80	1	2	A
																	114.56	115.56	1.00	G087044	242	1570	40.2														
																	115.56	116.56	1.00	G087045	249	1960	57.4	115.82	118.87	3.05	3.05	100	2.52	83	FR	VS	5	80	1	2	A
		117.62	201.62	84.00	SHI	OSR	FG	BK	At 117.62 begn to see light grey nodules (nodular shale?) 1cm thick and 3-4cm wide. They are coarbonaceous and roughly 5-10 cm apart, and continue until 118.82								116.56	116.84	0.28	G087046	293	1710	39.7																
																	116.84	117.84	1.00	G087047	210	1000	26.4														
									By 120.74 the rock becomes consistently carbonaceous. It is black and extremely hard as above. Do not see as many grey carbonate horizons. Pyrite layers are increasing in abundance one every 40-50cm 1-7mm thick. See the occasional white carbonate- generally in an isolated fragment roughly 0.5cm large. Do not see the thin grey layers as in above sections of core. It is very uniform and very competent.								117.84	118.94	1.10	G087048	187.5	741	10.9	118.87	121.92	3.05	3.05	100	3.00	98	FR	VS	5	80	1	2	A
																								121.92	124.97	3.05	3.05	100	3.00	98	FR	VS	5	80	1	2	A
																								124.97	128.02	3.05	3.05	100	3.00	98	FR	VS	5	80	1	2	A
																								128.02	131.06	3.04	3.05	100	3.00	99	FR	VS	5	80	1	2	A
																								131.06	134.11	3.05	3.05	100	3.00	98	FR	VS	5	80	1	2	A
									At 134.75 see jagged somewhat crystalline looking white carbonate. Possibl infilling cracks in the rock?														134.11	137.16	3.05	3.05	100	2.97	97	FR	VS	10	80	1	2	A
																								137.16	140.21	3.05	3.05	100	2.50	82	FR	VS	5	75	2	3	Cb

PROPERTY: FOX **HOLE:** FX07-03

Struct. Type	Struct. Attitude	LITHOLOGY From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	ALT. lim			MINERALS car	py			SAMPLES From (m)	To (m)	Interval (m)	Sample	Ni (ppm)	Zn (ppm)	Mo (ppm)	Blocks From (m)	To (m)	Intvl. (m)	GEOTECHNICAL REC (m)	REC Percent	RQD (m)	RQD Percent	Weathering	Hardness	JOINTS Frequency	Attitude	Shape	Roughness	Infilling
									From 140.36-140.67 there is another strange white carbonate section. It looks to be filling voids. The rock again has a somewhat crystalline appearance.																													
									141.80-142.05 there is a somewhat layered looking carbonate shale. Medium grey in colour. Somewhat granular. There are no consistent layers they are more zone like. Pyrite is now in up to 1cm thick layers every 50-75cm.															140.21	143.26	3.05	3.05	100	2.70	89	FR	VS	15	85	1	2	A
																										143.26	146.30	3.04	3.05	100	2.75	90	FR	VS	5	80	1	2	A
																										146.30	149.35	3.05	3.05	100	2.44	80	FR	VS	5	80	1	2	A
									crystalline (look like radial ice crystals) in indistinct layers roughly 80 deg to ca. See this again from 161.75-161.24m. Start to see higher concentration of crystalline looking angular blobs of white carbonate up to 5cm thick occurring every 3m.															149.35	152.40	3.05	3.05	100	2.29	75	FR	VS	5	80	1	2	Cb
																										152.40	155.45	3.05	3.05	100	2.47	81	FR	VS	5	80	1	2	A
																										155.45	158.50	3.05	3.05	100	2.57	84	FR	VS	5	80	1	2	A
																										158.50	161.54	3.04	3.05	100	2.76	91	FR	VS	5	80	1	2	A
																										161.54	164.59	3.05	3.05	100	3.05	100	FR	VS	3	85	1	2	A+Cb
																										164.59	167.64	3.05	3.05	100	2.71	89	FR	VS	5	85	1	2	A
																										167.64	170.69	3.05	3.05	100	2.87	94	FR	VS	5	85	1	2	Cb
																										170.69	173.74	3.05	3.05	100	2.61	86	FR	VS	5	85	1	2	A
																										173.74	176.78	3.04	3.05	100	3.02	99	FR	VS	5	85	1	2	A
																										176.78	179.83	3.05	3.05	100	2.69	88	FR	VS	5	60	1	2	A
																										179.83	182.88	3.05	3.05	100	3.05	100	FR	VS	5	85	1	2	A
																										182.88	185.93	3.05	3.05	100	3.05	100	FR	VS	5	85	1	2	Cb
																										185.93	188.98	3.05	3.05	100	2.76	90	FR	VS	7	85	1	2	Py+Cb
									188.73 there is a 3cm thick pyrite band somewhat crystalline looking. It may be replacing carbonate crystals. Around 188.50 there is a decrease in the concentration of carbonate in the core to trace				t											188.98	192.02	3.04	3.05	100	2.51	83	FR	VS	5	85	1	2	Py+Cb

PROPERTY: FOX **HOLE:** FX07-03

Struct.		LITHOLOGY								ALT.			MINERALS				SAMPLES							Blocks			GEOTECHNICAL						JOINTS				
																											REC		RQD									
Type	Attitude	From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	lim			car	py			From (m)	To (m)	Interval (m)	Sample	Ni (ppm)	Zn (ppm)	Mo (ppm)	From (m)	To (m)	Intvl. (m)	(m)	Percent	(m)	Percent	Weathering	Hardness	Frequency	Attitude	Shape	Roughness	Infilling
									191.00 begin to see white layers and lenses of crystalline looking carbonate 0.5-1cm thick with irregular contacts spaced every 30-50cm. Also begin to see some carbonate veinlets perpendicular to bedding.															192.02	195.07	3.05	3.05	100	2.90	95	FR	VS	5	60	2	3	Py+Cb
																								195.07	198.12	3.05	3.05	100	2.70	89	FR	VS	5	60	2	3	Cb
																								198.12	201.17	3.05	3.05	100	2.89	95	FR	VS	5	85	1	2	A
									At 200m begin to see thin flakes of pyrite in the core roughly 3%.																														
		201.62	210.31	8.69	SHL	OSR	FG	BK	Core becomes mottled medium grey with zones of colour variation roughly 50cm thick. The upper and lower contacts of colour variation seem somewhat mixed and fragmented. Faint layers are visible within. Also contains 2cm quite altered looking carbonate veins running perpendicular to bedding (5 deg to ca). This continues to the end of hole.															201.17	204.22	3.05	3.05	100	2.64	87	FR	VS	5	85	2	3	A
																								204.22	207.26	3.04	3.05	100	3.05	100	FR	VS	5	85	2	3	Cb
																								207.26	210.31	3.05	3.05	100	2.36	77	FR	VS	3	85	3	3	Cb
		210.31							END OF HOLE!																												

NiMo PROJECT

PROPERTY: Fox

HOLE: FX07-04

Easting	Northing	Elev.	Depth (m)
442940	7424258	581	76.20

Contractor: North Star
Drill: MD-002

SURVEY							
Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
collar	110°	-75°	compass				

Core size: BTW
Casing depth: 12.19 (m) out

Drilling dates: September 2 to 3, 2007

Logged by: J. Lane

Target: _____

SUMMARY				
From (m)	To (m)	Interval	Unit	Comments
0.00	6.03	6.03	OVB	
6.03	35.52	29.49	DME	
35.52	76.20	40.68	OSR	

SAMPLES

Numbers: G087049 - G087054

Total: 6
Date sent: September 5, 2007

COMMENTS

PROPERTY: FOX **HOLE:** FX07-04

Struct. Type	Struct. Attitude	LITHOLOGY From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	ALT.			MINERALS car				SAMPLES From (m)	To (m)	Interval (m)	Sample	Ni (ppm)	Zn (ppm)	Mo (ppm)	Blocks From (m)	To (m)	Intvl. (m)	GEOTECHNICAL REC (m)	REC Percent	RQD (m)	RQD Percent	Weathering	Hardness	JOINTS Frequency	Attitude	Shape	Roughness	Infilling
		0.00	6.03	6.03	OVB																															
BD	80	6.03	23.01	16.98	SHL	DME	FG	BK	Fine grained, slightly soft (can just scratch with a nail) black shale. The core is somewhat fissile breaking into 1-5cm pieces. In general the core does not fizz but does contain thin medium grey carbonate bands 1-3cm thick spaces 50-75cm apart.				w											6.10	9.14	3.04	0.15	5	0.00	0	S	MS	>15	M	3	3	als
FX	5																																			
																								9.14	12.19	3.05	1.95	64	0.00	0	FR	MS	>15	80	2	2	als
																								12.19	15.24	3.05	2.47	81	0.11	0	FR	MS	>15	80	2	2	als
																								15.24	18.28	3.04	3.01	99	0.99	0	FR	MS	>15	80	2	2	als
																								18.28	21.35	3.07	3.06	100	1.22	0	FR	MS	13	80	2	2	als
																								21.35	24.38	3.03	2.98	98	1.53	0	FR	S	11	5	2	3	als
		23.01	67.06	44.05	SHL	DME	FG	BK	Slightly more competent (7-15cm pieces) black shale that also appears to be quite hard (can not scratch with a nail). The rock is in general non-carbonaceous although it contains some 1-2cm light grey carbonate horizons along with very thin 1mm indistinct carbonate beds with in the shale that fizz. They are very slightly lighter in colour than the shale and occur every 10-15cm. Also begin to see trace 1mm thick pyrite beds parallel to bedding occurring every roughly 30-50cm.																			24.38	27.43	3.05	3.09	101	1.60	0	FR	S	9	5	2	3	als
																								27.43	30.48	3.05	3.01	99	1.97	0	FR	S	6	5	2	2	als
																								30.48	33.53	3.05	3.11	102	2.58	0	FR	S	4	5	2	2	als
																	33.52	34.52	1.00	G087049	251	2820	74.5													
																	34.52	35.52	1.00	G087050	260	3030	78.6	33.53	36.58	3.05	3.02	99	1.76	1	FR	S	7	5	2	2	car
																	35.52	35.71	0.19	G087051	224	2860	62.5													
		35.52	52.15	16.63	SHL	OSR	FG	BK	Rock is now becoming moderately carbonaceous. There is a slight increase in competency around 43m where you start seeing 30-40cm pieces of core. The core is still very hard and contains medium grey carbonaceous horizons. Also still see thin pyrite beds 1mm thick. There don't appear to be any carbonate veinlets through the core. The rock becomes strongly carbonaceous at 41.53m. While the other characteristics remain the same.																35.71	36.71	1.00	G087052	282	3750	88.1													
																	36.71	37.71	1.00	G087053	271	3470	87.3	36.58	39.62	3.04	3.06	101	2.32	1	FR	S	4	5	2	2	car
																	BLANK			G087054	2.3	27	0.73													
																								39.62	42.67	3.05	2.95	97	1.61	1	FR	S	8	5	3	3	car
																								42.67	45.72	3.05	3.08	101	2.05	0	FR	S	4	5	2	3	car
																								45.72	48.77	3.05	3.03	99	2.33	0	FR	S	4	5	2	2	car
																								48.77	51.82	3.05	2.69	88	1.07	1	FR	S	10	75	3	2	car
																								51.82	54.87	3.05	3.05	100	1.85	0	FR	S	7	5	2	2	als
		52.15	67.06	14.91	SHL	OSR	FG	BK	The rock has become only slightly carbonaceous also it appears to be slightly less competent while it is still very hard. It still contains med grey carbonaceous horizons a few cm. Thick and it still contains thin (1mm) pyrite laminar. Also the black shale contains very bark grey in colour and spaced 10-15 cm apart.																			54.87	57.91	3.04	3.11	102	2.19	0	FR	S	5	5	3	3	als
																								57.91	60.93	3.02	2.68	89	1.21	1	FR	S	6	80	2	2	als

PROPERTY: FOX **HOLE:** FX07-04

Struct.		LITHOLOGY								ALT.			MINERALS				SAMPLES							Blocks			GEOTECHNICAL						JOINTS					
																											REC		RQD									
Type	Attitude	From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:				car				From (m)	To (m)	Interval (m)	Sample	Ni (ppm)	Zn (ppm)	Mo (ppm)	From (m)	To (m)	Intvl. (m)	(m)	Percent	(m)	Percent	Weathering	Hardness	Frequency	Attitude	Shape	Roughness	Infilling	
									From 60.80- 60.85 see thin white carbonate stringers flooding the core. This carbonate appears intermittently in the core.															60.93	64.01	3.08	2.91	94	2.35	2	FR	S	4	80	2	2	car
									61.75-61.83 somewhat brecciated shale with quite a lot of pyrite in it and quite fragmented looking. Some of the white carbonate bands are starting to look somewhat crystalline. Also the pyrite now appears in 1cmx0.5cm blebs occasionally in the core.															64.01	67.06	3.05	3.12	102	2.39	2	FR	S	4	10	2	2	car
		67.06	76.20	9.14	SHL	OSR	FG	BK	Core begins to fizz strongly. See 0.5-1cm thick pyrite layers somewhat disseminated looking (not massive). Also see some grey carbonate horizons from 67.40-67.76m. The core is quite uniform and massive.															67.06	70.10	3.04	3.05	100	2.53	2	FR	S	3	10	2	2	car
																								70.10	73.15	3.05	2.82	92	2.49	2	FR	S	3	10	2	2	car
																								73.15	76.20	3.05	3.15	103	3.05	3	FR	S	1	10	2	2	car
		76.20							END OF HOLE!																												