

GEOCHEMICAL - GEOPHYSICAL

REPORT

COFFEE 1 - 16 CLAIMS
YC46734 - YC46749

COFFEE 17 - 36 CLAIMS
YC53949 - YC53968

COFFEE 37 - 92 CLAIMS
YC54445 - YC54500

COFFEE 93 - 112 CLAIMS
YC60164 - YC60183

NTS # 115 J \ 14

LAT: 62° 53 N

LONG: 139° 20 W

WHITEHORSE MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED AUGUST 14 to AUGUST 22, 2007

DATE OF REPORT JANUARY 20, 2008

TABLE OF CONTENT

1.0	Summary	p.3
2.0	INTRODUCTION	p.3
3.0	PROJECT LOCATION	p.3
4.0	ACCESS	p.3
5.0	GEOLOGY	p.4
5.1	REGIONAL GEOLOGY	p.5
	GEOLOGY DESCRIPTION	p.6
6.0	WORK PERFORMED / METHODS	p.7
6.1	Soil Survey	p.7
6.2	Magnetic Survey	p.8
7.0	INTERPRETATION	p.8
7.1	Soil Survey	p.8
7.2	Magnetic Survey	p.8
8.0	RECOMMENDATION	p.9
9.0	REFERENCES CITED	p.9
10.0	Cost	p.9
11.0	Qualification	p.10
	Claim Location Map	p.11
	Soil Location Map	Figure 1
	Magnetic Survey Map	Figure 2
	Gold Soil geochemistry map	Figure 3
	Arsenic Soil geochemistry map	Figure 4
	Antimony Soil geochemistry map	Figure 5
	Assay Data and GPS Locations	Appendix

1.0 SUMMARY

The Coffee Project 2007 field exploration program consists of a five man crew all employees of Ryanwood Exploration Inc., mobilizing to the claim block on August 14, 2007 and demobilizing on August 22. The 2007 field work consists of putting in a total of 36.8 kilometers of a flagged grid, running a magnetic survey and collecting 810 soils.

2.0 INTRODUCTION

The Coffee Project had 810 soil collected in three different areas on the Coffee claims. The objective was to expand the 2006 soil anomaly and to check for anomalous soil values on the western and eastern part of the claim block.

3.0 LOCATION

The Coffee Project is located at the headwaters of Halfway Creek; it's in Whitehorse Mining Division, on NTS # 115 J / 14. The latitude 62°53'N and longitude 139°20'W.

The Coffee Claims are located 130 kilometers south of Dawson City or 97 kilometers north east of Beaver Creek.

4.0 ACCESS

The Coffee claims can be reached via helicopter from Dawson City

5.0 REGIONAL AND PROPERTY GEOLOGY

5.1 REGIONAL GEOLOGY

(Excerpts from Assessment report 094174, Deltango)

The Dan, Man and Indy Claims are in a poorly exposed area of Schist-Gneiss unit (Tempelman-Kluit, 1974) along the northeast contact of the Coffee Creek granite, part of the Cretaceous Dawson Range Batholith (Gordey and Makepeace, 2000). Due to the poor exposure only a general reconnaissance could be carried out in the time available. The geology of the properties is outlined on Plates 1 (Dan Claims) and 2 (Man and Indy Claims) in Appendix D and an overview of the entire area is compiled on Figure 9.


The Dan and Man Claims are underlain mainly by metamorphic rocks. Two sequences predominate. The first is a biotite and hornblende-bearing mafic schist with subordinate interlayered felsic schists with augen of feldspar in a fine grained gneissic matrix. These rocks are thought to be mafic and felsic meta-volcanic rocks. Interlayered are minor amounts of marble and calcareous meta-sedimentary schists. The second sequence consists of a body of quartz-feldspar-muscovite-biotite augen schist to gneiss with a strong planar foliation. This body is generally compositionally homogeneous, although there are textural variations from area to area within it. The body is thought to be a deformed granitoid body, similar to and perhaps related to the felsic schists of the first sequence. The meta-volcanic sequence is found along the entire 25 km strike length spanned by the Dan-Man-Indy property. The felsic schist sequence is restricted to the central 5 km of that strike length. The overall impression of this sequence is of a mafic > felsic meta-volcanic pile intruded by comagmatic meta-granitoids. In the southwest of the property, at the south end of the Indy Claims, is a sequence of dark bluish-grey micaceous quartzites perhaps related to the Nasina quartzite (Tempelman-Kluit, 1974). The relationship of these quartzites to the meta-volcanic sequence is unclear, but the general south dip suggests the quartzites overlie the metavolcanics.

The topographically highest and most southerly parts of the Dan and Man Claims are underlain by coarse-grained, massive, quartz-biotite-hornblende granite to granodiorite of the Coffee Creek granite (Tempelman-Kluit, 1974). Outcrop of this unit consists of isolated tors with intervening tundra-covered boulder fields and felsenmeer. The contact with the schists to the north is poorly exposed, but was observed in one location. The granitic rock there is sheared and foliated within about 1.5 m of the contact and classic, quartz-ribbon, mylonite textures were noted within 0.5 m of the contact. The contact dips gently south, parallel to the foliation of the schists north of the granite.

This very unexpected contact relationship suggests that the granite may overlie the south dipping Schist-Gneiss unit along a structural contact.

Immediately north of the granitic body, exposure is non-existent but persistent float of weakly foliated, garnet bearing, quartz muscovite rock and altered meta-basic igneous rocks with minor sulphides were found, particularly in the saddles east and west of the head of Halfway Creek. On the Man Claims, a garnet-bearing felsite dike, texturally similar to the garnet-bearing float in the contact zone, was found in the Coffee Creek granite, suggesting these garnet-bearing rocks may be late stage differentiates related to the granite. Float from this assemblage was found all along the 15 km stretch of granite contact. Where it is developed, abundant garnet was noted in pan concentrates.

A small body of diorite along Halfway Creek is of unknown age. It is generally unfoliated and could be a member of the early-Mesozoic suite. No other candidates for this suite are known on the property however, the foliated granitic rock on the Indy Claims might belong to this suite rather than being an extension of the Coffee Creek granite as portrayed on Figure 9.



Yukon Geology Map

YTG Geology Description

LOWER EOCENE

IES

IES: SKUKUM

various felsic volcanic dykes, plugs, domes, laccoliths and flows (1) and (2)

2. heterogeneous intermediate to felsic, hornblende-feldspar porphyritic tuff, flow breccia; volcanoclastic mudstone, sandstone and conglomerate; aphanitic to feldspar porphyritic dacite flows and dykes; flow-banded rhyolite and felsic dykes and sills (**Mount Creedon Volcanics, some strata formerly mapped as Mt. Nansen Gp.**)

MID-CRETACEOUS

mKW

mKW: WHITEHORSE SUITE

grey, medium to coarse grained, generally equigranular granitic rocks of felsic (q), intermediate (g), locally mafic (d) and rarely syenitic (y) composition

- g. biotite-hornblende granodiorite, hornblende quartz diorite and hornblende diorite; leucocratic, biotite hornblende granodiorite locally with sparse grey and pink potassium feldspar phenocrysts (**Whitehorse Suite, Casino granodiorite, McClintock granodiorite, Nisling Range granodiorite**)

EARLY JURASSIC

EJgA

EJgA: AISHIHIK SUITE

medium- to coarse- grained, foliated biotite-hornblende granodiorite; biotite rich screens and gneiss schlieren; foliated hornblende diorite to monzodiorite with local K-feldspar megacrysts; may include unfoliated monzonite of the Long Lake Suite (**Aishihik Suite**)

DEVONIAN TO CRETACEOUS?




PMW: WINDY

oceanic assemblage of ultramafic rocks (1), greenstone (2), chert (3) and carbonate (4) and metamorphosed equivalents? (5)

1. dun-brown weathering, dark green to black, partly serpentinized massive harzburgite and dunite

DEVONIAN, MISSISSIPPIAN AND(?) OLDER



DMN: NASINA

graphitic quartzite and muscovite quartz-rich schist (1), (3)-(5), and(?) (6) with interspersed marble (2) and probable correlative successions (7) - (9)

3. quartzite, micaceous quartzite, quartz muscovite (+/-chlorite; +/- feldspar augen) schist, and minor metaconglomerate and metagrit as in (1), but may locally include significant Nisling Assemblage

6.0 WORK PERFORMED / METHODS

6.1 Soil Survey

The Coffee Project had 27 man days of soil work collecting 810 soils.

All soil sample where taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil sample location where marked on the ground with orange flagging and recorded in Garmin GPS. About 400-500 grams of soil was collected and place in well mark kraft soil bags.

All samples where brought out to Dawson and air dried repacked in rice bags and sent to Acme Labs in Vancouver. Sample where process with Aqua Regia ICP-MS for 36 elements.

The GPS where downloaded every night and store in a personal computer.

6.2 Magnetic Survey

The magnetic survey was conducted across the entire grid. The survey uses two GEM proton precessions GSM - 19 T magnetometers. One is the portable field unit and the second is a base station magnetometer that records reading every 15 seconds at a stationary position for the entire survey. The base station monitors the earth daily magnetic drift. At the end of each daily survey both the field and base station magnetometers are plugged in together and the daily drift is corrected out of the field magnetometer.

Only the corrected data is used to plot the survey results. The field survey took reading every 12.5 meters for a total of 2944 readings. The magnetic survey read 36.8 kilometers of survey lines covering a area of 2.2 kilometers by 1.6 kilometers.

The magnetic range for the entire survey was a low of 57167 gammas to a high of 57285 gammas.

7.0 INTERPRETATION

7.1 Soil Survey

The soil results indicate the central grid has expanded the 2006 gold soil anomaly to now covering 1900 meters by 1800 meters and still open in all direction. The arsenic soil anomaly is mirroring the gold anomaly. The antimony soil anomaly is covering the eastern haft of the large gold anomaly.

The two outer edge grids also produce anomalous gold anomalies. The western grid also had anomalous arsenic but no antimony and the eastern grid had only anomalous gold with no indicator minerals of arsenic or antimony.

7.2 Magnetic Survey

The magnetic survey indicated regional northwest- southeast magnetic high trends. These may be caused by potential intrusive dikes or a more slightly calcareous rock unit that is being lightly skarnified. No real geological mapping has taken place so it's hard to tell exactly what the cause. The magnetic survey also has shown a large magnetic high building in the north east corner of the survey grid.

8.0 RECOMMENDATION

I would recommend a large soil grid covering the entire property. I would also cover the entire property with the ground magnetic survey. The final recommendation would be to start a small trenching program over the higher gold soil anomalies at this point the trenching could be evaluated by a qualified geologist.

9.0 REFERENCES CITED

YTG Assessment report 094174, Deltango

10.0 COST

Wage 27 man days @ \$325.00 per day (Contracting)	\$8,775.00
Assay Cost 810 soil @ \$20.00 per sample	\$16,200.00
Mobe / Demobe 8 man days @ \$200.00 per day(Contracting)	\$1,600.00
Food 35 days @\$35.00 per day	\$1,225.00
Magnetic Survey 36.KL @ \$250.00 KL	\$9,000.00
Helicopter Travel 7.8 hours @ \$1250.00	\$9,750.00
Freight Gear 2 boat trips @ \$550.00 per trip	\$1,050.00
Report writing	\$500.00
Total	\$48,100.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson City.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked the last 8 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and VLF surveys.


I have overseen the entire Coffee Project and was party chief in charge.


I own 100% of the Coffee Claims.

Dated this 20 of January 2008 in Dawson City, Yukon.

Respectfully submitted


Shawn Ryan








RyanWood Exploration

S. Ryan	Coffee 2007 Soils
115 J / 14	Location Map
Date: 20/1/2008	Figure 1
Scale: 1:50000	UTM Zone 7 (NAD 83)
0 0.5 1 2 Kilometres	









Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 16319	Nad 83-07V	585585	6974327	0.9	13.1	9.6	34	0.05	11.5	5.6	641	1.83	17.3
CFC 17497	Nad 83-07V	585251	6974853	0.6	9.8	9.8	53	0.05	15.1	8.3	299	1.93	22.6
CFC 17499	Nad 83-07V	585389	6974324	0.5	20.1	10.2	48	0.05	21.4	9.8	341	2.67	75.8
CFC 17784	Nad 83-07V	583384	6974399	1.2	22.8	9	54	0.05	36.1	14.4	488	3.12	20.2
CFC 17785	Nad 83-07V	583391	6974449	1	18.1	7.4	49	0.05	55.1	12.7	425	2.67	38.6
CFC 17815	Nad 83-07V	586337	6973814	0.8	19.7	10.3	49	0.05	20.1	11	478	2.74	11.1
CFC 17816	Nad 83-07V	586524	6973694	1.5	22.9	16.9	59	0.1	24.1	11.9	450	3.73	31.6
CFC 17817	Nad 83-07V	586519	6973645	1.5	23	16.4	57	0.1	26.3	12.4	618	3.39	35
CFC 17818	Nad 83-07V	586507	6973545	1.1	27.3	16.1	55	0.1	27.7	10.5	494	2.92	54
CFC 17819	Nad 83-07V	586308	6973569	0.9	19.1	9.7	58	0.1	23.1	10.5	797	2.86	16.8
CFC 17820	Nad 83-07V	586314	6973613	1	18.4	9.1	54	0.2	20.4	9.6	417	2.61	14.2
CFC 17821	Nad 83-07V	586319	6973665	1	20.7	9	52	0.2	21.1	9.6	404	2.75	13.7
CFC 17822	Nad 83-07V	586326	6973714	0.6	15.9	7.3	42	0.05	16.6	6.9	283	2.08	7.7
CFC 17823	Nad 83-07V	586331	6973764	0.6	17.1	7.9	40	0.05	16.9	7.3	319	2.19	7.9
CFC 21627	Nad 83-07V	583730	6973908	0.8	16.3	7	40	0.05	18.7	8.2	313	2.14	13.1
CFC 21628	Nad 83-07V	583725	6973858	0.9	20.3	8.6	46	0.05	21.9	10.8	421	2.59	13.1
CFC 21629	Nad 83-07V	583719	6973807	0.8	19	7.7	48	0.05	25.1	10.5	369	2.8	12.8
CFC 21630	Nad 83-07V	583715	6973760	0.7	19.2	9.5	46	0.05	23.2	11	402	2.79	33.1
CFC 21631	Nad 83-07V	583812	6973747	1.1	20.7	9.4	49	0.05	23	13.7	502	2.74	26.4
CFC 21633	Nad 83-07V	583824	6973846	1.5	21.8	9.5	51	0.05	27.5	11.4	538	3.02	63.3
CFC 21634	Nad 83-07V	583829	6973896	1.2	19.9	8.5	51	0.05	27	10	399	2.75	41.8
CFC 21636	Nad 83-07V	583841	6973996	1.5	15.4	10.9	48	0.05	17.8	9.1	344	3.19	26.2
CFC 21637	Nad 83-07V	583804	6974553	0.7	17	11.4	48	0.05	23.6	10.2	393	2.43	124
CFC 21638	Nad 83-07V	583799	6974504	1.2	16.2	14.7	47	0.05	23.7	13.1	647	3.58	125.4
CFC 21639	Nad 83-07V	583793	6974455	2.1	16.5	16.2	52	0.05	16.4	9	501	3.71	27.6
CFC 21640	Nad 83-07V	583787	6974405	0.7	19.5	10.2	56	0.05	24.9	9	312	2.73	67
CFC 21641	Nad 83-07V	583782	6974355	1	14.6	11.1	43	0.05	26.9	12.2	472	2.75	12.1
CFC 21642	Nad 83-07V	583776	6974306	1.2	20.7	9.5	52	0.05	27.6	12	292	3.23	11.4
CFC 21643	Nad 83-07V	583771	6974255	1.2	27.8	10.6	47	0.05	25.9	11.1	264	3.09	13.9
CFC 21644	Nad 83-07V	583765	6974206	1.4	17.8	10.7	45	0.05	13.8	8.1	394	2.65	11.7
CFC 21645	Nad 83-07V	583760	6974156	0.6	16.1	8.1	49	0.05	21.8	10.6	420	2.45	19.2
CFC 21647	Nad 83-07V	583752	6974107	1.5	19.5	13.1	45	0.1	17.1	8.2	382	2.85	16.1
CFC 21648	Nad 83-07V	583747	6974057	0.8	17	9	48	0.05	24.1	10.8	345	2.87	15.9
CFC 21649	Nad 83-07V	583744	6974006	1.1	23.4	10.4	52	0.05	25.7	11.8	631	2.91	22.4
CFC 21650	Nad 83-07V	583736	6973957	0.9	19.3	8.8	44	0.05	23.6	10.2	283	2.61	14.4
CFC 21651	Nad 83-07V	583396	6974499	1.2	16.5	12.1	48	0.05	27.5	9.2	218	3.19	17.4
CFC 21652	Nad 83-07V	583402	6974550	1.3	18.1	10.4	47	0.05	25.9	10.6	320	3.6	14.1
CFC 21653	Nad 83-07V	583407	6974599	0.9	14.7	9.9	53	0.05	23.8	11.8	394	3.48	28.7
CFC 21654	Nad 83-07V	583413	6974649	0.8	22.4	9.3	59	0.05	27.2	14.3	584	3.01	31.1
CFC 21655	Nad 83-07V	583418	6974697	0.7	16.6	8.6	56	0.05	22.5	10.2	221	2.48	19.6
CFC 21657	Nad 83-07V	583435	6974847	1.2	13.8	11.9	34	0.05	9.4	4.7	266	2	14.4
CFC 21658	Nad 83-07V	583445	6974947	0.7	8.9	8.5	44	0.05	13.9	5.7	133	1.78	9.5
CFC 21659	Nad 83-07V	583458	6975044	0.6	8.6	7.1	38	0.05	13.6	5.3	114	1.85	9.3
CFC 21660	Nad 83-07V	583575	6975232	0.5	9.5	7.7	34	0.05	9.7	3.7	105	1.56	14.1
CFC 21661	Nad 83-07V	583811	6974604	0.8	20.8	16.7	71	0.1	24.8	15.1	823	3.31	49.7
CFC 21662	Nad 83-07V	583817	6974653	1.2	18.1	11.5	64	0.05	22.1	17	1263	3.78	45.8
CFC 21663	Nad 83-07V	583821	6974702	1.1	14.4	8.4	45	0.1	15.6	9.7	445	2.4	31.8
CFC 21664	Nad 83-07V	583827	6974752	1.7	13.3	11.1	64	0.05	19.7	17.7	899	3.05	63.5
CFC 21665	Nad 83-07V	583833	6974801	0.7	15.5	8.5	48	0.05	18.9	9.4	382	2.51	35.5
CFC 21667	Nad 83-07V	584766	6975048	1.1	16.9	8.5	59	0.05	21.4	13.3	577	2.79	120.4
CFC 21668	Nad 83-07V	584780	6975152	0.5	8.3	8.4	47	0.05	12.7	5.5	134	1.9	20.6
CFC 21692	Nad 83-07V	583606	6974576	0.9	13.2	7.2	45	0.05	37.9	12.6	445	2.66	62.2
CFC 21693	Nad 83-07V	583611	6974625	1.1	17.3	10.9	63	0.05	26	14.6	609	2.89	57.1
CFC 21694	Nad 83-07V	583622	6974724	0.7	12.5	8.3	46	0.05	16.3	9.4	269	2.4	24.2
CFC 21695	Nad 83-07V	583628	6974775	0.5	8.4	8.8	46	0.05	13.4	5.2	125	1.77	22.3
CFC 21696	Nad 83-07V	583633	6974824	0.6	11.2	11.1	62	0.05	18.6	10.1	240	2.31	29.6
CFC 21697	Nad 83-07V	583638	6974874	0.8	10.2	9.9	55	0.05	18.4	14.1	605	2.35	38.9
CFC 21698	Nad 83-07V	583645	6974923	0.6	7.3	7.3	42	0.05	13	7.5	210	1.78	22.7
CFC 21699	Nad 83-07V	583650	6974974	0.6	10.8	9.4	56	0.05	17.5	9.4	244	2.29	26.6
CFC 21700	Nad 83-07V	583656	6975022	0.6	11.2	9.2	55	0.05	15.1	7	195	2.13	24.3
CFC 21701	Nad 83-07V	583661	6975073	0.5	9.3	8.9	44	0.05	12.8	5	119	1.74	19.6
CFC 21702	Nad 83-07V	583667	6975123	0.4	9.4	8	40	0.05	12.3	4.4	117	1.63	17.4

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 16319	1.3	2.6	3.2	10	0.2	1	0.4	50	0.11	0.054	15	21	0.25	57	0.052
CFC 17497	1.2	7.6	2.7	15	0.2	0.9	0.2	50	0.18	0.053	11	27	0.49	96	0.059
CFC 17499	1.5	49.3	7.4	18	0.1	4.7	0.2	62	0.23	0.044	17	40	0.58	138	0.082
CFC 17784	3.4	6.2	6.6	25	0.1	0.8	0.2	65	0.33	0.061	17	53	0.73	187	0.097
CFC 17785	2.5	14.8	8.4	21	0.2	1.1	0.1	61	0.32	0.049	24	87	1.03	133	0.116
CFC 17815	1.5	18.2	5	25	0.1	0.6	0.3	64	0.3	0.053	20	37	0.56	196	0.07
CFC 17816	1.3	10.9	8.8	15	0.2	1.2	0.2	86	0.17	0.05	17	40	0.52	161	0.074
CFC 17817	1.5	10.6	5.4	31	0.2	1.1	0.2	83	0.37	0.049	25	41	0.52	233	0.062
CFC 17818	3.3	83.8	7.9	37	0.2	1.9	0.2	63	0.49	0.063	41	43	0.56	280	0.07
CFC 17819	1.8	10.7	4.1	41	0.3	0.6	0.3	63	0.45	0.072	15	37	0.6	236	0.068
CFC 17820	1.9	12.4	4.5	31	0.3	0.7	0.3	60	0.35	0.072	20	36	0.53	205	0.06
CFC 17821	2.2	5.9	4.3	31	0.1	0.6	0.2	61	0.34	0.068	22	37	0.53	200	0.061
CFC 17822	1.9	99.4	6.8	23	0.05	0.5	0.2	52	0.28	0.044	18	31	0.49	141	0.073
CFC 17823	2	20.3	7	23	0.05	0.6	0.2	52	0.28	0.042	20	32	0.48	144	0.076
CFC 21627	1.3	13.6	7.5	24	0.1	0.7	0.2	51	0.34	0.051	15	28	0.51	118	0.084
CFC 21628	2.1	7.3	7.9	27	0.1	0.5	0.3	59	0.36	0.06	21	36	0.64	185	0.09
CFC 21629	1.9	9.6	8.6	25	0.05	0.5	0.3	59	0.31	0.053	21	42	0.73	197	0.091
CFC 21630	2.8	11.2	7.3	27	0.05	0.8	0.3	63	0.39	0.054	17	43	0.7	223	0.079
CFC 21631	2.9	17.2	8.9	26	0.1	0.8	0.3	62	0.33	0.054	26	37	0.57	230	0.074
CFC 21633	3.2	44.6	7.1	33	0.1	2.4	0.2	65	0.42	0.064	24	41	0.61	246	0.072
CFC 21634	2.2	31.1	6.8	27	0.2	3.4	0.2	69	0.36	0.061	18	41	0.59	196	0.086
CFC 21636	1	13.5	2.9	14	0.1	1.2	0.2	81	0.14	0.033	9	32	0.41	130	0.064
CFC 21637	6.3	42.9	11.9	20	0.2	3.4	0.1	56	0.28	0.06	36	34	0.5	141	0.076
CFC 21638	2.4	26.2	9.3	14	0.2	2.9	0.2	80	0.18	0.051	12	37	0.41	88	0.08
CFC 21639	0.9	5.5	7.1	12	0.2	0.8	0.3	112	0.12	0.049	9	33	0.35	108	0.083
CFC 21640	2.4	66.4	6.1	23	0.2	2.2	0.1	62	0.3	0.051	11	38	0.58	152	0.091
CFC 21641	0.9	4.5	6	25	0.1	0.6	0.1	65	0.25	0.044	11	42	0.71	161	0.107
CFC 21642	0.7	3.7	5.6	18	0.2	0.6	0.2	75	0.17	0.036	10	39	0.58	143	0.08
CFC 21643	0.9	3.3	6.6	14	0.1	0.7	0.2	75	0.14	0.034	11	39	0.57	147	0.075
CFC 21644	0.8	4.9	3.2	13	0.4	0.6	0.2	70	0.12	0.039	11	28	0.33	119	0.062
CFC 21645	1.7	17.2	9	21	0.1	0.7	0.1	61	0.33	0.074	17	36	0.59	127	0.101
CFC 21647	1.1	3.4	6.4	18	0.3	0.6	0.2	76	0.17	0.058	12	29	0.38	137	0.086
CFC 21648	1.1	9.3	8.7	19	0.1	0.6	0.1	72	0.27	0.058	12	34	0.5	131	0.09
CFC 21649	2.2	13.2	9.3	22	0.1	0.8	0.2	68	0.25	0.059	26	38	0.53	220	0.086
CFC 21650	1.4	7	9.5	17	0.1	0.5	0.2	62	0.2	0.033	13	34	0.49	159	0.085
CFC 21651	1.3	6.3	9.3	14	0.2	0.7	0.2	82	0.16	0.026	10	41	0.54	121	0.093
CFC 21652	0.9	6	6	11	0.3	0.7	0.2	81	0.12	0.036	8	41	0.45	112	0.073
CFC 21653	0.8	14.7	6.6	16	0.1	0.9	0.2	81	0.23	0.049	9	39	0.6	98	0.107
CFC 21654	3.1	27.7	8.5	22	0.1	1.3	0.1	70	0.36	0.081	27	47	0.82	191	0.087
CFC 21655	1.2	17.7	6.2	18	0.2	0.6	0.1	57	0.28	0.069	13	37	0.6	114	0.079
CFC 21657	0.8	8	2.9	9	0.1	0.6	0.4	60	0.09	0.046	5	17	0.16	54	0.046
CFC 21658	1	3.6	2.3	17	0.05	0.4	0.2	36	0.2	0.053	8	27	0.4	94	0.052
CFC 21659	0.9	9.6	2.8	15	0.1	0.3	0.1	44	0.17	0.041	8	23	0.33	78	0.056
CFC 21660	1.6	10.2	1.7	14	0.1	0.6	0.1	34	0.16	0.046	10	21	0.27	78	0.044
CFC 21661	3.8	25.1	7.2	21	0.2	2	0.2	75	0.28	0.062	22	43	0.62	203	0.079
CFC 21662	3.1	34.3	9.2	21	0.2	1.7	0.2	68	0.29	0.081	24	39	0.62	167	0.081
CFC 21663	2.5	26.5	3.1	23	0.1	1.2	0.2	59	0.3	0.09	17	31	0.45	158	0.055
CFC 21664	1.8	39.7	4.1	26	0.2	1.7	0.2	78	0.39	0.077	13	37	0.61	209	0.061
CFC 21665	1.8	28	7.3	17	0.3	1.5	0.1	61	0.25	0.072	16	30	0.5	100	0.067
CFC 21667	4.1	128.4	6.7	23	0.1	6.1	0.2	60	0.36	0.066	27	41	0.71	214	0.075
CFC 21668	1.7	19	2.2	16	0.1	0.8	0.2	44	0.2	0.051	10	27	0.42	88	0.056
CFC 21692	2.6	18.3	8.3	23	0.05	1.9	0.2	57	0.37	0.064	20	60	0.75	133	0.096
CFC 21693	3.5	20.7	7.7	25	0.2	1.4	0.2	68	0.4	0.075	18	44	0.67	183	0.084
CFC 21694	2.4	11.1	2.6	18	0.05	0.8	0.2	56	0.22	0.059	11	32	0.47	140	0.05
CFC 21695	1.9	8.3	1.6	18	0.1	0.7	0.2	36	0.22	0.063	10	28	0.45	124	0.048
CFC 21696	2.2	11.6	2.8	20	0.2	1	0.2	47	0.25	0.067	12	34	0.56	157	0.061
CFC 21697	1.9	20.5	2.9	20	0.2	1	0.2	56	0.24	0.067	11	31	0.55	134	0.057
CFC 21698	1.1	25	4.7	17	0.1	0.9	0.1	39	0.23	0.056	12	25	0.45	93	0.056
CFC 21699	1.5	27.5	3.6	19	0.1	0.9	0.2	60	0.26	0.056	14	34	0.55	129	0.065
CFC 21700	1.9	23.4	2.3	17	0.2	0.8	0.2	48	0.22	0.063	13	32	0.48	108	0.056
CFC 21701	1.7	16.5	1.8	15	0.1	0.7	0.2	38	0.19	0.056	11	28	0.43	91	0.057
CFC 21702	1.7	14	2.2	15	0.2	0.9	0.1	35	0.19	0.049	11	26	0.33	80	0.056

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 16319	2	0.94	0.009	0.07	0.2	0.07	1.4	0.1	0.09	4	0.6	1DX15	VAN08003679
CFC 17497	2	1.48	0.013	0.05	0.2	0.07	2.3	0.2	0.06	5	0.25	1DX15	VAN08003679
CFC 17499	1	1.9	0.011	0.07	0.2	0.06	3.7	0.2	0.025	5	0.7	1DX15	VAN08003679
CFC 17784	1	2.07	0.013	0.1	0.3	0.04	4.6	0.1	0.025	6	0.6	1DX15	VAN08003679
CFC 17785	1	1.74	0.013	0.2	0.3	0.04	3.5	0.3	0.025	5	0.25	1DX15	VAN08003679
CFC 17815	0.5	2.1	0.01	0.07	0.2	0.04	3.5	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 17816	2	2.3	0.009	0.09	0.2	0.05	3.5	0.1	0.025	7	0.7	1DX15	VAN08003679
CFC 17817	2	2.23	0.011	0.08	0.1	0.03	3.4	0.1	0.025	8	0.5	1DX15	VAN08003679
CFC 17818	2	2.29	0.012	0.08	0.2	0.14	6.3	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 17819	2	2.25	0.011	0.12	0.2	0.05	3.8	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 17820	1	2.07	0.012	0.07	0.2	0.05	4	0.1	0.025	6	0.6	1DX15	VAN08003679
CFC 17821	0.5	2.12	0.012	0.06	0.2	0.05	4.1	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 17822	0.5	1.5	0.01	0.05	0.2	0.02	3	0.05	0.025	4	0.6	1DX15	VAN08003679
CFC 17823	1	1.47	0.01	0.05	0.2	0.03	3.4	0.05	0.025	4	0.25	1DX15	VAN08003679
CFC 21627	2	1.26	0.014	0.07	0.2	0.02	2.5	0.05	0.025	4	0.25	1DX15	VAN08003679
CFC 21628	1	1.74	0.014	0.08	0.2	0.03	3.9	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21629	1	1.96	0.012	0.08	0.2	0.03	4	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 21630	1	2.01	0.012	0.07	0.2	0.05	4.2	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 21631	1	1.92	0.013	0.07	0.1	0.06	4.5	0.1	0.025	5	0.5	1DX15	VAN08003679
CFC 21633	1	2.21	0.013	0.1	0.2	0.08	4.5	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 21634	2	1.84	0.015	0.07	0.2	0.06	3.8	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 21636	1	2.04	0.01	0.05	0.1	0.03	2.8	0.1	0.025	8	0.6	1DX15	VAN08003679
CFC 21637	1	1.45	0.011	0.11	0.4	0.27	3.4	0.4	0.025	4	0.25	1DX15	VAN08003679
CFC 21638	2	2.06	0.009	0.06	0.3	0.08	2.9	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 21639	1	2.09	0.01	0.05	0.1	0.04	2.6	0.1	0.025	11	0.25	1DX15	VAN08003679
CFC 21640	2	1.93	0.012	0.06	0.2	0.1	3.3	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 21641	2	1.93	0.012	0.09	0.1	0.01	3.2	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 21642	2	2.99	0.015	0.04	0.1	0.05	3.7	0.05	0.025	7	0.6	1DX15	VAN08003679
CFC 21643	1	2.65	0.012	0.05	0.05	0.03	3.7	0.1	0.025	6	0.5	1DX15	VAN08003679
CFC 21644	0.5	1.6	0.014	0.04	0.1	0.03	2.2	0.05	0.025	6	0.25	1DX15	VAN08003679
CFC 21645	1	1.5	0.015	0.08	0.4	0.02	2.8	0.1	0.025	4	0.25	1DX15	VAN08003679
CFC 21647	2	1.6	0.01	0.08	0.1	0.03	2.5	0.05	0.025	8	0.25	1DX15	VAN08003679
CFC 21648	2	1.81	0.011	0.06	0.2	0.02	2.9	0.05	0.025	5	0.25	1DX15	VAN08003679
CFC 21649	2	2.14	0.013	0.06	0.2	0.07	4.3	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 21650	1	1.96	0.013	0.06	0.2	0.03	3.4	0.05	0.025	5	0.25	1DX15	VAN08003679
CFC 21651	1	2.51	0.009	0.06	0.2	0.04	3.1	0.1	0.025	8	0.6	1DX15	VAN08003679
CFC 21652	1	2.45	0.008	0.05	0.2	0.05	2.8	0.05	0.025	7	0.5	1DX15	VAN08003679
CFC 21653	1	1.66	0.011	0.07	0.3	0.03	2.5	0.05	0.025	7	0.25	1DX15	VAN08003679
CFC 21654	1	1.92	0.01	0.15	0.3	0.05	4.2	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 21655	1	1.78	0.009	0.06	0.3	0.04	3	0.1	0.025	5	0.5	1DX15	VAN08003679
CFC 21657	0.5	1.01	0.011	0.03	0.2	0.06	1	0.05	0.025	6	0.6	1DX15	VAN08003679
CFC 21658	1	1.21	0.011	0.05	0.2	0.06	1.8	0.05	0.025	5	0.25	1DX15	VAN08003679
CFC 21659	1	1.14	0.011	0.05	0.2	0.05	2.1	0.05	0.025	4	0.25	1DX15	VAN08003679
CFC 21660	0.5	1.01	0.01	0.05	0.2	0.05	1.6	0.05	0.025	4	0.25	1DX15	VAN08003679
CFC 21661	1	2.36	0.013	0.08	0.3	0.12	4.7	0.2	0.025	7	0.9	1DX15	VAN08003679
CFC 21662	1	1.8	0.01	0.08	0.3	0.07	4.2	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 21663	1	1.36	0.012	0.06	0.2	0.08	3.2	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21664	2	1.69	0.011	0.07	0.2	0.09	2.9	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 21665	1	1.6	0.01	0.06	0.2	0.09	2.3	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21667	1	1.78	0.011	0.11	0.3	0.16	4.4	0.3	0.025	6	0.25	1DX15	VAN08003679
CFC 21668	0.5	1.23	0.011	0.05	0.2	0.06	2	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21692	4	1.46	0.011	0.22	0.3	0.04	3.1	0.3	0.025	4	0.8	1DX15	VAN08003679
CFC 21693	1	1.83	0.011	0.11	0.4	0.08	3.7	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 21694	1	1.55	0.011	0.05	0.2	0.08	2.3	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21695	1	1.41	0.011	0.05	0.2	0.1	2.1	0.2	0.025	6	0.5	1DX15	VAN08003679
CFC 21696	1	1.64	0.013	0.06	0.2	0.1	3.1	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 21697	2	1.61	0.013	0.05	0.2	0.11	2.8	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 21698	0.5	1.18	0.01	0.05	0.2	0.06	1.9	0.1	0.025	4	0.6	1DX15	VAN08003679
CFC 21699	1	1.58	0.012	0.05	0.2	0.05	2.8	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21700	0.5	1.48	0.012	0.05	0.1	0.06	2.6	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21701	0.5	1.38	0.012	0.05	0.2	0.08	2.1	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21702	0.5	1.19	0.01	0.05	0.1	0.08	2.1	0.1	0.025	5	0.25	1DX15	VAN08003679

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 21703	Nad 83-07V	583672	6975172	0.6	9.9	7.7	40	0.05	11.6	4.3	107	1.87	18.1
CFC 21704	Nad 83-07V	583678	6975221	0.5	8.3	7.7	40	0.05	12.4	4.8	111	1.69	14.1
CFC 21705	Nad 83-07V	583683	6975272	0.6	8.9	7.9	43	0.05	13.6	5	128	1.8	15.2
CFC 21706	Nad 83-07V	583695	6975371	0.5	8.8	8.5	37	0.05	11.6	4.6	119	1.5	11.3
CFC 21707	Nad 83-07V	583793	6975360	0.7	10.4	16.2	46	0.05	13.2	6.3	210	1.89	21.6
CFC 21708	Nad 83-07V	583788	6975312	1	7.8	7.8	39	0.05	12	6.6	262	2.09	25.2
CFC 21709	Nad 83-07V	583783	6975261	0.8	17.5	11.6	59	0.05	20.4	13.7	568	2.37	24.6
CFC 21710	Nad 83-07V	583778	6975212	0.8	14.8	12.8	65	0.05	19.3	15.6	791	2.53	26.7
CFC 21711	Nad 83-07V	583766	6975112	0.5	9.8	7.9	47	0.05	14.3	5.2	132	1.68	19.4
CFC 21712	Nad 83-07V	583756	6975013	0.6	8.5	9.5	50	0.05	13.7	7.5	205	1.92	20.4
CFC 21713	Nad 83-07V	583750	6974963	0.5	8.6	9.1	46	0.05	13.3	5.6	137	1.82	22.5
CFC 21714	Nad 83-07V	583744	6974913	0.7	9	10.2	54	0.05	15.4	9.3	309	2.01	29.4
CFC 21715	Nad 83-07V	583739	6974863	0.5	7.3	8.3	44	0.05	12.9	6.8	176	1.7	16.3
CFC 21716	Nad 83-07V	583732	6974813	0.5	10.6	10.3	58	0.05	15.8	8.3	232	1.86	16.2
CFC 21717	Nad 83-07V	583727	6974764	0.8	10.6	10.5	52	0.05	16.3	12.7	536	2.16	28.5
CFC 21718	Nad 83-07V	583722	6974714	0.8	12.7	12.6	56	0.05	19.8	12.1	335	2.49	64.6
CFC 21719	Nad 83-07V	583715	6974663	0.5	11.6	10.2	44	0.05	16.5	7.8	190	2.18	29.9
CFC 21720	Nad 83-07V	583710	6974615	1.2	20.5	17.5	55	0.2	23	11.5	199	2.77	98.4
CFC 21721	Nad 83-07V	584175	6975165	0.6	15.1	9.9	54	0.05	18.7	13.3	727	2.38	21.7
CFC 21722	Nad 83-07V	583710	6974615	1.1	19.2	16.2	55	0.1	22.3	10.1	194	2.52	79.3
CFC 21803	Nad 83-07V	584518	6973773	1	18.2	6.9	50	0.05	21.1	10.6	492	2.7	38.4
CFC 22307	Nad 83-07V	578589	6972929	1.7	14.7	12.6	48	0.05	13.2	7.2	537	3	59.9
CFC 22501	Nad 83-07V	584229	6974757	0.8	23.6	8.3	54	0.05	54.2	14.1	532	3.45	86.4
CFC 22502	Nad 83-07V	584234	6974805	1	26.7	17.1	74	0.05	36.6	14.8	855	3.51	113.2
CFC 22503	Nad 83-07V	584241	6974856	1.3	19	13	60	0.05	21	14.2	592	3.77	94
CFC 22504	Nad 83-07V	584246	6974905	0.8	14.9	9.3	47	0.05	17.1	8.3	343	2.2	38.5
CFC 22505	Nad 83-07V	584252	6974955	0.9	13.1	8.8	35	0.05	12.5	9.3	412	2	27.1
CFC 22506	Nad 83-07V	584257	6975004	0.5	4.7	4.2	11	0.05	4.1	1.7	60	0.79	5.8
CFC 22507	Nad 83-07V	584263	6975054	0.8	17.3	11.5	50	0.05	19.7	9.4	263	2.34	40.9
CFC 22508	Nad 83-07V	584269	6975104	0.7	18.1	11.4	53	0.1	20.5	9.7	275	2.48	40.1
CFC 22509	Nad 83-07V	584275	6975153	0.8	18.1	10.2	53	0.05	18.9	9.7	298	2.54	36
CFC 22510	Nad 83-07V	584281	6975204	0.7	13.3	8.8	43	0.05	17.5	12.6	610	2.45	40.4
CFC 22511	Nad 83-07V	584285	6975254	0.9	15.1	9.7	48	0.05	24.1	12.4	504	2.72	58.2
CFC 22512	Nad 83-07V	584291	6975304	2	15.6	12.3	39	0.05	10.5	6.2	460	2.61	30.5
CFC 22513	Nad 83-07V	584377	6974289	0.5	26.5	7.3	56	0.05	26.8	9.8	333	2.86	12.8
CFC 22514	Nad 83-07V	584369	6974239	0.7	20.5	7.2	51	0.05	27.7	9	287	2.65	27.8
CFC 22515	Nad 83-07V	584364	6974189	1.1	20.5	7.9	51	0.05	23.6	11.6	486	3.01	14.7
CFC 22516	Nad 83-07V	584359	6974138	1.5	18.8	8.8	62	0.05	26.6	11.7	574	3.2	15.3
CFC 22517	Nad 83-07V	584355	6974089	1.4	18.8	8.2	47	0.05	23.2	10	435	2.81	10.6
CFC 22518	Nad 83-07V	584348	6974040	1.1	16.5	6.8	42	0.05	24.5	10.1	591	2.39	8.3
CFC 22519	Nad 83-07V	584343	6973990	1	18.1	6.5	43	0.05	27.9	10.6	500	2.51	10.5
CFC 22520	Nad 83-07V	584333	6973891	1.1	16.9	7.4	47	0.1	24.3	10.8	508	2.65	11.6
CFC 22521	Nad 83-07V	584315	6973741	1.1	14.5	7.4	52	0.05	30.2	12	500	2.75	12.4
CFC 22522	Nad 83-07V	584311	6973691	0.9	13.3	7.3	50	0.05	26.2	11.4	411	2.78	14.6
CFC 22523	Nad 83-07V	584408	6973681	1.2	20.4	7.8	61	0.1	24.3	11.2	501	3.08	65.4
CFC 22524	Nad 83-07V	584416	6973729	0.9	20.9	7.2	51	0.1	24.2	12.5	725	2.62	72.1
CFC 22525	Nad 83-07V	584422	6973780	0.8	16.8	6.4	46	0.1	22.4	10	436	2.39	67.1
CFC 22526	Nad 83-07V	584426	6973828	0.8	18.4	6.6	52	0.05	28.3	10.9	453	2.62	47.4
CFC 22527	Nad 83-07V	584432	6973875	0.8	16.4	5.8	48	0.05	28.3	10.3	364	2.59	24.7
CFC 22528	Nad 83-07V	584439	6973927	0.9	15.6	6.4	46	0.05	26.3	10.1	426	2.61	22.6
CFC 22529	Nad 83-07V	584444	6973977	1.2	17.5	6.8	50	0.05	29.7	11.4	487	3.01	24.8
CFC 22531	Nad 83-07V	584449	6974028	0.8	17.5	6.1	48	0.05	26.6	11.1	371	2.67	12.6
CFC 22532	Nad 83-07V	584454	6974077	0.8	18	5.4	46	0.05	28	11	445	2.61	21.9
CFC 22533	Nad 83-07V	579105	6973926	0.8	14.7	17.7	66	0.05	18.2	8.1	641	2.48	27.5
CFC 22534	Nad 83-07V	579110	6973976	0.9	19.5	12.2	65	0.05	22.6	10.8	630	2.93	32.5
CFC 22536	Nad 83-07V	579116	6974027	0.9	10.1	9.9	55	0.05	16.3	8.1	366	2.15	104.2
CFC 22537	Nad 83-07V	586563	6974039	0.6	20.7	10.3	53	0.05	23.4	9.3	344	2.61	20.6
CFC 22538	Nad 83-07V	586557	6973991	0.6	20	10.8	44	0.05	22.1	8.5	299	2.36	20.7
CFC 22539	Nad 83-07V	586550	6973944	0.5	13.7	10.5	39	0.05	16.6	8.6	338	2.05	19.2
CFC 22540	Nad 83-07V	586547	6973893	1.1	16.2	9.6	54	0.05	18.6	8.4	269	2.94	12.6
CFC 22541	Nad 83-07V	586540	6973842	1.4	16.4	10.6	71	0.1	16.7	11.6	875	3.27	15.2
CFC 22542	Nad 83-07V	586533	6973790	1.5	22.9	20.2	63	0.2	26.6	10.4	457	3.76	65.5

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 21703	1.4	12.8	2	16	0.1	0.8	0.1	35	0.2	0.054	12	25	0.32	85	0.049
CFC 21704	0.9	8.4	3	15	0.1	0.7	0.1	38	0.2	0.046	13	25	0.36	71	0.059
CFC 21705	1	8.9	3.2	15	0.1	0.7	0.2	40	0.2	0.048	13	27	0.38	79	0.063
CFC 21706	1.2	11.4	2.2	15	0.1	0.8	0.1	29	0.22	0.043	13	25	0.3	81	0.056
CFC 21707	1.6	15.4	2	15	0.1	1.9	0.2	48	0.18	0.052	13	30	0.41	99	0.056
CFC 21708	0.9	10.5	7	11	0.1	2.2	0.2	61	0.13	0.035	12	25	0.28	45	0.078
CFC 21709	3.1	11.2	4.1	21	0.2	2.3	0.2	55	0.3	0.067	27	39	0.55	165	0.064
CFC 21710	2.4	15.1	5.4	23	0.2	1.7	0.2	60	0.32	0.07	31	33	0.54	163	0.064
CFC 21711	1.7	33	2.7	20	0.2	1	0.1	33	0.3	0.053	17	27	0.38	115	0.056
CFC 21712	1.5	15.1	2.9	14	0.1	0.9	0.2	43	0.19	0.051	12	28	0.42	108	0.044
CFC 21713	1.6	15.3	2	15	0.05	0.7	0.2	39	0.18	0.054	10	27	0.38	95	0.045
CFC 21714	1.3	23.4	2.5	17	0.2	0.9	0.2	48	0.23	0.054	11	27	0.5	128	0.045
CFC 21715	1.1	18.7	2.2	15	0.05	0.7	0.2	40	0.22	0.045	9	25	0.39	109	0.05
CFC 21716	1.9	18.8	2.7	17	0.2	0.8	0.2	40	0.22	0.055	16	27	0.47	164	0.047
CFC 21717	1.8	27	3	20	0.1	1	0.2	51	0.26	0.054	13	33	0.47	153	0.053
CFC 21718	2.8	32	3.8	21	0.05	1.6	0.3	60	0.28	0.073	12	40	0.63	181	0.062
CFC 21719	3.6	18.7	1.9	17	0.1	1.1	0.1	50	0.21	0.063	15	32	0.4	155	0.055
CFC 21720	10.6	17.2	4.5	18	0.1	2.5	0.2	63	0.21	0.081	34	44	0.58	215	0.048
CFC 21721	2.1	15.3	9	15	0.2	1.2	0.2	55	0.23	0.06	28	31	0.55	131	0.074
CFC 21722	9.3	18.3	4.4	17	0.1	2.4	0.2	64	0.22	0.076	32	41	0.59	200	0.059
CFC 21803	1.9	26.2	4.6	26	0.1	1.8	0.2	58	0.36	0.054	19	39	0.68	229	0.081
CFC 22307	1.8	8.1	7.7	13	0.2	0.6	0.2	77	0.14	0.035	14	27	0.33	87	0.092
CFC 22501	2.6	71.8	11	29	0.05	2	0.2	70	0.46	0.084	35	135	1.26	186	0.115
CFC 22502	5.9	98.9	13.2	28	0.2	4.3	0.2	73	0.39	0.074	53	74	0.9	256	0.098
CFC 22503	1.2	40.5	8.6	13	0.2	2.8	0.2	76	0.16	0.055	13	43	0.54	102	0.068
CFC 22504	3.1	39.9	11.5	17	0.1	2.5	0.2	53	0.25	0.049	34	32	0.41	130	0.077
CFC 22505	2.8	30.1	3.1	14	0.2	1.3	0.2	43	0.16	0.076	23	25	0.27	108	0.047
CFC 22506	0.5	3.7	0.6	7	0.05	0.4	0.05	21	0.06	0.018	4	11	0.07	38	0.034
CFC 22507	4.3	24.2	3.7	20	0.1	2.1	0.2	57	0.26	0.07	28	34	0.52	196	0.059
CFC 22508	4.4	26.9	3.9	21	0.1	2	0.2	57	0.27	0.071	28	38	0.5	198	0.062
CFC 22509	3.3	18.1	5.3	17	0.1	1.7	0.2	55	0.25	0.07	19	34	0.55	165	0.066
CFC 22510	1.8	15.6	11.8	13	0.2	2.1	0.1	58	0.21	0.055	18	31	0.49	82	0.093
CFC 22511	1.3	22.2	7.3	15	0.2	4.3	0.1	58	0.19	0.04	12	33	0.38	129	0.068
CFC 22512	0.7	9.1	4.4	8	0.2	1.7	0.3	82	0.06	0.031	9	22	0.12	86	0.045
CFC 22513	2.4	7.7	6.9	31	0.1	0.7	0.2	72	0.5	0.069	21	47	0.66	225	0.098
CFC 22514	2.2	9.4	7.2	25	0.05	0.6	0.2	60	0.38	0.052	22	38	0.67	184	0.084
CFC 22515	1.6	7.1	7.6	22	0.1	0.5	0.2	67	0.3	0.048	20	36	0.58	169	0.086
CFC 22516	1.3	3.1	9.4	22	0.2	0.6	0.3	75	0.26	0.046	17	38	0.61	201	0.099
CFC 22517	1.4	4.8	5.9	26	0.2	0.5	0.2	65	0.31	0.044	22	36	0.57	201	0.083
CFC 22518	2.2	3.1	6.4	31	0.1	0.3	0.2	56	0.47	0.062	23	35	0.6	169	0.084
CFC 22519	1.8	1.7	8.1	25	0.05	0.3	0.2	58	0.41	0.054	21	41	0.69	172	0.105
CFC 22520	2.5	3	5.9	34	0.1	0.5	0.2	59	0.6	0.055	25	40	0.64	238	0.088
CFC 22521	1.8	4.6	5.3	34	0.1	0.5	0.2	65	0.53	0.048	15	48	0.73	214	0.107
CFC 22522	0.8	6	4.9	22	0.2	0.4	0.2	72	0.28	0.035	10	47	0.7	124	0.117
CFC 22523	2.2	32.9	4.2	39	0.1	2.2	0.2	72	0.6	0.063	17	49	0.69	301	0.088
CFC 22524	2.2	42.5	3.5	36	0.2	2.3	0.2	60	0.55	0.056	19	44	0.63	290	0.07
CFC 22525	1.6	30.1	3.2	38	0.1	2.1	0.2	54	0.55	0.052	17	41	0.57	290	0.069
CFC 22526	1.5	21.7	3.8	39	0.1	1.6	0.2	59	0.59	0.052	18	47	0.69	294	0.082
CFC 22527	1.2	11.5	3.9	33	0.1	1	0.2	59	0.54	0.047	18	47	0.72	258	0.095
CFC 22528	1	12.3	4.2	24	0.1	0.8	0.2	60	0.35	0.048	14	46	0.66	194	0.094
CFC 22529	0.9	6.4	4.1	24	0.1	0.6	0.2	68	0.34	0.046	15	52	0.77	179	0.106
CFC 22531	0.8	6.5	4.2	20	0.05	0.3	0.2	61	0.28	0.051	13	44	0.78	141	0.103
CFC 22532	0.8	9.1	4.4	23	0.05	0.4	0.2	58	0.36	0.054	15	45	0.78	152	0.108
CFC 22533	2.6	7.5	17.6	16	0.05	0.4	0.1	53	0.23	0.05	19	29	0.45	94	0.085
CFC 22534	2.8	10.9	13.6	16	0.1	0.5	0.2	65	0.23	0.058	21	33	0.53	124	0.09
CFC 22536	2.3	24.1	8.2	17	0.1	0.5	0.1	50	0.23	0.045	17	28	0.46	94	0.075
CFC 22537	1.5	11.5	6.3	19	0.05	0.7	0.2	63	0.28	0.041	21	38	0.65	151	0.094
CFC 22538	1.5	18.6	6.2	19	0.05	0.8	0.1	55	0.24	0.04	23	40	0.65	129	0.088
CFC 22539	1.3	12.6	7.3	14	0.1	1	0.1	48	0.18	0.023	24	34	0.55	100	0.082
CFC 22540	0.6	6	2.4	12	0.2	0.6	0.2	75	0.12	0.034	9	34	0.42	122	0.063
CFC 22541	0.5	5.5	2.2	13	0.3	0.9	0.2	81	0.14	0.035	8	30	0.33	136	0.058
CFC 22542	1.2	19.2	5.3	16	0.2	1.7	0.2	90	0.18	0.031	19	43	0.57	212	0.073

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 21703	0.5	1.15	0.01	0.04	0.2	0.1	1.9	0.1	0.025	5	0.6	1DX15	VAN08003679
CFC 21704	0.5	1.2	0.01	0.05	0.2	0.05	2	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21705	0.5	1.26	0.011	0.05	0.3	0.07	2	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21706	1	1.02	0.011	0.05	0.2	0.07	2	0.1	0.025	4	0.5	1DX15	VAN08003679
CFC 21707	1	1.28	0.011	0.05	0.2	0.09	2	0.1	0.025	5	0.7	1DX15	VAN08003679
CFC 21708	1	0.93	0.009	0.07	0.3	0.05	2	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21709	1	1.65	0.013	0.08	0.2	0.07	3.2	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 21710	1	1.7	0.013	0.07	0.3	0.06	3.1	0.2	0.025	6	0.7	1DX15	VAN08003679
CFC 21711	0.5	1.24	0.011	0.06	0.2	0.1	2.4	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 21712	0.5	1.33	0.015	0.05	0.2	0.06	2.2	0.1	0.07	5	1	1DX15	VAN08003679
CFC 21713	0.5	1.25	0.011	0.04	0.2	0.09	1.9	0.1	0.06	5	0.5	1DX15	VAN08003679
CFC 21714	1	1.38	0.012	0.05	0.2	0.07	2.4	0.1	0.025	5	0.7	1DX15	VAN08003679
CFC 21715	1	1.23	0.011	0.04	0.2	0.06	1.9	0.1	0.025	5	0.7	1DX15	VAN08003679
CFC 21716	1	1.5	0.012	0.05	0.2	0.07	2.3	0.1	0.06	5	0.5	1DX15	VAN08003679
CFC 21717	1	1.57	0.013	0.05	0.2	0.07	2.7	0.2	0.06	5	1	1DX15	VAN08003679
CFC 21718	2	1.95	0.011	0.06	0.2	0.2	3.1	0.2	0.025	6	0.6	1DX15	VAN08003679
CFC 21719	1	1.57	0.012	0.05	0.1	0.14	2.9	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 21720	1	2.18	0.01	0.07	0.2	0.34	4.6	0.3	0.025	7	0.8	1DX15	VAN08003679
CFC 21721	0.5	1.55	0.009	0.09	0.2	0.05	2.8	0.2	0.025	5	0.7	1DX15	VAN08003679
CFC 21722	0.5	2.11	0.011	0.07	0.2	0.32	4.3	0.3	0.025	7	0.9	1DX15	VAN08003679
CFC 21803	0.5	1.78	0.012	0.12	0.2	0.05	3.7	0.2	0.025	6	0.6	1DX15	VAN08003679
CFC 22307	1	1.53	0.008	0.06	0.1	0.02	2.6	0.2	0.025	9	0.6	1DX15	VAN08003679
CFC 22501	2	2.16	0.011	0.36	0.2	0.06	6.3	0.4	0.025	7	0.9	1DX15	VAN08003679
CFC 22502	1	2.27	0.012	0.15	0.2	0.15	5.5	0.5	0.025	7	1	1DX15	VAN08003679
CFC 22503	2	2.37	0.011	0.06	0.2	0.06	3.5	0.2	0.025	7	0.8	1DX15	VAN08003679
CFC 22504	1	1.46	0.011	0.07	0.2	0.04	3.1	0.1	0.025	4	0.7	1DX15	VAN08003679
CFC 22505	0.5	1.38	0.017	0.05	0.1	0.07	2.1	0.1	0.025	5	0.9	1DX15	VAN08003679
CFC 22506	0.5	0.48	0.017	0.03	0.05	0.01	0.7	0.05	0.025	3	0.8	1DX15	VAN08003679
CFC 22507	1	1.87	0.014	0.06	0.2	0.18	3.9	0.3	0.07	5	0.9	1DX15	VAN08003679
CFC 22508	2	1.8	0.013	0.06	0.2	0.19	4.2	0.2	0.025	6	1	1DX15	VAN08003679
CFC 22509	1	1.91	0.011	0.06	0.2	0.14	3.7	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22510	0.5	1.49	0.009	0.07	0.2	0.03	2.4	0.1	0.025	5	0.6	1DX15	VAN08003679
CFC 22511	1	2.11	0.011	0.05	0.5	0.07	2.7	0.2	0.025	5	0.8	1DX15	VAN08003679
CFC 22512	0.5	1.59	0.007	0.03	0.1	0.05	1.6	0.1	0.025	9	0.25	1DX15	VAN08003679
CFC 22513	1	1.88	0.017	0.06	0.1	0.03	4.7	0.05	0.025	6	0.6	1DX15	VAN08003679
CFC 22514	2	1.97	0.014	0.07	0.2	0.03	3.8	0.1	0.025	5	0.8	1DX15	VAN08003679
CFC 22515	0.5	1.87	0.011	0.07	0.2	0.03	3.1	0.05	0.025	6	0.5	1DX15	VAN08003679
CFC 22516	1	2.2	0.01	0.08	0.2	0.03	3.1	0.1	0.025	8	0.7	1DX15	VAN08003679
CFC 22517	2	2.08	0.012	0.07	0.2	0.03	2.9	0.05	0.025	7	0.25	1DX15	VAN08003679
CFC 22518	0.5	1.69	0.016	0.09	0.1	0.02	2.9	0.1	0.025	5	0.7	1DX15	VAN08003679
CFC 22519	0.5	1.73	0.013	0.14	0.2	0.02	3.5	0.1	0.025	5	0.6	1DX15	VAN08003679
CFC 22520	0.5	1.95	0.014	0.12	0.2	0.04	3.6	0.1	0.025	6	0.7	1DX15	VAN08003679
CFC 22521	2	2.14	0.017	0.13	0.1	0.04	3.8	0.2	0.025	7	0.5	1DX15	VAN08003679
CFC 22522	2	2.04	0.014	0.15	0.2	0.03	3	0.2	0.025	7	0.7	1DX15	VAN08003679
CFC 22523	2	2.56	0.015	0.13	0.2	0.08	4.8	0.2	0.07	7	0.8	1DX15	VAN08003679
CFC 22524	2	1.94	0.013	0.1	0.1	0.1	4	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22525	2	1.77	0.013	0.09	0.1	0.08	3.7	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22526	1	2.04	0.013	0.13	0.1	0.06	4.2	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22527	1	1.95	0.013	0.14	0.1	0.04	3.7	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22528	1	1.94	0.012	0.11	0.1	0.05	3.2	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22529	2	2.15	0.012	0.13	0.2	0.04	3.5	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22531	2	1.95	0.012	0.09	0.1	0.03	3.1	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22532	1	1.75	0.013	0.14	0.2	0.02	3.2	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22533	1	1.58	0.012	0.06	0.1	0.03	3.1	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22534	2	2.05	0.012	0.06	0.2	0.03	3.4	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22536	1	1.5	0.011	0.06	0.1	0.04	2.6	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22537	1	1.79	0.012	0.06	0.1	0.06	3.7	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22538	1	1.81	0.013	0.05	0.1	0.06	3.5	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22539	0.5	1.45	0.009	0.06	0.1	0.04	2.4	0.2	0.025	4	0.25	1DX15	VAN08003679
CFC 22540	1	1.87	0.008	0.04	0.1	0.03	2.5	0.1	0.025	7	0.25	1DX15	VAN08003679
CFC 22541	0.5	1.92	0.009	0.04	0.1	0.03	2.3	0.1	0.025	8	0.25	1DX15	VAN08003679
CFC 22542	1	2.51	0.011	0.07	0.2	0.04	3.7	0.1	0.025	8	0.25	1DX15	VAN08003679

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 22543	Nad 83-07V	586529	6973745	0.9	19.6	11.7	49	0.05	23.4	9.7	386	2.83	22.6
CFC 22544	Nad 83-07V	584778	6975195	1	10.5	6.6	40	0.05	13.2	6.6	193	1.85	47.1
CFC 22545	Nad 83-07V	584788	6975248	0.9	15.4	7.2	48	0.05	18	11.5	471	2.33	48.3
CFC 22547	Nad 83-07V	585581	6974254	0.4	19.1	9.8	46	0.05	24	9.8	226	2.42	16.3
CFC 22548	Nad 83-07V	586620	6974537	0.9	18.6	10.5	45	0.05	17.2	8.5	462	1.95	11.6
CFC 22549	Nad 83-07V	585374	6974229	0.6	16.8	8	41	0.05	18.5	8.5	332	2.42	156.5
CFC 22550	Nad 83-07V	584724	6974697	1	14.6	10.1	46	0.05	17.6	9.5	528	2.66	33.4
CFC 22551	Nad 83-07V	583377	6974351	1.3	23.5	9.7	50	0.05	35.7	11.5	415	2.68	24.7
CFC 22552	Nad 83-07V	583372	6974301	1.1	21.7	9.3	48	0.05	26.6	11.3	280	3.12	18.6
CFC 22553	Nad 83-07V	583367	6974251	1.5	23.9	11.2	53	0.05	25.9	11.8	362	3.3	58.5
CFC 22554	Nad 83-07V	583362	6974202	1.7	21.8	14.2	60	0.05	25	11.4	369	3.34	54
CFC 22555	Nad 83-07V	583355	6974151	1.4	18.6	10.9	47	0.05	24.7	9.5	311	2.66	75.1
CFC 22556	Nad 83-07V	583350	6974102	1.4	24.8	11.5	52	0.1	27	12.2	601	2.95	89.5
CFC 22557	Nad 83-07V	583344	6974053	0.8	20.6	8.2	49	0.05	27.7	10.8	357	2.67	40.1
CFC 22558	Nad 83-07V	583339	6974005	1	19.7	9.3	52	0.05	28.8	13.7	495	2.96	30.7
CFC 22559	Nad 83-07V	583333	6973952	0.4	24.9	7.2	48	0.05	26.5	14	399	3.05	23.5
CFC 22560	Nad 83-07V	583328	6973903	0.8	27.5	10	56	0.1	27.7	15.5	533	3.3	138.1
CFC 22561	Nad 83-07V	583323	6973854	0.7	20.1	10.2	49	0.05	20.6	10.1	459	2.48	17.1
CFC 22562	Nad 83-07V	583317	6973804	0.7	22.4	10	54	0.05	27.6	12.2	426	3.17	12.3
CFC 22563	Nad 83-07V	583415	6973793	0.8	26.2	8.9	53	0.05	25.8	12.2	486	2.97	9.7
CFC 22564	Nad 83-07V	583421	6973843	0.8	16	12.1	54	0.05	17.1	9.1	405	2.8	17.4
CFC 22565	Nad 83-07V	583427	6973890	1.2	23.7	8.8	50	0.05	22.8	10.5	353	3.05	10.1
CFC 22566	Nad 83-07V	583432	6973940	1.3	22.3	11.7	54	0.05	26.7	13.3	462	3.62	60.4
CFC 22567	Nad 83-07V	583439	6973989	0.7	16.6	10.1	45	0.05	22.5	9.4	289	2.55	26.5
CFC 22568	Nad 83-07V	583443	6974040	0.8	19.3	12.3	48	0.05	25.7	9.5	276	2.71	30.9
CFC 22569	Nad 83-07V	583449	6974089	0.8	21.6	9.4	45	0.05	22	9	313	2.59	33.2
CFC 22570	Nad 83-07V	583455	6974140	0.9	20.6	8.8	43	0.05	21.7	8.2	331	2.44	33.3
CFC 22571	Nad 83-07V	583460	6974189	1.5	13.5	11.4	43	0.05	15.8	7.6	288	3.18	24.1
CFC 22572	Nad 83-07V	583467	6974241	1.7	10.7	12	30	0.05	10.3	4.3	176	2	24.2
CFC 22573	Nad 83-07V	583473	6974289	0.9	15.6	15.8	44	0.05	25.8	9.9	354	3.43	48.3
CFC 22574	Nad 83-07V	583487	6974437	1.9	15.2	10.8	46	0.05	16.2	8.3	465	3.56	19
CFC 22575	Nad 83-07V	583494	6974489	1	19.9	9.7	47	0.05	26.4	11.3	338	3.18	15.9
CFC 22576	Nad 83-07V	583510	6974637	0.3	5.3	1.7	9	0.05	3.2	1.2	31	0.46	1.4
CFC 22577	Nad 83-07V	583515	6974686	1.4	16.1	11.3	47	0.05	17.1	8.2	351	3.37	17.5
CFC 22578	Nad 83-07V	583527	6974788	0.9	10.1	10.3	54	0.05	17.2	13.5	860	2.67	24.9
CFC 22579	Nad 83-07V	584225	6974706	0.6	17	8.8	57	0.05	20.1	9.7	506	2.69	33.7
CFC 22580	Nad 83-07V	584217	6974657	0.4	19	8.9	48	0.05	18.5	9	175	2.38	45.9
CFC 22581	Nad 83-07V	584207	6974558	0.8	30.5	9.3	53	0.05	27.1	12.3	230	3.12	214.2
CFC 22582	Nad 83-07V	584196	6974458	2.1	13.8	14.2	54	0.05	14	7.4	457	3.85	326.1
CFC 22583	Nad 83-07V	584192	6974408	1	16.6	8.4	51	0.05	19.6	11	439	2.73	171.7
CFC 22584	Nad 83-07V	583844	6974901	0.8	12.5	10.9	65	0.05	22.2	18.7	921	2.42	35.4
CFC 22585	Nad 83-07V	583850	6974951	0.7	10.2	9.9	49	0.05	16.2	9.4	359	2.02	40.9
CFC 22586	Nad 83-07V	583855	6975000	0.7	11.5	7.3	44	0.05	17	8.8	308	2.1	39.4
CFC 22587	Nad 83-07V	583860	6975048	1.2	12.2	11.6	44	0.05	14.6	7.3	232	2.61	18.8
CFC 22588	Nad 83-07V	583867	6975100	0.7	10.9	9.7	51	0.1	17.8	7.2	174	2	19.2
CFC 22589	Nad 83-07V	583883	6975250	0.6	8.5	4.7	19	0.05	6.2	2.8	97	1	11.3
CFC 22590	Nad 83-07V	583889	6975299	0.7	12	8.3	40	0.05	13.8	7.1	268	1.88	24.9
CFC 22591	Nad 83-07V	584086	6975278	0.4	9.8	9.3	44	0.05	12.5	4.7	122	1.63	11.6
CFC 22592	Nad 83-07V	584080	6975227	0.4	7.7	8.6	44	0.05	13	5.1	133	1.68	13.3
CFC 22593	Nad 83-07V	584070	6975126	0.9	10	8.8	44	0.05	13.4	7.1	213	1.73	18.1
CFC 22594	Nad 83-07V	584064	6975077	1	12.3	10	54	0.1	19.6	10.4	413	2.12	39.5
CFC 22595	Nad 83-07V	584059	6975027	0.7	11.6	4.7	17	0.05	5.6	3.2	128	1.03	14.5
CFC 22596	Nad 83-07V	584053	6974977	0.8	15.6	8.3	51	0.05	22.2	11.1	495	2.41	45.5
CFC 22597	Nad 83-07V	584046	6974928	0.8	18.1	10.9	57	0.05	22.7	12.2	550	2.54	50.9
CFC 22598	Nad 83-07V	584040	6974878	1.2	14.2	9.7	75	0.05	21.3	9.6	500	3.7	36
CFC 22599	Nad 83-07V	584034	6974827	1.1	18.4	10	63	0.05	21.1	11.7	415	2.83	27.8
CFC 22600	Nad 83-07V	584030	6974778	0.8	19.4	8.6	57	0.05	24.1	12.5	329	3	38.6
CFC 22601	Nad 83-07V	584023	6974728	0.7	21.7	9.4	48	0.05	17.9	10.7	259	2.91	29.5
CFC 22602	Nad 83-07V	584017	6974679	0.7	21.2	9.4	49	0.05	18.5	11.5	202	3.32	121.2
CFC 22603	Nad 83-07V	584013	6974629	0.8	15.8	10.6	53	0.05	19.8	16.4	412	3.02	65.5
CFC 22604	Nad 83-07V	584006	6974579	1.3	22.9	15.3	58	0.05	17.9	11.6	435	2.92	158.5
CFC 22605	Nad 83-07V	583616	6973769	0.7	23.3	8.7	51	0.05	24.6	12.1	445	2.98	33.8

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 22543	1.1	25.3	7.4	17	0.1	1.3	0.2	69	0.24	0.035	20	39	0.52	136	0.09
CFC 22544	1.7	47.5	3.8	15	0.1	4.3	0.2	49	0.16	0.038	13	26	0.39	111	0.056
CFC 22545	2.1	36	4.5	20	0.05	1.7	0.1	54	0.33	0.051	14	33	0.56	157	0.076
CFC 22547	1.3	12.1	6.8	18	0.05	0.8	0.2	63	0.26	0.048	21	40	0.7	116	0.105
CFC 22548	2	12.5	1.2	20	0.2	1.3	0.1	47	0.27	0.081	12	32	0.43	179	0.05
CFC 22549	1.6	64.5	9.5	19	0.05	4	0.1	54	0.26	0.028	29	39	0.58	151	0.084
CFC 22550	1.7	31.9	5.6	11	0.2	2.1	0.2	66	0.16	0.055	19	32	0.39	83	0.069
CFC 22551	4.1	13.2	5.7	25	0.05	0.8	0.2	64	0.35	0.062	21	54	0.67	212	0.082
CFC 22552	1.3	8.3	7.6	16	0.1	0.7	0.2	78	0.17	0.019	12	40	0.57	163	0.087
CFC 22553	1.5	19.3	5.4	17	0.2	1	0.2	81	0.18	0.038	10	41	0.55	141	0.075
CFC 22554	1.6	19.8	7.5	13	0.2	1.2	0.2	82	0.15	0.041	10	42	0.55	118	0.084
CFC 22555	1.6	22	7.1	21	0.1	2.9	0.2	66	0.27	0.035	12	41	0.54	162	0.081
CFC 22556	3.5	48	4.6	29	0.1	2.2	0.2	65	0.37	0.071	16	44	0.54	277	0.058
CFC 22557	2.9	33.4	6.6	27	0.05	1.3	0.2	63	0.37	0.052	19	51	0.7	226	0.088
CFC 22558	1.9	16.7	5.8	25	0.05	0.9	0.2	71	0.35	0.042	13	56	0.8	199	0.104
CFC 22559	0.7	17.5	4.8	19	0.05	0.6	0.2	67	0.27	0.033	13	54	1.16	186	0.134
CFC 22560	1.1	158.4	10.1	26	0.05	15.1	1.9	67	0.3	0.052	20	47	1.01	198	0.115
CFC 22561	1.7	10.9	11.3	27	0.05	0.4	0.3	51	0.36	0.046	37	31	0.62	260	0.098
CFC 22562	0.8	8.8	6.3	18	0.05	0.6	0.3	66	0.23	0.033	13	43	0.87	172	0.123
CFC 22563	0.8	4.1	5.2	33	0.1	0.5	0.2	61	0.3	0.051	18	37	0.76	239	0.081
CFC 22564	0.9	11.5	11.5	18	0.2	1	0.3	50	0.2	0.055	18	25	0.65	160	0.075
CFC 22565	0.9	4.3	5.2	17	0.1	0.6	0.2	70	0.2	0.034	13	38	0.64	191	0.073
CFC 22566	1.3	15.2	6.1	17	0.05	1.4	1.6	78	0.2	0.053	11	50	0.67	181	0.072
CFC 22567	2	19.1	5.5	20	0.05	0.9	0.2	57	0.28	0.044	11	45	0.79	163	0.079
CFC 22568	2.9	18.3	5.4	24	0.05	1	0.2	64	0.35	0.05	14	49	0.74	221	0.073
CFC 22569	4.3	21.7	7.3	22	0.05	1.1	0.2	62	0.29	0.049	15	40	0.66	196	0.075
CFC 22570	1.7	26.5	8.7	18	0.05	1.5	0.1	63	0.28	0.055	13	32	0.56	155	0.082
CFC 22571	0.8	21.7	5.3	13	0.2	1.2	0.2	82	0.17	0.041	7	30	0.34	100	0.09
CFC 22572	0.8	4.4	3.1	11	0.2	0.7	0.2	52	0.12	0.019	7	18	0.23	90	0.057
CFC 22573	1.1	3.8	8.7	13	0.3	1.7	0.2	81	0.16	0.04	7	39	0.62	122	0.105
CFC 22574	0.6	5.3	4.3	10	0.2	0.9	0.2	97	0.09	0.037	7	32	0.28	86	0.087
CFC 22575	0.9	4.3	8.8	15	0.2	0.6	0.2	77	0.18	0.036	14	41	0.53	117	0.084
CFC 22576	0.5	1.7	0.2	11	0.05	0.1	0.05	12	0.15	0.023	4	5	0.05	42	0.017
CFC 22577	0.6	3.3	5.7	13	0.2	0.7	0.2	74	0.12	0.036	7	32	0.4	94	0.078
CFC 22578	1	10.3	6.9	14	0.2	0.8	0.2	66	0.2	0.065	10	33	0.5	81	0.082
CFC 22579	1.4	17.3	6.7	21	0.2	1.3	0.2	58	0.32	0.079	19	34	0.69	163	0.076
CFC 22580	1.9	59.3	5.5	21	0.1	1.9	0.2	60	0.32	0.078	14	34	0.56	199	0.061
CFC 22581	4.1	70.8	11.4	24	0.2	2	0.2	74	0.42	0.075	34	49	0.69	194	0.102
CFC 22582	2.2	535.5	7.1	12	0.2	13.7	0.2	81	0.12	0.041	12	30	0.31	107	0.044
CFC 22583	3.3	568	10.4	18	0.1	14.3	0.2	61	0.29	0.064	26	32	0.5	134	0.08
CFC 22584	2.1	28.3	4.1	21	0.2	1.7	0.2	57	0.28	0.059	16	38	0.64	171	0.059
CFC 22585	1.6	46.4	4.3	22	0.1	2.5	0.2	56	0.28	0.06	12	27	0.46	125	0.069
CFC 22586	1.7	28	9.2	17	0.1	2.4	0.1	52	0.24	0.058	21	26	0.39	99	0.073
CFC 22587	0.9	11.9	10.1	11	0.2	0.8	0.2	66	0.15	0.042	12	27	0.38	78	0.075
CFC 22588	1.7	17.9	3.2	17	0.2	0.9	0.2	47	0.21	0.06	19	29	0.47	143	0.051
CFC 22589	0.9	4.5	0.9	9	0.1	2.2	0.05	28	0.09	0.031	9	13	0.13	47	0.035
CFC 22590	2.4	12.1	3.6	15	0.1	2.3	0.2	45	0.19	0.061	17	28	0.44	95	0.057
CFC 22591	1.3	11.8	2.5	16	0.1	0.7	0.2	36	0.19	0.054	13	24	0.39	98	0.054
CFC 22592	1.2	12.3	3	15	0.1	0.8	0.2	40	0.2	0.047	11	23	0.41	94	0.054
CFC 22593	1.9	13.1	3.2	17	0.2	1.1	0.2	41	0.21	0.059	13	25	0.37	106	0.046
CFC 22594	2.5	31.9	5.4	23	0.2	2.4	0.2	53	0.31	0.062	17	31	0.51	147	0.061
CFC 22595	2.5	7.4	0.3	11	0.05	0.6	0.1	26	0.09	0.05	11	14	0.08	75	0.025
CFC 22596	2.4	40.7	9.4	16	0.2	2.4	0.2	60	0.28	0.067	20	35	0.54	103	0.078
CFC 22597	5	49	8.1	29	0.2	2.1	0.2	62	0.47	0.08	34	38	0.54	195	0.068
CFC 22598	0.9	14.3	5.7	11	0.2	1.2	0.2	76	0.13	0.051	9	35	0.48	93	0.066
CFC 22599	1.2	16.2	4.7	17	0.2	1.1	0.2	68	0.21	0.063	11	33	0.48	107	0.078
CFC 22600	1.1	28.8	7.3	20	0.3	1.4	0.2	69	0.24	0.039	12	36	0.53	110	0.094
CFC 22601	2.1	15.2	5.2	25	0.1	1.5	0.2	62	0.34	0.09	17	38	0.58	208	0.078
CFC 22602	5.7	42.3	5.4	21	0.1	4.2	0.2	66	0.28	0.093	19	31	0.53	212	0.067
CFC 22603	4.8	46.7	9	22	0.1	4.7	0.2	65	0.35	0.091	24	41	0.75	182	0.1
CFC 22604	5.2	81.4	8.2	23	0.3	11.4	0.3	64	0.31	0.097	32	38	0.6	200	0.079
CFC 22605	1.4	12.3	5.2	34	0.05	0.8	0.4	65	0.48	0.06	15	48	0.88	246	0.105

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 22543	1	1.78	0.01	0.07	0.2	0.03	2.9	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22544	2	1.2	0.01	0.06	0.2	0.06	2.1	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22545	1	1.57	0.012	0.07	0.2	0.09	3.5	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22547	1	1.95	0.01	0.12	0.2	0.02	3.6	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22548	0.5	1.49	0.013	0.04	0.1	0.06	2.8	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22549	1	1.51	0.009	0.09	0.2	0.15	4	0.4	0.025	5	0.25	1DX15	VAN08003679
CFC 22550	1	1.55	0.01	0.05	0.2	0.04	2.1	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22551	1	2	0.012	0.07	0.2	0.06	4.5	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22552	1	2.6	0.013	0.05	0.1	0.04	3.5	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22553	2	2.55	0.012	0.06	0.1	0.04	3.7	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22554	1	2.44	0.009	0.06	0.2	0.04	3.3	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22555	1	1.81	0.011	0.06	0.2	0.03	3	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22556	2	2.46	0.015	0.07	0.2	0.12	4.4	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22557	1	1.97	0.014	0.08	0.2	0.07	4.5	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22558	1	2.08	0.012	0.1	0.2	0.03	3.9	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22559	1	2.2	0.011	0.25	0.2	0.02	3.4	0.3	0.025	6	0.25	1DX15	VAN08003679
CFC 22560	1	2.1	0.012	0.22	0.2	0.02	4.5	0.3	0.025	7	0.25	1DX15	VAN08003679
CFC 22561	1	1.62	0.012	0.09	0.3	0.02	4	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22562	1	2.2	0.01	0.21	0.3	0.02	3.2	0.3	0.025	7	0.25	1DX15	VAN08003679
CFC 22563	1	2.01	0.011	0.11	0.2	0.03	4	0.2	0.025	6	0.5	1DX15	VAN08003679
CFC 22564	1	1.94	0.008	0.17	0.5	0.02	2	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22565	0.5	2.49	0.011	0.07	0.2	0.02	3.4	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22566	2	2.52	0.011	0.15	0.2	0.02	4.3	0.3	0.025	6	0.25	1DX15	VAN08003679
CFC 22567	2	1.94	0.011	0.06	0.2	0.03	2.7	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22568	1	2.18	0.012	0.06	0.2	0.05	3.9	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22569	2	1.99	0.012	0.05	0.2	0.08	3.7	0.1	0.025	5	0.5	1DX15	VAN08003679
CFC 22570	0.5	1.71	0.012	0.05	0.2	0.03	2.7	0.05	0.025	5	0.25	1DX15	VAN08003679
CFC 22571	0.5	1.49	0.009	0.05	0.3	0.03	1.9	0.05	0.025	6	0.25	1DX15	VAN08003679
CFC 22572	1	1.12	0.014	0.05	0.1	0.02	1.3	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22573	0.5	2.08	0.008	0.08	0.2	0.03	2.4	0.1	0.025	8	0.25	1DX15	VAN08003679
CFC 22574	0.5	1.53	0.009	0.04	0.2	0.03	1.6	0.1	0.025	9	0.25	1DX15	VAN08003679
CFC 22575	2	2.53	0.01	0.05	0.2	0.03	3.4	0.05	0.025	6	0.25	1DX15	VAN08003679
CFC 22576	0.5	0.24	0.02	0.03	0.05	0.02	0.4	0.05	0.025	1	0.25	1DX15	VAN08003679
CFC 22577	0.5	2.18	0.016	0.05	0.1	0.03	2.3	0.1	0.025	7	0.25	1DX15	VAN08003679
CFC 22578	1	1.57	0.01	0.06	0.3	0.04	2.1	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22579	1	1.81	0.01	0.07	0.3	0.03	3.2	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22580	0.5	1.9	0.01	0.05	0.3	0.05	3.5	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22581	1	1.87	0.014	0.14	0.2	0.08	5.6	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22582	1	1.5	0.009	0.05	0.3	0.08	2	0.6	0.025	7	0.25	1DX15	VAN08003679
CFC 22583	1	1.49	0.012	0.08	0.4	0.08	3.5	0.3	0.025	4	0.25	1DX15	VAN08003679
CFC 22584	0.5	1.65	0.012	0.06	0.2	0.08	2.6	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22585	2	1.31	0.017	0.06	0.3	0.09	2.3	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22586	0.5	1.18	0.012	0.06	0.3	0.04	2	0.1	0.025	4	0.25	1DX15	VAN08003679
CFC 22587	0.5	1.75	0.011	0.05	0.2	0.05	2.1	0.05	0.025	7	0.25	1DX15	VAN08003679
CFC 22588	0.5	1.52	0.011	0.05	0.1	0.08	2.6	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22589	0.5	0.55	0.013	0.04	0.2	0.03	0.8	0.05	0.025	3	0.25	1DX15	VAN08003679
CFC 22590	1	1.3	0.013	0.06	0.3	0.09	2.3	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22591	1	1.3	0.012	0.05	0.2	0.06	2	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22592	1	1.3	0.011	0.05	0.2	0.05	2	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22593	1	1.16	0.013	0.05	0.2	0.08	2.1	0.1	0.025	4	0.25	1DX15	VAN08003679
CFC 22594	2	1.43	0.014	0.08	0.2	0.14	3	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22595	0.5	0.72	0.014	0.03	0.2	0.08	0.9	0.05	0.025	3	0.25	1DX15	VAN08003679
CFC 22596	2	1.55	0.011	0.09	0.3	0.05	2.8	0.2	0.025	4	0.25	1DX15	VAN08003679
CFC 22597	2	1.74	0.014	0.08	0.5	0.11	3.9	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22598	1	2.41	0.007	0.05	0.2	0.07	2.6	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22599	2	2.23	0.013	0.05	0.2	0.04	3	0.1	0.025	7	0.5	1DX15	VAN08003679
CFC 22600	2	1.95	0.013	0.07	0.2	0.03	3.7	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22601	2	1.85	0.013	0.06	0.2	0.05	4.7	0.2	0.025	6	0.6	1DX15	VAN08003679
CFC 22602	2	1.72	0.015	0.05	0.2	0.1	4.7	0.2	0.025	6	0.6	1DX15	VAN08003679
CFC 22603	1	1.89	0.016	0.17	0.2	0.13	4.5	0.3	0.025	6	0.25	1DX15	VAN08003679
CFC 22604	1	1.49	0.01	0.27	0.3	0.1	4	0.4	0.025	6	0.25	1DX15	VAN08003679
CFC 22605	1	2.07	0.015	0.13	0.2	0.03	4	0.2	0.025	7	0.6	1DX15	VAN08003679

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 22606	Nad 83-07V	583622	6973818	0.8	21	9.7	48	0.05	23.8	11.1	402	2.85	21.1
CFC 22607	Nad 83-07V	583628	6973868	0.7	23.9	9.3	50	0.05	24.1	10.4	390	2.72	27.1
CFC 22608	Nad 83-07V	583634	6973918	1	21	9.7	51	0.05	23.7	11.6	400	3.04	34.4
CFC 22609	Nad 83-07V	583639	6973967	0.9	20.6	8.5	48	0.05	22.1	10.7	362	2.72	15.7
CFC 22611	Nad 83-07V	583645	6974017	1.3	16.9	8.6	43	0.05	17.3	7.8	282	2.57	15
CFC 22614	Nad 83-07V	583649	6974067	1	18.5	8.3	38	0.05	16.8	11.2	537	2.19	11.4
CFC 22615	Nad 83-07V	583660	6974166	0.9	18.1	8.5	44	0.05	19.8	10.8	449	2.39	18.5
CFC 22618	Nad 83-07V	583666	6974216	1.3	18.6	9.9	48	0.05	17.6	9.8	441	2.8	14.7
CFC 22619	Nad 83-07V	583672	6974266	0.9	22.5	8.7	49	0.05	23.1	11.4	436	2.74	10.6
CFC 22620	Nad 83-07V	583676	6974316	1.1	19.3	10.5	49	0.05	20.2	11.2	442	3.53	16.2
CFC 22621	Nad 83-07V	583681	6974366	0.7	26.9	10	56	0.05	27.4	11.2	334	2.92	18.2
CFC 22622	Nad 83-07V	583686	6974415	1	15.8	9.9	50	0.05	56.8	14	554	3.03	47.1
CFC 22623	Nad 83-07V	583692	6974465	0.7	14.3	9.2	49	0.05	23.3	10.1	249	2.75	66.8
CFC 22624	Nad 83-07V	583698	6974514	0.7	23.1	10	54	0.05	23.1	10.5	341	2.6	64.8
CFC 22625	Nad 83-07V	583703	6974564	0.6	21.1	9.4	59	0.05	22.8	11.7	364	2.56	57.8
CFC 22626	Nad 83-07V	583599	6974527	0.7	22.1	8.4	56	0.05	35.2	14.4	603	2.73	40.1
CFC 22627	Nad 83-07V	583595	6974477	1.5	16.8	11.3	42	0.05	31.7	10.2	286	3.31	45.5
CFC 22628	Nad 83-07V	583589	6974427	2.1	15	11.2	38	0.05	14.5	5.7	194	2.93	13.4
CFC 22629	Nad 83-07V	583582	6974377	0.9	11.5	6	20	0.05	14.1	3.4	100	1.37	8.2
CFC 22630	Nad 83-07V	583577	6974329	0.7	17.8	10	45	0.05	23.3	11.1	458	2.42	48.3
CFC 22631	Nad 83-07V	583572	6974279	0.8	21	10.2	43	0.05	19.9	9.7	368	2.3	30.2
CFC 22632	Nad 83-07V	583563	6974230	1.3	23.8	14.2	64	0.05	26.6	11.6	380	3.49	32.2
CFC 22633	Nad 83-07V	583560	6974180	1.7	16.1	11	45	0.05	14.6	7	256	2.88	45.8
CFC 22634	Nad 83-07V	583554	6974130	0.6	23.5	8.5	45	0.05	22.3	8.9	232	2.53	34.2
CFC 22635	Nad 83-07V	583549	6974081	1.2	16.1	12.8	55	0.05	19.1	14.1	800	3.15	37.5
CFC 22636	Nad 83-07V	583544	6974031	0.7	17.4	8.8	44	0.05	20.1	9.4	326	2.44	37
CFC 22637	Nad 83-07V	583537	6973981	0.6	13.6	10.4	44	0.05	19	9.7	343	2.82	22.2
CFC 22638	Nad 83-07V	583532	6973931	0.5	20.1	9.8	46	0.05	22.5	9	269	2.66	15.8
CFC 22639	Nad 83-07V	583526	6973881	0.5	22.6	6.8	45	0.05	22.9	11.6	342	2.72	118.6
CFC 22640	Nad 83-07V	583520	6973832	0.7	25.5	8.9	50	0.05	25.1	13	520	3.06	83.1
CFC 22641	Nad 83-07V	583515	6973782	0.6	19.1	8	53	0.05	21.5	9.4	393	2.8	20.6
CFC 22642	Nad 83-07V	579122	6974075	1	15.1	13.2	53	0.1	16.6	8.3	438	2.48	255.7
CFC 22643	Nad 83-07V	579127	6974125	0.9	12.4	11.4	52	0.05	14.2	5.7	252	2.18	129.4
CFC 22652	Nad 83-07V	585450	6974871	0.8	12.3	9.8	55	0.05	17.9	14.4	742	2.45	20.1
CFC 22653	Nad 83-07V	585456	6974920	0.9	13.1	9	57	0.05	18.6	15.2	813	2.77	17.3
CFC 22654	Nad 83-07V	585462	6974970	0.8	14.4	9.5	55	0.05	21	13.3	592	2.86	16.6
CFC 22655	Nad 83-07V	585468	6975020	0.7	13	6.8	46	0.05	29.3	9.2	260	2.38	14.3
CFC 22656	Nad 83-07V	585474	6975070	0.8	14.3	7.5	50	0.05	16.3	9.5	310	2.47	10.4
CFC 22657	Nad 83-07V	585479	6975120	0.6	12.4	8.2	58	0.05	19.6	10.1	261	2.76	10.9
CFC 22658	Nad 83-07V	585484	6975169	0.6	15.3	8.9	61	0.05	22.4	10.6	231	2.58	8.9
CFC 22659	Nad 83-07V	585682	6975147	0.5	18.7	8.1	54	0.05	19.9	10.1	205	3.01	13.4
CFC 22660	Nad 83-07V	585676	6975100	0.7	21.7	9.8	58	0.05	24	13.9	384	3.02	13.7
CFC 22661	Nad 83-07V	585669	6975049	0.6	13.7	9.7	51	0.05	19.1	9.8	289	2.52	11
CFC 22662	Nad 83-07V	585664	6974999	0.8	16.4	8.9	51	0.05	18.4	10.6	284	2.71	13.1
CFC 22663	Nad 83-07V	585659	6974949	0.6	15	11.4	60	0.05	21.1	10	219	2.91	14.7
CFC 22664	Nad 83-07V	585654	6974900	0.7	15.2	8.1	49	0.05	17.6	9.4	361	2.31	12.2
CFC 22665	Nad 83-07V	585646	6974850	0.8	18.7	11.6	63	0.1	23.2	12.8	362	2.88	14.1
CFC 22666	Nad 83-07V	585642	6974800	0.7	16.2	10.7	57	0.05	21.7	9.4	266	2.62	13
CFC 22667	Nad 83-07V	585637	6974750	0.9	23.6	14.5	58	0.1	23.7	10.8	329	2.72	15.1
CFC 22668	Nad 83-07V	585631	6974701	0.9	20.5	14.7	71	0.1	26.3	14.1	921	3.15	22.9
CFC 22669	Nad 83-07V	585625	6974650	0.7	13.1	10	51	0.05	17.3	9.7	526	2.27	20.5
CFC 22670	Nad 83-07V	585620	6974601	1.2	24.4	15.8	69	0.2	28.1	12.6	935	3.27	20.7
CFC 22671	Nad 83-07V	585615	6974551	0.6	15.7	9.9	47	0.05	26.1	9.8	421	2.62	23.1
CFC 22672	Nad 83-07V	585609	6974501	0.8	23.1	9.9	52	0.05	24.6	8.9	409	2.89	67.7
CFC 22673	Nad 83-07V	585603	6974451	1.5	21.6	10.4	45	0.05	14.1	7.6	446	2.76	12.3
CFC 22674	Nad 83-07V	585597	6974401	0.8	19.6	15.4	48	0.05	18.1	7.9	696	2.33	26.3
CFC 22675	Nad 83-07V	585592	6974352	0.9	20.7	9.8	40	0.05	24.2	7.4	322	2.33	19.6
CFC 22676	Nad 83-07V	588022	6973574	0.5	24.1	8.7	53	0.05	23.5	11.7	299	2.8	6.3
CFC 22677	Nad 83-07V	588025	6973625	0.6	26.1	9.4	51	0.05	24.9	12.4	311	3.09	7.1
CFC 22678	Nad 83-07V	588030	6973675	0.6	17.2	23.4	52	0.05	24.6	12.4	257	3.03	7.5
CFC 22679	Nad 83-07V	585626	6974649	0.6	16.3	9.9	54	0.05	19.8	10.6	511	2.41	18.6
CFC 22680	Nad 83-07V	585382	6974275	0.5	22	7.4	55	0.05	40	16.4	515	3.58	56.2

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 22606	1.9	5.5	7.2	31	0.05	0.8	0.3	61	0.41	0.057	19	46	0.82	231	0.108
CFC 22607	3.7	8	8.9	29	0.05	1.1	0.4	61	0.43	0.059	27	46	0.82	272	0.096
CFC 22608	2.2	11	9.5	27	0.05	0.9	0.3	68	0.3	0.047	22	41	0.7	238	0.092
CFC 22609	1.5	6.1	8	23	0.1	0.7	0.2	65	0.26	0.041	16	38	0.64	187	0.101
CFC 22611	0.9	5	4.7	24	0.2	0.6	0.2	68	0.25	0.041	14	31	0.49	179	0.087
CFC 22614	1.1	3.6	3.4	19	0.1	0.5	0.1	53	0.2	0.046	13	29	0.42	157	0.066
CFC 22615	1.1	8.4	8.7	23	0.1	0.9	0.1	62	0.3	0.055	14	32	0.5	161	0.09
CFC 22618	0.7	2.7	4.3	17	0.3	0.7	0.2	69	0.18	0.044	9	29	0.41	146	0.08
CFC 22619	0.9	4.9	10.6	21	0.1	0.6	0.2	70	0.29	0.061	17	33	0.56	146	0.095
CFC 22620	0.7	3.2	5.2	20	0.3	0.7	0.2	81	0.23	0.041	9	32	0.49	120	0.103
CFC 22621	1.5	4.3	7.5	27	0.1	0.7	0.2	70	0.32	0.065	17	41	0.63	224	0.093
CFC 22622	1.4	7.6	9	17	0.2	1	0.2	63	0.23	0.048	12	72	0.82	122	0.104
CFC 22623	1.2	11.2	7.3	17	0.2	1.8	0.1	65	0.24	0.064	13	34	0.51	88	0.093
CFC 22624	3.9	29	10.4	28	0.2	1.8	0.2	62	0.38	0.087	32	34	0.63	182	0.1
CFC 22625	4.4	18	6.4	21	0.2	1.9	0.2	59	0.29	0.073	17	32	0.54	183	0.076
CFC 22626	4.6	8.9	9	29	0.2	1.7	0.1	68	0.44	0.078	23	53	0.73	159	0.112
CFC 22627	1.1	5.2	6.6	15	0.2	1.6	0.2	83	0.17	0.041	11	56	0.5	93	0.101
CFC 22628	0.6	9.1	3.6	17	0.2	0.9	0.3	84	0.16	0.031	7	27	0.25	97	0.095
CFC 22629	0.5	1.8	1.1	10	0.2	0.5	0.1	38	0.08	0.031	5	26	0.19	48	0.057
CFC 22630	1.5	13.7	7.2	21	0.05	1.5	0.1	58	0.24	0.044	15	38	0.53	113	0.094
CFC 22631	2	8.4	8.1	17	0.1	1.3	0.1	58	0.21	0.045	18	34	0.49	131	0.087
CFC 22632	1.5	4.9	10.3	19	0.2	1.1	0.2	86	0.18	0.026	12	45	0.65	138	0.1
CFC 22633	1	9.8	4.7	20	0.1	1.6	0.2	79	0.18	0.033	13	27	0.36	154	0.082
CFC 22634	1.7	16.6	8	20	0.05	1.7	0.1	62	0.27	0.059	14	34	0.59	156	0.094
CFC 22635	1.2	5.7	4.6	18	0.2	1.5	0.3	77	0.19	0.057	10	38	0.59	137	0.09
CFC 22636	1.6	7.4	6.9	23	0.1	1.4	0.2	54	0.25	0.037	18	38	0.67	168	0.095
CFC 22637	1.2	4.5	11.3	20	0.05	0.8	0.5	53	0.28	0.059	22	38	0.85	115	0.121
CFC 22638	1.4	7	6.5	26	0.05	0.5	0.2	59	0.38	0.055	17	39	0.77	169	0.116
CFC 22639	1	44.9	5.8	22	0.05	1.6	0.2	60	0.3	0.054	15	40	0.97	189	0.104
CFC 22640	1.3	43.6	4.9	25	0.05	1.2	0.6	61	0.34	0.052	20	42	1.01	253	0.102
CFC 22641	0.8	14.1	6.2	19	0.05	0.5	0.8	57	0.27	0.042	14	32	0.76	177	0.107
CFC 22642	4.6	45.9	7	21	0.05	1	0.2	52	0.25	0.056	24	28	0.4	140	0.055
CFC 22643	2.1	15.1	2.7	15	0.05	0.7	0.2	59	0.18	0.041	13	27	0.37	86	0.066
CFC 22652	1.1	24.2	5	17	0.2	1.1	0.2	60	0.24	0.053	15	30	0.52	131	0.076
CFC 22653	1.4	10	6.9	20	0.1	1	0.3	58	0.28	0.065	17	32	0.73	148	0.101
CFC 22654	1.5	12.2	6.2	22	0.1	0.9	0.3	65	0.35	0.071	19	32	0.73	157	0.1
CFC 22655	1.4	5.7	5.1	21	0.05	0.6	0.3	52	0.32	0.067	19	47	0.86	129	0.095
CFC 22656	1.5	4.3	4.4	19	0.1	0.6	0.3	52	0.26	0.065	15	29	0.6	136	0.08
CFC 22657	1.1	4.2	5.4	19	0.05	0.7	0.3	56	0.25	0.059	14	31	0.68	122	0.09
CFC 22658	1.4	3.6	6.4	21	0.1	0.7	0.4	61	0.31	0.062	15	37	0.77	143	0.098
CFC 22659	1.8	8	6.8	20	0.2	1	0.3	63	0.32	0.06	20	33	0.65	152	0.096
CFC 22660	1.7	6	7.5	21	0.2	1.3	0.3	65	0.31	0.061	18	38	0.68	170	0.096
CFC 22661	0.9	11	5.2	21	0.1	0.9	0.3	59	0.31	0.061	14	32	0.66	128	0.098
CFC 22662	2.3	6.6	6.3	19	0.2	0.9	0.3	51	0.27	0.064	22	30	0.61	141	0.083
CFC 22663	1.5	8.7	6.7	20	0.1	0.9	0.4	62	0.28	0.053	18	33	0.71	156	0.095
CFC 22664	1.2	7.6	5.8	20	0.1	1	0.3	51	0.3	0.061	20	29	0.65	121	0.098
CFC 22665	2.3	9	5.8	21	0.1	1	0.3	61	0.28	0.07	26	35	0.74	175	0.086
CFC 22666	1.3	9.9	4.9	23	0.1	1.3	0.2	60	0.37	0.069	15	35	0.71	160	0.091
CFC 22667	3.1	12.2	6.6	25	0.2	2.4	0.3	65	0.34	0.076	23	39	0.62	203	0.084
CFC 22668	4.3	16.3	7.6	21	0.2	1.9	0.3	69	0.27	0.069	45	42	0.6	227	0.083
CFC 22669	1.7	12.1	8	18	0.2	2.2	0.2	53	0.28	0.058	24	30	0.51	112	0.084
CFC 22670	3.9	12.8	6.3	28	0.2	1.4	0.5	71	0.37	0.085	40	49	0.66	247	0.08
CFC 22671	3.1	11.1	11.7	19	0.05	2.1	0.3	58	0.29	0.063	33	44	0.77	199	0.098
CFC 22672	4.3	39.6	9.6	20	0.1	4.6	0.2	70	0.31	0.061	28	44	0.49	206	0.095
CFC 22673	0.7	3.1	2.2	14	0.05	0.8	0.2	65	0.13	0.042	9	24	0.24	84	0.068
CFC 22674	5	14.6	16.2	20	0.3	1.9	0.2	51	0.22	0.032	53	30	0.37	155	0.068
CFC 22675	2.1	6.3	5.6	21	0.1	1.2	0.6	57	0.28	0.045	20	40	0.52	157	0.086
CFC 22676	1.3	4.7	4.6	25	0.1	0.5	0.2	64	0.36	0.08	19	39	0.7	193	0.087
CFC 22677	1.2	2.8	8.5	25	0.05	0.6	0.2	66	0.46	0.068	24	44	0.89	192	0.12
CFC 22678	1.1	3	7.8	20	0.05	0.6	0.3	68	0.35	0.064	17	47	0.83	162	0.094
CFC 22679	1.9	15.8	8.3	18	0.2	2.2	0.2	54	0.28	0.065	24	35	0.56	123	0.087
CFC 22680	2.1	13.4	7.8	24	0.05	4.4	0.05	77	0.47	0.075	28	113	1.84	389	0.172

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 22606	1	2.02	0.017	0.1	0.2	0.02	4.4	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22607	1	2.15	0.017	0.13	0.2	0.06	5.8	0.2	0.025	6	0.5	1DX15	VAN08003679
CFC 22608	1	2.26	0.015	0.07	0.2	0.04	4.4	0.1	0.025	7	0.25	1DX15	VAN08003679
CFC 22609	1	1.98	0.013	0.07	0.2	0.03	3.7	0.1	0.025	7	0.25	1DX15	VAN08003679
CFC 22611	0.5	1.63	0.014	0.07	0.2	0.03	3	0.05	0.025	6	0.25	1DX15	VAN08003679
CFC 22614	0.5	1.52	0.017	0.06	0.2	0.03	2.6	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22615	0.5	1.57	0.015	0.05	0.2	0.02	3.1	0.05	0.025	5	0.25	1DX15	VAN08003679
CFC 22618	0.5	1.75	0.014	0.06	0.2	0.03	2.5	0.05	0.025	7	0.25	1DX15	VAN08003679
CFC 22619	1	1.82	0.016	0.05	0.2	0.02	3.4	0.05	0.025	6	0.25	1DX15	VAN08003679
CFC 22620	1	1.89	0.014	0.05	0.2	0.03	2.6	0.05	0.025	8	0.25	1DX15	VAN08003679
CFC 22621	2	2.3	0.016	0.05	0.2	0.03	4.2	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22622	1	2.06	0.013	0.09	0.2	0.04	3.3	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22623	1	2.22	0.014	0.05	1.4	0.04	3.1	0.1	0.025	5	0.5	1DX15	VAN08003679
CFC 22624	0.5	1.63	0.018	0.11	0.3	0.08	3.8	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22625	0.5	1.72	0.014	0.06	0.2	0.13	3.4	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22626	1	1.5	0.025	0.19	0.3	0.06	4.7	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22627	0.5	2.05	0.009	0.07	0.2	0.04	3	0.2	0.025	8	0.25	1DX15	VAN08003679
CFC 22628	0.5	1.21	0.011	0.07	0.1	0.03	1.9	0.1	0.025	9	0.25	1DX15	VAN08003679
CFC 22629	0.5	0.79	0.015	0.04	0.1	0.03	1.1	0.05	0.025	4	0.25	1DX15	VAN08003679
CFC 22630	0.5	1.63	0.014	0.06	0.2	0.05	3	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22631	0.5	1.6	0.015	0.06	0.1	0.05	3.2	0.05	0.025	5	0.25	1DX15	VAN08003679
CFC 22632	0.5	2.57	0.013	0.07	0.2	0.03	4.3	0.1	0.025	8	0.6	1DX15	VAN08003679
CFC 22633	0.5	1.6	0.014	0.06	0.2	0.03	2.4	0.1	0.025	8	0.25	1DX15	VAN08003679
CFC 22634	1	1.98	0.014	0.06	0.2	0.04	3.5	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22635	1	1.85	0.011	0.08	0.2	0.03	2.7	0.1	0.025	7	0.25	1DX15	VAN08003679
CFC 22636	0.5	1.7	0.014	0.1	0.2	0.03	3	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22637	0.5	1.79	0.013	0.29	0.2	0.01	3.1	0.4	0.025	6	0.25	1DX15	VAN08003679
CFC 22638	0.5	1.82	0.017	0.12	0.2	0.03	4	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22639	0.5	1.96	0.013	0.19	0.2	0.06	3.7	0.3	0.025	5	0.25	1DX15	VAN08003679
CFC 22640	2	2.15	0.009	0.17	0.1	0.04	4.3	0.2	0.05	6	0.25	1DX15	VAN08003679
CFC 22641	2	1.98	0.01	0.1	0.1	0.02	3.2	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22642	2	1.6	0.011	0.06	0.2	0.05	3	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22643	1	1.46	0.01	0.05	0.2	0.04	2.1	0.1	0.025	7	0.25	1DX15	VAN08003679
CFC 22652	2	1.58	0.01	0.06	0.1	0.03	2.6	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22653	2	1.84	0.012	0.14	0.2	0.04	2.9	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22654	2	1.8	0.013	0.13	0.2	0.02	3.3	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22655	0.5	1.68	0.013	0.15	0.2	0.03	2.7	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22656	1	1.6	0.012	0.08	0.2	0.04	2.8	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22657	1	1.7	0.014	0.08	0.1	0.04	2.7	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22658	1	2.07	0.013	0.09	0.2	0.04	3.4	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22659	2	1.76	0.016	0.07	0.2	0.04	3.7	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22660	1	2.08	0.014	0.08	0.2	0.03	4	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22661	1	1.73	0.013	0.1	0.2	0.04	3	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22662	0.5	1.69	0.013	0.09	0.2	0.04	3.5	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22663	1	2.05	0.012	0.09	0.1	0.04	3.4	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22664	1	1.57	0.013	0.12	0.3	0.02	2.7	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22665	1	2.03	0.012	0.11	0.2	0.04	3.8	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22666	0.5	1.87	0.011	0.09	0.2	0.04	3.1	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22667	2	2	0.013	0.08	0.2	0.06	4.8	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22668	2	2.14	0.011	0.09	0.2	0.07	5.1	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22669	0.5	1.36	0.01	0.08	0.2	0.03	2.5	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22670	1	2.4	0.015	0.1	0.2	0.08	5.3	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22671	0.5	1.63	0.01	0.25	0.2	0.03	4.5	0.3	0.025	5	0.25	1DX15	VAN08003679
CFC 22672	0.5	1.51	0.013	0.08	0.4	0.13	4.7	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22673	1	1.41	0.016	0.04	0.1	0.03	1.9	0.05	0.025	7	0.25	1DX15	VAN08003679
CFC 22674	0.5	1.45	0.011	0.08	0.3	0.11	4	0.3	0.025	5	0.25	1DX15	VAN08003679
CFC 22675	0.5	1.54	0.013	0.08	0.3	0.06	4.3	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22676	2	2.08	0.012	0.07	0.2	0.03	4.2	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22677	0.5	2.08	0.013	0.13	0.1	0.03	5.1	0.3	0.025	6	0.25	1DX15	VAN08003679
CFC 22678	0.5	2.25	0.01	0.08	0.1	0.02	4.1	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22679	0.5	1.49	0.012	0.09	0.2	0.03	3	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22680	0.5	2.64	0.011	0.87	0.1	0.06	5.6	0.6	0.025	7	0.25	1DX15	VAN08003679

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 22681	Nad 83-07V	585376	6974225	0.6	16.6	8.7	42	0.05	20	8.8	372	2.79	182.3
CFC 22682	Nad 83-07V	585371	6974176	0.7	19	8.6	45	0.05	23.9	11.2	363	2.91	54.9
CFC 22683	Nad 83-07V	585367	6974126	1.5	18.1	7	27	0.2	9.4	6.4	475	1.73	26.7
CFC 22684	Nad 83-07V	585360	6974075	0.8	18	8.2	43	0.05	22.1	10.7	391	2.34	81.3
CFC 22685	Nad 83-07V	585354	6974027	0.8	21.3	7.8	47	0.05	21.5	9.4	279	2.49	91.6
CFC 22686	Nad 83-07V	585349	6973975	0.7	18.8	8	42	0.05	19	9	260	2.24	39.3
CFC 22687	Nad 83-07V	585344	6973928	0.8	22.9	7.6	47	0.05	23.1	10.6	384	2.5	34.7
CFC 22688	Nad 83-07V	585337	6973877	0.7	18.7	7.7	49	0.05	20.9	8.6	286	2.39	25.8
CFC 22689	Nad 83-07V	585332	6973828	0.7	17.7	7.2	46	0.05	20.3	9.1	355	2.34	20.7
CFC 22690	Nad 83-07V	585327	6973778	0.9	19	8.5	49	0.1	23	11.9	462	2.7	39.5
CFC 22691	Nad 83-07V	585322	6973728	0.8	18.7	8.2	48	0.05	21.4	10.4	401	2.6	32.8
CFC 22692	Nad 83-07V	585315	6973678	0.9	18.9	7.3	52	0.05	23.7	10.8	446	2.81	32.6
CFC 22693	Nad 83-07V	585309	6973627	0.7	15.4	6	44	0.05	21.4	10.6	347	2.47	41.1
CFC 22694	Nad 83-07V	585304	6973579	1	16.1	6.8	47	0.1	22.9	18	841	2.36	35.2
CFC 22695	Nad 83-07V	585504	6973557	0.9	18.9	6.7	52	0.05	26.9	10.1	437	2.59	14.2
CFC 22696	Nad 83-07V	585501	6973609	0.9	17.1	6.8	50	0.05	28.4	12	519	2.71	15
CFC 22697	Nad 83-07V	585512	6973657	0.8	10.8	6	34	0.1	17.2	10.1	550	2	9.1
CFC 22698	Nad 83-07V	585517	6973708	0.8	16	6.1	40	0.05	27	10.5	448	2.29	12
CFC 22699	Nad 83-07V	585523	6973755	0.9	20.4	7.4	44	0.1	20.3	10.9	507	2.32	12.8
CFC 22700	Nad 83-07V	585528	6973804	0.7	19.2	6.6	43	0.05	23.4	10.3	342	2.47	12.8
CFC 22701	Nad 83-07V	585534	6973854	0.8	18.9	7.6	47	0.05	21.1	10.3	407	2.61	13.1
CFC 22702	Nad 83-07V	585541	6973907	0.7	18.2	7.6	44	0.05	21.6	9.9	301	2.44	11.5
CFC 22703	Nad 83-07V	585539	6973958	0.6	21.2	7	44	0.05	21.3	9	282	2.36	11.7
CFC 22704	Nad 83-07V	585554	6973999	0.5	20.2	7.5	45	0.05	21.8	10.2	341	2.44	14.2
CFC 22705	Nad 83-07V	585560	6974053	0.6	18.9	6.9	42	0.05	23.1	11	386	2.45	19.3
CFC 22706	Nad 83-07V	585565	6974104	1.5	17.6	8.3	46	0.1	10.7	19.9	2538	2.46	9.6
CFC 22707	Nad 83-07V	585570	6974155	0.7	16.5	8.5	48	0.05	26.7	13.4	412	2.83	19.5
CFC 22708	Nad 83-07V	585575	6974205	0.5	18.4	7.7	46	0.05	26.7	11	334	2.62	11.6
CFC 22709	Nad 83-07V	586613	6974490	0.6	26.5	10.4	56	0.05	28.2	10	342	2.5	15.1
CFC 22710	Nad 83-07V	586609	6974439	0.6	22.6	12.3	53	0.05	25.1	11.9	419	2.71	21.8
CFC 22711	Nad 83-07V	586603	6974389	0.7	26.2	12.2	51	0.05	27.9	13	633	2.76	36.3
CFC 22712	Nad 83-07V	586597	6974339	1	32.7	11.1	60	0.05	30.8	14.8	553	2.78	15.2
CFC 22713	Nad 83-07V	586591	6974290	1	20.9	16.6	52	0.05	25.2	12.7	496	2.71	21.5
CFC 22714	Nad 83-07V	586585	6974239	0.8	20.1	10.7	48	0.05	25.2	10.4	349	2.6	17.5
CFC 22715	Nad 83-07V	586580	6974190	0.8	26.5	11.2	49	0.1	25.6	8.4	242	2.43	14.9
CFC 22716	Nad 83-07V	585294	6974384	0.6	17.1	8.5	56	0.05	27	12.7	483	2.76	32.6
CFC 22717	Nad 83-07V	585288	6974337	0.4	19.3	6.9	48	0.05	22.8	9.3	357	2.52	34.6
CFC 22719	Nad 83-07V	585277	6974238	0.5	23	9.3	47	0.05	22.8	9.6	208	2.52	14.6
CFC 22720	Nad 83-07V	585271	6974188	0.5	22.7	6.3	52	0.05	29.6	13.4	366	3.05	47.4
CFC 22721	Nad 83-07V	585267	6974138	0.6	16.7	8.1	44	0.05	21	10	370	2.44	91.2
CFC 22722	Nad 83-07V	585260	6974088	1.4	19.8	10.6	43	0.05	19.8	9	425	2.43	114.2
CFC 22723	Nad 83-07V	585255	6974038	0.8	15.5	7.5	39	0.05	16.6	9.1	345	2.11	79.3
CFC 22724	Nad 83-07V	585250	6973989	0.8	20.1	7	49	0.05	23.5	10.9	340	2.68	30.8
CFC 22725	Nad 83-07V	585244	6973939	1	19	7.4	55	0.05	21.7	10.5	381	2.89	41.3
CFC 22726	Nad 83-07V	585238	6973890	0.8	18.8	6.2	48	0.05	21.5	10.7	349	2.7	33.9
CFC 22727	Nad 83-07V	585232	6973840	1	20.7	6.5	47	0.05	23.9	12.2	349	2.86	37
CFC 22728	Nad 83-07V	585226	6973790	0.9	20.4	6.3	49	0.05	27.5	10.9	386	2.78	38.3
CFC 22729	Nad 83-07V	585223	6973740	0.7	16.1	6	48	0.05	29	11.8	428	2.79	45.2
CFC 22730	Nad 83-07V	585216	6973691	1	19	6.7	49	0.05	31.5	12.9	521	3.01	53.3
CFC 22731	Nad 83-07V	585210	6973640	0.7	16.4	7.1	45	0.05	33.1	11.6	390	2.64	43.1
CFC 22732	Nad 83-07V	585206	6973591	0.9	17.4	9.3	47	0.05	31.4	12	420	2.76	45.4
CFC 22734	Nad 83-07V	585409	6973617	0.8	16.4	6.4	50	0.05	23.3	10	383	2.54	25.1
CFC 22735	Nad 83-07V	585414	6973666	0.8	18.2	6.9	53	0.05	29.7	11.2	408	2.84	23.5
CFC 22737	Nad 83-07V	585426	6973765	0.8	18.2	6.9	50	0.05	38.8	11.6	420	2.81	25.4
CFC 22738	Nad 83-07V	585431	6973816	0.6	16.1	4.8	45	0.05	73.7	12.9	404	2.64	17.4
CFC 22739	Nad 83-07V	585437	6973865	0.7	24.4	7.5	49	0.05	25.3	11.9	464	2.64	32.8
CFC 22740	Nad 83-07V	585443	6973915	0.7	23.7	7.7	48	0.05	25.2	10.2	357	2.63	28.8
CFC 22741	Nad 83-07V	585449	6973965	0.8	22.1	8.7	53	0.05	25.2	11.3	372	2.94	35.5
CFC 22742	Nad 83-07V	585454	6974015	0.7	18.5	7.8	47	0.05	25.1	11	359	2.78	29.1
CFC 22743	Nad 83-07V	585460	6974064	0.8	19.4	8.1	51	0.05	28.2	12.1	411	3.07	36.6
CFC 22744	Nad 83-07V	585466	6974114	0.5	18.1	8.7	44	0.05	25.2	11.1	388	2.6	41.9
CFC 22745	Nad 83-07V	585472	6974164	1	28.5	9.9	56	0.05	34.9	12.6	496	3.42	31.3

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 22681	1.8	62.2	10.7	24	0.05	4.6	0.2	60	0.3	0.033	35	45	0.67	171	0.096
CFC 22682	1	10.6	5.8	19	0.05	3.3	0.2	65	0.25	0.039	18	51	0.82	132	0.109
CFC 22683	0.8	8	0.3	10	0.2	1	0.1	47	0.09	0.048	7	17	0.17	70	0.044
CFC 22684	2.4	51.5	7.5	18	0.05	5.6	0.1	59	0.28	0.043	23	41	0.62	148	0.089
CFC 22685	2.9	47.4	6.3	22	0.05	3.6	0.2	59	0.33	0.044	19	44	0.69	159	0.091
CFC 22686	2.5	17	5	21	0.05	2.1	0.1	57	0.31	0.05	13	38	0.56	142	0.086
CFC 22687	3.1	17.4	6.4	25	0.1	2.6	0.2	63	0.38	0.053	17	46	0.62	188	0.095
CFC 22688	2.8	15	5.2	25	0.05	2.9	0.1	58	0.36	0.052	16	41	0.59	200	0.082
CFC 22689	1.8	9.8	4.2	24	0.05	2.4	0.1	57	0.33	0.052	14	39	0.59	176	0.08
CFC 22690	1.8	32.9	3.5	22	0.05	5	0.2	63	0.3	0.054	14	41	0.66	193	0.08
CFC 22691	1.6	32	3.2	21	0.05	4.1	0.2	61	0.29	0.051	12	40	0.66	174	0.081
CFC 22692	1.2	16	2.9	27	0.05	2.3	0.2	66	0.36	0.054	11	42	0.68	208	0.083
CFC 22693	0.8	26	3.8	19	0.05	2.3	0.1	60	0.29	0.047	10	42	0.78	126	0.094
CFC 22694	1	14.8	2.4	26	0.2	3	0.2	53	0.36	0.052	11	44	0.67	158	0.077
CFC 22695	1.2	5.9	3	26	0.2	0.5	0.2	63	0.34	0.051	14	50	0.7	183	0.085
CFC 22696	1	3.3	3.6	24	0.1	0.6	0.2	66	0.32	0.044	13	53	0.74	180	0.092
CFC 22697	0.7	3.1	2	21	0.1	0.4	0.2	45	0.26	0.035	10	32	0.42	153	0.064
CFC 22698	0.9	5	3.4	20	0.05	0.5	0.2	55	0.29	0.046	12	42	0.59	138	0.079
CFC 22699	1.2	3.5	2.5	19	0.1	0.5	0.2	57	0.23	0.046	14	36	0.51	157	0.072
CFC 22700	1.2	4	4.3	23	0.05	0.6	0.2	61	0.32	0.047	16	44	0.7	154	0.097
CFC 22701	1.2	7	4.2	20	0.05	0.5	0.2	63	0.27	0.047	14	42	0.64	158	0.087
CFC 22702	1.3	6.1	4.4	21	0.05	0.5	0.2	60	0.29	0.046	15	38	0.64	147	0.087
CFC 22703	1.4	6.6	5.2	21	0.05	0.5	0.2	59	0.3	0.05	20	37	0.63	148	0.091
CFC 22704	1.2	4	6.3	20	0.05	0.6	0.2	64	0.3	0.055	21	40	0.76	135	0.11
CFC 22705	1.7	8.8	5.7	18	0.05	0.9	0.2	61	0.28	0.05	22	48	0.84	122	0.111
CFC 22706	0.5	2.6	1.3	10	0.2	0.5	0.2	63	0.09	0.042	7	22	0.19	95	0.066
CFC 22707	0.9	32.6	5.4	17	0.05	0.7	0.1	68	0.25	0.039	16	58	1.03	105	0.127
CFC 22708	1	10	6.6	20	0.05	0.5	0.1	63	0.31	0.052	22	49	0.95	127	0.128
CFC 22709	1.5	23.9	5.9	27	0.2	1.6	0.2	63	0.45	0.073	18	40	0.63	206	0.097
CFC 22710	2.1	16.7	5.4	24	0.2	1.9	0.2	63	0.38	0.065	16	39	0.55	242	0.083
CFC 22711	2.2	17.8	4.6	27	0.2	1.7	0.2	64	0.41	0.074	17	38	0.56	280	0.075
CFC 22712	1.7	10.7	6.4	27	0.2	1.1	0.3	69	0.48	0.075	22	42	0.63	255	0.104
CFC 22713	1.9	13.8	6.7	20	0.1	1.3	0.3	63	0.32	0.057	21	38	0.66	219	0.091
CFC 22714	2.8	18.3	6	22	0.05	1	0.2	60	0.31	0.056	23	39	0.68	273	0.09
CFC 22715	3.4	6.9	2.5	23	0.1	0.9	0.2	58	0.32	0.065	27	40	0.55	239	0.063
CFC 22716	1	5.3	6.2	14	0.2	5.1	0.1	60	0.2	0.044	15	44	0.75	114	0.102
CFC 22717	2.1	26.2	8.6	24	0.05	5	0.1	60	0.36	0.053	25	46	0.9	174	0.125
CFC 22719	1.1	8.2	5.3	23	0.05	1.8	0.2	63	0.3	0.051	22	39	0.59	150	0.089
CFC 22720	1.3	7	5.1	24	0.05	6.6	0.1	68	0.34	0.05	18	62	1.2	164	0.143
CFC 22721	2	52.5	8.2	20	0.05	13.2	0.1	57	0.27	0.038	23	43	0.75	142	0.103
CFC 22722	2.7	181.3	8.2	21	0.05	25.5	0.2	58	0.25	0.031	23	40	0.58	132	0.079
CFC 22723	1.6	107.7	6.8	19	0.05	11.6	0.1	50	0.24	0.034	17	33	0.59	122	0.089
CFC 22724	1.6	14.8	6.5	21	0.05	2.2	0.1	63	0.3	0.044	18	43	0.84	155	0.119
CFC 22725	1	19	4.4	23	0.1	2.2	0.2	72	0.29	0.05	13	41	0.78	145	0.107
CFC 22726	1.2	11.2	4.1	23	0.05	2.2	0.1	66	0.35	0.058	15	40	0.87	163	0.108
CFC 22727	1.2	18.2	4.2	24	0.05	2.2	0.1	67	0.38	0.055	14	45	0.95	188	0.115
CFC 22728	1.2	15.3	5.1	23	0.05	3.2	0.2	62	0.35	0.051	17	50	0.96	182	0.123
CFC 22729	0.8	22.9	5.5	19	0.05	3.2	0.2	58	0.29	0.052	15	49	0.93	141	0.127
CFC 22730	0.9	30.8	4.2	20	0.05	5	0.2	67	0.3	0.054	13	57	0.96	155	0.117
CFC 22731	0.8	25.5	4	20	0.05	3.1	0.2	58	0.31	0.049	10	57	0.92	145	0.105
CFC 22732	0.9	21.8	4.1	22	0.05	3	0.2	61	0.37	0.051	13	57	0.95	207	0.11
CFC 22734	1	11.6	4.5	21	0.1	1.4	0.1	62	0.3	0.042	12	43	0.66	131	0.094
CFC 22735	1.1	34.1	5.3	21	0.05	1.4	0.2	66	0.3	0.048	16	53	0.81	161	0.107
CFC 22737	1.2	10	4.8	24	0.05	1	0.2	66	0.36	0.054	18	72	0.93	191	0.107
CFC 22738	0.8	6.9	5.9	27	0.05	0.9	0.1	61	0.45	0.058	22	123	1.33	175	0.123
CFC 22739	2.2	26.6	5.9	26	0.05	1.5	0.1	64	0.37	0.053	19	47	0.7	207	0.102
CFC 22740	1.9	14.9	5.9	26	0.05	1.2	0.1	66	0.36	0.047	18	47	0.71	195	0.109
CFC 22741	1.7	10.7	5.7	23	0.05	1.4	0.2	72	0.32	0.043	16	51	0.79	166	0.109
CFC 22742	1.5	12.8	7	19	0.05	1.4	0.1	65	0.25	0.039	18	52	0.84	137	0.114
CFC 22743	1.5	15.8	7.2	18	0.05	1.7	0.1	72	0.27	0.044	18	56	0.96	136	0.122
CFC 22744	2.3	14.7	9.7	18	0.05	3	0.1	61	0.26	0.041	28	52	0.88	156	0.121
CFC 22745	2.3	9	7.6	27	0.05	1.3	0.2	81	0.43	0.059	24	64	0.87	241	0.113

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 22681	1	1.68	0.012	0.11	0.2	0.15	4.7	0.4	0.025	5	0.25	1DX15	VAN08003679
CFC 22682	0.5	2.05	0.009	0.13	0.1	0.05	3.7	0.3	0.025	6	0.25	1DX15	VAN08003679
CFC 22683	0.5	0.8	0.013	0.05	0.05	0.06	1.1	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22684	1	1.61	0.011	0.06	0.2	0.11	3.9	0.3	0.025	5	0.25	1DX15	VAN08003679
CFC 22685	2	1.77	0.011	0.07	0.1	0.11	4.4	0.3	0.025	5	0.25	1DX15	VAN08003679
CFC 22686	1	1.6	0.011	0.05	0.2	0.06	3.4	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22687	2	1.65	0.014	0.07	0.2	0.08	4.7	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22688	1	1.77	0.014	0.05	0.1	0.07	4.3	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22689	2	1.75	0.014	0.06	0.1	0.04	3.7	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22690	0.5	1.97	0.011	0.06	0.1	0.07	4.1	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22691	1	1.9	0.011	0.06	0.05	0.06	3.4	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22692	1	2.11	0.011	0.09	0.1	0.06	3.5	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22693	1	1.7	0.01	0.12	0.2	0.04	3	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22694	1	1.64	0.011	0.11	0.05	0.05	2.8	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22695	2	1.88	0.011	0.11	0.2	0.05	3.3	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22696	0.5	1.93	0.012	0.11	0.1	0.04	3.3	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22697	0.5	1.51	0.016	0.06	0.1	0.04	2.6	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22698	0.5	1.54	0.01	0.08	0.2	0.03	3	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22699	1	1.65	0.011	0.06	0.1	0.02	3	0.05	0.025	6	0.25	1DX15	VAN08003679
CFC 22700	0.5	1.72	0.011	0.07	0.1	0.03	3.7	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22701	1	1.83	0.01	0.07	0.1	0.03	3.4	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22702	1	1.69	0.01	0.06	0.1	0.03	3.4	0.05	0.025	5	0.25	1DX15	VAN08003679
CFC 22703	0.5	1.57	0.013	0.06	0.1	0.03	3.8	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22704	1	1.64	0.01	0.12	0.2	0.02	3.3	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22705	0.5	1.54	0.01	0.18	0.1	0.02	3.1	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22706	0.5	1.12	0.011	0.05	0.05	0.04	1.4	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22707	0.5	2.03	0.009	0.22	0.05	0.02	3.4	0.3	0.025	6	0.25	1DX15	VAN08003679
CFC 22708	0.5	1.91	0.011	0.17	0.1	0.02	3.7	0.3	0.025	6	0.25	1DX15	VAN08003679
CFC 22709	1	1.61	0.016	0.08	0.2	0.06	4.9	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22710	0.5	1.74	0.014	0.05	0.1	0.07	4.5	0.05	0.025	5	0.25	1DX15	VAN08003679
CFC 22711	1	1.77	0.016	0.05	0.1	0.09	4.7	0.05	0.025	5	0.25	1DX15	VAN08003679
CFC 22712	1	1.6	0.025	0.11	0.1	0.05	5.3	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22713	1	1.84	0.013	0.08	0.2	0.05	3.9	0.1	0.025	5	0.25	1DX15	VAN08003679
CFC 22714	1	1.94	0.012	0.06	0.1	0.06	4.4	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22715	1	1.88	0.014	0.06	0.1	0.09	3.9	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22716	0.5	2.36	0.01	0.1	0.1	0.03	2.9	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22717	0.5	1.72	0.014	0.26	0.1	0.06	4.6	0.3	0.025	5	0.25	1DX15	VAN08003679
CFC 22719	1	2.09	0.012	0.06	0.05	0.03	4.1	0.1	0.025	6	0.25	1DX15	VAN08003679
CFC 22720	1	2.17	0.011	0.31	0.1	0.05	4.2	0.4	0.025	6	0.25	1DX15	VAN08003679
CFC 22721	1	1.62	0.011	0.14	0.1	0.11	3.7	0.3	0.025	5	0.25	1DX15	VAN08003679
CFC 22722	1	1.56	0.011	0.07	0.2	0.17	3.7	0.3	0.025	5	0.25	1DX15	VAN08003679
CFC 22723	0.5	1.34	0.011	0.09	0.2	0.12	2.7	0.3	0.025	4	0.25	1DX15	VAN08003679
CFC 22724	1	1.93	0.014	0.1	0.2	0.05	3.6	0.2	0.025	5	0.25	1DX15	VAN08003679
CFC 22725	1	2.12	0.013	0.12	0.1	0.05	3.4	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22726	1	1.95	0.014	0.11	0.1	0.04	3.7	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22727	0.5	1.93	0.012	0.15	0.1	0.04	3.8	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22728	1	1.87	0.012	0.2	0.1	0.03	3.6	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22729	0.5	1.83	0.011	0.21	0.1	0.02	3	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22730	0.5	2.05	0.011	0.18	0.1	0.04	3.5	0.2	0.025	7	0.25	1DX15	VAN08003679
CFC 22731	0.5	1.87	0.01	0.16	0.1	0.04	3.2	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22732	1	1.92	0.011	0.2	0.1	0.05	3	0.2	0.025	6	0.25	1DX15	VAN08003679
CFC 22734	1	1.7	0.011	0.08	0.1	0.04	3	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22735	1	1.91	0.011	0.13	0.3	0.03	3.6	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22737	0.5	2.01	0.011	0.13	0.1	0.04	4.1	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22738	0.5	1.86	0.013	0.24	0.1	0.02	3.9	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22739	1	1.82	0.014	0.1	0.1	0.08	5.6	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22740	1	1.72	0.012	0.09	0.2	0.06	5	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22741	0.5	2.02	0.011	0.09	0.2	0.05	4.3	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22742	0.5	1.93	0.01	0.12	0.2	0.03	3.7	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22743	0.5	2.08	0.009	0.15	0.2	0.04	4	0.3	0.025	6	0.25	1DX15	VAN08003681
CFC 22744	0.5	1.69	0.01	0.19	0.2	0.05	4	0.3	0.025	5	0.25	1DX15	VAN08003681
CFC 22745	1	2.18	0.013	0.15	0.2	0.06	6.4	0.2	0.025	7	0.25	1DX15	VAN08003681

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 22746	Nad 83-07V	585477	6974212	0.5	19.3	8.3	51	0.05	29.5	10.8	332	2.92	17
CFC 22747	Nad 83-07V	585482	6974763	0.4	23	9.1	45	0.05	27.2	8.7	292	2.55	19.1
CFC 22748	Nad 83-07V	585487	6974312	0.4	21	10.7	43	0.05	21.3	8.3	202	2.5	15.3
CFC 22749	Nad 83-07V	585494	6974362	0.5	20.5	10.1	41	0.05	24.2	10.1	343	2.26	23.2
CFC 22750	Nad 83-07V	585494	6974362	0.4	20.3	10.8	40	0.05	25.3	10.4	336	2.31	26.1
CFC 22751	Nad 83-07V	584926	6974677	0.9	10.8	11	56	0.05	18.8	10.9	415	2.17	69.9
CFC 22752	Nad 83-07V	584931	6974728	0.9	11.1	11.3	57	0.05	18.3	9.5	274	2.23	54
CFC 22753	Nad 83-07V	584936	6974777	0.6	8.1	10.3	48	0.05	15.9	8	208	1.82	35.3
CFC 22754	Nad 83-07V	584949	6974876	0.9	10.7	9.8	54	0.05	18.5	13.1	542	2.43	39.2
CFC 22755	Nad 83-07V	584955	6974927	0.8	10.5	9.7	57	0.05	18	8.4	259	2.2	34.7
CFC 22756	Nad 83-07V	584961	6974976	1	9.7	9.5	49	0.05	15.5	11.9	624	2.26	31.1
CFC 22757	Nad 83-07V	584965	6975026	0.8	12.7	9.1	56	0.05	18.4	10.8	345	2.54	26.4
CFC 22758	Nad 83-07V	584971	6975075	0.5	13.3	8.9	59	0.05	20.4	8.9	189	2.65	25
CFC 22759	Nad 83-07V	584978	6975125	0.8	17.3	9.1	55	0.05	18.5	8.8	206	2.71	23.9
CFC 22760	Nad 83-07V	584982	6975175	0.6	16.8	8.5	56	0.05	19.6	9.1	193	2.81	21.3
CFC 22761	Nad 83-07V	584988	6975224	0.6	22.4	7.1	65	0.05	27.7	21.8	959	3.79	26.1
CFC 22762	Nad 83-07V	584887	6975236	0.9	15.5	6.8	48	0.05	18.9	9.6	344	2.4	30.8
CFC 22763	Nad 83-07V	584882	6975187	1.2	21.2	8.3	61	0.05	25.3	14.4	905	2.87	58.1
CFC 22764	Nad 83-07V	584877	6975138	0.8	14.9	8.8	55	0.05	20	13	706	2.71	40.3
CFC 22765	Nad 83-07V	584872	6975087	0.8	15.2	8	54	0.05	18.6	10.8	473	2.39	39.5
CFC 22766	Nad 83-07V	584867	6975039	0.8	13.1	7	54	0.05	20.1	11.2	467	2.55	143.9
CFC 22767	Nad 83-07V	584849	6974886	1.2	19.7	12.7	72	0.1	24.9	15.9	900	3.07	78.7
CFC 22768	Nad 83-07V	584846	6974839	0.9	9.9	9.1	54	0.05	16.3	8.1	248	2.11	93.1
CFC 22769	Nad 83-07V	584838	6974790	1	10.7	10.1	57	0.05	17.4	9.4	294	2.2	92.3
CFC 22770	Nad 83-07V	584832	6974740	1.1	10.3	10.1	55	0.05	17.4	11.7	512	2.26	87
CFC 22771	Nad 83-07V	584826	6974691	1.2	12.6	11	61	0.05	21	15	916	2.46	131.1
CFC 22773	Nad 83-07V	587922	6973585	0.7	27.8	9.9	64	0.05	26.8	12	406	2.96	8.1
CFC 22777	Nad 83-07V	585081	6975165	0.6	16.6	8.3	58	0.05	19.2	8.2	187	2.72	30.2
CFC 22779	Nad 83-07V	585081	6975165	0.6	14.8	8.2	57	0.05	18.6	7.9	171	2.62	29.8
CFC 22780	Nad 83-07V	585075	6975116	0.8	11.1	9.7	58	0.05	18	10.4	286	2.47	30.2
CFC 22781	Nad 83-07V	585070	6975066	0.6	15.4	10.4	64	0.05	19.9	9.3	177	2.82	27
CFC 22782	Nad 83-07V	585064	6975017	0.6	8.9	9.2	51	0.05	14.8	6.4	154	1.99	18.8
CFC 22783	Nad 83-07V	585058	6974967	0.5	9.6	9.3	52	0.05	14.5	6.5	165	2.03	22.1
CFC 22784	Nad 83-07V	585053	6974918	0.7	9.3	10.2	47	0.05	14.5	6.7	211	2.11	26.9
CFC 22785	Nad 83-07V	585047	6974867	0.8	9.2	10.6	51	0.05	15.4	7.2	195	2.07	28.1
CFC 22786	Nad 83-07V	585042	6974818	1.2	7.7	10.4	44	0.05	12.2	7.4	339	1.96	37.2
CFC 22787	Nad 83-07V	585036	6974768	0.7	10.4	10.6	53	0.05	16.9	7.8	210	1.93	21.6
CFC 22788	Nad 83-07V	585030	6974718	0.7	11.3	10	52	0.05	16.7	9.7	344	2	24.5
CFC 22789	Nad 83-07V	585025	6974669	1	15.5	11.5	52	0.05	16.6	11.1	489	2.35	36.4
CFC 22790	Nad 83-07V	585006	6973613	1.2	16.3	9	48	0.05	26.5	13.6	707	3.08	74.3
CFC 22791	Nad 83-07V	585011	6973663	1	15.3	7.7	46	0.05	24.3	10.9	513	2.79	54
CFC 22792	Nad 83-07V	585017	6973713	0.8	15.2	6.9	48	0.05	29.4	12.4	410	3.06	58
CFC 22793	Nad 83-07V	585023	6973762	0.7	18.8	6.7	46	0.05	30.7	11.1	386	2.83	53.6
CFC 22794	Nad 83-07V	585271	6974188	0.4	20.7	6.6	51	0.05	25.5	12.3	355	2.91	49.5
CFC 22796	Nad 83-07V	585131	6974706	0.5	10.6	11	45	0.05	13.1	5.9	141	1.73	29.7
CFC 22797	Nad 83-07V	585134	6974756	0.8	8.9	10.3	51	0.05	14.5	8.3	254	2.13	38.5
CFC 22798	Nad 83-07V	585141	6974805	0.9	7.8	12.3	48	0.05	14.2	12.3	560	2	29.1
CFC 22799	Nad 83-07V	585146	6974855	0.5	9.4	11.5	57	0.05	15.4	8.4	282	2.09	28.6
CFC 22800	Nad 83-07V	585151	6974904	0.9	12.8	13.9	68	0.05	17.5	16.8	900	2.98	39.3
CFC 22802	Nad 83-07V	585163	6975002	0.8	9.4	8.9	49	0.05	14.1	7.4	233	1.97	24.8
CFC 22803	Nad 83-07V	585168	6975055	0.8	9.3	9.1	47	0.05	12.6	6.3	179	1.84	19.2
CFC 22804	Nad 83-07V	585173	6975103	0.6	9.4	7.4	45	0.05	14.4	6.8	165	1.89	9.8
CFC 22805	Nad 83-07V	585184	6975158	0.6	10.8	7.5	51	0.05	15.8	10.4	344	2.41	10
CFC 22806	Nad 83-07V	585194	6975200	0.5	11.6	8	49	0.05	14.3	8.9	295	2.07	10
CFC 22808	Nad 83-07V	585271	6975094	0.6	11	8.4	53	0.05	17.6	8.7	208	2.29	12.5
CFC 22809	Nad 83-07V	585269	6975040	0.5	11.1	8.1	51	0.05	15	6.7	175	2.01	9.4
CFC 22811	Nad 83-07V	585143	6974904	1	11.3	13.1	61	0.05	16.6	22.5	1398	3.01	45.9
CFC 22812	Nad 83-07V	585264	6974930	0.7	11	10.5	58	0.05	15.5	11.8	468	2.32	14.5
CFC 22817	Nad 83-07V	585240	6974796	0.6	9.2	8.5	47	0.05	15.6	7.3	167	2.03	20.6
CFC 22818	Nad 83-07V	585234	6974746	0.8	9.5	9.8	50	0.05	15.8	8.2	317	2.07	27.8
CFC 22819	Nad 83-07V	585228	6974696	0.8	9.1	10.6	52	0.05	16.3	7.1	165	1.89	20
CFC 22820	Nad 83-07V	585223	6974646	1.1	11.9	12.2	63	0.05	17.9	14.3	928	2.58	41.2

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 22746	1.3	6.6	7.5	21	0.05	1.1	0.1	70	0.29	0.05	22	52	0.95	132	0.131
CFC 22747	1.8	6.3	8.7	26	0.05	1.7	0.2	66	0.37	0.057	28	52	0.8	233	0.127
CFC 22748	1.7	8.6	10.3	18	0.05	1.1	0.2	61	0.26	0.044	32	38	0.6	116	0.109
CFC 22749	1.7	7	9.1	14	0.05	2.1	0.2	58	0.19	0.023	25	39	0.49	111	0.095
CFC 22750	1.7	15.8	9.4	13	0.05	2.3	0.2	58	0.18	0.022	23	41	0.49	106	0.093
CFC 22751	2	54.2	4.1	22	0.2	2.6	0.2	58	0.3	0.061	18	33	0.52	134	0.064
CFC 22752	1.8	42.9	3.8	17	0.1	2.3	0.2	63	0.22	0.054	17	34	0.52	114	0.062
CFC 22753	1.1	29.1	3.2	16	0.05	1.6	0.2	53	0.22	0.051	12	28	0.46	79	0.068
CFC 22754	1	25.7	6.5	13	0.1	1.8	0.2	62	0.17	0.038	12	29	0.48	75	0.079
CFC 22755	1.4	18.4	4.7	15	0.1	1.5	0.2	63	0.21	0.056	13	30	0.5	92	0.077
CFC 22756	1.3	12.7	3.6	15	0.1	1.4	0.2	66	0.2	0.055	13	28	0.45	92	0.069
CFC 22757	1.5	7.8	3.3	15	0.1	1.2	0.2	63	0.2	0.059	13	32	0.5	108	0.072
CFC 22758	1.3	11	4.4	17	0.1	1.2	0.2	67	0.25	0.057	13	35	0.56	116	0.086
CFC 22759	1.5	10.8	4.3	17	0.2	1.3	0.2	57	0.21	0.071	12	31	0.55	114	0.064
CFC 22760	1.3	7.8	3.9	17	0.2	1.1	0.2	56	0.24	0.064	10	34	0.58	110	0.074
CFC 22761	1.2	14	7.7	27	0.1	2.2	0.1	89	0.54	0.149	14	43	1.6	371	0.167
CFC 22762	1.5	22.2	4.7	20	0.2	1.5	0.1	56	0.35	0.043	11	31	0.58	137	0.088
CFC 22763	4	48.2	6	28	0.2	4.7	0.2	68	0.58	0.064	21	46	0.8	262	0.092
CFC 22764	2.3	27.9	5.3	19	0.1	2.4	0.2	64	0.22	0.043	19	38	0.73	154	0.079
CFC 22765	2.5	28.1	4.5	22	0.1	3	0.2	58	0.33	0.064	20	34	0.65	174	0.078
CFC 22766	2.1	167.1	8.1	23	0.2	42.3	0.2	59	0.35	0.071	19	34	0.78	172	0.099
CFC 22767	4.2	64.7	5.6	28	0.2	4.3	0.2	66	0.32	0.079	32	44	0.63	233	0.061
CFC 22768	1.9	130.6	3.2	18	0.2	3.2	0.2	48	0.22	0.063	15	29	0.49	120	0.052
CFC 22769	1.7	72.1	4.3	21	0.1	3.4	0.2	59	0.29	0.065	16	32	0.54	123	0.062
CFC 22770	1.7	50.9	3.7	22	0.05	3.6	0.2	57	0.31	0.064	14	32	0.52	124	0.064
CFC 22771	3.1	97.2	5.3	28	0.2	5.4	0.2	59	0.41	0.066	20	36	0.54	173	0.071
CFC 22773	2.7	5.4	7.9	28	0.2	0.9	0.2	63	0.44	0.086	28	44	0.68	296	0.093
CFC 22777	1.5	14.2	4.9	19	0.2	1.5	0.2	59	0.25	0.068	14	32	0.55	133	0.079
CFC 22779	1.5	21.4	4.9	18	0.1	1.5	0.2	57	0.25	0.068	13	32	0.55	126	0.076
CFC 22780	1.3	14.5	4	17	0.2	1.5	0.2	54	0.22	0.066	13	32	0.53	117	0.069
CFC 22781	1.6	9.4	6.2	19	0.2	1.4	0.2	62	0.24	0.068	16	34	0.57	139	0.079
CFC 22782	1.1	9.8	2.9	18	0.2	1	0.2	50	0.2	0.057	12	27	0.48	98	0.061
CFC 22783	1.3	24.7	3.7	16	0.2	1.2	0.2	52	0.21	0.058	14	27	0.49	95	0.064
CFC 22784	1.2	8.9	2.8	17	0.05	1.3	0.2	62	0.22	0.056	13	27	0.44	93	0.064
CFC 22785	1.1	12.2	3.5	17	0.2	1.5	0.2	55	0.23	0.06	13	27	0.49	92	0.07
CFC 22786	0.8	9.3	4.3	15	0.1	1.8	0.2	67	0.16	0.034	11	26	0.42	61	0.082
CFC 22787	1.9	16.6	3.2	21	0.2	1.3	0.2	39	0.24	0.062	17	29	0.49	123	0.054
CFC 22788	1.9	16.1	4.3	21	0.2	1.7	0.2	45	0.25	0.058	24	30	0.49	135	0.063
CFC 22789	1.8	14.7	4.1	15	0.1	1.9	0.2	58	0.16	0.058	21	30	0.44	123	0.06
CFC 22790	1.1	15.6	6.9	20	0.05	12	0.3	61	0.23	0.037	15	50	0.79	172	0.09
CFC 22791	0.7	11.8	4.9	17	0.2	9	0.2	58	0.19	0.036	11	42	0.67	165	0.084
CFC 22792	0.6	17.9	5.3	17	0.05	8.9	0.2	62	0.24	0.036	10	53	0.94	129	0.112
CFC 22793	0.8	18.5	5.2	18	0.1	9.7	0.2	59	0.26	0.04	15	56	0.88	170	0.102
CFC 22794	1.3	8.1	5.3	23	0.1	6.6	0.1	60	0.31	0.054	16	56	1.15	152	0.136
CFC 22796	1.3	11.4	2.8	13	0.1	1.8	0.2	48	0.12	0.047	14	27	0.39	83	0.062
CFC 22797	1.1	19.3	3.5	18	0.2	1.9	0.2	61	0.23	0.062	14	28	0.47	105	0.069
CFC 22798	1	13.6	3.6	16	0.2	1.7	0.2	54	0.19	0.052	12	27	0.47	82	0.072
CFC 22799	1.5	10.2	3.8	17	0.2	1.3	0.2	45	0.22	0.059	12	29	0.5	104	0.067
CFC 22800	1.6	13.2	6.8	18	0.3	2.3	0.3	65	0.23	0.076	15	34	0.57	131	0.076
CFC 22802	1.1	10.7	2.8	16	0.1	1.2	0.2	54	0.19	0.057	10	27	0.46	97	0.065
CFC 22803	1	14.2	2.2	15	0.1	1.1	0.2	47	0.19	0.058	10	27	0.42	91	0.059
CFC 22804	1.1	5.9	2.7	17	0.2	0.5	0.2	46	0.19	0.05	11	28	0.57	99	0.074
CFC 22805	1.3	14	6.2	17	0.1	0.6	0.2	57	0.22	0.067	13	30	0.7	83	0.096
CFC 22806	1.4	7.4	3.6	19	0.2	0.5	0.3	49	0.23	0.057	13	29	0.55	114	0.073
CFC 22808	1.2	17.1	4.9	19	0.2	0.6	0.2	53	0.24	0.061	13	33	0.7	105	0.092
CFC 22809	1.2	5.3	3.1	18	0.1	0.6	0.2	41	0.21	0.061	13	28	0.57	117	0.068
CFC 22811	1.3	14.1	6.8	16	0.2	2.4	0.2	64	0.21	0.072	15	32	0.52	113	0.073
CFC 22812	1.4	8.5	4.3	16	0.2	1.2	0.3	58	0.18	0.057	13	28	0.49	129	0.063
CFC 22817	1.1	6.1	4.2	17	0.2	1.4	0.2	55	0.22	0.063	13	28	0.53	97	0.071
CFC 22818	1	7.2	3.3	16	0.1	1.5	0.2	65	0.18	0.048	11	30	0.45	101	0.07
CFC 22819	1.2	11.1	3.2	19	0.3	1.6	0.2	43	0.21	0.055	13	30	0.49	126	0.066
CFC 22820	1.8	8.5	5.4	18	0.2	2.6	0.3	66	0.2	0.083	17	33	0.51	145	0.073

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 22746	0.5	2.03	0.011	0.17	0.2	0.03	3.9	0.3	0.025	6	0.25	1DX15	VAN08003681
CFC 22747	0.5	1.7	0.013	0.15	0.2	0.04	4.6	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22748	1	1.69	0.012	0.09	0.1	0.03	3.7	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22749	0.5	1.84	0.01	0.05	0.2	0.05	3.7	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22750	0.5	1.96	0.01	0.05	0.2	0.05	3.5	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22751	1	1.55	0.014	0.06	0.2	0.12	2.8	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22752	1	1.56	0.012	0.05	0.2	0.11	2.6	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22753	1	1.3	0.012	0.05	0.3	0.09	2.1	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22754	1	1.39	0.011	0.05	0.3	0.05	2.1	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22755	1	1.4	0.011	0.06	0.2	0.06	2.2	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22756	1	1.31	0.013	0.06	0.2	0.05	2	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22757	2	1.56	0.012	0.06	0.2	0.06	2.4	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22758	1	1.77	0.011	0.06	0.2	0.07	2.8	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22759	1	1.61	0.012	0.06	0.2	0.03	2.6	0.1	0.06	5	0.25	1DX15	VAN08003681
CFC 22760	1	1.74	0.01	0.06	0.2	0.04	2.6	0.1	0.05	6	0.7	1DX15	VAN08003681
CFC 22761	2	2.46	0.013	0.68	0.2	0.02	5.6	0.5	0.025	7	0.6	1DX15	VAN08003681
CFC 22762	1	1.48	0.015	0.08	0.2	0.05	3.1	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22763	1	1.88	0.017	0.15	0.2	0.12	4.9	0.2	0.06	6	0.7	1DX15	VAN08003681
CFC 22764	1	1.93	0.015	0.06	0.2	0.06	3.7	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22765	1	1.59	0.015	0.09	0.2	0.07	3.2	0.2	0.06	5	0.7	1DX15	VAN08003681
CFC 22766	1	1.52	0.015	0.2	0.2	0.08	3.2	0.3	0.025	5	0.25	1DX15	VAN08003681
CFC 22767	0.5	2.15	0.014	0.08	0.2	0.11	4.4	0.2	0.06	7	0.7	1DX15	VAN08003681
CFC 22768	2	1.38	0.014	0.05	0.2	0.15	2.6	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22769	2	1.41	0.019	0.06	0.2	0.13	2.7	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22770	2	1.37	0.016	0.06	0.2	0.11	2.8	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22771	1	1.53	0.017	0.07	0.2	0.16	3.6	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22773	1	1.86	0.016	0.11	0.2	0.06	5.9	0.2	0.025	6	0.5	1DX15	VAN08003681
CFC 22777	1	1.72	0.013	0.07	0.1	0.06	3.2	0.1	0.025	6	0.6	1DX15	VAN08003681
CFC 22779	1	1.65	0.013	0.06	0.2	0.06	3.2	0.1	0.025	6	0.5	1DX15	VAN08003681
CFC 22780	0.5	1.62	0.011	0.06	0.2	0.08	2.6	0.2	0.025	6	0.6	1DX15	VAN08003681
CFC 22781	1	1.75	0.013	0.07	0.2	0.06	3.4	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22782	1	1.37	0.012	0.05	0.2	0.06	2.2	0.1	0.05	5	0.25	1DX15	VAN08003681
CFC 22783	1	1.39	0.014	0.05	0.3	0.05	2.3	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22784	1	1.28	0.013	0.05	0.2	0.05	2.2	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22785	1	1.3	0.015	0.06	0.2	0.06	2.2	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22786	1	1.03	0.011	0.07	0.3	0.04	1.9	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22787	1	1.36	0.015	0.06	0.2	0.08	2.6	0.1	0.06	5	0.25	1DX15	VAN08003681
CFC 22788	1	1.34	0.016	0.07	0.2	0.08	2.9	0.1	0.08	5	0.25	1DX15	VAN08003681
CFC 22789	1	1.54	0.015	0.06	0.2	0.08	2.9	0.1	0.06	6	0.25	1DX15	VAN08003681
CFC 22790	0.5	1.96	0.011	0.09	0.1	0.04	3	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22791	1	1.86	0.014	0.08	0.1	0.03	2.6	0.1	0.025	7	0.25	1DX15	VAN08003681
CFC 22792	1	2.11	0.011	0.13	0.2	0.04	2.9	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22793	1	1.98	0.013	0.11	0.2	0.04	3.4	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22794	0.5	2.02	0.011	0.32	0.1	0.04	3.7	0.4	0.025	6	0.25	1DX15	VAN08003681
CFC 22796	1	1.38	0.015	0.06	0.1	0.09	2.3	0.1	0.06	5	0.25	1DX15	VAN08003681
CFC 22797	1	1.21	0.015	0.05	0.2	0.08	2.2	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22798	0.5	1.18	0.014	0.07	0.2	0.07	2	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22799	1	1.38	0.013	0.06	0.2	0.08	2.6	0.2	0.06	5	0.25	1DX15	VAN08003681
CFC 22800	2	1.7	0.013	0.08	0.2	0.05	2.9	0.2	0.06	6	0.6	1DX15	VAN08003681
CFC 22802	2	1.27	0.013	0.05	0.3	0.05	2.2	0.1	0.025	5	0.5	1DX15	VAN08003681
CFC 22803	2	1.19	0.013	0.06	0.2	0.06	2	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22804	1	1.39	0.013	0.07	0.2	0.05	2.2	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22805	1	1.54	0.012	0.13	0.3	0.02	2.5	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22806	2	1.44	0.014	0.07	0.2	0.04	2.5	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22808	0.5	1.64	0.012	0.12	0.2	0.04	2.6	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22809	1	1.55	0.015	0.06	0.2	0.05	2.4	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22811	1	1.51	0.012	0.07	0.2	0.04	2.6	0.1	0.025	6	0.5	1DX15	VAN08003681
CFC 22812	1	1.52	0.014	0.05	0.2	0.04	2.7	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22817	1	1.34	0.015	0.05	0.3	0.05	2.2	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22818	1	1.23	0.014	0.06	0.2	0.04	2.3	0.1	0.025	6	0.25	1DX15	VAN08003681
CFC 22819	1	1.36	0.014	0.07	0.2	0.1	2.3	0.1	0.025	6	0.25	1DX15	VAN08003681
CFC 22820	1	1.57	0.012	0.08	0.2	0.07	2.8	0.2	0.025	6	0.25	1DX15	VAN08003681

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 22821	Nad 83-07V	585218	6974596	1.1	9.8	11.6	58	0.05	17.1	11.7	556	2.12	30.4
CFC 22822	Nad 83-07V	585211	6974546	0.7	20.9	7.5	51	0.05	22.6	9.8	378	2.59	49
CFC 22823	Nad 83-07V	585205	6974496	0.8	16.3	9.7	49	0.05	21.8	10.7	543	2.44	113.9
CFC 22824	Nad 83-07V	585195	6974398	1.5	15	10.9	40	0.05	15.1	6.6	251	3.03	91.1
CFC 22825	Nad 83-07V	585189	6974347	0.8	19.8	9.8	51	0.05	30.8	14.1	391	2.99	64.6
CFC 22826	Nad 83-07V	585185	6974298	1.2	25.4	9	51	0.05	25.2	9.7	297	2.74	36
CFC 22827	Nad 83-07V	585179	6974248	0.7	23	9.2	56	0.05	25.5	11.6	326	3.15	85.9
CFC 22828	Nad 83-07V	585173	6974199	0.8	22.3	10.2	47	0.05	25.5	12.8	334	3.23	50.4
CFC 22829	Nad 83-07V	585165	6974149	0.8	23.1	8.5	48	0.05	21.6	8.5	260	2.5	34.5
CFC 22830	Nad 83-07V	585161	6974099	1	22.3	7.3	47	0.05	23.4	11.3	316	2.77	36
CFC 22831	Nad 83-07V	585154	6974049	1.5	27.4	6.6	47	0.05	27.8	14.4	394	3.06	77.4
CFC 22832	Nad 83-07V	585150	6974000	0.8	20.5	7.4	46	0.05	22.6	10.7	389	2.67	58.8
CFC 22833	Nad 83-07V	585143	6973951	0.9	15.3	7.4	50	0.05	20.7	11.5	498	2.98	114.7
CFC 22834	Nad 83-07V	585138	6973900	0.6	16.6	6.1	46	0.05	30.1	11.7	371	2.84	77
CFC 22835	Nad 83-07V	585134	6973851	0.7	19.8	6.5	50	0.05	52	13	369	2.99	63
CFC 22836	Nad 83-07V	585127	6973801	0.6	20.9	6.3	48	0.05	33.1	13.5	525	3.03	75.2
CFC 22837	Nad 83-07V	585121	6973752	0.6	19.6	6	52	0.05	33.7	11.8	406	2.94	97
CFC 22838	Nad 83-07V	585116	6973702	0.7	18.9	6.5	48	0.05	34.6	12	404	2.86	75.8
CFC 22839	Nad 83-07V	585112	6973651	0.7	16.7	7.1	47	0.05	33.1	11.9	415	2.9	77.3
CFC 22840	Nad 83-07V	585105	6973602	0.6	17.8	7.3	46	0.05	32.8	11.8	373	2.85	64.8
CFC 22841	Nad 83-07V	579043	6973381	1.3	16	13.6	75	0.05	16.2	9.9	963	3.05	41.8
CFC 22842	Nad 83-07V	579049	6973431	1.2	17.3	11.5	72	0.05	18.6	10.7	1494	2.89	42.1
CFC 22843	Nad 83-07V	579054	6973480	1	20.6	16.8	81	0.05	24.1	11.3	470	3.11	76.7
CFC 22844	Nad 83-07V	585172	6974199	1	22.3	11.4	54	0.05	29.2	14.3	358	3.33	48.9
CFC 22845	Nad 83-07V	579061	6973531	1.5	18.6	13.6	73	0.05	19.5	18.4	2083	3.22	25.2
CFC 22846	Nad 83-07V	579066	6973580	1.2	15.6	12.1	70	0.05	18.9	10.4	770	2.9	20.5
CFC 22847	Nad 83-07V	579072	6973629	1.9	27.9	20.8	96	0.1	28.2	19	1515	4.2	33.1
CFC 22848	Nad 83-07V	579078	6973679	2.2	23	15	81	0.05	23.6	14	971	3.59	175.5
CFC 22849	Nad 83-07V	579083	6973729	1	16.4	14.4	71	0.05	17.8	9.2	843	2.77	189.5
CFC 22850	Nad 83-07V	579089	6973778	1.5	18.5	13.3	50	0.05	13.1	6.6	413	2.14	91.8
CFC 22851	Nad 83-07V	584184	6974358	1.6	25.2	17.1	68	0.05	26.3	12.8	601	3.45	144.7
CFC 22852	Nad 83-07V	584179	6974309	1.2	23.7	11.8	56	0.05	25.9	13.6	471	3.42	69
CFC 22853	Nad 83-07V	584175	6974259	1.1	11.6	9	28	0.05	8.8	6.1	336	1.87	22.4
CFC 22854	Nad 83-07V	584169	6974210	1.2	19	8.7	32	0.05	14.3	10.2	436	1.82	24.4
CFC 22855	Nad 83-07V	584162	6974161	1.4	15.7	12.7	41	0.1	13.5	8	365	2.68	13.6
CFC 22856	Nad 83-07V	584157	6974111	0.8	20.8	9.6	46	0.05	21.8	10.2	349	2.59	46.9
CFC 22857	Nad 83-07V	584152	6974062	1.1	19.1	9.8	48	0.05	21.2	11.2	409	2.65	66.1
CFC 22858	Nad 83-07V	584145	6974012	1.3	17.8	10.7	52	0.05	25.5	10.5	332	2.75	55.7
CFC 22859	Nad 83-07V	584140	6973963	0.9	19.1	7.7	43	0.1	18.6	8	411	1.91	26.8
CFC 22860	Nad 83-07V	584135	6973915	0.9	17	9.2	45	0.05	22.5	9.8	319	2.46	48.6
CFC 22861	Nad 83-07V	584130	6973868	1.1	20.2	10.4	47	0.05	24.5	11.3	396	2.59	49.3
CFC 22862	Nad 83-07V	584123	6973818	1.3	22.8	11.2	50	0.1	26.5	14.8	677	2.81	48.5
CFC 22863	Nad 83-07V	584116	6973766	1.1	17.5	10.9	49	0.05	25.6	13	447	2.7	53.4
CFC 22864	Nad 83-07V	584572	6974217	0.7	20.8	10.1	51	0.05	23.9	12.4	264	3.02	51
CFC 22865	Nad 83-07V	584567	6974167	1	21	11.4	55	0.05	27	17	497	3.24	54.7
CFC 22866	Nad 83-07V	584560	6974117	0.8	22.8	8.9	53	0.05	24.1	18.7	940	3.16	47.1
CFC 22867	Nad 83-07V	584555	6974067	1	23.9	9.2	58	0.05	28.3	14.7	794	3.08	57.6
CFC 22868	Nad 83-07V	584548	6974018	1	22.6	8.7	58	0.05	30.2	14.3	800	3.09	74.4
CFC 22869	Nad 83-07V	584543	6973969	1	20.4	8.7	57	0.05	25.9	14.2	617	2.95	57.2
CFC 22870	Nad 83-07V	584537	6973919	1	21.5	8.7	56	0.1	23.1	12.8	568	2.9	49.3
CFC 22871	Nad 83-07V	584533	6973869	1.2	21.2	9.3	61	0.05	25.7	14.8	768	3.09	74.6
CFC 22872	Nad 83-07V	584525	6973819	1	20.5	8.6	57	0.05	25.2	12.6	439	2.89	60.1
CFC 22873	Nad 83-07V	584519	6973769	1.1	20.2	8.4	51	0.05	23.3	12.7	530	2.84	39.5
CFC 22874	Nad 83-07V	584515	6973720	1.4	24	10	67	0.05	29.3	13.8	532	3.91	43.9
CFC 22875	Nad 83-07V	584509	6973670	1	18.4	8.9	56	0.05	25.4	11.8	431	3.09	37.1
CFC 22876	Nad 83-07V	584217	6973750	0.9	14	6	44	0.05	27.2	12.3	415	2.47	10
CFC 22877	Nad 83-07V	584222	6973802	0.9	15.2	7	51	0.05	32.1	14.1	438	2.98	14.9
CFC 22878	Nad 83-07V	584227	6973851	1.5	19.3	10	56	0.05	33.2	15.3	609	3.25	18.9
CFC 22879	Nad 83-07V	584234	6973901	1.2	18	8.2	57	0.1	22.5	12.6	928	2.33	11.8
CFC 22880	Nad 83-07V	584239	6973950	1.3	18.1	7.7	48	0.2	20.8	9.1	394	2.21	13.1
CFC 22881	Nad 83-07V	584212	6973703	0.8	12.7	6.6	46	0.05	26.1	12.7	494	2.75	12.5
CFC 22882	Nad 83-07V	584245	6974000	1.4	22.5	8.5	55	0.1	24.1	10.7	619	2.88	20.1

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 22821	1.2	12.8	2.7	20	0.1	2.5	0.3	58	0.24	0.05	16	32	0.41	142	0.067
CFC 22822	3.2	140	8.2	21	0.2	4.9	0.2	63	0.36	0.08	29	34	0.58	163	0.085
CFC 22823	4.1	63.6	11.8	17	0.1	14.6	0.2	58	0.25	0.061	43	34	0.5	140	0.079
CFC 22824	1	46	5	14	0.2	3.4	0.3	79	0.14	0.029	13	32	0.34	86	0.071
CFC 22825	1.6	10.1	9.7	26	0.05	4.8	0.1	69	0.41	0.078	35	68	1.35	182	0.133
CFC 22826	1.4	5.3	8.2	30	0.05	2.9	0.3	64	0.37	0.059	29	47	0.7	207	0.107
CFC 22827	2.2	10.7	10.5	30	0.05	9.3	0.5	69	0.41	0.067	36	53	1.06	193	0.121
CFC 22828	1.1	8.9	6.5	23	0.05	3.9	0.1	76	0.24	0.03	16	50	0.87	151	0.109
CFC 22829	2.3	9.9	8.4	27	0.05	4.3	0.2	63	0.33	0.057	28	38	0.63	176	0.098
CFC 22830	1.2	13.8	5.9	26	0.05	3	0.1	69	0.37	0.058	19	40	0.8	175	0.108
CFC 22831	1.5	34.4	6.6	27	0.05	9.1	0.2	69	0.43	0.071	21	60	1.24	240	0.135
CFC 22832	1.3	24	7.9	24	0.05	8.7	0.2	55	0.33	0.06	27	38	0.83	177	0.113
CFC 22833	1.2	74.7	6.7	23	0.05	10.9	0.2	64	0.31	0.058	16	40	0.94	173	0.114
CFC 22834	0.9	31.7	5.3	24	0.05	6	0.2	65	0.36	0.058	15	52	1.06	183	0.124
CFC 22835	1	46.8	5.4	21	0.05	4.7	0.2	65	0.27	0.053	15	79	1.12	172	0.122
CFC 22836	1.1	42.4	6.5	24	0.05	7.9	0.2	57	0.34	0.056	20	51	1.03	203	0.123
CFC 22837	1.5	94.8	6.3	25	0.05	12.8	0.2	60	0.36	0.059	23	56	1.03	205	0.127
CFC 22838	1.6	57.6	5.5	26	0.05	10.8	0.2	59	0.39	0.061	20	60	1.01	224	0.113
CFC 22839	1.2	53.6	6.6	25	0.05	10.3	0.3	59	0.38	0.055	19	61	0.99	229	0.111
CFC 22840	1.2	45.6	9.2	28	0.05	9	0.3	59	0.38	0.05	27	61	1.06	219	0.128
CFC 22841	5.2	6	17.7	23	0.2	0.8	0.2	66	0.27	0.066	26	31	0.5	137	0.108
CFC 22842	7.4	7.7	19	26	0.2	0.7	0.2	62	0.31	0.084	32	37	0.51	158	0.096
CFC 22843	8.5	10.6	23.4	24	0.2	0.8	0.2	64	0.32	0.082	28	41	0.62	175	0.1
CFC 22844	1.3	12.7	7.6	24	0.05	4.4	0.2	78	0.27	0.033	17	54	0.89	151	0.116
CFC 22845	9.4	6.8	17.5	23	0.1	0.6	0.2	64	0.25	0.078	32	37	0.52	205	0.099
CFC 22846	4.3	4.5	17	21	0.2	0.5	0.2	64	0.27	0.062	20	34	0.51	143	0.104
CFC 22847	12.3	9.7	30.2	30	0.2	0.7	0.3	83	0.34	0.105	46	51	0.66	258	0.103
CFC 22848	6.5	22.1	24	23	0.2	1	0.3	72	0.27	0.071	29	44	0.6	170	0.101
CFC 22849	6.2	18.6	28.2	21	0.1	1	0.1	53	0.3	0.079	33	30	0.48	143	0.105
CFC 22850	5.3	7.6	2	24	0.3	0.6	0.3	52	0.22	0.07	28	29	0.29	128	0.047
CFC 22851	7.2	206.5	15.8	24	0.2	14.8	0.3	72	0.26	0.067	48	47	0.64	243	0.081
CFC 22852	2.1	71.5	8.9	20	0.1	5.2	0.2	75	0.22	0.055	19	43	0.75	172	0.099
CFC 22853	0.8	26.4	3	12	0.1	1.3	0.2	52	0.1	0.031	6	16	0.14	80	0.067
CFC 22854	2.1	24.9	2.4	22	0.2	1.5	0.3	47	0.22	0.05	36	23	0.24	178	0.057
CFC 22855	0.9	7.4	2.8	17	0.3	0.8	0.3	69	0.15	0.051	10	26	0.28	125	0.059
CFC 22856	2.1	48	8.6	24	0.1	3	0.2	64	0.33	0.059	21	34	0.5	182	0.086
CFC 22857	2.7	84.6	5.8	31	0.2	3	0.2	63	0.42	0.07	19	36	0.63	241	0.086
CFC 22858	1.9	36.1	4.6	26	0.2	1.8	0.2	68	0.32	0.057	15	39	0.54	239	0.084
CFC 22859	2.5	24.1	2.5	31	0.3	1.1	0.2	46	0.35	0.062	17	29	0.36	241	0.06
CFC 22860	1.9	60.7	6.2	28	0.1	1.7	0.2	59	0.37	0.054	17	38	0.57	200	0.083
CFC 22861	2.4	57.9	6.1	36	0.2	1.7	0.2	61	0.51	0.058	20	41	0.56	236	0.079
CFC 22862	4	58.8	5.3	50	0.2	1.6	0.2	65	0.78	0.069	30	45	0.55	359	0.071
CFC 22863	2	62.3	6.5	33	0.1	1.7	0.2	66	0.53	0.057	16	45	0.59	212	0.089
CFC 22864	1.2	27.7	7.4	24	0.1	2.9	0.3	70	0.31	0.062	16	46	0.84	148	0.11
CFC 22865	1.2	36.1	7.4	21	0.1	2.7	0.2	76	0.28	0.054	15	57	0.89	146	0.112
CFC 22866	1.6	31	6.9	24	0.1	2.6	0.2	70	0.35	0.066	17	50	0.86	162	0.116
CFC 22867	2	35.7	5.8	30	0.1	4.4	0.2	71	0.44	0.069	21	56	0.8	233	0.106
CFC 22868	1.9	41.8	5.6	30	0.1	4.8	0.2	69	0.45	0.073	21	56	0.84	266	0.1
CFC 22869	1.6	25	5.4	28	0.2	2.9	0.3	66	0.41	0.064	16	50	0.75	220	0.097
CFC 22870	1.6	36.6	3.9	33	0.1	2.5	0.2	66	0.45	0.068	15	49	0.67	241	0.088
CFC 22871	1.7	56.7	4.7	33	0.2	4.3	0.3	71	0.41	0.05	14	52	0.73	251	0.098
CFC 22872	2.4	53.6	5.4	28	0.1	3.3	0.2	65	0.36	0.048	16	50	0.73	204	0.1
CFC 22873	2.3	29.1	5.9	30	0.1	2.2	0.2	65	0.39	0.058	20	45	0.7	236	0.098
CFC 22874	1.8	19	6.3	34	0.1	2.6	0.4	87	0.42	0.053	20	62	0.9	306	0.126
CFC 22875	1.7	17.5	6.6	27	0.2	2.4	0.4	68	0.33	0.044	17	48	0.77	204	0.112
CFC 22876	1.3	8.3	6.2	30	0.1	0.4	0.1	55	0.45	0.058	14	43	0.72	157	0.11
CFC 22877	1.4	5.2	7.1	29	0.1	0.5	0.2	64	0.42	0.06	15	54	0.9	170	0.135
CFC 22878	2.1	9.6	7.5	33	0.2	0.6	0.3	73	0.46	0.056	18	52	0.81	218	0.114
CFC 22879	1.8	4.1	3.2	41	0.7	0.4	0.2	57	0.6	0.055	19	35	0.54	243	0.071
CFC 22880	1.4	7.2	4.5	36	0.3	0.5	0.2	52	0.45	0.052	19	32	0.49	213	0.073
CFC 22881	1.3	3.6	5.7	29	0.1	0.3	0.1	62	0.47	0.05	13	46	0.8	158	0.112
CFC 22882	2.4	10.1	6.2	38	0.1	0.7	0.2	69	0.49	0.065	23	37	0.53	220	0.074

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 22821	2	1.34	0.013	0.07	0.2	0.08	2.2	0.1	0.12	7	0.25	1DX15	VAN08003681
CFC 22822	1	1.32	0.015	0.11	0.2	0.1	3.6	0.2	0.08	4	0.25	1DX15	VAN08003681
CFC 22823	1	1.43	0.011	0.11	0.3	0.13	2.8	0.3	0.07	4	0.25	1DX15	VAN08003681
CFC 22824	2	1.84	0.008	0.06	0.2	0.06	2.3	0.2	0.08	8	0.25	1DX15	VAN08003681
CFC 22825	0.5	2.14	0.013	0.55	0.2	0.05	4.2	0.5	0.025	6	0.25	1DX15	VAN08003681
CFC 22826	1	1.84	0.017	0.1	0.2	0.05	5.1	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22827	1	2.3	0.012	0.32	0.3	0.1	5.8	0.6	0.025	7	0.25	1DX15	VAN08003681
CFC 22828	1	2.39	0.011	0.1	0.2	0.03	4.9	0.3	0.025	7	0.25	1DX15	VAN08003681
CFC 22829	0.5	1.74	0.016	0.06	0.1	0.04	4.4	0.1	0.025	6	0.6	1DX15	VAN08003681
CFC 22830	1	1.94	0.015	0.08	0.1	0.03	4.5	0.1	0.025	6	0.25	1DX15	VAN08003681
CFC 22831	0.5	1.92	0.015	0.43	0.1	0.05	4.2	0.3	0.025	6	0.25	1DX15	VAN08003681
CFC 22832	0.5	1.81	0.012	0.18	0.2	0.03	4	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22833	0.5	2.05	0.011	0.21	0.2	0.06	3.9	0.3	0.025	6	0.25	1DX15	VAN08003681
CFC 22834	1	1.83	0.016	0.25	0.1	0.04	4	0.3	0.025	6	0.25	1DX15	VAN08003681
CFC 22835	1	2.03	0.011	0.19	0.2	0.04	3.5	0.3	0.025	7	0.25	1DX15	VAN08003681
CFC 22836	1	1.93	0.018	0.3	0.1	0.08	3.7	0.4	0.025	6	0.25	1DX15	VAN08003681
CFC 22837	0.5	1.8	0.013	0.3	0.2	0.1	4.2	0.4	0.025	6	0.25	1DX15	VAN08003681
CFC 22838	1	1.94	0.012	0.22	0.2	0.08	4.4	0.3	0.025	6	0.25	1DX15	VAN08003681
CFC 22839	0.5	1.97	0.015	0.21	0.2	0.05	3.8	0.3	0.025	6	0.25	1DX15	VAN08003681
CFC 22840	0.5	1.83	0.015	0.25	0.2	0.06	3.9	0.3	0.025	6	0.25	1DX15	VAN08003681
CFC 22841	2	1.68	0.014	0.12	0.1	0.05	4	0.3	0.025	7	0.6	1DX15	VAN08003681
CFC 22842	1	1.75	0.014	0.09	0.2	0.08	4.9	0.2	0.025	6	0.6	1DX15	VAN08003681
CFC 22843	2	2.23	0.014	0.09	0.2	0.11	4.9	0.3	0.025	7	0.25	1DX15	VAN08003681
CFC 22844	2	2.36	0.013	0.1	0.2	0.04	5	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22845	2	1.85	0.017	0.08	0.2	0.06	5.1	0.4	0.025	7	0.25	1DX15	VAN08003681
CFC 22846	1	1.56	0.013	0.09	0.2	0.03	3.3	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22847	2	2.86	0.015	0.12	0.2	0.08	6.9	0.4	0.025	9	0.25	1DX15	VAN08003681
CFC 22848	3	2.27	0.013	0.1	0.2	0.07	4.4	0.4	0.025	8	0.25	1DX15	VAN08003681
CFC 22849	1	1.38	0.014	0.12	0.1	0.04	3.9	0.4	0.025	5	0.25	1DX15	VAN08003681
CFC 22850	2	1.4	0.015	0.06	0.1	0.05	1.7	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22851	1	2.18	0.014	0.12	0.3	0.07	4.9	0.4	0.025	7	0.25	1DX15	VAN08003681
CFC 22852	2	2.36	0.011	0.11	0.2	0.03	3.7	0.3	0.025	7	0.25	1DX15	VAN08003681
CFC 22853	0.5	0.93	0.018	0.04	0.2	0.02	1.2	0.05	0.025	6	0.25	1DX15	VAN08003681
CFC 22854	1	1.23	0.019	0.05	0.4	0.05	2.3	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22855	0.5	1.56	0.012	0.05	0.2	0.06	1.8	0.05	0.025	7	0.25	1DX15	VAN08003681
CFC 22856	1	1.52	0.013	0.07	0.2	0.04	2.9	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22857	2	1.79	0.015	0.08	0.2	0.04	3.7	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22858	2	1.85	0.015	0.08	0.2	0.03	3.4	0.1	0.025	6	0.25	1DX15	VAN08003681
CFC 22859	1	1.37	0.02	0.07	0.2	0.04	2.9	0.05	0.025	5	0.25	1DX15	VAN08003681
CFC 22860	0.5	1.64	0.014	0.07	0.2	0.04	3.5	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22861	1	1.79	0.014	0.08	0.3	0.04	4.1	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22862	1	2.17	0.016	0.07	0.2	0.06	5.5	0.1	0.025	6	0.25	1DX15	VAN08003681
CFC 22863	2	1.81	0.016	0.08	0.3	0.04	4.3	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22864	0.5	2.27	0.014	0.09	0.1	0.05	3.8	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22865	1	2.44	0.01	0.1	0.2	0.04	3.9	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22866	1	2.18	0.015	0.14	0.2	0.04	4	0.3	0.025	7	0.25	1DX15	VAN08003681
CFC 22867	1	2.19	0.017	0.13	0.1	0.06	5.1	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22868	0.5	2.31	0.017	0.14	0.1	0.09	5	0.3	0.025	7	0.25	1DX15	VAN08003681
CFC 22869	1	2.02	0.016	0.1	0.2	0.05	4	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22870	1	2.15	0.019	0.11	0.2	0.07	3.9	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22871	1	2.11	0.016	0.12	0.2	0.06	4.1	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22872	1	1.96	0.017	0.12	0.2	0.06	4.1	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22873	1	1.9	0.016	0.13	0.2	0.05	4.1	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22874	1	2.69	0.018	0.19	0.2	0.05	4.5	0.2	0.025	9	0.25	1DX15	VAN08003681
CFC 22875	1	1.9	0.016	0.13	0.2	0.03	3.5	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22876	0.5	1.5	0.021	0.11	0.2	0.02	3	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22877	1	1.91	0.021	0.18	0.2	0.03	3.5	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22878	2	2.21	0.02	0.14	0.2	0.03	4	0.1	0.025	7	0.25	1DX15	VAN08003681
CFC 22879	1	1.52	0.018	0.11	0.2	0.03	2.9	0.1	0.07	6	0.25	1DX15	VAN08003681
CFC 22880	1	1.63	0.017	0.11	0.2	0.05	2.7	0.1	0.06	5	0.25	1DX15	VAN08003681
CFC 22881	2	1.57	0.017	0.14	0.2	0.02	3.3	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22882	1	2.15	0.016	0.08	0.2	0.04	3.7	0.05	0.05	6	0.25	1DX15	VAN08003681

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 22883	Nad 83-07V	584251	6974050	0.9	14.8	7.8	48	0.05	18.4	9.9	410	2.55	13.6
CFC 22884	Nad 83-07V	584257	6974099	0.9	18.1	8.6	49	0.05	22.5	10.1	342	2.89	16.8
CFC 22885	Nad 83-07V	584262	6974150	1	19.6	8.5	53	0.05	20.9	10.2	468	2.84	17.8
CFC 22886	Nad 83-07V	584267	6974200	1.2	17.3	8.4	42	0.1	15.6	8.6	303	2.53	11
CFC 22887	Nad 83-07V	584273	6974249	1	17	9.1	52	0.05	20.1	9.6	354	2.84	17.1
CFC 22888	Nad 83-07V	584480	6974276	0.7	22	9.6	53	0.05	24.2	11.9	429	3.06	128.8
CFC 22889	Nad 83-07V	584473	6974227	0.6	20.7	7.2	49	0.05	21	8.7	246	2.49	9.6
CFC 22890	Nad 83-07V	584468	6974178	0.6	20.4	6.3	50	0.05	26.9	12	406	2.78	9.9
CFC 22891	Nad 83-07V	584461	6974128	1.1	20.5	8.4	52	0.05	21.9	11.3	448	2.93	9.8
CFC 22892	Nad 83-07V	584279	6974299	0.5	22.5	7.5	49	0.05	21.1	9.7	304	2.56	14.3
CFC 22893	Nad 83-07V	585394	6974375	2.1	16.7	12.8	49	0.05	13.9	6.4	293	3.69	19.7
CFC 22894	Nad 83-07V	585404	6974473	0.9	10.2	12.5	57	0.1	17.1	11.9	471	2.22	21
CFC 22895	Nad 83-07V	585409	6974522	1.1	14.1	17.9	65	0.2	23.5	11.5	384	3.04	41.9
CFC 22896	Nad 83-07V	585417	6974572	0.8	11.4	13.7	55	0.05	17.9	9.1	164	2.2	17.3
CFC 22898	Nad 83-07V	585426	6974672	0.9	12.5	11.3	56	0.1	18.1	12.7	475	2.47	13.6
CFC 22899	Nad 83-07V	585432	6974723	0.5	10.4	11.5	53	0.1	15.7	5.9	153	1.77	9.9
CFC 22900	Nad 83-07V	585438	6974772	0.5	10.6	13.3	51	0.05	14.9	5.6	152	1.87	13.8
CFC 22901	Nad 83-07V	583846	6974045	1.4	14.7	11.2	40	0.05	15.9	6.2	240	2.69	25.1
CFC 22902	Nad 83-07V	583853	6974095	1	21.5	10.8	49	0.05	26.8	10.9	482	2.92	55.3
CFC 22903	Nad 83-07V	583858	6974145	1.8	18.2	12.3	49	0.05	15.9	9.3	458	3.24	28.5
CFC 22904	Nad 83-07V	583864	6974193	1.9	19.1	14.7	56	0.05	22.4	9.1	436	3.4	68.8
CFC 22905	Nad 83-07V	583871	6974244	0.6	18.6	9.6	42	0.05	20.5	8.8	395	2.29	18.2
CFC 22906	Nad 83-07V	583876	6974294	0.9	16.3	19.5	44	0.05	23.3	9.6	393	2.57	30.8
CFC 22907	Nad 83-07V	583977	6975189	0.8	8.6	9.3	40	0.05	13.1	5.8	178	1.53	20.3
CFC 22908	Nad 83-07V	583983	6975238	0.7	9.6	9.8	46	0.05	13.9	6	187	1.84	25.2
CFC 22909	Nad 83-07V	586574	6974140	0.9	21.9	11	58	0.05	27.4	11.7	466	3.21	12.1
CFC 22910	Nad 83-07V	586569	6974090	1	17.9	10.4	51	0.05	23.6	9.7	316	3.1	12.9
CFC 22911	Nad 83-07V	579979	6972772	1.9	21.7	17.3	91	0.05	24.4	14.6	1577	3.85	273.7
CFC 22912	Nad 83-07V	579984	6972822	1.2	20.4	13.6	72	0.1	22.7	12.4	829	3.2	51.4
CFC 22913	Nad 83-07V	579990	6972872	0.7	18.8	10.6	62	0.05	19.5	8.3	441	2.5	54.9
CFC 22914	Nad 83-07V	579996	6972922	0.6	16.6	10.7	59	0.05	20.6	9.3	366	2.61	81.8
CFC 22915	Nad 83-07V	580002	6972971	0.9	15.9	11.7	74	0.05	21.3	10.8	1033	2.59	62.9
CFC 22916	Nad 83-07V	580007	6973020	1.2	16.2	13.1	73	0.05	18.8	9.2	581	3.23	121.6
CFC 22917	Nad 83-07V	580014	6973070	1.3	18.2	13.4	75	0.05	18.5	9.9	1031	2.74	48.2
CFC 22918	Nad 83-07V	580019	6973121	1	15.7	15.4	62	0.1	16.1	7.3	415	2.54	70.2
CFC 22919	Nad 83-07V	580026	6973171	1	17.4	13.2	66	0.05	19.5	8.6	497	2.72	258.5
CFC 22920	Nad 83-07V	580031	6973222	0.8	18	11.9	74	0.05	21.7	11.7	839	2.98	88.4
CFC 22921	Nad 83-07V	580037	6973269	1.1	15.3	13.3	63	0.05	16.4	9.8	731	2.87	78.8
CFC 22922	Nad 83-07V	580043	6973319	1	22.5	12.8	62	0.05	21.6	10.5	639	2.99	48.5
CFC 22923	Nad 83-07V	580048	6973368	0.8	20.1	12	50	0.05	18.7	8.8	424	2.62	71.2
CFC 22924	Nad 83-07V	580055	6973419	1.3	26.5	13.4	49	0.05	18.1	8	379	2.82	17.4
CFC 22925	Nad 83-07V	580060	6973469	0.7	22.2	12.3	60	0.05	20.5	8.3	441	2.55	11.2
CFC 22933	Nad 83-07V	584720	6974650	1.4	20.8	11.8	43	0.05	13.8	9.1	820	1.96	13.3
CFC 22934	Nad 83-07V	584723	6974695	1.1	15.5	11.9	49	0.05	18	9.7	598	2.72	39.3
CFC 22935	Nad 83-07V	584728	6974749	0.6	6.3	4.8	15	0.05	3.9	2.1	113	0.99	5.9
CFC 22936	Nad 83-07V	584740	6974801	1.2	17.8	15.5	74	0.05	22.6	11.4	421	2.73	90
CFC 22937	Nad 83-07V	584743	6974847	0.9	15.5	10	53	0.05	18.9	10.2	376	2.39	45.8
CFC 22938	Nad 83-07V	584753	6974905	0.4	12	7.8	43	0.05	15.6	9.2	286	2.44	72.5
CFC 22939	Nad 83-07V	584742	6974956	0.7	16.7	8.5	49	0.05	22.1	12.4	453	2.71	57.8
CFC 22940	Nad 83-07V	583809	6974600	0.8	19.1	17.3	63	0.05	21.9	12.4	504	2.74	42.9
CFC 22941	Nad 83-07V	584755	6975010	1.1	19.5	10.5	55	0.05	21.9	10.7	386	2.83	92.7
CFC 22942	Nad 83-07V	584004	6974531	1.5	20.9	10.9	44	0.05	13.9	7.8	348	2.41	105
CFC 22943	Nad 83-07V	583997	6974482	1.1	14.8	10.5	37	0.05	15.8	8.4	283	2.73	123.1
CFC 22944	Nad 83-07V	583993	6974432	1.4	16.8	9.2	29	0.05	10.5	6.6	702	1.77	72.3
CFC 22945	Nad 83-07V	583986	6974383	1.4	13	7.6	32	0.05	7.8	3.8	185	1.85	8.5
CFC 22946	Nad 83-07V	583981	6974333	1.6	20.4	14.1	50	0.05	20.4	8.9	290	3.46	22.4
CFC 22947	Nad 83-07V	583974	6974284	0.8	24.4	17.1	49	0.05	28.6	10.8	292	2.74	57.4
CFC 22948	Nad 83-07V	583970	6974234	2.8	17.8	24.7	47	0.05	18	14	726	3.52	47.3
CFC 22949	Nad 83-07V	583964	6974184	1.2	18.2	17.7	45	0.05	20.6	9.9	1056	2.66	42.2
CFC 22950	Nad 83-07V	583957	6974135	1.5	15.8	16.6	52	0.05	22.8	10.3	532	3.14	84.9
CFC 22952	Nad 83-07V	583947	6974035	1.3	17	12.1	49	0.05	18.1	7.6	272	2.71	49.5
CFC 22953	Nad 83-07V	583941	6973985	1	18.8	12.6	45	0.05	25.4	10	465	2.58	79.6

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 22883	0.9	4.5	4.9	16	0.3	0.5	0.2	58	0.18	0.051	11	28	0.42	126	0.072
CFC 22884	1.2	8.7	8.4	21	0.1	0.6	0.2	70	0.26	0.043	16	33	0.55	141	0.097
CFC 22885	1.1	18.1	6.3	20	0.1	0.7	0.2	71	0.26	0.055	17	32	0.55	139	0.087
CFC 22886	0.7	16.7	4.2	17	0.2	0.5	0.1	64	0.18	0.049	10	28	0.41	109	0.073
CFC 22887	0.9	7.4	5.3	18	0.2	0.7	0.2	69	0.24	0.057	12	32	0.57	105	0.093
CFC 22888	1.6	106.7	7.5	21	0.05	4.7	0.1	70	0.32	0.069	20	44	0.8	159	0.1
CFC 22889	0.9	5.2	5	21	0.05	0.6	0.1	58	0.29	0.059	18	33	0.64	128	0.095
CFC 22890	0.9	6	7.5	24	0.05	0.5	0.2	60	0.35	0.066	21	43	0.9	172	0.118
CFC 22891	0.8	6.5	3.3	19	0.2	0.4	0.2	68	0.25	0.049	13	36	0.67	137	0.102
CFC 22892	1.9	11.7	7.3	26	0.05	0.8	0.1	64	0.37	0.06	24	38	0.66	159	0.111
CFC 22893	0.7	7.1	1.6	11	0.2	1.3	0.2	99	0.1	0.041	9	30	0.25	89	0.057
CFC 22894	2.2	15.6	4.2	17	0.05	2	0.3	52	0.2	0.063	20	33	0.46	151	0.058
CFC 22895	3.6	27.9	6.8	18	0.05	3.5	0.3	63	0.2	0.068	35	48	0.58	190	0.062
CFC 22896	2.6	11.7	4.5	15	0.05	1.5	0.2	56	0.16	0.045	19	35	0.5	140	0.069
CFC 22898	2.1	9.6	3.7	17	0.1	0.9	0.2	54	0.21	0.068	15	30	0.46	145	0.066
CFC 22899	1.7	9.5	3	19	0.1	0.8	0.2	38	0.22	0.062	13	29	0.47	134	0.059
CFC 22900	1.8	12	3.7	17	0.1	0.8	0.3	43	0.21	0.059	14	30	0.48	135	0.056
CFC 22901	1.1	13.6	4.4	17	0.1	1.1	0.2	72	0.17	0.031	9	29	0.41	132	0.077
CFC 22902	2.4	48.9	8.9	21	0.1	2.3	0.1	75	0.29	0.058	14	38	0.56	201	0.091
CFC 22903	1.1	14	5.2	17	0.3	1	0.2	86	0.15	0.039	12	30	0.36	152	0.075
CFC 22904	2.9	58.1	8.6	22	0.2	2.9	0.2	88	0.25	0.066	17	36	0.46	229	0.077
CFC 22905	1.4	12.3	6.7	18	0.1	0.7	0.1	60	0.26	0.049	16	31	0.52	137	0.094
CFC 22906	2	12.6	9.2	15	0.05	2.1	0.1	60	0.17	0.035	23	38	0.64	122	0.099
CFC 22907	1.3	12.9	2	16	0.05	1.2	0.2	43	0.18	0.039	10	25	0.36	88	0.063
CFC 22908	2	17.2	2.4	16	0.05	1.2	0.2	42	0.18	0.052	12	26	0.41	108	0.057
CFC 22909	1.6	5.2	10	20	0.1	0.6	0.1	73	0.26	0.047	32	43	0.75	179	0.106
CFC 22910	0.7	3.9	4.8	16	0.2	0.6	0.1	69	0.16	0.04	13	34	0.52	139	0.075
CFC 22911	8.8	44.5	25.7	29	0.1	1.2	0.2	76	0.33	0.087	39	42	0.64	248	0.093
CFC 22912	8.3	15.3	15.5	22	0.05	0.7	0.2	66	0.28	0.077	32	38	0.61	169	0.086
CFC 22913	6.1	12.2	18.8	23	0.2	0.8	0.1	59	0.32	0.073	28	34	0.53	171	0.11
CFC 22914	5.6	36.3	13.3	21	0.05	1	0.2	57	0.27	0.062	20	32	0.54	164	0.091
CFC 22915	4.5	17.1	15.3	22	0.2	0.6	0.2	55	0.29	0.072	18	33	0.61	187	0.092
CFC 22916	5.2	14.3	19.4	22	0.2	0.8	0.2	66	0.29	0.086	24	35	0.56	187	0.104
CFC 22917	5.6	8.6	16	22	0.2	0.6	0.2	62	0.25	0.085	25	34	0.53	189	0.098
CFC 22918	7.1	14.6	17.1	21	0.2	1	0.2	57	0.24	0.074	29	34	0.48	184	0.094
CFC 22919	7.2	57.5	13.2	21	0.2	2.9	0.2	56	0.25	0.054	24	32	0.53	143	0.061
CFC 22920	3.5	20.8	16.7	18	0.3	1.7	0.1	67	0.24	0.05	19	34	0.6	105	0.115
CFC 22921	3.3	15.9	13.9	18	0.2	1.6	0.2	63	0.23	0.054	18	34	0.48	101	0.095
CFC 22922	3.8	16.3	11.4	21	0.2	0.8	0.2	69	0.25	0.063	22	40	0.54	135	0.086
CFC 22923	3.4	9.5	18.8	21	0.1	0.9	0.2	57	0.22	0.042	19	33	0.48	140	0.084
CFC 22924	4.9	5.7	5.4	20	0.3	0.5	0.3	62	0.2	0.074	25	36	0.41	162	0.063
CFC 22925	4.8	3.9	16	24	0.1	0.5	0.1	60	0.32	0.074	29	36	0.55	155	0.1
CFC 22933	2.4	2.3	6.6	22	0.2	1.2	0.3	43	0.19	0.065	41	20	0.31	114	0.048
CFC 22934	1.9	26.8	6.6	13	0.3	2.6	0.2	67	0.16	0.065	21	31	0.4	98	0.073
CFC 22935	0.4	3.3	1.1	6	0.05	0.3	0.05	26	0.05	0.03	4	9	0.07	29	0.041
CFC 22936	5.3	109	6.9	26	0.3	8.3	0.3	61	0.29	0.082	40	41	0.53	248	0.058
CFC 22937	2.7	67.2	5.5	18	0.2	3.6	0.2	62	0.2	0.056	22	36	0.56	128	0.078
CFC 22938	2.5	163.5	10.5	21	0.1	12.4	0.1	55	0.29	0.073	23	29	0.63	136	0.106
CFC 22939	3.4	60.3	13.6	22	0.2	6	0.2	59	0.34	0.069	33	40	0.7	186	0.103
CFC 22940	3.7	24	7.5	21	0.2	2	0.2	67	0.25	0.065	20	39	0.56	191	0.083
CFC 22941	3.4	38.3	8.5	19	0.05	3.1	0.2	64	0.25	0.049	30	38	0.67	217	0.079
CFC 22942	1.4	70.8	2.8	13	0.1	4.8	0.2	59	0.11	0.064	10	21	0.24	86	0.042
CFC 22943	1	166.7	5.3	13	0.2	7.2	0.2	65	0.14	0.037	9	26	0.35	86	0.06
CFC 22944	0.9	154.3	2.1	12	0.2	3	0.2	50	0.1	0.03	8	17	0.13	100	0.041
CFC 22945	0.4	3.4	1	10	0.2	0.7	0.2	53	0.08	0.034	5	15	0.13	63	0.048
CFC 22946	0.8	4.7	4.6	14	0.2	1.1	0.2	88	0.12	0.026	10	35	0.43	139	0.077
CFC 22947	3.5	51.4	7.6	26	0.1	4.4	0.1	66	0.35	0.067	19	45	0.7	215	0.099
CFC 22948	1.1	11.7	2.7	17	0.2	2.7	0.3	92	0.14	0.044	8	37	0.4	105	0.096
CFC 22949	0.9	12.7	2	16	0.2	2	0.2	64	0.16	0.041	7	37	0.39	140	0.075
CFC 22950	0.9	48.9	3.7	22	0.3	2.3	0.2	78	0.24	0.049	9	40	0.46	138	0.086
CFC 22952	1.1	34.4	4.6	14	0.2	1.3	0.2	70	0.14	0.038	10	30	0.36	117	0.069
CFC 22953	1.9	98.6	5.6	25	0.2	2.9	0.2	62	0.3	0.057	16	37	0.49	188	0.073

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 22883	0.5	1.54	0.013	0.06	0.2	0.02	2.2	0.05	0.025	6	0.25	1DX15	VAN08003681
CFC 22884	1	1.91	0.012	0.07	0.2	0.03	3	0.05	0.025	6	0.25	1DX15	VAN08003681
CFC 22885	1	1.85	0.015	0.07	0.2	0.03	2.9	0.05	0.025	6	0.25	1DX15	VAN08003681
CFC 22886	0.5	1.78	0.013	0.06	0.2	0.05	2.4	0.05	0.025	6	0.25	1DX15	VAN08003681
CFC 22887	1	1.68	0.011	0.07	0.1	0.02	3	0.05	0.025	6	0.25	1DX15	VAN08003681
CFC 22888	1	2.26	0.014	0.12	0.2	0.14	4.6	0.3	0.025	6	0.25	1DX15	VAN08003681
CFC 22889	0.5	1.75	0.012	0.07	0.2	0.02	3.3	0.1	0.025	6	0.25	1DX15	VAN08003681
CFC 22890	0.5	2.01	0.014	0.15	0.3	0.02	4	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22891	1	1.92	0.013	0.09	0.2	0.02	3	0.1	0.025	7	0.25	1DX15	VAN08003681
CFC 22892	0.5	1.73	0.015	0.06	0.2	0.02	4.1	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22893	0.5	1.71	0.01	0.03	0.2	0.04	2	0.1	0.025	9	0.6	1DX15	VAN08003681
CFC 22894	1	1.69	0.013	0.06	0.2	0.11	3.1	0.2	0.025	6	0.5	1DX15	VAN08003681
CFC 22895	1	2.4	0.014	0.08	0.2	0.19	4.7	0.4	0.025	7	0.25	1DX15	VAN08003681
CFC 22896	0.5	1.7	0.012	0.05	0.2	0.11	3.4	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22898	1	1.55	0.014	0.05	0.2	0.06	3.2	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22899	0.5	1.48	0.015	0.05	0.2	0.08	2.9	0.1	0.06	5	0.25	1DX15	VAN08003681
CFC 22900	0.5	1.5	0.013	0.05	0.2	0.09	2.8	0.2	0.025	5	0.5	1DX15	VAN08003681
CFC 22901	0.5	1.71	0.012	0.06	0.2	0.02	2.4	0.1	0.025	7	0.25	1DX15	VAN08003681
CFC 22902	0.5	2.14	0.014	0.07	0.2	0.05	3.6	0.05	0.025	5	0.25	1DX15	VAN08003681
CFC 22903	0.5	1.86	0.011	0.06	0.2	0.04	2.4	0.05	0.025	8	0.25	1DX15	VAN08003681
CFC 22904	1	1.96	0.012	0.07	0.2	0.04	3.6	0.1	0.025	8	0.25	1DX15	VAN08003681
CFC 22905	0.5	1.61	0.017	0.05	0.1	0.03	3.2	0.05	0.025	4	0.25	1DX15	VAN08003681
CFC 22906	0.5	1.91	0.009	0.1	0.2	0.03	2.8	0.2	0.025	5	0.6	1DX15	VAN08003681
CFC 22907	1	1.15	0.014	0.05	0.2	0.14	2	0.1	0.06	5	0.25	1DX15	VAN08003681
CFC 22908	0.5	1.33	0.015	0.05	0.2	0.17	2.3	0.2	0.07	5	0.6	1DX15	VAN08003681
CFC 22909	1	2.43	0.011	0.1	0.2	0.04	4.8	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22910	1	2.57	0.01	0.05	0.2	0.04	3.2	0.05	0.025	6	0.25	1DX15	VAN08003681
CFC 22911	1	2.59	0.015	0.12	0.2	0.06	5.6	0.3	0.025	8	0.25	1DX15	VAN08003681
CFC 22912	1	2.48	0.015	0.07	0.1	0.06	5	0.2	0.025	7	0.7	1DX15	VAN08003681
CFC 22913	0.5	1.84	0.014	0.06	0.1	0.08	5.2	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 22914	1	1.96	0.012	0.06	0.2	0.1	4.5	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22915	0.5	1.99	0.014	0.07	0.1	0.07	4.3	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22916	2	2.06	0.012	0.09	0.2	0.07	4.5	0.3	0.025	7	0.6	1DX15	VAN08003681
CFC 22917	2	1.87	0.013	0.1	0.2	0.04	4.3	0.3	0.025	7	0.6	1DX15	VAN08003681
CFC 22918	2	2.07	0.012	0.11	0.1	0.08	4.3	0.3	0.025	7	0.25	1DX15	VAN08003681
CFC 22919	2	1.83	0.01	0.08	0.1	0.08	3.6	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22920	2	2	0.012	0.12	0.1	0.02	3.9	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22921	1	1.91	0.011	0.08	0.1	0.03	3.6	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22922	1	2.24	0.011	0.06	0.1	0.04	4.5	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22923	1	2.01	0.01	0.08	0.1	0.06	4.7	0.3	0.025	6	0.7	1DX15	VAN08003681
CFC 22924	1	2.07	0.012	0.07	0.1	0.04	3.8	0.2	0.025	7	0.9	1DX15	VAN08003681
CFC 22925	1	1.79	0.014	0.06	0.1	0.03	4.8	0.1	0.025	6	0.6	1DX15	VAN08003681
CFC 22933	1	1.12	0.025	0.07	0.1	0.1	1.8	0.1	0.025	5	0.6	1DX15	VAN08003681
CFC 22934	1	1.56	0.012	0.06	0.2	0.04	2.2	0.1	0.025	6	0.5	1DX15	VAN08003681
CFC 22935	0.5	0.55	0.018	0.03	0.1	0.03	0.7	0.05	0.025	3	0.25	1DX15	VAN08003681
CFC 22936	1	2.1	0.012	0.1	0.3	0.12	4	0.2	0.025	6	0.5	1DX15	VAN08003681
CFC 22937	1	1.6	0.013	0.07	0.3	0.05	3	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22938	0.5	1.39	0.016	0.17	0.3	0.08	2.4	0.3	0.025	4	0.25	1DX15	VAN08003681
CFC 22939	2	1.69	0.013	0.14	0.3	0.1	4.3	0.2	0.025	5	0.5	1DX15	VAN08003681
CFC 22940	2	2.15	0.013	0.07	0.2	0.12	4.1	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22941	1	1.96	0.015	0.06	0.2	0.08	3.8	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22942	1	1.15	0.012	0.04	0.2	0.09	1.6	0.1	0.025	6	0.7	1DX15	VAN08003681
CFC 22943	1	1.79	0.011	0.05	0.2	0.06	2.4	0.3	0.025	6	0.5	1DX15	VAN08003681
CFC 22944	0.5	0.94	0.014	0.04	0.1	0.05	1.7	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22945	0.5	1.03	0.015	0.03	0.3	0.04	1.1	0.05	0.025	6	0.25	1DX15	VAN08003681
CFC 22946	1	2	0.013	0.05	0.3	0.02	3.2	0.1	0.025	8	0.5	1DX15	VAN08003681
CFC 22947	2	2.05	0.013	0.08	0.9	0.08	4.8	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22948	1	1.39	0.009	0.06	0.2	0.02	2.5	0.1	0.025	10	0.25	1DX15	VAN08003681
CFC 22949	0.5	1.43	0.013	0.05	0.2	0.03	2.2	0.05	0.025	7	0.25	1DX15	VAN08003681
CFC 22950	2	1.54	0.011	0.08	0.2	0.03	2.6	0.1	0.025	7	0.25	1DX15	VAN08003681
CFC 22952	1	1.59	0.013	0.07	0.2	0.03	2.6	0.05	0.025	7	0.25	1DX15	VAN08003681
CFC 22953	1	1.6	0.011	0.08	0.2	0.03	3.1	0.1	0.025	5	0.25	1DX15	VAN08003681

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 22954	Nad 83-07V	583935	6973936	1.3	23	16.5	59	0.05	31.8	12.6	631	3.19	91.9
CFC 22955	Nad 83-07V	583930	6973886	1	17.7	12.5	50	0.05	23.5	11.1	455	2.83	83.5
CFC 22956	Nad 83-07V	583924	6973835	1.2	17.9	11.7	51	0.05	24.3	9.3	366	2.97	80.6
CFC 22957	Nad 83-07V	583918	6973787	0.7	17.7	9.1	43	0.05	20	9.1	366	2.26	45.9
CFC 22958	Nad 83-07V	583912	6973736	1.4	24.9	10.5	54	0.05	28	11	460	3.1	61.6
CFC 22959	Nad 83-07V	584013	6973724	1.8	16.6	9.9	41	0.05	19.2	10	407	2.23	24.8
CFC 22960	Nad 83-07V	584018	6973774	0.8	14.4	6.8	38	0.05	17.9	7.7	274	2.07	29
CFC 22961	Nad 83-07V	584023	6973824	2.5	14.3	13.7	39	0.05	18.4	9.2	326	3.01	60.9
CFC 22962	Nad 83-07V	584029	6973874	2.6	15.6	10.9	48	0.05	16.4	8.8	292	3.7	15.8
CFC 22963	Nad 83-07V	584035	6973924	2.1	19.8	12.6	51	0.05	24.7	12.9	387	3.93	44.4
CFC 22964	Nad 83-07V	584040	6973975	3.2	21	13.6	47	0.1	17.9	11.1	517	3.26	34.5
CFC 22965	Nad 83-07V	584046	6974024	1.5	22.1	14.5	54	0.05	29.7	12.1	504	3.56	134.6
CFC 22966	Nad 83-07V	584051	6974072	1.7	21.7	13	54	0.05	25.1	11.2	607	3.38	43.6
CFC 22967	Nad 83-07V	584064	6974172	1.3	23.7	12.3	57	0.05	32.2	14	413	3.78	26.7
CFC 22968	Nad 83-07V	584068	6974221	1.5	24.4	11.5	61	0.1	16.8	9.8	479	3.43	14.3
CFC 22969	Nad 83-07V	584073	6974271	2.3	21	11.9	58	0.05	24	9.7	321	4.13	22.5
CFC 22970	Nad 83-07V	584187	6975266	0.6	14.4	11.5	64	0.1	22.7	10.1	225	2.44	26.9
CFC 22971	Nad 83-07V	584181	6975216	0.8	12.5	12.5	57	0.05	17.5	9	277	2.52	47.4
CFC 22972	Nad 83-07V	584175	6975165	0.7	15.4	10.5	55	0.05	19.9	13.2	743	2.48	21.4
CFC 22973	Nad 83-07V	584987	6975228	0.6	19.9	6.7	67	0.05	27.6	20.3	861	3.72	22.9
CFC 22974	Nad 83-07V	584929	6973823	0.5	12	6.5	49	0.05	48	19.3	806	3.68	85.4
CFC 22975	Nad 83-07V	584924	6973774	1	19.4	7.6	50	0.05	35.2	13.7	501	3.22	85.7
CFC 22976	Nad 83-07V	584917	6973724	1	16.4	8.2	38	0.05	24.9	10.2	345	2.91	88.1
CFC 22977	Nad 83-07V	584912	6973674	0.8	17.9	7.9	51	0.05	31.6	13.3	433	3.37	50.7
CFC 22978	Nad 83-07V	584907	6973624	1.2	26.7	8.7	53	0.1	30.2	15.2	795	3.54	52.2
CFC 22979	Nad 83-07V	584815	6973684	0.8	19.3	7.1	49	0.05	28.5	11.8	431	3.03	21.9
CFC 22980	Nad 83-07V	584808	6973635	0.8	21	9.2	52	0.05	29.9	16.5	572	3.16	38.9
CFC 22981	Nad 83-07V	584818	6973735	1	20.9	7.7	54	0.05	32.2	12.9	514	3.03	19.5
CFC 22982	Nad 83-07V	584824	6973784	0.7	21.1	7.4	51	0.05	34.7	13.9	545	3.19	14.5
CFC 22983	Nad 83-07V	584829	6973834	0.7	15.4	6.5	49	0.05	55.9	18.1	772	3.39	12.9
CFC 22984	Nad 83-07V	584731	6973846	0.7	19.5	5.8	57	0.05	41.4	13.8	498	3.45	13.4
CFC 22985	Nad 83-07V	584725	6973797	0.8	18.3	7.1	51	0.05	29.6	11.7	429	2.99	11.7
CFC 22986	Nad 83-07V	584719	6973746	1.1	17.5	7.4	49	0.05	24.4	10.3	411	2.95	13.2
CFC 22987	Nad 83-07V	584714	6973696	1.2	21.9	7	50	0.05	30.6	12.7	495	3.23	15
CFC 22988	Nad 83-07V	584709	6973646	1.1	17.8	6.1	48	0.05	30.5	12.9	528	3.02	21.7
CFC 22989	Nad 83-07V	584609	6973658	0.9	17	7.3	52	0.05	33.9	12.7	488	3.31	43.4
CFC 22990	Nad 83-07V	584612	6973707	1	18.6	7.8	58	0.05	35.5	12.9	501	3.23	54.3
CFC 22991	Nad 83-07V	584618	6973757	1	17.2	7.7	56	0.1	33.9	12.5	570	2.86	27.9
CFC 22992	Nad 83-07V	584630	6973856	0.8	23.9	8.9	61	0.1	36.1	13.4	525	3.57	24.5
CFC 22993	Nad 83-07V	584636	6973906	1	21.2	9.1	57	0.05	33.6	11.9	577	3.56	30.8
CFC 22995	Nad 83-07V	584647	6974005	1	22.1	7	56	0.05	27.5	14.5	1322	3.46	85.9
CFC 22996	Nad 83-07V	584651	6974056	0.5	22.3	7.3	50	0.05	28.6	11.1	406	3.05	34.7
CFC 22997	Nad 83-07V	579095	6973829	1.5	14.4	13.7	59	0.05	17.6	9.2	667	3.57	76.4
CFC 22998	Nad 83-07V	584829	6973829	0.6	13.5	6.4	48	0.05	53.5	16.9	730	3.41	13.2
CFC 22999	Nad 83-07V	584924	6973774	0.9	20.2	8.2	54	0.05	38.2	14.6	541	3.73	90.8
CFC 23000	Nad 83-07V	579100	6973879	1.2	22.6	13.3	76	0.05	29.3	13.1	867	3.52	89.4
CFC 23001	Nad 83-07V	585299	6974434	1.2	29.3	18.4	70	0.1	30.3	13.4	1088	3.98	120.1
CFC 23002	Nad 83-07V	585305	6974484	1	16.8	16.4	67	0.1	26.8	13.4	369	3.5	77.4
CFC 23003	Nad 83-07V	585310	6974534	1.1	16.1	18	70	0.2	25.1	13.4	383	3.37	69
CFC 23004	Nad 83-07V	585316	6974583	0.8	8.9	11.6	50	0.05	21.6	13.8	504	2.39	37.7
CFC 23005	Nad 83-07V	585322	6974631	1	8.6	11.2	51	0.05	17.4	14.7	603	2.49	48.2
CFC 23006	Nad 83-07V	585328	6974683	0.9	9.8	11.5	54	0.05	18	14.8	682	2.63	50.3
CFC 23007	Nad 83-07V	585333	6974733	1	10.7	11.8	56	0.05	18.8	22.9	1273	2.59	23.9
CFC 23008	Nad 83-07V	585339	6974782	0.8	8	8.1	42	0.05	14.2	7.8	259	1.87	12.8
CFC 23009	Nad 83-07V	585345	6974831	1	9.3	12.1	55	0.05	15.7	9.7	605	2.34	20.5
CFC 23010	Nad 83-07V	585350	6974882	0.8	10	11	57	0.05	17.2	12.7	515	2.43	17.4
CFC 23011	Nad 83-07V	585356	6974931	0.6	13.6	9.6	58	0.05	19.5	10.2	229	2.18	8.8
CFC 23012	Nad 83-07V	585362	6974982	0.5	10.5	8.9	50	0.05	15.3	5.6	174	2.14	10.8
CFC 23013	Nad 83-07V	585367	6975030	1.5	10	10	49	0.05	15.8	15.3	739	2.81	20.8
CFC 23014	Nad 83-07V	585373	6975080	0.7	11.6	6.4	49	0.05	22.5	10	251	2.39	10.6
CFC 23015	Nad 83-07V	585379	6975130	0.7	10.2	5.2	44	0.05	18.9	8.5	228	2.07	10.2
CFC 23016	Nad 83-07V	585384	6975180	0.8	13.2	7.7	55	0.05	22.4	10.6	264	2.65	10.7

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 22954	2.4	125.1	7.8	32	0.2	2.6	0.2	73	0.37	0.068	19	48	0.62	255	0.085
CFC 22955	1.7	102.4	7.1	24	0.2	2.4	0.2	67	0.28	0.044	16	37	0.56	227	0.081
CFC 22956	1.8	89.6	6.5	26	0.2	2.7	0.2	69	0.29	0.038	13	41	0.59	188	0.077
CFC 22957	2.6	57.8	7.5	26	0.2	1.7	0.2	56	0.33	0.045	16	33	0.52	164	0.085
CFC 22958	4.4	43.3	7.3	36	0.1	2.8	0.3	70	0.43	0.076	22	45	0.6	299	0.082
CFC 22959	4	14.4	7.9	27	0.05	2.1	0.2	56	0.36	0.051	19	33	0.46	215	0.079
CFC 22960	2.1	29.4	8.4	21	0.05	2.6	0.1	61	0.34	0.058	16	34	0.48	145	0.09
CFC 22961	1.5	22.4	6.7	12	0.3	2.8	0.2	89	0.13	0.036	13	31	0.29	126	0.075
CFC 22962	0.5	3.7	3.1	12	0.3	0.8	0.2	104	0.13	0.034	8	32	0.33	128	0.071
CFC 22963	1	12.8	6	15	0.3	1.2	0.2	99	0.17	0.038	11	40	0.52	148	0.077
CFC 22964	1.5	7.4	5.5	22	0.4	1.2	0.2	97	0.25	0.038	18	34	0.36	164	0.072
CFC 22965	2	139.1	13.4	21	0.2	3.5	0.2	97	0.32	0.055	16	44	0.61	230	0.096
CFC 22966	1.1	22.7	7.3	15	0.2	1.1	0.2	101	0.2	0.037	14	38	0.49	166	0.095
CFC 22967	0.7	7.9	4.5	15	0.2	0.8	0.2	98	0.18	0.031	9	45	0.62	182	0.092
CFC 22968	0.7	4.8	1.3	14	0.3	0.6	0.2	100	0.15	0.051	10	36	0.32	153	0.055
CFC 22969	0.8	4	5.5	17	0.2	0.7	0.2	110	0.18	0.034	13	43	0.54	157	0.082
CFC 22970	2.7	17.9	3.4	21	0.2	1.5	0.2	60	0.26	0.058	17	40	0.6	183	0.069
CFC 22971	2.6	23.1	2.9	20	0.1	1.5	0.2	65	0.24	0.065	19	33	0.5	159	0.06
CFC 22972	2.2	17.4	9.6	18	0.2	1.2	0.2	63	0.26	0.063	30	33	0.58	139	0.09
CFC 22973	1.1	7.6	7.2	26	0.1	1.9	0.1	102	0.53	0.13	15	49	1.44	307	0.163
CFC 22974	0.7	49.5	6	27	0.05	16.3	0.2	82	0.61	0.077	14	171	2.11	283	0.166
CFC 22975	1	71.4	5.5	23	0.05	14	0.2	78	0.32	0.033	15	81	1.09	232	0.115
CFC 22976	0.7	43.4	3.9	18	0.1	11.1	0.2	68	0.26	0.032	10	63	0.72	180	0.099
CFC 22977	0.8	24.5	7.5	22	0.05	7.5	0.3	76	0.34	0.037	20	79	1.17	194	0.134
CFC 22978	2	16.5	5.9	29	0.05	7.9	0.3	81	0.63	0.07	26	65	0.94	351	0.097
CFC 22979	1.8	8.2	4.2	29	0.05	2.6	0.2	74	0.61	0.071	21	69	0.97	267	0.104
CFC 22980	1.5	12.2	6.8	28	0.05	3.3	0.2	77	0.5	0.06	21	59	0.99	282	0.108
CFC 22981	1.3	7.2	4.2	30	0.1	2.2	0.2	70	0.53	0.071	18	62	1	297	0.098
CFC 22982	1.2	4.7	4.9	29	0.05	1.3	0.2	74	0.61	0.059	15	74	1.27	264	0.133
CFC 22983	0.7	3.4	4.7	28	0.05	1.1	0.1	79	0.62	0.068	10	112	1.75	223	0.165
CFC 22984	0.7	4.4	4.5	29	0.05	0.9	0.1	75	0.43	0.061	13	72	1.15	196	0.152
CFC 22985	0.7	1	4.9	23	0.05	0.8	0.2	70	0.34	0.051	13	53	0.91	166	0.139
CFC 22986	0.9	2.5	6.4	25	0.05	0.9	0.2	69	0.35	0.046	16	46	0.8	187	0.119
CFC 22987	2.9	3.4	9.1	37	0.05	1.1	0.3	66	0.52	0.059	33	57	0.98	235	0.133
CFC 22988	2.7	7	8.7	36	0.05	1.8	0.3	59	0.49	0.058	29	57	0.99	269	0.121
CFC 22989	1.4	27.9	7	26	0.1	4.3	0.2	70	0.37	0.048	16	60	1.01	218	0.131
CFC 22990	1.4	30.7	5.6	29	0.2	5.9	0.2	74	0.41	0.049	13	65	1	255	0.13
CFC 22991	1	14.1	3.1	28	0.1	3.2	0.2	65	0.39	0.066	12	54	0.82	233	0.104
CFC 22992	1.7	10.9	5	29	0.05	1.5	0.2	77	0.41	0.059	17	68	1.02	307	0.129
CFC 22993	1.2	9.6	4.9	25	0.1	1.7	0.2	81	0.31	0.049	11	63	0.85	235	0.12
CFC 22995	1.7	65	4.7	30	0.1	5.3	0.2	71	0.4	0.084	16	57	0.85	231	0.092
CFC 22996	1.3	14.2	8.3	28	0.05	1.7	0.2	68	0.42	0.056	23	56	1.05	196	0.149
CFC 22997	1.6	8.4	9.2	11	0.2	0.6	0.2	78	0.13	0.041	10	30	0.45	64	0.103
CFC 22998	0.7	4.1	4.5	25	0.05	1.2	0.2	70	0.54	0.068	9	102	1.69	227	0.14
CFC 22999	1	61.3	5.4	22	0.1	12.8	0.2	83	0.33	0.037	14	83	1.14	244	0.117
CFC 23000	5.8	8.2	24.9	16	0.2	0.7	0.2	77	0.2	0.055	31	44	0.68	137	0.096
CFC 23001	5.9	37.2	9.6	41	0.05	18	0.3	77	0.46	0.077	75	58	0.85	313	0.076
CFC 23002	3.6	56.6	10.8	21	0.1	9.8	0.3	71	0.27	0.085	40	56	0.8	269	0.074
CFC 23003	4.1	33.7	6.8	21	0.05	9.5	0.3	74	0.25	0.09	34	56	0.76	210	0.062
CFC 23004	2	32.4	7.1	19	0.05	6.2	0.2	54	0.26	0.066	25	40	0.64	179	0.064
CFC 23005	1.9	28.7	5.9	17	0.05	6.2	0.2	62	0.23	0.066	20	38	0.57	151	0.057
CFC 23006	2.5	26.5	4.5	18	0.05	5.8	0.2	59	0.22	0.063	20	37	0.57	179	0.051
CFC 23007	2.4	10.9	4.5	17	0.1	1.9	0.2	63	0.21	0.072	18	34	0.54	174	0.055
CFC 23008	1.2	8.5	3.2	14	0.05	0.7	0.2	42	0.18	0.058	15	26	0.45	94	0.058
CFC 23009	1.3	7.6	4.3	16	0.1	0.9	0.3	59	0.21	0.053	14	28	0.52	125	0.066
CFC 23010	1.4	10.6	6.7	17	0.1	1.6	0.3	54	0.23	0.061	16	29	0.51	137	0.064
CFC 23011	1.9	7.1	5.9	19	0.2	1	0.3	48	0.23	0.06	18	31	0.55	172	0.065
CFC 23012	1.5	3.4	2.4	18	0.1	0.6	0.2	42	0.22	0.068	14	27	0.49	137	0.053
CFC 23013	1.4	4.8	4.6	18	0.1	0.8	0.4	83	0.24	0.066	15	28	0.66	137	0.089
CFC 23014	1	5.6	4.3	19	0.05	0.6	0.2	59	0.34	0.077	14	41	0.87	130	0.096
CFC 23015	1	5.8	4	17	0.1	0.8	0.2	49	0.26	0.062	12	36	0.74	93	0.082
CFC 23016	1.2	3.4	5.2	20	0.1	0.7	0.3	58	0.27	0.078	13	38	0.88	145	0.091

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 22954	1	2.12	0.015	0.11	0.2	0.04	4.2	0.1	0.025	7	0.25	1DX15	VAN08003681
CFC 22955	1	1.86	0.011	0.09	0.2	0.03	3.5	0.1	0.025	6	0.25	1DX15	VAN08003681
CFC 22956	1	2.01	0.014	0.09	0.2	0.03	3.6	0.1	0.025	7	0.25	1DX15	VAN08003681
CFC 22957	1	1.44	0.014	0.07	0.2	0.03	3.7	0.05	0.025	5	0.25	1DX15	VAN08003681
CFC 22958	2	2.49	0.017	0.1	0.2	0.06	5.4	0.1	0.025	7	0.25	1DX15	VAN08003681
CFC 22959	1	1.59	0.017	0.06	0.2	0.04	3.5	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 22960	2	1.16	0.013	0.07	0.2	0.02	2.7	0.1	0.05	4	0.6	1DX15	VAN08003681
CFC 22961	2	1.52	0.009	0.06	0.2	0.04	2.5	0.1	0.06	7	0.25	1DX15	VAN08003681
CFC 22962	2	1.96	0.008	0.05	0.1	0.03	2.5	0.05	0.025	8	0.8	1DX15	VAN08003681
CFC 22963	1	2.73	0.012	0.05	0.2	0.03	3.2	0.1	0.025	8	0.7	1DX15	VAN08003681
CFC 22964	2	1.84	0.012	0.08	0.2	0.04	3	0.1	0.025	8	0.25	1DX15	VAN08003681
CFC 22965	2	2.15	0.022	0.08	0.4	0.07	3.9	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22966	1	1.95	0.01	0.06	0.2	0.03	3.2	0.05	0.025	7	0.8	1DX15	VAN08003681
CFC 22967	1	2.87	0.015	0.05	0.4	0.03	3.7	0.1	0.025	8	0.25	1DX15	VAN08003681
CFC 22968	0.5	2	0.009	0.05	0.2	0.03	2.2	0.1	0.025	8	0.6	1DX15	VAN08003681
CFC 22969	2	2.37	0.009	0.05	0.2	0.03	3.4	0.1	0.025	10	0.25	1DX15	VAN08003681
CFC 22970	2	2.02	0.013	0.06	0.2	0.16	3.8	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22971	2	1.72	0.014	0.06	0.2	0.14	2.9	0.2	0.07	6	0.6	1DX15	VAN08003681
CFC 22972	1	1.73	0.01	0.09	0.2	0.04	3.1	0.2	0.025	5	0.7	1DX15	VAN08003681
CFC 22973	2	2.24	0.014	0.55	0.2	0.02	5.2	0.4	0.025	7	0.7	1DX15	VAN08003681
CFC 22974	1	2.88	0.013	0.55	0.2	0.06	4.6	0.5	0.025	8	0.6	1DX15	VAN08003681
CFC 22975	0.5	2.24	0.011	0.13	0.1	0.06	4.2	0.2	0.025	7	0.8	1DX15	VAN08003681
CFC 22976	2	1.98	0.017	0.11	0.2	0.05	3.1	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22977	2	2.34	0.012	0.13	0.1	0.04	3.8	0.2	0.025	7	0.5	1DX15	VAN08003681
CFC 22978	2	2.26	0.013	0.11	0.2	0.07	4.8	0.2	0.025	7	0.7	1DX15	VAN08003681
CFC 22979	1	2.26	0.015	0.12	0.1	0.06	4.6	0.2	0.025	7	0.6	1DX15	VAN08003681
CFC 22980	2	2.27	0.015	0.11	0.1	0.05	4.7	0.2	0.025	7	0.7	1DX15	VAN08003681
CFC 22981	2	2.25	0.014	0.13	0.1	0.05	4.3	0.2	0.025	7	0.6	1DX15	VAN08003681
CFC 22982	1	2.31	0.015	0.18	0.2	0.03	4.1	0.2	0.025	7	0.6	1DX15	VAN08003681
CFC 22983	0.5	2.4	0.014	0.35	0.2	0.02	3.1	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22984	1	2.34	0.014	0.23	0.1	0.02	3.6	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 22985	1	1.98	0.014	0.16	0.2	0.01	3	0.2	0.025	7	0.6	1DX15	VAN08003681
CFC 22986	0.5	1.93	0.017	0.13	0.2	0.02	3.1	0.1	0.025	6	0.5	1DX15	VAN08003681
CFC 22987	2	2.03	0.015	0.24	0.2	0.02	4.1	0.3	0.025	6	0.6	1DX15	VAN08003681
CFC 22988	1	2.09	0.017	0.25	0.2	0.03	3.8	0.3	0.025	7	0.5	1DX15	VAN08003681
CFC 22989	1	2.17	0.012	0.2	0.1	0.04	3.9	0.3	0.025	7	0.25	1DX15	VAN08003681
CFC 22990	0.5	2.37	0.013	0.2	0.1	0.05	3.8	0.3	0.025	8	0.6	1DX15	VAN08003681
CFC 22991	2	2.01	0.017	0.19	0.2	0.05	3.3	0.2	0.025	7	0.6	1DX15	VAN08003681
CFC 22992	1	2.98	0.015	0.24	0.1	0.06	5.4	0.3	0.025	8	0.6	1DX15	VAN08003681
CFC 22993	2	3.03	0.015	0.2	0.2	0.04	4.7	0.2	0.025	9	0.6	1DX15	VAN08003681
CFC 22995	2	2.43	0.014	0.17	0.1	0.12	4.6	0.3	0.025	8	0.25	1DX15	VAN08003681
CFC 22996	1	2.02	0.02	0.21	0.2	0.03	4.7	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 22997	2	1.72	0.01	0.08	0.2	0.05	2.5	0.2	0.08	8	0.25	1DX15	VAN08003681
CFC 22998	1	2.35	0.014	0.35	0.3	0.01	2.6	0.3	0.025	7	0.25	1DX15	VAN08003681
CFC 22999	1	2.32	0.01	0.14	0.2	0.06	3.8	0.2	0.025	8	0.25	1DX15	VAN08003681
CFC 23000	2	2.46	0.011	0.09	0.2	0.04	4.8	0.2	0.025	6	1.1	1DX15	VAN08003681
CFC 23001	2	2.53	0.015	0.2	0.2	0.12	4.8	0.4	0.09	8	0.8	1DX15	VAN08003681
CFC 23002	1	2.52	0.011	0.18	0.3	0.14	4.6	0.4	0.025	7	0.6	1DX15	VAN08003681
CFC 23003	2	2.64	0.012	0.12	0.3	0.16	4.4	0.4	0.07	8	0.5	1DX15	VAN08003681
CFC 23004	0.5	1.83	0.012	0.08	0.3	0.09	3	0.2	0.07	5	0.25	1DX15	VAN08003681
CFC 23005	0.5	1.69	0.011	0.07	0.3	0.09	2.7	0.3	0.025	5	0.6	1DX15	VAN08003681
CFC 23006	2	1.76	0.01	0.07	0.3	0.13	2.9	0.3	0.07	6	0.25	1DX15	VAN08003681
CFC 23007	1	1.74	0.012	0.06	0.2	0.09	3	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23008	0.5	1.24	0.014	0.07	0.2	0.04	1.9	0.1	0.05	5	0.25	1DX15	VAN08003681
CFC 23009	1	1.58	0.011	0.07	0.2	0.05	2.3	0.1	0.025	6	0.25	1DX15	VAN08003681
CFC 23010	1	1.59	0.011	0.07	0.2	0.05	2.6	0.2	0.05	5	0.25	1DX15	VAN08003681
CFC 23011	2	1.72	0.013	0.08	0.2	0.05	3.1	0.1	0.025	5	0.6	1DX15	VAN08003681
CFC 23012	1	1.53	0.015	0.06	0.1	0.05	2.3	0.1	0.06	5	0.25	1DX15	VAN08003681
CFC 23013	1	1.62	0.011	0.12	0.2	0.03	2.4	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23014	0.5	1.65	0.011	0.14	0.2	0.03	2.3	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23015	0.5	1.43	0.012	0.14	0.2	0.03	2.3	0.2	0.025	4	0.25	1DX15	VAN08003681
CFC 23016	0.5	1.9	0.012	0.15	0.2	0.03	2.6	0.2	0.025	6	0.25	1DX15	VAN08003681

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 23018	Nad 83-07V	585577	6975110	0.6	18.6	9.3	56	0.05	21.7	12.2	247	2.91	12.2
CFC 23019	Nad 83-07V	585572	6975060	0.7	16.4	9.6	55	0.05	19.3	11	274	2.67	14.5
CFC 23020	Nad 83-07V	585567	6975009	0.7	18.3	9.4	59	0.05	20.9	11.8	266	2.79	13
CFC 23021	Nad 83-07V	585560	6974960	0.5	13.9	6.1	51	0.05	19.7	10	344	2.59	12.3
CFC 23023	Nad 83-07V	585550	6974861	1.1	12.7	11.6	61	0.05	20.6	13	614	2.75	13.5
CFC 23024	Nad 83-07V	585543	6974811	0.9	13.7	10.4	60	0.05	17.6	14.4	887	2.71	16.8
CFC 23025	Nad 83-07V	585539	6974760	0.6	11.7	10.4	50	0.05	19.2	8.8	195	2.32	14.4
CFC 23026	Nad 83-07V	585532	6974711	0.7	12.1	10.5	54	0.05	18	10.7	384	2.37	16.6
CFC 23027	Nad 83-07V	585527	6974662	1.1	13.3	15	66	0.05	22.1	15.4	742	2.87	32.9
CFC 23028	Nad 83-07V	585522	6974611	0.7	14.9	9.7	52	0.05	21.1	10.9	502	2.6	21.6
CFC 23029	Nad 83-07V	585516	6974562	0.9	15.5	10.4	52	0.05	22.4	11.5	453	2.91	21.3
CFC 23030	Nad 83-07V	585504	6974463	0.9	18	19.2	67	0.05	31.1	14.5	874	3.34	81.3
CFC 23031	Nad 83-07V	579019	6973182	0.8	20.2	10.6	66	0.05	22.4	9.9	446	2.87	76.8
CFC 23032	Nad 83-07V	579026	6973232	1	18.6	11.2	74	0.05	20.3	10.1	742	3.07	96.4
CFC 23033	Nad 83-07V	579031	6973281	1.3	13.8	11.1	78	0.05	18.8	11.2	880	3.24	66.7
CFC 23034	Nad 83-07V	579037	6973331	1.2	14.3	10.1	65	0.05	19.2	10.1	800	2.94	32.5
CFC 23035	Nad 83-07V	586388	6974261	0.5	20.8	12.4	50	0.05	23.3	9.3	300	2.75	21.9
CFC 23036	Nad 83-07V	585504	6974466	0.9	17.5	19.3	65	0.05	30.4	13.6	884	3.19	78.7
CFC 23037	Nad 83-07V	588078	6974072	1.2	23.2	8.5	56	0.05	28.6	13.5	461	3.09	7.9
CFC 23038	Nad 83-07V	588081	6974121	1.3	30.6	10	60	0.05	36.9	15.6	421	3.61	9.8
CFC 23039	Nad 83-07V	588088	6974171	1.6	13.7	8.9	46	0.05	20.4	11.8	331	3.38	9.1
CFC 23040	Nad 83-07V	588094	6974220	1.1	24.5	11.2	72	0.05	46.5	13.8	653	3.47	12.8
CFC 23041	Nad 83-07V	588099	6974270	0.8	15.7	8.7	59	0.05	28.1	15.5	465	3.05	8
CFC 23042	Nad 83-07V	588105	6974320	1.5	18.2	10.7	52	0.05	24.5	14.6	267	3.55	14.8
CFC 23043	Nad 83-07V	588111	6974372	0.9	15.8	7.7	52	0.05	21.3	12	299	2.91	6.4
CFC 23044	Nad 83-07V	588117	6974419	0.7	22.7	8.9	54	0.05	24	12.3	288	3.13	9.2
CFC 23046	Nad 83-07V	588127	6974520	0.8	19.9	8.1	56	0.05	30.8	14.8	552	3.44	15.7
CFC 23047	Nad 83-07V	588132	6974569	1.3	15	8.2	54	0.05	23	12.5	338	3.57	11.2
CFC 23049	Nad 83-07V	588026	6974530	1.2	14.1	12.6	48	0.05	18.9	10.3	334	2.93	17.6
CFC 23050	Nad 83-07V	588022	6974481	0.9	19	8.7	58	0.05	20.7	11.1	265	3.67	10
CFC 23051	Nad 83-07V	588016	6974431	0.8	16.8	7.5	51	0.05	19.3	9.7	204	2.51	8.1
CFC 23052	Nad 83-07V	588010	6974381	0.6	21.2	8.9	53	0.05	20.6	9.6	181	2.65	7.5
CFC 23053	Nad 83-07V	588005	6974331	1.2	21.8	8.9	53	0.05	22.7	8.9	195	2.5	8.7
CFC 23054	Nad 83-07V	587999	6974281	2.6	23.7	11.3	54	0.05	32.2	14.7	318	2.94	7.5
CFC 23055	Nad 83-07V	587993	6974232	2.2	13.8	9.1	54	0.05	25.9	13.3	549	2.94	7.8
CFC 23056	Nad 83-07V	587988	6974182	3.2	20	10	52	0.05	26	16	603	2.74	7.4
CFC 23057	Nad 83-07V	587983	6974133	1.3	13.2	8.5	42	0.05	18.5	9.4	248	2.59	6.7
CFC 23058	Nad 83-07V	587977	6974083	1.2	15.5	6.9	47	0.05	19.3	11.4	365	2.49	5.6
CFC 23059	Nad 83-07V	587971	6974033	1.1	18.7	8.4	55	0.05	28.2	12	369	3.22	8.8
CFC 23060	Nad 83-07V	587966	6973983	1.6	14.8	8.8	56	0.05	25.3	14.2	353	3.37	8.2
CFC 23061	Nad 83-07V	587960	6973934	1.1	25.7	8.5	53	0.05	34.3	15.3	727	3.16	6.6
CFC 23062	Nad 83-07V	587954	6973884	0.8	19.2	8.5	48	0.05	37.3	17	371	3.19	5.8
CFC 23063	Nad 83-07V	587949	6973834	0.6	19.9	9.9	53	0.05	31.6	17.4	371	3.42	7.7
CFC 23064	Nad 83-07V	587944	6973784	0.7	22.4	10.4	56	0.05	35	14.1	587	3.01	6.8
CFC 23065	Nad 83-07V	587938	6973735	0.6	34.2	9.1	61	0.05	34.2	11.8	527	3.28	7.2
CFC 23066	Nad 83-07V	587933	6973685	0.6	24	9.6	60	0.05	26.6	13.2	482	3.29	9.6
CFC 23067	Nad 83-07V	587927	6973636	0.7	31.4	9.1	65	0.05	29.5	12.6	391	3.13	8.3
CFC 23068	Nad 83-07V	588038	6973723	0.8	21.3	9.6	67	0.05	31.5	15.8	702	3.08	7
CFC 23069	Nad 83-07V	588044	6973774	0.8	24.2	8.5	51	0.05	31.4	12.1	327	3.2	7
CFC 23070	Nad 83-07V	588049	6973824	0.8	19.5	8.8	52	0.05	34.1	13.2	340	3.15	7.6
CFC 23071	Nad 83-07V	588055	6973873	1.1	21.4	9.4	50	0.05	37.6	15.9	380	3.37	6.7
CFC 23072	Nad 83-07V	588059	6973922	0.9	22.2	9.1	49	0.05	30.2	14.2	297	3.39	8.4
CFC 23073	Nad 83-07V	588065	6973973	4.2	14.3	8.3	48	0.05	25.6	11.8	425	2.9	6.2
CFC 23074	Nad 83-07V	588071	6974022	1.7	19.2	8.6	52	0.05	27	14.1	310	2.97	7.7
CFC 23075	Nad 83-07V	588177	6974059	1.6	13.8	17.1	83	0.05	23.2	14	558	4.01	10.2
CFC 23076	Nad 83-07V	588182	6974108	1.9	13.9	9.7	50	0.05	20.9	9.5	266	3.61	9.8
CFC 23077	Nad 83-07V	588188	6974158	1	12.9	11.9	54	0.05	37.5	13.6	391	3.23	9.4
CFC 23078	Nad 83-07V	588194	6974208	1.3	18	9.9	65	0.05	26.4	14.1	840	2.68	7.4
CFC 23079	Nad 83-07V	588200	6974258	1.3	15.5	8.5	52	0.05	24	12.1	489	2.65	7.2
CFC 23080	Nad 83-07V	588205	6974307	0.9	17.7	8.3	58	0.05	23	13.5	535	2.37	5.7
CFC 23081	Nad 83-07V	588211	6974357	1.1	19	8.9	62	0.05	25.1	17.6	1601	3.08	8.8
CFC 23082	Nad 83-07V	588215	6974407	1	11.2	7.7	53	0.05	19.8	13.6	683	2.35	7.1

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 23018	1.5	5.2	6.4	18	0.1	0.8	0.3	58	0.27	0.063	17	34	0.65	173	0.082
CFC 23019	1.4	4.9	6.1	17	0.1	0.9	0.3	56	0.24	0.061	16	29	0.62	140	0.085
CFC 23020	2	6.8	7.1	19	0.2	0.9	0.3	61	0.27	0.062	20	35	0.71	151	0.093
CFC 23021	1.2	4.4	8.4	19	0.1	0.8	0.2	57	0.32	0.066	20	29	0.75	118	0.102
CFC 23023	1.7	11.6	5.5	21	0.2	1.1	0.5	62	0.28	0.069	21	32	0.74	166	0.082
CFC 23024	1.4	7.5	4.5	18	0.2	0.9	0.3	61	0.25	0.065	17	34	0.58	150	0.075
CFC 23025	1.4	10.7	5.3	18	0.1	1.3	0.2	53	0.26	0.062	16	35	0.61	132	0.077
CFC 23026	1.5	10.6	7.4	16	0.2	1.6	0.3	54	0.23	0.062	18	33	0.61	120	0.072
CFC 23027	2.1	15.7	8	19	0.1	1.6	0.4	62	0.25	0.068	19	40	0.58	174	0.071
CFC 23028	2	15.7	8.6	16	0.1	1.3	0.5	60	0.24	0.07	29	35	0.57	120	0.083
CFC 23029	1.3	25.2	8.2	15	0.2	1.3	0.2	72	0.23	0.057	18	36	0.53	106	0.089
CFC 23030	7	61.1	18.7	18	0.2	8.8	0.4	64	0.25	0.055	92	51	0.74	219	0.086
CFC 23031	4.3	47.7	15.8	20	0.05	0.7	0.2	62	0.31	0.077	21	36	0.63	136	0.09
CFC 23032	5.3	20	16.1	24	0.1	0.8	0.2	66	0.35	0.077	25	35	0.57	141	0.093
CFC 23033	2.4	7.5	12.1	18	0.2	0.5	0.2	75	0.27	0.069	16	34	0.55	96	0.105
CFC 23034	3.3	5.1	14	21	0.2	0.5	0.2	68	0.28	0.075	23	33	0.55	134	0.088
CFC 23035	1.4	35.1	6.6	20	0.2	6.9	0.2	63	0.3	0.052	18	42	0.69	126	0.102
CFC 23036	6.6	47.3	17.8	18	0.2	7.9	0.4	58	0.25	0.054	91	50	0.77	225	0.078
CFC 23037	1.6	46.8	9.7	20	0.05	0.6	0.2	69	0.34	0.055	32	54	0.88	155	0.115
CFC 23038	2.4	7.4	9.4	27	0.05	0.7	0.2	81	0.47	0.064	38	67	0.89	252	0.108
CFC 23039	0.4	3.3	3.6	14	0.2	0.6	0.2	79	0.16	0.027	7	39	0.56	115	0.095
CFC 23040	2.9	38.1	18.4	26	0.1	0.7	0.2	70	0.47	0.06	54	79	1.04	197	0.108
CFC 23041	1.9	26.2	9.3	21	0.2	0.5	0.2	69	0.38	0.078	29	46	0.9	154	0.119
CFC 23042	3.8	33.6	14.9	24	0.2	0.7	0.3	78	0.42	0.07	23	43	0.68	174	0.096
CFC 23043	1.5	17.4	5.6	25	0.1	0.5	0.2	64	0.42	0.065	15	39	0.66	172	0.089
CFC 23044	1.7	7.4	5.2	24	0.1	0.6	0.2	73	0.36	0.06	18	42	0.65	215	0.086
CFC 23046	0.9	64.6	4.2	20	0.1	0.9	0.2	69	0.37	0.072	13	51	0.91	236	0.111
CFC 23047	0.5	7.2	3.5	15	0.2	0.6	0.2	80	0.2	0.029	7	41	0.67	100	0.117
CFC 23049	0.6	5.9	8.6	19	0.05	1.3	0.3	58	0.29	0.03	10	30	0.64	130	0.074
CFC 23050	1.3	3.4	5.1	20	0.05	0.6	0.2	68	0.3	0.059	14	35	0.68	170	0.08
CFC 23051	2.2	4.6	4	23	0.1	0.5	0.1	65	0.37	0.062	13	33	0.54	159	0.076
CFC 23052	4.2	6.4	6.9	23	0.2	0.7	0.2	68	0.39	0.054	17	36	0.6	177	0.096
CFC 23053	6.8	10.9	6.7	24	0.2	0.7	0.2	60	0.4	0.057	17	32	0.56	170	0.097
CFC 23054	8.1	55.8	11.3	19	0.1	0.5	0.2	62	0.32	0.061	45	54	0.94	151	0.093
CFC 23055	1.9	61.6	10.2	20	0.2	0.4	0.2	65	0.31	0.048	22	42	0.62	126	0.11
CFC 23056	3	83.8	9.4	21	0.05	0.5	0.2	63	0.3	0.048	33	43	0.63	154	0.102
CFC 23057	0.6	17.7	3.8	17	0.1	0.4	0.2	62	0.21	0.027	10	34	0.55	112	0.098
CFC 23058	1.1	25	3	13	0.05	0.4	0.2	53	0.19	0.036	10	33	0.5	93	0.084
CFC 23059	0.9	17.1	4.7	21	0.05	0.4	0.2	70	0.32	0.044	15	45	0.76	189	0.096
CFC 23060	0.5	148.2	4.8	17	0.2	0.5	0.2	73	0.22	0.037	8	40	0.68	119	0.099
CFC 23061	2	17.5	5.7	27	0.05	0.6	0.2	73	0.46	0.079	22	57	0.94	217	0.093
CFC 23062	1.7	3	8.7	23	0.05	0.6	0.2	75	0.45	0.058	25	67	1.18	173	0.127
CFC 23063	1.9	2.8	10.9	22	0.05	0.6	0.2	77	0.38	0.065	26	64	1.17	178	0.131
CFC 23064	1.7	2.8	6.4	24	0.1	0.7	0.2	68	0.4	0.083	17	83	1.02	199	0.107
CFC 23065	2.1	5.8	7.7	33	0.2	0.8	0.2	71	0.56	0.074	23	54	0.82	272	0.129
CFC 23066	2.1	4	6.4	29	0.1	0.7	0.2	71	0.51	0.087	18	45	0.73	289	0.106
CFC 23067	2.6	2.7	7.2	32	0.2	0.8	0.3	69	0.55	0.083	22	45	0.75	340	0.108
CFC 23068	1.8	4.3	11.1	24	0.05	0.7	0.2	69	0.47	0.084	35	69	1.09	147	0.128
CFC 23069	1.4	11.1	7.6	23	0.05	0.7	0.2	80	0.49	0.062	23	58	1.03	188	0.123
CFC 23070	1.5	14	6.9	21	0.05	1	0.2	69	0.44	0.061	20	56	0.92	176	0.1
CFC 23071	1.1	2.5	6.9	24	0.05	0.8	0.2	80	0.53	0.062	20	68	1.13	190	0.117
CFC 23072	1.2	5	6.5	21	0.05	0.7	0.2	72	0.39	0.047	20	49	0.92	186	0.103
CFC 23073	0.6	3.5	4	18	0.05	0.4	0.2	66	0.32	0.045	10	40	0.86	122	0.082
CFC 23074	1	7	5.2	21	0.05	0.4	0.2	67	0.29	0.047	15	42	0.7	166	0.091
CFC 23075	0.4	3.6	3.1	12	0.4	0.6	0.2	89	0.14	0.03	6	43	0.58	86	0.11
CFC 23076	0.4	3.7	2.6	12	0.3	0.6	0.2	82	0.11	0.033	6	34	0.48	84	0.085
CFC 23077	0.8	124.7	8.3	16	0.1	0.5	0.2	66	0.26	0.051	14	73	0.81	103	0.106
CFC 23078	3.3	22.8	8.4	28	0.2	0.5	0.2	64	0.58	0.069	32	41	0.58	183	0.083
CFC 23079	1.4	19.9	8.4	15	0.1	0.4	0.2	63	0.18	0.036	12	38	0.55	91	0.087
CFC 23080	2.7	9.3	7	32	0.2	0.4	0.2	56	0.64	0.069	29	33	0.55	197	0.077
CFC 23081	1.7	12.9	6.5	28	0.2	0.5	0.2	72	0.51	0.074	19	37	0.66	212	0.083
CFC 23082	0.5	10.4	3.5	19	0.1	0.4	0.1	68	0.33	0.058	8	38	0.63	104	0.079

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 23018	0.5	1.87	0.013	0.07	0.2	0.04	3.5	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23019	0.5	1.79	0.011	0.09	0.2	0.04	3.1	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 23020	0.5	2.08	0.012	0.11	0.2	0.04	3.6	0.2	0.05	6	0.25	1DX15	VAN08003681
CFC 23021	1	1.57	0.014	0.16	0.2	0.02	2.7	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 23023	1	1.81	0.011	0.13	0.7	0.03	3	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 23024	1	1.74	0.012	0.08	0.2	0.04	2.9	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23025	1	1.76	0.012	0.06	0.2	0.06	2.8	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23026	0.5	1.71	0.01	0.07	0.2	0.04	2.7	0.2	0.025	5	0.25	1DX15	VAN08003681
CFC 23027	0.5	1.87	0.011	0.08	0.2	0.07	3.3	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23028	1	1.68	0.011	0.09	0.2	0.03	2.8	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 23029	2	2.23	0.011	0.06	0.3	0.04	3.3	0.1	0.025	6	0.5	1DX15	VAN08003681
CFC 23030	0.5	1.91	0.01	0.26	0.3	0.09	5.2	0.6	0.025	5	0.25	1DX15	VAN08003681
CFC 23031	2	2.25	0.012	0.09	0.2	0.05	4.2	0.2	0.025	6	0.5	1DX15	VAN08003681
CFC 23032	2	2.04	0.015	0.09	0.1	0.05	3.8	0.2	0.025	7	0.25	1DX15	VAN08003681
CFC 23033	2	1.7	0.012	0.09	0.2	0.03	3.2	0.2	0.06	7	0.6	1DX15	VAN08003681
CFC 23034	1	1.85	0.012	0.09	0.2	0.03	3.3	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23035	2	2.12	0.01	0.07	0.2	0.05	3.6	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23036	2	1.9	0.009	0.26	0.3	0.08	5.3	0.5	0.025	5	0.5	1DX15	VAN08003681
CFC 23037	2	2.18	0.012	0.1	0.3	0.03	5.4	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23038	2	2.31	0.014	0.11	0.3	0.04	7	0.2	0.025	7	0.7	1DX15	VAN08003681
CFC 23039	1	2.14	0.009	0.06	0.2	0.02	2.9	0.05	0.025	8	0.25	1DX15	VAN08003681
CFC 23040	2	2.03	0.015	0.17	0.2	0.04	6	0.3	0.025	6	0.25	1DX15	VAN08003681
CFC 23041	2	1.97	0.014	0.13	0.4	0.03	3.7	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23042	1	1.97	0.014	0.12	0.3	0.05	4.2	0.2	0.025	6	0.25	1DX15	VAN08003681
CFC 23043	2	1.63	0.015	0.09	0.2	0.03	3.7	0.1	0.025	5	0.25	1DX15	VAN08003681
CFC 23044	0.5	2.02	0.015	0.07	0.2	0.04	4.8	0.1	0.025	6	0.25	1DX15	VAN08003681
CFC 23046	1	2	0.012	0.15	0.2	0.02	5.2	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23047	1	2.35	0.01	0.07	0.2	0.02	3.5	0.1	0.025	8	0.25	1DX15	VAN08003684
CFC 23049	1	1.91	0.009	0.07	0.2	0.03	3.1	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23050	2	2.05	0.012	0.06	0.2	0.04	3.9	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23051	2	1.65	0.016	0.06	0.2	0.04	3.6	0.1	0.025	5	0.25	1DX15	VAN08003684
CFC 23052	1	1.76	0.017	0.07	0.2	0.03	4.1	0.1	0.025	5	0.25	1DX15	VAN08003684
CFC 23053	2	1.61	0.023	0.08	0.2	0.03	3.8	0.05	0.025	5	0.25	1DX15	VAN08003684
CFC 23054	1	2.21	0.012	0.1	0.2	0.05	5	0.2	0.025	6	0.8	1DX15	VAN08003684
CFC 23055	1	1.91	0.015	0.09	0.3	0.02	3.3	0.1	0.025	5	0.25	1DX15	VAN08003684
CFC 23056	2	1.9	0.012	0.07	0.3	0.04	4.8	0.1	0.025	5	0.6	1DX15	VAN08003684
CFC 23057	1	1.85	0.012	0.07	0.1	0.02	3	0.05	0.025	6	0.25	1DX15	VAN08003684
CFC 23058	2	1.61	0.012	0.06	0.2	0.02	2.9	0.05	0.025	6	0.25	1DX15	VAN08003684
CFC 23059	2	2.23	0.012	0.08	0.2	0.03	4.6	0.1	0.025	7	0.6	1DX15	VAN08003684
CFC 23060	2	2.44	0.011	0.06	0.2	0.03	3.4	0.1	0.025	7	0.25	1DX15	VAN08003684
CFC 23061	2	2.21	0.014	0.1	0.2	0.04	6.2	0.2	0.025	6	0.6	1DX15	VAN08003684
CFC 23062	1	2.13	0.015	0.17	0.1	0.02	6.4	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23063	2	2.34	0.013	0.16	0.2	0.03	5.2	0.3	0.025	7	0.6	1DX15	VAN08003684
CFC 23064	2	2.36	0.012	0.13	0.1	0.04	4.6	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23065	3	2.36	0.018	0.13	0.1	0.05	7.2	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23066	1	2.2	0.016	0.08	0.2	0.04	5.3	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23067	2	2.17	0.017	0.1	0.1	0.05	5.7	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23068	2	2.11	0.014	0.27	0.2	0.03	5	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 23069	2	2.24	0.015	0.15	0.1	0.04	6.3	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23070	2	2.15	0.012	0.11	0.2	0.04	5.9	0.2	0.025	7	0.6	1DX15	VAN08003684
CFC 23071	2	2.36	0.013	0.14	0.3	0.03	6.5	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23072	1	2.18	0.011	0.09	0.2	0.03	5.8	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23073	2	1.82	0.01	0.08	0.3	0.02	4.2	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23074	1	2.12	0.011	0.07	0.2	0.02	4.3	0.1	0.025	6	0.6	1DX15	VAN08003684
CFC 23075	2	2.34	0.009	0.07	0.2	0.02	3.5	0.05	0.025	8	0.25	1DX15	VAN08003684
CFC 23076	2	2.02	0.011	0.05	0.2	0.02	2.6	0.05	0.025	8	0.25	1DX15	VAN08003684
CFC 23077	2	2.06	0.01	0.1	0.4	0.04	3.6	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23078	2	1.58	0.016	0.11	0.3	0.03	4.4	0.1	0.025	5	0.6	1DX15	VAN08003684
CFC 23079	3	1.57	0.012	0.06	0.3	0.03	3.4	0.1	0.025	5	0.25	1DX15	VAN08003684
CFC 23080	2	1.55	0.018	0.08	0.2	0.04	4.1	0.1	0.025	5	0.25	1DX15	VAN08003684
CFC 23081	2	1.76	0.018	0.1	0.2	0.04	5.2	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23082	2	1.38	0.011	0.07	0.2	0.01	2.7	0.05	0.025	5	0.25	1DX15	VAN08003684

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 23083	Nad 83-07V	588222	6974457	0.7	12.6	7.9	57	0.05	20.7	9.8	265	2.47	6.3
CFC 23084	Nad 83-07V	588227	6974507	1.2	23.7	11.1	67	0.05	21.8	13.8	942	2.67	8.3
CFC 23085	Nad 83-07V	588234	6974556	1.2	22.1	12.2	85	0.1	33.3	15	723	3.28	11.4
CFC 23086	Nad 83-07V	588168	6974012	1.4	14.6	12.3	46	0.05	23.5	10.1	291	2.99	18.8
CFC 23087	Nad 83-07V	588162	6973961	1.3	17.2	11.1	60	0.05	27.2	11.5	388	2.92	8.4
CFC 23088	Nad 83-07V	588158	6973910	1	15.8	12.7	48	0.05	24.8	11.5	308	2.73	7.9
CFC 23089	Nad 83-07V	588152	6973861	1	16.2	9.8	49	0.05	37	15.6	551	3.09	4.9
CFC 23090	Nad 83-07V	588147	6973813	1.3	16.4	11.7	52	0.05	29.2	12.5	419	2.83	6.1
CFC 23091	Nad 83-07V	588143	6973762	0.7	12.1	5	38	0.05	25.6	10.3	289	1.94	3
CFC 23092	Nad 83-07V	588136	6973713	0.7	18.9	5.5	46	0.05	37.6	13.3	387	2.74	4.4
CFC 23093	Nad 83-07V	588131	6973663	0.8	22.2	7.4	51	0.05	28.4	12.8	378	2.95	4.9
CFC 23094	Nad 83-07V	588126	6973613	1	23.6	8.6	51	0.05	28.9	13.9	537	3.09	6.6
CFC 23095	Nad 83-07V	588121	6973562	0.9	15.7	10.3	46	0.05	22.4	9.7	310	2.55	6.6
CFC 23096	Nad 83-07V	578634	6973325	1.2	16.6	11.6	64	0.05	19.9	12.6	768	3.15	39.2
CFC 23097	Nad 83-07V	578639	6973376	1.6	15.8	14.2	70	0.1	19	9.5	671	3.13	104.9
CFC 23098	Nad 83-07V	578644	6973426	1.1	12.4	11.5	44	0.05	12.6	7.1	528	2.24	44.1
CFC 23099	Nad 83-07V	578651	6973475	0.9	18.8	10.6	73	0.05	20.5	10.5	642	2.97	24.8
CFC 23100	Nad 83-07V	578656	6973525	1.2	13.9	11.1	65	0.05	18.7	15.1	878	3.02	41
CFC 23101	Nad 83-07V	586342	6973863	1.4	31.2	10.3	50	0.4	25.8	8	308	3.02	14.2
CFC 23102	Nad 83-07V	586347	6973913	1.3	24.2	9.9	40	0.2	18.7	8.7	427	2.47	14.5
CFC 23104	Nad 83-07V	586359	6974013	0.8	16.6	9.4	43	0.05	19.1	8.6	421	2.34	18.4
CFC 23107	Nad 83-07V	586598	6974338	0.8	28.7	13.7	59	0.05	27.2	13.9	376	3.06	24.9
CFC 23109	Nad 83-07V	586111	6973588	0.6	18.3	7.1	51	0.05	26.8	11.9	433	2.85	20.2
CFC 23110	Nad 83-07V	586116	6973638	0.8	15.5	7.5	46	0.05	18.3	9.2	350	2.48	18.2
CFC 23111	Nad 83-07V	586122	6973688	0.8	16.9	8.3	47	0.05	19.8	10.2	429	2.64	11.7
CFC 23112	Nad 83-07V	586128	6973737	0.6	16.3	6.9	44	0.05	19.3	9.1	338	2.38	9.1
CFC 23113	Nad 83-07V	586133	6973787	0.6	15.7	7.7	50	0.05	19.5	9.7	348	2.44	8.5
CFC 23114	Nad 83-07V	586139	6973837	0.7	20.7	8.9	52	0.05	22.7	10.4	438	2.87	9.7
CFC 23115	Nad 83-07V	586145	6973886	0.6	18.5	8.5	50	0.05	20.6	8.9	352	2.6	9.6
CFC 23116	Nad 83-07V	586149	6973936	0.7	21.8	10.3	49	0.05	21.2	9.5	388	2.75	11.8
CFC 23117	Nad 83-07V	586156	6973986	0.6	20	10.1	52	0.05	22.9	8.8	331	2.69	8.2
CFC 23118	Nad 83-07V	586161	6974035	0.7	16.8	9.6	51	0.05	21.8	9.2	428	2.7	8.7
CFC 23119	Nad 83-07V	586168	6974086	0.8	16.5	8.7	48	0.05	22.4	9	470	2.55	8.1
CFC 23120	Nad 83-07V	586174	6974133	0.7	17.4	10.1	53	0.05	23.6	9.3	559	2.61	8.8
CFC 23121	Nad 83-07V	586180	6974187	1.6	23.7	13.7	66	0.05	23.1	17.2	1386	3.68	11.4
CFC 23122	Nad 83-07V	586185	6974233	0.8	21.8	14.3	57	0.05	22.4	8.6	525	2.9	8.9
CFC 23123	Nad 83-07V	586192	6974283	0.6	24.1	10.5	51	0.05	24	9.9	318	2.75	7.1
CFC 23124	Nad 83-07V	586196	6974333	0.7	21.8	10.8	53	0.05	27.3	10.3	486	2.76	7.1
CFC 23125	Nad 83-07V	586201	6974383	0.7	25.5	10.4	56	0.05	23.7	9.2	396	2.9	12.3
CFC 23126	Nad 83-07V	586206	6974432	1.3	18.3	14.6	66	0.05	22.2	11.2	407	3.39	14
CFC 23127	Nad 83-07V	586212	6974483	0.7	16.9	11.4	48	0.05	22.1	10.2	398	2.42	12.6
CFC 23128	Nad 83-07V	586217	6974533	0.7	17.7	12.5	49	0.05	18.4	8.5	252	2.41	11.3
CFC 23129	Nad 83-07V	586223	6974582	1	13.5	15.9	61	0.05	21.3	12	436	2.93	13.4
CFC 23130	Nad 83-07V	586421	6974561	1.4	15.7	17.4	58	0.1	20.9	14.4	828	3.24	59.5
CFC 23131	Nad 83-07V	586415	6974511	0.8	23	14.2	74	0.05	28.8	16.7	574	3.48	38.2
CFC 23132	Nad 83-07V	586409	6974462	1.2	21.8	26.7	86	0.05	26.5	13.8	731	3.45	22.2
CFC 23133	Nad 83-07V	586403	6974404	0.7	19.8	38.5	57	0.05	19.4	8.5	411	2.87	32.9
CFC 23134	Nad 83-07V	586400	6974360	0.7	20.7	21.4	51	0.05	26.7	12.1	428	3.19	22.7
CFC 23135	Nad 83-07V	586393	6974312	0.7	21.2	28.3	59	0.05	21.5	9.9	421	2.87	37
CFC 23136	Nad 83-07V	586388	6974261	0.5	18.1	11.3	44	0.05	21.6	9	282	2.54	19.9
CFC 23137	Nad 83-07V	586381	6974211	0.6	17.7	16.1	48	0.05	18.6	7.5	340	2.42	31.7
CFC 23138	Nad 83-07V	586376	6974162	0.9	20.2	8.3	51	0.05	23.5	8.8	349	2.81	8.3
CFC 23139	Nad 83-07V	586365	6974063	1	20.3	8.1	56	0.05	24.1	9.3	351	3.16	10.5
CFC 23140	Nad 83-07V	578985	6972883	1.6	17.4	12.4	76	0.05	18.2	9.2	1083	3.2	193.1
CFC 23141	Nad 83-07V	578991	6972934	1	19.6	9.2	63	0.05	24.7	9.8	714	3.12	36.9
CFC 23142	Nad 83-07V	578997	6972983	0.9	20	9.8	58	0.05	22.1	8.2	429	2.86	22
CFC 23143	Nad 83-07V	579003	6973033	0.7	24.6	8.7	65	0.05	27.8	9.9	370	3.15	27.7
CFC 23144	Nad 83-07V	579008	6973082	0.7	20.3	11.2	62	0.05	22	8.8	323	2.86	27.6
CFC 23145	Nad 83-07V	579015	6973132	1.3	31.5	13.2	80	0.05	29.1	10.6	604	3.88	70.9
CFC 23147	Nad 83-07V	578664	6973575	0.9	12.9	10.8	66	0.05	18.8	9.4	401	2.63	20.2
CFC 23148	Nad 83-07V	578669	6973624	1.7	10.1	12	53	0.2	10.1	21.9	3169	3.06	18.3
CFC 23149	Nad 83-07V	578675	6973674	1.5	11.6	8.6	66	0.05	15.9	8.9	741	3.06	26.4

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 23083	1	7.4	3	20	0.1	0.3	0.1	63	0.3	0.057	10	37	0.64	140	0.07
CFC 23084	1.8	7	7.6	29	0.2	0.7	0.2	57	0.48	0.065	37	36	0.6	201	0.069
CFC 23085	2	12.9	9.7	28	0.3	1.3	0.2	70	0.54	0.061	34	48	0.78	227	0.088
CFC 23086	0.9	15.4	5.5	21	0.05	0.7	0.2	69	0.39	0.047	15	41	0.65	168	0.074
CFC 23087	0.8	8.2	4.1	27	0.1	0.5	0.3	69	0.49	0.06	13	40	0.73	174	0.089
CFC 23088	0.8	4.1	4.2	22	0.05	0.5	0.2	67	0.42	0.059	13	42	0.76	159	0.081
CFC 23089	1	38	6.1	24	0.05	0.4	0.1	74	0.48	0.09	16	77	1.22	205	0.131
CFC 23090	1	5.2	5.5	22	0.05	0.5	0.2	69	0.41	0.06	15	54	0.85	137	0.1
CFC 23091	0.6	2.9	2.8	21	0.05	0.3	0.1	55	0.42	0.054	8	58	0.91	103	0.097
CFC 23092	1	4	5.6	23	0.05	0.3	0.1	72	0.47	0.082	20	69	1.16	144	0.123
CFC 23093	1.3	7.1	8	25	0.05	0.4	0.2	65	0.46	0.065	27	55	1.09	163	0.125
CFC 23094	2.1	2.5	8.7	23	0.1	0.6	0.2	67	0.47	0.06	32	48	0.84	237	0.102
CFC 23095	0.8	2	6	20	0.1	0.6	0.2	60	0.33	0.057	15	38	0.68	155	0.088
CFC 23096	2.2	14.2	15.7	17	0.2	0.5	0.1	68	0.26	0.056	15	32	0.54	92	0.124
CFC 23097	6.4	21.9	20.5	23	0.2	0.7	0.2	63	0.3	0.073	28	33	0.49	153	0.093
CFC 23098	1.8	8.4	3.6	15	0.05	0.5	0.2	60	0.17	0.04	11	24	0.34	74	0.083
CFC 23099	5.7	7.6	19	22	0.2	0.5	0.1	65	0.32	0.068	32	35	0.57	170	0.113
CFC 23100	3.6	5.1	17	22	0.2	0.5	0.1	63	0.31	0.071	22	30	0.53	165	0.1
CFC 23101	2.7	8.3	2.4	37	0.1	0.8	0.4	62	0.39	0.074	32	42	0.43	305	0.052
CFC 23102	2	7.2	1.5	26	0.1	0.7	0.3	56	0.26	0.067	24	33	0.35	209	0.05
CFC 23104	1.1	22.8	6.9	18	0.1	1.1	0.3	62	0.24	0.034	18	31	0.45	111	0.087
CFC 23107	1.9	11.8	7.4	26	0.2	1.2	0.3	69	0.45	0.07	22	40	0.64	234	0.107
CFC 23109	1.1	6.2	5.4	26	0.05	0.9	0.2	66	0.39	0.065	16	45	0.8	191	0.096
CFC 23110	1.1	6.1	5.6	23	0.1	0.6	0.2	60	0.33	0.047	15	35	0.58	167	0.079
CFC 23111	1.1	5.7	5.1	21	0.05	0.5	0.2	66	0.3	0.052	14	41	0.64	150	0.091
CFC 23112	1.1	4	5.7	19	0.05	0.4	0.1	59	0.28	0.046	13	37	0.59	130	0.086
CFC 23113	1.2	21.5	5	25	0.05	0.4	0.2	59	0.34	0.052	15	36	0.61	140	0.084
CFC 23114	1.8	6	5.6	27	0.1	0.4	0.2	66	0.34	0.058	21	41	0.66	184	0.086
CFC 23115	1.5	5.2	6.7	25	0.05	0.5	0.2	63	0.33	0.06	21	37	0.65	150	0.087
CFC 23116	3	6.7	7.7	28	0.05	0.6	0.2	66	0.34	0.049	24	42	0.61	197	0.08
CFC 23117	2	5.6	7.8	25	0.05	0.5	0.2	61	0.33	0.053	25	39	0.66	160	0.091
CFC 23118	1.2	3.6	8.3	21	0.1	0.5	0.2	61	0.27	0.045	18	37	0.6	121	0.093
CFC 23119	1.1	10.4	7.9	21	0.1	0.5	0.1	62	0.3	0.05	19	39	0.59	125	0.1
CFC 23120	1.6	4.3	10.5	20	0.2	0.7	0.2	63	0.3	0.059	31	40	0.57	118	0.096
CFC 23121	1.6	3.9	6.6	17	0.2	0.6	0.3	84	0.18	0.06	26	42	0.53	174	0.083
CFC 23122	2	7.9	9.4	28	0.1	0.7	0.2	67	0.38	0.048	39	41	0.62	162	0.108
CFC 23123	1.3	10.4	6.6	24	0.05	0.4	0.1	67	0.32	0.053	39	44	0.62	144	0.096
CFC 23124	1.4	4.9	8.3	19	0.2	0.4	0.2	66	0.26	0.048	25	41	0.64	120	0.103
CFC 23125	2.8	8.9	8.4	28	0.05	0.8	0.2	67	0.37	0.058	30	42	0.66	173	0.097
CFC 23126	1.6	7.3	9.7	16	0.2	0.7	0.2	74	0.2	0.042	23	41	0.63	83	0.105
CFC 23127	1.5	14.9	10.1	18	0.2	0.7	0.2	56	0.25	0.048	21	32	0.5	106	0.088
CFC 23128	2.4	11.1	11.4	22	0.2	0.8	0.2	59	0.31	0.048	28	35	0.52	123	0.101
CFC 23129	1.7	14.5	9.2	19	0.2	1	0.3	65	0.26	0.051	21	38	0.71	127	0.097
CFC 23130	3.2	25.2	8	25	0.2	3.6	0.3	70	0.36	0.102	22	39	0.56	229	0.074
CFC 23131	1.8	24.9	7.8	31	0.1	2.6	0.2	75	0.56	0.119	22	47	1.35	194	0.129
CFC 23132	1.4	23.9	8.3	19	0.2	2.3	0.3	74	0.31	0.085	18	43	1	126	0.108
CFC 23133	1.4	42.3	7.6	22	0.3	10.1	0.2	69	0.31	0.054	20	35	0.51	125	0.101
CFC 23134	1.2	27.4	8.6	21	0.2	5.4	0.2	74	0.27	0.034	17	44	0.67	169	0.11
CFC 23135	1.9	37.8	6.8	23	0.2	9.7	0.2	67	0.31	0.049	21	40	0.59	167	0.097
CFC 23136	1.3	30.2	6.8	24	0.1	6	0.2	62	0.34	0.05	17	37	0.62	120	0.106
CFC 23137	2.2	40.9	8.8	25	0.2	3.4	0.2	59	0.33	0.046	35	35	0.57	134	0.101
CFC 23138	1.2	3.2	3.9	23	0.1	0.5	0.2	68	0.32	0.064	20	37	0.62	144	0.097
CFC 23139	0.9	5.3	4.5	22	0.1	0.5	0.1	74	0.29	0.045	17	39	0.63	144	0.105
CFC 23140	7.5	53.3	16.3	27	0.2	1.2	0.2	58	0.28	0.065	35	33	0.51	157	0.062
CFC 23141	3.4	12.9	17.5	25	0.1	0.5	0.1	67	0.37	0.075	24	36	0.67	138	0.1
CFC 23142	3.1	4.8	13.5	24	0.05	0.5	0.1	67	0.33	0.057	20	36	0.58	141	0.117
CFC 23143	2.9	3.3	12.1	26	0.1	0.5	0.1	72	0.42	0.081	20	37	0.68	141	0.122
CFC 23144	3.3	6.3	16.8	23	0.05	0.5	0.1	67	0.33	0.065	24	35	0.6	126	0.108
CFC 23145	6.6	5.6	19.3	33	0.1	0.7	0.2	78	0.44	0.074	37	47	0.63	238	0.105
CFC 23147	3.3	9.7	14.4	25	0.2	0.5	0.2	60	0.36	0.06	20	32	0.54	168	0.111
CFC 23148	4.8	4.9	15.1	21	0.2	0.4	0.1	56	0.23	0.099	21	24	0.28	170	0.084
CFC 23149	2.5	4.3	10.4	24	0.1	0.4	0.2	66	0.31	0.066	17	25	0.51	140	0.094

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 23083	2	1.77	0.014	0.06	0.2	0.02	3.2	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23084	1	1.68	0.015	0.09	0.2	0.05	4.1	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23085	2	1.89	0.015	0.17	0.4	0.05	6.1	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23086	2	1.93	0.012	0.07	0.2	0.04	4.4	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23087	2	1.89	0.013	0.1	0.2	0.03	4.4	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23088	2	1.85	0.013	0.08	0.1	0.03	3.8	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23089	1	2.01	0.013	0.27	0.2	0.02	5.7	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23090	2	1.84	0.011	0.11	0.3	0.03	4.3	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23091	1	1.48	0.016	0.11	0.1	0.02	2.8	0.1	0.025	5	0.25	1DX15	VAN08003684
CFC 23092	0.5	1.79	0.014	0.23	0.1	0.02	4.4	0.2	0.025	5	0.25	1DX15	VAN08003684
CFC 23093	1	1.99	0.012	0.19	0.1	0.02	4.5	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 23094	2	1.97	0.013	0.12	0.1	0.04	5.7	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23095	0.5	1.78	0.011	0.07	0.1	0.01	3.6	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23096	2	1.77	0.013	0.08	0.1	0.03	3.5	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23097	0.5	1.99	0.015	0.08	0.1	0.07	4.6	0.3	0.025	7	0.25	1DX15	VAN08003684
CFC 23098	0.5	1.3	0.013	0.06	0.1	0.03	2.3	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23099	1	1.84	0.015	0.08	0.1	0.04	4.8	0.3	0.025	6	0.5	1DX15	VAN08003684
CFC 23100	0.5	1.7	0.014	0.06	0.2	0.05	4.4	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23101	0.5	2.89	0.019	0.08	0.2	0.09	4.8	0.1	0.025	8	0.25	1DX15	VAN08003684
CFC 23102	0.5	2.14	0.021	0.07	0.1	0.06	3.2	0.1	0.025	7	0.25	1DX15	VAN08003684
CFC 23104	0.5	1.33	0.012	0.05	0.2	0.02	2.5	0.05	0.025	5	0.25	1DX15	VAN08003684
CFC 23107	1	1.61	0.022	0.1	0.2	0.05	5.3	0.1	0.025	5	0.7	1DX15	VAN08003684
CFC 23109	0.5	1.9	0.014	0.16	0.2	0.02	4.3	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23110	0.5	1.8	0.012	0.08	0.1	0.03	3.5	0.1	0.025	5	0.25	1DX15	VAN08003684
CFC 23111	0.5	1.82	0.011	0.09	0.2	0.03	3.5	0.05	0.025	6	0.25	1DX15	VAN08003684
CFC 23112	0.5	1.63	0.011	0.06	0.1	0.02	3.1	0.05	0.025	5	0.25	1DX15	VAN08003684
CFC 23113	2	1.83	0.012	0.06	0.2	0.02	3.2	0.05	0.07	6	0.5	1DX15	VAN08003684
CFC 23114	2	2.15	0.013	0.07	0.2	0.02	4.2	0.1	0.06	7	0.25	1DX15	VAN08003684
CFC 23115	2	1.96	0.015	0.07	0.2	0.02	3.7	0.1	0.05	6	0.25	1DX15	VAN08003684
CFC 23116	2	2.06	0.013	0.07	0.2	0.03	4.8	0.1	0.025	6	0.5	1DX15	VAN08003684
CFC 23117	1	1.88	0.014	0.07	0.2	0.02	4	0.05	0.025	6	0.6	1DX15	VAN08003684
CFC 23118	1	1.8	0.012	0.07	0.2	0.01	2.9	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23119	2	1.73	0.016	0.07	0.2	0.01	3.1	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23120	2	1.66	0.012	0.08	0.3	0.02	3	0.1	0.025	5	0.25	1DX15	VAN08003684
CFC 23121	1	2.47	0.02	0.07	0.2	0.03	3.6	0.1	0.025	9	0.25	1DX15	VAN08003684
CFC 23122	1	2.03	0.016	0.07	0.2	0.03	4.9	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23123	2	2.21	0.014	0.08	0.2	0.04	4.6	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23124	2	2.39	0.012	0.07	0.6	0.02	3.3	0.2	0.025	6	0.6	1DX15	VAN08003684
CFC 23125	2	2.14	0.013	0.09	0.2	0.04	4.7	0.1	0.025	6	0.25	1DX15	VAN08003684
CFC 23126	2	2.6	0.011	0.08	0.2	0.05	3.9	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23127	2	2.01	0.012	0.07	0.2	0.02	2.6	0.1	0.025	5	0.25	1DX15	VAN08003684
CFC 23128	2	1.72	0.017	0.09	0.1	0.04	3.8	0.1	0.025	5	0.6	1DX15	VAN08003684
CFC 23129	2	2.17	0.013	0.12	0.2	0.04	3.7	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23130	2	2.12	0.02	0.09	0.2	0.13	4.9	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23131	2	2.51	0.016	0.3	0.2	0.06	3.7	0.4	0.025	7	0.25	1DX15	VAN08003684
CFC 23132	2	2.15	0.013	0.21	0.2	0.03	4.1	0.3	0.025	7	0.6	1DX15	VAN08003684
CFC 23133	2	1.63	0.011	0.09	0.3	0.03	2.9	0.05	0.025	6	0.25	1DX15	VAN08003684
CFC 23134	3	2.94	0.014	0.09	0.2	0.03	3.8	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23135	2	2.11	0.012	0.08	0.3	0.06	3.9	0.2	0.025	6	0.6	1DX15	VAN08003684
CFC 23136	2	2.01	0.012	0.08	0.2	0.05	3.4	0.1	0.025	5	0.25	1DX15	VAN08003684
CFC 23137	0.5	1.75	0.014	0.09	0.1	0.05	3.8	0.2	0.025	6	0.5	1DX15	VAN08003684
CFC 23138	2	2.11	0.017	0.08	0.3	0.02	3.4	0.1	0.025	6	0.7	1DX15	VAN08003684
CFC 23139	2	1.93	0.013	0.08	0.1	0.02	3.3	0.1	0.025	7	0.6	1DX15	VAN08003684
CFC 23140	2	2.12	0.012	0.12	0.05	0.06	4.2	0.2	0.025	7	0.6	1DX15	VAN08003684
CFC 23141	2	2.29	0.015	0.1	0.1	0.03	4	0.2	0.025	7	0.6	1DX15	VAN08003684
CFC 23142	2	2.2	0.013	0.09	0.1	0.03	4.3	0.2	0.025	7	0.7	1DX15	VAN08003684
CFC 23143	3	2.45	0.019	0.1	0.1	0.03	4.8	0.2	0.025	6	1	1DX15	VAN08003684
CFC 23144	2	2.22	0.017	0.09	0.1	0.03	4.6	0.3	0.025	7	0.6	1DX15	VAN08003684
CFC 23145	1	2.96	0.016	0.12	0.05	0.07	7.4	0.3	0.025	8	0.8	1DX15	VAN08003684
CFC 23147	1	1.93	0.016	0.07	0.05	0.05	4.2	0.2	0.025	7	0.9	1DX15	VAN08003684
CFC 23148	1	1.23	0.022	0.1	0.05	0.03	4.1	0.4	0.05	6	0.9	1DX15	VAN08003684
CFC 23149	1	1.45	0.015	0.08	0.2	0.03	3.6	0.2	0.025	6	0.6	1DX15	VAN08003684

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 23150	Nad 83-07V	578679	6973724	0.9	13	11.5	66	0.05	16.4	7.1	289	2.63	19.8
CFC 23151	Nad 83-07V	578692	6973823	0.9	12.3	13.4	75	0.05	17.6	13.4	2251	2.72	28.8
CFC 23152	Nad 83-07V	578703	6973923	1	8.9	28.1	63	0.1	10.7	11.2	1319	2.35	409.8
CFC 23153	Nad 83-07V	578709	6973972	2.1	12.3	24.7	52	0.05	12.7	7.8	916	3.28	21.5
CFC 23154	Nad 83-07V	578686	6973774	1.7	13	14.4	69	0.1	16.3	11.1	909	2.96	27.8
CFC 23155	Nad 83-07V	578628	6973277	1.3	16.8	10.7	48	0.1	15.3	6.9	345	2.51	64.3
CFC 23156	Nad 83-07V	578623	6973227	0.9	17.5	10	60	0.05	20.5	8.6	422	2.69	67.1
CFC 23157	Nad 83-07V	578615	6973178	0.9	20.4	9.6	56	0.05	20	8.5	351	2.71	31.7
CFC 23158	Nad 83-07V	578610	6973127	1.2	20.6	13.1	65	0.05	22.2	9.4	472	3.1	251.6
CFC 23159	Nad 83-07V	578605	6973078	1.4	13	11.2	45	0.05	9.7	6.2	705	2.04	161.2
CFC 23160	Nad 83-07V	578599	6973029	0.7	14.5	10.6	57	0.05	15.8	6.6	451	2.34	78.7
CFC 23161	Nad 83-07V	578593	6972979	1.3	16.4	12.5	66	0.05	19.5	9.4	670	3.11	48
CFC 23162	Nad 83-07V	578587	6972929	1.4	14.7	13.5	59	0.05	13.3	7	422	2.97	47.8
CFC 23175	Nad 83-07V	578550	6974342	1.5	11.9	14	39	0.05	8.9	4.4	408	1.92	11
CFC 23176	Nad 83-07V	578545	6974292	1.8	10.2	21.4	66	0.05	11	5.3	404	2.64	11.9
CFC 23177	Nad 83-07V	578539	6974240	1.7	11.9	26.2	72	0.05	10.9	7.1	994	2.88	12.2
CFC 23178	Nad 83-07V	578535	6974193	1.3	11.7	12	54	0.1	11.8	4.9	307	1.96	71.2
CFC 23179	Nad 83-07V	578528	6974143	2.1	12.7	14.6	63	0.1	12.9	9.5	704	2.26	75.6
CFC 23180	Nad 83-07V	578521	6974092	1.7	11.1	16.2	74	0.05	15.1	13.9	1325	2.81	202.1
CFC 23181	Nad 83-07V	578516	6974043	1.5	13.5	18.4	73	0.05	17.4	20.4	2243	3.26	108.2
CFC 23182	Nad 83-07V	578505	6973944	1.1	13.5	15.5	77	0.1	16.5	10.1	725	2.46	141.7
CFC 23183	Nad 83-07V	578498	6973896	1.4	13.5	19.2	83	0.05	17.7	20.5	2250	3.27	138.1
CFC 23184	Nad 83-07V	578493	6973845	0.7	12.3	13.9	71	0.05	18.4	7.7	280	2.47	22
CFC 23185	Nad 83-07V	578487	6973796	0.9	13	14.3	75	0.05	18.1	9.3	396	3.22	54.8
CFC 23186	Nad 83-07V	578482	6973745	0.7	16.2	13.9	74	0.05	19.1	9.5	383	2.85	26.4
CFC 23187	Nad 83-07V	578476	6973696	1	17.1	15.5	72	0.1	18.9	12.5	1014	3.38	69.9
CFC 23188	Nad 83-07V	578469	6973647	0.9	17.7	14	78	0.05	21.7	10.6	757	2.89	29.3
CFC 23189	Nad 83-07V	578466	6973597	1	15.6	13.7	77	0.05	19.8	11.5	834	2.97	50.1
CFC 23190	Nad 83-07V	578458	6973547	1	25	14.6	73	0.1	22.2	10.5	470	3.09	46.2
CFC 23191	Nad 83-07V	578454	6973497	1	22.3	11.8	77	0.05	22.3	10.3	571	3.11	51.3
CFC 23192	Nad 83-07V	578442	6973398	0.8	23.3	11.6	64	0.05	23.5	10.4	410	3	47.8
CFC 23193	Nad 83-07V	578436	6973347	1.2	21.2	13.3	68	0.05	23	10.4	672	3.23	43.3
CFC 23194	Nad 83-07V	578430	6973300	1	21	12.2	63	0.05	22.6	11.3	723	2.97	98.1
CFC 23195	Nad 83-07V	578424	6973248	2	14.4	20	69	0.05	15.2	17.3	1754	3.42	70.2
CFC 23197	Nad 83-07V	578413	6973149	0.9	17.4	11.7	67	0.05	18.2	9	661	2.73	103.7
CFC 23198	Nad 83-07V	578408	6973099	1.1	15.6	12.1	68	0.05	17.4	9.1	807	2.77	123.9
CFC 23199	Nad 83-07V	578401	6973051	0.8	14.2	13.6	56	0.05	13.6	6.6	653	2.2	84.7
CFC 23200	Nad 83-07V	578395	6972999	1.3	14.3	13.5	61	0.05	18.1	9	547	2.88	136.7
CFC 23201	Nad 83-07V	578389	6972951	1.3	18.8	13.4	62	0.05	20.3	9.3	517	3.32	653.9
CFC 23206	Nad 83-07V	579133	6974176	0.7	12.1	15.6	61	0.05	14	6.8	454	1.98	114.9
CFC 23217	Nad 83-07V	579030	6973233	1.1	16.5	12.3	67	0.05	18.9	9.1	678	2.7	79.7
CFC 23218	Nad 83-07V	578787	6972906	2.6	17.1	17	74	0.1	13	8.9	1250	2.84	356.5
CFC 23219	Nad 83-07V	578792	6972956	1	16.8	11.6	55	0.05	19.4	8.6	539	2.71	20.7
CFC 23220	Nad 83-07V	578804	6973050	1	20.8	11.1	57	0.05	23	9.7	516	2.87	21.6
CFC 23221	Nad 83-07V	578798	6973003	0.9	20.5	13.8	61	0.05	20.3	9.3	685	2.9	161.6
CFC 23222	Nad 83-07V	578811	6973101	1.7	11.8	11.2	48	0.05	8.4	6.7	898	2.56	128.1
CFC 23223	Nad 83-07V	578817	6973150	0.9	12	12	55	0.05	13.6	7.3	775	2.41	31.2
CFC 23224	Nad 83-07V	578824	6973202	1.3	16.8	13.7	53	0.05	15.7	8.6	764	2.73	21.1
CFC 23225	Nad 83-07V	578829	6973250	1	14.9	13	58	0.05	13.8	6.3	601	2.31	29.3
CFC 23226	Nad 83-07V	578836	6973300	1.1	13.1	13	70	0.05	16.9	10.2	1012	2.68	25.4
CFC 23227	Nad 83-07V	578843	6973354	0.7	14.7	14.8	67	0.05	18.7	10.1	570	2.67	25.5
CFC 23228	Nad 83-07V	578849	6973402	1	12.2	11.2	60	0.05	13	9.4	1193	2.31	20.3
CFC 23229	Nad 83-07V	578855	6973454	0.8	12.8	15.8	68	0.05	16.3	9.3	626	2.62	21.7
CFC 23230	Nad 83-07V	578862	6973501	1.2	15.6	17.2	87	0.1	18.6	11.6	819	3.11	32.4
CFC 23231	Nad 83-07V	578868	6973553	1.1	12.4	12.9	74	0.05	16.6	12.7	1459	2.83	22.5
CFC 23232	Nad 83-07V	578873	6973602	1.4	13.2	13.6	81	0.05	17.3	12	1497	3.09	28.4
CFC 23233	Nad 83-07V	578879	6973650	1.4	13.4	13.9	73	0.05	15.5	11.2	1925	2.95	27.1
CFC 23234	Nad 83-07V	578886	6973701	1.2	14.7	13.3	73	0.05	16.8	11	1390	2.88	28
CFC 23235	Nad 83-07V	578892	6973751	0.9	13	14.6	57	0.05	14.3	7.3	533	2.33	137.8
CFC 23236	Nad 83-07V	578898	6973800	1	13.1	11.6	64	0.05	16	8.5	774	2.36	53.2
CFC 23237	Nad 83-07V	578905	6973850	1.4	19.9	19.2	90	0.05	21.7	10.6	782	3.41	95.1
CFC 23238	Nad 83-07V	578911	6973899	2.1	25.1	22.7	88	0.1	26	10.3	736	3.65	172.3

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 23150	3.3	6.2	17.7	22	0.2	0.5	0.2	62	0.32	0.073	19	29	0.56	131	0.107
CFC 23151	3.9	6.7	14.8	28	0.1	0.4	0.2	61	0.33	0.071	18	31	0.52	182	0.091
CFC 23152	4.6	643.9	22	28	0.2	4.4	0.2	42	0.19	0.078	37	23	0.35	119	0.047
CFC 23153	1.2	8.6	10.4	12	0.1	0.5	0.2	67	0.14	0.042	10	28	0.35	82	0.059
CFC 23154	3.3	11.5	13.4	25	0.2	0.4	0.2	69	0.29	0.087	18	32	0.47	160	0.084
CFC 23155	4.6	15.9	6	23	0.1	0.6	0.2	60	0.25	0.07	23	28	0.4	126	0.077
CFC 23156	3.1	22.2	10.6	26	0.1	0.6	0.1	63	0.33	0.076	20	33	0.56	151	0.095
CFC 23157	4.2	11.7	11.6	23	0.1	0.5	0.2	62	0.32	0.075	22	32	0.58	137	0.094
CFC 23158	4.9	54.1	13.2	29	0.1	0.8	0.2	71	0.32	0.056	26	36	0.58	203	0.092
CFC 23159	5.1	45.5	8.5	19	0.2	1.7	0.2	48	0.17	0.049	29	20	0.28	91	0.061
CFC 23160	4.6	18.1	20.3	28	0.1	0.7	0.1	56	0.4	0.07	26	28	0.48	111	0.111
CFC 23161	2.5	6.7	13.9	23	0.2	0.6	0.2	66	0.26	0.064	24	32	0.55	122	0.106
CFC 23162	1.7	6.4	8.3	17	0.2	0.7	0.2	84	0.18	0.029	14	29	0.41	87	0.122
CFC 23175	3	2.4	12.9	12	0.1	0.5	0.2	46	0.12	0.031	18	17	0.21	74	0.055
CFC 23176	2.1	1.9	29.2	10	0.05	0.7	0.2	41	0.08	0.014	7	21	0.33	58	0.046
CFC 23177	5.3	3.2	26.1	16	0.2	0.5	0.3	55	0.17	0.052	28	24	0.33	93	0.056
CFC 23178	7.8	22	11.4	23	0.1	0.5	0.2	40	0.24	0.085	23	23	0.35	106	0.061
CFC 23179	4.8	18.6	10.6	21	0.1	0.5	0.2	52	0.21	0.06	17	25	0.4	116	0.066
CFC 23180	3.5	28	15.4	22	0.2	0.7	0.2	65	0.28	0.077	18	25	0.48	123	0.081
CFC 23181	4.2	16.1	15.6	23	0.2	0.6	0.3	73	0.26	0.067	21	30	0.51	169	0.088
CFC 23182	5	10.7	8.2	27	0.2	0.8	0.2	53	0.27	0.086	25	30	0.47	176	0.062
CFC 23183	3.8	6	15.2	26	0.2	0.7	0.2	67	0.27	0.075	25	32	0.53	160	0.083
CFC 23184	3.1	6.3	13.9	26	0.2	0.5	0.2	56	0.35	0.068	18	33	0.59	148	0.107
CFC 23185	4.1	7	18.6	26	0.2	0.5	0.2	66	0.32	0.076	20	33	0.53	157	0.112
CFC 23186	4.2	5.5	22.8	28	0.2	0.6	0.2	64	0.38	0.077	21	33	0.58	161	0.127
CFC 23187	6	5.5	21	28	0.2	0.7	0.2	70	0.35	0.086	27	35	0.54	183	0.107
CFC 23188	4	4.1	21.8	32	0.1	0.6	0.2	67	0.36	0.068	20	36	0.62	182	0.115
CFC 23189	4.2	10.4	21	28	0.2	0.7	0.2	65	0.37	0.077	24	34	0.55	167	0.116
CFC 23190	8.9	10	28.9	29	0.1	0.8	0.2	68	0.35	0.079	47	39	0.58	212	0.119
CFC 23191	7.4	9.8	25.5	31	0.2	0.7	0.2	66	0.39	0.068	39	38	0.62	213	0.127
CFC 23192	3.5	13.6	18.2	27	0.2	0.7	0.2	72	0.36	0.06	23	40	0.66	161	0.124
CFC 23193	4.5	7.4	23.8	25	0.2	0.9	0.2	73	0.31	0.058	21	39	0.62	145	0.119
CFC 23194	4.3	28.6	25.8	27	0.1	0.9	0.2	65	0.33	0.05	33	36	0.58	150	0.116
CFC 23195	2.8	7.9	18.5	17	0.1	1.5	0.3	79	0.17	0.062	13	31	0.43	84	0.131
CFC 23197	5.6	29.9	20	27	0.1	0.9	0.2	63	0.36	0.066	23	34	0.55	135	0.116
CFC 23198	7	44.2	23.1	27	0.2	0.7	0.1	60	0.35	0.073	30	33	0.53	161	0.114
CFC 23199	7.4	35.6	27.6	18	0.05	0.8	0.2	44	0.24	0.043	28	26	0.44	92	0.089
CFC 23200	4.2	41.9	19.1	18	0.1	0.8	0.2	62	0.21	0.032	19	30	0.49	99	0.08
CFC 23201	5.3	113.1	18.5	17	0.1	1.2	0.2	66	0.19	0.033	20	35	0.55	126	0.059
CFC 23206	4.9	17.9	19	15	0.05	0.7	0.2	43	0.2	0.044	18	24	0.38	72	0.065
CFC 23217	5.4	17.8	16.1	23	0.1	0.7	0.2	57	0.32	0.062	25	31	0.51	129	0.09
CFC 23218	3.9	55.5	14.8	20	0.2	1.2	0.2	52	0.19	0.046	26	24	0.32	126	0.06
CFC 23219	3.1	4.8	15.5	22	0.1	0.5	0.1	62	0.25	0.04	22	32	0.54	134	0.089
CFC 23220	4.2	4.2	16.5	23	0.05	0.6	0.2	61	0.27	0.052	27	34	0.58	152	0.088
CFC 23221	7	48.1	19	24	0.05	1.3	0.1	59	0.31	0.053	30	36	0.56	178	0.087
CFC 23222	1.7	13.3	8.1	11	0.05	1.7	0.2	76	0.09	0.025	8	23	0.21	48	0.107
CFC 23223	2.6	9.2	20.2	15	0.1	0.6	0.05	46	0.2	0.045	18	23	0.41	82	0.088
CFC 23224	3.9	6.6	8.6	15	0.3	0.5	0.2	58	0.16	0.051	23	27	0.4	87	0.071
CFC 23225	4.2	7.1	8.4	19	0.05	0.6	0.2	44	0.18	0.049	17	23	0.29	114	0.051
CFC 23226	4.7	11.2	20.6	17	0.2	0.5	0.1	54	0.21	0.051	21	26	0.4	93	0.09
CFC 23227	5.2	9.9	17.5	20	0.05	0.5	0.2	55	0.24	0.058	21	32	0.53	122	0.083
CFC 23228	8.9	7.6	18.4	23	0.1	0.4	0.2	44	0.25	0.065	33	24	0.39	151	0.08
CFC 23229	7.4	7.1	21.3	20	0.05	0.5	0.2	52	0.26	0.065	28	28	0.49	150	0.091
CFC 23230	7.9	9.4	24.9	23	0.1	0.5	0.2	62	0.28	0.08	27	35	0.54	190	0.093
CFC 23231	5.8	5.2	19.8	20	0.1	0.4	0.2	54	0.24	0.062	19	28	0.51	153	0.095
CFC 23232	5.1	7.5	21	21	0.2	0.4	0.2	61	0.26	0.068	22	30	0.52	157	0.111
CFC 23233	5.8	7	17.4	22	0.1	0.5	0.2	58	0.25	0.07	24	28	0.47	183	0.084
CFC 23234	5.3	6.4	18.2	24	0.05	0.5	0.2	59	0.3	0.067	25	30	0.5	166	0.092
CFC 23235	5.2	8.8	17.7	18	0.1	0.6	0.2	46	0.22	0.056	26	28	0.42	110	0.071
CFC 23236	4.1	3.6	18.5	20	0.2	0.5	0.2	49	0.26	0.053	23	27	0.45	119	0.084
CFC 23237	7	7.7	23.8	27	0.1	0.7	0.3	69	0.28	0.065	31	42	0.57	190	0.073
CFC 23238	10.3	46.5	18.2	23	0.2	0.7	0.3	67	0.22	0.082	47	44	0.43	215	0.042

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 23150	2	1.78	0.017	0.07	0.3	0.04	4	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23151	2	1.73	0.02	0.07	0.2	0.04	4.3	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23152	2	1.31	0.014	0.09	0.2	0.07	3	0.3	0.025	5	0.25	1DX15	VAN08003684
CFC 23153	1	1.84	0.011	0.05	0.2	0.03	2.4	0.1	0.025	8	0.25	1DX15	VAN08003684
CFC 23154	2	1.73	0.016	0.08	0.2	0.04	3.7	0.3	0.025	7	0.25	1DX15	VAN08003684
CFC 23155	2	1.74	0.016	0.06	0.2	0.04	3.5	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23156	2	1.86	0.015	0.07	0.2	0.03	4	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23157	5	1.93	0.017	0.07	0.1	0.03	4.1	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23158	2	2.29	0.016	0.08	0.2	0.03	4.4	0.2	0.025	8	0.25	1DX15	VAN08003684
CFC 23159	1	1.21	0.017	0.07	0.2	0.04	2.2	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23160	1	1.29	0.021	0.08	0.1	0.03	3.7	0.2	0.025	4	0.25	1DX15	VAN08003684
CFC 23161	2	1.98	0.012	0.09	0.2	0.03	3.8	0.2	0.025	8	0.25	1DX15	VAN08003684
CFC 23162	1	1.68	0.009	0.07	0.2	0.01	3.2	0.2	0.025	10	0.25	1DX15	VAN08003684
CFC 23175	0.5	1.1	0.015	0.05	0.1	0.02	2	0.1	0.025	5	0.25	1DX15	VAN08003684
CFC 23176	0.5	2.16	0.007	0.1	0.1	0.02	3.3	0.3	0.025	7	0.25	1DX15	VAN08003684
CFC 23177	1	1.74	0.011	0.08	0.1	0.03	3.3	0.1	0.025	7	0.25	1DX15	VAN08003684
CFC 23178	1	1.29	0.021	0.06	0.2	0.05	3.3	0.2	0.025	5	0.25	1DX15	VAN08003684
CFC 23179	0.5	1.49	0.017	0.07	0.2	0.04	3.5	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23180	1	1.53	0.016	0.08	0.2	0.02	4.1	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 23181	2	1.87	0.016	0.08	0.1	0.02	4.2	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23182	2	1.9	0.019	0.07	0.1	0.05	3.8	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23183	2	1.87	0.014	0.08	0.1	0.03	3.7	0.2	0.025	8	0.25	1DX15	VAN08003684
CFC 23184	2	1.83	0.018	0.07	0.1	0.03	3.7	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23185	2	2.05	0.016	0.08	0.2	0.05	4.2	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23186	2	2.12	0.021	0.08	0.1	0.03	4.4	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23187	2	2.05	0.017	0.07	0.2	0.05	5.1	0.2	0.025	7	0.5	1DX15	VAN08003684
CFC 23188	2	2.13	0.018	0.09	0.1	0.02	4.4	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23189	2	1.91	0.019	0.09	0.1	0.03	4.4	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23190	2	2.51	0.02	0.09	0.2	0.06	7	0.3	0.025	8	0.5	1DX15	VAN08003684
CFC 23191	1	2.15	0.02	0.1	0.1	0.05	6.8	0.3	0.025	7	0.25	1DX15	VAN08003684
CFC 23192	2	2.2	0.017	0.08	0.2	0.02	5.4	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23193	2	2.38	0.014	0.09	0.1	0.02	4.8	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23194	1	1.98	0.016	0.09	0.1	0.02	4.9	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23195	1	1.61	0.013	0.12	0.1	0.02	3.4	0.3	0.025	8	0.25	1DX15	VAN08003684
CFC 23197	1	1.83	0.018	0.09	0.2	0.02	4.2	0.2	0.025	6	0.5	1DX15	VAN08003684
CFC 23198	1	1.9	0.019	0.11	0.2	0.03	4.9	0.3	0.025	6	0.5	1DX15	VAN08003684
CFC 23199	1	1.37	0.012	0.07	0.1	0.03	3.3	0.2	0.025	4	0.25	1DX15	VAN08003684
CFC 23200	2	1.74	0.009	0.06	0.1	0.03	3.1	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23201	2	2.16	0.009	0.07	0.2	0.04	3.4	0.1	0.025	7	0.25	1DX15	VAN08003684
CFC 23206	2	1.3	0.01	0.04	0.1	0.08	2.6	0.1	0.025	4	0.25	1DX15	VAN08003684
CFC 23217	2	1.85	0.011	0.08	0.1	0.04	3.6	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23218	2	1.56	0.012	0.1	0.1	0.04	2.9	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 23219	2	1.79	0.012	0.07	0.05	0.03	3.8	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23220	1	2	0.011	0.07	0.1	0.02	3.9	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23221	1	1.84	0.013	0.07	0.1	0.05	4.5	0.3	0.025	5	0.25	1DX15	VAN08003684
CFC 23222	1	0.88	0.007	0.06	0.1	0.03	2	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 23223	1	1.32	0.009	0.08	0.05	0.02	2.6	0.3	0.025	4	0.25	1DX15	VAN08003684
CFC 23224	1	1.66	0.009	0.07	0.1	0.03	2.8	0.3	0.025	7	0.25	1DX15	VAN08003684
CFC 23225	1	1.48	0.015	0.05	0.2	0.03	2.5	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 23226	0.5	1.5	0.01	0.07	0.2	0.02	3	0.3	0.025	5	0.25	1DX15	VAN08003684
CFC 23227	2	1.92	0.011	0.07	0.2	0.06	3.6	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 23228	1	1.35	0.014	0.07	0.1	0.05	4.2	0.3	0.025	5	0.25	1DX15	VAN08003684
CFC 23229	1	1.72	0.012	0.07	0.3	0.07	4.1	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 23230	0.5	1.96	0.01	0.08	0.1	0.05	4.4	0.4	0.025	7	0.25	1DX15	VAN08003684
CFC 23231	2	1.6	0.012	0.08	0.1	0.03	3.4	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 23232	0.5	1.61	0.011	0.11	0.2	0.03	3.5	0.3	0.025	7	0.25	1DX15	VAN08003684
CFC 23233	0.5	1.53	0.011	0.08	0.1	0.06	3.7	0.4	0.025	6	0.25	1DX15	VAN08003684
CFC 23234	1	1.6	0.012	0.09	0.1	0.04	3.9	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 23235	2	1.5	0.01	0.07	0.2	0.06	3.3	0.2	0.025	5	0.25	1DX15	VAN08003684
CFC 23236	1	1.33	0.011	0.08	0.1	0.03	3	0.2	0.025	5	0.25	1DX15	VAN08003684
CFC 23237	2	2.31	0.01	0.1	0.2	0.06	4.6	0.2	0.025	8	0.25	1DX15	VAN08003684
CFC 23238	1	3.16	0.01	0.08	0.2	0.1	5.1	0.2	0.025	7	0.25	1DX15	VAN08003684

Sample ID	UTM Zone	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CFC 23239	Nad 83-07V	578916	6973953	1.5	18.3	18.6	63	0.2	15.1	7.8	511	2.58	309.8
CFC 23240	Nad 83-07V	578923	6973998	1.7	14.2	18.8	53	0.05	17.1	8.2	497	3.1	219.9
CFC 23250	Nad 83-07V	578914	6973843	1.8	20	19.9	91	0.1	26.2	10.8	788	3.51	96.2
CFC 24518	Nad 83-07V	579389	6972889	0.9	18.6	14	69	0.05	21	11.3	597	2.78	46.2
CFC 24535	Nad 83-07V	579395	6972938	0.8	10.5	11.9	58	0.05	15.6	6.4	386	2.06	129.2
CFC 24536	Nad 83-07V	579401	6972987	0.6	18.4	12.6	59	0.05	19.1	9.1	565	2.72	88.5
CFC 24537	Nad 83-07V	579406	6973036	0.9	22.7	10.9	59	0.05	24.8	9.2	510	2.85	30.8
CFC 24538	Nad 83-07V	579413	6973087	0.8	20.1	10	63	0.05	22	7.8	560	2.71	10
CFC 24540	Nad 83-07V	579418	6973136	1.1	12.3	18.1	56	0.05	15.3	9.2	894	2.68	118.8
CFC 24544	Nad 83-07V	579447	6973385	1.2	11.1	14.4	78	0.05	18.3	11.3	962	2.76	187.1
CFC 24545	Nad 83-07V	579453	6973436	1.1	21.3	14	79	0.05	20.8	10.8	785	2.83	68.3
CFC 24546	Nad 83-07V	579459	6973484	1.5	19.2	13.9	71	0.1	18.9	10.9	649	3.19	79.2
CFC 24547	Nad 83-07V	579464	6973534	0.9	19.2	13.2	77	0.05	19.3	10.5	467	2.77	48.6
CFC 24549	Nad 83-07V	579476	6973632	1.3	12.2	12.1	75	0.05	15.8	10.3	1057	2.85	67.5
CFC 24551	Nad 83-07V	579486	6973734	2.1	15	16.5	96	0.05	22.7	14.9	1686	3.15	324.9
CFC 24552	Nad 83-07V	579492	6973782	1.7	13.7	19.8	87	0.1	18.6	18.8	2284	3.18	181.6
CFC 24633	Nad 83-07V	579185	6972860	0.9	22.7	12	72	0.05	23	9.1	460	2.91	141.4
CFC 24634	Nad 83-07V	579190	6972910	1.4	20.1	12.2	77	0.05	21.4	10.9	699	3.3	72.1
CFC 24635	Nad 83-07V	579197	6972961	1	16.5	12.2	63	0.05	19.8	11.4	991	3	46.9
CFC 24636	Nad 83-07V	579204	6973009	1.3	25.7	11.7	66	0.05	22.5	11	698	3.12	16.1
CFC 24637	Nad 83-07V	579210	6973059	1.3	20.2	13.7	64	0.05	20.7	9.4	772	3.17	75.7
CFC 24638	Nad 83-07V	579215	6973108	1.6	21.8	13.7	67	0.05	21.5	10.8	855	3.2	38.2
CFC 24639	Nad 83-07V	579220	6973159	1.6	19.4	15.6	68	0.05	18.2	10	824	3.06	37.2
CFC 24640	Nad 83-07V	579226	6973208	1.5	18.6	17.7	78	0.05	22.6	10	635	3.03	115.1
CFC 24641	Nad 83-07V	579231	6973258	0.8	18.9	10.2	61	0.05	19.2	9.5	547	2.62	29.7
CFC 24642	Nad 83-07V	579236	6973307	1.2	16	12.3	75	0.05	21.9	9.9	743	2.98	58.7
CFC 24643	Nad 83-07V	579242	6973358	0.9	16.2	12.2	69	0.05	19.6	10.9	831	2.66	55.6
CFC 24644	Nad 83-07V	579249	6973408	1.1	15.9	11.9	64	0.05	18.2	8.7	699	2.63	43.2
CFC 24645	Nad 83-07V	579253	6973456	1.4	20.8	12.3	64	0.05	19.1	8.1	614	2.92	57.9
CFC 24646	Nad 83-07V	579260	6973507	0.9	19.9	11.6	68	0.05	20.9	9.8	627	2.83	60.7
CFC 24647	Nad 83-07V	579265	6973556	1.4	22.8	15.8	83	0.05	24.2	10.5	894	3.46	121.8
CFC 24648	Nad 83-07V	579271	6973606	1	19.7	12.4	70	0.05	21.9	10.3	447	2.92	49.5

Sample ID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
CFC 23239	6.8	75.3	6.5	32	0.2	1.4	0.2	45	0.32	0.084	42	29	0.33	199	0.03
CFC 23240	1.7	11	9.5	13	0.1	1	0.2	71	0.11	0.028	13	29	0.37	90	0.057
CFC 23250	7.2	8.6	21.4	32	0.2	0.7	0.3	72	0.28	0.071	32	46	0.58	199	0.078
CFC 24518	9.6	5.4	21.3	22	0.1	0.5	0.2	58	0.27	0.072	30	33	0.56	176	0.102
CFC 24535	1.9	14.5	10.4	17	0.2	0.9	0.2	45	0.24	0.06	11	27	0.43	70	0.093
CFC 24536	2.7	31.4	16.1	19	0.1	1.5	0.2	53	0.28	0.058	23	29	0.5	134	0.102
CFC 24537	2.2	9.2	12.3	21	0.1	0.5	0.2	60	0.24	0.058	27	38	0.53	226	0.087
CFC 24538	3	4.5	20.6	23	0.1	0.4	0.1	58	0.28	0.05	27	35	0.53	159	0.127
CFC 24540	5.5	6.9	23.2	17	0.1	1	0.2	45	0.17	0.047	28	22	0.33	100	0.073
CFC 24544	3.6	28.8	14.2	18	0.2	1.1	0.2	56	0.24	0.071	17	30	0.5	93	0.081
CFC 24545	11.1	10	23.6	24	0.2	0.8	0.2	61	0.32	0.085	35	34	0.58	157	0.094
CFC 24546	9.6	9.8	23.8	21	0.2	0.7	0.2	67	0.26	0.086	34	33	0.5	143	0.093
CFC 24547	8.5	18.3	21.2	20	0.2	0.8	0.2	62	0.27	0.079	30	33	0.56	176	0.099
CFC 24549	4	6.9	17.3	19	0.2	0.6	0.2	61	0.22	0.068	21	32	0.46	118	0.109
CFC 24551	7.1	9	19	23	0.2	0.9	0.3	64	0.22	0.082	21	40	0.56	162	0.079
CFC 24552	7.2	15	21.1	22	0.2	0.8	0.2	67	0.23	0.085	22	36	0.57	167	0.096
CFC 24633	4.4	26	10.4	22	0.2	1.6	0.2	64	0.26	0.071	23	33	0.56	135	0.071
CFC 24634	2	15.9	10.6	21	0.3	1.1	0.2	77	0.24	0.059	18	34	0.59	117	0.104
CFC 24635	2.6	10.9	21.8	17	0.2	0.6	0.2	63	0.22	0.06	16	33	0.53	108	0.115
CFC 24636	4.5	5.9	13.8	25	0.2	0.5	0.2	76	0.28	0.067	27	39	0.57	169	0.103
CFC 24637	7.5	4	19.7	20	0.2	0.8	0.2	63	0.18	0.053	34	32	0.47	149	0.082
CFC 24638	7.3	4.2	19.6	17	0.2	0.7	0.2	68	0.2	0.073	36	33	0.53	128	0.088
CFC 24639	5.4	3.6	17.2	19	0.2	0.7	0.2	62	0.2	0.073	26	31	0.4	125	0.087
CFC 24640	9.8	16.2	27.6	20	0.1	2	0.2	61	0.28	0.079	36	38	0.54	156	0.089
CFC 24641	5.5	22.6	15.2	24	0.2	0.7	0.1	61	0.34	0.084	27	33	0.5	170	0.103
CFC 24642	3.1	10	11.2	24	0.1	0.6	0.2	68	0.3	0.089	18	37	0.57	153	0.1
CFC 24643	3.6	13.2	19.9	23	0.2	0.6	0.1	58	0.32	0.074	23	33	0.54	118	0.108
CFC 24644	5.8	5.8	20.4	22	0.2	0.5	0.2	56	0.28	0.077	32	30	0.49	129	0.098
CFC 24645	7.5	4.8	11.8	24	0.1	0.6	0.2	67	0.26	0.073	37	31	0.46	155	0.082
CFC 24646	8	6.4	22.6	24	0.2	0.6	0.2	64	0.33	0.079	34	35	0.56	148	0.113
CFC 24647	10.9	6.8	26.5	25	0.2	0.8	0.2	68	0.29	0.073	43	43	0.57	197	0.097
CFC 24648	7.4	6.6	15.2	21	0.2	0.7	0.2	66	0.28	0.071	23	35	0.54	172	0.097

Sample ID	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	Acme File
CFC 23239	2	1.78	0.011	0.08	0.1	0.09	3	0.2	0.05	6	0.25	1DX15	VAN08003684
CFC 23240	0.5	1.9	0.008	0.06	0.2	0.02	2.4	0.1	0.025	8	0.25	1DX15	VAN08003684
CFC 23250	1	2.44	0.01	0.1	0.2	0.07	4.8	0.2	0.025	8	0.25	1DX15	VAN08003684
CFC 24518	1	1.82	0.016	0.07	0.2	0.06	5.1	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 24535	0.5	1.23	0.012	0.08	0.2	0.04	2.4	0.2	0.025	5	0.25	1DX15	VAN08003684
CFC 24536	1	1.74	0.013	0.11	0.2	0.08	3.5	0.3	0.025	5	0.25	1DX15	VAN08003684
CFC 24537	1	2.03	0.012	0.07	0.1	0.03	4.9	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 24538	0.5	1.8	0.017	0.12	0.05	0.02	4.6	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 24540	0.5	1.49	0.012	0.08	0.1	0.04	2.4	0.3	0.025	5	0.25	1DX15	VAN08003684
CFC 24544	2	1.5	0.012	0.07	0.1	0.05	2.6	0.2	0.025	5	0.25	1DX15	VAN08003684
CFC 24545	2	1.7	0.018	0.09	0.2	0.08	4.8	0.3	0.025	6	0.6	1DX15	VAN08003684
CFC 24546	2	1.75	0.016	0.08	0.2	0.08	4.2	0.4	0.025	6	0.25	1DX15	VAN08003684
CFC 24547	2	1.84	0.013	0.07	0.1	0.1	4.8	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 24549	2	1.48	0.012	0.1	0.2	0.04	3.3	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 24551	2	1.83	0.014	0.09	0.1	0.06	3.9	0.4	0.025	7	0.25	1DX15	VAN08003684
CFC 24552	2	1.77	0.015	0.1	0.2	0.09	4.3	0.5	0.025	7	0.6	1DX15	VAN08003684
CFC 24633	2	2.02	0.011	0.08	0.1	0.08	3.5	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 24634	2	1.63	0.011	0.09	0.2	0.05	3.3	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 24635	2	2.01	0.011	0.1	0.1	0.03	3.7	0.3	0.025	6	0.25	1DX15	VAN08003684
CFC 24636	2	2.24	0.013	0.1	0.1	0.04	4.5	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 24637	2	2.06	0.014	0.09	0.1	0.04	3.8	0.3	0.025	6	0.6	1DX15	VAN08003684
CFC 24638	2	1.94	0.011	0.09	0.1	0.03	3.8	0.3	0.025	7	0.25	1DX15	VAN08003684
CFC 24639	1	1.67	0.014	0.08	0.1	0.05	3.3	0.2	0.025	7	0.7	1DX15	VAN08003684
CFC 24640	2	1.94	0.013	0.12	0.2	0.31	4.9	0.3	0.025	7	0.7	1DX15	VAN08003684
CFC 24641	2	1.67	0.014	0.07	0.2	0.06	4.5	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 24642	2	1.75	0.012	0.07	0.1	0.05	3.6	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 24643	2	1.62	0.013	0.09	0.1	0.04	3.5	0.2	0.025	5	0.25	1DX15	VAN08003684
CFC 24644	1	1.67	0.014	0.1	0.1	0.06	3.8	0.2	0.025	6	0.6	1DX15	VAN08003684
CFC 24645	1	1.75	0.018	0.08	0.1	0.07	3.6	0.2	0.025	7	0.25	1DX15	VAN08003684
CFC 24646	1	1.73	0.016	0.1	0.1	0.06	4.5	0.2	0.025	6	0.25	1DX15	VAN08003684
CFC 24647	2	2.27	0.016	0.1	0.2	0.22	5.3	0.3	0.025	7	0.6	1DX15	VAN08003684
CFC 24648	1	1.86	0.012	0.07	0.1	0.1	4.3	0.2	0.025	6	0.25	1DX15	VAN08003684