

GEOCHEMICAL

REPORT

CROWN JEWEL

**#29- YC344371, #31 – YC34439, #33 – YC34441
#35 – YC34643 - #46 – YC355003, #49 – YC35006
#51 – YC35008, #53 – YC35010 - #60 – YC35017
#101 – YC35674 - #124 – YC35697
#127 – YC35700 - #172 – YC35731**

NTS # 115 O / 15

LAT: 63' 55' N

LONG: 138' 56' W

DAWSON MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED OCTOBER 3 – OCTOBER 14, 2006

DATE OF REPORT MARCH 15, 2008

Table of Content

1.0 Summary	P.3
2.0 Introduction	P.3
3.0 Locations and Access	P.3
4.0 Property Description	P.3
5.0 Regional Geology	P.4
6.0 WORK PERFORMED / METHODS	P.4
6.1 Soil Survey	P.4
7.0 INTERPRETATION	P.5
7.1 Soil Survey	P.5
8.0 Recommendation	P.5
9.0 Cost	P.5
10.0 Qualification	P.6
Location Map	Figure 1
Gold Map	Figure 2
Nickel Map	Figure 3
Chromium Map	Figure 4
Copper Map	Figure 5
Assay Data	Appendix

1.0 SUMMARY

The Crown Jewel Project had a small soil survey conducted late in season over a regional magnetic high that is assumed to be an ultra mafic body. In total there was 378 soil collected.

2.0 INTRODUCTION

The Crown Jewel Project is targeting a regional thrust fault zone that may have acted as a conduit focusing gold bearing solution. The soil survey only found low threshold gold anomalies.

The work was conducted by Jim Skailles, Joe McCann, Kyle MacDougall, and Jeremy Duplisea, all employees of Ryanwood Exploration under contract to a Junior Mining company called International Gold Resources.

3.0 LOCATION AND ACCESS

The Crown Jewel Project can be reached via the Hunker Creek Road, located 10 miles east of Dawson City. The Project covers part of the Hunker Creek Road from the 10-mile mark to the 20-mile mark.

4.0 PROPERTY DESCRIPTION

The Property now consists of three different claim blocks all join together to form 306 Quartz mining claims recorded in the Dawson Mining District.

5.0 REGIONAL GEOLOGY

Regional Geology from Open File 1984

Regional Geology

The Regional Geology map of R.L. Debicki indicates the Crown Jewel to be covering four various rocks units.

The main one is consider Permian of age (QSd) is buff weathering well foliated muscovite-feldspar-quartz schist.

The second unit (MSa) is describing as andesitic tuff.

The third unit (UMa) describe as massive dark green serpentinite also part of this unit is (UMd) describe as foliated strongly altered serpentinite, including talc schist and listwanite.

The forth unit (Fla) describe as potential Eocene felsic intrusive , light colored quartz-feldspar rhyolite porphyry.

6.0 WORK PERFORMED / METHODS

6.1 Soil Survey

The Crown Jewel Project had 13 man days of soil work collecting 378 soils, from October 3 and finish October 14, 2006.

All soil sample where taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil sample location where marked on the ground with orange flagging and recorded in Garmin GPS. About 400-500 grams of soil was collected and place in well mark kraft soil bags.

All samples where brought out to Dawson and air dried repacked in rice bags and sent to Acme Labs in Vancouver. Sample where process with Aqua Regia ICP-MS for 36 elements.

The GPS where downloaded every night and store in a personal computer.

7.0 INTERPRETATION

7.1 Soil Survey

The soil survey targeted an ultra mafic unit that was considered high potential for gold by a regional mapping geologist Chris Ash. The results indicated a small low level gold (Figure 2) cluster sitting on the western side of the grid. The next few figures 3(Nickel) and 4 (chromium) indicated the ultra mafic unit. The last figure 5 (copper) indicates the copper anomaly following the outer edge of the Ultra mafic unit. This may be related to a mafic volcanic unit that lies under the regional Ultra Mafic unit as describe by Chris Ash in some of his personal geology maps.

8.0 RECOMMENDATION

I would recommend a small magnetic survey and more detail geological mapping. This would help in understanding the nature of the copper anomaly following the ultra mafic (nickel) anomaly.

9.0 COST

Assay Work 378 soil @ \$18.00 per sample	\$6,804.00
Wage for Soil Survey 13 man days @ \$325.00 per day (Contracting)	\$4,225.00
Truck + Gas 5 days @ \$ 120.00	\$600.00
Final Report	\$500.00

Total Expense	\$12,129.00

10.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 11 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and Vlf surveys.

I have overseen the Crown Jewel Project.


I own 100 % of the Crown Jewel Claim package

Dated this 15 of March 2007 in Dawson City, Yukon.

Respectfully submitted


Shawn Ryan

Crown Jewel - Prince - King Claims



Location Map

Figure 1




**Crown Jewel 2006
Au ppb**


- 14 to 25.2 (2)
- 8 to 10 (4)
- 5 to 8 (13)
- 0 to 5 (364)

RyanWood Exploration

S.Ryan	Crown Jewel 2006
1150 / 15	Air Map
Date: 19/8/2008	Figure 2
Scale: 1:25000	UTM Zone 7 (NAD 83)

0 250 500 1,000
meters






Crown Jewel Fall 2006
Cr ppm

- 200 to 655 (14)
- 150 to 200 (11)
- 125 to 150 (17)
- 100 to 125 (51)
- 1 to 100 (290)

RyanWood Exploration	
S. Ryan	Crown Jewel 2006
1150 / 15	Cr Map
Date: 10/13/2008	Figure 4
Scale: 1:25000	UTM Zone 7 (NAD 83)



GSC Magnetic Map as Background




Crown Jewel Fall 2006
Cu ppm

- 150 to 325 (5)
- 100 to 150 (20)
- 75 to 100 (16)
- 50 to 75 (42)
- 1 to 50 (300)

RyanWood Exploration

S. Ryan	Crown Jewel 2006
1150 / 15	Cu Map
Date: 18/8/2008	Figure 5
Scale: 1:25000	UTM Zone 7 (NAD 83)



GSC Magnetic Map as Background

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CJ-01097	NAD83-7V	601282	7093841	0.1	81.8	0.6	41	0	151.4	30.8	518	3.07	0.8
CJ-01098	NAD83-7V	601290	7093850	0	60	0.3	31	0	79.9	20.2	306	2.17	0.5
CJ-01099	NAD83-7V	601308	7093869	0.1	70.5	0.2	35	0	91	26	398	2.35	0.9
CJ-01100	NAD83-7V	601324	7093887	0.1	44.1	1.5	23	0	67.5	13.6	191	1.55	1.8
CJ-01101	NAD83-7V	601338	7093907	0.2	61.6	1.4	34	0	83.1	22	486	2.64	1.7
CJ-01102	NAD83-7V	601354	7093929	0.1	40.2	0.8	20	0	64.6	12.5	151	1.33	1.1
CJ-01103	NAD83-7V	601371	7093948	0.2	51.3	0.5	14	0	67	12	130	0.98	0.9
CJ-01104	NAD83-7V	601387	7093967	0.2	39.4	2.6	27	0	68	11.7	150	1.41	2.4
CJ-01105	NAD83-7V	601405	7093985	0.1	55.1	0.2	14	0	82.5	13.8	143	1.27	1.2
CJ-01106	NAD83-7V	601418	7094007	0.1	53.3	0.7	20	0	72.2	13.1	149	1.22	1.3
CJ-01107	NAD83-7V	601434	7094027	0.3	22.1	3.3	24	0	123.3	11.3	144	1.46	3.7
CJ-01108	NAD83-7V	601451	7094044	0.8	23.6	9.7	50	0	246.5	21.9	446	2.77	9.1
CJ-01109	NAD83-7V	601464	7094063	0.8	27.7	9.8	53	0	166.8	12.7	281	2.84	12.3
CJ-01112	NAD83-7V	601480	7094084	0.8	29.4	8.9	47	0	293.2	24.4	395	2.65	8.3
CJ-01113	NAD83-7V	601497	7094103	0.9	18.3	6.5	40	0	304.2	24.8	313	2.45	6.5
CJ-01114	NAD83-7V	601512	7094123	0.8	12.9	5.5	34	0	268.9	20.1	272	2.22	5.8
CJ-01115	NAD83-7V	601527	7094141	0.7	10.3	6.6	35	0	110.9	10.5	174	1.89	5.2
CJ-01116	NAD83-7V	601543	7094161	1.1	47.9	10.9	61	0	268	21.5	344	3.16	13.1
CJ-01117	NAD83-7V	601559	7094182	0.7	17.3	7.3	39	0	186.5	18.7	234	2.22	7.3
CJ-01118	NAD83-7V	601574	7094201	0.7	14.1	6.8	41	0	275.6	22	270	2.35	6.7
CJ-01119	NAD83-7V	601590	7094220	1.1	12.2	7.6	44	0	302.9	28.1	347	2.57	7.4
CJ-01313	NAD83-7V	597218	7092962	0.6	6	36.4	72	0	2.1	1	80	0.76	3.7
CJ-01314	NAD83-7V	597284	7093091	0.9	4.5	12.1	74	0	2.5	1.5	123	1.32	14.2
CJ-01315	NAD83-7V	597345	7093156	0.2	3.4	21	14	0	1.3	1	50	0.44	2.8
CJ-01316	NAD83-7V	597423	7093224	0.5	13.2	99.4	67	0	9	3.7	126	1.61	8.9
CJ-01317	NAD83-7V	597512	7093273	0.5	6.8	12.5	47	0	4.7	3.5	168	1.04	12
CJ-01318	NAD83-7V	597619	7093335	0.5	4.2	19.6	25	0	4.8	2.2	99	1.39	6
CJ-01319	NAD83-7V	597710	7093312	0.8	11.1	12.9	33	0.1	8.3	3.6	107	2.04	22.9
CJ-01320	NAD83-7V	597821	7093325	0.5	11.8	18.5	37	0	10.5	3.9	87	1.55	83.8
CJ-01321	NAD83-7V	597920	7093360	0.7	8.6	21.5	28	0	6	2.6	82	1.34	9.1
CJ-01322	NAD83-7V	598017	7093363	0.5	31.3	4.6	43	0	31.2	14.3	291	3.25	5.4
CJ-01323	NAD83-7V	598104	7093403	0.2	17.1	12.2	18	0	9	4.5	112	1.26	4.4
CJ-01324	NAD83-7V	598190	7093476	0.6	5.8	13.5	19	0	3.8	2	78	1.13	4.8
CJ-01325	NAD83-7V	598264	7093542	0.6	8.8	13	40	0	7	3.9	158	1.81	6.7
CJ-01326	NAD83-7V	598339	7093628	0.6	11.8	19	46	0.1	9.9	5.8	186	2.18	11.1
CJ-01327	NAD83-7V	598428	7093688	0.4	15.9	11.8	34	0	9.9	6	171	1.81	11.7
CJ-01328	NAD83-7V	598510	7093762	0.4	17.4	22.6	46	0	13.1	11.9	335	2.72	3.8
CJ-01329	NAD83-7V	598563	7093876	0.5	10.3	16.8	34	0	6.4	3.7	122	1.43	4.2
CJ-01330	NAD83-7V	598504	7094081	0.5	20	14.8	47	0	14.4	6.3	210	1.93	9
CJ-01331	NAD83-7V	598570	7094151	0.6	21.3	14.6	48	0	13.3	5	165	1.75	7.5
CJ-01332	NAD83-7V	598648	7094222	0.8	21.6	16	53	0	14.8	6	195	1.9	9.3
CJ-01333	NAD83-7V	598722	7094284	0.8	18.5	17.9	50	0	12.7	5.3	131	1.79	7.7
CJ-01334	NAD83-7V	598817	7094334	0.9	27.6	14.5	53	0	20.2	8.4	257	2.34	10.7
CJ-01335	NAD83-7V	598863	7094417	1	28.4	15.3	58	0	19.5	7.6	275	2.28	9.3
CJ-01336	NAD83-7V	598967	7094480	0.9	25	16.7	53	0	15.7	6	136	2.1	8.2
CJ-01337	NAD83-7V	599064	7094509	1.4	21.4	14.5	59	0	26.1	16	458	2.21	10
CJ-01338	NAD83-7V	599106	7094617	0	1.8	18.5	9	0	0.6	0.5	7	0.12	0
CJ-01339	NAD83-7V	599167	7094739	0.3	4.9	22	16	0	0.9	0.6	13	0.25	3.4
CJ-01340	NAD83-7V	599222	7094825	0.3	4.1	14	16	0	2.3	1.2	33	0.45	4
CJ-01341	NAD83-7V	599269	7094911	0.3	7.2	10.5	33	0	4	2.8	75	0.99	3.3
CJ-01342	NAD83-7V	599339	7094973	0.8	64.2	8.5	68	0	27.6	27	888	4.22	5.2
CJ-01351	NAD83-7V	600761	7093991	0.9	22.5	15.7	58	0	24.1	8.5	332	1.92	5.7
CJ-01352	NAD83-7V	600780	7094011	0.4	41.5	2.1	20	0	60.2	18	225	1.51	1.8
CJ-01353	NAD83-7V	600793	7094028	0.2	31	1.6	18	0	41.7	10.8	100	1.22	2.5
CJ-01354	NAD83-7V	600802	7094052	0.1	53.7	0.2	13	0	45.4	10.6	105	0.94	1.5
CJ-01355	NAD83-7V	600820	7094070	0.2	42.2	1.1	20	0	63.1	12.3	168	1.36	1.8
CJ-01357	NAD83-7V	600848	7094111	0.4	30.6	4.1	57	0	34.5	18.6	365	3.33	2.5
CJ-01358	NAD83-7V	600869	7094130	0.1	52.5	0.2	11	0	40.7	10.2	124	0.99	0.6
CJ-01359	NAD83-7V	600887	7094145	0.2	7.2	1.8	12	0	26.6	7.6	82	1.02	1.3

SAMPLES	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al
CJ-01097	0	0	0.2	8	0	0	0	53	0.5	0.059	1	213	2.48	17	0.101	0	2.31
CJ-01098	0	0.7	0.2	10	0	0.1	0	29	0.45	0.059	1	112	1.71	15	0.092	0	1.63
CJ-01099	0	1.1	0.1	8	0	0.1	0	34	0.68	0.06	0	125	1.7	13	0.058	0	1.6
CJ-01100	0.1	0	0.6	9	0	0.1	0	21	0.31	0.029	2	92	1.3	66	0.051	1	1.3
CJ-01101	0.1	0	0.6	6	0.1	0.1	0	45	0.3	0.055	2	119	1.92	44	0.071	0	1.96
CJ-01102	0.1	0	0.4	7	0	0.1	0	17	0.22	0.024	1	96	1.27	31	0.071	0	1.17
CJ-01103	0.1	0	0.3	7	0	0	0	10	0.18	0.018	1	90	1.09	24	0.038	1	1.03
CJ-01104	0.3	0	1.3	10	0	0.2	0	23	0.2	0.009	4	87	0.96	98	0.052	1	1.15
CJ-01105	0.1	0	0.3	7	0	0.1	0	10	0.23	0.032	1	113	1.33	20	0.035	0	1.3
CJ-01106	0.2	0	0.5	9	0	0.1	0	15	0.26	0.029	2	105	1.19	32	0.051	0	1.12
CJ-01107	0.5	1.6	1.7	10	0	0.4	0.1	22	0.18	0.006	6	107	0.91	112	0.055	1	1.22
CJ-01108	1.3	3.7	3.9	18	0.1	0.7	0.2	49	0.22	0.013	15	99	0.71	354	0.043	0	1.46
CJ-01109	1.2	5.2	4.9	19	0.1	0.9	0.2	53	0.26	0.027	16	71	0.64	358	0.046	1	1.5
CJ-01112	0.7	6.3	4	17	0.1	0.8	0.2	54	0.22	0.013	14	104	0.69	271	0.059	1	1.33
CJ-01113	0.6	8.2	3.3	13	0.1	0.5	0.1	46	0.15	0.009	11	146	0.8	240	0.034	1	1.19
CJ-01114	0.3	2.5	2.4	10	0.1	0.4	0.1	42	0.12	0.01	9	146	0.77	178	0.029	1	1.07
CJ-01115	0.4	2.6	2.9	10	0.1	0.4	0.1	37	0.11	0.007	11	59	0.48	190	0.03	0	1.01
CJ-01116	0.8	3.4	4.7	17	0.1	1	0.2	59	0.23	0.01	20	105	0.73	311	0.049	1	1.64
CJ-01117	0.5	2.8	3.3	12	0.1	0.6	0.1	46	0.18	0.008	12	94	0.74	226	0.035	1	1.28
CJ-01118	0.5	0	3	11	0.1	0.5	0.1	49	0.3	0.009	12	131	0.87	230	0.035	2	1.34
CJ-01119	0.3	0	2.4	11	0.1	0.5	0.1	54	0.12	0.015	8	132	0.86	218	0.029	1	1.55
CJ-01313	1.3	0	10.9	4	0.1	0.5	0.1	9	0.04	0.014	19	4	0.11	56	0.006	0	0.61
CJ-01314	3	0.5	20.7	5	0.2	0.6	0.1	7	0.05	0.016	39	3	0.13	83	0.006	0	0.58
CJ-01315	1.6	0.6	10.6	9	0.1	0.1	0.2	4	0.09	0.032	17	2	0.04	48	0.005	0	0.35
CJ-01316	1.7	2.8	11.8	7	0.2	0.4	0.2	26	0.06	0.013	25	16	0.27	89	0.023	0	1.07
CJ-01317	1.4	0	15.3	3	0.2	0.4	0.1	14	0.02	0.014	28	8	0.19	81	0.011	0	0.69
CJ-01318	0.9	1.2	7.9	6	0.1	0.2	0.2	32	0.04	0.019	23	12	0.18	93	0.028	0	0.88
CJ-01319	1.9	1.4	9.4	6	0	0.5	0.2	39	0.05	0.017	18	21	0.28	162	0.035	0	1.39
CJ-01320	2.3	1.2	14.3	3	0.1	1.8	0.2	16	0.02	0.016	27	24	0.36	131	0.014	1	0.97
CJ-01321	0.5	1.1	12.6	6	0.1	0.3	0.2	25	0.05	0.012	38	11	0.21	154	0.017	0	1.03
CJ-01322	0.4	0	1.7	7	0.1	0.3	0.1	72	0.07	0.029	11	90	1.1	231	0.01	0	2.55
CJ-01323	0.4	0	7	7	0	0.2	0.1	17	0.12	0.02	21	16	0.67	63	0.124	0	0.79
CJ-01324	0.4	0	7	5	0.1	0.2	0.2	24	0.04	0.034	30	8	0.15	87	0.018	0	0.66
CJ-01325	0.8	1	12.6	6	0.1	0.3	0.2	28	0.04	0.019	22	14	0.34	81	0.032	0	1.06
CJ-01326	0.8	2.7	7.8	8	0	0.5	0.2	45	0.07	0.023	19	20	0.44	164	0.058	0	1.39
CJ-01327	1.5	2.1	12.8	6	0.1	0.3	0.2	26	0.06	0.021	28	16	0.49	153	0.04	0	1.1
CJ-01328	2	1.3	19.4	12	0.1	0.5	0.1	46	0.13	0.027	34	31	1.28	464	0.217	0	1.75
CJ-01329	1	3.1	13.2	6	0.1	0.4	0.1	21	0.04	0.021	38	15	0.27	138	0.022	0	0.72
CJ-01330	1.3	5.5	9.3	18	0.1	0.5	0.2	37	0.2	0.022	27	24	0.56	267	0.056	0	1.18
CJ-01331	1.2	2	8.3	15	0.1	0.6	0.2	34	0.18	0.029	28	19	0.38	185	0.057	0	1.02
CJ-01332	1.9	2.1	7.7	14	0.1	0.6	0.2	36	0.15	0.023	29	21	0.39	229	0.05	0	1.13
CJ-01333	1.2	2.1	6.6	13	0.1	0.7	0.2	33	0.14	0.031	22	20	0.35	185	0.044	0	1.09
CJ-01334	1.5	4.8	8.4	18	0.1	0.7	0.2	46	0.18	0.023	23	26	0.47	301	0.052	0	1.43
CJ-01335	1.4	4.5	7.8	21	0.1	0.8	0.2	43	0.26	0.035	23	26	0.47	475	0.048	0	1.33
CJ-01336	2.4	3.5	4.1	20	0.1	0.7	0.2	42	0.23	0.041	17	24	0.35	313	0.04	1	1.37
CJ-01337	0.8	1.9	5.3	8	0.1	0.6	0.2	31	0.11	0.05	9	22	0.51	128	0.029	0	1.72
CJ-01338	2.9	0	23	7	0.1	0	0.1	0	0.04	0.021	98	1	0.03	63	0.001	1	0.17
CJ-01339	4	1	19.8	7	0.1	0.2	0.2	2	0.03	0.012	88	1	0.05	71	0.002	1	0.21
CJ-01340	1.5	0.9	12	5	0	0.2	0.3	6	0.04	0.01	37	4	0.1	61	0.009	0	0.4
CJ-01341	1.2	0.9	6	7	0.1	0.3	0.2	16	0.07	0.035	18	5	0.22	65	0.025	0	0.55
CJ-01342	0.4	4.1	3.6	16	0.1	0.3	0.1	98	0.36	0.061	10	43	1.79	189	0.058	0	1.84
CJ-01351	2.1	1.4	6.2	33	0.2	0.4	0.2	33	0.41	0.062	20	30	0.62	233	0.036	1	0.94
CJ-01352	0.2	0	0.3	9	0	0.1	0	21	0.29	0.032	2	78	0.96	47	0.036	1	1.28
CJ-01353	0.1	1.1	0.5	4	0	0.1	0	17	0.12	0.023	2	62	0.75	17	0.045	0	1.11
CJ-01354	0.1	0.5	0.2	3	0	0	0	11	0.11	0.017	1	63	0.86	4	0.048	0	0.89
CJ-01355	0.1	1.3	0.5	5	0	0.1	0	18	0.16	0.026	2	79	0.96	22	0.046	0	1.1
CJ-01357	0.4	0	1.1	16	0.1	0.2	0.1	67	0.28	0.067	4	53	1.15	160	0.109	0	1.93
CJ-01358	0	1.5	0.1	3	0	0.1	0	14	0.11	0.011	0	91	0.98	5	0.04	0	0.92
CJ-01359	0.1	0.8	0.5	5	0	0.1	0	17	0.13	0.017	2	48	0.67	28	0.033	0	0.89

SAMPLES	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis__	Acme_file_#
CJ-01097	0.004	0.01	0.1	0.01	3.2	0	0	4	0	1DX - 15.0	A608134
CJ-01098	0.002	0.01	0	0.01	1.9	0	0	3	0	1DX - 15.0	A608134
CJ-01099	0.002	0	0	0	2	0	0	3	0	1DX - 15.0	A608134
CJ-01100	0.003	0.01	0.1	0.01	1.4	0	0	2	0	1DX - 15.0	A608134
CJ-01101	0.002	0.01	0.1	0.01	2.6	0	0	4	0	1DX - 15.0	A608134
CJ-01102	0.002	0.01	0	0	1.1	0	0	2	0	1DX - 15.0	A608134
CJ-01103	0.002	0.01	0	0	1.1	0	0	1	0	1DX - 15.0	A608134
CJ-01104	0.003	0.02	0.1	0.01	1.8	0	0	2	0	1DX - 15.0	A608134
CJ-01105	0.002	0.01	0	0	1.2	0	0	1	0	1DX - 15.0	A608134
CJ-01106	0.002	0.01	0	0	1.3	0	0	1	0	1DX - 15.0	A608134
CJ-01107	0.004	0.02	0.1	0.03	2.5	0	0	2	0	1DX - 15.0	A608134
CJ-01108	0.009	0.05	0.2	0.03	4.4	0.1	0	4	0.5	1DX - 15.0	A608134
CJ-01109	0.011	0.05	0.2	0.03	4.9	0.1	0	4	0	1DX - 15.0	A608134
CJ-01112	0.011	0.04	0.2	0.03	4.6	0.1	0	4	0	1DX - 15.0	A608134
CJ-01113	0.01	0.03	0.2	0.02	3.4	0.1	0	4	0	1DX - 15.0	A608134
CJ-01114	0.006	0.03	0.2	0.01	2.5	0.1	0	3	0	1DX - 15.0	A608134
CJ-01115	0.007	0.03	0.1	0.01	2.2	0.1	0	3	0	1DX - 15.0	A608134
CJ-01116	0.012	0.05	0.2	0.06	5.9	0.1	0	5	0	1DX - 15.0	A608134
CJ-01117	0.011	0.03	0.2	0.02	3.5	0.1	0	4	0	1DX - 15.0	A608134
CJ-01118	0.006	0.03	0.2	0.02	4.1	0.1	0	4	0	1DX - 15.0	A608134
CJ-01119	0.006	0.03	0.2	0.01	2.9	0.1	0	5	0	1DX - 15.0	A608134
CJ-01313	0.001	0.05	0.1	0.01	1.1	0.1	0	2	0	1DX - 15.0	A608934
CJ-01314	0.001	0.06	0.1	0	1.2	0.1	0	3	0	1DX - 15.0	A608934
CJ-01315	0.001	0.05	0	0	0.6	0.1	0	1	0	1DX - 15.0	A608934
CJ-01316	0.003	0.06	0.1	0.01	1.6	0.1	0	3	0.5	1DX - 15.0	A608934
CJ-01317	0.002	0.05	0.1	0	1.3	0.1	0	2	0	1DX - 15.0	A608934
CJ-01318	0.003	0.04	0.1	0.01	1.3	0.1	0	4	0	1DX - 15.0	A608934
CJ-01319	0.004	0.04	0.1	0.01	2.5	0.1	0	5	0	1DX - 15.0	A608934
CJ-01320	0.003	0.08	0.1	0.01	2.6	0.2	0	4	0	1DX - 15.0	A608934
CJ-01321	0.003	0.08	0.1	0.01	1.2	0.1	0	3	0	1DX - 15.0	A608934
CJ-01322	0.003	0.04	0	0	7.5	0.2	0	7	0	1DX - 15.0	A608934
CJ-01323	0.002	0.09	0	0	1.7	0.2	0	2	0	1DX - 15.0	A608934
CJ-01324	0.008	0.07	0.1	0.01	0.7	0.1	0	3	0	1DX - 15.0	A608934
CJ-01325	0.005	0.07	0.1	0.01	1.8	0.1	0	4	0	1DX - 15.0	A608934
CJ-01326	0.005	0.11	0.2	0.01	2.9	0.2	0	5	0	1DX - 15.0	A608934
CJ-01327	0.003	0.09	0.1	0.01	2.7	0.1	0	3	0	1DX - 15.0	A608934
CJ-01328	0.003	0.41	0	0	3.8	0.4	0	5	0	1DX - 15.0	A608934
CJ-01329	0.004	0.06	0.1	0.01	2	0.1	0	2	0	1DX - 15.0	A608934
CJ-01330	0.006	0.08	0.1	0.02	3.3	0.1	0	4	0	1DX - 15.0	A608934
CJ-01331	0.007	0.07	0.2	0.02	2.6	0.1	0	3	0	1DX - 15.0	A608934
CJ-01332	0.007	0.07	0.1	0.02	3	0.1	0	4	0	1DX - 15.0	A608934
CJ-01333	0.005	0.06	0.1	0.02	2.5	0.1	0	4	0	1DX - 15.0	A608934
CJ-01334	0.008	0.05	0.2	0.03	4.2	0.1	0	4	0	1DX - 15.0	A608934
CJ-01335	0.008	0.07	0.2	0.04	4.1	0.1	0	4	0	1DX - 15.0	A608934
CJ-01336	0.007	0.05	0.2	0.03	3.1	0.1	0	4	0.6	1DX - 15.0	A608934
CJ-01337	0.003	0.04	0.1	0.01	1.8	0.1	0	3	0.5	1DX - 15.0	A608934
CJ-01338	0.001	0.05	0	0	0.8	0	0	0	0	1DX - 15.0	A608934
CJ-01339	0.001	0.07	0	0.06	1.2	0.1	0	1	0	1DX - 15.0	A608934
CJ-01340	0.001	0.07	0	0.01	1.2	0.1	0	1	0	1DX - 15.0	A608934
CJ-01341	0.002	0.11	0.1	0.01	1.3	0.1	0	3	0	1DX - 15.0	A608934
CJ-01342	0.002	0.1	0	0.01	3.6	0.1	0.07	5	0	1DX - 15.0	A608934
CJ-01351	0.011	0.06	0.2	0.03	2.5	0.1	0	3	0	1DX - 15.0	A608134
CJ-01352	0.004	0.01	0.1	0.01	1.3	0	0	2	0	1DX - 15.0	A608134
CJ-01353	0.002	0.01	0.1	0	0.9	0	0	2	0	1DX - 15.0	A608134
CJ-01354	0.002	0	0	0.01	0.8	0	0	1	0	1DX - 15.0	A608134
CJ-01355	0.003	0.01	0	0.01	1.4	0	0	2	0	1DX - 15.0	A608134
CJ-01357	0.006	0.02	0.1	0.01	2.9	0.1	0	5	0	1DX - 15.0	A608134
CJ-01358	0.002	0	0	0	1.2	0	0	1	0	1DX - 15.0	A608134
CJ-01359	0.003	0.01	0.1	0.01	0.9	0	0	2	0	1DX - 15.0	A608134

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CJ-01360	NAD83-7V	600897	7094169	0.1	49	0.9	11	0	47.1	9.9	103	0.97	1.5
CJ-01361	NAD83-7V	600913	7094188	0.6	48.7	5.3	47	0	34.5	11.2	196	2.15	6.8
CJ-01362	NAD83-7V	600928	7094209	0.4	30.7	2.4	54	0	63.6	18.2	343	2.44	2.8
CJ-01363	NAD83-7V	600945	7094227	0.3	29.4	2.3	19	0	45.7	9.7	128	1.16	1.9
CJ-01364	NAD83-7V	600956	7094249	0.1	35.6	2.2	18	0	36.1	9.7	143	1.21	1.9
CJ-01365	NAD83-7V	600976	7094268	0.1	41	2.1	18	0	39.7	11.1	174	1.4	2
CJ-01366	NAD83-7V	600993	7094285	0.2	61.5	1.5	16	0	47.9	11.8	143	1.27	1.3
CJ-01367	NAD83-7V	601009	7094311	0.3	50.6	1.4	18	0	56	13.3	138	1.43	1.9
CJ-01368	NAD83-7V	601022	7094328	0.2	28.6	2.9	20	0	30.1	8.1	141	1.26	2.9
CJ-01369	NAD83-7V	601034	7094347	0.1	23.2	0.3	8	0	28.9	7.5	97	0.69	0.5
CJ-01370	NAD83-7V	601050	7094369	0.3	39.2	4.3	28	0	31.3	10.9	265	1.75	3.8
CJ-01371	NAD83-7V	601066	7094386	0.5	54.4	2.4	42	0.1	67.7	20.1	638	3.49	2.8
CJ-01372	NAD83-7V	601078	7094415	0.4	28.3	6.9	40	0	23.2	8.7	309	2.09	5.6
CJ-01373	NAD83-7V	601092	7094432	0.4	27.6	3.7	30	0	29.2	10.4	193	2.14	4
CJ-01374	NAD83-7V	601106	7094461	0.4	30.2	6	39	0	34.1	11.7	400	2.48	6.2
CJ-01375	NAD83-7V	601120	7094472	0.5	38.9	5.8	44	0	35.4	9.4	322	2.26	8.2
CJ-01376	NAD83-7V	601158	7094505	0.2	141.7	1.1	66	0	39.8	18.3	378	3.4	2.5
CJ-01377	NAD83-7V	601177	7094523	0.7	39.5	6.9	54	0	24.6	10.8	218	2.65	9
CJ-01378	NAD83-7V	601200	7094541	0.3	103.9	1.5	48	0	25.4	13.6	278	2.46	3.2
CJ-01379	NAD83-7V	601212	7094565	0.5	27	6.2	42	0	18.8	7.2	265	2.19	7.6
CJ-01380	NAD83-7V	601227	7094580	0.4	83.1	4.6	58	0	28.1	13.6	325	2.76	6.8
CJ-01381	NAD83-7V	601251	7094597	0.3	55.2	1.6	35	0	36	18.1	397	3.71	2.8
CJ-01382	NAD83-7V	601266	7094612	0.6	32.9	7	48	0	22.1	8.9	238	2.45	9.2
CJ-01391	NAD83-7V	600840	7093926	0.8	22.8	16	74	0	27.1	9.9	420	1.92	4.8
CJ-01392	NAD83-7V	600854	7093948	1.1	30.8	18.8	86	0	34.5	12	532	2.4	6.9
CJ-01393	NAD83-7V	600870	7093967	0.8	23.7	9.8	41	0	21.2	8.7	195	1.66	5.6
CJ-01394	NAD83-7V	600886	7093985	0.3	26.4	3.1	29	0	38.8	13.4	242	1.81	2.9
CJ-01395	NAD83-7V	600902	7094005	0.4	44.1	2.7	43	0	50.5	16.8	348	2.19	3.1
CJ-01396	NAD83-7V	600918	7094024	0.3	43.1	0.8	26	0	41.2	14.9	249	1.6	1.9
CJ-01397	NAD83-7V	600933	7094044	0.3	18.7	3.3	27	0	26.5	9.8	267	1.54	3.6
CJ-01398	NAD83-7V	600949	7094065	0.2	15.6	1.5	21	0	38.1	11.3	159	1.54	1.8
CJ-01399	NAD83-7V	600965	7094083	0.2	33.2	0.1	21	0	62.1	18.7	231	2.19	2
CJ-01400	NAD83-7V	600981	7094102	0.1	16.1	0	15	0	50.5	14.9	221	1.9	0.8
CJ-01401	NAD83-7V	600996	7094124	0.2	21.2	0.7	18	0	48.9	14.1	199	1.96	1.9
CJ-01402	NAD83-7V	601012	7094141	0.1	20.1	0	12	0	56.3	14.8	172	1.72	0.8
CJ-01403	NAD83-7V	601028	7094161	0.1	18.7	0	17	0	57.7	17.4	193	1.72	0.7
CJ-01404	NAD83-7V	601044	7094180	0.2	32.7	0	25	0	77.8	22.6	261	2.67	1.2
CJ-01405	NAD83-7V	601060	7094201	0.3	12.8	1.9	22	0	55.9	12.5	168	1.54	2.1
CJ-01406	NAD83-7V	601075	7094219	0.2	28.9	3	27	0	31.6	9.6	177	1.42	2.8
CJ-01407	NAD83-7V	601091	7094238	0.3	29.8	3.7	29	0	30.3	9.4	190	1.7	3.4
CJ-01408	NAD83-7V	601106	7094259	0.2	25.6	3.1	27	0	30.9	9.8	186	1.58	2.6
CJ-01409	NAD83-7V	601122	7094278	0.2	31.4	1.6	24	0	35.3	11.4	162	1.4	2.2
CJ-01410	NAD83-7V	601138	7094298	0.2	30.4	1.1	21	0	42.3	11	167	1.38	1.3
CJ-01411	NAD83-7V	601155	7094316	0.1	38.9	0.9	20	0	60.6	11.2	168	1.46	1.5
CJ-01412	NAD83-7V	601170	7094337	0.2	34.2	1.9	22	0	50.7	10.5	144	1.59	2.6
CJ-01413	NAD83-7V	601187	7094358	0.3	52.2	2.3	35	0	59.2	13.7	228	2.45	3.1
CJ-01414	NAD83-7V	601201	7094375	0.2	62.8	0.8	23	0	192.9	26.2	584	3.22	1.8
CJ-01415	NAD83-7V	601216	7094395	0.5	38.1	3.3	44	0	24.9	14.9	398	2.78	3.9
CJ-01416	NAD83-7V	601232	7094414	0.7	35.1	1.6	27	0	6.5	9	208	2.47	2.4
CJ-01417	NAD83-7V	601248	7094434	0.4	38	3.1	40	0	30.9	11.9	269	2.56	4.1
CJ-01418	NAD83-7V	601264	7094453	0.2	28.2	1.2	36	0	76.7	13.6	282	2.11	1.2
CJ-01419	NAD83-7V	601280	7094473	0.2	54.4	0.9	38	0	6.2	12.1	207	2.65	2.4
CJ-01420	NAD83-7V	601296	7094492	0.1	48.9	1	52	0	34.2	17.8	500	3.25	1.1
CJ-01421	NAD83-7V	601312	7094511	0.1	85.6	1.3	52	0	26.3	14.3	475	2.97	1.3
CJ-01422	NAD83-7V	601326	7094535	0.1	48	0.8	32	0	372.9	32.7	462	3.39	0.8
CJ-01423	NAD83-7V	601342	7094552	0.3	97.1	3.6	44	0	321.5	41.1	1615	5.65	1.8
CJ-01426	NAD83-7V	600708	7094068	0.3	142.6	0.6	22	0	73.9	33.4	315	2.13	2.8
CJ-01427	NAD83-7V	601187	7094674	0.8	34	8	56	0	30.8	11.2	309	2.42	6
CJ-01428	NAD83-7V	601181	7094649	0.9	32.2	7.1	49	0	20.5	8.4	209	2.41	6.9

SAMPLES	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al
CJ-01360	0	0	0.2	4	0	0.1	0	12	0.11	0.01	1	54	0.69	21	0.033	0	0.81
CJ-01361	0.5	2.3	2.8	9	0	0.5	0.1	38	0.14	0.024	9	40	0.64	116	0.045	0	1.35
CJ-01362	0.1	0.5	0.4	7	0.1	0.2	0	41	0.21	0.06	2	72	1.03	45	0.065	0	1.56
CJ-01363	0.2	0.5	0.8	7	0	0.1	0	17	0.14	0.008	3	49	0.87	58	0.03	0	1.08
CJ-01364	0.2	0	1	8	0	0.1	0	19	0.21	0.024	3	50	0.84	70	0.028	0	1.03
CJ-01365	0.2	0	0.9	6	0	0.1	0.1	20	0.18	0.018	3	69	0.86	73	0.034	0	1.06
CJ-01366	0.1	0	0.5	6	0	0.1	0	17	0.21	0.022	2	61	0.96	40	0.032	0	1.07
CJ-01367	0.1	0	0.5	6	0	0.1	0	21	0.21	0.021	2	54	0.84	48	0.046	0	1.1
CJ-01368	0.3	0	1.2	9	0	0.2	0.1	21	0.2	0.011	4	42	0.74	92	0.024	0	1.08
CJ-01369	0	0.7	0.2	6	0	0	0	10	0.21	0.019	1	43	0.81	18	0.021	0	0.82
CJ-01370	0.7	2	2	14	0	0.2	0.1	39	0.29	0.027	6	53	0.75	164	0.035	0	1.23
CJ-01371	1	3.2	1.4	24	0.1	0.4	0	92	0.66	0.072	7	92	1.23	243	0.014	1	1.94
CJ-01372	0.8	0.6	2.4	18	0.1	0.4	0.1	42	0.44	0.045	8	29	0.51	282	0.025	0	1.16
CJ-01373	0.3	1.3	1.5	7	0	0.2	0.1	45	0.21	0.025	6	41	0.9	113	0.049	1	1.32
CJ-01374	0.6	2.4	3	14	0.1	0.3	0.1	54	0.35	0.039	11	52	0.89	297	0.034	1	1.49
CJ-01375	0.7	3.6	3.6	18	0.1	0.5	0.1	47	0.34	0.07	12	35	0.56	235	0.049	1	1.1
CJ-01376	0.3	4.7	0.6	17	0	0.2	0	71	0.34	0.028	3	102	1.55	100	0.141	1	1.74
CJ-01377	0.5	7.5	3.7	11	0.1	0.5	0.1	54	0.13	0.015	12	39	0.67	189	0.061	1	1.53
CJ-01378	0.2	1.8	1.1	11	0	0.2	0	48	0.22	0.013	5	31	1.38	98	0.085	1	1.74
CJ-01379	0.5	2.9	3.5	14	0.1	0.4	0.1	42	0.19	0.045	12	27	0.48	223	0.042	1	1.1
CJ-01380	0.4	2.7	3.4	7	0.1	0.3	0.1	48	0.1	0.029	7	32	0.75	126	0.045	1	1.54
CJ-01381	0.2	0.5	1.2	7	0	0.2	0	93	0.13	0.027	2	92	1.91	127	0.115	1	2.3
CJ-01382	0.5	5.6	3.6	13	0	0.5	0.1	53	0.18	0.031	12	31	0.59	209	0.058	1	1.43
CJ-01391	2.8	4.8	5.9	28	0.3	0.3	0.2	36	0.43	0.073	22	32	0.7	250	0.034	1	0.92
CJ-01392	3.7	3.6	7	39	0.3	0.4	0.3	45	0.59	0.062	25	43	0.78	286	0.046	1	1.05
CJ-01393	1.5	21.1	4.8	13	0.1	0.3	0.1	30	0.28	0.069	14	29	0.55	135	0.049	0	0.78
CJ-01394	0.3	0.8	0.9	11	0	0.1	0.1	30	0.28	0.062	5	57	1.09	112	0.044	1	1.24
CJ-01395	0.4	1.4	0.9	12	0	0.1	0.1	37	0.28	0.062	6	66	1.24	139	0.042	0	1.45
CJ-01396	0.2	0	0.7	8	0	0.1	0	25	0.3	0.064	3	67	1.08	53	0.054	0	1.01
CJ-01397	0.4	2.3	1	12	0.1	0.2	0.1	27	0.28	0.055	6	39	0.63	118	0.04	1	0.86
CJ-01398	0.2	0.7	0.8	7	0	0.1	0	25	0.25	0.05	3	58	0.93	64	0.061	0	1.03
CJ-01399	0.1	0	0.2	5	0	0.1	0	31	0.24	0.059	1	84	1.35	14	0.073	0	1.29
CJ-01400	0	0.5	0.1	4	0	0	0	24	0.25	0.051	1	82	1.35	5	0.095	0	1.28
CJ-01401	0.1	0.6	0.6	5	0	0.1	0	24	0.25	0.058	2	88	1.22	33	0.077	0	1.25
CJ-01402	0.1	0	0.3	6	0	0.1	0	22	0.3	0.047	1	82	1.22	18	0.102	0	1.14
CJ-01403	0	0	0.1	4	0	0	0	19	0.27	0.055	1	85	1.16	7	0.089	0	1.1
CJ-01404	0.1	0	0.2	7	0.1	0.1	0	31	0.3	0.06	1	149	1.77	31	0.091	0	1.72
CJ-01405	0.1	0	0.9	7	0	0.1	0	24	0.2	0.021	3	88	1.13	56	0.059	0	1.22
CJ-01406	0.4	0.6	1.5	10	0	0.1	0.1	26	0.23	0.031	6	54	0.88	102	0.047	0	1.06
CJ-01407	0.4	1.3	1.7	12	0	0.2	0.1	34	0.3	0.029	7	53	0.82	131	0.052	0	1.11
CJ-01408	0.4	0	1.7	11	0	0.1	0.1	30	0.25	0.026	7	52	0.95	133	0.057	0	1.18
CJ-01409	0.3	1.7	1.4	11	0	0.1	0	27	0.28	0.039	5	58	1.12	89	0.057	0	1.2
CJ-01410	0.3	0.5	1	9	0	0.1	0	26	0.24	0.04	4	94	1.03	69	0.047	0	1.06
CJ-01411	0.2	1.7	0.9	9	0	0.1	0	27	0.33	0.049	4	104	1.41	72	0.046	0	1.24
CJ-01412	0.5	0.6	1.5	11	0	0.2	0	33	0.28	0.042	5	91	1.15	101	0.049	0	1.21
CJ-01413	0.6	2.1	1.9	11	0	0.2	0.1	62	0.26	0.033	8	90	1.2	132	0.05	0	1.55
CJ-01414	0.3	0.8	0.4	14	0	0.2	0	82	0.47	0.061	3	287	3.68	131	0.002	0	3.59
CJ-01415	0.3	0	1.1	11	0	0.3	0.1	70	0.28	0.04	4	29	0.93	175	0.065	0	1.44
CJ-01416	0.2	1	0.6	8	0	0.2	0	58	0.21	0.053	2	9	0.34	106	0.035	0	0.87
CJ-01417	0.3	0.8	1.3	10	0	0.2	0.1	55	0.24	0.025	4	54	1	96	0.068	0	1.33
CJ-01418	0.1	0.7	0.6	6	0	0.1	0	40	0.2	0.03	3	140	1.41	75	0.057	0	1.34
CJ-01419	0.1	0	0.9	8	0	0.2	0	84	0.42	0.072	2	7	0.66	90	0.033	0	0.92
CJ-01420	0.3	1.8	1	11	0	0.1	0	72	0.38	0.07	5	72	1.46	75	0.084	0	1.64
CJ-01421	0.2	1.9	1.1	11	0	0.2	0	61	0.32	0.068	3	57	1.49	76	0.062	0	1.73
CJ-01422	0.1	1	0.8	6	0	0.1	0	100	0.26	0.034	5	394	3.58	61	0.033	0	2.44
CJ-01423	0.3	3.4	1	13	0.1	0.2	0	170	0.33	0.063	3	655	3.63	225	0.093	1	2.94
CJ-01426	0.1	2.7	0.2	6	0	0.1	0	28	0.32	0.066	1	85	1.4	14	0.054	0	1.23
CJ-01427	0.5	1.9	3.1	19	0.2	0.6	0.1	53	0.3	0.041	11	46	0.77	248	0.066	0	1.47
CJ-01428	0.5	2.5	3.2	14	0	0.5	0.1	54	0.21	0.032	11	31	0.55	237	0.054	0	1.41

SAMPLES	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis__	Acme_file_#
CJ-01360	0.002	0.01	0	0	1.1	0	0	1	0	1DX - 15.0	A608134
CJ-01361	0.005	0.02	0.1	0.02	2.9	0.1	0	3	0	1DX - 15.0	A608134
CJ-01362	0.005	0.02	0.1	0	1.4	0	0	4	0	1DX - 15.0	A608134
CJ-01363	0.003	0.01	0.1	0.01	1.2	0	0	2	0	1DX - 15.0	A608134
CJ-01364	0.003	0.01	0.1	0.01	1.5	0	0	2	0	1DX - 15.0	A608134
CJ-01365	0.003	0.01	0	0.01	1.6	0	0	2	0	1DX - 15.0	A608134
CJ-01366	0.004	0.01	0	0.01	1.6	0	0	2	0	1DX - 15.0	A608134
CJ-01367	0.003	0.01	0	0	1.3	0	0	2	0	1DX - 15.0	A608134
CJ-01368	0.004	0.01	0.1	0.01	1.9	0	0	2	0	1DX - 15.0	A608134
CJ-01369	0.002	0	0	0	1.2	0	0	1	0	1DX - 15.0	A608134
CJ-01370	0.008	0.02	0.1	0.02	3.4	0	0	3	0	1DX - 15.0	A608134
CJ-01371	0.011	0.02	0.1	0.06	12.7	0	0	5	0	1DX - 15.0	A608134
CJ-01372	0.012	0.03	0.2	0.03	3.3	0	0	3	0	1DX - 15.0	A608134
CJ-01373	0.005	0.02	0.1	0.01	2.6	0.1	0	3	0	1DX - 15.0	A608134
CJ-01374	0.009	0.03	0.1	0.03	5.3	0	0	4	0	1DX - 15.0	A608134
CJ-01375	0.01	0.03	0.1	0.04	4.3	0	0	3	0	1DX - 15.0	A608134
CJ-01376	0.006	0.01	0	0.02	3.2	0	0	6	0	1DX - 15.0	A608134
CJ-01377	0.005	0.03	0.1	0.02	4	0.1	0	5	0	1DX - 15.0	A608134
CJ-01378	0.004	0.01	0	0	2.5	0	0	4	0	1DX - 15.0	A608134
CJ-01379	0.008	0.03	0.1	0.02	3	0.1	0	3	0	1DX - 15.0	A608134
CJ-01380	0.005	0.04	0.1	0.01	2.3	0.1	0	5	0	1DX - 15.0	A608134
CJ-01381	0.003	0.08	0	0.01	5.5	0.1	0	7	0	1DX - 15.0	A608134
CJ-01382	0.007	0.03	0.1	0.02	3.8	0.1	0	4	0	1DX - 15.0	A608134
CJ-01391	0.008	0.09	0.2	0.03	2.4	0.1	0	3	0	1DX - 15.0	A608134
CJ-01392	0.012	0.09	0.4	0.04	3.4	0.1	0.1	4	0.5	1DX - 15.0	A608134
CJ-01393	0.005	0.05	0.1	0.04	2.1	0	0.06	3	0	1DX - 15.0	A608134
CJ-01394	0.004	0.01	0.1	0.01	1.8	0	0	3	0	1DX - 15.0	A608134
CJ-01395	0.005	0.01	0.1	0.01	1.9	0	0	4	0	1DX - 15.0	A608134
CJ-01396	0.004	0.01	0.1	0	1.7	0	0	3	0	1DX - 15.0	A608134
CJ-01397	0.005	0.02	0.1	0.02	1.8	0	0	2	0	1DX - 15.0	A608134
CJ-01398	0.003	0.01	0.1	0	1.4	0	0.07	2	0	1DX - 15.0	A608134
CJ-01399	0.002	0	0	0	1.5	0	0	3	0	1DX - 15.0	A608134
CJ-01400	0.002	0	0	0	1.1	0	0.06	2	0	1DX - 15.0	A608134
CJ-01401	0.002	0.01	0.1	0	1.6	0	0.11	2	0	1DX - 15.0	A608134
CJ-01402	0.002	0	0	0	1.7	0	0	2	0	1DX - 15.0	A608134
CJ-01403	0.001	0	0	0	1.1	0	0	2	0	1DX - 15.0	A608134
CJ-01404	0.002	0.01	0.1	0	1.8	0	0	3	0	1DX - 15.0	A608134
CJ-01405	0.003	0.01	0.1	0	1.4	0	0.09	2	0	1DX - 15.0	A608134
CJ-01406	0.005	0.01	0.1	0.01	1.7	0	0	2	0	1DX - 15.0	A608134
CJ-01407	0.006	0.02	0.1	0.01	2.3	0	0.07	3	0	1DX - 15.0	A608134
CJ-01408	0.007	0.02	0.1	0.01	2.4	0	0	3	0	1DX - 15.0	A608134
CJ-01409	0.005	0.02	0.1	0.02	2.5	0	0.06	2	0	1DX - 15.0	A608134
CJ-01410	0.005	0.01	0.1	0.01	2.3	0	0	2	0	1DX - 15.0	A608134
CJ-01411	0.004	0.01	0	0.03	3	0	0	2	0	1DX - 15.0	A608134
CJ-01412	0.006	0.01	0.1	0.03	3.3	0	0	3	0	1DX - 15.0	A608134
CJ-01413	0.008	0.02	0.1	0.03	5.2	0	0	4	0	1DX - 15.0	A608134
CJ-01414	0.004	0.03	0	0.04	11.7	0	0	6	0	1DX - 15.0	A608134
CJ-01415	0.008	0.02	0.1	0.02	2.9	0.1	0	5	0	1DX - 15.0	A608134
CJ-01416	0.014	0.01	0	0.01	3	0	0	5	0	1DX - 15.0	A608134
CJ-01417	0.007	0.02	0	0.01	2.6	0	0	4	0	1DX - 15.0	A608134
CJ-01418	0.003	0.01	0	0.01	1.5	0	0	4	0	1DX - 15.0	A608134
CJ-01419	0.025	0.03	0	0.01	5.2	0.1	0	5	0	1DX - 15.0	A608134
CJ-01420	0.006	0.03	0	0.03	4.6	0	0	6	0	1DX - 15.0	A608134
CJ-01421	0.004	0.05	0	0.06	4.4	0	0	5	0	1DX - 15.0	A608134
CJ-01422	0.001	0.01	0	0.28	12.3	0	0	6	0	1DX - 15.0	A608134
CJ-01423	0.005	0.08	0	0.15	16.6	0.1	0	9	0	1DX - 15.0	A608134
CJ-01426	0.001	0.01	0	0.01	1.5	0	0	2	0	1DX - 15.0	A608134
CJ-01427	0.01	0.04	0.1	0.03	3.8	0.1	0	5	0	1DX - 15.0	A608134
CJ-01428	0.008	0.05	0.1	0.02	3.2	0.1	0	4	0	1DX - 15.0	A608134

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CJ-01429	NAD83-7V	601163	7094633	0.2	57.4	1.6	31	0	39.2	14.5	266	2.18	1.2
CJ-01430	NAD83-7V	601148	7094610	0.7	49.4	4.8	48	0	42.5	13.2	361	3.27	8.7
CJ-01431	NAD83-7V	601134	7094594	0.7	30.9	7	50	0	22.7	9.3	296	2.22	8.4
CJ-01432	NAD83-7V	601118	7094572	0.7	38.2	5.8	46	0	21.5	8.8	237	2.26	7.4
CJ-01433	NAD83-7V	601100	7094553	0.5	82.4	4.3	52	0	21.3	13.5	302	3.17	5.9
CJ-01434	NAD83-7V	601085	7094535	0.4	38.2	2.2	39	0	32.3	17.7	390	2.84	2.9
CJ-01435	NAD83-7V	601070	7094514	0.1	30.8	0.4	22	0	78.5	23.8	625	2.79	0
CJ-01436	NAD83-7V	601052	7094497	0.4	27.3	5.2	40	0	34.6	11.4	276	2.15	6.4
CJ-01437	NAD83-7V	601038	7094476	0.2	13.8	1.1	22	0	49.4	18.4	255	1.8	1.4
CJ-01438	NAD83-7V	601021	7094458	0.2	74.7	1.5	31	0	82	34.6	565	3.76	4.1
CJ-01439	NAD83-7V	601006	7094439	0.1	47.4	0.2	14	0	191.3	25.4	167	1.35	0
CJ-01440	NAD83-7V	600988	7094420	0.2	35.7	1.6	20	0	205	21.2	170	1.63	2.7
CJ-01441	NAD83-7V	600974	7094396	0.2	43.1	3.9	29	0	117	16.6	202	1.78	4.2
CJ-01442	NAD83-7V	600955	7094381	0.1	44.5	2.3	19	0	79	12.5	150	1.28	1.8
CJ-01443	NAD83-7V	600942	7094363	0.3	46.6	4.5	30	0	77.9	14.7	230	1.85	5
CJ-01444	NAD83-7V	600924	7094341	0.1	48.4	1.4	15	0	61.7	10.5	117	1.05	1.5
CJ-01445	NAD83-7V	600909	7094322	0.2	27.4	1.4	14	0	58.8	10.1	117	1.06	1.7
CJ-01446	NAD83-7V	600891	7094304	0.2	17.8	0.7	14	0	77.9	13.9	147	1.26	1.2
CJ-01447	NAD83-7V	600876	7094284	0.1	40.1	0.5	14	0	80.1	13.9	132	1.11	0.6
CJ-01448	NAD83-7V	600859	7094267	0.2	8.7	0.8	9	0	49.5	10.1	113	0.87	1.4
CJ-01449	NAD83-7V	600843	7094247	0.1	19.1	0.5	13	0	50.6	10.4	133	1	0.9
CJ-01450	NAD83-7V	600829	7094225	0.1	18	0.3	11	0	53.5	14.1	126	1.27	0.9
CJ-01454	NAD83-7V	601366	7093791	0.4	48.3	2.5	46	0	112.2	27.3	368	2.31	2.8
CJ-01455	NAD83-7V	601378	7093811	0.7	31.9	4.9	38	0	207.9	28.6	314	2.63	6.5
CJ-01456	NAD83-7V	601356	7093774	0.7	31.8	6.4	42	0	94.2	15.3	227	2.34	7.6
CJ-01457	NAD83-7V	601393	7093833	0.4	34.4	3.5	30	0	48.2	12.6	217	1.82	3.4
CJ-01458	NAD83-7V	601409	7093845	0.3	35.2	3.5	26	0	45.4	11.9	207	1.7	3.6
CJ-01459	NAD83-7V	601430	7093866	0.2	40.3	2.3	25	0	71.2	15.2	201	1.92	2.8
CJ-01460	NAD83-7V	601443	7093887	0.3	38.8	2.8	28	0	73	15.2	215	2.1	3.1
CJ-01461	NAD83-7V	601465	7093904	0.4	31.6	2.5	26	0	65.6	14.8	235	2.06	3.1
CJ-01462	NAD83-7V	601478	7093925	0.4	26.8	2.8	25	0	69.3	14.1	212	1.99	3.2
CJ-01463	NAD83-7V	601494	7093947	0.5	32.6	5.6	34	0	204.6	18	306	2.26	6.5
CJ-01464	NAD83-7V	601531	7093990	0.5	31.2	6.1	36	0	205.3	16.7	319	2.31	6.8
CJ-01465	NAD83-7V	601547	7094015	0.5	35.8	5.8	35	0	240.5	18.1	289	2.38	6.6
CJ-01466	NAD83-7V	601578	7094039	0.9	14.3	9.4	39	0	116.7	16.4	505	2.26	6.3
CJ-01467	NAD83-7V	601589	7094061	0.9	20.8	9.9	49	0	152.8	17.1	443	2.71	8.5
CJ-01468	NAD83-7V	601598	7094081	0.8	10.9	5.7	37	0	314.6	27.1	286	2.35	6.3
CJ-01469	NAD83-7V	601620	7094108	0.8	11.2	5.6	37	0	348.1	32.9	399	2.48	6.2
CJ-01470	NAD83-7V	601635	7094123	0.7	10.4	7.8	42	0	130.9	16.7	261	2.22	6.6
CJ-01471	NAD83-7V	601655	7094140	0.7	8.4	6.9	38	0	93.2	13.3	239	1.96	4.7
CJ-01472	NAD83-7V	601668	7094162	0.6	9	6	33	0	199	19.7	213	2.01	5.7
CJ-01473	NAD83-7V	601683	7094183	0.6	10.9	6	35	0	252.9	24.5	279	2.22	5.7
CJ-01474	NAD83-7V	601694	7094204	0.8	29	9.6	50	0	369.4	27.6	398	2.87	11.4
CJ-01475	NAD83-7V	601712	7094222	0.9	41.9	9.8	55	0	413.7	26.3	325	3.1	14.1
CJ-01476	NAD83-7V	601728	7094238	0.7	10.8	6.9	43	0	157.9	15.5	233	2.17	7.2
CJ-01477	NAD83-7V	601752	7094264	0.9	11.6	8.1	44	0	140.9	16.9	236	2.18	7.6
CJ-01478	NAD83-7V	601763	7094280	0.7	11.7	8	45	0	89.3	12	185	2.11	6.8
CJ-01479	NAD83-7V	601784	7094297	0.8	16.3	7.9	54	0	150.4	17	249	2.56	8.2
CJ-01480	NAD83-7V	601794	7094323	0.7	14.4	6.8	42	0	189.6	19.9	206	2.15	6.5
CJ-01481	NAD83-7V	601810	7094339	0.7	11.8	6.5	40	0	156	16	184	2.1	6.2
CJ-01482	NAD83-7V	601825	7094359	0.7	10.8	5.1	35	0	482.7	52.1	417	2.12	6.7
CJ-01483	NAD83-7V	601843	7094378	0.7	14.5	4.3	34	0	737.1	61.1	556	2.37	8.4
CJ-01484	NAD83-7V	601860	7094391	0.6	12.2	7.5	36	0	93.3	10.5	156	1.91	5.7
CJ-01488	NAD83-7V	600813	7094207	0.2	24.4	1.8	15	0	46.1	11.3	122	1.25	1.4
CJ-01489	NAD83-7V	600793	7094190	0.2	24.2	1.2	13	0	53.1	12	142	1.2	1.3
CJ-01490	NAD83-7V	600779	7094170	0.2	34.4	1.1	12	0	52	12.5	119	1.06	1.2
CJ-01491	NAD83-7V	600761	7094149	0.2	32.8	1.8	16	0	33.4	10.5	115	1.26	2.3
CJ-01492	NAD83-7V	600748	7094129	0.5	48.1	2.5	29	0	42.8	13.7	193	1.94	3.1
CJ-04876	NAD83-7V	601606	7094238	1	17.9	10.2	53	0	150.1	17.9	298	2.68	10.5

SAMPLES	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al
CJ-01429	0.2	4.1	0.6	11	0	0.2	0	57	0.26	0.052	1	90	1.26	93	0.07	0	1.41
CJ-01430	0.4	2	2.3	16	0.1	0.5	0.1	68	0.39	0.074	7	68	1.18	173	0.065	1	1.59
CJ-01431	0.7	3.9	3.7	19	0.1	0.5	0.1	45	0.32	0.07	12	29	0.54	240	0.048	1	1.11
CJ-01432	0.5	1.7	3.3	16	0	0.4	0.1	49	0.25	0.03	11	31	0.54	197	0.057	1	1.24
CJ-01433	0.4	4	2.2	18	0	0.4	0.1	98	0.39	0.049	8	25	0.67	242	0.089	1	1.48
CJ-01434	0.4	2.5	1.2	17	0	0.3	0	90	0.5	0.036	4	39	1.02	120	0.097	0	1.52
CJ-01435	0.1	0.7	0.2	25	0.1	0.2	0	82	3.5	0.044	2	179	2.17	70	0.005	0	2.12
CJ-01436	0.3	3.2	2.4	19	0.1	0.4	0.1	42	0.51	0.085	9	46	0.84	136	0.044	1	1.11
CJ-01437	0.1	0	0.6	9	0	0.1	0	29	0.42	0.094	2	64	1.32	38	0.072	0	1.32
CJ-01438	0.2	0.7	0.9	14	0	0.3	0	88	0.66	0.102	4	94	1.78	69	0.052	0	1.89
CJ-01439	0	0	0.2	2	0	0	0	19	0.14	0.016	1	270	1.74	6	0.024	0	1.18
CJ-01440	0.2	0	0.8	6	0	0.2	0	23	0.21	0.024	3	215	1.6	48	0.023	0	1.16
CJ-01441	0.4	1.4	1.9	12	0	0.2	0.1	25	0.3	0.034	6	144	1.33	120	0.028	0	1.28
CJ-01442	0.2	0	0.9	7	0	0.1	0	16	0.21	0.022	3	103	1.3	52	0.041	0	1.32
CJ-01443	0.5	6.2	2.5	11	0	0.3	0.1	27	0.2	0.023	9	101	1.15	149	0.039	0	1.46
CJ-01444	0.1	0.9	0.5	6	0	0.1	0	14	0.17	0.007	2	115	1.1	32	0.036	0	1.11
CJ-01445	0.1	0	0.5	5	0	0.1	0	13	0.14	0.006	2	119	0.98	30	0.038	0	1.07
CJ-01446	0.1	0	0.3	4	0	0	0	11	0.14	0.009	1	74	1.47	20	0.048	0	1.38
CJ-01447	0.1	0	0.2	5	0	0	0	9	0.17	0.006	1	122	1.27	14	0.063	0	1.18
CJ-01448	0.1	0	0.2	7	0	0.1	0	10	0.19	0.012	1	101	0.98	31	0.034	0	0.98
CJ-01449	0.1	0	0.3	3	0	0	0	12	0.17	0.028	1	59	0.97	13	0.053	0	0.89
CJ-01450	0.1	0	0.2	4	0	0.1	0	18	0.21	0.033	1	66	1.02	12	0.083	1	1.04
CJ-01454	0.2	1.1	0.3	9	0	0.2	0.1	36	0.25	0.061	3	96	1.31	73	0.051	0	1.5
CJ-01455	0.3	0.7	1.4	10	0.1	0.3	0.1	50	0.18	0.057	6	289	2.02	146	0.035	1	1.56
CJ-01456	0.3	1.4	1.4	11	0.1	0.3	0.1	46	0.17	0.045	7	118	1.02	146	0.037	1	1.55
CJ-01457	0.3	1.4	1.6	8	0.1	0.2	0.1	30	0.18	0.02	6	65	0.89	101	0.07	0	1.35
CJ-01458	0.3	2.9	1.6	8	0	0.2	0.1	28	0.17	0.02	5	57	0.81	101	0.065	0	1.2
CJ-01459	0.2	0.8	1.1	7	0	0.1	0	32	0.19	0.019	4	87	1.24	80	0.066	0	1.51
CJ-01460	0.2	0	1.1	8	0	0.2	0	35	0.19	0.021	4	91	1.33	87	0.07	1	1.61
CJ-01461	0.2	0.8	0.7	10	0	0.2	0.1	36	0.23	0.02	3	97	1.28	96	0.073	1	1.47
CJ-01462	0.2	0.7	0.6	11	0.1	0.1	0.1	37	0.22	0.017	4	98	1.37	128	0.059	0	1.52
CJ-01463	0.8	4.7	2.5	16	0	0.4	0.1	42	0.29	0.017	9	134	1.2	218	0.052	1	1.52
CJ-01464	1.2	2.1	2.7	17	0.1	0.4	0.1	44	0.3	0.018	11	121	1.12	252	0.052	1	1.55
CJ-01465	1.1	9.2	2.7	17	0	0.4	0.1	44	0.28	0.018	10	143	1.26	220	0.055	1	1.59
CJ-01466	0.5	0.9	2.8	16	0.1	0.4	0.2	54	0.19	0.015	10	54	0.57	325	0.037	1	1.59
CJ-01467	0.7	3	4.1	14	0.1	0.5	0.2	63	0.18	0.013	13	66	0.61	363	0.044	0	1.87
CJ-01468	0.3	4.3	1.9	10	0.1	0.4	0.1	43	0.13	0.014	8	180	1	166	0.026	2	1.08
CJ-01469	0.3	3.6	1.6	12	0.1	0.4	0.1	43	0.15	0.016	7	206	1.16	184	0.027	2	1.07
CJ-01470	0.4	1.6	2.8	10	0.1	0.3	0.1	49	0.13	0.011	11	87	0.7	211	0.036	1	1.41
CJ-01471	0.3	1.3	2.2	10	0.1	0.3	0.1	46	0.12	0.009	9	68	0.55	181	0.035	1	1.19
CJ-01472	0.3	3.1	2.5	9	0	0.4	0.1	41	0.11	0.008	10	128	0.8	169	0.03	1	1.11
CJ-01473	0.3	1.6	2.5	9	0.1	0.4	0.1	46	0.12	0.009	10	153	0.9	193	0.034	1	1.28
CJ-01474	0.7	3	4	12	0.1	0.7	0.2	61	0.2	0.013	13	146	0.98	286	0.047	2	1.91
CJ-01475	0.9	7	4.7	12	0.1	1	0.2	64	0.18	0.013	16	160	1.08	247	0.051	1	1.96
CJ-01476	0.3	0.9	2.5	9	0.1	0.5	0.1	49	0.1	0.011	10	89	0.73	167	0.04	1	1.3
CJ-01477	0.4	1.5	3	9	0.1	0.4	0.1	50	0.09	0.011	10	76	0.64	201	0.039	1	1.51
CJ-01478	0.3	1.4	3	9	0.1	0.4	0.1	51	0.09	0.008	12	61	0.62	182	0.045	1	1.52
CJ-01479	0.4	2.6	3.3	11	0.1	0.5	0.1	63	0.12	0.011	13	83	0.81	195	0.05	3	1.93
CJ-01480	0.4	1.9	2.7	9	0	0.4	0.1	50	0.1	0.008	11	109	0.79	170	0.041	1	1.35
CJ-01481	0.3	1.4	2.4	9	0.1	0.4	0.1	46	0.09	0.009	9	97	0.73	169	0.033	1	1.31
CJ-01482	0.3	1.6	1.9	7	0.1	0.6	0.1	39	0.07	0.01	7	164	1.25	172	0.027	1	1.12
CJ-01483	0.2	1.6	1.6	7	0.1	0.8	0.1	40	0.08	0.01	6	249	1.84	156	0.029	2	1.03
CJ-01484	0.4	1	2.9	10	0.1	0.3	0.1	44	0.12	0.008	12	77	0.66	166	0.042	0	1.25
CJ-01488	0.1	0.5	0.6	6	0	0.1	0	20	0.26	0.046	2	60	0.94	44	0.043	0	0.96
CJ-01489	0.1	0	0.3	5	0	0.1	0	19	0.18	0.024	1	87	1.09	29	0.04	0	1.02
CJ-01490	0.1	0.5	0.4	4	0	0.1	0	16	0.16	0.019	1	82	0.98	22	0.053	0	0.9
CJ-01491	0.2	1	0.7	4	0	0.1	0	21	0.12	0.017	2	52	0.76	29	0.063	0	0.88
CJ-01492	0.3	0.5	0.9	6	0	0.2	0	32	0.15	0.027	4	61	1	50	0.076	0	1.32
CJ-04876	0.6	1.8	4.2	11	0	0.6	0.2	55	0.11	0.013	12	73	0.67	285	0.034	0	1.64

SAMPLES	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis__	Acme_file_#
CJ-01429	0.003	0.06	0	0.02	2.9	0	0	4	0	1DX - 15.0	A608134
CJ-01430	0.009	0.07	0.1	0.02	5.2	0.1	0	5	0	1DX - 15.0	A608134
CJ-01431	0.01	0.04	0.1	0.03	3.5	0.1	0	3	0	1DX - 15.0	A608134
CJ-01432	0.009	0.03	0.1	0.02	3.5	0.1	0	4	0.5	1DX - 15.0	A608134
CJ-01433	0.022	0.04	0	0.03	6	0.1	0	6	0	1DX - 15.0	A608134
CJ-01434	0.02	0.02	0	0.03	6.2	0	0	5	0	1DX - 15.0	A608134
CJ-01435	0.003	0.01	0	0.01	11.2	0	0	5	0	1DX - 15.0	A608134
CJ-01436	0.012	0.03	0.2	0.03	3.1	0	0	3	0.5	1DX - 15.0	A608134
CJ-01437	0.002	0.01	0	0	2.2	0	0	2	0	1DX - 15.0	A608134
CJ-01438	0.005	0.01	0	0.02	7.2	0	0	5	0	1DX - 15.0	A608134
CJ-01439	0.001	0	0	0	2	0	0	2	0	1DX - 15.0	A608134
CJ-01440	0.004	0.01	0	0.01	2	0	0	2	0	1DX - 15.0	A608134
CJ-01441	0.007	0.02	0.1	0.01	2.6	0	0	3	0	1DX - 15.0	A608134
CJ-01442	0.003	0.01	0	0.01	1.2	0	0	2	0	1DX - 15.0	A608134
CJ-01443	0.005	0.02	0.1	0.01	2.6	0.1	0	3	0	1DX - 15.0	A608134
CJ-01444	0.002	0.01	0	0	0.9	0	0	2	0	1DX - 15.0	A608134
CJ-01445	0.002	0.01	0	0.01	0.7	0	0	1	0	1DX - 15.0	A608134
CJ-01446	0.001	0	0	0	0.5	0	0	2	0	1DX - 15.0	A608134
CJ-01447	0.002	0	0	0	0.7	0	0	1	0	1DX - 15.0	A608134
CJ-01448	0.002	0.01	0	0.01	0.9	0	0	1	0	1DX - 15.0	A608134
CJ-01449	0.001	0	0	0	0.8	0	0	1	0	1DX - 15.0	A608134
CJ-01450	0.001	0	0	0	0.9	0	0	2	0	1DX - 15.0	A608134
CJ-01454	0.006	0.02	0.1	0.01	1.5	0	0	4	0	1DX - 15.0	A608134
CJ-01455	0.006	0.03	0.1	0.01	2.3	0.1	0	4	0	1DX - 15.0	A608134
CJ-01456	0.006	0.04	0.1	0.01	2	0.1	0	5	0	1DX - 15.0	A608134
CJ-01457	0.004	0.02	0.1	0.01	1.9	0	0	3	0	1DX - 15.0	A608134
CJ-01458	0.004	0.02	0.1	0.02	2	0	0	3	0	1DX - 15.0	A608134
CJ-01459	0.003	0.02	0.1	0.01	2	0	0	3	0	1DX - 15.0	A608134
CJ-01460	0.004	0.02	0.2	0.01	1.9	0	0	3	0	1DX - 15.0	A608134
CJ-01461	0.003	0.02	0.1	0.01	1.8	0	0	3	0	1DX - 15.0	A608134
CJ-01462	0.004	0.02	0.1	0.01	1.7	0	0	4	0	1DX - 15.0	A608134
CJ-01463	0.007	0.03	0.1	0.02	4	0.1	0	4	0	1DX - 15.0	A608134
CJ-01464	0.008	0.03	0.1	0.03	4.2	0	0	4	0	1DX - 15.0	A608134
CJ-01465	0.009	0.03	0.1	0.03	4.6	0	0	4	0	1DX - 15.0	A608134
CJ-01466	0.008	0.03	0.1	0.01	2.9	0.1	0	5	0	1DX - 15.0	A608134
CJ-01467	0.007	0.04	0.1	0.03	4.5	0.1	0	6	0	1DX - 15.0	A608134
CJ-01468	0.005	0.03	0.2	0.01	2	0.1	0	3	0	1DX - 15.0	A608134
CJ-01469	0.006	0.03	0.1	0.02	2.1	0.1	0	3	0	1DX - 15.0	A608134
CJ-01470	0.006	0.03	0.1	0.01	2.7	0.1	0	4	0	1DX - 15.0	A608134
CJ-01471	0.006	0.02	0.1	0	2.1	0.1	0	4	0	1DX - 15.0	A608134
CJ-01472	0.005	0.02	0.1	0.01	2.2	0.1	0	3	0	1DX - 15.0	A608134
CJ-01473	0.005	0.02	0.1	0.01	2.6	0.1	0	4	0	1DX - 15.0	A608134
CJ-01474	0.007	0.04	0.1	0.03	5.3	0.1	0	6	0	1DX - 15.0	A608134
CJ-01475	0.007	0.05	0.1	0.06	6.4	0.1	0	6	0	1DX - 15.0	A608134
CJ-01476	0.005	0.02	0.1	0.01	2	0.1	0	5	0	1DX - 15.0	A608134
CJ-01477	0.005	0.02	0.1	0.01	2.2	0.1	0	5	0	1DX - 15.0	A608134
CJ-01478	0.006	0.02	0.1	0.01	2.2	0.1	0	5	0	1DX - 15.0	A608134
CJ-01479	0.007	0.03	0.1	0.01	3.1	0.1	0.11	6	0	1DX - 15.0	A608134
CJ-01480	0.005	0.02	0.1	0.01	2.6	0.1	0	4	0	1DX - 15.0	A608134
CJ-01481	0.005	0.02	0.7	0.01	1.9	0.1	0	4	0	1DX - 15.0	A608134
CJ-01482	0.005	0.02	0.1	0.02	2.1	0.1	0	4	0	1DX - 15.0	A608134
CJ-01483	0.005	0.02	0.1	0.03	2.5	0.1	0	3	0	1DX - 15.0	A608134
CJ-01484	0.006	0.02	0.1	0.01	2.2	0.1	0	4	0	1DX - 15.0	A608134
CJ-01488	0.003	0.01	0	0	1.4	0	0	2	0	1DX - 15.0	A608134
CJ-01489	0.002	0.01	0	0	1.5	0	0	2	0	1DX - 15.0	A608134
CJ-01490	0.002	0.01	0	0	1.3	0	0	1	0	1DX - 15.0	A608134
CJ-01491	0.002	0.01	0	0.01	1.3	0	0	2	0	1DX - 15.0	A608134
CJ-01492	0.003	0.01	0.1	0.01	1.8	0	0	3	0	1DX - 15.0	A608134
CJ-04876	0.006	0.04	0.1	0.02	4.1	0.1	0	5	0.5	1DX - 15.0	A608134

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CJ-04889	NAD83-7V	601623	7094258	0.8	8.2	6.3	29	0	353.9	29.3	339	2.55	7.3
CJ-04890	NAD83-7V	601637	7094280	0.9	19.5	8.7	47	0	210.3	16.5	246	2.58	10.9
CJ-04891	NAD83-7V	601653	7094299	0.6	10.7	7.7	34	0	229.9	16.9	204	2.14	7.5
CJ-04892	NAD83-7V	601670	7094317	0.7	12.8	7.7	36	0	223.6	18.5	229	2.26	7
CJ-04893	NAD83-7V	601686	7094337	0.7	17	7.4	41	0	211.9	16.2	216	2.35	8.2
CJ-04894	NAD83-7V	601701	7094357	0.8	16.2	8.1	36	0	306.1	21.9	254	2.43	7.1
CJ-04895	NAD83-7V	601716	7094376	0.7	21.8	8.3	42	0	182.6	18.9	212	2.25	7.1
CJ-04896	NAD83-7V	601734	7094395	0.7	22.7	7.1	39	0	197.6	20.7	375	2.19	6.4
CJ-04897	NAD83-7V	601748	7094416	0.6	20.5	7.3	41	0	136.5	18.5	232	2	5.4
CJ-04898	NAD83-7V	601765	7094431	0.5	109.7	3.6	47	0	29.5	12.3	199	2.24	5.4
CJ-04899	NAD83-7V	601780	7094453	0.6	102.4	5.3	50	0	14.7	11.5	260	2.88	7
CJ-06526	NAD83-7V	597089	7092935	0.9	16.4	58.2	146	0	2.7	1.3	148	1.73	18.1
CJ-06527	NAD83-7V	597091	7093013	2.7	11.8	7.8	81	0	2.1	0.9	298	2.18	22.4
CJ-06528	NAD83-7V	597096	7093113	0.5	66.4	10.4	74	0	35.5	10.9	526	3.7	5.1
CJ-06529	NAD83-7V	597103	7093215	0.7	36.1	2.5	69	0	27.6	25.1	679	4.53	4.4
CJ-06530	NAD83-7V	597101	7093315	0.6	41.5	14.9	79	0	20.6	29.6	1026	6.09	51
CJ-06531	NAD83-7V	597107	7093414	0.2	47.2	5.8	42	0.2	32.2	19.8	1702	2.03	1.5
CJ-06532	NAD83-7V	597105	7093512	0.2	81.7	3.6	39	0.2	38.6	20.1	2004	2.71	4.4
CJ-06533	NAD83-7V	597111	7093611	0.7	50.5	12.2	98	0	62.9	20.5	2271	4.08	6.9
CJ-06534	NAD83-7V	597163	7093686	0.7	62	25.3	88	0	46.7	13.9	2507	2.58	7
CJ-06535	NAD83-7V	597221	7093770	0.4	45.8	3.9	95	0	48.9	30.3	1496	4.32	14.5
CJ-06536	NAD83-7V	597285	7093849	0.3	20.8	9.4	195	0	15.7	6.2	215	3.42	6.9
CJ-06537	NAD83-7V	597343	7093931	0.5	29.1	1.9	69	0	39.6	25.4	961	2.91	5
CJ-06538	NAD83-7V	597399	7094020	0.1	8.3	10.4	8	0	2.6	0.9	33	0.39	1.7
CJ-06539	NAD83-7V	597464	7094104	1.1	24.6	34.9	88	0	14.6	9.3	686	2.02	26.1
CJ-06540	NAD83-7V	597509	7094178	0.2	9.4	8.5	21	0	3.1	1	50	0.45	11.3
CJ-06541	NAD83-7V	597550	7094268	0.3	12.3	9.9	68	0	11.3	6.6	309	1.92	16.8
CJ-06542	NAD83-7V	597591	7094361	0.7	48.5	1.4	94	0	111.2	35.6	1000	4.92	33.9
CJ-06543	NAD83-7V	597638	7094451	0.6	32.6	1.2	79	0	98.9	33.3	1123	4.24	35
CJ-06544	NAD83-7V	597679	7094547	0.3	19.4	0.9	75	0	38	24.1	553	3.2	16.6
CJ-06545	NAD83-7V	597721	7094627	0.4	27.1	1.8	92	0	54	38.3	476	4.53	10.2
CJ-06546	NAD83-7V	597763	7094719	0.3	10.7	13.4	22	0	8.1	2.3	113	0.91	6.6
CJ-06547	NAD83-7V	597810	7094802	0.3	10	21.4	19	0	8.6	2.5	39	0.83	6.6
CJ-06548	NAD83-7V	597810	7094924	0.4	7.8	13.7	17	0	5.2	2	52	0.56	3.7
CJ-06549	NAD83-7V	597780	7095029	0.8	8.9	12.4	67	0	6.3	2.4	131	1.3	9.6
CJ-06550	NAD83-7V	597781	7095132	1.2	30.1	13.5	81	0.1	25.7	10.6	422	2.84	18.9
CJ-06551	NAD83-7V	597758	7095242	1.1	18.5	31.1	71	0	17.4	9.7	294	2.33	19.2
CJ-06552	NAD83-7V	597754	7095333	1	26.5	30.9	84	0	21.6	11	289	2.63	30.1
CJ-06553	NAD83-7V	597738	7095434	1.5	23.3	21.3	75	0	18.4	10.9	336	3.01	23.8
CJ-06554	NAD83-7V	597727	7095531	0.4	35.4	6.8	82	0	52	27.4	824	4.6	5.5
CJ-06555	NAD83-7V	597716	7095633	6.5	44.4	50.3	150	0.4	46.7	15.1	373	3.5	80.7
CJ-06556	NAD83-7V	601625	7094582	0.1	29	0.5	32	0	8.3	12.5	283	2.23	1.2
CJ-06557	NAD83-7V	601606	7094564	0.2	29.3	0.4	53	0	39.8	25.2	638	4.93	1.3
CJ-06558	NAD83-7V	601591	7094540	0.2	17.4	0.4	24	0	39.7	22	507	3.42	1
CJ-06559	NAD83-7V	601578	7094523	0.1	51.4	0.4	45	0	18.7	18	392	3.42	0.9
CJ-06560	NAD83-7V	601561	7094503	0.1	35.3	0.2	43	0	18.3	17	299	3.09	0.6
CJ-06561	NAD83-7V	601544	7094485	0.2	60.2	0.2	24	0	1.6	7.4	172	1.85	1.2
CJ-06562	NAD83-7V	601530	7094465	0.2	163.5	1.6	40	0	11.4	12.8	228	2.47	3
CJ-06563	NAD83-7V	601513	7094447	0.1	263.3	0.2	53	0	7.1	16.4	321	3.06	0.5
CJ-06564	NAD83-7V	601497	7094427	0.1	122.8	0.4	41	0	22.1	18	358	2.56	0.7
CJ-06565	NAD83-7V	601481	7094408	0.2	93.2	1.3	43	0	12.2	12.3	536	2.49	2.3
CJ-06566	NAD83-7V	601466	7094386	0.3	106.3	3.1	32	0	19.9	11.1	350	2.34	4.8
CJ-06567	NAD83-7V	601434	7094350	0.4	15	5.4	37	0	312.9	21.1	209	2.01	5.6
CJ-06568	NAD83-7V	601417	7094330	1	25.1	10.3	57	0	127.3	16.1	268	2.71	11.1
CJ-06569	NAD83-7V	601403	7094310	0.8	32.1	8.8	42	0	551.7	35.5	322	3.03	11
CJ-06570	NAD83-7V	601703	7094517	0.4	111.4	2.9	38	0	17.6	12.4	208	2.51	4.5
CJ-06571	NAD83-7V	601690	7094496	0.3	324.1	1.8	47	0	7.5	12.7	223	3.09	2.6
CJ-06572	NAD83-7V	601674	7094477	0.4	214.7	2	41	0	4	15.3	405	2.24	2.4
CJ-06573	NAD83-7V	601658	7094459	0.2	116.6	0.4	47	0	18.1	19.2	359	3.08	0.9

SAMPLES	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al
CJ-04889	0.2	1.4	1.7	5	0	0.5	0.1	42	0.06	0.01	6	220	1.23	157	0.022	1	1
CJ-04890	0.7	5.1	4	8	0	0.7	0.1	48	0.07	0.011	13	92	0.63	196	0.038	0	1.41
CJ-04891	0.3	2.1	2.8	7	0	0.5	0.1	42	0.07	0.008	9	112	0.79	171	0.031	1	1.25
CJ-04892	0.4	1.1	2.7	8	0	0.5	0.1	47	0.09	0.009	10	100	0.7	205	0.031	0	1.32
CJ-04893	0.4	2.4	3.1	7	0	0.5	0.1	44	0.07	0.008	10	104	0.7	168	0.03	1	1.3
CJ-04894	0.5	1.5	3.1	7	0	0.5	0.1	47	0.08	0.008	10	123	0.81	184	0.031	1	1.2
CJ-04895	0.6	1.2	3.6	8	0	0.4	0.1	48	0.08	0.008	11	90	0.69	188	0.035	1	1.34
CJ-04896	0.4	0.7	2	8	0	0.4	0.1	47	0.1	0.011	8	91	0.75	142	0.035	1	1.18
CJ-04897	0.4	0.5	2.6	8	0	0.4	0.1	44	0.11	0.011	9	108	0.92	162	0.043	1	1.25
CJ-04898	0.3	5.7	1.8	11	0	0.5	0.1	56	0.32	0.018	5	37	0.71	106	0.168	0	1.4
CJ-04899	0.3	0	1.9	8	0	0.3	0.1	65	0.22	0.051	5	18	0.67	106	0.043	0	1.41
CJ-06526	1.6	1	16.3	3	0.1	0.7	0.2	11	0.02	0.017	39	6	0.25	65	0.009	0	0.86
CJ-06527	1.6	0.8	11.8	10	0.2	0.6	0.1	3	0.09	0.026	60	3	0.32	101	0.021	0	0.89
CJ-06528	0.9	1.5	9.3	13	0.2	0.4	0.2	61	0.29	0.099	22	31	1.2	230	0.045	0	2.2
CJ-06529	0.5	1.9	1.1	20	0	0.2	0	108	0.71	0.251	3	54	1.91	258	0.094	1	2.17
CJ-06530	0.7	1.2	0.9	33	0.1	1.3	0	195	0.93	0.334	5	45	2.27	291	0.098	0	2.8
CJ-06531	0.1	1.9	0.8	9	0.2	0.2	0	24	0.3	0.09	2	32	1.75	95	0.066	0	1.47
CJ-06532	0.1	25.2	0.5	8	0.2	0.3	0	40	0.25	0.062	6	59	2.09	149	0.039	0	1.89
CJ-06533	0.6	0.9	7.2	17	0.2	0.4	0.1	45	0.43	0.152	21	52	1.76	215	0.035	0	2.23
CJ-06534	1.2	2.4	11.9	13	0.1	0.4	0.2	21	0.28	0.118	43	21	0.89	271	0.028	1	1.17
CJ-06535	1.1	3.2	1.8	23	0.2	0.3	0	67	0.75	0.166	15	64	2.32	160	0.023	0	2.52
CJ-06536	1.5	1.8	7.7	19	0.1	0.2	0.1	25	0.42	0.082	35	12	1.65	142	0.03	0	2.06
CJ-06537	0.9	2.1	1.4	23	0.1	0.2	0	40	0.52	0.112	5	39	1.73	102	0.058	0	1.83
CJ-06538	1.5	1	12.4	6	0.1	0.2	0.1	6	0.04	0.008	42	4	0.06	118	0.007	1	0.24
CJ-06539	4.1	1.9	17.6	16	0.1	0.4	0.3	15	0.18	0.03	43	10	0.75	196	0.023	0	1.15
CJ-06540	2.5	1.4	7.8	20	0	0.1	0.1	6	0.12	0.02	18	4	0.23	64	0.016	0	0.42
CJ-06541	2.8	2.6	11.6	15	0	0.4	0.1	22	0.25	0.032	24	16	1.77	156	0.045	1	1.97
CJ-06542	0.9	1.8	0.9	29	0.1	0.7	0	79	0.64	0.105	6	170	2.05	423	0.032	1	2.47
CJ-06543	1.3	2.6	0.7	27	0.1	0.4	0	86	0.57	0.119	3	164	2.15	364	0.044	1	2.29
CJ-06544	0.9	1	0.5	24	0.1	0.3	0	70	0.6	0.135	3	116	1.33	325	0.065	0	1.71
CJ-06545	1.7	1.6	0.7	26	0.1	0.4	0.1	105	0.62	0.161	3	97	1.08	351	0.113	0	1.6
CJ-06546	1.7	0.6	15.3	8	0	0.3	0.1	14	0.09	0.013	44	11	0.13	153	0.012	1	0.52
CJ-06547	1.8	1	23.9	10	0	0.3	0.2	12	0.1	0.013	54	11	0.1	144	0.007	0	0.59
CJ-06548	2.5	1	14.5	9	0.1	0.3	0.1	8	0.08	0.013	47	7	0.1	135	0.008	0	0.39
CJ-06549	3.2	0	14.7	10	0.1	0.4	0.1	9	0.1	0.016	47	7	0.2	139	0.01	1	0.63
CJ-06550	2.5	2.8	7.9	26	0.2	0.9	0.2	45	0.38	0.049	24	28	0.52	375	0.043	0	1.57
CJ-06551	1.7	2	5.9	20	0.1	0.7	0.2	44	0.35	0.082	14	29	0.72	178	0.055	1	1.32
CJ-06552	1.2	3.2	7	26	0.1	1	0.2	50	0.38	0.062	20	32	0.71	256	0.055	1	1.59
CJ-06553	0.7	2	5.2	9	0.2	0.7	0.2	52	0.14	0.094	12	32	0.71	96	0.051	1	1.46
CJ-06554	0.5	1	1.3	19	0.2	0.2	0.1	114	0.5	0.156	7	112	2.14	225	0.063	0	2.28
CJ-06555	1.5	3	3.5	36	0.6	1.6	0.3	52	0.28	0.116	23	42	0.8	206	0.017	1	1.38
CJ-06556	0.2	0	0.5	13	0	0.2	0	59	0.38	0.062	3	3	0.65	125	0.078	0	1.05
CJ-06557	0.2	1.6	0.2	11	0	0.3	0	94	0.52	0.063	1	96	1.92	63	0.153	0	2.32
CJ-06558	0.2	0.8	0.3	12	0	0.3	0	66	0.45	0.076	1	78	1.47	49	0.09	0	1.81
CJ-06559	0.3	0	0.4	16	0	0.3	0	92	0.46	0.06	2	18	1.03	103	0.084	0	1.45
CJ-06560	0.2	1	0.3	18	0	0.2	0	67	0.41	0.032	1	14	1.02	100	0.121	0	1.53
CJ-06561	0.2	0	0.7	11	0	0.2	0	30	0.51	0.195	3	2	0.27	62	0.031	0	0.68
CJ-06562	0.3	1.6	1	12	0	0.4	0	77	0.34	0.043	4	11	0.83	67	0.067	0	1.18
CJ-06563	0.1	3.6	0.2	15	0	0.1	0	78	0.48	0.109	1	3	0.98	74	0.036	0	1.39
CJ-06564	0.2	0.7	0.3	14	0	0.1	0	58	0.42	0.052	1	21	1.09	121	0.09	0	1.39
CJ-06565	0.2	0.6	0.8	14	0.1	0.2	0	64	0.43	0.079	3	10	0.67	149	0.075	0	1.1
CJ-06566	0.6	2.7	2	15	0	0.4	0.1	54	0.32	0.047	8	24	0.65	155	0.092	0	1.16
CJ-06567	0.3	1.5	2.3	7	0.1	0.5	0.1	37	0.07	0.008	9	106	0.72	151	0.026	1	0.97
CJ-06568	0.8	1.9	4.7	12	0.1	0.7	0.2	58	0.11	0.011	17	52	0.56	301	0.046	1	1.71
CJ-06569	0.7	5.6	4.2	12	0.1	0.9	0.1	49	0.12	0.008	15	153	1	230	0.05	2	1.36
CJ-06570	0.2	1.1	1.3	6	0	0.4	0	62	0.16	0.016	4	19	0.77	74	0.137	1	1.45
CJ-06571	0.3	3.1	0.9	9	0	0.3	0	99	0.3	0.048	4	9	0.68	82	0.059	0	1.42
CJ-06572	0.1	0.8	0.5	7	0	0.2	0	53	0.27	0.072	2	5	0.56	89	0.051	0	1.08
CJ-06573	0.3	1.1	0.5	11	0	0.2	0	70	0.35	0.044	2	13	1.08	147	0.104	0	1.59

SAMPLES	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis__	Acme_file_#
CJ-04889	0.005	0.02	0.1	0.01	2	0.1	0	3	0	1DX - 15.0	A608134
CJ-04890	0.005	0.03	0.1	0.02	4.4	0.1	0	4	0.5	1DX - 15.0	A608134
CJ-04891	0.004	0.02	0.1	0.01	2.3	0.1	0	4	0	1DX - 15.0	A608134
CJ-04892	0.005	0.02	0.1	0.01	2.5	0.1	0	4	0	1DX - 15.0	A608134
CJ-04893	0.005	0.02	0.1	0.01	2.9	0.1	0	4	0	1DX - 15.0	A608134
CJ-04894	0.005	0.02	0.1	0.02	2.6	0.1	0	4	0	1DX - 15.0	A608134
CJ-04895	0.005	0.02	0.1	0.01	2.9	0.1	0	4	0	1DX - 15.0	A608134
CJ-04896	0.006	0.02	0.1	0.02	2.4	0.1	0	4	0	1DX - 15.0	A608134
CJ-04897	0.007	0.02	0.1	0.01	2.3	0.1	0	4	0	1DX - 15.0	A608134
CJ-04898	0.017	0.02	0	0.01	3.6	0.1	0	4	0	1DX - 15.0	A608134
CJ-04899	0.015	0.04	0.1	0.01	2.5	0	0	5	0.5	1DX - 15.0	A608134
CJ-06526	0.002	0.03	0.1	0.01	1.9	0.1	0	4	0.7	1DX - 15.0	A608934
CJ-06527	0.002	0.13	0.1	0.01	1.4	0.1	0	6	0	1DX - 15.0	A608934
CJ-06528	0.002	0.21	0.2	0.01	4.6	0.4	0	7	0	1DX - 15.0	A608934
CJ-06529	0.003	0.24	0.1	0.01	3.8	0.1	0	8	0	1DX - 15.0	A608934
CJ-06530	0.004	0.52	0.1	0.01	7.5	0.3	0	12	0	1DX - 15.0	A608934
CJ-06531	0.001	0.02	0.1	0.01	1.9	0	0	3	0	1DX - 15.0	A608934
CJ-06532	0.002	0.02	0.1	0	4.1	0	0	5	0	1DX - 15.0	A608934
CJ-06533	0.003	0.07	0.1	0.02	4.1	0.1	0	7	0	1DX - 15.0	A608934
CJ-06534	0.003	0.09	0	0.02	3.7	0.1	0	4	0	1DX - 15.0	A608934
CJ-06535	0.004	0.07	0	0	4.6	0.1	0	9	0	1DX - 15.0	A608934
CJ-06536	0.005	0.03	0	0	1.5	0	0	12	0	1DX - 15.0	A608934
CJ-06537	0.004	0.03	0	0	2.1	0	0	6	0	1DX - 15.0	A608934
CJ-06538	0.002	0.08	0	0	1.4	0	0	1	0	1DX - 15.0	A608934
CJ-06539	0.003	0.08	0	0.01	3.4	0.1	0	4	0	1DX - 15.0	A608934
CJ-06540	0.002	0.03	0	0	1.2	0	0	1	0	1DX - 15.0	A608934
CJ-06541	0.004	0.03	0	0	2.9	0	0	6	0	1DX - 15.0	A608934
CJ-06542	0.007	0.12	0	0.01	9	0.2	0	8	0	1DX - 15.0	A608934
CJ-06543	0.005	0.05	0	0.01	6.4	0.1	0	8	0	1DX - 15.0	A608934
CJ-06544	0.005	0.12	0	0.02	7.3	0.1	0	6	0	1DX - 15.0	A608934
CJ-06545	0.006	0.18	0	0.01	8.4	0.1	0	8	0	1DX - 15.0	A608934
CJ-06546	0.002	0.04	0.1	0.01	2.5	0	0	2	0	1DX - 15.0	A608934
CJ-06547	0.002	0.05	0	0.01	2	0.1	0	2	0	1DX - 15.0	A608934
CJ-06548	0.002	0.06	0.4	0.02	1.2	0.1	0	1	0	1DX - 15.0	A608934
CJ-06549	0.003	0.1	0.1	0.01	1.7	0.1	0	3	0	1DX - 15.0	A608934
CJ-06550	0.01	0.13	0.5	0.05	4	0.1	0	6	0	1DX - 15.0	A608934
CJ-06551	0.005	0.04	0.1	0.01	3	0.1	0	5	0	1DX - 15.0	A608934
CJ-06552	0.007	0.04	0.1	0.03	3.6	0.1	0	6	0	1DX - 15.0	A608934
CJ-06553	0.003	0.04	0.2	0.01	2.4	0.1	0	5	0	1DX - 15.0	A608934
CJ-06554	0.004	0.33	0	0.01	12	0.1	0	10	0	1DX - 15.0	A608934
CJ-06555	0.005	0.08	0.3	0.02	3.1	0.1	0.06	5	2.3	1DX - 15.0	A608934
CJ-06556	0.013	0.13	0	0.01	4.8	0.1	0	4	0	1DX - 15.0	A608934
CJ-06557	0.009	0	0	0.05	6.1	0	0	7	0	1DX - 15.0	A608934
CJ-06558	0.01	0.01	0	0.02	4.5	0	0	6	0	1DX - 15.0	A608934
CJ-06559	0.012	0.04	0	0.03	7.4	0	0	5	0	1DX - 15.0	A608934
CJ-06560	0.008	0.05	0	0.02	4.9	0	0	4	0	1DX - 15.0	A608934
CJ-06561	0.012	0.07	0	0.01	3.4	0	0	3	0	1DX - 15.0	A608934
CJ-06562	0.015	0.02	0.1	0.02	4.6	0	0	4	0	1DX - 15.0	A608934
CJ-06563	0.015	0.03	0	0.01	3.8	0	0	5	0	1DX - 15.0	A608934
CJ-06564	0.01	0.07	0	0.03	3.9	0	0	4	0	1DX - 15.0	A608934
CJ-06565	0.014	0.15	0.1	0.04	3.7	0.1	0	4	0	1DX - 15.0	A608934
CJ-06566	0.015	0.03	0.1	0.02	3.9	0	0	4	0	1DX - 15.0	A608934
CJ-06567	0.004	0.02	0.2	0.01	1.8	0.1	0	3	0	1DX - 15.0	A608934
CJ-06568	0.006	0.04	0.1	0.03	4.7	0.1	0	5	0.6	1DX - 15.0	A608934
CJ-06569	0.006	0.04	0.3	0.03	5.5	0.1	0	4	0	1DX - 15.0	A608934
CJ-06570	0.007	0.02	0	0.01	2.7	0	0	4	0	1DX - 15.0	A608934
CJ-06571	0.019	0.01	0	0.03	5.9	0	0	6	0	1DX - 15.0	A608934
CJ-06572	0.028	0.04	0.1	0.04	2.7	0	0	6	0	1DX - 15.0	A608934
CJ-06573	0.009	0.04	0	0.03	3.8	0.1	0	4	0	1DX - 15.0	A608934

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CJ-06574	NAD83-7V	601643	7094438	0.2	42.5	1.4	26	0	471.9	14	547	1.52	1.2
CJ-06575	NAD83-7V	601627	7094420	0.2	127	0.7	40	0	39.6	15.7	295	2.98	1.3
CJ-06576	NAD83-7V	601609	7094401	0.5	77.9	6.7	54	0	35.7	11.9	259	2.75	8
CJ-06577	NAD83-7V	601594	7094382	0.2	111.4	0.4	30	0	42.2	18.1	349	3.28	1.3
CJ-06578	NAD83-7V	601579	7094361	0.6	25.5	5.6	36	0	124.1	13.2	603	2	6.8
CJ-06579	NAD83-7V	601563	7094342	0.7	13.9	7.3	43	0	261.4	22.9	282	2.46	7.8
CJ-06580	NAD83-7V	601548	7094322	0.8	16.6	8.3	39	0	409.5	43.1	426	2.79	7.9
CJ-06581	NAD83-7V	601531	7094303	0.6	13.4	6	36	0	170.6	16.4	206	2.03	6.3
CJ-06582	NAD83-7V	601516	7094283	1.1	32.3	9.3	51	0	284.5	23.3	360	2.81	10.6
CJ-06583	NAD83-7V	601500	7094264	0.8	21.3	8.4	46	0	171.9	14.9	226	2.44	9
CJ-06584	NAD83-7V	601483	7094244	1	20.6	9.2	49	0	215.3	16.7	254	2.71	10.8
CJ-06585	NAD83-7V	601468	7094225	0.9	16.6	9.7	43	0	271.1	19.6	289	2.6	8.4
CJ-06586	NAD83-7V	601452	7094207	0.8	16.7	8.1	38	0	260.6	21.1	289	2.38	7.4
CJ-06587	NAD83-7V	601436	7094187	0.8	15.8	8.1	44	0	112.4	11.5	231	2.19	7.5
CJ-06588	NAD83-7V	601421	7094168	0.6	15.4	6.2	40	0	160.4	13.3	210	2	6
CJ-06589	NAD83-7V	601405	7094148	0.9	19.8	10.2	48	0	233.8	18.6	329	2.79	9.9
CJ-06590	NAD83-7V	601389	7094129	0.4	37.4	4.7	31	0	200.1	17.4	260	1.75	4.5
CJ-06591	NAD83-7V	601374	7094108	0.2	28.7	1.9	16	0	164.5	14.1	137	1.08	1.8
CJ-06592	NAD83-7V	601357	7094090	0	35.7	0.1	9	0	54.9	9.4	102	0.68	0
CJ-06593	NAD83-7V	601341	7094069	0.2	9.9	1.3	18	0	74	15.6	206	1.5	2.2
CJ-06594	NAD83-7V	601326	7094050	0.4	30.4	5.4	34	0	142.7	12.5	226	1.98	5.6
CJ-06595	NAD83-7V	601310	7094031	0.4	30.7	5.4	41	0	59.3	11.3	222	1.96	4.7
CJ-06596	NAD83-7V	601294	7094012	0.4	42.8	4.9	45	0	49.6	13.4	315	2.24	5.7
CJ-06597	NAD83-7V	601278	7093992	0.2	72.1	1.1	33	0	46.6	15	200	1.87	3.2
CJ-06598	NAD83-7V	601263	7093973	0.2	57.2	0.9	37	0	45.6	19.2	228	1.9	1.3
CJ-06599	NAD83-7V	601247	7093954	0.1	58.8	0.8	40	0	53.3	19	257	2.05	1.1
CJ-06600	NAD83-7V	601232	7093932	0.1	64.2	0.9	39	0	49.9	19	249	1.99	1.1
CJ-06601	NAD83-7V	601215	7093916	0.2	61.4	1.6	47	0	54.9	20.6	284	2.26	1.8
CJ-06602	NAD83-7V	601199	7093894	0.3	61.3	18.5	102	0.1	51	18.5	423	1.94	1.8
CJ-06603	NAD83-7V	601171	7094815	0.7	64	7.7	69	0	31.4	15.3	333	3.91	5.7
CJ-06604	NAD83-7V	601154	7094800	0.6	78.7	5.3	66	0	22.5	17	375	3.13	4.9
CJ-06605	NAD83-7V	601140	7094780	0.9	133.8	3.7	79	0	20.3	15.7	542	4.96	4.6
CJ-06606	NAD83-7V	601123	7094761	0.5	138.2	3.3	76	0	20.4	16.5	354	4.27	1.6
CJ-06607	NAD83-7V	601388	7094289	1	29.8	9	49	0	445	26.5	374	2.93	9.9
CJ-06608	NAD83-7V	601373	7094269	0.9	19	10.8	50	0	160.8	15.8	237	2.62	9.5
CJ-06609	NAD83-7V	601356	7094250	0.7	19.3	7.5	45	0	198.4	15.4	210	2.08	6.3
CJ-06610	NAD83-7V	601342	7094232	0.9	19.1	9.5	47	0	137.1	15.7	352	2.25	7.6
CJ-06611	NAD83-7V	601324	7094207	0.3	37	3.2	24	0	153.4	17.4	246	1.46	3.6
CJ-06612	NAD83-7V	601294	7094170	0.1	23.6	1	20	0	131.8	19	438	1.75	1.2
CJ-06613	NAD83-7V	601276	7094153	0.8	35.8	9	50	0	338.7	23.2	412	2.77	9.4
CJ-06614	NAD83-7V	601262	7094132	0.3	29.3	3.9	30	0	96.6	14	198	1.82	4.1
CJ-06615	NAD83-7V	601245	7094113	0.3	19.8	3.3	25	0	83.6	12.6	182	1.65	3.9
CJ-06616	NAD83-7V	601231	7094094	0.1	12.4	0.6	11	0	58.1	11	111	1.04	0.9
CJ-06617	NAD83-7V	601216	7094073	0.1	15.6	0.3	19	0	81	16.4	170	1.64	0.5
CJ-06618	NAD83-7V	601198	7094055	0.1	22.4	0.5	13	0	57	14.8	120	1.27	1.1
CJ-06619	NAD83-7V	601184	7094034	0.1	21.3	0.4	11	0	64.5	16.5	158	1.13	0.5
CJ-06620	NAD83-7V	601170	7094014	0.2	23.6	2.7	20	0	59.7	14.6	170	1.44	2.5
CJ-06621	NAD83-7V	601153	7093992	0.1	15.4	0.2	10	0	56.8	20.7	144	1.2	0.7
CJ-06622	NAD83-7V	601136	7093975	0.1	15.9	0.4	10	0	46.6	13.6	115	1.06	0.6
CJ-06623	NAD83-7V	601123	7093956	0.1	42.6	0.4	12	0	49	20.8	140	1.3	0.7
CJ-06624	NAD83-7V	601105	7093938	0.2	17.3	0.6	12	0	43.1	14.8	105	1.11	0.9
CJ-06625	NAD83-7V	601090	7093919	0.3	13.5	2	20	0	36.3	12.8	99	1.18	2.8
CJ-06626	NAD83-7V	601546	7094642	0.5	48.6	6	34	0	16.8	8.3	236	1.97	5.8
CJ-06627	NAD83-7V	601533	7094624	0.1	63	0.9	38	0	6.1	9	284	2.66	2.4
CJ-06628	NAD83-7V	601519	7094602	0.2	118.8	0.6	47	0	15	16.2	403	3.03	1.4
CJ-06629	NAD83-7V	601502	7094585	0.1	70.7	0.2	38	0	15.1	18	357	2.73	0.6
CJ-06630	NAD83-7V	601487	7094565	0.2	55.1	0.7	31	0	3.2	9.5	230	2.41	1.4
CJ-06631	NAD83-7V	601472	7094544	0.2	40.1	0.7	38	0	20.2	16	301	2.57	1.4
CJ-06632	NAD83-7V	601456	7094525	0.4	15.3	4.4	36	0	7.4	6.8	176	1.99	5.5

SAMPLES	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al
CJ-06574	0.2	1.6	0.5	13	0.1	0.3	0	29	0.42	0.036	3	37	0.76	45	0.083	0	0.54
CJ-06575	0.3	2.5	0.5	12	0	0.3	0	73	0.39	0.042	2	14	0.87	213	0.106	0	1.39
CJ-06576	0.6	4.5	3.7	15	0.1	0.6	0.2	53	0.27	0.018	10	27	0.67	216	0.088	0	1.39
CJ-06577	0.3	1.6	0.4	11	0.1	0.3	0	66	0.44	0.036	3	24	0.99	127	0.128	0	1.48
CJ-06578	0.4	2.5	2.6	12	0.1	0.6	0.1	43	0.34	0.017	8	46	0.49	211	0.073	0	1.34
CJ-06579	0.4	1.7	2.8	10	0.1	0.7	0.1	55	0.13	0.01	10	152	1.09	162	0.045	0	1.49
CJ-06580	0.5	3.8	3.2	8	0	0.7	0.1	51	0.08	0.009	11	176	1.05	175	0.049	2	1.57
CJ-06581	0.4	3.2	2.9	9	0	0.6	0.1	53	1.01	0.01	9	92	0.81	153	0.066	2	1.42
CJ-06582	0.6	8.9	4.2	13	0.1	0.9	0.2	52	0.22	0.011	17	112	0.92	284	0.049	2	1.55
CJ-06583	0.6	1.3	4.1	13	0.1	0.7	0.1	51	0.19	0.011	15	80	0.73	262	0.045	2	1.47
CJ-06584	0.5	6	4.1	11	0.1	0.8	0.2	56	0.14	0.013	10	105	0.83	227	0.047	1	1.79
CJ-06585	0.6	1.2	4	12	0	0.6	0.2	52	0.14	0.011	12	125	0.86	277	0.045	0	1.63
CJ-06586	0.6	1.9	3.5	11	0.1	0.6	0.1	47	0.13	0.008	13	139	0.84	262	0.04	0	1.32
CJ-06587	0.6	3.7	4.2	13	0.1	0.7	0.1	48	0.14	0.008	14	68	0.63	228	0.044	1	1.26
CJ-06588	0.5	0.6	3.5	12	0.1	0.6	0.1	43	0.14	0.009	12	86	0.67	209	0.047	1	1.08
CJ-06589	0.9	2.9	4.4	16	0.1	0.7	0.2	53	0.2	0.012	14	107	0.78	290	0.048	1	1.68
CJ-06590	0.4	1.4	1.6	14	0	0.5	0.1	29	0.29	0.039	8	122	1.13	168	0.061	0	1.32
CJ-06591	0.2	0.8	0.8	9	0	0.2	0	16	0.2	0.013	3	104	1.03	65	0.056	0	0.92
CJ-06592	0	0	0.1	8	0	0.1	0	9	0.32	0.053	1	76	0.96	8	0.051	0	0.83
CJ-06593	0.3	0	0.6	9	0	0.2	0	21	0.28	0.028	2	108	1.7	51	0.076	0	1.48
CJ-06594	1	2.4	2.8	16	0.1	0.5	0.1	33	0.28	0.025	9	92	1.18	210	0.062	0	1.42
CJ-06595	0.6	1.2	2.4	12	0	0.3	0.1	38	0.22	0.012	8	65	0.78	199	0.072	0	1.35
CJ-06596	0.6	1.3	2.3	13	0.1	0.4	0.1	36	0.27	0.029	8	79	0.96	152	0.074	0	1.39
CJ-06597	0.2	0	0.3	10	0	0.1	0	29	0.3	0.024	1	100	0.95	50	0.126	0	1.1
CJ-06598	0.1	0	0.3	7	0	0.1	0	28	0.26	0.022	1	107	1.28	31	0.089	0	1.36
CJ-06599	0.1	0	0.3	6	0	0.1	0	27	0.28	0.04	1	100	1.39	21	0.082	0	1.41
CJ-06600	0.1	0	0.3	5	0	0.1	0	29	0.23	0.021	1	108	1.33	16	0.094	0	1.41
CJ-06601	0.2	0	0.5	9	0	0.1	0.1	37	0.33	0.043	2	92	1.45	60	0.102	0	1.55
CJ-06602	0.5	4.4	1.9	18	0.2	0.2	0.1	28	0.5	0.098	5	77	1.19	144	0.053	2	1.34
CJ-06603	1.4	2.7	3.4	22	0.1	0.4	0.1	101	0.46	0.091	13	50	1.07	284	0.07	1	1.79
CJ-06604	1.5	2.5	2.6	22	0.1	0.5	0.1	99	0.46	0.084	8	26	1.01	248	0.063	0	1.69
CJ-06605	1.7	3.7	2	24	0.1	0.3	0.1	86	0.49	0.159	7	21	0.87	200	0.026	0	1.8
CJ-06606	0.8	3.8	1.5	22	0.1	0.1	0.1	88	0.46	0.149	5	20	1.25	104	0.022	0	1.8
CJ-06607	0.8	5.3	4	12	0.1	0.9	0.2	55	0.13	0.014	14	152	1.09	261	0.043	1	1.55
CJ-06608	0.6	3.4	4.2	12	0.1	0.7	0.2	53	0.11	0.012	14	74	0.68	265	0.037	0	1.52
CJ-06609	0.5	9.1	3.3	11	0	0.6	0.1	44	0.1	0.009	12	79	0.61	249	0.03	1	1.13
CJ-06610	0.6	4	3.8	15	0.1	0.7	0.2	49	0.16	0.01	12	59	0.62	316	0.04	1	1.35
CJ-06611	0.2	3	1.2	10	0.1	0.4	0.1	23	0.2	0.021	4	125	1.23	102	0.049	1	1.12
CJ-06612	0	0	0.3	8	0	0.2	0	27	0.27	0.053	1	127	2.22	52	0.048	0	1.81
CJ-06613	1.1	3.9	3.6	20	0.1	0.9	0.2	52	0.32	0.023	13	119	1.17	294	0.056	1	1.84
CJ-06614	0.4	2.6	1.5	10	0	0.3	0.1	32	0.23	0.013	6	102	1.24	125	0.067	1	1.36
CJ-06615	0.4	2.6	1.5	11	0	0.3	0.1	28	0.25	0.015	5	116	1.1	123	0.064	1	1.35
CJ-06616	0.1	0	0.2	5	0	0.1	0	16	0.22	0.01	1	112	1.2	19	0.091	0	1.09
CJ-06617	0.1	0.5	0.2	9	0	0.1	0	22	0.32	0.049	1	112	1.65	18	0.081	0	1.46
CJ-06618	0.1	0	0.3	11	0	0.1	0	21	0.36	0.061	1	74	1.14	17	0.082	0	1.11
CJ-06619	0	0.6	0.1	8	0	0	0	17	0.24	0.034	0	118	1.51	16	0.051	0	1.19
CJ-06620	0.3	2.5	1.3	8	0	0.2	0	26	0.25	0.029	4	90	1.15	71	0.071	0	1.22
CJ-06621	0	0.8	0.1	7	0	0	0	21	0.36	0.058	1	84	1.43	5	0.095	1	1.2
CJ-06622	0.1	0	0.1	7	0	0.1	0	18	0.28	0.038	0	79	1.1	7	0.077	0	0.99
CJ-06623	0.2	0.7	0.2	5	0	0.1	0	21	0.24	0.04	1	80	1.29	5	0.093	0	1.06
CJ-06624	0.1	0	0.2	5	0	0.1	0	18	0.23	0.036	1	77	1.08	8	0.092	0	1.02
CJ-06625	0.2	0.7	0.9	7	0	0.2	0	25	0.21	0.024	3	64	0.83	19	0.078	0	1.09
CJ-06626	0.6	1.7	2.6	13	0	0.4	0.1	43	0.21	0.02	9	31	0.49	170	0.062	0	1.2
CJ-06627	0.3	1.2	0.8	11	0	0.3	0	56	0.52	0.098	5	5	0.5	130	0.061	0	1.01
CJ-06628	0.2	1.1	0.3	12	0	0.2	0	82	0.44	0.074	1	7	0.85	120	0.05	0	1.26
CJ-06629	0.3	1.6	0.4	13	0	0.1	0	67	0.4	0.067	1	12	0.87	164	0.115	0	1.33
CJ-06630	0.3	1.3	1.1	13	0	0.2	0	46	0.49	0.083	5	3	0.48	75	0.041	0	0.98
CJ-06631	0.2	0	0.6	12	0	0.2	0	55	0.43	0.097	2	36	0.92	108	0.107	0	1.31
CJ-06632	0.2	0.9	1.5	10	0.1	0.4	0.1	45	0.24	0.048	5	12	0.36	98	0.037	0	1.21

SAMPLES	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis__	Acme_file_#
CJ-06574	0.002	0.01	0	0.04	8.9	0	0	2	0	1DX - 15.0	A608934
CJ-06575	0.013	0.04	0	0.03	4.7	0.1	0	5	0	1DX - 15.0	A608934
CJ-06576	0.011	0.03	0.1	0.04	4.6	0.1	0	4	0.5	1DX - 15.0	A608934
CJ-06577	0.012	0.02	0	0.03	5.1	0	0	4	0	1DX - 15.0	A608934
CJ-06578	0.004	0.03	0.1	0.02	5.4	0.1	0	3	0	1DX - 15.0	A608934
CJ-06579	0.005	0.03	0.1	0.01	2.7	0.1	0	5	0	1DX - 15.0	A608934
CJ-06580	0.008	0.03	0.2	0.01	3.7	0.1	0	5	0	1DX - 15.0	A608934
CJ-06581	0.005	0.02	0.2	0.01	3.8	0.1	0	4	0	1DX - 15.0	A608934
CJ-06582	0.009	0.04	0.2	0.03	4.5	0.1	0	4	0	1DX - 15.0	A608934
CJ-06583	0.007	0.04	0.1	0.02	3.7	0.1	0	4	0	1DX - 15.0	A608934
CJ-06584	0.006	0.05	0.1	0.01	3.3	0.1	0	5	0	1DX - 15.0	A608934
CJ-06585	0.008	0.05	0.2	0.01	3.7	0.1	0	5	0	1DX - 15.0	A608934
CJ-06586	0.008	0.04	0.1	0.01	3.6	0.1	0	4	0	1DX - 15.0	A608934
CJ-06587	0.007	0.04	0.1	0.01	3.3	0.1	0	4	0	1DX - 15.0	A608934
CJ-06588	0.007	0.04	0.2	0.01	3	0.1	0	3	0	1DX - 15.0	A608934
CJ-06589	0.008	0.05	0.2	0.02	4.1	0.1	0	5	0.5	1DX - 15.0	A608934
CJ-06590	0.004	0.02	0.1	0.02	2.4	0	0	3	0	1DX - 15.0	A608934
CJ-06591	0.002	0.01	0.1	0.01	1.6	0	0	2	0	1DX - 15.0	A608934
CJ-06592	0.001	0	0	0.01	0.8	0	0	1	0	1DX - 15.0	A608934
CJ-06593	0.002	0.01	0	0	1.3	0	0	2	0	1DX - 15.0	A608934
CJ-06594	0.008	0.03	0.1	0.02	2.9	0	0	3	0	1DX - 15.0	A608934
CJ-06595	0.006	0.03	0.1	0.01	2.4	0	0	3	0	1DX - 15.0	A608934
CJ-06596	0.008	0.03	0.1	0.01	2.7	0	0	3	0	1DX - 15.0	A608934
CJ-06597	0.002	0.02	0	0	1.4	0	0	2	0	1DX - 15.0	A608934
CJ-06598	0.002	0.02	0	0	1.4	0	0	3	0	1DX - 15.0	A608934
CJ-06599	0.002	0.01	0	0.01	1.3	0	0	3	0	1DX - 15.0	A608934
CJ-06600	0.002	0.01	0	0.01	1.3	0	0	2	0	1DX - 15.0	A608934
CJ-06601	0.004	0.02	0.1	0.01	1.8	0	0	3	0	1DX - 15.0	A608934
CJ-06602	0.003	0.05	0.1	0.05	1.7	0	0	3	0	1DX - 15.0	A608934
CJ-06603	0.011	0.12	0.1	0.03	7.3	0.1	0	7	0.7	1DX - 15.0	A608934
CJ-06604	0.011	0.09	0.1	0.03	6.8	0.1	0	7	0	1DX - 15.0	A608934
CJ-06605	0.009	0.06	0	0.02	4.6	0	0	6	0	1DX - 15.0	A608934
CJ-06606	0.006	0.02	0	0.03	5.9	0	0	7	0	1DX - 15.0	A608934
CJ-06607	0.007	0.04	0.2	0.03	4.8	0.1	0	5	0	1DX - 15.0	A608934
CJ-06608	0.008	0.04	0.2	0.01	3.6	0.1	0	5	0	1DX - 15.0	A608934
CJ-06609	0.006	0.03	0.2	0.02	3	0.1	0	4	0	1DX - 15.0	A608934
CJ-06610	0.008	0.04	0.2	0.02	3.4	0.1	0	4	0	1DX - 15.0	A608934
CJ-06611	0.004	0.02	0.1	0.01	1.9	0	0	2	0	1DX - 15.0	A608934
CJ-06612	0.001	0.01	0.1	0	1.8	0	0	3	0	1DX - 15.0	A608934
CJ-06613	0.009	0.04	0.2	0.02	4.8	0.1	0	5	0	1DX - 15.0	A608934
CJ-06614	0.004	0.02	0.1	0.02	2.8	0	0	3	0	1DX - 15.0	A608934
CJ-06615	0.004	0.02	0.1	0.01	2.1	0	0	3	0	1DX - 15.0	A608934
CJ-06616	0.001	0	0	0	0.9	0	0	2	0	1DX - 15.0	A608934
CJ-06617	0.001	0	0	0	1.2	0	0	2	0	1DX - 15.0	A608934
CJ-06618	0.001	0	0	0	1.4	0	0	2	0	1DX - 15.0	A608934
CJ-06619	0.001	0.01	0	0	1.2	0	0	2	0	1DX - 15.0	A608934
CJ-06620	0.003	0.01	0.1	0.01	2.2	0	0	2	0	1DX - 15.0	A608934
CJ-06621	0.001	0	0	0	1.2	0	0	2	0	1DX - 15.0	A608934
CJ-06622	0.001	0	0	0	1.1	0	0	2	0	1DX - 15.0	A608934
CJ-06623	0.001	0	0	0.01	1.1	0	0	2	0	1DX - 15.0	A608934
CJ-06624	0.002	0	0	0	0.9	0	0	2	0	1DX - 15.0	A608934
CJ-06625	0.003	0.02	0.1	0.01	1.3	0	0	2	0	1DX - 15.0	A608934
CJ-06626	0.008	0.02	0.1	0.02	3.3	0.1	0	4	0	1DX - 15.0	A608934
CJ-06627	0.044	0.08	0	0	5.5	0.1	0	5	0	1DX - 15.0	A608934
CJ-06628	0.02	0.01	0	0.06	4.3	0	0	5	0	1DX - 15.0	A608934
CJ-06629	0.012	0.09	0	0.01	3.6	0.1	0	4	0	1DX - 15.0	A608934
CJ-06630	0.055	0.03	0	0.02	6.5	0	0	5	0	1DX - 15.0	A608934
CJ-06631	0.009	0.03	0	0.01	2.4	0	0	4	0	1DX - 15.0	A608934
CJ-06632	0.026	0.05	0.1	0.01	3.3	0.1	0	4	0	1DX - 15.0	A608934

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CJ-06633	NAD83-7V	601439	7094505	0.1	85.8	0.3	40	0	5.7	14.7	273	2.56	1
CJ-06634	NAD83-7V	601422	7094488	0.1	25.7	0.2	32	0	13.9	15.6	250	2.73	1
CJ-06635	NAD83-7V	601405	7094468	0.3	24.4	1.6	36	0	14.6	13.2	218	2.43	1.3
CJ-06636	NAD83-7V	601393	7094447	0.2	24.9	1.7	35	0	18.4	13.2	472	2.07	2.9
CJ-06637	NAD83-7V	601375	7094428	0.2	55.5	0.7	41	0	7.8	13.6	334	2.69	1.8
CJ-06638	NAD83-7V	601361	7094409	0.2	37.3	1.7	29	0	6.8	5.5	143	1.75	2.2
CJ-06639	NAD83-7V	601346	7094387	0.4	91.8	2.9	46	0	14.8	11.4	246	2.49	4.4
CJ-06640	NAD83-7V	601329	7094370	0.4	81.7	3.3	61	0	23.6	17	441	3.39	4.3
CJ-06641	NAD83-7V	601309	7094350	0.7	42.4	7.1	50	0	45.7	11.3	292	2.44	7.3
CJ-06642	NAD83-7V	601295	7094334	0.7	39.1	7.5	49	0	105.9	16.1	286	2.39	7.7
CJ-06643	NAD83-7V	601280	7094311	0.7	29.1	7.4	47	0	143.5	19.3	260	2.07	6.7
CJ-06644	NAD83-7V	601271	7094288	0.1	47.4	0.9	20	0	187.3	30.8	311	1.87	1.1
CJ-06645	NAD83-7V	601256	7094266	0.3	45.1	1	43	0	102.9	19.2	522	2.82	1.5
CJ-06646	NAD83-7V	601237	7094251	0	67.9	0.2	19	0	51.8	12.1	233	1.43	0.6
CJ-06647	NAD83-7V	601222	7094230	0.2	28.9	1.4	17	0	57.4	11.7	148	1.34	1.8
CJ-06648	NAD83-7V	601208	7094210	0.2	31.7	1.5	19	0	75.2	16.5	211	1.69	2.5
CJ-06649	NAD83-7V	601187	7094194	0.2	17	1.3	14	0	52.5	12.6	130	1.22	1.9
CJ-06650	NAD83-7V	601173	7094175	0.2	4.8	0.8	7	0	20.1	5.1	78	0.57	1
CJ-06967	NAD83-7V	598897	7095217	1.5	29.4	20.8	62	0	7.4	5.5	251	1.8	3.5
CJ-06968	NAD83-7V	598979	7095279	0.2	3.9	6.1	24	0	2.4	1.3	56	0.55	1.4
CJ-06969	NAD83-7V	599064	7095334	3.9	18	165.1	89	0.1	2.2	0.8	13	0.42	2.2
CJ-06970	NAD83-7V	599164	7095379	0.9	8.2	14.3	27	0	6.7	4	112	0.86	2.8
CJ-06971	NAD83-7V	599257	7095418	2.2	13.2	6.5	33	0	9.1	3.4	149	1.38	3.1
CJ-06972	NAD83-7V	599350	7095460	1	26.5	12.2	60	0	19.8	8.6	284	2.37	8.9
CJ-06973	NAD83-7V	599446	7095500	1	24.4	9.7	67	0	21.8	9.1	386	2.32	8.8
CJ-06974	NAD83-7V	599538	7095482	0.8	26.5	10.8	65	0	19.6	8.8	305	2.4	8.6
CJ-06975	NAD83-7V	599630	7095440	0.2	7.5	15.6	26	0	5.2	3.7	194	1.07	2.2
CJ-06976	NAD83-7V	599721	7095397	0.1	12.8	9.4	43	0	4	3.5	222	1.7	3.5
CJ-06977	NAD83-7V	599813	7095352	1.1	59.6	7.2	58	0	25.2	11.1	388	3.31	4
CJ-06978	NAD83-7V	599906	7095312	0.3	132.1	2.7	77	0	21.1	22.5	388	3.95	2.6
CJ-06979	NAD83-7V	599991	7095266	0.5	175.6	1.2	71	0	28.7	16.6	395	3.18	2.7
CJ-06980	NAD83-7V	600075	7095208	0.4	90.1	2.5	62	0	29.9	23.6	462	5.48	2.8
CJ-06981	NAD83-7V	600150	7095139	0.4	35.6	4.7	21	0	239.2	19.8	328	1.77	9.4
CJ-06982	NAD83-7V	600225	7095072	0.5	44.2	2.7	40	0	35.5	16.7	302	3.11	4.3
CJ-06983	NAD83-7V	600298	7095000	0.5	110.4	1.6	49	0	24.8	11	301	2.42	1.5
CJ-06984	NAD83-7V	600378	7094938	0.1	44.4	0.4	48	0	58.4	18.8	301	2.59	1.2
CJ-06985	NAD83-7V	600454	7094869	0.1	9.1	0.4	16	0	116.5	18.1	205	1.59	0.6
CJ-06986	NAD83-7V	600468	7094779	0.2	63.2	0.8	42	0	56.4	16.3	356	1.98	1.2
CJ-06987	NAD83-7V	600454	7094677	0.1	9.3	0.4	7	0	27.7	6.7	88	0.59	1
CJ-06988	NAD83-7V	600438	7094578	0.1	16.5	0.7	10	0	32.2	8.5	86	0.67	0.9
CJ-06989	NAD83-7V	600427	7094476	0.2	37.4	1.4	30	0	40.9	12.8	159	1.31	2.2
CJ-06990	NAD83-7V	600417	7094376	0.1	72.4	1	64	0	57.2	20.1	349	2.61	1.5
CJ-06991	NAD83-7V	600402	7094314	0.5	43.4	3	87	0	48	25.9	363	3.26	3.9
CJ-06992	NAD83-7V	600303	7094347	0.2	74.3	1.4	24	0	71.5	15.7	170	1.39	2.3
CJ-06993	NAD83-7V	600208	7094392	0.3	39.8	2.1	40	0	41	16.2	249	1.85	1.9
CJ-06994	NAD83-7V	600051	7094409	0.5	33.9	2.1	28	0	18.3	7.8	131	1.51	2.6
CJ-06995	NAD83-7V	599973	7094490	0.1	25.3	1.5	46	0	328.2	29.2	408	2.68	2.8
CJ-06996	NAD83-7V	599936	7094523	0.3	54.3	2	65	0	10.2	16	371	3.16	1.6
CJ-09001	NAD83-7V	601161	7094150	0.2	29.2	0.5	21	0	61.1	14	217	1.85	1.1
CJ-09002	NAD83-7V	601140	7094134	0.1	14.6	0.3	9	0	49	14	143	1.12	0
CJ-09003	NAD83-7V	601124	7094117	0.1	23.2	0.3	14	0	43.8	12.1	133	1.17	0.7
CJ-09004	NAD83-7V	601110	7094099	0.2	13	1.3	15	0	39.8	12.4	136	1.34	1.8
CJ-09005	NAD83-7V	601094	7094077	0.3	24.8	2.1	20	0	62.8	13.1	161	1.5	3.1
CJ-09006	NAD83-7V	601078	7094058	0.3	8.3	1.7	16	0	48.9	11.4	135	1.17	2
CJ-09007	NAD83-7V	601059	7094040	0.1	16.6	0.7	11	0	58.6	11.8	124	1.1	1.3
CJ-09008	NAD83-7V	601044	7094021	0.2	28	1	16	0	40	13.6	120	1.19	2
CJ-09009	NAD83-7V	601028	7093999	0.3	29.5	1.4	27	0	52.6	22.7	232	2.1	1.9
CJ-09010	NAD83-7V	601013	7093981	0.1	24	0.5	17	0	57.7	18.8	159	1.46	0.8
CJ-09011	NAD83-7V	600996	7093962	0.3	33.6	0.9	15	0	52.4	16.8	132	1.11	1.2

SAMPLES	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al
CJ-06633	0.1	0.8	0.3	11	0	0.1	0	70	0.47	0.084	2	3	0.7	72	0.027	1	1.07
CJ-06634	0.1	1.3	0.6	13	0	0.1	0	87	0.44	0.053	2	11	0.76	103	0.063	0	1.19
CJ-06635	0.1	0	0.5	11	0	0.2	0	61	0.33	0.051	3	11	0.78	68	0.066	0	1.26
CJ-06636	0.4	3.3	1.1	12	0.1	0.2	0	42	0.38	0.067	5	19	0.69	102	0.063	0	1
CJ-06637	0.2	1.3	0.6	10	0	0.2	0	60	0.41	0.082	3	5	0.73	88	0.029	0	1.16
CJ-06638	0.2	0.5	0.8	10	0	0.2	0	36	0.35	0.092	3	8	0.4	82	0.024	0	0.75
CJ-06639	0.6	1.9	1.6	17	0	0.3	0.1	64	0.4	0.067	6	16	0.63	146	0.057	0	1.17
CJ-06640	0.4	1.6	1.4	15	0.1	0.3	0.1	73	0.34	0.066	5	18	1	151	0.05	1	1.51
CJ-06641	0.5	2.9	3.4	19	0.1	0.7	0.1	51	0.29	0.034	11	41	0.65	247	0.063	0	1.17
CJ-06642	0.6	1.2	3.4	16	0.1	0.6	0.2	49	0.21	0.029	13	71	0.77	270	0.051	1	1.22
CJ-06643	1.1	1.9	3.6	17	0.1	0.5	0.2	45	0.19	0.022	14	64	0.67	225	0.059	0	0.99
CJ-06644	0.1	1.1	0.5	10	0	0.1	0	24	0.33	0.016	2	299	2.49	75	0.042	1	1.76
CJ-06645	0.2	1.6	0.6	6	0.1	0.2	0	45	0.3	0.094	4	99	1.93	66	0.018	1	2.02
CJ-06646	0	1.1	0.1	4	0	0.1	0	13	0.26	0.049	0	88	1.32	16	0.043	0	1.19
CJ-06647	0.2	0	0.7	7	0	0.2	0	18	0.2	0.019	3	96	1.08	48	0.052	0	1.11
CJ-06648	0.2	2.4	0.8	8	0	0.2	0	23	0.24	0.022	4	106	1.36	59	0.059	0	1.49
CJ-06649	0.1	0	0.6	5	0	0.1	0	14	0.16	0.005	2	60	1.07	38	0.056	0	1.16
CJ-06650	0.1	0	0.3	3	0	0.1	0	10	0.1	0.008	1	60	0.47	25	0.032	0	0.54
CJ-06967	1.4	0.5	12.1	10	0.1	0.8	0.4	21	0.06	0.021	34	12	0.27	592	0.027	1	0.78
CJ-06968	1.3	0.6	12.4	3	0	0.2	0.1	3	0.02	0.006	17	3	0.1	104	0.012	1	0.24
CJ-06969	3.1	1.1	26.3	5	0.1	0.5	1.8	6	0.04	0.027	46	4	0.03	428	0.005	2	0.24
CJ-06970	1.7	0.9	15.7	9	0.1	0.2	0.2	8	0.09	0.032	39	9	0.2	428	0.017	0	0.37
CJ-06971	1.6	2.8	17.5	12	0	0.3	0.3	12	0.13	0.017	33	11	0.26	312	0.015	0	0.63
CJ-06972	1.3	2.8	6.4	26	0.1	0.7	0.2	45	0.35	0.062	21	26	0.46	351	0.05	1	1.14
CJ-06973	0.8	3	3.9	38	0.3	0.9	0.2	45	0.69	0.077	14	25	0.54	357	0.048	3	1.08
CJ-06974	1	2.3	5.2	29	0.2	0.9	0.2	42	0.4	0.065	18	24	0.49	356	0.051	1	1.26
CJ-06975	1.3	0	14.5	9	0.1	0.4	0.1	10	0.14	0.049	42	6	0.17	100	0.012	1	0.47
CJ-06976	1	0.7	10.4	20	0.1	0.2	0.1	14	0.42	0.152	23	4	0.29	164	0.035	1	0.76
CJ-06977	0.7	2.3	7.9	10	0	0.4	0.1	39	0.19	0.07	24	29	0.68	218	0.012	0	1.34
CJ-06978	0.3	0.5	0.9	25	0	0.3	0	103	0.27	0.052	5	21	1.46	293	0.143	0	1.96
CJ-06979	0.1	2	0.4	5	0	0.1	0	71	0.15	0.05	1	49	2	100	0.072	0	1.89
CJ-06980	0.2	0	1.3	11	0	0.6	0	148	0.19	0.052	8	26	2.17	415	0.036	2	3.22
CJ-06981	0.3	1.1	1.6	7	0	0.4	0.1	32	0.14	0.008	6	284	1.42	80	0.021	0	1.27
CJ-06982	0.2	0	1	6	0	0.4	0.1	67	0.21	0.025	4	48	1.02	63	0.186	0	1.55
CJ-06983	0.2	0	0.7	5	0.1	0.2	0	48	0.13	0.029	2	41	1.02	59	0.111	1	1.39
CJ-06984	0.1	0	0.2	5	0	0.1	0	34	0.25	0.022	1	90	1.5	15	0.185	0	1.72
CJ-06985	0.1	0.6	0.2	3	0	0.1	0	11	0.1	0.006	1	57	1.88	15	0.032	1	1.55
CJ-06986	0.1	0	0.3	7	0	0.1	0	25	0.25	0.043	1	73	1.27	36	0.087	0	1.41
CJ-06987	0.1	0	0.3	4	0	0.1	0	9	0.17	0.017	1	72	0.65	10	0.063	0	0.63
CJ-06988	0.1	0	0.3	3	0	0.1	0	12	0.15	0.004	1	65	0.77	28	0.12	0	0.76
CJ-06989	0.1	0	0.7	5	0	0.1	0	18	0.16	0.011	2	76	0.96	26	0.095	0	1.12
CJ-06990	0.1	0.5	0.2	9	0	0.1	0	32	0.21	0.055	1	90	1.57	21	0.072	0	1.72
CJ-06991	0.2	7.6	1.2	7	0	0.3	0.1	44	0.21	0.04	3	105	1.57	48	0.096	1	2.01
CJ-06992	0.2	1.6	0.7	5	0	0.1	0.1	23	0.15	0.017	2	108	1.38	19	0.104	0	1.29
CJ-06993	0.1	1.4	0.6	12	0	0.2	0.1	28	0.3	0.039	2	64	1.08	71	0.061	0	1.33
CJ-06994	0.3	0.7	0.9	12	0	0.3	0.1	28	0.18	0.022	2	22	0.79	57	0.105	0	0.89
CJ-06995	0.3	2.4	0.9	6	0	0.2	0	49	0.14	0.02	4	380	2.77	101	0.036	1	1.71
CJ-06996	0.2	1	0.9	11	0	0.2	0.1	86	0.29	0.094	3	8	0.87	175	0.078	1	1.43
CJ-09001	0.1	0.6	0.3	8	0	0.1	0	24	0.37	0.052	1	103	1.59	30	0.099	0	1.53
CJ-09002	0.1	0.6	0.2	7	0	0.1	0	14	0.29	0.032	1	55	1.3	15	0.077	1	1.14
CJ-09003	0.1	0	0.2	5	0	0.1	0	14	0.32	0.06	1	73	1.21	12	0.087	0	1.05
CJ-09004	0.1	0	0.5	7	0	0.1	0	21	0.31	0.059	2	53	1.14	36	0.07	0	1.18
CJ-09005	0.3	1.3	1.2	10	0	0.3	0.1	26	0.32	0.034	4	60	1.15	66	0.093	1	1.21
CJ-09006	0.2	0	0.7	6	0	0.2	0	20	0.23	0.007	2	91	1.05	41	0.146	0	1.1
CJ-09007	0.1	0	0.4	6	0	0.1	0	17	0.28	0.012	2	90	1.18	20	0.131	0	1.11
CJ-09008	0.3	0	0.6	7	0	0.1	0	19	0.32	0.032	2	60	1.08	23	0.132	0	1.07
CJ-09009	0.3	0	0.7	12	0	0.2	0	33	0.4	0.071	2	78	1.76	40	0.11	0	1.66
CJ-09010	0.2	0	0.3	5	0	0.1	0	23	0.2	0.022	1	98	1.43	15	0.09	0	1.22
CJ-09011	0.2	0	0.4	7	0	0.1	0	18	0.24	0.016	1	90	1.18	22	0.082	0	1.1

SAMPLES	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis__	Acme_file_#
CJ-06633	0.039	0.02	0	0.01	3.4	0	0	5	0	1DX - 15.0	A608934
CJ-06634	0.029	0.01	0	0.01	4.5	0	0	5	0	1DX - 15.0	A608934
CJ-06635	0.017	0.02	0.1	0.01	2.2	0	0	4	0	1DX - 15.0	A608934
CJ-06636	0.012	0.02	0.1	0.03	3.3	0	0	4	0	1DX - 15.0	A608934
CJ-06637	0.033	0.01	0	0.01	4.1	0	0	5	0	1DX - 15.0	A608934
CJ-06638	0.018	0.01	0.1	0.02	2.4	0	0	3	0	1DX - 15.0	A608934
CJ-06639	0.011	0.02	0.1	0.03	4.3	0	0	4	0	1DX - 15.0	A608934
CJ-06640	0.013	0.02	0.1	0.02	3.4	0	0	6	0	1DX - 15.0	A608934
CJ-06641	0.015	0.03	0.1	0.03	3.7	0	0	4	0	1DX - 15.0	A608934
CJ-06642	0.009	0.03	0.1	0.04	3.9	0	0	4	0	1DX - 15.0	A608934
CJ-06643	0.01	0.02	0.1	0.03	3.2	0.1	0	3	0	1DX - 15.0	A608934
CJ-06644	0.004	0.03	0	0.01	2.8	0	0	3	0	1DX - 15.0	A608934
CJ-06645	0.001	0.01	0.1	0.02	3.4	0	0	4	0	1DX - 15.0	A608934
CJ-06646	0.001	0	0	0.01	0.8	0	0	1	0	1DX - 15.0	A608934
CJ-06647	0.002	0.01	0	0.02	1.8	0	0	2	0	1DX - 15.0	A608934
CJ-06648	0.003	0.01	0	0.01	2.1	0	0	2	0	1DX - 15.0	A608934
CJ-06649	0.002	0.01	0	0.01	1.3	0	0	2	0	1DX - 15.0	A608934
CJ-06650	0.001	0.01	0	0.01	0.9	0	0	1	0	1DX - 15.0	A608934
CJ-06967	0.004	0.09	0.2	0.03	1.9	0.1	0	3	0	1DX - 15.0	A608935
CJ-06968	0.001	0.06	0	0	1	0	0	1	0	1DX - 15.0	A608935
CJ-06969	0.001	0.05	0.1	0.04	1.1	0	0	1	0	1DX - 15.0	A608935
CJ-06970	0.003	0.07	0.1	0.01	1.1	0	0	1	0	1DX - 15.0	A608935
CJ-06971	0.006	0.08	0.1	0.03	1.9	0.1	0	2	0	1DX - 15.0	A608935
CJ-06972	0.01	0.05	0.2	0.04	3.4	0.1	0	4	0	1DX - 15.0	A608935
CJ-06973	0.019	0.06	0.4	0.03	2.8	0.1	0	4	0.7	1DX - 15.0	A608935
CJ-06974	0.018	0.05	0.2	0.03	3.1	0.1	0	5	0.5	1DX - 15.0	A608935
CJ-06975	0.002	0.11	0.1	0	2	0.1	0	2	0	1DX - 15.0	A608935
CJ-06976	0.003	0.26	0	0.01	2.3	0.2	0	3	0	1DX - 15.0	A608935
CJ-06977	0.006	0.03	0.1	0.06	4.3	0	0	4	0	1DX - 15.0	A608935
CJ-06978	0.004	0.22	0.1	0.01	2.4	0.1	0	5	0.5	1DX - 15.0	A608935
CJ-06979	0.002	0.04	0	0.01	2.9	0	0	6	0	1DX - 15.0	A608935
CJ-06980	0.003	0.27	0	0.01	7.9	0.2	0	10	0	1DX - 15.0	A608935
CJ-06981	0.004	0.02	0	0.02	5.3	0	0	3	0	1DX - 15.0	A608935
CJ-06982	0.01	0.02	0.1	0.01	3	0.1	0	5	0	1DX - 15.0	A608935
CJ-06983	0.003	0.03	0	0	2.8	0	0	4	0	1DX - 15.0	A608935
CJ-06984	0.002	0	0	0	1.1	0	0	3	0	1DX - 15.0	A608935
CJ-06985	0.001	0.01	0	0	0.8	0	0	2	0	1DX - 15.0	A608935
CJ-06986	0.003	0.01	0	0.01	1.2	0	0	2	0	1DX - 15.0	A608935
CJ-06987	0.001	0	0	0	0.8	0	0	1	0	1DX - 15.0	A608935
CJ-06988	0.001	0.01	0	0.01	1.1	0	0	1	0	1DX - 15.0	A608935
CJ-06989	0.002	0.01	0	0.01	1	0	0	2	0	1DX - 15.0	A608935
CJ-06990	0.001	0.01	0.1	0	1	0	0	3	0	1DX - 15.0	A608935
CJ-06991	0.003	0.02	0.1	0.01	1.5	0	0	4	0	1DX - 15.0	A608935
CJ-06992	0.002	0.01	0	0.01	1.4	0.1	0	2	0	1DX - 15.0	A608935
CJ-06993	0.003	0.02	0.1	0.01	1.2	0	0	3	0	1DX - 15.0	A608935
CJ-06994	0.004	0.03	0	0	1.1	0	0	2	0	1DX - 15.0	A608935
CJ-06995	0.004	0.02	0.1	0.02	3.9	0	0	5	0	1DX - 15.0	A608935
CJ-06996	0.01	0.3	0.1	0	3.1	0.1	0	7	0	1DX - 15.0	A608935
CJ-09001	0.002	0	0	0.01	1.5	0	0	2	0	1DX - 15.0	A608935
CJ-09002	0.002	0	0	0	0.9	0	0	1	0	1DX - 15.0	A608935
CJ-09003	0.002	0	0	0	0.9	0	0	1	0	1DX - 15.0	A608935
CJ-09004	0.003	0.01	0	0.01	1.3	0	0	2	0	1DX - 15.0	A608935
CJ-09005	0.003	0.01	0.1	0.02	2.1	0	0	2	0	1DX - 15.0	A608935
CJ-09006	0.002	0.01	0	0.01	1.4	0	0	2	0	1DX - 15.0	A608935
CJ-09007	0.002	0.01	0	0	1.7	0	0	2	0	1DX - 15.0	A608935
CJ-09008	0.002	0.01	0	0.01	1.3	0	0	2	0	1DX - 15.0	A608935
CJ-09009	0.003	0.01	0	0.01	1.8	0	0	3	0	1DX - 15.0	A608935
CJ-09010	0.001	0	0	0	1.2	0	0	2	0	1DX - 15.0	A608935
CJ-09011	0.002	0.01	0	0	1.3	0	0	2	0	1DX - 15.0	A608935

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
CJ-09051	NAD83-7V	601045	7094664	1.3	42.8	10.1	79	0.1	31.4	11.8	463	2.69	12.7
CJ-09052	NAD83-7V	601028	7094645	0.9	34.4	9.4	65	0	28.5	10.6	387	2.49	9.4
CJ-09053	NAD83-7V	601014	7094625	0.9	39.2	5.9	48	0	53.2	11.7	339	2.65	6.4
CJ-09054	NAD83-7V	600997	7094607	0.5	16.4	0.9	18	0	61.4	22.9	2389	2.32	0
CJ-09055	NAD83-7V	600981	7094586	0.2	124	1.3	105	0	50.8	22.8	960	3.36	0.9
CJ-09056	NAD83-7V	600968	7094566	0.2	133.4	1	82	0	77.8	27.9	687	3.24	1
CJ-09057	NAD83-7V	600950	7094547	0.2	23.7	1.1	25	0	51.4	19.8	275	1.92	1.9
CJ-09058	NAD83-7V	600935	7094527	0.1	62.8	0.3	16	0	58.8	15.3	258	1.26	0
CJ-09059	NAD83-7V	600920	7094508	0.6	23	7	51	0	29.4	10.9	547	2.16	9.6
CJ-09060	NAD83-7V	600903	7094489	0.3	43.4	2.9	23	0	39.3	9.9	151	1.23	3.6
CJ-09061	NAD83-7V	600889	7094469	0.2	53.6	0.8	19	0	124	15	216	1.49	1.1
CJ-09062	NAD83-7V	600873	7094449	0.2	33.8	0.9	15	0	53.7	13	146	1.18	1.3
CJ-09063	NAD83-7V	600857	7094429	0.1	106.4	0.4	13	0	76.6	13.7	123	1.1	0.9
CJ-09064	NAD83-7V	600841	7094410	0.2	45.7	1.1	14	0	44.9	10.8	120	1.07	1.4
CJ-09065	NAD83-7V	600826	7094390	0.1	26.5	0.1	10	0	39.4	9.1	141	0.71	0
CJ-09066	NAD83-7V	600810	7094370	0.1	91.2	0.4	13	0	65.2	11.5	162	1.02	0
CJ-09067	NAD83-7V	600794	7094351	0.1	96.2	0.3	72	0	116.2	36.4	421	4.39	4
CJ-09068	NAD83-7V	600779	7094332	0.2	42.7	0.3	57	0	73.4	21.6	401	3.07	0.7
CJ-09069	NAD83-7V	600762	7094313	0.1	37.1	0.3	11	0	53.4	12.8	118	0.93	0.5
CJ-09070	NAD83-7V	600748	7094292	0.1	17.3	0.8	12	0	40.2	9.9	130	1	1.1
CJ-09071	NAD83-7V	600731	7094274	0.3	27.1	3	25	0	51.5	14.1	214	2.05	3.7
CJ-09072	NAD83-7V	600716	7094253	0.4	41.9	3.8	35	0	41.1	14.8	205	2.25	4
CJ-09073	NAD83-7V	600700	7094235	0.3	23.5	1.5	23	0	45.2	16.2	212	2.06	2.5
CJ-09074	NAD83-7V	600684	7094215	0.4	13.7	1.8	19	0	39.7	12.5	147	1.46	1.8
CJ-09075	NAD83-7V	600668	7094195	0.4	34.6	3.3	40	0	50.6	16	358	2.16	3.8
CJ-09097	NAD83-7V	601061	7094683	1	33	9.1	63	0	26.2	10.6	380	2.46	9.3
CJ-09098	NAD83-7V	601076	7094703	1.3	36.1	12	101	0.2	32.7	11.4	449	2.83	12.4
CJ-09099	NAD83-7V	601092	7094723	0.9	75.1	4.1	73	0	59.9	25.6	888	5.17	7.2
CJ-09100	NAD83-7V	601108	7094742	1.1	135.4	4.5	79	0	30.7	22.8	661	5.94	3.7

SAMPLES	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al
CJ-09051	0.5	3	4.3	28	0.4	1.1	0.2	51	0.45	0.079	13	30	0.57	303	0.062	2	1.16
CJ-09052	0.9	2.3	4.1	29	0.2	0.8	0.2	49	0.42	0.066	13	34	0.6	308	0.052	1	1.33
CJ-09053	0.7	3.3	3.2	22	0.1	0.6	0.1	64	0.4	0.064	11	79	0.92	212	0.066	0	1.47
CJ-09054	0.1	1	0.2	9	0.1	0.4	0	61	0.81	0.05	2	106	1.73	328	0.002	1	1.84
CJ-09055	0.2	0	0.4	12	0	0.1	0	64	0.3	0.049	1	87	2.17	106	0.055	0	2.14
CJ-09056	0.2	2.3	0.5	16	0.1	0.2	0	57	0.56	0.076	2	98	2.5	122	0.067	0	2.49
CJ-09057	0.2	1.7	0.7	10	0	0.1	0	30	0.33	0.055	3	81	1.42	61	0.085	0	1.48
CJ-09058	0	0	0.2	6	0	0.1	0	15	0.38	0.024	1	115	1.86	23	0.045	0	1.19
CJ-09059	0.6	4.2	3.4	24	0.2	0.7	0.1	40	0.41	0.079	12	32	0.59	223	0.047	1	0.93
CJ-09060	0.4	0	1.6	10	0	0.2	0.1	21	0.18	0.015	5	54	0.76	92	0.039	0	0.95
CJ-09061	0.1	0.9	0.5	7	0	0.1	0	17	0.17	0.014	2	230	2	38	0.039	0	1.62
CJ-09062	0.1	0.6	0.5	6	0	0.1	0	14	0.18	0.016	1	71	1.05	32	0.055	0	0.99
CJ-09063	0.1	0	0.3	6	0	0.1	0	11	0.16	0.012	1	65	1.31	25	0.033	0	1.14
CJ-09064	0.1	0	0.4	4	0	0.1	0	13	0.14	0.005	1	57	1.05	28	0.067	0	1.04
CJ-09065	0	0.8	0	5	0	0	0	8	0.17	0.011	0	62	0.94	8	0.031	0	0.73
CJ-09066	0.1	0.8	0.2	6	0	0.1	0	11	0.16	0.011	1	101	1.23	15	0.032	0	1.02
CJ-09067	0.2	0	0.3	18	0	0.1	0	73	0.63	0.11	2	148	2.72	88	0.082	0	2.72
CJ-09068	0	0	0.2	5	0	0.1	0	48	0.34	0.101	1	100	1.59	18	0.083	0	1.77
CJ-09069	0.1	0	0.2	4	0	0	0	10	0.16	0.014	1	68	1.07	12	0.047	0	0.94
CJ-09070	0.1	0	0.3	5	0	0.1	0	16	0.2	0.032	1	63	0.9	23	0.058	0	0.87
CJ-09071	0.3	0.6	1.2	11	0.1	0.2	0.1	40	0.24	0.039	5	81	1.21	86	0.065	1	1.48
CJ-09072	0.3	1	2	10	0	0.3	0.1	49	0.26	0.025	8	75	1.09	97	0.07	0	1.62
CJ-09073	0.2	0	0.9	7	0	0.2	0	34	0.25	0.026	3	79	1.44	11	0.124	0	1.6
CJ-09074	0.1	0	0.6	7	0	0.2	0	28	0.21	0.02	3	90	1.01	31	0.078	0	1.28
CJ-09075	0.2	0.5	1.7	15	0.1	0.3	0.1	38	0.39	0.065	6	93	1.35	83	0.07	0	1.46
CJ-09097	0.6	1.8	4.2	31	0.2	0.8	0.2	52	0.43	0.07	13	31	0.54	304	0.069	0	1.38
CJ-09098	0.6	1.1	4.5	38	0.8	1.3	0.2	49	1.01	0.086	14	29	0.71	454	0.061	0	1.22
CJ-09099	1.1	3.2	1.5	24	0.3	0.4	0.1	103	0.53	0.117	5	101	1.61	294	0.072	0	2.29
CJ-09100	0.8	4.5	1.8	22	0.2	0.3	0.1	95	0.45	0.154	6	42	1	316	0.029	0	1.97

SAMPLES	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis__	Acme_file_#
CJ-09051	0.016	0.07	0.2	0.04	3.9	0.1	0	4	0	1DX - 15.0	A608935
CJ-09052	0.014	0.05	0.2	0.03	3.8	0.1	0	4	0	1DX - 15.0	A608935
CJ-09053	0.01	0.03	0.1	0.04	5.3	0	0	5	0	1DX - 15.0	A608935
CJ-09054	0.004	0.05	0	0	15.4	0.1	0	4	0	1DX - 15.0	A608935
CJ-09055	0.005	0.01	0	0	3.5	0	0	7	0	1DX - 15.0	A608935
CJ-09056	0.005	0.01	0	0.02	4.4	0	0	5	0	1DX - 15.0	A608935
CJ-09057	0.002	0.01	0	0	2	0	0	3	0	1DX - 15.0	A608935
CJ-09058	0.002	0	0	0	2.6	0	0	2	0	1DX - 15.0	A608935
CJ-09059	0.014	0.04	0.2	0.02	2.8	0.1	0	3	0	1DX - 15.0	A608935
CJ-09060	0.004	0.02	0.1	0.01	1.7	0	0	2	0	1DX - 15.0	A608935
CJ-09061	0.002	0.01	0.1	0.01	1.9	0	0	2	0	1DX - 15.0	A608935
CJ-09062	0.002	0.01	0	0	1.6	0	0	1	0	1DX - 15.0	A608935
CJ-09063	0.002	0	0	0	1.6	0	0	1	0	1DX - 15.0	A608935
CJ-09064	0.002	0.01	0	0	1.2	0	0	1	0	1DX - 15.0	A608935
CJ-09065	0.001	0	0	0	1.4	0	0	1	0	1DX - 15.0	A608935
CJ-09066	0.002	0	0	0.01	1.6	0	0	1	0	1DX - 15.0	A608935
CJ-09067	0.003	0	0	0	5.5	0	0	5	0	1DX - 15.0	A608935
CJ-09068	0.003	0	0	0	1.6	0	0	4	0	1DX - 15.0	A608935
CJ-09069	0.001	0	0	0	1.1	0	0	1	0	1DX - 15.0	A608935
CJ-09070	0.001	0.01	0	0	1.1	0	0	1	0	1DX - 15.0	A608935
CJ-09071	0.003	0.02	0.1	0.01	2.8	0	0	3	0	1DX - 15.0	A608935
CJ-09072	0.005	0.02	0.1	0.01	4.1	0	0	4	0	1DX - 15.0	A608935
CJ-09073	0.002	0.01	0.1	0.01	1.8	0	0	3	0	1DX - 15.0	A608935
CJ-09074	0.002	0.01	0.1	0	1.2	0	0	2	0	1DX - 15.0	A608935
CJ-09075	0.006	0.02	0.1	0.02	2.6	0	0	3	0	1DX - 15.0	A608935
CJ-09097	0.018	0.06	0.2	0.03	3.7	0.1	0	4	0	1DX - 15.0	A608935
CJ-09098	0.016	0.07	0.2	0.05	3.6	0.1	0	4	0	1DX - 15.0	A608935
CJ-09099	0.008	0.06	0	0.04	6.9	0	0	7	0	1DX - 15.0	A608935
CJ-09100	0.006	0.08	0.1	0.04	6.2	0	0	7	0	1DX - 15.0	A608935