

**GEOCHEMICAL**

**REPORT**

**PLUTO 1- 4 CLAIMS**

**YC60072 – YC60077**

**NTS # 115 G \ 16**

**LAT: 61° 50 N**

**LONG: 138° 10 W**

**WHITEHORSE MINING DISTRICT**

**AUTHOR OF REPORT SHAWN RYAN**

**WORK PERFORMED AUGUST 24, 2007**

**DATE OF REPORT OCTOBER 01, 2008**

## TABLE OF CONTENT

<b>1.0</b>	<b>Summary</b>	<b>p.3</b>
<b>2.0</b>	<b>INTRODUCTION</b>	<b>p.3</b>
<b>3.0</b>	<b>PROJECT LOCATION</b>	<b>p.3</b>
<b>4.0</b>	<b>ACCESS</b>	<b>p.3</b>
<b>5.0</b>	<b>GEOLOGY</b>	<b>p.3</b>
<b>5.1</b>	<b>REGIONAL GEOLOGY</b>	<b>p.3</b>
<b>6.0</b>	<b>WORK PERFORMED / METHODS</b>	<b>p.4</b>
<b>6.1</b>	<b>Soil Survey</b>	<b>p.4</b>
<b>7.0</b>	<b>INTERPRETATION</b>	<b>p.4</b>
<b>7.1</b>	<b>Soil Survey</b>	<b>p.4</b>
<b>8.0</b>	<b>RECOMMENDATION</b>	<b>p.4</b>
<b>9.0</b>	<b>REFERENCES CITED</b>	<b>p.4</b>
<b>10.0</b>	<b>Cost</b>	<b>p.5</b>
<b>11.0</b>	<b>Qualification</b>	<b>p.5</b>
	<b>Geology Map</b>	<b>Figure 1</b>
	<b>Claim / Sample Location Map</b>	<b>Figure 2</b>
	<b>Gold Soil geochemistry map</b>	<b>Figure 3</b>
	<b>Bismuth Soil geochemistry map</b>	<b>Figure 4</b>
	<b>Arsenic Soil geochemistry map</b>	<b>Figure 5</b>
	<b>Copper Soil geochemistry map</b>	<b>Figure 6</b>
	<b>Assay Data / GPS Soil Location Data</b>	<b>Appendix</b>

## **1.0 SUMMARY**

The Pluto Claims had three soil sampler (Issac Fage, Adam Fage, Phil Burke) visit the property on August 24 2007. A total of 54 soils were collected and proved to be anomalous in gold, bismuth, arsenic and copper.

## **2.0 INTRODUCTION**

The Pluto Claims are part of a regional soil survey undertaken by Ryanwood Exploration to re evaluated some of Canadian Occidental Petroleum old showing note in assessment report and discovered in 1972.

## **3.0 LOCATION**

The Pluto claims are located 3.5 kilometers east of Dwarf Birch Creek.; it's in Whitehorse Mining Division, on NTS sheet # 115 G / 16 at the latitude 61°50'N and longitude 138°10'W.

## **4.0 ACCESS**

The Pluto claims can be reached via helicopter from Carmacks or Haine Junctions.

## **5.0 REGIONAL AND PROPERTY GEOLOGY**

### **5.1 REGIONAL GEOLOGY**

The Yukon geology map indicates the Pluto Claims are straddling two rock units. One known as (IES) Lower Eocene fesc volcanics and the second unit is a Devonian to Mississippian called the Nasina ; a quartzite, micaceous quartzite, quartz muscovite (+/- chlorite; +/- feldspar augen) schist, and minor metaconglomerate and metagrit

## **6.0 WORK PERFORMED / METHODS**

### **6.1 Soil Survey**

The Pluto Claims had 3 man days of soil work collecting 54 soils.

All soil sample where taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil sample location where marked on the ground with orange flagging and recorded in Garmin GPS. About 400-500 grams of soil was collected and place in well mark kraft soil bags.

All samples where brought out to Dawson and air dried repacked in rice bags and sent to Acme Labs in Vancouver. Sample where process with Aqua Regia ICP-MS for 36 elements.

The GPS where downloaded every night and store in a personal computer.

## **7.0 INTERPRETATION**

### **7.1 Soil Survey**

The soil survey indicated high gold, bismuth, arsenic and copper coming from the northern part of the claim block and just north of the claims. Skarn mineralization (massive pyrrhotite) was noted at the contact of flat lying marble units found in the intrusive. I feel the geochem line on the western north south line is indicating two separate skarn horizon.

## **8.0 RECOMMENDATION**

I would recommend adding more claims and conducting a large soil sampling program with a grid covering 2000 meter wide (east west)by 1500 meters (north south). This would pin down the mineralized horizon and one could follow up with a small trenching program.

## **9.0 REFERENCES CITED**

Canadian Occidental Petroleum Ltd, 1972. Assessment Report # 061100 by C.F. Gleeson and D.M.S.Bhatia.

## 10.0 COST

Wage 3 man days @ \$325.00 per day	\$975.00
Assay Cost 54 soil @ \$20.00 per sample	\$1080.00
Helicopter Cost 1.1 hour @ \$1,250.00 per hour	\$1,375.00
Report writing	\$350.00
Total	\$3,780.00

## 11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson City.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked the last 12 years as a local prospector for myself.


I have overseen the entire Pluto Soil Survey and was party chief in charge.

I own 100% of the Pluto claims.

Dated this 02 of October 2008 in Dawson City, Yukon.

Respectfully submitted

Shawn Ryan



Yukon Geology Map

Figure 1

## LOWER EOCENE



### IES: SKUKUM

various felsic volcanic dykes, plugs, domes, laccoliths and flows (1) and (2)

2. heterogeneous intermediate to felsic, hornblende-feldspar porphyritic tuff, flow breccia; volcanoclastic mudstone, sandstone and conglomerate; aphanitic to feldspar porphyritic dacite flows and dykes; flow-banded rhyolite and felsic dykes and sills (**Mount Creedon Volcanics, some strata formerly mapped as Mt. Nansen Gp.**)

## EARLY TERTIARY




### ETN: NISLING RANGE SUITE

medium to coarse grained equigranular to porphyritic rocks of intermediate composition (g), fine to coarse grained, equigranular and porphyritic granitic rocks of felsic composition (q) and felsic dyke rocks (f)

- q. leucocratic, biotite granite; miarolitic alaskite; saccharoidal textured, mafic-poor biotite granite; biotite-hornblende granite to leucocratic granodiorite with sparse, white, alkali feldspar phenocrysts; biotite quartz monzonite (**Nisling Range Suite, Nisling Range Alaskite, Coffee Creek Granite, Annie Ned Granite**)

## MID-CRETACEOUS




### mKW: WHITEHORSE SUITE

grey, medium to coarse grained, generally equigranular granitic rocks of felsic (q), intermediate (g), locally mafic (d) and rarely syenitic (y) composition

- g. biotite-hornblende granodiorite, hornblende quartz diorite and hornblende diorite; leucocratic, biotite hornblende granodiorite locally with sparse grey and pink potassium feldspar phenocrysts (**Whitehorse Suite, Casino granodiorite, McClintock granodiorite, Nisling Range granodiorite**)

## DEVONIAN, MISSISSIPPIAN AND(?) OLDER




### DMN: NASINA


graphitic quartzite and muscovite quartz-rich schist (1), (3)-(5), and(?) (6) with interspersed marble (2) and probable correlative successions (7) - (9)



3. quartzite, micaceous quartzite, quartz muscovite (+/-chlorite; +/- feldspar augen) schist, and minor metaconglomerate and metagrit as in (1), but may locally include significant Nisling Assemblage



<b>Ryanwood Exploration</b>	
Pluto 2007 Soils	
Claim / Sample Location	
Figure 2	
Projection: UTM Zone 7 (NAD 83)	
Scale: 1:20000	






**Pluto 2007 Soils  
Au ppb**


- 200 to 13,088 (4)
- 100 to 200 (1)
- 50 to 100 (3)
- 20 to 50 (9)
- 0 to 20 (75)

**Ryanwood Exploration**

Pluto 2007 Soils	
Au Map	
Figure 3	
Date: 30/9/2008	
Author: S.Piva	
Office:	
Drawing:	
Scale: 1:20000	Projection: UTM Zone 7 (NAD 83)








**Pluto 2007 Soils**  
As ppm

<span style="color: magenta;">■</span>	200 to 10,001 (5)
<span style="color: red;">■</span>	100 to 200 (4)
<span style="color: orange;">■</span>	50 to 100 (2)
<span style="color: yellow;">●</span>	25 to 50 (19)
•	1 to 25 (62)

**Ryanwood Exploration**

Pluto 2007 Soils	
Date: 2009/2008	As Map
Author: S.Piya	Figure 5
Office:	
Drawing:	
Scale: 1:20000	Projection: UTM Zone 7 (NAD 83)

0 200 400 800  
metres



**Ryanwood Exploration**

Pluto 2007 Soils	
Cu Map	
Figure 8	
Date: 2019/2020	Projection: UTM Zone 7 (NAD 83)
Author: S. Ryan	
Office:	
Drawing:	
Scale: 1:20000	

0 200 400 800  
metres

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au
PTO 23308	PTO-07	NAD 83-7V	647251	6858759	1.8	60.9	16.2	142	0.2	43	14.7	378	4.1	28.3	1.4	6.4
PTO 23309	PTO-07	NAD 83-7V	647273	6858712	1.2	36.7	33.5	104	0.05	34.8	19.7	759	3.37	24.5	1	6.8
PTO 23310	PTO-07	NAD 83-7V	647297	6858668	1.9	41.2	24.6	103	0.1	39.2	14.8	549	3.92	25.2	1	5.9
PTO 23311	PTO-07	NAD 83-7V	647331	6858632	1.3	66.9	87.7	175	0.5	60.4	25.4	694	3.79	183.1	1.1	58.7
PTO 23313	PTO-07	NAD 83-7V	647416	6858578	1.2	37.6	54.1	79	0.2	31.5	17.6	620	3.86	34.9	1.2	12.9
PTO 23314	PTO-07	NAD 83-7V	647463	6858557	1.3	43.2	17.4	98	0.2	39.2	20.3	823	4.21	19.4	0.9	3.9
PTO 23315	PTO-07	NAD 83-7V	647505	6858528	1.6	44.9	14.1	90	0.2	53.9	23.6	775	3.78	26.7	1.1	5.1
PTO 23316	PTO-07	NAD 83-7V	647547	6858500	1.5	40	33.5		0.1	39.2	16.5	643	4.13	24.5	1.1	7.5
PTO 23317	PTO-07	NAD 83-7V	647577	6858540	1.5	48.6	38.7	86	0.2	32.9	12.8	415	3.79	42.6	1.1	11.1
PTO 23318	PTO-07	NAD 83-7V	647606	6858583	1.6	48.7	19.9	91	0.2	32.3	12.3	392	3.58	16.1	1.1	4
PTO 23319	PTO-07	NAD 83-7V	647641	6858618	2.4	36.3	23.4	92	0.2	29.4	11	495	4.05	15.7	1	6.1
PTO 23320	PTO-07	NAD 83-7V	647671	6858659	2	79.6	40.7	142	0.3	62.4	23.9	859	4.61	28.5	1.4	6.3
PTO 23321	PTO-07	NAD 83-7V	647704	6858698	2.5	49.8	39.9	88	0.3	34	12.6	484	4.16	19.6	1.2	4.9
PTO 23322	PTO-07	NAD 83-7V	647736	6858738	1.2	46.9	16.2	71	0.2	30.7	13.5	481	3.37	10.6	0.9	2.8
PTO 23323	PTO-07	NAD 83-7V	647769	6858776	1.6	41.5	12.7	73	0.2	33.9	12.7	399	3.42	13.1	0.9	5.4
PTO 23324	PTO-07	NAD 83-7V	647802	6858817	2	38.3	47.3	93	0.4	26.9	10.2	421	3.74	28.4	0.8	4.4
PTO 23325	PTO-07	NAD 83-7V	647834	6858855	1.2	39.3	17.5	76	0.1	39.1	16.4	511	3.24	20.7	1	6.4
PTO 23326	PTO-07	NAD 83-7V	647842	6858906	1.3	44.7	53.7	89	0.2	36	15.8	424	3.28	19.2	0.9	12.9
PTO 23327	PTO-07	NAD 83-7V	647839	6858956	1.9	56.2	17.4	109	0.2	67.4	23.3	594	3.4	15.6	1.4	14.8
PTO 23328	PTO-07	NAD 83-7V	647820	6859003	1.3	44.4	14.9	87	0.1	43.8	17.4	465	3.34	16.9	1	11.2
PTO 23329	PTO-07	NAD 83-7V	647804	6859051	2.5	51.3	33.7	120	0.1	38.1	16.9	535	4.07	21.5	1.4	4.4
PTO 23330	PTO-07	NAD 83-7V	647786	6859098	1.3	118	13.7	88	0.1	65.9	27.9	500	3.37	31.6	1	6.4
PTO 23331	PTO-07	NAD 83-7V	647770	6859146	2.9	159.2	14.3	105	0.2	38.2	13.4	382	4.4	33.6	1.6	16.3
PTO 23332	PTO-07	NAD 83-7V	647763	6859196	2.4	201.7	15.6	128	0.2	34.6	12.2	426	4.09	44.7	1.2	27.8
PTO 23333	PTO-07	NAD 83-7V	647756	6859246	1.3	895.1	20.1	127	3.2	59.8	20.3	409	11.03	345.9	1.6	238.3
PTO 23334	PTO-07	NAD 83-7V	647750	6859297	0.8	117.8	10.4	69	0.1	43.9	16.4	462	3.33	22.5	0.8	23.9
PTO 23335	PTO-07	NAD 83-7V	647739	6859347	2.1	68.6	13.6	81	0.1	30.9	11.7	419	3.39	16.9	0.9	8
PTO 23336	PTO-07	NAD 83-7V	647727	6859398	0.8	61.1	10.2	72	0.2	36.4	14.9	401	3.06	15.9	0.8	16.8
PTO 23337	PTO-07	NAD 83-7V	647719	6859448	1.4	78.1	26.9	83	0.1	42.7	18.4	473	3.68	23.7	0.7	4.9
PTO 23338	PTO-07	NAD 83-7V	647714	6859500	1	52.2	17	76	0.05	46.6	18.8	443	3.5	14.6	0.9	4.1
PTO 23339	PTO-07	NAD 83-7V	647704	6859550	2.3	570.7	101.5	138	3.6	33.1	18.8	843	9.48	27.3	1.6	14.9
PTO 23340	PTO-07	NAD 83-7V	647690	6859583	1.8	301.5	157.7	630	12.6	24	10.8	230	13.25	10001	2.6	13087.5
PTO 23341	PTO-07	NAD 83-7V	647641	6859619	3.2	513.8	56.9	1484	2.9	47.4	27.3	575	11.76	2660	3	734.3
PTO 23345	PTO-07	NAD 83-7V	649447	6859574	3	29.6	19.5	78	0.3	25.8	9.4	302	3.98	32.2	0.9	18.8
PTO 23346	PTO-07	NAD 83-7V	649401	6859551	3.2	39.2	16.9	109	0.3	28.8	10.7	615	3.85	14.2	0.9	5.1
PTO 23347	PTO-07	NAD 83-7V	649356	6859529	2.9	43.4	25.3	144	0.3	27.3	13.9	892	3.81	15.1	1.2	4
PTO 23348	PTO-07	NAD 83-7V	649313	6859553	1.1	30.6	30.3	154	0.05	33.3	11.1	484	2.93	10.6	0.9	3.2
PTO 23349	PTO-07	NAD 83-7V	649261	6859560	2.6	40.9	21.3	135	0.05	35.2	12.6	625	4.57	16.5	0.9	4.9
PTO 23350	PTO-07	NAD 83-7V	649210	6859556	1.3	51.4	48.2	95	0.05	38.1	16.4	596	3.19	12.3	0.8	3.1
PTO 23351	PTO-07	NAD 83-7V	649165	6859533	2.6	38.9	14.9	85	0.05	30.3	11.3	504	4.01	21.9	0.9	4
PTO 23352	PTO-07	NAD 83-7V	649137	6859489	2.8	27.8	15	64	0.3	20.7	8.2	434	2.95	22.9	0.6	4.8

Sample ID	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K
PTO 23308	3.2	44	0.5	0.7	0.3	78	0.15	0.06	12	45	0.59	107	0.099	1	2.01	0.016	0.11
PTO 23309	3.4	39	0.3	0.7	0.4	67	0.19	0.041	11	37	0.69	155	0.111	0.5	2.51	0.013	0.11
PTO 23310	2.3	16	0.2	1	0.3	85	0.15	0.051	11	47	0.72	105	0.096	1	2.17	0.011	0.15
PTO 23311	3.9	32	0.8	0.8	0.8	74	0.2	0.052	11	44	0.73	133	0.107	3	2.4	0.018	0.13
PTO 23313	5.3	19	0.2	0.5	0.3	77	0.2	0.056	13	41	0.76	113	0.113	0.5	2.71	0.02	0.17
PTO 23314	3.5	40	0.3	0.5	0.2	79	0.44	0.126	14	38	0.91	157	0.128	2	2.23	0.022	0.26
PTO 23315	3.2	20	0.2	0.5	0.2	80	0.26	0.076	13	44	0.77	110	0.09	1	2.15	0.014	0.17
PTO 23316	3	21	0.2	0.5	0.4	76	0.23	0.083	14	48	0.89	115	0.083	2	2.51	0.014	0.13
PTO 23317	3.4	20	0.3	0.5	0.4	77	0.17	0.054	13	43	0.67	102	0.105	3	2.1	0.013	0.19
PTO 23318	2.2	19	0.3	0.7	0.2	79	0.12	0.048	13	41	0.62	97	0.098	1	1.97	0.016	0.14
PTO 23319	1.4	17	0.3	0.9	0.2	93	0.13	0.053	12	40	0.51	108	0.083	1	1.76	0.01	0.07
PTO 23320	1.9	19	0.7	0.9	0.3	83	0.15	0.079	16	38	0.56	124	0.042	2	1.86	0.012	0.1
PTO 23321	0.9	14	0.2	1.5	0.3	83	0.1	0.061	11	46	0.56	78	0.062	2	2.04	0.009	0.12
PTO 23322	2.6	17	0.2	0.5	0.2	75	0.2	0.045	12	41	0.74	92	0.13	1	2.5	0.013	0.16
PTO 23323	2.2	16	0.2	0.7	0.2	78	0.17	0.054	11	41	0.59	96	0.116	1	2.2	0.012	0.15
PTO 23324	1	17	0.3	5.4	0.3	82	0.11	0.058	11	45	0.59	112	0.091	2	1.77	0.01	0.23
PTO 23325	2.8	20	0.2	1.1	0.2	75	0.21	0.06	12	55	0.82	126	0.122	1	2.77	0.018	0.18
PTO 23326	3.3	18	0.3	1.8	0.2	70	0.17	0.036	11	38	0.68	90	0.139	2	2.39	0.013	0.19
PTO 23327	3.3	22	0.1	0.7	0.3	71	0.19	0.042	13	41	0.62	95	0.096	1	2.18	0.013	0.1
PTO 23328	3.4	24	0.4	0.7	0.3	74	0.31	0.059	12	38	0.59	114	0.119	2	1.77	0.019	0.11
PTO 23329	2	18	0.4	0.9	0.4	84	0.17	0.062	12	52	0.67	88	0.085	1	2.42	0.013	0.07
PTO 23330	2	26	0.3	0.8	0.4	67	0.27	0.081	9	57	0.67	120	0.094	1	2.29	0.02	0.1
PTO 23331	1.4	32	0.4	1.1	4.5	100	0.22	0.083	15	60	0.7	106	0.107	2	2.56	0.019	0.1
PTO 23332	1.7	24	0.3	1	5.3	90	0.19	0.063	12	46	0.63	86	0.093	3	2.05	0.014	0.1
PTO 23333	5	63	1	1.1	63.1	66	0.24	0.052	16	57	0.64	130	0.153	2	2.48	0.066	0.31
PTO 23334	3.5	19	0.4	0.5	0.8	80	0.22	0.033	10	53	0.79	123	0.134	2	2.9	0.017	0.14
PTO 23335	1.6	17	0.3	0.9	0.6	93	0.16	0.049	10	43	0.57	93	0.094	1	2.06	0.011	0.09
PTO 23336	2.6	18	0.4	0.5	0.4	79	0.25	0.042	10	46	0.64	95	0.129	2	2.42	0.016	0.09
PTO 23337	2.4	20	0.5	0.6	0.5	89	0.23	0.045	9	50	0.65	133	0.126	2	2.47	0.017	0.11
PTO 23338	3.2	17	0.4	0.5	0.2	78	0.22	0.044	11	50	0.65	114	0.107	2	2.81	0.017	0.1
PTO 23339	2.1	24	2.3	0.8	2.6	98	0.21	0.063	15	55	0.73	123	0.096	1	2.2	0.019	0.11
PTO 23340	4.7	77	47.6	20.4	78.3	65	0.12	0.063	19	40	0.29	134	0.081	1	1.23	0.05	0.39
PTO 23341	4.8	42	13.6	4.7	16.1	80	0.23	0.098	22	65	0.58	147	0.087	0.5	2.07	0.026	0.14
PTO 23345	1.7	16	0.4	1.1	0.5	119	0.13	0.035	17	40	0.45	112	0.099	1	2.15	0.011	0.05
PTO 23346	0.6	16	0.4	1	0.3	117	0.16	0.072	10	44	0.42	131	0.074	2	1.73	0.009	0.05
PTO 23347	1.3	18	0.8	1	0.3	100	0.17	0.073	17	42	0.46	121	0.073	2	2.11	0.011	0.07
PTO 23348	3	19	0.4	0.4	0.4	81	0.25	0.036	15	38	0.56	100	0.084	2	2.18	0.013	0.07
PTO 23349	2.1	16	0.3	0.9	0.4	126	0.16	0.057	12	49	0.67	106	0.087	1	2.47	0.01	0.07
PTO 23350	2.2	14	0.3	0.5	0.2	91	0.16	0.037	12	49	0.65	95	0.087	1	2.44	0.011	0.07
PTO 23351	1.3	14	0.3	1.1	0.3	107	0.11	0.052	9	47	0.55	119	0.087	0.5	1.84	0.012	0.05
PTO 23352	0.7	20	0.2	1.2	0.3	88	0.13	0.053	8	30	0.33	86	0.078	0.5	1.23	0.01	0.05

Sample ID	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
PTO 23308	0.2	0.04	2.9	0.1	0.1	5	0.9	1DX15	VAN08003689
PTO 23309	0.3	0.03	2.9	0.2	0.025	7	0.6	1DX15	VAN08003689
PTO 23310	0.2	0.04	3	0.2	0.025	7	1	1DX15	VAN08003689
PTO 23311	0.2	0.03	3.5	0.2	0.06	6	0.7	1DX15	VAN08003689
PTO 23313	0.3	0.04	3.9	0.2	0.025	7	0.25	1DX15	VAN08003689
PTO 23314	0.1	0.03	3.8	0.2	0.025	7	0.25	1DX15	VAN08003689
PTO 23315	0.2	0.02	3.8	0.2	0.025	7	0.25	1DX15	VAN08003689
PTO 23316	0.2	0.03	3.9	0.2	0.025	7	0.25	1DX15	VAN08003689
PTO 23317	0.1	0.04	3.2	0.2	0.05	6	0.8	1DX15	VAN08003689
PTO 23318	0.2	0.05	2.9	0.2	0.07	6	0.6	1DX15	VAN08003689
PTO 23319	0.2	0.04	2.8	0.1	0.025	8	0.5	1DX15	VAN08003689
PTO 23320	0.2	0.04	4.3	0.2	0.025	5	0.8	1DX15	VAN08003689
PTO 23321	0.2	0.07	2.3	0.2	0.05	7	0.5	1DX15	VAN08003689
PTO 23322	0.2	0.06	3	0.2	0.025	7	0.25	1DX15	VAN08003689
PTO 23323	0.1	0.04	3.1	0.1	0.025	7	0.6	1DX15	VAN08003689
PTO 23324	0.1	0.03	2.3	0.2	0.025	7	0.6	1DX15	VAN08003689
PTO 23325	0.1	0.03	3.8	0.2	0.025	7	0.25	1DX15	VAN08003689
PTO 23326	0.2	0.03	3.3	0.2	0.025	6	0.25	1DX15	VAN08003689
PTO 23327	0.2	0.03	3.1	0.1	0.025	6	0.25	1DX15	VAN08003689
PTO 23328	0.3	0.04	3	0.1	0.025	6	0.25	1DX15	VAN08003689
PTO 23329	0.2	0.07	2.8	0.2	0.025	8	0.25	1DX15	VAN08003689
PTO 23330	0.3	0.06	2.9	0.2	0.025	6	0.6	1DX15	VAN08003689
PTO 23331	0.3	0.06	3.3	0.2	0.1	9	1.5	1DX15	VAN08003689
PTO 23332	0.4	0.05	2.8	0.2	0.09	9	0.7	1DX15	VAN08003689
PTO 23333	6	0.02	4.3	0.2	0.61	8	14.4	1DX15	VAN08003689
PTO 23334	0.5	0.02	4.4	0.1	0.025	7	0.25	1DX15	VAN08003689
PTO 23335	0.2	0.04	2.7	0.1	0.025	8	0.25	1DX15	VAN08003689
PTO 23336	0.3	0.04	3.6	0.05	0.025	6	0.25	1DX15	VAN08003689
PTO 23337	0.3	0.03	4.2	0.1	0.025	7	0.25	1DX15	VAN08003689
PTO 23338	0.3	0.05	4	0.05	0.025	6	0.6	1DX15	VAN08003689
PTO 23339	7.6	0.04	4.9	0.2	0.1	8	2.5	1DX15	VAN08003689
PTO 23340	1.2	0.04	3.5	0.2	1.39	8	13.7	1DX15	VAN08003689
PTO 23341	16.5	0.04	5	0.1	0.28	8	4.8	1DX15	VAN08003689
PTO 23345	0.05	0.04	3	0.1	0.025	10	0.25	1DX15	VAN08003689
PTO 23346	0.1	0.03	2.2	0.2	0.07	9	0.25	1DX15	VAN08003689
PTO 23347	0.1	0.06	2.4	0.2	0.07	10	0.25	1DX15	VAN08003689
PTO 23348	0.3	0.04	3	0.05	0.025	7	0.25	1DX15	VAN08003689
PTO 23349	0.2	0.05	3.2	0.1	0.025	10	0.25	1DX15	VAN08003689
PTO 23350	0.2	0.04	3.4	0.05	0.025	7	0.25	1DX15	VAN08003689
PTO 23351	0.2	0.03	2.7	0.2	0.06	10	0.5	1DX15	VAN08003689
PTO 23352	0.2	0.05	1.6	0.1	0.08	8	0.5	1DX15	VAN08003689

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au
PTO 23353	PTO-07	NAD 83-7V	649109	6859447	1.1	38.7	17	80	0.2	40.5	13.7	484	3.3	46.5	0.8	3.8
PTO 23354	PTO-07	NAD 83-7V	649079	6859406	1.4	60.7	14.8	106	0.2	51.3	16.9	631	3.13	20.9	1.3	2.8
PTO 23355	PTO-07	NAD 83-7V	649052	6859363	1.4	39	17.9	95	0.1	39.4	11.4	403	3.68	17	1.2	4.3
PTO 23356	PTO-07	NAD 83-7V	649023	6859320	2.8	29	28.6	161	0.4	29	11.5	542	4.42	24.4	0.9	1.7
PTO 23357	PTO-07	NAD 83-7V	648994	6859277	1.8	24	17.4	82	0.1	22.8	10.7	515	3.44	20.6	1	3.9
PTO 23358	PTO-07	NAD 83-7V	648974	6859230	2.6	26.1	26.1	94	0.3	22.3	10.3	669	3.79	17.8	0.8	2.4
PTO 23359	PTO-07	NAD 83-7V	648946	6859188	1.5	206.4	32.2	113	0.7	38.4	16.4	828	3.67	17.9	1.3	31
PTO 23360	PTO-07	NAD 83-7V	648916	6859146	2.6	76.6	11.3	67	0.2	36.3	13.7	463	3.42	9.3	0.8	15
PTO 23361	PTO-07	NAD 83-7V	648894	6859101	1.5	163	9.4	64	0.4	49.6	12.4	336	2.82	8.8	0.9	13.1
PTO 23362	PTO-07	NAD 83-7V	648862	6859061	1.7	67	12.8	60	0.2	40.4	13	453	3.31	9.6	0.8	7.4
PTO 23363	PTO-07	NAD 83-7V	648830	6859023	2	50.8	13.1	52	0.2	29.8	10.8	311	3.74	11.8	0.6	4.3
PTO 23364	PTO-07	NAD 83-7V	648806	6858978	1	84.9	7.7	48	0.1	46	14.7	333	2.68	7	0.8	4.8
PTO 23365	PTO-07	NAD 83-7V	648814	6858927	1.5	46	9.7	46	0.1	35.8	12.4	280	3.2	10.4	0.6	5.2
PTO 23366	PTO-07	NAD 83-7V	648846	6858886	1.7	293.2	8.9	54	0.2	86.5	25.5	328	3.2	9	0.6	243.7
PTO 23367	PTO-07	NAD 83-7V	648874	6858844	1.5	52.8	10.4	64	0.05	47	18.7	369	3.6	12.1	1	7.3
PTO 23368	PTO-07	NAD 83-7V	648912	6858812	8.2	544.1	138.6	429	1.2	103.9	23.8	591	4.97	20.6	1.3	10
PTO 23369	PTO-07	NAD 83-7V	648946	6858776	5.4	40.2	15.6	75	0.2	32.6	12.4	326	3.87	15.6	0.6	2.5
PTO 23370	PTO-07	NAD 83-7V	648984	6858743	6.4	50	8.6	49	0.3	12.4	7.6	386	1.82	4.7	0.9	1.9
PTO 23371	PTO-07	NAD 83-7V	648025	6858714	2.7	17.9	2.9	18	0.2	3.2	3.7	144	1.17	1.6	0.3	0.6
PTO 23380	PTO-07	NAD 83-7V	648542	6859298	4.1	581.9	92.3	3262	3.4	39.5	26.1	577	12.36	425.5	2.9	164.7
PTO 24557	PTO-07	NAD 83-7V	647899	6858871	1.6	53.8	27.1	93	0.2	35.7	14.2	367	3.62	18.4	0.9	7.6
PTO 24558	PTO-07	NAD 83-7V	647948	6858892	2.2	47.7	26.3	109	0.2	36.4	16.6	817	3.69	18.7	1.3	7.3
PTO 24559	PTO-07	NAD 83-7V	647999	6858903	1.1	37.9	10.5	85	0.1	19.6	10.6	435	3.05	13.6	0.7	1.3
PTO 24560	PTO-07	NAD 83-7V	648048	6858923	1.8	37.9	172.9	182	0.3	33.6	19.4	931	3.98	26.7	0.9	10.2
PTO 24561	PTO-07	NAD 83-7V	648102	6858944	3.2	40	23.2	93	0.3	30.1	13.2	671	4.23	14.3	0.7	3.8
PTO 24562	PTO-07	NAD 83-7V	648149	6858964	3.2	42.2	14	81	0.3	27.7	11.1	490	4.37	15.2	0.8	6.4
PTO 24563	PTO-07	NAD 83-7V	648200	6858987	2.9	26.4	13	58	0.05	20.3	7.6	236	3.18	10.8	0.6	5.5
PTO 24564	PTO-07	NAD 83-7V	648245	6859010	3.4	42.5	33.9	84	0.2	25.7	11.1	630	3.95	15.7	0.9	2.1
PTO 24565	PTO-07	NAD 83-7V	648294	6859027	1.6	58.4	180.6	108	0.5	39.3	14.7	356	3.84	50	0.8	6.4
PTO 24566	PTO-07	NAD 83-7V	648344	6859031	2	39.1	16.1	79	0.2	29.9	11.5	441	4.02	14.6	0.8	2.9
PTO 24567	PTO-07	NAD 83-7V	648395	6859029	2.5	54	11.5	83	0.1	34	12.3	513	3.79	14.4	1	4.4
PTO 24568	PTO-07	NAD 83-7V	648445	6859019	0.9	33	7.7	83	0.2	30.9	19.5	436	4.25	9.1	0.5	4.6
PTO 24569	PTO-07	NAD 83-7V	648504	6859037	1.6	67.4	12.6	60	0.05	38.5	13.8	319	3.54	14	1.1	11.1
PTO 24570	PTO-07	NAD 83-7V	648559	6859054	0.8	51.6	20.5	67	0.1	43.7	15.1	491	2.99	14.7	0.8	5.1
PTO 24571	PTO-07	NAD 83-7V	648609	6859081	1.2	68.7	14.7	65	0.1	40	14.9	441	3.58	15.5	1.1	2.4
PTO 24572	PTO-07	NAD 83-7V	648658	6859103	1.7	192.7	10.3	64	0.2	54.2	15.4	278	3.9	10.2	0.9	7.3
PTO 24573	PTO-07	NAD 83-7V	648459	6859069	2.1	36.6	10.2	69	0.05	22.8	10	280	4.16	8.9	0.6	22.4
PTO 24574	PTO-07	NAD 83-7V	648409	6859119	0.6	30	2.8	60	0.05	9.7	10.1	258	3.65	2.7	0.3	0.25
PTO 24575	PTO-07	NAD 83-7V	648398	6859167	1.2	61.7	8.6	53	0.2	23.1	10.8	226	2.36	11.3	0.9	3.1
PTO 24576	PTO-07	NAD 83-7V	648383	6859214	1.8	560.4	20.5	112	0.7	150.3	39.1	525	4.49	35.9	1	34.2
PTO 24577	PTO-07	NAD 83-7V	648361	6859268	3.5	986.7	30.2	123	1.4	128.6	40.8	506	4.4	49.3	1.4	16.1

Sample ID	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K
PTO 23353	2.7	17	0.3	0.6	0.2	80	0.19	0.058	12	56	0.74	93	0.101	0.5	2.04	0.011	0.08
PTO 23354	2.2	16	1.2	0.7	0.2	89	0.15	0.072	13	53	0.74	116	0.088	1	2.82	0.016	0.06
PTO 23355	2.2	17	0.5	0.7	0.3	94	0.17	0.046	12	47	0.65	160	0.102	0.5	2.42	0.012	0.05
PTO 23356	1.8	24	0.7	1.2	0.6	113	0.14	0.043	12	43	0.59	223	0.087	0.5	2.15	0.012	0.06
PTO 23357	2.8	42	0.5	0.6	1	75	0.13	0.063	15	41	0.62	137	0.073	1	2.24	0.011	0.07
PTO 23358	2.1	19	0.4	0.9	0.6	98	0.12	0.062	13	42	0.54	89	0.089	0.5	1.9	0.012	0.06
PTO 23359	5.2	108	0.7	0.6	2.8	75	0.35	0.078	26	54	0.86	146	0.107	2	2.4	0.019	0.1
PTO 23360	2.6	65	0.2	0.6	0.8	86	0.31	0.047	11	51	0.75	111	0.13	1	2.33	0.016	0.08
PTO 23361	3.8	79	0.2	0.4	0.9	89	0.38	0.062	11	76	0.9	139	0.123	0.5	1.99	0.018	0.15
PTO 23362	1.7	27	0.2	0.6	0.7	87	0.2	0.068	10	60	0.73	123	0.101	1	2.53	0.015	0.08
PTO 23363	2.7	22	0.2	0.8	0.3	104	0.19	0.052	9	51	0.55	96	0.132	0.5	2.25	0.015	0.06
PTO 23364	3.6	41	0.2	0.3	0.2	94	0.26	0.064	10	68	0.91	179	0.16	0.5	2.08	0.017	0.26
PTO 23365	2.9	19	0.2	0.5	0.2	85	0.15	0.035	8	56	0.62	104	0.131	0.5	2.41	0.011	0.08
PTO 23366	2.2	26	0.2	0.5	0.6	81	0.28	0.056	7	120	1.07	124	0.141	1	3.58	0.029	0.11
PTO 23367	4.5	21	0.3	0.6	0.3	83	0.21	0.066	12	56	0.71	122	0.155	1	3.22	0.018	0.13
PTO 23368	4.5	42	8.4	0.8	0.7	131	0.3	0.052	17	125	1.23	148	0.132	1	3.47	0.02	0.06
PTO 23369	2.5	24	0.3	0.9	0.4	94	0.17	0.035	10	48	0.56	103	0.144	0.5	2.11	0.016	0.06
PTO 23370	0.6	45	0.3	0.3	0.1	44	0.89	0.054	10	19	0.31	88	0.067	1	1.27	0.044	0.05
PTO 23371	0.3	18	0.05	0.1	0.05	36	0.22	0.043	4	7	0.11	48	0.06	0.5	0.5	0.042	0.04
PTO 23380	5.7	45	27.5	2.8	9.7	56	0.28	0.085	16	41	0.65	69	0.106	1	1.68	0.021	0.13
PTO 24557	3.1	29	0.2	2.2	0.4	70	0.14	0.039	11	43	0.7	105	0.153	0.5	2.02	0.013	0.25
PTO 24558	0.8	19	0.5	1.3	0.3	78	0.15	0.086	13	45	0.67	88	0.076	1	2.8	0.013	0.07
PTO 24559	0.8	21	0.3	0.6	0.3	81	0.2	0.103	8	24	0.42	74	0.098	0.5	1.29	0.019	0.08
PTO 24560	2.7	22	1.2	0.9	0.6	82	0.15	0.043	16	44	0.78	77	0.113	1	2.56	0.014	0.08
PTO 24561	1.8	14	0.2	1.5	0.4	98	0.09	0.042	8	38	0.48	91	0.096	1	1.67	0.007	0.11
PTO 24562	1.5	17	0.05	1.3	0.3	96	0.12	0.057	9	48	0.68	80	0.091	2	2.16	0.008	0.08
PTO 24563	0.8	13	0.05	1.2	0.3	96	0.1	0.041	7	27	0.36	76	0.073	0.5	1.38	0.006	0.04
PTO 24564	1	18	0.2	1.4	0.4	99	0.11	0.048	10	37	0.49	101	0.095	0.5	1.62	0.014	0.07
PTO 24565	2.8	21	1	1.1	0.6	73	0.17	0.058	11	51	0.71	136	0.124	1	2.6	0.018	0.2
PTO 24566	2.2	18	0.2	0.9	0.3	87	0.15	0.046	10	49	0.7	103	0.136	2	2.36	0.011	0.13
PTO 24567	1.6	15	0.1	1.1	0.4	95	0.11	0.062	8	48	0.66	87	0.09	2	2.01	0.009	0.15
PTO 24568	1.6	58	0.1	0.5	0.3	85	0.36	0.088	10	48	1.36	183	0.128	1	3.11	0.026	0.21
PTO 24569	2.5	52	0.2	1.2	0.2	105	0.11	0.044	9	52	0.76	75	0.107	2	2.61	0.01	0.12
PTO 24570	3.3	33	0.2	0.5	0.2	81	0.24	0.057	10	61	0.9	105	0.128	1	2.41	0.013	0.13
PTO 24571	3.9	59	0.3	0.6	0.2	104	0.22	0.052	12	62	0.94	126	0.136	2	2.41	0.014	0.25
PTO 24572	4	28	0.2	0.6	0.6	113	0.17	0.034	11	77	0.93	79	0.17	2	2.81	0.013	0.17
PTO 24573	0.9	57	0.2	1	0.2	106	0.18	0.052	8	30	0.45	72	0.104	2	1.1	0.016	0.08
PTO 24574	0.5	27	0.2	0.2	0.05	117	0.31	0.096	5	14	0.26	49	0.133	1	0.62	0.02	0.05
PTO 24575	0.6	56	0.2	0.4	0.2	46	0.38	0.079	9	31	0.5	123	0.059	0.5	1.52	0.039	0.12
PTO 24576	2.5	154	0.5	0.7	0.8	99	0.49	0.093	10	133	1.64	188	0.129	2	2.89	0.037	0.22
PTO 24577	3.3	177	0.7	1.4	2.7	79	0.5	0.076	12	129	1.3	182	0.105	1	2.81	0.045	0.18

Sample ID	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
PTO 23353	0.2	0.03	3.3	0.1	0.025	7	0.6	1DX15	VAN08003689
PTO 23354	0.3	0.04	3.2	0.1	0.06	6	1	1DX15	VAN08003689
PTO 23355	0.3	0.04	2.9	0.05	0.025	8	0.6	1DX15	VAN08003689
PTO 23356	0.2	0.03	2.9	0.1	0.025	11	0.25	1DX15	VAN08003689
PTO 23357	0.2	0.04	2.6	0.05	0.06	8	0.25	1DX15	VAN08003689
PTO 23358	0.2	0.04	2.4	0.05	0.05	10	0.25	1DX15	VAN08003689
PTO 23359	1.1	0.03	4.3	0.1	0.025	8	0.25	1DX15	VAN08003689
PTO 23360	1.3	0.03	3.6	0.1	0.025	7	0.25	1DX15	VAN08003689
PTO 23361	0.3	0.02	5.2	0.2	0.025	7	0.25	1DX15	VAN08003689
PTO 23362	0.4	0.03	3.3	0.1	0.025	8	0.25	1DX15	VAN08003689
PTO 23363	0.3	0.02	3.2	0.05	0.025	9	0.6	1DX15	VAN08003689
PTO 23364	0.3	0.02	4.5	0.3	0.025	7	0.5	1DX15	VAN08003689
PTO 23365	0.5	0.02	3.6	0.1	0.025	7	0.25	1DX15	VAN08003689
PTO 23366	0.9	0.03	4	0.1	0.025	7	0.5	1DX15	VAN08003689
PTO 23367	1.3	0.03	4.4	0.1	0.025	8	0.7	1DX15	VAN08003689
PTO 23368	2.6	0.05	7.8	0.2	0.025	10	0.5	1DX15	VAN08003689
PTO 23369	1.8	0.02	2.8	0.1	0.025	10	0.25	1DX15	VAN08003689
PTO 23370	5.1	0.03	1.6	0.05	0.025	4	0.25	1DX15	VAN08003689
PTO 23371	0.2	0.02	0.8	0.05	0.025	3	0.25	1DX15	VAN08003689
PTO 23380	4.7	0.09	4.9	0.2	0.23	7	11.4	1DX15	VAN08003689
PTO 24557	0.2	0.02	3.2	0.2	0.025	7	0.25	1DX15	VAN08003689
PTO 24558	0.2	0.06	2.5	0.1	0.08	7	0.8	1DX15	VAN08003689
PTO 24559	0.1	0.04	1.4	0.1	0.1	6	0.6	1DX15	VAN08003689
PTO 24560	0.2	0.03	3.8	0.1	0.025	8	0.6	1DX15	VAN08003689
PTO 24561	0.2	0.06	2.3	0.2	0.07	9	0.6	1DX15	VAN08003689
PTO 24562	0.1	0.06	2.5	0.1	0.08	9	0.7	1DX15	VAN08003689
PTO 24563	0.2	0.05	1.8	0.1	0.06	9	0.25	1DX15	VAN08003689
PTO 24564	0.1	0.05	2.3	0.2	0.025	9	0.7	1DX15	VAN08003689
PTO 24565	0.2	0.05	3.7	0.2	0.08	6	0.9	1DX15	VAN08003689
PTO 24566	0.05	0.05	3.3	0.2	0.025	8	0.5	1DX15	VAN08003689
PTO 24567	0.2	0.07	2.6	0.2	0.08	8	0.9	1DX15	VAN08003689
PTO 24568	0.1	0.03	3.2	0.3	0.025	9	0.25	1DX15	VAN08003689
PTO 24569	0.4	0.06	3.6	0.2	0.025	8	0.6	1DX15	VAN08003689
PTO 24570	0.4	0.04	3.6	0.2	0.025	7	0.5	1DX15	VAN08003689
PTO 24571	0.3	0.04	4.8	0.2	0.025	8	0.7	1DX15	VAN08003689
PTO 24572	0.3	0.04	5	0.2	0.025	8	0.9	1DX15	VAN08003689
PTO 24573	0.2	0.04	1.8	0.05	0.025	8	0.5	1DX15	VAN08003689
PTO 24574	0.05	0.05	0.8	0.05	0.025	5	0.25	1DX15	VAN08003689
PTO 24575	0.1	0.04	2	0.1	0.025	6	0.7	1DX15	VAN08003689
PTO 24576	1.4	0.05	4.4	0.2	0.025	7	1.1	1DX15	VAN08003689
PTO 24577	9.2	0.03	5	0.2	0.025	8	2.3	1DX15	VAN08003689

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au
PTO 24578	PTO-07	NAD 83-7V	648337	6859313	3.8	957.9	17.2	111	1.5	67.8	45.5	482	4.99	31.8	1.7	28.5
PTO 24579	PTO-07	NAD 83-7V	648320	6859363	0.8	95.9	12.4	105	0.3	54.7	19.7	532	3.5	97.2	1	47.6
PTO 24580	PTO-07	NAD 83-7V	648298	6859412	0.8	26.8	5	42	0.05	10.9	6.9	195	1.45	6.5	0.5	5.8
PTO 24695	PTO-07	NAD 83-7V	648317	6859461	2.7	371.3	24.3	113	2.5	60.4	28.7	513	6.05	315.9	1.9	67
PTO 24696	PTO-07	NAD 83-7V	648317	6859512	2.2	193.4	26.8	102	0.3	47.6	17.7	438	3.28	124.2	1.8	16.5
PTO 24697	PTO-07	NAD 83-7V	648340	6859560	1.8	50.8	18.2	78	0.4	26.4	15.5	385	3.39	36.7	1.3	3.7
PTO 24698	PTO-07	NAD 83-7V	648318	6859606	2.1	343.8	19.1	108	1.6	123.4	26.4	602	4.74	151.9	3.2	21.7
PTO 24699	PTO-07	NAD 83-7V	648306	6859659	4.3	220.1	270.7	358	6.1	80.2	38.4	1028	6.03	153.6	4.1	22.7
PTO 24700	PTO-07	NAD 83-7V	648286	6859723	3.8	111.7	99	185	1.3	43.6	25.3	683	3.95	47.9	3	72.3
PTO 24701	PTO-07	NAD 83-7V	648267	6859770	2.7	61.1	89.6	156	1.2	28.6	20.3	659	3.21	22.7	2.1	5.6

Sample ID	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K
PTO 24578	5	84	0.8	1.2	0.6	86	0.67	0.044	15	71	1.1	121	0.169	3	3.02	0.028	0.13
PTO 24579	2.9	96	0.6	0.9	0.9	73	5.08	0.069	15	70	1.33	144	0.107	2	2.11	0.041	0.15
PTO 24580	0.2	52	0.4	0.4	0.1	35	0.61	0.072	4	11	0.23	62	0.043	2	0.65	0.036	0.06
PTO 24695	4.1	47	0.7	5	1.6	84	0.29	0.089	16	54	0.86	136	0.122	1	3.07	0.034	0.11
PTO 24696	3.2	21	0.6	2.6	1.1	72	0.17	0.049	18	63	0.6	93	0.03	0.5	1.82	0.013	0.09
PTO 24697	1	27	0.6	0.7	0.4	78	0.2	0.071	11	31	0.45	72	0.075	0.5	1.28	0.021	0.08
PTO 24698	2.3	124	0.4	1.8	2.8	103	0.79	0.08	21	177	1.52	142	0.076	1	2.21	0.022	0.1
PTO 24699	9.4	140	2.1	1.3	4.8	129	0.9	0.119	28	90	1.39	115	0.139	0.5	3.25	0.051	0.17
PTO 24700	8.3	70	0.7	0.8	0.9	90	0.69	0.09	23	74	0.89	110	0.093	0.5	2.55	0.038	0.1
PTO 24701	3.5	92	1.3	0.5	0.7	75	0.52	0.113	19	57	0.7	124	0.055	0.5	2.19	0.035	0.07

Sample ID	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
PTO 24578	8.8	0.06	4.5	0.2	0.025	8	2.3	1DX15	VAN08003689
PTO 24579	0.3	0.05	4.1	0.3	0.025	8	1.2	1DX15	VAN08003689
PTO 24580	0.1	0.06	0.7	0.05	0.025	3	0.6	1DX15	VAN08003689
PTO 24695	3.8	0.11	3.9	0.2	0.06	9	1.9	1DX15	VAN08003689
PTO 24696	0.5	0.03	2.5	0.1	0.025	8	0.6	1DX15	VAN08003689
PTO 24697	0.3	0.08	1.8	0.1	0.025	7	0.9	1DX15	VAN08003689
PTO 24698	0.4	0.05	5.8	0.2	0.025	7	1.1	1DX15	VAN08003689
PTO 24699	0.7	0.04	7	0.2	0.025	12	2	1DX15	VAN08003689
PTO 24700	0.8	0.03	4.7	0.2	0.025	10	0.8	1DX15	VAN08003689
PTO 24701	0.4	0.06	4.1	0.2	0.025	9	0.6	1DX15	VAN08003689