ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOPHYSICAL SURVEYS, GEOCHEMICAL SAMPLING AND PROSPECTING

at the

HY PROPERTY

Hy 1-347 YC52861-YC53207

NTS 105H 01, 02, 07 & 08
Latitude 61°16´N; Longitude 128°34´W

in the

Watson Lake Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

Sarah Eaton, B.Sc. Geology
May 2008

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	2
GEOMORPHOLOGY	3
REGIONAL GEOLOGY	4
PROPERTY GEOLOGY	4
MINERALIZATION	5
SOIL GEOCHEMISTRY	9
GEOPHYSICAL SURVEYS	10
DISCUSSION AND CONCLUSIONS	11
REFERENCES	12

APPENDICES

I STATEMENT OF QUALIFICATIONS

II CERTIFICATES OF ANALYSIS

III ROCK SAMPLE DESCRIPTIONS

IV GEOPHYSICAL REPORTS BY GEOTECH LTD., INCLUDING CD'S WITH THE DIGITAL SURVEY DATA

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Locations	In pocket
3	Historical Compilation	1
4	Tectonic Setting	4
5	Property Geology	4
6	Dusty Zone Detail	5
7	Marg Zone Detail	7
8	Miko Zone Detail	7
9	Rock Sample Locations	In pocket
10	Lead Rock Geochemistry	In pocket
11	Zinc Rock Geochemistry	In pocket
12	Silver Rock Geochemistry	In pocket
13	Soil Sample Locations	In pocket
14	Lead Soil Geochemistry	10
15	Zinc Soil Geochemistry	10
16	Silver Soil Geochemistry	10
17	Copper Soil Geochemistry	10
18	Total Field Magnetics – Reduced to Pole	In pocket
19	Late Time B-Field Channel Image	In pocket
20	Interpreted Magnetic and Electromagnetic Data	In pocket

INTRODUCTION

The Hy property hosts a number of previously known and recently discovered lead-zinc-silver skarn occurrences. It is owned 100% by Strategic Metals Ltd.

This report describes a two phase exploration program that was conducted on behalf of Strategic during summer 2007. The first phase comprised helicopter-borne versatile time domain electromagnetic (VTEM) and magnetic surveys conducted by Geotech Ltd. in late August. The second phase of exploration was done by Archer, Cathro & Associates (1981) Limited between August 23 and September 19. This program consisted of road repair, prospecting and geochemical sampling by a four to six person crew from a camp at the east end of the property. The author co-supervised the first phase and participated in second phase of the program. The author's Statement of Qualifications appear in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Hy property is located in southeast Yukon Territory, 120 km north of the town of Watson Lake at latitude 61°16´N and longitude 128°34´W on NTS map sheets 105H 01, 02, 07 and 08 (Figure 1).

The property comprises 347 contiguous mineral claims covering approximately 7000 hectares. The claims are registered with the Watson Lake Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic. The property surrounds two claims (Max 1 and 2) which are owned by an independent prospector. Claim data are listed below while the locations of individual claims are shown on Figure 2.

Claim Name	Grant Number	Expiry Date
Hy 1-347	YC52861-YC53207	March 13, 2013

* Expiry dates include 2007 work which has been filed for assessment credit but not yet accepted.

Access to the eastern part of the property from Watson Lake is possible via the first 110 km of the Robert Campbell Highway, then the first 78 km of the Nahanni Range Road, and finally a 17 km bush road. From there a 20 km network of roads and trails extends west across the property, allowing access to the various showings. The Robert Campbell Highway and Nahanni Range Road are major haulage routes maintained year round by the Yukon government, but the secondary roads are not maintained and are best driven in four-wheel drive vehicles.

During the second phase of the 2007 program, the bush access road and some of the main roads on the property were repaired by clearing overhanging brush, removing large rocks from the road bed and filling bad ruts. The work was done with a Hitachi EX200 excavator contracted from 15317 Yukon Inc.


STRATEGIC METALS LTD.
FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY LOCATION
HY PROPERTY
0 50 100 150 200 km
NAD 83 / ZONE 9V
FILE: ...2007/HY/HY-F_1-LOCATION.DWG
MAY 2008
IVVAVIK NATIONAL PARK
VUNTUT NATIONAL PARK
INUVIK
ALASKA
YUKON TERRITORY
NORTHWEST
TERRITORIES
N
DAWSON
KLONDIKE HWY
MAYO
YUKON RIVER
CARMACKS
FARO
ROSS RIVER
HY PROPERTY
KLUANE NATIONAL PARK
HAINES JUNCTION
WHITEHORSE
CARCROSS
ALASKA HWY
WATSON LAKE
SKAGWAY
ATLIN
HAINES
CASSIAR
ALASKA
BRITISH COLUMBIA



STRATEGIC METALS LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS

HY PROPERTY

0 — 2 km

UTM Zone 9, NAD83, NTS 105H 01/02/07/08

FILE:../2007/HY/Assessment + Figures\CLAIMS.WOR | DATE: MAY 2008

6 798 000 mN
6 796 000 mN
6 794 000 mN
6 792 000 mN
6 790 000 mN
6 788 000 mN
6 786 000 mN

512 000 mE
514 000 mE
516 000 mE
518 000 mE
520 000 mE
522 000 mE
524 000 mE
526 000 mE
528 000 mE
530 000 mE

N
UTM GRID
T.N.
13°
M.N.
24°28'
NAD 83 CANADA
ZONE 9
(Mean Dec. 2007 - Annual decrease of 25' W)

FIRST NATIONS LAND CLAIM
LFN R-131B

DUSTY

Old camp

Approximate location of 1968 drill holes

Claims owned by others

Approximate outline of area covered by historicial geochemical sampling

MARG

1970 and 1980 DDH and trenching

ELSA

Historic trenches

1979 Drill area

Old camp

Approximate location of 1969 DDH , 1970 DDH

TUNG

Historic trenches

Old camp?

Existing 4x4 access routes

Lapis Creek

Approximate outline of area covered by historicial geochemical sampling

Conglomerate Creek

MIKO

Approximate location of Mar 1980 DDH

Approximate location of 1969 DDH

Old camp

Bowl Creek

Property boundary

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

HISTORICAL COMPILATION

HY PROPERTY

0 1 3 km

UTM ZONE 9V, NAD83
105H 01/02/07/08

FILE: ...2007/HY/HIST.DWG

DATE: MAY 2008

HISTORY AND PREVIOUS WORK

Lead-zinc-silver skarn mineralization was first discovered on the Hy property in 1964. Since that time, numerous different operators have worked on various parts of the current property. In addition to lead-zinc-silver mineralization, some exploration efforts were also focussed on tungsten skarn and intrusion related gold mineralization. Historical work areas are shown on Figure 3. Most of the work was done in three main areas, which are described in the following paragraphs.

Dusty Zone

Lead-zinc-silver mineralization was discovered and staked by Yukon-Pacific Syndicate in 1964 in the western portion of what is now the Hy property. In 1965, Yukon-Pacific performed hand trenching, magnetic surveys and geological mapping.

The claims were restaked in 1967 by Max Martin and optioned to Silver Duke Mines Ltd., which continued prospecting and mapping. In 1968, Silver Duke constructed a tote-trail to the property. Later that year it conducted electromagnetic and magnetometer surveys and completed two diamond drill holes totalling 121.62 m at the Dusty Zone (C-1 & C-2). Hand trenching was done on what are now the Max claims in 1970.

The claims were optioned to Dusty Mac Mines Ltd. in 1972, which carried out geological mapping, magnetic surveying, grid soil sampling and trenching later that year. Pan Ocean Oil Ltd. later optioned the property and carried out geochemical surveying, mapping and bulldozer trenching in 1973.

In 1974 the claims reverted back to Max Martin and were transferred to Turner-Hindmarsh Tungsten Ltd. which completed bulldozer trenching and installed a single crushing/grinding circuit in 1977 to test a mineralized zone on what are now the Max claims. Canada Tungsten Mining Corporation briefly optioned the property in 1977 and completed six diamond drill holes totalling 342 m on the Max claims. Turner-Hindmarsh changed its name to Tungco Resources Corporation in 1978 and continued exploration on the Max claims. In 1979 Tungco completed bulldozer trenching and eight diamond drill holes totalling 400 m (Tully, 1980a).

In 1982 Score Resources Corporation and Vancliffe Resources Corporation acquired part of the property, south of the Max claims, and carried out magnetic surveys and geological mapping in 1983. Clifton Star Resources optioned the surrounding claims in 1983 and carried out a brief examination.

Marg Zone

Norquest JV staked the Lake and Glenna claims in 1965, which are located over what is now the northeast portion of the Hy property. Norquest conducted mapping, sampling and a magnetic survey in 1965 and 1966. The claims were then optioned to Monarch Metal Mines Ltd. in 1967, which conducted bulldozer trenching in 1968 and completed 12 diamond drill holes totalling

453.8 m in 1969. The property was optioned to Silver Mark Mines Ltd. in 1970, which then completed 18 diamond drill holes totalling 1624 m (Trowdale, 1970).

Welland Consolidated Mining Ltd. staked the CU and Ace claims to the north and south of Silver Mark's claims in 1970 and performed bulldozer trenching later that year. Dual Resources Ltd. restaked the Ace claims in 1973.

Tungco Resources Corporation and Morning Star Mines Ltd. restaked the Lake and Glenna claims as the Marg claims in 1978. In 1979, they undertook trenching and seven diamond drill holes totalling 641.0 m. Two more diamond drill holes totalling 282.9 m were completed in 1980 (Tully, 1980c).

The Arm claims were staked to the west in 1979 by J.C. Turner who transferred them to Armor Resources Ltd., which performed trenching later that year. In 1992, Placer Dome Inc. restaked the area as part of the Con claims and performed reconnaissance-scale prospecting and sampling.

Miko Zone

The Miko claims were staked by Hyland River Mines Ltd. in 1966 over what is now the southeastern corner of the Hy property. In 1968, Hyland conducted soil geochemical surveys, ground magnetic surveys and airborne magnetic and EM surveys over its claims. This work was followed by bulldozer trenching and seven diamond drill holes totalling 306 m at the Creek and Cirque Showings (Simpson, 1969). In 1970, Hyland carried out additional bulldozer trenching and completed eight x-ray drill holes totalling 62 m at the Creek Showing.

Targus Resources Ltd. optioned the property in 1973 but performed no work. In 1974, the Miko claims were optioned to Tandem Resources Ltd., which conducted mapping, sampling and hand trenching. In 1977, the property was transferred to Trio Resources Ltd., which performed more trenching in 1979.

The Creek and Cirque Showings were restaked in 1978 by Patmar Resources Corp., which did trenching in 1979 and drilled three diamond drill holes totalling 287 m on the Hillside Showing in 1980 (Tully, 1980b)

The property was dormant until 1996 when Finlayson Joint Venture Inc. staked a number of showings in the area and carried out prospecting, sampling, mapping and magnetic surveys later that year.

Strategic staked the Hy claims in spring 2007.

GEOMORPHOLOGY

The Hy property is located in the Logan Mountain Range of southeast Yukon. It is drained by Conglomerate Creek, which flows into the Hyland River and ultimately into the Arctic Ocean via the Liard and Mackenzie Rivers.

The claims lie in varied terrain, with steep alpine ridge systems surrounding a broad central valley. Elevations on the property range from 1160 to 2140 m above sea level. The valley bottom gently rises from east to west across the property. Soil development is poor in all areas. Talus slopes are common at higher elevations, while glacial till and moraines predominate on low slopes and on the valley floor.

Vegetation ranges from stunted spruce, balsam and willow at lower elevations giving way to thick buckbrush and finally to moss, grass and lichen at higher elevations.

REGIONAL GEOLOGY

The Hy property is located within the Selwyn Basin (Figure 4), a tectonic element comprised of deep water clastic rocks, chert and minor carbonate accumulated along the North American continental margin during Paleozoic time (Pigage, 2004).

Lithologies on the property belong to three main units (Gordey and Makepeace, 1999): Hyland Group metasediments, Earn Group sediments, and Selwyn Suite intrusives. These units are briefly described in the following table.

Table I: Geological Units

NAME	AGE	DESCRIPTION
Selwyn Suite	Mid-Cretaceous to Tertiary (?)	Resistant, blocky, fine to coarse grained equigranular to porphyritic (K-feldspar) biotite quartz monzonite and granodiorite with minor quartz diorite, leuco-quartz monzonite and syenite.
Earn Group	Upper Devonian to Mississippian	Thin bedded, laminated slate and phyllite with thin to thickly interbedded, fine to medium grained chert-quartz arenite and wacke; thick members of chert-pebble conglomerate; black siliceous siltstone; nodular and bedded barite; and rare limestone.
-Unconformity-		
Hyland Group	Upper Proterozoic to Lower Cambrian	Thin to thick bedded, brown to pale green shale; fine to coarse grained quartz-rich sandstone, grit and quartz-pebble conglomerate; minor argillaceous limestone; quartzite, pelite, mica-schist and gneiss.

PROPERTY GEOLOGY

Property geology is shown on Figure 5. The geological contacts are taken from government maps (Gordey and Makepeace, 1999). Bedding orientations and structural measurements are from the reconnaissance-scale mapping program performed in 2007.



ANCESTRAL NORTH AMERICA

- MP — Mackenzie Platform
- SB — Selwyn Basin
- RT — Richardson Trough

TERRANES
Displaced Continental Margin

- AA — Arctic Alaska
- CA — Cassiar
- PC — Porcupine

Pericratonic Terranes

- YT — Yukon-Tanana / Slide Mountain

ACCRETED TERRANES

- ST — Stikinia / Cache Creek
- AX — Alexander
- WR — Wrangellia
- CG — Chugach

STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 4

TECTONIC SETTING

HY PROPERTY

0 100 200 km

FILE: P:\2007\Hy\Assessment +Figures\Hy_F_3.DWG

DATE: MAY 2008



STRATEGIC METALS LTD.

FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY

HY PROPERTY

0 1 3 km

UTM ZONE 9V, NAD83

105H 01/02/07/08

FILE: ...2007/HY/GEO.DWG | DATE: MAY 2008

Most of the Hy property covers a large roof pendant composed of Upper Devonian to Mississippian Earn Group sediments that unconformably overlie Upper Proterozoic to Lower Cambrian Hyland Group sediments. The Earn Group sediments form most of the bedrock exposures in the central and southern parts of the property. The Hyland Group is exposed in an up to 2 km wide, north trending band located along the western edge of the pendant. This band appears to terminate to the north along a fault that trends north-northwesterly. The roof pendant is underlain by Mid-Cretaceous granodiorite belonging to the Mt. Billings Batholith. The batholith surrounds the roof pendant on all sides, except to the south. An isolated body of Earn Group lies about 1.5 km north of the main pendant. This outlying pendant is about 1500 m long and up to 1000 m wide.

The Earn Group bedding is deformed by a series of open folds. Strikes typically range between 055° to 090° and dips are relatively shallow, except along the northern edge of the roof pendant. Fractures in the Earn Group have variable orientations, but dips are usually steep, greater than 60°. The Hyland Group metasediments generally strike 120° to 165° with moderate dips of 30° to 40° toward the east.

A series of small faults have been inferred within the Hyland Group and, at two locations, extend into the Earn Group and Selwyn Suite.

MINERALIZATION

Previous exploration has identified numerous showings on the Hy property. Most showings consist of lead-zinc-silver mineralization within limy beds that are skarnified near intrusive contacts. Common minerals include pyrrhotite, magnetite, sphalerite and galena with minor chalcopyrite and scheelite, plus a variety of calc-silicates.

Three areas on the Hy property have been the primary focus of past exploration. These are the **Dusty, Marg** and **Miko** zones (Figure 5). The Dusty Zone is located along the western edge of the property while the Miko and Marg zones are located in the eastern half. The ground between the eastern and western zones has seen little exploration, but the **Elsa** Zone is in this area. A fifth area of interest, the **Tung** Zone, is located in the southwestern corner of the property.

Dusty Zone (A to G Showings)

The Dusty Zone is located along a tributary of Conglomerate Creek near the western edge of the property. It is made up of Showings A to G. Past exploration included mapping, prospecting, geochemical sampling, geophysical surveys, trenching and diamond drilling (Figure 6). Most work was directed toward lead-zinc-silver but some exploration was done for tungsten. The tungsten work mainly focussed on the Max claims and included construction of a pilot mill in 1977, which was used to produce a scheelite concentrate. Mineralization on the Max claims is reported to strike northeast and dip steeply. In 2007, six of the seven showings in the Dusty Zone were revisited, with work consisting of surveying and re-sampling of old trenches and road cuts.



SURFACE SAMPLES

Showing	Type	Width (m)	Silver (g/t)	Zinc (%)	Lead (%)
A	Trench	1.22	164.6	3.20	2.50
	Trench	1.52	109.7	3.00	3.00
	Trench	1.83	684.0	9.20	11.01
	Trench	1.22	14.4	1.60	1.55
	Trench	3.35	130.3	2.01	1.76
	Trench	1.52	43.20	0.28	1.35
	Trench	0.30	NA	1.40	1.14
	Trench	1.52	NA	4.90	6.65
	Trench	1.22	NA	1.06	0.70
	Trench	1.52	NA	1.28	1.72
	Trench	2.13	NA	1.56	1.44
B	Trench	0.91	155.7	1.10	2.30
C	Trench/float	-	360.0	7.30	3.50
D	Grab	-	2200.0	-	0.72
E	Select grab	4.57	56.6	2.79	-
			1.32% copper		
	Select grab	-	37.0	4.85	7.64
			1.38% copper		
F	?	-	189.3	13.44	7.71
			1.08% copper		
G	?	-	46.3	6.23	7.43

DIAMOND DRILLHOLE RESULTS

	From (m)	To (m)	Interval (m)	Silver (g/t)	Zinc (%)	Lead (%)
C-1	26.67	26.97	0.30	27.4	6.79	0.10
	31.39	32.31	0.91	137.1	2.45	1.86
	34.29	35.05	0.76	51.4	1.25	0.05
	42.06	42.82	0.76	10.3	2.25	0.10
C-2	27.74	29.26	1.52	13.7	0.10	0.14

From assessment reports 060144, 017454, 019125, 061958, 090702
Locations are approximate (original data has limited references)

STRATEGIC METALS LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DUSTY ZONE DETAIL

HY PROPERTY

0 300 900 m

UTM ZONE 9V, NAD83

FILE: ...2007/HY/DUSTY_DETAIL.DWG | DATE: MAY 2008

Showings A, B, and C are located approximately one kilometre northwest of the Max claims. Most of the 2007 samples were collected from Showing C.

Showing A lies 300 and 500 m west of showings B and C, respectively. Samples collected from a trench in 1965 reportedly returned peak values of 684.0 g/t silver, 9.20% zinc and 11.01% lead over 1.83 m (Ostensoe, 1965). A composite chip sample from 21 mineralized float blocks of heavily weathered, hydrozincite coated epidote-calcite skarn with about 10% combined galena and sphalerite was collected in 2007 and assayed 14.8 g/t silver, 2.91% zinc and 6.51% lead.

Showing B is a diopside skarn horizon containing minor sphalerite and galena. Previous sampling of this showing reported 155.7 g/t silver, 1.10% zinc and 2.30% lead over 0.91 m (Ostensoe, 1965). In 2007, three weakly mineralized float samples from this showing averaged 61.5 g/t silver, 0.44% zinc and 0.86% lead.

A trench sample collected from Showing C in 1965 assayed 360.0 g/t silver, 7.30% zinc and 3.50% lead (Ostensoe, 1965). Two short diamond drill holes were completed near this trench in 1968. The best interval from these holes was 137.1 g/t silver, 2.45% zinc and 1.86% lead over 0.91 m (White, 1968). In 2007, a composite chip sample from 30, variably mineralized blocks of diopside or epidote skarn taken from the old trench averaged 109 g/t silver, 6.58% zinc and 2.91% lead. A sample from a block of well mineralized, hydrozincite-coated, sphalerite- and galena-bearing diopside skarn returned 466 g/t silver, 8.06% zinc and 5.88% lead.

In 2007, a promising occurrence was discovered about 150 m east of Showing C. It consists of abundant, sphalerite-rich epidote-diopside skarn boulders found along an old road cut. A composite sample of chips from 20 mineralized boulders returned 245.0 g/t silver, 6.52% zinc, 2.00% lead and 98.7 ppm indium. A sample from a boulder of especially sulphide-rich mineralization yielded 605.0 g/t silver, 8.26% zinc, 7.68% lead and 88.6 ppm indium.

Showing D is located approximately 300 m west of the Max claims along the contact between the Mt. Billings Batholith and the Hyland Group. A grab sample from this showing reportedly assayed 2200 g/t silver with only 0.72% lead (Vincent, 1973). This showing was not revisited in 2007.

The Showing E lies just inside the southern boundary of the Max claims. Mineralization consists of disseminated to nearly massive chalcopyrite, galena, and sphalerite in epidote-quartz (± magnetite) skarn. A historic grab sample returned 37.0 g/t silver, 4.85% zinc, 7.64% lead and 1.38% copper, while a 4.57 m chip sample returned 56.6 g/t silver, 2.79% zinc and 1.32% copper (Tully, 1980a). Four diamond drill holes were completed at this showing in 1980. The only results available are for tungsten. The weighted averages from intervals in three of the holes are 0.60% over 0.58 m, 0.44% over 1.33 m and 0.20% over 0.92 m.

Showing E was revisited in 2007, and a three by one metre mineralized bedrock exposure was found in a large trench along with several fragments of mineralized float. Nine trench float sample that were collected average 22.0 g/t silver (maximum of 44.9 g/t), 4.26% zinc (max. of 12.35%), 6.33% lead (max. of 14.75%). Of these nine samples, six assayed between 1.18 and 6.03% copper, with an average of 2.83%.

Showings F and G are exposed along a creek approximately 800 m north-northeast of the Max claims. Previous samples taken from these showings returned 189.3 g/t silver, 13.44% zinc, 7.71% lead and 1.08% copper, and 46.3 g/t silver, 6.23% zinc and 7.43% lead (Tully, 1980a). Follow up prospecting in 2007 produced three anomalous results: two from float specimens and the third from a chip sample. The first float sample was rusty-weathering, magnetite-diopside skarn with sphalerite, galena and malachite-staining, which assayed 97.8 g/t silver, 18.20% zinc, 10.95% lead and 0.46% copper. The second float specimen of anglesite- and cerussite-coated, semi-massive galena and sphalerite skarn returned 69.8 g/t silver, 17.75% zinc, and 15.65% lead. The chip sample was taken across a panel 0.35 m wide by 1.2 m long. It consisted of massive magnetite-sphalerite skarn that assayed 36.8 g/t silver, 8.56% zinc, 13.40% lead and 101 ppm indium.

Marg Zone (Cliff and Lower Showings)

The Marg Zone is situated in the northeastern part of the Hy property (Figure 7). It consists of two showings that are exposed on a southeast trending ridge near the intrusive contact. Past exploration at this zone included soil sampling, geophysical surveys, trenching and diamond drilling.

The Cliff Showing is located two kilometres north of Conglomerate Creek. Mineralization at the Cliff Showing strikes east and dips steeply to the south. The mineralized horizon has been traced for 1067 m along strike and is up to 15.8 m wide. Diamond drill intersections from this zone include 552.7 g/t silver, 5.30% zinc and 4.06% lead over 0.40 m, and 131.0 g/t silver, 2.1% zinc and 2.04% lead over 0.74 (Tully, 1980c). These intersections came from holes located 600 m apart. Fourteen float specimens, mainly sphalerite-bearing epidote skarns, were picked up from trenches in 2007. Of these, the four best averaged 193.8 g/t silver, 4.03% zinc and 2.92% lead.

The Lower Showing lies about 2 km southeast of the Cliff Showing. A surface sample collected from this showing reportedly assayed 171.5 g/t silver, 7% zinc and 3% lead (Tully, 1980c). Seven additional specimen samples were collected in 2007. The most significant result came from a 0.6 by 0.6 m subcrop exposure in an old trench. A sample of this material, consisting of epidote-diopside skarn with small areas of limonitic boxwork, moderate sphalerite and traces of pyrite and malachite, assayed 26.1 g/t silver, 3.65% zinc, 5.22% lead and 0.32% copper. A float sample from 360 m further up trench returned 75.7 g/t silver, 4.02% zinc and 1.39% lead.

Miko Zone (Creek, Hillside and Cirque Showings)

The Miko Zone is located southeast of Conglomerate Creek along the contact between the batholith and the Earn Group sediments. It comprises the Creek, Hillside and Cirque showings (Figure 8). Previous work included diamond drilling at all three showings and trenching on the Creek and Hillside showings. Only the Creek Showing was revisited in 2007.

The Creek Showing is situated on the valley floor, immediately south of Conglomerate Creek. It is a poorly developed skarn that has been traced approximately 100 m along strike and is up to 5 m wide on surface. Mineralization strikes east and dips steeply to the south. Bulldozer trenching exposed massive sulphide, which reportedly assayed 65.1 g/t silver, 21.56% zinc and



		From (m)	To (m)	Interval (m)	Silver (g/t)	Zinc (%)	Lead (%)
70-5		Hole lost			no samples		
70-12		147.01	147.31	0.30	25.0	1.76	1.64
		147.83	148.13	0.30	16.1	1.54	0.97
	B	169.01	170.23	1.22	30.9	1.68	0.16
		172.18	172.97	0.79	19.5	1.13	0.12
70-15	C	80.77	81.08	0.31	21.9	6.73	4.12
		90.53	91.44	0.91	71.0	1.91	1.54
		93.57	93.88	0.31	107.0	2.42	0.78
		96.68	96.93	0.25	44.9	3.20	2.62
	D	100.43	100.80	0.37	9.9	4.79	4.32
MON 1-80		106.49	106.40	0.91	3.8	1.25	0.15
		106.95	107.80	0.85	4.1	2.24	0.25
		108.54	109.45	0.91	9.3	1.97	0.08
		109.45	110.06	0.61	20.2	2.28	0.23
		113.40	113.71	0.31	49.0	2.45	0.37
	A	122.71	123.02	0.31	62.1	2.64	0.66

Quartzite
Schist
Limestone
Skarn
Inferred contact

0 50 m



From assessment reports 090827 & 091176

	From (m)	To (m)	Interval (m)	Silver (g/t)	Zinc (%)	Lead (%)
70-4	69.86	71.02	1.16	10.3	2.36	0.23
70-7	61.87	62.70	0.82	0.0	1.20	0.14
	66.45	68.15	1.71	30.9	1.52	0.15
70-8	15.24	16.61	1.37	3.4	1.44	0.13
70-11	32.83	33.53	0.70	73.7	3.86	2.53
	36.48	36.64	0.15	35.0	1.15	0.23
	39.32	39.72	0.40	552.7	5.30	4.06
	39.72	40.23	0.52	36.3	0.33	0.39
	47.91	48.77	0.85	70.6	2.44	0.61
	50.44	50.75	0.30	132.3	2.41	0.73
70-14	19.20	19.35	0.15	258.2	3.32	2.80
	25.66	26.21	0.55	17.1	2.52	0.14
	29.11	30.24	1.07	19.9	1.61	0.16
	39.93	40.33	0.40	59.0	1.54	0.63
70-16	23.47	25.42	1.95	24.7	1.96	1.88
	38.44	40.26	1.83	23.3	1.02	0.64
	40.26	40.84	0.58	31.9	1.84	2.06
	43.62	44.96	1.34	29.5	1.10	1.23
	44.96	46.48	1.52	37.0	1.57	0.60
	46.48	47.15	0.67	40.1	0.61	0.72
	47.15	48.55	1.40	149.8	2.38	3.43
	48.55	49.23	0.67	117.9	3.88	2.12
	49.53	50.75	1.22	57.9	3.81	1.19
70-18	26.52	26.97	0.46	15.8	1.32	1.04
	32.16	33.68	1.52	25.7	1.23	0.39
	33.68	34.59	0.91	60.3	0.93	1.28
	34.59	36.12	1.52	152.9	2.44	1.57
	36.12	37.64	1.52	105.9	2.47	1.23
	37.64	39.01	1.22	26.4	1.17	0.16
MON 2-80	66.46	67.37	0.91	99.8	3.47	2.43
	77.43	78.17	0.74	131.0	2.10	2.04

Lead geochem anomaly
Zinc geochem anomaly
Magnetic anomaly
Geological contact
Diamond drilhole
historic trench (hand/buldozer)
4x4 road

STRATEGIC METALS LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MARG ZONE DETAIL

HY PROPERTY

0 200 600 m

UTM ZONE 9V, NAD83

FILE: ...2007/HY/MARG_DETAIL.DWG

DATE: MAY 2008

STYLIZED SECTION

← 350°



- Granitic intrusion
- Undiferentiated sediments
- Marble
- Calc-silicate rock
- Skarn (epidote)
- Mineralized skarn
- Metamorphosed calc-silicate rock

Hole	Azimuth	Dip	Length (m)
HR-1	015°	-15°?	32.92
HR-2	350°	-70°	67.67
HR-3	-	-90°	67.67
HR-4	-	-90°	86.41
HR-5	025°	-52°	40.08
MAR 1-80	-	-90°	37.65
MAR 2-80	350°	-65°	101.52
MAR 3-80	300°	-50°	147.87

Trench	Width (m)	Silver (g/t)	Zinc (%)	Lead (%)
		HILLSIDE ZONE		
1	2.89	54.9	2.00	1.91
1	3.50	27.4	5.47	0.73
2	3.04	144.0	11.80	6.00
2	3.20	370.3	14.01	8.22
3	4.26	130.3	3.86	2.94
3	3.50	54.9	0.70	0.69
3	4.08	37.7	1.60	0.83
4	6.09	44.6	0.55	0.37
5	2.13	68.6	1.08	1.05
5	1.37	109.7	4.99	3.33
6	1.83	37.7	1.23	0.34
6	1.28	432.0	0.93	9.62
6	3.20	41.1	2.44	0.96
7	0.91	78.9	2.47	4.70
7	1.83	61.7	1.17	2.52
8	1.10	18.2	3.47	1.03
9	2.74	48.0	2.10	2.74
9	2.28	58.3	2.36	2.43
PIT 1	3.04	65.1	1.20	2.99
PIT 2	3.04	130.3	1.52	5.15
		CREEK ZONE		
1	3.96	78.9	18.05	21.94
1	2.80	65.1	21.56	26.57
2	4.51	99.4	13.81	19.24
2	2.80	65.1	21.76	27.14
grab (between 1 and 2)		44.1	29.10	44.10
grab (45 m east of 3)		34.89	27.98	34.89



	From (m)	To (m)	Interval (m)	Silver (g/t)	Zinc (%)	Lead (%)
HR-2	49.62	51.75	2.13 (A)	83.0	4.30	0.54
MAR 2-80	78.96	80.34	1.38	35.0	-	-
	81.71	82.44	0.73	-	1.66	0.25
	82.44	82.87	0.43	164.6	2.35	3.45
	86.04	87.80	1.76	24.7	2.15	0.45
	90.00	91.31	1.31	23.7	2.49	0.07
	92.07	92.62	0.55	28.5	2.69	2.81
MAR 3-80	64.02	65.40	1.38	49.4	3.22	1.87
	65.40	66.16	0.76	21.6	3.11	1.26
	66.16	67.07	0.91	24.3	1.79	1.02
	90.24	91.16	0.92	23.0	1.68	1.65
	91.16	92.07	0.91	18.2	2.34	2.60
	93.60	94.51	0.91	10.3	1.58	0.11

STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MIKO ZONE DETAIL

HY PROPERTY

0 200 600 m

UTM ZONE 9V, NAD83

From assessment reports 090828 & 091171

FILE: ...2007/HY/MIKO_DETAIL.DWG | DATE: MAY 2008

26.57% lead over 2.8 m (Simpson, 1969). In 2007, samples were collected from a series of old trenches, including a composite sample of chips taken from 35 mineralized boulders. These boulders are composed of skarn ranging from banded epidote-sphalerite to massive sphalerite-galena. This composite sample assayed 135 g/t silver, 24.30% zinc and 28.71% lead. Two samples of highly weathered, hydrozincite coated epidote skarn float containing semi-massive to massive galena and sphalerite averaged 48.3 g/t silver, 29.25% zinc and 37.21% lead.

The Hillside Showing lies along a west facing slope, approximately 900 m south of the Creek Showing. This showing consists of three separate skarn lenses, each 50 to 160 m long and up to 12 m wide. The mineralization occurs over a total length of 400 m. It strikes east and dips steeply south. The best assays reported from trenching include 432.0 g/t silver, 0.93% zinc and 9.62% lead over 1.28 m; and 370.3 g/t silver, 14.01% zinc and 8.22% lead over 3.20 m. The best diamond drill interval returned 164.6 g/t silver, 2.35% zinc and 3.45% lead over 0.43 m (Tully, 1980b).

The Cirque Showing is exposed along the headwall of a north facing cirque, 1.8 km southeast of the Creek Showing. Mineralization is contained within a one metre wide band of siliceous epidote skarn traceable for 60 m along the intrusive contact. Little data is available for this showing; however, a surface sample reportedly assayed 116.6 g/t silver, 0.20% zinc and 4.4% lead. The best diamond drill intersection returned 83.0 g/t silver, 4.30% zinc and 0.54% lead over 2.13 m (Simpson, 1969).

Elsa Zone

The Elsa Zone lies in the headwaters of a south-flowing creek near the centre of the property, about 1.4 km north of Conglomerate Creek. Previous work at this zone is poorly documented; however, a grab sample reportedly assayed 161.1 g/t silver, 16.55% zinc and 23.56% lead (Timmins, 1968).

A VTEM anomaly was defined in this area in 2007 (see Geophysical Surveys). Follow-up mapping, prospecting and soil sampling were completed in the vicinity of the anomaly. Mineralization was found in a small outcrop on the side of a cirque. It comprises fracture-controlled and possibly stratiform pyrrhotite and pyrite with minor sphalerite, galena, chalcopyrite and malachite. Samples of this material returned up to 200 g/t silver, 2.36% zinc, 3.88% lead, 0.62% copper and 24.8 ppm indium.

Tung Zone

The Tung Zone is located about 2 km south of the Dusty Zone. A grab sample described as coming from a mineralized outcrop, 200 m to the east of an unnamed south flowing creek, assayed 322.2 g/t silver and 0.01% WO_3 (Vincent, 1973). A geophysical survey across the target reportedly identified several magnetic highs, which appear to correlate with carbonate bands and anomalous lead and zinc soil geochemistry. A traverse done during 2007 showed that bedrock exposure is rare even within old trenches, and dominantly comprises sucrosic limestone and rusty-weathering micaceous quartzite. Little mineralization was observed in the trenches; however, where present, it included blackjack sphalerite, pyrite, magnetite and an unidentified

dark grey, non-magnetic, metallic mineral. Seven rock samples of various types were collected for assay, but all returned relatively low values.

2007 Rock Sample Analytical Techniques

A total of 103 rock samples were collected from various parts of the property in 2007. Sample locations are shown on Figure 9, while certificates of analysis and rock sample descriptions appear in Appendix II and III, respectively. All rock samples were sent to ALS Chemex in North Vancouver where they were crushed to 70% passing 2 mm before a 250 g split was pulverized to 85% passing 70 microns. A split of the pulverized fraction was then dissolved in a four acid solution and analyzed for 47 elements using a combination of inductively coupled plasma-mass spectroscopy and inductively coupled plasma-atomic emission spectroscopy techniques (ME-MS61). An additional, 30 g charge was further analysed for gold by fire assay and inductively coupled plasma-mass spectroscopy finish (Au-ICP21). Results for lead, zinc and silver are shown in Figures 10 through 12, respectively.

SOIL GEOCHEMISTRY

Historical Sampling

Sampling has included systematic grid soil sampling near the Dusty Zone and in smaller areas near the other zones. Reconnaissance-scale contour sampling was also done along several of the main drainages and on adjacent hillsides. Unfortunately, the historical maps do not include the reference points needed to incorporate the old geochemical data into the current digital database.

2007 Sampling

In 2007, 1152 soil samples were collected from an approximately 3 by 2 km grid (known as the Elsa soil grid) covering the Elsa Zone and the strongest of the VTEM conductors.

The soil samples were collected at 50 m intervals along grid lines spaced 100 m apart. Their locations were determined by means of compass and hip-chain surveys with frequent checks using handheld GPS units. Sample sites are marked by wooden lath bearing aluminum tags inscribed with the sample numbers. Soil samples were collected from 20 to 50 cm deep holes dug with geotuls or hand augers. Each sample was placed into an individually pre-numbered kraft paper bag.

Most of the soil samples were collected from slopes ranging between 10° and 40°. They were generally composed of two types of material: (1) poorly developed B or C Horizon soils in grassy valley bottoms and areas of low relief that are mantled by glacial till, or (2) C Horizon talus fines from steeper slopes with little soil development and minimal vegetation cover. Soil types were not differentiated or recorded by the samplers.

All soil samples were sent to ALS Chemex where they were dried and sieved to -180 microns. A portion of the fine fraction was then digested in aqua-regia and analysed for 34 elements by the inductively coupled plasma-atomic emission spectroscopy technique (ME-ICP41). Certificates



STRATEGIC METALS LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROCK SAMPLE LOCATIONS

HY PROPERTY

0 0.5 1 2 3 km

UTM ZONE 9V, NAD 83, 105H 01/02/07/08

FILE: P:\2007\Hy\Figures\Rock_sample_locations.WOR

DATE: MAY 2008

6 796 000 mN

6 793 000 mN

6 790 000 mN

516 000 mE

520 000 mE

524 000 mE

PROPERTY BOUNDARY

FIRST NATIONS LAND CLAI
LFN R-131B

T.N.

13.2°

24°40'

Grid north

Magnetic north

Annual change
decreasing 25.4'

DUSTY

15.65%

10.95%

13.4%

14.75%

14.60%

ELSA

ELSA SOIL GRID

MARG CLIFF

MARG LOWER

28.71%

38.16%

36.26%

MIKO CREEK

MIKO HILLSIDE

MIKO CIRQUE

TUNG

Pb (%)

≥10 (8)

≥5 < 10 (8)

≥2 < 5 (17)

≥1 < 2 (9)

0 < 1 (67)

Showing referred to in text

Road

STRATEGIC METALS LTD.

FIGURE 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD ROCK GEOCHEMISTRY

HY PROPERTY

0 0.5 1 2 km

UTM ZONE 9, NAD 83, 105H 01/02/07/08

FILE: P:\2007\Hy\Figures\Hy_Pb_Rock.WOR

DATE: MAY 2008

PROPERTY BOUNDARY

FIRST NATIONS LAND CL
LFN R-131B

T.N.
13.2°
24°40'
Grid north
Magnetic north
Annual change
decreasing 25.4'

6 796 000 mN
6 793 000 mN
6 790 000 mN

DUSTY
12.05%
11.25%
17.75%
18.20%
10.20%
12.55%
12.35%

ELSA
20.60%

ELSA SOIL GRID

MARG CLIFF
12.90%

MARG LOWER

MIKO CREEK
29.81%
24.30%
28.70%

MIKO HILLSIDE

MIKO CIRQUE

TUNG

516 000 mE
520 000 mE
524 000 mE

Zn (%)
≥10 (12)
≥5 < 10 (17)
≥2 < 5 (19)
≥1 < 2 (8)
0 < 1 (53)

Showing referred to in text

Road

STRATEGIC METALS LTD.

FIGURE 11

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC ROCK GEOCHEMISTRY

HY PROPERTY

0 0.5 1 2 km

UTM ZONE 9, NAD 83, 105H 01/02/07/08

FILE: P:\2007\Hy\Assessment Report + Figures\Hy_Zn_Rock.WOR

DATE: MAY 2008

PROPERTY BOUNDARY

FIRST NATIONS LAND CL
LFN R-131B

T.N.
13.2°
24°40'
Grid north
Magnetic north
Annual change
decreasing 25.4'

6 796 000 mN
6 793 000 mN
6 790 000 mN

605 ppm
309 ppm
245 ppm
466 ppm
DUSTY
300 ppm
345 ppm

226 ppm
ELSA

343 ppm
MARG CLIFF

MARG LOWER

MIKO CREEK

MIKO HILLSIDE

MIKO CIRQUE

TUNG

ELSA SOIL GRID

516 000 mE
520 000 mE
524 000 mE

Ag (g/t)
≥200 < 500 (8)
≥100 < 200 (9)
≥50 < 100 (16)
≥20 < 50 (25)
≥10 < 20 (12)
0 < 10 (39)
Showing referred to in text
Road

STRATEGIC METALS LTD.

FIGURE 12

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SILVER ROCK GEOCHEMISTRY

HY PROPERTY

0 0.5 1 2 km

UTM ZONE 9, NAD 83, 105H 01/02/07/08

FILE: P:\2007\Hy\Figures\Hy_Ag_Rock.WOR

DATE: MAY 2008

520,000 mE

522,000 mE

6 793,000 mN

6 791,000 mN

T.N.

13.2°

24°40'

Grid north

Magnetic north

Annual change decreasing 25.4'

STRATEGIC METALS LTD.

FIGURE 13

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL SAMPLE LOCATIONS

HY PROPERTY

0 250 m 500 m

UTM ZONE 9, NAD 83, 105H 01/02/07/08

FILE: P:\2007\Hy\Figures\Hy_Soil.WOR

DATE: MAY 2008

of analysis are in Appendix II. Sample locations are shown on Figure 13, while results for lead, zinc, silver, and copper are shown on Figures 14 through 17, respectively.

Results

Results from 2007 grid soil sampling show two anomalous clusters and a number of isolated high values. The headwaters of two adjacent creeks, uphill and to the northwest of the Elsa Zone host the highest soil values. This cluster is about 1.5 km long. It includes four samples that exceeded 2.0 g/t silver to a maximum of 11.4 g/t, five samples that yielded more than 500 ppm lead with a peak of 3390 ppm, and two samples that returned greater than 1000 ppm zinc with a maximum of 3500 ppm. Copper and bismuth values are slightly elevated in this cluster, with maximum values of 167 ppm and 37 ppm, respectively.

A smaller cluster of moderately anomalous values is located in the eastern corner of the grid in a heavily vegetated area. Sampling here returned peak values of 1.8 g/t silver, 379 ppm lead, 1040 ppm zinc, and 122 ppm copper.

Samples taken from the southern part of the grid returned scattered high values, with peaks of 2.8 g/t silver, 2170 pm zinc and 103 ppm copper, while the northernmost sample lines returned isolated, anomalous values up to 645 ppm lead, 602 ppm zinc, and 102 ppm copper.

GEOPHYSICAL SURVEYS

Property wide, helicopter-borne VTEM and magnetic surveys were conducted on August 30, 2007 by Geotech Ltd. of Aurora, Ontario using an AStar B3 helicopter operated by TRK Helicopters Ltd.

The surveys covered an area of 73 square kilometres with a total of 458 line kilometres flown. The traverse lines were spaced 200 m apart and were aligned at 048° or 228°. The tie lines were spaced 2000 m apart and were flown perpendicular to the traverse lines. The helicopter flew at a constant speed of 80 km/hr and maintained ground clearance of 90 m. Additional details concerning survey procedures, equipment used and results obtained are contained in the two reports by Geotech, which appear in Appendix IV along with CD's containing the digital survey data.

The magnetic survey recorded total magnetic field values ranging from 56900 nT to 57500 nT. Areas underlain by intrusive rocks in the extreme eastern and western parts of the property have high magnetic field values (Figure 18). Another area of high values in the southern part of the property may be underlain by intrusive rocks at a shallow depth. Smaller and weaker magnetic highs along the northern edge of the roof pendant coincide with some of the Miko and Marg showings and are likely due to magnetic skarns in the Earn Group. Areas underlain by Hyland Group have generally low magnetism and none of the showings that comprise the Dusty and Tung zones coincide with elevated magnetism. Although a number of linear magnetic lows are evident on vertical gradient and tilt derivative maps (see Appendix IV), most do not coincides with known faults.

520 000 mE

522 000 mE

6 793 000 mN

6 791 000 mN

693 ppm

3390 ppm

684 ppm

933 ppm

645 ppm

1095 ppm

T.N.

13.2'

24°40'

Grid north

Magnetic north

Annual change decreasing 25.4'

Pb (ppm)

≥500	< 3,390	(6)
≥200	< 500	(22)
≥100	< 200	(51)
≥50	< 100	(117)
≥20	< 50	(452)
0	< 20	(502)

Road

STRATEGIC METALS LTD.

FIGURE 14

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD SOIL GEOCHEMISTRY

HY PROPERTY

0 0.5 1 km

UTM ZONE 9, NAD 83, 105H 01/02/07/08

FILE: P:\2007\Hy\Figures\Hy_Pb_Soil.WOR

DATE: MAY 2008

520 000 mE

522 000 mE

6 793 000 mN

6 791 000 mN

3500 ppm

1080 ppm

2170 ppm

1350 ppm

1040 ppm

T.N.

13.2°

24°40'

Grid north

Magnetic north

Annual change
decreasing 25.4'

Zn (ppm)

≥1,000	< 3,500	(5)
≥500	< 1,000	(14)
≥200	< 500	(110)
≥100	< 200	(263)
≥50	< 100	(317)
0	< 50	(441)

Road

STRATEGIC METALS LTD.

FIGURE 15

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC SOIL GEOCHEMISTRY

HY PROPERTY

0 0.5 1 km

UTM ZONE 9, NAD 83, 105H 01/02/07/08

FILE: P:\2007\Hy\Figures\Hy_Zn_Soil.WOR

DATE: MAY 2008

520 000 mE

522 000 mE

6 793 000 mN

6 791 000 mN

11.4 g/t

2.0 g/t

2.7 g/t

2.1 g/t

2.2 g/t

2.8 g/t

T.N.

13.2'

24°40'

Grid north

Magnetic north

Annual change decreasing 25.4'

Ag (ppm)

≥2.0 < 11.4	(6)
≥1.0 < 2.0	(34)
≥0.5 < 1.0	(143)
≥0.2 < 0.5	(477)
0 < 0.2	(490)

Road

STRATEGIC METALS LTD.

FIGURE 16

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SILVER SOIL GEOCHEMISTRY

HY PROPERTY

0 0.5 1 km

UTM ZONE 9, NAD 83, 105H 01/02/07/08

FILE: P:\2007\Hy\Figures\Hy_Ag_Soil.WOR

DATE: MAY 2008

520 000 mE

522 000 mE

6 793 000 mN

6 791 000 mN

142 ppm

100 ppm

117 ppm

167 ppm

103 ppm

102 ppm

122 ppm

T.N.

13.2°

24°40'

Grid north

Magnetic north

Annual change
decreasing 25.4'

Cu (ppm)

≥100	< 167	(8)
≥50	< 100	(60)
≥20	< 50	(255)
≥10	< 20	(327)
0	< 10	(500)

Road

STRATEGIC METALS LTD.

FIGURE 17

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER SOIL GEOCHEMISTRY

HY PROPERTY

0 0.5 1 km

UTM ZONE 9, NAD 83, 105H 01/02/07/08

FILE: P:\2007\Hy\Figures\Hy_Cu_Soil.WOR

DATE: MAY 2008


T.N.
13.2°
24°40'
Grid north
Magnetic north
Annual change
decreasing 25.4'
PROPERTY BOUNDARY
FIRST NATIONS LAND CLAIM
LFN R-131B
6795 000 mN
6790 000 mN
515 000 mE
520 000 mE
525 000 mE
Magnetic field
(nT)
58148
58140
58136
58130
58126
58120
58114
58108
58102
58098
58094
58092
58088
58086
58082
58080
58078
58076
58074
58072
58070
58068
58066
58064
58062
58060
58058
58056
58054
58050
58046
58042
58034
STRATEGIC METALS LTD.
FIGURE 18
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
TOTAL FIELD MAGNETICS
REDUCED TO POLE
HY PROPERTY
0
2 km
UTM Zone 9, NAD83, NTS 105H 01/02/07/08
FILE:../2007/HY/F_18-MAG.WOR
DATE: APRIL 2008

Interpretation of VTEM data identified four zones with weak to moderate conductance (Zones A to D on Figure 19). Zones A and B are in the vicinity of the Elsa Zone while Zone C is located about 1500 m west of the Hillside and Cirque showings of the Miko Zone. Zone D coincides with the isolated block of Earn Group sediments located about 1.5 km north of the main roof pendant.

Figure 20 summarizes Geotech's interpretation of the magnetic and electromagnetic data. Most of the "inferred magnetic dykes" are more likely magnetite- or pyrrhotite-bearing skarn zones. A few of the inferred faults coincide with mapped features but most do not. None of the VTEM conductors has been trenched or drilled so their significance is not known.

DISCUSSION AND CONCLUSIONS

The Hy property has demonstrated potential for lead-zinc-silver±copper±tungsten skarn mineralization. Although numerous well mineralized showings have been exposed by trenching, many of the trenches did not reach bedrock and none of the showings is fully delineated. Reliable soil geochemical data is only available for a small part of the property. Most diamond drilling produced disappointing results, but this could be due to poor understanding of geological controls. The 2007 geophysical surveys identified four areas with elevated conductance, none of which have been tested by drilling. Some of these electromagnetic anomalies coincide with elevated magnetics, which could indicate a sulphide assemblage within magnetite or pyrrhotite bearing skarn horizons.

The next stage of exploration should consist of additional grid soil sampling coupled with extensive excavator trenching in the vicinity of known showings and geophysical anomalies.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Sarah Eaton, B.Sc. Geology


T.N.
13.2°
24°40'
Grid North
Magnetic North
Annual change decreasing 25.4'
PROPERTY BOUNDARY
FIRST NATIONS LAND CLAIM
LFN R-131B
6,795,000 mN
6,796,000 mN
515,000 mE
525,000 mE
0.0227
0.0113
0.0088
0.0073
0.0062
0.0054
0.0046
0.0039
0.0032
0.0026
0.0020
0.0013
0.0007
0.0000
-0.0006
-0.0014
-0.0022
-0.0032
-0.0043
-0.0063
-0.0091
B-field-Response
fT/(A*m^2)
STRATEGIC METALS LTD.
FIGURE 19
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
LATE TIME B-FIELD CHANNEL IMAGE
HY PROPERTY
0
2 km
UTM Zone 9, NAD83, NTS 105H 01/02/07/08
FILE:../2007/HY/F_19-EM.WOR
DATE: MAY 2008


T.N.
13.2°
24°40'
Grid north
Magnetic north
Annual change decreasing 25.4'
PROPERTY BOUNDARY
FIRST NATIONS LAND CLAIM
LFN R-131B
6,799,000 mN
6,798,000 mN
515,000 mE
520,000 mE
525,000 mE
1.833
0.284
0.490
0.433
0.394
0.362
0.333
0.305
0.280
0.257
0.234
0.208
0.185
0.161
0.136
0.107
0.076
0.042
0.002
Tot. grad.
nT/m
Euler Solutions
Depth (m)
> 400
300 - 400
200 - 300
100 - 200
< 100
STRATEGIC METALS LTD.
FIGURE 20
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
INTERPRETED MAGNETIC AND ELECTROMAGNETIC DATA
HY PROPERTY
0
2 km
UTM Zone 9, NAD83, NTS 105H 01/02/07/08
FILE:../2007/HY/F_20-INTERP.WOR
DATE: MAY 2008

REFERENCES

Gordey, S.P., and Makepeace, A.J. (comp.)
1999 Yukon Bedrock Geology in Yukon Digital Geology Open File D3826

Ostensoe, E.A.
1965 Report of Trenching, Geological Mapping and Magnetometer Survey. Assessment Report 017454

Pigage, L.C.
2004 Bedrock Geology Compilation of the Anvil District (parts of 105K/2, 3,5,7 and 11), Central Yukon, Bulletin 15, Yukon Geological Survey

Simpson, J.C.
1969 Hyland River Mines Ltd. Geology Report 1969. Assessment Report 091171

Timmins, W.G.
1968 Report on Geology of the Elsa Claims. Fort Steele Mines Ltd. Assessment Report 092909

Trowdale, G.
1970 Diamond Drill Logs from the Glenna 7 and Lake 10 Claims by Alrae Engineering Ltd. Assessment Report 091176

Tully, D.W.
1980a. Summary Report on the Tin #1-16, Mar #8, Schee #1-12, Rieta #1-24 and Lite #1-16 Mineral Claim Group. Assessment Report 090702

1980b. Report on the Marina #1-16 Mineral Claim Group for Patmar Resources Corporation. Assessment Report 090828

1980c. Report on the 1980 Diamond Drill Program on Marg #2 claim, Marg #1-23 Mineral Claim Group. Assessment Report 090827

Vincent, J.S
1973 A Geological and Geochemical Report on the Rieta and Wo claims. Assessment Report 060144

White, G.P.E.
1968 Silver Duke Mines Ltd. (N.P.L.). Assessment Report 019125

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Sarah Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in North Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc. in Honours Geological Sciences.

2. From 2002 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia and Northwest Territories.

3. I have personally participated in the field work reported herein and have interpreted all data resulting from this work.

Sarah Eaton, B.Sc. (Hon.) Geology

APPENDIX II

CERTIFICATES OF ANALYSIS

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-DEC-2007
Account: MTT

CERTIFICATE VA07132743

Project: HY

P.O. No.:

This report is for 4 Rock samples submitted to our lab in Vancouver, BC, Canada on 12-NOV-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
Pb-VOL70	Pb by Titration
Zn-VOL50	Zn by titration

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 19-DEC-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07132743

Sample Description	Method / Analyte / Units / LOR	Pb-VOL70 Pb % 0.01	Zn-VOL50 Zn % 0.01
G087261		36.26	
G087262		28.71	
G087263		38.16	29.81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-DEC-2007
Account: MTT

CERTIFICATE VA07129844

Project: HY

P.O. No.:

This report is for 4 Rock samples submitted to our lab in Vancouver, BC, Canada on 6-NOV-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 20-DEC-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07129844

Sample Description	Method	Ag-OG62
	Analyte	Ag
	Units	ppm
	LOR	1
G087276		406
G087277		144
G087309		98
G087310		132

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6-NOV-2007
Account: MTT

CERTIFICATE VA07115076

Project: HY

P.O. No.:

This report is for 155 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 6-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115076

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC40701		0.18	0.2	2.07	18	<10	60	0.7	<2	0.43	<0.5	10	21	16	2.34	10
CC40702		0.12	<0.2	3.97	19	<10	80	1.3	4	1.01	0.7	13	32	27	2.88	10
CC40703		0.16	0.2	1.79	10	<10	60	0.7	<2	0.14	0.7	7	19	17	2.35	10
CC40704		0.14	0.2	2.55	16	<10	100	0.6	<2	0.22	0.7	7	30	17	2.99	10
CC40705		0.14	<0.2	2.60	5	<10	70	1.1	2	0.81	0.9	17	29	29	3.06	10
CC40706		0.10	0.2	2.18	11	<10	60	0.9	3	0.59	1.2	15	27	27	3.24	10
CC40707		0.20	<0.2	2.27	8	<10	60	1.0	<2	0.50	1.5	18	27	28	3.39	10
CC40708		0.10	<0.2	2.22	10	<10	60	0.8	3	0.80	0.7	7	15	15	2.68	10
CC40709		0.18	0.3	2.07	4	<10	60	0.7	2	0.71	0.7	7	17	11	1.82	10
CC40710		0.16	0.2	1.12	<2	<10	40	<0.5	3	0.12	<0.5	3	13	7	1.59	10
CC40711		0.16	<0.2	2.19	4	<10	50	0.7	2	0.66	0.7	5	15	15	2.01	10
CC40712		0.14	<0.2	2.26	5	<10	60	0.8	<2	0.62	0.5	6	15	10	1.84	10
CC40713		0.10	0.2	2.29	20	<10	50	0.6	2	0.72	0.5	8	26	12	3.04	10
CC40714		0.18	0.3	2.61	5	<10	70	0.9	3	0.54	0.7	7	19	15	2.54	10
CC40715		0.20	0.2	2.36	9	<10	50	0.9	2	0.68	1.0	9	21	14	2.60	10
CC40716		0.20	0.3	2.55	6	<10	60	1.0	<2	0.85	1.3	11	18	17	2.55	10
CC40717		0.18	<0.2	2.72	7	<10	70	1.0	3	0.72	0.9	10	17	19	2.61	10
CC40718		0.18	<0.2	2.77	11	<10	70	1.0	2	0.76	0.7	10	16	18	2.88	10
CC40719		0.20	0.2	2.33	6	<10	50	0.9	4	1.30	1.1	8	19	17	2.49	10
CC40720		0.22	0.2	2.61	10	<10	60	0.9	<2	0.91	1.1	9	22	18	2.88	10
CC40721		0.16	0.2	2.33	2	<10	60	0.8	<2	1.14	0.8	9	17	17	2.49	10
CC40722		0.10	0.2	1.65	2	<10	60	0.5	<2	0.52	0.7	7	13	9	1.99	10
CC40723		0.16	0.3	2.04	6	<10	50	0.6	3	0.34	0.8	7	19	11	2.57	10
CC40724		0.20	0.2	1.99	7	<10	40	0.6	2	0.90	0.5	5	15	10	1.66	10
CC40725		0.14	<0.2	0.27	2	<10	10	<0.5	<2	0.50	<0.5	1	2	3	0.18	<10
CC40726		0.22	0.2	2.01	26	<10	40	0.5	<2	0.82	0.6	7	20	10	2.38	10
CC40727		0.32	<0.2	1.43	2	<10	20	<0.5	3	0.29	<0.5	4	17	4	0.90	<10
CC40728		0.20	0.2	1.82	9	<10	60	<0.5	<2	0.12	<0.5	3	19	8	1.78	10
CC40729		0.20	<0.2	3.87	2	<10	80	0.8	2	0.27	0.7	6	17	10	2.93	10
CC40730		0.14	0.2	2.65	17	<10	50	1.1	2	1.02	1.2	6	25	15	1.50	10
CC40731		0.10	<0.2	0.61	<2	<10	30	<0.5	2	0.10	<0.5	2	6	4	0.88	10
CC40732		0.12	<0.2	0.81	2	<10	50	<0.5	3	0.08	<0.5	1	8	4	1.17	10
CC40733		0.12	0.3	3.29	58	<10	110	2.0	3	1.05	1.7	8	23	25	2.68	10
CC40734		0.12	<0.2	0.68	<2	<10	40	<0.5	2	0.09	<0.5	3	7	3	1.11	10
CC40735		0.10	0.2	2.06	4	<10	60	<0.5	3	0.08	<0.5	6	29	11	3.40	10
CC40736		0.20	<0.2	0.56	3	<10	30	<0.5	<2	0.04	<0.5	1	4	2	0.22	10
CC40737		0.16	0.2	0.26	<2	<10	20	<0.5	2	0.03	<0.5	1	2	1	0.25	<10
CC40738		0.10	<0.2	1.90	2	<10	70	<0.5	3	0.12	<0.5	5	15	9	2.68	10
CC40739		0.16	0.2	1.99	3	<10	50	<0.5	3	0.13	<0.5	5	17	8	1.81	10
CC40740		0.16	0.2	0.85	3	<10	50	<0.5	<2	0.15	<0.5	3	15	6	1.22	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115076

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC40701		<1	0.07	20	0.84	273	1	0.01	20	430	20	0.03	<2	2	32	<20
CC40702		1	0.14	10	1.37	446	2	0.02	29	680	29	0.05	<2	3	53	<20
CC40703		<1	0.07	20	0.83	271	2	<0.01	19	470	31	0.02	<2	2	12	<20
CC40704		1	0.10	20	1.25	270	2	<0.01	26	480	31	0.02	<2	3	20	<20
CC40705		1	0.11	20	1.33	349	2	0.03	39	680	39	0.04	4	3	43	<20
CC40706		<1	0.10	20	1.04	332	2	0.02	35	530	40	0.01	<2	3	41	<20
CC40707		1	0.11	20	1.10	400	2	0.02	37	710	47	0.01	<2	3	35	<20
CC40708		1	0.12	30	0.81	408	1	0.03	13	490	49	0.01	<2	4	44	<20
CC40709		1	0.10	20	1.05	354	1	0.01	12	600	43	0.04	<2	2	33	<20
CC40710		1	0.07	10	0.41	152	1	<0.01	7	620	43	0.04	<2	<1	9	<20
CC40711		<1	0.18	20	0.91	340	1	0.03	12	600	40	<0.01	<2	4	45	<20
CC40712		<1	0.09	20	0.84	289	2	0.02	13	590	33	0.05	<2	2	33	<20
CC40713		1	0.17	20	1.01	449	2	0.03	19	530	37	0.02	2	4	39	<20
CC40714		2	0.12	20	0.84	348	1	0.01	15	830	50	0.04	3	2	40	<20
CC40715		<1	0.17	20	0.88	405	2	0.02	19	670	41	0.04	<2	3	46	<20
CC40716		1	0.16	20	0.83	455	1	0.02	17	790	59	0.05	<2	3	46	<20
CC40717		<1	0.12	30	0.85	471	1	0.03	17	740	56	0.03	<2	3	53	<20
CC40718		<1	0.12	30	0.91	517	1	0.02	14	750	67	0.03	<2	3	50	<20
CC40719		<1	0.15	20	0.83	406	2	0.04	13	770	42	0.04	3	3	57	<20
CC40720		2	0.20	30	1.00	463	2	0.04	17	690	43	0.02	<2	4	54	<20
CC40721		1	0.15	20	0.84	440	1	0.03	16	710	45	0.03	<2	3	54	<20
CC40722		<1	0.10	20	0.53	687	1	0.01	9	770	20	0.06	<2	1	30	<20
CC40723		<1	0.13	20	0.72	387	1	0.01	13	880	27	0.08	<2	2	26	<20
CC40724		<1	0.08	10	0.55	212	1	0.03	10	500	28	0.07	<2	2	34	<20
CC40725		<1	0.02	<10	0.01	26	<1	0.02	3	220	3	0.01	<2	<1	12	<20
CC40726		<1	0.10	20	0.84	325	1	<0.01	24	350	25	0.03	<2	3	21	<20
CC40727		1	0.10	10	1.38	94	1	<0.01	11	250	14	<0.01	<2	2	9	<20
CC40728		<1	0.06	10	0.98	123	1	<0.01	11	380	30	0.02	<2	1	10	<20
CC40729		<1	0.08	20	0.60	289	2	<0.01	13	710	35	0.03	<2	3	17	<20
CC40730		2	0.11	20	1.94	271	2	0.02	16	870	51	0.11	<2	2	28	<20
CC40731		<1	0.05	10	0.15	76	1	<0.01	6	220	19	0.01	<2	1	9	<20
CC40732		1	0.04	10	0.11	68	2	<0.01	5	210	25	0.01	<2	1	9	<20
CC40733		1	0.10	30	1.04	565	3	0.01	24	1700	76	0.14	<2	2	34	<20
CC40734		1	0.04	10	0.10	61	3	<0.01	4	230	18	0.01	<2	1	8	<20
CC40735		2	0.09	20	0.54	307	3	<0.01	16	580	20	0.04	<2	1	11	<20
CC40736		1	0.04	10	0.03	25	1	<0.01	1	190	30	<0.01	<2	<1	7	<20
CC40737		<1	0.03	<10	0.02	14	<1	0.01	3	410	8	0.02	<2	<1	6	<20
CC40738		<1	0.07	20	0.44	232	1	<0.01	12	480	24	0.02	<2	2	12	<20
CC40739		1	0.07	20	0.37	153	2	<0.01	11	510	25	0.03	<2	1	11	<20
CC40740		1	0.08	10	0.26	96	3	<0.01	11	560	17	0.03	<2	1	13	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 6-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115076

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC40701		0.06	<10	<10	44	<10	58
CC40702		0.08	10	<10	53	<10	86
CC40703		0.04	<10	<10	45	<10	85
CC40704		0.06	<10	<10	65	<10	93
CC40705		0.05	<10	<10	57	<10	142
CC40706		0.06	<10	<10	48	<10	123
CC40707		0.06	<10	<10	54	<10	148
CC40708		0.09	<10	<10	60	<10	87
CC40709		0.05	<10	<10	40	<10	57
CC40710		0.04	<10	<10	41	<10	40
CC40711		0.10	<10	<10	47	<10	72
CC40712		0.06	<10	<10	48	<10	64
CC40713		0.10	<10	<10	58	<10	81
CC40714		0.07	10	<10	55	<10	92
CC40715		0.08	<10	<10	53	<10	90
CC40716		0.07	<10	<10	52	<10	99
CC40717		0.08	<10	<10	54	<10	103
CC40718		0.08	<10	<10	60	<10	100
CC40719		0.08	10	<10	51	<10	87
CC40720		0.10	<10	<10	58	<10	95
CC40721		0.08	<10	<10	51	<10	86
CC40722		0.04	<10	<10	40	<10	69
CC40723		0.06	<10	<10	51	<10	63
CC40724		0.06	<10	10	38	<10	58
CC40725		0.01	<10	10	6	<10	9
CC40726		0.07	<10	10	64	<10	133
CC40727		0.08	<10	<10	21	<10	19
CC40728		0.07	<10	<10	40	<10	56
CC40729		0.09	<10	<10	49	<10	65
CC40730		0.04	<10	10	46	<10	104
CC40731		0.09	<10	<10	33	<10	17
CC40732		0.09	<10	<10	48	<10	19
CC40733		0.04	<10	10	67	<10	178
CC40734		0.09	<10	<10	41	<10	16
CC40735		0.09	<10	<10	71	<10	50
CC40736		0.04	<10	<10	16	<10	9
CC40737		0.01	<10	<10	9	<10	4
CC40738		0.09	<10	<10	49	<10	49
CC40739		0.11	<10	<10	55	<10	37
CC40740		0.07	<10	<10	34	<10	26

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115076

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC40741		0.24	0.2	1.33	5	<10	60	<0.5	2	0.05	<0.5	2	11	6	1.17	10
CC40742		0.18	0.6	3.08	46	<10	210	1.7	2	0.50	0.6	9	14	18	2.42	10
CC40743		0.42	0.2	2.43	12	<10	50	1.0	<2	0.48	<0.5	10	17	21	2.60	10
CC40751		0.22	<0.2	2.57	13	<10	50	0.8	<2	0.94	0.8	4	28	10	1.38	10
CC40752		0.24	<0.2	2.28	8	<10	60	<0.5	<2	0.26	1.0	4	27	7	1.21	10
CC40753		0.18	<0.2	0.73	4	<10	30	<0.5	<2	0.52	0.6	2	6	5	0.59	<10
CC40754		0.24	<0.2	3.18	6	<10	70	0.6	<2	0.60	0.8	4	29	7	1.02	10
CC40755		0.22	<0.2	2.25	9	<10	60	0.5	<2	0.15	0.5	3	24	7	1.57	10
CC40756		0.20	0.2	2.34	8	<10	70	0.5	<2	0.22	<0.5	3	27	8	1.36	10
CC40757		0.26	<0.2	1.59	6	<10	20	<0.5	<2	0.20	<0.5	2	23	4	0.79	10
CC40758		0.20	0.2	2.74	12	<10	50	0.8	3	0.87	0.6	6	21	10	1.72	10
CC40759		0.24	<0.2	1.81	17	<10	70	<0.5	<2	0.16	<0.5	5	21	9	2.36	10
CC40760		0.22	<0.2	2.28	5	<10	20	0.7	<2	0.37	0.6	3	28	6	0.86	10
CC40761		0.24	<0.2	2.25	<2	<10	50	0.7	<2	0.24	0.7	4	28	7	1.01	10
CC40762		0.20	<0.2	0.33	3	<10	10	<0.5	<2	0.04	<0.5	<1	4	1	0.20	<10
CC40763		0.20	<0.2	0.59	7	<10	30	<0.5	<2	0.06	<0.5	1	8	2	0.71	<10
CC40764		0.26	<0.2	2.24	15	<10	80	0.5	<2	0.22	<0.5	6	22	8	3.40	10
CC40765		0.18	0.3	0.79	5	<10	40	<0.5	<2	0.14	1.0	2	7	4	0.75	<10
CC40766		0.34	0.5	3.53	8	<10	60	0.9	3	0.80	2.6	3	20	11	1.07	10
CC40767		0.24	0.2	1.66	15	<10	60	<0.5	<2	0.06	<0.5	4	17	6	1.77	10
CC40768		0.24	<0.2	1.24	11	<10	70	<0.5	2	0.08	<0.5	3	12	7	1.77	10
CC40769		0.24	0.2	2.82	7	<10	70	0.9	<2	0.75	1.3	6	32	10	1.21	10
CC40770		0.22	<0.2	1.27	6	<10	40	<0.5	<2	0.04	<0.5	2	12	5	1.20	10
CC40771		0.24	<0.2	2.22	10	<10	70	0.5	<2	0.20	0.5	2	12	8	2.13	10
CC40772		0.26	<0.2	1.62	5	<10	60	<0.5	<2	0.08	0.5	3	17	11	3.85	10
CC40773		0.20	<0.2	2.41	17	<10	140	0.8	<2	0.66	1.0	6	23	17	2.49	10
CC40774		0.24	<0.2	2.48	6	<10	400	0.8	<2	0.90	0.9	5	18	11	1.17	10
CC40775		0.26	<0.2	2.65	6	<10	230	0.8	<2	0.94	0.9	4	13	6	1.24	10
CC40776		0.20	<0.2	1.95	8	<10	100	0.5	<2	0.55	<0.5	3	10	5	0.97	10
CC40777		0.22	<0.2	4.17	7	<10	110	1.2	<2	1.00	0.9	8	14	16	2.56	10
CC40778		0.30	<0.2	4.05	36	<10	80	1.5	2	0.80	0.8	11	15	22	2.72	10
CC40779		0.20	<0.2	0.87	7	<10	60	<0.5	<2	0.08	<0.5	1	9	7	1.61	10
CC40780		0.22	0.2	1.15	8	<10	70	<0.5	<2	0.06	<0.5	2	18	8	1.58	10
CC40781		0.22	0.2	3.67	8	<10	140	0.9	2	0.22	0.6	6	29	24	2.61	10
CC40782		0.34	<0.2	3.82	13	<10	60	1.2	<2	0.84	0.7	7	15	19	2.13	10
CC40783		0.20	0.2	1.71	4	<10	50	0.7	<2	0.16	0.8	5	19	11	1.41	10
CC40784		0.24	0.2	3.64	23	<10	100	1.9	<2	0.27	1.3	9	27	26	2.51	10
CC40785		0.24	<0.2	0.38	4	<10	10	<0.5	<2	0.05	<0.5	1	3	3	0.53	<10
CC40786		0.26	0.3	5.21	18	<10	190	2.0	<2	0.88	1.5	11	53	39	3.27	20
CC40787		0.30	0.3	2.85	17	<10	190	1.0	3	0.25	0.9	7	28	25	2.61	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115076

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC40741		<1	0.03	20	0.18	45	2	<0.01	6	340	54	0.02	<2	1	9	<20
CC40742		<1	0.07	20	0.40	553	5	0.01	18	1830	61	0.20	<2	1	33	<20
CC40743		1	0.13	30	0.85	376	2	0.01	18	630	37	0.01	<2	4	47	<20
CC40751		<1	0.06	10	2.08	395	1	0.02	15	820	35	0.05	<2	2	21	<20
CC40752		<1	0.06	10	2.02	302	2	0.01	12	330	36	0.02	<2	1	12	<20
CC40753		<1	0.03	<10	0.30	152	1	0.03	4	640	13	0.05	<2	<1	14	<20
CC40754		<1	0.12	10	2.54	206	1	0.02	18	520	64	0.02	<2	2	18	<20
CC40755		<1	0.07	10	1.58	187	1	0.01	14	560	39	0.02	3	1	9	<20
CC40756		<1	0.07	10	1.93	147	1	0.01	15	530	31	0.01	<2	2	12	<20
CC40757		<1	0.08	10	1.71	88	1	0.02	8	350	18	<0.01	<2	2	9	<20
CC40758		<1	0.10	10	1.71	329	1	0.02	18	620	49	0.03	2	2	20	<20
CC40759		<1	0.08	20	1.13	243	2	0.01	17	360	21	0.01	<2	1	11	<20
CC40760		<1	0.12	10	2.20	128	1	0.05	12	380	20	0.01	<2	3	13	<20
CC40761		<1	0.05	10	2.08	223	1	0.02	12	430	37	0.02	2	2	12	<20
CC40762		<1	0.02	<10	0.26	21	1	0.02	3	260	3	0.01	<2	<1	6	<20
CC40763		<1	0.05	10	0.20	115	1	0.01	5	420	10	0.01	<2	<1	7	<20
CC40764		<1	0.08	20	0.68	332	2	0.01	17	1270	26	0.05	<2	1	10	<20
CC40765		1	0.03	<10	0.35	456	1	0.02	5	640	55	0.05	<2	<1	10	<20
CC40766		<1	0.06	10	2.02	225	1	0.02	18	970	219	0.05	<2	1	35	<20
CC40767		<1	0.06	20	0.45	239	2	0.01	12	660	21	0.04	2	<1	9	<20
CC40768		<1	0.05	10	0.27	195	3	0.01	8	460	35	0.03	<2	1	14	<20
CC40769		<1	0.05	10	3.61	315	1	0.02	20	800	116	0.05	<2	2	21	<20
CC40770		<1	0.03	10	0.22	90	2	0.01	8	460	21	0.03	<2	<1	9	<20
CC40771		<1	0.03	10	0.31	155	3	0.01	9	580	24	0.05	2	1	19	<20
CC40772		<1	0.07	10	0.39	292	3	0.01	12	470	20	0.04	<2	1	12	<20
CC40773		<1	0.08	10	1.40	308	3	0.02	23	700	71	0.06	<2	2	27	<20
CC40774		<1	0.05	10	3.23	176	1	0.02	17	870	69	0.05	2	1	21	<20
CC40775		<1	0.07	10	2.66	349	1	0.01	8	1010	33	0.07	3	2	38	<20
CC40776		1	0.05	10	1.68	286	1	0.02	4	920	24	0.07	<2	1	30	<20
CC40777		<1	0.08	20	0.87	541	3	0.03	14	900	51	0.05	<2	2	72	<20
CC40778		<1	0.12	20	0.76	605	2	0.02	22	830	57	0.02	<2	4	66	<20
CC40779		<1	0.04	10	0.14	181	3	0.01	4	330	28	0.03	<2	1	14	<20
CC40780		<1	0.06	10	0.30	189	2	0.01	8	520	30	0.05	<2	1	12	<20
CC40781		<1	0.12	20	0.85	285	3	0.02	23	770	71	0.05	4	3	24	<20
CC40782		<1	0.19	20	0.80	459	<1	0.03	10	570	40	0.01	<2	5	67	<20
CC40783		<1	0.05	10	0.42	301	1	0.02	9	1140	26	0.13	2	<1	15	<20
CC40784		<1	0.09	20	0.80	526	2	0.01	24	980	136	0.11	<2	2	23	<20
CC40785		<1	0.03	<10	0.06	192	<1	0.02	1	330	8	0.03	<2	<1	8	<20
CC40786		<1	0.21	10	1.38	488	1	0.07	28	1050	144	0.10	<2	5	81	<20
CC40787		<1	0.08	10	0.67	298	3	0.01	25	970	142	0.09	2	1	35	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 6-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115076

Method / Analyte / Units / LOR / Sample Description	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC40741	0.07	10	<10	43	<10	22
CC40742	0.02	<10	<10	68	<10	74
CC40743	0.10	<10	<10	57	<10	82
CC40751	0.05	<10	<10	54	<10	73
CC40752	0.08	<10	<10	38	<10	69
CC40753	0.02	<10	<10	15	<10	28
CC40754	0.09	<10	<10	44	<10	114
CC40755	0.05	<10	<10	48	<10	77
CC40756	0.07	<10	<10	42	<10	60
CC40757	0.08	<10	<10	24	<10	26
CC40758	0.07	<10	<10	50	<10	85
CC40759	0.07	<10	<10	63	<10	74
CC40760	0.08	<10	<10	27	<10	28
CC40761	0.06	<10	<10	34	<10	50
CC40762	0.01	<10	<10	6	<10	5
CC40763	0.02	<10	<10	22	<10	23
CC40764	0.03	<10	<10	48	<10	96
CC40765	0.02	<10	<10	23	<10	45
CC40766	0.05	<10	<10	57	<10	323
CC40767	0.03	<10	<10	39	<10	53
CC40768	0.06	<10	<10	54	<10	46
CC40769	0.05	<10	<10	30	<10	100
CC40770	0.04	<10	<10	35	<10	29
CC40771	0.06	10	<10	41	<10	48
CC40772	0.13	<10	<10	80	<10	58
CC40773	0.06	<10	<10	82	<10	167
CC40774	0.03	<10	<10	29	<10	102
CC40775	0.03	<10	<10	26	<10	64
CC40776	0.03	<10	<10	21	<10	34
CC40777	0.05	<10	20	74	<10	109
CC40778	0.06	10	10	64	<10	125
CC40779	0.13	<10	<10	69	<10	37
CC40780	0.08	<10	<10	65	<10	48
CC40781	0.12	<10	<10	95	<10	164
CC40782	0.13	<10	10	50	<10	68
CC40783	0.03	<10	<10	37	<10	65
CC40784	0.07	10	<10	69	<10	135
CC40785	0.03	<10	<10	12	<10	12
CC40786	0.15	<10	<10	101	<10	169
CC40787	0.07	<10	<10	93	<10	183

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 6-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115076

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC40788		0.44	0.2	4.02	13	<10	430	1.3	3	0.56	1.3	12	29	49	3.11	10
CC40789		0.30	<0.2	4.36	11	<10	60	1.2	<2	1.20	0.5	4	36	7	1.07	10
CC40790		0.30	<0.2	4.60	11	<10	60	1.0	<2	0.57	0.9	11	57	16	1.83	10
CC40791		0.24	<0.2	4.09	8	<10	80	1.2	<2	1.52	1.5	4	34	9	1.11	10
CC40792		0.24	0.5	3.03	7	<10	100	1.0	2	0.32	0.7	4	36	24	1.51	10
CC40793		0.30	0.9	3.78	14	<10	240	1.5	2	0.90	2.6	10	47	64	3.39	10
CC40794		0.36	0.5	2.46	9	<10	100	0.8	<2	0.23	1.2	3	26	25	1.42	10
CC40795		0.22	0.4	0.85	4	<10	50	<0.5	<2	0.06	0.5	1	8	6	0.50	<10
CC40796		0.24	0.7	1.12	4	<10	100	<0.5	3	0.05	0.6	2	13	8	1.28	10
CC40797		0.24	0.3	0.88	2	<10	110	<0.5	2	0.12	<0.5	1	11	8	0.89	10
CC40798		0.28	0.2	2.16	8	<10	60	0.8	<2	0.15	0.6	4	15	14	1.42	10
CC40799		0.24	<0.2	1.45	9	<10	60	<0.5	2	0.05	<0.5	4	23	9	3.04	10
CC40800		0.24	0.2	0.43	2	<10	20	<0.5	<2	0.03	<0.5	<1	5	2	0.39	<10
CC40801		0.26	0.5	3.92	12	<10	90	1.8	<2	0.25	1.8	15	32	41	3.53	10
CC40802		0.24	0.3	2.30	22	<10	40	1.1	<2	1.44	1.0	7	22	32	2.00	10
CC40803		0.22	0.3	0.48	4	<10	20	<0.5	<2	0.03	<0.5	1	4	3	0.37	<10
CC40804		0.30	0.4	2.02	6	<10	120	0.8	<2	0.35	0.5	5	22	10	2.09	10
CC40805		0.30	0.2	2.16	24	<10	40	1.0	<2	0.89	1.2	5	23	24	1.67	10
CC40806		0.28	<0.2	2.37	21	<10	70	1.0	<2	0.97	0.8	6	29	13	2.58	10
CC40807		0.32	0.2	3.74	26	<10	60	1.6	2	0.58	0.8	9	37	32	2.88	10
CC40808		0.24	<0.2	0.91	5	<10	40	<0.5	<2	0.05	<0.5	2	15	5	1.22	10
CC40809		0.16	<0.2	0.85	9	<10	50	<0.5	<2	0.06	<0.5	2	14	6	1.39	10
CC40810		0.18	0.2	2.92	3	<10	90	0.8	2	0.17	0.9	5	28	13	2.61	10
CC40811		0.40	<0.2	3.86	9	<10	90	1.1	2	0.28	0.6	7	26	20	2.33	10
CC40812		0.32	<0.2	2.67	3	<10	60	0.8	2	0.22	0.9	7	34	11	3.40	10
CC40813		0.34	0.2	0.76	<2	<10	20	<0.5	<2	0.25	0.5	1	9	5	0.56	<10
CC40901		0.26	0.2	3.34	5	<10	70	1.0	<2	1.13	3.7	3	39	12	0.93	10
CC40902		0.30	<0.2	4.11	4	<10	70	1.2	<2	1.07	1.7	3	39	11	1.07	10
CC40903		0.32	<0.2	2.95	13	<10	90	0.6	<2	0.15	0.9	3	41	13	1.61	10
CC40904		0.32	<0.2	0.66	8	<10	80	<0.5	2	0.07	<0.5	2	10	10	1.94	<10
CC40905		0.32	0.4	2.20	8	<10	120	0.8	<2	0.21	1.5	2	27	20	1.43	10
CC40906		0.36	0.8	2.25	10	<10	90	0.9	2	0.51	2.5	6	26	44	1.63	10
CC40907		0.30	0.2	3.23	3	<10	100	1.1	<2	0.15	1.0	8	32	17	2.98	10
CC40908		0.36	<0.2	4.10	11	<10	130	1.3	<2	0.44	1.1	16	33	37	3.70	10
CC40909		0.26	<0.2	3.01	10	<10	90	1.0	<2	0.20	0.9	9	30	24	2.37	10
CC40910		0.28	<0.2	3.30	5	<10	100	1.1	<2	0.24	0.8	9	33	27	2.56	10
CC40911		0.26	<0.2	1.94	8	<10	70	<0.5	2	0.06	0.6	4	31	13	3.09	10
CC40912		0.30	0.3	1.53	5	<10	50	<0.5	2	0.08	0.7	4	14	11	1.20	10
CC40913		0.32	0.3	1.32	5	<10	50	<0.5	2	0.03	<0.5	5	16	12	2.27	10
CC40914		0.34	0.3	1.57	10	<10	60	<0.5	<2	0.04	0.6	5	24	10	3.04	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6-NOV-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07115076

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC40788		<1	0.15	20	0.97	370	3	0.02	36	1100	299	0.10	<2	3	84	<20
CC40789		<1	0.22	10	3.43	195	1	0.11	13	160	33	<0.01	<2	4	24	<20
CC40790		1	0.16	10	3.71	280	1	0.01	39	550	33	0.02	<2	4	13	<20
CC40791		<1	0.15	10	3.76	166	1	0.11	21	400	31	<0.01	<2	4	42	<20
CC40792		<1	0.08	10	2.54	299	7	0.01	35	660	34	0.02	2	2	19	<20
CC40793		<1	0.19	10	2.31	332	6	0.05	52	1350	50	0.01	<2	5	68	<20
CC40794		<1	0.10	10	1.74	206	6	0.01	31	830	146	0.01	<2	2	17	<20
CC40795		<1	0.03	<10	0.42	59	1	0.02	7	690	72	0.03	<2	<1	8	<20
CC40796		<1	0.04	10	0.27	114	3	<0.01	9	440	75	0.02	<2	<1	14	<20
CC40797		<1	0.04	10	0.33	84	3	<0.01	8	610	47	0.03	<2	<1	18	<20
CC40798		1	0.07	10	0.56	139	1	0.02	13	830	35	0.04	<2	1	14	<20
CC40799		<1	0.10	10	0.62	206	2	<0.01	12	460	30	0.02	<2	1	8	<20
CC40800		<1	0.03	<10	0.09	29	<1	0.01	2	440	9	0.01	<2	<1	5	<20
CC40801		1	0.21	20	1.60	698	3	0.01	32	1030	116	0.03	<2	3	22	<20
CC40802		<1	0.11	10	0.88	491	2	0.02	19	1120	51	0.12	<2	1	61	<20
CC40803		<1	0.02	<10	0.08	30	1	0.01	2	560	8	0.01	2	<1	5	<20
CC40804		1	0.07	10	0.90	303	2	0.01	19	1880	14	0.08	<2	1	21	<20
CC40805		<1	0.10	10	0.77	278	1	0.02	16	1460	36	0.15	<2	2	38	<20
CC40806		<1	0.07	10	0.67	581	1	0.01	16	2000	26	0.16	<2	1	40	<20
CC40807		<1	0.21	20	1.33	311	1	0.02	25	750	47	0.03	2	4	29	<20
CC40808		<1	0.05	10	0.30	70	1	0.01	7	320	14	<0.01	2	1	7	<20
CC40809		<1	0.05	10	0.25	59	2	0.01	8	300	19	<0.01	2	1	9	<20
CC40810		<1	0.09	10	0.73	223	2	0.01	19	580	53	0.01	<2	3	14	<20
CC40811		<1	0.15	20	0.77	419	1	0.01	18	1060	64	0.01	6	3	21	<20
CC40812		<1	0.10	20	0.82	220	1	0.01	18	590	36	0.05	<2	2	17	<20
CC40813		<1	0.03	10	0.50	57	1	0.02	6	510	10	0.02	<2	1	11	<20
CC40901		<1	0.13	<10	2.69	224	1	0.06	28	340	143	<0.01	2	3	30	<20
CC40902		<1	0.13	<10	3.13	239	1	0.05	21	370	171	<0.01	<2	3	22	<20
CC40903		<1	0.08	10	2.47	149	3	<0.01	27	420	61	0.01	2	2	10	<20
CC40904		<1	0.05	10	0.10	143	3	0.01	7	790	20	0.06	<2	<1	13	<20
CC40905		<1	0.08	10	1.56	158	4	<0.01	28	760	249	0.03	<2	1	16	<20
CC40906		<1	0.11	10	1.84	236	5	0.01	34	560	267	<0.01	2	3	28	<20
CC40907		<1	0.11	10	1.12	359	2	<0.01	22	620	84	0.03	<2	2	13	<20
CC40908		<1	0.48	10	2.24	530	2	0.03	30	560	75	<0.01	2	6	41	<20
CC40909		<1	0.16	10	1.54	336	2	0.01	25	660	74	0.02	<2	3	17	<20
CC40910		<1	0.18	10	1.65	355	3	0.01	27	710	85	0.05	2	3	19	<20
CC40911		<1	0.13	10	0.83	268	3	<0.01	17	410	37	0.04	<2	2	10	<20
CC40912		<1	0.05	10	0.37	422	2	0.01	9	740	26	0.07	<2	<1	9	<20
CC40913		<1	0.09	10	0.70	141	2	0.01	15	590	17	0.04	<2	<1	5	<20
CC40914		<1	0.08	10	0.86	217	3	<0.01	15	570	25	0.05	<2	1	7	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 6-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115076

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC40788		0.09	<10	<10	82	<10	403
CC40789		0.09	<10	<10	35	<10	31
CC40790		0.10	10	<10	58	<10	47
CC40791		0.10	<10	<10	149	<10	142
CC40792		0.07	<10	<10	313	<10	100
CC40793		0.13	<10	<10	274	<10	319
CC40794		0.08	<10	<10	149	<10	206
CC40795		0.02	<10	<10	31	<10	61
CC40796		0.05	<10	<10	64	<10	65
CC40797		0.02	<10	<10	41	<10	72
CC40798		0.05	<10	<10	43	<10	51
CC40799		0.11	<10	<10	80	<10	53
CC40800		0.01	<10	<10	12	<10	10
CC40801		0.09	<10	<10	85	<10	184
CC40802		0.04	<10	20	61	<10	83
CC40803		0.01	<10	<10	11	<10	9
CC40804		0.01	<10	<10	50	<10	88
CC40805		0.04	<10	20	56	<10	103
CC40806		0.04	<10	20	81	<10	133
CC40807		0.11	<10	10	81	<10	98
CC40808		0.07	<10	<10	57	<10	27
CC40809		0.11	<10	<10	84	<10	29
CC40810		0.12	<10	<10	105	<10	88
CC40811		0.11	<10	<10	63	<10	106
CC40812		0.12	<10	<10	75	<10	102
CC40813		0.02	<10	<10	15	<10	18
CC40901		0.08	<10	<10	248	<10	353
CC40902		0.08	<10	<10	110	<10	216
CC40903		0.08	<10	<10	245	<10	193
CC40904		0.02	<10	<10	40	<10	56
CC40905		0.05	<10	<10	144	<10	247
CC40906		0.12	<10	<10	123	<10	468
CC40907		0.10	10	<10	91	<10	159
CC40908		0.13	<10	<10	72	<10	124
CC40909		0.10	<10	<10	73	<10	144
CC40910		0.12	<10	<10	80	<10	157
CC40911		0.13	<10	<10	63	<10	70
CC40912		0.03	<10	<10	41	<10	58
CC40913		0.03	<10	<10	47	<10	43
CC40914		0.05	<10	<10	92	<10	80

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 6-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115076

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC40915		0.34	0.2	1.92	10	<10	60	0.6	2	0.05	0.5	9	22	20	3.05	10
CC40916		0.30	0.2	1.37	8	<10	90	<0.5	2	0.36	<0.5	3	12	7	1.59	10
CC40917		0.26	<0.2	2.02	12	<10	70	0.9	<2	0.58	1.1	10	24	33	2.97	10
CC40918		0.26	0.3	1.90	6	<10	90	0.8	<2	1.05	1.2	6	25	18	2.21	<10
CC40919		0.34	0.2	2.14	15	<10	50	1.1	<2	0.89	2.5	8	40	41	2.52	10
CC40920		0.32	<0.2	2.85	12	<10	50	0.9	<2	0.63	0.7	6	24	16	1.90	10
CC40921		0.32	0.2	2.88	10	<10	70	0.5	<2	0.19	0.5	6	32	16	3.17	10
CC40922		0.30	<0.2	1.31	4	<10	60	<0.5	<2	1.01	<0.5	2	11	7	0.89	<10
CC40923		0.48	<0.2	2.69	10	<10	50	1.0	<2	0.53	1.2	6	34	17	1.86	10
CC40924		0.32	<0.2	2.79	2	<10	50	1.0	<2	1.10	0.6	6	20	15	1.59	10
CC40951		0.26	1.4	3.94	15	<10	110	1.4	2	1.43	7.3	5	47	36	1.44	10
CC40952		0.24	0.2	1.94	22	<10	100	1.0	<2	0.42	2.5	3	27	35	3.27	10
CC40953		0.28	0.3	4.22	2	<10	80	1.1	<2	0.98	3.6	4	45	14	1.24	10
CC40954		0.24	0.2	0.50	9	<10	120	<0.5	<2	0.10	0.6	5	7	5	0.68	<10
CC40955		0.32	2.7	2.73	10	<10	130	1.1	6	0.21	2.3	10	25	94	2.80	10
CC40956		0.34	0.2	0.97	7	<10	80	<0.5	<2	0.06	<0.5	3	15	16	1.87	10
CC40957		0.28	<0.2	2.41	4	<10	110	0.5	<2	0.09	0.7	5	32	16	2.39	10
CC40958		0.40	0.3	1.51	11	<10	100	<0.5	<2	0.05	<0.5	4	22	11	1.95	10
CC40959		0.24	0.8	1.51	25	<10	100	1.1	<2	0.55	5.9	7	23	55	2.58	<10
CC40960		0.32	2.1	1.00	42	<10	90	1.1	<2	0.20	5.7	12	18	78	3.23	<10
CC40961		0.20	0.2	2.50	18	<10	140	1.0	2	0.32	0.8	15	31	58	4.19	10
CC40962		0.34	<0.2	1.91	11	<10	50	0.6	<2	0.08	0.6	10	20	18	2.76	10
CC40963		0.32	0.5	1.67	16	<10	60	1.2	<2	0.53	1.6	3	24	22	1.38	<10
CC40964		0.44	0.2	1.64	5	<10	20	0.9	<2	0.50	0.5	6	21	10	1.20	<10
CC40965		0.38	<0.2	1.54	7	<10	30	1.0	<2	0.62	<0.5	7	23	12	1.17	<10
CC40966		0.42	<0.2	1.11	12	<10	50	0.6	<2	0.29	<0.5	5	17	8	1.30	<10
CC40967		0.16	<0.2	1.35	6	<10	20	0.8	<2	0.41	<0.5	4	20	6	1.01	<10
CC40968		0.34	<0.2	1.55	3	<10	40	0.9	<2	0.40	<0.5	5	19	8	1.46	<10
CC40969		0.40	<0.2	1.76	10	<10	60	1.0	<2	0.48	0.5	12	106	15	1.61	<10
CC40970		0.40	<0.2	1.55	9	<10	40	0.8	<2	0.40	<0.5	9	39	13	1.57	<10
CC40971		0.42	<0.2	1.08	5	<10	30	0.7	<2	0.45	<0.5	8	36	9	1.27	<10
CC40972		0.46	<0.2	1.33	7	<10	50	0.8	<2	0.52	<0.5	11	58	10	1.80	<10
CC40973		0.48	<0.2	1.12	<2	<10	30	0.6	<2	0.26	<0.5	12	45	13	1.74	<10
CC40974		0.44	<0.2	1.25	<2	<10	40	0.7	<2	0.45	<0.5	9	29	13	1.67	<10
CC40975		0.44	<0.2	1.36	<2	<10	40	0.7	<2	0.36	<0.5	11	33	14	1.97	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115076

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC40915		<1	0.13	20	1.08	334	3	0.01	23	670	23	0.03	<2	1	6	<20
CC40916		<1	0.07	10	0.51	208	1	0.01	11	860	9	0.06	<2	<1	15	<20
CC40917		<1	0.13	20	1.39	339	4	0.01	35	1170	29	0.06	<2	1	19	<20
CC40918		<1	0.11	20	1.68	336	4	0.01	24	1890	23	0.12	<2	1	27	<20
CC40919		<1	0.12	20	1.09	252	2	0.02	30	1200	36	0.10	3	3	33	<20
CC40920		<1	0.09	10	0.72	264	2	0.01	23	1010	43	0.08	<2	2	32	<20
CC40921		<1	0.09	20	0.85	251	3	<0.01	19	630	41	0.05	2	2	13	<20
CC40922		<1	0.04	10	0.26	212	1	0.02	7	540	22	0.09	<2	1	24	<20
CC40923		<1	0.13	20	1.41	175	1	0.02	25	480	49	0.05	<2	4	19	<20
CC40924		<1	0.11	10	0.67	262	1	0.02	14	940	57	0.07	<2	1	30	<20
CC40951		<1	0.11	10	4.04	217	3	0.02	64	1730	451	0.04	<2	3	35	<20
CC40952		<1	0.08	20	1.28	182	5	0.01	27	980	68	0.11	2	1	30	<20
CC40953		<1	0.09	10	3.65	346	2	0.05	23	560	238	0.04	<2	3	23	<20
CC40954		<1	0.06	<10	0.21	870	2	0.01	5	840	52	0.07	<2	<1	11	<20
CC40955		<1	0.22	10	1.23	589	6	0.01	36	970	684	0.07	3	1	31	<20
CC40956		<1	0.09	10	0.43	176	6	<0.01	19	820	78	0.06	3	<1	14	<20
CC40957		<1	0.10	10	1.28	249	3	<0.01	23	480	67	0.04	<2	1	12	<20
CC40958		<1	0.08	10	0.58	147	4	<0.01	15	530	54	0.04	<2	1	11	<20
CC40959		<1	0.14	20	2.17	371	35	<0.01	101	1560	60	0.02	9	5	21	<20
CC40960		<1	0.29	30	0.95	233	31	<0.01	113	310	72	0.03	14	4	15	<20
CC40961		<1	0.16	20	1.48	358	6	<0.01	65	1290	43	0.04	<2	2	16	<20
CC40962		<1	0.11	20	1.42	316	3	0.01	20	620	17	0.04	<2	1	6	<20
CC40963		<1	0.12	20	2.25	116	8	0.01	39	900	27	0.05	<2	2	13	<20
CC40964		<1	0.12	20	2.74	347	2	<0.01	18	440	19	0.03	2	5	6	<20
CC40965		<1	0.11	20	2.56	269	2	0.01	20	480	27	0.03	2	4	8	<20
CC40966		<1	0.08	20	1.40	314	5	<0.01	16	490	18	0.03	2	1	6	<20
CC40967		<1	0.09	20	2.23	230	1	0.01	14	440	21	0.02	<2	3	5	<20
CC40968		<1	0.09	20	2.29	424	2	0.01	17	470	29	0.04	<2	3	7	<20
CC40969		<1	0.11	20	2.81	383	2	<0.01	81	580	17	0.03	2	5	15	<20
CC40970		<1	0.12	20	2.25	263	1	<0.01	35	410	17	0.03	<2	4	7	<20
CC40971		<1	0.11	20	1.78	233	2	<0.01	32	490	15	0.04	<2	3	8	<20
CC40972		<1	0.14	20	2.24	327	1	0.01	53	750	14	0.05	2	4	10	<20
CC40973		<1	0.11	20	1.78	265	1	<0.01	41	460	13	0.02	<2	4	6	<20
CC40974		<1	0.14	20	1.88	206	<1	0.01	34	550	12	0.04	2	4	7	<20
CC40975		<1	0.14	20	2.18	221	<1	0.01	37	610	15	0.05	<2	5	8	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 6-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115076

Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Ti	Tl	U	V	W	Zn
Sample Description Units	%	ppm	ppm	ppm	ppm	ppm
LOR	0.01	10	10	1	10	2
CC40915	0.03	<10	<10	57	<10	78
CC40916	0.01	<10	<10	37	<10	39
CC40917	0.02	<10	<10	67	<10	151
CC40918	0.02	<10	<10	85	<10	109
CC40919	0.05	<10	10	66	<10	119
CC40920	0.06	<10	<10	72	<10	105
CC40921	0.11	<10	<10	97	<10	72
CC40922	0.05	<10	10	29	<10	30
CC40923	0.10	<10	<10	51	<10	120
CC40924	0.06	10	<10	44	<10	84
CC40951	0.08	<10	10	339	<10	777
CC40952	0.10	<10	<10	165	<10	281
CC40953	0.08	<10	<10	146	<10	361
CC40954	0.01	<10	<10	30	<10	53
CC40955	0.07	<10	<10	86	<10	695
CC40956	0.03	<10	<10	82	<10	131
CC40957	0.07	<10	<10	98	<10	135
CC40958	0.06	<10	<10	89	<10	77
CC40959	0.19	<10	<10	394	<10	612
CC40960	0.02	<10	<10	166	<10	701
CC40961	0.04	<10	<10	97	<10	233
CC40962	0.03	<10	<10	49	<10	71
CC40963	0.05	<10	<10	211	<10	356
CC40964	0.05	<10	<10	46	<10	30
CC40965	0.07	<10	<10	26	<10	28
CC40966	0.03	<10	<10	52	<10	29
CC40967	0.10	<10	<10	12	<10	9
CC40968	0.08	<10	<10	14	<10	16
CC40969	0.12	<10	<10	32	<10	26
CC40970	0.09	<10	<10	23	<10	14
CC40971	0.07	<10	<10	17	<10	19
CC40972	0.13	<10	<10	18	<10	16
CC40973	0.05	<10	<10	20	<10	18
CC40974	0.01	<10	<10	16	<10	10
CC40975	0.02	<10	<10	18	<10	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-OCT-2007
Account: MTT

CERTIFICATE VA07115072

Project: HY

P.O. No.:

This report is for 138 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 25-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115072

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21901		0.10	0.4	2.49	<2	<10	50	<0.5	<2	0.14	0.7	2	34	5	0.86	10
CC21902		0.08	<0.2	2.67	6	<10	40	<0.5	<2	0.26	2.4	3	38	7	1.03	10
CC21903		0.14	<0.2	2.38	<2	<10	50	<0.5	<2	0.15	1.6	1	25	5	1.09	10
CC21904		0.12	0.3	3.12	3	<10	70	0.8	<2	0.25	3.2	6	33	9	1.41	10
CC21905		0.14	<0.2	1.58	2	<10	60	<0.5	<2	0.11	<0.5	3	20	4	0.99	10
CC21906		0.10	0.3	2.16	<2	<10	50	<0.5	<2	0.12	0.5	3	28	7	1.44	10
CC21907		0.12	0.2	1.23	3	<10	40	<0.5	<2	0.09	0.6	2	22	4	0.91	10
CC21908		0.12	0.4	0.53	<2	<10	20	<0.5	<2	0.03	<0.5	1	6	2	0.47	<10
CC21909		0.12	0.3	0.85	8	<10	40	<0.5	<2	0.03	<0.5	2	10	8	1.58	<10
CC21910		0.12	0.5	1.40	2	<10	50	<0.5	<2	0.05	<0.5	3	18	10	1.47	10
CC21911		0.20	0.3	3.22	7	<10	100	0.9	<2	0.41	1.2	10	34	24	2.46	10
CC21912		0.10	0.2	0.75	4	<10	20	<0.5	<2	0.05	<0.5	1	10	3	0.80	10
CC21913		0.14	0.4	0.96	4	<10	60	<0.5	<2	0.05	<0.5	2	13	5	1.27	10
CC21914		0.24	0.6	1.00	4	<10	40	<0.5	<2	0.06	<0.5	3	11	9	1.20	<10
CC21915		0.14	0.2	1.58	9	<10	60	<0.5	<2	0.05	<0.5	5	24	9	2.82	10
CC21916		0.20	0.2	2.13	128	<10	120	0.9	2	0.08	<0.5	9	25	36	5.25	10
CC21917		0.10	<0.2	0.16	<2	<10	10	<0.5	<2	0.04	<0.5	1	3	2	0.26	<10
CC21918		0.16	<0.2	3.00	13	<10	80	1.0	<2	0.85	0.5	11	36	16	3.70	10
CC21919		0.12	<0.2	0.45	<2	<10	30	<0.5	<2	0.04	<0.5	<1	5	1	0.21	10
CC21920		0.12	<0.2	0.92	<2	<10	40	<0.5	<2	0.04	<0.5	2	15	4	1.39	10
CC21921		0.26	<0.2	1.78	2	<10	90	<0.5	<2	0.07	<0.5	5	29	7	2.68	10
CC21922		0.12	<0.2	1.97	5	<10	50	<0.5	<2	0.10	<0.5	3	36	6	2.60	20
CC21923		0.16	<0.2	0.82	3	<10	40	<0.5	<2	0.04	<0.5	3	10	6	1.64	<10
CC21924		0.10	0.2	5.02	5	<10	150	1.4	<2	0.23	<0.5	11	53	26	4.17	20
CC21925		0.10	<0.2	0.78	<2	<10	60	<0.5	<2	0.07	<0.5	2	12	8	1.06	<10
CC21926		0.10	0.2	1.96	<2	<10	80	<0.5	<2	0.11	<0.5	6	36	11	2.59	10
CC21927		0.12	<0.2	1.48	<2	<10	50	<0.5	<2	0.10	<0.5	4	24	9	1.80	10
CC21928		0.14	0.4	2.09	8	<10	730	0.7	<2	0.26	1.8	6	30	22	2.58	10
CC21929		0.14	0.2	1.42	4	<10	150	<0.5	<2	0.11	1.5	4	25	13	2.11	10
CC21930		0.14	0.4	1.82	15	<10	640	0.8	<2	0.28	3.8	7	39	27	2.27	10
CC21931		0.14	1.8	2.10	16	<10	200	0.8	<2	0.17	2.9	5	30	22	1.99	10
CC21932		0.16	1.2	1.78	10	<10	130	<0.5	4	0.10	1.4	5	30	13	2.96	10
CC21933		0.12	1.5	1.17	<2	<10	700	<0.5	<2	0.04	<0.5	1	12	12	1.15	<10
CC21934		0.28	0.3	0.81	12	<10	860	<0.5	<2	0.07	0.6	2	15	13	1.59	<10
CC21935		0.12	0.3	0.39	2	<10	370	<0.5	<2	0.05	0.6	1	7	7	0.56	<10
CC21936		0.08	0.2	0.99	4	<10	370	<0.5	<2	0.05	1.3	2	11	10	0.96	10
CC21937		0.12	0.2	1.06	<2	<10	230	<0.5	<2	1.16	3.8	6	18	26	1.14	<10
CC21938		0.12	0.4	1.13	3	<10	120	0.5	<2	1.79	12.5	5	11	24	1.14	<10
CC21939		0.10	0.6	1.94	5	<10	200	0.9	<2	2.05	6.4	12	24	41	2.33	<10
CC21940		0.14	0.5	1.97	4	<10	230	0.9	<2	1.69	9.1	10	21	38	2.34	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 25-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115072

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21901		<1	0.07	10	2.63	140	3	0.01	16	330	22	0.01	<2	1	5	<20
CC21902		<1	0.07	<10	3.01	122	5	0.01	25	200	20	<0.01	6	2	7	<20
CC21903		<1	0.04	<10	2.67	86	4	<0.01	17	150	16	<0.01	2	2	4	<20
CC21904		<1	0.10	10	2.05	668	2	0.01	20	400	645	0.02	<2	2	13	<20
CC21905		<1	0.06	10	0.98	65	2	0.01	11	180	22	0.01	<2	1	8	<20
CC21906		<1	0.07	10	1.66	110	2	0.01	13	380	33	0.01	<2	2	7	<20
CC21907		<1	0.05	10	0.90	78	2	0.01	12	260	15	0.01	<2	1	7	<20
CC21908		1	0.04	<10	0.24	29	<1	0.01	3	300	10	0.02	<2	<1	5	<20
CC21909		<1	0.05	10	0.18	70	1	0.01	7	690	24	0.03	<2	<1	13	<20
CC21910		<1	0.05	10	0.56	111	2	0.01	8	610	26	0.04	<2	<1	9	<20
CC21911		1	0.14	10	1.96	352	2	0.01	30	560	74	0.02	<2	3	28	<20
CC21912		<1	0.04	10	0.48	74	1	<0.01	5	210	17	<0.01	<2	1	5	<20
CC21913		1	0.05	20	0.32	87	2	0.01	7	250	28	0.01	<2	1	9	<20
CC21914		<1	0.05	10	0.34	100	1	0.01	10	530	23	0.02	2	<1	7	<20
CC21915		1	0.06	30	0.56	193	4	0.01	14	300	16	0.01	<2	2	10	<20
CC21916		<1	0.09	30	0.47	236	12	0.03	44	750	73	0.14	3	2	65	<20
CC21917		<1	0.03	<10	0.03	20	<1	0.02	1	130	5	<0.01	<2	<1	5	<20
CC21918		<1	0.11	20	1.04	693	2	0.01	19	580	25	0.04	<2	3	38	<20
CC21919		<1	0.03	10	0.03	16	<1	0.01	1	160	20	<0.01	<2	<1	7	<20
CC21920		<1	0.06	10	0.46	90	<1	0.02	5	210	8	0.02	<2	1	8	<20
CC21921		<1	0.12	10	0.70	371	<1	0.01	10	350	11	0.02	<2	2	13	<20
CC21922		1	0.12	10	0.77	156	1	0.01	9	380	12	0.02	<2	2	6	<20
CC21923		<1	0.06	10	0.27	81	<1	0.01	7	220	10	0.01	<2	1	5	<20
CC21924		2	0.32	20	2.13	297	<1	0.01	24	510	19	0.02	<2	6	16	<20
CC21925		<1	0.08	10	0.29	84	<1	0.02	6	390	6	0.03	<2	<1	8	<20
CC21926		<1	0.16	10	1.02	260	<1	0.01	13	540	8	0.04	2	2	11	<20
CC21927		1	0.08	10	0.60	142	<1	0.02	9	360	10	0.02	<2	2	10	<20
CC21928		1	0.13	20	1.44	199	5	0.01	25	590	17	0.02	2	2	18	<20
CC21929		<1	0.13	10	0.93	194	6	0.01	17	810	18	0.03	2	1	9	<20
CC21930		1	0.17	20	1.85	249	30	0.01	107	680	30	0.01	5	2	12	<20
CC21931		<1	0.16	20	1.30	112	13	0.01	54	770	31	0.02	7	1	10	<20
CC21932		<1	0.10	20	0.70	180	5	0.01	20	990	27	0.01	<2	2	9	<20
CC21933		<1	0.05	10	0.11	41	5	0.02	10	520	20	0.03	2	<1	14	<20
CC21934		<1	0.06	10	0.26	54	10	0.01	27	550	25	0.02	4	1	14	<20
CC21935		<1	0.05	10	0.12	29	2	0.02	5	360	13	0.01	<2	<1	7	<20
CC21936		<1	0.05	10	0.26	63	3	0.01	10	490	28	0.02	<2	<1	8	<20
CC21937		<1	0.06	10	0.34	99	3	0.02	25	620	35	0.04	<2	<1	34	<20
CC21938		1	0.06	10	0.31	208	1	0.03	39	920	22	0.09	2	1	49	<20
CC21939		1	0.11	10	0.68	409	4	0.02	41	1060	43	0.10	2	2	61	<20
CC21940		<1	0.11	10	0.75	425	3	0.02	38	1000	44	0.10	3	2	52	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 25-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115072

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC21901		0.10	<10	<10	211	<10	83
CC21902		0.10	<10	<10	345	<10	236
CC21903		0.08	<10	<10	214	<10	121
CC21904		0.10	<10	<10	178	<10	382
CC21905		0.14	<10	<10	98	<10	34
CC21906		0.09	<10	<10	111	<10	82
CC21907		0.07	<10	<10	64	<10	36
CC21908		0.02	<10	<10	24	<10	10
CC21909		0.01	<10	<10	28	<10	24
CC21910		0.03	<10	<10	48	<10	40
CC21911		0.07	<10	<10	98	<10	178
CC21912		0.08	<10	<10	68	<10	19
CC21913		0.05	<10	<10	44	<10	31
CC21914		0.02	<10	<10	24	<10	38
CC21915		0.04	<10	<10	49	<10	47
CC21916		0.03	<10	<10	100	<10	106
CC21917		0.02	<10	<10	11	<10	6
CC21918		0.13	<10	<10	79	<10	80
CC21919		0.04	<10	<10	16	<10	4
CC21920		0.05	<10	<10	34	<10	14
CC21921		0.10	<10	<10	56	<10	40
CC21922		0.18	<10	<10	72	<10	40
CC21923		0.04	<10	<10	21	<10	27
CC21924		0.17	<10	<10	79	<10	102
CC21925		0.03	<10	<10	20	<10	20
CC21926		0.09	<10	<10	51	<10	47
CC21927		0.07	<10	<10	37	<10	42
CC21928		0.03	<10	<10	133	<10	333
CC21929		0.04	<10	<10	72	<10	102
CC21930		0.02	<10	<10	309	<10	555
CC21931		0.03	<10	<10	264	<10	467
CC21932		0.06	<10	<10	105	<10	191
CC21933		0.03	<10	<10	85	<10	37
CC21934		0.05	<10	<10	96	<10	88
CC21935		0.01	<10	<10	30	<10	23
CC21936		0.01	<10	<10	43	<10	43
CC21937		0.02	<10	<10	48	<10	155
CC21938		0.02	<10	<10	25	<10	261
CC21939		0.03	<10	10	56	<10	235
CC21940		0.03	<10	10	68	<10	254

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 25-OCT-2007
Account: MT

CERTIFICATE OF ANALYSIS VA07115072

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21941		0.18	0.4	1.99	6	<10	120	1.3	<2	1.50	1.8	9	24	53	3.02	10
CC21942		0.22	0.3	2.52	3	<10	210	1.2	<2	1.39	3.2	11	33	40	2.98	10
CC21943		0.12	0.5	2.43	6	<10	190	1.1	<2	1.27	4.2	11	30	40	2.67	10
CC21944		0.16	0.5	2.14	14	<10	230	1.0	<2	1.79	6.3	13	25	46	3.01	10
CC21945		0.18	0.5	2.07	4	<10	120	0.8	<2	1.30	1.7	9	23	25	2.42	<10
CC21946		0.08	0.3	2.89	7	<10	170	1.2	<2	1.51	2.3	11	33	44	2.90	10
CC21947		0.18	0.4	2.38	10	<10	130	1.1	2	1.20	2.3	12	30	60	2.86	10
CC21948		0.14	0.4	0.16	<2	<10	10	<0.5	<2	0.04	<0.5	<1	1	2	0.17	<10
CC21949		0.18	0.6	2.30	9	<10	80	0.9	2	0.12	1.4	7	29	24	3.45	10
CC21950		0.14	0.3	2.23	10	<10	130	0.8	<2	0.70	3.4	9	24	29	3.07	10
CC21951		0.24	0.4	1.69	9	<10	430	<0.5	2	0.27	1.3	5	29	16	3.01	10
CC21952		0.20	0.2	0.47	<2	<10	160	<0.5	<2	0.04	0.8	<1	7	7	0.58	<10
CC21953		0.22	0.6	1.05	5	<10	230	<0.5	<2	0.06	0.9	2	14	15	1.38	10
CC21954		0.16	1.0	0.43	<2	<10	140	<0.5	<2	0.03	1.5	<1	4	7	0.30	<10
CC21955		0.26	0.3	2.26	9	<10	530	0.9	<2	0.27	6.6	10	24	21	2.32	<10
CC21956		0.20	1.0	1.79	5	<10	430	0.9	<2	0.77	17.0	7	16	25	1.65	<10
CC21957		0.20	1.2	2.29	7	<10	300	1.0	2	2.16	10.0	10	22	30	2.19	<10
CC21958		0.20	0.2	0.41	<2	<10	80	<0.5	<2	1.26	1.7	1	2	7	0.28	<10
CC21959		0.18	0.3	1.99	4	<10	150	0.9	<2	1.46	2.8	10	24	21	2.37	10
CC21960		0.26	0.3	2.12	5	<10	240	0.9	<2	1.33	8.7	11	25	29	2.60	10
CC21961		0.26	0.6	2.14	9	<10	310	1.1	<2	1.77	16.4	16	24	43	2.82	10
CC21962		0.28	0.5	2.27	3	<10	240	1.2	2	1.61	5.5	10	26	42	2.77	<10
CC21963		0.28	0.4	2.01	4	<10	170	1.0	2	1.58	6.2	9	23	35	2.41	10
CC21964		0.20	0.4	1.97	4	<10	130	1.1	<2	1.50	3.1	10	19	37	2.39	<10
CC21965		0.22	0.2	1.36	7	<10	60	<0.5	<2	0.19	0.7	4	17	18	2.22	<10
CC21966		0.28	<0.2	0.92	5	<10	50	<0.5	<2	0.11	0.9	3	13	7	1.74	<10
CC21967		0.24	0.2	2.09	8	<10	90	0.6	<2	0.28	0.9	7	25	24	2.98	10
CC21968		0.20	0.4	1.97	6	<10	110	0.6	<2	0.23	2.0	7	22	26	2.53	10
CC21969		0.22	0.5	1.88	32	<10	100	0.6	<2	0.07	1.5	9	22	59	2.87	10
CC21970		0.26	<0.2	1.11	7	<10	40	<0.5	<2	0.06	<0.5	4	21	9	2.03	10
CC21971		0.30	<0.2	0.61	7	<10	80	<0.5	<2	0.02	<0.5	1	7	6	1.50	10
CC21972		0.26	0.4	2.04	18	<10	70	1.0	<2	2.44	1.6	10	22	66	1.69	10
CC21973		0.20	<0.2	1.72	9	<10	60	0.5	<2	0.14	<0.5	5	19	17	1.71	10
CC21974		0.18	<0.2	2.36	9	<10	60	0.8	<2	0.26	0.5	7	30	15	2.77	10
CC21975		0.24	<0.2	3.01	2	<10	100	0.7	<2	0.16	<0.5	9	41	10	3.67	20
CC21976		0.20	<0.2	1.56	3	<10	70	<0.5	<2	0.09	<0.5	5	27	6	2.64	10
CC21977		0.26	0.2	2.15	<2	<10	60	0.5	<2	0.21	<0.5	4	30	6	2.44	20
CC21978		0.18	<0.2	0.49	<2	<10	30	<0.5	<2	0.04	<0.5	1	6	5	0.58	<10
CC21979		0.24	<0.2	2.28	<2	<10	90	<0.5	<2	0.20	<0.5	8	36	8	2.63	10
CC21980		0.24	0.2	3.07	7	<10	70	1.1	<2	0.31	0.5	9	28	16	2.57	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 25-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115072

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21941		<1	0.14	10	1.58	296	2	0.02	32	520	22	0.04	2	3	44	<20
CC21942		1	0.19	10	1.60	478	3	0.03	63	1020	38	0.03	<2	4	53	<20
CC21943		1	0.13	10	1.37	446	1	0.02	65	680	43	0.04	2	3	46	<20
CC21944		<1	0.13	10	1.07	1375	3	0.02	59	780	47	0.09	2	3	56	<20
CC21945		1	0.12	10	0.96	259	2	0.01	28	710	55	0.07	<2	3	43	<20
CC21946		<1	0.15	10	1.40	423	2	0.02	38	700	73	0.06	<2	4	56	<20
CC21947		<1	0.21	20	1.25	418	2	0.02	36	650	57	0.03	<2	4	50	<20
CC21948		<1	0.02	<10	0.02	10	<1	0.02	1	200	5	<0.01	<2	<1	6	<20
CC21949		<1	0.07	20	0.66	276	4	0.01	25	630	32	0.03	2	2	12	<20
CC21950		1	0.11	10	0.65	271	4	0.01	27	530	43	0.03	<2	2	35	<20
CC21951		<1	0.12	20	0.92	181	6	0.01	26	480	30	0.03	2	2	32	<20
CC21952		<1	0.04	10	0.07	26	2	0.01	4	350	15	0.01	<2	<1	7	<20
CC21953		1	0.07	10	0.33	85	4	0.01	11	540	31	0.02	<2	<1	10	<20
CC21954		<1	0.03	10	0.07	12	1	0.01	2	440	12	0.02	<2	<1	5	<20
CC21955		1	0.12	20	1.19	535	6	0.01	41	810	29	0.03	4	2	21	<20
CC21956		<1	0.08	10	0.60	599	3	0.02	27	1150	22	0.08	2	1	39	<20
CC21957		1	0.11	10	0.54	543	3	0.02	28	1030	36	0.11	2	2	64	<20
CC21958		<1	0.02	<10	0.04	120	<1	0.03	2	570	3	0.03	2	<1	37	<20
CC21959		1	0.13	10	1.07	372	1	0.01	36	580	37	0.06	<2	3	40	<20
CC21960		<1	0.12	10	1.05	677	1	0.02	110	860	44	0.04	<2	3	45	<20
CC21961		1	0.12	10	1.03	1595	4	0.02	127	910	51	0.09	<2	3	55	<20
CC21962		1	0.13	20	1.18	475	2	0.02	98	800	58	0.07	<2	3	53	<20
CC21963		<1	0.12	10	0.78	331	2	0.02	45	710	39	0.07	<2	2	51	<20
CC21964		<1	0.10	20	0.65	362	3	0.02	26	680	55	0.05	<2	2	49	<20
CC21965		<1	0.07	10	0.59	213	4	0.01	17	260	28	0.01	<2	1	15	<20
CC21966		<1	0.06	10	0.46	121	3	0.01	11	400	20	0.01	<2	<1	13	<20
CC21967		1	0.10	20	0.78	282	3	0.01	25	610	58	0.02	2	2	21	<20
CC21968		<1	0.09	20	0.62	249	2	0.01	21	650	47	0.03	<2	1	19	<20
CC21969		<1	0.10	20	0.56	296	4	0.01	27	370	45	0.02	<2	1	12	<20
CC21970		<1	0.07	20	0.52	119	3	<0.01	13	270	18	0.01	2	1	8	<20
CC21971		<1	0.04	20	0.05	53	5	<0.01	4	220	16	0.01	<2	<1	16	<20
CC21972		<1	0.11	10	0.53	468	1	0.03	20	1360	27	0.14	2	1	66	<20
CC21973		<1	0.08	10	0.55	133	1	0.01	14	440	15	0.03	2	1	12	<20
CC21974		<1	0.09	20	0.67	167	1	0.01	18	530	14	0.05	<2	2	17	<20
CC21975		<1	0.13	20	0.87	171	1	0.01	22	330	10	0.03	3	4	11	<20
CC21976		<1	0.09	20	0.59	181	1	0.01	11	220	10	0.02	<2	2	9	<20
CC21977		<1	0.05	10	0.45	223	2	<0.01	11	340	12	0.03	<2	2	11	<20
CC21978		<1	0.03	10	0.11	34	<1	0.01	4	240	5	0.02	<2	<1	6	<20
CC21979		<1	0.12	10	1.02	225	1	0.01	19	360	11	0.04	2	3	12	<20
CC21980		<1	0.08	20	0.95	296	1	0.01	21	860	20	0.07	2	2	27	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 25-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115072

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC21941		0.04	<10	<10	33	<10	83
CC21942		0.10	<10	<10	126	<10	264
CC21943		0.08	<10	<10	111	<10	272
CC21944		0.05	<10	<10	82	<10	265
CC21945		0.06	<10	10	58	<10	162
CC21946		0.07	<10	<10	58	<10	220
CC21947		0.08	<10	<10	54	<10	181
CC21948		0.01	<10	<10	5	<10	4
CC21949		0.05	<10	<10	127	<10	130
CC21950		0.04	<10	<10	45	<10	160
CC21951		0.09	<10	<10	94	<10	119
CC21952		0.01	<10	<10	29	<10	22
CC21953		0.03	<10	<10	56	<10	60
CC21954		0.01	<10	<10	11	<10	11
CC21955		0.05	<10	<10	104	<10	339
CC21956		0.03	<10	10	53	<10	233
CC21957		0.03	<10	10	67	<10	267
CC21958		0.02	<10	10	9	<10	23
CC21959		0.06	<10	<10	84	<10	178
CC21960		0.07	<10	<10	83	<10	515
CC21961		0.06	<10	<10	92	<10	518
CC21962		0.06	<10	10	103	<10	443
CC21963		0.05	<10	<10	69	<10	244
CC21964		0.04	<10	10	54	<10	160
CC21965		0.05	<10	<10	97	<10	104
CC21966		0.02	<10	<10	41	<10	61
CC21967		0.05	<10	<10	58	<10	130
CC21968		0.03	<10	<10	39	<10	113
CC21969		0.03	<10	<10	58	<10	145
CC21970		0.06	<10	<10	58	<10	52
CC21971		0.03	<10	<10	50	<10	22
CC21972		0.02	<10	10	31	<10	72
CC21973		0.04	<10	<10	36	<10	64
CC21974		0.10	<10	<10	53	<10	109
CC21975		0.13	<10	<10	66	<10	89
CC21976		0.12	<10	<10	59	<10	80
CC21977		0.19	<10	<10	67	<10	89
CC21978		0.03	<10	<10	14	<10	12
CC21979		0.11	<10	<10	50	<10	72
CC21980		0.06	<10	<10	43	<10	136

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 25-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115072

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21981		0.20	<0.2	1.02	<2	<10	50	<0.5	<2	0.06	<0.5	2	12	6	1.35	10
CC21982		0.36	<0.2	2.56	6	<10	50	0.9	<2	0.30	0.8	8	20	15	1.69	10
CC21983		0.20	0.3	1.59	6	<10	40	<0.5	<2	0.06	<0.5	7	27	12	5.16	10
CC21984		0.20	0.2	1.63	5	<10	40	<0.5	<2	0.07	<0.5	4	23	7	2.13	10
CC21985		0.26	<0.2	0.93	2	<10	40	<0.5	<2	0.10	<0.5	2	13	7	1.13	10
CC21986		0.24	0.2	2.20	9	<10	60	0.9	<2	0.69	0.6	14	28	26	2.94	10
CC21987		0.24	0.2	1.31	7	<10	40	<0.5	<2	0.15	<0.5	4	17	6	1.81	10
CC21988		0.16	0.2	0.09	<2	<10	10	<0.5	<2	0.03	<0.5	1	1	1	0.15	<10
CC21989		0.24	0.3	0.55	<2	<10	30	<0.5	<2	0.03	<0.5	1	9	4	0.63	<10
CC21990		0.30	0.2	0.66	4	<10	30	<0.5	<2	0.02	<0.5	2	9	4	1.08	<10
CC21991		0.22	<0.2	1.77	3	<10	50	<0.5	2	0.14	<0.5	3	19	8	1.29	<10
CC21992		0.20	0.2	0.80	<2	<10	40	<0.5	<2	0.04	<0.5	1	8	4	0.58	10
CC21993		0.26	<0.2	1.78	2	<10	40	<0.5	<2	0.11	<0.5	2	23	4	0.79	10
CC21994		0.32	0.2	1.28	3	<10	40	0.6	<2	0.15	1.1	8	20	11	1.68	<10
CC21995		0.28	<0.2	2.32	<2	<10	70	<0.5	<2	0.14	<0.5	2	27	4	0.78	10
CC21996		0.24	<0.2	2.64	<2	<10	90	0.7	<2	0.41	1.0	7	27	7	1.15	10
CC21997		0.28	0.2	3.11	2	<10	80	<0.5	<2	0.24	<0.5	3	34	6	0.96	10
CC21998		0.24	<0.2	2.27	3	<10	60	<0.5	<2	0.25	<0.5	2	23	4	0.77	10
CC21999		0.26	0.2	2.74	2	<10	70	0.7	<2	0.34	0.9	5	29	7	1.34	10
CC22000		0.24	<0.2	2.49	5	<10	70	0.6	<2	0.63	<0.5	4	29	6	1.05	10
CC39477		0.22	0.2	1.04	6	<10	100	<0.5	<2	0.07	<0.5	3	13	11	1.24	<10
CC39478		0.24	<0.2	1.33	9	<10	150	0.5	<2	0.04	<0.5	5	20	14	2.15	10
CC39479		0.18	0.7	1.45	5	<10	90	0.8	<2	1.64	2.1	4	20	17	1.15	<10
CC39480		0.18	<0.2	0.71	<2	<10	70	<0.5	<2	0.14	3.7	3	6	11	0.86	<10
CC39481		0.22	0.2	1.50	6	<10	70	0.6	<2	0.16	1.7	9	18	16	3.12	<10
CC39482		0.22	0.4	0.48	3	<10	40	<0.5	<2	0.03	0.9	2	6	6	0.69	<10
CC39483		0.22	<0.2	0.53	4	<10	40	<0.5	<2	0.14	1.9	4	8	7	0.94	<10
CC39484		0.26	<0.2	0.50	<2	<10	50	<0.5	<2	0.02	1.2	<1	5	8	0.34	<10
CC39485		0.24	0.2	0.78	4	<10	60	<0.5	<2	0.18	1.0	5	10	8	1.32	<10
CC39486		0.24	<0.2	1.29	9	<10	110	<0.5	<2	0.03	<0.5	4	15	17	2.60	<10
CC39487		0.24	<0.2	0.58	6	<10	60	<0.5	<2	0.08	0.6	3	10	8	1.39	<10
CC39488		0.24	<0.2	0.53	3	<10	50	<0.5	<2	0.02	<0.5	1	8	6	0.86	<10
CC39489		0.22	<0.2	0.41	4	<10	40	<0.5	<2	0.02	<0.5	<1	6	2	0.35	<10
CC39490		0.24	<0.2	0.58	7	<10	40	<0.5	<2	0.04	0.8	2	12	8	1.22	<10
CC39491		0.26	0.2	0.17	<2	<10	30	<0.5	<2	0.05	<0.5	<1	3	2	0.19	<10
CC39492		0.22	0.3	0.90	9	<10	120	0.7	<2	0.54	0.5	6	10	9	1.55	<10
CC39493		0.24	<0.2	0.73	2	<10	130	<0.5	<2	0.08	0.7	1	7	6	0.55	<10
CC39494		0.24	<0.2	0.55	<2	<10	100	<0.5	<2	0.05	0.5	1	6	5	0.41	<10
CC39495		0.20	<0.2	0.71	7	<10	40	<0.5	<2	0.23	0.6	2	10	6	1.08	<10
CC39496		0.24	0.2	0.89	4	<10	100	<0.5	<2	0.10	0.7	2	13	5	1.39	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 25-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115072

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21981		<1	0.03	10	0.18	57	1	0.02	4	190	9	0.03	<2	1	6	<20
CC21982		<1	0.09	10	0.74	247	1	0.02	17	890	19	0.07	<2	2	26	<20
CC21983		<1	0.06	20	0.63	273	1	0.01	17	650	27	0.05	2	2	9	<20
CC21984		<1	0.06	10	1.30	169	1	0.01	11	280	16	0.02	<2	2	6	<20
CC21985		<1	0.04	10	0.60	90	1	0.01	8	280	29	0.03	<2	1	9	<20
CC21986		<1	0.10	20	1.08	321	1	0.02	32	540	36	0.04	<2	3	39	<20
CC21987		<1	0.04	10	0.96	137	2	0.01	12	290	28	0.02	<2	2	6	<20
CC21988		<1	0.01	<10	0.01	10	<1	0.02	1	310	4	0.02	2	<1	6	<20
CC21989		<1	0.05	10	0.32	62	2	0.01	6	240	16	0.01	4	<1	4	<20
CC21990		<1	0.05	20	0.52	55	3	<0.01	8	190	12	0.01	3	1	3	<20
CC21991		<1	0.06	10	1.27	122	1	0.01	12	460	21	0.03	<2	1	7	<20
CC21992		<1	0.03	10	0.42	39	1	<0.01	4	250	22	0.02	<2	1	5	<20
CC21993		<1	0.05	10	1.74	80	2	<0.01	12	200	16	0.02	2	1	5	<20
CC21994		<1	0.06	10	1.01	437	3	<0.01	22	670	27	0.03	2	2	6	<20
CC21995		<1	0.05	10	2.43	94	2	<0.01	14	190	13	0.01	<2	2	6	<20
CC21996		<1	0.08	10	2.40	820	2	0.02	17	510	30	0.03	2	2	16	<20
CC21997		<1	0.08	10	3.32	112	2	0.01	22	380	16	0.03	2	3	8	<20
CC21998		<1	0.09	10	2.48	74	2	<0.01	17	310	14	0.02	2	2	7	<20
CC21999		<1	0.07	10	2.47	172	1	0.01	18	360	24	0.02	3	3	13	<20
CC22000		<1	0.11	10	2.44	254	<1	0.02	16	480	36	0.03	<2	2	19	<20
CC39477		<1	0.09	20	0.55	68	2	0.01	12	1030	17	0.03	<2	<1	9	<20
CC39478		<1	0.09	30	0.81	114	7	0.01	20	330	19	0.02	5	3	8	<20
CC39479		<1	0.07	20	1.69	110	3	0.02	26	960	20	0.15	2	3	24	<20
CC39480		<1	0.04	10	0.21	999	3	0.01	13	640	13	0.05	<2	<1	7	<20
CC39481		<1	0.11	20	0.91	379	4	0.01	24	490	22	0.04	3	1	9	<20
CC39482		<1	0.05	20	0.35	85	4	<0.01	8	440	7	0.02	3	<1	4	<20
CC39483		<1	0.09	10	0.43	189	9	0.01	18	570	16	0.03	3	1	5	<20
CC39484		<1	0.04	10	0.07	14	1	0.01	4	570	8	0.02	<2	1	4	<20
CC39485		<1	0.09	10	0.85	523	8	0.01	14	540	23	0.03	5	1	6	<20
CC39486		<1	0.09	20	0.64	145	9	<0.01	22	400	31	0.02	4	1	10	<20
CC39487		<1	0.06	20	0.34	170	7	<0.01	12	340	16	0.03	4	<1	5	<20
CC39488		<1	0.05	20	0.35	75	7	<0.01	10	210	11	0.01	3	<1	4	<20
CC39489		<1	0.05	10	0.15	10	1	<0.01	4	380	9	0.01	2	<1	2	<20
CC39490		<1	0.07	20	0.49	81	10	<0.01	18	410	14	0.03	3	<1	4	<20
CC39491		<1	0.03	10	0.03	12	1	0.01	2	230	3	0.02	<2	<1	5	<20
CC39492		<1	0.10	20	0.65	182	3	0.01	29	650	22	0.04	8	2	11	<20
CC39493		<1	0.04	10	0.14	29	2	0.01	4	530	14	0.02	<2	<1	9	<20
CC39494		<1	0.04	20	0.09	44	1	<0.01	3	260	18	0.01	<2	<1	6	<20
CC39495		<1	0.09	10	0.74	223	8	0.01	21	330	13	0.02	4	1	5	<20
CC39496		<1	0.07	20	0.36	130	3	0.01	8	350	17	0.02	2	<1	8	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 25-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115072

Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Ti	Tl	U	V	W	Zn
Units	%	ppm	ppm	ppm	ppm	ppm
Sample Description LOR	0.01	10	10	1	10	2
CC21981	0.06	<10	<10	34	<10	18
CC21982	0.04	<10	<10	34	<10	80
CC21983	0.09	<10	<10	66	<10	63
CC21984	0.08	<10	<10	61	<10	43
CC21985	0.04	<10	<10	40	<10	40
CC21986	0.05	<10	<10	52	<10	126
CC21987	0.14	<10	<10	94	<10	37
CC21988	0.01	<10	<10	5	<10	4
CC21989	0.04	<10	<10	43	<10	21
CC21990	0.05	<10	<10	47	<10	24
CC21991	0.07	<10	<10	64	<10	49
CC21992	0.11	<10	<10	34	<10	13
CC21993	0.09	<10	<10	101	<10	46
CC21994	0.04	<10	<10	65	<10	79
CC21995	0.10	<10	<10	142	<10	53
CC21996	0.08	<10	<10	126	<10	104
CC21997	0.09	<10	<10	182	<10	74
CC21998	0.09	<10	<10	165	<10	58
CC21999	0.11	<10	<10	92	<10	79
CC22000	0.08	<10	<10	40	<10	65
CC39477	0.01	<10	<10	40	<10	45
CC39478	0.07	<10	<10	104	<10	77
CC39479	0.04	<10	<10	137	<10	136
CC39480	0.02	<10	<10	41	<10	64
CC39481	0.04	<10	<10	53	<10	130
CC39482	0.01	<10	<10	37	<10	34
CC39483	0.01	<10	<10	57	<10	143
CC39484	0.01	<10	<10	28	<10	18
CC39485	0.01	<10	<10	62	<10	172
CC39486	0.03	<10	<10	86	<10	119
CC39487	0.03	<10	<10	103	<10	79
CC39488	0.02	<10	<10	94	<10	69
CC39489	0.01	<10	<10	72	<10	32
CC39490	0.02	<10	<10	135	<10	171
CC39491	0.01	<10	<10	17	<10	8
CC39492	0.02	<10	<10	33	<10	98
CC39493	0.01	<10	<10	30	<10	46
CC39494	0.02	<10	<10	26	<10	27
CC39495	0.01	<10	<10	77	<10	73
CC39496	0.03	<10	<10	99	<10	56

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-OCT-200
Account: MT

Project: HY

CERTIFICATE OF ANALYSIS VA07115072

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC39497		0.20	0.4	0.56	<2	<10	80	<0.5	<2	0.09	0.5	1	5	3	0.58	<10
CC39498		0.22	0.4	0.83	<2	<10	200	<0.5	<2	0.35	1.7	3	11	7	1.35	<10
CC39499		0.22	0.5	0.78	2	<10	110	<0.5	<2	0.03	<0.5	2	6	12	1.37	<10
CC39500		0.20	0.2	1.96	7	<10	120	0.6	<2	0.05	<0.5	6	16	13	3.79	10
CC43501		0.32	0.5	4.16	4	<10	140	1.9	<2	0.43	1.7	10	42	46	2.44	10
CC43502		0.26	0.4	2.31	<2	<10	90	0.6	<2	0.16	0.8	3	28	15	1.41	10
CC43503		0.24	0.3	2.73	4	<10	100	0.8	<2	0.21	<0.5	4	29	23	1.57	10
CC43504		0.26	0.4	3.49	2	<10	100	1.3	<2	0.27	1.6	7	40	22	2.02	10
CC43505		0.26	0.2	2.07	4	<10	80	0.5	2	0.10	<0.5	3	28	11	1.29	10
CC43506		0.26	0.6	2.72	7	<10	160	0.9	3	0.23	1.0	7	26	35	2.55	10
CC43507		0.24	0.8	3.13	8	<10	110	1.2	3	0.41	1.9	9	29	28	2.46	10
CC43508		0.28	0.8	3.80	31	<10	120	1.7	<2	0.67	1.8	24	36	70	2.94	10
CC43509		0.24	0.3	3.09	6	<10	110	1.1	2	0.33	1.0	7	30	26	2.42	10
CC43510		0.24	0.5	2.35	<2	<10	60	<0.5	<2	0.10	<0.5	3	31	8	1.46	10
CC43511		0.28	0.2	2.45	3	<10	90	0.6	2	0.14	1.0	6	32	22	3.02	10
CC43512		0.32	0.8	2.10	10	<10	70	0.6	<2	0.22	<0.5	5	19	12	1.94	10
CC43513		0.26	0.3	1.17	3	<10	30	<0.5	<2	0.11	<0.5	3	8	9	1.10	10
CC43514		0.30	<0.2	2.03	5	<10	40	0.8	<2	0.56	<0.5	8	15	17	2.22	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 25-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115072

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC39497		<1	0.05	10	0.14	67	1	0.01	4	440	14	0.03	2	<1	8	<20
CC39498		<1	0.07	10	0.38	175	3	0.01	9	650	14	0.03	<2	<1	13	<20
CC39499		<1	0.03	10	0.17	64	3	0.01	10	720	15	0.02	2	<1	6	<20
CC39500		<1	0.07	20	0.39	223	5	0.01	20	710	28	0.04	2	1	10	<20
CC43501		<1	0.09	10	1.49	375	4	0.01	45	950	143	0.10	<2	2	29	<20
CC43502		<1	0.05	10	1.50	200	3	0.01	18	580	54	0.06	<2	1	12	<20
CC43503		<1	0.07	10	1.60	152	3	0.01	23	850	67	0.05	<2	1	16	<20
CC43504		<1	0.12	10	2.02	295	3	0.01	28	1020	56	0.09	4	2	17	<20
CC43505		<1	0.08	10	1.02	114	3	0.01	14	580	41	0.06	<2	1	11	<20
CC43506		<1	0.12	10	1.26	261	5	0.01	32	730	128	0.07	2	3	30	<20
CC43507		<1	0.11	10	0.93	419	2	0.02	23	1050	186	0.10	3	1	30	<20
CC43508		<1	0.25	10	1.76	463	4	0.04	61	570	258	0.07	<2	4	53	<20
CC43509		<1	0.11	10	1.69	221	4	0.01	32	670	139	0.06	2	3	28	<20
CC43510		<1	0.05	10	1.66	182	1	<0.01	11	490	30	0.05	<2	1	8	<20
CC43511		<1	0.10	10	1.02	299	4	0.01	26	580	69	0.07	<2	1	19	<20
CC43512		<1	0.06	10	0.46	159	1	0.01	10	650	34	0.07	3	1	24	<20
CC43513		<1	0.04	10	0.20	82	1	0.01	5	450	18	0.05	<2	<1	15	<20
CC43514		<1	0.13	30	0.72	342	1	0.03	14	710	33	0.02	<2	3	45	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07115072

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC39497		0.01	<10	<10	37	<10	22
CC39498		0.02	<10	<10	58	<10	57
CC39499		0.01	<10	<10	21	<10	28
CC39500		0.03	<10	<10	50	<10	66
CC43501		0.09	<10	<10	216	<10	291
CC43502		0.06	<10	<10	157	<10	148
CC43503		0.07	<10	<10	133	<10	162
CC43504		0.07	<10	<10	192	<10	178
CC43505		0.08	<10	<10	101	<10	78
CC43506		0.10	<10	<10	112	<10	237
CC43507		0.06	<10	<10	93	<10	358
CC43508		0.12	<10	10	104	<10	445
CC43509		0.10	<10	<10	111	<10	334
CC43510		0.06	<10	<10	47	<10	81
CC43511		0.08	<10	<10	99	<10	169
CC43512		0.06	<10	<10	42	<10	52
CC43513		0.04	<10	<10	22	<10	28
CC43514		0.09	<10	<10	45	<10	77

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-NOV-2007
Account: MTT

CERTIFICATE VA07115071

Project: HY

P.O. No.:

This report is for 199 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC40501		0.18	<0.2	3.80	10	<10	180	1.1	<2	0.48	0.7	9	19	19	2.99	10
CC40502		0.18	1.3	4.49	3	<10	100	2.0	5	1.34	0.7	6	21	42	1.86	20
CC40503		0.18	1.9	3.09	2	<10	140	0.9	11	0.38	1.0	8	20	16	2.70	10
CC40504		0.20	0.3	4.13	7	<10	100	1.7	<2	0.45	0.6	8	29	21	2.74	10
CC40505		0.16	0.2	2.54	2	<10	110	0.6	<2	0.18	0.6	5	26	13	2.70	10
CC40506		0.18	0.2	2.85	4	<10	90	0.6	<2	0.37	1.0	6	14	11	2.78	10
CC40507		0.18	0.2	1.85	<2	<10	70	<0.5	<2	0.11	<0.5	5	18	9	2.12	10
CC40508		0.16	<0.2	3.19	<2	<10	90	0.8	<2	0.56	<0.5	6	10	11	2.17	10
CC40509		0.28	<0.2	3.56	<2	<10	60	1.1	<2	1.52	<0.5	7	6	8	2.24	10
CC40510		0.30	<0.2	4.54	<2	<10	60	1.3	<2	2.26	<0.5	7	6	9	2.20	10
CC40511		0.24	0.2	2.32	<2	<10	90	0.7	<2	0.42	<0.5	6	8	11	1.89	10
CC40512		0.28	0.2	2.06	<2	<10	330	0.5	<2	3.79	<0.5	5	20	7	0.92	<10
CC40513		0.22	<0.2	2.28	<2	<10	230	0.8	<2	4.75	<0.5	4	13	7	1.14	<10
CC40514		0.24	<0.2	2.00	2	<10	160	0.6	<2	2.43	<0.5	3	14	7	0.93	<10
CC40515		0.04	<0.2	2.02	2	<10	460	0.7	<2	4.64	<0.5	6	16	12	1.13	<10
CC40516		0.18	0.4	3.03	8	<10	640	1.0	2	2.81	2.8	12	50	21	1.78	10
CC40517		0.18	0.2	0.63	6	<10	30	<0.5	<2	0.09	<0.5	2	10	7	1.03	<10
CC40518		0.16	0.2	1.40	<2	<10	60	0.5	<2	0.22	3.5	3	9	12	0.73	<10
CC40519		0.22	0.2	3.53	3	<10	60	0.9	<2	0.37	<0.5	5	33	9	1.58	10
CC40520		0.12	0.2	3.47	<2	<10	90	0.7	<2	0.24	0.6	5	35	11	1.11	10
CC40521		0.26	<0.2	3.02	6	<10	140	1.0	<2	0.49	1.0	7	24	15	2.07	10
CC40522		0.12	0.3	1.72	3	<10	100	0.6	<2	0.72	3.5	4	15	8	0.85	10
CC40523		0.30	0.2	3.68	<2	<10	70	1.0	<2	0.41	1.5	4	28	8	1.04	10
CC40524		0.16	<0.2	0.19	<2	<10	20	<0.5	<2	0.04	<0.5	1	2	1	0.16	<10
CC40525		0.18	<0.2	3.78	<2	<10	60	0.5	<2	0.42	<0.5	4	30	4	0.96	10
CC40526		0.10	<0.2	1.80	<2	<10	30	<0.5	<2	0.10	<0.5	2	18	2	0.51	10
CC40527		0.20	<0.2	3.77	<2	<10	40	0.9	<2	0.29	<0.5	4	37	9	1.18	10
CC40528		0.20	<0.2	2.31	<2	<10	20	0.7	<2	0.46	<0.5	3	31	4	0.76	10
CC40529		0.10	<0.2	0.49	<2	<10	30	<0.5	<2	0.05	<0.5	<1	7	2	0.35	<10
CC40530		0.28	<0.2	2.21	<2	<10	30	<0.5	<2	0.14	<0.5	1	24	3	0.64	10
CC40531		0.28	<0.2	2.31	<2	<10	40	<0.5	<2	0.09	<0.5	2	29	3	0.73	10
CC40532		0.20	0.3	2.18	<2	<10	60	0.5	<2	0.23	0.5	3	23	7	0.84	10
CC40533		0.20	<0.2	0.46	<2	<10	30	<0.5	<2	0.06	<0.5	1	9	3	0.45	<10
CC40534		0.22	<0.2	0.31	<2	<10	20	<0.5	<2	0.04	<0.5	1	5	2	0.36	<10
CC40535		0.28	0.2	0.99	<2	<10	50	<0.5	<2	0.09	<0.5	2	14	4	0.93	10
CC40536		0.14	<0.2	2.25	5	<10	70	<0.5	<2	0.24	0.8	4	36	6	1.07	10
CC40537		0.16	<0.2	2.64	<2	<10	80	<0.5	<2	0.17	<0.5	4	35	7	1.23	10
CC40538		0.32	0.4	2.85	2	<10	80	0.5	<2	0.17	0.8	1	26	5	0.95	10
CC40539		0.24	0.3	2.65	4	<10	70	<0.5	<2	0.28	<0.5	2	28	5	0.91	10
CC40540		0.22	0.2	2.21	<2	<10	50	0.8	<2	0.98	1.8	2	21	9	0.82	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 13-NOV-2007
Account: MT1

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC40501		1	0.11	20	0.74	586	1	0.02	18	1000	116	0.07	<2	3	42	<20
CC40502		2	0.05	20	1.00	372	4	0.03	18	1800	475	0.18	<2	2	62	<20
CC40503		1	0.09	20	0.80	1030	1	0.02	16	1110	693	0.11	<2	2	35	<20
CC40504		1	0.11	20	0.84	376	2	0.01	20	1050	90	0.09	<2	3	40	<20
CC40505		1	0.08	10	0.47	518	4	0.01	15	800	55	0.11	<2	1	23	<20
CC40506		1	0.12	20	0.59	493	1	0.01	9	1020	32	0.11	<2	1	25	<20
CC40507		<1	0.07	10	0.40	362	2	0.01	12	620	30	0.06	<2	1	15	<20
CC40508		1	0.09	20	0.55	414	1	0.01	6	830	32	0.05	<2	2	44	<20
CC40509		1	0.09	20	0.60	644	<1	0.01	4	750	37	0.04	<2	3	70	<20
CC40510		1	0.12	20	0.63	672	<1	0.02	3	780	30	0.03	2	3	129	<20
CC40511		1	0.07	20	0.54	489	<1	0.01	6	930	32	0.05	<2	2	34	<20
CC40512		<1	0.05	20	6.13	235	1	0.01	8	540	61	0.04	3	2	28	<20
CC40513		1	0.07	20	5.24	346	1	0.02	8	720	36	0.08	<2	2	48	<20
CC40514		1	0.04	20	4.53	222	1	0.01	8	700	27	0.10	2	1	21	<20
CC40515		<1	0.06	10	4.99	152	1	0.01	16	660	65	0.04	<2	1	36	<20
CC40516		1	0.08	10	4.41	460	2	0.02	36	1040	219	0.12	<2	3	41	<20
CC40517		1	0.04	10	0.16	52	3	0.02	11	460	15	0.05	<2	<1	15	<20
CC40518		1	0.04	<10	0.30	338	2	0.02	9	1040	49	0.08	<2	<1	17	<20
CC40519		1	0.05	10	2.30	233	1	0.01	17	490	53	0.05	<2	2	16	<20
CC40520		<1	0.05	10	2.46	168	2	0.01	15	640	45	0.04	<2	1	10	<20
CC40521		<1	0.06	10	1.59	579	1	0.01	17	1110	79	0.06	<2	1	24	<20
CC40522		<1	0.04	10	1.13	1020	1	0.03	9	1130	88	0.09	2	<1	29	<20
CC40523		<1	0.10	10	3.20	192	1	0.01	15	360	57	0.03	<2	2	18	<20
CC40524		<1	0.02	<10	0.06	21	<1	0.02	1	420	7	0.02	<2	<1	5	<20
CC40525		<1	0.08	10	3.95	125	<1	0.03	7	530	9	0.03	2	2	17	<20
CC40526		<1	0.06	<10	2.08	72	<1	0.01	5	240	4	0.01	2	1	6	<20
CC40527		<1	0.17	10	3.43	632	1	0.01	9	280	15	0.01	<2	3	28	<20
CC40528		<1	0.10	10	2.23	205	<1	0.06	7	350	13	0.01	2	2	13	<20
CC40529		<1	0.03	<10	0.41	43	<1	0.01	2	160	15	<0.01	<2	<1	5	<20
CC40530		<1	0.05	10	2.59	71	<1	0.01	2	350	6	0.02	2	1	7	<20
CC40531		<1	0.08	<10	2.22	104	<1	0.01	5	300	10	0.02	<2	1	4	<20
CC40532		1	0.08	10	1.59	93	<1	0.01	9	680	33	0.04	<2	1	11	<20
CC40533		<1	0.03	10	0.30	81	1	0.01	2	210	29	0.01	<2	<1	6	<20
CC40534		<1	0.02	<10	0.19	71	<1	0.01	1	230	12	0.01	<2	<1	5	<20
CC40535		<1	0.04	10	0.75	109	1	0.01	3	290	24	0.02	<2	1	7	<20
CC40536		1	0.07	10	2.17	158	<1	0.01	14	280	49	0.01	<2	2	12	<20
CC40537		<1	0.06	10	2.48	203	<1	0.01	19	200	40	0.01	<2	1	10	<20
CC40538		<1	0.10	<10	3.04	119	6	0.01	19	200	16	0.01	5	2	6	<20
CC40539		<1	0.09	10	2.64	88	4	0.01	20	290	17	0.01	2	2	10	<20
CC40540		<1	0.12	<10	2.19	149	4	0.04	17	230	15	<0.01	5	2	27	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC40501		0.07	<10	<10	81	<10	212
CC40502		0.02	<10	30	80	<10	228
CC40503		0.06	<10	<10	64	<10	421
CC40504		0.08	<10	10	84	<10	153
CC40505		0.08	<10	<10	71	<10	89
CC40506		0.06	<10	<10	48	<10	95
CC40507		0.05	<10	<10	52	<10	66
CC40508		0.07	<10	<10	49	<10	80
CC40509		0.05	<10	<10	43	<10	61
CC40510		0.04	<10	<10	43	<10	64
CC40511		0.06	<10	<10	42	<10	65
CC40512		0.03	<10	<10	22	<10	29
CC40513		0.03	<10	<10	21	<10	41
CC40514		0.02	<10	<10	14	<10	32
CC40515		0.03	<10	<10	21	<10	68
CC40516		0.07	<10	<10	59	<10	194
CC40517		0.02	<10	<10	48	<10	38
CC40518		0.02	<10	<10	41	<10	82
CC40519		0.08	<10	<10	36	<10	91
CC40520		0.05	<10	<10	34	<10	75
CC40521		0.05	<10	<10	60	<10	130
CC40522		0.02	<10	<10	22	<10	99
CC40523		0.08	<10	<10	102	<10	99
CC40524		0.01	<10	<10	7	<10	5
CC40525		0.08	<10	<10	29	<10	21
CC40526		0.06	<10	<10	19	<10	8
CC40527		0.09	<10	<10	36	<10	15
CC40528		0.07	<10	<10	25	<10	15
CC40529		0.07	<10	<10	19	<10	12
CC40530		0.06	<10	<10	24	<10	25
CC40531		0.08	<10	<10	23	<10	22
CC40532		0.05	<10	<10	24	<10	39
CC40533		0.11	<10	<10	30	<10	14
CC40534		0.04	<10	<10	18	<10	12
CC40535		0.11	<10	<10	48	<10	48
CC40536		0.13	<10	<10	43	<10	70
CC40537		0.12	<10	<10	58	<10	75
CC40538		0.11	<10	<10	191	<10	46
CC40539		0.11	<10	<10	189	<10	71
CC40540		0.10	<10	<10	171	<10	143

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 13-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC40541		0.22	<0.2	3.28	3	<10	80	<0.5	<2	0.27	1.5	4	34	6	0.98	10
CC40542		0.18	<0.2	3.51	7	<10	100	0.6	<2	0.22	0.7	4	35	8	1.10	10
CC40543		0.16	0.3	4.08	15	<10	140	1.6	<2	0.60	3.0	9	50	50	2.62	10
CC40544		0.18	<0.2	3.27	<2	<10	90	0.5	<2	0.22	0.6	4	36	8	1.15	10
CC40545		0.16	0.2	2.40	6	<10	60	<0.5	<2	0.17	0.5	3	28	6	1.38	10
CC40546		0.18	0.2	2.52	10	<10	60	<0.5	<2	0.11	0.6	5	35	14	2.32	10
CC40547		0.24	<0.2	1.15	22	<10	30	<0.5	<2	0.04	<0.5	3	17	10	1.62	10
CC40548		0.24	<0.2	0.56	4	<10	40	<0.5	<2	0.02	<0.5	<1	8	3	0.66	<10
CC40549		0.22	<0.2	0.79	2	<10	40	<0.5	<2	0.03	<0.5	1	10	4	0.83	<10
CC40550		0.20	<0.2	2.08	8	<10	80	<0.5	<2	0.15	<0.5	5	29	8	1.43	10
CC40551		0.20	<0.2	2.27	70	<10	70	0.7	<2	0.12	<0.5	9	27	21	3.23	10
CC40552		0.22	<0.2	1.76	9	<10	80	<0.5	<2	0.08	0.9	6	24	11	2.53	10
CC40553		0.20	<0.2	1.82	8	<10	70	<0.5	<2	0.09	<0.5	6	20	10	1.95	10
CC40554		0.20	0.3	2.13	37	<10	50	1.4	<2	1.58	0.6	13	23	38	2.58	10
CC40555		0.22	<0.2	0.14	<2	<10	10	<0.5	<2	0.05	<0.5	1	2	1	0.21	<10
CC40556		0.24	0.2	3.97	9	<10	90	1.1	<2	0.09	<0.5	11	36	19	3.51	10
CC40557		0.18	<0.2	1.42	4	<10	70	<0.5	<2	0.46	0.8	4	27	11	2.48	10
CC40558		0.16	0.2	3.01	5	<10	90	0.8	<2	1.02	0.7	9	30	19	2.72	10
CC40559		0.20	<0.2	1.64	<2	<10	70	<0.5	<2	0.22	0.5	4	31	8	3.47	20
CC40560		0.22	<0.2	1.39	5	<10	60	<0.5	<2	0.09	<0.5	3	26	6	2.69	10
CC40561		0.20	<0.2	4.63	11	<10	280	1.3	<2	0.23	<0.5	14	39	19	3.90	10
CC40562		0.18	<0.2	2.62	3	<10	100	0.6	<2	0.17	<0.5	7	36	15	2.49	10
CC40563		0.20	<0.2	1.71	4	<10	50	<0.5	3	0.13	<0.5	4	31	6	3.02	20
CC40564		0.20	0.2	3.38	<2	<10	60	0.8	<2	0.25	<0.5	6	28	14	2.06	10
CC40565		0.22	0.4	3.75	8	<10	90	1.2	<2	0.22	<0.5	12	36	24	3.35	10
CC40566		0.14	<0.2	3.93	<2	<10	50	0.8	<2	0.51	1.7	10	61	16	5.20	20
CC40567		0.10	<0.2	1.47	<2	<10	70	<0.5	2	0.04	<0.5	3	22	6	1.90	10
CC40568		0.14	0.8	1.60	2	<10	90	<0.5	<2	0.06	1.2	5	29	9	2.15	10
CC40569		0.24	0.3	1.14	5	<10	50	<0.5	2	0.05	0.5	3	16	6	1.74	10
CC40570		0.16	<0.2	1.05	5	<10	70	<0.5	<2	0.13	0.8	2	28	10	1.79	10
CC40571		0.02	0.3	1.92	7	<10	80	0.6	<2	0.11	1.9	5	24	26	2.91	10
CC40572		0.16	1.2	2.32	9	<10	310	1.1	<2	1.81	3.6	7	17	36	2.03	<10
CC40573		0.14	0.3	2.17	12	<10	300	0.9	<2	1.15	7.3	15	63	59	2.96	10
CC40574		0.22	0.5	1.91	4	<10	270	0.9	<2	1.73	8.3	10	20	32	2.23	<10
CC40575		0.18	0.2	3.08	3	<10	400	1.4	<2	1.02	20.6	14	32	38	3.11	10
CC40576		0.14	0.5	2.35	3	<10	180	1.1	<2	1.64	5.1	11	25	43	2.54	<10
CC40577		0.16	0.5	1.95	5	<10	140	0.9	<2	2.04	4.1	10	25	35	2.32	<10
CC40578		0.16	0.4	1.42	8	<10	120	0.8	<2	2.28	2.0	7	13	40	1.53	<10
CC40579		0.22	0.6	2.02	11	<10	180	1.0	<2	1.62	2.7	10	22	38	2.44	10
CC40580		0.16	0.2	2.60	7	<10	130	1.1	<2	1.63	1.7	10	28	32	2.55	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC40541		<1	0.09	<10	3.10	118	3	0.01	20	310	19	0.02	2	3	9	<20
CC40542		<1	0.09	<10	3.13	123	4	0.01	25	230	23	0.01	2	3	10	<20
CC40543		<1	0.15	10	1.80	233	3	0.05	40	1220	75	0.04	<2	4	60	<20
CC40544		<1	0.09	10	2.60	113	1	0.01	21	330	34	0.01	4	2	12	<20
CC40545		<1	0.09	10	1.90	132	2	0.01	15	310	21	0.01	2	2	7	<20
CC40546		<1	0.07	10	1.92	155	3	0.01	27	390	22	0.04	3	2	10	<20
CC40547		<1	0.04	10	0.73	81	2	0.01	11	460	13	0.02	2	<1	9	<20
CC40548		<1	0.02	10	0.17	47	1	<0.01	3	170	8	<0.01	<2	<1	6	<20
CC40549		<1	0.03	10	0.31	57	1	0.01	4	210	13	0.01	<2	1	7	<20
CC40550		<1	0.07	10	1.58	144	<1	0.01	14	330	14	0.02	<2	2	12	<20
CC40551		<1	0.06	20	1.06	256	1	0.01	27	430	27	0.02	<2	3	16	<20
CC40552		<1	0.06	20	0.77	191	2	0.01	14	350	31	0.02	<2	1	13	<20
CC40553		<1	0.07	20	0.73	180	3	0.01	15	230	36	0.01	<2	2	13	<20
CC40554		<1	0.07	20	0.53	354	1	0.03	24	1060	34	0.13	<2	2	62	<20
CC40555		<1	0.02	<10	0.02	24	<1	0.02	<1	250	2	0.01	<2	<1	6	<20
CC40556		<1	0.07	20	0.66	245	2	0.01	30	450	37	0.02	<2	4	13	<20
CC40557		<1	0.05	20	0.35	242	3	0.02	11	320	21	0.02	<2	2	23	<20
CC40558		1	0.08	10	0.92	650	2	0.02	16	690	28	0.08	<2	2	41	<20
CC40559		1	0.06	20	0.43	202	2	0.01	11	240	12	0.01	<2	2	16	<20
CC40560		<1	0.06	10	0.52	169	1	0.01	6	260	15	<0.01	<2	2	9	<20
CC40561		3	0.45	10	2.30	721	1	0.02	20	390	19	0.01	4	6	28	<20
CC40562		1	0.17	10	1.12	155	1	0.02	15	520	9	0.03	<2	3	16	<20
CC40563		<1	0.07	20	0.44	153	1	0.01	10	310	17	0.01	<2	2	8	<20
CC40564		1	0.09	10	0.51	150	1	0.02	14	550	12	0.03	<2	2	16	<20
CC40565		1	0.22	20	1.44	406	2	0.02	24	660	17	0.03	<2	3	19	<20
CC40566		1	0.15	10	2.24	357	3	0.02	20	340	77	0.02	4	5	24	<20
CC40567		<1	0.07	20	0.54	120	<1	0.01	7	260	11	<0.01	<2	2	6	<20
CC40568		<1	0.10	10	1.04	216	3	0.02	12	340	9	<0.01	<2	2	8	<20
CC40569		<1	0.05	20	0.36	130	3	0.01	8	140	19	<0.01	<2	2	8	<20
CC40570		<1	0.07	20	0.35	167	4	0.01	12	430	25	0.01	<2	2	10	<20
CC40571		1	0.09	20	0.57	203	5	0.01	19	520	59	0.02	<2	2	15	<20
CC40572		1	0.07	20	0.46	430	4	0.03	40	1150	56	0.08	<2	1	65	<20
CC40573		<1	0.09	20	1.06	374	4	0.02	131	950	48	0.03	2	3	46	<20
CC40574		1	0.09	10	0.67	523	3	0.03	58	1090	48	0.08	2	2	58	<20
CC40575		2	0.08	20	1.04	345	1	0.03	213	810	46	0.04	<2	4	49	<20
CC40576		1	0.13	10	1.01	326	3	0.03	43	800	37	0.06	2	3	53	<20
CC40577		<1	0.12	10	1.08	244	3	0.03	36	780	38	0.09	<2	3	60	<20
CC40578		1	0.07	10	0.46	263	2	0.03	20	940	25	0.12	<2	1	67	<20
CC40579		<1	0.12	10	0.95	753	4	0.02	34	920	42	0.10	<2	2	58	<20
CC40580		1	0.17	10	1.41	413	2	0.05	35	750	26	0.07	<2	3	66	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC40541		0.09	10	<10	220	<10	124
CC40542		0.11	<10	<10	249	<10	72
CC40543		0.11	<10	<10	179	<10	235
CC40544		0.12	<10	<10	154	<10	108
CC40545		0.11	<10	<10	107	<10	67
CC40546		0.11	<10	<10	184	<10	78
CC40547		0.03	<10	<10	81	<10	30
CC40548		0.03	<10	<10	36	<10	10
CC40549		0.04	<10	<10	40	<10	16
CC40550		0.07	<10	<10	60	<10	47
CC40551		0.06	<10	<10	48	<10	81
CC40552		0.06	<10	<10	67	<10	69
CC40553		0.06	<10	<10	61	<10	87
CC40554		0.03	<10	10	33	<10	80
CC40555		0.01	<10	<10	7	<10	2
CC40556		0.08	<10	<10	54	<10	81
CC40557		0.16	<10	<10	67	<10	105
CC40558		0.08	<10	<10	41	<10	135
CC40559		0.20	<10	<10	84	<10	56
CC40560		0.14	<10	<10	63	<10	30
CC40561		0.12	<10	<10	35	<10	68
CC40562		0.11	<10	<10	47	<10	46
CC40563		0.15	<10	<10	82	<10	47
CC40564		0.10	<10	<10	46	<10	35
CC40565		0.10	<10	<10	48	<10	63
CC40566		0.29	<10	<10	121	<10	293
CC40567		0.08	<10	<10	41	<10	42
CC40568		0.08	<10	<10	80	<10	91
CC40569		0.07	<10	<10	56	<10	72
CC40570		0.16	<10	<10	185	<10	47
CC40571		0.04	<10	<10	68	<10	101
CC40572		0.03	<10	20	36	<10	191
CC40573		0.06	<10	<10	91	<10	569
CC40574		0.04	<10	10	55	<10	222
CC40575		0.04	<10	<10	70	<10	1040
CC40576		0.06	<10	<10	83	<10	288
CC40577		0.06	<10	<10	91	<10	245
CC40578		0.03	<10	20	40	<10	99
CC40579		0.05	<10	10	77	<10	202
CC40580		0.08	<10	<10	80	<10	156

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 13-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC40581		0.22	<0.2	2.15	8	<10	90	0.9	<2	1.26	0.6	10	24	25	2.54	10
CC40582		0.14	0.2	1.28	<2	<10	70	<0.5	<2	1.43	2.3	5	12	15	1.46	<10
CC40583		0.16	0.3	0.86	<2	<10	60	0.5	2	4.04	9.1	5	8	26	0.82	<10
CC40584		0.14	0.7	1.43	<2	<10	100	0.9	<2	0.91	4.0	6	11	21	1.40	<10
CC40585		0.18	0.7	1.50	4	<10	70	1.0	<2	1.14	2.6	7	12	33	1.59	<10
CC40586		0.16	0.5	2.52	2	<10	90	1.5	<2	0.85	1.7	13	26	64	3.15	10
CC40587		0.20	1.0	1.25	<2	<10	60	0.6	<2	0.61	0.8	6	11	19	1.44	<10
CC40588		0.22	0.8	2.54	15	<10	140	1.8	<2	0.85	1.6	31	21	62	3.16	10
CC40589		0.20	0.3	0.73	<2	<10	50	<0.5	<2	0.09	0.5	2	7	13	0.90	<10
CC40590		0.20	0.2	1.72	4	<10	70	0.8	<2	0.79	0.6	9	19	29	2.40	<10
CC40591		0.06	0.5	1.48	6	<10	90	0.9	<2	0.69	1.0	11	14	30	1.98	<10
CC40592		0.24	<0.2	0.63	<2	<10	40	<0.5	<2	0.04	<0.5	2	9	5	1.16	<10
CC40593		0.16	0.5	2.03	11	<10	90	1.4	2	0.30	2.4	11	18	47	2.88	10
CC40594		0.20	0.8	1.99	5	<10	130	0.9	2	0.37	2.1	11	24	122	3.40	10
CC40595		0.20	0.7	2.13	10	<10	140	1.2	<2	0.62	1.7	11	26	69	3.08	10
CC40596		0.22	0.2	1.75	25	<10	90	1.1	<2	0.17	1.5	12	19	54	5.21	10
CC40597		0.18	0.5	1.92	21	<10	110	1.2	3	0.68	1.4	20	19	41	2.45	10
CC40598		0.18	<0.2	1.36	<2	<10	50	<0.5	3	0.19	0.7	5	16	9	1.49	10
CC40599		0.06	<0.2	0.93	3	<10	60	<0.5	<2	0.09	<0.5	3	9	14	1.03	<10
CC40600		0.26	<0.2	2.17	25	<10	50	0.8	<2	0.32	<0.5	10	24	24	2.40	10
CC40601		0.12	1.7	1.07	2	<10	70	0.6	2	0.45	1.6	4	9	24	1.42	<10
CC40602		0.14	0.6	1.08	<2	<10	70	<0.5	<2	0.06	0.6	2	12	20	1.40	<10
CC40603		0.12	0.2	1.13	<2	<10	60	0.7	3	0.04	1.4	5	12	18	1.96	10
CC40604		0.16	<0.2	1.08	3	<10	60	<0.5	<2	0.06	0.6	6	13	9	2.52	10
CC40605		0.16	<0.2	0.82	<2	<10	50	<0.5	<2	0.08	0.6	2	9	4	1.13	<10
CC40606		0.18	0.4	1.22	<2	<10	70	<0.5	2	0.08	0.5	4	12	18	1.79	<10
CC40607		0.08	0.3	1.63	13	<10	70	0.6	3	0.39	0.8	8	19	22	2.24	10
CC40608		0.14	<0.2	3.28	21	<10	60	1.0	<2	0.32	<0.5	14	37	24	3.12	10
CC40609		0.12	<0.2	1.60	<2	<10	50	<0.5	2	0.12	<0.5	4	24	4	2.34	10
CC40610		0.10	<0.2	1.10	4	<10	30	<0.5	2	0.26	<0.5	4	18	11	1.62	10
CC40611		0.10	0.2	0.23	<2	<10	20	<0.5	<2	0.05	<0.5	<1	2	2	0.39	<10
CC40612		0.22	<0.2	1.86	<2	<10	50	<0.5	<2	0.14	<0.5	5	19	9	1.77	10
CC40613		0.10	<0.2	0.14	<2	<10	20	<0.5	<2	0.11	<0.5	<1	<1	1	0.16	<10
CC40614		0.14	<0.2	4.52	4	<10	50	1.3	2	1.31	<0.5	11	39	23	2.07	10
CC40615		0.08	0.2	1.43	<2	<10	40	0.8	2	0.57	0.5	4	13	21	1.01	<10
CC40616		0.12	0.2	2.09	<2	<10	60	0.6	<2	0.42	<0.5	10	24	23	2.83	10
CC40617		0.12	0.2	1.46	<2	<10	50	<0.5	<2	0.21	0.5	6	18	13	2.13	10
CC40618		0.10	<0.2	2.05	7	<10	90	1.0	<2	0.09	0.8	20	18	19	2.38	10
CC40619		0.12	0.3	2.20	15	<10	60	1.0	<2	1.16	0.6	10	25	26	2.31	10
CC40620		0.16	0.3	1.35	<2	<10	40	0.5	2	0.08	0.5	7	17	8	2.14	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 13-NOV-200
Account: MT

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC40581		1	0.15	10	1.20	381	1	0.04	27	580	24	0.04	<2	3	47	<20
CC40582		<1	0.07	10	0.46	209	1	0.01	13	520	18	0.07	<2	1	41	<20
CC40583		<1	0.05	10	0.23	490	2	0.02	12	1050	16	0.19	2	1	96	<20
CC40584		<1	0.05	10	0.33	380	2	0.01	14	930	17	0.09	3	1	42	<20
CC40585		<1	0.06	20	0.38	204	2	0.01	18	810	32	0.07	4	1	37	<20
CC40586		<1	0.13	20	0.96	455	4	0.01	38	610	72	0.04	<2	3	39	<20
CC40587		<1	0.05	10	0.33	178	2	0.01	13	620	30	0.04	3	1	27	<20
CC40588		<1	0.13	30	0.72	654	6	0.01	47	990	86	0.06	5	2	44	<20
CC40589		<1	0.05	10	0.18	68	2	<0.01	8	430	19	0.02	3	<1	10	<20
CC40590		<1	0.09	20	0.70	266	2	<0.01	28	630	41	0.03	2	2	31	<20
CC40591		<1	0.09	10	0.46	187	2	0.01	31	450	42	0.04	3	1	41	<20
CC40592		<1	0.04	10	0.18	74	2	<0.01	7	170	15	<0.01	4	1	9	<20
CC40593		<1	0.08	20	0.55	223	4	0.02	27	710	85	0.05	<2	1	25	<20
CC40594		<1	0.12	20	0.76	340	10	0.02	32	400	133	0.05	<2	3	30	<20
CC40595		2	0.15	20	0.71	202	8	0.02	36	630	379	0.05	<2	2	29	<20
CC40596		1	0.11	20	0.55	243	23	0.01	39	830	124	0.07	2	2	15	<20
CC40597		<1	0.10	20	0.54	459	2	0.01	27	850	26	0.05	<2	2	33	<20
CC40598		1	0.06	10	0.39	79	1	0.02	12	280	19	0.02	<2	2	12	<20
CC40599		<1	0.05	10	0.24	62	1	0.02	9	240	9	0.03	<2	1	9	<20
CC40600		<1	0.09	10	0.73	200	2	0.01	18	380	18	0.04	<2	2	20	<20
CC40601		<1	0.06	10	0.22	103	3	0.02	10	680	33	0.05	<2	1	26	<20
CC40602		1	0.07	10	0.25	103	4	0.01	11	600	38	0.04	<2	<1	12	<20
CC40603		<1	0.05	10	0.22	140	4	<0.01	13	490	33	0.03	<2	1	12	<20
CC40604		1	0.07	20	0.27	201	3	<0.01	19	420	35	0.03	<2	1	12	<20
CC40605		1	0.06	20	0.28	72	2	<0.01	8	200	21	0.01	<2	1	9	<20
CC40606		<1	0.06	10	0.34	111	5	<0.01	16	220	46	0.02	<2	2	11	<20
CC40607		1	0.08	10	0.56	203	2	0.01	26	460	60	0.03	<2	1	18	<20
CC40608		<1	0.16	10	1.17	234	1	0.01	32	450	17	0.03	<2	4	21	<20
CC40609		<1	0.08	20	0.47	121	<1	<0.01	14	210	14	0.02	<2	2	10	<20
CC40610		<1	0.07	10	0.36	93	1	<0.01	9	290	11	0.03	<2	1	14	<20
CC40611		2	0.03	<10	0.06	18	<1	0.01	3	80	<2	0.01	<2	<1	6	<20
CC40612		<1	0.07	10	0.39	145	<1	0.01	13	430	6	0.03	<2	1	11	<20
CC40613		<1	0.03	<10	0.02	12	<1	0.02	1	390	<2	0.02	<2	<1	9	<20
CC40614		1	0.15	10	0.89	386	<1	0.01	24	1040	6	0.06	<2	2	44	<20
CC40615		2	0.11	10	0.27	94	1	0.02	8	800	7	0.07	<2	1	35	<20
CC40616		1	0.09	20	0.91	304	1	0.01	24	610	67	0.04	<2	2	25	<20
CC40617		1	0.08	20	0.61	186	1	<0.01	17	360	28	0.03	<2	1	18	<20
CC40618		1	0.06	30	0.65	506	2	<0.01	22	800	40	0.04	<2	1	11	<20
CC40619		1	0.10	20	1.16	319	<1	0.02	26	590	23	0.06	<2	2	44	<20
CC40620		<1	0.09	20	1.12	355	2	<0.01	19	360	13	0.01	<2	2	4	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 13-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC40581		0.07	<10	<10	48	<10	99
CC40582		0.03	<10	10	22	<10	58
CC40583		0.01	<10	20	11	<10	46
CC40584		0.02	<10	20	20	<10	65
CC40585		0.02	<10	10	25	<10	101
CC40586		0.05	<10	10	53	<10	156
CC40587		0.02	<10	<10	21	<10	61
CC40588		0.02	<10	<10	36	<10	167
CC40589		0.02	<10	<10	15	<10	33
CC40590		0.03	<10	<10	27	<10	122
CC40591		0.03	<10	10	22	<10	107
CC40592		0.05	<10	<10	26	<10	36
CC40593		0.03	<10	<10	34	<10	157
CC40594		0.07	<10	<10	64	<10	364
CC40595		0.05	<10	<10	54	<10	193
CC40596		0.07	<10	<10	37	<10	161
CC40597		0.02	<10	<10	40	<10	103
CC40598		0.06	<10	<10	33	<10	30
CC40599		0.03	<10	<10	21	<10	32
CC40600		0.07	<10	<10	50	<10	70
CC40601		0.01	<10	<10	21	<10	57
CC40602		0.02	<10	<10	37	<10	55
CC40603		0.03	<10	<10	39	<10	69
CC40604		0.04	<10	<10	52	<10	65
CC40605		0.03	<10	<10	31	<10	39
CC40606		0.04	<10	<10	42	<10	66
CC40607		0.03	<10	<10	43	<10	173
CC40608		0.10	<10	<10	62	<10	100
CC40609		0.09	<10	<10	48	<10	54
CC40610		0.08	<10	<10	45	<10	33
CC40611		0.03	<10	<10	11	<10	6
CC40612		0.09	<10	<10	38	<10	36
CC40613		0.01	<10	<10	5	<10	3
CC40614		0.12	<10	<10	58	<10	50
CC40615		0.03	<10	<10	17	<10	16
CC40616		0.04	<10	<10	45	<10	115
CC40617		0.04	<10	<10	40	<10	67
CC40618		0.03	<10	<10	48	<10	85
CC40619		0.04	<10	<10	53	<10	119
CC40620		0.03	<10	<10	52	<10	68

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC40621		0.12	<0.2	0.21	<2	<10	20	<0.5	<2	0.02	<0.5	<1	1	<1	0.18	<10
CC40622		0.10	<0.2	0.22	<2	<10	20	<0.5	2	0.02	<0.5	<1	2	<1	0.17	<10
CC40623		0.14	<0.2	0.35	<2	<10	30	<0.5	<2	0.02	<0.5	<1	2	<1	0.14	<10
CC40624		0.12	0.2	0.35	<2	<10	20	<0.5	<2	0.01	<0.5	1	3	1	0.27	<10
CC40625		0.18	<0.2	0.53	<2	<10	30	<0.5	2	0.02	<0.5	<1	5	1	0.43	<10
CC40626		0.12	<0.2	1.92	2	<10	60	<0.5	<2	0.10	<0.5	2	27	3	0.97	10
CC40627		0.14	0.2	2.21	<2	<10	80	0.7	<2	0.85	1.1	4	24	7	1.46	10
CC40628		0.12	0.2	1.95	<2	<10	50	0.5	<2	0.29	0.7	<1	21	4	0.84	10
CC40629		0.14	<0.2	3.25	3	<10	70	0.7	<2	0.99	0.8	5	34	6	1.25	10
CC40630		0.14	<0.2	2.15	3	<10	100	<0.5	<2	0.56	0.6	4	25	3	0.92	10
CC40631		0.14	0.2	2.65	<2	<10	60	0.7	<2	0.33	0.8	1	29	5	0.97	10
CC40632		0.12	<0.2	2.43	4	<10	60	<0.5	2	0.52	0.6	1	29	4	0.90	<10
CC40633		0.12	<0.2	2.15	<2	<10	50	0.6	<2	0.44	0.5	3	24	4	1.28	10
CC40634		0.12	<0.2	0.23	<2	<10	20	<0.5	3	0.14	<0.5	<1	3	<1	0.15	<10
CC40635		0.12	0.2	0.22	3	<10	20	<0.5	<2	0.23	<0.5	1	2	2	0.25	<10
CC40636		0.14	<0.2	2.52	8	<10	30	0.6	<2	1.14	<0.5	6	45	7	1.36	10
CC40637		0.12	<0.2	2.62	27	<10	60	0.5	<2	0.34	0.8	7	34	10	1.62	10
CC40638		0.10	<0.2	1.93	3	<10	40	0.6	<2	0.24	<0.5	3	24	4	0.86	10
CC40639		0.14	<0.2	3.83	<2	<10	50	0.9	<2	0.36	<0.5	5	46	6	1.44	10
CC40640		0.14	0.3	3.06	9	<10	50	1.2	<2	1.54	1.5	6	32	25	1.36	10
CC40641		0.16	<0.2	1.99	2	<10	20	0.7	<2	0.69	<0.5	4	21	7	0.81	10
CC40642		0.18	<0.2	2.52	<2	<10	30	0.7	<2	0.83	0.5	3	30	5	0.90	10
CC40643		0.06	<0.2	1.09	11	<10	60	<0.5	<2	0.84	<0.5	3	12	6	2.42	10
CC40644		0.12	<0.2	1.56	9	<10	40	<0.5	<2	0.10	<0.5	4	16	6	1.53	10
CC40645		0.12	0.2	2.67	9	<10	70	0.6	<2	1.00	2.8	4	25	10	1.37	10
CC40646		0.10	<0.2	0.98	11	<10	40	<0.5	<2	0.11	<0.5	3	13	6	2.14	10
CC40647		0.14	0.3	1.10	5	<10	40	<0.5	<2	0.06	<0.5	2	10	5	1.26	10
CC40648		0.10	<0.2	0.21	<2	<10	20	<0.5	<2	0.04	<0.5	<1	2	1	0.21	<10
CC40649		0.12	<0.2	0.10	<2	<10	10	<0.5	<2	0.03	<0.5	1	1	1	0.19	<10
CC40650		0.14	<0.2	1.75	14	<10	70	0.6	<2	0.21	<0.5	5	15	8	2.16	10
CC40651		0.16	<0.2	1.44	9	<10	120	<0.5	<2	0.25	<0.5	4	17	7	1.70	10
CC40652		0.10	<0.2	0.15	<2	<10	10	<0.5	<2	0.04	<0.5	1	2	1	0.24	<10
CC40653		0.12	<0.2	0.27	<2	<10	20	<0.5	<2	0.03	<0.5	<1	2	1	0.21	<10
CC40654		0.24	<0.2	2.42	2	<10	60	<0.5	<2	0.09	<0.5	3	12	10	2.80	10
CC40655		0.24	0.2	1.29	5	<10	70	<0.5	<2	0.15	<0.5	2	14	10	1.77	10
CC40656		0.16	<0.2	3.03	12	<10	260	0.8	<2	2.45	<0.5	5	12	8	1.66	10
CC40657		0.16	<0.2	1.83	<2	<10	80	<0.5	<2	0.16	<0.5	3	13	8	1.47	10
CC40658		0.12	0.5	2.66	<2	<10	110	<0.5	<2	0.37	<0.5	3	10	9	1.88	10
CC40659		0.18	<0.2	3.59	4	<10	130	1.1	<2	0.48	0.5	9	21	27	2.51	10
CC40660		0.16	0.2	0.62	2	<10	50	<0.5	<2	0.04	<0.5	1	6	2	0.46	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC40621		<1	0.03	10	0.06	20	<1	<0.01	1	240	<2	0.01	<2	<1	3	<20
CC40622		<1	0.03	10	0.04	12	1	0.01	1	400	2	0.01	<2	<1	3	<20
CC40623		<1	0.03	20	0.05	13	<1	<0.01	1	150	3	0.01	<2	<1	3	<20
CC40624		<1	0.04	10	0.09	16	1	<0.01	3	250	4	0.01	<2	<1	3	<20
CC40625		<1	0.04	20	0.34	31	1	<0.01	4	130	7	<0.01	<2	1	3	<20
CC40626		1	0.05	10	1.81	91	2	<0.01	16	190	10	0.01	<2	2	6	<20
CC40627		<1	0.08	10	1.75	325	<1	0.03	19	420	29	0.03	<2	2	22	<20
CC40628		1	0.05	10	1.88	123	1	<0.01	13	490	9	0.04	<2	1	9	<20
CC40629		<1	0.09	10	3.38	415	3	0.02	18	570	18	0.06	2	3	15	<20
CC40630		2	0.08	10	2.37	182	1	0.01	15	300	19	0.01	<2	2	13	<20
CC40631		<1	0.08	10	2.83	238	4	0.01	24	330	18	0.03	<2	2	10	<20
CC40632		<1	0.07	10	2.73	128	1	0.01	18	380	15	0.03	<2	2	15	<20
CC40633		1	0.10	10	2.05	257	<1	0.02	13	390	19	0.04	<2	2	11	<20
CC40634		<1	0.02	<10	0.08	14	1	0.02	3	460	<2	0.07	<2	<1	7	<20
CC40635		<1	0.03	<10	0.06	142	1	<0.01	<1	440	3	0.02	2	<1	8	<20
CC40636		1	0.15	10	2.05	194	1	0.02	23	320	19	0.04	<2	3	27	<20
CC40637		<1	0.08	10	1.74	287	1	<0.01	19	660	38	0.02	<2	2	15	<20
CC40638		<1	0.09	10	1.93	120	1	<0.01	7	380	16	0.01	<2	2	14	<20
CC40639		<1	0.11	10	4.01	172	1	<0.01	12	460	27	0.02	<2	4	13	<20
CC40640		<1	0.12	10	2.48	350	1	0.03	18	960	64	0.13	<2	2	30	<20
CC40641		<1	0.12	10	1.64	104	<1	0.05	9	380	25	0.02	3	2	21	<20
CC40642		<1	0.08	10	2.40	188	1	0.05	8	400	30	0.03	<2	2	21	<20
CC40643		<1	0.06	10	0.29	251	3	<0.01	6	460	13	0.04	2	1	18	<20
CC40644		<1	0.06	10	0.82	179	3	<0.01	8	550	18	0.04	<2	<1	10	<20
CC40645		<1	0.06	10	1.92	677	3	<0.01	13	1550	84	0.12	<2	1	30	<20
CC40646		<1	0.05	10	0.33	194	2	<0.01	7	520	24	0.04	<2	1	10	<20
CC40647		<1	0.04	10	0.22	171	1	<0.01	5	670	10	0.05	<2	<1	8	<20
CC40648		<1	0.03	10	0.03	19	<1	<0.01	1	330	7	0.01	<2	<1	6	<20
CC40649		<1	0.02	<10	0.01	14	<1	<0.01	1	310	<2	0.01	<2	<1	5	<20
CC40650		<1	0.05	10	0.38	276	2	<0.01	11	740	30	0.07	<2	<1	13	<20
CC40651		<1	0.05	20	0.56	188	2	<0.01	9	240	24	0.02	<2	2	20	<20
CC40652		<1	0.02	<10	0.03	20	<1	<0.01	<1	360	3	0.01	<2	<1	5	<20
CC40653		<1	0.02	<10	0.03	19	1	<0.01	<1	300	9	0.01	<2	<1	5	<20
CC40654		1	0.04	10	0.27	164	2	<0.01	5	670	14	0.06	2	1	11	<20
CC40655		<1	0.06	10	0.47	124	3	<0.01	10	490	42	0.04	2	1	16	<20
CC40656		1	0.08	10	3.40	384	1	<0.01	7	540	29	0.03	<2	3	64	<20
CC40657		<1	0.05	10	0.31	177	2	<0.01	5	600	25	0.04	<2	<1	19	<20
CC40658		<1	0.06	10	0.41	213	1	<0.01	6	750	44	0.05	<2	1	41	<20
CC40659		<1	0.13	20	0.77	343	2	<0.01	20	1160	65	0.03	<2	3	44	<20
CC40660		<1	0.04	10	0.07	44	3	<0.01	2	190	27	0.01	2	<1	9	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC40621		0.01	<10	<10	8	<10	4
CC40622		0.01	<10	<10	7	<10	5
CC40623		0.01	<10	<10	10	<10	6
CC40624		0.01	<10	<10	15	<10	8
CC40625		0.03	<10	<10	19	<10	9
CC40626		0.11	<10	<10	109	<10	39
CC40627		0.06	<10	<10	67	<10	83
CC40628		0.05	<10	<10	91	<10	61
CC40629		0.07	<10	<10	126	<10	102
CC40630		0.09	<10	<10	80	<10	61
CC40631		0.09	<10	<10	196	<10	103
CC40632		0.08	<10	<10	52	<10	66
CC40633		0.07	<10	<10	37	<10	60
CC40634		0.01	<10	<10	4	<10	8
CC40635		0.01	<10	<10	8	<10	9
CC40636		0.07	<10	<10	50	<10	49
CC40637		0.06	<10	<10	56	<10	113
CC40638		0.06	<10	<10	24	<10	25
CC40639		0.07	<10	<10	41	<10	51
CC40640		0.04	<10	<10	40	<10	112
CC40641		0.06	<10	<10	27	<10	27
CC40642		0.06	<10	<10	29	<10	37
CC40643		0.07	<10	<10	54	<10	58
CC40644		0.04	<10	<10	35	<10	54
CC40645		0.03	<10	<10	57	<10	178
CC40646		0.06	<10	<10	48	<10	46
CC40647		0.02	<10	<10	31	<10	27
CC40648		0.01	<10	<10	9	<10	6
CC40649		0.01	<10	<10	7	<10	4
CC40650		0.04	<10	<10	46	<10	61
CC40651		0.07	<10	<10	62	<10	71
CC40652		0.01	<10	<10	8	<10	5
CC40653		0.02	<10	<10	9	<10	6
CC40654		0.05	<10	<10	40	<10	34
CC40655		0.06	<10	<10	64	<10	64
CC40656		0.05	<10	<10	38	<10	48
CC40657		0.05	<10	<10	42	<10	38
CC40658		0.04	<10	<10	39	<10	62
CC40659		0.09	<10	<10	67	<10	127
CC40660		0.08	<10	<10	30	<10	15

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-NOV-200
Account: MT

Project: HY

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC40661		0.10	0.2	0.95	2	<10	80	<0.5	<2	0.13	1.1	6	13	7	1.64	10
CC40662		0.14	0.2	2.61	11	<10	90	1.1	<2	0.90	2.8	6	26	22	2.00	10
CC40663		0.16	0.5	3.83	6	<10	120	1.4	<2	0.22	1.1	6	34	28	2.08	10
CC40664		0.16	0.7	1.15	3	<10	90	0.5	<2	0.18	1.5	3	12	11	0.96	<10
CC40665		0.20	0.3	2.14	6	<10	160	0.7	2	0.40	1.5	4	28	23	2.77	10
CC40666		0.16	0.8	2.96	2	<10	150	1.1	3	1.00	3.3	6	26	46	1.65	10
CC40667		0.12	0.3	2.15	<2	<10	140	0.8	<2	0.33	2.0	4	27	20	1.94	10
CC40668		0.18	0.4	2.58	7	<10	180	1.1	<2	0.46	0.9	5	28	30	2.32	10
CC40669		0.14	<0.2	2.75	3	<10	50	0.5	<2	1.10	1.4	4	13	23	0.93	10
CC40670		0.14	1.0	3.57	25	<10	90	1.5	<2	1.29	6.8	15	42	68	3.01	10
CC40671		0.10	<0.2	3.11	5	<10	120	1.1	<2	0.54	2.0	11	38	31	2.30	10
CC40672		0.10	0.2	2.46	<2	<10	100	0.7	<2	0.59	4.1	6	24	14	1.20	10
CC40673		0.14	0.8	3.13	7	<10	100	1.0	<2	0.28	1.5	8	35	34	2.63	10
CC40674		0.12	<0.2	1.10	<2	<10	150	<0.5	<2	0.10	0.7	2	14	14	2.14	<10
CC40675		0.12	1.0	1.21	<2	<10	90	<0.5	<2	0.10	0.7	2	16	15	1.16	10
CC40676		0.08	0.2	0.24	<2	<10	30	<0.5	<2	0.03	<0.5	<1	2	1	0.18	<10
CC40677		0.10	0.3	0.65	<2	<10	70	<0.5	<2	0.05	<0.5	2	8	5	0.77	<10
CC40678		0.10	1.0	0.94	2	<10	60	<0.5	<2	0.06	0.5	1	11	5	0.67	<10
CC40679		0.18	<0.2	1.85	<2	<10	80	<0.5	<2	0.13	0.6	10	31	14	2.99	10
CC40680		0.16	0.2	1.65	<2	<10	90	<0.5	<2	0.05	<0.5	4	26	10	3.13	10
CC40681		0.14	<0.2	0.58	<2	<10	60	<0.5	<2	0.03	<0.5	1	6	3	0.57	<10
CC40682		0.12	0.4	0.64	5	<10	40	<0.5	<2	0.08	<0.5	2	8	7	0.89	<10
CC40683		0.14	<0.2	0.27	<2	<10	30	<0.5	<2	0.04	<0.5	<1	2	1	0.17	<10
CC40684		0.18	0.2	2.53	6	<10	80	0.6	<2	0.17	<0.5	6	28	20	2.61	10
CC40685		0.14	0.3	0.93	3	<10	50	<0.5	<2	0.04	<0.5	2	12	6	1.15	10
CC40686		0.14	0.2	2.36	3	<10	60	0.5	<2	0.09	<0.5	5	29	12	2.09	10
CC40687		0.04	<0.2	1.22	<2	<10	50	<0.5	<2	0.11	<0.5	4	16	8	1.63	10
CC40688		0.16	0.2	4.72	<2	<10	60	1.1	<2	0.15	0.5	6	33	16	3.03	10
CC40689		0.10	<0.2	1.14	4	<10	40	<0.5	<2	0.08	<0.5	2	12	6	1.31	10
CC40690		0.10	<0.2	3.05	3	<10	100	0.9	<2	0.38	0.6	8	19	17	2.30	10
CC40691		0.14	<0.2	3.33	2	<10	90	1.0	<2	0.75	0.8	10	24	20	2.49	10
CC40692		0.14	<0.2	2.85	2	<10	60	1.0	<2	0.46	0.6	9	16	21	2.49	10
CC40693		0.10	<0.2	0.82	<2	<10	40	<0.5	<2	0.09	<0.5	2	7	4	0.83	10
CC40694		0.12	<0.2	0.47	<2	<10	30	<0.5	<2	0.04	<0.5	1	6	1	0.29	10
CC40695		0.10	<0.2	0.09	<2	<10	10	<0.5	<2	0.03	<0.5	<1	1	1	0.15	<10
CC40696		0.14	<0.2	1.76	3	<10	40	0.8	<2	0.81	1.1	4	16	17	1.28	10
CC40697		0.12	<0.2	1.82	5	<10	50	0.6	<2	1.17	0.6	4	12	10	1.75	10
CC40698		0.12	<0.2	1.75	7	<10	40	0.7	<2	0.85	0.5	5	15	11	1.87	10
CC40699		0.16	<0.2	1.52	5	<10	30	0.7	<2	0.20	<0.5	8	24	10	1.47	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC40661		<1	0.07	10	0.24	599	2	<0.01	7	610	35	0.06	2	<1	17	<20
CC40662		<1	0.08	10	0.82	405	2	<0.01	14	1340	61	0.15	2	1	36	<20
CC40663		1	0.08	10	1.07	391	3	<0.01	21	1220	115	0.08	<2	1	17	<20
CC40664		<1	0.06	<10	0.32	250	1	<0.01	8	1540	45	0.09	<2	<1	18	<20
CC40665		1	0.08	10	1.10	285	5	<0.01	24	680	92	0.10	<2	1	35	<20
CC40666		<1	0.11	10	1.28	279	2	<0.01	32	1160	319	0.05	2	2	49	<20
CC40667		<1	0.08	10	0.71	230	2	<0.01	18	950	95	0.11	<2	1	28	<20
CC40668		<1	0.11	10	0.80	205	2	0.01	26	1040	174	0.10	2	1	48	<20
CC40669		<1	0.06	<10	0.90	384	<1	<0.01	11	1030	109	0.07	<2	1	28	<20
CC40670		<1	0.12	10	1.00	767	4	<0.01	71	1490	86	0.14	3	2	53	<20
CC40671		<1	0.10	10	1.16	569	3	0.01	30	1380	61	0.16	2	1	31	<20
CC40672		<1	0.06	10	1.99	1010	2	0.02	15	1110	117	0.12	2	1	27	<20
CC40673		1	0.12	10	2.38	268	4	0.01	33	830	77	0.07	5	3	24	<20
CC40674		<1	0.07	10	0.32	195	6	<0.01	13	660	39	0.07	4	1	21	<20
CC40675		<1	0.05	10	0.75	102	3	0.01	15	690	136	0.07	4	<1	11	<20
CC40676		<1	0.02	<10	0.04	17	<1	0.01	1	350	12	0.03	<2	<1	6	<20
CC40677		<1	0.05	10	0.15	97	2	0.01	6	490	38	0.06	2	<1	11	<20
CC40678		<1	0.04	10	0.18	84	1	0.01	6	590	59	0.06	3	<1	10	<20
CC40679		1	0.11	10	0.97	951	2	0.01	19	640	45	0.07	2	1	16	<20
CC40680		<1	0.08	10	0.63	179	2	<0.01	14	520	36	0.05	4	1	14	<20
CC40681		<1	0.04	10	0.10	67	1	0.01	4	570	12	0.04	<2	<1	7	<20
CC40682		<1	0.04	10	0.16	32	2	0.01	8	770	12	0.05	3	<1	9	<20
CC40683		<1	0.02	<10	0.01	9	<1	0.02	2	260	4	0.03	<2	<1	8	<20
CC40684		<1	0.10	20	0.96	300	2	0.01	22	760	48	0.05	4	2	16	<20
CC40685		1	0.05	10	0.17	93	2	<0.01	7	310	23	0.02	<2	1	7	<20
CC40686		<1	0.09	20	0.63	193	2	<0.01	14	750	31	0.06	5	1	11	<20
CC40687		<1	0.09	10	0.49	297	1	0.01	12	500	24	0.04	2	1	13	<20
CC40688		1	0.09	20	0.53	226	2	<0.01	16	1020	36	0.07	7	3	12	<20
CC40689		<1	0.05	10	0.20	95	1	<0.01	6	360	20	0.03	<2	1	10	<20
CC40690		<1	0.19	20	0.70	412	1	0.02	15	800	36	0.03	2	3	29	<20
CC40691		<1	0.31	20	0.91	381	1	0.04	18	700	44	0.03	5	4	70	<20
CC40692		<1	0.17	30	0.78	438	1	0.02	13	670	41	0.01	3	4	56	<20
CC40693		<1	0.04	10	0.14	66	1	0.01	4	320	19	0.03	2	<1	10	<20
CC40694		<1	0.03	10	0.02	19	1	0.01	3	210	23	0.02	2	<1	7	<20
CC40695		<1	0.02	<10	0.01	11	<1	0.02	1	150	3	0.01	2	<1	5	<20
CC40696		<1	0.07	20	0.71	227	1	0.02	14	1080	22	0.15	3	1	23	<20
CC40697		<1	0.08	20	0.56	350	1	0.02	9	940	26	0.10	4	1	39	<20
CC40698		<1	0.09	20	0.74	295	<1	0.03	11	550	26	0.07	4	2	36	<20
CC40699		<1	0.11	20	1.35	246	1	<0.01	23	510	22	0.05	4	3	10	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC40661		0.05	<10	<10	41	<10	45
CC40662		0.05	<10	<10	70	<10	179
CC40663		0.06	<10	<10	138	<10	168
CC40664		0.01	<10	<10	49	<10	69
CC40665		0.08	<10	<10	158	<10	180
CC40666		0.06	<10	<10	149	<10	449
CC40667		0.05	<10	<10	110	<10	180
CC40668		0.06	<10	<10	105	<10	253
CC40669		0.03	<10	<10	33	<10	101
CC40670		0.05	<10	10	194	<10	454
CC40671		0.05	<10	<10	100	<10	169
CC40672		0.04	<10	<10	64	<10	137
CC40673		0.11	<10	<10	124	<10	182
CC40674		0.06	<10	<10	71	<10	76
CC40675		0.04	<10	<10	83	<10	182
CC40676		0.01	<10	<10	9	<10	10
CC40677		0.03	<10	<10	37	<10	38
CC40678		0.04	<10	<10	31	<10	28
CC40679		0.09	<10	<10	96	<10	97
CC40680		0.07	<10	<10	83	<10	70
CC40681		0.01	<10	<10	28	<10	15
CC40682		0.01	<10	<10	42	<10	27
CC40683		0.01	<10	<10	6	<10	4
CC40684		0.08	<10	<10	80	<10	108
CC40685		0.09	<10	<10	74	<10	23
CC40686		0.07	<10	<10	59	<10	60
CC40687		0.06	<10	<10	55	<10	47
CC40688		0.12	<10	<10	65	<10	72
CC40689		0.09	<10	<10	46	<10	27
CC40690		0.10	<10	<10	49	<10	72
CC40691		0.12	10	<10	57	<10	93
CC40692		0.12	<10	<10	53	<10	89
CC40693		0.06	<10	<10	32	<10	18
CC40694		0.08	<10	<10	17	<10	6
CC40695		0.01	<10	<10	6	<10	3
CC40696		0.03	<10	10	32	<10	59
CC40697		0.05	<10	<10	39	<10	58
CC40698		0.06	<10	<10	41	<10	71
CC40699		0.04	<10	<10	30	<10	49

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE VA07115070

Project: HY

P.O. No.:

This report is for 198 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21597		0.16	<0.2	0.57	<2	<10	30	<0.5	<2	1.69	<0.5	1	1	7	0.27	<10
CC21598		0.18	0.9	1.42	7	<10	120	0.6	3	1.89	1.7	5	13	50	1.94	<10
CC21599		0.14	1.0	1.71	11	<10	140	1.2	3	2.48	1.1	6	16	63	1.91	<10
CC21600		0.12	0.5	1.04	7	<10	210	0.7	3	2.01	3.4	9	56	29	2.26	<10
CC21636		0.22	<0.2	0.88	4	<10	960	<0.5	2	0.20	0.8	3	7	13	1.26	<10
CC21637		0.18	0.2	1.46	4	<10	3110	0.5	2	1.28	1.3	2	13	11	1.15	<10
CC21638		0.16	<0.2	0.93	4	<10	980	<0.5	<2	3.59	2.2	2	13	9	0.91	<10
CC21639		0.22	<0.2	0.86	7	<10	400	0.5	<2	2.64	7.7	3	10	15	1.24	<10
CC21640		0.20	<0.2	0.61	2	<10	930	<0.5	<2	0.22	1.6	3	5	9	0.74	<10
CC21641		0.22	1.1	1.22	11	<10	170	0.7	2	0.07	0.6	7	17	55	3.38	<10
CC21642		0.18	1.2	1.12	11	<10	150	0.7	4	0.07	0.6	6	14	46	3.17	<10
CC21643		0.18	0.5	0.40	9	<10	90	<0.5	2	0.03	<0.5	2	10	12	1.59	<10
CC21644		0.26	0.5	4.19	22	<10	550	2.6	4	0.26	9.1	102	36	167	7.04	10
CC21645		0.14	<0.2	1.03	5	<10	120	0.6	2	5.96	2.4	19	6	13	0.98	<10
CC21646		0.18	<0.2	0.93	8	<10	190	<0.5	2	0.09	<0.5	5	12	11	1.98	<10
CC21647		0.38	0.2	1.10	7	<10	300	0.5	3	0.04	1.3	4	14	15	1.98	<10
CC21648		0.22	0.2	1.17	7	<10	430	0.5	<2	0.61	2.4	5	12	12	1.75	<10
CC21649		0.26	<0.2	1.36	8	<10	570	0.5	2	0.22	0.7	8	17	20	2.89	<10
CC21650		0.14	0.5	0.57	2	<10	290	<0.5	2	0.14	1.9	1	7	8	0.70	<10
CC21651		0.18	0.2	1.58	8	<10	230	0.6	2	0.74	0.7	6	18	16	2.74	<10
CC21652		0.16	1.8	1.76	11	<10	520	1.3	3	2.04	1.2	9	17	103	2.59	<10
CC21653		0.16	0.3	1.20	6	<10	240	<0.5	2	0.09	1.7	6	13	20	2.26	<10
CC21654		0.16	0.6	1.06	<2	<10	320	<0.5	<2	0.14	0.7	3	10	13	1.52	<10
CC21655		0.18	<0.2	1.52	10	<10	290	0.7	3	0.17	0.8	9	15	25	3.58	<10
CC21656		0.22	0.3	1.57	10	<10	560	0.7	<2	0.42	0.7	9	19	29	3.14	<10
CC21657		0.16	0.7	0.76	3	<10	400	<0.5	2	0.63	0.5	1	5	9	0.67	<10
CC21658		0.18	<0.2	0.67	4	<10	130	<0.5	2	0.06	<0.5	1	7	10	1.02	<10
CC21659		0.16	0.3	0.76	4	<10	190	<0.5	2	0.05	0.5	1	9	8	1.00	<10
CC21660		0.14	1.1	0.54	2	<10	80	<0.5	2	0.03	<0.5	<1	5	6	0.57	<10
CC21661		0.16	0.3	0.69	3	<10	80	<0.5	2	0.02	<0.5	1	9	7	0.90	<10
CC21662		0.14	0.6	0.90	6	<10	170	<0.5	2	0.09	1.2	1	12	12	1.29	<10
CC21663		0.14	0.2	0.45	4	<10	80	<0.5	<2	0.19	<0.5	2	15	13	1.03	<10
CC21664		0.26	0.5	1.27	15	<10	240	0.8	2	0.13	1.5	14	15	54	2.50	<10
CC21665		0.22	1.0	1.28	25	<10	200	0.8	3	0.03	<0.5	5	16	68	4.83	<10
CC21666		0.16	0.6	1.70	21	<10	1460	1.0	2	0.11	2.4	42	21	95	3.96	<10
CC21667		0.16	0.5	0.73	12	<10	150	<0.5	2	0.02	<0.5	3	13	24	3.34	<10
CC21668		0.16	0.6	1.46	21	<10	160	0.9	2	0.04	<0.5	9	19	57	4.60	<10
CC21669		0.20	0.9	1.77	31	<10	190	1.4	3	0.02	0.6	45	24	117	7.97	<10
CC21670		0.18	0.6	1.74	19	<10	200	1.3	3	0.04	<0.5	17	23	75	6.26	<10
CC21671		0.18	0.3	1.22	10	<10	140	<0.5	2	0.02	<0.5	4	19	25	4.08	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21597		<1	0.02	<10	0.03	124	<1	0.03	1	560	<2	0.08	2	<1	42	<20
CC21598		1	0.08	20	0.50	153	4	0.02	32	1230	23	0.14	4	1	57	<20
CC21599		<1	0.12	30	0.60	264	3	0.02	24	1200	35	0.19	3	2	71	<20
CC21600		1	0.09	10	0.56	796	5	0.02	29	1050	31	0.29	4	2	63	<20
CC21636		1	0.05	10	0.23	241	2	0.02	9	1130	34	0.11	<2	<1	22	<20
CC21637		1	0.04	10	1.05	177	1	0.03	14	2050	28	0.16	3	1	29	<20
CC21638		<1	0.03	20	2.26	319	1	0.02	15	1380	101	0.10	<2	1	26	<20
CC21639		<1	0.04	10	2.22	171	1	0.01	19	990	99	0.05	3	1	18	<20
CC21640		1	0.03	10	0.32	111	1	0.03	4	580	27	0.06	2	<1	13	<20
CC21641		1	0.09	30	0.39	247	4	0.01	28	1390	35	0.13	5	1	32	<20
CC21642		<1	0.10	30	0.31	180	4	0.01	27	1310	155	0.13	3	1	36	<20
CC21643		<1	0.05	10	0.14	114	5	0.01	14	850	18	0.05	2	<1	15	<20
CC21644		<1	0.08	30	5.07	989	7	0.01	425	1730	72	0.13	4	7	43	<20
CC21645		<1	0.03	10	3.99	617	2	0.02	59	840	21	0.07	<2	1	37	<20
CC21646		<1	0.06	20	0.26	174	4	0.01	14	630	15	0.03	3	1	11	<20
CC21647		<1	0.07	20	0.55	120	7	0.01	22	660	31	0.04	2	<1	8	<20
CC21648		<1	0.08	10	0.71	218	5	0.02	22	1160	26	0.07	3	1	25	<20
CC21649		<1	0.09	20	0.82	295	6	0.01	30	710	40	0.04	3	1	19	<20
CC21650		<1	0.05	10	0.19	35	2	0.02	8	790	15	0.06	<2	<1	12	<20
CC21651		<1	0.10	20	0.77	215	3	0.01	25	910	31	0.07	3	2	34	<20
CC21652		<1	0.10	70	0.58	308	4	0.02	45	1500	36	0.16	3	3	68	<20
CC21653		<1	0.06	20	0.22	1390	4	0.01	10	1690	18	0.08	<2	1	13	<20
CC21654		<1	0.05	20	0.16	192	3	0.01	8	1530	17	0.07	<2	1	13	<20
CC21655		1	0.08	20	0.61	247	4	0.01	26	610	28	0.04	<2	2	16	<20
CC21656		<1	0.13	30	1.17	286	4	0.01	34	850	35	0.04	4	3	25	<20
CC21657		<1	0.04	10	0.24	62	1	0.03	7	490	8	0.05	<2	1	25	<20
CC21658		<1	0.05	20	0.12	41	4	0.01	10	470	11	0.02	4	<1	9	<20
CC21659		<1	0.06	10	0.26	57	3	0.01	8	1000	17	0.05	2	<1	11	<20
CC21660		<1	0.04	10	0.09	24	2	0.01	4	940	15	0.03	2	<1	6	<20
CC21661		<1	0.07	20	0.19	30	4	0.01	8	850	20	0.04	2	<1	13	<20
CC21662		<1	0.06	10	0.34	57	6	0.01	15	1120	29	0.07	3	<1	12	<20
CC21663		<1	0.08	10	0.22	43	7	0.01	25	1760	14	0.03	4	<1	9	<20
CC21664		<1	0.08	20	1.10	345	4	0.01	108	780	21	0.06	4	3	21	<20
CC21665		<1	0.10	40	0.45	207	7	0.01	31	1430	38	0.14	4	3	47	<20
CC21666		<1	0.16	40	0.81	540	9	0.02	81	1350	45	0.25	8	3	49	<20
CC21667		<1	0.06	20	0.11	113	5	0.01	17	990	30	0.08	<2	1	23	<20
CC21668		<1	0.10	30	0.43	363	6	0.01	36	1380	60	0.12	4	2	45	<20
CC21669		1	0.12	30	0.53	663	11	0.02	93	2910	68	0.24	6	4	91	<20
CC21670		<1	0.10	30	0.50	315	7	0.01	87	1590	46	0.16	10	4	55	<20
CC21671		<1	0.07	20	0.21	262	3	<0.01	16	1200	33	0.11	3	<1	22	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC21597		0.02	<10	<10	5	<10	7
CC21598		0.03	<10	10	27	<10	158
CC21599		0.03	<10	20	31	<10	114
CC21600		0.02	<10	30	28	<10	105
CC21636		0.02	<10	<10	25	<10	80
CC21637		0.02	<10	<10	80	<10	161
CC21638		0.01	<10	<10	88	<10	691
CC21639		0.02	<10	10	58	<10	2170
CC21640		0.02	<10	<10	15	<10	144
CC21641		0.05	<10	<10	36	<10	161
CC21642		0.04	<10	<10	34	<10	146
CC21643		0.01	<10	<10	32	<10	76
CC21644		0.09	<10	<10	220	<10	1350
CC21645		0.01	<10	<10	13	<10	379
CC21646		0.02	<10	<10	29	<10	53
CC21647		0.02	<10	<10	70	<10	137
CC21648		0.01	<10	<10	63	<10	230
CC21649		0.03	<10	<10	55	<10	208
CC21650		0.01	<10	<10	22	<10	59
CC21651		0.04	<10	<10	42	<10	189
CC21652		0.02	<10	20	30	<10	137
CC21653		0.01	<10	<10	35	<10	53
CC21654		0.01	<10	<10	25	<10	30
CC21655		0.03	<10	<10	37	<10	123
CC21656		0.05	<10	<10	50	<10	195
CC21657		0.02	<10	<10	17	<10	47
CC21658		0.01	<10	<10	51	<10	53
CC21659		0.01	<10	<10	45	<10	61
CC21660		<0.01	<10	<10	21	<10	22
CC21661		0.01	<10	<10	41	<10	41
CC21662		0.01	<10	<10	45	<10	85
CC21663		<0.01	<10	<10	57	<10	120
CC21664		0.06	<10	<10	56	<10	313
CC21665		0.13	<10	<10	43	<10	188
CC21666		0.07	<10	<10	82	<10	288
CC21667		0.05	<10	<10	51	<10	107
CC21668		0.09	<10	<10	45	<10	201
CC21669		0.11	<10	<10	58	<10	388
CC21670		0.18	<10	<10	59	<10	403
CC21671		0.04	<10	<10	46	<10	102

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21672		0.18	0.2	0.65	8	<10	120	<0.5	<2	0.02	<0.5	1	11	17	2.29	<10
CC21673		0.16	0.2	0.52	2	<10	70	<0.5	<2	0.03	<0.5	1	4	9	1.06	<10
CC21674		0.18	0.5	1.42	10	<10	130	0.8	<2	0.06	<0.5	13	21	46	3.70	<10
CC21675		0.20	0.4	1.12	10	<10	90	0.6	<2	0.06	<0.5	4	20	36	3.32	<10
CC21676		0.14	0.4	1.55	6	<10	290	<0.5	2	0.91	<0.5	7	17	22	2.33	<10
CC21677		0.14	0.5	1.32	3	<10	200	<0.5	2	0.24	1.5	6	14	17	2.19	<10
CC21678		0.14	<0.2	0.78	2	<10	100	<0.5	2	0.08	0.9	3	16	6	1.61	<10
CC21679		0.12	0.8	0.57	2	<10	120	<0.5	<2	0.06	3.9	3	8	23	0.64	<10
CC21680		0.10	0.2	0.31	<2	<10	30	<0.5	<2	0.03	<0.5	1	4	4	0.32	<10
CC21681		0.14	0.2	0.75	6	<10	60	<0.5	2	0.05	<0.5	3	9	9	1.71	<10
CC21682		0.16	0.2	0.30	<2	<10	30	<0.5	<2	0.03	<0.5	1	3	3	0.39	<10
CC21683		0.12	0.6	1.32	9	<10	100	0.9	2	1.10	2.0	6	20	26	1.70	<10
CC21684		0.18	0.5	1.50	10	<10	290	0.8	2	0.49	0.7	9	19	29	2.68	<10
CC21685		0.16	0.8	1.60	16	<10	250	1.0	3	0.63	1.3	9	17	43	2.93	<10
CC21751		0.26	<0.2	1.90	10	<10	110	0.6	2	0.07	<0.5	9	20	22	4.34	10
CC21752		0.24	0.2	1.02	6	<10	60	0.5	2	0.02	<0.5	4	10	16	2.12	<10
CC21753		0.24	<0.2	2.61	4	<10	50	0.7	3	0.23	<0.5	3	23	7	1.03	10
CC21754		0.24	<0.2	2.88	2	<10	80	0.5	2	0.35	0.6	2	22	4	0.98	10
CC21755		0.24	<0.2	3.39	3	<10	60	0.9	<2	6.46	<0.5	2	24	5	0.82	10
CC21756		0.26	<0.2	2.45	3	<10	50	0.8	<2	8.18	<0.5	2	22	4	0.84	10
CC21757		0.28	<0.2	3.35	2	<10	50	0.9	<2	5.06	<0.5	3	26	5	0.97	10
CC21758		0.30	<0.2	3.59	5	<10	80	1.4	2	1.30	<0.5	2	18	5	1.28	10
CC21759		0.24	<0.2	2.35	2	<10	50	0.6	2	0.43	<0.5	2	14	3	0.79	10
CC21760		0.26	<0.2	1.36	<2	<10	40	<0.5	<2	0.17	<0.5	1	8	4	0.62	<10
CC21761		0.22	<0.2	2.24	3	<10	30	<0.5	<2	0.09	<0.5	1	24	3	0.89	<10
CC21762		0.24	<0.2	2.60	<2	<10	60	<0.5	<2	0.13	<0.5	2	17	4	1.15	10
CC21763		0.20	<0.2	1.72	<2	<10	60	<0.5	<2	0.05	<0.5	2	16	3	1.07	10
CC21764		0.18	0.2	1.01	<2	<10	40	<0.5	2	0.06	<0.5	1	10	3	0.48	<10
CC21765		0.18	0.2	1.13	4	<10	50	<0.5	<2	0.10	0.6	2	16	5	0.84	<10
CC21766		0.24	<0.2	2.06	5	<10	70	<0.5	<2	0.16	<0.5	3	31	9	1.24	10
CC21767		0.24	0.4	2.90	4	<10	80	0.5	5	0.44	3.7	7	37	15	2.76	10
CC21768		0.26	<0.2	2.75	6	<10	80	<0.5	<2	0.12	<0.5	5	34	10	2.55	10
CC21769		0.22	0.2	4.61	8	<10	150	1.3	3	0.44	1.0	13	37	24	2.72	10
CC21770		0.20	<0.2	4.89	8	<10	90	1.9	3	0.67	1.6	13	33	12	1.75	10
CC21771		0.16	<0.2	1.04	3	<10	50	<0.5	<2	0.18	1.2	3	14	8	1.13	10
CC21772		0.26	<0.2	2.92	2	<10	80	0.5	2	0.17	0.6	3	35	9	1.78	10
CC21773		0.22	<0.2	1.46	3	<10	50	<0.5	<2	0.06	<0.5	2	20	4	1.42	10
CC21774		0.24	<0.2	0.65	3	<10	30	<0.5	<2	0.04	<0.5	1	9	4	0.89	10
CC21775		0.18	0.3	1.72	7	<10	50	0.5	3	0.07	<0.5	7	22	21	2.89	10
CC21776		0.18	0.2	1.48	14	<10	60	1.0	3	0.64	2.3	9	16	24	1.59	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21672		1	0.07	20	0.13	70	3	<0.01	10	720	22	0.06	3	<1	13	<20
CC21673		1	0.03	10	0.03	394	1	0.01	3	640	9	0.06	<2	<1	8	<20
CC21674		<1	0.09	20	0.34	493	5	<0.01	38	1430	88	0.07	4	2	32	<20
CC21675		<1	0.09	20	0.47	167	5	<0.01	25	770	34	0.07	3	2	27	<20
CC21676		<1	0.06	10	0.46	330	4	0.01	20	680	30	0.05	<2	1	27	<20
CC21677		<1	0.06	10	0.44	313	5	0.01	17	610	24	0.04	2	1	15	<20
CC21678		<1	0.04	10	0.13	115	6	0.01	11	480	18	0.03	2	<1	11	<20
CC21679		<1	0.04	10	0.06	55	3	0.01	7	960	58	0.04	2	<1	9	<20
CC21680		<1	0.02	<10	0.02	20	<1	0.01	2	840	10	0.02	<2	<1	6	<20
CC21681		<1	0.04	10	0.09	129	2	0.01	7	520	14	0.03	<2	<1	10	<20
CC21682		1	0.02	<10	0.04	27	<1	0.01	3	270	5	0.02	<2	<1	5	<20
CC21683		<1	0.13	20	1.29	193	6	0.01	34	810	24	0.08	3	2	19	<20
CC21684		<1	0.10	20	0.80	311	5	0.01	27	800	29	0.04	3	2	25	<20
CC21685		<1	0.10	20	0.69	326	10	0.01	29	880	32	0.06	4	2	40	<20
CC21751		<1	0.08	20	0.60	335	5	<0.01	29	710	32	0.02	3	2	9	<20
CC21752		1	0.03	10	0.19	128	1	0.01	9	400	20	0.03	<2	1	11	<20
CC21753		<1	0.09	10	1.46	191	<1	<0.01	9	470	18	0.04	<2	2	15	<20
CC21754		<1	0.12	10	2.98	218	1	<0.01	14	300	13	0.02	2	1	16	<20
CC21755		1	0.21	<10	3.46	184	<1	0.19	5	310	7	0.01	2	3	85	<20
CC21756		1	0.09	10	2.83	178	<1	0.10	6	380	7	0.01	2	3	108	<20
CC21757		<1	0.25	10	3.90	194	1	0.13	10	340	10	0.01	6	4	59	<20
CC21758		<1	0.17	10	3.76	515	1	0.02	12	300	8	0.01	3	4	35	<20
CC21759		<1	0.12	10	2.91	120	1	<0.01	9	130	11	0.01	2	2	21	<20
CC21760		1	0.04	<10	1.05	88	<1	0.01	4	360	5	0.02	3	1	9	<20
CC21761		<1	0.06	10	2.38	93	<1	<0.01	4	200	9	0.02	2	1	4	<20
CC21762		<1	0.08	10	2.41	147	1	<0.01	13	200	10	0.02	2	1	6	<20
CC21763		<1	0.07	10	1.61	143	2	<0.01	10	290	13	0.02	<2	1	4	<20
CC21764		<1	0.03	10	0.72	53	1	<0.01	4	200	30	0.02	<2	<1	6	<20
CC21765		<1	0.07	<10	0.97	186	5	0.01	11	310	15	0.03	<2	<1	7	<20
CC21766		<1	0.08	10	1.98	122	9	<0.01	27	270	20	0.02	4	2	7	<20
CC21767		1	0.08	10	1.21	254	2	0.01	20	620	253	0.05	2	2	18	<20
CC21768		<1	0.09	10	1.26	173	2	<0.01	16	340	23	0.03	<2	3	10	<20
CC21769		1	0.33	10	1.84	481	1	0.04	24	660	81	0.03	2	5	66	<20
CC21770		1	0.13	10	0.76	506	<1	0.01	19	1040	31	0.10	3	3	42	<20
CC21771		<1	0.05	10	0.21	171	1	0.02	8	710	9	0.07	<2	<1	19	<20
CC21772		1	0.07	10	2.14	133	3	<0.01	21	340	34	0.03	3	2	11	<20
CC21773		<1	0.04	10	1.08	70	1	<0.01	8	240	18	0.02	3	1	5	<20
CC21774		<1	0.04	10	0.31	46	1	<0.01	4	260	16	0.02	<2	<1	7	<20
CC21775		<1	0.06	20	0.47	233	3	0.01	19	910	33	0.05	2	1	13	<20
CC21776		1	0.05	20	0.36	1000	9	0.02	19	1440	35	0.16	2	1	46	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-NOV-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC21672		0.02	<10	<10	30	<10	63
CC21673		0.01	<10	<10	19	<10	29
CC21674		0.12	<10	<10	52	<10	201
CC21675		0.17	<10	<10	36	<10	124
CC21676		0.02	<10	<10	34	<10	109
CC21677		0.02	<10	<10	33	<10	104
CC21678		0.01	<10	<10	22	<10	38
CC21679		0.01	<10	<10	14	<10	34
CC21680		<0.01	<10	<10	6	<10	11
CC21681		0.03	<10	<10	24	<10	26
CC21682		0.01	<10	<10	12	<10	10
CC21683		0.03	<10	10	121	<10	229
CC21684		0.03	<10	<10	36	<10	105
CC21685		0.03	<10	10	46	<10	122
CC21751		0.05	<10	<10	44	<10	94
CC21752		0.02	<10	<10	15	<10	33
CC21753		0.05	<10	<10	20	<10	28
CC21754		0.10	<10	<10	94	<10	207
CC21755		0.10	<10	<10	26	<10	9
CC21756		0.09	<10	<10	23	<10	12
CC21757		0.10	<10	10	29	<10	12
CC21758		0.15	<10	<10	74	<10	10
CC21759		0.12	<10	<10	29	<10	22
CC21760		0.05	<10	<10	37	<10	23
CC21761		0.10	<10	<10	25	<10	13
CC21762		0.12	<10	<10	44	<10	15
CC21763		0.08	<10	<10	46	<10	24
CC21764		0.07	<10	<10	23	<10	24
CC21765		0.06	<10	<10	172	<10	56
CC21766		0.15	<10	<10	342	<10	86
CC21767		0.13	<10	<10	86	<10	602
CC21768		0.13	<10	<10	107	<10	69
CC21769		0.11	<10	<10	78	<10	128
CC21770		0.10	<10	<10	46	<10	83
CC21771		0.02	<10	<10	18	<10	41
CC21772		0.10	<10	<10	197	<10	148
CC21773		0.11	<10	<10	93	<10	40
CC21774		0.05	<10	<10	48	<10	17
CC21775		0.02	<10	<10	52	<10	75
CC21776		0.02	<10	<10	39	<10	66

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21777		0.20	0.2	2.52	9	<10	70	0.9	3	0.41	0.7	13	30	26	3.11	10
CC21778		0.24	0.2	2.63	14	<10	70	1.2	3	0.54	0.7	17	31	41	3.57	10
CC21779		0.28	0.2	2.51	15	<10	70	0.6	3	0.08	<0.5	13	33	32	4.50	10
CC21780		0.20	0.4	1.44	3	<10	50	<0.5	3	0.07	<0.5	5	25	11	2.97	10
CC21781		0.20	0.3	2.15	10	<10	60	<0.5	4	0.10	<0.5	7	36	14	3.26	10
CC21782		0.18	<0.2	1.30	3	<10	40	<0.5	3	0.15	<0.5	3	17	7	1.58	10
CC21783		0.18	0.2	0.25	<2	<10	30	<0.5	<2	0.05	<0.5	<1	5	2	0.22	<10
CC21784		0.18	<0.2	0.35	2	<10	30	<0.5	2	0.06	<0.5	1	7	3	0.35	<10
CC21785		0.22	0.7	3.92	53	<10	70	3.1	4	1.79	2.3	10	38	102	2.77	10
CC21786		0.22	<0.2	3.58	10	<10	100	1.0	2	0.87	<0.5	11	55	25	3.97	10
CC21787		0.30	<0.2	3.48	6	<10	90	1.2	3	0.78	<0.5	9	41	16	3.15	10
CC21788		0.20	<0.2	4.17	3	<10	90	1.0	<2	0.11	<0.5	8	51	15	4.05	10
CC21789		0.18	<0.2	4.05	5	<10	80	0.9	3	0.17	<0.5	10	54	13	3.94	10
CC21790		0.22	0.2	3.96	8	<10	200	1.4	<2	0.13	<0.5	13	38	22	3.89	10
CC21791		0.22	<0.2	2.58	2	<10	80	0.6	2	0.08	<0.5	6	36	9	3.24	10
CC21792		0.20	<0.2	1.73	<2	<10	70	<0.5	3	0.06	<0.5	5	38	6	3.10	20
CC21793		0.24	1.0	2.09	6	<10	410	0.9	2	0.07	3.8	8	28	24	2.41	10
CC21794		0.24	0.5	1.05	5	<10	210	<0.5	2	0.03	1.6	2	15	14	1.22	<10
CC21795		0.26	0.7	0.34	4	<10	80	<0.5	<2	0.02	<0.5	1	5	14	0.71	<10
CC21796		0.26	0.5	0.97	4	<10	130	<0.5	<2	0.05	2.1	3	16	10	1.32	<10
CC21797		0.28	0.3	0.78	7	<10	160	<0.5	2	0.03	<0.5	3	14	16	2.10	10
CC21798		0.18	1.1	3.26	7	<10	240	1.0	2	0.13	1.7	9	44	21	3.42	10
CC21799		0.26	1.2	1.13	10	<10	140	<0.5	<2	0.05	<0.5	4	18	16	2.58	10
CC21800		0.28	0.2	1.11	9	<10	140	<0.5	3	0.06	<0.5	3	17	10	2.41	10
CC21801		0.16	0.2	1.65	19	<10	210	0.8	2	0.11	1.4	9	17	34	3.80	<10
CC21802		0.14	<0.2	1.00	6	<10	430	<0.5	<2	0.21	2.4	4	16	18	1.74	<10
CC21803		0.14	0.4	0.56	<2	<10	90	<0.5	<2	0.08	1.6	1	7	9	0.87	<10
CC21804		0.16	0.8	0.79	6	<10	120	<0.5	<2	0.16	1.6	1	8	19	1.42	<10
CC21805		0.14	0.6	0.26	<2	<10	50	<0.5	2	0.18	0.5	1	2	16	0.40	<10
CC21806		0.16	0.4	2.03	12	<10	470	1.0	<2	0.47	0.8	14	20	69	2.43	10
CC21807		0.16	0.9	1.85	9	<10	470	0.9	<2	1.33	0.6	9	18	52	2.50	<10
CC21808		0.14	0.3	1.84	3	<10	290	0.7	<2	1.23	<0.5	9	19	23	2.64	<10
CC21809		0.22	0.6	1.36	12	<10	210	0.8	<2	3.00	3.2	4	26	93	1.70	<10
CC21810		0.14	0.2	1.41	16	<10	200	0.8	<2	0.78	2.8	14	19	41	2.75	<10
CC21811		0.16	0.2	0.45	2	<10	50	<0.5	<2	0.03	<0.5	<1	5	2	0.27	<10
CC21812		0.14	<0.2	1.03	<2	<10	160	<0.5	<2	0.05	<0.5	1	12	6	0.47	10
CC21813		0.14	0.6	0.68	<2	<10	250	<0.5	<2	0.05	1.0	1	7	8	0.64	<10
CC21814		0.22	0.2	0.76	3	<10	210	<0.5	<2	0.04	0.5	1	6	9	0.61	<10
CC21815		0.16	0.3	1.47	5	<10	880	0.9	<2	0.19	1.4	4	16	20	1.77	<10
CC21816		0.14	<0.2	0.49	3	<10	180	<0.5	<2	0.08	0.7	1	6	6	0.55	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21777		1	0.08	20	1.04	295	2	0.01	33	620	41	0.03	<2	3	40	<20
CC21778		<1	0.09	30	0.93	815	7	0.01	37	810	70	0.05	<2	2	37	<20
CC21779		<1	0.08	20	0.82	426	3	<0.01	35	510	61	0.03	<2	2	15	<20
CC21780		<1	0.07	20	0.53	254	3	<0.01	12	480	34	0.04	2	1	10	<20
CC21781		1	0.09	20	1.04	242	3	0.01	20	280	32	0.02	<2	3	11	<20
CC21782		<1	0.05	10	0.38	164	1	0.01	10	770	14	0.06	2	<1	12	<20
CC21783		<1	0.03	<10	0.04	27	<1	0.01	3	420	5	0.03	<2	<1	7	<20
CC21784		1	0.03	10	0.07	23	1	0.01	3	250	10	0.02	<2	<1	7	<20
CC21785		<1	0.22	50	1.38	366	1	0.09	23	1190	131	0.14	3	5	83	<20
CC21786		<1	0.19	20	1.68	363	1	0.02	28	680	158	0.07	<2	3	48	<20
CC21787		1	0.18	10	1.58	415	1	0.01	23	900	10	0.08	2	3	41	<20
CC21788		1	0.20	10	1.84	329	1	<0.01	22	520	12	0.04	<2	4	10	<20
CC21789		1	0.21	10	1.77	484	1	<0.01	22	480	10	0.05	2	4	13	<20
CC21790		1	0.34	30	1.84	454	1	0.01	27	610	12	0.04	<2	4	35	<20
CC21791		<1	0.16	10	1.02	273	1	0.01	14	510	9	0.05	2	2	10	<20
CC21792		<1	0.14	20	0.85	250	1	0.01	11	340	8	0.04	<2	3	7	<20
CC21793		<1	0.10	20	0.93	598	8	0.01	32	670	14	0.05	3	1	10	<20
CC21794		<1	0.09	10	0.30	63	3	0.01	9	540	10	0.02	2	<1	10	<20
CC21795		<1	0.05	10	0.03	23	3	0.01	12	600	6	0.02	4	<1	5	<20
CC21796		<1	0.09	10	0.46	96	3	0.01	11	510	12	0.05	2	<1	12	<20
CC21797		<1	0.10	20	0.26	84	5	<0.01	16	420	23	0.03	2	1	18	<20
CC21798		1	0.19	20	1.42	364	4	0.01	30	1170	15	0.05	3	2	14	<20
CC21799		<1	0.09	20	0.37	120	4	0.01	19	1240	21	0.04	2	1	25	<20
CC21800		<1	0.09	20	0.44	125	4	0.01	13	830	20	0.02	4	2	13	<20
CC21801		<1	0.09	20	0.64	282	13	0.01	39	600	35	0.04	3	2	25	<20
CC21802		<1	0.08	20	0.32	133	7	0.02	18	810	32	0.06	3	1	19	<20
CC21803		<1	0.06	10	0.13	42	5	0.01	5	560	17	0.04	2	1	10	<20
CC21804		<1	0.05	10	0.20	72	6	0.01	9	600	22	0.05	2	<1	19	<20
CC21805		<1	0.02	<10	0.03	33	<1	0.04	2	300	5	0.01	<2	<1	13	<20
CC21806		<1	0.08	20	0.60	482	8	0.02	37	1250	41	0.05	<2	2	39	<20
CC21807		<1	0.10	20	0.63	405	6	0.02	25	1160	34	0.07	<2	2	51	<20
CC21808		<1	0.11	20	0.77	436	5	0.02	23	1250	24	0.09	2	2	34	<20
CC21809		<1	0.09	20	0.56	137	4	0.03	51	1550	34	0.21	2	1	67	<20
CC21810		1	0.12	20	1.04	210	6	0.02	61	840	51	0.08	3	2	35	<20
CC21811		<1	0.04	10	0.04	15	1	0.02	1	190	16	0.12	<2	<1	8	<20
CC21812		<1	0.06	20	0.11	35	1	0.01	5	500	22	0.11	<2	<1	9	<20
CC21813		<1	0.04	10	0.11	57	1	0.02	3	450	13	0.01	<2	<1	9	<20
CC21814		<1	0.05	10	0.11	25	1	0.01	5	470	20	0.01	<2	<1	8	<20
CC21815		<1	0.09	20	0.40	130	4	0.01	34	1460	32	0.07	<2	<1	17	<20
CC21816		<1	0.04	10	0.11	37	1	0.02	4	750	18	0.02	<2	<1	8	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC21777		0.06	<10	<10	59	<10	155
CC21778		0.04	<10	<10	51	<10	137
CC21779		0.05	<10	<10	56	<10	118
CC21780		0.07	<10	<10	68	<10	61
CC21781		0.11	<10	<10	92	<10	77
CC21782		0.04	<10	<10	33	<10	50
CC21783		0.01	<10	<10	7	<10	9
CC21784		0.04	<10	<10	14	<10	12
CC21785		0.06	<10	10	45	<10	130
CC21786		0.11	<10	<10	67	<10	215
CC21787		0.09	<10	10	50	<10	82
CC21788		0.15	<10	<10	64	<10	77
CC21789		0.14	<10	<10	56	<10	105
CC21790		0.08	<10	<10	48	<10	45
CC21791		0.08	<10	<10	50	<10	46
CC21792		0.19	<10	<10	71	<10	46
CC21793		0.05	<10	<10	115	<10	128
CC21794		0.01	<10	<10	38	<10	48
CC21795		0.01	<10	<10	27	<10	26
CC21796		0.02	<10	<10	42	<10	69
CC21797		0.05	<10	<10	70	<10	93
CC21798		0.07	<10	<10	95	<10	248
CC21799		0.05	<10	<10	63	<10	108
CC21800		0.06	<10	<10	77	<10	71
CC21801		0.03	<10	<10	42	<10	182
CC21802		0.02	<10	<10	36	<10	89
CC21803		0.02	<10	<10	21	<10	33
CC21804		0.02	<10	<10	37	<10	67
CC21805		0.01	<10	<10	8	<10	15
CC21806		0.03	<10	<10	67	<10	180
CC21807		0.02	<10	10	61	<10	168
CC21808		0.03	<10	<10	43	<10	117
CC21809		0.02	<10	20	28	10	291
CC21810		0.07	<10	<10	72	<10	350
CC21811		0.01	<10	<10	22	<10	14
CC21812		0.01	<10	<10	29	<10	25
CC21813		0.01	<10	<10	19	<10	21
CC21814		<0.01	<10	<10	17	<10	21
CC21815		<0.01	<10	<10	36	<10	93
CC21816		<0.01	<10	<10	12	<10	21

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21817		0.16	<0.2	0.50	3	<10	230	<0.5	<2	0.05	1.7	1	5	4	0.31	<10
CC21818		0.16	<0.2	1.29	2	<10	690	<0.5	2	0.24	3.2	6	16	13	2.06	<10
CC21819		0.14	0.2	0.36	<2	<10	150	<0.5	<2	0.23	1.1	1	3	3	0.44	<10
CC21820		0.12	0.2	1.25	2	<10	890	0.8	<2	0.41	1.3	9	14	17	2.03	<10
CC21821		0.12	<0.2	0.91	3	<10	480	<0.5	<2	0.11	0.6	2	11	11	1.01	<10
CC21822		0.14	0.2	1.28	7	<10	310	0.6	<2	0.21	1.0	6	17	16	2.37	<10
CC21823		0.18	0.5	1.34	8	<10	340	0.8	<2	0.75	1.3	9	19	30	2.56	<10
CC21824		0.16	<0.2	1.01	7	<10	260	<0.5	<2	0.12	1.4	5	16	26	2.29	<10
CC21825		0.12	0.2	1.60	<2	<10	180	0.9	<2	3.48	5.6	12	16	30	1.38	<10
CC21826		0.10	0.3	0.30	2	<10	70	<0.5	2	0.06	<0.5	2	9	8	0.77	<10
CC21827		0.10	0.2	0.24	<2	<10	60	<0.5	<2	0.03	<0.5	1	10	7	0.69	<10
CC21828		0.14	0.4	0.60	5	<10	730	<0.5	<2	0.31	3.3	9	13	12	0.99	<10
CC21829		0.16	0.3	0.92	8	<10	1540	<0.5	<2	0.25	0.9	4	18	23	2.06	<10
CC21830		0.14	0.2	1.10	4	<10	1810	0.5	<2	0.13	1.3	4	14	24	2.31	<10
CC21831		0.12	0.5	1.17	10	<10	980	0.7	<2	0.17	0.6	8	17	30	2.90	<10
CC21832		0.10	<0.2	1.20	2	<10	380	0.5	<2	0.15	1.0	4	16	19	1.59	10
CC21833		0.12	<0.2	1.29	3	<10	510	<0.5	<2	0.49	1.5	5	15	16	1.78	10
CC21834		0.10	0.2	1.66	5	<10	660	0.7	<2	0.66	2.0	6	16	17	1.92	10
CC21835		0.16	<0.2	3.19	<2	<10	980	1.3	<2	0.20	1.3	11	24	24	3.05	10
CC21836		0.12	0.4	0.81	<2	<10	200	<0.5	<2	0.04	0.6	3	14	14	1.51	<10
CC21837		0.10	<0.2	4.03	2	<10	70	0.8	<2	0.29	1.0	7	52	6	1.21	10
CC21838		0.12	<0.2	3.69	5	<10	70	1.1	<2	1.66	<0.5	5	39	7	1.30	10
CC21839		0.20	<0.2	3.53	2	<10	60	0.9	<2	0.74	<0.5	4	34	5	1.21	10
CC21840		0.12	<0.2	3.63	6	<10	50	0.8	<2	0.74	<0.5	17	137	9	2.07	10
CC21841		0.10	<0.2	2.55	2	<10	40	<0.5	<2	0.27	<0.5	4	32	4	1.12	10
CC21842		0.12	<0.2	3.67	2	<10	40	0.9	<2	0.84	<0.5	5	32	8	1.13	10
CC21843		0.12	<0.2	2.16	6	<10	40	<0.5	<2	0.12	<0.5	1	25	5	0.91	10
CC21844		0.14	<0.2	1.85	<2	<10	70	<0.5	<2	0.10	<0.5	<1	17	2	0.72	10
CC21845		0.10	<0.2	1.43	<2	<10	50	<0.5	<2	0.05	<0.5	1	17	3	0.81	10
CC21846		0.12	<0.2	1.34	<2	<10	60	<0.5	<2	0.04	<0.5	1	22	2	0.85	10
CC21847		0.14	<0.2	1.60	4	<10	60	<0.5	<2	0.08	<0.5	2	23	3	1.09	10
CC21848		0.14	<0.2	2.46	4	<10	60	0.7	<2	0.34	<0.5	3	25	5	0.93	<10
CC21849		0.24	0.4	0.74	2	<10	20	<0.5	<2	0.04	<0.5	<1	11	2	0.35	<10
CC21850		0.14	<0.2	2.88	<2	<10	80	<0.5	<2	0.20	<0.5	2	30	3	0.76	<10
CC21851		0.22	0.3	0.58	<2	<10	190	<0.5	<2	0.02	0.5	1	7	8	0.56	<10
CC21852		0.16	0.2	1.23	4	<10	220	<0.5	<2	0.04	<0.5	2	18	12	1.54	10
CC21853		0.22	<0.2	0.69	6	<10	260	<0.5	<2	0.02	<0.5	1	8	5	0.78	<10
CC21854		0.16	<0.2	0.92	<2	<10	160	<0.5	<2	0.03	<0.5	1	12	5	1.49	10
CC21855		0.18	<0.2	1.02	11	<10	140	<0.5	<2	0.05	<0.5	2	13	8	1.77	10
CC21856		0.24	0.2	0.67	3	<10	100	<0.5	<2	0.02	<0.5	1	7	6	1.17	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21817		<1	0.04	10	0.07	19	<1	0.02	2	320	15	<0.01	<2	<1	8	<20
CC21818		<1	0.10	10	0.72	284	2	0.02	23	640	29	0.03	<2	1	14	<20
CC21819		<1	0.02	<10	0.08	60	<1	0.03	3	550	6	0.04	<2	<1	15	<20
CC21820		<1	0.08	10	0.42	247	4	0.02	20	1070	42	0.09	<2	1	26	<20
CC21821		<1	0.07	10	0.24	51	3	0.02	9	590	27	0.12	<2	<1	12	<20
CC21822		<1	0.08	10	0.47	204	6	0.02	21	990	22	0.09	2	1	18	<20
CC21823		<1	0.10	20	0.93	270	6	0.01	39	790	51	0.03	<2	3	32	<20
CC21824		<1	0.07	20	0.35	77	4	0.02	35	700	48	0.05	<2	1	18	<20
CC21825		<1	0.09	10	3.45	131	2	0.02	100	870	22	0.13	<2	2	52	<20
CC21826		<1	0.06	20	0.09	43	13	0.01	14	330	9	0.01	<2	<1	7	<20
CC21827		<1	0.03	<10	0.03	33	5	0.03	8	870	19	0.03	<2	<1	9	<20
CC21828		<1	0.06	10	0.16	837	3	0.03	10	1680	37	0.13	<2	<1	19	<20
CC21829		<1	0.11	20	0.32	181	3	0.01	19	660	80	0.10	<2	<1	37	<20
CC21830		<1	0.09	20	0.29	143	3	0.01	17	610	76	0.13	<2	1	34	<20
CC21831		<1	0.11	20	0.52	302	3	0.01	24	780	117	0.07	<2	1	35	<20
CC21832		<1	0.06	10	0.27	240	2	0.02	11	550	86	0.05	<2	<1	19	<20
CC21833		<1	0.13	10	0.41	499	1	0.02	13	900	72	0.08	<2	1	20	<20
CC21834		<1	0.09	20	0.63	595	1	0.02	16	860	1095	0.07	<2	1	24	<20
CC21835		<1	0.11	20	0.85	398	1	0.01	31	730	99	0.03	<2	3	21	<20
CC21836		<1	0.07	10	0.15	70	2	0.01	10	630	33	0.04	<2	<1	19	<20
CC21837		1	0.16	10	3.23	404	<1	0.02	22	780	21	0.06	3	1	15	<20
CC21838		<1	0.08	10	3.64	354	<1	0.12	15	550	11	0.05	<2	3	38	<20
CC21839		<1	0.06	10	3.56	296	<1	0.05	9	490	8	0.05	<2	3	24	<20
CC21840		1	0.08	10	3.00	718	<1	0.02	47	1150	15	0.07	<2	5	14	<20
CC21841		<1	0.05	10	2.82	226	<1	0.01	11	600	8	0.08	2	1	9	<20
CC21842		<1	0.11	10	3.82	242	2	0.07	22	410	16	0.02	<2	3	24	<20
CC21843		<1	0.08	10	2.41	364	4	<0.01	20	250	11	0.02	3	1	5	<20
CC21844		<1	0.05	10	2.06	84	<1	<0.01	7	200	6	0.01	3	1	5	<20
CC21845		<1	0.06	10	1.05	131	1	0.01	6	350	8	0.03	3	<1	4	<20
CC21846		<1	0.07	10	1.31	349	1	0.01	7	470	8	0.04	<2	<1	4	<20
CC21847		<1	0.07	10	1.52	134	2	0.01	9	390	14	0.03	<2	1	6	<20
CC21848		<1	0.20	10	2.44	225	1	0.02	16	380	15	<0.01	<2	3	17	<20
CC21849		<1	0.03	<10	0.50	47	1	0.01	5	570	6	0.03	<2	<1	5	<20
CC21850		<1	0.20	<10	3.35	126	6	<0.01	26	150	10	<0.01	2	2	8	<20
CC21851		<1	0.04	10	0.13	23	2	<0.01	5	380	11	0.01	<2	<1	7	<20
CC21852		<1	0.07	20	0.35	69	3	0.01	14	470	28	0.03	<2	<1	15	<20
CC21853		<1	0.04	10	0.08	45	1	0.01	5	570	7	0.01	<2	<1	6	<20
CC21854		<1	0.05	10	0.17	85	2	0.01	8	440	14	0.02	<2	<1	7	<20
CC21855		<1	0.07	10	0.35	88	3	0.01	10	420	17	0.03	<2	<1	8	<20
CC21856		<1	0.04	20	0.08	111	2	<0.01	5	320	10	0.01	2	<1	6	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC21817		0.01	<10	<10	18	<10	19
CC21818		0.03	<10	<10	47	<10	245
CC21819		0.02	<10	<10	12	<10	39
CC21820		0.01	<10	<10	41	<10	130
CC21821		0.01	<10	<10	38	<10	62
CC21822		0.01	<10	<10	57	<10	127
CC21823		0.05	<10	<10	56	<10	313
CC21824		0.02	<10	<10	53	<10	213
CC21825		0.01	<10	<10	45	<10	474
CC21826		0.01	<10	<10	54	<10	82
CC21827		<0.01	<10	<10	11	<10	27
CC21828		<0.01	<10	<10	19	<10	114
CC21829		0.03	<10	<10	51	<10	138
CC21830		0.05	<10	<10	53	<10	138
CC21831		0.07	<10	<10	50	<10	194
CC21832		0.03	<10	<10	40	<10	100
CC21833		0.04	<10	<10	46	<10	161
CC21834		0.03	<10	<10	48	<10	247
CC21835		0.08	<10	<10	63	<10	301
CC21836		0.01	<10	<10	35	<10	64
CC21837		0.08	<10	<10	33	<10	78
CC21838		0.08	<10	<10	39	<10	23
CC21839		0.07	<10	<10	36	<10	25
CC21840		0.16	<10	<10	95	<10	37
CC21841		0.06	<10	<10	32	<10	34
CC21842		0.09	<10	<10	55	<10	120
CC21843		0.09	<10	<10	169	<10	34
CC21844		0.14	<10	<10	23	<10	14
CC21845		0.08	<10	<10	21	<10	15
CC21846		0.09	<10	<10	27	<10	24
CC21847		0.12	<10	<10	41	<10	31
CC21848		0.13	<10	<10	39	<10	44
CC21849		0.01	<10	<10	24	<10	13
CC21850		0.12	<10	<10	237	<10	47
CC21851		0.01	<10	<10	29	<10	25
CC21852		0.02	<10	<10	65	<10	71
CC21853		<0.01	<10	<10	17	<10	22
CC21854		0.01	<10	<10	30	<10	30
CC21855		0.02	<10	<10	44	<10	55
CC21856		0.02	<10	<10	40	<10	24

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21857		0.16	0.4	1.38	11	<10	630	0.7	<2	0.15	<0.5	3	11	12	1.21	<10
CC21858		0.16	0.4	1.59	8	<10	250	0.7	<2	2.13	0.5	7	15	32	2.20	<10
CC21859		0.24	0.6	1.98	3	<10	300	2.2	<2	1.63	2.2	24	16	51	2.08	<10
CC21860		0.14	0.5	0.80	7	<10	140	<0.5	<2	2.81	5.2	6	3	28	0.53	<10
CC21861		0.14	0.3	1.34	<2	<10	110	<0.5	<2	1.38	1.4	8	16	16	1.96	<10
CC21862		0.16	0.6	1.33	8	<10	120	<0.5	<2	2.70	0.5	5	12	19	1.51	<10
CC21863		0.22	0.3	0.79	4	<10	90	<0.5	<2	0.06	<0.5	1	8	7	1.19	10
CC21864		0.18	<0.2	1.07	3	<10	290	<0.5	<2	0.36	<0.5	3	14	16	1.95	10
CC21865		0.20	2.2	0.85	13	<10	220	0.5	<2	0.44	<0.5	3	5	32	0.90	<10
CC21866		0.12	0.9	1.24	17	<10	240	0.5	<2	0.61	2.1	6	15	55	1.84	<10
CC21867		0.16	1.4	1.10	9	<10	270	0.7	<2	0.54	2.0	5	7	46	1.27	<10
CC21868		0.20	0.2	0.89	7	<10	210	<0.5	<2	0.06	0.8	3	11	17	1.65	<10
CC21869		0.24	0.5	0.69	5	<10	120	<0.5	<2	0.06	<0.5	1	11	17	1.59	<10
CC21870		0.24	<0.2	1.68	18	<10	110	0.5	<2	0.15	0.5	9	19	20	2.96	<10
CC21871		0.20	0.2	1.55	10	<10	170	0.5	<2	0.19	0.7	7	20	22	2.73	<10
CC21872		0.14	0.4	1.07	6	<10	80	<0.5	<2	1.19	2.2	4	20	15	1.27	<10
CC21873		0.18	<0.2	0.51	<2	<10	90	<0.5	<2	0.15	<0.5	1	8	5	0.51	<10
CC21874		0.18	0.3	0.53	<2	<10	80	<0.5	<2	0.03	<0.5	<1	8	5	0.71	<10
CC21875		0.24	<0.2	1.71	12	<10	140	<0.5	3	0.06	<0.5	6	23	15	4.04	10
CC21876		0.18	0.3	0.44	4	<10	110	<0.5	<2	0.03	<0.5	1	10	8	0.72	<10
CC21877		0.14	0.6	1.10	13	<10	80	0.5	<2	0.38	11.7	6	21	11	1.39	<10
CC21878		0.18	0.2	1.25	11	<10	140	0.6	<2	0.47	2.1	5	21	14	1.44	10
CC21879		0.14	0.6	1.11	15	<10	60	0.9	<2	1.02	4.2	6	20	17	1.61	<10
CC21880		0.14	0.5	1.13	11	<10	120	0.7	<2	1.26	1.6	5	17	20	1.46	<10
CC21881		0.20	1.6	1.46	13	<10	140	1.5	<2	2.10	7.7	6	32	29	1.66	<10
CC21882		0.14	0.2	0.38	2	<10	40	<0.5	<2	0.17	1.3	2	7	4	0.79	<10
CC21883		0.18	0.2	0.71	3	<10	40	0.6	<2	0.56	0.5	5	13	6	1.32	<10
CC21884		0.24	0.3	0.67	2	<10	60	0.5	<2	0.40	<0.5	3	10	7	0.75	<10
CC21885		0.18	0.3	0.88	7	<10	60	<0.5	<2	0.10	1.4	3	13	7	1.17	<10
CC21886		0.18	0.3	1.43	11	<10	130	0.6	<2	0.20	1.0	4	21	13	2.07	10
CC21887		0.24	0.3	1.18	16	<10	90	<0.5	<2	0.07	<0.5	4	18	13	3.06	10
CC21888		0.22	0.2	1.01	3	<10	90	<0.5	<2	0.03	<0.5	2	13	10	2.43	10
CC21889		0.22	0.2	1.51	7	<10	90	<0.5	<2	0.05	<0.5	4	15	8	3.46	10
CC21890		0.22	0.8	0.20	<2	<10	30	<0.5	<2	0.03	<0.5	<1	3	3	0.28	<10
CC21891		0.22	0.5	1.21	9	<10	120	<0.5	<2	0.06	<0.5	4	16	12	3.13	10
CC21892		0.18	0.9	1.76	10	<10	100	<0.5	<2	0.13	<0.5	6	23	11	4.58	10
CC21893		0.20	0.5	0.97	7	<10	90	0.5	<2	0.18	0.9	5	13	12	2.34	10
CC21894		0.22	0.2	1.32	10	<10	70	0.5	<2	0.03	<0.5	4	18	17	5.53	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21857		1	0.04	20	0.33	141	1	0.01	8	1160	29	0.06	4	<1	13	<20
CC21858		<1	0.09	20	0.61	259	2	0.01	22	1180	28	0.18	2	2	66	<20
CC21859		<1	0.08	20	0.51	587	4	0.01	108	2090	28	0.15	3	1	50	<20
CC21860		<1	0.02	10	0.10	485	2	0.03	13	1350	9	0.18	2	<1	70	<20
CC21861		<1	0.09	10	0.68	244	3	0.01	20	970	13	0.09	3	1	41	<20
CC21862		<1	0.07	10	0.44	297	2	0.02	14	1790	12	0.20	2	1	55	<20
CC21863		<1	0.06	20	0.14	59	3	0.01	6	430	10	0.02	<2	<1	10	<20
CC21864		<1	0.08	20	0.32	212	5	0.01	14	440	28	0.02	<2	1	24	<20
CC21865		<1	0.03	10	0.11	41	2	0.02	13	860	17	0.07	<2	1	29	<20
CC21866		<1	0.08	20	0.35	100	8	0.01	23	1230	45	0.10	<2	2	53	<20
CC21867		<1	0.04	20	0.10	188	6	0.02	15	1090	26	0.09	2	1	43	<20
CC21868		<1	0.07	20	0.25	109	8	0.01	13	670	26	0.03	2	<1	18	<20
CC21869		<1	0.05	20	0.13	81	10	<0.01	11	610	38	0.02	3	<1	26	<20
CC21870		<1	0.10	30	1.09	214	5	0.01	27	660	14	0.01	<2	3	11	<20
CC21871		<1	0.09	20	0.88	223	7	0.01	26	690	36	0.03	<2	2	17	<20
CC21872		<1	0.13	20	1.28	133	5	0.01	29	840	18	0.12	4	2	17	<20
CC21873		<1	0.04	10	0.04	120	2	0.01	4	470	6	0.02	<2	<1	10	<20
CC21874		<1	0.03	10	0.04	31	2	0.01	3	560	5	0.02	<2	<1	6	<20
CC21875		<1	0.08	20	0.57	272	6	0.01	22	650	19	0.01	<2	2	12	<20
CC21876		<1	0.04	10	0.04	37	10	0.01	7	370	7	0.01	<2	<1	6	<20
CC21877		<1	0.17	20	1.33	373	12	<0.01	27	690	21	0.02	7	1	12	<20
CC21878		<1	0.15	20	1.31	226	9	<0.01	28	640	24	0.02	8	1	14	<20
CC21879		<1	0.25	20	1.68	358	15	<0.01	46	1020	27	0.06	9	3	16	<20
CC21880		<1	0.11	20	0.97	225	7	<0.01	36	740	26	0.06	6	1	20	<20
CC21881		<1	0.23	30	3.01	174	16	<0.01	74	1400	35	0.02	11	4	29	<20
CC21882		<1	0.05	10	0.13	89	3	<0.01	7	240	15	<0.01	3	1	5	<20
CC21883		<1	0.09	20	0.44	211	5	<0.01	18	650	19	0.02	4	3	9	<20
CC21884		<1	0.07	10	0.58	106	4	<0.01	13	740	12	0.05	5	1	11	<20
CC21885		<1	0.08	10	0.53	110	8	<0.01	16	630	16	0.01	6	1	5	<20
CC21886		<1	0.12	20	0.93	170	8	<0.01	24	600	28	0.01	7	1	9	<20
CC21887		<1	0.07	20	0.45	190	5	<0.01	15	710	20	0.01	4	<1	10	<20
CC21888		<1	0.04	20	0.08	111	2	<0.01	7	1170	14	0.01	4	<1	6	<20
CC21889		<1	0.05	20	0.15	176	3	<0.01	10	630	22	<0.01	5	2	6	<20
CC21890		<1	0.02	<10	0.01	13	<1	<0.01	<1	510	3	<0.01	3	<1	6	<20
CC21891		<1	0.07	20	0.27	205	4	<0.01	15	630	26	0.02	5	1	12	<20
CC21892		<1	0.07	20	0.33	309	3	<0.01	16	550	31	<0.01	4	2	11	<20
CC21893		<1	0.07	20	0.14	199	1	<0.01	12	550	33	0.02	3	1	17	<20
CC21894		<1	0.06	20	0.11	314	5	<0.01	10	890	72	0.01	6	2	9	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07115070

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC21857		0.01	<10	<10	36	<10	64
CC21858		0.03	<10	<10	30	<10	123
CC21859		0.02	<10	<10	32	<10	540
CC21860		0.01	<10	<10	7	<10	56
CC21861		0.04	<10	<10	30	<10	223
CC21862		0.02	<10	<10	20	<10	92
CC21863		0.02	<10	<10	44	<10	38
CC21864		0.04	<10	<10	46	<10	79
CC21865		0.02	<10	10	17	<10	42
CC21866		0.01	<10	10	56	<10	87
CC21867		0.02	<10	20	26	<10	43
CC21868		0.02	<10	<10	46	<10	73
CC21869		0.02	<10	<10	55	<10	57
CC21870		0.04	<10	<10	44	<10	108
CC21871		0.04	<10	<10	63	<10	134
CC21872		0.05	<10	<10	116	<10	201
CC21873		0.01	<10	<10	17	<10	20
CC21874		<0.01	<10	<10	20	<10	15
CC21875		0.10	<10	<10	65	<10	101
CC21876		0.02	<10	<10	52	<10	26
CC21877		0.02	<10	<10	213	<10	280
CC21878		0.03	<10	<10	190	<10	240
CC21879		0.02	<10	<10	231	<10	454
CC21880		0.03	<10	10	131	<10	220
CC21881		0.02	<10	<10	335	<10	693
CC21882		0.01	<10	<10	13	<10	57
CC21883		0.01	<10	<10	18	<10	34
CC21884		0.01	<10	<10	25	<10	35
CC21885		0.01	<10	<10	90	<10	84
CC21886		0.02	<10	<10	155	<10	169
CC21887		0.04	<10	<10	75	<10	79
CC21888		0.02	<10	<10	43	<10	31
CC21889		0.04	<10	<10	64	<10	49
CC21890		<0.01	<10	<10	13	<10	8
CC21891		0.05	<10	<10	56	<10	72
CC21892		0.07	<10	<10	58	<10	84
CC21893		0.05	<10	<10	34	<10	58
CC21894		0.06	<10	<10	71	<10	61

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2-NOV-2007
Account: MTT

CERTIFICATE VA07114986

Project: HY

P.O. No.:

This report is for 41 Rock samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 2-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114986

Method	WEI-21	Au-ICP21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description LOR	0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
G087270	2.44	<0.001	19	1.1	4.6	<10	3.3	42.2	0.61	>1000	2.12	3.6	<1	2.43	921
G087271	1.50	<0.001	24.9	5.5	1.1	60	2.26	17.7	5.01	10.75	118.5	6	52	5.36	5430
G087272	1.82	<0.001	25.9	1.95	3.8	10	3.5	45.3	1.72	959	14.25	4.4	1	1.87	2220
G087273	2.08	0.003	41.7	3.35	1.3	70	11.5	35.2	8.46	111	21.2	43.9	9	31.5	>10000
G087274	2.26	0.015	36.8	1.6	4.2	10	10.1	27	3.04	503	18.5	5.1	3	1.32	331
G087275	1.48	0.004	69.8	5.75	5.7	110	1.77	81.1	6.2	>1000	35.2	72.7	10	5.35	1500
G087276	1.66	0.004	>100	1.68	3.1	30	9.88	1060	3.28	585	20.8	4.1	3	14.8	892
G087277	2.16	0.009	>100	2.01	3	20	13.8	598	8.98	>1000	22.5	74	6	17.65	1680
G087278	0.28	0.005	10.3	0.09	<5	70	0.16	14	11.15	1000	1.66	7	<1	0.34	111
G087279	1.22	0.002	2.38	8.05	1.1	770	1.58	4.55	9.09	11.55	53	49.6	53	2.23	350
G087280	1.22	0.002	6.8	3.02	2.8	800	1.15	1.6	7.93	175	47.4	5.4	20	0.11	12.4
G087281	1.86	0.019	34.3	2.94	3.3	690	1.64	87.9	5.13	157.5	38.6	8.5	22	0.25	5110
G087282	1.44	0.009	52.7	3.28	9.1	50	0.93	253	1.2	18.2	46.8	10.6	25	0.27	202
G087283	0.26	0.181	97.1	2.6	28.4	10	0.39	1200	0.32	17.15	35.5	11.6	24	0.31	1570
G087284	1.54	0.004	6.53	2.97	1.7	30	2.02	19.1	7.81	30	34.2	7.4	25	1.6	86.8
G087285	1.84	0.004	1.14	7.77	5	860	1.43	7.92	4.96	0.94	50.7	40.4	60	4.05	55.6
G087286	1.66	<0.001	2.27	3.34	124	110	0.49	1.65	0.1	0.57	41.5	30.4	28	1.92	124.5
G087287	1.04	0.105	1.67	6.42	>10000	90	1.59	2.2	0.09	3.51	73.9	14.3	35	3.57	18.9
G087288	1.16	0.007	0.15	4.23	38.7	130	1.32	0.65	0.75	0.28	42.6	8.6	35	1.66	38.2
G087289	3.44	0.006	1.38	2.52	4360	70	0.72	3.03	0.15	0.13	30.8	35.3	18	2.02	148.5
G087290	0.48	0.008	0.5	8.64	>10000	440	2.61	1.82	0.42	0.37	103.5	21.4	63	6.3	62.5
G087291	0.40	0.010	22.4	4.41	55.7	10	8.13	219	4.24	0.87	20.8	28.9	19	1.18	1365
G087292	1.14	0.002	0.24	5.91	40.1	730	1.56	1.63	2.1	0.21	72.4	10.3	32	3.2	43.7
G087293	1.10	0.002	1.56	5.22	6.3	970	1.37	2.03	0.65	0.41	60.1	6.2	31	4.12	585
G087294	1.06	<0.001	0.45	6.1	9	190	1.63	1.15	1.88	0.38	45.6	30.4	43	2.03	80.3
G087295	1.46	<0.001	3.42	6.92	1.7	60	2.42	6.12	8.96	14.2	93.1	12.3	42	0.29	1620
G087296	0.46	<0.001	87.4	11.15	8	50	3.44	183.5	11.4	63.1	68.3	25.5	28	4.45	16.8
G087297	1.34	0.001	29	6.28	8.8	20	0.91	2.03	7.03	5.22	47.8	44.4	41	0.69	>10000
G087298	1.44	<0.001	3.23	6.51	3.3	20	1.36	3.89	7.6	7.62	86.4	23.1	44	0.71	5400
G087299	0.42	<0.001	23.8	5.46	4.4	30	1.05	2.55	4.76	5.18	55	31.9	31	2.46	>10000
G087300	0.60	<0.001	0.27	8.88	1.6	1320	1.02	0.3	1.24	0.12	125.5	11.8	55	11.85	120
G087301	1.46	0.001	9.6	4.44	<5	40	2.77	8.21	12.1	11.5	37.9	27.3	27	13.95	2590
G087302	1.44	0.010	30.8	1.77	4.4	350	0.42	20.2	0.09	0.96	21.6	2.2	25	1.87	3170
G087303	2.36	0.002	52.4	1.85	18	<10	57.3	119.5	11.95	76.8	22.3	18.4	20	0.48	511
G087304	4.50	1.185	18.75	4.7	12	130	10.45	1045	15.75	1.66	30.1	40	14	0.72	447
G087305	1.38	0.007	22.5	1.83	48	90	9.4	61.8	16.5	205	23.6	51.7	13	3.21	16.7
G087306	0.94	0.005	0.38	3.87	19	180	22.6	6.74	16.3	49.8	26.4	30.1	12	4.2	8.2
G087307	0.82	<0.001	56.3	6.08	13	70	4.17	122	18.75	201	63.3	30.8	35	0.98	12.8
G087308	2.04	0.001	26.1	9.04	16.6	20	4.27	44.9	9.84	190.5	79.3	83.3	3	0.11	2430
G087309	1.80	0.954	>100	2.38	2.9	90	17.2	1315	9.15	683	31.8	114.5	10	44.3	77.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 2-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
G087270		48	17.2	3.07	0.1	190.5	0.12	1.1	11.4	0.4	4940	26.8	0.03	2.4	3.8	290
G087271		21.3	32.7	0.39	1.4	2.36	0.6	59.4	38.2	0.68	3340	15.15	0.11	27.5	9.7	1480
G087272		38.6	24.1	5.76	0.2	154	0.13	7.4	21.4	0.51	4770	15.5	0.08	6.9	3.9	520
G087273		25.7	24.8	0.37	0.3	8	0.09	12	6.6	0.7	20600	65.9	0.04	4.3	6.3	250
G087274		33.1	18.1	0.55	0.2	101	0.14	9.9	12.6	0.57	4460	1.54	0.06	4.1	6.9	480
G087275		4.68	32	0.24	0.5	12.3	0.84	17.6	31	0.23	4450	1.36	0.13	5.6	4.6	590
G087276		31.2	16.55	0.89	0.2	110.5	0.11	11.4	3.5	0.37	8130	0.78	0.08	2.8	2.8	310
G087277		19.3	17.75	0.31	0.4	36.3	0.06	11.2	5.7	0.46	17050	0.53	0.04	4.5	6.8	370
G087278		3.32	17.65	0.35	<0.1	1.765	0.01	1	1.6	5.87	3000	0.26	0.01	0.2	2.4	<10
G087279		7	23.7	0.21	1.8	0.282	1.7	26.8	50.2	4.08	438	2.28	0.57	38	83.4	1500
G087280		4.97	7.32	0.22	1	0.201	0.01	28.3	29.1	2.93	4060	4.82	0.02	6.5	19.8	370
G087281		6.96	9.65	0.2	1.2	0.2	0.02	21.1	45.8	2.98	5070	7.44	0.02	5.7	17.7	320
G087282		8.42	11.15	0.23	1.9	2.13	0.01	28.5	25.5	3.33	3380	13.7	0.01	7.1	17.5	470
G087283		8.15	11.5	0.19	2.1	4.54	0.01	19.7	32.8	2.5	1995	9.19	<0.01	6.5	14.4	550
G087284		5.84	11.35	0.13	2.2	0.583	0.02	18	19.7	2.3	7210	0.65	0.11	6	18.8	610
G087285		5.72	20.9	0.18	2.8	0.085	3.41	24.5	51.4	3.24	242	3.18	0.18	34.9	71.3	1560
G087286		28.5	7.53	0.41	0.8	0.055	1.12	22.5	23.4	0.08	100	1	0.3	2.3	100	80
G087287		3.63	18.85	0.15	1.9	0.457	1.01	37.2	890	0.33	174	0.41	0.39	7.1	30.1	140
G087288		4.22	11.35	0.1	1.3	0.055	0.43	23.4	111	1.11	526	0.56	0.28	6.8	16.2	270
G087289		41.1	5.37	0.51	0.8	0.054	0.56	16	33.2	0.22	215	0.21	0.37	1.9	163.5	60
G087290		6.75	24.7	0.21	3.1	0.111	2.5	52.4	123.5	0.75	418	0.41	0.77	17.5	43.2	470
G087291		17.3	34.8	0.23	0.6	0.418	0.11	10.2	29.3	2.36	2450	8.16	0.13	23.6	20.7	440
G087292		3.22	16.25	0.12	1.2	0.049	2.57	33.1	30.6	0.72	309	0.47	0.58	12.9	12.7	410
G087293		2.2	13.15	0.11	1.2	0.052	3.25	30.1	32.6	0.58	423	0.77	0.56	10.6	11.1	170
G087294		5.6	15.4	0.14	2.1	0.078	0.2	25.5	49.8	1.12	1135	0.43	1.04	9.5	75.6	300
G087295		5.01	22.5	0.16	0.6	0.221	0.13	45.5	17.8	0.75	1915	0.63	0.03	14.3	13.8	450
G087296		7.67	44.4	0.27	1.2	0.184	1.18	39.5	88.1	1.38	4960	43.9	0.02	9.7	27.7	1260
G087297		9.79	19.05	0.17	0.7	0.12	0.07	23.3	38.3	0.68	1305	5.32	<0.01	12.6	27.5	240
G087298		6.06	21.6	0.16	0.7	0.198	0.16	41.6	40.9	0.68	1480	4.21	0.01	12.7	18.2	280
G087299		9.95	19.45	0.17	0.6	0.117	0.39	30.7	38.2	0.67	1060	2.2	0.01	10.4	36.3	280
G087300		2.65	25.2	0.18	2.6	0.071	7.24	61.5	115.5	0.8	60	1.08	1.4	12.9	14.5	220
G087301		6.7	12.85	0.13	0.5	0.202	0.07	22	13.8	0.62	5760	0.72	0.02	6.7	14.5	540
G087302		1.84	5.07	0.11	0.6	0.174	0.62	11.4	86.8	0.33	267	87.7	0.01	3.8	5.3	250
G087303		9.63	16.4	0.16	0.3	0.266	0.01	11.6	8.1	1.58	24000	2.09	0.07	2.9	6.7	380
G087304		13.65	15	0.22	0.5	0.72	0.05	15.8	5.8	0.86	21900	41.4	0.05	5.6	12.4	500
G087305		12.05	6.33	0.2	0.5	0.111	0.04	13.7	3.5	1.51	30400	1.96	0.02	3.4	15.6	370
G087306		11.6	14.5	0.17	0.3	2.02	0.04	15	7.3	1.71	23700	0.46	0.03	3.8	18.7	520
G087307		7.36	15	0.25	0.7	0.092	0.01	31.2	3.6	0.93	14250	1.32	0.01	23.2	18.2	760
G087308		12.4	43.8	0.56	0.5	0.376	<0.01	31.9	20.6	0.23	4440	0.72	<0.01	0.9	5.7	80
G087309		16.1	13.8	0.26	0.3	53.8	0.14	21.2	5.7	0.8	31200	2.64	0.03	3.6	8.3	680

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 2-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
G087270		664	17	0.004	5.74	0.81	0.9	15	16.4	37.1	0.19	1.29	1	0.021	0.46	1
G087271		53.6	73.4	0.003	6.98	1.21	16.7	5	51.6	399	1.68	0.77	22.2	0.364	1.12	5.6
G087272		815	18.8	<0.002	4.65	0.93	1.4	14	47.4	111.5	0.87	1.36	1.6	0.035	0.33	5.6
G087273		1350	25.9	0.006	1.79	0.79	3.2	5	214	381	0.27	1.39	3.7	0.073	0.26	2.3
G087274		>10000	10.2	<0.002	5.85	19.3	2.1	69	449	178.5	0.36	18.8	2.2	0.05	0.16	1.6
G087275		>10000	68.3	<0.002	>10.0	17.3	4.1	64	14.1	468	0.48	74.4	4.2	0.102	1.06	4.5
G087276		>10000	20.5	<0.002	4.58	1.11	1.7	34	67.4	327	0.18	31.1	2.1	0.045	0.72	1.9
G087277		9690	20.6	<0.002	4.91	2.43	2.8	28	23.4	148.5	0.41	13.45	3.7	0.056	0.41	2.6
G087278		481	0.7	<0.002	>10.0	2.9	1.4	23	2.6	80.6	<0.05	0.43	0.3	<0.005	0.08	0.5
G087279		146	58.6	<0.002	1.83	3.16	32.8	10	3.4	186.5	2.11	0.14	2.5	1.25	0.47	0.7
G087280		>10000	0.6	0.002	0.93	12.2	3.2	37	6	93.9	0.4	0.08	5.6	0.16	0.02	2.7
G087281		>10000	1	0.003	0.36	8.69	2.9	32	16.9	63.7	0.35	0.13	4.7	0.143	0.2	4.8
G087282		>10000	0.7	0.003	0.03	3.96	3.6	29	6.5	13.8	0.44	0.08	6.4	0.189	0.08	7.1
G087283		5490	0.8	0.004	0.07	3.79	4	18	3.5	2.4	0.4	0.82	5.8	0.164	0.05	11.8
G087284		3560	2.3	<0.002	0.13	2.77	4.8	5	26.3	76.4	0.37	0.13	5	0.133	0.3	3.3
G087285		121.5	119.5	0.002	1	1.49	29.8	3	4.2	82.3	1.94	<0.05	2.9	1.15	1.14	2.1
G087286		66.8	57.8	0.002	>10.0	1.42	4	3	0.8	54.2	0.14	<0.05	6.5	0.073	0.31	1.3
G087287		61.5	72.1	<0.002	1.9	44.3	10.8	1	2	69.7	0.47	<0.05	9.5	0.129	0.35	1.8
G087288		28.8	24.7	<0.002	0.97	1.38	8.1	<1	0.9	62.2	0.48	<0.05	6.5	0.163	0.12	1.3
G087289		175	39.1	<0.002	>10.0	9.13	2.8	3	0.7	69.4	0.11	<0.05	4.7	0.056	0.49	0.7
G087290		52.1	131.5	<0.002	3.09	135	17.6	1	3.2	200	1.24	0.07	15.4	0.417	0.78	2.7
G087291		504	11.1	0.013	1.35	3.26	4.7	7	7.8	114.5	0.46	14.45	5	0.124	1.63	3.8
G087292		26.5	133	<0.002	0.54	0.71	8.6	1	5.5	204	1.08	0.06	21.5	0.241	0.82	3.8
G087293		44.7	189	<0.002	0.16	0.23	7.4	<1	2.9	192	0.86	0.11	20.1	0.211	1.76	3
G087294		84.7	14.9	<0.002	0.88	0.23	10.7	1	1.1	194	0.67	0.1	14.6	0.276	0.14	2.6
G087295		985	8.2	<0.002	0.04	2.38	11.7	3	10.5	803	1.15	0.61	21.9	0.285	0.13	3.8
G087296		>10000	123.5	<0.002	0.63	3.12	8.9	38	5.5	665	0.83	12.85	12	0.214	2.3	5.1
G087297		108.5	9.5	<0.002	2.58	3.45	10.5	4	7	807	0.91	0.18	19.9	0.277	0.2	4.1
G087298		327	21.4	<0.002	0.05	2.65	10.2	1	7.7	923	0.96	0.13	19.2	0.259	0.24	4.7
G087299		35.1	48.5	<0.002	1.87	1.57	7	1	5.3	332	0.88	<0.05	14.4	0.195	0.47	4.5
G087300		59.4	278	<0.002	0.64	0.17	14.9	1	5.5	810	1.04	<0.05	27.3	0.314	2.35	5.2
G087301		985	15.7	0.002	0.58	1.83	6.4	2	3.6	227	0.51	0.39	8.5	0.14	0.55	2.3
G087302		>10000	65	<0.002	0.18	3.1	3.5	18	1.2	10	0.27	1.82	4.2	0.094	0.68	3.1
G087303		>10000	1.1	<0.002	0.51	1.83	2.5	9	0.8	413	0.23	5.44	3.7	0.067	0.16	2
G087304		905	5.6	<0.002	0.01	1.37	4	4	6.1	392	0.4	5.44	6	0.117	0.3	4.1
G087305		3410	6.1	0.002	1.35	0.44	3.3	11	0.8	10.8	0.22	0.89	3.1	0.087	0.22	3.6
G087306		49.6	6	<0.002	0.14	0.64	3.2	3	5.4	280	0.28	0.05	4.5	0.091	0.05	2.5
G087307		>10000	1.9	<0.002	1.84	0.41	12.6	26	2.3	29.1	1.5	3.83	8.6	0.528	0.19	2.2
G087308		>10000	0.2	0.006	2.67	10.7	123	103	11.3	748	0.19	6.36	1	0.028	0.05	1.1
G087309		6060	30.8	0.005	1.84	0.96	3.2	22	48.6	181	0.26	22.9	4.4	0.088	0.79	2.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 2-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Pb-OG62	Zn-OG62
	Analyte	V	W	Y	Zn	Zr	Cu	Pb	Zn
	Units	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOR	1	0.1	0.1	2	0.5	0.001	0.01	0.01
G087270		10	0.8	2.8	>10000	2			12.55
G087271		37	7.4	33	871	41.9			
G087272		10	15.7	9.9	>10000	4.1			10.20
G087273		19	2.4	5.1	>10000	10.4	1.450		1.19
G087274		14	88.3	9.8	>10000	5.4		13.40	8.56
G087275		40	3.7	8.9	>10000	13.4		15.65	17.75
G087276		16	1.1	5.1	>10000	6.9		3.62	8.12
G087277		23	2.4	10.8	>10000	11.4			8.75
G087278		7	0.1	4.4	>10000	0.7			20.6
G087279		255	1.7	24.2	1260	61			
G087280		31	4.7	21.6	>10000	34.5		2.82	2.24
G087281		161	1.9	17.1	>10000	34.5		3.88	2.36
G087282		40	1.4	21.5	7430	63.6		1.27	
G087283		116	0.9	20.8	6010	68.4			
G087284		34	1.7	17.4	4320	74.6			
G087285		258	1.3	25.7	183	108.5			
G087286		31	0.5	4.4	69	26.4			
G087287		56	0.9	9.7	3650	67			
G087288		39	0.9	10.4	118	41.2			
G087289		24	0.4	3.7	77	25.3			
G087290		86	1.9	17.4	101	91.1			
G087291		96	1240	11.7	234	18.1			
G087292		36	5.4	19.1	46	36.1			
G087293		34	7	12.8	78	37.6			
G087294		58	1.6	16.2	229	62.2			
G087295		48	2.3	24.3	1240	17.1			
G087296		100	1.4	22.5	7040	33.4		3.00	
G087297		45	1.8	15.1	447	20.5	2.87		
G087298		43	1.7	22.2	639	19.7			
G087299		32	1.5	14.7	466	17.2	1.070		
G087300		63	1.8	17.8	57	72.7			
G087301		30	165.5	13	1690	13.1			
G087302		60	1.4	2.8	545	19.3		1.14	
G087303		30	96.1	6.4	9400	9.5		1.06	
G087304		31	7.5	9.5	425	17.1			
G087305		30	218	8.5	>10000	17.7			3.18
G087306		23	14.1	6.2	5080	10.9			
G087307		69	14.9	24.6	>10000	20.3		3.11	3.08
G087308		95	2.8	>500	>10000	3.4		5.22	3.65
G087309		18	435	9.3	>10000	7.7			5.24

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 2-NOV-200
Account: MT

CERTIFICATE OF ANALYSIS VA07114986

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
G087310		3.00	0.010	>100	6.93	66	<10	4.62	326	10.85	209	62.3	30.1	28	0.4	19

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 2-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
G087310		11.75	30.1	0.25	1.4	0.349	0.01	29.4	16.3	2.06	13300	0.51	0.01	10.5	24	620

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 2-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
G087310		>10000	0.8	<0.002	2.38	2.57	6.8	23	2.6	360	0.85	6.68	13.7	0.247	0.32	3.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 2-NOV-200[illegible]
Account: MT[illegible]

CERTIFICATE OF ANALYSIS VA07114986

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.01	Zn-OG62 Zn % 0.01
G087310		44	95.7	18	>10000	37.7		2.52	3.28

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE VA07114247

Project: HY

P.O. No.:

This report is for 177 Soil samples submitted to our lab in Vancouver, BC, Canada on 18-SEP-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouve

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC39300		0.01	<10	<10	20	<10	18
CC39301		0.02	<10	<10	43	<10	26
CC39302		0.01	<10	<10	16	<10	31
CC39303		0.02	<10	<10	24	<10	24
CC39304		0.03	<10	<10	32	<10	33
CC39305		0.02	<10	<10	34	<10	38
CC39306		0.03	<10	<10	28	<10	26
CC39307		0.02	<10	<10	15	<10	13
CC39308		0.03	<10	<10	15	<10	16
CC39309		0.02	<10	<10	22	<10	10
CC39310		0.04	<10	<10	58	<10	134
CC39311		0.03	<10	<10	21	<10	15
CC39312		0.02	<10	<10	87	<10	59
CC39313		0.01	<10	<10	15	<10	8
CC39314		0.01	<10	<10	4	<10	7
CC39315		0.01	<10	<10	18	<10	34
CC39316		0.02	<10	<10	30	<10	37
CC39317		0.02	<10	<10	45	<10	41
CC39318		0.02	<10	<10	46	<10	53
CC39319		0.01	<10	<10	10	<10	10
CC39320		0.01	<10	<10	32	<10	149
CC39321		0.01	<10	<10	28	<10	22
CC39322		0.04	<10	<10	33	<10	62
CC39323		0.02	<10	10	43	<10	201
CC39324		0.07	<10	<10	61	<10	187
CC39325		0.04	<10	<10	77	<10	454
CC39326		0.02	<10	<10	89	<10	221
CC39327		0.03	<10	<10	80	<10	210
CC39328		0.01	<10	<10	18	<10	27
CC39329		0.01	<10	<10	41	<10	59
CC39330		0.04	<10	<10	74	<10	117
CC39331		0.02	<10	<10	42	<10	37
CC39332		0.02	<10	<10	35	<10	58
CC39333		0.10	<10	<10	60	<10	204
CC39334		0.10	<10	<10	62	<10	194
CC39335		0.06	<10	<10	47	<10	106
CC39336		0.12	<10	<10	45	<10	190
CC39337		0.13	<10	<10	42	<10	137
CC39338		0.10	<10	<10	55	<10	103
CC39339		0.03	<10	<10	30	<10	56

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC39300		0.18	<0.2	0.55	3	<10	60	<0.5	2	0.04	<0.5	3	13	7	1.04	<10
CC39301		0.24	0.3	1.96	7	<10	80	0.7	2	0.33	<0.5	50	73	45	5.24	<10
CC39302		0.22	<0.2	0.85	2	<10	90	<0.5	2	0.19	<0.5	4	22	6	1.14	<10
CC39303		0.24	<0.2	1.55	4	<10	50	0.9	3	0.24	<0.5	8	23	9	1.90	<10
CC39304		0.26	<0.2	1.63	5	<10	70	0.9	2	0.39	<0.5	9	24	11	1.93	<10
CC39305		0.28	0.2	1.67	4	<10	90	1.2	2	1.21	<0.5	9	23	12	2.09	<10
CC39306		0.24	<0.2	1.38	3	<10	60	0.8	<2	0.44	<0.5	6	23	10	1.53	<10
CC39307		0.20	<0.2	1.11	3	<10	60	0.7	2	0.56	<0.5	3	9	6	0.78	<10
CC39308		0.22	<0.2	0.98	3	<10	50	0.5	2	0.22	<0.5	3	18	6	1.05	<10
CC39309		0.26	<0.2	0.34	<2	<10	20	<0.5	<2	0.02	<0.5	1	5	3	0.51	<10
CC39310		0.22	0.2	2.33	6	<10	70	1.3	3	0.33	1.5	13	29	13	2.52	10
CC39311		0.22	<0.2	0.16	2	<10	20	<0.5	<2	0.04	<0.5	1	5	3	0.34	<10
CC39312		0.30	<0.2	0.96	5	<10	40	<0.5	3	0.04	<0.5	3	19	9	1.70	10
CC39313		0.22	<0.2	0.19	<2	<10	20	<0.5	<2	0.03	<0.5	<1	3	1	0.19	<10
CC39314		0.18	<0.2	0.12	<2	<10	20	<0.5	<2	0.04	<0.5	<1	2	1	0.15	<10
CC39315		0.16	<0.2	0.36	<2	<10	20	<0.5	<2	0.38	0.7	2	7	4	0.44	<10
CC39316		0.18	<0.2	1.50	2	<10	50	0.5	2	0.09	0.5	7	18	14	2.77	10
CC39317		0.18	<0.2	0.89	5	<10	40	<0.5	2	0.31	<0.5	3	12	10	1.50	<10
CC39318		0.16	<0.2	1.63	5	<10	60	0.5	3	0.15	<0.5	7	22	17	2.86	10
CC39319		0.20	<0.2	0.40	<2	<10	20	<0.5	2	0.03	<0.5	1	5	3	0.65	<10
CC39320		0.28	<0.2	2.13	22	<10	60	1.2	<2	0.29	0.5	16	21	52	4.94	10
CC39321		0.24	<0.2	0.57	<2	<10	40	<0.5	2	0.03	<0.5	2	7	6	1.05	<10
CC39322		0.20	0.3	2.22	4	<10	140	1.1	3	1.12	0.8	13	23	23	3.44	10
CC39323		0.26	0.5	1.43	7	<10	120	0.6	3	0.22	8.1	4	14	12	1.53	<10
CC39324		0.28	0.4	1.10	12	<10	90	0.7	2	0.23	1.6	12	15	30	2.67	<10
CC39325		0.24	0.8	1.88	17	<10	150	0.9	4	0.65	3.5	5	17	25	4.30	10
CC39326		0.24	0.3	1.26	12	<10	120	0.6	2	0.11	0.8	7	16	31	2.66	<10
CC39327		0.24	0.3	1.37	13	<10	120	0.7	2	0.13	0.8	11	17	35	3.49	<10
CC39328		0.20	0.2	0.19	2	<10	40	<0.5	<2	0.02	<0.5	1	3	5	0.64	<10
CC39329		0.24	<0.2	0.28	5	<10	70	<0.5	2	0.02	<0.5	2	6	10	1.05	<10
CC39330		0.26	0.2	1.49	10	<10	170	0.6	3	0.05	<0.5	4	24	30	3.73	10
CC39331		0.28	0.3	0.53	4	<10	90	<0.5	2	0.02	<0.5	2	9	8	1.54	<10
CC39332		0.22	0.2	0.51	11	<10	90	<0.5	2	0.02	<0.5	2	5	19	1.99	<10
CC39333		0.30	0.3	1.67	19	<10	170	0.9	3	0.05	<0.5	9	22	49	5.06	<10
CC39334		0.26	0.3	1.56	13	<10	150	0.8	3	0.03	0.5	7	21	50	5.07	<10
CC39335		0.22	0.2	1.13	9	<10	130	0.6	3	0.04	<0.5	3	14	30	3.37	<10
CC39336		0.44	0.3	1.32	15	<10	120	0.8	2	0.05	<0.5	10	21	59	4.43	<10
CC39337		0.38	0.4	1.19	12	<10	140	0.8	2	0.05	<0.5	19	16	45	3.92	<10
CC39338		0.28	0.3	1.40	12	<10	200	0.7	3	0.03	0.5	3	21	31	3.92	<10
CC39339		0.28	0.3	0.83	7	<10	80	<0.5	2	0.03	<0.5	3	12	21	1.97	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC39300		<1	0.07	10	0.23	160	1	<0.01	13	650	8	0.03	3	<1	4	<20
CC39301		<1	0.19	10	1.99	637	1	<0.01	138	450	23	0.03	<2	12	8	<20
CC39302		<1	0.06	10	0.95	230	1	<0.01	8	1770	10	0.08	<2	1	7	<20
CC39303		<1	0.11	20	1.81	320	1	<0.01	22	1080	17	0.05	2	3	6	<20
CC39304		<1	0.08	20	1.44	489	1	<0.01	19	900	21	0.05	3	4	9	<20
CC39305		<1	0.08	20	1.06	474	1	0.01	20	1780	23	0.11	2	3	19	<20
CC39306		<1	0.06	20	1.21	272	1	0.01	20	650	14	0.05	2	3	12	<20
CC39307		<1	0.04	10	0.50	277	<1	0.02	7	1180	8	0.09	2	1	15	<20
CC39308		<1	0.04	10	1.24	242	1	<0.01	9	630	8	0.05	2	2	6	<20
CC39309		<1	0.05	10	0.20	54	1	<0.01	3	300	5	0.02	2	<1	3	<20
CC39310		<1	0.13	20	1.27	1020	2	<0.01	27	890	33	0.05	2	3	9	<20
CC39311		<1	0.04	10	0.07	211	1	0.01	2	260	4	0.01	2	<1	3	<20
CC39312		1	0.09	20	0.67	121	3	<0.01	13	740	12	0.03	2	<1	4	<20
CC39313		<1	0.04	10	0.08	30	<1	0.01	1	480	<2	0.02	2	<1	3	<20
CC39314		<1	0.02	<10	0.02	16	<1	0.02	2	440	<2	0.02	<2	<1	6	<20
CC39315		<1	0.04	10	0.19	56	1	0.01	4	600	3	0.05	2	1	8	<20
CC39316		<1	0.12	20	0.90	321	2	<0.01	17	850	8	0.05	<2	1	6	<20
CC39317		<1	0.07	20	0.44	127	2	0.01	9	690	5	0.05	<2	<1	9	<20
CC39318		1	0.11	20	1.13	221	2	0.01	18	860	12	0.05	2	1	8	<20
CC39319		<1	0.05	10	0.17	54	<1	0.01	3	560	2	0.03	<2	<1	4	<20
CC39320		<1	0.10	30	1.34	311	8	0.01	54	610	26	0.04	3	4	22	<20
CC39321		<1	0.05	10	0.13	183	1	0.01	5	530	8	0.03	2	<1	5	<20
CC39322		<1	0.21	30	1.53	793	3	0.02	20	760	16	0.07	<2	2	33	<20
CC39323		<1	0.06	10	0.46	224	4	0.01	15	1170	63	0.07	<2	<1	17	<20
CC39324		1	0.13	20	0.85	253	9	<0.01	37	750	21	0.05	2	2	19	<20
CC39325		1	0.09	20	0.80	118	23	0.02	27	1410	368	0.13	2	1	24	<20
CC39326		1	0.11	20	0.99	168	13	<0.01	42	810	26	0.04	4	1	14	<20
CC39327		<1	0.13	30	0.90	281	11	<0.01	39	990	29	0.06	5	1	20	<20
CC39328		<1	0.03	10	0.04	27	2	0.01	4	390	6	0.03	2	<1	8	<20
CC39329		<1	0.06	10	0.04	185	7	0.01	10	580	20	0.03	2	<1	9	<20
CC39330		<1	0.11	20	0.39	393	4	0.02	23	1150	63	0.13	3	1	42	<20
CC39331		<1	0.06	10	0.07	146	2	0.01	6	590	19	0.05	3	<1	14	<20
CC39332		<1	0.05	10	0.04	71	3	0.01	10	740	19	0.07	3	<1	12	<20
CC39333		<1	0.11	30	0.47	266	6	0.01	37	1190	56	0.12	5	2	40	<20
CC39334		<1	0.10	30	0.39	316	5	0.01	32	1150	64	0.12	3	2	37	<20
CC39335		<1	0.06	20	0.17	203	4	0.01	15	1040	34	0.11	3	<1	24	<20
CC39336		1	0.08	20	0.45	254	6	0.01	35	1270	62	0.09	3	3	38	<20
CC39337		<1	0.09	20	0.39	558	5	0.01	20	1170	44	0.08	5	2	31	<20
CC39338		<1	0.07	20	0.34	163	5	<0.01	16	960	46	0.11	3	1	34	<20
CC39339		<1	0.05	10	0.11	89	3	<0.01	9	1110	48	0.11	2	<1	17	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC39340		0.22	0.3	0.35	2	<10	40	<0.5	2	0.04	0.5	1	3	9	0.52	<10
CC39341		0.30	<0.2	0.68	4	<10	60	<0.5	3	0.03	<0.5	2	14	14	1.93	10
CC39342		0.22	0.8	1.41	8	<10	120	1.0	3	0.06	0.5	22	17	59	4.34	<10
CC39343		0.22	<0.2	0.24	2	<10	40	<0.5	<2	0.04	<0.5	1	2	7	0.44	<10
CC39344		0.26	0.3	0.96	11	<10	110	0.5	4	0.02	<0.5	3	15	29	4.13	10
CC39345		0.24	0.2	1.26	16	<10	140	1.0	2	0.03	0.8	9	17	61	4.90	<10
CC39346		0.26	0.3	1.22	6	<10	130	0.6	2	0.02	0.5	4	18	29	3.50	<10
CC39347		0.24	0.7	1.36	16	<10	190	1.0	4	0.09	1.5	29	17	74	5.20	<10
CC39348		0.40	0.6	1.16	18	<10	140	0.9	3	0.06	0.5	14	17	64	4.80	<10
CC39349		0.32	0.4	1.38	18	<10	170	0.9	3	0.04	<0.5	12	20	54	4.95	<10
CC39350		0.28	0.5	1.41	17	<10	150	0.9	3	0.02	0.5	7	17	58	4.91	<10
CC39351		0.30	<0.2	0.33	<2	<10	30	<0.5	2	0.04	<0.5	1	3	2	0.39	<10
CC39352		0.26	0.2	0.29	<2	<10	50	<0.5	<2	0.10	<0.5	1	3	3	0.35	<10
CC39353		0.50	0.2	0.31	<2	<10	30	<0.5	<2	0.02	<0.5	1	6	4	0.56	<10
CC39354		0.32	0.2	0.52	2	<10	40	<0.5	2	0.03	<0.5	1	9	4	0.64	<10
CC39355		0.38	0.2	0.49	<2	<10	60	<0.5	<2	0.07	<0.5	2	7	5	0.67	<10
CC39356		0.36	<0.2	0.35	<2	<10	20	<0.5	2	0.03	<0.5	<1	2	2	0.30	<10
CC39357		0.32	<0.2	0.34	2	<10	20	<0.5	2	0.03	<0.5	<1	4	3	0.38	<10
CC39358		0.42	<0.2	1.48	4	<10	60	0.5	2	0.05	<0.5	4	22	11	2.00	10
CC39359		0.36	<0.2	1.20	<2	<10	50	0.6	<2	0.15	<0.5	6	25	8	1.79	10
CC39360		0.44	<0.2	1.61	5	<10	60	1.4	<2	0.33	<0.5	6	33	8	1.73	<10
CC39361		0.44	<0.2	1.55	4	<10	50	1.0	2	0.31	<0.5	4	29	10	1.30	<10
CC39362		0.38	<0.2	1.02	4	<10	50	0.7	<2	0.35	<0.5	4	16	7	1.28	<10
CC39363		0.42	<0.2	1.27	4	<10	70	0.9	2	0.55	<0.5	6	23	8	1.41	<10
CC39364		0.38	<0.2	0.42	2	<10	30	<0.5	2	0.14	<0.5	1	4	2	0.46	<10
CC39365		0.36	<0.2	0.25	<2	<10	20	<0.5	2	0.01	<0.5	<1	3	2	0.23	<10
CC39366		0.34	<0.2	0.54	3	<10	20	<0.5	2	0.02	<0.5	2	11	6	1.01	<10
CC39367		0.32	<0.2	1.53	4	<10	70	1.0	3	0.51	1.2	6	20	8	1.53	<10
CC39368		0.36	<0.2	0.65	4	<10	30	0.5	<2	0.11	<0.5	5	22	6	0.95	<10
CC39369		0.36	<0.2	0.47	<2	<10	20	<0.5	<2	0.06	<0.5	<1	5	2	0.75	<10
CC39370		0.42	<0.2	0.06	2	<10	<10	<0.5	<2	0.01	<0.5	<1	1	<1	0.09	<10
CC39371		0.44	0.2	1.20	<2	<10	40	0.7	<2	0.69	2.3	3	15	8	1.01	<10
CC39372		0.44	0.3	2.86	7	<10	70	1.2	<2	0.23	0.7	16	31	28	3.71	10
CC39373		0.46	0.3	2.67	9	<10	60	1.2	2	0.28	<0.5	17	27	30	4.28	10
CC39374		0.36	<0.2	1.22	4	<10	40	<0.5	<2	0.05	<0.5	4	18	10	2.34	10
CC39375		0.26	<0.2	1.77	7	<10	60	0.6	2	0.22	<0.5	8	23	16	3.39	10
CC39376		0.40	0.2	2.47	9	<10	50	1.1	<2	0.43	<0.5	17	27	37	4.15	10
CC39377		0.30	0.3	1.10	3	<10	40	<0.5	<2	0.03	<0.5	4	14	10	2.09	10
CC39378		0.36	0.4	0.90	2	<10	40	<0.5	<2	0.03	<0.5	3	12	7	1.31	<10
CC39379		0.36	0.2	2.13	8	<10	160	0.8	<2	0.63	6.6	6	24	18	2.38	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-200
Account: MT

Project: HY

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC39340		<1	0.03	<10	0.03	25	1	0.02	4	730	17	0.06	<2	<1	10	<20
CC39341		<1	0.06	10	0.05	125	2	<0.01	6	990	34	0.10	2	<1	14	<20
CC39342		<1	0.08	20	0.30	1090	6	0.01	32	1180	150	0.11	2	1	37	<20
CC39343		<1	0.02	<10	0.02	26	<1	0.02	2	520	3	0.05	<2	<1	8	<20
CC39344		<1	0.06	20	0.11	110	5	<0.01	14	1120	29	0.10	3	<1	21	<20
CC39345		<1	0.07	40	0.34	302	5	<0.01	34	1210	271	0.12	4	1	40	<20
CC39346		<1	0.06	20	0.12	212	3	<0.01	19	1270	43	0.12	<2	<1	26	<20
CC39347		<1	0.12	40	0.56	515	7	<0.01	79	1250	78	0.13	5	2	59	<20
CC39348		<1	0.10	40	0.39	332	6	0.01	39	1500	102	0.13	4	4	58	<20
CC39349		<1	0.11	30	0.34	769	6	0.01	36	2210	85	0.12	4	3	50	<20
CC39350		<1	0.09	30	0.35	232	6	<0.01	40	1320	43	0.12	4	1	44	<20
CC39351		<1	0.02	<10	0.10	45	<1	0.01	2	580	7	0.03	<2	<1	5	<20
CC39352		1	0.03	<10	0.04	269	<1	0.01	1	900	3	0.06	<2	<1	7	<20
CC39353		<1	0.04	10	0.10	77	1	<0.01	2	570	4	0.03	2	<1	3	<20
CC39354		<1	0.03	10	0.18	164	<1	0.01	3	880	5	0.07	2	<1	4	<20
CC39355		<1	0.04	10	0.12	490	1	0.01	3	1270	8	0.08	<2	<1	6	<20
CC39356		<1	0.02	<10	0.03	51	<1	0.02	1	980	5	0.06	<2	<1	6	<20
CC39357		<1	0.03	10	0.06	59	<1	0.01	2	830	2	0.05	<2	<1	4	<20
CC39358		<1	0.05	10	0.67	155	2	<0.01	14	670	17	0.07	<2	1	6	<20
CC39359		<1	0.06	20	0.98	294	1	0.01	14	880	18	0.07	2	1	8	<20
CC39360		1	0.05	20	1.86	510	1	<0.01	15	980	30	0.05	3	4	9	<20
CC39361		<1	0.04	20	2.07	323	<1	<0.01	13	700	15	0.04	<2	3	7	<20
CC39362		<1	0.05	10	1.06	213	1	<0.01	13	640	14	0.05	2	2	7	<20
CC39363		<1	0.05	20	1.34	292	<1	<0.01	18	880	15	0.06	<2	2	11	<20
CC39364		<1	0.02	<10	0.23	84	<1	0.01	2	850	2	0.06	<2	<1	7	<20
CC39365		<1	0.04	20	0.18	8	1	<0.01	2	330	2	0.01	<2	<1	1	<20
CC39366		<1	0.05	20	0.47	94	3	<0.01	6	390	16	0.02	2	<1	3	<20
CC39367		<1	0.07	20	1.25	486	2	0.01	18	790	23	0.05	5	3	10	<20
CC39368		<1	0.06	10	0.46	195	1	<0.01	11	490	11	0.02	<2	<1	4	<20
CC39369		<1	0.01	10	0.39	122	<1	<0.01	2	340	7	<0.01	2	<1	4	<20
CC39370		<1	<0.01	<10	0.04	15	<1	<0.01	1	50	<2	<0.01	2	<1	<1	<20
CC39371		1	0.07	10	1.46	347	2	0.01	14	660	18	0.05	<2	2	10	<20
CC39372		1	0.17	20	1.40	748	3	0.01	33	790	45	0.03	<2	2	10	<20
CC39373		<1	0.30	30	2.21	725	1	0.01	27	510	18	0.01	2	5	15	<20
CC39374		<1	0.10	20	0.56	160	2	0.01	12	710	16	0.03	<2	1	5	<20
CC39375		1	0.10	20	1.03	466	2	0.01	19	490	23	0.02	<2	2	12	<20
CC39376		<1	0.43	40	2.22	443	1	0.01	36	660	17	0.01	2	6	19	<20
CC39377		<1	0.08	10	0.58	117	1	0.01	11	740	13	0.02	<2	<1	4	<20
CC39378		<1	0.07	10	0.43	65	1	0.01	11	950	8	0.03	<2	<1	5	<20
CC39379		<1	0.12	20	1.17	305	5	0.01	27	1620	174	0.10	2	1	26	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC39340		0.02	<10	<10	10	<10	17
CC39341		0.06	<10	<10	39	<10	43
CC39342		0.10	<10	<10	51	<10	206
CC39343		0.01	<10	<10	7	<10	12
CC39344		0.04	<10	<10	53	<10	114
CC39345		0.05	<10	<10	47	<10	205
CC39346		0.02	<10	<10	49	<10	108
CC39347		0.04	<10	<10	53	<10	452
CC39348		0.12	<10	<10	45	<10	232
CC39349		0.09	<10	<10	57	<10	209
CC39350		0.05	<10	<10	47	<10	221
CC39351		0.01	<10	<10	10	<10	9
CC39352		0.01	<10	<10	9	<10	10
CC39353		0.01	<10	<10	12	<10	12
CC39354		0.01	<10	<10	13	<10	14
CC39355		0.01	<10	<10	13	<10	19
CC39356		0.01	<10	<10	7	<10	6
CC39357		0.01	<10	<10	10	<10	9
CC39358		0.04	<10	<10	59	<10	50
CC39359		0.04	<10	<10	46	<10	45
CC39360		0.02	<10	<10	24	<10	26
CC39361		0.03	<10	<10	21	<10	20
CC39362		0.03	<10	<10	17	<10	20
CC39363		0.03	<10	<10	20	<10	21
CC39364		0.02	<10	<10	9	<10	7
CC39365		0.01	<10	<10	6	<10	5
CC39366		0.07	<10	<10	43	<10	17
CC39367		0.07	<10	<10	48	<10	120
CC39368		0.04	<10	<10	40	<10	40
CC39369		0.01	<10	<10	10	<10	9
CC39370		<0.01	<10	<10	1	<10	<2
CC39371		0.04	<10	<10	42	<10	134
CC39372		0.06	<10	<10	90	<10	109
CC39373		0.07	<10	<10	36	<10	55
CC39374		0.06	<10	<10	39	<10	31
CC39375		0.11	<10	<10	42	<10	62
CC39376		0.10	<10	<10	34	<10	65
CC39377		0.01	<10	<10	27	<10	31
CC39378		0.01	<10	<10	19	<10	30
CC39379		0.03	<10	<10	114	<10	287

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC39380		0.34	<0.2	1.08	4	<10	80	<0.5	<2	0.28	4.2	3	9	8	1.39	<10
CC39381		0.44	1.1	2.04	7	<10	140	0.7	3	1.06	3.6	4	25	28	1.49	<10
CC39382		0.40	0.3	0.72	13	<10	200	0.5	<2	0.17	1.4	5	14	32	3.43	<10
CC39383		0.44	1.1	2.00	7	<10	150	0.9	3	0.52	2.3	7	22	39	2.54	<10
CC39384		0.34	0.9	2.04	5	<10	170	0.8	3	0.44	2.8	5	16	27	1.33	<10
CC39385		0.48	0.2	1.60	21	<10	120	1.1	<2	0.11	1.2	17	20	45	4.17	<10
CC39386		0.44	0.5	1.80	13	<10	110	1.0	<2	0.09	1.2	15	21	38	3.99	10
CC39387		0.26	0.3	0.56	<2	<10	80	<0.5	<2	0.04	0.6	2	6	7	1.41	<10
CC39388		0.42	0.2	1.70	6	<10	190	1.0	<2	0.12	0.6	3	18	23	2.83	10
CC39389		0.36	0.5	1.40	11	<10	120	0.6	<2	0.05	<0.5	3	16	34	3.36	<10
CC39390		0.44	0.6	1.61	16	<10	140	0.8	<2	0.06	<0.5	5	20	44	4.06	<10
CC39391		0.40	0.5	1.52	16	<10	140	0.8	2	0.05	<0.5	5	19	47	4.29	<10
CC39392		0.48	0.3	1.60	15	<10	120	1.0	2	0.07	<0.5	5	18	54	4.23	<10
CC39393		0.52	0.5	1.76	16	<10	160	1.4	<2	0.06	<0.5	7	22	78	5.51	<10
CC39394		0.34	0.3	1.46	15	<10	130	1.1	<2	0.06	<0.5	6	18	50	5.29	<10
CC39395		0.44	0.3	1.38	18	<10	140	0.8	<2	0.05	<0.5	5	23	46	4.80	<10
CC39396		0.50	<0.2	0.93	15	<10	90	<0.5	<2	0.02	<0.5	3	22	23	3.73	10
CC39397		0.44	0.3	1.18	9	<10	150	0.5	<2	0.03	<0.5	3	17	32	3.27	10
CC39398		0.44	2.0	2.53	7	<10	380	1.1	11	0.33	2.5	4	25	43	2.51	10
CC39399		0.36	0.7	2.98	3	<10	190	0.6	7	0.51	2.8	4	30	21	1.41	10
CC39400		0.30	0.7	2.28	<2	<10	160	<0.5	6	0.42	2.5	3	21	12	1.10	10
CC39401		0.24	<0.2	1.77	16	<10	130	0.5	<2	0.03	<0.5	7	20	18	3.81	10
CC39402		0.20	0.3	1.09	3	<10	80	<0.5	2	0.03	<0.5	2	12	7	1.05	10
CC39403		0.16	0.6	0.73	3	<10	60	<0.5	<2	0.02	<0.5	<1	10	5	0.44	10
CC39404		0.22	0.2	0.53	4	<10	80	<0.5	<2	0.03	<0.5	1	6	11	0.56	<10
CC39405		0.16	0.5	0.89	3	<10	120	<0.5	<2	0.16	4.7	3	11	11	0.95	<10
CC39406		0.22	<0.2	0.52	<2	<10	60	<0.5	<2	0.04	<0.5	<1	7	4	0.41	<10
CC39407		0.22	0.3	0.65	<2	<10	120	<0.5	<2	0.22	0.6	2	7	8	0.71	<10
CC39408		0.24	<0.2	0.82	5	<10	70	<0.5	<2	0.04	<0.5	5	12	13	1.23	<10
CC39409		0.20	<0.2	0.52	<2	<10	60	<0.5	<2	0.41	0.9	2	5	4	0.40	<10
CC39410		0.14	<0.2	0.21	<2	<10	30	<0.5	<2	0.10	<0.5	1	4	3	0.27	<10
CC39411		0.24	<0.2	0.64	3	<10	50	<0.5	<2	0.03	<0.5	1	9	3	0.49	<10
CC39412		0.26	<0.2	0.92	7	<10	80	<0.5	<2	0.03	<0.5	3	14	9	1.40	<10
CC39413		0.20	<0.2	0.36	<2	<10	30	<0.5	<2	0.02	<0.5	1	4	3	0.33	<10
CC39414		0.28	<0.2	0.55	3	<10	50	<0.5	<2	0.02	<0.5	1	7	4	0.62	<10
CC39415		0.32	0.2	0.57	<2	<10	40	<0.5	<2	0.02	<0.5	1	6	4	0.50	<10
CC39416		0.24	0.2	0.97	3	<10	80	<0.5	<2	0.19	1.0	2	11	4	1.01	<10
CC39417		0.26	<0.2	0.46	2	<10	60	<0.5	<2	0.05	<0.5	1	6	3	0.40	<10
CC39418		0.20	0.2	0.42	2	<10	30	<0.5	<2	0.03	<0.5	1	5	2	0.38	<10
CC39419		0.20	0.2	0.42	2	<10	80	<0.5	<2	0.55	<0.5	3	4	5	0.58	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-200
Account: MT

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC39380		1	0.08	10	0.22	258	5	0.02	8	1560	41	0.13	2	<1	14	<20
CC39381		1	0.12	10	1.18	140	5	0.02	29	1090	152	0.09	2	2	33	<20
CC39382		<1	0.10	20	0.21	157	11	0.01	27	1890	33	0.14	4	<1	30	<20
CC39383		1	0.10	20	0.98	175	10	0.01	57	730	164	0.04	3	2	31	<20
CC39384		<1	0.06	10	0.83	165	2	0.02	21	1080	232	0.09	<2	1	29	<20
CC39385		1	0.10	20	0.94	341	8	0.01	61	750	40	0.07	3	2	26	<20
CC39386		1	0.08	20	0.68	416	6	0.01	48	1100	37	0.08	4	1	18	<20
CC39387		<1	0.04	10	0.05	169	2	0.02	6	760	17	0.07	<2	<1	11	<20
CC39388		<1	0.09	20	0.24	270	5	0.02	16	1270	74	0.14	2	<1	31	<20
CC39389		1	0.08	20	0.31	221	4	0.01	16	1080	102	0.11	2	1	35	<20
CC39390		<1	0.10	20	0.45	290	5	0.02	23	1130	143	0.10	3	2	45	<20
CC39391		<1	0.10	20	0.47	285	5	0.02	25	1220	148	0.11	4	2	49	<20
CC39392		1	0.10	20	0.49	244	5	0.02	26	1130	248	0.11	2	3	49	<20
CC39393		<1	0.11	30	0.63	240	7	0.02	36	1660	135	0.15	4	5	78	<20
CC39394		1	0.08	30	0.43	244	5	0.02	28	1350	109	0.13	2	2	66	<20
CC39395		<1	0.09	20	0.40	199	5	0.02	22	1100	91	0.15	3	1	46	<20
CC39396		1	0.07	20	0.16	172	4	0.01	15	1520	48	0.14	2	<1	24	<20
CC39397		<1	0.06	20	0.17	180	4	0.01	16	1370	141	0.16	2	1	31	<20
CC39398		1	0.12	20	1.13	347	3	0.02	25	980	933	0.12	3	1	53	<20
CC39399		<1	0.08	10	2.01	293	2	0.02	25	580	293	0.05	<2	2	30	<20
CC39400		1	0.05	10	1.62	448	1	0.01	15	720	454	0.07	<2	1	24	<20
CC39401		1	0.08	20	0.68	230	6	0.01	33	490	35	0.03	3	2	8	<20
CC39402		<1	0.06	20	0.23	53	4	0.01	8	520	18	0.02	<2	<1	5	<20
CC39403		<1	0.05	10	0.07	28	2	0.01	4	1300	12	0.01	<2	<1	5	<20
CC39404		<1	0.04	10	0.07	16	4	0.01	5	620	11	0.02	2	<1	6	<20
CC39405		1	0.04	10	0.36	81	3	0.02	11	1230	10	0.09	<2	1	8	<20
CC39406		1	0.05	10	0.08	22	2	0.01	3	710	10	0.01	<2	<1	6	<20
CC39407		<1	0.05	10	0.20	38	2	0.02	8	620	10	0.03	<2	<1	10	<20
CC39408		1	0.07	20	0.68	92	6	0.01	15	440	31	0.02	3	<1	4	<20
CC39409		<1	0.03	10	0.13	70	1	0.03	4	670	10	0.05	<2	<1	10	<20
CC39410		<1	0.03	<10	0.05	20	2	0.02	3	380	4	0.02	<2	<1	4	<20
CC39411		<1	0.06	20	0.29	24	2	0.01	6	360	12	0.02	2	<1	3	<20
CC39412		1	0.08	20	0.52	74	7	0.01	16	360	17	0.02	2	<1	5	<20
CC39413		<1	0.03	10	0.04	38	1	0.01	3	380	6	0.02	<2	<1	4	<20
CC39414		<1	0.05	20	0.17	34	4	0.01	5	250	9	0.01	<2	<1	5	<20
CC39415		<1	0.04	10	0.09	17	3	0.01	4	410	9	0.01	<2	<1	4	<20
CC39416		<1	0.06	20	0.37	149	2	0.01	8	780	10	0.05	2	<1	8	<20
CC39417		<1	0.06	20	0.07	28	3	0.01	5	640	6	0.02	<2	<1	4	<20
CC39418		<1	0.03	10	0.06	19	1	0.01	3	360	4	0.01	<2	<1	3	<20
CC39419		<1	0.06	20	0.16	531	2	0.02	6	930	8	0.07	<2	1	8	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-200
Account: MT

Project: HY

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC39380		0.02	<10	<10	33	<10	75
CC39381		0.05	<10	10	90	<10	492
CC39382		0.01	<10	<10	62	<10	174
CC39383		0.07	<10	10	69	<10	555
CC39384		0.03	<10	<10	79	<10	461
CC39385		0.12	<10	<10	65	<10	295
CC39386		0.05	<10	<10	53	<10	196
CC39387		0.01	<10	<10	21	<10	34
CC39388		0.03	<10	<10	52	<10	102
CC39389		0.05	<10	<10	46	<10	116
CC39390		0.14	<10	<10	53	<10	148
CC39391		0.15	<10	<10	50	<10	163
CC39392		0.14	<10	<10	46	<10	187
CC39393		0.24	<10	<10	58	<10	225
CC39394		0.16	<10	<10	49	<10	203
CC39395		0.10	<10	<10	53	<10	139
CC39396		0.04	<10	<10	59	<10	89
CC39397		0.05	<10	<10	49	<10	125
CC39398		0.06	<10	<10	94	<10	1080
CC39399		0.08	<10	<10	178	<10	474
CC39400		0.05	<10	<10	125	<10	401
CC39401		0.03	<10	<10	49	<10	106
CC39402		0.01	<10	<10	61	<10	33
CC39403		0.01	<10	<10	30	<10	13
CC39404		0.01	<10	<10	42	<10	29
CC39405		0.01	<10	10	45	<10	89
CC39406		0.01	<10	<10	23	<10	16
CC39407		0.01	<10	<10	29	<10	31
CC39408		0.03	<10	<10	47	<10	51
CC39409		0.01	<10	<10	16	<10	15
CC39410		0.01	<10	<10	24	<10	15
CC39411		0.01	<10	<10	62	<10	28
CC39412		0.02	<10	<10	94	<10	85
CC39413		0.01	<10	<10	20	<10	13
CC39414		0.01	<10	<10	49	<10	27
CC39415		0.01	<10	<10	36	<10	15
CC39416		0.01	<10	<10	48	<10	41
CC39417		0.01	<10	<10	23	<10	17
CC39418		0.01	<10	<10	17	<10	12
CC39419		0.01	<10	<10	11	<10	24

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-200
Account: MT

Project: HY

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC39420		0.28	<0.2	0.20	<2	<10	20	<0.5	<2	0.01	<0.5	<1	2	1	0.11	<10
CC39421		0.18	<0.2	0.37	<2	<10	40	<0.5	<2	0.02	<0.5	<1	3	3	0.26	<10
CC39422		0.24	<0.2	0.43	3	<10	50	<0.5	2	0.02	<0.5	2	7	5	0.62	<10
CC39423		0.18	<0.2	0.48	3	<10	50	<0.5	<2	0.38	<0.5	5	7	6	1.24	<10
CC39424		0.22	<0.2	1.82	<2	<10	100	0.5	<2	0.31	<0.5	7	23	13	3.01	10
CC39425		0.20	<0.2	1.00	<2	<10	100	0.6	<2	0.66	<0.5	6	14	7	1.71	<10
CC39426		0.24	0.2	1.74	<2	<10	70	0.7	<2	0.14	<0.5	6	25	10	2.02	10
CC39427		0.24	0.3	1.29	4	<10	40	0.8	<2	0.54	<0.5	8	18	9	1.23	<10
CC39428		0.28	0.2	1.07	7	<10	40	0.7	<2	0.39	<0.5	8	17	10	1.67	<10
CC39429		0.28	<0.2	1.52	3	<10	70	<0.5	<2	0.03	<0.5	5	22	12	2.78	10
CC39430		0.20	0.3	0.52	2	<10	40	<0.5	<2	0.05	<0.5	2	7	5	0.71	<10
CC39431		0.18	<0.2	0.42	<2	<10	30	<0.5	<2	0.04	<0.5	2	9	4	0.57	<10
CC39432		0.14	0.4	0.31	<2	<10	30	<0.5	<2	0.03	<0.5	<1	4	2	0.27	<10
CC39433		0.14	<0.2	0.29	<2	<10	20	<0.5	<2	0.03	<0.5	1	4	2	0.48	<10
CC39434		0.18	<0.2	0.32	2	<10	30	<0.5	<2	0.03	<0.5	1	4	4	0.62	<10
CC39435		0.14	<0.2	0.24	<2	<10	20	<0.5	<2	0.02	<0.5	1	2	3	0.33	<10
CC39436		0.20	0.3	1.26	3	<10	70	<0.5	2	0.07	<0.5	5	16	8	1.74	10
CC39437		0.38	0.3	0.63	2	<10	50	<0.5	<2	0.04	<0.5	2	8	5	0.94	<10
CC39438		0.18	0.2	1.09	4	<10	40	<0.5	<2	0.03	<0.5	4	14	11	1.81	10
CC39439		0.16	<0.2	0.79	<2	<10	60	<0.5	<2	0.12	<0.5	2	9	6	1.02	<10
CC39440		0.16	<0.2	0.68	3	<10	60	<0.5	<2	0.11	<0.5	1	7	4	0.59	<10
CC39441		0.14	0.5	1.45	18	<10	100	0.7	<2	1.90	1.4	6	16	35	1.94	<10
CC39442		0.18	0.3	1.97	10	<10	80	0.8	<2	0.61	<0.5	12	22	24	3.00	10
CC39443		Not Recvd														
CC39444		0.16	<0.2	2.00	13	<10	140	0.9	2	0.19	<0.5	15	24	24	4.30	10
CC39445		0.14	0.2	0.97	9	<10	160	<0.5	<2	0.69	<0.5	2	14	9	1.63	<10
CC39446		0.14	0.5	1.54	8	<10	220	0.6	<2	0.48	0.9	6	18	19	2.19	<10
CC39447		0.16	0.3	1.36	8	<10	220	0.5	<2	0.96	0.5	13	17	17	2.45	<10
CC39448		0.18	<0.2	1.85	9	<10	60	0.6	<2	0.28	<0.5	18	19	25	3.37	<10
CC39449		0.22	0.2	1.30	11	<10	170	<0.5	<2	0.34	<0.5	5	19	20	2.78	<10
CC39450		0.18	<0.2	0.42	5	<10	120	<0.5	<2	0.02	<0.5	2	11	15	1.74	<10
CC39451		0.22	0.7	1.45	25	<10	230	1.0	<2	0.04	<0.5	6	19	81	6.41	<10
CC39452		0.32	0.3	1.33	13	<10	340	0.6	<2	0.02	<0.5	6	17	39	3.02	<10
CC39453		0.20	0.5	0.60	18	<10	130	<0.5	<2	0.04	0.7	4	16	46	2.06	<10
CC39454		0.22	0.3	1.19	10	<10	140	0.5	<2	0.03	<0.5	6	18	29	3.18	<10
CC39455		0.26	0.4	0.98	12	<10	100	<0.5	<2	0.02	<0.5	4	16	17	2.87	10
CC39456		0.20	0.7	0.94	7	<10	110	<0.5	<2	0.03	<0.5	2	14	14	1.63	<10
CC39457		0.24	<0.2	0.56	4	<10	80	<0.5	2	0.02	<0.5	1	7	9	1.07	<10
CC39458		0.26	<0.2	1.08	4	<10	110	<0.5	<2	0.03	<0.5	2	14	11	1.68	10
CC39459		0.26	0.2	0.90	10	<10	190	<0.5	<2	0.06	<0.5	3	15	19	2.20	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC39420		<1	0.03	10	0.07	8	1	0.01	2	260	<2	0.01	<2	<1	2	<20
CC39421		<1	0.04	10	0.06	13	1	0.02	2	690	4	0.02	<2	<1	4	<20
CC39422		<1	0.06	20	0.11	121	2	0.01	6	550	4	0.02	<2	<1	3	<20
CC39423		<1	0.09	10	0.22	312	2	0.01	13	890	13	0.05	<2	2	5	<20
CC39424		<1	0.14	20	1.30	259	1	0.01	21	410	22	0.02	<2	2	7	<20
CC39425		<1	0.07	10	0.58	329	1	0.01	16	1810	16	0.11	2	3	13	<20
CC39426		1	0.11	20	1.31	187	2	0.01	23	570	18	0.04	3	1	5	<20
CC39427		<1	0.13	20	1.96	281	2	0.01	25	410	20	0.02	<2	3	6	<20
CC39428		1	0.12	20	1.25	239	1	0.01	25	480	22	0.03	2	3	6	<20
CC39429		1	0.12	20	0.82	358	3	0.01	17	400	22	0.02	<2	1	4	<20
CC39430		1	0.05	10	0.22	118	2	0.02	7	510	8	0.03	<2	<1	4	<20
CC39431		<1	0.07	10	0.24	46	1	0.02	5	370	6	0.02	<2	<1	4	<20
CC39432		<1	0.05	10	0.03	18	1	0.02	1	600	5	0.02	<2	<1	4	<20
CC39433		<1	0.05	10	0.09	38	1	0.02	3	560	4	0.02	2	<1	4	<20
CC39434		<1	0.05	10	0.09	255	2	0.02	4	270	2	0.01	<2	<1	3	<20
CC39435		<1	0.04	20	0.04	33	1	0.02	2	390	2	0.01	<2	<1	3	<20
CC39436		<1	0.11	20	0.66	394	2	0.01	13	880	9	0.05	<2	1	7	<20
CC39437		1	0.07	20	0.16	78	1	0.01	6	640	9	0.03	<2	<1	5	<20
CC39438		<1	0.06	20	0.58	82	1	0.01	13	470	10	0.02	<2	<1	4	<20
CC39439		<1	0.07	20	0.33	80	1	0.02	8	550	9	0.03	<2	<1	6	<20
CC39440		1	0.04	10	0.08	23	2	0.02	4	910	6	0.04	<2	<1	8	<20
CC39441		<1	0.07	20	0.70	456	6	0.02	26	1520	17	0.14	<2	1	64	<20
CC39442		1	0.15	30	1.32	307	3	0.02	30	840	18	0.04	<2	3	25	<20
CC39443																
CC39444		1	0.11	20	0.93	493	5	0.01	44	540	37	0.03	2	3	14	<20
CC39445		<1	0.06	10	0.34	104	5	0.02	15	820	16	0.06	<2	1	31	<20
CC39446		<1	0.11	20	0.55	178	7	0.02	24	1310	21	0.08	2	1	26	<20
CC39447		<1	0.11	20	0.53	973	6	0.02	19	1230	29	0.06	4	1	42	<20
CC39448		<1	0.16	20	1.43	398	3	0.02	30	520	10	0.01	4	3	15	<20
CC39449		<1	0.12	20	0.73	131	5	0.02	22	520	29	0.02	4	1	25	<20
CC39450		<1	0.08	20	0.03	60	4	0.01	13	470	25	0.02	3	<1	16	<20
CC39451		1	0.13	40	0.54	173	11	0.02	53	1780	41	0.11	7	3	52	<20
CC39452		<1	0.10	30	0.88	183	5	0.01	47	850	26	0.05	5	2	17	<20
CC39453		<1	0.14	20	0.32	174	27	0.01	45	1080	55	0.07	6	<1	18	<20
CC39454		<1	0.07	20	0.37	388	5	0.01	25	1100	29	0.04	<2	1	19	<20
CC39455		1	0.08	20	0.41	119	6	0.01	20	1020	27	0.02	3	<1	13	<20
CC39456		<1	0.07	20	0.17	96	4	0.01	10	1420	21	0.02	2	<1	12	<20
CC39457		<1	0.05	10	0.12	60	3	0.01	8	430	15	0.01	2	<1	8	<20
CC39458		<1	0.07	20	0.45	57	3	0.01	12	450	26	0.02	3	<1	16	<20
CC39459		<1	0.09	20	0.44	97	4	0.01	16	580	36	0.02	3	2	16	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC39420		0.01	<10	<10	6	<10	4
CC39421		0.01	<10	<10	8	<10	9
CC39422		0.01	<10	<10	20	<10	17
CC39423		0.01	<10	<10	8	<10	16
CC39424		0.05	<10	<10	51	<10	53
CC39425		0.01	<10	<10	15	<10	36
CC39426		0.03	<10	<10	37	<10	43
CC39427		0.01	<10	<10	12	<10	9
CC39428		0.02	<10	<10	19	<10	20
CC39429		0.06	<10	<10	78	<10	65
CC39430		0.01	<10	<10	30	<10	18
CC39431		0.02	<10	<10	24	<10	15
CC39432		0.01	<10	<10	12	<10	7
CC39433		0.01	<10	<10	15	<10	9
CC39434		0.01	<10	<10	20	<10	18
CC39435		0.01	<10	<10	9	<10	6
CC39436		0.02	<10	<10	33	<10	38
CC39437		0.01	<10	<10	22	<10	17
CC39438		0.02	<10	<10	29	<10	37
CC39439		0.01	<10	<10	25	<10	24
CC39440		0.01	<10	<10	23	<10	19
CC39441		0.02	<10	10	65	<10	143
CC39442		0.04	<10	<10	40	<10	87
CC39443							
CC39444		0.03	<10	<10	35	<10	152
CC39445		0.03	<10	<10	26	<10	56
CC39446		0.03	<10	<10	51	<10	111
CC39447		0.03	<10	<10	52	<10	116
CC39448		0.03	<10	<10	29	<10	62
CC39449		0.04	<10	<10	55	<10	94
CC39450		0.04	<10	<10	33	<10	80
CC39451		0.02	<10	<10	48	<10	291
CC39452		0.03	<10	<10	55	<10	177
CC39453		0.01	<10	<10	151	<10	273
CC39454		0.05	<10	<10	53	<10	125
CC39455		0.02	<10	<10	68	<10	100
CC39456		0.01	<10	<10	50	<10	54
CC39457		0.01	<10	<10	43	<10	50
CC39458		0.02	<10	<10	42	<10	64
CC39459		0.11	<10	<10	49	<10	101

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-200
Account: MT

Project: HY

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC39460		0.22	<0.2	0.73	10	<10	150	<0.5	<2	0.04	<0.5	2	10	17	1.41	<10
CC39461		0.20	0.5	2.21	25	<10	390	1.1	<2	0.11	<0.5	9	26	82	3.90	10
CC39462		0.26	<0.2	1.88	22	<10	290	0.9	<2	0.66	<0.5	11	21	45	3.78	<10
CC39463		0.26	0.6	1.67	20	<10	270	0.9	<2	0.81	<0.5	8	17	39	3.10	<10
CC39464		0.28	0.4	1.78	31	<10	300	1.0	<2	0.79	0.6	13	21	30	4.26	<10
CC39465		0.24	<0.2	1.21	5	<10	160	<0.5	<2	0.19	0.6	4	14	7	1.88	10
CC39466		0.22	<0.2	1.85	7	<10	140	0.5	<2	0.48	<0.5	10	22	13	2.57	10
CC39467		0.20	<0.2	1.43	15	<10	90	0.5	<2	1.15	<0.5	7	18	14	2.56	<10
CC39468		0.20	0.4	1.83	5	<10	60	1.0	<2	1.90	<0.5	6	21	31	2.33	<10
CC39469		0.18	0.2	1.16	3	<10	60	<0.5	<2	1.88	<0.5	3	9	13	1.26	<10
CC39470		0.22	<0.2	1.77	6	<10	70	0.6	<2	0.34	<0.5	12	22	17	2.92	<10
CC39471		0.28	<0.2	1.61	11	<10	30	<0.5	<2	0.15	<0.5	10	28	17	3.65	10
CC39472		0.24	<0.2	1.56	<2	<10	50	<0.5	<2	0.22	<0.5	6	21	13	2.37	<10
CC39473		0.22	<0.2	2.14	6	<10	100	0.7	<2	0.56	<0.5	12	24	18	3.40	10
CC39474		0.18	<0.2	1.68	6	<10	130	0.5	<2	0.58	0.5	11	20	11	2.51	<10
CC39475		0.18	<0.2	1.08	6	<10	110	<0.5	<2	0.07	0.9	5	17	15	1.80	<10
CC39476		0.26	0.3	1.80	10	<10	110	0.8	<2	0.06	1.1	10	31	24	3.06	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-200
Account: MT

Project: HY

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC39460		<1	0.06	20	0.28	52	5	0.02	11	580	27	0.02	2	<1	18	<20
CC39461		<1	0.13	30	0.82	229	9	0.02	38	1310	59	0.04	5	3	39	<20
CC39462		<1	0.11	20	0.89	254	4	0.01	38	820	33	0.02	2	3	34	<20
CC39463		<1	0.13	20	0.49	176	4	0.02	30	870	37	0.05	3	1	35	<20
CC39464		<1	0.12	40	0.59	624	2	0.02	31	700	29	0.05	2	4	32	<20
CC39465		<1	0.08	20	0.34	279	3	0.02	10	580	25	0.03	4	1	16	<20
CC39466		<1	0.11	20	0.80	264	5	0.02	23	930	28	0.05	3	2	23	<20
CC39467		1	0.09	20	0.47	453	2	0.02	16	1090	24	0.07	3	1	39	<20
CC39468		<1	0.11	20	0.86	223	2	0.03	24	1110	29	0.16	2	3	48	<20
CC39469		<1	0.05	10	0.44	210	1	0.03	10	770	10	0.09	<2	1	45	<20
CC39470		<1	0.12	20	1.38	410	4	0.02	25	490	20	0.02	4	2	12	<20
CC39471		<1	0.13	20	1.18	348	3	0.01	22	750	13	<0.01	5	3	5	<20
CC39472		<1	0.11	20	1.05	145	2	0.02	19	450	12	0.01	3	1	10	<20
CC39473		1	0.15	20	1.56	708	4	0.02	26	680	26	0.02	3	3	15	<20
CC39474		1	0.12	20	1.00	1165	3	0.02	17	1060	19	0.06	2	1	15	<20
CC39475		<1	0.08	20	0.58	130	6	0.02	19	610	14	0.01	2	<1	6	<20
CC39476		<1	0.10	30	1.23	559	11	0.02	38	980	33	0.04	3	1	8	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114247

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC39460		0.02	<10	<10	35	<10	57
CC39461		0.02	<10	<10	65	<10	176
CC39462		0.03	<10	<10	36	<10	126
CC39463		0.02	<10	10	41	<10	120
CC39464		0.04	<10	<10	29	<10	99
CC39465		0.04	<10	<10	40	<10	73
CC39466		0.04	<10	<10	47	<10	122
CC39467		0.03	<10	<10	33	<10	117
CC39468		0.04	<10	<10	24	<10	118
CC39469		0.03	<10	10	16	<10	45
CC39470		0.07	<10	<10	54	<10	111
CC39471		0.16	<10	<10	44	<10	51
CC39472		0.04	<10	<10	47	<10	51
CC39473		0.05	<10	<10	44	<10	79
CC39474		0.03	<10	<10	33	<10	67
CC39475		0.02	<10	<10	60	<10	84
CC39476		0.02	<10	<10	127	<10	209

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-OCT-2007
Account: MTT

CERTIFICATE VA07114246

Project: HY

P.O. No.:

This report is for 154 Soil samples submitted to our lab in Vancouver, BC, Canada on 18-SEP-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21511		0.34	0.7	1.43	9	<10	120	0.6	2	0.05	0.7	4	20	27	3.80	10
CC21512		0.30	0.2	2.78	2	<10	100	0.8	<2	0.57	1.9	4	33	11	1.16	10
CC21513		0.32	0.2	2.55	4	<10	100	0.5	<2	0.23	2.1	3	36	11	1.45	10
CC21514		0.36	0.5	2.54	<2	<10	100	0.6	<2	0.52	3.5	3	27	13	1.07	10
CC21515		0.36	0.2	1.21	8	<10	170	0.5	<2	0.10	1.0	3	18	23	4.20	<10
CC21516		0.36	0.2	0.76	7	<10	70	<0.5	<2	0.04	<0.5	2	10	9	1.61	<10
CC21517		0.30	0.4	1.90	14	<10	170	0.6	<2	0.06	<0.5	5	16	13	3.32	10
CC21518		0.36	<0.2	1.80	11	<10	160	0.6	<2	0.06	<0.5	4	15	13	2.54	10
CC21519		0.28	0.5	1.11	<2	<10	220	<0.5	<2	0.23	0.8	2	12	13	1.33	<10
CC21520		0.34	0.2	0.76	<2	<10	80	<0.5	<2	0.05	1.1	1	11	16	0.83	<10
CC21521		0.34	0.4	1.23	6	<10	150	<0.5	<2	0.07	0.5	2	16	8	1.34	10
CC21522		0.30	0.2	1.00	<2	<10	130	<0.5	<2	0.10	0.8	1	12	5	1.22	10
CC21523		0.32	0.8	0.77	<2	<10	120	<0.5	<2	0.25	<0.5	1	9	7	0.92	<10
CC21524		0.30	0.2	0.86	2	<10	80	<0.5	<2	0.58	<0.5	3	8	8	1.14	<10
CC21525		0.44	<0.2	0.84	6	<10	30	0.5	<2	0.47	<0.5	3	8	6	0.91	<10
CC21526		0.28	<0.2	0.69	10	<10	90	<0.5	<2	0.10	0.7	1	7	4	0.74	<10
CC21527		0.40	<0.2	1.08	10	<10	150	<0.5	<2	0.08	<0.5	2	15	7	1.52	10
CC21528		0.36	<0.2	0.81	3	<10	60	<0.5	<2	0.02	<0.5	2	13	5	0.75	<10
CC21529		0.38	<0.2	0.57	2	<10	70	<0.5	<2	0.02	<0.5	<1	6	4	0.33	<10
CC21530		0.38	<0.2	0.40	<2	<10	20	<0.5	<2	0.01	<0.5	<1	6	3	0.25	<10
CC21531		0.34	<0.2	0.57	4	<10	40	<0.5	<2	0.01	<0.5	2	10	7	0.83	<10
CC21532		0.32	0.2	1.67	15	<10	100	<0.5	<2	0.02	<0.5	3	19	16	3.19	10
CC21533		0.40	<0.2	0.30	<2	<10	20	<0.5	<2	0.01	<0.5	<1	3	2	0.12	<10
CC21534		0.32	0.3	1.01	4	<10	60	<0.5	<2	0.01	<0.5	2	10	8	1.57	10
CC21535		0.34	0.3	0.66	<2	<10	70	<0.5	<2	0.03	0.7	<1	7	5	0.65	<10
CC21536		0.40	<0.2	0.44	5	<10	30	<0.5	<2	0.02	<0.5	<1	6	2	0.19	<10
CC21537		0.42	<0.2	0.28	4	<10	30	<0.5	<2	0.02	0.6	1	5	4	0.57	<10
CC21538		0.40	<0.2	1.28	3	<10	80	<0.5	<2	0.06	0.5	7	17	13	3.10	10
CC21539		0.36	<0.2	0.40	2	<10	60	<0.5	<2	0.03	<0.5	2	10	5	0.77	<10
CC21540		0.30	<0.2	1.08	4	<10	60	<0.5	<2	0.15	<0.5	4	17	11	2.39	10
CC21541		0.32	<0.2	1.37	9	<10	100	0.9	<2	0.58	<0.5	6	20	9	1.95	<10
CC21542		0.40	0.2	1.87	23	<10	70	1.0	<2	0.15	1.2	18	42	20	3.36	10
CC21543		0.28	0.2	0.46	5	<10	40	<0.5	<2	0.17	<0.5	2	7	7	0.42	<10
CC21544		0.40	0.3	0.45	6	<10	60	<0.5	<2	0.20	<0.5	2	8	9	0.87	<10
CC21545		0.34	0.2	0.60	11	<10	50	<0.5	<2	0.06	<0.5	3	12	11	1.04	<10
CC21546		0.32	0.2	0.39	11	<10	50	<0.5	2	0.02	<0.5	2	7	8	0.82	<10
CC21547		0.50	0.2	2.27	13	<10	60	1.1	<2	0.53	<0.5	16	25	28	3.54	<10
CC21548		0.26	<0.2	0.19	<2	<10	10	<0.5	<2	0.04	<0.5	1	2	2	0.26	<10
CC21549		0.30	<0.2	0.68	5	<10	20	<0.5	<2	0.03	<0.5	4	12	9	1.85	<10
CC21550		0.28	<0.2	1.57	3	<10	50	0.5	<2	0.11	<0.5	7	17	13	2.38	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 29-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21511		2	0.07	20	0.54	196	5	0.01	23	890	106	0.10	<2	1	29	<20
CC21512		1	0.07	10	2.75	293	3	0.02	27	540	44	0.04	<2	2	19	<20
CC21513		1	0.07	10	2.23	121	3	0.01	26	680	68	0.06	<2	1	15	<20
CC21514		1	0.07	10	2.19	103	2	0.02	28	1350	217	0.05	<2	1	19	<20
CC21515		1	0.07	20	0.21	199	5	0.01	15	1240	50	0.11	<2	<1	23	<20
CC21516		1	0.05	10	0.13	340	3	0.01	7	700	39	0.07	<2	<1	12	<20
CC21517		2	0.07	20	0.48	194	4	0.01	21	670	28	0.02	<2	1	8	<20
CC21518		2	0.07	20	0.41	142	4	0.01	18	570	26	0.02	<2	1	9	<20
CC21519		1	0.07	10	0.41	89	3	0.02	14	1230	14	0.05	<2	1	11	<20
CC21520		2	0.05	10	0.26	27	3	0.01	9	860	18	0.03	<2	<1	6	<20
CC21521		1	0.07	10	0.38	94	3	0.01	11	870	25	0.03	<2	<1	8	<20
CC21522		1	0.07	20	0.35	75	3	<0.01	10	440	18	0.02	<2	<1	8	<20
CC21523		1	0.04	10	0.25	51	2	0.02	9	780	10	0.04	<2	<1	9	<20
CC21524		<1	0.07	10	0.84	132	3	0.01	14	410	17	0.03	<2	1	9	<20
CC21525		1	0.10	20	1.55	128	1	0.01	17	490	15	0.01	<2	3	7	<20
CC21526		1	0.04	10	0.17	55	2	0.01	5	240	10	0.02	<2	1	7	<20
CC21527		1	0.05	20	0.25	98	4	0.01	10	270	16	0.02	<2	1	9	<20
CC21528		1	0.05	10	0.67	54	2	0.01	8	620	9	0.02	<2	<1	3	<20
CC21529		1	0.04	20	0.25	21	1	0.01	4	430	8	0.01	<2	<1	3	<20
CC21530		<1	0.05	10	0.10	6	2	<0.01	3	420	2	0.01	<2	<1	2	<20
CC21531		1	0.05	20	0.15	27	7	0.01	12	240	9	0.01	<2	<1	3	<20
CC21532		1	0.07	20	0.45	98	10	<0.01	19	460	31	0.03	<2	1	8	<20
CC21533		<1	0.03	10	0.05	5	1	<0.01	1	320	3	0.01	<2	<1	2	<20
CC21534		1	0.04	20	0.17	70	4	<0.01	8	360	13	0.01	<2	<1	4	<20
CC21535		<1	0.04	20	0.15	43	3	<0.01	3	290	13	0.02	<2	<1	4	<20
CC21536		1	0.04	20	0.05	12	1	<0.01	3	250	6	<0.01	<2	<1	3	<20
CC21537		1	0.04	20	0.06	28	6	<0.01	12	220	6	0.01	<2	<1	2	<20
CC21538		1	0.11	20	0.64	294	3	0.01	17	710	22	0.04	<2	1	8	<20
CC21539		1	0.05	20	0.19	27	3	0.01	9	820	10	0.03	<2	1	3	<20
CC21540		1	0.08	10	0.63	155	2	0.01	12	840	15	0.05	<2	<1	7	<20
CC21541		1	0.09	20	1.54	194	5	0.01	21	950	32	0.07	<2	3	11	<20
CC21542		2	0.13	20	2.52	360	8	0.01	40	750	27	0.08	<2	2	14	<20
CC21543		<1	0.04	10	0.24	39	4	0.01	6	350	14	0.03	2	<1	6	<20
CC21544		<1	0.05	10	0.11	102	4	0.01	9	670	11	0.02	2	<1	6	<20
CC21545		<1	0.05	20	0.57	59	7	<0.01	14	740	11	0.02	4	<1	3	<20
CC21546		<1	0.05	10	0.21	50	7	<0.01	10	420	15	0.02	3	<1	6	<20
CC21547		1	0.29	40	1.81	427	3	<0.01	31	600	16	<0.01	3	6	24	<20
CC21548		<1	0.02	<10	0.04	13	1	0.02	2	620	3	0.02	<2	<1	6	<20
CC21549		<1	0.06	20	0.33	107	2	0.01	9	490	8	0.01	2	<1	3	<20
CC21550		<1	0.10	20	0.97	135	2	0.01	19	590	13	0.03	<2	1	6	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC21511		0.07	<10	<10	78	<10	166
CC21512		0.06	<10	<10	243	<10	192
CC21513		0.05	<10	<10	282	<10	255
CC21514		0.04	<10	<10	144	<10	352
CC21515		0.02	<10	<10	57	<10	113
CC21516		0.02	<10	<10	36	<10	48
CC21517		0.03	<10	<10	47	<10	72
CC21518		0.01	<10	<10	41	<10	58
CC21519		0.01	<10	<10	37	<10	60
CC21520		0.01	<10	<10	53	<10	40
CC21521		0.01	<10	<10	91	<10	61
CC21522		0.01	<10	<10	90	<10	59
CC21523		0.01	<10	<10	35	<10	44
CC21524		0.02	<10	<10	27	<10	67
CC21525		0.01	<10	<10	21	<10	20
CC21526		0.02	<10	<10	42	<10	33
CC21527		0.04	<10	<10	129	<10	44
CC21528		0.01	<10	<10	60	<10	29
CC21529		0.01	<10	<10	29	<10	16
CC21530		0.01	<10	<10	52	<10	18
CC21531		0.01	<10	<10	133	<10	66
CC21532		0.02	<10	<10	154	<10	91
CC21533		0.01	<10	<10	14	<10	5
CC21534		0.01	<10	<10	73	<10	38
CC21535		0.01	<10	<10	40	<10	31
CC21536		0.01	<10	<10	34	<10	18
CC21537		0.01	<10	<10	45	<10	100
CC21538		0.03	<10	<10	47	<10	65
CC21539		0.01	<10	<10	15	<10	17
CC21540		0.01	<10	<10	35	<10	38
CC21541		0.01	<10	<10	22	<10	39
CC21542		0.03	<10	<10	191	<10	140
CC21543		0.02	<10	<10	40	<10	20
CC21544		0.01	<10	<10	56	<10	55
CC21545		0.01	<10	<10	42	<10	50
CC21546		0.02	<10	<10	49	<10	48
CC21547		0.06	<10	<10	37	<10	61
CC21548		0.01	<10	<10	7	<10	5
CC21549		0.02	<10	<10	30	<10	31
CC21550		0.03	<10	<10	35	<10	54

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21551		0.18	0.2	0.79	5	<10	100	<0.5	<2	0.02	<0.5	2	13	21	2.42	<10
CC21552		0.18	<0.2	0.47	7	<10	110	<0.5	<2	0.02	<0.5	2	11	15	1.91	<10
CC21553		0.18	0.3	0.67	8	<10	110	<0.5	<2	0.02	<0.5	3	12	21	2.67	<10
CC21554		0.18	0.3	1.23	14	<10	110	0.5	<2	0.02	<0.5	4	21	29	4.50	<10
CC21555		0.16	0.3	0.76	11	<10	130	<0.5	<2	0.03	<0.5	4	14	21	3.12	<10
CC21556		0.22	<0.2	0.94	10	<10	90	<0.5	<2	0.03	<0.5	2	20	19	2.84	<10
CC21557		0.22	0.4	1.01	10	<10	90	<0.5	<2	0.04	<0.5	4	13	31	2.59	<10
CC21558		0.28	0.3	1.25	20	<10	120	0.8	<2	0.08	<0.5	14	15	56	4.40	<10
CC21559		0.22	0.2	0.62	9	<10	120	<0.5	<2	0.03	<0.5	4	16	25	2.84	<10
CC21560		0.20	0.2	1.23	22	<10	100	0.5	<2	0.03	<0.5	5	17	37	4.37	<10
CC21561		0.18	<0.2	1.04	10	<10	90	<0.5	<2	0.03	<0.5	4	25	24	3.94	10
CC21562		0.20	<0.2	0.97	12	<10	80	<0.5	<2	0.03	<0.5	3	12	13	3.37	10
CC21563		0.12	<0.2	0.68	4	<10	100	<0.5	<2	0.11	1.8	10	6	9	1.23	<10
CC21564		0.14	0.5	0.87	3	<10	160	<0.5	<2	0.25	2.8	4	9	13	1.45	<10
CC21565		0.12	0.3	0.73	8	<10	120	<0.5	<2	0.65	0.7	2	8	14	1.94	<10
CC21566		0.16	<0.2	0.72	3	<10	160	<0.5	<2	0.34	0.6	2	8	11	1.01	<10
CC21567		0.18	0.3	1.36	14	<10	100	<0.5	<2	0.06	<0.5	4	18	17	3.37	10
CC21568		0.18	<0.2	0.43	5	<10	60	<0.5	<2	0.02	<0.5	1	5	6	0.76	<10
CC21569		0.14	0.2	0.59	3	<10	60	<0.5	<2	0.05	1.5	1	8	3	0.46	<10
CC21570		0.14	0.3	0.91	3	<10	110	<0.5	<2	0.30	5.4	2	15	10	1.22	<10
CC21571		0.16	0.3	0.59	7	<10	90	<0.5	<2	0.48	2.5	4	11	12	1.13	<10
CC21572		0.12	<0.2	0.35	2	<10	30	<0.5	<2	0.33	1.5	1	3	4	0.40	<10
CC21573		0.14	<0.2	0.72	6	<10	130	<0.5	<2	0.13	0.6	3	12	7	1.06	<10
CC21574		0.12	<0.2	0.72	4	<10	140	<0.5	<2	0.28	2.7	2	15	8	0.66	<10
CC21575		0.16	<0.2	0.97	9	<10	70	0.5	<2	0.14	0.9	5	29	15	1.65	<10
CC21576		0.16	0.3	1.36	8	<10	160	0.7	<2	0.25	2.1	6	19	16	2.03	<10
CC21577		0.14	<0.2	0.83	5	<10	100	0.5	<2	0.47	2.0	3	20	8	0.97	<10
CC21578		0.18	0.3	0.96	8	<10	120	0.5	<2	0.33	4.0	3	14	10	1.46	<10
CC21579		0.16	<0.2	0.31	<2	<10	40	<0.5	<2	0.07	0.6	<1	6	2	0.26	<10
CC21580		0.14	0.2	0.65	<2	<10	110	<0.5	<2	0.34	0.9	2	20	8	0.76	<10
CC21581		0.16	<0.2	0.64	<2	<10	230	0.5	<2	0.70	2.1	1	12	13	0.97	<10
CC21582		0.14	0.2	0.58	3	<10	80	<0.5	<2	0.53	4.1	2	17	9	0.94	<10
CC21583		0.16	0.4	0.95	13	<10	80	0.6	<2	0.30	3.9	4	15	13	1.35	<10
CC21584		0.14	0.2	1.07	8	<10	80	0.5	<2	0.48	2.6	4	20	11	1.22	<10
CC21585		0.16	<0.2	1.12	14	<10	50	<0.5	<2	0.19	4.4	3	27	9	1.10	10
CC21586		0.14	0.2	1.53	22	<10	130	<0.5	<2	0.13	11.4	6	29	13	2.46	10
CC21587		0.14	<0.2	1.51	10	<10	110	0.5	<2	0.04	0.8	8	19	19	3.45	10
CC21588		0.16	0.2	0.93	3	<10	60	<0.5	<2	0.04	<0.5	5	12	13	3.02	<10
CC21589		0.10	<0.2	1.03	<2	<10	80	0.5	<2	0.15	1.0	4	10	13	1.85	<10
CC21590		0.14	0.4	1.09	11	<10	130	0.5	<2	0.51	2.0	6	15	22	1.98	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 29-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21551		<1	0.06	20	0.06	64	4	0.01	13	1180	22	0.06	2	<1	16	<20
CC21552		<1	0.06	20	0.03	218	4	0.01	13	980	28	0.07	2	<1	21	<20
CC21553		<1	0.06	20	0.09	101	4	0.01	18	1740	20	0.10	3	<1	18	<20
CC21554		<1	0.06	20	0.25	189	5	0.01	21	1090	46	0.09	5	<1	29	<20
CC21555		<1	0.07	20	0.09	964	5	0.01	16	1190	35	0.10	3	<1	25	<20
CC21556		<1	0.07	20	0.16	138	4	0.01	14	1030	26	0.10	2	<1	16	<20
CC21557		<1	0.06	30	0.23	204	4	0.01	14	930	22	0.10	3	1	24	<20
CC21558		<1	0.09	30	0.39	324	5	0.01	33	1450	40	0.11	2	3	45	<20
CC21559		1	0.06	20	0.04	115	5	<0.01	19	1420	22	0.13	3	1	21	<20
CC21560		<1	0.06	20	0.25	152	6	<0.01	37	1320	25	0.08	4	<1	17	<20
CC21561		<1	0.05	20	0.15	153	4	<0.01	17	1230	24	0.11	2	<1	15	<20
CC21562		<1	0.04	20	0.09	113	7	<0.01	9	690	23	0.03	2	1	7	<20
CC21563		1	0.04	10	0.09	566	3	0.02	8	560	15	0.03	<2	<1	11	<20
CC21564		<1	0.04	10	0.12	179	4	0.01	9	820	14	0.04	<2	<1	16	<20
CC21565		<1	0.05	20	0.15	119	8	0.02	15	760	21	0.06	<2	<1	24	<20
CC21566		<1	0.04	20	0.12	70	4	0.01	7	730	21	0.04	<2	<1	16	<20
CC21567		<1	0.07	20	0.44	159	9	0.01	26	660	34	0.04	4	1	11	<20
CC21568		<1	0.03	20	0.02	11	9	0.01	2	340	6	0.01	<2	<1	4	<20
CC21569		1	0.03	10	0.22	41	2	0.01	3	490	11	0.01	<2	<1	5	<20
CC21570		<1	0.08	10	0.49	112	7	0.01	16	830	24	0.03	2	<1	12	<20
CC21571		<1	0.07	10	0.42	134	9	<0.01	29	570	17	0.04	7	1	11	<20
CC21572		<1	0.03	<10	0.10	104	3	0.02	7	690	4	0.04	2	<1	9	<20
CC21573		<1	0.08	20	0.40	107	6	<0.01	12	240	16	0.01	2	1	5	<20
CC21574		<1	0.08	10	0.62	55	5	0.01	15	1460	10	0.06	2	1	8	<20
CC21575		<1	0.11	10	1.14	168	9	<0.01	33	1150	19	0.01	7	1	6	<20
CC21576		<1	0.09	20	0.65	375	8	0.01	22	1110	27	0.06	3	1	14	<20
CC21577		<1	0.09	10	0.44	293	6	0.01	16	1050	18	0.06	<2	1	13	<20
CC21578		<1	0.08	10	0.47	269	6	0.01	15	1270	19	0.06	3	<1	12	<20
CC21579		1	0.03	10	0.05	19	1	<0.01	3	310	6	0.01	<2	<1	2	<20
CC21580		1	0.11	10	0.56	144	4	0.02	17	1370	12	0.04	<2	<1	9	<20
CC21581		1	0.08	10	0.25	393	5	0.02	15	820	19	0.04	<2	<1	18	<20
CC21582		1	0.07	10	0.18	74	5	0.01	13	520	17	0.04	<2	<1	16	<20
CC21583		1	0.14	20	1.01	157	9	<0.01	32	540	19	0.02	<2	2	9	<20
CC21584		1	0.09	10	0.97	154	9	0.01	26	930	21	0.06	<2	1	12	<20
CC21585		1	0.10	10	1.55	125	16	0.01	33	370	14	0.02	<2	1	5	<20
CC21586		1	0.09	20	1.65	600	9	0.01	29	630	19	0.03	<2	1	9	<20
CC21587		1	0.09	20	0.81	216	6	0.01	25	440	18	0.02	<2	2	7	<20
CC21588		1	0.05	20	0.23	205	3	0.01	14	1060	19	0.03	<2	<1	7	<20
CC21589		1	0.05	10	0.34	247	4	0.02	14	1140	10	0.08	<2	1	15	<20
CC21590		1	0.06	20	0.32	146	5	0.01	16	910	19	0.08	<2	1	23	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC21551		0.01	<10	<10	38	<10	81
CC21552		0.01	<10	<10	38	<10	81
CC21553		0.01	<10	<10	40	<10	101
CC21554		0.02	<10	<10	48	<10	120
CC21555		0.02	<10	<10	49	<10	106
CC21556		0.04	<10	<10	43	<10	68
CC21557		0.07	<10	<10	40	<10	95
CC21558		0.10	<10	<10	46	<10	198
CC21559		0.04	<10	<10	52	<10	120
CC21560		0.02	<10	<10	44	<10	182
CC21561		0.03	<10	<10	59	<10	87
CC21562		0.03	<10	<10	57	<10	48
CC21563		0.02	<10	<10	20	<10	62
CC21564		0.01	<10	<10	26	<10	70
CC21565		0.01	<10	<10	31	<10	59
CC21566		0.01	<10	<10	34	<10	36
CC21567		0.03	<10	<10	74	<10	101
CC21568		0.01	<10	<10	26	<10	12
CC21569		0.01	<10	<10	29	<10	16
CC21570		0.01	<10	<10	93	<10	170
CC21571		0.01	<10	<10	67	<10	190
CC21572		0.01	<10	<10	15	<10	56
CC21573		0.02	<10	<10	66	<10	75
CC21574		0.01	<10	<10	111	<10	69
CC21575		0.01	<10	<10	53	<10	167
CC21576		0.02	<10	<10	85	<10	140
CC21577		0.02	<10	<10	75	<10	114
CC21578		0.01	<10	<10	59	<10	119
CC21579		0.01	<10	<10	12	<10	23
CC21580		0.01	<10	<10	48	<10	114
CC21581		0.01	<10	<10	91	<10	85
CC21582		0.01	<10	<10	63	<10	80
CC21583		0.03	<10	<10	123	<10	336
CC21584		0.03	<10	<10	153	<10	305
CC21585		0.06	<10	<10	301	<10	342
CC21586		0.05	<10	<10	159	<10	213
CC21587		0.03	<10	<10	40	<10	84
CC21588		0.01	<10	<10	30	<10	60
CC21589		0.02	<10	10	21	<10	71
CC21590		0.02	<10	10	27	<10	82

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21591		Not Recvd														
CC21592		0.16	0.3	1.18	3	<10	80	0.8	<2	0.75	1.1	3	10	17	1.45	<10
CC21593		0.14	0.2	1.73	11	<10	110	0.6	<2	1.64	2.1	9	19	31	2.60	<10
CC21594		0.14	0.5	2.16	<2	<10	100	1.0	<2	1.87	1.6	7	23	30	2.35	<10
CC21595		0.18	<0.2	0.86	11	<10	110	<0.5	<2	1.86	0.9	9	13	17	1.75	<10
CC21596		0.16	1.2	1.43	7	<10	90	1.1	<2	1.92	0.8	8	22	56	2.04	<10
CC21601		0.34	0.2	0.45	<2	<10	30	<0.5	<2	0.03	<0.5	1	4	4	0.70	<10
CC21602		0.36	0.2	1.40	<2	<10	50	<0.5	<2	0.38	<0.5	4	14	8	2.37	<10
CC21603		0.38	<0.2	1.74	7	<10	80	0.7	<2	0.56	1.0	11	16	18	3.04	<10
CC21604		0.36	<0.2	1.47	7	<10	120	0.6	<2	1.08	<0.5	6	16	11	2.39	<10
CC21605		0.36	0.3	1.59	13	<10	110	0.6	<2	0.79	<0.5	8	17	17	2.86	10
CC21606		0.38	0.5	1.80	9	<10	160	0.7	<2	1.14	<0.5	6	19	15	2.45	10
CC21607		0.38	0.4	1.14	9	<10	250	<0.5	<2	0.56	0.5	2	12	7	1.34	10
CC21608		0.40	0.2	1.85	9	<10	170	0.7	<2	0.17	<0.5	9	22	21	3.23	10
CC21609		0.38	0.3	1.31	14	<10	110	0.8	<2	0.20	1.7	13	17	42	2.70	<10
CC21610		0.64	0.7	1.85	12	<10	200	0.9	<2	0.66	1.0	11	20	30	3.59	10
CC21611		0.16	1.0	1.55	13	<10	190	0.8	<2	1.26	1.3	9	14	38	2.43	<10
CC21612		0.20	0.3	0.83	8	<10	110	<0.5	<2	0.04	<0.5	3	11	16	2.11	10
CC21613		0.18	0.3	0.73	3	<10	90	<0.5	<2	0.04	<0.5	4	10	13	2.14	<10
CC21614		0.18	0.9	0.54	<2	<10	50	<0.5	<2	0.02	<0.5	1	7	8	0.81	<10
CC21615		0.18	0.4	1.07	5	<10	130	0.5	<2	0.03	<0.5	5	13	19	2.13	<10
CC21616		0.24	1.7	0.74	4	<10	90	<0.5	<2	0.02	<0.5	2	9	15	1.46	<10
CC21617		0.24	0.5	1.37	16	<10	260	0.5	<2	0.03	<0.5	5	25	32	3.81	10
CC21618		0.28	0.3	0.59	10	<10	100	<0.5	<2	0.03	<0.5	3	11	25	2.56	<10
CC21619		0.24	0.4	0.60	10	<10	190	<0.5	<2	0.02	0.7	2	14	35	2.64	<10
CC21620		0.16	0.2	0.30	<2	<10	50	<0.5	<2	0.03	<0.5	4	8	11	0.79	<10
CC21621		0.26	0.5	1.36	11	<10	120	0.6	<2	0.03	<0.5	6	20	48	4.38	<10
CC21622		0.26	0.7	1.78	30	<10	190	1.4	<2	0.04	<0.5	21	20	100	6.51	<10
CC21623		0.24	0.4	1.09	9	<10	130	0.7	<2	0.05	<0.5	9	17	46	4.22	<10
CC21624		0.22	0.3	1.13	17	<10	150	0.6	<2	0.03	<0.5	4	19	33	3.61	<10
CC21625		0.24	0.5	1.28	19	<10	150	0.6	<2	0.03	<0.5	3	21	36	3.49	10
CC21626		0.28	0.4	1.05	9	<10	140	0.5	<2	0.03	<0.5	5	29	24	4.07	10
CC21627		0.22	<0.2	0.56	6	<10	100	<0.5	<2	0.02	<0.5	2	11	17	2.11	<10
CC21628		0.30	<0.2	1.19	11	<10	90	0.5	<2	0.03	<0.5	4	16	26	3.37	<10
CC21629		0.26	0.3	1.36	15	<10	120	0.8	<2	0.04	<0.5	4	23	32	4.57	10
CC21630		0.20	0.3	1.41	23	<10	160	0.8	<2	0.07	<0.5	12	19	41	4.20	<10
CC21631		0.42	0.5	1.64	24	<10	190	1.2	<2	0.07	<0.5	15	21	75	5.72	<10
CC21632		0.18	0.7	0.69	6	<10	170	<0.5	<2	0.06	<0.5	3	10	25	2.45	<10
CC21633		0.18	<0.2	1.12	2	<10	1480	<0.5	<2	0.21	0.8	2	11	46	1.12	<10
CC21634		0.22	0.9	0.87	2	<10	160	0.6	<2	0.08	0.6	5	9	38	2.25	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21591																
CC21592		1	0.05	20	0.26	249	2	0.03	10	1720	11	0.11	<2	1	21	<20
CC21593		1	0.08	10	1.00	392	2	0.02	23	1150	13	0.14	<2	2	38	<20
CC21594		1	0.12	20	1.08	231	2	0.02	23	1660	19	0.17	<2	3	35	<20
CC21595		<1	0.07	10	0.20	393	4	0.01	11	1160	18	0.15	<2	1	46	<20
CC21596		1	0.10	20	0.62	190	4	0.01	30	1200	26	0.19	<2	3	49	<20
CC21601		1	0.04	10	0.09	66	1	0.01	3	360	7	0.01	<2	<1	4	<20
CC21602		1	0.12	10	0.92	506	2	0.01	10	530	9	0.03	<2	1	15	<20
CC21603		1	0.07	20	0.76	430	3	0.01	24	690	28	0.07	<2	2	21	<20
CC21604		2	0.07	10	0.50	309	3	0.01	14	1100	34	0.10	<2	1	36	<20
CC21605		1	0.09	20	0.63	737	4	0.01	18	1110	26	0.08	<2	1	36	<20
CC21606		1	0.09	20	0.74	466	3	0.01	18	1670	21	0.10	<2	2	45	<20
CC21607		1	0.06	10	0.42	173	1	0.01	9	1110	24	0.07	<2	1	25	<20
CC21608		2	0.11	20	1.00	273	4	0.01	30	610	46	0.03	<2	2	17	<20
CC21609		<1	0.14	30	1.13	234	11	<0.01	53	780	27	0.04	<2	3	18	<20
CC21610		2	0.11	20	0.94	288	10	0.01	41	940	30	0.05	<2	3	31	<20
CC21611		1	0.07	10	0.48	323	7	0.02	41	1110	24	0.08	<2	1	49	<20
CC21612		1	0.07	20	0.14	125	6	0.01	15	1050	35	0.06	<2	<1	18	<20
CC21613		1	0.07	20	0.19	269	6	0.01	14	990	29	0.04	<2	<1	16	<20
CC21614		1	0.05	10	0.06	24	2	0.01	5	950	10	0.02	<2	<1	6	<20
CC21615		1	0.08	20	0.50	121	3	0.01	18	630	33	0.04	<2	<1	14	<20
CC21616		<1	0.05	10	0.06	141	2	0.01	9	670	19	0.04	<2	<1	13	<20
CC21617		<1	0.10	20	0.46	562	6	0.01	29	1170	48	0.09	<2	<1	31	<20
CC21618		1	0.08	20	0.16	132	12	0.01	28	1000	31	0.06	2	<1	18	<20
CC21619		<1	0.08	30	0.03	66	6	0.01	20	1130	31	0.08	<2	<1	27	<20
CC21620		<1	0.04	10	0.02	43	4	0.02	10	1110	26	0.05	2	<1	12	<20
CC21621		1	0.08	20	0.14	189	6	0.01	30	2530	39	0.19	3	<1	30	<20
CC21622		1	0.12	40	0.50	409	9	0.01	77	1830	59	0.15	7	3	53	<20
CC21623		1	0.07	30	0.17	146	5	0.01	36	1640	39	0.18	4	<1	30	<20
CC21624		1	0.08	20	0.14	113	5	0.01	21	1140	26	0.13	3	1	25	<20
CC21625		<1	0.07	20	0.15	131	5	0.01	14	1380	29	0.17	3	1	27	<20
CC21626		<1	0.06	20	0.11	251	4	0.01	16	2090	24	0.21	2	<1	21	<20
CC21627		<1	0.07	10	0.03	234	3	0.01	11	1190	21	0.14	2	<1	18	<20
CC21628		1	0.05	20	0.21	130	4	<0.01	18	820	24	0.07	<2	<1	19	<20
CC21629		<1	0.07	30	0.21	208	3	0.01	17	1930	23	0.19	<2	1	17	<20
CC21630		<1	0.10	30	0.38	513	5	0.02	28	1170	30	0.11	6	2	30	<20
CC21631		1	0.11	30	0.47	462	8	0.01	31	1810	57	0.15	8	4	41	<20
CC21632		1	0.08	20	0.09	118	3	0.01	14	730	57	0.10	2	<1	37	<20
CC21633		<1	0.07	10	0.16	105	1	0.01	9	1140	270	0.08	<2	<1	21	<20
CC21634		1	0.06	10	0.19	116	3	0.01	23	830	132	0.09	2	<1	24	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-OCT-2007
Account: MT

Project: HY

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC21591							
CC21592		0.01	<10	10	19	<10	52
CC21593		0.02	<10	10	26	<10	74
CC21594		0.03	<10	10	34	<10	125
CC21595		0.03	<10	<10	29	<10	107
CC21596		0.03	<10	<10	33	<10	154
CC21601		0.01	<10	<10	17	<10	13
CC21602		0.03	<10	<10	21	<10	64
CC21603		0.03	<10	10	28	<10	105
CC21604		0.02	<10	<10	28	<10	93
CC21605		0.03	<10	10	39	<10	90
CC21606		0.02	<10	<10	35	<10	71
CC21607		0.02	<10	<10	30	<10	58
CC21608		0.05	<10	<10	52	<10	154
CC21609		0.06	<10	<10	77	<10	242
CC21610		0.03	<10	10	46	<10	214
CC21611		0.02	<10	10	36	<10	159
CC21612		0.01	<10	<10	49	<10	77
CC21613		0.01	<10	<10	54	<10	75
CC21614		0.01	<10	<10	26	<10	21
CC21615		0.01	<10	<10	40	<10	81
CC21616		0.01	<10	<10	30	<10	43
CC21617		0.02	<10	<10	89	<10	148
CC21618		0.01	<10	<10	84	<10	163
CC21619		<0.01	<10	<10	45	<10	120
CC21620		<0.01	<10	<10	16	<10	35
CC21621		0.01	<10	<10	47	<10	154
CC21622		0.04	<10	<10	56	<10	412
CC21623		0.02	<10	<10	45	<10	174
CC21624		0.07	<10	<10	55	<10	130
CC21625		0.05	<10	<10	55	<10	93
CC21626		0.03	<10	<10	67	<10	86
CC21627		0.03	<10	<10	40	<10	83
CC21628		0.03	<10	<10	39	<10	108
CC21629		0.03	<10	<10	51	<10	100
CC21630		0.06	<10	<10	46	<10	150
CC21631		0.14	<10	<10	53	<10	200
CC21632		0.03	<10	<10	45	<10	93
CC21633		0.01	<10	<10	32	<10	76
CC21634		0.03	<10	<10	28	<10	142

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-OCT-2007
Account: MT

Project: HY

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC21635		0.26	0.2	1.28	9	<10	330	0.5	<2	0.08	<0.5	4	16	26	2.87	10
CC40468		0.16	0.2	1.59	4	<10	130	0.5	<2	0.07	<0.5	8	17	14	2.84	10
CC40469		0.16	0.2	1.74	5	<10	170	0.8	<2	0.17	0.7	14	18	22	2.66	10
CC40470		0.14	<0.2	1.06	5	<10	110	<0.5	<2	0.05	<0.5	3	13	7	1.59	10
CC40471		0.24	0.2	2.80	9	<10	80	0.7	<2	0.06	<0.5	9	27	14	4.75	10
CC40472		0.24	0.2	2.25	4	<10	90	0.5	<2	0.07	<0.5	6	20	9	4.23	10
CC40473		0.14	0.2	1.12	9	<10	60	<0.5	<2	0.06	<0.5	4	13	11	4.18	10
CC40474		0.20	0.3	1.56	6	<10	70	<0.5	<2	0.08	<0.5	6	15	7	3.50	10
CC40475		0.18	2.8	1.88	11	<10	200	1.7	<2	1.81	3.1	12	17	100	2.36	<10
CC40476		0.18	1.4	1.69	13	<10	310	1.2	<2	1.04	3.9	16	19	59	3.48	<10
CC40477		0.14	0.4	1.60	8	<10	200	0.8	<2	0.83	3.0	8	17	26	2.64	<10
CC40478		0.14	<0.2	0.93	4	<10	110	<0.5	<2	0.09	<0.5	2	10	7	1.82	<10
CC40479		0.10	<0.2	0.39	4	<10	110	<0.5	<2	0.10	<0.5	3	3	7	0.44	<10
CC40480		0.22	<0.2	1.84	5	<10	210	0.7	<2	0.24	0.6	6	19	16	2.47	10
CC40481		0.16	<0.2	1.29	4	<10	220	1.0	<2	0.61	1.2	5	11	25	1.77	<10
CC40482		0.18	0.4	1.33	10	<10	210	0.8	<2	1.57	1.8	5	15	61	2.43	<10
CC40483		0.16	<0.2	0.38	2	<10	40	<0.5	<2	0.03	<0.5	<1	4	2	0.14	<10
CC40484		0.16	<0.2	0.42	4	<10	30	<0.5	<2	0.02	<0.5	<1	5	1	0.18	<10
CC40485		0.18	0.4	0.96	<2	<10	60	<0.5	<2	0.03	<0.5	1	11	3	0.58	10
CC40486		0.20	<0.2	1.42	7	<10	70	<0.5	<2	0.04	<0.5	3	19	9	1.73	10
CC40487		0.20	<0.2	0.37	<2	<10	20	<0.5	<2	0.02	<0.5	1	4	2	0.22	<10
CC40488		0.18	<0.2	0.58	6	<10	50	<0.5	<2	0.14	<0.5	2	9	5	0.50	<10
CC40489		0.12	<0.2	0.69	5	<10	50	<0.5	<2	0.06	<0.5	2	9	5	0.86	<10
CC40490		0.14	0.2	0.53	3	<10	60	<0.5	<2	0.20	<0.5	1	5	4	0.56	<10
CC40491		0.14	<0.2	1.35	4	<10	80	<0.5	<2	0.08	<0.5	5	19	10	1.83	<10
CC40492		0.16	<0.2	0.74	4	<10	40	<0.5	<2	0.06	<0.5	5	13	7	1.34	10
CC40493		0.12	<0.2	0.65	5	<10	150	<0.5	<2	0.20	<0.5	6	10	6	1.22	<10
CC40494		0.16	<0.2	0.58	5	<10	30	<0.5	<2	0.01	<0.5	4	11	8	1.28	<10
CC40495		0.14	<0.2	0.59	5	<10	20	<0.5	<2	0.02	<0.5	3	9	5	0.90	<10
CC40496		0.18	<0.2	0.28	10	<10	30	<0.5	<2	0.01	<0.5	3	5	6	0.90	<10
CC40497		0.14	<0.2	0.80	2	<10	60	<0.5	<2	0.05	<0.5	4	11	6	1.43	<10
CC40498		0.16	<0.2	0.14	5	<10	20	<0.5	<2	0.02	<0.5	1	1	1	0.21	<10
CC40499		0.20	<0.2	0.23	<2	<10	30	<0.5	<2	0.01	<0.5	1	3	2	0.36	<10
CC40500		0.12	<0.2	0.14	6	<10	20	<0.5	<2	0.03	<0.5	1	2	1	0.25	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-OCT-2007
Account: MT

Project: HY

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC21635		<1	0.08	20	0.37	182	3	0.01	18	580	127	0.07	2	1	29	<20
CC40468		<1	0.06	10	0.42	309	1	0.02	32	350	32	0.03	2	1	9	<20
CC40469		<1	0.08	10	0.41	543	2	0.01	23	710	57	0.04	<2	1	18	<20
CC40470		<1	0.04	20	0.24	130	2	0.01	9	400	24	0.02	<2	<1	9	<20
CC40471		<1	0.08	20	0.49	409	1	0.01	24	500	31	0.03	2	3	8	<20
CC40472		1	0.07	20	0.38	327	1	0.01	16	540	23	0.03	2	2	8	<20
CC40473		<1	0.05	20	0.10	227	2	0.01	9	740	16	0.04	2	1	8	<20
CC40474		<1	0.05	20	0.32	283	1	0.01	13	320	28	0.02	2	2	8	<20
CC40475		<1	0.12	30	0.43	343	5	0.02	73	1190	61	0.13	3	2	45	<20
CC40476		1	0.09	20	0.40	774	11	0.02	41	1020	41	0.09	4	2	33	<20
CC40477		1	0.10	20	0.72	379	4	0.01	31	620	38	0.04	3	3	25	<20
CC40478		<1	0.04	10	0.16	117	2	0.01	6	240	13	0.03	<2	1	10	<20
CC40479		<1	0.03	10	0.04	133	1	0.02	1	310	12	0.02	<2	<1	9	<20
CC40480		<1	0.07	20	0.76	285	3	0.01	21	470	31	0.03	3	2	16	<20
CC40481		1	0.05	30	0.25	147	4	0.01	12	800	39	0.07	2	1	27	<20
CC40482		1	0.09	20	0.51	223	6	0.01	32	490	37	0.07	2	2	31	<20
CC40483		<1	0.05	10	0.06	11	<1	0.01	1	340	5	0.02	<2	<1	4	<20
CC40484		<1	0.04	20	0.11	11	1	0.01	1	240	3	0.02	<2	<1	3	<20
CC40485		<1	0.06	20	0.27	43	1	<0.01	3	340	13	0.02	<2	<1	5	<20
CC40486		<1	0.09	20	0.82	217	4	0.01	11	400	19	0.02	3	<1	5	<20
CC40487		<1	0.04	20	0.10	13	1	<0.01	2	170	4	0.01	<2	<1	3	<20
CC40488		<1	0.05	10	0.32	39	2	0.01	4	400	8	<0.01	<2	<1	6	<20
CC40489		<1	0.05	10	0.39	102	1	0.01	7	510	11	0.02	<2	1	6	<20
CC40490		<1	0.03	10	0.23	35	1	0.02	5	380	7	0.02	<2	1	9	<20
CC40491		<1	0.11	20	1.25	107	5	0.01	20	340	20	<0.01	2	1	4	<20
CC40492		<1	0.07	20	0.52	192	3	<0.01	9	520	15	0.01	<2	<1	5	<20
CC40493		<1	0.07	20	0.34	1780	3	<0.01	12	420	18	0.01	<2	2	6	<20
CC40494		<1	0.06	20	0.29	136	2	<0.01	10	420	12	<0.01	<2	<1	2	<20
CC40495		<1	0.07	10	0.47	49	1	0.01	7	370	9	<0.01	<2	<1	2	<20
CC40496		<1	0.06	20	0.07	129	1	<0.01	5	290	7	<0.01	<2	<1	2	<20
CC40497		<1	0.05	10	0.36	367	1	0.01	7	510	13	0.01	<2	<1	5	<20
CC40498		<1	0.02	<10	0.02	22	<1	0.02	1	440	2	0.01	<2	<1	5	<20
CC40499		<1	0.04	10	0.03	27	<1	0.01	3	470	5	0.01	<2	<1	3	<20
CC40500		<1	0.03	<10	0.02	29	<1	0.02	1	420	3	0.01	<2	<1	6	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 29-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114246

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC21635		0.09	<10	<10	76	<10	140
CC40468		0.03	<10	<10	24	<10	135
CC40469		0.03	<10	<10	29	<10	168
CC40470		0.02	<10	<10	32	<10	57
CC40471		0.07	<10	<10	37	<10	105
CC40472		0.07	<10	<10	40	<10	85
CC40473		0.08	<10	<10	44	<10	53
CC40474		0.06	<10	<10	38	<10	66
CC40475		0.03	<10	<10	36	<10	197
CC40476		0.03	<10	10	40	<10	184
CC40477		0.06	<10	<10	51	<10	214
CC40478		0.03	<10	<10	28	<10	38
CC40479		0.02	<10	<10	10	<10	18
CC40480		0.04	<10	<10	32	<10	116
CC40481		0.02	<10	<10	29	<10	83
CC40482		0.04	<10	10	44	<10	153
CC40483		0.01	<10	<10	28	<10	8
CC40484		0.01	<10	<10	32	<10	12
CC40485		0.01	<10	<10	34	<10	28
CC40486		0.02	<10	<10	82	<10	50
CC40487		0.01	<10	<10	19	<10	8
CC40488		0.01	<10	<10	28	<10	21
CC40489		0.02	<10	<10	35	<10	31
CC40490		0.02	<10	<10	19	<10	17
CC40491		0.03	<10	<10	81	<10	80
CC40492		0.03	<10	<10	48	<10	43
CC40493		0.02	<10	<10	27	<10	29
CC40494		0.01	<10	<10	32	<10	22
CC40495		0.01	<10	<10	21	<10	11
CC40496		0.01	<10	<10	26	<10	18
CC40497		0.02	<10	<10	47	<10	25
CC40498		0.01	<10	<10	6	<10	4
CC40499		0.01	<10	<10	8	<10	8
CC40500		0.01	<10	<10	8	<10	7

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE VA07114245

Project: HY

P.O. No.:

This report is for 143 Soil samples submitted to our lab in Vancouver, BC, Canada on 18-SEP-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC26970		0.20	<0.2	0.98	6	<10	70	<0.5	2	0.03	<0.5	2	20	6	1.18	10
CC26971		0.34	<0.2	1.60	8	<10	130	<0.5	2	0.04	0.5	6	19	13	2.80	10
CC26972		0.28	<0.2	1.01	<2	<10	160	<0.5	2	0.05	<0.5	3	15	6	1.28	<10
CC26973		0.30	<0.2	0.26	<2	<10	40	<0.5	<2	0.02	<0.5	<1	1	1	0.16	<10
CC26974		0.30	<0.2	0.25	<2	<10	20	<0.5	<2	0.02	<0.5	<1	1	1	0.15	<10
CC26975		0.36	<0.2	0.36	<2	<10	20	<0.5	<2	0.01	<0.5	1	2	2	0.32	<10
CC26976		0.28	<0.2	0.39	<2	<10	50	<0.5	<2	0.03	<0.5	<1	5	2	0.21	<10
CC26977		0.34	<0.2	0.62	3	<10	40	<0.5	2	0.03	<0.5	2	31	5	0.73	<10
CC26978		0.38	<0.2	1.01	2	<10	50	<0.5	<2	0.03	<0.5	2	22	6	1.18	<10
CC26979		0.34	<0.2	0.41	<2	<10	30	<0.5	<2	0.01	<0.5	1	9	3	0.39	<10
CC39001		0.22	<0.2	0.40	<2	<10	50	<0.5	<2	0.03	<0.5	<1	4	2	0.48	<10
CC39002		0.16	<0.2	0.45	<2	<10	70	<0.5	<2	0.06	<0.5	4	15	6	0.96	<10
CC39003		0.20	<0.2	0.97	3	<10	40	<0.5	<2	0.06	<0.5	2	13	5	1.31	<10
CC39004		0.18	<0.2	0.40	<2	<10	30	<0.5	2	0.04	<0.5	1	7	4	0.71	<10
CC39005		0.20	<0.2	1.19	6	<10	50	<0.5	2	0.04	<0.5	4	23	8	2.32	10
CC39006		0.26	<0.2	1.75	3	<10	60	<0.5	3	0.06	<0.5	7	26	12	2.39	10
CC39007		0.24	<0.2	0.49	<2	<10	30	<0.5	2	0.03	<0.5	<1	2	4	0.33	<10
CC39008		0.22	<0.2	0.71	<2	<10	40	<0.5	2	0.04	<0.5	1	12	6	0.74	<10
CC39009		0.20	<0.2	1.34	4	<10	70	0.5	2	0.06	<0.5	3	20	8	1.51	10
CC39010		0.28	<0.2	1.36	6	<10	60	0.7	<2	0.47	<0.5	6	23	8	1.46	<10
CC39011		0.20	0.2	0.72	2	<10	30	0.5	<2	0.60	<0.5	3	12	8	0.80	<10
CC39012		0.26	<0.2	0.63	2	<10	40	<0.5	<2	0.03	<0.5	3	11	7	0.68	<10
CC39013		0.20	<0.2	1.20	3	<10	80	0.5	<2	0.50	<0.5	5	26	11	1.81	10
CC39014		0.26	<0.2	1.12	4	<10	40	1.2	<2	0.49	<0.5	8	22	9	1.42	<10
CC39015		0.26	<0.2	1.09	3	<10	30	0.7	<2	0.44	<0.5	3	21	5	0.76	<10
CC39016		0.24	0.3	1.39	10	<10	50	0.7	<2	0.60	1.4	5	28	21	1.61	<10
CC39017		0.20	0.3	2.51	4	<10	90	1.0	<2	0.25	1.0	10	30	30	3.04	10
CC39018		0.24	<0.2	1.09	3	<10	50	<0.5	<2	0.03	<0.5	5	18	10	2.49	10
CC39019		0.20	0.2	0.91	2	<10	50	<0.5	<2	0.05	<0.5	4	13	6	1.66	<10
CC39020		0.20	<0.2	0.51	<2	<10	30	<0.5	<2	0.06	<0.5	3	13	9	1.12	10
CC39021		0.18	0.2	1.85	5	<10	70	0.6	2	0.11	<0.5	6	20	16	2.43	10
CC39022		0.22	0.2	1.15	3	<10	70	<0.5	<2	0.05	<0.5	4	19	9	1.81	<10
CC39023		0.20	<0.2	1.25	4	<10	110	<0.5	2	0.06	0.8	8	19	10	2.52	10
CC39024		0.18	0.3	0.85	12	<10	440	<0.5	2	0.07	0.7	5	18	20	2.06	<10
CC39025		0.16	0.2	0.53	3	<10	60	<0.5	<2	0.05	<0.5	1	11	8	0.82	<10
CC39026		0.20	0.3	0.76	9	<10	130	<0.5	<2	0.05	0.5	3	14	21	3.37	<10
CC39027		0.22	<0.2	0.76	9	<10	140	<0.5	<2	0.07	0.6	4	15	18	2.94	<10
CC39028		0.24	0.2	1.11	4	<10	180	0.5	2	0.18	2.0	5	16	15	2.16	10
CC39029		0.26	1.4	2.02	24	<10	220	1.3	2	0.38	8.8	9	32	54	3.42	10
CC39030		0.28	0.8	1.67	12	<10	180	0.9	2	0.07	1.1	5	23	48	3.56	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC26970		<1	0.06	20	0.52	68	3	<0.01	11	330	12	0.01	2	<1	3	<20
CC26971		<1	0.09	20	0.87	151	5	<0.01	19	360	22	0.02	2	2	6	<20
CC26972		<1	0.08	20	0.98	92	2	<0.01	11	280	12	0.01	2	1	3	<20
CC26973		<1	0.03	10	0.05	12	<1	0.02	<1	190	3	0.01	<2	<1	3	<20
CC26974		<1	0.03	10	0.07	13	<1	0.01	1	210	3	0.01	2	<1	2	<20
CC26975		<1	0.04	20	0.12	21	1	0.01	2	190	6	0.01	<2	<1	2	<20
CC26976		<1	0.04	10	0.10	11	<1	0.01	1	340	6	0.01	<2	<1	4	<20
CC26977		<1	0.06	20	0.60	35	3	<0.01	18	330	5	0.01	3	<1	2	<20
CC26978		1	0.07	20	1.02	58	2	<0.01	16	240	9	0.01	2	1	3	<20
CC26979		<1	0.04	20	0.20	17	1	<0.01	6	250	2	0.01	<2	<1	2	<20
CC39001		<1	0.04	10	0.05	48	<1	0.01	2	570	2	0.04	<2	<1	5	<20
CC39002		<1	0.07	10	0.18	575	2	0.01	13	980	12	0.09	2	<1	5	<20
CC39003		<1	0.03	10	0.25	122	1	0.01	7	520	8	0.05	2	<1	5	<20
CC39004		1	0.03	10	0.09	90	1	0.01	4	520	4	0.06	<2	<1	5	<20
CC39005		<1	0.05	10	0.45	175	1	<0.01	11	720	16	0.07	2	<1	5	<20
CC39006		<1	0.06	10	0.84	301	2	<0.01	17	540	18	0.05	<2	1	6	<20
CC39007		<1	0.02	<10	0.03	22	<1	0.02	2	490	<2	0.03	<2	<1	5	<20
CC39008		1	0.03	10	0.49	58	1	0.01	4	610	8	0.06	2	<1	5	<20
CC39009		<1	0.03	10	1.30	621	1	<0.01	5	580	14	0.06	<2	1	6	<20
CC39010		1	0.07	30	1.60	221	1	0.01	17	660	16	0.05	2	2	8	<20
CC39011		<1	0.10	20	1.12	143	<1	0.01	11	650	10	0.04	3	2	6	<20
CC39012		1	0.06	10	0.54	80	2	0.01	7	270	17	0.03	<2	<1	2	<20
CC39013		<1	0.09	20	0.86	272	3	0.01	20	530	23	0.05	<2	1	9	<20
CC39014		<1	0.06	20	1.37	399	3	0.01	19	730	26	0.06	3	3	7	<20
CC39015		<1	0.09	20	1.55	250	3	0.01	21	540	13	0.05	<2	3	5	<20
CC39016		1	0.15	20	1.80	187	7	0.01	38	670	20	0.05	3	3	10	<20
CC39017		<1	0.15	20	1.36	463	6	0.01	34	1250	47	0.08	3	1	15	<20
CC39018		1	0.09	10	0.49	384	2	0.01	12	600	15	0.03	<2	1	4	<20
CC39019		<1	0.06	10	0.46	276	1	0.01	10	590	8	0.03	<2	<1	5	<20
CC39020		1	0.05	10	0.15	80	3	0.02	9	460	12	0.04	<2	1	5	<20
CC39021		<1	0.10	10	0.94	448	2	0.02	21	800	55	0.06	<2	1	11	<20
CC39022		<1	0.09	10	0.77	306	5	0.01	19	1290	38	0.07	2	<1	7	<20
CC39023		1	0.10	10	0.42	610	3	0.02	15	820	49	0.09	<2	<1	12	<20
CC39024		<1	0.09	10	0.37	461	11	0.02	28	890	43	0.13	3	<1	26	<20
CC39025		<1	0.05	<10	0.36	57	3	0.02	11	530	27	0.05	2	<1	8	<20
CC39026		<1	0.07	20	0.09	137	6	0.02	15	1310	57	0.11	2	<1	24	<20
CC39027		1	0.08	20	0.14	336	7	0.01	16	1020	39	0.09	2	<1	18	<20
CC39028		1	0.09	10	0.37	675	5	0.02	14	1070	103	0.11	<2	<1	19	<20
CC39029		1	0.17	20	0.94	311	10	0.02	67	1060	108	0.13	5	3	55	<20
CC39030		<1	0.12	20	0.43	183	5	0.02	23	1270	108	0.16	<2	1	51	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC26970		0.02	<10	<10	57	<10	28
CC26971		0.04	<10	<10	85	<10	75
CC26972		0.02	<10	<10	33	<10	36
CC26973		0.01	<10	<10	18	<10	6
CC26974		0.01	<10	<10	12	<10	6
CC26975		0.01	<10	<10	26	<10	13
CC26976		0.01	<10	<10	13	<10	10
CC26977		0.01	<10	<10	33	<10	27
CC26978		0.02	<10	<10	48	<10	38
CC26979		0.01	<10	<10	19	<10	12
CC39001		0.01	<10	<10	13	<10	11
CC39002		0.01	<10	<10	24	<10	21
CC39003		0.03	<10	<10	29	<10	24
CC39004		0.02	<10	<10	22	<10	16
CC39005		0.05	<10	<10	52	<10	37
CC39006		0.06	<10	<10	58	<10	56
CC39007		0.01	<10	<10	8	<10	5
CC39008		0.02	<10	<10	19	<10	14
CC39009		0.05	<10	<10	29	<10	21
CC39010		0.08	<10	<10	19	<10	22
CC39011		0.08	<10	<10	12	<10	10
CC39012		0.05	<10	<10	15	<10	11
CC39013		0.07	<10	<10	67	<10	48
CC39014		0.04	<10	<10	13	<10	20
CC39015		0.04	<10	<10	20	<10	12
CC39016		0.05	<10	<10	132	<10	179
CC39017		0.03	<10	<10	100	<10	147
CC39018		0.04	<10	<10	46	<10	37
CC39019		0.02	<10	<10	23	<10	30
CC39020		0.07	<10	<10	38	<10	26
CC39021		0.04	<10	<10	43	<10	103
CC39022		0.01	<10	<10	57	<10	100
CC39023		0.04	<10	<10	45	<10	77
CC39024		0.05	<10	<10	80	<10	105
CC39025		0.02	<10	<10	78	<10	65
CC39026		0.01	<10	<10	65	<10	101
CC39027		0.02	<10	<10	62	<10	106
CC39028		0.02	<10	<10	63	<10	131
CC39029		0.10	<10	<10	95	<10	750
CC39030		0.07	<10	<10	54	<10	136

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-200
Account: MT

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC39031		0.36	0.7	1.73	14	<10	170	0.9	3	0.06	<0.5	5	22	48	4.23	<10
CC39032		0.42	0.3	1.60	11	<10	160	0.9	2	0.05	<0.5	5	20	51	4.41	<10
CC39033		0.34	0.5	1.62	13	<10	140	0.7	<2	0.05	<0.5	5	21	41	3.96	10
CC39034		0.38	0.4	1.72	15	<10	190	1.3	2	0.07	<0.5	5	19	67	4.68	<10
CC39035		0.52	0.4	1.59	9	<10	160	0.8	<2	0.09	<0.5	4	19	50	3.81	<10
CC39036		0.48	0.4	1.87	21	<10	200	1.2	<2	0.07	<0.5	6	23	66	5.53	<10
CC39037		0.24	0.3	1.16	6	<10	190	0.7	<2	0.06	0.9	3	20	28	2.45	<10
CC39038		0.36	0.2	1.06	6	<10	120	<0.5	<2	0.02	<0.5	2	19	18	2.83	10
CC39039		0.32	0.2	0.90	8	<10	110	<0.5	2	0.03	<0.5	2	21	17	3.17	10
CC39040		0.34	0.3	1.60	7	<10	190	0.5	<2	0.04	<0.5	4	32	27	3.14	10
CC39041		0.46	0.3	2.68	17	<10	310	1.3	3	0.09	<0.5	8	39	64	5.17	10
CC39042		0.36	0.9	2.60	23	<10	360	1.6	6	0.13	<0.5	9	29	85	5.88	10
CC39043		0.36	0.4	2.10	20	<10	270	1.4	<2	0.08	<0.5	6	25	58	5.33	10
CC39044		0.44	0.6	2.30	18	<10	260	1.4	2	0.10	0.5	13	30	50	4.00	10
CC39045		0.42	0.4	2.40	16	<10	320	1.4	3	0.10	0.5	9	31	64	4.72	10
CC39046		0.46	1.0	2.31	12	<10	310	1.2	3	0.11	0.5	7	31	55	3.77	10
CC39047		0.28	11.4	3.38	10	10	710	1.5	37	1.22	16.3	7	27	142	2.02	10
CC39048		0.24	0.5	2.83	3	<10	220	0.9	4	0.75	2.5	4	33	18	1.12	10
CC39049		0.66	0.4	3.02	<2	<10	110	0.9	<2	0.83	1.6	3	33	10	0.95	10
CC39050		0.32	0.3	2.45	3	<10	160	0.7	<2	0.30	1.8	5	30	16	1.34	<10
CC39051		Not Recvd														
CC39052		Not Recvd														
CC39053		Not Recvd														
CC39054		Not Recvd														
CC39055		Not Recvd														
CC39056		Not Recvd														
CC39057		Not Recvd														
CC39058		Not Recvd														
CC39059		Not Recvd														
CC39197		0.32	<0.2	1.68	11	<10	40	0.8	<2	0.96	<0.5	17	8	6	2.70	10
CC39198		0.32	<0.2	1.15	<2	<10	50	<0.5	<2	0.02	<0.5	8	20	8	1.82	<10
CC39199		0.26	<0.2	0.17	<2	<10	20	<0.5	<2	0.05	<0.5	2	3	1	0.36	<10
CC39201		0.36	<0.2	0.22	<2	<10	20	<0.5	<2	0.03	<0.5	2	5	3	0.48	<10
CC39203		0.30	<0.2	0.63	6	<10	30	0.5	<2	0.08	<0.5	6	11	6	1.25	<10
CC39204		0.44	0.2	0.99	2	<10	50	0.9	<2	0.33	<0.5	14	18	13	2.60	<10
CC39205		0.36	0.2	0.80	<2	<10	50	<0.5	<2	0.03	<0.5	3	11	6	1.22	<10
CC39206		0.34	0.2	0.56	<2	<10	60	<0.5	<2	0.04	<0.5	1	7	4	0.61	<10
CC39207		0.32	0.7	1.45	2	<10	160	0.8	<2	1.16	2.4	7	16	18	1.79	<10
CC39208		0.40	0.2	0.80	<2	<10	70	<0.5	<2	0.04	<0.5	1	10	4	0.55	<10
CC39209		0.30	<0.2	0.72	3	<10	80	<0.5	<2	0.38	1.0	2	11	6	1.07	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC39031		<1	0.12	20	0.50	322	5	0.02	23	1200	126	0.14	3	2	55	<20
CC39032		1	0.13	20	0.49	273	5	0.02	24	1280	137	0.13	4	3	57	<20
CC39033		<1	0.11	20	0.41	398	5	0.02	20	1290	139	0.11	4	2	44	<20
CC39034		1	0.12	30	0.59	226	6	0.02	30	1080	275	0.15	4	3	59	<20
CC39035		<1	0.11	20	0.47	236	5	0.02	23	1370	134	0.12	3	3	66	<20
CC39036		<1	0.12	30	0.55	269	7	0.02	31	1680	189	0.17	3	4	93	<20
CC39037		1	0.07	20	0.12	138	4	0.02	15	3250	110	0.25	<2	<1	37	<20
CC39038		1	0.06	10	0.10	163	3	0.01	8	1320	62	0.14	2	<1	23	<20
CC39039		<1	0.06	10	0.13	114	3	0.01	9	1460	61	0.15	2	<1	21	<20
CC39040		1	0.16	20	0.39	160	4	0.02	23	930	38	0.16	2	1	52	<20
CC39041		<1	0.31	20	0.81	277	8	0.04	35	1690	76	0.29	2	4	113	<20
CC39042		1	0.28	30	0.69	274	8	0.06	37	1780	202	0.35	3	5	182	<20
CC39043		1	0.19	30	0.55	195	6	0.05	32	1260	89	0.30	3	3	134	<20
CC39044		1	0.21	20	1.01	388	5	0.03	54	1060	93	0.19	3	3	74	<20
CC39045		1	0.28	20	0.68	331	6	0.04	40	1490	115	0.26	2	4	119	<20
CC39046		<1	0.26	20	0.64	340	8	0.03	32	1270	101	0.19	4	3	79	<20
CC39047		<1	0.09	10	2.22	1200	1	0.03	31	1230	3390	0.08	2	2	58	<20
CC39048		2	0.12	10	2.45	244	2	0.01	25	540	206	0.05	2	2	34	<20
CC39049		1	0.12	10	3.21	181	2	0.01	22	250	139	0.02	2	3	25	<20
CC39050		<1	0.08	10	2.12	233	4	0.01	26	520	109	0.05	2	1	17	<20
CC39051																
CC39052																
CC39053																
CC39054																
CC39055																
CC39056																
CC39057																
CC39058																
CC39059																
CC39197		1	0.21	30	2.47	390	2	0.01	10	3290	9	0.04	2	5	27	<20
CC39198		<1	0.14	10	1.22	390	2	0.01	10	540	11	0.03	3	1	3	<20
CC39199		<1	0.02	<10	0.04	211	1	0.02	1	540	2	0.03	<2	<1	6	<20
CC39201		<1	0.04	20	0.05	39	2	0.01	5	230	2	0.01	<2	<1	3	<20
CC39203		<1	0.07	10	0.74	239	2	0.01	15	440	12	0.03	2	2	3	<20
CC39204		<1	0.09	20	1.57	502	1	<0.01	40	630	23	0.04	2	5	5	<20
CC39205		<1	0.07	10	0.48	94	3	0.01	10	340	13	0.02	<2	<1	4	<20
CC39206		<1	0.06	10	0.23	47	3	0.01	4	300	7	0.02	4	<1	4	<20
CC39207		1	0.08	20	0.73	835	4	0.02	23	1230	21	0.10	<2	2	21	<20
CC39208		1	0.07	10	0.41	57	2	0.01	4	710	10	0.03	2	<1	4	<20
CC39209		1	0.07	10	0.39	365	2	0.02	8	720	9	0.04	4	1	9	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC39031		0.13	<10	<10	59	<10	149
CC39032		0.15	<10	<10	56	<10	167
CC39033		0.13	<10	<10	56	<10	134
CC39034		0.16	<10	<10	51	<10	239
CC39035		0.15	<10	<10	50	<10	159
CC39036		0.19	<10	<10	59	<10	236
CC39037		0.01	<10	<10	27	<10	78
CC39038		0.05	<10	<10	50	<10	58
CC39039		0.03	<10	<10	54	<10	59
CC39040		0.10	<10	<10	94	<10	83
CC39041		0.13	<10	<10	123	<10	179
CC39042		0.16	<10	<10	82	<10	219
CC39043		0.12	<10	<10	63	<10	168
CC39044		0.12	<10	<10	87	<10	212
CC39045		0.12	<10	<10	93	<10	195
CC39046		0.11	<10	<10	101	<10	181
CC39047		0.05	<10	<10	135	<10	3500
CC39048		0.07	<10	<10	272	<10	366
CC39049		0.11	<10	<10	240	<10	233
CC39050		0.07	<10	<10	241	<10	221
CC39051							
CC39052							
CC39053							
CC39054							
CC39055							
CC39056							
CC39057							
CC39058							
CC39059							
CC39197		0.02	<10	<10	39	<10	8
CC39198		0.01	10	<10	41	<10	13
CC39199		0.01	<10	<10	9	<10	6
CC39201		0.01	<10	<10	12	<10	10
CC39203		0.01	<10	<10	10	<10	10
CC39204		0.01	<10	<10	12	<10	11
CC39205		0.02	<10	<10	53	<10	42
CC39206		0.01	<10	<10	38	<10	27
CC39207		0.02	<10	<10	61	<10	106
CC39208		0.01	<10	<10	38	<10	23
CC39209		0.01	<10	<10	39	<10	58

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC39210		0.32	<0.2	0.65	<2	<10	60	<0.5	<2	0.18	<0.5	1	9	3	0.37	<10
CC39211		0.40	<0.2	0.66	4	<10	60	<0.5	<2	0.09	<0.5	1	9	5	0.79	<10
CC39212		0.36	0.3	0.67	<2	<10	60	<0.5	<2	0.29	<0.5	1	10	5	0.73	<10
CC39213		0.26	<0.2	0.78	5	<10	70	<0.5	<2	0.43	0.5	3	13	6	0.94	<10
CC39214		0.42	<0.2	1.24	8	<10	90	0.5	<2	0.49	<0.5	5	19	10	1.72	10
CC39215		0.32	<0.2	0.32	10	<10	30	<0.5	<2	0.02	<0.5	1	4	2	0.26	<10
CC39216		0.32	0.2	0.44	6	<10	30	<0.5	<2	0.02	<0.5	1	7	4	0.45	<10
CC39217		0.38	<0.2	0.42	<2	<10	30	<0.5	<2	0.02	<0.5	1	6	3	0.47	<10
CC39218		0.38	<0.2	0.37	3	<10	30	<0.5	<2	0.01	<0.5	<1	5	3	0.23	<10
CC39219		0.34	<0.2	0.75	<2	<10	20	<0.5	<2	0.02	<0.5	3	10	6	1.12	<10
CC39220		0.32	<0.2	0.41	<2	<10	40	<0.5	<2	0.02	<0.5	2	7	4	0.85	<10
CC39221		0.32	0.3	0.34	4	<10	30	<0.5	<2	0.03	<0.5	1	4	2	0.35	<10
CC39222		0.26	<0.2	0.46	<2	<10	60	<0.5	<2	0.02	<0.5	3	8	6	1.13	<10
CC39250		Not Recvd														
CC39251		0.30	<0.2	1.14	4	<10	40	1.0	<2	0.53	<0.5	8	15	10	2.24	<10
CC39252		0.24	0.2	1.33	2	<10	50	0.9	<2	0.31	<0.5	9	16	8	1.32	<10
CC39253		0.24	0.2	1.60	5	<10	50	1.5	<2	0.54	<0.5	15	24	9	1.99	<10
CC39254		0.30	0.2	1.15	5	<10	30	0.9	<2	0.23	<0.5	6	17	7	1.47	<10
CC39255		0.24	0.2	1.15	11	<10	30	0.9	<2	0.25	<0.5	6	15	7	1.35	<10
CC39256		0.22	<0.2	1.50	15	<10	60	0.7	<2	0.33	<0.5	16	42	20	2.72	<10
CC39257		0.26	<0.2	1.11	5	<10	40	0.7	<2	0.28	<0.5	14	25	14	2.00	<10
CC39258		0.30	<0.2	1.19	8	<10	40	0.6	<2	0.26	<0.5	13	34	15	1.88	<10
CC39259		0.24	<0.2	1.32	5	<10	50	0.7	<2	0.29	<0.5	19	42	23	2.63	<10
CC39260		0.24	<0.2	1.27	6	<10	40	0.7	<2	0.25	<0.5	17	29	18	2.02	<10
CC39261		0.16	0.2	1.27	7	<10	50	0.8	<2	0.39	<0.5	12	31	14	2.34	<10
CC39262		0.18	0.2	1.33	7	<10	40	1.0	<2	0.40	<0.5	12	28	15	2.18	<10
CC39263		0.26	0.2	1.36	2	<10	40	0.9	<2	0.27	<0.5	19	30	19	2.17	<10
CC39264		0.24	<0.2	1.46	2	<10	40	0.7	<2	0.43	<0.5	5	21	7	1.06	<10
CC39265		0.24	0.2	1.18	9	<10	40	0.6	<2	0.40	<0.5	6	51	6	1.10	<10
CC39266		0.30	<0.2	1.02	<2	<10	30	0.8	<2	0.19	<0.5	6	19	9	1.13	<10
CC39267		0.22	0.2	0.97	6	<10	30	1.6	<2	0.24	<0.5	10	30	11	1.78	<10
CC39268		0.30	<0.2	2.67	4	<10	40	1.3	<2	0.35	0.6	8	50	9	1.84	10
CC39269		0.30	<0.2	2.65	10	<10	60	2.3	<2	0.60	<0.5	12	50	10	2.02	10
CC39270		0.22	<0.2	0.92	3	<10	20	0.5	<2	0.44	<0.5	2	17	6	0.68	<10
CC39271		0.22	0.6	1.19	17	<10	30	1.1	<2	5.18	0.8	5	19	15	1.08	<10
CC39272		0.18	0.2	1.96	7	<10	40	0.6	<2	0.10	<0.5	9	27	20	3.75	10
CC39273		0.16	0.2	1.40	4	<10	80	<0.5	<2	0.07	<0.5	9	18	18	3.34	10
CC39274		0.26	0.3	2.23	7	<10	120	0.6	<2	0.50	<0.5	9	30	13	3.76	10
CC39275		0.18	0.5	1.16	9	<10	70	<0.5	<2	0.08	<0.5	5	20	8	2.17	10
CC39276		0.18	0.3	0.54	4	<10	20	<0.5	<2	0.04	<0.5	3	8	5	1.09	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC39210		1	0.05	10	0.56	29	1	0.01	3	410	5	0.02	<2	1	5	<20
CC39211		<1	0.05	10	0.46	46	1	0.01	6	410	10	0.03	<2	1	4	<20
CC39212		<1	0.06	20	0.55	48	2	0.01	6	310	11	0.02	2	1	8	<20
CC39213		<1	0.07	10	0.62	71	3	0.01	9	410	11	0.03	<2	1	9	<20
CC39214		1	0.09	20	0.99	205	3	0.01	18	480	20	0.03	4	1	11	<20
CC39215		<1	0.04	10	0.11	17	1	0.01	2	220	4	0.01	2	<1	3	<20
CC39216		<1	0.04	10	0.23	27	2	0.01	4	320	9	0.02	2	<1	3	<20
CC39217		<1	0.04	10	0.19	46	1	0.01	2	210	6	0.02	<2	<1	3	<20
CC39218		1	0.05	10	0.12	29	<1	0.01	1	640	3	0.02	<2	<1	3	<20
CC39219		<1	0.10	10	1.19	110	2	0.01	9	310	14	0.02	<2	1	2	<20
CC39220		1	0.05	10	0.13	416	1	0.02	4	420	6	0.02	<2	<1	3	<20
CC39221		<1	0.03	10	0.06	29	<1	0.02	1	680	5	0.03	2	<1	4	<20
CC39222		<1	0.06	20	0.28	219	2	0.01	9	590	8	0.02	2	<1	2	<20
CC39250																
CC39251		1	0.09	20	1.71	228	1	0.01	25	870	17	0.10	<2	4	8	<20
CC39252		1	0.06	20	2.09	531	1	0.01	18	620	19	0.04	3	3	6	<20
CC39253		<1	0.07	20	2.95	677	2	0.01	34	480	20	0.05	5	4	9	<20
CC39254		1	0.09	20	2.06	287	1	0.01	17	460	19	0.03	4	3	5	<20
CC39255		<1	0.10	20	2.07	297	1	0.01	22	400	17	0.03	<2	4	4	<20
CC39256		<1	0.18	20	2.12	267	1	0.01	57	860	12	0.05	<2	7	7	<20
CC39257		<1	0.14	20	1.75	275	1	0.01	40	560	15	0.04	3	5	6	<20
CC39258		<1	0.14	20	2.08	195	1	0.01	39	570	12	0.07	3	5	7	<20
CC39259		<1	0.15	20	1.91	302	2	0.01	64	740	11	0.06	<2	6	7	<20
CC39260		1	0.12	20	1.94	297	<1	0.01	51	600	17	0.06	2	5	8	<20
CC39261		<1	0.14	20	1.48	188	1	0.01	43	870	18	0.07	2	5	8	<20
CC39262		<1	0.14	20	2.02	344	3	0.01	31	500	21	0.05	2	5	6	<20
CC39263		1	0.12	20	2.05	416	2	0.01	51	460	22	0.05	2	5	6	<20
CC39264		<1	0.07	20	2.39	255	1	0.01	17	580	16	0.04	2	3	7	<20
CC39265		<1	0.12	20	1.83	176	<1	0.01	37	470	12	0.03	<2	3	8	<20
CC39266		<1	0.07	20	1.24	327	1	0.02	14	410	27	0.03	<2	2	5	<20
CC39267		<1	0.07	30	1.22	427	5	0.01	26	430	27	0.03	4	5	5	<20
CC39268		1	0.05	30	4.35	652	2	0.01	27	580	37	0.03	<2	7	7	<20
CC39269		2	0.09	30	3.89	460	3	0.01	42	410	27	0.03	<2	8	8	<20
CC39270		1	0.06	20	1.60	324	1	0.01	8	570	10	0.03	<2	3	5	<20
CC39271		1	0.13	20	2.33	157	18	0.01	40	550	22	0.04	3	4	59	<20
CC39272		1	0.09	20	1.21	320	4	0.01	25	880	17	0.05	<2	1	6	<20
CC39273		2	0.05	30	0.64	327	4	0.01	25	1420	16	0.06	<2	<1	8	<20
CC39274		2	0.13	20	1.30	498	3	0.01	25	760	24	0.05	<2	1	24	<20
CC39275		1	0.07	10	0.39	637	3	0.01	12	690	18	0.06	<2	1	9	<20
CC39276		1	0.05	<10	0.33	102	1	0.02	9	390	6	0.02	<2	<1	6	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC39210		0.01	<10	<10	21	<10	19
CC39211		0.02	<10	<10	30	<10	26
CC39212		0.02	<10	<10	37	<10	32
CC39213		0.03	<10	<10	51	<10	52
CC39214		0.04	<10	<10	75	<10	90
CC39215		0.01	<10	<10	17	<10	9
CC39216		0.01	<10	<10	28	<10	14
CC39217		0.02	<10	<10	20	<10	11
CC39218		0.01	<10	<10	7	<10	6
CC39219		0.01	10	<10	12	<10	10
CC39220		0.01	<10	<10	27	<10	13
CC39221		<0.01	<10	<10	10	<10	5
CC39222		0.01	<10	<10	18	<10	53
CC39250							
CC39251		0.01	<10	<10	10	<10	16
CC39252		0.01	10	<10	11	<10	17
CC39253		0.04	<10	<10	16	<10	15
CC39254		0.01	<10	<10	10	<10	12
CC39255		0.01	<10	<10	10	<10	8
CC39256		0.01	<10	<10	28	<10	9
CC39257		0.01	<10	<10	16	<10	10
CC39258		0.03	10	<10	17	<10	7
CC39259		0.01	<10	<10	22	<10	9
CC39260		0.03	<10	<10	16	<10	7
CC39261		0.01	<10	<10	20	<10	18
CC39262		0.04	<10	<10	19	<10	18
CC39263		0.04	<10	<10	17	<10	13
CC39264		0.08	<10	<10	16	<10	12
CC39265		0.12	<10	<10	33	<10	8
CC39266		0.10	<10	<10	12	<10	13
CC39267		0.07	<10	<10	22	<10	36
CC39268		0.11	<10	<10	42	<10	40
CC39269		0.05	<10	<10	72	<10	73
CC39270		0.09	<10	<10	25	<10	17
CC39271		0.09	<10	<10	128	<10	98
CC39272		0.01	<10	<10	49	<10	75
CC39273		0.01	<10	<10	33	<10	64
CC39274		0.05	<10	<10	77	10	98
CC39275		0.06	<10	<10	41	<10	39
CC39276		0.02	<10	<10	17	<10	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC39277		0.18	0.2	0.58	<2	<10	50	<0.5	<2	0.06	<0.5	3	11	6	1.35	10
CC39278		0.14	0.3	1.03	<2	<10	60	<0.5	<2	0.05	<0.5	3	14	7	1.52	10
CC39279		0.24	0.3	1.97	11	<10	160	0.8	<2	0.09	2.0	8	26	23	3.87	10
CC39280		0.24	0.3	1.27	9	<10	130	0.5	<2	0.06	0.6	4	20	27	4.22	10
CC39281		0.16	0.5	1.05	<2	<10	120	0.5	<2	1.66	1.1	3	9	15	1.19	<10
CC39282		0.16	<0.2	0.30	<2	<10	30	<0.5	<2	0.33	<0.5	<1	1	4	0.27	<10
CC39283		0.14	0.6	1.78	2	<10	230	1.1	<2	1.39	2.7	6	17	34	1.88	<10
CC39284		0.18	0.3	1.17	7	<10	90	0.6	<2	1.00	1.5	4	15	15	1.68	<10
CC39285		0.20	0.4	1.33	5	<10	100	0.7	<2	0.91	1.5	4	12	13	1.27	<10
CC39286		0.20	0.4	1.16	6	<10	70	0.7	<2	1.33	1.2	3	13	13	1.07	<10
CC39287		0.20	0.2	0.91	6	<10	50	0.5	<2	0.49	0.6	3	11	8	0.99	<10
CC39288		0.20	0.2	1.07	9	<10	100	<0.5	<2	0.38	0.5	4	16	7	1.59	10
CC39289		0.20	0.2	1.03	5	<10	50	<0.5	<2	0.07	0.5	4	11	9	1.51	<10
CC39290		0.18	0.3	0.92	10	<10	50	0.6	<2	0.52	0.9	3	11	8	1.01	<10
CC39291		0.16	0.6	1.11	9	<10	50	0.7	<2	1.02	3.1	3	15	12	1.00	<10
CC39292		0.20	0.3	0.41	<2	<10	30	<0.5	<2	0.03	<0.5	<1	6	2	0.23	<10
CC39293		0.22	<0.2	0.63	3	<10	30	<0.5	<2	0.04	<0.5	2	10	5	0.64	<10
CC39294		0.14	<0.2	0.19	<2	<10	20	<0.5	<2	0.03	<0.5	<1	5	1	0.19	<10
CC39295		0.16	0.2	0.34	4	<10	30	<0.5	<2	0.02	<0.5	<1	7	2	0.14	<10
CC39296		0.20	0.3	0.41	4	<10	20	<0.5	<2	0.02	<0.5	1	9	3	0.41	<10
CC39297		0.24	<0.2	0.30	<2	<10	20	<0.5	<2	0.01	<0.5	1	4	2	0.21	<10
CC39298		0.18	<0.2	0.27	<2	<10	50	<0.5	<2	0.03	<0.5	1	9	4	0.43	<10
CC39299		0.22	<0.2	0.44	6	<10	40	<0.5	<2	0.02	<0.5	1	12	5	0.64	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 31-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC39277		2	0.09	10	0.24	177	2	0.01	8	500	22	0.03	2	<1	10	<20
CC39278		1	0.07	10	0.37	237	2	0.02	9	690	31	0.05	<2	<1	11	<20
CC39279		1	0.15	20	0.75	442	5	0.01	23	990	58	0.11	<2	1	17	<20
CC39280		1	0.08	20	0.23	322	5	0.01	19	1050	104	0.10	<2	<1	22	<20
CC39281		<1	0.06	10	0.52	150	2	0.03	14	1170	14	0.10	<2	1	27	<20
CC39282		2	0.02	<10	0.03	18	<1	0.04	2	160	3	0.03	<2	<1	11	<20
CC39283		1	0.11	20	0.92	325	3	0.02	36	1010	20	0.11	<2	2	35	<20
CC39284		<1	0.11	20	0.99	342	4	0.01	26	690	20	0.06	<2	2	19	<20
CC39285		1	0.06	10	0.77	235	2	0.01	17	1340	13	0.11	<2	2	19	<20
CC39286		<1	0.07	20	0.82	216	2	0.02	16	1190	11	0.13	<2	2	19	<20
CC39287		<1	0.08	10	1.00	187	3	0.01	17	520	13	0.04	<2	2	8	<20
CC39288		<1	0.08	20	0.68	183	5	0.01	15	530	15	0.02	<2	<1	10	<20
CC39289		1	0.05	10	0.46	82	2	0.02	13	420	14	0.02	<2	1	7	<20
CC39290		2	0.07	20	0.69	338	3	0.01	17	620	12	0.05	<2	1	10	<20
CC39291		2	0.10	20	1.28	424	2	0.01	20	880	11	0.12	<2	3	13	<20
CC39292		1	0.05	20	0.12	29	1	0.01	3	240	8	0.01	<2	<1	3	<20
CC39293		<1	0.06	20	0.52	29	3	0.01	8	270	6	0.01	<2	<1	3	<20
CC39294		<1	0.04	10	0.05	23	<1	0.02	3	240	2	0.01	<2	<1	3	<20
CC39295		<1	0.05	10	0.09	12	1	0.01	4	430	4	0.01	<2	<1	3	<20
CC39296		1	0.04	20	0.28	18	2	<0.01	7	210	7	<0.01	<2	<1	2	<20
CC39297		1	0.03	20	0.10	13	1	<0.01	3	140	5	<0.01	<2	<1	2	<20
CC39298		1	0.04	10	0.10	213	1	0.01	6	560	7	0.01	<2	<1	3	<20
CC39299		<1	0.05	20	0.34	56	2	<0.01	9	500	6	0.01	<2	<1	2	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2007
Account: MTT

Project: HY

CERTIFICATE OF ANALYSIS VA07114245

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC39277		0.06	<10	<10	50	<10	32
CC39278		0.03	<10	<10	31	<10	51
CC39279		0.05	<10	<10	76	<10	126
CC39280		0.03	<10	<10	62	<10	129
CC39281		0.02	<10	<10	38	<10	94
CC39282		0.02	<10	<10	7	<10	7
CC39283		0.02	<10	10	60	<10	176
CC39284		0.03	<10	<10	48	<10	158
CC39285		0.01	<10	<10	36	<10	56
CC39286		0.02	<10	<10	36	<10	71
CC39287		0.01	<10	<10	46	<10	93
CC39288		0.02	<10	<10	70	<10	85
CC39289		0.02	<10	<10	34	<10	53
CC39290		0.01	<10	<10	38	<10	95
CC39291		0.02	<10	<10	39	<10	130
CC39292		0.01	<10	<10	19	<10	11
CC39293		0.02	<10	<10	37	<10	22
CC39294		0.01	<10	<10	10	<10	5
CC39295		0.01	<10	<10	7	<10	5
CC39296		0.01	<10	<10	18	<10	10
CC39297		0.01	<10	<10	11	<10	6
CC39298		0.01	<10	<10	10	<10	12
CC39299		0.01	<10	<10	12	<10	13

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-NOV-2007
Account: MTT

CERTIFICATE VA07114244

Project: HY

P.O. No.:

This report is for 69 Rock samples submitted to our lab in Vancouver, BC, Canada on 18-SEP-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 8-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114244

Sample Description	Method	WEI-21	Au-ICP21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
G087201		0.86	<0.001	0.48	7.79	4.9	770	1.56	0.08	4.94	0.1	71.1	44.9	203	3.93	77
G087202		0.98	0.004	27.9	2.81	<5	280	9.02	80.1	13.15	41.2	44.7	23.7	10	0.88	18.3
G087203		1.14	0.001	0.51	4.41	<5	10	4.14	6.15	16.6	576	50.1	55.7	27	6.21	19.3
G087204		1.08	0.002	75.7	3.88	26	130	2.09	188.5	17.05	256	24.5	43.4	12	17.15	41.5
G087205		0.76	<0.001	0.06	5.89	29.3	640	1.09	0.56	0.17	0.74	61.9	2.8	23	6.5	3.5
G087206		0.44	<0.001	30	5.3	18	140	3.8	80.7	16.2	68.1	59.4	20.3	18	28.6	16.4
G087207		0.50	0.002	0.12	7.41	29.6	660	1.25	0.24	0.95	0.39	74.6	50.5	154	1.93	42.7
G087208		0.92	0.015	12.7	6.32	<5	20	6.37	29.9	15.75	130	78.5	47.7	32	0.38	4.6
G087209		0.68	0.043	87.7	0.72	23	40	66.3	359	12.95	154.5	14.15	50.5	5	2.43	4.5
G087210		1.02	0.023	>100	2.49	43	40	23.1	1880	17.45	183	24.6	59.6	10	0.18	4.9
G087211		1.14	0.065	12.3	4.99	14	10	26	275	13.9	73.9	31.3	21.5	17	0.37	2.8
G087212		1.38	0.001	>100	5.34	34	10	13.75	297	16.8	145	44.4	23.8	23	0.09	5.2
G087213		0.90	0.016	87.7	5.7	9	10	1.59	240	18.3	495	42.3	121	25	0.12	8.6
G087214		0.74	0.051	>100	3.12	<5	20	4.37	519	12.65	413	35.1	42.6	12	0.64	17.9
G087215		0.72	0.010	11.75	4.1	<5	10	4.04	29.3	14.35	>1000	35.3	68	15	1.17	20.9
G087216		0.72	0.002	>100	1.16	4.5	<10	4.42	372	7.64	348	21.2	39.8	12	0.25	5.3
G087217		1.34	0.001	1.11	1.32	7	10	9.89	69	12.25	221	20.8	25.9	7	110	22.8
G087218		0.36	<0.001	0.73	9.81	<5	60	0.77	3.68	19.5	2.07	48.8	11.8	35	1.17	1.9
G087219		0.72	<0.001	0.27	0.16	0.6	10	0.25	2.3	0.42	6.37	5.53	2.9	29	1.58	25.2
G087220		0.54	<0.001	0.14	7.6	0.5	740	2.86	3.01	6.05	0.66	87.4	8.8	56	3.52	10
G087221		0.46	<0.001	0.1	3.11	2.8	30	7.62	2.35	7.97	3.83	38.5	10.4	24	0.3	2
G087222		0.34	<0.001	0.01	9.14	5	10	5.78	48.5	21.6	0.8	65.8	12.6	42	0.33	1.5
G087223		0.32	<0.001	0.13	1.9	0.5	20	1.19	0.71	4.58	0.54	46.3	8.7	20	1.22	13.3
G087224		0.46	<0.001	0.15	7.93	2	410	4.4	1.06	5.22	0.57	129.5	15.6	51	5.99	52.1
G087225		1.86	0.001	55.5	9.1	3.3	1100	2.27	98.8	1.26	167.5	89.8	15.8	88	2.68	2460
G087226		0.62	0.001	>100	9.39	6.7	180	2.46	430	0.89	9.91	87.9	4.6	115	1.63	3920
G087227		0.70	0.121	73.8	8.28	5.5	50	0.19	1500	0.43	24.3	73.3	31.6	73	0.18	6250
G087228		1.04	0.001	41.1	7.89	<5	10	1.32	101.5	10.8	11.9	14.2	5	27	0.21	40
G087229		0.58	0.002	86.5	3.17	11	30	6.67	246	11.9	44	43.9	21.7	22	4.26	110
G087230		0.46	<0.001	56.9	2.81	<5	40	9.24	152	13.3	44.3	46.6	24.7	31	2.32	24.5
G087231		0.84	<0.001	10.05	4.62	<5	10	3.41	7.6	11	198	24.9	15.2	15	4.76	38.1
G087232		1.26	<0.001	14.8	2.54	2.1	40	4.57	2.54	9.94	181	27.1	18.5	21	8.78	76.7
G087233		0.56	<0.001	>100	1.02	4.3	20	8.98	1370	6.05	872	15.85	49.8	6	7.59	834
G087234		0.70	0.002	>100	0.76	4.3	20	9.17	972	6.9	>1000	15.5	47.5	7	8.36	1105
G087235		1.26	0.002	>100	1.97	3.3	20	9.53	570	8.28	718	27.4	65.7	10	11.55	1350
G087236		0.68	<0.001	98.6	1.01	3.7	10	5.72	263	1.64	896	17.25	9.7	8	1.19	595
G087237		0.84	0.011	>100	2.76	4	10	24.3	1665	4.31	579	14.6	9.1	4	2.2	545
G087238		1.08	0.006	>100	2.92	3	10	8.5	674	3.96	484	29.5	14.2	14	3.21	1220
G087239		0.56	<0.001	16.9	1.16	3.3	10	8.28	31.7	5.64	19.35	11.8	4.3	1	2.53	2870
G087240		0.94	0.002	25.7	3.3	4.2	20	10.75	37.7	9.8	77.3	35.6	25.3	20	10.95	5310

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 8-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114244

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
G087201		7.08	21	0.21	2.8	0.068	3.95	34.1	46.3	4.31	742	2.06	0.21	40	186	2050
G087202		8.93	10.45	0.13	0.5	0.764	0.02	22.5	4.9	0.44	23900	7.85	0.02	9.9	8.4	350
G087203		9.47	15.8	0.15	0.7	2.03	0.04	26.9	3.8	0.71	17800	1.98	0.01	20.1	17	610
G087204		11.15	10.7	0.17	0.7	0.242	0.1	12.2	4.7	0.57	23800	1.29	0.01	5.1	6.7	450
G087205		5.66	18.9	0.09	2.9	0.028	3.54	31.3	18.6	0.84	61	3.02	0.03	35.9	4.2	2880
G087206		8.43	17.4	0.13	0.7	0.135	0.12	33.9	11.1	0.87	21700	0.65	0.02	20.1	15	390
G087207		8.12	20.8	0.17	3.4	0.075	3.71	37.3	56.5	3.65	373	1.71	0.04	51.2	117	2000
G087208		5.56	17.55	0.14	0.9	0.09	0.02	47.9	7	1.82	16950	1.34	0.02	10.6	21.1	390
G087209		10.25	5.55	0.09	0.3	0.509	0.02	10.6	4.6	1.84	38500	3.5	0.04	2.1	7.4	710
G087210		11.9	10.9	0.23	0.7	0.911	<0.01	13	10.5	1.25	24700	16.7	0.01	4.8	7.3	770
G087211		4.25	15.8	<0.05	1.3	0.5	0.01	19	23.3	0.57	12200	6	0.02	9.1	8.2	890
G087212		4.46	15.85	0.07	1	0.152	<0.01	23.5	9	0.63	12200	2.55	0.01	9.3	11.3	590
G087213		7.01	12.9	0.09	0.8	0.08	<0.01	22.6	3.6	0.97	13350	2.79	0.01	7.7	12.4	640
G087214		7.24	10.25	0.13	0.3	0.921	<0.01	20	5.4	0.71	26200	2.29	0.01	7.9	9.6	360
G087215		8.16	15.4	0.14	0.7	4.54	0.02	20.9	4.2	0.86	20600	1.03	0.01	13.4	12.2	460
G087216		8.19	5.62	0.27	0.2	0.207	0.01	10	4.9	0.49	19600	0.42	0.02	3.1	5.3	200
G087217		13.7	12.15	0.1	0.2	5.16	0.37	11.1	4.4	0.43	43100	0.77	0.03	4.5	3.6	310
G087218		3.34	23.8	0.05	3.4	0.13	0.17	27.6	15	0.92	721	0.18	0.43	15.7	19.7	470
G087219		0.76	0.76	<0.05	<0.1	0.084	0.02	2.9	5.6	0.04	565	2.53	0.01	1.7	4.1	40
G087220		3.16	21.3	0.1	0.8	0.578	2.88	44.6	33.1	0.9	724	0.35	0.92	12	28.2	300
G087221		2.2	9.46	<0.05	0.7	0.16	0.07	18.8	39.6	0.44	5050	1.23	0.02	9.6	11.3	550
G087222		3.35	30.3	0.21	2.1	0.193	0.02	33.7	154	0.61	340	0.56	0.04	17.7	18.4	390
G087223		2.14	5.37	<0.05	0.3	0.042	0.16	27	14.1	0.51	331	1.16	0.09	3.2	11.9	150
G087224		6.52	21.9	0.15	1.2	0.056	1.31	64.5	110.5	0.89	453	0.87	0.51	9.7	28	1370
G087225		9.82	30.9	0.31	4.2	19.15	1.44	45.2	87.1	3.38	3370	10.35	1.4	23.5	36.2	1160
G087226		8.89	29	0.7	5.2	3.37	1.31	52.9	76.6	2.47	2420	8.23	2.25	29.2	35.5	1840
G087227		19.3	34.2	0.41	6.4	24.8	0.01	42.6	63.4	6.55	6050	55.3	<0.01	17.4	56.3	1040
G087228		4.17	24.9	<0.05	0.7	2.31	0.05	7.4	10	0.12	5230	1.79	0.02	6.4	1.6	330
G087229		6.16	9.46	0.09	1.6	1.265	0.03	25.8	9.4	0.95	15350	1.49	0.02	10.4	17.4	330
G087230		7.48	9.7	0.08	1.4	1.235	0.02	27.4	7.5	0.61	26000	0.29	0.02	11.8	12.1	410
G087231		9.56	15.3	0.07	0.6	6.68	0.02	12.7	5.2	0.33	24200	0.59	0.02	5.3	4.4	250
G087232		12.75	9.84	0.13	0.3	8.81	0.03	14.5	5.5	0.36	29700	0.34	0.03	4.8	5.1	550
G087233		25.3	14.1	0.42	0.2	31.1	0.04	8.6	3.4	0.44	10550	0.16	0.04	2.4	3.7	350
G087234		21.3	9.61	0.33	0.2	35.6	0.04	7.2	3.3	0.35	13900	0.17	0.04	2.6	2.3	210
G087235		19.9	16.15	0.27	0.4	33.4	0.06	14	6.1	0.41	15250	0.56	0.04	5.5	4.1	370
G087236		44.8	14.45	7.55	0.2	128.5	0.06	9	6.2	0.57	4070	3.89	0.07	4	4	350
G087237		32.1	22.2	0.87	0.2	98.7	0.02	8	1.3	0.05	5680	0.27	0.02	2.5	5	250
G087238		34.4	22	5.11	0.4	88.6	0.09	15.6	12.7	0.86	5770	9.81	0.07	5.1	6.3	470
G087239		47.5	12	7.57	0.1	4.31	0.03	6	3.6	0.31	16500	11.65	0.04	1.7	6.9	300
G087240		26.9	23.1	0.33	0.3	12.3	0.05	20.2	4.7	0.65	25500	33.1	0.04	5	5.4	560

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 8-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114244

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
G087201		49.6	77.9	<0.002	3.74	1.82	20.8	4	2	220	2.21	<0.05	4.2	1.195	0.39	0.8
G087202		3000	2.6	<0.002	0.24	1.25	5.1	4	10.9	45	0.62	2.34	4.6	0.208	0.14	2.3
G087203		22.6	9.8	<0.002	3.89	0.54	9.9	12	5.1	53	1.36	1.58	6.6	0.383	0.09	1.9
G087204		>10000	26.5	0.004	2.82	0.45	3.5	16	3.1	38.6	0.36	3.39	5	0.1	2.11	1.8
G087205		32.3	86.9	<0.002	0.7	2.49	8.9	2	1.7	109.5	2.42	<0.05	6.4	0.998	0.38	1.7
G087206		2640	29.5	<0.002	0.53	0.65	9	6	4.5	782	1.32	0.98	8.7	0.309	0.45	2.9
G087207		22.3	90.5	<0.002	2.91	0.76	28.2	3	1.7	52.9	3.28	<0.05	5.6	1.15	0.59	1.2
G087208		>10000	1.3	<0.002	1.21	1.79	8.6	23	3	549	0.76	7.15	11.2	0.202	0.24	3.6
G087209		3570	3.7	0.004	0.88	0.76	1.5	13	0.6	23.6	0.12	22	2.1	0.04	0.13	1.8
G087210		>10000	0.4	0.006	0.99	0.6	3.3	55	2.5	18	0.31	67.2	3.4	0.081	0.66	1.7
G087211		750	0.9	0.004	0.34	1.86	5.3	4	10.8	86.6	1.66	16.25	5.1	0.095	0.07	10.6
G087212		>10000	0.4	0.003	1.47	4.51	5.6	15	4.9	30.7	0.84	12.85	8.5	0.152	0.28	4.5
G087213		8620	0.4	<0.002	4.93	0.49	5.2	24	2.5	22.8	0.52	8.52	6.2	0.13	0.97	2.1
G087214		>10000	0.9	<0.002	3.32	0.55	4.9	37	4.2	31.8	0.57	9.07	4.6	0.147	0.43	2.9
G087215		549	3.2	<0.002	6.07	0.95	6.2	39	5.7	32.1	0.85	0.45	4.4	0.245	0.09	1.8
G087216		>10000	0.7	<0.002	4.56	1.87	2.2	89	0.9	109	0.2	7.01	3	0.065	4.79	1.4
G087217		119.5	167.5	0.002	1.56	2.86	2.6	5	26.6	127.5	0.29	0.57	2.5	0.087	1.2	2.1
G087218		252	9.1	<0.002	0.02	0.69	6.2	1	4.2	698	1.38	0.06	17.8	0.325	0.11	3.8
G087219		26.7	3.4	<0.002	0.08	0.11	0.6	<1	0.7	24.6	<0.05	0.05	0.7	0.034	0.04	0.5
G087220		40.6	141	<0.002	0.01	1.18	11.9	1	10.5	1200	0.97	<0.05	14.7	0.315	0.94	3.5
G087221		27	6.1	<0.002	0.01	1.92	7.1	1	3.8	98.7	1.88	<0.05	6.4	0.12	0.07	2.3
G087222		10.1	1.8	<0.002	0.04	2.99	7.2	1	91.6	557	1.91	<0.05	23.6	0.451	0.02	9
G087223		8.9	21.1	<0.002	0.39	0.16	3.4	1	0.8	491	0.25	0.05	3.4	0.056	0.08	0.9
G087224		39.3	99.6	<0.002	0.17	0.38	15.2	2	3.3	853	0.72	0.07	24.7	0.257	0.64	13.7
G087225		>10000	46.5	0.01	0.14	4.14	17.7	52	18.8	134.5	1.54	0.42	13.7	0.442	0.68	7.5
G087226		>10000	58.8	0.012	0.61	2.39	16.4	213	30.1	175	1.96	0.58	15.5	0.516	0.9	11
G087227		9350	0.4	0.008	0.07	2.79	8.9	40	7.7	11	1.22	0.41	18	0.432	0.02	18.4
G087228		6160	2.6	<0.002	0.03	1.62	1.5	7	17	652	1.64	2.07	3	0.027	0.15	11.4
G087229		>10000	5.8	<0.002	0.29	0.82	5.5	16	9.5	48.9	0.77	4.68	9.4	0.145	1.41	4.3
G087230		7900	3.4	<0.002	0.09	1.02	5.9	7	9.8	77.3	1.04	3.24	7.5	0.165	0.85	3.7
G087231		>10000	5.3	<0.002	2.19	11.85	3.1	15	23	507	0.69	1.75	4.7	0.082	0.05	2.7
G087232		>10000	10.2	<0.002	2.81	17.8	3.2	21	15.2	287	0.37	2.61	4.5	0.09	0.08	2
G087233		>10000	9.1	<0.002	5.63	1.28	1.7	85	14.5	65.3	0.15	36.6	2.2	0.043	1.7	1
G087234		>10000	8.9	<0.002	7.71	1.36	1.9	69	14.6	42.9	0.17	28.3	1.9	0.048	1.53	1.3
G087235		>10000	12.7	<0.002	4.21	3.03	2.5	43	24.5	144	0.57	15.8	5	0.07	0.42	2.9
G087236		3710	5.4	<0.002	6.17	0.54	2.3	16	54.3	96.9	0.24	8.81	2.6	0.062	0.32	1.7
G087237		>10000	3.4	<0.002	6.38	1.65	1	61	109	667	0.13	55.1	1.7	0.033	0.42	1.3
G087238		>10000	10.2	0.003	4.09	0.91	3.3	24	119.5	440	0.37	18.3	5.3	0.088	0.42	2.7
G087239		1760	2.2	0.004	0.52	0.58	1.8	3	138.5	107.5	0.11	0.76	1.6	0.039	0.02	1.2
G087240		1740	9.3	0.005	0.83	0.56	3.7	6	312	399	0.44	1.16	4.9	0.098	0.14	6.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 8-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114244

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.01	Zn-OG62 Zn % 0.01
G087201		201	1.1	22.1	23	127.05				
G087202		27	24.8	13.8	6300	14.3				
G087203		49	5.3	19.7	>10000	18.8				7.43
G087204		22	344	8.1	>10000	21.9			1.39	4.02
G087205		105	1.3	7.6	90	101				
G087206		44	42.4	21.5	6500	18				
G087207		231	1.4	21.2	77	126				
G087208		47	3.8	22.4	>10000	21.8			3.19	2.64
G087209		13	392	3.8	>10000	9				2.74
G087210		30	480	9.3	>10000	22.5	343		1.12	2.46
G087211		23	348	12.8	>10000	23.7				1.21
G087212		34	191	15.5	>10000	24.9	119		2.03	2.39
G087213		30	20.8	14.5	>10000	24.8				8.33
G087214		27	3.4	12.7	>10000	9.9	165		1.15	5.45
G087215		51	57.3	15.3	>10000	21.8				12.90
G087216		10	77.2	6	>10000	6	148		7.39	5.81
G087217		12	202	7.8	>10000	5.1				2.02
G087218		44	7.8	11.5	255	89.3				
G087219		3	4	2.2	649	1.1				
G087220		59	3.5	18.1	98	23.1				
G087221		24	3	25.3	554	19.4				
G087222		47	0.8	17.3	297	48.4				
G087223		10	0.5	28.1	69	6.4				
G087224		54	3.4	33.4	134	32.9				
G087225		201	1.7	37.3	>10000	127			1.87	1.92
G087226		380	2.1	26.3	2870	159	200		3.88	
G087227		278	4.3	36.6	>10000	188				1.27
G087228		8	3.1	6.8	2750	14				
G087229		26	4.7	14.3	4790	41.7			1.17	
G087230		20	7.7	16.5	5640	38.5				
G087231		15	1.2	9.8	>10000	14.2			4.53	3.30
G087232		17	1.2	6.9	>10000	8.4			6.51	2.91
G087233		16	1.9	4.4	>10000	6.7	466		5.88	8.06
G087234		14	1.5	5.6	>10000	6	309		4.58	12.05
G087235		23	7.3	7.1	>10000	10.3	109		2.91	6.58
G087236		17	1.4	6.7	>10000	6				11.25
G087237		32	6.4	3.9	>10000	4.9	605		7.68	8.26
G087238		28	7.3	7.5	>10000	10.4	245		2.00	6.52
G087239		16	3	6.5	2600	3.4				
G087240		27	4.7	14	>10000	9.4				1.05

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 8-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114244

Sample Description	Method	WEI-21	Au-ICP21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
G087241		0.62	0.005	40.4	7.18	3	20	3.73	66.7	4.56	989	38.4	11.8	20	3.6	4240
G087242		0.84	0.001	97.8	5.54	6.2	180	1.25	222	5.89	>1000	32.9	79.2	17	3.62	4600
G087243		0.70	0.002	9.42	4.01	3.1	20	6.05	36	9.48	556	41.8	9.8	18	1.49	1050
G087244		0.84	<0.001	7.47	1.68	1.2	20	3.07	90	0.31	81.2	33.2	2.3	10	2.53	824
G087245		0.58	<0.001	7.94	2.84	<5	10	13.7	6.05	21.3	17.25	31.8	7.3	14	0.34	14.8
G087246		0.76	<0.001	31	3.65	7.1	<10	9.05	12.85	6.32	154	29.9	8.2	39	0.14	>10000
G087247		1.60	<0.001	44.9	1.1	1.9	<10	0.74	43.7	1.47	762	10	19.2	11	0.82	>10000
G087248		0.98	0.001	28.8	0.97	0.2	<10	2.11	22.4	1.58	335	9.89	7.5	68	0.11	>10000
G087249		0.70	<0.001	16.85	1.8	3.7	<10	2.32	12.8	2.63	223	5.93	6.5	16	0.15	8920
G087250		0.64	<0.001	9.92	5.58	2.5	<10	2.59	0.75	7.7	30.6	18	4.3	48	0.14	>10000
G087251		0.94	<0.001	28.8	2.52	<0.2	<10	2.04	30.8	2.98	166	13.6	8	21	0.53	>10000
G087252		0.84	<0.001	22	1.48	6	<10	0.91	0.54	2.03	642	12.5	15.5	53	0.16	>10000
G087253		0.76	0.362	1.96	4.66	<0.2	20	8.14	713	2.64	4.24	15.45	25.9	5	2.17	1040
G087254		0.96	0.052	1.75	3.32	14	<10	14.9	570	16.2	4.27	33.6	2.7	26	0.8	168
G087255		1.22	0.001	20.7	2.95	0.6	30	5.73	44.2	9.91	109.5	42	17.6	15	12.1	24.8
G087256		0.94	0.002	14.55	0.3	1.4	10	5.17	21.7	9.24	349	3.29	22.7	1	3.88	47.7
G087257		0.52	0.001	47.4	5.78	5.9	100	3.12	113.5	5.94	361	41	91.7	27	3.4	9480
G087258		0.86	0.005	>100	2.35	1.4	<10	10.8	1055	7.49	842	24	9.7	11	1.45	1720
G087259		1.26	0.004	11.9	2.57	1.6	10	4.93	240	3.72	13.75	34.4	50.4	11	14.3	1700
G087260		1.14	0.004	6.46	0.26	5.3	<10	3.49	22.4	0.23	3.95	337	14.7	40	0.19	588
G087261		1.34	0.001	61.4	0.48	7.7	<10	2.83	16.55	2.15	>1000	7.92	155.5	2	0.28	35.8
G087262		1.96	<0.001	>100	1.67	6	<10	2.94	235	3.72	>1000	19.1	142.5	18	0.31	17.4
G087263		1.42	<0.001	35.2	0.12	6.6	<10	1.44	1.65	1.36	>1000	1.63	195	<1	0.08	20.1
G087264		1.08	<0.001	20.5	1.85	35	40	19.6	48.4	16.6	122.5	17.65	33	14	11.85	22.2
G087265		Not Recvd														
G087266		1.56	0.027	6.29	6.74	13	20	5.83	103.5	12.1	18.95	78.3	89.7	38	1.46	1290
G087267		1.02	0.002	>100	1.54	0.8	50	0.41	5570	0.09	10.65	4.42	1.9	86	1.31	27.1
G087268		1.28	<0.001	9.78	8.58	12	400	11.4	22.3	11.85	25.2	74.9	11.8	41	3.87	2170
G087269		1.02	0.001	2.38	7.98	<0.2	70	14	38.2	9.35	0.89	102.5	14.1	47	4.53	33.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 8-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114244

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
G087241		24.4	49.5	0.63	0.6	199	0.2	22.3	38.8	1.88	5980	7.72	0.14	8.2	8.7	480
G087242		5.86	22.1	0.66	0.7	6.29	1.32	18.6	24.1	1.16	6350	1.6	0.15	9.5	16.1	670
G087243		22.5	20.9	0.31	0.7	81.6	0.14	22.2	8.7	0.41	24000	20.1	0.1	6.1	9.3	570
G087244		47.8	14	3.61	0.3	43.7	0.04	18.5	11.3	0.61	3470	1.56	0.03	4.4	4	550
G087245		1.74	8.94	0.23	0.3	0.86	0.04	16.1	24.1	0.51	5150	0.36	0.02	5.2	9.4	330
G087246		6.11	24.4	0.5	0.3	1.325	<0.01	13.8	14.7	0.41	4650	11.05	0.01	4.8	6	190
G087247		7.04	9.96	0.5	<0.1	0.583	0.03	4.5	14.4	0.29	1190	11.5	0.01	0.3	12.1	370
G087248		3.02	8.42	0.42	0.1	0.295	<0.01	4.2	15.9	0.19	2150	4.68	0.01	0.7	3.7	250
G087249		2.98	15.65	0.44	0.1	0.23	<0.01	2.8	18.4	0.21	3220	6.12	0.01	0.9	2.9	210
G087250		7.25	43.2	0.16	0.3	0.3	0.01	9.8	12.3	0.17	6130	0.95	0.01	3.4	4.6	250
G087251		3.97	23.1	0.6	0.2	1.675	0.03	7.3	30.1	0.33	1855	19.9	<0.01	0.6	2.9	340
G087252		5.24	13.2	0.55	0.1	0.235	0.01	6.6	14.1	0.29	1555	8.51	0.01	0.4	7.3	500
G087253		37.1	26.1	0.63	0.7	0.161	0.29	7.7	46.1	0.29	1035	1.5	0.33	8.3	9	970
G087254		13.75	25.1	0.45	0.4	1.52	0.01	17.2	6.4	0.47	25400	1.45	0.02	4.6	4.5	740
G087255		10.3	9.71	0.22	0.7	0.995	0.05	22.9	7.1	0.75	29700	0.5	0.03	5.4	11.5	290
G087256		13.05	5.73	0.22	<0.1	2.58	0.02	1.7	5	0.17	59200	0.15	0.04	0.7	2.1	320
G087257		5.98	42.5	0.2	0.7	4.17	1.66	22.2	53.3	0.45	2850	3.36	0.02	5.1	6.4	950
G087258		29	29.1	0.58	0.3	171.5	0.02	12.2	4.6	0.78	18800	0.81	0.04	3.9	5.4	610
G087259		>50	23.5	9.28	0.5	3.34	0.05	19.6	4.8	0.35	7320	5.93	0.02	5.7	7.5	620
G087260		27.5	13.7	0.73	0.1	1.365	0.01	156.5	7.4	0.07	408	1.12	0.01	0.3	7	30
G087261		2.32	1.9	0.13	<0.1	0.733	0.01	4.4	1	0.42	3620	2.05	0.01	0.7	6.3	290
G087262		3.21	5	0.14	0.3	0.656	0.01	9.6	4.3	0.54	4970	11	0.01	2.7	10.1	400
G087263		1.71	0.64	0.07	<0.1	0.789	0.01	0.8	0.6	0.35	2640	0.11	0.01	0.3	5.8	250
G087264		7.07	5.21	0.11	0.3	0.077	0.04	10.2	3.8	3.71	35300	1.45	0.02	2.1	22.3	600
G087265																
G087266		22.7	21.2	0.34	0.9	0.165	0.12	43.4	8.7	0.9	1665	0.78	0.07	12.6	103.5	750
G087267		1.41	6.97	0.16	0.1	11.75	0.59	2.1	30.3	0.09	197	8.78	0.01	2.3	3.6	150
G087268		11.2	36.5	0.24	1.2	5.49	1.63	40.6	26.7	0.91	10150	2.64	0.16	12.4	13.9	300
G087269		5.06	22.4	0.18	0.6	0.251	0.35	55.9	37.7	3.31	1635	0.95	0.36	29.7	26.2	1030

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 8-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114244

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
G087241		1220	25	0.003	5.37	0.72	7.5	19	66.7	422	0.5	2.75	9.3	0.156	0.62	4.1
G087242		>10000	119	0.01	9.36	3.42	5	55	21.1	418	2.26	46.8	5.3	0.098	1.84	5.8
G087243		565	15	0.003	4.77	0.56	5.1	11	78.9	297	0.46	1.66	8.6	0.134	0.21	4.3
G087244		413	6	0.002	0.89	0.46	3.5	3	10	17.8	0.28	0.44	4.3	0.108	0.05	2.4
G087245		>10000	3.6	<0.002	0.85	7	4.4	59	9.6	294	0.33	5.8	5.4	0.106	0.06	3.3
G087246		>10000	0.5	0.029	3.52	6.47	4.2	29	29.2	431	0.31	4.35	4.4	0.073	0.12	2.4
G087247		>10000	7.9	0.012	>10.0	3.59	2.2	40	27.5	120.5	<0.05	5.99	0.8	0.022	0.39	1.6
G087248		>10000	0.6	0.019	5.08	7.86	1.8	27	29.6	157	<0.05	3.42	0.9	0.019	0.04	1.5
G087249		>10000	0.7	0.016	3.24	4.96	1.4	19	44.8	266	<0.05	2.56	0.8	0.017	0.03	1.4
G087250		5450	0.7	0.003	2.25	1.8	2.7	5	59.8	1015	0.21	0.41	3.3	0.069	0.05	2.8
G087251		>10000	5	0.016	3.41	5.09	2.7	25	83.8	433	<0.05	7.09	1.7	0.043	0.03	1.9
G087252		>10000	1.5	0.011	9.22	5.25	2.7	32	39.2	311	<0.05	5.08	2	0.051	<0.02	3.1
G087253		832	34	0.01	>10.0	0.32	4.5	8	5.6	294	0.97	4.06	3.6	0.061	0.11	11.3
G087254		658	1.4	0.026	0.74	0.48	3.6	2	75.5	36.6	0.21	2.17	2	0.072	0.13	2.2
G087255		>10000	17.9	<0.002	1.05	1.3	5.8	14	6.7	62.5	0.44	2.23	6.6	0.125	0.35	2.1
G087256		>10000	4.5	<0.002	3.83	6.1	0.6	22	1.5	35.4	<0.05	5.7	0.4	0.02	0.09	1
G087257		3180	211	<0.002	1.3	0.17	6.1	12	53.3	290	0.52	2.75	5.6	0.12	1.05	3.9
G087258		>10000	3.1	0.002	6.39	0.88	3.2	24	354	401	0.33	10.05	3.3	0.064	0.19	1.7
G087259		498	13.3	0.002	0.12	0.76	3.9	3	154	244	0.48	1.35	5.8	0.108	0.12	2.6
G087260		446	0.6	0.003	0.27	1.09	1.1	6	35.1	3.9	<0.05	2.45	0.2	0.005	0.02	0.2
G087261		>10000	0.3	<0.002	>10.0	51.2	0.7	55	1.9	77.8	0.06	4.69	0.6	0.012	0.02	2.9
G087262		>10000	0.8	<0.002	>10.0	23	2.2	49	2	308	0.22	5.53	3.7	0.058	0.09	3.1
G087263		>10000	0.2	<0.002	>10.0	28	0.3	35	0.6	24.2	<0.05	0.1	0.2	<0.005	<0.02	1.3
G087264		4240	10.9	<0.002	1.05	0.92	1.3	6	1.4	27.9	0.17	0.81	1.8	0.032	0.17	2.6
G087265																
G087266		4240	10.2	0.003	2.86	3.31	9.5	4	19.4	1895	0.89	1.74	12.5	0.247	0.39	4.2
G087267		6790	71.3	<0.002	0.22	3.07	1.6	40	2.7	4	0.18	72.5	2.5	0.038	0.52	4.7
G087268		357	107.5	0.019	1	1.34	10.9	4	81	476	0.69	0.32	15.1	0.247	0.99	4.3
G087269		183.5	38.1	0.021	0.91	0.36	13.9	3	10.9	523	3.74	0.56	18.8	0.369	0.33	7.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HY

Finalized Date: 8-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114244

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Cu-OG62	Pb-OG62	Zn-OG62
	Analyte	V	W	Y	Zn	Zr	Ag	Cu	Pb	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOR	1	0.1	0.1	2	0.5	1	0.001	0.01	0.01
G087241		49	46.1	12.9	>10000	15				8.96
G087242		31	181.5	18.1	>10000	14.2			10.95	18.20
G087243		31	3.6	11.8	>10000	18.1				7.66
G087244		20	2.5	8.1	>10000	7.7				1.28
G087245		26	6.7	9.5	3660	9.9			4.30	
G087246		38	2550	10.8	>10000	7.9		1.765	3.81	2.77
G087247		18	1190	9.7	>10000	2.6		6.03	14.75	12.35
G087248		15	1340	5.8	>10000	3.5		1.530	7.57	5.73
G087249		23	1630	2.4	>10000	5			4.45	3.89
G087250		66	158	5.7	4340	7.6		2.58		
G087251		39	1390	4.8	>10000	5.8		1.185	6.93	2.23
G087252		25	1210	4.6	>10000	4.1		3.88	14.60	9.34
G087253		8	209	8.9	503	18				
G087254		16	2890	10.8	797	14.9				
G087255		25	17.3	15.5	>10000	16.8			2.35	1.20
G087256		5	10.6	1.4	>10000	1.4			5.39	3.73
G087257		61	55.3	10.5	>10000	21.1				2.64
G087258		16	7.4	7.2	>10000	7.2	300		1.21	9.96
G087259		26	52.5	12	1550	14.2				
G087260		13	87.8	94.2	417	0.5				
G087261		2	26	2	>10000	1.9			>20.0	28.7
G087262		10	32	5.5	>10000	7.1	135		>20.0	24.3
G087263		<1	4.7	0.6	>10000	0.6			>20.0	>30.0
G087264		17	20.7	5.8	>10000	12.5				1.79
G087265										
G087266		55	4.6	18	2380	22.7				
G087267		13	5	1.2	973	3.8	345			
G087268		50	2220	18.6	4010	32.7				
G087269		74	2	33.7	301	12				

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

APPENDIX III

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087201	UTM: 520698	E	UTM: 6792917	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty weathering, light grey, fine-med grained SS with abundant diss Py, limonite, in rusty-brown zone of soil + float. Smells strongly of rotten eggs with 10% HCl. Zone is 2x6m (=SE-Hy-01)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087202	UTM: 523416	E	UTM: 6792954	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: In old trench, dark purple-stained, fine-grained skarn. Can't tell if mineralized due to intense weathering. (=SE-Marg-01)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087203	UTM: 523281	E	UTM: 6792968	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: In same trench as SE-MARG-01, grey-rusty-dark purple weathering epidote? skarn unit with blebby to semi-massive sph, minor Hz and bright yellow cadmium coating. Where exposed in trench, about 1x1m. (=SE-MARG-02)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087204	UTM: 524709	E	UTM: 6791947	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Highly weathered, dark brown + "frothy" weathering, dark green (diopside-calcite) skarn with blackjack sphalerite (approx 10%). 1 block in float, 25x10x10cm. In Marg Lower Showing. (=SE-Marg-04)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087205	UTM: 524673	E	UTM: 6791899	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: highly weathered, dark brown + "frothy" weathering, med to dark green (diopside-calcite) skarn with small blebs (1-2mm) of Gn, Py + Sph. In Marg Lower Showing (=SE-Marg-05)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087206	UTM: 521912	E	UTM: 6792208	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty weathering limonitic rock, in zone 1x0.5m makes up about 50% of float. Float found on top of deformed limestone outcrop. (=SE-Hy-03)

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087207	UTM: 519905	E	UTM: 6792230	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty-red weathering, limonite-alteration cuts LS (Possibly phyllite within zone). Approx 1 foot wide. (=SE-Hy-05)

Sample Number:	Grid East:	E	Grid North:	N	Type: trench float	Dimension:
G087208	UTM: 523691	E	UTM: 6792789	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: White-rusty-dark purple weathering, light green to light purple epidote skarn with approx 20% fine-grained sph + wispy Gn. Within area 2x2m, mineralized float no more than 5%, with Sph and Gn ranging from about 5-20%. Hz and bright yellow cadmium coatings present on some float. (=SE-Marg-05)

Sample Number:	Grid East:	E	Grid North:	N	Type: trench float	Dimension:
G087209	UTM: 523664	E	UTM: 6792878	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: In float, epidote (?) skarn with approx 10% med to dark purple Sph. Along outer edge + weathered fractures, bright orange limonite. Dark purple to brow weathering. (=SE-Marg-06)

Sample Number:	Grid East:	E	Grid North:	N	Type: trench float	Dimension:
G087210	UTM: 523628	E	UTM: 6792908	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: In float, dark purple weathering, orange-red limonite-altered, heavy, epidote (?) skarn with approx 5% Sph. 7 blocks within area 2x1m. (=SE-Marg-07)

Sample Number:	Grid East:	E	Grid North:	N	Type: trench float	Dimension:
G087211	UTM: 523549	E	UTM: 6792967	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Skarn zone about 2-3m wide. Light brown to dark purple weathering, light grey to purple, fine-grained skarn with <5% blackjack Sph + trace limonite. Mineralization varies throughout horizon. Exposed over length of 5m. (=SE-Marg-08)

Sample Number:	Grid East:	E	Grid North:	N	Type: trench float	Dimension:
G087212	UTM: 523542	E	UTM: 6792939	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Light brown to rusty to dark purple weathering, light green-grey to purple, epidote (?) skarn with approx 30% Sph>>Gn. Orange limonite on outer rim. Horizon is not well exposed, but probably at least 1m wide. (=SE-Marg-09)

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087213	UTM: 523550	E	UTM: 6792828	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Skarn horizon in trench, light brown to rusty to dark purple weathering, light purple to green, locally Hz-coated, epidote skarn with approx 30% blackjack Sph. Trace bright yellow cadmium coating. Orange-red limonite along some weathered surfaces. Horizon is about 3m wide with variable mineralization. (=SE-Marg-10)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087214	UTM: 523473	E	UTM: 6792934	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Dark purple to grey weathering, limonitic, locally yellow cadmium coating, green-grey epidote? Skarn with approx 15% blackjack Sph. Horizon about 1.5-2m wide. (=SE-Marg-11)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087215	UTM: 523466	E	UTM: 6792920	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Light brown-rusty-dark purple weathering, red-orange limonite along weathered cracks, Hz + yellow cadmium coating, purple to light green epidote skarn with approx 20% (hard to tell due to weathering) blackjack Sph. Horizone about 1m wide. Mineralization varies across width. (=SE-Marg-12)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087216	UTM: 523434	E	UTM: 6792855	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty to dark purple weathering, green to purple, epidote skarn with approx 40% Sph>>Gn. Horizon no more than 1m wide. (=SE-Marg-13)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087217	UTM: 522917	E	UTM: 6793180	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Dark purple weathering, med green diopside skarn with approx 5-20% (variable within rock) blackjack sph. Hz + yellow cadmium coating on some float ir area. Found along side of trench, mineralized float is relatively abundant. (=SE-Marg-14)

Sample Number:	Grid East:	E	Grid North:	N	Type: Trench float	Dimension:
G087218	UTM: 514270	E	UTM: 6790969	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Light brown weathering, Qz-rich, vuggy rockw ith local green patches (chlorite?) and dark grey, non-magnetic metallic sulphide. 1pc 8x5x3cm. (=SE-TUNG-01) Not enough for rep

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087219	UTM: 514283	E	UTM: 6790973	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Orange-creamy-grey weathering Q.V with local magnetite and chlorite, Py + trace Cpy. 1 pc 10x10x8cm. (=SE-TUNG-02)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087220	UTM: 514296	E	UTM: 6791033	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: 1 piece light greenish-brown weathering, heavy, green-white Qz-rich skarn? With rusty staining on fractures + trace limonite. (=SE-TUNG-03)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087221	UTM: 514285	E	UTM: 6791054	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Med brown weathering, "frothy" and highly weathered, dark brown carbonate limonite (=SE-TUNG-04)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087222	UTM: 514255	E	UTM: 6791096	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Light to med brown weathering, vuggy Qz + vesuvianite (?). 1 sm piece (5x4x4cm) in float. Not enough for rep. (=SE-TUNG-05)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087223	UTM: 514270	E	UTM: 6791126	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Light brown weathering, smoky Q.V. or skarn with minor Py, limonite. Locally micaceous. 1 pc 10x5x5cm. (=SE-TUNG-06)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087224	UTM: 514239	E	UTM: 6791151	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Med brown to rusty weathering, fericrete. (=SE-TUNG-07)

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087225	UTM: 519413	E	UTM: 6792662	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Float train with limonite +/- Gn +/- Cpy +/- malachite +/- Sph in minorly brecciated, dark grey, fine-grained, non-calcareous SS (?) with minor Qz and abundant limonite as cement. "Chip" sample of 20-25 chips taken from float. Samples vary in amount of mineralization, but sulphides <1%, except one piece kept as rep which is 1-5% Gn. Amoutn of limonite variable, up to 75%. (=SE-ELSA-CHIP)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087226	UTM: 519420	E	UTM: 6792727	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: At top of the float train, small o/c (3m long x up to 1m high) of sheared?, phyllitic, light grey to dark metaseds (SS??), locally limonitic and rusty weathering, uncovered area with blebby Gn. Gn-bearingn portion sampled. (=SE-ELSA-01)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087227	UTM: 518969	E	UTM: 6793047	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: highly limonitized, rusty-green weathering, fine-grained intrusive? (looks like biotite + Qz) with minor Hz and mal. Block 15x10x10cm. (=SE-ELSA-02)

Sample Number:	Grid East:	E	Grid North:	N	Type: Trench	Dimension:
G087228	UTM: 514805	E	UTM: 6794408	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: light grey-green, Qz-epidote skarn with minor limonite + Hz coating along fracture, trace Py. From broken up outcrop (=SE-DUSTYB-01).

Sample Number:	Grid East:	E	Grid North:	N	Type: Trench	Dimension:
G087229	UTM: 514805	E	UTM: 6794408	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: light grey-green, Qz-diopside? Skarn with 1%Gn, trace Hz coating. From broken up outcrop. (=SE-DUSTYB-02)

Sample Number:	Grid East:	E	Grid North:	N	Type: Trench	Dimension:
G087230	UTM: 514805	E	UTM: 6794408	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: light to dark brown weathering, light green, calcite-epidote-diopside skarn with blebby Gn + Sph (combined <3%), trace limonite + Hz. From broken up outcrop. (=SE-DUSTYB-03)

;.

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087231	UTM: 514616	E	UTM: 6794463	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: med to dark brown to purple weathering, highly weathered and limonitized, epidote-calcite-med brown min skarn with 10% Sph + Gn, coated with Hz. In small hand trench (=SE-Dusty-04)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087232	UTM: 514616	E	UTM: 6794463	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: "chip sample" of 21 fragments from float of med to dark brown to purple weathering, highly weathered and limonitized, epidote-calcite-med brown mineral skarn with up to 15% Sph + Gn, coated with Hz. In small handtrench, float abundant. (=SE-DUSTY-05) No rep

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087233	UTM: 514916	E	UTM: 6794359	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Dusty Showing C. Dark purple weathering, Hz coated, green diopside skarn with approx 50% Sph (+Gn?) + limonite. 8x4x4cm. (=SE-DUSTY-06) no rep

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087234	UTM: 514916	E	UTM: 6794359	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: similar to SE-DUSTY-06, but with slightly more limonite. Larger block, 30x15x10cm. (=SE-DUSTY-07)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087235	UTM: 514916	E	UTM: 6794359	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: "chip" sample of approx 30 mineralized rocks, varying from diopside to epidote skarn, all have variable amounts of Sph (+Gn?), most have limonite and Hz, some have bright yellow cadmium coating. (=SE-DUSTY-08) no rep

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087236	UTM: 515019	E	UTM: 6794404	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: In float, 1 pc rusty to dark green weathering, nearly massive Sph with minor diopside. 8x5x5cm. In grassy patch in forest. 1 more piece 10m away (=SE DUSTY-09)

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087237	UTM:	515066	E	UTM:	6794412	N	road float	
	Elevation:		m				Sample Width:	Abundance:

Comments: Rusty-white weathering, purple, masive blackjack sphalerite (8x6x3cm). In area on road cut with abundant diopside-epidote-calcite skarn with Sph in float. (=SE-DUSTY-10)

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087238	UTM:	515066	E	UTM:	6794412	N	road float	
	Elevation:		m				Sample Width:	Abundance:

Comments: "Chip sample" of 20 fragments from float blocks, range from approx 5% to massive Sph in epidote-diopside skarn. Surprisingly many of the randomly chosen rocks were nearly massive sph. In same road cut as SE-DUSTY-10 (=SE-DUSTY-11) no rep

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087239	UTM:	515765	E	UTM:	6793861	N	float	
	Elevation:		m				Sample Width:	Abundance:

Comments: In float in creekbed, 1 piece magnetite-, limonite-, Cpy-bearing diopside? Skarn. Magnetite approx 40%, Cpy <5%. (=SE-DUSTY-12)

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087240	UTM:	515749	E	UTM:	6793977	N	float + s/c	
	Elevation:		m				Sample Width:	Abundance:

Comments: subcrop of dark purple weathering, rusty to dark purple-black, magnetite-epidote-diopside-calcite skarn with limonite and Cpy, + malaichite and azurite coating, trace Hz. Chip sample from 22 blocks of float below subcrop. Subcrop is about 1m wide by 4m long (where exposed). (=SE-DUSTY-13)

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087241	UTM:	515774	E	UTM:	6794155	N	float	
	Elevation:		m				Sample Width:	Abundance:

Comments: In float on creekbank, 2 pieces rusty-weathering, dark purple magnetite-diopside skarn with Sph?, Cpy and Py. (=SE-DUSTY-14)

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087242	UTM:	516045	E	UTM:	6794587	N	float	
	Elevation:		m				Sample Width:	Abundance:

Comments: 1 block rusty-weathering diopside skarn with magnetite, Gn?, Sph and malachite found in float. More float like this found in narrow float train up creekbank. (=SE-DUSTY-15)

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087043	UTM: 516084	E	UTM: 6794652	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: skarn horizone about 75cm thick of rusty weathering, purple, magnetite (almost massive)-diopside skarn with Cpy + Sph? Exposed in outcrop for length of 1m. Chip sample across width. (=SE-DUSTY-16)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087244	UTM: 515186	E	UTM: 6793018	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: DUSTY E SHOWING dark purple to black weathering, highly weathred, dark purple to rusty, limonitic, heavy, magnetic skarn (no fresh surface). (=SE-DUSTY-17)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087245	UTM: 515186	E	UTM: 6793018	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: light grey weathering, light green to pink to grey, epidote-diopside-recrystallized LS (marble?) with fine-grained, diss. Gn? (=SE-DUSTY-18)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087246	UTM: 515186	E	UTM: 6793018	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: grey-brown weathering, epidote-Qz (+ trace calcite) skarn with diss to clotty Cpy, Gn, Sph, trace Mal/Azur. 15x10x7cm. Sulphides approx 10%. (=SE-DUSTY-19)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087247	UTM: 515195	E	UTM: 6792996	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty-grey weathering, Qz-hosted, approx 60% combined Cpy, Gn + Sph. Rock is about 12x12x6cm. In area where 6 well-mineralized rocks occure within area 1x2m, within excavated area. (=SE-DUSTY-20)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087248	UTM: 515195	E	UTM: 6792996	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty-grey weathering, Qz with bands and clots of Cpy, Gn and Sph. Rock is 12x8x6cm. From same area as SE-DUSTY-20. (=SE-DUSTY-21)

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087249	UTM: 515171	E	UTM: 6792996	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Brown weathering, Qz with clotty Cpy, Sph and Gn. Local epidote. Sulphides approx 10%. Found in outcrop. (=SE-DUSTYE-22)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087250	UTM: 515171	E	UTM: 6792996	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Dark brown weathering, Qz-epidote skarn with clotty Cpy, minor Sph/Gn. Sulphides approx 5%. Same outcrop as SE-DUSTYE-22. (=SE-DUSTYE-23)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087251	UTM: 515171	E	UTM: 6792996	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty weathering, Qz-epidote skarn with fine grained disseminated to clotted Cpy, Sph and Gn. Sulphides approx 10%. Same outcrop as SE-DUSTYE-22/23. (=SE-DUSTYE-24)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087252	UTM: 515171	E	UTM: 6792996	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Grey to rusty weathering, locally mal/azur coated (not included in sample) Qz with minor epidote. Cpy, Sph and Gn approx 5% to semi-massive (combined). Trace Hz. In same outcrop as SE-DUSTYE-22,23,24. (=SE-DUSTY-25)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087253	UTM: 514772	E	UTM: 6792894	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty weathering, diopside skarn with nearly massive pyrrhotite. Found in skarn horizon up to 50cm wide in creekbank. (=SE-DUSTY-26)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087254	UTM: 514772	E	UTM: 6792894	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty-brown weathering, green diopside skarn with pyrrhotite (<3%), light pink mineral to be lamped, trace limonite. (=SE-DUSTY-27)

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087255	UTM: 515465	E	UTM: 6793196	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Max claims. in float, 3 pieces dark purple weathering, diopside skarn with approx 5% blackjack sphalerite (+Gn?). (=SE-DUSTY-28)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087256	UTM: 515443	E	UTM: 6793210	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Max claims. 1 piece 12x10x7cm of brown weathering, diopside-tremolite skarn with approx 10% blackjack sph, on edge is recrystallized LS. (=SE-DUSTY-29)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087257	UTM: 515452	E	UTM: 6793268	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Max claims. epidote-diopside-calcite skarn exposed in outcrop in trench. (=SE-DUSTY-30). Sample is calcite rich with micaceous patches, 1 bleb Cpy and trace Hz

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087258	UTM: 515564	E	UTM: 6793574	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Max claims. outcrop? of magnetite-diopside skarn with sphalerite? + Cpy. 10 "chips" collected. Recrystallized LS in area. (=SE-DUSTY-31)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087259	UTM: 515554	E	UTM: 6793483	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Max claims. "chip" sample of 15 pieces of epidote-diopside-magnetite skarn with Hz + malachite/azurite coating. (=SE-DUSTY-32)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087260	UTM: 525346	E	UTM: 6791554	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: 1 6x4x4cm piece of rusty-weathering, magnetite-epidote skarn in float in trench. No visible mzn, sph? (=SE-MIKO-01)

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087261	UTM: 525370	E	UTM: 6791516	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Miko creek showing. Nearly massive sph + Gn with light brown mineral making up the remainder of the sample. Approx 10x6x4cm. Rusty to white weathering, abundant Hz coating. (=SE-MIKO-02). In float in trench.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087262	UTM: 525370	E	UTM: 6791516	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Miko creek showing. "Chip" sample from 35 float blocks within this zone (5x20m). Samples range from banded epidote-sph skarn, to massive Gn + Sph, to highly weathered, limonitic, Hz-coated skarn with blebby sph + Gn. (=SE-MIKO-03)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087263	UTM: 525370	E	UTM: 6791516	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Miko creek showing. Very heavy, light brown to rusty weathering, massive Gn (+Sph?) in float in trench. (=SE-MIKO-04)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087264	UTM: 525429	E	UTM: 6791487	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Miko creek showing. brown weathering, light green-grey epidote skarn with blebby sph>>py (<5% combined), taken from float lying atop outrcop. (=SE-MIKO-05)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087265	UTM:	E	UTM:	N	Sample Width:	Abundance:
	Elevation:	m				

Comments:

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
	UTM:	E	UTM:	N	Sample Width:	Abundance:
	Elevation:	m				

Comments:

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087266	UTM: 514649	E	UTM: 6792633	N	Sample Width: 2 pieces	Abundance:
	Elevation:	m				

Comments: float sample comprised of two mafic diopside skarn rocks with weak to moderate blebby to disseminate Po and trace to weak blebby to disseminated Cp. Sample collected from 2 float locations ~15-20m apart in talus.

Sample Number:	Grid East:	E	Grid North:	N	Type: Float	Dimension: 3m by 6m
G087267	UTM: 514770	E	UTM: 6793267	N	Sample Width: 2'	Abundance:
	Elevation:	m				

Comments: Sample of rock directly below 3m by 6m outcrop. Rusty weathering, vuggy, limonitic, slightly micaceous well formed Qz VN (?) XT less than or equal to 2cm and ~1cm in diametre.

Sample Number:	Grid East:	E	Grid North:	N	Type: Float	Dimension: 1m by .5m
G087268	UTM: 514796	E	UTM: 6793276	N	Sample Width: 3 specimens	Abundance:
	Elevation:	m				

Comments: quartz-diopside skarn with pockets of dark BR-limonite. Trace to weak Py, malachite and azurite on occasional fracture surfaces.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087269	UTM: 514863	E	UTM: 6792705	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: diopside skarn with blebs of pyrrhotite. In float at bottom of talus train. (=SE-DUSTY-33)

Sample Number:	Grid East:	E	Grid North:	N	Type: Float	Dimension:
G087270	UTM: 55788	E	UTM: 6793598	N	Sample Width: 12cmx18cm	Abundance:
	Elevation:	m				

Comments: Massive magnetite with trace Po. Sample of float in creek-rare

Sample Number:	Grid East:	E	Grid North:	N	Type: Float	Dimension:
G087271	UTM: 515807	E	UTM: 6793682	N	Sample Width: 20x20cm	Abundance:
	Elevation:	m				

Comments: epidote-diopside skarn in creek. One side has 6mm massive Po band with Cp on hairline Fx and as blebby disseminateions. Tarnished Py also present. Within the skarn the Cp is the dominant mineral.

Rock Sample Descriptions

Project: Hy Property: Hy

Sample Number:	Grid East:		Grid North:		Type:	Dimension:
G087272	UTM: 515750 E		UTM: 6793937 N		Sample Width: 15cm by 35cm	Abundance:
	Elevation: m					

Comments: float sample of massibe magnetite with trace Cp and Py.

Sample Number:	Grid East:		Grid North:		Type:	Dimension:
G087273	UTM: 515772 E		UTM: 6794015 N		Sample Width: 12x23x8cm	Abundance:
	Elevation: m					

Comments: Float sample 12cm by 23cm by 8cm massive magnetite (4cm band) then 1" band of mod-heabily disseminated Cp, Py, malachite, OR-RD limonite. Very fg epidote-diopside skarn with primarily disseminated Sp.

Sample Number:	Grid East:		Grid North:		Type:	Dimension:
G087274	UTM: 515932 E		UTM: 6794448 N		Sample Width: 35cm x 1.2m	Abundance:
	Elevation: m					

Comments: .35m thick massive magnetite and sp? Skarn. Sample is representative across the .35m dip of the bed which runs true with bedding in the area.

Sample Number:	Grid East:		Grid North:		Type:	Dimension:
G087275	UTM: 516074 E		UTM: 6794659 N		Sample Width: 10x15x20cm	Abundance:
	Elevation: m					

Comments: Float sample of brown-white anglesite?/cerussite? Precipitate. Galena and sphalerite both relatively fine grained-unknown silver mineral? Overall sampl is very fine grained. Not abundant in creek.

Sample Number:	Grid East:		Grid North:		Type:	Dimension:
G087276	UTM: 515086 E		UTM: 6794381 N		Sample Width:	Abundance:
	Elevation: m					

Comments: Diopside Sk with magnetite and sphalerite-abundant in float

Sample Number:	Grid East:		Grid North:		Type:	Dimension:
G087277	UTM: 514916 E		UTM: 6794360 N		Sample Width: 12 pieces	Abundance:
	Elevation: m					

Comments: grab sample of 12 pieces of Massive spahlerite float pieces with minor Sp-diopside SK. Sample taken from old 'dig' 2x6m. 6 of the 12 pieces were of diopside-magnetite-sphalerite skarn with t azurite.

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087278	UTM:	519271	E	UTM:	6793062	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: Nubbly, orange-grey-green weathering surface with minor limonite within very fine grained mafic rock. Trace to weak well formed Gn crystals with minor sphalerite.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087279	UTM:	519236	E	UTM:	6793044	N	Sample Width: 15x20x15	Abundance:
	Elevation:		m					

Comments: float sample of epidote-chlorite? Skarn. Appears almost intrusive with an OR-RD oxidized surface. Finerly disseminated Po and Py.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087280	UTM:	518964	E	UTM:	6793112	N	Sample Width: 20x15x8	Abundance:
	Elevation:		m					

Comments: Skarnified phyllite with minor diopside. Sp mineralization in almost bands.

Sample Number:	Grid East:		E	Grid North:		N	Type: Grab	Dimension:
G087281	UTM:	518972	E	UTM:	6793101	N	Sample Width: 7 pieces	Abundance:
	Elevation:		m					

Comments: grab sample over 10m comprised of 7 pieces of SK float. Minor fec alteration: Sp, Gn? Mineralization is weak to moderate. Minor mal on surace and within rk itself. Representative of area.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087282	UTM:	518926	E	UTM:	6793142	N	Sample Width: 2 pieces	Abundance:
	Elevation:		m					

Comments: fmod to heavy limonite cementing chert clasts? Skarn-epidote and tremolite crystal present. Sp mineralization. Non-magnetic. 1 pieces of float over 3m

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087283	UTM:	518930	E	UTM:	6793131	N	Sample Width: fist size	Abundance: rare
	Elevation:		m					

Comments: fist sized sample of vuggy, quartz rich SK?-diopside with weakly disseminated Cp and malachite.

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087284	UTM:	519059	E	UTM:	6793322	N	Sample Width: football size	Abundance:
	Elevation:		m					

Comments: diopside skarn with spahlerite +?. Located in float below ridge (only 10m). Not exposed in outcrop but must be very close! Dark BR- weathering minor fec altered rock with minor limonite.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087285	UTM:	519157	E	UTM:	6793039	N	Sample Width: 20cm by 30cm	Abundance:
	Elevation:		m					

Comments: boulder of very green-pink-grey skarn with very finely disseminated pyrrhotite. The mineralization tneds to be more concentrated in the pink-grey areas. Tan-rusty weathering surface.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G87286	UTM:	519487	E	UTM:	6792506	N	Sample Width: 25x6x15 cm	Abundance:
	Elevation:		m					

Comments: float from creek bed-very finely disseminated massive pyrite +/- pyrrhotite? Looks almost bedded of flow banded with whisps of orange-brown oxidized colour. Possible chert-shale host but mainly massive py.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087287	UTM:	520390	E	UTM:	6792502	N	Sample Width: 10x7cm	Abundance:
	Elevation:		m					

Comments: float sample from creek with red-orange oxidized surface. Qz-silica rich phyllite with trace-weak arsenopyrite and pyrite.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087288	UTM:	520115	E	UTM:	6792782	N	Sample Width: 34x13x43cm	Abundance:
	Elevation:		m					

Comments: Boulder from creek bed of very fine grained massive pyrite-and other sulphide? Minor quartzeyes less than 2-3mm. Red/orange oxidized surface.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087289	UTM:		E	UTM:		N	Sample Width:	Abundance:
	Elevation:		m					

Comments:

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087290	UTM:	520426	E	UTM:	6792514	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: Dark blue-grey chert with moderate quartz flood and stringers of arsenopyrite? Moderate.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087291	UTM:	520143	E	UTM:	6792692	N	Sample Width: 15x20 cm	Abundance:
	Elevation:		m					

Comments: 15 by 20cm creek float. Quartz flooded phyllite (?) with py +/-arsenopyrite-vey fine.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087292	UTM:	516643	E	UTM:	6792615	N	Sample Width: 20x10x10cm	Abundance:
	Elevation:		m					

Comments: Orange brown oxidized surface. Primarily quartz with multiple black hairline fractures lined with fine silver mineral-pyrrhotite + pyrite both weakly diseminated along fractures.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087293	UTM:	516674	E	UTM:	6792688	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: Float sample of very quartz flooded quartz-mica schist. Hairline fractures within quartz are lined with pyrite and black sulphide(?)

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087294	UTM:	5146949	E	UTM:	6792966	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: dark grey chert-just barly scratched with a steel knife. Stringers of very finely diseminated silver coloured mineral-non magnetic. In some spots it has 2mm lath like structure.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087295	UTM:	516860	E	UTM:	6793305	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: Epidote skarn with remnant/relict? Beds of metasediment. Malachite on fresh surfaces as well as fractured surfaces. Minor galena. Float in creek appears isolated- sample is the size of a soccer ball.

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087296	UTM:	516860	E	UTM:	6793304	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: fist sized creek float of black siliceous rock with epidote lenses. Trace to weak sphalerite generally restricted to the epidote.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087297	UTM:	516865	E	UTM:	6793307	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: Float on creek bank. Epidote-quartz skarn, rusty limonitic patches, fractures and disseminations of malachite, disseminated chalcopyrite, pyrite and black silvery sulphide. Overall mineralization between 5-10%.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087298	UTM:	same as prev	E	UTM:	same as prev	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: sample ~2m up creek from '297. Epidote-quartz skarn with malachite on fractured surfaces and trace azurite, medium grained chalcopyrite, and pyrite, red limonitic staining.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087299	UTM:	516863	E	UTM:	6793327	N	Sample Width: 15cm	Abundance:
	Elevation:		m					

Comments: localized mineralization in outcrop over 15cm across. Rusty colouration on outcrop ~3m wide. Mineralization consists of minor pyrite, chalcopyrite and malachite in a very baked looking rock.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087300	UTM:	517002	E	UTM:	6793584	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: green/grey/maroon, very siliceous quartzite? Very finely disseminated silver mineral with black halo and pyrite, minor rusty fractures, mm epidote banding

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087301	UTM:	517016	E	UTM:	6793605	N	Sample Width: 20x15x10cm	Abundance:
	Elevation:		m					

Comments: diopside-epidote skarn with minor limonite. Fine grained weak-moderate chalcopytie, trace sphalerite and pyrrhotite. Also contains trace malachite and azurite.

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087302	UTM:	517327	E	UTM:	6793978	N	Sample Width: 2'x2'	Abundance:
	Elevation:		m					

Comments: Boulder 2' by 2' with orange yellow limonoitic surface. Dominantly quartz. Malachite, pyrite and other unknown sulphide.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087303	UTM:	522798	E	UTM:	6793381	N	Sample Width: 15x10x15	Abundance:
	Elevation:		m					

Comments: epidote-quartz diopside skarn with weak sphalerite, trace chalcopyrite and trace malachite.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
G087304	UTM:	523098	E	UTM:	6793033	N	Sample Width:	Abundance:
	Elevation:		m					

Comments:

Sample Number:	Grid East:		E	Grid North:		N	Type: Float	Dimension:
G087305	UTM:	524845	E	UTM:	6792024	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: Epidote-diopside skarn with minor quartz staining rusty orange fractures and surfaces. Moderate-heavy sphalerite, non magnetic.

Sample Number:	Grid East:		E	Grid North:		N	Type: Float	Dimension:
G087306	UTM:	524851	E	UTM:	6792918	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: diopside skarn with sphaleite surface coating? Non-magnetic. Float from within the edge of trench.

Sample Number:	Grid East:		E	Grid North:		N	Type: Float	Dimension:
G087307	UTM:	524713	E	UTM:	6791958	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: Float sample of epidote diopside skarn with moderate to heavy fine sphalerite.

Rock Sample Descriptions Project: Hy Property: Hy

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087308	UTM: 524428	E	UTM: 6791715	N	Sample Width: 2'x2'	Abundance:
	Elevation:	m				

Comments: subcrop from north side of old trench/road cut. Epidote-diopside skarn with moderate sphalerite, trace pyrite and trace malachite. Small areas of limoniti boxwork

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087309	UTM: 524893	E	UTM: 6791985	N	Sample Width: 15x15cm	Abundance:
	Elevation:	m				

Comments: black oxidized surface with red-brown limonite. Roack is almost punky. Weak to moderate sphalerite.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G087310	UTM: 524865	E	UTM: 6791912	N	Sample Width: 2mx2.75m	Abundance:
	Elevation:	m				

Comments: subcrop from large cut on the east side of the main Marg road. Epidote-diopside skarn with moderate to heavy sphalerite and minor limonitic areas. (Lower marg showing?)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
	UTM:	E	UTM:	N	Sample Width:	Abundance:
	Elevation:	m				

Comments:

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
	UTM:	E	UTM:	N	Sample Width:	Abundance:
	Elevation:	m				

Comments:

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
	UTM:	E	UTM:	N	Sample Width:	Abundance:
	Elevation:	m				

Comments:

APPENDIX IV

GEOPHYSICAL REPORTS BY GEOTECH LTD., INCLUDING CD'S WITH THE DIGITAL SURVEY DATA



REPORT ON A HELICOPTER-BORNE TIME DOMAIN ELECTROMAGNETIC GEOPHYSICAL INTERPRETATION

HY PROPERTY

Yukon Territory, Canada

For

Strategic Metals Ltd.

By

Geotech Limited

245 Industrial Parkway North

L4G 4C4 Aurora, Ontario, Canada

Tel: 1.905.841.5004

Fax: 1.905.841.0611

www.geotech.ca

Email: info@geotech.ca

Survey flown in September 2007

Project 7067

January, 2008

TABLE OF CONTENTS

1. INTRODUCTION 3
2. SURVEY DESCRIPTION 5
3. GEOLOGICAL CONSIDERATIONS 6
3.1 Topography 6
3.2 Regional geological context 7
3.3 Geological context of the HY Property 8
3.4 Mineralization 8
4. INTERPRETATION OF THE MAGNETIC DATA 10
4.1 Introduction 10
4.2 Analysis of the Magnetic data 10
4.3 Inversion of the magnetic data 16
5. INTERPRETATION of VTEM DATA 18
5.1 Introduction 18
5.2 VTEM anomalies shape 18
5.3 Analysis of the EM results 19
5.4 Selected Anomalies 27
5.5 Conductivity Depth Sections 27
6. CONCLUSIONS AND RECOMMANDATIONS 33
7. REFERENCES 34

Appendix A: VTEM Anomaly Modelling……..….35

REPORT ON A HELICOPTER-BORNE
TIME DOMAIN ELECTROMAGNETIC INTERPRETATION

HY Property, Yukon Territory, Canada

1. INTRODUCTION

In August, 2007 a helicopter-borne electromagnetic survey was carried out by Geotech Ltd. for Strategic Metals Ltd. over the HY Property located in Yukon Territory, Canada.

This report includes the results of the geophysical interpretation, over this Property. The Property is located at approximately 350 km east from Whitehorse, in the Yukon Territory. The geographic coordinates of the block extents are: longitudes, 128º 46'24" W and 128º 27'34" W, and latitudes, 61º 13'33" N and 61º 18'06" N. The surveyed area is 73 km^2, and the total line kilometers flown are 458 km (Fig. 1).

The survey was conducted using Geotech Ltd VTEM system. Principal geophysical sensors included a versatile time domain electromagnetic system and a high resolution cesium magnetometer. Ancillary equipment included a GPS navigation system and a radar altimeter.

Data processing and map compilation, including generation of final digital data products were achieved at the office of Geotech Ltd in Aurora, Ontario.

The present report describes the results of the geophysical interpretation of this Property.



Fig. 1 Location map of the HY Property on the satellite image.

2. SURVEY DESCRIPTION

In August 2007, Geotech Ltd. carried out a helicopter-borne geophysical survey over the HY property located in Yukon. Geotech Ltd. utilized a Versatile Time Domain Electromagnetic System to measure the electromagnetic induction field (B-field) and the vertical component of its time derivative (dB/dt). The electromagnetic measurements were made at the off-time mode. The concentric in-loop system was towed at a distance of 42 m from the helicopter. The VTEM Transmitter uses a trapezoid waveform shape with 7.2 ms duration operating at a base frequency of 30Hz. The dipole moment was approximately 425 000 NIA. The half-waveform was 16.7 ms.
A towed cesium and high resolution magnetometer was used to measure the Earth's magnetic field intensity. Data positioning and navigation were assured by a Novatel WAA GPS with accuracy less then 3 m.
A Terra TRA radar altimeter was used to measure the terrain clearance. The helicopter was flying at a constant speed of 80 km/h and was keeping a constant ground clearance of 90 m when the terrain allowed it. The traverse lines direction was NE 48° and the tie lines direction was NW 42°. The distance between the traverse lines and the tie lines was 200 m and 2000 m, respectively. A more detailed description of the survey parameters is provided in the logistics/processing report.

3. *GEOLOGICAL CONSIDERATIONS*

3.1 Topography

The terrain is very rugged with alternating high mountains, valleys and streams. The absolute altitudes range from 1050 m to 2150 m approximately. Due to the terrain roughness, it was difficult to keep a constant ground clearance while surveying this area.



Fig.2 Topographical relief of the HY Property with the flight path.

3.2 Regional geological context

The Yukon Territory is situated in the northern part of the large geologic (and physiographic) belt known as the Cordillera. It is composed of relatively young mountain belts that range from Alaska to Mexico. The Yukon Territory is composed of a diverse type of rocks recording more than a billion years of geological history. Most of them have been affected by folding, faulting, metamorphism and uplift during various tectono-metamorphic events over at least the last 190 million years. This deformation has resulted in a complex arrangement of rock units and the mountainous terrain that has shaped today's geology. Geologically, Yukon is divided into two main components which are largely separated by the Tintina Trench. Formations northeast of the Tintina Fault consist of a thick, older sequence of sedimentary rocks which was deposited upon a stable geological basement. Rocks southwest of the Tintina Trench are composed of a younger, complex mosaic of igneous and metamorphic, representing numerous accreted terranes (Fig. 3).



Fig.3. The major tectonic elements of Yukon superimposed on the satellite image. The figure indicates that the territory is composed of two dominant rock packages separated by the Tintina Fault: thick packages of sediments (northeast) and accreted Terranes (Southwest).

3.3 Geological context of the HY Property

The HY property lies within the Selwyn Basin and covers Upper Devonian to Mississippian Earn Group sediments which are overlain with unconformity over the Upper Proterozoic to Lower Cambrian Hyland Group sediments. These sediments form a roof underlain by Mid-Cretaceous granodiorite belonging to the Mt Billings Batholith.

Sediments belonging to the Earn Group include thin bedded, laminated slate with thin to thickly inter-bedded fine to medium grained chert-quartz arenite and wacke; thick members of chert-pebble conglomerate; black siliceous siltstone; nodular and bedded barite; and rare limestone. These are dominant rock type within the roof pendant.

The Hyland Group is comprised of thin to thick bedded, brown to pale green shale, fine to coarse grained quartz-rich sandstone, grit and quartz-pebble conglomerate; minor argillaceous limestone; quartzite, pelites, mica-schist and gneiss. These rocks form a 2 km wide, north trending band located along the western edge of the roof pendant. To the north these rocks terminate against a fault, which runs along Jane Creek.

3.4 Mineralization

Past exploration activities have identified numerous showings on the HY property. These are typically lead-zinc-silver skarn mineralization within limey beds near the intrusive contact. Skarn minerals include pyrrhotite, magnetite, sphalerite and galena with minor chalcopyrite and scheelite.

Three areas on the HY property have been the primary focus of past exploration. These are the Dusty, South, Marg and Miko Zones. The Dusty Zone is located along the western edge of the property while the Marg and Miko are located to the east.



Fig. 4 Geological map of the HY property.

4. INTERPRETATION OF THE MAGNETIC DATA

4.1 Introduction

Aeromagnetic surveys are routinely used as a powerful tool at different stages in mining exploration and in geological mapping. Because geological formations have different concentrations of magnetic minerals, they exhibit different magnetic signatures in the magnetic field, depending on the susceptibility contrast of rocks and the characteristics of the magnetic field. Thus, observed magnetic field over an area, can provide useful information that can assist the lithological and the structural mapping. It can be used to detect iron-rich mineral deposits, and/or mineral deposits associated with highly magnetic rocks (mafic and ultramafic formations).

4.2 Analysis of the Magnetic data

The observed magnetic field over the HY Property is shown in Fig.5a. The total magnetic field values are ranging from 56900 nT to 57500 nT approximately, yielding an amplitude difference of 600 nT. The TMI map shows a relatively high magnetic activity consisting essentially of magnetic lineament from the eastern to the north-western parts of the block. The nature of the observed lineaments could be related to mafic dyke intruding the intrusive formations. Strong anomalies are also observed in the western and southern portions of the map. They are probably associated with mafic rocks (diorites?). Elsewhere, the magnetic field expresses a quiet behavior with the existence of long wavelength negative anomalies over the metasediments in the central area of the block. A magnetic low trending roughly in the north-south direction is observed in the western part of the block. This magnetic low is possibly associated with a shear zone (Fig. 5b).

Since the contents of the observed magnetic maps include the response of shallow and deep magnetic sources, it is difficult to analyze the maps containing various wavelength anomalies. Distinguishing shallow features from deeper ones can be performed via several methods of field separation and filtering.

Figure 6 shows the reduced to the pole magnetic field map, upward continued to 200m. The map shows smoother anomalies with reduced intensities. Strong and long wavelength anomalies indicating deep mafic intrusions are observed in the western and southern portions of the block. The central area is dominated by low values associated with the metasediments.

Figure 7 illustrates the vertical gradient of the TMI. The vertical gradient is used to enhance magnetic signals caused by shallow sources and related to faults, dykes and contacts.
The map highlights a NNW trending discontinuous lineament in the northern part of the block. It also shows strong signals NNE trending in the western portion of the map. Several magnetic

lineaments associated with shallow magnetic sources are observed in the central area. The gradient map is very useful for helping to understand the structural patterns of the area. On the other hand, the tilt derivative map illustrated in Fig. 8 yields another example of amplifying signals associated with shallow sources. The tilt derivative known as being the local phase is computed from the vertical and horizontal gradients. As illustrated in the Tilt derivative map several shallow magnetic lineaments associated with dykes and faults can be easily identified in this area.



Fig. 5a TMI image of the HY Property.



Fig. 5b Perspective view of the TMI image of the HY Property.



Fig.6 Color shaded relief of reduced to the pole TMI (upward continued).



Fig.7 Color shaded relief of the vertical gradient of the magnetic field.



Fig. 8 Color shaded relief of the tilt derivative.

4.3 Inversion of the magnetic data

Several computer-based techniques can be used to automatically detect magnetic sources and yield estimations of their geometrical and physical parameters. These techniques can be either used to gridded data (3D methods) or to profiles (2D methods). Euler deconvolution is a well established technique, allowing a rapid interpretation of a large amount of magnetic data. This method is mainly aimed to delineate magnetic sources boundaries and to estimate their depths.
Fig. 9 shows the results obtained with the Euler deconvolution inversion using a structural index of 1, a depth tolerance of 10% and a square deconvolution window with a size of 400 × 400 metres. Euler solutions have been plotted on the total gradient (analytic signal) map for a better illustration. The picks of the total gradient are also used to located and delineate the magnetic sources boundaries.
Euler solutions are mostly related to shallow sources the top of which is located at depths less than 100m. The shallowest sources are located in the central and western edge of the block. They are related to shallow mafic dykes and magnetic structures existing in the intrusive formations. Euler solutions are located on the picks of the analytic signal and form NNW trending structures. The deepest sources (>300 m) are encountered mainly in the western part of the map. They correspond to the analytic signal lows and are possibly associated with the magnetic basement. Results obtained with the Euler deconvolution confirm the qualitative analysis conducted with the reduced maps and can be very useful for the structural understanding of the area.



Fig. 9 Euler deconvolution solutions plotted on the total gradient image.

5. INTERPRETATION of VTEM DATA

5.1 Introduction

Transient electromagnetic surveys have proven to be a very efficient tool in mineral exploration by detecting hidden deposits characterized by higher conductivities than the medium in which they are embedded. Because Time domain systems have a much greater depth penetration compared to the Frequency domain systems, these systems are considered as a tool of choice in the mining exploration. The Geotech Helicopter VTEM system, operating in the Time domain, uses concentric-loop geometry with the receiver mounted in the centre of a larger transmitter loop. Both loops are oriented in the vertical plane. This configuration has a number of advantages, as a maximum coupling, sharper anomalies by comparison to airborne fixed wing systems, and the shape of the anomalies in independent of the flight path orientation. Furthermore, the high moment transmitter combined with the lower terrain clearance yields stronger secondary field signals in most conductors when compared to other systems. The actual VTEM systems measure both the electromagnetic induction field B and its time derivative dB/dt. This system specificity has a lot of advantages, as the dB/dt better resolves the shallow conductive sources while the B-field exhibits a better resolution for deep conductors.

5.2 VTEM anomalies shape

For concentric-loop geometry systems when both loops are oriented in the Z-axis (VTEM system) thick dipping or horizontal conductors exhibit a characteristic single peak, while steeply dipping and thin conductors manifest a double peak. The minimum indicates the location of the top of the thin conductor, and the major peak indicates the side towards which the conductor is dipping. Synthetic models anomalies were generated for the plate type conductors are provided in the Appendix A to better understand the shape of the VTEM anomalies

5.3 Analysis of the EM results

Figures 14 and 15 show the stacked profiles in pseudo-logarithmic scale of the dB/dt and B-field channels, respectively. Both maps indicate the existence mainly of 3 anomalous zones (A, B and C) located in the centre of the block. The map also indicates a fourth zone (D) in the north western area, however the observed decays are characterized by weak amplitudes.

Zone A, located in the central area contains a series of broad and strong anomalies trending west-northwesterly. The observed anomalies in this zone are single pick anti-symmetric indicating north-easterly dipping conductive layer embedded within the sediments (Fig. 10). The anomalous zone B is composed of single pick anomalies trending in the west-northwestern direction. The shape of the decays suggests steeply dipping conductive bedrock as shown in Figs. 11 and 12. Zone C, consists mainly of several isolated anomalies. The strongest ones are located on lines 10210 and 10310. The anomalies are single peak and symmetric indicating their association with vertical conductors (Fig. 13). It is worth mentioning that the Zone C anomalies are located near mineralized area (Miko and Marc).

The interpretation of the EM profiles was performed using in-house built software for automatically picking the anomalies along the profiles and yielding estimates of the conductance and the decay constant (tau) of isolated anomalies. The picked EM anomalies were posted on the late time EM channel. Figures 16 and 17 illustrate the results of the picked anomalies superimposed on the dB/dt, and B-field late time channel (6.578 ms after the current shut off), respectively.

The maps highlight the existence of NW trending linear conductors and located in zones A, B and D. The estimated conductance values in zone A are less than 10S and the calculated decay constants are relatively low (<2ms). The interpretation suggests the existence of NE and shallowly dipping conductive layer. The picked anomalies in zone B suggest NW trending poor conductive bedrock. The estimated conductance and Tau values are low (less than 5S and 1ms) respectively. Zone D contains a linear conductor trending in the NW direction. The estimated conductance values are variable and are ranging from 0.1 S to 17.2 S. the Tau values are oscillating between 0.1ms and 5.2 ms. The shape of the decays suggest the existence of deep and good conductive bedrock. Zone C, contains a cluster of isolated anomalies, having variable conductance and decay constant values and indicating in some cases the existence of good conductors. The observed anomalies in this area should be considered as potential to be associated with metallic mineralization due to the fact that they are located close to the known Ag, Pb and Zn mineralized areas (Marg-Lower, Miko-Hillside and Miko-Creek). The detected conductive zones B and C are in good correlation with the magnetic structures, as shown from Fig. 18.

The interpretation map (Fig. 19) shows the results of the magnetic and electromagnetic analysis superimposed on the total gradient image. The magnetic interpretation suggests the existence of discontinuous dyke of mafic nature trending roughly in the NW direction. In several locations the magnetic structure is affected by NW trending displacing faults. Shallow magnetic structures related to mafic intrusions are identified in the western and southern portions of the block. The map also shows a good correlation of the detected EM anomalies with the obtained Euler solutions (Zones A, B, and C) suggesting a possible association with pyrrhotite and magnetite.



Fig. 10 EM decays over for the central portion of the line 10380 (Zone A). The shape of the decays suggests shallowly dipping conductive bedrock as indicated by the red arrow.



Fig. 11 EM decays for the southern portion of the Line 10210 (Zone C). The symmetric shape of the decays suggests the association with a steeply dipping conductor as indicated by the red arrow.



Fig. 12 EM decays for the central portion of the Line 10240 (Zone C) showing broad symmetric anomalies related to deep and steeply dipping conductor.



Fig. 13 EM decays for the central portion of the Line 10270 (Zone B) showing symmetric anomalies suggesting a steeply dipping conductor.



Fig. 14 EM dB/dt stacked profiles at log-linear scale. Early time decays are in green and late time in red.



Fig. 15 EM B-Field stacked profiles at log-linear scale. Early time decays are in green and late time in red.



Fig. 16 EM picked anomalies plotted on the late time dB/dt channel image (6.578 ms after current shut off).



Fig. 17 EM picked anomalies plotted on the late time B-Field channel image (6.578 ms after current shut off).



Fig. 18 Late time B-Field channel image superimposed on the shaded relief of the tilt derivative. The map clearly shows a good correlation of the picked anomalies (Zones A and C) with the magnetic lineaments.



Fig. 19 Interpretation map showing the results of the magnetic and electromagnetic data analysis.

5.4 Selected Anomalies

Several individual potential anomalies extracted from the described above anomalous zones of interest have been selected for modeling by converting the EM decays into CDIs. The anomalies are located on the following lines: L10210, L10240, L10260, L10310, L10330 and L10380. The summarized characteristics of the selected anomalies are given in the following table.

Anomalous zone/Line	Anomaly ID	Anomaly Type description	Conductor geometry	X- location m	Y- location m	Conductance S	Dip	DipAzimut	Tau msec
C/L10210	A	symmetric Single peak	Thin steeply dipping plate	523942	6790587	12.5	Vertical.	-	5.8
C/L10240	A	Anti-symmetric	Thick shallowly dipping plate	523470	6791027	6.1	SW		5.8
C/L10240	B	symmetric Single peak	Thin steeply dipping plate	523243	6790509	5.0	Vert.		2.5
C/L10240	C	symmetric Single peak	Thin steeply dipping plate	523101	6790189	2.8	Vert.		6.1
C/L10260	B	symmetric Single peak	Thin steeply dipping plate	522968	6790848	6.0	Vert.	-	4.3
C/L10310	B	symmetric Single peak	Thin steeply dipping plate	521544	6790151	13.8	Vert.		4.3
C/L10330	B	symmetric Single peak	Thin steeply dipping plate	520762	6789378	6.5	Vert.		2.8
A/L10380	A	Single broad peak anti-symmetric	Thick shallowly dipping plate	520431	6791095	9.2	NE	NW	2.0

Table 1. Summarized results of the selected anomalies.

5.5 Conductivity Depth Sections

Conductivity depth imaging is considered as one of the important steps in the analysis and interpretation of electromagnetic data. CDI allows providing useful information of the conductivity distribution of the considered cross section. CDI were performed for the selected lines using the EMflow software (Figs.20-24). As shown from the various performed sections several conductive bedrocks were identified especially in the anomalous zone C.



Fig. 20 shows the CDI section for the line L10210. The section indicates the existence of good and vertical conductive bedrock at depth <200m. The letter A indicates the location of the anomaly on the map.



Fig. 21 shows the CDI section for the line L10240. The section depicts 3 conductive bedrocks at various depths. The letters A, B and C indicate the location of the anomalies on the map.



Fig. 22 shows the CDI section for the line L10310. The section indicates the existence of shallow and good conductive bedrock (B) and shallowly dipping bedrock (A). The letters A and B indicate the location of the picked anomalies on the map.



Fig. 23 shows the CDI section for the line L10330. The section highlights the existence of steeply dipping and deep good conductive bedrock on the southern portion of the line. The letter B indicates the picked anomaly on the map.



Fig. 24 shows the CDI section for the portion of the line L10380. The section highlights the existence of a shallowly dipping conductive layer.

6. CONCLUSIONS AND RECOMMANDATIONS

The analysis of the magnetic map of the HY property revealed the existence of a relatively high magnetic activity consisting essentially of the presence of magnetic lineaments and anomalous areas related to mafic structures. The Euler deconvolution inversion method has confirmed the existence of a shallow (<100m) dyke like structure trending in the NW direction. Deep solutions (>300m) are encountered in the western part of the bloc and are related to the magnetic basement. The magnetic interpretation using different reduced maps suggests also the presence of several NW faults affecting the magnetic structures.
The VTEM survey reveals the existence of several anomalous zones. The most important one (Zone C) is located in the southern area and consists of a cluster of isolated anomalies located in the neighborhood of known Ag-Pb-Zn mineralized areas. The Modeling results showed that these anomalies are related to good and steeply dipping isolated conductive bedrocks. The estimated depths to the top of the bedrock are variable and are lees than 200m)for the shallowest conductors and more than 300m for the deepest ones. Furthermore, a good correlation of the conductive bedrocks with the magnetic data was observed particularly in the central part of the surveyed block. The recommendation is therefore to conduct some drilling tests on the selected potential anomalies of the zone C located in the neighborhood of identified mineralized occurrences and showings.

Respectfully submitted,

Dr. Nasreddine Bournas
Geotech Ltd.
January, 2008

7. REFERENCES

1. J. CHEN, A. RAICHE, AND J. MACNAE, 2000, Inversion of airborne EM data using thin-plate models, SEG 2000 expanded abstracts.

2. STOLZ, E.M.G. AND MACNAE, J.C., 1991 Evaluating EM waveforms by singular-value decomposition of exponential functions. Geophysics, 63, 64-74

3. A.B. REID, J.M. ALLSOP, H. GRANSER, A.J. MILLETT AND I.W. SOMERTON, 1990, Magnetic interpretation in three dimensions using Euler deconvolution, , G*eophysics, 55, 80-91.*

4. Yukon Geological Survey, www.geology.gov.yk.ca

APPENDIX A

VTEM ANOMALY MODELING

I. THIN PLATE



Figure A-1: dB/dt response of a shallow vertical thin plate. Depth=100 m, CT=20 S. The EM response is normalized by the dipole moment and the Rx area.



Figure A-2: B-field response of a shallow vertical thin plate. Depth=100 m, CT=20 S. The EM response is normalized by the dipole moment.



Figure A-3: dB/dt response of a shallow skewed thin plate. Depth=200 m, CT=20 S. The EM response is normalized by the dipole moment and the Rx area.



Figure A-4: B-field response of a shallow skewed thin plate. Depth=100 m, CT=20 S.The EM response is normalized by the dipole moment.



Figure A-5: dB/dt response of a deep vertical thin plate. Depth=200 m, CT=20 S. The EM response is normalized by the dipole moment and the Rx area.



Figure A-6: B-Field response of a deep vertical thin plate. Depth=200 m, CT=20 S. The EM response is normalized by the dipole moment.



Figure A-7: dB/dt response of a deep skewed thin plate. Depth=200 m, CT=20 S. The EM response is normalized by the dipole moment and the Rx area.



Figure A-8: B-field response of a deep skewed thin plate. Depth=200 m, CT=20 S. The EM response is normalized by the dipole moment.



Figure A-9: dB/dt response of a shallow horizontal thin plate. Depth=100 m, CT=20 S. The EM response is normalized by the dipole moment and the Rx area.



Figure A-10: B-Field response of a shallow horizontal thin plate. Depth=100 m, CT=20 S. The EM response is normalized by the dipole moment.



Figure A-11: dB/dt response of a deep horizontal thin plate. Depth=200 m, CT=20 S. The EM response is normalized by the dipole moment and the Rx area.



Figure A-12: B-Field response of a deep horizontal thin plate. Depth=200 m, CT=20 S. The EM response is normalized by the dipole moment.

II. THICK PLATE



Figure A-13: dB/dt response of a shallow vertical thick plate. Depth=100 m, C=12 S/m, thickness=20 m. The EM response is normalized by the dipole moment and the Rx area.



Figure A-14: B-Field response of a shallow vertical thick plate. Depth=100 m, C=12 S/m, thickness= 20 m. The EM response is normalized by the dipole moment.



Figure A-15: dB/dt response of a shallow skewed thick plate. Depth=100 m, C=12 S/m, thickness=20 m. The EM response is normalized by the dipole moment and the Rx area.



Figure A-16: B-Field response of a shallow skewed thick plate. Depth=100 m, C=12 S/m, thickness=20 m. The EM response is normalized by the dipole moment.

III. MULTIPLE THIN PLATES



Figure A-17: dB/dt response of two vertical thin plates. Depth=100 m, CT=20 S. The EM response is normalized by the dipole moment and the Rx area.



Figure A-18: B-Field response of two vertical thin plates. Depth=100 m, CT=20 S. The EM response is normalized by the dipole moment.

GEOTECH LTD.

Survey Specifications:

Aircraft: Astar B3 helicopter
Nominal Flight Line Spacing: 200 metres
Nominal Flight Line Direction: N22°E
Nominal Tie Line Spacing: 2000 metres
Nominal Tie Line Directions: N68°W
Average helicopter terrain clearance 200 metres
EM Loop is 35 metres under helicopter
Magnetic sensor is 15 metres under helicopter

Instruments:

Geotech Time Domain Electromagnetic System (VTEM) with concentric Rx/Tx geometry
Transmitter Loop Diameter 26 m, Base Frequency 30 Hz
Dipole Moment 400,000 NIA
Transmitter Wave Form: Trapezoid, Pulse Width 7.2 ms
Geometrics Optically-pumped,
High Sensitivity Cesium Magnetometer
Magnetometer Resolution 0.02 nT at 10 samples/sec

B-field-Response
fT/(A*m^2)

0.6227
0.0113
0.0088
0.0073
0.0062
0.0054
0.0046
0.0039
0.0032
0.0026
0.0020
0.0013
0.0007
0.0000
-0.0006
-0.0014
-0.0022
-0.0032
-0.0043
-0.0063
-0.0091

Anomaly Symbols

Conductance < 5.0 siemens	○
5.0 < Conductance < 10.0	◐
10.0 < Conductance < 15.0	◑
15.0 < Conductance < 20.0	◕
20.0 < Conductance	●

Anomaly ID — Conductance (S)
Depth (m) — Tau (ms)
Dip (°)

Scale 1:20000

250 0 250 500 750 1000
(Metres)
WGS 84 / UTM zone 9N

Strategic Metals Ltd.
HY Property
Yukon, Canada

Geotech VTEM System

EM picked anomalies & late Time B-field Channel (6.578 ms)

Flown and processed by Geotech Ltd.
245 Industrial Parkway N.,
Aurora, Ontario, Canada L4G 4C4
www.geotech.ca

January 2008

Project 7067



GEOTECH LTD.

Survey Specifications:

Aircraft: Astar B3 helicopter
Nominal Flight Line Spacing: 200 metres
Nominal Flight Line Direction: N22°E
Nominal Tie Line Spacing: 2000 metres
Nominal Tie Line Directions: N68°W
Average helicopter terrain clearance 200 metres
EM Loop is 35 metres under helicopter
Magnetic sensor is 15 metres under helicopter

Instruments:

Geotech Time Domain Electromagnetic System (VTEM) with concentric Rx/Tx geometry
Transmitter Loop Diameter 26 m, Base Frequency 30 Hz
Dipole Moment 400,000 NIA
Transmitter Wave Form: Trapezoid, Pulse Width 7.2 ms
Geometrics Optically-pumped,
High Sensitivity Cesium Magnetometer
Magnetometer Resolution 0.02 nT at 10 samples/sec



Vertical Gradient
nT/m

Anomaly Symbols

Conductance < 5.0 siemens
5.0 < Conductance < 10.0
10.0 < Conductance < 15.0
15.0 < Conductance < 20.0
20.0 < Conductance

Anomaly ID — Conductance (S)
Depth (m) — Tau (ms)
Dip (°)

Scale 1:20000

250 0 250 500 750 1000
(meters)
WGS 84 / UTM zone 9N

Strategic Metals Ltd.
HY Property
Yukon, Canada

Geotech VTEM System
Vertical Gradient of TMI

Flown and processed by Geotech Ltd.
245 Industrial Parkway N.,
Aurora, Ontario, Canada L4G 4C4
www.geotech.ca

January 2008

Project 7067



GEOTECH LTD.

Survey Specifications:

Aircraft: Astar B3 helicopter
Nominal Flight Line Spacing: 200 metres
Nominal Flight Line Direction: N22°E
Nominal Tie Line Spacing: 2000 metres
Nominal Tie Line Directions: N68°W
Average helicopter terrain clearance 200 metres
EM Loop is 35 metres under helicopter
Magnetic sensor is 15 metres under helicopter

Instruments:

Geotech Time Domain Electromagnetic System (VTEM) with concentric Rx/Tx geometry
Transmitter Loop Diameter 26 m, Base Frequency 30 Hz
Dipole Moment 400,000 NIA
Transmitter Wave Form: Trapezoid, Pulse Width 7.2 ms
Geometrics Optically-pumped,
High Sensitivity Cesium Magnetometer
Magnetometer Resolution 0.02 nT at 10 samples/sec

Euler Solutions
Depth (m)

- > 400
- 300 - 400
- 200 - 300
- 100 - 200
- < 100

EM Anomaly Symbols

- Conductance < 5.0 siemens
- 5.0 < Conductance < 10.0
- 10.0 < Conductance < 15.0
- 15.0 < Conductance < 20.0
- 20.0 < Conductance

Anomaly ID — Conductance (S)
Depth (m) — Tau (ms)
Dip (°)

STRATIFIED UNITS

1 — Devono-Mississippian: Earn Group
Carbonatious shales and limestones

– Unconformity –

2 — Cambrian or earlier (?): Hyland Group
Metasediments

INTRUSIVE UNITS

3 — Mid-Cretaceous to Tertiary (?): Selwyn Suite
quartz monzonite to granodiorite

- Geological contact (inferred, assumed)
- Unconformity (inferred, assumed)
- Fault (inferred)
- Bedding orientation
- Showing
- 4x4 road
- Streams
- EM late time Anomaly Contour
- Magnetic dyke inferred
- Fault supposed

Scale 1:20000
250 0 250 500 750 1000
(meters)
WGS 84 / UTM zone 9N

Strategic Metals Ltd.
HY Property
Yukon, Canada

Geotech VTEM System
INTERPRETATION MAP

Flown and processed by Geotech Ltd.
245 Industrial Parkway N.,
Aurora, Ontario, Canada L4G 4C4
www.geotech.ca

January 2008

Project 7067

GEOTECH LTD.

Survey Specifications:

Aircraft: Astar B3 helicopter
Nominal Flight Line Spacing: 200 metres
Nominal Flight Line Direction: N22°E
Nominal Tie Line Spacing: 2000 metres
Nominal Tie Line Directions: N68°W
Average helicopter terrain clearance 200 metres
EM Loop is 35 metres under helicopter
Magnetic sensor is 15 metres under helicopter

Instruments:

Geotech Time Domain Electromagnetic System (VTEM) with concentric Rx/Tx geometry
Transmitter Loop Diameter 26 m, Base Frequency 30 Hz
Dipole Moment 400,000 NIA
Transmitter Wave Form: Trapezoid, Pulse Width 7.2 ms
Geometrics Optically-pumped,
High Sensitivity Cesium Magnetometer
Magnetometer Resolution 0.02 nT at 10 samples/sec

0.1553
0.0031
0.0023
0.0018
0.0015
0.0012
0.0010
0.0008
0.0006
0.0004
0.0002
-0.0000
-0.0002
-0.0004
-0.0006
-0.0009
-0.0011
-0.0014
-0.0018
-0.0024
-0.0032

dB/dt-Response
pV/(A*m^4)

Anomaly Symbols

Conductance < 5.0 siemens
5.0 < Conductance < 10.0
10.0 < Conductance < 15.0
15.0 < Conductance < 20.0
20.0 < Conductance

Anomaly ID
Conductance (S)
Depth (m)
Tau (ms)
Dip (°)

Scale 1:20000
250 0 250 500 750 1000
(meters)
WGS 84 / UTM zone 9N

Strategic Metals Ltd.
HY Property
Yukon, Canada

Geotech VTEM System

EM picked anomalies & late Time dB/dt Channel (6.578 ms)

Flown and processed by Geotech Ltd.
245 Industrial Parkway N.,
Aurora, Ontario, Canada L4G 4C4
www.geotech.ca

January 2008

Project 7067

REPORT ON A HELICOPTER-BORNE VERSATILE TIME DOMAIN ELECTROMAGNETIC (VTEM) GEOPHYSICAL SURVEY

HY property

Yukon, Canada

for

Strategic Metals Ltd.

By

Geotech Ltd.

30 Industrial Parkway South

Aurora, Ontario, Canada

Tel: 1.905.841.5004

Fax: 1.905.841.0611

www.geotech.ca

Email: info@geotech.ca

Survey flown in August 2007

Project 7067

February, 2008

TABLE OF CONTENTS

Executive Summary 3
1. INTRODUCTION 4
1.1 General Considerations 4
1.2. Survey and System Specifications 4
1.3. Data Processing and Final Products 5
1.4. Topographic Relief and cultural features 5
2. DATA ACQUISITION 6
2.1. Survey Area 6
2.2. Survey Operations 6
2.3. Flight Specifications 7
2.4. Aircraft and Equipment 8
2.4.1. Survey Aircraft 8
2.4.2. Electromagnetic System 8
2.4.3. Airborne magnetometer 10
2.4.4. Ancillary Systems 10
2.4.4.1. Radar Altimeter 10
2.4.4.2. GPS Navigation System 10
2.4.4.3. Digital Acquisition System 11
2.4.5. Base Station 11
3. PERSONNEL 12
4. DATA PROCESSING AND PRESENTATION 13
4.1. Flight Path 13
4.2. Electromagnetic Data 13
4.3. Magnetic Data 14
5. DELIVERABLES 15
5.1. Survey Report 15
5.2. Maps 15
5.3. Digital Data 15
6. CONCLUSIONS 19

APPENDICES

A. Survey block location map 20
B. Survey block coordinates 22
C. Modeling VTEM data 23
D. VTEM Waveform 24
E. Geophysical maps 25

REPORT ON A HELICOPTER-BORNE
VERSATILE TIME DOMAIN ELECTROMAGNETIC SURVEY

HY property, Yukon, Canada

Executive Summary

This report describes the Helicopter-borne geophysical survey carried out on behalf of Strategic Metals Ltd. by Geotech Ltd. over one block in Yukon , Canada.

Principal geophysical sensors included a versatile time domain electromagnetic (VTEM) system and a cesium magnetometer. Ancillary equipment included a GPS navigation system and a radar altimeter. A total of 420.00 line-km were flown.

In-field data processing involved quality control and compilation of data collected during the acquisition stage, using the in-field processing centre established in Watson Lake, Yukon. Preliminary and final data processing, including generation of final digital data products were done at the office of Geotech Ltd. in Aurora, Ontario.

The processed survey results are presented as electromagnetic stacked profiles and total magnetic intensity grid.

Digital data includes all electromagnetic and magnetic products plus positional, altitude and raw data.

1. INTRODUCTION

1.1 General Considerations

These services are the result of the Agreement made between Geotech Ltd. and Archer Cathro & Associates to perform a helicopter-borne geophysical survey over one block located in Yukon, Canada.

420.00 line-km of geophysical data were acquired during the survey.

Bill Wengzynowski, acted on behalf of Strategic Metals Ltd. during data acquisition and data processing phases of this project.

The survey block is as shown in Appendix A.

The crew was based in Watson Lake, Yukon for the acquisition phase of the survey, as shown in Section 2 of this report.

The helicopter was based at the Watson Lake airport for the duration of the survey. Survey flying was completed on August 5th, 2007. Preliminary data processing was carried out daily during the acquisition phase of the project. Final data presentation and data archiving was completed in the Aurora office of Geotech Ltd. in January, 2008.

1.2. Survey and System Specifications

The survey block was flown at nominal traverse line spacing of 200 metres, at N24°E / N204°E direction. Tie lines were flown perpendicular to traverse lines.

Where possible, the helicopter maintained a mean terrain clearance of 245 metres, which translated into an average height of 210 metres above ground for the bird-mounted VTEM system and 230 metres for the magnetic sensor.

The survey was flown using an Astar B3 helicopter, registration C-GTFX. The helicopter was operated by TRK helicopters. Details of the survey specifications may be found in Section 2 of this report.

1.3. Data Processing and Final Products

Data compilation and processing were carried out by the application of Geosoft OASIS Montaj and programs proprietary to Geotech Ltd.

A database, grids and maps of final products were presented to Strategic Metals Ltd.

The survey report describes the procedures for data acquisition, processing, final image presentation and the specifications for the digital data set.

1.4. Topographic Relief and cultural features

The survey block is located in Yukon, approximately 130 kilometers north of the town of Watson Lake.

Topographically, the survey area exhibits a challenging mountainous terrain, with elevation range from 1050 metres to 2180 metres above sea level.



Figure 1 – Projection of flight path on topography.

2. DATA ACQUISITION

2.1. Survey Area

The survey block (see location map, Appendix A) and general flight specifications are as follows:

Survey block	Line spacing (m)	Area (Km2)	Line-km	Flight direction	Line number
HY	200	73.10	374.75	N24E / N204E	L10010 - L10760
	2000		45.25	N114E / N294E	T10870 - T10900

Table 1 - Survey block

Survey block boundaries co-ordinates are provided in Appendix B.

2.2. Survey Operations

Survey operations were based in Watson Lake, Yukon for the acquisition phase of the survey.

The following table shows the timing of the flying.

Date	Flight #	Flown KM	Block	Crew Location	Comments
2-Aug-07	18	15.08	HY	Watson Lake, Yukon	Production - Other blocks flown
3-Aug-07	19 - 21	131.69	HY	Watson Lake, Yukon	Production – aborted for weather
4-Aug-07	22 - 24	189.14	HY	Watson Lake, Yukon	Production – aborted for weather
5-Aug-07	25	84.09	HY	Incannu Lodge, Yukon	Block complete - Mobilization

Table 2 - Survey schedule

2.3. Flight Specifications

The nominal EM sensor terrain clearance was 210 m (EM bird height above ground, i.e. helicopter is maintained 245 m above ground); due to rough terrain and helicopter crew safety. Nominal survey speed was 80 km/hour. The data recording rates of the data acquisition was 0.1 second for electromagnetics and magnetometer, 0.2 second for altimeter and GPS. This translates to a geophysical reading about every 2 metres along flight track. Navigation was assisted by a GPS receiver and data acquisition system, which reports GPS co-ordinates as latitude/longitude and directs the pilot over a pre-programmed survey grid.

The operator was responsible for monitoring of the system integrity. He also maintained a detailed flight log during the survey, tracking the times of the flight as well as any unusual geophysical or topographic feature.

On return of the aircrew to the base the survey data was transferred from a compact flash card (PCMCIA) to the data processing computer.

2.4. Aircraft and Equipment

2.4.1. Survey Aircraft

An Astar B3 helicopter, registration C-GTFX - owned and operated by TRK Helicopters Ltd. - was used for the survey. Installation of the geophysical and ancillary equipment was carried out by Geotech Ltd.

2.4.2. Electromagnetic System

The electromagnetic system was a Geotech Time Domain EM (VTEM) system. The configuration is as indicated in Figure 2 below.



Figure 2 – VTEM configuration



Figure 3 – Sample times

Receiver and transmitter coils are concentric and Z-direction oriented.
The receiver decay recording scheme is shown diagrammatically in Figure 3.

Twenty-four measurement gates were used in the range from 120 μs to 6578 μs, as shown in Table 3.

VTEM Decay Sampling scheme				
Array Index	(Microseconds)			
	Time Gate	Start	End	Width
10	120	110	131	21
11	141	131	154	24
12	167	154	183	29
13	198	183	216	34
14	234	216	258	42
15	281	258	310	53
16	339	310	373	63
17	406	373	445	73
18	484	445	529	84
19	573	529	628	99
20	682	628	750	123
21	818	750	896	146
22	974	896	1063	167
23	1151	1063	1261	198
24	1370	1261	1506	245
25	1641	1506	1797	292
26	1953	1797	2130	333
27	2307	2130	2526	396
28	2745	2526	3016	490
29	3286	3016	3599	583
30	3911	3599	4266	667
31	4620	4266	5058	792
32	5495	5058	6037	979
33	6578	6037	7203	1167

Table 3 - VTEM decay sampling scheme

Transmitter coil diameter was 26 metres, the number of turns was 4.
Transmitter pulse repetition rate was 30 Hz.
Peak current was 199 Amp.
Pulse width was 7.2 ms
Duty cycle was 43%.
Peak dipole moment was 422,500 NIA.

Receiver coil diameter was 1.2 metre, the number of turns was 100.
Receiver effective area was 113.1 m^2
Wave form – trapezoid.
Recording sampling rate was 10 samples per second.

The EM bird was towed 42 m below the helicopter.

2.4.3. Airborne magnetometer

The magnetic sensor utilized for the survey was a Geometrics optically pumped cesium vapour magnetic field sensor, mounted in a separated bird, towed 15 metres below the helicopter, as shown on figure 1. The sensitivity of the magnetic sensor is 0.02 nanoTesla (nT) at a sampling interval of 0.1 seconds. The magnetometer sends the measured magnetic field strength as nanoTeslas to the data acquisition system via the RS-232 port.

2.4.4. Ancillary Systems

2.4.4.1. Radar Altimeter

A Terra TRA 3000/TRI 40 radar altimeter was used to record terrain clearance. The antenna was mounted beneath the bubble of the helicopter cockpit.

2.4.4.2. GPS Navigation System

The navigation system used was a Geotech PC based navigation system utilizing a NovAtel's WAAS enable OEM4-G2-3151W GPS receiver, Geotech navigate software, a full screen display with controls in front of the pilot to direct the flight and an NovAtel GPS antenna mounted on the helicopter tail.
The co-ordinates of the block were set-up prior to the survey and the information was fed into the airborne navigation system.

2.4.4.3. Digital Acquisition System

A Geotech data acquisition system recorded the digital survey data on an internal compact flash card. Data is displayed on an LCD screen as traces to allow the operator to monitor the integrity of the system. The data type and sampling interval as provided in table 4.

DATA TYPE	SAMPLING
TDEM	0.1 sec
Magnetometer	0.1 sec
GPS Position	0.2 sec
RadarAltimeter	0.2 sec

Table 4 - Sampling Rates

2.4.5. Base Station

A combine magnetometer/GPS base station was utilized on this project. A Geometrics Cesium vapour magnetometer was used as a magnetic sensor with a sensitivity of 0.001 nT. The base station was recording the magnetic field together with the GPS time at 1 Hz on a base station computer.

The base station magnetometer sensor was installed in the vicinity of the airport in Watson Lake, away from electric transmission lines and moving ferrous objects such as motor vehicles.

The magnetometer base station's data was backed-up to the data processing computer at the end of each survey day.

3. PERSONNEL

The following Geotech Ltd. personnel were involved in the project:

Field

Project Manager:	Harish Kumar
Crew chief / QC Geophysicist:	Sean Hayes
Operator:	Ioan Serbu

The survey pilot and the mechanic engineer were employed directly by the helicopter operator – TRK Helicopters Ltd.

Pilot:	Pierre Forand
Engineer:	Darren Shipman

Office

Data Processing / Reporting:	George Lev
Data Technician:	Maria Jagodkin

Data acquisition and processing phases were carried out under the supervision of Andrei Bagrianski, Surveys Manager. Overall management of the project was undertaken by Edward Morrison, President, Geotech Ltd.

4. DATA PROCESSING AND PRESENTATION

4.1. Flight Path

The flight path, recorded by the acquisition program as WGS 84 latitude/longitude, was converted into the UTM coordinate system in Oasis Montaj.

The flight path was drawn using linear interpolation between x, y positions from the navigation system. Positions are updated every second and expressed as UTM eastings (x) and UTM northings (y).

4.2. Electromagnetic Data

A three stage digital filtering process was used to reject major sferic events and to reduce system noise. Local sferic activity can produce sharp, large amplitude events that cannot be removed by conventional filtering procedures. Smoothing or stacking will reduce their amplitude but leave a broader residual response that can be confused with geological phenomena. To avoid this possibility, a computer algorithm searches out and rejects the major sferic events. The filter used was a 16 point non-linear filter.

The signal to noise ratio was further improved by the application of a low pass linear digital filter. This filter has zero phase shift which prevents any lag or peak displacement from occurring, and it suppresses only variations with a wavelength less than about 1 second or 20 metres. This filter is a symmetrical 1 sec linear filter.

The results are presented as stacked profiles of EM voltages for the time gates, in linear - logarithmic scale for both B-field and dB/dt response.

Generalized modeling results of the VTEM system, written by Geophysicist Roger Barlow, are shown in Appendix C.

Graphical representation of the VTEM output voltage of the receiver coil and the transmitter current is shown in Appendix D.

4.3. Magnetic Data

The processing of the magnetic data involved the correction for diurnal variations by using the digitally recorded ground base station magnetic values. The base station magnetometer data was edited and merged into the Geosoft GDB database on a daily basis. The aeromagnetic data was corrected for diurnal variations by subtracting the observed magnetic base station deviations.

A micro-levelling procedure was applied to remove persistent low-amplitude components of flight-line noise remaining in the data. Where Tie lines were available, Tie line levelling was carried out by adjusting intersection points along the traverse lines.

The corrected magnetic data was interpolated between survey lines using a random point gridding method to yield x-y grid values for a standard grid cell size of approximately 0.1 cm at the mapping scale. The Minimum Curvature algorithm was used to interpolate values onto a rectangular regular spaced grid.

The survey area shows an average magnetic activity. Maximum values of 57545 nT are observed in the SW corner of the block. Average of 57070 nT is detected in the survey area.

5. DELIVERABLES

5.1. Survey Report

The survey report describes the data acquisition, processing, and final presentation of the survey results.

The survey report is provided in two paper copies and digitally in PDF format.

5.2. Maps

Final maps were produced at a scale of 1:30,000. The coordinate/projection system used was the WGS84, UTM zone 9N. All maps show the flight path trace and topographic data. Latitude and longitude are also noted on maps.

The following maps are presented on paper,

- dB/dt profiles, Time Gates 0.234 – 6.578 ms in linear - logarithmic scale
- B-field profiles, Time Gates 0.234 – 6.578 ms in linear - logarithmic scale
- Total Magnetic intensity contours and colour image

5.3. Digital Data

Two copies of DVDs were prepared.

There are two (2) main directories,

Data contains a database, grids and maps, as described below.

Report contains a copy of the report and appendices in PDF format.

a kmz file containing flightpath of the HY property.
A free version of Google Earth software can be downloaded from,
http://earth.google.com/download-earth.html

- Database in Geosoft GDB format, containing the following channels:

X:	X positional data (metres – WGS84, utm zone 9 north)
Y:	Y positional data (metres – WGS84, utm zone 9 north)
Z:	GPS antenna elevation (metres - ASL)
Radar:	Helicopter terrain clearance from radar altimeter (metres - AGL)
Radarb:	EM Loop terrain clearance from radar altimeter (metres - AGL)
DEM:	Digital elevation model (metres)
Gtime1:	GPS time (seconds of the day)
Mag1:	Raw Total Magnetic field data (nT)
Basemag:	Magnetic diurnal variation data (nT)
Mag2:	Total Magnetic field diurnal variation corrected data (nT)
Mag3:	Leveled Total Magnetic field data (nT)
SF[10]:	dB/dt 120 microsecond time channel (pV/A/m^4)
SF[11]:	dB/dt 141 microsecond time channel (pV/A/m^4)
SF[12]:	dB/dt 167 microsecond time channel (pV/A/m^4)
SF[13]:	dB/dt 198 microsecond time channel (pV/A/m^4)
SF[14]:	dB/dt 234 microsecond time channel (pV/A/m^4)
SF[15]:	dB/dt 281 microsecond time channel (pV/A/m^4)
SF[16]:	dB/dt 339 microsecond time channel (pV/A/m^4)
SF[17]:	dB/dt 406 microsecond time channel (pV/A/m^4)
SF[18]:	dB/dt 484 microsecond time channel (pV/A/m^4)
SF[19]:	dB/dt 573 microsecond time channel (pV/A/m^4)
SF[20]:	dB/dt 682 microsecond time channel (pV/A/m^4)
SF[21]:	dB/dt 818 microsecond time channel (pV/A/m^4)
SF[22]:	dB/dt 974 microsecond time channel (pV/A/m^4)
SF[23]:	dB/dt 1151 microsecond time channel (pV/A/m^4)
SF[24]:	dB/dt 1370 microsecond time channel (pV/A/m^4)
SF[25]:	dB/dt 1641 microsecond time channel (pV/A/m^4)
SF[26]:	dB/dt 1953 microsecond time channel (pV/A/m^4)
SF[27]:	dB/dt 2307 microsecond time channel (pV/A/m^4)
SF[28]:	dB/dt 2745 microsecond time channel (pV/A/m^4)
SF[29]:	dB/dt 3286 microsecond time channel (pV/A/m^4)
SF[30]:	dB/dt 3911 microsecond time channel (pV/A/m^4)
SF[31]:	dB/dt 4620 microsecond time channel (pV/A/m^4)
SF[32]:	dB/dt 5495 microsecond time channel (pV/A/m^4)
SF[33]:	dB/dt 6578 microsecond time channel (pV/A/m^4)
BF[10]:	B-field 120 microsecond time channel (pV*ms)/(A*m^4)
BF[11]:	B-field 141 microsecond time channel (pV*ms)/(A*m^4)
BF[12]:	B-field 167 microsecond time channel (pV*ms)/(A*m^4)
BF[13]:	B-field 198 microsecond time channel (pV*ms)/(A*m^4)
BF[14]:	B-field 234 microsecond time channel (pV*ms)/(A*m^4)

BF[15]: B-field 281 microsecond time channel (pV*ms)/(A*m^4)
BF[16]: B-field 339 microsecond time channel (pV*ms)/(A*m^4)
BF[17]: B-field 406 microsecond time channel (pV*ms)/(A*m^4)
BF[18]: B-field 484 microsecond time channel (pV*ms)/(A*m^4)
BF[19]: B-field 573 microsecond time channel (pV*ms)/(A*m^4)
BF[20]: B-field 682 microsecond time channel (pV*ms)/(A*m^4)
BF[21]: B-field 818 microsecond time channel (pV*ms)/(A*m^4)
BF[22]: B-field 974 microsecond time channel (pV*ms)/(A*m^4)
BF[23]: B-field 1151 microsecond time channel (pV*ms)/(A*m^4)
BF[24]: B-field 1370 microsecond time channel (pV*ms)/(A*m^4)
BF[25]: B-field 1641 microsecond time channel (pV*ms)/(A*m^4)
BF[26]: B-field 1953 microsecond time channel (pV*ms)/(A*m^4)
BF[27]: B-field 2307 microsecond time channel (pV*ms)/(A*m^4)
BF[28]: B-field 2745 microsecond time channel (pV*ms)/(A*m^4)
BF[29]: B-field 3286 microsecond time channel (pV*ms)/(A*m^4)
BF[30]: B-field 3911 microsecond time channel (pV*ms)/(A*m^4)
BF[31]: B-field 4620 microsecond time channel (pV*ms)/(A*m^4)
BF[32]: B-field 5495 microsecond time channel (pV*ms)/(A*m^4)
BF[33]: B-field 6578 microsecond time channel (pV*ms)/(A*m^4)
PLM: Power line monitor

Electromagnetic B-field and dB/dt data is found in array channel format between indexes 10 – 33, as described above.

- Database 7067HY_wform.gdb in Geosoft GDB format, containing the following channels:

  Time: Sampling rate interval, 10.416 microseconds
  Volt: output voltage of the receiver coil (volt)

- Grids in Geosoft GRD format, as follow,

  HY_magfin: Total magnetic intensity (nT)
  HY_DEM: Digital elevation model (m)

  A Geosoft .GRD file has a .GI metadata file associated with it, containing grid projection information.
  Grid cell size of 10 meters was used.

- Maps at 1:30,000 scale in Geosoft MAP format, as follow,

  HY_Magfin: Total magnetic intensity contours and colour image
  HY_dBdt: VTEM dB/dt profiles, Time Gates 0.234 – 6.578 ms in linear - logarithmic scale
  HY_EMLP: VTEM B-field profiles, Time Gates 0.234 – 6.578 ms in linear - logarithmic scale

- A *readme.txt* file describing the content of digital data, as described above.

6. CONCLUSIONS

A helicopter-borne versatile time domain electromagnetic (VTEM) geophysical survey has been completed over the HY property, located in Yukon, Canada.

The total area coverage is 73.1 km^2. Total survey line coverage is 420.00 line kilometres. The principal sensors included a Time Domain EM system and a magnetometer. Results have been presented as stacked profiles and contour colour images at a scale of 1:30,000.

Final data processing at the office of Geotech Ltd. in Aurora, Ontario was carried out under the supervision of Andrei Bagrianski, Surveys Manager.

A number of EM anomaly groupings were identified. Ground follow-up of those anomalies should be carried out if favourably supported by other geoscientific data.

Respectfully submitted,

George Lev
Geotech Ltd.
February, 2008

APPENDIX A

SURVEY BLOCK LOCATION MAP


-128°46'30"
512500
-128°43'40"
515000
-128°40'50"
517500
-128°38'
520000
-128°35'10"
522500
-128°32'20"
525000
-128°29'30"
527500
61°17'40"
6795000
6792500
61°14'50"
6790000
6787500
HY Property
Contract 7067 - Strategic Metals Ltd..
Yukon, Canada
Location map
Geotech VTEM System
1000 0 1000 2000
(meters)
WGS 84 / UTM zone 9N

APPENDIX B

SURVEY BLOCK COORDINATES
(WGS 84, UTM zone 9 north)

HY property

HY	
Easting	**Northing**
522433	6795169
522061	6794333
517887	6796194
517144	6794523
514222	6795825
512364	6791649
519875	6788301
520247	6789136
521082	6788764
521454	6789599
522288	6789227
522660	6790062
523495	6789690
523867	6790525
527622	6788851
528738	6791357
524565	6793217
524937	6794052

APPENDIX C

MODELING VTEM DATA

MODELING VTEM DATA

Introduction

The VTEM system is based on a concentric or central loop design, whereby, the receiver is positioned at the centre of a 26.1 meters diameter transmitter loop that produces a dipole moment up to 625,000 NIA at peak current. The wave form is a bi-polar, modified square wave with a turn-on and turn-off at each end. With a base frequency of 30 Hz, the duration of each pulse is approximately 7.5 milliseconds followed by an off time where no primary field is present.

During turn-on and turn-off, a time varying field is produced (dB/dt) and an electro-motive force (emf) is created as a finite impulse response. A current ring around the transmitter loop moves outward and downward as time progresses. When conductive rocks and mineralization are encountered, a secondary field is created by mutual induction and measured by the receiver at the centre of the transmitter loop.

Measurements are made during the off-time, when only the secondary field (representing the conductive targets encountered in the ground) is present.

Late in 2006, Geotech Ltd. incorporated a B-Field measurement in the VTEM system. The B-Field measurements have the advantage of containing more spectral energy at low spectral frequencies than the dB/dt measurements; hence, greater amplitudes and accuracies when encountering targets with higher conductances (> 500 Siemens). The converse is true at higher spectral frequencies where dB/dt measurements are best applied. The B-field is most widely used in nickel exploration where a small percentage of targets are extremely conductive (> 2500 Siemens) and less resolvable or invisible (below the noise threshold) using dB/dt measurements.

Efficient modeling of the results can be carried out on regularly shaped geometries, thus yielding close approximations to the parameters of the measured targets. The following is a description of a series of common models made for the purpose of promoting a general understanding of the measured results.

Variation of Plate Depth

Geometries represented by plates of different strike length, depth extent, dip, plunge and depth below surface can be varied with characteristic parameters like conductance of the target, conductance of the host and conductivity/thickness and thickness of the overburden layer.

Diagrammatic models for a vertical plate are shown in figures A and G at two different depths, all other parameters remaining constant. With this transmitter-receiver geometry, the classic **M** shaped response is generated. Figure A shows a plate where the top is near surface. Here, amplitudes of the duel peaks are higher and symmetrical with the zero centre positioned directly above the plate. Most important is the separation distance of the peaks. This distance is small when the plate is near surface and widens with a linear relationship as the plate (depth to top) increases. Figure G shows a much deeper plate where the separation distance of the peaks is much wider and the amplitudes of the channels have decreased.

Variation of Plate Dip

As the plate dips and departs from the vertical position, the peaks become asymmetrical. Figure B shows a near surface plate dipping 80º. Note that the direction of dip is toward the high shoulder of the response and the top of the plate remains under the centre minimum.

As the dip increases, the aspect ratio (Min/Max) decreases and this aspect ratio can be used as an empirical guide to dip angles from near 90º to about 30º. The method is not sensitive enough where dips are less than about 30º. Figure E shows a plate dipping 45º and, at this angle, the minimum shoulder starts to vanish. In Figure D, a flat lying plate is shown, relatively near surface. Note that the twin peak anomaly has been replaced by a symmetrical shape with large, bell shaped, channel amplitudes which decay relative to the conductance of the plate.

Figure H shows a special case where two plates are positioned to represent a synclinal structure. Note that the main characteristic to remember is the centre amplitudes are higher (approximately double) compared to the high shoulder of a single plate. This model is very representative of tightly folded formations where the conductors where once flat lying.

Variation of Prism Depth

Finally, with prism models, another algorithm is required to represent current on the plate. A plate model is considered to be infinitely thin with respect to thickness and incapable of representing the current in the thickness dimension. A prism model is constructed to deal with this problem, thereby, representing the thickness of the body more accurately.

Figures C, F and I show the same prism at increasing depths. Aside from an expected decrease in amplitude, the side lobes of the anomaly show a widening with deeper prism depths of the bell shaped early time channels.

A



B



C



D



E



F



G



H



I



General Modeling Concepts

A set of models has been produced for the Geotech VTEM® system with explanation notes (see models A to I above). The reader is encouraged to review these models, so as to get a general understanding of the responses as they apply to survey results. While these models do not begin to cover all possibilities, they give a general perspective on the simple and most commonly encountered anomalies.

When producing these models, a few key points were observed and are worth noting as follows:

- For near vertical and vertical plate models, the top of the conductor is always located directly under the centre low point between the two shoulders in the classic **M** shaped response.

- As the plate is positioned at an increasing depth to the top, the shoulders of the **M** shaped response, have a greater separation distance.

- When faced with choosing between a flat lying plate and a prism model to represent the target (broad response) some ambiguity is present and caution should be exercised.

- With the concentric loop system and Z-component receiver coil, virtually all types of conductors and most geometries are most always well coupled and a response is generated (see model H). Only concentric loop systems can map this type of target.

The modelling program used to generate the responses was prepared by PetRos Eikon Inc. and is one of a very few that can model a wide range of targets in a conductive half space.

General Interpretation Principals

Magnetics

The total magnetic intensity responses reflect major changes in the magnetite and/or other magnetic minerals content in the underlying rocks and unconsolidated overburden. Precambrian rocks have often been subjected to intense heat and pressure during structural and metamorphic events in their history. Original signatures imprinted on these rocks at the time of formation have, it most cases, been modified, resulting in low magnetic susceptibility values.

The amplitude of magnetic anomalies, relative to the regional background, helps to assist in identifying specific magnetic and non-magnetic rock units (and conductors) related to, for example, mafic flows, mafic to ultramafic intrusives, felsic intrusives, felsic volcanics and/or sediments etc. Obviously, several geological sources can produce the same magnetic response. These ambiguities can be reduced considerably if basic geological information on the area is available to the geophysical interpreter.

In addition to simple amplitude variations, the shape of the response expressed in the wave length and the symmetry or asymmetry, is used to estimate the depth, geometric parameters and magnetization of the anomaly. For example, long narrow magnetic linears usually reflect mafic flows or intrusive dyke features. Large areas with complex magnetic patterns may be produced by intrusive bodies with significant magnetization, flat lying magnetic sills or sedimentary iron formation. Local isolated circular magnetic patterns often represent plug-like igneous intrusives such as kimberlites, pegmatites or volcanic vent areas.

Because the total magnetic intensity (TMI) responses may represent two or more closely spaced bodies within a response, the second derivative of the TMI response may be helpful for distinguishing these complexities. The second derivative is most useful in mapping near surface linears and other subtle magnetic structures that are partially masked by nearby higher amplitude magnetic features. The broad zones of higher magnetic amplitude, however, are severely attenuated in the vertical derivative results. These higher amplitude zones reflect rock units having strong magnetic susceptibility signatures. For this reason, both the TMI and the second derivative maps should be evaluated together.

Theoretically, the second derivative, zero contour or colour delineates the contacts or limits of large sources with near vertical dip and shallow depth to the top. The vertical gradient map also aids in determining contact zones between rocks with a susceptibility contrast, however, different, more complicated rules of thumb apply.

Concentric Loop EM Systems

Concentric systems with horizontal transmitter and receiver antennae produce much larger responses for flat lying conductors as contrasted with vertical plate-like conductors. The amount of current developing on the flat upper surface of targets having a substantial area in this dimension, are the direct result of the effective coupling angle, between the primary magnetic field and the flat surface area. One therefore, must not compare the amplitude/conductance of responses generated from flat lying bodies with those derived from near vertical plates; their ratios will be quite different for similar conductances.

Determining dip angle is very accurate for plates with dip angles greater than 30º. For angles less than 30º to 0º, the sensitivity is low and dips can not be distinguished accurately in the presence of normal survey noise levels.

A plate like body that has near vertical position will display a two shoulder, classic **M** shaped response with a distinctive separation distance between peaks for a given depth to top.

It is sometimes difficult to distinguish between responses associated with the edge effects of flat lying conductors and poorly conductive bedrock conductors. Poorly conductive bedrock conductors having low dip angles will also exhibit responses that may be interpreted as surfacial overburden conductors. In some situations, the conductive response has line to line continuity and some magnetic correlation providing possible evidence that the response is related to an actual bedrock source.

The EM interpretation process used, places considerable emphasis on determining an understanding of the general conductive patterns in the area of interest. Each area has different characteristics and these can effectively guide the detailed process used.

The first stage is to determine which time gates are most descriptive of the overall conductance patterns. Maps of the time gates that represent the range of responses can be very informative.

Next, stacking the relevant channels as profiles on the flight path together with the second vertical derivative of the TMI is very helpful in revealing correlations between the EM and Magnetics.

Next, key lines can be profiled as single lines to emphasize specific characteristics of a conductor or the relationship of one conductor to another on the same line. Resistivity Depth sections can be constructed to show the relationship of conductive overburden or conductive bedrock with the conductive anomaly.

APPENDIX D

VTEM WAVEFORM



APPENDIX E

GEOPHYSICAL MAP



GEOTECH LTD.



Survey Specifications:
Dates Flown: August 2 - 5, 2007
Survey Base: Watson Lake, YT
Aircraft: Astar B3 helicopter, Registration C-GTFX
Nominal Flight Line Spacing: 200 metres
Nominal Flight Line Directions: N24°E/N204°E
Nominal Tie Line Spacing: 2000 metres
Nominal Tie Line Directions: N114°E/N294°E
Nominal helicopter terrain clearance 245 metres
EM Loop is towed 42 metres under helicopter
Magnetic sensor is 15 metres under helicopter

Instruments:
Geotech Time Domain Electromagnetic System (VTEM)
with concentric Rx/Tx geometry
Transmitter Loop Diameter 26 m, Base Frequency 30 Hz
Dipole Moment 422,500 NIA
Transmitter Wave Form: Trapezoid, Pulse Width 7.22 ms
Geometrics Optically-pumped,
High Sensitivity Cesium Magnetometer
Magnetometer Resolution 0.02 nT at 10 samples/sec

Profiles scale 1 mm = 0.05 (pV*ms)/A/m^4
(Linear between +/- 0.2 (pV*ms)/A/m^4
logarithmic above 0.2 (pV*ms)/A/m^4)

Legend:
- Roads
- Lakes, Rivers
- Swamps
- Topographic contours

- 0.234 ms (B-field)
- 0.281 ms (B-field)
- 0.339 ms (B-field)
- 0.406 ms (B-field)
- 0.484 ms (B-field)
- 0.573 ms (B-field)
- 0.682 ms (B-field)
- 0.818 ms (B-field)
- 0.974 ms (B-field)
- 1.151 ms (B-field)
- 1.370 ms (B-field)
- 1.641 ms (B-field)
- 1.953 ms (B-field)
- 2.307 ms (B-field)
- 2.745 ms (B-field)
- 3.286 ms (B-field)
- 3.911 ms (B-field)
- 4.620 ms (B-field)
- 5.495 ms (B-field)
- 6.578 ms (B-field)

Scale 1:30000

500 0 500 1000 1500
(meters)
WGS 84 / UTM zone 9N

Strategic Metals Ltd.
Block HY
Yukon, Canada

Geotech VTEM System
B-Field Profiles
Time Gates 0.234 - 6.578 ms

Flown and processed by Geotech Ltd.
245 Industrial Parkway North.,
Aurora, Ontario, Canada L4G 4C4
www.geotech.ca

February 2008

Project 7067

GEOTECH LTD.

Survey Specifications:
Dates Flown: August 2 - 5, 2007
Survey Base: Watson Lake, YT
Aircraft: Astar B3 helicopter, Registration C-GTFX
Nominal Flight Line Spacing: 200 metres
Nominal Flight Line Directions: N24°E/N204°E
Nominal Tie Line Spacing: 2000 metres
Nominal Tie Line Directions: N114°E/N294°E
Nominal helicopter terrain clearance 245 metres
EM Loop is towed 42 metres under helicopter
Magnetic sensor is 15 metres under helicopter

Instruments:
Geotech Time Domain Electromagnetic System (VTEM)
with concentric Rx/Tx geometry
Transmitter Loop Diameter 26 m, Base Frequency 30 Hz
Dipole Moment 422,500 NIA
Transmitter Wave Form: Trapezoid, Pulse Width 7.22 ms
Geometrics Optically-pumped,
High Sensitivity Cesium Magnetometer
Magnetometer Resolution 0.02 nT at 10 samples/sec

Profiles scale 1 mm = 0.05 pV/A/m^4
(Linear between +/- 0.2 pV/A/m^4
logarithmic above 0.2 pV/A/m^4)

	0.234 ms
	0.281 ms
	0.339 ms
	0.406 ms
	0.484 ms
	0.573 ms
	0.682 ms
	0.818 ms
	0.974 ms
	1.151 ms
	1.370 ms
	1.641 ms
	1.953 ms
	2.307 ms
	2.745 ms
	3.286 ms
	3.911 ms
	4.620 ms
	5.495 ms
	6.578 ms

Legend:
Roads
Lakes, Rivers
Swamps
Topographic contours

Scale 1:30000
500 0 500 1000 1500
(meters)
WGS 84 / UTM zone 9N

Strategic Metals Ltd.
Block HY
Yukon, Canada

Geotech VTEM System
dB/dt Profiles
Time Gates 0.234 - 6.578 ms

Flown and processed by Geotech Ltd.
245 Industrial Parkway North,
Aurora, Ontario, Canada L4G 4C4
www.geotech.ca

February 2008

Project 7067

GEOTECH LTD.



Survey Specifications:

Dates Flown: August 2 - 5, 2007
Survey Base: Watson Lake, YT
Aircraft: Astar B3 helicopter, Registration C-GTFX
Nominal Flight Line Spacing: 200 metres
Nominal Flight Line Directions: N24°E/N204°E
Nominal Tie Line Spacing: 2000 metres
Nominal Tie Line Directions: N114°E/N294°E
Nominal helicopter terrain clearance 245 metres
EM Loop is towed 42 metres under helicopter
Magnetic sensor is 15 metres under helicopter

Instruments:

Geotech Time Domain Electromagnetic System (VTEM) with concentric Rx/Tx geometry
Transmitter Loop Diameter 26 m, Base Frequency 30 Hz
Dipole Moment 422,500 NIA
Transmitter Wave Form: Trapezoid, Pulse Width 7.22 ms
Geometrics Optically-pumped,
High Sensitivity Cesium Magnetometer
Magnetometer Resolution 0.02 nT at 10 samples/sec





Magnetic field (nT)

Legend:

- Boundary Yukon - BC
- Roads
- Lakes, Rivers
- Swamps
- Topographic contours

Contour intervals:

- 1 nT
- 5 nT
- 20 nT

Scale 1:30000

500 0 500 1000 1500

(meters)

WGS 84 / UTM zone 9N

Strategic Metals Ltd.
Block HY
Yukon, Canada

Geotech VTEM System
Total Magnetic Field Map

Flown and processed by Geotech Ltd.
245 Industrial Parkway North,
Aurora, Ontario, Canada L4G 4C4
www.geotech.ca

February 2008

Project 7067

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

AFFIDAVIT

I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of Expenditures for exploration work on Hy 1-347 mineral claims on Claim Sheet 105H/01, 02, 07 and 08 is accurate.

Joan Mariacher

Sworn before me at Vancouver, B.C.

this 3rd day of March, 2008.

Statement of Expenditures
Hy 1-347 Mineral Claims
February 21, 2008

Labour

D. Eaton – geologist – Aug. to Dec. 2007 – 55 hrs @ $100/hr	$ 5,830.00
L. Beranek – geologist – Aug. 2007 – 52 hrs @ $90/hr	4,960.80
S. Eaton – geologist – Aug. to Dec. 2007 – 252 hrs @ $65/hr	17,362.80
H. Smith – geologist – Sep. 2007 – 120 hrs @ $65/hr	8,268.00
H. Blumenthal –geologist – Aug. 2007 – 48 hrs @ $60/hr	3,052.80
J. Lane – field assistant – Aug. to Nov. 2007 – 148 hrs @ $50/hr	7,844.00
W. Huston – field assistant – Jul. to Sep. 2007 – 30.5 hrs @ $40/hr	1,293.20
R. Dreschler – field assistant – Aug. to Sep. 2007 – 208 hrs @ $38/hr	8,378.24
C. Shook – field assistant – Aug. to Sep. 2007 – 200 hrs @ $38/hr	8,056.00
M. Wittstock – field assistant – Aug. 2007 – 48 hrs @ $38/hr	1,933.44
C. Duignan – field assistant – Aug. 2007 – 8 hrs @ $34/hr	288.32
D. Hogarth – field assistant – Sep. 2007 – 112 hrs @ $34/hr	4,036.48
J. Mariacher – office work – Aug. to Dec. 2007 – 21 hrs @ $70/hr	1,558.20
J. Itkin – office work – Oct. to Dec. 2007 – 5.5 hrs @ $64/hr	373.12
L. Corbett – office work – Aug. to Sep. 2007 – 60 hrs @ $60/hr	3,816.00
D. Huston – office work – Aug. to Nov. 2007 – 35 hrs @ $60/hr	2,226.00
M. Gonzalvo – office work – Aug. to Nov. 2007 – 18 hrs @ $34/hr	648.72
S. Newman – office work – Aug. 2007 – 4.5 hrs @ $34/hr	171.19
N. Thomson-Gladish – office work – Aug 2007 – 5.75 hrs @ $34/hr	207.23
G. Walker – office work – Aug. to Dec. 2007 – 7.25 hrs @ $34/hr	261.29
	$ 80,565.83

Expenses

Field room and board – 179 days @ $125/day	$ 23,717.50
15317 Yukon Inc.	32,249.75
ALS Chemex	14,215.01
Capital Helicopters –1.9 hrs Bell 206B @ 1000/hr plus fuel	2,113.93
Norcan Leasing Ltd. plus fuel	15,376.48
	$ 87,672.67

Total	$168,238.50

138,800 QL26171

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
7/31/2007	292

Bill To

SELWYN SILVER - HY PROJECT
Treat Systems Inc.
130 King St. West, Ste.2500
Toronto. ON

BILLING PERIOD
JULY/07

Budget Item	Description	Qty/Hours	Rate	Amount
AC-05 Labour	W.Huston	16.00	40.00	640.00T
	EXPENSES			
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#44633		166.22	166.22T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-20834		63.62	63.62T
NA-26 Truck Rental & Fuel	North 60 Petro - Inv#1579315		144.56	144.56T
	Total Expenses			374.40
AC-01 Management Fee	Management Fee on Expenses		8.00%	29.95T
	Business Number: 100247667			

Subtotal	**$1,044.35**
GST	**$62.66**
Total Payable	**$1,107.01**

Archer, Cathro & Associates (1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
8/31/2007	347

Bill To

SELWYN SILVER - HY PROJECT
Strategic Metals Ltd.

BILLING PERIOD
AUGUST/07

Budget Item	Description	Qty/Hours	Rate	Amount
AC-11 AC House-Room & Board	AC House-Room & Board	6.00	120.00	720.00T
AC-10 Camp & Field Gear Rental	AC Camp & Field Gear Rental	50.00	60.00	3,000.00T
AC-14 Trailer Rental	18' Trailer Rental	3.00	125.00	375.00T
AC-12 ATV Rental	Mule	9.00	125.00	1,125.00T
AC-12 ATV Rental	Mulette	9.00	100.00	900.00T
	FEES			
AC-05 Labour	W.Huston	14.00	40.00	560.00T
AC-07 Office work	G.Walker	0.75	34.00	25.50T
AC-08 Senior Supervision	D.Eaton	19.00	100.00	1,900.00T
AC-07 Office work	S.Newman	4.50	34.00	153.00T
AC-07 Office work	J.Mariacher	4.00	70.00	280.00T
AC-05 Labour	R.Drechsler	80.00	38.00	3,040.00T
AC-07 Office work	M.Gonzalvo	2.00	34.00	68.00T
AC-06 Expediting	D.Huston	19.00	60.00	1,140.00T
AC-05 Labour	L.Beranek	52.00	90.00	4,680.00T
AC-05 Labour	C.Duignan	8.00	34.00	272.00T
AC-05 Labour	S.Eaton	72.00	65.00	4,680.00T
AC-05 Labour	H.Blumenthal	48.00	60.00	2,880.00T
AC-05 Labour	C.Shook	72.00	38.00	2,736.00T
AC-05 Labour	M.Wittstock	48.00	38.00	1,824.00T
AC-06 Expediting	L.Corbett	8.00	60.00	480.00T
AC-05 Labour	N.Thomson-Gladish	5.75	34.00	195.50T
	EXPENSES			
NA-23 Non-AC Room & Board	Belvedere Hotels -Inv#112132		99.00	99.00T
NA-23 Non-AC Room & Board	L.Corbett - PC-AUG.17/07		11.45	11.45T
NA-23 Non-AC Room & Board	TND Motor Hotel - Inv#0030		196.58	196.58T
NA-02 Helicopter+Fuel	200l @ 1.6319		326.38	326.38T
NA-23 Non-AC Room & Board	Belvedere Hotels - Inv#112201		99.00	99.00T
NA-30 Non-AC Miscellaneous	Maximilan's Corporation - Inv#512807		40.59	40.59T
NA-02 Helicopter+Fuel	800l @ 1.6319 jetB		-326.38	-326.38T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#131008		536.36	536.36T
NA-02 Helicopter+Fuel	Capital Helicopters - Inv#10648		1,994.27	1,994.27T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#131025		1,492.49	1,492.49T
NA-22 Camp Food & Consuma...	L.Corbett - PC-AUG.31/07		113.94	113.94T
NA-26 Truck Rental & Fuel	L.Corbett - PC-AUG.31/07		103.95	103.95T

Subtotal	
GST	
Total Payable	

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
8/31/2007	347

Bill To

SELWYN SILVER - HY PROJECT
Strategic Metals Ltd.

BILLING PERIOD
AUGUST/07

Budget Item	Description	Qty/Hours	Rate	Amount
NA-30 Non-AC Miscellaneous	L.Corbett - PC-AUG.31/07		24.36	24.36T
NA-26 Truck Rental & Fuel	C.Shook - EXP-SEP.4/07		54.58	54.58T
NA-30 Non-AC Miscellaneous	C.Shook - EXP-SEP.4/07		4.05	4.05T
NA-23 Non-AC Room & Board	Belvedere Hotels - Inv#112221		571.40	571.40T
NA-22 Camp Food & Consuma...	Home Hardware - Inv#253142		28.24	28.24T
NA-22 Camp Food & Consuma...	Watson Lake Foods - Inv#309555		7.98	7.98T
NA-22 Camp Food & Consuma...	Watson Lake Foods - Inv#309545		39.98	39.98T
NA-22 Camp Food & Consuma...	Watson Lake Foods - Inv#309599		35.37	35.37T
NA-22 Camp Food & Consuma...	Watson Lake Foods - Inv#178364		1,650.73	1,650.73T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19436i4		772.58	772.58T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19572i4		77.26	77.26T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-20434i2		540.81	540.81T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-21905i1		463.55	463.55T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#131084		324.62	324.62T
\-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19166i4		189.82	189.82T
NA-26 Truck Rental & Fuel	Trails North - Inv#13439		32.55	32.55T
NA-26 Truck Rental & Fuel	Trails North - Inv#13553		98.13	98.13T
NA-26 Truck Rental & Fuel	Trails North - Inv#13550		25.63	25.63T
NA-22 Camp Food & Consuma...	Trails North - Inv#13550		51.89	51.89T
NA-26 Truck Rental & Fuel	Trails North - Inv#13561		147.74	147.74T
NA-26 Truck Rental & Fuel	Trails North - Inv#13567		76.42	76.42T
NA-26 Truck Rental & Fuel	Trails North - Inv#13598		83.02	83.02T
	TOTAL EXPENSES			9,988.34
AC-01 Management Fee	Management Fee on Expenses		8.00%	799.07T
	Business Number: 100247667			

Subtotal	**$41,821.41**
GST	**$2,509.28**
Total Payable	**$44,330.69**

Archer, Cathro & Associates (1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
9/30/2007	392

Bill To

SELWYN SILVER - HY PROJECT
Strategic Metals Ltd.

BILLING PERIOD
SEPTEMBER/07

Budget Item	Description	Qty/Hours	Rate	Amount
AC-11 AC House-Room & Board	AC House-Room & Board	20.00	120.00	2,400.00T
AC-10 Camp & Field Gear Rental	AC Camp & Field Gear Rental	106.00	60.00	6,360.00T
AC-12 ATV Rental	Mule	20.00	125.00	2,500.00T
AC-12 ATV Rental	Mulette	20.00	100.00	2,000.00T
AC-20 AC Miscellaneous	Lath bundle	2.00	19.50	39.00T
AC-20 AC Miscellaneous	AA batteries	28.00	1.00	28.00T
AC-20 AC Miscellaneous	6V/Spring	2.00	4.50	9.00T
	FEES			
AC-08 Senior Supervision	D.Eaton	27.00	100.00	2,700.00T
AC-05 Labour	R.Drechsler	128.00	38.00	4,864.00T
AC-05 Labour	S.Eaton	140.00	65.00	9,100.00T
AC-05 Labour	C.Shook	168.00	38.00	6,384.00T
AC-05 Labour	M.Gonzalvo	8.50	34.00	289.00T
C-07 Office work	J.Mariacher	7.00	70.00	490.00T
AC-05 Labour	D.Hogarth	112.00	34.00	3,808.00T
AC-05 Labour	J.Lane	112.00	50.00	5,600.00T
AC-05 Labour	H.Smith	120.00	65.00	7,800.00T
AC-06 Expediting	L.Corbett	52.00	60.00	3,120.00T
AC-06 Expediting	D.Huston	10.00	60.00	600.00T
AC-07 Office work	G.Walker	1.00	34.00	34.00T
AC-05 Labour	W.Huston	0.50	40.00	20.00T
	EXPENSES			
NA-22 Camp Food & Consuma...	Builders Supplyland - Inv#16866		184.00	184.00T
NA-26 Truck Rental & Fuel	Tags Watson Lake - Inv#6075		202.95	202.95T
NA-22 Camp Food & Consuma...	Tags Watson Lake - Inv#6075		34.96	34.96T
NA-26 Truck Rental & Fuel	Tags Watson Lake - Inv#6105		112.26	112.26T
NA-26 Truck Rental & Fuel	Tags Watson Lake - Inv#6108		73.63	73.63T
NA-26 Truck Rental & Fuel	Tags Watson Lake - Inv#6111		77.28	77.28T
NA-02 Helicopter+Fuel	North 60 Petro - Inv#TBA0674960		902.76	902.76T
NA-01 Diamond Drilling+Fuel	North 60 Petro - Inv#TBA0675086		748.00	748.00T
NA-05 Excavator+Fuel	North 60 Petro - Inv#TBA0675290		1,730.00	1,730.00T
NA-30 Non-AC Miscellaneous	Maximilian's Corporation - Inv#519268		27.56	27.56T
NA-22 Camp Food & Consuma...	Riverdale Super A - Inv#38215		667.36	667.36T
NA-22 Camp Food & Consuma...	Watson Lake Foods - Inv#178852		771.85	771.85T
NA-22 Camp Food & Consuma...	Watson Lake Foods - Inv#313058		7.98	7.98T

Subtotal	
GST	
Total Payable	

Archer, Cathro & Associates
(1981) Limited

#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
9/30/2007	392

Bill To

SELWYN SILVER - HY PROJECT
Strategic Metals Ltd.

BILLING PERIOD
SEPTEMBER/07

Budget Item	Description	Qty/Hours	Rate	Amount
NA-25 Shipping & Trucking	Greyhound - Inv#3616070		304.05	304.05T
NA-22 Camp Food & Consuma...	Riverdale Super A - Inv#38248		462.43	462.43T
NA-05 Excavator+Fuel	15317 Yukon Inc - Inv#165559		24,432.50	24,432.50T
NA-30 Non-AC Miscellaneous	Inte Graphics - Inv#79774		7.50	7.50T
NA-27 Other Equipment	Listers Motor Sports - Inv#60453		137.85	137.85T
NA-30 Non-AC Miscellaneous	Office Supply Centre - Inv#248430		9.36	9.36T
NA-22 Camp Food & Consuma...	L.Corbett - PC-Sep.29/07		114.50	114.50T
NA-30 Non-AC Miscellaneous	L.Corbett - PC-Sep.29/07		53.94	53.94T
NA-30 Non-AC Miscellaneous	Home Hardware - Inv#264659		12.99	12.99T
NA-26 Truck Rental & Fuel	Porter Creek Super A - Inv#18547		100.34	100.34T
NA-05 Excavator+Fuel	North 60 Petro - Inv#TBA0675435		3,114.00	3,114.00T
NA-05 Excavator+Fuel	North 60 Petro - Inv#1583220		472.03	472.03T
NA-26 Truck Rental & Fuel	North 60 Petro - Inv#1583220		327.09	327.09T
NA-26 Truck Rental & Fuel	North 60 Petro - Inv#1585667		219.87	219.87T
A-05 Excavator+Fuel	North 60 Petro - Inv#1584715		-715.00	-715.00T
NA-26 Truck Rental & Fuel	Tags Watson Lake - Inv#6104		74.34	74.34T
NA-22 Camp Food & Consuma...	Tags Watson Lake - Inv#6104		9.52	9.52T
NA-26 Truck Rental & Fuel	Tags Watson Lake - Inv#6115		105.11	105.11T
NA-22 Camp Food & Consuma...	Tags Watson Lake - Inv#6115		5.98	5.98T
NA-26 Truck Rental & Fuel	Tags Watson Lake - Inv#6122		119.25	119.25T
NA-22 Camp Food & Consuma...	Tags Watson Lake - Inv#6122		26.01	26.01T
NA-22 Camp Food & Consuma...	Tags Watson Lake - Inv#6132		15.61	15.61T
NA-26 Truck Rental & Fuel	Tags Watson Lake - Inv#6136		87.96	87.96T
NA-22 Camp Food & Consuma...	Tags Watson Lake - Inv#6136		5.48	5.48T
NA-22 Camp Food & Consuma...	Tags Watson Lake - Inv#6142		29.89	29.89T
NA-30 Non-AC Miscellaneous	Yukon Tire Tirecraft - Inv#WHIR015473		40.00	40.00T
NA-26 Truck Rental & Fuel	Trails North - Inv#13684		94.34	94.34T
NA-26 Truck Rental & Fuel	Trails North - Inv#13739		139.62	139.62T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#131129		617.64	617.64T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-21905		3,258.79	3,258.79T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19572i5		513.01	513.01T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-20434i3		1,003.15	1,003.15T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19436i5		430.40	430.40T
NA-11 Airborne Geophysics	Geotech Ltd. - Inv#991078 & 991107		33,868.92	33,868.92T
	Total Expenses			75,039.06
AC-01 Management Fee	Management Fee on Expenses		8.00%	6,003.12T

Subtotal	
GST	
Total Payable	

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
9/30/2007	392

Bill To

SELWYN SILVER - HY PROJECT
Strategic Metals Ltd.

		BILLING PERIOD		
		SEPTEMBER/07		
Budget Item	**Description**	**Qty/Hours**	**Rate**	**Amount**
	Business Number: 100247667			
			Subtotal	**$139,187.18**
			GST	**$8,351.23**
			Total Payable	**$147,538.41**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
10/31/2007	456

Bill To

SELWYN SILVER - HY PROJECT
Strategic Metals Ltd.

		BILLING PERIOD		
		OCTOBER/07		
Budget Item	**Description**	**Qty/Hours**	**Rate**	**Amount**
AC-07 Office work	M.Gonzalvo	7.50	34.00	255.00T
AC-07 Office work	M.Dumala	1.00	80.00	80.00T
AC-08 Senior Supervision	D.Eaton	2.00	100.00	200.00T
AC-06 Expediting	D.Huston	2.00	60.00	120.00T
AC-07 Office work	J.Mariacher	2.50	70.00	175.00T
AC-07 Office work	J.Itkin	1.25	64.00	80.00T
AC-07 Office work	G.Walker	1.50	34.00	51.00T
AC-07 Office work	S.Eaton	10.00	65.00	650.00T
AC-07 Office work	J.Lane	3.00	50.00	150.00T
	EXPENSES			
NA-25 Shipping & Trucking	Greyhound - Inv#3630386		372.48	372.48T
NA-30 Non-AC Miscellaneous	J.Mariacher - PC-OCT.2/07		10.00	10.00T
-30 Non-AC Miscellaneous	Listers Motor Sports - Inv#60495		325.90	325.90T
NA-24 Airfare & Transportation	JM visa - chq#3791 - travel		148.33	148.33T
NA-24 Airfare & Transportation	JM visa - chq#3791 - C.Shook travel		197.89	197.89T
NA-05 Excavator+Fuel	North 60 Petro - Inv#1586648		-260.00	-260.00T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#131389		1,044.53	1,044.53T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#131514		-171.34	-171.34T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#131572		418.81	418.81T
	Total Expenses			2,086.60
AC-01 Management Fee	Management Fee		8.00%	166.93T
	Business Number: 100247667			

Subtotal	**$4,014.53**
GST	**$240.87**
Total Payable	**$4,255.40**

Archer, Cathro & Associates (1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
11/30/2007	509

Bill To

SELWYN SILVER - HY PROJECT
Strategic Metals Ltd.

		BILLING PERIOD		
		NOVEMBER/07		
Budget Item	**Description**	**Qty/Hours**	**Rate**	**Amount**
AC-07 Office work	J.Lane	33.00	50.00	1,650.00T
AC-06 Expediting	D.Huston	4.00	60.00	240.00T
AC-07 Office work	G.Walker	3.50	34.00	119.00T
AC-07 Office work	J.Mariacher	6.25	70.00	437.50T
AC-07 Office work	J.Itkin	3.75	64.00	240.00T
AC-07 Office work	M.Gonzalvo	0.50	38.00	19.00T
AC-07 Office work	S.Eaton	27.00	65.00	1,755.00T
AC-08 Senior Supervision	D.Eaton	6.00	100.00	600.00T
	EXPENSES			
NA-26 Truck Rental & Fuel	AON Reed Stenhouse - 2007 truck insurance		240.82	240.82T
AC-01 Management Fee	Management Fee		8.00%	19.27T
C-01 Management Fee	Management Fee on Field Account	14,215.01	0.08	1,137.20T
	Business Number: 100247667			
	Subtotal			**$6,457.79**
	GST			**$387.47**
	Total Payable			**$6,845.26**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Date	Invoice #
12/31/2007	564

Bill To

SELWYN SILVER - HY PROJECT
Strategic Metals Ltd.

		Billing Period		
		DECEMBER/2007		
Budget Item	**Description**	**Qty**	**Rate**	**Amount**
AC-07 Office work	S.Eaton	3.00	65.00	195.00T
AC-08 Senior Supervis...	D.Eaton	1.00	100.00	100.00T
AC-07 Office work	J.Mariacher	1.25	70.00	87.50T
AC-07 Office work	G.Walker	0.50	34.00	17.00T
AC-07 Office work	S.Newman	0.25	38.00	9.50T
AC-07 Office work	J.Itkin	0.50	64.00	32.00T
	EXPENSES			
NA-26 Truck Rental & ...	Norcan Leasing - Inv#131652		892.72	892.72T
NA-11 Airborne Geoph...	VTEM jetB fuel		5,738.25	5,738.25T
	Total Expenses			6,630.97
AC-01 Management Fee	Management Fee		8.00%	530.48T
AC-01 Management Fee	Management Fee on Field Account	0.00	0.08	0.00T
	GST charged		6.00%	456.15

Subtotal	**$7,602.45**
GST No. 100247667 **GST Total**	**$456.15**
Total Payable	**$8,058.60**

RECEIVED
MAR 0 4 2008
MINING RECORDER
WATSON LAKE, YT
Government of Yukon

OUR NUMBER

DATE SEPT 21/07

CUSTOMER'S ORDER

SOLD TO Archer Cathro 317 Yukon Inc
ADDRESS HY AA ADDRESS 204-108 Elliott St Whitehorse YT Y1A6G4

TAX REG NO	SALESPERSON	FOB	TERMS	VIA

INVOICE

QUANTITY	DESCRIPTION	PRICE	AMOUNT
295	KW - MOBE STUMP - HY	3 50	1032 50
137	HOURS - EX 200 EXCAVATOR	140	19180
16	MAN HOURS TRAVEL	70	1120
620	KM - DE MOBE CAMP / HIAB WHSE	1 50	930
620	KM DE MOBE EXCAVATOR - WHSE	3 50	2170
			24432 50
	NAOS		
	$899305 82	GST	1465 95
		PST	
		TOTAL	25898 45

Blueline DC32

© Blueline®, 2006

		SEPT 15		
		MOVE TO MARG ROAD	10	
		TRAVEL	1/2	
		GST		
		PST		
		TOTAL		

SIGNATURE

414490

Blueline DC21

SALES ORDER

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1623108

BILLING INFORMATION

Certificate: **VA07115076**
Sample Type: **Soil**
Account: **MTT**
Date: **6-NOV-2007**
Project: HY
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
155	PREP-41	Dry, Sieve (180 um) Soil	0.94	145.70
39.28	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	58.92
155	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	697.50
155	GEO-AR01	Aqua regia digestion	2.25	348.75

SUBTOTAL (CAD)	$	1,250.87
R100938885 GST	$	75.05
TOTAL PAYABLE (CAD)	**$**	**1,325.92**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

NOV 27 2007

INVOICE NUMBER 1621966

BILLING INFORMATION

Certificate:	**VA07114986**
Sample Type:	**Rock**
Account:	**MTT**
Date:	**2-NOV-2007**
Project:	HY A
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE	- DESCRIPTION	UNIT PRICE	TOTAL
1	BAT-01	Administration Fee	22.50	22.50
41	PREP-31	Crush, Split, Pulverize	4.50	184.50
62.00	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.45	27.90
41	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	415.33
41	ME-MS61	48 element four acid ICP-MS	13.13	538.33
41	GEO-4A01	Four Acid Dig - ME-MS61	3.75	153.75
21	ME-OG62	Ore Grade Elements - Four Acid	1.50	31.50
21	ASY-4A01	Four acid digestion for OG62	5.25	110.25
3	Cu-OG62	Ore Grade Cu - Four Acid	1.50	4.50
12	Pb-OG62	Ore Grade Pb - Four Acid	1.50	18.00
15	Zn-OG62	Ore Grade Zn - Four Acid	1.50	22.50

NA 20

SUBTOTAL (CAD)	$	1,529.06
R100938885 GST	$	91.74
TOTAL PAYABLE (CAD)	**$**	**1,620.80**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

NOV 2 0 2007

INVOICE NUMBER 1621866

BILLING INFORMATION

Certificate: **VA07115071**
Sample Type: **Soil**
Account: **MTT**
Date: **13-NOV-2007**
Project: HY
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
199	PREP-41	Dry, Sieve (180 um) Soil	0.94	187.06
32.12	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	48.18
199	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	895.50
199	GEO-AR01	Aqua regia digestion	2.25	447.75

NA YP

SUBTOTAL (CAD)	$	1,578.49
R100938885 GST	$	94.71
TOTAL PAYABLE (CAD)	**$**	**1,673.20**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

NOV 19 2007

INVOICE NUMBER 1620636

BILLING INFORMATION

Certificate: **VA07114244**
Sample Type: **Rock**
Account: **MTT**
Date: **8-NOV-2007**
Project: HY
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
1	BAT-01	Administration Fee	22.50	22.50
68	PREP-31	Crush, Split, Pulverize	4.50	306.00
60.88	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.45	27.40
68	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	688.84
68	ME-MS61	48 element four acid ICP-MS	13.13	892.84
68	GEO-4A01	Four Acid Dig - ME-MS61	3.75	255.00
13	Ag-OG62	Ore Grade Ag - Four Acid	1.50	19.50
46	ME-OG62	Ore Grade Elements - Four Acid	1.50	69.00
46	ASY-4A01	Four acid digestion for OG62	5.25	241.50
6	Cu-OG62	Ore Grade Cu - Four Acid	1.50	9.00
30	Pb-OG62	Ore Grade Pb - Four Acid	1.50	45.00
41	Zn-OG62	Ore Grade Zn - Four Acid	1.50	61.50

SUBTOTAL (CAD)	$	2,638.08
R100938885 GST	$	158.28
TOTAL PAYABLE (CAD)	**$**	**2,796.36**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1621875

BILLING INFORMATION

Certificate: **VA07115070**
Sample Type: **Soil**
Account: **MTT**
Date: **5-NOV-2007**
Project: HY
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

QUANTITY	ANALYSED FOR CODE	DESCRIPTION	UNIT PRICE	TOTAL
198	PREP-41	Dry, Sieve (180 um) Soil	0.94	186.12
36.30	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	54.45
198	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	891.00
198	GEO-AR01	Aqua regia digestion	2.25	445.50

SUBTOTAL (CAD)	$	1,577.07
R100938885 GST	$	94.62
TOTAL PAYABLE (CAD)	**$**	**1,671.69**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1620628

BILLING INFORMATION

Certificate:	**VA07114245**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**31-OCT-2007**
Project:	HY
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
133	PREP-41	Dry, Sieve (180 um) Soil	0.94	125.02
36.08	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	54.12
133	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	598.50
133	GEO-AR01	Aqua regia digestion	2.25	299.25

NA 20

SUBTOTAL (CAD)	$	1,076.89
R100938885 GST	$	64.61
TOTAL PAYABLE (CAD)	**$**	**1,141.50**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1620627

BILLING INFORMATION

Certificate: **VA07114247**
Sample Type: **Soil**
Account: **MTT**
Date: **31-OCT-2007**
Project: HY
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

NA VD

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
176	PREP-41	Dry, Sieve (180 um) Soil	0.94	165.44
48.18	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	72.27
176	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	792.00
176	GEO-AR01	Aqua regia digestion	2.25	396.00

SUBTOTAL (CAD)	$	1,425.71
R100938885 GST	$	85.54
TOTAL PAYABLE (CAD)	**$**	**1,511.25**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1620629

BILLING INFORMATION

Certificate:	**VA07114246**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**29-OCT-2007**
Project:	HY
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
153	PREP-41	Dry, Sieve (180 um) Soil	0.94	143.82
36.32	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	54.48
153	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	688.50
153	GEO-AR01	Aqua regia digestion	2.25	344.25

SUBTOTAL (CAD)	$	1,231.05
R100938885 GST	$	73.86
TOTAL PAYABLE (CAD)	**$**	**1,304.91**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

OCT 3 0 2007

INVOICE NUMBER 1621890

BILLING INFORMATION

Certificate:	**VA07115072**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**25-OCT-2007**
Project:	HY
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE - DESCRIPTION		UNIT PRICE	TOTAL
138	PREP-41	Dry, Sieve (180 um) Soil	0.94	129.72
27.98	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	41.97
138	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	621.00
138	GEO-AR01	Aqua regia digestion	2.25	310.50

SUBTOTAL (CAD)	$	1,103.19
R100938885 GST	$	66.19
TOTAL PAYABLE (CAD)	**$**	**1,169.38**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

CAPITAL HELICOPTERS (1995) INC.
Suite 3 - 25 Pilgrim Place, Whitehorse, Y.T. Y1A 6E6
Phone: (867) 668-6200 Fax: (867) 668-6201
capitalheli@polarcom.com

Charter and Contract Service

INVOICE

NO. 10648

DATE 24/08/2007

SOLD TO
Archer Cathro
Suite 1016, 510 West Hastings
Vancouver, B. C. V6B 1L8

SHIP TO
Archer Cathro
Suite 1016, 510 West Hastings
Vancouver, B. C. V6B 1L8

ITEM NO.	QUANTITY	UNIT	DESCRIPTION	GST	PST	UNIT PRICE	AMOUNT
Aug 16	4.6	hrs	s/o & p/u Harlot (1.5hrs Plata)	G		1,000.00	4,600.00
	6.5	hrs	s/o & p/u Harlow (4.7hrs Road)	G		1,000.00	6,500.00
	5.4	hrs	s/o & p/u Harvest (3. hrs Road)	G		1,000.00	5,400.00
	5.3	hrs	s/o & p/u Harkin (2.1hrs Plata demob)	G		1,000.00	5,300.00
	3.4	hrs	s/o & p/u Ross River (2hrs Harvest .4 Harlot 1Ross)	G		1,000.00	3,400.00
	3.9	hrs	Ross River-Traffic Mtn-Hy-WatsonHy (2hrsUno 1.9 hrs Hy)	G		1,000.00	3,900.00
	6.6	hrs	s/o & p/u - Trani	G		1,000.00	6,600.00
	2.0	hrs	Watson - YXY	G		1,000.00	2,000.00
	57.0	ltrs	fuel@Faro	G		1.75	99.75
	817.0	ltrs	fuel@Watson	G		1.38	1,127.46
	570.0	ltrs	fuel@Whitehorse	G		1.32	752.40
			G - GST 6.00%				
			GST				2,512.78

Capital Helicopters (1995) Inc. GST: #899587984

Thank You! Your Business Is Appreciated!

COMMENTS

TOTAL 44,392.39

2512.78

Harlot - 4382.14
Harlow - 2597.80
Harken - 4067.25
Harvest - 5226.79
Hy - ~~1994.27~~ $2113.93
Plata - 1285.49
Trani - 9026.68
Uno - 2099.23

44392.39

Fold at > to fit 30A Double Window Envelope
Willow Printers, Whitehorse