

095160

GEOCHEMICAL REPORT

**ANGIE 1-40 CLAIMS
ANGIE 41-200 CLAIMS**

GRANT

**YC31434 – YC31473
YC72940 – YC73099**

**LAT 61° 52 N
LONG 132° 32 W**

NTS # 105 F \ 15

WATSON LAKE MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED JULY 2 – AUGUST 13, 2008

DATE OF REPORT OCTOBER 08, 2008



Table of Content

Summary	P.3
1.0 Introduction	P.3
2.0 Locations and Access	P.3
3.0 Property Description	P.3
4.0 Physiographic	P.3
5.0 Regional Geology	P.4
5.2 Property Geology Map	P.5-6
Kennecott Geology Map	P.7
5.3 Structure (Kennecott Excerpts)	P.8
5.4 Mineralization (Kennecott Excerpts)	P.8
6.0 Work Methods	P.9
7.0 Interpretation	P.9
8.0 Recommendation	P.9
9.0 References Cited	P.10
10.0 Cost	P.10
11.0 Qualification	P.11
Angie Claim Location	Figure 1
Zinc Soil Anomaly Map	Figure 2
Silver Soil Anomaly Map	Figure 3
Lead Soil Anomaly Map	Figure 4
Assay Data / GPS Soil Location Data	Appendix

SUMMARY

The Angie 2008 field work consists of an eight man crew all employees of Ryanwood Exploration. The crew mobilized to the area on July 2, 2008 and worked the area until August 13, 2008. There were a total of 1785 soils collected. The soils survey was design to test the property potential for Sedex zinc style mineralization. Historical work (Welcome North Mines Ltd, 1977) looked at the sedex potential on the property but only conducted trenching work on one corner of the property. The soil survey confirms the presence of zinc and silver anomaly on the original Angie Showing but also revealed a 500 ppm plus zinc soil anomaly running in a north-west direction from the original Angie showing and measuring 5000 meters long by 750 meters wide. The soil anomaly is still open to the north-west.

1.0 INTRODUCTION

The Angie claims where staked to cover an old sedex target found by Welcome North in 1977. The soil work confirms the presence of very anomalous zinc, and silver values. It also indicated very low lead values.

2.0 LOCATIONS AND ACCESS

The Angie claims are located 18 kilometers south of the community of Ross River. Access is via helicopter from a Transnorth Helicopter base located at the Ross River airport.

3.0 PROPERTY DESCRIPTION

The Angie claim block consists of 200 full Yukon Quartz Mining claims that are registered in the Watson Lake Mining district to Shawn Ryan.

4.0 PHYSIOGRAPHY

The Angie claims are covered with mostly spruce and alpine fir in the lower elevation valley bottom and alpine tundra in the upper elevation. The claim block elevation range is from 4000 feet on valley bottom to 5800 ft at the top of Ross Mountain.

5.0 REGIONAL GEOLOGY

5.1 REGIONAL GEOLOGY (Kennecott Excerpts)

The property lies within the Cassiar Platform, part of the Ominica Belt (Wheeler and McFeely, 1991). The Cassiar Platform is a package of predominantly sedimentary rocks, belonging to ancestral North America, displaced some 450km northward during the Tertiary period by the dextral Tintina Fault (Tempelman-Kluit, 1981). The northwest trending Tintina Fault, located approximately 10km northeast of the Brendan property parallels the structural trend of the entire region. Regional geology has been mapped and compiled at a scale of 1:250,000 by Tempelman-Kluit (1977).

Oldest rocks of the Cassiar platform are Upper Proterozoic clastic continental margin sediments of the Windermere Group (Wheeler and McFeely, 1991). These are overlain by Upper Proterozoic to Lower Cambrian clastic, carbonate, and mafic tuffaceous rocks of the Ketzka and Gog Groups. Calcareous shale with intercalated volcanics of the Cambrian-Devonian Kechika Group, passive continental margin sediments, in turn overlie the older rocks. Devonian-Carboniferous clastic and carbonate rocks, including units of the Earn Group assemblage, overlie the Kechika Group. Mississippian Earn Group rocks contain significant accumulations of intermediate and felsic volcanic rocks. The above lithologies are overlain disconformably by Upper Triassic calcareous siltstones (Tempelman-Kluit, 1981).'

A similar package of rocks in the Kechika Trough located north of the Tintina Fault, 600km to the southeast of the Brendan property, host the Devonian-Mississippian Cirque deposit (Pigage, 1986).

Rocks in the immediate vicinity of the Brendan property range in age from Ordovician to Mississippian (Figure 1). Prospective rocks hosting the bulk of the known lead-zinc-silver-barite mineralization, on and in the area of the Brendan property, are Silurian to Devonian fine grained ciastics and variably calcareous clastic rocks.

5.2 PROPERTY GEOLOGY (Kennecott Excerpts)

Property geology, shown on Figure 4, is drawn largely from Foster and Holland (1979). Foster and Holland (1979) divided the regional stratigraphic package into eight recognizable units, of which six are found on the property. These six units range in age from Ordovician to Carboniferous and have been further subdivided where possible (Tempelman-Kluit, 1977). In general stratigraphy trends northwest, dips moderately south, with older rocks exposed on the northeast side of the property. Generally lithologies young to the southwest although minor variations are found due to overturned folds and faulting. The following lithological descriptions follow the format (including map unit numbers) used by Foster and Holland (1979). Unit 1, Cambrian-Ordovician biotitic shales and calcareous siltstones and unit 8, Carboniferous calcareous siltstones and silty limestones are not found on the property and therefore are not described further.

The oldest unit (map unit 2), exposed on the extreme northeast side of the property, consists of Ordovician-Silurian limonitic to black weathering, siliceous, graphitic and pyritic shales and slates. The unit is fissile and non-calcareous. Discontinuous quartz veins and quartz sweats are common. Fine disseminated pyrite is usually present in minor amounts although local pyrite content can be greater than 10% according to Foster and Holland (1979).

Unit 3, of Ordovician-Silurian age, conformably overlies unit 2. It is comprised of recessive grey to sooty black weathering grey to black siltstones and shales. They are weak to strongly calcareous, variably carbonaceous, and generally thin bedded to occasionally massive. Strongly carbonaceous or 'sooty' sections tend to be zinciferous (Foster and Holland, 1979). This unit was not examined in 1993.

Unit 4 has been informally named the Mount Ross Quartzite by Foster and Holland (1979) after its exposures on Mount Ross. The Silurian-Devonian unit conformably overlies unit 3 and consists of a variable sequence of quartzite, dolomitic siltstones, calcareous siltstones and 'sooty' (carbonaceous) argillites postulated to be approximately 400m thick. Unit 4 has been partitioned into three sub-units which are described below.

Sub-unit 4a, orthoquartzite, is the most characteristic member of unit 4. This unit is a massive grey orthoquartzite is found as relatively thin bands and lenses within dolomitic siltstones of unit 4b described below. Sub-unit 4a has been mapped in the Ross and Angie showing areas. Elsewhere on the property it is undifferentiated.

Sub-unit 4b, consisting of dolomitic siltstones is the most extensive member of unit 4. It consists primarily of tan-weathering, grey to dark grey, thin bedded to platy dolomitic siltstone, locally argillaceous and weakly calcareous. Several minor zinc occurrences were noted by Foster and Holland (1979) within these siltstones on the north side of Mount Ross. A brief and unsuccessful search was made for these occurrences in 1993.


Sub-unit 4c, consists of a wide range of lithologies ranging from dark grey calcareous siltstones and limestones to non-calcareous black argillites and shales. Most of these rocks are weak to moderately carbonaceous. The unit is best exposed between the Mount Ross and Angie showings. At Mount Ross the unit consists of tan weathering carbonaceous platy calcareous siltstones and limestones that are locally baritic. In the area of the Angie showing subunit 4c appears to grade into silty limestone of unit 5. Sub-unit 4c is the host for numerous zinc occurrences including the Ross showing found at the contact between sub-unit 4b and 4c.

Unit 5 conformably overlies unit 4. It consists of a package of Devonian shales, limestones, calcareous siltstones and tuffs estimated to be approximately 550m thick. Unit 5 hosts the Angie showing. Based on mapping by Foster and Holland (1979) unit 5 has been subdivided into four sub-units as follows.

Sub-unit 5a consists of grey to buff weathering, thin bedded to massive, dark grey to black silty limestone. Interbedded with the limestone, on a scale of millimetres to metres, are black to silver-grey weathering, strongly fissile, often phyllitic black shales with local orange ankerite-quartz veins. This unit is the host to most of the significant zinc occurrences including the Angie showing. At the Angie showing unit 5a includes a grey limestone member in excess of 20m thick, named the "Angie limestone" by Foster and Holland (1979). The Angie limestone has a fine shaly laminae lending it a shaly parting.

Sub-unit 5b consists of orange weathering thinly laminated siltstones and phyllitic black shales. The unit is more phyllitic than sub-unit 5a and locally contains abundant disseminated limonite porphyroblasts up to 0.5 centimetres across. The unit is notably unmineralized which along with its distinctive outcropping nature, uniform composition and proximity to mineralized sub-unit 5a, make sub-unit 5b an important marker horizon.

Sub-unit 5c consists of argillaceous siltstones with beds of crinoidal limestone.



5.3 STRUCTURE (Kennecott Excerpts)

Generally, lithologies on the property tend northwest, parallel to the regional trend and the Tintina Fault located approximately 10km northeast of the Brendan property. Repetition of the lithological units is caused by folding about a northwest trending nearly horizontal fold axis. Orientations of axial plane cleavages indicate refolding of the first phase folds about a similar axis (Foster and Holland, 1979). A third phase of folding perpendicular to the first two phases gently warps the first two phases of folding.

A large scale strike-slip fault has been mapped on the northeast side of the property and the regional St. Cyr fault is located southwest of the property. These faults are related to the nearby Tintina Fault. On ridge exposures numerous northwest trending faults are indicated by boulders of quartz float and abrupt lithological changes. Northwest strike-slip faulting, parallel to the regional trend, may be more extensive than thought previously.

East-west trending normal faults and block faulting are also common (Foster and Holland, 1979). Displacement appears to be vertical and cut off by the strike-slip faults suggesting that the block faulting is contemporaneous with or predates the strike-slip movement.

5.4 MINERALIZATION (Kennecott Excerpts)

The Brendan property is a sedimentary-exhalative (sedex) massive sulphide lead-zinc-silver-barite exploration target. Previous exploration in 1977 and 1978 resulted in the discovery of two significant zinc-silver occurrences, the Angie and Ross showings, plus numerous other smaller occurrences. These stratabound occurrences are found within Ordovician-Silurian-Devonian clastics and carbonates, totaling some 1300m in thickness. A long lived mineralizing event is envisaged as mineralization is found throughout units 3 to 6. The strongest mineralization is concentrated near the top half of Silurian-Devonian unit 4 and the base of Devonian unit 5. Both the Angie and Ross showings were examined in 1993 and are described below. For a thorough description of other mineralization found on the property the reader is referred to Foster and Holland (1979).

6.0 WORK PERFORMED / METHODS

SOIL WORK

Soil samples were taken at 50 meters intervals. On rocky ground a grub hoe was used to take sample 30-40 centimeters down or if soil where well develop a one-meter soil augers was used to take sample at a deeper depth. Soil sample taken with augers were gathered at an average depth of 50-70 centimeters. All sample were placed in Kraft soil bags. Exact position location were define using Garmin GPS. All GPS location were downloaded nightly into field computers.

Soil sample location were marked in the field with a pink flagging and sample identification were written out on metal aluminum tags.

Sample were air dried in Dawson City and then sent to Chemex Labs in Vancouver. Sample were processed at minus 80 mesh and analysis was ICP-MS for 35 elements.

7.0 INTERPRETATION

SOIL SURVEY

The 2008 soil survey indicated a zinc-silver soil anomaly moving in a north-west direction from the old Angie showing that measures 5000 meters long and 750 meters wide. The soil anomaly is till open to expansion to the north-west.

The soil survey revealed 487 samples (28.4%) out of 1785 samples running over 500 ppm Zn. Silver values reached up to 10.4 ppm Ag with 190 samples (9.0%) running over 2 ppm Ag. Lead values were relatively low with values reaching up to 1205 ppm Pb with only 67 samples (3.4%) running over 50ppm Pb.

8.0 RECOMMENDATION

I would recommend geological mapping, prospecting and trenching over the anomalous zinc trend. If trench results came back positive then a small drilling program would be warranted.

9.0 REFERENCES CITED

KENNECOTT CANADA , Assessment Report #093187 by Roger Hulstein

DELIAN, F., Jie, Y, and Tiebing, L, 1992. Black Shale Series-hosted Silver-Vanadium Deposits of the Upper Sinian Doushantou Formation, Western Hubie Province, China; Exploration Mining Geology, Vol. 1, No. 1, pp. 29-38.

FOSTER, H.F. and HOLLAND, R.T., 1979. Woodside Project, 1978, Chapter 2, Assessment Report by Welcome North Mines Ltd., Assessment Report 090463.

PIGAGE, L.C., 1986. Geology of the Cirque Barite-Zinc-Lead-Silver Deposits, Northeastern British Columbia; j~Mineral Deposits of Northern Cordillera, J.A. Morin ed., The Canadian Institute of Mining and Metallurgy, Special Volume 37, pp. 71-86.

TEMPELMAN-KLUITD., 1977. Geology of Quiet Lake (105 F) and Finlayson Lake (105G) map areas, Yukon Territory; Geological Survey of Canada, Open File Report 486.

TEMPELMAN-KLUIT D., 1981. Geology and Mineral Deposits of Southern Yukon; in Yukon, Geology and Exploration 1979-80, Exploration and Geological Services Division, Yukon, Dept. of Indian and Northern Affairs Canada.

WHEELER, .1.0. and McFeely, P., 1991. Tectonic Assemblage Map of the Canadian Cordillera and Adjacent Parts of the United States of America. Geological Survey of Canada, Map 171 2A, scale 1:2,000,000.

10.0 COST

Assay Cost 1711 soil at \$22.00	\$37,642.00
Wages 57 man days at \$330.00 per day	\$18,810.00
Food + Camp Cost 57 man days @ \$70.00 per day	\$3,990.00
Geologist 10 days @\$600.00 per day	\$6,000.00
Prospector 10 days @\$400.00 per day	\$4,000.00
Hotel + Food \$140.00 per day for 2 men for 10 days	\$2,800.00
Helicopter travel 2.3 hours at \$1300.00 for 10 days	\$29,900.00
Report	\$1,000.00
Total	\$104,142.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.


I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 12 years as a local prospector for myself.

I have overseen the whole Angie Project and was the party chief in charge.


I own 100 % of the Angie claims.

Dated this 09 of October 2009 in Dawson City, Yukon.

Respectfully submitted


A handwritten signature in black ink, appearing to read 'Shawn Ryan', with a long horizontal flourish extending to the right.


Shawn Ryan




Location Map plus Claims in Surrounding Area

Figure 1







SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG26050	NAD83-8	627350	6861163	5	0.53	0.4	9.3	580	0.17	0.07	0.71	5.13	5.2
ANG26651	NAD83-8	628225	6859574	11	0.56	0.3	15.8	190	0.27	0.15	1.75	1.63	7.9
ANG26652	NAD83-8	628251	6859615	7	0.35	0.31	10.4	110	0.19	0.12	1.22	0.95	6.1
ANG26653	NAD83-8	628279	6859657	21	1.6	0.35	19	290	0.26	0.2	1.56	1.75	3.9
ANG26654	NAD83-8	628306	6859700	7	1.04	0.33	12.4	190	0.16	0.13	1.43	1.06	3.4
ANG26655	NAD83-8	627763	6858860	4	0.31	0.29	25.8	90	0.27	0.11	1.51	0.63	8.4
ANG27114	NAD83-8	628333	6859744	9	1.01	0.29	17.3	310	0.21	0.21	0.6	3.09	9.1
ANG27115	NAD83-8	628360	6859784	4	0.35	0.41	4.5	320	0.2	0.06	2.15	2.47	3.8
ANG27736	NAD83-8	629693	6859628	6	0.39	0.88	10.8	550	0.44	0.16	0.41	0.63	8.7
ANG27737	NAD83-8	627275	6860316	20	1.48	0.26	30.7	160	0.34	0.27	2.37	1.41	8.3
ANG28092	NAD83-8	627112	6860065	7	1.74	0.17	35.7	90	0.38	0.21	4.32	1.4	11.9
ANG28093	NAD83-8	627086	6860022	11	1.45	0.76	23.6	390	0.5	0.19	0.64	6.3	10.6
ANG28094	NAD83-8	627059	6859980	10	0.51	0.81	13.7	260	0.38	0.25	1.04	1.89	12.1
ANG28095	NAD83-8	627031	6859938	4	0.38	0.81	12.4	200	0.3	0.2	2.04	1.39	10.9
ANG28096	NAD83-8	627003	6859897	8	0.51	0.35	19.3	190	0.32	0.25	4.14	1.57	15.2
ANG28097	NAD83-8	626977	6859854	7	2.53	0.46	32.4	150	0.46	0.17	1.88	19.45	9.5
ANG28099	NAD83-8	626922	6859771	4	0.67	0.35	20.8	110	0.44	0.2	6.44	3.27	12.9
ANG28100	NAD83-8	626894	6859726	4	0.53	0.27	17.2	90	0.34	0.13	9.48	2.75	10.9
ANG28256	NAD83-8	627409	6860884	12	0.69	0.44	16	560	0.25	0.13	1.44	5.67	9.7
ANG28257	NAD83-8	627435	6860927	13	1.97	0.39	32.6	840	0.33	0.18	1.24	12.4	11.9
ANG28258	NAD83-8	627463	6860969	11	1.61	0.21	30.2	770	0.28	0.13	1.4	8.46	11.8
ANG28259	NAD83-8	627490	6861011	5	1	0.41	12.7	500	0.22	0.06	1.68	15.05	5.8
ANG28260	NAD83-8	627518	6861053	7	0.7	0.3	12.5	380	0.19	0.08	1.41	4.53	7.9
ANG28261	NAD83-8	627546	6861095	16	1.4	0.54	29.5	710	0.34	0.17	0.78	6.38	10.7
ANG28503	NAD83-8	626553	6860309	8	0.74	0.32	11.7	270	0.24	0.17	2.55	2.62	8.5
ANG28504	NAD83-8	626581	6860352	12	1.37	0.31	23	470	0.24	0.27	1.67	4.08	8.7
ANG28505	NAD83-8	626611	6860395	7	1.42	0.48	18.2	310	0.34	0.34	0.88	1.23	8.9
ANG28506	NAD83-8	626639	6860433	10	1.17	0.38	13.5	200	0.32	0.31	1.75	2.58	13.1
ANG28507	NAD83-8	626667	6860475	9	1.29	0.34	18.7	240	0.32	0.4	1.74	3.91	15
ANG28508	NAD83-8	626692	6860518	3	0.62	0.45	5.8	290	0.18	0.06	1.55	3.68	3.1
ANG28509	NAD83-8	626720	6860561	19	1.04	0.25	39.3	310	0.38	0.27	4.09	1.12	15.8
ANG28511	NAD83-8	626774	6860644	17	1.35	0.44	20.1	730	0.28	0.12	1.22	7.3	7.1
ANG28512	NAD83-8	626800	6860687	23	2.64	0.43	75.5	800	0.53	0.25	1.88	17.4	12.6
ANG28513	NAD83-8	626826	6860727	19	0.86	0.8	19.6	700	0.43	0.19	0.93	7.06	12
ANG28515	NAD83-8	626881	6860810	13	0.33	0.56	21.1	540	0.29	0.19	0.48	0.76	11.4
ANG28516	NAD83-8	626907	6860854	14	0.45	0.44	16.6	540	0.32	0.17	0.68	0.97	9.1
ANG28517	NAD83-8	626935	6860894	9	0.43	0.57	9.1	680	0.29	0.15	0.86	0.7	7.8
ANG28518	NAD83-8	627073	6861105	6	2.21	0.35	32.8	2400	0.32	0.12	2.69	26.3	10.3
ANG28519	NAD83-8	627100	6861147	4	1.75	0.34	16.4	1000	0.3	0.1	3.13	29.5	6.9
ANG28521	NAD83-8	627209	6861315	9	2.01	1.37	29.2	2480	0.66	0.15	0.5	29.7	21.3
ANG28522	NAD83-8	627237	6861357	16	1.33	0.9	45.6	1570	0.39	0.23	0.35	1.71	7.5
ANG28523	NAD83-8	627265	6861398	12	1.06	0.61	34	1210	0.23	0.21	0.33	3.3	8.2
ANG28524	NAD83-8	627291	6861440	11	1.47	0.56	46.9	760	0.26	0.21	0.29	2.11	72.2
ANG28525	NAD83-8	627320	6861482	16	1.28	0.76	32	1220	0.4	0.22	0.47	5.3	8.4
ANG28526	NAD83-8	627347	6861523	148	1.49	0.53	73.9	740	0.27	0.34	0.86	4.45	6.4
ANG28527	NAD83-8	628245	6860337	12	1.13	0.33	18.6	740	0.35	0.18	0.81	10.1	10.2
ANG28528	NAD83-8	627557	6860013	8	0.52	0.81	15.8	200	0.41	0.19	2.45	0.92	9.9
ANG28529	NAD83-8	627529	6860971	8	2.28	0.38	49.5	530	0.34	0.24	0.33	4.56	6.2
ANG28530	NAD83-8	627502	6859929	6	1.7	0.27	25.5	1030	0.25	0.3	3.49	1.65	7.2
ANG28531	NAD83-8	627476	6859887	11	0.78	0.17	28.4	100	0.45	0.28	4.84	0.67	14.4
ANG28532	NAD83-8	627885	6860156	9	1.75	0.34	24.9	510	0.29	0.13	0.79	14.2	7.5
ANG28533	NAD83-8	631800	6856632	7	0.77	0.3	61.5	110	0.49	0.76	2.03	2.65	14
ANG28534	NAD83-8	631692	6856464	9	3.11	0.45	54.6	460	0.29	0.3	0.16	2.61	2
ANG28536	NAD83-8	626960	6861300	8	1.53	0.32	19.9	530	0.29	0.15	1.75	12.2	7.8
ANG28537	NAD83-8	627472	6860244	38	2.6	0.51	24.8	1740	0.36	0.14	1.04	14.45	8.4
ANG28538	NAD83-8	627447	6860205	12	1.13	0.32	20	310	0.29	0.15	2.08	6.29	10
ANG28539	NAD83-8	627419	6860164	28	1.74	0.23	64.1	170	0.36	0.33	0.37	1.15	4.2
ANG28540	NAD83-8	627394	6860120	12	0.78	0.35	22.2	130	0.38	0.21	3.72	1.08	9.9
ANG28541	NAD83-8	627365	6860079	9	0.66	0.34	11.4	250	0.32	0.15	2.1	2.21	7.2
ANG28542	NAD83-8	627338	6860038	9	0.69	0.39	13.4	250	0.27	0.16	1.19	1.95	7
ANG28543	NAD83-8	627310	6859996	7	1.02	0.43	22.6	290	0.31	0.16	0.95	3.04	7.3
ANG28544	NAD83-8	627282	6859953	5	0.92	0.46	14.3	290	0.38	0.23	1.7	0.91	7.8
ANG28545	NAD83-8	627255	6859912	6	0.6	0.28	8	400	0.28	0.13	2.21	0.94	5.1

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG26050	15.7	8	0.13	27.8	1.11	1.29	0.12	0.04	9.2	1.2	0.08	131	11.5	0.03
ANG26651	19.95	5	0.35	36	1.77	0.83	0.08	0.04	10.7	1.9	0.18	182	3.23	0.01
ANG26652	16.4	5	0.2	19.5	1.55	0.89	0.06	0.03	8.2	1.6	0.16	235	2.54	0.01
ANG26653	14.2	14	0.2	52.1	1.78	1.43	0.21	0.03	8.5	2.7	0.12	146	3.06	-0.01
ANG26654	10.1	8	0.2	41.9	1.23	1.11	0.1	0.03	6.1	1.9	0.11	131	4.85	-0.01
ANG26655	13.1	3	0.32	22.9	1.88	0.81	0.05	0.03	6.8	0.9	0.16	157	6.12	0.01
ANG27114	22	10	0.24	41.5	1.99	0.98	0.11	0.04	12.5	2	0.11	251	4.74	-0.01
ANG27115	6.98	5	0.16	36	0.74	1.12	0.07	0.02	3.7	1.2	0.18	238	1.73	0.02
ANG27736	32.8	23	0.65	33.7	2.13	2.85	0.11	0.06	16.9	8.2	0.38	270	3.47	-0.01
ANG27737	24.5	8	0.14	53.2	2.67	0.91	0.19	0.04	14.2	0.7	0.92	432	12.1	-0.01
ANG28092	28.6	12	0.26	91.8	2.4	0.58	0.1	0.03	17.2	0.9	2.23	286	15.05	-0.01
ANG28093	26.2	19	0.5	69.8	2.54	2.55	0.2	0.05	15.6	5.2	0.26	238	16.85	-0.01
ANG28094	37.6	16	0.36	43.5	2.99	2.36	0.11	0.04	20.7	8.7	0.31	239	4.25	-0.01
ANG28095	45.9	16	0.42	39.8	2.62	2.39	0.14	0.04	24.3	12.1	0.45	143	5.52	-0.01
ANG28096	27.8	8	0.44	44.5	3.11	1.1	0.19	0.04	15.6	2.9	0.22	157	8.84	-0.01
ANG28097	26.3	14	0.43	111.5	2.42	1.57	1.16	0.05	16.6	3.4	0.31	173	28.7	-0.01
ANG28099	26.3	10	0.78	43.3	2.7	1.03	0.23	0.05	14.9	3.2	0.46	229	12.25	-0.01
ANG28100	21.3	7	0.5	32.8	2.34	0.78	0.17	0.04	12	2.4	0.56	228	7.47	-0.01
ANG28256	18.45	10	0.21	47.8	1.71	0.96	0.13	0.05	10	1.3	0.37	540	9.48	0.01
ANG28257	23.2	19	0.24	79.6	2.37	1.14	0.52	0.05	14.9	1.6	0.26	236	20.2	0.01
ANG28258	27.9	9	0.2	53.9	2.35	0.75	0.49	0.03	21.2	0.4	0.24	169	108.5	-0.01
ANG28259	12.4	8	0.13	68.4	1.04	0.89	0.26	0.02	8.8	0.7	0.14	239	24.2	0.03
ANG28260	14.5	7	0.12	31.2	1.21	0.87	0.17	0.03	8.4	0.8	0.13	342	8.37	0.02
ANG28261	26.7	13	0.31	73.8	1.96	1.5	0.29	0.04	16.5	1.6	0.11	319	20.2	-0.01
ANG28503	32	8	0.51	41.3	1.83	1.03	0.11	0.05	17.6	1.6	0.2	136	5.74	0.01
ANG28504	25.2	9	0.53	58.7	2.41	1.22	0.14	0.09	14	2.3	0.21	144	15.45	-0.01
ANG28505	26.9	15	0.5	55.6	3.08	1.63	0.11	0.06	15	4.7	0.17	141	9.58	-0.01
ANG28506	19.95	8	0.35	43.5	3.08	1.2	0.08	0.06	10.8	2.1	0.13	259	7.96	-0.01
ANG28507	22.7	11	0.56	82.2	3.64	1.01	0.11	0.07	12.2	1.7	0.15	166	11.2	-0.01
ANG28508	9.03	7	0.2	37.7	0.82	1.37	0.13	0.03	5.2	1.6	0.22	97	4.68	0.02
ANG28509	29.1	10	0.3	69.5	3.3	0.83	0.12	0.06	15.9	1	1.88	493	11.45	-0.01
ANG28511	16.35	13	0.22	74.7	1.46	1.36	0.25	0.06	9.4	1.4	0.21	235	17.4	0.01
ANG28512	46.7	29	0.6	189	3.69	2.54	0.89	0.09	30.7	0.8	0.4	172	108.5	-0.01
ANG28513	29.5	17	0.3	27.8	2.57	2.08	0.11	0.05	15.3	5.3	0.35	478	9.46	-0.01
ANG28515	47.5	18	0.51	26.7	2.19	1.84	0.07	0.04	23.3	4.3	0.24	265	4.4	-0.01
ANG28516	32.5	13	0.4	22.3	1.9	1.41	0.1	0.04	16.3	3.3	0.2	288	3.71	-0.01
ANG28517	20.4	13	0.38	26.4	1.53	1.81	0.09	0.04	10.8	3.1	0.2	294	2.58	-0.01
ANG28518	20.4	15	0.24	104.5	2.02	1.26	0.77	0.04	15	1.5	0.6	426	58.6	0.02
ANG28519	14.5	12	0.2	127.5	1.16	0.86	0.39	0.03	11.4	1.2	0.43	369	19.9	0.03
ANG28521	28.5	14	0.56	137	4.38	1.63	0.17	0.04	16.2	3.6	0.11	551	8.74	-0.01
ANG28522	31.1	23	0.76	50.6	2.74	3.37	0.35	0.07	17.8	7.7	0.22	230	10.65	0.01
ANG28523	33.8	21	0.55	33.7	2.31	2.3	0.19	0.06	18.1	4.2	0.15	315	13.2	-0.01
ANG28524	25.4	15	0.44	29.3	3.25	2.5	0.18	0.05	12.4	2	0.08	3030	21.2	0.01
ANG28525	29.5	25	0.65	72.4	2.21	2.49	0.19	0.06	17.1	5.7	0.22	316	11.65	0.01
ANG28526	20.5	14	0.48	153	1.97	1.89	0.18	0.05	11.7	2.1	0.11	400	9.03	0.01
ANG28527	35.6	7	0.34	52.7	1.64	1.15	0.31	0.05	18.2	1.1	0.16	205	4.26	-0.01
ANG28528	31.6	19	0.53	35.4	2.5	2.81	0.12	0.05	16.9	8.6	0.86	370	6.08	0.01
ANG28529	19.05	20	0.31	92.9	2.96	2.33	0.25	0.21	13.3	2.7	0.05	110	37.7	-0.01
ANG28530	25.8	8	0.25	45.3	2.44	0.84	0.37	0.13	14.2	2	0.75	134	24.4	-0.01
ANG28531	43.3	5	0.55	60.4	2.96	0.7	0.1	0.06	23.4	0.8	2.48	232	14.8	-0.01
ANG28532	21.6	14	0.35	87.1	1.92	1.13	0.4	0.04	15.5	2.6	0.22	189	46.1	-0.01
ANG28533	17.7	6	0.32	97.9	2.86	1	0.1	0.04	10	1.5	0.73	477	31.2	0.01
ANG28534	9.7	48	1.08	47.1	2.56	3.4	0.75	0.18	5.5	3.1	0.02	114	16.4	0.01
ANG28536	20.6	19	0.18	101.5	1.75	1.08	0.25	0.03	13.3	1.1	0.34	300	10.9	0.02
ANG28537	16.65	20	0.33	93.4	1.66	1.56	0.46	0.06	11	3.2	0.22	211	23.9	0.01
ANG28538	15.7	12	0.16	52.6	2.08	1.07	0.12	0.03	8.5	2	0.45	486	7.06	0.01
ANG28539	31.2	12	0.16	226	2.37	1.14	0.22	0.07	21	1	0.06	70	7.24	-0.01
ANG28540	31.8	12	0.24	51.2	2.52	1.26	0.11	0.04	17.7	3.9	2	213	12.1	-0.01
ANG28541	18.8	8	0.21	47.9	1.88	1.07	0.1	0.03	10.3	2.4	0.68	236	4.65	0.01
ANG28542	20.1	16	0.17	39.6	1.83	1.31	0.1	0.03	11	3.8	0.37	295	5.37	0.01
ANG28543	22.6	12	0.21	59.9	1.89	1.37	0.13	0.03	12.4	3.1	0.16	254	9.63	0.01
ANG28544	22	10	0.24	45.9	2.06	1.4	0.1	0.03	13	3.1	0.41	304	4.48	0.01
ANG28545	16.7	7	0.17	37.7	1.36	0.87	0.08	0.03	8.8	1.3	0.3	241	3.48	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG26050	53.7	1360	12	2.2	0.04	5.23	4.2	91.3	0.05	0.7	0.13	2.1	418	VA08141992
ANG26651	38.9	730	9.9	2.3	0.09	4.46	1.7	55.8	0.05	1	0.06	0.98	151	VA08138823
ANG26652	23.2	630	8.5	2.2	0.07	3.27	1.9	42.2	0.03	0.7	0.04	0.61	105	VA08138823
ANG26653	23.8	680	14.6	2.7	0.07	5.6	2.7	64	0.07	0.7	0.08	2.29	133	VA08138823
ANG26654	23	800	9.2	2.2	0.07	4.67	2.8	60.4	0.07	0.4	0.05	0.74	149	VA08138823
ANG26655	35.7	850	12.4	2.1	0.07	7.1	1.1	67.2	0.03	0.6	0.07	1.99	101	VA08138823
ANG27114	41.6	600	14.5	3.2	0.04	4.13	1.6	33.6	0.09	2.2	0.05	0.83	373	VA08138823
ANG27115	28.3	820	4.4	1.4	0.12	2.81	2.9	76.9	0.02	0.3	0.03	1	138	VA08138823
ANG27736	46.7	870	13.8	6.3	-0.01	1.97	0.7	28.6	0.04	4.9	0.11	0.89	149	VA08138823
ANG27737	69.6	2140	25.6	2.6	0.02	11.8	2	66.2	0.16	2.9	0.11	1.36	208	VA08138823
ANG28092	158	1520	18.1	2.3	0.02	11.1	7.2	88.1	0.14	3.8	0.13	1.42	281	VA08138823
ANG28093	90.4	1230	23.8	4.7	0.07	10.15	6.5	80.3	0.12	1.7	0.16	2.21	738	VA08138823
ANG28094	62	820	15.2	3.6	0.04	2.99	1.2	46.4	0.05	1.9	0.06	0.79	268	VA08138823
ANG28095	60.2	830	11.7	3.5	0.02	3.09	1.5	79.2	0.05	3.9	0.05	1.15	326	VA08138823
ANG28096	75.9	830	13.5	3.1	0.03	6.04	2	153	0.08	3.6	0.08	1.12	406	VA08138823
ANG28097	136.5	1600	22.2	3.6	0.02	20.4	10.2	81.4	0.13	2.3	0.22	1.69	2650	VA08138823
ANG28099	60.8	990	12.9	3.1	0.01	7.31	3.1	170	0.04	5.4	0.09	1.18	457	VA08138823
ANG28100	48.6	1040	9.6	2.6	0.02	6.31	2.3	290	0.04	3.7	0.06	0.82	375	VA08138823
ANG28256	98.2	1510	19.8	3	0.1	8.13	7.9	49.5	0.06	1.2	0.1	1.36	552	VA08138823
ANG28257	160.5	1500	29.8	4.2	0.1	14.55	13.6	101	0.16	1.5	0.26	2.33	1170	VA08141992
ANG28258	298	900	24.9	2.5	0.05	28.1	14	119.5	0.16	2.5	0.68	3.3	1260	VA08138823
ANG28259	145.5	1010	16.2	1.8	0.11	8.54	7.3	136	0.07	0.2	0.37	2.98	1070	VA08141992
ANG28260	72.1	710	17.8	2.4	0.08	5.49	3.7	100	0.06	0.4	0.12	1.67	550	VA08138823
ANG28261	118.5	1100	25	4.6	0.07	12.45	5.7	67.9	0.1	1.3	0.33	3.46	732	VA08138823
ANG28503	49.7	950	11.9	3.5	0.08	3.71	2.5	95.8	0.07	1.4	0.06	1.09	296	VA08138823
ANG28504	54.6	1160	22	5.2	0.18	8.4	5.7	127.5	0.12	1.8	0.15	1.55	362	VA08138823
ANG28505	63.4	820	23.7	4.2	0.08	4.05	3.6	67.4	0.1	2.4	0.08	1.27	293	VA08138823
ANG28506	64.8	950	26.4	3.9	0.1	3.36	3.3	74.7	0.09	1.4	0.07	1.05	328	VA08138823
ANG28507	97.4	1120	23.4	4.7	0.1	3.89	5.6	95.8	0.1	3.2	0.11	1.71	526	VA08138823
ANG28508	35.3	880	6.1	2.1	0.07	3.01	3.3	66	0.03	0.3	0.08	1.11	287	VA08138823
ANG28509	116.5	2150	22	3	0.04	14.3	3.9	104.5	0.13	4	0.15	2.22	418	VA08138823
ANG28511	117.5	1300	25.4	3.3	0.07	13.95	7.9	52.1	0.08	0.8	0.16	2.16	620	VA08138823
ANG28512	320	2220	83.5	6.4	0.02	46.1	49.3	159	0.33	8	0.84	7.95	2360	VA08138823
ANG28513	77.5	990	19	4.2	0.08	6.35	3	30.1	0.05	1.1	0.11	1.56	315	VA08138823
ANG28515	51.7	900	15.2	4.1	0.02	6.35	1.8	24.5	0.03	4.3	0.12	1.07	160	VA08138823
ANG28516	48.5	860	14.1	4	0.06	4.61	2.3	25.4	0.03	1.8	0.1	1.25	198	VA08138823
ANG28517	31	860	13.9	4.3	0.07	2.9	1.8	31.8	0.03	0.9	0.1	1.35	123	VA08138823
ANG28518	239	1480	38	3.3	0.13	22	20.5	222	0.13	0.5	0.65	4.47	2340	VA08141992
ANG28519	179	1430	23.5	2.8	0.17	9.74	10.1	248	0.08	0.3	0.31	2.86	1760	VA08141992
ANG28521	159.5	1460	16.7	4	0.07	7.84	5.5	110.5	0.08	2.9	0.16	2.6	1270	VA08138823
ANG28522	33.3	1440	19.8	8.8	0.09	8.02	5.3	119	0.1	2.3	0.17	2.42	239	VA08141992
ANG28523	48.8	1210	21.9	6.6	0.06	6.53	4.1	69.2	0.11	2.8	0.15	1.97	356	VA08138823
ANG28524	30.8	1180	61.1	5.9	0.05	7.86	5.8	38.8	0.08	1.8	0.13	1.72	228	VA08141992
ANG28525	67.8	1080	18.1	7.6	0.04	5.59	3.5	66.8	0.1	2.8	0.14	2.92	449	VA08138823
ANG28526	28.7	830	47.1	7.1	0.34	5.64	6	92.7	0.12	1.2	0.1	2.81	239	VA08138823
ANG28527	55.3	700	20	3.9	0.05	6.63	2.3	30.4	0.05	2.1	0.16	1.22	1195	VA08138823
ANG28528	50.6	1080	20.1	5.8	0.03	2.6	1.4	107	0.06	3.9	0.1	1.19	169	VA08138823
ANG28529	134.5	2360	32.4	11.2	0.47	11.7	9.5	133	0.31	1.5	0.3	6.04	578	VA08138823
ANG28530	73.1	1430	48.6	3.9	0.21	5.17	3.2	223	0.2	7.7	0.25	2.61	235	VA08138823
ANG28531	76.6	1840	33.4	3.3	0.02	6.27	3.6	104.5	0.13	10.8	0.12	1.51	119	VA08138823
ANG28532	198	950	23.3	3.6	0.06	15.3	10.3	70.5	0.14	1.6	0.45	2.04	1290	VA08138823
ANG28533	83.5	940	37.9	3	0.04	12.95	2.2	71.7	0.08	1.8	0.16	2.08	462	VA08138823
ANG28534	18.4	2070	395	13.8	0.49	6.7	16.2	437	0.21	6.3	11.75	2.83	287	VA08138823
ANG28536	114	1280	35.2	3.2	0.07	7.89	4.7	102.5	0.12	1.1	0.25	1.56	787	VA08138823
ANG28537	134.5	2090	23.5	5	0.11	16.1	12.5	188.5	0.18	0.9	0.34	5.43	1430	VA08138823
ANG28538	77.3	1350	15.6	3.1	0.09	7.11	3.9	84.1	0.09	0.9	0.08	1.53	433	VA08138823
ANG28539	39.9	620	19.2	4.6	0.14	9.22	5.7	135.5	0.16	4.1	0.1	1.24	118	VA08138823
ANG28540	69.8	1560	23.4	3.2	0.01	5.63	2.2	79.2	0.1	6.3	0.11	1.27	164	VA08138823
ANG28541	42.8	1370	14.4	3	0.06	3.91	2.1	72.3	0.08	0.9	0.05	1.32	199	VA08138823
ANG28542	41.8	1260	15.1	2.7	0.04	3.47	1.7	50.7	0.08	1.2	0.05	1.15	200	VA08138823
ANG28543	65	1580	22.1	3.5	0.05	5.72	2.8	63.7	0.13	1.1	0.09	1.88	347	VA08138823
ANG28544	47.4	1920	21.5	3.2	0.07	4.26	2.2	65.3	0.1	1.3	0.06	1.42	131	VA08138823
ANG28545	33.5	1290	11.7	2.7	0.09	2.63	2.4	89.7	0.07	0.8	0.04	2.43	69	VA08138823

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG28546	NAD83-8	628300	6860420	16	2.18	0.33	22	690	0.32	0.18	1.21	7.69	9.7
ANG28547	NAD83-8	628326	6860462	14	1.5	0.3	22	980	0.33	0.17	1.32	13.05	9.1
ANG28548	NAD83-8	634281	6855481	6	0.69	0.68	26.5	280	0.53	0.32	1.03	2.82	12
ANG28549	NAD83-8	634152	6856943	11	1.15	0.37	39.2	910	0.45	0.21	1.07	3.97	10.4
ANG28550	NAD83-8	634240	6856527	5	1.02	0.48	13.4	550	0.31	0.16	1.23	2.67	8
ANG28551	NAD83-8	634214	6856485	3	0.15	0.78	21.3	760	0.38	0.28	0.67	0.86	14.2
ANG28552	NAD83-8	633963	6856650	2	0.21	0.58	9.3	610	0.35	0.18	0.53	0.42	9.6
ANG28554	NAD83-8	634070	6856819	7	1.96	1.1	17.3	2220	0.57	0.19	0.64	0.89	7.7
ANG28555	NAD83-8	634127	6856904	9	1.06	0.81	19.1	1130	0.44	0.25	0.64	0.98	9.8
ANG28556	NAD83-8	626362	6860373	9	0.57	0.45	23.1	170	0.42	0.6	3.48	3.2	20
ANG28557	NAD83-8	626389	6860414	6	2.09	0.22	39.3	240	0.31	0.18	7.85	15.35	13
ANG28558	NAD83-8	626415	6860455	10	2.69	0.45	70	170	0.49	0.18	0.63	5.78	6.9
ANG28559	NAD83-8	626443	6860498	5	0.41	0.37	16	250	0.31	0.32	5.76	1.54	19
ANG28560	NAD83-8	626469	6860538	12	1.73	0.22	32.7	190	0.35	0.27	3.25	6.65	13.1
ANG28561	NAD83-8	626498	6860582	3	2.53	0.21	20	70	0.18	0.06	2.51	6.73	4.5
ANG28562	NAD83-8	626526	6860625	5	0.76	0.14	20.8	110	0.38	0.21	2.23	2.54	12.3
ANG28563	NAD83-8	626553	6860667	7	0.59	0.2	8.8	150	0.27	0.21	1.81	0.85	11.4
ANG28564	NAD83-8	626579	6860708	57	2.55	0.32	122	300	0.31	0.28	2.74	2.26	8.6
ANG28565	NAD83-8	626607	6860750	13	2.02	0.58	30.7	630	0.3	0.18	1.08	14.4	9.4
ANG28566	NAD83-8	626634	6860792	9	1.44	0.44	39.7	510	0.42	0.19	0.26	8.46	9.6
ANG28567	NAD83-8	626660	6860834	43	2.13	0.57	54.6	820	0.32	0.21	1.04	6.61	12
ANG28569	NAD83-8	626795	6861047	7	1.64	0.62	49.1	840	0.31	0.16	1.1	11.55	11.4
ANG28570	NAD83-8	626851	6861131	12	2.32	0.48	28.3	910	0.31	0.15	2.19	40.5	11
ANG28571	NAD83-8	626906	6861216	15	7.77	0.78	40.7	1740	0.44	0.27	0.52	55.1	7.8
ANG28572	NAD83-8	626960	6861298	15	1.42	0.33	17.6	490	0.24	0.14	1.71	12.4	6.6
ANG28574	NAD83-8	627015	6861383	3	0.99	0.36	11.1	1670	0.14	0.06	0.9	8.78	4.7
ANG28575	NAD83-8	627099	6861511	14	1.05	0.36	17.9	1680	0.18	0.1	1.2	9.27	5.9
ANG28576	NAD83-8	627179	6861634	7	0.76	0.4	13.1	310	0.13	0.1	0.24	2.16	3.8
ANG28577	NAD83-8	628077	6860449	8	0.45	0.46	13.4	380	0.17	0.13	0.76	1.33	6.1
ANG28578	NAD83-8	628050	6860408	16	0.66	0.3	36.1	580	0.25	0.27	0.37	1.65	12.4
ANG28579	NAD83-8	628022	6860365	8	0.58	0.54	17.9	540	0.24	0.16	0.4	2.93	8.1
ANG28580	NAD83-8	627995	6860323	13	1.69	0.62	38.2	910	0.42	0.24	0.53	1.75	10.3
ANG28581	NAD83-8	627968	6860281	10	1.83	0.78	13.6	1630	0.47	0.18	0.76	2.55	17.3
ANG28582	NAD83-8	627940	6860239	11	0.84	0.39	33.3	490	0.29	0.18	0.4	1.65	8.3
ANG28583	NAD83-8	627913	6860196	16	0.91	0.23	22.2	460	0.21	0.15	2.18	4.7	7
ANG28584	NAD83-8	627887	6860155	7	1.76	0.36	24.6	480	0.23	0.12	0.7	13.6	6.7
ANG28585	NAD83-8	627859	6860114	6	1.74	0.37	50.7	230	0.25	0.13	1.8	12.8	9.5
ANG28587	NAD83-8	627804	6860028	5	0.91	0.69	17.9	320	0.34	0.23	0.7	3.85	7.2
ANG28588	NAD83-8	627777	6859996	9	1.04	0.51	38.7	250	0.41	0.26	2.06	1.53	11.8
ANG28589	NAD83-8	627748	6859942	11	1.16	0.42	23.6	280	0.45	0.33	3.02	1.57	11.6
ANG28590	NAD83-8	627723	6859903	13	1.64	0.41	33.5	350	0.42	0.39	3.27	1.41	18
ANG28591	NAD83-8	627690	6860223	6	3.07	0.41	34.7	320	0.29	0.12	0.97	19.7	6.3
ANG28592	NAD83-8	627664	6860181	12	1.53	0.77	14.6	940	0.3	0.16	0.47	5.28	6.5
ANG28593	NAD83-8	627637	6860138	8	1.06	0.79	21.5	370	0.31	0.19	0.37	1.55	6.6
ANG28594	NAD83-8	627611	6860097	20	3.7	0.34	74.8	520	0.28	0.3	0.24	0.74	2.4
ANG28595	NAD83-8	627584	6860056	15	2.47	0.33	38.5	330	0.22	0.38	0.13	0.8	3.9
ANG28596	NAD83-8	626990	6860978	7	0.95	0.555	21.1	830	0.28	0.155	0.705	5.385	7.5
ANG28597	NAD83-8	627018	6861020	22	2.61	0.49	25	1700	0.31	0.11	4.12	48.9	8.9
ANG28600	NAD83-8	628274	6860378	14	0.95	0.54	20.8	990	0.34	0.19	1.11	24.3	8.9
ANG28601	NAD83-8	628311	6859339	4	0.38	0.35	8.8	160	0.25	0.21	3.9	1.81	11.8
ANG28602	NAD83-8	628339	6859381	8	0.39	0.4	10.8	160	0.2	0.23	1.69	0.89	12.2
ANG28603	NAD83-8	628365	6859423	9	0.62	0.4	17.3	200	0.33	0.32	1.04	0.92	13.7
ANG28604	NAD83-8	628473	6859590	6	1.3	0.53	28.3	300	0.32	0.16	1.11	3.27	8.5
ANG28605	NAD83-8	628527	6859675	7	0.44	0.25	30.5	120	0.29	0.25	0.54	2.72	14.6
ANG28606	NAD83-8	628554	6859717	19	1.68	0.32	27.9	160	0.36	0.17	1.76	7.43	13.4
ANG28607	NAD83-8	628581	6859759	9	0.65	0.36	17.3	360	0.26	0.15	1.07	4.32	6.6
ANG28608	NAD83-8	628608	6859802	6	2	0.47	16.4	500	0.29	0.17	1.08	17.75	6.6
ANG28609	NAD83-8	628382	6860546	11	0.71	0.35	31.5	1710	0.32	0.11	2.7	4.27	12.1
ANG28610	NAD83-8	628410	6860591	19	0.85	0.59	58.7	880	0.26	0.17	0.86	1.51	11.3
ANG28611	NAD83-8	628436	6860631	13	0.87	0.76	60.9	1180	0.31	0.24	0.31	2.02	14.2
ANG28612	NAD83-8	628490	6860715	12	0.74	0.6	12.2	680	0.26	0.15	0.75	3.07	8.4
ANG28613	NAD83-8	628518	6860756	9	1	0.62	12.5	570	0.35	0.16	0.65	2.28	6.8
ANG28614	NAD83-8	628350	6860866	8	0.65	0.44	11.1	370	0.22	0.11	1.1	1.14	5.8

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG28546	25.6	6	0.34	59.9	1.67	1.12	0.26	0.04	13.4	1.1	0.27	173	3.63	0.01
ANG28547	20.8	9	0.26	45.5	1.63	1.13	0.22	0.05	11.1	1.2	0.2	296	4.67	0.01
ANG28548	27.1	19	0.59	51.4	3.11	2.33	0.09	0.05	14.6	8.2	0.44	318	9.74	0.01
ANG28549	34.2	12	0.27	50.2	2.38	1.33	0.15	0.05	19	1.7	0.23	174	13.45	-0.01
ANG28550	20.6	10	0.45	44.6	1.76	1.3	0.14	0.04	12.1	2.4	0.4	208	8.55	0.02
ANG28551	21.1	14	0.49	43.2	3.21	2.91	0.07	0.09	11.1	5.6	0.26	310	4.03	0.01
ANG28552	30.5	12	0.25	29.7	1.94	1.72	0.03	0.05	15.3	3	0.19	229	2.96	0.01
ANG28554	37.2	22	0.7	25.1	2.12	2.3	0.17	0.04	17	5.8	0.21	146	6.03	-0.01
ANG28555	30.2	20	0.62	67.2	2.19	2.72	0.15	0.05	16.8	7.5	0.34	308	4.64	0.01
ANG28556	17	9	0.8	62.5	3.9	1.33	0.08	0.05	9.7	6.3	0.3	351	10.5	0.01
ANG28557	15.8	7	0.38	112.5	2.64	0.71	0.86	0.05	9.8	1.2	0.61	375	24.7	0.01
ANG28558	25.1	23	0.64	86.6	2.28	1.23	1.23	0.07	17.1	2.7	0.05	114	55.3	0.01
ANG28559	62.1	5	1.02	62.9	3.41	1.2	0.07	0.05	33.1	7.4	0.41	144	9.26	0.01
ANG28560	41.1	8	0.74	91.5	2.59	0.77	0.3	0.05	23.1	1.7	0.25	116	34	-0.01
ANG28561	14.95	11	0.17	108	1.1	0.79	0.29	0.04	11	0.6	0.45	86	23.7	0.04
ANG28562	49.5	6	0.34	52.3	2.43	0.59	0.12	0.04	25.5	0.5	0.85	218	29.9	-0.01
ANG28563	27.7	9	0.23	48.6	2.49	0.56	0.05	0.04	14.2	0.8	0.8	366	5.53	0.02
ANG28564	23.8	24	0.29	274	3.99	2.02	0.33	0.14	15.2	1.8	1.45	280	10.75	0.02
ANG28565	34.3	23	0.48	86.3	2.35	1.87	0.49	0.06	19.6	3.5	0.54	292	15.45	0.03
ANG28566	52.9	35	0.59	120	2.89	1.79	0.23	0.07	36.9	1.4	0.05	253	96.8	0.02
ANG28567	39.9	21	0.42	99.4	2.72	1.54	0.27	0.1	24	1.2	0.33	295	41.7	0.02
ANG28569	26.9	24	0.46	121	2.91	1.9	0.36	0.12	18.5	2.8	0.33	195	60.4	0.02
ANG28570	30.3	20	0.55	134.5	2.15	1.54	0.44	0.06	22.2	2.4	0.65	243	43.6	0.03
ANG28571	34.4	43	0.69	237	2.54	2.42	1.55	0.1	25	2.1	0.06	204	92.7	0.02
ANG28572	21	14	0.17	94.9	1.68	1.04	0.24	0.03	13	0.9	0.33	282	10.85	0.04
ANG28574	16.75	11	0.12	58.6	1.15	1.05	0.16	0.04	11.7	0.7	0.15	167	20.4	0.06
ANG28575	19.85	16	0.2	57.2	1.39	1.07	0.2	0.04	12.9	1.1	0.17	217	19.7	0.03
ANG28576	19.5	15	0.48	16.1	1.07	1.76	0.07	0.05	11.2	1.7	0.06	160	9.95	0.02
ANG28577	22.8	6	0.25	24.9	1.25	1.03	0.1	0.04	11.3	1.3	0.13	372	3.28	0.04
ANG28578	72.8	7	0.32	38.8	1.92	0.95	0.13	0.04	35.9	1.1	0.09	306	4.65	0.02
ANG28579	30.8	6	0.37	30.6	1.61	1.52	0.09	0.04	15	1.6	0.09	486	4.5	0.03
ANG28580	45.1	11	0.38	43.3	2.38	1.36	0.22	0.04	22.7	2.5	0.15	268	6.97	0.02
ANG28581	39.6	19	0.5	33.6	2.36	2.27	0.21	0.04	17.8	4.9	0.31	375	5.96	0.03
ANG28582	47.8	12	0.24	28.9	2.15	1.24	0.17	0.04	25.8	2.3	0.19	237	17.75	0.02
ANG28583	24.9	9	0.15	65.1	1.76	0.63	0.24	0.04	13.9	1	0.96	181	28.8	0.02
ANG28584	25	14	0.35	84.8	1.95	1.12	0.43	0.04	17.2	2.2	0.2	184	47.1	0.02
ANG28585	28.1	13	0.29	67.9	2.08	1.11	0.55	0.04	18.4	2	0.71	275	39.2	0.02
ANG28587	26.8	20	0.36	43.9	2.08	2.23	0.09	0.05	14.5	5.2	0.28	337	8.73	0.02
ANG28588	35	18	0.36	59	3.01	1.67	0.15	0.05	19.6	3.3	0.89	686	9.39	0.02
ANG28589	39.9	13	0.41	77.6	3.08	1.45	0.16	0.08	23.1	1.5	1.09	394	9.63	0.02
ANG28590	43.5	14	0.53	288	3.78	1.42	0.19	0.13	25	1.1	0.72	525	11.35	0.02
ANG28591	21.7	25	0.44	134.5	1.66	1.29	0.65	0.07	16.5	2.3	0.29	185	41.7	0.02
ANG28592	26.2	21	0.49	61.3	1.8	2.28	0.17	0.04	15.5	4.6	0.24	250	12.35	0.03
ANG28593	28.5	20	0.64	79	2.22	2.87	0.12	0.04	15.7	4.4	0.17	303	14.9	0.02
ANG28594	29.5	26	0.52	43.7	3.05	2.16	0.17	0.19	21.6	1.8	0.05	50	40.6	0.02
ANG28595	23.3	27	0.31	47.1	2.53	2.22	0.18	0.17	14.9	2.4	0.05	131	8.23	0.02
ANG28596	28.05	14.5	0.52	43.3	1.805	1.995	0.18	0.05	15.4	3.95	0.21	252.5	8.82	0.025
ANG28597	22.6	40	0.36	170.5	1.78	1.23	0.52	0.04	18.1	2.4	0.9	432	40.4	0.04
ANG28600	28.9	12	0.41	84	1.82	1.97	0.15	0.06	14.6	2.1	0.23	435	5.82	0.03
ANG28601	28.4	6	0.69	43.5	2.44	0.94	0.07	0.04	15.7	3.2	0.17	134	3.41	0.03
ANG28602	34.7	7	0.48	40.4	2.61	1.12	0.06	0.03	18.1	2.9	0.14	154	4.28	0.03
ANG28603	42.2	6	0.61	52.3	3.05	1.09	0.12	0.04	23.4	2.1	0.1	183	5.81	0.02
ANG28604	19.2	17	0.3	69.8	2.31	1.66	0.13	0.04	11.7	2.6	0.13	238	12.4	0.02
ANG28605	37.2	6	0.39	51	3.69	0.79	0.06	0.03	19.1	1.1	0.14	320	7.24	0.01
ANG28606	23.5	9	0.22	67.2	2.73	0.94	0.16	0.03	13	1.2	0.53	534	10.4	0.02
ANG28607	22.5	10	0.22	40.1	1.89	1.37	0.09	0.03	12.9	2.4	0.22	157	5.69	0.02
ANG28608	22.4	17	0.36	70.5	1.67	1.61	0.29	0.03	13.2	3.6	0.18	216	13.65	0.02
ANG28609	13.5	8	0.14	125.5	1.97	0.89	0.17	0.02	7.6	1.3	0.27	464	5.87	0.03
ANG28610	37.3	12	0.43	54.5	2.53	1.67	0.12	0.05	21.5	3.7	0.2	232	10.3	0.02
ANG28611	38.7	15	0.88	70.3	2.91	2.47	0.09	0.07	22.5	5.5	0.14	511	9.94	0.02
ANG28612	23.1	15	0.31	29	1.76	1.83	0.12	0.04	11.9	4.7	0.2	551	3.36	0.02
ANG28613	30	16	0.33	41.5	1.76	1.86	0.13	0.04	15.8	5.7	0.23	254	2.68	0.01
ANG28614	15.45	7	0.23	30.1	1.27	1.22	0.09	0.04	8.2	2.2	0.18	229	2.06	0.02

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG28546	47.3	620	13.6	3.6	0.06	10	2	41.6	0.06	1.9	0.1	1.15	1195	VA08138823
ANG28547	50.9	730	14.9	3.9	0.09	8.63	2.3	39.6	0.06	1.7	0.09	1.1	1375	VA08138823
ANG28548	60.1	670	20.6	5.9	0.04	3.84	1.5	47.5	0.06	2.8	0.1	1.1	233	VA08138823
ANG28549	87.6	940	23.8	4	0.05	4.69	6.1	70	0.12	2	0.11	1.53	538	VA08138823
ANG28550	46	1030	25.9	5.5	0.05	3.41	2	43.9	0.06	1.2	0.13	1.14	227	VA08138823
ANG28551	50.3	680	19.7	9.4	0.04	2.42	1.8	40.7	0.07	1	0.07	1.34	144	VA08138823
ANG28552	35.7	280	8.2	4.9	0.02	2.13	0.8	21.8	0.05	3.2	0.07	0.75	48	VA08138823
ANG28554	41.8	940	25.6	6.2	0.05	3.22	2.8	41.6	0.06	2.2	0.13	2.35	122	VA08138823
ANG28555	51.9	980	19.2	6.7	0.04	3.87	1.9	45.3	0.11	2.7	0.11	2.62	171	VA08138823
ANG28556	59.4	780	23.4	3.5	0.03	5.51	3.1	79.6	0.07	2.8	0.03	1.97	341	VA08138823
ANG28557	105	1200	27.4	3.2	0.06	13.25	10.2	345	0.11	3.5	0.16	2.21	1870	VA08138823
ANG28558	101	2710	42.6	5.7	0.06	44.5	21.6	197.5	0.31	2.5	0.78	6.49	821	VA08138823
ANG28559	86.9	870	13.1	4.4	0.05	2.76	2.9	166.5	0.1	10	0.05	2.26	363	VA08138823
ANG28560	131	980	31.1	4.1	0.06	12.55	9.1	109	0.15	2.8	0.21	2.38	984	VA08138823
ANG28561	115.5	1240	24.7	1.9	0.03	11.25	11.7	112	0.13	1.3	0.22	1.21	1140	VA08138823
ANG28562	92.5	910	28.3	2.5	0.01	6.69	4.7	57.4	0.07	12.1	0.16	1.64	451	VA08138823
ANG28563	54.5	660	15.3	2.8	0.03	3.06	1.5	48.9	0.06	2	0.08	0.63	187	VA08138823
ANG28564	102	1150	20.4	6.3	0.27	46.5	8.5	228	0.13	2.4	0.29	1.66	399	VA08138823
ANG28565	143	1310	28.1	5.2	0.07	13.1	11.1	63.6	0.09	2.5	0.28	1.97	1795	VA08138823
ANG28566	226	1690	57.5	6.7	0.05	22.6	27.7	51	0.28	5	0.87	5.51	1040	VA08138823
ANG28567	200	2530	36.6	5.3	0.14	34.9	16.3	155.5	0.19	3.8	0.43	6.85	897	VA08138823
ANG28569	344	2560	36.4	6.6	0.21	24	29.8	202	0.23	3.8	1.01	4.88	1505	VA08138823
ANG28570	309	2170	29.9	5.1	0.09	19.2	24.7	250	0.18	2	0.75	5.15	2870	VA08138823
ANG28571	326	3600	91.6	8.5	0.13	24.6	29.4	713	0.57	1.5	2.61	22.6	3440	VA08138823
ANG28572	110.5	1240	31.9	2.6	0.07	7.94	4.2	98.6	0.12	1	0.17	1.64	789	VA08138823
ANG28574	103	1030	14.7	1.9	0.06	5.96	6.4	106	0.09	1	0.26	2.02	935	VA08138823
ANG28575	113	1270	19.5	3	0.1	8.88	10	129.5	0.11	1.1	0.29	2.88	828	VA08138823
ANG28576	35.1	810	10.6	8.3	0.05	3.67	2.7	35.5	0.06	0.6	0.16	0.83	242	VA08138823
ANG28577	30.1	790	12.3	3.2	0.07	3.87	1.8	28.1	0.03	1	0.09	0.74	198	VA08138823
ANG28578	53.1	900	28.7	2.9	0.04	8.48	2.3	19.1	0.05	5.8	0.13	1.26	327	VA08138823
ANG28579	33.1	680	14.7	4.3	0.05	4.72	1.8	23	0.04	1.4	0.12	0.85	309	VA08138823
ANG28580	61.5	830	25.5	4.6	0.06	6.52	3.7	32.8	0.05	2.3	0.24	1.58	474	VA08138823
ANG28581	57.3	920	22.2	4.7	0.08	9.64	2	33.2	0.04	1	0.23	1.34	530	VA08138823
ANG28582	63.7	580	21.5	3.4	0.03	10.35	2.5	17.1	0.05	4.1	0.26	1.23	371	VA08138823
ANG28583	99.5	940	17.9	2.2	0.04	10.4	4.2	56.5	0.08	1.4	0.28	1.34	670	VA08138823
ANG28584	214	930	23.1	3.4	0.07	15.15	9.7	62.5	0.15	1.3	0.51	1.69	1305	VA08138823
ANG28585	187	1350	16.5	4	0.05	25.3	13.2	100	0.12	3.2	0.39	1.69	1490	VA08138823
ANG28587	62.2	1110	16.1	4.9	0.04	6.6	2.4	40.3	0.07	1.2	0.1	1.19	343	VA08138823
ANG28588	101.5	2090	25	4.1	0.04	6.96	2.1	54.2	0.12	3.1	0.13	1.24	187	VA08138823
ANG28589	92.7	3760	29.1	5.1	0.05	7.36	2.5	115.5	0.16	4.1	0.12	1.77	429	VA08138823
ANG28590	134.5	5410	31.5	6.5	0.06	9.98	3.7	157.5	0.18	8.1	0.29	3.41	421	VA08138823
ANG28591	225	2190	21.6	4.9	0.06	24.1	17.3	153	0.23	1.3	0.66	2.79	1475	VA08138823
ANG28592	66.6	1460	17.9	5.1	0.05	6.89	3.7	67.8	0.09	1	0.19	1.78	470	VA08138823
ANG28593	59.2	1000	16.2	5.8	0.04	7.71	3.1	26.7	0.08	0.3	0.19	1.31	358	VA08138823
ANG28594	45.7	2590	45.9	10.3	0.41	13.55	6.6	164	0.49	0.9	0.48	4.82	110	VA08138823
ANG28595	37.3	720	27.7	8.1	0.42	7.48	5.1	70.8	0.12	1.9	0.25	1.44	168	VA08138823
ANG28596	54.55	950	20.2	5.5	0.055	7.105	3.95	58	0.075	1.45	0.2	1.865	442.5	VA08138823
ANG28597	217	1680	23.5	3.3	0.16	15.65	27.2	341	0.13	0.8	0.45	4.19	2380	VA08138823
ANG28600	56.2	790	16.5	4.7	0.09	7.26	2.4	41.3	0.04	1.5	0.13	1.27	2700	VA08138823
ANG28601	55.6	620	9.4	3.3	0.05	1.95	1.8	115.5	0.06	1.7	0.04	0.86	214	VA08138823
ANG28602	55.3	770	12.6	2.6	0.05	2.38	1.5	66.7	0.07	2.1	0.05	0.86	192	VA08138823
ANG28603	62	860	17.6	3.5	0.05	4.77	1.9	51.5	0.09	3.3	0.07	0.93	191	VA08138823
ANG28604	90.8	1560	15.7	4.1	0.04	5.26	3.9	71.8	0.09	1.8	0.1	2.32	499	VA08138823
ANG28605	74.6	760	19.4	3	0.04	3.41	1.9	29.5	0.08	5.1	0.06	1.06	510	VA08138823
ANG28606	123	1280	18.8	2.6	0.04	6.86	3.3	73.9	0.1	1.8	0.09	1.22	645	VA08138823
ANG28607	49.4	1510	15.7	3.3	0.06	4.36	3.3	52.7	0.07	1.7	0.07	1.56	534	VA08138823
ANG28608	70.7	930	28.4	4.4	0.04	7.21	5.2	62.5	0.13	2	0.17	3.17	1295	VA08138823
ANG28609	73.2	1060	12.8	1.9	0.12	6.76	4.1	152	0.05	0.8	0.04	5.19	474	VA08138823
ANG28610	35.2	1670	18.7	4.5	0.04	7.3	3.3	88.8	0.08	3.9	0.08	1.69	296	VA08138823
ANG28611	48.3	1370	21.8	7.6	0.04	4.41	3.7	114.5	0.08	3.6	0.13	2.2	321	VA08138823
ANG28612	23.8	830	13.3	4.1	0.04	3.17	1.3	36.8	0.04	1.5	0.06	1.24	366	VA08138823
ANG28613	27.3	810	14.6	4.3	0.03	2.66	1.2	36.3	0.04	2.1	0.08	1.36	315	VA08138823
ANG28614	22.3	640	8.9	3.2	0.06	2.5	1.5	39.8	0.03	0.7	0.07	1.71	177	VA08138823

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG28615	NAD83-8	628323	6860825	11	0.63	0.31	58.7	320	0.17	0.13	0.67	1.16	8.1
ANG28616	NAD83-8	628296	6860783	7	0.22	0.21	202	180	0.32	0.45	2.56	0.69	33.2
ANG28617	NAD83-8	628268	6860740	7	0.23	0.23	468	280	0.4	0.82	4.77	0.8	60.1
ANG28618	NAD83-8	628240	6860698	7	0.38	0.58	25	830	0.29	0.11	1.44	0.82	7.3
ANG28619	NAD83-8	628214	6860657	15	1.18	0.47	31.4	820	0.3	0.16	0.82	2.81	9.9
ANG28622	NAD83-8	628133	6860531	18	1.16	0.32	20.4	340	0.28	0.2	0.51	0.85	10.1
ANG28623	NAD83-8	628106	6860487	11	0.67	0.16	27.2	400	0.25	0.21	1.67	2.1	11.8
ANG28625	NAD83-8	627940	6860600	10	0.86	0.28	16.7	320	0.22	0.17	0.73	1.24	9.3
ANG28626	NAD83-8	627966	6860639	13	1.45	0.32	28.6	780	0.3	0.21	0.95	9.19	11.6
ANG28627	NAD83-8	628021	6860724	4	0.34	0.5	7.9	380	0.18	0.08	0.94	1.34	3.6
ANG28628	NAD83-8	628075	6860807	4	0.44	0.57	9.2	550	0.23	0.11	1.2	1.77	5.3
ANG28630	NAD83-8	628098	6858641	3	0.37	0.2	33.6	120	0.49	0.21	2.27	1.01	22
ANG28631	NAD83-8	628127	6858681	3	0.13	0.15	19.3	90	0.45	0.21	1.41	0.21	22.6
ANG28632	NAD83-8	628154	6858722	12	1.96	0.25	33.8	190	0.52	0.21	3.31	6.26	16.6
ANG28633	NAD83-8	628180	6858765	9	5.64	0.23	65.7	180	0.56	0.26	3.62	10.95	15.1
ANG28634	NAD83-8	628208	6858807	11	3.52	0.45	64.3	250	0.77	0.28	2.89	10.05	12.4
ANG28635	NAD83-8	628234	6858850	4	3.87	0.17	24.1	90	0.67	0.16	4.45	3.44	14.6
ANG28636	NAD83-8	628261	6858892	4	0.59	0.28	30.9	100	0.56	0.19	1.44	1.4	22.1
ANG28638	NAD83-8	628315	6858976	4	1.11	0.38	13.6	150	0.5	0.18	0.86	2.2	12
ANG28639	NAD83-8	628342	6859019	4	0.51	0.33	15.8	130	0.43	0.18	1.26	1.18	13.7
ANG28640	NAD83-8	628106	6860491	11	0.65	0.16	27.3	400	0.26	0.21	1.68	2.1	11.6
ANG28641	NAD83-8	628039	6858918	6	2.07	0.21	31.7	180	0.5	0.17	1.81	7.28	9.8
ANG28642	NAD83-8	628066	6858961	4	0.44	0.32	20	110	0.36	0.16	2.16	3.81	14.8
ANG28643	NAD83-8	628095	6859002	5	1.1	0.23	54	80	0.58	0.25	2.63	2.62	24.9
ANG28644	NAD83-8	628120	6859043	2	0.82	0.25	12.3	120	0.47	0.17	1.23	1.51	14.1
ANG28645	NAD83-8	628148	6859086	7	0.19	0.26	22.9	150	0.33	0.16	7.88	0.41	18.8
ANG28646	NAD83-8	628175	6859128	12	0.16	0.27	21.4	90	0.41	0.19	3.53	0.25	18.9
ANG28647	NAD83-8	628202	6859170	3	0.3	0.3	26	90	0.38	0.15	5.3	0.92	16.2
ANG28648	NAD83-8	628230	6859212	2	0.26	0.34	17.2	90	0.44	0.19	6.02	1.09	11.9
ANG28649	NAD83-8	628256	6859255	5	0.16	0.26	9.8	90	0.32	0.18	9.25	1.78	12.2
ANG28650	NAD83-8	628283	6859296	8	0.56	0.33	13.3	170	0.34	0.34	2.44	2.74	16.4
ANG28669	NAD83-8	627816	6858943	4	1.1	0.34	29.4	210	0.42	0.18	1.85	4.4	8.5
ANG28670	NAD83-8	627845	6858986	3	0.27	0.32	14.2	150	0.48	0.18	0.86	0.6	12.8
ANG28671	NAD83-8	627843	6858987	2	0.3	0.33	14.4	150	0.48	0.17	0.76	0.61	12.6
ANG28672	NAD83-8	627870	6859029	3	0.22	0.31	13	100	0.3	0.17	7.46	0.51	11.7
ANG28673	NAD83-8	627899	6859070	4	0.28	0.31	11.9	100	0.4	0.2	4.89	0.73	13.8
ANG28674	NAD83-8	627926	6859113	2	0.17	0.41	11.5	110	0.24	0.13	8.07	0.34	10.8
ANG28675	NAD83-8	627952	6859154	4	0.3	0.54	22.1	110	0.41	0.18	5.44	1.15	14.6
ANG28676	NAD83-8	627980	6859197	2	0.16	0.24	22.5	100	0.27	0.11	9.08	0.6	15.5
ANG28677	NAD83-8	628007	6859238	4	0.1	0.24	14.1	80	0.31	0.11	5.31	0.52	14.4
ANG28678	NAD83-8	628032	6859281	2	0.7	0.72	25.7	200	0.53	0.16	1.04	6.91	15.7
ANG28679	NAD83-8	628062	6859323	1	0.04	0.09	11	30	0.26	0.08	19.75	0.1	12.6
ANG28680	NAD83-8	628088	6859363	4	0.16	0.32	10.5	100	0.4	0.11	7.87	0.3	11.6
ANG28681	NAD83-8	628117	6859407	5	0.54	0.29	16.6	120	0.45	0.18	5.31	2.99	15.8
ANG28682	NAD83-8	628143	6859447	2	0.28	0.29	13	90	0.35	0.11	10.25	1.57	12.2
ANG28683	NAD83-8	628169	6859490	3	0.51	0.46	13.2	130	0.39	0.14	3.85	2.07	11.8
ANG28684	NAD83-8	628196	6859532	14	0.54	0.33	22.3	120	0.31	0.15	1.39	1.85	9.3
ANG28685	NAD83-8	628637	6859843	6	2.27	0.18	45.2	210	0.3	0.14	1.74	13	5.5
ANG28686	NAD83-8	628690	6859927	12	0.76	0.39	47.5	630	0.67	0.17	2.01	6.54	12.4
ANG28687	NAD83-8	628718	6859969	24	0.85	0.41	38.4	960	0.38	0.12	0.67	3.95	8.8
ANG28688	NAD83-8	629753	6859349	6	0.78	0.38	13.1	300	0.35	0.14	0.8	0.52	9.1
ANG28689	NAD83-8	629779	6859392	6	0.75	0.5	8.2	250	0.27	0.12	0.48	0.31	6.8
ANG28690	NAD83-8	629807	6859433	8	1.09	0.61	13.8	740	0.36	0.13	0.88	4.74	8.2
ANG28691	NAD83-8	629832	6859477	9	0.59	0.59	13.8	1080	0.44	0.18	1.04	0.71	15.1
ANG28692	NAD83-8	629860	6859519	8	0.26	1.21	25.9	710	0.51	0.19	0.36	0.66	14.2
ANG28693	NAD83-8	629887	6859560	8	0.8	0.86	20.7	790	0.53	0.19	1.13	1.61	11.3
ANG28694	NAD83-8	629942	6859644	10	1.44	0.46	40	2120	0.46	0.18	1.54	3.18	11.2
ANG28695	NAD83-8	629970	6859685	28	3.07	0.64	89.2	990	0.42	0.25	0.59	3.7	12.9
ANG28696	NAD83-8	630025	6859763	8	0.63	0.42	37.4	250	0.2	0.12	1.07	4.46	9.9
ANG28697	NAD83-8	629858	6859880	7	0.76	0.73	27.3	550	0.28	0.15	0.34	3.82	7.5
ANG28698	NAD83-8	629828	6859838	10	1.16	0.9	42.9	1130	0.53	0.21	1.13	4.16	12.6
ANG28699	NAD83-8	629801	6859796	22	0.9	0.54	62.8	1080	0.39	0.22	1.82	3.36	20.5
ANG28700	NAD83-8	629775	6859753	9	1.1	0.38	28.8	1280	0.33	0.13	1.16	4.39	12.4

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG28615	16	4	0.23	73	2.46	0.89	0.07	0.02	9	1	0.1	245	5.89	0.03
ANG28616	15.6	3	0.66	50.5	6.11	0.52	0.04	0.03	8.5	0.6	0.4	361	1.69	0.01
ANG28617	8.88	4	1.4	65.1	10.55	0.43	0.04	0.04	4.9	0.8	0.46	372	1.53	0.02
ANG28618	15.1	10	0.27	41.7	1.61	1.59	0.07	0.04	8.4	4	0.24	199	2.35	0.03
ANG28619	22.1	10	0.19	118	2.15	1.32	0.12	0.03	12.8	2.3	0.16	247	7.37	0.02
ANG28622	29.2	4	0.21	45.2	1.64	0.9	0.11	0.04	14.8	0.9	0.09	168	4.11	0.01
ANG28623	40.7	5	0.17	39.7	1.95	0.59	0.11	0.03	21.4	0.6	0.76	235	5.77	0.01
ANG28625	26.7	6	0.22	31.7	1.83	0.89	0.08	0.03	12.9	1.6	0.29	193	3.6	0.02
ANG28626	24.3	12	0.24	81.8	2.3	1	0.22	0.04	12.7	1.3	0.32	196	13.2	0.02
ANG28627	12.1	8	0.26	23.2	0.97	1.28	0.05	0.03	6.8	1.9	0.17	152	2.23	0.03
ANG28628	14.05	8	0.3	26	1.27	1.68	0.08	0.03	7	3.2	0.24	337	1.92	0.03
ANG28630	22.9	6	0.85	35.7	2.86	0.64	0.05	0.06	11.9	1	0.67	201	17.85	0.01
ANG28631	34.9	6	0.94	22	2.63	0.53	0.01	0.04	17.4	0.8	0.41	136	6.6	0.01
ANG28632	25.1	7	0.61	60.9	2.82	0.78	0.09	0.08	14.2	1.6	0.85	262	27.4	0.01
ANG28633	16.05	8	0.99	163	3.14	0.7	0.19	0.07	9.8	1.8	1.08	111	63.9	0.01
ANG28634	32.8	27	1.28	144.5	3.18	1.81	0.15	0.15	20.2	1.3	0.53	194	46.6	0.01
ANG28635	22.8	7	0.41	120	3.19	0.64	0.16	0.05	13.2	1.1	2.25	171	27.2	0.01
ANG28636	39	6	2.64	42.3	3.97	0.89	0.03	0.04	20.4	5.8	0.44	238	5.04	0.01
ANG28638	18.9	9	0.83	41.8	3.18	1.03	0.07	0.03	10.6	9.8	0.17	411	6.39	0.01
ANG28639	28.2	8	0.49	37.9	3.39	0.98	0.03	0.03	15.5	6	0.26	264	4.17	0.01
ANG28640	41.1	4	0.17	39	1.96	0.54	0.11	0.03	21.1	0.6	0.77	236	5.62	0.01
ANG28641	16.3	9	0.34	81.8	2.68	0.74	0.14	0.03	9.4	1.5	0.52	243	34.6	0.01
ANG28642	15.65	8	0.85	36.3	3.79	0.92	0.05	0.04	8.1	7.6	0.71	442	2.99	0.01
ANG28643	18	5	2.12	72.2	3.74	0.72	0.05	0.04	9.7	3.2	0.8	210	6.34	0.01
ANG28644	16.65	5	0.74	43.6	3.01	0.65	0.07	0.03	9	3.8	0.21	242	3.3	0.01
ANG28645	30.1	5	0.53	39.1	2.89	0.75	0.03	0.04	16.7	3.4	1.13	351	1.49	0.02
ANG28646	28.1	4	0.76	47.1	2.28	0.83	0.04	0.04	15.1	3.4	0.87	167	1.5	0.02
ANG28647	27.1	6	0.76	32.2	2.96	0.78	0.03	0.04	13.9	6.7	0.84	257	2.77	0.02
ANG28648	25.4	9	0.76	29.1	3.03	0.85	0.03	0.03	13.8	4.6	0.44	243	5.12	0.01
ANG28649	17.75	6	0.36	26.1	2.66	0.63	0.04	0.03	9.9	1.7	0.59	291	1.52	0.01
ANG28650	23.6	7	0.47	58.4	3.27	0.98	0.09	0.03	12.3	2.4	0.14	229	5.74	0.01
ANG28669	17.4	7	0.31	48.7	2.45	1.02	0.06	0.03	9.4	2.1	0.44	176	14.55	0.01
ANG28670	29.7	6	0.66	26.9	3.32	1.01	0.04	0.04	15.2	2.1	0.21	174	3.92	0.01
ANG28671	26.1	6	0.64	26.8	3.21	1.03	0.04	0.03	13.3	2.1	0.18	161	3.87	0.01
ANG28672	30	6	0.44	24.8	2.73	0.87	0.02	0.03	15.9	4.6	0.86	237	2.83	0.01
ANG28673	30.9	7	0.73	42	2.87	0.92	0.04	0.04	16.5	3.5	0.88	219	2.59	0.01
ANG28674	23.8	4	0.31	20.4	2.54	1.11	0.02	0.03	12.5	6.5	0.87	215	1.74	0.02
ANG28675	37	10	0.78	41.1	2.92	1.56	0.04	0.05	19.7	10.1	1.06	238	3.63	0.01
ANG28676	18.3	4	0.38	21.6	2.65	0.67	0.03	0.03	9.1	3.2	1.12	264	1.79	0.01
ANG28677	16.9	4	0.31	19.3	2.82	0.6	0.02	0.03	8	2.3	0.57	354	1.38	0.01
ANG28678	21.8	11	0.69	41.2	3.46	1.82	0.04	0.03	11.1	34.7	0.28	251	9.65	-0.01
ANG28679	16.3	2	0.32	14	1.7	0.3	0.02	0.02	8.3	1.2	0.98	238	0.43	0.01
ANG28680	19.15	5	0.38	21.6	2.64	0.87	0.03	0.03	9.9	4.4	0.64	215	1.83	0.01
ANG28681	24.8	6	0.44	46.3	3.3	0.84	0.08	0.03	13.1	4.8	0.43	284	5.8	0.01
ANG28682	19.85	5	0.29	28.9	2.57	0.86	0.04	0.02	10.2	4.1	0.68	243	3.63	0.01
ANG28683	23.6	7	0.33	34	2.77	1.34	0.11	0.03	11.9	6.3	0.29	175	4.69	0.01
ANG28684	20.2	5	0.29	32.3	1.9	0.96	0.11	0.03	10.2	2.7	0.16	141	3.88	0.02
ANG28685	12.35	8	0.27	112	1.91	0.81	0.68	0.07	8.3	1.6	0.36	87	67	-0.01
ANG28686	55	6	0.6	32.1	1.76	1.28	0.05	0.1	26.4	1.6	0.48	305	5.49	0.01
ANG28687	28.4	8	0.57	38.9	1.65	1.16	0.12	0.06	13.2	1.8	0.13	182	3.87	0.02
ANG28688	20.4	6	0.28	35.9	1.94	1.04	0.09	0.04	9.9	1.7	0.22	252	3.99	0.02
ANG28689	16.65	5	0.32	27.3	1.43	1.49	0.09	0.04	8.5	2.3	0.09	189	2.41	0.02
ANG28690	28.6	18	0.41	28.2	1.73	2.09	0.15	0.05	15.5	5.3	0.25	432	10.9	0.01
ANG28691	35.2	11	0.24	32	2.23	1.66	0.07	0.07	16.5	3.9	0.38	367	5.91	0.01
ANG28692	38	25	0.39	35.1	2.88	3.65	0.05	0.08	18.3	9.4	0.3	430	8.25	0.01
ANG28693	30.4	19	0.38	37.8	2.44	2.78	0.12	0.05	16.2	7.8	0.31	454	4.77	0.01
ANG28694	23.4	11	0.19	45.6	2.47	1.35	0.13	0.04	11.8	1.8	0.14	429	6.23	0.02
ANG28695	23.1	22	0.63	122	3.27	1.79	0.23	0.1	12.7	2.4	0.11	136	17.6	0.01
ANG28696	15.8	6	0.43	84.7	2.27	1.13	0.05	0.03	8.2	1.7	0.16	194	4.92	0.03
ANG28697	18.25	13	0.78	56.8	1.45	2.68	0.07	0.05	9.4	5.1	0.13	287	7.16	0.02
ANG28698	21.5	18	0.68	138.5	2.25	2.43	0.11	0.05	11.4	5.8	0.17	598	7.02	0.02
ANG28699	35	15	0.84	77.8	3.19	1.73	0.08	0.07	17	4.4	0.77	317	7.14	0.01
ANG28700	20.1	8	0.28	57.7	2.17	1.15	0.1	0.03	10.2	1.1	0.12	533	4.68	0.03

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG28615	21.1	840	9.2	1.9	0.06	10.7	4.5	41	0.05	1.5	0.04	1.59	106	VA08138823
ANG28616	61.1	930	12.4	1.9	0.23	9.1	3.3	81.9	0.05	3.3	0.03	0.84	181	VA08138823
ANG28617	118	570	14.6	1.9	1.36	10.15	9.2	141	0.08	5.1	0.02	1.2	273	VA08138823
ANG28618	29.7	610	8.7	3	0.09	3.58	2.1	65.1	0.03	1.2	0.04	1.26	129	VA08138823
ANG28619	76.3	1230	14.4	2.6	0.05	8.65	2.9	47.7	0.07	1.4	0.09	2.29	466	VA08141992
ANG28622	46.2	530	16.5	2.9	0.04	6.43	1.7	19.1	0.04	2.3	0.1	1.08	237	VA08138823
ANG28623	53.5	650	15.5	1.7	0.02	6.93	2.6	42.3	0.05	5.4	0.08	1.01	370	VA08138823
ANG28625	46.9	600	15.7	2.6	0.03	6.93	1.4	23.2	0.03	2.8	0.09	0.84	288	VA08141992
ANG28626	102	1040	27.4	3.2	0.05	10.6	7.5	34.5	0.09	2.3	0.14	1.69	1150	VA08141992
ANG28627	19.4	630	7	2.8	0.06	1.93	1.6	36	0.02	0.4	0.05	1.46	114	VA08138823
ANG28628	22.3	720	11	3.9	0.08	2.34	1.6	46.5	0.03	0.6	0.07	1.32	168	VA08141992
ANG28630	63.4	1040	19.7	2.8	0.09	5.61	1.3	119	0.04	3.1	0.11	1.58	199	VA08138823
ANG28631	41.5	1020	13.5	2.5	0.08	2.08	0.6	84.8	0.02	10.9	0.04	1.22	102	VA08138823
ANG28632	84.1	1430	23.2	4.1	0.1	13	3.7	133	0.08	3.1	0.26	2.88	614	VA08138823
ANG28633	138	2140	34.2	4.7	0.19	23.6	11.8	211	0.19	6.6	0.42	4.74	1395	VA08138823
ANG28634	192.5	7910	36.4	8.8	0.15	16.1	13	309	0.2	7.9	0.31	6.28	1650	VA08138823
ANG28635	92.7	2150	25.1	3	0.04	20.8	4.4	151	0.09	6.9	0.21	3.53	559	VA08138823
ANG28636	54.9	890	20	3.4	0.07	6.24	1.7	65.7	0.03	8.3	0.12	1.57	203	VA08138823
ANG28638	42.2	850	16.5	2.6	0.06	4.7	2.2	37.7	0.04	1.7	0.05	2.18	216	VA08138823
ANG28639	35.6	890	14.3	2.3	0.02	3.67	0.8	44.7	0.03	3.5	0.04	0.77	176	VA08138823
ANG28640	52.6	660	15.5	1.8	0.02	6.95	2.8	44.6	0.04	5.5	0.08	1.03	370	VA08138823
ANG28641	80.7	1110	20.2	2.6	0.1	13.3	4.2	66.9	0.08	1	0.13	2.9	737	VA08138823
ANG28642	38.5	730	13.9	3	0.07	3.14	1.9	88.5	0.04	1.5	0.06	0.7	285	VA08138823
ANG28643	60.8	1010	18.8	2.8	0.32	5.95	6	57.7	0.05	8.3	0.07	2.1	359	VA08138823
ANG28644	35.7	840	12.9	2.5	0.09	3.21	3	34.2	0.04	1.7	0.03	3.04	168	VA08138823
ANG28645	30.5	980	9.5	3	0.08	1.8	0.7	197.5	0.02	3.3	0.04	0.93	99	VA08138823
ANG28646	30.5	1420	8.8	2.8	0.11	3.05	0.7	94.1	0.02	6.9	0.05	0.99	88	VA08138823
ANG28647	33.3	990	10.5	2.4	0.06	3.53	1.2	161.5	0.03	5.3	0.04	0.88	143	VA08138823
ANG28648	32.2	770	12.2	2.2	0.03	4.04	0.8	159.5	0.02	3.7	0.04	1.19	153	VA08138823
ANG28649	38	900	11.6	1.9	0.04	1.02	0.7	286	0.02	2.8	0.03	0.85	249	VA08138823
ANG28650	74.2	850	18.9	3	0.06	3.45	2.2	92.5	0.06	2	0.05	1.69	296	VA08138823
ANG28669	60.9	1150	15.7	2.7	0.08	7.24	2.9	88	0.06	1.1	0.1	1.88	386	VA08138823
ANG28670	42.6	720	12.5	2.9	0.04	3.28	1.1	46.2	0.02	3.8	0.08	1.13	127	VA08138823
ANG28671	41.9	680	12.2	2.7	0.04	3.24	1	40	0.02	3.2	0.08	1.12	128	VA08138823
ANG28672	32.4	770	8.9	2.1	0.03	1.9	0.7	194.5	0.02	5.2	0.02	0.8	102	VA08138823
ANG28673	34.6	850	11.6	2.8	0.05	2.14	0.8	101.5	0.02	3.9	0.04	1.18	120	VA08138823
ANG28674	25.8	740	8.3	2.3	0.02	1.65	0.5	231	0.01	3.5	0.03	0.72	90	VA08141992
ANG28675	43	980	12.8	3.2	0.03	2.47	1.2	144	0.02	4.1	0.05	1.4	165	VA08138823
ANG28676	31.6	880	12.1	2.1	0.04	1.93	0.8	274	0.01	2.5	0.02	0.9	113	VA08138823
ANG28677	28	870	9.6	1.9	0.06	1.32	0.7	147	0.02	2.5	0.02	0.45	98	VA08138823
ANG28678	63.2	840	11.9	2.6	0.04	5.11	3.6	42.9	0.03	2.7	0.11	1.43	446	VA08138823
ANG28679	20.9	810	5.7	0.9	0.02	0.5	0.4	489	0.01	5.2	-0.01	0.58	46	VA08138823
ANG28680	24.8	1030	8.1	1.8	0.05	1.43	0.9	196	0.01	1.6	0.03	0.52	82	VA08138823
ANG28681	49.4	1110	11.8	2.1	0.03	2.68	2.4	156	0.03	2.7	0.04	0.84	330	VA08138823
ANG28682	33.7	1130	8.4	1.7	0.03	1.8	1.6	281	0.02	2.3	0.03	0.62	206	VA08138823
ANG28683	40.5	1190	11.3	2.3	0.04	2.73	2.1	113	0.04	1.6	0.04	0.6	283	VA08138823
ANG28684	40.4	760	10.5	2.1	0.06	4.38	2.3	52.5	0.04	0.9	0.06	0.76	203	VA08138823
ANG28685	166.5	940	23.8	3.6	0.11	31.1	33.8	160	0.27	2.3	0.63	1.63	1625	VA08138823
ANG28686	60.8	680	17.9	4.5	0.04	4.4	4.7	63.5	0.03	3.5	0.13	1.05	1125	VA08138823
ANG28687	51.8	410	10.6	4.8	0.04	3.41	1.6	45	0.03	1.9	0.09	1.11	583	VA08138823
ANG28688	47.9	810	9.7	3.1	0.03	2.6	2.1	31.1	0.03	1.6	0.09	0.65	179	VA08138823
ANG28689	34.8	610	7.8	4	0.03	1.67	1.5	18.6	0.03	1.3	0.09	0.79	120	VA08138823
ANG28690	70.6	1400	18	4.9	0.03	3.79	3.3	69.1	0.06	2.6	0.17	1.18	500	VA08138823
ANG28691	58.8	510	17.6	4.3	0.04	2.83	1.4	49.5	0.04	2.2	0.12	0.83	149	VA08138823
ANG28692	71	700	19.3	6.1	0.02	2.67	2.1	28.6	0.06	4.3	0.1	1.23	236	VA08138823
ANG28693	50	1310	23.4	4.9	0.04	2.45	1.7	55.9	0.06	2.2	0.07	1.15	208	VA08138823
ANG28694	69	1220	43.7	3	0.09	4.45	2.7	96	0.11	1.6	0.07	1.8	377	VA08138823
ANG28695	144	2050	34.2	5.8	0.17	14.4	8.6	219	0.24	4.5	0.16	2.96	719	VA08138823
ANG28696	54.4	1190	12.7	2.9	0.07	4.51	4.9	78.7	0.04	0.9	0.04	1.83	224	VA08138823
ANG28697	33.5	740	14.7	7.4	0.03	3.25	3.2	60.1	0.05	0.8	0.09	1.76	131	VA08138823
ANG28698	97.4	870	20.4	7.3	0.06	5.52	5.4	113	0.09	1.7	0.11	4.96	257	VA08138823
ANG28699	96	1000	29.7	5.3	0.08	4.01	4.2	120.5	0.07	4.4	0.14	1.77	405	VA08138823
ANG28700	60.4	880	71.7	3.2	0.08	4.14	3.6	82.7	0.06	1.6	0.07	1.72	404	VA08138823

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG28721	NAD83-8	627022	6860661	10	0.51	1.43	23.3	1260	0.85	0.19	1.16	8.35	18.9
ANG28722	NAD83-8	627051	6860703	7	0.5	0.84	27	990	0.51	0.2	0.54	1.06	14.3
ANG28723	NAD83-8	627078	6860745	6	0.15	1.01	21.1	230	0.33	0.18	0.14	0.68	9.2
ANG28724	NAD83-8	627105	6860784	13	0.83	0.36	25.5	750	0.36	0.2	0.34	1	17.5
ANG28725	NAD83-8	627133	6860825	10	0.61	0.56	18.7	590	0.38	0.19	0.44	0.63	12.8
ANG28727	NAD83-8	627187	6860911	11	0.47	0.31	15.9	860	0.26	0.18	0.41	0.85	10.2
ANG28728	NAD83-8	627213	6860952	14	1.25	0.56	22.1	1050	0.36	0.16	1.54	11.3	11.3
ANG28729	NAD83-8	627242	6860993	6	1.85	0.37	42.8	2820	0.29	0.15	2.8	15.8	10.5
ANG28730	NAD83-8	627270	6861036	9	1.33	0.35	28	1180	0.3	0.17	1.31	12.65	12.8
ANG28731	NAD83-8	627295	6861078	13	1.11	0.46	23.3	990	0.28	0.16	0.75	4.61	11.9
ANG28732	NAD83-8	627323	6861118	12	1.35	0.5	25.5	1140	0.37	0.19	0.66	5.69	11.9
ANG28800	NAD83-8	634181	6856987	24	1.49	0.39	42.1	530	0.75	0.18	2.07	5.88	10.3
ANG28819	NAD83-8	627596	6858969	5	0.81	0.42	47.3	180	0.34	0.12	1.03	1.48	10
ANG28820	NAD83-8	627622	6859011	5	1.1	0.59	29.8	210	0.49	0.17	0.87	2.73	10.4
ANG28821	NAD83-8	627649	6859055	4	0.26	0.33	18.9	160	0.41	0.15	0.7	0.68	11.9
ANG28822	NAD83-8	627676	6859096	5	0.17	0.2	13.6	100	0.31	0.13	1.61	0.79	12.8
ANG28823	NAD83-8	627704	6859136	5	0.37	0.59	13.1	110	0.44	0.15	4.68	0.64	12.7
ANG28824	NAD83-8	627731	6859179	7	0.58	0.29	16.6	120	0.5	0.17	5.06	1.04	14.2
ANG28825	NAD83-8	627758	6859223	4	0.94	0.39	34.6	120	0.68	0.35	4.31	2.93	30.3
ANG28826	NAD83-8	627785	6859263	3	0.14	1.48	7.4	80	0.34	0.1	5.91	0.27	12.1
ANG28827	NAD83-8	627814	6859307	4	0.17	1.46	7.4	100	0.37	0.11	8.65	0.22	11.8
ANG28828	NAD83-8	627839	6859349	1	0.03	0.12	7	40	0.19	0.11	10.85	0.4	14.3
ANG28829	NAD83-8	627867	6859390	2	0.87	0.17	35.7	100	0.4	0.17	0.75	2.44	15.2
ANG28830	NAD83-8	627894	6859431	3	0.88	1.31	30.9	110	0.65	0.36	0.37	11.1	22
ANG28901	NAD83-8	626969	6860577	9	0.44	0.38	12.2	300	0.25	0.13	0.91	4.44	9.3
ANG28902	NAD83-8	626697	6860157	6	0.51	0.52	6.5	180	0.23	0.2	1.59	0.97	11.2
ANG28903	NAD83-8	626726	6860198	7	0.56	0.52	17.3	190	0.27	0.3	1.21	1.89	19.2
ANG28904	NAD83-8	626753	6860240	9	0.78	0.38	17.3	400	0.28	0.14	1.66	4.96	8.8
ANG28905	NAD83-8	626778	6860281	10	0.66	0.42	13.9	320	0.26	0.13	1.14	2.37	6.2
ANG28906	NAD83-8	626805	6860324	11	0.89	0.37	14.2	270	0.24	0.14	1.07	1.24	7.1
ANG28996	NAD83-8	626834	6860366	12	0.9	0.26	21.5	280	0.33	0.18	1.8	1.86	8.6
ANG28997	NAD83-8	626862	6860407	18	1.28	0.33	31.4	290	0.31	0.21	1.81	3.22	9.4
ANG28998	NAD83-8	626887	6860450	20	1.05	0.25	38.8	300	0.32	0.23	2.66	1.8	9.9
ANG28999	NAD83-8	626913	6860493	13	1.95	0.35	29.5	380	0.31	0.19	0.71	4.42	7.8
ANG29000	NAD83-8	626942	6860535	16	2.01	0.38	33.9	470	0.39	0.2	0.84	4.83	9.9
ANG29231	NAD83-8	627922	6859474	4	0.23	0.71	16.7	140	0.71	0.18	2.71	2.31	30.8
ANG29232	NAD83-8	627951	6859516	9	1.43	0.49	23.3	160	0.39	0.21	0.96	9.68	9.2
ANG29233	NAD83-8	627977	6859556	6	0.81	0.49	14.9	150	0.38	0.18	1	3.71	7.5
ANG29234	NAD83-8	628003	6859601	9	1.01	0.49	20	200	0.44	0.21	0.8	6.1	10.6
ANG29235	NAD83-8	628031	6859640	6	0.76	0.54	14.5	240	0.38	0.2	0.97	3.38	7.3
ANG29260	NAD83-8	627146	6859743	7	1.24	0.48	11.9	250	0.32	0.14	1.49	6.27	6.3
ANG29261	NAD83-8	627476	6859887	10	0.78	0.19	23.9	100	0.49	0.26	4.97	0.81	12.6
ANG29262	NAD83-8	627448	6859845	6	0.69	0.23	16.8	80	0.36	0.17	2.28	0.44	11.9
ANG29263	NAD83-8	627931	6858750	2	0.92	0.37	19.2	140	0.7	0.16	1.47	0.38	5.6
ANG29265	NAD83-8	627958	6858792	6	1.68	0.33	91.3	170	0.75	0.27	2.04	0.95	7.6
ANG29266	NAD83-8	627984	6858835	1	0.09	0.16	16.1	130	0.72	0.21	3.98	0.11	28.1
ANG29267	NAD83-8	628011	6858876	7	2.93	0.24	51.8	290	0.76	0.21	2.47	7.48	12.9
ANG29270	NAD83-8	627229	6859870	9	0.91	0.26	16.2	120	0.61	0.19	2.65	0.85	9.6
ANG29271	NAD83-8	627200	6859829	9	2.03	0.58	12.4	280	0.43	0.14	0.83	3.11	5.5
ANG29272	NAD83-8	627172	6859786	5	0.75	0.66	14.2	210	0.37	0.17	1.39	4.09	11
ANG29501	NAD83-8	627826	6860434	-1	0.27	0.56	5.4	180	0.21	0.08	0.66	1.81	3.7
ANG29576	NAD83-8	626881	6860809	12	0.34	0.56	21.5	570	0.32	0.19	0.46	0.66	11.6
ANG29590	NAD83-8	627378	6861204	7	1.13	0.77	15.5	920	0.32	0.16	0.5	5.19	10.3
ANG29591	NAD83-8	627433	6861288	5	0.71	0.55	9.2	670	0.22	0.12	0.83	3.82	5.7
ANG29592	NAD83-8	627511	6861413	6	0.93	0.68	13.6	840	0.27	0.13	0.48	2.5	6.1
ANG29593	NAD83-8	628469	6859951	11	0.97	0.24	68.6	540	0.41	0.19	1.34	4.81	10.6
ANG29594	NAD83-8	628495	6859995	4	0.96	0.65	21.1	880	0.48	0.17	0.41	9.45	8.8
ANG29595	NAD83-8	628524	6860036	-1	0.14	0.27	8.7	280	0.11	0.08	0.19	1.75	3.2
ANG29601	NAD83-8	626700	6859796	5	0.33	0.25	28.8	130	0.38	0.17	5.89	0.65	14
ANG29602	NAD83-8	626673	6859755	-1	0.33	0.62	19.1	370	0.34	0.17	0.33	1.67	9.5
ANG29603	NAD83-8	626646	6859711	4	0.86	0.6	25	310	0.45	0.2	2.17	2.12	12.8
ANG29604	NAD83-8	626619	6859668	1	0.3	0.38	19.2	150	0.22	0.08	4.89	0.73	5.7
ANG29605	NAD83-8	626592	6859627	2	0.62	0.51	22.2	190	0.33	0.11	5.56	0.71	5.8

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG28721	52.4	14	0.6	159	2.29	1.47	0.03	0.06	25.3	3.1	0.37	271	3.25	0.01
ANG28722	30.8	18	0.35	31	2.6	2.75	0.06	0.05	13.6	6	0.26	380	5.87	0.01
ANG28723	32.7	23	0.67	25.5	2.88	4.05	0.03	0.04	15.5	11.4	0.26	206	6.41	-0.01
ANG28724	41.1	6	0.33	40.9	2.19	1.22	0.05	0.03	20.1	2.2	0.09	625	7.99	0.02
ANG28725	29.5	8	0.31	26.6	2.03	1.52	0.08	0.04	15.6	2.3	0.12	588	5.69	0.02
ANG28727	38.5	5	0.28	29.8	1.78	1.01	0.06	0.04	19.3	1.5	0.09	316	3.53	0.02
ANG28728	25.2	22	0.34	89.8	2.43	1.77	0.19	0.1	16.4	2.8	0.25	257	29.2	0.02
ANG28729	29.2	18	0.25	140.5	2.23	1.05	0.32	0.06	21	0.8	0.45	179	64.4	0.03
ANG28730	31.1	15	0.28	85.4	2.41	1.19	0.34	0.06	19.6	1.3	0.44	253	56.3	0.02
ANG28731	29.4	16	0.36	58.8	2.49	1.6	0.16	0.08	16.3	3.3	0.32	228	18.6	0.02
ANG28732	34.9	17	0.5	79.4	2.41	1.62	0.17	0.07	19.5	3.9	0.23	277	22.8	0.02
ANG28800	23.9	21	0.45	77.6	2.46	1.82	0.22	0.09	10.9	0.7	0.68	329	44.6	0.01
ANG28819	19.7	10	0.41	37.1	2.76	1.22	0.05	0.04	9.5	2.3	0.24	161	10.45	0.01
ANG28820	19.65	14	0.3	41.8	2.8	1.7	0.1	0.04	10.1	4	0.34	279	32	-0.01
ANG28821	24.5	6	0.35	24.5	3.32	0.88	0.04	0.03	11.8	2.6	0.16	227	6.61	-0.01
ANG28822	39.4	3	0.46	22.3	2.9	0.66	0.02	0.03	19.4	2.3	0.54	269	2.19	-0.01
ANG28823	29.3	8	0.63	37.4	2.88	1.52	0.04	0.05	15.1	18.9	1.08	181	2.52	-0.01
ANG28824	21.4	6	0.78	49	2.92	0.75	0.04	0.04	11.5	5.9	0.92	207	3.63	0.01
ANG28825	13.4	7	1.83	81.1	4.01	0.96	0.08	0.05	7.1	13.1	0.77	229	8.7	-0.01
ANG28826	38.2	19	1.09	28.6	2.55	3.88	0.06	0.06	19.1	55.9	2.52	280	1.38	0.01
ANG28827	37.4	19	0.93	26.9	2.47	3.86	0.04	0.05	18.6	43.9	2.07	240	1.27	0.01
ANG28828	54.5	2	0.49	17.2	2.6	0.45	0.01	0.03	27.5	1.6	1.35	349	0.34	-0.01
ANG28829	31	4	0.85	30.6	4.3	0.48	0.13	0.03	14.6	1.4	0.17	305	4.14	-0.01
ANG28830	25.7	14	2.2	60.3	4.99	2.39	0.08	0.04	12.8	53.8	0.34	593	11.7	-0.01
ANG28901	22	6	0.13	34.4	1.77	0.74	0.06	0.03	10.1	1.8	0.27	302	2.36	-0.01
ANG28902	31.4	6	0.37	45.2	2.29	1.48	0.11	0.04	15.8	7.4	0.19	138	3.59	0.01
ANG28903	46	9	0.46	61.6	3.42	1.38	0.14	0.04	23.5	8.2	0.23	185	6.52	-0.01
ANG28904	19.75	10	0.17	65.3	1.92	1.27	0.1	0.04	10	2.1	0.45	364	6.66	0.01
ANG28905	18.15	9	0.15	43.5	1.77	1.36	0.08	0.04	9.1	2.1	0.23	178	4.51	0.01
ANG28906	22	10	0.17	41.9	1.75	1.18	0.12	0.04	10.7	1.5	0.26	189	4.6	0.01
ANG28996	26	9	0.15	53.2	2.12	0.87	0.12	0.05	12.9	1	0.64	206	7.73	0.01
ANG28997	24.2	10	0.18	84.8	2.4	1.09	0.24	0.06	12.3	1.3	0.71	258	12.5	0.01
ANG28998	26.8	10	0.2	90.5	2.66	1.02	0.19	0.07	13.8	1.4	1.26	353	10.15	0.01
ANG28999	27.8	11	0.16	59.5	2.34	1.23	0.29	0.04	15.1	1	0.13	125	22	-0.01
ANG29000	30.7	10	0.2	74.9	2.56	1.22	0.33	0.06	16.5	1.4	0.25	174	22.4	-0.01
ANG29231	35.9	8	0.85	28.2	3.7	1.6	0.04	0.05	17.5	7.8	0.2	618	4.45	-0.01
ANG29232	21.7	9	0.64	89.4	2.38	1.49	0.33	0.05	11.7	8.2	0.18	200	16.9	0.01
ANG29233	18.05	8	0.38	50.5	2.37	1.57	0.18	0.03	9.2	6	0.15	134	7	0.01
ANG29234	24.8	8	0.34	57.7	2.78	1.51	0.27	0.03	12.8	4.8	0.14	184	8.08	-0.01
ANG29235	18.8	9	0.28	37.1	2.16	1.55	0.21	0.03	9.8	4.2	0.13	140	5.3	0.01
ANG29260	18.7	9	0.23	65.2	1.64	1.33	0.26	0.03	10.5	3.7	0.16	131	7.6	-0.01
ANG29261	41.6	8	0.49	53.6	3.04	0.64	0.08	0.06	20.5	0.7	2.81	244	13.2	-0.01
ANG29262	30.8	7	0.26	25.7	2.11	0.71	0.08	0.03	13.9	1.4	1.09	317	2.66	-0.01
ANG29263	15.55	8	0.38	30.6	2.21	0.94	0.06	0.03	8.4	3	0.06	161	3.28	-0.01
ANG29265	19.6	9	0.59	59.8	3.09	0.96	0.07	0.04	11.3	1.8	0.04	143	5.92	-0.01
ANG29266	15.35	6	0.58	29	3.83	0.46	0.01	0.04	8.2	1.2	0.65	354	3.31	0.01
ANG29267	21.3	13	0.35	138.5	3.15	1.05	0.15	0.05	13.4	1.2	0.78	224	70.6	0.01
ANG29270	39.9	6	0.26	40.6	2.36	0.76	0.1	0.05	21.5	1.6	1.24	217	6.14	0.01
ANG29271	26.2	14	0.34	49.5	1.63	1.75	0.34	0.04	15.9	6	0.18	132	8.34	0.02
ANG29272	39	10	0.4	52.1	2.47	1.74	0.12	0.03	20.2	10.9	0.28	190	7.69	0.02
ANG29501	9.79	4	0.3	20.7	0.95	1.83	0.06	0.03	5.1	2.1	0.12	164	3.44	0.04
ANG29576	46.4	13	0.55	28.5	2.05	1.89	0.07	0.04	23.2	4.4	0.24	236	4.07	0.01
ANG29590	30.8	23	0.35	43.7	2.16	2.4	0.14	0.04	17	5.9	0.25	269	9.69	0.02
ANG29591	17.9	11	0.26	31.3	1.19	1.74	0.11	0.03	9	3.3	0.15	282	3.69	0.03
ANG29592	24.2	15	0.41	35.9	1.52	2.05	0.12	0.04	13	5.3	0.19	248	5.23	0.02
ANG29593	58	6	0.26	60.3	2.19	0.87	0.17	0.07	30.1	0.4	0.47	195	28.9	0.01
ANG29594	27.4	17	0.38	56.2	1.96	2.2	0.08	0.06	14.8	4.5	0.2	319	17.75	0.01
ANG29595	12.2	6	0.17	17.8	0.86	1.22	0.01	0.05	6.6	1.5	0.05	58	4.26	0.02
ANG29601	27.8	5	0.73	43.6	2.56	0.74	0.04	0.04	14.9	3.7	1.31	209	3.82	0.02
ANG29602	33.8	9	0.5	25	3.06	2.06	0.03	0.04	17.5	4.1	0.09	150	10.1	-0.01
ANG29603	34.6	13	2.67	51.4	2.5	1.98	0.11	0.07	18.1	5.6	0.7	199	18.6	0.02
ANG29604	13.05	8	0.39	10.1	2.56	1.03	0.05	0.04	6.5	5.3	0.15	237	1.81	0.02
ANG29605	18.55	10	0.41	19.4	1.86	1.41	0.07	0.04	10	6.8	0.17	188	4.83	0.02

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG28721	124	1520	24.9	4.9	0.05	6.39	4.1	74.3	0.02	7	0.19	4.61	550	VA08138823
ANG28722	62.4	740	20.4	5.1	0.05	6.48	2.3	30.5	0.04	1.3	0.12	1.61	204	VA08138823
ANG28723	42.7	500	18.6	5.5	0.03	3.79	2.1	13.8	0.04	1.2	0.12	0.67	127	VA08138823
ANG28724	88.2	930	20.7	3.2	0.03	24.9	2.4	24.2	0.04	4	0.26	1.28	427	VA08141992
ANG28725	66.9	830	21	4.5	0.06	10.7	2.1	20.9	0.04	1.5	0.17	1.47	311	VA08141992
ANG28727	49.4	850	18.2	3.4	0.03	6.37	1.7	20.9	0.04	3.8	0.09	1.19	219	VA08141992
ANG28728	187.5	2010	26.1	5.8	0.22	11.15	15.7	228	0.13	2.6	0.56	3.79	2080	VA08141992
ANG28729	228	1860	33.9	4	0.07	37.4	32.2	440	0.18	5.7	0.82	6.03	2160	VA08141992
ANG28730	217	1550	29.6	3.7	0.09	18	15.4	146	0.14	4.1	0.51	3.92	1505	VA08138823
ANG28731	123.5	1720	24.4	4.7	0.12	11.85	9.5	107	0.09	5	0.28	2.62	693	VA08141992
ANG28732	121.5	1730	32	4.7	0.08	11.75	9.2	110.5	0.12	5.7	0.29	3.8	673	VA08141992
ANG28800	196	2550	30.1	4.5	0.04	9.97	14.3	106.5	0.24	4.9	0.29	2.78	990	VA08138823
ANG28819	46.1	820	61.5	2.7	0.05	26.5	1.7	57.3	0.03	1.7	0.08	0.83	293	VA08138823
ANG28820	74.5	570	15.5	3	0.02	10.45	2	52.7	0.07	1.5	0.09	1.02	374	VA08138823
ANG28821	38.4	760	12.4	2.5	0.02	4.23	1.3	36.5	0.02	2.4	0.06	0.84	147	VA08138823
ANG28822	31.7	630	13.4	1.9	-0.01	2.93	0.6	77	0.01	7.3	0.06	0.63	137	VA08138823
ANG28823	29.4	840	10.1	2.8	0.02	1.96	1	110.5	0.02	4.2	0.04	0.79	111	VA08138823
ANG28824	33.9	820	9.8	2.2	0.03	2.72	1.6	94	0.03	4.1	0.04	1.03	139	VA08138823
ANG28825	59.5	990	17.8	2.2	0.22	4	3.2	103	0.05	9.6	0.06	2.05	352	VA08138823
ANG28826	25.3	940	8.2	6.1	0.03	1.4	0.5	201	0.01	5.4	0.06	0.82	76	VA08138823
ANG28827	25.3	930	9	4.5	0.03	1.36	0.5	321	0.01	3.2	0.05	0.87	72	VA08138823
ANG28828	24.2	720	13.4	1	0.01	0.62	0.3	284	0.01	8.6	-0.01	0.42	110	VA08138823
ANG28829	45.4	560	13.2	1.7	0.03	7.28	2	35.5	0.02	4.6	0.15	0.89	282	VA08138823
ANG28830	95.7	360	19.3	1.7	0.04	4.83	3.1	18.6	0.04	7	0.13	4.72	514	VA08138823
ANG28901	47.2	770	12.6	2.1	0.04	4.15	1.5	48.3	0.02	1.4	0.07	0.86	217	VA08138823
ANG28902	48.6	820	9.8	2.5	0.04	2.09	1.7	70.9	0.06	1.6	0.04	0.94	175	VA08138823
ANG28903	91	750	14.8	2.6	0.02	4.54	2.2	57.9	0.09	4.1	0.06	1.09	349	VA08138823
ANG28904	63.5	1260	12.6	2.9	0.05	7.64	3.8	65.5	0.07	0.9	0.07	1.22	355	VA08138823
ANG28905	44.5	1100	11.1	2.6	0.05	5.17	3.3	55	0.06	0.7	0.06	1.19	277	VA08138823
ANG28906	45.3	930	12.1	2.9	0.05	6.22	2.5	42.8	0.05	1.1	0.07	0.83	222	VA08138823
ANG28996	61.5	1430	15.7	2.9	0.05	8.41	2.2	51.7	0.09	1.6	0.08	0.92	266	VA08138823
ANG28997	80.1	1460	19.7	3.3	0.06	12.55	3	65.9	0.1	1.3	0.14	1.19	415	VA08138823
ANG28998	71.6	1560	19.9	3.5	0.08	18.65	2.8	96.8	0.12	3.8	0.14	1.21	277	VA08138823
ANG28999	78.9	1140	24.5	3.1	0.04	18.45	4.6	54.7	0.13	1.7	0.19	1.62	793	VA08138823
ANG29000	97.7	1260	27	3.5	0.05	21.8	5.3	67.3	0.12	2	0.23	1.83	717	VA08138823
ANG29231	121	1420	13.1	3.5	0.04	3.46	1.3	78.9	0.02	3.5	0.05	1.69	986	VA08138823
ANG29232	68.2	990	23.6	2.9	0.07	6.78	6.5	66.7	0.11	3.3	0.16	2.91	1015	VA08138823
ANG29233	34.5	1010	15.4	2.1	0.05	4.51	2.8	44	0.05	1.2	0.05	1.04	488	VA08138823
ANG29234	53.4	1060	19.1	2.3	0.05	5.56	2.8	40.1	0.09	1.9	0.06	1.11	688	VA08138823
ANG29235	37.9	870	14.8	2.3	0.06	4.56	3	42.2	0.07	1.1	0.05	1.59	466	VA08138823
ANG29260	73.8	1100	14.1	2.3	0.06	7.15	6.1	101	0.11	0.9	0.07	2.31	593	VA08138823
ANG29261	74.1	2110	32.7	2.5	0.02	6.6	3.2	104	0.13	8.8	0.11	1.15	126	VA08138823
ANG29262	42.9	580	9.4	2	0.01	3.77	0.9	39.8	0.03	1.7	0.05	0.4	48	VA08138823
ANG29263	52.4	730	14	2.1	0.04	5.58	1.6	66.6	0.11	1.4	0.07	1	82	VA08138823
ANG29265	116	780	20.4	2.4	0.04	16.1	6	91.8	0.13	3	0.13	1.73	250	VA08138823
ANG29266	47.3	810	12.5	2	0.1	1.81	1	122.5	0.04	5.6	0.04	1.55	88	VA08138823
ANG29267	168	1260	31.2	2.9	0.15	28.2	7.6	91.6	0.14	1.7	0.19	3.35	1065	VA08138823
ANG29270	51.8	1550	19	2.8	0.03	4.04	1.5	52.2	0.07	3.2	0.08	0.59	123	VA08138823
ANG29271	56.7	1110	13.5	3.5	0.05	5.91	3.5	57.2	0.09	1.2	0.14	1.13	464	VA08138823
ANG29272	69.2	1030	12.8	3.1	0.06	4.02	3.4	63.8	0.06	1.5	0.08	1.41	474	VA08138823
ANG29501	19.1	700	7.2	3.3	0.07	2.48	1.5	28.9	0.02	0.2	0.1	0.75	176	VA08138824
ANG29576	45.7	820	14.4	4.4	0.02	6.17	1.9	26.5	0.03	4.4	0.13	1.15	158	VA08138824
ANG29590	79.5	1130	18	5.2	0.04	5.42	2.6	66.8	0.08	2.6	0.17	2.9	716	VA08141992
ANG29591	30.6	940	18.3	3.8	0.05	2.78	2.3	65.8	0.04	0.9	0.09	2.55	285	VA08141992
ANG29592	33.3	720	12.2	5.5	0.03	3.38	1.9	44.4	0.04	2	0.09	2.1	225	VA08141992
ANG29593	153.5	1080	22.2	2.8	0.02	10.1	24.4	47.6	0.06	8.7	0.45	2.79	1240	VA08138824
ANG29594	86.1	650	20.9	6.3	0.04	9.48	6	32.7	0.09	1.8	0.18	1.39	1460	VA08138824
ANG29595	22	200	6.3	3.7	0.02	3.21	1.9	14.6	0.03	1.3	0.07	0.4	239	VA08138824
ANG29601	32.3	910	8.7	2.8	0.05	7.36	1.1	122.5	0.03	6.5	0.05	0.86	110	VA08138824
ANG29602	34.2	340	13.9	4.2	0.01	4.14	1.9	24.4	0.03	4.8	0.07	0.82	192	VA08138824
ANG29603	71.3	1000	15.9	6.1	0.03	6.64	2.9	84.9	0.06	7.4	0.19	1.78	351	VA08138824
ANG29604	26.9	940	18.9	2.6	0.06	2.34	0.9	81.9	0.08	0.8	0.06	0.61	82	VA08138824
ANG29605	36.2	450	15.5	2.3	0.03	4.27	1.5	77.7	0.05	1.5	0.07	0.78	99	VA08138824

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG29606	NAD83-8	628387	6859829	4	0.86	0.46	13.3	340	0.3	0.15	1.11	7.82	5.5
ANG29607	NAD83-8	628417	6859869	-1	0.31	0.31	1.6	490	0.09	0.03	0.93	21.7	1.8
ANG29608	NAD83-8	628442	6859908	9	2.18	0.36	27.3	780	0.38	0.15	1.22	26.4	9.9
ANG29664	NAD83-8	628058	6859683	9	0.8	0.46	14.6	230	0.34	0.2	0.91	4.09	7.6
ANG29666	NAD83-8	628112	6859768	10	1.27	0.43	12.8	410	0.41	0.25	0.86	2.96	7.4
ANG29667	NAD83-8	628140	6859809	4	0.54	0.36	14.3	160	0.3	0.19	0.98	2.7	9
ANG29668	NAD83-8	628166	6859851	7	0.77	0.4	18.6	220	0.37	0.23	1.31	3.11	9.7
ANG29669	NAD83-8	628194	6859894	10	1.78	0.48	21	540	0.19	0.11	0.91	0.97	2.1
ANG29670	NAD83-8	628219	6859935	2	1.95	0.33	18.8	520	0.22	0.12	1.2	10.85	5.6
ANG29671	NAD83-8	628247	6859978	8	3.45	0.26	27.9	770	0.2	0.13	2.77	19.35	12.1
ANG29673	NAD83-8	627854	6860476	4	0.4	0.46	8.1	540	0.26	0.12	2.51	6.66	5.7
ANG29674	NAD83-8	627909	6860561	17	1.56	0.37	23.7	250	0.24	0.21	0.47	1.12	9.9
ANG29675	NAD83-8	627881	6860518	22	0.96	0.32	33.4	460	0.29	0.23	0.67	2.05	10.7
ANG29676	NAD83-8	627772	6860348	10	0.86	0.53	24.4	540	0.39	0.14	1.5	9.17	13.3
ANG29677	NAD83-8	627746	6860307	3	2.36	0.26	35.1	300	0.31	0.16	3.05	11.15	9.4
ANG29678	NAD83-8	627746	6860307	4	1.32	0.27	26.7	310	0.31	0.15	3.3	8.28	10.2
ANG29679	NAD83-8	627718	6860265	3	2.21	0.29	27.1	360	0.31	0.14	0.91	10.55	8.3
ANG29681	NAD83-8	627354	6860803	5	0.35	0.66	23.6	1360	0.39	0.19	0.86	1.74	10.5
ANG29682	NAD83-8	627326	6860761	7	0.77	0.28	12.6	920	0.21	0.2	0.3	1.09	12.1
ANG29684	NAD83-8	627189	6860553	21	0.67	0.33	28.8	780	0.26	0.18	0.93	4.97	11.6
ANG29685	NAD83-8	627135	6860469	22	0.9	0.27	29.2	700	0.26	0.17	1.27	3.84	9.4
ANG29686	NAD83-8	627081	6860385	18	1.3	0.36	34.3	570	0.29	0.18	1.51	3.28	9.2
ANG29687	NAD83-8	627054	6860344	19	1.26	0.53	27.9	570	0.3	0.18	0.51	3.35	8.8
ANG29688	NAD83-8	627026	6860300	5	1.2	0.25	18.6	180	0.34	0.18	1.58	5.7	9.5
ANG29689	NAD83-8	627027	6860301	10	1.24	0.24	17.4	170	0.36	0.17	1.48	6.02	9.4
ANG29690	NAD83-8	627000	6860259	16	1.26	0.27	28.5	190	0.37	0.19	2.71	7	10
ANG29691	NAD83-8	626970	6860218	8	0.53	0.3	13.2	200	0.29	0.19	0.52	0.54	8.6
ANG29692	NAD83-8	626943	6860174	4	0.35	0.36	11.4	150	0.19	0.18	1.67	0.9	11.6
ANG29693	NAD83-8	626917	6860132	3	0.33	0.32	10.1	120	0.2	0.17	1.2	1.48	8.6
ANG29694	NAD83-8	626890	6860091	4	0.27	0.59	11.2	140	0.2	0.23	3.89	0.95	18.8
ANG29695	NAD83-8	626863	6860047	4	0.6	0.56	13.1	380	0.27	0.23	3.17	5.25	14.3
ANG29696	NAD83-8	626836	6860007	19	0.94	0.25	20.6	190	0.33	0.25	3.31	5.62	14.5
ANG29698	NAD83-8	626781	6859922	11	3.76	0.15	36.3	180	0.2	0.23	0.44	6.65	1.1
ANG29699	NAD83-8	626754	6859880	3	0.1	0.12	20.3	130	0.24	0.17	4.52	0.5	16.3
ANG29700	NAD83-8	626729	6859838	2	0.29	0.51	17.4	120	0.27	0.15	8.34	1.21	12.6
ANG29729	NAD83-8	626868	6859686	32	0.87	0.48	22.5	210	0.49	0.2	2.22	1.68	12.5
ANG29730	NAD83-8	626842	6859644	5	0.55	0.43	25.7	260	0.4	0.18	3.5	1.37	9.8
ANG29731	NAD83-8	626815	6859601	3	0.47	0.5	12.6	280	0.33	0.14	1.72	1.7	8
ANG29733	NAD83-8	626760	6859519	3	0.36	0.49	15.8	170	0.23	0.11	4.23	0.9	7.6
ANG29734	NAD83-8	629748	6859711	3	0.78	0.36	20.7	880	0.18	0.08	0.84	2.81	4.8
ANG29735	NAD83-8	629721	6859670	6	0.28	0.87	14.7	570	0.33	0.19	0.42	0.56	7.2
ANG29751	NAD83-8	627853	6860833	9	0.53	0.23	17.9	200	0.15	0.09	0.33	4.02	7.4
ANG29753	NAD83-8	627828	6860790	16	2.14	0.38	25.8	820	0.3	0.17	1.3	11.8	8.5
ANG29754	NAD83-8	627799	6860750	14	1.2	0.35	25.9	270	0.22	0.18	0.54	2.78	8.1
ANG29755	NAD83-8	627772	6860707	13	1.04	0.25	35.8	260	0.2	0.19	1.11	3.79	10
ANG29756	NAD83-8	627605	6860818	39	1.33	0.39	31.3	350	0.25	0.22	0.54	5.6	10
ANG29757	NAD83-8	627632	6860861	21	1.64	0.37	24.9	710	0.26	0.16	1.47	11.25	9.2
ANG29758	NAD83-8	627659	6860904	14	1.12	0.44	13.7	680	0.23	0.11	1.24	3.02	8.6
ANG29759	NAD83-8	627712	6860987	28	2.98	0.39	40.2	910	0.4	0.15	0.67	10.25	7.3
ANG29760	NAD83-8	627742	6861029	11	1.06	0.5	13.1	630	0.28	0.12	0.93	8.67	7.3
ANG29762	NAD83-8	627822	6861156	12	0.95	0.53	19.9	670	0.27	0.14	0.48	3.92	8.1
ANG29764	NAD83-8	628276	6860020	9	2.13	0.15	29.8	560	0.21	0.12	4.93	26.4	10.1
ANG29765	NAD83-8	628302	6860061	8	2	0.17	34	610	0.25	0.16	4.79	30.7	13.3
ANG29766	NAD83-8	628331	6860103	8	1.73	0.17	36.6	420	0.27	0.14	4.2	14.95	11.9
ANG29767	NAD83-8	628356	6860146	7	1.4	0.43	27.4	1190	0.29	0.19	0.83	8.76	10.3
ANG29768	NAD83-8	628384	6860187	20	1.11	0.34	30.8	760	0.31	0.19	0.76	26.3	10
ANG29769	NAD83-8	631394	6858572	10	1.52	0.46	28.9	1490	0.28	0.17	1.33	7.87	7.3
ANG29770	NAD83-8	631450	6858656	10	0.72	0.8	15.7	400	0.3	0.2	0.14	1.05	5.8
ANG29802	NAD83-8	627248	6860274	6	0.5	0.43	18.7	160	0.28	0.15	3.23	0.38	7.8
ANG29803	NAD83-8	627221	6860232	5	0.43	1.13	12	300	0.41	0.18	0.19	0.86	7.7
ANG29804	NAD83-8	627194	6860190	4	0.46	0.94	16.7	260	0.38	0.22	0.1	0.89	7.7
ANG29805	NAD83-8	627167	6860148	4	0.37	0.72	10.4	370	0.31	0.15	1.35	1.71	7.5
ANG29806	NAD83-8	627139	6860107	6	1.33	0.47	8.5	660	0.28	0.15	2.28	1.98	6.2

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG29606	15.8	8	0.26	41.3	1.42	1.5	0.11	0.03	8.6	3	0.12	201	6.28	0.02
ANG29607	4.29	2	0.13	24.8	0.42	0.96	0.04	0.02	2.2	0.6	0.09	48	1.01	0.05
ANG29608	18.2	14	0.18	151.5	1.86	1.36	0.26	0.03	11.2	1.3	0.13	245	28.9	0.02
ANG29664	22.6	7	0.31	40	2.11	1.37	0.19	0.03	12.5	4.8	0.12	151	4.69	0.02
ANG29666	33.1	11	0.32	62.2	2.2	1.38	0.17	0.04	18.3	3.9	0.16	228	4.97	0.01
ANG29667	22.9	3	0.27	41.2	2.31	1.12	0.09	0.03	12.4	2.1	0.1	174	5.15	0.02
ANG29668	23.9	3	0.41	48.4	2.59	1.11	0.12	0.03	13.2	2.6	0.13	166	7.13	0.01
ANG29669	10.2	6	0.23	74.4	1	1.33	0.13	0.03	5.8	1.4	0.08	72	3.32	0.04
ANG29670	11.25	9	0.23	82.9	1.38	1.05	0.38	0.04	7.1	1	0.07	158	23.9	0.02
ANG29671	22	15	0.17	211	1.76	0.95	0.38	0.06	15.3	0.8	1.07	288	37	0.03
ANG29673	12.35	2	0.28	25.6	1.21	1.12	0.14	0.03	6.3	1.1	0.31	279	4.03	0.02
ANG29674	31.2	3	0.28	36.2	2.12	1.12	0.13	0.04	16.1	1.6	0.12	130	4.26	0.01
ANG29675	33.7	3	0.29	44	2.31	1.02	0.1	0.04	17	1.2	0.11	192	5.95	0.01
ANG29676	30.2	11	0.27	47.4	2.23	1.4	0.24	0.04	16.9	3.1	0.73	361	21.1	0.02
ANG29677	26	12	0.28	114	2.13	0.99	0.71	0.06	16.9	1.5	1.48	201	50.8	0.01
ANG29678	22.3	8	0.24	76.6	2.39	0.75	0.48	0.04	13	1.5	1.64	194	45.6	0.01
ANG29679	23.2	11	0.35	86.9	1.87	0.88	0.55	0.04	14.7	1.8	0.29	244	38.3	0.01
ANG29681	25.4	13	0.46	21.5	2.3	2.23	0.06	0.04	12.4	4	0.19	594	8.48	0.02
ANG29682	35.8	5	0.22	55.8	2.41	0.83	0.14	0.05	18.2	1.3	0.09	381	3.53	0.01
ANG29684	38.1	6	0.2	26.5	2.18	0.76	0.05	0.04	18.4	1	0.34	446	3.33	0.02
ANG29685	43.3	4	0.21	32.3	1.79	0.88	0.13	0.04	21.9	0.9	0.55	233	6.32	0.02
ANG29686	28.6	6	0.18	51.9	2.01	0.86	0.17	0.05	15.3	1	0.64	195	14.5	0.02
ANG29687	28.8	10	0.25	46.3	1.99	1.32	0.18	0.05	16	1.3	0.07	318	8.68	0.02
ANG29688	32.6	9	0.31	70.5	2	0.8	0.33	0.05	17.6	0.8	0.66	190	11.75	0.01
ANG29689	32.9	6	0.26	73.3	1.92	0.77	0.31	0.04	17.5	0.6	0.6	207	11.95	0.02
ANG29690	23.7	4	0.27	77.6	2.3	0.74	0.31	0.03	13.2	1	1.08	218	21.2	0.03
ANG29691	31.9	5	0.27	46.6	2.17	0.87	0.07	0.03	16.5	1.3	0.11	221	3.08	0.02
ANG29692	21.3	5	0.65	45.6	1.93	0.89	0.1	0.04	10.3	4.9	0.17	96	3.46	0.03
ANG29693	21.3	7	0.4	36.7	2.27	1.02	0.1	0.03	11.5	2.3	0.11	139	3.3	0.02
ANG29694	61.3	14	0.61	49.7	2.94	1.51	0.13	0.04	30.8	18.7	0.48	150	5.13	0.02
ANG29695	44.3	15	0.9	59.4	2.82	1.43	0.17	0.04	23.7	10	0.38	154	7.65	0.02
ANG29696	28.8	6	0.6	58.8	3.18	0.73	0.36	0.04	15.8	1.1	0.18	181	12	0.02
ANG29698	20.4	14	0.43	48.6	1.7	0.91	1.69	0.09	12.9	1.3	0.02	20	19.5	0.01
ANG29699	32	6	0.7	15.8	2.71	0.36	0.03	0.04	17.4	1.6	1.11	411	1.51	0.03
ANG29700	36.6	11	1.18	26.1	2.72	1.37	0.05	0.04	20.7	17.5	0.91	250	4.52	0.01
ANG29729	38.6	12	1.05	39.6	3	1.4	0.07	0.05	20.9	9.4	0.5	178	7.84	0.01
ANG29730	27.7	11	0.84	32.1	2.65	1.13	0.07	0.07	14.6	4.6	0.42	167	4.5	0.02
ANG29731	19.55	12	0.54	27.9	2.37	1.35	0.06	0.06	10.5	5.7	0.33	156	4.56	0.02
ANG29733	21.5	12	0.71	19	2.27	1.4	0.07	0.04	11.7	5.7	0.41	284	3.47	0.02
ANG29734	14	7	0.21	24.4	1.11	1.22	0.07	0.03	7.7	1.1	0.07	264	5.11	0.04
ANG29735	25.7	20	0.74	23.8	1.89	2.88	0.08	0.07	13.8	8.9	0.28	311	4.05	0.02
ANG29751	19.7	14	0.14	33.8	1.64	0.85	0.11	0.03	10.8	0.6	0.04	222	17.1	0.01
ANG29753	27.8	19	0.3	79.8	2.3	1.15	0.45	0.03	19.9	1.6	0.27	313	38	0.02
ANG29754	27.8	7	0.28	35.9	2	1	0.15	0.05	14.6	1.6	0.14	154	3.61	0.01
ANG29755	43.7	6	0.28	37.1	2.03	0.82	0.13	0.04	21.9	1.2	0.47	248	5	0.01
ANG29756	33.4	10	0.37	52.9	2.06	1.3	0.34	0.06	17.5	1.6	0.11	150	7.13	0.01
ANG29757	28.2	13	0.28	81.3	1.97	1.1	0.37	0.06	17.3	1.4	0.35	199	26.6	0.02
ANG29758	14.4	6	0.21	42.4	1.62	1.38	0.16	0.04	8	1.4	0.18	287	5.29	0.02
ANG29759	29.9	12	0.21	72.9	2.2	1.15	0.63	0.04	25.6	0.9	0.07	316	42.8	0.02
ANG29760	19.6	10	0.23	43.7	1.34	1.43	0.22	0.03	11.2	2.1	0.13	241	7	0.02
ANG29762	28.7	13	0.36	55.6	1.86	1.68	0.14	0.04	16	3.7	0.18	162	7.31	0.02
ANG29764	24.5	7	0.18	95.7	1.87	0.58	0.23	0.05	14.1	0.7	2.51	341	37.7	0.01
ANG29765	33.7	9	0.21	136	2.27	0.86	0.35	0.05	20.7	0.7	2.29	348	49.9	0.01
ANG29766	29.9	3	0.26	110.5	2.17	0.91	0.25	0.04	18.7	0.6	1.79	300	71.8	0.02
ANG29767	22.7	10	0.24	76	2.21	1.58	0.11	0.03	13.6	1.8	0.13	426	27.7	0.03
ANG29768	39.5	5	0.36	62	2.14	1.19	0.17	0.06	20.9	1.3	0.21	545	9.45	0.02
ANG29769	26.8	12	0.37	90.1	2.08	1.36	0.24	0.04	17.8	2.1	0.36	206	21.3	0.03
ANG29770	34.8	14	0.71	59.7	2.3	2.61	0.06	0.06	19.5	6.4	0.21	168	9.66	0.01
ANG29802	27.2	6	0.3	35.6	2.47	1.39	0.08	0.03	15.1	2.5	1.65	232	13.6	0.02
ANG29803	34.4	18	0.72	29.4	2.62	3.2	0.04	0.03	18.2	8.4	0.27	163	4.87	0.01
ANG29804	34.2	17	0.7	32.1	3	3.31	0.03	0.04	18.3	6.9	0.15	177	7.88	0.01
ANG29805	26.8	14	0.48	27.4	2.21	2.34	0.05	0.03	13	5.3	0.44	415	6.28	0.02
ANG29806	22.7	5	0.23	33.7	2.12	0.91	0.18	0.05	13.9	1	0.46	427	5.22	0.02

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG29606	35.7	950	13.8	3.3	0.08	3.74	4.3	66.1	0.07	0.7	0.08	2.6	871	VA08138824
ANG29607	21.3	310	2.3	1	0.04	1.14	2.6	54.7	0.01	-0.1	0.07	1.45	841	VA08138824
ANG29608	155	1110	29.7	3.2	0.06	19.1	8.7	67.7	0.14	0.9	0.21	3.33	2240	VA08138824
ANG29664	38.8	910	16.1	2.6	0.06	4.5	2.3	36.6	0.06	1.6	0.05	1.19	428	VA08138824
ANG29666	56.2	1640	24.5	3.5	0.04	4.37	2.2	38.5	0.1	2.6	0.09	1.39	284	VA08138824
ANG29667	37.3	880	13.8	2.4	0.04	3.51	2	39.1	0.07	1.6	0.05	0.98	322	VA08138824
ANG29668	43.1	1070	19	2.8	0.06	4.43	3.1	51.8	0.07	2.1	0.07	1.15	434	VA08138824
ANG29669	20.9	750	9.2	2.7	0.05	7.14	3.1	60.6	0.06	0.4	0.09	4.81	132	VA08138824
ANG29670	119	1710	26.3	3.3	0.09	16.75	14.5	160	0.18	0.7	0.29	4.4	1060	VA08138824
ANG29671	215	1490	36.4	2.7	0.05	46.6	18.2	91.4	0.15	2.4	0.47	2.51	2550	VA08138824
ANG29673	31	1050	13.8	3.3	0.16	3.08	3	88.4	0.03	0.7	0.09	1.2	153	VA08138824
ANG29674	58	450	17.7	4	0.03	8.72	1.5	18.5	0.04	2.2	0.13	1.18	401	VA08138824
ANG29675	67.1	800	17.1	3.6	0.05	8.02	2.4	24.4	0.04	2.3	0.12	1.53	415	VA08138824
ANG29676	111.5	940	23.1	3	0.04	8.34	2.6	38	0.04	2.8	0.55	2.11	1150	VA08138824
ANG29677	149	1300	21.7	4.1	0.05	20.6	12.6	78.7	0.13	1.9	0.65	2.47	1180	VA08138824
ANG29678	140.5	1030	21.5	2.9	0.06	14.9	8.6	70.1	0.08	1.5	0.47	2.38	973	VA08138824
ANG29679	194.5	1160	22	3.3	0.04	17.05	9	59.4	0.14	1.6	0.38	2.1	961	VA08138824
ANG29681	78.5	980	20.8	6.3	0.08	6.13	2.4	36.2	0.06	1	0.13	1.64	429	VA08141992
ANG29682	60.4	700	18.4	3.5	0.05	3.65	2.1	18.5	0.05	3	0.11	1.01	221	VA08141992
ANG29684	66.1	870	13.7	2.9	0.04	8.91	3.2	31.1	0.03	4	0.09	1.3	258	VA08141992
ANG29685	68.3	870	15.3	2.7	0.04	10.8	4.3	51.2	0.06	6.1	0.13	1.38	350	VA08141992
ANG29686	94.7	1100	21.9	3.1	0.04	12.8	5.4	57.9	0.1	3.2	0.17	1.68	468	VA08141992
ANG29687	82	920	19.9	4.1	0.03	9.94	2.5	37	0.11	2.4	0.16	2.46	422	VA08138824
ANG29688	66	730	24.1	2.9	0.02	6.87	4.5	39.4	0.07	2.7	0.15	1.09	844	VA08138824
ANG29689	66.5	750	26.3	2.8	0.03	7.1	4.8	37.2	0.07	2.7	0.15	1.07	898	VA08141992
ANG29690	96.9	1100	25.9	2.3	0.08	12.6	6.1	77.9	0.08	1	0.11	1.96	788	VA08141992
ANG29691	36.2	610	13.5	2.9	0.03	3.02	1.6	19.7	0.04	2.8	0.07	0.98	105	VA08141992
ANG29692	55.5	680	8.9	2.5	0.08	2.09	2.3	64.1	0.05	1.1	0.04	1.24	159	VA08141992
ANG29693	40	610	11.4	2.5	0.07	1.9	1.4	50.8	0.04	0.8	0.05	0.73	172	VA08138824
ANG29694	76.9	550	11.2	2.7	0.06	1.79	1.9	141.5	0.07	6.3	0.04	1.94	215	VA08138824
ANG29695	78.4	830	14.7	3.2	0.06	3.47	3.3	116.5	0.06	3.2	0.08	1.78	445	VA08138824
ANG29696	92.9	820	21.4	3.3	0.04	7.54	3.4	119.5	0.09	4.7	0.09	1.29	812	VA08141992
ANG29698	27.9	1480	37.3	5.1	0.2	19.7	13.1	148.5	0.21	5.1	0.36	2.06	443	VA08138824
ANG29699	36.7	590	8.8	2.1	0.03	3.1	0.6	123	0.01	7.5	0.04	0.86	113	VA08138824
ANG29700	31.5	730	15.9	3.6	0.02	4.56	1.1	220	0.02	6.9	0.06	1.3	179	VA08138824
ANG29729	46.9	1080	15.1	3.6	0.02	6.66	2.4	70.5	0.05	6.1	0.07	1.28	263	VA08138824
ANG29730	35.1	960	12.8	3.4	0.03	5.84	1.8	106	0.03	3	0.05	0.84	186	VA08138824
ANG29731	31.9	800	10.8	3.3	0.05	3.61	2.2	58.9	0.03	1.7	0.06	1.09	182	VA08138824
ANG29733	32.9	760	13.2	3.6	0.02	3.36	1.2	73.8	0.04	2.3	0.07	0.91	112	VA08138824
ANG29734	30	560	17.4	2.7	0.05	3.38	2.3	50.3	0.05	0.8	0.07	1.48	206	VA08138824
ANG29735	26.5	750	15	7.9	0.02	2.33	1.1	37.1	0.07	3	0.11	1.77	156	VA08138824
ANG29751	70.8	1030	16.4	2.3	0.05	7.01	7.7	27.8	0.08	1.9	0.08	1.68	478	VA08138824
ANG29753	210	1070	33.5	3.5	0.09	16.25	8.8	115.5	0.15	1.1	0.54	2.94	1490	VA08138824
ANG29754	54.1	500	15.7	3.5	0.04	6.46	1.7	19.8	0.04	1.6	0.1	1.16	492	VA08138824
ANG29755	62.4	520	16.7	2.9	0.03	8.33	1.9	37.9	0.04	3.4	0.11	1.17	534	VA08138824
ANG29756	97.1	800	19.2	4.1	0.04	9.33	5.4	29.1	0.06	2.6	0.18	2.2	958	VA08138824
ANG29757	149.5	1240	24.9	3.9	0.06	12.2	11.3	117	0.12	2.1	0.31	2.17	1160	VA08138824
ANG29758	53.4	870	14.9	3.4	0.08	4.73	2.5	46.1	0.05	0.7	0.13	1.92	443	VA08138824
ANG29759	160.5	1570	44.6	3.3	0.04	22.1	7	93.8	0.18	1.9	0.34	3.81	1570	VA08138824
ANG29760	78.1	1070	19.4	4.5	0.08	5.71	4.8	60.8	0.07	0.9	0.22	3.54	817	VA08141992
ANG29762	70.4	1150	15.7	4.3	0.04	5.49	2.9	48.2	0.06	2.9	0.13	2.79	632	VA08141992
ANG29764	135.5	1110	26.6	2.2	0.05	18.35	9.6	122	0.07	2.4	0.37	2.31	2850	VA08138824
ANG29765	201	1310	34.7	2.3	0.03	26.6	15.1	111.5	0.1	6.6	0.56	2.92	5910	VA08138824
ANG29766	190.5	1020	21.7	2.1	0.02	24.1	8.4	73.8	0.08	5.8	1.06	2.4	2420	VA08138824
ANG29767	97.4	1030	25.6	3.4	0.05	17.25	6.7	34	0.1	1.7	0.18	2.21	1210	VA08138824
ANG29768	66.8	950	20.3	3.9	0.05	8.93	4.3	35.3	0.04	3	0.13	1.27	2270	VA08138824
ANG29769	115.5	1610	21.4	3.7	0.06	12.7	7.2	118.5	0.11	1.9	0.29	1.67	949	VA08138824
ANG29770	35.7	750	13	7.6	0.05	4.25	4	59	0.07	3.8	0.12	1.7	161	VA08138824
ANG29802	51.1	1110	18.2	2.9	0.02	5.09	1.7	59.4	0.06	2.8	0.13	1.16	84	VA08138824
ANG29803	36.9	580	15.1	5.7	0.01	2.39	1.4	15.9	0.04	3.5	0.11	1.06	136	VA08138824
ANG29804	37	570	16.9	5.3	0.01	3.05	1.9	12.7	0.06	4.4	0.14	0.98	153	VA08138824
ANG29805	39.7	880	19.9	4	0.03	2.61	1.2	57.8	0.04	1.8	0.09	0.86	202	VA08138824
ANG29806	44.2	2010	27.5	3.2	0.1	3.65	2.6	92.5	0.07	1.1	0.1	1.74	255	VA08138824

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG29807	NAD83-8	633542	6857104	4	0.7	0.28	12	1290	0.26	0.12	1.06	2.3	5.3
ANG29808	NAD83-8	630463	6857509	3	0.31	0.23	101	90	0.64	0.22	1.32	0.58	23.4
ANG29809	NAD83-8	628961	6858135	9	1.27	0.36	49.7	110	0.3	0.22	0.58	4.26	13.6
ANG29810	NAD83-8	626332	6860336	5	0.3	0.64	27.1	130	0.41	0.65	0.41	0.89	18.5
ANG29811	NAD83-8	626306	6860293	40	0.85	0.54	64.8	110	0.41	0.45	0.49	2.44	16.1
ANG29812	NAD83-8	626278	6860251	24	8.83	0.28	142	250	0.61	0.31	1.53	2.31	14.4
ANG29813	NAD83-8	626252	6860210	5	0.89	0.46	10	300	0.39	0.11	2.32	10.3	7.4
ANG29814	NAD83-8	626225	6860167	4	0.58	0.43	19.4	170	0.31	0.14	0.84	1.46	9.9
ANG29815	NAD83-8	626197	6860125	3	0.78	0.41	18.7	190	0.33	0.14	1.05	2.31	9.8
ANG29816	NAD83-8	626170	6860082	4	0.77	0.37	24.5	150	0.33	0.15	1.41	1.7	9.7
ANG29817	NAD83-8	626144	6860041	7	0.59	0.38	21.4	170	0.31	0.13	5.54	1.17	10.4
ANG29818	NAD83-8	626118	6860002	4	0.46	0.41	17.7	200	0.32	0.14	2.21	1.23	9.2
ANG29819	NAD83-8	626090	6859955	2	0.28	0.35	4.7	250	0.2	0.06	2.33	1.88	3.6
ANG29820	NAD83-8	626256	6859848	-1	0.64	0.27	22.8	110	0.31	0.12	1.34	1.35	8
ANG29821	NAD83-8	626288	6859885	4	1.1	0.26	29.1	140	0.37	0.14	1.7	2.42	8.6
ANG29823	NAD83-8	626339	6859969	5	0.81	0.58	15.6	330	0.35	0.15	1.36	3.28	8.5
ANG29824	NAD83-8	626369	6860013	4	1	0.68	22.3	330	0.41	0.2	0.98	3.31	11
ANG29825	NAD83-8	626396	6860054	3	0.54	0.45	11.6	300	0.21	0.11	1.95	3.91	5.2
ANG29826	NAD83-8	626421	6860098	6	0.69	0.55	29.9	210	0.4	0.25	0.5	3.24	10.2
ANG29827	NAD83-8	626449	6860140	5	0.99	0.5	15.6	240	0.33	0.17	2.56	5.59	7.8
ANG29828	NAD83-8	626474	6860183	13	1.21	0.45	29.1	250	0.35	0.3	1.65	7.64	7.9
ANG29829	NAD83-8	626503	6860226	19	1.17	0.36	32.9	190	0.32	0.26	2.64	4.35	9.7
ANG29830	NAD83-8	626530	6860267	5	0.78	0.36	33.4	160	0.26	0.18	2.97	3.72	9.9
ANG29831	NAD83-8	626668	6860117	5	1.4	0.41	16.1	180	0.3	0.2	1.57	6.8	8
ANG29832	NAD83-8	626643	6860075	17	2.7	0.16	54.8	140	0.27	0.2	2.61	15.65	8.8
ANG29833	NAD83-8	626615	6860032	15	2.57	0.19	38.8	150	0.24	0.26	0.75	7.23	7.1
ANG29834	NAD83-8	626585	6859991	3	1.96	0.32	33	190	0.44	0.14	1.66	21.8	6.7
ANG29835	NAD83-8	626558	6859949	2	0.84	0.46	13.3	160	0.34	0.14	0.67	1.72	9.4
ANG29836	NAD83-8	626532	6859906	1	0.91	0.45	21.3	150	0.38	0.22	1.17	0.95	12.9
ANG29837	NAD83-8	626507	6859865	4	0.39	0.24	19.6	110	0.21	0.08	2.08	0.82	6.9
ANG29838	NAD83-8	626476	6859822	5	0.97	0.21	28.4	130	0.37	0.17	1.55	2.55	10.9
ANG29839	NAD83-8	626452	6859781	3	0.69	0.33	21.3	160	0.3	0.14	1.73	1.41	8.3
ANG29840	NAD83-8	626425	6859738	1	0.2	0.33	9.5	150	0.18	0.16	1.06	0.32	12.1
ANG29841	NAD83-8	628215	6860299	4	0.77	0.26	23.1	210	0.11	0.09	0.52	2.09	6.4
ANG29842	NAD83-8	628190	6860259	9	0.91	0.26	15	1000	0.31	0.15	1.15	7.16	9.2
ANG29843	NAD83-8	628162	6860215	1	0.36	0.22	29.9	170	0.11	0.18	0.29	2.63	5.9
ANG29845	NAD83-8	628108	6860132	2	1.29	0.26	19.2	360	0.19	0.06	1.98	31.6	6.7
ANG29846	NAD83-8	628080	6860087	1	2.34	0.19	38.7	170	0.22	0.12	1.79	27.2	6.7
ANG29847	NAD83-8	628055	6860047	4	2.21	0.39	25.2	820	0.29	0.13	1.05	13.05	6.3
ANG29848	NAD83-8	628027	6860006	6	1.35	0.46	22.9	660	0.28	0.22	0.77	4.85	5
ANG29849	NAD83-8	628000	6859963	2	1.08	0.38	17.2	350	0.22	0.11	2.01	5.93	4.5
ANG29850	NAD83-8	627883	6860874	10	0.95	0.37	17.8	660	0.25	0.11	1.35	11.85	5.8
ANG29892	NAD83-8	627548	6860739	25	1.98	0.24	37.8	240	0.44	0.22	0.89	7.9	14.6
ANG29893	NAD83-8	627519	6860695	6	0.46	0.22	11	350	0.16	0.17	0.95	2.43	10.2
ANG29894	NAD83-8	627493	6860652	7	0.58	0.28	16.3	570	0.24	0.19	0.46	3.11	13.5
ANG29895	NAD83-8	627465	6860610	9	0.37	0.35	21.2	360	0.23	0.16	0.58	1.55	8
ANG29896	NAD83-8	627438	6860568	8	0.46	0.3	30.2	240	0.22	0.18	0.55	3.56	12.4
ANG29897	NAD83-8	627411	6860526	10	0.92	0.51	25.1	250	0.29	0.21	0.64	4.73	13
ANG29898	NAD83-8	627385	6860484	7	0.9	0.59	14.3	910	0.44	0.19	1.44	10.9	16.4
ANG29899	NAD83-8	627328	6860402	4	2.29	0.28	25.7	2520	0.24	0.16	1.79	7.46	9.3
ANG29900	NAD83-8	627303	6860357	4	1.78	0.47	19	1680	0.31	0.13	1.08	7.9	7
ANG29918	NAD83-8	627627	6861220	10	0.77	0.55	14.5	740	0.23	0.13	0.78	4.99	6.7
ANG29919	NAD83-8	627655	6861262	5	1.19	0.5	10.1	460	0.19	0.11	0.71	3.35	5.3
ANG29920	NAD83-8	627848	6861198	11	0.56	0.38	27.4	930	0.2	0.13	0.56	4	7.6
ANG29921	NAD83-8	628017	6861085	9	0.53	0.36	54.2	950	0.25	0.16	1.72	4.77	9.6
ANG29922	NAD83-8	627963	6861000	9	0.8	0.34	25.1	640	0.17	0.22	0.54	3.28	4.2
ANG29923	NAD83-8	627937	6860958	11	1.02	0.44	27	690	0.23	0.29	0.31	3.59	4.3
ANG29924	NAD83-8	627910	6860916	14	1	0.35	20.2	590	0.19	0.21	0.63	6.53	4.5
ANG30001	NAD83-8	627343	6859675	6	1.5	0.38	22.2	260	0.29	0.15	1.79	7.96	7.3
ANG30002	NAD83-8	627315	6859633	1	0.4	0.37	7.5	210	0.18	0.09	2.1	3.32	4.4
ANG30003	NAD83-8	627285	6859591	3	0.43	0.38	29.3	110	0.39	0.23	3.72	1.42	12.5
ANG30004	NAD83-8	627260	6859550	2	0.27	0.52	16	130	0.52	0.24	2.46	1.34	16.7
ANG30005	NAD83-8	627231	6859507	1	0.15	0.36	8	110	0.33	0.14	5.1	0.74	13.3

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG29807	21.1	3	0.24	37.2	1.28	0.79	0.09	0.04	11.5	0.6	0.17	207	5.93	0.04
ANG29808	30.8	1	2.34	31.3	4.75	0.73	0.03	0.04	16.9	2.1	0.28	242	6.49	0.01
ANG29809	38	5	0.63	60.8	3.35	1.06	0.12	0.03	21.2	6	0.19	243	24.6	0.01
ANG29810	35.7	8	0.93	52.7	5.04	1.67	0.04	0.07	18.6	11.1	0.22	291	2.93	0.02
ANG29811	46.3	6	1.36	51.9	4.6	1.58	0.09	0.04	25.1	11.8	0.29	208	12.8	0.01
ANG29812	24.9	3	1.31	88.8	3.64	0.93	0.06	0.05	13	1.6	0.42	147	15.5	0.01
ANG29813	10.35	6	0.78	53.6	2.01	1.1	0.08	0.03	5.7	6.3	0.28	330	4.08	0.02
ANG29814	28.5	7	0.56	31.2	2.7	1.23	0.05	0.04	15.9	6.2	0.25	157	5.67	0.02
ANG29815	25.3	7	0.58	31.6	3.17	1.16	0.06	0.03	14.3	4.9	0.27	261	5.5	0.01
ANG29816	19.2	6	0.45	32.2	3.14	1.01	0.06	0.03	10.6	3.4	0.3	248	6.78	0.02
ANG29817	25.7	9	0.53	30.4	2.7	1.07	0.06	0.04	14.2	5.6	1.04	237	4.08	0.01
ANG29818	20.8	7	0.55	28.3	2.79	1.07	0.06	0.04	11.3	6.4	0.5	202	4.35	0.02
ANG29819	6.57	5	0.49	18.3	1.01	0.9	0.05	0.04	3.5	4.2	0.31	97	2.25	0.03
ANG29820	17.7	5	0.59	27.8	2.28	0.71	0.05	0.03	9.6	1.3	0.33	151	10.25	0.01
ANG29821	22.8	7	0.73	42.4	2.34	0.72	0.06	0.04	12.8	1.7	0.51	144	21.7	0.01
ANG29823	26.6	14	0.69	38.8	2.35	1.72	0.11	0.05	14.7	6.5	0.5	184	6.34	0.02
ANG29824	36	16	0.88	49.9	3.04	2.05	0.12	0.06	20.1	7.7	0.47	255	7.72	0.01
ANG29825	11.05	8	0.51	31	1.54	1.23	0.08	0.03	5.9	3.9	0.26	118	3.85	0.03
ANG29826	34.6	11	0.8	56.6	3.21	1.61	0.12	0.04	19.1	7.9	0.26	209	14.8	0.01
ANG29827	11.9	11	0.64	85.1	2.26	1.16	0.15	0.04	6.9	5.3	0.29	242	8.13	0.02
ANG29828	16.3	7	0.73	108	2.52	1.32	0.31	0.03	9.3	5.1	0.21	176	10.25	0.01
ANG29829	22.6	8	0.77	66.3	2.64	1.1	0.27	0.04	13	3.8	0.31	191	11.1	0.01
ANG29830	15.9	12	0.4	48.1	2.31	1.09	0.18	0.04	8.9	3.1	0.47	212	8.61	0.02
ANG29831	20.6	4	0.36	55.4	2.22	1.11	0.54	0.03	11.9	3.5	0.18	101	9.71	0.01
ANG29832	15.45	5	0.27	92	2.25	0.58	0.84	0.03	9.2	0.9	0.79	337	15.95	0.01
ANG29833	16.75	2	0.21	71.1	2.07	0.72	0.85	0.02	10.3	0.6	0.03	210	20.4	0.01
ANG29834	15.2	7	0.24	100	1.96	0.97	0.91	0.03	10	1.8	0.29	173	24.6	0.01
ANG29835	18.2	7	0.77	28.6	2.72	1.27	0.08	0.03	9.9	14.6	0.24	202	4.48	0.02
ANG29836	18.1	9	1.96	28	3.36	1.17	0.09	0.03	9.7	17.8	0.43	144	4.25	0.01
ANG29837	9.87	4	0.57	22.1	1.57	0.64	0.04	0.03	5.1	2.9	0.27	134	2.73	0.03
ANG29838	21	4	0.59	35.7	2.51	0.72	0.1	0.04	11	1.1	0.46	264	13.15	0.01
ANG29839	17.35	4	0.61	32	2.04	1.02	0.08	0.04	9.1	1.8	0.49	179	9.84	0.02
ANG29840	24.2	3	3	22.6	3.16	1.01	0.04	0.02	12.6	8.4	0.15	221	3.17	0.01
ANG29841	15.4	16	0.16	23.8	1.43	1.01	0.08	0.03	7.7	0.8	0.09	186	10.25	0.02
ANG29842	41.8	11	0.27	28.1	1.85	0.75	0.15	0.05	21.8	1	0.22	397	5.74	0.02
ANG29843	36.3	7	0.28	27	1.76	1.49	0.05	0.05	20.5	0.8	0.06	138	24.9	0.01
ANG29845	17.55	8	0.15	60	1.2	0.71	0.23	0.03	11.6	0.7	0.49	267	43	0.02
ANG29846	15.75	13	0.19	98.5	1.77	1.11	1.03	0.05	10.7	1	0.53	180	40.5	0.01
ANG29847	15.2	13	0.26	119	1.51	1.33	0.42	0.05	9.4	2.5	0.16	142	17	0.02
ANG29848	21.9	12	0.23	65.6	1.51	1.61	0.27	0.05	12.2	3	0.19	152	13.95	0.02
ANG29849	12.2	9	0.22	44	1.37	1.15	0.16	0.04	7.2	2	0.3	145	11.6	0.02
ANG29850	13.75	10	0.17	68.8	1.43	1.17	0.16	0.03	8.3	1.3	0.16	283	8.85	0.02
ANG29892	28.9	5	0.19	38.1	2.42	0.76	0.25	0.04	14.6	1.1	0.17	318	10.3	0.01
ANG29893	37.5	2	0.22	35.1	1.8	0.59	0.09	0.04	19.4	0.9	0.43	332	3.57	0.01
ANG29894	35.8	5	0.35	43.4	2.32	0.81	0.13	0.06	18	1.5	0.19	427	8.61	0.01
ANG29895	32	2	0.2	38.2	1.63	0.96	0.06	0.04	16	0.9	0.09	269	3.82	0.03
ANG29896	38.4	3	0.22	25.4	2.44	0.95	0.11	0.04	19.8	1	0.17	235	5.39	0.02
ANG29897	30.1	10	0.21	20.9	3.14	1.41	0.13	0.03	15.5	3.2	0.24	490	3.43	0.01
ANG29898	46.9	8	0.32	32.1	2.09	0.74	0.2	0.05	24.5	1.7	0.6	240	8.46	0.02
ANG29899	25.7	5	0.24	59.7	1.95	0.76	0.27	0.07	15	0.8	0.65	182	24.3	0.04
ANG29900	17.3	8	0.26	51.4	1.65	1.14	0.28	0.05	10.1	1.5	0.19	185	18.85	0.03
ANG29918	25.7	13	0.35	29.8	1.49	1.69	0.11	0.04	13.7	4.1	0.19	220	4.29	0.02
ANG29919	15.2	9	0.31	24.4	1.09	1.78	0.1	0.04	7.9	3.1	0.15	254	2.84	0.03
ANG29920	24.5	8	0.33	38.8	1.83	1.27	0.08	0.04	13.7	2.8	0.16	170	8.63	0.02
ANG29921	21.7	5	0.27	64.8	2.42	0.87	0.07	0.03	11.9	1.7	0.21	274	6.62	0.02
ANG29922	21	5	0.2	40.4	1.52	1.03	0.12	0.02	12	1.4	0.07	151	6.18	0.02
ANG29923	24.6	10	0.18	55.8	1.97	1.35	0.16	0.03	14.8	2.5	0.06	148	7.69	0.01
ANG29924	17.45	6	0.15	58.4	1.5	1.06	0.16	0.03	10.4	1.1	0.06	201	7.09	0.02
ANG30001	19.2	8	0.24	69.5	1.87	1.21	0.25	0.03	11.6	3.1	0.24	118	15.75	0.02
ANG30002	13.65	5	0.17	27.8	1.13	1.06	0.08	0.03	7.4	3.6	0.16	74	3.1	0.03
ANG30003	21.1	-1	1.2	35.3	2.91	1.24	0.07	0.03	11.4	10.2	0.44	216	8.69	-0.01
ANG30004	27.4	1	0.8	35.6	3.23	1.43	0.04	0.03	15.1	12.2	0.34	290	4.68	-0.01
ANG30005	36.5	-1	0.88	23.1	2.6	1	0.02	0.03	19.8	7.2	0.47	303	2.64	-0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG29807	38.4	720	12.8	2.6	0.07	2.24	2	47	0.04	1.3	0.08	1.02	277	VA08138824
ANG29808	63.6	720	11.8	2.5	0.07	8.64	1.8	36.2	0.02	9.7	0.12	0.84	127	VA08138824
ANG29809	62.3	920	18.2	2.3	0.02	11.05	4.6	32.6	0.07	6.3	0.11	2.71	523	VA08138824
ANG29810	47.2	520	25.7	3.3	0.02	4.59	1.6	21.1	0.04	5.4	0.03	2.11	164	VA08138824
ANG29811	58.8	730	31.7	3.1	0.03	9.49	2.9	30.3	0.04	9.8	0.05	2.87	364	VA08138824
ANG29812	62.4	1130	1205	3.1	0.11	84.8	5.4	47.6	0.07	9	0.21	2.1	479	VA08138824
ANG29813	42.7	860	14.9	3.2	0.08	4.27	3.1	115	0.02	0.5	0.04	6.75	201	VA08138824
ANG29814	37.4	810	10.9	2.8	0.02	5.56	1.9	42.1	0.03	3.2	0.04	1.43	208	VA08138824
ANG29815	34.7	900	13.2	2.8	0.03	5.04	2.1	55	0.03	2.1	0.03	1.99	203	VA08138824
ANG29816	34.7	660	29.7	2.9	0.04	8.03	2.1	61.2	0.02	1.3	0.04	1.34	187	VA08138824
ANG29817	34.2	1060	11.4	3	0.01	5.76	1.4	150	0.03	3.5	0.04	0.76	161	VA08138824
ANG29818	30.1	840	18.1	2.8	0.03	5.42	1.3	62.4	0.02	2	0.04	1	173	VA08138824
ANG29819	19.5	540	12	2.1	0.06	2.05	1.1	77	0.02	0.5	0.04	1.67	116	VA08138824
ANG29820	43	930	14.4	2.2	0.03	5.65	1.2	79.8	0.03	1.8	0.1	1.27	215	VA08138824
ANG29821	61.1	1060	15.7	3	0.03	9.6	1.9	90.9	0.05	2.8	0.12	1.69	313	VA08138824
ANG29823	44.3	1030	11.7	4.5	0.03	5.24	2.4	60.1	0.04	2.8	0.08	1.38	371	VA08138824
ANG29824	51.9	1080	15.8	5.2	0.01	5.78	2	46.8	0.04	4.5	0.09	1.34	418	VA08138824
ANG29825	27.3	790	7.2	2.5	0.08	3.77	2.7	77.2	0.03	0.6	0.05	3.03	269	VA08138824
ANG29826	48.7	800	17.5	3.3	0.02	7.5	3.5	34.3	0.05	3.9	0.07	2.14	414	VA08138824
ANG29827	53.9	790	14.9	3.4	0.09	6.88	4.6	99.6	0.05	0.5	0.06	3.13	411	VA08138824
ANG29828	64.4	990	29.1	2.8	0.08	9.58	4.6	76.3	0.07	1.1	0.08	3.27	633	VA08138824
ANG29829	57.8	1030	18.8	3.1	0.04	8.42	3.6	78.3	0.06	2.6	0.09	1.81	627	VA08138824
ANG29830	57	950	14.5	2.7	0.04	6.65	4.1	97.3	0.05	2	0.07	1.59	549	VA08138824
ANG29831	75.2	1050	16.5	3	0.07	6.61	4.9	60.5	0.09	1.8	0.1	1.53	1020	VA08138824
ANG29832	99.1	1410	23.1	2.1	0.04	23.2	6.2	98	0.14	1.8	0.13	2.76	1560	VA08138824
ANG29833	63.7	840	27	2.1	0.03	17.15	5.7	60.5	0.2	1.3	0.13	2.12	701	VA08138824
ANG29834	141	1270	20.9	2.3	0.06	16.95	7.6	69.6	0.13	1.4	0.16	2.03	2010	VA08138824
ANG29835	31.7	770	15.9	2.5	0.03	4.56	1.9	48.8	0.02	2.2	0.05	1.5	160	VA08138824
ANG29836	38.3	700	15.3	2.7	0.06	6.71	2	77.3	0.02	2.5	0.06	1.4	150	VA08138824
ANG29837	18.6	640	6.8	1.5	0.06	5.05	2	71.5	0.01	0.6	0.03	0.85	65	VA08138824
ANG29838	49.7	1020	15.9	2.9	0.04	8.16	2.1	83.9	0.05	2.7	0.1	1.45	324	VA08138824
ANG29839	46.5	1000	12.1	2.7	0.04	5.65	2.1	83.5	0.03	1.5	0.08	2.59	213	VA08138824
ANG29840	26.7	900	7.7	1.6	0.03	2.01	0.7	29.9	0.01	4.5	0.05	0.62	33	VA08138824
ANG29841	60.4	870	8.4	2	0.04	10.45	1.5	21	0.03	1.1	0.09	0.8	289	VA08138824
ANG29842	52.7	770	21.7	3.3	0.06	7.82	2.2	32.3	0.02	2.7	0.16	0.98	1010	VA08138824
ANG29843	68	390	13.9	5.2	0.02	13.75	3.1	13.5	0.06	3	0.19	1.04	373	VA08138824
ANG29845	161	900	23.1	2.1	0.07	11.3	10.1	132	0.07	0.8	0.45	2.8	1280	VA08138824
ANG29846	164.5	1680	29	2.9	0.04	28.6	19.6	159.5	0.16	1.7	0.4	2.85	2740	VA08138824
ANG29847	100	1880	22.8	4.1	0.09	15.95	10.3	157	0.15	1	0.26	4.04	1030	VA08138824
ANG29848	46.3	1000	20.5	3.8	0.07	8.71	5.9	82.4	0.1	1.2	0.15	3.34	429	VA08138824
ANG29849	57.2	1450	18.9	4.3	0.11	8.18	8	106	0.09	0.6	0.14	1.92	502	VA08138824
ANG29850	84.6	1040	16.1	2.9	0.08	8.15	5.8	78	0.07	0.8	0.13	4.37	815	VA08138824
ANG29892	106.5	770	15.5	2.7	0.06	14.7	3.1	30.2	0.06	1.8	0.14	1.72	1040	VA08138824
ANG29893	53.4	510	16.6	2.6	0.02	3.51	2.3	33.2	0.04	4.7	0.12	1.12	340	VA08138824
ANG29894	86	650	21.8	4	0.04	5.31	5.2	26.9	0.05	3.7	0.24	1.93	437	VA08138824
ANG29895	44.8	630	10.9	3.5	0.04	3.7	1.8	24.5	0.03	2.2	0.09	0.87	274	VA08138824
ANG29896	74.5	660	15.2	2.8	0.02	6.9	3.1	21.3	0.02	3.8	0.13	1.46	458	VA08138824
ANG29897	64.1	730	13.4	3.3	0.05	6.57	1.7	22.8	0.03	1.4	0.09	1.98	667	VA08138824
ANG29898	196	870	22.1	2.9	0.04	9.11	2.7	61.7	0.03	5.7	0.21	8.86	908	VA08138824
ANG29899	110.5	1820	23.4	3.4	0.12	17.45	8.1	164.5	0.13	3.4	0.32	2.26	745	VA08138824
ANG29900	104.5	1530	18.8	3.3	0.1	12.8	7.2	110.5	0.11	1.1	0.26	2.47	654	VA08138824
ANG29918	44.8	1050	11.6	4.5	0.05	3.68	2	60.7	0.05	2.3	0.1	1.61	664	VA08141992
ANG29919	20.6	850	9.1	4.5	0.05	4.79	2	46.2	0.03	0.7	0.08	1.95	214	VA08141992
ANG29920	57.9	1240	13.3	4.8	0.06	5.75	3.4	61.6	0.07	2.4	0.11	1.98	492	VA08138824
ANG29921	54.4	820	13.6	2.6	0.09	8.51	4	93.7	0.05	2.2	0.07	2.19	282	VA08138824
ANG29922	34.3	630	14.6	2.8	0.05	4.85	2.7	47.4	0.06	1.5	0.09	1.93	352	VA08138824
ANG29923	31.8	510	19.6	3.1	0.02	4.95	2.2	30.1	0.09	2.8	0.08	4.58	462	VA08138824
ANG29924	52.8	730	16.6	2.7	0.05	5.98	3.6	48	0.08	1	0.1	2.37	613	VA08138824
ANG30001	98.9	1310	16	2.8	0.07	9.3	5.6	94.3	0.1	1.2	0.12	1.79	791	VA08138824
ANG30002	29.7	830	6.5	1.9	0.08	2.56	3.1	83.4	0.04	0.8	0.04	1.16	248	VA08138824
ANG30003	38.1	830	15.3	3.6	0.02	6.2	1.9	109.5	0.03	3.9	0.08	1.44	234	VA08138824
ANG30004	53.5	840	15	2.5	0.02	3.8	1.4	89.7	0.03	4.1	0.04	1.64	242	VA08138824
ANG30005	37.9	880	11.1	2.4	0.01	2.16	0.9	162	0.01	5.8	0.03	1.25	153	VA08138824

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30006	NAD83-8	627203	6859466	2	0.45	0.54	15.8	330	0.48	0.19	2.01	0.53	7.7
ANG30007	NAD83-8	627121	6859340	1	0.86	0.35	31.5	150	0.34	0.13	1.02	3.16	7
ANG30008	NAD83-8	627095	6859299	2	0.25	0.34	10.9	100	0.24	0.07	1.41	0.41	3.2
ANG30009	NAD83-8	628846	6858329	4	1.54	0.14	137	80	0.48	0.19	2.47	3.05	13.9
ANG30010	NAD83-8	628765	6858203	4	1.06	0.24	64.1	130	0.61	0.23	1.21	0.94	12.1
ANG30011	NAD83-8	628792	6858245	4	0.88	0.24	40.7	100	0.46	0.18	3.02	2.33	11.8
ANG30012	NAD83-8	628819	6858286	2	0.7	0.85	31	190	0.5	0.19	0.95	2.39	9.5
ANG30013	NAD83-8	628414	6860226	27	0.89	0.18	38.3	590	0.33	0.2	0.46	4.52	7.8
ANG30014	NAD83-8	628443	6860267	12	0.98	0.18	28	450	0.32	0.19	2.31	16.65	9.7
ANG30015	NAD83-8	628470	6860309	14	0.96	0.36	18.9	530	0.39	0.2	0.55	2.68	5.9
ANG30016	NAD83-8	628495	6860353	14	1.01	0.33	20.5	540	0.32	0.17	0.71	4.76	6.4
ANG30017	NAD83-8	628522	6860393	14	1.08	0.42	17.3	430	0.35	0.17	0.73	5.26	7.2
ANG30018	NAD83-8	628549	6860436	7	0.86	0.42	17	530	0.24	0.15	1.05	4.95	6.4
ANG30019	NAD83-8	628630	6860564	5	1.68	0.29	202	1840	0.38	0.18	1.93	12.9	34.5
ANG30020	NAD83-8	628658	6860604	22	2.73	0.72	302	6290	1.03	0.16	1.18	22.4	43.5
ANG30021	NAD83-8	628686	6860647	2	0.85	0.52	48.6	4790	0.21	0.09	1.12	8.17	9
ANG30022	NAD83-8	628852	6860539	18	1.43	0.13	47	2030	0.09	0.31	0.33	4.28	1.9
ANG30023	NAD83-8	628824	6860496	7	0.34	0.1	20	590	0.07	0.02	19.95	32	1.9
ANG30024	NAD83-8	628796	6860455	9	1.5	0.66	83	1560	0.38	0.18	0.81	14.3	11
ANG30025	NAD83-8	628769	6860412	8	1.26	0.6	20.6	1050	0.39	0.18	0.98	4.58	7.7
ANG30026	NAD83-8	628743	6860371	6	1.34	0.55	24.9	1280	0.25	0.19	0.86	3.37	7.7
ANG30027	NAD83-8	628661	6860245	6	0.58	0.33	11.8	400	0.19	0.11	1.34	2.61	4
ANG30028	NAD83-8	628634	6860201	13	0.88	0.28	29.6	330	0.27	0.18	0.96	6.21	7.6
ANG30029	NAD83-8	628607	6860159	15	0.99	0.26	31.1	370	0.28	0.2	1.19	5.46	9.4
ANG30030	NAD83-8	628580	6860118	8	0.8	0.56	25.8	860	0.34	0.15	0.78	5.03	7.8
ANG30031	NAD83-8	628747	6860007	10	1.03	0.24	21.4	460	0.19	0.12	1.69	12.5	6.5
ANG30032	NAD83-8	628771	6860052	12	3.75	0.27	61.2	350	0.35	0.16	1.51	50.1	8.7
ANG30033	NAD83-8	628798	6860094	7	1.03	0.49	22.8	950	0.44	0.17	0.46	3.12	10.6
ANG30034	NAD83-8	628855	6860176	11	0.79	0.45	75.4	800	0.41	0.27	0.48	3.29	12.7
ANG30035	NAD83-8	628908	6860261	6	1.78	0.52	69.1	1790	0.32	0.14	1.58	22.3	7
ANG30036	NAD83-8	629020	6860428	20	0.9	0.63	43.5	340	0.19	0.33	0.12	0.6	3.2
ANG30037	NAD83-8	628936	6860302	2	2.09	0.49	77	1890	0.25	0.09	1.92	15.1	6.4
ANG30038	NAD83-8	628963	6860345	18	1.19	0.35	45.7	910	0.18	0.28	0.19	0.94	2.9
ANG30039	NAD83-8	628992	6860387	6	0.82	0.74	31.8	230	0.23	0.24	0.1	0.4	4.9
ANG30040	NAD83-8	629020	6860428	21	1.21	0.62	43.9	410	0.23	0.34	0.12	0.46	3.4
ANG30041	NAD83-8	629665	6859586	2	0.23	0.85	24.1	730	0.43	0.2	0.55	2.44	8.8
ANG30042	NAD83-8	629640	6859543	9	1.1	0.43	37.6	470	0.32	0.18	0.81	1.59	11
ANG30043	NAD83-8	629585	6859459	5	1.99	0.62	18.4	410	0.37	0.21	0.95	2.91	9.6
ANG30044	NAD83-8	629419	6859568	8	3.36	0.37	22.3	530	0.21	0.16	0.5	3.61	8
ANG30045	NAD83-8	629446	6859610	8	0.64	0.53	22.7	590	0.31	0.17	1.05	3.48	8.1
ANG30046	NAD83-8	629474	6859652	4	0.68	0.68	17.1	840	0.32	0.18	1	2.79	7.7
ANG30047	NAD83-8	629499	6859695	7	2.05	0.32	37.7	730	0.24	0.14	1.75	12.8	6.6
ANG30048	NAD83-8	629525	6859737	3	0.17	0.39	21.7	430	0.23	0.09	0.53	0.71	7.4
ANG30049	NAD83-8	629581	6859821	10	0.59	0.61	29.3	500	0.27	0.19	0.78	0.49	8.7
ANG30050	NAD83-8	629618	6859890	12	1.05	0.3	69.9	1350	0.29	0.32	4.18	3.37	24
ANG30051	NAD83-8	629110	6859829	8	0.96	0.37	19.1	320	0.22	0.17	0.63	6.92	8.5
ANG30052	NAD83-8	629138	6859871	6	1.26	1.04	21.2	940	0.44	0.22	0.62	5.84	11.4
ANG30053	NAD83-8	629138	6859871	9	1.03	1.08	22.5	930	0.46	0.24	0.58	5.87	12
ANG30054	NAD83-8	629165	6859913	4	0.84	0.56	14.7	500	0.32	0.12	0.64	4.03	8.6
ANG30055	NAD83-8	629192	6859955	2	1.34	0.62	20.3	360	0.22	0.13	0.52	1.68	5.8
ANG30056	NAD83-8	629218	6859998	4	0.37	0.93	49.3	600	0.4	0.24	0.5	1	13.1
ANG30057	NAD83-8	629246	6860040	4	0.34	1.02	14.5	560	0.44	0.19	0.35	0.66	8.1
ANG30058	NAD83-8	629273	6860082	5	0.33	1.01	14.2	510	0.31	0.19	0.36	0.3	4.6
ANG30059	NAD83-8	629300	6860124	8	0.94	0.71	29.2	700	0.41	0.18	1.31	55	8.7
ANG30060	NAD83-8	629328	6860166	16	0.98	0.48	69.4	750	0.39	0.22	1.58	5.89	11.1
ANG30063	NAD83-8	628934	6858092	12	1.06	0.42	69.2	210	0.45	0.2	2.71	1.65	11
ANG30064	NAD83-8	628961	6858135	28	6.22	0.3	131	250	0.58	0.3	1.53	2.01	15
ANG30065	NAD83-8	628988	6858176	4	0.81	0.28	57.3	320	0.56	0.2	3.85	0.94	14.8
ANG30066	NAD83-8	629016	6858218	10	2.46	0.18	131.5	120	0.43	0.24	0.24	7.1	7.8
ANG30067	NAD83-8	629043	6858260	3	0.4	0.2	56.9	120	0.48	0.19	2.33	1.17	14.5
ANG30068	NAD83-8	629070	6858303	3	2.04	0.22	46.1	110	0.48	0.18	2.94	5.14	11.2
ANG30069	NAD83-8	629097	6858344	4	1.18	0.25	53.8	150	0.53	0.22	2.71	3.55	16.2
ANG30070	NAD83-8	629124	6858386	5	1.03	0.37	40.3	210	0.43	0.16	1.47	3.6	10.7

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30006	18.2	2	0.44	39	2.39	1.55	0.06	0.03	10	14	0.22	243	4.32	0.01
ANG30007	12.15	2	0.45	47.8	1.72	1.03	0.09	0.03	6.6	1.5	0.25	170	27.9	0.01
ANG30008	10.5	4	0.33	11	1.28	0.96	0.03	0.02	5.8	2.3	0.03	182	2.9	0.02
ANG30009	20.1	3	0.45	65.5	3.1	0.52	0.03	0.04	11.4	0.9	0.95	145	41	-0.01
ANG30010	21.7	7	1.45	41.9	2.26	0.84	0.05	0.04	11.9	2.4	0.35	156	12.7	-0.01
ANG30011	29.5	1	0.48	40.8	2.49	0.83	0.07	0.04	17	2	0.91	192	35.1	-0.01
ANG30012	29.4	13	0.56	27.4	3.4	2.77	0.04	0.03	15.3	7.3	0.34	456	13.85	-0.01
ANG30013	42.3	1	0.33	78.3	1.67	0.9	0.16	0.04	22.2	0.7	0.14	104	4.44	-0.01
ANG30014	27.5	1	0.27	57.4	2.01	0.67	0.18	0.04	14	0.7	1.03	300	7.49	0.01
ANG30015	28.2	-1	0.38	45.6	1.46	1.08	0.16	0.05	15.1	1.2	0.13	106	3.52	0.01
ANG30016	22.9	-1	0.3	45.4	1.52	1.05	0.16	0.04	12.1	1.2	0.12	185	3.31	0.01
ANG30017	22.5	3	0.35	45.4	1.48	1.32	0.17	0.04	11.7	1.6	0.12	194	3.63	0.01
ANG30018	20.2	2	0.24	37.6	1.47	1.3	0.13	0.04	10.2	2.7	0.18	283	3.27	0.01
ANG30019	33.4	4	0.23	74.5	5.3	0.84	0.12	0.05	25.7	0.8	0.18	658	149	0.02
ANG30020	33.1	38	0.48	170.5	7.62	2.05	0.42	0.06	24.8	0.7	0.07	856	108	0.08
ANG30021	16.2	8	0.38	43	1.51	1.58	0.09	0.06	10.8	2.3	0.11	260	17.5	0.08
ANG30022	50.3	1	0.53	34.2	0.96	1.08	0.1	0.06	30.6	0.4	0.02	40	18.2	0.02
ANG30023	2.72	-1	0.09	21.3	0.37	0.19	0.02	0.01	1.7	0.5	0.2	114	7.49	0.01
ANG30024	25.2	15	0.51	70.9	2.48	2.16	0.3	0.05	17.5	5.3	0.2	239	35.6	0.02
ANG30025	24.5	11	0.46	42	1.7	1.85	0.18	0.05	14.6	4.9	0.24	360	5.4	0.01
ANG30026	19.3	8	0.28	28.4	1.88	1.75	0.18	0.04	11.5	4	0.16	248	6.39	0.02
ANG30027	10.95	2	0.2	39.5	1.14	0.9	0.08	0.03	6	1.1	0.19	105	3.14	0.02
ANG30028	20.1	5	0.29	102	1.93	0.89	0.19	0.04	10.9	0.9	0.26	137	7.98	0.01
ANG30029	18.95	5	0.34	53.7	2.15	0.71	0.16	0.04	10	1	0.35	188	5.78	0.01
ANG30030	22	4	0.57	39.1	1.91	1.68	0.12	0.06	12	3.7	0.28	241	3.84	0.01
ANG30031	14.3	-1	0.23	39.6	1.5	0.88	0.15	0.05	7	0.8	0.4	156	3.59	0.02
ANG30032	22.1	9	0.25	146	2.49	1.98	3.62	0.07	16	0.9	0.19	292	83.8	-0.01
ANG30033	39.1	13	0.23	79.7	2.01	1.6	0.19	0.04	22.1	2.8	0.11	316	20.8	0.01
ANG30034	43.3	3	0.47	52.2	2.81	1.26	0.09	0.04	24.9	1.4	0.05	195	21.4	0.01
ANG30035	20.3	9	0.3	99.8	1.56	1.57	0.21	0.04	14.9	3.5	0.16	282	11	0.03
ANG30036	34.6	10	0.87	19.8	1.78	3.61	0.09	0.07	20.3	4.7	0.12	118	15.05	-0.01
ANG30037	16.75	9	0.31	115	1.2	1.26	0.27	0.03	13.4	1.9	0.19	272	11.05	0.04
ANG30038	39.5	5	0.59	23	1.32	1.94	0.06	0.05	23.2	2.5	0.07	77	12.2	0.01
ANG30039	30.6	12	0.71	27.5	1.8	3.56	0.07	0.06	18	6	0.15	120	8.4	0.01
ANG30040	40.7	14	1.02	20.9	1.76	3.56	0.11	0.08	25.3	4.7	0.12	127	16.6	0.01
ANG30041	31.2	9	0.22	21.7	2.19	2.8	0.03	0.16	17	5.7	0.23	253	7.12	0.02
ANG30042	42.3	5	0.18	81.1	2	1.38	0.08	0.05	22.4	2.8	0.18	266	7.08	0.02
ANG30043	24.4	11	0.45	55.5	1.89	1.88	0.21	0.05	14.1	4.3	0.22	374	3.48	0.02
ANG30044	35.6	7	0.37	39.1	1.7	1.35	0.11	0.04	20	2.8	0.14	149	11.75	0.01
ANG30045	31.4	14	0.74	46	2.03	1.95	0.09	0.06	18.7	5.7	0.53	229	12.35	0.02
ANG30046	23.2	12	0.6	33.5	1.81	2.32	0.12	0.06	12.9	6.7	0.32	331	5.87	0.02
ANG30047	28.8	7	0.24	95.3	1.57	1.19	0.4	0.04	19.6	1.4	0.58	128	23.8	0.02
ANG30048	31.4	3	0.13	10.5	1.58	1.28	0.03	0.04	16.3	1.4	0.08	174	3.04	0.02
ANG30049	23.5	6	0.55	34.6	1.87	2.07	0.09	0.04	13.2	4	0.21	247	3.26	0.02
ANG30050	29.8	7	0.63	87.9	4.26	0.65	0.04	0.09	16.6	0.8	1.98	405	22	0.02
ANG30051	27.5	4	0.29	37.4	1.85	1.18	0.14	0.03	14.5	1.8	0.13	448	4.14	0.02
ANG30052	29.7	21	0.74	34.6	2.25	3.43	0.24	0.08	18.2	9.7	0.34	605	8.13	0.02
ANG30053	30.7	22	0.78	30.9	2.27	3.59	0.2	0.08	18.6	10.6	0.36	596	8.03	0.02
ANG30054	22	6	0.34	45.8	1.42	2.1	0.13	0.04	12.8	2.8	0.13	871	15.15	0.03
ANG30055	22.8	10	0.54	24.5	1.37	2.37	0.13	0.06	14.8	5.6	0.2	206	16.25	0.02
ANG30056	34.5	21	0.79	25.7	2.88	3.26	0.11	0.07	21.4	9.8	0.28	320	29.6	0.01
ANG30057	33.4	20	0.86	29.9	2.01	3.5	0.13	0.08	18.8	11.4	0.34	238	7.17	0.01
ANG30058	26.1	19	0.92	15.3	2.02	3.86	0.14	0.07	14.4	10.1	0.25	330	7.06	0.01
ANG30059	26.4	14	0.87	106.5	2.22	2.14	0.14	0.07	15.5	6	0.46	308	9.85	0.02
ANG30060	33.4	9	0.54	82.1	2.78	1.45	0.13	0.06	20.5	3.7	0.73	187	17.65	0.01
ANG30063	27	7	0.97	46.9	2.28	1.37	0.08	0.05	15.4	4.7	1.03	215	22.1	0.01
ANG30064	24.2	2	1.33	75.6	3.27	1.02	0.06	0.05	13	1.9	0.43	146	16.9	0.01
ANG30065	24.1	4	1.05	35	2.71	0.96	0.03	0.05	12.9	2.4	1.01	223	29.8	0.01
ANG30066	22.7	5	0.73	136	2.69	0.98	0.32	0.06	15.8	0.6	0.05	86	57.8	-0.01
ANG30067	22.3	-1	0.75	32.4	2.86	0.65	0.03	0.05	12.9	1.1	0.4	146	17.6	-0.01
ANG30068	21.5	2	0.59	64.6	2.72	0.76	0.1	0.05	12.8	1.6	0.9	236	48.3	0.01
ANG30069	29	3	1.12	62.9	2.98	1.03	0.1	0.06	16.8	1.6	1.08	192	36.9	0.01
ANG30070	20.5	1	0.55	49	2.5	1.24	0.08	0.04	11.6	1.9	0.38	180	21.4	0.02

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30006	30.6	800	13.9	2.3	0.06	4.76	2.3	79.1	0.02	1.3	0.04	3.74	90	VA08138824
ANG30007	74.6	600	14.3	2.6	0.02	13.7	1.9	49.9	0.06	1.2	0.13	2.18	346	VA08138824
ANG30008	22.9	460	13.4	2.3	0.04	2.45	0.6	30.2	0.03	0.9	0.05	0.71	71	VA08138824
ANG30009	91.3	1420	17.8	2.5	0.03	39.4	2.4	140.5	0.07	7	0.17	2.68	366	VA08138824
ANG30010	49.9	1110	23.3	2.4	0.03	15	3.3	78.3	0.06	5.1	0.14	1.38	169	VA08138824
ANG30011	80.3	1000	20	2.9	0.02	15.2	2.7	112	0.07	2.1	0.19	1.78	310	VA08138824
ANG30012	47	490	27.4	3.7	0.02	8.7	1.7	62.8	0.05	2	0.1	1.03	187	VA08138824
ANG30013	54	500	12.9	2.5	0.01	5.45	2.3	25.9	0.04	4.8	0.07	1.23	901	VA08138824
ANG30014	55.9	720	15.5	2.4	0.02	5.88	2.8	69.8	0.04	2.9	0.09	0.99	1850	VA08138824
ANG30015	42.9	510	13.2	4.1	0.01	4.09	1.7	23.4	0.03	2.4	0.11	1.45	494	VA08138824
ANG30016	39	530	12.8	3.8	0.03	4.04	1.7	29.5	0.04	1.6	0.09	1.68	538	VA08138824
ANG30017	37.8	670	11.4	4.3	0.02	4.01	1.8	29.4	0.03	1.7	0.1	1.39	689	VA08138824
ANG30018	33.2	990	16.5	3.5	0.04	3.21	1.8	47.6	0.05	1.3	0.08	1.13	548	VA08138824
ANG30019	538	770	30.2	2.7	0.04	30.7	12.5	157.5	0.24	4.5	0.9	5.24	2220	VA08138824
ANG30020	604	2650	17.3	4.2	0.03	8.38	11.2	92	0.26	6.4	0.98	12.15	3440	VA08138824
ANG30021	102	1230	26.5	4.7	0.07	12.85	4.8	149.5	0.07	1.4	0.2	1.78	773	VA08138824
ANG30022	31.8	260	20.6	4.2	0.11	31.9	4.5	94.3	0.17	4.3	0.26	1.99	260	VA08138824
ANG30023	1160	570	3.7	1.5	0.36	6.87	5.8	987	0.03	0.5	0.7	8.51	10000	VA08138824
ANG30024	183	970	25.2	5.1	0.03	19.55	4	89.1	0.14	3.2	0.33	5.94	1640	VA08138824
ANG30025	50.2	1090	18.2	5.6	0.04	4.6	2.1	59	0.07	1.4	0.2	1.75	568	VA08138824
ANG30026	33.6	1320	21.2	3.8	0.03	3.76	1.7	80	0.12	1.7	0.16	1.15	563	VA08138824
ANG30027	35.4	650	7.9	2.5	0.05	3.34	2.2	47.7	0.04	0.5	0.07	1.13	366	VA08138824
ANG30028	59.6	630	12.6	2.8	0.02	6.22	2.3	33.2	0.06	2	0.09	0.91	879	VA08138824
ANG30029	60.3	710	16.4	3	0.05	5.72	2.5	40.3	0.06	1.5	0.07	1.17	748	VA08138824
ANG30030	55.4	800	14.7	5.4	0.04	3.83	2	35.6	0.04	1.3	0.07	1.36	836	VA08138824
ANG30031	34.4	600	8.2	2.9	0.05	5.09	1.7	67.9	0.03	0.9	0.07	0.6	1260	VA08138824
ANG30032	257	1390	44.6	4.8	0.14	30.5	33.9	167	0.35	2.6	0.78	5.8	5160	VA08138824
ANG30033	102.5	920	17.3	4.2	0.01	6.14	4.9	49.9	0.09	4.9	0.14	2.26	851	VA08138824
ANG30034	94.4	1460	20.6	4	0.05	7.84	5.8	145	0.13	7.1	0.19	2.65	774	VA08138824
ANG30035	129.5	1260	18.2	4.2	0.06	9.93	3.9	165.5	0.1	1.5	0.17	4.26	1270	VA08138824
ANG30036	18.8	960	24.3	9.2	0.03	11.15	4.7	92.5	0.16	0.7	0.21	2.15	96	VA08138824
ANG30037	127	1360	10.3	3.3	0.06	11.95	4.6	188.5	0.09	0.5	0.25	3.14	1290	VA08138824
ANG30038	23.2	640	31.2	5.9	0.05	16.1	5.7	145	0.16	5.1	0.14	2.13	119	VA08138824
ANG30039	28.3	660	17.7	8.4	0.04	7.74	3.4	61.3	0.1	1.1	0.12	1.51	110	VA08138824
ANG30040	19.1	1030	26.9	9.9	0.05	13.1	5.8	116	0.21	0.9	0.22	2.71	86	VA08138824
ANG30041	39.1	450	34.8	6.9	0.02	3.16	1.2	29.1	0.04	2.9	0.09	0.95	221	VA08138824
ANG30042	63.2	430	20.1	4.3	0.02	7.04	2.2	27.7	0.04	3.3	0.08	1.1	182	VA08138824
ANG30043	57.4	950	19.8	5.5	0.04	4.2	2.8	48.7	0.08	2.2	0.14	3.83	363	VA08138824
ANG30044	90.9	1090	13.3	4.2	0.02	10.2	4.1	38.3	0.07	3.8	0.12	2.16	808	VA08138824
ANG30045	121.5	1260	15.6	5.8	0.02	7.34	4.2	70.5	0.07	5.4	0.19	1.5	772	VA08138824
ANG30046	50.3	660	14.8	6	0.05	5.04	3.3	55.8	0.05	1.8	0.11	2.26	318	VA08138824
ANG30047	114	960	16.4	3.1	0.03	15.95	6.5	81.6	0.12	2.6	0.29	1.95	1120	VA08138824
ANG30048	43.5	280	19.8	3.1	0.03	3.03	1.7	26.2	0.04	3.9	0.04	0.74	180	VA08138824
ANG30049	28.4	870	18.1	4.8	0.04	3.46	2.5	48.6	0.06	1.7	0.1	2.42	129	VA08138824
ANG30050	136	2080	52.5	3.7	0.11	9.25	9.1	225	0.31	9.2	0.18	2.99	536	VA08138824
ANG30051	45.7	710	22.4	3.7	0.02	6.81	1.7	29.2	0.06	2.3	0.08	1.32	712	VA08138824
ANG30052	69.9	1050	22.7	9.8	0.02	4.94	2.5	50.6	0.1	3.2	0.24	3.73	917	VA08138824
ANG30053	71.3	1100	24.2	10.4	0.02	4.8	2.4	49.4	0.12	3.5	0.25	3.25	983	VA08138824
ANG30054	52	990	17.2	4.9	0.03	4.14	3.3	54.9	0.09	1.6	0.21	1.73	434	VA08138824
ANG30055	52.9	870	11.2	6.5	0.01	4.64	2.3	48.6	0.08	2.5	0.25	1.23	301	VA08138824
ANG30056	67.6	1230	22.6	9.3	-0.01	5.87	3	50.8	0.11	4.8	0.22	1.5	493	VA08138824
ANG30057	33.3	1050	11.8	9.8	-0.01	2.7	1.4	34.6	0.06	4.5	0.13	1.5	203	VA08138824
ANG30058	18	900	12.9	9.8	0.01	1.52	1.4	33.3	0.04	3.1	0.12	2.05	94	VA08138824
ANG30059	290	1260	19.9	7.9	0.04	6.56	4.5	82.4	0.08	2.5	0.4	5.06	3770	VA08138824
ANG30060	147.5	1300	23.1	4.8	0.03	14.1	8	104	0.16	5.5	0.15	2.49	1280	VA08138824
ANG30063	73.3	1190	29.8	3.9	0.01	21.2	2.3	87.4	0.07	5.6	0.14	2	349	VA08138824
ANG30064	67.3	1070	885	3.4	0.09	65	4.8	49.2	0.07	8.3	0.21	2.14	418	VA08138824
ANG30065	72.9	1210	25.6	3.4	0.05	18.65	2.1	99.3	0.05	5	0.24	2.9	240	VA08138824
ANG30066	138.5	850	22.3	4.2	0.02	17.7	7.3	63.2	0.18	9.6	0.39	4.71	967	VA08138824
ANG30067	61.9	1080	10.2	3.8	0.02	7.75	1.7	85.8	0.04	8.2	0.2	2.35	188	VA08138824
ANG30068	93.7	1430	25.6	3.8	0.04	18.05	3.9	145	0.11	3.2	0.21	3.01	608	VA08138824
ANG30069	107.5	1560	22.9	4.2	0.04	13.75	3.7	145.5	0.1	7	0.25	4.19	442	VA08138824
ANG30070	75.7	1190	32.4	3.3	0.05	11.95	2.9	80.5	0.06	1.5	0.14	2.59	370	VA08138824

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30071	NAD83-8	629151	6858429	4	0.68	0.26	42.9	130	0.48	0.2	2.73	1.91	16.4
ANG30072	NAD83-8	629178	6858470	3	0.69	0.4	38	210	0.46	0.19	1.24	1.48	11.8
ANG30073	NAD83-8	629205	6858513	3	0.74	0.27	33.5	140	0.4	0.19	1.68	1.99	13.3
ANG30074	NAD83-8	629233	6858556	3	0.67	0.46	18.1	220	0.3	0.15	1.08	1.84	7.4
ANG30075	NAD83-8	629261	6858596	6	1.31	0.41	50.3	180	0.41	0.19	1.8	22.7	10.5
ANG30076	NAD83-8	629288	6858639	4	1.56	0.4	29.6	250	0.39	0.2	1.15	9.79	10.8
ANG30077	NAD83-8	629313	6858682	4	0.95	0.41	27.4	340	0.34	0.17	0.99	7.97	7
ANG30078	NAD83-8	629342	6858724	4	1.14	0.25	31.5	250	0.39	0.17	1.67	4.69	10.4
ANG30079	NAD83-8	629368	6858767	5	0.9	0.5	17.6	640	0.3	0.18	1.8	4.88	8.9
ANG30080	NAD83-8	629423	6858849	8	0.43	0.21	17.3	300	0.12	0.24	0.12	0.39	1.7
ANG30081	NAD83-8	629451	6858891	7	0.5	0.15	13	220	0.09	0.26	0.02	0.37	1.5
ANG30082	NAD83-8	629479	6858933	6	0.66	0.45	13.1	350	0.22	0.24	0.09	0.72	4
ANG30083	NAD83-8	629504	6858975	6	1.28	0.47	47	350	0.49	0.17	1.21	6.47	13.7
ANG30084	NAD83-8	629531	6859017	5	0.98	0.6	24.5	640	0.37	0.18	0.99	4.89	9.9
ANG30085	NAD83-8	629559	6859059	5	1.54	0.22	35.5	700	0.24	0.13	0.8	9.51	7.1
ANG30086	NAD83-8	629587	6859100	3	2.48	0.3	35.4	550	0.36	0.13	1.82	14.6	5
ANG30087	NAD83-8	629612	6859143	8	2.01	0.36	23.7	610	0.42	0.17	0.89	5.13	7
ANG30088	NAD83-8	629640	6859185	8	1.17	0.32	14.8	450	0.28	0.15	1.06	0.99	6.9
ANG30089	NAD83-8	629668	6859227	8	0.86	0.31	28.4	420	0.34	0.15	1.05	2.11	7.5
ANG30090	NAD83-8	629694	6859270	5	0.95	0.34	13.7	380	0.36	0.2	1.11	0.41	10
ANG30091	NAD83-8	629723	6859312	15	0.98	0.27	28.1	150	0.3	0.22	0.53	1.03	12.8
ANG30092	NAD83-8	633488	6857020	-1	0.16	0.92	12.5	930	0.21	0.22	0.19	1.17	5.2
ANG30093	NAD83-8	633515	6857062	5	2.2	0.44	14.2	1140	0.26	0.11	1.34	7.16	6.4
ANG30098	NAD83-8	627420	6859803	14	0.71	0.11	31.6	80	0.31	0.17	1.7	0.58	9.4
ANG30099	NAD83-8	627393	6859761	11	1.62	0.16	35.8	80	0.3	0.15	1.73	13.7	7.2
ANG30100	NAD83-8	627365	6859718	6	1.13	0.41	20.6	160	0.32	0.22	1.44	3.79	9.6
ANG30101	NAD83-8	628368	6859060	4	0.71	0.35	16.7	130	0.42	0.2	2.2	1.6	13.8
ANG30102	NAD83-8	628536	6858951	2	0.56	0.27	28.8	100	0.37	0.18	3.04	1.58	13.9
ANG30103	NAD83-8	628508	6858910	5	0.91	0.35	33.3	140	0.5	0.24	2.02	2.75	16.8
ANG30104	NAD83-8	628481	6858868	3	0.89	0.3	26.5	130	0.45	0.21	2.12	2.13	14.7
ANG30106	NAD83-8	628427	6858784	3	1.97	0.2	28.7	150	0.51	0.21	2.46	5.13	10.2
ANG30107	NAD83-8	628399	6858742	10	2.3	0.21	38.5	90	0.54	0.21	3.9	8.92	11
ANG30108	NAD83-8	628372	6858700	1	0.79	0.18	20.7	130	0.29	0.19	5.85	0.48	14.7
ANG30109	NAD83-8	628345	6858656	3	1.27	0.12	33.2	50	0.51	0.21	3.29	4.71	10.4
ANG30110	NAD83-8	628319	6858616	-1	0.15	0.29	26.9	140	0.49	0.21	0.53	0.26	17.4
ANG30111	NAD83-8	628291	6858573	12	3.65	0.2	111	90	0.44	0.19	2.11	1.63	16.4
ANG30112	NAD83-8	628264	6858532	2	0.59	0.2	81.1	140	0.49	0.2	5.21	0.85	10.8
ANG30113	NAD83-8	628431	6858422	2	0.22	0.31	21.6	150	0.39	0.13	0.8	0.3	10.3
ANG30114	NAD83-8	628205	6858810	7	3.54	0.46	65.5	260	0.69	0.29	2.91	9.93	12
ANG30115	NAD83-8	628127	6858686	3	0.14	0.13	19.5	80	0.41	0.24	1.32	0.2	25.4
ANG30116	NAD83-8	628458	6858464	2	0.64	0.21	28.5	140	0.46	0.2	1.13	1.68	12.2
ANG30117	NAD83-8	628485	6858505	3	0.77	0.23	36	140	0.54	0.2	5.16	1.72	12.3
ANG30118	NAD83-8	628512	6858547	3	0.41	0.32	16.1	200	0.31	0.1	8.64	2.79	8.5
ANG30119	NAD83-8	628539	6858588	5	0.87	0.21	10.8	110	0.46	0.19	3.29	0.41	10.2
ANG30120	NAD83-8	628566	6858632	5	1.27	0.11	99.3	70	0.66	0.2	2.42	5.49	11.6
ANG30121	NAD83-8	628594	6858673	1	0.24	0.38	25.3	100	0.38	0.25	0.97	0.53	22.5
ANG30122	NAD83-8	628620	6858716	3	0.83	0.39	24.7	130	0.52	0.2	0.82	2.28	16.9
ANG30123	NAD83-8	628648	6858758	3	1.07	0.33	13.9	130	0.48	0.21	0.65	2.06	14.9
ANG30124	NAD83-8	628676	6858799	7	0.49	0.26	26.4	130	0.42	0.17	1.55	1.21	14.2
ANG30125	NAD83-8	630499	6859399	6	0.81	0.46	15.9	660	0.3	0.15	1.52	2.03	6.2
ANG30126	NAD83-8	630472	6859358	4	0.58	0.39	7.2	520	0.23	0.1	1.23	0.92	3.8
ANG30127	NAD83-8	630445	6859315	6	1.17	0.49	13.8	700	0.38	0.17	1.56	1.47	6
ANG30128	NAD83-8	630417	6859271	5	1.11	0.4	15.9	340	0.36	0.18	1.15	2.3	7.2
ANG30129	NAD83-8	628540	6858946	3	0.58	0.31	28.3	130	0.36	0.17	2.05	1.5	12
ANG30130	NAD83-8	628567	6858990	2	0.52	0.33	24	120	0.43	0.17	1.69	1.46	11.8
ANG30131	NAD83-8	628594	6859030	3	0.71	0.3	24.3	150	0.3	0.16	2.6	2.86	10
ANG30132	NAD83-8	628622	6859073	4	0.83	0.4	27	220	0.43	0.23	1.02	2.6	10.6
ANG30133	NAD83-8	628649	6859115	3	0.45	0.44	14.4	230	0.32	0.23	1.43	3.14	11.7
ANG30134	NAD83-8	628676	6859157	4	0.6	0.62	14.7	420	0.35	0.2	0.84	2.72	9.6
ANG30135	NAD83-8	628703	6859198	4	0.59	0.47	20.6	940	0.35	0.25	0.67	2.05	14.5
ANG30136	NAD83-8	628730	6859241	4	0.67	0.57	17.5	380	0.39	0.26	0.74	1.64	11.5
ANG30137	NAD83-8	628756	6859283	5	0.64	0.54	17.1	360	0.35	0.25	0.71	1.57	11
ANG30138	NAD83-8	628785	6859325	16	0.73	0.56	16.8	560	0.37	0.19	1	1.34	8.6

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30071	28.2	-1	0.92	48.1	2.89	0.84	0.04	0.05	15.9	2.2	0.79	210	12.35	0.01
ANG30072	17.55	-1	0.81	37.6	2.6	1.1	0.04	0.04	9.7	2.2	0.16	218	11.3	0.01
ANG30073	22.5	-1	0.63	44.1	2.8	0.84	0.05	0.04	12.7	1.8	0.43	237	11.6	0.01
ANG30074	18.05	-1	0.73	37.8	1.95	1.34	0.04	0.03	10.2	2.3	0.11	135	5.58	0.02
ANG30075	23.3	1	0.6	88	2.49	1.27	0.42	0.04	14.5	1.7	0.2	219	20.8	0.01
ANG30076	21.2	9	0.42	72.6	2.45	1.23	0.11	0.03	12.2	2	0.1	273	13.4	0.01
ANG30077	21.6	10	0.39	59	1.93	1.33	0.1	0.04	11.9	2.5	0.09	212	11.8	0.01
ANG30078	26.4	7	0.49	62.8	2.51	0.86	0.1	0.04	14.5	2.7	0.49	297	18.1	-0.01
ANG30079	19.45	10	0.36	52.8	2.23	1.31	0.14	0.03	11.1	2.6	0.18	172	7.56	0.01
ANG30080	47.1	6	0.3	25.5	1.61	1.4	0.07	0.05	25.1	0.6	0.02	51	21.3	-0.01
ANG30081	38.9	6	0.43	17.4	1.17	1.16	0.03	0.05	21.2	0.3	0.01	17	22.7	-0.01
ANG30082	22.9	12	0.85	28.9	1.43	1.9	0.17	0.05	12.6	2.9	0.06	154	15.45	0.01
ANG30083	30.1	11	0.51	64.2	2.69	1.36	0.12	0.04	15.9	2.8	0.32	296	25.4	0.01
ANG30084	29.2	21	0.71	59.6	2.33	2.07	0.2	0.07	17.2	5.6	0.5	236	18	0.01
ANG30085	35	10	0.25	75.6	2.01	0.91	0.85	0.03	24.8	0.9	0.18	265	64.8	-0.01
ANG30086	21.4	20	0.23	93.9	2.16	1.33	0.49	0.08	15.1	1.1	0.27	134	46.2	0.01
ANG30087	37.6	11	0.25	77.5	1.77	1.26	0.29	0.05	20.8	1.2	0.31	118	13.55	0.01
ANG30088	22.7	10	0.2	41.9	1.52	0.99	0.11	0.03	11.9	1.4	0.34	136	6.12	0.01
ANG30089	27.9	7	0.2	24.3	1.85	1	0.11	0.03	14.4	1.2	0.35	163	6.8	0.01
ANG30090	23.8	10	0.27	35.1	1.93	0.94	0.11	0.04	12.3	1.3	0.3	276	4.22	0.01
ANG30091	32.9	5	0.22	54.4	2.46	0.88	0.07	0.03	17.2	0.8	0.12	169	6.25	0.01
ANG30092	26.1	17	0.36	13.2	2.08	3.99	0.02	0.04	14.4	7.6	0.18	108	6.23	-0.01
ANG30093	17.95	13	0.26	42.6	1.36	1.17	0.2	0.04	12.3	2.1	0.13	282	13	0.02
ANG30098	50.1	3	0.21	37.9	1.83	0.54	0.06	0.03	24.9	0.4	0.65	172	5.02	-0.01
ANG30099	36.9	7	0.22	77.7	1.78	0.75	0.84	0.03	22.7	0.8	0.44	138	32	-0.01
ANG30100	33.6	14	0.37	65.1	2.31	1.43	0.19	0.05	19.8	4.1	0.26	111	12.3	-0.01
ANG30101	29.7	5	0.5	39.4	3.47	1.03	0.04	0.03	15.7	5.8	0.25	261	5.17	0.02
ANG30102	25.7	4	0.43	36	3.23	0.85	0.03	0.03	13.2	2.4	0.46	271	8.17	0.02
ANG30103	23.2	6	0.74	53	3.51	1.05	0.06	0.04	12.2	3.3	0.47	211	12.8	0.02
ANG30104	22.4	5	0.57	47.1	2.82	0.95	0.04	0.04	12.1	3.4	0.57	208	13.55	-0.01
ANG30106	24.3	7	0.47	76.8	2.67	0.85	0.11	0.04	13.7	1	1.03	169	38	-0.01
ANG30107	24	6	0.54	102	2.9	0.9	0.11	0.05	13.4	1.1	1.69	182	55.8	0.01
ANG30108	17.95	4	0.42	41	3.63	0.56	0.03	0.04	9	1.1	0.88	328	26.2	0.02
ANG30109	24	4	0.27	69.8	2.53	0.46	0.06	0.03	14.2	0.9	1.42	184	64.3	-0.01
ANG30110	21.5	5	0.33	21.2	3.57	0.77	0.03	0.03	11.5	1.8	0.13	336	4.88	-0.01
ANG30111	22.6	4	0.59	60.1	3.21	0.7	0.06	0.05	11.6	1	0.65	192	33	0.01
ANG30112	46	6	1.08	33.9	2.47	0.87	0.05	0.06	27.4	1	0.65	96	36	-0.01
ANG30113	15.3	3	0.27	21.7	2.27	0.9	0.02	0.03	7.8	1.4	0.13	127	7.47	0.02
ANG30114	32.5	27	1.25	135	3.14	1.85	0.13	0.15	19.8	1.1	0.45	179	41.3	-0.01
ANG30115	29.5	2	0.94	22.2	2.78	0.47	0.01	0.04	13.2	0.7	0.39	143	6.35	-0.01
ANG30116	20.5	6	0.49	35.6	2.47	0.67	0.05	0.04	11.3	1.4	0.28	119	20.2	-0.01
ANG30117	20.7	5	0.47	45.8	2.58	0.8	0.05	0.06	11.5	1.9	2.05	205	45	-0.01
ANG30118	16.2	5	0.27	23.4	2.28	0.82	0.04	0.04	8	1.8	0.52	400	11.85	0.01
ANG30119	28	4	0.29	35	2.55	0.71	0.04	0.05	14.1	0.9	1.48	266	4.35	-0.01
ANG30120	21.2	5	0.41	55.4	3.58	0.48	0.18	0.03	13	0.8	0.78	223	70.5	-0.01
ANG30121	23.6	6	0.67	30	5.13	0.96	0.05	0.03	12	3.1	0.22	358	5.6	-0.01
ANG30122	19.45	7	1.34	38.2	4.03	1.24	0.06	0.03	10.6	3.6	0.23	234	5.91	-0.01
ANG30123	25.5	6	0.75	43	3.79	1.03	0.05	0.03	14.1	7.1	0.16	261	5.13	-0.01
ANG30124	21.7	4	0.72	38.2	3.05	0.77	0.04	0.03	11.7	4.6	0.41	223	3.07	-0.01
ANG30125	20.4	11	0.23	43.5	1.76	1.3	0.07	0.03	11.1	2.5	0.18	359	6.56	0.01
ANG30126	15.45	6	0.15	30.9	1.12	1.08	0.07	0.03	8.8	1.6	0.15	248	3.1	0.03
ANG30127	22.9	12	0.24	45.6	1.85	1.28	0.11	0.03	14.5	2.4	0.17	464	6.61	0.01
ANG30128	26.3	9	0.22	48.3	2.04	1.24	0.09	0.03	15	1.9	0.15	580	6.92	0.01
ANG30129	22.6	5	0.47	35.8	3.02	0.89	0.04	0.03	12.1	2.2	0.28	216	7.42	0.01
ANG30130	23.3	6	0.46	33.7	3.02	0.93	0.03	0.03	12.2	2.5	0.25	243	6.21	-0.01
ANG30131	30.3	8	0.38	39.1	2.57	0.95	0.07	0.04	16.6	2.6	0.45	199	7.45	0.01
ANG30132	28.7	9	0.54	51.3	2.49	1.15	0.07	0.04	15.8	2.7	0.19	169	7.38	0.01
ANG30133	29.1	8	0.44	59.4	2.67	1.23	0.07	0.03	16.4	3.3	0.14	279	4.84	0.01
ANG30134	28.7	15	0.43	49.6	2.25	1.88	0.11	0.04	16	5.7	0.19	422	5.88	0.01
ANG30135	32.2	10	0.51	57.3	3.1	1.3	0.09	0.03	19	2.9	0.11	250	5.98	-0.01
ANG30136	28.4	12	0.54	44.4	2.71	1.69	0.08	0.05	16.7	4.3	0.19	262	4.71	-0.01
ANG30137	28	12	0.5	43	2.58	1.63	0.09	0.04	16.3	4.1	0.18	248	4.52	-0.01
ANG30138	25.1	12	0.38	40	2.17	1.64	0.1	0.04	13.9	3.5	0.19	283	3.91	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30071	58.5	1240	16.4	3.5	0.05	7.64	2	95.9	0.05	5.9	0.1	1.68	236	VA08138824
ANG30072	54.4	770	17.2	4.1	0.07	7.64	3.1	50.7	0.05	1.6	0.12	2.38	220	VA08138824
ANG30073	56.3	1130	15	3.2	0.04	7.23	2.2	62.7	0.04	2.8	0.11	1.73	246	VA08138824
ANG30074	29.9	980	12	3.4	0.05	4.14	2.5	46.8	0.03	1.1	0.07	2.02	175	VA08138824
ANG30075	98.4	1340	24.3	4.1	0.04	15.25	6.8	68.3	0.1	1.8	0.17	1.7	2720	VA08138824
ANG30076	96.1	1010	20.7	3.2	0.05	8.05	4.6	51.7	0.08	1.6	0.11	1.68	883	VA08138824
ANG30077	68	1130	19.1	3.7	0.05	6.65	5.4	55.9	0.09	1.4	0.11	1.95	645	VA08138824
ANG30078	70.5	1110	23.4	2.9	0.03	9.15	2.8	68	0.07	3.6	0.12	1.55	447	VA08138824
ANG30079	72.8	1010	17.1	3.1	0.06	6.75	5	98.6	0.09	1.5	0.09	1.72	521	VA08138824
ANG30080	13.8	350	11.7	4.5	0.05	4.54	4.2	53.1	0.08	5.2	0.12	2.11	83	VA08138824
ANG30081	19.4	360	23.6	3.9	0.07	4.04	3.3	54.4	0.08	2.9	0.14	1.27	104	VA08138824
ANG30082	21.5	680	21	7.7	0.04	3.38	3.1	58.5	0.05	1.4	0.19	2.64	118	VA08138824
ANG30083	116	1270	66.5	3.9	0.04	13.4	4.7	66.7	0.06	3.4	0.19	4.6	621	VA08138824
ANG30084	113.5	1380	24.2	6.3	0.04	8.83	6	110.5	0.07	5.2	0.27	2.02	948	VA08138824
ANG30085	186.5	740	17.3	2.5	0.04	15.4	11.1	49.1	0.13	2.4	1.2	2.98	1320	VA08138824
ANG30086	190.5	1450	33.4	4.1	0.18	15.5	14.7	236	0.17	1.6	0.7	3.45	1180	VA08138824
ANG30087	105.5	840	16.4	3.4	0.03	9.45	4.9	31.6	0.05	4.2	0.11	1.28	1230	VA08138824
ANG30088	64	690	11.3	2.6	0.04	3.53	3	29.9	0.04	2.2	0.07	0.83	263	VA08138824
ANG30089	56.5	670	9.2	2.5	0.04	3.84	2.1	30.1	0.03	2.6	0.06	0.82	340	VA08138824
ANG30090	52.9	570	10.9	3.1	0.05	2.62	1.8	34	0.04	1.7	0.12	1.21	137	VA08138824
ANG30091	68.3	1160	14.3	2.5	0.02	4.05	3.2	24	0.05	4.8	0.09	0.96	226	VA08138824
ANG30092	26.5	220	14.4	6.1	0.01	2.46	0.9	17.3	0.04	3	0.12	0.59	167	VA08138824
ANG30093	85.9	1060	15.8	4	0.08	4.56	4.2	111	0.07	0.8	0.19	1.39	621	VA08138824
ANG30098	49.9	570	12.4	1.6	0.02	6.53	1.3	47.7	0.04	5.2	0.05	0.56	98	VA08138824
ANG30099	129	1000	16.2	2.1	0.02	15.9	6.7	94.3	0.1	3.3	0.27	1.43	1160	VA08138824
ANG30100	100	1040	16	3	0.02	6.46	3.1	66.6	0.06	4.1	0.1	1.31	657	VA08138824
ANG30101	37.9	1070	14.4	2.5	0.03	3.97	1.4	63.9	0.04	4.6	0.04	0.96	221	VA08141992
ANG30102	44.5	1140	14.6	2.2	0.03	6.25	1.3	96.9	0.04	3.8	0.06	1.09	221	VA08141992
ANG30103	61.3	1150	19.4	3.2	0.08	8.2	2.7	65.1	0.06	2.8	0.1	1.67	328	VA08141992
ANG30104	60.5	1040	17.7	2.7	0.07	5.7	2.2	68.1	0.05	3	0.08	1.71	300	VA08138824
ANG30106	84.4	1270	24.2	3	0.05	10.3	3.7	100	0.08	3.8	0.13	2.86	611	VA08138824
ANG30107	98.5	2150	28.2	3.7	0.03	17.55	5.4	198	0.12	8.2	0.2	4.91	944	VA08141992
ANG30108	76	1750	15.5	2.8	0.04	7.64	2.9	199.5	0.04	6.9	0.19	5.83	122	VA08141992
ANG30109	114.5	550	22.4	1.8	0.01	8.68	3.1	145	0.07	5.7	0.2	2.4	693	VA08138824
ANG30110	45.2	620	12.8	2.4	0.03	2.78	1	36	0.01	3.7	0.04	2.01	83	VA08138824
ANG30111	93.8	1630	365	3.1	0.05	126	2.5	93.2	0.06	8.4	0.19	2.79	269	VA08141992
ANG30112	97.1	1410	31.1	3.4	0.03	19.85	2.2	155	0.12	10.6	0.25	3.53	277	VA08138824
ANG30113	37.2	820	10.6	2	0.04	4.14	0.9	53.9	0.02	1.7	0.05	1.56	81	VA08141992
ANG30114	207	9230	38.8	8.9	0.17	16.25	13.6	342	0.21	8.5	0.32	7.13	1720	VA08141992
ANG30115	40.5	930	13.8	2.3	0.09	1.76	0.8	83.1	0.01	8.6	0.04	1.01	101	VA08141992
ANG30116	68.7	920	15.1	2.6	0.04	6.38	1.5	64.2	0.03	2.6	0.1	1.88	282	VA08138824
ANG30117	104.5	1410	17.4	3.7	0.03	11.3	3.4	255	0.09	5.5	0.3	4.76	361	VA08138824
ANG30118	45.6	980	14.7	2.9	0.13	5.59	1.5	334	0.04	0.8	0.12	1.48	316	VA08141992
ANG30119	41.4	1000	18.3	2.9	0.07	3.82	1.7	109.5	0.05	3.5	0.07	1.07	108	VA08141992
ANG30120	125	430	34.2	2.2	0.06	13.5	3.9	86.7	0.11	1.9	0.32	2.25	589	VA08138824
ANG30121	52.1	670	29.2	2.7	0.1	4.68	1.5	54.5	0.02	2	0.09	1.35	142	VA08141992
ANG30122	53.8	760	22.1	3	0.08	5.68	3	39.3	0.03	3	0.1	2.76	309	VA08141992
ANG30123	46.3	880	20.7	2.7	0.06	3.94	2.2	29.7	0.03	4.5	0.04	1.42	238	VA08141992
ANG30124	34.3	940	12.7	2.7	0.06	4.99	1.1	43.5	0.03	2.8	0.04	1.15	161	VA08141992
ANG30125	46.3	1210	27.3	2.6	0.1	3.44	1.8	71.6	0.07	0.9	0.07	1.89	258	VA08138824
ANG30126	27.1	1040	15.2	2	0.08	2.22	1.2	62.2	0.04	0.3	0.05	0.89	91	VA08138824
ANG30127	47.9	1410	32	2.9	0.1	4.13	2.2	71.3	0.07	0.6	0.09	1.49	203	VA08138824
ANG30128	52.8	1780	28.2	2.7	0.05	4.41	1.8	51	0.07	1.2	0.08	1.26	240	VA08138824
ANG30129	43.3	980	14.8	2.2	0.03	5.58	1.2	68.6	0.03	3	0.05	1.1	207	VA08138824
ANG30130	40.7	960	14.8	2.4	0.03	5.17	1.3	58.1	0.03	3.3	0.05	1	191	VA08138824
ANG30131	48	1140	14	2.5	0.02	7.09	1.9	96.9	0.03	4.2	0.06	1.08	283	VA08138824
ANG30132	49.8	960	19.1	2.9	0.04	8.58	2.6	49.9	0.03	2.4	0.07	0.98	314	VA08138824
ANG30133	52.8	820	18.6	3.1	0.05	3.38	1.8	57.4	0.02	1.5	0.04	0.98	313	VA08138824
ANG30134	56.2	820	18.5	4.5	0.04	4.32	1.8	41.1	0.02	2.2	0.07	1.73	300	VA08138824
ANG30135	84.3	820	19.5	3.5	0.04	3.66	2	40.7	0.02	2.8	0.06	1.1	370	VA08138824
ANG30136	60.6	640	17	4.6	0.04	2.95	1.7	31.9	0.02	2.1	0.08	1.06	293	VA08138824
ANG30137	58	610	16.2	4.5	0.04	2.87	1.5	30.9	0.02	2	0.08	1.01	278	VA08138824
ANG30138	45.5	770	15.6	3.9	0.06	3.54	1.5	46.2	0.01	1.1	0.08	1.27	191	VA08138824

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30139	NAD83-8	628811	6859368	9	0.69	0.34	16.1	240	0.35	0.18	0.76	1.02	8.8
ANG30140	NAD83-8	628838	6859408	6	0.71	0.44	16.9	520	0.41	0.2	1.37	3.15	6.8
ANG30141	NAD83-8	628865	6859450	5	0.49	0.48	9.3	240	0.28	0.11	0.91	0.82	5.5
ANG30142	NAD83-8	628894	6859493	-1	0.26	0.21	3.4	210	0.07	0.03	0.99	4.99	1.8
ANG30143	NAD83-8	628921	6859536	2	3.15	0.44	17.6	4300	0.31	0.1	1.95	38.4	7.1
ANG30144	NAD83-8	628919	6859536	2	3.27	0.45	18.6	4550	0.29	0.1	1.86	36.7	7.3
ANG30145	NAD83-8	628947	6859577	4	1.59	0.47	18	440	0.34	0.11	1.44	21.4	10.7
ANG30146	NAD83-8	628973	6859618	8	1.04	0.7	27.6	650	0.45	0.18	0.91	10.25	10.8
ANG30147	NAD83-8	629001	6859660	2	0.21	0.61	6.6	630	0.22	0.08	0.27	0.95	3.5
ANG30148	NAD83-8	629029	6859703	14	1.1	0.88	17.3	1150	0.49	0.18	0.65	3.78	8.5
ANG30149	NAD83-8	629056	6859745	2	0.37	0.42	6.5	400	0.17	0.09	0.52	1.15	6.4
ANG30150	NAD83-8	629084	6859787	11	0.98	0.79	16.5	540	0.35	0.26	0.88	2.13	11.2
ANG30151	NAD83-8	634037	6855108	1	1.54	0.28	50.9	130	0.55	0.45	2.98	4.01	15.4
ANG30152	NAD83-8	634036	6855107	4	1.48	0.27	65.8	130	0.56	0.44	2.14	6.07	13.7
ANG30153	NAD83-8	634010	6855066	3	1.7	0.24	35.8	130	0.69	0.31	0.88	4.91	10.6
ANG30154	NAD83-8	633982	6855024	2	1.15	0.57	24.8	230	0.63	0.15	1.18	4.32	9.9
ANG30155	NAD83-8	633954	6854983	4	3.01	0.75	34.6	380	0.63	0.2	0.86	2.47	11.7
ANG30156	NAD83-8	633928	6854941	5	2.16	0.58	43.6	310	0.64	0.32	0.35	2.01	28.5
ANG30157	NAD83-8	633897	6854899	2	0.55	0.29	21.1	150	0.4	0.16	1.13	3.22	7.6
ANG30158	NAD83-8	633869	6854859	5	1.28	0.21	10.7	190	0.27	0.14	1.13	1.03	9.1
ANG30160	NAD83-8	634688	6856114	15	1.05	0.44	36.5	330	0.42	0.33	2.83	2.68	11.2
ANG30161	NAD83-8	634552	6855903	2	0.26	0.32	5.8	810	0.16	0.06	1.55	4.26	3
ANG30162	NAD83-8	634662	6856071	6	0.83	0.58	22.3	610	0.42	0.18	1.92	4.25	8.8
ANG30163	NAD83-8	634634	6856030	8	0.84	0.4	32.2	3170	0.24	0.14	2.2	8.97	8.1
ANG30164	NAD83-8	628599	6858312	3	0.73	0.26	53.3	180	0.54	0.17	2.07	1.68	12.1
ANG30165	NAD83-8	628627	6858354	5	0.6	0.24	74.6	140	0.51	0.23	2.18	1.12	17
ANG30166	NAD83-8	628654	6858397	1	0.5	0.26	57.3	100	0.55	0.2	1.14	1.38	12.3
ANG30167	NAD83-8	628682	6858439	1	0.1	0.22	35.9	70	0.45	0.15	1.73	0.14	16.4
ANG30168	NAD83-8	628708	6858480	4	0.5	0.14	155	90	0.75	0.22	1.46	0.16	30.8
ANG30169	NAD83-8	628763	6858564	3	0.88	0.23	31.3	330	0.53	0.14	2.48	5.57	8.9
ANG30170	NAD83-8	628735	6858521	1	0.31	0.29	23.9	120	0.57	0.16	3.59	0.66	14.1
ANG30171	NAD83-8	628790	6858607	2	1.38	0.27	21.6	110	0.62	0.24	0.98	3.36	19.3
ANG30172	NAD83-8	628818	6858649	6	0.42	0.22	27.2	100	0.6	0.22	3.81	0.73	17.3
ANG30173	NAD83-8	628845	6858692	4	0.13	0.15	21	60	0.41	0.17	8.64	0.27	17.3
ANG30174	NAD83-8	628872	6858733	3	1.17	0.2	98.1	220	0.41	0.27	3.34	4.66	11.2
ANG30175	NAD83-8	628899	6858775	5	3.67	0.26	57.1	180	0.61	0.33	2.31	27.5	13.5
ANG30176	NAD83-8	628926	6858817	9	1.15	0.28	45.1	310	0.38	0.25	3.69	6.4	13.5
ANG30177	NAD83-8	628953	6858859	5	1.27	0.32	45.3	290	0.43	0.23	2.06	7.1	11
ANG30178	NAD83-8	628980	6858900	5	0.74	0.29	28.6	280	0.4	0.24	1.4	3.49	12.3
ANG30179	NAD83-8	629007	6858943	3	0.66	0.29	48.9	160	0.42	0.21	2.2	1.86	13.3
ANG30180	NAD83-8	629035	6858986	3	0.94	0.48	24.8	290	0.48	0.16	0.84	4.43	9
ANG30181	NAD83-8	629061	6859027	3	0.51	0.51	20.6	220	0.4	0.2	1.74	1.65	12.3
ANG30182	NAD83-8	629088	6859069	5	0.62	0.35	24.9	180	0.37	0.3	1.8	1.29	14.4
ANG30183	NAD83-8	629116	6859111	5	0.59	0.37	21.6	260	0.33	0.3	1.29	1.35	14.7
ANG30184	NAD83-8	629144	6859155	2	0.25	0.92	15.5	300	0.34	0.15	0.75	0.61	8.2
ANG30185	NAD83-8	629171	6859197	12	0.82	0.39	23.9	120	0.5	0.19	1.91	0.82	13.5
ANG30186	NAD83-8	629196	6859237	2	0.34	0.46	9.1	220	0.27	0.11	0.97	0.96	6.3
ANG30187	NAD83-8	629224	6859279	8	5.02	0.32	38	390	0.29	0.15	0.78	11.15	7.8
ANG30188	NAD83-8	629278	6859363	10	1.5	0.64	34.3	380	0.53	0.19	0.76	3.14	11.4
ANG30189	NAD83-8	629306	6859406	5	2.6	0.55	33	420	0.46	0.17	0.62	10.85	9.1
ANG30190	NAD83-8	629361	6859491	2	0.36	0.4	5.5	220	0.16	0.06	0.72	2.25	2.5
ANG30191	NAD83-8	629386	6859531	15	0.78	0.42	15.9	450	0.23	0.13	0.58	3.06	4.1
ANG30192	NAD83-8	630422	6858910	3	2.82	0.49	43.9	2120	0.72	0.15	2.66	22.7	10.8
ANG30193	NAD83-8	630450	6858952	8	1.04	0.48	36.3	960	0.57	0.27	3.01	1.97	11
ANG30194	NAD83-8	630477	6858994	9	1.02	0.36	49.6	450	0.6	0.35	5.16	0.95	13.5
ANG30195	NAD83-8	630505	6859037	6	1.69	0.55	47.3	720	0.67	0.26	3.37	2.61	9.5
ANG30196	NAD83-8	630531	6859078	6	1.59	0.55	28.8	630	0.41	0.22	3.03	1.34	8.8
ANG30197	NAD83-8	630558	6859119	5	0.73	0.45	15.1	730	0.26	0.17	2.61	1.57	6.9
ANG30198	NAD83-8	630612	6859204	6	1.24	0.47	21.4	1130	0.36	0.21	2.16	2.76	8.8
ANG30199	NAD83-8	630617	6858845	6	1.42	0.46	31.1	460	0.37	0.16	1.97	4.89	7.1
ANG30200	NAD83-8	634608	6855987	6	1.09	0.78	22	1870	0.41	0.17	1.56	19.95	9.1
ANG30201	NAD83-8	627695	6859861	11	0.66	0.2	24.5	210	0.23	0.17	1.1	1.09	9.1
ANG30202	NAD83-8	627669	6859819	6	0.58	0.73	24.9	220	0.42	0.19	0.35	1.85	9.6

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30139	30.5	10	0.34	29.9	1.97	1.11	0.06	0.04	16.3	2.3	0.14	251	3.51	-0.01
ANG30140	25.1	12	0.36	47.4	2.01	1.4	0.09	0.03	14.1	3	0.22	276	5.21	0.01
ANG30141	15.9	6	0.32	24.5	1.34	1.39	0.05	0.03	8.2	1.8	0.1	229	3.25	0.02
ANG30142	4.89	4	0.11	28.1	0.45	0.8	0.05	0.02	2.8	0.5	0.12	70	2.85	0.04
ANG30143	16.55	15	0.36	142	1.28	1.39	1.19	0.03	13.1	1.8	0.41	235	23.3	0.02
ANG30144	16.8	13	0.35	133	1.31	1.35	1.13	0.03	13.4	1.8	0.41	233	24.2	0.03
ANG30145	17.15	12	0.4	56.5	1.7	1.47	0.55	0.04	11.4	2.8	0.2	472	30.4	0.01
ANG30146	30	20	0.57	77.9	2.51	2.11	0.21	0.07	15.6	5.7	0.36	414	19.05	0.01
ANG30147	12.1	7	0.47	20	0.83	1.67	0.05	0.04	6.5	2.3	0.07	176	2.91	0.03
ANG30148	28.9	20	0.84	52.8	1.86	2.59	0.15	0.07	17.1	6.5	0.25	633	6.11	0.01
ANG30149	17.3	8	0.78	21.7	1.31	1.41	0.05	0.05	8.8	2.5	0.22	187	2.14	0.02
ANG30150	22.4	16	0.7	31.4	2.32	2.31	0.16	0.07	11.5	6	0.31	433	3.94	0.01
ANG30151	19.6	8	0.36	63.1	3.2	0.83	0.23	0.04	11.1	1.9	1.29	436	39.1	0.01
ANG30152	21.5	9	0.36	69.4	3.4	0.81	0.21	0.04	12.3	1.8	0.8	564	43.5	-0.01
ANG30153	19.65	8	0.39	58.3	3	0.85	0.25	0.04	11.2	1.1	0.23	383	32.3	-0.01
ANG30154	18.7	12	0.5	52.5	2.83	1.58	0.3	0.04	10.5	2.9	0.16	1115	15.95	-0.01
ANG30155	25	34	2.22	34.4	2.39	2.56	0.39	0.07	15.2	4.4	0.08	445	7.58	-0.01
ANG30156	29.6	22	1.52	88.5	6.8	2.21	0.22	0.07	16.8	3.4	0.08	823	9.28	-0.01
ANG30157	15.75	8	1.22	22.9	1.71	0.76	0.24	0.03	9	1.2	0.04	421	1.57	0.02
ANG30158	11.9	6	0.57	43.8	2.1	0.54	0.15	0.03	7.9	0.7	0.05	263	3.08	0.01
ANG30160	28.7	13	0.3	71	2.85	1.41	0.18	0.07	17.2	2.9	0.98	1095	14	0.01
ANG30161	8.41	6	0.15	30.3	0.73	0.91	0.06	0.02	4.7	1	0.12	205	2.32	0.04
ANG30162	30	19	0.51	74.9	2.16	1.93	0.21	0.07	17.4	5.4	0.74	348	13.35	0.01
ANG30163	24.6	10	0.23	55.5	1.86	0.93	0.52	0.07	18.5	1.4	0.59	338	37.3	0.01
ANG30164	24.2	6	0.82	36.5	2.66	0.82	0.06	0.05	14	1.9	0.64	224	24.1	0.01
ANG30165	28.1	7	0.58	38.3	3.19	0.78	0.05	0.05	15.7	1.7	0.65	196	22.1	0.01
ANG30166	21.4	6	0.59	36	3.3	0.78	0.05	0.04	12.1	1.7	0.36	221	19.8	-0.01
ANG30167	16.4	5	0.89	20.1	3.19	0.63	0.01	0.03	8.9	1.7	0.26	281	3.1	0.01
ANG30168	16.4	3	0.58	22.8	4.39	0.38	0.02	0.04	8.9	0.5	0.41	223	11.75	-0.01
ANG30169	16.95	9	0.32	58.2	2.49	0.85	0.08	0.04	9.1	1.3	0.73	294	19.85	0.01
ANG30170	25.2	6	0.66	34.8	3.06	0.88	0.04	0.04	13.9	2.3	1.13	208	14.1	0.01
ANG30171	28.6	6	2.36	54.1	4.53	0.75	0.05	0.04	16	4.5	0.29	269	5.71	0.01
ANG30172	27.4	5	1.09	60	2.69	0.63	0.04	0.05	15.6	2.4	1.25	183	2.41	-0.01
ANG30173	43.9	4	1.02	37.3	2.34	0.52	0.04	0.04	25.6	2.1	1.87	207	1.59	0.01
ANG30174	32	6	1.24	87.9	2.7	0.71	0.1	0.05	18.1	2.4	0.34	210	44	0.01
ANG30175	29.2	5	1.08	55.5	3.48	0.8	1.08	0.05	16.9	1.7	0.27	249	21.2	0.01
ANG30176	25	5	0.73	55	3.17	0.75	0.38	0.04	14.1	1.3	0.25	182	13	0.01
ANG30177	24	5	0.56	48.3	2.99	0.84	0.32	0.04	14	1.6	0.18	207	12.75	0.01
ANG30178	25.7	7	0.38	52.1	2.95	0.8	0.17	0.03	14.7	1.2	0.08	197	9.25	0.01
ANG30179	38.4	6	0.63	38.7	3.07	0.83	0.08	0.04	21.4	2	0.48	234	10.3	0.01
ANG30180	24.4	10	0.36	42.2	2.41	1.37	0.1	0.04	14	2.6	0.11	251	5.97	0.01
ANG30181	22.8	9	0.39	39.4	2.69	1.37	0.06	0.04	13.1	2.8	0.16	201	4.44	0.01
ANG30182	30.2	10	0.79	54.7	2.79	0.95	0.07	0.04	16.6	1.6	0.13	120	5.5	0.01
ANG30183	31.9	6	0.51	47.6	2.97	0.96	0.06	0.04	17.3	1.3	0.11	157	5.46	0.01
ANG30184	23.5	14	0.46	30.8	2.05	2.58	0.04	0.08	12.4	7.1	0.24	224	3.13	0.02
ANG30185	42.9	7	0.27	50.2	2.77	1.03	0.09	0.04	22.3	2.3	0.89	266	5.65	0.01
ANG30186	13.9	5	0.34	25.4	1.33	1.2	0.05	0.04	7.1	2.3	0.15	157	2.45	0.03
ANG30187	19.4	15	0.26	128.5	1.64	0.93	0.53	0.04	13.1	1.4	0.07	271	15.7	0.01
ANG30188	39.4	18	0.49	56	2.58	1.93	0.21	0.08	22	5	0.3	361	17.25	0.01
ANG30189	26.8	22	0.48	89.7	2.35	1.77	0.78	0.05	17.4	3.9	0.17	334	25.2	0.01
ANG30190	8.82	18	0.23	16.7	0.68	1.17	0.06	0.03	4.5	0.8	0.11	109	3.84	0.03
ANG30191	25.5	9	0.36	26.3	1.17	1.33	0.11	0.04	14.3	2.5	0.13	162	5.65	0.02
ANG30192	34.5	23	0.31	135.5	2.51	1.57	0.72	0.06	27.3	2	0.58	243	69.9	0.01
ANG30193	24.7	12	0.19	68.5	2.78	1.37	0.11	0.06	14.9	2	0.76	1520	11.55	0.01
ANG30194	30.1	10	0.27	70.7	3.04	1.04	0.14	0.1	16.8	0.9	1.75	1370	12.2	0.01
ANG30195	28.1	13	0.15	61.8	2.6	1.38	0.2	0.05	15.8	2.7	0.8	502	17.7	0.01
ANG30196	29.5	14	0.23	57.7	2.73	1.36	0.21	0.06	18.3	2.5	0.77	662	9.48	-0.01
ANG30197	21.5	13	0.28	44.9	1.84	1.33	0.1	0.05	12.9	2.2	0.52	927	4.89	0.01
ANG30198	31.4	17	0.31	64.8	2.42	1.49	0.12	0.05	18.3	2.2	0.66	337	11.65	-0.01
ANG30199	47.9	17	0.3	77.5	2.43	1.53	0.28	0.06	35.2	2.1	0.78	348	54.4	-0.01
ANG30200	30.4	23	0.49	87.8	2.15	2.26	0.4	0.07	17.5	4.8	0.53	421	13.5	0.02
ANG30201	37.9	7	0.26	59.9	1.97	0.69	0.08	0.04	19.7	0.6	0.3	249	3.93	-0.01
ANG30202	40.1	16	0.51	48.8	2.5	2.12	0.05	0.04	21.5	3.7	0.17	262	9.79	-0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30139	39.6	640	12.5	3.5	0.04	3.41	1.5	34.7	0.01	1.4	0.07	1.23	150	VA08138824
ANG30140	53.2	790	14.5	4.2	0.07	3.52	2.2	55.2	0.04	2.1	0.08	7.18	187	VA08138824
ANG30141	28.8	910	8.7	3.3	0.07	2.61	2	36.4	-0.01	0.7	0.07	1.9	106	VA08138824
ANG30142	25.6	370	3.8	0.9	0.04	2.08	4	56	-0.01	-0.1	0.06	0.9	192	VA08138824
ANG30143	188	730	22.5	3.6	0.08	12.95	8.2	176	0.03	1.1	0.46	5.04	2790	VA08138824
ANG30144	182	740	22.1	3.6	0.08	14.05	8.4	175	0.04	1.1	0.46	4.56	2760	VA08138824
ANG30145	145	820	16.2	5.5	0.07	8.98	8	118	0.08	0.8	0.38	2.71	1285	VA08141992
ANG30146	100.5	1040	20.3	6.7	0.06	6.68	7	45.3	0.06	3.8	0.3	1.56	1200	VA08141992
ANG30147	22.5	410	5.5	4	0.02	1.83	1	25.1	-0.01	0.5	0.09	1.12	134	VA08138824
ANG30148	60.6	880	17.4	7.7	0.04	3.89	1.8	50.4	0.03	3	0.15	2.91	408	VA08138824
ANG30149	33	470	9.4	5.2	0.03	1.42	0.6	30.2	-0.01	1.4	0.07	0.82	226	VA08138824
ANG30150	43.6	780	19.5	7.6	0.06	2.65	1.6	42.9	0.05	1.3	0.11	2.4	418	VA08138825
ANG30151	118	1060	32.9	3.2	0.08	18.5	3.2	119.5	0.09	3.4	0.19	3.35	697	VA08138825
ANG30152	130	940	40.2	3	0.06	19.15	3.1	83.4	0.11	3.4	0.18	2.92	908	VA08138825
ANG30153	120.5	840	36.3	3	0.06	10.3	3.1	43.9	0.11	4.4	0.17	2.39	640	VA08138825
ANG30154	76.9	960	101.5	4.9	0.04	4.4	3.2	77.2	0.07	1.9	0.11	2.8	635	VA08138825
ANG30155	36.5	4960	50	8.5	0.05	4.43	5.1	374	0.15	1.3	0.34	7.01	238	VA08138825
ANG30156	148	1830	27.6	5.9	0.11	6.11	4	185	0.09	6	0.32	6.7	662	VA08138825
ANG30157	42.5	600	21.3	2.4	0.04	4.26	1.1	48.1	0.11	1.1	0.05	1.73	318	VA08138825
ANG30158	40.4	1040	11.5	2.5	0.03	2.18	2.1	44.6	0.04	1	0.07	2.5	155	VA08138825
ANG30160	84.6	2840	31.1	4.5	0.04	10.85	4.1	116	0.19	3.8	0.15	1.6	591	VA08138825
ANG30161	23.7	740	5.1	1.5	0.06	2.78	2.6	77.4	0.03	0.2	0.04	1.67	154	VA08138825
ANG30162	85.5	1580	17.6	5	0.04	7.66	4.5	85.3	0.09	4.3	0.21	1.61	811	VA08138825
ANG30163	143	1760	16.2	3.7	0.04	12.9	11.5	192.5	0.15	2.4	0.37	2.09	1190	VA08138825
ANG30164	66.6	1110	20.2	3.4	0.03	12.65	2	89	0.07	2.7	0.17	1.91	294	VA08138825
ANG30165	60.4	930	18.9	3.2	0.03	26.2	2	101.5	0.05	6.9	0.11	1.91	233	VA08138825
ANG30166	63.4	970	16.6	2.7	0.03	12.85	2	60.4	0.05	3.4	0.17	2.01	274	VA08138825
ANG30167	30.1	610	9.4	2.4	0.02	6.12	0.5	52.7	0.02	7	0.06	1.05	53	VA08138825
ANG30168	98.1	530	26	2.3	0.09	17.9	1.9	68.1	0.02	9.9	0.17	2.74	61	VA08138825
ANG30169	68.4	1180	24.2	2.6	0.07	9.11	2.9	108.5	0.07	1.1	0.1	2.43	484	VA08138825
ANG30170	63.6	1870	14.9	3.1	0.07	5.69	1.6	142	0.04	5	0.16	2.54	331	VA08138825
ANG30171	52.1	870	21.9	3.2	0.05	6.27	3.4	34.5	0.05	6.9	0.06	1.46	332	VA08138825
ANG30172	34.1	990	11.3	3.5	0.03	3.89	1.1	86.1	0.03	6.9	0.07	0.96	109	VA08138825
ANG30173	29	1370	7.8	2.8	0.03	3.21	0.7	213	0.02	9.6	0.06	1.12	85	VA08138825
ANG30174	67.6	780	27.3	3.3	0.05	19.9	5.4	111	0.13	7.4	0.39	2.28	566	VA08138825
ANG30175	64.7	660	24.9	3.3	0.05	14.95	3.2	90	0.09	5.1	0.15	2.12	2930	VA08138825
ANG30176	65.5	960	19.2	3.1	0.03	12.45	2.3	139.5	0.08	2.9	0.15	1.52	1075	VA08138825
ANG30177	53.1	950	19.3	2.8	0.04	13.25	2.2	84.7	0.06	1.7	0.12	1.34	1015	VA08138825
ANG30178	61	880	17.9	2.5	0.04	8.52	2.3	63.2	0.1	2	0.1	1.29	488	VA08138825
ANG30179	40.3	980	17.6	2.7	0.02	12.85	1.5	71.2	0.05	4.6	0.08	0.96	331	VA08138825
ANG30180	46	1170	17.9	3.1	0.04	7.9	2.8	45.7	0.08	1.5	0.06	1.95	454	VA08138825
ANG30181	63.2	770	13.7	3.7	0.04	3.52	2	65.2	0.06	2.1	0.06	0.86	313	VA08138825
ANG30182	74.9	780	13.4	3.5	0.02	3.67	1.9	66.8	0.09	4.7	0.07	0.94	334	VA08138825
ANG30183	63	770	15.6	3.2	0.03	4.6	2.2	58	0.09	3	0.07	1.09	319	VA08138825
ANG30184	35	450	11.2	11.3	0.04	3.66	0.8	38.8	0.04	2.2	0.08	0.82	129	VA08138825
ANG30185	71.7	830	17.2	3.4	0.01	10.55	1.7	56.3	0.08	5	0.07	1.64	232	VA08138825
ANG30186	28.1	650	8.7	4	0.04	3.48	0.8	30.1	0.04	0.7	0.06	0.83	136	VA08138825
ANG30187	79.6	1690	27.9	4.4	0.08	15.9	7.3	163	0.21	1.6	0.35	4.67	644	VA08138825
ANG30188	113.5	1090	21.4	6.4	0.02	9.69	3.5	36.6	0.1	5	0.27	1.66	596	VA08138825
ANG30189	74.2	1280	34.8	6	0.03	13.4	6.7	60.4	0.3	2.8	0.35	4.49	1505	VA08138825
ANG30190	26.9	440	5.5	2.4	0.04	1.82	1.5	39	0.03	0.4	0.04	0.74	231	VA08138825
ANG30191	30.4	930	11.2	3.9	0.03	4.03	1.8	38.8	0.06	2.1	0.09	1.31	380	VA08138825
ANG30192	331	1500	18.5	4.6	0.09	20.2	15.4	250	0.23	1.2	0.9	3.45	1915	VA08138825
ANG30193	78.6	2750	86.4	3.7	0.07	7.44	3.9	130.5	0.15	1.6	0.12	2.2	299	VA08138825
ANG30194	95.3	4240	50.2	5.2	0.05	10.4	3.6	143	0.19	3.4	0.14	2.5	275	VA08138825
ANG30195	90.4	2220	43.8	3	0.08	8.26	5.1	100.5	0.16	1.7	0.11	2.31	467	VA08138825
ANG30196	80.3	2380	36.6	4	0.08	4.6	5	99.6	0.1	1.7	0.13	2.08	342	VA08138825
ANG30197	51.2	1990	22	3.7	0.09	2.99	2.8	101	0.07	1	0.1	1.8	195	VA08138825
ANG30198	83.1	2130	35.1	4	0.06	6.39	2.6	119	0.11	2.9	0.12	1.82	401	VA08138825
ANG30199	191.5	1520	23.9	4.5	0.03	13.8	13.1	111.5	0.14	4	0.54	2.65	898	VA08138825
ANG30200	101	1430	16	5.7	0.05	7.88	5.5	130	0.09	2.2	0.17	1.83	876	VA08138825
ANG30201	49.6	780	11.2	2.4	0.04	7.11	1.4	35.5	0.04	3.2	0.06	0.69	175	VA08138825
ANG30202	73.1	920	15.1	4.9	0.02	4.75	2.9	21.2	0.06	2.2	0.15	2.16	413	VA08138825

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30203	NAD83-8	627642	6859776	12	0.65	0.35	37	210	0.29	0.41	2.57	0.79	18.1
ANG30204	NAD83-8	627616	6859736	11	0.6	0.33	50.7	230	0.31	0.34	4.46	1.68	20.4
ANG30205	NAD83-8	627589	6859694	13	0.72	0.27	105.5	190	0.24	0.48	3.05	1.1	23.5
ANG30206	NAD83-8	627561	6859652	13	0.56	0.29	67.4	220	0.23	0.34	4.64	0.67	16.8
ANG30207	NAD83-8	627534	6859607	5	0.48	0.42	24.7	200	0.3	0.32	3.17	0.89	17.7
ANG30208	NAD83-8	627507	6859567	3	0.42	0.64	26.2	140	0.55	0.58	1.55	1.24	17.1
ANG30209	NAD83-8	627479	6859525	7	0.55	0.48	52.1	160	0.43	0.25	3.11	2.39	16
ANG30210	NAD83-8	627452	6859482	2	0.42	1.04	30	160	0.7	0.37	0.4	1.19	15.4
ANG30211	NAD83-8	627425	6859441	2	1.03	0.28	56.4	130	0.56	0.19	3.1	1.51	13.6
ANG30212	NAD83-8	627397	6859397	2	0.11	0.31	25.7	80	0.24	0.13	9.13	0.3	14.5
ANG30213	NAD83-8	627365	6859356	12	0.26	0.29	63.5	120	0.39	0.16	6.33	0.36	17.1
ANG30214	NAD83-8	627343	6859315	5	0.5	0.27	27.1	80	0.48	0.21	4.66	1	17.6
ANG30215	NAD83-8	627316	6859274	3	0.68	0.4	20.3	70	0.47	0.19	4.49	1.47	15.4
ANG30216	NAD83-8	627288	6859231	2	1.74	0.23	39.9	140	0.43	0.17	2.65	4.39	20.1
ANG30217	NAD83-8	627261	6859189	2	0.9	0.33	97.2	160	0.46	0.19	3.48	0.59	10.5
ANG30218	NAD83-8	628654	6858397	2	0.54	0.3	61.2	100	0.51	0.2	1.19	1.33	12.2
ANG30219	NAD83-8	627968	6859920	9	0.97	0.51	23.7	250	0.41	0.28	0.94	1.33	9.1
ANG30220	NAD83-8	627942	6859880	5	1.23	0.47	23.5	370	0.32	0.16	1.5	5.38	5.7
ANG30221	NAD83-8	627914	6859840	11	1.9	0.25	26.2	250	0.21	0.21	0.64	2.42	3.7
ANG30222	NAD83-8	627886	6859797	5	0.67	0.41	40.3	190	0.38	0.26	1.49	1.24	13.2
ANG30223	NAD83-8	627861	6859754	7	0.84	0.33	32.3	180	0.35	0.25	1.3	1.66	12.5
ANG30224	NAD83-8	627833	6859712	6	0.92	0.32	50.6	150	0.41	0.35	1.39	7	15
ANG30225	NAD83-8	627807	6859671	2	0.23	0.6	13.4	130	0.31	0.2	1.58	1.09	9.2
ANG30226	NAD83-8	627779	6859628	11	0.36	0.36	28	190	0.29	0.2	5.03	1.37	11.9
ANG30227	NAD83-8	627752	6859587	7	0.8	0.18	27.4	130	0.53	0.34	3.5	0.23	21.5
ANG30228	NAD83-8	627723	6859545	1	0.22	0.4	17.5	130	0.52	0.19	8.14	0.84	16.5
ANG30229	NAD83-8	627699	6859499	16	0.26	0.55	18.7	110	0.62	0.96	0.5	0.21	21.2
ANG30230	NAD83-8	627672	6859460	-1	0.06	0.2	17.6	70	0.33	0.18	5.62	0.21	16.4
ANG30231	NAD83-8	627640	6859446	7	0.13	0.32	58.8	110	0.34	0.17	7.85	0.17	18.6
ANG30232	NAD83-8	627617	6859372	2	0.17	1.62	13.5	90	0.48	0.17	4.22	0.23	19.8
ANG30233	NAD83-8	627591	6859333	3	0.38	0.26	50.9	70	0.58	0.28	5.65	0.83	32.9
ANG30234	NAD83-8	627563	6859292	4	0.84	0.47	25.6	110	0.55	0.27	2.85	2.01	24.3
ANG30235	NAD83-8	627538	6859249	2	0.49	0.35	13.5	110	0.36	0.13	1.82	0.94	8.7
ANG30236	NAD83-8	627510	6859204	4	3.29	0.24	29.8	120	0.5	0.18	3.23	8.64	9.2
ANG30237	NAD83-8	627483	6859164	6	1.41	0.2	46.8	90	0.5	0.24	3.47	4.69	13.3
ANG30238	NAD83-8	627454	6859122	2	1.17	0.12	28.7	70	0.37	0.24	2.2	2.62	10
ANG30239	NAD83-8	627429	6859079	1	0.69	0.13	39.2	90	0.34	0.15	4.32	1.44	12.4
ANG30240	NAD83-8	628704	6858842	4	0.55	0.26	42.7	120	0.36	0.16	2.06	1.12	14.6
ANG30241	NAD83-8	628731	6858883	3	0.49	0.19	49	100	0.41	0.21	2.05	1.15	18.9
ANG30242	NAD83-8	628759	6858926	3	0.68	0.21	28.1	120	0.41	0.16	1.2	1.41	12
ANG30243	NAD83-8	628786	6858967	16	0.43	0.54	11.9	340	0.28	0.11	2.32	2.69	6.7
ANG30244	NAD83-8	628812	6859009	46	0.52	0.5	11.5	520	0.4	0.15	2.25	1.51	9
ANG30245	NAD83-8	628839	6859051	6	2.02	0.84	36.1	600	0.46	0.18	0.45	7.92	8.6
ANG30246	NAD83-8	634173	6855314	15	0.46	0.37	23	360	0.22	0.11	10.55	13.25	9
ANG30247	NAD83-8	634146	6855271	9	0.62	0.51	21.2	520	0.28	0.14	1.85	3.37	7.4
ANG30248	NAD83-8	634122	6855230	1	0.21	0.32	8.6	120	0.22	0.09	1.64	0.64	6
ANG30249	NAD83-8	634093	6855191	-1	0.03	0.18	0.5	40	-0.05	-0.01	0.61	0.18	0.8
ANG30250	NAD83-8	634065	6855149	10	0.73	0.17	78.9	70	0.44	0.18	4.01	1.66	16.5
ANG30251	NAD83-8	630780	6859096	10	1.64	0.2	25.6	690	0.44	0.41	2.84	2.22	9.9
ANG30252	NAD83-8	630752	6859054	7	2.07	0.42	42	1240	0.29	0.16	2.29	6.35	7.2
ANG30253	NAD83-8	630725	6859012	7	1.19	0.44	13.7	1510	0.31	0.15	3.61	2.3	7.1
ANG30255	NAD83-8	630671	6858928	8	1.06	0.22	24.3	2290	0.26	0.22	4.23	1.35	8.6
ANG30256	NAD83-8	630644	6858885	5	0.75	0.44	16.9	660	0.29	0.17	2.83	0.78	6.4
ANG30257	NAD83-8	630617	6858845	7	1.36	0.44	26.3	430	0.37	0.14	1.95	5.36	7
ANG30258	NAD83-8	630589	6858801	1	1.91	0.4	13.7	2740	0.21	0.06	2.5	18.55	3.2
ANG30259	NAD83-8	630756	6858691	3	3.31	0.64	29.4	1100	0.38	0.14	1.51	20.8	8.1
ANG30260	NAD83-8	630783	6858733	4	3.17	0.59	20.1	1330	0.32	0.13	1.42	16.2	7.6
ANG30261	NAD83-8	630812	6858777	6	2.07	0.41	19.2	1450	0.32	0.09	2.16	14.8	5.4
ANG30262	NAD83-8	630837	6858817	10	1.18	0.43	18.1	410	0.32	0.18	1.81	2.22	8.4
ANG30264	NAD83-8	630891	6858900	5	0.73	0.58	13.1	780	0.28	0.13	2.4	2.73	7.1
ANG30265	NAD83-8	630917	6858939	15	1.7	0.38	13.5	410	0.31	0.23	0.35	2.31	10.4
ANG30266	NAD83-8	630944	6858981	25	2.71	0.36	28.2	580	0.33	0.27	0.61	3.19	5.9
ANG30267	NAD83-8	630973	6859027	9	1.87	0.83	36.9	560	0.34	0.24	0.55	4.69	10.6

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30203	44.3	6	0.52	73.5	2.88	0.9	0.13	0.05	24.3	1.4	0.11	171	7.34	-0.01
ANG30204	29.4	5	0.72	70.1	2.96	0.75	0.08	0.05	15.7	1.4	0.14	176	8.05	-0.01
ANG30205	29.3	5	0.79	97.7	3.99	0.61	0.09	0.05	15.7	1.4	0.09	128	8.95	-0.01
ANG30206	17.65	4	0.65	66.7	2.74	0.62	0.07	0.04	9.8	1.4	0.12	119	6.29	-0.01
ANG30207	38.9	6	0.66	68.9	3.25	1.04	0.1	0.05	21.5	4.9	0.18	149	6.09	-0.01
ANG30208	30.6	8	1.75	42.6	4.13	1.74	0.04	0.03	16.4	21.4	0.32	253	7.55	0.01
ANG30209	28	6	1.95	48.8	3.22	1.19	0.08	0.04	14.8	10.9	0.84	274	17.9	0.01
ANG30210	44.2	16	2.91	52.2	4.01	2.66	0.05	0.05	24.6	29.1	0.27	164	10.75	-0.01
ANG30211	31.4	5	1.32	47.8	2.45	0.82	0.08	0.05	17.8	5.7	0.76	163	12.8	-0.01
ANG30212	24	5	0.88	23.5	2.49	0.75	0.03	0.04	12.6	2.5	0.9	326	1.39	-0.01
ANG30213	38.8	6	1.26	47.4	2.76	0.86	0.03	0.05	22.8	3.3	1.76	223	2.36	-0.01
ANG30214	28.9	5	0.98	56.2	3.09	0.78	0.05	0.05	16.6	5.2	1.06	224	4.39	-0.01
ANG30215	31.5	7	0.86	51.2	3.06	1.07	0.05	0.04	17.9	14.3	0.95	205	4.42	-0.01
ANG30216	23.9	6	0.74	86.6	3.13	0.81	0.13	0.05	13.6	1.7	1.03	155	42.6	-0.01
ANG30217	25.5	9	1.3	32.6	2.31	0.9	0.1	0.06	15.2	1.7	0.52	128	49	-0.01
ANG30218	24.7	7	0.62	38.8	3.46	0.85	0.05	0.05	13.9	1.7	0.38	225	23.7	-0.01
ANG30219	33.7	9	0.25	43.2	2.62	1.41	0.13	0.05	19.7	1.4	0.09	301	6.4	-0.01
ANG30220	19.45	11	0.2	54.7	1.9	1.24	0.43	0.04	11.4	1.5	0.19	227	7.67	0.01
ANG30221	31.3	10	0.21	62.4	1.48	0.91	0.57	0.06	20.6	1.3	0.18	139	14.45	-0.01
ANG30222	37.5	8	0.46	54	2.85	1.17	0.1	0.05	20.5	2.1	0.42	172	6.52	-0.01
ANG30223	43.8	9	0.47	57.2	2.49	1.09	0.12	0.04	23.3	1.3	0.41	150	8.18	-0.01
ANG30224	53.8	11	0.72	93.1	3.03	1.11	0.1	0.06	30.3	2.5	0.27	172	17.25	-0.01
ANG30225	37.9	10	0.43	34.9	2.61	1.74	0.07	0.04	21.2	6	0.16	207	4.58	-0.01
ANG30226	22.5	6	0.3	37.9	2.74	0.94	0.1	0.04	12.4	2.1	0.14	254	4.51	-0.01
ANG30227	28.5	3	0.67	87	3.04	0.5	0.06	0.04	16.9	0.7	0.99	208	3.65	-0.01
ANG30228	25.8	6	1.17	31.9	2.36	0.93	0.15	0.07	13.5	4.1	0.66	316	3.21	-0.01
ANG30229	56.7	11	3	48.8	5.53	1.5	0.04	0.03	29.9	24.7	0.26	327	1.86	-0.01
ANG30230	52.8	5	0.95	21.6	2.61	0.62	0.04	0.04	28.7	3	1.11	360	1.37	-0.01
ANG30231	38	5	1.17	40.3	2.89	0.88	0.05	0.05	21.5	6.1	1.83	243	1.63	-0.01
ANG30232	84.3	23	1.15	38.8	2.7	4.18	0.05	0.06	48.6	107	2.58	202	1.54	-0.01
ANG30233	24.8	4	1.65	57.3	4	0.74	0.04	0.04	14	7.8	0.75	220	4.72	-0.01
ANG30234	18.5	7	1.24	49.8	3.82	1.35	0.07	0.05	9.8	18.7	0.63	278	7.55	0.01
ANG30235	15.7	5	0.38	33	2.78	1.11	0.03	0.03	8.4	5.3	0.29	144	2.47	0.01
ANG30236	18.45	8	0.39	120.5	2.57	0.96	0.2	0.04	11.5	1.8	1.53	170	42.4	0.01
ANG30237	17.8	7	0.53	64.9	2.85	0.96	0.11	0.06	9.6	1	1.63	146	53.1	0.01
ANG30238	16.9	4	0.37	46.9	2.42	0.55	0.13	0.03	10.3	0.6	1	95	81.1	0.01
ANG30239	23.3	3	0.47	34.1	2.43	0.51	0.06	0.04	13.6	0.8	1.02	156	26.5	0.01
ANG30240	33.6	4	1.59	33	3.09	0.88	0.04	0.03	19.2	3.4	0.51	228	6.32	0.01
ANG30241	30.8	3	1.13	33	3.43	0.62	0.05	0.04	18	1.4	0.38	329	4.91	0.01
ANG30242	24.5	4	0.66	29.2	3.22	0.83	0.05	0.03	14.5	1.9	0.14	217	5.58	-0.01
ANG30243	17.35	14	0.29	32.3	2.03	1.69	0.09	0.03	9.6	3.9	0.24	291	4.3	0.01
ANG30244	19.75	13	0.33	28.1	2.65	1.6	0.08	0.04	11.9	3.3	0.17	301	4.77	0.02
ANG30245	24.7	21	0.6	68.5	2.65	2.43	0.29	0.06	15.3	5.6	0.2	236	26	0.01
ANG30246	10.15	9	0.53	39.6	1.87	1.14	0.1	0.05	5.9	3.6	0.57	227	7.03	0.02
ANG30247	15.7	9	0.32	37.7	2.07	1.5	0.1	0.03	8.7	3.7	0.26	216	6.24	0.02
ANG30248	8.39	4	0.3	18.9	1.43	0.89	0.04	0.03	5.1	1.5	0.22	159	8.87	0.03
ANG30249	2.86	1	-0.01	5.3	0.25	0.56	-0.01	0.03	1.4	0.4	0.05	35	0.26	0.04
ANG30250	16.4	4	0.27	45.1	3.31	0.56	0.09	0.03	8.9	1.3	1.9	353	38.6	0.01
ANG30251	34.5	12	0.54	89.2	3.13	0.92	0.06	0.04	20.8	0.5	0.77	207	14.8	0.01
ANG30252	21.2	17	0.26	73.5	2.36	1.53	0.12	0.06	13.1	2.6	0.61	255	20.1	0.02
ANG30253	21.6	10	0.14	43.6	1.95	1.3	0.13	0.04	12.8	2.4	0.74	333	10.2	0.03
ANG30255	22.8	7	0.12	52.1	2.5	0.74	0.11	0.04	13.4	0.8	1.62	296	15.9	0.04
ANG30256	23.7	11	0.15	33.9	2.32	1.4	0.09	0.04	14.1	2.7	0.58	580	7.15	0.02
ANG30257	39.5	15	0.28	67.8	2.5	1.58	0.24	0.04	29.4	2.8	0.79	397	52.4	0.01
ANG30258	20.4	22	0.18	118	1.12	1.34	0.58	0.05	18.9	1.1	0.45	111	34.6	0.06
ANG30259	40.4	23	0.41	124.5	2.15	1.79	1.43	0.04	31.6	3.8	0.42	145	67.5	0.02
ANG30260	31.8	24	0.42	147	1.93	2.1	0.97	0.04	24.6	3.9	0.44	177	38.9	0.02
ANG30261	27.4	25	0.25	81.9	1.62	1.45	0.67	0.04	21.8	1.9	0.48	216	43.9	0.03
ANG30262	23.8	12	0.19	55	2.34	1.59	0.1	0.03	14.4	2.6	0.43	387	8.79	0.01
ANG30264	22.6	14	0.37	32.6	1.83	1.96	0.07	0.05	13.2	5	0.52	384	6.29	0.02
ANG30265	27.2	8	0.27	77.2	2.44	1.37	0.09	0.04	17.1	1.8	0.07	234	9.34	0.01
ANG30266	32.6	9	0.32	85.5	2.47	1.44	0.12	0.05	21.1	1.9	0.07	165	10.05	0.01
ANG30267	26.7	21	0.58	99.8	3.25	3.24	0.05	0.06	16	5.3	0.19	329	8.92	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30203	72.1	620	14.2	3.8	0.05	4.19	3.4	78.1	0.11	5	0.09	0.86	221	VA08138825
ANG30204	83.4	850	22.2	3.9	0.06	4.29	2.6	142.5	0.1	3.3	0.09	1.02	326	VA08138825
ANG30205	93.7	680	32	3.8	0.09	5.24	3.5	92.7	0.11	7.1	0.12	1.07	344	VA08138825
ANG30206	70.4	780	14.2	3.8	0.09	5.3	2.6	156	0.09	2.5	0.11	0.97	205	VA08138825
ANG30207	80	750	16.3	3.5	0.05	3.22	2.7	108.5	0.07	3.8	0.07	1.16	231	VA08138825
ANG30208	49.2	690	26	2.7	0.05	5.41	1.7	43.9	0.04	5	0.05	1.92	211	VA08141992
ANG30209	50.3	850	22.5	2.8	0.06	12.3	2.8	91.7	0.04	7.1	0.19	3.03	284	VA08141992
ANG30210	55.4	710	20.1	3.8	0.03	6.72	1.7	23.8	0.03	8	0.09	5.11	177	VA08138825
ANG30211	56.2	1050	27.4	3.2	0.05	10.5	4.4	92	0.05	9.9	0.14	1.94	361	VA08138825
ANG30212	26.4	1060	7.9	3	0.08	3.46	0.4	288	0.01	3.1	0.05	0.73	84	VA08138825
ANG30213	39.7	1060	8.1	3.3	0.08	5.51	1.1	153	0.02	6.2	0.06	0.87	110	VA08138825
ANG30214	40.8	1050	12.3	3	0.08	3.75	1.4	86	0.03	8.6	0.05	1.15	149	VA08138825
ANG30215	41.3	930	11.7	2.4	0.05	3.37	1.6	87.5	0.03	8.2	0.05	1.24	174	VA08138825
ANG30216	118	1520	18.3	3.2	0.18	12.35	6.6	147.5	0.08	5.6	0.3	2.84	654	VA08138825
ANG30217	125.5	1370	17.8	4.5	0.03	16.35	2.3	117.5	0.12	5.8	0.32	2.89	240	VA08138825
ANG30218	72.1	1010	17.2	3.1	0.04	11.25	2.1	61.5	0.05	3.7	0.19	2.07	281	VA08138825
ANG30219	62.5	2470	25.1	4	0.05	4.74	2.2	50.3	0.11	1.9	0.09	1.68	360	VA08138825
ANG30220	58.7	1560	15.5	3	0.09	6.49	4.8	72.9	0.12	0.4	0.14	2.96	398	VA08138825
ANG30221	47.1	1330	20.7	3.5	0.07	11.1	9.5	80.7	0.31	2.5	0.27	1.21	232	VA08138825
ANG30222	68.6	1050	15.5	3.5	0.04	4.78	2.4	52.2	0.07	3	0.1	0.9	245	VA08138825
ANG30223	70.8	950	15.9	3.2	0.03	4.65	2.3	46.5	0.07	4.7	0.09	0.99	291	VA08138825
ANG30224	120	1350	39.6	4.2	0.05	8.11	4.9	49.8	0.12	6.4	0.15	1.77	749	VA08138825
ANG30225	43.8	780	16.4	3.6	0.06	1.39	1.2	60.4	0.04	1.1	0.06	0.71	169	VA08138825
ANG30226	50	940	14.8	3.2	0.09	4.14	1.8	188.5	0.05	1	0.08	0.68	179	VA08138825
ANG30227	49.6	810	10.1	2.5	0.04	2.79	2.8	97.4	0.05	8.2	0.04	1.17	75	VA08138825
ANG30228	34.4	1820	12	4.3	0.09	2.22	1.2	258	0.02	5.6	0.07	1.5	182	VA08138825
ANG30229	48.7	540	39.3	2.8	0.03	2.83	0.6	21.3	0.03	12	0.03	1.91	146	VA08138825
ANG30230	30.2	930	10.3	2.5	0.06	3.12	0.5	163.5	0.01	9.7	0.05	0.88	109	VA08138825
ANG30231	37.7	1290	8.6	3.3	0.09	9.05	0.7	243	0.01	7.7	0.06	1.16	95	VA08138825
ANG30232	40.2	1240	11.4	4.6	0.08	2.17	0.7	133.5	0.02	10.1	0.07	1.03	90	VA08138825
ANG30233	49.8	1010	16	2.6	0.26	3.46	2.2	103	0.03	8.9	0.05	1.65	154	VA08138825
ANG30234	53.7	1010	21	2.9	0.14	4.57	2.1	76.1	0.04	3.1	0.07	1.33	261	VA08138825
ANG30235	25.3	750	10.4	2.1	0.03	2.32	0.9	42.5	0.02	2.5	0.03	0.73	134	VA08138825
ANG30236	76.7	1420	25.2	3.5	0.06	21.6	4.8	133.5	0.12	2.7	0.14	2.48	1090	VA08138825
ANG30237	135.5	1820	19.9	4.1	0.1	14.65	3.6	232	0.13	7	0.26	4.19	651	VA08138825
ANG30238	126	1020	19.8	2.6	0.03	16.6	3.3	132.5	0.16	6.2	0.2	2.97	540	VA08138825
ANG30239	65.1	1150	13.4	2.5	0.04	15.15	1.7	173.5	0.04	6.7	0.17	2.3	249	VA08138825
ANG30240	38.2	920	14.8	3	0.04	9.61	2	87.7	0.02	4.9	0.06	1.46	189	VA08138825
ANG30241	39.5	930	17.7	2.6	0.06	11.6	1.8	81.2	0.01	4.2	0.06	1.12	233	VA08138825
ANG30242	35.4	680	15.2	3.7	0.05	7.47	1.9	53.7	0.02	2.3	0.06	1.2	192	VA08138825
ANG30243	38.5	850	11.1	3.8	0.09	3.64	2	94.7	0.03	0.5	0.06	0.98	240	VA08138825
ANG30244	43.2	880	12.7	4.4	0.1	3.87	3	82.7	0.04	0.7	0.08	2.41	196	VA08138825
ANG30245	154.5	1270	27.5	7.1	0.09	14.6	7.8	53.8	0.12	3.4	0.27	2.23	1215	VA08138825
ANG30246	169.5	860	10.7	6.1	0.18	4.93	3.6	252	0.03	1.7	0.11	3.57	2040	VA08138825
ANG30247	50.9	960	13.7	3.1	0.07	5.48	3.9	82.7	0.05	1	0.06	1.49	455	VA08138825
ANG30248	36	620	7.9	2.3	0.06	3.77	1	60.6	0.03	0.5	0.1	0.92	145	VA08138825
ANG30249	2.4	350	0.6	0.7	0.02	0.29	0.2	24.4	-0.01	-0.1	-0.01	0.28	12	VA08138825
ANG30250	116	1040	30.7	2.6	0.13	30.9	2.3	150.5	0.07	5.4	0.23	3.14	409	VA08138825
ANG30251	102	750	64	4.8	0.07	6.37	5.5	137	0.09	6.5	0.17	1.36	454	VA08138825
ANG30252	73.8	1310	40.2	4.4	0.14	13.1	4.9	158	0.15	2.4	0.16	2.03	472	VA08138825
ANG30253	50.5	1430	34	3.1	0.09	6.16	2.3	160.5	0.09	1	0.08	1.71	213	VA08138825
ANG30255	81.8	2410	34.6	3	0.08	7.56	3	173	0.14	3.6	0.1	1.57	315	VA08138825
ANG30256	47.1	1550	28.1	3	0.05	4.13	1.8	113	0.09	1.5	0.07	1.03	176	VA08138825
ANG30257	186	1410	23.7	4.3	0.04	14.2	12.6	113	0.14	3.7	0.44	2.61	896	VA08138825
ANG30258	149.5	1610	11.3	3.5	0.08	10.85	11.4	233	0.12	0.6	0.47	3.27	1550	VA08138825
ANG30259	264	1600	21.6	5.4	0.05	21.6	17.9	152	0.18	2.4	0.99	3.29	2480	VA08138825
ANG30260	206	1590	22.8	5.7	0.04	25.5	13.4	133.5	0.16	2	0.65	2.52	2450	VA08138825
ANG30261	163.5	1940	33.7	4.2	0.09	14.55	20.5	195.5	0.17	0.9	0.52	3.09	1840	VA08138825
ANG30262	80	1460	33.4	4.9	0.03	4.77	1.8	95.9	0.14	2.1	0.09	0.83	291	VA08138825
ANG30264	48	1360	13.7	5	0.06	3.76	2.3	113	0.05	1.2	0.08	1.71	240	VA08138825
ANG30265	54.2	770	21.3	4.4	0.04	4.62	4.7	159.5	0.11	3	0.08	1.88	386	VA08138825
ANG30266	40.5	1030	28.1	4.5	0.07	7.41	5.7	222	0.2	2.8	0.09	2.06	243	VA08138825
ANG30267	52.5	1960	25.8	8.1	0.04	3.79	6.1	73.9	0.08	0.3	0.1	1.98	275	VA08138825

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30268	NAD83-8	631001	6859070	6	0.4	0.73	14.7	360	0.33	0.33	0.36	0.79	14.8
ANG30269	NAD83-8	631028	6859111	29	1.11	0.45	40.3	460	0.17	0.3	0.12	1.05	4.7
ANG30270	NAD83-8	630607	6856996	4	0.79	0.36	29.7	300	0.4	1.06	0.89	1.74	12.5
ANG30271	NAD83-8	630636	6857037	4	0.82	0.48	27.4	220	0.37	1.38	0.97	2.31	12.4
ANG30272	NAD83-8	630662	6857078	2	0.52	0.5	21	300	0.35	0.26	0.98	2.23	8.9
ANG30273	NAD83-8	630690	6857121	4	0.58	0.4	46.2	160	0.48	0.29	3.03	2.5	11.7
ANG30274	NAD83-8	630717	6857164	3	0.57	0.55	37.7	190	0.43	0.53	3.29	1.5	10.7
ANG30275	NAD83-8	630987	6857587	22	1.77	0.19	74.7	140	0.45	0.28	3.18	2.49	19.4
ANG30276	NAD83-8	629624	6858058	3	0.76	0.71	26.8	280	0.54	0.19	0.86	2.68	13.4
ANG30277	NAD83-8	629736	6858227	3	0.7	0.33	28.9	170	0.3	0.17	1.33	4.69	12.3
ANG30278	NAD83-8	629762	6858268	9	0.89	0.55	21.4	210	0.33	0.18	0.82	1.06	6.3
ANG30279	NAD83-8	629788	6858310	4	0.58	0.42	50.6	210	0.26	0.3	0.97	0.84	23
ANG30280	NAD83-8	629816	6858352	3	0.59	0.23	29.7	160	0.23	0.24	3.08	1.15	30.4
ANG30282	NAD83-8	629870	6858435	6	2.08	0.45	39.9	670	0.49	0.17	3.03	17.4	13.7
ANG30283	NAD83-8	629926	6858521	5	4.32	0.86	21.3	1570	0.55	0.13	2.59	30.6	10.3
ANG30284	NAD83-8	629952	6858562	5	4.58	0.83	36.2	980	0.63	0.16	2.29	75.1	10.3
ANG30285	NAD83-8	629981	6858605	6	3.21	0.66	41.4	1610	0.45	0.13	1.54	18.05	10.6
ANG30286	NAD83-8	630008	6858647	3	2.42	0.48	50.7	2250	0.52	0.15	2.46	10.95	9.9
ANG30287	NAD83-8	630034	6858689	5	2.15	0.44	52.6	1150	0.47	0.16	0.88	15.2	11.4
ANG30288	NAD83-8	630060	6858729	6	3.73	0.56	34.5	2510	0.59	0.14	2.98	42.9	9.6
ANG30289	NAD83-8	629682	6858143	4	0.62	0.53	22.6	240	0.47	0.2	0.49	2.09	14.3
ANG30290	NAD83-8	630089	6858773	3	4.34	0.55	24.8	1980	0.46	0.13	1.61	48.1	8
ANG30291	NAD83-8	630116	6858815	4	3.92	0.47	29	490	0.4	0.13	1.89	38.4	6.5
ANG30292	NAD83-8	630142	6858857	-1	2.28	0.46	16	600	0.29	0.09	1.75	23.9	4.2
ANG30293	NAD83-8	630171	6858900	5	1.91	0.69	19.3	970	0.4	0.16	1.6	12.45	10.5
ANG30294	NAD83-8	630196	6858940	6	1.29	0.55	26.4	920	0.46	0.16	2.02	5.96	8.7
ANG30295	NAD83-8	630224	6858982	6	2.52	0.53	33.4	1400	0.46	0.16	2.24	22.4	10.5
ANG30296	NAD83-8	630858	6856833	2	0.83	0.51	26.8	230	0.56	1.13	2	2.11	10.7
ANG30297	NAD83-8	630885	6856875	3	0.94	0.45	20.5	210	0.49	1.48	1.7	2.47	10.8
ANG30298	NAD83-8	630911	6856915	4	1.15	0.42	33.9	220	0.59	0.86	1.32	2.47	15
ANG30299	NAD83-8	630939	6856958	4	1.48	0.36	50.5	160	0.71	1.55	2.62	5.11	19.5
ANG30300	NAD83-8	630966	6856999	8	0.66	0.45	41.5	160	0.45	0.47	0.9	0.37	12
ANG30301	NAD83-8	629957	6858201	5	0.46	1.33	22.8	450	0.59	0.26	0.35	0.89	14
ANG30302	NAD83-8	630364	6858829	8	4.45	0.43	44	1570	0.64	0.16	3.07	39	5.8
ANG30303	NAD83-8	630390	6858872	4	0.78	0.31	41.4	3760	0.23	0.17	1.66	8.4	9.9
ANG30304	NAD83-8	631475	6858699	38	3.63	0.57	49.2	380	0.39	0.35	0.03	1.22	4.3
ANG30305	NAD83-8	631502	6858740	19	3.81	0.62	45	490	0.51	0.34	0.13	3.73	7.6
ANG30306	NAD83-8	631529	6858783	5	0.85	1	17.8	280	0.35	0.25	0.07	1.32	7.3
ANG30307	NAD83-8	632070	6857594	4	2.01	0.66	39.5	4650	0.26	0.12	1.68	20.4	9.7
ANG30308	NAD83-8	630364	6858829	7	3.91	0.37	42.9	1450	0.57	0.15	2.77	33.7	5.6
ANG30309	NAD83-8	629431	6858125	3	0.85	0.42	18.9	190	0.31	0.13	0.87	2.95	6.6
ANG30310	NAD83-8	629459	6858168	3	0.79	0.18	85.3	80	0.38	0.25	3	2.36	14
ANG30311	NAD83-8	629486	6858211	2	0.78	0.35	36.4	130	0.41	0.2	1.74	1.94	13.4
ANG30312	NAD83-8	629515	6858251	3	0.62	0.4	28.8	170	0.37	0.17	0.99	2.24	11.8
ANG30313	NAD83-8	629570	6858335	6	4.04	0.63	82.6	260	0.7	0.22	2	5.87	16
ANG30314	NAD83-8	629595	6858378	4	0.31	0.22	22.1	80	0.17	0.15	0.98	0.83	13.2
ANG30315	NAD83-8	629616	6858422	11	0.76	0.44	42.4	310	0.4	0.32	1.5	2.42	18.3
ANG30316	NAD83-8	629645	6858464	3	0.7	0.23	45.1	170	0.38	0.19	1.96	3.54	11.5
ANG30317	NAD83-8	629672	6858509	5	1.71	0.27	40.1	390	0.32	0.23	1.3	5.46	8.7
ANG30318	NAD83-8	629698	6858549	7	0.91	0.19	36.1	380	0.27	0.22	2	5.76	8.2
ANG30319	NAD83-8	629726	6858591	2	1.64	0.23	18	480	0.13	0.11	1.23	3.43	3.7
ANG30320	NAD83-8	629756	6858631	1	1.71	0.36	16.7	240	0.16	0.07	2.17	14.55	4.3
ANG30321	NAD83-8	629780	6858675	3	2.43	0.39	23.7	120	0.28	0.09	0.95	31.7	5.1
ANG30322	NAD83-8	629836	6858758	4	1.61	0.36	18.1	420	0.26	0.07	1.7	11.05	3.9
ANG30323	NAD83-8	629865	6858799	2	2.34	0.58	17.3	780	0.4	0.12	1.79	29.6	4.4
ANG30324	NAD83-8	629890	6858842	3	2.76	0.42	37.8	1650	0.31	0.12	2.02	16.3	7.7
ANG30325	NAD83-8	629919	6858883	3	1.52	0.4	20.6	610	0.27	0.12	1.45	10.75	5
ANG30326	NAD83-8	629975	6858968	6	2.24	0.35	24.5	1860	0.26	0.15	1.34	13.45	5.2
ANG30327	NAD83-8	629998	6859008	5	3.04	0.52	18.1	730	0.44	0.15	2.01	22.5	10
ANG30329	NAD83-8	630053	6859096	6	3.21	0.5	28.2	650	0.43	0.15	1.98	26.6	7.9
ANG30330	NAD83-8	630084	6859135	3	2.05	0.5	25.6	1750	0.34	0.12	1.61	14.15	6.8
ANG30331	NAD83-8	630578	6857317	3	0.39	1.17	17.8	1500	0.56	0.23	0.61	0.87	9.1
ANG30332	NAD83-8	630576	6857316	5	0.34	0.52	32.8	680	0.47	0.2	0.99	0.45	11.1

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30268	32	16	0.75	45.3	3.6	2.53	0.03	0.04	18.1	4.7	0.16	291	7.74	0.01
ANG30269	38.6	10	0.65	26.5	2.14	2.27	0.07	0.07	23.4	1.8	0.05	110	9.44	0.01
ANG30270	21.6	10	0.4	58.2	2.84	1.2	0.08	0.04	13	2.3	0.26	548	19.1	0.01
ANG30271	21	13	0.36	74.5	3.62	1.67	0.12	0.04	12.4	3.5	0.26	709	25.6	0.01
ANG30272	17.65	12	0.24	32.7	2.25	1.48	0.08	0.04	9.6	2.9	0.24	430	13.5	0.02
ANG30273	28.7	11	0.41	42.7	2.69	1.36	0.08	0.05	16.3	3	1.55	349	32.2	0.01
ANG30274	28.6	15	0.59	44.4	2.73	1.76	0.09	0.06	15.8	4.2	0.77	380	18	0.01
ANG30275	27	6	1.23	90.9	3.15	0.76	0.07	0.05	15.4	0.8	0.49	182	48.8	0.01
ANG30276	34.1	17	0.67	42.4	2.79	2.27	0.09	0.05	18.9	6	0.35	375	11.55	0.01
ANG30277	18.45	5	0.37	32.9	2.53	0.92	0.16	0.03	10.1	1.2	0.17	329	6.82	0.02
ANG30278	22.2	9	0.42	41.3	2.01	1.7	0.11	0.05	13.2	2.4	0.08	149	12.55	0.01
ANG30279	27.6	3	0.7	70.1	3.94	1.05	0.07	0.05	14.8	1.5	0.07	159	6.66	0.05
ANG30280	37.4	3	0.85	49.2	3.83	0.7	0.06	0.04	20.6	0.5	0.08	238	10.45	0.01
ANG30282	34.4	18	0.58	154	2.58	1.59	0.44	0.05	21.5	2.9	1.42	262	42	0.01
ANG30283	25.4	23	0.42	275	1.79	2.55	0.98	0.05	19	4.7	0.3	300	19.9	0.03
ANG30284	34.4	33	0.64	417	1.93	2.9	1.34	0.05	26.9	5.3	0.46	284	48	0.02
ANG30285	36.5	34	0.63	160	2.7	2.58	0.77	0.05	28.3	4.7	0.35	136	63.7	0.02
ANG30286	27.4	19	0.63	124	2.52	1.58	0.62	0.05	21.3	2.9	0.41	152	80.7	0.02
ANG30287	33.7	15	0.67	96.3	2.68	1.58	0.49	0.04	25.5	1.8	0.16	206	102	0.02
ANG30288	33.3	47	0.48	280	2.13	2.02	1.05	0.05	28.8	2.8	0.46	214	57.1	0.03
ANG30289	31.6	13	0.66	38.6	3.23	1.77	0.08	0.05	17.3	4.8	0.19	289	10.6	0.01
ANG30290	19.6	21	0.45	159	1.9	1.5	1.81	0.04	14.1	2.8	0.23	125	27.9	0.02
ANG30291	21.6	16	0.39	148.5	1.9	1.43	1.18	0.04	16.2	2.9	0.49	137	44.5	0.01
ANG30292	16.15	15	0.26	90.3	1.1	1.16	0.63	0.03	12	1.5	0.17	179	18.95	0.03
ANG30293	38	28	0.55	116.5	2.18	2.34	0.55	0.06	25.7	5.9	0.67	259	24.5	0.02
ANG30294	26.7	15	0.27	69.1	2.12	1.67	0.3	0.05	17.1	3	0.51	285	31.4	0.02
ANG30295	32.6	20	0.29	122.5	2.23	1.71	1.19	0.05	22.9	3	0.41	231	54.3	0.02
ANG30296	21.2	10	0.7	68.2	2.56	1.49	0.14	0.06	11.2	5.1	0.51	635	11.85	0.01
ANG30297	14.15	8	0.44	66.7	2.32	1.27	0.11	0.05	7.8	3.2	0.38	470	13.15	0.02
ANG30298	18.6	9	0.43	66.8	2.91	1.23	0.09	0.05	10.2	3.5	0.39	517	18	0.01
ANG30299	20.6	9	0.63	90.7	3.46	1.12	0.12	0.06	12	2.5	0.73	380	37.4	0.01
ANG30300	27	8	0.37	34.4	3.17	1.3	0.09	0.03	15.1	2.6	0.15	373	8.15	0.01
ANG30301	34.6	29	1.03	43.6	3.22	3.59	0.09	0.07	18.3	9.3	0.37	403	10.35	0.01
ANG30302	39.9	46	0.5	432	2.04	1.88	1.91	0.08	36.5	1.7	0.64	98	125.5	0.02
ANG30303	41.8	7	0.18	60.4	2.56	0.6	0.31	0.08	30.3	0.4	0.36	158	100	0.01
ANG30304	34.2	12	0.71	159.5	3.27	1.48	0.14	0.13	21	3.5	0.06	48	14.9	0.01
ANG30305	31	15	0.9	115.5	4.59	1.85	0.08	0.14	19.1	3.4	0.06	256	35.1	0.02
ANG30306	28.1	19	0.95	52	2.87	3.17	0.06	0.07	16.6	8.4	0.19	180	11.8	0.01
ANG30307	15.85	11	0.31	84.7	1.69	1.63	0.26	0.08	10.1	2	0.14	330	35.9	0.02
ANG30308	35.8	39	0.44	361	1.87	1.71	1.71	0.07	32.2	1.5	0.61	100	110	0.01
ANG30309	14.3	9	0.32	37	1.76	1.38	0.09	0.03	8.5	2.7	0.25	182	12.7	0.03
ANG30310	26	4	0.68	45	2.63	0.66	0.09	0.05	15.5	1.4	1.07	156	36.6	0.01
ANG30311	29.2	9	0.54	43.5	3.2	1.14	0.07	0.04	16.7	3.5	0.63	242	19.6	0.01
ANG30312	22.2	8	0.48	38.5	2.98	1.24	0.06	0.03	12.7	3.4	0.27	290	11.2	0.01
ANG30313	29.1	25	0.7	161	2.91	1.93	0.25	0.06	20.6	4.6	0.6	344	36.5	0.01
ANG30314	12.9	3	0.48	39.4	1.81	0.66	0.03	0.03	6.9	0.5	0.07	86	3.74	0.04
ANG30315	28.5	9	0.96	63	3.56	1.21	0.09	0.05	16.1	2.1	0.14	223	6.87	0.01
ANG30316	17.95	7	1.16	37.1	2.64	0.71	0.08	0.04	9.9	1.8	0.63	337	14.8	0.01
ANG30317	22.8	12	0.55	81.1	2.57	1.03	0.17	0.05	14.4	1.2	0.21	400	19.95	0.01
ANG30318	26.3	13	0.53	66.3	2.28	0.75	0.09	0.09	16.3	0.8	0.67	342	26.1	0.01
ANG30319	15.25	7	0.21	30.6	1.01	0.94	0.25	0.03	10.7	0.5	0.05	174	16	0.02
ANG30320	9.47	8	0.29	50.3	0.8	0.87	0.2	0.03	6	0.6	0.11	194	17.3	0.03
ANG30321	16.2	10	0.29	47.7	1.5	1.1	0.62	0.03	12	0.7	0.08	162	35.9	0.02
ANG30322	14.85	16	0.24	64.6	0.95	1.05	0.31	0.03	10.8	1.3	0.21	208	18.2	0.03
ANG30323	19.9	21	0.38	142	1.24	1.63	0.48	0.04	14.5	1.8	0.12	180	23.3	0.03
ANG30324	23.4	18	0.34	124.5	1.93	1.3	0.41	0.05	18.1	1.5	0.53	231	57.4	0.02
ANG30325	16.85	16	0.25	72.2	1.38	1.23	0.44	0.04	11.4	2	0.14	191	16.1	0.02
ANG30326	25.7	15	0.26	118	1.75	1.09	0.48	0.04	18.5	1.2	0.2	123	27.2	0.02
ANG30327	17.9	23	0.45	81.7	2.37	1.49	0.25	0.07	10.5	2.1	0.81	539	23	0.02
ANG30329	22.7	31	0.55	128.5	2.05	1.66	0.8	0.07	18	2.4	0.55	187	51.7	0.02
ANG30330	29	22	0.48	105	1.94	1.69	0.71	0.06	21.5	2.2	0.49	174	61.5	0.02
ANG30331	24.9	24	0.73	27.9	2.51	3.63	0.06	0.05	12.9	8.4	0.29	421	5.83	0.02
ANG30332	18.95	12	0.62	25.4	3.3	1.53	0.06	0.04	10.7	3.6	0.16	298	4.72	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30268	64.3	570	16.6	7.5	0.02	2.15	3.7	27.9	0.08	2.3	0.07	1.81	273	VA08138825
ANG30269	21.3	540	23.8	7.6	0.11	5.02	6.3	141	0.12	1.3	0.12	1.21	93	VA08138825
ANG30270	76.4	1080	23	4	0.03	7.7	3	49.5	0.08	3.1	0.09	1.55	373	VA08138825
ANG30271	68.8	640	41.9	4.2	0.03	6.46	2.4	40.7	0.06	2.1	0.12	1.81	472	VA08138825
ANG30272	48.5	660	36.8	3.6	0.03	4.85	1.5	42.5	0.04	1.4	0.09	0.88	327	VA08138825
ANG30273	80.4	860	38.3	4.2	0.01	9.29	2.3	100.5	0.06	5.8	0.18	1.66	583	VA08138825
ANG30274	62.1	1360	32.4	5	0.02	12.6	2	186	0.07	6.6	0.17	1.34	320	VA08138825
ANG30275	87.8	910	25.8	3.4	0.06	13.8	5	95.4	0.11	9.7	0.25	2.36	389	VA08138825
ANG30276	68.3	1150	21.1	5.7	0.01	6.4	1	44	0.05	4.7	0.12	0.88	362	VA08138825
ANG30277	41.6	860	13.8	2.7	0.05	4.52	2.2	54.2	0.03	1.4	0.06	0.87	543	VA08138825
ANG30278	52.9	830	19.4	5.1	0.04	6.37	3.6	41.5	0.08	1.2	0.13	1.75	154	VA08138825
ANG30279	82.6	700	16.6	4.5	0.2	4.58	3.5	104	0.08	3.3	0.1	1.37	254	VA08138825
ANG30280	175	700	12.6	3.5	0.02	5.31	2	100.5	0.06	8.1	0.12	1.48	442	VA08138825
ANG30282	218	1680	30.3	5	0.03	17.4	8.2	107	0.11	3.2	0.44	2.1	2740	VA08138825
ANG30283	307	1270	35.9	5	0.08	11.15	6.8	209	0.09	0.7	0.59	1.85	4150	VA08138825
ANG30284	382	1670	55.8	6.8	0.1	25.6	14.8	167	0.15	0.7	0.79	3.3	7170	VA08138825
ANG30285	309	1880	25.8	6.2	0.08	29.2	12.2	133.5	0.15	1.1	0.83	2.92	3170	VA08138825
ANG30286	308	1140	33.5	5.1	0.09	31.7	11.1	228	0.14	1.8	1.4	2.73	1955	VA08138825
ANG30287	353	1170	39.8	4.6	0.06	25.8	14.7	89.9	0.16	2.9	1.38	3.85	2010	VA08138825
ANG30288	362	2460	53.6	6.2	0.15	22.3	26.5	258	0.23	0.8	0.84	3.79	3990	VA08138825
ANG30289	65.8	1060	19.7	4.7	0.01	5.63	1.5	34.3	0.04	4.9	0.12	1.26	400	VA08138825
ANG30290	242	2040	30.6	4.9	0.09	20.8	17	212	0.14	1.4	0.81	3.8	2670	VA08138825
ANG30291	263	1630	26.4	4.8	0.09	23	18.2	158.5	0.13	0.8	0.89	3.02	2840	VA08138825
ANG30292	115.5	1220	17.4	3.4	0.1	11.05	11.9	144	0.07	0.4	0.39	3.81	1410	VA08138825
ANG30293	172	1740	26.7	6.2	0.04	12.5	7.9	122.5	0.12	4.3	0.6	2.26	1120	VA08138825
ANG30294	137	1680	25.8	4.2	0.07	9.91	7.5	135.5	0.11	1.2	0.45	1.99	793	VA08138825
ANG30295	281	1270	25.1	4.3	0.08	18	10.5	176.5	0.15	1	0.89	2.4	2290	VA08138825
ANG30296	54.5	2030	35.4	4.4	0.04	8.83	2.8	126.5	0.07	1.7	0.11	1.45	541	VA08138825
ANG30297	54.9	870	28.5	3.6	0.05	7.25	2.7	69.2	0.06	1.4	0.09	1.34	400	VA08138825
ANG30298	78.6	950	65.1	3.8	0.03	14.9	2.8	58.9	0.06	2.3	0.13	1.48	393	VA08138825
ANG30299	124	1280	40.2	4.3	0.04	14.95	5	103.5	0.09	6.8	0.26	2.34	667	VA08138825
ANG30300	55.3	980	33.6	4.4	0.03	13.5	1.4	56.7	0.05	4.4	0.13	1.13	207	VA08138826
ANG30301	71.2	880	18.4	8.7	0.06	4	2.5	35	0.07	5	0.2	1.43	296	VA08138826
ANG30302	520	2180	54.5	7.9	0.12	26	34.1	238	0.34	1.3	1.83	5.49	6650	VA08138826
ANG30303	285	1080	17.3	3.6	0.06	16.3	16.9	207	0.17	7.5	1.16	3.32	1495	VA08138826
ANG30304	30.6	800	30.7	11.7	0.36	7.09	16.2	255	0.26	6.8	0.3	4.04	297	VA08138826
ANG30305	30.1	3170	29.5	10.6	0.3	12.25	20.4	314	0.28	4.8	0.46	12.9	216	VA08138826
ANG30306	44.9	970	14.7	9	0.09	3.51	4.1	58.3	0.1	3.3	0.14	2.32	192	VA08138826
ANG30307	160	1000	15.4	5.6	0.09	19.2	13.2	150.5	0.1	1.6	0.56	1.74	1920	VA08138826
ANG30308	444	2220	49.1	7.3	0.1	25.1	30.4	218	0.31	1.5	1.56	4.86	5440	VA08138826
ANG30309	47.3	760	14.2	3.5	0.04	7.35	1.7	40.8	0.05	1	0.09	1.12	327	VA08138826
ANG30310	100.5	2190	20.4	4.1	0.04	11.35	2.4	173	0.08	7.2	0.34	5.68	388	VA08138826
ANG30311	71.8	1440	20.2	3.6	0.04	8.3	1.8	88	0.06	5.4	0.13	2.18	353	VA08138826
ANG30312	52.6	1160	15.7	3.2	0.05	5.39	1.4	45.9	0.05	1.7	0.09	1.72	330	VA08138826
ANG30313	213	2560	39.2	6.4	0.07	34.6	13.2	95.2	0.18	3.3	0.39	2.63	1235	VA08138826
ANG30314	48.4	480	7.9	1.8	0.05	4	2	38.9	0.05	1.6	0.05	0.68	156	VA08138826
ANG30315	107	900	18.1	5.5	0.09	4.29	3.2	61.8	0.09	2.8	0.12	1.07	501	VA08138826
ANG30316	78	1330	29.3	3.5	0.08	9.11	3	86	0.07	2.7	0.13	2.17	678	VA08138826
ANG30317	89.2	2060	31.3	5.4	0.09	15.1	12.9	144.5	0.22	2.6	0.25	2.46	484	VA08138826
ANG30318	81.4	1580	21.4	5.3	0.14	9.09	11.5	169	0.16	4.3	0.22	2.17	426	VA08138826
ANG30319	56	880	20.8	3.6	0.06	8.66	5.7	129	0.14	0.9	0.38	1.73	645	VA08138826
ANG30320	84.5	790	11.4	2.5	0.09	14.5	8.2	168.5	0.07	0.3	0.27	2.79	923	VA08138826
ANG30321	130.5	910	21.8	2.8	0.06	11.2	10.9	94.9	0.09	1.1	0.39	2.43	1440	VA08138826
ANG30322	86.7	1050	17.2	2.8	0.08	12.95	7.3	131.5	0.1	0.3	0.16	1.72	1045	VA08138826
ANG30323	134.5	1480	35.9	4.6	0.12	12.2	9.1	193	0.14	0.5	0.22	4.96	2430	VA08138826
ANG30324	234	1700	40.4	3.7	0.1	21.6	18.2	181	0.17	1.1	0.62	3.17	2200	VA08138826
ANG30325	127.5	1580	24.8	3.8	0.11	11.7	13.3	136.5	0.14	0.8	0.25	4.35	1045	VA08138826
ANG30326	109.5	1530	27.5	3.9	0.1	15.3	9.7	223	0.19	1.5	0.3	2.77	1010	VA08138826
ANG30327	156	2900	27.9	6.9	0.12	11.3	12.3	240	0.17	1.3	0.35	3.4	1195	VA08138826
ANG30329	237	1860	26.2	7.4	0.09	22	19.4	210	0.21	1.3	0.81	3.16	2290	VA08138826
ANG30330	215	1390	21.5	6	0.06	17.05	14	171.5	0.16	2.1	1.02	2.52	2380	VA08138826
ANG30331	42.6	510	16.8	7.9	0.03	2.54	1.3	35.9	0.06	2.6	0.14	1.07	139	VA08138826
ANG30332	49.8	1110	17	4.6	0.04	5.87	1.2	46.8	0.06	4.9	0.09	0.8	133	VA08138826

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30333	NAD83-8	630550	6857274	-1	0.21	0.28	24	100	0.36	0.28	1.4	0.31	14.4
ANG30334	NAD83-8	630523	6857231	1	0.21	0.26	18.7	90	0.39	0.21	4.7	0.22	12.7
ANG30335	NAD83-8	630496	6857186	3	0.59	0.29	47.5	110	0.48	0.24	1.68	1.88	12.7
ANG30336	NAD83-8	630468	6857145	29	0.38	0.31	34.5	130	0.39	0.23	1.6	0.72	11.4
ANG30337	NAD83-8	630440	6857106	5	0.6	0.38	40.9	160	0.39	0.22	1.67	2.22	9.4
ANG30338	NAD83-8	630604	6857355	6	1.09	0.21	49.8	180	0.46	0.17	3.3	0.44	6.8
ANG30339	NAD83-8	630629	6857399	7	0.91	0.26	86.6	120	0.47	0.18	2.95	0.38	6.1
ANG30340	NAD83-8	630658	6857440	4	2.54	0.32	70.4	160	0.65	0.18	0.74	18.55	8.8
ANG30341	NAD83-8	630683	6857483	3	0.41	0.18	55.8	80	0.53	0.2	1.42	1.49	17.4
ANG30342	NAD83-8	630710	6857524	1	0.23	0.47	23.9	190	0.33	0.13	1	0.42	8.9
ANG30343	NAD83-8	630737	6857568	5	0.51	0.29	64.6	120	0.38	0.17	1.9	0.93	13.7
ANG30344	NAD83-8	630767	6857610	3	0.36	0.33	22.9	140	0.31	0.17	1.84	1.26	11.1
ANG30345	NAD83-8	630640	6859247	8	1.37	0.47	21.8	970	0.38	0.18	2.12	2.58	7.4
ANG30346	NAD83-8	630667	6859288	13	1.18	0.52	18.1	880	0.37	0.2	1.79	1.82	6.5
ANG30347	NAD83-8	630694	6859330	11	1.05	0.52	26.2	820	0.38	0.23	1.37	2.43	9.3
ANG30348	NAD83-8	630861	6859221	12	1.36	0.36	34.5	1110	0.48	0.23	2.71	2.42	10.3
ANG30349	NAD83-8	630834	6859180	28	0.93	0.38	60	790	0.36	0.24	1.58	8.83	19.4
ANG30350	NAD83-8	630807	6859138	9	0.34	1	11.6	250	0.36	0.26	0.19	1.28	13.3
ANG30351	NAD83-8	629318	6858317	8	0.65	0.5	30.2	210	0.45	0.17	0.88	1.99	13
ANG30352	NAD83-8	629346	6858358	4	0.74	0.48	32.4	250	0.44	0.17	0.76	2	11.1
ANG30353	NAD83-8	629373	6858402	8	1.73	0.22	75.7	110	0.36	0.16	2.17	5.03	9.1
ANG30354	NAD83-8	629400	6858444	6	3.03	0.31	69.5	170	0.46	0.2	1.35	11.3	8
ANG30355	NAD83-8	629426	6858485	5	0.6	0.33	19.8	130	0.33	0.15	4.57	2.74	10.6
ANG30356	NAD83-8	629454	6858527	31	1.84	0.39	44.4	250	0.43	0.15	1.77	12.45	6.4
ANG30357	NAD83-8	629482	6858570	10	0.69	0.44	23.5	330	0.37	0.21	0.65	2.1	5.3
ANG30358	NAD83-8	629535	6858654	8	0.84	0.57	27	410	0.26	0.2	0.5	2.96	12.8
ANG30359	NAD83-8	629617	6858780	5	1.46	0.62	20.9	1620	0.38	0.13	0.6	13.5	6.6
ANG30360	NAD83-8	629643	6858822	4	0.77	1.06	20	1160	0.58	0.17	2.14	4.18	10.5
ANG30361	NAD83-8	629671	6858863	11	1.37	0.32	41.6	640	0.17	0.12	4.47	22.3	7
ANG30362	NAD83-8	629699	6858905	5	5.33	0.63	92.6	610	0.48	0.14	1.02	44.3	7.6
ANG30363	NAD83-8	629726	6858947	2	1.36	0.84	30.2	1330	0.36	0.15	1.01	7.57	9.8
ANG30364	NAD83-8	629754	6858989	3	1.63	0.76	26.8	1350	0.41	0.14	1.19	13.05	8.3
ANG30365	NAD83-8	629779	6859031	3	1.13	0.43	15.7	3590	0.16	0.06	1.36	7.55	4.6
ANG30366	NAD83-8	629809	6859073	4	1.6	0.45	28.1	920	0.37	0.14	2.26	25.1	8.8
ANG30367	NAD83-8	629833	6859116	3	0.73	0.62	13.5	250	0.37	0.15	0.99	3.61	9.2
ANG30368	NAD83-8	629862	6859156	6	1.68	0.85	17.7	220	0.5	0.2	1.25	6.37	10.2
ANG30369	NAD83-8	629891	6859199	22	0.73	0.38	20.8	240	0.42	0.21	0.41	6.35	7.3
ANG30370	NAD83-8	629918	6859240	7	1.74	0.35	25.3	430	0.37	0.15	0.66	11.7	7
ANG30371	NAD83-8	631873	6857839	3	0.44	0.6	6.7	570	0.29	0.1	1.2	1.55	4.6
ANG30372	NAD83-8	631246	6856877	5	0.91	0.24	54.9	90	0.5	0.18	3.81	4.09	12.1
ANG30373	NAD83-8	631272	6856919	5	0.5	0.32	41.4	130	0.46	0.2	2.48	2.04	14.7
ANG30374	NAD83-8	631300	6856961	7	0.78	0.32	36.8	120	0.42	0.17	2.31	2.19	9.1
ANG30375	NAD83-8	629891	6859199	5	0.67	0.42	21.2	310	0.39	0.23	0.4	5.86	6.8
ANG30376	NAD83-8	629618	6859890	9	1.21	0.39	82.8	1840	0.38	0.39	3.82	4.06	29.8
ANG30377	NAD83-8	629606	6857655	7	1.41	0.35	19.5	750	0.3	0.31	0.47	1.98	12.3
ANG30378	NAD83-8	629631	6857696	5	0.89	0.37	37	240	0.55	0.28	1.31	4.53	16.1
ANG30379	NAD83-8	629658	6857736	2	0.83	0.49	28.6	340	0.55	0.18	0.96	2.7	11.7
ANG30380	NAD83-8	629686	6857780	12	0.9	0.45	82	290	0.45	0.27	0.54	2.09	10.2
ANG30381	NAD83-8	629714	6857823	6	0.72	0.28	60.8	150	0.43	0.17	1.29	2.68	12.5
ANG30382	NAD83-8	629740	6857863	4	1.05	0.28	54.4	100	0.43	0.16	1.19	3.3	8.9
ANG30383	NAD83-8	629767	6857905	4	1.12	0.2	79.4	80	0.5	0.19	2.53	3.57	10.6
ANG30384	NAD83-8	629795	6857947	3	1.38	0.62	26.4	190	0.45	0.17	0.8	3.93	10.4
ANG30386	NAD83-8	629848	6858032	5	1.35	0.4	28.9	160	0.43	0.15	0.98	4.26	7.9
ANG30387	NAD83-8	629876	6858075	5	2.24	0.44	33.9	170	0.34	0.13	1.36	19.65	9.3
ANG30388	NAD83-8	629903	6858117	7	1.34	0.37	52	190	0.37	0.22	1.42	4.53	13.3
ANG30389	NAD83-8	629929	6858157	3	0.93	0.52	31.5	250	0.37	0.14	1.08	3.82	9.4
ANG30390	NAD83-8	629957	6858201	5	0.54	1.02	27.2	430	0.64	0.23	0.46	1.47	16.5
ANG30391	NAD83-8	629984	6858242	3	0.6	0.34	33.6	180	0.42	0.27	1.54	1.11	19.4
ANG30392	NAD83-8	630011	6858285	9	1.37	0.25	39	480	0.29	0.33	1.08	4.58	6.8
ANG30393	NAD83-8	630038	6858327	6	3.27	0.43	30.1	370	0.4	0.19	1.79	21.8	13
ANG30394	NAD83-8	630064	6858369	2	3.36	0.42	26	1170	0.4	0.13	2.86	35.9	10.1
ANG30395	NAD83-8	630093	6858408	6	4.58	0.52	34.6	2000	0.57	0.13	4.17	125	8.1
ANG30396	NAD83-8	630119	6858452	10	4.79	0.69	39	1500	0.55	0.14	2.7	31.7	11.7

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30333	15.9	8	0.9	21.8	2.85	0.83	0.03	0.03	9	1.9	0.14	193	3.68	0.02
ANG30334	14.55	7	0.54	22.2	2.56	0.77	0.04	0.04	8	1.8	0.14	316	3.12	0.01
ANG30335	17.9	7	0.82	39.2	2.97	0.89	0.08	0.04	9.9	1.6	0.51	309	21.5	0.01
ANG30336	14.4	7	0.52	30.7	2.68	0.89	0.07	0.03	7.8	1.7	0.28	245	12.25	0.02
ANG30337	21.1	9	0.47	30.2	2.55	1.18	0.08	0.03	10.6	2.2	0.41	282	17.35	0.01
ANG30338	22	9	0.69	28.9	3.02	0.55	0.04	0.05	14.2	0.7	0.05	237	4.45	-0.01
ANG30339	34.4	6	0.5	18.6	2.67	0.62	0.05	0.03	20.9	0.6	0.04	204	2.52	-0.01
ANG30340	25	7	1.16	48.8	2.52	1.1	0.23	0.04	13.1	2.6	0.08	189	6.72	-0.01
ANG30341	29.7	5	1.18	30	3.09	0.64	0.02	0.04	15.4	1.6	0.33	173	6.25	-0.01
ANG30342	17.1	5	0.77	19.2	2.21	1.37	0.03	0.02	8.3	4.5	0.11	191	3.11	0.01
ANG30343	27.5	5	0.66	28.1	2.85	0.86	0.05	0.04	13.5	1.3	0.32	197	11.1	-0.01
ANG30344	47.1	11	0.28	36.4	2.33	1.16	0.04	0.03	24.8	2	0.43	202	7.47	-0.01
ANG30345	28	17	0.23	77.5	2.21	1.34	0.13	0.04	15.2	2	0.5	451	9.94	-0.01
ANG30346	28.6	18	0.26	82.2	2.13	1.57	0.09	0.03	15.3	2.8	0.46	212	6.75	-0.01
ANG30347	35.3	14	0.39	58.8	2.64	1.53	0.08	0.04	18.9	2.4	0.31	513	7.46	-0.01
ANG30348	35.5	11	0.23	48.3	2.9	0.91	0.09	0.05	18.1	1	0.4	579	10.95	-0.01
ANG30349	26.6	8	0.62	49.6	4.57	0.81	0.07	0.03	13.1	0.7	0.08	1455	7.95	-0.01
ANG30350	46.7	20	0.84	53.2	3.38	2.64	0.04	0.06	22.9	7	0.28	358	3.09	-0.01
ANG30351	41.6	14	0.76	40.1	3.01	1.64	0.07	0.05	21.4	4	0.37	269	12.75	-0.01
ANG30352	31.3	11	0.66	39.1	2.93	1.44	0.08	0.04	16.3	3	0.17	278	12.2	-0.01
ANG30353	32.4	10	0.81	117	2.37	0.8	0.15	0.05	21.8	0.8	0.43	134	46.4	-0.01
ANG30354	26.6	14	0.62	119.5	2.24	0.98	0.26	0.04	16.8	1	0.16	166	34.2	-0.01
ANG30355	23.9	6	0.56	34.5	2.36	0.88	0.08	0.04	12	1.4	0.28	271	7.55	0.01
ANG30356	20	11	0.44	73.1	1.8	1.19	0.48	0.04	12.1	1.6	0.38	255	26.5	0.01
ANG30357	27	10	0.33	45.9	1.73	1.39	0.12	0.03	15.1	2.4	0.06	329	11.3	-0.01
ANG30358	30	20	0.69	26.8	2	2.2	0.15	0.06	17	4.6	0.15	261	18.05	-0.01
ANG30359	30.9	19	0.43	69.1	1.65	1.79	0.42	0.04	19.1	3.5	0.18	262	20.9	-0.01
ANG30360	27.9	25	0.56	49.6	2.25	3.06	0.16	0.08	14.7	8.9	0.73	312	9.85	0.01
ANG30361	41	10	0.15	89.8	2.33	0.76	1.69	0.03	29	0.6	0.47	158	73.9	-0.01
ANG30362	43.2	33	0.43	238	2.4	1.99	1.73	0.06	33	2.6	0.18	160	83.5	-0.01
ANG30363	32	25	0.5	42.9	2.12	2.73	0.26	0.06	17.8	8.2	0.21	378	27.4	0.01
ANG30364	33.3	20	0.47	108.5	2.1	2.11	0.62	0.06	21.8	5	0.28	241	26.3	-0.01
ANG30365	21.3	11	0.23	28.4	1.22	1.06	0.35	0.04	14	1.3	0.34	124	29.1	0.02
ANG30366	26.5	15	0.38	106	2.07	1.45	0.42	0.04	16.8	2.6	0.49	279	30.3	-0.01
ANG30367	29.8	10	0.3	21.5	2.45	1.56	0.07	0.08	14.8	3.2	0.38	445	7.77	-0.01
ANG30368	43.5	14	0.35	24.2	3.01	1.89	0.17	0.06	21.4	4	0.41	420	9.8	-0.01
ANG30369	45.5	9	0.28	40	2.09	1.12	0.07	0.04	21.8	1.2	0.07	168	12.15	-0.01
ANG30370	36.5	7	0.29	79.9	2.23	0.96	0.16	0.03	17.9	0.7	0.11	151	20.6	0.01
ANG30371	18.95	11	0.5	27.2	1.04	1.69	0.08	0.04	9.4	3.1	0.24	151	2.35	0.01
ANG30372	30.7	6	0.37	39.6	3.37	0.72	0.13	0.04	16.8	1.7	1.74	566	39.2	-0.01
ANG30373	27.9	10	0.42	35.1	3.36	0.88	0.1	0.04	16	2.1	1.01	432	23.4	0.02
ANG30374	22.3	5	0.29	45.8	2.54	0.88	0.11	0.04	13.4	1.7	1.08	289	29.2	0.01
ANG30375	40.9	11	0.31	37.4	2.08	1.23	0.07	0.04	21	1.2	0.07	171	12	0.01
ANG30376	31.6	51	0.79	111	5.2	0.71	0.05	0.11	17.9	0.8	1.65	494	29.5	0.03
ANG30377	21.9	11	1.44	79.9	3.31	1	0.16	0.07	12.9	1.6	0.06	599	7.69	0.02
ANG30378	27	13	0.91	52.1	3.37	1.25	0.11	0.05	14.9	3.4	0.48	525	22.5	-0.01
ANG30379	18.6	10	0.71	47.8	2.54	1.33	0.15	0.03	10.6	3.5	0.18	430	12.85	0.01
ANG30380	29.5	13	0.63	44.5	3.32	1.37	0.07	0.04	16.8	3.4	0.11	890	11	-0.01
ANG30381	19.75	8	1.01	31.5	2.87	0.84	0.07	0.03	11.2	1.9	0.22	360	12.25	-0.01
ANG30382	19.4	10	0.94	28.3	2.7	0.87	0.07	0.04	11.1	2.2	0.2	216	10.15	-0.01
ANG30383	24.7	7	0.76	46.6	2.74	0.71	0.08	0.05	14.8	1.8	0.89	213	30.2	-0.01
ANG30384	26.8	28	0.5	54.7	2.45	2.02	0.12	0.05	15.4	5.1	0.25	333	18.95	-0.01
ANG30386	18.6	12	0.51	59.2	2.01	1.28	0.15	0.04	10.9	2.2	0.29	134	35.5	0.02
ANG30387	23.7	10	0.44	47.6	2.12	1.35	0.7	0.03	13.7	2.2	0.2	258	11.85	0.02
ANG30388	37.5	15	0.63	57.2	3.12	1.24	0.14	0.04	20.9	2.7	0.56	434	31	-0.01
ANG30389	22	17	0.44	80.5	2.02	1.76	0.11	0.06	14	3.5	0.13	252	17.6	0.01
ANG30390	43.3	24	1.09	56.5	3.79	3.05	0.15	0.08	24.1	7.4	0.28	517	11.2	-0.01
ANG30391	40.7	9	1.4	57.2	3.23	1.03	0.08	0.05	21.7	1.7	0.22	216	7.65	-0.01
ANG30392	38.3	17	0.86	77.6	2.22	1.17	0.13	0.1	22	1.7	0.36	127	30.8	-0.01
ANG30393	26.1	24	0.43	237	2.44	1.4	0.44	0.05	16.7	2.2	0.6	354	32.2	0.01
ANG30394	27.6	20	0.4	271	1.57	1.53	0.88	0.03	20	1.9	0.97	265	35.5	0.01
ANG30395	28.9	48	0.63	437	1.64	2.81	2.61	0.06	23.8	3	0.57	253	76.8	0.01
ANG30396	36.5	38	0.68	346	2.02	3.92	1.59	0.07	25.6	5.2	0.48	311	57.1	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30333	45.7	740	14.1	3.2	0.05	4.36	0.9	54.6	0.06	4.5	0.08	0.66	118	VA08138826
ANG30334	37.9	860	13.9	2.6	0.04	2.94	0.9	140	0.05	3.7	0.05	0.57	83	VA08138826
ANG30335	72.8	1020	23.3	3.4	0.06	11.35	1.4	68.7	0.08	3	0.15	1.34	318	VA08138826
ANG30336	50.9	880	19.8	2.8	0.06	7.34	1.4	62.9	0.05	1.3	0.09	1.09	124	VA08138826
ANG30337	57	1200	49.7	3.1	0.04	9.26	1.9	71.3	0.05	1.2	0.12	1.77	380	VA08138826
ANG30338	116	1550	17.1	3.3	0.05	7.74	2.7	110	0.14	5.8	0.13	1.09	162	VA08138826
ANG30339	83.4	990	16.2	2.7	0.01	9.85	1	154	0.12	5.1	0.07	0.69	165	VA08138826
ANG30340	56.9	1180	126	3.6	0.08	29.2	3.2	45.9	0.07	3.3	0.14	1.63	3140	VA08138826
ANG30341	48	910	10.5	2.2	0.05	8.47	1.8	50.7	0.03	8.8	0.08	1.16	216	VA08138826
ANG30342	23.1	710	10.8	2.2	0.05	4.36	0.9	34.4	0.01	0.9	0.05	1.52	80	VA08138826
ANG30343	49.5	900	24.1	2.7	0.07	10.4	1	47.3	0.04	4.3	0.12	1.25	202	VA08138826
ANG30344	42.1	1000	10.7	2.4	0.03	3.97	2.6	62.3	0.04	3.6	0.05	0.89	240	VA08138826
ANG30345	65	1730	34.8	3	0.07	5.55	2.1	105.5	0.12	1	0.1	1.57	305	VA08138826
ANG30346	56.4	1480	29.4	3.6	0.04	4.51	1.4	91.1	0.09	1.8	0.08	1.17	240	VA08138826
ANG30347	61	1350	37	3.8	0.03	4.67	1.6	68.9	0.1	2.9	0.07	1.13	273	VA08138826
ANG30348	81.9	1720	37.3	2.7	0.06	8.39	2.8	134.5	0.12	3.3	0.09	1.56	350	VA08138826
ANG30349	93	950	22.7	3.6	0.1	4.26	7.4	78.1	0.1	1.7	0.05	1.86	435	VA08138826
ANG30350	54.9	800	15	5.7	0.03	2.57	2.4	29.9	0.06	5.1	0.07	1.61	177	VA08138826
ANG30351	64	1200	16.8	4.5	0.01	6.49	1.6	49.1	0.05	5	0.15	1.62	288	VA08138826
ANG30352	46.3	900	16.2	3.7	0.03	6.05	1.5	38.2	0.04	2.7	0.08	1.32	241	VA08138826
ANG30353	165.5	1850	23	3.4	0.02	30.7	16.4	99.8	0.17	4.1	0.44	2.38	651	VA08138826
ANG30354	150	1960	45.1	3.6	0.04	26.5	12.1	71.2	0.17	1.8	0.31	2.13	1030	VA08138826
ANG30355	40.8	1120	12.7	3.2	0.03	5.16	2.2	135.5	0.04	1.7	0.08	0.96	359	VA08138826
ANG30356	94.8	1320	18.3	3.5	0.07	17.15	8.5	92.5	0.11	0.7	0.17	1.85	1605	VA08138826
ANG30357	44.3	750	17.5	4.8	0.03	4.22	2.2	42.8	0.11	1.5	0.12	3.61	264	VA08138826
ANG30358	55.7	1640	25.4	8.4	0.02	7.62	5.8	75.1	0.27	2.3	0.31	2.27	418	VA08138826
ANG30359	116.5	1450	18.7	5.1	0.05	9.86	8.5	74.2	0.12	1.2	0.38	4.66	1035	VA08138826
ANG30360	86.3	630	15.1	7.4	0.04	5.93	3.4	155	0.07	1.7	0.22	2.95	480	VA08138826
ANG30361	233	1140	23	2.1	0.03	23.5	38.6	371	0.16	3.7	0.81	2.53	2200	VA08138826
ANG30362	319	1650	31.9	6.1	0.03	39.3	49.7	73.1	0.26	2	1.1	2.88	3370	VA08138826
ANG30363	98.4	810	21.2	6.2	0.03	9.74	11.5	84.4	0.11	2.2	0.37	1.29	656	VA08138826
ANG30364	142	670	17.6	5.8	0.04	11.8	7.9	108.5	0.09	1.1	0.42	1.66	1500	VA08138826
ANG30365	91.6	590	9.9	2.9	0.04	9.31	7.7	139	0.06	1.3	0.38	1.19	893	VA08138826
ANG30366	186	1080	22.5	4.7	0.06	15.9	11.5	143	0.13	1.4	0.35	2.86	1435	VA08138826
ANG30367	56.8	940	16.3	5.1	0.03	3.45	2.4	32.9	0.03	1.7	0.14	0.65	433	VA08138826
ANG30368	80.1	1410	19.5	6.2	0.04	6.8	2.3	45.4	0.03	1.9	0.17	1.42	577	VA08138826
ANG30369	97.8	1140	9.8	4.1	0.01	9.88	3.4	24.3	0.05	3.1	0.11	1.65	589	VA08138826
ANG30370	110.5	1340	16.2	3.4	0.04	12.95	8.5	39.4	0.06	2.3	0.15	1.89	848	VA08138826
ANG30371	29.1	650	8.2	4.8	0.05	1.71	2.1	59.5	0.02	0.6	0.07	1.07	170	VA08138826
ANG30372	86.9	1200	85.3	3.1	0.03	9.63	2.3	93	0.07	5.5	0.21	2.35	1075	VA08138826
ANG30373	73.4	1160	103	3.4	0.03	10.95	1.6	92.8	0.07	3.3	0.19	1.59	758	VA08138826
ANG30374	66.1	770	25.4	2.8	0.02	12.8	1.8	58.7	0.08	2.5	0.15	1.38	401	VA08138826
ANG30375	94.3	1060	9.7	4.3	0.02	10.15	3	24.9	0.05	3.2	0.11	1.57	570	VA08138826
ANG30376	188.5	2080	66.6	4.5	0.15	11.05	9.7	229	0.37	9.5	0.21	3.26	686	VA08138826
ANG30377	61.1	1140	29	5.7	0.14	2.28	4.2	54.7	0.12	2.6	0.14	2.45	334	VA08138826
ANG30378	113.5	1450	32.2	3.8	0.07	7.33	2.8	72.7	0.07	4.9	0.24	2.78	775	VA08138826
ANG30379	68.6	1280	26.3	3.4	0.06	6.69	2.4	58.6	0.05	1.7	0.18	2.47	422	VA08138826
ANG30380	61.1	1170	73	3.6	0.06	15.6	2.2	33.7	0.07	3.9	0.11	1.42	400	VA08138826
ANG30381	69.9	1380	42	2.8	0.07	10.2	2.1	50.7	0.05	1.8	0.15	1.41	493	VA08138826
ANG30382	59.2	1310	37.6	3.2	0.03	13.4	1.9	59.3	0.06	2.3	0.11	1.09	603	VA08138826
ANG30383	99.6	1700	39.9	3.2	0.02	20.6	3.1	98.9	0.1	7	0.19	1.91	587	VA08138826
ANG30384	79.5	1210	20.5	4.8	0.03	7.65	1.8	41.8	0.07	2.3	0.14	1.13	453	VA08138826
ANG30386	88.1	1090	14.9	3.5	0.03	12.35	2.7	47.1	0.09	1.5	0.18	1.56	457	VA08138826
ANG30387	62.7	1040	15.8	3.4	0.04	7.49	3.1	51	0.06	1.2	0.13	0.8	1740	VA08138826
ANG30388	71.8	800	22.9	3.7	0.03	13.6	3	61.6	0.07	4.8	0.22	1.53	442	VA08138826
ANG30389	99.1	840	19.2	4.6	0.06	9.6	4.8	59.4	0.1	1.9	0.21	1.49	334	VA08138826
ANG30390	78.4	870	20.7	8.3	0.08	4.21	3	41.7	0.07	6.7	0.22	1.62	284	VA08138826
ANG30391	91.8	870	15.2	4.5	0.02	4.25	2.4	53.1	0.07	8.7	0.13	1.19	221	VA08138826
ANG30392	76.7	1050	27.4	8.2	0.18	9.83	10.2	215	0.18	5.2	0.3	2.63	568	VA08138826
ANG30393	229	1500	39	4.4	0.08	21	23	76.6	0.15	1.4	0.55	2.36	2450	VA08138826
ANG30394	232	1490	39	3.4	0.08	23.2	17.2	153	0.14	0.7	0.51	2.58	3450	VA08138826
ANG30395	404	1880	47.4	6.5	0.13	36.7	21.6	242	0.23	0.5	1.01	2.77	9980	VA08138826
ANG30396	417	1690	65.9	6.9	0.08	32.5	15.2	146.5	0.26	1.2	0.98	2.41	6280	VA08138826

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30397	NAD83-8	630147	6858495	6	3.03	0.89	30.3	2730	0.63	0.14	1.77	16.45	9.2
ANG30398	NAD83-8	630173	6858536	9	3.66	0.7	33.9	1160	0.44	0.13	2.25	18.45	7.6
ANG30399	NAD83-8	630201	6858577	4	4.04	0.35	73.1	2690	0.41	0.14	5.68	46.6	9.7
ANG30400	NAD83-8	630228	6858620	2	1.85	0.49	29.6	1520	0.3	0.12	1.26	15.45	6.8
ANG30401	NAD83-8	629442	6859972	5	0.63	0.27	41.7	550	0.24	0.25	2.47	1.56	19.4
ANG30402	NAD83-8	629467	6860013	2	0.46	0.37	28.1	1170	0.26	0.14	1.67	32.4	12.1
ANG30403	NAD83-8	629497	6860058	4	0.51	0.87	13.6	820	0.48	0.18	0.69	1.53	8.9
ANG30404	NAD83-8	629522	6860098	4	0.46	0.71	12.1	650	0.25	0.19	0.28	0.6	12.1
ANG30405	NAD83-8	629269	6857874	1	0.58	0.31	16.9	120	0.38	0.14	1.43	1.62	7.4
ANG30407	NAD83-8	629323	6857958	12	1.39	0.33	102.5	140	0.51	0.22	0.93	4.01	9.1
ANG30408	NAD83-8	629350	6858000	1	0.49	0.29	45	120	0.42	0.13	2.16	1.9	11.6
ANG30409	NAD83-8	629378	6858041	1	0.49	0.29	41.5	100	0.35	0.14	1.45	1.68	10.1
ANG30410	NAD83-8	629405	6858085	4	0.98	0.45	51.9	220	0.47	0.19	1	2.55	13.3
ANG30411	NAD83-8	628847	6858328	4	0.38	0.15	97.7	80	0.38	0.14	2.59	0.47	17.6
ANG30412	NAD83-8	628874	6858370	2	3.14	0.24	60.8	120	0.56	0.26	2.36	10.85	15.7
ANG30413	NAD83-8	628901	6858413	2	2.05	0.26	75.4	140	0.55	0.21	1.77	5.49	13.6
ANG30414	NAD83-8	628928	6858455	3	0.73	0.19	37.1	90	0.47	0.19	1.89	3.21	17.3
ANG30415	NAD83-8	628956	6858496	2	1.32	0.25	68.7	140	0.56	0.19	1.35	4.51	14.4
ANG30416	NAD83-8	628984	6858540	3	0.78	0.26	25.7	100	0.33	0.15	1.41	2.49	11.1
ANG30417	NAD83-8	629010	6858581	1	0.54	0.12	43.7	90	0.3	0.22	4.33	0.9	15.1
ANG30418	NAD83-8	629037	6858624	4	0.74	0.29	54.2	170	0.38	0.17	2.72	0.99	12.7
ANG30419	NAD83-8	629063	6858665	2	1.83	0.27	42.9	180	0.41	0.14	0.83	7.06	6.5
ANG30420	NAD83-8	629091	6858707	4	0.64	0.27	21.9	130	0.24	0.29	1.09	2.26	15.9
ANG30421	NAD83-8	629118	6858748	6	1.02	0.34	20.1	290	0.33	0.22	0.47	1.99	8.7
ANG30422	NAD83-8	629146	6858792	5	0.94	0.56	21.4	500	0.39	0.23	0.91	2.07	10.7
ANG30423	NAD83-8	629171	6858834	6	0.95	0.72	21.7	430	0.47	0.21	0.63	3.2	11
ANG30424	NAD83-8	629200	6858874	4	0.66	0.57	24.8	420	0.37	0.18	1.01	2.94	15.1
ANG30425	NAD83-8	629253	6858959	5	0.7	0.51	21.5	260	0.3	0.21	0.75	2.13	11.6
ANG30426	NAD83-8	629390	6859170	8	2.14	0.48	21.7	410	0.19	0.15	0.19	2.57	2
ANG30427	NAD83-8	629418	6859212	2	1.9	0.42	26.9	360	0.2	0.15	0.55	4.41	7.5
ANG30428	NAD83-8	629472	6859295	7	0.99	0.55	12.3	590	0.36	0.19	1.13	4.35	6.8
ANG30429	NAD83-8	629499	6859337	7	1.07	0.52	10.7	460	0.3	0.15	1.12	2.78	5.6
ANG30430	NAD83-8	629527	6859379	3	0.61	0.5	6.4	300	0.21	0.11	0.85	0.38	4.5
ANG30431	NAD83-8	629554	6859421	4	0.86	0.45	7.6	470	0.19	0.1	0.48	4.37	5.7
ANG30432	NAD83-8	629435	6857764	-1	0.55	0.45	10.2	180	0.41	0.14	0.97	1.97	7.5
ANG30433	NAD83-8	629462	6857805	-1	0.67	0.4	14.4	190	0.46	0.15	1.04	2.06	11.3
ANG30434	NAD83-8	629490	6857848	1	0.9	0.38	17.5	390	0.42	0.14	0.83	3.29	11.2
ANG30435	NAD83-8	629516	6857889	1	0.53	0.48	9.7	350	0.25	0.08	0.94	3.57	4.4
ANG30436	NAD83-8	629544	6857931	3	1.05	0.55	21	540	0.32	0.16	0.81	5.18	7.7
ANG30437	NAD83-8	629571	6857973	-1	0.46	0.69	15.1	370	0.37	0.12	0.71	2.53	6
ANG30438	NAD83-8	629600	6858017	3	0.38	0.46	35.4	130	0.42	0.17	0.57	1.2	12.4
ANG30439	NAD83-8	629626	6858057	3	0.77	0.64	23.1	270	0.47	0.2	0.88	2.55	10.2
ANG30440	NAD83-8	629653	6858100	2	0.63	0.57	27.7	210	0.46	0.21	0.61	1.97	15.3
ANG30441	NAD83-8	629681	6858142	2	0.52	0.47	21	170	0.43	0.2	0.46	1.51	12.5
ANG30442	NAD83-8	629707	6858184	2	0.7	0.23	42.3	230	0.33	0.17	1.69	2.78	10.8
ANG30443	NAD83-8	629101	6857983	11	0.47	0.14	151.5	140	0.46	0.15	3.68	0.4	21
ANG30444	NAD83-8	629129	6858022	16	1.18	0.12	547	120	0.35	0.46	1.94	11.6	6.8
ANG30445	NAD83-8	629156	6858065	2	0.81	0.45	32.4	340	0.32	0.19	0.19	3.66	12.3
ANG30446	NAD83-8	629182	6858107	3	0.73	0.54	25.7	320	0.31	0.16	0.6	1.21	7.8
ANG30447	NAD83-8	629210	6858149	2	0.71	0.3	42	190	0.45	0.24	1.86	1.36	10.1
ANG30448	NAD83-8	629235	6858191	1	0.58	0.28	33.2	170	0.44	0.21	0.83	1.03	10
ANG30449	NAD83-8	629265	6858233	2	1.27	0.17	59	200	0.38	0.17	1.54	5.21	10.3
ANG30450	NAD83-8	629292	6858275	5	1.3	0.44	29	250	0.5	0.19	0.95	3.52	9.5
ANG30452	NAD83-8	628398	6859098	1	0.5	0.37	12.9	140	0.31	0.15	0.76	1.53	7.2
ANG30453	NAD83-8	628425	6859141	3	0.89	0.39	19.2	180	0.37	0.18	0.62	2.23	10.1
ANG30455	NAD83-8	628479	6859223	2	0.61	0.46	13.6	170	0.33	0.15	0.92	2.09	7.8
ANG30456	NAD83-8	628507	6859265	2	0.3	0.41	6.4	950	0.16	0.15	1.51	1.16	7.6
ANG30457	NAD83-8	628532	6859310	8	0.42	0.38	12.4	770	0.23	0.22	0.87	0.84	11
ANG30458	NAD83-8	628561	6859350	6	0.41	0.32	14.8	240	0.26	0.21	0.95	0.44	8.2
ANG30459	NAD83-8	628588	6859393	8	0.43	0.28	15.7	180	0.24	0.18	1.34	0.94	7.6
ANG30460	NAD83-8	628615	6859434	6	0.4	0.35	16.6	230	0.24	0.19	0.99	0.99	10.8
ANG30461	NAD83-8	628643	6859477	3	0.59	0.34	19.5	200	0.31	0.19	1.06	4.93	11.4
ANG30462	NAD83-8	628671	6859518	5	1.02	0.42	18.3	390	0.38	0.2	1.35	5.42	9.4

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30397	42.4	38	0.64	209	2.1	3.49	0.79	0.04	32.5	6	0.32	280	25.6	-0.01
ANG30398	44.1	28	0.34	87.4	1.84	2.64	0.96	0.03	32	4.3	0.29	333	31.6	-0.01
ANG30399	34.3	37	0.97	284	2.67	2.02	1.56	0.05	30	1.8	0.85	214	111	0.01
ANG30400	27.5	18	0.5	113	1.84	1.8	0.36	0.03	20.3	3.1	0.28	192	39.2	0.01
ANG30401	28.6	5	0.4	59.5	2.99	0.73	0.08	0.04	14.7	1.4	0.96	238	8.04	-0.01
ANG30402	19.4	7	0.46	56.4	2.14	1.07	0.12	0.04	9.8	1.4	0.34	303	3.21	0.01
ANG30403	24.5	18	0.67	37	1.86	2.8	0.13	0.08	13.2	7.8	0.29	373	2.81	0.01
ANG30404	19.55	14	0.87	13.5	1.64	2.59	0.09	0.05	9.6	6	0.13	913	3.19	0.01
ANG30405	19.5	6	0.36	29.8	1.9	0.96	0.07	0.03	10.3	1.4	0.39	324	12.55	0.01
ANG30407	21.5	9	0.31	47.9	2.9	1.08	0.08	0.03	13.1	1.5	0.1	371	27.9	-0.01
ANG30408	21.3	8	1.5	26.4	2.61	0.95	0.04	0.03	11.7	3.1	0.41	205	8.47	-0.01
ANG30409	17.75	6	0.99	26.3	2.3	0.88	0.05	0.03	9.7	2	0.31	173	12.5	0.01
ANG30410	28.4	15	0.71	48	3.01	1.52	0.1	0.04	16.1	3.6	0.33	380	20.3	-0.01
ANG30411	20.1	3	0.53	26.8	4.71	0.4	0.02	0.04	10.7	0.5	0.48	204	21.8	-0.01
ANG30412	27.5	14	0.64	121	3.57	0.88	0.18	0.08	15	1.1	0.8	224	89.4	-0.01
ANG30413	26.1	7	0.62	75.2	2.88	0.8	0.09	0.04	15.1	1.3	0.72	159	70.1	-0.01
ANG30414	23.6	7	0.69	48.2	3.46	0.63	0.05	0.04	12.7	1.2	0.49	235	21.6	-0.01
ANG30415	26.3	6	0.55	48.3	3.31	0.76	0.08	0.04	14.5	1.4	0.51	205	32	-0.01
ANG30416	30.7	6	0.43	38.4	2.75	0.76	0.04	0.03	16.8	3	0.51	184	14.35	-0.01
ANG30417	48.2	3	0.68	32.2	2.42	0.43	0.04	0.03	26.9	1.1	1.04	224	14.2	-0.01
ANG30418	35.5	5	0.59	34	2.86	0.79	0.04	0.04	19.2	1.8	0.43	167	11.4	-0.01
ANG30419	24.4	11	0.32	55.1	1.73	0.91	0.58	0.03	18.2	1.3	0.09	147	34.7	-0.01
ANG30420	32.7	5	0.51	48.8	2.94	0.77	0.11	0.03	18	1.1	0.12	99	8.57	-0.01
ANG30421	29.6	8	0.32	39.5	2.29	1.05	0.12	0.03	16.7	1.6	0.08	148	9.78	-0.01
ANG30422	30.1	12	0.35	53.5	2.5	1.44	0.13	0.03	17.2	2.8	0.13	233	8.01	-0.01
ANG30423	32.1	18	0.46	61.7	2.84	2.06	0.14	0.05	18.6	4.9	0.22	310	8.2	-0.01
ANG30424	23	12	0.3	55.2	2.84	1.28	0.08	0.03	12.7	2.3	0.14	288	7.4	-0.01
ANG30425	27.4	11	0.43	52.3	2.62	1.43	0.08	0.04	15.3	2.3	0.12	278	5.46	-0.01
ANG30426	30.3	14	0.4	76.7	1.14	1.55	0.19	0.05	20.9	1.7	0.03	59	18.3	-0.01
ANG30427	26	13	0.38	28.4	1.73	1.35	0.5	0.03	18	1.7	0.06	308	27.6	-0.01
ANG30428	24.7	9	0.41	34.7	1.54	1.4	0.18	0.05	12.5	2.2	0.25	239	3.39	0.01
ANG30429	17.7	8	0.31	41.3	1.49	1.29	0.13	0.05	9.2	2.1	0.23	167	1.92	-0.01
ANG30430	15.8	6	0.26	17.3	1.33	1.19	0.1	0.04	8.3	1.8	0.17	123	1.32	0.01
ANG30431	20.1	8	0.39	16.5	1.32	1.15	0.11	0.04	9.2	1.6	0.1	257	1.63	0.02
ANG30432	14.95	9	2.57	23.8	1.87	1.11	0.11	0.03	6.8	2.4	0.06	648	2.8	-0.01
ANG30433	18.2	11	1.1	39.5	2.13	1.1	0.09	0.04	8.7	2.4	0.22	642	9.25	-0.01
ANG30434	19.55	13	0.79	45.2	2.4	1.05	0.12	0.03	10.2	2.4	0.18	767	12.1	-0.01
ANG30435	12.25	9	0.38	24	1.07	1.27	0.08	0.03	6.7	2.1	0.11	147	4.92	0.01
ANG30436	23.2	15	0.52	38.5	2.03	1.61	0.16	0.04	13.1	3.5	0.19	317	9.73	-0.01
ANG30437	17	11	0.66	27.2	1.7	1.98	0.06	0.03	9.2	2.9	0.13	257	4.79	0.01
ANG30438	23.8	11	0.83	28.5	3.06	1.52	0.05	0.04	13.2	3.5	0.21	261	6.8	-0.01
ANG30439	30.6	16	0.64	41.7	2.53	2.17	0.09	0.05	16.8	5.4	0.34	289	10.3	-0.01
ANG30440	27.1	15	0.51	40.6	3.47	1.93	0.08	0.05	15.3	4.9	0.24	282	16.2	-0.01
ANG30441	32.7	13	0.66	34.8	3.39	1.65	0.05	0.05	17.6	3.9	0.18	262	10.15	-0.01
ANG30442	19.7	7	0.76	38.2	2.68	0.8	0.06	0.04	11.1	1.7	0.51	463	14.9	-0.01
ANG30443	6.7	6	0.58	51.9	7.71	0.31	0.04	0.04	3.5	0.6	0.21	313	8.53	-0.01
ANG30444	29.2	3	0.48	35.6	4.22	0.35	0.05	0.03	18.1	0.3	0.03	1245	9.05	-0.01
ANG30445	28.7	11	0.74	41.7	3.68	1	0.08	0.04	12.8	2.2	0.04	694	16.15	-0.01
ANG30446	18.85	12	0.94	33.4	2.45	1.44	0.06	0.04	10.1	3	0.12	335	10.75	-0.01
ANG30447	21.5	8	0.52	44.6	2.78	0.93	0.07	0.04	11.9	2.2	0.61	172	22.3	0.02
ANG30448	21.7	4	0.37	37.1	2.81	0.84	0.05	0.04	12.2	1.7	0.22	134	17.75	0.02
ANG30449	14.65	12	0.37	45.4	2.78	0.58	0.1	0.03	8.3	1.1	0.58	167	24.8	0.02
ANG30450	22	14	0.4	52.8	2.56	1.43	0.15	0.04	12.5	3.3	0.33	266	22.6	0.02
ANG30452	20.9	5	0.45	33.6	2.07	1.12	0.04	0.03	11.4	5	0.15	211	3.75	0.03
ANG30453	27.7	10	0.4	39.6	2.51	1.28	0.08	0.03	15.2	3.7	0.13	293	6.66	0.02
ANG30455	17.1	6	0.28	31.7	1.9	1.32	0.05	0.03	9.3	3	0.1	183	3.89	0.03
ANG30456	12.55	4	0.3	35.6	1.4	1.01	0.08	0.03	6.7	1.6	0.09	129	2.12	0.04
ANG30457	19.9	4	0.28	42.1	2.13	0.97	0.09	0.03	10.7	1.5	0.08	253	3.13	0.03
ANG30458	20.9	3	0.21	31.8	1.92	0.92	0.05	0.03	11.4	1.2	0.06	143	3.18	0.03
ANG30459	17.4	3	0.19	30.8	1.59	0.82	0.06	0.03	9.7	1	0.17	225	2.53	0.04
ANG30460	18.6	3	0.25	28.6	1.89	1.01	0.06	0.02	9.7	1.5	0.08	418	4.15	0.03
ANG30461	25	7	0.35	37.1	2.49	0.97	0.06	0.03	13.7	3.4	0.18	255	5.57	0.02
ANG30462	22.8	9	0.31	65.8	2.41	1.22	0.11	0.03	13.2	2.4	0.26	315	8.36	0.02

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30397	184	1760	23.9	5.2	0.08	13.85	9.2	160.5	0.17	0.5	0.42	2.01	1410	VA08138826
ANG30398	149.5	1850	23.9	4	0.1	15.15	13	193.5	0.14	0.5	0.37	2.71	1720	VA08138826
ANG30399	375	1910	47.7	5.6	0.11	43.7	25.4	406	0.18	2.8	3.09	4.9	6130	VA08138826
ANG30400	161	1750	24.1	3.9	0.07	17.1	9.5	125.5	0.1	1.2	0.65	2.93	1760	VA08138826
ANG30401	77.3	670	17	3.7	0.08	3.94	3	111	0.08	2.9	0.07	1.3	317	VA08138826
ANG30402	54.6	540	59.3	3.7	0.1	4.04	6	96.4	0.07	1.4	0.06	0.91	2950	VA08138826
ANG30403	42.4	880	17.3	8	0.03	2.18	1.5	51.7	0.04	2.2	0.11	1.57	236	VA08138826
ANG30404	16.1	790	30	9.6	0.03	1.4	1.1	25.5	0.05	1.2	0.09	0.98	119	VA08138826
ANG30405	50.7	1050	22.5	2.8	0.05	3.98	1.9	60.2	0.04	1.1	0.14	1.66	221	VA08138826
ANG30407	97.1	1150	75.8	3	0.04	23.4	2.6	38.9	0.11	2.1	0.16	1.82	632	VA08138826
ANG30408	61.1	1300	23.9	2.4	0.04	10.65	1.6	62.9	0.04	2.6	0.1	0.91	491	VA08138826
ANG30409	52.2	1040	20.6	2.3	0.05	13.05	1.7	52.1	0.05	1.4	0.11	1.02	325	VA08138826
ANG30410	79.3	1320	28.2	4.1	0.01	12.85	1.9	46	0.07	3.4	0.15	1.3	386	VA08138826
ANG30411	67.2	1060	11.3	2.3	0.08	13.7	1.9	76.8	0.02	6.8	0.16	2.73	56	VA08138826
ANG30412	156.5	2890	33.9	4.6	0.05	22.6	8.2	121	0.21	8	0.34	4.91	1275	VA08138826
ANG30413	132.5	1220	34.1	3.1	0.04	26.5	4.3	83.1	0.13	6.1	0.2	2.99	708	VA08138826
ANG30414	76.8	1180	20.7	2.5	0.09	9.64	2.3	74.6	0.06	6.3	0.15	1.99	360	VA08138826
ANG30415	92.9	1170	22.5	2.8	0.04	18	2	80.6	0.08	3.5	0.16	2.01	498	VA08138826
ANG30416	56.8	1120	15.5	2.3	0.03	6.66	1.2	60.2	0.04	4	0.07	1.31	327	VA08138826
ANG30417	37	790	18.1	1.8	0.02	8.21	1.4	108.5	0.04	10.7	0.08	1.32	150	VA08138826
ANG30418	38.9	860	15.2	2.3	0.03	9.23	1.2	86	0.03	3.6	0.07	1	167	VA08138826
ANG30419	145	1200	22.2	2.6	0.04	22.8	6.6	39	0.15	1.9	0.31	1.62	952	VA08138826
ANG30420	73.1	740	13.8	2.6	0.03	5.62	4	49.8	0.09	5.2	0.05	1.12	410	VA08138826
ANG30421	51.9	390	16.8	2.9	0.04	5.72	3.4	36.7	0.1	2.6	0.09	1.17	307	VA08138826
ANG30422	50.3	810	18.6	3.9	0.04	5.67	2.5	58.1	0.09	3.1	0.08	1.84	295	VA08138826
ANG30423	71.2	850	18.4	4.8	0.03	6.16	1.7	41.9	0.08	3.6	0.09	0.8	376	VA08138826
ANG30424	85.9	850	15.9	3	0.05	6.78	1.8	70.5	0.07	1.4	0.07	1.3	455	VA08138826
ANG30425	58.2	890	15.1	3.6	0.04	3.14	1.8	60.3	0.08	1.8	0.08	1.47	297	VA08138826
ANG30426	24.7	750	38.9	4.5	0.1	7.59	9.3	142.5	0.14	0.8	0.99	6.55	116	VA08138826
ANG30427	93.8	1360	30.9	4.4	0.04	11.25	5.2	193	0.12	2	0.27	2.28	644	VA08138826
ANG30428	41.8	670	13.1	4.8	0.06	3.19	1.7	41.2	0.03	1.2	0.19	2.14	566	VA08138826
ANG30429	29.8	750	11.6	4.5	0.07	1.99	1.4	43.5	0.03	0.6	0.09	1.73	281	VA08138826
ANG30430	18.3	710	12.5	4.1	0.05	1.04	0.7	37.2	0.03	0.6	0.07	1.16	89	VA08138826
ANG30431	21.1	270	9.1	4.1	0.03	2.28	0.7	28.5	0.03	1.5	0.07	0.7	564	VA08138826
ANG30432	41.2	1250	28.2	2.7	0.07	2.74	1.2	63.1	0.11	1.5	0.08	2.57	331	VA08138826
ANG30433	53.9	1240	24.8	2.5	0.05	4.13	1.3	54.4	0.09	1.9	0.11	1.69	319	VA08138826
ANG30434	63.4	1190	22.1	2.7	0.05	5.03	1.9	48.2	0.05	1.5	0.11	1.43	440	VA08138826
ANG30435	32.6	970	11.8	2.4	0.08	2.97	1.9	50.9	0.03	0.5	0.08	1.02	393	VA08138826
ANG30436	58.8	1070	19.4	4.1	0.06	5.94	2.5	47.5	0.07	1.4	0.13	1.53	571	VA08138826
ANG30437	29.7	1140	16.2	4.1	0.07	3.07	1.5	37.9	0.04	0.6	0.09	1.86	284	VA08138826
ANG30438	47.7	1010	15.1	4.3	0.03	5.01	1	34.7	0.03	4.6	0.08	1.14	232	VA08138826
ANG30439	58.8	1010	22	5.4	0.02	5.56	0.9	44.5	0.05	4.3	0.12	0.92	330	VA08138826
ANG30440	72.8	950	22.4	4.4	0.06	5.4	1.5	48	0.06	3.8	0.13	1.55	444	VA08138826
ANG30441	58.4	980	19.1	4.4	0.02	5.11	1.2	30.3	0.04	5.5	0.11	1.41	344	VA08138826
ANG30442	61.5	1190	30.6	2.9	0.07	8.17	2.6	75.5	0.06	3.6	0.14	1.65	406	VA08138826
ANG30443	74.8	970	14.8	1.8	1.27	11.25	3.4	152	0.03	3.9	0.15	1.87	56	VA08138826
ANG30444	47.6	690	20.9	1.6	0.13	7.43	3.4	55	0.21	7.2	0.08	0.82	1480	VA08138826
ANG30445	46.9	940	31.9	4.6	0.05	4.65	2.9	24.2	0.07	2.5	0.16	1.38	244	VA08138826
ANG30446	41.5	870	16.7	4.9	0.05	5.5	2.1	29.8	0.06	1.8	0.12	1.08	224	VA08138826
ANG30447	79.6	1320	24.4	3	0.04	12.95	1.9	91.2	0.07	2.6	0.21	2.13	270	VA08138826
ANG30448	60.2	1070	13.4	2.6	0.03	7.18	1.5	51.4	0.05	3	0.13	2.33	185	VA08138826
ANG30449	73.7	920	19.3	2.3	0.03	14.9	1.9	86.3	0.06	2.2	0.15	1.86	457	VA08138826
ANG30450	82.4	1070	21.7	3.3	0.03	9.17	1.9	55.8	0.08	2.1	0.17	1.72	504	VA08138826
ANG30452	27.6	800	9.5	2.3	0.02	3.09	0.9	37.3	0.02	2.1	0.04	0.79	151	VA08138826
ANG30453	41.3	1070	14.5	2.9	0.02	4.07	1.6	34.9	0.05	3.1	0.05	0.94	225	VA08138826
ANG30455	30.3	900	11.5	2.6	0.05	2.95	2.2	40.8	0.03	0.9	0.04	2.21	225	VA08138826
ANG30456	33.4	670	11.6	2.4	0.06	1.85	1.6	62.5	0.03	0.6	0.05	1.51	137	VA08138826
ANG30457	39.4	710	13.9	2.3	0.04	3.15	1.2	51.4	0.05	1.4	0.04	0.71	122	VA08138826
ANG30458	28.2	690	15.5	2.4	0.03	2.63	1.4	49.1	0.05	1.5	0.03	1.14	106	VA08138826
ANG30459	35.5	1160	14	2.3	0.04	3.14	1.4	51.6	0.05	0.8	0.04	1.02	144	VA08138826
ANG30460	30.3	750	14.1	2.6	0.04	2.62	1.6	49	0.05	1.2	0.04	1.95	140	VA08138826
ANG30461	56.7	930	13.4	2.3	0.03	4.3	1.6	43.8	0.04	2.2	0.05	1.36	535	VA08138826
ANG30462	86.8	1750	25.6	3.5	0.05	4.41	3.1	53.2	0.1	1.4	0.08	1.84	470	VA08138826

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30463	NAD83-8	628698	6859561	9	1.43	0.26	16.4	540	0.3	0.21	0.97	5.56	10.2
ANG30464	NAD83-8	628726	6859604	4	2.33	0.9	46.7	170	0.32	0.22	0.11	1.91	7.7
ANG30465	NAD83-8	628752	6859646	9	2.07	0.64	17.5	1560	0.4	0.19	0.83	8.9	9
ANG30466	NAD83-8	628781	6859687	2	1.36	0.66	9.5	760	0.23	0.16	0.6	2.34	8
ANG30467	NAD83-8	628806	6859729	7	1.83	0.5	14.3	1210	0.33	0.16	1.47	47.2	6.2
ANG30468	NAD83-8	628834	6859772	3	0.31	0.52	6.1	390	0.23	0.1	0.59	2.23	4.1
ANG30469	NAD83-8	628861	6859813	8	0.55	0.5	14.5	520	0.25	0.12	0.64	2.51	7
ANG30470	NAD83-8	628889	6859856	5	0.47	0.55	10.7	330	0.21	0.14	0.67	3.28	9.8
ANG30471	NAD83-8	628915	6859897	9	0.63	0.24	24.1	290	0.19	0.18	1.02	5.26	10.1
ANG30472	NAD83-8	628942	6859939	7	1.09	0.49	23.7	590	0.32	0.31	1.22	11.8	8.6
ANG30473	NAD83-8	628970	6859982	7	0.7	0.46	21.9	320	0.27	0.19	1.13	7.48	3.3
ANG30474	NAD83-8	628998	6860023	3	0.3	0.33	17.9	270	0.14	0.14	1.06	0.96	3.2
ANG30475	NAD83-8	629078	6860150	36	3.25	0.57	110.5	510	0.43	0.36	0.23	3.04	6.5
ANG30476	NAD83-8	629106	6860192	6	0.53	0.85	24.3	300	0.25	0.24	0.18	0.75	10
ANG30477	NAD83-8	629134	6860233	19	0.52	0.52	10.4	200	0.16	0.17	0.12	0.5	1.5
ANG30478	NAD83-8	629160	6860275	2	0.23	0.4	6.9	180	0.15	0.1	0.16	0.35	3
ANG30479	NAD83-8	629187	6860317	16	1.43	0.39	99.8	380	0.17	0.35	0.16	0.83	8.9
ANG30480	NAD83-8	629078	6860150	36	3.35	0.5	108.5	510	0.38	0.36	0.21	2.9	6.1
ANG30481	NAD83-8	628970	6859982	4	0.74	0.43	21.2	340	0.31	0.18	1.06	10.85	3.8
ANG30482	NAD83-8	628915	6859897	9	0.62	0.19	30.5	280	0.25	0.2	1.37	6.85	12.1
ANG30483	NAD83-8	628866	6859094	3	0.39	0.84	17.3	410	0.37	0.25	1.13	1.05	11
ANG30484	NAD83-8	628894	6859136	4	0.33	0.52	22.1	150	0.26	0.27	3.97	1.72	17.2
ANG30485	NAD83-8	628922	6859178	3	0.61	0.56	10.4	280	0.34	0.21	1.39	1.61	11.8
ANG30486	NAD83-8	628947	6859220	6	0.7	0.26	28.4	300	0.24	0.29	0.44	1.18	14.7
ANG30487	NAD83-8	628975	6859263	8	0.31	0.79	22.7	280	0.43	0.17	0.19	1.46	10.4
ANG30488	NAD83-8	629000	6859303	2	0.2	0.68	13.2	220	0.28	0.15	0.18	0.9	6.5
ANG30489	NAD83-8	629028	6859345	11	1.77	0.69	24.8	390	0.47	0.21	0.79	3.71	11
ANG30490	NAD83-8	629055	6859386	5	0.63	0.87	18.5	730	0.47	0.28	0.37	1.07	8
ANG30491	NAD83-8	629082	6859429	6	1.05	0.71	19.7	950	0.36	0.14	0.5	3.13	6.3
ANG30492	NAD83-8	629110	6859470	2	0.85	0.46	17.4	820	0.18	0.08	0.74	2.65	4.8
ANG30493	NAD83-8	629137	6859512	3	2.62	0.95	17.2	2670	0.44	0.16	0.78	19.7	6.4
ANG30494	NAD83-8	629165	6859554	4	0.96	0.68	16.4	660	0.4	0.14	0.98	18.5	7.3
ANG30495	NAD83-8	629193	6859595	2	0.88	0.69	10.9	330	0.27	0.16	0.7	3.52	6.1
ANG30496	NAD83-8	629248	6859679	4	0.54	0.69	8.4	380	0.26	0.12	0.78	1.94	9.1
ANG30497	NAD83-8	629275	6859721	12	1.1	0.43	27.3	730	0.38	0.15	1.4	6.07	8.8
ANG30498	NAD83-8	629300	6859764	-1	0.77	0.41	9.1	640	0.21	0.07	1.51	6.04	4.2
ANG30499	NAD83-8	629356	6859847	1	0.44	0.49	13.8	520	0.25	0.11	0.6	1.79	6.7
ANG30500	NAD83-8	629386	6859889	8	0.73	0.6	35.2	620	0.3	0.18	0.65	3.34	8.4
ANG30501	NAD83-8	633900	6857109	3	0.7	0.53	12.6	850	0.32	0.16	1.18	2.22	8.9
ANG30502	NAD83-8	633848	6857024	8	0.55	0.41	11.6	620	0.29	0.14	0.46	1.34	7.5
ANG30503	NAD83-8	633792	6856941	7	3.48	0.21	43.4	310	0.21	0.14	1.17	15.45	5.4
ANG30504	NAD83-8	633765	6856899	4	1.06	0.71	16.1	1110	0.42	0.21	0.62	1.49	8.8
ANG30505	NAD83-8	633739	6856856	2	0.35	0.41	8.7	540	0.26	0.13	1.18	0.81	6.1
ANG30506	NAD83-8	634129	6856904	7	1.03	0.79	16.9	950	0.41	0.2	0.62	1.08	7.6
ANG30507	NAD83-8	633710	6856814	1	0.11	0.62	5.9	490	0.18	0.17	0.23	1.1	4.5
ANG30519	NAD83-8	633829	6856438	6	1.48	0.62	26.8	980	0.36	0.14	1.07	2.99	8.6
ANG30520	NAD83-8	633799	6856397	5	1.48	0.49	18	640	0.32	0.12	1.4	5.17	6.1
ANG30521	NAD83-8	633773	6856354	2	0.47	0.41	7.7	480	0.22	0.08	1.64	3.34	4.4
ANG30522	NAD83-8	633746	6856313	12	0.65	0.48	12.2	510	0.29	0.11	1.03	2.83	5.6
ANG30523	NAD83-8	633717	6856271	7	0.67	0.34	18.4	1020	0.23	0.2	1.48	2.15	10.9
ANG30524	NAD83-8	633663	6856187	4	0.64	0.43	19.7	360	0.25	0.17	1.13	0.86	10
ANG30525	NAD83-8	633637	6856146	3	0.44	0.44	18.1	120	0.27	0.17	1.39	0.97	11.4
ANG30526	NAD83-8	633612	6856107	-1	0.28	0.41	11.5	80	0.25	0.12	1.08	0.69	9
ANG30527	NAD83-8	633583	6856065	2	0.26	0.29	34.7	100	0.31	0.12	1.53	0.3	12.1
ANG30528	NAD83-8	633556	6856021	8	10.35	0.21	24	90	0.39	0.23	1.55	5.07	14.9
ANG30529	NAD83-8	633528	6855981	7	0.43	0.22	26.3	100	0.34	0.18	3.53	0.34	14.8
ANG30530	NAD83-8	633502	6855938	1	0.32	0.24	28	140	0.34	0.16	3.59	0.38	12.7
ANG30531	NAD83-8	633472	6855897	6	1.39	0.27	36.5	180	0.46	0.17	1.99	3.1	10.3
ANG30533	NAD83-8	633418	6855812	-1	1.4	0.27	30.8	110	0.43	0.23	1.91	2.5	8.9
ANG30534	NAD83-8	633336	6855685	2	0.81	0.3	49.9	100	0.38	0.16	2.23	1.9	8.2
ANG30535	NAD83-8	633309	6855643	3	0.44	0.3	37.7	100	0.33	0.15	3.02	0.86	11
ANG30536	NAD83-8	633277	6855601	216	0.4	0.49	35.1	180	0.39	0.13	1.62	1.21	9.1
ANG30537	NAD83-8	633253	6855563	3	0.29	0.2	49.4	120	0.3	0.16	7.12	1.14	11.8

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30463	25.4	7	0.19	46.7	2.52	0.86	0.19	0.03	14.4	1.2	0.07	320	9.76	0.02
ANG30464	20.8	20	0.81	85.7	2.95	3.58	0.09	0.04	12.1	5.2	0.13	137	16.45	0.02
ANG30465	25.5	18	0.43	106.5	1.85	1.93	0.35	0.05	15	4.2	0.18	213	12.85	0.02
ANG30466	18.8	18	0.53	29	1.36	2.52	0.23	0.05	10.3	5.3	0.22	463	10.45	0.03
ANG30467	19.65	21	0.43	145	1.42	1.94	0.61	0.04	11.6	3.3	0.25	216	5.55	0.03
ANG30468	11.2	5	0.43	27.9	0.85	1.52	0.06	0.04	5.8	2.2	0.12	108	1.23	0.04
ANG30469	15.6	6	0.8	28.8	1.3	1.44	0.06	0.05	8.3	2.3	0.22	133	1.98	0.04
ANG30470	19.05	9	0.82	27.8	1.76	1.63	0.07	0.05	9.8	3.7	0.4	269	2.04	0.02
ANG30471	18.5	3	0.26	36.6	2.38	0.62	0.08	0.02	9.6	0.9	0.26	269	5.77	0.03
ANG30472	22.9	17	0.53	48.9	1.79	1.69	0.22	0.06	13.1	4.6	0.48	215	13.5	0.02
ANG30473	23	12	0.43	43.7	1.88	1.49	0.12	0.04	12.5	4.6	0.19	64	12.05	0.02
ANG30474	13.65	7	0.23	12.1	1.35	1.05	0.05	0.03	7.2	3.2	0.12	177	11	0.03
ANG30475	23.9	15	0.41	142	4.05	1.93	0.19	0.14	13.6	3.5	0.08	177	11.5	0.02
ANG30476	24.8	19	0.84	20.6	1.89	3.31	0.11	0.07	13.5	7.7	0.22	468	6.13	0.02
ANG30477	17.15	12	0.78	10.2	0.88	2.68	0.1	0.05	9.4	3	0.09	36	1.89	0.02
ANG30478	12.15	8	0.47	7.5	0.94	1.85	0.04	0.04	6.3	3.6	0.12	98	4.52	0.03
ANG30479	24.3	13	1.33	21.3	2.62	2.45	0.07	0.12	14.4	3.2	0.11	395	49.1	0.03
ANG30480	23.6	16	0.44	141	4.01	1.8	0.17	0.15	13.5	3.1	0.06	174	11.95	0.02
ANG30481	23	12	0.46	46	1.85	1.43	0.1	0.04	12.4	4.4	0.19	72	9.58	0.02
ANG30482	24.6	5	0.31	34.3	2.61	0.52	0.06	0.03	12.4	0.8	0.54	238	7.2	0.02
ANG30483	26.2	17	0.59	29.9	2.77	2.9	0.04	0.04	13.6	5.7	0.23	230	6.32	0.02
ANG30484	27	13	0.68	46.9	2.62	1.65	0.04	0.05	14	4.4	0.42	228	5.75	0.02
ANG30485	20	9	0.64	35.8	2.61	1.54	0.06	0.04	10	2.9	0.12	288	4.49	-0.01
ANG30486	30	5	0.37	49.2	3.22	0.73	0.09	0.04	16.6	1.1	0.05	165	6.98	-0.01
ANG30487	38.2	13	0.43	29.2	2.49	2.07	0.04	0.03	19.1	4	0.11	271	4.88	-0.01
ANG30488	23.1	12	0.59	22.3	2.09	2.67	0.02	0.04	11.5	4.7	0.12	211	5.06	-0.01
ANG30489	31.8	18	0.43	63.8	2.73	2.04	0.23	0.05	17.8	5	0.32	245	11.9	-0.01
ANG30490	31.7	23	0.54	42.9	2.11	2.75	0.13	0.05	17.9	7.5	0.34	263	8.47	-0.01
ANG30491	25.1	19	0.45	36.1	1.7	2.19	0.18	0.05	15	4.8	0.22	222	11.35	-0.01
ANG30492	14.35	14	0.28	31.9	1.26	1.59	0.12	0.03	8.3	2.1	0.14	146	14.05	0.01
ANG30493	22.3	23	0.77	122.5	1.83	2.6	0.45	0.07	15.8	5.7	0.26	243	15.2	-0.01
ANG30494	17.25	15	0.39	86.8	1.62	1.93	0.26	0.05	9.8	3.6	0.19	476	6.66	-0.01
ANG30495	20.9	12	0.57	23.1	1.43	1.75	0.11	0.05	10.8	4	0.21	192	3.8	-0.01
ANG30496	18.65	12	0.89	29.3	1.67	1.94	0.09	0.07	9.6	5.1	0.41	277	2.9	-0.01
ANG30497	21.7	9	0.31	49.7	2.32	1.18	0.11	0.04	11.6	1.9	0.3	668	6.86	-0.01
ANG30498	10.15	8	0.24	36.5	0.98	1.32	0.1	0.02	6.1	1.6	0.19	258	2.17	0.01
ANG30499	14.65	8	0.31	20.7	1.16	1.76	0.07	0.03	7.7	3	0.12	321	7.74	-0.01
ANG30500	25.9	18	0.9	38.7	2.2	1.98	0.12	0.08	14	5.6	0.28	330	9	-0.01
ANG30501	21.2	11	0.33	43.6	1.91	1.49	0.11	0.04	11.6	3.2	0.27	691	3.2	-0.01
ANG30502	28	12	0.32	34.1	1.67	1.3	0.08	0.04	14.7	3	0.19	188	4.92	-0.01
ANG30503	18.2	18	0.15	116	1.43	0.69	0.38	0.03	13.5	0.5	0.15	168	8.49	-0.01
ANG30504	27.5	16	0.37	31.8	1.97	1.98	0.13	0.05	15	5.2	0.25	400	5.09	-0.01
ANG30505	17.1	9	0.24	19.2	1.41	1.17	0.04	0.04	8.5	2.8	0.24	269	2.11	-0.01
ANG30506	26.4	20	0.57	54.9	1.97	2.48	0.14	0.05	15.1	6.9	0.33	263	4.28	-0.01
ANG30507	22.2	10	0.49	22.8	1.34	2.9	0.01	0.04	11.9	3	0.06	155	4.3	-0.01
ANG30519	22.8	20	0.36	59.5	2.31	1.82	0.29	0.06	12.8	3.8	0.3	221	17.6	-0.01
ANG30520	16.4	13	0.3	58.9	1.65	1.47	0.26	0.04	9.3	3.1	0.33	219	8.13	-0.01
ANG30521	12.45	10	0.22	27.9	1.14	1.19	0.06	0.04	6.5	2.9	0.3	163	4.22	-0.01
ANG30522	16.45	13	0.26	33.4	1.44	1.48	0.11	0.04	8.7	3.7	0.27	176	5.79	-0.01
ANG30523	26.1	5	0.34	46.8	2.68	0.85	0.1	0.03	14.4	3.3	0.31	228	6.93	-0.01
ANG30524	28.7	5	0.35	45	2.55	1.17	0.04	0.02	16.2	6.4	0.32	170	5.43	-0.01
ANG30525	24.7	6	0.42	39.9	2.65	1.22	0.03	0.03	13.5	7.9	0.34	229	4.81	-0.01
ANG30526	17.75	4	0.37	23.5	1.96	1.09	0.02	0.03	9.7	8.2	0.29	138	1.63	-0.01
ANG30527	13.8	4	0.29	29.9	2.64	0.76	0.02	0.03	7.6	2.5	0.39	236	2.15	-0.01
ANG30528	18.85	3	0.51	133	2.49	0.85	0.16	0.04	10.2	1	0.46	175	2.08	-0.01
ANG30529	17	3	0.51	49.5	2.67	0.58	0.02	0.04	9.4	1.4	0.82	175	2.13	-0.01
ANG30530	13.4	3	0.42	42.7	2.39	0.63	0.03	0.03	7.2	1.6	0.63	153	4.08	-0.01
ANG30531	20.5	5	0.36	65.1	2.53	0.78	0.12	0.04	11.4	1.9	0.73	133	25.6	-0.01
ANG30533	20.5	8	0.36	50.2	1.99	0.87	0.1	0.03	11.9	2.1	0.74	202	34.5	0.01
ANG30534	17.55	7	0.37	31	2.18	0.88	0.1	0.04	9.9	2.2	0.55	206	16.95	0.01
ANG30535	17.1	8	0.43	26.3	2.29	0.86	0.07	0.04	9.1	3.1	0.65	226	11.05	0.01
ANG30536	15.5	11	0.41	26	2.26	1.31	0.07	0.04	8.2	5.1	0.27	240	6.36	0.01
ANG30537	26.2	4	0.55	28.5	2.25	0.68	0.07	0.05	14.1	2.2	1.95	405	22.9	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30463	97.6	1030	53.5	2.7	0.04	4.58	2	58.4	0.12	2.6	0.08	1.09	597	VA08138826
ANG30464	80.5	1060	15.9	6.8	0.02	6.12	3.2	36.2	0.1	0.3	0.24	1.9	443	VA08138826
ANG30465	87.3	1140	21.9	5.5	0.05	7.16	4.3	98.1	0.11	2.2	0.22	4.25	749	VA08138826
ANG30466	27.9	1050	13.1	5.4	0.05	3.74	3.2	63.7	0.05	1.5	0.16	2.79	261	VA08138826
ANG30467	98.2	1060	37.9	5	0.08	6.4	6.5	90.7	0.11	2.1	0.17	4.39	2810	VA08138826
ANG30468	20.5	520	7.5	3.6	0.04	1.02	0.8	34	0.02	0.5	0.08	0.99	192	VA08138826
ANG30469	35.3	450	11.4	5	0.03	1.79	1.2	33.8	0.02	1	0.08	1.51	307	VA08138826
ANG30470	54.4	590	12	9.1	0.03	2.08	1.5	28.6	0.03	1.7	0.11	1.53	384	VA08138826
ANG30471	57.9	660	14.3	2.3	0.08	4.76	5.8	38.7	0.04	1.3	0.07	1.32	583	VA08138826
ANG30472	83.2	1080	14.7	4.9	0.04	7.32	5.3	94.2	0.08	2.9	0.18	1.27	1385	VA08138826
ANG30473	39.7	970	14.6	4.4	0.05	3.83	8.9	89.8	0.07	3.5	0.1	4.66	520	VA08138826
ANG30474	17.1	800	10.5	2.7	0.04	2.38	5.7	63.6	0.04	0.9	0.05	1.14	306	VA08138826
ANG30475	53.9	2180	33.2	7.9	0.3	40	18.6	727	0.22	4.5	0.3	6.86	441	VA08138826
ANG30476	22.3	950	14.7	9.1	0.02	4.39	2.3	51.6	0.06	1	0.14	1.11	156	VA08138826
ANG30477	7.2	600	9.1	7.6	0.02	1.48	1.7	24.9	0.04	0.5	0.13	0.84	36	VA08138826
ANG30478	10.6	600	5.7	4.7	0.02	1.34	0.6	16.9	0.02	0.2	0.07	0.58	70	VA08138826
ANG30479	17.9	830	51	10	0.24	26.1	11.4	146	0.37	1.8	0.24	1.46	128	VA08138826
ANG30480	51.8	2150	34.7	8.6	0.34	40.5	19.2	762	0.24	4.8	0.31	6.93	420	VA08138826
ANG30481	47.1	1010	14.9	4.5	0.05	3.74	8.1	91	0.06	3.5	0.11	4.69	548	VA08138826
ANG30482	69.4	780	14.2	2	0.12	5.97	7.1	44.6	0.03	3.3	0.08	1.37	777	VA08138826
ANG30483	48.1	570	15.6	4.6	0.03	2.63	1.9	40.2	0.05	2.8	0.1	1.3	192	VA08138826
ANG30484	65.6	820	13	4.5	0.03	3.02	1.9	108	0.05	6	0.09	1.29	269	VA08138826
ANG30485	54.1	760	17.5	4.8	0.07	2.04	1.7	47.1	0.06	1.1	0.07	1.79	202	VA08138826
ANG30486	68.8	410	18.9	2.9	0.04	5.14	2.7	30.7	0.08	4.3	0.12	0.66	344	VA08138826
ANG30487	46.6	470	14.1	4.5	0.01	4.47	1.3	12.3	0.04	5.6	0.09	0.81	182	VA08138826
ANG30488	31.8	550	12.4	6	0.02	2.77	0.9	13.5	0.05	1	0.1	0.58	161	VA08138826
ANG30489	82.9	1590	24.7	5	0.02	7.47	2.2	46.6	0.1	3.9	0.14	1.02	458	VA08138826
ANG30490	48.2	960	15.1	5.2	0.01	4.31	1.9	35.9	0.06	4.3	0.11	1.8	259	VA08138826
ANG30491	61.1	1280	14.8	5.7	0.02	6.37	2.5	51.3	0.08	2.3	0.15	2.43	553	VA08138826
ANG30492	46.7	1000	14.1	3.9	0.07	6.32	5.3	54.4	0.06	1.3	0.09	0.88	477	VA08138826
ANG30493	90	880	24.3	9.4	0.05	7.1	4.5	87.3	0.08	1.9	0.36	3.65	1460	VA08138826
ANG30494	78.5	790	15.5	5.3	0.06	4.12	2.6	61.9	0.05	0.9	0.12	3.51	1310	VA08138826
ANG30495	37.6	650	17.1	6.1	0.05	2.07	1.6	36.9	0.04	1.2	0.12	1.17	535	VA08138826
ANG30496	62.4	590	13	10.1	0.04	1.61	1.2	37.7	0.04	1.6	0.15	1.7	490	VA08138826
ANG30497	97.5	1420	18.5	3.8	0.05	5.4	2.9	51.1	0.09	2.4	0.07	1.25	743	VA08138826
ANG30498	32.5	1120	11.1	2.9	0.08	3.28	3.7	88.6	0.05	0.6	0.08	3.4	244	VA08138826
ANG30499	21.9	820	13.9	3.8	0.04	2.93	1.6	48.6	0.04	1	0.08	1.24	210	VA08138826
ANG30500	47.1	1130	20.6	7.7	0.06	5.37	3.9	71.1	0.09	3.2	0.13	2.19	311	VA08138826
ANG30501	38.9	940	16.9	4.4	0.06	2.92	1.9	60.9	0.06	1.1	0.09	2.87	156	VA08138826
ANG30502	44.7	930	11.3	3.2	0.02	2.63	1.2	35.5	0.06	4.8	0.07	0.71	179	VA08138826
ANG30503	106	2040	16.7	2.8	0.05	12.4	5.6	89.9	0.18	1.8	0.18	3.32	929	VA08138826
ANG30504	38.4	730	16.3	4.8	0.03	2.71	1.1	40.6	0.09	3.1	0.09	2.71	275	VA08138826
ANG30505	21	670	10	4	0.05	1.63	1	46.9	0.05	1.4	0.05	0.88	93	VA08138826
ANG30506	39.4	850	18.3	5.7	0.03	3.66	1.4	41.1	0.08	2.2	0.11	2.1	177	VA08138826
ANG30507	18.4	300	11.4	6.9	0.01	1.19	0.7	19	0.04	1	0.09	0.49	93	VA08138826
ANG30519	102.5	1670	20.1	4.5	0.06	10.4	6.4	136	0.13	1.9	0.18	2.5	596	VA08138826
ANG30520	69.2	1320	18.4	4	0.07	6.44	4.4	104	0.11	0.9	0.13	2.34	423	VA08138826
ANG30521	32.6	760	8.6	3	0.08	2.57	3.6	71.2	0.04	0.5	0.05	1.33	169	VA08138826
ANG30522	37.7	800	11.5	3.4	0.05	4.04	3	57.8	0.07	0.9	0.07	1.08	209	VA08138826
ANG30523	34.9	910	15.8	2.2	0.03	4.16	2.3	57.9	0.04	4.3	0.04	0.78	294	VA08138826
ANG30524	31.9	890	12.1	2	0.04	3.52	1.2	49.8	0.03	2.5	0.04	0.83	132	VA08138826
ANG30525	29.5	720	14	2.2	0.07	4.02	1.6	48.4	0.04	1.3	0.04	0.94	146	VA08138826
ANG30526	23.7	500	25.1	1.7	0.04	2.49	0.7	36.4	0.03	1.2	0.02	0.6	107	VA08138826
ANG30527	33.2	1000	7.7	2.1	0.04	4.08	0.9	39.1	0.02	1.6	0.03	0.48	47	VA08138826
ANG30528	25.8	1400	6.7	2.7	0.06	41.7	1	33.8	0.03	5.4	0.04	0.92	928	VA08138826
ANG30529	28.8	1020	11.1	2.3	0.06	4.29	0.9	53.5	0.03	4.3	0.03	0.77	86	VA08138826
ANG30530	30.3	920	9.7	2.2	0.06	4.77	1.3	78.4	0.03	1.8	0.04	1.17	88	VA08138826
ANG30531	65.2	940	17.7	2.8	0.03	10.2	2.7	71.4	0.08	2.5	0.13	1.96	417	VA08138826
ANG30533	84	1020	17.1	2.5	0.03	8.06	2.7	100.5	0.08	2.6	0.17	2.13	405	VA08138826
ANG30534	65.9	960	24.8	3	0.03	12.3	2.4	114	0.07	2.2	0.08	1.37	310	VA08138826
ANG30535	51.3	1050	49.8	2.8	0.02	17.35	1.3	100	0.04	3.8	0.08	1.4	162	VA08138826
ANG30536	43.4	710	21.3	3.8	0.05	7.52	1.5	61.2	0.03	1.1	0.06	1.11	128	VA08138826
ANG30537	65	1240	17.5	3	0.02	19.85	1.4	214	0.05	6.8	0.17	2.18	153	VA08138826

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30538	NAD83-8	633226	6855516	3	0.34	0.28	42.6	130	0.37	0.2	4.38	1.74	10.8
ANG30539	NAD83-8	633172	6855435	2	0.49	0.43	31.2	270	0.4	0.44	2.32	1.88	9.4
ANG30540	NAD83-8	633145	6855396	-1	0.79	0.44	25	500	0.35	0.36	1.83	1.05	7.6
ANG30541	NAD83-8	635431	6856165	5	1.14	0.59	10.6	560	0.39	0.17	0.82	1.49	6.9
ANG30543	NAD83-8	635379	6856082	10	0.75	0.58	19.5	530	0.44	0.18	0.46	0.88	8.7
ANG30544	NAD83-8	635353	6856039	4	0.52	0.8	10.6	1050	0.45	0.19	0.74	3.33	8.7
ANG30545	NAD83-8	635326	6855998	3	0.8	0.5	14.4	1000	0.32	0.15	0.52	3.39	7.6
ANG30546	NAD83-8	635299	6855954	1	0.3	0.68	13.8	550	0.24	0.23	0.16	1	4.6
ANG30548	NAD83-8	635245	6855869	3	0.42	0.6	15.2	770	0.38	0.18	0.51	0.74	7.3
ANG30549	NAD83-8	632484	6857679	-1	0.15	0.63	5.2	300	0.24	0.11	0.25	0.58	5.4
ANG30550	NAD83-8	633928	6857152	6	0.63	0.25	34.4	570	0.35	0.21	1.84	1.38	14.3
ANG30551	NAD83-8	634398	6854571	2	0.46	0.12	61	40	0.78	0.21	1.99	0.5	14.5
ANG30552	NAD83-8	634840	6854701	3	0.21	0.5	26.8	380	0.69	0.19	0.65	0.37	18.9
ANG30553	NAD83-8	634680	6856658	17	1.22	0.21	46.5	780	0.82	0.37	2.02	3.39	25.3
ANG30554	NAD83-8	634654	6856615	20	0.81	0.34	120.5	490	1.1	0.3	2.9	10.25	10.3
ANG30555	NAD83-8	634625	6856573	9	2.26	0.4	60.7	490	0.46	0.15	2.84	17.65	6.2
ANG30556	NAD83-8	634599	6856527	22	2.47	0.45	148	800	0.81	0.28	4.98	8.29	12.5
ANG30557	NAD83-8	634572	6856490	14	1.32	0.32	20.6	610	0.37	0.15	1.56	3.29	7
ANG30558	NAD83-8	634545	6856447	11	1.21	0.32	25.1	810	0.51	0.27	1.61	1.78	11.6
ANG30559	NAD83-8	634518	6856405	3	0.12	0.45	13.7	580	0.33	0.19	0.28	0.52	9
ANG30560	NAD83-8	634491	6856364	8	0.34	0.73	15.7	1940	0.56	0.2	1.34	1	14.2
ANG30562	NAD83-8	634716	6856157	12	2.3	0.57	58.6	480	0.48	0.25	2.57	14.9	10.9
ANG30563	NAD83-8	634744	6856197	6	0.86	0.22	18.4	530	0.31	0.13	3.52	2.13	8.2
ANG30564	NAD83-8	634771	6856239	9	1.18	0.2	32.8	830	0.27	0.15	0.75	2.97	8.3
ANG30565	NAD83-8	634797	6856282	7	0.85	0.3	20.1	610	0.24	0.2	5.12	1.55	15
ANG30566	NAD83-8	634824	6856324	10	0.41	0.27	26.8	700	0.29	0.14	0.42	0.96	7.5
ANG30568	NAD83-8	634878	6856409	9	1.34	0.17	54.7	770	0.51	0.13	4.67	2.61	8.2
ANG30569	NAD83-8	634907	6856451	8	1.18	0.6	53.4	780	0.6	0.17	0.58	1.71	6.5
ANG30571	NAD83-8	634959	6856534	14	0.47	0.49	9.9	660	0.29	0.1	0.99	1.95	5.1
ANG30572	NAD83-8	635211	6856373	10	0.75	0.74	23.1	920	0.37	0.25	0.64	1.83	7.3
ANG30573	NAD83-8	635182	6856329	13	1.87	0.83	32.9	1880	0.64	0.19	0.78	18.15	9.9
ANG30574	NAD83-8	635155	6856287	8	1.31	0.49	29.7	630	0.45	0.14	1.11	9.28	7.1
ANG30575	NAD83-8	635130	6856245	12	1.42	0.41	34.5	590	0.41	0.17	1	5.47	8.9
ANG30576	NAD83-8	635103	6856202	9	1.03	0.49	21.9	810	0.45	0.15	1.15	8.08	6.7
ANG30577	NAD83-8	635075	6856160	5	0.65	0.85	20.7	950	0.48	0.2	0.32	1.32	9.4
ANG30579	NAD83-8	635020	6856076	2	0.32	0.09	10.9	140	0.27	0.13	5.04	0.47	8.1
ANG30580	NAD83-8	634994	6856035	3	0.61	0.3	15.5	310	0.33	0.12	2.52	2.85	7.9
ANG30584	NAD83-8	634708	6856699	11	2.29	0.41	40.9	1870	0.43	0.17	1.67	18.8	8.7
ANG30585	NAD83-8	634648	6854412	2	0.15	0.25	20.6	60	0.22	0.12	0.12	0.54	4.3
ANG30586	NAD83-8	634676	6854451	23	0.37	0.22	117.5	80	0.24	0.09	1.65	0.22	8.3
ANG30587	NAD83-8	634703	6854491	7	0.75	0.41	24.4	110	0.38	0.1	0.77	1.62	4.6
ANG30588	NAD83-8	634757	6854575	4	0.81	0.13	30.9	50	0.41	0.16	4.79	1.93	14.3
ANG30589	NAD83-8	634786	6854618	7	0.4	0.21	41.3	160	0.42	0.15	2.77	0.39	14.7
ANG30590	NAD83-8	634813	6854659	-1	0.1	0.47	19	150	0.31	0.1	0.68	0.18	10.4
ANG30591	NAD83-8	634865	6854744	7	0.35	0.43	37.9	630	0.49	0.14	0.67	0.77	11.3
ANG30592	NAD83-8	634617	6854907	9	0.74	0.33	45.7	170	0.46	0.18	1.53	2.63	12.9
ANG30593	NAD83-8	634590	6854865	1	0.16	0.22	15	100	0.42	0.16	1.81	1.11	15.9
ANG30594	NAD83-8	634565	6854823	2	0.47	0.24	58.9	90	0.38	0.17	3.54	1.09	13.9
ANG30595	NAD83-8	634535	6854782	2	0.62	0.19	60.3	80	0.41	0.19	3.53	1.38	16.4
ANG30596	NAD83-8	634509	6854739	2	0.64	0.25	42.4	90	0.42	0.17	2.85	0.97	15.1
ANG30597	NAD83-8	634481	6854697	5	1.21	0.29	56.8	130	0.62	0.23	3.52	2.21	15.1
ANG30598	NAD83-8	634454	6854655	4	0.71	0.29	25.5	120	0.52	0.15	2.32	0.98	9.7
ANG30599	NAD83-8	634427	6854611	2	0.65	0.13	16.7	40	0.61	0.13	3.43	6.53	6.5
ANG30600	NAD83-8	634398	6854571	-1	0.49	0.13	63.6	40	0.83	0.21	1.76	0.52	13.3
ANG30601	NAD83-8	635908	6855794	8	2.29	0.51	39.6	810	0.32	0.13	1.96	16.15	5.3
ANG30602	NAD83-8	635936	6855837	12	0.96	0.97	27.5	440	0.39	0.24	0.59	5.04	12.7
ANG30603	NAD83-8	635964	6855878	11	0.54	0.47	26.9	130	0.22	0.41	0.08	0.81	9.6
ANG30604	NAD83-8	635880	6855752	6	2.66	0.38	49.6	660	0.42	0.12	2.49	31.6	5.6
ANG30649	NAD83-8	634372	6854530	3	0.57	0.53	15.8	280	0.27	0.3	0.13	0.99	10.3
ANG30651	NAD83-8	633349	6856817	7	1.77	0.49	23.9	580	0.45	0.15	1.17	1.04	8.5
ANG30652	NAD83-8	633321	6856774	11	0.86	0.62	14.3	740	0.39	0.13	1.14	0.96	7.4
ANG30654	NAD83-8	633268	6856692	4	0.82	0.57	18.7	440	0.35	0.15	1.15	1.09	7.9
ANG30655	NAD83-8	633421	6856649	5	0.59	0.56	21.2	1520	0.32	0.17	1.41	5.36	8.1

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30538	29.2	7	0.74	26	2.21	0.89	0.07	0.07	14.7	2.3	0.99	288	16.7	0.01
ANG30539	20.6	10	0.52	34.8	2.19	1.22	0.09	0.08	10.6	3.4	0.72	327	14.75	0.01
ANG30540	18.35	11	0.32	30.2	1.78	1.26	0.1	0.06	9.9	3.7	0.51	266	9.81	0.01
ANG30541	24.1	12	0.34	29.7	1.4	1.79	0.14	0.05	12.6	3.9	0.2	337	3.78	0.01
ANG30543	29.7	13	0.47	27.9	1.93	1.74	0.11	0.05	15	4.6	0.2	280	4.65	0.01
ANG30544	23.1	15	0.5	28.6	1.76	3.07	0.09	0.06	11.1	5.1	0.2	590	3.31	0.01
ANG30545	22.6	11	0.38	22.1	1.69	1.76	0.1	0.05	11.7	3.5	0.18	205	5.14	0.01
ANG30546	28.8	17	0.72	15.5	1.67	4.11	0.06	0.04	15.1	4.6	0.13	143	6.08	-0.01
ANG30548	25.4	11	0.29	19.4	1.71	2.03	0.09	0.08	12.3	3.9	0.13	230	8.85	0.01
ANG30549	18.25	10	0.41	12.3	1.32	2.14	0.02	0.05	9.2	4.3	0.14	128	2.65	0.02
ANG30550	29.2	5	0.81	52.4	2.49	0.67	0.07	0.05	14.8	1	0.76	192	8.19	0.01
ANG30551	14.4	4	2.43	24.8	3.22	0.31	0.21	0.04	8.3	0.6	0.06	335	1.92	-0.01
ANG30552	33.4	10	0.69	21.3	3.62	1.05	0.07	0.06	14.2	4.4	0.14	272	6.24	-0.01
ANG30553	51.1	12	0.43	96.2	4.32	0.98	0.25	0.05	27.9	0.5	0.91	277	19	0.01
ANG30554	54.7	25	0.5	116.5	2.94	2.37	0.57	0.1	29.4	1.8	1.22	211	100.5	0.01
ANG30555	26	35	0.23	321	1.65	1.43	0.68	0.05	20.7	1.5	0.4	268	56.4	0.02
ANG30556	52.1	78	0.47	269	3.26	1.95	0.41	0.14	41.4	0.9	0.6	271	130.5	0.01
ANG30557	16.35	10	0.18	116.5	1.59	0.98	0.17	0.03	9	1	0.36	298	8.12	0.02
ANG30558	27.7	8	0.26	78.2	2.62	0.99	0.13	0.04	14.8	1.5	0.51	357	11	0.01
ANG30559	26.3	8	0.29	18.6	2.55	1.76	0.02	0.06	12.2	2.3	0.09	365	3.71	-0.01
ANG30560	21.6	13	0.34	35.4	2.93	2.04	0.09	0.09	9.9	4	0.25	1170	3.07	0.02
ANG30562	28.4	18	0.29	123.5	2.67	1.68	0.36	0.05	18.8	2.5	0.71	1170	36	0.01
ANG30563	15.9	6	0.14	54.5	1.85	0.58	0.15	0.03	9.1	1	1.55	249	38.2	0.01
ANG30564	38.8	7	0.19	33.4	1.84	0.66	0.17	0.04	20.4	0.7	0.17	178	20	0.01
ANG30565	26.8	9	0.19	45.7	2.5	0.94	0.08	0.03	13.6	1.9	0.86	375	9.55	0.01
ANG30566	37.1	8	0.35	23	1.78	0.89	0.05	0.04	19.1	1.2	0.11	172	4.52	0.01
ANG30568	24.1	17	0.19	37.7	2.13	0.57	0.23	0.03	18	2	1.99	398	90.9	0.02
ANG30569	28.3	25	0.32	51.6	2.24	1.77	0.31	0.04	19.1	2.3	0.05	195	39.5	-0.01
ANG30571	13.1	9	0.26	35.2	1.22	1.63	0.08	0.03	7.3	2.4	0.15	318	3.94	0.02
ANG30572	27.2	19	0.5	27.7	2.11	2.68	0.11	0.05	15.2	6.4	0.22	276	16.95	0.01
ANG30573	32.5	28	0.45	102.5	2.37	2.6	0.4	0.05	22.3	4.4	0.24	456	35.5	0.01
ANG30574	28.9	18	0.26	68.5	1.8	1.61	0.23	0.04	19.8	2.5	0.16	276	22.8	0.01
ANG30575	39.6	17	0.33	71.3	2.09	1.49	0.21	0.04	26.3	2.6	0.21	391	30.8	0.01
ANG30576	23.8	13	0.51	76.2	1.6	1.54	0.22	0.04	12.7	2.7	0.19	268	8.2	0.01
ANG30577	38.6	17	0.61	36.8	2.38	2.62	0.07	0.04	20.1	6	0.2	215	15.5	0.01
ANG30579	21.3	3	0.23	25.4	1.43	0.26	0.08	0.02	11.4	0.4	3.04	206	26.8	-0.01
ANG30580	19.15	8	0.21	32.9	1.82	0.82	0.13	0.03	11	1.7	1.18	232	21.5	-0.01
ANG30584	31.4	18	0.25	153	2.38	1.29	0.82	0.05	24.4	1	0.36	267	44.4	0.03
ANG30585	7.9	14	6.35	9.2	1.61	1.01	0.08	0.02	3.2	2.7	0.02	174	1.76	-0.01
ANG30586	11	8	5.16	24.3	2.32	0.55	0.13	0.02	5.5	2.6	0.05	487	1.97	0.01
ANG30587	11.95	8	3.09	24.4	1.67	1.06	0.51	0.03	7.1	2.9	0.06	264	2.95	0.01
ANG30588	20.3	5	0.33	39.3	2.96	0.46	0.08	0.03	11.4	1	2.35	227	36.3	-0.01
ANG30589	28.6	5	0.79	25	2.45	0.64	0.07	0.05	15.1	1.5	0.73	218	10.7	-0.01
ANG30590	21.7	4	0.6	18.4	2.25	1.22	0.02	0.07	10.6	2.1	0.11	319	4.21	0.01
ANG30591	25.8	11	1.03	27.2	2.45	1.37	0.15	0.05	13.3	2.9	0.22	186	8.97	0.01
ANG30592	18.15	10	0.65	56.1	2.89	0.95	0.12	0.04	11	2.4	0.21	324	16.45	-0.01
ANG30593	24.5	6	0.78	26.8	2.44	0.69	0.05	0.04	12.8	1	0.3	234	2.68	-0.01
ANG30594	24.8	5	0.55	26.6	2.71	0.73	0.06	0.05	13.7	1.3	0.85	187	14.65	-0.01
ANG30595	26.7	4	0.64	30.4	3	0.6	0.08	0.05	14.2	1.2	0.95	194	17.9	-0.01
ANG30596	27.8	6	0.53	30.2	2.97	0.75	0.08	0.05	15.1	1.6	1.06	196	16.65	-0.01
ANG30597	20.5	9	0.71	62.9	3	1.08	0.24	0.05	12.3	1.5	1.12	232	50.2	-0.01
ANG30598	16.4	7	0.32	30.7	2.27	0.88	0.13	0.04	9.1	1.6	0.71	248	16.95	0.01
ANG30599	11.2	5	0.49	23.2	2.36	0.45	0.54	0.03	5.4	1.2	1.67	580	22.2	-0.01
ANG30600	13.95	5	2.6	27	3.29	0.31	0.21	0.04	8.6	0.6	0.06	327	2.01	-0.01
ANG30601	21.9	19	0.24	108.5	1.42	1.5	0.65	0.04	17.7	1.7	0.12	356	10.65	0.01
ANG30602	28.1	21	0.76	38.8	3.21	2.97	0.22	0.06	15.7	8.4	0.3	397	4.55	-0.01
ANG30603	23.6	11	0.64	56.5	3.64	1.88	0.02	0.04	13.3	3.6	0.12	165	3.73	-0.01
ANG30604	25.8	22	0.31	244	1.64	1.33	0.73	0.04	22.4	1.4	0.14	357	30	0.01
ANG30649	32.2	8	0.79	61.4	2.09	1.43	0.12	0.05	15.7	3.9	0.07	717	2.95	-0.01
ANG30651	22.4	14	0.34	61.4	2.5	1.3	0.21	0.05	14.7	3	0.31	255	9.89	-0.01
ANG30652	23	17	0.41	35.2	2.04	1.68	0.09	0.06	12.9	4.1	0.49	292	6.3	0.01
ANG30654	21.9	14	0.43	29.6	2.07	1.55	0.1	0.05	12.7	4.1	0.39	287	8.75	0.01
ANG30655	24	15	0.57	39.9	1.99	1.7	0.13	0.06	13.9	4.5	0.63	294	11.8	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30538	57.2	1240	23	4	0.02	9.44	1.3	113.5	0.05	4.9	0.14	1.88	263	VA08138826
ANG30539	55.7	990	30.6	4.8	0.03	8.28	2.3	87.8	0.04	2.5	0.14	1.88	315	VA08138826
ANG30540	43.5	840	28	4	0.03	6.6	1.7	76.1	0.05	1.7	0.09	1.34	235	VA08138826
ANG30541	32.9	840	12.3	4.3	0.06	3.58	2.1	42.7	0.04	1	0.11	3.43	183	VA08138826
ANG30543	47	500	12.2	4.8	0.03	4.12	2.3	23	0.04	2.3	0.11	1.17	186	VA08138826
ANG30544	28.5	770	16.1	5.1	0.06	2.37	1.2	33.3	0.03	1.1	0.1	1.62	212	VA08138826
ANG30545	33.6	570	13.4	4.4	0.05	4.77	1.3	30.3	0.03	1.2	0.08	0.99	277	VA08138826
ANG30546	23	400	14.3	5.5	0.03	2.47	1	14.2	0.04	1.6	0.14	0.95	169	VA08138826
ANG30548	44.9	660	20.8	5.1	0.06	4.3	3.2	28.4	0.04	1.5	0.13	1.65	190	VA08138826
ANG30549	19.3	170	10.5	5	0.01	1	0.4	14.2	0.02	2	0.07	0.67	87	VA08138826
ANG30550	80.7	680	18.5	3	0.29	6.01	5.5	101.5	0.12	3.7	0.11	2.73	233	VA08138826
ANG30551	123.5	450	36.3	3.5	0.3	5.11	1.4	71.7	0.15	5.6	0.16	1.68	368	VA08141992
ANG30552	43	780	20.5	5.9	0.08	3.3	1	48.4	0.02	1.7	0.11	1.86	99	VA08141992
ANG30553	195	1120	24.6	2.7	0.06	12.6	12.4	98.9	0.15	7.9	0.22	3.77	961	VA08141992
ANG30554	165	2530	46.4	5.1	0.07	12.7	39.3	239	0.48	12.9	0.52	7.08	1175	VA08141992
ANG30555	272	1980	59.7	3.6	0.1	9.51	14.8	172.5	0.21	0.7	0.32	2.92	2220	VA08141992
ANG30556	527	9220	63.6	8.6	0.05	20.3	38.7	511	0.42	10.3	1.06	7.01	2110	VA08141992
ANG30557	71.5	1210	13.1	2.8	0.07	5.83	3.3	50.6	0.06	0.7	0.1	1.72	463	VA08141992
ANG30558	71.7	1550	22.6	3.5	0.06	5.52	2.3	60	0.08	1.7	0.13	1.47	296	VA08141992
ANG30559	34.6	390	11.9	5.6	0.03	2.46	0.7	14.7	0.04	2.3	0.11	0.93	116	VA08141992
ANG30560	43.9	1060	21.6	7.9	0.12	2.18	1.3	60.2	0.04	1.1	0.1	0.94	183	VA08141992
ANG30562	177	2520	33.7	4.7	0.07	19.45	10.6	117	0.2	1.7	0.37	2.16	1910	VA08141992
ANG30563	106	1050	18.3	2.2	0.07	8.16	3.3	77.9	0.06	1.1	0.19	1.56	467	VA08141992
ANG30564	64.3	1100	20.2	2.4	0.05	9.21	3	35.6	0.07	4.9	0.2	1.22	458	VA08141992
ANG30565	87.6	1420	29.8	2.6	0.04	5.94	2.5	178	0.09	4.4	0.09	1.21	372	VA08141992
ANG30566	34.3	710	19.5	2.6	0.05	6.95	1.7	29.1	0.04	3.4	0.06	0.9	187	VA08141992
ANG30568	293	900	25.9	3	0.04	8.8	12.4	358	0.17	0.9	0.68	3.04	645	VA08141992
ANG30569	131	2050	30.2	5.2	0.06	7.63	11.7	99.8	0.24	1.4	0.3	4.22	579	VA08141992
ANG30571	47.4	940	8.8	3.5	0.08	2.28	2.2	51.6	0.04	0.9	0.07	1.6	177	VA08141992
ANG30572	37.4	740	16.8	6.5	0.08	4.14	5.2	91.4	0.11	2	0.11	2.6	302	VA08141992
ANG30573	167.5	1610	25.6	6	0.1	11.85	10	89.2	0.23	1.2	0.31	4.64	1640	VA08141992
ANG30574	123	1470	23.5	4.1	0.08	6.95	6.6	88.8	0.16	1.3	0.3	2.75	788	VA08141992
ANG30575	155	1390	23.8	3.8	0.06	8.32	6.5	77.4	0.11	3.4	0.38	2.34	715	VA08141992
ANG30576	50.5	960	12	6	0.09	3.6	2.6	48.1	0.05	1.2	0.13	2.75	1180	VA08141992
ANG30577	64	740	21.1	5.5	0.03	3.69	2	19.5	0.05	3	0.18	1.4	283	VA08141992
ANG30579	74	600	17.8	1.4	0.03	3.08	2.4	105	0.03	5.3	0.17	1.29	185	VA08141992
ANG30580	80.6	860	22.5	2.2	0.05	4.28	3.2	56.3	0.06	1.5	0.14	1.38	491	VA08141992
ANG30584	262	1650	24.8	3.3	0.07	20.7	15.2	183.5	0.21	2.2	0.37	3.79	2100	VA08141992
ANG30585	40	370	30.4	2.3	0.03	7.71	0.4	39.3	0.15	2.3	0.08	0.48	99	VA08141992
ANG30586	47	590	17	2	0.07	6.31	1	74.2	0.07	1.5	0.07	0.86	80	VA08141992
ANG30587	38.9	570	145.5	3	0.06	3.52	0.9	35.1	0.06	1.4	0.08	1.04	586	VA08141992
ANG30588	78.8	1060	16.4	2.1	0.03	9.88	2.4	123	0.05	6.3	0.16	2.44	271	VA08141992
ANG30589	53.6	1150	14.4	3.5	0.03	7.67	1.2	91.5	0.03	4	0.21	1.83	113	VA08141992
ANG30590	28	560	14.7	4.7	0.05	2.09	0.6	43.9	0.02	1.8	0.13	0.92	53	VA08141992
ANG30591	49.8	1100	18.5	4.2	0.05	6.43	1.2	40.1	0.04	3.4	0.15	2.04	188	VA08141992
ANG30592	119	1150	15.3	3.7	0.06	6.47	3.6	62.2	0.09	2.4	0.12	1.96	436	VA08141992
ANG30593	43.5	1410	13.5	3.1	0.08	2.62	0.7	64.2	0.02	2.7	0.03	1.17	177	VA08141992
ANG30594	63.2	950	15.3	3.2	0.04	11.65	1.1	121.5	0.04	4.9	0.19	1.75	252	VA08141992
ANG30595	68.2	1280	16.2	3.2	0.06	11.5	1.4	138	0.05	5.4	0.21	2.06	279	VA08141992
ANG30596	65.7	1220	15.5	3.3	0.03	9.26	1.4	92.9	0.04	5.4	0.2	1.9	223	VA08141992
ANG30597	133	1210	20.5	3.7	0.06	14.7	3.4	124.5	0.1	4.1	0.38	3.38	553	VA08141992
ANG30598	67.8	720	14.8	2.6	0.05	10.15	2.4	58.8	0.05	1.5	0.12	2.14	222	VA08141992
ANG30599	69.4	670	17.3	1.7	0.05	6.3	2.4	94.2	0.05	5.3	0.08	1.38	1220	VA08141992
ANG30600	122	450	37	3.2	0.32	4.61	1.6	66.4	0.15	5.3	0.15	1.73	368	VA08141992
ANG30601	75.6	2270	48.5	4.6	0.12	8.02	9.5	186.5	0.22	1	0.21	4.81	824	VA08141992
ANG30602	54.7	1100	20.7	7.6	0.04	2.56	2.3	49.5	0.08	4	0.1	2.12	899	VA08141992
ANG30603	47	910	34.9	5.3	0.06	3.78	4.1	42.2	0.13	2.6	0.06	1.58	170	VA08141992
ANG30604	255	2070	39.1	3.8	0.13	15.6	10.8	190.5	0.24	0.6	0.27	8.33	1970	VA08141992
ANG30649	36.7	650	19.2	5.3	0.03	2.56	1.7	40.6	0.15	2.8	0.13	3.84	206	VA08141992
ANG30651	68.5	740	20.3	5.6	0.05	4.44	4.4	52.8	0.07	1.5	0.12	1.26	193	VA08141992
ANG30652	46	650	13.6	5.1	0.04	2.61	2.3	49.4	0.05	2.8	0.09	1.02	153	VA08141992
ANG30654	60.7	780	17.7	4.9	0.04	4.18	3	48.2	0.08	2.4	0.11	1.04	276	VA08141992
ANG30655	77.3	1370	12.7	5	0.04	7.16	4.1	105	0.09	4.5	0.17	1.3	425	VA08141992

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30656	NAD83-8	633214	6856608	10	1.2	0.43	22.8	550	0.31	0.15	1.68	2.26	6.7
ANG30657	NAD83-8	633184	6856563	3	0.35	0.34	15.8	470	0.21	0.13	3	3.04	9.2
ANG30658	NAD83-8	633135	6856487	7	0.98	0.5	25.4	1050	0.36	0.15	2.98	5.47	9.5
ANG30659	NAD83-8	633128	6856476	35	0.46	0.54	158	390	1.2	0.32	2.91	11.25	26.7
ANG30660	NAD83-8	633106	6856441	10	0.35	0.29	36	190	0.36	0.19	4.34	0.86	13.8
ANG30661	NAD83-8	633077	6856397	7	0.8	0.25	58.4	190	0.48	0.2	2.4	1.56	18.1
ANG30662	NAD83-8	633050	6856355	5	1.39	0.31	34.9	390	0.43	0.17	1.92	3.09	10.8
ANG30663	NAD83-8	633022	6856312	9	1.92	0.23	41.9	420	0.48	0.19	0.89	4.16	9.7
ANG30664	NAD83-8	632995	6856269	52	1.15	0.38	21.4	230	0.4	0.17	2.76	2.47	8.7
ANG30665	NAD83-8	632967	6856227	4	1.49	0.26	26.1	180	0.38	0.17	2.4	3.33	8.6
ANG30666	NAD83-8	632942	6856187	6	1.18	0.39	44.7	250	0.45	0.17	2.66	3.07	10.8
ANG30667	NAD83-8	632914	6856144	5	0.4	0.31	30.6	270	0.36	0.13	2.18	1.2	8.1
ANG30668	NAD83-8	632887	6856101	3	0.83	0.39	55	340	0.47	0.2	1.98	2.24	15.4
ANG30669	NAD83-8	632860	6856060	6	0.61	0.55	32.4	480	0.51	0.2	3.22	2.17	11.9
ANG30670	NAD83-8	632833	6856018	4	0.61	0.59	49.1	560	0.51	0.18	3.01	2.43	12.3
ANG30671	NAD83-8	632806	6855975	7	0.51	0.99	24.2	670	0.5	0.27	1.81	1.78	12.6
ANG30672	NAD83-8	632777	6855931	1	0.48	0.59	26.9	420	0.37	0.33	1.17	1.43	12.5
ANG30674	NAD83-8	632725	6855850	4	0.54	0.9	25.9	650	0.52	0.24	2.51	2.13	12.7
ANG30675	NAD83-8	632697	6855807	3	0.37	0.43	15.8	530	0.4	0.14	2.51	2	9.4
ANG30676	NAD83-8	632670	6855765	3	0.41	0.41	14.4	520	0.42	0.13	2.93	2.43	9.4
ANG30678	NAD83-8	632615	6855680	3	0.39	0.43	14.2	530	0.43	0.15	2.83	2.02	9.2
ANG30701	NAD83-8	633545	6856567	11	1.55	0.42	20.9	630	0.31	0.18	0.76	2.45	6.7
ANG30702	NAD83-8	633516	6856525	4	1.97	0.42	24.9	1320	0.39	0.15	1.9	18	7.4
ANG30703	NAD83-8	633490	6856484	5	1.62	0.42	17.2	770	0.26	0.11	0.79	7.57	3.9
ANG30704	NAD83-8	633464	6856441	2	1.03	0.29	12.5	690	0.13	0.09	1.57	7.11	3.3
ANG30705	NAD83-8	633409	6856358	1	0.36	0.31	15.3	180	0.37	0.17	2.48	1.84	11.8
ANG30706	NAD83-8	633380	6856317	2	0.51	0.42	21.1	640	0.36	0.2	2.23	1.54	12.2
ANG30707	NAD83-8	633355	6856275	2	0.53	0.29	17.2	110	0.39	0.23	0.85	1.5	10.3
ANG30708	NAD83-8	633326	6856231	1	0.38	0.35	15.3	120	0.42	0.23	0.96	1.07	12.5
ANG30709	NAD83-8	633300	6856189	6	0.38	0.34	35.3	140	0.41	0.2	3.15	0.97	14.8
ANG30710	NAD83-8	633273	6856147	3	0.26	0.3	12.2	100	0.33	0.17	2.37	0.3	11.4
ANG30711	NAD83-8	633247	6856106	1	1.3	0.18	40.6	110	0.29	0.16	3.41	3.4	9.5
ANG30712	NAD83-8	633219	6856064	1	1.75	0.42	26.7	200	0.5	0.17	2.28	3.04	9
ANG30713	NAD83-8	633192	6856022	5	3.34	0.16	46.1	130	0.65	0.21	3.49	4.6	11.9
ANG30714	NAD83-8	633164	6855979	3	1.63	0.33	36.8	270	0.48	0.18	2.66	3.06	10.3
ANG30715	NAD83-8	633136	6855937	1	0.66	0.24	13.4	140	0.29	0.13	3.28	1.65	5.6
ANG30717	NAD83-8	633083	6855853	1	0.24	0.32	20	150	0.37	0.15	1.13	0.53	9.7
ANG30718	NAD83-8	633056	6855811	-1	0.23	0.55	18.7	160	0.33	0.14	1.04	0.22	9.5
ANG30719	NAD83-8	633029	6855775	-1	0.17	0.23	60.1	90	0.33	0.18	3.77	0.8	16.7
ANG30720	NAD83-8	633001	6855726	-1	0.57	0.65	12.2	680	0.29	0.13	1.9	1.38	6.2
ANG30721	NAD83-8	632947	6855643	4	0.74	0.6	41.1	250	0.6	0.34	0.94	2.3	10.2
ANG30722	NAD83-8	632920	6855600	6	1.32	0.53	40	290	0.61	0.35	1.91	3.58	8.5
ANG30723	NAD83-8	632893	6855559	5	0.61	0.57	24.6	1350	0.42	0.34	1.61	1.18	7.7
ANG30724	NAD83-8	635144	6854622	-1	0.33	0.34	26.3	90	0.46	0.13	8.84	0.4	9.9
ANG30726	NAD83-8	635198	6854705	-1	3.82	0.33	25.8	100	0.41	0.24	1.39	0.76	10.2
ANG30728	NAD83-8	635252	6854790	-1	0.77	0.58	47.6	160	0.57	0.17	1.09	1.92	13.4
ANG30729	NAD83-8	635280	6854832	2	0.92	0.47	41.4	170	0.49	0.17	1.02	1.56	10.7
ANG30730	NAD83-8	635306	6854874	2	1.02	0.74	18.9	280	0.52	0.17	1.61	1.5	9.4
ANG30731	NAD83-8	635333	6854915	1	0.52	0.53	18.9	230	0.61	0.23	1.38	0.79	12.4
ANG30732	NAD83-8	635364	6854958	1	0.48	0.48	14.1	250	0.48	0.17	0.72	1.03	10
ANG30733	NAD83-8	635387	6855000	6	0.73	0.51	35.7	250	0.38	0.22	1.06	2.4	12.9
ANG30734	NAD83-8	635415	6855044	3	0.6	0.38	29.1	160	0.3	0.23	1.13	1.83	11.6
ANG30735	NAD83-8	635440	6855082	12	0.65	0.91	40.8	7720	0.29	0.2	0.9	1.57	11
ANG30737	NAD83-8	635495	6855166	6	0.9	0.34	14.4	220	0.35	0.17	6.09	1.06	8.7
ANG30738	NAD83-8	635524	6855208	1	1.21	0.19	20.7	140	0.31	0.2	6.61	1.03	9.2
ANG30739	NAD83-8	635554	6855251	5	1.29	0.6	18	280	0.47	0.18	2.4	1.05	10.5
ANG30740	NAD83-8	635580	6855292	4	0.94	0.47	33.4	310	0.56	0.22	4.4	1.41	11.5
ANG30741	NAD83-8	635607	6855334	6	1.76	0.76	20.8	360	0.58	0.28	1.61	0.9	17.1
ANG30742	NAD83-8	635634	6855376	3	0.62	0.92	10.1	870	0.49	0.15	0.87	1.06	7
ANG30743	NAD83-8	635660	6855417	-1	0.46	0.63	6.9	830	0.41	0.13	0.48	0.38	5.8
ANG30744	NAD83-8	635687	6855460	3	0.55	0.72	11.8	930	0.41	0.15	0.21	0.76	7.4
ANG30745	NAD83-8	635717	6855501	6	0.8	0.5	13.3	680	0.44	0.23	0.6	0.63	10.1
ANG30746	NAD83-8	635743	6855543	3	0.46	0.47	9.4	920	0.35	0.16	1.48	1.16	7.3

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30656	24.7	12	0.42	39.8	1.76	1.4	0.14	0.05	14.6	3.1	0.62	213	10.35	0.01
ANG30657	14.3	10	0.35	33.1	1.81	1	0.05	0.04	8.2	2.3	0.3	152	6.24	0.02
ANG30658	22.3	12	0.42	67.4	2.05	1.35	0.13	0.08	12.9	3	0.82	227	11.95	0.01
ANG30659	26.1	10	0.66	140.5	4.27	1.1	0.05	0.06	14.3	2	0.56	422	14.95	-0.01
ANG30660	19.5	5	0.45	40.9	2.54	0.84	0.04	0.04	11.3	2.3	1.01	262	3.74	-0.01
ANG30661	22	6	0.58	60.8	3.11	0.79	0.06	0.04	12.9	1.9	0.83	271	8.83	-0.01
ANG30662	18.1	9	0.29	58.4	2.63	0.96	0.1	0.04	10.6	2.2	0.74	304	20.5	-0.01
ANG30663	20.6	9	0.43	64	2.59	0.83	0.2	0.04	13.3	1.3	0.23	315	42.3	-0.01
ANG30664	17.8	12	0.38	52.5	2.41	1.19	0.09	0.05	9.6	2.8	1.08	342	14.1	0.01
ANG30665	13.65	8	0.29	54.4	2.3	0.77	0.1	0.04	7.6	1.6	0.88	314	20.6	0.01
ANG30666	16.6	11	0.6	49.7	2.43	1.15	0.09	0.05	8.8	3.3	0.85	236	18.15	0.01
ANG30667	11.95	7	0.4	25	2.5	0.91	0.06	0.04	6.4	2.5	0.4	267	5.06	0.02
ANG30668	22.6	13	0.73	39.8	3.52	1.18	0.08	0.04	12.1	4.6	0.34	424	8.55	0.01
ANG30669	25.1	15	0.9	40.4	2.61	1.71	0.11	0.08	13.2	5.8	0.72	380	8.62	0.02
ANG30670	25.9	15	1.03	38.8	2.62	1.84	0.09	0.09	13.3	6.7	0.92	370	12.4	0.02
ANG30671	29.4	25	1.12	52.3	2.64	3.27	0.13	0.13	16.2	11.3	0.82	479	5.1	0.02
ANG30672	22.3	19	0.74	52.7	2.7	1.93	0.1	0.07	12.1	5.9	0.53	379	5.49	0.02
ANG30674	28.9	24	1.15	48.9	2.74	2.88	0.15	0.14	16.1	9.9	1	531	8.6	0.02
ANG30675	19.65	15	0.79	32.2	2.11	1.34	0.09	0.06	10.9	5.6	0.7	331	5.17	0.01
ANG30676	19.55	16	0.8	34.1	2.12	1.19	0.11	0.06	10.3	5.5	0.66	309	4.82	0.02
ANG30678	20.7	18	0.81	32.4	2.16	1.31	0.1	0.06	10.8	6.2	0.75	303	4.89	0.02
ANG30701	20.4	16	0.31	43.5	2	1.37	0.16	0.04	12.1	3.2	0.28	186	11.6	0.01
ANG30702	15.9	16	0.27	126.5	1.78	1.17	0.24	0.04	9.4	3.2	0.45	348	11.95	0.02
ANG30703	12.75	13	0.27	113.5	1.35	1.14	0.26	0.03	8.6	2.3	0.1	144	9.99	0.03
ANG30704	8.18	10	0.17	32.7	1.06	0.8	0.11	0.03	4.8	1.1	0.19	136	7.72	0.03
ANG30705	29.1	7	0.28	31.2	3.09	0.99	0.03	0.03	16.5	5.1	0.4	285	3.54	0.01
ANG30706	27.8	10	0.54	42.8	2.72	1.21	0.05	0.05	16.5	3.4	0.56	177	7.35	0.02
ANG30707	22.3	6	0.47	36.5	3.1	0.86	0.04	0.03	12.7	2.9	0.15	230	5.08	0.01
ANG30708	20.4	7	0.55	36.4	3.35	0.95	0.05	0.03	11.6	2.7	0.16	367	3.71	0.01
ANG30709	18.5	8	0.49	56.5	3.1	0.99	0.06	0.04	10.2	3	0.68	223	3.8	0.01
ANG30710	16.65	8	0.32	36.7	2.72	0.84	0.03	0.03	9.4	2.2	0.62	217	1.88	0.02
ANG30711	10.05	5	0.26	48.6	2.25	0.47	0.11	0.03	5.7	1.1	0.9	166	23.5	0.02
ANG30712	14.95	8	0.17	48.9	2.62	1.12	0.09	0.05	8.5	3.6	0.85	138	38.9	0.01
ANG30713	18.15	8	0.26	110	3.23	0.58	0.23	0.04	11.2	1.3	1.46	178	63.6	0.01
ANG30714	16.9	10	0.3	54.7	2.65	1.01	0.13	0.05	9.7	2.6	1.02	209	41.8	0.02
ANG30715	17.6	6	0.29	26.4	1.42	0.65	0.06	0.03	9.1	2.1	1.59	208	3.21	0.01
ANG30717	15.8	7	0.42	22.8	2.68	0.82	0.05	0.04	8	2.3	0.16	193	3.17	0.01
ANG30718	21.7	9	0.63	20.8	2.41	1.11	0.05	0.06	10.7	4.8	0.18	189	3.6	0.01
ANG30719	35.7	5	0.78	25.7	3.13	0.64	0.04	0.05	18.3	1.8	0.68	353	6.52	0.01
ANG30720	14.7	14	0.32	24.1	1.67	1.82	0.07	0.06	7.7	4.9	0.35	297	4.58	0.03
ANG30721	30.1	14	0.79	41.7	2.94	1.76	0.12	0.09	17.5	4.9	0.42	332	20.4	0.01
ANG30722	21.2	13	0.48	56.9	2.6	1.57	0.15	0.08	11.9	4.2	0.62	322	23.9	0.02
ANG30723	22.9	14	0.35	44.7	2.52	1.63	0.15	0.06	12.9	4.7	0.3	462	8.05	0.03
ANG30724	18.95	10	0.56	19.3	2.36	0.96	0.06	0.03	10.4	5.6	0.19	575	2.07	0.01
ANG30726	17	10	0.88	70.5	2.29	0.84	0.14	0.06	9.7	5.6	0.51	290	12.55	0.01
ANG30728	24.1	15	1.96	38.1	3.14	1.63	0.08	0.04	13.4	10	0.32	425	9.49	0.01
ANG30729	25.2	18	1.18	33.9	3.2	1.24	0.07	0.04	14.3	6.8	0.31	224	9.38	0.01
ANG30730	28.4	22	0.55	41.8	2.65	1.98	0.09	0.05	15.4	8.9	0.75	311	10.45	0.02
ANG30731	25.7	12	0.37	31.4	3.09	1.43	0.05	0.04	14	3.8	0.32	217	4.74	0.01
ANG30732	19.3	10	0.26	24.2	2.95	1.17	0.03	0.03	10.3	6.7	0.16	248	3.95	0.01
ANG30733	25.4	12	0.46	47.4	3.02	1.39	0.08	0.04	14.5	5	0.21	260	6.03	0.02
ANG30734	22.8	9	0.41	37.7	2.86	0.99	0.07	0.03	11.7	2.3	0.16	202	5.42	-0.01
ANG30735	28	12	0.48	40.3	2.96	1.77	0.1	0.13	15	3.4	0.19	217	5.85	0.09
ANG30737	20.4	7	0.21	42.9	2.01	0.82	0.14	0.04	10.3	1.9	1.6	297	11	-0.01
ANG30738	31.1	6	0.17	54.7	2.07	0.48	0.17	0.06	15.2	0.7	2	276	18.75	-0.01
ANG30739	29.3	19	0.25	149	2.53	1.71	0.18	0.07	15.9	4.8	1.03	363	9.85	-0.01
ANG30740	31.7	14	0.23	364	2.71	1.14	0.19	0.06	18.1	2.6	2.14	463	23.2	-0.01
ANG30741	33.5	17	0.26	54.1	4.1	1.85	0.3	0.05	21.7	4.4	0.23	336	11.35	-0.01
ANG30742	27.9	23	0.38	34.7	2.03	2.49	0.09	0.05	16.3	8	0.42	269	4.03	-0.01
ANG30743	22.5	13	0.45	22.6	1.58	1.65	0.03	0.04	11.5	4	0.2	250	2.17	-0.01
ANG30744	39	18	0.42	20	2.19	1.77	0.05	0.06	19.3	4.7	0.19	213	3.4	-0.01
ANG30745	30.6	12	0.43	37.8	2.27	1.28	0.07	0.06	16	2.5	0.21	213	4.29	-0.01
ANG30746	17.3	10	0.28	33.9	1.77	1.08	0.06	0.05	8.9	2.1	0.28	263	3.02	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30656	59.8	1120	16.4	4.2	0.04	7.4	3.2	90.9	0.09	2.4	0.11	1.16	286	VA08141992
ANG30657	55.6	830	8.5	2.7	0.05	4.56	2.9	117	0.07	1.4	0.06	1.35	304	VA08141992
ANG30658	92.6	1210	17	5.2	0.05	8.85	4.6	143	0.1	2.1	0.15	2.39	674	VA08141992
ANG30659	186.5	1840	12.8	4.1	0.1	8.91	24.6	93.6	0.04	15.4	0.42	5.65	2160	VA08141992
ANG30660	39.2	940	7.6	3	0.04	4.2	1.4	93.6	0.03	4.9	0.05	1.03	143	VA08141992
ANG30661	51.3	910	10.7	3	0.06	11.25	1.6	53.9	0.04	4.3	0.06	1.07	219	VA08141992
ANG30662	63.9	980	13.6	3.2	0.04	8.27	2.1	71.4	0.07	2.3	0.08	1.52	426	VA08141992
ANG30663	95.8	830	16.6	3.4	0.04	13.45	2.5	35.4	0.12	3.5	0.12	2.01	531	VA08141992
ANG30664	76.9	1570	15.1	4.1	0.03	6.65	1.7	117.5	0.06	2.5	0.09	1.34	388	VA08141992
ANG30665	77.7	1250	15.3	3.3	0.03	10.1	2.1	95.2	0.07	1.4	0.09	1.74	481	VA08141992
ANG30666	71.9	1180	18.4	4.1	0.05	11.65	2.1	115.5	0.05	2.1	0.12	1.78	360	VA08141992
ANG30667	39.6	810	11.7	3	0.1	6.47	1.2	61.4	0.03	1.3	0.07	1.19	143	VA08141992
ANG30668	70.2	1330	16.1	4.3	0.12	8.89	1.5	69.1	0.07	2.5	0.1	1.07	234	VA08141992
ANG30669	56.9	1010	18.6	6.1	0.08	6.07	1.9	99.6	0.04	4.2	0.15	1.22	241	VA08141992
ANG30670	65.4	1650	14.4	6.8	0.08	7.24	2.6	143	0.04	5.8	0.15	2.4	274	VA08141992
ANG30671	59.9	1260	19.7	10.7	0.04	3.57	1.6	91.8	0.06	5.3	0.17	1.41	202	VA08141993
ANG30672	60.5	1020	32.1	6.4	0.05	4.88	1.4	58.5	0.06	4.2	0.19	1.09	262	VA08141993
ANG30674	59.5	1250	30.8	11.1	0.03	5.34	2	111.5	0.05	5.4	0.18	1.91	345	VA08141993
ANG30675	41.4	1110	17.5	4.7	0.04	3.34	2.5	92.6	0.05	3.3	0.11	1.59	206	VA08141993
ANG30676	44.7	1140	18.8	4.8	0.06	3.1	2.7	99.9	0.05	3.2	0.11	1.98	273	VA08141993
ANG30678	42.2	1100	17.2	4.8	0.05	3.18	2.4	99.3	0.04	3.4	0.13	1.7	226	VA08141993
ANG30701	57.2	1150	18.2	3.9	0.02	6.82	3	58.4	0.11	3.1	0.1	1.14	327	VA08141993
ANG30702	104	1240	17.9	4.2	0.06	14.5	6.4	102	0.11	1.1	0.1	2.47	848	VA08141993
ANG30703	70	990	15	3.8	0.03	7.37	4.8	75.8	0.09	0.6	0.11	2.31	459	VA08141993
ANG30704	42.6	1130	10.7	2.5	0.05	6.39	4.8	96.4	0.07	0.4	0.06	2.06	327	VA08141993
ANG30705	35.3	790	14	2.6	0.02	4.44	1.6	76.9	0.03	5.4	0.03	0.57	205	VA08141993
ANG30706	50.5	960	12.2	4	0.02	6.42	2.5	88.9	0.05	5	0.08	0.97	247	VA08141993
ANG30707	36	700	19.2	2.9	0.03	5.45	1.1	31.3	0.03	2.9	0.04	0.91	192	VA08141993
ANG30708	35.1	680	20.9	2.9	0.04	4.04	1	32	0.03	3.2	0.03	0.79	191	VA08141993
ANG30709	38.4	960	20.4	3.4	0.04	4.81	1.1	84.4	0.03	2.6	0.05	0.8	184	VA08141993
ANG30710	28.1	710	8.4	2.7	0.04	3.02	0.7	46.4	0.03	2.1	0.03	0.53	86	VA08141993
ANG30711	57.3	960	22.9	2	0.08	13.85	4.5	116	0.07	0.6	0.11	1.45	507	VA08141993
ANG30712	66.7	550	21	3.3	0.04	9.69	4.3	81.8	0.1	2	0.08	1.62	438	VA08141993
ANG30713	114.5	790	19	3.2	0.04	20.4	5.4	111.5	0.11	4.5	0.16	2.43	851	VA08141993
ANG30714	98.9	1160	15.9	3.5	0.04	15.55	3.8	117.5	0.1	2.4	0.13	2.04	467	VA08141993
ANG30715	34.2	1350	14.9	2.5	0.02	8	2	233	0.04	3.4	0.06	0.9	160	VA08141993
ANG30717	33.1	810	17.5	3.6	0.04	3.72	1.3	58	0.02	2.9	0.07	1.55	95	VA08141993
ANG30718	33.6	820	16	5.3	0.03	4.07	0.8	53.2	0.02	1.9	0.09	2.42	102	VA08141993
ANG30719	45.4	1300	25.6	3.8	0.03	6.94	1.1	136	0.03	7.5	0.1	1.69	252	VA08141993
ANG30720	30.1	670	12.1	5	0.05	3.46	1.5	82.6	0.04	0.6	0.07	2.13	171	VA08141993
ANG30721	74.5	1400	46.3	6.8	0.01	11.3	2	89.4	0.07	6.3	0.19	1.9	482	VA08141993
ANG30722	81.9	950	31.2	5.3	0.02	12.3	2.1	85.6	0.08	3	0.17	1.7	529	VA08141993
ANG30723	42.3	640	32.4	4.7	0.06	5.6	1.9	92.3	0.06	1.1	0.09	2.32	244	VA08141993
ANG30724	54.3	690	13.2	3.3	0.05	7.16	1.1	238	0.15	0.9	0.1	0.95	122	VA08141993
ANG30726	55.6	2070	24.4	4	0.06	18.6	15.8	244	0.11	2.7	0.17	1.99	107	VA08141993
ANG30728	59.9	1420	22.6	4.1	0.05	11.9	1.9	61.3	0.06	1.6	0.13	1.88	408	VA08141993
ANG30729	55.5	1400	17	3.8	0.03	9.3	1.9	69.2	0.05	2.4	0.09	1.42	302	VA08141993
ANG30730	65.9	1920	21.9	4.8	0.02	6.9	2.1	126	0.06	2.1	0.09	1.5	240	VA08141993
ANG30731	35.9	1020	12.1	3.7	0.01	2.94	1.4	42	0.02	3.8	0.06	1.01	131	VA08141993
ANG30732	31.5	740	10.5	3	0.02	2.44	1.6	33.1	0.03	2.8	0.04	1.22	127	VA08141993
ANG30733	60.2	970	14.8	3.8	0.02	6.27	2.3	48.5	0.07	2.8	0.08	0.98	354	VA08141993
ANG30734	51	820	13.3	3	0.02	4.19	1.8	47.9	0.05	2	0.07	0.66	275	VA08141993
ANG30735	52.4	870	16.4	6.7	0.03	8.22	2.3	75.7	0.05	2	0.14	1.08	258	VA08141993
ANG30737	56.8	1640	22.9	2.7	0.03	6.57	2.3	235	0.08	1.4	0.07	1.14	174	VA08141993
ANG30738	82.2	2810	35.4	2.5	-0.01	10.6	3.2	234	0.13	8.4	0.1	1.59	258	VA08141993
ANG30739	79.6	1630	17.2	3.7	0.02	6.57	3.3	69.6	0.07	2.9	0.11	1.48	192	VA08141993
ANG30740	142.5	2510	28.6	3.6	0.02	17.7	12.2	127	0.17	4.7	0.15	2.76	199	VA08141993
ANG30741	125	2190	37.9	4.9	0.02	6.41	3.2	99.1	0.09	2	0.12	2.65	424	VA08141993
ANG30742	41.4	810	11.7	4.3	0.03	3	1.5	44.6	0.04	1.8	0.07	1.58	171	VA08141993
ANG30743	23.7	610	8.5	4.9	0.02	1.26	0.9	43.7	0.02	1.2	0.05	1.05	71	VA08141993
ANG30744	31.2	420	10.7	4.9	0.01	1.98	1	22	0.02	3.1	0.07	1.01	95	VA08141993
ANG30745	44.1	800	14	3.9	0.02	2.04	1.3	40.6	0.05	2.7	0.07	1.02	103	VA08141993
ANG30746	32.4	810	11.3	3.5	0.07	1.61	1.6	64.9	0.04	0.9	0.06	1.68	104	VA08141993

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30747	NAD83-8	635798	6855628	1	1.72	0.78	20.3	720	0.43	0.13	1.66	17.65	7.9
ANG30748	NAD83-8	635525	6855671	14	0.7	1.24	15.6	630	0.56	0.17	0.42	7.27	8.2
ANG30749	NAD83-8	635853	6855710	3	1.28	0.39	27.8	290	0.23	0.08	1.23	6.2	4
ANG30750	NAD83-8	635881	6855752	11	3.14	0.31	57.7	340	0.49	0.17	1.24	14.05	5.5
ANG30751	NAD83-8	633075	6856934	-1	0.63	0.47	12.1	160	0.45	0.18	0.84	1.29	9
ANG30753	NAD83-8	633019	6856854	1	0.37	0.73	14.7	370	0.38	0.13	1.4	1.59	6.9
ANG30754	NAD83-8	632990	6856811	4	0.4	0.97	16.7	530	0.49	0.19	1.17	2.27	10.5
ANG30755	NAD83-8	632965	6856769	4	0.49	1	19.7	870	0.53	0.2	1.5	2.09	10.1
ANG30756	NAD83-8	632936	6856722	7	1.21	0.81	44.9	490	0.51	0.21	1.35	6.4	11.5
ANG30757	NAD83-8	632909	6856686	7	0.91	0.45	43.7	470	0.32	0.22	1.34	3.68	10.9
ANG30759	NAD83-8	632854	6856601	3	0.46	1.16	14.6	640	0.65	0.21	0.91	1.51	11.3
ANG30760	NAD83-8	632828	6856559	4	0.51	0.85	38.2	540	0.67	0.29	4.44	2.01	17.2
ANG30761	NAD83-8	632801	6856516	3	0.55	0.27	29.7	510	0.29	0.18	3.05	3.48	10.6
ANG30762	NAD83-8	632772	6856475	3	0.69	0.85	20.7	540	0.53	0.19	1.55	2.57	9.3
ANG30763	NAD83-8	632746	6856433	4	0.43	0.97	15.9	460	0.51	0.2	0.7	0.66	7.9
ANG30764	NAD83-8	632720	6856392	2	0.38	0.44	15.4	580	0.49	0.14	3.36	2.35	8.7
ANG30765	NAD83-8	632690	6856348	2	0.36	0.93	10.8	470	0.48	0.17	1.64	1.54	7.5
ANG30766	NAD83-8	632663	6856308	5	0.48	0.97	14.4	630	0.53	0.19	1.31	1.59	10.4
ANG30767	NAD83-8	632636	6856266	3	0.29	0.83	10.1	470	0.48	0.15	0.87	0.77	7
ANG30768	NAD83-8	632608	6856221	3	0.41	0.97	14.8	440	0.47	0.18	1.46	0.81	7.2
ANG30769	NAD83-8	632581	6856182	71	0.38	0.93	13.7	470	0.48	0.16	1.27	1.19	8.5
ANG30770	NAD83-8	632365	6856843	3	0.46	0.83	23.1	570	0.68	0.22	1.22	1.51	10.7
ANG30771	NAD83-8	632415	6855930	1	0.35	0.63	11	360	0.37	0.12	0.43	0.57	5.5
ANG30772	NAD83-8	632443	6855973	2	0.29	0.91	11.9	530	0.45	0.16	1.19	1.18	7.8
ANG30773	NAD83-8	632471	6856014	3	0.25	1.1	15.8	680	0.65	0.24	1.08	0.85	11.3
ANG30774	NAD83-8	632498	6856055	3	0.42	0.96	15.5	550	0.51	0.21	1.12	1.17	10.3
ANG30775	NAD83-8	632526	6856098	6	0.41	0.93	13.9	520	0.45	0.2	0.92	1.33	9.3
ANG30776	NAD83-8	632553	6856140	3	0.41	1.05	15	560	0.44	0.2	1.44	1.24	10.6
ANG30777	NAD83-8	633934	6856608	2	0.32	0.61	11.8	580	0.29	0.16	1.1	1.02	7.2
ANG30778	NAD83-8	633910	6856565	3	0.26	0.45	5.1	410	0.18	0.07	1.6	1	3.7
ANG30779	NAD83-8	633882	6856523	5	0.58	0.59	12.3	530	0.3	0.17	0.96	1.12	8
ANG30780	NAD83-8	633854	6856481	8	0.95	0.55	12.6	1200	0.32	0.15	1.5	3.95	6.4
ANG30781	NAD83-8	632555	6856145	6	0.38	0.97	14.3	550	0.41	0.18	1.47	1.15	9.9
ANG30782	NAD83-8	632260	6857885	6	0.48	0.59	6.8	240	0.23	0.18	0.9	0.34	6.7
ANG30783	NAD83-8	632287	6857927	3	0.29	0.45	4	190	0.2	0.11	1.15	0.33	4.7
ANG30784	NAD83-8	632313	6857969	4	0.46	0.69	6	260	0.26	0.14	1.24	0.57	6.8
ANG30785	NAD83-8	632341	6858012	3	0.37	0.55	6.1	190	0.21	0.12	0.91	0.37	5.9
ANG30786	NAD83-8	632368	6858054	5	0.54	0.64	11	270	0.34	0.21	1.03	0.42	9.2
ANG30787	NAD83-8	632396	6858098	4	0.31	0.84	8.8	400	0.34	0.16	0.65	0.99	7.7
ANG30788	NAD83-8	632422	6858137	6	0.65	0.65	21.3	920	0.36	0.2	2.02	3.83	9.2
ANG30789	NAD83-8	632701	6858015	10	0.46	0.31	23.9	740	0.23	0.18	1.11	4.06	7.7
ANG30790	NAD83-8	632673	6857973	5	0.36	1.03	14.2	500	0.41	0.21	0.55	0.83	8.5
ANG30791	NAD83-8	632646	6857931	4	0.25	0.79	10.5	400	0.34	0.14	1.08	0.64	7.2
ANG30792	NAD83-8	632619	6857890	4	0.3	0.6	5.5	410	0.25	0.13	1.97	0.82	7.1
ANG30793	NAD83-8	632593	6857847	5	0.46	0.69	6.6	550	0.26	0.17	0.91	0.86	8.5
ANG30794	NAD83-8	632563	6857805	3	0.32	0.42	5	290	0.15	0.11	0.91	0.72	6
ANG30795	NAD83-8	632537	6857763	2	0.24	0.53	4.1	310	0.19	0.11	0.97	0.62	6.6
ANG30796	NAD83-8	632512	6857721	1	0.04	0.26	0.4	130	-0.05	0.02	0.57	0.13	1.2
ANG30797	NAD83-8	632205	6857802	4	0.36	0.58	4.2	280	0.2	0.1	0.91	0.38	4.7
ANG30798	NAD83-8	632233	6857842	3	0.3	0.6	6.1	180	0.22	0.12	0.29	0.52	5.8
ANG30799	NAD83-8	634208	6857031	11	1.08	0.25	39.4	1060	0.25	0.27	3.37	3.26	12.8
ANG30800	NAD83-8	633956	6857193	18	0.78	0.14	51.7	190	0.54	0.35	2.46	0.74	25
ANG30801	NAD83-8	631666	6856421	4	3.05	0.48	55	250	0.31	0.33	0.66	2.25	6.1
ANG30802	NAD83-8	631693	6856463	7	3.33	0.48	62.8	290	0.28	0.33	0.14	2.48	1.7
ANG30803	NAD83-8	631722	6856508	3	0.99	0.34	66.4	180	0.48	0.21	1.04	5.3	8.8
ANG30804	NAD83-8	631748	6856549	2	0.49	0.28	21.8	100	0.28	0.73	0.94	1.52	8.1
ANG30805	NAD83-8	631801	6856632	7	0.74	0.31	69.2	100	0.46	0.83	2.15	2.68	13.3
ANG30806	NAD83-8	631830	6856675	4	0.83	0.16	72.7	70	0.48	0.25	1.58	1.92	8.6
ANG30807	NAD83-8	631855	6856716	6	1.05	0.32	57.7	120	0.46	0.25	1.05	3.23	9.1
ANG30808	NAD83-8	631883	6856759	4	0.86	0.23	47.5	90	0.38	0.19	1.71	2.67	8.4
ANG30809	NAD83-8	631911	6856802	3	0.51	0.29	31.9	120	0.29	0.15	1.17	2.02	6
ANG30810	NAD83-8	631937	6856843	3	0.53	0.28	37.9	110	0.38	0.16	1.19	1.81	6.6
ANG30811	NAD83-8	631964	6856886	3	0.41	0.34	41.2	140	0.31	0.17	1.28	1.15	10.9

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30747	27.7	21	0.41	70.6	1.98	2.01	0.37	0.05	17.6	5.2	0.36	234	24.3	-0.01
ANG30748	29.5	34	0.74	40.7	2.18	3.47	0.16	0.08	16.2	10.8	0.36	453	12.35	-0.01
ANG30749	16.5	23	0.22	69.5	1.32	1.23	0.39	0.04	12.3	1.7	0.19	209	30	0.02
ANG30750	43	28	0.41	158.5	2.12	1.2	0.7	0.08	33.3	0.5	0.16	137	63.1	-0.01
ANG30751	20.3	6	0.33	36.1	2.9	1.15	0.05	0.03	11	5.8	0.12	201	5.32	-0.01
ANG30753	22.1	16	0.43	30.8	1.78	1.88	0.07	0.08	11.1	6.2	0.58	218	3.91	-0.01
ANG30754	29.5	29	0.76	40.1	2.35	2.69	0.12	0.16	14.7	9.9	0.66	411	3.52	-0.01
ANG30755	33.2	29	1.11	47.3	2.54	2.78	0.16	0.15	17.1	9.8	0.77	485	5.78	-0.01
ANG30756	27.2	25	0.65	75	3.07	2.23	0.15	0.1	13.9	8	0.46	308	10.45	-0.01
ANG30757	15.7	9	0.3	33.4	2.85	1.2	0.11	0.05	8	2.8	0.18	218	5.63	-0.01
ANG30759	32.9	33	0.81	46.5	2.55	3.19	0.16	0.13	17.3	13.8	0.58	514	2.89	-0.01
ANG30760	34	21	0.79	61.6	3.3	2.44	0.13	0.11	18.4	9.5	1.08	366	6.9	-0.01
ANG30761	21.4	8	0.35	41.4	2.4	0.75	0.06	0.05	11.2	3.3	0.74	231	10.95	-0.01
ANG30762	27.7	23	0.72	50.6	2.35	2.27	0.11	0.1	14.3	8.8	0.61	263	5.76	-0.01
ANG30763	24.9	27	0.71	30.3	2.29	2.59	0.12	0.09	12.6	9.2	0.41	219	4.36	-0.01
ANG30764	21.8	18	0.74	29.1	2.27	1.15	0.1	0.07	10.7	5.8	0.71	326	5.02	-0.01
ANG30765	24.3	22	0.79	36.5	2.01	2.37	0.11	0.11	12.2	9.1	0.49	570	2.25	-0.01
ANG30766	31.8	26	0.73	41.7	2.51	2.6	0.13	0.11	15.8	9.4	0.58	691	3.32	-0.01
ANG30767	28.3	22	0.63	27.9	1.87	2.25	0.11	0.1	13.9	8.4	0.41	293	1.69	-0.01
ANG30768	30.2	25	0.74	27.3	2.27	2.63	0.14	0.12	15	9.9	0.6	235	3.48	-0.01
ANG30769	29	26	0.75	29.1	2.29	2.47	0.13	0.12	14.6	9.8	0.53	387	3.02	-0.01
ANG30770	27.3	25	0.87	40.9	2.52	2.12	0.15	0.11	13.5	8.9	0.47	396	6.22	-0.01
ANG30771	19.9	18	0.52	18	1.6	1.87	0.08	0.05	9.8	6.7	0.25	277	2.11	-0.01
ANG30772	27.3	22	0.83	32	2.15	2.44	0.12	0.11	13.3	10.3	0.53	364	2.29	-0.01
ANG30773	30.9	29	0.64	50.7	2.48	3.24	0.17	0.09	16.9	10.8	0.49	562	3	0.01
ANG30774	31.3	27	0.93	45.3	2.39	3.04	0.15	0.15	16	11.4	0.61	473	3.02	-0.01
ANG30775	28.2	25	0.87	39.7	2.22	2.89	0.13	0.12	14.5	9.8	0.49	384	2.91	0.01
ANG30776	31.5	27	0.83	46.5	2.42	3.28	0.12	0.13	16.2	10.1	0.65	485	3.45	0.01
ANG30777	20.8	16	0.24	20.6	2.03	1.79	0.04	0.05	9.4	4.9	0.26	258	3.84	-0.01
ANG30778	10.9	10	0.21	23.3	0.99	1.14	0.05	0.04	5.4	2.5	0.26	188	1.82	0.02
ANG30779	25.8	17	0.36	37	2.01	1.76	0.08	0.05	13.5	4.8	0.49	287	4.96	-0.01
ANG30780	18.9	18	0.28	50.3	1.74	1.52	0.12	0.04	11.2	3.5	0.37	208	5.64	0.01
ANG30781	28.8	26	0.77	40.6	2.26	3.01	0.13	0.13	14.7	8.6	0.62	463	3.15	0.01
ANG30782	19.3	11	0.33	28	1.82	1.51	0.06	0.05	10.2	3.2	0.23	184	1.44	-0.01
ANG30783	12.2	7	0.25	25.1	1.19	1.15	0.05	0.04	6.3	1.9	0.2	168	0.88	0.01
ANG30784	13.35	10	0.38	30.9	1.56	1.87	0.08	0.05	7.1	3.5	0.25	266	1.37	0.01
ANG30785	13	7	0.31	24.9	1.46	1.4	0.05	0.04	6.9	2.5	0.18	200	1.04	0.01
ANG30786	22.4	11	0.35	36.5	2.3	1.7	0.09	0.06	12.1	3.9	0.24	275	1.84	-0.01
ANG30787	24.2	20	0.57	22.7	1.79	2.69	0.1	0.07	12.3	8.1	0.35	392	1.71	0.01
ANG30788	23	15	0.53	61.5	2.32	1.96	0.06	0.14	12.5	4.5	0.42	339	13.85	0.01
ANG30789	22.5	10	0.32	50.8	2.04	1	0.07	0.06	12.8	2.5	0.42	236	16.75	-0.01
ANG30790	32.8	30	0.83	37	2.34	3.22	0.12	0.1	17.2	11.1	0.51	350	2.41	-0.01
ANG30791	21	22	0.61	27.9	1.86	2.58	0.08	0.09	10.6	7.8	0.41	315	2.25	0.01
ANG30792	12.6	14	0.37	39.1	1.24	1.69	0.07	0.06	6.4	4.5	0.4	394	1.15	0.02
ANG30793	22.4	11	0.41	32.2	1.82	1.75	0.08	0.07	11.6	3.9	0.3	326	1.9	-0.01
ANG30794	14.9	6	0.23	20.9	1.41	1	0.04	0.05	7.7	1.6	0.21	148	1.71	0.01
ANG30795	14.15	7	0.31	26.6	1.45	1.23	0.05	0.05	7.2	2.3	0.2	156	1.55	0.01
ANG30796	2.19	3	0.08	6.2	0.35	0.67	0.01	0.03	1.1	0.5	0.08	35	0.21	0.03
ANG30797	13.4	10	0.25	22.2	1.13	1.28	0.06	0.04	6.8	1.6	0.14	169	1.79	0.01
ANG30798	16.85	7	0.28	21.3	1.49	1.59	0.03	0.04	8.6	2.9	0.09	128	1.6	0.01
ANG30799	26.6	7	0.36	56.8	3.01	0.82	0.1	0.04	14.5	1	1.16	259	14.85	0.01
ANG30800	33.5	7	0.39	59.9	4.3	0.43	0.04	0.04	17.9	0.2	1.15	258	20.9	-0.01
ANG30801	20.2	22	0.55	42.7	2.67	1.72	0.4	0.1	11.8	2.7	0.16	508	15.55	-0.01
ANG30802	9.9	51	0.99	45.8	3.06	3.36	0.72	0.23	5.5	2.8	0.02	112	17.1	-0.01
ANG30803	18.2	9	0.35	46	2.89	0.98	0.26	0.04	11.5	1.5	0.14	990	34.5	-0.01
ANG30804	16.3	7	0.45	37.4	2.02	0.76	0.05	0.03	8.7	1.3	0.19	423	10.1	-0.01
ANG30805	17.7	9	0.29	104.5	3.06	0.92	0.12	0.04	10	1.3	0.8	520	32.9	-0.01
ANG30806	11.95	7	0.76	45.8	2.83	0.41	0.07	0.04	7.6	0.6	0.2	183	19.95	-0.01
ANG30807	15.2	6	0.29	51.3	2.78	0.92	0.15	0.04	8.8	1.2	0.22	230	31.5	-0.01
ANG30808	15.6	8	0.33	37.8	2.52	0.66	0.09	0.04	9.3	1.2	0.55	331	19.9	-0.01
ANG30809	14.3	5	0.41	29.4	1.92	0.73	0.05	0.04	8.3	1.3	0.17	152	6.47	0.03
ANG30810	15	6	0.44	26.1	2.32	0.74	0.04	0.04	8.6	1.8	0.18	240	7.36	0.01
ANG30811	18.55	6	0.5	23.2	2.78	1.06	0.05	0.04	9.8	2.1	0.23	357	6.41	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30747	139.5	1080	15.3	5.7	0.04	12.55	6.4	111.5	0.08	1.7	0.36	2.15	1640	VA08141993
ANG30748	76.7	830	14.6	10.7	-0.01	3.56	2.5	46.6	0.06	2.4	0.24	1.39	759	VA08141993
ANG30749	131.5	1590	23.3	2.7	0.02	8.96	8.6	89.7	0.13	1.1	0.17	1.92	1130	VA08141993
ANG30750	254	2930	36.1	4.5	0.01	27.5	17.4	156	0.31	5.5	0.46	3.96	1460	VA08141993
ANG30751	33	820	12.6	2.1	0.02	3.47	1.1	35	0.03	2.4	0.04	1.06	208	VA08141993
ANG30753	35.2	550	11.5	5.9	0.02	2.68	1.5	50.4	0.03	2.5	0.11	0.77	120	VA08141993
ANG30754	55.1	1250	12.7	9.3	0.03	2.77	1.6	58.6	0.04	3.7	0.19	1.08	179	VA08141993
ANG30755	58.7	1340	14.2	10.1	0.02	3.79	2.4	86.3	0.04	5.3	0.21	1.38	215	VA08141993
ANG30756	88	1610	24.2	6.9	0.05	7.4	12.2	96.2	0.07	3.4	0.15	2.5	607	VA08141993
ANG30757	51.7	930	24.4	3.6	0.03	7.45	3.7	65.1	0.06	1.6	0.07	1.5	474	VA08141993
ANG30759	56.2	1230	14.5	8.7	0.02	2.52	1.5	54.9	0.03	4.9	0.15	1.83	176	VA08141993
ANG30760	61.2	1050	15.4	7.2	0.06	4.22	2.1	97.7	0.04	6.3	0.13	1.44	258	VA08141993
ANG30761	55.1	1310	13.2	2.7	0.05	8.16	5	119	0.06	3.9	0.09	1.66	401	VA08141993
ANG30762	57.1	1150	15.3	7.1	0.03	5.35	2.1	74.4	0.04	4.2	0.16	1.7	266	VA08141993
ANG30763	35	870	18	6.7	0.01	2.96	1.4	47.6	0.04	2.9	0.13	1.85	178	VA08141993
ANG30764	41.5	1170	20.1	4.3	0.06	3.22	2.5	112	0.04	3.3	0.13	2.19	251	VA08141993
ANG30765	40.2	1070	10.8	8.2	0.04	2.63	1.7	73.5	0.03	2.3	0.16	1.55	155	VA08141993
ANG30766	54.2	1210	14.9	8	0.02	3.27	1.4	71.3	0.04	4.2	0.16	1.14	176	VA08141993
ANG30767	30	1100	10.3	6.8	0.02	1.95	1	51.3	0.04	3.3	0.12	1.13	112	VA08141993
ANG30768	32.7	1120	14.3	8.3	0.03	3.37	1.5	67.5	0.02	3.4	0.16	1.28	150	VA08141993
ANG30769	38.5	1220	11.8	8.3	0.03	2.46	1.3	61	0.04	3	0.16	1.3	144	VA08141993
ANG30770	48.9	960	24.5	7.3	0.03	4.31	2.4	61.2	0.04	3.5	0.17	1.28	232	VA08141993
ANG30771	24.5	710	9.4	4.8	-0.01	1.52	0.6	29.7	0.03	1.7	0.09	0.91	88	VA08141993
ANG30772	37.2	1110	10.4	7.4	0.02	2.03	0.9	60	0.02	2.5	0.14	1	120	VA08141993
ANG30773	54.2	960	22.4	8.8	0.03	2.6	3.6	60.9	0.04	3.2	0.11	1.94	133	VA08141993
ANG30774	52.3	1000	13.6	10.7	0.03	2.29	2.4	62.5	0.04	4.7	0.18	1.37	141	VA08141993
ANG30775	47.1	1120	13.4	9.4	0.03	2.26	1.8	54.2	0.04	3.9	0.17	1.5	152	VA08141993
ANG30776	50.3	1160	14.1	9.9	0.03	2.65	1	65.1	0.03	4.5	0.16	1.17	156	VA08141993
ANG30777	30.9	470	13.6	5.2	0.05	1.97	1.4	39.1	0.04	0.8	0.07	0.91	78	VA08141993
ANG30778	21.7	890	5.5	2.9	0.08	1.49	1.9	46.6	0.01	0.2	0.04	1.03	96	VA08141993
ANG30779	47.4	950	13.3	4.6	0.02	2.77	1.4	39.6	0.04	2.5	0.1	0.82	157	VA08141993
ANG30780	63.6	1240	14.8	3.8	0.06	4.59	3	81	0.07	0.9	0.09	1.2	378	VA08141993
ANG30781	45.9	1120	12.7	9.3	0.03	2.47	1.3	65.1	0.03	3.7	0.16	1.11	149	VA08141993
ANG30782	32.3	520	17.3	4.1	0.05	1.37	0.9	34.6	0.02	1	0.06	1	120	VA08141993
ANG30783	21.5	530	8.4	3.1	0.06	1.04	1	37	0.01	0.6	0.04	1.14	72	VA08141993
ANG30784	25.7	740	10.7	5.2	0.07	1.48	1.2	40.8	0.02	0.7	0.07	1.72	101	VA08141993
ANG30785	25.2	480	10.1	3.7	0.04	0.98	0.8	29.9	0.02	0.6	0.06	1.27	94	VA08141993
ANG30786	41.6	770	15.9	5.1	0.05	1.76	1.2	35.2	0.03	1.7	0.07	2.54	151	VA08141993
ANG30787	31.7	980	10.3	6.6	0.02	1.34	1	39	0.03	2.7	0.1	1.09	128	VA08141993
ANG30788	82.4	1290	14.7	7.5	0.08	5.38	4.7	106.5	0.06	2.2	0.17	1.33	481	VA08141993
ANG30789	72.2	1530	14.8	3.8	0.07	6.16	5.6	73.9	0.07	3.5	0.11	1.59	429	VA08141993
ANG30790	46.2	1290	12.4	9.1	0.02	1.85	0.9	42.6	0.03	5.1	0.15	1.15	131	VA08141993
ANG30791	33.5	790	10	8.4	0.04	1.65	2.1	57.8	0.02	2.2	0.11	2.5	100	VA08141993
ANG30792	28.7	720	8.5	5.2	0.08	1.17	1.6	75.9	0.02	0.7	0.07	1.7	141	VA08141993
ANG30793	38.6	600	16.8	5.5	0.05	1.35	1.2	39.9	0.02	1.5	0.09	1.67	163	VA08141993
ANG30794	32.9	440	10.6	3.2	0.04	1.16	0.8	31.8	0.01	1.1	0.05	0.65	118	VA08141993
ANG30795	34.7	430	12	4	0.04	0.89	0.7	33.1	0.01	0.9	0.05	0.83	110	VA08141993
ANG30796	4.9	150	1.3	0.8	0.02	0.16	0.2	20.9	0.01	-0.1	-0.01	0.35	12	VA08141993
ANG30797	26.7	650	8	2.9	0.06	1	1	39.9	0.02	0.7	0.04	0.82	83	VA08141993
ANG30798	27	360	9	4.2	0.03	1.1	0.6	16.9	0.01	1.4	0.04	0.69	107	VA08141993
ANG30799	94.4	1420	59.9	3.1	0.05	7.1	4.8	122.5	0.08	4	0.09	1.77	653	VA08141993
ANG30800	145	1120	17.8	2.4	0.15	5.86	4.8	66.9	0.07	12.3	0.12	3.36	299	VA08141993
ANG30801	57.2	620	233	6.5	0.13	5.92	7.1	89.5	0.1	2.6	0.82	1.73	506	VA08141993
ANG30802	15.8	2130	468	15.4	0.63	7.36	17.2	485	0.2	6.3	15.7	2.59	297	VA08141993
ANG30803	93.8	740	128.5	2.9	0.04	8.59	2.9	56.9	0.07	2.3	0.23	3.18	1030	VA08141993
ANG30804	43.6	730	22.8	2.6	0.03	4.72	1.5	41.3	0.05	1.7	0.06	1	334	VA08141993
ANG30805	85.8	980	41.7	2.8	0.04	13.6	2	68.9	0.05	2	0.16	1.99	482	VA08141993
ANG30806	107.5	670	27.5	2.6	0.13	11.15	2.5	46.8	0.14	6.4	0.15	1.54	320	VA08141993
ANG30807	102.5	780	51.5	3	0.03	17.35	2.1	37.9	0.1	3.3	0.18	2.11	765	VA08141993
ANG30808	78.1	1100	35.2	2.6	0.02	12.75	1.4	82.5	0.08	3.6	0.09	1.24	456	VA08141993
ANG30809	53.9	840	19.7	3	0.01	8.69	1	59.2	0.07	2	0.05	0.92	242	VA08141993
ANG30810	51.6	900	25.1	2.9	0.02	8.92	1.2	55.7	0.08	3.3	0.05	0.72	272	VA08141993
ANG30811	45.1	1090	15.7	2.9	0.04	6.64	0.9	64.2	0.04	2.7	0.06	0.96	200	VA08141993

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30812	NAD83-8	631991	6856928	5	0.72	0.61	31.4	680	0.39	0.21	3.69	1.77	14.9
ANG30813	NAD83-8	632018	6856970	4	0.41	0.26	26.1	570	0.34	0.19	6.8	1.3	16.2
ANG30814	NAD83-8	632042	6857009	6	0.96	0.49	33.9	1390	0.36	0.19	5.95	3.13	13.5
ANG30815	NAD83-8	632071	6857056	9	1.71	0.53	48	750	0.42	0.21	4.83	5.1	13
ANG30817	NAD83-8	632125	6857138	10	1.59	0.15	29.5	210	0.18	0.32	0.34	0.47	3.2
ANG30818	NAD83-8	632152	6857180	9	0.6	0.53	29.5	300	0.36	0.22	3.05	1.6	16.7
ANG30819	NAD83-8	632182	6857225	4	0.3	0.27	13.9	260	0.2	0.19	2.75	1.2	11.9
ANG30820	NAD83-8	632207	6857264	6	0.45	0.34	24.2	190	0.27	0.27	2.46	0.86	18
ANG30821	NAD83-8	632236	6857308	5	0.97	0.85	21.7	1070	0.5	0.2	1.91	5.45	11.6
ANG30822	NAD83-8	632262	6857350	-1	0.3	0.47	4.6	210	0.17	0.07	0.24	0.6	3.5
ANG30823	NAD83-8	632228	6857389	7	0.58	0.26	36.7	250	0.34	0.15	2.82	1.93	8.4
ANG30824	NAD83-8	632318	6857436	1	0.72	0.75	8.5	590	0.29	0.13	0.51	1.84	8.5
ANG30825	NAD83-8	632345	6857477	2	0.31	1.07	14	580	0.34	0.17	0.52	1.32	9.7
ANG30826	NAD83-8	632372	6857518	2	0.64	1.32	16.8	600	0.59	0.21	0.57	0.53	10.8
ANG30827	NAD83-8	632398	6857558	1	0.23	1.38	7.3	480	0.4	0.21	0.52	1.46	8.1
ANG30828	NAD83-8	632246	6857601	6	1.49	0.44	18.8	320	0.3	0.12	2.47	2.84	6.7
ANG30829	NAD83-8	633429	6856942	2	0.23	0.58	13.1	810	0.3	0.14	1.68	0.7	10.1
ANG30830	NAD83-8	633402	6856900	7	0.56	0.32	22.5	1140	0.31	0.2	3.99	0.54	15.3
ANG30831	NAD83-8	633376	6856858	3	0.57	0.56	11	400	0.33	0.2	0.72	0.38	8.8
ANG30832	NAD83-8	631817	6857757	4	0.6	0.85	11.4	830	0.37	0.17	0.91	1.82	8.2
ANG30833	NAD83-8	631843	6857799	4	0.35	0.69	8.5	570	0.29	0.11	0.91	1.23	4.8
ANG30837	NAD83-8	634994	6856035	6	0.61	0.37	15.6	350	0.34	0.11	2.61	2.33	8.1
ANG30850	NAD83-8	631707	6857588	8	2.7	0.72	22.9	400	0.5	0.18	0.46	6.55	10.9
ANG30851	NAD83-8	633990	6856693	4	0.27	0.76	9.4	640	0.25	0.18	0.47	0.85	6.9
ANG30852	NAD83-8	634016	6856734	5	0.66	0.59	9.6	800	0.27	0.14	0.73	1.14	6
ANG30853	NAD83-8	634044	6856777	7	1.23	0.49	24.2	920	0.36	0.2	1.3	2.49	6.9
ANG30854	NAD83-8	632683	6856893	5	0.37	0.93	10.9	470	0.4	0.17	0.79	1	9.7
ANG30855	NAD83-8	632656	6856852	5	0.36	1.04	14	540	0.56	0.19	0.93	1.14	11.1
ANG30856	NAD83-8	632629	6856809	3	0.15	0.82	9	450	0.35	0.13	0.84	0.88	8.2
ANG30857	NAD83-8	632603	6856767	4	0.24	0.89	12.6	520	0.4	0.17	0.79	0.9	9.4
ANG30858	NAD83-8	632574	6856725	4	0.34	0.98	11.9	530	0.43	0.15	0.67	0.84	8.8
ANG30859	NAD83-8	632548	6856683	8	0.45	1.13	16.4	710	0.53	0.21	0.83	1.2	11.9
ANG30860	NAD83-8	632520	6856640	6	0.59	0.86	20.3	330	0.46	0.19	0.71	0.99	10.4
ANG30861	NAD83-8	632494	6856599	5	0.53	0.77	27.2	330	0.45	0.15	1.04	1.03	11.8
ANG30862	NAD83-8	632466	6856556	5	0.83	0.5	43.5	200	0.4	0.14	1.77	2.43	9.5
ANG30863	NAD83-8	632440	6856514	3	0.26	0.28	20.8	170	0.33	0.12	1.68	0.56	12
ANG30864	NAD83-8	632413	6856472	3	0.52	0.49	23.7	210	0.39	0.14	1.53	0.9	6.9
ANG30865	NAD83-8	632358	6856386	5	0.56	0.5	24.2	220	0.4	0.15	1.51	1.93	7.4
ANG30866	NAD83-8	632331	6856347	3	0.33	0.41	22.6	200	0.33	0.12	1.63	0.51	8.4
ANG30867	NAD83-8	632304	6856305	6	0.47	0.41	48.7	200	0.42	0.16	1.28	0.68	10
ANG30868	NAD83-8	632277	6856260	5	0.58	0.5	43.1	250	0.45	0.17	2.1	1.1	10.3
ANG30869	NAD83-8	632249	6856220	3	0.42	0.49	20.2	220	0.36	0.12	1.85	0.95	7.8
ANG30870	NAD83-8	632221	6856178	3	0.64	0.71	22.2	300	0.44	0.66	1.41	1.71	11.5
ANG30871	NAD83-8	632195	6856135	2	0.32	0.81	13.5	280	0.4	0.17	0.67	0.64	5.9
ANG30872	NAD83-8	632167	6856093	5	0.58	0.68	18.3	350	0.45	0.16	1.85	1.82	9.1
ANG30873	NAD83-8	632140	6856051	5	0.66	1	12.4	590	0.41	0.15	1.02	0.89	9.4
ANG30874	NAD83-8	632113	6856010	7	0.64	0.65	20.9	490	0.45	0.17	2.81	1.77	9.1
ANG30875	NAD83-8	634459	6856865	4	0.08	0.87	16.6	440	0.31	0.19	0.18	0.38	7.8
ANG30876	NAD83-8	634433	6856822	1	0.14	0.48	8	200	0.14	0.13	0.1	0.44	4.9
ANG30877	NAD83-8	634405	6856779	9	1.09	0.61	16.3	590	0.38	0.2	0.88	1.17	9.8
ANG30878	NAD83-8	634378	6856737	8	0.57	0.36	21.5	340	0.32	0.13	0.97	3.39	6.9
ANG30879	NAD83-8	634350	6856693	8	2.03	0.45	24.1	500	0.4	0.18	0.91	3.79	9.2
ANG30880	NAD83-8	634322	6856653	11	1.53	0.44	21.3	840	0.38	0.2	1.37	5.74	9.5
ANG30881	NAD83-8	634297	6856611	7	2.45	0.29	18.4	800	0.42	0.15	2.35	7.15	8
ANG30882	NAD83-8	634268	6856569	4	1.03	0.5	9.1	840	0.34	0.12	1.93	1.99	5.9
ANG30883	NAD83-8	632250	6856219	2	0.55	0.53	33.4	240	0.54	0.18	3.28	1.5	12.9
ANG30884	NAD83-8	631327	6857003	1	0.9	0.26	33.8	130	0.42	0.16	2.07	2.52	8.5
ANG30885	NAD83-8	631354	6857045	4	0.58	0.47	27.8	370	0.4	0.15	1.34	1.91	7.3
ANG30887	NAD83-8	631407	6857130	8	0.52	0.44	31.6	250	0.34	0.15	1.27	1	8.7
ANG30888	NAD83-8	631436	6857171	4	0.49	0.48	17.3	340	0.47	0.18	3.72	2.46	9.9
ANG30889	NAD83-8	631463	6857213	1	0.41	0.35	15	240	0.31	0.15	2.23	1.91	10.1
ANG30890	NAD83-8	631490	6857255	5	0.47	0.32	20.7	200	0.29	0.14	5.53	1.72	10.2
ANG30891	NAD83-8	631517	6857298	10	0.65	0.43	27.7	270	0.39	0.25	1.86	2.01	12.7

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30812	34.5	11	0.66	40.1	2.87	1.66	0.06	0.06	18.1	13.1	0.71	230	10.75	0.01
ANG30813	32.8	5	0.53	44.9	2.59	0.76	0.04	0.05	17.4	2.2	1.22	262	7.09	0.02
ANG30814	30.9	10	0.46	69.9	2.57	1.32	0.14	0.06	16.5	2.9	0.82	215	13.55	0.02
ANG30815	30.4	18	0.41	132.5	2.79	1.53	0.19	0.09	17.6	2.6	0.74	201	23.4	0.01
ANG30817	26.5	5	0.35	18	1.84	0.76	0.17	0.16	14.6	1.5	0.02	29	16.5	-0.01
ANG30818	28.4	10	0.46	50.9	3.08	1.47	0.06	0.04	15	3.6	0.19	278	5.91	0.01
ANG30819	15.25	4	0.54	41.4	2.02	0.75	0.05	0.04	7.7	1.2	0.12	112	4.24	0.02
ANG30820	26.6	6	0.57	52.4	2.76	0.98	0.06	0.04	13.3	1.7	0.15	147	5.48	0.01
ANG30821	26	18	0.72	61.8	2.26	2.59	0.2	0.08	13	7.3	0.41	447	7.16	0.02
ANG30822	11.3	6	0.22	9.1	0.88	1.92	0.02	0.04	5.6	2.8	0.08	101	1.7	0.02
ANG30823	25.2	10	0.17	43.6	1.89	0.78	0.04	0.06	15.1	1.2	0.95	358	29.5	0.01
ANG30824	22	10	0.41	18.6	1.58	2.32	0.03	0.08	10.2	5.1	0.18	911	2.81	0.02
ANG30825	29	17	0.44	20.2	2.13	3.26	0.03	0.08	13.4	6.5	0.24	441	3.26	0.01
ANG30826	36.7	25	0.5	22.2	2.86	3.73	0.08	0.07	16.4	9.3	0.41	327	3.4	0.01
ANG30827	30.9	19	0.5	16.9	2.12	4.95	0.02	0.07	14.9	7.5	0.25	297	2.65	0.01
ANG30828	17.35	12	0.19	70.7	1.43	1.18	0.29	0.03	9	2.5	0.82	250	8.74	0.02
ANG30829	22.9	8	0.41	25.8	1.85	1.6	0.02	0.09	11.1	2.8	0.49	283	4.5	0.02
ANG30830	41.9	6	0.37	33.6	1.58	0.86	0.09	0.05	20.3	1.6	1.38	228	6.64	0.02
ANG30831	27.2	8	0.27	30.6	1.35	1.49	0.04	0.06	13.2	2.1	0.16	285	2.26	0.03
ANG30832	23.8	15	0.41	37	1.63	2.58	0.09	0.06	12	6.7	0.27	327	3.28	0.02
ANG30833	17.4	10	0.36	22.1	1.15	2.02	0.09	0.05	9.4	4.2	0.21	148	2.59	0.02
ANG30837	22.5	9	0.22	31.9	1.77	1.04	0.13	0.03	12.1	2.3	1.34	228	22.3	0.01
ANG30850	29.8	24	0.42	88.1	2.12	2.13	0.27	0.05	17.2	6.9	0.2	331	12.85	0.01
ANG30851	26.9	13	0.5	19.4	1.72	2.89	0.04	0.04	13.2	5	0.15	285	3.66	0.01
ANG30852	21.2	13	0.31	22.5	1.59	1.89	0.11	0.04	11.3	4	0.22	293	3.4	0.02
ANG30853	23	13	0.31	56.3	1.81	1.62	0.15	0.04	12.3	4.4	0.23	267	7.46	0.01
ANG30854	30.8	24	0.75	28.6	1.98	3.03	0.12	0.1	15.7	9.9	0.4	466	2.11	0.02
ANG30855	33	30	0.55	46.6	2.08	3.78	0.13	0.11	17.1	13.2	0.42	388	1.38	0.01
ANG30856	28.9	22	0.61	26.2	1.75	2.65	0.09	0.09	14	8.9	0.42	291	1.74	0.01
ANG30857	32.1	25	0.79	30.5	2.06	2.96	0.11	0.11	15.2	9.3	0.49	386	2.3	0.02
ANG30858	34.1	24	0.76	29.8	2.02	3.11	0.11	0.1	16.8	9.8	0.41	381	2.67	0.01
ANG30859	39.2	30	1.14	43.6	2.54	3.7	0.16	0.13	19.1	12.7	0.62	495	3.07	0.02
ANG30860	30.2	23	0.69	31.3	2.77	2.59	0.11	0.08	16	7.7	0.36	432	8.55	0.01
ANG30861	21.6	18	0.54	38.4	2.62	2.21	0.08	0.07	11.1	6.9	0.35	342	6.38	0.01
ANG30862	17.65	11	0.63	39.3	2.51	1.4	0.08	0.05	9.6	4.5	0.51	238	16.5	0.01
ANG30863	14.5	6	0.68	23.9	3.06	0.79	0.05	0.03	7.8	2.6	0.32	292	3.92	0.01
ANG30864	13.9	9	0.49	22.8	2.2	1.33	0.07	0.04	7.7	3.6	0.25	300	3.33	0.01
ANG30865	13.95	9	0.56	27.2	2.02	1.34	0.06	0.05	7.7	3.5	0.26	297	4.95	0.01
ANG30866	12.4	8	0.4	22.9	2.17	1.09	0.05	0.04	6.7	2.6	0.19	239	4.26	0.01
ANG30867	17.85	10	0.48	27.5	2.65	1.11	0.07	0.04	10	3	0.3	221	11.9	0.01
ANG30868	16.75	11	0.49	34.2	2.88	1.34	0.16	0.05	9.6	3.9	0.56	405	16.75	0.01
ANG30869	16.4	10	0.5	29.9	1.85	1.29	0.1	0.06	8.8	3.6	0.52	312	11.05	0.02
ANG30870	27.5	17	0.65	46.8	2.73	2.16	0.11	0.08	14.3	6.6	0.66	440	12.2	0.01
ANG30871	22.8	15	0.64	12.7	2.06	2.32	0.05	0.05	11.1	5.8	0.14	282	5.26	0.01
ANG30872	23.9	16	0.63	37.9	2.17	1.99	0.15	0.08	12.7	6.2	0.69	527	5.82	0.02
ANG30873	26.4	24	0.74	31.7	2.29	2.97	0.3	0.15	14.2	10.2	0.52	528	2.79	0.02
ANG30874	21.9	16	0.72	38.2	2.23	1.85	0.13	0.09	12.1	5.5	0.74	430	5.89	0.01
ANG30875	30.4	19	0.51	24.2	2.43	2.9	0.01	0.06	14.9	6.8	0.21	161	3.83	-0.01
ANG30876	25.4	10	0.38	14.2	1.43	2.21	0.02	0.05	13.2	4.4	0.08	116	2.66	0.01
ANG30877	24.1	24	0.27	62.4	2.37	1.87	0.11	0.03	14.2	4.4	0.35	491	6.71	0.01
ANG30878	15.9	9	0.26	41.1	1.8	1.03	0.13	0.03	8.9	1.8	0.21	367	16	0.01
ANG30879	19.75	18	0.29	87.6	2.18	1.4	0.23	0.03	12.4	2.9	0.28	395	10.25	0.01
ANG30880	19.1	11	0.36	94.2	2.4	1.21	0.2	0.04	11.1	2.5	0.25	389	7.02	0.01
ANG30881	17.75	16	0.25	100.5	1.7	0.84	0.36	0.03	10.5	2	0.8	225	10.7	0.01
ANG30882	13.75	11	0.26	65.1	1.32	1.18	0.16	0.04	7.9	1.7	0.26	313	3.6	0.02
ANG30883	23.3	16	0.56	35.3	2.64	1.59	0.13	0.07	12.5	4.8	0.87	464	17.15	0.01
ANG30884	16.15	6	0.23	38.2	2.5	0.79	0.11	0.03	9.4	1.9	0.84	244	30.5	0.01
ANG30885	14.8	10	0.37	35.6	2.01	1.36	0.09	0.04	8.2	3.3	0.26	202	10.8	0.02
ANG30887	14.2	8	0.33	20.7	2.29	1.21	0.09	0.04	7.6	3	0.22	280	7.61	0.01
ANG30888	28.9	9	0.39	46.8	2.72	1.19	0.06	0.04	15.6	5.6	0.44	179	2.8	0.01
ANG30889	16.5	6	0.32	42.6	2.24	0.94	0.05	0.03	8.8	2.3	0.21	206	3.13	0.02
ANG30890	20	5	0.38	36.8	2.2	0.8	0.05	0.04	10.8	2.7	0.5	178	5.33	0.02
ANG30891	19.15	8	0.35	63.2	2.94	1.1	0.08	0.05	10.6	2.8	0.17	122	8.41	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30812	59.8	1000	13.1	4.3	0.04	5.83	4.4	107.5	0.05	6	0.08	1.06	314	VA08141993
ANG30813	46.4	1000	10.9	3.2	0.07	4.4	2.7	129.5	0.03	6	0.06	0.94	216	VA08141993
ANG30814	79.5	1010	18.4	4.3	0.04	6.62	5.9	161	0.08	4.9	0.1	1.23	443	VA08141993
ANG30815	159	1750	30	5.4	0.05	13.9	19.5	151.5	0.15	4.8	0.2	2.31	705	VA08141993
ANG30817	20.3	350	22.4	8.5	0.33	7.04	5.4	78.5	0.1	5	0.33	0.6	107	VA08141993
ANG30818	73.6	600	18.1	4	0.04	3.77	2.6	103	0.05	2.8	0.07	1.07	287	VA08141993
ANG30819	55.5	560	9.1	2.8	0.04	2.12	2.7	80.9	0.05	2.3	0.04	1.15	228	VA08141993
ANG30820	72.3	760	13.2	3.6	0.05	2.85	2.2	86.4	0.08	3.9	0.06	1.12	253	VA08141993
ANG30821	75.1	990	18.9	7.8	0.07	6.82	4	97.9	0.07	1.8	0.14	2.35	428	VA08141993
ANG30822	11.5	240	5.4	3.6	0.01	0.68	0.5	18.1	0.02	1	0.04	0.31	43	VA08141993
ANG30823	94.5	1150	18	4.1	0.04	10.85	7.1	72.4	0.1	2.5	0.12	1.66	292	VA08141993
ANG30824	24.3	330	13.1	8.3	0.02	0.97	0.7	28.9	0.02	1.9	0.07	0.4	97	VA08141993
ANG30825	31.1	410	15.7	8.1	0.03	1.18	1	33.6	0.03	2.1	0.09	0.71	135	VA08141993
ANG30826	43.3	900	18.2	7.6	0.05	1.59	1.7	33.1	0.03	2.1	0.12	1.06	119	VA08141993
ANG30827	22.2	380	18.4	8	0.02	0.69	0.4	29.6	0.02	2.1	0.1	0.74	129	VA08141993
ANG30828	61.6	940	16.2	3.1	0.06	6.06	5	63.4	0.04	0.7	0.1	5.21	367	VA08141993
ANG30829	38.6	460	13.9	6.6	0.03	1.27	1.2	62.4	0.03	1.5	0.08	0.66	104	VA08141993
ANG30830	55.4	750	15.7	3.4	0.04	2.86	2.1	116.5	0.04	3.3	0.09	1.03	138	VA08141993
ANG30831	29	480	8.4	4.7	0.02	1.88	1.2	34.1	0.03	2.1	0.06	0.71	62	VA08141993
ANG30832	37.2	590	12.3	5.6	0.04	2.13	1.5	63.8	0.04	1.2	0.08	1.4	216	VA08141993
ANG30833	25.3	530	7.6	5.1	0.05	1.83	2	56.6	0.03	0.9	0.06	0.82	186	VA08141993
ANG30837	78.5	890	17.8	2.4	0.04	4.21	3.1	62.5	0.06	1.5	0.14	1.14	500	VA08141993
ANG30850	163	1050	18.1	4.9	0.02	7.08	5	30	0.08	3	0.15	1.58	1430	VA08141993
ANG30851	26	740	13.1	7.4	0.02	1.54	0.9	31.8	0.03	0.9	0.09	0.68	155	VA08141993
ANG30852	28.7	860	13.3	4.5	0.06	2.25	1.4	39.3	0.05	0.8	0.08	1.07	177	VA08141993
ANG30853	36.6	1090	21.4	4	0.08	5.52	2.7	63.1	0.09	1.2	0.11	2.36	143	VA08141993
ANG30854	37.7	1100	11.3	8.8	0.03	1.69	1.4	53.8	0.04	3	0.15	1.63	152	VA08141993
ANG30855	39.8	680	12.1	8.8	0.02	1.33	0.8	58.3	0.03	2.5	0.1	2.03	113	VA08141993
ANG30856	33.6	1080	9.4	8	0.02	1.43	2.7	48.5	0.03	3.2	0.12	0.88	104	VA08141993
ANG30857	40.1	1130	10.9	8.6	0.02	1.66	1	51.8	0.04	3.9	0.15	0.87	118	VA08141993
ANG30858	37.1	1090	10.6	9.1	0.02	1.75	1	50.9	0.04	3.3	0.13	1.4	131	VA08141993
ANG30859	52.1	1300	14.1	10.9	0.02	2.11	1.2	55.9	0.05	5.8	0.19	1.03	165	VA08141993
ANG30860	42.6	1220	14.6	8.1	0.02	3.7	1.3	44.6	0.04	4.2	0.13	1.16	209	VA08141993
ANG30861	50	840	12.8	6.7	0.04	4.07	1.1	58.4	0.04	2	0.14	1.05	233	VA08141993
ANG30862	53.6	1100	17.9	4.8	0.08	7.62	2.6	69.3	0.06	1.8	0.11	1.42	334	VA08141993
ANG30863	38.9	750	9.9	2.7	0.05	5.4	1.3	43.1	0.02	1.5	0.06	0.93	130	VA08141993
ANG30864	37.4	880	14.9	4.5	0.05	5.65	1.7	63.6	0.05	1.2	0.06	1	189	VA08141993
ANG30865	46.6	1000	14.3	4.5	0.05	5.45	2.1	75.1	0.07	1.2	0.1	1.16	250	VA08141993
ANG30866	36.5	750	12.3	3.7	0.06	4.41	1.3	50.2	0.04	1	0.07	0.88	132	VA08141993
ANG30867	53.4	870	18.3	4.2	0.04	8.2	1.3	43.4	0.05	1.8	0.1	1.08	235	VA08141993
ANG30868	62.7	880	67.4	4.4	0.05	13.95	1.8	71.7	0.05	1	0.13	1.58	544	VA08141993
ANG30869	44.6	700	24.9	4.4	0.03	6.3	1.1	59	0.03	1.9	0.14	1.06	310	VA08141993
ANG30870	51.7	920	29.9	7.7	0.02	5.62	1.8	63.1	0.06	4	0.14	1.22	365	VA08141993
ANG30871	23.3	170	24.8	9.1	0.02	2.47	0.8	28	0.04	3.2	0.19	0.49	212	VA08141993
ANG30872	48.1	950	38.6	7.4	0.02	4.29	1.6	79.8	0.05	2.9	0.14	1.03	371	VA08141993
ANG30873	35.8	830	48.7	13.3	0.02	2.28	0.9	74	0.04	3.2	0.18	1.89	177	VA08141993
ANG30874	49.3	1080	92.9	7.6	0.04	5.26	1.5	102	0.04	2.1	0.14	1.07	276	VA08141993
ANG30875	32.3	320	14.6	9.5	0.01	1.76	1	15.1	0.04	2.9	0.08	0.7	114	VA08141993
ANG30876	17.4	320	5.5	10.8	0.02	1.02	0.5	9	0.02	1.7	0.06	0.46	52	VA08141993
ANG30877	68.1	760	16.9	3.8	0.06	5.42	4.7	34.7	0.09	0.9	0.1	1.8	251	VA08141993
ANG30878	62.3	1060	15.6	3.2	0.08	4.5	1.7	30.4	0.04	0.7	0.19	1.09	374	VA08141993
ANG30879	97.4	1170	19.4	4.3	0.08	7.4	4.5	30.3	0.08	0.7	0.16	2.18	882	VA08141993
ANG30880	58.5	1210	20.9	4.8	0.11	4.44	3.6	49.4	0.05	0.7	0.12	4.83	530	VA08141993
ANG30881	85.1	1500	20.8	2.9	0.11	8.97	3.5	66.2	0.06	1	0.18	1.71	711	VA08141994
ANG30882	47.6	1470	17.5	4	0.16	2.69	1.9	60.8	0.04	0.6	0.1	2.59	215	VA08141994
ANG30883	70.1	900	41	5.2	0.03	8.56	1.4	93.9	0.04	3.8	0.18	1.47	418	VA08141994
ANG30884	65.8	730	34.9	2.6	0.03	12.1	1.8	53.9	0.06	2.5	0.14	1.41	463	VA08141994
ANG30885	54.3	880	15.3	3.6	0.06	7.03	2.1	47.3	0.04	1.3	0.12	1.97	257	VA08141994
ANG30887	38.6	940	16.8	4	0.05	8.51	1.5	50.6	0.03	2	0.11	0.97	196	VA08141994
ANG30888	45.1	850	15.8	3.8	0.07	3.42	2.5	125.5	0.03	2.6	0.04	1.61	206	VA08141994
ANG30889	43.5	690	12.7	2.6	0.06	3.26	2.4	84.4	0.04	1.3	0.04	0.94	207	VA08141994
ANG30890	39.2	920	11.4	2.8	0.05	5.98	2.5	177	0.03	2	0.05	0.93	241	VA08141994
ANG30891	67.2	900	20.9	3.5	0.07	5.68	4.1	81.9	0.07	2	0.08	1.4	354	VA08141994

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30892	NAD83-8	631543	6857339	8	0.59	0.28	26.8	230	0.35	0.26	4.85	1.52	16.2
ANG30893	NAD83-8	631571	6857383	10	1.26	0.17	42.6	280	0.25	0.29	0.83	2.33	5.5
ANG30894	NAD83-8	631598	6857424	4	0.7	0.81	23.7	320	0.41	0.24	2.73	0.85	16.4
ANG30895	NAD83-8	631625	6857467	6	0.87	0.38	34.6	240	0.33	0.31	6.94	0.57	21.7
ANG30896	NAD83-8	631652	6857507	4	0.67	0.27	26.4	210	0.22	0.18	1.37	1.81	9.4
ANG30897	NAD83-8	631680	6857547	4	4.25	0.22	64.4	270	0.47	0.13	0.48	6.21	6.6
ANG30898	NAD83-8	631707	6857588	4	2.41	0.66	18.8	420	0.49	0.18	0.52	7.24	9
ANG30899	NAD83-8	631734	6857631	5	1.06	0.44	9.3	500	0.27	0.2	0.56	0.69	4.2
ANG30900	NAD83-8	631762	6857673	1	1.1	0.77	8.7	940	0.3	0.15	0.74	1.27	6.2
ANG30901	NAD83-8	634241	6855990	8	0.5	1.18	30.4	500	0.52	0.19	0.75	1.28	10.6
ANG30902	NAD83-8	634215	6855949	23	0.84	0.7	51.1	330	0.4	0.22	1.64	1.96	13
ANG30903	NAD83-8	634188	6855906	8	1.77	0.88	39.9	750	0.58	0.18	0.96	3.41	10.7
ANG30904	NAD83-8	634161	6855864	3	1.83	0.7	31.9	490	0.47	0.16	0.67	4.16	9.3
ANG30905	NAD83-8	634134	6855821	4	0.8	0.41	17.8	1900	0.21	0.1	1.68	6.38	3.8
ANG30906	NAD83-8	634106	6855781	5	1.2	0.7	31.1	1210	0.42	0.18	2.02	5.76	11.5
ANG30907	NAD83-8	634079	6855738	2	0.68	0.5	31.3	440	0.29	0.17	6.33	5.61	12.6
ANG30908	NAD83-8	634052	6855695	1	0.29	0.53	13.8	300	0.36	0.15	4.03	0.98	12.2
ANG30909	NAD83-8	634025	6855654	1	0.54	0.52	16.5	340	0.41	0.17	3.03	1.79	12.4
ANG30910	NAD83-8	633998	6855611	-1	1.21	0.46	18.8	220	0.47	0.13	1.51	3.94	8.7
ANG30911	NAD83-8	633971	6855571	3	1.38	0.44	37.2	270	0.45	0.19	2.48	2.73	10.4
ANG30912	NAD83-8	633943	6855529	4	2.86	0.35	41.1	200	0.52	0.24	2.22	5.61	9.1
ANG30913	NAD83-8	633916	6855486	2	2.19	0.43	38.8	280	0.55	0.17	1.97	3.53	9.9
ANG30914	NAD83-8	633889	6855442	3	0.68	0.39	15.8	260	0.32	0.14	3.26	3.01	8
ANG30915	NAD83-8	633861	6855400	1	0.8	0.62	22.4	430	0.46	0.14	1.85	2.72	9
ANG30916	NAD83-8	633836	6855360	2	1.69	0.43	27.7	420	0.58	0.18	2.2	6.46	9.6
ANG30917	NAD83-8	633808	6855318	1	0.3	0.31	39.8	150	0.36	0.17	4.6	1.72	15.1
ANG30918	NAD83-8	633782	6855275	-1	0.62	0.4	23.9	220	0.44	0.16	2.72	1.85	9.8
ANG30919	NAD83-8	633755	6855233	2	0.76	0.32	35.7	210	0.39	0.21	3.22	2.31	11.2
ANG30920	NAD83-8	633726	6855194	2	0.74	0.33	26.9	540	0.35	0.14	2.48	4.07	10.3
ANG30921	NAD83-8	633700	6855148	3	1.51	0.47	15.4	410	0.39	0.25	0.8	1.42	10.8
ANG30922	NAD83-8	633671	6855108	5	1.29	0.53	13.4	440	0.39	0.26	0.34	2.3	9.2
ANG30923	NAD83-8	633647	6855064	2	1.56	0.39	17.4	330	0.25	0.21	0.49	1.08	5.4
ANG30924	NAD83-8	633619	6855022	-1	1.77	0.28	23.6	220	0.11	0.26	0.11	0.2	0.8
ANG30926	NAD83-8	633883	6855986	1	0.18	0.54	18.6	140	0.28	0.2	4.54	0.3	16.5
ANG30927	NAD83-8	633856	6855945	-1	0.05	0.26	19.1	80	0.17	0.1	9.91	0.07	14
ANG30928	NAD83-8	633828	6855903	1	0.44	0.15	9.4	80	0.36	0.14	2.44	0.66	14.1
ANG30929	NAD83-8	633882	6855861	6	0.85	0.36	48	140	0.52	0.29	3.65	0.87	26.6
ANG30930	NAD83-8	633774	6855818	6	0.57	0.41	30.8	170	0.53	0.22	3.05	0.43	19.5
ANG30931	NAD83-8	633747	6855777	10	1.03	0.37	51	240	0.4	0.47	1.77	1.66	12.4
ANG30932	NAD83-8	633719	6855733	2	1.12	0.49	20	230	0.46	0.16	2.46	4.23	9.4
ANG30933	NAD83-8	633691	6855691	2	1.98	0.42	24.7	360	0.47	0.16	2.52	6.29	11.6
ANG30934	NAD83-8	633666	6855650	-1	0.69	0.3	38.5	120	0.4	0.16	3.69	2.59	11.9
ANG30935	NAD83-8	633639	6855607	5	1.13	0.39	95.1	140	0.55	0.17	3.56	2.14	15.2
ANG30936	NAD83-8	633611	6855566	3	1.46	0.47	62.7	160	0.63	0.19	2.08	2.07	11.6
ANG30937	NAD83-8	633586	6855523	1	0.45	0.24	219	100	0.36	0.13	3.91	0.99	13.1
ANG30938	NAD83-8	633558	6855482	-1	0.44	0.35	85.8	160	0.42	0.14	2.69	0.91	12.2
ANG30939	NAD83-8	633529	6855439	-1	0.43	0.3	26.5	110	0.39	0.14	2.86	0.69	10.3
ANG30940	NAD83-8	633503	6855396	-1	0.27	0.2	36.7	90	0.35	0.15	6.3	1	12.7
ANG30941	NAD83-8	633476	6855356	-1	0.52	0.36	39.9	190	0.47	0.18	4.64	1.51	12
ANG30942	NAD83-8	633446	6855314	3	2.1	0.37	63.4	160	0.61	1.61	3.36	7.15	12.1
ANG30943	NAD83-8	633396	6855229	4	1.27	0.49	21	430	0.49	0.2	0.77	3.14	12.7
ANG30944	NAD83-8	633421	6855271	3	0.92	0.28	56.7	140	0.42	0.88	4.29	3.48	11.3
ANG30945	NAD83-8	633368	6855185	2	1.36	0.38	15.8	330	0.34	0.18	0.63	3.05	12.3
ANG30950	NAD83-8	633856	6855945	-1	0.05	0.27	20.7	90	0.2	0.1	9.63	0.09	14.3
ANG30951	NAD83-8	633135	6856487	4	0.95	0.44	22.2	920	0.35	0.14	2.67	5.74	9.4
ANG30952	NAD83-8	631360	6856502	3	0.42	0.74	19.2	160	0.68	0.4	0.26	9.71	15.2
ANG30953	NAD83-8	631385	6856545	3	1.48	0.68	47.3	360	0.55	0.23	0.89	3.08	15.2
ANG30954	NAD83-8	631412	6856588	1	0.54	0.4	45.6	200	0.15	0.4	0.33	0.82	1.7
ANG30955	NAD83-8	631440	6856629	-1	0.72	0.77	78.2	130	0.57	0.29	0.6	3.18	15.2
ANG30956	NAD83-8	631467	6856671	5	1.15	0.44	95.7	220	0.67	6.47	1.57	2.3	32.1
ANG30957	NAD83-8	631494	6856713	1	1.02	0.29	31.8	140	0.55	0.23	1.82	5.24	14.2
ANG30958	NAD83-8	631522	6856754	-1	0.56	0.3	37	130	0.34	0.13	1.39	2.6	11.7
ANG30959	NAD83-8	631548	6856797	5	1.12	0.15	102.5	60	0.49	0.23	4.87	2.56	20.3

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30892	24.8	6	0.53	53.1	2.94	0.8	0.06	0.05	13.2	1.7	0.4	186	8	0.01
ANG30893	22.3	6	0.34	55.6	2.07	0.69	0.09	0.07	13	1.9	0.1	76	14.15	0.01
ANG30894	30.6	21	0.49	52	3.32	2.24	0.1	0.05	15.5	6.1	0.35	234	6.58	0.02
ANG30895	15.55	9	0.52	72	3.27	1.04	0.15	0.04	8.5	3.1	0.21	97	9.32	0.01
ANG30896	19.7	6	0.27	36.7	2.61	0.69	0.06	0.03	10.4	1.4	0.05	163	4.37	0.01
ANG30897	35.6	12	0.29	140.5	1.98	0.7	2.68	0.03	29	1.1	0.05	151	66.6	-0.01
ANG30898	24.9	23	0.38	74.5	2.06	1.73	0.23	0.04	14.3	6	0.19	353	11.45	0.01
ANG30899	25.3	9	0.24	26.3	1.4	1.39	0.12	0.03	13.7	3.1	0.12	150	9.75	0.01
ANG30900	19.75	19	0.36	21.6	1.54	2.32	0.15	0.04	10.3	7.8	0.26	262	5.07	0.02
ANG30901	29.2	21	0.7	34.5	3.02	3.13	0.1	0.04	15.2	7.2	0.25	292	4.94	0.01
ANG30902	26.8	19	0.59	60.3	2.59	2.02	0.18	0.06	14.6	5.9	0.42	234	8.4	0.01
ANG30903	25.6	24	0.44	74.3	2.51	2.5	0.26	0.05	15.3	7.7	0.32	382	7.44	0.02
ANG30904	26	23	0.47	65.5	2.39	2.07	0.25	0.05	15.3	6.9	0.31	317	9.96	0.01
ANG30905	9.52	12	0.2	27.1	1.21	1.22	0.13	0.05	5.4	2.2	0.16	129	5.12	0.04
ANG30906	24.2	18	0.47	74	2.51	1.99	0.23	0.05	13.3	7.3	0.43	311	8.76	0.02
ANG30907	33.6	13	0.68	47.1	2.6	1.54	0.11	0.05	18.9	6.5	0.66	257	8.68	0.02
ANG30908	26.9	10	0.5	31.1	2.58	1.45	0.04	0.05	14.3	8	0.73	191	2.88	0.02
ANG30909	21.3	11	0.55	35.5	2.75	1.45	0.08	0.04	11.4	7.3	0.59	219	4.56	0.01
ANG30910	19.8	15	0.31	38.6	2.22	1.3	0.18	0.04	10.8	4.9	0.55	251	18.7	0.02
ANG30911	22	13	0.38	63.6	2.44	1.35	0.13	0.05	13	3.7	1.06	233	31.7	0.01
ANG30912	22	17	0.75	123.5	2.43	1.14	0.2	0.1	14.2	1.7	0.29	192	50	0.01
ANG30913	19.25	12	0.44	61.1	2.54	1.33	0.14	0.05	11	3.2	0.59	184	21.3	0.01
ANG30914	12.8	12	0.38	33.4	2.06	1.06	0.07	0.04	7.5	3.9	0.82	283	9.3	0.02
ANG30915	18.6	15	0.41	42.1	2.09	1.8	0.12	0.05	10.5	4.7	0.42	352	8.39	0.02
ANG30916	15.1	11	0.37	75.5	2.37	1.25	0.22	0.05	8.8	3.1	0.3	393	20.3	0.01
ANG30917	25.8	8	0.66	26.3	2.69	0.92	0.05	0.06	13.6	2.4	0.56	306	10.3	0.01
ANG30918	16.2	9	0.4	31.1	2.36	1.09	0.09	0.06	9.2	2.8	0.43	185	11.4	0.01
ANG30919	22.4	10	0.46	39.2	2.54	1.07	0.09	0.05	13	3.4	1.09	288	19.65	0.01
ANG30920	19.2	11	0.51	48	2.36	1.03	0.14	0.05	10.8	3	0.56	372	11.6	0.02
ANG30921	30.2	14	0.67	71.6	2.56	1.35	0.23	0.05	16.6	3.9	0.23	267	6.09	0.01
ANG30922	37.5	10	0.62	63.9	2.29	1.34	0.25	0.05	20.8	4.2	0.13	254	5.97	0.01
ANG30923	37.1	17	0.84	41	2.25	1.22	0.16	0.04	23.4	1.9	0.07	182	4.69	0.01
ANG30924	15.65	13	1.04	18	1.24	1.7	0.2	0.02	10.1	0.6	0.02	41	1.65	0.01
ANG30926	38.8	9	0.86	30.9	2.85	1.49	0.03	0.03	21.3	10.5	0.81	268	1.39	0.02
ANG30927	65	3	1.21	15.9	2.72	0.8	0.01	0.03	37.4	4.2	1.4	356	0.48	0.01
ANG30928	25.7	6	0.43	39.1	3.13	0.46	0.03	0.03	14.4	1.3	0.52	189	2.19	0.01
ANG30929	20.8	7	1.2	58.7	3.54	1.01	0.06	0.04	11.8	11.2	0.88	278	7.01	0.01
ANG30930	21.8	10	0.98	60.5	2.73	1.18	0.09	0.05	12.4	3.8	0.74	185	4.43	0.01
ANG30931	27.6	9	0.37	32	2.96	1.13	0.07	0.04	15	2.9	0.5	244	7.78	0.01
ANG30932	18.95	15	0.39	47.1	2.39	1.44	0.12	0.05	10.5	4	0.72	345	14.75	0.01
ANG30933	17.75	15	0.42	70.3	2.34	1.2	0.12	0.05	10.5	3.3	0.47	293	20.8	0.01
ANG30934	23.3	9	0.51	39.5	2.33	0.97	0.07	0.05	13.5	2.7	1.17	197	24	0.01
ANG30935	27.8	9	0.97	40.8	2.57	1.12	0.08	0.05	15.9	3.2	0.8	203	18.2	0.01
ANG30936	27	12	0.72	44.1	2.69	1.37	0.11	0.05	15.2	4.2	0.48	285	12.75	0.01
ANG30937	18.5	6	0.52	24.9	2.47	0.71	0.06	0.04	10.3	2	0.95	239	13.55	0.01
ANG30938	20.7	10	0.39	24.4	2.33	1	0.05	0.05	11.8	3	0.51	258	10	0.01
ANG30939	17.85	7	0.33	24.2	2.29	0.84	0.06	0.04	9.9	2.9	0.71	208	12.2	0.01
ANG30940	16.8	5	0.42	25.5	2.38	0.57	0.04	0.04	9.6	2	1.54	314	18.9	0.01
ANG30941	22.3	8	0.43	34	2.37	1.06	0.07	0.05	12.7	3.3	1.1	337	22	0.01
ANG30942	28.9	9	0.38	82.8	3.96	1.25	0.79	0.05	17.5	3.1	0.7	625	33.3	0.01
ANG30943	27.3	14	0.9	56.2	2.88	1.37	0.21	0.05	15.6	4.4	0.22	361	8.65	0.01
ANG30944	22.8	10	0.36	49.9	2.87	0.89	0.2	0.04	13.2	2.4	1.12	452	27.1	0.01
ANG30945	25.7	10	0.59	51.1	3.08	1.1	0.23	0.04	14	3	0.17	294	12.4	0.01
ANG30950	65.4	4	1.15	17.4	2.75	0.79	0.02	0.03	37.7	4.2	1.45	365	0.59	0.01
ANG30951	20.6	11	0.37	62.8	1.79	1.23	0.12	0.07	11.6	2.8	0.69	194	10.25	0.02
ANG30952	34.8	8	0.97	138.5	3.02	0.72	0.09	0.03	15.1	3.2	0.03	906	12	-0.01
ANG30953	23.9	16	0.47	72.2	2.85	2.02	0.35	0.05	13.5	5.5	0.19	647	15.2	0.01
ANG30954	38.9	8	1.15	24.9	1.74	3.69	0.18	0.03	20.7	6	0.03	94	11.35	0.01
ANG30955	20.6	13	0.84	49.7	2.82	2.23	0.07	0.05	11.1	6.1	0.15	437	16.25	0.01
ANG30956	32.1	11	0.75	244	5.48	1.63	0.18	0.05	18.2	2	0.57	572	35.3	0.01
ANG30957	23.3	8	0.35	53.1	3.21	1.01	0.14	0.03	13.1	1.6	0.81	409	44.6	0.01
ANG30958	11.8	5	0.27	39.1	2.43	0.82	0.12	0.02	6.5	0.7	0.2	302	19.25	0.02
ANG30959	19	4	0.44	54.6	3.56	0.59	0.13	0.04	10.5	1.2	2.07	306	54.7	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30892	61.1	1000	18.6	3	0.07	4.92	3.1	126.5	0.05	4.6	0.08	1.12	295	VA08141994
ANG30893	35.9	680	57.4	5.1	0.17	6.78	5.4	155.5	0.15	7	0.19	0.86	198	VA08141994
ANG30894	71.2	540	16.5	4.8	0.03	3.71	2.5	88.3	0.07	3.1	0.09	0.95	209	VA08141994
ANG30895	94.6	610	12.9	3.5	0.1	4.19	5.1	199	0.09	3.9	0.08	1.72	247	VA08141994
ANG30896	42.4	470	14.7	3.5	0.04	4.05	2.9	61.9	0.05	2.1	0.07	1.09	261	VA08141994
ANG30897	286	1490	18.4	3	0.01	49.8	17.7	48.7	0.21	4.1	0.57	2.38	1320	VA08141994
ANG30898	145.5	990	18	4.4	0.02	7.21	4.2	28.3	0.07	2.9	0.14	1.68	1390	VA08141994
ANG30899	21.6	570	16.1	3.7	0.03	6.65	2.1	38.1	0.06	1.7	0.1	2.45	133	VA08141994
ANG30900	33.6	1050	11.9	5.4	0.04	3.88	1.7	55.1	0.04	1.2	0.13	1.42	252	VA08141994
ANG30901	50.6	730	19.4	6.2	0.03	3.36	1.8	45.4	0.05	2.8	0.11	1.03	207	VA08141994
ANG30902	79.9	970	17.7	5.2	0.03	7.8	3.3	71.9	0.07	5	0.12	1.14	431	VA08141994
ANG30903	74.6	790	23.5	5.7	0.04	6.96	3	48.9	0.06	1.6	0.09	1.13	799	VA08141994
ANG30904	81.1	960	21.6	5.7	0.02	8.64	4	43.6	0.09	2.5	0.12	1.08	671	VA08141994
ANG30905	31.1	660	11.9	3	0.09	5.07	3.7	75.6	0.04	0.5	0.06	1.23	548	VA08141994
ANG30906	70.8	1090	18.5	4.7	0.05	7.54	3.4	82.9	0.05	1.5	0.1	1.25	587	VA08141994
ANG30907	55.3	1150	18.8	4	0.04	6.18	3.8	178	0.04	6.7	0.08	1.33	510	VA08141994
ANG30908	36.3	810	10.8	3.6	0.05	4.87	1.3	102	0.02	2.6	0.05	1	147	VA08141994
ANG30909	39.2	800	24	3.9	0.05	4.67	1.6	80.2	0.02	1.7	0.06	1.3	298	VA08141994
ANG30910	55.1	650	34.4	3.8	0.03	6.3	2	53.1	0.06	1.7	0.11	1.19	410	VA08141994
ANG30911	85	1070	18	4	0.03	10.1	3.6	88.7	0.07	3.2	0.13	1.43	418	VA08141994
ANG30912	170.5	3950	19.3	7	0.01	17.15	9.8	192.5	0.2	6.7	0.41	4.06	592	VA08141994
ANG30913	85.5	1460	35.2	4	0.03	16.35	4.2	117.5	0.09	1.7	0.16	1.92	376	VA08141994
ANG30914	45.7	1040	12.8	3.7	0.06	5.57	2.2	120.5	0.04	0.9	0.07	2.11	294	VA08141994
ANG30915	58	1030	21	4	0.05	9.44	2.3	77.8	0.06	1	0.08	1.91	274	VA08141994
ANG30916	96.5	930	14.6	4	0.05	8.43	2.9	82.9	0.08	1.2	0.13	2.2	550	VA08141994
ANG30917	59.4	1030	19.2	4.4	0.02	8.2	1.6	110.5	0.04	6.1	0.12	1.7	279	VA08141994
ANG30918	52.9	980	14.7	4	0.03	6.64	1.8	91.5	0.04	2	0.08	1.47	280	VA08141994
ANG30919	65.8	1330	40.1	3.8	0.03	10.65	2.7	129.5	0.06	4.7	0.11	1.91	362	VA08141994
ANG30920	68.7	1360	34.5	3.5	0.07	6.76	4	106.5	0.07	2.4	0.14	1.81	455	VA08141994
ANG30921	43.4	980	21.9	4.3	0.03	3.3	2.5	54.1	0.1	3.5	0.13	3.66	219	VA08141994
ANG30922	39.5	1000	19.9	5.1	0.01	2.06	1.6	40.9	0.09	3.7	0.13	1.84	200	VA08141994
ANG30923	36.7	990	18.8	4.9	0.06	2.55	4	57.1	0.08	2.3	0.12	3.29	148	VA08141994
ANG30924	5.7	1180	34.1	4.4	0.03	1.46	3.8	145.5	0.07	0.5	0.29	1.65	22	VA08141994
ANG30926	32.2	850	11.5	2.5	0.04	2.13	0.8	141.5	0.02	4.8	0.03	0.76	96	VA08141994
ANG30927	26.3	530	7.1	2.8	0.02	1.57	0.4	224	-0.01	11.1	0.02	1.03	67	VA08141994
ANG30928	38	920	10.2	2.2	0.02	3.88	1.1	58.4	0.02	5.8	0.02	1.25	133	VA08141994
ANG30929	54.4	910	13.9	3	0.06	11.6	2.6	72.3	0.04	6.9	0.06	1.25	157	VA08141994
ANG30930	48.6	910	10.8	3.9	0.02	6.33	1.5	48.6	0.03	5.9	0.07	1.06	137	VA08141994
ANG30931	45.4	810	11.1	3.6	0.02	8.2	1.6	69.6	0.04	3.1	0.08	1.57	265	VA08141994
ANG30932	78.1	1270	15.1	4.2	0.04	8.32	4.4	106	0.06	1.7	0.12	1.73	479	VA08141994
ANG30933	103	1580	16.8	3.9	0.06	7.95	5.2	134	0.08	1.1	0.11	3.24	661	VA08141994
ANG30934	76.5	1480	16.7	3.8	0.02	8.75	2.8	173	0.06	3.5	0.15	2.48	339	VA08141994
ANG30935	75.9	1200	15.1	3.8	0.01	11.2	2.2	115.5	0.06	5.6	0.14	2.03	304	VA08141994
ANG30936	71.3	1330	117.5	4.3	0.02	41.4	2.8	97.2	0.07	3	0.11	1.86	388	VA08141994
ANG30937	54.3	1230	16.8	2.8	0.01	9.96	1.4	126	0.05	6.1	0.11	1.73	192	VA08141994
ANG30938	56.5	1020	16.3	3.5	0.01	6.35	1.2	90	0.04	2.6	0.09	1.37	149	VA08141994
ANG30939	51.2	940	20	3.6	0.01	7.3	1.3	95	0.04	1.6	0.1	1.45	152	VA08141994
ANG30940	69.2	1210	15.4	3.2	0.02	13.05	2	137.5	0.06	3.1	0.15	2.05	201	VA08141994
ANG30941	71.1	910	18.2	3.8	0.01	13.25	2.8	112.5	0.05	4.6	0.16	2.03	343	VA08141994
ANG30942	89.4	700	163	3.8	0.02	18.1	3.1	80	0.08	5.4	0.14	3.49	2400	VA08141994
ANG30943	76.4	1310	39.1	5	0.04	4.96	2.7	59.4	0.07	3.8	0.18	3.29	534	VA08141994
ANG30944	74.6	970	143.5	3.3	0.02	21.2	4.6	124.5	0.06	4.3	0.15	2.67	1000	VA08141994
ANG30945	50.8	1110	22.7	4	0.03	5.34	3.8	46.2	0.06	3.3	0.12	3.2	336	VA08141994
ANG30950	27.7	550	7.4	2.8	0.01	1.64	0.4	225	0.01	10.5	0.02	0.95	71	VA08141994
ANG30951	83.6	1070	15	5	0.03	8.38	4.2	130.5	0.09	1.8	0.12	2.38	601	VA08141994
ANG30952	76.7	670	28.1	3.2	0.04	4.05	2.5	91.2	0.13	4.6	0.25	11.05	734	VA08141994
ANG30953	74.6	720	88.1	4.5	0.04	9.68	2.9	49.1	0.07	2.2	0.14	1.37	418	VA08141994
ANG30954	11.5	540	56.9	3.9	0.05	5.16	3.6	117.5	0.06	19.4	0.17	1.92	116	VA08141994
ANG30955	63.2	940	44.4	5.7	0.03	11.8	2.1	48.2	0.06	1.8	0.16	1.73	352	VA08141994
ANG30956	104.5	1190	58.2	4.6	0.06	9.53	6.8	63.4	0.1	8.7	0.26	2.37	674	VA08141994
ANG30957	94.4	700	21.8	2.9	0.02	8.06	2.2	75.7	0.07	3.9	0.16	1.57	666	VA08141994
ANG30958	63.8	770	41.1	2.3	0.07	10.1	2.4	51	0.04	0.8	0.13	1.95	590	VA08141994
ANG30959	124	1460	47.9	2.7	0.1	28.3	3	119	0.09	7	0.29	3.26	677	VA08141994

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG30960	NAD83-8	631576	6856839	3	0.98	0.22	49.9	90	0.43	0.18	2.76	2.34	12.8
ANG30961	NAD83-8	631604	6856880	4	0.9	0.26	49.8	100	0.42	0.17	2.03	2.62	12.8
ANG30962	NAD83-8	631630	6856923	3	0.84	0.28	44.4	90	0.39	0.17	2.26	1.95	10.6
ANG30963	NAD83-8	631657	6856965	3	0.68	0.43	30.2	170	0.38	0.18	1.31	1.12	7.3
ANG30964	NAD83-8	631684	6857009	1	0.48	0.46	29.9	210	0.4	0.16	1.26	1.47	10
ANG30965	NAD83-8	631713	6857049	4	0.48	0.39	27.3	230	0.34	0.18	2.59	2.78	9.8
ANG30966	NAD83-8	631739	6857092	2	0.58	0.47	29.4	260	0.37	0.18	6.79	1.62	16.3
ANG30967	NAD83-8	631767	6857133	4	0.69	0.44	31.3	310	0.35	0.17	7.13	1.83	13.5
ANG30968	NAD83-8	631795	6857175	1	0.17	0.29	18	200	0.25	0.11	11.15	0.82	10.1
ANG30969	NAD83-8	631820	6857218	7	0.81	0.48	36.1	350	0.46	0.17	6.47	2.21	11.8
ANG30970	NAD83-8	631849	6857260	5	1.17	0.66	41.4	360	0.59	0.24	0.88	5.36	12.7
ANG30971	NAD83-8	631875	6857302	3	0.47	0.5	30.1	350	0.56	0.27	2.98	1.26	15.9
ANG30972	NAD83-8	631903	6857343	7	0.62	0.25	53.8	320	0.48	0.25	2.1	1.38	17.6
ANG30974	NAD83-8	631962	6857427	6	0.54	0.33	22.6	240	0.32	0.13	1.13	2.2	9.8
ANG30975	NAD83-8	631989	6857469	3	0.81	0.26	15.7	360	0.21	0.1	1.34	3.57	14.4
ANG30976	NAD83-8	632015	6857510	-1	0.27	0.54	13.1	360	0.22	0.11	0.2	2.6	5.7
ANG30977	NAD83-8	632041	6857552	8	0.58	0.62	37.7	1130	0.65	0.22	0.22	0.72	13.6
ANG30978	NAD83-8	632070	6857594	2	2.02	0.7	41.6	5040	0.28	0.12	1.6	21.8	10.3
ANG30979	NAD83-8	632095	6857639	1	0.93	0.75	26.3	570	0.41	0.2	0.92	2.41	12.8
ANG30980	NAD83-8	632123	6857681	1	0.07	0.88	8.7	500	0.23	0.14	0.13	0.31	4.8
ANG30981	NAD83-8	632149	6857722	1	0.12	0.69	7.6	200	0.26	0.13	0.22	0.4	6
ANG30982	NAD83-8	632175	6857765	2	0.4	0.89	6.9	520	0.41	0.17	0.82	0.5	8.1
ANG30984	NAD83-8	634579	6855946	-1	0.11	0.38	1.3	630	0.1	0.03	1.86	4.94	1.6
ANG30985	NAD83-8	634527	6855861	7	0.59	0.96	32.1	760	0.49	0.24	1.2	5.08	15.7
ANG30986	NAD83-8	634499	6855820	18	0.94	0.6	47.5	510	0.41	0.2	1.68	2.9	13.6
ANG30987	NAD83-8	634471	6855776	97	0.77	0.44	114	430	0.34	0.25	4.24	2.14	20.6
ANG30988	NAD83-8	634444	6855734	27	0.64	0.32	41.3	380	0.28	0.28	1.97	1.16	16.7
ANG30989	NAD83-8	634416	6855692	13	0.58	0.7	39	640	0.46	0.22	2.63	7.25	22.2
ANG30990	NAD83-8	634390	6855649	15	0.7	0.83	27.9	1160	0.45	0.26	2.16	2.19	12.3
ANG30991	NAD83-8	634363	6855609	7	0.81	0.27	44.3	100	0.37	0.24	3.74	2.14	18
ANG30992	NAD83-8	634336	6855566	4	0.36	0.28	26.5	120	0.36	0.2	4.14	0.65	14.6
ANG30993	NAD83-8	634309	6855524	7	0.43	0.31	78.3	170	0.44	0.32	1.98	1.27	13.3
ANG30994	NAD83-8	634432	6856285	4	0.21	0.88	15.1	1040	0.52	0.18	0.42	0.32	8.5
ANG30995	NAD83-8	634404	6856244	6	0.4	0.74	13.6	590	0.43	0.18	1.05	0.51	9.2
ANG30996	NAD83-8	634376	6856202	2	1.78	0.36	30.4	640	0.45	0.2	1.01	13.15	10.5
ANG30997	NAD83-8	634349	6856159	4	2.75	0.32	20.5	3080	0.29	0.16	0.67	17.1	4.3
ANG30998	NAD83-8	634324	6856117	7	3.66	0.23	25.7	250	0.24	0.14	0.72	10.85	3.7
ANG30999	NAD83-8	634295	6856075	12	0.67	0.56	13.4	480	0.34	0.22	0.47	0.89	6.1
ANG32251	NAD83-8	634279	6855233	2	0.31	0.3	16.6	180	0.21	0.1	1.81	1.97	6.1
ANG32252	NAD83-8	634452	6855192	1	0.51	0.36	32.1	110	0.3	0.11	0.84	1.56	6.7
ANG32253	NAD83-8	634426	6855148	-1	0.77	0.32	34.6	120	0.26	0.12	1.42	2.21	6.1
ANG32254	NAD83-8	634398	6855107	3	0.9	0.33	38.4	180	0.47	0.16	1.31	2.47	9.4
ANG32255	NAD83-8	634371	6855068	3	0.96	0.26	20.2	100	0.4	0.17	2.1	3.68	6.4
ANG32256	NAD83-8	634344	6855026	-1	0.46	0.23	16	120	0.31	0.13	2.37	1.04	4.6
ANG32257	NAD83-8	634315	6854986	2	0.52	0.21	21.7	120	0.43	0.16	2.68	1.16	6.3
ANG32258	NAD83-8	634286	6854945	2	0.5	0.29	30.8	100	0.38	0.15	2.05	1.17	9.4
ANG32259	NAD83-8	634259	6854903	1	0.93	0.26	39.3	140	0.44	0.17	2.8	1.09	13.1
ANG32260	NAD83-8	634231	6854861	3	1	0.22	25.1	310	0.36	0.17	0.92	3.06	6.9
ANG32261	NAD83-8	634205	6854819	3	0.84	0.38	12.3	470	0.21	0.26	0.27	0.71	7.6
ANG32262	NAD83-8	634176	6854778	2	0.53	0.35	14.6	290	0.21	0.18	0.32	0.33	5.7
ANG32263	NAD83-8	634147	6854735	5	1.82	0.3	13.8	290	0.17	0.26	0.1	0.4	2.9
ANG32264	NAD83-8	634120	6854693	1	0.8	0.23	4.8	120	0.1	0.1	0.37	0.17	1.7
ANG32266	NAD83-8	634854	6854819	1	0.24	0.36	20.2	210	0.37	0.14	0.68	0.5	9
ANG32267	NAD83-8	634884	6854855	1	0.44	0.27	33.3	100	0.45	0.19	3.01	0.63	9.3
ANG32268	NAD83-8	634915	6854893	1	0.6	0.41	38.3	130	0.37	0.12	1.01	4.39	7.2
ANG32269	NAD83-8	634946	6854932	2	0.93	0.31	64.6	180	0.42	0.12	1.73	1.57	12
ANG32270	NAD83-8	634946	6854932	4	0.79	0.32	62.1	180	0.42	0.13	1.47	1.22	12.3
ANG32271	NAD83-8	634977	6854973	3	2.21	0.22	158.5	120	0.62	0.21	2.17	3.9	16.1
ANG32272	NAD83-8	635008	6855011	3	1.03	0.35	93	150	0.47	0.18	1.59	3.42	14.3
ANG32273	NAD83-8	635038	6855050	4	0.46	0.23	34.8	170	0.6	0.3	3.22	0.51	15
ANG32274	NAD83-8	635070	6855089	11	0.42	0.15	40.8	130	0.71	0.43	2.72	0.95	22.2
ANG32275	NAD83-8	635102	6855129	2	0.6	0.23	46.8	180	0.79	0.31	1.34	0.98	20.9
ANG32276	NAD83-8	635133	6855167	17	2.62	0.17	69.3	420	0.48	0.25	4.22	9.68	19.5

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG30960	19.35	5	0.32	39.9	2.8	0.71	0.13	0.03	10.9	1.4	1.07	423	29.8	0.01
ANG30961	23	7	0.29	37.8	2.76	0.83	0.12	0.04	12.7	1.4	0.78	496	24.8	0.01
ANG30962	19.8	6	0.31	34.4	2.57	0.84	0.12	0.04	11.1	1.6	0.82	291	22.5	0.01
ANG30963	19.95	10	0.42	32.1	1.91	1.35	0.09	0.04	10.8	2.7	0.25	250	5.75	0.01
ANG30964	18.6	8	0.46	27.2	2.44	1.41	0.08	0.04	10	2.6	0.2	542	8.49	0.01
ANG30965	22.6	11	0.4	32.6	2.33	1.18	0.07	0.04	12.4	3.4	0.46	256	8.35	0.02
ANG30966	37.3	8	0.42	42	3	1.36	0.05	0.04	20.4	8	0.71	298	6.52	0.02
ANG30967	29.2	7	0.4	50.4	2.62	1.2	0.06	0.04	16.1	5.7	0.66	211	7.12	0.02
ANG30968	46.8	4	0.4	22.3	2.1	0.87	0.03	0.04	25.7	3.1	0.68	245	2.86	0.02
ANG30969	20.1	10	0.27	58	2.46	1.29	0.07	0.05	10.8	2.9	0.38	211	7.54	0.02
ANG30970	32.4	14	0.35	51.7	3.32	1.95	0.12	0.05	16.3	4.3	0.15	279	11.25	0.01
ANG30971	29.9	10	0.3	61	2.92	1.54	0.08	0.04	15.9	3	0.2	176	7.92	0.01
ANG30972	43.6	6	0.46	59.8	3	0.86	0.09	0.04	23.4	1.2	0.13	184	11.15	0.01
ANG30974	33.1	6	0.17	22.5	2.19	0.91	0.07	0.04	16.8	1.2	0.37	272	4.65	0.01
ANG30975	22.2	7	0.18	25	1.75	0.81	0.15	0.04	11.6	1	0.21	346	7.25	0.02
ANG30976	18.95	10	0.23	16.9	1.41	1.95	0.02	0.05	10.1	3	0.08	202	8.2	0.01
ANG30977	75	13	0.23	28.3	2.31	1.98	0.05	0.08	36.7	2.1	0.11	278	14.7	0.01
ANG30978	20.4	13	0.29	90.1	1.74	1.61	0.29	0.08	12.4	2	0.13	326	34.9	0.07
ANG30979	26.8	11	0.27	58.7	2.81	1.86	0.09	0.07	13.5	2.8	0.21	457	8.24	0.01
ANG30980	25.2	17	0.47	10.7	1.61	3.24	0.01	0.03	12.9	7.5	0.22	142	2.63	0.01
ANG30981	18.4	17	0.51	10.5	1.56	2.5	0.02	0.05	9.2	7.4	0.18	190	1.92	0.01
ANG30982	25.5	16	0.47	25.2	1.73	2.71	0.1	0.06	13.1	7.1	0.32	336	1.31	0.02
ANG30984	5.18	5	0.12	18.8	0.34	1.06	0.04	0.02	2.6	0.6	0.12	121	1.13	0.04
ANG30985	36.3	26	1.63	82.8	2.83	3.21	0.17	0.12	18.7	9.2	0.7	427	13.95	0.02
ANG30986	23	15	0.66	56.6	2.71	1.83	0.12	0.06	12.7	4.6	0.28	228	5.59	0.01
ANG30987	23.1	9	0.53	70.7	3.97	1.22	0.12	0.04	12.6	3.3	0.22	220	8.41	0.02
ANG30988	23.2	6	0.48	50.8	3.34	0.9	0.1	0.04	12.5	2	0.12	258	4.69	0.02
ANG30989	31.7	20	1.04	62.4	2.92	2.36	0.12	0.09	16.7	7.1	0.55	540	12.7	0.02
ANG30990	31.3	22	0.93	55.2	2.64	2.65	0.14	0.09	16.4	9.1	0.73	296	9.53	0.01
ANG30991	21.4	5	0.93	56.7	3.37	0.79	0.03	0.03	11.7	4.9	0.74	255	9.01	-0.01
ANG30992	21.9	5	0.63	34.4	2.7	0.81	0.02	0.03	11.8	5.2	0.77	249	4.16	-0.01
ANG30993	16.6	5	0.77	42.7	2.65	0.85	0.04	0.04	9.1	2.4	0.5	139	2.81	-0.01
ANG30994	29.5	21	0.45	22.7	2.41	2.78	0.03	0.04	14.6	7.6	0.31	234	3.68	0.01
ANG30995	30.2	20	0.42	29.7	2.15	2.49	0.04	0.05	16.1	7.7	0.65	259	4.14	0.01
ANG30996	44.7	28	0.41	82.8	2.71	1.42	0.39	0.05	30.6	0.8	0.06	143	56.4	-0.01
ANG30997	22.9	16	0.21	136	1.48	1.06	0.57	0.03	16.1	1.1	0.03	111	26.7	0.02
ANG30998	21.8	19	0.15	122.5	1.67	0.66	0.52	0.05	18.7	0.7	0.01	120	23	-0.01
ANG30999	24.7	12	0.35	33.5	2.02	1.83	0.17	0.03	13.5	4	0.13	180	7.8	-0.01
ANG32251	9.46	5	0.22	29	1.26	0.8	0.04	0.04	4.8	1.7	0.26	161	3.41	0.03
ANG32252	16.45	6	0.3	23.9	1.68	1.05	0.06	0.03	8.6	2.2	0.12	211	3.91	0.02
ANG32253	10.45	6	0.33	26.2	1.53	0.9	0.08	0.03	5.6	1.5	0.22	272	9.19	0.02
ANG32254	20.3	9	0.73	38.9	2.24	1.03	0.1	0.04	11.2	2.9	0.25	372	6.04	0.01
ANG32255	18.85	8	0.43	27	1.91	0.76	0.08	0.04	10.3	1.5	0.75	174	5.19	0.01
ANG32256	9.89	5	0.33	18	1.4	0.63	0.06	0.03	5.5	1.1	0.33	157	3.92	0.01
ANG32257	15.25	7	0.33	25.1	1.81	0.58	0.08	0.04	8.7	1.2	0.45	173	6.86	0.01
ANG32258	19	9	0.4	26.7	2.01	0.79	0.08	0.04	10	1.5	0.57	182	15.3	0.01
ANG32259	27	5	0.66	36.7	2.51	0.79	0.1	0.05	13.9	1.6	0.98	197	26	0.01
ANG32260	17.45	8	0.9	33.2	2.03	0.67	0.2	0.04	9.8	1.4	0.16	224	6.36	0.01
ANG32261	25.7	8	1.07	35.8	1.55	1.3	0.14	0.04	12.7	3.1	0.06	414	4.54	0.01
ANG32262	20.2	5	1.31	21.9	1.32	1.29	0.08	0.03	10.5	1.7	0.04	281	3.16	0.02
ANG32263	24.3	13	0.79	25.5	1.48	1.4	0.17	0.04	15.1	1.5	0.02	132	4.62	0.01
ANG32264	10.65	8	0.41	11.9	0.63	1.11	0.09	0.03	6.1	1	0.03	76	1.56	0.02
ANG32266	22.8	9	0.68	16	2.11	1.04	0.08	0.04	11.6	2.4	0.13	224	5.92	0.01
ANG32267	25.1	8	0.63	29.7	2.48	0.78	0.04	0.04	14.5	3	0.13	220	5.64	0.01
ANG32268	13.3	5	0.48	36.3	1.45	1.02	0.09	0.03	7.3	2.2	0.17	175	8.94	0.02
ANG32269	17.55	9	0.51	35.1	2.35	0.83	0.09	0.04	9.5	2.3	0.27	367	7.85	0.01
ANG32270	20.3	10	0.55	31.7	2.68	0.94	0.08	0.04	11.3	2.6	0.28	351	5.99	0.01
ANG32271	28.3	7	0.97	85.7	3.18	0.85	0.15	0.06	15.8	2.2	0.89	175	56.1	0.01
ANG32272	22.4	9	0.52	49.5	2.66	1.01	0.06	0.04	12.8	5	0.47	261	18.95	0.02
ANG32273	23.2	4	0.48	32.7	2.55	0.71	0.02	0.04	13.3	1.4	0.75	194	4.76	0.01
ANG32274	27.7	4	0.89	43.2	3.74	0.52	0.01	0.04	15.2	0.8	0.51	295	5.71	0.01
ANG32275	22.8	4	0.94	39.6	3.18	0.73	0.03	0.05	12.7	1.1	0.27	157	8.87	0.01
ANG32276	17.95	18	0.31	137	3.05	0.73	0.39	0.04	10.1	0.9	1.51	362	18.55	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG30960	84.5	1090	46.5	2.8	0.04	15.45	2.3	72.3	0.07	2.7	0.18	1.75	476	VA08141994
ANG30961	85.2	1090	39.8	3	0.03	14	1.7	55.2	0.07	3.6	0.17	1.44	445	VA08141994
ANG30962	74.1	1070	30.4	3.2	0.03	12.95	1.8	66	0.06	2.8	0.14	1.35	400	VA08141994
ANG30963	35.9	1050	23.1	4.3	0.05	7.88	1.8	49.3	0.05	2	0.09	1.39	218	VA08141994
ANG30964	39.3	940	16.5	3.7	0.05	6.12	1.8	47.9	0.04	1.5	0.07	2.8	207	VA08141994
ANG30965	44.7	930	17.7	3.6	0.06	6.79	2.7	90.9	0.04	2.1	0.07	1.45	276	VA08141994
ANG30966	48.5	910	14.2	3.3	0.04	5.66	3.9	182	0.04	4	0.05	0.98	246	VA08141994
ANG30967	50.3	960	13	3.5	0.05	5.08	4.3	204	0.04	2.9	0.06	1.17	255	VA08141994
ANG30968	27.6	810	8.7	3.5	0.04	1.96	2.1	315	0.02	3.9	0.03	0.99	129	VA08141994
ANG30969	52.5	820	12.7	4.4	0.05	5.41	4.4	207	0.05	1.8	0.08	0.81	314	VA08141994
ANG30970	64.5	680	23.5	5.6	0.05	6.72	5.8	62.9	0.1	2.5	0.12	1.13	867	VA08141994
ANG30971	74.3	540	15.4	4.1	0.05	3.88	2.8	62.9	0.07	4.1	0.08	0.93	331	VA08141994
ANG30972	99.3	620	13.7	3.6	0.06	6.77	6	63.7	0.07	5.4	0.11	1.39	413	VA08141994
ANG30974	70.2	440	14.7	2.6	0.03	5.55	3.1	31.3	0.02	3.3	0.05	0.93	189	VA08141994
ANG30975	92.9	630	11.9	2.8	0.06	7.6	4.5	49.3	0.05	1.8	0.08	2.18	367	VA08141994
ANG30976	31.6	260	10.1	6.1	0.02	2.77	2.4	16.4	0.03	1.7	0.09	0.51	166	VA08141994
ANG30977	81.8	220	16.9	5.1	0.02	5.43	4.5	16.3	0.05	9.4	0.19	1.65	225	VA08141994
ANG30978	170	1100	15.8	4.8	0.1	21.6	13.7	155.5	0.1	1.8	0.55	1.8	2010	VA08141994
ANG30979	79.5	1070	19.5	5.5	0.1	3.04	3.3	46.4	0.05	2.8	0.12	1.12	409	VA08141994
ANG30980	20.5	270	10.2	5.3	0.01	1.01	0.6	11.1	0.02	2.7	0.08	0.39	107	VA08141994
ANG30981	22.1	610	8.8	7.2	0.02	1.03	0.4	14.4	0.02	1	0.07	0.46	109	VA08141994
ANG30982	35.4	870	12.5	6.9	0.05	1.13	0.9	37.9	0.03	1.7	0.08	1.81	131	VA08141994
ANG30984	11.6	800	1.9	1.4	0.09	1.45	4.5	97.7	0.01	-0.1	0.03	0.38	88	VA08141994
ANG30985	146	1480	19.9	11.5	0.03	7.89	5.1	75.5	0.06	6.6	0.47	1.67	1190	VA08141994
ANG30986	64.1	950	22.9	5.8	0.06	11.4	2.8	74.5	0.06	1.8	0.1	1.06	499	VA08141994
ANG30987	89.7	600	21.9	3.5	0.08	17.35	2.7	153.5	0.07	2.7	0.1	0.76	315	VA08141994
ANG30988	65.1	690	18.4	3.9	0.09	6.74	3	90.1	0.07	1.7	0.07	1.16	223	VA08141994
ANG30989	132	1270	21.2	8.9	0.05	8.87	3.7	114	0.07	5.1	0.24	1.64	826	VA08141994
ANG30990	95.6	1210	24.9	9.2	0.04	6.69	5.5	107	0.07	5.6	0.18	1.44	452	VA08141994
ANG30991	55.6	980	15.2	2.8	0.05	7.22	2.1	90.8	0.03	5.1	0.03	2.26	302	VA08141994
ANG30992	33.4	1030	8.5	2.6	0.03	5.61	0.9	104.5	0.02	4.8	0.04	0.94	110	VA08141994
ANG30993	36.4	830	8.8	3.2	0.05	5.78	1.2	42.1	0.03	2.6	0.04	0.9	209	VA08141994
ANG30994	34.8	560	13.2	6.3	0.03	2.19	1.2	24.8	0.03	1.5	0.09	0.9	107	VA08141994
ANG30995	42.8	910	12.3	4.7	0.03	2.51	1.5	53.4	0.04	3.5	0.08	0.93	128	VA08141994
ANG30996	271	3760	36	4.4	0.03	19.15	42.1	183	0.35	7.6	0.36	5.65	1695	VA08141994
ANG30997	134.5	2030	34.4	3.5	0.05	17.5	22.8	186.5	0.4	2.6	0.36	2.87	888	VA08141994
ANG30998	192.5	3690	18.5	3.6	0.04	27.8	21.3	149.5	0.29	3.2	0.35	2.16	1040	VA08141994
ANG30999	46.8	620	47.2	3.8	0.02	5.55	3.8	33.3	0.11	3.4	0.11	0.92	226	VA08141994
ANG32251	38.7	640	7.7	2	0.06	2.7	1.2	62.1	0.02	0.6	0.03	1.1	193	VA08141995
ANG32252	40.4	1130	13.6	2.3	0.04	6.35	1.1	52.1	0.03	1.3	0.05	0.93	201	VA08141995
ANG32253	41.8	1060	13	2.3	0.07	9.24	1.9	94.2	0.05	0.7	0.08	1.25	277	VA08141995
ANG32254	49.3	1140	23.3	2.8	0.04	8.06	1.8	90.3	0.04	2	0.09	1.3	401	VA08141995
ANG32255	54.7	1520	19.9	2.8	0.04	7.78	3	178.5	0.05	3	0.07	1.41	219	VA08141995
ANG32256	43.7	900	10.6	2.3	0.07	5.01	1.9	133.5	0.06	1.1	0.05	1.98	139	VA08141995
ANG32257	59.1	1160	13.9	2.4	0.05	5.64	1.4	132	0.08	2.3	0.06	1.06	150	VA08141995
ANG32258	62.2	1280	12.6	2.8	0.04	8.21	1.6	97.2	0.05	1.8	0.11	1.37	193	VA08141995
ANG32259	70.6	950	13.1	3.3	0.04	11.35	1.5	81.1	0.05	5.3	0.16	1.86	224	VA08141995
ANG32260	53.7	1160	68.5	2.3	0.07	4.46	3.5	65.9	0.09	2.6	0.13	2.33	380	VA08141995
ANG32261	25.5	630	19.7	4.6	0.03	1.57	1	37.2	0.08	2.1	0.12	1.8	109	VA08141995
ANG32262	20.7	510	15.2	2.9	0.03	1.98	0.9	30.7	0.06	1.6	0.1	1.27	98	VA08141995
ANG32263	16.2	1500	30.6	4.1	0.05	2.06	3.9	114.5	0.13	1.3	0.36	2.02	48	VA08141995
ANG32264	9.5	750	12.1	2.4	0.05	0.9	2.1	90.1	0.06	1.1	0.12	1	30	VA08141995
ANG32266	36.3	940	13.7	3.5	0.04	4.09	0.8	36.2	0.03	1.7	0.09	2.08	111	VA08141995
ANG32267	71.5	880	12.8	2.8	0.04	6.14	1.6	89.3	0.14	3.8	0.07	1.37	188	VA08141995
ANG32268	54.8	890	15.5	2.1	0.06	7.36	1.3	43.3	0.04	0.9	0.08	1.45	1035	VA08141995
ANG32269	68.9	970	13.5	2.9	0.08	9.66	1.8	77	0.04	0.9	0.07	1.56	189	VA08141995
ANG32270	62.6	980	16.4	2.9	0.06	7.97	1.6	69	0.04	1	0.07	1.37	173	VA08141995
ANG32271	137	1370	21.5	3.8	0.05	39.2	6	125.5	0.12	7.5	0.18	4.12	662	VA08141995
ANG32272	89.9	1870	17.1	3.1	0.06	10.7	2.5	91.1	0.06	1.9	0.13	3.29	435	VA08141995
ANG32273	35.5	890	7.6	2.9	0.04	2.88	1.9	65.2	0.02	4.6	0.05	1.28	76	VA08141995
ANG32274	61.2	570	15.5	2.8	0.05	5.61	2	59.7	0.02	9.9	0.05	2.02	136	VA08141995
ANG32275	58.3	850	9.7	3.8	0.1	3.64	3.6	58.6	0.03	3.2	0.05	2.11	177	VA08141995
ANG32276	203	1200	26.8	2.4	0.06	29.1	19.2	111.5	0.13	4	0.23	3.52	1535	VA08141995

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG32277	NAD83-8	635165	6855206	8	0.66	0.19	7.5	520	0.16	0.27	0.29	0.46	2
ANG32278	NAD83-8	635191	6855245	10	0.78	0.38	15.8	540	0.59	0.44	0.1	1.05	7.2
ANG32279	NAD83-8	635219	6855287	7	1.04	0.57	12.8	540	0.64	0.51	0.41	2.43	18.4
ANG32280	NAD83-8	635247	6855329	2	0.4	0.24	16.5	290	0.1	0.32	0.05	0.21	2.5
ANG32281	NAD83-8	635274	6855371	27	1.55	0.41	68.5	160	0.37	0.24	2.06	3.1	16.1
ANG32282	NAD83-8	635302	6855413	9	0.95	0.57	21	200	0.38	0.26	1.69	0.66	8.3
ANG32283	NAD83-8	635329	6855455	6	1.59	0.3	28.9	360	0.24	0.12	0.75	7.9	3.3
ANG32284	NAD83-8	635356	6855498	5	1.77	0.38	42.3	670	0.31	0.2	0.48	4.24	1.9
ANG32285	NAD83-8	635385	6855539	3	0.88	0.14	23.6	290	0.2	0.14	0.46	19.65	10.9
ANG32286	NAD83-8	635412	6855580	4	2.82	0.4	49.3	260	0.43	0.13	2.75	10.5	8.1
ANG32287	NAD83-8	635437	6855623	12	2.99	0.27	20.7	1030	0.27	0.17	0.74	8.19	6.2
ANG32288	NAD83-8	635465	6855665	4	2.14	0.5	20	1040	0.4	0.15	0.92	7.2	10.5
ANG32289	NAD83-8	635493	6855707	4	0.81	0.7	11.6	610	0.37	0.15	0.6	3.25	6.8
ANG32290	NAD83-8	635520	6855748	7	0.89	0.73	10.9	840	0.44	0.14	1.27	1.54	6.5
ANG32291	NAD83-8	635548	6855792	2	0.4	0.52	5.1	660	0.24	0.08	0.89	1	4.4
ANG32292	NAD83-8	635574	6855832	2	0.33	0.51	4	700	0.21	0.08	0.88	0.88	3.9
ANG32293	NAD83-8	635603	6855873	5	0.36	0.45	6.9	400	0.22	0.11	0.88	1.08	5.1
ANG32294	NAD83-8	635631	6855916	3	0.68	0.5	9.1	780	0.33	0.15	0.91	0.89	6.5
ANG32295	NAD83-8	635658	6855958	8	0.67	0.51	8.7	590	0.32	0.14	0.92	0.64	6.1
ANG32296	NAD83-8	635685	6856000	3	0.23	0.34	2.6	350	0.15	0.04	0.85	0.72	2
ANG32297	NAD83-8	635713	6856042	10	0.83	0.39	25.9	850	0.41	0.17	1.27	5.39	8.1
ANG32334	NAD83-8	634940	6855949	7	1.12	0.51	26.2	530	0.36	0.12	2.02	5.76	6.2
ANG32335	NAD83-8	634917	6855906	9	1.07	0.55	23	370	0.41	0.15	1.53	5.06	9
ANG32336	NAD83-8	634889	6855864	3	1.22	0.52	18	630	0.43	0.16	2.41	9.13	8.8
ANG32337	NAD83-8	634860	6855822	6	1.34	0.64	20.4	670	0.57	0.2	1.73	17.5	11
ANG32338	NAD83-8	634833	6855779	6	1.01	0.56	24.6	630	0.41	0.18	1.53	9.66	10.6
ANG32339	NAD83-8	634805	6855737	7	0.87	0.74	17.3	580	0.5	0.19	1.14	6.61	9.7
ANG32340	NAD83-8	634779	6855696	8	0.95	0.51	15	1070	0.31	0.27	0.39	1.77	7.1
ANG32341	NAD83-8	634752	6855653	8	1.15	0.36	49.7	220	0.51	0.35	0.85	2.33	21.1
ANG32342	NAD83-8	634724	6855612	13	0.9	0.19	69.7	150	0.44	0.41	1.21	1.01	23.8
ANG32343	NAD83-8	634697	6855569	6	1.58	0.7	36.7	500	0.43	0.21	0.84	3.5	9.2
ANG32344	NAD83-8	634669	6855528	9	0.77	0.37	32.1	410	0.26	0.19	1.22	1.12	6.8
ANG32345	NAD83-8	634644	6855485	4	0.57	0.73	22.5	240	0.34	0.25	0.25	1.03	15.1
ANG32346	NAD83-8	634615	6855445	9	0.79	0.26	30.5	150	0.25	0.24	2.56	0.67	14.3
ANG32347	NAD83-8	634588	6855401	5	0.46	0.2	40.7	160	0.23	0.26	6.25	0.76	17.3
ANG32348	NAD83-8	634563	6855360	8	0.52	0.3	53.8	180	0.5	0.3	3.93	0.96	20.3
ANG32349	NAD83-8	634534	6855317	7	0.6	0.29	41.7	170	0.4	0.26	3.1	1.38	17.5
ANG32350	NAD83-8	634505	6855277	6	0.43	0.32	30	180	0.4	0.21	3.24	0.86	12.9
ANG32452	NAD83-8	635192	6855785	14	1.11	0.3	20.5	370	0.41	0.15	3.4	1.18	9
ANG32453	NAD83-8	635165	6855744	7	0.54	0.28	11.9	560	0.31	0.13	4.24	0.9	6.9
ANG32454	NAD83-8	635137	6855702	4	0.6	0.53	12.5	480	0.3	0.12	1.47	4.38	5.8
ANG32455	NAD83-8	635110	6855660	6	1.39	0.53	14.6	1120	0.35	0.14	1.06	7.7	5.8
ANG32456	NAD83-8	635083	6855617	7	1.11	0.57	16.4	570	0.38	0.22	0.78	3.32	6.9
ANG32457	NAD83-8	635057	6855575	7	1.15	0.52	13.8	570	0.3	0.2	1.14	4.76	7.8
ANG32458	NAD83-8	635029	6855534	10	1.47	0.57	26.7	400	0.46	0.26	1.78	4.86	13.3
ANG32459	NAD83-8	635001	6855491	12	1.26	0.5	49.9	500	0.44	0.33	0.12	1.01	7
ANG32460	NAD83-8	634974	6855448	12	0.82	0.36	23.8	510	0.36	0.41	0.06	0.53	5
ANG32461	NAD83-8	634948	6855409	10	0.9	0.47	17.6	510	0.34	0.44	0.07	0.63	5.1
ANG32462	NAD83-8	634919	6855366	10	2.25	0.71	27.8	920	0.38	0.34	0.7	3.4	5.5
ANG32464	NAD83-8	634866	6855281	13	2.25	0.26	43.7	1000	0.42	0.29	3.29	4.15	11.4
ANG32465	NAD83-8	634838	6855239	3	1.49	0.3	34.6	1030	0.41	0.29	2.6	1.56	14.4
ANG32466	NAD83-8	634812	6855198	9	0.97	0.3	43.2	610	0.36	0.27	1.99	0.82	13.2
ANG32467	NAD83-8	634784	6855154	2	0.32	0.37	10.9	320	0.2	0.07	2.36	2.68	4.4
ANG32468	NAD83-8	634759	6855111	5	1.44	0.5	22.5	550	0.35	0.18	1.52	5.1	7.3
ANG32469	NAD83-8	634703	6855028	5	0.88	0.28	39.9	140	0.37	0.16	1.57	2.66	7.2
ANG32470	NAD83-8	634676	6854986	2	0.55	0.25	22.9	60	0.24	0.12	1.02	1.41	5.3
ANG32471	NAD83-8	634648	6854945	1	0.71	0.26	15.3	90	0.31	0.12	1.3	1.42	7.6
ANG32481	NAD83-8	635117	6854579	4	2.41	0.2	67.7	110	0.82	0.3	1.75	9.67	11.4
ANG32482	NAD83-8	635092	6854537	2	0.11	0.33	22.9	140	0.32	0.15	2.26	0.3	12.9
ANG32483	NAD83-8	635065	6854494	6	0.17	0.33	51.6	110	0.36	0.15	2.53	0.17	15
ANG32484	NAD83-8	635036	6854452	6	0.15	0.16	47.7	110	0.34	0.15	4.3	0.44	14.7
ANG32485	NAD83-8	635011	6854410	8	2.77	0.2	57	60	0.53	0.2	4.74	2.5	13.5
ANG32486	NAD83-8	634984	6854368	2	0.81	0.19	45.9	120	0.56	0.19	1.61	2.13	8.9

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG32277	31.6	6	0.39	49.7	0.73	1.01	0.04	0.05	18.7	0.6	0.04	31	14.15	0.01
ANG32278	40.3	12	0.65	126.5	2.87	1	0.05	0.09	23.5	1	0.02	132	30.6	0.01
ANG32279	39.8	8	0.55	119	5.11	1.24	0.06	0.09	22.7	1.4	0.08	551	25.8	0.01
ANG32280	28.5	6	0.44	23.1	1.85	1.54	0.02	0.07	17.1	0.3	0.02	41	16.7	0.01
ANG32281	24	10	0.34	61	3.46	1.09	0.1	0.06	15.2	1.6	0.93	440	18.65	0.01
ANG32282	23.4	12	0.34	45.6	2.72	1.83	0.09	0.07	12.6	4.7	0.46	251	15.1	0.01
ANG32283	28.2	12	0.21	86.2	1.55	0.81	0.89	0.05	20.4	0.3	0.01	86	25.2	0.01
ANG32284	26.3	21	0.45	74.3	2.17	2.5	0.82	0.12	16.8	0.8	0.02	44	68.3	0.01
ANG32285	30.7	9	0.13	59.2	1.39	0.77	0.24	0.05	23.5	-0.1	0.01	197	63.6	0.01
ANG32286	34.2	31	0.3	147.5	2.21	1.4	0.6	0.05	27.6	1.9	1.04	252	77.9	0.01
ANG32287	21.1	20	0.22	107	1.61	1.5	1.16	0.05	16	0.5	0.04	173	31	0.01
ANG32288	25.1	18	0.33	118.5	1.76	1.58	0.25	0.04	16.6	2.6	0.18	265	24.3	0.02
ANG32289	21.5	17	0.33	33.7	1.71	2.25	0.12	0.03	13.4	4.8	0.29	160	11.1	0.02
ANG32290	20.2	17	0.33	47.6	1.68	2.19	0.14	0.03	13	5	0.4	175	8.95	0.02
ANG32291	12.8	10	0.26	35.4	0.88	1.66	0.05	0.03	7.2	2.7	0.21	114	3.09	0.03
ANG32292	13.15	8	0.24	34.8	0.77	1.71	0.05	0.03	7.1	2	0.21	174	1.72	0.03
ANG32293	16.05	8	0.24	46	1.13	1.51	0.05	0.03	9.3	2.3	0.22	127	2.92	0.03
ANG32294	18.2	10	0.24	43.9	1.33	1.57	0.09	0.03	10.3	2.7	0.24	171	3.48	0.02
ANG32295	17.05	10	0.23	38.7	1.29	1.46	0.09	0.04	9.9	2.5	0.23	189	3.64	0.02
ANG32296	7.17	3	0.14	26.3	0.5	0.83	0.02	0.03	4.1	0.8	0.12	55	1.14	0.05
ANG32297	28.3	22	0.28	72	1.85	1.4	0.13	0.04	17.3	2.2	0.4	212	26.7	0.01
ANG32334	18.95	13	0.23	75.6	1.57	1.62	0.18	0.03	13	3	0.48	229	19	0.02
ANG32335	27.3	18	0.31	51.4	2.03	2.01	0.17	0.04	16.3	4.5	0.65	317	16.2	0.02
ANG32336	19.75	15	0.31	110	1.89	1.68	0.16	0.04	12.5	3.8	0.61	313	9.14	0.02
ANG32337	24.3	17	0.39	254	2.29	2	0.15	0.04	15.9	5.2	0.47	526	12.15	0.02
ANG32338	28	19	0.56	78.3	2.32	1.99	0.2	0.06	16.2	5.1	0.69	314	22.4	0.01
ANG32339	26.8	20	0.52	69.5	2.22	2.62	0.15	0.05	14.9	8	0.38	280	10.05	0.01
ANG32340	29	10	0.53	43.8	1.8	1.76	0.09	0.03	16.4	3.2	0.12	303	11.55	0.01
ANG32341	27.3	6	0.55	67.1	4.12	1.12	0.14	0.04	15.8	1.4	0.11	211	6.94	0.01
ANG32342	23.4	4	0.79	75.8	4.01	0.61	0.1	0.03	13.2	0.6	0.1	156	7.28	0.01
ANG32343	23.4	14	0.48	61.3	2.36	2.21	0.15	0.04	13.9	4.7	0.18	364	11.4	0.02
ANG32344	13.1	6	0.29	54.1	2.01	1.1	0.07	0.03	7	1.5	0.12	202	7.28	0.02
ANG32345	22.2	9	0.41	36.6	2.98	2.04	0.07	0.04	11.5	4.3	0.08	196	5.9	0.01
ANG32346	24.6	5	0.55	58.4	2.51	0.71	0.07	0.04	13.2	2.6	0.33	203	7.59	0.01
ANG32347	27.6	4	0.45	43.5	3.03	0.53	0.03	0.03	15.1	1.2	0.63	221	7.7	-0.01
ANG32348	26.1	5	0.69	60	3	0.82	0.05	0.04	14.4	2.8	0.79	231	6.17	-0.01
ANG32349	22.6	7	0.51	48.3	2.97	0.78	0.05	0.05	11.8	3.2	0.68	226	10	-0.01
ANG32350	18.75	5	0.42	42.6	2.47	0.85	0.06	0.05	10.1	3	0.59	154	5.84	0.01
ANG32452	19.15	6	0.22	32.1	1.88	0.73	0.12	0.05	10.3	1	0.95	306	45.1	0.01
ANG32453	21.3	8	0.27	21.4	1.69	0.82	0.09	0.03	11.8	2.3	2.3	174	18.1	-0.01
ANG32454	20.6	14	0.27	28.5	1.45	1.67	0.09	0.04	11.2	4.6	0.55	207	11.35	0.01
ANG32455	19.65	15	0.31	56.2	1.41	1.63	0.21	0.03	11.6	3.8	0.21	214	12.45	0.01
ANG32456	24.3	14	0.45	71.4	1.85	1.68	0.17	0.04	14.8	3.7	0.16	208	12.55	0.01
ANG32457	18.25	11	0.4	52	1.6	1.39	0.23	0.04	11.1	3	0.12	206	8.42	0.01
ANG32458	20.8	12	0.42	99.3	2.24	1.4	0.17	0.04	12.6	3.3	0.18	431	12.55	0.01
ANG32459	39.3	14	0.69	100	2.58	2	0.1	0.1	21.9	4.6	0.1	152	25.1	-0.01
ANG32460	44	9	0.68	73.7	2.73	1.41	0.06	0.09	24.6	2.9	0.06	78	29.9	-0.01
ANG32461	37.3	11	0.66	57.9	2.57	1.89	0.05	0.08	21	3.3	0.08	102	24.7	-0.01
ANG32462	25.3	15	0.75	104	2.32	2.13	0.23	0.09	14.5	4.7	0.12	125	22.4	0.01
ANG32464	25.4	8	0.94	81	3.2	0.83	0.17	0.05	13.8	0.7	0.64	201	15.5	-0.01
ANG32465	23.7	7	0.59	77.1	2.62	0.75	0.1	0.04	12.8	1.4	0.36	319	11.05	-0.01
ANG32466	27.3	4	0.49	60.7	2.75	0.8	0.05	0.04	14.9	1.1	0.31	179	11.1	0.01
ANG32467	9.11	6	0.26	28.2	0.96	0.95	0.05	0.03	5	1.3	0.16	193	3.22	0.02
ANG32468	18.4	11	0.44	68.3	1.68	1.37	0.21	0.04	10.4	3.6	0.23	231	6.46	0.01
ANG32469	12.7	7	0.48	31.2	1.72	0.79	0.08	0.04	6.9	1.4	0.25	185	10.45	0.01
ANG32470	12	6	0.36	20.2	1.37	0.72	0.06	0.03	6.2	1.1	0.18	160	5.16	0.02
ANG32471	14.85	5	0.31	29.9	1.65	0.73	0.07	0.03	7.8	1	0.34	238	5.3	0.02
ANG32481	19.3	8	0.76	133.5	3.19	0.77	0.26	0.05	12.6	1.4	0.43	171	74.6	-0.01
ANG32482	28.4	5	0.59	21.4	2.3	0.8	0.03	0.05	13.4	2.3	0.23	549	3.51	-0.01
ANG32483	47	7	0.55	25.8	2.83	0.98	0.05	0.05	22.7	2.6	0.36	422	3.09	-0.01
ANG32484	28.9	4	0.78	20.6	2.11	0.59	0.03	0.05	15.2	1.5	1.36	225	10.4	-0.01
ANG32485	26.7	5	0.89	65.8	3	0.66	0.17	0.06	14.9	1.5	2.24	283	46.7	-0.01
ANG32486	15.8	6	0.69	34.6	2.15	0.69	0.25	0.04	8.8	1	0.59	390	45.3	-0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG32277	15.4	500	13.3	3.8	0.08	3.27	9	166.5	0.11	1.2	0.13	4.17	52	VA08141995
ANG32278	48.8	860	22	7.2	0.21	3.24	11.5	179	0.18	2.3	0.16	7.67	139	VA08141995
ANG32279	103	860	27.2	6.3	0.15	2.31	9.2	141	0.16	2.9	0.13	5.73	370	VA08141995
ANG32280	16.5	350	12.1	6.3	0.14	2.49	3.1	41.9	0.09	2.6	0.12	0.94	42	VA08141995
ANG32281	102.5	1860	31.5	3.7	0.13	7.5	8.5	183	0.29	3.1	0.25	3.5	309	VA08141995
ANG32282	59.3	1340	37.1	4.2	0.19	4.25	2.9	63.8	0.13	1.6	0.13	1.37	83	VA08141995
ANG32283	97.6	3590	13.1	3.7	0.06	24.6	13.4	172	0.14	4	0.33	3.17	661	VA08141995
ANG32284	41.2	3000	44.9	8.4	0.3	27.5	18.8	177.5	0.27	0.8	1.1	5.51	409	VA08141995
ANG32285	215	2110	18.5	2.7	0.02	11.65	10.5	103.5	0.17	4.9	0.7	3.08	969	VA08141995
ANG32286	282	3160	44.1	4.7	0.06	36	22.6	146	0.28	2.1	0.58	2.9	1300	VA08141995
ANG32287	94.1	2190	44.2	4.4	0.09	12.9	14.1	192.5	0.47	1.9	0.42	4.75	587	VA08141995
ANG32288	137	1590	20.2	4.2	0.06	12.9	6.3	85.1	0.1	1.8	0.27	3.12	703	VA08141995
ANG32289	56.2	810	12.7	4.6	0.06	4.87	2.9	30.3	0.05	1.6	0.12	1.15	363	VA08141995
ANG32290	54.6	980	12.4	4.8	0.09	4.05	3	47	0.03	0.8	0.14	1.89	221	VA08141995
ANG32291	25.3	680	6	3.4	0.07	1.81	1.8	35.2	0.02	0.5	0.07	2.31	123	VA08141995
ANG32292	19.7	720	5.2	3.6	0.07	1.33	1.7	40.7	0.01	0.7	0.06	1.04	96	VA08141995
ANG32293	25.1	610	7	3.1	0.05	1.83	1.7	33.4	0.02	0.9	0.07	0.87	183	VA08141995
ANG32294	36.5	760	7.8	3.4	0.07	2.37	2.3	36.3	0.03	0.7	0.08	1.21	158	VA08141995
ANG32295	33.1	700	7.6	3.8	0.07	2.04	2	41.3	0.03	0.7	0.08	1.17	126	VA08141995
ANG32296	14	530	2.7	1.4	0.05	1.06	1.7	35.9	0.01	-0.1	0.03	1.13	58	VA08141995
ANG32297	106	1530	16.8	3.8	0.06	6.52	7.3	106	0.11	2.3	0.18	1.85	629	VA08141995
ANG32334	108.5	1550	18.1	3.1	0.09	9.32	6.9	97.5	0.1	0.7	0.15	2.02	706	VA08141995
ANG32335	82.4	1390	14.6	4.5	0.05	7.07	5.3	69.9	0.07	1.3	0.13	1.23	672	VA08141995
ANG32336	89.7	1520	14	4.2	0.1	5.83	5.9	84	0.06	0.6	0.09	1.9	564	VA08141995
ANG32337	109.5	1400	18.2	5.3	0.08	6.23	6.3	72.9	0.06	1	0.11	1.33	750	VA08141995
ANG32338	110	1600	21.6	5.9	0.05	8.92	10.7	136.5	0.14	3.4	0.26	1.84	635	VA08141995
ANG32339	71.4	1240	18.2	6.3	0.06	5.15	5.1	75	0.07	1.5	0.12	1.68	404	VA08141995
ANG32340	34.5	810	18.9	5	0.06	4.58	2.8	69.8	0.09	2.2	0.1	1.65	192	VA08141995
ANG32341	105	800	15.7	4	0.05	6.82	2.3	36	0.07	2.6	0.08	0.84	549	VA08141995
ANG32342	118	670	15.1	3.5	0.12	8.57	3.3	44.5	0.08	3.7	0.08	0.98	322	VA08141995
ANG32343	58.8	1170	24.4	5.4	0.06	9.72	5.3	58.5	0.08	1.7	0.12	2.55	492	VA08141995
ANG32344	35.6	820	15.3	2.5	0.06	6.01	3.5	74.5	0.07	1.3	0.06	2.04	166	VA08141995
ANG32345	38.7	320	11.6	4.3	0.02	2.21	1.4	23.1	0.04	3.8	0.06	1.06	171	VA08141995
ANG32346	43.7	660	12.9	2.7	0.05	5.18	2	75.6	0.04	2.3	0.05	0.76	160	VA08141995
ANG32347	40.9	750	11.6	2.1	0.03	4.47	1.5	179.5	0.03	5	0.04	0.85	167	VA08141995
ANG32348	46.3	1010	15.2	2.9	0.06	5.98	1.4	76.5	0.04	4	0.05	1.18	165	VA08141995
ANG32349	50.3	1040	13.5	2.6	0.07	7.27	1.7	86.7	0.03	2.7	0.07	1.23	210	VA08141995
ANG32350	37	950	11.2	2.7	0.05	5.07	1.3	87.6	0.03	2	0.05	1.13	165	VA08141995
ANG32452	97.8	820	15	2.7	0.06	7.09	3.7	96	0.04	1.2	0.25	1.39	242	VA08141995
ANG32453	60.1	680	15.1	2.4	0.03	5.13	3.5	94.5	0.03	2.3	0.18	1.33	282	VA08141995
ANG32454	48.3	890	10.8	3.4	0.06	5.23	3.8	52.4	0.04	0.9	0.1	1.28	348	VA08141995
ANG32455	78.5	1510	15.9	3.1	0.07	8.7	6.7	91.2	0.1	1	0.15	2.57	606	VA08141995
ANG32456	73.5	1200	21	3.7	0.05	4.64	4.5	87.5	0.11	1.8	0.12	3.61	389	VA08141995
ANG32457	60.9	1330	19.1	3.4	0.07	5.59	3.3	94.3	0.09	0.8	0.13	2.17	416	VA08141995
ANG32458	101	1880	23.9	3.6	0.1	8.12	5.9	131	0.15	1.1	0.11	4.11	356	VA08141995
ANG32459	48.3	810	32.6	7.1	0.2	6.53	8.3	146.5	0.15	5.7	0.19	3.57	184	VA08141995
ANG32460	36	670	21.7	6.1	0.18	3.88	10.4	115.5	0.19	6.7	0.13	3.57	143	VA08141995
ANG32461	34.5	790	27	6.6	0.14	3.87	7.7	112.5	0.16	3.1	0.13	2.28	135	VA08141995
ANG32462	71.2	1550	44.2	6.7	0.13	14.6	7.9	151.5	0.19	0.9	0.25	3.94	364	VA08141995
ANG32464	122.5	1470	18.6	3.7	0.05	20	6.7	136.5	0.13	5	0.17	1.69	906	VA08141995
ANG32465	77.2	940	14.1	3.4	0.07	9.45	5.3	108	0.09	2.6	0.11	1.3	316	VA08141995
ANG32466	59.6	1000	10.6	2.9	0.05	8.25	3.1	78.9	0.06	2.8	0.07	0.98	288	VA08141995
ANG32467	27.3	680	4.3	2.2	0.08	3.41	3.6	85.3	0.02	0.4	0.04	1.69	159	VA08141995
ANG32468	59.7	1150	17.1	4.3	0.07	8.82	4.2	110	0.1	0.9	0.12	2.55	469	VA08141995
ANG32469	53.9	1330	15.6	2.1	0.07	9.94	2.2	75	0.06	1.2	0.08	1.86	306	VA08141995
ANG32470	38.5	970	20.2	1.5	0.04	6.93	1.6	58.1	0.05	1	0.05	1.28	194	VA08141995
ANG32471	48.5	1290	9.4	1.8	0.04	5.03	2	97.5	0.04	1.4	0.05	1.25	182	VA08141995
ANG32481	166	910	24.1	3.2	0.06	16.05	7.1	58.1	0.21	9.1	0.32	6.23	1320	VA08141995
ANG32482	27.8	1110	13.5	3.4	0.07	6.81	0.6	113.5	0.02	2.5	0.09	2.35	77	VA08141995
ANG32483	35.4	1080	20.6	3.1	0.03	22	0.6	135	0.02	4.9	0.13	2.06	81	VA08141995
ANG32484	53.8	1140	18.8	2.8	0.02	24.9	0.6	97.6	0.03	7.6	0.24	3.23	97	VA08141995
ANG32485	92.8	1390	19.5	3.2	0.04	41.1	4.8	113.5	0.1	4.4	0.26	3.43	331	VA08141995
ANG32486	88.4	680	23.3	2.2	0.03	9.72	2.2	75.6	0.07	4.1	0.23	2.1	474	VA08141995

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG32487	NAD83-8	634955	6854326	1	0.25	0.31	23.2	100	0.39	0.12	1.26	0.21	3.2
ANG32488	NAD83-8	634929	6854283	24	0.52	0.22	44.1	100	0.49	0.18	2.04	0.19	4
ANG32489	NAD83-8	634902	6854243	21	0.93	0.29	103	190	0.54	0.25	1.13	2.11	7.4
ANG32490	NAD83-8	634872	6854199	2	0.3	0.27	23.5	90	0.4	0.31	0.42	0.19	12.4
ANG32491	NAD83-8	634623	6854365	1	0.42	0.24	16.9	90	0.47	0.15	4.12	0.74	4.8
ANG32501	NAD83-8	632200	6858345	3	0.2	1.29	15.1	680	0.58	0.22	0.39	0.3	10
ANG32502	NAD83-8	632170	6858300	2	0.2	0.98	11	440	0.4	0.18	0.19	0.65	7.6
ANG32503	NAD83-8	632145	6858258	13	0.56	0.73	22.6	650	0.46	0.25	0.39	1.82	10.4
ANG32504	NAD83-8	632117	6858217	8	0.82	0.85	25	790	0.48	0.26	0.99	2.09	9.8
ANG32505	NAD83-8	632093	6858167	9	0.74	0.92	25.2	830	0.55	0.28	0.71	1.95	11.6
ANG32506	NAD83-8	632065	6858133	4	0.46	1.12	9.6	680	0.55	0.22	0.9	0.58	8.1
ANG32507	NAD83-8	632037	6858091	3	0.43	1.05	11.1	550	0.48	0.23	0.85	0.33	9.5
ANG32508	NAD83-8	632009	6858050	4	0.13	1.05	10.6	470	0.47	0.21	0.55	0.41	9.7
ANG32509	NAD83-8	632982	6858007	5	0.58	0.94	11.4	420	0.47	0.23	0.76	0.33	9
ANG32510	NAD83-8	631995	6857965	4	0.47	0.58	5.1	440	0.26	0.13	1.11	0.4	4.4
ANG32511	NAD83-8	631901	6857881	6	0.64	0.69	8.6	600	0.34	0.14	1.21	4.82	6.4
ANG32512	NAD83-8	631873	6857839	3	0.52	0.64	9	630	0.35	0.14	1.32	1.83	5.3
ANG32513	NAD83-8	631108	6856668	3	1.33	0.5	38.1	130	0.55	0.98	1.03	2.24	15.1
ANG32514	NAD83-8	631136	6856709	4	1.6	0.54	39.4	230	0.75	1.45	1.19	3.28	17.2
ANG32515	NAD83-8	631164	6856750	4	1.06	0.44	37.4	160	0.65	2.34	1.33	2.5	15.4
ANG32516	NAD83-8	631191	6856793	4	0.73	0.2	41.7	80	0.49	0.26	2.93	2.99	15.1
ANG32517	NAD83-8	631220	6856835	8	0.69	0.75	47.8	250	0.62	0.36	1.72	1.4	13.9
ANG32518	NAD83-8	630390	6859231	4	0.9	0.61	12.7	480	0.33	0.15	1.47	1.8	5.1
ANG32519	NAD83-8	630363	6859189	2	0.4	0.45	14.8	270	0.36	0.17	1.39	0.78	6.8
ANG32522	NAD83-8	630281	6859063	9	1.72	0.71	24.2	1020	0.55	0.2	1.11	7.02	9.7
ANG32523	NAD83-8	630255	6859021	5	0.9	0.49	15.3	780	0.28	0.1	1.37	7.03	4.8
ANG32524	NAD83-8	630087	6859130	3	0.9	0.54	11	1150	0.24	0.07	2.82	11.6	3.5
ANG32525	NAD83-8	630114	6859172	2	0.8	0.68	12.3	550	0.27	0.1	0.59	6.1	3.6
ANG32526	NAD83-8	630142	6859214	76	1.22	0.32	30.2	590	0.55	0.26	1.28	1.21	9.2
ANG32527	NAD83-8	630168	6859256	21	1.2	0.3	38.6	670	0.43	0.3	6.55	2.57	13.6
ANG32528	NAD83-8	630197	6859298	3	0.8	0.68	28.8	460	0.43	0.19	1.26	1.74	8.1
ANG32529	NAD83-8	630223	6859340	7	0.27	0.43	7.4	290	0.21	0.1	1.56	1.41	2.9
ANG32530	NAD83-8	630250	6859382	7	0.75	0.44	12.9	690	0.37	0.17	1.24	1.46	6.4
ANG32531	NAD83-8	630278	6859423	6	0.93	0.48	16.4	850	0.36	0.18	1.51	3.96	7.6
ANG32532	NAD83-8	630303	6859465	3	0.65	0.49	10.1	510	0.32	0.13	1.32	1.2	5
ANG32533	NAD83-8	630331	6859508	6	0.51	0.55	9.2	480	0.3	0.13	0.91	0.81	4.6
ANG32534	NAD83-8	630358	6859550	10	0.85	0.69	28	920	0.46	0.24	0.91	1.29	10.6
ANG32535	NAD83-8	630191	6859660	8	0.84	0.32	36.3	480	0.36	0.24	1.78	2.94	16.5
ANG32536	NAD83-8	630161	6859621	4	0.79	0.46	24.8	430	0.3	0.18	0.84	2.39	10
ANG32537	NAD83-8	630133	6859580	3	0.63	0.43	14.3	900	0.28	0.18	0.98	0.6	9.6
ANG32538	NAD83-8	630107	6859538	1	0.43	0.48	9	560	0.18	0.09	0.93	0.94	5.2
ANG32539	NAD83-8	630079	6859495	4	0.3	0.48	8.1	540	0.23	0.08	1.48	1.03	4.2
ANG32540	NAD83-8	630053	6859453	1	0.64	0.65	13.2	400	0.32	0.16	1.25	1.18	6.7
ANG32541	NAD83-8	630027	6859410	4	0.59	0.55	14.7	700	0.33	0.14	1.95	1.01	7.5
ANG32542	NAD83-8	630001	6859368	6	0.49	0.47	10.7	610	0.27	0.13	1.06	0.32	6.4
ANG32543	NAD83-8	629973	6859324	4	0.45	0.69	19.4	640	0.37	0.17	0.84	0.67	8.5
ANG32544	NAD83-8	629939	6857434	4	0.9	0.48	20	830	0.77	0.44	0.44	1.64	17.9
ANG32545	NAD83-8	629965	6857476	3	0.8	0.14	9.1	50	0.48	0.18	2.28	1.28	10
ANG32546	NAD83-8	629994	6857519	2	0.69	0.42	14.3	100	0.63	0.15	2.87	0.41	8.6
ANG32547	NAD83-8	630020	6857561	2	0.13	0.33	27.4	120	0.44	0.17	0.85	0.31	16.8
ANG32548	NAD83-8	630047	6857603	3	0.61	0.26	26.4	120	0.49	0.17	3.9	1.87	11.9
ANG32549	NAD83-8	630249	6859380	6	0.73	0.45	13.5	710	0.35	0.16	1.17	1.43	7.2
ANG32550	NAD83-8	631918	6858468	7	0.32	1.28	15.7	700	0.47	0.24	0.43	0.79	11.4
ANG32551	NAD83-8	630544	6857636	2	1.11	0.21	58.6	100	0.4	0.19	2.88	2.85	13.3
ANG32552	NAD83-8	630572	6857678	3	0.52	0.18	22.2	90	0.38	0.17	4.66	1.47	13.5
ANG32553	NAD83-8	630598	6857720	2	0.57	0.24	27.4	140	0.47	0.19	3.78	1.53	17.2
ANG32554	NAD83-8	630624	6857761	6	0.67	0.38	40.3	230	0.44	0.28	2.21	1.14	15.4
ANG32555	NAD83-8	630653	6857807	17	2.47	0.22	35	240	0.41	0.23	0.65	2.87	3.9
ANG32556	NAD83-8	630681	6857846	8	0.61	0.24	30.2	160	0.29	0.32	6.34	1.12	22.3
ANG32557	NAD83-8	630708	6857889	4	0.37	0.31	19.8	190	0.31	0.26	6.06	1.81	21.2
ANG32558	NAD83-8	630734	6857930	10	0.66	0.44	30.1	300	0.27	0.32	0.45	1.39	8.6
ANG32559	NAD83-8	630761	6857972	9	0.49	0.77	14.1	280	0.36	0.18	0.88	1.14	9
ANG32560	NAD83-8	630789	6858014	3	0.24	0.85	18.7	530	0.33	0.17	0.36	0.91	14

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG32487	9.32	5	2.9	9	1.29	0.55	0.08	0.04	3.5	3.5	0.04	261	1.71	0.01
ANG32488	18.2	4	3.04	10.8	1.83	0.48	0.16	0.05	7.1	1.9	0.03	289	1.18	-0.01
ANG32489	11.15	8	3.07	28.7	2.07	0.79	0.32	0.05	4.4	6.9	0.02	299	15.85	-0.01
ANG32490	54.4	4	1.67	39.7	4.17	0.9	0.13	0.07	31.2	1.4	0.02	316	9.32	0.04
ANG32491	13.85	5	5.61	16.3	1.79	0.61	0.17	0.04	6.9	2.3	0.07	161	1.92	-0.01
ANG32501	36.4	27	0.67	25.1	2.81	3.95	0.13	0.07	18	15.5	0.46	483	2.89	-0.01
ANG32502	27.3	23	0.45	15.3	2.07	3.25	0.02	0.08	14.5	12.8	0.35	199	2.25	-0.01
ANG32503	31.2	16	0.49	47.3	2.57	2.11	0.08	0.07	17.7	6.3	0.21	346	12.75	-0.01
ANG32504	30.8	23	0.51	66.2	2.56	2.6	0.13	0.12	17.4	9.2	0.36	310	12.9	0.01
ANG32505	31.5	20	0.64	67.5	2.87	2.77	0.1	0.09	17.7	9.4	0.37	422	10.9	0.01
ANG32506	27.4	22	0.76	32.6	1.93	3.6	0.1	0.09	15.1	13.7	0.47	288	1.98	0.01
ANG32507	29.3	23	0.61	24.9	2.09	3.29	0.12	0.08	15.6	12.6	0.47	399	2.29	-0.01
ANG32508	32.6	22	0.67	24.9	2.13	3.4	0.11	0.08	17.6	14.2	0.5	349	1.77	0.01
ANG32509	28.9	17	0.74	26.2	1.92	2.75	0.14	0.09	15.4	10.5	0.41	228	1.62	0.01
ANG32510	14.8	7	0.36	21.4	1.03	1.67	0.09	0.05	7.8	3.5	0.23	227	1.17	0.02
ANG32511	21.8	12	0.41	34.6	1.36	2.09	0.18	0.06	11.8	5.6	0.3	351	2.12	0.01
ANG32512	20.7	10	0.51	29.2	1.15	1.79	0.1	0.05	11	4	0.28	196	2.38	0.02
ANG32513	21.3	10	0.49	61.2	3.44	1.29	0.12	0.05	11.8	3.7	0.31	483	19.8	0.02
ANG32514	23.4	12	0.5	147	3.41	1.58	0.22	0.05	13.2	5	0.35	370	20.8	0.02
ANG32515	27.1	11	0.44	94.7	3.9	1.34	0.12	0.05	15.3	3.6	0.58	370	35.6	0.01
ANG32516	25.5	5	0.44	48.1	3.15	0.72	0.13	0.04	14.8	1.3	1.38	311	55.5	-0.01
ANG32517	30.9	18	0.86	49.9	3.27	2.28	0.14	0.07	16.9	7.3	0.9	448	17.25	-0.01
ANG32518	19	10	0.33	37	1.45	1.67	0.11	0.04	11.4	3.6	0.18	490	4.58	0.02
ANG32519	24.4	9	0.25	25.9	1.97	1.23	0.05	0.04	12.1	2.3	0.57	373	7.92	-0.01
ANG32522	32.4	24	0.34	83.9	2.31	2.43	0.33	0.07	20.3	6	0.46	277	21.1	0.01
ANG32523	16.35	11	0.21	61.2	1.27	1.46	0.34	0.04	10.3	2.9	0.25	153	15.1	0.02
ANG32524	13.1	10	0.23	148	0.85	1.29	0.34	0.04	8.7	1.6	0.55	242	14.5	0.03
ANG32525	15	11	0.45	39.1	1.16	2.09	0.11	0.03	9.4	3.4	0.11	132	11.45	0.03
ANG32526	18.7	11	0.18	96.4	2.56	1.06	0.14	0.06	10.9	0.8	0.17	562	7.59	0.01
ANG32527	28.2	10	0.28	88	2.86	1.02	0.14	0.08	15.1	1.2	2.51	672	20.5	-0.01
ANG32528	25.2	16	0.25	36.6	1.98	1.91	0.14	0.05	13.7	4.8	0.31	834	10.05	0.01
ANG32529	10.05	5	0.14	31.2	0.7	1.16	0.07	0.02	6.7	0.9	0.11	698	2.47	0.03
ANG32530	23.7	9	0.21	33.9	1.79	1.21	0.12	0.04	14.2	2.5	0.22	499	5.09	0.01
ANG32531	26.2	11	0.24	43.1	1.93	1.35	0.11	0.04	15.7	3.1	0.41	373	7.2	0.01
ANG32532	18.6	8	0.18	30.6	1.37	1.36	0.09	0.03	10.8	2.7	0.17	378	3.63	0.02
ANG32533	19	9	0.24	27.7	1.24	1.52	0.06	0.03	11.1	3.6	0.17	327	2.29	0.02
ANG32534	32.5	14	0.53	41.8	2.45	2.01	0.11	0.04	18.3	4.9	0.22	503	5.02	-0.01
ANG32535	24.4	6	0.61	70.8	3.34	0.8	0.07	0.03	13.4	1.5	0.16	313	3.95	-0.01
ANG32536	28.2	9	0.3	36	1.92	1.36	0.08	0.04	15.8	2.5	0.17	283	4.89	0.01
ANG32537	23.8	7	0.33	24.9	1.9	1.16	0.07	0.04	12.4	2.3	0.18	170	2.89	0.01
ANG32538	13.75	6	0.22	24	1.02	1.52	0.05	0.03	7.1	2.2	0.14	339	2.42	0.03
ANG32539	14.35	7	0.19	28.8	1.05	1.29	0.05	0.03	8	2.3	0.14	345	1.97	0.03
ANG32540	23.3	15	0.4	32.8	1.8	1.99	0.11	0.04	13.8	4.6	0.26	383	2.99	0.02
ANG32541	21.3	15	0.29	29.4	1.83	1.76	0.1	0.04	11.1	4	0.36	392	4.18	0.01
ANG32542	22	7	0.22	37.8	1.2	1.38	0.06	0.05	11.6	2.3	0.17	178	1.98	0.02
ANG32543	27.5	14	0.26	27.7	2.22	2.03	0.06	0.04	14.7	5.8	0.22	366	4.58	0.01
ANG32544	65.1	5	2.41	70.3	5.12	1.49	0.16	0.05	39	2.6	0.04	1095	9.52	0.01
ANG32545	48.3	3	0.55	32.9	1.81	0.65	0.07	0.05	24.8	0.5	1.01	539	4.01	-0.01
ANG32546	29.1	9	0.36	22.9	2.11	1.2	0.1	0.05	14.6	2.5	0.71	813	7.34	-0.01
ANG32547	23.6	7	0.83	27.8	3.23	0.95	0.12	0.04	12.6	2.1	0.21	515	4.99	-0.01
ANG32548	22.7	5	0.34	28.3	2.73	0.77	0.07	0.04	12.6	2.6	1.77	615	32.3	-0.01
ANG32549	25.1	10	0.24	35	1.92	1.35	0.11	0.04	15.1	2.2	0.21	501	5.33	0.02
ANG32550	30.9	29	0.99	36.7	2.83	4	0.07	0.06	15.4	12.1	0.38	271	5.17	0.01
ANG32551	28.2	5	0.59	57.4	2.71	0.73	0.05	0.05	16.4	1.4	0.94	156	33	-0.01
ANG32552	30.1	3	0.53	38.5	2.74	0.57	0.03	0.04	16.9	1.3	1.07	188	4.18	-0.01
ANG32553	33.8	5	1.33	37.4	2.93	0.69	0.04	0.05	18.9	5.6	0.55	184	8.79	-0.01
ANG32554	35.9	8	0.82	50.6	2.94	1.21	0.08	0.07	20	2.6	0.19	144	11	-0.01
ANG32555	23.9	15	0.67	92.3	1.95	1.07	0.12	0.09	17.3	1.1	0.07	66	19.15	-0.01
ANG32556	33.8	3	1.57	66.2	2.87	0.55	0.08	0.05	18.3	1.3	0.31	149	7.56	-0.01
ANG32557	27.4	5	1.44	44.5	3.37	0.77	0.07	0.04	14.7	1.6	0.11	209	6.74	-0.01
ANG32558	31.6	8	0.54	35.8	3.1	1.44	0.06	0.05	17.6	2.5	0.06	224	18.85	-0.01
ANG32559	28.3	18	0.45	30.4	2.47	2.45	0.05	0.05	16.4	6.7	0.35	710	3.99	0.01
ANG32560	29.7	18	0.73	22.8	2.37	2.98	0.02	0.04	15.3	6.8	0.23	651	8.09	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG32487	35.9	370	17.8	2.4	0.04	9.53	0.7	42.8	0.05	2.4	0.07	1.37	105	VA08141995
ANG32488	44.5	370	36.6	2.5	0.03	14.8	0.8	80.2	0.13	4.3	0.09	1.63	144	VA08141995
ANG32489	85.5	1440	63.6	2.9	0.05	24.5	1.7	143	0.24	5.8	0.19	1.69	348	VA08141995
ANG32490	38.4	740	69.7	3.1	0.27	2.97	0.8	75.1	0.03	6.8	0.49	1.35	102	VA08141995
ANG32491	49.6	380	26.7	2.2	0.04	2.65	0.8	71.5	0.08	3.6	0.08	0.97	404	VA08141995
ANG32501	38	520	12.9	7.1	0.01	1.63	1	25.3	0.04	4.3	0.12	1.1	103	VA08141995
ANG32502	27.1	380	11.2	9.9	0.01	1.21	0.6	17.8	0.02	2.6	0.09	0.53	74	VA08141995
ANG32503	64.8	900	15.8	6.4	0.03	5.28	4.4	49.7	0.1	3.4	0.1	1.55	257	VA08141995
ANG32504	65.6	1000	15.2	7.1	0.04	5.4	4.4	85.9	0.11	3.2	0.13	1.42	233	VA08141995
ANG32505	76.1	1010	17.8	7.2	0.03	5.4	3.7	64.7	0.1	2.9	0.13	1.38	271	VA08141995
ANG32506	33.6	860	12.4	9.4	0.04	1.51	1.2	47.3	0.04	2.1	0.12	2.25	128	VA08141995
ANG32507	31.2	1000	14.1	7.6	0.04	1.75	1.2	41.9	0.05	2	0.1	1.59	149	VA08141995
ANG32508	32.2	730	13.9	7.7	0.02	1.43	0.9	32.1	0.04	4.1	0.11	1.49	144	VA08141995
ANG32509	42.9	660	12.9	6.6	0.03	1.49	1.1	32	0.04	3.3	0.15	2.53	190	VA08141995
ANG32510	23.1	720	7.8	4.3	0.07	1.11	1.1	45.6	0.02	0.8	0.07	1.29	83	VA08141995
ANG32511	36.2	690	10.6	4.7	0.05	2.08	1.7	48.4	0.03	1.2	0.09	1.82	664	VA08141995
ANG32512	31.2	670	10.4	4.9	0.06	1.94	2.2	62.6	0.03	0.8	0.08	1.32	203	VA08141995
ANG32513	68.6	580	34.2	4.5	0.03	6.55	3.1	44.1	0.08	2.1	0.13	1.29	451	VA08141995
ANG32514	78.4	740	113.5	4.4	0.02	8.07	3	49.9	0.1	2.6	0.15	1.64	540	VA08141995
ANG32515	81.1	680	27.7	3.6	0.01	8.21	3.4	48.8	0.09	3.6	0.12	1.79	523	VA08141995
ANG32516	105.5	920	29.5	2.3	0.03	9.16	2.7	102	0.08	7.5	0.21	2.07	611	VA08141995
ANG32517	74.3	1110	44.9	5.6	0.04	8.56	1.8	69.2	0.07	7	0.17	1.5	388	VA08141995
ANG32518	39.9	1800	19.7	4	0.07	2.87	1.8	53.8	0.06	0.7	0.09	1.34	213	VA08141995
ANG32519	37.9	760	19.4	4	0.05	3.06	1.3	32.7	0.06	1.5	0.1	0.7	104	VA08141995
ANG32522	126.5	1720	28.4	4.1	0.05	9.73	5.3	104	0.16	2.1	0.27	1.93	913	VA08141995
ANG32523	92.2	980	11.2	2.5	0.06	6.7	4.2	87.9	0.08	0.7	0.26	2.55	801	VA08141995
ANG32524	98.2	1040	11.5	2.1	0.1	7.65	6.1	247	0.06	0.3	0.3	2.87	1010	VA08141995
ANG32525	61.8	900	11.9	3.4	0.04	4.64	3	41.6	0.06	0.5	0.18	1.52	305	VA08141995
ANG32526	67	1160	24.8	3	0.13	5.59	3.3	94	0.12	1	0.13	2.44	240	VA08141995
ANG32527	111.5	3620	34.9	3.6	0.05	9.53	4.9	185	0.15	5.1	0.2	4.35	419	VA08141995
ANG32528	58.8	2110	24.2	4.3	0.12	5.62	2.4	49.8	0.09	1.3	0.1	2.67	220	VA08141995
ANG32529	22.3	1210	9	1.6	0.09	1.86	1.1	62.1	0.03	0.3	0.05	1.04	65	VA08141995
ANG32530	47	1470	24.8	2.7	0.06	3.56	1.5	53.2	0.06	0.8	0.07	1.15	195	VA08141995
ANG32531	63.7	1600	26.1	2.7	0.07	4.69	1.8	64.8	0.08	1.4	0.1	1.41	462	VA08141995
ANG32532	34.5	1260	19.4	2.5	0.08	3.24	1.7	56.7	0.06	0.5	0.06	1.44	155	VA08141995
ANG32533	26.4	1040	24.4	2.5	0.05	2.16	1.1	42.5	0.04	0.6	0.05	1.1	125	VA08141995
ANG32534	55.7	1170	34.9	4.4	0.07	3.7	1.9	48.8	0.1	1.3	0.09	2.09	228	VA08141995
ANG32535	66.9	1150	19.3	2.9	0.1	4.26	2.8	72.6	0.06	2.4	0.06	3.42	347	VA08141995
ANG32536	61.5	960	18.7	3.1	0.05	4.93	2.4	38.5	0.06	1.8	0.06	1.7	404	VA08141995
ANG32537	55.6	810	16.6	3.2	0.07	2.87	2.2	39.8	0.05	1.4	0.07	1.6	307	VA08141995
ANG32538	29	770	10.5	2.5	0.07	2.09	1.2	45.9	0.03	0.5	0.05	0.88	113	VA08141995
ANG32539	27.7	890	9	2.4	0.09	1.67	1.2	65.7	0.02	0.4	0.04	1.24	89	VA08141995
ANG32540	38.9	850	19.6	4.3	0.08	2.46	1.7	58.4	0.05	0.8	0.08	1.28	156	VA08141995
ANG32541	42.8	1120	16.6	3.8	0.09	3.45	2.1	67.2	0.05	0.5	0.07	3.03	129	VA08141995
ANG32542	29	640	9	3.1	0.05	2.97	1.2	42.6	0.04	1.2	0.07	1	54	VA08141995
ANG32543	40.8	660	19	3.9	0.04	3.11	1.6	35.6	0.05	1.4	0.07	0.84	132	VA08141995
ANG32544	72.3	1020	74.5	3.7	0.14	1.3	2.9	42.2	0.09	15.7	0.2	2.25	697	VA08141995
ANG32545	42	500	12.7	2.4	0.02	3.08	0.9	63.4	0.04	8.2	0.09	0.97	163	VA08141995
ANG32546	44.6	1040	25.6	3.5	0.07	6.03	1.3	54.3	0.03	2.2	0.11	1.03	506	VA08141995
ANG32547	44	1040	18.9	3	0.05	6.01	0.8	50	0.02	5.1	0.22	0.95	142	VA08141995
ANG32548	91	1250	30.8	3.4	0.07	6.79	2.1	140	0.08	1.1	0.29	2.01	663	VA08141995
ANG32549	49.7	1490	21.8	2.9	0.07	3.29	1.6	52.7	0.06	0.9	0.08	1.1	198	VA08141995
ANG32550	50.4	690	17.1	9.2	0.02	2.29	2	33.3	0.05	2.9	0.14	1.45	152	VA08141995
ANG32551	91.3	1330	21.1	3	0.03	14	2.6	130.5	0.07	6.9	0.18	2.68	446	VA08141995
ANG32552	33.4	1100	19	2.3	0.05	3.94	1.2	93.2	0.02	8	0.05	1.11	209	VA08141995
ANG32553	51.2	960	13.2	2.8	0.06	5.71	2.3	111.5	0.03	6.6	0.09	1.19	259	VA08141995
ANG32554	79.6	790	14.9	4.3	0.07	5.27	4.5	77.3	0.09	4	0.15	1.28	240	VA08141995
ANG32555	43.9	2550	30	5.1	0.16	8.03	17.8	249	0.21	7.9	0.44	3.99	148	VA08141995
ANG32556	77.1	840	11.8	3.5	0.04	3.98	1.9	184	0.08	10.2	0.13	1.36	275	VA08141995
ANG32557	84.6	970	18.9	4	0.04	1.96	1.5	193.5	0.05	4.4	0.06	0.95	426	VA08141995
ANG32558	44.8	660	19.9	4.3	0.09	5.31	2.5	39.2	0.09	1.9	0.16	1.1	195	VA08141995
ANG32559	46.2	1370	13.6	4.9	0.04	2.38	2	37.7	0.04	1.6	0.07	0.79	182	VA08141995
ANG32560	46.8	980	13.5	5.6	0.02	2.83	1.8	21.9	0.05	2.3	0.15	1	217	VA08141995

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG32561	NAD83-8	630817	6858055	4	0.48	0.73	16.1	400	0.3	0.16	0.38	0.94	7.1
ANG32562	NAD83-8	630843	6858097	4	1.13	0.84	12.9	530	0.42	0.18	0.51	2.94	7.2
ANG32563	NAD83-8	630872	6858141	1	0.75	0.67	22.8	580	0.41	0.16	0.96	4.81	8
ANG32564	NAD83-8	630925	6858225	-1	0.68	0.39	7.7	340	0.26	0.09	1.14	4.04	4.9
ANG32565	NAD83-8	630951	6858266	2	0.73	1.23	12.9	470	0.33	0.19	0.45	2.14	6.5
ANG32566	NAD83-8	630978	6858310	1	1.28	0.64	19.7	950	0.47	0.2	0.51	2.2	8.9
ANG32567	NAD83-8	631033	6858392	5	1.72	0.52	14.2	580	0.37	0.13	1.04	6.52	6.9
ANG32568	NAD83-8	631059	6858436	4	1	0.59	15.1	690	0.35	0.13	0.79	4.86	7
ANG32569	NAD83-8	633462	6856979	-1	0.27	0.8	10.5	1020	0.27	0.1	0.65	0.53	7
ANG32582	NAD83-8	631697	6858672	4	0.88	0.61	5.9	490	0.36	0.27	0.83	1.49	11.2
ANG32583	NAD83-8	631670	6858632	10	0.61	0.6	17.5	310	0.28	0.22	0.19	1.46	8.8
ANG32584	NAD83-8	631644	6858590	3	1.02	0.85	11.8	730	0.32	0.2	0.23	2.68	7.1
ANG32585	NAD83-8	631590	6858506	4	0.72	0.67	15.7	930	0.38	0.16	0.64	3.5	7.5
ANG32586	NAD83-8	631560	6858466	3	0.37	0.47	11.8	750	0.25	0.12	0.66	2.9	5.6
ANG32587	NAD83-8	631534	6858421	3	0.79	0.81	13.2	1180	0.43	0.18	0.76	5.44	8.6
ANG32588	NAD83-8	631507	6858380	2	0.57	0.84	13.7	840	0.38	0.18	0.63	3.71	8.7
ANG32589	NAD83-8	631480	6858336	3	1.66	0.85	22.1	960	0.56	0.22	0.81	9.75	8
ANG32590	NAD83-8	631453	6858297	-1	1.71	0.45	19.1	680	0.37	0.12	1.16	14.9	7.5
ANG32591	NAD83-8	631704	6858132	4	2.04	0.74	13.1	1070	0.38	0.15	1.3	11.55	7.1
ANG32592	NAD83-8	631731	6858173	2	0.81	1.01	11.7	870	0.33	0.16	0.8	2.34	8.3
ANG32593	NAD83-8	631757	6858215	5	1.15	0.67	17.4	1030	0.41	0.2	1.02	4.6	10.3
ANG32594	NAD83-8	631785	6858257	3	0.77	0.67	14	870	0.29	0.19	0.68	2.67	3.9
ANG32595	NAD83-8	631813	6858299	3	1.07	0.75	16.9	1070	0.39	0.17	0.91	5.56	7.3
ANG32596	NAD83-8	631839	6858339	7	0.86	0.75	21.6	1150	0.41	0.23	0.8	4.97	8.8
ANG32597	NAD83-8	631866	6858383	2	0.65	0.64	11.3	560	0.45	0.19	1.41	1.65	9.2
ANG32598	NAD83-8	631895	6858426	8	0.64	0.68	16.4	440	0.39	0.24	1.3	1.05	13.7
ANG32599	NAD83-8	631918	6858468	3	0.3	1.02	13.4	560	0.43	0.23	0.42	0.98	10.4
ANG32600	NAD83-8	631948	6858510	4	0.55	0.69	16.2	510	0.41	0.24	0.28	1.29	10.3
ANG32601	NAD83-8	630744	6857205	1	0.24	0.65	13.7	290	0.38	0.22	1.97	0.48	8.7
ANG32602	NAD83-8	630771	6857247	1	0.18	0.23	27.2	60	0.34	0.18	2.93	0.31	12.1
ANG32603	NAD83-8	630798	6857289	2	0.52	0.53	23.3	260	0.49	0.25	0.82	1.34	8.3
ANG32604	NAD83-8	630825	6857332	1	0.35	0.6	14.9	390	0.36	0.18	0.84	0.89	6.9
ANG32605	NAD83-8	630851	6857374	2	0.48	0.37	47.1	180	0.36	0.16	1.12	1.62	8.3
ANG32606	NAD83-8	630880	6857417	3	0.35	0.42	42.6	180	0.33	0.19	0.92	0.41	10.9
ANG32607	NAD83-8	630906	6857458	1	0.38	0.36	29.9	150	0.39	0.16	1.24	1.04	11.9
ANG32608	NAD83-8	630933	6857499	3	0.45	0.24	20.8	160	0.26	0.21	5.5	1.76	14.1
ANG32609	NAD83-8	630960	6857542	4	0.95	0.22	44.8	160	0.35	0.3	4.07	1.68	18.1
ANG32610	NAD83-8	630989	6857586	17	1.49	0.22	54.8	160	0.4	0.28	3.16	2.04	15.9
ANG32611	NAD83-8	631014	6857627	11	1.05	0.22	25.2	220	0.33	0.36	0.6	1.06	8.8
ANG32612	NAD83-8	631042	6857671	7	0.68	0.16	32.5	180	0.28	0.38	4.8	0.88	22
ANG32613	NAD83-8	631067	6857709	4	0.45	0.31	19.3	340	0.37	0.3	2.97	1.62	17.7
ANG32614	NAD83-8	631095	6857752	4	0.52	0.5	26	370	0.43	0.33	2.27	0.84	17
ANG32615	NAD83-8	631122	6857794	3	0.53	0.61	17.6	410	0.41	0.21	1.04	3.03	15.5
ANG32616	NAD83-8	631150	6857836	6	0.83	0.45	13.1	570	0.41	0.26	0.63	4.04	11.7
ANG32617	NAD83-8	631178	6857880	7	0.57	0.5	9.8	1110	0.34	0.3	0.28	0.78	5.7
ANG32618	NAD83-8	631204	6857921	16	1.16	0.7	20.2	1720	0.35	0.47	0.15	1.02	6.5
ANG32620	NAD83-8	631260	6858007	6	0.97	0.55	12.2	880	0.26	0.19	0.27	8.58	6.9
ANG32641	NAD83-8	630270	6857216	3	0.49	0.56	11.6	690	0.32	0.27	0.37	1.93	7.2
ANG32642	NAD83-8	630300	6857256	-1	0.33	0.44	22.6	170	0.48	0.26	0.61	0.52	13.7
ANG32643	NAD83-8	630327	6857298	1	0.27	0.27	44.7	100	0.39	0.2	1.19	0.41	9.2
ANG32644	NAD83-8	630352	6857341	1	0.41	0.26	42.4	110	0.34	0.17	1.5	0.62	9.9
ANG32645	NAD83-8	630382	6857384	3	0.62	0.32	65.9	130	0.4	0.19	1.26	1.14	13.7
ANG32646	NAD83-8	630409	6857427	2	0.53	0.28	53.8	110	0.32	0.11	2.98	1.53	9.1
ANG32647	NAD83-8	630437	6857467	-1	0.63	0.31	31.6	160	0.4	0.15	1.63	1.38	7.8
ANG32648	NAD83-8	630463	6857509	3	0.29	0.23	91.5	70	0.61	0.24	1.15	0.54	22.7
ANG32649	NAD83-8	630491	6857551	-1	0.13	0.26	9.8	60	0.2	0.15	2.55	0.06	12.5
ANG32650	NAD83-8	630519	6857594	1	0.59	0.27	50	120	0.5	0.23	3.97	1.45	14
ANG32651	NAD83-8	630074	6857645	4	0.81	0.13	71.7	60	0.32	0.21	1.18	0.48	15.4
ANG32652	NAD83-8	630100	6857687	5	0.32	0.25	48.5	90	0.28	0.06	6.89	0.28	17.7
ANG32654	NAD83-8	630156	6857771	2	0.51	0.35	70.8	140	0.41	0.15	0.9	0.32	10.5
ANG32655	NAD83-8	630182	6857813	1	1.29	0.23	30.1	100	0.51	0.19	1.31	2.95	11.3
ANG32656	NAD83-8	630209	6857856	7	0.91	0.25	75.3	150	0.49	0.24	1.16	1.6	18.4
ANG32657	NAD83-8	630236	6857898	3	0.94	0.27	41.6	140	0.44	0.23	1.39	2.02	14.1

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG32561	25.4	18	0.56	21.8	1.97	2.34	0.06	0.04	14	6.3	0.25	306	6.19	0.02
ANG32562	27.6	22	0.46	43.5	1.88	2.62	0.11	0.05	15	7	0.35	272	5.93	0.02
ANG32563	24.6	14	0.34	47	1.64	1.99	0.16	0.05	13	4.9	0.27	356	13.9	0.02
ANG32564	13.05	6	0.44	43.1	0.97	0.96	0.22	0.03	7.3	1.9	0.27	190	12.85	0.03
ANG32565	27.9	21	0.76	13.5	2.14	4.09	0.11	0.04	14.3	10.1	0.3	220	3.26	0.01
ANG32566	40.6	14	0.5	44.4	1.92	2.06	0.14	0.06	21	3.8	0.17	336	9.69	0.01
ANG32567	23.3	13	0.43	79.4	1.4	1.56	0.21	0.04	13.8	3.4	0.26	220	12.15	0.02
ANG32568	22.8	14	0.31	55.7	1.42	1.77	0.19	0.04	13.1	3.8	0.21	303	11.65	0.03
ANG32569	25.7	13	1.15	27.6	1.68	2.28	0.03	0.09	12.6	5.2	0.62	160	3.71	0.02
ANG32582	22.2	10	0.82	52.1	2.74	1.7	0.07	0.04	11.9	5.2	0.16	193	7.34	0.02
ANG32583	35	16	0.68	56.5	2.51	2.23	0.03	0.06	19.2	6.2	0.2	222	8.83	0.01
ANG32584	23.1	15	0.85	62.9	1.87	2.92	0.08	0.07	12.6	6.8	0.17	231	6.21	0.02
ANG32585	29.2	19	0.54	46.5	1.84	2.2	0.14	0.06	16.2	6.7	0.3	249	7.78	0.02
ANG32586	21.9	12	0.38	32.9	1.38	1.57	0.12	0.04	12.2	3.8	0.21	226	5.59	0.02
ANG32587	24.3	18	0.57	56.8	1.66	2.53	0.16	0.05	13.3	7.2	0.26	1465	9.22	0.02
ANG32588	26.9	17	0.53	32.1	1.7	2.51	0.18	0.04	15	7.6	0.26	370	10.15	0.02
ANG32589	26.9	21	0.64	92.4	2.01	2.52	0.36	0.06	18.7	6.3	0.27	506	16.85	0.02
ANG32590	15.3	10	0.25	133	1.25	1.29	0.4	0.03	9.2	1.9	0.15	710	16.35	0.03
ANG32591	26.1	22	0.43	54.1	1.4	2.17	0.32	0.05	17.9	5.6	0.27	348	7.24	0.02
ANG32592	25.4	22	0.57	24.8	1.84	3.38	0.16	0.06	14	9.9	0.39	270	6.58	0.03
ANG32593	24.6	16	0.32	49	1.88	2.06	0.17	0.04	13.5	4.8	0.22	609	10.75	0.02
ANG32594	25.9	16	0.45	32.8	1.43	2.26	0.17	0.05	14.6	7	0.25	101	5.46	0.02
ANG32595	22.6	18	0.47	47.9	1.75	2.34	0.15	0.05	13.9	7.5	0.28	365	7.99	0.02
ANG32596	32.7	22	0.88	57.8	2.19	2.44	0.17	0.09	18.8	7.3	0.43	276	15.05	0.02
ANG32597	31.5	13	0.6	49.6	2.3	1.79	0.09	0.04	17	6.3	0.22	179	4.96	0.02
ANG32598	50.3	17	0.81	53.2	2.97	2.12	0.08	0.06	25.6	6.4	0.31	290	6.38	0.02
ANG32599	32.3	24	0.81	35.7	2.56	3.39	0.07	0.05	16.4	10.7	0.33	243	5.03	0.02
ANG32600	28.4	16	0.64	52.4	2.59	2.1	0.11	0.06	13.9	6.7	0.24	343	6.72	0.02
ANG32601	21	13	0.57	21.7	2.31	2.14	0.06	0.04	11.1	4.5	0.18	435	4.55	0.02
ANG32602	19.25	5	0.67	19.6	2.49	0.65	0.03	0.04	10.2	1.5	0.18	287	2.92	0.01
ANG32603	30	14	0.78	30.3	2.6	1.58	0.06	0.05	17.4	4.2	0.2	277	4.96	0.02
ANG32604	18.15	12	0.45	23.5	1.79	1.81	0.09	0.03	9.7	4.4	0.17	263	4.34	0.02
ANG32605	16.55	7	0.42	22.2	2.01	1.1	0.05	0.03	8.8	1.9	0.14	220	5.03	0.02
ANG32606	25.6	9	0.76	21.5	2.8	1.32	0.04	0.03	13.5	4.7	0.25	236	3.87	0.01
ANG32607	19.65	7	0.5	23.4	2.87	1.01	0.04	0.03	10.1	2.8	0.18	344	5.16	0.02
ANG32608	24.3	4	0.58	46.1	2.77	0.63	0.04	0.04	14.5	1.3	0.51	322	7.76	0.02
ANG32609	29.2	6	0.59	63.9	3.11	0.66	0.07	0.04	17.3	1.3	0.79	214	24.6	0.01
ANG32610	23.6	7	0.82	89.8	2.8	0.67	0.09	0.04	14.6	1.1	0.48	186	35.7	0.01
ANG32611	25.8	5	0.49	78.1	2.28	0.8	0.1	0.07	16.3	1.6	0.04	89	14.95	0.01
ANG32612	23.8	4	0.66	73.6	3.59	0.47	0.08	0.04	14.2	0.7	0.24	124	12.5	0.01
ANG32613	28.3	9	0.54	55.3	3.12	0.93	0.07	0.04	16.1	1.6	0.13	164	7.25	0.01
ANG32614	34.5	11	0.65	54.1	3.26	1.45	0.09	0.04	19.6	3.2	0.17	194	9.56	0.01
ANG32615	31.4	11	0.63	34.2	3.07	1.49	0.07	0.04	17.3	4.4	0.14	343	5.52	0.01
ANG32616	31.9	10	0.38	91.5	2.18	1.36	0.1	0.03	18.9	2.7	0.09	217	10.55	0.01
ANG32617	30.7	9	0.53	54.7	1.98	1.6	0.11	0.05	19.3	3.2	0.07	163	19.2	0.01
ANG32618	30.5	17	1.39	58.5	2.79	2.65	0.37	0.11	18.8	5	0.11	168	28.2	0.02
ANG32620	25	11	0.7	54.9	1.76	1.78	0.73	0.04	15.2	2.7	0.09	156	11.15	0.02
ANG32641	19.8	11	1.05	45	2.01	1.81	0.06	0.05	12.1	4.5	0.09	282	10	0.01
ANG32642	21.4	10	0.97	31.6	3.07	1.32	0.06	0.04	12.4	3.3	0.09	504	12.6	0.01
ANG32643	24.5	6	0.68	20.3	3.44	0.76	0.04	0.02	15	1.7	0.05	297	2.82	0.01
ANG32644	14.4	7	0.47	23.6	3	0.71	0.04	0.03	8.6	1.5	0.08	287	5.68	0.01
ANG32645	18.8	9	0.79	38.9	3.25	0.93	0.05	0.04	11.5	2.2	0.13	391	4.95	0.01
ANG32646	12.95	6	0.47	29.1	2.49	0.77	0.04	0.03	8.2	1.8	0.21	369	4.56	0.02
ANG32647	11.85	6	0.7	26.4	1.77	0.93	0.06	0.03	6.7	2.4	0.13	312	4.21	0.02
ANG32648	28	5	2.29	32.4	4.21	0.75	0.04	0.03	16.2	2.6	0.25	236	6.45	0.01
ANG32649	25.1	4	1.73	17.2	3.07	0.82	0.02	0.02	14.8	6	0.55	274	2.38	0.02
ANG32650	22.5	6	1.03	47.2	2.58	0.85	0.07	0.05	13.3	1.9	0.96	153	38.7	0.02
ANG32651	20.2	5	0.44	38.5	3.85	0.39	0.04	0.03	11.7	0.5	0.06	207	6.05	0.01
ANG32652	16.9	6	1.8	49	3.21	0.66	0.03	0.04	9.5	2	0.25	659	3.66	0.02
ANG32654	20.1	5	0.63	22.4	2.59	0.98	0.03	0.04	11.2	2.2	0.21	162	8.49	0.01
ANG32655	20.3	5	0.58	55.3	2.3	0.74	0.11	0.04	12.6	1.2	0.45	138	24.4	0.02
ANG32656	28.8	5	0.73	45.9	3.56	0.85	0.08	0.04	16.1	1.2	0.34	181	15.35	0.01
ANG32657	31.4	5	0.96	42.9	2.9	0.88	0.05	0.05	18.3	1.9	0.24	182	12.25	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG32561	41.6	1040	13.5	5.1	0.02	2.88	1.6	22.2	0.05	1.6	0.11	1.07	203	VA08141996
ANG32562	44.7	870	38.6	5.3	0.03	3.47	3.1	24.8	0.05	1.6	0.09	1.03	291	VA08141996
ANG32563	47.9	730	20.5	5.8	0.05	8.64	5.4	34.8	0.04	1.1	0.17	2.29	396	VA08141996
ANG32564	52.2	630	10.7	3	0.04	3.37	2.5	32.3	0.02	0.5	0.46	2.76	321	VA08141996
ANG32565	19.5	770	17.3	7.7	0.01	1.37	0.9	26.9	0.04	1.6	0.21	1.89	203	VA08141996
ANG32566	53.3	590	19.5	5.4	0.03	4.21	3.3	30.8	0.05	2.8	0.17	1.89	279	VA08141996
ANG32567	71.3	910	14.9	3.7	0.04	6	3	54.3	0.05	1.4	0.23	1.19	642	VA08141996
ANG32568	61.2	910	13.5	3.5	0.04	6.28	2.6	42.2	0.06	0.9	0.16	1.92	410	VA08141996
ANG32569	43.8	320	25.8	9.5	0.02	1.27	1.5	33.3	0.04	2	0.16	0.95	119	VA08141996
ANG32582	59.2	610	13.7	4.6	0.03	3.05	2.7	40.2	0.08	2	0.06	1.67	241	VA08141996
ANG32583	43.2	1070	10.6	6.2	0.04	4.26	4	62.2	0.07	2.8	0.08	2.22	186	VA08141996
ANG32584	34.4	760	10	8.5	0.01	2.38	2.4	36.3	0.06	1.6	0.09	1.96	154	VA08141996
ANG32585	53	1140	11.5	5.4	0.02	4.34	2.8	63.3	0.06	3.5	0.12	1.3	304	VA08141996
ANG32586	39.8	940	10.4	4.7	0.03	3.63	2.8	55.4	0.05	1.8	0.09	1.66	299	VA08141996
ANG32587	61.7	1080	12.9	6.5	0.03	4.21	4.4	68.4	0.07	2.1	0.1	4.1	338	VA08141996
ANG32588	34.2	1060	14.3	5.8	0.03	3.25	2.6	59.8	0.06	2.6	0.12	2.51	418	VA08141996
ANG32589	79	1220	19	6.3	0.04	5.92	3.7	70.4	0.1	1.7	0.21	5.73	1315	VA08141996
ANG32590	70.4	930	15.4	3	0.07	10.6	5.2	71.7	0.06	0.5	0.2	3.62	962	VA08141996
ANG32591	71.4	1290	17.4	5.4	0.05	5.82	4.4	108.5	0.09	1	0.21	2.08	809	VA08141996
ANG32592	44.8	1020	14.2	6.3	0.03	2.82	2.5	69.2	0.07	2.2	0.13	1.2	542	VA08141996
ANG32593	58.9	920	17.6	4.2	0.04	4.37	3.6	80.1	0.08	1.3	0.1	2.94	511	VA08141996
ANG32594	34.1	1110	15.3	5.2	0.03	3.55	3	62.4	0.08	2.7	0.11	2.98	293	VA08141996
ANG32595	50.7	1050	12.4	5	0.03	3.75	2.3	72.6	0.07	1.1	0.09	2.85	384	VA08141996
ANG32596	77.8	1390	13.8	7.3	0.03	6.77	5.2	88.2	0.09	5.6	0.16	1.44	421	VA08141996
ANG32597	51	570	9.5	4.8	0.04	2.93	3.1	50.1	0.05	1.2	0.05	1.63	173	VA08141996
ANG32598	65.2	810	11.3	5.6	0.02	3.51	3	49.3	0.07	5.1	0.08	1.14	229	VA08141996
ANG32599	46.8	590	15.5	7	0.01	2.36	2.2	29.6	0.06	3.3	0.12	1.27	155	VA08141996
ANG32600	49.4	740	12.6	7.3	0.02	3.31	3.4	31.8	0.06	2.2	0.1	1.4	161	VA08141996
ANG32601	29.8	570	15.8	3.9	0.01	2.6	1.1	64.1	0.04	3.5	0.09	0.83	99	VA08141996
ANG32602	34.8	1040	13.5	2.4	0.01	4.76	0.8	94.3	0.04	5.4	0.07	0.78	102	VA08141996
ANG32603	55.2	920	17.8	4.5	0.04	4.14	1.3	40.5	0.09	5	0.09	1.04	218	VA08141996
ANG32604	32.6	880	14.4	3.9	0.04	2.85	2	41.8	0.04	1.3	0.07	1.88	160	VA08141996
ANG32605	41.6	770	16.2	2.6	0.03	8.11	1.8	47.9	0.05	1.4	0.06	1.2	298	VA08141996
ANG32606	33.5	750	9.4	2.4	0.01	6.41	1.1	34.4	0.03	4.4	0.05	0.64	92	VA08141996
ANG32607	36.5	920	15.8	2.6	0.03	7.99	1	51.4	0.04	2.1	0.05	1.16	180	VA08141996
ANG32608	52.6	880	14	2.8	0.03	3.8	2	150	0.04	4.2	0.05	1.4	232	VA08141996
ANG32609	66.3	800	17.9	2.6	0.05	9.02	3.7	113.5	0.05	6.4	0.1	1.85	251	VA08141996
ANG32610	81.6	830	21	3	0.05	11.05	4	91.9	0.09	6.3	0.18	2.06	347	VA08141996
ANG32611	51.1	510	21.2	4.8	0.14	6.33	5.4	93.7	0.16	5.8	0.22	1.37	175	VA08141996
ANG32612	91.6	620	24.2	2.8	0.12	6.5	3.1	146.5	0.12	8.7	0.15	1.23	270	VA08141996
ANG32613	102.5	550	11.9	3.4	0.04	3.63	5.7	86.1	0.07	4.5	0.07	1.25	433	VA08141996
ANG32614	91.3	720	18.7	4.2	0.03	3.03	1.9	94.6	0.08	6.3	0.1	1.27	341	VA08141996
ANG32615	86.2	700	17	4.6	0.02	3.76	2.8	60.8	0.05	3	0.1	1.15	388	VA08141996
ANG32616	83	660	17.7	3.7	0.03	4.64	2.5	70.5	0.09	3.6	0.1	2.01	431	VA08141996
ANG32617	28.8	550	17.3	5.4	0.05	2.39	3.1	67.4	0.09	3.1	0.11	3.06	149	VA08141996
ANG32618	37.9	730	29	11.9	0.2	4.78	5.1	94.9	0.12	1.9	0.3	3.36	166	VA08141996
ANG32620	64	870	16.2	5.2	0.05	4.01	2.9	38.2	0.05	2.1	0.17	2	1225	VA08141996
ANG32641	39.7	1130	21.1	8.3	0.05	1.8	1.9	38.3	0.06	1.2	0.12	1.38	219	VA08141996
ANG32642	53.5	1100	20	4	0.02	4.45	1.5	34	0.05	3.2	0.08	1.22	125	VA08141996
ANG32643	68.6	900	27.7	2.4	0.02	10.1	1.1	35.4	0.14	3.7	0.04	0.62	146	VA08141996
ANG32644	50.9	980	19.2	2.6	0.04	7.54	1.4	64.4	0.06	2.2	0.07	0.8	146	VA08141996
ANG32645	74.6	1340	19.3	3.1	0.03	9.48	1.6	66.7	0.07	3.3	0.07	0.82	244	VA08141996
ANG32646	53.6	1170	14.8	2.2	0.04	8.8	1.6	124.5	0.06	1.4	0.04	0.84	189	VA08141996
ANG32647	31.7	950	11.9	2.7	0.08	6.65	1.3	66.2	0.04	1.5	0.07	1.15	164	VA08141996
ANG32648	63.5	670	11.4	2.6	0.06	8.43	1.7	36.5	0.03	9.6	0.11	0.84	113	VA08141996
ANG32649	22.1	730	8.4	1.5	0.02	2.74	0.5	32.6	0.01	6	0.08	0.35	23	VA08141996
ANG32650	96.5	1460	22.4	3.2	0.07	14.05	3.2	143.5	0.1	4.9	0.31	3.97	417	VA08141996
ANG32651	62.4	940	36.1	2.1	0.04	21.8	2.1	41.2	0.03	10.3	0.14	0.82	193	VA08141996
ANG32652	46.7	1910	8.6	2.9	0.04	6.06	1	65.5	0.02	1.4	0.06	0.56	110	VA08141996
ANG32654	48.5	890	22.1	2.8	0.03	18.85	1.1	36.5	0.03	2.4	0.14	1.04	87	VA08141996
ANG32655	75.7	1120	12.8	2.7	0.04	8.3	2.5	86.2	0.06	3.8	0.12	1.66	475	VA08141996
ANG32656	72.7	1250	21.6	2.9	0.09	9.63	2.1	66.7	0.06	4.3	0.13	1.56	247	VA08141996
ANG32657	51.4	890	13.4	3.2	0.03	10.35	2.1	50.3	0.04	3.3	0.11	0.99	247	VA08141996

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG32658	NAD83-8	630264	6857940	4	1.26	0.2	68.6	210	0.44	0.51	1.53	2.82	13.1
ANG32659	NAD83-8	630292	6857982	4	4.85	0.3	25	750	0.15	0.15	10.3	65.1	7.8
ANG32660	NAD83-8	630317	6858023	6	1.1	0.62	33	460	0.35	0.22	3.81	3.8	10.7
ANG32661	NAD83-8	630345	6858066	6	5.72	0.72	105.5	440	0.72	0.26	0.78	21.4	9.1
ANG32662	NAD83-8	630371	6858109	12	1.15	0.39	34.4	320	0.41	0.29	0.69	2.28	11.7
ANG32663	NAD83-8	630399	6858150	13	1.4	0.34	40.8	320	0.44	0.63	1.41	0.9	13.7
ANG32664	NAD83-8	630425	6858192	11	1.52	0.34	24.8	400	0.41	0.26	4.1	12.45	10.1
ANG32665	NAD83-8	630453	6858233	4	4.44	0.34	15.6	160	0.3	0.33	1.49	2.19	18.5
ANG32666	NAD83-8	630479	6858277	4	1.95	0.89	26.9	370	0.41	0.15	0.44	27.7	7.4
ANG32667	NAD83-8	630158	6857771	1	0.44	0.33	61.7	130	0.39	0.13	0.8	0.42	9.8
ANG32668	NAD83-8	630508	6858319	3	3.34	1	26.5	760	0.4	0.15	0.51	7.43	7.2
ANG32670	NAD83-8	630591	6858446	-1	1.93	0.5	8.8	4140	0.26	0.08	2.54	27.1	4.9
ANG32671	NAD83-8	630616	6858485	2	2.5	0.32	21.1	1520	0.24	0.11	2.98	23.1	6.2
ANG32672	NAD83-8	630644	6858528	4	2	0.42	15.5	2240	0.34	0.12	2.18	15.9	7
ANG32673	NAD83-8	630672	6858573	5	2.21	0.29	17.1	1180	0.26	0.15	0.65	7.05	4.3
ANG32674	NAD83-8	630700	6858613	3	2.46	0.28	25.9	970	0.29	0.12	1.32	14.7	5.9
ANG32675	NAD83-8	630725	6858653	3	3.23	0.81	29.5	2080	0.39	0.16	0.89	16.75	10
ANG32676	NAD83-8	633182	6857101	3	0.36	0.65	4.8	560	0.23	0.1	1.12	1.11	5.3
ANG32677	NAD83-8	633158	6857061	2	0.21	0.76	2.9	510	0.18	0.08	3.96	0.47	8.3
ANG32678	NAD83-8	633130	6857020	3	0.57	0.59	12	1110	0.27	0.14	1.23	1.48	7.3
ANG32701	NAD83-8	629770	6857544	4	1.07	0.62	30.1	380	0.71	0.16	1.09	3.04	27.8
ANG32702	NAD83-8	629797	6857585	3	0.85	0.45	14.2	310	0.5	0.21	0.73	1.05	7
ANG32703	NAD83-8	629825	6857628	2	0.94	0.36	10.3	120	0.47	0.14	1.13	0.85	6.2
ANG32704	NAD83-8	629851	6857671	3	0.53	0.25	41.3	120	0.49	0.25	1.03	1.16	10.9
ANG32705	NAD83-8	629880	6857713	6	1.19	0.24	71.3	110	0.5	0.19	1.22	3	6.7
ANG32706	NAD83-8	629906	6857755	3	0.67	0.33	29.6	90	0.43	0.12	0.68	5.43	8.1
ANG32707	NAD83-8	629907	6857754	2	0.55	0.36	28.3	90	0.39	0.11	0.74	6.45	7.3
ANG32708	NAD83-8	629934	6857797	3	0.5	0.27	59.3	120	0.38	0.11	0.99	1.34	9.8
ANG32709	NAD83-8	629961	6857840	5	0.6	0.49	45.1	100	0.45	0.15	1.02	1.33	10.3
ANG32710	NAD83-8	629987	6857882	4	0.88	0.37	43.3	160	0.44	0.16	1.17	2.23	10.1
ANG32711	NAD83-8	630016	6857923	3	1.49	0.26	45.2	110	0.48	0.18	1.5	3.7	10.3
ANG32712	NAD83-8	630042	6857965	4	0.88	0.33	30.5	220	0.41	0.33	3.03	2.63	10.8
ANG32713	NAD83-8	630070	6858006	3	0.89	0.27	36.6	220	0.36	0.26	3.03	2.58	11
ANG32714	NAD83-8	630097	6858048	9	1.65	0.34	35.7	160	0.52	0.28	3.64	8.92	15.7
ANG32715	NAD83-8	630124	6858090	10	3.57	0.34	55.3	340	0.54	0.17	2.5	20.7	10.3
ANG32716	NAD83-8	630151	6858133	9	0.83	0.3	30.5	160	0.3	0.27	1.68	3.62	15.9
ANG32717	NAD83-8	630178	6858174	8	0.8	0.28	42.8	210	0.4	0.28	1.65	4.19	15.9
ANG32718	NAD83-8	630208	6858218	3	2.36	0.36	25.7	580	0.34	0.13	3.17	13.3	8.5
ANG32719	NAD83-8	630232	6858260	6	2.73	0.32	35	780	0.37	0.14	3.67	15.75	9.3
ANG32720	NAD83-8	630341	6858426	4	3.28	0.67	22.8	3240	0.43	0.12	2.44	16.35	6.9
ANG32721	NAD83-8	630369	6858467	3	1.89	0.54	11.3	3230	0.33	0.07	3.32	18.55	4.8
ANG32722	NAD83-8	630397	6858511	4	3.27	0.36	19.4	1400	0.31	0.09	3.43	37.3	6.4
ANG32723	NAD83-8	630423	6858555	3	3.59	0.53	36.7	3440	0.34	0.14	2.62	27	8.6
ANG32724	NAD83-8	630449	6858595	6	2.7	0.44	41.4	1200	0.4	0.13	2.71	18.6	7.3
ANG32725	NAD83-8	630476	6858637	6	4.21	0.55	54.5	1790	0.61	0.16	1.66	20.1	6.1
ANG32727	NAD83-8	630530	6858722	3	1.65	0.33	25.4	1540	0.32	0.09	2.53	24	5.2
ANG32728	NAD83-8	630558	6858763	2	2.32	0.34	24.5	1690	0.2	0.07	2.38	70.7	3.1
ANG32729	NAD83-8	630106	6857325	2	0.85	0.22	9.6	500	0.11	0.37	0.08	1.49	3.4
ANG32730	NAD83-8	630133	6857365	1	0.1	0.38	4.5	140	0.17	0.06	1.36	0.96	3.9
ANG32731	NAD83-8	630161	6857408	2	0.71	0.29	32.4	110	0.51	0.16	1.85	1.6	13.1
ANG32732	NAD83-8	630188	6857452	3	0.78	0.21	44.8	80	0.48	0.21	3.77	2.91	12.5
ANG32733	NAD83-8	630214	6857492	4	0.53	0.46	27.9	170	0.52	0.18	1.07	1.18	11.6
ANG32734	NAD83-8	630242	6857533	4	0.92	0.38	47.4	150	0.48	0.16	0.9	3.75	12.2
ANG32735	NAD83-8	630268	6857576	5	0.33	0.31	75.4	180	0.38	0.06	3.74	0.56	34.8
ANG32736	NAD83-8	630267	6857576	5	0.37	0.33	86	210	0.43	0.07	2.91	0.71	36.7
ANG32744	NAD83-8	631290	6858053	5	0.96	0.55	15.4	1130	0.34	0.16	0.79	6.04	7.4
ANG32745	NAD83-8	631341	6858142	4	0.77	0.74	11.9	730	0.39	0.19	0.66	1.33	7.4
ANG32746	NAD83-8	631368	6858174	5	1.04	0.78	14.1	560	0.32	0.21	0.52	3.12	8.1
ANG32747	NAD83-8	631395	6858216	4	0.91	0.62	9.5	620	0.34	0.15	1.05	2.91	5.9
ANG32748	NAD83-8	631422	6858257	5	0.74	0.73	13.5	780	0.34	0.18	0.69	1.44	6.6
ANG32749	NAD83-8	631611	6856388	5	1.27	0.47	23.2	370	0.44	0.23	0.86	2.93	7.6
ANG32750	NAD83-8	631639	6856379	3	1.26	0.21	16.4	90	0.59	0.27	5.09	1.14	15.7
ANG32751	NAD83-8	633570	6857146	1	0.13	1.18	13	1270	0.37	0.16	0.31	1.09	6.3

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG32658	33.6	4	1.21	86.3	3.48	0.7	0.07	0.05	20.2	1.3	0.32	215	48.2	0.01
ANG32659	16.4	4	0.48	32.1	1.76	0.81	0.64	0.04	8.8	1.8	0.6	248	11.45	0.03
ANG32660	25.2	14	0.49	39.1	2.6	1.91	0.17	0.04	14.3	5.6	0.4	180	10.5	0.02
ANG32661	34.1	41	1.99	368	3.08	2.2	0.45	0.12	26.7	3.6	0.09	156	83.5	0.01
ANG32662	23.7	8	1	57.1	2.8	1.19	0.1	0.07	14.6	1.6	0.07	157	18.9	0.02
ANG32663	29.8	10	0.4	91.4	3.95	1.12	0.2	0.06	21.5	1.8	0.15	2230	6.29	0.01
ANG32664	30.5	11	0.37	85.3	2.73	1.04	0.57	0.09	19.7	1.6	1.4	646	15.35	0.01
ANG32665	45.9	20	0.23	71	2.49	0.97	0.41	0.03	26.8	2.1	0.76	510	7.74	0.01
ANG32666	30.3	26	0.64	150	2.06	3.01	0.77	0.04	15.6	7.2	0.33	272	18.3	0.01
ANG32667	20.3	5	0.48	20.3	2.44	0.92	0.03	0.04	9.4	1.6	0.18	149	7.95	0.01
ANG32668	47.3	31	0.63	58.6	2.09	3	0.47	0.04	22.3	6.9	0.31	279	23	0.01
ANG32670	18.25	19	0.27	130.5	0.77	1.51	0.43	0.04	14.8	2.1	0.17	290	5.69	0.05
ANG32671	18.8	15	0.29	128.5	1.28	1.09	0.37	0.05	12.6	1.8	0.75	268	24.2	0.02
ANG32672	21.4	17	0.25	92.3	1.42	1.38	0.29	0.03	13.2	2	0.52	187	24.2	0.03
ANG32673	22	18	0.32	74.1	1.77	1.03	0.22	0.09	13.1	1.5	0.11	123	26.5	0.01
ANG32674	22.7	13	0.34	99.9	1.78	0.99	0.65	0.04	15.9	1	0.11	125	57.2	0.01
ANG32675	25.6	27	0.45	92.3	2	2.32	1.56	0.04	14.9	5.1	0.25	204	24.6	0.03
ANG32676	14.2	11	0.91	24.6	1.23	1.86	0.05	0.06	7	4.6	0.44	188	1.59	0.02
ANG32677	23.8	9	2.19	19.1	1.69	1.9	0.02	0.09	10.7	5.8	2.75	294	1.96	0.01
ANG32678	20.8	12	0.57	36.6	1.74	1.69	0.06	0.08	9.7	4.2	0.44	177	4.09	0.02
ANG32701	15.6	10	2.17	106	3.59	1.06	0.12	0.04	7.1	4.7	0.09	886	8.87	0.01
ANG32702	19.65	11	1.01	36.5	2.1	1.39	0.11	0.04	10.5	3.1	0.12	329	7.11	0.01
ANG32703	13.95	7	0.27	30.7	1.7	0.99	0.05	0.04	7.1	1.5	0.31	339	7.69	0.02
ANG32704	19.4	7	0.55	36.1	2.46	0.75	0.06	0.04	9.9	1.4	0.28	399	21.5	-0.01
ANG32705	18.4	7	0.46	39.9	2.52	0.67	0.06	0.04	11	1.2	0.07	310	16.85	0.01
ANG32706	9.03	8	1.25	25.4	2.47	0.98	0.08	0.03	4.1	2.3	0.1	165	4.61	0.01
ANG32707	7.29	6	1.19	24.9	2.38	1.01	0.07	0.03	3.4	2.2	0.1	145	4.25	0.01
ANG32708	21.5	6	0.56	19.8	2.56	0.8	0.04	0.04	10.7	1.4	0.23	203	3.49	0.01
ANG32709	21.7	9	1.06	20.3	2.84	1.21	0.05	0.04	10.6	2.8	0.15	235	5.07	0.01
ANG32710	17.3	7	0.85	35.6	2.62	1.02	0.08	0.04	8.9	1.8	0.25	219	17.9	0.01
ANG32711	25.7	8	0.59	59.1	2.74	0.86	0.12	0.05	13.2	1.2	0.54	200	32.5	0.01
ANG32712	26.9	7	0.85	41.4	2.88	1	0.07	0.04	13.4	5.2	0.49	194	18.4	0.01
ANG32713	17.85	4	0.72	39	2.49	0.66	0.08	0.04	9.3	1.9	0.38	172	17.85	0.01
ANG32714	22.6	5	1.27	61.4	2.57	0.72	0.53	0.05	11.3	2.2	0.38	257	17.45	0.01
ANG32715	17.7	14	0.65	108	2.51	1.02	0.71	0.04	11.7	2	0.53	288	40	0.01
ANG32716	26.8	5	0.78	61.6	3.2	0.79	0.1	0.04	13.3	1	0.14	146	7.27	0.01
ANG32717	33	6	0.78	56.6	3.21	0.96	0.08	0.06	16.3	1.7	0.25	214	12.25	0.01
ANG32718	26	11	0.32	121	1.94	1.22	0.46	0.04	14.6	2.3	1.38	258	36.8	0.02
ANG32719	29.3	16	0.39	156	2.09	1.15	0.67	0.03	17.4	2.3	1.75	275	48.9	0.02
ANG32720	44.7	31	0.42	118	1.54	2.21	0.9	0.05	36.5	3.8	0.37	285	30.2	0.05
ANG32721	31.4	29	0.36	91.9	1.02	1.47	0.3	0.05	28.8	2.5	1.08	225	22.9	0.05
ANG32722	20.5	22	0.37	186.5	1.09	1.22	0.61	0.03	17.5	2.3	0.67	298	27	0.03
ANG32723	19.7	16	0.35	135	2.01	1.43	0.69	0.04	14.1	1.9	0.31	336	54.3	0.05
ANG32724	17.4	15	0.4	145.5	1.99	1.37	0.49	0.04	13.1	1.9	0.29	261	72.1	0.02
ANG32725	31.8	44	0.54	250	2.14	2.05	0.8	0.08	29	2.6	0.37	149	98.9	0.02
ANG32727	20.6	17	0.24	95.4	1.37	1.08	0.6	0.03	16.3	1.4	0.28	174	37.7	0.02
ANG32728	19.9	13	0.21	185	0.91	0.97	1.61	0.04	16.1	0.9	0.29	109	66.4	0.03
ANG32729	30.4	9	0.97	26.5	1.82	1.44	0.05	0.11	17.3	1.3	0.03	200	6.53	0.01
ANG32730	6.31	7	0.2	13.3	1.14	1.19	0.03	0.03	3.3	1.2	0.12	206	2.69	0.03
ANG32731	16.6	6	0.37	33.6	2.73	0.83	0.12	0.04	9.4	1.3	0.55	381	27.8	0.01
ANG32732	25.2	5	0.38	45.6	2.7	0.7	0.11	0.05	14.3	1.7	1.69	377	43.8	0.01
ANG32733	18.4	10	0.37	32.8	2.75	1.33	0.08	0.04	10.2	2.9	0.14	613	3.95	0.01
ANG32734	18.35	8	0.65	45.7	3.19	1.1	0.08	0.04	9.9	2.3	0.18	404	18	0.01
ANG32735	20.1	14	1.39	62.3	4.58	0.88	0.03	0.03	10.5	1.8	0.16	1385	4.53	0.01
ANG32736	19.85	15	1.45	61.2	4.84	0.9	0.04	0.03	10.3	2	0.17	1520	5.49	0.01
ANG32744	25.7	11	0.35	51.7	1.54	1.71	0.22	0.03	14.8	3.3	0.18	293	6.46	0.02
ANG32745	31.1	17	0.43	26	1.74	2.33	0.15	0.05	17.4	6.1	0.27	426	4.07	0.01
ANG32746	30.5	20	0.53	28.2	1.9	2.76	0.22	0.06	16.8	7.4	0.3	394	6.95	0.01
ANG32747	23.5	11	0.46	41.2	1.37	1.8	0.15	0.04	12.8	4.3	0.22	227	3.79	0.02
ANG32748	24.2	15	0.38	25.2	1.61	2.38	0.13	0.05	12.7	5.7	0.24	392	6.17	0.02
ANG32749	19.2	12	0.44	52	2.19	1.44	0.29	0.04	11	3.8	0.07	390	8.47	0.02
ANG32750	29.3	5	0.87	38.8	3.9	0.69	0.23	0.04	18.2	1	0.07	620	7.77	0.01
ANG32751	29.6	17	0.64	19.4	2	3.48	0.03	0.05	14.1	8.7	0.21	162	6.34	0.02

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG32658	72.9	710	27.7	3.1	0.04	15.1	4.2	59	0.11	11.1	0.17	3.01	314	VA08141996
ANG32659	46.7	700	14.5	2.7	0.06	6.1	4.2	327	0.06	1.8	0.15	1.35	5570	VA08141996
ANG32660	76.7	890	12.6	3.7	0.03	6.05	3.1	125	0.06	3.3	0.15	1.55	678	VA08141996
ANG32661	252	3320	81.9	10.5	0.15	30.8	35.6	218	0.53	3.1	1.15	12.3	1795	VA08141996
ANG32662	84.6	970	22	5.9	0.11	8.01	4.5	81	0.13	3.2	0.24	1.63	331	VA08141996
ANG32663	75.5	3650	36.8	4.6	0.07	9.25	3.4	112	0.33	3.8	0.11	1.49	127	VA08141996
ANG32664	114	3400	30.7	5.5	0.06	7.39	6.1	147	0.17	3	0.18	1.56	1175	VA08141996
ANG32665	132	790	28.5	2.9	0.03	10	5.4	43.6	0.16	3.9	0.18	1.24	392	VA08141996
ANG32666	128.5	860	16.7	6.5	0.04	10.5	5.2	36	0.06	1.6	0.29	1.8	2340	VA08141996
ANG32667	44.6	910	17.8	2.3	0.04	15.8	1	31.8	0.03	2.1	0.11	0.83	98	VA08141996
ANG32668	127	990	21.9	5.6	0.06	17.95	6.8	46.5	0.08	1.3	0.34	2.57	2560	VA08141996
ANG32670	124.5	1380	15.6	3.4	0.16	6.75	6.8	247	0.08	0.3	0.32	5.4	1330	VA08141996
ANG32671	145.5	1640	21.7	3.4	0.13	13.75	8.5	197.5	0.09	0.9	0.44	2.61	1585	VA08141996
ANG32672	152	1170	23	2.8	0.09	11.05	7.4	161	0.1	0.8	0.3	2.58	1510	VA08141996
ANG32673	120	1510	28.3	5	0.21	11.25	12.5	179	0.13	2	0.41	2.27	775	VA08141996
ANG32674	214	890	29.8	3.5	0.09	15.05	18	81.3	0.16	1.7	0.71	3.57	1265	VA08141996
ANG32675	167.5	1230	17.4	4.4	0.07	16.35	9.1	109.5	0.11	1.3	0.58	3.09	1720	VA08141996
ANG32676	24.4	590	8.7	9	0.06	1	1.1	59.2	0.02	0.8	0.09	0.94	122	VA08141996
ANG32677	36.4	490	8.5	11.1	0.03	0.72	1	101	0.01	3.6	0.16	1.14	83	VA08141996
ANG32678	43	570	12.9	7.1	0.06	2.13	2.3	70.4	0.04	1.7	0.08	1.02	158	VA08141996
ANG32701	113.5	1480	27.1	4.3	0.18	4.42	4.5	81.4	0.07	3.2	0.14	3.87	401	VA08141996
ANG32702	51.5	1130	21.9	3.1	0.06	3.88	2	43.7	0.09	2.4	0.09	1.64	217	VA08141996
ANG32703	53	1270	12.5	2.4	0.04	3.49	1.8	37.2	0.04	1.2	0.07	1.14	116	VA08141996
ANG32704	73.1	1040	28.9	2.5	0.04	9.89	1.4	51.6	0.05	2.3	0.14	1.22	291	VA08141996
ANG32705	103	870	30.4	2.4	0.02	22.1	2.3	44.8	0.11	3.6	0.12	0.97	512	VA08141996
ANG32706	38.5	980	73	2.3	0.05	9.06	1.3	26.6	0.02	3.1	0.08	1.06	1355	VA08141996
ANG32707	36.1	900	81	2.2	0.05	8.47	1.3	27.4	0.03	2.5	0.08	1.08	1630	VA08141996
ANG32708	36.6	800	15	2.4	0.04	13.25	1.1	39.2	0.02	2.6	0.07	0.78	293	VA08141996
ANG32709	67.9	1500	29.1	3	0.05	13.6	1.6	35.9	0.11	2.2	0.12	1.28	391	VA08141996
ANG32710	75.6	1190	21.2	2.9	0.05	12.5	2	56.8	0.07	2.5	0.14	1.62	417	VA08141996
ANG32711	95	1350	23.1	2.9	0.05	13.25	3.1	83.3	0.07	4.6	0.16	2.02	570	VA08141996
ANG32712	42.9	800	19.4	2.4	0.04	6.94	1.6	85.1	0.04	6.1	0.07	1.54	314	VA08141996
ANG32713	49.4	770	15	2.4	0.08	12.3	2.2	86	0.04	1.8	0.09	1.51	299	VA08141996
ANG32714	87	1110	15.8	3.3	0.05	15.45	3.6	90.9	0.09	8	0.15	2.34	1130	VA08141996
ANG32715	184.5	1400	31	3.6	0.08	17.95	11	105.5	0.16	1.2	0.32	1.9	1860	VA08141996
ANG32716	74.4	870	14.1	3	0.05	4.2	2.5	66.7	0.08	3.1	0.07	0.89	516	VA08141996
ANG32717	82.3	1100	16.2	3.9	0.08	5.82	4.6	81.2	0.1	6.1	0.11	1.26	520	VA08141996
ANG32718	155.5	1390	23.9	3	0.05	19.2	6.4	97.6	0.09	1.2	0.22	1.6	1615	VA08141996
ANG32719	182	1350	28.1	2.8	0.06	28.6	8.5	145	0.1	2	0.31	2.33	1760	VA08141996
ANG32720	165.5	2050	22.8	4	0.14	14.2	10.4	252	0.13	1	0.43	3.42	2030	VA08141996
ANG32721	154	1750	17.2	3.6	0.11	8.19	8.7	282	0.09	1	0.39	2.77	1390	VA08141996
ANG32722	215	1830	27.6	3.7	0.18	15.75	13.9	331	0.11	0.6	0.44	4	2350	VA08141996
ANG32723	300	1390	20	3.1	0.15	20.2	15.9	303	0.13	1	1.06	4.59	3050	VA08141996
ANG32724	281	1380	35.7	4.9	0.15	26	18	230	0.15	0.9	0.96	3.89	3040	VA08141996
ANG32725	341	1980	67	8.1	0.07	32.1	25.3	153.5	0.28	1.2	1.07	3.37	3420	VA08141996
ANG32727	176.5	1490	24.3	3.5	0.11	14.8	12.3	202	0.11	0.5	0.43	3.02	1595	VA08141996
ANG32728	239	1170	17.5	3.2	0.12	18.15	14.6	204	0.13	0.5	1.06	4.2	4120	VA08141996
ANG32729	16.8	640	23.1	8.8	0.2	1.45	3.8	103.5	0.14	0.6	0.11	0.9	102	VA08141996
ANG32730	15.4	740	5.5	2.1	0.08	1.44	0.4	62.1	0.02	0.6	0.04	0.53	134	VA08141996
ANG32731	69.6	840	28.6	3	0.06	8.05	1.8	76.4	0.08	2.1	0.17	1.73	424	VA08141996
ANG32732	91.9	1160	54.9	3	0.04	14.3	2.9	112	0.08	5.1	0.3	3	698	VA08141996
ANG32733	47.3	1210	18.4	3	0.07	7.21	1.4	50.6	0.04	1.6	0.07	0.95	169	VA08141996
ANG32734	65.5	1170	25.5	3	0.04	10.8	2	50.6	0.05	1.9	0.11	1.41	663	VA08141996
ANG32735	100.5	2410	8.6	3.1	0.05	4.33	1.6	67.6	0.02	1.3	0.06	0.93	103	VA08141996
ANG32736	107.5	2340	9	3.2	0.06	4.17	2	69.7	0.02	1.2	0.06	0.98	141	VA08141996
ANG32744	50.3	970	17.4	3.9	0.06	3.77	2.8	49.5	0.07	1.4	0.12	2.61	452	VA08141996
ANG32745	31.5	780	14.3	5.5	0.05	2.34	1.9	36.2	0.06	1.6	0.11	2.53	184	VA08141996
ANG32746	38.7	760	20.1	6.8	0.05	3.27	2.4	38.8	0.07	2.1	0.17	2.53	475	VA08141996
ANG32747	43.7	830	15	5.3	0.06	2.8	2.5	55.7	0.04	1.2	0.13	2.31	382	VA08141996
ANG32748	28.5	850	14.7	5.4	0.05	2.6	1.9	42.6	0.06	1.3	0.1	2.15	238	VA08141996
ANG32749	54.2	620	97.8	3.3	0.04	3.82	2.7	47.2	0.08	1.6	0.19	1.24	485	VA08141996
ANG32750	106	680	66.5	2.8	0.03	2.45	2.6	93.3	0.07	7.6	0.18	1.09	453	VA08141996
ANG32751	35.2	460	13.2	8.3	0.02	2.56	1.7	29.7	0.05	2.1	0.1	0.97	184	VA08141996

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG32752	NAD83-8	633597	6857189	3	0.55	0.59	8.6	1140	0.31	0.13	0.66	0.88	6
ANG32753	NAD83-8	633624	6857230	2	0.62	0.58	10.3	820	0.25	0.14	0.85	1.42	6.7
ANG32754	NAD83-8	633650	6857273	4	0.73	0.58	10.8	860	0.32	0.17	0.97	1.58	8.2
ANG32755	NAD83-8	633679	6857315	2	0.35	0.46	8.3	980	0.14	0.14	0.83	0.4	6.6
ANG32756	NAD83-8	633705	6857356	1	0.38	0.35	9.7	620	0.14	0.1	0.87	1.65	4.4
ANG32757	NAD83-8	633454	6857522	14	0.57	0.33	11.6	920	0.26	0.17	2.09	3.09	6
ANG32758	NAD83-8	633426	6857479	3	0.34	0.48	5.5	640	0.27	0.13	0.84	0.53	6
ANG32759	NAD83-8	633399	6857438	6	0.42	0.39	6.1	870	0.3	0.16	1.55	1.42	6.8
ANG32761	NAD83-8	633345	6857354	2	0.25	0.92	3.1	290	0.25	0.09	0.33	0.31	6
ANG32762	NAD83-8	633318	6857313	2	0.26	0.79	5.4	410	0.21	0.1	0.26	0.54	6.5
ANG32763	NAD83-8	633291	6857271	2	0.42	0.54	5.9	1080	0.26	0.11	1.62	2.24	4.8
ANG32764	NAD83-8	633265	6857227	2	0.49	0.52	9.6	1040	0.24	0.15	1.38	1.26	6.3
ANG32765	NAD83-8	633237	6857186	22	1.19	0.37	71.8	390	0.42	0.18	1.69	0.62	14.6
ANG32766	NAD83-8	633210	6857144	3	0.8	0.32	41.4	290	0.37	0.18	1.11	1.37	12.6
ANG32767	NAD83-8	633040	6857434	2	0.33	0.63	4.5	440	0.23	0.09	1.12	0.79	5.9
ANG32768	NAD83-8	633094	6857518	3	0.36	0.62	7.7	430	0.27	0.15	0.95	0.64	7.3
ANG32769	NAD83-8	633121	6857560	6	0.36	0.76	9.2	480	0.34	0.15	1.01	0.66	8.4
ANG32770	NAD83-8	633149	6857602	3	0.51	0.97	10	500	0.38	0.17	0.84	3.28	9.2
ANG32771	NAD83-8	633176	6857645	4	0.43	0.98	9	630	0.49	0.18	0.87	1.95	10.1
ANG32772	NAD83-8	633203	6857689	5	0.52	0.92	14.9	840	0.46	0.18	0.75	2.54	10.7
ANG32773	NAD83-8	634180	6856450	8	0.83	0.57	17.5	1000	0.41	0.17	1.08	0.59	10.3
ANG32774	NAD83-8	634152	6856409	14	0.7	0.37	25.8	890	0.4	0.24	1.2	0.75	15.3
ANG32775	NAD83-8	634125	6856367	8	0.68	0.2	26.7	360	0.33	0.16	3.83	2.62	9.5
ANG32776	NAD83-8	634099	6856324	5	1.1	0.32	22.1	860	0.33	0.15	2.79	3.94	9.3
ANG32777	NAD83-8	634072	6856282	7	0.56	0.54	13.8	740	0.34	0.15	1.54	1.03	9.8
ANG32778	NAD83-8	634045	6856239	6	0.67	0.58	9.6	1070	0.45	0.14	1.99	3.26	9.6
ANG32779	NAD83-8	634017	6856198	7	0.57	0.44	13.9	1070	0.26	0.11	1.66	4.39	7
ANG32780	NAD83-8	633991	6856155	13	0.52	0.41	70.3	150	0.39	0.39	2	1.76	33.5
ANG32781	NAD83-8	633964	6856112	68	0.57	0.42	88.2	260	0.36	0.33	0.99	1.25	20.8
ANG32782	NAD83-8	633937	6856071	6	0.67	0.45	27.2	3490	0.35	0.21	0.88	2.36	12.3
ANG32783	NAD83-8	633908	6856029	7	0.82	0.54	32.7	3470	0.33	0.21	1.48	3.1	10.7
ANG32784	NAD83-8	633210	6857144	6	0.7	0.33	39	300	0.35	0.16	1.06	1.42	12.8
ANG32785	NAD83-8	633597	6857189	2	0.5	0.58	8.5	1090	0.28	0.12	0.6	0.8	6.6
ANG32786	NAD83-8	632484	6857678	-1	0.16	0.66	5.3	300	0.28	0.1	0.27	0.77	6.1
ANG32787	NAD83-8	632456	6857637	4	0.69	0.26	4.5	220	0.16	0.04	1.73	2.47	3.9
ANG32788	NAD83-8	632706	6857473	4	0.33	0.88	10.6	470	0.41	0.14	1.09	0.73	7.8
ANG32789	NAD83-8	632736	6857516	3	0.15	1.03	8.7	470	0.47	0.14	0.64	0.72	7.8
ANG32790	NAD83-8	632759	6857557	13	0.48	1.19	14.3	730	0.52	0.2	3.29	1.52	9.7
ANG32791	NAD83-8	632787	6857598	6	0.4	0.87	9.1	450	0.4	0.12	1.49	1.35	8
ANG32792	NAD83-8	632816	6857640	5	0.31	1.15	13.8	550	0.48	0.19	1.15	1.2	10.7
ANG32793	NAD83-8	632842	6857683	6	0.43	1.18	16.5	800	0.56	0.21	1.61	1.49	10.9
ANG32794	NAD83-8	632869	6857725	6	0.48	1.1	9.6	490	0.55	0.2	0.69	0.63	10.7
ANG32795	NAD83-8	632897	6857766	4	0.5	0.49	17.6	1040	0.35	0.2	1.99	0.75	12.4
ANG32796	NAD83-8	632924	6857809	6	0.38	0.75	11.9	500	0.38	0.15	1.44	1.34	9
ANG32797	NAD83-8	632952	6857852	10	0.37	1.02	13.5	530	0.48	0.19	0.94	1.4	11.7
ANG32798	NAD83-8	634255	6855441	6	0.62	0.32	56.2	160	0.37	0.53	1.52	1.77	12.3
ANG32799	NAD83-8	634227	6855398	2	1.36	0.27	29.1	230	0.42	0.16	3.57	3.24	9.3
ANG32800	NAD83-8	634200	6855357	5	0.7	0.79	20.8	910	0.54	0.17	1.66	3.05	11.3
ANG32801	NAD83-8	630951	6858623	2	0.52	0.79	14.1	740	0.28	0.18	0.58	7.04	8.4
ANG32802	NAD83-8	630978	6858665	5	1.98	0.91	16.6	1220	0.44	0.18	1.33	13.2	9.2
ANG32803	NAD83-8	631005	6858708	2	1.46	0.36	33.8	1820	0.33	0.13	1.61	19.6	7.6
ANG32804	NAD83-8	631032	6858749	5	1.67	0.49	29.2	2310	0.3	0.12	1.31	15	6.2
ANG32805	NAD83-8	631059	6858793	10	0.87	0.49	62.6	380	0.18	0.37	0.07	0.91	3.2
ANG32806	NAD83-8	631087	6858834	8	1.18	0.5	19.5	400	0.47	0.3	0.84	1.71	18.4
ANG32807	NAD83-8	631111	6858875	7	2.57	0.38	18.9	270	0.36	0.21	0.77	1.85	13.6
ANG32808	NAD83-8	631140	6858918	27	1.82	0.24	12.1	330	0.28	0.29	0.18	0.92	14.4
ANG32809	NAD83-8	631169	6858959	1	0.58	1.07	14.9	500	0.39	0.22	0.3	1.21	8.7
ANG32810	NAD83-8	631194	6859001	9	0.56	1.24	19.9	700	0.53	0.24	0.24	0.64	9.5
ANG32811	NAD83-8	631363	6858893	5	0.6	0.84	14.1	1090	0.46	0.18	0.55	1.78	8.1
ANG32812	NAD83-8	631335	6858852	4	0.38	1.05	12.6	680	0.41	0.21	0.17	1.17	7.4
ANG32813	NAD83-8	631307	6858810	9	1.96	0.85	14.9	630	0.49	0.44	0.05	2.34	15.4
ANG32814	NAD83-8	631280	6858767	4	0.81	0.9	15.9	300	0.36	0.29	0.07	1.23	7
ANG32815	NAD83-8	631255	6858725	7	1.37	1.39	80.7	260	0.67	0.27	0.15	11.35	27.8

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG32752	27.8	9	0.41	28	1.41	1.73	0.07	0.06	14.2	3.5	0.18	173	3.03	0.03
ANG32753	20.7	11	0.52	32.2	1.73	1.68	0.07	0.05	10.6	3	0.23	149	3.88	0.03
ANG32754	23.2	10	0.5	40	1.82	1.65	0.07	0.06	12.4	3.2	0.25	222	3.67	0.02
ANG32755	20.1	6	0.24	15.6	1.6	1.48	0.04	0.05	9.7	2	0.16	349	3.18	0.03
ANG32756	18.85	8	0.18	15.6	1.09	1.43	0.05	0.04	10	1.3	0.15	172	4.21	0.02
ANG32757	15.45	10	0.31	150.5	1.88	1.12	0.09	0.04	8.7	2.2	0.35	240	5.84	0.02
ANG32758	24.6	9	0.31	19.5	1.43	1.32	0.06	0.05	12.2	2.5	0.19	250	1.81	0.02
ANG32759	25	8	0.35	31.9	1.42	1.23	0.07	0.05	12.7	2.7	0.29	272	0.98	0.02
ANG32761	33.9	14	2.29	21.5	1.73	2.87	0.03	0.1	17.6	5.8	0.75	87	1.98	0.01
ANG32762	27.7	9	1.17	20.3	1.59	2.36	0.03	0.07	13.4	4.4	0.36	141	2.8	0.02
ANG32763	12.85	9	0.33	29.5	1.08	1.56	0.08	0.04	6.8	3.1	0.26	276	1.63	0.03
ANG32764	16.5	12	0.37	26.9	1.54	1.87	0.09	0.04	8.5	4.3	0.28	316	3.18	0.03
ANG32765	51.6	8	0.35	35	2.55	1.27	0.12	0.07	27.2	2	0.69	221	37.3	0.01
ANG32766	56.2	7	0.64	62.5	2.63	1	0.12	0.05	31	1.7	0.44	219	32.8	0.01
ANG32767	18.1	10	0.83	22.6	1.23	1.9	0.06	0.07	9	3.9	0.39	228	1.37	0.02
ANG32768	22.8	12	0.55	21.9	1.68	1.79	0.05	0.05	11.4	4.5	0.3	280	1.98	0.01
ANG32769	23	17	0.62	21	1.8	2.3	0.08	0.06	11.8	6.5	0.4	363	1.87	0.03
ANG32770	26.1	22	0.66	30.1	1.85	3.08	0.17	0.09	13.4	8.5	0.44	347	2.82	0.02
ANG32771	32.9	25	0.78	35.9	1.97	3.02	0.13	0.1	16.9	10.2	0.48	454	2.26	0.02
ANG32772	33.8	25	0.88	45.8	2.23	3.01	0.14	0.11	17.9	8.8	0.52	430	6.86	0.02
ANG32773	26.5	13	0.27	51.2	2.28	1.49	0.09	0.05	13.4	3.2	0.31	237	4.29	0.02
ANG32774	39.5	10	0.28	52.3	2.51	1.12	0.13	0.05	20.4	2.2	0.43	208	7.36	0.01
ANG32775	34.8	7	0.18	48.3	1.76	0.65	0.18	0.04	19	0.8	2.05	165	34.1	0.01
ANG32776	23	11	0.26	87	1.9	1.01	0.25	0.04	13	1.7	1.07	180	16.35	0.02
ANG32777	31.5	12	0.35	40.5	2.05	1.64	0.08	0.05	16.3	4	0.66	262	4.76	0.01
ANG32778	24.9	17	0.42	67.1	1.93	1.66	0.12	0.05	13	4.5	0.4	398	3.35	0.02
ANG32779	18.8	10	0.28	40	1.54	1.28	0.14	0.04	10.6	2.4	0.28	234	8.03	0.02
ANG32780	32.4	5	0.92	94.8	4.56	0.76	0.08	0.03	17.3	1.1	0.2	174	8.31	0.01
ANG32781	36.5	7	0.77	57.7	3.68	1.17	0.11	0.04	20.5	1.9	0.09	214	5.84	0.01
ANG32782	24.1	8	0.38	55.3	2.83	1.26	0.12	0.04	13.1	1.9	0.07	278	5.42	0.04
ANG32783	27.4	8	0.4	53.5	2.49	1.44	0.1	0.04	14.9	1.7	0.16	252	7.04	0.05
ANG32784	51.7	7	0.59	57.6	2.52	0.97	0.12	0.05	28.3	1.4	0.41	217	28.2	0.01
ANG32785	28.8	10	0.42	26.4	1.39	1.58	0.07	0.06	14.5	3.1	0.17	168	2.78	0.03
ANG32786	19.8	11	0.45	14.2	1.53	2.35	0.02	0.05	9.8	4.5	0.13	128	2.82	0.02
ANG32787	6.99	5	0.13	47.1	0.53	0.84	0.12	0.03	3.8	0.8	0.28	390	3.34	0.04
ANG32788	26.2	21	0.74	30.4	1.87	2.75	0.09	0.11	13.1	7.8	0.51	355	1.74	0.03
ANG32789	26.8	21	0.54	29.5	1.77	3.23	0.04	0.09	13.8	8.6	0.28	236	1.77	0.02
ANG32790	33.8	27	1.17	46.1	2.37	3.76	0.2	0.17	17.8	13.3	0.9	385	2.61	0.03
ANG32791	24.1	18	0.68	42.5	1.61	2.73	0.1	0.09	12.1	6.3	0.42	225	2.38	0.03
ANG32792	37.9	29	1.1	41.3	2.55	3.65	0.11	0.16	19.1	10.7	0.7	469	2.49	0.02
ANG32793	38.9	27	1.26	46.6	2.52	3.83	0.17	0.18	19.6	13.6	0.76	442	2.53	0.02
ANG32794	35.8	28	0.69	40.1	2.23	3.43	0.14	0.11	18.7	9.5	0.5	351	2.22	0.02
ANG32795	29.4	11	0.47	41.1	2.54	1.56	0.07	0.07	15.4	3.7	0.85	255	8.53	0.02
ANG32796	25.3	19	0.74	39.3	1.92	2.42	0.1	0.09	12.3	6.7	0.45	440	3.84	0.02
ANG32797	36.7	27	1.06	30.9	2.31	3.43	0.13	0.13	18.2	10.9	0.55	531	2.59	0.02
ANG32798	24.2	6	0.43	38.8	2.82	1.01	0.07	0.04	13	2.1	0.51	192	15.75	0.01
ANG32799	21	8	0.36	62.2	2.67	0.91	0.11	0.05	11.7	2	1.03	375	19.4	0.02
ANG32800	25.5	20	0.44	47.5	2.54	2.36	0.12	0.06	13.5	6.4	0.45	485	9.47	0.02
ANG32801	27.1	24	0.53	32.5	1.83	3.62	0.06	0.05	15.1	7.5	0.18	597	12.1	0.01
ANG32802	28.4	26	0.56	98.4	1.88	2.99	0.45	0.06	17.3	7.5	0.29	426	8.28	0.02
ANG32803	25.5	19	0.31	108.5	1.69	1.22	0.25	0.06	17.7	1.6	0.39	240	32.9	0.02
ANG32804	29.6	20	0.28	103	1.76	1.47	0.72	0.04	23	1.6	0.25	153	36.7	0.03
ANG32805	16.85	13	1.12	20.1	2.55	2.55	0.02	0.09	9.5	4.8	0.07	75	16.05	0.12
ANG32806	21.1	10	0.5	75	3.07	1.47	0.06	0.04	11.7	3.4	0.12	424	8.22	0.01
ANG32807	17.3	8	0.23	52.7	3.13	1.03	0.07	0.03	10.1	1.6	0.1	370	4.79	0.01
ANG32808	26.7	5	0.32	69.9	3.2	0.58	0.06	0.03	15.1	0.6	0.03	247	3.2	0.01
ANG32809	27.7	22	0.72	26.8	2.48	4.07	0.03	0.05	14.4	11.8	0.26	277	7.44	0.01
ANG32810	28.7	25	0.99	46.5	2.52	3.74	0.07	0.04	14.7	10.5	0.28	314	9.19	0.02
ANG32811	29.4	23	0.59	50	2.06	2.75	0.13	0.04	16	8.6	0.31	299	6.3	0.02
ANG32812	28.5	22	0.59	26.7	2.33	3.39	0.04	0.06	15.4	11	0.29	226	10.4	0.02
ANG32813	41.2	17	0.71	114.5	4.63	2.6	0.06	0.07	23.3	6.4	0.1	298	29.4	0.02
ANG32814	32.3	17	0.58	57.3	2.94	3.51	0.02	0.06	18	7.3	0.15	126	12.35	0.01
ANG32815	25.3	10	0.39	292	6.35	1.03	0.04	0.03	13	2.7	0.04	272	18.3	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG32752	35.3	700	11.6	5.1	0.04	1.77	1.2	36	0.04	1.9	0.06	1.43	131	VA08141996
ANG32753	41.9	530	13.3	5.7	0.05	1.93	1.5	50.8	0.03	1.4	0.07	1.29	145	VA08141996
ANG32754	46.8	720	13.7	5.9	0.05	1.96	1.3	55.8	0.04	1.7	0.08	1.18	168	VA08141996
ANG32755	17.4	700	12.3	4.1	0.05	1.12	1	41.9	0.04	0.9	0.06	0.78	126	VA08141996
ANG32756	22.9	540	8.8	4.1	0.05	1.81	3	47	0.05	1.4	0.08	0.94	154	VA08141996
ANG32757	53.4	1210	10.1	4.2	0.07	3.74	3.9	140	0.08	2.2	0.07	1.76	262	VA08141996
ANG32758	23.6	470	11.4	4	0.05	1.07	1	44.5	0.02	1.5	0.06	0.64	117	VA08141996
ANG32759	28.6	630	14.1	4.7	0.08	1.26	1.7	79.8	0.04	2.2	0.06	1.44	122	VA08141996
ANG32761	32.4	290	10.8	21	0.03	0.73	0.6	17.9	0.02	3.9	0.19	1.13	108	VA08141996
ANG32762	31.7	460	10.6	10.8	0.03	0.95	0.7	22.3	0.03	3.2	0.12	0.91	129	VA08141996
ANG32763	26	810	9.8	4.7	0.09	2.08	2.4	75.2	0.03	0.8	0.05	2.03	115	VA08141996
ANG32764	28.5	830	13.8	5.1	0.07	2.96	2.3	68.8	0.05	1.3	0.06	1.98	129	VA08141996
ANG32765	153	1020	14.9	4.7	0.04	8.79	2.6	36.8	0.05	5.6	0.14	2.12	285	VA08141996
ANG32766	94.3	470	25.6	4.1	0.03	4.57	2.5	38.3	0.06	3.8	0.18	1.95	275	VA08141996
ANG32767	23.7	560	8.6	9.9	0.06	0.92	0.8	50.9	0.02	1	0.09	1.29	134	VA08141996
ANG32768	26	580	13.4	5.7	0.05	1.07	1.1	48.7	0.03	1.4	0.06	1.21	128	VA08141996
ANG32769	28.2	790	12.7	6.6	0.02	1.35	1	54.7	0.03	1.5	0.11	1.01	146	VA08141996
ANG32770	38.4	800	12	9.1	0.01	2.34	1.6	49.8	0.04	2.4	0.17	1.15	397	VA08141996
ANG32771	49.7	990	12.6	9.1	-0.01	2.19	1.8	57.1	0.04	4	0.14	0.79	193	VA08141996
ANG32772	62.7	1160	13	9.8	-0.01	3.81	2.7	60.3	0.05	5.1	0.17	1.12	292	VA08141996
ANG32773	54	730	15	4.3	0.03	2.81	2.2	56	0.05	1.4	0.08	1.37	167	VA08141996
ANG32774	62.2	930	19.8	3.7	0.03	4.65	2.6	52.5	0.04	2.4	0.1	1.31	166	VA08141996
ANG32775	84.9	770	16.2	2.4	-0.01	10.05	4.2	85.7	0.05	4.6	0.18	1.92	348	VA08141996
ANG32776	115.5	1400	19.3	3	0.03	12.95	7.7	109	0.1	1.9	0.17	1.59	557	VA08141996
ANG32777	46.9	840	13.8	4.6	-0.01	3.43	1.9	64.4	0.05	2.1	0.08	0.92	163	VA08141996
ANG32778	56.3	910	15.8	5.4	0.04	3.46	2.4	92.7	0.05	1.3	0.08	1.62	193	VA08141996
ANG32779	55.6	1070	13	3.5	0.05	5.83	5.3	106.5	0.07	1	0.12	1.35	366	VA08141996
ANG32780	125	900	16.7	3	0.04	8.03	5.1	96.5	0.09	7.2	0.06	1.45	439	VA08141996
ANG32781	86.8	730	15.9	4.6	-0.01	7.88	2.1	45.4	0.08	4.8	0.09	0.7	307	VA08141996
ANG32782	53	920	23.8	3.9	0.05	4.66	3.7	55.3	0.07	2.4	0.06	1.04	310	VA08141996
ANG32783	55.6	1000	20.3	3.5	0.03	6.54	1.8	74.6	0.06	1.6	0.08	0.98	333	VA08141996
ANG32784	86.5	450	26	4.1	-0.01	4.37	2.3	39.4	0.07	3.5	0.18	1.79	268	VA08141996
ANG32785	34.9	680	12.3	5.3	0.01	1.66	1.1	35.2	0.03	2	0.07	1.4	129	VA08141996
ANG32786	20.6	200	10.8	5.5	-0.01	1.12	0.4	15.1	0.02	2.1	0.06	0.64	95	VA08141996
ANG32787	29	720	4.2	1.6	0.04	3.11	2.9	50.4	0.01	0.2	0.04	1.47	164	VA08141996
ANG32788	31.3	970	9.6	9.3	0.01	1.58	1	60.7	0.03	2.6	0.13	0.88	104	VA08141996
ANG32789	28.9	350	9.8	7.9	-0.01	1.26	0.8	38.3	0.03	2.1	0.09	0.76	77	VA08141996
ANG32790	43.8	1170	13.3	13.7	0.07	2.56	2	128.5	0.05	5.1	0.21	2.53	139	VA08141996
ANG32791	41.8	870	10.7	9	0.04	2.29	2.1	59.6	0.03	1.4	0.13	2.79	174	VA08141996
ANG32792	45.4	1160	13.3	11.9	-0.01	2.22	1.1	62	0.04	5.3	0.21	1.32	158	VA08141996
ANG32793	47	1200	14	13.8	0.01	2.51	1.3	87.3	0.04	5.7	0.21	1.83	157	VA08141996
ANG32794	56.3	910	12.6	10.8	-0.01	1.5	0.8	43.1	0.04	4.1	0.13	0.8	172	VA08141996
ANG32795	80.9	1030	12.4	6	0.07	2.75	2.5	69.9	0.05	4.2	0.1	1.36	398	VA08141996
ANG32796	45.5	1140	11.7	7.8	0.03	2.78	2.4	68.8	0.05	1.9	0.14	2.88	199	VA08141996
ANG32797	47.1	1110	14	11.8	0.02	2.04	1.8	57.3	0.04	4.5	0.19	1.82	157	VA08141996
ANG32798	58.5	1100	15	3.4	0.01	8.24	1.5	63.2	0.04	2.5	0.11	1.52	341	VA08141996
ANG32799	81	1470	17.2	3.7	0.02	8.26	4.6	100.5	0.08	1.8	0.12	1.52	446	VA08141996
ANG32800	56.4	820	21.7	5.8	0.02	5.69	2.2	78	0.05	1.4	0.1	1.65	278	VA08141996
ANG32801	40.2	630	17.7	7.5	-0.01	4.8	3.6	58.3	0.06	1.6	0.14	1.23	332	VA08141996
ANG32802	83.4	1510	23.4	7	0.03	6.9	5.6	143.5	0.19	1.1	0.29	3.7	859	VA08141996
ANG32803	146.5	1980	23.7	4.5	0.07	20.2	19.2	121.5	0.14	1.4	0.41	3	1355	VA08141996
ANG32804	174.5	1770	20.1	3.6	0.04	16.15	13.7	146	0.15	1.5	0.67	2.86	1825	VA08141996
ANG32805	17.6	650	15.5	10.4	0.51	1.88	16.3	186.5	0.21	3	0.15	0.69	85	VA08141996
ANG32806	87.9	750	15.9	4.7	0.01	3.63	4	63.4	0.09	2.2	0.06	2.51	254	VA08141996
ANG32807	82	1040	17.1	2.7	0.01	5.12	4.9	42.7	0.07	1.7	0.04	0.73	286	VA08141996
ANG32808	80.7	730	16.1	3.6	-0.01	6.88	5.6	21	0.12	2.6	0.07	0.89	208	VA08141996
ANG32809	33.7	1000	13.9	9.2	-0.01	2.9	2.6	39.4	0.06	2.4	0.12	0.84	190	VA08141996
ANG32810	38.9	820	16	8.9	-0.01	4.22	3.1	37.2	0.08	1.5	0.14	1.96	163	VA08141996
ANG32811	53.8	1150	10.6	5.9	-0.01	3.39	1.8	48.9	0.05	2.9	0.08	2.04	190	VA08141996
ANG32812	40.9	920	12.2	7.6	-0.01	3.33	2.1	32.7	0.07	3.6	0.1	1.07	215	VA08141996
ANG32813	67.7	760	28.2	8.5	0.05	7.31	15.6	83.8	0.22	4.6	0.13	2.83	283	VA08141996
ANG32814	33.7	1000	19.3	7.2	0.03	3.95	4.8	60.9	0.1	3.7	0.11	1.65	171	VA08141996
ANG32815	206	1270	13.6	3.8	0.01	4.78	18.1	27	0.09	5.4	0.08	7.15	823	VA08141996

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG32816	NAD83-8	631226	6858683	7	0.91	0.53	23.8	1420	0.31	0.16	1.4	9.42	6.9
ANG32817	NAD83-8	631199	6858641	7	2.26	0.33	46.8	1310	0.3	0.18	2.02	15.95	7.3
ANG32818	NAD83-8	631173	6858599	3	0.56	0.54	9.3	360	0.18	0.11	0.73	1.98	6
ANG32819	NAD83-8	631146	6858557	2	0.66	0.38	9.8	700	0.2	0.07	1.54	8.25	4.9
ANG32820	NAD83-8	631118	6858515	6	1.16	0.65	9.6	640	0.42	0.14	0.89	4.11	7.4
ANG32821	NAD83-8	631092	6858472	8	0.91	0.56	11.3	650	0.33	0.13	1.14	3.82	6.9
ANG32822	NAD83-8	631258	6858362	6	0.85	0.65	15.1	1120	0.44	0.17	1.93	4.11	9.2
ANG32823	NAD83-8	631286	6858403	4	1.5	0.53	19.7	1270	0.33	0.12	1.17	10.7	8.3
ANG32824	NAD83-8	631313	6858446	8	1.46	0.79	19.2	2780	0.5	0.16	1.53	15.5	7.9
ANG32825	NAD83-8	631341	6858487	4	0.96	0.75	13.1	800	0.38	0.13	1.28	7.33	7.8
ANG32826	NAD83-8	631366	6858531	4	1.29	0.36	18.9	760	0.29	0.15	1.31	6.6	6.4
ANG32827	NAD83-8	632130	6856595	3	0.9	0.37	55.1	170	0.48	0.14	1.52	1.32	10.8
ANG32828	NAD83-8	632156	6856637	1	0.64	0.35	46	160	0.33	0.09	1.37	0.9	7.4
ANG32829	NAD83-8	632183	6856679	4	0.28	0.33	24.3	90	0.24	0.09	1.5	0.4	6.8
ANG32830	NAD83-8	632211	6856722	4	0.32	0.37	29.5	100	0.35	0.12	1.39	0.43	7.6
ANG32831	NAD83-8	632238	6856764	4	0.45	0.33	30.8	100	0.5	0.15	1.45	0.81	11.2
ANG32832	NAD83-8	632320	6856892	4	0.51	0.68	18.6	450	0.41	0.17	1.12	1.42	10
ANG32833	NAD83-8	632349	6856932	15	1.59	0.47	42.6	980	0.3	0.2	6.67	7.49	11.9
ANG32834	NAD83-8	632376	6856973	4	0.8	1.2	28.8	700	0.5	0.2	0.28	6.55	11.1
ANG32835	NAD83-8	632404	6857017	1	1.17	0.47	43	200	0.19	0.12	0.46	2.44	8.4
ANG32836	NAD83-8	632431	6857057	5	0.47	0.78	15.9	470	0.42	0.2	0.99	1.27	10.7
ANG32837	NAD83-8	632457	6857100	7	0.5	0.68	16.6	640	0.31	0.2	1.21	1.45	11.4
ANG32838	NAD83-8	632513	6857176	6	0.37	1.06	14	660	0.55	0.2	1.05	1.18	11.4
ANG32839	NAD83-8	632546	6857224	3	0.15	0.82	12.8	570	0.33	0.15	0.3	0.96	8.4
ANG32840	NAD83-8	632571	6857263	1	0.19	0.73	9.9	380	0.3	0.13	0.41	1.23	7.9
ANG32841	NAD83-8	632598	6857308	5	0.38	1.12	13.2	730	0.46	0.18	1.7	1.26	10.7
ANG32842	NAD83-8	632622	6857350	3	0.25	0.75	9.6	530	0.32	0.13	1.14	1.16	7.1
ANG32843	NAD83-8	632649	6857391	6	0.36	0.93	11.9	660	0.41	0.15	2.15	1.02	9.1
ANG32844	NAD83-8	632674	6857436	7	0.41	1.04	12.6	750	0.48	0.21	1.13	0.93	9.7
ANG32845	NAD83-8	633680	6856778	1	0.16	0.93	11.9	530	0.39	0.14	0.36	0.49	7.2
ANG32846	NAD83-8	633652	6856737	3	0.47	0.36	14.7	330	0.25	0.17	1	0.97	8.4
ANG32847	NAD83-8	633626	6856695	7	1.82	0.51	35.6	430	0.37	0.19	2.34	11.9	8.7
ANG32848	NAD83-8	633598	6856652	11	1.2	0.21	32.4	150	0.29	0.17	6.36	5.41	11.3
ANG32849	NAD83-8	633572	6856611	6	1.01	0.41	12.4	190	0.38	0.16	0.86	1.56	9.9
ANG32850	NAD83-8	632371	6856975	5	2.39	0.99	66.4	480	0.51	0.23	0.33	3.89	8.9
ANG32886	NAD83-8	630994	6857042	10	0.89	0.3	57.6	110	0.54	0.54	3.52	2.75	14.5
ANG32887	NAD83-8	631020	6857084	-1	0.35	0.42	24.7	170	0.39	0.31	1.35	1.36	8.4
ANG32888	NAD83-8	631048	6857125	4	0.91	0.36	42.6	210	0.48	0.4	1.19	2.23	9.7
ANG32889	NAD83-8	631075	6857168	1	0.74	0.37	42	170	0.49	0.28	0.95	1.66	8.5
ANG32890	NAD83-8	631102	6857210	15	0.73	0.4	42.6	200	0.48	0.26	1.24	1.22	7
ANG32891	NAD83-8	631130	6857251	6	0.71	0.51	34.6	190	0.45	0.26	0.74	1.78	9.7
ANG32893	NAD83-8	631184	6857337	3	0.33	0.56	14.7	200	0.35	0.15	5.55	0.66	12.3
ANG32894	NAD83-8	631211	6857377	5	0.43	0.44	14.3	260	0.33	0.17	3.53	1.16	9.8
ANG32895	NAD83-8	631238	6857421	5	0.46	0.43	13.6	330	0.29	0.16	3.07	2.11	8.1
ANG32896	NAD83-8	631263	6857463	4	0.53	0.38	20.4	400	0.28	0.21	3.81	1.74	11.3
ANG32897	NAD83-8	631291	6857503	4	0.4	0.44	16.4	280	0.33	0.25	1.44	0.74	12.7
ANG32898	NAD83-8	631320	6857547	4	0.53	0.26	21.9	310	0.36	0.4	2.73	1.27	23
ANG32899	NAD83-8	631347	6857589	3	0.41	0.27	32.1	260	0.4	0.3	4.9	0.75	17.2
ANG32900	NAD83-8	631375	6857630	5	0.55	0.2	58.9	290	0.3	0.27	5.9	1.77	19
ANG32905	NAD83-8	630792	6857650	11	1.04	0.36	18.5	260	0.32	0.23	1.09	0.99	7.1
ANG32906	NAD83-8	630818	6857691	7	0.77	0.26	27.9	230	0.4	0.31	1.66	2.72	16.8
ANG32907	NAD83-8	630846	6857737	10	0.78	0.39	23.3	240	0.48	0.26	0.79	2.38	17.1
ANG32908	NAD83-8	630875	6857777	15	0.7	0.35	58.8	400	0.45	0.33	1.54	1.8	15.7
ANG32909	NAD83-8	630901	6857820	6	2.55	1.02	23.5	480	0.53	0.17	0.28	1.85	9.8
ANG32910	NAD83-8	630928	6857863	3	0.27	0.32	9.4	180	0.1	0.14	0.2	1.16	2.6
ANG32911	NAD83-8	630956	6857904	8	1.22	0.86	18.9	1120	0.34	0.24	0.22	1.13	8.8
ANG32912	NAD83-8	630981	6857949	9	0.74	0.9	12.1	2380	0.33	0.16	0.25	1.63	7.3
ANG32914	NAD83-8	631064	6858071	5	0.54	0.5	17.3	500	0.25	0.15	0.72	1.65	9.6
ANG32915	NAD83-8	631117	6858158	5	0.86	0.66	9.6	490	0.42	0.15	0.75	3.83	7.5
ANG32916	NAD83-8	631142	6858201	3	0.52	0.56	9.6	350	0.22	0.12	0.33	1.53	6.3
ANG32917	NAD83-8	631169	6858242	-1	0.47	0.62	5.7	660	0.29	0.12	1.06	1.57	7.1
ANG32918	NAD83-8	631198	6858284	5	0.85	0.95	9.1	650	0.3	0.19	0.87	2.12	10.1
ANG32919	NAD83-8	631225	6858325	15	0.97	0.75	12.8	720	0.35	0.17	1.73	2.59	8

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG32816	18.65	14	0.19	77.3	1.88	1.46	0.37	0.04	11	2.5	0.22	249	15.55	0.03
ANG32817	24.9	18	0.19	120	1.95	1.14	0.36	0.04	17.3	1.2	0.44	175	35.3	0.02
ANG32818	20.8	14	0.29	24.9	1.27	1.86	0.08	0.04	11.1	4.5	0.21	262	8.17	0.02
ANG32819	11.4	10	0.16	43.8	0.87	1.07	0.09	0.03	6	1.1	0.16	377	8.15	0.03
ANG32820	25.8	17	0.3	63.6	1.46	2.07	0.21	0.04	14.5	4.9	0.38	335	6.89	0.02
ANG32821	21.4	13	0.24	52.8	1.41	1.68	0.18	0.04	11.7	3.3	0.24	247	8.35	0.02
ANG32822	22.7	20	0.24	50	1.88	1.93	0.18	0.04	11.9	4.8	0.28	558	5.81	0.02
ANG32823	30	23	0.32	79.3	1.31	1.88	0.35	0.05	21.1	2.9	0.18	566	17.5	0.03
ANG32824	30.2	26	0.49	134.5	1.91	2.66	0.43	0.06	20.8	6.5	0.49	232	10.9	0.03
ANG32825	20.4	16	0.43	59.8	1.39	2.42	0.21	0.04	11.2	6.4	0.25	534	8.6	0.02
ANG32826	24.7	14	0.27	73.5	1.59	1.31	0.19	0.03	14.6	2.5	0.49	155	17.6	0.01
ANG32827	14	11	0.38	25.9	2.63	1.17	0.1	0.03	7.5	3.2	0.27	452	5.48	0.01
ANG32828	10.5	6	0.24	22.1	1.91	1.1	0.06	0.03	5.6	2.2	0.11	411	3.06	0.02
ANG32829	11.55	6	0.63	17	2.16	0.89	0.05	0.03	6.3	2.3	0.21	199	2.62	0.02
ANG32830	11.25	6	0.55	19.9	2.12	1.06	0.05	0.03	6.1	2.6	0.16	220	3.58	0.02
ANG32831	18.55	6	0.83	27.6	2.41	1	0.05	0.04	10	2.7	0.37	263	6.23	0.02
ANG32832	25.8	15	0.41	39.9	2.23	2	0.09	0.07	14.3	4.8	0.3	365	7.62	0.02
ANG32833	18.45	10	0.41	71.9	3.05	1.25	0.21	0.04	9.6	2.5	0.22	178	10.4	0.02
ANG32834	27.8	24	0.58	41.7	2.45	3.73	0.07	0.05	12.8	8.9	0.26	651	9.27	0.02
ANG32835	14.3	11	0.28	32.4	1.91	1.5	0.08	0.04	9.6	4.2	0.1	519	33.9	0.02
ANG32836	28.1	19	0.55	41.1	2.38	2.52	0.11	0.07	15.3	6.5	0.29	307	6.01	0.02
ANG32837	21.7	14	0.53	45.8	2.32	2.06	0.08	0.06	11.1	5.1	0.23	263	4.7	0.02
ANG32838	34.5	28	0.8	45.9	2.38	3.64	0.16	0.11	17.2	11.7	0.56	474	2.36	0.02
ANG32839	26.7	19	0.43	17.8	2.12	2.89	0.02	0.08	13.5	7.5	0.21	188	3.91	0.01
ANG32840	24.2	16	0.59	21.2	1.86	2.56	0.02	0.07	11.5	5.8	0.22	173	4.44	0.02
ANG32841	34.1	30	1.05	41.2	2.5	3.47	0.14	0.14	15.6	11.1	0.73	510	2.81	0.02
ANG32842	27.4	22	0.7	30.6	1.85	2.47	0.09	0.12	12.6	7	0.54	380	2.48	0.02
ANG32843	29.2	24	0.7	38.4	2.09	2.93	0.15	0.11	13.2	8.5	0.64	408	2.44	0.02
ANG32844	32.3	26	0.83	43	2.34	3.28	0.16	0.13	14.8	10.2	0.55	484	2.22	0.02
ANG32845	28.5	20	0.34	19.8	2	2.81	0.02	0.06	11.9	5.3	0.23	186	4.54	0.02
ANG32846	25.9	10	0.18	25.7	1.79	1.1	0.05	0.06	12.1	1.5	0.2	239	6.83	0.01
ANG32847	37.7	15	0.32	127.5	2.33	1.45	0.34	0.05	22.1	2.5	0.95	268	40.6	0.01
ANG32848	30.7	12	0.19	84.6	2.97	0.6	0.06	0.05	15.6	0.7	1.96	323	22.5	0.01
ANG32849	23.2	10	0.21	39.2	2.21	1.05	0.1	0.04	11.3	2.6	0.29	298	6.39	0.01
ANG32850	31.1	25	0.58	48.2	2.63	2.83	0.18	0.07	15.4	6.7	0.23	366	20.2	0.01
ANG32886	29.4	9	0.44	55.4	2.86	1.04	0.15	0.05	16.2	2.6	1.55	307	33.8	-0.01
ANG32887	15.25	8	0.23	27.9	2.25	1.21	0.07	0.03	8.2	2.4	0.24	397	10.1	0.01
ANG32888	17.5	11	0.41	46.6	2.75	1.14	0.12	0.03	10.2	2.5	0.2	256	20.7	-0.01
ANG32889	20.4	11	0.54	39.1	2.48	1.15	0.1	0.04	11.9	2.3	0.21	191	11.8	-0.01
ANG32890	14.55	7	0.44	31.8	2	1.16	0.09	0.03	8.4	2.1	0.17	224	7.42	0.01
ANG32891	23.8	12	0.44	33.9	2.39	1.62	0.08	0.04	12.8	3.8	0.17	386	5.91	-0.01
ANG32893	41.6	9	0.54	29	2.25	1.66	0.03	0.04	22.6	12.6	0.57	204	4.48	0.01
ANG32894	31.6	9	0.36	39.2	2.09	1.31	0.07	0.04	17.7	4.8	0.3	141	5.05	0.01
ANG32895	17.25	13	0.33	40.5	1.74	1.17	0.07	0.03	9.1	2.9	0.19	146	4.62	0.01
ANG32896	23.1	11	0.47	47.7	2.33	1.19	0.06	0.04	12.4	3.8	0.28	193	6.39	0.01
ANG32897	23.1	9	0.49	45.2	2.49	1.27	0.04	0.04	12.6	3.5	0.2	123	4.95	0.01
ANG32898	25.7	8	0.59	70.3	3.61	0.76	0.06	0.04	13.9	1.6	0.2	128	9.37	-0.01
ANG32899	22.2	8	0.43	57.7	2.93	0.78	0.05	0.04	11.4	1.6	0.34	133	7.54	-0.01
ANG32900	30	8	0.58	65.1	3.12	0.54	0.08	0.03	16.8	0.9	0.29	155	12.45	-0.01
ANG32905	15.9	8	0.27	50	2.03	1.11	0.13	0.03	9.2	2.2	0.08	93	7.97	0.01
ANG32906	18.45	12	0.31	52.3	2.96	0.92	0.12	0.05	10.7	2.4	0.22	180	13.2	-0.01
ANG32907	28.6	8	0.41	75.1	3.35	1.05	0.08	0.03	16.3	2.5	0.09	152	7.19	-0.01
ANG32908	43.5	9	0.71	56.2	3.62	1.2	0.07	0.05	24.5	2.4	0.27	413	9.26	-0.01
ANG32909	33.4	25	0.78	60.1	2.55	2.97	0.27	0.04	17.7	9.6	0.29	194	13.15	-0.01
ANG32910	19.05	13	0.62	15.1	1.11	2.33	0.03	0.03	10.5	1.9	0.07	57	9.85	-0.01
ANG32911	31.3	21	1.05	36.3	2.42	2.81	0.19	0.05	17.1	8	0.22	265	16.5	0.01
ANG32912	21.2	20	0.68	29.6	1.85	2.87	0.1	0.03	11.4	6.3	0.19	368	8.23	0.02
ANG32914	23.4	14	0.29	26.7	1.7	1.58	0.08	0.04	12.1	3.9	0.21	272	11.2	0.01
ANG32915	23.2	18	0.4	64.1	1.52	2.02	0.24	0.04	13.4	5.5	0.29	180	6.99	0.01
ANG32916	25.5	15	0.39	14.6	1.34	1.97	0.09	0.04	13.6	5	0.18	126	6.21	0.01
ANG32917	22.7	13	0.56	27.8	1.16	1.98	0.08	0.04	11.7	4.4	0.23	245	2.14	0.01
ANG32918	25.8	24	0.55	28.5	1.74	3.13	0.13	0.05	13.1	9	0.34	511	4.5	0.01
ANG32919	23.2	19	0.33	45	1.62	2.29	0.15	0.04	12.1	6.7	0.36	383	4.49	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG32816	80.6	1430	20.4	3.3	0.06	7.75	8.1	120	0.09	0.9	0.15	1.74	757	VA08141996
ANG32817	166.5	1700	23.8	3	0.04	24.8	13.5	146.5	0.18	2.2	0.38	2.31	1400	VA08141996
ANG32818	41.5	1140	10.3	4.1	-0.01	4.33	2.2	46.2	0.04	2.1	0.09	0.84	337	VA08141996
ANG32819	43.8	1040	8.6	2.5	0.04	5.9	4.2	76.8	0.03	0.6	0.06	1.28	291	VA08141996
ANG32820	70.3	920	14	4.3	-0.01	5.17	2.2	57.5	0.05	2.2	0.15	0.89	519	VA08141996
ANG32821	56.7	900	14.1	3.7	0.03	4.5	2.8	51.9	0.04	1	0.18	1.64	397	VA08141996
ANG32822	53.1	800	18.5	3.5	0.05	4.11	3.2	93.2	0.05	0.9	0.1	3.74	369	VA08141996
ANG32823	94.2	1000	24	5	0.02	8.51	4.5	76.5	0.11	1.6	0.29	3.09	1130	VA08141996
ANG32824	141	1430	21.3	6.8	0.03	9.34	6.5	119.5	0.1	3.1	0.27	2.83	1645	VA08141996
ANG32825	58	1020	13.4	5.3	0.02	6.83	4.3	90.6	0.06	1	0.1	2.32	546	VA08141996
ANG32826	86.5	1460	18.6	3.2	0.01	9.73	6	71.9	0.08	2.4	0.21	1.64	827	VA08141996
ANG32827	50.7	1200	25.5	3	0.01	8.85	1.6	85.2	0.05	1.9	0.05	0.94	301	VA08141996
ANG32828	35.7	900	15.5	2.8	0.02	5.59	1.3	64.6	0.04	1	0.04	1.4	152	VA08141996
ANG32829	28.9	760	11.2	2.3	0.02	5	0.7	38.1	0.03	1.4	0.09	0.57	104	VA08141996
ANG32830	31.9	750	12.2	2.8	0.02	5.67	0.9	37.3	0.03	1.5	0.07	0.83	119	VA08141996
ANG32831	45.4	900	12.6	3	-0.01	7.3	0.8	45.1	0.04	3.7	0.09	0.83	167	VA08141996
ANG32832	54.7	920	14.3	7.9	-0.01	4.12	3	62.6	0.06	2.6	0.1	1.34	237	VA08141996
ANG32833	85	920	20.4	4.7	0.01	24.9	7.4	213	0.08	3.7	0.1	1.93	820	VA08141996
ANG32834	49.9	560	20.5	7.6	-0.01	6.01	3.4	26.1	0.05	2.3	0.09	1.64	500	VA08141996
ANG32835	79.4	660	26	5.6	-0.01	17.4	5.9	24	0.12	2	0.16	0.74	372	VA08141996
ANG32836	55.8	660	13.6	6.7	-0.01	3.48	2.3	53.3	0.06	2.6	0.1	1.19	260	VA08141996
ANG32837	65.7	770	13.2	5.5	0.02	3.34	2.4	60	0.05	2.2	0.09	1.13	313	VA08141996
ANG32838	55.7	1050	14.7	9.4	-0.01	2.33	1.1	59.9	0.05	4.5	0.17	0.97	155	VA08141996
ANG32839	29.6	380	10.8	11.1	-0.01	1.54	0.8	20	0.03	2.4	0.11	0.62	96	VA08141996
ANG32840	31.5	390	10.2	9.5	-0.01	1.28	0.8	24.7	0.02	1.9	0.09	0.72	130	VA08141996
ANG32841	47.9	1240	13	9.6	0.01	2.17	0.9	82.2	0.04	5.1	0.17	1.05	158	VA08141996
ANG32842	35.1	1060	8.2	7	-0.01	1.87	1	60.8	0.03	3.4	0.13	0.72	114	VA08141996
ANG32843	45.7	1040	9.9	8.2	0.01	2.14	0.8	85.5	0.03	3.3	0.15	0.99	119	VA08141996
ANG32844	43.5	1040	11.7	9.2	-0.01	2.2	1.1	62.3	0.05	3.7	0.15	1.11	136	VA08141996
ANG32845	32.9	350	10.6	4.8	-0.01	1.91	1.3	23.6	0.03	2.1	0.08	0.65	103	VA08141996
ANG32846	38.1	630	7	3.8	0.02	2.58	3	35.8	0.04	1.6	0.05	0.77	54	VA08141996
ANG32847	172.5	1320	23.8	3.5	0.01	12.35	11.4	66.3	0.14	4.6	0.2	2.31	1930	VA08141996
ANG32848	153	2470	25.3	2.3	-0.01	14.25	5.2	215	0.12	4.4	0.11	1.97	586	VA08141996
ANG32849	60.2	660	13.3	2.8	-0.01	4.1	2.4	24.9	0.05	1.8	0.06	0.96	210	VA08141996
ANG32850	81.1	910	27.1	7.1	-0.01	16.1	7.9	33.2	0.1	3.1	0.13	1.94	723	VA08141996
ANG32886	87	1280	81.2	3.6	0.02	15.9	2.3	121.5	0.07	7.5	0.22	2.08	633	VA08141997
ANG32887	45.7	700	31.9	3.3	0.05	5.77	1.3	41.1	0.04	0.9	0.1	2.46	278	VA08141997
ANG32888	74.9	990	37.8	3.4	0.05	12.5	2.4	47	0.1	1.4	0.12	1.61	426	VA08141997
ANG32889	71.8	900	32.3	3.7	0.03	7.9	2	43.8	0.09	2.6	0.11	1.2	337	VA08141997
ANG32890	51	900	22.5	3.3	0.05	7.14	1.9	48.4	0.06	1.5	0.08	1.01	276	VA08141997
ANG32891	49.5	960	20	4	0.02	6.69	1.2	40.4	0.07	3.2	0.08	1.03	267	VA08141997
ANG32893	38.7	850	11.3	3.6	0.02	3.4	1.4	173.5	0.03	5.3	0.04	0.79	159	VA08141997
ANG32894	46.3	760	10.9	3.8	0.03	3.34	1.8	112.5	0.05	2.6	0.05	1.23	180	VA08141997
ANG32895	57	850	10.5	3.7	0.1	3.57	4.6	110	0.05	0.9	0.07	2.21	215	VA08141997
ANG32896	60.8	820	11.5	4.4	0.05	3.71	2.6	141.5	0.07	2.9	0.08	1.05	276	VA08141997
ANG32897	57	610	11.8	3.9	0.04	2.87	2.7	60.8	0.06	2.5	0.06	1.19	161	VA08141997
ANG32898	102.5	640	15.9	3.2	0.09	3.68	6	83.9	0.11	6.1	0.08	1.65	302	VA08141997
ANG32899	80.7	670	10.8	2.9	0.05	3.12	2.1	135	0.08	4.4	0.06	1.62	250	VA08141997
ANG32900	87.5	620	14.4	2.8	0.04	6.09	5	215	0.07	7.1	0.13	1.42	308	VA08141997
ANG32905	40.1	790	17.1	2.9	0.07	5.53	5.6	82.6	0.11	1.5	0.07	1.81	160	VA08141997
ANG32906	77	900	18.4	3.7	0.06	4.92	4.3	75.7	0.1	4.5	0.08	1.74	396	VA08141997
ANG32907	94.6	770	18.9	3	0.03	6.47	2.9	44.9	0.08	4.5	0.09	1	404	VA08141997
ANG32908	82.2	770	14.6	4.4	0.05	4.52	3.3	91	0.12	4.9	0.11	0.96	331	VA08141997
ANG32909	90.3	1080	27.1	6.6	0.02	8.95	5.3	33.1	0.07	3.3	0.17	1.45	412	VA08141997
ANG32910	18.2	440	8.2	5.2	0.03	2.27	1.6	22.6	0.05	0.2	0.09	0.52	91	VA08141997
ANG32911	46.6	1020	18.2	7.7	0.03	5.75	2.9	46.5	0.08	2.9	0.21	3.32	252	VA08141997
ANG32912	35.3	1240	13.1	5.4	0.04	4.02	1.8	33.5	0.07	0.6	0.14	2.65	212	VA08141997
ANG32914	47.3	600	13.9	4.2	0.04	4.96	2.9	30.6	0.04	1.7	0.11	0.95	312	VA08141997
ANG32915	58.2	700	13.8	4.9	0.04	4.15	2.6	27.3	0.04	1.4	0.23	1.39	434	VA08141997
ANG32916	32.8	680	10.2	5.4	0.02	2.81	1.9	19.6	0.03	1.8	0.15	1.02	292	VA08141997
ANG32917	26.6	670	10.9	5.2	0.06	1.53	2	45.7	0.02	1	0.1	2.01	162	VA08141997
ANG32918	31.8	860	16.3	7.1	0.05	2.43	1.9	61.7	0.04	1.6	0.1	1.49	255	VA08141997
ANG32919	38	980	15	4.8	0.07	4.89	3.4	79.2	0.05	1	0.1	2.17	311	VA08141997

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG32920	NAD83-8	631863	6856173	1	1.04	0.6	35.4	510	0.49	0.18	1.82	3.52	9
ANG32921	NAD83-8	631881	6856220	5	0.92	0.51	39.7	210	0.51	0.17	1.96	2.17	10.4
ANG32922	NAD83-8	631907	6856262	4	0.88	0.32	31.2	150	0.42	0.18	2.45	3.49	7.5
ANG32923	NAD83-8	631935	6856306	7	0.91	0.56	49.4	160	0.56	0.21	1.91	1.15	10.8
ANG32925	NAD83-8	631991	6856387	6	0.73	0.45	45.3	270	0.42	0.17	0.97	0.69	9.2
ANG32926	NAD83-8	632019	6856428	13	0.49	0.63	24.2	250	0.35	0.14	1.38	0.58	6.7
ANG32927	NAD83-8	632046	6856469	7	1.23	0.46	49.6	170	0.54	0.21	1.32	2.57	10.1
ANG32928	NAD83-8	632074	6856511	7	1.24	0.46	60.4	180	0.53	0.22	0.84	3.7	10.6
ANG32929	NAD83-8	632102	6856554	8	0.6	0.41	33.2	230	0.29	0.12	1.99	1.17	6.4
ANG32930	NAD83-8	631402	6857673	4	2.97	0.45	66.6	440	0.3	0.45	0.31	2.71	13.4
ANG32931	NAD83-8	631429	6857715	5	0.85	1.02	40	820	0.46	0.17	0.4	0.93	9.9
ANG32932	NAD83-8	631456	6857757	10	0.99	0.89	22.6	780	0.41	0.25	0.15	1.06	8.5
ANG32933	NAD83-8	631482	6857799	6	1.77	0.59	36	1330	0.25	0.39	0.09	0.91	5.6
ANG32934	NAD83-8	631510	6857841	-1	2.14	0.97	24.5	9250	0.36	0.14	0.4	3.76	17.5
ANG32935	NAD83-8	631535	6857882	1	2.22	0.48	26.5	2480	0.36	0.16	1	22.3	10.1
ANG32937	NAD83-8	631591	6857966	-1	1.14	0.39	21.9	800	0.27	0.14	0.69	3.96	7.6
ANG32938	NAD83-8	631618	6858008	1	0.7	0.66	8.2	770	0.25	0.14	0.73	1.26	5.7
ANG32939	NAD83-8	631646	6858050	-1	0.98	0.62	12.2	660	0.26	0.11	1	10.65	5
ANG32940	NAD83-8	631673	6858091	5	1.37	0.57	16.3	550	0.33	0.16	0.68	4.58	8.7
ANG32942	NAD83-8	632900	6857230	5	0.55	0.8	10.8	790	0.41	0.16	1.31	1.84	10.5
ANG32943	NAD83-8	632872	6857188	3	0.45	0.81	11.9	620	0.38	0.16	1.03	1.64	10.5
ANG32944	NAD83-8	632842	6857140	5	0.66	0.63	22.9	420	0.33	0.2	3.87	2.18	12.7
ANG32945	NAD83-8	632819	6857105	5	0.36	0.55	11	500	0.21	0.14	1.9	1.21	10.5
ANG32946	NAD83-8	632792	6857062	3	0.4	0.65	31.1	460	0.4	0.12	3.69	2.57	29.5
ANG32947	NAD83-8	632765	6857020	2	0.44	0.46	15.8	490	0.44	0.15	2.32	2.93	10.6
ANG32948	NAD83-8	632736	6856977	-1	0.22	0.57	10.5	490	0.29	0.14	0.95	1.04	8.5
ANG32949	NAD83-8	632709	6856934	2	0.44	0.87	14.4	550	0.45	0.19	1	1.48	11.6
ANG32950	NAD83-8	631482	6857799	4	2.28	0.74	35.9	1560	0.32	0.39	0.13	1.33	7.4
ANG32951	NAD83-8	630296	6857618	5	1.21	0.22	89.2	150	0.55	0.15	3.19	1.96	16.1
ANG32952	NAD83-8	630322	6857661	1	1.81	0.19	26.9	80	0.47	0.19	1.82	3.36	12.4
ANG32953	NAD83-8	630350	6857703	-1	0.16	0.19	9	110	0.45	0.2	3.69	0.24	14.3
ANG32954	NAD83-8	630377	6857746	-1	0.6	0.31	7	70	0.17	0.07	0.85	2.49	3.9
ANG32955	NAD83-8	630405	6857787	-1	0.59	0.14	14.1	100	0.65	0.25	3.82	1.46	24.5
ANG32956	NAD83-8	630433	6857830	8	0.13	0.26	22	210	0.27	0.17	5.55	0.5	17.4
ANG32957	NAD83-8	630459	6857872	-1	1.12	0.23	35.4	160	0.3	0.2	2.95	6.75	11.5
ANG32958	NAD83-8	630484	6857914	4	1.36	0.22	70.9	210	0.45	0.33	3.76	11.85	18.1
ANG32959	NAD83-8	630511	6857956	3	1.91	0.45	47.1	330	0.47	0.19	2.92	6.64	10
ANG32960	NAD83-8	630539	6857999	1	1.91	0.09	43.6	140	0.19	0.16	0.22	4.86	0.5
ANG32961	NAD83-8	630566	6858040	4	0.63	0.47	20.2	260	0.24	0.32	0.43	0.85	5.6
ANG32962	NAD83-8	630593	6858082	1	0.35	0.52	10.7	470	0.28	0.13	1.37	2.62	7.1
ANG32963	NAD83-8	630621	6858124	1	0.46	0.51	20.6	280	0.35	0.19	2.7	1.23	7.8
ANG32964	NAD83-8	630648	6858165	5	0.69	0.59	29.4	320	0.38	0.28	0.69	1.75	13
ANG32965	NAD83-8	630675	6858209	2	4.18	0.26	31.2	560	0.26	0.14	1.57	23.2	4.9
ANG32966	NAD83-8	630729	6858290	-1	3.1	0.23	24.4	370	0.34	0.29	1.35	9.98	11.6
ANG32967	NAD83-8	630757	6858335	5	2.94	0.29	28.8	490	0.37	0.19	1.88	13.1	9.5
ANG32968	NAD83-8	630783	6858376	-1	0.15	0.29	2.4	190	0.1	0.04	0.46	1.49	2.3
ANG32969	NAD83-8	630811	6858418	1	1	0.4	8.3	990	0.19	0.11	0.76	2.94	4.4
ANG32970	NAD83-8	630838	6858460	1	2.48	0.52	19.4	1020	0.36	0.18	1.32	11.5	6.6
ANG32971	NAD83-8	630864	6858502	-1	2.54	0.55	23.2	910	0.33	0.13	1.9	17.9	6.7
ANG32972	NAD83-8	630892	6858543	-1	2.63	0.5	21.8	920	0.31	0.13	1.54	21.4	5.9
ANG32973	NAD83-8	630919	6858587	1	3.75	0.53	39.6	1170	0.4	0.21	1.41	17.35	7.7
ANG33151	NAD83-8	627118	6859702	1	0.4	0.5	9.6	220	0.24	0.16	1.35	2.42	8.3
ANG33152	NAD83-8	627090	6859661	4	0.78	0.45	17.9	180	0.32	0.27	1.02	1.74	12.4
ANG33153	NAD83-8	627065	6859618	3	0.71	0.44	13.8	300	0.35	0.17	1.99	4.62	6.8
ANG33154	NAD83-8	627034	6859576	1	0.73	0.43	12.3	250	0.26	0.14	1.9	5.63	6
ANG33155	NAD83-8	626924	6859416	-1	0.46	0.45	29.4	160	0.41	0.19	0.74	1.46	10.5
ANG33156	NAD83-8	634634	6856031	3	0.71	0.4	35.6	4630	0.18	0.14	2.28	9.98	8.3
ANG33157	NAD83-8	630255	6858662	-1	1.59	0.45	18	1660	0.27	0.1	1.56	19.1	5
ANG33158	NAD83-8	630282	6858704	5	1.67	0.41	26.2	1270	0.29	0.13	1.31	16.25	6.6
ANG33159	NAD83-8	630309	6858745	5	3.23	0.35	45.3	1820	0.39	0.14	3.05	43.4	6.2
ANG33160	NAD83-8	630335	6858788	2	1.59	0.26	31.9	1210	0.23	0.12	2.3	13.55	5.4
ANG33161	NAD83-8	626924	6859416	-1	0.44	0.44	31.6	180	0.41	0.19	0.76	1.47	11
ANG33241	NAD83-8	627744	6860665	9	1.41	0.31	29.7	390	0.23	0.17	1.46	7.12	9.8

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG32920	20.3	15	0.58	41.6	2.43	1.74	0.18	0.1	11.6	4.7	0.32	492	12.8	0.01
ANG32921	24.2	16	0.59	31.6	2.69	1.43	0.22	0.08	14.1	3.7	0.54	299	12.6	0.01
ANG32922	18.7	14	0.42	32.6	2.47	0.97	0.39	0.04	11.2	1.9	0.88	395	32.2	-0.01
ANG32923	24.1	16	0.54	33.6	2.99	1.71	0.16	0.06	13.6	5	0.54	314	13.4	-0.01
ANG32925	17.95	9	0.32	25.5	2.97	1.36	0.09	0.03	10.2	3.1	0.19	460	12.2	0.01
ANG32926	15.35	12	0.45	24.8	1.7	1.9	0.09	0.04	8.1	4.4	0.17	374	5.96	0.01
ANG32927	23	11	0.39	53.7	2.82	1.43	0.11	0.05	13.8	3.3	0.27	401	21	-0.01
ANG32928	24.9	11	0.42	52.5	2.98	1.47	0.11	0.05	14.5	3.3	0.13	353	27	-0.01
ANG32929	11.25	7	0.34	26.1	1.74	1.2	0.08	0.03	6.1	2.5	0.18	331	4.9	0.02
ANG32930	34.6	14	1.28	97.4	4.71	2.76	0.04	0.1	20.3	1.9	0.04	134	27.5	0.01
ANG32931	33.3	27	0.79	44.5	2.35	3.38	0.15	0.06	18.3	9.7	0.39	383	4.89	0.01
ANG32932	34.7	19	0.89	60.5	2.25	2.51	0.3	0.09	19.1	7.8	0.17	286	20	-0.01
ANG32933	39.8	18	0.62	49.8	2.18	2.9	0.46	0.13	22.6	4.9	0.09	196	28.7	0.01
ANG32934	23	19	0.33	141.5	1.6	2.24	1.69	0.08	15.1	1.2	0.02	982	35	0.09
ANG32935	29.3	19	0.39	123	1.9	1.45	0.63	0.05	20.3	2	0.17	242	29.4	0.02
ANG32937	28.4	11	0.34	52.1	1.7	1.31	0.13	0.04	16.2	2.9	0.25	165	15.25	0.01
ANG32938	22.3	14	0.4	28	1.31	2.03	0.1	0.04	12.4	5.1	0.23	132	3.28	0.01
ANG32939	20.5	14	0.42	78.4	1.12	1.94	0.22	0.04	12.8	3.9	0.21	143	6.26	0.02
ANG32940	31.2	23	0.33	45.4	1.79	1.91	0.23	0.04	18.5	4.5	0.25	194	9.5	0.01
ANG32942	26.4	21	0.66	38.4	1.87	2.53	0.13	0.09	13.4	8	0.53	438	3.52	0.01
ANG32943	30.6	24	1.18	30	2.07	2.71	0.1	0.1	15.4	9	0.7	335	3.67	0.01
ANG32944	24.9	14	0.61	45.1	2.42	1.86	0.08	0.1	12.6	6.4	1.44	389	9.5	0.01
ANG32945	22.1	12	1.04	32.9	1.89	1.62	0.05	0.09	10.9	4.7	1.01	245	4.08	0.01
ANG32946	24.7	25	1.34	46.7	2.79	2.05	0.11	0.06	12.9	16	0.85	886	7.95	-0.01
ANG32947	22.5	18	0.82	35.3	2.19	1.47	0.15	0.06	11.4	6.8	0.76	417	5.12	0.01
ANG32948	25.1	18	0.67	27.6	1.64	2.01	0.08	0.06	12.7	6.8	0.48	325	2.82	0.01
ANG32949	32.1	30	0.96	40.3	2.28	2.9	0.15	0.11	16.1	10.2	0.57	424	3.62	0.01
ANG32950	37.5	24	0.71	58.7	2.38	3.07	0.55	0.1	21.6	6.3	0.12	262	29.3	0.01
ANG32951	19.7	9	1.53	28.3	2.94	0.72	0.08	0.05	9.6	0.9	0.41	228	11.45	-0.01
ANG32952	18.4	10	0.41	65.6	2.89	0.57	0.07	0.04	10.1	1.6	0.53	247	34.3	-0.01
ANG32953	15	13	0.37	27	3.82	0.56	0.04	0.04	7.6	1.3	0.66	386	2.96	0.01
ANG32954	9.14	12	0.2	24.9	1.1	0.9	0.06	0.03	4.7	0.9	0.17	147	13.35	0.03
ANG32955	23.5	7	1.4	68	3	0.46	0.02	0.04	12.7	0.7	0.55	193	8.37	-0.01
ANG32956	37.6	13	1.47	21.3	2.81	0.69	0.02	0.04	21	5.3	0.99	345	2.07	0.01
ANG32957	14.95	5	0.64	43.9	2.17	0.56	0.17	0.04	8	1.3	0.42	194	16.9	0.01
ANG32958	20.2	8	1.15	68.8	3.32	0.6	0.65	0.06	11.5	1.2	0.45	258	32.3	0.01
ANG32959	22	15	0.47	68.8	2.33	1.29	0.22	0.04	13.5	3	0.22	260	25.3	0.01
ANG32960	15.35	8	0.31	90.1	0.62	0.48	0.14	0.05	10.2	1	0.01	12	33.5	-0.01
ANG32961	24.2	13	0.58	27.1	2.12	1.55	0.08	0.04	14.1	3.9	0.12	151	15.45	-0.01
ANG32962	12.95	11	0.28	24	1.68	1.4	0.05	0.03	8	3	0.2	559	2.66	0.02
ANG32963	16.3	14	0.31	30.5	2.02	1.61	0.09	0.03	9.8	3.5	0.47	1125	4.14	0.01
ANG32964	36.1	15	0.44	58.3	3.05	1.74	0.06	0.04	22.5	4.9	0.18	2120	8.06	-0.01
ANG32965	22.2	28	0.24	178	1.45	1.21	0.73	0.05	17.2	1.8	0.33	144	31.7	0.01
ANG32966	29.7	26	0.24	107.5	2.41	0.94	0.42	0.04	19.4	1.4	0.54	391	20	-0.01
ANG32967	20.2	17	0.25	118.5	1.83	0.87	0.54	0.04	13	1.8	0.58	381	26.9	0.01
ANG32968	6.77	5	0.21	12.5	0.7	1.31	0.03	0.02	3.8	1.1	0.08	72	2.13	0.03
ANG32969	15.2	11	0.31	32.2	1.05	1.12	0.16	0.04	8.5	2.1	0.15	157	6.41	0.02
ANG32970	23.6	23	0.38	103.5	1.51	1.59	0.47	0.04	15.8	3.6	0.25	251	12	0.01
ANG32971	17.8	18	0.29	113.5	1.14	1.59	0.5	0.03	13	2.6	0.23	384	12.8	0.02
ANG32972	19	19	0.37	167	1.1	1.62	0.62	0.03	14	3.2	0.25	271	13.85	0.01
ANG32973	27.2	27	0.44	190	1.85	1.7	0.65	0.05	19.2	4.2	0.3	205	26.7	0.01
ANG33151	24.1	8	0.31	34.9	1.94	1.34	0.08	0.03	13.7	6.8	0.18	130	3.67	0.02
ANG33152	31.7	9	0.37	45.6	2.94	1.28	0.12	0.03	18	7.4	0.18	189	7.1	0.01
ANG33153	19.3	10	0.22	44.8	1.74	1.2	0.13	0.03	11	2.7	0.37	288	5.1	0.02
ANG33154	17.25	11	0.27	47.1	1.54	1.21	0.17	0.03	9.9	3.9	0.27	162	7.36	0.02
ANG33155	31.6	12	0.82	29.7	2.92	1.42	0.06	0.04	17	5.9	0.33	248	6.86	-0.01
ANG33156	27.4	10	0.23	57.3	1.8	0.76	0.72	0.08	21.4	0.8	0.54	245	55.6	0.03
ANG33157	18.55	14	0.27	92.5	1.16	1.28	0.33	0.03	14.1	2.3	0.13	302	13.7	0.02
ANG33158	24.4	23	0.48	108	1.76	1.42	0.51	0.04	17.4	2.5	0.4	156	46.2	0.02
ANG33159	30.5	25	0.43	252	1.86	1.29	1.87	0.05	23.5	1.3	0.5	99	87.6	0.01
ANG33160	24.4	18	0.26	89.6	1.7	0.89	0.89	0.03	18.8	1.4	0.32	118	70.1	0.01
ANG33161	33	12	0.86	29.6	3.05	1.33	0.06	0.04	18.6	5.4	0.32	274	6.93	0.01
ANG33241	24	16	0.23	46.6	1.73	0.83	0.19	0.04	12.3	1.2	0.52	317	4.69	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG32920	61	750	64.7	8	0.05	5.88	2.1	85.9	0.08	2	0.15	1.09	673	VA08141997
ANG32921	79.6	1520	43.3	6	0.03	9.74	2.1	119	0.07	3.1	0.16	1.44	580	VA08141997
ANG32922	65.2	970	82.2	2.9	0.03	5.97	3.4	124	0.07	3	0.33	1.81	916	VA08141997
ANG32923	68.3	940	26.1	5.5	0.03	9.02	1.9	86.9	0.07	3.3	0.12	1.32	308	VA08141997
ANG32925	60	650	50.5	3.7	0.03	7.58	1.9	44.6	0.08	1.5	0.09	1.2	293	VA08141997
ANG32926	37.3	870	17.8	3.9	0.04	4.05	1.5	64.5	0.05	1	0.06	1.16	175	VA08141997
ANG32927	103.5	1110	28.9	3.9	0.02	8.54	2.3	69.1	0.12	4.2	0.11	1.16	530	VA08141997
ANG32928	86.1	1350	29.8	4.6	0.03	9.91	2	65.8	0.11	3.2	0.1	2.02	652	VA08141997
ANG32929	37.3	880	29.6	2.6	0.07	7.98	2.2	115.5	0.07	0.8	0.05	1.17	178	VA08141997
ANG32930	134.5	3420	28.3	14.4	0.26	11.2	8.6	243	0.2	5.8	0.52	2.62	426	VA08141997
ANG32931	46.9	1090	11.5	7.7	0.02	2.53	1.5	36	0.04	4	0.13	1.57	159	VA08141997
ANG32932	53.2	940	20.1	9	0.13	6.82	4.5	88.1	0.09	3.5	0.26	1.6	265	VA08141997
ANG32933	32.8	810	29	8.9	0.25	12.65	5.9	150.5	0.12	2.4	0.35	2.52	178	VA08141997
ANG32934	154	2440	18.8	4.3	0.05	15.65	14.7	210	0.24	1.7	0.84	4.63	616	VA08141997
ANG32935	194.5	1770	22.1	3.8	0.06	14.65	10.9	120.5	0.15	2.5	0.39	2.55	1700	VA08141997
ANG32937	73.5	1280	13.7	3.5	0.03	6.29	4.4	47.6	0.07	3.2	0.17	1.16	447	VA08141997
ANG32938	31.7	630	13.6	5.1	0.04	1.97	1.7	43.4	0.04	1.7	0.09	1.2	235	VA08141997
ANG32939	59.8	640	10.9	5	0.06	4.96	4.3	62.2	0.06	1	0.14	1.43	775	VA08141997
ANG32940	92.4	1320	17.4	4.2	0.03	6.38	3.1	50	0.09	3.4	0.17	1.03	837	VA08141997
ANG32942	58.4	830	12.3	8.2	0.03	1.89	1.3	62.6	0.04	2.8	0.14	1.39	263	VA08141997
ANG32943	51.6	1220	10.8	9.8	0.02	2.2	1.2	61.3	0.04	4.8	0.2	0.91	232	VA08141997
ANG32944	64.3	1210	23	7.2	0.08	3.76	2.2	153	0.07	3	0.11	1.23	256	VA08141997
ANG32945	47.8	700	14.5	10.1	0.05	2.01	1.7	75.4	0.03	2.6	0.14	1.84	209	VA08141997
ANG32946	101.5	1290	18	5.5	0.07	3.06	2.4	127.5	0.04	3.2	0.14	3.86	880	VA08141997
ANG32947	50.8	1130	18.1	4.8	0.05	3.39	4.3	83.5	0.05	3.3	0.15	2.46	281	VA08141997
ANG32948	37.4	1110	9.4	5.9	0.03	1.85	1.6	52.5	0.03	3.6	0.12	1.29	163	VA08141997
ANG32949	52.3	1150	12.8	9.2	0.03	2.3	1.7	58.5	0.04	4.6	0.19	1.29	197	VA08141997
ANG32950	44.1	1030	38.2	8.5	0.19	16.45	6.3	153	0.13	2.4	0.38	3.14	246	VA08141997
ANG32951	65.2	1200	79.2	3.3	0.05	10.45	2	76.4	0.04	5	0.2	1.4	451	VA08141997
ANG32952	91.2	900	17.2	2.7	0.04	9.63	3.5	95.4	0.09	2.6	0.12	1.59	586	VA08141997
ANG32953	38.4	780	18.2	2.5	0.05	1.83	0.8	116.5	0.02	5.1	0.05	0.62	88	VA08141997
ANG32954	29	620	6.3	2.2	0.06	4.48	1.1	36.7	0.02	0.5	0.08	0.62	174	VA08141997
ANG32955	52.1	1190	10.9	3	0.08	3.5	2.2	48.2	0.04	12.3	0.05	1.61	175	VA08141997
ANG32956	36.7	700	16.8	2.6	0.03	2.62	0.3	167	0.02	8.7	0.04	0.88	128	VA08141997
ANG32957	43.2	750	17	2	0.04	8.98	2	77.9	0.05	2	0.14	1.3	726	VA08141997
ANG32958	84.1	1040	23.5	3.3	0.08	11.05	3.7	114.5	0.08	11.6	0.3	2.8	1005	VA08141997
ANG32959	131.5	1520	39.8	3.5	0.06	17.95	8.1	105	0.14	1.2	0.26	1.37	802	VA08141997
ANG32960	14.6	1230	31.2	2.7	0.08	14.8	6.9	210	0.32	5.2	1.54	2	297	VA08141997
ANG32961	32.8	860	15.4	4.3	0.05	4.98	3	49.4	0.12	1.6	0.13	1.46	161	VA08141997
ANG32962	41.4	1190	10.2	3.1	0.07	3.04	1.8	38.9	0.04	0.6	0.06	1.25	238	VA08141997
ANG32963	44.2	2060	20.5	3.1	0.1	5.27	2.8	81.9	0.08	0.6	0.07	2.71	152	VA08141997
ANG32964	81.3	3140	62.3	4.1	0.03	7.61	2.9	52.4	0.1	5.4	0.11	1.63	264	VA08141997
ANG32965	189	2410	36.8	3.6	0.08	23.6	19.6	274	0.27	1.4	0.75	2.73	2500	VA08141997
ANG32966	166	1570	33.7	2.8	0.02	16.45	11.8	89	0.22	3.4	0.41	2.18	1365	VA08141997
ANG32967	139	1310	19.9	2.8	0.07	17.8	7.2	68.1	0.13	1	0.38	1.95	1180	VA08141997
ANG32968	11.2	500	3.8	1.7	0.02	1.3	0.9	22.5	0.01	0.2	0.05	0.31	105	VA08141997
ANG32969	37.1	790	13.3	2.8	0.05	4.97	3.1	44.1	0.05	0.8	0.19	1.27	271	VA08141997
ANG32970	92.9	1400	30	4.1	0.08	10.85	6.8	83.1	0.09	0.9	0.35	4.28	789	VA08141997
ANG32971	97	1620	33.3	3.6	0.13	11.1	8.8	95.9	0.11	0.4	0.33	3.49	999	VA08141997
ANG32972	125.5	1520	24.4	4	0.09	12.25	8.4	79.7	0.1	0.9	0.44	3.32	1490	VA08141997
ANG32973	178	2080	33.9	4.4	0.06	22.5	11.9	92.3	0.17	2.1	0.53	4.29	1910	VA08141997
ANG33151	49.3	660	9.8	2.3	0.03	2.37	1.6	51	0.05	1.2	0.04	0.85	323	VA08141997
ANG33152	69.1	710	16.6	2.7	0.02	3.73	2.1	43.5	0.08	2.8	0.05	0.72	345	VA08141997
ANG33153	54.1	1610	17.1	2.4	0.07	4.34	2.8	73.6	0.08	0.8	0.07	1.37	318	VA08141997
ANG33154	58.6	1160	13.1	2.6	0.05	5.76	4.1	85.9	0.06	0.8	0.09	1.31	505	VA08141997
ANG33155	50	940	24.3	3.5	0.01	6.87	1.2	35.9	0.05	5.7	0.12	1.14	253	VA08141997
ANG33156	186	1860	14.3	3.3	0.03	13.7	15.1	274	0.17	3.7	0.59	2.52	1215	VA08141997
ANG33157	111	1140	20.3	3.1	0.1	12.3	5.7	144	0.08	0.5	0.39	3.74	976	VA08141997
ANG33158	204	1780	34.5	3.8	0.05	20.7	14	173	0.16	1.8	0.67	3.29	2020	VA08141997
ANG33159	339	2590	40.3	4.5	0.09	31.6	29.8	279	0.23	1.2	1	4.87	4330	VA08141997
ANG33160	223	1370	21.7	2.7	0.07	18.35	13.8	165	0.17	1	0.86	2.91	1785	VA08141997
ANG33161	49.1	910	23.8	3.5	0.01	7.49	1.2	34.3	0.04	5.9	0.12	1.1	244	VA08141997
ANG33241	63.8	660	16.2	2.5	0.05	8.14	1.8	47.2	0.03	1.6	0.09	0.97	820	VA08141997

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
ANG33242	NAD83-8	627716	6860623	6	0.7	0.31	25.9	420	0.27	0.18	0.74	2.96	10.5
ANG33243	NAD83-8	627688	6860581	14	0.77	0.34	32.1	560	0.26	0.21	0.55	2.63	11.1
ANG33244	NAD83-8	627661	6860540	2	0.4	0.62	14.7	420	0.28	0.15	0.55	7.88	8.7
ANG33245	NAD83-8	627633	6860497	1	0.34	0.65	7	670	0.26	0.13	0.55	9.6	8.2
ANG33246	NAD83-8	627608	6860455	5	0.74	0.82	23.6	290	0.42	0.15	0.3	13.6	11.7
ANG33247	NAD83-8	627580	6860413	2	0.54	0.59	18.3	310	0.45	0.19	0.67	13.5	11.9
ANG33248	NAD83-8	627553	6860371	3	3.8	0.49	33.2	2570	0.42	0.21	0.56	26.4	7.9
ANG33249	NAD83-8	627526	6860328	7	3.12	0.31	19	1660	0.33	0.18	0.51	17.5	9.2
ANG33250	NAD83-8	627498	6860286	-1	3.84	0.39	25.4	1970	0.36	0.14	1.29	18.65	8.2

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
ANG33242	27.8	8	0.21	33.2	2	0.81	0.11	0.03	14.3	1.8	0.28	285	4.21	0.01
ANG33243	33.5	12	0.25	43.7	2.24	0.86	0.11	0.04	17.6	1.8	0.2	225	5.7	0.01
ANG33244	23	12	0.35	37.9	1.59	1.47	0.08	0.05	11.6	2.7	0.13	542	4.88	0.02
ANG33245	18.5	8	0.35	30.7	1.34	1.68	0.07	0.05	9.1	2.5	0.13	556	6.01	0.02
ANG33246	28.7	13	0.42	43.3	2.19	1.3	0.15	0.04	15.2	2.5	0.06	252	17.6	0.01
ANG33247	25.1	15	0.26	38.7	2.22	1.6	0.14	0.04	13	3.9	0.25	377	24.7	-0.01
ANG33248	24.9	22	0.51	168.5	2.21	1.38	0.53	0.1	16.6	1.2	0.08	176	67.6	-0.01
ANG33249	25.2	18	0.31	92.1	1.96	0.96	0.32	0.08	16.1	1.1	0.06	191	36.1	-0.01
ANG33250	12.45	23	0.28	132.5	1.84	1.1	0.48	0.06	8	1.9	0.28	251	26.4	-0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
ANG33242	58.9	560	18.4	2.3	0.03	7.68	2.3	25	0.04	2	0.09	1.1	407	VA08141997
ANG33243	70.3	650	22.3	2.7	0.04	10	3.4	31.6	0.05	2.5	0.13	1.62	348	VA08141997
ANG33244	51	940	14.9	4.6	0.07	4.51	3.2	31.6	0.03	1.1	0.12	1.55	266	VA08141997
ANG33245	50.5	990	16.8	4.6	0.07	3.99	3.5	29.6	0.03	0.9	0.13	1.92	335	VA08141997
ANG33246	138.5	1190	22.7	3.7	0.03	11.9	6.3	42	0.04	1.6	0.27	5.55	1015	VA08141997
ANG33247	108	1000	20.3	3.5	0.04	6.21	7.6	28.5	0.06	1.7	0.27	3.04	844	VA08141997
ANG33248	184	2600	53.2	4.9	0.1	40.9	27.1	355	0.4	4.7	0.88	5.19	1565	VA08141997
ANG33249	137.5	2640	39.5	4.2	0.12	19.95	14	294	0.26	4.5	0.87	4.37	1155	VA08141997
ANG33250	182	2390	21.6	4	0.13	20.8	16.8	262	0.2	1.1	0.39	5.66	1055	VA08141997