

GEOCHEMICAL REPORT

RIM 1-48 CLAIMS

GRANT

YC73184 – YC73231

LAT 61° 37 N

LONG 131° 57 W

NTS # 105 G \ 12

WATSON LAKE MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED JULY 13 – JULY 16, 2008

DATE OF REPORT OCTOBER 09, 2009

Table of Content

Summary	P.3
1.0 Introduction	P.3
2.0 Locations and Access	P.3
3.0 Property Description	P.3
4.0 Physiographic	P.3
5.0 Regional Geology	P.4
Geology Map	P.4
Geology Description	P.5-6
6.0 Work Methods	P.6
7.0 Interpretation	P.7
8.0 Recommendation	P.7
9.0 References Cited	P.7
10.0 Cost	P.7
11.0 Qualification	P.8
Claim Location Map	Figure 1
Zinc Soil Anomaly Map	Figure 2
Silver Soil Anomaly Map	Figure 3
Lead Soil Anomaly Map	Figure 4
Assay Data / GPS Soil Location Data	Appendix

SUMMARY

The Rim 2008 field work was conducted by a 6 man crew all employees of Ryanwood Exploration. The crew mobilized out to the Ross River area and conducting a large soil sampling program over 3 claim blocks. The Rim soil work was conducted between July 13 and July 16 2008. A total of 552 soils were collected outlining a nice zinc-silver anomaly.

1.0 INTRODUCTION

The Rim claims were staked to cover a Zinc Sedex target.

2.0 LOCATIONS AND ACCESS

The Rim property is located south of the Hoole River at Lat. 61°37' N and Long. 131°57' E on NTS 105G/12, 55 km SE of Ross River, Yukon.

Access is via helicopter from Ross River with mob/demob possible from the Robert Campbell Highway 20 km to the NE.

3.0 PROPERTY DESCRIPTION

The Rim Claim block consists of 48 full Yukon Quartz Mining claims that are registered in the Watson Lake Mining district to Shawn Ryan.

4.0 PHYSIOGRAPHY

The claim group covers a semi-mountainous zone on the northern edge of the Pelly Mountains. The elevation ranges from 1,300 metres to 2,200 metres in moderate to steeply sloping ground. Small scrub coniferous and deciduous vegetation ends at the 1,400 m contour and the ground cover is alpine heather above 1,400 m. Glaciation has played the major role in developing the current landform.


5.0 REGIONAL GEOLOGY

The Pelly Mountains, between the Tintina and St. Cyr Faults, consist primarily of fine sediments deposited on the northeast flank of the Pelly-Cassiar Platform. The rocks consist of complexly folded and faulted carbonaceous and calcareous pelites and carbonates of upper Cambrian to Devonian age. A lateral transition between shelf and basin environments occurs to the southeast near the St. Cyr Fault resulting in the deposition of upper Cambrian to Ordovician quartzite, siltstone and shale facies and bioclastic Silurian carbonates. Low grade metamorphism is prevalent throughout the region resulting in fissile shales and phyllites in the pelitic units. Locally the carbonates are recrystallized to a low grade, fine-grained marble with dolomitized sections.

5.1. PROPERTY GEOLOGY

The YTG Geology map indicates the Rim Claims are covering CDS1 and CDS2 which consist of Selwyn Basin rocks of Cambrian to Devonian-Mississippian age, as mapped by the Geological Survey of Canada. These rocks are in fault contact to the northeast (Tintina Fault) and the southwest (St. Cyr Fault).

YTG Geology Map




UPPER TRIASSIC



TrJC: JONES LAKE - CASSIAR

calcareous siltstone and shale, commonly finely cross laminated; dark grey and buff weathering, recessive, thin bedded locally bioclastic limestone and interbedded sandy or silty limestone

UPPER DEVONIAN TO LOWER MISSISSIPPIAN




DMEC: EARN - CASSIAR

consists upwards of dark clastic rocks (1) capped by tuffaceous chert (2) and felsic volcanic rocks (3), the chert and volcanics in part laterally equivalent; intrusive equivalents of the volcanics are the Pelly Mountains Suite

1. dark grey, recessive weathering, thin bedded, black siliceous slate with interbeds and members of quartz-chert greywacke, chert granule grit and chert pebble to cobble conglomerate; may include lenses of intermediate to felsic volcanoclastic rocks
2. rusty orange weathering, resistant, apple green and dark grey, thin bedded chert and cherty tuff; local nodular and bedded barite

MIDDLE SILURIAN TO MIDDLE DEVONIAN



SDA: ASKIN

platy dolomitic siltstone (1) overlain by dolostone and orthoquartzite (2) with rare volcanics (3)

1. tan, medium grey and locally maroon weathering, light grey, thin bedded to platy dolomitic siltstone, dolomitic fine grained sandstone and minor silty dolomite (**Askin Gp.**)
2. medium grey to buff weathering, medium to thick bedded dolomite, silty and sandy dolomite, limestone; medium to thick bedded, medium grained mature orthoquartzite; dolomitized laminated mudstone and dolomite with vugs, birdseye and fenestral cavities (**Askin Gp.**)

CAMBRIAN TO DEVONIAN OR YOUNGER

CDS

CDS: ST. CYR

poorly understood, fine clastic and carbonate assemblage, (1) to (5), with only general similarities to equivalent strata elsewhere in Cassiar Mountains; overlain by strata typical of Earn, Tay and Jones Lake assemblages elsewhere

1. orange to brown weathering, recessive, medium grey interlaminated calcareous shale and silty limestone or calcareous siltstone; proportion of carbonate to clastic material varies widely; includes slaty and phyllitic equivalents (Cambro-Ordovician?)
2. orange brown weathering, recessive, thin bedded, medium to dark grey, calcareous. shale, siltstone and argillaceous. limestone; includes slate and phyllitic slate (Cambrian to Lower Devonian?)

6.0 WORK PERFORMED / METHODS

Soil Work

Soil samples were taken on 200 line spacing and 50 meters station spacing. On rocky ground a grub hoe was used to take sample 30-40 centimeters down. On well developed soil ground a one-meter soil augers was used to take sample at a deeper depth. Soil sample taken with augers were gathered at an average depth of 50-70 centimeters. All sample were placed in Kraft soil bags. Exact position location were defined using Garmin GPS. All GPS location were downloaded nightly onto field computers.

Soil location were marked in the field with pink flagging and sample identification was marked on an aluminum tag.

Sample were air dried in Dawson City and then sent to Chemex Labs in Vancouver. Sample were processed at minus 80 mesh and analysis was 1DX-MS for 35 elements.

7.0 INTERPRETATION

SOIL SURVEY

The soil survey covered a grid measuring 4000 meters by 1300 meters. The soil survey indicates two distinct narrow 50-100 meter wide high grade soils (1000 ppm +Zn) located in the north western part of the survey area. The southern smaller soil anomaly measures 900 meters by 100 meters and the second northern soil anomaly measures 2100 meters by 100 meters. Both soil anomalies are running in a north-west direction.

Soils values reached as high as 3270 ppm Zn, 9.4 ppm Ag, and 228 plus ppm Pb.

8.0 RECOMMENDATION

I would recommend geological mapping and prospecting over the anomalous area and if terrain condition warrant a small trenching program.

9.0 REFERENCES CITED

COMINCO LTD, Oct/89. Assessment Report *#092757 by D.L. Craig.

COMINCO LTD, Nov/90. Assessment Report #092892 by P. MacRobbie.

NEWMONT EXPLORATION OF CANADA LTD, Oct/79. Assessment Report *#090500 by H. Limion.

YTG Geology Map (Yukon Web site)

10.0 COST

Assay Cost 552 soil at \$22.00	\$12,144.00
Wages 18 man days at \$330.00 per day	\$5,940.00
Food + Camp Fee 18 days @ \$70.00 per day	\$1260.00
Truck + Gas 3 days * 2 trucks @ \$200.00 per day per truck	\$1,200.00
Helicopter work 10.5 hours @ \$1300.00	\$13,650.00
Total	\$34,194.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 12 years as a local prospector for myself.


I have overseen the Rim Soil Survey.

I own 100 % of the RIM claims.

Dated this 09 of October 2009 in Dawson City, Yukon.


Respectfully submitted


Shawn Ryan




Location Map plus Claims in Surrounding Area

Figure 1







SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
RIM32169	NAD83-8	343216	6837237	10	1.56	0.22	271	1130	0.22	0.19	3.6	12.85	10.5
RIM32007	NAD83-8	343216	6837237	45	1.59	0.21	262	1080	0.26	0.21	3.06	12.3	11
RIM30685	NAD83-8	341619	6839048	12	6.56	0.98	170	1190	0.68	0.38	1.27	14.15	10.7
RIM30949	NAD83-8	658611	6838845	13	4.79	0.66	158.5	170	1.03	0.36	0.44	11.4	16.7
RIM32684	NAD83-8	658282	6839077	138	3.29	0.65	146.5	300	0.94	0.25	1.26	7.66	9.4
RIM30687	NAD83-8	341730	6839146	15	0.89	0.68	131.5	420	0.55	0.36	0.8	3.16	15.2
RIM32137	NAD83-8	343357	6837374	11	3.09	0.6	125.5	250	0.47	0.28	0.21	29	9.2
RIM32170	NAD83-8	343248	6837275	2	0.67	0.11	125	410	0.26	0.14	2.98	2.9	37
RIM30948	NAD83-8	658579	6838810	20	1.72	0.46	104	310	0.85	0.36	0.68	11.4	8
RIM32165	NAD83-8	343726	6836901	7	1.57	0.73	100.5	4790	0.43	0.2	1.77	37.8	19.8
RIM30510	NAD83-8	341421	6838596	16	4.73	0.46	97.5	490	0.66	0.26	0.83	6.29	10.9
ANG32873	NAD83-8	341555	6839261	23	1.73	0.43	97.3	380	0.18	0.49	0.26	4.35	5.4
RIM32883	NAD83-8	342051	6837236	2	0.55	0.35	97.2	100	0.72	0.24	2.68	0.63	27.8
ANG32875	NAD83-8	341631	6839326	13	2.32	0.79	96.4	550	0.43	0.63	1.2	2.28	20.8
RIM32377	NAD83-8	342016	6838318	19	0.8	0.23	91.6	560	0.42	0.24	0.78	4.37	16.6
RIM30625	NAD83-8	342003	6838033	12	2.67	0.4	91.4	2140	0.35	0.2	2.15	13.7	10.1
RIM32985	NAD83-8	342607	6837237	7	2.47	0.74	91	1850	0.67	0.17	2.08	15	10.1
RIM32247	NAD83-8	342852	6838001	31	1.21	0.8	90.6	550	0.25	0.49	0.33	6	11.5
RIM32376	NAD83-8	341979	6838285	17	3.73	0.49	87.9	590	0.27	0.22	0.88	6.05	5.3
RIM30684	NAD83-8	341578	6839014	9	4.81	0.9	85.5	860	0.47	0.41	0.43	4.26	7.6
RIM32430	NAD83-8	341234	6838428	18	1.12	0.36	85.2	100	0.56	0.29	1.56	0.93	22
RIM30679	NAD83-8	342003	6838033	13	2.44	0.36	82.1	1910	0.32	0.2	1.98	13.75	10.2
RIM30509	NAD83-8	341384	6838562	16	3.86	0.7	81.1	420	0.81	0.49	1.24	2.66	25.5
RIM32440	NAD83-8	341513	6838127	9	1.85	0.84	80.2	250	0.69	0.31	0.69	6.37	16.3
RIM32206	NAD83-8	341664	6838577	3	1.24	0.16	77.5	300	0.19	0.16	3.25	14.5	7.6
RIM30688	NAD83-8	341767	6839179	3	0.62	0.65	77.3	290	0.99	0.32	2	3.72	12.9
RIM30515	NAD83-8	341606	6838764	5	1.8	0.23	75.9	200	0.24	0.19	1.56	8.47	9
RIM32248	NAD83-8	342888	6838034	38	1.25	0.4	75.3	1250	0.34	0.32	1.41	5.88	13.6
RIM32139	NAD83-8	342876	6837750	14	2.04	0.54	73	3290	0.32	0.19	1.75	10.85	10.9
ANG32876	NAD83-8	341671	6839362	8	0.5	0.61	72.5	300	0.82	2.28	0.73	0.65	17.4
ANG32863	NAD83-8	341185	6838925	13	2.63	0.38	72.4	490	0.42	0.16	3.2	10.8	8
RIM32573	NAD83-8	658363	6838874	13	1.01	0.19	71	140	0.48	0.46	4.79	0.27	20.7
RIM32884	NAD83-8	342089	6837572	9	1.44	0.43	70.2	230	0.7	0.23	1.17	4.42	22.2
RIM32740	NAD83-8	341264	6839802	8	0.4	1.21	69.4	240	0.45	0.26	0.46	1.05	15.2
RIM30634	NAD83-8	342333	6838338	2	0.69	0.3	69.2	3460	0.15	0.17	3.05	27	10.5
RIM32130	NAD83-8	342878	6837752	7	2	0.53	69	2970	0.36	0.2	1.78	9.93	10.9
RIM32634	NAD83-8	341323	6839590	6	2.42	0.58	68.9	1790	0.48	0.44	1.67	15.8	19.1
RIM32168	NAD83-8	343188	6837196	3	2.54	0.66	68.6	890	0.28	0.23	0.8	43	32.4
RIM30511	NAD83-8	341457	6838629	22	3.94	0.73	66.5	1720	0.44	0.22	1.52	13.1	10
RIM32244	NAD83-8	342739	6837896	7	1.32	0.45	66.4	2470	0.4	0.22	1.91	13.65	13.7
RIM32640	NAD83-8	341323	6839590	6	2.89	0.55	64.6	1710	0.41	0.38	2.04	19.05	19
RIM32236	NAD83-8	342448	6837625	1	1.27	0.24	64.6	570	0.36	0.3	3.61	3.38	12.7
RIM32354	NAD83-8	342031	6838599	11	1.8	0.63	63.8	1720	0.28	0.25	0.27	7.09	8.6
RIM32351	NAD83-8	341922	6838498	6	1.89	0.3	62.7	1260	0.24	0.49	1.27	15.7	9.3
RIM32439	NAD83-8	341475	6838094	15	0.78	0.44	62.5	90	0.38	0.28	1.31	1.23	17.6
RIM32188	NAD83-8	342715	6838147	16	1.28	0.44	61.8	1670	0.26	0.24	1.65	11.1	10.9
RIM32399	NAD83-8	342473	6838191	1	1.82	0.28	61.8	1650	0.27	0.17	3.38	13	14
ANG32885	NAD83-8	341520	6839230	14	1.82	0.51	61.6	960	0.2	0.35	0.46	6.96	5.7
RIM32106	NAD83-8	343664	6837114	5	0.93	0.75	61.3	2480	0.36	0.53	0.2	4.2	5.6
RIM32632	NAD83-8	341397	6839653	8	1.43	0.61	61	1410	0.49	0.68	0.36	6.54	12.3
ANG32872	NAD83-8	341520	6839228	13	1.67	0.54	60.1	830	0.22	0.33	0.68	6.78	6.5
RIM32574	NAD83-8	658397	6838912	7	1.27	0.54	60	180	0.59	0.24	0.39	2.4	12.5
RIM32902	NAD83-8	343136	6837175	7	0.43	0.24	60	260	0.38	0.23	1.46	0.85	11.7
RIM32363	NAD83-8	341538	6837877	3	1.82	0.36	59.2	150	0.68	0.24	2.15	8.02	14
RIM30683	NAD83-8	341542	6838982	6	3.06	0.85	58.5	1380	0.33	0.2	0.99	46.1	9.4
RIM30619	NAD83-8	341782	6837832	4	0.84	0.4	56.5	140	0.51	0.31	1.87	1.22	18.9
RIM32578	NAD83-8	658531	6839058	15	9.49	0.38	56.3	380	0.71	0.31	2.06	11.75	8.7
RIM30633	NAD83-8	342299	6838307	3	1.56	0.41	56	2570	0.26	0.19	1.39	19.2	10.2
ANG32868	NAD83-8	341371	6839091	49	1.38	0.63	55.2	2910	0.5	0.24	0.65	9.76	10.3
RIM32033	NAD83-8	343039	6837353	13	1.84	0.75	54.9	1340	0.4	0.3	1.19	6.76	16.1
RIM30582	NAD83-8	343284	6836495	13	0.72	0.31	54.4	100	0.56	0.25	3.21	1.58	24.8
RIM32163	NAD83-8	343651	6836833	-1	1.55	0.5	52.7	2850	0.28	0.24	0.63	8.36	12.5

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hg_ppm	K_pct	La_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
RIM32169	19.6	5	1.58	113.5	2.98	0.41	0.08	0.07	0.05	12.8	0.74	185	41.3	0.02
RIM32007	18.2	4	1.41	110	2.94	0.4	0.09	0.05	0.04	11.4	0.73	180	40	0.01
RIM30685	23.7	9	0.72	160.5	3.75	1.31	0.14	0.07	0.14	15.8	0.16	260	52.2	0.02
RIM30949	31.2	35	1.46	238	3.63	2.57	0.13	0.29	0.1	20.2	0.08	313	120.5	-0.01
RIM32684	29.1	43	1.86	226	3.22	2.57	0.09	0.14	0.14	18	0.5	203	73.1	-0.01
RIM30687	26.2	8	0.72	188.5	3.92	2.02	0.08	0.02	0.13	14.5	0.27	181	21.8	0.01
RIM32137	28.3	29	1.16	202	9.08	2.19	0.31	0.1	0.29	17.6	0.04	81	109	0.03
RIM32170	22.1	5	0.9	54.1	3.02	0.28	0.09	0.03	0.03	16	1.45	407	115	0.02
RIM30948	28	26	1.5	222	2.77	1.88	0.1	0.13	0.13	17.5	0.16	169	55	-0.01
RIM32165	34.2	19	1.91	163	2.7	1.73	0.17	0.14	0.1	25.3	0.3	298	76.6	0.02
RIM30510	41.4	24	0.56	144.5	3.63	1.57	0.12	0.77	0.09	25.5	0.15	558	37.2	0.01
ANG32873	18.3	13	0.9	69.3	3.78	1.9	0.12	0.02	0.18	9.8	0.19	107	39	0.06
RIM32883	23.4	4	1.85	50	3.91	0.98	0.08	0.04	0.04	12.3	0.84	232	7.58	0.01
ANG32875	32.8	10	0.89	123	4.29	2.08	0.09	0.04	0.06	17.2	0.58	437	14.8	0.01
RIM32377	35.8	7	1.34	97.6	3.8	0.55	0.06	0.04	0.05	18.4	0.34	385	15.65	-0.01
RIM30625	23.7	22	0.5	150	3.01	1.25	0.1	0.67	0.07	14.8	0.74	191	42.6	0.03
RIM32985	25.6	10	0.3	154.5	2.67	0.9	0.1	0.23	0.05	14.7	0.65	265	58.2	0.01
RIM32247	22.6	20	0.85	106	4	2.01	0.1	0.05	0.11	13.2	0.23	331	33.6	0.05
RIM32376	13.7	17	0.58	160.5	3.08	1.39	0.08	0.07	0.16	7.9	0.13	176	10.95	0.03
RIM30684	24.8	12	0.66	123.5	3.74	1.9	0.15	0.09	0.13	15.1	0.12	121	55.3	0.03
RIM32430	35.9	5	1.16	101.5	4.14	1.09	0.08	0.05	0.05	18.5	0.38	293	14.85	0.01
RIM30679	19.3	16	0.42	144.5	2.86	0.99	0.08	0.67	0.06	11.7	0.62	173	40.7	0.02
RIM30509	60.6	11	0.82	125.5	5.47	1.81	0.17	0.3	0.09	37.8	0.15	1310	12.4	0.01
RIM32440	39	24	1.52	148	3.65	2.73	0.12	0.15	0.08	20.6	0.46	396	34.5	0.01
RIM32206	15.2	11	0.64	97.5	2.24	0.59	0.09	0.05	0.03	10.1	0.9	162	59.9	-0.01
RIM30688	38.3	19	0.51	115.5	3.4	1.89	0.1	0.04	0.11	20.6	0.4	441	35.3	0.01
RIM30515	25.6	5	0.61	93.8	2.87	0.78	0.13	0.32	0.04	19.5	0.42	107	86.3	-0.01
RIM32248	28.5	15	0.87	121	3.73	1.01	0.09	0.08	0.08	17.2	0.53	325	20.5	0.02
RIM32139	25.6	10	0.84	130	2.84	1.08	0.09	0.2	0.08	15.3	0.45	258	29.1	0.02
ANG32876	40.5	9	0.53	53.1	2.95	1.64	0.08	0.03	0.07	20.1	0.13	444	11.55	0.01
ANG32863	21	12	0.28	82	2.25	1.02	0.07	0.17	0.05	11	0.49	327	19.95	0.01
RIM32573	42.6	4	1.33	129.5	3.61	0.62	0.07	0.05	0.06	24	1.72	252	24.7	-0.01
RIM32884	30	9	1.43	84.2	4.15	1.22	0.1	0.08	0.05	16.3	0.54	289	23.3	0.01
RIM32740	49.8	17	2.22	66.8	4.03	3.47	0.08	0.02	0.14	26.5	0.9	295	4.57	-0.01
RIM30634	28.4	3	1.02	78.3	2.56	0.61	0.13	0.09	0.05	22	0.62	189	102	0.05
RIM32130	25.9	9	0.83	123	2.84	1.07	0.08	0.19	0.08	15.5	0.43	249	26.9	0.02
RIM32634	29.4	10	1.01	141.5	2.78	0.88	0.08	0.07	0.04	16.5	0.5	328	24.4	-0.01
RIM32168	23.8	13	2.54	238	4.84	0.99	0.19	0.2	0.13	14.6	0.19	1000	64.9	0.04
RIM30511	30.4	17	0.63	84.2	3.03	2.2	0.08	0.14	0.09	18.1	0.22	316	24.7	0.03
RIM32244	27.3	19	1.02	118.5	2.93	1.01	0.11	0.12	0.07	16.7	0.69	258	35.3	0.02
RIM32640	26.2	11	0.89	172	2.63	0.82	0.08	0.09	0.04	15.7	0.61	358	23	-0.01
RIM32236	30	14	0.55	98.6	3.69	0.7	0.1	0.1	0.06	17	1.73	245	31.5	-0.01
RIM32354	28.6	14	1.28	68.2	2.84	1.82	0.08	0.1	0.09	16.5	0.12	116	28.2	0.02
RIM32351	22.4	7	0.82	101	2.63	0.85	0.09	0.12	0.04	14.6	0.36	205	54.9	0.01
RIM32439	39.3	8	0.74	57.1	3.83	1.33	0.08	0.05	0.04	20.1	0.56	383	10.45	-0.01
RIM32188	28.3	17	0.8	93	3.05	0.88	0.07	0.08	0.07	15.9	0.6	254	20.3	0.01
RIM32399	23	8	1.6	65.1	3.3	0.7	0.14	0.2	0.04	16.5	0.63	143	93.5	0.02
ANG32885	16.35	10	1.08	67	3.49	1.85	0.09	0.04	0.15	9.2	0.1	149	40.2	0.04
RIM32106	24.4	15	1.09	53.5	2.91	2.24	0.07	0.05	0.07	14.2	0.12	267	25.5	0.01
RIM32632	31.5	10	1.18	69.2	2.85	1.52	0.08	0.04	0.06	15	0.08	344	21.1	-0.01
ANG32872	15.65	10	0.92	71.4	3.42	1.82	0.09	0.05	0.14	8.8	0.13	225	37.9	0.04
RIM32574	33.7	18	0.88	83.9	2.88	1.97	0.06	0.09	0.06	18.4	0.14	477	26.7	-0.01
RIM32902	23.8	4	0.74	36.4	2.81	0.57	0.06	0.02	0.04	11.7	0.61	166	15.75	0.01
RIM32363	39.6	9	0.77	86.7	3.28	1.16	0.08	0.19	0.08	22.5	0.77	167	44.7	0.01
RIM30683	16.75	11	1.24	215	3.67	1.37	0.21	0.06	0.13	9.5	0.22	231	48	0.03
RIM30619	37.7	4	1.72	70.3	3.66	1.11	0.08	0.08	0.06	21.3	0.56	233	32.2	-0.01
RIM32578	23.7	40	0.89	213	2.56	1.17	0.13	1.45	0.06	18.3	0.42	134	24.4	-0.01
RIM30633	26.5	6	1.04	78	2.27	1.06	0.09	0.1	0.04	17	0.33	264	58.3	0.03
ANG32868	30.4	13	0.65	86.6	2.69	1.56	0.09	0.13	0.07	17.3	0.12	326	30.3	0.01
RIM32033	39.7	10	1.19	275	4.78	1.12	0.11	0.06	0.06	21.3	0.27	264	19.4	0.02
RIM30582	31.1	3	1.86	41.6	3.88	0.93	0.07	0.06	0.06	16.6	0.97	344	5.23	0.01
RIM32163	19.75	13	1.06	58.6	2.01	1.83	0.09	0.21	0.05	12.4	0.11	260	26.7	0.02

SampleID	Ni_ppm	P_ppm	Pb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
RIM32169	194.5	1620	14.2	0.16	42.7	9.5	289	0.22	8.4	0.14	2.33	1615	VA08135688
RIM32007	189	1570	15.9	0.2	38.5	9.9	239	0.24	8.1	0.14	2.15	1450	VA08135688
RIM30685	206	2840	113	0.27	65.9	20	206	0.35	3.5	0.23	9.4	887	VA08135688
RIM30949	323	2110	43.3	0.05	47.6	13.5	33.6	0.36	1.9	0.54	5.57	1110	VA08135688
RIM32684	223	2190	32.1	0.05	63.6	11.1	81.6	0.18	5.6	0.29	3.68	950	VA08137124
RIM30687	93.5	2840	19.8	0.08	4.16	5.9	50.1	0.13	2.5	0.13	3.26	377	VA08135688
RIM32137	178.5	4900	42.4	0.73	26.2	40.9	467	0.84	19.2	0.9	19.8	1820	VA08135688
RIM32170	243	1110	11.6	0.14	21.6	11.2	182.5	0.15	8.4	0.19	9.18	1035	VA08135688
RIM30948	124.5	2330	54.9	0.08	32.9	10.7	98.4	0.25	3.5	0.38	3.76	621	VA08135688
RIM32165	378	3370	20.9	0.03	34.5	25.4	300	0.4	9	0.58	8.76	2630	VA08135688
RIM30510	184.5	1990	40.5	0.03	36	5.9	52.1	0.18	6	0.13	2.98	833	VA08135688
ANG32873	45.3	1930	41.7	0.6	12.7	14.1	182	0.33	3.2	0.23	8.36	331	VA08137124
RIM32883	68.4	1010	14	0.35	17.75	3	66.7	0.03	9	0.09	1.39	181	VA08137124
ANG32875	100.5	2320	51.8	0.06	11.8	3.8	64.3	0.12	7.2	0.07	3.2	609	VA08137124
RIM32377	132	1290	35.7	0.04	9.49	5	45.7	0.13	9.4	0.08	2.48	438	VA08137124
RIM30625	178.5	1960	20.9	0.07	21.7	8.2	182	0.21	3.7	0.24	3.14	1060	VA08135688
RIM32985	207	1550	26.1	0.17	18.1	14.7	126	0.18	3.2	0.29	7.67	1150	VA08137124
RIM32247	101.5	1470	21.4	0.47	12.8	10.2	232	0.26	5.7	0.17	6.6	479	VA08135688
RIM32376	54.2	1440	90.9	0.41	29.7	10	243	0.22	1.4	0.18	5.26	398	VA08137124
RIM30684	129	2330	40.8	0.23	21.2	26	199.5	0.37	4	0.27	10.35	574	VA08135688
RIM32430	78.6	1920	23.8	0.05	13.75	3.4	67.3	0.07	6.6	0.09	1.42	162	VA08137124
RIM30679	180.5	1980	19.5	0.06	21	8.2	168.5	0.23	3.4	0.22	3.18	1050	VA08135688
RIM30509	197	4140	69.1	0.03	41	3.1	62.6	0.22	7.1	0.1	2.97	622	VA08135688
RIM32440	120.5	1830	34.6	0.05	20.1	10	62.2	0.12	7.5	0.21	3.42	604	VA08137124
RIM32206	170	1300	13.6	0.1	32.9	9.7	216	0.15	5.7	0.26	2.19	1380	VA08135688
RIM30688	165.5	3510	15.1	0.05	5.68	5.8	42.9	0.22	4.8	0.17	6.92	402	VA08135688
RIM30515	243	740	15	0.04	35.5	19.4	114	0.16	6.3	0.26	2.69	1470	VA08135688
RIM32248	120	2060	34.9	0.18	21.5	7	113.5	0.18	6	0.15	2.57	474	VA08135688
RIM32139	128	2040	25.8	0.1	29	6.9	131	0.19	2.5	0.2	2.1	647	VA08135688
ANG32876	61.8	1560	14.8	0.05	2.63	3	22.8	0.12	4.8	0.11	2.38	101	VA08137124
ANG32863	84	2290	32.4	0.14	15.45	5.3	154.5	0.13	1	0.13	3.25	489	VA08137124
RIM32573	62.8	2820	16.6	-0.01	16.15	3.4	140	0.1	10	0.08	1.63	38	VA08137124
RIM32884	104.5	1610	20.4	0.17	20.3	7.4	61.3	0.09	7.4	0.16	2.31	521	VA08137124
RIM32740	44.5	1270	11.4	0.02	1.91	1.6	31.9	0.06	10.1	0.16	1.55	169	VA08137124
RIM30634	272	1180	27	0.04	29.6	17.1	342	0.24	8	0.27	2.38	1800	VA08135688
RIM32130	122.5	2010	26.1	0.1	27.5	6.5	126	0.19	2.5	0.18	1.95	598	VA08135688
RIM32634	190	1500	39.8	0.07	27.6	8.5	104.5	0.18	5.6	0.14	3.93	1340	VA08137124
RIM32168	427	3690	25.3	0.27	39.2	31.7	261	0.71	8.3	0.68	15.95	3270	VA08135688
RIM30511	102.5	1750	55.8	0.09	16.6	5	118.5	0.16	4.8	0.18	4.2	736	VA08135688
RIM32244	164	2010	26.6	0.12	23.8	13.2	142.5	0.22	4.4	0.2	3.15	797	VA08135688
RIM32640	185.5	1440	37.4	0.08	24.7	8.8	116	0.16	4.7	0.14	4.42	1250	VA08137124
RIM32236	133	2300	61.7	0.02	17.1	6.6	134.5	0.18	8.1	0.13	3.42	440	VA08135688
RIM32354	101.5	1600	34.1	0.16	15.75	10.9	161.5	0.29	4.3	0.21	5.18	770	VA08137124
RIM32351	176.5	880	15.4	0.11	23.9	13.6	108.5	0.2	5.5	0.21	1.77	1460	VA08137124
RIM32439	57.2	1330	18.5	0.05	8.52	2	51.4	0.04	8.4	0.11	1.18	153	VA08137124
RIM32188	103	1660	22.3	0.07	16.15	9	131.5	0.16	5.7	0.12	3.29	726	VA08135688
RIM32399	364	1560	14.4	0.08	31.6	23.2	278	0.15	7.8	0.36	3.97	2370	VA08137124
ANG32885	48.8	1890	26.4	0.37	13.3	11.1	160.5	0.26	2.7	0.18	5.87	344	VA08137124
RIM32106	58.4	2770	22.8	0.16	13.55	10.2	87.1	0.22	0.8	0.21	3.83	379	VA08135688
RIM32632	132.5	1730	39	0.09	17.75	10.2	50.2	0.2	2.9	0.13	2.54	1065	VA08137124
ANG32872	51.9	2100	25.4	0.32	13.05	11.3	167	0.25	2.8	0.18	6.6	369	VA08137124
RIM32574	74.8	1480	28.1	0.01	20.8	4.3	33.2	0.13	3	0.12	1.94	299	VA08137124
RIM32902	68.3	1030	9.7	0.2	4.71	3.5	41.1	0.07	7.8	0.06	1.13	128	VA08137124
RIM32363	104	1640	26.4	0.07	14.6	5.3	91.7	0.13	3.5	0.17	2.17	1010	VA08137124
RIM30683	258	2930	31.9	0.19	34.7	43.9	384	0.29	5.1	0.52	9.47	2170	VA08135688
RIM30619	70.9	680	23.8	0.06	11.8	2.5	57.5	0.05	14.6	0.2	2.61	162	VA08135688
RIM32578	275	2610	30	0.03	36.8	21.4	118	0.24	5.4	0.3	4.01	1250	VA08137124
RIM30633	206	1100	18.1	0.08	32.3	7.6	137	0.15	4.5	0.27	2.36	1340	VA08135688
ANG32868	133	1940	36.7	0.08	15.2	10.1	97.4	0.27	3.6	0.25	3.19	746	VA08137124
RIM32033	156	2070	18.7	0.19	8.65	13.8	132	0.14	7.7	0.12	4.27	927	VA08135688
RIM30582	55.4	730	16.3	0.09	9.47	2.3	117	0.03	10.1	0.15	1.29	226	VA08135688
RIM32163	83.6	2080	18.3	0.08	15.3	12.3	119.5	0.31	1.9	0.22	5.83	543	VA08135688

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
RIM30620	NAD83-8	341820	6837866	9	1.38	0.57	52.2	140	0.51	0.3	3.05	2.9	24.1
RIM32385	NAD83-8	342310	6838589	10	1.46	0.53	52.1	2690	0.26	0.3	1.11	16.7	8.5
RIM32412	NAD83-8	658336	6839431	7	1.83	0.44	51.7	440	0.8	0.75	3.48	1.23	12.1
RIM32428	NAD83-8	341161	6838362	7	1.44	0.43	50.9	90	0.55	0.25	1.3	4.27	22.2
RIM32155	NAD83-8	343321	6836528	21	0.61	0.25	50.8	80	0.54	0.22	3.3	1.41	23.7
RIM32382	NAD83-8	342200	6838487	5	1.54	0.45	50.8	4970	0.23	0.21	0.57	12.05	6.6
RIM32240	NAD83-8	342594	6837761	5	0.26	0.4	50.3	160	0.33	0.19	0.53	0.34	10
RIM32577	NAD83-8	658498	6839022	4	3.48	0.36	50	150	0.84	0.22	3.18	2.89	12.4
RIM32738	NAD83-8	341190	6839735	6	0.32	0.41	49.8	240	0.36	0.16	1.65	0.63	13.9
RIM32996	NAD83-8	342975	6837571	13	1.58	0.48	49.3	1410	0.27	0.29	1.59	3.47	11.7
RIM32988	NAD83-8	342682	6837299	9	4.88	0.27	48.9	240	0.65	0.16	1.16	18.9	8.4
RIM32187	NAD83-8	342678	6838114	5	1.19	0.56	48.9	3380	0.32	0.19	1.98	27.6	11.7
ANG32854	NAD83-8	658660	6838598	4	0.65	0.39	48.9	110	0.47	0.21	5.54	1.65	19.7
RIM32164	NAD83-8	343689	6836867	5	1.47	0.78	48.7	3100	0.33	0.27	0.68	17.65	9.7
RIM32301	NAD83-8	658849	6839105	17	1.87	0.4	48.6	270	0.38	0.2	1.11	3.57	8.4
RIM30689	NAD83-8	341804	6839212	2	0.12	0.43	48.6	200	0.95	3.99	3.04	0.34	22.3
RIM32307	NAD83-8	341276	6839276	1	1.92	1.18	48.4	9180	0.4	0.17	0.96	7.62	7.8
RIM32384	NAD83-8	342272	6838555	8	1.53	0.61	48.3	2900	0.27	0.31	0.37	10.4	8.6
RIM32739	NAD83-8	341227	6839769	8	0.27	0.67	47.7	240	0.45	0.18	0.98	0.69	12.7
RIM32243	NAD83-8	342704	6837864	9	1.03	0.32	47.3	580	0.26	0.24	1.67	1.82	11.8
RIM32426	NAD83-8	341124	6838328	2	0.28	0.23	47.2	100	0.65	0.31	4.02	1.04	32.3
RIM30512	NAD83-8	341493	6838662	10	0.95	0.53	47	250	0.27	0.33	0.3	4.18	17.7
RIM32572	NAD83-8	658331	6838836	6	0.17	0.14	46.9	60	0.49	0.24	3.78	0.15	17.5
RIM32626	NAD83-8	658804	6839354	12	1.57	0.67	46.8	750	1.07	0.4	2.16	5.08	20.2
RIM32383	NAD83-8	342237	6838521	11	1.22	0.56	46.1	2060	0.32	0.25	0.41	11.65	7.5
RIM32162	NAD83-8	343614	6836799	2	1.23	0.94	46.1	3080	0.38	0.21	0.55	13.7	8.1
RIM32631	NAD83-8	341286	6839554	22	1.57	0.72	46	550	0.23	0.45	0.08	1.17	4.6
RIM32627	NAD83-8	658836	6839392	7	1.13	0.31	46	1200	0.41	0.37	6.32	11.75	22.5
RIM32366	NAD83-8	341647	6837980	4	0.88	0.33	45.9	80	0.61	0.24	3.41	1.72	22.1
RIM32328	NAD83-8	341432	6838882	6	1.51	0.52	45.7	1440	0.36	0.18	2.67	6.95	9.4
RIM32984	NAD83-8	342569	6837199	8	1.2	0.17	45.6	110	0.57	0.23	2.63	5.29	15.6
RIM32014	NAD83-8	342032	6837781	2	2.62	0.66	45.4	2000	0.59	0.22	0.72	15.2	12.9
RIM32359	NAD83-8	342210	6838770	14	1.7	0.55	45.3	3170	0.31	0.3	1.08	16.25	8.5
RIM30624	NAD83-8	341967	6838001	11	1.6	0.42	45.1	1970	0.34	0.2	2.22	6.42	9.2
RIM32173	NAD83-8	342203	6837672	5	1.33	0.46	45	840	0.51	0.2	3.13	4.67	12.1
RIM32125	NAD83-8	342658	6837545	4	2.84	0.52	44.4	1190	0.53	0.28	3.02	2.72	12.4
RIM32191	NAD83-8	342677	6838111	2	1.1	0.51	44.4	3220	0.27	0.19	1.8	23.6	10.4
RIM32422	NAD83-8	658708	6839835	5	1.05	0.34	44	1540	0.33	0.2	2.27	9.29	11.2
RIM32241	NAD83-8	342631	6837795	5	0.18	0.23	43.5	200	0.35	0.18	0.65	0.25	9.3
ANG32871	NAD83-8	341485	6839191	16	3.65	0.63	43.3	740	0.24	0.49	0.34	2.78	8.5
RIM32221	NAD83-8	341903	6839032	-1	1.23	0.57	43	2170	0.37	0.29	1.39	4.61	13.5
RIM32246	NAD83-8	342814	6837966	6	1.37	0.37	42.7	2240	0.23	0.16	1.78	11.15	10.4
RIM30681	NAD83-8	341468	6838914	4	2.48	0.64	42.7	2240	0.41	0.17	2.29	14.55	7
RIM32417	NAD83-8	658506	6839615	4	2.39	0.4	42.4	2300	0.34	0.19	1.2	21.2	10.9
RIM32687	NAD83-8	658383	6839188	3	2.75	0.54	42.3	2210	0.37	0.2	1.16	21.9	6.6
RIM32698	NAD83-8	658754	6839592	4	2.03	0.52	41.9	850	0.22	0.24	0.3	2.91	4.4
RIM32229	NAD83-8	342190	6837389	3	1.7	0.34	41.6	130	0.83	0.23	4.18	6.78	18.5
RIM32581	NAD83-8	658633	6839169	20	3.49	0.36	41.5	420	0.55	0.15	1.95	15.15	6.9
RIM32386	NAD83-8	342348	6838622	6	0.87	0.36	41.3	2420	0.24	0.28	1.07	9.33	8.3
RIM30699	NAD83-8	343111	6836609	3	0.47	0.43	41.2	120	0.63	0.2	0.75	0.96	14.5
RIM32686	NAD83-8	658349	6839150	2	3.51	0.35	41.2	430	0.47	0.1	3.91	16.7	4.3
RIM30638	NAD83-8	342482	6838476	5	1.27	0.41	40.9	2610	0.24	0.16	2.22	13.55	6.9
RIM30629	NAD83-8	342150	6838170	9	1.71	0.36	40.7	1060	0.33	0.19	0.98	2.42	7.8
RIM32575	NAD83-8	658431	6838947	13	1.47	0.33	40.5	340	0.62	0.32	0.21	3.04	4.6
RIM32411	NAD83-8	658301	6839393	9	1.95	0.45	40.4	1180	0.46	0.22	2	2.54	8.9
RIM32209	NAD83-8	341851	6838718	5	1.2	0.3	40.1	1480	0.21	0.15	1.82	10.8	7
RIM30635	NAD83-8	342370	6838373	10	1.93	0.67	39.8	530	0.27	0.3	0.24	4.1	9.1
RIM32438	NAD83-8	341438	6838058	3	0.73	0.56	39.7	110	0.65	0.23	3.27	1.42	21.9
RIM32230	NAD83-8	342227	6837423	10	1.75	0.53	39.6	190	0.9	0.28	3.18	5.32	17.7
RIM32480	NAD83-8	658814	6839069	9	0.77	0.24	39.6	90	0.46	0.2	1.65	0.66	11.8
RIM32625	NAD83-8	658769	6839316	9	1.54	0.31	39.6	470	0.48	0.24	2.4	5.24	10.8
RIM32478	NAD83-8	658748	6838993	1	3.56	0.48	39.6	1580	0.64	0.17	1.3	38.5	8

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hg_ppm	K_pct	La_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
RIM30620	37.3	7	1.29	104.5	4.24	1.51	0.09	0.13	0.05	20.7	0.97	250	17.1	-0.01
RIM32385	22.4	9	0.66	99.5	2.61	1.28	0.12	0.08	0.05	13.6	0.23	190	37.2	0.04
RIM32412	27.5	9	0.38	67.9	3.09	1.15	0.07	0.15	0.07	15	1.09	549	24.6	0.01
RIM32428	42.3	7	1.2	72.6	4.98	1.29	0.1	0.05	0.05	21.2	0.35	303	13.4	0.01
RIM32155	27.1	3	1.76	39	3.68	0.75	0.07	0.05	0.05	13.8	1.01	338	5.39	0.01
RIM32382	25.3	11	0.7	62	1.91	1.27	0.07	0.06	0.06	17.6	0.08	129	35.6	-0.01
RIM32240	26.6	14	0.34	14.9	2.51	0.78	0.06	0.04	0.04	13.3	0.16	212	2.52	-0.01
RIM32577	19.5	29	0.65	160	2.88	0.93	0.11	0.27	0.06	13.2	1.48	280	33.5	-0.01
RIM32738	34.2	6	0.57	57.2	3.07	1.1	0.05	0.03	0.03	18.7	0.39	437	2.86	-0.01
RIM32996	23.4	11	0.65	126.5	3.4	1.2	0.07	0.09	0.05	13.3	0.43	276	12.15	0.01
RIM32988	19.45	12	0.6	108.5	2.07	0.82	0.12	0.26	0.05	14.3	0.1	361	45	0.01
RIM32187	23.3	14	0.85	110	2.48	0.91	0.1	0.18	0.08	13.3	0.63	261	37.3	0.02
ANG32854	34.2	7	0.86	54.3	3.03	1.01	0.06	0.06	0.04	18.7	1.18	223	15.35	-0.01
RIM32164	25.1	15	1.1	109	2.71	2.31	0.1	0.17	0.1	16.1	0.17	227	29.7	0.02
RIM32301	20.7	14	0.33	64	2.47	1.15	0.07	0.2	0.03	11.2	0.17	381	9.44	-0.01
RIM30689	43.9	7	0.75	19.8	2.25	1.17	0.08	0.02	0.16	21.7	0.2	326	12.55	0.01
RIM32307	14.9	20	0.69	101	2.07	2.93	0.15	0.24	0.05	8.1	0.1	342	33.9	0.07
RIM32384	24.3	9	0.89	82.1	2.7	1.44	0.09	0.09	0.05	14.7	0.07	267	30.4	0.03
RIM32739	43.4	9	0.72	43.5	3.45	1.78	0.06	0.03	0.04	24.5	0.4	456	2.71	-0.01
RIM32243	27	12	0.57	83.7	3.02	0.69	0.07	0.04	0.05	14	0.78	209	10.1	-0.01
RIM32426	32.7	3	1.06	50.3	5.94	0.73	0.09	0.02	0.03	15.4	0.58	451	11.75	-0.01
RIM30512	33.2	5	0.67	112	4.12	1.54	0.09	0.02	0.04	18	0.21	351	9.57	0.01
RIM32572	44.3	3	1.29	36.1	1.94	0.45	-0.05	0.02	0.04	23.3	0.93	158	1.68	-0.01
RIM32626	30.7	17	1.29	160.5	4.6	1.35	0.11	0.33	0.12	17	0.63	1635	23.6	-0.01
RIM32383	28.3	12	0.78	85.8	2.85	1.55	0.09	0.08	0.09	16.5	0.17	149	29.1	0.03
RIM32162	19.9	14	1.55	77.4	3.19	1.74	0.09	0.16	0.07	12.7	0.09	222	52.8	0.01
RIM32631	31.6	16	1.51	110.5	5.43	2.71	0.13	0.05	0.16	17.2	0.22	88	21.3	0.01
RIM32627	21.3	9	0.96	99	3.84	0.65	0.17	0.14	0.06	12.7	0.42	356	57.3	-0.01
RIM32366	43.2	5	1.76	66.7	3.5	1.03	0.06	0.04	0.05	22.9	1.16	261	18.5	0.01
RIM32328	18.25	11	0.29	68.7	2.14	1.33	0.07	0.15	0.05	10.9	0.37	296	29.2	0.01
RIM32984	25	5	0.73	64.2	2.86	0.55	0.06	0.1	0.04	14.2	1.1	203	30.5	0.01
RIM32014	33.9	19	1.15	163	3.01	1.93	0.13	0.39	0.08	23	0.29	305	46.2	0.02
RIM32359	30.2	9	0.82	116.5	2.63	1.53	0.08	0.1	0.04	18.1	0.13	268	24.6	0.01
RIM30624	26.9	10	0.52	89	2.38	1.08	0.06	0.29	0.07	15	0.83	218	17.45	0.03
RIM32173	37.5	13	1.28	103.5	2.37	1.14	0.07	0.27	0.09	24	0.98	247	36.9	0.02
RIM32125	28.5	9	0.5	81.7	3.42	1.11	0.09	0.24	0.08	15.6	0.85	343	22.3	0.02
RIM32191	20.7	21	0.73	95.3	2.3	0.84	0.09	0.15	0.07	11.7	0.57	246	35.5	0.02
RIM32422	18.7	10	0.56	79.3	2.68	0.91	0.09	0.18	0.07	10.2	0.84	411	26.9	0.01
RIM32241	32.8	11	0.38	16.3	2.24	0.64	0.07	0.03	0.04	16.2	0.2	304	4.43	-0.01
ANG32871	15.25	13	1.09	161.5	4.54	2.54	0.11	0.06	0.12	7.9	0.16	282	39.4	0.07
RIM32221	27.9	17	0.73	78.9	2.74	1.66	0.1	0.1	0.06	15.6	0.51	2100	21.1	-0.01
RIM32246	18	14	0.45	110.5	2.25	0.89	0.09	0.2	0.05	11.6	0.34	200	22.6	0.01
RIM30681	15.45	11	0.57	132	1.75	1.03	0.07	0.14	0.05	8.9	0.48	150	18.85	0.03
RIM32417	18.85	12	0.64	79.4	1.96	1.3	0.09	0.28	0.04	12.5	0.24	208	39.5	0.03
RIM32687	26.5	23	0.67	154	2.16	2.22	0.16	0.29	0.07	18.5	0.2	182	64.2	-0.01
RIM32698	15.2	12	0.92	61.2	2.82	1.8	0.1	0.06	0.12	8.6	0.06	117	39.1	-0.01
RIM32229	24.2	9	1.32	106.5	3.09	1	0.09	0.25	0.06	13.5	1.83	148	56.2	-0.01
RIM32581	17	26	0.51	128	1.48	1.12	0.13	0.75	0.04	13.5	0.3	320	38.8	-0.01
RIM32386	19.9	6	0.57	62.2	2.23	0.82	0.09	0.07	0.05	11.8	0.26	207	26.9	0.03
RIM30699	29.2	6	0.93	35	3.69	1.11	0.06	0.06	0.12	15.7	0.26	208	7.1	-0.01
RIM32686	31.2	62	1.06	200	1.28	1.39	0.13	0.71	0.06	27.5	0.26	160	50.8	-0.01
RIM30638	21.1	6	0.53	67.7	1.94	0.92	0.09	0.14	0.05	13.1	0.78	177	30.4	0.04
RIM30629	24	8	0.47	68.1	2.48	1.01	0.06	0.13	0.04	13.7	0.14	239	10.4	0.01
RIM32575	21.7	18	0.67	135.5	2.78	1.43	0.09	0.06	0.12	12.9	0.03	233	15.6	-0.01
RIM32411	20	12	0.35	69.9	2.42	1.33	0.07	0.17	0.05	11.9	0.5	332	11.3	0.01
RIM32209	19.9	12	0.58	72.1	1.97	0.86	0.1	0.1	0.05	12.3	0.62	146	35.7	-0.01
RIM30635	32.6	9	1.24	84.9	3.6	1.9	0.15	0.04	0.13	17.9	0.1	153	35.5	0.04
RIM32438	31.4	8	1.39	51.9	4.02	1.52	0.08	0.03	0.04	16.1	0.8	282	6.21	0.01
RIM32230	34.2	17	1.16	103	3.14	1.6	0.1	0.18	0.09	19.3	1.24	178	43.6	-0.01
RIM32480	42.2	4	1.02	55.8	1.75	0.58	0.05	0.06	0.04	20.8	0.82	207	6.54	-0.01
RIM32625	27.3	12	0.87	85.5	3.05	0.78	0.07	0.23	0.06	15.3	1.07	256	22.3	-0.01
RIM32478	18.45	14	0.91	179.5	2.33	1.29	0.17	0.69	0.05	14.6	0.2	439	56.7	-0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
RIM30620	70.8	1410	23.6	0.11	8.86	4	83.9	0.06	11.2	0.11	2.13	367	VA08135688
RIM32385	164	1590	26.5	0.09	21	16.2	181.5	0.2	3.4	0.16	3.81	1070	VA08137124
RIM32412	124	2680	87.9	0.06	32	3.5	97.6	0.16	2.8	0.08	3	488	VA08137124
RIM32428	76.8	1260	32.1	0.04	11.05	3.3	39.6	0.06	7.7	0.1	1.5	384	VA08137124
RIM32155	59	700	15	0.08	9.78	2	119	0.03	8.9	0.15	1.24	203	VA08135688
RIM32382	144.5	1830	14.3	0.03	25.3	8.2	116	0.18	5.5	0.17	1.66	968	VA08137124
RIM32240	44.2	700	11.4	0.02	1.33	1.3	14.8	0.05	4.4	0.04	0.91	56	VA08135688
RIM32577	242	1970	24.1	0.03	26.3	15.7	75	0.16	5.2	0.21	3.13	607	VA08137124
RIM32738	42.2	700	5.7	0.05	1.57	1.4	47.7	0.04	5.3	0.04	0.8	79	VA08137124
RIM32996	88.9	1520	19	0.11	11.05	3.5	88.7	0.13	2.1	0.09	2.03	393	VA08137124
RIM32988	209	1730	24.1	0.11	44.1	24.2	80.6	0.19	2.3	0.25	3.75	1360	VA08137124
RIM32187	194	1640	18.4	0.08	22.1	15.7	211	0.24	3.9	0.28	4.59	1430	VA08135688
ANG32854	62.1	1210	12.2	0.06	6.88	1.6	94	0.05	6.7	0.09	1.13	257	VA08137124
RIM32164	136.5	1850	17.5	0.09	15.95	12.1	160	0.25	4.3	0.23	5.76	961	VA08135688
RIM32301	70.1	1580	34.2	0.1	10.5	4.6	64.6	0.37	0.8	0.09	3.68	343	VA08137124
RIM30689	70.6	2190	6	0.03	1.99	3.2	57.5	0.08	8.4	0.09	2.31	40	VA08135688
RIM32307	128	2360	26.1	0.06	21.5	30.6	227	0.33	0.8	0.33	4.7	686	VA08137124
RIM32384	135.5	1580	25.5	0.07	18.9	12.1	96.5	0.18	3	0.18	4.04	926	VA08137124
RIM32739	36.8	920	7.7	0.02	1.54	1.2	30.4	0.04	7.1	0.04	0.52	85	VA08137124
RIM32243	74.7	1120	17.4	0.04	9.93	3.5	90.5	0.12	4.2	0.08	1.17	200	VA08135688
RIM32426	87.9	1010	24.6	0.06	4.67	1.6	102	0.03	7.9	0.08	1.03	306	VA08137124
RIM30512	79	1130	15.6	0.03	4.3	4.3	19.6	0.08	6.4	0.05	1.59	449	VA08135688
RIM32572	25.8	1240	5.9	0.01	7.53	0.7	55.3	0.03	11.8	0.04	0.48	18	VA08137124
RIM32626	172	4390	43.1	0.13	9.19	8	110.5	0.2	8.3	0.23	21.7	586	VA08137124
RIM32383	109.5	1640	22.2	0.13	15.55	10.3	124	0.18	7	0.2	2.59	736	VA08137124
RIM32162	180	3060	24.2	0.07	20.5	9.6	122.5	0.2	3.6	0.31	16.65	992	VA08135688
RIM32631	57.3	1700	22.4	0.46	7.35	14.5	122	0.26	3.8	0.21	8.07	362	VA08137124
RIM32627	261	2640	59.6	0.04	29.5	30.1	259	0.18	6	0.35	4.5	1445	VA08137124
RIM32366	61.2	1160	15.9	0.06	10.8	2.8	99	0.05	10.2	0.12	1.49	245	VA08137124
RIM32328	125.5	1220	26	0.1	14.3	7	150.5	0.11	1	0.12	2.22	607	VA08137124
RIM32984	87.1	770	17.9	0.15	16	3.6	81.4	0.07	5.4	0.13	2.19	612	VA08137124
RIM32014	223	1700	31.3	0.12	25.5	18.4	103	0.22	6.3	0.4	4.06	1110	VA08135688
RIM32359	140	1500	23.8	0.06	15.15	8.2	171.5	0.21	4.2	0.14	4.76	847	VA08137124
RIM30624	96.5	1280	23.2	0.08	10.65	3.6	119	0.1	3.1	0.12	2.28	568	VA08135688
RIM32173	151	1930	22	0.05	13.25	7.6	92.5	0.13	4.7	0.15	2.74	644	VA08135688
RIM32125	114	2060	39.3	0.14	29.6	4.3	116.5	0.16	1.9	0.13	2.93	547	VA08135688
RIM32191	180	1530	18.2	0.07	19.85	15	190	0.2	3.6	0.24	4.3	1275	VA08135688
RIM32422	122.5	2000	29.5	0.1	12.75	12.3	141.5	0.14	3.6	0.18	2.91	791	VA08137124
RIM32241	39.3	540	5.7	0.01	1.22	1.3	15.1	0.04	3.5	0.04	0.53	26	VA08135688
ANG32871	47.1	2090	24.4	0.5	8.61	12.2	176	0.35	1.2	0.15	8.01	231	VA08137124
RIM32221	88.8	1780	34	0.06	10	7.9	118	0.19	4.4	0.16	2.04	501	VA08135688
RIM32246	164.5	1410	17.2	0.12	18.3	11.7	169	0.15	2	0.15	2.16	847	VA08135688
RIM30681	110.5	1600	18.8	0.15	12.75	5.6	177	0.09	1.7	0.15	6.69	605	VA08135688
RIM32417	183	1270	18.1	0.06	25.2	10.1	120	0.16	3.2	0.2	2.3	1295	VA08137124
RIM32687	239	1880	19.1	0.08	30.1	29	195	0.28	3.5	0.79	5.78	1280	VA08137124
RIM32698	36.7	1970	26.4	0.33	20.1	18.3	472	0.29	0.9	0.41	3.17	221	VA08137124
RIM32229	114	1590	23.9	0.06	26.9	5.7	107	0.07	10.1	0.19	3.33	752	VA08135688
RIM32581	159.5	1710	20.3	0.16	23.5	21.8	97.6	0.16	1.6	0.29	7	949	VA08137124
RIM32386	115.5	1440	24.1	0.07	16.2	12.4	128	0.15	2.9	0.13	2.23	707	VA08137124
RIM30699	47.1	830	15.3	0.05	9.49	1.3	35.7	0.03	4.1	0.09	0.81	153	VA08135688
RIM32686	209	2330	11.2	0.01	37.8	24	158	0.23	3.8	0.37	3.88	808	VA08137124
RIM30638	116	1500	18.7	0.1	19.1	10.8	169.5	0.14	2.7	0.16	3.72	868	VA08135688
RIM30629	71.4	1150	25.9	0.08	13.2	2.4	56	0.1	2.1	0.08	1.56	299	VA08135688
RIM32575	59.1	1610	21.8	0.28	14.15	12.1	241	0.16	3.8	0.2	3.65	298	VA08137124
RIM32411	84.8	1690	28.7	0.1	14.2	4.2	89.7	0.12	1.2	0.09	1.9	267	VA08137124
RIM32209	121.5	1680	17.3	0.09	18.25	11.8	161.5	0.1	4.5	0.15	2.34	820	VA08135688
RIM30635	55.9	1430	30.3	0.39	9.58	21.1	375	0.32	4.8	0.21	5.65	304	VA08135688
RIM32438	57	1110	15.9	0.06	8.83	1.9	63.4	0.03	7.6	0.07	1.09	165	VA08137124
RIM32230	125.5	3490	25.2	0.05	26	4.9	90.9	0.11	9.6	0.21	4.02	667	VA08135688
RIM32480	72.3	490	18	-0.01	7.82	1.1	32.9	0.11	6.8	0.06	1.04	225	VA08137124
RIM32625	139	1880	44.2	0.02	11.2	4.2	98.6	0.17	4.3	0.16	2.5	574	VA08137124
RIM32478	226	1460	20.7	0.08	33.6	32.1	114.5	0.19	2.1	0.43	6.44	1475	VA08137124

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
RIM32991	NAD83-8	342791	6837402	8	2.54	0.42	39.3	1450	0.55	0.24	2.86	6.23	9.7
RIM32008	NAD83-8	342544	6838260	5	2.61	0.65	39	5740	0.24	0.15	0.66	31.3	10.3
RIM30680	NAD83-8	658349	6839150	1	3.23	0.25	38.8	370	0.42	0.1	3.9	15.95	4.2
RIM32166	NAD83-8	343800	6836969	1	2.11	0.62	38.6	3450	0.29	0.17	0.89	18.9	11.9
RIM32124	NAD83-8	342620	6837511	17	0.99	0.71	37.8	530	0.31	0.45	0.96	2.03	25.9
RIM32104	NAD83-8	343590	6837047	3	0.97	0.57	37.7	1990	0.33	0.16	0.37	6.85	6
ANG32859	NAD83-8	658828	6838783	1	3.69	0.45	37.7	450	0.74	0.15	1.93	26.5	11.6
ANG32870	NAD83-8	341445	6839158	3	2.54	0.78	37.6	2820	0.38	0.24	0.7	6.1	9
RIM32309	NAD83-8	341534	6839509	10	1.52	0.67	37.4	1670	0.26	0.34	0.32	6.43	12.2
RIM32331	NAD83-8	342544	6838260	7	2.18	0.61	37.1	5420	0.22	0.15	0.62	24.9	9.4
RIM32245	NAD83-8	342778	6837932	13	0.79	0.44	37	3200	0.23	0.17	1.65	8.02	8.7
RIM32475	NAD83-8	658645	6838883	10	0.78	0.27	36.9	90	0.48	0.17	1.18	1.33	10.3
RIM32380	NAD83-8	342125	6838420	3	1.7	0.35	36.8	2120	0.3	0.13	1.14	15	6.4
RIM32310	NAD83-8	341499	6839474	9	0.97	0.74	36.7	1290	0.42	0.28	0.91	3.16	15.7
RIM33000	NAD83-8	343121	6837706	4	1.45	0.73	36.7	2150	0.4	0.23	0.37	7	7.9
ANG32860	NAD83-8	658861	6838822	5	2.42	0.27	36.6	200	0.51	0.14	1.87	21.2	8.5
RIM30639	NAD83-8	342914	6836157	1	0.27	0.33	36.6	110	0.51	0.16	3.1	1.16	14.8
RIM32117	NAD83-8	342364	6837273	5	1.21	0.51	36.4	170	0.71	0.23	3.36	3.05	19
RIM30682	NAD83-8	341507	6838947	3	0.88	0.2	36.4	1950	0.16	0.14	4.37	15.8	7.4
RIM32408	NAD83-8	658200	6839283	-1	3.04	0.38	36.3	710	0.57	0.15	1.4	28.1	7.3
RIM32182	NAD83-8	342458	6837907	5	0.23	0.26	36	170	0.3	0.18	0.8	0.26	9.5
RIM32189	NAD83-8	342752	6838182	7	0.98	0.46	35.7	3500	0.23	0.16	1.06	22.2	8.6
RIM32982	NAD83-8	342496	6837132	7	1.4	0.54	35.6	210	0.75	0.27	3.39	4.57	17.2
RIM29938	NAD83-8	342915	6836971	6	0.39	0.27	35.6	60	0.38	0.18	4.39	1.1	15.3
RIM32995	NAD83-8	342935	6837538	6	0.8	0.38	35.5	410	0.29	0.2	1.66	1.46	10.5
RIM32303	NAD83-8	658446	6838666	4	0.96	0.4	35.3	260	0.76	0.25	3.58	2.22	20
RIM32737	NAD83-8	341152	6839702	3	0.48	0.41	35	370	0.33	0.19	1	1.63	11.9
RIM30686	NAD83-8	341693	6839112	4	0.98	0.72	34.7	1040	0.42	0.55	0.6	4.26	11.7
RIM30618	NAD83-8	341745	6837798	2	1.03	0.36	34.7	140	0.64	0.23	3.56	3.32	19.2
RIM32742	NAD83-8	341598	6837663	-1	1.65	2.5	34.7	120	0.69	0.4	1.17	3.5	29.6
RIM32312	NAD83-8	341424	6839410	27	2.67	0.84	34.4	530	0.28	0.62	0.29	7.92	19.8
RIM32133	NAD83-8	342989	6837852	18	0.84	0.41	34.4	2320	0.25	0.13	1.99	7.99	5.3
RIM32983	NAD83-8	342533	6837166	8	1.64	0.17	34.4	230	0.71	0.29	2.82	3.86	17.9
RIM32476	NAD83-8	658679	6838920	2	0.94	0.32	34.3	90	0.41	0.17	2.76	3.67	10.1
RIM32103	NAD83-8	343554	6837013	1	1.34	0.61	34.3	3090	0.32	0.15	0.54	17.6	6.2
RIM32006	NAD83-8	343393	6837411	6	1.28	0.55	34	1880	0.39	0.25	1.44	6.69	12.8
RIM32213	NAD83-8	342039	6838884	2	0.92	0.63	33.9	1660	0.34	0.24	0.4	5.25	7.8
RIM32622	NAD83-8	658666	6839205	11	0.69	0.21	33.6	130	0.42	0.18	1.2	1.94	9
RIM32004	NAD83-8	342843	6836903	3	0.35	0.19	33.5	60	0.51	0.19	6.33	0.36	18.5
RIM32700	NAD83-8	658823	6839667	6	0.68	0.46	33.3	850	0.46	0.33	0.95	1.8	20.9
RIM32367	NAD83-8	341685	6838013	4	0.88	0.4	33.2	110	0.61	0.23	2.45	2.02	20.2
RIM32304	NAD83-8	341163	6839175	16	1.95	0.42	32.9	550	0.75	0.24	2.65	3.89	11.5
RIM32579	NAD83-8	658568	6839094	3	3.23	0.56	32.7	440	0.45	0.12	1.33	29.4	8.9
RIM32379	NAD83-8	342088	6838385	6	1.7	0.73	32.6	4820	0.38	0.2	0.85	2.75	7.9
RIM32218	NAD83-8	341754	6838897	1	1.51	0.47	32.6	2440	0.26	0.17	0.61	7.79	6.7
RIM32903	NAD83-8	343099	6837140	5	0.64	0.45	32.3	730	0.38	0.23	1.49	1.78	13.3
RIM32381	NAD83-8	342163	6838454	8	1.65	0.49	32.1	3280	0.23	0.17	0.66	10.05	7
RIM32499	NAD83-8	341407	6838317	7	0.49	0.5	32.1	120	0.41	0.17	0.95	0.85	12
RIM32186	NAD83-8	342603	6838045	1	0.56	1.65	32.1	10000	0.29	0.1	8.38	19.35	16.4
ANG32867	NAD83-8	341333	6839057	12	1.41	0.39	31.9	520	0.47	0.22	1.1	3.03	9.8
RIM32699	NAD83-8	658789	6839629	9	1.26	0.31	31.9	1670	0.38	0.22	2.19	15.85	9.9
RIM32989	NAD83-8	342718	6837333	9	1.06	0.36	31.9	2270	0.35	0.24	2.51	1.99	10.5
RIM32633	NAD83-8	341362	6839621	8	1.66	0.71	31.9	1420	0.3	0.45	0.38	8.21	9.5
RIM32498	NAD83-8	341369	6838283	5	0.52	0.72	31.9	150	0.54	0.28	1.19	0.91	14.1
RIM32680	NAD83-8	658145	6838927	3	0.61	0.35	31.8	110	0.5	0.2	1.37	0.9	13.5
RIM32183	NAD83-8	342496	6837944	3	0.2	0.26	31.6	360	0.29	0.16	1.78	0.2	10
RIM30694	NAD83-8	342925	6836440	1	0.6	0.59	31.6	90	0.51	0.2	6.1	2.11	21.2
RIM32225	NAD83-8	341569	6838729	1	1.31	0.44	31.5	490	0.38	0.16	1.44	5.67	10.7
ANG32862	NAD83-8	341148	6838891	24	0.77	0.22	31.3	90	0.29	0.17	4.93	5.33	12.6
RIM32326	NAD83-8	341358	6838813	24	1.56	0.42	31.3	800	0.5	0.25	3.4	2.06	8.9
ANG32869	NAD83-8	341408	6839125	3	1.68	0.93	31.2	4910	0.31	0.23	0.61	28.4	13.7
RIM32129	NAD83-8	342843	6837715	5	1.05	0.31	31.1	490	0.33	0.16	2.53	1.71	8.6

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hg_ppm	K_pct	La_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
RIM32991	23.6	18	0.42	110.5	2.96	1.03	0.07	0.29	0.08	14.2	0.87	242	25.2	0.01
RIM32008	19.3	11	0.82	118.5	1.66	1.25	0.08	0.29	0.05	11.7	0.05	262	27.9	0.07
RIM30680	24.1	40	0.71	196.5	1.27	1.08	0.14	0.6	0.04	19.9	0.24	154	47.8	0.01
RIM32166	17.55	14	0.71	102	2	1.48	0.08	0.24	0.04	11.2	0.09	534	31.6	0.02
RIM32124	26.2	11	1.22	116.5	4.69	1.72	0.08	0.16	0.09	13.4	0.51	675	6.13	0.01
RIM32104	26.5	12	0.86	59.9	2.14	1.65	0.07	0.07	0.05	15.9	0.1	163	21.8	0.01
ANG32859	30.2	20	0.77	127	2.14	1.89	0.14	0.32	0.07	22	0.31	239	65.4	0.01
ANG32870	14.7	13	0.85	85	2.49	2.24	0.09	0.07	0.07	7.9	0.11	141	36.4	0.02
RIM32309	23.9	13	1.26	73.5	3.56	2.19	0.1	0.04	0.09	13.1	0.13	274	30.6	0.02
RIM32331	18.5	10	0.88	99.9	1.55	1.29	0.07	0.22	0.06	11.7	0.05	225	30.6	0.01
RIM32245	17.65	16	0.37	89.2	2.04	0.95	0.06	0.09	0.06	9.8	0.45	242	14.5	0.02
RIM32475	15.4	4	0.35	36.4	2.13	0.67	0.05	0.06	0.04	7.8	0.26	410	6.85	0.01
RIM32380	21.9	11	0.99	83.4	1.87	1.08	0.09	0.18	0.04	14.9	0.15	123	36.7	0.01
RIM32310	27.8	13	1.66	72.9	3.55	2.21	0.08	0.04	0.08	14.6	0.59	706	17.9	0.01
RIM33000	25.4	12	0.89	78.8	2.93	1.68	0.08	0.06	0.07	15.4	0.15	285	16.7	0.01
ANG32860	22.6	10	0.52	101	2.11	0.79	0.11	0.84	0.05	16.6	0.56	181	49.6	0.01
RIM30639	70.9	1	2	24.7	2.38	0.78	0.07	0.04	0.06	36.6	0.59	183	4	-0.01
RIM32117	29.4	10	1.18	77.6	3.19	1.42	0.1	0.12	0.07	15.4	1.64	192	32.1	0.01
RIM30682	15.65	5	0.5	67.8	1.98	0.5	0.08	0.06	0.03	10.8	0.81	151	50.2	0.02
RIM32408	21.3	18	0.52	141	2.13	1.78	0.13	0.6	0.04	15.8	0.37	212	45.4	0.01
RIM32182	40.9	13	0.42	27.9	1.89	0.62	0.05	0.07	0.05	21	0.35	221	5.16	0.01
RIM32189	19.6	13	0.74	56.5	2.09	0.79	0.08	0.1	0.07	10.6	0.11	279	31	0.02
RIM32982	37.7	14	1.36	86.1	2.94	1.54	0.08	0.26	0.08	21.6	1.55	200	44.8	0.01
RIM29938	31.4	4	0.5	43.6	3.23	0.93	0.08	0.05	0.04	17	0.94	277	6.82	-0.01
RIM32995	24.9	7	0.62	47.6	2.59	0.9	0.05	0.07	0.06	13	0.62	274	7.87	0.01
RIM32303	24.9	10	0.73	66.7	3.66	1.21	0.08	0.11	0.07	13.1	1.28	214	40.1	-0.01
RIM32737	31.3	7	0.39	40.6	2.81	1.12	0.05	0.04	0.04	16.5	0.25	431	4.57	-0.01
RIM30686	30.8	12	0.73	99	2.64	2.27	0.07	0.07	0.06	18.1	0.24	420	12.65	0.01
RIM30618	40.3	6	1.71	65	3.41	1.16	0.09	0.06	0.08	22.7	1.19	230	28.2	0.01
RIM32742	32.8	31	1.65	68.3	5.29	6.56	0.11	0.27	0.04	16.5	2.27	208	20.6	-0.01
RIM32312	23.8	17	1.17	111.5	5.46	2.58	0.13	0.06	0.12	12.6	0.16	431	43.1	0.02
RIM32133	16.9	8	0.44	48.2	1.73	1.25	0.07	0.11	0.03	9.8	0.2	220	8.03	0.02
RIM32983	20	5	0.75	101	3.44	0.5	0.07	0.18	0.05	11.4	1.36	140	56.6	0.01
RIM32476	28.1	8	0.65	66.8	2.65	1.03	0.11	0.33	0.04	15.6	1.35	227	56.5	0.01
RIM32103	22.1	10	0.87	68.8	1.97	1.61	0.05	0.12	0.05	13.8	0.11	240	20	0.02
RIM32006	24.5	9	0.72	68.1	2.95	1.58	0.08	0.11	0.05	13.7	0.52	286	15.2	0.02
RIM32213	28.3	28	0.85	47.7	2.34	1.98	0.09	0.07	0.06	15.1	0.21	181	15.7	-0.01
RIM32622	36.4	4	0.67	42	1.82	0.5	0.05	0.07	0.04	18	0.4	144	10.65	-0.01
RIM32004	28.9	3	1.98	45.9	2.29	0.56	0.05	0.03	0.04	15.7	0.52	179	3.12	-0.01
RIM32700	38.7	7	0.78	64.2	4.03	1.18	0.06	0.03	0.04	19.9	0.25	458	6.33	-0.01
RIM32367	41.8	6	1.38	53.6	3.46	1.18	0.06	0.03	0.05	22.7	0.67	236	10.45	0.01
RIM32304	34	14	0.36	93.8	3.22	0.95	0.09	0.3	0.09	18.7	0.56	395	21.4	0.01
RIM32579	24.6	20	0.82	94.4	1.95	1.79	0.13	0.53	0.06	15.5	0.21	259	50.6	-0.01
RIM32379	22.5	14	0.58	75.5	2.35	1.91	0.06	0.19	0.04	13.4	0.17	202	16.3	0.01
RIM32218	23	16	0.69	70.5	1.92	1.47	0.09	0.08	0.05	13.9	0.18	196	25.8	-0.01
RIM32903	32.7	6	0.72	52.7	2.91	0.96	0.06	0.05	0.05	16.5	0.53	231	11.6	0.01
RIM32381	24.6	9	0.62	50.2	1.81	1.24	0.06	0.09	0.05	14.9	0.12	166	23.3	-0.01
RIM32499	23.6	6	0.5	37.3	2.82	1.37	-0.05	0.04	0.04	12.7	0.19	316	3.99	-0.01
RIM32186	12.8	26	1.35	181.5	3.22	1.75	0.19	0.08	0.15	7.7	5.29	543	41.3	0.07
ANG32867	28.3	10	0.48	62.1	2.93	1.12	0.08	0.13	0.05	15.4	0.26	391	12.7	0.01
RIM32699	21.1	12	0.57	63	2.25	0.82	0.07	0.23	0.06	12.1	0.53	506	19.85	-0.01
RIM32989	20.4	8	0.34	60.2	2.69	0.85	0.06	0.09	0.07	11.5	0.97	218	11.9	0.01
RIM32633	26.4	10	1.46	68.6	2.42	2.11	0.07	0.07	0.07	14.4	0.15	278	16.35	-0.01
RIM32498	38.9	14	0.89	54.7	3.47	2.06	0.06	0.07	0.07	20.9	0.52	272	6.96	-0.01
RIM32680	38.6	7	0.61	38.3	3.56	1.01	0.06	0.03	0.04	21	0.5	273	4.61	-0.01
RIM32183	47.2	8	0.86	32.1	1.61	0.51	-0.05	0.02	0.05	24.2	0.81	163	5.55	0.01
RIM30694	27.1	6	1.29	45	3.25	1.52	0.07	0.12	0.04	14.8	0.95	240	5.84	-0.01
RIM32225	30.7	12	0.36	49.5	2.71	1.33	0.1	0.18	0.04	18.3	0.35	180	19.55	-0.01
ANG32862	21.9	5	0.39	56.1	2.79	0.49	0.06	0.09	0.04	10.8	2.29	357	8.72	0.01
RIM32326	18.95	13	0.36	64.6	2.78	1.34	0.07	0.18	0.09	10.4	1	332	11.7	0.01
ANG32869	21.7	14	0.96	76.9	2.47	2.61	0.06	0.07	0.09	11.6	0.16	420	21	0.02
RIM32129	22.5	7	0.41	56.3	2.34	0.75	0.06	0.17	0.05	11.8	0.65	233	7.78	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
RIM32991	135.5	2450	37.5	0.12	22.4	4.9	118	0.18	3	0.16	3.37	514	VA08137124
RIM32008	158.5	1860	16.1	0.08	17.15	10.2	183.5	0.29	3	0.32	6.42	966	VA08135688
RIM30680	191.5	2180	11.4	0.03	36.6	23.6	158.5	0.21	3.2	0.27	3.65	772	VA08135688
RIM32166	94.7	2330	15.6	0.1	16.1	12.2	173	0.19	1.5	0.16	6.28	593	VA08135688
RIM32124	99.2	940	42.2	0.07	3.89	2.4	50.2	0.2	5.1	0.12	2.25	309	VA08135688
RIM32104	99.4	2280	25.3	0.04	16.45	6.9	68	0.17	1.8	0.17	2.66	649	VA08135688
ANG32859	286	1490	17.5	0.05	24.9	17.5	98.9	0.21	3.7	0.42	3.16	2370	VA08137124
ANG32870	89.3	1760	32.1	0.16	16.8	10.4	150.5	0.2	0.9	0.16	6.22	454	VA08137124
RIM32309	111	1770	22.6	0.2	11.45	10.2	109.5	0.19	1.9	0.2	4	617	VA08137124
RIM32331	148	1860	13.9	0.06	18.1	10.3	174.5	0.28	2.9	0.28	5.56	983	VA08137124
RIM32245	83.4	1250	14.6	0.12	11.7	7.1	172	0.16	2.2	0.14	2.06	407	VA08135688
RIM32475	60.7	1050	228	0.07	69.7	3.1	33.4	0.04	2.8	0.04	1.23	206	VA08137124
RIM32380	161.5	1780	13.7	0.07	21.8	13.8	134	0.15	2.9	0.19	2.82	1140	VA08137124
RIM32310	133.5	1580	27.2	0.11	9.35	5.5	60.1	0.13	5	0.18	2.52	499	VA08137124
RIM33000	78.6	2060	21.2	0.12	13.5	7.3	127.5	0.17	2.3	0.17	3.66	414	VA08137124
ANG32860	218	1250	17	0.11	25.5	14.3	130	0.15	3	0.33	2.74	1650	VA08137124
RIM30639	32.3	710	19	0.02	3.18	0.8	105	0.01	14.4	0.09	0.94	153	VA08135688
RIM32117	96.8	1920	22.6	0.18	17	5.1	101	0.07	8.7	0.14	3.68	561	VA08135688
RIM30682	177	1630	14.3	0.06	27.6	12.5	281	0.12	4.9	0.22	3.65	1300	VA08135688
RIM32408	228	1350	22.2	0.05	28.7	17.9	109.5	0.25	2.4	0.34	4.14	1725	VA08137124
RIM32182	44.8	670	8.3	-0.01	1.25	1.2	18.2	0.06	6.2	0.03	0.8	44	VA08135688
RIM32189	138	1740	16.3	0.08	20.7	14.4	154	0.23	2.9	0.19	3.11	1015	VA08135688
RIM32982	130.5	2210	22	0.04	15.6	4.7	88.5	0.1	9.6	0.15	3.49	669	VA08137124
RIM29938	41.3	1570	16.8	0.07	4.95	1.3	103	0.03	9.7	0.05	1.11	154	VA08135688
RIM32995	60.3	1190	20.5	0.08	7.63	2.1	47.8	0.09	2.3	0.08	1.17	178	VA08137124
RIM32303	100	1600	24.1	0.13	6.03	4.4	124.5	0.09	5	0.22	2.63	395	VA08137124
RIM32737	39.2	810	11.5	0.03	2.45	1.6	37.7	0.06	4.7	0.04	1.01	162	VA08137124
RIM30686	58.7	1270	20.9	0.05	5.83	4	44.6	0.09	2.5	0.11	2.73	303	VA08135688
RIM30618	86.9	1850	20	0.08	9.42	3.6	82.2	0.05	10.4	0.15	2.42	488	VA08135688
RIM32742	72.3	1120	43.7	0.06	6.18	2.8	57.9	0.07	22.4	0.11	2.51	486	VA08137124
RIM32312	132	1880	28.1	0.33	8.96	16.7	134	0.25	3.7	0.22	10.6	796	VA08137124
RIM32133	56.1	1060	22	0.13	8.06	6.6	150	0.11	1.3	0.08	1.65	366	VA08135688
RIM32983	129	820	24.2	0.27	16.55	6.3	73.8	0.12	8.1	0.13	3.01	862	VA08137124
RIM32476	117.5	830	24.9	-0.01	16.2	16.2	46.3	0.05	6.5	0.43	2.54	513	VA08137124
RIM32103	101	2050	17.9	0.05	16.3	6.7	81.3	0.17	2	0.17	2.81	858	VA08135688
RIM32006	79.7	1560	23	0.08	8.72	5.2	98.8	0.12	4.3	0.12	2.92	436	VA08135688
RIM32213	76.7	1240	19.2	0.08	8.2	5.5	90.1	0.09	4.1	0.13	1.9	411	VA08135688
RIM32622	67	850	17.8	0.02	6.17	2.5	34.8	0.07	4.7	0.08	1.33	308	VA08137124
RIM32004	35.5	830	9.5	0.06	6.16	1.1	75.2	0.03	10.4	0.07	0.97	51	VA08135688
RIM32700	80.1	1160	14.2	0.04	3.3	1.9	39.9	0.07	7.5	0.06	1	266	VA08137124
RIM32367	55.3	1130	14.7	0.04	7.98	2.3	64.3	0.05	7.8	0.09	1.19	273	VA08137124
RIM32304	121.5	1790	51.8	0.12	11.5	5	137	0.15	4.4	0.15	3.28	443	VA08137124
RIM32579	211	1740	15	0.09	25.1	23.5	161.5	0.18	1.5	0.46	7.11	2170	VA08137124
RIM32379	92.1	1110	18	0.07	11.05	6.8	114.5	0.14	1.2	0.11	4.01	442	VA08137124
RIM32218	98.6	1650	24.5	0.06	13.65	9.7	116.5	0.15	3.7	0.13	3.53	583	VA08135688
RIM32903	74.2	850	25.9	0.09	2.93	2.1	47.1	0.07	6.6	0.07	1.15	395	VA08137124
RIM32381	103	1620	13.4	0.04	17.65	7.3	122	0.15	4.7	0.14	2.08	830	VA08137124
RIM32499	33.2	960	12.3	0.02	4.26	1.2	43.7	0.05	3.1	0.04	1.05	118	VA08137124
RIM32186	272	1880	17	-0.01	16.9	31.9	1420	0.26	6.2	0.73	4.41	1660	VA08135688
ANG32867	89.2	2070	33.1	0.06	8.81	3.4	46.8	0.12	2.5	0.08	1.68	335	VA08137124
RIM32699	103.5	2140	28.6	0.06	9.93	9.6	145.5	0.15	2.8	0.16	2.85	754	VA08137124
RIM32989	75.8	1520	25.4	0.12	12.95	3.7	84	0.09	3.1	0.07	1.29	270	VA08137124
RIM32633	89.8	1400	35.1	0.1	11.25	7.1	69.1	0.18	1.9	0.16	3.98	860	VA08137124
RIM32498	44.3	890	15.6	0.02	6.74	1.2	44.4	0.06	7.2	0.1	0.98	143	VA08137124
RIM32680	36.3	1080	12	-0.01	7.39	1.1	43.5	0.04	6	0.04	0.67	123	VA08137124
RIM32183	47.4	620	9.1	-0.01	1.18	0.9	35.7	0.03	9	0.02	1.07	39	VA08135688
RIM30694	42.6	740	18.3	0.08	4.43	3.3	118	0.03	10.6	0.11	1.11	221	VA08135688
RIM32225	103	880	14.9	-0.01	12.5	6.3	75.9	0.06	4.9	0.07	1.42	751	VA08135688
ANG32862	77.3	1120	19.1	0.02	4.11	2.6	82.8	0.06	4.4	0.07	1.2	283	VA08137124
RIM32326	78.5	1790	27.9	0.15	5.85	4.2	103.5	0.13	1.7	0.12	1.81	307	VA08137124
ANG32869	85.2	2050	22.7	0.1	13.35	5.5	162	0.15	1	0.18	3.31	722	VA08137124
RIM32129	62.4	1500	18.6	0.12	5.63	2.6	96.6	0.09	2.4	0.08	1.06	170	VA08135688

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
RIM32327	NAD83-8	341395	6838845	9	1.02	0.62	31	1010	0.4	0.26	1.37	4.73	11.6
RIM32999	NAD83-8	343085	6837673	4	1.05	0.73	31	1280	0.38	0.32	0.14	1.73	7.1
RIM32398	NAD83-8	342436	6838157	5	1.09	0.31	30.9	920	0.27	0.17	1.37	5.57	8.1
RIM32571	NAD83-8	658297	6838799	1	0.63	0.25	30.9	80	0.51	0.21	2.05	1.35	16.3
RIM30514	NAD83-8	341567	6838730	2	1.33	0.48	30.8	400	0.4	0.15	1.55	6.2	10.1
RIM30838	NAD83-8	343428	6837444	14	0.98	0.73	30.6	880	0.42	0.35	0.19	2.17	11.7
RIM32419	NAD83-8	658572	6839690	38	0.74	0.82	30.5	1120	0.41	0.29	0.14	4.15	9.7
RIM32105	NAD83-8	343626	6837080	2	0.71	0.74	30.5	3370	0.34	0.22	0.19	5.59	6.3
RIM30947	NAD83-8	658544	6838773	7	0.67	0.3	30.4	160	0.45	0.21	1.45	1.37	14.3
RIM32131	NAD83-8	342917	6837786	6	0.99	0.4	30.4	1170	0.3	0.15	1.65	2.72	7.5
RIM32629	NAD83-8	341211	6839489	24	3.21	0.86	30.2	1470	0.25	0.41	0.4	2.75	6.4
RIM32681	NAD83-8	658181	6838966	6	0.93	0.54	30.2	150	0.46	0.21	0.8	1.84	10.4
RIM32305	NAD83-8	341199	6839210	9	1.11	0.24	29.9	600	0.51	0.29	6.29	2.06	15.9
RIM32368	NAD83-8	341722	6838045	4	0.86	0.47	29.9	260	0.46	0.16	3.29	4.17	15.1
ANG32856	NAD83-8	658729	6838675	11	0.88	0.39	29.8	120	0.32	0.12	0.91	2.06	8.4
RIM30622	NAD83-8	341894	6837934	7	1.29	0.47	29.8	1170	0.34	0.17	1.96	4.25	8.1
RIM32237	NAD83-8	342484	6837659	10	0.5	0.2	29.7	470	0.29	0.24	2.05	0.54	11.9
ANG32864	NAD83-8	341224	6838957	8	1.43	0.5	29.4	3650	0.53	0.26	4.23	2.47	12.6
RIM32313	NAD83-8	341386	6839377	4	2.67	1.04	29.3	2000	0.33	0.33	0.23	7.68	7.4
RIM32118	NAD83-8	342399	6837306	3	1.15	0.28	29.1	390	0.46	0.17	1.68	3.36	12.4
RIM32138	NAD83-8	342944	6837824	6	1.09	0.47	29	1760	0.28	0.17	1.46	6.25	8.5
RIM32403	NAD83-8	658030	6839100	6	1.33	0.54	28.8	310	0.4	0.17	1.35	2.71	8.9
RIM32576	NAD83-8	658465	6838985	5	2.43	0.28	28.7	430	0.52	0.14	3.51	12.4	7.6
RIM30621	NAD83-8	341859	6837903	4	0.73	0.68	28.7	130	0.5	0.21	3.05	1.48	18.9
RIM32136	NAD83-8	343320	6837343	9	1.65	1.21	28.6	1970	0.35	0.38	0.29	7.9	22.3
ANG32853	NAD83-8	658627	6838560	5	0.35	0.34	28.5	110	0.44	0.26	4.57	0.33	22.1
RIM32242	NAD83-8	342668	6837830	4	0.23	0.28	28.2	460	0.34	0.16	0.74	0.3	8.8
RIM32159	NAD83-8	343468	6836663	4	1.21	0.31	28.1	1480	0.37	0.2	2.21	3.61	6.9
RIM32250	NAD83-8	342667	6837829	2	0.23	0.32	28.1	540	0.33	0.16	0.81	0.39	8.7
RIM32427	NAD83-8	658538	6839653	13	1.76	0.72	28	2620	0.39	0.18	0.8	14	11.2
RIM32497	NAD83-8	341333	6838247	3	0.33	0.51	28	70	0.43	0.18	2.03	1.02	12.6
RIM32212	NAD83-8	341966	6838809	6	0.74	0.61	27.9	1050	0.35	0.18	0.75	5.11	10.1
RIM32132	NAD83-8	342950	6837817	3	1.06	0.45	27.9	1660	0.33	0.17	1.46	6.31	8.3
RIM32998	NAD83-8	343047	6837640	5	0.93	0.72	27.8	4080	0.42	0.2	0.88	5.01	8.4
RIM32400	NAD83-8	342509	6838226	-1	1.77	0.47	27.8	6400	0.15	0.11	2	24	6.2
RIM32038	NAD83-8	343222	6837524	4	0.63	0.74	27.7	810	0.33	0.21	0.25	1.18	6
ANG32874	NAD83-8	341593	6839294	11	1.28	0.54	27.6	1950	0.18	0.29	0.61	6.95	6.1
RIM32500	NAD83-8	341444	6838349	6	0.54	0.8	27.6	210	0.54	0.23	0.84	6.14	11.5
RIM32109	NAD83-8	343445	6836911	2	0.84	0.57	27.6	950	0.35	0.19	0.23	1.23	8.9
RIM32028	NAD83-8	342853	6837186	5	1.06	0.43	27.5	1180	0.42	0.23	2.2	1.99	13.7
RIM32322	NAD83-8	341211	6838676	4	4.04	0.37	27.5	230	0.36	0.1	1.19	8.31	5
ANG32851	NAD83-8	658857	6838488	3	1.38	2.19	27.5	130	0.58	0.32	1.94	2.25	28.7
RIM32333	NAD83-8	341407	6838317	7	0.45	0.47	27.4	120	0.33	0.13	1.04	0.93	11
RIM32027	NAD83-8	342813	6837148	11	0.86	0.38	27.3	290	0.47	0.22	2.29	3.34	14.4
RIM32418	NAD83-8	658538	6839651	4	1.77	0.75	27.3	2210	0.47	0.21	0.63	12.75	11.3
RIM30517	NAD83-8	341683	6838831	1	1.39	0.53	27.3	1400	0.27	0.16	0.61	6.91	8.7
RIM32026	NAD83-8	342779	6837119	6	3.06	0.18	27.2	180	0.42	0.25	1.66	2.43	10.4
RIM29939	NAD83-8	342951	6837004	5	1.02	0.47	27.2	150	0.62	0.2	1.58	1.88	14.2
RIM32473	NAD83-8	658444	6838662	3	0.53	0.4	27.2	200	0.55	0.19	2.21	1.28	16.1
RIM32319	NAD83-8	341102	6838574	1	0.78	0.55	27.2	120	0.44	0.21	0.41	1.9	11.7
RIM32477	NAD83-8	658711	6838955	2	2.18	0.62	27.1	120	0.92	0.2	0.4	11.25	10.5
RIM32353	NAD83-8	341993	6838565	8	1.28	0.58	27	3620	0.28	0.22	1.2	10.65	8.4
RIM30513	NAD83-8	341533	6838695	6	1.17	0.62	27	2130	0.28	0.17	0.44	5	8.2
RIM32362	NAD83-8	341500	6837844	2	0.78	0.52	27	140	0.68	0.21	3.53	1.87	23.8
RIM32580	NAD83-8	658599	6839133	2	2.52	0.62	26.8	210	0.48	0.14	1.3	10.2	5.5
RIM30516	NAD83-8	341643	6838797	5	1.44	0.26	26.7	450	0.2	0.19	2.44	15.2	7.3
RIM30636	NAD83-8	342407	6838407	17	1.25	0.92	26.4	1490	0.26	0.27	0.2	3.83	10.5
RIM32692	NAD83-8	658551	6839373	8	0.8	0.29	26.2	360	0.33	0.15	2.95	2.57	9.6
RIM32199	NAD83-8	343407	6836878	3	0.86	0.55	26.2	1290	0.37	0.17	0.43	3.13	6.6
RIM32308	NAD83-8	341312	6839310	2	2.11	0.23	26.2	1820	0.18	0.11	1.22	62.5	7.2
RIM32429	NAD83-8	341199	6838394	2	0.4	0.7	26.2	130	0.47	0.2	0.4	0.62	14.3
RIM32358	NAD83-8	342175	6838737	4	0.83	0.43	26	1990	0.24	0.14	0.42	4.61	5.9

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hg_ppm	K_pct	La_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
RIM32327	26.9	12	0.41	66.4	2.58	1.69	0.07	0.09	0.08	13.6	0.44	300	7.96	0.01
RIM32999	25.4	10	0.99	51.5	2.97	2.29	0.08	0.05	0.05	14.8	0.15	212	22	0.02
RIM32398	19	7	0.44	52.1	2.08	0.73	-0.05	0.18	0.03	12.3	0.22	296	13.4	0.01
RIM32571	30.8	4	0.58	50.5	3.39	0.71	0.05	0.03	0.03	16.5	0.44	186	5.31	-0.01
RIM30514	31.1	7	0.45	60.8	2.61	1.47	0.09	0.2	0.04	19	0.33	176	20.5	0.01
RIM30838	28.7	12	0.95	52.4	2.92	2.05	0.07	0.06	0.05	16.2	0.16	552	17.4	0.01
RIM32419	20.3	14	0.83	55.8	2.73	2.4	0.06	0.04	0.06	11.1	0.1	337	20.8	0.01
RIM32105	27.7	13	0.9	44.8	2.35	2.39	0.05	0.06	0.05	15.9	0.16	276	18.8	0.01
RIM30947	40.9	4	1.1	63.2	2.95	0.8	0.07	0.03	0.07	21.3	0.52	221	4.35	-0.01
RIM32131	17.8	7	0.33	86.1	2.22	0.98	0.06	0.12	0.04	9.6	0.24	214	9.99	0.01
RIM32629	16.55	19	1.25	91.3	3.83	3.06	0.1	0.23	0.09	9.1	0.22	444	24.5	0.01
RIM32681	24.9	6	0.52	44.4	3.16	1.44	0.05	0.05	0.03	13.3	0.19	243	6.85	-0.01
RIM32305	25.8	6	0.62	59.2	4	0.61	0.08	0.18	0.07	12.7	1.4	541	21.5	-0.01
RIM32368	29.7	12	0.69	54.2	2.82	1.41	0.07	0.08	0.06	16.3	1.37	237	17.45	0.01
ANG32856	16.2	4	0.55	33.3	2	1.11	-0.05	0.03	0.03	8.3	0.21	127	6.64	0.02
RIM30622	26.2	10	0.43	55.6	2.26	1.31	0.06	0.2	0.05	14.6	0.56	299	8.72	0.02
RIM32237	38.8	16	0.75	55.6	2.05	0.53	0.07	0.03	0.06	19.1	0.84	141	6.59	-0.01
ANG32864	26.7	10	0.36	69.9	2.93	1.17	0.08	0.19	0.09	15.1	1.07	475	15.25	0.02
RIM32313	17.3	17	1.5	65.9	2.72	3.34	0.09	0.12	0.1	9.2	0.1	222	23.8	0.02
RIM32118	19.9	7	0.41	60.8	2.34	0.73	0.07	0.11	0.05	10.3	0.45	197	14.55	0.01
RIM32138	20.6	9	0.4	82	2.4	1.2	0.07	0.13	0.04	11.6	0.28	342	10.25	0.02
RIM32403	24.5	16	0.48	48.4	2.46	1.76	0.05	0.1	0.06	13.1	0.52	272	10.2	0.01
RIM32576	20.2	17	0.55	122	1.8	0.84	0.1	0.37	0.06	14.7	1.11	312	38.4	-0.01
RIM30621	38.9	9	1.21	53.2	3.3	1.83	0.08	0.09	0.05	21.5	0.98	230	12.55	0.01
RIM32136	32.3	10	0.96	136.5	8.03	1.75	0.16	0.06	0.04	18.1	0.17	193	26.6	0.02
ANG32853	24.3	6	1.34	51.3	2.77	0.88	0.05	0.04	0.04	13.3	0.99	199	2.24	-0.01
RIM32242	25.4	11	0.33	22.6	1.72	0.62	0.05	0.02	0.05	12.1	0.2	229	2.96	-0.01
RIM32159	23.2	8	0.34	55.8	2.13	0.89	0.06	0.16	0.05	13.5	0.77	294	14.95	0.01
RIM32250	25.2	9	0.3	27.5	1.72	0.76	-0.05	0.04	0.05	13.2	0.2	255	3.1	0.01
RIM32427	24.3	16	0.71	78.5	2.52	1.82	0.07	0.2	0.06	13.4	0.2	297	16	0.01
RIM32497	37.7	8	0.65	32.9	3.04	1.4	0.05	0.02	0.04	20.5	0.49	202	3.65	-0.01
RIM32212	31.2	21	0.67	48.2	2.7	1.77	0.09	0.06	0.05	17	0.37	259	11.75	-0.01
RIM32132	21.4	9	0.41	79.9	2.36	1.17	0.07	0.13	0.04	11.9	0.28	343	9.47	0.01
RIM32998	25.8	13	0.71	73.8	2.21	1.74	0.06	0.12	0.05	15.3	0.16	365	14.15	0.01
RIM32400	11.2	6	0.39	81.8	1.39	0.78	0.06	0.18	0.04	7.2	0.22	197	16	0.06
RIM32038	27.2	9	0.62	35	2.53	1.96	0.06	0.03	0.04	14.3	0.15	208	10.6	0.01
ANG32874	12.85	7	1.18	56	2.05	2	0.07	0.03	0.06	7	0.15	147	15.6	0.03
RIM32500	43.1	19	0.96	65.3	2.96	2.56	0.07	0.08	0.08	22.8	0.51	295	10.55	-0.01
RIM32109	24.5	10	0.39	30.4	3.1	1.57	0.05	0.09	0.05	13.2	0.15	353	15.75	0.01
RIM32028	30.3	7	0.63	63.8	3.15	0.95	0.07	0.05	0.07	15.4	1.02	226	12.55	0.01
RIM32322	17.55	16	0.31	80.1	1.25	1.09	0.07	0.58	0.04	13.9	0.2	199	17.75	0.01
ANG32851	30.9	32	1.06	51.4	4.63	5.82	0.1	0.06	0.06	15.9	1.86	342	8.02	-0.01
RIM32333	22.3	7	0.45	29.4	2.55	1.46	-0.05	0.04	0.04	11.8	0.19	336	3.55	0.02
RIM32027	33.1	7	0.69	58.7	2.93	0.87	0.07	0.05	0.06	16.6	1.14	251	18.2	0.01
RIM32418	24.7	16	0.62	70.7	2.47	2.16	0.07	0.19	0.06	14.1	0.2	260	17	0.03
RIM30517	27.8	10	0.53	33	2.16	1.55	0.07	0.09	0.04	16.5	0.2	223	21.8	0.02
RIM32026	26.2	11	0.48	75.5	2.86	0.59	0.08	0.16	0.06	13.5	0.78	190	31.9	0.01
RIM29939	35.6	7	0.68	62.9	3.07	1.4	0.08	0.13	0.05	19.6	0.55	199	11.55	-0.01
RIM32473	25	9	0.77	42.3	3.1	1.07	0.06	0.08	0.05	13.1	0.69	240	20.7	0.01
RIM32319	25.7	13	0.54	47	3.33	1.81	0.07	0.06	0.04	13.3	0.2	376	7.22	-0.01
RIM32477	49.6	19	1.03	48.4	1.98	1.69	0.13	0.56	0.04	35.1	0.19	325	62.8	-0.01
RIM32353	27.8	10	0.43	58.1	2.39	1.46	0.06	0.11	0.05	15.9	0.23	403	14.35	0.01
RIM30513	23	7	0.55	50.5	2.29	1.72	0.07	0.06	0.05	13.4	0.11	278	13.9	0.03
RIM32362	31.6	10	1.33	57.3	3.5	1.41	0.06	0.07	0.07	16.8	1.27	230	26.8	0.01
RIM32580	21	24	0.57	106	1.62	1.8	0.1	0.38	0.03	16.8	0.28	212	23.9	-0.01
RIM30516	19.3	3	0.42	64.6	1.47	0.76	0.07	0.16	0.03	12.2	0.24	253	14.85	0.01
RIM30636	34.5	14	1.19	58.3	3.47	2.69	0.1	0.04	0.07	20.3	0.25	243	20.1	0.04
RIM32692	17.7	7	0.43	39.1	2.54	0.66	0.05	0.09	0.04	9.5	1.25	390	10.9	-0.01
RIM32199	24.8	11	0.4	33.8	2.61	1.35	0.06	0.12	0.05	14.2	0.2	245	16.15	0.01
RIM32308	12.8	9	0.64	83.2	1.18	0.66	0.08	0.22	0.02	8.9	0.15	304	16.6	0.01
RIM32429	26.8	7	0.65	33.7	4.03	1.9	0.07	0.04	0.04	13.8	0.23	319	3.74	0.01
RIM32358	22.7	9	0.52	40.9	1.89	1.35	0.05	0.06	0.06	12.6	0.13	155	13.1	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
RIM32327	69.3	950	24	0.07	4.97	2.7	58.8	0.06	2.7	0.08	1.31	324	VA08137124
RIM32999	56	1440	24	0.12	9.28	8.4	55.4	0.14	1.3	0.14	3.07	266	VA08137124
RIM32398	75.4	1100	16.9	0.08	8.79	4.2	73.9	0.11	1.9	0.09	1.75	383	VA08137124
RIM32571	44.9	850	16.2	0.02	6.53	1.4	47.2	0.04	4.1	0.04	1.27	175	VA08137124
RIM30514	103.5	830	14.3	0.04	12.9	6.4	80.9	0.06	4.2	0.08	1.51	872	VA08135688
RIM30838	58.7	1600	19.6	0.05	8.22	5.5	38.8	0.12	2.8	0.14	2.81	348	VA08135688
RIM32419	83.4	1540	23.6	0.06	11.05	5.5	81.7	0.14	1.4	0.21	3.1	416	VA08137124
RIM32105	48.6	1980	21.7	0.05	8.46	4.4	34.4	0.11	0.4	0.15	2.25	326	VA08135688
RIM30947	41.5	760	11.3	0.03	6.89	1.9	48.4	0.03	6	0.05	0.93	149	VA08135688
RIM32131	67.6	1380	17.6	0.11	11.1	5.1	89.4	0.13	1.7	0.07	2.03	247	VA08135688
RIM32629	49.9	2000	26.4	0.24	10.4	13.8	198	0.29	2	0.21	6.09	290	VA08137124
RIM32681	32.75	1240	17.1	0.02	6.18	1.8	38.4	0.05	2.6	0.05	1.37	137	VA08137124
RIM32305	117	1820	68.8	0.07	5.45	5.5	249	0.15	8	0.15	3.74	656	VA08137124
RIM32368	74.8	1400	16.7	0.09	10.15	5.7	106.5	0.06	7.4	0.11	1.77	390	VA08137124
ANG32856	30.7	930	10	0.05	7.13	1.9	39.6	0.03	1.6	0.05	0.74	162	VA08137124
RIM30622	60.4	1350	20.1	0.06	6.88	2.4	77.1	0.06	2.4	0.08	1.75	349	VA08135688
RIM32237	60.1	1090	13.8	0.01	2	2	52	0.07	8.1	0.04	1.77	106	VA08135688
ANG32864	116.5	3180	35.1	0.13	28.6	3.8	154	0.14	3.1	0.12	2.48	467	VA08137124
RIM32313	71.6	1740	20.5	0.17	10.05	12.5	178	0.18	0.5	0.23	4.63	423	VA08137124
RIM32118	74.4	1060	16.5	0.14	9.33	5.2	60.6	0.07	2.3	0.09	1.91	342	VA08135688
RIM32138	85	1200	19.2	0.1	11.45	5.5	94	0.13	1.4	0.09	1.39	412	VA08135688
RIM32403	43.5	1100	22.2	0.01	6.77	2.7	61.4	0.05	3.5	0.09	1.57	234	VA08137124
RIM32576	155.5	1550	16.4	0.03	16.2	14.8	138.5	0.12	2.8	0.28	3.05	738	VA08137124
RIM30621	57	1220	18.7	0.05	6.52	2	68.4	0.03	9.2	0.11	1.55	234	VA08135688
RIM32136	176.5	1720	25	0.14	12.9	6.5	80.5	0.15	8.9	0.09	11.6	877	VA08135688
ANG32853	40.3	1150	11.9	0.05	4.3	1.1	85.6	0.04	9.3	0.04	0.8	127	VA08137124
RIM32242	38	590	6.3	0.03	1.23	1	19.8	0.03	3.5	0.04	0.6	34	VA08135688
RIM32159	79.2	1890	29.5	0.07	10.4	3.6	104.5	0.12	3	0.11	1.36	479	VA08135688
RIM32250	39.1	730	7.5	0.09	1.68	1.2	24.4	0.03	3	0.04	0.78	42	VA08135688
RIM32427	117	1720	25.2	0.08	10.9	5.7	111.5	0.12	3	0.2	4.18	1020	VA08137124
RIM32497	35.9	860	9.6	0.02	7.01	0.7	34.2	0.05	8.5	0.04	0.76	125	VA08137124
RIM32212	72.2	1270	18.1	0.03	6.82	4.6	58.2	0.06	5.2	0.11	1.83	356	VA08135688
RIM32132	80.7	1170	19	0.09	11.05	5.1	90.3	0.13	1.7	0.08	1.29	389	VA08135688
RIM32998	94.2	1560	31.7	0.08	11.4	6	81.3	0.2	1.7	0.15	4	448	VA08137124
RIM32400	132	1290	14.2	0.08	16.85	8.6	326	0.08	1.8	0.15	3.18	969	VA08137124
RIM32038	36	1440	18.3	0.05	5.35	3.3	24.7	0.07	1.9	0.09	1.64	219	VA08135688
ANG32874	36.4	1480	25.3	0.18	6.39	6.8	109.5	0.13	0.9	0.11	3.48	237	VA08137124
RIM32500	59.4	1620	18.5	0.01	10.05	2.6	51.1	0.07	7.6	0.13	1.66	309	VA08137124
RIM32109	36.8	970	18.6	0.04	6.53	2.8	18.3	0.08	2.8	0.09	1.12	297	VA08135688
RIM32028	67.9	1720	22.3	0.18	7.45	5.8	77.3	0.07	6.8	0.1	1.53	260	VA08135688
RIM32322	101.5	1620	12.8	0.05	11.5	8	53.1	0.11	1.1	0.16	3.04	620	VA08137124
ANG32851	60.6	730	29.1	0.09	3.04	2.7	90.4	0.04	13.9	0.07	1.72	261	VA08137124
RIM32333	28.9	870	10.9	0.03	3.52	1.1	48.9	0.03	2.3	0.03	0.87	116	VA08137124
RIM32027	74.1	1060	17.6	0.22	6.07	5.4	74.4	0.06	8.1	0.12	1.49	342	VA08135688
RIM32418	116.5	1560	23.4	0.06	11.25	4.8	105	0.11	3.2	0.18	3.71	1015	VA08137124
RIM30517	85	950	13.8	0.03	9.94	4.1	58.3	0.08	4.4	0.12	1.37	756	VA08135688
RIM32026	68.8	700	22.2	0.3	21.7	9	91.2	0.14	6.7	0.14	2.62	221	VA08135688
RIM29939	55.4	1100	15	0.03	7.07	1.9	52.9	0.05	5.8	0.09	1.21	248	VA08135688
RIM32473	66.2	1130	18.3	0.06	5.23	2.4	74.2	0.06	3.5	0.15	1.56	229	VA08137124
RIM32319	47.4	1150	26.8	0.03	7.24	2.6	25.8	0.04	3.2	0.09	1.16	239	VA08137124
RIM32477	265	1330	26	0.02	9.05	19.3	38.1	0.18	5.2	0.64	2.99	1560	VA08137124
RIM32353	78.8	1160	21.6	0.04	9.02	3.8	136	0.1	3.5	0.13	2.38	555	VA08137124
RIM30513	60.9	1480	16.2	0.05	8.74	4.7	53.2	0.08	2.4	0.12	2.18	419	VA08135688
RIM32362	98.2	1810	22.8	0.1	7.34	2.4	104	0.06	7	0.2	2.43	354	VA08137124
RIM32580	115.5	1540	14.8	0.08	13.3	14.2	83.1	0.12	0.7	0.19	5.36	465	VA08137124
RIM30516	139.5	680	13.5	0.07	11.35	6.3	186	0.11	2.5	0.12	4.44	904	VA08135688
RIM30636	64.3	1360	20.5	0.16	8.32	9.1	157	0.15	6.7	0.15	3.71	425	VA08135688
RIM32692	83.7	1570	25.2	0.05	6.27	3.5	68.2	0.1	3.1	0.07	2.05	286	VA08137124
RIM32199	40.2	1190	20.5	0.04	6.72	3.5	25.2	0.11	3.2	0.07	1.46	286	VA08135688
RIM32308	114.5	1360	17.6	0.12	17.8	10.2	144	0.13	1.4	0.17	4.19	1340	VA08137124
RIM32429	40.8	980	23.2	0.03	4.65	1	19.9	0.02	3.6	0.06	0.78	124	VA08137124
RIM32358	52.5	1440	15.9	0.06	7.89	4.9	71.5	0.1	3.3	0.1	1.69	367	VA08137124

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
RIM32200	NAD83-8	343445	6836911	3	0.81	0.54	25.9	890	0.39	0.17	0.23	1.26	8.5
RIM32311	NAD83-8	341461	6839445	12	1.04	0.56	25.8	1480	0.23	0.41	0.27	3.49	6.8
RIM32023	NAD83-8	342668	6837016	4	1.02	0.99	25.8	160	0.56	0.16	4.43	2.96	15.6
RIM32472	NAD83-8	658409	6838623	4	1.45	1.64	25.8	100	0.52	0.3	0.61	3.37	26.3
RIM32160	NAD83-8	343505	6836697	4	1.27	0.28	25.6	1130	0.39	0.17	1.42	4.29	5.9
RIM30946	NAD83-8	658510	6838735	26	0.21	0.18	25.4	140	0.48	0.17	2.85	0.35	15.7
RIM30583	NAD83-8	343247	6836461	2	1.28	0.19	25.4	60	0.54	0.2	1.91	7.76	18.6
RIM32623	NAD83-8	658702	6839244	7	0.52	0.2	25.2	110	0.37	0.18	0.71	1.21	9.5
RIM32232	NAD83-8	342301	6837490	3	0.54	0.4	25.2	230	0.5	0.16	1.09	1.47	10.7
RIM32637	NAD83-8	658773	6838426	3	0.75	1.13	25.2	200	0.52	0.22	1.78	1.55	17
RIM32688	NAD83-8	658418	6839226	1	3.8	0.52	25.2	590	0.4	0.14	2.14	12.45	5.9
RIM32413	NAD83-8	658369	6839469	6	1.58	0.61	25.1	550	0.55	0.2	2.27	3	10.5
RIM32314	NAD83-8	341348	6839344	15	1.4	0.63	24.9	4020	0.22	0.22	1.07	15.25	8.6
RIM32624	NAD83-8	658734	6839280	11	0.59	0.22	24.8	180	0.42	0.15	0.6	1.18	6.4
RIM32355	NAD83-8	342069	6838631	8	1.17	0.63	24.8	1460	0.23	0.21	0.23	4.62	6.3
RIM32694	NAD83-8	658619	6839445	4	1.5	0.29	24.8	660	0.32	0.18	1.41	6.47	6.3
RIM32325	NAD83-8	341320	6838779	11	0.8	0.4	24.3	140	0.34	0.21	2.05	0.78	13.1
ANG32852	NAD83-8	658591	6838523	3	1.05	1.04	24.3	100	0.52	0.22	6.75	2.33	21.8
RIM32406	NAD83-8	658133	6839210	13	0.33	0.1	24.2	60	0.32	0.14	2.36	0.59	9.2
ANG32866	NAD83-8	341297	6839025	9	1.13	0.5	24.2	1080	0.43	0.27	1.24	1.47	9.4
RIM32391	NAD83-8	342178	6837920	6	0.44	0.28	24.2	540	0.34	0.2	1.69	0.48	10.7
RIM30690	NAD83-8	342781	6836305	3	0.14	0.3	24.2	100	0.45	0.2	3.5	0.35	16.2
RIM32161	NAD83-8	343541	6836731	2	1.19	0.32	24.2	2550	0.23	0.14	1.5	8.88	4.9
RIM32167	NAD83-8	343836	6837003	1	1.32	0.78	24.2	2820	0.27	0.18	0.47	10	12.2
RIM32037	NAD83-8	343185	6837488	4	0.36	0.99	24.1	490	0.46	0.18	0.2	1.63	12.5
RIM32214	NAD83-8	342076	6838917	3	0.7	0.47	24.1	480	0.17	0.26	0.1	1.5	3.4
RIM32352	NAD83-8	341958	6838532	3	0.88	0.5	24.1	1790	0.29	0.16	1.49	5.64	9.3
RIM32321	NAD83-8	341175	6838642	1	2.29	0.52	24.1	110	0.33	0.1	0.37	11.4	6.3
RIM32441	NAD83-8	341550	6838160	4	0.33	0.94	23.8	220	0.4	0.17	1.05	1.3	12.9
RIM32420	NAD83-8	658606	6839726	9	0.92	0.72	23.6	1760	0.38	0.21	0.65	2.74	9.2
RIM32404	NAD83-8	658067	6839135	5	0.77	0.82	23.6	520	0.48	0.25	1.16	2.49	11.2
RIM32120	NAD83-8	342475	6837375	-1	1.85	0.31	23.6	170	0.41	0.13	1.52	9.71	6.7
RIM32405	NAD83-8	658100	6839172	19	0.94	0.2	23.5	140	0.35	0.2	1.76	1.21	8.7
RIM30644	NAD83-8	343098	6836325	17	0.95	1.01	23.5	100	0.66	0.28	3.32	2.15	26.7
RIM29940	NAD83-8	342989	6837037	4	0.84	0.55	23.5	160	0.61	0.19	1.43	1.33	11.9
RIM32025	NAD83-8	342742	6837085	4	0.89	0.62	23.5	140	0.52	0.19	2.69	2.08	16.2
RIM32442	NAD83-8	341585	6838195	3	0.65	0.53	23.4	340	0.4	0.2	1.83	2.26	13.6
ANG32865	NAD83-8	341260	6838990	8	1.17	0.43	23.3	1210	0.4	0.34	1.54	1.88	14.5
RIM32013	NAD83-8	341992	6837751	1	1.27	0.6	23.3	120	0.8	0.22	2.77	3.47	16.8
RIM32357	NAD83-8	342138	6838702	4	1	0.76	23.2	1490	0.43	0.25	0.53	5.56	10.7
RIM32153	NAD83-8	343247	6836461	1	1.2	0.17	23.1	60	0.47	0.18	1.75	7.49	17.5
RIM30700	NAD83-8	341175	6838642	-1	2.34	0.47	23.1	110	0.38	0.1	0.4	11.9	6.4
RIM32036	NAD83-8	343148	6837455	-1	0.51	0.51	23.1	840	0.31	0.18	0.64	1.54	7.8
RIM32029	NAD83-8	342891	6837220	5	0.96	0.58	23	2260	0.42	0.23	1.7	1.94	13
RIM32134	NAD83-8	343024	6837887	-1	0.84	0.31	23	1930	0.22	0.11	2.43	5.97	6
RIM32432	NAD83-8	341309	6838494	4	1	0.6	22.8	120	0.39	0.15	1.39	4	10.6
RIM32741	NAD83-8	341560	6837631	14	0.51	2.71	22.5	130	0.53	0.23	3.65	0.51	30.1
RIM32433	NAD83-8	341346	6838529	4	1.25	0.52	22.5	260	0.33	0.17	0.66	2.05	9.3
RIM32318	NAD83-8	658876	6838538	3	0.42	0.47	22.4	110	0.46	0.2	0.48	1.36	13.4
RIM32682	NAD83-8	658214	6839003	59	1.44	0.3	22.2	130	0.34	0.21	1.19	2.18	7.4
RIM32630	NAD83-8	341249	6839522	7	0.75	0.27	22.2	260	0.35	0.15	0.93	3.11	7
ANG32858	NAD83-8	658796	6838748	5	0.8	0.34	22.2	110	0.45	0.14	1.23	2.01	10.3
RIM32135	NAD83-8	343283	6837307	9	1.68	0.56	22.1	2510	0.25	0.37	1.25	5.55	8.8
ANG32855	NAD83-8	658695	6838636	3	0.38	0.49	22.1	110	0.47	0.2	2.23	0.87	16.3
RIM32360	NAD83-8	341425	6837776	2	0.82	1.07	22.1	120	0.59	0.22	4.07	2.11	24.9
RIM32039	NAD83-8	343260	6837558	2	0.68	0.77	22	1240	0.39	0.2	0.26	3.41	8.5
RIM32397	NAD83-8	342400	6838124	14	0.69	0.34	21.6	490	0.29	0.21	0.96	1.6	8.5
RIM32203	NAD83-8	341555	6838449	1	0.49	0.59	21.6	110	0.4	0.18	0.74	1.69	15.2
RIM32416	NAD83-8	658472	6839579	6	0.97	0.3	21.5	450	0.42	0.19	2.64	3.66	10.7
RIM32683	NAD83-8	658248	6839040	53	0.89	0.19	21.4	110	0.26	0.22	2.81	1.83	8.1
RIM32986	NAD83-8	342644	6837267	5	0.8	0.31	21.4	490	0.67	0.25	1.72	1.52	11.5
RIM32030	NAD83-8	342929	6837253	5	1.01	0.54	21.3	1910	0.48	0.28	1.74	1.86	10.4

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hg_ppm	K_pct	La_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
RIM32200	25	12	0.42	28.7	2.96	1.48	0.05	0.11	0.05	13.7	0.15	337	14.55	0.01
RIM32311	12.15	11	1.17	49.4	2.83	2.75	0.07	0.05	0.07	6.7	0.09	212	27.7	0.02
RIM32023	32.9	16	0.77	62.8	2.9	2.49	0.07	0.15	0.06	17.3	1.83	211	29.8	0.02
RIM32472	26.2	24	1.07	75.1	4.7	4.69	0.11	0.21	0.04	14.3	1.26	249	15.35	0.01
RIM32160	21.9	8	0.28	52.5	1.9	0.78	0.06	0.14	0.04	12.7	0.28	306	12.6	0.01
RIM30946	20.1	3	0.66	32.6	3.01	0.52	0.05	0.03	0.04	10.4	0.62	229	3.6	-0.01
RIM30583	37.1	2	1.2	67.3	3.63	0.69	0.08	0.09	0.06	19.8	0.66	305	6.35	-0.01
RIM32623	32.3	4	0.58	39.4	1.91	0.45	0.05	0.06	0.04	16.1	0.23	206	6.87	-0.01
RIM32232	42.1	16	0.53	30.1	2.23	1.28	0.09	0.05	0.04	21.5	0.57	233	9.84	-0.01
RIM32637	25.7	16	0.71	40.4	3.77	2.83	0.06	0.08	0.04	13.3	0.88	301	4.58	-0.01
RIM32688	20.2	26	0.58	156	1.89	1.86	0.13	0.49	0.08	14	0.17	213	23	-0.01
RIM32413	22.5	16	0.54	53.2	2.59	1.93	0.06	0.26	0.06	12.2	0.81	342	10.5	0.02
RIM32314	15.45	17	0.65	48.3	1.83	2.43	0.06	0.16	0.05	8.2	0.2	327	12.95	0.03
RIM32624	28.8	5	0.6	30.6	1.79	0.49	-0.05	0.07	0.04	14.2	0.12	167	7.01	-0.01
RIM32355	24.8	8	0.87	44.8	2.25	2.26	0.06	0.05	0.04	14.2	0.14	124	14.3	0.01
RIM32694	16.5	14	0.28	57.7	2.19	0.85	0.05	0.25	0.03	8.8	0.14	308	8.44	-0.01
RIM32325	21.2	7	0.37	52.8	2.6	0.84	0.05	0.03	0.05	10.1	0.96	501	3.49	-0.01
ANG32852	22.6	16	1.27	58.2	3.83	2.53	0.07	0.06	0.04	11.9	1.25	271	8.29	-0.01
RIM32406	42.7	3	0.59	28.5	1.37	0.39	0.06	0.02	0.03	20.4	0.91	172	3.66	-0.01
ANG32866	22.4	10	0.41	55.1	2.57	1.35	0.07	0.15	0.05	13.7	0.14	763	6.36	0.01
RIM32391	39.5	6	0.75	41.6	1.73	0.7	-0.05	0.04	0.06	19.6	0.62	171	5.58	0.01
RIM30690	40	4	1.05	25.4	3.29	0.57	0.07	0.03	0.15	21	0.4	314	3.23	-0.01
RIM32161	14.25	6	0.26	53.9	1.41	0.73	0.05	0.1	0.03	8.5	0.13	205	9.47	0.02
RIM32167	30.8	12	0.71	56	2.44	1.85	0.07	0.11	0.03	18.3	0.24	298	21.2	0.01
RIM32037	40.7	13	0.58	50.4	3.28	2.06	0.07	0.05	0.07	19.5	0.27	299	12.65	0.01
RIM32214	27.2	16	0.71	28	1.67	3.56	0.06	0.02	0.04	15	0.06	70	10.15	-0.01
RIM32352	31.5	10	0.52	39.1	2.53	1.54	0.06	0.09	0.05	17.4	0.62	253	13.65	0.01
RIM32321	24.7	23	0.43	80.9	1.59	1.49	0.08	0.22	0.03	19.5	0.38	161	43.7	-0.01
RIM32441	37.8	21	1.23	37.6	2.9	2.85	0.12	0.07	0.08	18.5	0.66	241	5.56	0.01
RIM32420	30.9	16	0.62	37.3	2.98	2.17	0.07	0.11	0.05	15.8	0.31	279	10	0.01
RIM32404	32.4	22	0.93	55.9	2.51	2.74	0.06	0.09	0.08	16.5	0.55	342	7.8	0.02
RIM32120	19.2	9	0.37	80.2	1.59	0.84	0.07	0.18	0.04	11.6	0.39	194	17.55	0.01
RIM32405	19.2	5	0.4	72.6	2.09	0.59	0.07	0.07	0.04	10	0.74	214	5.11	0.01
RIM30644	19	12	2.19	64.1	3.98	2.67	0.1	0.1	0.04	9.7	1.41	197	8.21	-0.01
RIM29940	32.3	8	0.65	54.6	2.8	1.6	0.07	0.07	0.05	17.7	0.59	136	10.25	-0.01
RIM32025	30.7	10	0.77	56.1	3.03	1.57	0.07	0.12	0.05	15.9	0.9	224	14.2	0.02
RIM32442	26.9	9	0.6	44.8	2.74	1.44	0.08	0.08	0.05	14.2	0.81	237	9.74	0.01
ANG32865	26.1	11	0.59	68	3.33	1.18	0.09	0.24	0.1	16.4	0.31	1355	8.36	0.01
RIM32013	34.9	12	1.17	70.1	3.06	1.77	0.07	0.14	0.07	19.9	1.24	201	26.8	-0.01
RIM32357	42.3	14	0.69	41.6	2.5	2.55	0.06	0.08	0.05	21.3	0.25	317	9.92	0.01
RIM32153	32	4	1.07	66.4	3.39	0.64	0.07	0.08	0.05	16.4	0.62	277	5.98	0.01
RIM30700	24.7	20	0.41	90.1	1.57	1.29	0.09	0.21	0.04	20.2	0.34	162	43.5	-0.01
RIM32036	29	8	0.52	37	2.37	1.43	0.06	0.05	0.04	13.8	0.16	325	8.57	0.01
RIM32029	32.4	9	0.59	61.7	3.06	1.23	0.06	0.06	0.08	17.1	0.81	333	10.45	0.01
RIM32134	12.55	6	0.36	55.1	1.5	0.85	0.06	0.11	0.02	6.9	0.19	178	8.73	0.02
RIM32432	31.3	12	0.52	50.6	2.85	1.69	0.09	0.16	0.05	16.3	0.83	311	11	-0.01
RIM32741	32.3	35	2.25	117.5	4.31	7.51	0.12	0.08	0.05	18	3.41	171	3	-0.01
RIM32433	27	10	0.41	34	2.72	1.45	0.07	0.08	0.04	13.7	0.33	312	7.58	-0.01
RIM32318	29.8	9	0.41	32.7	3.95	1.43	0.07	0.03	0.03	16.1	0.22	386	4.42	-0.01
RIM32682	25	8	0.45	60.4	2.14	0.88	-0.05	0.08	0.04	13.2	0.45	329	8.32	-0.01
RIM32630	20.6	8	0.45	39	1.75	0.64	0.05	0.13	0.04	11.1	0.25	208	10.5	-0.01
ANG32858	33.8	7	0.51	35.2	2.04	0.98	0.07	0.1	0.06	17.6	0.27	337	11.35	0.01
RIM32135	18.25	8	0.59	170	3.14	1.54	0.07	0.1	0.04	10.2	0.23	201	11.65	0.02
ANG32855	40.9	9	0.78	45.9	3.08	1.37	0.06	0.05	0.04	22.3	0.62	171	6.11	-0.01
RIM32360	22.5	19	1.41	51.9	3.56	3.01	0.05	0.12	0.05	12.3	1.16	251	5.86	0.01
RIM32039	33.7	11	0.68	40.3	2.75	2.26	0.06	0.07	0.05	16.8	0.2	278	11.2	0.02
RIM32397	21.7	6	0.61	50	2.14	0.82	0.05	0.06	0.04	11.8	0.27	239	7.87	0.01
RIM32203	27.6	12	0.51	38.1	3.31	1.68	0.08	0.06	0.03	14.5	0.43	302	7.26	-0.01
RIM32416	25.3	8	0.61	47.1	2.24	0.9	0.06	0.16	0.05	13.4	1.19	213	12.1	0.01
RIM32683	21.2	12	0.51	61.4	2.33	0.66	-0.05	0.04	0.06	11.2	1.3	306	9.25	-0.01
RIM32986	30.5	10	0.49	65.6	2.64	0.78	0.05	0.08	0.06	16.2	0.65	188	10.9	0.01
RIM32030	32.5	10	0.49	63.3	3.09	1.26	0.06	0.1	0.08	17.7	0.68	303	10.5	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
RIM32200	37.7	910	16.7	-0.01	6.49	2.6	17.7	0.09	3.2	0.08	1.11	285	VA08135688
RIM32311	51.3	1420	20.2	0.19	6.81	7.9	72.9	0.17	0.2	0.16	2.98	352	VA08137124
RIM32023	75.7	1330	19.2	0.07	12.35	2.4	119	0.05	4.4	0.15	1.62	380	VA08135688
RIM32472	74.5	800	33.2	0.1	6.92	4.6	40.8	0.05	9.1	0.09	2.08	416	VA08137124
RIM32160	76.8	1610	25.6	0.08	8.76	4.1	71.5	0.13	2.4	0.08	1.71	420	VA08135688
RIM30946	43.7	860	8.8	0.05	6.15	0.7	76.6	0.02	3.8	0.06	1.01	95	VA08135688
RIM30583	49.7	910	11.8	0.05	7.44	3.3	119	0.07	9.7	0.11	1.87	822	VA08135688
RIM32623	58.2	670	18.1	0.01	4.92	1.7	20.9	0.05	4.2	0.06	1.04	226	VA08137124
RIM32232	72.4	910	15.9	-0.01	6.73	5.6	39.8	0.03	6.3	0.07	1.13	310	VA08135688
RIM32637	45.4	1030	17.9	0.03	2.71	1.2	57.3	0.04	5.8	0.06	1.02	193	VA08137124
RIM32688	90.9	2930	12.8	0.24	22.1	21.9	349	0.2	1.3	0.32	15.35	504	VA08137124
RIM32413	74	1250	21.4	0.05	6.73	3	94.6	0.06	1.7	0.11	1.24	328	VA08137124
RIM32314	60.5	1500	21	0.12	9.35	7.2	178.5	0.1	0.9	0.13	4.98	737	VA08137124
RIM32624	48.6	580	17	0.03	4.65	2.3	20.7	0.06	3	0.07	1.12	204	VA08137124
RIM32355	63.6	1090	14.8	0.06	5.91	3.9	57.8	0.12	2.3	0.1	2.33	429	VA08137124
RIM32694	67.8	1230	28.5	0.09	7.05	4.3	70.2	0.11	1.4	0.07	3.56	410	VA08137124
RIM32325	63.1	730	12.4	0.02	2.89	2.1	47.5	0.06	2.4	0.05	0.83	138	VA08137124
ANG32852	47.1	900	18.2	0.11	3.97	2.9	138	0.05	7.8	0.1	1.66	244	VA08137124
RIM32406	36.3	540	23.7	-0.01	12.55	1.4	83.5	0.02	8.1	0.03	0.72	134	VA08137124
ANG32866	60.5	2700	34.6	0.11	7.66	2.5	65.3	0.13	1.1	0.08	2.03	208	VA08137124
RIM32391	52.6	830	17.9	0.02	3.22	1	42.7	0.05	6.6	0.06	1.04	101	VA08137124
RIM30690	33.4	820	19.7	0.03	2.74	0.5	194.5	0.01	10.9	0.12	0.7	104	VA08135688
RIM32161	72.2	1210	16.5	0.12	10.65	5.5	101.5	0.1	1.6	0.08	3.72	485	VA08135688
RIM32167	74.2	1650	14.8	0.05	8.42	9.5	88.3	0.14	4.9	0.13	3.72	621	VA08135688
RIM32037	67.5	1180	20.5	0.05	6.34	4.4	33.4	0.07	4.8	0.1	2.01	354	VA08135688
RIM32214	32.1	720	17.7	0.01	4.83	3.2	32.3	0.07	0.5	0.11	0.84	143	VA08135688
RIM32352	60.2	1330	19.4	0.05	7.91	4.9	102	0.08	5.2	0.09	1.32	435	VA08137124
RIM32321	182	1050	13	0.01	10.6	8.4	33.8	0.17	2.3	0.28	2.12	991	VA08137124
RIM32441	77	1370	14.6	0.01	3.75	9.2	45.7	0.03	8.3	0.15	1.31	594	VA08137124
RIM32420	50	1310	18.5	0.06	5.36	2.8	70.4	0.08	5.2	0.09	1.58	295	VA08137124
RIM32404	57.6	1360	19.1	0.02	5.38	2.6	62	0.05	4.1	0.14	1.49	230	VA08137124
RIM32120	88.4	1230	17.1	0.09	15.55	7	69.6	0.09	1.9	0.1	2.53	831	VA08135688
RIM32405	52.5	960	31.7	0.03	11.35	1.9	66.7	0.07	3.3	0.04	0.9	130	VA08137124
RIM30644	55.1	980	33.4	0.31	3.77	3.8	88.2	0.04	14.3	0.08	1.56	285	VA08135688
RIM29940	51.5	1100	12.8	0.04	6.82	1.6	47.3	0.04	5.1	0.08	1.09	212	VA08135688
RIM32025	59.4	1250	29.2	0.1	5.97	2.1	75.8	0.05	5.1	0.07	1.38	293	VA08135688
RIM32442	54	1330	20.1	0.04	6.8	2.8	70	0.05	4.6	0.08	1.29	278	VA08137124
ANG32865	90.9	4190	49	0.18	9.87	2.8	114	0.18	2.6	0.12	2.08	306	VA08137124
RIM32013	91	2510	29	0.09	6.96	3.2	80.9	0.08	9.9	0.16	2.07	469	VA08135688
RIM32357	53.6	1060	20.5	0.02	4.97	3.3	55.5	0.07	5.1	0.09	1.58	366	VA08137124
RIM32153	51.4	850	11.1	0.05	7.22	3.1	110.5	0.07	8.2	0.11	1.76	800	VA08135688
RIM30700	178	1050	12.6	0.02	12.9	8.3	33.2	0.16	2.8	0.26	2.44	959	VA08135688
RIM32036	37.8	800	18.4	0.06	4.98	3.5	41.6	0.06	2.3	0.07	2.8	180	VA08135688
RIM32029	60.6	1990	26.9	0.13	8.08	3.2	79.4	0.08	6.6	0.09	1.35	274	VA08135688
RIM32134	63	1200	18.2	0.18	9.28	9	210	0.09	1.3	0.07	2.41	336	VA08135688
RIM32432	66.3	1180	15.5	0.01	6.62	5.2	51.3	0.05	6	0.09	0.94	322	VA08137124
RIM32741	43.3	1050	19.2	0.11	5.23	2.1	88.1	0.04	10.1	0.08	1.49	135	VA08137124
RIM32433	51.9	1380	20	0.01	8.25	3.1	33.9	0.06	4.8	0.06	0.86	287	VA08137124
RIM32318	35.9	1020	14.7	0.02	3.58	0.8	22.5	0.02	5.2	0.04	0.74	177	VA08137124
RIM32682	54	1250	24.2	0.01	8.31	2.7	45.4	0.08	4.1	0.05	1.37	207	VA08137124
RIM32630	93.9	790	17.1	0.04	5.53	4	33.9	0.07	2.2	0.17	1.8	478	VA08137124
ANG32858	59.8	1150	33.2	0.05	16.25	2.3	27.4	0.04	4.9	0.1	1.52	232	VA08137124
RIM32135	63.2	1310	24.8	0.15	7.29	6.3	153	0.24	2.2	0.08	6.32	330	VA08135688
ANG32855	46.3	1200	12.8	0.02	3.76	1	54.6	0.04	6	0.06	0.82	162	VA08137124
RIM32360	59.2	860	22.8	0.06	3.79	1.9	95	0.03	11.1	0.07	1.3	245	VA08137124
RIM32039	55.9	1240	18.5	0.04	5.5	3.4	38.8	0.06	2.7	0.11	1.61	363	VA08135688
RIM32397	52.8	880	20	0.05	5.67	2.7	33.2	0.07	1.9	0.06	1.44	205	VA08137124
RIM32203	48.8	1280	17.9	0.01	4.69	2.2	36.7	0.03	6.4	0.06	1.07	221	VA08135688
RIM32416	83.1	1530	27.5	0.03	4.64	3.3	74.3	0.1	4.2	0.07	1.37	405	VA08137124
RIM32683	57.6	980	23.5	0.04	7.21	2.9	87.2	0.07	4.7	0.06	1.48	242	VA08137124
RIM32986	75.7	1070	22.3	0.09	9.16	3.7	47.2	0.12	3	0.08	1.87	201	VA08137124
RIM32030	68.8	2920	34.1	0.08	7.95	2.6	81.3	0.12	6.4	0.1	1.52	297	VA08135688

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
RIM32101	NAD83-8	343481	6836943	4	1.23	0.5	21.3	1600	0.35	0.19	0.59	1.37	4.3
RIM30630	NAD83-8	342188	6838205	11	0.72	0.38	21.2	330	0.18	0.15	1.27	0.95	8.7
RIM32415	NAD83-8	658436	6839543	7	1.47	0.26	21.2	250	0.4	0.18	2.55	2.35	9
RIM32034	NAD83-8	343077	6837389	4	1	0.5	21.2	1190	0.4	0.16	2.13	1.97	10.7
RIM29851	NAD83-8	343062	6837105	3	0.71	0.61	21.1	530	0.52	0.18	1.59	1.14	10.8
RIM32315	NAD83-8	341733	6837516	3	0.84	0.37	21.1	90	0.31	0.21	3.18	1.23	23.5
RIM30628	NAD83-8	342113	6838137	3	1.11	0.2	21	230	0.39	0.25	3.36	1.55	7.1
RIM30627	NAD83-8	342077	6838102	7	0.39	0.35	20.9	330	0.66	0.21	2.76	2.17	11.1
RIM32372	NAD83-8	341869	6838182	7	1.07	0.45	20.9	1000	0.41	0.17	2.22	2.57	8.7
RIM30691	NAD83-8	342815	6836338	2	0.17	0.49	20.7	60	0.5	0.17	4.37	0.81	18.5
RIM32324	NAD83-8	341284	6838745	9	0.53	0.32	20.6	100	0.24	0.16	3.34	1.45	13
RIM32997	NAD83-8	343011	6837604	5	0.71	0.33	20.6	560	0.28	0.14	2.39	3.29	5.3
RIM32371	NAD83-8	341832	6838148	5	1	0.55	20.4	850	0.37	0.16	1.73	3.1	10.8
RIM32171	NAD83-8	342129	6837603	2	0.8	0.57	20.4	320	0.4	0.15	1.16	4.2	11.7
RIM32987	NAD83-8	342644	6837267	6	0.66	0.28	20.3	550	0.58	0.23	1.84	1.23	11.5
RIM32201	NAD83-8	341482	6838383	3	0.48	0.74	20.3	150	0.46	0.19	0.64	1.41	12.9
RIM32392	NAD83-8	342214	6837955	6	0.52	0.32	20.2	240	0.47	0.2	1.68	0.28	10.3
RIM32175	NAD83-8	342274	6837739	6	0.82	0.57	20.1	1900	0.41	0.32	1.82	1.29	11.8
RIM32570	NAD83-8	658260	6838757	1	0.57	0.39	20.1	120	0.56	0.19	2.42	1.61	16.3
RIM32370	NAD83-8	341797	6838114	11	0.54	0.43	20	490	0.37	0.18	5.76	2.02	14.2
RIM30631	NAD83-8	342226	6838239	9	0.66	0.29	20	320	0.2	0.19	0.99	1.22	8.1
RIM32638	NAD83-8	658808	6838464	3	1.02	0.49	19.7	130	0.45	0.19	1	2.34	12.5
RIM32448	NAD83-8	341808	6838398	4	0.62	0.67	19.6	440	0.45	0.23	0.68	1.91	12.8
RIM32639	NAD83-8	658840	6838500	2	0.44	0.34	19.6	110	0.56	0.21	0.44	0.81	15.2
RIM32378	NAD83-8	342050	6838351	7	1.17	0.55	19.5	1800	0.29	0.12	1.13	4.32	6.5
RIM32373	NAD83-8	341907	6838216	12	0.9	0.49	19.4	560	0.36	0.15	1.39	2.6	9.2
RIM32474	NAD83-8	658478	6838699	1	0.92	0.42	19.4	390	0.61	0.15	1.39	1.94	8.5
RIM32410	NAD83-8	658267	6839359	5	0.77	0.4	19.1	230	0.36	0.18	0.41	2.61	6.4
RIM32990	NAD83-8	342754	6837366	5	1.04	0.3	19.1	2010	0.35	0.2	2.54	2.63	8.2
RIM32323	NAD83-8	341249	6838710	6	0.52	0.39	19	170	0.31	0.16	2.63	1.29	12.2
RIM30518	NAD83-8	341717	6838864	2	0.92	0.79	19	790	0.35	0.18	0.57	4.45	10.2
RIM30626	NAD83-8	342041	6838069	7	0.31	0.26	18.9	410	0.4	0.19	2.87	0.62	8.2
RIM30632	NAD83-8	342261	6838272	7	0.6	0.32	18.9	490	0.23	0.15	1.2	2.23	7.8
RIM32198	NAD83-8	343371	6836843	3	0.58	0.46	18.9	670	0.27	0.15	0.91	2	7.2
RIM32450	NAD83-8	341884	6838465	1	0.62	0.48	18.9	1090	0.18	0.12	0.63	3.59	6.2
RIM32369	NAD83-8	341758	6838081	6	0.38	0.55	18.8	330	0.37	0.16	4.66	1.88	14
RIM32389	NAD83-8	342103	6837852	6	0.68	0.46	18.8	520	0.36	0.17	0.99	0.69	9.4
RIM32035	NAD83-8	343113	6837421	2	0.62	0.58	18.8	750	0.38	0.15	1.08	1.27	8.6
RIM32040	NAD83-8	343294	6837591	3	1.18	0.63	18.6	1520	0.39	0.25	0.98	5.3	6.3
RIM32302	NAD83-8	341126	6839140	10	1.19	0.46	18.5	2850	0.51	0.28	4	1.49	12.4
RIM32126	NAD83-8	342735	6837615	2	0.97	0.27	18.5	920	0.3	0.16	1.21	0.84	6.6
RIM32396	NAD83-8	342363	6838089	12	0.56	0.26	18.4	240	0.29	0.19	1.11	1	10.7
RIM32239	NAD83-8	342558	6837727	3	0.36	0.32	18.4	270	0.31	0.18	0.98	0.96	9.6
RIM29941	NAD83-8	343026	6837072	5	0.96	0.44	18.3	830	0.52	0.25	4.18	1.3	11.9
RIM32211	NAD83-8	341927	6838782	2	0.38	0.69	18.3	770	0.34	0.19	0.53	2.05	8.9
RIM32409	NAD83-8	658232	6839321	2	1.09	0.36	18.3	250	0.44	0.14	1.09	5.7	8.4
RIM32407	NAD83-8	658165	6839248	5	0.75	0.21	17.9	100	0.42	0.15	1.59	1.31	10.8
RIM30617	NAD83-8	341708	6837765	4	0.7	0.83	17.8	150	0.71	0.22	4.26	1.99	22.6
RIM32208	NAD83-8	341815	6838683	4	0.45	0.9	17.8	740	0.46	0.2	0.89	2.63	10.5
RIM32098	NAD83-8	342582	6836667	1	0.22	0.4	17.8	140	0.54	0.15	2.44	0.88	14.1
RIM32401	NAD83-8	657963	6839026	1	0.47	0.77	17.7	130	0.37	0.18	4.49	2.88	14.2
RIM32390	NAD83-8	342139	6837886	7	1.28	0.28	17.5	310	0.38	0.23	3.53	1.54	8.4
ANG32861	NAD83-8	341111	6838856	14	0.64	0.18	17.4	450	0.4	0.19	1.72	0.41	10.4
RIM32375	NAD83-8	341832	6838147	5	0.85	0.52	17.4	950	0.36	0.15	2.05	2.67	9.3
RIM32119	NAD83-8	342438	6837342	2	0.98	0.29	17.4	220	0.43	0.14	1.59	2.41	9.1
RIM32114	NAD83-8	342254	6837174	1	0.96	0.8	17.4	100	0.56	0.19	2.78	2.98	23.5
RIM32635	NAD83-8	658708	6838355	1	0.9	0.94	17.4	90	0.46	0.29	2.38	3.13	21
RIM32158	NAD83-8	343432	6836630	6	0.94	0.3	17.3	740	0.38	0.19	2.39	5.76	15.3
RIM32192	NAD83-8	343150	6836641	1	0.4	0.31	17.3	130	0.44	0.15	1.21	1.73	9.1
RIM32374	NAD83-8	341941	6838250	6	0.71	0.4	17.2	440	0.44	0.16	0.79	1.09	7.4
RIM32993	NAD83-8	342863	6837468	11	0.64	0.48	17	1210	0.27	0.21	1.06	1.4	11.6
RIM32032	NAD83-8	343002	6837326	1	0.68	0.24	17	280	0.32	0.2	3.17	0.85	8.7

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hg_ppm	K_pct	La_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
RIM32101	21.3	10	0.45	45.4	1.98	1.38	0.05	0.19	0.04	11.5	0.13	197	9.32	0.01
RIM30630	19.6	5	0.7	57.1	2.28	1.01	0.06	0.05	0.05	10.3	0.47	233	4.45	0.01
RIM32415	17.65	7	0.6	53.5	2.15	0.82	0.05	0.18	0.04	9.9	0.92	264	12.75	0.01
RIM32034	25.4	10	0.43	47.6	2.5	1.23	0.05	0.07	0.05	13	0.79	306	8.32	0.01
RIM29851	29.8	9	0.46	50.1	2.99	1.69	0.07	0.09	0.06	16.7	0.54	199	9.16	0.01
RIM32315	2.03	7	2.16	51.3	2.61	1.26	0.05	0.23	0.02	0.7	0.84	189	8.34	-0.01
RIM30628	26.5	6	0.51	69.1	3.65	0.52	0.07	0.3	0.05	16.3	1.25	110	18.45	0.01
RIM30627	74.1	4	0.88	41.5	2.11	0.9	0.07	0.04	0.08	36.6	1.09	299	5.34	0.01
RIM32372	21.4	10	0.37	47.6	2.46	1.25	0.05	0.16	0.04	11.9	0.51	474	8.04	0.01
RIM30691	27.8	5	1.25	25.3	3.14	1.21	0.06	0.04	0.04	15.1	0.62	266	3.47	-0.01
RIM32324	23.5	5	0.52	37.9	2.15	0.71	-0.05	0.09	0.05	11.8	1.66	330	6.96	-0.01
RIM32997	17.75	6	0.42	34.6	1.64	0.94	0.05	0.06	0.03	10.6	0.38	376	4.78	0.01
RIM32371	27	14	0.43	43.8	2.81	1.7	0.06	0.13	0.05	14.7	0.61	361	8.33	0.01
RIM32171	34.7	12	0.58	47.3	3.64	1.53	0.08	0.13	0.06	18.7	0.59	454	11.1	0.02
RIM32987	28	7	0.51	59.5	2.52	0.83	0.07	0.07	0.05	14.4	0.61	196	8.11	0.01
RIM32201	24.5	15	0.67	39	3.19	2.06	0.08	0.07	0.05	12.8	0.36	310	5.96	-0.01
RIM32392	46.4	5	0.5	27.5	1.83	0.74	0.05	0.05	0.06	23.6	0.46	263	11	0.01
RIM32175	27.5	11	0.31	62.2	3.01	1.16	0.05	0.16	0.08	16.7	0.5	659	8.28	0.02
RIM32570	27.1	9	1.21	46.4	3.08	1.02	0.05	0.06	0.04	14.4	0.83	163	19.35	-0.01
RIM32370	28	10	0.79	40.9	2.98	1.3	0.06	0.05	0.06	14.4	1.9	326	9.12	0.01
RIM30631	19.1	5	0.44	61.1	2.35	0.73	0.05	0.05	0.03	9.9	0.19	386	4.44	0.01
RIM32638	20.6	7	0.35	45.5	2.91	1.3	0.05	0.07	0.04	11.1	0.35	248	14.45	-0.01
RIM32448	34	14	0.85	39.3	2.75	2.02	0.06	0.07	0.06	17.2	0.42	325	6.07	0.01
RIM32639	29.6	5	0.52	33.8	3.69	0.86	0.05	0.03	0.03	15.7	0.16	203	8.21	-0.01
RIM32378	17.6	9	0.42	66.8	1.76	1.48	0.05	0.15	0.03	9.9	0.18	304	6.73	0.02
RIM32373	23.1	11	0.34	39	2.8	1.46	0.05	0.16	0.05	12.5	0.37	333	9.02	0.01
RIM32474	15.85	9	0.4	42	2.06	1.14	0.05	0.12	0.04	9.3	0.3	234	30.6	0.01
RIM32410	20.8	8	0.33	47.6	1.82	1.28	0.06	0.09	0.03	11.3	0.12	142	7.71	0.01
RIM32990	19.15	7	0.27	62.9	2.1	0.73	-0.05	0.14	0.04	11	0.73	298	7.74	0.01
RIM32323	26.1	7	0.57	35.9	2.02	0.96	0.05	0.16	0.06	13	1.23	296	7.22	-0.01
RIM30518	32.5	18	0.65	29.3	2.37	2.53	0.07	0.05	0.04	18.1	0.33	271	11.55	0.01
RIM30626	47.9	4	0.62	22.5	1.5	0.8	0.06	0.02	0.06	23.6	1.02	136	7.81	0.01
RIM30632	19.75	5	0.4	38.3	2.16	0.82	0.05	0.06	0.04	9.8	0.27	361	4.96	0.01
RIM32198	19.45	12	0.37	31.6	2.16	1.17	-0.05	0.1	0.05	10	0.26	212	6.44	0.01
RIM32450	17.15	9	0.34	20.8	1.62	1.42	-0.05	0.07	0.04	9.3	0.18	255	8.63	0.02
RIM32369	31.1	15	0.97	36.2	2.9	1.77	0.06	0.05	0.07	16.3	1.16	329	6.79	0.01
RIM32389	29.4	10	0.34	38.4	2.24	1.23	0.05	0.07	0.05	14.7	0.42	362	4.87	0.01
RIM32035	20.6	9	0.35	34	2.75	1.46	0.05	0.08	0.04	10.1	0.3	334	7.02	0.01
RIM32040	25.1	10	0.53	39.3	2.05	1.72	0.05	0.08	0.04	13.4	0.17	241	8.63	0.02
RIM32302	20.7	12	0.39	64.6	3.06	1.21	0.08	0.24	0.07	12.6	1.66	374	12.05	0.02
RIM32126	17.75	7	0.28	27	2.07	0.8	-0.05	0.21	0.03	8.7	0.19	484	7.88	0.01
RIM32396	27.3	5	0.45	51.7	2.47	0.65	0.05	0.04	0.03	13.9	0.36	277	5.13	0.01
RIM32239	31.5	10	0.39	35.6	1.8	0.73	0.05	0.05	0.07	15.1	0.26	267	4.89	-0.01
RIM29941	31.2	7	0.55	66.7	3.06	1.33	0.09	0.1	0.07	17.9	1.77	263	15.2	0.01
RIM32211	33.5	22	0.69	29.9	2.16	2.42	0.08	0.05	0.05	17.2	0.34	227	6.63	-0.01
RIM32409	16.3	7	0.26	47.2	1.79	0.96	0.07	0.14	0.05	8.9	0.2	432	10.4	-0.01
RIM32407	33.5	5	0.59	43.7	2.07	0.67	0.07	0.13	0.05	17	0.67	251	12.6	0.01
RIM30617	52	15	1.77	61.6	3.35	2.35	0.09	0.1	0.07	28.9	1.39	213	26.4	0.01
RIM32208	38.3	24	0.96	40.6	2.49	3.07	0.09	0.1	0.08	19.5	0.59	342	5.29	-0.01
RIM32098	24.1	5	1.04	23.6	3.31	0.8	0.05	0.05	0.06	11.5	0.41	287	2.88	0.01
RIM32401	31	13	1.11	38.8	3.04	2.14	0.06	0.12	0.05	16.2	0.68	293	6.64	0.01
RIM32390	19.85	9	0.38	52.4	2.66	0.73	0.05	0.15	0.06	11.8	1.14	262	11.65	0.01
ANG32861	40.4	6	0.86	39.4	1.53	0.55	0.06	0.06	0.06	19.4	0.61	166	6.24	0.01
RIM32375	23.4	13	0.41	37	2.55	1.56	0.05	0.11	0.04	12.7	0.61	344	6.8	0.01
RIM32119	20.9	6	0.24	46.3	1.98	0.73	0.06	0.07	0.04	10.6	0.48	198	7.95	0.01
RIM32114	25.3	10	0.99	46.9	3.53	2.06	0.08	0.22	0.03	13.5	1.27	239	8.65	0.01
RIM32635	24.6	13	1.09	50.2	3.81	2.35	0.06	0.1	0.05	12.6	1.02	287	5.79	-0.01
RIM32158	24.1	8	0.36	63.6	2.31	0.83	0.07	0.16	0.06	13	0.96	335	14.65	0.01
RIM32192	22.6	8	0.59	32.8	2.71	0.88	0.06	0.06	0.04	12	0.32	213	5.11	0.02
RIM32374	31.3	10	0.43	31.2	2.12	1.14	0.05	0.08	0.06	16.1	0.2	278	5.95	-0.01
RIM32993	28.7	9	0.52	48.1	2.42	1.03	-0.05	0.08	0.06	15.2	0.31	305	9.56	0.01
RIM32032	21.7	4	0.32	41	2.52	0.56	0.05	0.06	0.04	10.8	0.9	322	7.75	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
RIM32101	30.4	1560	22	0.13	6.65	3.5	45.2	0.08	2.4	0.08	2.49	147	VA08135688
RIM30630	35.7	920	10.9	0.09	3.11	2.2	45.4	0.05	2.3	0.06	2.46	107	VA08135688
RIM32415	81.2	1850	25.4	0.06	5.81	3	64.4	0.1	2.1	0.07	1.19	246	VA08137124
RIM32034	53.3	1080	20.8	0.1	5.36	2.3	78.1	0.06	2.9	0.06	1.12	258	VA08135688
RIM29851	53.1	1130	18.9	0.04	6.17	1.7	53.7	0.05	4.6	0.07	1.12	284	VA08135688
RIM32315	47.6	450	38.1	0.13	3.34	2.1	45.4	0.02	13.1	0.12	0.86	399	VA08137124
RIM30628	89.6	1580	55.9	0.03	5.33	2.1	134	0.12	4.2	0.11	1.59	388	VA08135688
RIM30627	46.5	660	14.1	0.02	2.07	1	60.5	0.05	11.7	0.05	1.62	102	VA08135688
RIM32372	60	1450	23.9	0.06	4.96	2.6	83	0.07	1.9	0.06	1.17	266	VA08137124
RIM30691	36.1	730	18.5	0.04	2.91	0.7	155.5	0.02	13.1	0.12	0.85	134	VA08135688
RIM32324	58.1	980	17.8	0.03	3.1	2	68.3	0.04	4.2	0.06	1.09	184	VA08137124
RIM32997	41.5	1640	15.6	0.11	5.19	2.1	78.3	0.08	1.7	0.06	1.05	228	VA08137124
RIM32371	59	1240	23.9	0.04	5.68	2.4	83.5	0.07	2.5	0.07	1.21	309	VA08137124
RIM32171	72	1090	18.1	-0.01	6.65	3.9	50	0.06	8.1	0.09	1.19	410	VA08135688
RIM32987	65.7	920	20.3	0.11	7.59	3.5	46.8	0.09	2.9	0.07	1.78	163	VA08137124
RIM32201	43.9	1180	18	0.01	4.41	1.7	38.5	0.04	4.4	0.07	1.62	220	VA08135688
RIM32392	47.2	790	10.3	0.02	2.29	1.1	25.7	0.05	7.2	0.04	0.8	50	VA08137124
RIM32175	81.7	2780	40.4	0.08	5.08	2.2	107.5	0.15	2.4	0.08	2.31	244	VA08135688
RIM32570	65.6	1460	16.2	0.05	5.15	1.5	86.2	0.05	5.5	0.16	1.66	231	VA08137124
RIM32370	62.8	830	20	0.06	4.17	2.6	122	0.06	6.2	0.08	1.52	232	VA08137124
RIM30631	37.3	870	10.9	0.08	3.23	1.7	33.8	0.05	2	0.05	1.34	112	VA08135688
RIM32638	46.6	1020	15.8	0.02	4.81	2.1	40.7	0.05	3.5	0.08	1.02	292	VA08137124
RIM32448	60.8	860	19.2	0.01	3.48	1.6	31.7	0.06	4.5	0.09	1.19	224	VA08137124
RIM32639	52.6	740	12.7	-0.01	5.83	1	21.3	0.04	5.1	0.07	1.22	145	VA08137124
RIM32378	54.3	1110	17.9	0.08	6.86	4.4	105	0.07	1.1	0.07	3.71	247	VA08137124
RIM32373	49.5	1160	26.5	0.05	5.54	2.3	66.5	0.08	2.2	0.06	1.03	264	VA08137124
RIM32474	60.3	1000	14.3	0.1	7.12	2.9	45.3	0.09	1	0.15	2.35	312	VA08137124
RIM32410	54.9	770	15.2	0.02	4.15	3.3	15.7	0.04	2.6	0.1	1.86	360	VA08137124
RIM32990	70.1	1650	25.8	0.11	8.17	2.5	82.9	0.11	2.9	0.06	1.74	199	VA08137124
RIM32323	57.6	810	18.9	0.02	3.56	2.5	61.6	0.04	3.5	0.08	0.85	224	VA08137124
RIM30518	61.9	990	15.7	0.03	7.33	3.7	53.1	0.05	5	0.11	1.41	466	VA08135688
RIM30626	36.4	890	9.7	0.03	2.33	1.2	52.1	0.03	8.8	0.04	0.93	67	VA08135688
RIM30632	38.3	890	12.3	0.07	3.91	1.9	39	0.06	2.2	0.05	1.01	168	VA08135688
RIM32198	33	1170	17.2	0.08	3.35	2.2	38.3	0.07	1.8	0.06	1.61	163	VA08135688
RIM32450	35.9	840	14	0.02	5.27	2.1	44.2	0.05	2.4	0.05	0.97	269	VA08137124
RIM32369	53.2	930	16.2	0.04	3.31	1.8	108	0.03	7	0.08	1.36	202	VA08137124
RIM32389	43.8	1000	18.5	0.01	2.98	1.1	30.9	0.05	3.2	0.05	0.75	120	VA08137124
RIM32035	34.1	880	19.6	0.09	4.58	2.3	53.6	0.04	2.2	0.05	1.68	191	VA08135688
RIM32040	43.9	1170	17.9	0.07	5.89	3.8	63.5	0.07	3.5	0.09	1.8	282	VA08135688
RIM32302	111.5	3190	33.3	0.09	14.85	4	137	0.13	1.9	0.11	2.34	367	VA08137124
RIM32126	40.8	1540	25.3	0.12	4.69	1.9	51.8	0.09	1.5	0.07	1.89	192	VA08135688
RIM32396	47.9	960	13.5	0.02	2.63	1.4	29.2	0.05	3.6	0.04	1.19	102	VA08137124
RIM32239	44.3	650	14.3	0.03	1.69	1.3	24.7	0.04	4.3	0.04	0.68	93	VA08135688
RIM29941	73.8	1820	26.6	0.06	7.86	7	113	0.09	7.2	0.1	1.66	254	VA08135688
RIM32211	47.3	1200	12.1	-0.01	3.78	2.2	47.8	0.05	4.6	0.09	1.06	222	VA08135688
RIM32409	68.5	1180	25	0.08	7.64	7.7	40.2	0.04	1.8	0.11	1.3	397	VA08137124
RIM32407	67.8	880	24.6	0.02	8.52	4.5	33.7	0.03	6.5	0.07	1.2	226	VA08137124
RIM30617	87.6	1720	20.8	0.06	5.01	2.5	95.8	0.05	10.8	0.17	1.93	329	VA08135688
RIM32208	54.3	1270	13.5	-0.01	3.82	1.6	61.9	0.05	6	0.14	1.15	225	VA08135688
RIM32098	30.4	850	18.2	0.05	2.44	0.9	117.5	0.01	4.8	0.11	0.54	127	VA08135688
RIM32401	48	1010	23	-0.01	4.1	1.1	105	0.03	9.7	0.1	1.57	261	VA08137124
RIM32390	69	1950	35.5	0.03	5.12	2.3	91.3	0.09	3.2	0.1	1.88	246	VA08137124
ANG32861	64	980	12.8	0.03	2.96	1.9	34.6	0.09	8.8	0.05	0.92	165	VA08137124
RIM32375	51.8	1320	20.8	0.05	4.99	2.5	94.2	0.07	1.6	0.05	1.25	274	VA08137124
RIM32119	59.1	880	14.3	0.09	7.78	3.7	52	0.06	2.1	0.06	1.24	255	VA08135688
RIM32114	56.5	830	21.7	0.09	4.95	3.8	95.4	0.04	6.5	0.12	1.95	310	VA08135688
RIM32635	50.7	1030	28.2	0.06	3.06	2.2	74.3	0.04	13	0.08	1.44	314	VA08137124
RIM32158	82.9	1520	20	0.09	9.2	5.9	79.9	0.08	3.2	0.12	1.88	543	VA08135688
RIM32192	37.8	900	10.9	0.04	5.59	2.1	59.7	0.04	4.6	0.07	1.41	151	VA08135688
RIM32374	37.6	1020	30.2	0.04	3.29	1.4	35.7	0.06	2.8	0.05	0.88	146	VA08137124
RIM32993	64.7	810	19.4	0.09	2.55	1.7	39.3	0.06	4	0.08	1.54	178	VA08137124
RIM32032	49.5	1390	25.3	0.07	3.78	1.5	99.6	0.08	2.5	0.05	1.01	150	VA08135688

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
RIM32174	NAD83-8	342239	6837705	5	0.77	0.43	16.9	1790	0.33	0.2	2.29	0.74	8
RIM32219	NAD83-8	341792	6838931	2	0.48	0.81	16.9	760	0.38	0.18	0.46	5.89	12.1
RIM32128	NAD83-8	342805	6837682	2	0.37	0.35	16.7	450	0.3	0.14	2.03	0.47	8.5
RIM32011	NAD83-8	341918	6837684	4	0.86	0.65	16.6	120	0.61	0.22	3.74	2.6	19.1
ANG32857	NAD83-8	658760	6838711	5	0.51	0.14	16.5	60	0.38	0.13	1.85	0.27	8.5
RIM32356	NAD83-8	342102	6838667	2	0.93	0.51	16.3	2930	0.33	0.14	1.81	9.08	6.9
RIM32977	NAD83-8	342310	6836962	2	0.13	0.3	16.3	70	0.41	0.13	3.26	0.6	15
RIM32980	NAD83-8	342423	6837064	2	0.21	0.79	16.2	50	0.27	0.14	8.21	0.29	16
RIM32018	NAD83-8	342483	6836850	-1	0.1	0.25	16.2	60	0.41	0.17	3.14	0.22	15.9
RIM32402	NAD83-8	657997	6839064	2	0.26	0.8	16.1	260	0.41	0.17	3.64	1.49	14.1
RIM32154	NAD83-8	343284	6836495	1	0.47	0.21	16.1	80	0.37	0.11	1.68	1.27	8.3
RIM32222	NAD83-8	341967	6837186	13	0.4	1.01	16	140	0.48	0.17	0.59	1.24	21
RIM32329	NAD83-8	342103	6837042	-1	0.16	0.68	16	90	0.42	0.15	3.15	0.61	20.1
RIM32421	NAD83-8	658639	6839763	5	0.68	0.79	15.9	2480	0.29	0.17	0.66	3.23	10.2
RIM32443	NAD83-8	341624	6838229	8	0.32	1.25	15.8	560	0.51	0.26	1.19	1.27	12.1
RIM32479	NAD83-8	658780	6839031	5	0.67	0.33	15.8	110	0.33	0.16	0.85	2.98	8.2
RIM32685	NAD83-8	658315	6839113	5	0.81	0.16	15.7	130	0.25	0.15	2.68	1.88	8.4
RIM32636	NAD83-8	658741	6838390	4	0.76	1.08	15.7	100	0.51	0.29	2.5	1.99	21.9
RIM32446	NAD83-8	341734	6838330	3	0.27	1.09	15.6	560	0.56	0.19	0.96	1.23	12.9
RIM32193	NAD83-8	343186	6836676	2	0.79	0.33	15.6	130	0.42	0.16	0.75	0.72	9.3
RIM32112	NAD83-8	342180	6837104	-1	0.33	0.88	15.6	110	0.5	0.17	0.39	0.98	19.4
RIM32113	NAD83-8	342215	6837138	2	0.29	0.55	15.5	70	0.29	0.15	7.12	0.49	17.3
RIM32202	NAD83-8	341516	6838415	2	0.61	0.6	15.5	140	0.36	0.14	1.49	2.17	11.5
RIM32031	NAD83-8	342966	6837287	3	0.78	0.49	15.4	620	0.3	0.15	2.62	2.76	8
RIM32437	NAD83-8	341401	6838026	2	0.47	0.98	15.3	130	0.54	0.21	1.22	1.15	23.6
RIM32395	NAD83-8	342326	6838055	5	0.57	0.25	15.2	190	0.28	0.18	0.68	0.44	8.9
RIM32494	NAD83-8	341221	6838148	-1	0.63	0.58	15.1	120	0.5	0.2	0.91	2.28	14.7
RIM32388	NAD83-8	342067	6837818	4	0.66	0.46	15	390	0.34	0.17	1.34	1.02	8.2
RIM32394	NAD83-8	342288	6838022	11	0.71	0.36	14.9	160	0.35	0.22	0.69	0.54	11.5
RIM30623	NAD83-8	341931	6837968	5	0.58	0.27	14.8	660	0.24	0.16	2.33	3.68	5.8
RIM32425	NAD83-8	341087	6838295	4	0.21	0.36	14.8	110	0.32	0.17	9.49	0.28	16.6
RIM32220	NAD83-8	341829	6838965	2	0.41	0.85	14.8	780	0.42	0.2	0.56	2.69	9.7
RIM32320	NAD83-8	341140	6838609	2	0.9	0.36	14.8	150	0.28	0.14	0.65	1.82	8.1
RIM32122	NAD83-8	342548	6837444	3	0.59	0.28	14.7	180	0.25	0.16	2.59	1.17	11
RIM32022	NAD83-8	342632	6836983	2	0.47	1.34	14.7	100	0.43	0.15	3.59	0.82	14.1
RIM32330	NAD83-8	342144	6837070	1	0.18	0.89	14.7	90	0.44	0.18	1.21	0.66	22
RIM32365	NAD83-8	341611	6837945	2	0.37	0.18	14.6	60	0.47	0.2	8.2	0.44	63.3
RIM32743	NAD83-8	341633	6837697	2	0.83	1.38	14.6	70	0.6	0.27	3	2.95	22.9
RIM32005	NAD83-8	342878	6836936	1	0.44	0.59	14.6	90	0.45	0.16	3.26	1.19	14
RIM32204	NAD83-8	341591	6838482	2	0.66	0.78	14.4	520	0.42	0.18	1.24	1.67	10.5
RIM32679	NAD83-8	658113	6838892	1	0.34	0.45	14.4	90	0.47	0.18	1.57	1.32	14.9
RIM32976	NAD83-8	342275	6836929	3	0.16	0.55	14.3	100	0.49	0.16	1.28	0.5	18.7
RIM32234	NAD83-8	342375	6837558	4	0.35	0.29	14.2	240	0.22	0.16	3.2	0.63	11.4
RIM32431	NAD83-8	341272	6838462	2	0.39	0.86	14.1	120	0.48	0.16	0.53	1.24	15.1
RIM32449	NAD83-8	341845	6838430	2	0.48	0.44	14	200	0.35	0.19	0.47	1.17	11.3
RIM32496	NAD83-8	341296	6838215	3	0.28	0.87	13.9	190	0.5	0.2	1.08	0.97	11.7
RIM32009	NAD83-8	341844	6837618	2	0.63	0.63	13.7	140	0.47	0.19	3.42	1.64	17.2
RIM32210	NAD83-8	341888	6838752	1	0.28	0.7	13.7	580	0.34	0.16	0.61	1.94	7.8
RIM32393	NAD83-8	342251	6837988	6	0.64	0.24	13.6	100	0.4	0.18	0.85	0.43	10.2
RIM32196	NAD83-8	343297	6836778	2	0.68	0.61	13.6	2390	0.44	0.21	0.65	0.97	9.7
RIM32444	NAD83-8	341660	6838263	4	0.45	0.67	13.5	550	0.39	0.16	1.27	2.28	10.3
RIM32024	NAD83-8	342707	6837051	2	0.49	1.22	13.4	110	0.46	0.13	4.39	1.3	15.1
RIM32882	NAD83-8	341980	6837471	1	0.55	0.57	13.3	70	0.42	0.19	2.19	1.55	17.6
RIM32424	NAD83-8	658888	6838258	-1	0.59	1.32	13.3	90	0.42	0.19	3.44	1.75	18.7
RIM32180	NAD83-8	342386	6837840	3	0.3	0.46	13.2	510	0.29	0.18	2.41	0.52	13.9
RIM32016	NAD83-8	342409	6836781	-1	0.22	0.69	13.2	140	0.66	0.16	1.34	0.58	15.9
RIM32100	NAD83-8	342693	6836768	1	0.72	0.69	13.1	80	0.41	0.16	2.25	1.92	14.9
RIM32364	NAD83-8	341574	6837911	4	1.3	0.46	12.8	60	0.63	0.35	5.53	3.5	29.4
RIM32317	NAD83-8	341807	6837584	3	0.49	0.89	12.8	100	0.44	0.19	4.53	1.03	20.5
RIM30693	NAD83-8	342890	6836404	1	0.34	0.94	12.8	100	0.45	0.15	4.56	1.06	17.3
RIM32435	NAD83-8	341327	6837958	3	0.61	1.04	12.7	110	0.44	0.17	1.11	1.49	13.4
RIM30698	NAD83-8	343074	6836575	2	0.84	0.5	12.7	180	0.52	0.16	1.52	2.95	9.9

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hg_ppm	K_pct	La_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
RIM32174	20.5	8	0.33	48.2	2.07	1.03	-0.05	0.11	0.05	11.9	0.67	369	5.69	0.02
RIM32219	41.1	24	0.73	32.3	2.92	2.81	0.1	0.04	0.04	21.2	0.4	343	6.86	-0.01
RIM32128	25.8	4	0.29	26	1.85	0.73	0.05	0.05	0.05	12.6	0.59	414	4.42	0.01
RIM32011	34.9	10	1.01	60.1	3.22	1.91	0.07	0.13	0.05	19.9	1.04	234	14.7	-0.01
ANG32857	37.1	4	0.58	22.8	1.56	0.46	0.06	0.04	0.05	18.8	0.81	174	6.1	0.01
RIM32356	22.1	9	0.41	51.8	1.82	1.46	0.06	0.09	0.03	11.8	0.19	278	6.92	0.01
RIM32977	29.8	3	0.95	22.2	2.54	0.79	0.06	0.05	0.04	15	0.55	209	2.9	0.01
RIM32980	29.9	12	0.78	31.7	3.01	2.13	0.06	0.05	0.03	16.4	2.19	194	2.01	0.02
RIM32018	27.7	3	0.9	24.2	2.47	0.63	0.05	0.05	0.04	14.5	0.37	226	2.69	0.01
RIM32402	33.5	17	1.12	33.5	2.71	2.37	0.06	0.1	0.07	17.3	0.59	335	5.76	0.01
RIM32154	25	5	0.42	29.4	1.92	0.63	0.05	0.06	0.04	13.1	0.75	234	6.5	0.01
RIM32222	39.9	16	1.62	31.5	3.49	2.59	0.09	0.06	0.08	20	0.74	447	6.04	-0.01
RIM32329	33.1	7	1.02	31.1	3.16	1.77	0.06	0.03	0.06	16.3	0.71	269	7.02	-0.01
RIM32421	22.9	12	0.57	31.6	2.63	2.18	0.06	0.1	0.03	11.4	0.19	497	9.84	0.01
RIM32443	42.3	31	1.53	44.9	2.61	4.16	0.08	0.11	0.15	21.5	0.76	444	3.21	0.03
RIM32479	20.3	9	0.58	30.7	2.02	0.88	0.05	0.17	0.05	10.3	0.23	485	9	-0.01
RIM32685	15.7	8	0.41	50.3	1.66	0.46	-0.05	0.06	0.05	8.1	0.98	252	8.32	-0.01
RIM32636	33	15	1.25	53.2	3.72	2.85	0.06	0.12	0.05	17.5	1.06	264	5.49	-0.01
RIM32446	45.7	28	1.22	33.1	2.66	3.89	0.09	0.09	0.1	21.6	0.66	515	2.89	0.02
RIM32193	25.5	9	0.43	33.2	2.77	0.85	0.05	0.1	0.04	13.5	0.2	301	5.13	0.01
RIM32112	42.9	11	1.15	35	3.61	2.4	0.08	0.04	0.07	21.3	0.62	324	6.09	0.01
RIM32113	56.9	9	0.78	39.9	2.73	1.78	0.09	0.09	0.04	30.9	2.52	200	2.3	0.01
RIM32202	19.6	16	0.45	32.5	2.5	1.72	0.07	0.08	0.04	10.3	0.47	241	5.75	-0.01
RIM32031	26.6	10	0.42	37.4	2.23	1.24	0.05	0.07	0.06	13.4	1.07	244	9.16	0.01
RIM32437	24.8	12	0.77	37.6	3.92	2.61	0.07	0.07	0.06	12.4	0.59	403	8.02	-0.01
RIM32395	22.9	5	0.42	36.3	2.05	0.58	-0.05	0.03	0.04	11.5	0.16	177	3.61	0.01
RIM32494	25	9	0.92	45.2	3.5	1.55	0.05	0.13	0.04	12.6	0.38	196	10.05	-0.01
RIM32388	27.1	8	0.33	32.6	2.18	1.25	-0.05	0.06	0.05	14.3	0.42	309	5.37	0.01
RIM32394	35.2	7	0.66	42.1	2.44	0.9	-0.05	0.12	0.05	17.4	0.28	424	5.12	0.01
RIM30623	26.6	5	0.27	65.6	1.45	0.76	0.05	0.09	0.05	14.1	0.83	190	6.08	0.02
RIM32425	22.7	6	1.01	46.8	3.03	0.94	0.07	0.04	0.03	12.3	0.69	270	1.48	0.01
RIM32220	42.4	26	0.71	30.2	2.38	3.24	0.1	0.05	0.05	21.7	0.41	247	5.64	-0.01
RIM32320	25.3	5	0.33	30.6	2.06	1.22	0.06	0.05	0.04	13.1	0.08	197	10.55	-0.01
RIM32122	13.35	4	0.25	45.9	1.98	0.64	0.05	0.13	0.07	6.2	0.77	336	5.38	0.01
RIM32022	29.7	18	0.63	34.9	3.33	3.31	0.06	0.09	0.04	15.4	1.49	222	2.58	0.02
RIM32330	36.5	10	0.99	33.8	3.6	2.35	0.07	0.03	0.06	17.7	0.64	358	6.11	-0.01
RIM32365	42	5	1.33	38.7	2.4	0.64	0.05	0.03	0.05	23.8	0.61	358	3.01	0.01
RIM32743	20.6	19	1.1	48.4	4.03	3.5	0.08	0.19	0.04	10.9	1.28	298	6.67	-0.01
RIM32005	29.3	8	0.94	29.5	2.82	1.66	0.06	0.09	0.04	15.4	0.7	187	4.66	-0.01
RIM32204	28.3	27	0.66	45.2	2.22	2.61	0.07	0.11	0.06	14.8	0.47	425	3.79	-0.01
RIM32679	28.9	6	0.71	32.4	3.46	1.14	0.05	0.04	0.04	14.1	0.36	318	4.2	-0.01
RIM32976	34.8	7	1.2	30.5	3.32	1.37	0.07	0.03	0.06	17.6	0.63	273	5.44	0.01
RIM32234	16	15	0.49	40.6	2.02	0.61	0.05	0.03	0.05	7.7	1.25	201	4.45	-0.01
RIM32431	32.8	12	0.54	34.2	3.62	2.31	0.07	0.07	0.04	16.7	0.49	280	4.05	0.01
RIM32449	29.8	8	0.81	28.3	2.51	1.19	0.06	0.05	0.05	14.9	0.26	270	6.21	0.01
RIM32496	38.1	18	0.99	34.4	3	2.62	0.06	0.07	0.08	20.1	0.53	265	3.46	-0.01
RIM32009	18.75	9	0.99	38.9	3.13	1.76	0.06	0.14	0.03	9.4	0.99	229	4.55	-0.01
RIM32210	29.5	21	0.65	29.4	1.97	2.4	0.07	0.06	0.05	15.2	0.39	231	4.2	-0.01
RIM32393	31.3	4	0.32	32.4	2.09	0.59	-0.05	0.08	0.05	15.3	0.29	245	6.61	-0.01
RIM32196	25.8	15	0.28	29.1	3	1.43	0.05	0.13	0.06	14.5	0.22	537	7.3	0.01
RIM32444	29.1	15	0.62	31.7	2.49	1.99	0.06	0.06	0.05	14.5	0.52	408	4.74	0.02
RIM32024	30.1	18	0.66	43	2.85	3	0.07	0.08	0.05	15.7	1.8	234	10.85	0.02
RIM32882	23.8	8	1.2	37	3.16	1.58	0.07	0.14	0.04	11.6	0.79	265	5.35	0.01
RIM32424	23.8	17	0.73	44.1	3.73	3.38	0.08	0.14	0.05	12	1.38	271	4.88	-0.01
RIM32180	35.1	10	0.76	37.9	2.25	0.97	0.05	0.04	0.07	17.3	0.88	284	4.14	0.02
RIM32016	26.9	8	0.78	25.5	3.38	1.68	0.06	0.04	0.06	14.2	0.41	247	2.89	-0.01
RIM32100	31.1	10	0.7	33.9	3.34	1.68	0.06	0.1	0.03	16.1	0.72	214	4.05	0.01
RIM32364	30.4	8	1.2	95.5	4.47	1.29	0.07	0.03	0.05	16.7	0.57	316	7.48	0.01
RIM32317	26.2	13	1.15	44.6	3.04	2.51	0.07	0.12	0.04	13.5	1.62	225	3.39	0.01
RIM30693	29.8	13	0.75	38.3	3.14	2.52	0.07	0.11	0.04	16.2	1.13	268	3.48	-0.01
RIM32435	21.5	14	0.49	32.9	3.47	2.71	0.07	0.15	0.04	10.6	0.74	241	3.08	-0.01
RIM30698	21.6	8	0.35	55.8	2.88	1.35	0.06	0.13	0.05	12	0.44	184	17.1	-0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
RIM32174	55.2	1890	23.3	0.07	4.5	2.1	92.3	0.1	1.5	0.06	1.73	140	VA08135688
RIM32219	53.3	1080	13	-0.01	3.94	3.1	44.9	0.04	5.6	0.08	1.54	274	VA08135688
RIM32128	36.9	1220	13.3	0.1	2.28	1.1	54.1	0.04	2.8	0.05	0.87	63	VA08135688
RIM32011	69.6	1470	22.6	0.07	5.56	2.4	80.1	0.05	11.1	0.12	1.46	351	VA08135688
ANG32857	48.3	760	16.9	0.02	7.38	1.4	39.8	0.03	7	0.05	0.66	92	VA08137124
RIM32356	53.2	1080	14.3	0.07	6.59	5.2	142	0.06	2.5	0.05	4.22	313	VA08137124
RIM32977	27.6	1300	16.9	0.05	2.7	0.8	94.3	0.01	10.9	0.09	0.68	97	VA08137124
RIM32980	34.7	970	10.3	0.08	3.79	1	186	0.02	6.6	0.03	1.16	100	VA08137124
RIM32018	29.2	1220	17.8	0.05	2.71	0.8	91.2	0.01	11.5	0.1	0.45	84	VA08135688
RIM32402	53.2	1080	18	-0.01	3.28	1.2	79.1	0.03	8.6	0.15	1.95	362	VA08137124
RIM32154	37.2	770	15.7	0.03	3.81	1.2	54.5	0.02	3.1	0.05	0.64	213	VA08135688
RIM32222	53.2	850	29.9	-0.01	3.52	1.2	48.3	0.02	11	0.13	1	181	VA08135688
RIM32329	48.3	1120	23.6	0.04	2.27	1	122	0.02	10.8	0.11	1.08	131	VA08137124
RIM32421	32.4	1160	19.4	0.06	3.6	4	51.4	0.06	3	0.07	2.28	232	VA08137124
RIM32443	48.4	1260	13.2	-0.01	2.23	0.6	63.2	0.05	6.9	0.16	1.14	153	VA08137124
RIM32479	54.7	1070	17.3	0.06	5.66	3.5	22.7	0.06	2.7	0.09	1.04	252	VA08137124
RIM32685	58.6	980	19.7	0.03	8.35	3.2	72.5	0.06	3.6	0.05	1.59	191	VA08137124
RIM32636	47.2	1110	22.1	0.04	3.51	1.8	61.9	0.04	11.8	0.09	1.26	263	VA08137124
RIM32446	46.2	1340	13.7	-0.01	2.28	0.7	61.6	0.04	5.7	0.19	1.03	139	VA08137124
RIM32193	41.3	730	13.3	0.02	5.08	1.4	30.7	0.05	3.6	0.06	0.9	105	VA08135688
RIM32112	50.1	890	26.9	0.04	3.65	1.2	29.5	0.01	10.5	0.12	1.25	176	VA08135688
RIM32113	35.6	1190	10.5	0.03	2.93	1	178.5	0.01	8	0.04	1.05	124	VA08135688
RIM32202	44.4	1020	14	0.01	3.89	2.1	57.8	0.03	3.5	0.07	0.95	197	VA08135688
RIM32031	49.4	1300	16.9	0.06	4.94	2.2	86.8	0.06	4.7	0.07	1.08	254	VA08135688
RIM32437	67	990	19.2	0.04	3.51	1.2	22.7	0.03	5.9	0.11	1.48	358	VA08137124
RIM32395	40.2	660	13.2	0.03	1.97	0.8	16	0.04	2.7	0.03	0.88	62	VA08137124
RIM32494	48.5	1030	25.9	0.02	7.03	1.2	32.2	0.05	6.2	0.09	1.06	332	VA08137124
RIM32388	39.8	1200	17.9	0.03	3.2	1.3	41.5	0.06	2.1	0.06	0.98	134	VA08137124
RIM32394	50.2	890	17.9	0.03	3.03	1.3	17.1	0.04	4.8	0.05	1.18	90	VA08137124
RIM30623	41.1	860	14	0.05	3.35	1.5	64.7	0.03	2.7	0.05	1.07	250	VA08135688
RIM32425	31.9	910	9.6	0.04	1.88	0.7	113.5	0.01	7.9	0.03	0.58	100	VA08137124
RIM32220	47.2	1060	15.7	-0.01	3.19	3.6	50.3	0.04	5.8	0.08	1.42	205	VA08135688
RIM32320	50.9	700	14.4	0.05	7.82	3.7	34.6	0.03	2.4	0.08	1.43	124	VA08137124
RIM32122	46.9	1460	14.1	0.15	4.86	2.2	57.8	0.05	1.9	0.05	1.26	113	VA08135688
RIM32022	34.8	1080	13.8	0.08	2.64	1.1	93	0.02	5.1	0.05	0.83	142	VA08135688
RIM32330	50.3	1130	27.8	0.07	2.59	1	61.6	0.01	11.7	0.12	1.11	151	VA08137124
RIM32365	35.9	1070	6.7	0.02	2.17	0.8	90.3	0.02	10.2	0.04	1.11	95	VA08137124
RIM32743	50.9	760	23	0.06	4.68	3.6	59.4	0.04	16.7	0.09	1.06	302	VA08137124
RIM32005	38.3	980	18.4	0.04	3.11	1	69.5	0.03	9.2	0.08	0.83	182	VA08135688
RIM32204	42.6	850	15.4	0.01	2.49	1.4	53.4	0.04	2.8	0.09	1.97	153	VA08135688
RIM32679	34.5	1360	21.9	0.01	3.13	0.9	48.1	0.03	8.4	0.06	0.82	193	VA08137124
RIM32976	40.3	1070	21.6	0.05	3.37	1	64	0.01	12	0.1	0.95	125	VA08137124
RIM32234	52.1	750	14.2	0.04	2.75	1.5	86.1	0.04	2.2	0.05	1.44	98	VA08135688
RIM32431	40.6	1070	18.5	0.02	2.64	1.1	35	0.02	7.5	0.05	0.74	168	VA08137124
RIM32449	59.9	490	14.8	0.02	2.35	1.3	20	0.05	4.7	0.06	1.13	220	VA08137124
RIM32496	39.8	1100	13.5	-0.01	3.12	0.7	41.9	0.04	6.8	0.09	0.85	145	VA08137124
RIM32009	40	900	19.3	0.05	2.51	1.5	60.7	0.03	11.1	0.07	0.82	216	VA08135688
RIM32210	41.2	1100	10.4	-0.01	2.61	1.4	43.1	0.03	4	0.08	1.84	169	VA08135688
RIM32393	42.5	590	9.6	0.03	1.66	1.2	14.7	0.03	4.8	0.03	0.61	48	VA08137124
RIM32196	34.2	1710	24.5	0.04	3.5	1.3	36.7	0.08	2.8	0.07	1.76	189	VA08135688
RIM32444	43.4	970	15	0.01	3.16	1.5	57.6	0.03	4.1	0.09	0.95	186	VA08137124
RIM32024	51.4	1390	15.7	0.08	4.26	1.4	113	0.02	4.8	0.06	1.1	224	VA08135688
RIM32882	38.2	1140	34.1	0.05	3.47	1.5	51.3	0.04	11.3	0.08	0.84	266	VA08137124
RIM32424	44.4	990	18.7	0.05	2.89	1.8	107	0.03	7.9	0.07	1.11	194	VA08137124
RIM32180	51.8	640	17.3	0.02	1.26	1	61.7	0.06	6	0.06	1.19	106	VA08135688
RIM32016	36.7	760	21	0.04	2.28	0.7	74.1	0.01	8.5	0.1	0.91	121	VA08135688
RIM32100	38.3	890	16.6	0.04	2.93	1.3	72.3	0.03	6	0.07	0.77	200	VA08135688
RIM32364	68.3	930	16.4	0.06	5.39	2.7	63.7	0.07	8.4	0.04	1.58	311	VA08137124
RIM32317	39.2	910	16.4	0.04	1.93	1.2	87.7	0.01	11.1	0.06	0.68	210	VA08137124
RIM30693	45.7	1130	18	0.04	2.14	0.8	101.5	0.02	6.8	0.04	0.72	193	VA08135688
RIM32435	35.4	870	24.8	0.04	2.73	1.1	52.5	0.02	5.1	0.05	1.01	219	VA08137124
RIM30698	65	1080	15.6	0.08	5.68	4.4	46.7	0.05	4.6	0.11	1.64	308	VA08135688

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
RIM32434	NAD83-8	341291	6837924	1	0.57	0.62	12.7	80	0.41	0.17	5	2.4	15.3
RIM32194	NAD83-8	343221	6836709	2	0.62	0.39	12.6	150	0.39	0.21	0.51	0.91	8
RIM32978	NAD83-8	342349	6836995	2	0.15	0.25	12.6	70	0.36	0.16	3.26	0.68	14.5
RIM32181	NAD83-8	342421	6837873	4	0.48	0.51	12.5	430	0.25	0.22	1.03	0.9	16.2
RIM32012	NAD83-8	341955	6837720	1	0.53	0.71	12.5	80	0.49	0.2	4.12	1.42	21.4
RIM32184	NAD83-8	342532	6837976	2	0.26	0.24	12.4	230	0.25	0.15	1.05	0.55	7.9
RIM32017	NAD83-8	342446	6836814	1	0.1	0.31	12.4	60	0.53	0.14	1.16	0.2	15.3
RIM32691	NAD83-8	658518	6839336	6	0.51	0.27	12.3	200	0.24	0.17	2.54	1.44	10.5
RIM32010	NAD83-8	341881	6837650	2	0.61	0.89	12.3	80	0.47	0.21	3.56	1.67	20.4
RIM30642	NAD83-8	343026	6836259	2	0.64	0.42	12.2	90	0.41	0.19	4.08	2.89	17.1
RIM30640	NAD83-8	342952	6836191	1	0.43	0.39	12.2	120	0.52	0.15	4.42	1.32	15.9
RIM30508	NAD83-8	341087	6838295	9	0.27	0.33	12	140	0.31	0.18	7.57	0.3	18.6
RIM32696	NAD83-8	658687	6839519	4	0.71	0.41	12	160	0.37	0.17	1.26	1.91	9
RIM32695	NAD83-8	658653	6839483	4	0.68	0.28	11.9	120	0.25	0.15	1.08	1.9	7.2
RIM32224	NAD83-8	342042	6837254	-1	0.31	0.97	11.8	110	0.49	0.16	0.34	1.09	20.6
RIM32492	NAD83-8	341146	6838079	5	0.51	0.45	11.7	100	0.46	0.18	3.47	2.34	13.8
RIM32879	NAD83-8	341908	6837403	-1	0.38	0.55	11.7	60	0.43	0.17	2.48	1.56	16.3
RIM32436	NAD83-8	341363	6837993	4	0.51	0.98	11.6	90	0.43	0.18	1.07	1.04	13.4
RIM30692	NAD83-8	342855	6836370	3	0.79	1.12	11.6	70	0.42	0.18	1.25	2.34	19
RIM30643	NAD83-8	343063	6836292	1	0.64	0.38	11.5	70	0.41	0.2	3.65	3.39	19.7
RIM32493	NAD83-8	341183	6838114	-1	0.52	0.52	11.5	100	0.44	0.18	3.45	1.95	13.6
RIM32099	NAD83-8	342657	6836734	1	0.28	0.47	11.4	80	0.45	0.15	0.97	0.92	13.9
RIM32111	NAD83-8	341698	6837482	-1	0.13	0.46	11.4	70	0.45	0.16	0.91	0.23	17.8
RIM32233	NAD83-8	342337	6837523	6	0.54	0.28	11.3	600	0.24	0.14	1.64	1.84	7.6
RIM32495	NAD83-8	341258	6838182	2	0.19	0.69	11.2	80	0.31	0.13	3.83	0.89	10.4
RIM32332	NAD83-8	342581	6838295	1	0.42	0.41	11.2	3740	0.12	0.05	0.62	10.25	4.3
RIM32179	NAD83-8	342348	6837806	-1	0.24	0.51	11.2	290	0.31	0.16	2	0.48	10.3
RIM30637	NAD83-8	342444	6838441	4	2.02	0.48	11.1	1700	0.17	0.13	0.32	5.56	4.8
RIM30645	NAD83-8	343136	6836360	3	0.23	0.41	10.8	70	0.44	0.16	5.88	0.28	21.4
RIM32127	NAD83-8	342769	6837646	2	0.42	0.35	10.8	520	0.26	0.13	1.07	0.94	6.8
RIM32445	NAD83-8	341699	6838298	2	0.43	0.66	10.8	400	0.34	0.21	0.49	1.04	10.4
RIM32207	NAD83-8	341789	6838633	1	0.24	0.92	10.8	330	0.38	0.16	0.66	0.86	8.7
RIM32223	NAD83-8	342006	6837219	1	0.28	0.91	10.7	90	0.42	0.16	0.65	0.94	19.8
RIM32361	NAD83-8	341462	6837808	4	0.37	0.69	10.6	110	0.41	0.15	3.33	1.31	20.3
RIM32001	NAD83-8	342730	6836803	1	0.36	0.51	10.6	90	0.48	0.15	0.87	0.91	13.7
RIM32195	NAD83-8	343260	6836742	6	0.41	0.38	10.5	230	0.38	0.15	0.92	0.75	7.5
RIM32881	NAD83-8	341980	6837470	1	0.41	1.15	10.5	70	0.46	0.17	3.17	1.32	18.8
RIM32975	NAD83-8	342238	6836896	1	0.12	0.87	10.5	90	0.47	0.16	1.11	0.32	22.2
RIM32156	NAD83-8	343357	6836562	1	0.59	0.19	10.4	90	0.44	0.13	1.17	0.33	8.4
RIM32387	NAD83-8	341699	6838298	3	0.45	0.65	10.3	400	0.33	0.2	0.46	1.12	10.1
RIM32185	NAD83-8	342568	6838010	-1	0.2	0.22	10	280	0.25	0.13	0.73	0.57	6.6
RIM32423	NAD83-8	658854	6838221	12	0.37	0.79	9.8	120	0.43	0.16	1.24	0.96	15.5
RIM32002	NAD83-8	342768	6836836	2	0.41	0.74	9.8	70	0.44	0.15	2.28	1.02	12.9
RIM32877	NAD83-8	341833	6837335	4	0.21	0.83	9.7	120	0.49	0.16	0.89	0.58	14.3
RIM32880	NAD83-8	341942	6837437	-1	0.38	0.31	9.7	60	0.33	0.16	3.38	1.14	16.1
RIM32110	NAD83-8	343038	6836540	-1	0.35	0.65	9.6	150	0.52	0.17	1.75	1.34	11
RIM30641	NAD83-8	342989	6836225	8	0.72	1.18	9.5	110	0.47	0.19	0.67	1.9	18.6
RIM32123	NAD83-8	342585	6837478	4	0.47	0.52	9.5	200	0.23	0.15	2.58	1.57	11.8
RIM30697	NAD83-8	343038	6836540	1	0.35	0.61	9.5	140	0.51	0.16	1.75	1.24	11.6
RIM32019	NAD83-8	342520	6836883	-1	0.63	0.59	9.4	80	0.49	0.18	3.79	6.12	18.4
RIM32190	NAD83-8	342643	6836452	1	0.12	1.07	9.3	260	0.59	0.14	0.71	0.52	12.4
RIM32041	NAD83-8	342520	6836883	-1	0.8	0.63	9.3	90	0.47	0.17	3.75	8.67	17
RIM32238	NAD83-8	342521	6837693	5	0.22	0.35	8.9	180	0.35	0.15	1.64	0.2	7.6
RIM32904	NAD83-8	342385	6837029	7	0.47	1.22	8.8	110	0.44	0.17	4.99	0.83	17.2
RIM32021	NAD83-8	342595	6836949	2	0.26	1.79	8.8	100	0.42	0.16	4.66	0.3	15.3
RIM30616	NAD83-8	341670	6837731	3	0.37	0.46	8.7	60	0.34	0.15	4.88	1.01	20.4
RIM32003	NAD83-8	342805	6836869	1	0.44	0.71	8.6	80	0.41	0.15	2.1	1.18	12.1
RIM32020	NAD83-8	342557	6836916	-1	0.41	0.29	8.6	90	0.4	0.16	4.5	1.39	14.5
RIM32015	NAD83-8	342374	6836747	-1	0.14	0.77	8.1	150	0.45	0.13	1.14	0.4	13.5
RIM32097	NAD83-8	342545	6836632	-1	0.1	0.61	8	100	0.41	0.14	0.66	0.17	14.1
RIM32316	NAD83-8	341770	6837551	1	0.35	0.26	7.9	100	0.35	0.16	5.31	0.75	16.8
RIM32994	NAD83-8	342898	6837504	4	0.34	0.44	7.3	440	0.22	0.11	1.79	0.72	5.7

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hg_ppm	K_pct	La_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
RIM32434	18.55	9	1.05	36.1	2.9	1.69	0.06	0.18	0.04	8.5	0.91	220	4.66	0.01
RIM32194	22.5	13	0.33	32.3	2.75	1.04	-0.05	0.06	0.04	12	0.15	510	8.74	0.01
RIM32978	25.1	4	0.7	23.2	2.57	0.66	0.05	0.06	0.04	13.3	0.77	234	2.95	0.01
RIM32181	53.5	11	1.13	51.7	2.43	0.9	0.06	0.07	0.07	27.5	0.48	260	8.58	0.01
RIM32012	34.6	12	0.92	47.4	3.15	2.05	0.07	0.11	0.04	19.3	0.97	256	8.17	-0.01
RIM32184	34.4	9	0.39	28.2	1.56	0.55	-0.05	0.03	0.04	17.2	0.38	175	3.81	0.01
RIM32017	25	5	0.81	20.3	2.79	0.82	-0.05	0.02	0.05	12.3	0.27	304	3.08	-0.01
RIM32691	21.8	8	0.43	38.2	1.95	0.55	-0.05	0.05	0.05	11	1.17	243	7.5	-0.01
RIM32010	31.4	14	0.97	47	3.33	2.58	0.07	0.16	0.03	17.1	1.02	249	4.57	-0.01
RIM30642	5.12	5	1.49	37.8	2.55	1.2	0.05	0.25	0.03	1.9	1.06	198	6.65	-0.01
RIM30640	38.3	4	1.45	28.4	3.06	1.03	0.06	0.06	0.06	20.6	0.63	291	3.8	-0.01
RIM30508	20.6	6	1.29	78.7	3.18	0.91	0.07	0.06	0.03	12.1	0.78	240	1.79	0.01
RIM32696	22.4	6	0.49	31	1.94	1.03	-0.05	0.08	0.06	12.1	0.53	355	11.45	-0.01
RIM32695	18.05	11	0.43	28.8	1.79	0.75	-0.05	0.09	0.03	9.5	0.3	245	7.2	-0.01
RIM32224	47.4	15	1.38	31.1	3.41	2.66	0.1	0.04	0.07	23.6	0.65	409	5.38	-0.01
RIM32492	16.3	7	1.17	34.2	2.67	1.2	-0.05	0.19	0.04	7.9	0.49	175	4.24	-0.01
RIM32879	23.4	7	1.25	34.7	2.79	1.59	0.07	0.11	0.03	11.1	0.68	229	5.85	0.01
RIM32436	23.6	13	0.64	34.5	3.29	2.59	0.07	0.09	0.04	12.4	0.63	179	3.05	0.01
RIM30692	42	16	0.8	38.7	3.64	2.99	0.09	0.11	0.03	23.1	0.91	263	5.74	-0.01
RIM30643	5.27	4	1.78	51.1	2.92	1.06	0.06	0.45	0.03	1.8	1.11	236	7.32	0.01
RIM32493	15.75	8	1.15	34.7	2.85	1.41	0.05	0.18	0.04	7.8	0.53	188	4.31	-0.01
RIM32099	24.3	6	0.81	23.7	3.06	1.17	0.05	0.06	0.04	11.9	0.32	262	3.14	0.01
RIM32111	30.9	5	1.22	31	3.32	1.28	0.06	0.04	0.06	15.2	0.43	252	2.96	0.01
RIM32233	15.5	15	0.23	34.1	1.79	0.68	0.05	0.06	0.04	7.7	0.5	223	5.39	-0.01
RIM32495	35.2	12	0.65	23.2	2.83	1.89	0.06	0.03	0.05	18.4	0.55	240	2.86	-0.01
RIM32332	8.01	5	0.3	29.5	0.75	1.57	-0.05	0.05	0.03	4.5	0.06	147	7.99	0.03
RIM32179	32.4	22	0.59	28.8	1.97	1.26	0.05	0.03	0.08	16.2	0.92	303	3.75	0.02
RIM30637	14.25	6	0.58	37.8	1.36	1.54	0.05	0.08	0.04	7.9	0.08	142	9.98	0.03
RIM30645	23.8	6	0.84	43.2	2.47	1.07	0.06	0.05	0.04	13.1	0.83	291	3	0.01
RIM32127	21.6	6	0.34	27.7	1.68	0.73	-0.05	0.07	0.05	10.9	0.28	216	3.85	0.01
RIM32445	24.1	12	0.59	34.1	2.6	1.99	0.06	0.05	0.05	12.9	0.27	319	4.49	0.01
RIM32207	36.1	25	0.73	17.5	2.08	3.27	0.08	0.07	0.05	17.8	0.46	317	4.05	-0.01
RIM32223	47	13	1.44	30.4	3.31	2.46	0.09	0.05	0.07	23.1	0.62	402	4.97	-0.01
RIM32361	25.7	13	1.02	39.7	2.78	1.92	0.05	0.07	0.04	13.9	0.9	275	3.73	0.01
RIM32001	24.1	7	0.68	23.6	2.99	1.35	0.05	0.08	0.04	12.7	0.33	177	3.18	-0.01
RIM32195	23.3	13	0.37	29.2	2.32	0.91	-0.05	0.08	0.04	11.7	0.35	308	4.1	0.01
RIM32881	28.4	16	1.79	35.4	2.93	3.17	0.08	0.25	0.04	14.1	1.49	239	4.16	0.01
RIM32975	32.1	9	1.69	33.9	3.44	2.18	0.06	0.03	0.06	16	0.78	309	6.34	0.01
RIM32156	30.7	5	0.33	32	2.04	0.59	0.06	0.05	0.04	15.7	0.52	215	5.45	0.01
RIM32387	25.3	12	0.61	33	2.56	1.91	0.05	0.04	0.05	13.2	0.26	345	4.7	0.01
RIM32185	30.8	11	0.32	24.7	1.38	0.47	-0.05	0.03	0.04	15.4	0.22	160	3.05	0.01
RIM32423	16.5	10	0.83	30.5	3.13	1.86	0.05	0.09	0.05	8	0.61	263	2.97	-0.01
RIM32002	22.2	11	0.68	26.1	2.77	2.04	0.06	0.11	0.04	11.6	0.67	163	3.02	-0.01
RIM32877	24.2	9	1.06	26	3.16	2.09	0.05	0.05	0.07	12.2	0.49	346	3.54	0.01
RIM32880	13.55	5	1.72	34.1	2.74	0.87	0.05	0.2	0.03	5.6	0.89	273	3.91	0.01
RIM32110	30.1	11	0.57	27.5	3.38	1.63	0.07	0.11	0.05	15.9	0.67	200	10.85	0.02
RIM30641	46.6	15	0.59	37.4	3.65	3.14	0.07	0.09	0.03	24.6	0.81	332	8.02	-0.01
RIM32123	23.2	8	1.51	47.9	2.39	1.34	0.05	0.06	0.11	11.4	1.55	324	4.86	0.01
RIM30697	26.8	8	0.52	30.1	3.33	1.6	0.07	0.1	0.05	15	0.64	181	10.5	-0.01
RIM32019	7.58	9	2.02	34	2.7	1.72	0.05	0.52	0.03	3.3	1.01	213	7.02	0.02
RIM32190	20.2	16	0.67	20.4	2.91	2.29	0.05	0.05	0.07	9.3	0.41	433	4.08	0.01
RIM32041	6.29	9	1.9	35.6	2.73	1.66	0.05	0.87	0.04	2.5	1.01	200	6.72	0.02
RIM32238	31.4	14	0.45	14.2	1.42	0.86	0.05	0.04	0.05	15.6	0.5	184	3.36	-0.01
RIM32904	30.9	18	0.53	38.9	2.99	3.07	0.07	0.12	0.04	16.5	1.98	211	2.84	0.02
RIM32021	29.4	22	0.56	32.9	3.21	4.87	0.07	0.07	0.04	16.3	2.09	188	1.44	0.02
RIM30616	70.4	6	1.91	44	2.3	1.46	0.09	0.12	0.04	41.2	1.23	147	2.41	0.01
RIM32003	21.3	11	0.61	26.2	2.62	1.97	0.05	0.14	0.04	11.1	0.69	159	3.51	-0.01
RIM32020	10	5	0.82	31.3	2.9	0.81	0.05	0.11	0.04	4.3	1.07	256	2.81	0.02
RIM32015	18.2	10	0.6	22.3	2.66	1.96	-0.05	0.04	0.06	9.4	0.48	290	3.87	-0.01
RIM32097	18.1	7	0.66	20.8	2.82	1.22	-0.05	0.03	0.05	9	0.28	228	3.81	0.01
RIM32316	7.38	6	1.52	28.6	2.48	0.78	0.05	0.13	0.03	2.4	1.13	276	2.23	0.01
RIM32994	11.2	9	0.72	28.2	1.5	1.2	-0.05	0.08	0.05	5.6	0.45	145	3.58	0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
RIM32434	39.5	1150	27.4	0.05	2.89	1.3	94.8	0.02	10.4	0.1	1.13	291	VA08137124
RIM32194	36.4	760	17.3	0.03	3.71	1.4	21.9	0.08	2.9	0.06	1.34	122	VA08135688
RIM32978	31.4	1280	15	0.05	2.5	0.7	101.5	0.01	11.3	0.06	0.54	109	VA08137124
RIM32181	70.8	680	23.3	0.02	1.61	1.7	33.5	0.06	9.2	0.05	1.35	143	VA08135688
RIM32012	53.2	1370	25.4	0.07	2.83	1.6	74	0.03	11.4	0.08	1.04	231	VA08135688
RIM32184	37.8	620	11.7	-0.01	1.34	0.9	24.8	0.04	5.3	0.03	0.71	65	VA08135688
RIM32017	30.8	1160	18	0.04	2.64	0.5	46.5	0.01	9.2	0.13	0.47	64	VA08135688
RIM32691	82.6	640	17.9	0.02	2.9	2.9	61.5	0.05	2.9	0.09	1.74	282	VA08137124
RIM32010	46.4	1050	21.7	0.05	2.58	1.7	66.6	0.03	13	0.08	0.97	219	VA08135688
RIM30642	41.2	750	43.8	0.08	3.34	1.2	58.7	0.03	10.6	0.1	1.21	429	VA08135688
RIM30640	31	850	15.4	0.02	3.1	0.9	183	0.02	13.6	0.12	0.89	183	VA08135688
RIM30508	38.7	870	9.2	0.04	2.18	0.8	76.2	0.02	7.7	0.04	0.67	100	VA08135688
RIM32696	83.6	1190	19.5	0.02	2.78	2.1	30.8	0.07	2.7	0.11	1.35	438	VA08137124
RIM32695	64.6	950	16.8	0.03	2.65	1.4	32.9	0.05	1.3	0.06	1.26	242	VA08137124
RIM32224	51.5	910	26.7	-0.01	2.86	1	28.8	0.02	11.3	0.12	0.93	164	VA08135688
RIM32492	36.2	940	27.8	0.03	3.33	1.2	67.8	0.05	7.4	0.09	0.95	290	VA08137124
RIM32879	39.1	1050	24.7	0.04	3.48	1.1	54.6	0.03	12	0.09	0.8	300	VA08137124
RIM32436	42.3	970	19.9	0.04	2.69	0.8	36.4	0.02	6.3	0.05	0.78	186	VA08137124
RIM30692	48.2	710	22.6	0.06	3.46	1.6	94.3	0.03	8.3	0.15	0.91	231	VA08135688
RIM30643	44.9	800	113.5	0.18	3.06	1.1	47.8	0.03	11.7	0.05	0.99	711	VA08135688
RIM32493	36.1	880	27	0.03	3.47	1.1	63.3	0.04	7.3	0.08	0.95	295	VA08137124
RIM32099	30.8	970	17.7	0.04	2.8	0.9	54.5	0.02	7.1	0.1	0.55	126	VA08135688
RIM32111	44.4	1100	21.9	0.07	1.95	0.7	53.8	0.01	10.2	0.13	0.55	95	VA08135688
RIM32233	48.7	840	14.5	0.05	3.83	2.6	55.6	0.05	2	0.05	1.03	144	VA08135688
RIM32495	28.4	1030	15.4	-0.01	2.03	0.6	67.7	0.03	8.5	0.05	0.77	119	VA08137124
RIM32332	38.9	800	6.5	0.07	5.71	5.1	120	0.08	0.5	0.1	1.33	313	VA08137124
RIM32179	47.4	540	13.6	-0.01	1.01	0.9	50.7	0.03	4.1	0.04	0.83	82	VA08135688
RIM30637	31.9	1030	9.6	0.08	4.22	5.5	62.3	0.06	0.6	0.09	2.89	213	VA08135688
RIM30645	47.6	1350	10.9	0.09	1.8	0.8	120.5	0.02	5.1	0.03	0.66	86	VA08135688
RIM32127	35.8	850	18.8	0.1	1.94	1	33.7	0.03	2.3	0.05	0.86	100	VA08135688
RIM32445	40.9	740	17.5	0.01	2.31	1.5	23.5	0.05	2.7	0.08	1.27	157	VA08137124
RIM32207	38.3	1100	10	-0.01	1.79	1.5	50.3	0.03	3.8	0.09	2.2	234	VA08135688
RIM32223	48.9	1030	25.8	-0.01	2.51	1	42.6	0.02	11	0.12	0.9	161	VA08135688
RIM32361	43.5	1200	13.3	0.08	2.26	1.1	81.4	0.02	5.8	0.04	0.92	141	VA08137124
RIM32001	31.7	870	16.6	0.04	2.08	0.9	37.6	0.02	7.3	0.09	0.53	145	VA08135688
RIM32195	35.1	870	10.5	0.01	2.11	1.5	25.9	0.03	2.9	0.05	0.92	124	VA08135688
RIM32881	35.7	1160	35.7	0.03	3.08	1.1	74.2	0.02	11.6	0.09	1.12	338	VA08137124
RIM32975	49.2	1020	26.8	0.06	2.98	0.8	53.6	0.02	11.7	0.13	1.07	119	VA08137124
RIM32156	43.7	700	13.9	0.02	3.81	1.4	25.1	0.04	5.5	0.06	0.54	49	VA08135688
RIM32387	41.4	710	17.4	0.01	2.43	1.7	23.4	0.05	2.8	0.08	1.26	162	VA08137124
RIM32185	34.8	600	10	-0.01	1.05	1	19.1	0.03	4.1	0.03	0.55	57	VA08135688
RIM32423	42.5	800	19	0.07	2.07	1	55.9	0.01	4.6	0.07	0.82	141	VA08137124
RIM32002	34.1	910	18.9	0.04	1.89	1.3	66.9	0.02	8.4	0.07	0.79	168	VA08135688
RIM32877	36.4	880	23.8	0.07	2.09	0.8	57.4	0.02	5.2	0.1	0.92	110	VA08137124
RIM32880	31.8	920	37	0.05	2.74	0.9	49.6	0.02	11.6	0.06	0.62	295	VA08137124
RIM32110	48.4	1420	17.7	0.04	2.5	1.1	57	0.04	3.7	0.08	0.97	254	VA08135688
RIM30641	49.6	670	20.8	0.02	3.54	0.9	31.2	0.02	9.9	0.11	0.87	221	VA08135688
RIM32123	46.7	830	15.4	0.07	3.15	1.9	80.4	0.05	3.7	0.14	1.69	160	VA08135688
RIM30697	49.6	1350	17.8	0.05	2.7	1	55.3	0.04	3.5	0.08	1.02	242	VA08135688
RIM32019	40.6	1070	52.9	0.18	3.08	1.4	59.7	0.03	14.7	0.07	1.67	634	VA08135688
RIM32190	34	1420	19.4	0.05	2.26	0.7	61.4	0.03	3.3	0.11	0.83	89	VA08135688
RIM32041	39.8	1050	57.6	0.24	2.88	1.4	57.7	0.03	13.8	0.07	2.04	1180	VA08135688
RIM32238	33.9	470	7.8	-0.01	0.89	0.7	32.8	0.02	4.2	0.04	0.56	24	VA08135688
RIM32904	35	950	14	0.07	2.96	1.1	151.5	0.02	7.8	0.05	1.04	141	VA08137124
RIM32021	32.4	930	12.7	0.07	2.08	0.9	120.5	0.02	5.9	0.05	0.77	112	VA08135688
RIM30616	40.2	1350	11	0.07	2.22	1	64.9	0.02	7.6	0.05	0.63	142	VA08135688
RIM32003	35.2	920	21.8	0.04	1.88	1.1	59.7	0.02	8.7	0.06	0.66	211	VA08135688
RIM32020	30.8	830	13.1	0.08	2.03	1.4	65.6	0.02	7.4	0.04	0.9	194	VA08135688
RIM32015	35.2	890	18.8	0.05	1.99	0.6	78	0.02	4.5	0.11	0.72	90	VA08135688
RIM32097	33.3	510	15	0.04	2.1	0.4	33	0.01	5.9	0.13	0.61	70	VA08135688
RIM32316	29.1	700	19.2	0.04	1.24	0.8	53.6	0.01	11.2	0.03	0.41	242	VA08137124
RIM32994	32.1	830	9	0.13	1.91	1.1	62.7	0.04	0.8	0.08	0.74	94	VA08137124

SampleID	UTM_Zone	Easting	Northing	Au_ppb	Ag_ppm	Al_pct	As_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm
RIM32096	NAD83-8	342508	6836601	-1	0.06	0.54	7	70	0.38	0.13	3.93	0.24	14.3
RIM32197	NAD83-8	343336	6836811	1	0.33	0.72	6.8	420	0.34	0.13	2.62	0.93	8.8
RIM32981	NAD83-8	342458	6837097	5	0.13	1.53	6.2	100	0.41	0.15	5.1	0.3	21.2
RIM32227	NAD83-8	342118	6837323	1	0.16	2.48	5.4	70	0.6	0.12	5.94	0.2	22.2
RIM30695	NAD83-8	342962	6836471	-1	0.17	1.19	4.8	70	0.43	0.14	9.01	0.29	16.4
RIM32228	NAD83-8	342154	6837356	3	0.21	0.75	4.6	60	0.46	0.22	5.22	0.15	26.1
RIM30696	NAD83-8	343001	6836506	1	0.13	0.88	4	60	0.43	0.12	10.15	0.14	14

SampleID	Ce_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hg_ppm	K_pct	La_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct
RIM32096	15.7	6	0.78	22.4	2.66	1.17	-0.05	0.04	0.05	7.8	0.45	241	2.33	0.01
RIM32197	23.4	12	1.64	30.3	2.17	1.93	0.05	0.07	0.13	11.7	1.72	269	3.91	0.01
RIM32981	41.1	24	0.99	39.2	3.05	4.02	0.08	0.09	0.04	22.8	1.87	260	2.7	0.01
RIM32227	37.1	35	1.21	28.4	2.6	7.08	0.15	0.04	0.04	19.5	3.17	374	2.72	-0.01
RIM30695	23.1	15	0.64	34.9	2.57	3.12	0.07	0.05	0.04	12.2	1.88	252	2.23	-0.01
RIM32228	28.8	16	1.23	48.1	2.97	2.16	0.1	0.12	0.02	16.4	1.28	193	2.6	-0.01
RIM30696	31.7	9	0.54	28.9	2.43	2.3	0.08	0.04	0.03	17.5	1.9	216	1.42	-0.01

SampleID	Ni_ppm	P_ppm	Pb_ppm	S_pct	Sb_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	Zn_ppm	Chemex_File
RIM32096	30.1	670	14.1	0.05	1.77	0.4	119	-0.01	9.1	0.1	0.58	80	VA08135688
RIM32197	38.2	720	12	0.03	1.8	0.8	61.6	0.04	3.8	0.14	1.08	120	VA08135688
RIM32981	53.5	1660	16.6	0.06	1.18	0.7	126	0.02	7.3	0.03	0.9	130	VA08137124
RIM32227	52.4	1020	11.7	-0.01	1.31	0.6	140	0.01	7.9	0.09	3	98	VA08135688
RIM30695	35	1100	11.5	0.04	0.89	0.6	236	0.02	6.6	0.04	0.74	93	VA08135688
RIM32228	49.5	1030	13.2	0.03	0.93	1	73.5	0.02	10.5	0.03	0.89	112	VA08135688
RIM30696	29.1	890	8.7	0.04	0.63	0.4	232	0.01	7.6	0.02	0.56	75	VA08135688