

ASSESSMENT REPORT
Geophysical, Geochemical and Drilling Activities
on the
TORO PROPERTY

TAD 5 . 8, 17 (YC40974 to YC40978)
TAD 19 . 67 (YC26506 to YC26554)
TAD 68 . 101 (YC54331 to YC54364)
TAD 102 . 159 (YC65809 to YC65866)
TAD 160 . 191 (YC90197-227, 260)
TAD 206 . 221 (YC90309-324)
TAD 222 . 325 (YC90228-308, 325-48)
NIT 1 . 12 (YC41133 to YC41144)
TORO 1 . 70 (YD20041 TO YD20110)

NTS: 115I/5, 12 and 115J/8, 9
Latitude 62°33'N, Longitude 137°57'W
Whitehorse Mining District

Prepared for:
Dawson Gold Corporation
350-580 Hornby St.
Vancouver, BC
V6C 3B6

Report Prepared by:
Jason McLaughlin, B.Sc.
Sarah Hasek, B.Sc.

August 2, 2011

Period of Work:
July 19, 2010 to October 4, 2010

Summary

The Toro Property is located in the Dawson Range, approximately 100km northwest of Carmacks, in the Yukon Territory, Canada. Between July 18th and October 5th, 2010 Dawson Gold Corporation conducted an exploration program that consisted of a geophysical survey, soil sampling, and diamond drilling. Property wide prospecting, mapping and stream silt sampling included 40 rock and seven stream sediment samples.

The geophysical survey consisted of 19.6 line kilometers of deep penetration Induced Polarity (IP) covering approximately 4.5 km² over three distinct grids. Geophysical targets were selected based on coincident structures and positive potassic alteration signatures identified by airborne radiometrics flown in 2009, and the occurrence of host rocks deemed favourable to host Cu-porphyry mineralization (ca. 76 Ma Tad Porphyry). A well-defined north-south trending chargeability was identified in Grid 1 as indicated by high chargeability contrast with a resistivity low. A second anomaly to the north of the Main Zone displays a broad zone of elevated chargeability suggesting the potential for significant sulphide mineralization in this area. A third anomaly to the north of the Main Zone has outlined a well-constrained east-west trending chargeability anomaly.

Eight diamond drill holes were completed during the 2010 season for a total of 1,516 meters. Seven holes returned anomalous gold values with discrete intervals of up to 1m of 2.28g/t Au and wide intervals of mineralization of up to 91.5m of 0.33g/t Au.

Holes TT-101, TT-102 and TT-105 intersected Coffee Creek phase granites and returned narrow zones of mineralization associated with mm-scale quartz-sulphide veinlets and associated silicification. The highest grade gold occurrence was 1.15m of 1.95 g/t Au found in close spatial relationship to a breccia zone in hole TT-101.

Holes TT-103 and TT-104 were collared in the Ridge Zone and encountered granite intruded by long intervals of a newly identified polymictic hydrothermal breccia hosting well developed sulphide mineralization including pyrite, chalcopyrite, arsenopyrite, sphalerite and galena. Au-grade intercepts within these holes include 91.5m of 0.33g/t Au in TT-104 and 16.9m of 0.35g/t Au in TT-103.

TT-106 was collared to test the strong chargeability anomaly identified by the first complete 2010 IP survey grid. This hole encountered a relatively unaltered, K-feldspar rich granitoid of the Dawson Range Batholith. The source of the IP anomaly was not identified and remains an area of interest.

Holes TT-107 and TT-108 were targeted within the historic Main Zone to expand known gold mineralization. Both holes encountered narrow zones of gold mineralization with values up to 1.49g/t Au over 1 meter.

Soil zones were targeted to expand on and infill between historic geochemical data. 549 soil samples were taken at seven soil zones covered by six grids and two contour soil lines of <25ppb Au. Two targets returned anomalous results. A tight clustering of anomalous gold-in-soil values were identified covering an area approximately 300 meters wide and 150 meters long which remains open to the north, east and west. The second target returned values up to 540 ppb gold-in-soil and has outlined a strong geochemical anomaly that measures approximately 550 meters by 400 meters <100ppb Au. Well-developed gold anomalies continue to the east, north and west of the sampling area.

Continued systematic mineral exploration, including diamond drilling, trenching, geochemical sampling and geophysical surveying, of the entire property is recommended. As a priority, follow up diamond drilling should concentrate on the new soil grid anomalies and probe the extent of the newly identified body of mineralized breccia. Drilling should also focus on the historic Ridge Zone anomalies as part of future exploration work programs. Additional geochemical sampling is also recommended along strike between the two newly identified soil anomalies. Continued exploration for the presence of porphyry style copper mineralization utilizing a more comprehensive geophysical survey is also recommended.

Table of Contents

Summary	2
1. Introduction	5
1.1 Overview	5
1.2 Location and Access	7
1.3 Previous Work	7
1.4 Claims Worked and Filed On	12
2. Regional and Property Geology	12
2.1 Regional Geology	12
2.2 Property Geology	15
3. Exploration Programs 2010	17
3.1 Diamond Drilling	17
3.2 Soil Sampling	20
3.3 Geophysics (IP Survey)	21
3.4 Stream Sediment Sampling, Prospecting and Mapping	23
4. Conclusions and Recommendations	23
References	26
Certification . J. McLaughlin, B.Sc.	27
Certification . S.Hasek, B.Sc.	28
Appendix I: Schedule A	29
Appendix II: Statement of Expenditures	36
Appendix III: Report On Induced Polarization Survey, Tad Toro Project, Carmacks, Yukon. By Frontier Geosciences Inc. August, 2010	37
Appendix IV: Drill Logs and Assay Certificates	60

1. Introduction

1.1 Overview

The Toro property is situated along Hayes Creek approximately 100 km northwest of Carmacks, Yukon Territory, and is within the Whitehorse Mining District (Figure 1).




Figure 1. Regional Map of the Toro Property.

The Toro Project comprises 380 contiguous Quartz Mining Claims covering 83 km² of prospective ground along the Big Creek Fault in the Dawson Range. The registered owner of the claims is Northern Freegold Resources Ltd. (NFR) or Vancouver, British Columbia. A table of claim data is shown as Schedule A in Appendix I. Dawson Gold Corporation holds the property under option from Northern Freegold Resources Ltd (Figure 2).




Figure 2. Toro Property claims

The Property is situated in the Dawson Range along a regional trend which hosts a series of deposits and showings of various mineralization styles including copper-gold +/- molybdenum porphyry, intrusion-related gold, epithermal vein-hosted, and breccia hosted gold and silver mineralization. Demonstrated mineralization within lithologies found at the Toro Project include the Casino Copper Porphyry hosted by the Late Cretaceous Prospector Mountain Suite, and Kaminak's Coffee Property largely contained in the mid-Cretaceous Coffee Creek Granite and older biotite schists. Similarities can also be found with mineralization found to the south at the Northern Freegold property and at Rockhaven's Klaza Mountain project.

Exploration during the 2010 season focused in the northern portion of the claim group which targeted both copper porphyry and epithermal gold potential. The program included 8 diamond drill holes totaling 1,516m of NQ diamond drill core, 549 soil samples, a 4.5 km² deep penetration IP (induced polarization) survey and basic prospecting. Total expenditures during the season exceeded \$1,828,628.

1.2 Location and Access

The Toro Property is approximately 100 km northwest of Carmacks, Yukon Territory. Access to the Property is via helicopter or fixed-wing aircraft from Whitehorse or Carmacks. A gravel airstrip, adequate for small fixed wing aircraft, is located on the east side of West Hayes Creek on the TAD 52 claim. Six man-days were spent clearing this strip at the start of the 2010 program. The strip is well constructed and approximately 1,100 m long; it was used during the 2010 season by several plane types up to a Twin Otter. Trees at either end hinder take-off and larger planes must leave incompletely loaded.

The Casino Trail crosses much of the Property and passes just 50 m north of camp. This trail connects the Toro project to the Freegold Road approximately 50 km to the southwest. Shifting river morphology has stranded the bridge crossing at Big Creek where the Casino trail meets the Freegold Road. The Casino Trail is not commonly used outside of winter.

Transportation of people and materials to and from the Toro Property in 2010 utilized a combination of helicopter and chartered fixed-wing services.

The Toro Camp is located at 6940400 N, 349500 E, NAD 83, Zone 8.

1.3 Previous Work

The history of exploration activity at the Toro Property has been extensively researched and documented by Jean Pautler. More detailed information regarding any of this work can be found in her 2010 Technical Report on the Tad/Toro Project.

The Tad/Toro Project includes the Tad claims covering the Tad and Phelps Minfile occurrences (Minfile Numbers 1151 031 and 032), as documented by the Yukon Geological Survey (*Deklerk and Traynor, 2005*) and the Nit claims. The Tad, Phelps and Nit were originally staked as separate properties with separate work programs conducted on each.

Exploration on the Tad/Toro Project, undertaken from 1969 to 2009, has involved approximately 3,080m of drilling in 22 holes, excavator trenching, six grid soil geochemistry programs, rock and soil geochemistry, and ground induced polarization, magnetic and VLF-EM electromagnetic geophysical surveys on the Tad/Toro portion, a magnetic survey on the Phelps portion and a property-wide, helicopter-borne magnetic and radiometric geophysical survey.

1.3.1 Geochemistry

The International Mine Services joint venture discovered disseminated lead-zinc mineralization in an outcrop of gossanous sericite and clay altered quartz monzonite porphyry along Hayes Creek in 1969. The Tad/Toro property was staked and subsequent grid soil sampling in 1969 to 1970 outlined three anomalous zones, a zone with irregular molybdenum (up to 336 ppm) with weak copper values (Zone 1 - Moly Zone), a broad 1.5 km long zinc-lead (with weak copper, silver and molybdenum) anomaly (Zone 2 - Main Zone) and a 2 km long zinc-lead anomaly four km northwest of the Moly Zone (*Waugh, 1970 and 1972*).

In 1970 copper mineralization was discovered further to the south in the Apex Creek area. Phelps Dodge of Canada Corporation under option from Montana Mining Ltd. completed 120 line miles of grid soil sampling on north trending lines, 400 feet apart with a 100 foot sample spacing. Analyses were performed by Chemex Labs, North Vancouver. The soil geochemistry outlined three small areas of copper and/or molybdenum response (*Hilker et al., 1970*). Two of the anomalies occur within the property area.

Soil and silt sampling on the Nit property by Nat JV (Armco MI EL and Chevron Canada Ltd.) in 1980 to 1981 outlined an arsenic geochemical anomaly underlain by Cretaceous granite and schist and gneiss cut by quartz-feldspar porphyry dykes (*Archer, 1982*). A 1247 ppb Au value was obtained within the upper Waugh Creek drainage. A subsequent 777 sample grid soil program in 1985 by Chevron Canada Ltd. outlined three areas of anomalous gold-silver-lead-arsenic response with maximum results of 1020 ppb Au, 54 ppm Ag, 1550 ppm Pb and 980 ppm As (*Eaton, 1986*). Anomaly A covers the contact between feldspar porphyry and granite, Anomaly B occurs within the granite and Anomaly C coincides with a 170°W fault.

A 384 sample soil geochemical survey was undertaken by Noranda Exploration Company in 1986-87, covering the Main Zone area on the Tad/Toro portion. The survey utilized a northerly trending baseline and samples were analyzed for gold-silver-arsenic-copper-lead-zinc. A large gold in soil anomaly ±silver and arsenic was identified somewhat coincidental to the Zone 2 lead-zinc anomaly. Maximum values obtained were 815 ppb Au, 18 ppm Ag, and 530 ppm As (*Hart, 1987*).

In 1996 International Kodiak Resources Inc. conducted a 398 sample soil geochemical survey on the Tad/Toro portion (collected at 25m spacings on lines 50m apart on a 10 line km grid with a northwest trending baseline). The more detailed survey reproduced the gold in soil anomaly obtained by Noranda, with moderately coincident arsenic and a lesser correlation with silver. A strong north trending L-shaped gold anomaly (Anomaly A) was defined (*Davidson, 2000*).

1.3.2 Geophysics

Magnetic and induced polarization geophysical surveys were carried out by International Mine Services in 1969 on the Tad/Toro portion. Three induced polarization chargeability anomalies were outlined; two with coincident zinc-lead soil geochemical anomalies one of which corresponds to the Main Zone, another 500m west of the Main Zone. A magnetic high anomaly was outlined along the south side of the Main Zone chargeability anomaly (*Waugh, 1970 and 1972*).

In 1970 Phelps Dodge of Canada Corporation under option from Montana Mining Ltd. completed a 120 line mile magnetic survey further to the south in the Apex Creek area (Phelps prospect). The survey was useful in differentiating rock units but did not suggest a typical porphyry copper signature (*Hilker et al., 1970*).

In 1987 Noranda Exploration Company completed limited VLF electromagnetic and magnetic geophysical surveys over the Tad/Toro portion (*Starr, 1987*), but results were not reported and could not be located by the present operators.

A high level multi-parameter airborne geophysical survey (magnetic, VLF electromagnetic and radiometric) was flown over the Hayes Creek area by the Geological Survey Canada in 1994 with a 0.5 km line spacing. The survey outlined an L shaped 2 km by 1 km magnetic high in the Main Zone area and a 1 km diameter circular magnetic high anomaly in the Moly Zone (see *Davidson, 2000*). A large Th/K ratio low was identified over the Tad Porphyry. The signature was considered similar to, although larger and slightly less intense, than the Casino copper-molybdenum-gold deposit, 55 km to the northwest (*Hart, 1998*).

Ten line km magnetic and VLF-EM surveys were conducted over the Tad/Toro portion by International Kodiak Resources Ltd. in 1996 under option from Davidson and B. Harris. The data from this survey was never published and could not be located by the present operators.

In 2009 a helicopter-borne magnetic and radiometric geophysical survey over the Tad/Toro Project, covering approximately 93 km², was undertaken in October 2009 by Precision GeoSurveys Inc. and funded by 0851045 BC Ltd. The survey was flown along northwest trending lines with 100m line spacing, covering an area slightly larger than the property boundary.

The data from the survey was supplied by Precision GeoSurveys Inc. to Paolo Costantini, a consulting geophysicist, Zurich, Switzerland, for interpretation and target definition, which was also funded by 0851045 BC Ltd.

1.3.3 Trenching

Trenching was conducted on the Tad/Toro portion in 1970 by International Mine Services and in 1987 by Noranda Exploration Company.

In the 1970 trench program samples were collected at 25 foot intervals from the regolith at the bottom of the trenches (*Waugh, 1970*). In the 1987 Noranda program, 64 overburden and only four rock samples were collected from ten trenches due to poor rock exposure in the trenches. Results closely matched results from the soil geochemical survey, with slightly higher values in the trench samples (*Starr, 1987*).

The Cp trenches, six or seven bulldozer trenches reportedly excavated in 1969 (*Eaton, 1986*), were located in 2007 around 6940448mN 346190mE, Nad 83, Zone 8. The Cp trenches appear to be 500m further northeast than previously shown. Precise locations for the individual trenches could not be discerned but the general area of disturbance was visible. Trace chalcopyrite is reported from the trenches but sufficient time was not available to adequately evaluate the trenches.

Bulldozer trenching was conducted on the Nit property by Silverquest Resources Ltd. under option from Chevron Canada Resources Ltd. in 1986 to investigate three gold in soil geochemical anomalies (defined by 50 ppb gold or greater). Although over 8,300 cubic meters of material was excavated in 11 trenches with an average depth of 1m, only five trenches reached bedrock and were subsequently sampled. Trenching was constrained by extensive permafrost and only a small portion of the three anomalies were tested. However, significant values were returned as tabulated below (*Carne, 1986*).

Trench results Nit Zone

Geochemistry	Trench No.	Width	Type	Au g/t	Ag g/t	Comment
Anomaly B	%H	30.0 m	Chip	0.32	32.2	Western extent-
Anomaly B	%H	7.8 m	Channel	1.03	2.7	Quartz
Anomaly B	%H	37.8 m	Combined	0.46	26.1	Combined
Anomaly B	%W-4H	2.1 m	Channel	0.79	120.0	Quartz
Anomaly C	%W-2H	30.0 m*	Chip	0.55	106.6	Eastern extent

* Trench map shows and reports a sample width of 30m but text reports a width of 15m (Carne, 1986).

A hand pit was excavated in 1986 at the 1080 ppb gold in soil anomaly in Anomaly A with soil values decreasing with depth, suggesting a source upslope.

1.3.4 Drilling

Two diamond drill programs totaling 3,080 m in 22 holes were completed on the Tad/Toro property in 1969 to 1970 and in 1987. The following two tables summarize the drill programs, the drill hole locations and specifications..

Summary of diamond drill programs

Year	Company	Core	Holes	Length (m)
1969-70	International Mine Services*	NQ-BQ	18	2708
1987	Noranda Exploration Co.	NQ	4	372
TOTAL			22	3,080

*joint venture included International Mines Services Ltd, Indian Mountain Metal Mines Ltd, Lion Nickel Mines of Canada Ltd, Prado Explorations Ltd and Gui-Por Uranium Mines and Metals Ltd.

Diamond drillhole locations and specifications

Drill Hole	UTM Northing	NAD83 Easting	Az. (°)	Dip (°)	Depth (m)	Elev. (ft)	No. of Samples
DDH T69-01*	6940138	348753	-	-90	177.7	2708	6
DDH T69-02 *	6940314	348801	-	-90	177.7	2700	66
DDH T69-03	6940240	349042	-	-90	73.8	2473	0
DDH T69-04	6940271	348902	-	-90	118.6	2561	0
DDH T70-05 *	6940401	348667	-	-90	194.2	2863	1
DDH T70-06	6940012	349363	-	-90	119.8	2451	1
DDH T70-07 *	6939743	349380	-	-90	114.3	2498	0
DDH T70-08 *	6940429	348534	-	-90	159.4	3027	0
DDH T70-09	6939572	349129	-	-90	121.9	2481	1
DDH T70-10	6940360	348816	220	-60	182.9	2702	4
DDH T70-11	6937201	349915	-	-90	182.3	2997	3
DDH T70-12	6940265	348845	315	-60	218.2	2658	7
DDH T70-13	6937201	349915	060	-63	262.1	2997	11
Drill Hole	UTM Northing	NAD83 Easting	Az. (°)	Dip (°)	Depth (m)	Elev. (ft)	No. of Samples
DDH T70-14	6940493	348950	-	-90	96.0	2591	0
DDH T70-15	6937261	350039	060	-50	176.2	3000	1
DDH T70-16	6937338	349690	060	-50	41.8	2828	0
DDH T70-17	6937338	349690	060	-55	94.5	2828	0
DDH T70-18 *	6937544	349936	-	-90	195.4	2868?	10
DDH T87-01*	6939833	348835	270	-45	91.4		complete

DDH T87-02 *	6939833	348735	270	-45	91.4		complete
DDH T87-03	6940609	348955	270	-45	77.4		complete
DDH T87-04	6940346	347725	135	-45	111.6		complete

* collars located in 2006

The 1969-70 drilling tested the Main Zone (with 1,755.8m in 12 holes covering the Zone 2 zinc-lead geochemical anomaly) and the Moly Zone (with 952.2m in 6 holes covering the Zone 1 molybdenum ± copper geochemical anomaly). Core recovery was poor and only 111 samples were collected from the 22 holes with seven holes not sampled. Gold was not analyzed in the samples from DDH T69-01 and from the Moly Zone.

The drill program intersected intensely altered and oxidized granitic rock with narrow intervals of anomalous gold within the Main Zone, despite poor core recovery and incomplete sampling. The best intersection from the Main Zone was 7.2m grading approximately 1.5% combined Pb-Zn, 19.5 g/t Ag, and 1.05 g/t Au from DDH T69-02, including 4.11 g/t Au, 50 g/t Ag, 3.06% Zn, 0.07% Cu over 1.06 m. Petrological studies indicated the presence of strong argillic to weak phyllic alteration. Mineralization was found to consist of minor amounts of sphalerite, galena, chalcopyrite, arsenopyrite, tetrahedrite and molybdenite.

Minor molybdenite mineralization was discovered in four holes drilled on the Moly Zone. The mineralization occurs as small specks and flakes of molybdenite primarily in quartz veinlets and as lesser disseminations in the reddish hematite altered potassium feldspar megacrystic quartz monzonite, commonly with minor associated pyrite and rare chalcopyrite. It was noted that molybdenite increased in abundance in the highly sheared and chloritized sections near the bottom of DDH T70-13 and T70-18 (*Waugh, 1970*).

Significant drill results are summarized in the following table.

Significant drill intersections

DDH No.	Interval From (m)	Interval To (m)	Length (m)	Au (g/t)	Ag (g/t)	MoS ₂ (%)	Cu (%)
DDH T69-02	50.29	57.45	7.15	1.05	19.5	NA	NA
including	56.39	57.45	1.06	4.114	50.06	trace	0.07
and	66.9	68.28	1.37	2.057	21.26	NA	0.01
DDH T70-05	78.3	78.7	0.4	0.686	19.89	NA	NA
DDH T70-09	19.51	20.42	0.91	1.371	30.17	trace	NA
DDH T70-12	70.41	70.71	0.3	0.686	116.57	NA	NA
DDH T70-11	148.4	149.5	1.07	NA	NA	0.055	NA
DDH T70-13	85.34	86.56	1.22	NA	NA	0.027	NA
and	255.7	256.3	0.6	NA	NA	0.041	NA
DDH T70-15	134.7	136.2	1.5	NA	NA	0.025	0.04
DDH T70-18	178.0	183.2	5.2	NA	NA	0.016	NA
DDH T87-02	81.50	83.00	1.50	0.780	4.30	NA	NA

NA denotes not analyzed

In 1986, Noranda undertook a sampling program of the 1969-70 on-site drill core to assess the oxide gold potential of the property, collecting 114 drill core samples. Samples were analyzed for gold and silver from 11 drill holes (DDH T-1 to -6, T-8 to -10, T-12 and T-14) with As, Cu, Pb, Zn added in DDH T-2, -9 and -14 and Mo in DDH T-9 and -14 (*Hart, 1987*). The samples were considered representative of core lengths between 1.2 and 5.0 m returning intervals with up to 2080 ppb Au with 7.4 g/t Ag (DDH T-14). A selected sample gave a result of 3100 ppb Au, 20

ppm Ag and 2.68% Zn over 0.5 m (Starr, 1987, and Hart, 1998). Although results were reported over specific intervals, an examination of the core in 2007 indicated that only minor select specimens were collected over those intervals and can only be regarded as grab samples, not to be considered representative of the entire interval. Significant results are summarized below.

Significant drill specimen results from 1986 re-sampling by Noranda

DDH No.	Interval From (m)	Interval To (m)	Reported Width (m)*	Au g/t	Ag (g/t)	MoS ₂ (%)	Cu (%)
DDH T69-02	32.9	70.1	37.2	0.51	5.9	NA	NA
including	49.68	57.91	8.23	1.03	12.3	NA	NA
DDH T70-05	17.6	33.5	15.8	0.15	20.0	NA	NA
DDH T70-08	26.5	38.7	12.2	0.15	7.5	NA	NA
DDH T70-12	43.59	49.38	5.79	1.25	7.5	NA	NA
DDH T70-14	19.2	26.2	7.0	1.75	12.0	trace	trace
including	24.38	26.21	1.83	2.09	14.1	trace	trace

* cannot be considered a representative width and can only be regarded as grab samples

Sampling of the unsplit drill core from 37.5 to 50.0 m in DDH T70-12 in 2007 returned the following significant results.

2007 significant drill intersections

DDH No.	From (m)	To (m)	Length (m)	Au (g/t)	Ag (g/t)
DDH T70-12	42.1	50.0	7.9	1.13 *	8.7 *
including	44.2	50.0	5.8	1.45 *	10.6 *
including	44.2	46.8	2.6	2.68 *	17.1 *
including	45.9	46.8	0.9	5.07	29.5

* denotes weighted average

1.4 Claims Worked and Filed On

See Schedule A in Appendix I for a list of claim with grant numbers and the name of registered claim holder. Figure 2 shows the location of the claims listed in Schedule A with claim name and grant number. Diamond Drill holes TT-101, TT-102, TT-103, TT-104, TT-106, and TT-107 are located on claims Nit 5 (YC41137), Nit 7 (YC41139), Tad 52 (YC26539), and Tad 121 (YC65828).

2. Regional and Property Geology

Adapted from Davidson (2000), Gordey and Makepeace (2003) and Pautler (2010).

2.1 Regional Geology

The Toro Property is located within the Dawson Range in Yukon-Tanana Terrane (Figure 3). The Dawson Range is a northwesterly trending package that is characterized by metamorphosed basement rocks of the Yukon-Tanana Terrane with numerous and voluminous Jurassic to Cretaceous intrusions. The belt extends 250 km northwest from Mount Freegold into Alaska and has been relatively undisturbed by recent glaciation.




Figure 3: Toro Property, Regional-scale Geology

In the region the Yukon-Tanana Terrane consists of the Nasina Subterrane, which includes dominantly Mid Paleozoic basement schists and gneisses of continental margin origin (**DMgPW**) superposed with Devono-Mississippian arc volcanic to plutonic rocks (**DMN**). Plutonic rocks, mainly granodiorite of the Mid Cretaceous Dawson Range Batholith (**mKp**) intrude these and cover most of the district. A series of Late Cretaceous rocks, primarily plugs, sills and dikes of the Prospector Mountain Suite (**LKp**), intrude the older plutonic and metamorphic units. The youngest rocks in the district are Carmack Group volcanic rocks (**uKCv**), mainly mafic flows and pyroclastic units. Regional geological units are presented in Table 1 below.

The major structural feature in the region is the northwest trending Big Creek Fault which extends from Freegold Mountain in the Southeast to the Casino Deposit in the northwest, a distance of 100 km (Pautler, 2010). This structure follows in part the Hayes Creek Valley and crosses the Toro property at its Eastern edge. Mineralization associated with the Big Creek Fault is recognized at many properties in the region including Mount Freegold, Revenue Creek, Prospector Mountain, and Toro (Davidson, 2000).

The table below shows the regional geological units in the area of the Tad/Toro Property and the regional geology is illustrated on Figure 3.

Table 1. Regional Geological Units . *From Gordey and Makepeace (2003)*

UNIT	AGE	DESCRIPTION
uKC . Carmacks	Upper Cretaceous	a volcanic succession dominated by basic volcanic strata, but including felsic volcanic rocks dominantly (?) at the base of the succession and locally, basal clastic strata
mKqW - Whitehorse Suite	mid-Cretaceous	biotite quartz-monzonite, biotite granite and leucogranite, pink granophyric quartz monzonite, porphyritic biotite leucogranite, locally porphyritic (K-feldspar) hornblende monzonite to syenite, and locally porphyritic leucocratic quartz monzonite (Mt. McIntyre Suite, Whitehorse Suite, Casino Intrusions, Mt. Ward Granite, Coffee Creek Granite)
mKgW - Whitehorse Suite	mid-Cretaceous	biotite-hornblende granodiorite, hornblende quartz diorite and hornblende diorite; leucocratic, biotite hornblende granodiorite locally with sparse grey and pink potassium feldspar phenocrysts (Whitehorse Suite, Casino granodiorite, McClintock granodiorite, Nisling Range granodiorite)
LKfP - Prospector Mountain Suite	Late Cretaceous to Tertiary	quartz-feldspar porphyry
DMgPW - Pelly Gneiss Suite	Devonian to Mississippian	foliated medium grained, homogeneous biotite granite gneiss to biotite or hornblende granodiorite gneiss; massive to strongly foliated dioritic to granodioritic gneiss; includes interfoliated amphibolite, quartz-mica schist and phyllites
DMN . Nasina Assemblage	Devonian, Mississippian and(?) older	graphitic quartzite and muscovite quartz-rich schist, and with interspersed marble and probable correlative successions

2.2 Property Geology

Adapted from Pautler (2010).

The Tad/Toro Project consists primarily of quartz-hornblende-biotite granitic rocks of the Mid Cretaceous Dawson Range Batholith (**mKp**) that intrude Devonian-Mississippian meta-igneous and meta-sedimentary rocks of the Yukon-Tanana Terrane (**YTT**) (mainly quartz biotite schist, hornblende schist, gneissic equivalents, quartzite and minor limestone, with a northwest trending foliation) (Figure 4). Within the Toro Property claim boundary the Dawson Range Batholith includes a biotite-hornblende granodiorite phase (**mKgD**), the Casino granodiorite phase, and a biotite rich leucocratic quartz monzonite to granite phase (**mKfD**), referred to as the Coffee Creek granite phase.




Figure 4: Toro Property, Property-scale Geology

The above units are intruded by granite to quartz monzonite stocks and dykes of the Late Cretaceous Prospector Mountain Suite (**LKp**). The largest body of this rock type, of which the Main Zone is primarily composed, is referred to as the Tad Porphyry. It consists of quartz-feldspar-biotite porphyry with clear quartz and feldspar phenocrysts and lesser biotite. Two phases of the Tad Porphyry have been recognized, a quartz monzonite porphyry and a biotite granite porphyry. Fresh specimens of quartz monzonite are typically pale gray with abundant muscovite. Extensive argillic and propylitic hydrothermal alteration, and iron oxide staining of

this unit is found in situ along the north trending Hayes Creek Fault; alteration and brecciation of this unit is extensive in the 1969-70 drill core from the Main Zone

An arm of the Tad Porphyry, or possibly an elongate, second body of the same porphyry, extends to the southwest of the main zone and crosses the Ridge Zone. Aplite dykes are noted cutting medium to coarse grained quartz monzonite in the Nit trenches and a north-northeasterly trending dyke swarm (**LKp**) has been mapped extending to the south of the ridge zone for at least 1.5 km. Additionally, two small leucocratic stocks were identified in the Phelps area during a previous program (*Hilker et al., 1970*).

The metamorphic and igneous rocks are intruded by mafic dykes and are overlain by basalt flows of the Upper Cretaceous Carmacks Group (**uKcv**) primarily on the north side of Hayes Creek. These weather brown to reddish-brown and vary from olivine-rich to feldspathic.

The northwesterly trending North Big Creek Fault trends across the northeastern edge of the property, following Hayes Creek. The sub-parallel South Big Creek Fault lies 5 to 6 km to the southwest. A northerly trending extensional fault follows the West Branch of Hayes Creek. Work during the 2010 season suggests a northeasterly trending structural corridor is also present running along the Waugh Creek valley, between the North and South Big Creek Faults, and may represent a dilation zone which was exploited by the 74 M Tad Porphyry. Drilling in this area in 2010 identified a polymictic, hydrothermal breccia hosting well-developed sulphide mineralization including pyrite, chalcopyrite, arsenopyrite, sphalerite and galena within the matrix.

3. Exploration Programs 2010

3.1 Diamond Drilling

In 2010, eight diamond drill holes totaling 1516 m of NTW core were drilled from 7 sites on the Toro Property (Figure 5, Table 2). Five of the holes (TT-101 to TT-105) were designed to test gold-in-soil anomalies outlined at the Ridge Zone by previous work. One drill hole (TT-106) targeted the core of a strong chargeability anomaly discovered by the geophysical survey undertaken in 2010. Two holes were drilled within the Main Zone to confirm and further explore known mineralization (TT-107 and TT-108). All holes were all inclined at 60_ to horizontal.




Figure 5. Toro Property 2010 Diamond Drill Holes

Table 2 . 2010 Diamond Drill Hole Summary

Drillhole	UTM* Easting	UTM* Northing	Elevation (m)	Depth (m)	Azimuth	Decline
TT-101	346000	6938800	1272	178.3	90°	-60°
TT-102	345350	6938565	1108	185.9	320°	-60°
TT-103	345350	6938890	1130	195	180°	-60°
TT-104	345350	6938890	1130	198.1	135°	-60°
TT-105	345565	6938805	1215	210.3	270°	-60°
TT-106	348865	6938433	823	246.9	270°	-60°

TT-107	348824	6940200	793	204.2	170 °	-60 °
TT-108	348930	6940365	785	97.5	270 °	-60 °

*UTM - NAD 83, Zone 8.

Drilling began on August 28th and finished on September 25th. Drilling was accomplished using a KD 600 Skid Mounted hydraulic drill supplied by Kluane Drilling Ltd. of Whitehorse, YT. The drilling equipment was mobilized and supported by Jet Ranger and Long Ranger helicopter supplied by Heli-Dynamics Ltd. of Whitehorse, YT. All holes were drilled using NTW sized (2.21+ diameter) core. Core was transported to camp from the drill site by helicopter for processing.

In camp, drill core was first cleaned and then measured for recovery and RQD. After being geologically logged and photographed, the core was marked for sampling by a geologist. Sample intervals were generally between 1 m and 2 m in length with few exceptions made for discreet features of more narrow widths. The entire length of each hole was split along the long axis and half of the core sent for geochemical analysis. The remaining half of the core was returned to the core-box and is presently stored at Toro Camp.

Bagged samples were flown by helicopter to Minto Landing and from there transported by Core Expediting of Whitehorse, YT to Acme Analytical Labs in Whitehorse for assay. Samples were prepared according to Acme package R200.250 (Crush 1 kg to 80% passing 10 mesh, split 250g and pulverize to 85% passing 200 mesh) and analyzed for 32 elements by ICP-MS (inductively coupled plasma mass spectrometry). For this the Acme 1DX2 package was utilized in which a 15 g sample split is leached in hot Aqua Regia for analysis. Subsequent to this 30 g sample splits were assayed for precious metals (Au, Ag) by fire geochem (Package 3B01: A lead-collection fire-assay fusion for total sample decomposition, digestion of the Ag dore bead and ICP-ES). Duplicates and standards were inserted into the sample stream by Acme as directed by the sampler. In general, every 20 samples included one duplicate and one commercial standard. Additionally, each hole included a minimum of one blank.

Drill Hole Summaries

The first five holes of the drill program were designed to test the ground on which previous work has outlined several discreet, strong, gold-in-soil geochemical anomalies.

Holes **TT-101**, **TT-102** and **TT-105** comprised long, consistent sections of Coffee Creek phase granites cut by few meter-scale felsic dykes. Narrow zones of mineralization appear to be related to mm-scale quartz-sulfide veinlets (TT-102 and TT-105) or by a structural feature (TT-101). The highest grade gold occurrence was 1.15m of 1.95 g/t Au in hole TT-101, found within a narrow, gouge-filled fault in close spatial relationship to a breccia zone.

Holes **TT-103** and **TT-104** were collared from the same pad which was constructed 300 m north of hole TT-102. Both holes encountered Coffee Creek phase granite intruded by long intervals of a newly identified polymictic hydrothermal breccia hosting well-developed sulphide mineralization including pyrite, arsenopyrite, sphalerite and galena. Au-grade intercepts within these holes include 91.5m of 0.33g/t Au in TT-104 and 16.9m of 0.35g/t Au in TT-103. Despite the very propitious suite of sulphide mineralization within the breccia, Au mineralization appears to be found primarily in the granite sections of these holes, associated with narrow sulphide veinlets and variably healed structural zones. The highest grade intercept, 2.3 g/t Au from 148.7 m to 149.7 m in hole TT-104, is coincident with both narrow sulphide veinlets and an approximately 10 cm zone of quartz-sulphide breccia.

TT-106 was collared to test the strong chargeability anomaly identified by the first complete 2010 IP survey grid. This hole encountered K-feldspar-rich granitoid of the Dawson Range Batholith throughout the hole with a down-hole increase in grain size. Moderately developed clay-alteration, disseminated pyrite, and a significant amount of faulting found in this hole may explain the strong chargeability anomaly identified by the IP study. No significant gold mineralization was discovered.

Holes **TT-107** and **TT-108** were targeted within the historic Main Zone to expand on known gold mineralization. Both holes encountered narrow zones of gold mineralization with values up to 1.49g/t Au over 1 meter. Gold mineralization in both holes is situated in zones of faulting and in the presence of gouge. Hole TT-108 was terminated earlier than intended due to severe weather conditions and did not reach the depth at which mineralization was expected..

Table 3. Significant Results

DDH No.	From (m)	To (m)	Width (m)	g/t Au (ICP)	g/t Au (Fire)
TT-101	23.6	25.9	2.3	1.39	1.39
<i>including</i>	23.6	24.8	1.2	1.95	1.97
TT-102	146.5	148.4	1.9	0.408	0.582
TT-103	93.0	109.9	16.9	0.349	0.33
<i>including</i>	105.0	108.0	3.0	0.742	0.704
	147.5	157.0	9.5	0.444	0.419
<i>including</i>	147.5	149.0	1.5	1.41	1.42
TT-104	73.0	164.5	91.5	0.316	0.33
<i>including</i>	73.0	92.5	19.5	0.432	0.433
<i>including</i>	88.0	92.5	3.5	0.643	0.621
<i>including</i>	137.0	149.5	12.5	0.553	0.677
<i>including</i>	137.0	138.5	1.5	1.13	2.54
<i>including</i>	147.6	149.7	2.1	1.64	1.41
<i>including</i>	148.7	149.7	1.0	2.73	2.28
<i>including</i>	137.0	164.5	27.5	0.427	0.476
<i>including</i>	148.7	164.5	15.8	0.472	0.434
<i>including</i>	160.5	162.0	1.5	1.26	1.17
TT-105	111.2	112.1	0.9	0.927	0.813
TT-106	No significant results				
TT-107	164.6	166.1	1.5	0.96	0.896
TT-108	79.2	93.0	13.8	0.453	0.442
<i>including</i>	79.2	82.3	3.1	1.02	1.02
<i>including</i>	79.2	80.8	1.6	1.47	1.49

3.2 Soil Sampling

Soil samples, totaling 578, were taken at 7 study zones during 2010 (Figure 6). Soil zones were targeted to expand on and infill between historic geochemical data and to test new ground. The 7 zones comprise 6 grids and two contour soil lines. Three of the grids coincide with the IP survey grid and utilized the lines established for that study.




Figure 6. Soil survey zones and Gold-in-soil anomalies

Soil samples were collected using various tools including shovels, picks and hand augers. Wherever possible, samples were taken from the ϵ q horizon. Though sampling took place during August and September, the collection of samples was greatly hindered by the presence of permafrost. This was particularly problematic in Zone 2 where the sample grid crossed wet, swampy ground adjacent to the East and West Hayes Creek tributaries, and in Zone 7 where two contour lines traversed the north-facing slope along Wham Creek.

Samples were labeled in the field and, after verification of numbers in camp, shipped to ACME Labs of Whitehorse, YT. At the ACME Lab samples were dried at 60_C and sieved to -80 mesh. Following preparation, 15g sample-splits of the sieved material were leached in hot (95_C) Aqua Regia and analyzed for 36 elements by ICP-MS (inductively coupled plasma mass spectrometry). In addition, Fire Assay for Gold ACME package 3B was run on each of the soil samples.

Two clusters of anomalous results were identified by the study. A tightly spaced group of anomalous gold-in-soil values were identified covering an area approximately 300 meters wide and 150 meters in length which remains open to the north, east and west. The second target returned values up to 540 ppb gold-in-soil and has outlined a strong geochemical anomaly that measures approximately 550 meters by 400 meters. Well-developed gold anomalies continue to the east, north and west of the sampling area (Figure 6).

3.3 Geophysics (IP Survey)

Between July 27 and August 25, 2010, Frontier Geosciences Inc. of North Vancouver, B.C. conducted an Induced Polarization survey at the Toro Property. The survey coverage consisted of 3 grids totaling 14 lines 1.4 km in length and spaced at 200 meter intervals (Figure 7). The purpose of the survey was to explore the extent and geometry of potential porphyry-style copper mineralization on the property.




Figure 7. Induced Polarization Survey grids.

The surveyed areas were chosen for study based primarily on geology and the results of airborne radiometrics flown in the fall of 2009. Grids focused on portions of the Tad Porphyry, which is of similar age (ca. 74 Ma) and chemistry to rock which hosts mineralization at the Casino copper+/-molybdenum+/-gold deposit 40 km to the northwest. The surveyed areas are along, or adjacent to, known structural features, and were coincident with elevated potassium values shown by the radiometric survey.

Method

The survey was carried out as a dipole-pole and pole-pole survey using seven fixed transmitter (Tx) electrodes. For each grid, there were seven fixed transmitter (Tx) electrodes and two roaming electrodes. There were five lines for grids 1 and 3, and four lines for grid 2. All of the lines were 1600m in length with the exception of one line on grid 3 which was 1200m due to inaccessibility. The lines were separated by 200m intervals with 100m separation between receiver electrodes.

In order to provide the best infinity characteristics, locations perpendicular to, rather than along, the expected geological strike were chosen. The remote current electrode (Tx infinity) was located to the north of the survey area for grids 1 and 2. Tx infinity was located to the east in grid 3. The remote receiver electrode (Rx infinity) was located to the south of the survey grid for grids 1 and 2 and west of the survey grid for grid 3. The time domain I.P./resistivity data was collected using multiple receiver cables with electrode takeouts. The quality of the received data was monitored in the field, subsequent to each reading sequence, by a series of in-field processing steps.

Processing of the field data was completed by Frontier Geoscience. See Appendix III for Dawson Gold Corp. Report On Induced Polarization Survey.

Results

The results of the inversion processing and modelling are shown as chargeability contour plan depth slices for each grid in Figures 3, 7 and 9 in Appendix III. The apparent resistivity depth slices for each grid are shown in Figures 4, 8 and 10 in Appendix III. The colour level files for each of these plots is common to all the grids in order to facilitate comparisons of the levels of response between grids.

Discussion

The chargeability and resistivity depth slices for Grid 1 are shown in Figures 3 and 4 in Appendix III respectively. As the slices get deeper for chargeability, the variable, chargeable, shallow responses dissipate quickly. Some of these zones are likely caused by near-surface soils containing clay. At a depth of 173 metres, a north-south trending chargeability high becomes visible. The chargeability anomaly is strongest at a depth of 324 metres. The greatest chargeability response of this feature is present in the southern area of the grid. This geometry gives the impression of a possible plunge of the zone to the south.

Drillhole TT-106 completed in 2010 was designed to test this chargeability anomaly. The drillhole had an azimuth of 270° and a dip of -60° and was collared at the southern end of the where it was designed to intersect the core of the chargeability anomaly. Strong clay alteration, minor amount of disseminated sulphides, and significant number of fault and gouge zones intersected in the drill core, are consistent with the chargeability results for the area. Due to the materials encountered in the drill core and the hole's positioning, the Grid 1 anomaly may be

due to a significant shear zone. The low resistivities are likely due to the clay alteration, chlorite and numerous fault and gouge zones intersected in the drill hole.

Grid 2 chargeability and resistivity depth slices are shown in Figures 7 and 8 in Appendix III. The chargeability contrast in this zone is markedly different than the other two grids in that the background values are generally higher, from about 40 mV/V to 60 mV/V. One anomaly stands out from background levels beginning at a depth of 173 metres. The zone is centred at 349300E and 6941100N and attains a chargeability high of approximately 80 mV/V. This oval-shaped anomaly dissipates with increasing depth, into the higher valued background. The generally higher overall chargeable values evident on this grid suggest either a higher background level of disseminated sulphides or an increased level of pervasive clay alteration. The resistivity results illustrated in Figure 8 in Appendix III, show a trend of higher resistivity responses on the west side, near the valley wall, with conductive lithologies present in the central and eastern parts of the grid.

The chargeability and resistivity contour plans for Grid 3 are shown in Figures 9 and 10 in Appendix III. The chargeability extremes for Grid 3 are also lower than Grid 1, but there is a clear east-west striking, elevated anomaly across the centre of the grid. This anomaly is not present at shallow depths, but chargeability increases at about 173m depth, with the anomaly displaying a clear structure below 460 metres.

Additionally, the results of the resistivity inversion for Grid 3 show a strong contrast in values across the Grid, not unlike that observed on Grid 2. The higher resistivity zone is located in the north, with a local high situated in the western area of the grid at a northing of approximately 69378900N. The intervening resistivity low is associated with the anomalous chargeability high.

3.4 Stream Sediment Sampling, Prospecting and Mapping

Eight man-days were spent prospecting at the Toro Property in 2010. From this, 40 rock samples and 18 soil samples were submitted for assay. No results of extreme significance were returned though three rock samples from the south end of the project area returned 389 ppm, 415 ppm and 548 ppm Au, and several soil samples showed highly elevated As values.

4. Conclusions and Recommendations

The Toro Property has been explored historically for both porphyry copper style mineralization (IMS, Phelps Dodge) and for the potential of bulk-tonnage gold mineralization hosted within a supergene-enriched oxide zone (Noranda). The 2010 exploration program explored for both of these possibilities in addition to targeting historic gold-in-soil anomalies, a strategy which has proven highly successful in recent years at other projects in the region.

Numerous factors point to the strong potential for porphyry copper mineralization at the Toro Property. The principal factor is the extensive presence of the Tad Porphyry, a phase of the Prospector Mountain suite of intrusions. Lead-isotope dating completed during 2010 (by YGS staff) indicates the Tad Porphyry has the same age of emplacement as the host of the Casino Copper Porphyry deposit. Additionally, airborne radiometric surveys conducted on the Property in 2009 show that the two intrusives share a corresponding low Th/K ratio. Like the Casino Porphyry, the Tad Porphyry has been proven to host molybdenum and gold mineralization and shares a structural control (the Big Creek Fault) in close proximity. These factors, combined with the copper-in-soil anomalies outlined by previous geochemical programs (weak but coherent), demonstrate the potential for a copper deposit at depth. In 2010 an IP survey was utilized to

explore this potential. The 2010 geophysical program was successful in identifying large chargeability anomalies but did not cover enough of the prospective ground to adequately define the Property's porphyry mineralization potential. One drill hole (TT-106) was designed to test an accessible area of the 2010 IP Zone 1 high chargeability response. Abundant sulphides (pyrite and arsenopyrite) were noted in core, however, no elevated gold or copper assays were found. Strong clay alteration, disseminated sulphides, and a significant number of fault and gouge zones intersected in the drill core, are consistent with the chargeability results for the area. Further geophysical surveys and diamond drilling is warranted on this target. Elsewhere the IP survey results suggest broad zones of elevated chargeability which may be related to the potential of a copper porphyry body at depth on the Property. The 2010 geophysical survey represented an adequate first pass geophysical analysis of the Property and indicated the need for a larger, more comprehensive (Property wide), ground-based geophysical program to follow-up on these early stage results.

Another focus of the 2010 mineral exploration program on the Toro Property was a systematic sampling/resampling of old drill core in order to determine gold distribution in the Main Zone. The degradation of the historic core on the Property (due to weathering) proved to be too extensive to usefully sample the core. One hole (Hole #T-12) was re-examined with no recognizable mineralization controls noted. Sampling of core within the Main Zone has been, and remains, insufficient. Due to the poor sampling coverage, further investigation of the area is warranted though current information suggests it should not be considered a priority. Two holes (Hole # TT-107 and TT-108) were drilled in the Main Zone as in-fill style holes to confirm and extend known mineralization and to offer fresh Main Zone core for analysis though no consistent occurrence of mineralization was discovered despite a more complete sampling protocol than employed in prior programs.

The Toro Property 2010 diamond drilling program culminated with eight holes totaling 1516 m of core. The initial five holes of the program explored geochemical anomalies discovered in 1985 (Archer Cathro and Associates) Hole TT-101 targeted Soil Anomaly Aq at the upper elevations of the Ridge Zone and encountered 2.3 m of 1.39 g/t Au. Holes TT-102 to TT-105 all targeted mineralization found in the largest known soil anomaly, Soil Anomaly Bq at the western extent of the Ridge Zone. Holes TT-102 and TT-105 both intersected long, uninterrupted sections of Coffee Creek Granite with meter-scale zones of pervasively low-grade (0.05 to 0.5 g/t Au) mineralization encountered. Holes TT-103 and TT-104 were fanned from one pad located several hundred meters to the north and west of the other holes. Both encountered long sections of a newly identified hydrothermal breccia hosting well-developed sulphide mineralization including pyrite, chalcopyrite, arsenopyrite, sphalerite and galena within the matrix. The best interval from these holes was 1.5 m of 2.54 g/t Au associated with narrow (mm-scale) brecciated quartz-sulfide veinlet and associated cm-scale zone of silicification within Coffee Creek Granite. On a broader scale, TT-104 returned over 90 m of 0.33 g/t Au demonstrating the pervasive gold mineralization associated with the intrusion and the potential for additional intersections of gold mineralization proximate. Step-out drilling is strongly recommended at the Ridge Zone and to the northwest. In specific, Soil Anomaly Cq where a previous soil sample measured 1.02 g/t Au requires further investigation. A hole in the saddle zone between TT-103/104 and Soil Anomaly Cq to explore the structural corridor defined by Waugh Creek is also strongly recommended.

The 2010 geochemical surveys conducted by the Company successfully outlined two gold/arsenic-in-soil anomalies, both of which remain open in multiple directions. Zone 6 in particular is an intriguing anomaly of significant size (650 m x 500 m) that includes 11 tightly clustered samples with assay results in excess of 100 ppm Au. Though Zone 4 shows lower

gold values and is presently more limited in size (150m x 200m) than Zone 6, it occurs at the northwestern extent of the grid and is anticipated to increase in dimension with additional sampling. Along with the three soil anomalies discovered by Archer Cathro and Associates at the Ridge Zone in the 1980s, the results can be interpreted to be related to a large, north-easterly-trending, geochemically anomalous region which may coincide with an elongate body of 74 Ma Tad Porphyry emplaced within Mid Cretaceous Coffee Creek Granite (a phase of the Dawson Range Batholith). The combined locus of the soil anomalies include the historic Ridge Zone (formerly the Nit Zone explored by Archer Cathro) and ground along both sides of Waugh Creek. A previously unmapped north-east trending fault runs the length of Waugh Creek and is expressed as a saddle zone immediately to the west of the Ridge Zone. This fault connects the Big Creek Fault and a splay off the Big Creek Fault (referred to by J. Pautler in previous reports at the South Big Creek Fault) perhaps forming a dilation zone between the two.

The Toro Property requires continued systematic mineral exploration. Property-wide, on-the-ground geophysical surveys, trenching, extensive geochemical sampling and further diamond drilling of high priority targets generated from the above work programs is recommended.

References

- Archer, A.R., 1982. Nat Joint Venture geological and geochemical report, NIT 1-36 claims. Yukon Territorial Government Assessment Report #090972.
- Carne, R.C., 1986. Report on bulldozer trenching on the ITN property. Report for Silverquest Resources Ltd. by Archer Cathro and Associates (1981) Ltd.
- Casselman, S., 2006. Qualifying Report on the Tad/Toro Property, Dawson Ranges, Yukon 094693, Assessment report by Aurora Geosciences for Bill Harris, 32 pages.
- Costantini, P., 2009, Helicopter-borne Magnetics & Gamma-ray Spectrometry Survey, Integrated Interpretation & Targeting, Report for 0871045 B.C. Ltd., 21 pages.
- Davidson, G.S., 2000. Summary Report on the Toro Property 094126, For Pan Ocean Explorations Inc., 47 pages.
- Deklerk, R. and Traynor, S. (compilers), 2005. Yukon MINFILE 2005 . A database of mineral occurrences. Yukon Geological Survey, CD-ROM.
- Gordon, S.P. and Makepeace, A.J., 2003. Yukon Digital Geology. Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open File 1999-1 (D).
- Hart, C.J.R., 1998. Tad . an unusual porphyry occurrence in the Dawson Range, Yukon. In: Yukon Exploration and Geology 1997; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p.145-151.
- Hart, C.J.R., 1987. Geological and geochemical report on the Toro 1 to 46 Claims. Yukon Territorial Government Assessment Report # 091906.
- Hilker, R.G., Carlson, G.G., and Ratcliffe J.H., 1970. Geological , geochemical and geophysical report on the Apex, Pat and Kook mineral claims, Dawson Range area, Yukon Territory. Report for Phelps Dodge Corporation Of Canada Ltd. Yukon Geological Survey Assessment Report #060212.
- Pautler, J.P., 2009. Technical Report on the Tad/Toro Project. For Uldaman Capital Corp. 79 pages.
- Starr, A.M., 1987. Geological and drilling report on the Toro Claims. Yukon Government Assessment Report #091967.
- Waugh, D.H., 1972. A property report on the TAD Claim Group. International Mines Services Ltd. Yukon Government Assessment Report #091343
- Waugh, D.H., 1970. A property report on the TAD Claim Group. International Mines Services Ltd. Yukon Government Assessment Report #091343.
- Yukon Geological Survey MINFILE, 2010. Yukon MINFILE . A database of mineral occurrences. MINFILE # 115I031, <http://servlet.gov.yk.ca/ygsmin/index.do> (March 30, 2010)

Certification – J. McLaughlin, B.Sc.

I, Jason McLaughlin, of the city of North Vancouver, in the Province of British Columbia,
HEREBY CERTIFY:

1. That I worked at the property from July 18th to October 4th 2010.
2. That I am a graduate of the University of British Columbia (B.Sc. Geology, 1999).
3. That I have been engaged in mineral exploration and development on a full-time basis for more than ten years.
4. That I am Vice President Exploration of Dawson Gold Corp. which conducted the fieldwork at the Toro Property.

SIGNED at Vancouver, B.C. this 2nd day of August, 2011

Jason McLaughlin, B.Sc.

Certification – S.Hasek, B.Sc.

I, Sarah Hasek, of the city of Vancouver, in the Province of British Columbia, HEREBY CERTIFY:

1. That I worked at the Toro Property from September 28th to October 4th 2010.
2. That I am a graduate of Simon Fraser University (B.Sc. Earth Science, 2008).
3. That I have been engaged in mineral exploration and development on a seasonal basis from 2004 to 2008, and on a full-time basis for three years.
4. That I am a contract employee of Dawson Gold Corp. which conducted the fieldwork at the Toro Property.

SIGNED at Vancouver, B.C. this 2nd day of August, 2011

Sarah Hasek, B.Sc.

Appendix I: Schedule A

Grant Number	Claim Name	Expiry Date	Renewal Period Requested (years)	Work filed (\$)	New Expiry Date
YC41133	NIT 001	15-Feb-12	4.00	400	15-Feb-16
YC41134	NIT 002	15-Feb-12	4.00	400	15-Feb-16
YC41135	NIT 003	15-Feb-12	4.00	400	15-Feb-16
YC41136	NIT 004	15-Feb-12	4.00	400	15-Feb-16
YC41137	NIT 005	15-Feb-12	4.00	400	15-Feb-16
YC41138	NIT 006	15-Feb-12	4.00	400	15-Feb-16
YC41139	NIT 007	15-Feb-12	4.00	400	15-Feb-16
YC41140	NIT 008	15-Feb-12	4.00	400	15-Feb-16
YC41141	NIT 009	15-Feb-12	4.00	400	15-Feb-16
YC41142	NIT 010	15-Feb-12	4.00	400	15-Feb-16
YC41143	NIT 011	15-Feb-12	4.00	400	15-Feb-16
YC41144	NIT 012	15-Feb-12	4.00	400	15-Feb-16
YC40974	TAD 005	15-Feb-12	4.00	400	15-Feb-16
YC40975	TAD 006	15-Feb-12	4.00	400	15-Feb-16
YC40976	TAD 007	15-Feb-12	4.00	400	15-Feb-16
YC40977	TAD 008	15-Feb-12	4.00	400	15-Feb-16
YC40978	TAD 017	15-Feb-12	4.00	400	15-Feb-16
YC26506	TAD 019	15-Feb-12	4.00	400	15-Feb-16
YC26507	TAD 020	15-Feb-12	4.00	400	15-Feb-16
YC26508	TAD 021	15-Feb-12	4.00	400	15-Feb-16
YC26509	TAD 022	15-Feb-12	4.00	400	15-Feb-16
YC26510	TAD 023	15-Feb-12	4.00	400	15-Feb-16
YC26511	TAD 024	15-Feb-12	4.00	400	15-Feb-16
YC26512	TAD 025	15-Feb-12	4.00	400	15-Feb-16
YC26513	TAD 026	15-Feb-12	4.00	400	15-Feb-16
YC26514	TAD 027	15-Feb-13	4.00	400	15-Feb-16
YC26515	TAD 028	15-Feb-12	4.00	400	15-Feb-16
YC26516	TAD 029	15-Feb-12	4.00	400	15-Feb-16
YC26517	TAD 030	15-Feb-12	4.00	400	15-Feb-16
YC26518	TAD 031	15-Feb-12	4.00	400	15-Feb-16
YC26519	TAD 032	15-Feb-12	4.00	400	15-Feb-16
YC26520	TAD 033	15-Feb-12	4.00	400	15-Feb-16
YC26521	TAD 034	15-Feb-12	4.00	400	15-Feb-16
YC26522	TAD 035	15-Feb-12	4.00	400	15-Feb-16
YC26523	TAD 036	15-Feb-12	4.00	400	15-Feb-16
YC26524	TAD 037	15-Feb-12	4.00	400	15-Feb-16
YC26525	TAD 038	15-Feb-12	4.00	400	15-Feb-16
YC26526	TAD 039	15-Feb-12	4.00	400	15-Feb-16
YC26527	TAD 040	15-Feb-12	4.00	400	15-Feb-16
YC26528	TAD 041	15-Feb-12	4.00	400	15-Feb-16
YC26529	TAD 042	15-Feb-12	4.00	400	15-Feb-16
YC26530	TAD 043	15-Feb-12	4.00	400	15-Feb-16
YC26531	TAD 044	15-Feb-12	4.00	400	15-Feb-16
YC26532	TAD 045	15-Feb-12	4.00	400	15-Feb-16
YC26533	TAD 046	15-Feb-12	4.00	400	15-Feb-16
YC26534	TAD 047	15-Feb-12	4.00	400	15-Feb-16
YC26535	TAD 048	15-Feb-12	4.00	400	15-Feb-16
YC26536	TAD 049	15-Feb-12	4.00	400	15-Feb-16
YC26537	TAD 050	15-Feb-12	4.00	400	15-Feb-16
YC26538	TAD 051	15-Feb-12	4.00	400	15-Feb-16

Grant Number	Claim Name	Expiry Date	Renewal Period Requested (years)	Work filed (\$)	New Expiry Date
YC26539	TAD 052	15-Feb-12	4.00	400	15-Feb-16
YC26540	TAD 053	15-Feb-12	4.00	400	15-Feb-16
YC26541	TAD 054	15-Feb-12	4.00	400	15-Feb-16
YC26542	TAD 055	15-Feb-12	4.00	400	15-Feb-16
YC26543	TAD 056	15-Feb-12	4.00	400	15-Feb-16
YC26544	TAD 057	15-Feb-12	4.00	400	15-Feb-16
YC26545	TAD 058	15-Feb-12	4.00	400	15-Feb-16
YC26546	TAD 059	15-Feb-12	4.00	400	15-Feb-16
YC26547	TAD 060	15-Feb-12	4.00	400	15-Feb-16
YC26548	TAD 061	15-Feb-12	4.00	400	15-Feb-16
YC26549	TAD 062	15-Feb-12	4.00	400	15-Feb-16
YC26550	TAD 063	15-Feb-12	4.00	400	15-Feb-16
YC26551	TAD 064	15-Feb-12	4.00	400	15-Feb-16
YC26552	TAD 065	15-Feb-12	4.00	400	15-Feb-16
YC26553	TAD 066	15-Feb-12	4.00	400	15-Feb-16
YC26554	TAD 067	15-Feb-12	4.00	400	15-Feb-16
YC54331	TAD 068	15-Feb-12	4.00	400	15-Feb-16
YC54332	TAD 069	15-Feb-12	4.00	400	15-Feb-16
YC54333	TAD 070	15-Feb-12	4.00	400	15-Feb-16
YC54334	TAD 071	15-Feb-12	4.00	400	15-Feb-16
YC54335	TAD 072	15-Feb-12	4.00	400	15-Feb-16
YC54336	TAD 073	15-Feb-12	4.00	400	15-Feb-16
YC54337	TAD 074	15-Feb-12	4.00	400	15-Feb-16
YC54338	TAD 075	15-Feb-12	4.00	400	15-Feb-16
YC54339	TAD 076	15-Feb-12	4.00	400	15-Feb-16
YC54340	TAD 077	15-Feb-12	4.00	400	15-Feb-16
YC54341	TAD 078	15-Feb-12	4.00	400	15-Feb-16
YC54342	TAD 079	15-Feb-12	4.00	400	15-Feb-16
YC54343	TAD 080	15-Feb-12	4.00	400	15-Feb-16
YC54344	TAD 081	15-Feb-12	4.00	400	15-Feb-16
YC54345	TAD 082	15-Feb-12	4.00	400	15-Feb-16
YC54346	TAD 083	15-Feb-12	4.00	400	15-Feb-16
YC54347	TAD 084	15-Feb-12	4.00	400	15-Feb-16
YC54348	TAD 085	15-Feb-12	4.00	400	15-Feb-16
YC54349	TAD 086	15-Feb-12	4.00	400	15-Feb-16
YC54350	TAD 087	15-Feb-12	4.00	400	15-Feb-16
YC54351	TAD 088	15-Feb-12	4.00	400	15-Feb-16
YC54352	TAD 089	15-Feb-12	4.00	400	15-Feb-16
YC54353	TAD 090	15-Feb-12	4.00	400	15-Feb-16
YC54354	TAD 091	15-Feb-12	4.00	400	15-Feb-16
YC54355	TAD 092	15-Feb-12	4.00	400	15-Feb-16
YC54356	TAD 093	15-Feb-12	4.00	400	15-Feb-16
YC54357	TAD 094	15-Feb-12	4.00	400	15-Feb-16
YC54358	TAD 095	15-Feb-12	4.00	400	15-Feb-16
YC54359	TAD 096	15-Feb-12	4.00	400	15-Feb-16
YC54360	TAD 097	15-Feb-12	4.00	400	15-Feb-16
YC54361	TAD 098	15-Feb-12	4.00	400	15-Feb-16
YC54362	TAD 099	15-Feb-12	4.00	400	15-Feb-16
YC54363	TAD 100	15-Feb-12	4.00	400	15-Feb-16
YC54364	TAD 101	15-Feb-12	4.00	400	15-Feb-16
YC65809	TAD 102	15-Feb-12	4.00	400	15-Feb-16
YC65810	TAD 103	15-Feb-12	4.00	400	15-Feb-16
YC65811	TAD 104	15-Feb-12	4.00	400	15-Feb-16
YC65812	TAD 105	15-Feb-12	4.00	400	15-Feb-16
YC65813	TAD 106	15-Feb-12	4.00	400	15-Feb-16

Grant Number	Claim Name	Expiry Date	Renewal Period Requested (years)	Work filed (\$)	New Expiry Date
YC65814	TAD 107	15-Feb-12	4.00	400	15-Feb-16
YC65815	TAD 108	15-Feb-12	4.00	400	15-Feb-16
YC65816	TAD 109	15-Feb-12	4.00	400	15-Feb-16
YC65817	TAD 110	15-Feb-12	4.00	400	15-Feb-16
YC65818	TAD 111	15-Feb-12	4.00	400	15-Feb-16
YC65819	TAD 112	15-Feb-12	4.00	400	15-Feb-16
YC65820	TAD 113	15-Feb-12	4.00	400	15-Feb-16
YC65821	TAD 114	15-Feb-12	4.00	400	15-Feb-16
YC65822	TAD 115	15-Feb-12	4.00	400	15-Feb-16
YC65823	TAD 116	15-Feb-12	4.00	400	15-Feb-16
YC65824	TAD 117	15-Feb-12	4.00	400	15-Feb-16
YC65825	TAD 118	15-Feb-12	4.00	400	15-Feb-16
YC65826	TAD 119	15-Feb-12	4.00	400	15-Feb-16
YC65827	TAD 120	15-Feb-12	4.00	400	15-Feb-16
YC65828	TAD 121	15-Feb-12	4.00	400	15-Feb-16
YC65829	TAD 122	15-Feb-12	4.00	400	15-Feb-16
YC65830	TAD 123	15-Feb-12	4.00	400	15-Feb-16
YC65831	TAD 124	15-Feb-12	4.00	400	15-Feb-16
YC65832	TAD 125	15-Feb-12	4.00	400	15-Feb-16
YC65833	TAD 126	15-Feb-12	4.00	400	15-Feb-16
YC65834	TAD 127	15-Feb-12	4.00	400	15-Feb-16
YC65835	TAD 128	15-Feb-12	4.00	400	15-Feb-16
YC65836	TAD 129	15-Feb-12	4.00	400	15-Feb-16
YC65837	TAD 130	15-Feb-12	4.00	400	15-Feb-16
YC65838	TAD 131	15-Feb-12	4.00	400	15-Feb-16
YC65839	TAD 132	15-Feb-12	4.00	400	15-Feb-16
YC65840	TAD 133	15-Feb-12	4.00	400	15-Feb-16
YC65841	TAD 134	15-Feb-12	4.00	400	15-Feb-16
YC65842	TAD 135	15-Feb-12	4.00	400	15-Feb-16
YC65843	TAD 136	15-Feb-12	4.00	400	15-Feb-16
YC65844	TAD 137	15-Feb-12	4.00	400	15-Feb-16
YC65845	TAD 138	15-Feb-12	4.00	400	15-Feb-16
YC65846	TAD 139	15-Feb-12	4.00	400	15-Feb-16
YC65847	TAD 140	15-Feb-12	4.00	400	15-Feb-16
YC65848	TAD 141	15-Feb-12	4.00	400	15-Feb-16
YC65849	TAD 142	15-Feb-12	4.00	400	15-Feb-16
YC65850	TAD 143	15-Feb-12	4.00	400	15-Feb-16
YC65851	TAD 144	15-Feb-12	4.00	400	15-Feb-16
YC65852	TAD 145	15-Feb-12	4.00	400	15-Feb-16
YC65853	TAD 146	15-Feb-12	4.00	400	15-Feb-16
YC65854	TAD 147	15-Feb-12	4.00	400	15-Feb-16
YC65855	TAD 148	15-Feb-12	4.00	400	15-Feb-16
YC65856	TAD 149	15-Feb-12	4.00	400	15-Feb-16
YC65857	TAD 150	15-Feb-12	4.00	400	15-Feb-16
YC65858	TAD 151	15-Feb-12	4.00	400	15-Feb-16
YC65859	TAD 152	15-Feb-12	4.00	400	15-Feb-16
YC65860	TAD 153	15-Feb-12	4.00	400	15-Feb-16
YC65861	TAD 154	15-Feb-12	4.00	400	15-Feb-16
YC65862	TAD 155	15-Feb-12	4.00	400	15-Feb-16
YC65863	TAD 156	15-Feb-12	4.00	400	15-Feb-16
YC65864	TAD 157	15-Feb-12	4.00	400	15-Feb-16
YC65865	TAD 158	15-Feb-12	4.00	400	15-Feb-16
YC65866	TAD 159	15-Feb-12	4.00	400	15-Feb-16
YC90197	TAD 160	15-Feb-13	4.00	400	15-Feb-17
YC90198	TAD 161	15-Feb-13	4.00	400	15-Feb-17

Grant Number	Claim Name	Expiry Date	Renewal Period		New Expiry Date
			Requested (years)	Work filed (\$)	
YC90199	TAD 162	15-Feb-13	4.00	400	15-Feb-17
YC90200	TAD 163	15-Feb-13	4.00	400	15-Feb-17
YC90201	TAD 164	15-Feb-13	4.00	400	15-Feb-17
YC90202	TAD 165	15-Feb-13	4.00	400	15-Feb-17
YC90203	TAD 166	15-Feb-13	4.00	400	15-Feb-17
YC90204	TAD 167	15-Feb-13	4.00	400	15-Feb-17
YC90205	TAD 168	15-Feb-13	4.00	400	15-Feb-17
YC90206	TAD 169	15-Feb-13	4.00	400	15-Feb-17
YC90207	TAD 170	15-Feb-13	4.00	400	15-Feb-17
YC90208	TAD 171	15-Feb-13	4.00	400	15-Feb-17
YC90209	TAD 172	15-Feb-13	4.00	400	15-Feb-17
YC90210	TAD 173	15-Feb-13	4.00	400	15-Feb-17
YC90211	TAD 174	15-Feb-13	4.00	400	15-Feb-17
YC90212	TAD 175	15-Feb-13	4.00	400	15-Feb-17
YC90213	TAD 176	15-Feb-13	4.00	400	15-Feb-17
YC90214	TAD 177	15-Feb-13	4.00	400	15-Feb-17
YC90215	TAD 178	15-Feb-13	4.00	400	15-Feb-17
YC90216	TAD 179	15-Feb-13	4.00	400	15-Feb-17
YC90217	TAD 180	15-Feb-13	4.00	400	15-Feb-17
YC90218	TAD 181	15-Feb-13	4.00	400	15-Feb-17
YC90219	TAD 182	15-Feb-13	4.00	400	15-Feb-17
YC90220	TAD 183	15-Feb-13	4.00	400	15-Feb-17
YC90221	TAD 184	15-Feb-13	4.00	400	15-Feb-17
YC90222	TAD 185	15-Feb-13	4.00	400	15-Feb-17
YC90223	TAD 186	15-Feb-13	4.00	400	15-Feb-17
YC90224	TAD 187	15-Feb-13	4.00	400	15-Feb-17
YC90225	TAD 188	15-Feb-13	4.00	400	15-Feb-17
YC90226	TAD 189	15-Feb-13	4.00	400	15-Feb-17
YC90227	TAD 190	15-Feb-13	4.00	400	15-Feb-17
YC90260	TAD 191	15-Feb-13	4.00	400	15-Feb-17
YC90309	TAD 206	15-Feb-13	4.00	400	15-Feb-17
YC90310	TAD 207	15-Feb-13	4.00	400	15-Feb-17
YC90311	TAD 208	15-Feb-13	4.00	400	15-Feb-17
YC90312	TAD 209	15-Feb-13	4.00	400	15-Feb-17
YC90313	TAD 210	15-Feb-13	4.00	400	15-Feb-17
YC90314	TAD 211	15-Feb-13	4.00	400	15-Feb-17
YC90315	TAD 212	15-Feb-13	4.00	400	15-Feb-17
YC90316	TAD 213	15-Feb-13	4.00	400	15-Feb-17
YC90317	TAD 214	15-Feb-13	4.00	400	15-Feb-17
YC90318	TAD 215	15-Feb-13	4.00	400	15-Feb-17
YC90319	TAD 216	15-Feb-13	4.00	400	15-Feb-17
YC90320	TAD 217	15-Feb-13	4.00	400	15-Feb-17
YC90321	TAD 218	15-Feb-13	4.00	400	15-Feb-17
YC90322	TAD 219	15-Feb-13	4.00	400	15-Feb-17
YC90323	TAD 220	15-Feb-13	4.00	400	15-Feb-17
YC90324	TAD 221	15-Feb-13	4.00	400	15-Feb-17
YC90228	TAD 222	15-Feb-13	4.00	400	15-Feb-17
YC90229	TAD 223	15-Feb-13	4.00	400	15-Feb-17
YC90230	TAD 224	15-Feb-13	4.00	400	15-Feb-17
YC90231	TAD 225	15-Feb-13	4.00	400	15-Feb-17
YC90232	TAD 226	15-Feb-13	4.00	400	15-Feb-17
YC90233	TAD 227	15-Feb-13	4.00	400	15-Feb-17
YC90234	TAD 228	15-Feb-13	4.00	400	15-Feb-17
YC90235	TAD 229	15-Feb-13	4.00	400	15-Feb-17
YC90236	TAD 230	15-Feb-13	4.00	400	15-Feb-17

Grant Number	Claim Name	Expiry Date	Renewal Period		New Expiry Date
			Requested (years)	Work filed (\$)	
YC90237	TAD 231	15-Feb-13	4.00	400	15-Feb-17
YC90238	TAD 232	15-Feb-13	4.00	400	15-Feb-17
YC90239	TAD 233	15-Feb-13	4.00	400	15-Feb-17
YC90240	TAD 234	15-Feb-13	4.00	400	15-Feb-17
YC90241	TAD 235	15-Feb-13	4.00	400	15-Feb-17
YC90242	TAD 236	15-Feb-13	4.00	400	15-Feb-17
YC90243	TAD 237	15-Feb-13	4.00	400	15-Feb-17
YC90244	TAD 238	15-Feb-13	4.00	400	15-Feb-17
YC90245	TAD 239	15-Feb-13	4.00	400	15-Feb-17
YC90246	TAD 240	15-Feb-13	4.00	400	15-Feb-17
YC90247	TAD 241	15-Feb-13	4.00	400	15-Feb-17
YC90248	TAD 242	15-Feb-13	4.00	400	15-Feb-17
YC90249	TAD 243	15-Feb-13	4.00	400	15-Feb-17
YC90250	TAD 244	15-Feb-13	4.00	400	15-Feb-17
YC90251	TAD 245	15-Feb-13	4.00	400	15-Feb-17
YC90252	TAD 246	15-Feb-13	4.00	400	15-Feb-17
YC90253	TAD 247	15-Feb-13	4.00	400	15-Feb-17
YC90254	TAD 248	15-Feb-13	4.00	400	15-Feb-17
YC90255	TAD 249	15-Feb-13	4.00	400	15-Feb-17
YC90256	TAD 250	15-Feb-13	4.00	400	15-Feb-17
YC90257	TAD 251	15-Feb-13	4.00	400	15-Feb-17
YC90258	TAD 252	15-Feb-13	4.00	400	15-Feb-17
YC90259	TAD 253	15-Feb-13	4.00	400	15-Feb-17
YC90261	TAD 254	15-Feb-13	4.00	400	15-Feb-17
YC90262	TAD 255	15-Feb-13	4.00	400	15-Feb-17
YC90263	TAD 256	15-Feb-13	4.00	400	15-Feb-17
YC90264	TAD 257	15-Feb-13	4.00	400	15-Feb-17
YC90265	TAD 258	15-Feb-13	4.00	400	15-Feb-17
YC90266	TAD 259	15-Feb-13	4.00	400	15-Feb-17
YC90267	TAD 260	15-Feb-13	4.00	400	15-Feb-17
YC90268	TAD 261	15-Feb-13	4.00	400	15-Feb-17
YC90269	TAD 262	15-Feb-13	4.00	400	15-Feb-17
YC90270	TAD 263	15-Feb-13	4.00	400	15-Feb-17
YC90271	TAD 264	15-Feb-13	4.00	400	15-Feb-17
YC90272	TAD 265	15-Feb-13	4.00	400	15-Feb-17
YC90273	TAD 266	15-Feb-13	4.00	400	15-Feb-17
YC90274	TAD 267	15-Feb-13	4.00	400	15-Feb-17
YC90275	TAD 268	15-Feb-13	4.00	400	15-Feb-17
YC90276	TAD 269	15-Feb-13	4.00	400	15-Feb-17
YC90277	TAD 270	15-Feb-13	4.00	400	15-Feb-17
YC90278	TAD 271	15-Feb-13	4.00	400	15-Feb-17
YC90279	TAD 272	15-Feb-13	4.00	400	15-Feb-17
YC90280	TAD 273	15-Feb-13	4.00	400	15-Feb-17
YC90281	TAD 274	15-Feb-13	4.00	400	15-Feb-17
YC90282	TAD 275	15-Feb-13	4.00	400	15-Feb-17
YC90283	TAD 276	15-Feb-13	4.00	400	15-Feb-17
YC90284	TAD 277	15-Feb-13	4.00	400	15-Feb-17
YC90285	TAD 278	15-Feb-13	4.00	400	15-Feb-17
YC90286	TAD 279	15-Feb-13	4.00	400	15-Feb-17
YC90287	TAD 280	15-Feb-13	4.00	400	15-Feb-17
YC90288	TAD 281	15-Feb-13	4.00	400	15-Feb-17
YC90289	TAD 282	15-Feb-13	4.00	400	15-Feb-17
YC90290	TAD 283	15-Feb-13	4.00	400	15-Feb-17
YC90291	TAD 284	15-Feb-13	4.00	400	15-Feb-17
YC90292	TAD 285	15-Feb-13	4.00	400	15-Feb-17

Grant Number	Claim Name	Expiry Date	Renewal Period		New Expiry Date
			Requested (years)	Work filed (\$)	
YC90293	TAD 286	15-Feb-13	4.00	400	15-Feb-17
YC90294	TAD 287	15-Feb-13	4.00	400	15-Feb-17
YC90295	TAD 288	15-Feb-13	4.00	400	15-Feb-17
YC90296	TAD 289	15-Feb-13	4.00	400	15-Feb-17
YC90297	TAD 290	15-Feb-13	4.00	400	15-Feb-17
YC90298	TAD 291	15-Feb-13	4.00	400	15-Feb-17
YC90299	TAD 292	15-Feb-13	4.00	400	15-Feb-17
YC90300	TAD 293	15-Feb-13	4.00	400	15-Feb-17
YC90301	TAD 294	15-Feb-13	4.00	400	15-Feb-17
YC90302	TAD 295	15-Feb-13	4.00	400	15-Feb-17
YC90303	TAD 296	15-Feb-13	4.00	400	15-Feb-17
YC90304	TAD 297	15-Feb-13	4.00	400	15-Feb-17
YC90305	TAD 298	15-Feb-13	4.00	400	15-Feb-17
YC90306	TAD 299	15-Feb-13	4.00	400	15-Feb-17
YC90307	TAD 300	15-Feb-13	4.00	400	15-Feb-17
YC90308	TAD 301	15-Feb-13	4.00	400	15-Feb-17
YC90325	TAD 302	15-Feb-13	4.00	400	15-Feb-17
YC90326	TAD 303	15-Feb-13	4.00	400	15-Feb-17
YC90327	TAD 304	15-Feb-13	4.00	400	15-Feb-17
YC90328	TAD 305	15-Feb-13	4.00	400	15-Feb-17
YC90329	TAD 306	15-Feb-13	4.00	400	15-Feb-17
YC90330	TAD 307	15-Feb-13	4.00	400	15-Feb-17
YC90331	TAD 308	15-Feb-13	4.00	400	15-Feb-17
YC90332	TAD 309	15-Feb-13	4.00	400	15-Feb-17
YC90333	TAD 310	15-Feb-13	4.00	400	15-Feb-17
YC90334	TAD 311	15-Feb-13	4.00	400	15-Feb-17
YC90335	TAD 312	15-Feb-13	4.00	400	15-Feb-17
YC90336	TAD 313	15-Feb-13	4.00	400	15-Feb-17
YC90337	TAD 314	15-Feb-13	4.00	400	15-Feb-17
YC90338	TAD 315	15-Feb-13	4.00	400	15-Feb-17
YC90339	TAD 316	15-Feb-13	4.00	400	15-Feb-17
YC90340	TAD 317	15-Feb-13	4.00	400	15-Feb-17
YC90341	TAD 318	15-Feb-13	4.00	400	15-Feb-17
YC90342	TAD 319	15-Feb-13	4.00	400	15-Feb-17
YC90343	TAD 320	15-Feb-13	4.00	400	15-Feb-17
YC90344	TAD 321	15-Feb-13	4.00	400	15-Feb-17
YC90345	TAD 322	15-Feb-13	4.00	400	15-Feb-17
YC90346	TAD 323	15-Feb-13	4.00	400	15-Feb-17
YC90347	TAD 324	15-Feb-13	4.00	400	15-Feb-17
YC90348	TAD 325	15-Feb-13	4.00	400	15-Feb-17
YD20041	TORO 001	9-Feb-11	4.25	425	15-Feb-15
YD20042	TORO 002	9-Feb-11	4.25	425	15-Feb-15
YD20043	TORO 003	9-Feb-11	4.25	425	15-Feb-15
YD20044	TORO 004	9-Feb-11	4.25	425	15-Feb-15
YD20045	TORO 005	9-Feb-11	4.25	425	15-Feb-15
YD20046	TORO 006	9-Feb-11	4.25	425	15-Feb-15
YD20047	TORO 007	9-Feb-11	4.25	425	15-Feb-15
YD20048	TORO 008	9-Feb-11	4.25	425	15-Feb-15
YD20049	TORO 009	9-Feb-11	4.25	425	15-Feb-15
YD20050	TORO 010	9-Feb-11	4.25	425	15-Feb-15
YD20051	TORO 011	9-Feb-11	4.25	425	15-Feb-15
YD20052	TORO 012	9-Feb-11	4.25	425	15-Feb-15
YD20053	TORO 013	9-Feb-11	4.25	425	15-Feb-15
YD20054	TORO 014	9-Feb-11	4.25	425	15-Feb-15
YD20055	TORO 015	9-Feb-11	4.25	425	15-Feb-15

Grant Number	Claim Name	Expiry Date	Renewal Period		New Expiry Date
			Requested (years)	Work filed (\$)	
YD20056	TORO 016	9-Feb-11	4.25	425	15-Feb-15
YD20057	TORO 017	9-Feb-11	4.25	425	15-Feb-15
YD20058	TORO 018	9-Feb-11	4.25	425	15-Feb-15
YD20059	TORO 019	9-Feb-11	4.25	425	15-Feb-15
YD20060	TORO 020	9-Feb-11	4.25	425	15-Feb-15
YD20061	TORO 021	9-Feb-11	4.25	425	15-Feb-15
YD20062	TORO 022	9-Feb-11	4.25	425	15-Feb-15
YD20063	TORO 023	9-Feb-11	4.25	425	15-Feb-15
YD20064	TORO 024	9-Feb-11	4.25	425	15-Feb-15
YD20065	TORO 025	11-Feb-11	4.25	425	15-Feb-15
YD20066	TORO 026	11-Feb-11	4.25	425	15-Feb-15
YD20067	TORO 027	11-Feb-11	4.25	425	15-Feb-15
YD20068	TORO 028	11-Feb-11	4.25	425	15-Feb-15
YD20069	TORO 029	11-Feb-11	4.25	425	15-Feb-15
YD20070	TORO 030	11-Feb-11	4.25	425	15-Feb-15
YD20071	TORO 031	9-Feb-11	4.25	425	15-Feb-15
YD20072	TORO 032	9-Feb-11	4.25	425	15-Feb-15
YD20073	TORO 033	9-Feb-11	4.25	425	15-Feb-15
YD20074	TORO 034	9-Feb-11	4.25	425	15-Feb-15
YD20075	TORO 035	9-Feb-11	4.25	425	15-Feb-15
YD20076	TORO 036	9-Feb-11	4.25	425	15-Feb-15
YD20077	TORO 037	9-Feb-11	4.25	425	15-Feb-15
YD20078	TORO 038	9-Feb-11	4.25	425	15-Feb-15
YD20079	TORO 039	9-Feb-11	4.25	425	15-Feb-15
YD20080	TORO 040	9-Feb-11	4.25	425	15-Feb-15
YD20081	TORO 041	9-Feb-11	4.25	425	15-Feb-15
YD20082	TORO 042	9-Feb-11	4.25	425	15-Feb-15
YD20083	TORO 043	9-Feb-11	4.25	425	15-Feb-15
YD20084	TORO 044	9-Feb-11	4.25	425	15-Feb-15
YD20085	TORO 045	9-Feb-11	4.25	425	15-Feb-15
YD20086	TORO 046	9-Feb-11	4.25	425	15-Feb-15
YD20087	TORO 047	9-Feb-11	4.25	425	15-Feb-15
YD20088	TORO 048	9-Feb-11	4.25	425	15-Feb-15
YD20089	TORO 049	9-Feb-11	4.25	425	15-Feb-15
YD20090	TORO 050	9-Feb-11	4.25	425	15-Feb-15
YD20091	TORO 051	9-Feb-11	4.25	425	15-Feb-15
YD20092	TORO 052	9-Feb-11	4.25	425	15-Feb-15
YD20093	TORO 053	9-Feb-11	4.25	425	15-Feb-15
YD20094	TORO 054	9-Feb-11	4.25	425	15-Feb-15
YD20095	TORO 055	9-Feb-11	4.25	425	15-Feb-15
YD20096	TORO 056	9-Feb-11	4.25	425	15-Feb-15
YD20097	TORO 057	9-Feb-11	4.25	425	15-Feb-15
YD20098	TORO 058	9-Feb-11	4.25	425	15-Feb-15
YD20099	TORO 059	9-Feb-11	4.25	425	15-Feb-15
YD20100	TORO 060	9-Feb-11	4.25	425	15-Feb-15
YD20101	TORO 061	9-Feb-11	4.25	425	15-Feb-15
YD20102	TORO 062	9-Feb-11	4.25	425	15-Feb-15
YD20103	TORO 063	9-Feb-11	4.25	425	15-Feb-15
YD20104	TORO 064	9-Feb-11	4.25	425	15-Feb-15
YD20105	TORO 065	9-Feb-11	4.25	425	15-Feb-15
YD20106	TORO 066	9-Feb-11	4.25	425	15-Feb-15
YD20107	TORO 067	9-Feb-11	4.25	425	15-Feb-15
YD20108	TORO 068	9-Feb-11	4.25	425	15-Feb-15
YD20109	TORO 069	9-Feb-11	4.25	425	15-Feb-15
YD20110	TORO 070	9-Feb-11	4.25	425	15-Feb-15

Appendix II: Statement of Expenditures

Toro Project Exploration Costs from March 31, 2011 Interim Financial Statements

Assays	\$	51,389
Consulting	\$	31,875
Drilling	\$	333,907
Field Expense	\$	406,068
Geological	\$	627,437
Geophysics	\$	68,176
Helicopter	\$	189,562
Shipping	\$	37,086
Travel and accommodation	\$	83,128
Total	\$	1,828,628

Appendix III: Report On Induced Polarization Survey, Tad Toro Project, Carmacks, Yukon. By Frontier Geosciences Inc. August, 2010

DAWSON GOLD CORP.
REPORT ON
INDUCED POLARIZATION SURVEY
TAD TORO PROJECT
CARMACKS, YUKON

By

Braden Adams, B.Sc.

Cliff Candy, P.Geo.

August, 2010

PROJECT FGI-1148

CONTENTS

	<u>page</u>
1. INTRODUCTION	1
2. THE INDUCED POLARIZATION SURVEY METHOD	3
2.1 Instrumentation and Methodology	3
2.2 Field Procedure	3
2.3 Data processing	4
3. GEOPHYSICAL RESULTS	6
3.1 General	6
3.2 Discussion	6
4. LIMITATIONS	9



ILLUSTRATIONS

	<u>location</u>
Figure 1 Survey Location Plan	Page 2
Figure 2 Site Plan	Appendix
Figure 3 Grid 1 Chargeability Depth Slices	Appendix
Figure 4 Grid 1 Apparent Resistivity Depth Slices	Appendix
Figure 5 Grid 1 Drillhole Chargeability Profile	Appendix
Figure 6 Grid 1 Drillhole Resistivity Profile	Appendix
Figure 7 Grid 2 Chargeability Depth Slices	Appendix
Figure 8 Grid 2 Apparent Resistivity Depth Slices	Appendix
Figure 9 Grid 3 Chargeability Depth Slices	Appendix
Figure 10 Grid 3 Apparent Resistivity Depth Slices	Appendix
Figure 11 3D Chargeability Isosurface Model - Grid 1	Appendix
Figure 12 3D Chargeability Isosurface Model - Grid 2	Appendix
Figure 13 3D Chargeability Isosurface Model - Grid 3	Appendix

1. INTRODUCTION

In the period July 27 to August 25, 2010, Frontier Geosciences Inc. carried out an Induced Polarization (IP) survey for Dawson Gold Corporation at the Tad Toro property in central Yukon. A Survey Location Plan of the site area is shown at 1:3,000,000 scale in Figure 1. The Tad Toro project area is located approximately 100 kilometres north-west of Carmacks, Y.T. The site area consists of sloped terrain and low-lying valleys with varying amounts of vegetation coverage.

The survey coverage consisted of 3 grids of 14 lines spaced at 200 metre intervals. The project covered approximately 20 line kilometres of IP surveying. The purpose of the IP survey was to explore the extent and geometry of mineralization on the property. A Site Plan with the survey line locations, is shown at a scale of 1:25,000 in Figure 2.



DAWSON GOLD CORP. TAD TORO PROJECT		
INDUCED POLARIZATION SURVEY		
SURVEY LOCATION PLAN		
FRONTIER GEOSCIENCES INC.		
DATE: AUGUST 2010	SCALE 1:3,000,000	FIG. 1

2. THE INDUCED POLARIZATION SURVEY METHOD

2.1 Instrumentation and Methodology

The Induced Polarization method is a long-standing means of delineating subsurface mineralization. The method operates by introducing electrical current through metal electrodes placed in the ground at the surface. Measurements are then made at surface of the resulting potential field. Further, current inversion methods have been effective in deriving geoelectric models that aid in understanding the distribution of conductive subsurface zones that would give rise to the anomalous response.

A standard time domain signal of 2 seconds on, 2 seconds off waveform was used for the survey. Electrical current was provided by the GDD Instrumentation, 3600 Watt, TxII-3600 model transmitter. The high resolution, full waveform approach records the entire waveform for eight receiver poles simultaneously. Multiple eight channel receivers were employed to allow recording a full line simultaneously. As the full received waveform is available for processing, self-potential drift, transient effects and several other noise sources can be efficiently identified and removed from the signal. This results in full waveform data acquisition generally providing higher resolution information in lower signal level situations, such as higher 'a' spacings in a dipole-dipole survey, or in areas with unfavourable signal to noise levels.

2.2 Field Procedure

The survey was carried out as a dipole-pole and pole-pole survey using seven fixed transmitter (Tx) electrodes. For each grid, there were seven fixed transmitter (Tx) electrodes and two roaming electrodes. The stationary electrodes were placed near the four corners of each grid; one in the centre, and one near each edge. For the two E-W trending grids, the Tx edge electrodes were placed on the north and south edges of the grid. For the N-S trending grid, the edge electrodes were placed on the east and west edges of the grid. The remaining two roaming Tx electrodes were located a specified distance apart on the line adjacent to the line currently being surveyed. The stationary electrode locations are displayed on the Site plan (Figure 2).

A pole-dipole and pole-pole survey configuration was used, as it directly reads the absolute potentials relative to a voltage base that is constant for the entire survey. In order to provide the best infinity characteristics, locations perpendicular to, rather than along, the expected

geological strike were chosen. The remote current electrode (Tx 'infinity') was located to the north of the survey area for grids 1 and 2. Tx infinity was located to the east in grid 3. Care was taken to isolate and label the potentially hazardous voltage carrying components at the electrode sites. The remote receiver electrode (Rx 'infinity') was located to the south of the survey grid for grids 1 and 2 and west of the survey grid for grid 3.

There were five lines for grids 1 and 3, and four lines for grid 2. All of the lines were 1600m in length with the exception of one line on grid 3 which was 1200m due to inaccessibility. The lines were separated by 200m intervals with 100m separation between receiver electrodes. UTM positions were recorded with a handheld Garmin GPS unit.

The time domain I.P. / resistivity data was collected using multiple receiver cables with electrode takeouts. Stainless steel stakes were placed at each takeout position and connected to the cable. Voltage measurements were recorded with two multichannel, full waveform receivers. The quality of the received data was monitored in the field, subsequent to each reading sequence, by a series of in-field processing steps. Initially, a full panel display of the received waveforms is available for overall assessment. A separate, tabbed display in the Labview interface allows individual channels to be displayed at enhanced scales for closer inspection. A variable high cut filter may then be applied, if desired, and the waveform is then blocked into a series of colour-coded on time and off time segments over a given time range. The self potential effects are removed, and these results are displayed prior to stacking. V_p (Voltage, primary) and chargeability values, together with standard deviations are displayed on screen, and logged to an XML file. This XML file uses an internal LabView variant data structure to preserve the entire state of the software at each utilization. The software preserves the signs of voltages such that transitions to negative V_p are resolved unambiguously.

2.3 Data Processing

The final processing of the full waveform time series initially includes an inspection of the series, with guidance from the field notes. A low pass filter is applied to remove high frequency noise. The leading edge of a pulse is then picked and the positive and negative 'current on' sections of the waveform are binned. These voltage bins vary from as few as 6 for the 120 second waveform, to as many as 14 for the 240 second duration waveform. They are stacked to arrive at a final Voltage (V_p) value, together with a calculated standard deviation. The Newmont standard window is applied to the 'current off' sections and the

area under the IP decay curve is calculated, normalized, and presented as a chargeability value in mV/V. The chargeability data were compiled in tabular format, and based on a standard error calculation, a threshold value of acceptable data was employed.

The voltages are plotted in plan maps for each of the current injection points. The potential readings for individual borehole current injection points were converted to the input format for the inversion software, RES3DINV. Runs of subsets of the overall data were used to set up the inversion process, define the mesh intervals, and determine the inversion operating parameters. The models resulting from the separate current injection points provided a sense of the range of influence of the particular borehole current point. In addition, a series of tests were run to confirm that the inversion process was properly handling the negative voltages observed in the eastern grid area. Subsequent to this, the potential voltage measurements for all the borehole current injection points were combined and a final inversion was run.

The inversion code was supplied by Geotomo Software, authored by M.H. Loke. The inversion routine employed by this program is based on the smoothness-constrained least-squares method (deGroot-Hedlin and Constable 1990, Sasaki 1992). The Loke RES3DINV software calculates a three-dimensional model of resistivity which would produce the measurements recorded during the survey.

The measured voltages, chargeability, and inversion results were provided in tabular format for importation into other tools. In this report, the inversion information is displayed as isosurfaces in a 3D volume projection constructed using a VTK (Visualization Tool Kit) program, Mayavi.

3. GEOPHYSICAL RESULTS

3.1 General

In total, fourteen lines were completed in the Induced Polarization survey. The results of the inversion processing and modelling are shown as chargeability contour plan depth slices for each grid in Figures 3, 7 and 9. The apparent resistivity depth slices for each grid are shown in Figures 4, 8 and 10. The colour level files for each of these plots is common to all the grids in order to facilitate comparisons of the levels of response between grids. The 3D isosurface representations of the chargeability for each grid are shown in Figures 11 to 13.

In addition, the projection of drillhole TT-106 onto chargeability and resistivity sections is presented in Figures 5 and 6. Drillhole TT-106 was located at the southern end of Grid 1 and was put down to a total depth of 246.89 m.

3.2 Discussion

The chargeability and resistivity depth slices for Grid 1 are shown in Figures 3 and 4 respectively. As the slices get deeper for chargeability, the variable, chargeable, shallow responses dissipate quickly. Some of these zones are likely caused by near-surface soils containing clay. At a depth of 173 metres, a north-south trending chargeability high becomes visible. The chargeability anomaly is strongest at a depth of 324 metres. The greatest chargeability response of this feature, is present in the southern area of the grid. This geometry gives the impression of a possible plunge of the zone to the south. The 3D model representation of the isosurfaces in Figure 11, shows views of the zone looking north. Three isosurface levels have been highlighted, and illustrate the chargeability limits and the zone of high chargeability.

Figure 5 displays the east-west trending cross-section of the chargeability plan profile with drillhole TT-106, completed in 2010. The drillhole has an azimuth of 270° and a dip of -60°. The hole's trajectory appears to intersect the edge of the major anomaly, narrowly missing the 250-275 mV/V core. The strong clay alteration, and minor amount of disseminated sulfides and significant number of fault and gouge zones intersected in the drill core, are consistent with the chargeability results for the area. Due to the materials encountered in the drill core and the hole's positioning, the Grid 1 anomaly may be due to a significant shear zone.

The resistivity response for Grid 1 is displayed in Figure 4. This plan shows a strong north-south trending resistivity low associated with the chargeability response. This trend is evident at the surface, but becomes more strongly developed at a depth of 190 metres. This zone reaches resistivities of less than 25 ohm-metres and remains open to depth, below the deepest modelled horizontal slice.

Figure 6 shows the east-west trending cross-section of the resistivity plan profile with drillhole TT-106. The drillhole passes through the 75 ohm-m contour and extends into the 50 ohm-m contour. The low resistivities are likely due to the clay alteration, chlorite and numerous fault and gouge zones intersected in the drillhole.

Grid 2 chargeability and resistivity depth slices are shown in Figures 7 and 8 of the Appendix. The chargeability contrast in this zone is quite different than the other two grids, as the background values are generally higher, from about 40 mV/V to 60 mV/V. There is however, an anomaly that stands out from background levels beginning at a depth of 173 metres. The zone is centred at 349300E and 6941100N and attains a chargeability high of approximately 80 mV/V. This oval-shaped anomaly dissipates with increasing depth, into the higher valued background. The 3D isosurface model (Figure 12) shows this anomaly as a ball shape rooted in the deeper layers as a 70 mV/V isosurface. This chargeability is significantly less than the core of the Grid 1 anomaly. The generally higher overall chargeable values evident on this grid, suggest either a higher background level of disseminated sulphides, or an increased level of pervasive clay alteration.

The resistivity results illustrated in Figure 8, show a trend of higher resistivity responses on the west side, near the valley wall, with conductive lithologies present in the central and eastern parts of the grid. The range of the more conductive response is similar to the values observed in the conductive trend on Grid 1.

The chargeability and resistivity contour plans for Grid 3 are shown in Figures 9 and 10. The chargeability extremes for Grid 3 are also lower than Grid 1, but there is a clear east-west striking, elevated anomaly across the centre of the grid. This anomaly is not present at shallow depths, but chargeability increases at about 173m depth, with the anomaly displaying a clear structure below 460 metres. The 3D isosurface model in Figure 13 shows this structure as a half cylindrical shape. The core chargeability of the anomaly at 88 mV/V is less than on Grid 1.

The results of the resistivity inversion for Grid 3 show a strong contrast in values across the Grid, not unlike that observed on Grid 2. The higher resistivity zone is located in the north, with a local high situated in the western area of the grid, at a northing of approximately 69,378,900N. The intervening resistivity low is associated with the anomalous chargeability high.

4. LIMITATIONS

The geophysical information in this report is based on measurements obtained by generally accepted methods and procedures and our interpretation of the data. Individual values may in some instances be erroneous due to earth noise effects occurring simultaneously with the measurements. Artifacts of the inversion program can occur at locally higher and lower values in regions of the volume that are not well constrained by the data.


Anomalies detected in Induced Polarization surveys may be due to metallic or nonmetallic conductive sources. Induced polarization anomalies may be caused by certain types of clay and by platy alteration minerals such as serpentine, talc and sericite. Metallic conductors that yield I.P. effects also include oxides such as magnetite, pyrolusite and cassiterite. Graphite and lower forms of carbon may also produce I.P. effects.

The results are interpretive in nature and are considered to be a reasonably accurate presentation of existing subsurface conditions within the limitations of the Induced Polarization method.

For: Frontier Geosciences Inc.

Braden Adams, B.Sc








Cliff Candy, P.Geo.










LEGEND

- DRILLHOLE TT-106
- CAMP
- GRID 1
- GRID 2
- GRID 3
- TAD TORO PROPERTY BOUNDARY
- 100FT CONTOUR INTERVAL
- CREEK
- GRID 1 CURRENT INJECTION
- GRID 2 CURRENT INJECTION
- GRID 3 CURRENT INJECTION



DAWSON GOLD CORP TAD TORO PROJECT - YUKON		
INDUCED POLARIZATION SURVEY		
SITE PLAN		
FRONTIER GEOSCIENCES INC.		
DATE: AUG. 2010	SCALE 1:25,000	FIG. 2





DAWSON GOLD CORP. TAD TORO PROJECT - YUKON		
INDUCED POLARIZATION SURVEY		
GRID 1 CHARGEABILITY DEPTH SLICES		
FRONTIER GEOSCIENCES INC.		
DATE: AUG. 2010	SCALE 1:15,000	FIG. 3










DAWSON GOLD CORP. TAD TORO PROJECT - YUKON		
INDUCED POLARIZATION SURVEY		
GRID 1 APPARENT RESISTIVITY DEPTH SLICES		
FRONTIER GEOSCIENCES INC.		
DATE: AUG. 2010	SCALE 1:15,000	FIG.4










DAWSON GOLD CORP. TAD TORO PROJECT - YUKON		
INDUCED POLARIZATION SURVEY		
GRID 1 DRILLHOLE CHARGEABILITY PROFILE		
FRONTIER GEOSCIENCES INC.		
DATE: AUG. 2010	SCALE 1:1,800	FIG. 5










DAWSON GOLD CORP. TAD TORO PROJECT - YUKON		
RESISTIVITY SURVEY		
GRID 1 DRILLHOLE RESISTIVITY PROFILE		
FRONTIER GEOSCIENCES INC.		
DATE: AUG. 2010	SCALE 1:1,800	FIG. 6










DAWSON GOLD CORP. TAD TORO PROJECT - YUKON		
INDUCED POLARIZATION SURVEY		
GRID 2 CHARGEABILITY DEPTH SLICES		
FRONTIER GEOSCIENCES INC.		
DATE: AUG. 2010	SCALE 1:15,000	FIG. 7





DAWSON GOLD CORP. TAD TORO PROJECT - YUKON		
INDUCED POLARIZATION SURVEY		
GRID 2 APPARENT RESISTIVITY DEPTH SLICES		
FRONTIER GEOSCIENCES INC.		
DATE: AUG. 2010	SCALE 1:15,000	FIG.8




DAWSON GOLD CORP. TAD TORO PROJECT - YUKON		
INDUCED POLARIZATION SURVEY		
GRID 3 CHARGEABILITY DEPTH SLICES		
FRONTIER GEOSCIENCES INC.		
DATE: AUG. 2010	SCALE 1:15,000	FIG.9





DAWSON GOLD CORP. TAD TORO PROJECT - YUKON		
INDUCED POLARIZATION SURVEY		
GRID 3 APPARENT RESISTIVITY DEPTH SLICES		
FRONTIER GEOSCIENCES INC.		
DATE: AUG. 2010	SCALE 1:15,000	FIG.10




CHARGEABILITY





DAWSON GOLD CORP TAD TORO PROJECT - YUKON		
INDUCED POLARIZATION SURVEY		
3D CHARGEABILITY ISOSURFACE MODEL - GRID 1 FACING NORTH		
FRONTIER GEOSCIENCES INC.		
DATE: AUG. 2010		FIG. 11




CHARGEABILITY



DAWSON GOLD CORP TAD TORO PROJECT - YUKON		
INDUCED POLARIZATION SURVEY		
3D CHARGEABILITY ISOSURFACE MODEL - GRID 2 FACING SOUTH		
FRONTIER GEOSCIENCES INC.		
DATE:AUG. 2010		FIG. 12



CHARGEABILITY



DAWSON GOLD CORP TAD TORO PROJECT - YUKON		
INDUCED POLARIZATION SURVEY		
3D CHARGEABILITY ISOSURFACE MODEL - GRID 3 FACING NORTH		
FRONTIER GEOSCIENCES INC.		
DATE: AUG. 2010		FIG. 13

Appendix IV: Drill Logs and Assay Certificates

DAWSON GOLD CORP			Core Log Data Sheet
Project: Toro			Hole No.: TT-101 Total Depth: 178.3m
Dip: -60		Azimuth: 90	Logged By: JKM
Northing: 6938800		Easting: 346000	Contractor: Kluane Drilling
Elevation: 1,272 m		Core Size: NTW	Start Date: 28-Aug-10
Note: Drilling measured in feet and converted to meters in log			Completion Date: 31-Aug-10
From (m)	To (m)	Width	Description
0.00	3.05	3.05	Casing; poor recovery and very rubbly. Granite as described below - moderately oxidized, rusty limonite staining. 1 6cm piece of fine-grained material of pinkish hue - seems to be hematite stained felsic dyke material. Uppermost 20cm of material shows strong manganese? (sooty, black) staining.
3.05	9.75	6.71	Granite; leucocratic, coarse grained, mostly equigranular, granite to granodiorite. Rock is approximately 35 -40% quartz grains from 4 to 8 mm, 35% plag and 20% orthoclase, no mafics. Many quartz grains show very irregular shapes and are often linked to one another. Minor clay alteration of plag and some green alteration/staining of feldspar. 10cm strong clay alteration near lower contact with dike. Pervasive weathering and hematite/limonite alteration/staining gives core a speckled orange appearance.
9.75	11.89	2.13	Felsic dike. Light grey, slightly green tinged, fg. Aphanitic to saccharoidal texture. Difficult to determine mineralogy exactly but very silicic. 10 cm strong clay alteration with distinct pale green discolouration of granite at upper and for 10cm at 36'. Upper contact ~ 45° to ca, lower contact ~ 55° to ca. Bright, dusty orange to red oxidation on most fracture faces though weathering effects appear confined to fractures
11.89	13.41	1.52	Granite as seen above. Strongly altered at upper contact but not lower.

From (m)	To (m)	Width	Description
13.41	18.90	5.49	<p>Felsic dike as seen above. At first look this rock could be mistaken for a quartzite - sugary and seemingly very quartz dominated. Definitely intrudes the granite however and this unit contains many stoped pieces of granite up to 15cm, some of which seem to be weakly digested at contacts.</p> <p>Hairline fractures fully oxidized are common with no preferred orientation.</p> <p>One brecciated qz vein 1.5 cm wide at 16.7m</p> <p>Fracture controlled weathering throughout unit; distinctive red alteration of fracture faces from 15.5 to 16.6m, almost the colour of cinnabar or realgar.</p> <p>Lower contact obscured by increasingly large, contained clasts of granite.</p>
18.90	23.62	4.72	<p>Granite - essentially as seen above. One interesting, hematized vein at 21.8m with what looks like a calcareous filling (alas - no acid).</p> <p>Lower contact is quite sharp, ~ 65 to ca.</p>
23.62	25.91	2.29	<p>Strange structural zone; 77.5 to 80 is solid, appears to be an angular pebble conglomerate; pebbles are largely qtz and plag with a noticeable lamination at ~ 45 to ca, comprise ~ 20% of unit, the remainder being a buff coloured and fine grained. This could be a healed shear zone of sorts, but has a definite 'laid down' look to it. Upper contact is sharp, 65 to ca.</p> <p>Just past 80' the core becomes very friable with larger, irregularly shaped qtz pebbles and pieces up to several cm (vein material I'd say) contained in a soft fault material. Lowermost 8cm is very clear fault at 40 to ca, heavily oxidized.</p>
25.91	28.96	3.05	Granite as seen above.
28.96	34.44	5.49	<p>Granite; seems to be the same unit as above but with some clear differences. Core suddenly displays a darker orange-brown colour. Broken (fresh?) core has a strong orange-caramel colour and it seems the orthoclase content has increased significantly. Also, qtz grains, though in similar proportion to the granite seen above, appear to have decreased in size, more commonly from 4 - 6mm.</p> <p>Dark hairline fractures and many faces with dark black manganese staining.</p>

From (m)	To (m)	Width	Description
34.44	53.95	19.51	<p>Granite continued from above but with a sudden and drastic increase in manganese content. I assume this is manganese... dark, black sooty in colour, flaky in appearance. The material runs in connected branchy masses through core, in places comprising up to 15% of total rock volume. It is unclear but seems that this is progressing through core along connected masses of qtz, possibly replacing something en route.</p> <p>Content fluctuates - generally from 5-10% of core volume. Weaker from 117' to 140', strongest from 145' - 165' where core seems to be pervasively altered by it along very numerous tiny fractures.</p> <p>One vein at 157', approx 1cm, 40 to ca - no interesting mineralization noticed in it.</p>
53.95	62.30	8.35	Granite as seen before the influx of manganese. Now only minor fracture coatings at 20 and 30-35 degrees tca +/- minor clay and limonite. Small up to 20 cm sections where feldspars (plagioclase?) replaced by minor olive green chlorite (?) and in minor fractures and veinlets as at 59.5 m. 1-2 mm slightly irregular veinlets at ~40 degrees tca.
62.30	66.00	3.70	Granite - As before but with cm-size, up to ~20 cm, sections strong clay with sand and possible gouge - small faults especially at 64.9-66.0 m (top of interval estimated from upper block, bottom estimated from lower block.).
66.00	74.30	8.30	Granite - As above at 53.95-62.3 m, but 60% of interval moderately to strongly clay altered. Moderate pervasive limonite. Weak shears on some surfaces at ~70 (rare) and 20 degrees to core axis. Smooth fracture at roughly parallel to core axis.
74.30	113.00	38.70	Granite - As at 34.4 to 53.9 m, though manganese 1-3% with locally stronger intervals. Mm-size fracture fill with some dendrites and mm blebby masses forming at fracture edges. Manganese particularly strong at 85.8 m as vuggy fill to ~15 degree tca irregular fracture, up to about 1 cm thick, and continues upward 30 cm as a fine <mm fracture stockwork and blebby fill (general orientation preferences at 5 degrees and 50 degrees tca). Rock is becoming fresher after 77 m, less limonite (though pervasive as primarily feldspar replacement/overprint, but also in some fractures and strongly colouring 9 cm of clay at 84.5 m). More pink feldspars. At 99.1 m - 1.5 cm strongly clay altered and sheared at 80 degrees tca; at 110.4 m - 1.5-3 cm strongly clay altered at ~50 degrees tca; at 102.5 m - polished fracture at 40 degrees tca. From 97 to at least 113 m, manganese 10-15% as fracture filling at 0, 20 and 40 degrees tca but also in net-like micro fractures especially around anhedral-subhedral quartz crystals; gives a blebby aggregate look, up to 4 cm thick sub parallel to fractures, with or without fine dendrites. Dendrites on surface of core but often best seen on fracture surfaces.
113.00	121.80	8.80	Granite - essentially as seen above, <5% black manganese, still in fine fractures. 20 and 40 degree tca fractures and occasional feldspar crystals partially altered by epidote, med-dk green. 1-3% mm dk green chlorite altered mafics. At 118.8 m, approximately 8 cm clay and sand gouge at ~30 degrees tca. At 115.8 m, subhedral pyrolusite (?) in fracture at ~60 degrees tca.

From (m)	To (m)	Width	Description
121.80	126.10	4.30	Relatively fresher pink granite, more competent section. At 125.3 m fine partial fracture fill, <1mm of red altered rhodocrosite (?) at ~35 degrees tca.
126.10	132.00	5.90	Granite -As above but manganese increased in up to 20 cm sections, 1-3% over unit as fracture coatings and up to 5% locally. Weak breccia and fine variable fractures. Local strong clay at 131.1 m, ~0.5cm at 40 degrees tca.
132.00	144.00	12.00	Relatively fresher pink granite, competent section but for two broken weakly brecciated sections at 136.3-137.2 m and 141.4-143 m, each with 2-2.5 cm moderate to strong clay alteration at 50 and 75 degrees tca (minor faults).
144.00	148.00	4.00	Granite - As above, approximately 60% broken, weak to moderate clay alteration with epidote +/- chlorite in several fractures. 3-5% manganese, locally 15% at 144.6-145.4 m. Minor slickensides at 70 degrees tca, polished fractures and minor breccia at 50 degrees tca.
148.00	173.50	25.50	Granite - As at 132 to 144 m though variably altered: more medium to dark orange feldspar where increased black manganese and lighter peach to white where epidote in fractures. Now 40-50% quartz in granite (over 20% of unit). Still weak to moderate pervasive (replacement, fracture fill, stain) limonitic alteration. 0.5 to 20 cm moderate to strong clay altered sections (3-5% of unit) still at ~60-70 degrees tca, minor breccia. Rock freshest towards bottom - pink granite with 1-2% partially altered black hornblende(?). Trace altered (almost a stain) orange red mineral in fine fractures.
173.50	175.70	2.20	Granite - Silicified moderate to strongly, finer grained (due to alteration?), white-pink. Limonite stain in fractures and in up to 1.5 cm haloes of fractures. Contacts, upper and lower, gradational.
175.70	178.30	2.60	Granite - As at 148-173.5m, relatively fresh, competent, with weak patchy limonite stain/haloes ~50%. Fractures 2-3/m at 30 and 60 degrees tca. EOH

From	To	Width	From	To	Width	Recovery	RQD (m)	Comments
Feet			Meters			(m)		
0	10	10	0.0	3.0	3.0	0.62	0.00	Casing; poor recovery.
10	27	17	3.0	8.2	5.2	4.43	0.70	Missing core block?
27	35	8	8.2	10.7	2.4	2.23	0.98	
35	40	5	10.7	12.2	1.5	1.10	0.70	
40	50	10	12.2	15.2	3.0	2.70	1.70	
50	60	10	15.2	18.3	3.0	2.95	1.38	Subv-vertical fracture running along c.a., low angle flts.
60	67	7	18.3	20.4	2.1	1.55	0.64	Subv-vertical fracture running along c.a., low angle flts.
67	71	4	20.4	21.6	1.2	1.45	0.40	Misplaced block anyone?
71	80	9	21.6	24.4	2.7	2.55	1.30	
80	85	5	24.4	25.9	1.5	1.27	0.30	Mostly soft, friable rock; small fault zone further weakened by preferential path for meteoric waters.
85	95	10	25.9	29.0	3.0	2.93	1.08	Solid but fractured
95	105	10	29.0	32.0	3.0	2.96	1.30	Low angle fractures
105	115	10	32.0	35.1	3.0	2.92	1.71	
115	125	10	35.1	38.1	3.0	2.98	2.27	
125	135	10	38.1	41.1	3.0	2.92	1.99	
135	145	10	41.1	44.2	3.0	2.73	1.70	
145	153	8	44.2	46.6	2.4	2.10	0.86	10' block marking error made at this point.
153	163	10	46.6	49.7	3.0	2.89	1.01	another 5' marking error; both corrected.
163	176	13	49.7	53.6	4.0	2.42	0.61	
176	195	19	53.6	59.4	5.8	5.74	2.01	
195	205	10	59.4	62.5	3.0	2.62	0.92	
205	210	5	62.5	64.0	1.5	1.30	0.30	
210	220	10	64.0	67.1	3.0	2.20	1.02	strong clay/sand/gouge(?) zones up to ~20cm
220	230	10	67.1	70.1	3.0	2.92	0.54	
230	250	20	70.1	76.2	6.1	5.06	1.03	strong clay zones
250	260	10	76.2	79.2	3.0	2.87	1.13	becoming more competent but still variably fractured with manganese filling
260	270	10	79.2	82.3	3.0	3.07	2.18	
270	280	10	82.3	85.3	3.0	3.11	1.95	
280	289	9	85.3	88.1	2.7	2.54	2.11	
289	295	6	88.1	89.9	1.8	1.93	1.36	Low angle fractures
295	305	10	89.9	93.0	3.0	3.15	2.31	
305	313	8	93.0	95.4	2.4	2.17	1.58	
313	317	4	95.4	96.6	1.2	1.12	0.89	Low angle fractures
317	325	8	96.6	99.1	2.4	2.45	1.30	
325	328	3	99.1	100.0	0.9	0.91	0.53	
328	338	10	100.0	103.0	3.0	3.00	2.18	
338	348	10	103.0	106.1	3.0	2.90	2.07	
348	355	7	106.1	108.2	2.1	1.88	0.93	Low angle fractures

From	To	Width	From	To	Width	Recovery (m)	RQD (m)	Comments
Feet			Meters					
355	360	5	108.2	109.7	1.5	1.44	1.15	
360	370	10	109.7	112.8	3.0	2.90	1.74	
370	380	10	112.8	115.8	3.0	2.95	2.60	
380	385	5	115.8	117.3	1.5	1.55	1.41	
385	390	5	117.3	118.9	1.5	1.50	1.22	
390	400	10	118.9	121.9	3.0	2.87	1.78	
400	410	10	121.9	125.0	3.0	3.00	3.00	
410	420	10	125.0	128.0	3.0	2.96	1.90	
420	425	5	128.0	129.5	1.5	1.59	0.92	
425	435	10	129.5	132.6	3.0	3.03	2.53	
435	440	5	132.6	134.1	1.5	1.45	1.43	
440	450	10	134.1	137.2	3.0	3.07	2.39	
450	460	10	137.2	140.2	3.0	3.06	3.06	
460	469	9	140.2	143.0	2.7	2.55	1.42	
469	477	8	143.0	145.4	2.4	2.37	1.43	
477	481	4	145.4	146.6	1.2	1.03	0.52	
481	486	5	146.6	148.1	1.5	1.31	0.14	Low angle fractures
486	494	8	148.1	150.6	2.4	2.34	0.70	
494	504	10	150.6	153.6	3.0	3.02	1.88	Low angle fractures
504	514	10	153.6	156.7	3.0	3.05	1.30	
514	523	9	156.7	159.4	2.7	2.60	2.25	
523	533	10	159.4	162.5	3.0	3.10	2.14	
533	543	10	162.5	165.5	3.0	3.04	2.44	
543	549	6	165.5	167.3	1.8	1.66	1.29	
549	555	6	167.3	169.2	1.8	1.47	0.63	
555	565	10	169.2	172.2	3.0	2.85	2.14	
565	570	5	172.2	173.7	1.5	1.48	1.23	
570	575	5	173.7	175.3	1.5	1.61	1.00	
575	585	10	175.3	178.3	3.0	2.99	2.34	

Sample #	From (m)	To (m)	Width (m)	Comments
111101	0.0	3.1	3.1	
111102	3.1	5.8	2.7	
111103	5.8	7.8	2.0	
111104	7.8	9.8	2.0	
111105	9.8	11.9	2.2	
111106	11.9	13.4	1.5	
111107	B			
111108	13.4	15.2	1.8	
111109	15.2	17.0	1.8	
111110	17.0	18.8	1.8	
111111	18.8	20.8	2.0	
111112	20.8	22.2	1.4	
111113	22.2	23.6	1.4	
111114	23.6	24.8	1.2	
111115	24.8	25.9	1.2	
111116	25.9	27.4	1.5	
111117	D			
111118	27.4	29.0	1.6	
111119	29.0	30.5	1.5	
111120	30.5	32.5	2.0	
111121	32.5	34.4	1.9	
111122	34.4	36.0	1.6	
111123	36.0	37.5	1.5	
111124	37.5	39.0	1.5	
111125	39.0	41.0	2.0	
111126	41.0	43.0	2.0	
111127	B			
111128	43.0	45.0	2.0	
111129	45.0	47.0	2.0	
111130	47.0	49.0	2.0	
111131	49.0	50.9	1.9	
111132	50.9	53.6	2.7	Sampled to block - core loss
111133	53.6	55.0	1.4	
111134	55.0	57.0	2.0	
111135	57.0	59.0	2.0	
111136	59.0	61.0	2.0	
111137	D			
111138	61.0	63.0	2.0	
111139	63.0	65.0	2.0	
111140	65.0	67.0	2.0	
111141	67.0	69.0	2.0	
111142	69.0	71.0	2.0	

Sample #	From (m)	To (m)	Width (m)	Comments
111143	71.0	73.0	2.0	
111144	73.0	74.3	1.3	
111145	74.3	76.2	1.9	
111146	76.2	77.0	0.8	
111147	B			
111148	77.0	79.0	2.0	
111149	79.0	81.0	2.0	
111150	81.0	83.0	2.0	
111151	83.0	85.0	2.0	
111152	85.0	87.0	2.0	
111153	87.0	89.0	2.0	
111154	89.0	91.0	2.0	
111155	91.0	93.0	2.0	
111156	93.0	95.0	2.0	
111157	D			
111158	95.0	97.0	2.0	
111159	97.0	99.0	2.0	
111160	99.0	101.0	2.0	
111161	101.0	103.0	2.0	
111162	103.0	105.0	2.0	
111163	105.0	107.0	2.0	
111164	107.0	109.0	2.0	
111165	109.0	111.0	2.0	
111166	111.0	113.0	2.0	
111167	B			
111168	113.0	115.0	2.0	
111169	115.0	117.0	2.0	
111170	117.0	119.0	2.0	
111171	119.0	121.8	2.8	
111172	121.8	124.0	2.2	
111173	124.0	126.1	2.1	
111174	126.1	128.0	1.9	
111175	128.0	130.0	2.0	
111176	130.0	132.0	2.0	
111177	D			
111178	132.0	134.0	2.0	
111179	134.0	136.0	2.0	
111180	136.0	138.0	2.0	
111181	138.0	140.0	2.0	
111182	140.0	142.0	2.0	
111183	142.0	144.0	2.0	
111184	144.0	146.0	2.0	

Sample #	From (m)	To (m)	Width (m)	Comments
111185	146.0	148.0	2.0	
111186	148.0	148.9	0.9	
111187	B			
111188	148.9	150.0	1.1	
111189	150.0	152.0	2.0	
111190	152.0	154.0	2.0	
111191	154.0	156.0	2.0	
111192	156.0	158.0	2.0	
111193	158.0	160.0	2.0	
111194	160.0	162.0	2.0	
111195	162.0	164.0	2.0	
111196	164.0	166.0	2.0	
111197	D			
111198	166.0	168.0	2.0	
111199	168.0	170.0	2.0	
111200	170.0	172.0	2.0	
111201	172.0	173.5	1.5	
111202	173.5	175.7	2.2	
111203	175.7	178.3	2.6	EOH

DAWSON GOLD CORP			Core Log Data Sheet
Project: Toro			Hole No.: TT-102 Total Depth: 185.9m
Dip: -60		Azimuth: 180	Logged By: JKM
Northing: 6938565		Easting: 345350	Contractor: Kluane Drilling
Elevation: 1,108 m		Core Size: NTW	Start Date: 2-Sep-10
Note: Drilling measured in feet and converted to meters in log			Completion Date: 4-Sep-10
From (m)	To (m)	Width	Description
0.00	3.05	3.05	Casing; poor recovery and very rubbly. Granite as described below - moderately oxidized, rusty limonite staining. Moderate manganese (sooty, black) staining fractures.
3.05	7.60	4.55	Granite; leucocratic, coarse grained, mostly equigranular, granite to granodiorite. Rock is approximately 35 -40% quartz grains from 4 to 8 mm, 35% plag and 20% orthoclase, no mafics. Many qtz grains show very irregular shapes and are often linked to one another. Minor clay alteration of feldspars. 10cm strong clay alteration near lower contact with dike. Pervasive weathering and hematite/limonite alteration/staining gives core a speckled orange appearance.
7.60	15.80	8.20	Felsic volcanic / dike. Light bluish grey, 90% moderate to strongly pervasive limonite stained. Aphanitic to saccharoidal texture. Difficult to determine mineralogy exactly but very silicic. 5 cm strong clay alteration at upper and 10cm at lower contact. Upper contact broken/strongly clay altered, lower contact ~ 45° to ca, also strongly clay altered. White carbonate (?) filled amygdules <1%, 0.5 to 6mm. Rare white weathered feldspar crystals, up to 2 mm, 0.5 to 1.2 cm subrounded partially carbonate replaced fragments (?), also rare. Calcite +/- quartz veinlets usually mm-size as an irregular fine stockwork ~1% of unit, but also veins/veinlets up to 0.6-1.0 cm which appear to be zoned (quartz and "clay" altered material, alternating) at 60, 0-10, and 30 degrees tca. Veins overall 1-3%.
15.80	20.80	5.00	Granite as seen above. Strongly altered at upper contact and in lower cm-sized sections. Lower contact strongly weathered/clay altered and broken but appears to be an irregular contact.

From (m)	To (m)	Width	Description
20.80	33.50	12.70	<p>Felsic dike as seen above. Sugary and quartz dominated. Apparently intrudes (contacts not clear) the granite, the unit contains rare up to 5cm xenoliths, some of which seem to be weak to moderately digested at contacts. ~1-2% amygdulose of quartz+carbonate, 1 mm to 0.8 cm, occasionally elongated at 50 degrees tca (@25.6 m) and 5 degrees tca (@32.7 m).</p> <p>Oxidized hairline fractures are common with no preferred orientation, often with fine manganese +/- mm dendrites appearing on core surface adjacent to fractures. At 26.1-26.5, strongly broken and with moderate to strong clay alteration.</p> <p>Carbonate +/- quartz veinlets as described above. Vein up to 2 cm, slightly irregular with minor offsets at 31.6 m, of quartz + carbonate + dark green bleb chlorite (?)</p> <p>Fracture controlled weathering throughout unit; pervasive rust stain approximately 80%.</p> <p>Lower contact broken.</p>
33.50	34.10	0.60	Granite - essentially as seen above but more competent, 5-7% fine black manganese filling fractures. Lower contact sharp at ~25 degrees tca, slightly wavy.
34.10	36.30	2.20	Felsic dike as seen above. Fine black manganese dendrites extend beyond fine fractures and carbonate veinlets, from 1-2 cm either side. Manganese 1-3% of unit, fractures and veinlets have a preference of ~50 degrees tca. Moderate to strong pervasive rust staining. Lower contact sharp but slightly broken @~50 degrees tca.
36.30	49.70	13.40	Granite - essentially as seen above but more competent. Black manganese filling fine fractures, 5-7%, 15% at 36.3-37 m. Weak pervasive clay altering feldspar (locally strong). Limonite +/- rust (especially as fracture fill) gives a yellow-black coarse, salt and pepper look to granite. Trace to 1% green epidote altered feldspars. Variably fractured though preferences for 10-30 degrees tca. Lower contact sharp at ~25 degrees tca, slightly wavy.
49.70	53.20	3.50	Felsic dike as above, lower contact strongly clay altered but sharp at ~30 degrees tca, slightly wavy. Mm veinlets, strongly white clay altered, minor offsets and breccia, fine irregular stockwork 1-3% of unit. Patch of hematite stain 1-2 cm, subparallel to and near lower contact.

From (m)	To (m)	Width	Description
53.20	64.50	11.30	Granite as seen above. Strongly broken/clay altered from 53.3 to 54.9 m, 56.2 to 58.3 m largest competent pieces 2 at 15cm. From 60.2 to 62.2 friable, weak to moderate pervasive clay altered feldspars. Lower contact sharp but wavy.
64.50	65.40	0.90	Felsic dike as above. Mm veinlets, strongly white clay altered, minor offsets and breccia, fine irregular stockwork 1-3% of unit. Lower contact sharp at 70 degrees tca.
65.40	67.80	2.40	Granite as at 53.2 to 64.5 m, 20 cm rusted dyke in last 0.5 m. Lower contact at 30 degrees tca, sharp.
67.80	69.70	1.90	Felsic dyke, as at 64.5 to 65.4 m, lower contact sharp at ~40 degrees tca, strongly weathered.
69.70	72.00	2.30	Granite as above. First 15 cm moderately clay altered, though in general weak clay and weak limonite alteration are pervasive. 5-7% manganese as fracture fill, but up to 15% in the first 65 cm which includes a net-like appearance to the manganese filling interstices around grains and in low angle fractures. Lower contact gradational.
72.00	75.00	3.00	As above but 1-3% manganese, strongly broken, variable brittle fractures, minor low angle shears ~10 degrees tca, slightly "polished". Local moderate to strong clay generally parallel to fractures at ~50 degrees tca. Lower contact sharp at 65 degrees tca.
75.00	76.10	1.10	Felsic dyke - Bluish green, but 50% of unit pervasive, moderate rust stain in fractures, and at contacts, with cm-sized rusty haloes. Mm-sized calcite veinlets @ ~20 degrees tca. Trace vfg black metallic mineral as disseminate and in occasional amygdule. Amygdules of white partially clay altered carbonate(?) are sometimes elongated to 1 cm and oriented at ~45 degrees tca. A 15 cm granite xenolith within first 30 cm. Lower contact sharp at 5-20 degrees tca, wavy.
76.10	105.00	28.90	Granite as at 72-75 m, though more competent, still fractured primarily at 25-35 and 55 degrees tca (occasionally subparallel tca). Strongly broken 81.2- 82.0 m. From 80.1-86.3 m, 2-4% manganese. From 91.0-98.2 m manganese increases to 5-7%; then 10-15% from 98.2-104.5 m. Moderately clay altered and brittle fractures in the following sections: 85.8-86.0 m with minor olive green mineral (chlorite?) in fractures at ~45 degrees tca; 89.9-90.4 m at 25 degrees tca; 89.7 m 6 cm clay at 60 degrees tca; 102.3-105.0 m weak to moderate clay alteration variably fractured and strongly broken (104.8 strong clay altered along an ~ 25 degree tca angle). Minor green chlorite and epidote altering feldspars and along some fractures.
105.00	106.20	1.20	Granite, yellow-white, weak to moderate pervasive clay and limonite alteration. At 105.9 m, 7 cm strong clay with sand and few quartz crystals following a fracture at ~45 deg tca. Many hairline fractures. Minor manganese. Lower contact sharp at 30 degrees tca.

From (m)	To (m)	Width	Description
106.20	110.20	4.00	Felsic dyke as before. Brittle fractures at 10-20 deg tca with minor shears and associated cm-sized moderate breccia. Zenoliths of granite (as above) up to 25 cm, oriented at 30-40 deg tca, 10% of unit. Original colour light olive to greyish green or blue grey. Blue grey coloured section is strongly altered to clay. The colour may be influenced by sulphide mineralization (?) as seen below at 117.7-118.7 m, trace vfg py at least is present. 1-3% manganese in fine stockwork of fractures, especially adjacent to brecciated material. Manganese up to 5% in last 30 cm. Pervasive limonitic stain over 80%. Fine 1 mm and less, later (not subject to limonitic stain), white (not calcite) strongly clay altered and in irregular veinlets and breccia as fracture fill, <1%, seems to be associated with low angle breccia. Lower contact sharp, wavy at ~20 degrees tca.
110.20	117.70	7.50	Granite as at 105-106.2 m though strongly broken to ~115.1 m. Mm clay + sand on several fractures. Limonite alteration now mainly in fractures but still weak patchy stain and minor haloes.
117.70	118.70	1.00	As above but "fresher", very weak patchy limonitic stain and as minor fracture fill. Local weak clay. Fractures now 1-3% coated/filled with fine grey sulphides and clay also in irregular veins and veinlets +/- quartz, diss and in veins/veinlets trace-1% vfg euhedral-subhedral pyrite and trace-1% vfg black metallic blebs, <1 mm wire-like black stringers (blackjack sphalerite?). 3-5% light to medium green epidote altering some feldspars and in occasional fine, irregular fractures. Lower contact sharp at 55 degrees tca, fault contact, polished.
118.70	121.90	3.20	Fault - strong blue grey clay with fine sand and ~5% corroded quartz crystals. ~40% moderately rust stained. Low recovery. Rusty washed sand not sampled.
121.90	129.50	7.60	As at 117.7 to 118.7 m, cm-size weak to moderate breccia following 0-30 degree tca. Sulphides 1-3% as mm-sized veinlets - vfg with clays. Sulphide veinlets/veins +/- minor breccia at 0, 20, 30 and 40 degrees tca ~1% of unit. Lower contact sharp at fracture controlled alteration break, ~10 degrees tca.
129.50	131.80	2.30	As above though moderately clay altered, minor low angle weak shears, 0-20 degree tca, moderate to strongly broken. Sulphides, vfg, grey <mm coating fractures, and as vfg disseminate, 1-2% overall. Locally ~5% (py+/-sphalerite+/-trace galena?). Weak pervasive sericite and green epidote. Sharp slightly wavy, lower contact at ~40 degrees tca.
131.80	132.40	0.60	Felsic dyke as before, grey, strongly clay altered except for the last 3 cm which has weak patchy silicification around the lower contact, sharp at ~15 degrees tca. Minor calcite veinlets at 40 degrees tca. ~1% amygdules, white partially clay altered mineral (?), also in irregular veinlets, with trace vfg sulphides, minor offsets.

From (m)	To (m)	Width	Description
132.40	134.50	2.10	As at 121.9-129.5 m but with mm-size or less sulphide veinlets (vfg py+/-sphalerite+/-galena) with quartz+/-chlorite and in fine stringers, ~1-3%. Moderate patchy pervasive chlorite altering feldspars and in fractures, up to 5%. Weak pervasive sericite. Minor breccia. Mm to 1 cm clay and sand along few 10 degree fractures.
134.50	134.65	0.15	Fault - strong grey clay with fine sand and ~5% 0.5 cm granite fragments
134.65	144.50	9.85	Granite as at 132.5-134.5, brittle "cherty" silicified sections especially 137.6-138.1 m. Weak to moderate silicification around 50 and 30 degree fractures. Semi-massive py and black sulphide veinlets at 138.3 m at ~35 degrees tca. Minor limonite stain down to 140.1 m.
144.50	146.60	2.10	As above, minus silicification, moderately clay altered, weak to moderate sericite, patchy weak epidote altering feldspars, trace chlorite. Grey sulphides as before with vfg py 3-5% and locally up to 7% especially around occasional veinlet.
146.60	150.40	3.80	As above though increased sulphides, especially from 147.1- 147.6 m 10-15% semi-massive sulphides in irregular veins and veinlets, generally 5-7% overall. Increased mm-sized patches of chlorite and in some fractures.
150.40	154.30	3.90	As above 144.5-146.5 m, though chlorite as mm-sized patches and minor fracture fill throughout unit. Last 20 cm strong limonite staining fractures at approximately 20 degrees tca.
154.30	156.40	2.10	As above but weak limonite on several fracture surfaces, strongly broken.
156.40	161.90	5.50	As at 150.4-154.3 m
161.90	170.60	8.70	As above, strongly broken 70% of unit, moderate chlorite on fracture surfaces.
170.60	176.00	5.40	As at 156.4-161.9 m.
176.00	178.90	2.90	As above, though with moderate to strong clay alteration, pervasive.
178.90	180.60	1.70	Granite. Brittle section, moderately silicified, fine sugary quartz, increased disseminated sulphides. Py 1-3%, and trace-1% arsenopyrite (subhedral-euhedral), fine grey sulphides in irregular veinlets.
180.60	185.90	5.30	Granite as before at 144.5-146.5 m, mod mm-sized feldspar replaced by epidote and sericite. Fracture coatings by chlorite, grey sulphides also coating fractures (3 over unit) and generally ~10-15 degrees tca. <1% vfg rust specks replacing py? EOH

From	To	Width	From	To	Width	Recovery	RQD (m)	Comments
Feet			Meters			(m)		
0.0	10.0	10.0	0.0	3.0	3.0	0.25	0.00	
10.0	15.0	5.0	3.0	4.6	1.5	0.54	0.00	
15.0	25.0	10.0	4.6	7.6	3.0	1.47	0.00	
25.0	35.0	10.0	7.6	10.7	3.0	3.05	1.23	First 70 cm strong to very strong clay altered
35.0	50.0	15.0	10.7	15.2	4.6	4.56	3.90	
50.0	60.0	10.0	15.2	18.3	3.0	2.84	1.21	
60.0	68.0	8.0	18.3	20.7	2.4	2.77	0.22	Strong clay alteration last 30 cm
68.0	80.0	12.0	20.7	24.4	3.7	2.20	0.13	Strong clay alteration
80.0	90.0	10.0	24.4	27.4	3.0	3.02	1.64	
90.0	100.0	10.0	27.4	30.5	3.0	2.94	2.28	
100.0	110.0	10.0	30.5	33.5	3.0	2.85	2.13	
110.0	120.0	10.0	33.5	36.6	3.0	2.96	2.66	
120.0	130.0	10.0	36.6	39.6	3.0	2.77	1.70	
130.0	140.0	10.0	39.6	42.7	3.0	2.90	1.61	
140.0	147.0	7.0	42.7	44.8	2.1	1.92	1.03	
147.0	155.0	8.0	44.8	47.2	2.4	2.32	1.22	
155.0	160.0	5.0	47.2	48.8	1.5	1.55	0.17	
160.0	170.0	10.0	48.8	51.8	3.0	2.48	1.38	
170.0	180.0	10.0	51.8	54.9	3.0	2.78	0.97	
180.0	190.0	10.0	54.9	57.9	3.0	2.70	0.36	
190.0	200.0	10.0	57.9	61.0	3.0	2.55	0.78	
200.0	210.0	10.0	61.0	64.0	3.0	3.02	0.45	
210.0	220.0	10.0	64.0	67.1	3.0	1.50	1.24	
220.0	230.0	10.0	67.1	70.1	3.0	3.05	1.53	
230.0	240.0	10.0	70.1	73.2	3.0	2.68	1.27	
240.0	250.0	10.0	73.2	76.2	3.0	2.97	1.02	
250.0	260.0	10.0	76.2	79.2	3.0	3.01	1.73	
260.0	265.0	5.0	79.2	80.8	1.5	1.40	0.70	
265.0	275.0	10.0	80.8	83.8	3.0	3.05	0.92	
275.0	284.0	9.0	83.8	86.6	2.7	2.62	1.41	
284.0	293.0	9.0	86.6	89.3	2.7	2.64	0.79	
293.0	300.0	7.0	89.3	91.4	2.1	1.70	0.36	
300.0	306.0	6.0	91.4	93.3	1.8	1.44	0.26	
306.0	313.0	7.0	93.3	95.4	2.1	1.64	0.00	
313.0	328.0	15.0	95.4	100.0	4.6	4.35	1.28	
328.0	339.0	11.0	100.0	103.3	3.4	3.24	1.26	
339.0	345.0	6.0	103.3	105.2	1.8	1.77	0.00	
345.0	354.0	9.0	105.2	107.9	2.7	2.60	1.03	
354.0	364.0	10.0	107.9	110.9	3.0	3.02	1.68	
364.0	368.0	4.0	110.9	112.2	1.2	0.97	0.21	

From	To	Width	From	To	Width	Recovery (m)	RQD (m)	Comments
Feet			Meters					
368.0	373.0	5.0	112.2	113.7	1.5	1.25	0.13	
373.0	377.0	4.0	113.7	114.9	1.2	0.38	0.00	
377.0	387.0	10.0	114.9	118.0	3.0	2.05	0.83	
387.0	400.0	13.0	118.0	121.9	4.0	1.35	0.57	Fault
400.0	410.0	10.0	121.9	125.0	3.0	2.82	0.23	
410.0	420.0	10.0	125.0	128.0	3.0	2.76	0.87	
420.0	425.0	5.0	128.0	129.5	1.5	1.40	0.26	
425.0	435.0	10.0	129.5	132.6	3.0	2.49	0.00	
435.0	445.0	10.0	132.6	135.6	3.0	2.30	0.21	
445.0	450.0	5.0	135.6	137.2	1.5	1.60	0.89	
450.0	460.0	10.0	137.2	140.2	3.0	2.70	1.38	
460.0	470.0	10.0	140.2	143.3	3.0	3.02	0.95	
470.0	475.0	5.0	143.3	144.8	1.5	1.34	0.39	
475.0	486.0	11.0	144.8	148.1	3.4	3.23	0.00	
486.0	495.0	9.0	148.1	150.9	2.7	2.72	1.82	
495.0	505.0	10.0	150.9	153.9	3.0	3.08	2.13	
505.0	513.0	8.0	153.9	156.4	2.4	2.10	0.01	
513.0	523.0	10.0	156.4	159.4	3.0	3.03	1.52	
523.0	534.0	11.0	159.4	162.8	3.4	0.00	0.00	
534.0	545.0	11.0	162.8	166.1	3.4	0.00	0.00	
545.0	553.0	8.0	166.1	168.6	2.4	0.00	0.00	
553.0	563.0	10.0	168.6	171.6	3.0	0.00	0.00	
563.0	570.0	7.0	171.6	173.7	2.1	0.00	0.00	
570.0	577.0	7.0	173.7	175.9	2.1	0.00	0.00	
577.0	585.0	8.0	175.9	178.3	2.4	0.00	0.00	
585.0	595.0	10.0	178.3	181.4	3.0	0.00	0.00	
595.0	600.0	5.0	181.4	182.9	1.5	0.00	0.00	
600.0	610.0	10.0	182.9	185.9	3.0	0.00	0.00	

Sample #	From (m)	To (m)	Width (m)	Comments
111204	2.8	4.6	1.8	
111205	4.6	7.6	3.0	
111206	7.6	9.7	2.1	
111207	B			Blank
111208	9.7	11.7	2.0	
111209	11.7	13.7	2.0	
111210	13.7	15.8	2.1	
111211	15.8	17.8	2.0	
111212	17.8	19.8	2.0	
111213	19.8	20.8	1.0	
111214	20.8	24.4	3.6	Low recovery sampled between blocks
111215	24.4	26.1	1.7	
111216	26.1	27.5	1.4	
111217	D			Duplicate
111218	27.5	29.5	2.0	
111219	29.5	31.5	2.0	
111220	31.5	33.5	2.0	
111221	33.5	34.1	0.6	
111222	34.1	36.3	2.2	
111223	36.3	37.7	1.4	
111224	37.7	39.7	2.0	
111225	39.7	41.7	2.0	
111226	41.7	43.7	2.0	
111227	B			Blank
111228	43.7	45.7	2.0	
111229	45.7	47.7	2.0	
111230	47.7	49.7	2.0	
111231	49.7	51.7	2.0	
111232	51.7	53.2	1.5	
111233	53.2	55.2	2.0	
111234	55.2	57.2	2.0	
111235	57.2	59.2	2.0	
111236	59.2	61.2	2.0	
111237	D			Duplicate
111238	61.2	63.2	2.0	
111239	63.2	64.5	1.3	
111240	64.5	65.4	0.9	
111241	65.4	67.8	2.4	
111242	67.8	69.7	1.9	
111243	69.7	72.0	2.3	
111244	72.0	73.5	1.5	
111245	73.5	75.0	1.5	

Sample #	From (m)	To (m)	Width (m)	Comments
111246	75.0	76.1	1.1	
111247	B			Blank
111248	76.1	78.1	2.0	
111249	78.1	80.1	2.0	
111250	80.1	82.1	2.0	
111251	82.1	84.1	2.0	
111252	84.1	86.3	2.2	
111253	86.3	88.3	2.0	
111254	88.3	91.0	2.7	
111255	91.0	93.3	2.3	
111256	93.3	95.4	2.1	
111257	D			Duplicate
111258	95.4	97.2	1.8	
111259	97.2	98.2	1.0	
111260	98.2	100.7	2.5	
111261	100.7	103.3	2.6	
111262	103.3	105.0	1.7	
111263	105.0	106.2	1.2	
111264	106.2	107.8	1.6	
111265	107.8	110.2	2.4	
111266	110.2	112.2	2.0	
111267	B			Blank
111268	112.2	114.2	2.0	
111269	114.2	117.7	3.5	
111270	117.7	118.7	1.0	
111271	118.7	121.9	3.2	
111272	121.9	123.9	2.0	
111273	123.9	125.6	1.7	
111274	125.6	127.6	2.0	
111275	127.6	129.5	1.9	
111276	129.5	131.8	2.3	
111277	D			Duplicate
111278	131.8	132.4	0.6	
111279	132.4	134.5	2.1	
111280	134.5	136.5	2.0	
111281	136.5	138.5	2.0	
111282	138.5	140.5	2.0	
111283	140.5	142.5	2.0	
111284	142.5	144.5	2.0	
111285	144.5	146.5	2.0	
111286	146.5	148.4	1.9	
111287	B			Blank

Sample #	From (m)	To (m)	Width (m)	Comments
111288	148.4	150.4	2.0	
111289	150.4	152.4	2.0	
111290	152.4	154.3	1.9	
111291	154.3	156.4	2.1	
111292	156.4	158.2	1.8	
111293	158.2	160.0	1.8	
111294	160.0	161.9	1.9	
111295	161.9	164.0	2.1	
111296	164.0	166.0	2.0	
111297	D			Duplicate
111298	166.0	168.0	2.0	
111299	168.0	170.6	2.6	
111300	170.6	172.6	2.0	
111301	172.6	174.6	2.0	
111302	174.6	176.0	1.4	
111303	176.0	178.7	2.7	
111304	178.7	180.6	1.9	
111305	180.6	182.8	2.2	
111306	182.8	184.6	1.8	
111307	B			Blank
111308	184.6	185.9	1.3	EOH

DAWSON GOLD CORP			Core Log Data Sheet
Project: Toro			Hole No.: TT-103 Total Depth: 195.0m
Dip: -60	Azimuth: 180		Logged By: JKM
Northing: 6938890	Easting: 345450		Contractor: Kluane Drilling
Elevation: 1,130 m	Core Size: NTW		Start Date: 5-Sep-10
Note: Drilling measured in feet and converted to meters in log			Completion Date: 7-Sep-10
From (m)	To (m)	Width	Description
0.00	22.86	22.86	<p>Poorly sorted, angular to rounded, pebble to cobble, polymictic breccia. Clasts comprise approx 45 - 65% of unit, dark, fg matrix comprises the remainder. Clasts are a very diverse mixture of igneous, metamorphic and sedimentary and range for well rounded to very angular. The majority of clasts (>45%) appear to be leucocratic granite as seen in nearby holes. Other clasts are clearly YT metamorphics (>10%), felsic dyke material, Tad porphyry?, small to large angular frags of quartz, and some fg sandstone/quartzite clasts of a unit not previously seen. Other clasts, many unrecognizable, seemingly of more distal (?) origins also present. Clasts range in size from mm-scale pebbles up to 8 cm. Several zones of more sorted, finer grained breccia present (11.3m - 13.4m, 17.6 - 18.4m) are better sorted and comprise of polymictic pebbles up to 1cm. Matrix is very fine, dark in colour, appears to be a milled version of clasts. This breccia seems to be a chaotic mixture of milled, rounded, angular; some clasts show grinding or digestion, others none; this is not a fault breccia. Guess that this is a hydro-fracturing breccia. Further down this brecciation grades into a monomictic breccia with long sections of competent qz-porphyry felsic dyke and then solid granite. This may be a pre-existing breccia and the zone exploited by later dyke, or might be completely due to underlying dyke- difficult to determine presently.</p> <p>Alteration: Moderate to weak oxidation throughout section, weakening downhole and essentially absent below 58'. Strong zone of</p> <p>Structure: Blocky fracturing extensive throughout, more due to weathering than any late structure. No internal structure recognized.</p> <p>Mineralization: Difficult to recognize where oxidation effects are strong. In unaltered areas (few) fg disseminated sulfides found in matrix - appear to be combination of py, aspy, and maybe sphaalerite. Total sulfide content > 2%.</p> <p>Lower contact is distinct, irregular and lower unit appears to be more of a megaclast contained within the breccia unit as opposed to a mappable unit.</p>

From (m)	To (m)	Width	Description
22.86	32.46	9.60	<p>Granite and granite-dominated breccia.</p> <p>Clearly a continuation of the brecciated unit below but much of this appears to be entire granite similar to that seen in 101/102 and the bottom of this hole (leucocratic, coarse-grained, equigranular). Strong alteration of granite (clay alteration + ?) make details in this unit difficult to recognize. Zones of polymictic brecciation comprise up to 20% of this unit.</p> <p>Mm-scale, dark, sinewy to braided veinlets cut across core in this unit at low angle to core axis, appear to be sulfides (py +/- galena? +/- sphalerite? +/- ?); compose less than 0.2% of core.</p> <p>Mineralization: same assemblage as seen above, slightly weaker.</p>
32.46	38.10	5.64	<p>Poorly sorted, angular to rounded, pebble to cobble, polymictic breccia as seen at top of hole. This unit is less altered than seen above and does is only slightly oxidized along fracture surfaces at top of section. 15 cm of strong fracturing and chlorite alteration at the lower contact. Slight increase in sulfide content, all vfg py +/- aspy and ? disseminations.</p>
38.10	46.63	8.53	<p>Granite and granite dominated breccia as seen above. Clear increase in the amount of sulfides seen in this section. Many of the sulfides contained in sub-mm scale fractures/ veinlets and appear to be steely grey in colour - possibly galena, possibly some moly, or stibnite? Very small size of sulfides makes identification somewhat difficult.</p>
46.63	62.48	15.85	<p>Poorly sorted, angular to rounded, pebble to cobble, polymictic breccia as seen at top of hole. No oxidation and alteration of this unit seems to be limited to clay alteration and weak propylitic alteration of many clasts (epidote and minor chlorite). Unit has a fairly violent appearance looks like some kind of high-energy hydraulic brecciation.</p> <p>Mineralization: much stronger than above. Very fine grained sulfides, mostly py but also with some aspy and probably sphalerite and minor galena, maybe moly? compose up to 6% of core volume in some areas. Average sulfide content ~ 3-4%. Sulfides are contained in the clasts and matrix in roughly equal amounts, seem to be concentrated in microfractures.</p>
62.48	88.70	26.21	<p>Polymictic breccia as seen above but sulfide content has decreased - now approx 1 - 3% of core volume and seemingly more dominated by py though other sulfides still present. Core also has a darker appearance seemingly caused by a greater percentage of aphanitic matrix. Several clasts (including one large, 20cm rounded clast at 76.5m) of pebble breccia. Rare clasts in this unit are rounded and appear to show a rind as though previously weathered or altered.</p> <p>Little to no veining seen in this section.</p> <p>Lower contact with fault at 40 tca.</p>

From (m)	To (m)	Width	Description
88.70	92.96	4.27	Fault zone. This unit is basically the same polymictic breccia as seen above. Several large clasts (up to 20 cm) are solid but otherwise RQD = 0. Difficult to estimate sulfides etc in this unit though there are several vague mm-scale veins visible in the crushed areas of grey sulfidic material. Many low angle fractures visible in the more competent zones, ~ 10 t.c.a. Some of this unit (~ 20%) appears to be weakly re-lithified zones up to 25 cm in length of previously crushed material. Upper contacts sharp, approx 40 t.c.a. Lower contact terminates long the edge of a clast - no information from it.
92.96	99.36	6.40	Transition zone. This is a polymictic breccia similar to units seen above becoming strongly dominated by one clast type downhole and eventually transitioning into a monomictic breccia above the contact with underlying dyke. Clasts of greenish, grey dyke material (description of dyke below) are common from start of unit, become dominant by 94.9m (311.5'). Clasts still range widely in size and angularity. Very strong sulfides in this unit, primarily in the matrix and also found in narrow veinlets of of py, galena? stibnite? sphaalerite that cut matrix and clasts in rare, planar veinlets up to 3mm. Most of these seem to be crossing core axis at 45 +/- 10.
99.36	106.68	7.32	Monomictic breccia. This unit comprises approx 80% - 90% clasts contained in a dark, aphanitic matrix similar to that seen hosting overlying units. Clasts are rounded to angular, pebbles to boulders and range from lightly milled to in-situ crackle brecciation. All clasts are a leucocratic, crowded plag porphyry which appears to be a fine-grained version of Tad porphyry. Plag phenocrysts are typically euhedral and 3-4mm in a grey, silicic groundmass. Overall composition of rock seems to be granitic to monzonitic. Mineralization: up to 6.5% sulfides primarily contained in breccia matrix and in mm-scale planar veinlets typically crossing core at 55 - 70 t.c.a. and as vfg disseminations. Sulfides are predominantly pyrite followed by sphalerite, galena?, arsenopyrite and possibly moly?, bornite?
106.68	109.88	3.20	Light grey-green, leucocratic, crowded plag porphyry. This unit appears to be a dike of the tad porphyry and is granitic/monzonitic in composition. Sub-hedral to euhedral plag phenos 3-4 mm compose approx 35 - 40% of core volume, dark grey silicic groundmass. Mineralization: strongly disseminated, vfg sulfides (mostly py with minor sphalerite +/- galena, arseno, ?); narrow, planar veinlets containing similar assemblage typically cutting core axis at >45, .2 - 2mm. Veinlets show lighter grey alteration envelopes up to several cm wide with sericitized plag grains. Total sulfide content ~ 5-6%; 1-2% vein-hosted. Veins are cut by brecciation in many of these clasts, unlike those seen above suggesting at least two episodes of brecciation. Large section of this zone sampled by Venessa Bennett of the YGS (Sept 22).

From (m)	To (m)	Width	Description
109.88	124.05	14.17	<p>Coffee Creek Granite ; leucocratic, coarse grained, mostly equigranular, granite to granodiorite. Rock is approximately %35 - 40 quartz grains from 4 to 8 mm, %35 plag and %20 orthoclase, no mafics. Many qtz grains show very irregular shapes and are often linked to one another. Minor clay alteration of plag and pervasive, low grade epidote - chlorite alteration (propylitic?). Narrow planar to somewhat braided qtz-sulfide veinlets are common and compose approx 1-2 % total core volume. Veinlets are typically less than 3mm, qz dominant with py, sphaelerite and minor aspy.</p> <p>Vfg disseminations also seen in core though minor, also mainly py and sph with very minor aspy. Total sulfide content of core ~ 1.5 - 2.5%, decreasing downhole.</p> <p>This unit continues to the end of hole with minor changes over broad zones; these zones broken below as separate units though core is essentially the same to EOH.</p>
124.05	126.49	2.44	<p>CC Granite</p> <p>Fault zone begins at 125m, very shattered and crumbly core 124 to 126.5m; not clear but dominant structural orientation of the fault appears to be ~ 40 t.c.a.</p>
126.49	141.73	15.24	<p>CC Granite</p> <p>Slightly different alteration gives plag a distinct orange tinge; stronger chlorite than above. Stronger alteration also obscures the previously distinct grain boundaries and both qtz and plag grains appear to coalesce.</p> <p>Below 133m there is a noticeable increase in chlorite; it is for the most part fracture controlled hydrothermal alteration mineral and is especially strong from 133.3m to 134.3m and from 148m to 149.7m</p> <p>Weaker mineralization than seen above; ~ 1.5% total sulfides, almost entirely py and sphaelerite.</p> <p>Very minor amounts of the dark, manganese staining (?) begins to show up part way through this section. This becomes more common downwards.</p> <p>This zone ends with a 40cm fault; upper contact of fault obscured, lower fault boundary at 50 tca.</p>
141.73	147.52	5.79	<p>CC Granite</p> <p>Below the fault above the core becomes more leucocratic with less chlorite and less of the orange alteration of plag. Grain boundaries remain idistinct/ coalescing.</p>

From (m)	To (m)	Width	Description
147.52	155.14	7.62	<p>Fault Zone / CC Granite;</p> <p>This section begins with 4 cm of dark grey, sulfide-rich section of gouge/shear material showing strong fabric at 45 tca. Further down a second zone very similar to this roughly runs 20cm long core at a shallower, inconsistent angle tca, almost folded .</p> <p>2 zones totalling 25 cm of dark grey faulted material in the uppermost 2m of this section that contain very strong sulfides/ look very interesting. Little detail beyond colour, obvious high sulfides, and angle of movement. All 3 zones contained within sample 111454.</p> <p>The remainder of this unit is leucocratic granite as seen elsewhere but very fractured.</p>
155.14	195.07	39.93	<p>CC Granite as seen above. Green colour of core becomes more pronounced downhole in this section as chlorite becomes more common and plag has a definite sausseritized look; much greater amount of chlorite and epidote now. Some qz below here also shows a dark stain (mn?) similar to that seen in TT-101. Decreased veining and mineralization. Narrow (1-2mm), planar veins containing qz, py and sphaalerite (?) . Total sulfide content ~ 1 - 2%. Very little veining from 164m to 176.8m though microfractures containing py and dark, indistinguishable mineral are common, disseminated py still found, possibly disseminated sph.</p> <p>FG felsic/silicic dyke ?, approx 9cm cutting core at 55 tca at 159.7m; no sharp edges, looks more like an alteration feature. No vein found here.</p> <p>!! Second 'dyke' at 175.1 - 175.5m - is actually a wide, silici envelope around 8 mm qz vein with minor py and a spec of aspy. 36 cm, grey, fg dyke of Tad porphyry at 176.9 - 177.3m; sharp edges at 65 t.c.a. Silicic alteration halo noticeable for 30 cm above this dyke, alteration and greatly increased veining/ mineralization for 1.3m below. Veining within the silic alteration halo below dyke includes qz, py and very minor aspy?</p> <p>Very strong chlorite globs rom 178.5m to 180.4m.</p> <p>Strong, pink k-feldspar in the last 10m, especially 187 - 189m.</p> <p>EOH at 640', 195m.</p>

Sample #	From (m)	To (m)	Width (m)	Comments
111309	3.1	4.1	1.1	
111310	4.1	5.1	1.0	
111311	5.1	6.1	1.0	
111312	6.1	7.1	1.0	
111313	7.1	8.1	1.0	
111314	8.1	9.1	1.0	
111315	9.1	10.1	1.0	
111316	10.1	11.1	1.0	
111317			0.0	
111318	11.1	12.1	1.0	
111319	12.1	13.1	1.0	
111320	13.1	14.1	1.0	
111321	14.1	15.1	1.0	
111322	15.1	16.1	1.0	
111323	16.1	17.1	1.0	
111324	17.1	18.1	1.0	
111325	18.1	19.1	1.0	
111326	19.1	20.1	1.0	
111327			0.0	
111328	20.1	21.1	1.0	
111329	21.1	22.1	1.0	
111330	22.1	23.1	1.0	
111331	23.1	24.1	1.0	
111332	24.1	25.1	1.0	
111333	25.1	26.1	1.0	
111334	26.1	27.1	1.0	
111335	27.1	28.1	1.0	
111336	28.1	29.1	1.0	
111337			0.0	
111338	29.1	30.1	1.0	
111339	30.1	31.1	1.0	
111340	31.1	32.1	1.0	
111341	32.1	33.1	1.0	
111342	33.1	34.1	1.0	
111343	34.1	35.1	1.0	
111344	35.1	36.1	1.0	
111345	36.1	37.1	1.0	
111346	37.1	38.1	1.0	
111347			0.0	
111348	38.1	39.1	1.0	
111349	39.1	40.1	1.0	
111350	40.1	41.1	1.0	

Sample #	From (m)	To (m)	Width (m)	Comments
111351	41.1	42.1	1.0	
111352	42.1	43.1	1.0	
111353	43.1	44.1	1.0	
111354	44.1	45.1	1.0	
111355	45.1	46.1	1.0	
111356	46.1	47.1	1.0	
111357			0.0	
111358	47.1	48.1	1.0	
111359	48.1	49.1	1.0	
111360	49.1	50.1	1.0	
111361	50.1	51.1	1.0	
111362	51.1	52.1	1.0	
111363	52.1	53.1	1.0	
111364	53.1	54.1	1.0	
111365	54.1	55.1	1.0	
111366	55.1	56.1	1.0	
111367			0.0	
111368	56.1	57.1	1.0	
111369	57.1	58.1	1.0	
111370	58.1	59.1	1.0	
111371	59.1	60.1	1.0	
111372	60.1	61.1	1.0	
111373	61.1	62.1	1.0	
111374	62.1	63.1	1.0	
111375	63.1	64.1	1.0	
111376	64.1	65.1	1.0	
111377			0.0	
111378	65.1	66.1	1.0	
111379	66.1	67.1	1.0	
111380	67.1	68.1	1.0	
111381	68.1	69.1	1.0	
111382	69.1	70.1	1.0	
111383	70.1	71.1	1.0	
111384	71.1	72.1	1.0	
111385	72.1	73.1	1.0	
111386	73.1	74.1	1.0	
111387			0.0	
111388	74.1	75.1	1.0	
111389	75.1	76.1	1.1	
111390	76.1	77.1	1.0	
111391	77.1	78.1	1.0	
111392	78.1	79.1	1.0	

Sample #	From (m)	To (m)	Width (m)	Comments
111393	79.1	80.1	1.0	
111394	80.1	81.1	1.0	
111395	81.1	82.1	1.0	
111396	82.1	83.1	1.0	
111397			0.0	
111398	83.1	84.1	1.0	
111399	84.1	85.1	1.0	
111400	85.1	86.1	1.0	
111401	86.1	87.1	1.0	
111402	87.1	88.7	1.6	
111403	88.7	89.9	1.2	
111404	89.9	91.0	1.1	
111405	91.0	92.0	1.0	
111406	92.0	93.0	1.0	
111407			0.0	
111408	93.0	94.0	1.0	
111409	94.0	95.0	1.0	
111410	95.0	96.0	1.0	
111411	96.0	97.0	1.0	
111412	97.0	98.0	1.0	
111413	98.0	99.0	1.0	
111414	99.0	100.0	1.0	
111415	100.0	101.0	1.0	
111416	101.0	102.0	1.0	
111417			0.0	
111418	102.0	103.0	1.0	
111419	103.0	104.0	1.0	
111420	104.0	105.0	1.0	
111421	105.0	106.0	1.0	
111422	106.0	107.0	1.0	
111423	107.0	108.0	1.0	
111424	108.0	109.0	1.0	
111425	109.0	109.9	0.9	
111426	109.9	111.5	1.6	
111427			0.0	
111428	111.5	113.0	1.5	
111429	113.0	114.5	1.5	
111430	114.5	116.0	1.5	
111431	116.0	117.5	1.5	
111432	117.5	119.0	1.5	
111433	119.0	120.5	1.5	
111434	120.5	122.0	1.5	

Sample #	From (m)	To (m)	Width (m)	Comments
111435	122.0	123.5	1.5	
111436	123.5	125.0	1.5	
111437			0.0	
111438	125.0	126.5	1.5	
111439	126.5	128.0	1.5	
111440	128.0	129.5	1.5	
111441	129.5	131.0	1.5	
111442	131.0	132.5	1.5	
111443	132.5	134.0	1.5	
111444	134.0	135.5	1.5	
111445	135.5	137.0	1.5	
111446	137.0	138.5	1.5	
111447			0.0	
111448	138.5	140.0	1.5	
111449	140.0	141.5	1.5	
111450	141.5	143.0	1.5	
111451	143.0	144.5	1.5	
111452	144.5	146.0	1.5	
111453	146.0	147.5	1.5	
111454	147.5	149.0	1.5	
111455	149.0	150.5	1.5	
111456	150.5	152.0	1.5	
111457			0.0	
111458	152.0	153.5	1.5	
111459	153.5	155.5	2.0	
111460	155.5	157.0	1.5	
111461	157.0	158.5	1.5	
111462	158.5	160.0	1.5	
111463	160.0	161.5	1.5	
111464	161.5	163.0	1.5	
111465	163.0	164.5	1.5	
111466	164.5	166.0	1.5	
111467			0.0	
111468	166.0	167.5	1.5	
111469	167.5	169.0	1.5	
111470	169.0	170.5	1.5	
111471	170.5	172.0	1.5	
111472	172.0	173.5	1.5	
111473	173.5	175.0	1.5	
111474	175.0	176.5	1.5	
111475	176.5	178.5	2.0	
111476	178.5	180.0	1.5	

Sample #	From (m)	To (m)	Width (m)	Comments
111477			0.0	
111478	180.0	181.5	1.5	
111479	181.5	183.0	1.5	
111480	183.0	184.5	1.5	
111481	184.5	186.0	1.5	
111482	186.0	187.5	1.5	
111483	187.5	189.0	1.5	
111484	189.0	190.5	1.5	
111485	190.5	192.0	1.5	
111486	192.0	193.5	1.5	
111487			0.0	
111488	193.5	195.1	1.6	EOH

DAWSON GOLD CORP			Core Log Data Sheet
Project: Toro			Hole No.: TT-104 Total Depth: 198.1m
Dip: -60		Azimuth: 135	Logged By: JKM
Northing: 6938890		Easting: 345450	Contractor: Kluane Drilling
Elevation: 1,130 m		Core Size: NTW	Start Date: 8-Sep-10
Note: Drilling measured in feet and converted to meters in log			Completion Date: 10-Sep-10
From (m)	To (m)	Width	Description
0.00	6.10	6.10	Brecciated YT gneiss. Dark in appearance with lighter, mm-scale bands. Clast outlines are obscure, appear to be approx 1 to 10 cm in size, angular, composing more that 85% of core volume. Matrix is aphanitic, dark in most of zone, composed of pebble breccia elsewhere. Strong oxidation obscures some detail and part of this zone has a bleached appearance. Minor amount of qtz veining seems to post date brecciation. Minor py and other sulfides (aspy? galena?) very fined disseminated in core. Total sulfide content ~ 2%.
6.10	17.07	10.97	Polymictic breccia as seen in TT-103: Poorly sorted, angular to rounded, pebble to cobble, polymictic breccia. Clasts comprise approx 45 - 65% of unit, dark, fg matrix comprises the remainder. Clasts are a very diverse mixture of igneous, metamorphic and sedimentary and range for well rounded to very angular. The majority of clasts (>55%) appear to be leucocratic granite of the as seen in nearby holes. Other clasts are clearly YT metamorphics (>10%), felsic dyke material, Tad porphyry?, small to large angular frags of quartz, and some fg sandstone/quartzite clasts of a unit not previously seen. Other clasts, many unrecognizable, seemingly of more distal (?) origins also present. Clasts range in size form mm-scale pebbles up to 8 cm. Several zones of more sorted, finer grained breccia present (11.3m - 13.4m, 17.6 - 18.4m) are better sorted and comprise of polymictic pebbles up to 1cm. Matrix is very fine, dark in colour, appears to be a milled version of clasts. This breccia seems to be a chaotic mixture of milled, rounded, angular; some clasts show grinding or digestion, others none; this is not a fault breccia. Guess that this is a hydro-fracturing breccia. Strong oxidation affects most of unit. Minor disseminated mineralization - py, aspy, galena? sphalerite? totalling ~ 1.5% of core volume. No veining.

From (m)	To (m)	Width	Description
17.07	56.39	39.32	<p>CC granite and monomictic breccia. Alteration effects obscure a lot of detail in this zone and the unit transitions/grades between brecciated granite and typical leucocratic granite as seen elsewhere. Approximately 65% of this unit appears to be granite, and 35% brecciated granite.</p> <p>Granite as seen in previous 3 holes: leucocratic, coarse grained, mostly equigranular, granite to granodiorite. Rock is approximately %35 -40 quartz grains from 4 to 8 mm, %35 plag and %20 orthoclase, no mafics. In much of unit qtz and plag grain boundaries are fuzzy, indistinct and it appear coalesced. Minor clay alteration of plag and pervasive, low grade epidote - chlorite alteration (propylitic? sausseritization?). Weak fabric noticed in granite in some areas, typically between 55 to 70 tca. Fracture-controlled oxidation effects down to 38m.</p> <p>Several cm-scale felsic dykes, may be tad porphyry: 6cm a 34.6m, 65tca; 8cm a 35.2m 45tca; 6cm at 38.5, 55tca; 23 cm a 43.2m, 45 tca; 15cm at 48.8m, 35 tca;</p> <p>Weak, scattered mineralization. Vfg disseminations of py and dark, unidentified dark sulfides, very minor aspy?. Total sulfide content ~ 1.5-2%.</p> <p>Lower contact sharp, 40tca.</p>
56.39	57.91	1.52	<p>Polymictic breccia; poorly sorted, angular to rounded, pebble to cobble, polymictic breccia. Clasts are dominantly CC granite and comprise approx 45% (less than previously seen), dark, fg matrix comprises the remainder. Clasts range from rounded to angular and range in size up to 6 cm.</p> <p>Weakly disseminated, vfg sulfides - mostly pyrite with lesser, vfg dark grains and possibly minor aspy, not certain.</p> <p>Lower contact sharp, ~40 tca.</p>
57.91	62.64	4.72	<p>TP dyke. Light grey-green, fine-grained Tad plag porphyry. Vfg disseminations of py and dark sulfide as above, possibly minor aspy but not certain. Many dark, mm-scale, sub-planar veinlets cutting core at all angles. Most veinlets are py only, many are a combination of dark, milled material and pyrite, and rarely with a white material that looks like calcite but does not fizz with my acid (temperature?). Total sulfide content higher than surrounding units, maybe 3 - 4%.</p> <p>Lower contact is faulted (2mm gouge), sharp, planar 40 tca.</p>

From (m)	To (m)	Width	Description
62.64	77.57	14.94	<p>CC Granite: leucocratic, coarse grained, mostly equigranular, granite to granodiorite. Rock is approximately %35 -40 quartz grains from 4 to 8 mm, %35 plag and %20 orthoclase, no mafics. In much of unit qtz and plag grain boundaries are fuzzy, indistinct and it appear coalesced. Minor clay alteration of plag and pervasive, low grade epidote - chlorite alteration (propylitic? sausseritization?).</p> <p>Narrow py-qtz veinlets are common some with minor cpy? and moly? Veinlets are sub-planar, show no definite preferred orientation, comonly have a envelope of lighter coloured core surrounding ~ 1cm wide. Look like qsp envelopes but do not differ much in hardness from surrounding core.</p>
77.57	79.86	2.29	<p>Polymictic breccia; poorly sorted, angular to rounded, pebble to cobble, polymictic breccia. Clasts are dominantly CC granite and comprise approx 45%, dark, fg matrix comprises the remainder. Clasts range from rounded to angular, pebble to ~10cm. Upper contact is sharp, competent, planar, 30 tca. Lower 160cm is very faulted and difficult to determine: this zone is very faulted and mostly light grey gouge with strong py. Most of this zone appears to comprise mostly CC granite though large clasts of qz and other rock are also visible.</p> <p>Good sulfide content, averaging 3-4%; sulfides seem to be mostly py with moderate cpy and very minor other fg sulfides (moly? sphaelerite? galena?). Much of the gouge zone appears to contain crushed moly.</p>
79.86	121.31	41.45	<p>CC Granite as seen above; stronger veining and slightly different veining/ mineralization: dark, narrow stringers of py +?, comprise up 3% of core volume. Vein mineralogy is not certain - py and minor cpy are definitely present as is minor sphaelerite and a silvery grey sulfide that seems to hard for moly, too soft for aspy; maybe argentite? maybe just galena? 2 dykes (?) or zones of finer grained, very altered material at 95.2 - 96.4m, and 97.9 - 99m. These zones are very light in colour, very silicic and have strong hariline veining throughout them. Look probably to be dykes of Tad porphyry. Boundaries of these are sharp, planar, 35 to 50 tca.</p> <p>Short brecciated zone from 108 to 108.4, starts with faulted contact and 5 cm grey gouge at 50 tca. Very strong sulfides - py, apsy, mol +/-? SAMPLE # 111566</p>
121.31	122.53	1.22	<p>Polymictic breccia as seen previously; angular clasts up to 4 cm, dark matrix. Great sulfides in this short zone including py, aspy, cpy, sphaelerite and possibly others. Total sulfide content ~ 6 %.</p> <p>Sharp, planar contacts, both at ~ 45 tca.</p>

From (m)	To (m)	Width	Description
122.53	198.12	75.59	<p>CC granite; core has a slightly yellow tinge due to alteration of plag grains to yellowish epidote. Grains are partially coalesced as seen above, distinct equigranular minerals are rare. Many hairline fracture veins of dark mineralogy (looks sort of like moly - dark, blue-grey. Several larger veins up to 8 mm or py, qz, sphalerite.</p> <p>Fault zone 128 - 129.5m; at least one faulted qz-vein in the rubble.</p> <p>Fault zone at 147.6 - 149.7m; grey, rubbly zone with cm-scale bands of grey gouge and sections of very qz-rich core (faulted veins?). Sharp planar boundaries at 45 tca.</p> <p>161 - 167m: intense fracturing and much higher than typical qz content + minor brecciation; this area is clearly a zone of intense brittle fracturing and has seen multiple events. Reasonably strong mineralization noted in this 8 m.</p> <p>167 to 198.1m: decreased structure, veining and mineralization; this core has still has the yellowish orange alteration noted at the top of section.</p> <p>198.1 = EOH</p>

Sample #	From (m)	To (m)	Width (m)	Comments
111489	2.9	4.6	1.7	
111490	4.6	6.1	1.5	
111491	6.1	7.6	1.5	
111492	7.6	9.1	1.5	
111493	9.1	10.6	1.5	
111494	10.6	12.0	1.4	
111495	12.0	13.5	1.5	
111496	13.5	15.0	1.5	
111497			0.0	
111498	15.0	17.1	2.1	
111499	17.1	18.5	1.4	
111500	18.5	20.0	1.5	
111501	20.0	21.5	1.5	
111502	21.5	23.0	1.5	
111503	23.0	24.5	1.5	
111504	24.5	26.0	1.5	
111505	26.0	27.5	1.5	
111506	27.5	29.0	1.5	
111507			0.0	
111508	29.0	30.5	1.5	
111509	30.5	32.0	1.5	
111510	32.0	33.5	1.5	
111511	33.5	35.0	1.5	
111512	35.0	36.5	1.5	
111513	36.5	38.0	1.5	
111514	38.0	39.5	1.5	
111515	39.5	41.0	1.5	
111516	41.0	42.5	1.5	
111517			0.0	
111518	42.5	44.0	1.5	
111519	44.0	45.5	1.5	
111520	45.5	47.0	1.5	
111521	47.0	48.5	1.5	
111522	48.5	50.0	1.5	
111523	50.0	51.5	1.5	
111524	51.5	53.0	1.5	
111525	53.0	54.5	1.5	
111526	54.5	56.3	1.8	
111527			0.0	
111528	56.3	57.9	1.6	
111529	57.9	59.5	1.6	
111530	59.5	61.0	1.5	

Sample #	From (m)	To (m)	Width (m)	Comments
111531	61.0	62.6	1.6	
111532	62.6	64.0	1.4	
111533	64.0	65.5	1.5	
111534	65.5	67.0	1.5	
111535	67.0	68.5	1.5	
111536	68.5	70.0	1.5	
111537			0.0	
111538	70.0	71.5	1.5	
111539	71.5	73.0	1.5	
111540	73.0	74.5	1.5	
111541	74.5	76.0	1.5	
111542	76.0	77.4	1.4	
111543	77.4	79.0	1.6	
111544	79.0	80.8	1.8	
111545	80.8	82.0	1.2	
111546	82.0	83.5	1.5	
111547			0.0	
111548	83.5	85.0	1.5	
111549	85.0	86.5	1.5	
111550	86.5	88.0	1.5	
111551	88.0	89.5	1.5	
111552	89.5	91.0	1.5	
111553	91.0	92.5	1.5	
111554	92.5	94.0	1.5	
111555	94.0	95.2	1.2	
111556	95.2	96.4	1.2	
111557			0.0	
111558	96.4	97.9	1.5	
111559	97.9	99.0	1.1	
111560	99.0	100.5	1.5	
111561	100.5	102.0	1.5	
111562	102.0	103.5	1.5	
111563	103.5	105.0	1.5	
111564	105.0	106.5	1.5	
111565	106.5	108.0	1.5	
111566	108.0	108.7	0.7	
111567			0.0	
111568	108.7	110.7	2.0	
111569	110.7	112.5	1.8	
111570	112.5	114.0	1.5	
111571	114.0	115.5	1.5	
111572	115.5	117.0	1.5	

Sample #	From (m)	To (m)	Width (m)	Comments
111573	117.0	118.5	1.5	
111574	118.5	120.0	1.5	
111575	120.0	121.3	1.3	
111576	121.3	122.5	1.2	
111577			0.0	
111578	122.5	124.0	1.5	
111579	124.0	126.0	2.0	
111580	126.0	128.0	2.0	
111581	129.5	131.0	1.5	
111582	131.0	132.5	1.5	
111583	132.5	134.0	1.5	
111584	134.0	135.5	1.5	
111585	135.5	137.0	1.5	
111586	137.0	138.5	1.5	
111587			0.0	
111588	138.5	140.0	1.5	
111589	140.0	141.5	1.5	
111590	141.5	143.0	1.5	
111591	128.0	129.5	1.5	Tag missed here, put in afterwards and all misplaced tags changed in this log. Numbers contained in sample book are wrong from #581 to #592
111592	143.0	144.5	1.5	
111593	144.5	146.0	1.5	
111594	146.0	147.6	1.6	
111595	147.6	148.7	1.1	
111596	148.7	149.7	1.0	
111597			0.0	
111598	149.7	151.5	1.8	
111599	151.5	153.0	1.5	
111600	153.0	154.5	1.5	
111601	154.5	156.0	1.5	
111602	156.0	157.5	1.5	
111603	157.5	159.0	1.5	
111604	159.0	160.5	1.5	
111605	160.5	162.0	1.5	
111606			0.0	
111607	162.0	163.1	1.1	
111608	163.1	164.5	1.4	
111609	164.5	166.0	1.5	
111610	166.0	167.5	1.5	
111611	167.5	169.0	1.5	
111612	169.0	170.5	1.5	
111613	170.5	172.0	1.5	

Sample #	From (m)	To (m)	Width (m)	Comments
111614	172.0	173.5	1.5	
111615	173.5	175.0	1.5	
111616	175.0	176.5	1.5	
111617			0.0	
111618	176.5	178.0	1.5	
111619	178.0	179.5	1.5	
111620	179.5	181.0	1.5	
111621	181.0	182.5	1.5	
111622	182.5	184.0	1.5	
111623	184.0	186.0	2.0	
111624	186.0	188.0	2.0	
111625	188.0	190.0	2.0	
111626	190.0	192.0	2.0	
111627			0.0	
111628	192.0	194.0	2.0	
111629	194.0	196.0	2.0	
111630	196.0	198.1	2.1	EOH

DAWSON GOLD CORP			Core Log Data Sheet
Project: Toro			Hole No.: TT-105 Total Depth: 210.3m
Dip: -60	Azimuth: 270		Logged By: JKM
Northing: 6938805	Easting: 345565		Contractor: Kluane Drilling
Elevation: 1,215 m	Core Size: NTW		Start Date: 11-Sep-10
Note: Drilling measured in feet and converted to meters in log			Completion Date: 13-Sep-10
From (m)	To (m)	Width	Description
0.00	89.92	89.92	<p>CC Granite; leucocratic, coarse grained, mostly equigranular, granite to granodiorite. Rock is approximately %35 -40 quartz grains from 4 to 8 mm, %35 plag and %20 orthoclase, no mafics. Many qtz grains show very irregular shapes and are often linked/coalesced with one another. Minor clay alteration of plag and some green alteration/staining of feldspar. 10cm strong clay alteration near lower contact with dike. Pervasive weathering and hematite/limonite alteration/staining alternating with dark manganese (?) staining gives core a variably orange or dark gray appearance. As in TT-101, I assume this is mangaese... dark, black sooty in colour, flaky in appearance. The material runs in connected branchy masses through core, in places comprising up to 15% of total rock volume. It appears that this alteration is fracture controlled and travels through rock along interconnected microfractures. In many places rusty weathering and dark manganese are both present, in other places it is one or the other. Rare "islands" of unaffected core show the leucocratic, epidote and chlorite altered core. In sections where weathering effects are less intense there appear to be fg black scattered evenly throughout core. It is impossible to determine what these are exactly, but they seem to be very fine biotite grains. In total they compose up to ~3% of core volume.</p> <p>No sulfides or veining.</p> <p>Felsic dyke 36.1 m to 37.2, no associated minerization.</p> <p>Manganese not present from 28 to 37m; returns and is quite strong for 3m below dyke. Manganese becomes muc less common below 40m. Strong manganese zones at: 45 - 47m; 48.3 - 48.8m; 55.5 - 57m; 65.5 - 67.5m; 72 - 73.5m; 85 - 86m; fracture faces only below this.</p> <p>Hematite/limonite weather effects are pervasive throughout the entire unit but become noticeably weakened below 80m.</p> <p>One interesting zone of powdery yellowish clay alteration from 70 - 70.35m, still no mineralization noted.</p>

From (m)	To (m)	Width	Description
89.92	144.48	54.56	<p>CC Granite as above; leucocratic, coarse grained, mostly equigranular, granite to granodiorite. Rock is approximately %35 -40 quartz grains from 4 to 8 mm, %35 plag and %20 orthoclase, no mafics. Many qtz grains show very irregular shapes and are often linked/coalesced with one another. Minor epidote/ chlorite alteration of feldspars. Core is mostly silicic and hard. Sporadic zones of pervasive orange weathering, fracture-controlled hematite/limonite throughout. Rare zones of dark manganese staining on fracture faces. Chlorite becomes increasingly common downhole, comprising up to 10% of core volume near the bottom of section.</p> <p>Rare mineralized veins appear in this section; veins range from 1 to 10 mm, composed of dark aphanitic material (polluted qz?), py, +/- other sulfides. Many of these veins have some powdery yellow/green epidote associated with them. Almost all veins appear to cross core at ~ 30 tca. 50% certain there was a very small amount of VG spotted at 103.65m.</p> <p>Veins occur at: 4mm at 93.4m; 7mm at 94.8m; 3mm at 95.7m; 2mm at 100.4m; 3mm at 103.65m; 2mm at 107.8; at 111.2 there are a series of parallel veinlets <1mm at 30 tca followed by a 8mm vein, also 30 tca, which carries great aspy + py + cpy? au?; 8mm at 119.6m;</p>
144.48	146.91	2.44	<p>Felsic dyke (?) - or simply a short, well-bounded alteration change? Difficult to see clearly where the upper boundary of this unit is. Alteration differences with surrounding core begin at 482` where core becomes noticeably finer grained and a narrow veinlet runs almost parallel tca (too small to determine mineralogy). Fining trend continues downwards, core becomes more silicic and texture becomes difficult to recognize until at 145.8m there are approx 25cm of hard, beige, silic core.</p> <p>Fg, disseminated py throughout unit, sometimes found amongst crumbly, disseminated grains of a blackish mineral (sulfide?), up to 1mm. Also, many tiny stringers of chlorite/ py, usually <2mm from 146m to 146.8m. Total sulfide content (almost entirely py) ~ 1.5%.</p> <p>Lower contact gradational over ~ 30cm.</p>

From (m)	To (m)	Width	Description
146.91	210.31	63.40	<p>CC Granite as above; leucocratic, coarse grained, mostly equigranular, granite to granodiorite. Rock is approximately %35 -40 quartz grains from 4 to 8 mm, %35 plag and %20 orthoclase, no mafics. Many grains show very irregular shapes and are often linked/ coalesced. No fabric noticed. Moderate epidote / chlorite alteration, core has a distinct green appearance.</p> <p>147m - 162m Rare veins of chlorite, qz and pyrite up to 6mm (1 - 2/ 10' run); smaller (up to 1mm) veinlets of similar mineralogy are common (15 - 30 / 10'run). Qz often has a very dark appearance. Veins are almost all 35 to 45 tca. In some places veinlets are closely spaced and parallel. Rare x-cutting relationships seen in fracture pattern - usually orthoganal.</p> <p>Lithology, alteration and mineralization are all more or less consistent to bottom of hole. Features of interest are:</p> <p>162.3m 7mm vein and minor gouge, 45 tca, qz, py; 162.7m 5mm vein and gouge, 45 tca, py and qz;</p> <p>164.2m 6mm vein, qz, py, chl +??, 30 tca;</p> <p>172 - 173m ; grey silicic zone of alteration which hides texture. (dyke?)</p> <p>178.8 - 179.3m; grey silicic zone.</p> <p>184.5m 6mm vein, 55 tca, qz, py, moly?</p> <p>186.5 3mm vein, 30 tca, qz, py, ?</p> <p>189 - 193m s there is a weka pink colour to core (k-feldspar?).</p> <p>197 - 1097.9 Grey silicic zone</p> <p>202 - 205m - many small hairline veins, some orange weathering??? effects on fracture faces and dark orange-brown staining or alteration of some feldspar grains; disseminated py and some dissem aspy??</p> <p>209.5 - 210.3 dark green chlorite veinlets.</p> <p>EOH</p>

Sample #	From (m)	To (m)	Width (m)	Comments
111631	0.0	4.1	4.1	
111632	4.1	6.1	2.0	
111633	6.1	8.1	2.0	
111634	8.1	10.1	2.0	
111635	10.1	12.1	2.0	
111636	12.1	14.1	2.0	
111637			0.0	
111638	14.1	16.1	2.0	
111639	16.1	18.1	2.0	
111640	18.1	20.1	2.0	
111641	20.1	22.1	2.0	
111642	22.1	24.1	2.0	
111643	24.1	26.1	2.0	
111644	26.1	28.0	1.9	
111645	28.0	30.0	2.0	
111646	30.0	32.0	2.0	
111647			0.0	
111648	32.0	34.0	2.0	
111649	34.0	36.0	2.0	
111650	36.0	38.0	2.0	
111651	38.0	40.0	2.0	
111652	40.0	42.0	2.0	
111653	42.0	44.0	2.0	
111654	44.0	46.0	2.0	
111655	46.0	48.0	2.0	
111656	48.0	50.0	2.0	
111657			0.0	
111658	50.0	52.0	2.0	
111659	52.0	54.0	2.0	
111660	54.0	56.0	2.0	
111661	56.0	58.0	2.0	
111662	58.0	60.0	2.0	
111663	60.0	62.0	2.0	
111664	62.0	64.0	2.0	
111665	64.0	66.0	2.0	
111666	66.0	68.0	2.0	
111667			0.0	
111668	68.0	70.0	2.0	
111669	70.0	72.0	2.0	
111670	72.0	74.0	2.0	
111671	74.0	76.0	2.0	
111672	76.0	78.0	2.0	

Sample #	From (m)	To (m)	Width (m)	Comments
111673	78.0	80.0	2.0	
111674	80.0	82.0	2.0	
111675	82.0	84.0	2.0	
111676	84.0	86.0	2.0	
111677			0.0	
111678	86.0	88.0	2.0	
111679	88.0	90.0	2.0	
111680	90.0	92.0	2.0	
111681	92.0	94.0	2.0	
111682	94.0	96.0	2.0	
111683	96.0	98.0	2.0	
111684	98.0	100.0	2.0	
111685	100.0	102.0	2.0	
111686	102.0	103.6	1.6	
111687			0.0	
111688	103.6	104.0	0.4	
111689	104.0	106.0	2.0	
111690	106.0	108.0	2.0	
111691	108.0	109.5	1.5	
111692	109.5	111.2	1.7	
111693	111.2	112.1	0.9	
111694	112.1	113.5	1.4	
111695	113.5	115.0	1.5	
111696	115.0	116.5	1.5	
111697			0.0	
111698	116.5	119.5	3.0	
111699	118.0	120.0	2.0	
111700	120.0	121.5	1.5	
111701	121.5	123.0	1.5	
111702	123.0	124.5	1.5	
111703	124.5	126.0	1.5	
111704	126.0	127.5	1.5	
111705	127.5	129.0	1.5	
111706	129.0	130.5	1.5	
111707			0.0	
111708	130.5	132.0	1.5	
111709	132.0	133.5	1.5	
111710	133.5	135.0	1.5	
111711	135.0	136.5	1.5	
111712	136.5	138.0	1.5	
111713	138.0	139.5	1.5	
111714	139.5	141.0	1.5	

Sample #	From (m)	To (m)	Width (m)	Comments
111715	141.0	142.5	1.5	
111716	142.5	144.5	2.0	
111717			0.0	
111718	144.5	145.7	1.2	
111719	145.7	146.9	1.2	
111720	146.9	148.5	1.6	
111721	148.5	150.0	1.5	
111722	150.0	152.0	2.0	
111723	152.0	154.0	2.0	
111724	154.0	156.0	2.0	
111725	156.0	158.0	2.0	
111726	158.0	160.0	2.0	
111727			0.0	
111728	160.0	162.0	2.0	
111729	162.0	164.0	2.0	
111730	164.0	166.0	2.0	
111731	166.0	168.0	2.0	
111732	168.0	170.0	2.0	
111733	170.0	172.0	2.0	
111734	172.0	173.0	1.0	
111735	173.0	175.0	2.0	
111736	175.0	177.0	2.0	
111737			0.0	
111738	177.0	178.8	1.8	
111739	178.8	181.0	2.2	
111740	181.0	183.0	2.0	
111741	183.0	185.0	2.0	
111742	185.0	187.0	2.0	
111743	187.0	189.0	2.0	
111744	189.0	191.0	2.0	
111745	191.0	193.0	2.0	
111746	193.0	195.0	2.0	
111747			0.0	
111748	195.0	197.0	2.0	
111749	197.0	199.0	2.0	
111750	199.0	201.0	2.0	
111751	201.0	203.0	2.0	
111752	203.0	205.0	2.0	
111753	205.0	207.0	2.0	
111754	207.0	209.0	2.0	
111755	209.0	210.3	1.3	EOH

DAWSON GOLD CORP			Core Log Data Sheet
Project: Toro			Hole No.: TT-106 Total Depth: 246.9m
Dip: -60	Azimuth: 270		Logged By: JKM
Northing: 6938433	Easting: 348861		Contractor: Kluane Drilling
Elevation: 823 m	Core Size: NTW		Start Date: 14-Sep-10
Note: Drilling measured in feet and converted to meters in log			Completion Date: 19-Sep-10
From (m)	To (m)	Width	Description
0.00	6.10	6.10	Casing. Return from this zone does not appear to be bedrock but boulders and/ or overburden.
6.10	59.44	53.34	<p>K-spar rich Cofee Creek Granite?. Fault zone. Much detail is obscured, but core appears to be a strongly clay and/or sericite altered version of the leucocratic granite found in previous holes at the Ridge Zone: leucocratic, light pink and green, coarse grained, mostly equigranular, granite to granodiorite. Rock is approximately %30-35 quartz, %20- 30 plag and %20-30% pink k-feldspar; very minor biotite grains up to 3 mm long compose less than 3% of core, no other mafics present. Pervasive, low grade epidote - chlorite alteration (propylitic?).</p> <p>Strong oxidation stains core bright orange for uppermost 2m only; weathering is not a factor afterwards.</p> <p>Very poor recovery throughout most of this section. One zone of solid core with good recovery at 27 - 33m; the rest of unit is rubbly and very fractured with a strong degree of core reduced to gouge.</p> <p>No significant mineralization or veining noted. Weakly disseminated, fg py. Possibly some sphaelerite.</p> <p>At 32.3m there is a 50cm section of featureless, silicic core; as seen in this unit elsewhere, it seems that this is an alteration effect but it is very uncertain why it is so narrow/limited and what causes it. It is potentially a dike, but the contacts are lost in faulting. This might be a later dyke / phase of same parent magma?</p>

From (m)	To (m)	Width	Description
59.44	132.59	73.15	<p>Pink, coarse-grained granite. This is presumably a phase of the Coffee Crk formation, but very rich in k-spar compared to that seen at Ridge zone. Texturally this is similar with equigranular qz and plag commonly 6 - 7mm and often coalescing slightly. K-spar comprises up to 40% of rock, qz and plag the rest with slightly more qz than plag and a very minor amount of fine grained, black biotite dispersed throughout core. Plag shows weak to moderate epidote +/- sericite alteration. Weak Overall core has a pink to pink and green mottled appearance. Short gougy zones with additional clay alteration have a stronger green colour, contain more chlorite (70 - 71.5; 91-99.5)</p> <p>Very weakly disseminated py found inconsistently.</p> <p>Rare, qz and/or chlorite veinlets up to 1.5mm - appear very early and have a non-planar, slightly flowing texture morphology.</p> <p>Sporadic fault zones several m in length which consist primarily of gouge and rubble: 65.3 - 67m; 69.5 - 71.5; 78m - 85m; 91 - 99.5;</p> <p>144.5 - 115.6m lighter coloured, fine grained silicic zone; this is very similar to the grey, silicic zones noted in previous holes (i.e. TT105); finer grained, texture is much more difficult to see.</p>
132.59	150.88	18.29	<p>K-spar rich granite as seen above but zone includes zones of silica and/or k-spar flooding, auto-breccia and numerous small faults. Similar alteration to above, slight increase in chlorite (especially in areas of faulting). Grainsize also appears to have increased slightly with equant qz grains up to 8mm common.</p> <p>Minor amounts of py and a darker, flaky mineral which might be sphaelerite. Dark sulfide (sphalerite?) is more common in altered zones. Total sulfide content is less than 1%.</p> <p>132.6 - 134.1m solid pink core with angular to rounded clasts up to 2cm in a matrix of similar colour/rock.</p> <p>134.1-135.1m high qz content (though no obvious veining) with many light green epidote?chlorite stringers.</p> <p>139.6-140.2m several small faults, 1 - 3cm composed of light green gouge, both 35 tca.</p> <p>143-144m fault zone, fractured core with ~ 8 cm gouge, light green, angle uncertain.</p> <p>144.8-146.3m more pink, silicic rock with auto-brecciation.</p> <p>147.8-49.4m fault zone, light greengouge and fracture infill; overall there is ~ 3m of ver fractured rock.</p>
150.88	160.63	9.75	<p>Mylonized k-spar-rich CC granite. Mineralogically the same as seen above but has suffered locally intense structural deformation. Tight, small scale folds have formed giving an almost flow-banded appearance. Unit begins and ends with 5cm and 7 cm faults at 25 tca consisting entirely of litht green gouge. No mineralization noted in this section.</p>

From (m)	To (m)	Width	Description
160.63	170.08	9.45	Breccia; blotchy light green and pink, matrix supported, rounded to angular pebble to gravel k-spar-rich granodiorite breccia. Unit is approximately 55 - 60% light green matrix of finer grained (ground up?) material, presumably same mineralogy as the granite; high percentage of qz fragments in the matrix are larger than finer grained, chlorite altered feldspars. Clasts are of the granodiorite seen above, generally less than 5 cm, ranging widely in angularity. Still no mineralization noted. Some fine grained black specks might be sphaelerite? Lower contact is gradational.
170.08	171.91	1.83	Breccia; granodiorite breccia continued, but suddenly very dark grey matrix. Uncertain why the change in this section, but possibly caused by the same dark mineral dispersed throughout section below, which is presumed to be biotite though uncertainty exists. Clasts are roughly the same, compose slightly higher percentage of the rock than above.
171.91	181.97	10.06	Breccia; blotchy light green and pink, matrix supported, rounded to angular pebble to gravel k-spar-rich granodiorite breccia as above. The only difference in this unit is the presence of a fine-grained sooty dark mineral disseminated throughout. No good crystal structure to go off and colour seems slightly wrong, but this seems to simply be biotite. Dark grains persist until 176m. Maybe this is remnant biotite that existed everywhere else before it was altered to chlorite? Still no veining, no mineralization, no reason for an IP anomaly.
181.97	246.89	64.92	K-spar rich CC granite as above but with slightly higher qz content and stronger chlorite alteration; pink and green, medium to coarse-grained granite. This is presumably a phase of the Coffee Crk formation, but very rich in k-spar compared to that seen at Ridge zone. Texturally this is similar with equigranular qz and plag commonly 6 - 7mm and often coalescing slightly. K-spar comprises approx 40% of rock, qz 30-35% and plag with very minor biotite the remainder. Plag shows weak to moderate epidote +/- chlorite alteration. Weak Overall core has a pink to pink and green mottled appearance. No significant mineralization or veining; hairline stringers/ fracture infill of chlorite are common in some areas, show no preferred orientation. Below 211 m chlorite/qz stringers, more planar become common and have some very fine grained sulfides within and nearby. These look like py but absolute determination difficult. Chlorite veinless rare below 230m. Fault zone from 189 - 195m; entirely gouge from 194-195m, very poor recovery of core 1894-196. 25 cm gouge at 213m, sizeable fault with very discreet edges at 30 tca. Hole remains unmineralized and virtually featureless to EOH at 246.89m. No explanation for IP anomaly from this drillhole and no indication of promise for locating decent mineralization nearby.

From	To	Width	From	To	Width	Recovery	RQD (m)	Comments
Feet			Meters			(m)		
0	20	20	0.0	6.1	6.1	0.00	0.00	
20	30	10	6.1	9.1	3.0	2.06	0.12	
30	40	10	9.1	12.2	3.0	1.12	0.00	
40	50	10	12.2	15.2	3.0	0.80	0.00	
50	60	10	15.2	18.3	3.0	0.95	0.00	
60	65	5	18.3	19.8	1.5	1.21	0.12	
65	75	10	19.8	22.9	3.0	2.76	1.09	
75	80	5	22.9	24.4	1.5	1.30	0.00	
80	90	10	24.4	27.4	3.0	3.04	0.52	
90	100	10	27.4	30.5	3.0	3.02	1.16	
100	110	10	30.5	33.5	3.0	2.72	0.68	
110	125	15	33.5	38.1	4.6	4.20	0.24	
125	135	10	38.1	41.1	3.0	2.27	0.00	
135	140	5	41.1	42.7	1.5	1.10	0.00	
140	150	10	42.7	45.7	3.0	2.40	0.00	
150	160	10	45.7	48.8	3.0	2.30	0.00	
160	170	10	48.8	51.8	3.0	2.50	0.14	
170	180	10	51.8	54.9	3.0	2.45	0.29	
180	185	5	54.9	56.4	1.5	1.22	0.00	
185	190	5	56.4	57.9	1.5	1.14	0.22	
190	195	5	57.9	59.4	1.5	1.40	0.00	
195	205	10	59.4	62.5	3.0	2.65	1.10	
205	215	10	62.5	65.5	3.0	2.72	1.55	
215	220	5	65.5	67.1	1.5	0.90	0.00	
220	225	5	67.1	68.6	1.5	1.51	1.04	
225	235	10	68.6	71.6	3.0	2.63	1.58	
235	240	5	71.6	73.2	1.5	1.45	0.13	
240	250	10	73.2	76.2	3.0	2.82	1.03	
250	255	5	76.2	77.7	1.5	1.49	0.94	
255	260	5	77.7	79.2	1.5	1.08	0.00	
260	270	10	79.2	82.3	3.0	1.65	0.00	
270	275	5	82.3	83.8	1.5	1.29	0.56	
275	280	5	83.8	85.3	1.5	1.41	0.38	
280	290	10	85.3	88.4	3.0	2.72	1.97	
290	295	5	88.4	89.9	1.5	1.37	0.85	
295	300	5	89.9	91.4	1.5	1.35	0.28	
300	310	10	91.4	94.5	3.0	2.41	0.15	
310	315	5	94.5	96.0	1.5	1.39	0.28	
315	320	5	96.0	97.5	1.5	1.39	0.41	
320	330	10	97.5	100.6	3.0	2.66	0.51	

From	To	Width	From	To	Width	Recovery (m)	RQD (m)	Comments
Feet			Meters					
330	335	5	100.6	102.1	1.5	1.46	0.69	
335	345	10	102.1	105.2	3.0	2.88	1.10	
345	355	10	105.2	108.2	3.0	2.92	2.29	
355	365	10	108.2	111.3	3.0	2.98	2.16	
365	370	5	111.3	112.8	1.5	1.47	0.81	
370	375	5	112.8	114.3	1.5	1.51	1.32	
375	380	5	114.3	115.8	1.5	1.48	1.23	
380	385	5	115.8	117.3	1.5	1.49	0.88	
385	390	5	117.3	118.9	1.5	1.47	0.59	
390	395	5	118.9	120.4	1.5	1.45	0.44	
395	400	5	120.4	121.9	1.5	1.52	1.12	
400	405	5	121.9	123.4	1.5	1.51	1.22	
405	410	5	123.4	125.0	1.5	1.52	0.24	
410	415	5	125.0	126.5	1.5	1.49	1.31	
415	420	5	126.5	128.0	1.5	1.44	0.32	
420	425	5	128.0	129.5	1.5	1.42	1.30	
425	430	5	129.5	131.1	1.5	1.48	1.44	
430	435	5	131.1	132.6	1.5	1.51	0.89	
435	440	5	132.6	134.1	1.5	1.50	1.15	
440	445	5	134.1	135.6	1.5	1.47	0.79	
445	450	5	135.6	137.2	1.5	1.49	0.28	
450	455	5	137.2	138.7	1.5	1.49	0.29	
455	460	5	138.7	140.2	1.5	1.41	0.71	
460	465	5	140.2	141.7	1.5	1.45	1.05	
465	470	5	141.7	143.3	1.5	1.42	0.68	
470	475	5	143.3	144.8	1.5	1.51	0.18	
475	480	5	144.8	146.3	1.5	1.44	0.99	
480	485	5	146.3	147.8	1.5	1.38	0.45	
485	490	5	147.8	149.4	1.5	1.24	0.00	
490	495	5	149.4	150.9	1.5	1.26	0.00	
495	500	5	150.9	152.4	1.5	1.30	0.45	
500	505	5	152.4	153.9	1.5	1.38	0.72	
505	510	5	153.9	155.4	1.5	1.41	0.94	
510	515	5	155.4	157.0	1.5	1.51	1.51	
515	520	5	157.0	158.5	1.5	1.47	1.03	
520	525	5	158.5	160.0	1.5	1.40	0.89	
525	530	5	160.0	161.5	1.5	1.43	0.81	
530	535	5	161.5	163.1	1.5	1.49	1.49	
535	540	5	163.1	164.6	1.5	1.50	1.45	
540	545	5	164.6	166.1	1.5	1.50	1.42	
545	550	5	166.1	167.6	1.5	1.52	1.48	

From	To	Width	From	To	Width	Recovery (m)	RQD (m)	Comments
Feet			Meters					
550	555	5	167.6	169.2	1.5	1.48	1.12	
555	560	5	169.2	170.7	1.5	1.47	1.18	
560	565	5	170.7	172.2	1.5	1.49	1.07	
565	570	5	172.2	173.7	1.5	1.48	1.48	
570	575	5	173.7	175.3	1.5	1.50	1.50	
575	580	5	175.3	176.8	1.5	1.53	1.53	
580	585	5	176.8	178.3	1.5	1.50	1.50	
585	590	5	178.3	179.8	1.5	1.49	1.49	
590	595	5	179.8	181.4	1.5	1.48	1.41	
595	600	5	181.4	182.9	1.5	1.48	1.35	
600	605	5	182.9	184.4	1.5	1.50	1.25	
605	610	5	184.4	185.9	1.5	1.52	1.52	
610	615	5	185.9	187.5	1.5	1.51	0.98	
615	620	5	187.5	189.0	1.5	1.46	0.62	
620	625	5	189.0	190.5	1.5	0.98	0.15	
625	630	5	190.5	192.0	1.5	1.01	0.00	
630	635	5	192.0	193.5	1.5	1.14	0.00	
635	640	5	193.5	195.1	1.5	1.11	0.00	
640	645	5	195.1	196.6	1.5	0.64	0.00	
645	650	5	196.6	198.1	1.5	1.29	0.51	
650	660	10	198.1	201.2	3.0	2.90	2.45	
660	670	10	201.2	204.2	3.0	2.55	1.24	
670	680	10	204.2	207.3	3.0	2.79	1.38	
680	690	10	207.3	210.3	3.0	2.96	0.69	
690	700	10	210.3	213.4	3.0	2.98	1.11	
700	710	10	213.4	216.4	3.0	3.05	2.09	
710	720	10	216.4	219.5	3.0	2.10	0.74	
720	730	10	219.5	222.5	3.0	3.02	2.24	
730	740	10	222.5	225.6	3.0	3.00	2.26	
740	745	5	225.6	227.1	1.5	1.42	0.15	
745	750	5	227.1	228.6	1.5	1.35	0.64	
750	755	5	228.6	230.1	1.5	1.36	0.93	
755	760	5	230.1	231.6	1.5	1.41	0.11	
760	765	5	231.6	233.2	1.5	1.42	0.29	
765	770	5	233.2	234.7	1.5	1.46	0.28	
770	780	10	234.7	237.7	3.0	2.96	0.85	
780	785	5	237.7	239.3	1.5	1.45	0.80	
785	790	5	239.3	240.8	1.5	1.35	0.26	
790	800	10	240.8	243.8	3.0	2.98	0.51	
800	810	10	243.8	246.9	3.0	3.00	1.59	EOH

From	To	Width	From	To	Width	Recovery	RQD (m)	Comments
Feet			Meters			(m)		
0	20	20	0.0	6.1	6.1	0.00	0.00	
20	30	10	6.1	9.1	3.0	2.06	0.12	
30	40	10	9.1	12.2	3.0	1.12	0.00	
40	50	10	12.2	15.2	3.0	0.80	0.00	
50	60	10	15.2	18.3	3.0	0.95	0.00	
60	65	5	18.3	19.8	1.5	1.21	0.12	
65	75	10	19.8	22.9	3.0	2.76	1.09	
75	80	5	22.9	24.4	1.5	1.30	0.00	
80	90	10	24.4	27.4	3.0	3.04	0.52	
90	100	10	27.4	30.5	3.0	3.02	1.16	
100	110	10	30.5	33.5	3.0	2.72	0.68	
110	125	15	33.5	38.1	4.6	4.20	0.24	
125	135	10	38.1	41.1	3.0	2.27	0.00	
135	140	5	41.1	42.7	1.5	1.10	0.00	
140	150	10	42.7	45.7	3.0	2.40	0.00	
150	160	10	45.7	48.8	3.0	2.30	0.00	
160	170	10	48.8	51.8	3.0	2.50	0.14	
170	180	10	51.8	54.9	3.0	2.45	0.29	
180	185	5	54.9	56.4	1.5	1.22	0.00	
185	190	5	56.4	57.9	1.5	1.14	0.22	
190	195	5	57.9	59.4	1.5	1.40	0.00	
195	205	10	59.4	62.5	3.0	2.65	1.10	
205	215	10	62.5	65.5	3.0	2.72	1.55	
215	220	5	65.5	67.1	1.5	0.90	0.00	
220	225	5	67.1	68.6	1.5	1.51	1.04	
225	235	10	68.6	71.6	3.0	2.63	1.58	
235	240	5	71.6	73.2	1.5	1.45	0.13	
240	250	10	73.2	76.2	3.0	2.82	1.03	
250	255	5	76.2	77.7	1.5	1.49	0.94	
255	260	5	77.7	79.2	1.5	1.08	0.00	
260	270	10	79.2	82.3	3.0	1.65	0.00	
270	275	5	82.3	83.8	1.5	1.29	0.56	
275	280	5	83.8	85.3	1.5	1.41	0.38	
280	290	10	85.3	88.4	3.0	2.72	1.97	
290	295	5	88.4	89.9	1.5	1.37	0.85	
295	300	5	89.9	91.4	1.5	1.35	0.28	
300	310	10	91.4	94.5	3.0	2.41	0.15	
310	315	5	94.5	96.0	1.5	1.39	0.28	
315	320	5	96.0	97.5	1.5	1.39	0.41	
320	330	10	97.5	100.6	3.0	2.66	0.51	

From	To	Width	From	To	Width	Recovery	RQD (m)	Comments
Feet			Meters			(m)		
330	335	5	100.6	102.1	1.5	1.46	0.69	
335	345	10	102.1	105.2	3.0	2.88	1.10	
345	355	10	105.2	108.2	3.0	2.92	2.29	
355	365	10	108.2	111.3	3.0	2.98	2.16	
365	370	5	111.3	112.8	1.5	1.47	0.81	
370	375	5	112.8	114.3	1.5	1.51	1.32	
375	380	5	114.3	115.8	1.5	1.48	1.23	
380	385	5	115.8	117.3	1.5	1.49	0.88	
385	390	5	117.3	118.9	1.5	1.47	0.59	
390	395	5	118.9	120.4	1.5	1.45	0.44	
395	400	5	120.4	121.9	1.5	1.52	1.12	
400	405	5	121.9	123.4	1.5	1.51	1.22	
405	410	5	123.4	125.0	1.5	1.52	0.24	
410	415	5	125.0	126.5	1.5	1.49	1.31	
415	420	5	126.5	128.0	1.5	1.44	0.32	
420	425	5	128.0	129.5	1.5	1.42	1.30	
425	430	5	129.5	131.1	1.5	1.48	1.44	
430	435	5	131.1	132.6	1.5	1.51	0.89	
435	440	5	132.6	134.1	1.5	1.50	1.15	
440	445	5	134.1	135.6	1.5	1.47	0.79	
445	450	5	135.6	137.2	1.5	1.49	0.28	
450	455	5	137.2	138.7	1.5	1.49	0.29	
455	460	5	138.7	140.2	1.5	1.41	0.71	
460	465	5	140.2	141.7	1.5	1.45	1.05	
465	470	5	141.7	143.3	1.5	1.42	0.68	
470	475	5	143.3	144.8	1.5	1.51	0.18	
475	480	5	144.8	146.3	1.5	1.44	0.99	
480	485	5	146.3	147.8	1.5	1.38	0.45	
485	490	5	147.8	149.4	1.5	1.24	0.00	
490	495	5	149.4	150.9	1.5	1.26	0.00	
495	500	5	150.9	152.4	1.5	1.30	0.45	
500	505	5	152.4	153.9	1.5	1.38	0.72	
505	510	5	153.9	155.4	1.5	1.41	0.94	
510	515	5	155.4	157.0	1.5	1.51	1.51	
515	520	5	157.0	158.5	1.5	1.47	1.03	
520	525	5	158.5	160.0	1.5	1.40	0.89	
525	530	5	160.0	161.5	1.5	1.43	0.81	
530	535	5	161.5	163.1	1.5	1.49	1.49	
535	540	5	163.1	164.6	1.5	1.50	1.45	
540	545	5	164.6	166.1	1.5	1.50	1.42	
545	550	5	166.1	167.6	1.5	1.52	1.48	

From	To	Width	From	To	Width	Recovery (m)	RQD (m)	Comments
Feet			Meters					
550	555	5	167.6	169.2	1.5	1.48	1.12	
555	560	5	169.2	170.7	1.5	1.47	1.18	
560	565	5	170.7	172.2	1.5	1.49	1.07	
565	570	5	172.2	173.7	1.5	1.48	1.48	
570	575	5	173.7	175.3	1.5	1.50	1.50	
575	580	5	175.3	176.8	1.5	1.53	1.53	
580	585	5	176.8	178.3	1.5	1.50	1.50	
585	590	5	178.3	179.8	1.5	1.49	1.49	
590	595	5	179.8	181.4	1.5	1.48	1.41	
595	600	5	181.4	182.9	1.5	1.48	1.35	
600	605	5	182.9	184.4	1.5	1.50	1.25	
605	610	5	184.4	185.9	1.5	1.52	1.52	
610	615	5	185.9	187.5	1.5	1.51	0.98	
615	620	5	187.5	189.0	1.5	1.46	0.62	
620	625	5	189.0	190.5	1.5	0.98	0.15	
625	630	5	190.5	192.0	1.5	1.01	0.00	
630	635	5	192.0	193.5	1.5	1.14	0.00	
635	640	5	193.5	195.1	1.5	1.11	0.00	
640	645	5	195.1	196.6	1.5	0.64	0.00	
645	650	5	196.6	198.1	1.5	1.29	0.51	
650	660	10	198.1	201.2	3.0	2.90	2.45	
660	670	10	201.2	204.2	3.0	2.55	1.24	
670	680	10	204.2	207.3	3.0	2.79	1.38	
680	690	10	207.3	210.3	3.0	2.96	0.69	
690	700	10	210.3	213.4	3.0	2.98	1.11	
700	710	10	213.4	216.4	3.0	3.05	2.09	
710	720	10	216.4	219.5	3.0	2.10	0.74	
720	730	10	219.5	222.5	3.0	3.02	2.24	
730	740	10	222.5	225.6	3.0	3.00	2.26	
740	745	5	225.6	227.1	1.5	1.42	0.15	
745	750	5	227.1	228.6	1.5	1.35	0.64	
750	755	5	228.6	230.1	1.5	1.36	0.93	
755	760	5	230.1	231.6	1.5	1.41	0.11	
760	765	5	231.6	233.2	1.5	1.42	0.29	
765	770	5	233.2	234.7	1.5	1.46	0.28	
770	780	10	234.7	237.7	3.0	2.96	0.85	
780	785	5	237.7	239.3	1.5	1.45	0.80	
785	790	5	239.3	240.8	1.5	1.35	0.26	
790	800	10	240.8	243.8	3.0	2.98	0.51	
800	810	10	243.8	246.9	3.0	3.00	1.59	EOH

Sample #	From (m)	To (m)	Width (m)	Comments
111756	6.1	9.1	3.0	
111757			0.0	
111758	9.1	12.2	3.1	
111759	12.2	15.2	3.1	
111760	15.2	18.3	3.1	
111761	18.3	21.0	2.7	
111762	21.0	23.0	2.0	
111763	23.0	25.0	2.0	
111764	25.0	27.0	2.0	
111765	27.0	29.0	2.0	
111766	29.0	31.0	2.0	
111767			0.0	
111768	31.0	33.0	2.0	
111769	33.0	35.0	2.0	
111770	35.0	37.0	2.0	
111771	37.0	39.0	2.0	
111772	39.0	41.0	2.0	
111773	41.0	45.0	4.0	
111774	45.0	47.0	2.0	
111775	47.0	49.0	2.0	
111776	49.0	51.0	2.0	
111777			0.0	
111778	51.0	53.0	2.0	
111779	53.0	55.0	2.0	
111780	55.0	57.0	2.0	
111781	57.0	59.0	2.0	
111782	59.0	61.0	2.0	
111783	61.0	63.0	2.0	
111784	63.0	65.0	2.0	
111785	65.0	67.0	2.0	
111786	67.0	69.0	2.0	
111787			0.0	
111788	69.0	71.0	2.0	
111789	71.0	73.0	2.0	
111790	73.0	75.0	2.0	
111791	75.0	77.0	2.0	
111792	77.0	79.0	2.0	
111793	79.0	82.3	3.3	
111794	82.3	83.8	1.5	
111795	83.8	85.3	1.5	
111796	85.3	87.3	2.0	
111797			0.0	

Sample #	From (m)	To (m)	Width (m)	Comments
111798	87.3	89.3	2.0	
111799	89.3	91.4	2.1	
111800	91.4	94.5	3.1	
111801	94.5	96.5	2.0	
111802	96.5	98.5	2.0	
111803	98.5	100.5	2.0	
111804	100.5	102.5	2.0	
111805	102.5	104.5	2.0	
111806	104.5	106.5	2.0	
111807			0.0	
111808	106.5	108.5	2.0	
111809	108.5	110.5	2.0	
111810	110.5	112.5	2.0	
111811	112.5	114.5	2.0	
111812	114.5	116.5	2.0	
111813	116.5	118.5	2.0	
111814	118.5	120.5	2.0	
111815	120.5	122.5	2.0	
111816	122.5	124.5	2.0	
111817			0.0	
111818	124.5	126.5	2.0	
111819	126.5	128.5	2.0	
111820	128.5	130.5	2.0	
111821	130.5	132.5	2.0	
111822	132.5	134.5	2.0	
111823	134.5	136.5	2.0	
111824	136.5	138.5	2.0	
111825	138.5	140.5	2.0	
111826	140.5	142.5	2.0	
111827			0.0	
111828	142.5	144.5	2.0	
111829	144.5	146.5	2.0	
111830	146.5	148.5	2.0	
111831	148.5	150.5	2.0	
111832	150.5	152.5	2.0	
111833	152.5	154.5	2.0	
111834	154.5	156.5	2.0	
111835	156.5	158.5	2.0	
111836	158.5	160.5	2.0	
111837			0.0	
111838	160.5	162.5	2.0	
111839	162.5	164.5	2.0	

Sample #	From (m)	To (m)	Width (m)	Comments
111840	164.5	166.5	2.0	
111841	166.5	168.5	2.0	
111842	168.5	169.8	1.3	
111843	169.8	171.9	2.1	
111844	171.9	174.0	2.1	
111845	174.0	176.0	2.0	
111846	176.0	178.0	2.0	
111847			0.0	
111848	178.0	180.0	2.0	
111849	180.0	182.0	2.0	
111850	182.0	184.0	2.0	
111851	184.0	186.0	2.0	
111852	186.0	188.0	2.0	
111853	188.0	190.0	2.0	
111854	190.0	192.0	2.0	
111855	192.0	194.0	2.0	
111856	194.0	196.6	2.6	
111857			0.0	
111858	196.6	198.6	2.0	
111859	198.6	200.6	2.0	
111860	200.6	202.6	2.0	
111861	202.6	204.6	2.0	
111862	204.6	206.6	2.0	
111863	206.6	208.6	2.0	
111864	208.6	210.6	2.0	
111865	210.6	212.6	2.0	
111866	212.6	214.6	2.0	
111867			0.0	
111868	214.6	216.6	2.0	
111869	216.6	219.5	2.9	
111870	219.5	221.5	2.0	
111871	221.5	223.5	2.0	
111872	223.5	225.5	2.0	
111873	225.5	227.5	2.0	
111874	227.5	229.5	2.0	
111875	229.5	232.0	2.5	
111876	232.0	234.5	2.5	
111877			0.0	
111878	234.5	237.0	2.5	
111879	237.0	239.5	2.5	
111880	239.5	242.0	2.5	
111881	242.0	244.5	2.5	

TT-106

Sample #	From (m)	To (m)	Width (m)	Comments
111882	244.5	246.9	2.4	

DAWSON GOLD CORP			Core Log Data Sheet	
Project: Toro			Hole No.: TT-107	Total Depth: 204.2m
Dip: -60		Azimuth: 170	Logged By: SHH	
Northing: 6940200		Easting: 348824	Contractor: Kluane Drilling	
Elevation: 793 m		Core Size: NTW	Start Date: 19-Sep-10	
Note: Drilling measured in feet and converted to meters in log			Completion Date: 24-Sep-10	
From (m)	To (m)	Width	Description	
0.00	26.40	26.40	Oxidized quartz feldspar porphyry. Porphoblasts 1-4 mm, 15-25% quartz, 20-30% feldspar. Highly weathered sections have maganese + limonate pervasive throughout. Veinlets of gypsum (barite? calcite?) 1-3mm in width. Gypsum crystals (and manganese + limonite) present on some fractured surfaces. Manganese displays dendritic texture along some veinlets. Highly fractured with some localized zones of fault gouge. Pyrite dessimation 2-3%. 19.8-21.0m gouge zone with intense oxidation.	
26.40	32.30	5.90	Highly oxidized quartz feldspar porphyry. Highly fractured with areas of fault gouge. Limonate staining throughout. Porphoblasts 1-4mm, quartz 10-20%, feldspar 20-30%. Veinlets of gypsum 1-3mm in width. Pyrite desimation <1% but increasing to 1-2% near the end of the section.	
32.30	40.00	7.70	Oxidized quartz feldspar porphyry. Porphoblasts 1-4mm, 15-25% quartz, 25-35% feldspar. Veinlets of gypsum 1-3mm width. Manganese + limonate present along some fractures, with dendritic texture along some veinlets. Manganese staining more intense at top of section from 32.3-35.0m. Localized sections of fault gouge with intense limonite staining 36.4-36.8m. Pyrite dissemination 2-4%.	
40.00	50.50	10.50	Light grey quartz feldspar porphyry with sections of oxidation. Quartz, round-subrounded, 2-4mm, 10-15%. Feldspar grains euhedral-subhedral, 1-4mm, 10-20%. (Matrix has a higher percentage of silica?) Limonate staining along fractures. Manganese present along fracture surface. Fracturing present but less intense than above (more oxidized/weathered) zones. Pyrite dissemination 2-4% with some blebs. Zone of more intense alteration/oxidation and fracturing/gouge 46.5-47.1 with minor calcite in fracture.	
50.50	57.80	7.30	Light grey quartz feldspar porphyry. Highly fractured wih oxidation present along fractures. Quartz sub-rounded, 2-4mm, 15-25%, Feldspar grains subhedral, 1-5mm, 25-35%. Pyrite dissemination 3-5% as specs with some minor blebs and stringers. 20cm minor gouge zone with 5-7% pyrite dissemination at 53.0m.	
57.80	63.70	5.90	Light grey quartz feldspar porphyry with some brecciation. Quartz subround, 1-4mm, 10-20%. Feldspar euhedral, 2-4mm, 20-30%. Pyrite as specs 2-4% but also present along fractures (stringers) and as blebs <1%. Porphyritic texture not as pronounced as above sections. Brecciated sections also have soft gouge. Calcite stringers 1-2mm, <1%.	

From (m)	To (m)	Width	Description
63.70	67.20	3.50	Light grey quartz feldspar porphyry with fault gouge mottled texture. Quartz and feldspar grain shape, size and percentage same as above.
67.20	71.90	4.70	Light grey quartz feldspar porphyry with some brecciation. Quartz subround, 1-4mm, 10-20%. Feldspar euhedral, 2-4mm, 20-30%. Pyrite as specs 2-6%, and also present as blebs and stringers. Sections 67.2-67.6m and 68.3-68.7m have small pyrite stringers (1mm width and 2-10mm length) pervasive through core.
71.90	72.10	0.20	Fault gouge.
72.10	99.50	27.40	Light grey quartz feldspar porphyry. Quartz subrounded, 1-4mm, 10-20%. Feldspar euhedral to sub-hedral, 1-4mm, 20-30%, with some euhedral porphoblasts 5-6mm. Pyrite disseminated as specs 2-6% and also 1-3mm blebs (altered biotite?). <1% blebs of pyrite 5-7mm. Pyrite veinlets 1-2mm width throughout section <2%. Minor calcite (gypsum?) stringers (<1%). Greenish hue in some sections. Minor chlorite. Fracturing less intense than oxidized section above but still present. 10-30 cm sections of fault gouge at various intervals throughout section.
99.50	116.10	16.60	Grey quartz feldspar porphyry with some brecciation. Quartz rounded to sub-round, 1-4mm, 20-30%. Feldspar euhedral to subhedral, 1-4mm, 25-35%, with some euhedral porphoblasts 5-6mm, <2%. Some breccia? clasts? 5-10mm, <1%. Minor chlorite <1%. Pyrite dissemination as specs 2-5%. Pyrite veinlets 1-3mm width, <3%. Calcite (gypsum?) stringers 2-3mm, <1%. Fault gouge at 103.0, 20cm. Highly fractured 104.4-106.7. Fault gouge at 107.4 (20cm), 108.7 (10cm), 109.7 (20cm), 112.8 (10cm), 114.0 (10cm), 114.5 (10cm), 115 (10cm), 115.6 (10cm).
116.10	118.00	1.90	Section of intense fault gouge of above material. Highly fractured (brecciation?) and clay-like sections. Pyrite present as above in specs, blebs and stringers.
118.00	124.00	6.00	Light grey quartz feldspar porphyry. Quartz subrounded, 1-4mm, 15-25%. Feldspar euhedral to sub-hedral, 1-4mm, 20-30%. Highly fractured throughout section with some areas of fault gouge. Pyrite disseminated as specs 2-6% and also 1-3mm blebs (altered biotite?). Some larger blebs of pyrite with gradational green aureal within (chlorite alteration?). Fault gouge at 120.5 (20cm), 122.7 (20cm), 123.2 (10cm).
124.00	131.70	7.70	Fault gouge (brecciated) section. Areas of more competent core as above porphyry composition but highly fractured. Some larger blebs of pyrite 5-10cm (<1%).
131.70	141.20	9.50	Light grey quartz feldspar porphyry. Quartz subrounded, 1-4mm, 20-30%. Bleached paler colour= increase in quartz +feldspar and decrease in pyrite? Some larger phenocrysts/phorophoblasts of quartz 5-7mm, 1-2%. Feldspar subhedral, 1-4mm, 20-30%. Veinlets of calcite 1-4mm, <1%. Pyrite disseminated as specs 2-5%, blebs (2-3%) and veinlets (<2%). Some 10-14cm rounded exotic clasts (orthoclase) with aureal on outside edge and specs of pyrite within these larger clasts. Increase in pyrite dissemination at fault gouge areas. Fault gouge at 138.5 (20cm).

From (m)	To (m)	Width	Description
141.20	157.60	16.40	Grey quartz feldspar porphyry. Quartz subrounded, 1-4mm, 15-20%. Feldspar euhedral to subhedral, 1-4mm, 25-35%. Groundmass is darker. Prophyry is "fresher" looking and harder than above sections (silicification or increased quartz in matrix?). Exotic clasts 5-15mm, 1%. Pyrite dissemination 2-3% as specs, 1-2 % blebs. Veinlets of pyrite 1-3mm have darker (blue) aureals (1-3mm width) and increase in abundance starting at 150m. Minor chlorite (<1%). Minor biotite. Calcite (gypsum) stringers 1mm, <1%.
157.60	189.00	31.40	Faulted and gouged quartz feldspar porphyry. Core is claylike and fractured throughout most of the section. Some competent sections of the quartz feldspar porphyry with composition as above. Calcite veinlets 1-5mm, <2%. 170.3-170.6 has brown tone (increased orthoclase in matrix?) and is harder than the rest of the section. this brown tone starts again at 173.2 for 20cm. 173.6- 174.8 zone of more competent core. 175.6-177.9 section of brown tone. 181.6-181.7 (20cm) zone of darker matrix and increased hardness (silicification?).
189.00	204.20	15.20	Light grey quartz feldspar porphyry. Quartz subrounded, 1-4mm, 15-20%. Feldspar euhedral to subhedral, 1-4mm, 25-35%. Highly fractured. Some sections have bleached appearance where core is more competent (possible silicification. Pyrite dissemination as specs, blebs (2-5mm) and veinlets (1-3mm), 2-3%.Some sheared sections with chlorite. Brown tone 198.5-198.8. Calcite (gypsum) stringers 1mm (<1%).

From	To	Width	From	To	Width	Recovery (m)	RQD (m)	Comments
Feet			Meters					
10	20	10	3.1	6.1	3.0	0.01	0.00	
20	30	10	6.1	9.1	3.0	1.88	0.00	
30	40	10	9.1	12.2	3.1	2.57	1.53	
40	50	10	12.2	15.2	3.0	3.05	2.03	
50	60	10	15.2	18.3	3.1	2.73	1.67	
60	70	10	18.3	21.4	3.1	2.17	0.94	
70	80	10	21.4	24.4	3.0	2.87	2.14	
80	90	10	24.4	27.4	3.0	3.20	2.14	
90	100	10	27.4	30.5	3.1	2.82	0.86	
100	110	10	30.5	33.5	3.0	2.70	1.22	
110	120	10	33.5	36.6	3.1	2.75	0.88	
120	130	10	36.6	39.6	3.0	3.04	1.55	
130	140	10	39.6	42.7	3.1	3.03	1.90	
140	145	5	42.7	44.2	1.5	1.53	0.80	
145	155	10	44.2	47.2	3.0	2.82	1.71	
155	160	5	47.2	48.8	1.6	1.50	0.79	
160	170	10	48.8	51.8	3.0	3.02	2.27	
170	180	10	51.8	54.9	3.1	2.80	0.59	
180	185	5	54.9	56.4	1.5	1.10	0.00	
185	190	5	56.4	57.9	1.5	1.25	0.20	
190	200	10	57.9	61.0	3.1	3.00	1.17	
200	210	10	61.0	64.0	3.0	2.86	0.15	
210	220	10	64.0	67.1	3.1	2.73	1.17	
220	230	10	67.1	70.1	3.0	3.20	1.90	
230	235	5	70.1	71.6	1.5	1.30	0.25	
235	245	10	71.6	74.7	3.1	3.03	2.05	
245	255	10	74.7	77.7	3.0	2.88	1.60	
255	260	5	77.7	79.3	1.6	1.55	0.63	
260	265	5	79.3	80.8	1.5	1.40	0.30	
265	270	5	80.8	82.3	1.5	1.40	0.30	
270	275	5	82.3	83.8	1.5	1.30	0.31	
275	280	5	83.8	85.3	1.5	1.02	0.00	
280	285	5	85.3	86.9	1.6	1.00	0.40	
285	295	10	86.9	89.9	3.0	2.52	1.10	
295	300	5	89.9	91.4	1.5	1.20	0.25	
300	305	5	91.4	93.0	1.6	1.36	0.30	
305	310	5	93.0	94.5	1.5	1.20	0.13	
310	320	10	94.5	97.5	3.0	2.69	0.88	
320	325	5	97.5	99.1	1.6	1.10	0.00	
325	335	10	99.1	102.1	3.0	2.63	1.36	

From	To	Width	From	To	Width	Recovery	RQD (m)	Comments
Feet			Meters			(m)		
335	345	10	102.1	105.2	3.1	2.50	1.55	
345	350	5	105.2	106.7	1.5	0.95	0.00	
350	360	10	106.7	109.7	3.0	2.84	0.58	
360	370	10	109.7	112.8	3.1	2.83	0.50	
370	380	10	112.8	115.8	3.0	3.06	0.91	
380	385	5	115.8	117.3	1.5	1.50	0.19	
385	390	5	117.3	118.9	1.6	1.08	0.10	
390	400	10	118.9	122.0	3.1	2.68	0.53	
400	405	5	122.0	123.4	1.4	1.33	0.12	
405	415	10	123.4	126.5	3.1	2.43	0.48	
415	420	5	126.5	128.0	1.5	1.40	1.28	
420	430	10	128.0	131.1	3.1	2.70	0.42	
430	440	10	131.1	134.1	3.0	2.70	1.20	
440	445	5	134.1	135.6	1.5	1.10	0.31	
445	450	5	135.6	137.2	1.6	1.38	0.20	
450	455	5	137.2	138.7	1.5	1.27	0.57	
455	460	5	138.7	140.2	1.5	1.38	0.41	
460	470	10	140.2	143.3	3.1	3.10	2.05	
470	475	5	143.3	144.8	1.5	1.20	0.13	
475	480	5	144.8	146.3	1.5	1.05	0.14	
480	485	5	146.3	147.8	1.5	1.27	0.52	
485	490	5	147.8	149.4	1.6	1.25	0.52	
490	500	10	149.4	152.4	3.0	3.18	1.80	
500	510	10	152.4	155.4	3.0	2.98	2.06	
510	520	10	155.4	158.5	3.1	2.56	0.45	
520	530	10	158.5	161.5	3.0	2.58	0.48	
530	540	10	161.5	164.6	3.1	2.97	0.50	
540	550	10	164.6	167.6	3.0	2.82	0.00	
550	559	9	167.6	170.3	2.7	2.84	0.64	
559	570	11	170.3	173.7	3.4	2.80	0.13	
570	580	10	173.7	176.8	3.1	2.96	1.78	
580	590	10	176.8	179.8	3.0	3.02	1.72	
590	600	10	179.8	182.9	3.1	3.00	0.95	
600	610	10	182.9	185.9	3.0	2.96	1.28	
610	620	10	185.9	189.0	3.1	2.85	0.95	
620	630	10	189.0	192.0	3.0	2.76	0.68	
630	635	5	192.0	193.5	1.5	1.54	1.44	
635	645	10	193.5	196.6	3.1	2.94	1.33	
645	650	5	196.6	198.1	1.5	1.25	0.27	
650	655	5	198.1	199.6	1.5	1.45	0.63	
655	660	5	199.6	201.2	1.6	1.30	0.00	

From	To	Width	From	To	Width	Recovery (m)	RQD (m)	Comments
Feet			Meters					
660	670	10	201.2	204.2	3.0	2.81	1.07	EOH

Sample #	From (m)	To (m)	Width (m)	Comments
112501	3.1	6.1	3.0	
112502	6.1	9.1	3.0	
112503	9.1	12.2	3.1	
112504	12.2	13.7	1.5	
112505	13.7	15.2	1.5	
112506	15.2	16.8	1.6	
112507			0.0	
112508	16.8	18.3	1.5	
112509	18.3	19.8	1.5	
112510	19.8	21.3	1.5	
112511	21.3	22.8	1.5	
112512	22.8	24.4	1.6	
112513	24.4	26.4	2.0	
112514	26.4	27.4	1.0	
112515	27.4	28.9	1.5	
112516	28.9	30.5	1.6	
112517			0.0	
112518	30.5	32.3	1.8	
112519	32.3	33.5	1.2	
112520	33.5	35.0	1.5	
112521	35.0	36.6	1.6	
112522	36.6	38.1	1.5	
112523	38.1	40.0	1.9	
112524	40.0	41.4	1.4	
112525	41.4	42.7	1.3	
112526	42.7	44.2	1.5	
112527			0.0	
112528	44.2	45.7	1.5	
112529	45.7	47.2	1.5	
112530	47.2	48.8	1.6	
112531	48.8	50.5	1.7	
112532	50.5	51.8	1.3	
112533	51.8	53.3	1.5	
112534	53.3	54.9	1.6	
112535	54.9	56.4	1.5	
112536	56.4	57.8	1.4	
112537			0.0	
112538	57.8	59.6	1.8	
112539	59.6	61.0	1.4	
112540	61.0	62.5	1.5	
112541	62.5	63.7	1.2	
112542	63.7	65.5	1.8	

Sample #	From (m)	To (m)	Width (m)	Comments
112543	65.5	67.1	1.6	
112544	67.1	68.6	1.5	
112545	68.6	70.1	1.5	
112546	70.1	72.1	2.0	
112547			0.0	
112548	72.1	73.1	1.0	
112549	73.1	74.7	1.6	
112550	74.7	76.2	1.5	
112551	76.2	77.7	1.5	
112552	77.7	79.3	1.6	
112553	79.3	80.8	1.5	
112554	80.8	82.3	1.5	
112555	82.3	83.8	1.5	
112556	83.8	85.3	1.5	
112557			0.0	
112558	85.3	86.9	1.6	
112559	86.9	88.4	1.5	
112560	88.4	89.9	1.5	
112561	89.9	91.4	1.5	
112562	91.4	93.0	1.6	
112563	93.0	94.5	1.5	
112564	94.5	96.0	1.5	
112565	96.0	97.5	1.5	
112566	97.5	99.1	1.6	
112567			0.0	
112568	99.1	100.6	1.5	
112569	100.6	102.1	1.5	
112570	102.1	103.6	1.5	
112571	103.6	105.2	1.6	
112572	105.2	106.7	1.5	
112573	106.7	108.2	1.5	
112574	108.2	109.7	1.5	
112575	109.7	111.2	1.5	
112576	111.2	112.8	1.6	
112577			0.0	
112578	112.8	114.5	1.7	
112579	114.5	116.1	1.6	
112580	116.1	118.0	1.9	
112581	118.0	118.9	0.9	
112582	118.9	120.4	1.5	
112583	120.4	122.0	1.6	
112584	122.0	123.4	1.4	

Sample #	From (m)	To (m)	Width (m)	Comments
112585	123.4	124.9	1.5	
112586	124.9	126.5	1.6	
112587			0.0	
112588	126.5	128.0	1.5	
112589	128.0	129.5	1.5	
112590	129.5	131.1	1.6	
112591	131.1	132.6	1.5	
112592	132.6	134.1	1.5	
112593	134.1	135.6	1.5	
112594	135.6	137.2	1.6	
112595	137.2	138.7	1.5	
112596	138.7	140.2	1.5	
112597			0.0	
112598	140.2	141.7	1.5	
112599	141.7	143.3	1.6	
112600	143.3	144.8	1.5	
112601	144.8	146.3	1.5	
112602	146.3	147.8	1.5	
112603	147.8	149.4	1.6	
112604	149.4	150.9	1.5	
112605	150.9	152.4	1.5	
112606	152.4	153.9	1.5	
112607			0.0	
112608	153.9	155.4	1.5	
112609	155.4	156.9	1.5	
112610	156.9	158.5	1.6	
112611	158.5	160.0	1.5	
112612	160.0	161.5	1.5	
112613	161.5	163.0	1.5	
112614	163.0	164.6	1.6	
112615	164.6	166.1	1.5	
112616	166.1	167.6	1.5	
112617			0.0	
112618	167.6	169.1	1.5	
112619	169.1	170.7	1.6	
112620	170.7	172.2	1.5	
112621	172.2	173.7	1.5	
112622	173.7	175.2	1.5	
112623	175.2	176.8	1.6	
112624	176.8	178.3	1.5	
112625	178.3	179.8	1.5	
112626	179.8	181.3	1.5	

Sample #	From (m)	To (m)	Width (m)	Comments
112627			0.0	
112628	181.3	182.9	1.6	
112629	182.9	184.4	1.5	
112630	184.4	185.9	1.5	
112631	185.9	187.4	1.5	
112632	187.4	189.0	1.6	
112633	189.0	190.5	1.5	
112634	190.5	192.0	1.5	
112635	192.0	193.5	1.5	
112636	193.5	195.0	1.5	
112637			0.0	
112638	195.0	196.6	1.6	
112639	196.6	198.1	1.5	
112640	198.1	199.6	1.5	
112641	199.6	201.2	1.6	
112642	201.2	202.7	1.5	
112643	202.7	204.2	1.5	EOH

DAWSON GOLD CORP			Core Log Data Sheet
Project: Toro			Hole No.: TT-108 Total Depth: 97.5m
Dip: -60		Azimuth: 270	Logged By: SHH
Northing: 6940365		Easting: 348930	Contractor: Kluane Drilling
Elevation: 785 m		Core Size: NTW	Start Date: 24-Sep-10
Note: Drilling measured in feet and converted to meters in log			Completion Date: 29-Sep-10
From (m)	To (m)	Width	Description
0.00	3.05	3.05	Overburden
1.00	13.50	12.50	Oxidized light grey quartz feldspar porphyry. Quartz subround, 1-4mm, 15-20%. Feldspar subhedral, 1-4mm, 25-35%. Intensity of oxidation decreasing to end of section. Veinlets of gypsum (barite?) 1-2mm, <1%. Pyrite dissemination as specs and blebs 1-2mm, 2-3%. Core is highly fractured and broken.
2.00	26.00	24.00	Light grey quartz feldspar porphyry. Bleached. Quartz subround, 1-4mm, 15-20%. Feldspar euhedral to subhedral, 1-4mm, 20-30%. Matrix is beige (and bleached?). Pyrite dissemination as specs and blebs 1-2%. Core is very fractured and broken. Many sections of gouge that have claylike consistency and have darker colouring.
3.00	33.00	30.00	Light grey quartz feldspar porphyry as above but with increasing chlorite alteration. Lesser amount of pyrite dissemination. Core is highly fractured but has none of the dark gouge zones as in the above section. Minor pyrite and gypsum (barite?) veinlets.
4.00	40.60	36.60	Light grey quartz feldspar porphyry. Quartz subround, 1-4mm, 15-20%. Feldspar euhedral to subhedral, 1-4mm, 20-30%. Less chlorite than above section. Pyrite dissemination 1-2% as specs and blebs. Core is highly fractured. Gouge zone 37.5-38.7.
5.00	79.90	74.90	Light grey quartz feldspar porphyry as above but with increase in chlorite alteration (darker matrix) in some sections. Core is faulted and brecciated with some sections soft and claylike. Minor areas of more competent core where porphyritic texture is apparent but with "bleached" tone. Pyrite dissemination in the competent core as specs and blebs <2%. Mafic (pyrite) veinlets <1%. Fault gouge with areas of brecciation in the gouge 56.8-64.2. Sand (40cm) between 71.6-73.2m - very poor recovery. Minor oxidation (limonite staining) 74.4-77.6.
6.00	85.80	79.80	Light grey quartz feldspar porphyry as above but with increase in chlorite alteration throughout section. Section is fractured and broken core with fault gouge. Some gouge has brecciation texture. Veinlets of gypsum (barite) <1%. Veinlets of pyrite(?) (mafic) <2%.
7.00	88.00	81.00	Light grey quartz feldspar porphyry. Quartz subround, 1-4mm, 15-20%. Feldspar euhedral to subhedral, 1-4mm, 20-30%. Pyrite dissemination as specs and blebs 1-2%. Less fracturing than above sections of similar litho.
8.00	89.00	81.00	Fault gouge

From (m)	To (m)	Width	Description
9.00	92.00	83.00	Light grey quartz feldspar porphyry (same as above sections but broken and fractured core with less bleached tone and minor chlorite). Also some minor (10cm) gouge zones.
10.00	93.50	83.50	Fault gouge. Gouge has brecciation within clay material.
11.00	97.50	86.50	Light grey quartz feldspar porphyry. 93.5-95.4 is broken and fractured with minor gouge/clay sections. 95.4 to EOH is fractured but has no gouge sections, and increased silicification. EOH

From	To	Width	From	To	Width	Recovery	RQD (m)	Comments
Feet			Meters			(m)		
0	10	10	0.0	3.1	3.1	0.30	0.00	
10	20	10	3.1	6.1	3.0	0.60	0.00	
20	25	5	6.1	7.6	1.5	0.20	0.00	
25	35	10	7.6	10.7	3.1	0.35	0.20	
35	45	10	10.7	13.7	3.0	0.75	0.00	
45	55	10	13.7	16.8	3.1	1.04	0.00	
55	60	5	16.8	18.3	1.5	0.70	0.00	
60	70	10	18.3	21.3	3.0	0.80	0.00	
70	80	10	21.3	24.4	3.1	2.20	0.45	
80	85	5	24.4	25.9	1.5	0.35	0.00	
85	90	5	25.9	27.4	1.5	0.90	0.17	
90	95	5	27.4	29.0	1.6	1.20	0.13	
95	100	5	29.0	30.5	1.5	1.17	0.12	
100	105	5	30.5	32.0	1.5	1.50	0.30	
105	110	5	32.0	33.5	1.5	1.26	0.21	
110	120	10	33.5	36.6	3.1	1.85	0.30	
120	130	10	36.6	39.6	3.0	1.80	0.00	
130	135	5	39.6	41.2	1.5	1.02	0.00	
135	140	5	41.2	42.7	1.5	1.10	0.00	
140	145	5	42.7	44.2	1.5	0.95	0.00	
145	155	10	44.2	47.2	3.0	1.70	0.00	
155	160	5	47.2	48.8	1.5	0.90	0.00	
160	165	5	48.8	50.3	1.5	0.86	0.00	
165	170	5	50.3	51.8	1.5	0.82	0.00	
170	175	5	51.8	53.3	1.5	0.83	0.00	
175	185	10	53.3	56.4	3.1	2.44	0.00	
185	195	10	56.4	59.4	3.1	2.83	0.00	
195	200	5	59.4	61.0	1.5	1.18	0.00	
200	210	10	61.0	64.0	3.1	2.66	0.00	
210	215	5	64.0	65.5	1.5	1.25	0.00	
215	225	10	65.5	68.6	3.1	2.20	0.00	
225	235	10	68.6	71.6	3.0	2.20	0.11	
235	240	5	71.6	73.2	1.6	0.60	0.00	
240	245	5	73.2	74.7	1.5	1.01	0.12	
245	255	10	74.7	77.7	3.0	1.35	0.10	
255	265	10	77.7	80.8	3.1	2.32	0.00	
265	275	10	80.8	83.8	3.0	2.77	0.00	
275	280	5	83.8	85.3	1.5	1.47	0.10	
280	290	10	85.3	88.4	3.1	2.35	0.84	
290	295	5	88.4	89.9	1.5	1.43	0.32	

From	To	Width	From	To	Width	Recovery (m)	RQD (m)	Comments
Feet			Meters					
295	305	10	89.9	93.0	3.1	2.73	0.29	
305	310	5	93.0	94.5	1.5	1.22	0.00	
310	315	5	94.5	96.0	1.5	1.44	0.27	
315	320	5	96.0	97.5	1.5	1.25	0.00	EOH

Sample #	From (m)	To (m)	Width (m)	Comments
112501	3.1	6.1	3.0	
112502	6.1	9.1	3.0	
112503	9.1	12.2	3.1	
112504	12.2	13.7	1.5	
112505	13.7	15.2	1.5	
112506	15.2	16.8	1.6	
112507			0.0	
112508	16.8	18.3	1.5	
112509	18.3	19.8	1.5	
112510	19.8	21.3	1.5	
112511	21.3	22.8	1.5	
112512	22.8	24.4	1.6	
112513	24.4	26.4	2.0	
112514	26.4	27.4	1.0	
112515	27.4	28.9	1.5	
112516	28.9	30.5	1.6	
112517			0.0	
112518	30.5	32.3	1.8	
112519	32.3	33.5	1.2	
112520	33.5	35.0	1.5	
112521	35.0	36.6	1.6	
112522	36.6	38.1	1.5	
112523	38.1	40.0	1.9	
112524	40.0	41.4	1.4	
112525	41.4	42.7	1.3	
112526	42.7	44.2	1.5	
112527			0.0	
112528	44.2	45.7	1.5	
112529	45.7	47.2	1.5	
112530	47.2	48.8	1.6	
112531	48.8	50.5	1.7	
112532	50.5	51.8	1.3	
112533	51.8	53.3	1.5	
112534	53.3	54.9	1.6	
112535	54.9	56.4	1.5	
112536	56.4	57.8	1.4	
112537			0.0	
112538	57.8	59.6	1.8	
112539	59.6	61.0	1.4	
112540	61.0	62.5	1.5	
112541	62.5	63.7	1.2	
112542	63.7	65.5	1.8	

Sample #	From (m)	To (m)	Width (m)	Comments
112543	65.5	67.1	1.6	
112544	67.1	68.6	1.5	
112545	68.6	70.1	1.5	
112546	70.1	72.1	2.0	
112547			0.0	
112548	72.1	73.1	1.0	
112549	73.1	74.7	1.6	
112550	74.7	76.2	1.5	
112551	76.2	77.7	1.5	
112552	77.7	79.3	1.6	
112553	79.3	80.8	1.5	
112554	80.8	82.3	1.5	
112555	82.3	83.8	1.5	
112556	83.8	85.3	1.5	
112557			0.0	
112558	85.3	86.9	1.6	
112559	86.9	88.4	1.5	
112560	88.4	89.9	1.5	
112561	89.9	91.4	1.5	
112562	91.4	93.0	1.6	
112563	93.0	94.5	1.5	
112564	94.5	96.0	1.5	
112565	96.0	97.5	1.5	
112566	97.5	99.1	1.6	
112567			0.0	
112568	99.1	100.6	1.5	
112569	100.6	102.1	1.5	
112570	102.1	103.6	1.5	
112571	103.6	105.2	1.6	
112572	105.2	106.7	1.5	
112573	106.7	108.2	1.5	
112574	108.2	109.7	1.5	
112575	109.7	111.2	1.5	
112576	111.2	112.8	1.6	
112577			0.0	
112578	112.8	114.5	1.7	
112579	114.5	116.1	1.6	
112580	116.1	118.0	1.9	
112581	118.0	118.9	0.9	
112582	118.9	120.4	1.5	
112583	120.4	122.0	1.6	
112584	122.0	123.4	1.4	

Sample #	From (m)	To (m)	Width (m)	Comments
112585	123.4	124.9	1.5	
112586	124.9	126.5	1.6	
112587			0.0	
112588	126.5	128.0	1.5	
112589	128.0	129.5	1.5	
112590	129.5	131.1	1.6	
112591	131.1	132.6	1.5	
112592	132.6	134.1	1.5	
112593	134.1	135.6	1.5	
112594	135.6	137.2	1.6	
112595	137.2	138.7	1.5	
112596	138.7	140.2	1.5	
112597			0.0	
112598	140.2	141.7	1.5	
112599	141.7	143.3	1.6	
112600	143.3	144.8	1.5	
112601	144.8	146.3	1.5	
112602	146.3	147.8	1.5	
112603	147.8	149.4	1.6	
112604	149.4	150.9	1.5	
112605	150.9	152.4	1.5	
112606	152.4	153.9	1.5	
112607			0.0	
112608	153.9	155.4	1.5	
112609	155.4	156.9	1.5	
112610	156.9	158.5	1.6	
112611	158.5	160.0	1.5	
112612	160.0	161.5	1.5	
112613	161.5	163.0	1.5	
112614	163.0	164.6	1.6	
112615	164.6	166.1	1.5	
112616	166.1	167.6	1.5	
112617			0.0	
112618	167.6	169.1	1.5	
112619	169.1	170.7	1.6	
112620	170.7	172.2	1.5	
112621	172.2	173.7	1.5	
112622	173.7	175.2	1.5	
112623	175.2	176.8	1.6	
112624	176.8	178.3	1.5	
112625	178.3	179.8	1.5	
112626	179.8	181.3	1.5	

Sample #	From (m)	To (m)	Width (m)	Comments
112627			0.0	
112628	181.3	182.9	1.6	
112629	182.9	184.4	1.5	
112630	184.4	185.9	1.5	
112631	185.9	187.4	1.5	
112632	187.4	189.0	1.6	
112633	189.0	190.5	1.5	
112634	190.5	192.0	1.5	
112635	192.0	193.5	1.5	
112636	193.5	195.0	1.5	
112637			0.0	
112638	195.0	196.6	1.6	
112639	196.6	198.1	1.5	
112640	198.1	199.6	1.5	
112641	199.6	201.2	1.6	
112642	201.2	202.7	1.5	
112643	202.7	204.2	1.5	EOH



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: August 23, 2010
Report Date: September 02, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI10000302.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID:
P.O. Number
Number of Samples: 8

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	8	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B01	8	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX2	8	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 02, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

WHI10000302.1

Method	WGHT	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
08-16-J1	Rock	2.43	5	0.7	28.4	2.8	48	<0.1	11.8	2.1	56	1.38	29.7	0.8	2.5	3.5	3	<0.1	2.4	0.1	18
08-16-J2	Rock	0.84	<2	13.9	20.2	5.0	287	<0.1	39.7	2.3	58	1.04	29.5	0.8	<0.5	1.7	6	0.4	3.9	0.2	11
08-16-J3	Rock	0.49	<2	0.3	1.2	10.9	28	<0.1	2.2	0.8	94	0.35	2.0	3.0	<0.5	11.6	12	<0.1	0.6	<0.1	<2
08-16-J4	Rock	1.68	<2	111.0	6.5	8.5	11	<0.1	1.0	1.1	125	0.64	1.7	2.1	<0.5	11.5	3	<0.1	1.0	<0.1	4
08-12-BH-R1	Rock	0.96	17	4.6	85.4	32.0	68	1.3	22.0	11.3	349	7.63	414.8	0.9	12.5	6.3	55	<0.1	5.4	3.8	68
08-12-BH-R2	Rock	0.71	3	4.4	3.1	6.5	21	0.1	2.2	1.5	76	15.48	82.3	0.9	4.2	12.6	17	<0.1	0.8	1.9	138
08-12-BH-R3	Rock	1.58	55	0.7	21.3	8.6	2	<0.1	0.6	1.1	27	1.49	3.4	0.8	0.9	5.4	8	<0.1	0.2	0.8	6
HS-NIT-J1	Rock	0.83	<2	0.3	0.4	13.3	56	<0.1	3.5	6.3	779	1.95	1.9	0.5	0.7	3.6	104	<0.1	1.5	<0.1	29



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 02, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

WHI10000302.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
08-16-J1	Rock	0.04	0.027	9	11	0.12	112	0.004	<1	0.54	0.005	0.13	0.2	0.04	0.8	<0.1	<0.05	1	<0.5	<0.2
08-16-J2	Rock	0.08	0.045	4	8	0.02	210	0.001	2	0.15	<0.001	0.07	0.3	0.02	1.0	<0.1	<0.05	<1	1.1	0.3
08-16-J3	Rock	0.02	0.004	9	1	0.06	61	<0.001	2	0.39	0.043	0.15	<0.1	0.03	0.5	0.1	<0.05	1	<0.5	<0.2
08-16-J4	Rock	0.02	0.005	6	1	0.03	53	<0.001	1	0.29	0.024	0.13	<0.1	0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
08-12-BH-R1	Rock	0.62	0.122	9	133	0.78	32	0.081	7	1.07	0.052	0.05	3.4	0.12	4.6	0.4	<0.05	6	1.1	0.6
08-12-BH-R2	Rock	0.04	0.018	16	6	0.02	336	0.005	11	0.22	0.031	0.30	0.2	<0.01	1.1	<0.1	0.39	5	0.8	0.3
08-12-BH-R3	Rock	<0.01	0.003	12	2	0.02	175	0.002	1	0.29	0.020	0.25	<0.1	<0.01	0.3	0.1	0.79	<1	0.8	0.5
HS-NIT-J1	Rock	0.66	0.069	11	6	0.15	302	0.007	5	0.43	0.021	0.21	0.2	<0.01	2.5	<0.1	<0.05	1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 02, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000302.1

Method	WGHT	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
Core Reject Duplicates																					
08-16-J1	Rock	2.43	5	0.7	28.4	2.8	48	<0.1	11.8	2.1	56	1.38	29.7	0.8	2.5	3.5	3	<0.1	2.4	0.1	18
DUP 08-16-J1	QC		3	0.9	26.0	3.4	47	<0.1	12.5	2.1	53	1.29	28.9	0.7	2.8	3.2	3	<0.1	2.2	0.2	17
Reference Materials																					
STD DS7	Standard		18.4	110.8	66.4	372	0.9	52.4	9.2	608	2.34	46.8	4.2	61.2	4.3	65	5.8	5.9	4.3	81	
STD DS7	Standard		22.4	111.9	69.5	397	0.9	59.3	9.7	632	2.42	51.4	4.7	67.7	4.5	75	5.9	5.8	4.7	82	
STD OXC72	Standard		187																		
STD OXH66	Standard		1252																		
STD OXH66 Expected			1285																		
STD OXC72 Expected			205																		
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<0.1	0.6	<0.1	5	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
Prep Wash																					
G1	Prep Blank		<2	0.1	8.8	3.7	68	0.3	3.0	3.8	546	1.96	1.6	1.9	3.4	5.8	51	<0.1	<0.1	0.1	38
G1	Prep Blank		<2	<0.1	12.5	3.5	73	<0.1	2.7	4.1	532	1.93	1.5	1.9	<0.5	5.9	52	<0.1	0.1	<0.1	38



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: September 02, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000302.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Core Reject Duplicates																				
08-16-J1	Rock	0.04	0.027	9	11	0.12	112	0.004	<1	0.54	0.005	0.13	0.2	0.04	0.8	<0.1	<0.05	1	<0.5	<0.2
DUP 08-16-J1	QC	0.04	0.026	9	11	0.10	102	0.004	1	0.51	0.004	0.12	0.2	0.03	0.8	0.2	<0.05	1	0.7	0.3
Reference Materials																				
STD DS7	Standard	0.92	0.070	12	183	1.00	393	0.114	40	0.97	0.090	0.43	3.9	0.21	2.1	3.7	0.19	5	3.0	2.6
STD DS7	Standard	1.01	0.076	13	200	1.09	388	0.128	44	1.04	0.098	0.46	3.6	0.20	2.4	4.0	0.20	5	3.4	1.3
STD OXC72	Standard																			
STD OXH66	Standard																			
STD OXH66 Expected																				
STD OXC72 Expected																				
STD DS7 Expected		0.93	0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																				
G1	Prep Blank	0.51	0.077	11	6	0.50	165	0.119	1	0.94	0.096	0.47	<0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2
G1	Prep Blank	0.52	0.076	11	5	0.56	177	0.121	<1	0.90	0.079	0.49	<0.1	<0.01	1.9	0.3	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: August 23, 2010
Report Date: September 02, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI10000303.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID:
P.O. Number
Number of Samples: 17

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	17	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B01	17	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX2	17	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 02, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

WHI10000303.1

Method	WGHT	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
TT-JP1	Rock	1.02	8	0.5	14.4	32.6	69	0.3	42.0	7.6	292	5.93	80.0	0.5	6.0	2.1	22	<0.1	1.2	4.9	90
TT-JP2	Rock	1.24	<2	1.9	4.6	12.1	23	0.2	3.5	10.7	236	2.22	4.4	5.7	1.2	17.4	11	<0.1	0.7	1.2	29
TT-JP3	Rock	3.42	14	144.0	2.8	18.0	24	0.1	10.8	22.9	139	2.47	44.7	25.6	16.4	4.6	94	<0.1	0.8	4.2	37
TT-JP4	Rock	1.05	<2	2.6	7.3	10.5	143	<0.1	6.3	14.3	2987	7.91	27.4	2.9	3.0	1.4	16	<0.1	3.1	0.7	25
TT-JP5	Rock	3.72	<2	1.1	2.1	12.0	2	<0.1	0.4	0.7	42	0.99	6.4	0.6	2.2	13.1	9	<0.1	0.3	0.6	3
TT-JP6	Rock	0.61	<2	0.3	2.3	13.0	37	<0.1	1.6	3.7	381	1.49	14.1	2.9	<0.5	13.1	24	<0.1	0.9	0.4	20
TT-JP7	Rock	1.91	<2	0.2	3.9	26.9	66	0.1	1.8	7.7	449	2.33	11.1	1.8	<0.5	13.6	167	0.1	0.9	0.3	43
TT-JP8	Rock	1.26	2	0.6	49.5	23.9	48	0.1	3.5	11.6	292	5.27	25.8	3.4	<0.5	15.0	65	0.1	1.0	0.4	66
TT-JP9	Rock	1.27	2	0.4	2.8	14.2	22	<0.1	1.6	5.0	140	1.97	5.0	1.7	<0.5	12.4	47	<0.1	0.5	0.5	15
TT-JP10	Rock	0.97	3	7.3	7.0	18.9	11	<0.1	3.4	4.4	21	1.56	3.1	0.3	1.4	4.3	17	<0.1	0.2	1.7	7
TT-JP11	Rock	1.41	5	0.3	1.5	22.1	91	<0.1	1.1	1.2	2592	0.92	52.4	15.8	1.0	23.3	6	0.8	2.3	0.8	<2
TT-JP12	Rock	2.04	48	46.4	3.2	147.3	67	2.1	1.0	0.3	261	1.76	548.3	13.0	42.5	22.1	6	0.9	24.5	1.8	<2
TT-JP13	Rock	0.79	16	54.1	0.9	299.7	8	3.1	0.5	0.3	62	0.50	204.2	9.7	17.9	14.1	3	<0.1	30.5	4.7	<2
TT-JP14	Rock	0.52	8	0.9	5.5	91.6	90	0.6	0.9	0.3	134	3.89	389.3	28.2	8.5	51.2	3	0.9	9.7	0.5	3
TT-JP15	Rock	0.65	<2	0.7	0.4	18.9	70	<0.1	3.4	6.1	930	2.08	3.1	0.8	<0.5	3.4	229	0.2	2.3	<0.1	27
TT-JP16	Rock	0.85	<2	1.8	4.8	17.4	28	0.1	3.0	7.7	215	2.27	41.7	2.7	1.7	11.8	41	<0.1	0.9	0.4	48
TT-JP17	Rock	0.52	<2	0.9	0.4	13.1	6	<0.1	0.4	0.4	95	0.41	4.7	2.9	<0.5	11.8	4	<0.1	0.8	0.2	<2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 02, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

WHI10000303.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2	
TT-JP1	Rock	0.56	0.143	5	203	1.01	21	0.156	2	1.29	0.054	0.11	0.2	<0.01	3.1	0.2	2.18	6	0.7	<0.2
TT-JP2	Rock	0.13	0.027	12	5	0.28	69	0.050	2	0.62	0.046	0.20	0.2	<0.01	1.2	0.2	0.25	3	0.9	<0.2
TT-JP3	Rock	0.65	0.085	6	8	0.37	130	0.056	3	1.73	0.132	0.25	0.2	<0.01	2.5	0.4	1.33	5	<0.5	0.5
TT-JP4	Rock	0.02	0.059	4	2	0.03	85	0.009	35	0.31	0.054	0.15	3.1	0.55	1.2	0.7	0.21	1	<0.5	0.5
TT-JP5	Rock	0.01	0.007	22	1	0.02	213	0.002	3	0.30	0.030	0.31	0.2	<0.01	0.4	0.2	0.31	<1	<0.5	<0.2
TT-JP6	Rock	0.17	0.029	6	3	0.40	140	0.034	2	1.05	0.075	0.23	<0.1	<0.01	1.4	0.2	0.59	3	<0.5	<0.2
TT-JP7	Rock	0.53	0.036	21	6	0.57	78	0.113	3	1.44	0.134	0.15	0.1	<0.01	3.2	<0.1	0.34	5	<0.5	0.3
TT-JP8	Rock	0.78	0.039	10	8	1.07	165	0.107	3	2.59	0.243	0.91	0.1	<0.01	6.1	1.0	0.42	11	0.7	<0.2
TT-JP9	Rock	0.11	0.029	12	3	0.21	124	0.008	1	0.65	0.052	0.23	<0.1	<0.01	0.9	0.2	0.95	2	<0.5	<0.2
TT-JP10	Rock	0.05	0.041	10	2	0.05	103	0.002	4	0.47	0.052	0.27	<0.1	<0.01	0.5	0.1	0.54	1	<0.5	1.6
TT-JP11	Rock	0.03	0.004	9	2	0.02	89	<0.001	1	0.30	0.045	0.17	<0.1	<0.01	0.9	0.3	<0.05	<1	<0.5	<0.2
TT-JP12	Rock	0.03	0.006	12	2	0.02	107	<0.001	3	0.32	0.010	0.24	0.7	0.02	0.4	0.3	0.06	<1	<0.5	<0.2
TT-JP13	Rock	0.01	0.003	9	1	0.02	71	<0.001	2	0.30	0.003	0.22	1.2	0.08	0.2	0.3	<0.05	<1	<0.5	<0.2
TT-JP14	Rock	0.03	0.017	12	<1	0.01	21	<0.001	3	0.32	0.007	0.18	0.2	0.04	0.6	0.3	<0.05	<1	<0.5	<0.2
TT-JP15	Rock	1.37	0.079	13	7	0.38	306	0.007	4	0.48	0.029	0.26	0.2	<0.01	3.2	<0.1	<0.05	1	<0.5	<0.2
TT-JP16	Rock	0.65	0.082	15	11	0.66	193	0.131	3	1.34	0.112	0.11	0.5	<0.01	2.1	<0.1	0.43	5	<0.5	0.4
TT-JP17	Rock	0.03	0.004	18	<1	0.01	42	<0.001	2	0.23	0.047	0.15	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 02, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000303.1

Method	WGHT	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V		
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1		
Pulp Duplicates																						
TT-JP10	Rock	0.97	3	7.3	7.0	18.9	11	<0.1	3.4	4.4	21	1.56	3.1	0.3	1.4	4.3	17	<0.1	0.2	1.7	7	
REP TT-JP10	QC			6.9	7.2	18.4	9	<0.1	3.1	4.2	21	1.52	3.0	0.3	1.2	4.3	17	<0.1	0.2	1.6	7	
Reference Materials																						
STD DS7	Standard			18.4	110.8	66.4	372	0.9	52.4	9.2	608	2.34	46.8	4.2	61.2	4.3	65	5.8	5.9	4.3	81	
STD DS7	Standard			22.4	111.9	69.5	397	0.9	59.3	9.7	632	2.42	51.4	4.7	67.7	4.5	75	5.9	5.8	4.7	82	
STD OXC72	Standard			205																		
STD OXC72	Standard			192																		
STD OXC72	Standard			194																		
STD OXH66	Standard			1369																		
STD OXH66	Standard			1241																		
STD OXH66	Standard			1246																		
STD DS7 Expected				20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	
STD OXH66 Expected				1285																		
STD OXC72 Expected				205																		
BLK	Blank			<0.1	0.6	<0.1	5	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
BLK	Blank			<2																		
BLK	Blank			<2																		
BLK	Blank			<2																		
BLK	Blank			<2																		
BLK	Blank			<2																		
BLK	Blank			<2																		
Prep Wash																						
G1	Prep Blank			<2	0.2	3.8	8.3	113	<0.1	3.2	4.2	558	2.01	2.0	1.9	<0.5	6.3	55	0.2	0.3	<0.1	39
G1	Prep Blank			<2	0.1	2.1	3.0	59	<0.1	2.9	4.2	555	1.99	1.1	1.7	<0.5	5.9	58	<0.1	<0.1	<0.1	38



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 02, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000303.1

Method	Analyte	Unit	MDL	1DX15 Ca	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
Pulp Duplicates																						
TT-JP10	Rock	%	0.01	0.05	0.041	10	2	0.05	103	0.002	4	0.47	0.052	0.27	<0.1	<0.01	0.5	0.1	0.54	1	<0.5	1.6
REP TT-JP10	QC	%	0.01	0.05	0.038	10	2	0.05	94	0.002	3	0.45	0.051	0.26	<0.1	<0.01	0.4	0.1	0.48	1	0.7	0.4
Reference Materials																						
STD DS7	Standard	ppm	0.01	0.92	0.070	12	183	1.00	393	0.114	40	0.97	0.090	0.43	3.9	0.21	2.1	3.7	0.19	5	3.0	2.6
STD DS7	Standard	ppm	0.01	1.01	0.076	13	200	1.09	388	0.128	44	1.04	0.098	0.46	3.6	0.20	2.4	4.0	0.20	5	3.4	1.3
STD OXC72	Standard	ppm	0.01																			
STD OXC72	Standard	ppm	0.01																			
STD OXC72	Standard	ppm	0.01																			
STD OXH66	Standard	ppm	0.01																			
STD OXH66	Standard	ppm	0.01																			
STD OXH66	Standard	ppm	0.01																			
STD DS7 Expected		ppm	0.01	0.93	0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
STD OXH66 Expected		ppm	0.01																			
STD OXC72 Expected		ppm	0.01																			
BLK	Blank	ppm	0.01	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	ppm	0.01																			
BLK	Blank	ppm	0.01																			
BLK	Blank	ppm	0.01																			
BLK	Blank	ppm	0.01																			
BLK	Blank	ppm	0.01																			
BLK	Blank	ppm	0.01																			
Prep Wash																						
G1	Prep Blank	ppm	0.01	0.53	0.078	13	5	0.52	173	0.134	1	0.98	0.098	0.49	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	ppm	0.01	0.54	0.080	13	6	0.52	176	0.134	1	0.99	0.098	0.49	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: August 23, 2010
Report Date: September 01, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI10000304.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID:
P.O. Number
Number of Samples: 2

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	2	Dry at 60C			WHI
SS80	2	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	2	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
RJSV	2	Saving all or part of Soil Reject			WHI

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: September 01, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

WHI10000304.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
08-12-BH-S1	Soil	4.1	14.2	120.1	126	3.2	31.6	14.2	542	10.62	338.0	1.4	54.8	2.2	45	<0.1	9.3	19.8	85	0.09	0.092
SULFIDE CLAY	Soil	2.8	15.6	1272	2660	10.9	7.8	6.5	656	1.62	101.4	20.3	49.1	8.6	136	37.4	3.7	6.6	7	0.55	0.055



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: September 01, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

WHI10000304.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
08-12-BH-S1	Soil	19	162	0.25	50	0.033	1	0.98	0.010	0.09	4.0	0.31	7.0	1.6	<0.05	7	2.1	1.9
SULFIDE CLAY	Soil	23	3	0.20	64	<0.001	<1	0.33	0.002	0.10	0.2	0.07	1.4	<0.1	1.61	1	0.5	0.3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: September 01, 2010

Page: 1 of 1 **Part** 1

QUALITY CONTROL REPORT

WHI10000304.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Reference Materials																					
STD DS7	Standard	23.4	114.2	68.4	401	1.0	58.5	9.5	627	2.44	52.8	4.9	82.0	4.9	82	6.0	6.6	4.7	88	0.90	0.078
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: September 01, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000304.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Reference Materials																		
STD DS7	Standard	14	198	1.06	426	0.126	42	1.06	0.103	0.46	3.7	0.24	2.5	4.4	0.17	5	3.4	1.2
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: August 23, 2010
Report Date: September 17, 2010
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI10000305.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID:
P.O. Number
Number of Samples: 79

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	79	Dry at 60C			WHI
SS80	79	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	79	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
RJSV	79	Saving all or part of Soil Reject			WHI

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 17, 2010

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000305.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Z2-L1-1	Soil	1.9	4.8	49.5	54	<0.1	7.0	3.5	595	2.64	60.7	10.9	1.2	55.3	13	<0.1	3.7	0.3	21	0.05	0.020
Z2-L1-2	Soil	1.7	2.0	72.3	48	<0.1	6.7	1.7	707	1.53	151.2	10.6	2.2	47.9	73	<0.1	3.1	0.3	7	0.13	0.020
Z2-L1-3	Soil	1.7	9.4	24.2	47	0.2	13.2	4.7	582	1.68	73.3	9.6	3.8	34.5	250	0.1	2.3	0.3	25	0.91	0.031
Z2-L1-4	Soil	2.8	6.1	33.0	35	<0.1	11.2	5.5	836	1.57	86.8	10.3	5.5	22.4	348	0.1	2.0	0.3	22	1.30	0.020
Z2-L1-5	Soil	2.2	6.3	36.7	64	0.1	15.7	3.6	345	1.49	52.4	27.1	4.3	23.8	203	0.2	2.4	0.3	22	0.71	0.048
Z2-L1-6	Soil	2.9	7.1	45.4	76	0.2	9.9	6.3	1310	2.16	127.4	24.9	6.6	25.0	223	1.2	3.4	0.4	23	0.93	0.064
Z2-L1-7	Soil	1.1	10.0	26.9	54	0.2	7.7	3.1	138	1.66	70.7	17.4	3.7	17.4	102	1.0	3.5	0.4	22	0.73	0.054
Z2-L1-8	Soil	1.8	7.1	30.5	121	<0.1	10.5	5.3	669	2.24	22.8	1.0	6.5	5.4	23	0.5	1.5	0.3	39	0.22	0.034
Z2-L1-9	Soil	1.0	63.9	13.5	110	0.3	407.1	55.2	1931	6.82	10.8	3.1	5.2	3.0	65	0.8	0.2	0.1	157	0.86	0.115
Z2-L2-1	Soil	1.6	12.4	58.2	172	0.8	12.2	6.5	734	2.43	45.7	6.0	19.8	5.7	38	1.1	2.4	0.5	39	0.42	0.068
Z2-L2-2	Soil	2.1	10.7	39.8	122	0.2	16.3	6.2	404	2.61	31.9	1.5	13.9	6.4	23	0.6	1.7	0.5	41	0.18	0.043
Z2-L2-3	Soil	1.8	10.2	62.9	130	0.5	12.0	6.1	527	2.38	42.3	2.5	5.4	7.7	25	0.9	2.0	0.5	38	0.24	0.077
Z2-L2-4	Soil	2.1	12.9	59.0	155	0.3	14.8	5.3	506	2.44	44.3	2.3	15.0	8.8	26	0.7	2.6	0.8	38	0.23	0.065
Z2-L2-5	Soil	2.4	8.8	62.5	145	0.2	15.9	7.3	945	2.71	38.0	1.9	3.3	8.0	33	1.0	1.9	0.3	37	0.28	0.033
Z2-L2-6	Soil	1.5	8.1	31.3	135	0.2	12.7	6.2	854	2.53	22.8	0.8	2.8	3.7	26	1.0	0.9	0.3	47	0.25	0.042
Z2-L2-7	Soil	1.7	13.3	41.0	121	0.1	18.9	8.2	736	2.60	28.8	1.4	45.9	6.4	28	0.8	1.2	0.3	46	0.24	0.045
Z2-L2-8	Soil	2.2	10.7	34.8	117	0.3	20.4	7.4	467	2.62	26.3	0.9	5.4	5.2	36	0.3	1.0	0.3	49	0.39	0.046
Z2-L2-9	Soil	3.1	23.1	27.2	149	0.2	9.3	8.0	844	3.28	85.3	3.5	3.3	8.2	56	0.5	14.8	0.3	24	0.66	0.090
Z2-L2-10	Soil	1.4	8.8	25.3	86	0.3	7.8	4.2	909	1.55	13.4	3.5	1.4	4.4	94	1.6	6.7	0.1	18	1.11	0.071
Z2-L2-11	Soil	1.3	22.7	30.2	64	1.0	12.4	5.5	546	1.87	62.5	9.9	10.2	5.1	184	1.3	3.7	0.3	22	1.62	0.045
Z2-L2-12	Soil	2.7	9.0	22.0	65	0.2	13.8	4.5	206	2.36	4.7	1.7	1.1	3.7	34	0.4	0.9	0.8	49	0.37	0.024
Z2-L2-13	Soil	4.4	5.1	39.1	197	<0.1	10.5	8.3	825	3.36	19.8	7.0	<0.5	10.3	35	0.8	5.5	0.1	29	0.39	0.102
Z2-L3-1	Soil	4.3	14.6	34.0	98	0.2	10.3	6.1	867	2.91	27.2	1.9	<0.5	6.4	21	0.2	1.9	<0.1	33	0.25	0.041
Z2-L3-2	Soil	1.9	7.4	51.2	100	0.3	9.8	5.5	307	2.44	2.9	1.2	0.8	5.2	16	0.4	0.3	<0.1	35	0.23	0.042
Z2-L3-3	Soil	2.7	9.1	41.4	152	0.2	11.8	7.5	662	3.78	3.4	3.7	<0.5	10.5	19	0.3	1.1	<0.1	37	0.23	0.062
Z2-L3-4	Soil	1.9	19.8	26.1	120	1.0	11.8	9.2	1065	2.93	7.5	7.9	2.0	4.9	83	1.0	2.3	0.2	37	1.37	0.071
Z2-L3-5	Soil	2.1	9.6	33.3	130	0.2	14.5	6.5	430	2.89	32.6	1.1	1.8	4.7	13	0.7	1.7	0.3	46	0.08	0.035
Z2-L3-6	Soil	1.3	6.9	32.6	83	<0.1	6.9	4.7	322	2.00	23.0	1.0	5.6	5.7	15	0.5	1.3	0.3	34	0.08	0.029
Z2-L3-7	Soil	1.8	7.7	48.1	146	0.1	11.4	6.7	919	2.66	41.5	1.1	2.6	5.1	22	0.6	1.5	0.3	38	0.16	0.038
Z2-L3-8	Soil	1.9	7.7	47.0	153	<0.1	12.7	5.1	867	2.40	42.3	1.7	2.5	7.6	26	0.8	1.9	0.3	32	0.15	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 17, 2010

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000305.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.2
Z2-L1-1	Soil	24	13	0.09	65	0.003	2	1.18	0.009	0.10	0.3	0.03	2.6	0.6	0.08	3	<0.5	<0.2
Z2-L1-2	Soil	43	10	0.07	108	0.002	1	0.49	0.013	0.16	0.5	0.09	2.5	0.4	0.18	2	<0.5	<0.2
Z2-L1-3	Soil	60	23	0.33	110	0.020	3	1.01	0.020	0.12	0.2	0.10	4.0	0.3	0.06	3	0.6	<0.2
Z2-L1-4	Soil	22	22	0.23	127	0.010	3	0.76	0.020	0.11	0.2	0.03	2.0	0.4	0.10	3	<0.5	<0.2
Z2-L1-5	Soil	23	27	0.31	188	0.005	3	1.13	0.014	0.16	0.2	0.07	2.9	0.3	0.06	4	<0.5	<0.2
Z2-L1-6	Soil	36	17	0.25	354	0.004	2	0.92	0.015	0.15	0.2	0.11	3.2	0.4	0.10	3	<0.5	<0.2
Z2-L1-7	Soil	35	14	0.22	366	0.005	2	1.02	0.011	0.14	0.2	0.11	3.1	0.2	0.12	3	0.6	<0.2
Z2-L1-8	Soil	15	19	0.31	101	0.025	<1	1.25	0.013	0.12	0.3	<0.01	1.8	0.1	<0.05	5	<0.5	<0.2
Z2-L1-9	Soil	14	690	5.06	126	0.058	<1	3.74	0.014	0.04	<0.1	0.02	22.4	<0.1	<0.05	16	<0.5	<0.2
Z2-L2-1	Soil	23	22	0.32	243	0.023	1	1.37	0.014	0.12	0.2	0.03	2.9	0.2	<0.05	4	<0.5	<0.2
Z2-L2-2	Soil	17	28	0.39	197	0.025	<1	1.63	0.015	0.13	0.2	0.01	2.6	0.1	<0.05	5	<0.5	<0.2
Z2-L2-3	Soil	24	22	0.32	154	0.040	<1	1.10	0.012	0.11	0.3	0.01	2.3	0.1	<0.05	4	<0.5	<0.2
Z2-L2-4	Soil	22	26	0.32	176	0.034	<1	1.25	0.016	0.14	0.3	0.02	3.0	0.1	<0.05	4	<0.5	<0.2
Z2-L2-5	Soil	19	24	0.47	176	0.033	<1	1.72	0.026	0.14	0.2	0.02	3.0	0.1	<0.05	6	<0.5	<0.2
Z2-L2-6	Soil	11	21	0.33	224	0.026	1	1.85	0.010	0.09	0.1	0.01	1.9	0.1	<0.05	6	<0.5	<0.2
Z2-L2-7	Soil	17	28	0.52	190	0.052	1	1.75	0.018	0.11	0.2	0.01	3.1	0.1	<0.05	6	<0.5	<0.2
Z2-L2-8	Soil	14	36	0.47	168	0.049	1	2.01	0.015	0.10	0.2	0.02	2.8	0.1	<0.05	6	<0.5	<0.2
Z2-L2-9	Soil	34	14	0.15	245	0.006	2	0.82	0.011	0.20	0.5	0.02	2.4	0.3	<0.05	3	<0.5	<0.2
Z2-L2-10	Soil	29	12	0.14	271	0.005	2	0.64	0.010	0.17	0.4	0.03	3.0	0.2	0.06	2	<0.5	<0.2
Z2-L2-11	Soil	84	17	0.32	534	0.003	3	1.57	0.010	0.19	0.3	0.12	4.4	0.5	0.06	4	0.9	<0.2
Z2-L2-12	Soil	18	24	0.29	208	0.024	<1	1.44	0.014	0.09	0.2	0.02	2.0	<0.1	<0.05	7	<0.5	<0.2
Z2-L2-13	Soil	31	15	0.28	132	0.006	<1	1.18	0.013	0.14	0.4	0.03	2.4	0.3	<0.05	4	<0.5	<0.2
Z2-L3-1	Soil	18	18	0.24	196	0.013	<1	1.27	0.011	0.13	0.4	<0.01	2.1	0.1	<0.05	4	<0.5	<0.2
Z2-L3-2	Soil	9	15	0.45	173	0.014	<1	1.43	0.011	0.13	0.2	<0.01	1.9	<0.1	<0.05	6	<0.5	<0.2
Z2-L3-3	Soil	14	18	0.19	97	0.003	<1	1.16	0.009	0.10	0.7	<0.01	3.3	<0.1	<0.05	5	<0.5	<0.2
Z2-L3-4	Soil	35	17	0.34	365	0.009	2	1.02	0.013	0.12	0.3	0.05	4.8	0.2	<0.05	4	<0.5	<0.2
Z2-L3-5	Soil	13	22	0.32	147	0.016	<1	2.32	0.009	0.07	0.2	0.02	2.0	0.2	<0.05	7	<0.5	<0.2
Z2-L3-6	Soil	15	15	0.20	105	0.011	<1	1.35	0.010	0.05	0.2	<0.01	1.2	0.1	<0.05	5	<0.5	<0.2
Z2-L3-7	Soil	11	21	0.39	147	0.009	<1	1.71	0.010	0.06	0.2	<0.01	1.5	0.1	<0.05	6	<0.5	<0.2
Z2-L3-8	Soil	16	22	0.42	184	0.012	<1	1.53	0.009	0.07	0.2	<0.01	1.9	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 17, 2010

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000305.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z2-L3-9	Soil		1.2	8.5	47.4	140	0.5	9.2	5.8	1027	1.71	32.4	6.7	6.7	4.5	52	1.3	2.5	0.4	24	0.52	0.065
Z2-L3-10	Soil		2.4	8.6	91.7	187	0.5	14.2	5.4	572	2.28	67.3	2.4	8.5	7.3	21	0.7	2.6	0.7	31	0.19	0.065
Z2-L3-11	Soil		2.1	9.0	77.6	161	0.4	11.7	4.9	619	2.13	48.2	1.7	10.2	6.4	18	0.8	3.4	0.7	32	0.15	0.073
Z2-L3-12	Soil		2.0	8.3	44.9	120	0.1	12.3	5.4	559	2.78	33.9	1.0	5.9	2.6	12	0.5	1.4	0.5	52	0.08	0.076
Z2-L3-13	Soil		2.0	14.3	43.9	111	0.2	15.9	8.6	536	3.03	30.7	1.0	4.7	4.6	17	0.5	1.3	0.4	58	0.12	0.041
Z2-L3-14	Soil		2.0	10.4	69.2	161	0.2	14.4	8.5	625	3.04	57.6	1.4	3.2	5.9	19	1.0	2.0	0.5	44	0.09	0.048
Z2-L3-15	Soil		1.3	9.3	69.4	134	0.2	9.6	6.0	290	1.97	47.8	3.6	12.5	9.0	22	0.4	1.8	0.5	33	0.14	0.039
Z2-L3-16	Soil		2.2	9.6	58.8	157	0.2	13.3	5.2	493	2.36	48.7	3.1	11.5	5.3	24	0.7	2.2	0.5	37	0.16	0.052
Z2-L3-17	Soil		1.5	8.0	54.8	143	0.1	12.5	6.6	529	2.35	38.6	1.1	4.0	5.9	16	0.6	1.5	0.4	36	0.10	0.036
Z2-L4-1	Soil		1.6	9.9	44.8	149	0.8	10.5	4.5	352	2.26	32.8	1.7	9.5	7.0	41	0.5	2.2	0.4	33	0.33	0.045
Z2-L4-2	Soil		2.8	17.5	62.7	201	1.6	13.3	5.9	377	2.43	42.0	1.6	13.0	9.5	41	1.4	4.1	0.4	33	0.35	0.074
Z2-L4-3	Soil		2.7	12.6	90.0	151	1.7	10.5	4.8	367	2.14	22.2	5.1	9.0	7.6	38	0.7	2.3	0.2	29	0.20	0.054
Z2-L4-4	Soil		3.5	10.1	138.9	198	2.1	10.6	5.8	794	2.62	22.1	6.0	7.1	8.2	51	0.8	3.2	0.2	26	0.20	0.085
Z2-L4-5	Soil		7.1	12.7	97.2	167	1.6	46.8	5.9	480	2.73	17.9	4.4	5.4	7.3	43	0.7	2.6	0.4	36	0.22	0.081
Z2-L4-6	Soil		1.8	23.2	51.6	113	0.6	18.9	8.7	475	2.73	17.1	4.8	7.0	5.5	25	0.8	1.0	0.5	50	0.17	0.042
Z2-L4-7	Soil		0.9	22.7	33.7	91	0.7	16.0	7.4	651	1.84	6.0	9.5	5.3	6.1	65	0.5	1.0	0.2	36	0.76	0.057
Z2-L4-8	Soil		1.7	10.6	39.7	86	0.4	7.5	5.6	492	2.37	6.7	1.3	2.3	3.7	22	0.1	0.7	0.1	34	0.23	0.026
Z2-L4-9	Soil		1.8	13.2	22.6	63	0.4	18.0	6.8	467	2.56	7.8	2.1	3.8	8.3	49	0.1	0.5	0.9	41	0.48	0.016
Z2-L4-10	Soil		1.6	12.0	50.9	128	0.8	11.8	4.7	297	1.73	31.9	2.7	9.6	8.5	34	0.5	2.3	0.6	33	0.31	0.063
SS-NIT-J1	Soil		3.8	10.5	81.8	196	0.3	26.3	7.1	1024	3.01	638.7	0.9	0.8	3.2	27	1.5	5.3	0.2	18	0.12	0.080
SS-NIT-J2	Soil		1.8	4.2	17.4	61	<0.1	14.0	6.3	365	2.35	12.7	0.8	2.1	0.9	47	0.1	2.0	<0.1	23	0.12	0.053
SS-NIT-J3	Soil		1.2	12.0	15.6	92	<0.1	19.8	7.5	415	3.19	10.2	0.4	3.1	1.6	25	0.3	1.0	0.2	68	0.24	0.047
SS-NIT-J4	Soil		1.7	12.1	36.2	99	0.6	27.1	8.3	315	3.66	415.2	2.1	2.6	14.5	19	0.3	7.4	0.7	48	0.12	0.031
SS-NIT-J5	Soil		1.7	7.8	74.0	75	1.4	12.8	6.2	978	2.96	983.3	2.7	11.9	31.1	38	0.4	14.9	1.6	26	0.21	0.022
SS-NIT-J6	Soil		2.1	11.7	77.3	126	5.1	17.1	5.7	894	2.69	635.2	2.3	3.1	16.6	24	0.6	9.3	1.1	36	0.18	0.025
SS-NIT-J7	Soil		1.2	17.9	27.7	70	0.4	20.8	8.2	440	2.75	17.3	1.3	4.4	4.7	42	<0.1	2.1	0.1	39	0.36	0.021
TT-JP-1	Soil		0.8	19.4	25.3	78	1.6	11.9	8.0	594	2.12	4.8	0.9	2.2	1.9	58	0.1	2.4	<0.1	40	0.37	0.030
TT-JP-2	Soil		0.9	12.9	19.9	92	0.4	10.3	7.0	369	2.32	4.1	0.5	1.9	1.9	52	0.1	1.6	<0.1	46	0.30	0.032
TT-JP-3	Soil		0.8	8.1	16.3	61	<0.1	9.2	5.9	256	2.36	5.9	0.6	2.1	1.7	57	<0.1	1.5	<0.1	43	0.27	0.032
TT-JP-4	Soil		1.1	8.3	125.4	233	5.6	8.3	4.4	1849	2.24	842.3	5.7	12.2	24.6	15	2.0	24.9	0.8	22	0.09	0.025

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 17, 2010

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000305.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.05	1	0.5	0.2		
Z2-L3-9	Soil			20	16	0.23	209	0.011	1	0.87	0.012	0.08	0.2	0.05	1.8	0.2	0.07	3	<0.5	<0.2
Z2-L3-10	Soil			18	27	0.28	141	0.019	<1	1.23	0.010	0.07	0.2	0.01	1.7	0.1	<0.05	3	<0.5	<0.2
Z2-L3-11	Soil			17	23	0.21	131	0.018	<1	1.02	0.008	0.07	0.2	<0.01	1.6	0.1	<0.05	3	<0.5	<0.2
Z2-L3-12	Soil			11	26	0.28	108	0.023	<1	1.40	0.009	0.07	0.3	<0.01	1.4	0.1	<0.05	6	<0.5	<0.2
Z2-L3-13	Soil			11	33	0.42	171	0.039	<1	2.09	0.010	0.08	0.2	0.01	2.6	0.1	<0.05	7	<0.5	0.4
Z2-L3-14	Soil			13	26	0.35	177	0.017	<1	2.00	0.010	0.08	0.2	0.01	1.9	0.1	<0.05	6	<0.5	<0.2
Z2-L3-15	Soil			28	21	0.28	119	0.044	<1	1.25	0.010	0.08	0.2	0.02	2.8	0.1	<0.05	4	<0.5	<0.2
Z2-L3-16	Soil			17	25	0.27	129	0.023	<1	1.24	0.009	0.10	0.3	<0.01	1.8	<0.1	<0.05	4	<0.5	<0.2
Z2-L3-17	Soil			13	22	0.29	137	0.017	<1	1.74	0.010	0.06	0.2	<0.01	1.8	0.1	<0.05	4	<0.5	<0.2
Z2-L4-1	Soil			19	23	0.32	142	0.037	<1	1.08	0.012	0.11	0.2	0.01	2.7	0.1	<0.05	4	<0.5	<0.2
Z2-L4-2	Soil			29	22	0.23	270	0.016	<1	1.01	0.010	0.13	0.3	0.03	3.6	0.2	<0.05	3	<0.5	0.4
Z2-L4-3	Soil			27	20	0.24	231	0.028	<1	0.81	0.017	0.12	0.2	0.03	2.7	0.3	0.12	2	<0.5	<0.2
Z2-L4-4	Soil			38	19	0.15	470	0.018	<1	0.67	0.023	0.16	0.4	0.02	2.8	0.3	0.18	2	<0.5	<0.2
Z2-L4-5	Soil			32	78	0.29	515	0.022	<1	1.34	0.022	0.17	0.4	0.03	2.5	0.3	0.15	4	<0.5	<0.2
Z2-L4-6	Soil			25	33	0.41	317	0.038	<1	1.85	0.015	0.10	<0.1	0.03	3.1	0.2	<0.05	5	<0.5	<0.2
Z2-L4-7	Soil			25	24	0.52	269	0.033	<1	1.25	0.018	0.10	0.2	0.03	3.2	<0.1	<0.05	5	0.7	<0.2
Z2-L4-8	Soil			8	16	0.51	162	0.005	<1	1.68	0.008	0.06	0.1	<0.01	1.9	<0.1	<0.05	7	<0.5	<0.2
Z2-L4-9	Soil			38	33	0.48	216	0.019	<1	1.94	0.013	0.07	0.2	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
Z2-L4-10	Soil			19	26	0.36	131	0.046	<1	1.03	0.011	0.10	0.2	<0.01	2.2	0.1	<0.05	4	<0.5	<0.2
SS-NIT-J1	Soil			11	38	0.12	111	0.004	1	0.92	0.012	0.07	<0.1	0.03	1.8	<0.1	<0.05	1	<0.5	<0.2
SS-NIT-J2	Soil			4	23	0.06	163	0.002	<1	0.84	0.007	0.10	0.1	0.04	1.1	0.1	<0.05	1	<0.5	<0.2
SS-NIT-J3	Soil			7	33	0.43	232	0.028	2	1.77	0.011	0.13	0.2	<0.01	2.8	<0.1	<0.05	5	<0.5	0.2
SS-NIT-J4	Soil			23	44	0.38	139	0.007	<1	1.92	0.011	0.12	<0.1	0.01	2.4	0.2	<0.05	5	0.5	0.2
SS-NIT-J5	Soil			31	24	0.25	192	0.004	2	1.62	0.015	0.19	0.1	0.02	1.8	0.4	0.06	4	<0.5	1.2
SS-NIT-J6	Soil			24	32	0.34	139	0.008	1	1.90	0.009	0.12	0.1	0.03	2.0	0.3	<0.05	4	0.5	0.2
SS-NIT-J7	Soil			20	35	0.33	888	0.021	1	1.27	0.015	0.18	0.1	0.04	6.4	<0.1	<0.05	3	<0.5	<0.2
TT-JP-1	Soil			9	22	0.29	663	0.013	2	1.20	0.014	0.21	0.1	0.03	2.9	<0.1	<0.05	4	<0.5	<0.2
TT-JP-2	Soil			6	20	0.25	386	0.009	<1	1.18	0.012	0.18	0.1	0.01	1.8	<0.1	<0.05	4	<0.5	<0.2
TT-JP-3	Soil			7	20	0.22	429	0.012	2	1.05	0.013	0.21	0.2	0.01	2.2	<0.1	<0.05	3	<0.5	<0.2
TT-JP-4	Soil			30	15	0.13	167	0.002	<1	1.78	0.009	0.14	<0.1	0.04	1.5	0.4	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 17, 2010

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000305.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
TT-JP-5	Soil			0.8	8.4	16.1	35	<0.1	9.5	8.5	395	3.39	6.5	1.4	2.5	6.7	10	<0.1	0.6	0.2	53	0.09	0.105
08-16-SS1	Soil			3.6	34.6	17.8	87	0.4	31.1	11.0	496	3.78	29.5	1.2	3.7	5.3	10	0.2	13.8	0.5	68	0.05	0.068
08-16-SS2	Soil			3.2	45.5	21.0	60	<0.1	40.8	14.7	364	3.01	59.2	1.6	4.3	5.9	13	0.1	2.4	0.4	55	0.12	0.020
Z1-L1-8	Soil			2.4	21.3	19.0	53	<0.1	16.1	7.8	301	2.05	8.1	2.3	2.6	4.5	24	0.2	0.4	0.5	44	0.30	0.065
Z1-L1-9	Soil			2.8	30.7	64.1	142	0.4	21.6	9.8	765	2.95	26.4	13.3	3.1	9.7	42	0.8	1.4	1.3	73	0.50	0.110
Z1-L1-10	Soil			2.8	33.1	51.9	125	0.4	24.7	10.6	413	2.70	19.6	13.8	3.3	9.7	51	0.6	1.1	1.1	60	0.58	0.108
Z1-L1-13	Soil			2.4	29.0	56.2	136	0.4	19.6	10.3	746	2.82	24.9	13.6	2.9	9.4	49	0.7	1.3	1.3	65	0.53	0.121
Z1-L1-14	Soil			2.3	25.9	54.2	129	0.4	20.5	9.3	673	2.63	23.8	15.1	1.4	9.7	63	0.6	1.2	1.6	63	0.54	0.119
Z1-L1-15	Soil			1.5	12.0	22.9	89	0.1	13.0	5.8	356	2.31	9.7	13.0	3.5	5.8	229	0.2	0.5	0.3	38	0.97	0.070
Z1-L1-16	Soil			1.4	19.7	21.6	93	0.2	12.8	6.5	1401	1.63	4.8	8.3	2.9	5.0	397	1.3	0.7	0.2	33	1.50	0.077
Z1-L1-17	Soil			1.5	17.6	33.2	77	<0.1	14.9	6.7	563	2.50	13.8	3.8	1.6	9.7	41	0.2	0.6	0.2	38	0.52	0.058
Z1-L1-18	Soil			1.8	14.4	25.0	65	<0.1	14.2	6.9	598	2.62	13.9	4.6	1.7	7.5	44	0.2	0.6	0.2	40	0.50	0.085
Z1-L1-19	Soil			2.9	13.6	27.6	71	<0.1	24.8	7.9	505	2.74	14.5	3.6	1.7	7.2	49	0.2	0.7	0.2	46	0.45	0.050
Z1-L1-20	Soil			2.2	8.0	35.0	82	0.1	7.3	4.5	626	2.14	27.7	6.3	<0.5	9.6	38	0.2	1.3	<0.1	23	0.41	0.050
Z1-L1-21	Soil			1.3	28.0	26.4	65	<0.1	26.5	9.8	515	3.26	10.4	2.1	2.1	7.2	36	<0.1	0.6	0.2	66	0.44	0.048
Z1-L1-22	Soil			1.0	17.7	20.7	65	<0.1	20.0	8.4	492	2.78	8.6	3.7	2.3	7.4	42	<0.1	0.5	0.1	53	0.48	0.044
Z1-L1-23	Soil			1.4	17.8	112.5	66	<0.1	9.1	6.6	1266	2.59	5.5	2.7	<0.5	10.2	44	0.1	0.7	1.1	36	0.41	0.053
Z1-L1-24	Soil			1.1	11.2	55.4	86	0.1	12.5	4.9	405	2.20	3.7	2.3	1.1	5.7	41	0.2	0.5	0.3	35	0.49	0.077
Z1-L1-26	Soil			1.7	11.0	27.1	93	0.4	17.5	7.3	502	2.33	4.6	4.0	1.0	6.1	58	0.3	0.4	0.1	41	0.47	0.046



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 17, 2010

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000305.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
TT-JP-5	Soil	7	24	0.59	131	0.003	<1	3.03	0.006	0.12	0.1	0.05	2.9	0.2	<0.05	7	0.6	0.2
08-16-SS1	Soil	10	32	0.26	354	0.001	1	2.32	0.004	0.12	0.2	0.02	4.3	0.3	<0.05	7	1.5	<0.2
08-16-SS2	Soil	13	32	0.44	131	0.019	<1	2.09	0.008	0.09	0.1	<0.01	4.3	0.4	<0.05	4	0.7	<0.2
Z1-L1-8	Soil	13	34	0.57	97	0.083	1	1.32	0.012	0.12	0.3	0.01	2.0	0.1	<0.05	6	<0.5	<0.2
Z1-L1-9	Soil	20	42	0.64	155	0.050	<1	1.36	0.012	0.10	1.3	0.03	2.9	0.1	<0.05	5	0.7	0.3
Z1-L1-10	Soil	22	45	0.80	199	0.059	1	1.61	0.015	0.11	1.3	0.02	3.4	0.2	<0.05	6	<0.5	<0.2
Z1-L1-13	Soil	21	37	0.64	137	0.049	<1	1.25	0.011	0.09	1.2	0.02	2.5	0.1	<0.05	5	<0.5	<0.2
Z1-L1-14	Soil	20	36	0.61	142	0.051	1	1.29	0.012	0.08	1.4	0.02	2.6	0.1	<0.05	5	<0.5	<0.2
Z1-L1-15	Soil	21	21	0.68	154	0.040	1	1.74	0.016	0.17	0.3	<0.01	3.7	<0.1	<0.05	7	<0.5	<0.2
Z1-L1-16	Soil	25	20	0.49	287	0.045	2	1.08	0.014	0.17	0.2	0.02	2.9	0.1	<0.05	4	0.6	<0.2
Z1-L1-17	Soil	47	22	0.55	147	0.019	1	1.70	0.010	0.18	0.2	0.03	4.4	0.1	<0.05	6	<0.5	<0.2
Z1-L1-18	Soil	38	23	0.55	175	0.043	<1	1.66	0.011	0.26	0.1	0.02	5.4	0.1	<0.05	6	<0.5	<0.2
Z1-L1-19	Soil	34	40	0.60	216	0.036	1	2.11	0.010	0.28	0.1	0.02	4.6	0.1	<0.05	7	<0.5	<0.2
Z1-L1-20	Soil	34	12	0.36	197	0.011	<1	1.63	0.009	0.25	0.2	0.03	3.3	0.1	<0.05	6	0.5	<0.2
Z1-L1-21	Soil	36	42	0.69	181	0.095	1	2.06	0.022	0.24	0.1	0.04	6.8	<0.1	<0.05	7	0.6	<0.2
Z1-L1-22	Soil	26	33	0.64	258	0.082	<1	1.87	0.018	0.17	0.2	0.03	6.3	<0.1	<0.05	6	<0.5	<0.2
Z1-L1-23	Soil	33	15	0.60	214	0.013	<1	2.33	0.008	0.26	0.2	<0.01	3.5	0.1	<0.05	8	<0.5	<0.2
Z1-L1-24	Soil	26	21	0.54	397	0.038	<1	1.81	0.016	0.18	0.3	0.02	3.5	0.1	<0.05	6	<0.5	<0.2
Z1-L1-26	Soil	28	29	0.53	202	0.033	<1	2.23	0.011	0.12	0.1	0.03	3.3	<0.1	<0.05	8	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 17, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000305.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
Pulp Duplicates																							
Z2-L2-12	Soil			2.7	9.0	22.0	65	0.2	13.8	4.5	206	2.36	4.7	1.7	1.1	3.7	34	0.4	0.9	0.8	49	0.37	0.024
REP Z2-L2-12	QC			2.7	8.7	22.4	63	0.2	13.2	4.4	203	2.32	4.6	1.7	0.9	3.7	33	0.5	0.9	0.8	49	0.38	0.024
Z2-L4-3	Soil			2.7	12.6	90.0	151	1.7	10.5	4.8	367	2.14	22.2	5.1	9.0	7.6	38	0.7	2.3	0.2	29	0.20	0.054
REP Z2-L4-3	QC			2.9	13.2	94.1	165	1.9	11.2	5.1	377	2.25	23.2	5.4	9.2	8.1	41	0.6	2.4	0.3	30	0.20	0.054
SS-NIT-J6	Soil			2.1	11.7	77.3	126	5.1	17.1	5.7	894	2.69	635.2	2.3	3.1	16.6	24	0.6	9.3	1.1	36	0.18	0.025
REP SS-NIT-J6	QC			2.1	12.4	82.0	137	5.3	18.0	5.7	924	2.78	659.3	2.3	5.0	17.4	26	0.6	10.7	1.1	36	0.19	0.026
Z1-L1-22	Soil			1.0	17.7	20.7	65	<0.1	20.0	8.4	492	2.78	8.6	3.7	2.3	7.4	42	<0.1	0.5	0.1	53	0.48	0.044
REP Z1-L1-22	QC			1.0	17.4	19.9	58	<0.1	20.8	8.3	483	2.69	8.4	3.8	1.8	7.1	44	0.1	0.5	0.1	53	0.46	0.045
Reference Materials																							
STD DS7	Standard			21.4	102.4	65.0	410	1.0	55.9	8.8	609	2.42	50.9	4.5	85.0	4.4	83	6.4	5.8	4.4	86	1.02	0.078
STD DS7	Standard			20.9	109.1	67.1	411	1.0	56.3	9.4	625	2.42	51.7	4.7	73.3	4.6	80	6.0	6.2	5.0	84	0.94	0.081
STD DS7	Standard			22.1	111.5	66.2	401	1.1	56.4	9.3	612	2.44	53.2	4.8	72.5	4.4	73	6.4	5.7	4.6	86	0.98	0.080
STD DS7	Standard			20.0	105.9	63.7	397	1.0	55.3	9.3	597	2.30	50.6	4.5	67.6	4.4	73	6.2	6.0	4.4	84	0.94	0.076
STD DS7 Expected				20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 17, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000305.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
Z2-L2-12	Soil	18	24	0.29	208	0.024	<1	1.44	0.014	0.09	0.2	0.02	2.0	<0.1	<0.05	7	<0.5	<0.2
REP Z2-L2-12	QC	18	24	0.29	212	0.022	<1	1.45	0.014	0.08	0.2	0.02	1.9	<0.1	<0.05	7	<0.5	<0.2
Z2-L4-3	Soil	27	20	0.24	231	0.028	<1	0.81	0.017	0.12	0.2	0.03	2.7	0.3	0.12	2	<0.5	<0.2
REP Z2-L4-3	QC	29	22	0.25	242	0.030	<1	0.86	0.018	0.13	0.3	0.02	2.7	0.3	0.12	3	<0.5	0.2
SS-NIT-J6	Soil	24	32	0.34	139	0.008	1	1.90	0.009	0.12	0.1	0.03	2.0	0.3	<0.05	4	0.5	0.2
REP SS-NIT-J6	QC	25	35	0.34	139	0.014	3	1.91	0.011	0.14	0.1	0.02	2.0	0.3	<0.05	5	<0.5	<0.2
Z1-L1-22	Soil	26	33	0.64	258	0.082	<1	1.87	0.018	0.17	0.2	0.03	6.3	<0.1	<0.05	6	<0.5	<0.2
REP Z1-L1-22	QC	25	35	0.63	269	0.081	<1	1.78	0.017	0.18	0.2	0.03	6.4	<0.1	<0.05	6	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	13	201	1.08	417	0.123	42	1.08	0.113	0.46	4.3	0.23	2.5	4.3	0.20	5	3.6	1.7
STD DS7	Standard	13	193	1.10	393	0.128	40	1.03	0.097	0.46	3.4	0.19	2.4	4.1	0.20	5	3.5	1.4
STD DS7	Standard	12	186	1.05	389	0.109	39	1.00	0.097	0.45	4.0	0.22	2.2	4.1	0.19	5	3.5	1.4
STD DS7	Standard	13	188	1.00	370	0.120	39	0.97	0.092	0.45	3.6	0.22	2.6	4.0	0.20	5	3.2	1.4
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: September 06, 2010
Report Date: September 29, 2010
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI10000414.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: 2
P.O. Number
Number of Samples: 150

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	150	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	150	Dry at 60C			WHI
1DX2	148	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
RJSV	150	Saving all or part of Soil Reject			WHI

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000414.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
08-21-J1	Soil			1.5	8.9	25.5	98	<0.1	23.1	13.7	844	3.05	10.4	1.9	4.0	3.9	110	0.4	2.0	0.1	57	0.60	0.039
08-21-J2	Soil			4.6	18.4	481.5	1211	5.2	14.5	6.1	2845	2.84	656.9	12.5	81.0	29.6	55	9.2	58.2	0.6	14	0.65	0.045
Z1-L2-TT 01	Soil			6.6	121.1	165.9	418	1.2	70.6	23.2	783	6.22	288.8	1.8	85.3	13.8	41	1.0	9.0	2.6	93	0.54	0.144
Z1-L2-TT 02	Soil			2.2	27.2	37.2	120	0.3	28.3	10.2	389	3.04	23.4	3.6	7.2	8.4	33	0.4	1.4	0.7	71	0.36	0.060
Z1-L2-TT 03	Soil			2.7	22.3	30.5	98	<0.1	37.7	13.8	866	3.84	14.8	2.3	2.4	14.5	37	0.2	0.9	1.6	93	0.43	0.077
Z1-L2-TT 04	Soil			3.5	31.6	58.8	128	0.3	24.3	12.1	859	3.21	24.6	10.3	3.1	12.7	43	0.7	1.6	1.5	73	0.45	0.116
Z1-L2-TT 05	Soil			3.1	27.2	63.8	139	0.6	22.1	10.0	667	2.85	25.8	19.9	2.9	10.1	76	0.6	1.7	1.3	66	0.75	0.116
Z1-L2-TT 06	Soil			0.9	27.2	15.2	78	0.2	19.7	7.2	722	2.12	3.6	13.7	3.5	5.0	261	0.6	0.8	0.2	38	1.70	0.092
Z1-L2-TT 07	Soil			1.0	23.6	18.6	88	0.2	18.3	7.8	682	2.69	4.5	2.8	1.8	6.6	162	0.4	0.7	0.2	51	1.36	0.093
Z1-L2-TT 08	Soil			1.4	14.4	31.1	84	0.1	15.2	8.2	853	2.96	6.0	3.8	1.2	11.6	61	0.3	1.4	0.1	47	0.56	0.082
Z1-L2-TT 09	Soil			1.5	12.1	46.8	99	0.1	14.2	8.1	912	3.16	5.3	3.0	1.7	13.8	60	0.4	1.1	0.3	49	0.49	0.073
Z1-L2-TT 10	Soil			1.5	17.9	33.5	99	0.4	22.0	12.0	1831	3.69	6.1	3.8	1.6	8.7	89	0.5	0.9	0.4	68	0.71	0.029
Z1-L1-TT 27	Soil			1.5	12.7	26.7	86	0.1	20.7	14.4	1172	3.71	7.1	4.1	4.7	8.4	45	0.2	0.5	0.2	61	0.34	0.082
Z1-L1-TT 29	Soil			1.1	10.5	15.2	57	<0.1	14.7	8.2	292	3.14	6.0	2.0	6.0	5.7	42	0.1	0.3	0.1	61	0.41	0.043
Z1-L1-TT 30	Soil			0.9	16.4	15.3	77	<0.1	24.8	9.5	428	3.02	6.8	1.3	5.2	4.3	39	0.3	0.5	0.2	60	0.45	0.085
Z1-L1-TT 32	Soil			0.9	8.7	18.7	50	<0.1	8.0	5.0	306	2.42	3.9	2.2	0.5	9.1	37	<0.1	0.5	<0.1	34	0.28	0.034
Z1-L1-TT 33	Soil			1.6	20.4	38.9	63	<0.1	15.8	5.0	525	2.91	7.5	4.4	29.2	10.8	41	<0.1	1.2	0.1	43	0.38	0.043
Z1-L3-TT 1	Soil			3.6	39.5	58.6	110	0.5	32.4	14.8	482	4.20	72.6	1.1	15.6	8.9	35	0.2	3.1	1.1	85	0.31	0.042
Z1-L3-TT 4	Soil			3.5	44.0	32.8	121	0.1	35.9	12.1	485	3.09	25.8	4.5	4.8	12.5	29	0.2	1.8	0.8	73	0.43	0.112
Z1-L3-TT 5	Soil			2.5	29.8	30.0	110	0.2	27.5	9.8	323	3.09	21.8	4.2	5.7	9.5	26	0.2	1.6	0.6	65	0.36	0.086
Z1-L3-TT 12	Soil			4.3	36.8	59.6	127	0.5	25.9	11.5	658	3.33	23.8	18.0	3.5	12.1	57	0.6	1.6	1.5	78	0.60	0.125
Z1-L3-TT 18	Soil			1.4	16.2	28.2	84	<0.1	24.8	9.4	703	3.18	8.0	3.4	2.7	13.5	43	0.5	0.8	0.2	57	0.40	0.078
Z1-L3-TT 20	Soil			1.3	10.2	22.2	75	<0.1	17.5	6.7	320	2.76	5.4	2.4	1.8	7.8	39	0.3	0.7	0.1	49	0.34	0.030
Z1-L3-TT 21	Soil			3.7	25.0	48.1	124	0.2	21.6	8.9	449	2.91	21.4	12.8	32.7	13.0	44	0.7	2.0	1.6	70	0.56	0.159
Z1-L3-TT 22	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Z1-L3-TT 23	Soil			1.6	10.0	19.8	65	<0.1	16.0	8.1	579	2.66	4.4	2.5	2.6	8.9	42	0.2	0.5	0.1	47	0.37	0.035
Z1-L3-TT 24	Soil			2.1	7.6	16.1	66	<0.1	15.9	5.8	385	2.69	3.2	3.3	1.8	9.0	47	<0.1	0.4	<0.1	47	0.40	0.024
Z1-L3-TT 29	Soil			1.6	13.6	17.0	61	<0.1	20.2	9.1	417	3.10	5.3	1.9	4.2	9.8	49	<0.1	0.6	0.1	59	0.40	0.024
Z1-L3-TT 30	Soil			1.5	7.6	23.6	68	<0.1	9.6	6.7	794	2.55	7.2	9.0	1.6	10.7	117	0.1	0.9	<0.1	37	0.56	0.087
Z1-L2-TT 11	Soil			1.7	7.5	24.9	76	<0.1	12.5	6.9	496	3.01	5.3	1.7	0.9	5.5	47	0.3	0.9	0.2	57	0.33	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000414.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.2
08-21-J1	Soil	18	38	0.42	1037	0.019	2	1.68	0.017	0.19	0.2	0.03	7.6	<0.1	0.06	4	<0.5	<0.2
08-21-J2	Soil	31	22	0.13	149	0.002	3	0.72	0.006	0.16	<0.1	0.10	2.5	0.2	0.09	2	0.8	0.4
Z1-L2-TT 01	Soil	19	93	1.25	144	0.061	1	2.34	0.013	0.19	0.3	0.04	6.4	0.2	<0.05	7	1.0	0.5
Z1-L2-TT 02	Soil	17	50	0.77	161	0.092	2	2.08	0.014	0.16	0.3	0.02	3.3	0.2	0.05	8	<0.5	<0.2
Z1-L2-TT 03	Soil	15	79	1.00	191	0.160	2	1.89	0.022	0.22	2.5	0.01	3.5	0.3	<0.05	7	<0.5	<0.2
Z1-L2-TT 04	Soil	25	43	0.74	165	0.071	2	1.66	0.015	0.11	1.1	0.02	3.5	0.2	<0.05	7	<0.5	0.2
Z1-L2-TT 05	Soil	22	37	0.71	173	0.063	2	1.49	0.019	0.09	1.0	0.03	3.5	0.2	<0.05	5	<0.5	<0.2
Z1-L2-TT 06	Soil	47	23	0.57	346	0.071	2	1.41	0.021	0.20	0.2	0.04	4.1	0.1	0.07	5	0.6	<0.2
Z1-L2-TT 07	Soil	30	25	0.73	343	0.090	2	1.52	0.038	0.26	0.2	0.03	4.0	0.1	<0.05	6	<0.5	<0.2
Z1-L2-TT 08	Soil	43	22	0.74	286	0.084	1	1.99	0.019	0.34	0.2	0.03	5.4	0.2	<0.05	7	<0.5	<0.2
Z1-L2-TT 09	Soil	30	22	0.78	239	0.074	1	2.41	0.016	0.30	0.2	<0.01	5.5	0.2	<0.05	10	<0.5	<0.2
Z1-L2-TT 10	Soil	53	38	0.53	392	0.057	2	2.80	0.019	0.19	0.1	0.04	6.7	0.1	<0.05	10	<0.5	<0.2
Z1-L1-TT 27	Soil	39	34	0.71	199	0.058	2	2.70	0.012	0.12	0.2	0.02	3.5	0.1	<0.05	8	<0.5	<0.2
Z1-L1-TT 29	Soil	22	26	0.70	191	0.078	1	2.32	0.015	0.09	0.2	0.01	3.9	<0.1	<0.05	7	<0.5	<0.2
Z1-L1-TT 30	Soil	18	34	0.71	234	0.083	1	2.50	0.018	0.14	0.1	0.01	3.8	0.1	<0.05	7	<0.5	<0.2
Z1-L1-TT 32	Soil	28	13	0.41	140	0.008	<1	2.49	0.010	0.16	<0.1	0.01	2.5	<0.1	<0.05	7	<0.5	<0.2
Z1-L1-TT 33	Soil	36	26	0.48	161	0.016	1	1.94	0.010	0.26	0.3	0.02	3.2	0.1	<0.05	7	<0.5	<0.2
Z1-L3-TT 1	Soil	22	65	0.82	210	0.083	2	2.60	0.013	0.12	0.2	0.04	5.4	0.2	<0.05	7	<0.5	<0.2
Z1-L3-TT 4	Soil	16	65	0.84	149	0.128	1	2.09	0.014	0.25	0.4	<0.01	3.5	0.4	<0.05	8	<0.5	<0.2
Z1-L3-TT 5	Soil	17	50	0.74	183	0.116	<1	2.09	0.014	0.22	0.3	0.02	3.6	0.3	<0.05	7	<0.5	<0.2
Z1-L3-TT 12	Soil	31	48	0.74	185	0.076	2	1.68	0.014	0.10	1.4	0.03	4.4	0.2	<0.05	6	<0.5	<0.2
Z1-L3-TT 18	Soil	29	38	0.74	243	0.084	<1	2.05	0.016	0.18	0.2	<0.01	5.7	0.1	<0.05	7	<0.5	0.2
Z1-L3-TT 20	Soil	15	29	0.62	137	0.066	<1	1.95	0.015	0.21	0.1	0.01	3.0	0.1	<0.05	7	<0.5	<0.2
Z1-L3-TT 21	Soil	25	38	0.57	236	0.055	3	1.33	0.015	0.11	1.6	0.02	3.2	0.1	<0.05	5	<0.5	<0.2
Z1-L3-TT 22	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Z1-L3-TT 23	Soil	19	30	0.52	205	0.051	<1	1.93	0.016	0.22	<0.1	0.01	3.7	<0.1	<0.05	7	<0.5	<0.2
Z1-L3-TT 24	Soil	28	30	0.48	134	0.034	<1	1.92	0.012	0.18	0.1	0.02	3.5	<0.1	<0.05	7	<0.5	<0.2
Z1-L3-TT 29	Soil	16	36	0.66	138	0.101	3	2.18	0.014	0.26	0.2	<0.01	3.9	0.1	<0.05	7	<0.5	0.5
Z1-L3-TT 30	Soil	42	16	0.64	276	0.055	1	1.78	0.015	0.26	0.2	0.01	3.9	0.1	<0.05	7	<0.5	<0.2
Z1-L2-TT 11	Soil	13	22	0.50	201	0.030	<1	2.20	0.014	0.16	0.1	0.01	2.8	<0.1	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000414.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Z1-L2-TT 12	Soil		1.3	8.2	37.4	78	<0.1	11.0	6.9	780	2.69	3.9	2.3	1.0	8.7	46	0.2	1.0	<0.1	40	0.41	0.065
Z1-L2-TT 13	Soil		1.3	6.5	29.4	74	0.2	10.4	6.2	409	2.60	3.3	2.5	<0.5	6.5	45	0.3	0.9	<0.1	43	0.40	0.049
Z1-L2-TT 14	Soil		1.5	6.1	27.3	84	<0.1	10.0	6.5	530	2.83	4.7	2.3	4.5	7.1	106	0.2	0.8	<0.1	42	0.52	0.044
Z1-L2-TT 15	Soil		1.0	12.1	15.9	62	<0.1	15.2	7.2	375	2.87	6.0	1.7	1.5	9.9	55	<0.1	0.4	0.1	52	0.37	0.029
Z1-L2-TT 16	Soil		1.2	15.8	20.4	80	<0.1	12.9	7.7	749	3.09	4.9	3.4	<0.5	11.5	54	0.1	0.5	<0.1	50	0.51	0.077
Z1-L2-TT 17	Soil		1.2	7.8	18.6	78	<0.1	14.0	7.6	448	2.97	4.2	2.0	2.7	5.5	85	0.2	0.5	0.1	55	0.37	0.030
Z1-L2-TT 18	Soil		1.6	11.3	22.3	69	<0.1	18.4	7.6	512	2.96	6.0	2.5	2.2	8.7	47	0.1	0.8	0.1	50	0.44	0.048
Z1-L4-TT 01	Soil		2.6	70.3	56.4	136	0.4	47.4	14.7	610	3.86	64.4	1.1	11.5	12.4	40	0.3	3.4	1.0	72	0.62	0.043
Z1-L4-TT 02	Soil		2.3	48.5	44.4	108	0.3	58.0	14.9	609	3.76	29.8	1.7	4.0	17.0	39	0.1	2.1	0.9	90	0.52	0.085
Z1-L4-TT 03	Soil		2.8	48.0	29.6	70	0.4	40.5	12.0	523	2.93	21.6	3.5	3.0	18.0	26	<0.1	1.3	0.6	79	0.27	0.052
Z1-L4-TT 04	Soil		3.1	40.6	29.3	81	0.1	34.5	9.1	319	2.90	16.9	8.2	2.8	14.8	22	<0.1	1.3	0.5	79	0.27	0.074
Z1-L4-TT 05	Soil		2.3	28.7	32.3	100	0.1	26.6	8.7	351	2.99	23.8	6.0	1.9	11.4	20	0.2	1.1	0.3	61	0.25	0.057
Z1-L4-TT 06	Soil		0.9	8.0	39.9	125	<0.1	6.6	6.6	327	2.12	3.8	1.6	3.4	7.5	22	0.3	0.4	<0.1	33	0.29	0.087
Z1-L4-TT 07	Soil		2.6	9.2	22.7	81	<0.1	12.6	6.6	583	2.38	5.0	1.8	2.0	5.2	37	0.6	0.4	<0.1	38	0.39	0.067
Z1-L4-TT 08	Soil		4.1	29.0	61.5	121	0.3	26.4	11.1	738	2.96	26.1	10.2	36.1	10.5	46	0.6	1.3	1.2	76	0.49	0.116
Z1-L4-TT 09	Soil		3.9	24.6	60.2	112	0.3	24.9	10.5	679	4.43	24.8	12.9	2.3	12.2	41	0.5	1.4	1.9	138	0.52	0.142
Z1-L4-TT 10	Soil		3.3	30.3	72.5	126	0.4	21.9	10.5	750	2.65	28.2	9.0	21.0	9.4	46	0.4	1.6	1.3	66	0.46	0.117
Z1-L4-TT 11	Soil		2.9	28.7	51.7	112	0.3	21.0	9.3	600	2.69	25.9	11.2	5.7	8.3	52	0.6	1.4	1.4	72	0.54	0.112
Z1-L4-TT 12	Soil		3.1	26.7	51.6	105	0.3	20.1	8.6	631	2.25	23.8	18.1	3.5	7.3	76	0.8	1.4	1.2	56	0.71	0.107
Z1-L4-TT 13	Soil		1.4	13.3	20.2	103	0.1	10.9	5.6	517	1.79	7.1	65.3	2.6	8.7	189	0.3	0.9	0.3	34	0.85	0.076
Z1-L4-TT 14	Soil		1.4	18.5	24.6	58	<0.1	16.6	8.0	686	2.40	11.8	3.2	2.2	14.3	15	0.2	0.9	0.3	46	0.13	0.043
Z1-L4-TT 15	Soil		2.1	9.3	25.1	54	<0.1	12.9	6.4	565	2.52	10.8	2.3	3.8	8.3	27	0.2	0.8	0.4	49	0.18	0.042
Z1-L4-TT 16	Soil		1.3	26.6	21.1	75	0.1	23.0	9.5	726	2.59	9.2	2.7	3.8	11.1	56	0.3	0.8	0.3	57	0.57	0.089
Z1-L4-TT 17	Soil		1.9	6.8	24.5	60	<0.1	9.5	7.2	603	2.57	7.1	4.4	<0.5	33.6	20	<0.1	1.2	0.7	32	0.17	0.040
Z1-L4-TT 18	Soil		1.4	8.5	48.0	68	<0.1	12.6	7.3	498	2.75	11.2	6.3	0.7	14.4	51	0.1	0.8	0.5	47	0.43	0.084
Z1-L4-TT 19	Soil		1.0	11.9	21.5	75	0.2	10.3	6.6	620	1.94	4.6	9.8	2.0	7.1	112	0.7	0.7	0.3	36	0.85	0.080
Z1-L4-TT 20	Soil		1.8	12.0	18.3	68	0.2	16.9	9.0	615	2.19	3.7	6.2	1.3	6.7	81	0.4	0.4	<0.1	44	0.56	0.073
Z1-L4-TT 21	Soil		0.7	22.3	19.6	64	0.2	11.4	6.0	823	1.51	3.7	29.0	<0.5	10.9	164	0.2	0.8	0.3	33	1.22	0.075
Z1-L4-TT 22	Soil		1.1	7.8	23.2	52	<0.1	9.4	6.5	315	2.11	6.7	2.6	<0.5	6.2	40	<0.1	0.4	0.3	41	0.32	0.013
Z1-L4-TT 23	Soil		1.6	5.0	19.7	52	<0.1	7.2	5.3	323	2.34	5.6	2.1	0.6	5.1	23	<0.1	0.6	0.3	50	0.23	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000414.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.2	0.2		
Z1-L2-TT 12	Soil			24	17	0.56	212	0.033	<1	2.01	0.013	0.22	0.2	<0.01	3.2	0.1	<0.05	8	<0.5	<0.2
Z1-L2-TT 13	Soil			19	19	0.54	167	0.031	<1	2.18	0.012	0.23	<0.1	0.01	3.0	<0.1	<0.05	8	<0.5	<0.2
Z1-L2-TT 14	Soil			19	18	0.52	158	0.028	<1	2.03	0.015	0.21	0.2	<0.01	2.6	<0.1	<0.05	8	<0.5	<0.2
Z1-L2-TT 15	Soil			23	26	0.64	121	0.055	1	2.21	0.014	0.16	0.1	<0.01	4.2	<0.1	<0.05	7	<0.5	<0.2
Z1-L2-TT 16	Soil			51	22	0.72	201	0.064	<1	2.04	0.019	0.20	0.1	<0.01	5.9	<0.1	<0.05	8	<0.5	<0.2
Z1-L2-TT 17	Soil			12	25	0.54	177	0.037	<1	2.39	0.013	0.12	<0.1	0.02	2.9	0.1	<0.05	8	<0.5	<0.2
Z1-L2-TT 18	Soil			22	30	0.59	174	0.057	<1	2.15	0.013	0.23	<0.1	0.02	4.3	0.1	<0.05	7	<0.5	<0.2
Z1-L4-TT 01	Soil			29	62	0.95	197	0.078	2	2.06	0.024	0.15	0.2	0.05	6.8	0.2	<0.05	7	0.6	<0.2
Z1-L4-TT 02	Soil			22	93	1.09	192	0.127	2	2.37	0.025	0.21	0.5	0.02	5.8	0.3	<0.05	8	<0.5	<0.2
Z1-L4-TT 03	Soil			24	75	0.85	164	0.142	1	2.11	0.013	0.28	0.6	0.03	5.8	0.4	<0.05	8	0.5	<0.2
Z1-L4-TT 04	Soil			24	66	0.83	134	0.149	<1	1.90	0.023	0.18	0.4	0.03	5.8	0.4	<0.05	7	0.6	<0.2
Z1-L4-TT 05	Soil			21	51	0.70	136	0.094	<1	1.65	0.015	0.28	0.6	0.01	5.5	0.2	<0.05	6	0.9	<0.2
Z1-L4-TT 06	Soil			22	11	0.58	226	0.065	<1	1.46	0.018	0.26	0.3	<0.01	2.8	0.1	<0.05	6	0.8	<0.2
Z1-L4-TT 07	Soil			10	24	0.56	269	0.062	1	1.81	0.015	0.26	0.3	<0.01	2.5	0.1	<0.05	6	0.5	<0.2
Z1-L4-TT 08	Soil			22	50	0.74	144	0.060	<1	1.39	0.016	0.09	1.3	0.01	3.0	0.1	<0.05	5	0.6	0.5
Z1-L4-TT 09	Soil			24	71	0.65	126	0.059	1	1.18	0.012	0.09	2.7	0.02	3.0	<0.1	<0.05	6	1.0	0.3
Z1-L4-TT 10	Soil			22	40	0.71	135	0.062	<1	1.36	0.012	0.09	1.2	0.01	2.8	0.2	<0.05	6	0.5	<0.2
Z1-L4-TT 11	Soil			21	40	0.66	163	0.060	1	1.32	0.015	0.08	1.2	0.03	3.2	0.1	<0.05	5	1.1	<0.2
Z1-L4-TT 12	Soil			21	34	0.64	167	0.054	<1	1.20	0.014	0.08	0.9	0.04	2.8	0.1	<0.05	5	0.7	0.3
Z1-L4-TT 13	Soil			30	20	0.44	217	0.037	<1	1.15	0.014	0.14	0.2	0.05	3.3	<0.1	<0.05	4	1.3	<0.2
Z1-L4-TT 14	Soil			19	26	0.53	162	0.053	<1	1.71	0.012	0.13	0.2	0.02	3.2	0.1	<0.05	5	0.6	<0.2
Z1-L4-TT 15	Soil			15	25	0.44	131	0.045	<1	1.53	0.011	0.15	0.2	<0.01	2.3	<0.1	<0.05	6	<0.5	<0.2
Z1-L4-TT 16	Soil			27	32	0.69	252	0.098	<1	1.38	0.034	0.18	0.3	0.03	4.9	0.1	<0.05	5	0.7	<0.2
Z1-L4-TT 17	Soil			32	17	0.27	158	0.031	<1	0.98	0.010	0.15	1.5	<0.01	3.2	0.1	<0.05	4	<0.5	<0.2
Z1-L4-TT 18	Soil			55	22	0.63	314	0.078	<1	1.96	0.017	0.26	0.3	0.03	5.9	0.2	<0.05	8	0.8	<0.2
Z1-L4-TT 19	Soil			47	17	0.54	330	0.081	<1	1.26	0.018	0.23	0.4	0.05	5.2	0.1	<0.05	5	0.9	<0.2
Z1-L4-TT 20	Soil			34	26	0.63	299	0.045	<1	2.01	0.014	0.13	0.2	0.02	4.7	<0.1	<0.05	7	<0.5	0.3
Z1-L4-TT 21	Soil			33	19	0.47	288	0.045	<1	1.21	0.017	0.15	0.4	0.05	4.7	0.1	0.06	4	0.5	<0.2
Z1-L4-TT 22	Soil			18	17	0.49	211	0.057	<1	1.45	0.014	0.18	0.1	<0.01	2.3	<0.1	<0.05	5	0.7	<0.2
Z1-L4-TT 23	Soil			12	14	0.51	153	0.061	<1	1.55	0.013	0.15	<0.1	<0.01	2.2	0.1	<0.05	6	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000414.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Z1-L4-TT 24	Soil		2.2	8.9	28.2	49	<0.1	12.3	6.3	280	2.79	9.8	2.0	<0.5	5.8	31	<0.1	1.0	0.4	59	0.25	0.025
Z1-L4-TT 25	Soil		1.7	12.2	28.6	62	<0.1	16.8	8.4	652	2.75	10.6	4.1	1.2	14.7	45	<0.1	1.0	0.2	50	0.47	0.101
Z1-L4-TT 26	Soil		3.8	17.5	40.3	65	<0.1	12.5	4.6	851	2.31	7.2	4.2	6.7	56.6	20	<0.1	2.5	1.0	25	0.12	0.025
Z1-L5-TT 01	Soil		4.8	35.5	42.5	60	0.2	20.9	7.6	194	2.14	18.4	12.9	3.1	17.9	29	0.4	2.1	1.7	50	0.27	0.051
Z1-L5-TT 02	Soil		2.2	34.5	29.0	90	0.1	27.7	10.0	316	2.68	15.2	4.0	5.4	12.3	24	0.3	1.2	0.7	71	0.35	0.096
Z1-L5-TT 03	Soil		5.2	24.4	30.5	70	<0.1	20.7	10.1	499	2.24	16.9	6.5	1.8	14.5	21	0.1	0.9	0.8	56	0.24	0.058
Z1-L5-TT 04	Soil		4.1	13.5	29.4	43	<0.1	13.1	5.8	688	1.59	26.7	11.1	3.0	15.7	23	<0.1	0.7	0.7	39	0.19	0.034
Z1-L5-TT 12	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Z1-L5-TT 16	Soil		3.3	14.9	20.1	76	0.1	17.0	9.4	974	2.16	21.8	14.8	3.3	11.6	35	0.5	1.8	0.6	46	0.41	0.084
Z1-L5-TT 17	Soil		6.5	15.2	71.1	48	0.1	15.1	6.3	1325	1.77	20.5	43.2	2.4	19.3	19	0.3	1.7	0.8	37	0.19	0.020
Z1-L5-TT 18	Soil		4.7	18.0	40.2	51	<0.1	17.3	6.7	644	1.94	18.8	39.4	2.5	22.2	26	0.1	1.5	0.7	43	0.23	0.034
Z1-L5-TT 19	Soil		9.2	8.3	76.8	36	0.2	9.9	2.9	1135	1.18	25.2	38.0	0.8	33.3	12	0.1	1.9	1.0	20	0.07	0.010
Z1-L5-TT 25	Soil		1.5	20.3	8.6	62	<0.1	45.8	17.0	1865	4.43	12.6	25.9	0.7	4.4	40	<0.1	2.0	<0.1	47	0.77	0.274
Z1-L5-TT 27	Soil		5.3	6.4	87.9	69	0.2	13.6	8.6	3167	1.71	11.0	21.3	1.5	24.9	15	0.1	1.6	0.7	27	0.15	0.069
Z1-L5-TT 30	Soil		0.5	2.1	15.8	25	<0.1	4.5	0.9	299	0.48	2.1	4.1	<0.5	24.5	17	<0.1	0.4	0.6	3	0.11	0.013
Z1-L5-TT 31	Soil		1.0	3.0	26.7	31	<0.1	5.6	1.7	996	1.24	7.8	4.0	2.0	39.4	24	<0.1	2.0	0.5	12	0.16	0.013
Z1-L5-TT 32	Soil		4.4	3.5	41.6	42	<0.1	7.3	1.4	1034	1.13	11.4	5.4	<0.5	37.7	16	<0.1	1.2	1.2	13	0.08	0.009
Z3-L1-TT 09	Soil		2.1	8.6	37.4	94	0.2	11.6	5.8	650	2.71	39.6	1.7	6.2	7.7	20	0.2	1.3	0.1	41	0.29	0.020
Z3-L1-TT 10	Soil		2.0	30.9	25.7	74	1.3	16.5	7.4	626	2.60	16.6	8.5	10.6	6.5	38	0.2	0.9	0.3	42	0.61	0.058
Z3-L1-TT 11	Soil		1.8	17.2	23.9	79	0.1	18.1	6.5	341	2.73	19.8	2.5	11.7	9.5	29	0.1	0.7	0.4	44	0.37	0.031
Z3-L1-TT 12	Soil		1.3	16.7	11.6	55	0.3	15.2	6.7	412	2.35	10.1	2.9	7.5	7.7	26	<0.1	0.5	0.2	46	0.29	0.021
Z3-L1-TT 14	Soil		1.3	9.0	15.4	39	0.2	5.3	3.9	720	1.82	9.1	2.1	5.3	8.2	38	<0.1	0.8	<0.1	23	0.53	0.056
Z3-L1-TT 28	Soil		25.7	15.5	30.3	85	<0.1	11.9	9.6	1357	3.50	10.5	2.8	1.9	17.1	3	0.2	0.8	3.6	34	0.04	0.054
Z3-L1-TT 16	Soil		1.7	6.2	25.5	74	0.3	12.8	4.7	481	2.65	27.6	1.5	3.3	6.8	21	<0.1	1.8	0.3	33	0.19	0.029
Z3-L1-TT 17	Soil		1.2	7.5	25.5	67	<0.1	9.0	5.8	681	2.53	7.6	1.6	1.7	9.0	24	0.2	1.2	1.0	37	0.17	0.018
Z3-L1-TT 18	Soil		2.0	9.6	23.5	58	<0.1	14.9	6.4	328	3.22	9.2	1.7	<0.5	6.7	19	0.4	0.7	0.3	54	0.15	0.041
Z3-L1-TT 20	Soil		1.5	5.1	19.9	75	<0.1	9.6	6.8	854	2.74	4.9	2.7	2.2	12.4	32	0.2	1.0	0.3	40	0.32	0.052
Z3-L1-TT 21	Soil		1.5	11.6	9.7	95	<0.1	9.7	9.2	632	2.95	5.5	2.1	2.1	5.9	49	0.4	0.9	0.2	47	0.62	0.125
Z3-L1-TT 22	Soil		1.7	13.3	30.4	92	0.1	12.3	6.0	371	2.33	4.3	5.7	1.9	10.9	41	0.6	0.5	0.3	43	0.53	0.056
Z3-L1-TT 23	Soil		5.0	7.1	30.8	230	<0.1	5.3	6.8	824	3.63	11.8	3.8	<0.5	8.8	25	0.3	5.1	0.6	42	0.49	0.144

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000414.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Z1-L4-TT 24	Soil			25	25	0.52	160	0.027	<1	2.19	0.011	0.13	0.1	<0.01	2.5	0.1	<0.05	7	0.8	0.3
Z1-L4-TT 25	Soil			36	34	0.69	248	0.038	<1	1.76	0.016	0.20	<0.1	0.02	4.5	0.1	<0.05	6	<0.5	<0.2
Z1-L4-TT 26	Soil			42	19	0.41	113	0.059	1	1.36	0.014	0.26	1.0	<0.01	3.5	0.3	<0.05	5	0.8	<0.2
Z1-L5-TT 01	Soil			20	33	0.41	164	0.088	<1	1.64	0.015	0.09	0.4	0.15	5.2	0.9	<0.05	5	1.5	<0.2
Z1-L5-TT 02	Soil			17	58	0.75	181	0.125	<1	1.75	0.014	0.20	0.4	0.01	3.4	0.4	<0.05	6	0.6	<0.2
Z1-L5-TT 03	Soil			15	41	0.55	104	0.097	<1	1.66	0.011	0.09	1.1	0.02	2.9	0.3	<0.05	6	<0.5	<0.2
Z1-L5-TT 04	Soil			15	27	0.34	88	0.052	<1	1.07	0.009	0.08	0.6	0.02	2.1	0.3	<0.05	4	0.8	<0.2
Z1-L5-TT 12	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Z1-L5-TT 16	Soil			23	19	0.41	363	0.037	1	0.88	0.012	0.11	0.8	0.01	3.5	0.2	<0.05	3	1.1	<0.2
Z1-L5-TT 17	Soil			22	25	0.32	124	0.026	<1	1.13	0.009	0.10	0.5	0.10	3.8	0.6	<0.05	4	1.0	0.3
Z1-L5-TT 18	Soil			20	29	0.44	100	0.063	<1	1.14	0.012	0.12	0.4	0.10	3.7	0.6	<0.05	4	1.0	<0.2
Z1-L5-TT 19	Soil			22	15	0.16	43	0.019	<1	0.69	0.007	0.10	0.6	0.11	3.1	0.9	<0.05	2	1.0	<0.2
Z1-L5-TT 25	Soil			46	69	0.50	225	0.020	<1	1.11	0.010	0.15	1.9	0.23	8.4	0.1	<0.05	4	0.6	<0.2
Z1-L5-TT 27	Soil			21	19	0.22	124	0.017	<1	0.77	0.010	0.11	0.6	0.03	2.9	0.3	<0.05	3	<0.5	<0.2
Z1-L5-TT 30	Soil			21	6	0.07	98	<0.001	<1	0.49	0.004	0.10	0.1	<0.01	1.8	0.3	<0.05	1	0.8	<0.2
Z1-L5-TT 31	Soil			17	9	0.10	125	0.002	2	0.82	0.005	0.11	1.6	0.01	2.5	0.2	0.07	2	<0.5	<0.2
Z1-L5-TT 32	Soil			11	11	0.09	39	0.005	2	0.65	0.004	0.10	0.8	0.02	3.2	0.2	<0.05	2	<0.5	<0.2
Z3-L1-TT 09	Soil			20	21	0.39	99	0.018	<1	1.26	0.011	0.06	<0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2
Z3-L1-TT 10	Soil			112	26	0.32	183	0.015	<1	1.76	0.010	0.07	0.2	0.08	5.1	<0.1	<0.05	5	<0.5	<0.2
Z3-L1-TT 11	Soil			24	31	0.51	152	0.036	<1	1.99	0.011	0.09	<0.1	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
Z3-L1-TT 12	Soil			61	30	0.55	139	0.055	<1	1.76	0.012	0.06	0.1	0.04	4.9	<0.1	<0.05	6	<0.5	<0.2
Z3-L1-TT 14	Soil			23	9	0.41	106	0.003	<1	1.78	0.006	0.05	<0.1	0.01	2.5	0.3	<0.05	7	<0.5	<0.2
Z3-L1-TT 28	Soil			9	21	0.11	73	0.004	<1	2.15	0.005	0.09	2.4	0.03	4.6	0.4	<0.05	4	<0.5	<0.2
Z3-L1-TT 16	Soil			24	22	0.48	125	0.005	<1	2.21	0.007	0.08	0.3	0.01	2.0	0.2	<0.05	6	<0.5	<0.2
Z3-L1-TT 17	Soil			19	17	0.52	156	0.047	<1	2.28	0.011	0.16	0.1	0.01	3.0	0.1	<0.05	7	<0.5	<0.2
Z3-L1-TT 18	Soil			17	26	0.40	168	0.033	<1	2.62	0.008	0.14	<0.1	0.02	2.8	0.1	<0.05	8	<0.5	<0.2
Z3-L1-TT 20	Soil			32	15	0.54	253	0.060	<1	1.82	0.013	0.23	0.1	0.01	2.5	0.2	<0.05	7	<0.5	<0.2
Z3-L1-TT 21	Soil			24	12	0.37	252	0.033	<1	1.44	0.011	0.10	0.1	0.02	3.4	<0.1	<0.05	7	<0.5	<0.2
Z3-L1-TT 22	Soil			40	23	0.66	237	0.066	2	1.62	0.012	0.12	0.2	0.03	3.5	<0.1	<0.05	7	<0.5	<0.2
Z3-L1-TT 23	Soil			24	7	0.29	166	0.059	<1	0.95	0.011	0.19	0.6	0.02	2.1	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000414.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Z3-L1-TT 24	Soil		16.9	7.5	23.8	47	<0.1	9.3	3.7	467	1.74	14.7	2.6	3.0	17.9	11	<0.1	1.2	4.5	20	0.10	0.016
Z3-L1-TT 25	Soil		8.6	17.9	20.4	44	0.2	13.3	9.8	857	2.86	9.4	13.1	3.7	30.2	25	0.1	0.9	1.0	30	0.37	0.034
Z3-L1-TT 26	Soil		8.1	11.6	29.8	62	<0.1	12.0	7.8	569	3.23	15.7	1.4	1.6	13.8	11	0.2	1.1	1.2	47	0.08	0.034
Z3-L1-TT 30	Soil		30.0	30.9	27.7	111	<0.1	7.4	7.7	857	3.79	13.8	2.5	1.0	14.5	6	0.2	4.0	4.4	42	0.06	0.032
Z3-L1-TT 31	Soil		9.5	20.3	16.9	73	<0.1	21.3	10.0	642	2.85	8.2	2.5	2.6	19.6	19	0.1	0.8	2.1	51	0.21	0.050
Z3-L1-TT 32	Soil		4.0	17.7	20.7	65	<0.1	16.5	9.2	527	2.92	14.1	3.3	3.4	16.2	15	<0.1	2.1	1.2	50	0.15	0.030
Z3-L2-TT 07	Soil		2.7	8.4	32.7	117	0.6	12.1	5.6	667	2.14	16.3	2.9	3.8	5.0	98	0.3	0.8	0.1	30	1.24	0.079
Z3-L2-TT 09	Soil		1.0	11.1	25.6	55	0.6	8.5	5.5	566	1.86	5.1	4.1	3.1	5.3	72	0.2	0.7	0.1	31	1.16	0.062
Z3-L2-TT 10	Soil		1.1	14.3	20.2	58	0.4	10.1	8.1	1193	2.37	7.7	5.2	4.6	4.8	74	0.2	0.7	0.2	37	1.13	0.070
Z3-L2-TT 13	Soil		1.2	7.1	18.6	52	<0.1	9.7	5.6	409	2.41	7.9	2.7	15.1	6.7	45	<0.1	0.4	<0.1	34	0.50	0.030
Z3-L2-TT 17	Soil		1.5	5.2	16.5	52	<0.1	4.7	3.9	332	2.23	9.3	4.0	0.8	6.5	40	0.1	1.0	0.1	37	0.30	0.026
Z3-L2-TT 18	Soil		2.0	6.5	21.8	64	0.1	8.5	6.0	434	2.83	5.4	2.6	1.9	8.7	25	0.4	0.5	0.2	46	0.19	0.024
Z3-L2-TT 19	Soil		1.0	18.4	16.5	61	0.2	11.8	7.7	269	2.30	4.3	7.1	2.0	7.5	58	0.1	0.6	0.2	47	0.52	0.055
Z3-L2-TT 21A	Soil		1.6	7.7	16.3	59	<0.1	10.5	5.6	276	2.31	5.8	1.3	1.8	4.8	66	<0.1	0.5	0.3	49	0.47	0.030
Z3-L2-TT 21B	Soil		2.7	7.7	22.1	95	0.1	6.8	6.0	369	3.32	11.8	5.2	<0.5	9.5	61	0.3	0.9	0.1	42	0.61	0.076
Z3-L2-TT 24	Soil		2.0	10.2	33.5	98	<0.1	8.9	8.1	541	3.19	5.4	1.6	<0.5	6.0	35	0.2	0.6	0.1	50	0.31	0.032
Z3-L2-TT 25	Soil		1.9	12.8	30.9	83	<0.1	13.3	7.8	395	3.85	10.1	1.6	9.3	6.7	16	0.4	0.7	0.4	63	0.13	0.036
Z3-L2-TT 26	Soil		4.5	12.6	15.5	69	<0.1	14.3	6.8	347	3.51	12.0	0.7	2.8	4.2	14	0.2	0.7	0.6	79	0.11	0.028
Z3-L2-TT 27	Soil		3.6	4.4	16.7	27	<0.1	4.6	2.0	282	1.16	6.2	2.8	<0.5	24.7	7	<0.1	0.6	0.4	17	0.05	0.013
Z3-L2-TT 28	Soil		13.8	16.3	15.7	56	0.2	7.8	4.3	303	1.88	7.9	11.0	2.5	32.5	21	<0.1	0.9	1.6	28	0.34	0.032
Z3-L2-TT 29	Soil		12.9	9.8	17.1	51	<0.1	10.8	6.4	542	2.27	9.1	1.8	2.2	10.5	17	<0.1	0.8	1.0	42	0.20	0.039
Z3-L2-TT 31	Soil		4.4	16.0	35.1	51	<0.1	21.7	9.3	245	2.44	10.4	1.4	1.4	10.8	17	0.3	1.2	1.2	48	0.16	0.021
Z3-L3-TT 09	Soil		1.5	15.6	228.2	596	8.6	9.8	5.2	480	2.13	82.3	6.3	25.4	6.8	56	4.0	2.9	0.2	30	0.81	0.065
Z3-L3-TT 12	Soil		1.0	11.0	41.9	117	1.1	13.0	8.2	622	2.57	25.9	2.9	2.0	7.2	63	0.4	1.0	0.2	48	0.71	0.057
Z3-L3-TT 14	Soil		1.1	10.0	21.6	90	0.2	9.3	5.6	445	2.24	4.3	3.5	2.8	4.9	89	0.3	0.5	0.3	36	0.68	0.057
Z3-L3-TT 15	Soil		1.5	17.1	27.1	92	0.1	11.4	5.7	360	2.06	12.7	2.8	2.2	4.7	102	0.3	0.9	0.6	40	0.81	0.045
Z3-L3-TT 17	Soil		2.7	57.1	73.1	209	0.2	39.1	14.3	483	3.79	62.3	2.6	3.0	7.3	75	0.3	3.7	1.1	77	0.59	0.051
Z3-L3-TT 20	Soil		1.6	6.3	20.3	80	<0.1	6.9	6.7	423	2.48	3.3	2.1	0.6	7.1	44	0.1	0.6	0.3	46	0.36	0.040
Z3-L3-TT 24	Soil		2.0	6.8	16.0	45	<0.1	6.7	3.1	179	1.89	4.8	0.9	1.8	3.1	18	0.1	0.4	0.3	63	0.14	0.023
Z3-L3-TT 27	Soil		8.4	20.3	49.9	144	<0.1	9.0	11.6	1245	4.69	11.6	2.9	<0.5	8.8	15	0.2	2.5	4.4	56	0.13	0.052

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000414.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
Z3-L1-TT 24	Soil			23	18	0.14	88	0.011	1	0.71	0.004	0.08	0.3	0.03	1.9	0.2	<0.05	2	<0.5	<0.2
Z3-L1-TT 25	Soil			116	22	0.24	450	0.008	2	1.40	0.007	0.20	0.7	0.22	7.2	0.3	<0.05	4	0.9	<0.2
Z3-L1-TT 26	Soil			11	26	0.24	102	0.019	<1	1.79	0.006	0.11	0.5	0.04	2.9	0.3	<0.05	5	<0.5	<0.2
Z3-L1-TT 30	Soil			11	13	0.14	64	0.012	<1	1.35	0.006	0.08	2.5	0.02	4.3	0.2	<0.05	4	<0.5	<0.2
Z3-L1-TT 31	Soil			32	33	0.50	219	0.053	2	2.18	0.010	0.09	0.5	0.04	4.9	0.2	<0.05	6	<0.5	<0.2
Z3-L1-TT 32	Soil			19	28	0.40	148	0.048	1	1.87	0.014	0.08	0.7	0.10	4.8	0.3	<0.05	5	<0.5	<0.2
Z3-L2-TT 07	Soil			20	19	0.19	88	0.007	3	0.67	0.009	0.08	<0.1	0.04	1.9	<0.1	<0.05	3	<0.5	<0.2
Z3-L2-TT 09	Soil			43	15	0.38	123	0.012	<1	1.47	0.011	0.07	<0.1	0.05	2.9	<0.1	<0.05	5	<0.5	<0.2
Z3-L2-TT 10	Soil			36	15	0.41	156	0.017	<1	1.57	0.011	0.07	<0.1	0.04	3.1	<0.1	<0.05	6	<0.5	<0.2
Z3-L2-TT 13	Soil			12	16	0.49	99	0.004	<1	2.05	0.009	0.06	<0.1	0.01	2.3	<0.1	<0.05	7	<0.5	<0.2
Z3-L2-TT 17	Soil			22	11	0.33	112	0.026	1	1.63	0.011	0.13	<0.1	0.01	1.4	0.1	<0.05	6	<0.5	<0.2
Z3-L2-TT 18	Soil			34	15	0.54	149	0.049	<1	2.36	0.011	0.17	<0.1	0.01	2.2	0.2	<0.05	7	<0.5	<0.2
Z3-L2-TT 19	Soil			41	22	0.57	208	0.053	<1	1.80	0.010	0.12	0.2	0.05	3.9	0.1	<0.05	7	<0.5	0.2
Z3-L2-TT 21A	Soil			13	20	0.50	172	0.054	<1	1.78	0.011	0.08	0.1	0.01	2.8	<0.1	<0.05	7	<0.5	0.2
Z3-L2-TT 21B	Soil			41	11	0.52	209	0.045	1	1.50	0.010	0.14	0.3	0.06	3.1	0.1	<0.05	6	<0.5	<0.2
Z3-L2-TT 24	Soil			10	15	0.68	154	0.061	1	2.58	0.011	0.11	0.1	<0.01	2.8	<0.1	<0.05	10	<0.5	<0.2
Z3-L2-TT 25	Soil			11	24	0.57	180	0.040	<1	3.37	0.009	0.12	0.3	0.02	3.4	0.1	<0.05	10	<0.5	0.4
Z3-L2-TT 26	Soil			11	32	0.45	190	0.066	<1	2.22	0.008	0.10	0.2	0.02	2.8	0.1	<0.05	9	<0.5	0.4
Z3-L2-TT 27	Soil			20	8	0.11	114	0.015	<1	1.02	0.007	0.08	0.2	0.02	1.1	0.2	<0.05	3	<0.5	<0.2
Z3-L2-TT 28	Soil			95	13	0.22	338	0.006	2	1.31	0.007	0.19	0.4	0.32	6.6	0.3	<0.05	4	0.9	0.3
Z3-L2-TT 29	Soil			14	21	0.36	138	0.045	<1	1.12	0.009	0.10	0.4	0.06	2.6	0.1	<0.05	4	<0.5	0.2
Z3-L2-TT 31	Soil			9	29	0.38	162	0.037	<1	2.20	0.009	0.07	0.4	0.03	2.5	0.1	<0.05	4	<0.5	0.2
Z3-L3-TT 09	Soil			36	16	0.40	109	0.014	1	1.34	0.011	0.12	0.2	0.04	3.5	0.1	<0.05	5	<0.5	<0.2
Z3-L3-TT 12	Soil			25	20	0.61	168	0.063	<1	1.94	0.015	0.10	0.1	0.03	3.3	0.1	<0.05	8	<0.5	<0.2
Z3-L3-TT 14	Soil			20	15	0.55	170	0.043	1	1.85	0.013	0.16	0.1	0.02	2.8	<0.1	<0.05	7	<0.5	<0.2
Z3-L3-TT 15	Soil			20	19	0.46	171	0.042	1	1.61	0.016	0.13	0.1	0.01	2.5	<0.1	<0.05	7	<0.5	<0.2
Z3-L3-TT 17	Soil			16	64	0.94	173	0.084	<1	2.00	0.011	0.18	0.2	0.02	5.0	0.3	<0.05	7	<0.5	<0.2
Z3-L3-TT 20	Soil			20	14	0.58	167	0.060	<1	1.61	0.010	0.12	0.1	<0.01	2.3	0.1	<0.05	6	<0.5	<0.2
Z3-L3-TT 24	Soil			9	15	0.25	80	0.070	<1	1.22	0.007	0.05	0.1	<0.01	1.4	<0.1	<0.05	8	<0.5	<0.2
Z3-L3-TT 27	Soil			13	16	0.47	205	0.066	1	1.98	0.010	0.19	0.6	0.01	3.0	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000414.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Z3-L3-TT 28	Soil		12.2	7.9	28.6	51	<0.1	6.9	5.5	929	1.90	32.0	2.2	1.3	13.9	10	<0.1	1.7	1.7	25	0.11	0.032
Z3-L3-TT 29	Soil		10.3	12.9	22.4	88	<0.1	8.9	6.8	554	3.44	5.5	2.7	<0.5	13.4	5	0.2	0.5	1.0	39	0.04	0.029
Z3-L4-TT 01	Soil		1.7	37.2	19.3	76	0.1	59.8	16.0	657	2.85	6.3	6.4	3.3	4.0	115	0.1	0.5	0.3	82	0.93	0.130
Z3-L4-TT 02	Soil		1.2	34.8	16.0	71	<0.1	61.8	17.0	598	3.16	6.3	4.2	9.7	4.6	86	0.2	0.5	0.3	92	0.75	0.149
Z3-L4-TT 03	Soil		1.1	34.2	14.7	73	<0.1	60.2	16.6	585	3.02	5.7	4.7	<0.5	4.5	96	0.2	0.5	0.3	90	0.82	0.153
Z3-L4-TT 04	Soil		0.9	37.4	16.4	79	0.1	69.4	16.1	703	2.92	5.5	5.1	1.6	4.2	99	0.2	0.5	0.3	83	0.84	0.138
Z3-L4-TT 05	Soil		1.5	28.8	14.8	70	<0.1	56.0	15.1	369	3.34	9.3	3.3	0.6	4.9	64	0.1	0.5	0.3	102	0.76	0.157
Z3-L4-TT 06	Soil		1.0	8.6	17.4	72	0.1	8.6	5.5	324	1.92	4.7	3.9	<0.5	7.8	44	0.2	0.5	0.2	39	0.57	0.086
Z3-L4-TT 07	Soil		1.0	10.0	16.9	80	0.1	10.8	6.6	396	2.23	4.7	3.5	1.1	7.5	66	0.2	0.5	0.2	41	0.66	0.075
Z3-L4-TT 08	Soil		1.3	11.3	14.0	68	0.1	9.3	6.4	698	2.27	4.8	5.3	0.7	10.0	88	0.1	0.6	0.1	37	0.84	0.107
Z3-L4-TT 09	Soil		1.8	15.3	22.4	90	0.2	13.3	8.5	411	2.93	14.2	2.0	3.0	6.2	42	0.2	0.9	0.2	55	0.37	0.057
Z3-L4-TT 10	Soil		1.7	18.9	30.0	120	0.3	22.3	9.7	359	2.84	28.1	3.7	2.5	7.6	66	0.3	1.2	0.4	59	0.60	0.072
Z3-L4-TT 11	Soil		1.5	19.1	31.1	121	0.4	16.9	7.1	727	2.46	18.5	3.6	3.0	8.0	63	0.5	2.0	0.3	46	0.68	0.095
Z3-L4-TT 12	Soil		1.2	27.7	21.4	104	0.7	16.4	7.0	327	2.20	18.3	2.5	2.6	8.6	49	0.5	1.8	0.3	35	0.53	0.070
Z3-L4-TT 13	Soil		5.6	120.7	133.4	319	0.3	56.0	20.4	862	5.64	272.4	2.1	19.1	12.0	53	1.1	13.2	2.8	88	0.53	0.128
Z3-L4-TT 14	Soil		2.5	61.9	68.4	184	0.2	48.7	15.2	744	3.83	86.4	1.6	4.1	11.2	52	0.4	4.4	1.1	70	0.54	0.108
Z3-L4-TT 21	Soil		1.0	25.8	18.1	75	<0.1	14.6	10.4	694	2.85	5.7	2.7	0.8	9.6	46	0.2	0.8	0.2	51	0.42	0.028
Z3-L4-TT 22	Soil		2.2	16.8	29.2	94	0.2	11.8	9.0	476	3.18	6.8	2.6	0.8	6.9	42	0.3	0.9	0.1	48	0.37	0.037
Z3-L4-TT 23	Soil		1.7	10.2	29.6	70	0.3	9.5	7.6	424	2.64	5.4	3.0	<0.5	8.4	60	0.1	0.7	0.4	44	0.59	0.042
Z3-L4-TT 24	Soil		2.9	9.1	27.6	48	<0.1	10.4	6.0	351	1.80	18.2	2.7	<0.5	16.0	24	<0.1	1.7	1.8	35	0.24	0.020
Z3-L4-TT 25	Soil		5.0	9.3	20.3	43	<0.1	8.7	4.5	321	1.97	16.3	2.3	0.9	14.2	18	<0.1	1.4	1.1	37	0.18	0.025
Z3-L4-TT 26	Soil		9.3	15.0	20.2	79	<0.1	9.2	7.3	498	2.93	14.3	5.3	1.2	22.1	19	<0.1	1.1	1.1	36	0.23	0.041
Z3-L4-TT 28	Soil		2.6	8.9	15.3	32	<0.1	9.3	4.3	187	1.93	9.7	1.6	2.4	10.1	9	<0.1	1.0	0.3	42	0.07	0.014
Z3-L5-TT 10	Soil		1.3	52.9	19.0	71	0.5	18.0	9.7	418	2.85	5.6	11.2	3.4	7.8	75	0.4	0.5	0.2	50	0.87	0.062
Z3-L5-TT 14A	Soil		1.4	15.3	27.2	82	<0.1	17.8	9.0	480	3.15	7.3	3.4	0.8	10.7	43	0.3	0.8	0.2	60	0.34	0.043
Z3-L5-TT 14B	Soil		1.0	47.5	19.3	78	0.1	9.9	7.9	351	2.50	4.4	1.8	0.6	7.1	62	0.2	1.0	0.1	48	0.73	0.051
Z3-L5-TT 15	Soil		0.9	12.1	17.2	99	0.1	7.2	7.6	506	3.04	5.0	3.8	<0.5	15.1	46	0.1	1.2	<0.1	41	0.62	0.079
Z3-L5-TT 16	Soil		1.8	10.4	18.0	71	<0.1	10.8	7.7	497	3.17	8.3	2.2	1.8	4.6	31	0.1	1.9	0.2	55	0.29	0.025
Z3-L5-TT 17	Soil		2.4	15.6	23.3	59	0.4	17.0	6.3	743	1.93	5.6	4.8	2.1	4.8	106	0.4	0.9	0.2	36	1.12	0.062
Z3-L5-TT 18	Soil		1.7	9.5	30.3	26	<0.1	10.0	3.4	538	1.26	91.5	6.4	3.1	25.6	40	<0.1	3.0	0.3	22	0.31	0.009

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000414.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	0.2		
Z3-L3-TT 28	Soil			20	12	0.19	89	0.016	<1	0.78	0.005	0.11	0.6	0.03	2.0	0.2	<0.05	3	<0.5	<0.2
Z3-L3-TT 29	Soil			11	15	0.16	144	0.010	<1	1.33	0.005	0.10	2.5	0.01	4.5	0.1	<0.05	5	<0.5	<0.2
Z3-L4-TT 01	Soil			17	77	1.26	122	0.079	2	1.57	0.032	0.07	0.6	0.03	4.7	<0.1	<0.05	5	<0.5	<0.2
Z3-L4-TT 02	Soil			17	79	1.36	100	0.091	<1	1.61	0.032	0.06	0.3	0.02	4.3	<0.1	<0.05	5	<0.5	<0.2
Z3-L4-TT 03	Soil			17	78	1.34	92	0.098	1	1.48	0.038	0.06	0.4	0.02	4.2	<0.1	<0.05	5	<0.5	<0.2
Z3-L4-TT 04	Soil			17	77	1.29	126	0.082	1	1.51	0.026	0.06	0.4	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
Z3-L4-TT 05	Soil			17	79	1.18	96	0.094	1	1.40	0.023	0.06	0.4	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
Z3-L4-TT 06	Soil			28	14	0.45	142	0.063	<1	1.36	0.016	0.14	0.1	0.01	2.6	0.1	<0.05	5	<0.5	<0.2
Z3-L4-TT 07	Soil			24	17	0.57	199	0.083	<1	1.78	0.016	0.16	0.1	0.01	2.9	0.1	<0.05	6	<0.5	<0.2
Z3-L4-TT 08	Soil			31	20	0.52	194	0.034	<1	1.91	0.018	0.19	<0.1	<0.01	3.0	<0.1	<0.05	7	<0.5	<0.2
Z3-L4-TT 09	Soil			17	24	0.62	207	0.048	<1	2.03	0.012	0.13	0.1	0.02	2.9	0.1	<0.05	7	<0.5	<0.2
Z3-L4-TT 10	Soil			18	36	0.69	143	0.082	<1	1.62	0.016	0.11	0.3	0.03	3.5	0.1	<0.05	6	<0.5	<0.2
Z3-L4-TT 11	Soil			28	25	0.52	209	0.061	<1	1.29	0.013	0.16	0.2	0.03	3.1	0.2	<0.05	5	0.5	<0.2
Z3-L4-TT 12	Soil			29	20	0.50	181	0.029	<1	1.43	0.011	0.13	0.2	0.03	3.2	0.1	<0.05	5	<0.5	<0.2
Z3-L4-TT 13	Soil			22	64	1.01	144	0.081	1	1.92	0.013	0.19	0.5	0.01	6.2	0.3	<0.05	7	0.5	0.6
Z3-L4-TT 14	Soil			19	63	0.93	157	0.064	1	1.69	0.012	0.17	0.2	0.02	5.0	0.3	<0.05	6	0.5	<0.2
Z3-L4-TT 21	Soil			22	24	0.57	263	0.071	<1	1.91	0.016	0.14	0.2	0.02	4.4	0.1	<0.05	8	<0.5	<0.2
Z3-L4-TT 22	Soil			8	18	0.49	207	0.065	1	1.94	0.016	0.24	0.2	<0.01	2.9	0.1	<0.05	7	<0.5	<0.2
Z3-L4-TT 23	Soil			22	19	0.54	170	0.039	<1	1.88	0.013	0.14	0.2	0.02	3.4	0.1	<0.05	8	<0.5	<0.2
Z3-L4-TT 24	Soil			19	21	0.34	159	0.045	1	1.07	0.010	0.14	0.2	0.01	2.0	0.2	<0.05	4	<0.5	<0.2
Z3-L4-TT 25	Soil			24	17	0.31	145	0.035	1	1.05	0.009	0.10	0.6	0.02	2.0	0.2	<0.05	4	<0.5	<0.2
Z3-L4-TT 26	Soil			61	15	0.20	209	0.019	<1	0.91	0.011	0.11	0.9	0.08	6.3	0.2	<0.05	4	<0.5	<0.2
Z3-L4-TT 28	Soil			11	18	0.19	83	0.026	<1	1.04	0.007	0.07	0.3	0.06	2.0	0.2	<0.05	5	<0.5	<0.2
Z3-L5-TT 10	Soil			99	27	0.49	368	0.037	1	2.58	0.014	0.15	0.2	0.07	7.5	<0.1	<0.05	10	0.8	<0.2
Z3-L5-TT 14A	Soil			24	30	0.64	221	0.074	1	2.12	0.016	0.19	0.1	0.01	4.7	<0.1	<0.05	8	<0.5	<0.2
Z3-L5-TT 14B	Soil			12	17	0.48	240	0.058	1	1.65	0.019	0.16	0.2	0.02	3.1	0.1	<0.05	7	<0.5	<0.2
Z3-L5-TT 15	Soil			25	11	0.59	236	0.092	<1	1.52	0.014	0.22	0.3	0.04	6.2	0.2	<0.05	7	<0.5	<0.2
Z3-L5-TT 16	Soil			11	21	0.42	218	0.082	2	1.28	0.011	0.17	0.2	0.03	2.4	0.1	<0.05	6	<0.5	<0.2
Z3-L5-TT 17	Soil			27	30	0.42	169	0.017	2	1.49	0.012	0.09	<0.1	0.04	3.1	<0.1	<0.05	5	<0.5	<0.2
Z3-L5-TT 18	Soil			28	16	0.21	227	0.008	1	1.07	0.007	0.14	0.2	0.03	3.3	0.2	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000414.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																							
Z1-L3-TT 5	Soil			2.5	29.8	30.0	110	0.2	27.5	9.8	323	3.09	21.8	4.2	5.7	9.5	26	0.2	1.6	0.6	65	0.36	0.086
REP Z1-L3-TT 5	QC			2.2	28.7	27.8	108	0.2	26.3	9.5	318	2.91	20.9	3.3	7.9	9.3	25	0.2	1.3	0.6	59	0.36	0.089
Z1-L2-TT 16	Soil			1.2	15.8	20.4	80	<0.1	12.9	7.7	749	3.09	4.9	3.4	<0.5	11.5	54	0.1	0.5	<0.1	50	0.51	0.077
REP Z1-L2-TT 16	QC			1.1	16.6	20.3	78	<0.1	13.7	7.7	742	3.22	5.2	2.9	1.5	11.2	55	0.2	0.5	<0.1	49	0.52	0.077
Z1-L4-TT 06	Soil			0.9	8.0	39.9	125	<0.1	6.6	6.6	327	2.12	3.8	1.6	3.4	7.5	22	0.3	0.4	<0.1	33	0.29	0.087
REP Z1-L4-TT 06	QC			0.8	8.4	40.0	122	<0.1	7.0	6.7	325	2.07	3.8	1.6	3.0	7.7	22	0.3	0.4	<0.1	32	0.29	0.090
Z1-L4-TT 23	Soil			1.6	5.0	19.7	52	<0.1	7.2	5.3	323	2.34	5.6	2.1	0.6	5.1	23	<0.1	0.6	0.3	50	0.23	0.043
REP Z1-L4-TT 23	QC			1.5	5.9	20.0	54	<0.1	7.0	5.4	327	2.28	6.2	2.1	1.0	5.1	23	<0.1	0.6	0.3	50	0.23	0.044
Z3-L1-TT 24	Soil			16.9	7.5	23.8	47	<0.1	9.3	3.7	467	1.74	14.7	2.6	3.0	17.9	11	<0.1	1.2	4.5	20	0.10	0.016
REP Z3-L1-TT 24	QC			17.4	7.4	24.9	46	<0.1	9.6	3.8	479	1.75	15.1	2.5	1.5	18.9	11	<0.1	1.2	4.7	19	0.10	0.018
Z3-L2-TT 24	Soil			2.0	10.2	33.5	98	<0.1	8.9	8.1	541	3.19	5.4	1.6	<0.5	6.0	35	0.2	0.6	0.1	50	0.31	0.032
REP Z3-L2-TT 24	QC			1.9	9.6	34.0	96	<0.1	7.9	7.6	533	3.04	5.8	1.7	0.9	6.2	36	0.2	0.6	0.2	50	0.32	0.031
Z3-L3-TT 15	Soil			1.5	17.1	27.1	92	0.1	11.4	5.7	360	2.06	12.7	2.8	2.2	4.7	102	0.3	0.9	0.6	40	0.81	0.045
REP Z3-L3-TT 15	QC			1.5	16.9	27.6	91	0.1	12.3	5.7	361	2.07	13.1	2.9	3.0	4.7	102	0.4	1.0	0.6	38	0.80	0.047
Z3-L5-TT 14B	Soil			1.0	47.5	19.3	78	0.1	9.9	7.9	351	2.50	4.4	1.8	0.6	7.1	62	0.2	1.0	0.1	48	0.73	0.051
REP Z3-L5-TT 14B	QC			1.1	49.3	20.4	80	0.1	10.2	8.8	364	2.68	4.3	1.9	0.6	7.6	65	0.2	1.1	0.1	51	0.77	0.049
Reference Materials																							
STD DS7	Standard			20.0	103.4	67.3	385	1.0	55.1	8.8	590	2.29	51.6	4.7	76.5	4.7	79	6.0	6.5	4.8	84	0.95	0.077
STD DS7	Standard			20.7	105.5	67.0	397	1.0	55.1	9.9	624	2.42	52.9	4.7	70.8	4.6	71	5.9	5.8	4.4	86	0.99	0.082
STD DS7	Standard			21.0	105.9	77.9	405	1.0	56.8	9.7	645	2.48	55.4	5.2	71.9	5.5	88	6.1	6.8	5.3	83	1.01	0.085
STD DS7	Standard			22.1	114.7	76.2	406	0.9	58.5	9.9	622	2.44	52.1	5.4	73.5	5.2	80	6.3	6.3	5.1	91	0.97	0.076
STD DS7	Standard			19.6	107.1	67.2	349	0.9	58.2	8.9	581	2.14	49.4	4.8	74.1	4.5	70	5.8	5.4	4.4	83	0.82	0.074
STD DS7	Standard			20.1	99.9	71.9	411	1.0	54.8	8.7	646	2.37	52.8	5.3	73.4	4.9	80	6.2	6.5	5.2	82	0.96	0.083
STD DS7 Expected				20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 29, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000414.1

Method	Analyte	Unit	MDL	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm
Pulp Duplicates																				
Z1-L3-TT 5	Soil			17	50	0.74	183	0.116	<1	2.09	0.014	0.22	0.3	0.02	3.6	0.3	<0.05	7	<0.5	<0.2
REP Z1-L3-TT 5	QC			16	48	0.75	166	0.101	1	2.01	0.018	0.22	0.2	0.02	3.4	0.3	<0.05	7	<0.5	<0.2
Z1-L2-TT 16	Soil			51	22	0.72	201	0.064	<1	2.04	0.019	0.20	0.1	<0.01	5.9	<0.1	<0.05	8	<0.5	<0.2
REP Z1-L2-TT 16	QC			50	22	0.72	200	0.065	<1	2.07	0.019	0.21	<0.1	<0.01	5.8	0.1	<0.05	8	<0.5	0.3
Z1-L4-TT 06	Soil			22	11	0.58	226	0.065	<1	1.46	0.018	0.26	0.3	<0.01	2.8	0.1	<0.05	6	0.8	<0.2
REP Z1-L4-TT 06	QC			22	11	0.58	223	0.059	<1	1.44	0.021	0.25	0.3	<0.01	2.7	0.1	<0.05	7	0.6	<0.2
Z1-L4-TT 23	Soil			12	14	0.51	153	0.061	<1	1.55	0.013	0.15	<0.1	<0.01	2.2	0.1	<0.05	6	0.6	<0.2
REP Z1-L4-TT 23	QC			12	14	0.53	158	0.078	<1	1.60	0.015	0.17	0.1	<0.01	2.1	0.1	<0.05	6	1.2	0.3
Z3-L1-TT 24	Soil			23	18	0.14	88	0.011	1	0.71	0.004	0.08	0.3	0.03	1.9	0.2	<0.05	2	<0.5	<0.2
REP Z3-L1-TT 24	QC			24	17	0.14	95	0.014	1	0.73	0.005	0.09	0.4	0.02	1.8	0.2	<0.05	2	<0.5	<0.2
Z3-L2-TT 24	Soil			10	15	0.68	154	0.061	1	2.58	0.011	0.11	0.1	<0.01	2.8	<0.1	<0.05	10	<0.5	<0.2
REP Z3-L2-TT 24	QC			10	16	0.67	164	0.060	1	2.56	0.008	0.11	0.1	0.02	2.8	<0.1	<0.05	10	<0.5	0.2
Z3-L3-TT 15	Soil			20	19	0.46	171	0.042	1	1.61	0.016	0.13	0.1	0.01	2.5	<0.1	<0.05	7	<0.5	<0.2
REP Z3-L3-TT 15	QC			20	18	0.49	173	0.041	<1	1.65	0.014	0.13	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5	<0.2
Z3-L5-TT 14B	Soil			12	17	0.48	240	0.058	1	1.65	0.019	0.16	0.2	0.02	3.1	0.1	<0.05	7	<0.5	<0.2
REP Z3-L5-TT 14B	QC			13	17	0.50	250	0.056	<1	1.68	0.014	0.16	0.2	0.02	3.1	0.1	<0.05	7	<0.5	<0.2
Reference Materials																				
STD DS7	Standard			14	187	1.00	379	0.122	37	1.01	0.096	0.43	3.5	0.20	2.4	3.7	0.18	5	3.5	1.1
STD DS7	Standard			13	216	1.08	390	0.116	43	1.07	0.104	0.44	3.6	0.21	2.2	4.0	0.20	5	3.3	1.5
STD DS7	Standard			15	195	1.08	418	0.125	41	1.07	0.108	0.47	3.7	0.25	2.8	4.1	0.21	5	3.6	2.0
STD DS7	Standard			13	205	1.03	387	0.130	39	0.99	0.095	0.45	3.7	0.21	2.4	4.1	0.18	5	2.9	1.1
STD DS7	Standard			12	192	0.99	366	0.116	39	0.96	0.091	0.42	3.4	0.18	2.4	3.8	0.16	4	3.4	1.2
STD DS7	Standard			14	192	1.09	404	0.124	42	1.08	0.109	0.47	3.8	0.23	2.4	4.4	0.23	5	4.0	1.3
STD DS7 Expected				12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: September 29, 2010

Page: 2 of 2 **Part** 1

QUALITY CONTROL REPORT

WHI10000414.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: September 29, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000414.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: September 06, 2010
Report Date: October 05, 2010
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI10000414.2

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: 2
P.O. Number
Number of Samples: 150

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada


CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	150	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	150	Dry at 60C			WHI
1DX2	150	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
RJSV	150	Saving all or part of Soil Reject			WHI
1DX1	2	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2: includes 1DX1 for 1DX15 insufficient



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
08-21-J1	Soil			1.5	8.9	25.5	98	<0.1	23.1	13.7	844	3.05	10.4	1.9	4.0	3.9	110	0.4	2.0	0.1	57	0.60	0.039
08-21-J2	Soil			4.6	18.4	481.5	1211	5.2	14.5	6.1	2845	2.84	656.9	12.5	81.0	29.6	55	9.2	58.2	0.6	14	0.65	0.045
Z1-L2-TT 01	Soil			6.6	121.1	165.9	418	1.2	70.6	23.2	783	6.22	288.8	1.8	85.3	13.8	41	1.0	9.0	2.6	93	0.54	0.144
Z1-L2-TT 02	Soil			2.2	27.2	37.2	120	0.3	28.3	10.2	389	3.04	23.4	3.6	7.2	8.4	33	0.4	1.4	0.7	71	0.36	0.060
Z1-L2-TT 03	Soil			2.7	22.3	30.5	98	<0.1	37.7	13.8	866	3.84	14.8	2.3	2.4	14.5	37	0.2	0.9	1.6	93	0.43	0.077
Z1-L2-TT 04	Soil			3.5	31.6	58.8	128	0.3	24.3	12.1	859	3.21	24.6	10.3	3.1	12.7	43	0.7	1.6	1.5	73	0.45	0.116
Z1-L2-TT 05	Soil			3.1	27.2	63.8	139	0.6	22.1	10.0	667	2.85	25.8	19.9	2.9	10.1	76	0.6	1.7	1.3	66	0.75	0.116
Z1-L2-TT 06	Soil			0.9	27.2	15.2	78	0.2	19.7	7.2	722	2.12	3.6	13.7	3.5	5.0	261	0.6	0.8	0.2	38	1.70	0.092
Z1-L2-TT 07	Soil			1.0	23.6	18.6	88	0.2	18.3	7.8	682	2.69	4.5	2.8	1.8	6.6	162	0.4	0.7	0.2	51	1.36	0.093
Z1-L2-TT 08	Soil			1.4	14.4	31.1	84	0.1	15.2	8.2	853	2.96	6.0	3.8	1.2	11.6	61	0.3	1.4	0.1	47	0.56	0.082
Z1-L2-TT 09	Soil			1.5	12.1	46.8	99	0.1	14.2	8.1	912	3.16	5.3	3.0	1.7	13.8	60	0.4	1.1	0.3	49	0.49	0.073
Z1-L2-TT 10	Soil			1.5	17.9	33.5	99	0.4	22.0	12.0	1831	3.69	6.1	3.8	1.6	8.7	89	0.5	0.9	0.4	68	0.71	0.029
Z1-L1-TT 27	Soil			1.5	12.7	26.7	86	0.1	20.7	14.4	1172	3.71	7.1	4.1	4.7	8.4	45	0.2	0.5	0.2	61	0.34	0.082
Z1-L1-TT 29	Soil			1.1	10.5	15.2	57	<0.1	14.7	8.2	292	3.14	6.0	2.0	6.0	5.7	42	0.1	0.3	0.1	61	0.41	0.043
Z1-L1-TT 30	Soil			0.9	16.4	15.3	77	<0.1	24.8	9.5	428	3.02	6.8	1.3	5.2	4.3	39	0.3	0.5	0.2	60	0.45	0.085
Z1-L1-TT 32	Soil			0.9	8.7	18.7	50	<0.1	8.0	5.0	306	2.42	3.9	2.2	0.5	9.1	37	<0.1	0.5	<0.1	34	0.28	0.034
Z1-L1-TT 33	Soil			1.6	20.4	38.9	63	<0.1	15.8	5.0	525	2.91	7.5	4.4	29.2	10.8	41	<0.1	1.2	0.1	43	0.38	0.043
Z1-L3-TT 1	Soil			3.6	39.5	58.6	110	0.5	32.4	14.8	482	4.20	72.6	1.1	15.6	8.9	35	0.2	3.1	1.1	85	0.31	0.042
Z1-L3-TT 4	Soil			3.5	44.0	32.8	121	0.1	35.9	12.1	485	3.09	25.8	4.5	4.8	12.5	29	0.2	1.8	0.8	73	0.43	0.112
Z1-L3-TT 5	Soil			2.5	29.8	30.0	110	0.2	27.5	9.8	323	3.09	21.8	4.2	5.7	9.5	26	0.2	1.6	0.6	65	0.36	0.086
Z1-L3-TT 12	Soil			4.3	36.8	59.6	127	0.5	25.9	11.5	658	3.33	23.8	18.0	3.5	12.1	57	0.6	1.6	1.5	78	0.60	0.125
Z1-L3-TT 18	Soil			1.4	16.2	28.2	84	<0.1	24.8	9.4	703	3.18	8.0	3.4	2.7	13.5	43	0.5	0.8	0.2	57	0.40	0.078
Z1-L3-TT 20	Soil			1.3	10.2	22.2	75	<0.1	17.5	6.7	320	2.76	5.4	2.4	1.8	7.8	39	0.3	0.7	0.1	49	0.34	0.030
Z1-L3-TT 21	Soil			3.7	25.0	48.1	124	0.2	21.6	8.9	449	2.91	21.4	12.8	32.7	13.0	44	0.7	2.0	1.6	70	0.56	0.159
Z1-L3-TT 22	Soil																						
Z1-L3-TT 23	Soil			1.6	10.0	19.8	65	<0.1	16.0	8.1	579	2.66	4.4	2.5	2.6	8.9	42	0.2	0.5	0.1	47	0.37	0.035
Z1-L3-TT 24	Soil			2.1	7.6	16.1	66	<0.1	15.9	5.8	385	2.69	3.2	3.3	1.8	9.0	47	<0.1	0.4	<0.1	47	0.40	0.024
Z1-L3-TT 29	Soil			1.6	13.6	17.0	61	<0.1	20.2	9.1	417	3.10	5.3	1.9	4.2	9.8	49	<0.1	0.6	0.1	59	0.40	0.024
Z1-L3-TT 30	Soil			1.5	7.6	23.6	68	<0.1	9.6	6.7	794	2.55	7.2	9.0	1.6	10.7	117	0.1	0.9	<0.1	37	0.56	0.087
Z1-L2-TT 11	Soil			1.7	7.5	24.9	76	<0.1	12.5	6.9	496	3.01	5.3	1.7	0.9	5.5	47	0.3	0.9	0.2	57	0.33	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX	1DX	1DX	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Mo ppm	Cu ppm	Pb ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.1	0.1	0.1	0.1	
08-21-J1	Soil	18	38	0.42	1037	0.019	2	1.68	0.017	0.19	0.2	0.03	7.6	<0.1	0.06	4	<0.5	<0.2	N.A.	N.A.	N.A.
08-21-J2	Soil	31	22	0.13	149	0.002	3	0.72	0.006	0.16	<0.1	0.10	2.5	0.2	0.09	2	0.8	0.4	N.A.	N.A.	N.A.
Z1-L2-TT 01	Soil	19	93	1.25	144	0.061	1	2.34	0.013	0.19	0.3	0.04	6.4	0.2	<0.05	7	1.0	0.5	N.A.	N.A.	N.A.
Z1-L2-TT 02	Soil	17	50	0.77	161	0.092	2	2.08	0.014	0.16	0.3	0.02	3.3	0.2	0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 03	Soil	15	79	1.00	191	0.160	2	1.89	0.022	0.22	2.5	0.01	3.5	0.3	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 04	Soil	25	43	0.74	165	0.071	2	1.66	0.015	0.11	1.1	0.02	3.5	0.2	<0.05	7	<0.5	0.2	N.A.	N.A.	N.A.
Z1-L2-TT 05	Soil	22	37	0.71	173	0.063	2	1.49	0.019	0.09	1.0	0.03	3.5	0.2	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 06	Soil	47	23	0.57	346	0.071	2	1.41	0.021	0.20	0.2	0.04	4.1	0.1	0.07	5	0.6	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 07	Soil	30	25	0.73	343	0.090	2	1.52	0.038	0.26	0.2	0.03	4.0	0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 08	Soil	43	22	0.74	286	0.084	1	1.99	0.019	0.34	0.2	0.03	5.4	0.2	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 09	Soil	30	22	0.78	239	0.074	1	2.41	0.016	0.30	0.2	<0.01	5.5	0.2	<0.05	10	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 10	Soil	53	38	0.53	392	0.057	2	2.80	0.019	0.19	0.1	0.04	6.7	0.1	<0.05	10	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L1-TT 27	Soil	39	34	0.71	199	0.058	2	2.70	0.012	0.12	0.2	0.02	3.5	0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L1-TT 29	Soil	22	26	0.70	191	0.078	1	2.32	0.015	0.09	0.2	0.01	3.9	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L1-TT 30	Soil	18	34	0.71	234	0.083	1	2.50	0.018	0.14	0.1	0.01	3.8	0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L1-TT 32	Soil	28	13	0.41	140	0.008	<1	2.49	0.010	0.16	<0.1	0.01	2.5	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L1-TT 33	Soil	36	26	0.48	161	0.016	1	1.94	0.010	0.26	0.3	0.02	3.2	0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L3-TT 1	Soil	22	65	0.82	210	0.083	2	2.60	0.013	0.12	0.2	0.04	5.4	0.2	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L3-TT 4	Soil	16	65	0.84	149	0.128	1	2.09	0.014	0.25	0.4	<0.01	3.5	0.4	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L3-TT 5	Soil	17	50	0.74	183	0.116	<1	2.09	0.014	0.22	0.3	0.02	3.6	0.3	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L3-TT 12	Soil	31	48	0.74	185	0.076	2	1.68	0.014	0.10	1.4	0.03	4.4	0.2	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L3-TT 18	Soil	29	38	0.74	243	0.084	<1	2.05	0.016	0.18	0.2	<0.01	5.7	0.1	<0.05	7	<0.5	0.2	N.A.	N.A.	N.A.
Z1-L3-TT 20	Soil	15	29	0.62	137	0.066	<1	1.95	0.015	0.21	0.1	0.01	3.0	0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L3-TT 21	Soil	25	38	0.57	236	0.055	3	1.33	0.015	0.11	1.6	0.02	3.2	0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L3-TT 22	Soil																	1.8	6.5	31.9	
Z1-L3-TT 23	Soil	19	30	0.52	205	0.051	<1	1.93	0.016	0.22	<0.1	0.01	3.7	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L3-TT 24	Soil	28	30	0.48	134	0.034	<1	1.92	0.012	0.18	0.1	0.02	3.5	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L3-TT 29	Soil	16	36	0.66	138	0.101	3	2.18	0.014	0.26	0.2	<0.01	3.9	0.1	<0.05	7	<0.5	0.5	N.A.	N.A.	N.A.
Z1-L3-TT 30	Soil	42	16	0.64	276	0.055	1	1.78	0.015	0.26	0.2	0.01	3.9	0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 11	Soil	13	22	0.50	201	0.030	<1	2.20	0.014	0.16	0.1	0.01	2.8	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 2 of 6 Part 3

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method	Analyte	Unit	MDL	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P	1DX La	1DX Cr	1DX Mg
				ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%
				1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01
08-21-J1	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
08-21-J2	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 01	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 02	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 03	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 04	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 05	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 06	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 07	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 08	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 09	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 10	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L1-TT 27	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L1-TT 29	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L1-TT 30	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L1-TT 32	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L1-TT 33	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 1	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 4	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 5	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 12	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 18	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 20	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 21	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 22	Soil			87	<0.1	13.1	5.6	658	2.33	4.6	4.4	<0.5	10.9	45	0.3	0.5	<0.1	30	0.39	0.056	33	23	0.52
Z1-L3-TT 23	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 24	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 29	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 30	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 11	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 2 of 6 Part 4

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method	Analyte	Unit	MDL	1DX Ba	1DX Ti	1DX B	1DX Al	1DX Na	1DX K	1DX W	1DX Hg	1DX Sc	1DX Tl	1DX S	1DX Ga	1DX Se	1DX Te
				ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
08-21-J1	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
08-21-J2	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 01	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 02	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 03	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 04	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 05	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 06	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 07	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 08	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 09	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 10	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L1-TT 27	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L1-TT 29	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L1-TT 30	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L1-TT 32	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L1-TT 33	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 1	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 4	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 5	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 12	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 18	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 20	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 21	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 22	Soil			122	0.028	<20	1.69	0.011	0.22	<0.1	0.01	3.6	<0.1	<0.05	7	<0.5	<0.2
Z1-L3-TT 23	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 24	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 29	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L3-TT 30	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 11	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z1-L2-TT 12	Soil		1.3	8.2	37.4	78	<0.1	11.0	6.9	780	2.69	3.9	2.3	1.0	8.7	46	0.2	1.0	<0.1	40	0.41	0.065
Z1-L2-TT 13	Soil		1.3	6.5	29.4	74	0.2	10.4	6.2	409	2.60	3.3	2.5	<0.5	6.5	45	0.3	0.9	<0.1	43	0.40	0.049
Z1-L2-TT 14	Soil		1.5	6.1	27.3	84	<0.1	10.0	6.5	530	2.83	4.7	2.3	4.5	7.1	106	0.2	0.8	<0.1	42	0.52	0.044
Z1-L2-TT 15	Soil		1.0	12.1	15.9	62	<0.1	15.2	7.2	375	2.87	6.0	1.7	1.5	9.9	55	<0.1	0.4	0.1	52	0.37	0.029
Z1-L2-TT 16	Soil		1.2	15.8	20.4	80	<0.1	12.9	7.7	749	3.09	4.9	3.4	<0.5	11.5	54	0.1	0.5	<0.1	50	0.51	0.077
Z1-L2-TT 17	Soil		1.2	7.8	18.6	78	<0.1	14.0	7.6	448	2.97	4.2	2.0	2.7	5.5	85	0.2	0.5	0.1	55	0.37	0.030
Z1-L2-TT 18	Soil		1.6	11.3	22.3	69	<0.1	18.4	7.6	512	2.96	6.0	2.5	2.2	8.7	47	0.1	0.8	0.1	50	0.44	0.048
Z1-L4-TT 01	Soil		2.6	70.3	56.4	136	0.4	47.4	14.7	610	3.86	64.4	1.1	11.5	12.4	40	0.3	3.4	1.0	72	0.62	0.043
Z1-L4-TT 02	Soil		2.3	48.5	44.4	108	0.3	58.0	14.9	609	3.76	29.8	1.7	4.0	17.0	39	0.1	2.1	0.9	90	0.52	0.085
Z1-L4-TT 03	Soil		2.8	48.0	29.6	70	0.4	40.5	12.0	523	2.93	21.6	3.5	3.0	18.0	26	<0.1	1.3	0.6	79	0.27	0.052
Z1-L4-TT 04	Soil		3.1	40.6	29.3	81	0.1	34.5	9.1	319	2.90	16.9	8.2	2.8	14.8	22	<0.1	1.3	0.5	79	0.27	0.074
Z1-L4-TT 05	Soil		2.3	28.7	32.3	100	0.1	26.6	8.7	351	2.99	23.8	6.0	1.9	11.4	20	0.2	1.1	0.3	61	0.25	0.057
Z1-L4-TT 06	Soil		0.9	8.0	39.9	125	<0.1	6.6	6.6	327	2.12	3.8	1.6	3.4	7.5	22	0.3	0.4	<0.1	33	0.29	0.087
Z1-L4-TT 07	Soil		2.6	9.2	22.7	81	<0.1	12.6	6.6	583	2.38	5.0	1.8	2.0	5.2	37	0.6	0.4	<0.1	38	0.39	0.067
Z1-L4-TT 08	Soil		4.1	29.0	61.5	121	0.3	26.4	11.1	738	2.96	26.1	10.2	36.1	10.5	46	0.6	1.3	1.2	76	0.49	0.116
Z1-L4-TT 09	Soil		3.9	24.6	60.2	112	0.3	24.9	10.5	679	4.43	24.8	12.9	2.3	12.2	41	0.5	1.4	1.9	138	0.52	0.142
Z1-L4-TT 10	Soil		3.3	30.3	72.5	126	0.4	21.9	10.5	750	2.65	28.2	9.0	21.0	9.4	46	0.4	1.6	1.3	66	0.46	0.117
Z1-L4-TT 11	Soil		2.9	28.7	51.7	112	0.3	21.0	9.3	600	2.69	25.9	11.2	5.7	8.3	52	0.6	1.4	1.4	72	0.54	0.112
Z1-L4-TT 12	Soil		3.1	26.7	51.6	105	0.3	20.1	8.6	631	2.25	23.8	18.1	3.5	7.3	76	0.8	1.4	1.2	56	0.71	0.107
Z1-L4-TT 13	Soil		1.4	13.3	20.2	103	0.1	10.9	5.6	517	1.79	7.1	65.3	2.6	8.7	189	0.3	0.9	0.3	34	0.85	0.076
Z1-L4-TT 14	Soil		1.4	18.5	24.6	58	<0.1	16.6	8.0	686	2.40	11.8	3.2	2.2	14.3	15	0.2	0.9	0.3	46	0.13	0.043
Z1-L4-TT 15	Soil		2.1	9.3	25.1	54	<0.1	12.9	6.4	565	2.52	10.8	2.3	3.8	8.3	27	0.2	0.8	0.4	49	0.18	0.042
Z1-L4-TT 16	Soil		1.3	26.6	21.1	75	0.1	23.0	9.5	726	2.59	9.2	2.7	3.8	11.1	56	0.3	0.8	0.3	57	0.57	0.089
Z1-L4-TT 17	Soil		1.9	6.8	24.5	60	<0.1	9.5	7.2	603	2.57	7.1	4.4	<0.5	33.6	20	<0.1	1.2	0.7	32	0.17	0.040
Z1-L4-TT 18	Soil		1.4	8.5	48.0	68	<0.1	12.6	7.3	498	2.75	11.2	6.3	0.7	14.4	51	0.1	0.8	0.5	47	0.43	0.084
Z1-L4-TT 19	Soil		1.0	11.9	21.5	75	0.2	10.3	6.6	620	1.94	4.6	9.8	2.0	7.1	112	0.7	0.7	0.3	36	0.85	0.080
Z1-L4-TT 20	Soil		1.8	12.0	18.3	68	0.2	16.9	9.0	615	2.19	3.7	6.2	1.3	6.7	81	0.4	0.4	<0.1	44	0.56	0.073
Z1-L4-TT 21	Soil		0.7	22.3	19.6	64	0.2	11.4	6.0	823	1.51	3.7	29.0	<0.5	10.9	164	0.2	0.8	0.3	33	1.22	0.075
Z1-L4-TT 22	Soil		1.1	7.8	23.2	52	<0.1	9.4	6.5	315	2.11	6.7	2.6	<0.5	6.2	40	<0.1	0.4	0.3	41	0.32	0.013
Z1-L4-TT 23	Soil		1.6	5.0	19.7	52	<0.1	7.2	5.3	323	2.34	5.6	2.1	0.6	5.1	23	<0.1	0.6	0.3	50	0.23	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: October 05, 2010

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte Unit MDL	1DX15																				
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	0.1	0.1	0.1
Z1-L2-TT 12	Soil	24	17	0.56	212	0.033	<1	2.01	0.013	0.22	0.2	<0.01	3.2	0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 13	Soil	19	19	0.54	167	0.031	<1	2.18	0.012	0.23	<0.1	0.01	3.0	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 14	Soil	19	18	0.52	158	0.028	<1	2.03	0.015	0.21	0.2	<0.01	2.6	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 15	Soil	23	26	0.64	121	0.055	1	2.21	0.014	0.16	0.1	<0.01	4.2	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 16	Soil	51	22	0.72	201	0.064	<1	2.04	0.019	0.20	0.1	<0.01	5.9	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 17	Soil	12	25	0.54	177	0.037	<1	2.39	0.013	0.12	<0.1	0.02	2.9	0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L2-TT 18	Soil	22	30	0.59	174	0.057	<1	2.15	0.013	0.23	<0.1	0.02	4.3	0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 01	Soil	29	62	0.95	197	0.078	2	2.06	0.024	0.15	0.2	0.05	6.8	0.2	<0.05	7	0.6	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 02	Soil	22	93	1.09	192	0.127	2	2.37	0.025	0.21	0.5	0.02	5.8	0.3	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 03	Soil	24	75	0.85	164	0.142	1	2.11	0.013	0.28	0.6	0.03	5.8	0.4	<0.05	8	0.5	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 04	Soil	24	66	0.83	134	0.149	<1	1.90	0.023	0.18	0.4	0.03	5.8	0.4	<0.05	7	0.6	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 05	Soil	21	51	0.70	136	0.094	<1	1.65	0.015	0.28	0.6	0.01	5.5	0.2	<0.05	6	0.9	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 06	Soil	22	11	0.58	226	0.065	<1	1.46	0.018	0.26	0.3	<0.01	2.8	0.1	<0.05	6	0.8	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 07	Soil	10	24	0.56	269	0.062	1	1.81	0.015	0.26	0.3	<0.01	2.5	0.1	<0.05	6	0.5	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 08	Soil	22	50	0.74	144	0.060	<1	1.39	0.016	0.09	1.3	0.01	3.0	0.1	<0.05	5	0.6	0.5	N.A.	N.A.	N.A.
Z1-L4-TT 09	Soil	24	71	0.65	126	0.059	1	1.18	0.012	0.09	2.7	0.02	3.0	<0.1	<0.05	6	1.0	0.3	N.A.	N.A.	N.A.
Z1-L4-TT 10	Soil	22	40	0.71	135	0.062	<1	1.36	0.012	0.09	1.2	0.01	2.8	0.2	<0.05	6	0.5	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 11	Soil	21	40	0.66	163	0.060	1	1.32	0.015	0.08	1.2	0.03	3.2	0.1	<0.05	5	1.1	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 12	Soil	21	34	0.64	167	0.054	<1	1.20	0.014	0.08	0.9	0.04	2.8	0.1	<0.05	5	0.7	0.3	N.A.	N.A.	N.A.
Z1-L4-TT 13	Soil	30	20	0.44	217	0.037	<1	1.15	0.014	0.14	0.2	0.05	3.3	<0.1	<0.05	4	1.3	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 14	Soil	19	26	0.53	162	0.053	<1	1.71	0.012	0.13	0.2	0.02	3.2	0.1	<0.05	5	0.6	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 15	Soil	15	25	0.44	131	0.045	<1	1.53	0.011	0.15	0.2	<0.01	2.3	<0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 16	Soil	27	32	0.69	252	0.098	<1	1.38	0.034	0.18	0.3	0.03	4.9	0.1	<0.05	5	0.7	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 17	Soil	32	17	0.27	158	0.031	<1	0.98	0.010	0.15	1.5	<0.01	3.2	0.1	<0.05	4	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 18	Soil	55	22	0.63	314	0.078	<1	1.96	0.017	0.26	0.3	0.03	5.9	0.2	<0.05	8	0.8	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 19	Soil	47	17	0.54	330	0.081	<1	1.26	0.018	0.23	0.4	0.05	5.2	0.1	<0.05	5	0.9	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 20	Soil	34	26	0.63	299	0.045	<1	2.01	0.014	0.13	0.2	0.02	4.7	<0.1	<0.05	7	<0.5	0.3	N.A.	N.A.	N.A.
Z1-L4-TT 21	Soil	33	19	0.47	288	0.045	<1	1.21	0.017	0.15	0.4	0.05	4.7	0.1	0.06	4	0.5	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 22	Soil	18	17	0.49	211	0.057	<1	1.45	0.014	0.18	0.1	<0.01	2.3	<0.1	<0.05	5	0.7	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 23	Soil	12	14	0.51	153	0.061	<1	1.55	0.013	0.15	<0.1	<0.01	2.2	0.1	<0.05	6	0.6	<0.2	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 3 of 6 Part 3

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte	Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	
		1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01
Z1-L2-TT 12	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 13	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 14	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 15	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 16	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 17	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 18	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 01	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 02	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 03	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 04	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 05	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 06	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 07	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 08	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 09	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 10	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 11	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 12	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 13	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 14	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 15	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 16	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 17	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 18	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 19	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 20	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 21	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 22	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 23	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 3 of 6 Part 4

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method	Analyte	Unit	MDL	1DX Ba	1DX Ti	1DX B	1DX Al	1DX Na	1DX K	1DX W	1DX Hg	1DX Sc	1DX Tl	1DX S	1DX Ga	1DX Se	1DX Te
				ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Z1-L2-TT 12	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 13	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 14	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 15	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 16	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 17	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L2-TT 18	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 01	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 02	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 03	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 04	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 05	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 06	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 07	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 08	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 09	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 10	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 11	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 12	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 13	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 14	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 15	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 16	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 17	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 18	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 19	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 20	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 21	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 22	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 23	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte	Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z1-L4-TT 24	Soil	2.2	8.9	28.2	49	<0.1	12.3	6.3	280	2.79	9.8	2.0	<0.5	5.8	31	<0.1	1.0	0.4	59	0.25	0.025
Z1-L4-TT 25	Soil	1.7	12.2	28.6	62	<0.1	16.8	8.4	652	2.75	10.6	4.1	1.2	14.7	45	<0.1	1.0	0.2	50	0.47	0.101
Z1-L4-TT 26	Soil	3.8	17.5	40.3	65	<0.1	12.5	4.6	851	2.31	7.2	4.2	6.7	56.6	20	<0.1	2.5	1.0	25	0.12	0.025
Z1-L5-TT 01	Soil	4.8	35.5	42.5	60	0.2	20.9	7.6	194	2.14	18.4	12.9	3.1	17.9	29	0.4	2.1	1.7	50	0.27	0.051
Z1-L5-TT 02	Soil	2.2	34.5	29.0	90	0.1	27.7	10.0	316	2.68	15.2	4.0	5.4	12.3	24	0.3	1.2	0.7	71	0.35	0.096
Z1-L5-TT 03	Soil	5.2	24.4	30.5	70	<0.1	20.7	10.1	499	2.24	16.9	6.5	1.8	14.5	21	0.1	0.9	0.8	56	0.24	0.058
Z1-L5-TT 04	Soil	4.1	13.5	29.4	43	<0.1	13.1	5.8	688	1.59	26.7	11.1	3.0	15.7	23	<0.1	0.7	0.7	39	0.19	0.034
Z1-L5-TT 12	Soil																				
Z1-L5-TT 16	Soil	3.3	14.9	20.1	76	0.1	17.0	9.4	974	2.16	21.8	14.8	3.3	11.6	35	0.5	1.8	0.6	46	0.41	0.084
Z1-L5-TT 17	Soil	6.5	15.2	71.1	48	0.1	15.1	6.3	1325	1.77	20.5	43.2	2.4	19.3	19	0.3	1.7	0.8	37	0.19	0.020
Z1-L5-TT 18	Soil	4.7	18.0	40.2	51	<0.1	17.3	6.7	644	1.94	18.8	39.4	2.5	22.2	26	0.1	1.5	0.7	43	0.23	0.034
Z1-L5-TT 19	Soil	9.2	8.3	76.8	36	0.2	9.9	2.9	1135	1.18	25.2	38.0	0.8	33.3	12	0.1	1.9	1.0	20	0.07	0.010
Z1-L5-TT 25	Soil	1.5	20.3	8.6	62	<0.1	45.8	17.0	1865	4.43	12.6	25.9	0.7	4.4	40	<0.1	2.0	<0.1	47	0.77	0.274
Z1-L5-TT 27	Soil	5.3	6.4	87.9	69	0.2	13.6	8.6	3167	1.71	11.0	21.3	1.5	24.9	15	0.1	1.6	0.7	27	0.15	0.069
Z1-L5-TT 30	Soil	0.5	2.1	15.8	25	<0.1	4.5	0.9	299	0.48	2.1	4.1	<0.5	24.5	17	<0.1	0.4	0.6	3	0.11	0.013
Z1-L5-TT 31	Soil	1.0	3.0	26.7	31	<0.1	5.6	1.7	996	1.24	7.8	4.0	2.0	39.4	24	<0.1	2.0	0.5	12	0.16	0.013
Z1-L5-TT 32	Soil	4.4	3.5	41.6	42	<0.1	7.3	1.4	1034	1.13	11.4	5.4	<0.5	37.7	16	<0.1	1.2	1.2	13	0.08	0.009
Z3-L1-TT 09	Soil	2.1	8.6	37.4	94	0.2	11.6	5.8	650	2.71	39.6	1.7	6.2	7.7	20	0.2	1.3	0.1	41	0.29	0.020
Z3-L1-TT 10	Soil	2.0	30.9	25.7	74	1.3	16.5	7.4	626	2.60	16.6	8.5	10.6	6.5	38	0.2	0.9	0.3	42	0.61	0.058
Z3-L1-TT 11	Soil	1.8	17.2	23.9	79	0.1	18.1	6.5	341	2.73	19.8	2.5	11.7	9.5	29	0.1	0.7	0.4	44	0.37	0.031
Z3-L1-TT 12	Soil	1.3	16.7	11.6	55	0.3	15.2	6.7	412	2.35	10.1	2.9	7.5	7.7	26	<0.1	0.5	0.2	46	0.29	0.021
Z3-L1-TT 14	Soil	1.3	9.0	15.4	39	0.2	5.3	3.9	720	1.82	9.1	2.1	5.3	8.2	38	<0.1	0.8	<0.1	23	0.53	0.056
Z3-L1-TT 28	Soil	25.7	15.5	30.3	85	<0.1	11.9	9.6	1357	3.50	10.5	2.8	1.9	17.1	3	0.2	0.8	3.6	34	0.04	0.054
Z3-L1-TT 16	Soil	1.7	6.2	25.5	74	0.3	12.8	4.7	481	2.65	27.6	1.5	3.3	6.8	21	<0.1	1.8	0.3	33	0.19	0.029
Z3-L1-TT 17	Soil	1.2	7.5	25.5	67	<0.1	9.0	5.8	681	2.53	7.6	1.6	1.7	9.0	24	0.2	1.2	1.0	37	0.17	0.018
Z3-L1-TT 18	Soil	2.0	9.6	23.5	58	<0.1	14.9	6.4	328	3.22	9.2	1.7	<0.5	6.7	19	0.4	0.7	0.3	54	0.15	0.041
Z3-L1-TT 20	Soil	1.5	5.1	19.9	75	<0.1	9.6	6.8	854	2.74	4.9	2.7	2.2	12.4	32	0.2	1.0	0.3	40	0.32	0.052
Z3-L1-TT 21	Soil	1.5	11.6	9.7	95	<0.1	9.7	9.2	632	2.95	5.5	2.1	2.1	5.9	49	0.4	0.9	0.2	47	0.62	0.125
Z3-L1-TT 22	Soil	1.7	13.3	30.4	92	0.1	12.3	6.0	371	2.33	4.3	5.7	1.9	10.9	41	0.6	0.5	0.3	43	0.53	0.056
Z3-L1-TT 23	Soil	5.0	7.1	30.8	230	<0.1	5.3	6.8	824	3.63	11.8	3.8	<0.5	8.8	25	0.3	5.1	0.6	42	0.49	0.144

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX	1DX	1DX	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Mo ppm	Cu ppm	Pb ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	0.1	0.1	0.1	
Z1-L4-TT 24	Soil	25	25	0.52	160	0.027	<1	2.19	0.011	0.13	0.1	<0.01	2.5	0.1	<0.05	7	0.8	0.3	N.A.	N.A.	N.A.
Z1-L4-TT 25	Soil	36	34	0.69	248	0.038	<1	1.76	0.016	0.20	<0.1	0.02	4.5	0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L4-TT 26	Soil	42	19	0.41	113	0.059	1	1.36	0.014	0.26	1.0	<0.01	3.5	0.3	<0.05	5	0.8	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 01	Soil	20	33	0.41	164	0.088	<1	1.64	0.015	0.09	0.4	0.15	5.2	0.9	<0.05	5	1.5	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 02	Soil	17	58	0.75	181	0.125	<1	1.75	0.014	0.20	0.4	0.01	3.4	0.4	<0.05	6	0.6	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 03	Soil	15	41	0.55	104	0.097	<1	1.66	0.011	0.09	1.1	0.02	2.9	0.3	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 04	Soil	15	27	0.34	88	0.052	<1	1.07	0.009	0.08	0.6	0.02	2.1	0.3	<0.05	4	0.8	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 12	Soil																	2.3	25.0	53.7	
Z1-L5-TT 16	Soil	23	19	0.41	363	0.037	1	0.88	0.012	0.11	0.8	0.01	3.5	0.2	<0.05	3	1.1	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 17	Soil	22	25	0.32	124	0.026	<1	1.13	0.009	0.10	0.5	0.10	3.8	0.6	<0.05	4	1.0	0.3	N.A.	N.A.	N.A.
Z1-L5-TT 18	Soil	20	29	0.44	100	0.063	<1	1.14	0.012	0.12	0.4	0.10	3.7	0.6	<0.05	4	1.0	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 19	Soil	22	15	0.16	43	0.019	<1	0.69	0.007	0.10	0.6	0.11	3.1	0.9	<0.05	2	1.0	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 25	Soil	46	69	0.50	225	0.020	<1	1.11	0.010	0.15	1.9	0.23	8.4	0.1	<0.05	4	0.6	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 27	Soil	21	19	0.22	124	0.017	<1	0.77	0.010	0.11	0.6	0.03	2.9	0.3	<0.05	3	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 30	Soil	21	6	0.07	98	<0.001	<1	0.49	0.004	0.10	0.1	<0.01	1.8	0.3	<0.05	1	0.8	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 31	Soil	17	9	0.10	125	0.002	2	0.82	0.005	0.11	1.6	0.01	2.5	0.2	0.07	2	<0.5	<0.2	N.A.	N.A.	N.A.
Z1-L5-TT 32	Soil	11	11	0.09	39	0.005	2	0.65	0.004	0.10	0.8	0.02	3.2	0.2	<0.05	2	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 09	Soil	20	21	0.39	99	0.018	<1	1.26	0.011	0.06	<0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 10	Soil	112	26	0.32	183	0.015	<1	1.76	0.010	0.07	0.2	0.08	5.1	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 11	Soil	24	31	0.51	152	0.036	<1	1.99	0.011	0.09	<0.1	0.02	3.9	0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 12	Soil	61	30	0.55	139	0.055	<1	1.76	0.012	0.06	0.1	0.04	4.9	<0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 14	Soil	23	9	0.41	106	0.003	<1	1.78	0.006	0.05	<0.1	0.01	2.5	0.3	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 28	Soil	9	21	0.11	73	0.004	<1	2.15	0.005	0.09	2.4	0.03	4.6	0.4	<0.05	4	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 16	Soil	24	22	0.48	125	0.005	<1	2.21	0.007	0.08	0.3	0.01	2.0	0.2	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 17	Soil	19	17	0.52	156	0.047	<1	2.28	0.011	0.16	0.1	0.01	3.0	0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 18	Soil	17	26	0.40	168	0.033	<1	2.62	0.008	0.14	<0.1	0.02	2.8	0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 20	Soil	32	15	0.54	253	0.060	<1	1.82	0.013	0.23	0.1	0.01	2.5	0.2	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 21	Soil	24	12	0.37	252	0.033	<1	1.44	0.011	0.10	0.1	0.02	3.4	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 22	Soil	40	23	0.66	237	0.066	2	1.62	0.012	0.12	0.2	0.03	3.5	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 23	Soil	24	7	0.29	166	0.059	<1	0.95	0.011	0.19	0.6	0.02	2.1	0.2	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 4 of 6 Part 3

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
			Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg
			ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	
			1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01
Z1-L4-TT 24	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L4-TT 25	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L4-TT 26	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 01	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 02	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 03	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 04	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 12	Soil		117	0.4	20.4	10.6	667	4.29	21.6	10.8	2.8	12.2	49	0.7	1.1	1.8	112	0.55	0.144	26	55	0.60
Z1-L5-TT 16	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 17	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 18	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 19	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 25	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 27	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 30	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 31	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z1-L5-TT 32	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 09	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 10	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 11	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 12	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 14	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 28	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 16	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 17	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 18	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 20	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 21	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 22	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L1-TT 23	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 4 of 6 Part 4

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method	Analyte	Unit	MDL	1DX Ba	1DX Ti	1DX B	1DX Al	1DX Na	1DX K	1DX W	1DX Hg	1DX Sc	1DX Tl	1DX S	1DX Ga	1DX Se	1DX Te
				ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Z1-L4-TT 24	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 25	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L4-TT 26	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 01	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 02	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 03	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 04	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 12	Soil			126	0.071	<20	1.15	0.014	0.10	0.7	0.01	2.7	<0.1	<0.05	5	<0.5	<0.2
Z1-L5-TT 16	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 17	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 18	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 19	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 25	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 27	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 30	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 31	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z1-L5-TT 32	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 09	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 10	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 11	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 12	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 14	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 28	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 16	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 17	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 18	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 20	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 21	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 22	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 23	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001
Z3-L1-TT 24	Soil		16.9	7.5	23.8	47	<0.1	9.3	3.7	467	1.74	14.7	2.6	3.0	17.9	11	<0.1	1.2	4.5	20	0.10	0.016
Z3-L1-TT 25	Soil		8.6	17.9	20.4	44	0.2	13.3	9.8	857	2.86	9.4	13.1	3.7	30.2	25	0.1	0.9	1.0	30	0.37	0.034
Z3-L1-TT 26	Soil		8.1	11.6	29.8	62	<0.1	12.0	7.8	569	3.23	15.7	1.4	1.6	13.8	11	0.2	1.1	1.2	47	0.08	0.034
Z3-L1-TT 30	Soil		30.0	30.9	27.7	111	<0.1	7.4	7.7	857	3.79	13.8	2.5	1.0	14.5	6	0.2	4.0	4.4	42	0.06	0.032
Z3-L1-TT 31	Soil		9.5	20.3	16.9	73	<0.1	21.3	10.0	642	2.85	8.2	2.5	2.6	19.6	19	0.1	0.8	2.1	51	0.21	0.050
Z3-L1-TT 32	Soil		4.0	17.7	20.7	65	<0.1	16.5	9.2	527	2.92	14.1	3.3	3.4	16.2	15	<0.1	2.1	1.2	50	0.15	0.030
Z3-L2-TT 07	Soil		2.7	8.4	32.7	117	0.6	12.1	5.6	667	2.14	16.3	2.9	3.8	5.0	98	0.3	0.8	0.1	30	1.24	0.079
Z3-L2-TT 09	Soil		1.0	11.1	25.6	55	0.6	8.5	5.5	566	1.86	5.1	4.1	3.1	5.3	72	0.2	0.7	0.1	31	1.16	0.062
Z3-L2-TT 10	Soil		1.1	14.3	20.2	58	0.4	10.1	8.1	1193	2.37	7.7	5.2	4.6	4.8	74	0.2	0.7	0.2	37	1.13	0.070
Z3-L2-TT 13	Soil		1.2	7.1	18.6	52	<0.1	9.7	5.6	409	2.41	7.9	2.7	15.1	6.7	45	<0.1	0.4	<0.1	34	0.50	0.030
Z3-L2-TT 17	Soil		1.5	5.2	16.5	52	<0.1	4.7	3.9	332	2.23	9.3	4.0	0.8	6.5	40	0.1	1.0	0.1	37	0.30	0.026
Z3-L2-TT 18	Soil		2.0	6.5	21.8	64	0.1	8.5	6.0	434	2.83	5.4	2.6	1.9	8.7	25	0.4	0.5	0.2	46	0.19	0.024
Z3-L2-TT 19	Soil		1.0	18.4	16.5	61	0.2	11.8	7.7	269	2.30	4.3	7.1	2.0	7.5	58	0.1	0.6	0.2	47	0.52	0.055
Z3-L2-TT 21A	Soil		1.6	7.7	16.3	59	<0.1	10.5	5.6	276	2.31	5.8	1.3	1.8	4.8	66	<0.1	0.5	0.3	49	0.47	0.030
Z3-L2-TT 21B	Soil		2.7	7.7	22.1	95	0.1	6.8	6.0	369	3.32	11.8	5.2	<0.5	9.5	61	0.3	0.9	0.1	42	0.61	0.076
Z3-L2-TT 24	Soil		2.0	10.2	33.5	98	<0.1	8.9	8.1	541	3.19	5.4	1.6	<0.5	6.0	35	0.2	0.6	0.1	50	0.31	0.032
Z3-L2-TT 25	Soil		1.9	12.8	30.9	83	<0.1	13.3	7.8	395	3.85	10.1	1.6	9.3	6.7	16	0.4	0.7	0.4	63	0.13	0.036
Z3-L2-TT 26	Soil		4.5	12.6	15.5	69	<0.1	14.3	6.8	347	3.51	12.0	0.7	2.8	4.2	14	0.2	0.7	0.6	79	0.11	0.028
Z3-L2-TT 27	Soil		3.6	4.4	16.7	27	<0.1	4.6	2.0	282	1.16	6.2	2.8	<0.5	24.7	7	<0.1	0.6	0.4	17	0.05	0.013
Z3-L2-TT 28	Soil		13.8	16.3	15.7	56	0.2	7.8	4.3	303	1.88	7.9	11.0	2.5	32.5	21	<0.1	0.9	1.6	28	0.34	0.032
Z3-L2-TT 29	Soil		12.9	9.8	17.1	51	<0.1	10.8	6.4	542	2.27	9.1	1.8	2.2	10.5	17	<0.1	0.8	1.0	42	0.20	0.039
Z3-L2-TT 31	Soil		4.4	16.0	35.1	51	<0.1	21.7	9.3	245	2.44	10.4	1.4	1.4	10.8	17	0.3	1.2	1.2	48	0.16	0.021
Z3-L3-TT 09	Soil		1.5	15.6	228.2	596	8.6	9.8	5.2	480	2.13	82.3	6.3	25.4	6.8	56	4.0	2.9	0.2	30	0.81	0.065
Z3-L3-TT 12	Soil		1.0	11.0	41.9	117	1.1	13.0	8.2	622	2.57	25.9	2.9	2.0	7.2	63	0.4	1.0	0.2	48	0.71	0.057
Z3-L3-TT 14	Soil		1.1	10.0	21.6	90	0.2	9.3	5.6	445	2.24	4.3	3.5	2.8	4.9	89	0.3	0.5	0.3	36	0.68	0.057
Z3-L3-TT 15	Soil		1.5	17.1	27.1	92	0.1	11.4	5.7	360	2.06	12.7	2.8	2.2	4.7	102	0.3	0.9	0.6	40	0.81	0.045
Z3-L3-TT 17	Soil		2.7	57.1	73.1	209	0.2	39.1	14.3	483	3.79	62.3	2.6	3.0	7.3	75	0.3	3.7	1.1	77	0.59	0.051
Z3-L3-TT 20	Soil		1.6	6.3	20.3	80	<0.1	6.9	6.7	423	2.48	3.3	2.1	0.6	7.1	44	0.1	0.6	0.3	46	0.36	0.040
Z3-L3-TT 24	Soil		2.0	6.8	16.0	45	<0.1	6.7	3.1	179	1.89	4.8	0.9	1.8	3.1	18	0.1	0.4	0.3	63	0.14	0.023
Z3-L3-TT 27	Soil		8.4	20.3	49.9	144	<0.1	9.0	11.6	1245	4.69	11.6	2.9	<0.5	8.8	15	0.2	2.5	4.4	56	0.13	0.052

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Mo	Cu	Pb
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
Z3-L1-TT 24	Soil	23	18	0.14	88	0.011	1	0.71	0.004	0.08	0.3	0.03	1.9	0.2	<0.05	2	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 25	Soil	116	22	0.24	450	0.008	2	1.40	0.007	0.20	0.7	0.22	7.2	0.3	<0.05	4	0.9	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 26	Soil	11	26	0.24	102	0.019	<1	1.79	0.006	0.11	0.5	0.04	2.9	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 30	Soil	11	13	0.14	64	0.012	<1	1.35	0.006	0.08	2.5	0.02	4.3	0.2	<0.05	4	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 31	Soil	32	33	0.50	219	0.053	2	2.18	0.010	0.09	0.5	0.04	4.9	0.2	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L1-TT 32	Soil	19	28	0.40	148	0.048	1	1.87	0.014	0.08	0.7	0.10	4.8	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L2-TT 07	Soil	20	19	0.19	88	0.007	3	0.67	0.009	0.08	<0.1	0.04	1.9	<0.1	<0.05	3	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L2-TT 09	Soil	43	15	0.38	123	0.012	<1	1.47	0.011	0.07	<0.1	0.05	2.9	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L2-TT 10	Soil	36	15	0.41	156	0.017	<1	1.57	0.011	0.07	<0.1	0.04	3.1	<0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L2-TT 13	Soil	12	16	0.49	99	0.004	<1	2.05	0.009	0.06	<0.1	0.01	2.3	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L2-TT 17	Soil	22	11	0.33	112	0.026	1	1.63	0.011	0.13	<0.1	0.01	1.4	0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L2-TT 18	Soil	34	15	0.54	149	0.049	<1	2.36	0.011	0.17	<0.1	0.01	2.2	0.2	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L2-TT 19	Soil	41	22	0.57	208	0.053	<1	1.80	0.010	0.12	0.2	0.05	3.9	0.1	<0.05	7	<0.5	0.2	N.A.	N.A.	N.A.
Z3-L2-TT 21A	Soil	13	20	0.50	172	0.054	<1	1.78	0.011	0.08	0.1	0.01	2.8	<0.1	<0.05	7	<0.5	0.2	N.A.	N.A.	N.A.
Z3-L2-TT 21B	Soil	41	11	0.52	209	0.045	1	1.50	0.010	0.14	0.3	0.06	3.1	0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L2-TT 24	Soil	10	15	0.68	154	0.061	1	2.58	0.011	0.11	0.1	<0.01	2.8	<0.1	<0.05	10	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L2-TT 25	Soil	11	24	0.57	180	0.040	<1	3.37	0.009	0.12	0.3	0.02	3.4	0.1	<0.05	10	<0.5	0.4	N.A.	N.A.	N.A.
Z3-L2-TT 26	Soil	11	32	0.45	190	0.066	<1	2.22	0.008	0.10	0.2	0.02	2.8	0.1	<0.05	9	<0.5	0.4	N.A.	N.A.	N.A.
Z3-L2-TT 27	Soil	20	8	0.11	114	0.015	<1	1.02	0.007	0.08	0.2	0.02	1.1	0.2	<0.05	3	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L2-TT 28	Soil	95	13	0.22	338	0.006	2	1.31	0.007	0.19	0.4	0.32	6.6	0.3	<0.05	4	0.9	0.3	N.A.	N.A.	N.A.
Z3-L2-TT 29	Soil	14	21	0.36	138	0.045	<1	1.12	0.009	0.10	0.4	0.06	2.6	0.1	<0.05	4	<0.5	0.2	N.A.	N.A.	N.A.
Z3-L2-TT 31	Soil	9	29	0.38	162	0.037	<1	2.20	0.009	0.07	0.4	0.03	2.5	0.1	<0.05	4	<0.5	0.2	N.A.	N.A.	N.A.
Z3-L3-TT 09	Soil	36	16	0.40	109	0.014	1	1.34	0.011	0.12	0.2	0.04	3.5	0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L3-TT 12	Soil	25	20	0.61	168	0.063	<1	1.94	0.015	0.10	0.1	0.03	3.3	0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L3-TT 14	Soil	20	15	0.55	170	0.043	1	1.85	0.013	0.16	0.1	0.02	2.8	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L3-TT 15	Soil	20	19	0.46	171	0.042	1	1.61	0.016	0.13	0.1	0.01	2.5	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L3-TT 17	Soil	16	64	0.94	173	0.084	<1	2.00	0.011	0.18	0.2	0.02	5.0	0.3	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L3-TT 20	Soil	20	14	0.58	167	0.060	<1	1.61	0.010	0.12	0.1	<0.01	2.3	0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L3-TT 24	Soil	9	15	0.25	80	0.070	<1	1.22	0.007	0.05	0.1	<0.01	1.4	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L3-TT 27	Soil	13	16	0.47	205	0.066	1	1.98	0.010	0.19	0.6	0.01	3.0	0.2	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 5 of 6 Part 3

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte	Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%
		1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01
Z3-L1-TT 24	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 25	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 26	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 30	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 31	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 32	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 07	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 09	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 10	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 13	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 17	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 18	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 19	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 21A	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 21B	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 24	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 25	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 26	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 27	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 28	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 29	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 31	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 09	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 12	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 14	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 15	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 17	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 20	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 24	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 27	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 5 of 6 Part 4

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method	Analyte	Unit	MDL	1DX Ba	1DX Ti	1DX B	1DX Al	1DX Na	1DX K	1DX W	1DX Hg	1DX Sc	1DX Tl	1DX S	1DX Ga	1DX Se	1DX Te
				ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Z3-L1-TT 24	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 25	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 26	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 30	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 31	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L1-TT 32	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 07	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 09	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 10	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 13	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 17	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 18	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 19	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 21A	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 21B	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 24	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 25	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 26	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 27	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 28	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 29	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L2-TT 31	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 09	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 12	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 14	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 15	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 17	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 20	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 24	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 27	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z3-L3-TT 28	Soil		12.2	7.9	28.6	51	<0.1	6.9	5.5	929	1.90	32.0	2.2	1.3	13.9	10	<0.1	1.7	1.7	25	0.11	0.032
Z3-L3-TT 29	Soil		10.3	12.9	22.4	88	<0.1	8.9	6.8	554	3.44	5.5	2.7	<0.5	13.4	5	0.2	0.5	1.0	39	0.04	0.029
Z3-L4-TT 01	Soil		1.7	37.2	19.3	76	0.1	59.8	16.0	657	2.85	6.3	6.4	3.3	4.0	115	0.1	0.5	0.3	82	0.93	0.130
Z3-L4-TT 02	Soil		1.2	34.8	16.0	71	<0.1	61.8	17.0	598	3.16	6.3	4.2	9.7	4.6	86	0.2	0.5	0.3	92	0.75	0.149
Z3-L4-TT 03	Soil		1.1	34.2	14.7	73	<0.1	60.2	16.6	585	3.02	5.7	4.7	<0.5	4.5	96	0.2	0.5	0.3	90	0.82	0.153
Z3-L4-TT 04	Soil		0.9	37.4	16.4	79	0.1	69.4	16.1	703	2.92	5.5	5.1	1.6	4.2	99	0.2	0.5	0.3	83	0.84	0.138
Z3-L4-TT 05	Soil		1.5	28.8	14.8	70	<0.1	56.0	15.1	369	3.34	9.3	3.3	0.6	4.9	64	0.1	0.5	0.3	102	0.76	0.157
Z3-L4-TT 06	Soil		1.0	8.6	17.4	72	0.1	8.6	5.5	324	1.92	4.7	3.9	<0.5	7.8	44	0.2	0.5	0.2	39	0.57	0.086
Z3-L4-TT 07	Soil		1.0	10.0	16.9	80	0.1	10.8	6.6	396	2.23	4.7	3.5	1.1	7.5	66	0.2	0.5	0.2	41	0.66	0.075
Z3-L4-TT 08	Soil		1.3	11.3	14.0	68	0.1	9.3	6.4	698	2.27	4.8	5.3	0.7	10.0	88	0.1	0.6	0.1	37	0.84	0.107
Z3-L4-TT 09	Soil		1.8	15.3	22.4	90	0.2	13.3	8.5	411	2.93	14.2	2.0	3.0	6.2	42	0.2	0.9	0.2	55	0.37	0.057
Z3-L4-TT 10	Soil		1.7	18.9	30.0	120	0.3	22.3	9.7	359	2.84	28.1	3.7	2.5	7.6	66	0.3	1.2	0.4	59	0.60	0.072
Z3-L4-TT 11	Soil		1.5	19.1	31.1	121	0.4	16.9	7.1	727	2.46	18.5	3.6	3.0	8.0	63	0.5	2.0	0.3	46	0.68	0.095
Z3-L4-TT 12	Soil		1.2	27.7	21.4	104	0.7	16.4	7.0	327	2.20	18.3	2.5	2.6	8.6	49	0.5	1.8	0.3	35	0.53	0.070
Z3-L4-TT 13	Soil		5.6	120.7	133.4	319	0.3	56.0	20.4	862	5.64	272.4	2.1	19.1	12.0	53	1.1	13.2	2.8	88	0.53	0.128
Z3-L4-TT 14	Soil		2.5	61.9	68.4	184	0.2	48.7	15.2	744	3.83	86.4	1.6	4.1	11.2	52	0.4	4.4	1.1	70	0.54	0.108
Z3-L4-TT 21	Soil		1.0	25.8	18.1	75	<0.1	14.6	10.4	694	2.85	5.7	2.7	0.8	9.6	46	0.2	0.8	0.2	51	0.42	0.028
Z3-L4-TT 22	Soil		2.2	16.8	29.2	94	0.2	11.8	9.0	476	3.18	6.8	2.6	0.8	6.9	42	0.3	0.9	0.1	48	0.37	0.037
Z3-L4-TT 23	Soil		1.7	10.2	29.6	70	0.3	9.5	7.6	424	2.64	5.4	3.0	<0.5	8.4	60	0.1	0.7	0.4	44	0.59	0.042
Z3-L4-TT 24	Soil		2.9	9.1	27.6	48	<0.1	10.4	6.0	351	1.80	18.2	2.7	<0.5	16.0	24	<0.1	1.7	1.8	35	0.24	0.020
Z3-L4-TT 25	Soil		5.0	9.3	20.3	43	<0.1	8.7	4.5	321	1.97	16.3	2.3	0.9	14.2	18	<0.1	1.4	1.1	37	0.18	0.025
Z3-L4-TT 26	Soil		9.3	15.0	20.2	79	<0.1	9.2	7.3	498	2.93	14.3	5.3	1.2	22.1	19	<0.1	1.1	1.1	36	0.23	0.041
Z3-L4-TT 28	Soil		2.6	8.9	15.3	32	<0.1	9.3	4.3	187	1.93	9.7	1.6	2.4	10.1	9	<0.1	1.0	0.3	42	0.07	0.014
Z3-L5-TT 10	Soil		1.3	52.9	19.0	71	0.5	18.0	9.7	418	2.85	5.6	11.2	3.4	7.8	75	0.4	0.5	0.2	50	0.87	0.062
Z3-L5-TT 14A	Soil		1.4	15.3	27.2	82	<0.1	17.8	9.0	480	3.15	7.3	3.4	0.8	10.7	43	0.3	0.8	0.2	60	0.34	0.043
Z3-L5-TT 14B	Soil		1.0	47.5	19.3	78	0.1	9.9	7.9	351	2.50	4.4	1.8	0.6	7.1	62	0.2	1.0	0.1	48	0.73	0.051
Z3-L5-TT 15	Soil		0.9	12.1	17.2	99	0.1	7.2	7.6	506	3.04	5.0	3.8	<0.5	15.1	46	0.1	1.2	<0.1	41	0.62	0.079
Z3-L5-TT 16	Soil		1.8	10.4	18.0	71	<0.1	10.8	7.7	497	3.17	8.3	2.2	1.8	4.6	31	0.1	1.9	0.2	55	0.29	0.025
Z3-L5-TT 17	Soil		2.4	15.6	23.3	59	0.4	17.0	6.3	743	1.93	5.6	4.8	2.1	4.8	106	0.4	0.9	0.2	36	1.12	0.062
Z3-L5-TT 18	Soil		1.7	9.5	30.3	26	<0.1	10.0	3.4	538	1.26	91.5	6.4	3.1	25.6	40	<0.1	3.0	0.3	22	0.31	0.009

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX	1DX	1DX		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Mo	Cu	Pb
				ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.1	0.1		
Z3-L3-TT 28	Soil			20	12	0.19	89	0.016	<1	0.78	0.005	0.11	0.6	0.03	2.0	0.2	<0.05	3	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L3-TT 29	Soil			11	15	0.16	144	0.010	<1	1.33	0.005	0.10	2.5	0.01	4.5	0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 01	Soil			17	77	1.26	122	0.079	2	1.57	0.032	0.07	0.6	0.03	4.7	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 02	Soil			17	79	1.36	100	0.091	<1	1.61	0.032	0.06	0.3	0.02	4.3	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 03	Soil			17	78	1.34	92	0.098	1	1.48	0.038	0.06	0.4	0.02	4.2	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 04	Soil			17	77	1.29	126	0.082	1	1.51	0.026	0.06	0.4	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 05	Soil			17	79	1.18	96	0.094	1	1.40	0.023	0.06	0.4	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 06	Soil			28	14	0.45	142	0.063	<1	1.36	0.016	0.14	0.1	0.01	2.6	0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 07	Soil			24	17	0.57	199	0.083	<1	1.78	0.016	0.16	0.1	0.01	2.9	0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 08	Soil			31	20	0.52	194	0.034	<1	1.91	0.018	0.19	<0.1	<0.01	3.0	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 09	Soil			17	24	0.62	207	0.048	<1	2.03	0.012	0.13	0.1	0.02	2.9	0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 10	Soil			18	36	0.69	143	0.082	<1	1.62	0.016	0.11	0.3	0.03	3.5	0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 11	Soil			28	25	0.52	209	0.061	<1	1.29	0.013	0.16	0.2	0.03	3.1	0.2	<0.05	5	0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 12	Soil			29	20	0.50	181	0.029	<1	1.43	0.011	0.13	0.2	0.03	3.2	0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 13	Soil			22	64	1.01	144	0.081	1	1.92	0.013	0.19	0.5	0.01	6.2	0.3	<0.05	7	0.5	0.6	N.A.	N.A.	N.A.
Z3-L4-TT 14	Soil			19	63	0.93	157	0.064	1	1.69	0.012	0.17	0.2	0.02	5.0	0.3	<0.05	6	0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 21	Soil			22	24	0.57	263	0.071	<1	1.91	0.016	0.14	0.2	0.02	4.4	0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 22	Soil			8	18	0.49	207	0.065	1	1.94	0.016	0.24	0.2	<0.01	2.9	0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 23	Soil			22	19	0.54	170	0.039	<1	1.88	0.013	0.14	0.2	0.02	3.4	0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 24	Soil			19	21	0.34	159	0.045	1	1.07	0.010	0.14	0.2	0.01	2.0	0.2	<0.05	4	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 25	Soil			24	17	0.31	145	0.035	1	1.05	0.009	0.10	0.6	0.02	2.0	0.2	<0.05	4	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 26	Soil			61	15	0.20	209	0.019	<1	0.91	0.011	0.11	0.9	0.08	6.3	0.2	<0.05	4	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L4-TT 28	Soil			11	18	0.19	83	0.026	<1	1.04	0.007	0.07	0.3	0.06	2.0	0.2	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L5-TT 10	Soil			99	27	0.49	368	0.037	1	2.58	0.014	0.15	0.2	0.07	7.5	<0.1	<0.05	10	0.8	<0.2	N.A.	N.A.	N.A.
Z3-L5-TT 14A	Soil			24	30	0.64	221	0.074	1	2.12	0.016	0.19	0.1	0.01	4.7	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L5-TT 14B	Soil			12	17	0.48	240	0.058	1	1.65	0.019	0.16	0.2	0.02	3.1	0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L5-TT 15	Soil			25	11	0.59	236	0.092	<1	1.52	0.014	0.22	0.3	0.04	6.2	0.2	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L5-TT 16	Soil			11	21	0.42	218	0.082	2	1.28	0.011	0.17	0.2	0.03	2.4	0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L5-TT 17	Soil			27	30	0.42	169	0.017	2	1.49	0.012	0.09	<0.1	0.04	3.1	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.	N.A.
Z3-L5-TT 18	Soil			28	16	0.21	227	0.008	1	1.07	0.007	0.14	0.2	0.03	3.3	0.2	<0.05	2	<0.5	<0.2	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 6 of 6 Part 3

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
			Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg
			ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	
			1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01
Z3-L3-TT 28	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L3-TT 29	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 01	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 02	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 03	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 04	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 05	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 06	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 07	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 08	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 09	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 10	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 11	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 12	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 13	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 14	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 21	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 22	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 23	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 24	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 25	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 26	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L4-TT 28	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L5-TT 10	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L5-TT 14A	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L5-TT 14B	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L5-TT 15	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L5-TT 16	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L5-TT 17	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Z3-L5-TT 18	Soil		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 6 of 6 Part 4

CERTIFICATE OF ANALYSIS

WHI10000414.2

Method	Analyte	Unit	MDL	1DX Ba	1DX Ti	1DX B	1DX Al	1DX Na	1DX K	1DX W	1DX Hg	1DX Sc	1DX Tl	1DX S	1DX Ga	1DX Se	1DX Te
				ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Z3-L3-TT 28	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L3-TT 29	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 01	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 02	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 03	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 04	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 05	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 06	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 07	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 08	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 09	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 10	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 11	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 12	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 13	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 14	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 21	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 22	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 23	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 24	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 25	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 26	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L4-TT 28	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L5-TT 10	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L5-TT 14A	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L5-TT 14B	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L5-TT 15	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L5-TT 16	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L5-TT 17	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Z3-L5-TT 18	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000414.2

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																							
Z1-L3-TT 5	Soil			2.5	29.8	30.0	110	0.2	27.5	9.8	323	3.09	21.8	4.2	5.7	9.5	26	0.2	1.6	0.6	65	0.36	0.086
REP Z1-L3-TT 5	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
Z1-L2-TT 16	Soil			1.2	15.8	20.4	80	<0.1	12.9	7.7	749	3.09	4.9	3.4	<0.5	11.5	54	0.1	0.5	<0.1	50	0.51	0.077
REP Z1-L2-TT 16	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
Z1-L4-TT 06	Soil			0.9	8.0	39.9	125	<0.1	6.6	6.6	327	2.12	3.8	1.6	3.4	7.5	22	0.3	0.4	<0.1	33	0.29	0.087
REP Z1-L4-TT 06	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
Z1-L4-TT 23	Soil			1.6	5.0	19.7	52	<0.1	7.2	5.3	323	2.34	5.6	2.1	0.6	5.1	23	<0.1	0.6	0.3	50	0.23	0.043
REP Z1-L4-TT 23	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
Z1-L5-TT 12	Soil																						
REP Z1-L5-TT 12	QC																						
Z3-L1-TT 24	Soil			16.9	7.5	23.8	47	<0.1	9.3	3.7	467	1.74	14.7	2.6	3.0	17.9	11	<0.1	1.2	4.5	20	0.10	0.016
REP Z3-L1-TT 24	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
Z3-L2-TT 24	Soil			2.0	10.2	33.5	98	<0.1	8.9	8.1	541	3.19	5.4	1.6	<0.5	6.0	35	0.2	0.6	0.1	50	0.31	0.032
REP Z3-L2-TT 24	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
Z3-L3-TT 15	Soil			1.5	17.1	27.1	92	0.1	11.4	5.7	360	2.06	12.7	2.8	2.2	4.7	102	0.3	0.9	0.6	40	0.81	0.045
REP Z3-L3-TT 15	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
Z3-L5-TT 14B	Soil			1.0	47.5	19.3	78	0.1	9.9	7.9	351	2.50	4.4	1.8	0.6	7.1	62	0.2	1.0	0.1	48	0.73	0.051
REP Z3-L5-TT 14B	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
Reference Materials																							
STD DS7	Standard			20.0	103.4	67.3	385	1.0	55.1	8.8	590	2.29	51.6	4.7	76.5	4.7	79	6.0	6.5	4.8	84	0.95	0.077
STD DS7	Standard			20.7	105.5	67.0	397	1.0	55.1	9.9	624	2.42	52.9	4.7	70.8	4.6	71	5.9	5.8	4.4	86	0.99	0.082
STD DS7	Standard			21.0	105.9	77.9	405	1.0	56.8	9.7	645	2.48	55.4	5.2	71.9	5.5	88	6.1	6.8	5.3	83	1.01	0.085
STD DS7	Standard			22.1	114.7	76.2	406	0.9	58.5	9.9	622	2.44	52.1	5.4	73.5	5.2	80	6.3	6.3	5.1	91	0.97	0.076
STD DS7	Standard			19.6	107.1	67.2	349	0.9	58.2	8.9	581	2.14	49.4	4.8	74.1	4.5	70	5.8	5.4	4.4	83	0.82	0.074
STD DS7	Standard			20.1	99.9	71.9	411	1.0	54.8	8.7	646	2.37	52.8	5.3	73.4	4.9	80	6.2	6.5	5.2	82	0.96	0.083
STD DS7	Standard																						
STD OREAS45PA	Standard																						
STD DS7 Expected				20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000414.2

Method	Analyte	Unit	MDL	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm	1DX Mo ppm	1DX Cu ppm	1DX Pb ppm
Pulp Duplicates																							
Z1-L3-TT 5	Soil			17	50	0.74	183	0.116	<1	2.09	0.014	0.22	0.3	0.02	3.6	0.3	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
REP Z1-L3-TT 5	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
Z1-L2-TT 16	Soil			51	22	0.72	201	0.064	<1	2.04	0.019	0.20	0.1	<0.01	5.9	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.	N.A.
REP Z1-L2-TT 16	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
Z1-L4-TT 06	Soil			22	11	0.58	226	0.065	<1	1.46	0.018	0.26	0.3	<0.01	2.8	0.1	<0.05	6	0.8	<0.2	N.A.	N.A.	N.A.
REP Z1-L4-TT 06	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
Z1-L4-TT 23	Soil			12	14	0.51	153	0.061	<1	1.55	0.013	0.15	<0.1	<0.01	2.2	0.1	<0.05	6	0.6	<0.2	N.A.	N.A.	N.A.
REP Z1-L4-TT 23	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
Z1-L5-TT 12	Soil																				2.3	25.0	53.7
REP Z1-L5-TT 12	QC																				2.5	26.0	50.5
Z3-L1-TT 24	Soil			23	18	0.14	88	0.011	1	0.71	0.004	0.08	0.3	0.03	1.9	0.2	<0.05	2	<0.5	<0.2	N.A.	N.A.	N.A.
REP Z3-L1-TT 24	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
Z3-L2-TT 24	Soil			10	15	0.68	154	0.061	1	2.58	0.011	0.11	0.1	<0.01	2.8	<0.1	<0.05	10	<0.5	<0.2	N.A.	N.A.	N.A.
REP Z3-L2-TT 24	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
Z3-L3-TT 15	Soil			20	19	0.46	171	0.042	1	1.61	0.016	0.13	0.1	0.01	2.5	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
REP Z3-L3-TT 15	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
Z3-L5-TT 14B	Soil			12	17	0.48	240	0.058	1	1.65	0.019	0.16	0.2	0.02	3.1	0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.	N.A.
REP Z3-L5-TT 14B	QC			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
Reference Materials																							
STD DS7	Standard			14	187	1.00	379	0.122	37	1.01	0.096	0.43	3.5	0.20	2.4	3.7	0.18	5	3.5	1.1			
STD DS7	Standard			13	216	1.08	390	0.116	43	1.07	0.104	0.44	3.6	0.21	2.2	4.0	0.20	5	3.3	1.5			
STD DS7	Standard			15	195	1.08	418	0.125	41	1.07	0.108	0.47	3.7	0.25	2.8	4.1	0.21	5	3.6	2.0			
STD DS7	Standard			13	205	1.03	387	0.130	39	0.99	0.095	0.45	3.7	0.21	2.4	4.1	0.18	5	2.9	1.1			
STD DS7	Standard			12	192	0.99	366	0.116	39	0.96	0.091	0.42	3.4	0.18	2.4	3.8	0.16	4	3.4	1.2			
STD DS7	Standard			14	192	1.09	404	0.124	42	1.08	0.109	0.47	3.8	0.23	2.4	4.4	0.23	5	4.0	1.3			
STD DS7	Standard																				20.0	102.3	70.7
STD OREAS45PA	Standard																				1.0	545.2	16.8
STD DS7 Expected				12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	20.5	109	70.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 1 of 2 Part 3

QUALITY CONTROL REPORT

WHI10000414.2

Method	Analyte	Unit	MDL	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P	1DX La	1DX Cr	1DX Mg
				ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%
				1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01
Pulp Duplicates																							
Z1-L3-TT 5	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z1-L3-TT 5																							
Z1-L2-TT 16	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z1-L2-TT 16																							
Z1-L4-TT 06	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z1-L4-TT 06																							
Z1-L4-TT 23	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z1-L4-TT 23																							
Z1-L5-TT 12	Soil			117	0.4	20.4	10.6	667	4.29	21.6	10.8	2.8	12.2	49	0.7	1.1	1.8	112	0.55	0.144	26	55	0.60
REP Z1-L5-TT 12																							
Z3-L1-TT 24	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z3-L1-TT 24																							
Z3-L2-TT 24	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z3-L2-TT 24																							
Z3-L3-TT 15	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z3-L3-TT 15																							
Z3-L5-TT 14B	Soil			N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z3-L5-TT 14B																							
Reference Materials																							
STD DS7	Standard																						
STD DS7	Standard																						
STD DS7	Standard																						
STD DS7	Standard																						
STD DS7	Standard																						
STD DS7	Standard																						
STD DS7	Standard			413	0.9	54.9	8.7	601	2.28	49.7	5.2	55.3	4.9	84	5.8	5.5	5.3	80	0.88	0.079	11	179	1.04
STD OREAS45PA	Standard			109	0.3	267.0	99.9	1020	14.89	4.4	1.2	40.8	6.4	15	<0.1	0.2	0.2	195	0.22	0.033	14	645	0.11
STD DS7 Expected				411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08	12	179	1.05

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 1 of 2 Part 4

QUALITY CONTROL REPORT

WHI10000414.2

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates														
Z1-L3-TT 5	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z1-L3-TT 5	QC													
Z1-L2-TT 16	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z1-L2-TT 16	QC													
Z1-L4-TT 06	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z1-L4-TT 06	QC													
Z1-L4-TT 23	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z1-L4-TT 23	QC													
Z1-L5-TT 12	Soil	126	0.071	<20	1.15	0.014	0.10	0.7	0.01	2.7	<0.1	<0.05	5	<0.5
REP Z1-L5-TT 12	QC	126	0.069	<20	1.10	0.012	0.09	0.8	0.03	2.6	0.1	<0.05	5	<0.5
Z3-L1-TT 24	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z3-L1-TT 24	QC													
Z3-L2-TT 24	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z3-L2-TT 24	QC													
Z3-L3-TT 15	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z3-L3-TT 15	QC													
Z3-L5-TT 14B	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP Z3-L5-TT 14B	QC													
Reference Materials														
STD DS7	Standard													
STD DS7	Standard													
STD DS7	Standard													
STD DS7	Standard													
STD DS7	Standard													
STD DS7	Standard													
STD DS7	Standard	402	0.129	40	0.99	0.096	0.43	3.7	0.22	2.3	4.3	0.20	5	3.7
STD OREAS45PA	Standard	159	0.139	<20	2.96	0.012	0.07	<0.1	0.03	37.0	<0.1	<0.05	16	<0.5
STD DS7 Expected		410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 05, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000414.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD OREAS45PA Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: October 05, 2010

Page: 2 of 2 **Part** 2

QUALITY CONTROL REPORT

WHI10000414.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1
STD OREAS45PA Expected																		0.9	600	19	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank																	<0.1	<0.1	<0.1	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: October 05, 2010

Page: 2 of 2 Part 3

QUALITY CONTROL REPORT

WHI10000414.2

	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	
STD OREAS45PA Expected	119	0.3	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18	221	0.2411	0.034	16.2	873	0.095	
BLK Blank																					
BLK Blank																					
BLK Blank																					
BLK Blank																					
BLK Blank																					
BLK Blank																					
BLK Blank	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: October 05, 2010

Page: 2 of 2 Part 4

QUALITY CONTROL REPORT

WHI10000414.2

	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Sc ppm	1DX Ti ppm	1DX S %	1DX Ga ppm	1DX Se ppm	1DX Te ppm
	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OREAS45PA Expected	187	0.124		3.34	0.011	0.0665	0.011	0.03	43	0.07	0.03	16.8	0.54	
BLK	Blank													
BLK	Blank													
BLK	Blank													
BLK	Blank													
BLK	Blank													
BLK	Blank													
BLK	Blank	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: September 06, 2010
Report Date: October 14, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI10000415.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: 2
P.O. Number
Number of Samples: 15

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Mike Collins
Paul Gray

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	15	Crush, split and pulverize 500 g rock to 200 mesh			VAN
1DX2	15	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	15	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 14, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

WHI10000415.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
08-21-J1	Rock	0.40	0.3	1.7	22.3	107	<0.1	1.8	1.6	3590	0.79	12.9	14.7	<0.5	28.0	5	0.3	3.5	0.2	3	0.03
08-21-J2	Rock	0.44	<0.1	1.0	8.8	24	<0.1	0.5	0.3	118	0.46	1.7	5.5	0.7	27.6	4	<0.1	1.4	0.1	3	0.03
08-21-J3	Rock	0.98	1.8	1.9	15.1	62	<0.1	0.4	0.5	75	0.66	13.7	5.2	1.5	20.2	3	<0.1	3.8	0.2	<2	0.01
08-21-J4	Rock	1.25	0.2	1.7	36.5	3	0.7	0.5	0.2	71	0.55	178.3	2.4	67.6	11.5	8	0.1	3.4	1.0	<2	0.02
08-21-J5	Rock	0.69	0.9	2.3	13.1	22	<0.1	1.5	0.5	36	0.55	60.0	2.8	0.7	24.2	6	<0.1	3.6	0.3	2	0.01
08-21-J6	Rock	0.96	2.7	59.2	1210	673	71.8	11.0	3.7	>10000	1.76	2066	23.5	470.3	21.3	67	19.3	112.2	0.8	9	0.17
08-21-J7	Rock	0.49	0.6	15.1	20.7	135	0.3	0.9	0.8	131	1.30	155.2	17.8	21.6	18.1	12	0.1	6.4	0.8	4	0.01
08-21-J8	Rock	0.96	0.1	2.8	26.2	92	0.2	1.0	1.3	190	1.12	158.8	14.2	1.0	26.7	5	0.1	1.2	0.2	<2	0.02
08-21-J9	Rock	0.89	0.6	1.1	20.9	76	<0.1	5.4	6.3	968	2.19	2.8	0.9	0.7	3.9	187	0.4	2.7	<0.1	33	0.95
08-13-J6	Rock	0.33	4.3	6.2	6.2	17	<0.1	2.6	12.4	160	1.96	39.2	5.7	6.8	17.1	55	<0.1	0.5	1.2	72	0.46
08-13-J7	Rock	0.40	1.9	107.7	13.1	50	0.2	9.2	26.4	378	3.14	13.2	3.5	6.0	19.3	57	0.2	0.3	0.9	90	0.46
WHAM-HAYES CRK.	Rock	2.87	1.0	2.0	17.9	20	<0.1	1.4	0.6	787	0.55	4.8	16.1	0.5	28.2	7	0.1	0.7	0.4	2	0.03
TT-MG-R1	Rock	1.33	130.1	6.9	74.7	17	1.7	1.0	2.7	51	1.07	49.5	2.1	4.2	5.6	23	0.2	1.0	0.9	9	0.12
TT-MG-R2	Rock	2.07	3.4	3.9	74.0	146	0.9	2.1	2.5	506	1.62	29.1	5.8	2.1	7.6	58	2.4	0.9	0.6	14	0.33
ZONE1-LINE4-MG	Rock	2.65	0.9	2.3	10.2	60	<0.1	3.6	5.9	477	2.22	2.8	2.5	<0.5	8.0	44	<0.1	0.2	0.6	40	0.46



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 14, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

WHI10000415.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	2		
08-21-J1	Rock	0.005	11	1	0.01	90	<0.001	2	0.17	0.032	0.09	<0.1	0.01	0.8	0.2	<0.05	<1	<0.5	<0.2	<2
08-21-J2	Rock	0.004	9	1	0.02	19	0.002	1	0.20	0.039	0.11	<0.1	<0.01	0.8	0.1	<0.05	<1	<0.5	<0.2	<2
08-21-J3	Rock	0.003	5	<1	<0.01	17	<0.001	1	0.21	0.038	0.13	0.1	0.08	0.6	0.2	<0.05	<1	<0.5	<0.2	3
08-21-J4	Rock	0.003	9	<1	0.01	55	<0.001	3	0.25	0.030	0.24	<0.1	0.01	0.2	0.3	0.11	<1	<0.5	<0.2	68
08-21-J5	Rock	0.004	13	<1	0.01	25	<0.001	2	0.29	0.037	0.12	<0.1	<0.01	0.3	0.2	<0.05	<1	<0.5	<0.2	3
08-21-J6	Rock	0.085	13	3	0.02	241	<0.001	2	0.55	0.003	0.25	0.5	0.13	1.6	1.0	<0.05	2	<0.5	<0.2	458
08-21-J7	Rock	0.010	8	<1	<0.01	136	<0.001	2	0.33	0.034	0.16	<0.1	0.08	1.1	0.2	<0.05	<1	<0.5	<0.2	18
08-21-J8	Rock	0.009	12	<1	<0.01	24	<0.001	2	0.32	0.034	0.14	<0.1	0.02	0.6	0.2	<0.05	<1	<0.5	<0.2	<2
08-21-J9	Rock	0.076	15	10	0.22	416	0.008	4	0.56	0.032	0.25	0.1	<0.01	2.3	<0.1	<0.05	2	<0.5	<0.2	<2
08-13-J6	Rock	0.114	21	22	0.51	54	0.170	1	1.55	0.037	0.10	0.4	<0.01	3.7	<0.1	0.16	6	<0.5	<0.2	10
08-13-J7	Rock	0.108	15	24	1.21	238	0.277	2	1.83	0.056	0.69	0.2	<0.01	3.0	0.3	0.48	7	<0.5	<0.2	8
WHAM-HAYES CRK.	Rock	0.005	11	<1	<0.01	97	0.001	<1	0.19	0.046	0.11	0.2	0.05	1.3	0.3	<0.05	1	<0.5	<0.2	<2
TT-MG-R1	Rock	0.071	14	2	0.02	69	0.001	1	0.51	0.045	0.17	<0.1	<0.01	0.4	<0.1	0.70	2	<0.5	<0.2	5
TT-MG-R2	Rock	0.063	17	2	0.14	86	0.001	<1	0.51	0.038	0.16	<0.1	<0.01	0.9	<0.1	0.56	2	<0.5	0.3	2
ZONE1-LINE4-MG	Rock	0.071	27	4	0.58	254	0.089	2	1.44	0.054	0.41	0.1	<0.01	2.5	0.1	<0.05	7	<0.5	<0.2	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 14, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000415.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
08-21-J7	Rock	0.49	0.6	15.1	20.7	135	0.3	0.9	0.8	131	1.30	155.2	17.8	21.6	18.1	12	0.1	6.4	0.8	4	0.01
REP 08-21-J7	QC		0.6	15.2	20.4	131	0.9	0.9	0.8	127	1.27	152.6	19.3	18.1	18.7	12	0.2	6.3	0.9	4	<0.01
Core Reject Duplicates																					
08-21-J3	Rock	0.98	1.8	1.9	15.1	62	<0.1	0.4	0.5	75	0.66	13.7	5.2	1.5	20.2	3	<0.1	3.8	0.2	<2	0.01
DUP 08-21-J3	QC	<0.01	1.9	2.3	14.0	60	<0.1	0.6	0.5	70	0.67	13.9	5.0	2.2	18.5	4	<0.1	4.1	0.2	<2	0.01
Reference Materials																					
STD DS7	Standard		20.4	101.5	65.6	379	1.0	55.1	8.9	597	2.30	50.9	4.8	65.4	4.5	69	6.4	5.6	4.3	81	0.95
STD DS7	Standard		20.6	104.3	65.6	394	1.0	53.9	9.1	610	2.34	52.6	4.8	101.6	4.6	70	6.5	5.5	4.3	84	0.97
STD DS7	Standard		22.1	114.1	75.8	403	1.0	59.1	9.6	615	2.35	51.3	5.6	63.7	5.2	79	6.3	6.4	4.9	83	1.01
STD DS7	Standard		21.1	109.2	71.7	399	1.0	56.1	9.0	573	2.25	48.3	5.2	63.1	5.0	73	6.0	6.1	4.7	81	0.96
STD OXC72	Standard																				
STD OXH66	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXH66 Expected																					
STD OXC72 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		0.1	3.1	3.8	47	<0.1	1.0	3.6	564	1.99	0.8	1.5	<0.5	5.9	53	<0.1	<0.1	<0.1	41	0.55
G1	Prep Blank		0.1	2.9	4.8	49	<0.1	1.4	3.6	568	1.99	<0.5	2.0	5.1	6.4	68	<0.1	<0.1	<0.1	39	0.54



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 14, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000415.1

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te	3B Au	
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
Pulp Duplicates																							
08-21-J7	Rock			0.010	8	<1	<0.01	136	<0.001	2	0.33	0.034	0.16	<0.1	0.08	1.1	0.2	<0.05	<1	<0.5	<0.2	18	
REP 08-21-J7	QC			0.010	9	1	<0.01	133	<0.001	2	0.33	0.034	0.15	0.1	0.09	1.0	0.2	<0.05	<1	<0.5	<0.2		
Core Reject Duplicates																							
08-21-J3	Rock			0.003	5	<1	<0.01	17	<0.001	1	0.21	0.038	0.13	0.1	0.08	0.6	0.2	<0.05	<1	<0.5	<0.2	3	
DUP 08-21-J3	QC			0.003	5	<1	<0.01	18	<0.001	1	0.23	0.042	0.14	0.1	0.08	0.5	0.2	<0.05	<1	<0.5	<0.2	<2	
Reference Materials																							
STD DS7	Standard			0.074	13	189	1.02	394	0.113	40	0.98	0.092	0.44	3.9	0.21	2.2	4.2	0.20	5	3.2	1.8		
STD DS7	Standard			0.079	13	198	1.04	404	0.117	40	1.01	0.095	0.45	4.1	0.21	2.3	4.2	0.22	5	2.9	1.2		
STD DS7	Standard			0.073	14	203	1.09	368	0.136	41	1.08	0.095	0.44	3.6	0.22	2.4	4.3	0.20	4	3.2	1.8		
STD DS7	Standard			0.071	13	189	1.03	333	0.122	35	1.00	0.092	0.40	3.4	0.22	2.3	4.0	0.19	5	3.1	1.5		
STD OXC72	Standard																					199	
STD OXH66	Standard																						1261
STD DS7 Expected				0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08		
STD OXH66 Expected																							1285
STD OXC72 Expected																							205
BLK	Blank			<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank			<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																					<2	
BLK	Blank																					<2	
Prep Wash																							
G1	Prep Blank			0.081	15	3	0.51	116	0.121	<1	0.81	0.084	0.47	<0.1	<0.01	1.8	0.4	<0.05	5	<0.5	<0.2	<2	
G1	Prep Blank			0.063	17	3	0.48	111	0.113	2	0.81	0.090	0.42	<0.1	0.02	1.7	0.4	<0.05	4	<0.5	<0.2	<2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: September 10, 2010
Report Date: October 07, 2010
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI10000437.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: 3
P.O. Number
Number of Samples: 67

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Mike Collins
Paul Gray

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	67	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1DX2	67	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	67	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 07, 2010

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000437.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111001	Rock	1.87	2.3	61.0	220.0	1241	8.0	2.9	4.0	786	2.28	3194	11.5	535.6	6.9	239	101.3	49.3	3.7	6	0.66
111002	Rock	2.36	2.5	61.9	424.0	5954	2.3	8.0	12.0	6364	3.19	386.7	6.0	14.0	4.4	120	110.0	11.6	2.3	7	1.03
111003	Rock	3.25	2.4	46.6	1052	3801	3.7	5.7	11.1	4343	2.89	321.1	3.6	24.2	4.4	104	49.9	12.5	2.4	9	1.18
111004	Rock	2.11	2.1	102.8	660.1	8091	4.6	4.9	7.4	4321	5.41	991.9	3.6	15.0	3.7	129	225.4	34.9	6.6	9	0.56
111005	Rock	1.39	2.4	193.5	410.5	>10000	6.4	3.7	5.1	714	4.71	159.2	2.4	9.5	3.5	61	225.5	11.5	11.5	5	0.29
111006	Rock	1.23	1.7	62.6	657.6	3091	3.1	5.1	7.5	2142	3.03	240.3	2.2	11.1	3.9	214	53.1	9.4	3.8	15	2.02
111007	Rock	1.97	1.8	41.6	347.7	1528	1.8	3.8	6.8	2341	2.68	59.8	1.9	7.6	4.0	304	24.5	3.4	1.9	18	2.78
111008	Rock	5.70	2.1	44.2	355.4	1910	2.2	4.1	7.4	2294	2.77	153.9	2.4	50.1	3.9	307	34.2	5.2	3.2	21	2.63
111009	Rock	4.56	2.4	83.1	458.0	3066	3.7	5.5	8.7	2157	3.37	77.1	2.9	14.9	4.5	228	51.1	4.3	5.2	20	1.79
111010	Rock	0.66	1.7	571.7	452.0	4905	44.1	3.6	6.7	1100	4.01	196.5	2.4	115.5	4.9	143	85.7	10.5	95.7	6	1.07
111011	Rock	0.99	3.0	164.5	301.7	4959	4.8	8.2	8.9	1651	3.92	531.3	3.2	20.4	4.1	166	80.7	15.4	6.1	17	1.34
111012	Rock	1.76	3.6	67.6	238.3	2011	2.0	14.9	9.3	2269	3.39	146.9	3.8	10.4	6.0	436	34.4	4.6	1.7	36	2.63
111013	Rock	5.50	2.7	3.9	11.3	431	0.3	5.9	5.6	1372	2.38	10.6	5.2	1.7	6.2	328	5.7	0.7	0.6	24	2.52
111014	Rock	2.51	2.4	4.6	18.3	927	0.4	6.2	6.3	1551	2.56	5.3	3.1	6.1	6.2	176	14.8	0.6	0.6	30	1.99
111015	Rock	5.69	2.6	2.2	9.5	209	0.3	4.7	5.5	1304	2.23	5.7	2.6	0.6	6.5	174	2.2	0.6	0.7	26	1.93
111016	Rock	5.30	2.2	0.7	9.1	224	0.2	3.5	4.7	1409	2.33	17.6	2.9	2.7	6.3	218	2.0	0.7	0.4	23	1.99
111017	Rock	5.57	2.4	2.3	17.8	372	0.3	5.0	5.0	1787	2.55	23.3	4.3	2.2	6.3	199	4.7	0.8	0.5	21	2.27
111018	Rock	3.26	2.7	1.2	19.8	570	0.4	5.1	4.7	1767	2.88	260.0	3.2	2.8	5.7	182	8.3	5.8	0.5	12	2.09
111019	Rock	7.57	2.5	2.3	50.2	1246	0.6	5.4	5.0	1591	2.56	47.3	3.4	3.8	6.2	269	19.4	2.2	0.9	21	2.72
111020	Rock	2.86	2.6	2.0	20.1	304	0.2	5.6	5.4	1223	2.24	29.8	2.7	3.7	6.0	234	4.2	1.4	0.4	24	2.30
111021	Rock	3.56	3.8	3.4	32.9	210	0.2	6.8	5.5	1310	2.48	10.5	4.0	5.6	6.0	232	2.5	0.8	0.3	28	2.55
111022	Rock	6.54	2.1	18.0	316.0	1204	1.9	2.3	4.1	1322	2.41	40.8	4.6	6.7	8.3	223	19.9	1.8	2.7	11	1.99
111023	Rock	4.74	2.0	11.3	96.4	433	0.6	2.6	3.9	1219	2.20	18.5	3.6	4.3	8.8	135	7.0	0.9	1.0	19	1.55
111024	Rock	5.66	2.3	7.6	41.0	248	0.4	2.1	2.8	1015	2.15	13.5	3.6	7.1	8.6	177	3.7	1.1	0.7	20	1.51
111025	Rock	3.86	1.8	2.0	13.5	86	0.3	1.8	3.1	663	2.07	4.7	2.5	3.4	8.4	114	0.8	0.7	0.6	26	1.18
111026	Rock	5.81	1.9	2.3	20.5	81	0.4	1.8	3.2	881	2.04	9.1	2.4	4.4	8.8	109	0.7	0.7	1.1	24	1.13
111027	Rock	4.20	1.8	2.8	22.8	197	0.4	1.8	2.9	740	1.96	7.1	2.8	1.6	8.5	87	2.4	0.6	1.0	24	0.88
111028	Rock	6.11	2.1	6.6	85.0	196	0.6	1.6	3.9	1111	2.13	16.1	3.7	6.3	8.4	103	2.9	0.7	1.2	23	1.28
111029	Rock	7.69	2.7	10.3	226.3	1172	2.1	1.4	2.9	1257	2.32	20.9	4.3	8.4	8.2	165	18.7	0.7	4.0	19	1.81
111030	Rock	4.71	2.4	10.8	135.5	431	1.4	1.5	3.5	1202	2.24	23.0	4.2	5.2	8.3	179	6.7	0.9	2.3	16	1.79

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 07, 2010

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000437.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111001	Rock	0.096	24	2	0.09	75	<0.001	2	0.67	0.022	0.33	0.6	0.09	1.2	1.2	1.41	1	<0.5	0.8	488
111002	Rock	0.109	22	3	0.30	56	0.001	2	0.54	0.014	0.22	0.5	0.03	1.7	0.6	1.35	<1	<0.5	<0.2	14
111003	Rock	0.111	30	2	0.41	69	<0.001	1	0.50	0.015	0.22	0.2	0.02	1.5	0.4	0.53	1	<0.5	<0.2	17
111004	Rock	0.091	25	2	0.45	69	0.001	2	0.42	0.007	0.20	0.3	0.05	1.2	0.3	0.77	<1	<0.5	<0.2	9
111005	Rock	0.095	14	1	0.12	38	0.001	<1	0.38	0.006	0.26	0.2	0.07	0.7	0.7	2.90	1	<0.5	0.2	9
111006	Rock	0.105	21	4	0.52	59	0.001	1	0.34	0.016	0.18	0.2	0.02	1.3	0.3	0.99	<1	<0.5	0.3	11
111007	Rock	0.108	21	4	0.59	96	0.001	2	0.40	0.021	0.21	0.2	0.02	1.6	0.2	0.67	1	<0.5	<0.2	9
111008	Rock	0.112	22	6	0.62	99	0.001	1	0.42	0.026	0.20	0.1	<0.01	1.7	0.2	0.97	1	<0.5	<0.2	45
111009	Rock	0.117	22	5	0.59	70	0.001	1	0.53	0.023	0.23	0.2	0.02	2.0	0.3	1.20	1	<0.5	<0.2	13
111010	Rock	0.088	11	2	0.35	39	0.001	<1	0.32	0.010	0.24	0.3	0.02	0.9	0.4	3.69	1	0.5	1.3	117
111011	Rock	0.131	20	5	0.44	52	0.002	1	0.51	0.018	0.27	0.6	0.07	2.2	0.8	2.57	2	<0.5	0.2	28
111012	Rock	0.195	40	13	0.92	238	0.002	2	0.53	0.020	0.16	0.6	0.02	5.1	0.2	0.36	2	<0.5	<0.2	8
111013	Rock	0.104	33	5	0.72	182	0.002	<1	0.51	0.030	0.18	0.3	<0.01	2.4	0.2	0.23	2	<0.5	0.3	<2
111014	Rock	0.113	36	11	0.61	72	0.002	<1	0.43	0.029	0.17	0.2	0.01	3.1	0.2	0.23	2	<0.5	<0.2	<2
111015	Rock	0.106	33	6	0.43	90	0.002	<1	0.53	0.031	0.17	0.2	0.01	2.6	0.2	0.18	2	<0.5	<0.2	<2
111016	Rock	0.095	31	7	0.60	79	0.002	<1	0.38	0.026	0.17	0.3	<0.01	2.3	0.2	0.25	1	<0.5	<0.2	<2
111017	Rock	0.101	27	4	0.51	49	0.002	1	0.41	0.021	0.17	0.2	<0.01	2.3	0.1	0.34	2	<0.5	<0.2	<2
111018	Rock	0.095	18	4	0.39	43	0.001	2	0.37	0.011	0.20	0.5	0.03	2.0	0.8	1.27	1	<0.5	<0.2	<2
111019	Rock	0.097	22	5	0.50	104	0.002	<1	0.44	0.021	0.20	0.2	0.02	2.2	0.3	0.82	1	<0.5	<0.2	<2
111020	Rock	0.100	29	7	0.50	113	0.002	<1	0.55	0.022	0.17	<0.1	0.01	2.4	0.2	0.35	2	<0.5	<0.2	2
111021	Rock	0.134	33	9	0.49	79	0.002	1	0.57	0.031	0.19	0.1	<0.01	3.0	0.1	0.31	2	<0.5	0.2	5
111022	Rock	0.071	19	3	0.42	83	<0.001	<1	0.35	0.021	0.21	0.1	<0.01	1.4	0.3	1.37	1	<0.5	0.2	5
111023	Rock	0.066	27	2	0.42	77	0.002	1	0.64	0.036	0.17	<0.1	<0.01	1.6	0.2	0.52	3	<0.5	<0.2	3
111024	Rock	0.064	26	6	0.46	246	0.007	<1	0.55	0.047	0.14	0.1	<0.01	2.2	0.1	0.32	3	<0.5	<0.2	<2
111025	Rock	0.065	23	3	0.41	102	0.028	<1	0.72	0.058	0.15	0.2	<0.01	1.9	0.1	0.07	4	<0.5	<0.2	<2
111026	Rock	0.069	27	7	0.39	83	0.011	<1	0.76	0.047	0.13	0.1	<0.01	2.0	<0.1	0.18	4	<0.5	<0.2	<2
111027	Rock	0.065	23	3	0.40	117	0.025	<1	0.80	0.056	0.15	<0.1	<0.01	1.9	<0.1	0.20	5	<0.5	<0.2	<2
111028	Rock	0.065	25	7	0.43	62	0.004	<1	0.87	0.042	0.11	<0.1	<0.01	1.9	<0.1	0.61	5	<0.5	<0.2	5
111029	Rock	0.063	27	3	0.40	73	0.001	<1	0.65	0.039	0.18	<0.1	<0.01	1.5	0.1	0.65	3	<0.5	<0.2	5
111030	Rock	0.063	25	4	0.33	54	<0.001	<1	0.37	0.027	0.14	<0.1	<0.01	1.4	0.1	0.84	1	<0.5	<0.2	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 07, 2010

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000437.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
111031	Rock	3.35	1.9	5.2	114.3	595	1.1	1.1	4.4	1231	2.37	18.5	4.0	7.6	8.4	142	9.5	1.1	2.1	12	1.71
111032	Rock	3.45	2.0	14.7	75.1	293	0.8	1.7	4.7	1103	2.15	46.1	4.0	5.2	8.4	133	4.3	2.6	1.7	12	1.40
111033	Rock	5.59	2.1	12.5	77.7	183	0.6	1.9	3.5	1306	2.23	46.9	3.1	4.1	8.3	142	2.8	2.0	1.2	15	1.33
111034	Rock	3.36	2.2	12.2	115.1	621	0.8	1.3	3.2	1451	2.33	47.6	2.6	17.0	7.5	109	10.2	2.1	1.2	12	1.43
111035	Rock	2.68	2.0	10.1	72.0	172	0.5	1.3	3.6	1379	2.22	39.6	2.9	9.2	7.5	160	2.4	1.8	0.9	14	1.69
111036	Rock	2.74	2.2	10.0	37.6	136	0.4	1.6	3.1	1336	2.25	32.6	3.0	4.0	7.6	184	1.8	2.4	0.8	15	1.83
111037	Rock	3.04	2.5	14.8	68.0	314	0.7	1.4	3.8	1262	2.02	36.0	2.8	4.3	7.6	124	4.5	2.3	1.2	13	1.53
111038	Rock	6.88	1.9	6.9	24.7	79	0.4	1.7	3.4	944	2.01	10.4	2.5	4.9	7.6	137	0.8	0.6	0.8	21	1.21
111039	Rock	5.42	2.0	7.0	32.4	149	0.5	1.7	3.3	1170	2.06	15.2	3.4	5.8	7.6	194	1.9	0.7	0.9	16	1.69
111040	Rock	3.82	2.0	7.7	37.5	217	0.4	1.5	3.5	1348	2.26	19.1	3.5	3.2	7.5	195	3.2	0.8	0.9	16	1.62
111041	Rock	3.53	1.9	21.2	161.4	1888	2.8	1.5	3.9	3168	2.56	1085	2.7	295.1	6.1	188	35.3	13.2	4.0	3	2.89
111042	Rock	3.03	1.9	8.4	107.6	664	1.4	1.4	4.7	1852	2.39	229.0	3.2	33.5	6.3	194	12.8	5.3	2.5	4	2.72
111043	Rock	3.55	2.0	21.3	70.0	662	1.3	1.5	4.1	1467	2.20	167.2	3.6	68.5	7.0	137	12.8	3.5	2.2	8	1.95
111044	Rock	2.28	2.0	10.6	27.9	336	0.7	1.3	3.6	970	2.24	253.2	4.1	15.6	4.8	275	5.9	1.9	1.4	12	2.40
111045	Rock	1.78	2.4	11.7	21.5	310	0.6	1.5	4.1	871	2.29	22.0	4.1	9.3	6.8	238	5.8	0.9	1.3	12	1.89
111046	Rock	5.06	2.5	12.5	23.0	726	0.6	1.6	3.1	912	2.47	106.0	3.7	15.8	5.5	163	15.1	2.4	1.1	16	1.29
111047	Rock	2.53	2.1	20.7	33.3	1046	1.0	2.1	5.4	1146	2.43	301.8	3.1	127.7	5.3	229	23.0	4.0	1.2	12	2.06
111048	Rock	1.45	1.8	47.5	19.1	246	1.8	2.0	2.7	1658	2.58	1571	2.5	35.4	6.5	188	4.9	10.5	1.3	3	2.24
111049	Rock	2.05	1.7	39.5	16.2	188	0.4	1.6	2.4	973	2.41	105.2	2.9	6.4	6.4	214	3.2	3.9	1.2	10	2.35
111050	Rock	2.46	2.3	20.6	18.5	196	0.5	1.8	2.4	494	2.45	73.7	2.6	13.5	6.1	186	3.7	0.8	2.8	10	1.92
111051	Rock	2.25	1.9	33.6	26.6	184	0.6	1.6	2.8	752	2.31	140.3	2.7	58.9	5.2	239	3.3	1.1	1.5	13	1.92
111052	Rock	1.26	0.8	27.7	19.7	81	1.4	1.5	2.9	1045	2.20	1072	2.8	48.6	6.4	231	1.2	5.8	1.1	5	2.21
111053	Rock	2.91	1.5	16.1	10.3	83	0.3	1.6	3.4	557	2.03	36.9	3.7	6.0	6.2	217	1.2	0.8	0.6	13	1.90
111054	Rock	2.24	1.2	25.6	8.2	57	0.3	1.5	3.9	957	1.90	57.5	4.7	4.4	5.6	499	0.6	1.0	0.6	13	4.20
111055	Rock	1.28	1.5	16.4	9.2	124	0.4	1.5	7.1	402	1.91	21.9	3.8	4.1	7.3	208	2.0	0.5	1.7	6	2.73
111056	Rock	0.98	1.8	28.2	13.1	184	0.7	2.8	6.4	436	2.26	52.2	3.3	6.9	6.1	260	3.1	0.9	3.0	8	2.59
111057	Rock	1.44	1.2	5.0	8.6	67	0.1	1.3	2.5	793	2.22	12.4	3.6	2.0	6.5	258	0.6	0.5	0.2	14	2.20
111058	Rock	4.31	2.0	28.5	180.9	2536	1.4	3.6	9.2	5059	2.09	267.0	4.5	6.7	7.2	124	53.6	4.2	2.1	9	1.59
111059	Rock	1.96	1.6	8.9	200.5	1823	1.0	2.0	6.7	3533	2.34	105.8	2.2	9.5	7.6	71	28.1	1.2	2.1	13	1.43
111060	Rock	5.43	2.4	13.7	114.0	625	0.9	1.8	4.4	1879	2.18	129.0	1.9	13.6	7.5	88	9.8	1.6	1.3	14	1.36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 07, 2010

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000437.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111031	Rock	0.063	26	1	0.31	40	<0.001	1	0.37	0.026	0.14	0.2	<0.01	1.2	0.1	1.13	1	<0.5	<0.2	5
111032	Rock	0.062	23	3	0.31	36	<0.001	<1	0.33	0.024	0.12	0.1	<0.01	1.5	0.3	0.88	1	<0.5	0.2	5
111033	Rock	0.063	24	1	0.38	40	0.001	<1	0.41	0.035	0.13	0.1	<0.01	1.8	0.2	0.59	2	<0.5	0.2	<2
111034	Rock	0.069	22	1	0.32	34	<0.001	2	0.39	0.027	0.18	0.2	0.03	1.3	0.3	0.99	1	<0.5	<0.2	4
111035	Rock	0.070	23	3	0.48	34	<0.001	2	0.45	0.031	0.14	0.1	<0.01	1.5	0.2	0.64	1	<0.5	<0.2	3
111036	Rock	0.067	23	3	0.40	38	0.003	2	0.37	0.026	0.12	0.2	<0.01	1.6	0.3	0.66	1	<0.5	<0.2	<2
111037	Rock	0.068	22	1	0.30	43	<0.001	1	0.36	0.019	0.12	0.2	<0.01	1.3	0.2	0.64	1	<0.5	<0.2	2
111038	Rock	0.068	23	5	0.33	126	0.015	<1	0.45	0.039	0.18	0.2	<0.01	1.9	0.2	0.31	2	<0.5	<0.2	3
111039	Rock	0.069	23	2	0.38	47	0.003	1	0.42	0.027	0.14	0.1	<0.01	1.4	0.2	0.50	2	<0.5	<0.2	5
111040	Rock	0.071	22	3	0.38	39	0.001	<1	0.38	0.023	0.11	0.4	<0.01	1.8	0.2	0.38	1	<0.5	<0.2	6
111041	Rock	0.061	14	<1	0.30	32	<0.001	2	0.39	0.003	0.24	0.6	0.02	0.8	1.0	2.52	1	<0.5	<0.2	268
111042	Rock	0.068	15	2	0.26	32	<0.001	3	0.41	0.010	0.24	0.3	<0.01	0.9	0.8	2.22	1	<0.5	<0.2	37
111043	Rock	0.065	16	<1	0.25	40	<0.001	2	0.40	0.015	0.18	0.2	<0.01	1.0	0.5	1.42	1	<0.5	<0.2	63
111044	Rock	0.058	8	2	0.55	55	<0.001	3	0.50	0.022	0.17	0.2	<0.01	1.7	0.2	0.74	2	<0.5	<0.2	14
111045	Rock	0.061	10	1	0.31	39	<0.001	2	0.40	0.027	0.15	0.2	<0.01	1.6	0.1	0.91	1	<0.5	<0.2	9
111046	Rock	0.063	9	4	0.41	51	<0.001	1	0.45	0.040	0.13	0.2	<0.01	1.8	0.1	0.63	2	<0.5	<0.2	11
111047	Rock	0.062	11	2	0.63	54	<0.001	2	0.42	0.023	0.18	0.3	0.02	1.6	0.3	1.29	1	<0.5	<0.2	120
111048	Rock	0.081	16	1	0.21	39	<0.001	3	0.51	0.013	0.28	0.3	0.03	0.9	2.1	2.67	1	<0.5	<0.2	31
111049	Rock	0.078	16	1	0.33	96	<0.001	2	0.47	0.019	0.19	0.1	0.02	1.3	0.9	1.59	1	<0.5	<0.2	4
111050	Rock	0.077	13	2	0.36	78	<0.001	3	0.44	0.026	0.21	0.1	<0.01	1.2	0.4	2.03	1	0.6	0.9	12
111051	Rock	0.070	11	2	0.47	81	<0.001	2	0.39	0.027	0.18	0.1	<0.01	1.3	0.3	1.24	1	<0.5	0.2	52
111052	Rock	0.068	15	1	0.27	90	<0.001	2	0.43	0.016	0.23	0.2	0.02	1.0	1.1	1.96	1	<0.5	<0.2	44
111053	Rock	0.061	11	1	0.46	98	<0.001	1	0.35	0.031	0.11	0.1	<0.01	1.5	0.3	0.69	1	<0.5	<0.2	4
111054	Rock	0.059	10	2	0.39	203	<0.001	2	0.44	0.028	0.13	0.2	0.01	1.6	0.4	0.75	1	<0.5	<0.2	3
111055	Rock	0.064	13	<1	0.26	76	<0.001	2	0.38	0.025	0.18	<0.1	<0.01	1.0	0.2	1.30	1	<0.5	1.0	<2
111056	Rock	0.078	10	3	0.29	80	<0.001	2	0.47	0.024	0.19	0.1	<0.01	1.2	0.2	1.49	1	<0.5	0.4	6
111057	Rock	0.062	10	1	0.32	51	<0.001	2	0.39	0.024	0.12	0.2	<0.01	1.7	0.2	0.42	1	<0.5	<0.2	<2
111058	Rock	0.069	19	2	0.07	91	<0.001	2	0.70	0.019	0.19	0.2	0.02	1.2	0.3	1.39	1	<0.5	<0.2	7
111059	Rock	0.063	20	2	0.11	70	<0.001	1	0.43	0.026	0.17	0.2	0.01	1.1	0.2	0.96	1	<0.5	<0.2	10
111060	Rock	0.066	23	4	0.13	47	<0.001	1	0.44	0.027	0.13	0.2	<0.01	1.4	0.2	0.46	2	<0.5	<0.2	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 07, 2010

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000437.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111061	Rock	3.85	1.7	14.1	86.6	529	0.7	2.0	3.7	1558	2.05	97.7	2.2	4.3	7.4	155	7.4	1.4	0.9	13	1.66
111062	Rock	5.88	2.0	9.0	119.6	901	0.8	2.4	7.5	3120	2.13	124.5	2.6	4.7	7.1	136	11.6	1.4	1.3	12	1.64
111063	Rock	1.41	2.0	5.3	68.1	202	1.4	0.5	1.0	351	2.29	611.9	3.7	93.2	7.7	224	7.8	9.0	1.0	5	0.64
111064	Rock	3.27	1.7	4.6	89.2	54	1.2	0.2	3.7	77	1.42	569.7	1.3	109.9	6.3	109	1.1	13.2	0.7	3	0.40
111065	Rock	1.28	1.4	2.9	31.5	50	1.4	<0.1	0.8	96	1.71	483.9	1.4	261.2	6.0	150	0.8	13.8	0.5	2	0.26
111066	Rock	2.50	1.8	9.8	281.0	122	2.0	<0.1	2.5	103	1.87	636.2	2.6	115.0	6.8	183	3.0	15.2	0.9	4	0.22
111067	Rock	4.28	2.2	5.8	38.8	813	0.1	6.7	10.8	5508	2.42	229.5	3.3	3.9	5.8	248	8.5	3.0	0.1	24	1.93



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 07, 2010

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000437.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111061	Rock	0.063	22	2	0.24	61	<0.001	1	0.43	0.033	0.14	0.2	<0.01	1.2	0.2	0.42	2	<0.5	<0.2	<2
111062	Rock	0.065	24	3	0.22	97	<0.001	2	0.54	0.032	0.18	0.2	<0.01	1.1	0.3	0.82	2	<0.5	<0.2	3
111063	Rock	0.063	25	<1	0.03	104	<0.001	3	0.45	0.021	0.47	0.7	0.03	0.9	1.4	0.98	1	<0.5	0.3	87
111064	Rock	0.031	21	2	0.06	105	<0.001	4	0.44	0.013	0.45	0.7	0.05	0.6	1.2	0.76	1	<0.5	<0.2	95
111065	Rock	0.036	23	<1	0.04	119	<0.001	4	0.38	0.014	0.51	0.7	0.03	0.6	1.5	0.76	1	<0.5	<0.2	248
111066	Rock	0.044	23	2	0.05	135	<0.001	3	0.49	0.019	0.49	0.8	0.05	0.8	1.3	0.68	1	<0.5	<0.2	100
111067	Rock	0.118	23	6	0.43	68	0.002	2	0.66	0.020	0.21	0.3	0.01	2.7	0.8	0.67	2	<0.5	<0.2	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 07, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000437.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
REP 111001	QC																				
111023	Rock	4.74	2.0	11.3	96.4	433	0.6	2.6	3.9	1219	2.20	18.5	3.6	4.3	8.8	135	7.0	0.9	1.0	19	1.55
REP 111023	QC																				
111031	Rock	3.35	1.9	5.2	114.3	595	1.1	1.1	4.4	1231	2.37	18.5	4.0	7.6	8.4	142	9.5	1.1	2.1	12	1.71
REP 111031	QC		2.6	5.7	117.7	599	1.2	1.6	4.7	1262	2.43	19.0	4.0	7.9	8.5	149	8.9	0.9	2.2	12	1.69
111056	Rock	0.98	1.8	28.2	13.1	184	0.7	2.8	6.4	436	2.26	52.2	3.3	6.9	6.1	260	3.1	0.9	3.0	8	2.59
REP 111056	QC		1.8	28.5	13.9	185	0.7	2.7	6.5	438	2.34	52.7	3.4	6.1	6.4	255	3.1	0.8	3.2	9	2.62
Core Reject Duplicates																					
111001	Rock	1.87	2.3	61.0	220.0	1241	8.0	2.9	4.0	786	2.28	3194	11.5	535.6	6.9	239	101.3	49.3	3.7	6	0.66
DUP 111001	QC		2.3	55.6	217.6	1074	7.0	3.2	3.7	727	2.28	2856	11.0	444.7	6.9	245	90.7	45.1	3.5	6	0.65
111036	Rock	2.74	2.2	10.0	37.6	136	0.4	1.6	3.1	1336	2.25	32.6	3.0	4.0	7.6	184	1.8	2.4	0.8	15	1.83
DUP 111036	QC		2.3	9.7	35.9	139	0.4	1.3	3.3	1329	2.26	32.4	2.9	5.2	7.6	183	1.8	1.9	0.8	15	1.87
Reference Materials																					
STD DS7	Standard		20.4	101.5	65.6	379	1.0	55.1	8.9	597	2.30	50.9	4.8	65.4	4.5	69	6.4	5.6	4.3	81	0.95
STD DS7	Standard		20.6	104.3	65.6	394	1.0	53.9	9.1	610	2.34	52.6	4.8	101.6	4.6	70	6.5	5.5	4.3	84	0.97
STD DS7	Standard		24.6	111.7	78.8	409	1.2	60.5	9.6	649	2.35	54.2	5.4	78.3	5.1	85	6.7	6.3	5.5	79	0.96
STD DS7	Standard		21.7	101.9	72.0	390	1.1	57.8	8.7	601	2.29	50.4	5.0	66.4	4.7	80	5.7	6.0	5.1	77	0.94
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXH66 Expected																					
STD OXC72 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: October 07, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000437.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
Pulp Duplicates																				
REP 111001	QC																			502
111023	Rock	0.066	27	2	0.42	77	0.002	1	0.64	0.036	0.17	<0.1	<0.01	1.6	0.2	0.52	3	<0.5	<0.2	3
REP 111023	QC																			5
111031	Rock	0.063	26	1	0.31	40	<0.001	1	0.37	0.026	0.14	0.2	<0.01	1.2	0.1	1.13	1	<0.5	<0.2	5
REP 111031	QC	0.066	27	1	0.33	41	<0.001	<1	0.38	0.026	0.15	0.1	<0.01	1.2	0.1	1.12	1	<0.5	<0.2	
111056	Rock	0.078	10	3	0.29	80	<0.001	2	0.47	0.024	0.19	0.1	<0.01	1.2	0.2	1.49	1	<0.5	0.4	6
REP 111056	QC	0.082	10	3	0.29	79	<0.001	2	0.48	0.024	0.20	0.1	<0.01	1.1	0.2	1.49	1	<0.5	1.2	
Core Reject Duplicates																				
111001	Rock	0.096	24	2	0.09	75	<0.001	2	0.67	0.022	0.33	0.6	0.09	1.2	1.2	1.41	1	<0.5	0.8	488
DUP 111001	QC	0.098	24	2	0.08	80	<0.001	2	0.64	0.022	0.34	0.6	0.09	1.2	1.3	1.35	1	<0.5	1.6	414
111036	Rock	0.067	23	3	0.40	38	0.003	2	0.37	0.026	0.12	0.2	<0.01	1.6	0.3	0.66	1	<0.5	<0.2	<2
DUP 111036	QC	0.067	23	3	0.40	41	0.002	1	0.39	0.029	0.12	0.2	<0.01	1.6	0.4	0.68	1	<0.5	<0.2	2
Reference Materials																				
STD DS7	Standard	0.074	13	189	1.02	394	0.113	40	0.98	0.092	0.44	3.9	0.21	2.2	4.2	0.20	5	3.2	1.8	
STD DS7	Standard	0.079	13	198	1.04	404	0.117	40	1.01	0.095	0.45	4.1	0.21	2.3	4.2	0.22	5	2.9	1.2	
STD DS7	Standard	0.079	13	208	1.08	441	0.123	42	1.04	0.099	0.48	4.0	0.27	2.5	4.4	0.20	5	2.4	1.1	
STD DS7	Standard	0.077	14	195	1.02	408	0.117	38	1.02	0.095	0.45	3.6	0.21	2.7	4.0	0.19	5	2.4	2.2	
STD OXC72	Standard																			192
STD OXC72	Standard																			198
STD OXC72	Standard																			197
STD OXH66	Standard																			1211
STD OXH66	Standard																			1278
STD OXH66	Standard																			1265
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
STD OXH66 Expected																				1285
STD OXC72 Expected																				205
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: October 07, 2010

Page: 2 of 2 **Part** 1

QUALITY CONTROL REPORT

WHI10000437.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		<0.1	2.2	2.6	39	<0.1	1.2	3.5	545	1.89	1.2	1.5	1.0	5.9	61	<0.1	<0.1	<0.1	35	0.49
G1	Prep Blank		<0.1	2.0	2.7	38	<0.1	1.3	3.1	540	1.83	1.2	1.5	1.1	5.5	61	<0.1	<0.1	<0.1	34	0.48



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: October 07, 2010

Page: 2 of 2 **Part** 2

QUALITY CONTROL REPORT

WHI10000437.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
BLK	Blank																			<2	
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
Prep Wash																					
G1	Prep Blank	0.075	13	2	0.47	96	0.110	<1	0.81	0.096	0.44	<0.1	0.01	2.0	0.3	<0.05	4	<0.5	<0.2	<2	
G1	Prep Blank	0.069	13	7	0.43	98	0.110	<1	0.79	0.093	0.42	0.8	<0.01	1.7	0.3	<0.05	4	<0.5	0.3	<2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: September 14, 2010
Report Date: September 27, 2010
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI10000451.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: 4
P.O. Number
Number of Samples: 106

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Mike Collins
Paul Gray

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	106	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	106	Dry at 60C			WHI
1D02	106	1:1:1 Aqua Regia digestion ICP-ES analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 27, 2010

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000451.1

Method	Analyte	Unit	MDL	1D Mo	1D Cu	1D Pb	1D Zn	1D Ag	1D Ni	1D Co	1D Mn	1D Fe	1D As	1D Au	1D Th	1D Sr	1D Cd	1D Sb	1D Bi	1D V	1D Ca	1D P	1D La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				1	1	3	1	0.3	1	1	2	0.01	2	2	2	1	0.5	3	3	1	0.01	0.001	1
Z4-L1-01	Soil			2	26	9	65	<0.3	19	15	808	3.78	55	<2	4	38	<0.5	3	<3	91	0.60	0.078	18
Z4-L1-02	Soil			3	33	14	73	0.5	17	14	663	3.69	71	<2	3	71	<0.5	5	3	81	0.85	0.085	17
Z4-L1-03	Soil			<1	29	8	82	<0.3	24	10	428	2.78	17	<2	4	58	<0.5	3	<3	66	1.07	0.064	17
Z4-L1-04	Soil			1	23	8	71	<0.3	22	13	522	3.13	13	<2	6	27	<0.5	<3	<3	73	0.49	0.048	15
Z4-L1-05	Soil			2	25	7	84	<0.3	25	13	599	3.19	21	<2	5	39	0.5	<3	<3	65	0.78	0.065	26
Z4-L1-06	Soil			1	28	14	69	<0.3	25	11	602	3.02	19	<2	5	43	<0.5	<3	<3	55	0.90	0.051	31
Z4-L1-07	Soil			<1	25	22	61	<0.3	22	10	554	2.81	23	<2	8	58	0.6	<3	<3	40	1.12	0.044	38
Z4-L1-08	Soil			1	35	12	58	<0.3	27	13	637	2.81	17	<2	3	57	<0.5	<3	<3	55	1.09	0.058	29
Z4-L1-09	Soil			2	9	10	29	<0.3	8	3	93	2.12	9	<2	<2	11	<0.5	<3	<3	69	0.12	0.014	10
Z4-L1-10	Soil			<1	18	16	42	<0.3	24	13	721	3.59	40	<2	15	17	<0.5	<3	<3	34	0.33	0.030	33
Z4-L1-11	Soil			3	32	21	83	0.5	27	6	160	2.76	34	<2	<2	17	0.5	<3	<3	57	0.18	0.081	14
Z4-L1-12	Soil			3	32	18	140	0.3	37	14	644	3.29	39	<2	4	17	0.6	<3	<3	65	0.20	0.078	16
Z4-L1-13	Soil			3	47	15	116	0.4	38	12	345	2.98	33	<2	<2	21	<0.5	<3	<3	61	0.21	0.089	21
Z4-L1-16	Soil			3	43	30	165	<0.3	34	13	449	3.13	28	<2	2	18	1.0	4	<3	57	0.19	0.069	13
Z4-L1-17	Soil			3	17	45	104	<0.3	23	15	1182	3.21	28	<2	<2	13	0.5	<3	<3	60	0.16	0.092	8
Z4-L1-18	Soil			2	19	16	85	<0.3	29	11	308	3.10	27	<2	3	21	<0.5	<3	<3	72	0.23	0.027	8
Z4-L1-19	Soil			2	19	22	103	<0.3	30	11	539	3.05	31	<2	4	18	0.7	<3	<3	68	0.18	0.026	9
Z4-L1-20	Soil			1	29	19	79	<0.3	38	12	371	3.18	79	<2	3	19	<0.5	<3	<3	66	0.24	0.051	10
Z4-L1-21	Soil			2	34	23	92	<0.3	35	11	489	2.94	139	<2	3	21	0.5	4	<3	66	0.29	0.048	15
Z4-L2-01	Soil			3	24	17	64	0.3	14	9	585	3.11	75	<2	5	35	<0.5	<3	<3	54	0.44	0.030	20
Z4-L2-02	Soil			5	38	27	79	0.7	11	12	1146	4.11	453	<2	5	45	<0.5	5	<3	58	0.69	0.061	22
Z4-L2-03	Soil			8	53	60	181	1.6	14	10	1306	3.60	392	<2	8	44	1.5	<3	<3	32	0.48	0.056	28
Z4-L2-04	Soil			2	27	16	84	0.6	29	13	1365	2.74	57	<2	6	76	0.8	6	<3	47	0.91	0.077	17
Z4-L2-05	Soil			<1	36	6	76	0.3	23	11	1097	1.97	12	<2	<2	103	1.0	<3	<3	42	2.13	0.079	28
Z4-L2-06	Soil			1	26	10	69	<0.3	21	12	563	3.35	22	<2	6	42	<0.5	<3	<3	51	0.91	0.090	38
Z4-L2-07	Soil			2	20	21	53	<0.3	18	8	650	2.20	19	<2	4	74	<0.5	<3	<3	34	1.71	0.067	38
Z4-L2-08	Soil			2	19	9	28	<0.3	7	3	76	1.22	4	<2	<2	12	0.7	<3	<3	31	0.08	0.026	124
Z4-L2-09	Soil			3	14	10	50	<0.3	18	9	617	3.29	18	<2	5	27	<0.5	<3	<3	67	0.39	0.028	17
Z4-L2-10	Soil			<1	29	8	68	<0.3	18	7	202	1.65	8	<2	3	107	0.7	<3	<3	38	2.07	0.067	18
Z4-L2-11	Soil			3	39	18	79	0.5	30	15	1518	2.07	22	<2	<2	16	1.5	5	<3	34	0.27	0.123	11



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 27, 2010

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000451.1

Method	Analyte	Unit	MDL	1D Cr	1D Mg	1D Ba	1D Ti	1D B	1D Al	1D Na	1D K	1D W	1D S	1D Hg	1D Tl	1D Sc	1D Ga
				ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm	ppm
				1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5
Z4-L1-01	Soil			37	0.82	342	0.103	<20	1.53	0.02	0.14	<2	<0.05	<1	<5	13	<5
Z4-L1-02	Soil			37	0.75	252	0.073	<20	1.32	0.02	0.20	<2	<0.05	1	<5	12	<5
Z4-L1-03	Soil			36	0.61	398	0.058	<20	1.78	0.01	0.08	<2	0.10	1	6	6	<5
Z4-L1-04	Soil			39	0.72	223	0.089	<20	1.86	0.01	0.09	<2	<0.05	<1	<5	6	<5
Z4-L1-05	Soil			40	0.65	252	0.056	<20	1.94	0.01	0.11	<2	<0.05	1	6	7	<5
Z4-L1-06	Soil			36	0.58	168	0.043	<20	1.78	0.01	0.09	<2	<0.05	<1	<5	6	<5
Z4-L1-07	Soil			32	0.45	141	0.025	<20	1.51	0.01	0.08	<2	0.05	<1	<5	5	<5
Z4-L1-08	Soil			38	0.57	208	0.036	<20	1.98	0.01	0.06	<2	0.05	1	<5	6	5
Z4-L1-09	Soil			15	0.12	59	0.041	<20	0.89	<0.01	0.06	<2	<0.05	1	<5	<5	<5
Z4-L1-10	Soil			33	0.40	158	0.010	<20	1.71	<0.01	0.17	<2	<0.05	1	<5	6	<5
Z4-L1-11	Soil			35	0.36	282	0.010	<20	1.47	<0.01	0.09	<2	0.06	2	<5	<5	<5
Z4-L1-12	Soil			41	0.57	248	0.030	<20	1.51	<0.01	0.14	<2	<0.05	1	<5	<5	<5
Z4-L1-13	Soil			43	0.52	367	0.015	<20	1.64	<0.01	0.14	<2	0.07	1	<5	<5	<5
Z4-L1-16	Soil			39	0.44	435	0.023	<20	1.43	<0.01	0.13	<2	0.05	<1	<5	<5	<5
Z4-L1-17	Soil			29	0.29	186	0.026	<20	1.34	<0.01	0.07	<2	<0.05	<1	<5	<5	<5
Z4-L1-18	Soil			39	0.51	482	0.027	<20	1.90	<0.01	0.11	<2	<0.05	<1	<5	<5	<5
Z4-L1-19	Soil			34	0.42	391	0.033	<20	1.98	<0.01	0.08	<2	<0.05	1	<5	<5	<5
Z4-L1-20	Soil			40	0.64	272	0.058	<20	2.13	<0.01	0.12	<2	<0.05	1	<5	<5	<5
Z4-L1-21	Soil			47	0.54	399	0.049	<20	1.49	<0.01	0.17	<2	<0.05	1	<5	<5	<5
Z4-L2-01	Soil			23	0.37	341	0.013	<20	1.54	<0.01	0.13	<2	<0.05	<1	<5	7	<5
Z4-L2-02	Soil			16	0.32	378	0.005	<20	1.00	<0.01	0.11	<2	<0.05	1	<5	11	<5
Z4-L2-03	Soil			13	0.11	414	<0.001	<20	0.65	<0.01	0.09	<2	<0.05	<1	<5	7	<5
Z4-L2-04	Soil			28	0.48	511	0.023	<20	1.27	<0.01	0.09	<2	0.09	<1	<5	6	<5
Z4-L2-05	Soil			27	0.44	402	0.029	<20	1.38	0.01	0.08	<2	0.15	<1	<5	<5	<5
Z4-L2-06	Soil			30	0.59	155	0.042	<20	1.75	0.01	0.11	<2	0.05	<1	<5	6	<5
Z4-L2-07	Soil			24	0.30	154	0.012	<20	1.27	<0.01	0.07	<2	0.10	<1	5	<5	<5
Z4-L2-08	Soil			15	0.06	123	0.016	<20	0.82	<0.01	0.04	<2	<0.05	<1	<5	<5	<5
Z4-L2-09	Soil			32	0.38	133	0.024	<20	1.65	<0.01	0.09	<2	<0.05	2	<5	<5	6
Z4-L2-10	Soil			27	0.50	167	0.025	<20	1.16	<0.01	0.07	<2	0.21	<1	6	<5	<5
Z4-L2-11	Soil			36	0.26	728	0.010	<20	0.97	<0.01	0.10	<2	0.13	2	<5	<5	<5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 27, 2010

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000451.1

Method	Analyte	Unit	MDL	1D Mo	1D Cu	1D Pb	1D Zn	1D Ag	1D Ni	1D Co	1D Mn	1D Fe	1D As	1D Au	1D Th	1D Sr	1D Cd	1D Sb	1D Bi	1D V	1D Ca	1D P	1D La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				1	1	3	1	0.3	1	1	2	0.01	2	2	2	1	0.5	3	3	1	0.01	0.001	1
Z4-L2-12	Soil			2	19	18	52	0.5	15	3	116	1.19	12	<2	<2	14	1.3	<3	<3	27	0.15	0.078	11
Z4-L2-13	Soil			3	23	33	135	0.3	24	18	1562	2.78	47	<2	4	13	0.6	<3	<3	40	0.12	0.070	19
Z4-L2-14	Soil			3	36	29	131	0.6	29	18	964	2.66	46	<2	3	21	1.2	4	<3	41	0.19	0.088	20
Z4-L2-15	Soil			4	40	53	71	0.4	19	5	195	2.37	63	<2	<2	12	0.9	<3	<3	39	0.13	0.082	9
Z4-L2-17	Soil			2	24	12	101	<0.3	33	13	261	3.39	12	<2	4	18	<0.5	<3	<3	65	0.17	0.041	11
Z4-L2-18	Soil			3	25	97	105	0.7	11	3	64	3.38	409	<2	<2	21	0.8	9	<3	59	0.09	0.059	7
Z4-L2-19	Soil			2	19	17	98	<0.3	23	10	281	3.19	38	<2	<2	26	0.6	<3	<3	75	0.25	0.039	8
Z4-L2-20	Soil			2	28	22	112	0.5	31	11	299	3.68	49	<2	2	19	0.5	<3	<3	86	0.17	0.046	9
Z4-L2-21	Soil			2	27	11	99	<0.3	39	12	236	3.27	44	<2	<2	19	<0.5	<3	<3	83	0.27	0.086	10
Z4-L3-01	Soil			3	27	115	119	1.2	29	10	867	3.48	370	<2	3	65	1.1	4	<3	51	0.55	0.043	13
Z4-L3-02	Soil			4	27	27	143	0.4	13	8	566	3.50	166	<2	3	14	0.6	5	<3	45	0.12	0.049	10
Z4-L3-04	Soil			2	23	14	80	0.6	25	13	861	3.49	87	<2	3	94	0.6	3	<3	61	1.12	0.086	13
Z4-L3-05	Soil			2	24	15	46	0.5	19	7	1302	2.05	72	<2	<2	250	0.7	3	<3	31	2.38	0.056	10
Z4-L3-06	Soil			2	29	12	69	<0.3	21	10	635	3.83	55	<2	6	70	0.7	<3	<3	49	1.46	0.096	39
Z4-L3-07	Soil			3	28	12	58	0.4	21	10	837	3.05	33	<2	8	61	0.5	<3	<3	42	1.41	0.103	225
Z4-L3-09	Soil			2	33	22	157	0.4	33	25	5402	3.53	21	<2	5	45	2.0	3	<3	48	0.85	0.114	28
Z4-L3-10	Soil			1	29	31	127	<0.3	26	12	2159	2.74	14	<2	4	54	1.9	<3	<3	42	1.12	0.080	23
Z4-L3-12	Soil			4	23	24	166	<0.3	33	20	1365	4.25	78	<2	6	28	0.5	3	<3	68	0.48	0.080	17
Z4-L3-13	Soil			3	36	26	178	0.3	45	19	1127	4.12	53	<2	7	23	1.0	5	<3	64	0.37	0.091	20
Z4-L3-14	Soil			3	34	15	135	<0.3	30	23	1126	3.81	31	<2	4	16	<0.5	5	<3	72	0.24	0.095	20
Z4-L3-15	Soil			1	36	15	104	<0.3	20	5	136	2.04	18	<2	<2	16	0.6	4	<3	47	0.19	0.048	12
Z4-L3-16	Soil			1	45	19	69	0.5	19	4	216	1.59	24	<2	<2	29	2.3	<3	<3	23	0.36	0.134	8
Z4-L3-17	Soil			2	13	29	71	<0.3	13	4	181	1.80	38	<2	<2	21	1.2	4	<3	49	0.20	0.043	8
Z4-L3-18	Soil			1	16	12	124	<0.3	22	9	427	2.89	67	<2	<2	25	1.5	<3	<3	69	0.28	0.039	8
Z4-L3-19	Soil			1	19	12	118	<0.3	23	10	366	3.00	69	<2	3	24	0.7	<3	<3	68	0.31	0.029	11
Z4-L3-20	Soil			1	15	18	105	<0.3	20	9	395	2.89	34	<2	3	24	0.7	<3	<3	70	0.26	0.032	8
Z4-L3-21	Soil			3	15	31	138	0.4	27	10	859	2.92	83	<2	3	28	0.8	<3	<3	65	0.31	0.024	9
Z4-L4-01	Soil			5	23	33	117	0.3	14	9	690	2.83	60	<2	11	19	<0.5	<3	<3	21	0.14	0.032	23
Z4-L4-02	Soil			6	127	152	568	1.3	94	16	2792	5.25	338	<2	6	44	4.1	<3	4	44	0.09	0.073	18
Z4-L4-03	Soil			5	77	42	254	0.7	78	12	625	3.47	105	<2	3	42	1.0	5	<3	66	0.30	0.097	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 27, 2010

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000451.1

Method	Analyte	Unit	MDL	1D Cr	1D Mg	1D Ba	1D Ti	1D B	1D Al	1D Na	1D K	1D W	1D S	1D Hg	1D Tl	1D Sc	1D Ga
				ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm	ppm
				1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5
Z4-L2-12	Soil			21	0.14	392	0.006	<20	0.88	<0.01	0.07	<2	0.08	1	<5	<5	<5
Z4-L2-13	Soil			25	0.27	275	0.004	<20	1.37	<0.01	0.10	<2	<0.05	<1	<5	<5	<5
Z4-L2-14	Soil			27	0.25	481	0.005	<20	1.38	<0.01	0.10	<2	0.07	1	<5	<5	<5
Z4-L2-15	Soil			29	0.21	301	0.015	<20	1.35	<0.01	0.08	<2	0.11	1	5	<5	<5
Z4-L2-17	Soil			34	0.57	556	0.045	<20	2.62	<0.01	0.09	<2	<0.05	<1	<5	<5	<5
Z4-L2-18	Soil			16	0.10	459	0.011	<20	0.87	0.01	0.14	<2	0.20	<1	<5	<5	<5
Z4-L2-19	Soil			29	0.40	966	0.023	<20	1.59	<0.01	0.10	<2	<0.05	<1	<5	<5	7
Z4-L2-20	Soil			40	0.43	557	0.027	<20	1.92	<0.01	0.16	<2	<0.05	<1	<5	<5	8
Z4-L2-21	Soil			38	0.43	501	0.022	<20	1.83	<0.01	0.08	<2	<0.05	<1	<5	<5	7
Z4-L3-01	Soil			43	0.39	446	0.011	<20	1.58	<0.01	0.12	<2	<0.05	<1	<5	6	<5
Z4-L3-02	Soil			16	0.16	180	0.005	<20	0.99	<0.01	0.08	<2	<0.05	<1	<5	<5	<5
Z4-L3-04	Soil			31	0.69	274	0.033	<20	1.61	0.01	0.10	<2	0.06	<1	<5	6	5
Z4-L3-05	Soil			22	0.51	513	0.014	<20	0.92	0.02	0.07	<2	0.14	<1	<5	<5	<5
Z4-L3-06	Soil			29	0.48	209	0.020	<20	1.52	0.01	0.08	<2	0.09	<1	<5	6	5
Z4-L3-07	Soil			26	0.38	230	0.011	<20	1.66	<0.01	0.09	<2	0.08	<1	<5	7	6
Z4-L3-09	Soil			34	0.50	516	0.011	<20	1.69	0.01	0.08	<2	0.08	<1	<5	6	<5
Z4-L3-10	Soil			33	0.57	386	0.012	<20	1.59	0.01	0.07	<2	0.08	<1	<5	<5	7
Z4-L3-12	Soil			39	0.56	416	0.010	<20	1.84	<0.01	0.10	<2	<0.05	<1	<5	6	7
Z4-L3-13	Soil			38	0.56	539	0.007	<20	2.14	<0.01	0.11	<2	<0.05	<1	<5	8	6
Z4-L3-14	Soil			36	0.55	363	0.015	<20	2.09	<0.01	0.09	<2	<0.05	<1	<5	<5	8
Z4-L3-15	Soil			31	0.43	384	0.032	<20	1.60	<0.01	0.08	<2	<0.05	<1	<5	<5	<5
Z4-L3-16	Soil			22	0.14	755	0.007	<20	1.19	<0.01	0.06	<2	0.10	<1	<5	<5	<5
Z4-L3-17	Soil			15	0.15	481	0.022	<20	0.95	<0.01	0.07	<2	<0.05	<1	<5	<5	6
Z4-L3-18	Soil			30	0.45	525	0.035	<20	1.66	<0.01	0.14	<2	<0.05	<1	<5	<5	6
Z4-L3-19	Soil			35	0.54	586	0.049	<20	1.80	<0.01	0.17	<2	<0.05	<1	<5	<5	8
Z4-L3-20	Soil			30	0.38	531	0.036	<20	1.60	<0.01	0.09	<2	<0.05	<1	<5	<5	7
Z4-L3-21	Soil			29	0.37	601	0.020	<20	1.71	<0.01	0.10	<2	<0.05	<1	<5	<5	6
Z4-L4-01	Soil			11	0.09	211	0.002	<20	0.77	<0.01	0.10	<2	<0.05	<1	<5	<5	<5
Z4-L4-02	Soil			28	0.09	569	<0.001	<20	1.36	<0.01	0.15	<2	0.14	<1	<5	<5	<5
Z4-L4-03	Soil			40	0.41	979	0.022	<20	1.49	<0.01	0.10	<2	<0.05	<1	<5	<5	<5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 27, 2010

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000451.1

Method	Analyte	Unit	MDL	1D Mo	1D Cu	1D Pb	1D Zn	1D Ag	1D Ni	1D Co	1D Mn	1D Fe	1D As	1D Au	1D Th	1D Sr	1D Cd	1D Sb	1D Bi	1D V	1D Ca	1D P	1D La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				1	1	3	1	0.3	1	1	2	0.01	2	2	2	1	0.5	3	3	1	0.01	0.001	1
Z4-L4-04	Soil			6	68	32	235	1.8	83	13	806	3.59	133	<2	3	98	1.8	<3	<3	67	0.80	0.065	10
Z4-L4-05	Soil			4	50	25	183	0.5	59	15	652	4.20	115	<2	7	102	1.0	5	3	31	1.22	0.080	22
Z4-L4-06	Soil			1	42	19	115	0.5	33	7	361	2.14	57	<2	2	485	2.0	3	<3	28	10.75	0.080	9
Z4-L4-07	Soil			3	16	17	77	<0.3	16	8	556	2.88	33	<2	12	32	0.6	<3	<3	43	0.70	0.107	40
Z4-L4-13	Soil			2	35	12	123	<0.3	50	19	1159	3.87	30	<2	13	44	0.9	<3	<3	41	0.89	0.064	51
Z4-L4-14	Soil			4	28	26	97	0.4	38	11	653	2.82	25	<2	2	25	0.8	3	<3	45	0.39	0.087	28
Z4-L4-15	Soil			1	31	41	122	0.3	33	14	713	3.39	31	<2	8	20	1.1	<3	<3	61	0.29	0.056	51
Z4-L4-16	Soil			2	22	30	132	<0.3	23	7	192	3.27	438	<2	13	14	0.9	<3	<3	52	0.21	0.031	26
Z4-L4-17	Soil			<1	17	16	67	<0.3	25	11	391	3.31	10	<2	6	21	<0.5	<3	<3	60	0.32	0.026	19
Z4-L4-18	Soil			1	28	22	89	<0.3	32	14	410	3.85	12	<2	7	23	0.6	<3	<3	56	0.34	0.044	22
Z4-L4-19	Soil			12	52	16	144	<0.3	53	12	456	3.23	55	<2	7	61	0.9	5	<3	106	0.63	0.175	22
Z4-L4-20	Soil			4	24	28	129	<0.3	23	12	635	2.88	94	<2	4	24	0.8	<3	<3	56	0.35	0.044	11
Z4-L4-21	Soil			2	21	20	128	0.4	25	10	582	2.79	65	<2	2	31	1.5	<3	<3	66	0.37	0.055	10
Z4-L5-01	Soil			4	27	36	204	1.1	26	11	712	3.78	290	<2	3	78	1.5	<3	<3	50	0.10	0.061	11
Z4-L5-02	Soil			3	42	94	475	0.9	40	8	510	3.51	78	<2	4	22	2.3	<3	<3	50	0.10	0.048	14
Z4-L5-03	Soil			4	42	34	225	0.6	33	7	247	3.15	48	<2	4	52	1.2	<3	<3	45	0.09	0.039	12
Z4-L5-04	Soil			2	25	16	87	0.6	31	8	318	2.65	30	<2	<2	119	1.4	<3	<3	50	0.97	0.045	9
Z4-L5-05	Soil			2	39	24	129	0.4	38	14	529	3.40	77	<2	7	121	0.9	<3	<3	21	1.48	0.046	21
Z4-L5-06	Soil			1	28	19	98	0.3	28	10	466	2.67	111	<2	4	225	0.8	<3	<3	17	2.28	0.051	17
Z4-L5-07	Soil			1	47	12	109	<0.3	34	13	305	2.94	23	<2	6	40	0.7	<3	<3	70	0.65	0.083	26
Z4-L5-08	Soil			3	30	12	91	<0.3	33	15	2607	2.90	30	<2	4	58	0.8	<3	<3	49	1.11	0.106	26
Z4-L5-09	Soil			2	20	13	89	<0.3	22	13	974	3.04	26	<2	9	27	0.7	<3	<3	55	0.53	0.084	28
Z4-L5-10	Soil			2	18	17	92	<0.3	17	10	958	2.57	23	<2	5	37	<0.5	<3	<3	49	0.71	0.089	22
Z4-L5-11	Soil			<1	13	16	77	0.3	18	9	507	2.17	11	<2	4	27	<0.5	<3	<3	42	0.46	0.075	27
Z4-L5-14	Soil			2	28	22	90	0.4	36	13	598	3.35	19	<2	13	21	0.6	<3	<3	63	0.32	0.045	85
Z4-L5-15	Soil			3	21	15	68	<0.3	22	7	356	2.75	30	<2	2	11	<0.5	<3	<3	67	0.13	0.038	15
Z4-L5-16	Soil			1	20	16	64	<0.3	21	8	248	2.82	16	<2	3	18	0.6	<3	<3	69	0.20	0.046	12
Z4-L5-17	Soil			1	13	12	98	<0.3	22	9	218	3.09	25	<2	2	20	1.5	<3	<3	84	0.21	0.040	9
Z4-L5-18	Soil			4	17	32	66	0.3	15	7	398	2.83	51	<2	9	28	<0.5	<3	<3	32	0.30	0.042	42
Z4-L5-20	Soil			1	15	12	49	<0.3	22	12	373	3.08	13	<2	6	25	<0.5	<3	<3	55	0.44	0.028	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 27, 2010

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000451.1

Method	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Sc	Ga	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5	
Z4-L4-04	Soil	48	0.39	1254	0.004	<20	1.38	<0.01	0.14	<2	<0.05	<1	<5	6	<5
Z4-L4-05	Soil	22	0.27	835	<0.001	<20	0.61	<0.01	0.12	<2	0.08	<1	<5	7	<5
Z4-L4-06	Soil	16	0.31	356	0.004	<20	0.69	<0.01	0.07	<2	0.16	<1	<5	<5	<5
Z4-L4-07	Soil	29	0.36	194	0.017	<20	1.27	0.02	0.09	<2	<0.05	<1	<5	<5	<5
Z4-L4-13	Soil	35	0.59	774	0.003	<20	1.86	<0.01	0.10	<2	<0.05	<1	<5	8	7
Z4-L4-14	Soil	44	0.30	377	0.006	<20	1.43	<0.01	0.11	<2	<0.05	<1	<5	<5	5
Z4-L4-15	Soil	42	0.52	324	0.016	<20	2.38	<0.01	0.14	<2	<0.05	<1	<5	5	9
Z4-L4-16	Soil	34	0.37	130	0.002	<20	1.88	<0.01	0.10	<2	<0.05	<1	<5	<5	7
Z4-L4-17	Soil	39	0.56	268	0.040	<20	2.11	<0.01	0.14	<2	<0.05	<1	<5	<5	6
Z4-L4-18	Soil	45	0.69	415	0.032	<20	2.41	<0.01	0.28	<2	<0.05	<1	<5	<5	9
Z4-L4-19	Soil	34	0.39	882	0.020	<20	1.62	0.01	0.22	<2	0.15	<1	<5	6	5
Z4-L4-20	Soil	34	0.54	411	0.032	<20	1.74	<0.01	0.23	<2	<0.05	<1	<5	<5	6
Z4-L4-21	Soil	31	0.43	610	0.043	<20	1.78	<0.01	0.09	<2	<0.05	<1	<5	<5	6
Z4-L5-01	Soil	20	0.15	377	0.006	<20	1.26	<0.01	0.12	<2	0.07	<1	<5	<5	<5
Z4-L5-02	Soil	29	0.25	401	0.008	<20	1.63	<0.01	0.09	<2	<0.05	<1	<5	<5	<5
Z4-L5-03	Soil	19	0.15	319	0.005	<20	1.29	<0.01	0.11	<2	0.08	<1	<5	<5	<5
Z4-L5-04	Soil	24	0.37	401	0.009	<20	1.14	<0.01	0.10	<2	<0.05	<1	<5	<5	<5
Z4-L5-05	Soil	13	0.16	484	<0.001	<20	0.70	<0.01	0.13	<2	0.07	<1	<5	5	<5
Z4-L5-06	Soil	12	0.24	680	<0.001	<20	0.46	<0.01	0.11	<2	0.10	<1	<5	<5	<5
Z4-L5-07	Soil	42	0.72	383	0.063	<20	2.00	0.02	0.11	<2	<0.05	<1	<5	7	6
Z4-L5-08	Soil	41	0.46	341	0.011	<20	1.53	0.01	0.08	<2	0.08	<1	<5	<5	6
Z4-L5-09	Soil	30	0.53	254	0.017	<20	1.70	<0.01	0.11	<2	<0.05	<1	<5	5	7
Z4-L5-10	Soil	28	0.37	390	0.008	<20	1.51	<0.01	0.09	<2	0.07	<1	<5	<5	<5
Z4-L5-11	Soil	33	0.44	346	0.007	<20	1.83	<0.01	0.15	<2	<0.05	<1	<5	5	5
Z4-L5-14	Soil	49	0.66	587	0.009	<20	2.69	<0.01	0.14	<2	<0.05	<1	<5	7	10
Z4-L5-15	Soil	32	0.26	170	0.009	<20	1.97	<0.01	0.09	<2	<0.05	<1	<5	<5	8
Z4-L5-16	Soil	30	0.42	370	0.050	<20	1.96	<0.01	0.07	<2	<0.05	<1	<5	<5	8
Z4-L5-17	Soil	31	0.41	278	0.045	<20	2.09	<0.01	0.07	<2	<0.05	<1	<5	<5	8
Z4-L5-18	Soil	14	0.17	388	0.004	<20	1.26	<0.01	0.14	<2	<0.05	<1	<5	<5	<5
Z4-L5-20	Soil	33	0.47	233	0.019	<20	2.27	<0.01	0.12	<2	<0.05	<1	<5	<5	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 27, 2010

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000451.1

Method	Analyte	Unit	MDL	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				1	1	3	1	0.3	1	1	2	0.01	2	2	2	1	0.5	3	3	1	0.01	0.001	1
Z4-L5-21	Soil			<1	26	19	69	<0.3	25	14	749	2.73	20	<2	4	160	1.4	<3	<3	39	5.51	0.059	22
Z4-L6-01	Soil			5	41	80	320	1.0	32	7	419	3.97	200	<2	5	71	1.3	<3	<3	31	0.09	0.063	14
Z4-L6-02	Soil			3	40	26	93	0.6	27	9	334	3.28	167	<2	3	36	0.6	<3	<3	58	0.18	0.071	11
Z4-L6-03	Soil			4	48	16	180	<0.3	47	13	370	4.17	587	<2	3	18	1.2	<3	<3	52	0.11	0.049	11
Z4-L6-04	Soil			4	102	13	223	<0.3	84	24	664	5.95	101	<2	3	40	0.6	<3	<3	56	0.24	0.052	14
Z4-L6-05	Soil			2	25	<3	111	<0.3	37	22	1206	7.90	6	<2	5	99	0.6	<3	<3	68	1.70	0.411	54
Z4-L6-06	Soil			3	44	23	128	0.4	36	22	1160	4.77	80	<2	4	148	1.0	<3	<3	35	3.10	0.187	13
Z4-L6-09	Soil			2	35	14	97	<0.3	32	22	711	3.98	20	<2	10	22	0.7	<3	<3	75	0.41	0.093	36
Z4-L6-12	Soil			2	13	14	79	<0.3	18	11	911	3.03	10	<2	8	23	<0.5	<3	<3	69	0.51	0.122	28
Z4-L6-14	Soil			4	11	38	80	0.3	17	11	848	2.83	14	<2	6	21	<0.5	<3	<3	56	0.32	0.051	19
Z4-L6-15	Soil			2	9	17	50	<0.3	11	5	375	3.44	23	<2	4	12	<0.5	<3	<3	83	0.12	0.025	12
Z4-L6-17	Soil			4	21	<3	105	<0.3	6	14	1307	6.89	<2	<2	2	29	<0.5	<3	<3	59	1.16	0.334	24
Z4-L6-18	Soil			2	23	4	79	<0.3	26	15	629	4.46	16	<2	3	21	0.7	<3	<3	101	0.45	0.062	17
Z4-L6-19	Soil			3	20	26	88	0.3	41	14	790	3.57	58	<2	5	25	1.2	<3	<3	77	0.45	0.047	23
Z4-L6-20	Soil			2	20	27	79	<0.3	30	13	811	3.17	18	<2	5	34	1.3	<3	<3	63	0.73	0.059	23
Z4-L6-21	Soil			2	22	22	59	<0.3	27	12	706	3.03	19	<2	9	21	<0.5	<3	<3	52	0.51	0.042	34



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 27, 2010

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000451.1

Method	Analyte	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Sc	Ga
Unit		ppm	%	ppm	%	ppm	%	%	ppm	%	ppm	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	
Z4-L5-21	Soil	32	0.52	537	0.022	<20	2.10	0.02	0.25	<2	<0.05	<1	<5	5	7
Z4-L6-01	Soil	16	0.11	377	0.005	<20	0.71	<0.01	0.28	<2	0.44	<1	<5	<5	<5
Z4-L6-02	Soil	35	0.39	400	0.021	<20	2.22	<0.01	0.19	<2	0.17	<1	<5	<5	5
Z4-L6-03	Soil	24	0.12	868	0.004	<20	1.24	<0.01	0.09	<2	<0.05	<1	<5	<5	<5
Z4-L6-04	Soil	29	0.23	694	0.002	<20	0.97	<0.01	0.13	<2	<0.05	<1	<5	8	<5
Z4-L6-05	Soil	34	1.29	1001	0.047	<20	2.00	<0.01	0.77	<2	<0.05	<1	<5	13	9
Z4-L6-06	Soil	12	0.39	760	<0.001	<20	0.60	<0.01	0.17	<2	0.08	<1	<5	7	<5
Z4-L6-09	Soil	39	0.75	334	0.040	<20	2.16	0.01	0.08	<2	<0.05	<1	<5	8	7
Z4-L6-12	Soil	30	0.64	218	0.031	<20	1.79	0.01	0.10	<2	<0.05	<1	<5	5	7
Z4-L6-14	Soil	29	0.45	170	0.022	<20	1.87	<0.01	0.10	<2	<0.05	<1	<5	<5	7
Z4-L6-15	Soil	24	0.35	60	0.065	<20	1.51	<0.01	0.09	<2	<0.05	<1	<5	<5	11
Z4-L6-17	Soil	7	1.09	214	0.057	<20	2.99	0.02	0.59	<2	<0.05	<1	<5	9	11
Z4-L6-18	Soil	41	0.83	172	0.131	<20	2.47	0.01	0.28	<2	<0.05	<1	<5	7	11
Z4-L6-19	Soil	76	0.84	127	0.085	<20	2.05	0.01	0.31	<2	<0.05	<1	<5	8	6
Z4-L6-20	Soil	47	0.69	219	0.069	<20	1.87	0.02	0.20	<2	<0.05	<1	<5	7	6
Z4-L6-21	Soil	36	0.46	146	0.025	<20	1.87	<0.01	0.18	<2	<0.05	<1	<5	6	5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 27, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000451.1

Method	Analyte	Unit	MDL	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				1	1	3	1	0.3	1	1	2	0.01	2	2	2	1	0.5	3	3	1	0.01	0.001	1
Pulp Duplicates																							
Z4-L2-17	Soil			2	24	12	101	<0.3	33	13	261	3.39	12	<2	4	18	<0.5	<3	<3	65	0.17	0.041	11
REP Z4-L2-17	QC			2	24	16	102	<0.3	34	13	260	3.37	13	<2	4	18	<0.5	<3	<3	65	0.17	0.040	11
Z4-L4-18	Soil			1	28	22	89	<0.3	32	14	410	3.85	12	<2	7	23	0.6	<3	<3	56	0.34	0.044	22
REP Z4-L4-18	QC			1	29	20	91	<0.3	32	14	416	3.91	12	<2	7	23	0.6	<3	<3	57	0.35	0.045	23
Z4-L6-03	Soil			4	48	16	180	<0.3	47	13	370	4.17	587	<2	3	18	1.2	<3	<3	52	0.11	0.049	11
REP Z4-L6-03	QC			4	49	18	178	<0.3	47	13	368	4.14	580	<2	4	18	1.2	<3	<3	52	0.11	0.049	12
Reference Materials																							
STD DS7	Standard			19	98	61	379	0.9	51	9	575	2.19	49	<2	4	67	5.7	4	<3	76	0.90	0.070	12
STD DS7	Standard			19	96	61	390	1.0	52	8	592	2.20	49	<2	5	74	5.8	4	4	78	0.94	0.072	13
STD DS7	Standard			19	99	62	408	1.0	53	8	587	2.25	52	<2	4	67	5.8	5	6	78	0.93	0.075	12
STD OREAS45PA	Standard			<1	576	15	107	0.3	270	103	1001	15.73	2	<2	7	13	<0.5	<3	<3	199	0.22	0.033	15
STD OREAS45PA	Standard			<1	597	9	124	0.5	302	103	1072	15.74	3	<2	6	13	<0.5	<3	<3	212	0.23	0.033	15
STD OREAS45PA	Standard			<1	599	11	121	0.3	303	106	1118	16.17	3	<2	7	14	0.6	<3	<3	216	0.25	0.034	15
STD DS7 Expected				21	109	71	411	0.9	56	10	627	2.39	48	0.07	4	68	6.4	5	5	84	0.93	0.08	13
STD OREAS45PA Expected				0.9	600	19	119	0.3	281	104	1130	16.559	4.2	0.043	6	14	0.09	0.13	0.18	221	0.2411	0.034	16.2
BLK	Blank			<1	<1	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<2	<2	<1	<0.5	<3	<3	<1	<0.01	<0.001	<1
BLK	Blank			<1	<1	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<2	<2	<1	<0.5	<3	<3	<1	<0.01	<0.001	<1
BLK	Blank			<1	<1	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<2	<2	<1	<0.5	<3	<3	<1	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: September 27, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000451.1

Method		1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Sc	Ga
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5
Pulp Duplicates															
Z4-L2-17	Soil	34	0.57	556	0.045	<20	2.62	<0.01	0.09	<2	<0.05	<1	<5	<5	<5
REP Z4-L2-17	QC	34	0.56	551	0.047	<20	2.59	<0.01	0.09	<2	<0.05	<1	<5	<5	<5
Z4-L4-18	Soil	45	0.69	415	0.032	<20	2.41	<0.01	0.28	<2	<0.05	<1	<5	<5	9
REP Z4-L4-18	QC	45	0.70	426	0.031	<20	2.42	<0.01	0.29	<2	<0.05	<1	<5	<5	8
Z4-L6-03	Soil	24	0.12	868	0.004	<20	1.24	<0.01	0.09	<2	<0.05	<1	<5	<5	<5
REP Z4-L6-03	QC	23	0.12	873	0.004	<20	1.22	<0.01	0.09	<2	<0.05	<1	<5	<5	<5
Reference Materials															
STD DS7	Standard	174	0.95	371	0.102	49	0.91	0.09	0.40	<2	0.20	3	8	<5	<5
STD DS7	Standard	183	0.99	388	0.109	33	0.99	0.10	0.42	2	0.19	<1	6	<5	<5
STD DS7	Standard	177	0.99	397	0.104	36	0.92	0.09	0.42	3	0.19	<1	6	<5	5
STD OREAS45PA	Standard	770	0.10	165	0.120	<20	3.24	<0.01	0.07	<2	<0.05	<1	<5	50	6
STD OREAS45PA	Standard	830	0.10	175	0.139	<20	3.57	<0.01	0.07	<2	<0.05	<1	5	53	16
STD OREAS45PA	Standard	834	0.10	184	0.129	<20	3.51	<0.01	0.07	<2	<0.05	<1	<5	54	16
STD DS7 Expected		179	1.05	410	0.124	39	0.959	0.073	0.44	4	0.19	0.2	4		
STD OREAS45PA Expected		873	0.095	187	0.124		3.34	0.011	0.0665	0.011	0.03				
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.01	<0.01	<2	<0.05	<1	<5	<5	<5
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.01	<0.01	<2	<0.05	<1	<5	<5	<5
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.01	<0.01	<2	<0.05	<1	<5	<5	<5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: September 14, 2010
Report Date: October 12, 2010
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI10000451.2

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: 4
P.O. Number
Number of Samples: 106

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Mike Collins
Paul Gray

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	106	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	106	Dry at 60C			WHI
1DX2	106	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 1DX2 included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 12, 2010

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000451.2

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Z4-L1-01	Soil		1.8	30.2	11.2	68	0.1	21.9	17.8	871	4.01	57.1	1.7	16.0	5.4	45	0.1	3.4	0.2	111	0.63	0.085
Z4-L1-02	Soil		2.5	43.5	17.6	84	0.6	22.8	16.9	750	4.22	74.2	3.4	37.9	4.5	81	0.3	5.7	0.3	98	0.93	0.099
Z4-L1-03	Soil		0.7	33.2	12.1	88	0.2	29.1	12.3	432	2.90	17.4	4.3	1.6	5.7	62	0.4	4.9	0.2	80	1.16	0.075
Z4-L1-04	Soil		1.3	27.9	13.3	75	0.1	25.8	14.9	582	3.38	14.3	1.7	1.8	7.9	33	0.2	1.4	0.2	89	0.54	0.055
Z4-L1-05	Soil		2.1	30.4	13.0	98	0.2	31.2	16.6	679	3.67	19.3	5.7	3.1	7.0	45	0.5	1.7	0.2	85	0.87	0.080
Z4-L1-06	Soil		1.5	34.6	16.2	77	0.2	29.5	13.5	652	3.23	23.6	3.9	4.1	7.5	54	0.3	1.5	0.3	71	1.05	0.061
Z4-L1-07	Soil		1.3	28.5	29.8	70	0.2	25.7	12.0	603	3.03	25.3	1.8	1.9	10.3	72	0.5	1.6	0.4	50	1.17	0.051
Z4-L1-08	Soil		1.1	42.6	14.1	64	0.2	31.2	15.5	700	2.97	16.8	2.4	1.6	4.7	67	0.2	1.1	0.3	69	1.14	0.066
Z4-L1-09	Soil		1.6	10.1	11.4	32	<0.1	9.3	4.0	117	2.21	7.0	0.4	1.5	2.7	14	0.2	1.2	0.3	87	0.13	0.015
Z4-L1-10	Soil		1.0	24.9	17.5	52	<0.1	30.8	16.3	840	4.00	46.7	1.6	2.6	19.6	22	0.2	4.1	0.4	45	0.40	0.033
Z4-L1-11	Soil		3.8	39.2	27.4	93	0.5	33.1	7.4	194	3.04	38.0	3.3	2.5	2.5	21	0.6	4.2	0.3	71	0.21	0.094
Z4-L1-12	Soil		3.2	40.9	21.6	163	0.3	48.1	17.8	760	3.72	42.5	1.7	1.5	5.0	21	0.6	7.1	0.3	84	0.23	0.094
Z4-L1-13	Soil		3.5	59.0	23.6	130	0.4	50.2	16.2	395	3.52	38.1	3.6	3.0	2.9	27	0.5	5.3	0.3	77	0.23	0.108
Z4-L1-16	Soil		2.8	48.8	34.0	176	0.3	38.2	14.8	495	3.34	32.0	2.7	13.8	2.8	21	1.0	6.5	0.3	70	0.21	0.079
Z4-L1-17	Soil		3.1	20.7	53.7	111	0.2	26.5	18.6	1295	3.53	31.8	1.8	3.1	1.0	15	0.5	4.3	0.7	71	0.18	0.102
Z4-L1-18	Soil		2.1	23.6	21.9	96	0.4	34.0	12.3	334	3.34	29.9	0.8	<0.5	3.3	25	0.2	2.8	0.3	89	0.27	0.031
Z4-L1-19	Soil		2.4	22.5	28.5	118	0.3	35.4	12.3	554	3.16	34.6	1.0	<0.5	5.8	21	0.8	3.2	0.4	88	0.20	0.030
Z4-L1-20	Soil		1.5	35.6	21.8	84	0.2	42.3	14.1	388	3.29	86.2	0.8	2.3	4.6	23	0.2	2.4	0.2	76	0.27	0.054
Z4-L1-21	Soil		2.1	40.4	29.2	104	0.2	38.1	12.9	535	3.10	147.8	1.5	4.4	4.3	28	0.6	4.7	0.2	79	0.35	0.052
Z4-L2-01	Soil		2.9	29.5	25.2	70	0.4	15.9	11.4	634	3.44	85.7	3.3	13.1	6.7	42	0.3	5.7	0.3	68	0.44	0.034
Z4-L2-02	Soil		5.6	42.3	27.7	81	0.8	10.2	13.9	1186	4.16	498.5	3.6	69.6	5.6	51	0.3	14.6	0.3	63	0.74	0.068
Z4-L2-03	Soil		8.9	63.9	71.9	203	1.9	16.7	12.4	1483	3.94	441.4	5.3	98.9	9.7	51	1.9	12.3	1.3	41	0.52	0.061
Z4-L2-04	Soil		1.9	32.0	19.7	100	0.6	34.9	15.1	1494	2.98	61.2	14.8	12.2	6.3	83	0.8	5.4	0.2	57	0.98	0.088
Z4-L2-05	Soil		1.5	43.2	8.9	89	0.3	26.6	12.9	1240	2.14	14.3	8.3	2.0	2.2	117	1.0	2.0	0.1	51	2.30	0.097
Z4-L2-06	Soil		1.8	32.3	14.0	77	0.1	26.6	15.8	673	3.93	27.2	6.4	2.9	8.2	55	0.3	1.7	0.2	64	1.08	0.104
Z4-L2-07	Soil		2.1	23.8	20.5	61	0.2	20.6	9.5	716	2.42	21.7	2.3	1.7	5.9	87	0.5	2.3	0.2	42	1.85	0.076
Z4-L2-08	Soil		2.3	23.7	12.5	30	<0.1	9.1	2.7	97	1.31	6.8	2.0	0.6	1.3	15	1.0	0.7	0.2	38	0.09	0.029
Z4-L2-09	Soil		3.4	18.0	13.2	57	0.1	23.4	11.4	681	3.57	21.3	0.7	0.7	5.4	32	0.3	1.3	0.3	81	0.42	0.031
Z4-L2-10	Soil		0.4	33.3	9.6	75	0.2	21.6	7.7	223	1.80	9.7	6.5	2.6	3.6	123	0.7	1.5	0.2	45	2.20	0.072
Z4-L2-11	Soil		3.0	47.1	22.2	103	0.5	35.7	19.2	1740	2.50	27.0	4.0	1.0	0.7	20	1.8	5.8	0.2	47	0.31	0.137

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 12, 2010

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000451.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
Z4-L1-01	Soil	19	43	0.83	370	0.114	3	1.63	0.026	0.16	0.2	0.06	10.8	0.3	<0.05	5	<0.5	<0.2
Z4-L1-02	Soil	18	43	0.82	284	0.078	3	1.41	0.022	0.21	0.2	0.07	10.9	0.3	0.06	5	0.6	<0.2
Z4-L1-03	Soil	18	40	0.68	425	0.076	2	1.97	0.016	0.09	0.1	0.09	6.5	0.2	0.07	6	1.0	<0.2
Z4-L1-04	Soil	16	46	0.78	247	0.113	2	2.08	0.017	0.11	0.1	0.04	5.7	0.2	<0.05	7	<0.5	<0.2
Z4-L1-05	Soil	28	50	0.75	283	0.078	2	2.46	0.018	0.13	0.2	0.07	6.7	0.4	<0.05	7	0.7	<0.2
Z4-L1-06	Soil	35	43	0.68	198	0.061	2	2.11	0.020	0.10	0.2	0.06	5.7	0.2	<0.05	7	0.8	<0.2
Z4-L1-07	Soil	42	38	0.51	160	0.034	1	1.67	0.018	0.10	0.1	0.05	4.6	0.1	<0.05	6	<0.5	0.2
Z4-L1-08	Soil	32	46	0.61	235	0.047	<1	2.24	0.018	0.07	0.2	0.08	6.0	<0.1	<0.05	7	0.8	<0.2
Z4-L1-09	Soil	13	20	0.15	66	0.057	<1	1.03	0.007	0.07	<0.1	0.02	1.6	<0.1	<0.05	8	<0.5	<0.2
Z4-L1-10	Soil	38	40	0.45	192	0.014	1	2.09	0.006	0.22	0.3	0.03	5.9	0.2	<0.05	8	0.5	<0.2
Z4-L1-11	Soil	17	42	0.42	325	0.010	1	1.60	0.010	0.12	0.3	0.19	3.7	0.3	<0.05	6	1.3	<0.2
Z4-L1-12	Soil	19	50	0.65	276	0.037	<1	1.71	0.010	0.16	0.3	0.08	3.6	0.3	<0.05	6	1.3	<0.2
Z4-L1-13	Soil	25	52	0.59	415	0.017	<1	1.86	0.009	0.17	0.3	0.13	4.4	0.3	0.14	7	1.5	0.3
Z4-L1-16	Soil	15	48	0.48	486	0.027	<1	1.58	0.009	0.16	0.2	0.09	3.9	0.4	<0.05	5	0.9	<0.2
Z4-L1-17	Soil	10	34	0.34	210	0.039	2	1.47	0.010	0.09	0.2	0.05	1.9	0.3	<0.05	6	<0.5	<0.2
Z4-L1-18	Soil	9	46	0.57	528	0.039	<1	2.23	0.010	0.13	0.1	0.03	3.0	0.2	<0.05	7	<0.5	0.2
Z4-L1-19	Soil	11	42	0.47	430	0.050	<1	2.33	0.011	0.10	0.1	0.04	3.6	0.2	<0.05	7	<0.5	<0.2
Z4-L1-20	Soil	12	45	0.67	312	0.075	2	2.29	0.012	0.14	0.7	0.02	4.0	0.2	<0.05	6	0.8	<0.2
Z4-L1-21	Soil	18	53	0.60	438	0.073	2	1.74	0.012	0.21	0.2	0.03	4.8	0.2	<0.05	6	<0.5	<0.2
Z4-L2-01	Soil	23	27	0.44	383	0.017	<1	1.86	0.012	0.15	0.2	0.03	6.7	0.2	<0.05	5	<0.5	<0.2
Z4-L2-02	Soil	24	16	0.38	394	0.004	1	1.10	0.009	0.14	0.2	0.11	9.4	0.3	<0.05	3	<0.5	<0.2
Z4-L2-03	Soil	32	16	0.13	474	0.001	1	0.75	0.006	0.11	<0.1	0.10	6.7	0.3	<0.05	2	0.8	0.2
Z4-L2-04	Soil	18	31	0.54	563	0.032	<1	1.43	0.013	0.11	0.2	0.12	5.2	0.2	0.18	5	0.6	<0.2
Z4-L2-05	Soil	32	29	0.50	451	0.039	4	1.61	0.018	0.10	0.2	0.12	3.9	0.2	0.15	4	1.0	<0.2
Z4-L2-06	Soil	44	37	0.68	202	0.062	2	2.03	0.017	0.14	0.1	0.09	6.7	0.2	<0.05	7	<0.5	<0.2
Z4-L2-07	Soil	43	26	0.39	183	0.016	2	1.58	0.016	0.08	0.3	0.07	3.9	0.3	0.07	5	<0.5	<0.2
Z4-L2-08	Soil	131	20	0.08	140	0.023	<1	0.97	0.012	0.05	<0.1	0.05	1.3	<0.1	<0.05	5	<0.5	<0.2
Z4-L2-09	Soil	20	36	0.44	154	0.034	<1	1.94	0.012	0.11	<0.1	0.04	3.2	0.1	<0.05	8	<0.5	<0.2
Z4-L2-10	Soil	22	28	0.56	198	0.034	5	1.33	0.015	0.10	0.2	0.12	4.2	0.1	0.20	4	1.2	<0.2
Z4-L2-11	Soil	15	39	0.39	645	0.015	1	1.25	0.012	0.14	0.2	0.14	3.4	0.3	0.10	4	1.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 12, 2010

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000451.2

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Z4-L2-12	Soil		2.2	22.5	19.7	58	0.6	17.4	3.7	141	1.26	13.7	2.2	2.3	0.4	16	1.3	2.1	0.2	34	0.16	0.088
Z4-L2-13	Soil		3.8	25.9	36.0	144	0.4	26.5	21.1	1601	2.93	53.1	4.7	2.9	6.6	15	0.6	10.9	0.4	47	0.12	0.075
Z4-L2-14	Soil		3.9	41.3	34.5	146	0.6	34.6	22.0	1076	2.94	51.2	5.8	3.4	4.6	25	1.4	8.5	0.4	52	0.20	0.096
Z4-L2-15	Soil		4.6	43.5	55.4	73	0.4	17.4	5.5	215	2.47	69.1	3.4	2.9	0.6	15	1.1	6.0	0.3	44	0.15	0.089
Z4-L2-17	Soil		2.1	28.9	16.7	110	0.1	38.8	15.9	291	3.62	16.6	0.9	1.1	4.7	23	0.5	1.7	0.2	78	0.19	0.045
Z4-L2-18	Soil		3.3	29.4	113.7	113	0.8	12.5	3.5	77	3.49	438.7	1.0	3.6	2.3	23	0.9	16.1	0.3	68	0.09	0.063
Z4-L2-19	Soil		2.1	20.5	23.0	103	0.5	24.1	10.7	283	3.29	42.6	0.6	1.3	2.5	30	0.6	2.9	0.3	75	0.25	0.038
Z4-L2-20	Soil		2.3	31.2	32.3	117	0.5	33.4	12.1	298	3.77	52.0	1.2	1.3	3.9	21	0.5	3.8	0.3	88	0.18	0.044
Z4-L2-21	Soil		2.2	31.5	18.8	105	0.5	44.1	14.4	249	3.61	50.6	1.0	0.5	2.8	23	0.5	3.2	0.3	94	0.29	0.084
Z4-L3-01	Soil		2.9	30.6	116.5	117	1.2	20.6	10.5	792	3.52	350.1	2.6	31.1	3.2	80	1.0	4.7	0.4	51	0.58	0.043
Z4-L3-02	Soil		2.2	24.1	18.7	45	0.4	16.8	7.6	1258	1.94	70.8	17.3	11.8	1.5	239	0.6	3.2	0.3	27	2.34	0.060
Z4-L3-04	Soil		5.0	30.9	36.5	149	0.5	15.0	8.7	573	3.75	175.6	2.0	6.3	4.4	17	0.8	8.1	0.8	49	0.14	0.049
Z4-L3-05	Soil		2.1	24.0	20.2	80	0.6	26.4	13.5	793	3.48	86.0	10.7	8.5	5.0	98	0.5	3.4	0.3	60	1.02	0.080
Z4-L3-06	Soil		2.6	28.6	18.3	67	0.2	20.4	9.4	556	3.56	52.4	10.8	2.4	8.0	74	0.4	2.1	0.3	48	1.33	0.088
Z4-L3-07	Soil		3.6	31.4	17.1	66	0.4	23.8	11.5	847	3.26	39.1	11.4	3.3	8.6	70	0.4	2.0	0.2	43	1.40	0.103
Z4-L3-09	Soil		2.7	37.4	29.1	163	0.3	33.9	27.3	5672	3.80	26.9	5.5	6.6	6.0	53	2.0	3.0	0.4	48	0.85	0.114
Z4-L3-10	Soil		1.6	31.8	43.1	140	0.2	27.6	12.5	2199	2.87	16.4	2.6	2.2	5.6	64	1.8	1.9	0.4	44	1.13	0.081
Z4-L3-12	Soil		4.1	24.5	32.3	163	0.2	34.3	20.8	1253	4.26	81.9	1.7	2.1	8.5	32	0.5	4.6	0.4	70	0.48	0.078
Z4-L3-13	Soil		3.9	41.0	34.7	178	0.4	45.8	19.5	1095	4.25	55.3	2.8	3.8	7.6	28	0.9	4.7	0.3	67	0.36	0.090
Z4-L3-14	Soil		3.2	36.6	22.6	134	0.2	30.9	23.1	1081	3.83	33.7	2.4	2.0	4.6	19	0.4	6.0	0.3	73	0.23	0.091
Z4-L3-15	Soil		1.7	40.1	22.2	113	0.2	21.8	6.5	162	2.18	19.1	2.6	3.1	2.7	22	0.5	2.8	0.4	51	0.22	0.053
Z4-L3-16	Soil		1.8	49.4	21.7	69	0.6	18.7	4.9	208	1.58	24.2	5.6	1.0	0.2	33	2.6	2.5	0.3	24	0.34	0.133
Z4-L3-17	Soil		2.9	15.9	39.7	76	0.2	13.3	4.0	197	1.87	37.7	1.3	1.5	1.1	26	1.5	4.0	0.5	50	0.22	0.045
Z4-L3-18	Soil		1.9	17.3	17.4	127	0.3	22.9	10.0	413	2.88	65.2	0.8	2.3	2.8	30	1.6	1.8	0.3	69	0.29	0.038
Z4-L3-19	Soil		1.8	22.0	20.7	125	0.2	24.0	11.3	372	3.09	70.2	1.0	<0.5	4.3	28	0.8	2.9	0.3	73	0.33	0.030
Z4-L3-20	Soil		1.7	17.1	25.8	107	0.2	19.2	10.0	404	2.94	33.5	0.8	2.8	3.0	28	0.8	2.4	0.3	77	0.27	0.032
Z4-L3-21	Soil		3.3	17.8	40.6	146	0.5	28.9	11.1	857	3.08	84.0	1.5	<0.5	4.6	33	0.9	3.9	0.4	70	0.29	0.025
Z4-L4-01	Soil		5.1	25.7	41.8	114	0.3	14.2	10.1	684	2.90	60.9	2.6	10.5	14.1	24	0.5	4.4	1.3	18	0.13	0.033
Z4-L4-02	Soil		6.0	133.6	166.3	533	1.2	94.1	17.2	2578	5.33	332.6	2.1	10.9	7.4	50	3.9	7.6	3.2	42	0.08	0.070
Z4-L4-03	Soil		5.3	79.4	52.7	238	0.9	77.6	13.0	576	3.48	100.4	2.3	5.4	4.1	48	1.0	7.3	0.6	72	0.29	0.096

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 12, 2010

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000451.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
Z4-L2-12	Soil	12	23	0.19	423	0.005	<1	1.02	0.008	0.09	0.2	0.12	1.3	0.2	<0.05	4	<0.5	<0.2
Z4-L2-13	Soil	23	28	0.33	317	0.004	<1	1.54	0.007	0.13	0.3	0.11	2.8	0.5	<0.05	5	0.8	<0.2
Z4-L2-14	Soil	23	31	0.32	536	0.006	<1	1.59	0.009	0.14	0.3	0.24	3.4	0.7	<0.05	5	0.9	0.2
Z4-L2-15	Soil	11	27	0.27	342	0.021	1	1.48	0.011	0.10	0.3	0.34	2.3	0.6	0.09	4	2.0	0.2
Z4-L2-17	Soil	14	39	0.65	606	0.066	<1	2.99	0.012	0.12	0.1	0.05	4.1	0.2	<0.05	8	<0.5	<0.2
Z4-L2-18	Soil	10	18	0.13	502	0.013	<1	1.02	0.014	0.18	0.1	0.04	1.6	0.3	0.20	5	1.0	<0.2
Z4-L2-19	Soil	10	33	0.43	864	0.032	1	1.73	0.009	0.10	0.4	0.03	2.5	0.2	<0.05	7	<0.5	<0.2
Z4-L2-20	Soil	11	44	0.45	512	0.039	1	1.99	0.009	0.18	0.1	0.02	3.2	0.3	<0.05	8	0.8	<0.2
Z4-L2-21	Soil	13	44	0.45	533	0.031	2	1.99	0.009	0.10	0.2	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
Z4-L3-01	Soil	15	32	0.41	436	0.015	1	1.66	0.013	0.13	0.1	0.04	5.3	0.2	<0.05	5	0.5	<0.2
Z4-L3-02	Soil	10	18	0.52	498	0.020	6	0.89	0.020	0.07	0.1	0.06	3.0	0.1	0.14	2	1.4	<0.2
Z4-L3-04	Soil	13	19	0.19	189	0.006	1	1.09	0.007	0.09	0.1	0.02	3.6	0.2	<0.05	3	0.8	0.2
Z4-L3-05	Soil	15	33	0.66	260	0.042	2	1.56	0.017	0.11	0.2	0.06	5.3	0.1	<0.05	5	1.6	<0.2
Z4-L3-06	Soil	38	30	0.46	199	0.025	3	1.58	0.014	0.08	0.2	0.09	4.9	0.2	0.08	5	0.7	<0.2
Z4-L3-07	Soil	211	31	0.42	240	0.015	3	1.76	0.012	0.11	0.3	0.15	6.8	0.2	0.07	5	1.4	<0.2
Z4-L3-09	Soil	30	34	0.53	532	0.015	3	1.76	0.013	0.09	0.3	0.14	6.1	0.3	0.06	5	1.3	<0.2
Z4-L3-10	Soil	25	37	0.61	388	0.017	3	1.72	0.015	0.09	0.2	0.09	4.1	0.1	0.07	6	0.9	<0.2
Z4-L3-12	Soil	21	41	0.58	442	0.014	2	1.94	0.010	0.13	0.3	0.06	5.2	0.2	<0.05	6	0.7	<0.2
Z4-L3-13	Soil	23	41	0.58	502	0.012	3	2.31	0.011	0.14	0.2	0.13	6.6	0.3	<0.05	6	0.7	<0.2
Z4-L3-14	Soil	22	40	0.57	346	0.021	2	2.12	0.009	0.11	0.3	0.08	4.0	0.3	<0.05	7	0.7	<0.2
Z4-L3-15	Soil	15	37	0.47	379	0.046	2	1.79	0.012	0.09	0.2	0.11	3.5	0.3	<0.05	6	1.4	<0.2
Z4-L3-16	Soil	9	23	0.16	711	0.010	2	1.24	0.012	0.08	0.1	0.29	1.2	0.3	0.08	3	1.2	<0.2
Z4-L3-17	Soil	10	18	0.20	446	0.033	1	1.11	0.010	0.08	0.2	0.04	1.5	0.2	<0.05	5	<0.5	<0.2
Z4-L3-18	Soil	10	34	0.48	492	0.046	2	1.77	0.011	0.15	0.1	0.02	2.9	0.1	0.22	6	<0.5	<0.2
Z4-L3-19	Soil	14	39	0.56	567	0.061	2	1.88	0.011	0.19	0.2	0.01	3.6	0.3	<0.05	7	<0.5	<0.2
Z4-L3-20	Soil	10	34	0.40	518	0.054	2	1.69	0.013	0.09	0.1	0.02	2.8	0.2	<0.05	6	0.7	<0.2
Z4-L3-21	Soil	12	34	0.40	594	0.027	2	1.90	0.011	0.11	0.1	0.02	3.1	0.3	<0.05	6	<0.5	<0.2
Z4-L4-01	Soil	27	12	0.11	210	0.003	1	0.87	0.006	0.11	0.1	0.01	2.9	0.2	<0.05	2	<0.5	<0.2
Z4-L4-02	Soil	20	30	0.11	565	0.001	2	1.41	0.004	0.16	0.1	0.04	3.8	0.4	0.15	3	2.3	0.7
Z4-L4-03	Soil	13	45	0.43	789	0.030	2	1.57	0.013	0.11	0.3	0.04	3.6	0.2	<0.05	4	2.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 12, 2010

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000451.2

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Z4-L4-04	Soil		6.8	74.6	41.3	238	1.8	84.5	13.8	781	3.69	135.3	5.1	5.3	3.7	103	1.7	6.1	0.5	75	0.75	0.067
Z4-L4-05	Soil		4.6	56.8	34.4	184	0.5	60.7	16.1	628	4.37	117.6	3.7	5.8	10.6	112	0.8	4.5	0.4	31	1.17	0.084
Z4-L4-06	Soil		1.2	45.4	22.1	116	0.5	33.7	7.2	353	2.16	60.2	5.0	5.6	3.5	486	1.9	3.4	0.3	28	10.42	0.080
Z4-L4-07	Soil		3.8	17.4	23.3	81	0.2	16.2	9.5	545	2.99	35.2	4.9	2.1	15.5	37	0.7	2.1	0.2	46	0.71	0.107
Z4-L4-13	Soil		2.3	40.8	19.6	129	0.2	54.0	21.5	1157	3.99	32.3	3.7	1.2	17.3	51	0.8	2.8	0.8	45	0.88	0.066
Z4-L4-14	Soil		3.3	31.9	29.0	104	0.4	26.1	12.9	658	3.00	27.5	2.4	3.0	2.8	28	0.9	3.4	0.3	46	0.39	0.088
Z4-L4-15	Soil		2.0	36.1	53.6	123	0.3	35.7	16.0	694	3.44	32.9	1.9	6.9	8.2	23	1.1	2.1	0.4	65	0.30	0.057
Z4-L4-16	Soil		2.3	25.3	36.2	132	<0.1	24.1	7.9	201	3.40	414.0	1.2	0.6	16.5	16	1.1	3.2	0.5	51	0.20	0.031
Z4-L4-17	Soil		1.1	20.0	20.0	69	0.1	26.4	12.9	398	3.44	12.4	1.3	1.4	8.4	25	0.2	1.4	0.3	65	0.33	0.026
Z4-L4-18	Soil		1.8	32.6	29.8	94	0.1	33.6	15.3	416	4.10	12.8	1.8	<0.5	9.9	27	0.5	1.3	0.4	60	0.35	0.047
Z4-L4-19	Soil		13.3	59.4	24.4	146	0.2	57.2	14.0	450	3.34	56.3	3.8	1.1	8.4	67	0.9	7.5	0.7	112	0.61	0.179
Z4-L4-20	Soil		5.0	27.4	35.0	135	0.2	25.0	13.6	639	3.02	92.2	1.5	0.7	5.9	28	0.9	3.3	1.8	59	0.35	0.049
Z4-L4-21	Soil		2.2	21.3	26.6	111	0.2	23.4	10.6	552	2.72	65.7	1.0	3.2	2.0	29	1.4	3.0	0.2	64	0.34	0.055
Z4-L5-01	Soil		4.7	29.3	48.9	190	1.1	26.9	11.5	707	4.00	296.7	0.7	0.7	2.0	72	1.2	4.9	1.9	51	0.10	0.064
Z4-L5-02	Soil		3.6	43.9	103.3	405	0.8	39.4	8.5	491	3.64	77.5	1.1	<0.5	3.7	19	2.1	5.1	0.9	47	0.08	0.048
Z4-L5-03	Soil		5.6	45.3	45.6	213	0.6	33.6	7.5	243	3.17	49.8	0.9	0.6	3.1	50	1.1	4.2	0.4	42	0.08	0.041
Z4-L5-04	Soil		1.7	25.3	24.5	82	0.5	31.3	8.2	323	2.70	32.9	5.9	2.3	0.9	119	1.4	2.2	0.3	48	0.92	0.045
Z4-L5-05	Soil		2.7	41.4	33.6	128	0.3	37.5	14.6	504	3.37	84.2	2.8	2.6	5.9	118	0.6	5.0	0.3	22	1.41	0.049
Z4-L5-06	Soil		1.7	30.9	28.6	102	0.3	31.4	12.0	513	3.12	118.9	8.2	3.0	3.0	237	0.5	5.6	0.3	18	2.38	0.062
Z4-L5-07	Soil		1.5	47.0	15.8	102	0.2	35.0	13.8	299	3.09	22.6	4.4	2.1	6.0	38	0.6	2.8	0.2	71	0.58	0.079
Z4-L5-08	Soil		2.9	29.7	13.9	87	0.1	25.7	16.3	2525	2.95	30.6	3.8	3.0	3.9	58	0.5	2.0	0.3	49	1.03	0.115
Z4-L5-09	Soil		2.1	21.6	19.5	87	0.1	21.2	14.1	978	3.21	28.3	3.0	2.1	10.1	27	0.4	2.3	0.3	58	0.48	0.092
Z4-L5-10	Soil		2.7	20.4	23.3	90	0.2	17.9	10.7	986	2.73	24.9	2.9	1.1	5.5	36	0.3	2.1	0.3	51	0.67	0.092
Z4-L5-11	Soil		1.2	14.0	20.1	70	0.2	17.0	9.0	499	2.18	11.9	2.0	1.5	7.2	25	0.3	1.4	0.3	41	0.41	0.079
Z4-L5-14	Soil		2.1	29.3	28.3	84	0.3	36.4	13.2	596	3.46	21.6	2.8	3.1	17.6	21	0.5	2.3	0.3	66	0.29	0.052
Z4-L5-15	Soil		3.0	22.1	20.2	65	0.1	18.3	7.4	348	2.84	32.3	0.9	1.5	3.7	11	0.3	3.4	0.3	74	0.11	0.042
Z4-L5-16	Soil		1.6	22.4	21.3	66	0.2	20.4	8.0	259	3.10	17.8	0.7	1.2	3.2	18	0.5	1.5	0.3	73	0.18	0.053
Z4-L5-17	Soil		2.0	13.9	15.3	84	0.1	22.4	8.9	217	3.06	26.4	0.5	0.8	2.2	18	1.8	1.7	0.2	85	0.17	0.042
Z4-L5-18	Soil		4.5	18.2	43.3	63	0.3	15.8	7.3	408	2.92	54.9	3.8	<0.5	10.5	28	0.3	7.4	0.4	34	0.29	0.044
Z4-L5-20	Soil		2.4	16.7	17.6	47	0.1	24.6	13.5	391	3.36	15.9	0.9	2.2	6.8	26	0.2	2.7	0.2	61	0.43	0.032

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 12, 2010

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000451.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.2
Z4-L4-04	Soil	13	55	0.39	1049	0.008	3	1.51	0.011	0.17	0.2	0.13	5.4	0.3	<0.05	4	1.8	<0.2
Z4-L4-05	Soil	29	25	0.31	712	0.002	2	0.75	0.008	0.14	0.2	0.06	6.1	0.4	0.11	2	2.2	<0.2
Z4-L4-06	Soil	12	17	0.35	376	0.007	7	0.68	0.012	0.09	0.2	0.07	3.5	0.2	0.22	2	2.5	<0.2
Z4-L4-07	Soil	45	29	0.40	195	0.026	2	1.37	0.021	0.11	0.2	0.08	4.1	0.2	<0.05	5	<0.5	<0.2
Z4-L4-13	Soil	56	39	0.62	729	0.003	3	1.94	0.012	0.12	0.2	0.10	7.3	0.1	<0.05	6	1.2	<0.2
Z4-L4-14	Soil	31	30	0.35	342	0.008	2	1.52	0.010	0.12	0.2	0.14	3.8	0.2	<0.05	5	0.6	<0.2
Z4-L4-15	Soil	54	48	0.53	327	0.025	2	2.47	0.009	0.16	0.1	0.04	4.4	0.2	<0.05	9	0.5	<0.2
Z4-L4-16	Soil	28	38	0.40	134	0.003	<1	2.02	0.003	0.11	0.3	0.05	3.9	0.1	<0.05	7	<0.5	<0.2
Z4-L4-17	Soil	25	42	0.57	271	0.057	1	2.15	0.011	0.15	0.2	<0.01	3.8	0.2	<0.05	7	<0.5	<0.2
Z4-L4-18	Soil	28	52	0.74	423	0.036	1	2.48	0.010	0.28	0.2	<0.01	3.6	0.2	<0.05	9	<0.5	<0.2
Z4-L4-19	Soil	24	38	0.41	772	0.029	1	1.69	0.017	0.23	0.6	0.10	5.0	0.6	0.15	6	0.9	0.2
Z4-L4-20	Soil	13	39	0.55	385	0.039	2	1.88	0.009	0.23	2.7	0.01	3.3	0.2	<0.05	7	<0.5	<0.2
Z4-L4-21	Soil	9	29	0.45	574	0.031	<1	1.49	0.017	0.08	0.2	0.02	2.6	0.3	0.06	5	<0.5	<0.2
Z4-L5-01	Soil	9	19	0.16	352	0.006	<1	1.08	0.006	0.11	0.2	0.03	2.5	0.3	0.09	4	<0.5	<0.2
Z4-L5-02	Soil	13	27	0.24	367	0.010	<1	1.31	0.004	0.08	0.1	0.02	2.2	0.2	<0.05	3	0.7	<0.2
Z4-L5-03	Soil	9	17	0.15	281	0.005	<1	1.10	0.005	0.11	0.2	0.02	1.8	0.2	0.09	3	<0.5	<0.2
Z4-L5-04	Soil	8	22	0.39	375	0.010	<1	0.95	0.010	0.09	0.1	0.03	1.7	0.2	0.05	3	0.6	<0.2
Z4-L5-05	Soil	21	13	0.17	447	0.001	1	0.60	0.005	0.12	0.1	0.06	4.3	0.2	0.09	1	1.5	<0.2
Z4-L5-06	Soil	17	13	0.28	657	<0.001	3	0.44	0.005	0.10	0.2	0.08	2.5	0.2	0.13	<1	1.5	<0.2
Z4-L5-07	Soil	25	42	0.70	382	0.058	<1	1.69	0.017	0.10	0.2	0.07	5.4	0.2	<0.05	5	0.6	<0.2
Z4-L5-08	Soil	25	31	0.45	322	0.010	1	1.41	0.013	0.07	0.3	0.06	3.7	<0.1	0.05	5	<0.5	<0.2
Z4-L5-09	Soil	27	30	0.53	242	0.017	<1	1.56	0.012	0.09	0.2	0.11	4.1	0.1	<0.05	5	<0.5	<0.2
Z4-L5-10	Soil	21	28	0.40	364	0.006	<1	1.37	0.009	0.07	0.2	0.11	3.9	0.1	0.07	5	<0.5	<0.2
Z4-L5-11	Soil	25	32	0.42	321	0.006	1	1.54	0.009	0.12	0.2	0.12	4.7	0.2	<0.05	5	<0.5	<0.2
Z4-L5-14	Soil	83	50	0.64	592	0.008	<1	2.64	0.011	0.13	0.2	0.05	5.9	0.1	<0.05	7	<0.5	<0.2
Z4-L5-15	Soil	15	28	0.25	173	0.011	<1	1.72	0.005	0.09	0.2	0.03	2.5	0.2	<0.05	7	<0.5	<0.2
Z4-L5-16	Soil	13	32	0.44	367	0.056	<1	1.88	0.010	0.07	0.2	0.03	3.1	0.1	<0.05	7	<0.5	<0.2
Z4-L5-17	Soil	8	30	0.41	273	0.035	<1	1.77	0.012	0.07	0.2	0.02	2.7	0.1	<0.05	7	<0.5	<0.2
Z4-L5-18	Soil	41	14	0.18	392	0.004	<1	1.12	0.007	0.14	0.3	0.03	2.3	0.3	<0.05	3	<0.5	<0.2
Z4-L5-20	Soil	18	37	0.48	233	0.015	<1	2.09	0.011	0.13	0.2	0.02	2.6	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 12, 2010

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000451.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z4-L5-21	Soil	1.0	29.4	26.1	76	0.2	26.0	14.9	783	2.91	23.6	0.8	<0.5	4.7	172	1.4	1.2	0.3	43	5.54	0.066
Z4-L6-01	Soil	5.8	48.3	99.6	317	1.2	37.7	8.7	458	4.56	220.3	1.4	6.0	4.7	76	1.3	7.0	1.9	36	0.10	0.067
Z4-L6-02	Soil	3.7	46.9	34.0	94	0.7	29.6	9.9	347	3.52	180.1	1.8	9.7	3.8	38	0.6	5.7	2.4	64	0.16	0.078
Z4-L6-03	Soil	4.4	54.3	23.4	175	0.3	51.0	14.3	382	4.56	594.0	0.8	1.7	3.2	18	1.1	6.3	0.4	58	0.11	0.054
Z4-L6-04	Soil	5.6	114.4	20.3	216	0.2	91.9	25.9	664	6.42	105.4	2.1	5.6	3.9	42	0.3	8.8	0.4	59	0.24	0.054
Z4-L6-05	Soil	2.3	28.0	3.5	109	0.1	38.6	25.2	1209	8.42	9.6	2.6	0.7	5.2	101	0.2	0.7	<0.1	76	1.64	0.421
Z4-L6-06	Soil	3.8	53.6	30.0	139	0.3	40.9	25.2	1221	5.56	90.6	3.2	2.8	4.9	149	0.7	5.0	0.2	47	3.20	0.217
Z4-L6-09	Soil	2.4	38.9	21.1	99	0.1	34.7	23.5	706	4.13	22.2	2.7	1.8	11.4	23	0.6	2.2	0.3	83	0.39	0.100
Z4-L6-12	Soil	2.4	15.2	22.4	80	0.1	19.7	13.2	914	3.20	12.0	1.9	1.9	8.7	24	0.2	1.4	0.3	75	0.53	0.133
Z4-L6-14	Soil	4.2	12.4	48.7	79	0.2	18.3	11.8	856	2.91	15.9	2.1	1.6	7.7	23	0.5	1.8	0.4	61	0.31	0.055
Z4-L6-15	Soil	2.8	10.8	24.8	51	<0.1	12.0	6.1	381	3.65	24.8	0.7	0.9	4.0	12	0.2	2.7	0.4	90	0.11	0.030
Z4-L6-17	Soil	5.3	24.8	3.8	112	<0.1	6.9	15.0	1237	6.83	4.2	1.0	<0.5	2.7	31	<0.1	3.0	<0.1	62	1.11	0.370
Z4-L6-18	Soil	2.3	27.6	9.9	82	0.2	28.6	17.1	648	5.01	19.0	1.0	2.2	3.8	24	0.5	1.2	0.4	109	0.44	0.073
Z4-L6-19	Soil	2.8	22.0	29.0	89	0.4	36.3	14.9	776	3.59	59.3	2.0	1.4	6.3	27	1.3	3.0	0.3	82	0.43	0.052
Z4-L6-20	Soil	2.6	24.0	35.6	83	0.1	32.7	14.2	830	3.31	20.0	1.5	<0.5	6.8	36	1.2	1.2	0.2	68	0.68	0.064
Z4-L6-21	Soil	2.6	26.7	29.7	59	0.1	28.8	13.2	728	3.33	20.1	2.5	1.4	9.9	22	0.3	2.3	0.3	57	0.52	0.043



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 12, 2010

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000451.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
Z4-L5-21	Soil	24	35	0.59	536	0.022	4	2.02	0.019	0.25	0.2	0.03	4.4	0.1	<0.05	6	<0.5	<0.2
Z4-L6-01	Soil	13	18	0.13	364	0.006	2	0.70	0.008	0.30	0.1	0.04	1.6	0.3	0.47	2	1.7	<0.2
Z4-L6-02	Soil	11	39	0.43	416	0.025	2	2.27	0.014	0.20	0.1	0.06	3.9	0.3	0.14	6	1.2	<0.2
Z4-L6-03	Soil	12	26	0.14	696	0.005	<1	1.17	0.005	0.09	0.1	0.02	2.8	0.2	<0.05	3	0.6	<0.2
Z4-L6-04	Soil	14	33	0.26	601	0.005	2	0.93	0.005	0.13	0.2	0.04	6.9	0.2	<0.05	2	1.1	<0.2
Z4-L6-05	Soil	52	38	1.41	931	0.156	3	1.96	0.012	0.79	0.1	0.04	10.6	0.2	<0.05	8	0.7	<0.2
Z4-L6-06	Soil	15	15	0.45	582	0.005	8	0.88	0.006	0.30	0.2	0.07	8.1	0.2	0.06	2	1.7	<0.2
Z4-L6-09	Soil	36	42	0.77	343	0.040	<1	2.12	0.017	0.08	0.2	0.05	6.6	0.1	<0.05	7	0.6	<0.2
Z4-L6-12	Soil	29	34	0.66	214	0.030	<1	1.75	0.015	0.10	0.2	0.06	4.7	0.1	<0.05	7	<0.5	<0.2
Z4-L6-14	Soil	19	31	0.45	173	0.020	<1	1.82	0.010	0.10	0.2	0.07	3.5	0.2	<0.05	6	<0.5	<0.2
Z4-L6-15	Soil	13	28	0.38	60	0.078	1	1.44	0.007	0.09	0.2	0.03	2.4	0.2	<0.05	9	<0.5	<0.2
Z4-L6-17	Soil	23	7	1.08	212	0.110	<1	2.78	0.020	0.58	0.1	0.02	6.7	0.5	<0.05	12	<0.5	<0.2
Z4-L6-18	Soil	18	46	0.90	183	0.148	<1	2.53	0.019	0.29	0.2	0.02	5.9	0.3	<0.05	11	<0.5	<0.2
Z4-L6-19	Soil	21	73	0.87	127	0.094	2	1.99	0.017	0.31	0.1	0.04	6.3	0.2	<0.05	7	<0.5	<0.2
Z4-L6-20	Soil	23	52	0.69	225	0.072	<1	1.78	0.020	0.19	0.2	0.03	5.3	0.1	<0.05	7	<0.5	<0.2
Z4-L6-21	Soil	34	39	0.49	147	0.026	1	1.76	0.013	0.18	0.3	0.03	5.3	0.3	<0.05	5	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 12, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000451.2

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z4-L2-17	Soil			2.1	28.9	16.7	110	0.1	38.8	15.9	291	3.62	16.6	0.9	1.1	4.7	23	0.5	1.7	0.2	78	0.19	0.045
Z4-L4-18	Soil			1.8	32.6	29.8	94	0.1	33.6	15.3	416	4.10	12.8	1.8	<0.5	9.9	27	0.5	1.3	0.4	60	0.35	0.047
Z4-L6-03	Soil			4.4	54.3	23.4	175	0.3	51.0	14.3	382	4.56	594.0	0.8	1.7	3.2	18	1.1	6.3	0.4	58	0.11	0.054
Pulp Duplicates																							
Z4-L1-17	Soil			3.1	20.7	53.7	111	0.2	26.5	18.6	1295	3.53	31.8	1.8	3.1	1.0	15	0.5	4.3	0.7	71	0.18	0.102
REP Z4-L1-17	QC			3.3	22.5	58.6	112	0.2	29.7	19.1	1376	3.54	33.4	2.0	2.3	1.3	17	0.7	4.4	0.8	73	0.19	0.105
Z4-L2-11	Soil			3.0	47.1	22.2	103	0.5	35.7	19.2	1740	2.50	27.0	4.0	1.0	0.7	20	1.8	5.8	0.2	47	0.31	0.137
REP Z4-L2-11	QC			2.8	46.5	21.2	102	0.5	34.6	19.4	1728	2.57	27.7	4.0	1.4	0.8	19	1.8	6.0	0.2	48	0.31	0.131
Z4-L3-18	Soil			1.9	17.3	17.4	127	0.3	22.9	10.0	413	2.88	65.2	0.8	2.3	2.8	30	1.6	1.8	0.3	69	0.29	0.038
REP Z4-L3-18	QC			1.9	19.5	18.5	133	0.3	23.4	10.6	453	3.05	67.0	0.9	2.5	2.7	31	1.7	2.0	0.3	73	0.30	0.038
Z4-L4-14	Soil			3.3	31.9	29.0	104	0.4	26.1	12.9	658	3.00	27.5	2.4	3.0	2.8	28	0.9	3.4	0.3	46	0.39	0.088
REP Z4-L4-14	QC			3.6	31.9	30.1	112	0.4	29.3	12.7	673	3.01	26.9	2.5	1.4	2.4	29	0.9	3.4	0.3	49	0.37	0.092
Z4-L5-08	Soil			2.9	29.7	13.9	87	0.1	25.7	16.3	2525	2.95	30.6	3.8	3.0	3.9	58	0.5	2.0	0.3	49	1.03	0.115
REP Z4-L5-08	QC			3.2	30.5	14.7	86	0.1	25.2	15.7	2621	3.11	30.9	4.2	1.5	4.1	55	0.5	2.0	0.3	49	1.03	0.108
Z4-L5-20	Soil			2.4	16.7	17.6	47	0.1	24.6	13.5	391	3.36	15.9	0.9	2.2	6.8	26	0.2	2.7	0.2	61	0.43	0.032
REP Z4-L5-20	QC			2.2	17.4	17.8	49	0.1	24.6	13.5	392	3.45	15.4	1.0	2.2	7.1	25	0.2	2.6	0.3	61	0.41	0.031
Reference Materials																							
STD DS7	Standard			20.6	105.7	72.0	401	1.0	57.6	10.3	640	2.45	51.9	5.6	64.3	5.0	77	6.6	6.5	5.0	95	0.95	0.081
STD DS7	Standard			19.7	96.1	73.3	359	1.0	51.0	8.9	596	2.23	49.0	4.9	181.5	4.4	68	6.3	6.0	4.9	83	0.87	0.075
STD DS7	Standard			20.9	106.7	82.0	411	1.0	55.4	9.3	620	2.42	53.3	5.0	91.9	5.2	83	6.0	5.8	5.2	81	0.97	0.071
STD DS7 Expected				20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 12, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000451.2

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.05	1	0.5	0.2		
Z4-L2-17	Soil			14	39	0.65	606	0.066	<1	2.99	0.012	0.12	0.1	0.05	4.1	0.2	<0.05	8	<0.5	<0.2
Z4-L4-18	Soil			28	52	0.74	423	0.036	1	2.48	0.010	0.28	0.2	<0.01	3.6	0.2	<0.05	9	<0.5	<0.2
Z4-L6-03	Soil			12	26	0.14	696	0.005	<1	1.17	0.005	0.09	0.1	0.02	2.8	0.2	<0.05	3	0.6	<0.2
Pulp Duplicates																				
Z4-L1-17	Soil			10	34	0.34	210	0.039	2	1.47	0.010	0.09	0.2	0.05	1.9	0.3	<0.05	6	<0.5	<0.2
REP Z4-L1-17	QC			10	37	0.37	216	0.044	2	1.53	0.010	0.09	0.2	0.05	2.2	0.3	<0.05	6	<0.5	<0.2
Z4-L2-11	Soil			15	39	0.39	645	0.015	1	1.25	0.012	0.14	0.2	0.14	3.4	0.3	0.10	4	1.4	<0.2
REP Z4-L2-11	QC			15	36	0.40	600	0.016	2	1.26	0.013	0.14	0.2	0.14	3.4	0.3	0.07	4	1.1	<0.2
Z4-L3-18	Soil			10	34	0.48	492	0.046	2	1.77	0.011	0.15	0.1	0.02	2.9	0.1	0.22	6	<0.5	<0.2
REP Z4-L3-18	QC			11	35	0.48	495	0.054	2	1.80	0.013	0.15	0.2	0.03	2.8	0.1	<0.05	6	<0.5	<0.2
Z4-L4-14	Soil			31	30	0.35	342	0.008	2	1.52	0.010	0.12	0.2	0.14	3.8	0.2	<0.05	5	0.6	<0.2
REP Z4-L4-14	QC			32	33	0.36	372	0.008	2	1.60	0.012	0.13	0.3	0.13	3.6	0.2	0.06	5	0.7	<0.2
Z4-L5-08	Soil			25	31	0.45	322	0.010	1	1.41	0.013	0.07	0.3	0.06	3.7	<0.1	0.05	5	<0.5	<0.2
REP Z4-L5-08	QC			25	32	0.46	323	0.010	1	1.36	0.015	0.06	0.4	0.06	3.6	0.1	0.06	4	<0.5	<0.2
Z4-L5-20	Soil			18	37	0.48	233	0.015	<1	2.09	0.011	0.13	0.2	0.02	2.6	0.2	<0.05	6	<0.5	<0.2
REP Z4-L5-20	QC			16	35	0.47	232	0.011	<1	1.96	0.009	0.12	0.2	0.01	2.6	0.2	<0.05	7	<0.5	<0.2
Reference Materials																				
STD DS7	Standard			13	197	1.02	429	0.134	38	1.02	0.095	0.49	3.7	0.25	2.5	4.2	0.17	4	3.5	1.5
STD DS7	Standard			11	174	1.01	351	0.120	35	0.96	0.100	0.47	3.5	0.24	2.4	4.0	0.18	4	2.6	0.8
STD DS7	Standard			14	189	1.06	413	0.131	37	1.03	0.100	0.47	3.6	0.22	2.6	4.5	0.17	5	2.7	1.2
STD DS7 Expected				12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: September 21, 2010
Report Date: October 18, 2010
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI10000498.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: 5
P.O. Number
Number of Samples: 100

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Mike Collins
Paul Gray

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	100	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	100	Dry at 60C			WHI
RJSV	100	Saving all or part of Soil Reject			WHI
1DX2	100	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 18, 2010

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000498.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Z6-L1-01	Soil		2.5	25.2	146.2	336	1.8	21.2	6.1	986	2.30	56.7	5.5	18.7	4.2	76	3.3	1.4	0.4	35	0.67	0.064
Z6-L1-02	Soil		1.8	25.9	229.9	432	1.9	18.9	7.4	1250	1.77	102.4	7.5	48.4	5.6	72	9.9	2.8	0.7	32	0.58	0.059
Z6-L1-03	Soil		2.1	24.1	234.5	514	2.4	15.6	6.1	1146	2.14	205.8	5.7	36.3	5.4	57	8.3	3.7	1.2	32	0.53	0.062
Z6-L1-04	Soil		12.2	25.1	525.1	884	4.8	12.4	5.9	1269	4.08	985.9	18.2	35.2	29.8	31	7.6	24.5	2.5	12	0.33	0.049
Z6-L1-05	Soil		2.1	19.2	477.2	1166	5.4	15.7	6.8	1762	3.18	304.0	23.3	25.4	27.4	56	9.2	29.2	0.4	33	0.66	0.045
Z6-L1-06	Soil		2.0	18.1	286.6	818	6.3	22.7	8.2	1619	2.56	198.5	14.7	25.7	20.1	35	5.9	31.4	0.3	40	0.50	0.048
Z6-L1-07	Soil		3.5	35.7	147.6	624	5.9	30.3	6.9	695	2.61	146.3	21.5	61.8	14.9	52	3.6	13.0	0.4	34	0.97	0.055
Z6-L1-08	Soil		1.8	13.9	144.1	434	2.5	19.4	6.6	1149	2.66	126.8	40.4	35.7	25.7	60	2.7	5.1	0.2	36	0.78	0.034
Z6-L1-09	Soil		2.8	19.7	69.9	281	2.1	23.3	6.8	682	2.43	85.9	22.9	34.6	9.6	48	1.1	5.8	0.3	38	0.59	0.027
Z6-L1-10	Soil		4.9	64.8	86.9	266	3.8	9.1	2.6	402	5.19	206.7	12.6	399.5	9.3	97	2.0	4.7	4.4	6	0.32	0.078
Z6-L1-11	Soil		2.6	10.7	57.8	257	0.9	18.6	9.5	1841	2.85	52.9	3.0	24.9	6.5	22	2.9	5.1	0.5	22	0.27	0.050
Z6-L1-12	Soil		2.6	12.7	34.0	74	0.2	28.8	10.6	718	3.09	12.5	3.1	0.6	5.6	28	0.3	2.7	0.1	42	0.34	0.054
Z6-L1-13	Soil		1.6	9.0	28.6	77	<0.1	11.0	7.1	516	2.72	5.6	1.2	1.0	6.5	16	0.4	1.1	<0.1	41	0.14	0.024
Z6-L1-14	Soil		1.6	14.0	30.1	72	0.2	24.5	11.1	486	2.64	9.8	1.5	1.0	5.3	34	0.2	1.0	0.2	59	0.40	0.019
Z6-L1-16	Soil		1.9	7.6	26.2	55	0.1	18.5	6.4	217	2.42	5.2	1.4	<0.5	5.2	24	0.3	1.5	0.1	52	0.25	0.015
Z6-L2-01	Soil		2.3	39.0	212.6	491	3.7	21.9	7.9	653	2.90	16.6	1.4	47.7	2.5	62	6.5	2.3	6.7	41	0.49	0.066
Z6-L2-02	Soil		2.2	23.3	489.5	653	2.3	14.9	11.5	2574	2.53	127.3	1.5	15.2	2.6	99	11.6	3.6	0.8	31	0.79	0.096
Z6-L2-03	Soil		2.1	10.3	29.6	87	0.2	16.4	4.9	631	1.62	8.8	0.6	3.3	0.3	12	0.5	0.6	0.3	46	0.09	0.041
Z6-L2-04	Soil		2.5	28.2	26.9	89	0.6	19.1	9.7	488	2.56	16.3	6.8	7.3	2.4	139	0.8	1.5	0.3	35	1.30	0.073
Z6-L2-05	Soil		6.5	18.3	262.6	1061	5.5	16.0	6.4	4331	2.54	444.1	28.3	32.9	7.6	74	10.2	11.7	1.1	18	1.02	0.079
Z6-L2-06	Soil		1.8	8.7	245.3	363	2.8	9.2	4.6	1184	2.57	206.7	2.6	4.3	14.8	27	2.1	21.9	0.6	27	0.27	0.027
Z6-L2-07	Soil		3.0	30.5	407.5	784	11.7	13.9	5.1	2607	2.80	286.3	31.1	115.6	20.5	42	4.9	22.0	1.7	19	0.62	0.053
Z6-L2-08	Soil		1.5	29.7	68.7	365	5.4	16.3	6.9	914	2.16	68.1	85.3	20.4	6.0	124	3.9	4.3	0.3	26	1.96	0.082
Z6-L2-09	Soil		4.7	31.8	683.8	581	6.4	8.9	4.4	1830	2.50	315.3	20.4	343.7	11.6	46	3.7	16.6	1.7	10	0.51	0.042
Z6-L2-10	Soil		1.8	16.7	45.9	172	0.3	19.4	9.7	678	2.76	34.8	3.0	185.4	8.2	23	2.1	2.5	0.8	46	0.24	0.025
Z6-L2-11	Soil		2.7	23.9	55.0	308	3.0	11.6	3.1	1239	2.07	85.8	6.0	118.4	12.1	62	5.2	10.1	2.2	15	0.54	0.063
Z6-L2-13	Soil		0.9	7.1	18.9	61	0.2	6.8	3.5	205	2.18	7.2	1.3	<0.5	3.4	19	0.2	1.8	<0.1	32	0.21	0.027
Z6-L2-14	Soil		1.1	12.5	30.1	67	0.3	13.8	5.9	456	2.36	6.3	1.1	1.6	1.8	32	0.8	1.2	0.2	53	0.36	0.036
Z6-L2-15	Soil		0.9	16.3	22.6	58	0.4	13.7	4.8	401	1.73	5.3	10.9	2.2	3.0	112	0.3	1.2	<0.1	27	1.48	0.110
Z6-L2-16	Soil		1.1	19.6	24.5	50	0.3	18.9	10.2	1167	2.09	6.2	4.6	2.4	3.0	122	0.3	0.9	0.2	41	1.51	0.120

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 18, 2010

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000498.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
Z6-L1-01	Soil	31	28	0.24	714	0.008	2	1.06	0.008	0.15	<0.1	0.06	4.3	0.2	0.07	2	0.7	<0.2
Z6-L1-02	Soil	22	27	0.20	517	0.008	2	0.95	0.008	0.14	<0.1	0.05	3.9	0.2	0.09	2	<0.5	<0.2
Z6-L1-03	Soil	22	25	0.22	300	0.009	2	0.93	0.008	0.16	<0.1	0.04	3.9	0.2	0.06	2	0.6	<0.2
Z6-L1-04	Soil	40	14	0.09	213	0.002	3	0.62	0.004	0.14	0.2	0.06	2.8	0.3	<0.05	1	0.5	<0.2
Z6-L1-05	Soil	41	26	0.26	207	0.016	2	0.83	0.012	0.12	0.1	0.06	3.6	0.2	0.06	2	<0.5	<0.2
Z6-L1-06	Soil	29	40	0.36	184	0.035	2	1.03	0.014	0.13	0.2	0.04	3.9	0.2	<0.05	3	<0.5	<0.2
Z6-L1-07	Soil	25	51	0.29	218	0.005	2	1.48	0.007	0.18	0.1	0.12	4.0	0.2	0.08	4	0.9	<0.2
Z6-L1-08	Soil	28	36	0.30	195	0.018	2	1.12	0.011	0.15	0.2	0.06	3.8	0.2	0.08	3	<0.5	<0.2
Z6-L1-09	Soil	19	38	0.29	318	0.016	3	1.14	0.011	0.16	0.1	0.05	3.9	0.2	<0.05	3	<0.5	<0.2
Z6-L1-10	Soil	11	14	0.06	195	0.002	2	0.43	0.017	0.27	<0.1	0.12	1.3	0.3	0.51	1	0.6	<0.2
Z6-L1-11	Soil	30	24	0.13	214	0.009	2	0.76	0.013	0.13	0.1	0.03	3.4	0.2	<0.05	2	<0.5	<0.2
Z6-L1-12	Soil	30	59	0.33	372	0.019	2	1.41	0.014	0.21	0.2	0.02	3.6	0.2	<0.05	5	<0.5	<0.2
Z6-L1-13	Soil	6	19	0.15	133	0.011	<1	1.30	0.015	0.08	0.4	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
Z6-L1-14	Soil	14	45	0.49	236	0.052	<1	1.70	0.014	0.08	0.1	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
Z6-L1-16	Soil	14	38	0.27	111	0.032	<1	1.01	0.011	0.09	0.4	0.01	1.8	<0.1	<0.05	5	<0.5	<0.2
Z6-L2-01	Soil	14	37	0.33	267	0.032	1	1.20	0.013	0.13	0.1	0.09	3.2	0.2	0.09	4	<0.5	<0.2
Z6-L2-02	Soil	14	25	0.21	296	0.009	1	0.91	0.010	0.11	<0.1	0.08	3.2	0.1	0.11	2	<0.5	<0.2
Z6-L2-03	Soil	9	34	0.14	120	0.021	2	1.09	0.008	0.08	<0.1	0.03	1.1	0.1	<0.05	5	<0.5	<0.2
Z6-L2-04	Soil	36	25	0.37	655	0.011	1	1.64	0.011	0.11	<0.1	0.10	4.7	0.1	0.07	3	<0.5	<0.2
Z6-L2-05	Soil	18	24	0.16	482	0.002	2	0.96	0.006	0.13	0.1	0.14	2.6	0.2	0.07	2	0.6	<0.2
Z6-L2-06	Soil	29	17	0.14	103	0.011	<1	0.56	0.009	0.09	<0.1	0.01	1.7	0.2	<0.05	2	<0.5	<0.2
Z6-L2-07	Soil	65	24	0.15	375	0.004	2	0.93	0.006	0.14	0.2	0.15	4.4	0.3	<0.05	2	<0.5	<0.2
Z6-L2-08	Soil	22	21	0.29	383	0.009	2	1.32	0.008	0.13	0.1	0.11	2.7	0.2	0.07	4	0.7	<0.2
Z6-L2-09	Soil	24	14	0.07	180	0.002	2	0.47	0.005	0.10	0.2	0.06	1.8	0.2	<0.05	1	<0.5	<0.2
Z6-L2-10	Soil	16	33	0.40	204	0.031	<1	1.45	0.011	0.10	0.1	0.02	3.0	0.1	<0.05	4	<0.5	<0.2
Z6-L2-11	Soil	24	20	0.17	202	0.004	2	0.75	0.008	0.14	0.1	0.08	3.3	0.2	<0.05	2	<0.5	<0.2
Z6-L2-13	Soil	10	13	0.13	163	0.009	<1	0.95	0.008	0.07	0.3	0.02	1.7	<0.1	<0.05	3	<0.5	<0.2
Z6-L2-14	Soil	21	27	0.35	251	0.015	<1	1.67	0.010	0.06	0.1	0.02	2.3	<0.1	<0.05	6	<0.5	<0.2
Z6-L2-15	Soil	47	26	0.23	326	0.008	1	0.98	0.010	0.10	0.3	0.08	4.1	<0.1	<0.05	3	0.7	<0.2
Z6-L2-16	Soil	36	34	0.43	389	0.019	<1	1.58	0.013	0.06	0.1	0.11	4.1	<0.1	0.07	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 18, 2010

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000498.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Z6-L3-01	Soil		1.5	18.3	41.2	128	0.6	25.6	9.4	605	2.76	16.0	1.4	4.6	4.9	47	1.1	1.2	0.4	49	0.50	0.026
Z6-L3-02	Soil		2.0	33.9	90.3	562	1.0	25.8	8.8	851	2.63	37.8	2.4	16.7	3.7	88	10.1	3.2	0.9	36	0.97	0.061
Z6-L3-03	Soil		2.5	14.1	75.7	354	0.6	21.0	6.6	596	2.55	76.5	1.4	9.1	3.0	48	3.5	2.3	0.8	35	0.38	0.042
Z6-L3-04	Soil		2.3	14.2	38.6	180	0.2	20.3	7.4	407	3.43	78.7	1.0	7.0	4.1	28	1.6	3.3	0.5	44	0.25	0.018
Z6-L3-05	Soil		2.7	25.0	67.4	162	2.1	18.2	7.2	415	2.88	23.2	2.6	40.2	4.7	74	0.8	5.9	4.9	38	0.65	0.060
Z6-L3-06	Soil		3.0	20.7	295.9	743	4.2	30.8	6.0	1814	1.97	194.6	19.8	24.0	7.5	137	7.1	5.3	0.9	19	1.26	0.064
Z6-L3-07	Soil		2.0	21.1	216.0	436	3.5	20.6	6.8	1315	2.64	149.0	8.6	16.0	12.4	53	4.6	24.9	0.5	38	0.70	0.053
Z6-L3-08	Soil		3.5	18.5	481.7	579	4.9	12.2	5.6	2490	2.60	237.3	11.8	117.0	18.1	33	4.0	24.2	1.8	19	0.38	0.045
Z6-L3-09	Soil		4.0	21.5	390.9	651	3.9	13.3	5.9	2850	2.88	239.3	24.3	108.8	21.7	52	6.2	12.1	1.2	25	0.53	0.044
Z6-L3-10	Soil		3.7	21.0	77.5	541	3.2	8.1	4.7	254	2.60	68.2	5.3	540.9	13.3	32	7.6	3.0	9.2	7	0.33	0.086
Z6-L3-11	Soil		1.9	32.6	58.3	296	1.7	15.2	4.3	335	2.46	55.1	7.8	108.7	14.8	53	7.7	3.4	2.3	25	0.48	0.040
Z6-L3-12	Soil		2.0	11.9	27.5	113	0.4	26.7	6.0	829	2.01	23.4	2.7	14.4	4.2	98	0.5	2.4	0.2	32	1.03	0.114
Z6-L3-13	Soil		1.7	6.9	32.0	70	0.3	15.7	4.3	356	2.28	5.9	2.5	3.5	6.7	31	0.4	1.8	<0.1	25	0.31	0.040
Z6-L3-14	Soil		1.4	16.5	57.9	83	<0.1	7.1	4.8	422	2.98	7.8	2.3	2.7	7.4	11	0.6	4.8	<0.1	26	0.14	0.047
Z6-L3-15	Soil		1.3	4.0	26.3	66	<0.1	5.8	4.9	391	2.51	13.1	1.6	0.5	6.4	14	0.3	2.1	<0.1	25	0.17	0.030
Z6-L3-16	Soil		0.8	10.9	21.2	60	<0.1	9.0	7.5	554	3.05	6.5	1.3	<0.5	7.1	32	0.3	0.8	<0.1	42	0.34	0.050
Z6-L4-01	Soil		2.3	36.0	101.7	552	1.3	22.0	7.3	537	2.55	17.4	5.4	22.6	4.1	179	12.1	2.3	1.2	31	1.25	0.067
Z6-L4-02	Soil		2.5	31.9	142.9	493	1.3	22.6	11.5	729	2.75	36.6	3.7	18.5	7.1	112	11.4	2.6	1.2	39	0.72	0.045
Z6-L4-03	Soil		2.2	38.3	139.6	747	1.9	19.5	7.9	832	2.66	30.4	5.2	56.8	4.6	96	19.1	2.5	2.4	32	0.89	0.061
Z6-L4-04	Soil		2.2	25.1	55.7	494	1.1	20.9	6.7	655	2.39	61.1	2.0	66.5	4.5	68	7.9	3.2	1.6	35	0.66	0.045
Z6-L4-05	Soil		2.8	17.2	87.9	374	0.7	21.0	7.7	738	2.41	107.6	2.0	73.1	4.3	62	3.4	3.9	3.1	34	0.62	0.049
Z6-L4-06	Soil		2.4	28.9	136.1	478	1.4	19.1	8.9	763	2.49	83.1	3.7	58.2	6.0	63	8.1	4.0	1.7	32	0.67	0.062
Z6-L4-08	Soil		3.3	19.0	465.9	693	7.5	12.2	4.4	2676	2.68	218.6	8.5	81.5	18.3	52	6.4	19.5	2.6	15	0.48	0.044
Z6-L4-09	Soil		2.9	23.8	89.0	444	1.5	13.5	6.0	1288	2.45	42.3	11.4	65.7	9.3	43	7.7	3.2	2.4	17	0.45	0.032
Z6-L4-10	Soil		2.9	25.7	57.7	263	1.4	11.4	4.7	617	2.47	41.3	5.4	77.0	10.1	39	2.4	2.5	3.5	12	0.39	0.065
Z6-L4-11	Soil		2.8	27.1	52.3	334	1.4	13.3	6.2	934	2.46	38.7	10.2	64.8	6.8	54	6.3	2.2	2.8	22	0.56	0.047
Z6-L4-13	Soil		1.3	13.6	34.4	78	0.5	11.3	5.6	619	2.25	5.8	5.5	1.7	4.0	67	0.4	2.3	<0.1	24	0.72	0.071
Z6-L4-14	Soil		2.2	10.4	28.8	91	<0.1	11.5	6.9	3026	2.60	34.2	2.4	3.1	9.5	24	1.4	2.5	<0.1	24	0.32	0.067
Z6-L4-15	Soil		1.1	8.4	16.5	63	<0.1	14.2	6.2	495	2.69	7.8	1.2	<0.5	5.0	14	0.4	0.9	0.1	45	0.14	0.039
Z6-L4-16	Soil		1.3	8.6	17.3	51	<0.1	11.3	5.1	303	2.55	6.6	1.0	0.7	3.3	18	0.5	0.8	0.1	52	0.18	0.018

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 18, 2010

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000498.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	0.2		
Z6-L3-01	Soil			16	38	0.47	434	0.045	1	1.72	0.018	0.12	0.1	0.02	4.4	0.1	<0.05	5	<0.5	<0.2
Z6-L3-02	Soil			14	36	0.38	342	0.032	3	1.04	0.019	0.12	0.1	0.06	4.1	<0.1	<0.05	3	<0.5	<0.2
Z6-L3-03	Soil			15	38	0.30	272	0.018	2	1.16	0.012	0.13	<0.1	0.03	3.0	0.1	<0.05	3	<0.5	<0.2
Z6-L3-04	Soil			13	33	0.29	240	0.009	<1	2.22	0.012	0.10	<0.1	0.02	2.9	0.1	<0.05	4	<0.5	<0.2
Z6-L3-05	Soil			19	29	0.39	303	0.035	2	1.08	0.020	0.12	0.1	0.06	4.4	0.2	<0.05	3	<0.5	<0.2
Z6-L3-06	Soil			25	51	0.21	417	0.003	3	0.89	0.008	0.14	0.1	0.10	3.5	0.2	0.12	2	0.6	0.3
Z6-L3-07	Soil			23	36	0.31	417	0.015	2	1.25	0.008	0.16	0.1	0.06	3.5	0.2	<0.05	4	<0.5	<0.2
Z6-L3-08	Soil			31	20	0.13	252	0.006	2	0.68	0.007	0.12	0.1	0.05	2.4	0.2	<0.05	2	<0.5	<0.2
Z6-L3-09	Soil			30	23	0.22	337	0.009	2	0.92	0.010	0.14	0.2	0.05	3.0	0.3	<0.05	3	<0.5	<0.2
Z6-L3-10	Soil			26	9	0.04	246	0.002	3	0.34	0.008	0.12	0.1	0.02	2.0	0.1	<0.05	<1	<0.5	0.3
Z6-L3-11	Soil			25	25	0.22	239	0.008	1	1.03	0.011	0.16	0.1	0.07	3.8	0.2	<0.05	3	<0.5	<0.2
Z6-L3-12	Soil			23	57	0.50	478	0.023	2	1.26	0.019	0.15	0.2	0.03	3.8	0.2	0.07	5	<0.5	<0.2
Z6-L3-13	Soil			27	30	0.13	298	0.005	1	0.99	0.010	0.15	0.5	0.02	3.9	0.1	<0.05	3	<0.5	<0.2
Z6-L3-14	Soil			22	14	0.12	95	0.006	<1	1.42	0.008	0.12	0.3	0.02	2.0	0.1	<0.05	3	<0.5	<0.2
Z6-L3-15	Soil			20	11	0.07	75	0.002	<1	0.71	0.004	0.11	0.4	0.01	1.5	<0.1	<0.05	2	<0.5	<0.2
Z6-L3-16	Soil			15	17	0.63	189	0.006	<1	2.35	0.010	0.08	0.1	0.01	3.2	<0.1	<0.05	10	<0.5	<0.2
Z6-L4-01	Soil			16	29	0.37	299	0.022	3	0.95	0.018	0.15	0.1	0.05	3.7	0.1	0.07	3	<0.5	<0.2
Z6-L4-02	Soil			18	28	0.47	610	0.037	2	1.23	0.022	0.14	<0.1	0.05	4.5	0.1	<0.05	3	<0.5	<0.2
Z6-L4-03	Soil			18	28	0.30	414	0.014	1	1.13	0.013	0.14	<0.1	0.08	4.0	0.2	0.06	3	0.7	<0.2
Z6-L4-04	Soil			16	32	0.34	389	0.017	2	1.25	0.015	0.12	0.1	0.05	4.2	0.1	<0.05	3	<0.5	<0.2
Z6-L4-05	Soil			18	39	0.30	365	0.011	1	1.27	0.012	0.14	<0.1	0.05	3.5	0.2	<0.05	4	<0.5	<0.2
Z6-L4-06	Soil			19	27	0.31	414	0.017	1	1.14	0.014	0.13	0.1	0.06	4.0	0.1	<0.05	3	<0.5	<0.2
Z6-L4-08	Soil			29	20	0.12	294	0.003	2	0.70	0.008	0.14	<0.1	0.06	2.4	0.3	<0.05	2	<0.5	<0.2
Z6-L4-09	Soil			20	21	0.12	200	0.008	2	0.52	0.011	0.13	<0.1	0.03	2.0	0.2	<0.05	2	<0.5	<0.2
Z6-L4-10	Soil			19	15	0.09	153	0.008	2	0.49	0.010	0.13	<0.1	0.02	2.6	0.1	0.08	1	<0.5	<0.2
Z6-L4-11	Soil			16	21	0.20	185	0.007	<1	0.80	0.011	0.12	0.1	0.04	3.1	0.1	<0.05	2	<0.5	<0.2
Z6-L4-13	Soil			23	20	0.17	368	0.005	<1	0.90	0.009	0.12	0.3	0.04	2.7	0.1	<0.05	2	<0.5	<0.2
Z6-L4-14	Soil			20	17	0.15	472	0.005	<1	1.18	0.009	0.12	0.5	0.03	3.6	0.2	<0.05	3	<0.5	<0.2
Z6-L4-15	Soil			10	25	0.41	147	0.011	<1	1.75	0.014	0.07	0.1	0.02	2.3	<0.1	<0.05	7	<0.5	<0.2
Z6-L4-16	Soil			9	21	0.35	162	0.018	<1	1.46	0.008	0.06	0.1	0.01	2.0	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 18, 2010

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000498.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Z6-L5-01	Soil		1.5	23.2	134.2	638	1.4	14.4	6.8	902	2.19	22.6	2.0	52.2	3.4	81	14.3	2.7	1.4	30	0.73	0.034
Z6-L5-02	Soil		2.4	28.7	83.6	317	1.1	13.3	5.0	1977	1.34	17.0	12.5	11.6	1.0	244	8.6	1.7	0.8	15	2.22	0.067
Z6-L5-03	Soil		1.9	18.9	74.1	462	0.9	10.5	6.5	636	2.39	46.3	1.8	13.6	2.9	76	4.0	2.3	1.8	30	0.71	0.051
Z6-L5-04	Soil		1.2	7.3	20.1	111	0.2	7.4	4.5	344	1.74	37.3	0.9	2.0	1.7	51	1.3	1.0	5.2	33	0.51	0.033
Z6-L5-05	Soil		1.2	31.6	46.8	103	2.6	17.4	6.2	278	2.46	62.6	6.5	17.8	4.6	91	1.9	1.5	2.9	38	0.95	0.039
Z6-L5-06	Soil		1.5	28.0	130.3	274	1.5	14.1	5.3	727	1.97	155.9	3.4	22.6	2.2	77	4.9	2.5	1.4	29	0.84	0.086
Z6-L5-07	Soil		1.3	13.9	64.9	108	0.4	5.8	4.7	757	1.15	35.7	1.4	14.3	1.1	30	5.7	1.0	0.9	24	0.22	0.029
Z6-L5-08	Soil		1.8	10.9	104.5	336	2.6	5.1	3.7	605	1.91	80.4	6.2	32.7	8.0	60	2.6	6.4	1.4	16	0.81	0.046
Z6-L5-09	Soil		1.3	24.8	74.4	306	2.4	7.0	3.3	324	1.44	33.7	87.9	38.6	3.7	147	5.8	3.0	2.4	12	2.33	0.065
Z6-L5-10	Soil		1.5	21.3	47.7	194	1.2	7.6	4.3	564	1.72	40.5	14.9	31.9	3.8	137	3.1	2.1	1.2	17	1.88	0.054
Z6-L5-11	Soil		1.4	19.0	31.9	122	1.6	9.1	4.8	588	1.86	32.9	7.0	24.2	2.8	145	1.2	1.7	1.8	18	1.78	0.058
Z6-L5-12	Soil		0.9	21.5	14.9	95	0.7	22.7	6.7	341	2.14	18.0	5.7	18.4	2.0	150	1.4	2.4	0.3	34	1.81	0.145
Z6-L5-13	Soil		1.1	20.9	28.8	70	0.7	13.5	10.6	930	2.72	13.5	5.0	3.7	3.6	96	0.4	1.6	0.2	44	1.02	0.050
Z6-L5-14	Soil		1.1	12.8	16.3	63	0.6	7.9	6.9	808	2.06	16.5	0.9	1.1	3.2	31	0.7	0.9	0.1	48	0.38	0.018
Z6-L5-15	Soil		1.1	10.2	14.1	66	0.2	11.0	7.1	691	2.57	8.2	0.8	<0.5	3.2	31	0.5	1.0	0.1	56	0.40	0.039
Z6-L5-16	Soil		0.8	10.7	16.3	62	0.2	12.3	5.6	381	2.49	13.4	1.1	3.8	4.5	27	0.3	1.3	0.1	51	0.29	0.019
Z6-L6-01	Soil		1.9	19.2	109.9	484	0.8	9.0	7.0	813	1.81	26.6	2.3	13.6	4.7	61	8.5	3.4	0.9	24	0.56	0.037
Z6-L6-02	Soil		1.9	13.0	114.3	433	0.9	5.2	3.3	376	1.83	25.3	1.4	86.9	3.5	53	4.0	1.7	1.9	17	0.42	0.029
Z6-L6-03	Soil		1.9	22.6	134.2	340	4.0	7.1	5.1	985	1.77	129.5	3.1	24.3	3.7	95	5.9	2.9	3.7	16	0.99	0.057
Z6-L6-04	Soil		2.3	11.3	17.5	85	0.2	9.0	7.6	1017	2.42	69.8	1.2	<0.5	3.5	36	0.7	1.3	0.9	42	0.42	0.035
Z6-L6-05	Soil		1.3	18.4	36.5	92	0.3	13.7	7.5	346	2.35	33.2	5.2	13.4	5.9	85	1.7	1.3	2.6	44	1.03	0.076
Z6-L6-07	Soil		1.3	28.7	105.2	333	1.8	17.1	6.3	882	1.94	126.3	2.9	30.2	2.8	84	6.9	2.8	0.7	29	0.93	0.057
Z6-L6-08	Soil		2.2	21.0	123.8	323	1.8	7.7	4.9	301	2.02	79.7	8.0	33.7	8.2	52	4.4	2.3	1.0	20	0.51	0.045
Z6-L6-09	Soil		2.1	13.3	140.4	345	2.4	5.3	4.9	732	2.38	88.0	7.7	45.7	9.3	100	3.1	4.0	1.6	16	0.76	0.056
Z6-L6-10	Soil		1.6	23.4	86.7	214	1.7	5.3	3.1	364	1.22	37.6	29.1	194.4	9.0	71	5.1	2.4	2.3	17	0.95	0.043
Z6-L6-11	Soil		2.7	16.3	78.0	172	1.3	5.8	7.5	926	2.82	69.3	5.8	29.4	7.3	96	2.1	1.8	2.5	16	1.17	0.065
Z6-L6-12	Soil		3.1	26.1	40.7	118	1.0	16.0	5.0	409	3.83	59.4	6.5	27.2	5.6	73	1.4	3.7	2.0	37	0.93	0.116
Z6-L6-13	Soil		1.0	16.1	21.5	56	0.4	11.9	8.8	990	2.15	10.4	5.5	4.1	3.0	111	0.9	1.7	0.1	30	1.25	0.095
Z6-L6-14	Soil		1.1	10.9	29.0	70	0.5	5.8	5.0	673	2.46	96.6	3.9	2.8	3.6	62	0.4	2.5	<0.1	25	0.66	0.047
Z6-L6-15	Soil		2.3	9.9	50.8	116	0.8	12.2	24.3	>10000	3.61	109.4	10.0	5.5	9.2	27	1.1	5.7	0.8	42	0.28	0.067

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 18, 2010

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000498.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.2
Z6-L5-01	Soil	14	21	0.29	303	0.021	2	0.95	0.012	0.10	<0.1	0.04	3.0	0.1	<0.05	3	<0.5	<0.2
Z6-L5-02	Soil	10	11	0.28	502	0.007	4	0.66	0.015	0.07	<0.1	0.06	1.3	<0.1	0.17	2	0.6	<0.2
Z6-L5-03	Soil	14	18	0.26	212	0.015	2	0.97	0.010	0.10	<0.1	0.04	2.7	0.1	<0.05	3	<0.5	<0.2
Z6-L5-04	Soil	10	15	0.24	386	0.009	<1	1.01	0.010	0.10	0.1	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2
Z6-L5-05	Soil	76	19	0.28	997	0.004	<1	2.03	0.011	0.12	0.1	0.10	7.0	0.1	<0.05	5	0.7	<0.2
Z6-L5-06	Soil	16	20	0.26	361	0.014	1	1.10	0.012	0.10	<0.1	0.06	2.7	0.1	0.06	3	0.7	<0.2
Z6-L5-07	Soil	13	11	0.13	230	0.011	1	0.81	0.008	0.10	<0.1	0.02	1.2	0.1	<0.05	3	<0.5	<0.2
Z6-L5-08	Soil	13	9	0.14	214	0.002	2	0.70	0.007	0.13	<0.1	0.07	2.4	0.2	<0.05	2	0.5	<0.2
Z6-L5-09	Soil	9	9	0.18	373	0.003	4	0.69	0.014	0.13	<0.1	0.06	1.6	0.1	0.19	2	0.7	<0.2
Z6-L5-10	Soil	13	10	0.20	210	0.005	4	0.72	0.012	0.12	<0.1	0.04	2.0	0.1	0.15	2	<0.5	<0.2
Z6-L5-11	Soil	14	12	0.23	238	0.006	2	0.79	0.014	0.13	<0.1	0.04	2.3	0.1	0.15	2	<0.5	<0.2
Z6-L5-12	Soil	29	36	0.35	524	0.015	2	1.23	0.022	0.11	0.2	0.06	4.4	0.1	0.20	3	0.6	<0.2
Z6-L5-13	Soil	30	27	0.36	516	0.010	1	1.86	0.010	0.13	0.2	0.05	4.0	0.2	<0.05	5	<0.5	<0.2
Z6-L5-14	Soil	15	16	0.20	266	0.027	<1	1.20	0.017	0.09	0.4	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2
Z6-L5-15	Soil	11	19	0.29	194	0.026	1	1.36	0.013	0.17	0.1	<0.01	1.9	<0.1	<0.05	6	<0.5	<0.2
Z6-L5-16	Soil	10	22	0.31	176	0.019	<1	1.57	0.009	0.11	0.1	0.01	2.6	<0.1	<0.05	5	<0.5	<0.2
Z6-L6-01	Soil	15	14	0.17	309	0.010	2	0.74	0.007	0.13	<0.1	0.03	2.7	0.1	<0.05	2	<0.5	<0.2
Z6-L6-02	Soil	15	9	0.13	147	0.006	<1	0.56	0.013	0.11	<0.1	0.02	1.5	<0.1	<0.05	2	<0.5	<0.2
Z6-L6-03	Soil	17	9	0.13	396	0.003	1	0.90	0.008	0.15	<0.1	0.05	2.4	0.2	0.06	2	<0.5	<0.2
Z6-L6-04	Soil	13	15	0.22	379	0.013	<1	1.06	0.012	0.12	0.1	0.01	1.9	<0.1	<0.05	4	<0.5	<0.2
Z6-L6-05	Soil	33	21	0.43	462	0.029	2	1.39	0.016	0.10	0.1	0.04	5.1	<0.1	0.06	4	<0.5	<0.2
Z6-L6-07	Soil	19	18	0.25	444	0.014	<1	1.20	0.012	0.13	0.1	0.05	3.1	0.1	0.06	3	0.6	<0.2
Z6-L6-08	Soil	19	10	0.13	331	0.004	1	0.86	0.008	0.17	<0.1	0.05	3.5	0.1	0.08	2	<0.5	<0.2
Z6-L6-09	Soil	18	7	0.13	230	0.002	2	0.69	0.008	0.15	<0.1	0.05	2.5	0.2	0.09	2	<0.5	<0.2
Z6-L6-10	Soil	17	9	0.13	233	0.003	2	0.71	0.008	0.14	<0.1	0.04	2.6	0.1	0.14	2	0.7	<0.2
Z6-L6-11	Soil	14	7	0.12	230	0.002	3	0.57	0.010	0.13	<0.1	0.04	2.7	0.1	0.18	1	0.5	0.3
Z6-L6-12	Soil	32	29	0.24	335	0.009	3	0.99	0.014	0.14	0.1	0.06	4.9	0.2	0.15	3	<0.5	<0.2
Z6-L6-13	Soil	31	23	0.31	433	0.007	2	1.46	0.015	0.16	0.3	0.10	4.2	0.1	0.07	4	0.8	<0.2
Z6-L6-14	Soil	22	10	0.19	313	0.003	<1	1.20	0.013	0.14	0.8	0.07	3.1	<0.1	<0.05	3	<0.5	<0.2
Z6-L6-15	Soil	16	24	0.24	748	0.018	1	1.54	0.012	0.08	0.1	0.08	3.5	0.3	0.06	6	0.6	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 18, 2010

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000498.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z6-L6-16	Soil	1.9	13.3	44.6	111	0.6	11.0	26.3	4009	3.65	85.6	12.2	13.9	8.0	28	1.2	6.7	0.9	41	0.32	0.095
Z6-L7-02	Soil	1.7	31.4	163.3	463	3.9	8.5	2.5	604	1.97	98.0	9.4	190.9	5.5	121	14.7	2.5	1.7	14	1.13	0.055
Z6-L7-04	Soil	1.1	15.2	14.6	57	0.3	13.2	9.6	1372	2.91	8.0	1.4	0.8	2.8	88	0.6	0.6	0.2	59	0.93	0.057
Z6-L7-06	Soil	2.1	19.5	23.5	65	0.3	13.6	11.0	1554	2.99	40.1	5.6	5.7	3.7	72	0.4	1.4	1.4	45	0.84	0.090
Z6-L8-01	Soil	1.3	12.3	66.4	111	1.1	5.5	4.0	218	1.69	12.4	3.1	13.9	7.9	59	0.6	1.9	0.8	21	0.53	0.070
Z6-L8-02	Soil	1.8	12.0	82.1	114	0.9	5.5	3.7	324	2.13	15.1	6.3	8.9	6.4	63	1.1	2.2	0.7	26	0.52	0.061
Z6-L8-04	Soil	1.6	22.4	24.7	82	0.3	18.2	9.9	452	2.84	22.2	3.9	8.0	6.3	87	0.3	1.2	0.4	49	0.77	0.060
Z6-L8-05	Soil	1.7	25.4	39.5	88	0.4	18.2	8.9	596	2.55	27.6	11.9	6.0	5.9	102	0.5	2.2	0.6	50	0.92	0.073
Z6-L8-06	Soil	1.4	17.1	78.4	71	0.7	9.1	7.3	189	2.61	26.4	5.1	6.0	6.0	53	0.5	1.2	0.6	36	0.57	0.099
Z6-L8-10	Soil	2.1	14.8	62.0	108	0.5	13.1	25.4	2353	3.14	70.2	5.9	12.1	14.2	20	0.7	5.1	0.8	46	0.24	0.069



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 18, 2010

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000498.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Z6-L6-16	Soil	21	22	0.24	269	0.011	2	1.36	0.012	0.08	0.1	0.11	3.1	0.2	0.10	3	0.5	<0.2
Z6-L7-02	Soil	17	9	0.14	395	0.002	2	0.88	0.009	0.17	<0.1	0.08	3.5	0.1	0.13	2	0.6	<0.2
Z6-L7-04	Soil	17	23	0.32	734	0.016	1	1.62	0.014	0.12	0.1	0.01	2.8	<0.1	<0.05	6	<0.5	<0.2
Z6-L7-06	Soil	27	24	0.38	460	0.022	2	1.46	0.014	0.08	0.1	0.06	4.8	<0.1	0.08	5	0.9	<0.2
Z6-L8-01	Soil	22	10	0.12	288	0.004	1	0.62	0.008	0.13	<0.1	0.04	3.4	0.1	<0.05	2	<0.5	<0.2
Z6-L8-02	Soil	18	12	0.15	377	0.004	2	0.82	0.009	0.13	<0.1	0.05	3.0	0.1	<0.05	2	<0.5	<0.2
Z6-L8-04	Soil	21	24	0.47	385	0.040	2	1.29	0.022	0.12	0.2	0.02	5.2	<0.1	<0.05	4	<0.5	<0.2
Z6-L8-05	Soil	29	25	0.48	398	0.038	2	1.43	0.016	0.11	0.2	0.06	4.8	0.1	0.07	4	0.6	<0.2
Z6-L8-06	Soil	27	15	0.19	286	0.011	1	0.97	0.010	0.11	0.1	0.05	3.6	0.1	0.06	3	<0.5	<0.2
Z6-L8-10	Soil	20	24	0.34	210	0.038	1	1.35	0.013	0.10	0.2	0.04	3.4	0.2	<0.05	4	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 18, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000498.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																							
Z6-L1-12	Soil			2.6	12.7	34.0	74	0.2	28.8	10.6	718	3.09	12.5	3.1	0.6	5.6	28	0.3	2.7	0.1	42	0.34	0.054
REP Z6-L1-12	QC			2.5	13.2	32.9	75	0.1	27.6	10.6	697	3.03	13.1	3.1	2.0	5.7	28	0.2	2.5	<0.1	41	0.33	0.053
Z6-L2-14	Soil			1.1	12.5	30.1	67	0.3	13.8	5.9	456	2.36	6.3	1.1	1.6	1.8	32	0.8	1.2	0.2	53	0.36	0.036
REP Z6-L2-14	QC			1.1	12.8	29.1	69	0.3	14.2	6.0	465	2.44	6.5	1.1	1.9	1.6	33	0.8	1.0	0.2	55	0.37	0.037
Z6-L4-09	Soil			2.9	23.8	89.0	444	1.5	13.5	6.0	1288	2.45	42.3	11.4	65.7	9.3	43	7.7	3.2	2.4	17	0.45	0.032
REP Z6-L4-09	QC			2.8	24.0	84.0	426	1.4	12.6	6.0	1259	2.37	41.4	10.9	107.5	8.6	41	7.3	3.1	2.3	16	0.43	0.031
Z6-L5-08	Soil			1.8	10.9	104.5	336	2.6	5.1	3.7	605	1.91	80.4	6.2	32.7	8.0	60	2.6	6.4	1.4	16	0.81	0.046
REP Z6-L5-08	QC			1.7	10.8	102.2	343	2.7	5.1	3.8	604	1.95	81.9	6.0	35.2	8.0	59	2.7	6.8	1.3	16	0.81	0.046
Z6-L6-09	Soil			2.1	13.3	140.4	345	2.4	5.3	4.9	732	2.38	88.0	7.7	45.7	9.3	100	3.1	4.0	1.6	16	0.76	0.056
REP Z6-L6-09	QC			2.0	12.1	125.8	314	2.3	4.9	4.6	697	2.27	82.7	7.1	232.4	9.1	93	2.9	3.7	1.4	16	0.68	0.053
Reference Materials																							
STD DS7	Standard			23.3	113.1	68.8	404	1.0	60.2	10.2	653	2.56	55.2	5.1	71.1	4.9	78	7.1	6.5	5.0	89	1.02	0.092
STD DS7	Standard			21.7	115.3	71.9	411	1.0	58.1	10.0	657	2.53	53.8	4.8	71.1	5.0	78	6.9	6.4	4.8	89	1.01	0.077
STD DS7	Standard			24.6	128.5	75.2	405	1.2	66.0	10.6	632	2.41	46.8	5.2	202.4	5.1	70	6.2	5.8	4.4	97	0.95	0.068
STD DS7	Standard			22.6	117.6	72.3	393	1.0	59.2	10.0	616	2.39	50.2	5.1	90.1	5.1	75	6.2	6.1	5.0	90	0.96	0.071
STD DS7 Expected				20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 18, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000498.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
Z6-L1-12	Soil	30	59	0.33	372	0.019	2	1.41	0.014	0.21	0.2	0.02	3.6	0.2	<0.05	5	<0.5	<0.2
REP Z6-L1-12	QC	29	60	0.33	365	0.017	2	1.43	0.016	0.21	0.1	0.02	3.6	0.2	<0.05	5	<0.5	<0.2
Z6-L2-14	Soil	21	27	0.35	251	0.015	<1	1.67	0.010	0.06	0.1	0.02	2.3	<0.1	<0.05	6	<0.5	<0.2
REP Z6-L2-14	QC	22	27	0.35	256	0.016	<1	1.73	0.011	0.06	0.2	0.02	2.4	<0.1	<0.05	6	<0.5	<0.2
Z6-L4-09	Soil	20	21	0.12	200	0.008	2	0.52	0.011	0.13	<0.1	0.03	2.0	0.2	<0.05	2	<0.5	<0.2
REP Z6-L4-09	QC	19	21	0.12	192	0.007	1	0.51	0.011	0.11	0.1	0.03	1.9	0.2	<0.05	1	<0.5	<0.2
Z6-L5-08	Soil	13	9	0.14	214	0.002	2	0.70	0.007	0.13	<0.1	0.07	2.4	0.2	<0.05	2	0.5	<0.2
REP Z6-L5-08	QC	13	9	0.14	220	0.003	2	0.69	0.008	0.13	<0.1	0.06	2.4	0.1	0.05	2	<0.5	<0.2
Z6-L6-09	Soil	18	7	0.13	230	0.002	2	0.69	0.008	0.15	<0.1	0.05	2.5	0.2	0.09	2	<0.5	<0.2
REP Z6-L6-09	QC	17	7	0.12	203	0.003	4	0.64	0.008	0.14	<0.1	0.04	2.3	0.1	0.09	2	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	14	203	1.09	434	0.133	41	1.07	0.107	0.49	3.9	0.22	2.8	4.2	0.20	5	3.5	1.3
STD DS7	Standard	14	207	1.09	430	0.129	40	1.07	0.100	0.48	3.9	0.22	2.6	4.2	0.20	5	3.0	1.5
STD DS7	Standard	14	239	1.07	380	0.148	36	1.00	0.095	0.48	3.8	0.23	2.5	4.2	0.26	5	3.5	1.5
STD DS7	Standard	14	222	1.05	396	0.138	40	1.06	0.098	0.45	3.4	0.21	2.6	4.2	0.20	5	3.0	1.2
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 02, 2010
Report Date: November 05, 2010
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI10000557.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: TT-101
P.O. Number: NA-10-428
Number of Samples: 103

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	98	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1DX2	103	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	103	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000557.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111101	Rock	1.68	0.5	3.1	42.6	149	0.4	0.4	0.3	1127	0.61	35.1	20.0	6.7	25.7	5	2.9	13.0	0.3	<2	0.02
111102	Rock	5.09	0.6	7.3	72.9	164	0.4	0.4	6.1	425	0.88	112.2	19.7	9.3	27.2	5	2.7	18.4	0.2	<2	0.03
111103	Rock	5.83	0.4	3.9	36.9	108	0.1	0.3	1.3	162	0.45	40.5	13.7	1.8	22.0	4	1.1	12.3	0.2	<2	0.01
111104	Rock	4.80	5.2	8.0	74.5	168	0.6	<0.1	5.3	196	0.68	206.9	21.3	29.5	28.1	4	1.5	26.0	0.3	<2	<0.01
111105	Rock	4.84	9.6	3.1	47.6	64	0.6	0.1	2.0	78	0.35	69.9	6.3	5.7	14.0	2	1.0	7.8	0.4	<2	<0.01
111106	Rock	4.58	2.1	8.0	64.3	172	0.9	0.2	0.5	127	0.70	175.7	38.8	10.0	25.7	3	2.7	9.0	0.2	<2	<0.01
111107	Rock	0.62	0.1	2.2	3.0	44	<0.1	1.5	3.3	524	1.82	0.7	1.8	<0.5	6.0	55	<0.1	<0.1	<0.1	36	0.44
111108	Rock	4.47	2.2	4.3	35.7	111	0.2	0.2	0.6	104	0.47	16.9	27.6	0.5	21.8	1	0.8	6.9	0.3	<2	0.01
111109	Rock	5.83	2.6	4.4	25.1	88	<0.1	0.2	0.2	97	0.44	8.7	31.0	<0.5	19.7	1	0.3	7.3	0.2	<2	0.01
111110	Rock	5.17	0.6	5.3	60.5	81	0.3	0.2	0.2	71	0.53	126.9	22.5	6.8	18.1	3	1.8	7.5	0.3	<2	<0.01
111111	Rock	5.73	0.4	10.7	42.0	134	0.2	0.1	0.2	61	0.65	163.7	20.0	3.9	33.6	3	1.2	7.5	0.2	<2	<0.01
111112	Rock	4.11	0.6	10.9	49.2	117	0.3	0.2	0.3	55	0.76	232.4	16.6	17.4	26.1	4	1.2	9.7	0.2	<2	<0.01
111113	Rock	3.87	1.0	7.7	233.3	67	3.2	<0.1	0.3	53	1.08	809.5	8.8	50.0	26.2	3	0.5	19.8	0.4	<2	<0.01
111114	Rock	3.31	24.9	32.3	1831	73	80.6	0.2	1.5	66	1.90	6970	10.8	1953	11.3	9	2.0	117.6	5.3	<2	<0.01
111115	Rock	2.88	22.2	14.8	1382	49	47.9	0.2	0.6	73	2.86	5068	6.5	831.4	14.9	14	1.0	102.8	3.8	2	<0.01
111116	Rock	3.95	1.1	12.6	51.9	179	1.3	0.4	0.6	77	1.63	677.5	8.9	14.8	27.6	7	0.8	10.9	0.6	<2	<0.01
111117 DUP 111116	Rock	N.A.	1.0	13.0	54.5	175	1.2	0.2	0.6	77	1.69	693.0	8.9	10.2	28.3	7	0.8	10.9	0.5	<2	<0.01
111118	Rock	4.43	0.4	12.9	281.4	126	26.2	0.2	0.4	71	0.58	282.9	10.9	26.8	25.2	6	2.0	28.9	0.5	<2	<0.01
111119	Rock	5.01	0.3	6.0	33.0	153	0.4	0.2	1.1	215	0.58	26.1	12.9	0.9	27.4	4	0.6	5.8	0.8	<2	<0.01
111120	Rock	5.61	0.4	2.8	24.0	242	0.1	0.4	1.2	1322	0.62	8.5	24.2	<0.5	28.6	4	4.7	5.2	0.8	<2	0.02
111121	Rock	5.42	0.3	1.2	26.4	202	0.2	0.2	1.2	1098	0.53	50.7	19.5	1.6	22.8	3	3.4	5.2	0.7	<2	0.01
111122	Rock	4.11	0.3	1.3	25.9	246	0.1	0.5	1.4	2421	0.60	32.7	24.5	<0.5	29.9	3	4.6	5.2	1.0	<2	0.02
111123	Rock	5.70	0.2	0.7	30.2	250	<0.1	0.2	1.3	3191	0.57	5.7	17.6	<0.5	29.1	3	2.7	3.3	0.9	<2	0.02
111124	Rock	4.60	0.2	1.3	18.7	225	0.2	0.2	1.1	1291	0.56	15.7	18.0	<0.5	29.8	4	1.4	4.3	0.9	<2	0.02
111125	Rock	5.72	0.3	1.6	26.1	259	0.2	0.3	2.3	4218	0.54	16.1	19.2	<0.5	29.4	4	3.7	3.7	0.8	2	0.02
111126	Rock	5.94	0.2	2.0	32.6	243	0.3	0.5	1.9	2581	0.64	37.2	19.4	0.9	29.2	3	2.1	4.2	0.8	<2	0.02
111127	Rock	0.63	0.1	2.2	3.0	46	<0.1	1.2	3.4	547	1.85	<0.5	1.8	<0.5	6.3	54	<0.1	<0.1	<0.1	37	0.46
111128	Rock	5.86	0.3	2.3	30.8	301	0.3	0.3	2.2	2618	0.89	90.7	21.4	2.5	29.8	4	1.8	5.2	1.1	<2	0.03
111129	Rock	5.30	0.2	1.5	23.1	296	0.2	0.5	2.7	5121	0.67	4.3	9.5	<0.5	30.0	5	0.6	1.3	0.9	3	0.02
111130	Rock	6.15	0.7	2.0	21.2	240	0.5	1.6	1.8	3044	0.67	5.8	16.1	<0.5	28.7	5	1.1	2.1	0.5	2	0.02



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000557.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111101	Rock	0.006	9	<1	0.01	50	<0.001	2	0.23	0.019	0.17	0.3	0.02	0.5	0.2	<0.05	<1	<0.5	<0.2	4
111102	Rock	0.006	10	1	0.01	42	<0.001	3	0.29	0.012	0.21	0.2	0.03	0.4	0.3	<0.05	<1	<0.5	<0.2	10
111103	Rock	0.005	8	<1	<0.01	32	<0.001	2	0.25	0.017	0.19	<0.1	0.02	0.4	0.3	<0.05	<1	<0.5	<0.2	<2
111104	Rock	0.004	8	<1	<0.01	54	<0.001	2	0.32	0.004	0.23	0.2	0.04	0.4	0.4	0.05	<1	<0.5	<0.2	27
111105	Rock	<0.001	5	<1	<0.01	24	<0.001	2	0.28	0.010	0.21	0.2	<0.01	0.2	0.3	0.06	<1	<0.5	<0.2	9
111106	Rock	0.004	8	<1	<0.01	34	<0.001	2	0.37	0.020	0.21	0.1	0.03	0.5	0.3	<0.05	<1	<0.5	<0.2	12
111107	Rock	0.071	13	3	0.44	122	0.110	<1	0.83	0.095	0.47	0.3	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2	<2
111108	Rock	0.002	3	<1	<0.01	29	<0.001	2	0.24	0.035	0.16	0.2	0.04	0.6	0.2	<0.05	<1	<0.5	<0.2	<2
111109	Rock	0.001	2	<1	<0.01	22	<0.001	1	0.24	0.057	0.14	0.2	0.02	0.7	0.2	<0.05	<1	<0.5	<0.2	2
111110	Rock	0.001	4	<1	<0.01	118	<0.001	2	0.24	0.032	0.18	0.3	0.04	0.5	0.3	0.05	<1	<0.5	<0.2	7
111111	Rock	0.006	10	<1	<0.01	22	<0.001	2	0.32	0.021	0.19	0.1	0.03	0.6	0.3	<0.05	<1	<0.5	<0.2	5
111112	Rock	0.005	10	<1	<0.01	44	<0.001	3	0.32	0.011	0.22	0.1	0.03	0.4	0.5	<0.05	<1	<0.5	<0.2	18
111113	Rock	0.007	7	<1	<0.01	70	<0.001	3	0.26	0.013	0.29	0.2	0.03	0.3	0.5	0.21	<1	<0.5	<0.2	52
111114	Rock	0.007	8	<1	<0.01	53	<0.001	4	0.36	0.007	0.42	0.3	0.17	0.5	1.6	0.48	2	<0.5	<0.2	1967
111115	Rock	0.020	9	1	<0.01	44	<0.001	3	0.36	0.072	0.49	0.4	0.37	0.7	2.7	0.83	2	<0.5	<0.2	808
111116	Rock	0.008	11	<1	<0.01	83	<0.001	3	0.29	0.023	0.29	0.1	0.03	0.4	0.4	0.26	<1	<0.5	<0.2	16
111117 DUP 111116	Rock	0.008	11	<1	<0.01	94	<0.001	3	0.29	0.023	0.32	0.1	0.03	0.3	0.4	0.27	<1	<0.5	<0.2	11
111118	Rock	0.005	12	<1	<0.01	17	<0.001	2	0.40	0.024	0.23	<0.1	0.02	0.4	0.4	<0.05	<1	<0.5	<0.2	27
111119	Rock	0.006	10	<1	<0.01	15	<0.001	1	0.29	0.030	0.17	<0.1	0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111120	Rock	0.006	9	<1	<0.01	24	<0.001	1	0.27	0.043	0.17	<0.1	0.01	0.7	0.2	<0.05	<1	<0.5	<0.2	<2
111121	Rock	0.005	9	<1	<0.01	21	<0.001	1	0.20	0.028	0.15	<0.1	0.02	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111122	Rock	0.007	11	<1	<0.01	49	<0.001	1	0.20	0.037	0.15	<0.1	0.01	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111123	Rock	0.007	10	<1	<0.01	27	<0.001	1	0.21	0.039	0.17	<0.1	<0.01	0.6	0.3	<0.05	1	<0.5	<0.2	<2
111124	Rock	0.006	10	<1	<0.01	23	<0.001	1	0.21	0.035	0.15	<0.1	0.01	0.6	0.2	<0.05	<1	<0.5	<0.2	<2
111125	Rock	0.006	12	<1	<0.01	28	<0.001	1	0.20	0.040	0.15	<0.1	0.02	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111126	Rock	0.006	11	<1	<0.01	46	<0.001	2	0.25	0.036	0.18	<0.1	0.02	0.6	0.3	<0.05	1	<0.5	<0.2	<2
111127	Rock	0.076	13	3	0.45	112	0.118	<1	0.86	0.106	0.46	<0.1	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2	12
111128	Rock	0.006	13	<1	<0.01	42	<0.001	1	0.25	0.035	0.18	<0.1	0.02	0.6	0.2	<0.05	<1	<0.5	<0.2	2
111129	Rock	0.006	11	<1	<0.01	23	<0.001	2	0.18	0.046	0.14	<0.1	<0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111130	Rock	0.005	11	2	<0.01	26	<0.001	2	0.22	0.052	0.16	<0.1	0.01	0.6	0.2	<0.05	<1	<0.5	<0.2	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000557.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111131	Rock	6.45	0.3	1.9	51.1	221	2.2	0.2	1.1	2618	0.64	23.8	18.9	<0.5	27.0	4	2.8	6.2	0.3	<2	0.02
111132	Rock	3.72	0.4	8.4	87.6	270	3.2	<0.1	4.4	120	1.46	1547	16.6	142.6	28.1	6	4.8	28.6	0.7	<2	0.03
111133	Rock	3.37	0.7	2.6	44.0	139	0.6	1.2	0.5	173	0.74	57.8	11.6	1.4	26.8	4	0.4	11.8	0.3	<2	0.02
111134	Rock	5.99	0.4	5.2	45.5	157	0.8	0.2	1.1	107	1.01	386.2	11.1	27.5	23.7	4	1.2	17.3	0.4	<2	0.03
111135	Rock	6.86	0.2	2.8	16.9	164	<0.1	0.2	0.7	233	0.62	23.3	18.0	3.1	24.5	3	0.3	6.8	0.2	<2	0.03
111136	Rock	5.14	0.4	2.8	34.3	107	0.5	0.1	1.4	68	0.76	142.2	8.8	11.2	22.8	4	0.5	14.0	0.8	<2	0.03
111137 DUP 111136	Rock	N.A.	0.4	2.7	32.3	109	0.5	0.2	1.2	70	0.77	140.8	8.6	11.1	22.0	5	0.5	14.5	0.8	<2	0.03
111138	Rock	3.58	0.9	2.3	24.2	163	0.2	0.2	1.6	82	0.66	40.0	9.0	1.9	27.6	5	0.2	8.2	0.2	<2	0.04
111139	Rock	4.51	0.2	3.6	16.3	149	0.1	0.3	3.4	183	0.60	13.6	12.7	<0.5	22.9	4	0.1	4.7	0.3	<2	0.02
111140	Rock	3.38	0.3	1.6	29.0	149	<0.1	0.4	1.1	331	0.61	12.4	13.6	<0.5	23.5	4	0.5	5.2	0.2	<2	0.03
111141	Rock	6.24	0.3	1.4	17.5	133	<0.1	0.2	1.0	572	0.55	11.3	14.8	<0.5	23.3	4	0.6	4.3	0.2	<2	0.03
111142	Rock	3.68	0.4	4.1	89.0	161	18.7	0.2	2.6	1576	0.64	119.0	17.1	15.7	26.4	5	1.6	15.9	0.2	<2	0.05
111143	Rock	4.33	0.4	1.3	32.2	173	1.1	0.3	0.4	373	0.72	69.3	10.2	7.5	22.4	6	0.2	8.1	0.3	<2	0.06
111144	Rock	2.53	0.4	1.1	35.8	177	0.7	0.1	0.3	266	0.81	67.0	9.2	4.2	24.6	10	0.1	7.6	0.3	<2	0.06
111145	Rock	6.18	0.3	1.9	31.7	154	1.1	0.3	0.8	800	0.65	34.1	15.3	6.1	26.7	7	0.4	5.5	0.4	<2	0.04
111146	Rock	2.41	0.4	1.3	21.9	212	0.3	0.3	1.1	3964	0.61	9.9	18.0	0.6	27.0	5	1.6	4.0	0.3	<2	0.04
111147	Rock	0.53	<0.1	2.0	2.6	44	<0.1	1.3	3.5	551	1.84	0.6	1.6	<0.5	5.7	52	<0.1	<0.1	<0.1	35	0.44
111148	Rock	6.09	0.3	1.3	16.2	232	0.1	0.5	2.5	5336	0.65	9.1	16.4	<0.5	27.8	8	0.6	3.0	0.3	<2	0.04
111149	Rock	5.81	0.3	1.4	14.7	149	<0.1	0.5	1.3	3040	0.64	5.3	13.9	<0.5	28.1	7	<0.1	2.7	0.5	2	0.05
111150	Rock	5.34	0.3	0.4	17.1	136	<0.1	0.5	1.3	2772	0.62	5.9	14.3	0.7	25.5	9	<0.1	3.1	0.3	<2	0.04
111151	Rock	5.38	0.3	2.2	103.5	210	1.0	0.5	2.2	2783	0.63	42.6	16.1	8.2	24.0	9	1.0	5.2	0.4	<2	0.04
111152	Rock	5.75	0.3	1.3	78.1	373	0.2	0.6	3.8	9181	0.72	60.2	24.8	<0.5	27.6	20	2.6	4.6	0.3	<2	0.06
111153	Rock	5.86	0.2	0.6	16.2	184	<0.1	0.5	1.2	2653	0.67	14.3	14.0	<0.5	28.0	10	0.4	3.1	0.2	2	0.06
111154	Rock	6.55	0.2	0.6	12.8	47	<0.1	0.4	1.1	908	0.62	5.4	7.2	<0.5	28.1	7	<0.1	2.0	0.2	3	0.13
111155	Rock	6.36	0.3	1.5	158.2	246	0.6	0.3	1.0	4386	0.70	182.8	19.4	21.8	25.7	10	1.4	4.9	0.3	<2	0.08
111156	Rock	5.21	0.2	0.7	14.0	171	<0.1	1.2	2.0	2240	0.81	16.8	9.9	<0.5	27.7	8	0.3	2.5	0.2	5	0.08
111157 DUP 111156	Rock	N.A.	0.2	0.9	15.3	175	<0.1	1.7	2.2	2300	0.79	18.5	9.8	0.6	28.7	8	0.3	2.6	0.2	4	0.08
111158	Rock	5.65	0.2	0.7	20.9	75	0.1	0.4	1.4	1022	0.68	18.6	7.2	<0.5	28.5	5	<0.1	2.4	0.3	2	0.06
111159	Rock	5.94	0.2	0.7	35.0	197	0.1	0.5	1.6	3047	0.67	21.2	10.4	<0.5	27.8	13	0.2	2.9	0.3	<2	0.12
111160	Rock	6.53	0.2	1.1	16.8	125	<0.1	0.5	1.9	1748	0.62	9.3	7.3	<0.5	28.1	8	<0.1	1.7	0.3	2	0.08

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000557.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111131	Rock	0.005	10	<1	<0.01	35	<0.001	2	0.19	0.036	0.15	<0.1	0.02	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111132	Rock	0.006	13	<1	0.01	75	<0.001	1	0.30	0.011	0.22	0.2	0.04	0.3	0.9	<0.05	<1	<0.5	<0.2	133
111133	Rock	0.006	10	2	<0.01	23	<0.001	2	0.24	0.036	0.17	<0.1	0.03	0.4	0.3	<0.05	<1	<0.5	<0.2	5
111134	Rock	0.008	8	<1	0.02	50	<0.001	3	0.25	0.014	0.18	0.2	0.03	0.4	0.3	<0.05	<1	<0.5	<0.2	20
111135	Rock	0.005	7	<1	<0.01	28	<0.001	1	0.22	0.030	0.11	<0.1	<0.01	0.8	0.2	<0.05	<1	<0.5	<0.2	<2
111136	Rock	0.005	8	<1	<0.01	90	<0.001	2	0.21	0.016	0.20	0.2	0.01	0.3	0.3	0.11	<1	<0.5	<0.2	9
111137 DUP 111136	Rock	0.005	9	<1	<0.01	90	<0.001	2	0.23	0.017	0.21	0.1	0.02	0.3	0.3	0.11	<1	<0.5	<0.2	9
111138	Rock	0.006	9	<1	<0.01	36	<0.001	2	0.23	0.016	0.13	0.2	0.02	0.6	0.2	<0.05	<1	<0.5	<0.2	3
111139	Rock	0.005	6	<1	<0.01	35	<0.001	1	0.19	0.024	0.11	0.1	0.01	0.6	0.1	<0.05	<1	<0.5	<0.2	<2
111140	Rock	0.004	8	<1	<0.01	35	<0.001	2	0.20	0.028	0.12	0.2	<0.01	0.6	0.2	<0.05	<1	<0.5	0.2	<2
111141	Rock	0.004	7	<1	<0.01	46	<0.001	1	0.18	0.029	0.12	0.1	0.01	0.6	0.2	<0.05	<1	<0.5	<0.2	<2
111142	Rock	0.005	10	<1	<0.01	65	<0.001	2	0.24	0.018	0.16	0.2	<0.01	0.4	0.3	<0.05	<1	<0.5	<0.2	16
111143	Rock	0.005	10	<1	0.01	40	<0.001	2	0.27	0.004	0.19	0.1	0.02	0.3	0.2	<0.05	<1	<0.5	<0.2	7
111144	Rock	0.005	8	<1	0.01	55	<0.001	2	0.28	0.012	0.15	0.1	0.02	0.4	0.2	<0.05	<1	<0.5	<0.2	3
111145	Rock	0.006	11	<1	0.01	54	<0.001	1	0.23	0.019	0.13	0.1	<0.01	0.6	0.2	<0.05	<1	<0.5	<0.2	20
111146	Rock	0.006	9	<1	0.01	126	<0.001	<1	0.20	0.032	0.12	0.1	0.02	0.8	0.3	<0.05	<1	<0.5	<0.2	<2
111147	Rock	0.074	13	3	0.44	116	0.108	<1	0.83	0.079	0.44	0.1	<0.01	1.7	0.4	<0.05	4	<0.5	<0.2	<2
111148	Rock	0.007	12	<1	0.01	53	<0.001	1	0.20	0.038	0.12	<0.1	<0.01	1.1	0.2	<0.05	<1	<0.5	<0.2	<2
111149	Rock	0.007	11	<1	0.01	34	<0.001	2	0.20	0.039	0.12	0.1	<0.01	0.9	0.1	<0.05	<1	<0.5	<0.2	6
111150	Rock	0.007	10	<1	0.01	35	<0.001	1	0.21	0.034	0.13	<0.1	<0.01	0.8	0.2	<0.05	<1	<0.5	<0.2	<2
111151	Rock	0.006	10	<1	0.01	54	<0.001	2	0.21	0.026	0.13	0.1	0.01	0.6	0.2	<0.05	<1	<0.5	<0.2	7
111152	Rock	0.007	15	<1	0.01	593	<0.001	1	0.24	0.036	0.13	0.1	<0.01	0.9	0.7	<0.05	<1	<0.5	<0.2	<2
111153	Rock	0.007	10	<1	0.01	93	<0.001	1	0.22	0.041	0.12	<0.1	<0.01	1.1	0.2	<0.05	1	<0.5	<0.2	<2
111154	Rock	0.007	12	<1	0.01	26	0.003	1	0.20	0.042	0.11	0.1	<0.01	1.2	0.1	<0.05	1	<0.5	<0.2	<2
111155	Rock	0.006	12	<1	<0.01	31	<0.001	<1	0.19	0.031	0.12	<0.1	0.02	0.9	0.2	<0.05	<1	<0.5	<0.2	22
111156	Rock	0.011	11	3	0.05	42	0.008	2	0.32	0.043	0.17	<0.1	0.01	1.7	0.3	<0.05	1	<0.5	<0.2	<2
111157 DUP 111156	Rock	0.011	12	3	0.05	44	0.009	<1	0.31	0.043	0.18	0.2	0.01	1.7	0.3	<0.05	1	<0.5	<0.2	<2
111158	Rock	0.008	12	<1	0.01	25	<0.001	<1	0.23	0.044	0.11	0.2	0.01	1.0	0.1	<0.05	<1	<0.5	<0.2	<2
111159	Rock	0.007	12	<1	0.01	35	<0.001	<1	0.20	0.037	0.12	0.2	<0.01	0.9	0.2	<0.05	<1	<0.5	<0.2	<2
111160	Rock	0.006	12	<1	<0.01	24	<0.001	<1	0.19	0.043	0.11	0.1	<0.01	1.0	0.1	<0.05	<1	<0.5	<0.2	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000557.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111161	Rock	6.37	0.2	1.0	14.7	147	<0.1	0.3	1.4	2517	0.62	14.9	11.4	0.6	27.2	14	0.3	2.1	0.2	2	0.17
111162	Rock	5.69	0.2	0.5	16.1	173	<0.1	0.4	1.2	2387	0.62	12.3	8.9	1.6	26.1	7	<0.1	1.8	0.2	2	0.07
111163	Rock	6.00	0.2	0.6	20.9	105	<0.1	0.5	0.9	1461	0.64	13.7	6.6	<0.5	26.9	6	<0.1	1.8	0.2	<2	0.07
111164	Rock	6.28	0.2	0.7	20.7	83	<0.1	0.3	1.3	1174	0.62	5.3	8.6	<0.5	27.4	7	0.1	1.9	0.3	<2	0.15
111165	Rock	6.32	0.3	1.0	25.0	199	0.1	0.5	1.8	4085	0.65	18.4	11.4	<0.5	25.7	14	0.4	2.2	0.3	<2	0.07
111166	Rock	5.07	0.2	1.0	18.7	142	<0.1	0.5	2.0	2262	0.70	24.2	9.8	<0.5	27.0	12	0.2	1.9	0.2	<2	0.11
111167	Rock	0.98	0.1	2.0	2.8	45	<0.1	1.8	3.5	549	1.78	0.8	1.8	0.8	6.2	55	<0.1	<0.1	<0.1	35	0.48
111168	Rock	5.76	0.1	0.6	20.1	47	<0.1	0.4	1.3	906	0.62	3.5	6.9	<0.5	26.6	11	<0.1	1.2	0.4	<2	0.35
111169	Rock	5.85	0.2	1.4	12.5	28	<0.1	0.5	1.4	645	0.63	1.5	6.1	5.7	23.4	10	<0.1	0.9	0.8	2	0.31
111170	Rock	5.55	0.1	0.9	17.0	35	<0.1	0.5	1.2	861	0.64	1.9	6.7	2.3	23.5	13	<0.1	0.7	0.6	<2	0.40
111171	Rock	7.72	0.2	1.3	23.7	27	<0.1	0.5	1.3	786	0.63	1.7	6.1	0.6	24.0	14	<0.1	0.7	0.6	<2	0.54
111172	Rock	6.96	0.2	0.4	12.6	23	<0.1	0.3	0.8	576	0.64	1.8	5.6	<0.5	25.2	10	<0.1	0.6	0.6	<2	0.35
111173	Rock	6.45	0.1	0.5	10.2	23	<0.1	0.4	0.8	589	0.66	0.9	5.5	0.8	24.6	9	<0.1	0.5	0.6	2	0.31
111174	Rock	5.59	1.3	0.5	19.1	74	<0.1	0.5	0.9	1688	0.61	5.5	7.5	0.9	23.6	10	<0.1	0.9	0.6	<2	0.16
111175	Rock	6.07	0.2	0.7	18.1	24	<0.1	0.5	0.9	604	0.66	3.0	6.0	3.6	26.7	11	<0.1	0.9	0.7	<2	0.34
111176	Rock	6.50	0.2	1.4	38.3	45	0.1	0.4	2.0	1252	0.66	6.5	6.5	1.8	24.9	13	<0.1	1.1	0.6	<2	0.27
111177 DUP 111176	Rock	N.A.	0.1	1.3	43.2	46	0.1	0.4	2.1	1325	0.63	6.7	6.4	<0.5	24.8	13	<0.1	1.0	0.7	<2	0.27
111178	Rock	5.96	0.1	0.7	10.5	22	<0.1	0.5	0.8	599	0.68	2.4	6.7	<0.5	24.2	10	<0.1	0.6	0.6	3	0.34
111179	Rock	5.91	0.2	0.6	10.3	22	<0.1	0.4	0.7	583	0.64	1.7	7.6	<0.5	24.6	9	<0.1	0.4	0.5	3	0.34
111180	Rock	5.88	0.2	0.7	15.1	27	<0.1	0.4	0.9	665	0.66	3.5	7.3	<0.5	24.8	10	<0.1	0.8	0.5	2	0.30
111181	Rock	6.01	0.1	0.4	11.6	22	<0.1	0.4	0.8	596	0.65	5.3	7.2	<0.5	24.8	13	<0.1	0.8	0.5	3	0.38
111182	Rock	6.09	0.2	0.5	27.0	46	<0.1	0.5	0.8	1469	0.61	6.0	7.5	<0.5	24.2	12	0.1	1.1	0.4	<2	0.30
111183	Rock	5.76	0.1	0.5	18.1	28	<0.1	0.4	0.7	711	0.66	2.8	5.2	<0.5	26.0	11	<0.1	1.0	0.4	<2	0.37
111184	Rock	6.26	0.1	0.7	22.4	81	<0.1	0.5	0.7	2366	0.63	3.4	6.9	<0.5	25.1	15	0.4	1.0	0.3	<2	0.13
111185	Rock	6.10	0.1	0.6	25.0	23	<0.1	0.3	0.6	781	0.56	1.9	5.5	<0.5	24.5	9	<0.1	0.8	0.4	<2	0.26
111186	Rock	2.58	0.6	0.7	34.9	68	0.2	0.3	0.7	>10000	0.62	20.1	15.9	8.2	25.9	43	0.2	2.1	0.3	<2	0.36
111187	Rock	0.95	<0.1	2.2	2.7	44	<0.1	1.6	3.5	518	1.78	<0.5	1.7	<0.5	6.4	49	<0.1	<0.1	<0.1	35	0.42
111188	Rock	2.72	0.8	0.7	29.8	40	0.2	0.3	0.5	587	0.44	4.1	6.1	<0.5	24.3	12	<0.1	1.3	0.3	<2	0.51
111189	Rock	6.05	0.3	0.6	27.7	36	0.1	0.2	0.5	931	0.36	2.5	5.7	<0.5	25.5	20	<0.1	1.0	0.2	<2	0.84
111190	Rock	6.60	1.1	4.3	291.9	201	1.9	0.3	2.2	3308	0.66	281.6	9.8	50.6	24.2	13	1.4	5.8	0.2	<2	0.43



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000557.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111161	Rock	0.007	11	<1	0.01	822	<0.001	1	0.19	0.041	0.11	0.4	<0.01	1.0	0.1	<0.05	<1	<0.5	<0.2	<2
111162	Rock	0.007	12	<1	0.01	22	<0.001	<1	0.21	0.039	0.12	0.2	<0.01	1.0	0.1	<0.05	<1	<0.5	<0.2	<2
111163	Rock	0.007	12	<1	0.01	71	<0.001	<1	0.20	0.042	0.12	0.2	<0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111164	Rock	0.007	11	<1	<0.01	32	<0.001	<1	0.19	0.039	0.13	0.1	<0.01	0.8	0.2	<0.05	<1	<0.5	<0.2	<2
111165	Rock	0.007	11	<1	0.01	57	<0.001	1	0.20	0.029	0.14	0.1	<0.01	0.7	0.2	<0.05	<1	<0.5	<0.2	3
111166	Rock	0.008	12	<1	0.01	28	<0.001	<1	0.23	0.039	0.13	0.1	<0.01	0.9	0.2	<0.05	<1	<0.5	<0.2	<2
111167	Rock	0.074	14	3	0.48	120	0.111	<1	0.78	0.071	0.43	0.2	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	<2
111168	Rock	0.007	11	<1	<0.01	35	<0.001	<1	0.19	0.037	0.12	<0.1	<0.01	0.9	0.1	<0.05	<1	<0.5	<0.2	<2
111169	Rock	0.007	10	<1	0.01	28	0.002	2	0.19	0.047	0.12	<0.1	0.02	0.9	<0.1	<0.05	<1	<0.5	<0.2	<2
111170	Rock	0.007	11	<1	0.01	26	<0.001	1	0.18	0.044	0.13	<0.1	0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2	<2
111171	Rock	0.007	10	1	<0.01	32	<0.001	1	0.19	0.042	0.16	<0.1	<0.01	0.6	0.1	<0.05	<1	<0.5	<0.2	<2
111172	Rock	0.007	11	<1	0.01	21	<0.001	<1	0.18	0.046	0.11	<0.1	<0.01	0.9	0.2	<0.05	<1	<0.5	<0.2	<2
111173	Rock	0.007	10	<1	0.03	28	0.001	1	0.18	0.046	0.11	<0.1	<0.01	0.8	0.1	<0.05	<1	<0.5	<0.2	<2
111174	Rock	0.007	10	<1	<0.01	59	<0.001	<1	0.16	0.037	0.11	<0.1	<0.01	0.7	0.2	<0.05	<1	<0.5	<0.2	<2
111175	Rock	0.007	11	<1	0.01	27	<0.001	1	0.19	0.042	0.12	<0.1	<0.01	0.9	0.1	<0.05	<1	<0.5	<0.2	<2
111176	Rock	0.007	11	<1	0.01	54	<0.001	1	0.20	0.043	0.12	<0.1	<0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111177 DUP 111176	Rock	0.007	10	<1	0.01	55	<0.001	<1	0.19	0.040	0.12	0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2	<2
111178	Rock	0.006	11	<1	0.02	31	0.002	<1	0.19	0.051	0.12	<0.1	<0.01	1.0	0.1	<0.05	<1	<0.5	<0.2	<2
111179	Rock	0.006	11	<1	0.03	33	0.002	<1	0.19	0.048	0.11	0.1	<0.01	0.9	<0.1	<0.05	1	<0.5	<0.2	<2
111180	Rock	0.006	11	<1	0.02	24	0.003	<1	0.19	0.038	0.12	<0.1	<0.01	0.9	0.1	<0.05	1	<0.5	<0.2	3
111181	Rock	0.006	10	<1	0.03	35	0.001	<1	0.17	0.043	0.11	<0.1	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2	<2
111182	Rock	0.007	10	<1	0.01	28	<0.001	<1	0.17	0.035	0.12	<0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2	<2
111183	Rock	0.007	12	<1	<0.01	25	<0.001	<1	0.18	0.041	0.13	<0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2	<2
111184	Rock	0.007	10	<1	0.01	26	<0.001	<1	0.18	0.037	0.13	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2	<2
111185	Rock	0.006	10	<1	<0.01	20	<0.001	<1	0.19	0.037	0.15	<0.1	<0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
111186	Rock	0.007	10	<1	0.02	47	<0.001	1	0.23	0.020	0.19	0.2	<0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	10
111187	Rock	0.076	15	4	0.44	120	0.107	<1	0.78	0.072	0.43	<0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	<2
111188	Rock	0.007	11	<1	0.01	19	<0.001	1	0.23	0.026	0.20	<0.1	0.01	0.2	0.1	<0.05	<1	<0.5	<0.2	<2
111189	Rock	0.007	12	<1	0.01	19	<0.001	1	0.22	0.025	0.22	<0.1	0.01	0.3	0.2	<0.05	<1	<0.5	<0.2	<2
111190	Rock	0.006	8	<1	0.01	22	<0.001	1	0.26	0.013	0.23	0.2	0.03	0.3	0.2	0.23	<1	<0.5	<0.2	57

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000557.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
111191	Rock	5.76	0.3	0.8	32.0	43	0.1	0.2	1.1	1848	0.64	7.3	9.2	2.9	25.3	18	0.2	1.6	0.2	<2	0.42
111192	Rock	5.85	0.2	0.4	18.0	18	<0.1	0.4	0.7	672	0.70	8.8	6.5	2.1	25.7	23	<0.1	1.0	0.1	<2	0.51
111193	Rock	5.77	0.2	0.3	22.4	26	<0.1	0.3	0.8	733	0.65	3.6	7.7	1.1	26.1	16	<0.1	1.0	0.1	<2	0.43
111194	Rock	6.46	0.2	0.7	15.6	24	<0.1	0.5	0.7	719	0.63	6.0	7.0	<0.5	24.2	18	<0.1	1.0	0.1	<2	0.41
111195	Rock	5.80	0.2	0.5	16.1	39	<0.1	0.3	0.8	1001	0.65	8.7	6.6	<0.5	24.6	13	<0.1	1.0	<0.1	<2	0.24
111196	Rock	7.00	0.2	1.2	13.7	23	<0.1	0.4	0.7	811	0.65	3.8	8.8	0.7	25.8	14	<0.1	0.9	0.1	<2	0.33
111197 DUP 111196	Rock	N.A.	0.2	1.1	13.5	22	<0.1	0.3	0.7	798	0.63	3.8	8.8	<0.5	26.0	14	<0.1	0.9	0.1	<2	0.31
111198	Rock	5.50	0.2	3.9	11.7	19	<0.1	0.3	0.7	631	0.68	1.9	8.3	<0.5	25.8	17	<0.1	0.6	0.2	2	0.38
111199	Rock	4.44	0.2	1.3	18.0	25	0.1	0.3	0.8	986	0.69	4.0	11.0	0.6	27.0	19	<0.1	0.8	0.2	<2	0.52
111200	Rock	5.68	0.2	0.5	15.4	19	<0.1	0.3	0.6	712	0.66	4.1	10.1	<0.5	24.5	18	<0.1	0.9	0.2	<2	0.41
111201	Rock	4.25	0.2	0.4	9.6	17	<0.1	0.2	0.6	552	0.60	2.4	12.5	<0.5	21.1	15	<0.1	0.7	0.2	<2	0.32
111202	Rock	6.47	11.8	0.6	20.0	15	0.1	0.2	0.2	1034	0.48	5.9	19.3	<0.5	16.1	7	<0.1	1.7	0.1	<2	0.23
111203	Rock	7.75	0.2	0.5	16.7	27	<0.1	0.3	0.7	648	0.69	3.9	11.2	<0.5	23.5	15	<0.1	0.9	0.1	<2	0.33



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000557.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111191	Rock	0.007	11	<1	0.02	35	<0.001	2	0.22	0.024	0.15	<0.1	0.01	0.5	0.2	0.12	<1	<0.5	<0.2	<2
111192	Rock	0.007	11	<1	0.01	39	<0.001	1	0.22	0.042	0.13	<0.1	0.01	0.9	0.1	<0.05	<1	<0.5	<0.2	<2
111193	Rock	0.007	11	<1	0.01	24	<0.001	1	0.19	0.035	0.14	<0.1	0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111194	Rock	0.007	10	<1	0.01	17	<0.001	1	0.19	0.035	0.12	<0.1	0.02	0.8	<0.1	<0.05	<1	<0.5	<0.2	<2
111195	Rock	0.007	11	<1	0.01	33	<0.001	1	0.19	0.034	0.12	<0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2	<2
111196	Rock	0.007	10	<1	0.02	22	<0.001	<1	0.19	0.043	0.13	0.2	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2	<2
111197 DUP 111196	Rock	0.006	10	<1	0.02	22	<0.001	<1	0.19	0.041	0.12	0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2	<2
111198	Rock	0.006	11	<1	0.03	22	<0.001	<1	0.18	0.045	0.12	0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2	<2
111199	Rock	0.007	12	<1	0.04	21	<0.001	1	0.20	0.038	0.14	0.4	<0.01	0.8	0.1	0.10	<1	<0.5	<0.2	<2
111200	Rock	0.006	10	<1	0.03	18	<0.001	<1	0.18	0.038	0.12	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2	<2
111201	Rock	0.005	9	<1	0.03	18	0.002	<1	0.18	0.042	0.12	0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2	<2
111202	Rock	<0.001	5	<1	0.01	38	<0.001	<1	0.15	0.048	0.11	0.2	<0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2	<2
111203	Rock	0.006	10	<1	0.03	21	<0.001	<1	0.19	0.044	0.13	<0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 05, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000557.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
111102	Rock	5.09	0.6	7.3	72.9	164	0.4	0.4	6.1	425	0.88	112.2	19.7	9.3	27.2	5	2.7	18.4	0.2	<2	0.03
REP 111102	QC		0.5	7.3	71.4	161	0.4	0.3	6.2	429	0.88	109.9	18.8	10.3	26.2	5	2.8	17.9	0.2	<2	0.03
111131	Rock	6.45	0.3	1.9	51.1	221	2.2	0.2	1.1	2618	0.64	23.8	18.9	<0.5	27.0	4	2.8	6.2	0.3	<2	0.02
REP 111131	QC																				
REP 111142	QC		0.4	3.7	87.1	158	18.3	0.2	2.5	1575	0.63	118.9	16.6	18.2	25.2	6	1.5	16.5	0.2	<2	0.04
111147	Rock	0.53	<0.1	2.0	2.6	44	<0.1	1.3	3.5	551	1.84	0.6	1.6	<0.5	5.7	52	<0.1	<0.1	<0.1	35	0.44
REP 111147	QC																				
111185	Rock	6.10	0.1	0.6	25.0	23	<0.1	0.3	0.6	781	0.56	1.9	5.5	<0.5	24.5	9	<0.1	0.8	0.4	<2	0.26
REP 111185	QC																				
111188	Rock	2.72	0.8	0.7	29.8	40	0.2	0.3	0.5	587	0.44	4.1	6.1	<0.5	24.3	12	<0.1	1.3	0.3	<2	0.51
REP 111188	QC		0.8	0.5	29.1	38	0.1	0.3	0.4	567	0.43	3.8	5.8	<0.5	24.5	11	<0.1	1.3	0.2	<2	0.47
Core Reject Duplicates																					
111109	Rock	5.83	2.6	4.4	25.1	88	<0.1	0.2	0.2	97	0.44	8.7	31.0	<0.5	19.7	1	0.3	7.3	0.2	<2	0.01
DUP 111109	QC		2.3	3.9	23.3	82	<0.1	0.2	0.2	92	0.40	8.3	30.1	0.5	18.3	<1	0.4	6.8	0.3	<2	<0.01
111142	Rock	3.68	0.4	4.1	89.0	161	18.7	0.2	2.6	1576	0.64	119.0	17.1	15.7	26.4	5	1.6	15.9	0.2	<2	0.05
DUP 111142	QC		0.4	3.3	73.2	144	16.9	0.2	2.3	1386	0.59	96.1	15.2	14.4	24.6	5	1.2	14.2	0.2	<2	0.04
111176	Rock	6.50	0.2	1.4	38.3	45	0.1	0.4	2.0	1252	0.66	6.5	6.5	1.8	24.9	13	<0.1	1.1	0.6	<2	0.27
DUP 111176	QC		0.2	1.3	38.4	45	0.1	0.4	2.2	1293	0.64	6.7	6.4	0.6	24.5	13	<0.1	1.1	0.8	<2	0.26
Reference Materials																					
STD DS7	Standard		20.7	109.5	63.0	389	0.9	53.9	9.0	618	2.38	50.8	4.5	63.8	4.4	67	6.0	5.8	4.5	79	0.95
STD DS7	Standard		19.0	110.5	61.8	393	0.9	55.3	9.3	605	2.37	50.9	4.4	67.2	4.4	65	5.9	5.6	4.4	80	0.93
STD DS7	Standard		20.0	104.4	67.6	370	0.9	52.4	9.0	602	2.34	47.5	4.9	65.6	4.7	70	5.9	5.6	4.5	79	0.94
STD DS7	Standard		20.1	103.9	69.3	379	1.0	51.7	9.0	611	2.35	49.0	5.0	58.9	4.8	74	5.8	5.5	4.7	80	0.95
STD DS7	Standard		20.8	100.2	64.7	392	1.0	54.5	9.5	619	2.32	47.8	4.7	71.3	4.4	72	6.4	5.7	4.3	78	0.95
STD DS7	Standard		20.5	99.1	62.1	385	0.9	54.1	9.1	610	2.30	47.2	4.6	66.2	4.4	69	6.3	5.7	4.4	78	0.94
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 05, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000557.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
Pulp Duplicates																				
111102	Rock	0.006	10	1	0.01	42	<0.001	3	0.29	0.012	0.21	0.2	0.03	0.4	0.3	<0.05	<1	<0.5	<0.2	10
REP 111102	QC	0.007	10	<1	0.01	43	<0.001	3	0.28	0.012	0.21	0.2	0.02	0.3	0.3	<0.05	<1	<0.5	<0.2	
111131	Rock	0.005	10	<1	<0.01	35	<0.001	2	0.19	0.036	0.15	<0.1	0.02	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
REP 111131	QC																			<2
REP 111142	QC	0.005	10	<1	<0.01	64	<0.001	1	0.23	0.018	0.15	0.2	<0.01	0.5	0.3	<0.05	<1	<0.5	<0.2	
111147	Rock	0.074	13	3	0.44	116	0.108	<1	0.83	0.079	0.44	0.1	<0.01	1.7	0.4	<0.05	4	<0.5	<0.2	<2
REP 111147	QC																			<2
111185	Rock	0.006	10	<1	<0.01	20	<0.001	<1	0.19	0.037	0.15	<0.1	<0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
REP 111185	QC																			<2
111188	Rock	0.007	11	<1	0.01	19	<0.001	1	0.23	0.026	0.20	<0.1	0.01	0.2	0.1	<0.05	<1	<0.5	<0.2	<2
REP 111188	QC	0.007	11	<1	0.01	19	<0.001	<1	0.23	0.025	0.20	<0.1	0.01	0.3	0.1	<0.05	<1	<0.5	<0.2	
Core Reject Duplicates																				
111109	Rock	0.001	2	<1	<0.01	22	<0.001	1	0.24	0.057	0.14	0.2	0.02	0.7	0.2	<0.05	<1	<0.5	<0.2	2
DUP 111109	QC	<0.001	2	<1	<0.01	20	<0.001	1	0.22	0.048	0.12	0.2	0.02	0.7	0.2	<0.05	<1	<0.5	<0.2	<2
111142	Rock	0.005	10	<1	<0.01	65	<0.001	2	0.24	0.018	0.16	0.2	<0.01	0.4	0.3	<0.05	<1	<0.5	<0.2	16
DUP 111142	QC	0.005	9	<1	<0.01	55	<0.001	1	0.21	0.018	0.14	0.1	0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	13
111176	Rock	0.007	11	<1	0.01	54	<0.001	1	0.20	0.043	0.12	<0.1	<0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
DUP 111176	QC	0.006	11	<1	0.01	57	<0.001	<1	0.18	0.040	0.12	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2	<2
Reference Materials																				
STD DS7	Standard	0.072	13	202	1.02	387	0.117	35	1.01	0.094	0.45	3.9	0.20	2.4	4.0	0.20	4	3.0	1.4	
STD DS7	Standard	0.075	12	198	0.98	371	0.112	35	1.02	0.091	0.44	3.6	0.22	2.2	4.0	0.20	5	3.1	1.6	
STD DS7	Standard	0.070	13	198	1.00	382	0.120	39	1.00	0.097	0.47	3.7	0.22	2.4	3.9	0.19	4	2.7	1.4	
STD DS7	Standard	0.072	13	201	1.02	379	0.124	38	1.02	0.100	0.46	3.6	0.23	2.4	4.0	0.20	4	2.6	1.8	
STD DS7	Standard	0.078	13	216	1.00	371	0.115	39	1.00	0.091	0.48	3.6	0.23	2.3	3.9	0.19	5	3.2	1.6	
STD DS7	Standard	0.077	13	212	1.00	373	0.115	38	0.99	0.093	0.47	3.5	0.22	2.3	3.8	0.19	5	2.9	2.1	
STD OXC72	Standard																			197
STD OXC72	Standard																			200
STD OXC72	Standard																			199

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 05, 2010

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000557.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%		
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01	
STD OXC72	Standard																						
STD OXC72	Standard																						
STD OXC72	Standard																						
STD OXH66	Standard																						
STD OXH66	Standard																						
STD OXH66	Standard																						
STD OXH66	Standard																						
STD OXH66	Standard																						
STD OXH66	Standard																						
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93		
STD OXH66 Expected																							
STD OXC72 Expected																							
BLK	Blank																						
BLK	Blank																						
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
Prep Wash																							
G1	Prep Blank		0.1	2.4	3.1	45	<0.1	1.2	3.5	530	1.83	<0.5	1.6	1.0	5.5	54	<0.1	<0.1	<0.1	35	0.44		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000557.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
STD OXC72	Standard																			194	
STD OXC72	Standard																				197
STD OXC72	Standard																				192
STD OXH66	Standard																				1253
STD OXH66	Standard																				1305
STD OXH66	Standard																				1318
STD OXH66	Standard																				1320
STD OXH66	Standard																				1313
STD OXH66	Standard																				1307
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08		
STD OXH66 Expected																					1285
STD OXC72 Expected																					205
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
Prep Wash																					
G1	Prep Blank	0.074	13	2	0.45	97	0.107	1	0.80	0.095	0.45	<0.1	<0.01	1.9	0.3	<0.05	4	<0.5	<0.2	<2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 05, 2010

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI10000557.1

	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
G1	Prep Blank	0.1	2.7	3.1	48	<0.1	1.2	3.4	567	1.96	<0.5	1.8	<0.5	6.4	64	<0.1	<0.1	<0.1	38	0.49



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 05, 2010

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000557.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
G1	Prep Blank	0.078	15	3	0.44	104	0.121	<1	0.87	0.119	0.48	<0.1	<0.01	2.2	0.3	<0.05	5	<0.5	<0.2	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 02, 2010
Report Date: November 05, 2010
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI10000558.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: TT-101
P.O. Number: NA-10-428
Number of Samples: 105

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	100	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1DX2	105	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	105	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000558.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111204	Rock	2.77	0.4	2.4	23.0	58	0.3	3.6	1.5	1573	0.72	26.5	5.8	1.5	27.5	11	0.1	2.6	0.6	<2	0.06
111205	Rock	3.65	0.6	1.4	52.8	58	0.4	2.3	0.9	1405	0.65	47.3	5.0	2.0	28.2	13	0.1	4.1	1.0	<2	0.05
111206	Rock	5.79	1.2	21.4	5.5	81	0.1	51.1	17.2	1363	3.72	15.7	21.6	0.9	4.0	197	0.3	5.0	<0.1	39	6.00
111207	Rock	0.58	0.1	2.6	3.5	46	<0.1	0.9	3.3	547	1.82	<0.5	1.5	<0.5	6.0	48	<0.1	0.1	<0.1	32	0.43
111208	Rock	5.66	1.1	19.9	3.1	72	<0.1	61.0	18.0	1193	4.27	2.9	2.3	<0.5	3.4	346	0.2	3.5	<0.1	48	4.71
111209	Rock	5.44	1.1	19.6	3.5	86	<0.1	56.0	18.9	1426	4.20	5.1	6.0	<0.5	3.5	370	0.2	3.9	<0.1	46	5.35
111210	Rock	5.99	1.2	23.3	6.5	111	<0.1	63.0	21.9	1835	4.07	25.2	16.5	<0.5	4.5	143	0.2	8.5	<0.1	35	5.06
111211	Rock	5.10	0.6	1.9	16.7	25	0.1	6.5	3.4	893	0.84	9.8	5.0	0.5	25.0	102	<0.1	2.3	0.3	2	1.20
111212	Rock	6.60	0.7	0.8	22.9	22	0.1	1.0	0.8	843	0.59	8.1	4.2	0.5	29.0	17	<0.1	1.9	0.8	<2	0.52
111213	Rock	4.97	0.9	2.5	84.6	55	0.3	7.2	4.2	1455	0.84	9.8	4.8	2.5	26.2	25	0.1	2.6	0.6	<2	0.52
111214	Rock	6.51	1.7	25.3	12.0	98	0.2	65.2	20.4	1777	4.88	32.8	14.1	1.9	3.6	96	0.2	12.3	0.2	38	3.95
111215	Rock	4.89	1.2	20.9	6.5	87	<0.1	52.5	19.3	1754	4.24	19.5	8.1	2.3	3.3	173	0.2	13.4	<0.1	43	5.17
111216	Rock	4.18	1.4	20.2	6.9	78	0.1	59.1	19.1	1997	4.38	20.6	7.0	<0.5	3.6	233	0.2	8.7	<0.1	37	5.18
111217 RRE 111216	Rock		1.3	20.2	6.8	79	0.1	58.9	19.2	1974	4.32	20.3	7.1	<0.5	3.5	228	0.2	8.2	<0.1	37	5.09
111218	Rock	5.11	1.1	19.5	7.5	76	<0.1	52.5	18.1	1526	4.01	8.1	3.3	1.7	3.4	294	0.2	5.2	<0.1	44	5.05
111219	Rock	5.73	1.0	19.8	3.9	81	<0.1	61.6	18.9	1376	4.09	9.0	2.5	1.9	3.5	313	0.2	3.4	<0.1	49	4.25
111220	Rock	6.18	1.2	19.2	5.0	89	<0.1	64.0	19.4	1746	4.31	12.4	7.7	<0.5	3.4	244	0.2	4.2	<0.1	43	4.65
111221	Rock	1.83	1.1	2.0	30.1	69	0.5	9.5	3.2	4673	1.25	22.3	6.9	14.8	24.9	60	0.2	2.8	0.3	<2	1.71
111222	Rock	6.29	1.8	22.0	8.5	150	0.1	71.5	23.3	1929	4.71	22.8	24.0	2.5	4.1	122	0.3	5.9	<0.1	34	3.67
111223	Rock	4.39	1.1	2.7	51.9	88	0.9	5.4	2.5	6875	1.27	63.1	8.1	55.6	25.1	74	0.3	2.9	0.9	<2	1.12
111224	Rock	6.21	0.6	1.1	72.4	53	0.6	1.6	1.2	2361	0.60	26.5	3.4	6.9	25.6	23	0.2	1.5	0.7	<2	0.52
111225	Rock	5.34	0.4	1.8	104.4	78	0.7	1.8	2.2	1918	0.67	19.5	4.8	5.6	28.8	29	0.2	2.0	0.9	<2	0.79
111226	Rock	6.56	0.4	1.9	99.5	51	0.6	1.8	2.0	1446	0.57	9.3	3.7	3.3	26.6	17	0.1	1.5	0.8	<2	0.36
111227	Rock	0.78	<0.1	2.3	3.2	50	<0.1	1.2	3.7	587	1.95	<0.5	1.8	<0.5	6.2	52	<0.1	<0.1	<0.1	34	0.48
111228	Rock	6.10	1.0	4.7	62.7	50	0.6	1.5	5.5	1354	0.64	9.3	3.9	2.8	26.9	22	0.1	1.8	0.7	<2	0.45
111229	Rock	5.94	0.9	0.7	39.5	39	0.4	1.0	0.8	1635	0.53	9.3	3.8	4.0	28.6	25	<0.1	1.7	0.6	<2	0.40
111230	Rock	4.58	0.5	1.4	35.4	31	0.3	4.4	2.0	1395	0.98	9.7	3.4	5.1	22.0	100	<0.1	1.9	0.3	<2	1.76
111231	Rock	6.06	1.3	20.8	9.4	91	0.1	62.5	22.5	1687	4.71	39.9	13.5	0.6	3.3	402	0.2	10.5	<0.1	37	6.20
111232	Rock	4.82	1.1	20.6	9.5	94	<0.1	51.7	17.4	1546	4.64	42.9	13.8	<0.5	3.4	515	0.2	12.4	<0.1	45	6.27
111233	Rock	7.40	0.6	1.0	37.8	37	0.3	3.7	1.5	1204	0.83	9.0	4.4	1.5	23.4	52	<0.1	1.7	0.3	<2	0.75



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000558.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111204	Rock	0.016	12	2	0.01	73	<0.001	1	0.18	0.028	0.12	0.3	<0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111205	Rock	0.009	11	<1	0.01	85	<0.001	<1	0.18	0.026	0.13	0.3	<0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111206	Rock	0.280	36	56	0.43	183	0.007	2	1.52	0.020	0.18	0.5	0.05	9.7	0.1	<0.05	4	<0.5	<0.2	<2
111207	Rock	0.081	12	2	0.43	111	0.110	<1	0.73	0.058	0.39	<0.1	<0.01	1.6	0.3	<0.05	5	<0.5	<0.2	<2
111208	Rock	0.271	34	79	1.07	473	0.035	<1	1.86	0.129	0.22	<0.1	0.01	9.3	0.1	<0.05	4	<0.5	<0.2	<2
111209	Rock	0.267	35	79	0.92	375	0.031	2	1.94	0.050	0.25	0.1	0.05	9.1	0.1	<0.05	5	<0.5	<0.2	<2
111210	Rock	0.264	36	48	0.58	240	0.004	<1	1.08	0.010	0.20	0.7	0.11	9.5	0.2	<0.05	3	<0.5	<0.2	<2
111211	Rock	0.025	11	2	0.32	120	<0.001	<1	0.21	0.026	0.11	0.3	0.02	1.0	0.2	<0.05	<1	<0.5	<0.2	<2
111212	Rock	0.008	10	<1	0.03	66	<0.001	<1	0.20	0.029	0.14	<0.1	0.02	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111213	Rock	0.024	11	2	0.05	162	<0.001	<1	0.27	0.015	0.16	0.2	0.03	0.9	0.4	<0.05	<1	<0.5	<0.2	<2
111214	Rock	0.290	30	53	0.31	256	0.004	1	1.27	0.018	0.23	0.6	0.23	9.0	0.2	<0.05	3	<0.5	<0.2	2
111215	Rock	0.285	36	63	0.58	377	0.024	2	1.49	0.034	0.32	0.2	0.08	9.5	0.2	<0.05	4	<0.5	<0.2	4
111216	Rock	0.257	31	46	1.13	438	0.011	1	1.11	0.043	0.25	0.2	0.11	8.8	0.2	<0.05	3	<0.5	<0.2	<2
111217 RRE 111216	Rock	0.268	31	48	1.12	451	0.011	2	1.16	0.043	0.24	0.2	0.11	8.9	0.2	<0.05	3	<0.5	<0.2	<2
111218	Rock	0.250	33	66	1.05	495	0.020	2	1.63	0.059	0.22	<0.1	0.04	9.1	0.2	<0.05	4	<0.5	<0.2	<2
111219	Rock	0.262	37	89	1.28	562	0.036	2	2.14	0.089	0.27	<0.1	0.04	9.4	0.2	<0.05	6	0.6	<0.2	<2
111220	Rock	0.271	33	63	1.00	287	0.018	1	1.55	0.057	0.25	0.2	0.06	9.6	0.2	<0.05	4	<0.5	<0.2	<2
111221	Rock	0.015	12	<1	0.29	759	<0.001	1	0.30	0.007	0.20	0.1	0.04	0.7	0.4	<0.05	<1	<0.5	<0.2	15
111222	Rock	0.265	30	37	0.73	224	0.005	1	0.97	0.011	0.22	0.7	0.09	9.8	0.2	<0.05	2	<0.5	<0.2	3
111223	Rock	0.018	13	1	0.08	493	<0.001	3	0.27	0.006	0.21	0.2	<0.01	0.6	0.2	<0.05	<1	<0.5	<0.2	45
111224	Rock	0.007	10	<1	0.04	179	<0.001	2	0.22	0.003	0.20	0.2	0.01	0.3	0.2	<0.05	<1	<0.5	<0.2	7
111225	Rock	0.008	10	<1	0.04	488	<0.001	1	0.23	0.014	0.17	0.2	0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	5
111226	Rock	0.007	10	<1	0.03	116	<0.001	2	0.20	0.016	0.16	0.3	<0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	3
111227	Rock	0.084	13	2	0.46	108	0.120	<1	0.81	0.072	0.43	<0.1	<0.01	1.9	0.3	<0.05	5	<0.5	<0.2	<2
111228	Rock	0.008	10	2	0.06	94	<0.001	<1	0.25	0.016	0.20	0.3	0.01	0.5	0.2	<0.05	<1	<0.5	<0.2	3
111229	Rock	0.008	11	<1	0.05	101	<0.001	1	0.23	0.014	0.18	0.1	<0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	5
111230	Rock	0.011	8	2	0.54	111	<0.001	1	0.27	0.014	0.17	0.2	0.01	0.8	0.2	<0.05	<1	<0.5	<0.2	6
111231	Rock	0.259	23	40	1.65	109	0.002	<1	1.01	0.004	0.19	0.5	0.05	9.6	0.2	<0.05	2	0.5	<0.2	<2
111232	Rock	0.268	22	50	1.88	127	0.001	<1	1.00	0.003	0.18	0.7	0.03	9.1	0.1	<0.05	2	<0.5	<0.2	<2
111233	Rock	0.011	9	1	0.15	65	<0.001	<1	0.21	0.022	0.14	0.2	0.01	0.6	0.2	<0.05	<1	<0.5	<0.2	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000558.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111234	Rock	3.86	0.7	1.1	47.0	45	0.4	0.9	0.6	1121	0.58	13.3	3.9	3.0	27.0	21	0.1	2.0	0.4	<2	0.45
111235	Rock	6.14	0.4	0.8	30.9	36	0.4	1.0	0.7	545	0.53	6.9	4.4	2.0	28.4	14	0.1	1.1	1.2	<2	0.35
111236	Rock	5.19	0.4	0.5	35.0	34	0.4	1.1	0.7	607	0.53	11.7	4.3	3.1	27.0	12	<0.1	1.1	1.1	<2	0.29
111237 RRE 111236	Rock		0.4	0.7	36.0	34	0.4	1.1	0.7	612	0.50	11.6	4.6	10.3	27.6	12	0.1	1.3	1.3	<2	0.27
111238	Rock	6.82	0.5	0.5	38.9	36	0.4	1.5	0.7	1437	0.60	35.2	4.3	17.9	28.8	31	0.1	1.3	0.7	<2	0.66
111239	Rock	4.06	0.6	1.4	78.2	56	1.9	1.7	0.9	1883	0.74	335.7	6.9	253.8	26.6	64	0.6	4.6	0.9	<2	1.27
111240	Rock	2.37	1.5	23.2	11.5	140	0.1	74.0	24.2	2113	4.53	52.4	28.9	4.5	4.3	83	0.4	7.0	0.1	39	4.49
111241	Rock	6.22	0.8	4.9	36.6	53	0.4	15.7	5.9	1272	1.16	112.7	8.2	49.3	22.2	44	0.2	4.1	0.6	5	1.32
111242	Rock	5.29	1.6	24.1	12.4	121	0.1	72.2	20.9	2661	4.22	27.7	29.2	3.5	4.0	212	0.3	5.6	0.1	35	4.80
111243	Rock	7.67	2.0	2.2	177.2	200	1.1	2.5	1.7	8224	0.77	102.2	10.6	37.3	26.8	68	1.0	3.9	0.7	<2	0.19
111244	Rock	3.77	1.0	0.8	60.6	79	0.6	0.6	0.7	1677	0.51	53.2	5.5	15.0	28.6	14	0.2	1.9	0.5	<2	0.03
111245	Rock	4.49	0.4	0.5	33.6	40	0.3	1.4	0.8	1126	0.49	14.3	4.7	4.9	30.6	10	0.1	1.9	0.4	<2	0.11
111246	Rock	3.82	1.5	20.4	22.4	151	0.2	59.4	19.0	2998	3.86	33.2	28.4	2.8	6.2	209	0.4	5.3	<0.1	31	5.34
111247	Rock	0.58	<0.1	2.2	2.8	44	<0.1	1.0	3.3	537	1.74	<0.5	1.5	0.9	6.4	48	<0.1	<0.1	<0.1	31	0.46
111248	Rock	6.94	0.4	2.0	32.1	61	0.3	5.4	2.9	1842	0.79	40.8	5.1	9.5	25.6	31	0.2	2.2	0.3	<2	0.92
111249	Rock	5.48	0.3	0.4	27.5	90	0.3	0.9	0.8	1569	0.57	42.1	4.8	6.2	28.6	13	0.1	2.0	0.6	<2	0.18
111250	Rock	6.28	0.5	0.6	40.0	80	0.4	0.6	0.8	1875	0.52	35.4	5.7	2.2	28.5	14	0.2	2.3	0.6	<2	0.10
111251	Rock	6.56	0.4	0.6	23.9	114	0.3	0.4	0.7	2276	0.51	24.9	5.6	2.8	26.0	9	<0.1	2.2	0.4	<2	0.07
111252	Rock	6.75	0.6	0.7	21.6	108	0.3	0.4	0.7	2604	0.52	17.1	6.3	2.4	26.9	9	0.1	2.6	0.3	<2	0.06
111253	Rock	5.73	0.4	0.6	30.1	55	0.3	0.5	0.7	1332	0.57	9.7	6.1	2.2	27.2	14	0.2	2.1	0.5	<2	0.25
111254	Rock		0.5	0.6	76.9	115	0.4	0.7	0.6	1523	0.48	40.9	5.9	5.0	27.5	11	0.3	2.6	0.3	<2	0.10
111255	Rock		0.4	0.6	25.3	115	0.1	0.8	0.8	2369	0.53	5.2	6.6	2.0	26.7	9	0.2	1.6	0.2	<2	0.05
111256	Rock		0.6	1.2	25.8	138	0.3	1.7	1.4	3841	0.63	9.3	9.6	2.3	25.8	16	0.3	2.1	0.2	<2	0.07
111257 RRE 111256	Rock		0.7	1.2	25.5	140	0.2	2.0	1.4	3915	0.61	9.6	9.6	2.9	26.5	16	0.3	2.1	0.2	<2	0.06
111258	Rock		0.3	1.3	22.6	92	0.1	0.7	1.3	2324	0.58	3.4	8.3	1.6	27.0	12	0.2	0.9	0.4	<2	0.05
111259	Rock		0.4	1.7	60.7	126	0.2	0.7	2.5	3285	0.61	4.5	8.2	1.6	27.6	16	0.2	1.6	0.2	<2	0.05
111260	Rock		0.3	0.8	21.2	111	<0.1	0.7	1.5	3658	0.60	1.9	9.0	0.8	30.3	19	0.2	0.6	0.2	<2	0.05
111261	Rock		0.3	0.7	26.5	136	0.1	0.9	1.2	4631	0.61	3.0	11.0	1.9	29.0	23	0.2	0.8	0.2	<2	0.05
111262	Rock		0.4	1.1	31.2	130	0.2	1.2	0.7	4827	0.56	4.3	10.9	2.0	28.7	19	<0.1	1.1	0.2	<2	0.06
111263	Rock		0.7	1.1	28.1	43	0.2	3.5	1.1	1726	0.73	15.5	6.9	2.1	25.5	70	0.2	1.5	0.1	<2	1.20



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000558.1

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te	3B Au
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
111234	Rock			0.008	10	<1	0.03	43	<0.001	<1	0.21	0.022	0.15	0.5	0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	4
111235	Rock			0.008	11	<1	0.03	33	<0.001	<1	0.23	0.031	0.15	0.1	<0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
111236	Rock			0.007	11	<1	0.02	26	<0.001	<1	0.18	0.021	0.13	0.1	<0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	4
111237 RRE 111236	Rock			0.006	9	<1	0.02	28	<0.001	1	0.17	0.024	0.13	0.1	0.02	0.4	0.1	<0.05	<1	<0.5	<0.2	6
111238	Rock			0.008	9	<1	0.10	30	<0.001	1	0.17	0.011	0.14	<0.1	0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	15
111239	Rock			0.007	9	<1	0.33	36	<0.001	2	0.18	0.005	0.16	<0.1	0.02	0.4	0.2	<0.05	<1	<0.5	<0.2	286
111240	Rock			0.264	29	63	0.24	810	0.002	2	0.96	0.003	0.20	1.2	0.13	10.5	0.1	<0.05	2	0.5	<0.2	4
111241	Rock			0.051	11	8	0.21	98	<0.001	1	0.30	0.011	0.16	0.6	0.03	1.9	0.3	<0.05	<1	<0.5	<0.2	49
111242	Rock			0.280	26	57	0.89	114	0.002	1	0.93	0.004	0.20	1.1	0.12	10.0	0.3	<0.05	2	<0.5	<0.2	<2
111243	Rock			0.013	10	2	0.05	56	<0.001	3	0.21	0.005	0.20	0.2	0.03	0.5	0.2	<0.05	<1	<0.5	<0.2	38
111244	Rock			0.008	9	<1	0.02	41	<0.001	2	0.19	0.013	0.16	0.1	0.01	0.3	0.2	<0.05	<1	<0.5	<0.2	10
111245	Rock			0.008	12	<1	0.02	27	<0.001	2	0.19	0.027	0.16	0.1	0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	<2
111246	Rock			0.243	25	48	1.17	444	0.002	<1	0.72	0.005	0.16	0.7	0.11	9.6	0.2	0.08	1	<0.5	<0.2	<2
111247	Rock			0.075	12	2	0.44	93	0.108	<1	0.73	0.064	0.40	<0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	<2
111248	Rock			0.020	10	2	0.30	52	<0.001	1	0.21	0.019	0.16	0.1	<0.01	0.8	0.2	<0.05	<1	<0.5	<0.2	10
111249	Rock			0.008	11	<1	0.04	37	<0.001	2	0.20	0.032	0.16	<0.1	<0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	6
111250	Rock			0.009	11	<1	0.01	41	<0.001	2	0.19	0.024	0.15	<0.1	<0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
111251	Rock			0.008	10	<1	<0.01	20	<0.001	1	0.16	0.023	0.13	<0.1	<0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	2
111252	Rock			0.007	10	<1	<0.01	21	<0.001	2	0.17	0.028	0.14	<0.1	0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	4
111253	Rock			0.007	10	<1	<0.01	24	<0.001	2	0.17	0.031	0.14	<0.1	<0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	<2
111254	Rock			0.007	11	<1	0.01	35	<0.001	1	0.20	0.025	0.16	<0.1	<0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	5
111255	Rock			0.007	10	<1	<0.01	22	<0.001	1	0.14	0.026	0.12	0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<2
111256	Rock			0.010	10	2	0.01	27	<0.001	1	0.19	0.031	0.13	0.8	<0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111257 RRE 111256	Rock			0.010	10	2	0.01	25	<0.001	1	0.17	0.028	0.12	0.8	<0.01	0.6	0.1	<0.05	<1	<0.5	<0.2	<2
111258	Rock			0.006	8	<1	<0.01	22	<0.001	1	0.17	0.033	0.12	0.1	<0.01	0.8	0.1	<0.05	<1	<0.5	<0.2	<2
111259	Rock			0.007	11	<1	<0.01	24	<0.001	2	0.18	0.028	0.14	0.1	<0.01	0.6	0.1	<0.05	<1	<0.5	<0.2	<2
111260	Rock			0.007	9	<1	<0.01	30	<0.001	1	0.18	0.033	0.13	<0.1	<0.01	0.6	0.1	<0.05	<1	<0.5	<0.2	<2
111261	Rock			0.007	9	<1	0.01	28	<0.001	1	0.21	0.031	0.15	<0.1	<0.01	0.6	0.1	<0.05	<1	<0.5	<0.2	<2
111262	Rock			0.006	11	<1	0.01	31	<0.001	2	0.18	0.021	0.12	0.6	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	<2
111263	Rock			0.008	9	<1	0.24	27	<0.001	1	0.19	0.017	0.13	0.1	<0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	<2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000558.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111264	Rock		1.8	18.2	90.7	183	0.3	50.7	18.2	3164	3.69	110.6	38.2	4.9	10.9	127	1.2	13.3	<0.1	25	3.11
111265	Rock		2.5	26.3	45.7	205	0.3	75.2	22.4	3668	4.03	137.6	43.6	6.4	6.3	99	0.8	16.0	0.1	37	3.06
111266	Rock		1.0	1.9	63.2	485	0.3	6.6	3.8	9225	1.00	49.1	9.9	4.5	26.2	24	1.7	2.2	0.2	<2	0.46
111267	Rock		<0.1	2.3	2.8	47	<0.1	1.5	3.5	577	1.82	1.0	1.7	0.9	5.8	51	<0.1	0.1	<0.1	32	0.43
111268	Rock		1.2	0.8	24.1	203	0.2	0.8	2.7	4176	0.69	30.6	8.6	2.9	27.4	5	1.5	1.6	0.1	<2	0.05
111269	Rock		1.1	0.9	26.6	92	0.3	1.4	1.9	2934	0.79	169.3	9.8	18.9	24.3	60	0.4	3.6	<0.1	<2	1.44
111270	Rock		0.6	0.7	27.1	31	0.2	1.1	1.5	1866	0.67	292.9	18.3	28.6	25.0	51	<0.1	4.0	0.1	<2	1.01
111271	Rock		3.7	8.3	24.3	106	1.7	2.9	5.9	3878	2.29	116.4	11.9	4.7	4.4	57	0.3	3.7	0.2	15	0.67
111272	Rock		0.4	3.4	23.7	40	0.3	0.6	4.4	3061	0.67	149.1	8.8	19.3	22.9	34	0.2	3.4	0.1	<2	0.84
111273	Rock		0.3	7.9	28.4	45	0.4	0.5	12.3	2599	0.59	297.3	13.4	37.4	26.3	36	0.2	4.3	0.1	<2	0.91
111274	Rock		3.8	1.7	18.1	29	0.2	0.7	2.7	1471	0.67	27.6	8.3	7.1	25.8	32	<0.1	1.4	<0.1	<2	0.80
111275	Rock		0.3	4.0	22.9	37	0.3	0.7	6.1	1314	0.72	205.0	14.0	25.0	24.4	27	0.2	3.8	0.1	<2	0.52
111276	Rock		0.6	0.6	27.5	46	0.2	0.7	1.2	1270	0.61	98.9	25.6	5.7	24.9	30	0.1	2.9	<0.1	<2	0.57
111277 RRE 111276	Rock		0.6	0.5	28.6	51	0.2	1.0	1.3	1254	0.62	100.1	25.9	4.8	26.0	30	0.1	2.8	<0.1	<2	0.56
111278	Rock		4.3	4.4	218.8	293	0.9	2.0	7.0	4916	2.50	200.6	35.6	1.7	3.4	103	1.9	10.6	0.3	16	2.11
111279	Rock		0.5	1.3	23.9	216	0.2	0.7	2.0	3733	0.82	63.3	34.7	9.4	21.5	53	0.6	2.6	0.3	<2	0.99
111280	Rock		1.9	1.2	13.2	41	0.2	0.7	1.6	1443	0.68	19.9	17.5	4.0	18.4	32	0.2	1.8	0.2	<2	0.72
111281	Rock		1.9	0.9	17.5	22	0.1	0.5	1.0	1065	0.54	23.7	12.0	3.6	21.0	29	0.2	1.4	0.2	<2	0.70
111282	Rock		1.1	1.3	67.9	116	0.3	0.6	1.2	1094	0.62	19.8	13.4	12.1	25.8	27	0.9	3.0	0.1	<2	0.70
111283	Rock		1.8	1.0	16.9	34	0.1	0.8	1.2	845	0.66	90.5	20.5	6.5	29.0	22	0.2	3.1	0.1	<2	0.56
111284	Rock		0.2	1.0	16.3	43	0.2	0.6	1.2	876	0.58	211.1	10.9	11.8	27.0	26	0.3	3.0	0.2	<2	0.63
111285	Rock		0.4	1.0	21.9	61	0.3	0.7	1.3	661	0.71	193.9	8.5	13.3	25.8	28	0.5	3.7	0.6	<2	0.51
111286	Rock		0.9	2.3	35.5	168	1.3	0.7	1.4	2577	0.92	402.3	26.0	408.4	24.3	27	1.1	6.4	1.2	<2	0.40
111287	Rock		<0.1	2.2	2.7	46	<0.1	1.2	3.5	538	1.84	3.5	1.8	0.7	6.4	51	<0.1	<0.1	<0.1	33	0.43
111288	Rock		0.6	1.0	12.3	62	0.2	0.6	1.1	810	0.65	108.2	14.3	7.8	27.0	26	0.5	2.5	0.2	<2	0.55
111289	Rock		0.5	1.7	15.0	162	0.2	0.6	1.4	588	0.86	227.3	18.0	19.2	26.3	22	1.4	4.6	0.6	<2	0.51
111290	Rock		1.3	1.0	15.1	70	0.2	0.5	1.3	792	0.66	28.8	22.1	3.5	26.2	27	0.7	2.1	0.2	<2	0.65
111291	Rock		0.5	0.7	15.2	19	0.3	0.6	1.2	850	0.65	64.5	9.4	6.2	25.7	22	<0.1	2.9	0.1	<2	0.46
111292	Rock		0.3	0.4	19.6	21	0.1	0.5	1.3	1069	0.66	10.0	8.3	0.9	27.2	30	<0.1	1.5	<0.1	<2	0.70
111293	Rock		0.4	1.0	20.3	18	0.1	0.4	1.4	885	0.65	30.9	13.2	3.9	27.8	32	<0.1	2.0	<0.1	<2	0.78

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000558.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111264	Rock	0.215	26	45	0.56	95	0.002	1	0.76	0.007	0.17	0.9	0.09	7.8	0.3	0.16	2	<0.5	<0.2	5
111265	Rock	0.296	38	61	0.41	97	0.003	2	1.10	0.003	0.21	1.0	0.15	10.2	0.2	0.08	3	0.6	<0.2	6
111266	Rock	0.021	11	3	0.14	31	<0.001	<1	0.23	0.018	0.14	0.2	0.02	0.9	0.2	<0.05	<1	<0.5	<0.2	3
111267	Rock	0.079	14	3	0.42	105	0.109	<1	0.74	0.064	0.41	<0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	<2
111268	Rock	0.009	11	<1	<0.01	26	<0.001	2	0.19	0.027	0.15	0.3	0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111269	Rock	0.014	10	<1	0.08	95	<0.001	3	0.23	0.010	0.15	0.3	0.02	0.6	0.2	0.12	<1	<0.5	<0.2	21
111270	Rock	0.013	10	<1	0.10	28	<0.001	2	0.20	0.013	0.14	0.2	0.03	0.5	0.2	0.25	<1	<0.5	<0.2	30
111271	Rock	0.082	4	1	0.21	113	<0.001	4	0.47	0.003	0.18	5.6	0.09	4.4	0.5	0.16	1	<0.5	<0.2	<2
111272	Rock	0.014	8	<1	0.07	36	<0.001	2	0.19	0.013	0.16	0.5	0.04	0.5	0.2	0.35	<1	<0.5	<0.2	11
111273	Rock	0.014	10	<1	0.06	31	<0.001	2	0.19	0.018	0.17	0.3	0.02	0.4	0.2	0.36	<1	<0.5	<0.2	42
111274	Rock	0.015	12	<1	0.08	28	<0.001	2	0.18	0.023	0.14	<0.1	0.02	0.5	0.2	0.12	<1	<0.5	<0.2	2
111275	Rock	0.014	10	<1	0.06	36	<0.001	2	0.19	0.018	0.15	0.2	0.01	0.4	0.2	0.52	<1	<0.5	<0.2	28
111276	Rock	0.013	11	<1	0.07	26	<0.001	1	0.18	0.014	0.15	0.2	0.02	0.5	0.2	0.23	<1	<0.5	<0.2	4
111277 RRE 111276	Rock	0.013	10	<1	0.07	26	<0.001	1	0.19	0.014	0.15	0.2	0.02	0.4	0.2	0.23	<1	<0.5	<0.2	6
111278	Rock	0.078	5	1	0.20	29	<0.001	1	0.40	0.002	0.17	0.4	0.23	4.5	0.6	0.24	<1	<0.5	<0.2	3
111279	Rock	0.013	8	<1	0.10	275	<0.001	1	0.20	0.016	0.17	0.2	0.03	0.6	0.3	0.36	<1	<0.5	<0.2	10
111280	Rock	0.013	8	<1	0.09	73	<0.001	2	0.18	0.022	0.15	0.2	<0.01	0.6	0.2	0.17	<1	<0.5	<0.2	3
111281	Rock	0.010	8	<1	0.08	32	<0.001	1	0.19	0.029	0.15	0.1	<0.01	0.5	0.1	0.15	<1	<0.5	<0.2	2
111282	Rock	0.013	10	<1	0.10	34	<0.001	2	0.18	0.024	0.15	0.1	0.01	0.5	0.1	0.28	<1	<0.5	<0.2	23
111283	Rock	0.015	10	<1	0.10	43	<0.001	2	0.22	0.024	0.18	<0.1	0.01	0.4	0.2	0.36	<1	<0.5	<0.2	7
111284	Rock	0.014	10	<1	0.07	67	<0.001	2	0.21	0.017	0.18	0.2	<0.01	0.3	0.2	0.33	<1	<0.5	<0.2	13
111285	Rock	0.014	11	<1	0.05	201	<0.001	3	0.24	0.013	0.20	<0.1	0.01	0.4	0.3	0.56	<1	<0.5	<0.2	13
111286	Rock	0.012	9	<1	0.04	64	<0.001	2	0.26	0.005	0.19	0.1	0.05	0.4	0.5	0.77	<1	<0.5	<0.2	582
111287	Rock	0.081	15	2	0.43	104	0.111	1	0.78	0.073	0.41	<0.1	<0.01	1.9	0.3	<0.05	4	<0.5	<0.2	<2
111288	Rock	0.013	12	<1	0.05	29	<0.001	2	0.22	0.019	0.17	0.2	0.01	0.4	0.3	0.27	<1	<0.5	<0.2	7
111289	Rock	0.014	10	<1	0.06	45	<0.001	2	0.19	0.017	0.16	0.2	0.02	0.3	0.3	0.59	<1	<0.5	<0.2	20
111290	Rock	0.014	10	<1	0.07	32	<0.001	2	0.23	0.021	0.20	0.3	0.02	0.4	0.2	0.34	<1	<0.5	<0.2	2
111291	Rock	0.015	11	<1	0.06	27	<0.001	2	0.19	0.018	0.15	0.1	0.01	0.4	0.2	0.45	<1	<0.5	<0.2	5
111292	Rock	0.015	13	<1	0.09	44	<0.001	2	0.22	0.025	0.17	0.2	0.02	0.5	0.2	0.20	<1	<0.5	<0.2	<2
111293	Rock	0.015	13	<1	0.08	37	<0.001	2	0.22	0.026	0.17	0.2	0.01	0.5	0.2	0.25	<1	<0.5	<0.2	4



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000558.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111294	Rock		9.0	1.3	25.2	75	0.3	0.5	1.2	1330	0.67	48.0	12.4	7.5	26.9	27	0.3	2.1	0.1	<2	0.66
111295	Rock		0.5	1.3	20.1	19	0.5	0.5	1.4	1846	0.89	157.9	9.5	17.4	28.2	25	<0.1	3.5	0.2	<2	0.50
111296	Rock		2.1	0.7	17.9	31	0.2	0.5	1.1	1482	0.68	102.6	10.8	9.6	25.4	18	0.1	2.0	<0.1	<2	0.32
111297 RRE 111296	Rock		2.9	0.8	17.8	32	0.2	0.5	1.1	1492	0.67	100.5	10.7	10.3	25.0	17	<0.1	2.0	<0.1	<2	0.30
111298	Rock		0.3	0.7	20.5	25	0.2	0.6	1.1	1299	0.69	67.9	15.1	6.3	29.1	17	<0.1	1.8	<0.1	<2	0.33
111299	Rock		0.3	0.9	24.1	34	0.2	0.5	1.3	1873	0.65	52.4	10.8	4.5	26.3	21	<0.1	1.9	<0.1	<2	0.39
111300	Rock		0.3	0.9	21.8	31	0.2	0.6	1.8	1540	0.76	9.5	11.1	0.6	28.6	28	<0.1	1.5	<0.1	<2	0.52
111301	Rock		0.2	0.8	18.1	27	<0.1	0.6	2.2	1108	0.72	4.9	10.8	<0.5	29.2	28	<0.1	0.7	<0.1	<2	0.53
111302	Rock		0.3	0.9	14.4	24	0.1	0.4	1.6	1118	0.72	12.6	10.5	0.8	26.9	32	<0.1	1.2	<0.1	<2	0.68
111303	Rock		0.4	0.7	35.5	36	0.3	0.7	1.1	1681	0.57	62.6	9.9	3.9	21.8	43	0.1	2.1	<0.1	<2	0.69
111304	Rock		0.9	0.9	39.3	20	0.2	0.1	0.5	884	0.41	69.5	22.4	3.1	16.0	17	<0.1	1.7	0.3	<2	0.30
111305	Rock		0.4	0.5	18.3	32	0.2	0.8	1.2	1494	0.70	8.0	8.7	<0.5	23.1	32	<0.1	1.3	<0.1	<2	0.62
111306	Rock		0.3	0.9	12.3	25	0.1	0.5	1.1	1633	0.75	4.2	7.4	<0.5	24.0	39	<0.1	0.8	<0.1	<2	0.72
111307	Rock		<0.1	2.6	2.9	46	<0.1	1.2	3.5	564	1.90	1.1	1.5	1.2	6.2	50	<0.1	<0.1	<0.1	37	0.46
111308	Rock		0.7	1.1	17.1	28	0.5	0.9	1.3	1545	0.70	9.4	9.3	1.9	27.4	58	<0.1	1.3	<0.1	<2	0.92



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000558.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	2		
111294	Rock	0.014	11	<1	0.09	38	<0.001	2	0.23	0.022	0.19	0.2	0.01	0.4	0.2	0.34	<1	<0.5	<0.2	6
111295	Rock	0.015	12	<1	0.06	125	<0.001	3	0.25	0.021	0.21	0.2	0.01	0.5	0.4	0.65	<1	<0.5	<0.2	18
111296	Rock	0.012	12	<1	0.06	32	<0.001	2	0.21	0.021	0.18	<0.1	0.01	0.5	0.2	0.34	<1	<0.5	<0.2	9
111297 RRE 111296	Rock	0.013	12	<1	0.06	30	<0.001	1	0.21	0.021	0.17	0.1	0.02	0.5	0.2	0.34	<1	<0.5	<0.2	10
111298	Rock	0.012	14	<1	0.07	37	<0.001	2	0.22	0.028	0.18	0.2	0.01	0.6	0.2	0.34	<1	<0.5	<0.2	5
111299	Rock	0.012	13	<1	0.05	31	<0.001	2	0.19	0.019	0.15	0.1	0.02	0.5	0.2	0.39	<1	<0.5	<0.2	4
111300	Rock	0.014	14	<1	0.11	49	<0.001	2	0.23	0.028	0.17	<0.1	0.02	0.6	0.2	0.21	<1	<0.5	<0.2	<2
111301	Rock	0.014	13	1	0.10	51	<0.001	2	0.19	0.022	0.14	0.1	<0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111302	Rock	0.013	13	<1	0.10	27	<0.001	2	0.19	0.026	0.15	0.1	<0.01	0.7	0.1	0.14	<1	<0.5	<0.2	<2
111303	Rock	0.010	10	<1	0.05	81	<0.001	2	0.21	0.012	0.16	0.1	0.01	0.5	0.2	0.35	<1	<0.5	<0.2	4
111304	Rock	0.003	4	<1	0.03	28	<0.001	2	0.18	0.027	0.13	0.2	0.02	0.5	0.1	0.21	<1	<0.5	<0.2	4
111305	Rock	0.014	12	1	0.09	36	<0.001	2	0.18	0.024	0.14	0.1	0.02	0.6	0.2	0.14	<1	<0.5	<0.2	<2
111306	Rock	0.014	12	<1	0.10	55	<0.001	2	0.19	0.024	0.13	0.2	<0.01	0.6	0.1	0.06	<1	<0.5	<0.2	<2
111307	Rock	0.076	15	2	0.45	103	0.109	<1	0.77	0.081	0.44	<0.1	<0.01	2.1	0.3	<0.05	4	<0.5	<0.2	<2
111308	Rock	0.014	11	<1	0.07	63	<0.001	1	0.19	0.021	0.15	0.8	<0.01	0.7	0.2	0.16	<1	<0.5	<0.2	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000558.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
111223	Rock	4.39	1.1	2.7	51.9	88	0.9	5.4	2.5	6875	1.27	63.1	8.1	55.6	25.1	74	0.3	2.9	0.9	<2	1.12
REP 111223	QC																				
111231	Rock	6.06	1.3	20.8	9.4	91	0.1	62.5	22.5	1687	4.71	39.9	13.5	0.6	3.3	402	0.2	10.5	<0.1	37	6.20
REP 111231	QC		1.5	21.7	9.5	92	<0.1	65.0	23.0	1759	4.94	41.6	13.7	0.9	3.4	433	0.2	10.1	<0.1	39	6.46
111241	Rock	6.22	0.8	4.9	36.6	53	0.4	15.7	5.9	1272	1.16	112.7	8.2	49.3	22.2	44	0.2	4.1	0.6	5	1.32
REP 111241	QC																				
111265	Rock		2.5	26.3	45.7	205	0.3	75.2	22.4	3668	4.03	137.6	43.6	6.4	6.3	99	0.8	16.0	0.1	37	3.06
REP 111265	QC		2.4	25.0	42.8	199	0.3	74.4	21.3	3619	4.00	134.2	43.5	7.2	6.1	95	0.8	14.5	0.1	37	3.05
111283	Rock		1.8	1.0	16.9	34	0.1	0.8	1.2	845	0.66	90.5	20.5	6.5	29.0	22	0.2	3.1	0.1	<2	0.56
REP 111283	QC		2.1	0.9	17.0	34	0.1	0.7	1.2	861	0.66	92.6	19.9	8.1	29.1	23	0.2	3.2	0.1	<2	0.57
111295	Rock		0.5	1.3	20.1	19	0.5	0.5	1.4	1846	0.89	157.9	9.5	17.4	28.2	25	<0.1	3.5	0.2	<2	0.50
REP 111295	QC																				
Core Reject Duplicates																					
111215	Rock	4.89	1.2	20.9	6.5	87	<0.1	52.5	19.3	1754	4.24	19.5	8.1	2.3	3.3	173	0.2	13.4	<0.1	43	5.17
DUP 111215	QC		1.1	21.5	6.4	87	<0.1	55.6	20.8	1788	4.27	18.6	8.4	3.0	3.2	168	0.2	12.8	<0.1	42	5.20
111250	Rock	6.28	0.5	0.6	40.0	80	0.4	0.6	0.8	1875	0.52	35.4	5.7	2.2	28.5	14	0.2	2.3	0.6	<2	0.10
DUP 111250	QC		0.4	0.6	39.3	80	0.4	0.5	0.8	1829	0.54	36.0	5.7	2.4	27.0	13	0.2	2.3	0.6	<2	0.11
111285	Rock		0.4	1.0	21.9	61	0.3	0.7	1.3	661	0.71	193.9	8.5	13.3	25.8	28	0.5	3.7	0.6	<2	0.51
DUP 111285	QC		0.3	1.2	22.4	62	0.3	0.6	1.2	666	0.69	193.8	8.3	13.1	25.8	28	0.4	3.6	0.6	<2	0.53
Reference Materials																					
STD DS7	Standard		21.1	117.6	67.8	398	0.9	55.6	9.5	600	2.34	54.7	4.9	62.4	4.7	72	6.6	6.1	4.9	79	0.95
STD DS7	Standard		20.3	109.3	67.9	389	0.9	52.9	9.4	620	2.36	52.8	5.0	62.9	4.8	76	6.3	6.0	4.9	80	0.96
STD DS7	Standard		20.2	104.4	70.0	381	1.0	52.7	9.9	608	2.30	53.3	4.8	64.0	4.5	67	6.4	6.1	4.9	78	0.90
STD DS7	Standard		20.9	106.1	67.4	383	1.0	53.4	9.3	618	2.36	52.3	4.9	62.3	4.8	69	6.2	6.2	4.6	81	0.96
STD DS7	Standard		19.5	108.1	64.7	396	0.9	54.4	9.5	615	2.37	51.2	4.8	53.8	4.6	69	6.1	5.8	4.6	80	0.93
STD DS7	Standard		21.6	107.1	67.1	394	0.9	60.6	9.2	625	2.39	52.6	4.8	63.1	4.8	72	6.3	6.1	4.8	81	0.94
STD DS7	Standard		19.6	105.5	64.2	374	0.9	51.2	8.8	620	2.33	52.4	4.4	63.5	4.7	72	6.0	5.9	4.4	80	0.96
STD DS7	Standard		20.9	105.4	65.9	376	1.0	55.9	9.1	642	2.36	51.2	4.9	71.2	5.0	78	6.4	6.0	4.8	81	0.99

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000558.1

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te	3B Au
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
Pulp Duplicates																						
111223	Rock			0.018	13	1	0.08	493	<0.001	3	0.27	0.006	0.21	0.2	<0.01	0.6	0.2	<0.05	<1	<0.5	<0.2	45
REP 111223	QC																					47
111231	Rock			0.259	23	40	1.65	109	0.002	<1	1.01	0.004	0.19	0.5	0.05	9.6	0.2	<0.05	2	0.5	<0.2	<2
REP 111231	QC			0.282	23	41	1.77	113	0.003	<1	0.97	0.004	0.19	0.5	0.06	9.8	0.2	<0.05	2	<0.5	<0.2	
111241	Rock			0.051	11	8	0.21	98	<0.001	1	0.30	0.011	0.16	0.6	0.03	1.9	0.3	<0.05	<1	<0.5	<0.2	49
REP 111241	QC																					50
111265	Rock			0.296	38	61	0.41	97	0.003	2	1.10	0.003	0.21	1.0	0.15	10.2	0.2	0.08	3	0.6	<0.2	6
REP 111265	QC			0.305	36	57	0.41	96	0.003	2	1.12	0.003	0.22	0.8	0.14	9.9	0.3	0.08	3	<0.5	<0.2	
111283	Rock			0.015	10	<1	0.10	43	<0.001	2	0.22	0.024	0.18	<0.1	0.01	0.4	0.2	0.36	<1	<0.5	<0.2	7
REP 111283	QC			0.015	11	<1	0.10	45	<0.001	2	0.23	0.024	0.20	0.1	0.01	0.4	0.2	0.35	<1	<0.5	<0.2	
111295	Rock			0.015	12	<1	0.06	125	<0.001	3	0.25	0.021	0.21	0.2	0.01	0.5	0.4	0.65	<1	<0.5	<0.2	18
REP 111295	QC																					18
Core Reject Duplicates																						
111215	Rock			0.285	36	63	0.58	377	0.024	2	1.49	0.034	0.32	0.2	0.08	9.5	0.2	<0.05	4	<0.5	<0.2	4
DUP 111215	QC			0.272	37	61	0.59	378	0.023	1	1.34	0.033	0.29	0.2	0.07	9.5	0.2	<0.05	4	<0.5	<0.2	4
111250	Rock			0.009	11	<1	0.01	41	<0.001	2	0.19	0.024	0.15	<0.1	<0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
DUP 111250	QC			0.007	11	<1	0.01	37	<0.001	2	0.19	0.025	0.16	<0.1	<0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
111285	Rock			0.014	11	<1	0.05	201	<0.001	3	0.24	0.013	0.20	<0.1	0.01	0.4	0.3	0.56	<1	<0.5	<0.2	13
DUP 111285	QC			0.014	11	<1	0.04	196	<0.001	2	0.22	0.011	0.17	<0.1	0.01	0.4	0.2	0.57	<1	<0.5	<0.2	13
Reference Materials																						
STD DS7	Standard			0.078	13	209	1.06	404	0.122	40	1.06	0.098	0.47	3.5	0.20	2.4	3.9	0.18	5	3.1	1.3	
STD DS7	Standard			0.078	13	206	1.06	398	0.122	40	1.05	0.096	0.45	3.5	0.21	2.5	3.9	0.18	5	3.1	1.3	
STD DS7	Standard			0.082	12	192	1.04	400	0.116	44	0.99	0.087	0.44	3.6	0.21	2.1	4.2	0.18	5	2.9	1.0	
STD DS7	Standard			0.080	13	195	1.03	411	0.123	44	1.02	0.093	0.45	3.7	0.22	2.3	4.0	0.18	5	3.5	1.3	
STD DS7	Standard			0.075	12	200	1.06	391	0.117	36	1.02	0.093	0.43	3.9	0.19	2.2	4.0	0.19	5	3.5	1.1	
STD DS7	Standard			0.078	13	208	1.06	405	0.119	40	1.01	0.092	0.44	3.8	0.19	2.3	4.1	0.19	5	3.6	0.9	
STD DS7	Standard			0.071	13	197	1.03	382	0.117	35	1.03	0.099	0.47	3.4	0.21	2.8	3.9	0.20	5	3.3	1.5	
STD DS7	Standard			0.074	15	209	1.06	389	0.121	38	1.07	0.102	0.47	3.4	0.21	2.7	3.9	0.20	5	3.0	1.1	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 05, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000558.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
STD OXC72	Standard																			186	
STD OXC72	Standard																				187
STD OXC72	Standard																				197
STD OXC72	Standard																				192
STD OXC72	Standard																				198
STD OXH66	Standard																				1218
STD OXH66	Standard																				1218
STD OXH66	Standard																				1313
STD OXH66	Standard																				1267
STD OXH66	Standard																				1286
STD OXH66 Expected																					1285
STD OXC72 Expected																					205
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																			<2	
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
Prep Wash																					
G1	Prep Blank	0.079	12	2	0.47	102	0.108	<1	0.76	0.072	0.39	<0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	<2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 05, 2010

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI10000558.1

	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
G1	Prep Blank	0.1	4.2	3.5	49	<0.1	0.7	3.6	566	1.88	<0.5	1.8	1.6	6.8	52	<0.1	<0.1	<0.1	33	0.47



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 05, 2010

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000558.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
G1	Prep Blank	0.085	13	2	0.45	104	0.117	<1	0.76	0.067	0.42	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5	<0.2	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 04, 2010
Report Date: November 05, 2010
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI10000560.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: TT-103
P.O. Number
Number of Samples: 91

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	86	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1DX2	91	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	91	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000560.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111309	Rock	3.25	1.9	21.5	8.5	59	0.1	18.0	7.1	440	2.12	12.4	2.2	<0.5	6.1	117	0.3	1.2	<0.1	11	1.13
111310	Rock	2.25	2.3	45.8	8.7	112	0.2	107.8	18.5	850	3.21	85.1	1.4	0.6	5.9	215	0.5	2.2	0.1	57	2.33
111311	Rock	2.74	2.5	38.6	16.8	86	0.2	45.3	12.0	865	3.04	143.7	1.3	2.2	6.0	204	0.4	3.8	0.1	44	2.26
111312	Rock	2.87	2.8	28.3	25.0	120	0.3	26.0	12.8	987	2.91	246.4	2.6	5.5	7.4	239	0.6	6.7	0.5	38	1.94
111313	Rock	2.86	2.7	21.0	20.9	90	0.2	14.9	10.2	864	2.88	203.9	1.9	4.6	4.2	210	0.4	4.5	0.4	43	2.24
111314	Rock	2.58	2.6	17.0	15.5	73	<0.1	10.6	12.7	918	3.01	34.1	1.4	3.3	3.6	238	0.2	3.3	0.3	46	3.00
111315	Rock	2.98	3.8	21.2	32.8	118	0.3	16.2	12.2	1082	3.05	138.1	1.9	7.5	4.0	267	0.6	5.6	0.4	51	2.69
111316	Rock	2.30	3.9	22.1	29.0	94	0.3	18.4	11.7	1073	2.92	87.1	4.6	6.8	5.6	227	0.5	5.6	0.5	41	2.37
111317 RRE 111316	Rock	<0.01	3.5	20.7	34.1	91	0.3	18.0	11.9	1037	2.83	83.7	4.5	4.8	5.5	223	0.5	5.8	0.5	40	2.31
111318	Rock	2.66	4.6	16.1	67.0	133	0.9	7.3	5.4	796	1.78	317.9	5.8	27.4	13.1	123	1.5	7.0	1.4	12	1.22
111319	Rock	2.65	5.0	14.5	48.9	109	0.6	6.5	5.2	999	1.81	207.2	6.6	39.3	14.9	111	1.1	6.1	1.0	13	1.30
111320	Rock	2.58	7.0	9.9	39.1	86	0.4	3.0	3.9	891	1.58	126.6	7.0	15.7	16.2	126	0.7	4.2	0.6	11	1.28
111321	Rock	3.02	4.0	11.1	31.9	73	0.4	5.4	4.8	730	1.58	134.0	6.2	13.9	16.1	117	0.5	4.1	0.6	13	1.22
111322	Rock	3.20	2.5	9.2	30.6	85	0.3	8.6	5.1	635	1.75	65.6	6.8	6.7	14.2	123	0.6	4.0	0.7	14	0.88
111323	Rock	2.80	2.2	18.3	32.6	68	0.3	9.8	8.3	779	2.12	87.8	7.1	7.8	10.4	212	0.5	5.7	0.5	20	1.47
111324	Rock	3.10	5.8	15.2	47.8	124	0.7	6.3	5.2	861	1.67	181.5	7.0	22.6	16.5	187	1.4	5.4	1.1	14	1.61
111325	Rock	2.95	6.5	18.9	41.7	103	0.5	63.1	9.1	950	1.83	202.7	7.6	14.4	14.0	166	1.1	4.7	0.8	14	1.66
111326	Rock	3.08	5.0	16.8	40.3	73	0.5	7.6	5.6	903	1.93	76.7	6.0	5.0	13.1	167	0.6	4.7	0.6	17	1.78
111327	Rock	0.47	0.1	2.4	3.3	49	<0.1	1.4	3.8	624	2.03	0.8	1.9	<0.5	7.2	63	<0.1	<0.1	<0.1	40	0.54
111328	Rock	2.78	8.5	12.8	28.6	57	0.3	6.8	4.4	734	1.66	73.4	6.1	7.4	14.3	160	0.4	3.4	0.6	16	1.40
111329	Rock	2.84	2.6	14.2	32.0	85	0.3	7.1	5.2	806	1.78	73.6	6.3	8.6	13.4	198	0.6	4.1	0.5	16	1.50
111330	Rock	2.62	0.4	5.8	23.7	49	<0.1	2.5	4.1	900	1.79	31.5	6.5	2.1	14.0	233	0.1	4.0	0.1	10	1.91
111331	Rock	2.83	0.8	6.8	22.2	38	<0.1	3.5	3.2	837	1.51	22.3	9.2	3.3	18.2	289	0.1	2.6	0.1	10	2.02
111332	Rock	2.59	63.3	11.8	47.6	58	0.3	2.7	10.3	891	2.05	90.5	5.6	21.0	13.8	148	0.2	4.9	0.4	9	1.63
111333	Rock	3.00	0.2	3.7	16.9	35	<0.1	2.7	4.9	741	1.62	11.0	5.2	2.1	12.5	170	<0.1	1.5	<0.1	16	1.44
111334	Rock	3.20	0.6	3.2	20.0	39	<0.1	3.1	4.2	645	1.37	16.6	7.6	2.4	10.9	138	<0.1	1.7	0.2	12	1.12
111335	Rock	3.61	0.2	1.9	19.6	39	<0.1	1.9	3.7	728	1.27	17.7	9.2	<0.5	12.3	151	<0.1	1.3	0.2	11	1.16
111336	Rock	2.67	0.3	3.5	107.4	161	0.3	2.3	3.8	776	1.25	56.8	7.9	4.1	13.0	154	1.1	1.8	0.1	6	1.38
111337 RRE 111336	Rock	<0.01	0.6	4.2	106.6	163	0.4	3.6	3.9	759	1.31	57.4	7.8	2.8	13.2	153	1.2	1.8	0.1	7	1.35
111338	Rock	2.79	0.3	6.5	16.8	34	<0.1	2.6	4.1	755	1.33	25.7	8.4	<0.5	13.7	145	<0.1	2.8	0.1	9	1.53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000560.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111309	Rock	0.031	14	3	0.39	145	<0.001	1	0.32	0.026	0.12	<0.1	0.01	5.1	0.1	0.39	1	0.7	<0.2	<2
111310	Rock	0.064	19	42	1.16	401	<0.001	2	0.44	0.025	0.20	<0.1	0.04	7.4	0.2	0.20	2	1.1	<0.2	<2
111311	Rock	0.058	19	26	1.08	262	<0.001	2	0.41	0.021	0.20	<0.1	0.01	6.2	0.2	0.46	1	1.1	<0.2	<2
111312	Rock	0.056	12	16	0.82	149	<0.001	2	0.42	0.018	0.21	0.1	0.03	6.1	0.2	0.77	1	0.8	<0.2	14
111313	Rock	0.083	11	12	0.86	139	<0.001	3	0.63	0.027	0.26	0.1	0.03	6.5	0.2	0.41	2	<0.5	<0.2	3
111314	Rock	0.087	11	11	1.15	244	<0.001	2	0.52	0.023	0.21	0.1	0.03	5.5	0.2	0.30	1	<0.5	<0.2	<2
111315	Rock	0.101	11	13	0.93	242	<0.001	3	0.62	0.022	0.25	0.2	0.04	7.9	0.2	0.55	2	0.5	<0.2	6
111316	Rock	0.078	11	13	0.82	256	<0.001	3	0.60	0.022	0.25	0.2	0.03	6.5	0.2	0.53	1	0.8	<0.2	6
111317 RRE 111316	Rock	0.073	11	12	0.80	277	<0.001	2	0.50	0.019	0.20	0.1	0.02	5.9	0.2	0.52	1	1.0	<0.2	7
111318	Rock	0.045	11	5	0.37	239	<0.001	3	0.53	0.021	0.26	0.1	0.04	2.7	0.3	0.40	1	<0.5	<0.2	28
111319	Rock	0.045	14	6	0.44	167	<0.001	3	0.46	0.025	0.25	0.1	0.04	2.6	0.3	0.40	1	<0.5	<0.2	29
111320	Rock	0.049	16	3	0.39	231	<0.001	2	0.35	0.021	0.19	0.1	0.04	2.1	0.3	0.40	<1	<0.5	<0.2	15
111321	Rock	0.047	14	4	0.41	223	<0.001	3	0.34	0.026	0.20	<0.1	0.04	2.2	0.3	0.34	1	<0.5	<0.2	9
111322	Rock	0.048	13	4	0.36	276	<0.001	3	0.41	0.027	0.20	0.1	0.05	2.4	0.2	0.36	1	<0.5	<0.2	7
111323	Rock	0.051	10	6	0.50	272	<0.001	2	0.41	0.028	0.20	0.1	0.08	3.8	0.2	0.56	1	<0.5	<0.2	6
111324	Rock	0.043	15	4	0.42	229	<0.001	2	0.35	0.024	0.19	0.1	0.06	2.3	0.2	0.56	<1	<0.5	<0.2	16
111325	Rock	0.042	13	14	0.46	202	<0.001	2	0.43	0.030	0.23	0.1	0.07	2.6	0.3	0.73	1	<0.5	<0.2	15
111326	Rock	0.052	12	5	0.53	206	<0.001	3	0.37	0.028	0.19	<0.1	0.06	2.9	0.2	0.82	<1	<0.5	0.3	5
111327	Rock	0.078	19	2	0.47	113	0.129	<1	0.89	0.110	0.48	<0.1	<0.01	2.3	0.4	<0.05	5	<0.5	<0.2	<2
111328	Rock	0.047	14	7	0.38	172	<0.001	3	0.40	0.038	0.21	0.1	0.05	2.5	0.2	0.35	1	<0.5	<0.2	7
111329	Rock	0.049	13	5	0.43	308	<0.001	3	0.34	0.029	0.19	0.1	0.07	2.7	0.2	0.42	<1	<0.5	<0.2	9
111330	Rock	0.050	14	2	0.47	212	<0.001	2	0.34	0.028	0.18	0.2	0.07	1.6	0.3	0.67	<1	<0.5	<0.2	<2
111331	Rock	0.034	10	4	0.36	311	<0.001	2	0.36	0.037	0.18	<0.1	0.04	2.0	0.2	0.31	<1	<0.5	<0.2	4
111332	Rock	0.048	12	2	0.39	62	<0.001	2	0.24	0.021	0.15	0.3	0.04	1.2	0.3	1.35	<1	<0.5	<0.2	20
111333	Rock	0.048	10	3	0.36	144	<0.001	2	0.22	0.027	0.12	<0.1	0.02	1.9	0.1	0.26	<1	<0.5	<0.2	<2
111334	Rock	0.041	8	3	0.26	171	<0.001	1	0.23	0.032	0.13	<0.1	0.03	1.4	0.2	0.27	<1	<0.5	<0.2	<2
111335	Rock	0.036	8	2	0.26	257	<0.001	1	0.19	0.028	0.11	<0.1	0.04	1.8	0.1	0.18	<1	<0.5	<0.2	<2
111336	Rock	0.040	10	1	0.23	293	<0.001	2	0.21	0.022	0.15	<0.1	0.04	1.4	0.2	0.32	<1	<0.5	<0.2	<2
111337 RRE 111336	Rock	0.041	10	3	0.23	277	<0.001	2	0.25	0.028	0.17	<0.1	0.04	1.4	0.2	0.32	<1	<0.5	<0.2	3
111338	Rock	0.049	12	2	0.23	521	<0.001	2	0.20	0.025	0.14	<0.1	0.02	1.4	0.2	0.13	<1	<0.5	<0.2	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000560.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111339	Rock	2.85	0.5	3.9	17.5	41	<0.1	3.2	4.3	868	1.58	99.1	5.7	1.3	14.0	157	<0.1	2.3	<0.1	11	1.75
111340	Rock	2.41	0.6	3.1	18.9	40	0.1	2.6	4.0	740	1.43	364.4	5.6	3.4	13.8	165	<0.1	2.7	0.1	10	1.80
111341	Rock	2.97	0.5	4.4	25.2	26	<0.1	1.0	1.9	649	1.07	150.2	10.6	2.3	18.0	107	0.1	2.8	0.2	4	1.27
111342	Rock	3.20	2.8	4.7	19.2	51	0.1	2.3	4.0	709	1.29	182.0	6.0	4.5	14.4	142	0.2	3.2	<0.1	9	1.62
111343	Rock	3.19	0.5	8.5	28.5	52	0.2	2.4	4.2	739	1.47	198.8	7.6	6.5	14.9	126	0.3	4.5	<0.1	8	1.49
111344	Rock	2.32	2.1	5.3	29.2	90	0.2	2.2	3.5	746	1.36	234.5	9.1	3.0	14.4	94	0.5	3.8	0.3	7	1.22
111345	Rock	3.01	3.0	8.1	31.3	98	0.2	2.3	3.8	957	1.42	144.9	7.9	3.5	14.8	130	0.6	4.4	0.3	7	1.53
111346	Rock	2.26	1.9	7.3	40.1	52	0.6	2.6	4.3	1545	2.21	596.1	15.0	34.4	15.1	73	0.3	5.6	1.6	7	1.00
111347	Rock	0.62	<0.1	2.0	2.6	45	<0.1	1.2	3.4	539	1.82	1.2	1.6	1.1	5.2	45	<0.1	<0.1	<0.1	36	0.41
111348	Rock	3.62	6.7	5.5	28.5	49	0.1	2.6	3.5	951	1.39	154.0	7.7	7.3	14.9	125	0.2	3.3	0.3	8	1.41
111349	Rock	2.77	3.0	7.2	30.8	54	0.1	2.3	3.5	721	1.30	33.8	8.1	3.0	16.3	136	0.2	2.9	0.1	8	1.30
111350	Rock	2.54	0.8	4.7	56.9	68	0.3	2.0	4.1	693	1.54	73.7	11.2	6.0	17.1	133	0.3	2.9	0.2	6	1.31
111351	Rock	2.66	0.2	2.5	24.0	52	<0.1	1.8	2.8	797	1.25	38.8	9.8	1.7	16.2	174	0.2	1.7	<0.1	7	1.78
111352	Rock	2.99	0.2	4.2	16.3	37	<0.1	3.1	4.4	704	1.64	47.3	6.8	<0.5	15.6	194	<0.1	1.9	<0.1	19	1.34
111353	Rock	3.24	0.2	4.3	19.3	31	<0.1	1.8	2.8	671	1.23	35.8	11.1	<0.5	17.6	179	<0.1	1.8	<0.1	9	1.34
111354	Rock	3.03	0.4	2.8	23.8	42	<0.1	2.5	4.5	917	1.58	76.6	9.5	1.1	19.0	155	<0.1	1.2	<0.1	12	1.31
111355	Rock	3.06	0.2	6.1	84.6	90	0.4	2.7	4.1	880	1.51	41.8	8.7	2.1	17.9	152	0.5	3.1	0.5	5	1.66
111356	Rock	2.58	0.7	9.5	26.3	55	0.2	3.3	9.1	901	1.51	114.2	8.6	6.1	14.0	111	0.3	4.0	0.3	8	1.14
111357 RRE 111356	Rock	<0.01	1.0	9.4	25.4	56	0.2	2.9	9.1	872	1.51	115.5	8.1	5.7	12.5	105	0.4	4.1	0.2	7	1.11
111358	Rock	2.81	1.5	6.3	31.5	79	0.3	2.3	3.8	853	1.47	88.7	7.8	5.6	15.0	96	0.6	3.7	0.3	7	1.22
111359	Rock	2.84	1.7	8.1	33.9	81	0.3	3.0	4.0	803	1.46	93.0	7.7	6.3	14.6	104	0.5	4.1	0.5	8	1.24
111360	Rock	3.16	4.2	9.1	30.7	69	0.3	2.7	3.6	980	1.61	131.0	6.9	9.3	14.1	119	0.5	5.1	0.3	7	1.49
111361	Rock	2.41	2.8	9.1	38.2	70	0.4	4.4	4.5	847	1.59	195.8	8.2	14.2	12.8	126	0.5	4.6	0.7	12	1.44
111362	Rock	3.05	3.5	10.5	35.3	72	0.7	5.1	4.8	868	1.64	224.2	8.2	16.6	13.0	130	0.7	5.6	0.7	14	1.59
111363	Rock	2.87	1.1	6.5	21.3	45	0.4	2.4	2.9	718	1.54	509.5	9.6	13.2	13.2	87	0.3	3.8	1.1	8	1.17
111364	Rock	2.86	2.7	11.3	36.4	87	0.5	5.3	4.1	837	1.49	175.3	9.3	13.4	12.5	110	0.7	5.7	1.1	11	1.27
111365	Rock	2.87	4.0	11.7	32.5	67	0.4	4.3	4.9	805	1.60	217.2	6.9	15.1	12.9	110	0.5	4.7	0.6	13	1.38
111366	Rock	2.71	3.0	7.7	28.4	64	0.3	3.3	4.0	757	1.49	239.7	6.9	6.4	15.0	113	0.5	4.3	0.4	10	1.40
111367	Rock	0.58	<0.1	2.2	2.7	45	<0.1	1.2	3.4	572	1.97	1.7	1.7	1.1	6.4	52	<0.1	<0.1	<0.1	39	0.47
111368	Rock	2.95	4.3	12.0	31.0	68	0.5	4.5	3.9	650	1.56	603.2	7.1	13.5	14.2	116	0.6	6.6	0.6	8	1.17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000560.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111339	Rock	0.050	11	3	0.41	520	<0.001	2	0.26	0.030	0.17	<0.1	0.02	1.6	0.2	0.20	<1	0.5	<0.2	3
111340	Rock	0.049	11	2	0.37	286	<0.001	1	0.23	0.023	0.14	<0.1	0.03	1.3	0.2	0.31	<1	<0.5	<0.2	8
111341	Rock	0.021	9	<1	0.29	182	<0.001	1	0.19	0.025	0.15	<0.1	0.03	1.1	0.1	0.35	<1	<0.5	<0.2	5
111342	Rock	0.052	12	2	0.25	135	<0.001	2	0.25	0.025	0.17	<0.1	0.03	1.2	0.2	0.45	<1	<0.5	<0.2	4
111343	Rock	0.048	12	2	0.20	140	<0.001	2	0.26	0.024	0.18	<0.1	0.04	1.3	0.2	0.76	<1	<0.5	<0.2	5
111344	Rock	0.046	13	1	0.28	131	<0.001	2	0.27	0.025	0.19	<0.1	0.05	1.1	0.2	0.74	<1	<0.5	<0.2	3
111345	Rock	0.043	13	1	0.26	112	<0.001	2	0.23	0.024	0.17	<0.1	0.04	1.0	0.2	0.79	<1	<0.5	<0.2	5
111346	Rock	0.051	9	1	0.17	57	<0.001	2	0.28	0.012	0.23	0.1	0.03	0.8	0.4	1.87	<1	<0.5	<0.2	35
111347	Rock	0.076	12	3	0.42	92	0.091	<1	0.69	0.060	0.41	<0.1	<0.01	1.4	0.4	<0.05	4	<0.5	<0.2	<2
111348	Rock	0.046	15	2	0.24	108	<0.001	3	0.26	0.022	0.18	<0.1	0.02	1.1	0.2	0.55	<1	<0.5	<0.2	10
111349	Rock	0.046	13	<1	0.17	95	<0.001	2	0.25	0.020	0.17	<0.1	0.02	1.2	0.2	0.43	<1	<0.5	<0.2	4
111350	Rock	0.043	13	1	0.13	97	<0.001	2	0.26	0.022	0.19	<0.1	0.04	1.0	0.2	0.98	<1	<0.5	<0.2	5
111351	Rock	0.036	14	1	0.34	141	<0.001	2	0.23	0.028	0.16	<0.1	0.03	1.3	0.2	0.22	<1	<0.5	<0.2	<2
111352	Rock	0.051	13	4	0.33	104	<0.001	2	0.25	0.036	0.14	<0.1	0.07	2.3	0.2	0.24	<1	<0.5	<0.2	3
111353	Rock	0.034	15	2	0.24	143	<0.001	2	0.24	0.035	0.16	<0.1	0.03	1.4	0.2	0.13	<1	<0.5	<0.2	<2
111354	Rock	0.052	14	2	0.23	168	<0.001	2	0.25	0.037	0.17	<0.1	0.02	1.6	0.1	0.11	<1	<0.5	<0.2	<2
111355	Rock	0.060	14	1	0.14	132	<0.001	3	0.27	0.021	0.21	<0.1	0.03	0.7	0.3	0.87	<1	<0.5	<0.2	4
111356	Rock	0.056	14	<1	0.22	202	<0.001	2	0.29	0.023	0.20	0.1	0.04	1.1	0.3	0.53	<1	<0.5	<0.2	5
111357 RRE 111356	Rock	0.052	13	2	0.22	176	<0.001	2	0.26	0.023	0.19	0.1	0.04	1.1	0.3	0.54	<1	<0.5	<0.2	6
111358	Rock	0.045	12	1	0.29	90	<0.001	2	0.27	0.023	0.20	<0.1	0.07	1.0	0.3	0.82	<1	<0.5	<0.2	5
111359	Rock	0.047	14	2	0.29	156	<0.001	2	0.29	0.026	0.20	<0.1	0.07	1.2	0.2	0.82	<1	<0.5	<0.2	6
111360	Rock	0.048	13	2	0.37	140	<0.001	1	0.27	0.024	0.19	0.1	0.06	1.1	0.3	0.95	<1	<0.5	<0.2	10
111361	Rock	0.044	12	4	0.32	179	<0.001	2	0.28	0.027	0.19	<0.1	0.07	1.5	0.2	0.66	<1	<0.5	<0.2	22
111362	Rock	0.047	12	4	0.39	122	<0.001	1	0.26	0.025	0.17	0.7	0.14	1.9	0.2	0.79	<1	<0.5	<0.2	15
111363	Rock	0.035	11	2	0.31	117	<0.001	2	0.24	0.027	0.17	0.1	0.05	1.0	0.2	0.83	<1	<0.5	<0.2	12
111364	Rock	0.040	11	4	0.32	152	<0.001	3	0.28	0.025	0.19	1.0	0.09	1.3	0.3	0.73	<1	<0.5	0.2	15
111365	Rock	0.046	12	4	0.34	150	<0.001	2	0.26	0.027	0.18	0.3	0.09	1.6	0.2	0.63	<1	<0.5	0.3	17
111366	Rock	0.048	14	2	0.21	161	<0.001	2	0.26	0.026	0.19	<0.1	0.09	1.4	0.3	0.70	<1	<0.5	<0.2	7
111367	Rock	0.080	16	2	0.45	109	0.102	<1	0.79	0.079	0.45	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5	<0.2	<2
111368	Rock	0.047	12	3	0.15	110	<0.001	2	0.27	0.026	0.18	0.1	0.13	1.6	0.3	0.74	<1	<0.5	<0.2	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000560.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111369	Rock	3.29	3.2	20.7	27.4	87	0.5	6.7	6.6	932	2.29	249.5	7.3	11.6	10.8	137	0.7	6.3	0.7	24	1.34
111370	Rock	3.09	3.8	12.6	33.5	64	0.4	4.3	4.6	954	1.75	203.8	5.6	15.3	14.1	136	0.6	4.8	1.3	12	1.64
111371	Rock	2.82	3.4	11.5	27.8	62	0.4	3.9	4.2	672	1.65	235.2	4.6	14.1	13.7	100	0.5	5.2	0.7	9	0.78
111372	Rock	2.63	2.9	10.4	32.1	134	0.4	6.1	5.0	798	1.93	756.7	8.6	18.8	15.0	125	1.0	5.2	0.6	10	1.37
111373	Rock	2.81	3.7	8.3	23.3	55	0.3	19.1	7.5	917	1.81	200.1	7.4	11.2	14.9	141	0.3	4.1	0.5	16	1.63
111374	Rock	2.77	4.1	11.9	70.5	65	0.6	5.2	4.3	822	1.72	553.1	7.6	38.2	13.8	170	0.5	7.0	1.0	11	1.66
111375	Rock	2.75	3.6	13.4	52.2	104	0.6	4.3	5.1	863	1.68	425.0	9.6	20.5	15.1	141	1.1	7.2	1.1	11	1.48
111376	Rock	3.08	8.0	14.0	33.2	66	0.6	5.1	4.5	862	1.68	226.8	9.2	11.4	13.7	99	0.6	6.8	0.7	13	0.88
111377 RRE 111376	Rock	<0.01	8.1	14.2	33.2	68	0.6	4.5	4.7	831	1.66	219.5	9.7	13.9	14.7	99	0.6	6.9	0.7	13	0.87
111378	Rock	3.14	1.8	9.4	70.9	119	1.1	1.8	2.8	959	1.49	797.8	11.1	26.6	20.4	80	1.5	7.4	1.0	4	0.83
111379	Rock	2.53	3.3	12.4	95.4	157	1.4	3.9	3.5	1125	1.57	605.1	12.6	40.6	19.2	106	1.8	6.6	1.9	7	1.04
111380	Rock	2.82	3.3	13.7	59.9	117	0.8	4.8	4.4	1018	1.76	306.2	9.5	23.2	14.8	122	1.4	5.7	1.2	13	1.14
111381	Rock	2.87	3.3	14.1	36.4	80	0.5	5.4	5.7	1024	1.88	178.0	6.9	21.7	15.2	170	0.8	5.9	1.1	16	1.54
111382	Rock	3.19	3.2	16.1	37.8	81	0.6	6.4	4.6	995	1.76	205.0	6.4	22.4	14.3	160	0.8	6.6	1.1	14	1.47
111383	Rock	2.94	4.6	14.0	49.8	98	0.7	4.8	4.2	926	1.71	301.9	9.2	30.0	16.1	159	1.1	6.4	1.2	12	1.63
111384	Rock	3.35	4.7	22.9	43.6	89	0.7	6.2	5.4	950	1.80	426.7	7.7	26.9	14.2	156	1.0	8.1	1.2	14	1.48
111385	Rock	3.41	4.4	15.2	40.5	103	0.6	5.2	4.7	897	1.74	222.6	8.0	20.9	13.8	130	1.1	6.9	1.1	14	1.56
111386	Rock	2.78	4.0	14.5	41.0	86	0.6	5.5	4.8	1021	1.88	211.7	10.1	25.2	15.1	153	1.0	7.0	1.1	15	1.70
111387	Rock	0.54	<0.1	2.2	2.9	47	<0.1	1.2	3.6	598	2.03	0.9	1.7	<0.5	6.3	66	<0.1	<0.1	<0.1	39	0.51
111388	Rock	2.75	5.0	14.7	44.3	90	0.6	5.3	4.5	861	1.72	239.3	10.5	21.5	13.9	141	1.0	6.3	1.1	14	1.39
111389	Rock	2.79	5.4	19.0	37.4	93	0.6	5.7	5.5	1040	1.83	178.8	11.6	36.4	11.7	177	1.0	7.6	1.0	15	1.67
111390	Rock	3.08	4.5	19.8	39.7	94	0.6	7.3	5.1	1088	1.81	168.0	10.2	20.4	12.2	189	1.1	9.6	1.0	15	1.64
111391	Rock	3.10	5.3	20.5	40.3	89	0.6	7.5	5.1	972	1.54	337.7	11.4	37.4	14.5	127	1.1	9.2	1.8	12	1.22
111392	Rock	2.92	3.1	15.8	34.8	68	0.5	7.4	4.5	944	1.43	792.1	11.2	32.6	16.4	135	0.8	8.4	1.2	9	1.19
111393	Rock	3.04	4.0	13.9	42.6	72	0.6	5.1	5.0	1007	1.77	414.9	8.4	58.0	14.9	173	0.7	6.7	1.1	15	1.47
111394	Rock	3.08	5.5	12.9	47.6	96	0.6	7.0	4.6	922	1.69	197.6	7.5	19.1	14.8	139	0.9	6.3	1.1	13	1.39
111395	Rock	3.21	3.5	15.9	133.1	229	1.0	4.9	4.5	952	1.70	195.3	6.7	20.7	15.3	149	3.2	6.8	2.0	12	1.54
111396	Rock	2.98	3.5	14.2	70.6	100	0.7	4.4	4.8	1010	1.69	274.2	7.3	28.0	16.0	146	1.1	6.8	1.2	13	1.48
111397 RRE 111396	Rock	<0.01	3.1	13.4	61.0	93	0.7	3.5	4.7	899	1.58	260.3	7.1	25.9	15.5	138	1.1	6.3	1.0	12	1.39
111398	Rock	3.45	5.7	16.4	257.7	176	2.7	5.7	4.0	1167	1.78	822.0	6.9	89.3	15.5	155	2.0	8.9	2.2	13	1.60



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000560.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111369	Rock	0.066	11	4	0.33	202	<0.001	2	0.31	0.025	0.18	0.2	0.11	3.8	0.3	0.64	<1	<0.5	<0.2	15
111370	Rock	0.046	15	4	0.37	217	<0.001	3	0.30	0.028	0.19	0.2	0.05	1.9	0.2	0.53	<1	<0.5	<0.2	15
111371	Rock	0.051	14	3	0.18	163	<0.001	2	0.28	0.028	0.19	0.3	0.06	1.8	0.3	0.80	<1	<0.5	<0.2	18
111372	Rock	0.047	14	5	0.29	120	<0.001	2	0.34	0.031	0.23	0.1	0.05	2.0	0.2	1.05	<1	<0.5	<0.2	18
111373	Rock	0.049	14	15	0.36	215	<0.001	3	0.31	0.029	0.19	0.1	0.04	3.6	0.2	0.48	<1	<0.5	<0.2	8
111374	Rock	0.045	12	4	0.21	145	<0.001	3	0.31	0.026	0.19	0.2	0.04	2.0	0.2	0.85	<1	<0.5	<0.2	39
111375	Rock	0.042	12	4	0.23	144	<0.001	3	0.33	0.027	0.20	0.1	0.06	1.8	0.3	0.82	<1	<0.5	<0.2	24
111376	Rock	0.047	12	4	0.17	134	<0.001	3	0.27	0.028	0.17	0.1	0.06	2.3	0.3	0.58	<1	<0.5	<0.2	9
111377 RRE 111376	Rock	0.049	13	4	0.17	153	<0.001	3	0.32	0.029	0.18	0.1	0.06	2.5	0.3	0.57	<1	<0.5	<0.2	10
111378	Rock	0.032	11	1	0.17	107	<0.001	3	0.29	0.024	0.19	0.1	0.05	0.9	0.3	0.81	<1	<0.5	<0.2	24
111379	Rock	0.034	13	5	0.22	108	<0.001	4	0.31	0.022	0.19	0.1	0.05	1.5	0.3	0.66	<1	<0.5	<0.2	37
111380	Rock	0.046	14	4	0.23	211	<0.001	3	0.31	0.026	0.19	0.2	0.07	2.0	0.3	0.48	<1	<0.5	0.2	22
111381	Rock	0.047	16	6	0.31	211	<0.001	3	0.35	0.027	0.20	0.1	0.06	2.7	0.3	0.46	<1	<0.5	<0.2	64
111382	Rock	0.042	16	5	0.32	212	<0.001	3	0.31	0.025	0.19	0.1	0.06	2.4	0.2	0.47	<1	<0.5	<0.2	19
111383	Rock	0.044	15	5	0.35	263	<0.001	3	0.35	0.025	0.21	0.2	0.07	2.0	0.3	0.48	<1	<0.5	<0.2	24
111384	Rock	0.045	14	5	0.33	122	<0.001	3	0.36	0.025	0.20	0.1	0.06	2.4	0.3	0.50	<1	<0.5	<0.2	27
111385	Rock	0.043	15	5	0.37	123	<0.001	2	0.33	0.025	0.19	0.1	0.07	2.2	0.3	0.53	<1	<0.5	<0.2	24
111386	Rock	0.051	16	5	0.44	140	<0.001	2	0.35	0.029	0.21	0.1	0.07	2.3	0.3	0.52	<1	<0.5	<0.2	21
111387	Rock	0.082	16	2	0.46	111	0.106	<1	0.83	0.083	0.43	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	<2
111388	Rock	0.041	14	5	0.37	164	<0.001	2	0.37	0.024	0.20	0.1	0.06	2.4	0.2	0.49	<1	<0.5	<0.2	26
111389	Rock	0.044	13	5	0.26	220	<0.001	3	0.40	0.020	0.21	0.1	0.07	2.5	0.2	0.47	<1	<0.5	0.2	34
111390	Rock	0.042	13	6	0.27	352	<0.001	4	0.39	0.019	0.21	0.1	0.07	2.5	0.2	0.44	<1	<0.5	<0.2	20
111391	Rock	0.049	13	4	0.18	178	<0.001	4	0.36	0.018	0.21	0.1	0.06	2.4	0.3	0.51	<1	<0.5	0.5	41
111392	Rock	0.038	12	4	0.19	227	<0.001	4	0.35	0.021	0.21	0.1	0.04	2.1	0.3	0.54	<1	0.6	0.2	33
111393	Rock	0.041	15	5	0.27	274	<0.001	3	0.39	0.027	0.23	0.1	0.05	2.6	0.3	0.47	<1	<0.5	0.3	36
111394	Rock	0.043	15	6	0.28	218	<0.001	3	0.37	0.029	0.21	0.2	0.05	2.3	0.2	0.44	<1	<0.5	<0.2	19
111395	Rock	0.039	17	5	0.35	265	<0.001	3	0.34	0.027	0.21	0.2	0.06	2.0	0.2	0.46	<1	<0.5	0.2	22
111396	Rock	0.040	18	4	0.36	212	<0.001	3	0.34	0.027	0.21	0.2	0.04	2.3	0.2	0.46	<1	<0.5	<0.2	27
111397 RRE 111396	Rock	0.041	17	5	0.34	190	<0.001	2	0.31	0.025	0.19	0.2	0.05	1.9	0.2	0.43	<1	<0.5	<0.2	25
111398	Rock	0.042	16	6	0.40	309	<0.001	4	0.36	0.027	0.22	0.2	0.07	2.2	0.3	0.48	1	<0.5	<0.2	88

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000560.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111399	Rock	3.06	3.3	18.9	39.6	90	0.6	7.0	4.6	744	1.70	201.1	6.7	31.5	14.3	139	0.9	8.5	1.1	14	1.35



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000560.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111399	Rock	0.043	15	5	0.36	243	<0.001	3	0.34	0.024	0.20	0.2	0.05	2.2	0.2	0.46	<1	<0.5	<0.2	24



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 05, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000560.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
111320	Rock	2.58	7.0	9.9	39.1	86	0.4	3.0	3.9	891	1.58	126.6	7.0	15.7	16.2	126	0.7	4.2	0.6	11	1.28
REP 111320	QC																				
111326	Rock	3.08	5.0	16.8	40.3	73	0.5	7.6	5.6	903	1.93	76.7	6.0	5.0	13.1	167	0.6	4.7	0.6	17	1.78
REP 111326	QC		5.1	17.6	39.2	69	0.5	7.5	5.8	886	1.90	76.2	6.0	6.0	13.1	158	0.7	4.8	0.6	17	1.76
111350	Rock	2.54	0.8	4.7	56.9	68	0.3	2.0	4.1	693	1.54	73.7	11.2	6.0	17.1	133	0.3	2.9	0.2	6	1.31
REP 111350	QC																				
111354	Rock	3.03	0.4	2.8	23.8	42	<0.1	2.5	4.5	917	1.58	76.6	9.5	1.1	19.0	155	<0.1	1.2	<0.1	12	1.31
REP 111354	QC		0.4	2.6	22.8	42	<0.1	2.4	4.4	899	1.57	76.2	9.4	0.8	18.5	155	<0.1	1.3	<0.1	12	1.29
111367	Rock	0.58	<0.1	2.2	2.7	45	<0.1	1.2	3.4	572	1.97	1.7	1.7	1.1	6.4	52	<0.1	<0.1	<0.1	39	0.47
REP 111367	QC																				
REP 111373	QC		3.9	8.1	24.3	55	0.3	18.0	7.7	993	1.87	214.1	7.5	8.5	15.4	149	0.4	4.3	0.5	16	1.69
Core Reject Duplicates																					
111338	Rock	2.79	0.3	6.5	16.8	34	<0.1	2.6	4.1	755	1.33	25.7	8.4	<0.5	13.7	145	<0.1	2.8	0.1	9	1.53
DUP 111338	QC	<0.01	0.3	6.7	17.3	34	<0.1	2.4	3.9	756	1.37	25.3	8.7	0.8	14.2	150	<0.1	2.8	<0.1	9	1.53
111373	Rock	2.81	3.7	8.3	23.3	55	0.3	19.1	7.5	917	1.81	200.1	7.4	11.2	14.9	141	0.3	4.1	0.5	16	1.63
DUP 111373	QC	<0.01	3.2	8.3	24.4	56	0.3	19.2	7.5	959	1.82	232.9	7.4	9.5	14.9	145	0.4	4.2	0.5	16	1.66
Reference Materials																					
STD DS7	Standard		19.6	105.5	64.2	374	0.9	51.2	8.8	620	2.33	52.4	4.4	63.5	4.7	72	6.0	5.9	4.4	80	0.96
STD DS7	Standard		20.9	105.4	65.9	376	1.0	55.9	9.1	642	2.36	51.2	4.9	71.2	5.0	78	6.4	6.0	4.8	81	0.99
STD DS7	Standard		20.5	107.3	64.8	375	1.0	51.3	8.9	614	2.39	52.8	4.6	73.8	4.8	73	6.5	5.8	4.6	83	0.98
STD DS7	Standard		19.5	111.4	61.9	383	1.0	51.7	9.0	610	2.36	52.1	4.6	77.0	4.5	69	6.1	5.6	4.3	81	0.97
STD DS7	Standard		20.1	102.5	72.8	390	1.1	56.2	9.4	601	2.32	50.9	4.9	64.8	4.4	63	5.9	5.6	4.7	82	0.90
STD DS7	Standard		20.8	104.7	70.9	389	1.0	56.6	9.3	609	2.34	49.3	4.7	66.8	4.5	67	6.0	5.4	4.8	83	0.93
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000560.1

Method	Analyte	Unit	MDL	1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm	3B Au ppb	
Pulp Duplicates																							
111320	Rock			0.049	16	3	0.39	231	<0.001	2	0.35	0.021	0.19	0.1	0.04	2.1	0.3	0.40	<1	<0.5	<0.2	15	
REP 111320	QC																					13	
111326	Rock			0.052	12	5	0.53	206	<0.001	3	0.37	0.028	0.19	<0.1	0.06	2.9	0.2	0.82	<1	<0.5	0.3	5	
REP 111326	QC			0.050	12	5	0.52	153	<0.001	2	0.33	0.027	0.18	<0.1	0.06	2.8	0.2	0.81	<1	<0.5	<0.2		
111350	Rock			0.043	13	1	0.13	97	<0.001	2	0.26	0.022	0.19	<0.1	0.04	1.0	0.2	0.98	<1	<0.5	<0.2	5	
REP 111350	QC																					5	
111354	Rock			0.052	14	2	0.23	168	<0.001	2	0.25	0.037	0.17	<0.1	0.02	1.6	0.1	0.11	<1	<0.5	<0.2	<2	
REP 111354	QC			0.050	14	2	0.23	173	<0.001	2	0.26	0.037	0.17	<0.1	0.02	1.5	0.2	0.10	<1	<0.5	<0.2		
111367	Rock			0.080	16	2	0.45	109	0.102	<1	0.79	0.079	0.45	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5	<0.2	<2	
REP 111367	QC																					<2	
REP 111373	QC			0.048	15	16	0.37	202	<0.001	2	0.31	0.030	0.20	<0.1	0.04	3.8	0.2	0.49	<1	<0.5	<0.2		
Core Reject Duplicates																							
111338	Rock			0.049	12	2	0.23	521	<0.001	2	0.20	0.025	0.14	<0.1	0.02	1.4	0.2	0.13	<1	<0.5	<0.2	<2	
DUP 111338	QC			0.050	13	2	0.24	555	<0.001	2	0.22	0.029	0.16	<0.1	0.01	1.5	0.2	0.13	<1	<0.5	<0.2	<2	
111373	Rock			0.049	14	15	0.36	215	<0.001	3	0.31	0.029	0.19	0.1	0.04	3.6	0.2	0.48	<1	<0.5	<0.2	8	
DUP 111373	QC			0.050	14	17	0.37	224	<0.001	3	0.33	0.028	0.19	<0.1	0.03	3.9	0.2	0.49	<1	<0.5	<0.2	8	
Reference Materials																							
STD DS7	Standard			0.071	13	197	1.03	382	0.117	35	1.03	0.099	0.47	3.4	0.21	2.8	3.9	0.20	5	3.3	1.5		
STD DS7	Standard			0.074	15	209	1.06	389	0.121	38	1.07	0.102	0.47	3.4	0.21	2.7	3.9	0.20	5	3.0	1.1		
STD DS7	Standard			0.075	14	185	1.06	398	0.110	37	1.06	0.096	0.47	3.7	0.22	2.7	4.0	0.20	5	3.5	1.1		
STD DS7	Standard			0.071	14	180	1.05	396	0.107	36	1.05	0.097	0.45	3.6	0.21	2.4	3.8	0.19	5	3.2	1.1		
STD DS7	Standard			0.076	12	187	1.02	378	0.105	37	0.97	0.083	0.46	3.5	0.23	2.0	4.1	0.20	5	3.4	1.7		
STD DS7	Standard			0.074	13	187	1.04	385	0.107	38	1.00	0.088	0.46	3.4	0.25	2.1	4.1	0.20	5	3.7	1.2		
STD OXC72	Standard																					198	
STD OXC72	Standard																						197
STD OXC72	Standard																						203
STD OXH66	Standard																						1286
STD OXH66	Standard																						1317



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000560.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OXH66	Standard																				
STD OXH66	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXC72 Expected																					
STD OXH66 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		<0.1	2.6	3.1	46	<0.1	1.3	3.6	568	1.91	1.0	1.6	<0.5	6.4	62	<0.1	<0.1	<0.1	38	0.53
G1	Prep Blank		<0.1	2.5	3.4	49	<0.1	1.4	3.6	618	1.97	0.7	1.5	<0.5	6.6	61	<0.1	<0.1	<0.1	39	0.54



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000560.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
STD OXH66	Standard																			1326	
STD OXH66	Standard																				1326
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08		
STD OXC72 Expected																					205
STD OXH66 Expected																					1285
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
Prep Wash																					
G1	Prep Blank	0.077	16	2	0.45	109	0.117	<1	0.87	0.115	0.46	<0.1	<0.01	2.2	0.3	<0.05	5	<0.5	<0.2	<2	
G1	Prep Blank	0.079	16	3	0.46	113	0.117	<1	0.89	0.113	0.46	<0.1	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2	<2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 04, 2010
Report Date: November 05, 2010
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI10000561.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: TT-103
P.O. Number
Number of Samples: 89

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	85	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1DX2	89	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	89	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000561.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111400	Rock	3.17	4.3	14.2	49.0	104	0.7	5.7	4.4	809	1.58	282.8	7.5	27.2	15.3	152	1.0	7.1	1.4	12	1.66
111401	Rock	2.91	3.3	14.3	38.8	84	0.6	5.8	4.9	895	1.74	341.0	6.7	23.3	14.3	161	0.8	6.5	1.3	14	1.63
111402	Rock	5.33	4.0	16.8	43.1	95	0.6	6.8	4.9	893	1.61	212.2	6.8	23.1	14.2	179	0.9	7.1	1.7	13	1.66
111403	Rock	3.30	3.8	18.1	50.0	95	0.9	7.1	5.3	1022	1.63	257.3	7.8	27.5	15.3	191	0.9	8.1	1.2	12	1.53
111404	Rock	2.93	4.7	18.6	53.7	114	0.9	7.0	5.0	1138	1.69	343.7	7.3	31.9	14.2	159	1.2	8.9	1.2	13	1.59
111405	Rock	2.28	1.4	7.0	77.2	129	1.4	1.7	2.7	854	1.39	506.5	10.0	37.8	22.3	114	1.4	8.9	1.3	3	1.24
111406	Rock	2.35	2.8	16.7	38.6	88	1.3	4.1	8.8	1118	1.29	247.2	11.4	16.8	18.8	113	1.0	10.3	2.2	7	0.71
111407	Rock	0.46	<0.1	3.0	3.1	46	<0.1	0.9	3.3	556	1.89	<0.5	1.7	0.7	7.1	55	<0.1	<0.1	<0.1	37	0.46
111408	Rock	3.05	1.5	28.4	1819	2606	16.4	2.2	2.7	3481	2.26	4469	9.4	424.6	13.3	58	37.4	21.3	2.7	<2	0.80
111409	Rock	2.99	1.1	14.8	529.3	1031	6.1	1.7	2.2	2832	1.61	2398	6.8	203.8	17.9	81	15.6	11.3	1.1	<2	1.16
111410	Rock	2.87	1.4	17.8	1026	1375	9.6	2.4	2.8	4304	1.96	2952	7.1	256.2	9.9	57	19.1	13.5	0.8	<2	1.13
111411	Rock	3.25	1.7	18.1	1019	1426	10.1	2.9	3.6	5769	2.26	3910	6.0	242.0	7.8	53	16.3	17.6	0.4	<2	1.01
111412	Rock	3.28	2.7	37.0	1471	1714	15.8	3.4	4.3	4117	2.37	3300	7.5	229.0	9.2	56	20.7	25.5	0.7	3	0.78
111413	Rock	2.74	1.9	16.6	884.1	1304	8.4	3.2	4.5	5537	2.19	3145	5.2	185.3	7.5	64	14.9	14.9	0.4	3	0.76
111414	Rock	2.85	1.7	28.4	1811	2290	18.1	3.4	3.8	4676	2.60	4764	4.3	328.9	5.2	59	27.8	25.6	0.2	2	1.23
111415	Rock	3.46	1.7	16.8	793.3	1960	7.7	2.9	4.2	>10000	3.12	2910	7.8	182.5	5.0	83	15.3	17.7	0.2	2	1.43
111416	Rock	2.73	2.2	19.2	671.3	1281	7.0	4.9	5.3	7516	3.00	2061	9.1	199.0	6.2	112	14.6	16.9	0.3	2	1.24
111417 RRE 111416	Rock	<0.01	2.0	21.5	1006	1717	8.9	3.1	3.7	4317	2.74	2737	6.4	238.8	5.2	70	21.0	15.9	0.5	<2	1.24
111418	Rock	2.91	1.3	25.1	495.3	1020	5.7	3.3	3.7	3846	2.55	1171	5.2	168.6	4.2	64	18.0	13.2	0.9	<2	1.10
111419	Rock	3.23	1.9	34.8	691.4	1130	6.1	4.1	4.6	3979	2.61	1180	6.7	209.8	5.4	76	24.1	18.5	1.3	<2	1.13
111420	Rock	3.45	1.7	29.7	979.3	2402	8.1	3.0	3.8	2696	2.64	2724	4.9	347.1	5.1	55	38.9	15.9	1.3	<2	1.04
111421	Rock	2.63	1.5	38.5	1501	4864	13.6	2.7	3.5	2444	2.90	3995	2.5	724.6	4.7	44	80.3	16.5	2.3	<2	0.82
111422	Rock	3.25	1.4	26.7	657.7	2760	5.4	3.3	4.9	2242	2.63	3490	4.8	564.7	3.6	64	44.9	10.0	2.8	<2	0.94
111423	Rock	3.27	1.6	48.9	2019	3730	23.1	2.8	4.4	2958	3.25	8537	3.4	936.0	3.9	75	64.7	29.0	2.3	<2	0.88
111424	Rock	2.80	1.6	21.1	609.7	1522	7.7	2.8	4.2	1845	2.56	3668	4.2	350.0	4.3	60	27.4	14.9	1.6	<2	0.84
111425	Rock	2.57	1.5	14.6	4052	1932	52.9	2.8	3.4	1330	2.59	2813	5.0	385.6	4.6	40	29.0	41.2	1.2	<2	0.60
111426	Rock	4.76	0.3	10.5	584.8	560	12.8	0.7	1.4	616	1.32	1524	10.2	163.9	30.3	37	8.2	13.5	0.6	<2	0.31
111427	Rock	0.98	<0.1	2.1	4.3	48	<0.1	1.0	3.4	600	1.91	3.5	2.1	6.3	7.2	60	<0.1	<0.1	<0.1	38	0.50
111428	Rock	4.68	0.2	4.6	101.7	90	2.9	0.7	1.1	456	0.95	586.2	8.1	58.7	28.3	27	1.3	6.3	0.7	<2	0.25
111429	Rock	4.29	0.2	14.0	1042	518	21.8	0.8	1.4	334	1.26	1861	11.5	203.8	29.4	17	8.8	26.9	0.8	<2	0.14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000561.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111400	Rock	0.040	14	6	0.41	192	<0.001	3	0.27	0.020	0.17	0.1	0.05	2.1	0.2	0.50	<1	<0.5	<0.2	29
111401	Rock	0.052	15	5	0.40	217	<0.001	4	0.22	0.021	0.18	0.1	0.04	2.6	0.2	0.43	<1	0.7	<0.2	21
111402	Rock	0.043	15	5	0.39	232	<0.001	3	0.22	0.020	0.18	0.1	0.04	2.2	0.2	0.43	<1	<0.5	<0.2	22
111403	Rock	0.042	14	4	0.37	166	<0.001	2	0.25	0.017	0.17	0.2	0.04	2.4	0.3	0.52	<1	<0.5	0.4	25
111404	Rock	0.045	13	5	0.29	164	<0.001	3	0.25	0.015	0.18	0.1	0.05	2.6	0.3	0.57	<1	<0.5	<0.2	31
111405	Rock	0.013	8	1	0.28	126	<0.001	3	0.20	0.022	0.19	0.1	0.05	0.8	0.3	0.88	<1	<0.5	<0.2	36
111406	Rock	0.035	12	3	0.12	92	<0.001	3	0.25	0.019	0.17	0.2	0.06	2.0	0.3	0.44	<1	<0.5	<0.2	17
111407	Rock	0.071	17	2	0.44	107	0.104	<1	0.78	0.085	0.45	<0.1	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2	<2
111408	Rock	0.027	6	<1	0.22	48	<0.001	3	0.11	0.006	0.23	0.2	0.18	0.4	0.3	2.02	<1	<0.5	<0.2	400
111409	Rock	0.023	7	<1	0.27	65	<0.001	4	0.25	0.007	0.24	0.1	0.09	0.5	0.3	1.26	<1	<0.5	<0.2	201
111410	Rock	0.025	6	<1	0.31	50	<0.001	3	0.27	0.005	0.25	0.1	0.11	0.6	0.4	1.68	<1	<0.5	<0.2	235
111411	Rock	0.035	8	<1	0.27	58	<0.001	4	0.28	0.006	0.26	0.1	0.11	0.8	0.4	1.87	<1	<0.5	<0.2	214
111412	Rock	0.037	8	1	0.22	55	<0.001	4	0.30	0.006	0.25	0.2	0.10	0.9	0.5	2.20	<1	<0.5	<0.2	212
111413	Rock	0.036	7	1	0.22	55	<0.001	3	0.27	0.006	0.24	0.1	0.08	1.0	0.4	1.84	<1	<0.5	<0.2	174
111414	Rock	0.038	5	1	0.29	51	<0.001	2	0.31	0.005	0.23	0.1	0.10	0.8	0.4	1.92	<1	<0.5	<0.2	364
111415	Rock	0.033	6	<1	0.37	69	<0.001	3	0.30	0.007	0.27	0.2	0.07	0.9	0.4	1.71	<1	<0.5	<0.2	179
111416	Rock	0.042	8	<1	0.36	96	<0.001	3	0.19	0.007	0.34	0.1	0.05	1.0	0.5	1.53	1	<0.5	<0.2	157
111417 RRE 111416	Rock	0.037	6	1	0.30	52	<0.001	3	0.29	0.007	0.28	0.2	0.08	0.8	0.6	2.09	<1	<0.5	<0.2	222
111418	Rock	0.040	6	<1	0.33	41	<0.001	3	0.25	0.007	0.26	0.1	0.06	0.6	0.3	1.50	<1	<0.5	<0.2	160
111419	Rock	0.046	8	<1	0.35	50	<0.001	4	0.17	0.007	0.35	<0.1	0.09	0.7	0.4	1.52	1	<0.5	<0.2	162
111420	Rock	0.034	6	1	0.32	41	<0.001	3	0.29	0.006	0.27	0.1	0.10	0.5	0.4	2.00	<1	<0.5	<0.2	327
111421	Rock	0.035	6	<1	0.25	45	<0.001	3	0.26	0.005	0.24	0.1	0.12	0.4	0.3	2.43	<1	<0.5	<0.2	718
111422	Rock	0.038	5	<1	0.29	41	<0.001	2	0.25	0.005	0.24	0.2	0.11	0.4	0.3	2.26	<1	<0.5	<0.2	532
111423	Rock	0.035	5	<1	0.27	50	<0.001	3	0.26	0.005	0.25	<0.1	0.13	0.5	0.4	2.55	<1	<0.5	0.2	863
111424	Rock	0.038	6	<1	0.25	41	<0.001	4	0.28	0.006	0.28	0.1	0.04	0.5	0.7	2.24	<1	<0.5	<0.2	330
111425	Rock	0.032	5	<1	0.14	35	<0.001	4	0.26	0.005	0.25	0.1	0.05	0.4	0.4	2.50	<1	<0.5	<0.2	379
111426	Rock	0.014	10	<1	0.07	51	<0.001	3	0.20	0.008	0.21	0.1	0.03	0.2	0.3	1.19	<1	<0.5	<0.2	145
111427	Rock	0.078	18	2	0.45	109	0.112	1	0.87	0.106	0.47	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	<2
111428	Rock	0.014	11	<1	<0.01	91	<0.001	3	0.07	0.016	0.20	<0.1	0.01	0.2	0.3	0.84	<1	<0.5	<0.2	56
111429	Rock	0.014	10	<1	0.02	41	<0.001	3	0.22	0.021	0.22	<0.1	0.04	0.2	0.5	1.17	<1	<0.5	<0.2	222

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000561.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111430	Rock	5.46	0.2	10.1	139.3	289	4.4	0.8	2.6	622	1.19	833.9	20.0	126.2	31.2	22	3.8	13.2	0.5	<2	0.24
111431	Rock	2.75	0.2	11.1	202.4	302	5.3	0.7	1.6	556	1.11	1164	10.9	104.6	30.5	20	3.6	12.6	0.5	<2	0.24
111432	Rock	4.07	0.3	8.5	170.5	361	4.0	0.7	1.1	872	1.02	864.9	11.5	319.0	28.3	31	4.0	10.4	0.6	<2	0.41
111433	Rock	4.32	0.2	8.2	207.9	316	3.8	0.5	1.5	564	1.06	833.9	9.9	131.4	28.1	20	5.2	9.3	0.6	<2	0.29
111434	Rock	4.36	0.2	7.4	130.0	314	3.0	0.6	1.3	682	1.05	676.0	10.6	90.7	28.8	25	5.8	8.3	0.5	<2	0.35
111435	Rock	4.18	0.2	9.1	170.5	359	3.2	0.5	1.3	519	0.96	791.9	13.5	112.8	29.4	17	5.5	12.4	0.5	<2	0.22
111436	Rock	4.02	0.3	7.3	70.9	179	2.3	0.8	1.8	853	1.27	476.9	8.5	138.1	26.3	16	1.5	9.9	0.7	<2	0.20
111437 RRE 111436	Rock		0.4	7.3	66.3	165	2.1	0.5	1.6	805	1.22	443.2	8.5	225.0	25.8	15	1.1	9.5	0.7	<2	0.18
111438	Rock	3.67	1.0	2.4	15.8	581	0.8	0.8	2.2	3439	0.95	80.9	11.3	21.8	25.8	34	0.4	4.4	0.3	<2	0.40
111439	Rock	4.30	0.5	5.3	29.4	175	0.9	0.8	1.8	1224	0.96	93.0	10.2	53.0	30.4	18	0.6	7.4	0.5	<2	0.30
111440	Rock	4.94	0.5	2.8	16.1	66	0.5	0.7	1.3	852	0.75	81.9	8.3	77.6	26.9	16	0.2	5.2	0.7	<2	0.30
111441	Rock	3.74	0.4	3.1	18.1	48	0.8	0.7	1.6	910	0.89	76.1	9.3	36.1	30.8	14	0.1	5.2	0.3	<2	0.21
111442	Rock	4.63	0.6	1.2	7.5	107	0.2	0.5	1.4	1307	0.70	27.5	8.4	7.2	28.3	19	0.1	3.0	0.1	<2	0.31
111443	Rock	4.33	0.4	2.1	9.7	24	0.3	0.5	1.3	680	0.75	215.9	13.0	53.2	27.8	9	0.1	5.2	0.3	<2	0.08
111444	Rock	4.03	0.6	2.8	13.8	37	0.3	0.7	1.3	977	0.80	143.2	15.8	28.2	30.6	13	0.1	6.2	0.3	<2	0.10
111445	Rock	4.74	0.4	2.4	27.7	54	0.6	0.5	0.9	1003	0.71	123.1	20.7	33.4	23.3	14	0.2	5.0	0.3	<2	0.11
111446	Rock	4.57	0.9	5.4	37.2	305	1.0	0.8	1.7	1410	1.24	343.9	16.1	117.0	30.2	13	3.7	6.9	0.8	<2	0.10
111447	Rock	0.78	<0.1	1.7	3.2	46	<0.1	1.1	3.5	575	1.91	0.6	2.0	<0.5	6.8	62	<0.1	<0.1	<0.1	37	0.53
111448	Rock	4.83	0.5	3.2	120.6	207	1.0	0.7	1.2	751	0.84	95.0	8.9	24.7	26.3	11	2.1	3.9	0.3	<2	0.09
111449	Rock	4.47	0.3	5.8	153.9	391	1.9	0.4	1.7	589	1.14	99.8	16.2	37.9	24.2	11	4.9	5.4	0.5	<2	0.10
111450	Rock	2.65	0.7	4.5	14.7	63	0.6	0.6	1.3	1160	0.91	59.5	8.3	32.8	30.8	14	0.3	5.4	0.5	<2	0.10
111451	Rock	5.32	2.5	1.6	18.4	91	0.4	0.7	1.4	1712	0.82	69.3	8.7	16.1	26.8	14	0.2	4.2	0.1	<2	0.12
111452	Rock	4.24	0.9	11.1	419.0	1805	3.5	0.6	1.4	1217	1.29	610.8	12.0	130.1	22.3	11	22.8	7.3	0.5	<2	0.12
111453	Rock	4.41	0.4	4.4	14.8	32	1.9	0.6	1.4	1012	0.85	70.5	10.1	29.5	26.6	16	0.2	6.3	0.4	<2	0.13
111454	Rock	5.36	1.6	179.1	5618	>10000	64.3	0.5	5.4	3398	2.78	4244	13.7	1403	24.2	23	321.6	1190	0.9	<2	0.30
111455	Rock	3.10	0.4	5.8	255.6	283	4.1	0.6	1.9	2600	1.33	169.3	9.5	158.4	29.7	22	3.6	10.7	0.4	<2	0.30
111456	Rock	4.02	0.4	4.6	158.7	238	2.5	0.6	2.2	1200	1.01	78.0	9.8	44.8	29.1	18	2.5	6.5	1.1	<2	0.21
111457 RRE 111456	Rock		0.3	4.3	159.5	241	2.5	0.5	2.1	1210	1.02	70.8	9.0	52.8	29.4	18	2.5	5.3	1.0	<2	0.20
111458	Rock	2.71	0.3	5.3	106.5	263	2.5	0.5	1.1	778	0.92	140.9	9.8	102.3	26.0	16	2.7	6.8	0.4	<2	0.17
111459	Rock	3.79	0.6	11.5	543.2	786	5.4	0.7	1.3	1456	1.52	571.2	10.3	125.2	28.4	23	9.9	11.2	1.5	<2	0.32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000561.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111430	Rock	0.015	10	<1	0.07	41	<0.001	3	0.21	0.022	0.23	0.1	0.03	0.3	0.4	0.99	<1	<0.5	<0.2	113
111431	Rock	0.014	9	<1	0.06	42	<0.001	2	0.22	0.026	0.22	<0.1	0.02	0.2	0.3	0.93	<1	<0.5	<0.2	96
111432	Rock	0.013	10	<1	0.12	134	<0.001	3	0.23	0.022	0.23	0.1	0.02	0.3	0.5	0.79	<1	<0.5	0.4	224
111433	Rock	0.012	9	<1	0.06	35	<0.001	2	0.21	0.022	0.23	<0.1	0.02	0.3	0.5	0.90	<1	<0.5	<0.2	111
111434	Rock	0.012	10	<1	0.09	48	<0.001	2	0.20	0.025	0.22	0.1	0.03	0.3	0.5	0.86	<1	<0.5	<0.2	78
111435	Rock	0.011	8	<1	0.07	32	<0.001	1	0.22	0.024	0.19	<0.1	0.03	0.2	0.3	0.84	<1	<0.5	<0.2	104
111436	Rock	0.011	8	<1	0.05	46	<0.001	2	0.24	0.027	0.19	0.1	0.01	0.2	0.2	1.16	<1	<0.5	0.4	148
111437 RRE 111436	Rock	0.012	8	<1	0.05	39	<0.001	2	0.22	0.025	0.18	0.1	0.02	0.3	0.2	1.11	<1	<0.5	0.4	278
111438	Rock	0.012	10	<1	0.05	204	<0.001	2	0.26	0.032	0.22	0.9	0.02	0.3	0.3	0.59	<1	<0.5	<0.2	20
111439	Rock	0.013	11	<1	0.08	51	<0.001	1	0.26	0.034	0.22	0.2	0.03	0.3	0.3	0.60	<1	<0.5	<0.2	47
111440	Rock	0.012	10	<1	0.08	38	<0.001	1	0.20	0.031	0.17	0.1	0.03	0.3	0.3	0.45	<1	<0.5	0.4	54
111441	Rock	0.013	12	<1	0.06	42	<0.001	2	0.22	0.035	0.18	0.1	0.02	0.4	0.3	0.48	<1	<0.5	<0.2	34
111442	Rock	0.012	12	<1	0.08	37	<0.001	2	0.23	0.029	0.18	<0.1	0.04	0.4	0.3	0.24	<1	<0.5	<0.2	8
111443	Rock	0.011	11	<1	0.03	42	<0.001	2	0.24	0.028	0.19	<0.1	0.07	0.3	0.4	0.37	<1	<0.5	<0.2	56
111444	Rock	0.013	12	<1	0.04	34	<0.001	3	0.28	0.029	0.21	0.1	0.05	0.3	0.4	0.39	<1	<0.5	<0.2	26
111445	Rock	0.007	8	<1	0.04	32	<0.001	3	0.24	0.023	0.17	0.3	0.02	0.3	0.2	0.42	<1	<0.5	<0.2	26
111446	Rock	0.013	11	<1	0.03	36	<0.001	2	0.31	0.026	0.25	0.2	0.09	0.3	0.3	1.06	<1	<0.5	<0.2	112
111447	Rock	0.070	16	<1	0.45	103	0.122	<1	0.87	0.104	0.44	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2	<2
111448	Rock	0.012	9	<1	0.03	29	<0.001	2	0.25	0.020	0.20	0.1	0.03	0.3	0.2	0.70	<1	<0.5	0.2	23
111449	Rock	0.010	8	<1	0.03	29	<0.001	2	0.27	0.016	0.22	<0.1	0.03	0.2	0.2	1.06	<1	<0.5	<0.2	36
111450	Rock	0.013	11	<1	0.04	45	<0.001	2	0.27	0.018	0.20	0.3	0.02	0.3	0.2	0.67	<1	<0.5	<0.2	33
111451	Rock	0.012	13	<1	0.05	56	<0.001	3	0.22	0.023	0.16	0.2	0.04	0.3	0.4	0.36	<1	<0.5	<0.2	16
111452	Rock	0.009	8	<1	0.05	54	<0.001	2	0.31	0.018	0.24	0.2	0.16	0.3	0.4	1.06	<1	<0.5	<0.2	118
111453	Rock	0.010	11	<1	0.04	42	<0.001	3	0.27	0.017	0.21	<0.1	<0.01	0.3	0.3	0.60	<1	<0.5	<0.2	30
111454	Rock	0.010	6	<1	0.07	36	<0.001	3	0.30	0.005	0.22	0.3	1.03	0.4	0.7	2.83	4	1.2	<0.2	1418
111455	Rock	0.012	12	<1	0.10	27	<0.001	3	0.29	0.006	0.22	0.1	0.01	0.2	0.3	0.95	<1	<0.5	<0.2	194
111456	Rock	0.013	13	<1	0.07	28	<0.001	4	0.28	0.017	0.21	0.2	0.02	0.2	0.2	0.75	<1	<0.5	<0.2	48
111457 RRE 111456	Rock	0.013	12	<1	0.07	28	<0.001	2	0.27	0.016	0.19	0.2	0.02	0.2	0.2	0.76	<1	<0.5	<0.2	45
111458	Rock	0.011	9	<1	0.05	26	<0.001	2	0.21	0.012	0.15	0.8	0.03	0.2	0.2	0.77	<1	<0.5	<0.2	99
111459	Rock	0.012	9	<1	0.08	104	<0.001	3	0.32	0.013	0.25	0.5	0.04	0.3	0.2	1.27	<1	<0.5	<0.2	167

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000561.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111460	Rock	4.29	0.2	19.9	757.4	1805	9.8	0.8	1.6	1845	1.86	310.2	9.3	933.8	29.2	29	25.4	17.8	1.9	<2	0.56
111461	Rock	4.37	0.3	3.0	91.8	160	1.2	0.5	1.2	1308	1.06	160.1	10.8	36.0	31.4	27	1.6	5.1	0.2	<2	0.39
111462	Rock	4.31	0.4	4.2	182.1	726	2.2	0.5	1.1	1422	1.21	188.1	13.4	80.9	31.3	30	8.4	6.8	0.2	<2	0.46
111463	Rock	4.64	0.8	1.5	71.7	128	0.6	0.6	1.5	1056	0.89	58.2	9.7	34.7	32.0	40	1.7	3.2	0.1	3	0.47
111464	Rock	4.50	0.7	4.0	119.0	399	2.0	0.7	1.2	1264	1.26	178.2	19.1	63.6	32.4	47	5.7	6.2	0.6	<2	0.82
111465	Rock	4.33	0.9	5.3	93.7	360	2.1	0.6	1.3	1010	1.17	80.7	14.7	55.6	32.6	20	6.7	7.6	0.4	<2	0.31
111466	Rock	4.52	0.4	8.7	77.8	212	2.4	0.6	2.1	996	1.71	950.3	10.4	231.4	31.1	24	2.9	11.4	1.6	<2	0.38
111467	Rock	0.95	0.1	2.0	4.3	48	<0.1	1.1	3.8	603	2.02	1.4	2.1	29.1	8.0	65	<0.1	<0.1	<0.1	39	0.56
111468	Rock	3.95	1.4	4.1	62.8	125	1.0	0.7	1.4	1082	1.03	121.6	10.9	67.8	34.8	25	2.0	6.0	0.3	<2	0.32
111469	Rock	4.85	2.4	3.7	89.8	197	2.4	0.6	1.3	2047	1.35	85.4	23.9	62.0	32.9	26	3.2	7.0	0.3	<2	0.41
111470	Rock	4.81	17.2	8.0	301.3	359	4.2	0.7	1.2	1082	1.40	1070	9.8	132.5	26.4	25	6.2	8.2	1.3	<2	0.45
111471	Rock	4.55	0.2	3.8	35.8	53	0.9	0.6	1.3	737	0.99	107.2	15.4	38.5	25.5	25	0.4	5.5	0.4	<2	0.42
111472	Rock	4.33	0.2	2.9	22.7	52	0.5	0.8	1.5	764	1.02	61.2	9.7	30.1	28.0	22	0.7	4.0	0.4	<2	0.37
111473	Rock	4.60	0.2	2.2	33.6	73	0.8	0.5	1.2	937	0.96	43.0	11.9	26.3	24.8	18	0.7	4.0	0.3	<2	0.34
111474	Rock	4.52	0.2	5.7	49.1	99	1.3	0.6	1.9	660	0.88	129.0	15.6	35.7	25.5	17	1.3	4.6	1.0	<2	0.26
111475	Rock	5.93	1.0	10.8	352.0	586	5.1	30.0	5.8	949	1.77	636.7	30.8	153.2	16.4	94	9.1	8.0	0.9	9	1.18
111476	Rock	5.12	0.3	2.7	57.5	142	1.4	0.5	1.2	1099	0.94	253.3	8.7	46.2	26.1	26	1.6	3.0	0.6	<2	0.51
111477 RRE 111476	Rock		0.2	2.9	58.3	137	1.5	0.7	1.2	1081	0.96	254.2	9.3	44.1	25.8	25	1.7	3.4	0.6	<2	0.48
111478	Rock	4.58	0.3	0.9	9.2	9	0.2	0.8	1.1	830	0.71	9.7	28.3	7.3	28.9	39	<0.1	1.6	0.1	<2	0.70
111479	Rock	4.34	1.0	4.3	234.9	244	3.1	0.3	1.2	509	0.87	371.1	7.0	56.2	22.9	15	2.6	5.3	0.6	<2	0.23
111480	Rock	4.31	0.7	2.2	13.2	14	0.6	0.6	1.2	938	0.96	92.5	9.6	23.5	24.9	15	<0.1	3.0	0.3	<2	0.24
111481	Rock	4.52	0.5	5.9	196.6	200	2.3	0.5	1.3	1132	1.20	216.9	7.2	61.1	23.7	21	2.0	4.7	0.6	<2	0.35
111482	Rock	4.53	2.0	4.3	171.7	216	1.5	0.5	1.4	733	0.89	303.8	13.8	40.8	25.1	23	3.9	3.1	0.3	<2	0.36
111483	Rock	4.46	0.2	1.0	21.3	43	0.1	0.7	1.6	761	0.83	16.5	11.8	2.2	31.6	42	0.5	0.7	0.1	3	0.55
111484	Rock	3.98	0.3	1.4	17.2	21	0.4	0.5	1.5	908	0.83	21.1	8.9	5.5	28.4	36	0.2	1.8	0.2	<2	0.50
111485	Rock	4.15	6.8	1.5	22.5	31	0.4	0.8	2.0	720	0.86	49.6	14.1	6.7	28.7	42	0.4	1.3	0.2	2	0.60
111486	Rock	4.88	0.1	1.4	18.0	28	0.1	0.7	2.2	787	0.83	12.8	10.7	2.9	26.5	43	0.2	0.8	0.2	<2	0.66
111487	Rock	0.99	<0.1	2.2	3.0	46	<0.1	1.1	3.5	596	1.90	<0.5	1.6	<0.5	6.0	65	<0.1	<0.1	<0.1	38	0.51
111488	Rock	4.58	1.1	5.5	167.3	91	2.6	0.5	1.5	660	0.95	822.9	9.5	102.5	22.2	14	1.2	4.9	0.8	<2	0.23



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000561.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111460	Rock	0.012	8	<1	0.09	80	<0.001	3	0.26	0.016	0.20	0.1	0.06	0.2	0.3	1.65	<1	<0.5	0.5	675
111461	Rock	0.013	14	<1	0.11	55	<0.001	3	0.26	0.030	0.19	0.1	0.03	0.5	0.3	0.41	<1	<0.5	<0.2	36
111462	Rock	0.011	13	<1	0.12	96	<0.001	2	0.25	0.028	0.18	0.1	0.21	0.4	0.3	0.57	<1	<0.5	<0.2	59
111463	Rock	0.013	16	<1	0.10	49	<0.001	3	0.26	0.030	0.17	0.1	0.16	0.7	0.3	0.22	<1	<0.5	<0.2	10
111464	Rock	0.013	13	<1	0.11	83	<0.001	2	0.27	0.027	0.20	0.2	0.19	0.5	0.3	0.66	<1	<0.5	<0.2	39
111465	Rock	0.013	12	<1	0.10	35	<0.001	3	0.27	0.028	0.19	0.2	0.23	0.3	0.3	0.74	<1	<0.5	<0.2	29
111466	Rock	0.014	10	<1	0.10	122	<0.001	3	0.29	0.021	0.23	0.5	0.19	0.4	0.4	1.45	<1	0.5	0.3	181
111467	Rock	0.072	19	2	0.46	108	0.133	<1	0.94	0.127	0.48	<0.1	0.18	2.2	0.3	<0.05	5	<0.5	<0.2	<2
111468	Rock	0.014	13	<1	0.11	255	<0.001	2	0.27	0.033	0.20	0.2	0.18	0.4	0.3	0.50	<1	<0.5	<0.2	40
111469	Rock	0.013	13	<1	0.13	86	<0.001	2	0.27	0.030	0.19	0.2	0.18	0.4	0.3	0.54	<1	<0.5	<0.2	34
111470	Rock	0.013	7	<1	0.08	35	<0.001	3	0.21	0.019	0.18	0.2	0.05	0.3	0.2	1.19	<1	<0.5	<0.2	144
111471	Rock	0.013	8	<1	0.08	51	<0.001	3	0.19	0.027	0.15	0.2	0.05	0.4	0.4	0.61	<1	<0.5	<0.2	38
111472	Rock	0.015	10	<1	0.10	33	<0.001	3	0.21	0.033	0.16	<0.1	0.04	0.5	0.3	0.53	<1	<0.5	<0.2	25
111473	Rock	0.013	9	<1	0.08	33	<0.001	3	0.19	0.029	0.16	0.2	0.03	0.4	0.2	0.51	<1	<0.5	<0.2	27
111474	Rock	0.011	8	<1	0.08	38	<0.001	3	0.23	0.025	0.19	0.1	0.01	0.3	0.2	0.68	<1	<0.5	<0.2	36
111475	Rock	0.042	7	16	0.50	43	<0.001	3	0.31	0.014	0.20	0.3	0.10	2.2	0.2	0.83	<1	<0.5	0.3	197
111476	Rock	0.013	8	<1	0.08	33	<0.001	3	0.21	0.020	0.17	0.1	0.02	0.4	0.2	0.70	<1	<0.5	<0.2	46
111477 RRE 111476	Rock	0.013	7	<1	0.07	31	<0.001	2	0.21	0.021	0.18	0.1	0.02	0.3	0.2	0.69	<1	<0.5	<0.2	45
111478	Rock	0.015	12	<1	0.07	46	<0.001	3	0.24	0.026	0.20	0.2	<0.01	0.6	0.2	0.17	<1	<0.5	<0.2	5
111479	Rock	0.013	8	<1	0.06	33	<0.001	3	0.24	0.015	0.21	0.1	0.03	0.2	0.2	0.74	<1	<0.5	<0.2	59
111480	Rock	0.014	9	<1	0.08	35	<0.001	4	0.22	0.029	0.17	0.1	0.03	0.5	0.3	0.43	<1	0.5	<0.2	26
111481	Rock	0.014	8	<1	0.10	94	<0.001	2	0.24	0.025	0.19	0.2	0.02	0.4	0.2	0.71	<1	<0.5	<0.2	65
111482	Rock	0.012	10	<1	0.08	42	<0.001	3	0.21	0.031	0.17	0.1	0.03	0.5	0.2	0.39	<1	<0.5	<0.2	32
111483	Rock	0.014	17	<1	0.09	50	<0.001	3	0.21	0.035	0.15	<0.1	0.02	0.9	0.2	0.07	<1	<0.5	<0.2	<2
111484	Rock	0.016	12	<1	0.09	67	<0.001	4	0.24	0.034	0.19	<0.1	0.02	0.7	0.3	0.22	<1	<0.5	<0.2	8
111485	Rock	0.014	13	<1	0.08	46	<0.001	3	0.21	0.035	0.17	0.1	0.01	0.7	0.2	0.18	<1	<0.5	<0.2	10
111486	Rock	0.014	13	<1	0.08	40	<0.001	3	0.21	0.034	0.17	<0.1	0.01	0.7	0.1	0.13	<1	<0.5	<0.2	4
111487	Rock	0.084	15	2	0.45	113	0.116	1	0.93	0.103	0.48	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2	<2
111488	Rock	0.013	8	<1	0.06	32	<0.001	2	0.23	0.021	0.20	<0.1	0.03	0.4	0.2	0.57	<1	<0.5	<0.2	125



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000561.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
111409	Rock	2.99	1.1	14.8	529.3	1031	6.1	1.7	2.2	2832	1.61	2398	6.8	203.8	17.9	81	15.6	11.3	1.1	<2	1.16
REP 111409	QC																				
REP 111426	QC		0.3	10.2	607.1	548	12.6	0.6	1.4	629	1.33	1534	10.6	156.5	30.0	40	8.3	13.7	0.6	<2	0.32
111436	Rock	4.02	0.3	7.3	70.9	179	2.3	0.8	1.8	853	1.27	476.9	8.5	138.1	26.3	16	1.5	9.9	0.7	<2	0.20
REP 111436	QC																				
111450	Rock	2.65	0.7	4.5	14.7	63	0.6	0.6	1.3	1160	0.91	59.5	8.3	32.8	30.8	14	0.3	5.4	0.5	<2	0.10
REP 111450	QC		0.8	4.3	14.1	59	0.6	0.6	1.2	1142	0.89	59.2	7.9	30.6	28.9	13	0.3	5.2	0.5	<2	0.10
111474	Rock	4.52	0.2	5.7	49.1	99	1.3	0.6	1.9	660	0.88	129.0	15.6	35.7	25.5	17	1.3	4.6	1.0	<2	0.26
REP 111474	QC																				
111480	Rock	4.31	0.7	2.2	13.2	14	0.6	0.6	1.2	938	0.96	92.5	9.6	23.5	24.9	15	<0.1	3.0	0.3	<2	0.24
REP 111480	QC		0.5	2.2	12.9	13	0.6	0.7	1.1	901	0.95	91.2	9.5	25.9	24.8	15	0.1	3.0	0.3	<2	0.24
Core Reject Duplicates																					
111426	Rock	4.76	0.3	10.5	584.8	560	12.8	0.7	1.4	616	1.32	1524	10.2	163.9	30.3	37	8.2	13.5	0.6	<2	0.31
DUP 111426	QC		0.3	10.5	596.2	576	12.8	0.6	1.4	645	1.37	1534	10.7	163.0	30.9	39	7.9	13.3	0.6	<2	0.33
111461	Rock	4.37	0.3	3.0	91.8	160	1.2	0.5	1.2	1308	1.06	160.1	10.8	36.0	31.4	27	1.6	5.1	0.2	<2	0.39
DUP 111461	QC		0.3	2.9	87.0	150	1.2	0.8	1.3	1346	1.09	162.3	12.3	34.5	33.3	28	1.6	5.2	0.2	<2	0.41
Reference Materials																					
STD DS7	Standard		21.2	106.9	67.7	404	1.0	55.1	9.5	607	2.34	54.1	4.8	71.4	4.9	75	6.5	6.0	4.7	81	0.96
STD DS7	Standard		20.5	109.4	67.8	402	1.1	56.5	9.3	633	2.42	52.5	4.8	87.0	5.1	74	6.3	6.0	4.8	83	0.99
STD DS7	Standard		22.0	106.1	71.2	388	1.0	55.7	9.7	637	2.42	48.9	5.0	65.1	5.4	76	5.9	5.8	4.7	81	1.00
STD DS7	Standard		22.1	110.9	71.8	395	1.0	56.1	9.5	650	2.46	48.3	5.3	70.4	5.4	80	6.1	6.2	4.6	82	1.03
STD DS7	Standard		20.5	107.3	64.8	375	1.0	51.3	8.9	614	2.39	52.8	4.6	73.8	4.8	73	6.5	5.8	4.6	83	0.98
STD DS7	Standard		19.5	111.4	61.9	383	1.0	51.7	9.0	610	2.36	52.1	4.6	77.0	4.5	69	6.1	5.6	4.3	81	0.97
STD DS7	Standard		20.6	124.2	64.2	405	1.1	54.3	9.4	640	2.43	55.4	4.5	66.7	4.2	71	6.4	5.4	4.7	81	0.99
STD DS7	Standard		21.1	118.7	67.1	392	1.0	56.2	9.4	646	2.42	54.6	4.6	60.5	4.6	72	6.6	5.3	4.4	81	0.97
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 05, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000561.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
Pulp Duplicates																				
111409	Rock	0.023	7	<1	0.27	65	<0.001	4	0.25	0.007	0.24	0.1	0.09	0.5	0.3	1.26	<1	<0.5	<0.2	201
REP 111409	QC																			233
REP 111426	QC	0.014	10	<1	0.08	49	<0.001	3	0.20	0.008	0.21	0.1	0.03	0.2	0.3	1.18	<1	<0.5	0.2	
111436	Rock	0.011	8	<1	0.05	46	<0.001	2	0.24	0.027	0.19	0.1	0.01	0.2	0.2	1.16	<1	<0.5	0.4	148
REP 111436	QC																			160
111450	Rock	0.013	11	<1	0.04	45	<0.001	2	0.27	0.018	0.20	0.3	0.02	0.3	0.2	0.67	<1	<0.5	<0.2	33
REP 111450	QC	0.012	11	<1	0.04	40	<0.001	2	0.26	0.018	0.20	0.4	0.02	0.2	0.3	0.66	<1	<0.5	<0.2	
111474	Rock	0.011	8	<1	0.08	38	<0.001	3	0.23	0.025	0.19	0.1	0.01	0.3	0.2	0.68	<1	<0.5	<0.2	36
REP 111474	QC																			37
111480	Rock	0.014	9	<1	0.08	35	<0.001	4	0.22	0.029	0.17	0.1	0.03	0.5	0.3	0.43	<1	0.5	<0.2	26
REP 111480	QC	0.014	9	<1	0.08	38	<0.001	2	0.21	0.029	0.18	0.1	0.03	0.4	0.3	0.42	<1	<0.5	<0.2	
Core Reject Duplicates																				
111426	Rock	0.014	10	<1	0.07	51	<0.001	3	0.20	0.008	0.21	0.1	0.03	0.2	0.3	1.19	<1	<0.5	<0.2	145
DUP 111426	QC	0.014	11	<1	0.08	52	<0.001	4	0.26	0.009	0.24	0.1	0.03	0.2	0.4	1.23	<1	<0.5	<0.2	141
111461	Rock	0.013	14	<1	0.11	55	<0.001	3	0.26	0.030	0.19	0.1	0.03	0.5	0.3	0.41	<1	<0.5	<0.2	36
DUP 111461	QC	0.013	14	<1	0.12	57	<0.001	3	0.27	0.030	0.19	<0.1	0.03	0.4	0.3	0.41	<1	<0.5	<0.2	39
Reference Materials																				
STD DS7	Standard	0.076	14	191	1.02	393	0.117	41	1.03	0.094	0.49	3.6	0.21	2.5	4.2	0.19	5	3.0	0.9	
STD DS7	Standard	0.075	14	196	1.05	420	0.114	38	1.05	0.095	0.49	3.8	0.22	2.5	4.2	0.19	5	3.1	1.2	
STD DS7	Standard	0.071	14	207	1.05	383	0.127	35	1.07	0.101	0.48	3.7	0.21	2.6	4.0	0.20	5	3.7	0.7	
STD DS7	Standard	0.070	15	204	1.07	405	0.133	36	1.11	0.104	0.48	3.7	0.18	2.6	4.0	0.21	5	3.3	1.2	
STD DS7	Standard	0.075	14	185	1.06	398	0.110	37	1.06	0.096	0.47	3.7	0.22	2.7	4.0	0.20	5	3.5	1.1	
STD DS7	Standard	0.071	14	180	1.05	396	0.107	36	1.05	0.097	0.45	3.6	0.21	2.4	3.8	0.19	5	3.2	1.1	
STD DS7	Standard	0.080	13	182	1.06	414	0.114	41	1.07	0.093	0.48	3.7	0.25	2.3	4.0	0.20	5	3.6	1.4	
STD DS7	Standard	0.081	13	190	1.09	425	0.120	42	1.09	0.096	0.47	3.7	0.23	2.7	4.2	0.19	5	3.1	1.2	
STD OXC72	Standard																			195
STD OXC72	Standard																			189
STD OXH66	Standard																			1284

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000561.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OXH66	Standard																				
STD OXH66	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXH66 Expected																					
STD OXC72 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		<0.1	2.2	3.0	45	<0.1	1.1	3.3	604	1.98	<0.5	1.7	1.5	6.7	62	<0.1	<0.1	<0.1	40	0.58
G1	Prep Blank		<0.1	2.2	2.8	44	<0.1	1.0	3.4	552	1.89	<0.5	1.6	<0.5	6.3	54	<0.1	<0.1	<0.1	38	0.50



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 05, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000561.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
STD OXH66	Standard																			1326
STD OXH66	Standard																			1246
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
STD OXH66 Expected																				1285
STD OXC72 Expected																				205
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank																			<2
Prep Wash																				
G1	Prep Blank	0.077	18	2	0.49	117	0.118	1	0.92	0.111	0.48	<0.1	<0.01	2.4	0.3	<0.05	5	<0.5	<0.2	<2
G1	Prep Blank	0.078	17	2	0.44	100	0.113	<1	0.86	0.106	0.44	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 02, 2010
Report Date: November 02, 2010
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI10000578.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: TT-104
P.O. Number: NA 10-428
Number of Samples: 142

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	135	Crush split and pulverize 250g drill core to 200 mesh			WHI
1DX2	142	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	142	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000578.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111489	Drill Core	4.33	1.4	28.8	14.7	59	0.2	18.8	6.3	588	2.45	46.3	1.6	0.8	7.3	167	0.4	2.1	0.2	20	1.63
111490	Drill Core	4.31	1.9	57.9	17.9	128	0.3	68.2	15.6	780	3.55	647.1	1.8	42.7	9.4	290	1.3	4.4	0.5	62	2.20
111491	Drill Core	3.95	2.9	27.7	32.2	127	0.3	28.5	10.4	1033	2.87	392.0	2.8	5.1	7.5	203	1.1	5.1	0.5	38	2.17
111492	Drill Core	3.77	9.9	14.0	136.9	168	0.8	7.2	5.6	905	1.93	292.5	5.3	22.5	14.0	170	1.9	6.1	0.9	14	1.87
111493	Drill Core	4.09	2.7	11.2	49.9	73	0.3	5.2	4.8	959	1.77	263.2	7.1	12.9	15.3	191	0.8	5.6	0.5	13	1.89
111494	Drill Core	3.19	0.5	5.7	18.7	34	0.2	2.6	4.1	1134	1.86	76.9	6.5	5.5	16.4	160	0.1	3.8	0.3	7	1.53
111495	Drill Core	3.70	0.6	5.6	15.8	42	0.1	3.0	4.0	992	1.77	57.4	5.9	3.4	15.8	202	0.1	4.3	0.1	9	1.49
111496	Drill Core	3.41	1.8	7.9	26.4	60	0.2	3.6	4.4	820	1.80	95.6	5.9	7.7	14.6	132	0.4	3.0	0.5	15	1.25
111497 RRE 111496	Drill Core	N.A.	1.9	7.4	25.8	60	0.2	4.1	4.3	769	1.77	93.0	5.6	6.9	14.2	130	0.3	3.1	0.4	14	1.21
111498	Drill Core	5.97	9.2	6.9	28.4	50	0.1	2.7	4.0	825	1.69	103.4	7.0	4.8	13.7	190	0.1	3.2	1.0	13	1.79
111499	Drill Core	4.43	15.6	4.4	18.7	40	0.1	2.8	3.9	745	1.41	56.2	7.2	2.9	15.6	159	<0.1	2.4	0.5	9	1.57
111500	Drill Core	4.28	0.5	4.7	24.7	52	<0.1	2.6	4.0	749	1.69	23.0	5.9	<0.5	16.0	128	0.2	1.7	<0.1	14	0.99
111501	Drill Core	3.81	0.4	5.8	18.2	35	<0.1	2.7	4.2	798	1.71	18.4	5.8	0.7	16.2	165	<0.1	1.7	<0.1	15	1.34
111502	Drill Core	3.91	0.4	6.4	18.2	55	<0.1	2.7	4.0	772	1.73	24.0	6.5	<0.5	15.0	192	<0.1	2.4	<0.1	13	1.74
111503	Drill Core	5.13	11.4	7.6	24.4	51	<0.1	2.8	4.1	711	1.71	26.8	5.9	0.6	16.3	173	0.1	2.5	<0.1	12	1.47
111504	Drill Core	4.56	29.2	8.0	24.4	46	0.1	2.8	4.0	796	1.63	34.0	7.0	0.9	17.5	151	0.1	2.7	<0.1	12	1.61
111505	Drill Core	4.54	34.4	7.7	24.0	48	0.1	2.6	3.6	747	1.53	46.0	7.3	2.3	17.6	140	0.2	3.0	0.2	10	1.45
111506	Drill Core	4.38	19.2	6.9	21.8	41	<0.1	2.0	3.5	741	1.54	31.4	7.9	1.2	17.1	127	<0.1	2.6	0.2	11	1.42
111507	Drill Core		0.3	2.4	3.3	45	<0.1	1.4	3.4	550	1.95	<0.5	1.8	<0.5	6.5	57	<0.1	<0.1	<0.1	38	0.48
111508	Drill Core	4.56	1.6	6.6	22.1	48	<0.1	2.3	3.6	833	1.59	30.6	6.9	1.2	16.8	154	0.2	2.7	0.1	11	1.77
111509	Drill Core	4.26	3.6	5.7	28.5	46	0.1	2.2	3.3	737	1.48	32.5	7.5	1.3	16.9	149	0.2	2.8	0.2	9	1.48
111510	Drill Core	4.82	0.2	2.5	24.4	38	<0.1	2.1	3.2	784	1.33	33.9	7.0	1.3	14.4	152	0.1	1.6	<0.1	9	1.20
111511	Drill Core	3.94	0.3	3.8	18.8	45	<0.1	2.2	3.7	853	1.56	46.3	8.0	<0.5	16.8	199	0.1	1.5	0.2	13	1.47
111512	Drill Core	4.82	0.3	2.8	21.4	35	<0.1	1.4	2.2	723	1.28	31.8	10.4	<0.5	23.6	154	0.2	1.8	<0.1	7	1.44
111513	Drill Core	4.81	0.7	3.3	17.0	30	<0.1	1.8	3.1	613	1.28	39.1	7.6	<0.5	20.0	115	0.1	2.2	<0.1	9	1.06
111514	Drill Core	4.23	0.3	3.5	19.3	39	<0.1	2.2	3.4	710	1.33	48.5	8.6	1.8	17.4	122	0.3	2.7	<0.1	9	1.14
111515	Drill Core	5.17	0.3	4.5	21.5	52	0.1	2.4	3.9	1007	1.58	86.5	7.8	0.9	19.2	153	0.2	3.2	<0.1	10	1.86
111516	Drill Core	4.14	0.2	8.9	20.0	57	<0.1	2.5	4.1	1027	1.69	44.1	6.2	0.6	17.3	177	0.1	4.0	<0.1	14	1.71
111517 RRE 111516	Drill Core	N.A.	0.2	9.2	20.7	57	<0.1	2.4	4.2	1021	1.69	43.6	6.8	<0.5	17.4	181	0.2	3.9	<0.1	14	1.71
111518	Drill Core	4.20	1.3	5.5	18.3	24	<0.1	1.0	1.6	1557	1.15	35.1	12.0	<0.5	23.1	138	<0.1	3.1	<0.1	4	1.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000578.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111489	Drill Core	0.037	13	17	0.47	265	<0.001	3	0.34	0.025	0.16	<0.1	<0.01	5.0	0.1	0.16	<1	<0.5	<0.2	<2
111490	Drill Core	0.071	25	42	1.09	407	<0.001	3	0.55	0.030	0.22	<0.1	0.02	7.7	0.2	0.27	2	1.0	<0.2	46
111491	Drill Core	0.059	15	21	0.85	246	<0.001	3	0.43	0.019	0.21	<0.1	0.02	5.0	0.3	0.42	1	<0.5	<0.2	6
111492	Drill Core	0.049	14	6	0.54	199	<0.001	3	0.46	0.023	0.26	0.1	0.04	2.2	0.3	0.61	1	<0.5	<0.2	24
111493	Drill Core	0.045	12	5	0.43	186	<0.001	2	0.35	0.025	0.19	<0.1	0.04	2.4	0.2	0.66	<1	<0.5	<0.2	13
111494	Drill Core	0.055	15	2	0.28	106	<0.001	3	0.34	0.029	0.22	0.1	0.04	1.4	0.4	1.14	<1	<0.5	<0.2	5
111495	Drill Core	0.054	15	2	0.39	200	<0.001	3	0.36	0.035	0.21	<0.1	0.05	1.3	0.3	0.51	<1	<0.5	<0.2	6
111496	Drill Core	0.050	12	4	0.37	236	<0.001	3	0.39	0.034	0.19	0.1	0.04	2.2	0.2	0.31	1	<0.5	<0.2	6
111497 RRE 111496	Drill Core	0.048	12	3	0.36	229	<0.001	3	0.37	0.033	0.18	0.2	0.04	2.1	0.2	0.31	1	<0.5	<0.2	6
111498	Drill Core	0.047	11	3	0.38	246	<0.001	3	0.37	0.036	0.18	0.1	0.04	1.9	0.2	0.41	1	<0.5	<0.2	6
111499	Drill Core	0.053	14	2	0.30	171	<0.001	3	0.33	0.027	0.18	0.2	0.03	1.4	0.2	0.32	<1	<0.5	<0.2	5
111500	Drill Core	0.055	13	3	0.29	217	<0.001	4	0.41	0.041	0.20	0.2	0.04	2.2	0.2	0.21	1	<0.5	<0.2	4
111501	Drill Core	0.054	13	3	0.36	233	<0.001	2	0.37	0.033	0.19	<0.1	0.03	2.4	0.2	0.19	1	<0.5	<0.2	2
111502	Drill Core	0.050	14	3	0.41	284	<0.001	3	0.40	0.035	0.21	<0.1	0.04	2.1	0.2	0.32	1	<0.5	<0.2	<2
111503	Drill Core	0.053	14	3	0.34	165	<0.001	2	0.35	0.036	0.19	<0.1	0.05	1.9	0.2	0.35	1	<0.5	<0.2	2
111504	Drill Core	0.050	14	3	0.36	145	<0.001	3	0.38	0.039	0.21	<0.1	0.04	1.9	0.2	0.37	1	<0.5	<0.2	5
111505	Drill Core	0.046	13	3	0.31	187	<0.001	4	0.35	0.034	0.20	<0.1	0.03	1.7	0.2	0.36	<1	<0.5	<0.2	4
111506	Drill Core	0.048	13	3	0.32	142	<0.001	3	0.39	0.039	0.22	<0.1	0.04	1.8	0.2	0.31	1	<0.5	<0.2	5
111507	Drill Core	0.075	15	3	0.46	106	0.113	<1	0.83	0.079	0.44	0.5	<0.01	1.9	0.4	<0.05	5	<0.5	0.3	<2
111508	Drill Core	0.049	15	3	0.38	156	<0.001	3	0.41	0.038	0.23	<0.1	0.04	1.8	0.2	0.37	1	<0.5	<0.2	3
111509	Drill Core	0.046	15	3	0.27	173	<0.001	3	0.37	0.036	0.22	<0.1	0.07	1.7	0.3	0.38	<1	<0.5	0.3	<2
111510	Drill Core	0.039	10	2	0.19	152	<0.001	3	0.36	0.033	0.19	<0.1	0.05	1.7	0.2	0.32	<1	<0.5	<0.2	<2
111511	Drill Core	0.045	10	3	0.24	136	<0.001	3	0.36	0.035	0.19	<0.1	0.05	2.3	0.2	0.24	1	<0.5	<0.2	<2
111512	Drill Core	0.025	10	2	0.25	109	<0.001	3	0.33	0.045	0.19	<0.1	0.06	1.3	0.2	0.45	<1	<0.5	<0.2	<2
111513	Drill Core	0.035	14	2	0.23	133	<0.001	3	0.33	0.046	0.20	<0.1	0.09	1.8	0.2	0.36	1	<0.5	<0.2	<2
111514	Drill Core	0.043	12	2	0.21	113	<0.001	3	0.38	0.039	0.22	<0.1	0.10	1.7	0.3	0.46	1	<0.5	<0.2	<2
111515	Drill Core	0.053	20	3	0.33	150	<0.001	3	0.38	0.033	0.22	<0.1	0.06	1.6	0.3	0.46	1	<0.5	0.3	<2
111516	Drill Core	0.053	14	2	0.28	196	<0.001	3	0.38	0.038	0.20	<0.1	0.10	2.1	0.2	0.48	1	<0.5	<0.2	<2
111517 RRE 111516	Drill Core	0.054	15	3	0.28	199	<0.001	4	0.40	0.039	0.22	<0.1	0.11	2.1	0.2	0.48	1	<0.5	<0.2	<2
111518	Drill Core	0.018	13	1	0.33	186	<0.001	3	0.30	0.034	0.19	<0.1	0.04	1.2	0.2	0.38	<1	<0.5	<0.2	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000578.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111519	Drill Core	3.98	1.0	5.5	32.9	74	0.3	2.5	2.5	2338	1.38	123.7	9.8	6.1	18.0	84	0.7	6.0	0.5	3	0.86
111520	Drill Core	4.16	0.4	4.9	23.3	39	0.2	2.6	3.9	2089	1.47	15.8	4.8	<0.5	18.0	117	0.2	4.0	0.1	5	1.86
111521	Drill Core	3.51	0.6	6.5	42.0	182	0.3	2.1	3.3	4859	1.40	131.3	6.2	7.6	17.1	89	1.6	7.3	0.4	3	1.10
111522	Drill Core	4.75	0.2	4.6	88.7	96	0.4	1.6	2.7	1792	1.21	16.8	9.4	4.7	18.1	142	0.6	3.2	0.1	2	1.89
111523	Drill Core	4.63	0.3	4.1	16.5	25	0.2	2.7	3.2	3410	1.41	93.9	7.9	7.0	15.1	87	0.1	4.0	0.1	<2	1.25
111524	Drill Core	3.96	0.5	6.0	20.5	101	0.2	2.5	3.4	1359	1.25	37.2	7.9	4.3	16.9	107	0.7	3.7	0.3	3	1.65
111525	Drill Core	4.26	0.4	3.6	20.1	52	0.3	1.3	1.8	2474	1.00	152.5	12.1	1.1	21.9	98	0.2	5.3	0.3	2	1.26
111526	Drill Core	5.16	0.4	2.5	18.1	33	0.3	0.6	0.7	1127	0.76	72.9	14.0	5.0	25.6	74	0.3	3.6	0.5	<2	0.89
111527	Drill Core		<0.1	2.8	2.8	46	<0.1	0.8	3.7	531	1.89	<0.5	1.4	<0.5	5.8	53	<0.1	<0.1	<0.1	35	0.44
111528	Drill Core	4.68	1.6	7.0	491.1	903	4.5	1.0	1.9	2023	1.11	1500	16.0	55.6	21.9	40	13.0	11.9	0.6	<2	0.44
111529	Drill Core	4.92	1.9	17.9	724.4	1072	6.4	3.2	4.1	8503	1.71	2696	3.0	141.5	4.9	48	13.8	17.0	<0.1	<2	1.50
111530	Drill Core	4.34	1.5	6.6	120.9	388	2.7	2.9	4.0	7811	1.57	1174	2.0	75.0	4.1	77	4.0	6.5	<0.1	<2	1.54
111531	Drill Core	5.13	1.3	23.6	2594	3215	21.1	3.1	3.7	4905	2.26	4379	2.7	223.8	4.4	64	46.4	20.7	0.3	<2	1.51
111532	Drill Core	4.35	0.3	20.1	429.0	1510	5.8	0.4	2.1	1204	1.80	4523	12.7	264.4	26.4	47	22.4	13.3	2.2	<2	0.64
111533	Drill Core	4.69	0.3	8.3	166.8	461	2.1	0.8	2.1	1865	1.21	1903	8.4	169.2	29.0	39	7.2	7.6	1.0	<2	0.65
111534	Drill Core	4.99	0.5	3.5	30.1	74	0.9	0.4	1.4	1882	1.06	969.6	13.4	68.0	30.2	68	1.4	7.6	0.4	<2	1.15
111535	Drill Core	3.93	0.2	3.1	22.6	24	1.0	0.3	1.5	1617	1.02	825.0	10.2	49.7	27.4	72	0.2	6.8	0.3	<2	1.35
111536	Drill Core	4.72	0.3	9.3	130.8	510	2.6	0.7	2.2	602	1.27	1079	9.4	91.9	28.2	32	7.0	9.7	0.9	<2	0.57
111537 RRE 111536	Drill Core	N.A.	0.3	9.2	131.3	528	2.7	1.1	2.0	630	1.36	1139	9.7	90.0	28.4	33	6.9	9.4	0.8	<2	0.60
111538	Drill Core	5.05	0.5	1.8	17.5	14	0.6	0.5	1.4	596	0.72	614.7	9.4	28.5	27.5	67	0.1	5.9	0.2	<2	0.62
111539	Drill Core	3.86	0.6	7.5	116.9	496	2.7	0.7	2.0	1479	1.19	868.2	8.6	92.6	27.3	29	6.3	9.5	0.6	<2	0.27
111540	Drill Core	4.76	0.3	28.0	554.9	7725	8.2	0.3	1.6	871	1.92	5733	9.3	303.4	28.4	32	101.9	19.6	1.2	<2	0.46
111541	Drill Core	4.74	0.4	16.0	376.6	791	5.6	0.3	1.2	430	1.62	5997	8.2	444.1	29.8	21	10.3	22.7	1.1	<2	0.18
111542	Drill Core	4.37	1.1	25.2	1264	1620	11.2	0.8	1.6	458	1.32	2684	10.9	194.9	26.6	26	21.9	26.0	0.5	<2	0.15
111543	Drill Core	4.62	4.7	40.9	3261	4273	32.5	2.6	4.9	496	3.26	>10000	10.1	667.9	14.0	19	56.2	46.4	0.8	<2	0.23
111544	Drill Core	4.95	2.5	69.9	1607	4209	21.9	1.8	3.0	796	3.31	>10000	16.4	905.1	19.5	32	61.1	56.1	2.7	<2	0.45
111545	Drill Core	3.48	0.1	8.3	476.4	541	5.1	0.7	1.1	711	1.40	2714	11.5	180.1	29.0	32	7.1	13.6	0.8	<2	0.66
111546	Drill Core	5.13	0.2	18.5	553.8	1185	5.5	0.1	1.4	1252	1.98	4436	8.7	442.3	24.5	43	18.6	13.2	1.0	<2	1.02
111547	Drill Core		<0.1	2.1	5.4	45	<0.1	1.6	3.9	517	1.83	16.8	1.4	1.2	5.4	45	<0.1	<0.1	<0.1	34	0.54
111548	Drill Core	4.58	0.2	4.1	256.5	612	3.0	0.5	1.2	1260	1.38	1542	7.7	70.4	28.5	48	8.6	7.5	0.4	<2	0.97

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000578.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111519	Drill Core	0.049	12	2	0.10	103	<0.001	4	0.49	0.012	0.34	0.2	0.05	0.9	0.6	1.16	1	<0.5	<0.2	5
111520	Drill Core	0.055	20	1	0.23	95	<0.001	3	0.38	0.030	0.25	0.1	0.06	1.1	0.4	0.76	<1	<0.5	<0.2	<2
111521	Drill Core	0.051	12	1	0.18	157	<0.001	4	0.47	0.007	0.33	0.3	0.06	0.9	0.6	1.06	1	<0.5	<0.2	6
111522	Drill Core	0.033	10	1	0.22	114	<0.001	2	0.25	0.022	0.20	<0.1	0.08	1.0	0.3	0.81	<1	<0.5	<0.2	<2
111523	Drill Core	0.040	9	3	0.16	78	<0.001	3	0.33	0.012	0.27	<0.1	0.02	0.8	0.4	1.15	<1	<0.5	<0.2	3
111524	Drill Core	0.039	10	2	0.20	161	<0.001	2	0.26	0.020	0.22	<0.1	0.06	0.9	0.3	0.60	<1	<0.5	<0.2	3
111525	Drill Core	0.021	9	<1	0.15	145	<0.001	2	0.29	0.026	0.23	<0.1	0.04	0.7	0.3	0.31	<1	<0.5	0.2	3
111526	Drill Core	0.008	6	1	0.07	77	<0.001	2	0.22	0.026	0.18	0.1	0.03	0.4	0.2	0.45	<1	<0.5	<0.2	5
111527	Drill Core	0.067	14	3	0.41	100	0.113	2	0.80	0.113	0.46	1.4	<0.01	1.7	0.3	<0.05	4	<0.5	0.2	<2
111528	Drill Core	0.012	7	<1	0.05	52	<0.001	3	0.28	0.015	0.21	<0.1	0.14	0.4	0.4	0.85	<1	<0.5	0.2	50
111529	Drill Core	0.031	7	<1	0.12	69	<0.001	4	0.35	0.005	0.28	0.1	0.12	0.7	0.5	1.66	<1	<0.5	<0.2	125
111530	Drill Core	0.030	6	<1	0.15	70	<0.001	4	0.31	0.005	0.25	0.2	0.04	0.7	0.4	1.56	<1	<0.5	<0.2	67
111531	Drill Core	0.032	7	<1	0.08	45	<0.001	5	0.36	0.005	0.27	0.2	0.28	0.6	0.6	2.37	<1	<0.5	<0.2	209
111532	Drill Core	0.016	6	<1	0.03	60	<0.001	3	0.28	0.005	0.23	0.1	0.10	0.2	0.5	1.63	<1	<0.5	0.3	237
111533	Drill Core	0.014	8	<1	0.06	57	<0.001	2	0.28	0.015	0.24	0.1	0.06	0.3	0.4	1.08	<1	<0.5	0.3	177
111534	Drill Core	0.011	9	<1	0.20	59	<0.001	3	0.23	0.018	0.18	0.2	0.05	0.3	0.4	0.80	<1	<0.5	<0.2	67
111535	Drill Core	0.012	9	<1	0.20	56	<0.001	3	0.28	0.023	0.21	<0.1	0.03	0.3	0.4	0.73	<1	<0.5	<0.2	44
111536	Drill Core	0.012	8	<1	0.09	35	<0.001	2	0.23	0.019	0.19	0.2	0.08	0.2	0.4	1.13	<1	<0.5	0.3	88
111537 RRE 111536	Drill Core	0.013	8	<1	0.09	35	<0.001	1	0.25	0.022	0.20	0.1	0.07	0.3	0.5	1.18	<1	<0.5	0.5	89
111538	Drill Core	0.013	14	<1	0.07	64	<0.001	3	0.27	0.036	0.19	0.2	0.06	0.4	0.4	0.42	<1	<0.5	0.3	26
111539	Drill Core	0.010	10	<1	0.07	114	<0.001	2	0.24	0.022	0.19	0.3	0.03	0.2	0.3	0.96	<1	<0.5	0.3	93
111540	Drill Core	0.008	6	<1	0.05	47	<0.001	2	0.27	0.022	0.24	0.1	0.18	0.1	0.5	1.81	<1	<0.5	<0.2	313
111541	Drill Core	0.009	8	<1	0.05	37	<0.001	2	0.24	0.015	0.21	0.3	0.06	0.1	0.6	1.33	<1	<0.5	0.5	488
111542	Drill Core	0.011	7	1	0.04	83	<0.001	3	0.29	0.009	0.23	0.2	0.11	0.2	0.7	1.20	<1	<0.5	0.3	178
111543	Drill Core	0.046	9	1	0.04	39	<0.001	3	0.26	0.004	0.20	0.3	0.18	0.4	1.8	2.89	<1	0.6	<0.2	668
111544	Drill Core	0.027	8	1	0.05	43	<0.001	2	0.28	0.005	0.21	0.9	0.18	0.3	1.3	2.96	<1	<0.5	<0.2	915
111545	Drill Core	0.012	9	<1	0.06	29	<0.001	2	0.24	0.014	0.20	0.2	0.05	0.3	0.5	1.04	<1	<0.5	<0.2	187
111546	Drill Core	0.010	8	<1	0.09	55	<0.001	2	0.25	0.016	0.21	0.1	0.06	0.2	0.5	1.48	<1	<0.5	0.3	455
111547	Drill Core	0.068	13	3	0.48	102	0.116	<1	0.79	0.087	0.44	<0.1	<0.01	1.6	0.3	<0.05	4	<0.5	<0.2	3
111548	Drill Core	0.011	9	<1	0.10	128	<0.001	4	0.29	0.024	0.24	0.1	0.05	0.3	0.4	0.91	<1	<0.5	<0.2	72

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000578.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111549	Drill Core	4.31	0.4	8.8	381.0	687	3.2	0.6	1.6	527	1.20	1868	12.0	110.7	27.0	24	9.4	7.4	0.7	<2	0.32
111550	Drill Core	4.87	0.3	9.4	1746	2176	17.8	0.8	1.6	601	1.56	4726	7.8	188.7	25.3	13	29.5	26.0	0.3	<2	0.20
111551	Drill Core	4.49	0.3	7.4	1524	1131	13.4	0.8	2.2	2632	1.73	4043	8.3	529.8	26.3	20	13.5	20.0	2.1	<2	0.31
111552	Drill Core	3.53	0.8	8.0	554.7	939	5.9	0.8	2.4	1556	2.00	6425	11.9	359.5	21.5	16	14.2	16.8	1.6	<2	0.23
111553	Drill Core	4.22	0.4	9.8	1411	1524	15.8	0.6	1.7	1408	2.74	7042	7.6	1040	23.4	31	17.8	24.6	7.4	<2	0.74
111554	Drill Core	4.75	0.3	2.4	20.1	90	0.6	0.6	1.5	1077	0.91	461.9	10.1	30.2	25.0	14	0.8	4.5	0.2	<2	0.20
111555	Drill Core	3.58	0.3	7.4	296.9	222	4.4	0.3	1.5	361	1.20	1214	9.1	167.4	25.2	11	2.9	9.2	0.7	<2	0.15
111556	Drill Core	3.73	0.3	4.0	50.1	120	1.5	<0.1	1.3	299	0.83	985.2	18.7	76.1	16.7	14	1.6	5.5	0.7	<2	0.21
111557 RRE 111556	Drill Core	N.A.	0.3	4.4	47.1	117	1.4	0.5	1.1	281	0.84	950.3	17.3	75.0	14.2	14	1.5	7.0	0.7	<2	0.20
111558	Drill Core	4.25	0.3	12.3	307.4	893	3.2	0.5	1.6	357	1.52	2193	9.4	168.4	24.0	23	14.0	9.1	1.7	<2	0.27
111559	Drill Core	4.22	0.2	6.8	117.3	230	1.3	0.4	0.4	245	0.66	666.0	25.7	55.1	15.4	27	3.4	7.3	0.5	<2	0.26
111560	Drill Core	3.13	0.3	9.8	111.0	226	2.0	0.7	1.5	795	1.23	1891	7.9	196.9	25.7	24	3.3	9.9	2.0	<2	0.39
111561	Drill Core		0.4	3.5	47.6	147	1.0	0.7	1.5	777	0.93	936.3	10.2	56.7	26.1	24	1.2	6.4	0.3	<2	0.30
111562	Drill Core		0.2	7.3	76.1	236	1.9	0.5	1.5	499	1.16	2040	9.2	131.2	29.0	26	3.9	9.8	1.4	<2	0.36
111563	Drill Core		0.2	11.4	410.2	1696	4.6	0.7	1.3	355	1.30	1568	13.4	108.9	28.2	33	24.4	10.8	0.5	<2	0.76
111564	Drill Core		0.3	7.9	328.8	430	3.5	0.5	1.2	395	1.10	1278	8.6	86.3	25.0	16	6.9	9.6	0.4	<2	0.20
111565	Drill Core		0.5	8.7	475.1	887	5.9	0.7	2.8	1777	1.42	1702	8.5	119.4	26.2	19	8.7	16.7	0.5	<2	0.37
111566	Drill Core		2.1	88.8	>10000	>10000	>100	1.5	3.8	2494	6.81	>10000	9.8	2366	16.9	43	407.9	364.3	3.6	<2	1.15
111567	Drill Core		<0.1	2.4	14.7	63	0.2	1.2	3.7	565	2.00	47.7	1.4	2.9	5.3	50	0.2	0.2	<0.1	37	0.59
111568	Drill Core		0.4	7.8	894.9	1058	10.0	0.8	2.4	2095	1.23	2095	9.1	123.9	26.1	21	9.8	18.6	0.2	<2	0.54
111569	Drill Core		0.7	3.3	24.6	186	1.7	0.7	2.0	942	0.98	1393	11.0	60.2	28.9	11	2.9	8.8	0.3	<2	0.23
111570	Drill Core		0.3	2.8	55.8	212	1.9	0.6	1.6	1072	1.05	2705	15.3	50.9	28.9	11	1.1	10.5	0.1	<2	0.22
111571	Drill Core		0.3	2.5	42.0	102	2.6	0.6	1.5	620	1.06	3360	10.0	35.4	27.0	16	0.8	13.6	0.1	<2	0.36
111572	Drill Core		1.0	4.2	96.7	405	2.9	0.9	2.6	1471	1.30	3837	20.3	108.3	29.8	14	2.6	15.0	0.6	<2	0.28
111573	Drill Core		0.5	5.4	483.4	599	5.3	0.6	1.5	1029	1.12	3127	12.9	128.0	23.5	15	6.8	15.1	0.2	<2	0.32
111574	Drill Core		0.5	18.4	1022	1532	11.5	0.3	1.6	2777	1.73	6172	15.5	398.3	25.6	31	23.5	31.7	0.5	<2	0.82
111575	Drill Core		0.6	10.6	879.1	1226	11.0	0.8	2.4	2662	1.58	5336	11.4	469.7	30.4	23	15.2	29.7	0.6	<2	0.46
111576	Drill Core		5.8	36.6	4154	5129	37.0	3.1	9.6	3696	3.08	>10000	16.3	893.2	15.8	26	69.8	47.5	0.7	<2	0.68
111577 RRE 111576	Drill Core	N.A.	5.3	34.4	4193	5266	36.5	3.0	9.3	3779	3.02	>10000	15.9	863.3	16.3	26	73.0	46.3	0.7	<2	0.68
111578	Drill Core		0.9	7.4	670.6	1179	6.7	1.1	3.7	644	2.08	9030	13.0	561.8	25.5	19	21.6	19.6	3.6	<2	0.41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000578.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111549	Drill Core	0.011	9	<1	0.05	94	<0.001	3	0.23	0.017	0.20	0.2	0.04	0.2	0.4	0.97	<1	<0.5	<0.2	116
111550	Drill Core	0.010	9	1	0.05	55	<0.001	2	0.27	0.021	0.22	0.5	0.06	0.1	0.6	1.39	<1	<0.5	0.3	198
111551	Drill Core	0.010	8	<1	0.04	27	<0.001	2	0.22	0.017	0.18	1.1	0.03	0.2	0.5	1.49	<1	0.7	<0.2	381
111552	Drill Core	0.011	7	<1	0.05	35	<0.001	4	0.28	0.006	0.25	0.8	0.06	0.2	0.9	1.64	<1	<0.5	0.3	375
111553	Drill Core	0.011	6	<1	0.07	27	<0.001	2	0.23	0.009	0.20	0.3	0.05	0.2	0.6	2.52	<1	<0.5	0.3	1108
111554	Drill Core	0.011	12	1	0.07	39	<0.001	2	0.26	0.039	0.20	0.1	0.02	0.5	0.3	0.37	<1	<0.5	<0.2	33
111555	Drill Core	0.009	9	1	0.05	72	<0.001	2	0.25	0.027	0.22	0.2	0.02	0.2	0.4	1.00	<1	0.6	0.3	162
111556	Drill Core	<0.001	3	<1	0.04	34	<0.001	2	0.25	0.028	0.23	0.2	0.02	0.2	0.4	0.63	<1	0.6	0.8	76
111557 RRE 111556	Drill Core	0.001	3	<1	0.03	31	<0.001	4	0.21	0.027	0.19	0.2	0.02	0.2	0.3	0.61	<1	<0.5	0.2	71
111558	Drill Core	0.009	6	<1	0.04	31	<0.001	3	0.24	0.021	0.22	0.1	0.03	0.2	0.4	1.33	<1	<0.5	<0.2	172
111559	Drill Core	0.001	4	<1	0.02	42	<0.001	4	0.18	0.038	0.15	0.2	0.02	0.2	0.3	0.47	<1	<0.5	<0.2	55
111560	Drill Core	0.013	9	<1	0.07	31	<0.001	3	0.22	0.025	0.18	0.1	0.03	0.3	0.3	0.86	<1	<0.5	<0.2	210
111561	Drill Core	0.012	11	<1	0.05	37	<0.001	4	0.21	0.038	0.17	0.1	0.04	0.3	0.6	0.53	<1	<0.5	<0.2	54
111562	Drill Core	0.013	7	<1	0.07	41	<0.001	1	0.22	0.032	0.19	0.1	0.04	0.3	0.6	0.83	<1	<0.5	<0.2	124
111563	Drill Core	0.012	7	<1	0.04	35	<0.001	3	0.21	0.033	0.18	0.1	0.06	0.2	0.4	1.07	<1	<0.5	<0.2	113
111564	Drill Core	0.009	7	<1	0.04	27	<0.001	4	0.19	0.034	0.16	0.1	0.04	0.2	0.4	0.83	<1	<0.5	<0.2	92
111565	Drill Core	0.012	7	<1	0.04	24	<0.001	3	0.23	0.012	0.20	0.1	0.04	0.1	0.5	1.26	<1	<0.5	<0.2	118
111566	Drill Core	0.020	4	<1	0.08	22	<0.001	1	0.20	0.004	0.17	0.1	0.81	0.2	1.8	5.52	1	1.1	<0.2	2374
111567	Drill Core	0.078	13	2	0.51	104	0.094	<1	0.80	0.086	0.46	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5	<0.2	<2
111568	Drill Core	0.011	8	<1	0.04	103	<0.001	2	0.23	0.019	0.19	<0.1	0.04	0.2	0.6	1.09	<1	<0.5	<0.2	111
111569	Drill Core	0.012	8	<1	0.04	28	<0.001	2	0.23	0.034	0.18	<0.1	0.03	0.2	0.7	0.78	<1	<0.5	<0.2	53
111570	Drill Core	0.011	9	<1	0.05	32	<0.001	2	0.25	0.030	0.21	<0.1	0.07	0.2	1.3	0.68	<1	<0.5	<0.2	47
111571	Drill Core	0.010	8	<1	0.06	25	<0.001	3	0.22	0.025	0.19	<0.1	0.09	0.2	1.7	0.71	<1	<0.5	<0.2	32
111572	Drill Core	0.013	8	<1	0.06	35	<0.001	3	0.26	0.018	0.22	0.2	0.09	0.2	1.6	0.95	<1	<0.5	<0.2	95
111573	Drill Core	0.007	7	1	0.07	31	<0.001	3	0.27	0.017	0.24	<0.1	0.05	0.2	1.1	0.77	<1	<0.5	<0.2	117
111574	Drill Core	0.010	6	<1	0.21	68	<0.001	2	0.25	0.005	0.23	0.2	0.13	0.2	1.2	1.17	<1	<0.5	<0.2	368
111575	Drill Core	0.015	8	<1	0.12	86	<0.001	2	0.27	0.005	0.25	0.1	0.10	0.2	1.3	1.20	<1	<0.5	<0.2	438
111576	Drill Core	0.068	10	1	0.05	30	<0.001	3	0.31	0.004	0.24	0.3	0.22	0.4	1.3	2.95	<1	<0.5	<0.2	855
111577 RRE 111576	Drill Core	0.065	9	<1	0.05	30	<0.001	3	0.33	0.004	0.25	0.2	0.23	0.4	1.3	2.88	<1	<0.5	<0.2	869
111578	Drill Core	0.015	5	<1	0.02	39	<0.001	3	0.44	0.004	0.25	<0.1	0.04	0.2	0.5	1.93	<1	<0.5	2.3	514

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000578.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111579	Drill Core		0.5	6.4	130.7	580	2.5	0.9	2.4	2463	1.33	1245	10.1	89.7	29.8	20	8.3	9.0	1.1	<2	0.34
111580	Drill Core		0.6	5.0	79.3	1561	1.8	0.5	2.5	3725	1.29	699.3	12.4	63.9	27.0	21	12.3	7.3	0.6	<2	0.37
111581	Drill Core		1.3	10.2	115.3	462	1.6	0.5	1.9	1400	0.96	421.2	9.5	45.8	24.8	18	4.9	10.4	0.2	<2	0.24
111582	Drill Core		1.4	3.8	37.5	169	0.7	0.9	1.8	1770	1.12	226.4	10.4	43.7	24.4	20	0.8	6.0	0.2	<2	0.33
111583	Drill Core		0.5	5.5	58.2	160	1.6	0.6	1.4	807	1.16	657.7	8.2	196.7	23.1	20	2.3	8.2	0.4	<2	0.39
111584	Drill Core		0.6	4.4	55.0	259	1.7	0.7	1.5	1370	1.14	676.9	20.3	117.8	25.0	24	1.9	7.1	0.7	<2	0.46
111585	Drill Core		0.5	6.5	56.9	202	1.7	0.6	1.8	1055	1.18	597.5	8.6	411.5	23.7	17	1.7	8.3	0.6	<2	0.33
111586	Drill Core		0.6	6.9	45.3	230	3.4	0.6	1.9	1559	1.27	586.0	9.8	1128	25.6	17	1.1	10.0	3.4	<2	0.34
111587	Drill Core		<0.1	2.5	2.6	47	<0.1	1.1	3.6	583	2.06	3.3	1.4	13.0	5.4	52	<0.1	<0.1	<0.1	39	0.48
111588	Drill Core		0.5	6.7	70.1	318	2.1	0.8	2.4	1561	1.29	532.7	10.3	141.6	24.8	21	1.9	9.7	1.7	<2	0.29
111589	Drill Core		0.3	7.1	130.7	445	2.6	0.9	2.2	2003	1.34	374.9	8.3	57.8	27.1	17	3.3	8.9	0.5	<2	0.29
111590	Drill Core		1.4	17.3	1007	2284	10.1	0.7	3.3	2925	1.96	2666	12.5	273.4	28.6	20	30.7	21.0	1.2	<2	0.45
111591	Drill Core		0.6	7.7	273.8	1300	2.8	0.7	1.8	1981	1.58	1409	10.4	113.4	24.1	19	19.5	7.6	0.9	<2	0.25
111592	Drill Core		0.9	11.9	394.2	820	8.3	0.9	2.4	1611	1.56	640.0	12.1	158.8	28.5	22	10.8	16.4	0.9	<2	0.38
111593	Drill Core		0.6	25.9	540.8	1573	10.8	1.1	1.9	1280	1.81	1326	8.2	370.6	26.2	19	17.9	22.1	4.2	<2	0.39
111594	Drill Core		0.6	14.1	120.7	475	2.6	0.9	1.5	969	1.39	196.5	8.7	133.4	29.1	23	6.8	17.0	1.0	<2	0.36
111595	Drill Core		2.8	28.7	1025	2228	14.8	2.3	2.1	758	2.08	3615	16.5	649.1	28.8	23	34.7	29.4	5.1	<2	0.28
111596	Drill Core		0.8	432.2	1139	3524	56.9	1.6	3.9	1583	5.03	>10000	7.6	2593	21.9	26	60.1	354.3	32.6	<2	0.20
111597 RRE 111596	Drill Core	N.A.	0.8	436.4	1229	3529	56.5	1.3	4.1	1810	5.18	>10000	7.4	2732	21.4	26	59.5	345.9	33.9	<2	0.20
111598	Drill Core		1.0	10.2	69.2	101	1.2	1.2	2.3	853	1.07	556.8	12.0	203.8	27.7	24	0.9	14.5	0.8	<2	0.28
111599	Drill Core		0.3	11.6	51.5	112	1.9	0.8	1.8	494	1.27	912.7	12.7	268.1	25.8	13	1.6	15.0	5.3	<2	0.20
111600	Drill Core		0.8	14.0	262.3	884	7.2	0.8	1.4	999	0.97	410.4	20.5	99.1	28.7	20	18.6	13.4	1.6	<2	0.39
111601	Drill Core		0.8	3.4	57.0	82	0.8	0.8	1.6	1107	0.92	131.2	13.8	24.8	28.2	18	0.9	5.6	0.2	<2	0.30
111602	Drill Core		0.9	1.4	16.1	23	0.2	0.7	1.4	989	0.89	106.6	27.7	19.8	30.0	18	0.2	5.2	0.2	<2	0.29
111603	Drill Core		1.7	5.3	95.2	200	0.8	0.4	2.0	1087	1.03	368.4	12.4	38.2	32.2	19	2.3	8.5	0.3	<2	0.38
111604	Drill Core		0.5	10.6	904.9	660	9.2	0.8	1.6	735	1.15	810.0	12.6	248.5	30.6	16	8.4	16.1	0.9	<2	0.23
111605	Drill Core		1.7	7.8	779.5	727	9.2	0.6	1.1	1021	2.49	8473	9.8	711.1	25.1	13	9.0	29.3	2.1	<2	0.11
111606	Drill Core		2.1	22.0	5141	3260	47.7	1.3	2.0	449	5.19	>10000	9.3	1262	25.3	14	55.2	86.3	10.3	<2	0.11
111607	Drill Core		0.1	1.9	8.9	54	<0.1	1.7	3.5	559	1.89	31.6	1.7	1.1	6.3	54	0.2	0.1	<0.1	36	0.44
111608	Drill Core		0.7	7.7	477.1	655	6.4	0.6	3.7	239	1.78	6926	7.1	1017	26.3	11	9.6	19.2	3.8	<2	0.10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000578.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111579	Drill Core	0.015	9	<1	0.07	50	<0.001	2	0.28	0.014	0.24	<0.1	0.04	0.2	0.4	1.00	<1	<0.5	<0.2	79
111580	Drill Core	0.011	8	<1	0.09	54	<0.001	2	0.25	0.019	0.20	<0.1	0.04	0.3	0.3	0.75	<1	<0.5	<0.2	67
111581	Drill Core	0.013	8	<1	0.06	37	<0.001	3	0.24	0.021	0.19	<0.1	0.05	0.2	0.3	0.64	<1	<0.5	<0.2	43
111582	Drill Core	0.014	12	<1	0.09	34	<0.001	3	0.25	0.029	0.19	0.1	0.04	0.3	0.5	0.43	<1	<0.5	<0.2	43
111583	Drill Core	0.015	9	<1	0.07	41	<0.001	2	0.26	0.027	0.21	0.1	0.02	0.2	0.3	0.74	<1	<0.5	<0.2	228
111584	Drill Core	0.014	7	<1	0.10	71	<0.001	<1	0.29	0.010	0.27	0.1	0.02	0.2	0.4	0.76	<1	<0.5	<0.2	118
111585	Drill Core	0.015	9	<1	0.09	54	<0.001	2	0.25	0.026	0.21	0.2	0.02	0.2	0.3	0.90	<1	<0.5	<0.2	420
111586	Drill Core	0.015	10	<1	0.08	36	<0.001	3	0.27	0.026	0.21	0.1	0.02	0.3	0.3	0.91	<1	<0.5	2.5	2540
111587	Drill Core	0.082	14	3	0.46	112	0.109	<1	0.84	0.093	0.47	<0.1	<0.01	1.7	0.3	<0.05	5	<0.5	<0.2	3
111588	Drill Core	0.014	9	<1	0.07	92	<0.001	3	0.27	0.019	0.22	0.1	0.01	0.2	0.3	1.03	<1	<0.5	0.4	119
111589	Drill Core	0.014	9	<1	0.07	35	<0.001	3	0.28	0.017	0.24	0.1	0.03	0.2	0.4	1.07	<1	<0.5	<0.2	56
111590	Drill Core	0.013	8	2	0.07	45	<0.001	3	0.27	0.013	0.23	0.2	0.08	0.3	0.4	1.67	<1	<0.5	<0.2	272
111591	Drill Core	0.012	7	1	0.07	30	<0.001	3	0.28	0.009	0.24	0.2	0.06	0.2	0.4	1.23	<1	<0.5	<0.2	107
111592	Drill Core	0.013	8	<1	0.10	84	<0.001	3	0.29	0.022	0.25	0.1	0.05	0.3	0.3	1.24	<1	<0.5	<0.2	144
111593	Drill Core	0.011	7	1	0.09	31	<0.001	4	0.29	0.014	0.26	0.2	0.11	0.2	0.3	1.77	<1	<0.5	1.2	382
111594	Drill Core	0.012	8	<1	0.12	36	<0.001	5	0.28	0.015	0.23	0.1	0.03	0.2	0.2	1.31	<1	<0.5	<0.2	122
111595	Drill Core	0.013	5	<1	0.08	24	<0.001	3	0.30	0.004	0.24	0.2	0.19	0.3	0.6	2.10	<1	0.6	<0.2	628
111596	Drill Core	0.022	4	<1	0.07	20	<0.001	3	0.27	0.003	0.21	0.1	0.22	0.6	0.6	4.51	<1	1.3	1.5	2213
111597 RRE 111596	Drill Core	0.022	4	1	0.07	21	<0.001	3	0.29	0.003	0.23	0.1	0.25	0.4	0.6	4.56	<1	1.5	1.3	2277
111598	Drill Core	0.015	9	<1	0.07	49	<0.001	4	0.30	0.015	0.24	0.1	0.02	0.3	0.4	0.85	<1	<0.5	<0.2	203
111599	Drill Core	0.013	9	1	0.06	38	<0.001	3	0.30	0.023	0.25	0.2	0.01	0.2	0.3	1.18	<1	<0.5	<0.2	274
111600	Drill Core	0.013	9	<1	0.10	43	<0.001	3	0.24	0.024	0.20	0.1	0.03	0.3	0.3	0.81	<1	0.5	<0.2	112
111601	Drill Core	0.013	12	1	0.09	36	<0.001	2	0.25	0.035	0.20	0.2	0.03	0.3	0.3	0.47	<1	<0.5	<0.2	12
111602	Drill Core	0.014	12	<1	0.10	43	<0.001	3	0.22	0.035	0.17	0.2	0.02	0.4	0.4	0.44	<1	0.7	<0.2	20
111603	Drill Core	0.013	11	<1	0.10	34	<0.001	2	0.27	0.033	0.21	0.1	0.03	0.3	0.5	0.73	<1	<0.5	<0.2	33
111604	Drill Core	0.013	11	<1	0.07	39	<0.001	2	0.33	0.009	0.29	0.1	0.03	0.3	0.4	1.05	<1	<0.5	<0.2	249
111605	Drill Core	0.013	7	<1	0.04	36	<0.001	2	0.28	0.009	0.23	0.2	0.04	0.2	0.5	2.26	<1	<0.5	<0.2	678
111606	Drill Core	0.010	7	<1	0.04	26	<0.001	4	0.30	0.004	0.24	0.3	0.11	0.4	1.1	4.70	1	1.2	1.0	1172
111607	Drill Core	0.075	15	2	0.43	106	0.117	1	0.81	0.079	0.46	<0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	<2
111608	Drill Core	0.012	7	<1	0.04	29	<0.001	3	0.32	0.006	0.28	0.2	0.02	0.2	0.3	1.56	<1	0.7	3.2	1015

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000578.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111609	Drill Core		0.8	7.9	57.6	130	1.4	0.5	1.9	460	1.08	210.9	10.6	119.1	30.9	17	1.2	9.9	0.9	<2	0.21
111610	Drill Core		0.7	5.0	27.3	50	0.5	0.8	1.4	755	0.87	61.0	9.5	50.7	31.1	21	0.4	6.1	0.4	<2	0.33
111611	Drill Core		0.7	4.5	61.4	82	1.0	0.5	1.3	852	0.87	93.4	13.5	50.6	29.4	21	1.2	6.3	0.4	<2	0.44
111612	Drill Core		1.0	1.1	21.8	29	0.3	0.9	1.4	991	0.86	54.4	12.1	13.2	27.6	20	0.2	4.5	0.2	<2	0.42
111613	Drill Core		0.5	0.9	8.9	12	<0.1	0.5	1.6	681	0.83	23.3	20.9	5.8	29.9	16	<0.1	2.3	0.1	<2	0.18
111614	Drill Core		1.0	6.1	317.5	405	3.8	0.8	1.6	826	1.04	486.5	9.4	71.0	27.3	21	5.3	7.9	0.7	<2	0.46
111615	Drill Core		2.0	8.8	1384	899	11.1	0.8	1.6	422	1.26	3346	76.1	320.2	31.8	19	12.4	14.5	0.6	<2	0.24
111616	Drill Core		2.1	2.7	18.1	11	0.6	0.6	2.1	547	0.80	37.5	10.2	33.3	29.5	20	<0.1	5.5	0.2	<2	0.26
111617 RRE 111616	Drill Core	N.A.	1.9	2.6	18.5	10	0.6	0.7	2.0	550	0.77	35.7	10.1	30.6	29.5	20	<0.1	5.2	0.2	<2	0.26
111618	Drill Core		0.4	4.3	188.0	158	2.1	0.5	1.3	556	0.96	1074	7.8	313.1	26.9	22	2.3	6.8	0.8	<2	0.41
111619	Drill Core		0.4	0.8	14.2	14	<0.1	0.7	1.5	416	0.88	10.8	13.2	6.2	30.2	37	<0.1	1.6	<0.1	2	0.41
111620	Drill Core		0.4	0.8	14.8	19	0.1	0.5	1.4	554	0.81	13.1	11.9	2.9	29.4	36	<0.1	1.8	0.1	2	0.45
111621	Drill Core		1.1	1.3	64.2	73	0.8	0.6	1.4	794	0.88	86.6	9.7	8.1	24.7	36	0.7	3.9	0.1	<2	0.61
111622	Drill Core		0.3	0.7	16.7	26	0.1	0.6	1.3	933	0.85	10.7	14.8	3.9	27.3	32	0.1	1.2	<0.1	<2	0.57
111623	Drill Core		0.4	1.4	12.0	20	0.2	0.6	1.1	1126	0.83	13.8	8.8	9.0	26.6	26	0.1	2.2	0.1	<2	0.63
111624	Drill Core		0.6	4.4	183.7	218	1.7	0.5	1.8	802	1.11	499.7	13.0	99.7	27.5	22	2.9	6.4	0.5	<2	0.61
111625	Drill Core		0.6	3.9	32.0	55	1.3	0.8	1.6	938	0.95	232.8	14.2	40.0	29.6	21	0.6	6.7	0.5	<2	0.56
111626	Drill Core		0.4	2.3	30.4	130	0.4	0.4	1.2	696	0.87	63.0	8.5	14.1	28.0	19	1.9	3.3	0.2	<2	0.33
111627	Drill Core		<0.1	2.2	3.0	45	<0.1	1.1	3.4	538	1.80	0.9	1.8	<0.5	7.0	66	<0.1	<0.1	<0.1	35	0.47
111628	Drill Core		0.3	3.0	58.3	59	0.9	0.7	1.3	632	0.85	178.8	9.2	28.8	25.9	18	0.7	4.5	0.5	<2	0.34
111629	Drill Core		4.1	2.8	61.9	64	0.9	0.6	1.3	725	0.82	44.6	9.8	17.0	27.4	24	0.9	4.1	0.2	<2	0.38
111630	Drill Core		1.5	6.6	125.5	409	1.9	0.5	1.2	506	0.98	737.7	8.0	126.8	25.1	18	6.0	5.9	1.9	<2	0.35



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000578.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	2	
111609	Drill Core	0.013	10	<1	0.06	68	<0.001	3	0.27	0.017	0.20	0.2	0.02	0.3	0.3	1.02	<1	<0.5	0.4	70
111610	Drill Core	0.013	11	1	0.09	33	<0.001	1	0.26	0.027	0.19	0.1	0.02	0.5	0.3	0.58	<1	<0.5	<0.2	34
111611	Drill Core	0.012	11	<1	0.12	29	<0.001	2	0.25	0.027	0.20	0.1	0.03	0.3	0.3	0.56	<1	<0.5	<0.2	38
111612	Drill Core	0.013	13	<1	0.12	36	<0.001	2	0.25	0.035	0.19	0.1	0.04	0.5	0.4	0.29	<1	<0.5	<0.2	9
111613	Drill Core	0.014	13	<1	0.08	38	<0.001	2	0.23	0.034	0.18	0.2	0.01	0.5	0.3	0.25	<1	<0.5	<0.2	3
111614	Drill Core	0.013	11	<1	0.13	55	<0.001	1	0.27	0.023	0.22	0.1	0.02	0.4	0.2	0.71	<1	0.6	0.5	77
111615	Drill Core	0.013	10	<1	0.08	91	<0.001	3	0.31	0.013	0.22	0.5	0.04	0.3	0.2	1.13	<1	<0.5	<0.2	332
111616	Drill Core	0.013	13	<1	0.08	41	<0.001	2	0.25	0.032	0.16	<0.1	0.02	0.5	0.3	0.45	<1	<0.5	<0.2	23
111617 RRE 111616	Drill Core	0.013	13	<1	0.08	40	<0.001	2	0.22	0.029	0.16	0.1	0.04	0.4	0.3	0.45	<1	<0.5	<0.2	24
111618	Drill Core	0.012	11	<1	0.09	58	<0.001	1	0.24	0.038	0.18	0.1	0.01	0.4	0.2	0.65	<1	<0.5	0.5	327
111619	Drill Core	0.013	14	<1	0.10	53	<0.001	2	0.21	0.041	0.15	<0.1	<0.01	0.6	0.2	0.23	<1	<0.5	<0.2	8
111620	Drill Core	0.015	14	<1	0.09	44	<0.001	2	0.23	0.039	0.16	<0.1	<0.01	0.8	0.2	0.13	<1	<0.5	<0.2	3
111621	Drill Core	0.013	13	<1	0.11	45	<0.001	2	0.25	0.038	0.18	<0.1	0.02	0.6	0.2	0.32	<1	<0.5	<0.2	11
111622	Drill Core	0.013	13	<1	0.09	80	<0.001	1	0.21	0.039	0.16	0.1	<0.01	0.7	0.1	0.15	<1	<0.5	<0.2	3
111623	Drill Core	0.013	11	<1	0.11	178	<0.001	2	0.24	0.034	0.18	0.1	<0.01	0.4	0.2	0.42	<1	<0.5	<0.2	9
111624	Drill Core	0.013	8	<1	0.12	65	<0.001	2	0.28	0.032	0.21	0.1	0.02	0.3	0.2	0.80	<1	<0.5	<0.2	114
111625	Drill Core	0.013	10	<1	0.14	41	<0.001	2	0.26	0.032	0.19	0.1	0.02	0.4	0.2	0.61	<1	0.8	<0.2	42
111626	Drill Core	0.013	11	<1	0.09	42	<0.001	3	0.25	0.039	0.19	0.1	0.03	0.3	0.3	0.40	<1	0.6	<0.2	12
111627	Drill Core	0.083	17	2	0.43	107	0.119	<1	0.87	0.116	0.44	<0.1	<0.01	1.9	0.3	<0.05	5	<0.5	<0.2	<2
111628	Drill Core	0.013	9	<1	0.09	71	<0.001	2	0.29	0.038	0.20	<0.1	<0.01	0.6	0.3	0.52	<1	<0.5	<0.2	31
111629	Drill Core	0.014	10	<1	0.10	173	<0.001	2	0.25	0.036	0.17	<0.1	0.01	0.4	0.2	0.45	<1	<0.5	<0.2	20
111630	Drill Core	0.013	9	<1	0.10	38	<0.001	2	0.27	0.034	0.18	<0.1	0.02	0.4	0.2	0.66	<1	<0.5	<0.2	139



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 02, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000578.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
111502	Drill Core	3.91	0.4	6.4	18.2	55	<0.1	2.7	4.0	772	1.73	24.0	6.5	<0.5	15.0	192	<0.1	2.4	<0.1	13	1.74
REP 111502	QC																				
111518	Drill Core	4.20	1.3	5.5	18.3	24	<0.1	1.0	1.6	1557	1.15	35.1	12.0	<0.5	23.1	138	<0.1	3.1	<0.1	4	1.60
REP 111518	QC		1.5	4.9	18.1	25	<0.1	1.1	1.5	1588	1.15	36.1	12.1	<0.5	22.0	147	0.1	3.3	<0.1	4	1.61
111530	Drill Core	4.34	1.5	6.6	120.9	388	2.7	2.9	4.0	7811	1.57	1174	2.0	75.0	4.1	77	4.0	6.5	<0.1	<2	1.54
REP 111530	QC		1.7	6.2	125.1	391	2.8	3.1	4.1	7957	1.58	1183	2.1	74.7	4.3	77	4.5	6.3	<0.1	<2	1.54
111559	Drill Core	4.22	0.2	6.8	117.3	230	1.3	0.4	0.4	245	0.66	666.0	25.7	55.1	15.4	27	3.4	7.3	0.5	<2	0.26
REP 111559	QC																				
REP 111570	QC																				
111583	Drill Core		0.5	5.5	58.2	160	1.6	0.6	1.4	807	1.16	657.7	8.2	196.7	23.1	20	2.3	8.2	0.4	<2	0.39
REP 111583	QC		0.6	6.1	61.1	161	1.6	0.9	1.4	809	1.16	640.8	8.7	221.0	23.5	21	2.5	8.4	0.5	<2	0.38
111617 RRE 111616	Drill Core	N.A.	1.9	2.6	18.5	10	0.6	0.7	2.0	550	0.77	35.7	10.1	30.6	29.5	20	<0.1	5.2	0.2	<2	0.26
REP 111617 RRE 111616	QC																				
111621	Drill Core		1.1	1.3	64.2	73	0.8	0.6	1.4	794	0.88	86.6	9.7	8.1	24.7	36	0.7	3.9	0.1	<2	0.61
REP 111621	QC		1.0	1.4	67.1	75	0.7	0.6	1.3	794	0.90	90.0	9.9	10.1	26.0	39	0.7	4.3	0.1	<2	0.61
Core Reject Duplicates																					
111500	Drill Core	4.28	0.5	4.7	24.7	52	<0.1	2.6	4.0	749	1.69	23.0	5.9	<0.5	16.0	128	0.2	1.7	<0.1	14	0.99
DUP 111500	QC		0.5	4.9	23.9	51	<0.1	2.7	4.0	751	1.70	22.9	6.1	0.9	16.4	130	0.2	1.8	<0.1	14	0.99
111535	Drill Core	3.93	0.2	3.1	22.6	24	1.0	0.3	1.5	1617	1.02	825.0	10.2	49.7	27.4	72	0.2	6.8	0.3	<2	1.35
DUP 111535	QC		0.2	3.3	23.3	28	1.1	0.5	1.4	1615	1.03	800.6	10.1	45.5	27.8	72	0.3	7.3	0.4	<2	1.35
111570	Drill Core		0.3	2.8	55.8	212	1.9	0.6	1.6	1072	1.05	2705	15.3	50.9	28.9	11	1.1	10.5	0.1	<2	0.22
DUP 111570	QC		0.3	2.8	54.1	217	1.9	0.6	1.7	1057	1.02	2653	15.3	51.3	29.8	12	1.0	10.5	0.1	<2	0.21
111605	Drill Core		1.7	7.8	779.5	727	9.2	0.6	1.1	1021	2.49	8473	9.8	711.1	25.1	13	9.0	29.3	2.1	<2	0.11
DUP 111605	QC		1.5	7.7	772.3	747	9.5	0.6	1.1	979	2.44	8160	9.9	684.5	25.4	13	8.7	29.5	2.0	<2	0.11
Reference Materials																					
STD DS7	Standard		19.1	107.1	65.8	380	0.9	51.6	8.9	584	2.30	54.8	4.7	85.2	4.6	77	6.0	5.9	4.6	80	0.95
STD DS7	Standard		20.0	107.4	69.3	381	0.9	51.3	8.7	596	2.30	51.0	4.8	69.5	4.9	77	5.6	5.8	4.8	81	0.98
STD DS7	Standard		19.9	108.7	68.2	401	1.0	55.8	9.3	624	2.39	51.1	5.1	61.9	4.7	74	6.6	6.3	5.0	82	0.94



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 02, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000578.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
Pulp Duplicates																				
111502	Drill Core	0.050	14	3	0.41	284	<0.001	3	0.40	0.035	0.21	<0.1	0.04	2.1	0.2	0.32	1	<0.5	<0.2	<2
REP 111502	QC																			<2
111518	Drill Core	0.018	13	1	0.33	186	<0.001	3	0.30	0.034	0.19	<0.1	0.04	1.2	0.2	0.38	<1	<0.5	<0.2	<2
REP 111518	QC	0.019	13	1	0.34	186	<0.001	2	0.32	0.034	0.19	<0.1	0.04	1.1	0.2	0.38	<1	<0.5	<0.2	
111530	Drill Core	0.030	6	<1	0.15	70	<0.001	4	0.31	0.005	0.25	0.2	0.04	0.7	0.4	1.56	<1	<0.5	<0.2	67
REP 111530	QC	0.033	6	<1	0.16	71	<0.001	3	0.31	0.005	0.25	0.2	0.04	0.7	0.4	1.56	<1	<0.5	<0.2	
111559	Drill Core	0.001	4	<1	0.02	42	<0.001	4	0.18	0.038	0.15	0.2	0.02	0.2	0.3	0.47	<1	<0.5	<0.2	55
REP 111559	QC																			53
REP 111570	QC																			47
111583	Drill Core	0.015	9	<1	0.07	41	<0.001	2	0.26	0.027	0.21	0.1	0.02	0.2	0.3	0.74	<1	<0.5	<0.2	228
REP 111583	QC	0.015	8	1	0.07	42	<0.001	2	0.24	0.027	0.21	0.1	0.02	0.3	0.4	0.74	<1	<0.5	<0.2	
111617 RRE 111616	Drill Core	0.013	13	<1	0.08	40	<0.001	2	0.22	0.029	0.16	0.1	0.04	0.4	0.3	0.45	<1	<0.5	<0.2	24
REP 111617 RRE 111616	QC																			23
111621	Drill Core	0.013	13	<1	0.11	45	<0.001	2	0.25	0.038	0.18	<0.1	0.02	0.6	0.2	0.32	<1	<0.5	<0.2	11
REP 111621	QC	0.013	13	<1	0.11	47	<0.001	2	0.24	0.038	0.18	<0.1	0.02	0.6	0.2	0.32	<1	<0.5	<0.2	
Core Reject Duplicates																				
111500	Drill Core	0.055	13	3	0.29	217	<0.001	4	0.41	0.041	0.20	0.2	0.04	2.2	0.2	0.21	1	<0.5	<0.2	4
DUP 111500	QC	0.054	13	3	0.29	220	<0.001	3	0.41	0.040	0.20	0.2	0.03	2.3	0.2	0.21	1	<0.5	<0.2	<2
111535	Drill Core	0.012	9	<1	0.20	56	<0.001	3	0.28	0.023	0.21	<0.1	0.03	0.3	0.4	0.73	<1	<0.5	<0.2	44
DUP 111535	QC	0.012	9	<1	0.21	59	<0.001	2	0.27	0.023	0.20	<0.1	0.03	0.4	0.4	0.73	<1	<0.5	<0.2	42
111570	Drill Core	0.011	9	<1	0.05	32	<0.001	2	0.25	0.030	0.21	<0.1	0.07	0.2	1.3	0.68	<1	<0.5	<0.2	47
DUP 111570	QC	0.012	9	<1	0.05	35	<0.001	4	0.24	0.028	0.20	<0.1	0.07	0.2	1.3	0.68	<1	<0.5	<0.2	45
111605	Drill Core	0.013	7	<1	0.04	36	<0.001	2	0.28	0.009	0.23	0.2	0.04	0.2	0.5	2.26	<1	<0.5	<0.2	678
DUP 111605	QC	0.012	7	<1	0.04	36	<0.001	2	0.27	0.008	0.22	0.2	0.03	0.1	0.5	2.22	<1	<0.5	<0.2	626
Reference Materials																				
STD DS7	Standard	0.080	13	189	1.02	379	0.117	39	1.02	0.099	0.46	3.4	0.22	2.3	3.8	0.19	5	2.5	1.4	
STD DS7	Standard	0.078	14	192	1.03	376	0.124	39	1.03	0.101	0.45	3.6	0.22	2.5	3.7	0.18	5	2.9	1.2	
STD DS7	Standard	0.078	13	197	1.04	389	0.113	38	1.02	0.091	0.47	3.9	0.22	2.4	4.4	0.20	5	3.2	0.8	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000578.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS7	Standard		20.9	110.0	73.3	386	1.0	53.7	8.9	634	2.43	52.9	5.4	73.0	5.3	77	6.8	6.4	4.9	84	1.03
STD DS7	Standard		20.3	106.6	72.7	389	1.0	55.2	8.6	615	2.34	54.8	5.1	71.1	5.1	74	5.6	6.3	5.0	78	0.98
STD DS7	Standard		21.0	112.5	69.3	388	0.9	54.0	9.1	609	2.38	50.4	4.8	62.6	4.8	74	5.9	6.1	4.7	81	0.97
STD DS7	Standard		20.8	106.5	63.2	393	1.0	56.0	9.9	641	2.43	58.2	4.5	75.8	4.2	72	6.7	6.2	4.5	82	0.97
STD DS7	Standard		22.8	113.2	63.5	404	1.1	55.9	9.5	650	2.45	57.2	4.5	72.0	4.4	76	6.7	6.2	4.6	83	0.99
STD DS7	Standard		19.4	114.3	66.6	377	0.9	52.5	9.2	581	2.30	45.9	4.4	90.7	4.4	62	5.3	5.1	4.2	78	0.91
STD DS7	Standard		21.0	112.0	68.2	386	1.0	56.5	9.1	595	2.30	50.4	4.6	73.5	4.4	64	5.8	5.3	4.1	78	0.93
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXH66 Expected																					
STD OXC72 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.3	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000578.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
STD DS7	Standard	0.075	15	209	1.08	425	0.130	39	1.09	0.100	0.47	3.9	0.21	2.6	4.3	0.20	5	3.4	1.1	
STD DS7	Standard	0.077	14	191	1.03	387	0.125	40	1.04	0.093	0.47	3.7	0.21	2.3	4.3	0.20	5	3.1	1.3	
STD DS7	Standard	0.073	14	189	1.02	382	0.127	37	1.02	0.098	0.47	3.7	0.22	2.5	4.0	0.19	5	3.5	0.9	
STD DS7	Standard	0.082	13	210	1.07	407	0.112	42	1.04	0.096	0.50	3.8	0.22	2.2	4.0	0.21	5	3.4	2.2	
STD DS7	Standard	0.082	13	207	1.09	412	0.117	38	1.07	0.099	0.50	3.8	0.23	2.4	4.0	0.21	5	3.2	1.1	
STD DS7	Standard	0.064	12	203	1.00	358	0.119	36	0.97	0.091	0.43	3.5	0.21	2.1	3.8	0.20	4	2.6	0.6	
STD DS7	Standard	0.064	13	199	1.02	376	0.127	39	0.99	0.092	0.46	3.6	0.24	2.3	4.3	0.20	5	2.1	0.5	
STD OXC72	Standard																			185
STD OXC72	Standard																			198
STD OXC72	Standard																			193
STD OXC72	Standard																			196
STD OXC72	Standard																			206
STD OXC72	Standard																			193
STD OXH66	Standard																			1286
STD OXH66	Standard																			1297
STD OXH66	Standard																			1224
STD OXH66	Standard																			1283
STD OXH66	Standard																			1352
STD OXH66	Standard																			1233
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
STD OXH66 Expected																				1285
STD OXC72 Expected																				205
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<2
BLK	Blank																			<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 02, 2010

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI10000578.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		0.2	2.3	4.3	48	<0.1	1.2	3.4	581	1.96	2.8	1.7	2.7	6.2	60	<0.1	<0.1	<0.1	38	0.46
G1	Prep Blank		0.2	2.7	4.0	47	<0.1	1.4	3.5	579	1.98	1.8	2.0	1.2	6.8	70	<0.1	<0.1	<0.1	39	0.52



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 02, 2010

Page: 3 of 3 **Part** 2

QUALITY CONTROL REPORT

WHI10000578.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
BLK	Blank																			<2	
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
Prep Wash																					
G1	Prep Blank	0.082	14	3	0.45	114	0.111	1	0.85	0.099	0.46	0.1	<0.01	1.9	0.4	<0.05	5	<0.5	<0.2	<2	
G1	Prep Blank	0.083	17	3	0.46	123	0.117	<1	0.90	0.116	0.49	0.1	<0.01	2.2	0.4	<0.05	5	<0.5	<0.2	<2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 02, 2010
Report Date: November 02, 2010
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI10000579.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: TT-105
P.O. Number: NA 10-428
Number of Samples: 125

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	119	Crush split and pulverize 250g drill core to 200 mesh			WHI
1DX2	125	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	125	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000579.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111631	Drill Core	3.13	1.2	4.2	24.8	85	0.8	0.9	0.6	705	0.65	45.2	10.5	9.6	19.7	8	1.0	1.8	0.8	<2	0.02
111632	Drill Core	5.22	0.3	2.0	22.1	112	0.3	0.4	0.7	1268	0.55	32.4	12.4	4.6	22.0	9	1.8	1.5	0.3	<2	0.02
111633	Drill Core	6.20	0.3	4.0	40.4	127	0.5	0.5	0.5	683	0.66	92.3	16.6	5.1	22.8	8	1.5	1.9	0.8	<2	0.03
111634	Drill Core	5.16	0.2	0.9	14.5	192	0.3	0.6	1.7	3863	0.72	7.7	16.2	1.9	26.0	11	2.6	1.0	0.3	<2	0.04
111635	Drill Core	6.04	0.3	0.7	13.9	70	0.2	0.4	0.8	1620	0.68	6.7	10.0	1.0	25.8	7	0.2	1.0	0.3	<2	0.06
111636	Drill Core	5.37	0.4	0.8	21.2	108	0.3	0.4	0.9	1540	0.73	11.8	10.3	<0.5	26.2	7	0.5	1.6	0.3	<2	0.04
111637 RRE 111636	Drill Core	N.A.	0.4	0.9	21.6	107	0.3	0.6	0.9	1538	0.73	12.5	10.4	1.4	26.2	7	0.5	1.7	0.3	<2	0.04
111638	Drill Core	4.79	0.5	1.0	24.1	131	0.3	0.6	1.0	2094	0.73	13.8	8.7	0.7	26.1	8	1.0	2.1	0.3	<2	0.04
111639	Drill Core	5.53	0.5	0.8	16.1	54	0.2	0.4	0.9	1066	0.68	4.5	10.3	<0.5	25.6	7	0.2	2.2	0.3	<2	0.08
111640	Drill Core	5.62	0.7	1.1	17.5	77	0.2	0.5	1.1	3139	0.74	16.8	16.4	1.1	26.0	11	0.3	2.2	0.4	<2	0.04
111641	Drill Core	6.32	0.3	1.9	32.7	44	0.6	0.4	0.3	202	0.86	113.1	10.8	3.3	22.8	17	0.1	2.7	0.5	<2	0.03
111642	Drill Core	5.91	0.5	1.4	36.9	67	0.4	0.4	0.3	414	0.77	45.7	9.0	3.7	21.7	12	0.5	2.8	0.4	<2	0.03
111643	Drill Core	5.65	0.7	1.1	12.4	115	0.2	0.5	1.0	2872	0.65	6.7	16.0	<0.5	26.7	8	1.2	2.2	0.3	<2	0.04
111644	Drill Core	5.54	0.5	1.7	14.3	99	<0.1	0.2	0.5	1318	0.63	15.9	13.4	<0.5	24.8	8	0.3	2.3	0.2	<2	0.03
111645	Drill Core	4.83	1.0	1.3	21.5	36	0.3	0.1	0.4	88	0.81	101.5	6.6	4.6	22.0	19	<0.1	3.6	0.6	<2	0.02
111646	Drill Core	5.61	0.6	3.2	102.5	41	3.5	0.3	0.4	99	1.36	1430	5.7	123.0	19.6	23	0.2	11.6	4.0	<2	0.04
111647	Drill Core	0.50	<0.1	1.8	2.7	42	<0.1	0.9	3.3	531	1.87	4.2	1.5	2.0	5.7	65	<0.1	<0.1	<0.1	35	0.42
111648	Drill Core	5.65	0.4	1.9	71.4	32	0.8	0.4	0.3	73	0.95	359.6	3.4	16.0	22.5	12	<0.1	5.1	0.9	<2	0.03
111649	Drill Core	6.00	0.4	2.1	55.8	40	1.1	0.2	0.3	68	0.75	346.1	7.8	21.1	23.4	10	0.1	4.9	1.0	<2	0.03
111650	Drill Core	5.88	0.4	1.0	21.5	59	0.2	0.3	0.5	1030	0.55	52.5	9.7	2.7	22.2	5	0.3	2.3	0.5	<2	0.02
111651	Drill Core	5.87	0.4	0.9	15.5	121	0.1	0.3	0.5	2125	0.62	15.8	13.5	0.6	26.8	8	0.9	2.3	0.6	<2	0.03
111652	Drill Core	5.36	0.5	2.5	72.6	85	1.7	0.3	0.3	238	0.74	177.1	12.7	13.8	21.9	5	0.5	5.2	1.8	<2	0.03
111653	Drill Core	5.27	0.3	1.4	21.5	54	0.4	0.3	0.3	130	0.65	30.1	9.4	1.1	20.7	3	<0.1	2.5	1.3	<2	0.02
111654	Drill Core	6.44	0.5	1.0	16.5	74	0.3	0.4	0.6	1445	0.68	12.2	16.1	<0.5	24.1	6	0.2	2.5	1.8	<2	0.03
111655	Drill Core	5.15	0.5	0.5	9.7	132	<0.1	0.4	1.3	5434	0.67	2.3	14.4	<0.5	24.3	10	0.8	0.8	1.3	<2	0.24
111656	Drill Core	5.37	0.5	11.6	718.4	147	8.4	0.2	0.8	1451	0.94	2202	28.5	139.4	25.6	22	1.4	13.9	3.1	<2	0.09
111657 RRE 111656	Drill Core	N.A.	0.5	12.3	741.2	153	8.7	0.3	0.9	1479	0.97	2320	29.7	138.1	26.6	24	1.4	14.4	3.6	<2	0.09
111658	Drill Core	5.72	0.4	6.4	18.3	125	0.3	0.3	0.6	1139	0.68	72.7	16.4	5.6	25.4	6	1.3	2.3	0.5	<2	0.03
111659	Drill Core	5.42	0.6	1.5	19.5	42	0.2	0.3	0.2	103	0.72	46.8	9.2	4.7	21.6	6	0.1	2.4	0.3	<2	0.02
111660	Drill Core	5.29	0.5	1.8	46.3	75	0.6	0.2	0.5	1933	0.62	144.3	18.7	13.5	25.2	8	1.2	3.4	0.6	<2	0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000579.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111631	Drill Core	0.005	7	3	<0.01	27	<0.001	2	0.23	0.029	0.17	1.1	0.02	0.3	0.2	<0.05	<1	<0.5	<0.2	9
111632	Drill Core	0.005	7	<1	<0.01	23	<0.001	2	0.21	0.028	0.17	0.2	0.03	0.3	0.2	<0.05	<1	<0.5	<0.2	3
111633	Drill Core	0.005	6	<1	<0.01	20	<0.001	2	0.20	0.021	0.16	<0.1	0.02	0.5	0.2	<0.05	<1	<0.5	<0.2	3
111634	Drill Core	0.006	8	<1	<0.01	21	<0.001	<1	0.17	0.039	0.13	<0.1	0.02	0.7	0.2	<0.05	<1	<0.5	<0.2	<2
111635	Drill Core	0.006	10	<1	0.01	23	<0.001	1	0.16	0.040	0.13	<0.1	0.03	0.7	0.2	<0.05	<1	<0.5	<0.2	<2
111636	Drill Core	0.006	10	<1	<0.01	26	<0.001	<1	0.18	0.040	0.15	<0.1	0.02	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111637 RRE 111636	Drill Core	0.006	9	<1	<0.01	29	<0.001	1	0.18	0.039	0.14	<0.1	0.03	0.5	0.2	<0.05	<1	<0.5	<0.2	3
111638	Drill Core	0.007	12	<1	<0.01	48	<0.001	2	0.21	0.041	0.15	<0.1	0.02	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111639	Drill Core	0.007	10	<1	0.01	23	<0.001	1	0.18	0.040	0.13	<0.1	0.02	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111640	Drill Core	0.006	10	<1	<0.01	34	<0.001	2	0.20	0.040	0.15	<0.1	0.02	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111641	Drill Core	0.006	8	<1	<0.01	31	<0.001	2	0.22	0.026	0.20	<0.1	<0.01	0.3	0.3	0.11	<1	<0.5	<0.2	3
111642	Drill Core	0.005	8	<1	<0.01	46	<0.001	1	0.19	0.041	0.18	<0.1	0.02	0.3	0.2	0.09	<1	<0.5	<0.2	3
111643	Drill Core	0.006	8	<1	<0.01	37	<0.001	2	0.18	0.038	0.12	<0.1	0.02	0.6	0.2	<0.05	<1	<0.5	<0.2	<2
111644	Drill Core	0.006	7	<1	<0.01	23	<0.001	<1	0.20	0.033	0.13	<0.1	0.04	0.3	0.2	<0.05	<1	<0.5	<0.2	<2
111645	Drill Core	0.005	9	<1	<0.01	41	<0.001	2	0.20	0.027	0.20	<0.1	0.03	0.2	0.2	0.11	<1	<0.5	<0.2	5
111646	Drill Core	0.005	9	<1	<0.01	75	<0.001	2	0.22	0.014	0.35	0.3	0.03	0.2	0.4	0.31	<1	<0.5	<0.2	113
111647	Drill Core	0.068	14	2	0.42	101	0.117	<1	0.76	0.084	0.40	<0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	2
111648	Drill Core	0.006	9	<1	<0.01	44	<0.001	2	0.24	0.026	0.26	0.1	0.01	0.3	0.4	0.15	<1	<0.5	<0.2	14
111649	Drill Core	0.005	9	<1	<0.01	36	<0.001	2	0.23	0.012	0.23	0.1	0.04	0.3	0.5	0.08	<1	<0.5	<0.2	21
111650	Drill Core	0.003	4	<1	<0.01	53	<0.001	2	0.18	0.037	0.13	0.2	0.05	0.5	0.2	<0.05	<1	<0.5	<0.2	2
111651	Drill Core	0.006	7	<1	<0.01	19	<0.001	1	0.20	0.037	0.14	<0.1	0.02	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111652	Drill Core	0.004	10	<1	<0.01	34	<0.001	2	0.24	0.016	0.20	0.1	0.02	0.2	0.4	<0.05	<1	<0.5	<0.2	11
111653	Drill Core	0.004	8	<1	<0.01	13	<0.001	1	0.21	0.025	0.18	<0.1	0.01	0.3	0.2	<0.05	<1	<0.5	<0.2	2
111654	Drill Core	0.006	9	<1	<0.01	21	<0.001	2	0.20	0.034	0.14	<0.1	0.03	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111655	Drill Core	0.005	8	<1	0.02	18	<0.001	<1	0.16	0.039	0.11	<0.1	0.01	0.8	0.1	0.19	<1	<0.5	<0.2	<2
111656	Drill Core	0.005	9	<1	<0.01	26	<0.001	2	0.26	0.021	0.20	0.2	0.05	0.5	0.4	0.13	<1	<0.5	<0.2	97
111657 RRE 111656	Drill Core	0.005	10	<1	<0.01	29	<0.001	2	0.27	0.022	0.21	0.1	0.06	0.5	0.4	0.14	<1	<0.5	0.2	101
111658	Drill Core	0.005	8	<1	<0.01	18	<0.001	1	0.21	0.028	0.15	<0.1	0.03	0.5	0.3	<0.05	<1	<0.5	<0.2	6
111659	Drill Core	0.006	10	<1	<0.01	32	<0.001	2	0.22	0.034	0.17	0.1	0.02	0.4	0.3	<0.05	<1	<0.5	<0.2	4
111660	Drill Core	0.004	10	<1	<0.01	20	<0.001	2	0.24	0.013	0.20	0.1	<0.01	0.3	0.3	<0.05	<1	<0.5	<0.2	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000579.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111661	Drill Core	5.49	0.9	2.4	76.5	68	3.0	0.3	0.4	1501	0.79	273.3	28.1	20.0	23.7	8	2.5	7.6	12.0	<2	0.02
111662	Drill Core	5.71	1.0	1.4	16.1	40	0.3	0.3	0.4	110	0.68	32.1	7.3	4.5	24.3	8	<0.1	3.6	1.0	<2	0.06
111663	Drill Core	5.18	0.3	1.0	24.4	17	0.4	0.3	0.2	149	0.73	135.8	4.4	7.3	19.5	9	0.1	2.5	0.9	<2	0.16
111664	Drill Core	6.52	0.5	2.3	21.6	33	0.4	0.4	0.5	251	0.87	204.1	8.3	33.3	26.6	10	0.3	4.9	1.4	<2	0.16
111665	Drill Core	6.15	0.5	1.5	11.7	156	0.2	0.4	1.1	3771	0.77	44.9	18.5	5.8	27.3	11	1.9	2.2	1.2	<2	0.25
111666	Drill Core	4.86	0.7	6.0	27.5	107	0.5	0.2	0.8	802	0.90	286.6	18.1	10.5	27.2	9	3.3	5.1	1.3	<2	0.08
111667	Drill Core	0.49	<0.1	2.3	3.1	47	<0.1	0.9	3.7	603	2.06	<0.5	1.8	<0.5	6.4	73	<0.1	<0.1	<0.1	39	0.53
111668	Drill Core	6.72	0.6	5.2	76.2	155	0.9	0.3	1.8	1645	0.84	312.0	13.5	13.3	26.7	14	2.3	7.6	0.7	<2	0.42
111669	Drill Core	5.19	1.0	32.2	1496	176	35.0	0.5	0.8	347	1.41	3451	29.6	598.6	30.8	29	3.3	71.1	4.7	<2	0.36
111670	Drill Core	5.52	0.6	1.9	20.1	235	0.2	0.7	1.5	3986	0.83	26.3	16.2	3.0	28.9	14	2.3	1.9	0.8	<2	0.16
111671	Drill Core	5.50	1.0	0.9	18.9	214	0.2	0.5	1.3	5256	0.78	22.8	17.0	2.5	27.2	13	1.1	2.5	0.5	<2	0.33
111672	Drill Core	5.24	0.3	1.0	12.9	72	0.1	0.4	1.1	1741	0.80	9.6	9.4	<0.5	29.0	20	0.4	1.9	0.8	<2	0.37
111673	Drill Core	5.91	0.5	0.9	14.9	59	0.1	0.2	1.1	1758	0.76	9.1	11.7	<0.5	27.3	21	0.5	1.8	1.4	<2	0.45
111674	Drill Core	5.91	0.5	0.9	15.4	63	0.2	0.4	1.1	1769	0.81	7.3	15.7	1.7	27.7	23	0.6	2.1	1.6	<2	0.50
111675	Drill Core	5.82	0.5	1.0	15.7	57	0.1	0.4	1.1	1435	0.78	10.0	16.4	1.2	28.0	27	0.4	2.4	0.7	<2	0.44
111676	Drill Core	6.42	0.4	0.8	17.3	71	<0.1	0.5	1.1	1603	0.84	13.3	25.8	1.9	28.4	32	0.5	2.1	0.4	<2	0.42
111677 RRE 111676	Drill Core	N.A.	0.3	0.8	17.4	70	<0.1	0.3	1.0	1551	0.78	13.1	25.9	0.6	28.8	31	0.4	2.1	0.6	<2	0.40
111678	Drill Core	5.75	0.4	0.9	17.1	72	<0.1	0.4	1.2	1084	0.71	12.1	19.2	<0.5	29.5	30	0.4	2.1	0.2	<2	0.41
111679	Drill Core	5.37	0.3	0.8	17.4	72	<0.1	0.6	1.1	2358	0.78	12.2	15.5	0.5	27.8	33	0.4	2.2	0.2	<2	0.58
111680	Drill Core	6.57	0.3	0.6	14.3	34	<0.1	0.4	0.8	845	0.81	6.9	10.9	<0.5	30.4	26	<0.1	1.6	0.5	<2	0.52
111681	Drill Core	5.76	0.7	2.7	63.2	251	0.5	0.5	1.5	5961	0.98	188.4	15.3	22.1	28.3	24	1.7	5.1	0.5	<2	0.61
111682	Drill Core	6.62	0.8	2.4	32.7	211	0.3	0.4	1.3	3195	0.86	179.6	13.3	14.5	26.7	14	1.4	7.3	0.9	<2	0.31
111683	Drill Core	5.82	0.7	0.8	16.9	34	<0.1	0.5	0.9	1059	0.83	13.3	15.8	2.2	30.3	25	0.1	3.5	1.0	<2	0.45
111684	Drill Core	5.86	0.6	1.0	14.1	34	<0.1	0.5	1.0	1075	0.79	21.4	14.7	<0.5	28.6	20	<0.1	3.1	0.6	<2	0.36
111685	Drill Core	5.43	0.5	3.3	105.7	306	0.7	0.4	0.9	1241	0.86	299.5	11.3	76.5	27.7	22	3.2	8.0	0.8	<2	0.37
111686	Drill Core	4.82	0.2	1.0	15.2	25	<0.1	0.4	1.0	798	0.81	9.9	12.6	1.2	29.4	20	<0.1	4.6	0.5	<2	0.32
111687	Drill Core	0.50	0.1	2.3	3.5	47	<0.1	0.8	3.4	588	2.01	<0.5	1.9	0.6	6.8	64	<0.1	<0.1	<0.1	39	0.59
111688	Drill Core	1.26	0.4	14.4	34.3	42	0.4	0.4	0.9	1071	1.89	660.7	11.9	13.7	28.2	19	0.3	18.6	12.1	<2	0.37
111689	Drill Core	5.78	0.3	1.1	14.8	53	0.1	0.5	1.1	1056	0.88	20.8	12.6	6.0	30.1	20	0.2	4.6	0.5	<2	0.33
111690	Drill Core	5.52	0.3	1.9	18.3	28	0.2	0.4	1.0	965	0.96	35.3	11.7	3.6	31.7	24	0.1	5.0	0.8	<2	0.41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000579.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111661	Drill Core	0.005	10	<1	<0.01	23	<0.001	2	0.25	0.014	0.22	<0.1	0.02	0.2	0.4	0.07	<1	<0.5	<0.2	22
111662	Drill Core	0.006	8	<1	<0.01	45	<0.001	1	0.19	0.036	0.15	<0.1	0.02	0.4	0.2	0.08	<1	<0.5	<0.2	5
111663	Drill Core	0.005	6	<1	<0.01	26	<0.001	1	0.18	0.033	0.21	<0.1	<0.01	0.2	0.3	0.31	<1	<0.5	<0.2	8
111664	Drill Core	0.007	9	<1	<0.01	37	<0.001	2	0.23	0.037	0.21	0.3	0.09	0.4	0.4	0.21	<1	<0.5	<0.2	11
111665	Drill Core	0.006	8	<1	0.02	45	<0.001	2	0.20	0.038	0.14	0.1	0.02	0.8	0.2	0.22	<1	<0.5	<0.2	3
111666	Drill Core	0.007	9	<1	<0.01	23	<0.001	2	0.24	0.021	0.20	0.1	0.03	0.4	0.5	0.08	<1	<0.5	<0.2	9
111667	Drill Core	0.077	16	2	0.46	108	0.131	<1	0.89	0.110	0.47	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	<2
111668	Drill Core	0.007	8	<1	<0.01	137	<0.001	2	0.23	0.023	0.20	0.1	0.04	0.3	0.3	0.40	<1	<0.5	<0.2	14
111669	Drill Core	0.008	9	1	0.01	23	<0.001	2	0.29	0.027	0.25	0.2	0.21	0.4	0.6	0.42	<1	0.5	<0.2	511
111670	Drill Core	0.007	6	<1	<0.01	93	<0.001	<1	0.18	0.038	0.12	<0.1	0.01	0.9	0.2	0.12	<1	<0.5	<0.2	4
111671	Drill Core	0.006	9	<1	0.03	36	<0.001	<1	0.19	0.036	0.14	<0.1	0.02	0.8	0.3	0.28	<1	<0.5	<0.2	2
111672	Drill Core	0.007	13	<1	0.05	65	<0.001	<1	0.18	0.042	0.12	<0.1	<0.01	0.8	0.2	0.14	<1	<0.5	<0.2	<2
111673	Drill Core	0.006	11	<1	0.05	33	<0.001	1	0.18	0.042	0.13	<0.1	0.01	0.6	0.2	0.16	<1	<0.5	<0.2	<2
111674	Drill Core	0.007	11	<1	0.06	30	<0.001	<1	0.19	0.046	0.14	0.1	0.01	0.7	0.2	0.17	<1	<0.5	<0.2	<2
111675	Drill Core	0.007	12	<1	0.06	21	<0.001	<1	0.19	0.040	0.13	<0.1	0.02	0.8	0.2	0.16	<1	<0.5	<0.2	<2
111676	Drill Core	0.007	12	<1	0.06	122	<0.001	1	0.21	0.042	0.14	<0.1	<0.01	0.9	0.2	0.12	<1	<0.5	<0.2	<2
111677 RRE 111676	Drill Core	0.007	12	<1	0.06	114	<0.001	1	0.20	0.040	0.14	<0.1	0.02	0.9	0.2	0.12	<1	<0.5	<0.2	<2
111678	Drill Core	0.007	13	<1	0.05	96	<0.001	1	0.21	0.042	0.13	<0.1	0.02	0.9	0.2	0.10	<1	<0.5	<0.2	<2
111679	Drill Core	0.007	12	<1	0.06	50	<0.001	1	0.20	0.035	0.13	<0.1	0.01	0.8	0.2	0.17	<1	<0.5	<0.2	<2
111680	Drill Core	0.007	14	<1	0.06	28	<0.001	<1	0.19	0.045	0.13	<0.1	<0.01	0.9	0.2	0.11	<1	<0.5	<0.2	<2
111681	Drill Core	0.007	11	<1	0.04	53	<0.001	<1	0.22	0.034	0.16	<0.1	0.02	0.6	0.6	0.57	<1	0.5	<0.2	22
111682	Drill Core	0.007	9	<1	0.04	28	<0.001	1	0.22	0.036	0.16	<0.1	0.02	0.5	0.3	0.41	<1	0.5	<0.2	14
111683	Drill Core	0.007	12	<1	0.07	36	<0.001	<1	0.21	0.046	0.15	<0.1	0.03	0.9	0.3	0.20	<1	<0.5	<0.2	<2
111684	Drill Core	0.007	10	<1	0.06	24	<0.001	<1	0.20	0.043	0.15	0.1	0.02	0.6	0.3	0.17	<1	<0.5	<0.2	<2
111685	Drill Core	0.006	9	<1	0.04	28	0.001	1	0.21	0.032	0.16	<0.1	0.02	0.4	0.4	0.45	<1	<0.5	<0.2	69
111686	Drill Core	0.007	11	<1	0.05	32	<0.001	1	0.21	0.043	0.15	<0.1	0.01	0.7	0.2	0.17	<1	<0.5	<0.2	<2
111687	Drill Core	0.074	18	2	0.47	111	0.137	<1	0.84	0.102	0.46	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2	<2
111688	Drill Core	0.006	8	<1	0.07	45	<0.001	<1	0.23	0.021	0.18	0.1	0.04	0.3	0.5	1.36	<1	0.6	<0.2	14
111689	Drill Core	0.008	13	1	0.05	23	<0.001	1	0.21	0.046	0.16	0.1	<0.01	0.7	0.2	0.27	<1	<0.5	<0.2	5
111690	Drill Core	0.008	12	<1	0.06	28	<0.001	1	0.21	0.039	0.16	0.1	0.01	0.6	0.2	0.38	<1	<0.5	<0.2	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000579.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111691	Drill Core	4.19	0.7	1.8	19.6	32	0.2	0.5	1.0	1105	0.89	26.6	11.8	4.4	27.3	21	0.1	4.5	0.7	<2	0.40
111692	Drill Core	5.19	0.5	0.9	14.1	20	<0.1	0.2	0.8	715	0.79	9.0	14.6	<0.5	28.1	24	<0.1	6.1	0.5	<2	0.50
111693	Drill Core	2.77	0.4	32.9	1689	4655	10.2	0.5	1.5	3920	1.98	8408	17.2	926.9	30.0	21	50.0	827.2	26.8	<2	0.40
111694	Drill Core	3.93	0.3	1.0	15.5	22	0.1	0.3	1.1	930	0.84	29.8	13.3	4.8	30.9	27	0.1	7.1	0.3	<2	0.52
111695	Drill Core	4.48	0.2	1.5	30.3	46	0.4	0.4	1.0	1722	0.87	134.4	13.5	17.4	28.8	20	0.3	10.6	1.0	<2	0.36
111696	Drill Core	4.56	0.3	0.7	16.5	24	<0.1	0.4	0.8	899	0.79	7.1	17.5	<0.5	29.0	23	<0.1	5.4	0.4	<2	0.45
111697 RRE 111696	Drill Core	N.A.	0.3	0.9	15.3	23	<0.1	0.3	0.8	902	0.81	7.5	17.2	0.9	29.9	23	<0.1	5.8	0.4	<2	0.44
111698	Drill Core	9.22	0.5	0.8	19.9	47	0.3	0.4	0.9	2561	0.89	231.1	17.1	7.8	30.1	29	0.2	7.7	0.4	<2	0.59
111699	Drill Core	1.57	0.3	5.8	1804	1148	11.1	0.4	1.2	>10000	1.41	2160	25.5	209.6	26.3	18	10.1	22.5	2.7	<2	0.43
111700	Drill Core	4.37	0.4	1.0	25.9	67	0.3	0.4	1.0	1738	0.76	70.6	9.3	9.9	30.0	24	0.3	3.0	0.4	<2	0.45
111701	Drill Core	4.40	1.9	0.9	47.0	59	0.3	0.3	1.0	1084	0.74	33.7	19.4	9.4	33.1	29	0.4	3.4	0.4	<2	0.50
111702	Drill Core	4.36	0.6	0.8	17.5	27	0.1	0.4	1.2	1082	0.71	29.9	12.3	4.0	33.8	34	<0.1	2.8	0.2	<2	0.48
111703	Drill Core	4.44	1.3	0.8	24.8	39	0.2	0.4	0.9	808	0.70	17.9	19.3	4.8	32.1	27	0.2	3.2	0.3	<2	0.47
111704	Drill Core	4.76	0.2	1.7	155.0	565	1.0	0.3	1.0	1305	0.92	62.2	13.0	25.7	30.2	28	5.6	4.3	0.5	<2	0.55
111705	Drill Core	4.59	0.7	0.8	27.5	44	0.2	0.4	0.9	846	0.74	15.7	13.8	6.8	32.3	25	0.2	4.2	0.2	<2	0.51
111706	Drill Core	4.28	0.2	0.6	16.1	27	<0.1	0.5	1.1	765	0.75	7.7	15.8	0.7	33.7	25	<0.1	2.2	0.2	<2	0.48
111707	Drill Core	0.77	<0.1	2.5	3.4	46	<0.1	0.9	3.3	535	1.85	<0.5	1.8	<0.5	6.7	60	<0.1	<0.1	<0.1	36	0.46
111708	Drill Core	4.51	0.3	0.6	14.8	23	<0.1	0.3	1.0	759	0.74	7.7	21.4	<0.5	32.2	22	<0.1	1.5	0.2	<2	0.52
111709	Drill Core	4.53	0.2	0.7	16.2	25	<0.1	0.4	1.0	772	0.74	8.5	28.3	<0.5	33.2	22	0.1	1.3	0.2	<2	0.50
111710	Drill Core	5.08	0.5	1.0	12.5	23	<0.1	0.3	1.1	848	0.72	11.5	12.8	1.4	31.1	18	0.1	1.9	0.1	<2	0.49
111711	Drill Core	4.22	5.2	4.7	172.4	281	1.2	0.3	1.4	2170	0.89	1375	14.7	80.7	30.9	14	2.5	14.8	2.0	<2	0.30
111712	Drill Core	4.36	0.8	1.6	13.8	21	0.2	0.3	0.9	1736	0.69	73.8	11.6	8.4	31.6	11	<0.1	2.7	0.3	<2	0.22
111713	Drill Core	4.36	0.2	1.4	16.6	36	0.2	0.5	0.8	2090	0.72	221.6	10.9	8.1	33.9	17	0.2	3.1	0.2	<2	0.45
111714	Drill Core	5.24	0.3	1.7	15.8	34	0.3	0.4	0.8	2143	0.74	207.5	10.7	8.6	33.0	18	0.1	3.3	0.2	<2	0.45
111715	Drill Core	4.52	0.3	2.5	12.7	21	0.2	0.3	0.9	1023	0.68	27.5	11.8	7.7	34.7	15	0.1	3.2	0.4	<2	0.34
111716	Drill Core	5.80	0.2	3.8	20.6	21	0.5	0.3	0.8	1294	0.83	67.6	10.5	15.4	31.8	13	0.1	4.6	0.8	<2	0.27
111717 RRE 111716	Drill Core	N.A.	0.3	3.8	19.9	23	0.4	0.3	0.8	1309	0.88	67.0	10.9	13.4	32.7	13	<0.1	4.8	0.8	<2	0.29
111718	Drill Core	3.68	1.1	3.7	34.5	76	0.7	0.2	0.7	1538	0.80	410.2	24.9	31.0	19.5	7	0.6	5.2	1.8	<2	0.17
111719	Drill Core	3.68	0.9	1.4	12.4	7	0.1	0.3	0.5	801	0.47	31.7	23.5	4.4	19.6	8	<0.1	1.9	0.3	<2	0.22
111720	Drill Core	4.70	0.4	0.8	18.5	28	0.1	0.4	1.0	813	0.73	22.4	14.4	3.8	32.9	18	0.2	1.6	0.1	<2	0.45

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000579.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111691	Drill Core	0.007	10	<1	0.06	45	<0.001	1	0.23	0.044	0.17	<0.1	<0.01	0.5	0.2	0.30	<1	<0.5	<0.2	7
111692	Drill Core	0.007	11	<1	0.06	38	<0.001	1	0.19	0.040	0.13	0.1	<0.01	0.7	0.3	0.21	<1	<0.5	<0.2	<2
111693	Drill Core	0.007	8	<1	0.04	20	<0.001	2	0.24	0.018	0.20	0.1	0.06	0.4	0.4	1.62	2	0.9	<0.2	813
111694	Drill Core	0.007	11	<1	0.05	26	<0.001	1	0.24	0.049	0.18	<0.1	0.01	0.6	0.2	0.28	<1	<0.5	<0.2	6
111695	Drill Core	0.007	9	<1	0.05	24	<0.001	1	0.21	0.039	0.16	0.1	0.02	0.6	0.3	0.37	<1	<0.5	<0.2	12
111696	Drill Core	0.007	11	<1	0.06	61	<0.001	1	0.21	0.047	0.15	<0.1	0.01	0.8	0.2	0.14	<1	<0.5	<0.2	4
111697 RRE 111696	Drill Core	0.006	11	<1	0.06	65	<0.001	<1	0.21	0.048	0.15	<0.1	<0.01	0.8	0.2	0.14	<1	<0.5	<0.2	5
111698	Drill Core	0.007	10	<1	0.05	46	<0.001	1	0.22	0.036	0.17	<0.1	0.03	0.6	0.3	0.41	<1	<0.5	<0.2	11
111699	Drill Core	0.005	6	<1	0.04	52	<0.001	2	0.23	0.006	0.21	0.2	0.05	0.4	0.5	1.20	1	<0.5	<0.2	180
111700	Drill Core	0.006	8	<1	0.04	20	<0.001	2	0.21	0.028	0.16	<0.1	0.01	0.5	0.2	0.39	<1	<0.5	<0.2	9
111701	Drill Core	0.007	9	<1	0.05	21	<0.001	3	0.23	0.040	0.16	0.1	<0.01	0.6	0.2	0.27	<1	<0.5	<0.2	11
111702	Drill Core	0.007	11	<1	0.06	65	<0.001	1	0.20	0.037	0.14	<0.1	<0.01	0.7	0.2	0.18	<1	<0.5	<0.2	4
111703	Drill Core	0.007	9	<1	0.05	46	<0.001	2	0.19	0.039	0.15	<0.1	0.01	0.6	0.2	0.25	<1	<0.5	<0.2	7
111704	Drill Core	0.007	8	<1	0.05	27	<0.001	2	0.19	0.027	0.14	<0.1	0.01	0.6	0.2	0.49	<1	<0.5	<0.2	32
111705	Drill Core	0.007	12	<1	0.06	41	<0.001	2	0.25	0.049	0.18	<0.1	0.01	0.7	0.2	0.21	<1	<0.5	<0.2	7
111706	Drill Core	0.008	13	<1	0.06	23	<0.001	2	0.19	0.044	0.13	<0.1	<0.01	0.8	0.2	0.09	<1	<0.5	<0.2	<2
111707	Drill Core	0.074	15	2	0.43	108	0.124	<1	0.81	0.090	0.43	0.2	<0.01	1.8	0.3	<0.05	5	<0.5	<0.2	<2
111708	Drill Core	0.007	13	<1	0.06	23	<0.001	<1	0.18	0.043	0.13	<0.1	<0.01	0.7	0.1	0.08	<1	<0.5	<0.2	<2
111709	Drill Core	0.007	13	<1	0.06	24	<0.001	2	0.21	0.047	0.15	0.1	<0.01	0.8	0.2	0.07	<1	<0.5	<0.2	<2
111710	Drill Core	0.006	11	<1	0.06	23	<0.001	2	0.19	0.037	0.15	<0.1	<0.01	0.8	0.2	0.11	<1	<0.5	<0.2	4
111711	Drill Core	0.007	7	<1	0.05	98	<0.001	2	0.29	0.015	0.23	0.2	0.01	0.5	0.3	0.59	<1	<0.5	<0.2	81
111712	Drill Core	0.007	8	<1	0.03	48	<0.001	2	0.24	0.025	0.21	0.1	<0.01	0.4	0.3	0.50	<1	<0.5	<0.2	5
111713	Drill Core	0.007	8	<1	0.04	79	<0.001	2	0.28	0.029	0.22	<0.1	<0.01	0.4	0.3	0.50	<1	<0.5	<0.2	8
111714	Drill Core	0.007	8	<1	0.04	72	<0.001	1	0.28	0.032	0.25	0.1	<0.01	0.4	0.3	0.51	<1	<0.5	<0.2	13
111715	Drill Core	0.007	8	<1	0.04	23	<0.001	<1	0.24	0.036	0.20	<0.1	<0.01	0.5	0.2	0.43	<1	<0.5	<0.2	8
111716	Drill Core	0.006	8	<1	0.04	19	<0.001	2	0.20	0.028	0.16	0.1	0.01	0.5	0.3	0.66	<1	<0.5	<0.2	15
111717 RRE 111716	Drill Core	0.006	8	<1	0.04	22	<0.001	2	0.24	0.032	0.20	0.1	0.01	0.5	0.4	0.68	<1	<0.5	<0.2	16
111718	Drill Core	<0.001	4	<1	0.02	22	<0.001	3	0.27	0.038	0.21	0.3	0.01	0.6	0.2	0.66	1	<0.5	<0.2	30
111719	Drill Core	<0.001	5	<1	0.02	80	<0.001	<1	0.21	0.048	0.18	0.2	0.01	0.6	0.2	0.22	<1	<0.5	<0.2	4
111720	Drill Core	0.006	8	<1	0.06	24	<0.001	2	0.23	0.041	0.18	<0.1	<0.01	0.6	0.2	0.20	<1	<0.5	<0.2	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000579.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111721	Drill Core	4.01	0.6	1.1	15.0	18	0.1	0.3	0.9	824	0.71	22.5	15.9	4.3	30.8	18	<0.1	2.0	0.1	<2	0.40
111722	Drill Core	6.47	0.4	1.6	17.6	49	0.3	0.3	0.9	1021	0.59	53.9	10.3	10.9	38.9	13	0.4	2.1	0.2	<2	0.33
111723	Drill Core	5.59	0.4	4.8	69.9	116	2.0	0.5	1.2	1087	0.85	374.0	10.7	45.6	36.3	14	1.0	5.8	0.3	<2	0.31
111724	Drill Core	6.28	0.4	0.6	11.7	24	<0.1	0.8	1.6	929	0.85	14.1	13.2	1.7	28.0	21	<0.1	2.4	<0.1	3	0.55
111725	Drill Core	6.07	0.4	3.1	59.1	135	0.9	0.5	1.5	1321	0.96	216.0	12.1	48.8	27.3	13	1.2	7.4	0.6	<2	0.31
111726	Drill Core	6.19	0.5	1.5	12.2	39	0.2	0.5	2.0	1535	0.92	30.4	20.3	5.7	29.2	16	0.1	3.9	0.2	<2	0.40
111727	Drill Core	0.51	<0.1	2.2	3.3	47	<0.1	0.9	3.4	542	1.82	0.6	1.7	<0.5	6.2	54	<0.1	<0.1	<0.1	35	0.45
111728	Drill Core	5.95	12.3	1.6	47.4	58	0.5	0.5	1.4	1230	0.90	133.3	12.7	21.9	28.4	19	0.4	3.6	0.2	<2	0.46
111729	Drill Core	5.66	0.4	3.4	19.4	38	0.5	0.6	1.8	1985	1.12	179.9	15.7	26.6	26.5	21	0.2	5.5	0.4	<2	0.40
111730	Drill Core	5.40	0.4	8.3	73.6	363	2.3	0.4	1.4	1824	0.98	257.8	14.2	31.2	29.0	24	3.1	11.7	0.3	<2	0.60
111731	Drill Core	5.46	0.8	2.1	23.7	175	0.5	0.6	1.4	1405	0.97	33.9	9.2	37.0	27.1	26	2.1	3.2	0.9	<2	0.66
111732	Drill Core	6.57	0.2	0.7	10.7	20	<0.1	0.6	1.4	933	0.88	11.3	10.2	<0.5	28.8	32	<0.1	1.8	<0.1	3	0.70
111733	Drill Core	6.27	6.7	2.0	14.7	24	0.3	0.5	1.5	1128	0.85	19.9	17.9	4.8	32.6	27	0.1	5.0	0.3	<2	0.58
111734	Drill Core	3.43	16.0	2.6	38.0	80	0.4	0.4	0.9	2085	0.81	84.3	20.3	29.9	21.9	14	0.5	5.0	0.5	<2	0.31
111735	Drill Core	6.43	2.3	2.6	14.7	29	0.3	0.6	1.2	1314	0.91	44.8	10.8	14.0	27.7	22	0.2	4.3	0.5	<2	0.47
111736	Drill Core	5.85	1.5	5.2	79.8	101	1.3	0.6	1.3	3124	1.01	465.2	8.9	46.2	25.4	15	0.6	8.0	0.4	<2	0.35
111737 RRE 111736	Drill Core	N.A.	2.2	3.6	54.6	98	1.0	0.6	1.4	3222	1.03	459.3	9.4	47.4	28.4	15	0.7	5.7	0.4	<2	0.35
111738	Drill Core	5.63	1.1	1.5	20.1	58	0.2	0.4	1.0	1067	0.86	21.4	15.7	9.7	25.9	27	0.5	2.7	0.3	<2	0.46
111739	Drill Core	6.61	0.3	1.0	16.4	46	0.1	0.5	1.1	1443	0.78	25.8	23.4	9.5	26.1	25	0.2	2.5	0.2	<2	0.44
111740	Drill Core	6.45	6.7	1.0	13.9	28	0.1	0.6	1.4	1470	0.83	30.5	10.1	4.5	28.4	16	0.1	5.0	0.2	<2	0.33
111741	Drill Core	6.01	0.6	1.3	14.0	46	0.4	0.4	1.1	3312	0.80	129.7	10.8	17.3	25.2	19	0.2	3.0	0.2	<2	0.56
111742	Drill Core	5.57	0.4	4.0	74.6	101	1.9	0.5	1.1	4128	1.04	220.4	8.0	26.6	27.3	15	0.8	6.5	0.8	<2	0.38
111743	Drill Core	6.20	1.8	2.1	30.4	39	0.7	0.4	1.2	2405	0.85	58.7	11.4	8.6	28.9	28	0.2	4.2	0.2	<2	0.56
111744	Drill Core	5.41	0.2	2.2	12.6	30	0.1	0.6	1.3	924	0.90	17.0	18.3	6.2	30.5	35	0.1	1.3	0.1	2	0.68
111745	Drill Core	5.29	0.2	1.7	11.2	18	<0.1	0.6	1.2	734	0.89	9.3	8.7	1.7	30.2	34	<0.1	1.1	<0.1	3	0.65
111746	Drill Core	5.87	0.3	1.8	24.6	41	0.2	0.5	1.0	938	0.78	17.0	6.9	9.1	25.8	34	0.3	1.8	0.2	<2	0.86
111747	Drill Core	0.75	<0.1	2.4	3.0	43	<0.1	1.3	3.1	510	1.83	<0.5	1.5	<0.5	6.0	55	<0.1	<0.1	<0.1	35	0.65
111748	Drill Core	5.58	0.2	1.5	14.1	54	0.1	0.6	1.3	806	0.90	14.2	15.6	6.6	27.5	35	0.5	1.6	0.2	<2	0.62
111749	Drill Core	6.48	1.8	1.5	15.5	20	0.1	0.5	0.9	741	0.73	10.2	21.9	3.6	20.7	25	0.1	1.9	0.2	<2	0.51
111750	Drill Core	5.44	0.1	0.8	9.9	14	<0.1	0.4	1.2	727	0.84	6.2	9.5	2.3	27.9	36	<0.1	1.0	0.1	2	0.72

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000579.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111721	Drill Core	0.006	8	<1	0.05	25	<0.001	1	0.22	0.040	0.17	<0.1	<0.01	0.6	0.2	0.29	<1	<0.5	<0.2	4
111722	Drill Core	0.007	10	<1	0.04	26	<0.001	1	0.25	0.034	0.21	<0.1	<0.01	0.4	0.2	0.30	<1	<0.5	<0.2	12
111723	Drill Core	0.010	11	<1	0.06	26	<0.001	2	0.23	0.030	0.18	<0.1	0.02	0.6	0.2	0.51	<1	<0.5	<0.2	46
111724	Drill Core	0.013	13	<1	0.08	33	<0.001	1	0.23	0.040	0.18	<0.1	0.01	0.7	0.3	0.17	<1	<0.5	<0.2	<2
111725	Drill Core	0.013	11	<1	0.06	29	<0.001	2	0.22	0.026	0.18	0.1	0.01	0.4	0.3	0.57	<1	<0.5	<0.2	47
111726	Drill Core	0.015	13	<1	0.08	51	<0.001	2	0.25	0.037	0.19	<0.1	0.02	0.7	0.3	0.28	<1	<0.5	<0.2	6
111727	Drill Core	0.072	14	2	0.43	108	0.127	<1	0.76	0.077	0.43	<0.1	<0.01	2.0	0.3	<0.05	4	<0.5	<0.2	<2
111728	Drill Core	0.013	11	<1	0.09	33	<0.001	2	0.26	0.039	0.20	<0.1	0.01	0.7	0.2	0.30	<1	<0.5	<0.2	24
111729	Drill Core	0.014	10	<1	0.09	191	<0.001	2	0.22	0.026	0.17	0.1	0.02	0.6	0.3	0.61	<1	<0.5	<0.2	30
111730	Drill Core	0.014	12	<1	0.09	31	<0.001	1	0.25	0.030	0.20	0.1	0.01	0.8	0.3	0.42	<1	<0.5	<0.2	29
111731	Drill Core	0.013	11	<1	0.09	37	<0.001	2	0.21	0.030	0.17	<0.1	<0.01	0.7	0.2	0.32	<1	<0.5	<0.2	42
111732	Drill Core	0.013	14	<1	0.08	34	<0.001	3	0.27	0.043	0.20	<0.1	<0.01	0.9	0.2	0.09	<1	<0.5	<0.2	<2
111733	Drill Core	0.015	14	<1	0.09	31	<0.001	2	0.25	0.036	0.20	0.1	<0.01	0.9	0.3	0.19	<1	<0.5	<0.2	5
111734	Drill Core	0.006	8	<1	0.05	115	<0.001	2	0.28	0.042	0.19	0.1	0.01	0.4	0.2	0.42	<1	<0.5	<0.2	25
111735	Drill Core	0.013	12	<1	0.07	29	<0.001	2	0.30	0.037	0.21	<0.1	0.01	0.6	0.3	0.41	<1	<0.5	<0.2	9
111736	Drill Core	0.014	12	<1	0.04	44	<0.001	2	0.33	0.021	0.26	<0.1	0.01	0.4	0.4	0.67	<1	<0.5	<0.2	48
111737 RRE 111736	Drill Core	0.014	12	<1	0.04	49	<0.001	3	0.36	0.023	0.28	<0.1	0.01	0.4	0.4	0.67	<1	<0.5	<0.2	47
111738	Drill Core	0.011	10	<1	0.07	33	<0.001	1	0.23	0.034	0.16	<0.1	<0.01	0.6	0.2	0.29	<1	<0.5	<0.2	9
111739	Drill Core	0.011	9	<1	0.07	72	<0.001	2	0.29	0.043	0.17	0.1	0.02	0.8	0.3	0.18	<1	<0.5	<0.2	10
111740	Drill Core	0.014	12	<1	0.05	27	<0.001	2	0.28	0.031	0.20	<0.1	0.07	0.5	0.6	0.37	<1	<0.5	<0.2	5
111741	Drill Core	0.013	10	<1	0.05	44	<0.001	2	0.34	0.017	0.27	<0.1	0.01	0.4	0.3	0.48	<1	<0.5	<0.2	16
111742	Drill Core	0.013	10	<1	0.06	97	<0.001	2	0.31	0.014	0.25	<0.1	0.01	0.4	0.4	0.77	<1	<0.5	<0.2	23
111743	Drill Core	0.014	12	<1	0.07	27	<0.001	2	0.31	0.027	0.22	<0.1	<0.01	0.6	0.3	0.41	<1	<0.5	<0.2	9
111744	Drill Core	0.015	16	<1	0.09	37	<0.001	1	0.24	0.036	0.16	0.1	0.02	0.8	0.1	0.13	<1	<0.5	<0.2	4
111745	Drill Core	0.015	17	<1	0.09	35	<0.001	2	0.25	0.044	0.17	<0.1	<0.01	0.9	0.1	0.10	<1	<0.5	<0.2	<2
111746	Drill Core	0.011	10	<1	0.07	27	<0.001	4	0.21	0.028	0.18	0.1	<0.01	0.5	0.2	0.30	<1	<0.5	<0.2	10
111747	Drill Core	0.074	14	2	0.53	112	0.109	2	0.77	0.079	0.44	0.3	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	<2
111748	Drill Core	0.012	13	<1	0.10	28	<0.001	3	0.20	0.034	0.14	0.1	<0.01	0.7	0.1	0.21	<1	<0.5	<0.2	6
111749	Drill Core	0.008	9	1	0.06	59	<0.001	3	0.25	0.049	0.18	0.1	0.01	0.7	0.2	0.16	<1	0.5	<0.2	4
111750	Drill Core	0.014	14	<1	0.09	32	<0.001	2	0.22	0.038	0.16	<0.1	<0.01	0.8	0.1	0.10	<1	<0.5	<0.2	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000579.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111751	Drill Core	7.11	0.9	2.8	19.3	31	0.3	0.4	1.3	1188	0.87	86.3	13.3	15.2	26.2	24	0.2	4.7	0.6	<2	0.61
111752	Drill Core	4.98	5.0	2.6	17.0	34	0.6	0.6	1.2	1570	0.77	75.1	7.3	25.6	25.4	17	0.3	5.2	0.3	<2	0.36
111753	Drill Core	5.93	0.3	5.8	92.4	382	3.0	0.4	1.6	5698	1.36	1821	7.6	254.0	26.2	13	3.6	8.8	2.2	<2	0.31
111754	Drill Core	6.06	0.2	0.6	10.6	18	0.1	0.6	1.1	1392	0.79	16.2	10.9	3.9	27.6	27	<0.1	2.0	<0.1	<2	0.65
111755	Drill Core	3.74	0.4	0.4	8.7	14	<0.1	0.6	1.0	1170	0.85	9.7	11.4	2.4	26.6	27	<0.1	2.2	<0.1	<2	0.70



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000579.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111751	Drill Core	0.014	11	<1	0.09	34	<0.001	4	0.24	0.031	0.20	0.1	0.02	0.5	0.2	0.34	<1	<0.5	<0.2	15
111752	Drill Core	0.015	10	<1	0.07	33	<0.001	3	0.25	0.021	0.21	0.1	0.01	0.5	0.4	0.46	<1	<0.5	<0.2	20
111753	Drill Core	0.013	9	<1	0.06	49	<0.001	4	0.32	0.012	0.27	0.2	0.02	0.4	0.3	1.08	1	0.7	<0.2	260
111754	Drill Core	0.014	12	<1	0.08	28	<0.001	3	0.25	0.031	0.17	0.1	<0.01	0.6	0.2	0.26	<1	<0.5	<0.2	5
111755	Drill Core	0.013	13	<1	0.10	36	<0.001	2	0.24	0.038	0.19	<0.1	0.02	0.5	0.2	0.16	<1	<0.5	<0.2	10



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 02, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000579.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
111633	Drill Core	6.20	0.3	4.0	40.4	127	0.5	0.5	0.5	683	0.66	92.3	16.6	5.1	22.8	8	1.5	1.9	0.8	<2	0.03
REP 111633	QC		0.2	4.1	39.5	125	0.6	0.2	0.6	677	0.65	89.8	17.0	3.4	22.4	8	1.3	1.8	0.8	<2	0.03
111649	Drill Core	6.00	0.4	2.1	55.8	40	1.1	0.2	0.3	68	0.75	346.1	7.8	21.1	23.4	10	0.1	4.9	1.0	<2	0.03
REP 111649	QC																				
111654	Drill Core	6.44	0.5	1.0	16.5	74	0.3	0.4	0.6	1445	0.68	12.2	16.1	<0.5	24.1	6	0.2	2.5	1.8	<2	0.03
REP 111654	QC																				
111671	Drill Core	5.50	1.0	0.9	18.9	214	0.2	0.5	1.3	5256	0.78	22.8	17.0	2.5	27.2	13	1.1	2.5	0.5	<2	0.33
REP 111671	QC		0.8	0.7	18.5	209	0.2	0.4	1.2	5114	0.76	22.7	16.7	2.2	27.3	12	1.1	2.4	0.5	<2	0.31
111676	Drill Core	6.42	0.4	0.8	17.3	71	<0.1	0.5	1.1	1603	0.84	13.3	25.8	1.9	28.4	32	0.5	2.1	0.4	<2	0.42
REP 111676	QC																				
111719	Drill Core	3.68	0.9	1.4	12.4	7	0.1	0.3	0.5	801	0.47	31.7	23.5	4.4	19.6	8	<0.1	1.9	0.3	<2	0.22
REP 111719	QC																				
111728	Drill Core	5.95	12.3	1.6	47.4	58	0.5	0.5	1.4	1230	0.90	133.3	12.7	21.9	28.4	19	0.4	3.6	0.2	<2	0.46
REP 111728	QC		12.5	1.6	49.3	60	0.5	0.5	1.4	1231	0.90	140.5	13.4	24.9	29.8	19	0.5	4.1	0.2	<2	0.52
111738	Drill Core	5.63	1.1	1.5	20.1	58	0.2	0.4	1.0	1067	0.86	21.4	15.7	9.7	25.9	27	0.5	2.7	0.3	<2	0.46
REP 111738	QC		1.0	1.6	20.7	57	0.2	0.4	1.1	1057	0.87	21.6	16.5	10.1	27.4	27	0.4	3.0	0.3	<2	0.47
111755	Drill Core	3.74	0.4	0.4	8.7	14	<0.1	0.6	1.0	1170	0.85	9.7	11.4	2.4	26.6	27	<0.1	2.2	<0.1	<2	0.70
REP 111755	QC																				
Core Reject Duplicates																					
111643	Drill Core	5.65	0.7	1.1	12.4	115	0.2	0.5	1.0	2872	0.65	6.7	16.0	<0.5	26.7	8	1.2	2.2	0.3	<2	0.04
DUP 111643	QC		0.7	1.1	11.9	118	0.1	0.6	1.0	2933	0.66	5.4	16.0	<0.5	25.4	9	1.0	2.1	0.3	<2	0.03
111678	Drill Core	5.75	0.4	0.9	17.1	72	<0.1	0.4	1.2	1084	0.71	12.1	19.2	<0.5	29.5	30	0.4	2.1	0.2	<2	0.41
DUP 111678	QC		0.3	0.9	15.8	66	<0.1	0.4	1.1	1023	0.67	11.1	16.5	<0.5	27.3	29	0.4	1.9	0.2	<2	0.40
111713	Drill Core	4.36	0.2	1.4	16.6	36	0.2	0.5	0.8	2090	0.72	221.6	10.9	8.1	33.9	17	0.2	3.1	0.2	<2	0.45
DUP 111713	QC		0.2	1.2	14.6	31	0.3	0.5	0.8	2084	0.72	200.6	10.2	8.3	31.5	17	0.2	3.6	0.2	<2	0.44
111748	Drill Core	5.58	0.2	1.5	14.1	54	0.1	0.6	1.3	806	0.90	14.2	15.6	6.6	27.5	35	0.5	1.6	0.2	<2	0.62
DUP 111748	QC		0.2	1.3	14.5	54	0.1	0.6	1.2	828	0.91	15.3	16.2	5.0	26.8	37	0.4	1.5	0.2	2	0.62
Reference Materials																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 02, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000579.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
Pulp Duplicates																				
111633	Drill Core	0.005	6	<1	<0.01	20	<0.001	2	0.20	0.021	0.16	<0.1	0.02	0.5	0.2	<0.05	<1	<0.5	<0.2	3
REP 111633	QC	0.005	6	<1	<0.01	20	<0.001	2	0.20	0.021	0.16	<0.1	0.02	0.5	0.2	<0.05	<1	<0.5	<0.2	
111649	Drill Core	0.005	9	<1	<0.01	36	<0.001	2	0.23	0.012	0.23	0.1	0.04	0.3	0.5	0.08	<1	<0.5	<0.2	21
REP 111649	QC																			21
111654	Drill Core	0.006	9	<1	<0.01	21	<0.001	2	0.20	0.034	0.14	<0.1	0.03	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
REP 111654	QC																			<2
111671	Drill Core	0.006	9	<1	0.03	36	<0.001	<1	0.19	0.036	0.14	<0.1	0.02	0.8	0.3	0.28	<1	<0.5	<0.2	2
REP 111671	QC	0.006	9	<1	0.03	37	<0.001	1	0.19	0.036	0.14	<0.1	<0.01	0.8	0.3	0.28	<1	<0.5	<0.2	
111676	Drill Core	0.007	12	<1	0.06	122	<0.001	1	0.21	0.042	0.14	<0.1	<0.01	0.9	0.2	0.12	<1	<0.5	<0.2	<2
REP 111676	QC																			<2
111719	Drill Core	<0.001	5	<1	0.02	80	<0.001	<1	0.21	0.048	0.18	0.2	0.01	0.6	0.2	0.22	<1	<0.5	<0.2	4
REP 111719	QC																			3
111728	Drill Core	0.013	11	<1	0.09	33	<0.001	2	0.26	0.039	0.20	<0.1	0.01	0.7	0.2	0.30	<1	<0.5	<0.2	24
REP 111728	QC	0.014	12	<1	0.10	35	<0.001	2	0.28	0.039	0.22	0.1	<0.01	0.7	0.2	0.30	<1	<0.5	<0.2	
111738	Drill Core	0.011	10	<1	0.07	33	<0.001	1	0.23	0.034	0.16	<0.1	<0.01	0.6	0.2	0.29	<1	<0.5	<0.2	9
REP 111738	QC	0.012	11	<1	0.08	34	<0.001	2	0.24	0.035	0.16	0.1	0.02	0.6	0.2	0.29	<1	<0.5	<0.2	
111755	Drill Core	0.013	13	<1	0.10	36	<0.001	2	0.24	0.038	0.19	<0.1	0.02	0.5	0.2	0.16	<1	<0.5	<0.2	10
REP 111755	QC																			5
Core Reject Duplicates																				
111643	Drill Core	0.006	8	<1	<0.01	37	<0.001	2	0.18	0.038	0.12	<0.1	0.02	0.6	0.2	<0.05	<1	<0.5	<0.2	<2
DUP 111643	QC	0.006	8	<1	<0.01	36	<0.001	2	0.19	0.041	0.13	<0.1	0.02	0.6	0.1	<0.05	<1	<0.5	<0.2	<2
111678	Drill Core	0.007	13	<1	0.05	96	<0.001	1	0.21	0.042	0.13	<0.1	0.02	0.9	0.2	0.10	<1	<0.5	<0.2	<2
DUP 111678	QC	0.006	12	<1	0.04	103	<0.001	1	0.19	0.041	0.12	0.1	0.01	0.9	0.2	0.10	<1	<0.5	<0.2	<2
111713	Drill Core	0.007	8	<1	0.04	79	<0.001	2	0.28	0.029	0.22	<0.1	<0.01	0.4	0.3	0.50	<1	<0.5	<0.2	8
DUP 111713	QC	0.007	8	2	0.04	73	<0.001	1	0.29	0.031	0.24	<0.1	<0.01	0.5	0.3	0.49	<1	<0.5	<0.2	8
111748	Drill Core	0.012	13	<1	0.10	28	<0.001	3	0.20	0.034	0.14	0.1	<0.01	0.7	0.1	0.21	<1	<0.5	<0.2	6
DUP 111748	QC	0.012	13	<1	0.10	30	<0.001	3	0.20	0.037	0.15	0.1	<0.01	0.8	0.2	0.21	<1	<0.5	<0.2	5
Reference Materials																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000579.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS7	Standard		19.2	102.3	70.6	396	1.0	52.5	8.6	610	2.36	51.4	4.7	64.1	4.6	72	5.9	5.8	5.0	77	0.91
STD DS7	Standard		18.4	98.0	68.3	376	1.0	51.0	8.7	619	2.35	49.7	4.8	69.3	4.6	70	6.5	5.9	4.8	78	0.93
STD DS7	Standard		20.3	105.0	67.0	383	1.1	52.8	8.7	597	2.30	49.8	4.7	69.2	4.4	78	6.3	6.6	5.2	78	0.89
STD DS7	Standard		20.5	104.7	68.2	398	1.0	54.0	9.0	619	2.35	53.3	4.5	68.2	4.7	82	5.8	6.4	5.1	80	0.95
STD DS7	Standard		21.6	116.1	70.5	408	1.0	58.4	9.6	638	2.45	52.7	4.9	70.7	4.9	78	6.3	7.0	5.4	84	0.99
STD DS7	Standard		23.6	115.1	72.1	416	1.1	56.9	10.0	665	2.53	54.1	5.1	79.5	5.3	86	6.6	7.4	5.5	89	1.06
STD DS7	Standard		19.1	107.1	65.8	380	0.9	51.6	8.9	584	2.30	54.8	4.7	85.2	4.6	77	6.0	5.9	4.6	80	0.95
STD DS7	Standard		20.0	107.4	69.3	381	0.9	51.3	8.7	596	2.30	51.0	4.8	69.5	4.9	77	5.6	5.8	4.8	81	0.98
STD DS7	Standard		21.5	110.6	71.9	395	1.0	53.5	9.6	594	2.36	50.2	5.1	111.3	5.0	71	6.6	5.6	4.7	81	0.95
STD DS7	Standard		21.8	113.0	67.6	401	1.0	54.6	9.6	619	2.37	50.1	5.2	115.9	5.0	71	5.9	5.6	4.6	83	0.98
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXH66 Expected																					
STD OXC72 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000579.1

		1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm	3B Au ppb
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
STD DS7	Standard	0.073	12	194	1.04	398	0.109	41	0.97	0.090	0.46	3.8	0.25	2.2	4.1	0.19	5	3.5	1.0	
STD DS7	Standard	0.075	13	194	1.02	404	0.115	38	0.98	0.093	0.48	3.7	0.23	2.4	3.8	0.20	5	3.9	1.8	
STD DS7	Standard	0.070	13	199	1.00	396	0.122	35	0.95	0.091	0.44	3.8	0.24	2.1	4.2	0.20	5	3.4	0.3	
STD DS7	Standard	0.070	14	208	1.02	401	0.134	38	1.01	0.097	0.45	3.8	0.23	2.4	4.2	0.20	5	2.9	1.1	
STD DS7	Standard	0.078	14	218	1.07	421	0.139	40	1.07	0.101	0.48	3.9	0.24	2.7	4.2	0.22	5	3.4	1.2	
STD DS7	Standard	0.076	16	229	1.10	448	0.154	41	1.14	0.112	0.49	3.9	0.25	2.8	4.3	0.22	5	4.1	1.0	
STD DS7	Standard	0.080	13	189	1.02	379	0.117	39	1.02	0.099	0.46	3.4	0.22	2.3	3.8	0.19	5	2.5	1.4	
STD DS7	Standard	0.078	14	192	1.03	376	0.124	39	1.03	0.101	0.45	3.6	0.22	2.5	3.7	0.18	5	2.9	1.2	
STD DS7	Standard	0.072	13	201	1.03	405	0.123	41	1.02	0.095	0.45	3.6	0.21	2.4	3.9	0.20	5	3.4	1.1	
STD DS7	Standard	0.075	13	209	1.04	387	0.131	39	1.04	0.098	0.46	3.6	0.20	2.6	3.9	0.20	5	2.9	1.1	
STD OXC72	Standard																			204
STD OXC72	Standard																			192
STD OXC72	Standard																			198
STD OXC72	Standard																			189
STD OXC72	Standard																			191
STD OXH66	Standard																			1343
STD OXH66	Standard																			1210
STD OXH66	Standard																			1297
STD OXH66	Standard																			1228
STD OXH66	Standard																			1267
STD OXH66	Standard																			1303
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
STD OXH66 Expected																				1285
STD OXC72 Expected																				205
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 02, 2010

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI10000579.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		<0.1	2.2	2.6	42	0.1	1.0	3.2	527	1.85	<0.5	1.3	9.7	5.1	57	<0.1	<0.1	<0.1	36	0.38
G1	Prep Blank		0.1	2.3	2.6	43	0.1	1.3	3.4	521	1.81	<0.5	1.5	5.8	5.4	56	<0.1	<0.1	<0.1	35	0.50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 02, 2010

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000579.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
BLK	Blank																			<2	
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
Prep Wash																					
G1	Prep Blank	0.070	13	2	0.41	100	0.108	<1	0.73	0.080	0.40	<0.1	0.03	1.6	0.3	<0.05	4	<0.5	<0.2	<2	
G1	Prep Blank	0.068	13	2	0.46	103	0.113	<1	0.72	0.074	0.42	<0.1	0.01	1.6	0.3	<0.05	4	<0.5	<0.2	<2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 02, 2010
Report Date: November 02, 2010
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI10000580.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: TT-106
P.O. Number: NA 10-428
Number of Samples: 127

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	120	Crush split and pulverize 250g drill core to 200 mesh			WHI
1DX2	127	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	127	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000580.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111756	Drill Core	5.69	0.5	0.6	35.8	42	<0.1	0.8	1.0	647	0.67	17.1	19.7	1.5	27.0	14	<0.1	0.6	0.2	<2	0.05
111757 RRE 111756	Drill Core	N.A.	0.3	0.5	34.6	43	<0.1	0.2	0.9	632	0.67	16.8	18.4	1.1	26.3	13	<0.1	0.6	0.2	<2	0.05
111758	Drill Core	2.77	0.8	0.6	31.7	30	<0.1	0.4	0.9	1665	0.91	19.6	16.8	0.8	30.8	17	<0.1	0.8	0.3	<2	0.07
111759	Drill Core	2.12	0.6	2.3	25.2	43	0.2	0.7	1.0	940	0.88	299.0	12.1	47.8	21.5	18	0.4	2.5	0.4	<2	0.15
111760	Drill Core	2.77	1.1	0.9	32.6	19	<0.1	0.2	0.7	731	0.62	15.0	13.7	0.7	27.4	12	<0.1	0.8	0.1	<2	0.07
111761	Drill Core	6.35	2.5	0.6	29.0	23	<0.1	0.4	0.8	989	0.69	9.4	11.6	1.0	29.4	20	<0.1	0.9	0.1	<2	0.20
111762	Drill Core	5.59	0.4	0.8	25.3	22	<0.1	0.3	1.1	915	0.65	10.7	14.2	<0.5	26.6	22	<0.1	0.5	0.1	<2	0.31
111763	Drill Core	5.20	0.4	0.7	27.8	18	<0.1	0.4	0.7	780	0.67	11.0	11.6	0.8	27.4	17	<0.1	0.4	0.1	<2	0.16
111764	Drill Core	5.28	0.3	0.6	22.7	17	<0.1	0.3	1.0	781	0.66	13.3	18.1	0.5	28.7	17	<0.1	0.6	0.1	<2	0.11
111765	Drill Core	5.30	0.3	0.7	21.7	14	<0.1	0.6	0.9	783	0.72	12.8	15.2	0.5	25.8	17	<0.1	0.5	0.1	<2	0.15
111766	Drill Core	5.74	0.2	0.5	23.1	15	<0.1	0.4	0.9	709	0.63	11.3	17.4	<0.5	27.7	15	<0.1	0.5	0.1	<2	0.12
111767	Drill Core	0.55	<0.1	2.5	3.0	48	<0.1	1.4	3.6	590	2.02	<0.5	1.9	<0.5	7.3	68	<0.1	<0.1	<0.1	40	0.60
111768	Drill Core	4.92	0.3	0.7	49.7	13	<0.1	0.2	0.5	455	0.50	8.6	20.1	<0.5	21.8	11	<0.1	0.6	1.8	<2	0.07
111769	Drill Core	5.08	0.2	0.6	19.2	13	<0.1	0.4	0.6	592	0.62	7.4	15.4	<0.5	24.9	11	<0.1	0.6	0.7	<2	0.06
111770	Drill Core	4.18	0.2	0.5	28.7	20	<0.1	0.3	0.7	635	0.64	7.1	13.6	<0.5	26.7	12	<0.1	0.4	0.1	<2	0.08
111771	Drill Core	5.63	0.2	0.6	34.0	21	<0.1	0.3	0.6	529	0.56	8.2	15.5	<0.5	26.4	13	0.1	0.5	0.1	<2	0.08
111772	Drill Core	5.23	1.0	0.6	32.0	20	<0.1	0.5	0.6	567	0.61	8.4	14.8	<0.5	27.9	16	0.1	0.6	0.2	<2	0.08
111773	Drill Core	9.13	0.4	0.6	23.8	20	<0.1	0.6	0.8	699	0.71	13.0	12.6	<0.5	27.4	13	<0.1	0.5	0.1	<2	0.07
111774	Drill Core	4.66	0.4	0.7	23.1	16	<0.1	0.5	0.9	857	0.87	17.7	10.4	<0.5	26.6	14	<0.1	0.5	0.2	<2	0.08
111775	Drill Core	5.39	0.3	0.6	14.7	11	<0.1	0.4	0.8	822	0.83	17.2	9.9	<0.5	28.4	15	<0.1	0.5	0.2	<2	0.09
111776	Drill Core	4.23	0.3	2.8	18.1	10	<0.1	0.9	1.4	798	0.79	23.3	11.4	0.6	27.7	20	<0.1	0.7	0.1	<2	0.15
111777 RRE 111776	Drill Core	N.A.	0.3	2.9	17.6	10	<0.1	0.5	1.3	819	0.81	22.4	11.3	<0.5	27.1	20	<0.1	0.6	0.1	<2	0.15
111778	Drill Core	4.63	0.3	0.9	68.0	22	<0.1	0.2	1.8	859	0.76	17.0	14.2	<0.5	27.5	32	0.2	0.5	0.2	<2	0.42
111779	Drill Core	5.17	0.2	2.1	39.0	27	<0.1	0.6	2.5	779	0.72	13.0	16.1	10.5	26.1	22	0.3	0.5	0.2	<2	0.21
111780	Drill Core	4.97	0.9	1.2	29.0	26	<0.1	0.6	1.4	655	0.57	9.2	15.5	5.2	23.4	16	0.2	0.6	0.1	<2	0.11
111781	Drill Core	5.34	2.3	3.0	28.0	41	<0.1	0.4	3.9	604	0.55	12.7	14.3	1.8	24.0	22	0.3	0.8	0.2	<2	0.27
111782	Drill Core	4.96	1.1	1.3	84.6	29	<0.1	0.7	1.6	770	0.74	29.5	15.9	2.2	24.7	20	0.5	0.8	0.1	<2	0.23
111783	Drill Core	5.02	0.1	1.1	18.0	20	<0.1	0.6	1.8	708	0.62	14.4	15.9	1.6	23.0	12	<0.1	0.4	<0.1	<2	0.07
111784	Drill Core	5.14	0.1	1.0	14.7	16	<0.1	0.5	1.7	603	0.58	12.1	14.7	1.2	23.6	12	<0.1	0.5	0.1	<2	0.05
111785	Drill Core	4.49	0.1	1.1	16.8	18	<0.1	0.3	0.9	607	0.60	8.6	14.5	1.0	24.1	10	<0.1	0.4	0.1	<2	0.04

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000580.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111756	Drill Core	0.007	9	2	0.04	26	<0.001	1	0.30	0.036	0.17	0.2	0.03	0.7	0.2	<0.05	<1	<0.5	<0.2	<2
111757 RRE 111756	Drill Core	0.007	9	<1	0.04	24	<0.001	1	0.28	0.035	0.17	0.2	0.03	0.6	0.2	<0.05	<1	<0.5	<0.2	<2
111758	Drill Core	0.010	12	1	0.06	23	<0.001	<1	0.26	0.029	0.15	0.3	0.03	0.8	0.2	0.05	<1	<0.5	<0.2	<2
111759	Drill Core	0.014	10	<1	0.06	29	<0.001	2	0.29	0.039	0.17	0.2	0.04	0.6	0.3	0.34	<1	<0.5	<0.2	45
111760	Drill Core	0.008	11	1	0.04	30	<0.001	1	0.23	0.037	0.18	0.5	0.02	0.4	0.2	0.05	<1	<0.5	<0.2	<2
111761	Drill Core	0.007	11	<1	0.06	23	<0.001	<1	0.25	0.031	0.17	0.2	0.02	0.6	0.2	<0.05	<1	<0.5	<0.2	<2
111762	Drill Core	0.007	9	<1	0.06	19	<0.001	1	0.22	0.024	0.14	<0.1	0.02	0.6	0.1	<0.05	<1	<0.5	<0.2	<2
111763	Drill Core	0.007	10	1	0.06	23	<0.001	<1	0.28	0.036	0.17	<0.1	0.01	0.6	0.2	<0.05	<1	<0.5	<0.2	<2
111764	Drill Core	0.008	9	<1	0.06	129	<0.001	<1	0.21	0.028	0.13	0.1	0.02	0.7	0.1	0.06	<1	<0.5	<0.2	<2
111765	Drill Core	0.007	9	<1	0.06	23	<0.001	<1	0.28	0.042	0.16	0.1	0.02	0.7	0.2	0.05	<1	<0.5	<0.2	<2
111766	Drill Core	0.007	10	<1	0.05	22	<0.001	<1	0.24	0.031	0.14	0.1	0.03	0.6	0.1	0.05	<1	<0.5	<0.2	<2
111767	Drill Core	0.086	19	3	0.49	115	0.131	<1	0.84	0.081	0.48	<0.1	<0.01	2.0	0.4	<0.05	5	<0.5	<0.2	<2
111768	Drill Core	0.004	7	<1	0.03	26	<0.001	<1	0.24	0.028	0.17	0.2	0.02	0.6	0.2	0.05	<1	<0.5	<0.2	<2
111769	Drill Core	0.005	8	<1	0.04	118	<0.001	<1	0.26	0.051	0.17	0.1	0.01	0.6	0.1	<0.05	<1	<0.5	<0.2	<2
111770	Drill Core	0.007	10	<1	0.05	23	<0.001	<1	0.23	0.033	0.16	0.2	0.02	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
111771	Drill Core	0.007	10	<1	0.04	22	<0.001	1	0.31	0.028	0.21	0.1	0.03	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111772	Drill Core	0.007	11	1	0.04	24	<0.001	2	0.34	0.033	0.24	0.2	0.03	0.5	0.2	<0.05	1	<0.5	<0.2	<2
111773	Drill Core	0.007	9	1	0.05	21	<0.001	<1	0.31	0.040	0.16	0.1	0.02	0.8	0.2	<0.05	<1	<0.5	<0.2	<2
111774	Drill Core	0.007	8	2	0.06	21	<0.001	<1	0.33	0.042	0.13	0.1	0.02	1.1	0.1	0.06	1	<0.5	<0.2	<2
111775	Drill Core	0.007	9	1	0.06	17	<0.001	<1	0.30	0.034	0.11	0.1	0.02	1.1	0.2	0.07	<1	<0.5	<0.2	<2
111776	Drill Core	0.008	9	2	0.08	20	<0.001	1	0.34	0.038	0.16	0.1	0.02	1.0	0.2	0.06	<1	<0.5	<0.2	<2
111777 RRE 111776	Drill Core	0.008	9	1	0.08	19	<0.001	<1	0.34	0.037	0.15	<0.1	0.03	1.0	0.2	0.06	<1	<0.5	<0.2	<2
111778	Drill Core	0.007	8	<1	0.14	17	<0.001	<1	0.32	0.028	0.17	0.1	0.02	0.9	0.2	0.06	<1	<0.5	<0.2	<2
111779	Drill Core	0.006	7	1	0.09	84	<0.001	1	0.28	0.023	0.19	0.2	0.05	0.9	0.2	<0.05	<1	<0.5	<0.2	<2
111780	Drill Core	0.006	7	1	0.05	43	<0.001	2	0.20	0.023	0.15	0.5	0.04	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111781	Drill Core	0.006	7	<1	0.07	59	<0.001	2	0.19	0.026	0.15	0.3	0.04	0.5	0.1	0.05	<1	<0.5	<0.2	<2
111782	Drill Core	0.006	6	1	0.06	38	<0.001	2	0.24	0.032	0.14	0.3	0.04	1.0	0.2	0.08	<1	<0.5	<0.2	<2
111783	Drill Core	0.005	6	<1	0.05	17	<0.001	1	0.21	0.026	0.10	0.1	0.02	0.9	<0.1	<0.05	<1	<0.5	<0.2	<2
111784	Drill Core	0.006	6	<1	0.04	20	<0.001	<1	0.23	0.036	0.11	0.2	0.03	0.8	<0.1	<0.05	<1	<0.5	<0.2	<2
111785	Drill Core	0.006	6	<1	0.04	18	<0.001	1	0.21	0.027	0.10	0.5	0.02	0.7	<0.1	<0.05	<1	<0.5	<0.2	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000580.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111786	Drill Core	5.24	0.3	1.9	17.9	17	<0.1	0.5	3.2	567	0.56	8.6	12.8	1.0	26.9	17	<0.1	0.3	0.1	<2	0.12
111787	Drill Core	0.56	<0.1	2.2	2.7	42	<0.1	0.9	3.3	510	1.77	<0.5	1.5	<0.5	5.9	50	<0.1	<0.1	<0.1	33	0.51
111788	Drill Core	5.40	0.2	1.1	56.3	19	<0.1	0.5	1.6	465	0.47	3.6	18.4	<0.5	29.3	18	<0.1	0.3	0.2	<2	0.14
111789	Drill Core	5.59	0.1	2.8	33.5	11	<0.1	0.4	4.5	633	0.56	3.2	16.7	<0.5	28.7	24	<0.1	0.2	0.1	<2	0.16
111790	Drill Core	6.01	<0.1	1.0	15.6	13	<0.1	0.5	1.6	663	0.54	5.8	15.4	<0.5	25.3	21	<0.1	0.3	<0.1	<2	0.19
111791	Drill Core	5.08	0.1	0.8	14.0	17	<0.1	0.5	1.3	771	0.69	13.3	13.7	2.1	28.7	17	0.1	0.3	0.1	<2	0.15
111792	Drill Core	3.94	0.1	0.7	16.7	14	<0.1	0.5	1.4	724	0.68	25.8	14.0	<0.5	27.4	14	0.1	0.6	<0.1	<2	0.07
111793	Drill Core	4.97	0.8	4.6	23.4	29	0.4	2.4	0.9	612	0.66	19.7	16.5	<0.5	28.1	21	0.4	0.6	<0.1	<2	0.14
111794	Drill Core	4.50	2.4	3.6	25.3	19	0.4	1.3	0.7	511	0.57	22.9	13.1	<0.5	22.8	27	<0.1	0.9	<0.1	<2	0.22
111795	Drill Core	4.48	1.9	0.5	25.9	19	<0.1	0.4	0.7	671	0.64	26.4	12.0	<0.5	21.6	32	<0.1	0.9	<0.1	<2	0.44
111796	Drill Core	5.53	1.5	0.6	23.7	26	<0.1	0.3	0.9	878	0.70	30.6	21.5	<0.5	28.2	35	<0.1	1.0	<0.1	<2	0.71
111797 RRE 111796	Drill Core	N.A.	1.4	0.5	23.6	26	<0.1	0.4	1.0	878	0.71	30.9	20.6	<0.5	27.8	37	<0.1	1.0	<0.1	<2	0.71
111798	Drill Core	5.80	1.7	0.6	28.0	32	<0.1	0.4	1.0	714	0.61	27.7	13.2	<0.5	25.3	34	<0.1	0.8	<0.1	<2	0.48
111799	Drill Core	6.07	0.3	0.5	27.5	12	<0.1	0.4	0.9	609	0.58	22.7	14.5	<0.5	24.0	27	<0.1	0.5	<0.1	<2	0.28
111800	Drill Core	7.71	0.2	0.4	28.3	15	<0.1	0.6	0.7	512	0.48	11.8	17.3	<0.5	25.3	36	<0.1	0.3	0.1	<2	0.39
111801	Drill Core	5.61	<0.1	0.5	28.7	21	<0.1	0.4	1.0	667	0.54	7.6	19.6	<0.5	31.5	31	<0.1	0.3	0.1	<2	0.35
111802	Drill Core	5.22	0.1	0.8	19.4	17	<0.1	0.6	0.9	678	0.64	11.5	12.6	<0.5	24.5	31	<0.1	0.3	<0.1	<2	0.32
111803	Drill Core	5.02	0.2	0.6	45.5	15	<0.1	0.3	1.0	561	0.57	7.9	14.9	<0.5	30.7	32	<0.1	0.5	0.1	<2	0.44
111804	Drill Core	5.46	0.1	0.5	30.2	21	<0.1	0.4	0.9	803	0.68	5.2	18.5	<0.5	25.1	37	<0.1	0.3	<0.1	<2	0.49
111805	Drill Core	6.41	<0.1	0.5	20.6	21	<0.1	0.5	1.1	779	0.67	5.5	13.3	<0.5	26.7	45	<0.1	0.2	<0.1	<2	0.58
111806	Drill Core	5.65	<0.1	0.6	17.4	21	<0.1	0.6	1.1	652	0.66	20.9	14.0	<0.5	26.7	27	<0.1	0.3	0.2	<2	0.33
111807	Drill Core	0.90	<0.1	2.6	3.0	45	<0.1	1.0	3.4	587	2.00	<0.5	1.9	<0.5	7.0	65	<0.1	<0.1	<0.1	37	0.53
111808	Drill Core	5.52	<0.1	0.5	10.8	21	<0.1	0.5	1.0	691	0.68	14.0	11.9	<0.5	27.1	25	<0.1	0.3	<0.1	<2	0.28
111809	Drill Core	6.12	0.2	0.7	18.3	17	<0.1	0.4	1.1	705	0.67	13.0	14.0	<0.5	27.9	28	<0.1	0.4	<0.1	<2	0.30
111810	Drill Core	5.95	0.3	0.6	31.8	16	<0.1	0.4	1.0	626	0.63	13.4	16.7	<0.5	25.1	28	<0.1	0.4	<0.1	<2	0.27
111811	Drill Core	5.89	0.1	0.3	11.2	22	<0.1	0.4	0.8	883	0.70	6.6	11.5	<0.5	24.8	40	<0.1	0.2	<0.1	<2	0.52
111812	Drill Core	5.73	0.1	0.7	20.9	9	<0.1	0.2	0.6	583	0.51	20.5	20.5	<0.5	17.6	20	<0.1	0.6	0.2	<2	0.17
111813	Drill Core	5.15	0.2	0.9	36.5	7	<0.1	0.4	1.2	478	0.49	9.7	21.3	<0.5	22.7	26	<0.1	0.6	0.2	<2	0.17
111814	Drill Core	6.00	0.2	0.7	27.0	19	<0.1	0.3	0.8	598	0.60	14.4	13.7	0.9	25.0	35	0.1	0.5	<0.1	<2	0.30
111815	Drill Core	5.84	0.1	1.0	28.4	21	<0.1	0.4	1.2	668	0.53	12.9	16.4	<0.5	26.8	32	0.2	0.6	<0.1	<2	0.45

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000580.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111786	Drill Core	0.006	8	<1	0.05	18	<0.001	2	0.26	0.024	0.15	0.2	0.02	0.8	<0.1	<0.05	<1	<0.5	<0.2	<2
111787	Drill Core	0.074	13	2	0.46	105	0.094	1	0.69	0.066	0.43	<0.1	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2	<2
111788	Drill Core	0.008	9	<1	0.04	25	<0.001	<1	0.25	0.030	0.23	0.3	0.04	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111789	Drill Core	0.007	8	<1	0.06	23	<0.001	<1	0.25	0.021	0.14	0.2	0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111790	Drill Core	0.006	7	<1	0.07	26	<0.001	<1	0.23	0.025	0.14	0.2	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2	<2
111791	Drill Core	0.007	7	1	0.07	25	<0.001	1	0.23	0.039	0.13	<0.1	0.01	0.7	0.2	<0.05	<1	<0.5	<0.2	<2
111792	Drill Core	0.006	6	<1	0.05	34	<0.001	<1	0.21	0.035	0.11	<0.1	0.01	0.7	0.2	<0.05	<1	<0.5	<0.2	<2
111793	Drill Core	0.006	7	3	0.06	45	<0.001	<1	0.23	0.022	0.12	6.4	0.01	0.7	0.1	0.06	<1	<0.5	<0.2	9
111794	Drill Core	0.007	7	1	0.05	73	<0.001	1	0.24	0.020	0.12	5.1	0.02	0.6	0.1	0.07	<1	<0.5	<0.2	<2
111795	Drill Core	0.006	7	<1	0.07	38	<0.001	2	0.25	0.022	0.13	0.3	0.01	0.7	0.1	0.07	<1	<0.5	<0.2	<2
111796	Drill Core	0.007	6	<1	0.08	33	<0.001	<1	0.24	0.033	0.13	0.2	0.02	0.8	0.2	0.09	<1	<0.5	<0.2	<2
111797 RRE 111796	Drill Core	0.007	7	<1	0.08	35	<0.001	1	0.26	0.036	0.14	0.2	0.02	0.8	0.1	0.09	<1	<0.5	<0.2	<2
111798	Drill Core	0.006	7	<1	0.06	71	<0.001	1	0.24	0.026	0.13	0.1	0.01	0.7	0.1	0.08	<1	<0.5	<0.2	<2
111799	Drill Core	0.007	7	<1	0.05	34	<0.001	1	0.23	0.028	0.13	0.1	<0.01	0.7	0.1	0.05	<1	<0.5	<0.2	<2
111800	Drill Core	0.006	8	<1	0.06	75	<0.001	1	0.27	0.023	0.18	0.2	0.04	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
111801	Drill Core	0.007	8	<1	0.07	59	<0.001	2	0.28	0.029	0.21	0.2	<0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111802	Drill Core	0.007	7	1	0.07	27	<0.001	<1	0.26	0.031	0.14	0.4	<0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111803	Drill Core	0.007	10	<1	0.05	23	<0.001	1	0.26	0.035	0.20	0.2	<0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
111804	Drill Core	0.007	8	<1	0.11	93	<0.001	1	0.25	0.031	0.13	0.1	<0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2	<2
111805	Drill Core	0.007	8	<1	0.10	105	<0.001	1	0.25	0.027	0.11	0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2	<2
111806	Drill Core	0.007	7	<1	0.07	23	<0.001	1	0.25	0.036	0.12	<0.1	0.01	0.9	0.1	<0.05	<1	<0.5	<0.2	<2
111807	Drill Core	0.080	19	3	0.44	118	0.122	<1	0.87	0.103	0.46	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2	2
111808	Drill Core	0.007	7	<1	0.06	38	<0.001	<1	0.25	0.043	0.14	0.1	<0.01	0.8	0.2	<0.05	<1	<0.5	<0.2	<2
111809	Drill Core	0.007	7	<1	0.06	48	<0.001	1	0.22	0.037	0.14	0.1	0.01	0.7	0.1	0.06	<1	<0.5	<0.2	<2
111810	Drill Core	0.006	8	<1	0.06	26	<0.001	1	0.25	0.033	0.16	0.1	0.02	0.7	0.1	0.06	<1	<0.5	<0.2	<2
111811	Drill Core	0.005	6	<1	0.13	22	<0.001	1	0.23	0.032	0.12	<0.1	<0.01	1.0	0.2	<0.05	<1	<0.5	<0.2	<2
111812	Drill Core	0.003	3	<1	0.05	38	<0.001	1	0.20	0.038	0.13	0.2	0.01	0.8	0.1	<0.05	<1	<0.5	<0.2	<2
111813	Drill Core	0.004	6	<1	0.04	58	<0.001	1	0.25	0.034	0.18	0.2	<0.01	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111814	Drill Core	0.006	7	<1	0.07	52	<0.001	1	0.25	0.036	0.14	0.2	<0.01	0.5	0.1	0.06	<1	<0.5	<0.2	<2
111815	Drill Core	0.007	9	<1	0.06	15	<0.001	1	0.25	0.032	0.17	0.1	<0.01	0.4	0.1	0.05	<1	<0.5	<0.2	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000580.1

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111816	Drill Core	5.40	0.4	0.8	39.8	39	<0.1	0.1	0.8	567	0.37	4.2	19.9	<0.5	24.4	41	0.3	0.4	<0.1	<2	0.79
111817 RRE 111816	Drill Core	N.A.	0.4	0.7	38.8	36	<0.1	<0.1	0.8	554	0.37	4.0	18.8	1.1	23.3	39	0.2	0.4	<0.1	<2	0.77
111818	Drill Core	5.67	0.7	1.1	32.9	16	<0.1	0.1	1.5	487	0.41	8.4	19.3	<0.5	26.4	33	<0.1	0.7	0.1	<2	0.50
111819	Drill Core	5.57	1.4	0.8	22.9	22	<0.1	0.2	1.2	615	0.55	13.6	12.7	<0.5	23.3	30	<0.1	0.9	<0.1	<2	0.50
111820	Drill Core	5.48	1.0	0.6	20.0	16	<0.1	0.3	0.9	671	0.60	21.3	12.6	<0.5	27.2	36	<0.1	0.8	<0.1	<2	0.55
111821	Drill Core		0.3	0.7	16.8	10	<0.1	0.1	1.5	620	0.60	24.0	12.3	<0.5	26.7	30	<0.1	0.7	0.1	<2	0.41
111822	Drill Core		0.3	0.7	26.0	7	<0.1	0.1	0.7	492	0.46	15.5	16.1	<0.5	21.0	27	<0.1	0.7	0.2	<2	0.40
111823	Drill Core		0.2	0.8	19.6	7	<0.1	0.3	0.9	527	0.50	13.7	15.4	<0.5	26.6	34	<0.1	0.5	<0.1	<2	0.47
111824	Drill Core		0.2	0.6	20.3	13	<0.1	0.4	0.6	676	0.43	12.4	11.9	<0.5	25.4	56	<0.1	0.5	0.1	<2	0.93
111825	Drill Core		0.2	0.6	41.5	6	<0.1	0.2	0.6	514	0.41	15.3	13.1	<0.5	27.6	38	<0.1	0.7	<0.1	<2	0.65
111826	Drill Core		0.2	0.5	26.0	9	<0.1	0.3	0.8	577	0.48	13.5	14.1	<0.5	26.8	34	<0.1	0.5	<0.1	<2	0.55
111827	Drill Core		<0.1	2.3	3.4	43	<0.1	1.0	3.4	542	1.79	<0.5	1.8	0.7	6.6	59	<0.1	<0.1	<0.1	35	0.56
111828	Drill Core		0.1	0.9	26.4	8	<0.1	0.4	0.8	602	0.48	14.5	9.6	0.6	26.0	36	<0.1	0.5	<0.1	<2	0.59
111829	Drill Core		0.1	0.6	29.2	8	<0.1	<0.1	0.6	577	0.41	11.8	21.0	1.2	22.5	38	<0.1	0.6	<0.1	<2	0.64
111830	Drill Core		0.1	1.4	13.7	10	<0.1	1.2	1.9	599	0.45	7.0	15.9	<0.5	24.6	37	<0.1	0.5	0.1	<2	0.58
111831	Drill Core		1.2	1.2	23.8	10	<0.1	0.4	1.4	543	0.42	4.3	14.7	<0.5	24.2	66	<0.1	0.3	0.1	<2	0.76
111832	Drill Core		0.2	0.6	17.8	12	<0.1	0.4	0.8	551	0.56	9.3	13.6	<0.5	26.4	40	<0.1	0.4	0.1	<2	0.36
111833	Drill Core		0.1	0.6	22.4	13	<0.1	0.2	0.9	660	0.62	8.6	10.0	<0.5	26.0	43	<0.1	0.3	0.3	<2	0.54
111834	Drill Core		0.3	0.7	28.5	19	<0.1	0.3	1.0	608	0.60	11.3	12.2	0.5	26.2	43	<0.1	0.5	0.3	<2	0.41
111835	Drill Core		3.5	0.6	33.2	48	<0.1	0.3	1.0	570	0.56	11.9	14.6	<0.5	25.8	38	<0.1	1.2	<0.1	<2	0.42
111836	Drill Core		6.1	0.7	22.7	12	<0.1	0.2	1.1	326	0.40	17.9	16.8	<0.5	27.0	41	<0.1	1.9	0.7	<2	0.34
111837 RRE 111836	Drill Core	N.A.	5.7	0.8	21.6	11	<0.1	0.2	1.2	323	0.41	17.9	17.2	<0.5	26.4	39	<0.1	1.9	0.7	<2	0.32
111838	Drill Core		1.5	0.8	27.6	2	<0.1	<0.1	0.6	156	0.28	12.8	16.9	<0.5	24.7	30	<0.1	0.5	0.8	<2	0.24
111839	Drill Core		1.4	3.7	18.5	1	<0.1	0.4	4.7	104	0.24	85.0	22.1	<0.5	25.6	35	<0.1	0.8	1.7	<2	0.22
111840	Drill Core		0.5	1.7	7.7	<1	<0.1	0.2	2.8	74	0.35	159.5	34.4	0.8	35.8	33	<0.1	1.2	26.2	<2	0.14
111841	Drill Core		0.2	1.0	4.8	<1	<0.1	0.2	1.0	48	0.16	10.4	20.7	<0.5	34.8	40	<0.1	1.1	62.6	<2	0.16
111842	Drill Core		3.2	0.6	5.5	<1	<0.1	0.2	0.5	27	0.17	6.8	11.1	<0.5	25.6	30	<0.1	1.0	78.5	<2	0.08
111843	Drill Core		26.9	0.5	7.5	<1	<0.1	0.1	0.3	32	0.17	4.6	10.2	<0.5	19.3	22	<0.1	0.8	19.0	<2	0.09
111844	Drill Core		7.8	0.6	8.0	<1	<0.1	0.3	0.3	100	0.23	3.7	12.3	<0.5	25.7	20	<0.1	1.3	87.0	<2	0.17
111845	Drill Core		18.3	0.7	15.4	<1	<0.1	<0.1	0.2	102	0.17	4.2	14.0	<0.5	23.3	30	<0.1	1.6	150.4	<2	0.38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000580.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111816	Drill Core	0.006	9	<1	0.04	18	<0.001	2	0.28	0.028	0.22	0.1	0.01	0.3	0.2	<0.05	<1	<0.5	<0.2	<2
111817 RRE 111816	Drill Core	0.006	9	<1	0.04	17	<0.001	1	0.28	0.030	0.22	0.1	<0.01	0.3	0.2	<0.05	<1	<0.5	<0.2	<2
111818	Drill Core	0.006	9	<1	0.04	15	<0.001	1	0.26	0.019	0.19	0.1	0.01	0.3	0.2	<0.05	<1	<0.5	<0.2	<2
111819	Drill Core	0.006	8	<1	0.05	24	<0.001	<1	0.25	0.036	0.16	<0.1	0.01	0.4	0.1	0.06	<1	<0.5	<0.2	<2
111820	Drill Core	0.007	8	<1	0.05	13	<0.001	<1	0.25	0.028	0.16	0.1	0.01	0.5	0.1	0.06	<1	<0.5	<0.2	<2
111821	Drill Core	0.007	8	<1	0.05	13	<0.001	<1	0.26	0.031	0.16	<0.1	<0.01	0.6	0.2	<0.05	<1	<0.5	<0.2	<2
111822	Drill Core	0.005	7	<1	0.04	34	<0.001	1	0.25	0.032	0.18	0.2	0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
111823	Drill Core	0.007	9	<1	0.05	13	<0.001	<1	0.27	0.024	0.17	0.1	0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111824	Drill Core	0.007	9	<1	0.07	11	<0.001	<1	0.19	0.018	0.15	<0.1	0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	<2
111825	Drill Core	0.008	11	<1	0.05	16	<0.001	<1	0.25	0.021	0.20	0.1	<0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111826	Drill Core	0.007	10	<1	0.06	27	<0.001	<1	0.25	0.024	0.17	0.2	<0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
111827	Drill Core	0.076	16	2	0.48	94	0.120	<1	0.82	0.087	0.41	0.6	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2	<2
111828	Drill Core	0.007	10	<1	0.06	24	<0.001	<1	0.24	0.024	0.17	1.0	<0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111829	Drill Core	0.004	7	<1	0.09	17	<0.001	<1	0.20	0.033	0.15	0.2	0.01	0.6	0.1	<0.05	<1	<0.5	<0.2	2
111830	Drill Core	0.007	10	3	0.08	37	<0.001	<1	0.24	0.022	0.19	0.2	<0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	<2
111831	Drill Core	0.006	9	<1	0.06	26	<0.001	<1	0.24	0.020	0.18	0.3	0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111832	Drill Core	0.006	9	<1	0.06	430	<0.001	<1	0.26	0.021	0.16	0.5	<0.01	0.5	0.2	<0.05	<1	<0.5	<0.2	<2
111833	Drill Core	0.007	9	<1	0.07	27	<0.001	<1	0.24	0.024	0.15	0.1	0.01	0.6	0.1	<0.05	<1	<0.5	<0.2	<2
111834	Drill Core	0.007	9	<1	0.08	75	<0.001	<1	0.26	0.023	0.14	0.1	0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
111835	Drill Core	0.006	9	<1	0.05	31	<0.001	<1	0.27	0.020	0.15	0.1	0.02	0.5	0.2	0.07	<1	<0.5	<0.2	<2
111836	Drill Core	0.006	10	<1	0.04	32	<0.001	<1	0.31	0.019	0.16	<0.1	0.01	0.4	0.3	0.09	<1	<0.5	<0.2	<2
111837 RRE 111836	Drill Core	0.005	9	<1	0.04	30	<0.001	1	0.29	0.018	0.16	<0.1	0.02	0.4	0.3	0.09	<1	<0.5	<0.2	2
111838	Drill Core	0.006	10	<1	0.03	16	<0.001	<1	0.30	0.024	0.16	0.1	<0.01	0.3	0.2	<0.05	<1	<0.5	0.3	<2
111839	Drill Core	0.006	9	<1	0.03	15	<0.001	1	0.29	0.018	0.16	0.1	<0.01	0.3	0.2	0.06	<1	<0.5	0.3	<2
111840	Drill Core	0.007	13	<1	0.04	71	<0.001	<1	0.32	0.029	0.18	0.2	<0.01	0.3	0.2	0.19	<1	<0.5	0.3	<2
111841	Drill Core	0.006	15	<1	0.03	27	<0.001	2	0.41	0.021	0.21	0.1	<0.01	0.3	0.2	<0.05	<1	<0.5	<0.2	<2
111842	Drill Core	0.004	11	<1	0.03	7	<0.001	1	0.39	0.015	0.21	<0.1	<0.01	0.2	0.2	<0.05	<1	<0.5	<0.2	2
111843	Drill Core	0.002	8	<1	0.02	7	<0.001	2	0.31	0.012	0.17	<0.1	0.01	0.2	0.4	<0.05	<1	<0.5	0.3	4
111844	Drill Core	0.004	9	<1	0.03	16	<0.001	2	0.31	0.013	0.20	<0.1	<0.01	0.2	0.2	<0.05	<1	0.8	0.3	<2
111845	Drill Core	0.004	10	<1	0.02	11	<0.001	1	0.25	0.015	0.16	<0.1	<0.01	0.3	0.3	<0.05	<1	2.0	0.7	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000580.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111846	Drill Core		5.3	0.5	13.6	<1	<0.1	<0.1	0.3	62	0.18	5.3	19.3	<0.5	27.4	22	<0.1	1.0	54.0	<2	0.18
111847	Drill Core		0.1	2.1	3.0	44	<0.1	1.1	3.3	559	1.90	<0.5	2.0	1.0	7.2	71	<0.1	<0.1	0.7	36	0.52
111848	Drill Core		2.5	0.4	7.3	<1	<0.1	0.2	0.3	96	0.19	3.3	25.4	0.7	26.4	32	<0.1	0.6	33.7	<2	0.36
111849	Drill Core		1.6	0.7	5.2	<1	<0.1	0.3	0.2	100	0.18	3.7	15.7	11.6	24.7	27	<0.1	0.9	87.9	<2	0.35
111850	Drill Core		9.3	0.8	14.5	5	<0.1	0.1	0.5	258	0.21	6.3	18.7	4.1	27.1	64	0.4	1.7	204.1	<2	1.25
111851	Drill Core		20.6	0.9	20.3	23	<0.1	0.3	0.5	393	0.26	4.6	18.9	2.0	26.9	63	1.4	1.9	194.4	<2	1.44
111852	Drill Core		5.2	1.0	13.1	6	<0.1	<0.1	0.4	254	0.23	6.4	12.5	2.5	29.0	54	0.4	2.4	240.6	<2	1.03
111853	Drill Core		2.9	2.9	12.7	15	<0.1	0.3	0.7	173	0.22	9.6	13.3	2.8	23.7	42	1.3	1.4	96.7	<2	0.70
111854	Drill Core		0.8	3.5	7.8	3	<0.1	0.3	0.4	144	0.22	7.6	13.6	1.3	24.7	31	0.2	1.6	71.4	<2	0.43
111855	Drill Core		1.1	2.4	6.9	4	0.2	0.3	0.7	130	0.25	7.9	14.3	14.2	22.9	20	0.2	1.1	46.7	<2	0.21
111856	Drill Core		9.5	35.3	7.2	5	9.7	2.2	0.9	130	0.34	11.1	13.4	0.7	26.0	15	<0.1	1.0	35.0	<2	0.12
111857 RRE 111856	Drill Core	N.A.	6.6	25.6	6.6	4	7.8	2.0	0.8	128	0.34	10.3	13.0	0.8	24.7	15	<0.1	1.0	32.4	<2	0.11
111858	Drill Core		0.5	1.2	9.9	4	<0.1	0.4	0.7	148	0.31	10.0	12.4	0.8	25.9	19	<0.1	0.6	11.9	<2	0.14
111859	Drill Core		3.6	1.5	23.6	9	<0.1	0.4	0.8	153	0.30	11.0	16.6	0.9	26.3	17	0.4	0.8	6.8	<2	0.10
111860	Drill Core		7.3	5.5	30.7	53	<0.1	0.4	1.5	237	0.40	25.6	16.4	0.9	26.5	14	2.4	1.9	6.3	<2	0.06
111861	Drill Core		37.5	4.6	27.2	122	<0.1	0.4	0.9	322	0.54	74.2	25.6	<0.5	26.2	14	3.3	3.8	5.5	<2	0.04
111862	Drill Core		8.2	1.9	17.8	11	<0.1	0.4	0.8	556	0.71	71.7	18.4	<0.5	25.5	11	<0.1	1.6	1.2	<2	0.05
111863	Drill Core		10.6	1.9	39.2	30	0.1	0.3	0.7	557	0.65	37.0	14.0	1.0	24.1	20	<0.1	1.7	0.7	<2	0.15
111864	Drill Core		11.0	2.0	43.7	27	0.2	0.4	0.7	615	0.67	78.5	15.6	0.5	24.8	15	0.1	2.2	2.7	<2	0.13
111865	Drill Core		1.6	1.3	26.5	15	<0.1	0.4	0.7	695	0.73	93.6	19.6	1.1	27.5	14	<0.1	1.4	1.3	<2	0.09
111866	Drill Core		0.9	1.6	19.2	19	<0.1	0.5	0.7	731	0.65	25.9	24.7	<0.5	27.0	34	<0.1	1.2	0.5	<2	0.27
111867	Drill Core		0.1	2.2	3.2	48	<0.1	1.1	3.3	557	1.89	<0.5	1.7	<0.5	6.3	62	<0.1	<0.1	<0.1	36	0.48
111868	Drill Core		0.6	1.2	25.4	20	<0.1	0.4	0.6	666	0.61	31.2	20.4	<0.5	27.1	17	<0.1	1.1	0.4	<2	0.10
111869	Drill Core		0.7	2.4	32.1	24	0.3	0.4	0.7	701	0.60	40.3	20.7	<0.5	26.5	16	<0.1	1.1	0.5	<2	0.13
111870	Drill Core		1.5	1.0	30.5	24	0.1	0.3	0.8	760	0.75	289.1	16.0	<0.5	25.3	22	<0.1	3.4	0.6	<2	0.13
111871	Drill Core		1.7	0.6	20.7	19	<0.1	0.4	0.6	693	0.66	201.4	14.5	<0.5	25.3	17	<0.1	2.5	0.5	<2	0.12
111872	Drill Core		3.0	1.1	25.9	20	<0.1	0.3	0.8	647	0.63	88.0	26.0	<0.5	28.2	17	<0.1	2.0	0.6	<2	0.06
111873	Drill Core		1.3	0.9	28.5	26	<0.1	0.4	1.1	792	0.64	28.4	19.4	<0.5	27.8	15	<0.1	1.1	0.7	<2	0.06
111874	Drill Core		0.3	0.6	20.5	14	<0.1	0.5	0.7	625	0.62	13.8	16.6	<0.5	26.9	14	<0.1	0.5	1.2	<2	0.07
111875	Drill Core		0.2	0.8	19.4	14	<0.1	0.4	0.8	664	0.63	15.3	19.5	0.8	27.8	14	<0.1	0.5	0.6	<2	0.07

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000580.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111846	Drill Core	0.005	10	<1	0.02	13	<0.001	2	0.33	0.017	0.18	<0.1	<0.01	0.3	0.1	<0.05	<1	<0.5	<0.2	<2
111847	Drill Core	0.081	18	2	0.44	103	0.128	<1	0.86	0.077	0.44	<0.1	<0.01	2.0	0.3	<0.05	4	<0.5	<0.2	<2
111848	Drill Core	0.005	10	<1	0.02	123	<0.001	2	0.30	0.022	0.18	<0.1	<0.01	0.3	0.1	<0.05	<1	<0.5	<0.2	<2
111849	Drill Core	0.004	5	<1	0.01	54	<0.001	2	0.16	0.021	0.14	<0.1	0.02	0.3	0.1	<0.05	<1	<0.5	0.3	<2
111850	Drill Core	0.005	4	<1	0.02	40	<0.001	1	0.21	0.026	0.14	<0.1	0.02	0.4	0.1	<0.05	<1	0.6	0.6	<2
111851	Drill Core	0.006	5	<1	0.06	17	<0.001	1	0.17	0.028	0.12	<0.1	0.01	0.4	0.3	<0.05	<1	1.5	0.2	<2
111852	Drill Core	0.006	7	<1	0.03	58	<0.001	1	0.18	0.032	0.13	0.1	<0.01	0.5	0.2	<0.05	<1	0.5	0.2	<2
111853	Drill Core	0.005	6	<1	0.03	19	<0.001	1	0.16	0.029	0.12	0.1	0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111854	Drill Core	0.005	6	<1	0.02	19	<0.001	1	0.17	0.024	0.14	0.2	<0.01	0.4	0.2	<0.05	<1	<0.5	<0.2	<2
111855	Drill Core	0.005	7	<1	0.03	23	<0.001	1	0.15	0.031	0.13	0.5	0.01	0.3	0.1	<0.05	<1	<0.5	<0.2	<2
111856	Drill Core	0.006	8	7	0.02	24	<0.001	1	0.15	0.040	0.11	14.6	<0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	<2
111857 RRE 111856	Drill Core	0.006	8	6	0.02	24	<0.001	<1	0.15	0.038	0.11	14.7	<0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	<2
111858	Drill Core	0.006	8	1	0.03	15	<0.001	1	0.19	0.037	0.14	0.2	<0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	<2
111859	Drill Core	0.005	7	<1	0.02	16	<0.001	1	0.16	0.030	0.11	0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	<2
111860	Drill Core	0.005	7	1	0.02	21	<0.001	1	0.18	0.037	0.14	<0.1	0.02	0.4	0.1	0.05	<1	<0.5	<0.2	<2
111861	Drill Core	0.005	6	1	0.02	23	<0.001	1	0.21	0.038	0.15	0.1	0.05	0.5	0.5	0.09	<1	<0.5	<0.2	<2
111862	Drill Core	0.005	7	<1	0.03	30	<0.001	<1	0.17	0.042	0.13	0.1	0.03	0.6	0.2	0.09	<1	<0.5	<0.2	<2
111863	Drill Core	0.005	7	<1	0.03	33	<0.001	<1	0.18	0.040	0.13	0.3	0.03	0.7	0.2	0.08	<1	<0.5	<0.2	<2
111864	Drill Core	0.005	7	<1	0.03	21	<0.001	<1	0.15	0.036	0.12	0.3	0.02	0.6	0.2	0.09	<1	<0.5	<0.2	<2
111865	Drill Core	0.005	7	<1	0.04	20	<0.001	<1	0.20	0.046	0.15	0.1	0.03	0.6	0.2	0.10	<1	<0.5	<0.2	<2
111866	Drill Core	0.005	7	<1	0.04	24	<0.001	1	0.21	0.034	0.14	0.2	0.03	0.7	0.2	0.09	<1	<0.5	<0.2	<2
111867	Drill Core	0.077	15	2	0.45	113	0.120	<1	0.85	0.107	0.46	0.1	<0.01	2.2	0.3	<0.05	5	<0.5	<0.2	<2
111868	Drill Core	0.005	7	<1	0.04	19	<0.001	<1	0.16	0.034	0.12	0.1	0.03	0.6	0.2	0.07	<1	<0.5	<0.2	<2
111869	Drill Core	0.005	7	<1	0.04	21	<0.001	<1	0.19	0.040	0.14	1.0	0.02	0.5	0.1	0.06	<1	<0.5	<0.2	<2
111870	Drill Core	0.005	7	<1	0.03	25	<0.001	1	0.20	0.037	0.12	0.2	0.08	0.6	0.4	0.22	<1	<0.5	<0.2	<2
111871	Drill Core	0.005	7	<1	0.03	22	<0.001	<1	0.21	0.039	0.14	0.1	0.05	0.6	0.3	0.16	<1	<0.5	<0.2	<2
111872	Drill Core	0.005	8	<1	0.03	20	<0.001	<1	0.21	0.033	0.14	0.2	0.04	0.5	0.2	0.14	<1	<0.5	<0.2	<2
111873	Drill Core	0.006	8	<1	0.03	81	<0.001	<1	0.22	0.041	0.14	0.3	0.02	0.6	0.3	0.08	<1	<0.5	<0.2	<2
111874	Drill Core	0.006	7	<1	0.03	15	<0.001	<1	0.22	0.048	0.12	0.1	0.02	0.7	0.1	0.05	<1	<0.5	<0.2	<2
111875	Drill Core	0.006	8	1	0.02	36	<0.001	<1	0.21	0.052	0.14	0.2	0.01	0.7	0.1	0.06	<1	<0.5	<0.2	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000580.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
111876	Drill Core		0.5	1.3	17.2	8	<0.1	0.5	0.8	348	0.45	36.5	15.6	<0.5	26.8	17	<0.1	0.9	0.4	<2	0.09
111877 RRE 111876	Drill Core	N.A.	0.5	1.3	18.3	8	<0.1	0.4	0.8	338	0.44	34.4	14.8	<0.5	26.2	17	<0.1	0.9	0.4	<2	0.09
111878	Drill Core		0.2	0.8	18.0	14	0.1	0.4	0.9	731	0.57	11.7	18.5	<0.5	26.9	15	<0.1	0.8	0.4	<2	0.07
111879	Drill Core		0.7	0.7	25.8	24	<0.1	0.5	0.7	706	0.60	6.8	19.3	<0.5	28.0	14	<0.1	0.6	0.5	<2	0.07
111880	Drill Core		1.1	1.0	24.6	24	<0.1	0.3	0.7	649	0.54	17.3	20.0	<0.5	26.6	14	<0.1	0.8	0.7	<2	0.11
111881	Drill Core		0.4	0.7	36.5	44	<0.1	0.4	0.7	596	0.58	57.4	17.0	<0.5	26.5	15	<0.1	1.4	0.9	<2	0.08
111882	Drill Core		0.3	0.4	15.3	19	<0.1	0.5	0.7	724	0.62	3.0	17.5	<0.5	28.5	15	<0.1	0.5	0.9	<2	0.13



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000580.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
111876	Drill Core	0.005	7	<1	0.02	22	<0.001	<1	0.19	0.045	0.12	0.2	0.01	0.6	0.2	0.08	<1	<0.5	<0.2	<2
111877 RRE 111876	Drill Core	0.005	7	<1	0.02	23	<0.001	<1	0.20	0.048	0.12	0.2	<0.01	0.6	0.3	0.08	<1	<0.5	<0.2	<2
111878	Drill Core	0.005	7	<1	0.03	41	<0.001	<1	0.17	0.041	0.11	0.4	0.01	0.7	0.1	0.05	<1	<0.5	<0.2	<2
111879	Drill Core	0.005	8	<1	0.03	29	<0.001	<1	0.21	0.049	0.14	0.2	0.01	0.8	0.2	<0.05	<1	<0.5	<0.2	<2
111880	Drill Core	0.005	7	<1	0.04	19	<0.001	<1	0.18	0.040	0.12	0.1	0.01	0.6	0.2	0.06	<1	<0.5	<0.2	<2
111881	Drill Core	0.005	6	<1	0.03	27	<0.001	<1	0.19	0.047	0.12	0.1	0.05	0.8	0.3	0.12	<1	<0.5	<0.2	<2
111882	Drill Core	0.005	8	1	0.03	16	0.001	<1	0.22	0.045	0.12	0.1	0.06	0.8	0.1	<0.05	<1	<0.5	<0.2	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 02, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000580.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
111757 RRE 111756	Drill Core	N.A.	0.3	0.5	34.6	43	<0.1	0.2	0.9	632	0.67	16.8	18.4	1.1	26.3	13	<0.1	0.6	0.2	<2	0.05
REP 111757 RRE 111756	QC		0.3	0.7	35.9	43	<0.1	0.4	0.9	633	0.68	17.6	19.5	1.3	27.4	14	<0.1	0.6	0.2	<2	0.05
111799	Drill Core	6.07	0.3	0.5	27.5	12	<0.1	0.4	0.9	609	0.58	22.7	14.5	<0.5	24.0	27	<0.1	0.5	<0.1	<2	0.28
REP 111799	QC		0.3	0.4	25.9	12	<0.1	0.5	0.8	575	0.55	21.6	13.9	<0.5	22.9	25	<0.1	0.5	<0.1	<2	0.26
111817 RRE 111816	Drill Core	N.A.	0.4	0.7	38.8	36	<0.1	<0.1	0.8	554	0.37	4.0	18.8	1.1	23.3	39	0.2	0.4	<0.1	<2	0.77
REP 111817 RRE 111816	QC																				
111839	Drill Core		1.4	3.7	18.5	1	<0.1	0.4	4.7	104	0.24	85.0	22.1	<0.5	25.6	35	<0.1	0.8	1.7	<2	0.22
REP 111839	QC		1.4	3.7	18.5	2	<0.1	0.3	5.1	105	0.23	87.1	22.9	<0.5	26.6	35	<0.1	0.9	1.8	<2	0.22
111849	Drill Core		1.6	0.7	5.2	<1	<0.1	0.3	0.2	100	0.18	3.7	15.7	11.6	24.7	27	<0.1	0.9	87.9	<2	0.35
REP 111849	QC		1.9	0.6	5.3	1	<0.1	0.6	0.2	106	0.19	3.8	17.5	6.0	26.4	27	<0.1	0.8	92.2	<2	0.36
111852	Drill Core		5.2	1.0	13.1	6	<0.1	<0.1	0.4	254	0.23	6.4	12.5	2.5	29.0	54	0.4	2.4	240.6	<2	1.03
REP 111852	QC																				
111869	Drill Core		0.7	2.4	32.1	24	0.3	0.4	0.7	701	0.60	40.3	20.7	<0.5	26.5	16	<0.1	1.1	0.5	<2	0.13
REP 111869	QC																				
Core Reject Duplicates																					
DUP G1	QC		<0.1	3.3	3.5	50	<0.1	1.3	3.7	592	2.05	0.9	2.0	2.7	7.1	69	<0.1	<0.1	<0.1	41	0.55
111789	Drill Core	5.59	0.1	2.8	33.5	11	<0.1	0.4	4.5	633	0.56	3.2	16.7	<0.5	28.7	24	<0.1	0.2	0.1	<2	0.16
DUP 111789	QC		0.1	2.8	30.5	11	<0.1	0.6	4.3	618	0.57	3.1	16.2	<0.5	28.1	24	<0.1	0.2	0.1	<2	0.15
111824	Drill Core		0.2	0.6	20.3	13	<0.1	0.4	0.6	676	0.43	12.4	11.9	<0.5	25.4	56	<0.1	0.5	0.1	<2	0.93
DUP 111824	QC		0.2	0.7	22.5	12	<0.1	0.4	0.8	712	0.49	13.5	12.7	<0.5	26.8	60	<0.1	0.5	0.1	<2	0.95
111859	Drill Core		3.6	1.5	23.6	9	<0.1	0.4	0.8	153	0.30	11.0	16.6	0.9	26.3	17	0.4	0.8	6.8	<2	0.10
DUP 111859	QC		3.4	1.4	16.6	11	<0.1	0.2	0.8	160	0.32	11.4	18.6	0.5	29.1	18	0.4	0.9	7.3	<2	0.10
Reference Materials																					
STD DS7	Standard		18.7	104.0	66.8	386	0.9	52.7	8.7	578	2.26	49.9	4.4	59.8	4.3	68	6.4	5.9	4.8	77	0.88
STD DS7	Standard		18.8	109.7	68.3	390	1.0	52.9	8.8	592	2.25	50.0	4.6	58.1	4.5	71	6.5	5.8	4.9	78	0.90
STD DS7	Standard		18.7	104.6	67.4	388	0.9	53.3	8.4	599	2.26	50.4	4.9	59.3	4.9	76	5.8	5.9	4.6	78	0.97
STD DS7	Standard		20.2	104.4	65.0	379	0.9	54.3	8.9	608	2.28	49.0	4.7	67.0	4.9	82	5.8	6.1	4.8	75	0.98
STD DS7	Standard		22.3	122.1	73.7	425	1.0	58.3	9.9	676	2.55	56.2	5.3	74.2	5.2	85	6.9	6.6	5.2	89	1.07

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 02, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000580.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
Pulp Duplicates																				
111757 RRE 111756	Drill Core	0.007	9	<1	0.04	24	<0.001	1	0.28	0.035	0.17	0.2	0.03	0.6	0.2	<0.05	<1	<0.5	<0.2	<2
REP 111757 RRE 111756	QC	0.008	9	1	0.04	24	<0.001	<1	0.29	0.036	0.18	0.1	0.02	0.7	0.2	<0.05	<1	<0.5	<0.2	
111799	Drill Core	0.007	7	<1	0.05	34	<0.001	1	0.23	0.028	0.13	0.1	<0.01	0.7	0.1	0.05	<1	<0.5	<0.2	<2
REP 111799	QC	0.007	7	<1	0.05	34	<0.001	<1	0.22	0.026	0.13	0.2	<0.01	0.6	0.1	0.05	<1	<0.5	<0.2	<2
111817 RRE 111816	Drill Core	0.006	9	<1	0.04	17	<0.001	1	0.28	0.030	0.22	0.1	<0.01	0.3	0.2	<0.05	<1	<0.5	<0.2	<2
REP 111817 RRE 111816	QC																			<2
111839	Drill Core	0.006	9	<1	0.03	15	<0.001	1	0.29	0.018	0.16	0.1	<0.01	0.3	0.2	0.06	<1	<0.5	0.3	<2
REP 111839	QC	0.005	9	<1	0.03	16	<0.001	<1	0.30	0.018	0.16	0.1	<0.01	0.3	0.2	0.06	<1	<0.5	0.3	
111849	Drill Core	0.004	5	<1	0.01	54	<0.001	2	0.16	0.021	0.14	<0.1	0.02	0.3	0.1	<0.05	<1	<0.5	0.3	<2
REP 111849	QC	0.004	6	1	0.02	54	<0.001	2	0.20	0.020	0.15	<0.1	0.02	0.3	0.1	<0.05	<1	<0.5	<0.2	
111852	Drill Core	0.006	7	<1	0.03	58	<0.001	1	0.18	0.032	0.13	0.1	<0.01	0.5	0.2	<0.05	<1	0.5	0.2	<2
REP 111852	QC																			<2
111869	Drill Core	0.005	7	<1	0.04	21	<0.001	<1	0.19	0.040	0.14	1.0	0.02	0.5	0.1	0.06	<1	<0.5	<0.2	<2
REP 111869	QC																			<2
Core Reject Duplicates																				
DUP G1	QC	0.086	19	3	0.46	110	0.130	<1	0.87	0.098	0.47	0.1	0.01	2.2	0.4	<0.05	5	<0.5	<0.2	<2
111789	Drill Core	0.007	8	<1	0.06	23	<0.001	<1	0.25	0.021	0.14	0.2	0.01	0.7	0.1	<0.05	<1	<0.5	<0.2	<2
DUP 111789	QC	0.006	8	<1	0.06	25	<0.001	2	0.30	0.024	0.16	0.1	0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2	<2
111824	Drill Core	0.007	9	<1	0.07	11	<0.001	<1	0.19	0.018	0.15	<0.1	0.01	0.4	0.1	<0.05	<1	<0.5	<0.2	<2
DUP 111824	QC	0.007	9	<1	0.08	13	<0.001	<1	0.22	0.022	0.17	0.1	0.01	0.5	0.1	<0.05	<1	<0.5	<0.2	<2
111859	Drill Core	0.005	7	<1	0.02	16	<0.001	1	0.16	0.030	0.11	0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	<2
DUP 111859	QC	0.005	7	<1	0.02	18	<0.001	<1	0.18	0.033	0.12	0.1	0.02	0.4	0.1	<0.05	<1	<0.5	<0.2	<2
Reference Materials																				
STD DS7	Standard	0.073	11	170	0.99	368	0.114	36	0.94	0.086	0.44	3.5	0.21	2.3	3.6	0.19	5	3.4	1.1	
STD DS7	Standard	0.075	12	178	1.01	379	0.117	35	0.97	0.088	0.45	3.6	0.20	2.4	3.9	0.19	5	2.9	0.8	
STD DS7	Standard	0.076	13	183	1.02	382	0.126	38	1.04	0.099	0.45	3.3	0.22	2.4	3.7	0.19	5	3.3	0.7	
STD DS7	Standard	0.074	14	189	1.00	386	0.130	36	1.07	0.098	0.46	3.2	0.22	2.5	3.7	0.18	5	2.5	1.7	
STD DS7	Standard	0.086	15	205	1.12	432	0.141	42	1.15	0.106	0.51	3.8	0.24	2.6	4.5	0.22	5	3.3	0.7	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 02, 2010

Page: 2 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI10000580.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS7	Standard		21.5	120.7	72.0	409	1.0	56.0	9.5	660	2.50	54.4	5.1	70.5	5.4	88	6.6	6.4	4.9	87	1.05
STD DS7	Standard		18.5	106.1	62.6	373	1.0	51.7	9.1	598	2.29	49.3	4.5	61.2	4.3	67	6.0	5.3	4.3	79	0.92
STD DS7	Standard		19.2	96.9	61.9	362	0.9	50.0	8.7	573	2.24	47.4	4.6	68.7	4.4	68	5.8	5.3	4.1	78	0.92
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66 Expected																					
STD OXC72 Expected																					
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000580.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
STD DS7	Standard	0.082	15	197	1.10	420	0.143	40	1.13	0.106	0.50	3.5	0.23	2.7	4.1	0.22	5	3.0	1.5		
STD DS7	Standard	0.075	12	181	0.99	390	0.112	39	0.98	0.087	0.46	3.6	0.22	2.4	3.8	0.18	4	3.0	1.1		
STD DS7	Standard	0.072	13	172	0.98	382	0.108	42	0.97	0.087	0.44	3.3	0.21	2.2	3.5	0.17	5	3.3	1.5		
STD OXC72	Standard																			189	
STD OXC72	Standard																				201
STD OXC72	Standard																				213
STD OXC72	Standard																				201
STD OXC72	Standard																				194
STD OXH66	Standard																				1267
STD OXH66	Standard																				1314
STD OXH66	Standard																				1330
STD OXH66	Standard																				1316
STD OXH66	Standard																				1269
STD OXH66 Expected																					1285
STD OXC72 Expected																					205
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<2
BLK	Blank																				<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 02, 2010

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI10000580.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank		0.1	2.5	3.3	48	<0.1	1.2	3.5	562	2.00	1.1	1.8	1.8	7.0	63	<0.1	<0.1	<0.1	39	0.52
G1	Prep Blank		0.1	3.5	3.6	52	<0.1	1.4	3.8	589	2.03	3.2	2.0	2.2	7.3	68	<0.1	0.2	<0.1	41	0.54



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 02, 2010

Page: 3 of 3 **Part** 2

QUALITY CONTROL REPORT

WHI10000580.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
G1	Prep Blank	0.083	17	3	0.44	111	0.120	<1	0.80	0.084	0.44	<0.1	<0.01	1.9	0.3	<0.05	4	<0.5	<0.2	<2
G1	Prep Blank	0.086	18	3	0.46	114	0.131	<1	0.86	0.094	0.47	0.1	<0.01	2.0	0.4	<0.05	5	<0.5	<0.2	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 02, 2010
Report Date: November 02, 2010
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI10000581.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: TT-107
P.O. Number: NA 10-428
Number of Samples: 143

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	136	Crush split and pulverize 250g drill core to 200 mesh			WHI
1DX2	143	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	143	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000581.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
112501	Drill Core	2.55	1.9	27.6	68.4	603	1.3	3.4	3.5	1625	2.95	192.4	2.5	8.2	7.8	66	12.6	12.6	1.5	24	1.00
112502	Drill Core	6.04	2.0	2.0	14.3	517	1.0	2.6	4.1	1876	2.51	61.5	3.5	17.7	7.4	117	10.4	1.1	1.9	15	1.56
112503	Drill Core	6.71	2.2	2.6	30.0	222	1.1	2.3	3.6	635	2.54	80.0	3.9	16.6	6.4	160	1.9	2.2	1.7	11	2.48
112504	Drill Core	4.30	2.0	5.8	120.5	382	1.2	2.2	2.6	932	2.45	44.0	1.9	13.1	7.7	97	5.3	1.8	1.6	12	1.59
112505	Drill Core	4.76	1.8	3.5	90.0	436	1.6	2.8	3.7	1046	2.57	48.5	2.3	25.3	7.0	130	5.6	1.7	2.4	14	1.85
112506	Drill Core	4.22	1.7	2.0	37.0	255	0.9	2.3	3.0	960	1.92	35.3	1.6	10.8	7.0	114	3.5	0.8	1.5	12	1.53
112507	Drill Core	0.60	<0.1	1.9	2.6	41	<0.1	0.9	2.9	471	1.63	<0.5	1.3	<0.5	4.9	42	<0.1	<0.1	<0.1	30	0.39
112508	Drill Core	4.24	1.8	2.4	63.1	477	2.3	2.5	4.6	791	2.31	44.5	3.5	19.1	6.7	112	5.4	1.2	2.4	11	1.29
112509	Drill Core	3.57	1.8	3.2	60.9	762	0.9	2.9	7.5	2155	1.81	34.0	3.5	10.2	7.3	101	10.2	1.2	0.9	13	1.14
112510	Drill Core	2.90	2.0	4.9	79.0	542	1.5	2.8	3.9	1505	2.30	37.9	3.9	25.7	6.6	147	8.7	3.4	1.4	10	1.95
112511	Drill Core	4.58	1.7	8.1	40.0	576	0.3	3.1	2.5	1820	2.50	76.0	2.1	3.6	8.1	76	9.8	3.8	0.3	16	1.24
112512	Drill Core	4.23	1.7	7.3	87.3	338	0.7	2.4	3.3	1626	2.31	55.0	2.8	6.6	7.4	137	4.9	3.3	0.5	13	1.73
112513	Drill Core	5.72	1.5	4.1	33.3	479	0.4	2.5	4.7	1302	2.16	40.8	2.3	2.7	7.5	84	6.0	1.3	0.5	13	1.37
112514	Drill Core	3.32	2.0	2.4	35.8	509	1.0	2.9	8.7	1188	2.31	40.4	4.7	12.4	8.0	125	6.4	1.9	1.3	10	1.36
112515	Drill Core	5.23	2.3	2.5	60.0	366	3.4	1.6	2.0	341	2.52	119.3	5.0	63.7	7.4	158	5.7	4.3	3.2	5	1.37
112516	Drill Core	3.55	2.3	13.5	76.6	788	1.4	2.1	5.8	1337	1.91	47.1	4.8	19.2	7.1	133	14.7	3.0	1.7	9	1.47
112517 RRE 112516	Drill Core	N.A.	2.0	12.3	74.6	735	1.3	2.3	5.5	1260	1.76	45.4	4.3	16.5	6.7	134	13.2	2.8	1.5	9	1.43
112518	Drill Core	4.89	2.1	18.3	130.0	657	2.0	2.3	3.9	1001	2.03	75.7	4.4	22.9	6.9	65	9.0	2.8	1.8	15	1.17
112519	Drill Core	3.63	2.7	11.7	70.6	468	0.9	2.5	8.9	1786	2.00	55.4	2.3	6.6	8.0	73	9.4	1.3	1.2	18	1.17
112520	Drill Core	4.43	2.0	19.2	28.8	436	0.6	2.0	6.8	954	2.08	33.9	2.4	7.3	8.1	92	6.5	1.0	0.9	12	1.11
112521	Drill Core	4.21	1.3	11.7	27.3	383	0.5	2.0	4.9	782	1.90	31.9	3.2	8.2	7.7	133	6.0	1.2	0.9	12	1.22
112522	Drill Core	7.73	1.5	49.0	202.9	960	3.3	1.5	4.5	916	1.87	48.8	2.7	12.6	8.0	127	16.9	1.3	5.8	14	1.22
112523	Drill Core	6.23	3.6	56.1	155.4	900	2.4	1.9	3.2	959	2.01	47.9	3.2	20.3	7.9	155	17.3	2.0	3.7	17	1.22
112524	Drill Core	2.48	3.7	26.8	66.9	653	1.0	2.1	3.1	926	2.17	33.5	5.1	16.4	8.6	129	13.4	1.4	1.8	18	1.26
112525	Drill Core	1.42	2.6	99.8	112.2	1648	1.9	2.4	3.0	927	2.05	46.6	4.1	15.2	8.4	129	30.3	3.4	2.8	19	1.37
112526	Drill Core	4.64	3.5	25.7	63.9	437	0.8	2.3	3.6	977	2.16	42.0	4.3	4.1	8.3	134	8.5	1.6	1.7	20	1.28
112527	Drill Core	0.49	<0.1	2.3	2.8	44	<0.1	1.1	3.2	498	1.75	<0.5	1.6	<0.5	6.1	52	<0.1	<0.1	<0.1	33	0.42
112528	Drill Core	4.43	4.5	5.8	13.1	225	0.3	2.4	5.2	952	2.12	38.4	4.2	9.4	8.0	163	4.6	1.0	1.5	19	1.34
112529	Drill Core	3.98	5.3	18.7	93.3	317	2.0	3.3	6.0	598	2.46	66.7	5.6	27.8	7.7	225	10.1	4.2	3.8	14	1.15
112530	Drill Core	4.43	5.8	7.9	35.2	394	1.4	3.3	5.8	1206	2.44	58.8	2.8	18.1	7.9	194	6.5	2.3	2.8	13	1.62

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000581.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
112501	Drill Core	0.103	31	3	0.09	83	0.001	<1	0.41	0.028	0.11	1.2	<0.01	1.9	<0.1	0.63	2	<0.5	0.5	10
112502	Drill Core	0.081	25	2	0.15	62	<0.001	<1	0.43	0.021	0.14	0.6	<0.01	1.2	0.1	1.49	1	<0.5	1.3	21
112503	Drill Core	0.073	15	1	0.03	51	<0.001	<1	0.48	0.021	0.15	0.2	<0.01	1.0	0.2	2.08	<1	<0.5	0.7	18
112504	Drill Core	0.081	28	1	0.18	52	<0.001	<1	0.47	0.033	0.12	0.1	<0.01	1.2	<0.1	1.67	2	<0.5	0.7	21
112505	Drill Core	0.075	31	2	0.18	46	<0.001	<1	0.39	0.028	0.11	0.1	<0.01	1.4	<0.1	1.98	1	<0.5	1.1	25
112506	Drill Core	0.074	27	1	0.26	57	<0.001	<1	0.42	0.029	0.13	0.1	<0.01	1.3	<0.1	1.39	1	<0.5	0.9	14
112507	Drill Core	0.068	12	2	0.38	92	0.088	<1	0.67	0.072	0.37	<0.1	<0.01	1.5	0.3	<0.05	4	<0.5	<0.2	<2
112508	Drill Core	0.075	23	1	0.09	71	<0.001	<1	0.56	0.055	0.19	0.2	<0.01	1.2	0.1	1.33	2	<0.5	1.3	23
112509	Drill Core	0.075	27	2	0.11	73	<0.001	<1	0.60	0.039	0.13	0.1	<0.01	1.5	0.1	1.03	2	<0.5	0.7	12
112510	Drill Core	0.070	24	2	0.15	70	<0.001	<1	0.54	0.042	0.16	0.5	<0.01	1.1	0.3	1.59	2	<0.5	0.5	26
112511	Drill Core	0.094	34	2	0.19	47	<0.001	<1	0.55	0.039	0.12	0.2	<0.01	1.6	<0.1	0.90	2	<0.5	<0.2	4
112512	Drill Core	0.073	30	2	0.34	57	<0.001	<1	0.46	0.036	0.13	0.1	<0.01	1.5	<0.1	1.04	2	<0.5	0.6	9
112513	Drill Core	0.083	31	1	0.18	113	0.002	<1	0.55	0.035	0.14	0.1	<0.01	1.2	<0.1	0.95	2	<0.5	0.5	7
112514	Drill Core	0.085	35	1	0.17	56	<0.001	<1	0.63	0.038	0.18	0.2	<0.01	1.5	0.2	1.08	1	<0.5	0.8	14
112515	Drill Core	0.077	26	<1	0.11	65	<0.001	<1	0.49	0.045	0.19	0.3	<0.01	1.0	0.3	1.30	1	<0.5	1.7	68
112516	Drill Core	0.078	27	1	0.17	48	<0.001	<1	0.62	0.029	0.16	0.3	<0.01	1.2	0.2	1.10	1	<0.5	0.2	21
112517 RRE 112516	Drill Core	0.070	25	1	0.16	46	<0.001	<1	0.55	0.026	0.13	0.3	<0.01	1.1	0.2	1.04	1	<0.5	0.4	23
112518	Drill Core	0.083	22	1	0.09	65	<0.001	<1	0.69	0.031	0.15	0.1	<0.01	1.2	0.1	0.75	2	<0.5	0.8	23
112519	Drill Core	0.076	29	2	0.23	77	<0.001	<1	0.56	0.044	0.10	0.2	<0.01	1.5	<0.1	1.05	3	<0.5	0.4	8
112520	Drill Core	0.064	25	1	0.25	61	<0.001	<1	0.44	0.043	0.10	0.1	<0.01	1.3	<0.1	1.45	2	<0.5	0.7	11
112521	Drill Core	0.066	24	1	0.28	48	<0.001	<1	0.58	0.040	0.10	0.2	<0.01	1.1	<0.1	1.53	2	<0.5	0.5	10
112522	Drill Core	0.066	27	1	0.37	99	<0.001	<1	0.53	0.045	0.12	0.1	<0.01	1.4	<0.1	1.25	2	<0.5	0.3	16
112523	Drill Core	0.076	31	2	0.42	78	<0.001	<1	0.48	0.048	0.13	0.1	<0.01	1.6	<0.1	1.20	2	<0.5	0.3	21
112524	Drill Core	0.077	27	2	0.51	96	<0.001	<1	0.39	0.048	0.11	0.1	<0.01	1.8	<0.1	1.18	2	<0.5	0.8	19
112525	Drill Core	0.077	26	2	0.58	138	<0.001	<1	0.37	0.044	0.09	0.1	<0.01	1.8	<0.1	0.90	2	<0.5	0.3	20
112526	Drill Core	0.077	27	2	0.53	97	0.001	<1	0.42	0.053	0.12	0.2	<0.01	1.8	<0.1	1.09	2	<0.5	0.2	10
112527	Drill Core	0.070	16	2	0.41	101	0.099	<1	0.72	0.078	0.39	<0.1	<0.01	1.9	0.3	<0.05	4	<0.5	<0.2	<2
112528	Drill Core	0.080	26	2	0.49	95	<0.001	<1	0.44	0.045	0.13	0.2	<0.01	1.8	<0.1	1.40	2	<0.5	0.4	13
112529	Drill Core	0.088	24	2	0.25	37	<0.001	<1	0.96	0.040	0.17	0.2	<0.01	1.6	<0.1	2.36	2	<0.5	1.4	33
112530	Drill Core	0.089	30	2	0.40	67	<0.001	<1	0.64	0.034	0.18	0.2	<0.01	1.3	0.1	2.17	2	<0.5	0.8	19



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000581.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
112531	Drill Core	4.92	4.0	2.1	28.1	227	1.1	2.8	4.2	1188	2.30	27.5	3.1	17.5	8.0	220	3.7	1.6	2.5	13	2.23
112532	Drill Core	4.25	5.2	2.8	398.3	486	2.2	2.3	3.8	680	3.58	226.1	1.9	27.2	7.7	87	10.3	10.5	3.9	4	1.77
112533	Drill Core	4.62	5.9	4.0	53.8	162	0.8	3.4	3.2	357	3.52	39.5	2.0	9.4	7.3	120	5.0	3.5	2.2	4	1.52
112534	Drill Core	3.86	6.2	2.6	337.8	318	1.0	2.8	5.2	578	3.84	35.8	1.5	11.8	6.4	106	9.6	59.4	1.8	3	1.82
112535	Drill Core	3.21	6.1	1.4	30.5	95	0.4	2.0	3.3	535	2.71	32.2	1.5	9.3	6.3	105	2.6	9.6	1.2	3	1.70
112536	Drill Core	3.11	4.9	3.7	53.3	183	0.4	3.7	2.8	382	2.66	29.7	1.8	9.1	6.2	124	5.3	12.4	1.4	3	1.70
112537 RRE 112536	Drill Core	N.A.	6.5	3.5	40.9	198	0.5	3.6	3.1	441	2.94	31.6	2.1	9.9	7.0	136	6.6	14.2	1.6	3	1.91
112538	Drill Core	5.41	5.9	2.9	61.6	230	1.5	4.0	3.9	615	3.32	136.8	1.6	54.7	6.3	114	8.4	25.9	2.0	3	1.82
112539	Drill Core	4.34	4.0	2.2	28.4	450	1.0	3.9	6.8	1628	2.80	326.8	2.3	103.8	5.4	123	5.1	20.9	1.3	5	2.52
112540	Drill Core	4.54	2.2	34.2	61.3	728	1.0	4.5	7.9	1845	2.12	183.1	2.2	43.4	4.6	173	9.3	31.7	0.7	6	2.59
112541	Drill Core	3.33	2.2	27.4	131.1	834	2.1	4.0	6.3	2497	2.56	177.5	1.5	42.3	5.2	114	13.4	33.5	3.1	5	2.30
112542	Drill Core	5.37	2.2	2.3	35.0	89	1.4	3.8	7.0	2248	3.48	1354	1.5	153.3	5.0	99	0.5	34.7	1.2	4	2.39
112543	Drill Core	4.18	2.3	10.7	99.4	1120	2.2	4.5	7.5	1792	2.67	231.9	1.8	62.1	4.7	103	17.5	37.9	3.2	5	2.39
112544	Drill Core	4.63	2.1	17.6	77.2	528	1.1	4.0	6.6	1818	2.66	147.7	2.0	16.8	4.9	182	8.7	17.3	2.4	6	3.49
112545	Drill Core	5.22	3.1	40.0	429.2	1024	3.7	4.5	8.0	2171	2.81	658.1	1.7	103.9	4.2	160	16.3	112.0	6.0	6	3.06
112546	Drill Core	6.08	6.7	2.0	112.9	185	1.1	2.5	2.7	910	3.92	167.1	2.2	59.1	6.9	111	2.3	37.4	1.9	4	2.03
112547	Drill Core	0.75	0.1	2.1	3.7	49	<0.1	1.2	3.6	559	1.94	1.2	1.7	<0.5	5.6	54	<0.1	0.5	<0.1	38	0.50
112548	Drill Core	3.76	5.5	1.1	55.7	166	0.5	2.6	2.9	1343	3.05	239.9	1.8	19.9	7.5	113	2.2	20.1	1.4	4	2.29
112549	Drill Core	3.87	6.0	0.8	61.2	114	0.5	2.2	2.8	976	3.06	344.8	1.6	110.7	7.6	98	1.3	23.2	1.3	3	1.88
112550	Drill Core	4.50	5.8	0.6	18.1	39	0.3	1.9	2.9	1013	2.75	143.2	1.9	81.2	7.3	109	0.2	8.5	1.2	3	2.11
112551	Drill Core	4.56	5.6	0.6	33.4	82	0.3	2.7	2.5	987	3.14	19.8	2.0	9.9	7.6	115	0.8	9.2	2.0	4	2.26
112552	Drill Core	4.88	5.3	0.7	27.8	79	0.2	2.3	3.0	1068	3.50	43.3	2.2	12.8	7.8	136	0.5	11.0	1.5	3	1.98
112553	Drill Core	4.44	4.6	0.9	39.4	123	0.4	2.1	3.5	827	3.40	33.6	1.7	6.6	6.9	143	1.4	11.6	1.8	4	2.20
112554	Drill Core	3.68	5.4	0.5	12.5	39	0.3	2.1	3.0	709	2.53	68.4	1.6	5.8	7.1	123	0.2	5.9	1.6	3	1.96
112555	Drill Core	3.80	5.3	0.9	55.9	82	0.6	2.0	2.9	584	2.87	56.5	1.5	10.7	6.6	81	1.1	16.1	1.8	3	1.61
112556	Drill Core	4.20	5.1	1.2	108.1	259	1.1	2.3	3.2	505	3.95	45.8	1.5	25.3	7.0	64	3.8	17.4	2.4	3	1.41
112557 RRE 112556	Drill Core	N.A.	5.0	1.2	106.6	249	1.0	2.0	3.0	507	3.95	46.3	1.4	19.1	6.6	64	3.4	16.5	2.3	3	1.39
112558	Drill Core	3.34	5.5	0.7	6.3	37	<0.1	2.3	2.7	868	2.06	19.7	2.4	5.4	7.9	125	<0.1	3.4	1.2	4	2.19
112559	Drill Core	4.14	5.3	0.6	6.8	32	0.2	2.0	4.6	804	2.61	65.8	1.8	8.9	7.4	123	<0.1	4.1	1.6	4	2.21
112560	Drill Core	3.62	5.8	0.4	6.0	36	0.1	2.1	4.5	861	1.94	24.5	1.8	5.7	7.9	134	<0.1	2.8	1.2	3	2.52

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000581.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
112531	Drill Core	0.089	30	1	0.49	71	<0.001	<1	0.56	0.030	0.21	0.1	<0.01	1.0	0.1	2.03	2	<0.5	0.8	20
112532	Drill Core	0.084	17	<1	0.12	26	<0.001	<1	0.53	0.011	0.29	0.1	<0.01	0.7	0.2	3.90	1	1.0	0.8	34
112533	Drill Core	0.085	18	<1	0.12	23	<0.001	<1	0.76	0.018	0.27	0.2	<0.01	0.7	0.2	4.03	1	0.8	0.4	11
112534	Drill Core	0.071	9	<1	0.16	20	0.001	<1	0.42	0.012	0.25	0.1	0.01	0.4	0.2	4.51	<1	0.7	0.6	12
112535	Drill Core	0.076	10	<1	0.17	24	<0.001	<1	0.42	0.011	0.23	0.1	<0.01	0.3	0.2	3.10	<1	<0.5	0.7	12
112536	Drill Core	0.067	12	<1	0.14	19	<0.001	<1	0.70	0.012	0.18	0.3	<0.01	0.4	0.2	3.38	<1	<0.5	0.3	12
112537 RRE 112536	Drill Core	0.070	14	<1	0.16	18	<0.001	<1	0.83	0.015	0.23	0.3	<0.01	0.4	0.2	3.74	<1	0.5	0.5	11
112538	Drill Core	0.068	13	<1	0.08	18	<0.001	<1	0.71	0.008	0.24	0.2	<0.01	0.5	0.3	4.16	<1	<0.5	0.7	65
112539	Drill Core	0.108	14	<1	0.15	26	<0.001	<1	0.50	0.006	0.23	0.5	0.03	1.1	1.5	3.11	1	<0.5	<0.2	117
112540	Drill Core	0.101	22	1	0.24	40	<0.001	<1	0.46	0.011	0.21	0.5	0.04	1.1	1.9	1.95	1	<0.5	<0.2	45
112541	Drill Core	0.102	24	<1	0.41	36	<0.001	<1	0.45	0.006	0.21	0.9	0.03	0.9	1.6	2.60	<1	<0.5	<0.2	44
112542	Drill Core	0.110	21	<1	0.31	26	<0.001	<1	0.40	0.005	0.22	0.2	0.01	0.7	1.3	3.81	<1	<0.5	0.3	150
112543	Drill Core	0.110	21	<1	0.29	30	<0.001	1	0.43	0.004	0.22	1.0	0.04	0.8	2.2	2.88	<1	<0.5	<0.2	59
112544	Drill Core	0.104	22	1	0.42	47	<0.001	<1	0.44	0.012	0.23	0.2	0.02	0.9	1.2	2.62	<1	<0.5	0.3	17
112545	Drill Core	0.116	17	1	0.35	45	<0.001	1	0.50	0.004	0.23	0.8	0.03	1.0	2.2	2.96	<1	<0.5	0.9	97
112546	Drill Core	0.086	11	<1	0.17	39	<0.001	<1	0.50	0.011	0.26	0.2	<0.01	0.6	0.4	4.47	1	<0.5	0.4	58
112547	Drill Core	0.077	13	2	0.45	106	0.122	<1	0.80	0.082	0.42	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5	<0.2	3
112548	Drill Core	0.100	13	<1	0.29	41	<0.001	<1	0.48	0.013	0.25	0.2	0.01	0.6	0.4	3.33	1	<0.5	0.3	22
112549	Drill Core	0.086	14	<1	0.19	36	<0.001	<1	0.44	0.007	0.24	0.1	<0.01	0.5	0.5	3.39	<1	<0.5	0.4	108
112550	Drill Core	0.085	16	<1	0.30	53	<0.001	<1	0.49	0.015	0.27	0.1	<0.01	0.6	0.3	2.88	1	<0.5	0.4	79
112551	Drill Core	0.089	17	<1	0.32	45	<0.001	<1	0.50	0.020	0.27	0.1	<0.01	0.7	0.3	3.30	1	<0.5	<0.2	11
112552	Drill Core	0.084	14	<1	0.33	32	<0.001	<1	0.42	0.014	0.26	<0.1	<0.01	0.5	0.3	3.82	<1	<0.5	<0.2	14
112553	Drill Core	0.075	15	<1	0.32	28	<0.001	<1	0.45	0.024	0.25	<0.1	<0.01	0.6	0.3	3.71	1	<0.5	0.3	13
112554	Drill Core	0.078	17	<1	0.24	39	0.001	<1	0.40	0.022	0.25	0.1	<0.01	0.5	0.2	2.63	1	<0.5	0.6	9
112555	Drill Core	0.074	14	<1	0.14	23	<0.001	<1	0.41	0.017	0.27	0.4	<0.01	0.5	0.2	3.14	1	<0.5	0.5	11
112556	Drill Core	0.072	11	<1	0.09	26	<0.001	<1	0.38	0.009	0.26	0.2	0.02	0.4	0.2	4.54	<1	<0.5	0.4	21
112557 RRE 112556	Drill Core	0.073	12	<1	0.10	29	<0.001	<1	0.43	0.010	0.29	0.1	<0.01	0.5	0.2	4.52	<1	1.0	1.2	22
112558	Drill Core	0.086	22	<1	0.29	65	<0.001	<1	0.49	0.019	0.28	<0.1	<0.01	0.7	0.3	2.00	1	0.6	<0.2	7
112559	Drill Core	0.087	17	<1	0.25	30	<0.001	<1	0.51	0.019	0.29	0.1	<0.01	0.7	0.3	2.74	1	<0.5	0.6	10
112560	Drill Core	0.083	15	<1	0.22	55	<0.001	<1	0.46	0.018	0.26	<0.1	<0.01	0.6	0.2	1.95	1	<0.5	0.3	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000581.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
112561	Drill Core	4.24	5.3	1.1	23.6	58	0.3	2.1	2.8	782	2.74	30.5	2.1	8.9	8.1	127	0.3	3.5	1.7	3	2.19
112562	Drill Core	4.12	5.3	1.0	62.2	70	0.7	2.1	5.9	585	3.44	260.2	1.8	24.5	7.4	93	0.8	11.0	2.3	3	1.81
112563	Drill Core	4.16	5.9	0.8	22.1	53	0.6	2.1	6.6	711	2.79	88.8	2.4	33.8	7.7	120	0.3	5.5	2.3	3	2.07
112564	Drill Core	4.33	4.9	0.6	7.5	54	0.2	1.6	7.2	883	2.17	21.1	3.0	11.1	8.3	164	<0.1	2.8	1.4	5	2.34
112565	Drill Core	3.58	5.1	0.7	9.6	58	0.2	2.3	3.0	852	2.05	18.6	3.0	7.5	8.8	172	<0.1	3.1	1.5	5	2.24
112566	Drill Core	3.54	4.5	0.9	92.9	182	0.6	2.7	5.2	740	2.33	42.6	2.3	13.4	8.3	140	2.0	3.6	1.7	4	2.04
112567	Drill Core	0.89	<0.1	2.1	3.2	44	<0.1	1.1	3.4	534	1.86	<0.5	1.7	<0.5	6.0	54	<0.1	<0.1	<0.1	36	0.48
112568	Drill Core	3.99	3.1	1.0	16.2	54	0.3	2.4	4.2	670	2.05	25.8	3.1	7.2	7.9	171	0.1	2.5	1.6	5	2.12
112569	Drill Core	4.47	4.8	2.4	12.7	61	0.2	2.5	3.0	556	1.87	60.8	2.5	10.9	6.7	124	0.4	1.5	1.1	10	1.73
112570	Drill Core	4.54	4.9	2.0	31.8	89	0.3	3.1	5.9	538	2.27	11.4	2.4	6.9	7.4	160	0.8	1.3	1.4	14	1.76
112571	Drill Core	3.92	3.7	1.6	20.6	65	0.3	2.9	7.2	626	2.13	10.7	2.4	40.0	7.5	238	0.5	1.5	1.3	13	1.90
112572	Drill Core	3.20	3.7	2.3	16.5	71	0.7	2.6	3.0	698	2.24	13.7	3.1	18.7	8.5	190	0.3	3.2	1.8	13	1.76
112573	Drill Core	4.49	4.0	10.4	180.0	2303	2.2	2.4	3.5	656	2.45	47.7	2.3	33.1	7.6	140	37.8	4.7	4.5	10	1.93
112574	Drill Core	4.45	5.1	2.5	101.1	286	0.6	2.8	2.7	733	2.52	47.4	2.8	20.3	7.8	143	4.5	5.1	2.7	10	2.13
112575	Drill Core	4.27	4.3	1.4	103.5	176	0.7	2.3	3.0	648	2.26	183.5	2.9	38.0	7.9	133	2.3	8.2	1.6	8	1.88
112576	Drill Core	3.95	4.7	1.8	188.8	249	0.5	3.8	2.8	711	2.22	35.9	2.3	34.0	7.7	134	3.9	2.3	2.8	11	2.12
112577 RRE 112576	Drill Core	N.A.	5.1	2.0	193.6	257	0.5	2.8	2.8	730	2.27	35.6	2.4	26.5	7.8	143	3.9	2.2	2.8	11	2.16
112578	Drill Core	4.64	5.1	1.1	101.9	245	0.5	2.9	3.6	814	2.36	51.3	2.9	16.4	8.4	165	3.1	3.4	1.7	11	2.15
112579	Drill Core	4.90	4.7	1.6	73.6	218	0.5	3.0	4.4	769	2.10	28.9	3.2	22.0	8.8	194	3.1	2.7	1.9	11	2.27
112580	Drill Core	4.85	4.4	1.6	300.0	636	0.9	2.8	3.6	640	2.70	39.9	3.1	13.5	7.5	177	9.7	4.2	2.1	9	1.83
112581	Drill Core	1.90	5.2	1.7	53.7	107	0.3	2.6	2.4	720	2.11	38.5	3.2	22.0	8.1	265	1.1	2.7	2.4	10	2.35
112582	Drill Core	4.40	4.4	1.0	33.5	84	0.3	2.6	3.3	940	2.10	32.8	3.1	26.7	7.2	369	1.0	2.5	2.0	9	3.35
112583	Drill Core	4.08	5.0	0.9	25.6	61	0.3	2.9	4.3	792	2.43	58.7	3.2	13.4	8.2	206	0.6	2.4	1.5	8	2.35
112584	Drill Core	4.48	5.2	1.2	75.8	147	0.5	2.9	3.7	640	2.49	94.1	3.0	24.6	7.9	152	2.1	4.5	1.7	8	1.91
112585	Drill Core	5.38	4.8	1.6	70.4	107	1.0	2.7	4.1	697	4.00	81.8	2.5	28.8	7.6	109	1.6	7.8	3.1	10	1.76
112586	Drill Core	2.96	5.5	1.5	53.3	89	0.5	2.7	5.0	777	2.87	103.3	3.0	55.0	7.7	188	1.0	12.3	1.7	10	2.46
112587	Drill Core	2.00	<0.1	2.0	3.0	42	<0.1	1.2	3.5	490	1.80	<0.5	1.7	1.7	6.0	51	<0.1	<0.1	<0.1	38	0.47
112588	Drill Core	4.65	4.0	1.0	27.3	46	0.4	2.2	3.5	712	2.85	65.1	2.7	28.4	7.1	151	0.4	5.8	1.6	9	2.26
112589	Drill Core	4.69	4.6	0.8	37.7	108	0.4	2.5	4.3	623	2.39	51.2	2.9	18.1	8.1	136	1.3	6.0	1.2	8	1.89
112590	Drill Core	4.65	4.6	1.1	30.0	49	0.7	2.6	3.4	528	3.73	119.9	2.2	29.2	7.1	135	0.5	7.6	1.5	10	1.62

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 02, 2010

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000581.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
112561	Drill Core	0.086	13	<1	0.17	56	<0.001	<1	0.49	0.020	0.29	<0.1	<0.01	0.5	0.2	2.92	1	<0.5	<0.2	11
112562	Drill Core	0.079	14	<1	0.13	41	<0.001	<1	0.45	0.015	0.26	0.1	<0.01	0.4	0.3	3.87	<1	<0.5	0.8	31
112563	Drill Core	0.083	17	<1	0.12	49	<0.001	<1	0.48	0.019	0.25	<0.1	<0.01	0.7	0.2	3.03	1	<0.5	1.2	33
112564	Drill Core	0.085	20	<1	0.23	67	<0.001	<1	0.49	0.027	0.23	<0.1	<0.01	0.8	0.2	2.05	1	<0.5	<0.2	11
112565	Drill Core	0.090	20	<1	0.20	68	<0.001	<1	0.50	0.029	0.24	<0.1	<0.01	0.6	0.3	1.97	2	<0.5	0.5	9
112566	Drill Core	0.089	20	<1	0.21	58	<0.001	<1	0.53	0.023	0.24	0.2	<0.01	0.6	0.3	2.43	1	<0.5	0.4	12
112567	Drill Core	0.074	16	3	0.43	100	0.118	<1	0.78	0.080	0.42	<0.1	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2	<2
112568	Drill Core	0.084	21	<1	0.25	46	<0.001	1	0.49	0.026	0.22	<0.1	<0.01	0.7	0.2	2.01	2	<0.5	0.5	10
112569	Drill Core	0.082	20	1	0.21	34	<0.001	<1	0.42	0.029	0.20	<0.1	<0.01	0.7	0.2	1.72	1	<0.5	0.7	8
112570	Drill Core	0.088	21	2	0.44	29	0.002	<1	0.65	0.036	0.21	0.1	<0.01	0.8	0.1	2.02	3	<0.5	0.4	7
112571	Drill Core	0.086	21	2	0.53	35	<0.001	<1	0.51	0.031	0.20	0.1	<0.01	1.0	0.1	1.87	2	<0.5	<0.2	8
112572	Drill Core	0.096	21	2	0.31	42	<0.001	<1	0.54	0.032	0.23	0.6	<0.01	1.0	0.3	2.07	2	<0.5	0.6	20
112573	Drill Core	0.096	19	1	0.31	31	<0.001	<1	0.46	0.023	0.24	0.1	0.01	0.8	0.2	2.55	2	<0.5	1.5	35
112574	Drill Core	0.094	21	<1	0.39	32	<0.001	<1	0.50	0.026	0.24	0.1	<0.01	0.8	0.3	2.53	2	<0.5	0.7	24
112575	Drill Core	0.092	19	<1	0.24	34	<0.001	1	0.56	0.024	0.26	0.3	<0.01	0.8	0.5	2.34	2	<0.5	0.7	42
112576	Drill Core	0.096	25	2	0.37	29	<0.001	<1	0.54	0.030	0.24	0.1	<0.01	1.0	0.3	2.13	2	<0.5	1.3	32
112577 RRE 112576	Drill Core	0.101	26	1	0.38	30	<0.001	<1	0.51	0.028	0.24	0.1	<0.01	0.9	0.3	2.18	2	<0.5	1.4	24
112578	Drill Core	0.092	21	1	0.32	36	<0.001	<1	0.56	0.029	0.27	0.2	<0.01	0.8	0.3	2.29	2	<0.5	<0.2	15
112579	Drill Core	0.103	24	1	0.34	41	<0.001	<1	0.52	0.027	0.23	0.2	<0.01	1.1	0.3	2.06	2	<0.5	0.5	20
112580	Drill Core	0.092	20	1	0.24	48	<0.001	1	0.57	0.022	0.26	0.2	<0.01	0.7	0.4	2.93	2	0.6	0.6	18
112581	Drill Core	0.095	22	1	0.40	45	<0.001	1	0.55	0.030	0.22	<0.1	<0.01	0.9	0.3	2.07	2	<0.5	2.1	25
112582	Drill Core	0.086	18	1	0.60	32	<0.001	<1	0.55	0.029	0.23	<0.1	<0.01	0.9	0.3	1.96	2	<0.5	1.7	18
112583	Drill Core	0.095	20	<1	0.28	35	<0.001	<1	0.53	0.028	0.27	0.1	<0.01	0.7	0.3	2.52	1	<0.5	0.5	13
112584	Drill Core	0.098	18	<1	0.21	41	<0.001	1	0.60	0.024	0.27	0.1	<0.01	0.8	0.4	2.69	2	<0.5	0.7	26
112585	Drill Core	0.093	14	<1	0.19	29	<0.001	<1	0.48	0.016	0.26	0.8	<0.01	0.6	0.3	4.50	1	0.8	0.9	33
112586	Drill Core	0.091	17	<1	0.27	25	<0.001	<1	0.57	0.022	0.26	0.2	<0.01	0.8	0.5	3.05	2	<0.5	0.3	57
112587	Drill Core	0.083	14	2	0.42	103	0.101	<1	0.71	0.071	0.45	<0.1	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2	<2
112588	Drill Core	0.087	16	<1	0.24	22	<0.001	<1	0.56	0.017	0.27	0.1	<0.01	0.6	0.3	3.04	2	0.5	<0.2	39
112589	Drill Core	0.097	18	<1	0.18	30	<0.001	<1	0.55	0.024	0.26	0.2	<0.01	0.7	0.4	2.53	2	<0.5	0.5	19
112590	Drill Core	0.088	13	<1	0.27	17	<0.001	<1	0.56	0.017	0.29	0.2	<0.01	0.6	0.4	4.07	2	0.5	<0.2	32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000581.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
112591	Drill Core	4.53	4.8	1.2	9.4	55	0.5	2.4	2.8	566	2.19	220.8	2.4	20.6	8.1	118	0.5	4.2	0.9	8	1.83
112592	Drill Core	3.79	4.7	1.2	7.2	29	0.1	2.2	2.9	443	1.92	36.9	2.2	8.7	7.7	129	<0.1	2.6	0.9	7	1.78
112593	Drill Core	4.26	4.5	1.5	7.3	32	0.2	2.9	4.5	431	2.36	11.6	3.4	9.1	7.7	125	0.1	1.4	0.8	8	1.69
112594	Drill Core	4.03	4.5	1.8	30.3	66	0.3	2.8	3.8	433	2.99	13.6	2.8	9.1	7.6	144	0.8	1.8	1.0	10	1.70
112595	Drill Core	4.19	4.8	1.2	23.1	39	0.6	2.4	3.9	542	3.02	27.9	2.7	14.6	7.5	179	0.3	2.2	1.5	8	2.05
112596	Drill Core	4.40	4.9	1.2	65.0	224	0.7	3.1	4.0	448	2.65	202.8	2.5	34.1	8.2	118	3.5	4.6	1.5	7	1.71
112597 RRE 112596	Drill Core	N.A.	4.5	1.1	61.8	227	0.7	3.0	3.9	426	2.57	202.6	2.5	30.4	7.8	109	3.5	4.4	1.4	8	1.62
112598	Drill Core	4.78	4.4	1.1	32.3	86	0.3	2.5	2.5	493	2.13	8.3	2.9	14.0	8.4	150	1.1	1.4	1.0	10	1.93
112599	Drill Core	5.67	4.8	1.1	12.5	34	0.2	2.5	4.0	307	2.54	10.3	2.5	8.3	8.5	190	0.2	0.9	1.0	15	1.32
112600	Drill Core	3.64	4.1	1.6	14.4	31	0.3	2.4	3.2	277	2.64	10.6	2.0	10.0	8.3	180	<0.1	0.9	1.1	12	1.25
112601	Drill Core	4.11	2.6	1.2	62.6	104	0.6	3.4	7.5	337	3.22	13.2	3.0	14.0	6.2	103	1.4	1.1	2.0	21	1.48
112602	Drill Core	4.00	2.1	1.3	25.1	36	0.4	2.4	5.6	338	2.53	7.5	2.7	12.5	6.8	89	0.2	0.7	1.2	14	1.67
112603	Drill Core	3.78	2.1	1.2	34.7	62	0.4	2.1	5.0	365	2.34	21.3	3.3	16.3	7.2	117	0.6	1.0	1.5	10	1.82
112604	Drill Core	4.58	2.5	1.5	73.3	176	0.6	2.8	5.3	428	2.57	74.1	2.7	23.2	6.8	130	2.2	1.3	1.6	4	1.90
112605	Drill Core	4.91	2.4	1.4	32.7	45	0.4	2.1	5.1	309	2.71	26.8	1.8	9.3	6.4	140	0.4	0.8	1.4	7	1.74
112606	Drill Core	4.48	2.6	2.1	49.6	67	0.6	2.0	4.9	341	4.80	64.6	2.4	21.2	6.0	98	0.7	1.8	1.9	5	1.47
112607	Drill Core	0.63	<0.1	1.6	3.6	48	<0.1	0.9	3.6	558	1.89	<0.5	1.3	<0.5	5.8	53	<0.1	<0.1	<0.1	36	0.44
112608	Drill Core	4.60	2.7	1.7	42.7	53	0.5	2.2	4.8	464	3.18	40.2	2.2	15.3	7.3	118	0.3	1.3	2.1	5	1.87
112609	Drill Core	4.59	2.8	1.4	32.4	82	0.5	2.7	6.1	732	2.25	60.2	1.7	11.4	6.7	187	0.8	1.8	1.4	8	2.21
112610	Drill Core	3.79	3.6	1.4	25.5	50	0.7	2.6	4.2	275	3.29	1141	2.0	48.8	6.9	89	0.2	10.7	1.6	4	0.90
112611	Drill Core	3.96	5.0	1.7	17.5	38	0.7	2.8	3.2	590	2.85	484.4	1.8	32.6	8.0	168	0.2	6.5	1.3	4	1.58
112612	Drill Core	4.33	5.1	1.2	14.9	34	0.5	2.3	2.5	814	2.48	501.1	1.8	41.7	7.3	161	0.1	5.1	0.8	4	2.30
112613	Drill Core	4.17	4.8	3.8	26.2	61	1.8	2.1	2.2	801	2.70	1251	2.2	77.9	7.3	152	0.6	9.1	1.6	4	2.17
112614	Drill Core	4.77	3.1	1.1	29.9	48	0.6	1.7	3.9	1023	2.92	294.5	2.0	33.0	7.3	238	0.4	4.7	1.2	3	2.68
112615	Drill Core	4.08	3.1	2.0	95.8	215	2.0	2.1	5.0	1417	3.73	733.9	3.5	960.3	5.9	104	3.0	18.4	2.6	2	1.45
112616	Drill Core	5.00	2.9	1.6	73.0	393	1.4	2.2	3.9	324	3.15	216.4	1.8	189.0	5.8	93	5.8	7.0	2.5	2	0.92
112617 RRE 112616	Drill Core	N.A.	2.8	1.5	72.3	390	1.4	2.1	4.0	315	3.09	216.3	1.7	206.2	5.6	90	5.5	7.2	2.5	<2	0.91
112618	Drill Core	4.59	3.4	1.1	138.1	125	0.5	2.2	6.3	871	2.52	44.1	3.3	35.0	7.1	122	1.5	2.0	1.7	6	2.28
112619	Drill Core	4.16	2.6	0.8	151.1	431	1.0	2.3	6.0	813	3.06	50.3	2.2	16.2	6.8	149	6.2	1.6	2.6	5	2.22
112620	Drill Core	4.79	2.8	2.2	115.3	838	1.2	3.0	8.2	774	3.84	41.0	1.7	17.5	6.1	121	12.5	1.6	3.0	4	2.21



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000581.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
112591	Drill Core	0.089	20	<1	0.17	43	<0.001	<1	0.59	0.024	0.26	0.7	<0.01	0.8	0.4	2.22	2	<0.5	0.3	24
112592	Drill Core	0.085	16	<1	0.23	58	<0.001	<1	0.67	0.030	0.32	0.1	<0.01	0.6	0.3	1.94	2	<0.5	0.5	8
112593	Drill Core	0.089	18	<1	0.26	44	<0.001	1	0.64	0.035	0.30	0.2	<0.01	0.7	0.2	2.40	2	<0.5	<0.2	9
112594	Drill Core	0.084	16	<1	0.30	28	<0.001	<1	0.71	0.040	0.28	0.1	<0.01	0.7	0.2	3.17	2	0.6	0.8	8
112595	Drill Core	0.085	13	<1	0.36	29	<0.001	1	0.57	0.024	0.28	0.1	<0.01	0.6	0.2	3.24	2	0.5	1.3	14
112596	Drill Core	0.091	15	<1	0.23	29	<0.001	<1	0.70	0.012	0.29	0.1	0.01	0.6	0.4	2.87	2	<0.5	1.1	25
112597 RRE 112596	Drill Core	0.087	16	<1	0.22	31	<0.001	<1	0.73	0.012	0.29	0.1	0.01	0.6	0.4	2.77	2	0.6	0.6	38
112598	Drill Core	0.090	29	1	0.36	70	0.001	2	0.65	0.038	0.24	<0.1	<0.01	0.8	0.2	1.95	2	<0.5	0.4	13
112599	Drill Core	0.090	25	1	0.53	46	0.002	1	0.83	0.047	0.29	<0.1	<0.01	1.2	0.2	2.37	3	0.5	<0.2	7
112600	Drill Core	0.090	26	1	0.51	39	0.001	<1	0.77	0.043	0.33	0.2	<0.01	0.9	0.2	2.58	3	1.0	1.0	8
112601	Drill Core	0.121	24	2	0.54	42	0.005	<1	1.00	0.046	0.46	0.2	<0.01	1.7	0.3	3.39	4	0.9	0.7	18
112602	Drill Core	0.086	24	2	0.39	52	0.002	1	0.78	0.040	0.32	0.1	<0.01	1.1	0.2	2.51	3	0.7	0.8	10
112603	Drill Core	0.082	24	1	0.27	42	0.001	<1	0.71	0.036	0.32	0.2	<0.01	1.1	0.2	2.31	3	0.8	0.6	19
112604	Drill Core	0.072	17	2	0.20	22	<0.001	1	0.49	0.022	0.24	0.1	0.03	0.7	0.2	2.82	1	1.6	0.2	10
112605	Drill Core	0.069	21	<1	0.24	19	0.002	<1	0.58	0.027	0.27	0.2	<0.01	0.9	0.3	2.85	2	1.9	0.7	8
112606	Drill Core	0.064	15	<1	0.18	11	<0.001	<1	0.47	0.014	0.26	0.2	<0.01	0.6	0.2	5.41	1	5.6	0.4	16
112607	Drill Core	0.070	17	<1	0.44	107	0.102	<1	0.75	0.077	0.45	<0.1	<0.01	1.6	0.4	<0.05	4	<0.5	<0.2	<2
112608	Drill Core	0.071	23	<1	0.20	22	<0.001	<1	0.59	0.023	0.30	0.2	<0.01	0.8	0.3	3.44	2	2.9	0.6	12
112609	Drill Core	0.084	23	<1	0.31	28	0.001	1	0.72	0.030	0.29	0.2	<0.01	1.2	0.3	2.29	2	1.3	1.0	15
112610	Drill Core	0.071	20	<1	0.15	19	<0.001	<1	0.60	0.012	0.26	0.5	0.02	0.6	0.9	3.57	2	1.6	0.7	40
112611	Drill Core	0.081	15	<1	0.25	29	<0.001	1	0.67	0.011	0.25	0.8	0.01	0.9	0.8	3.09	2	1.3	0.6	31
112612	Drill Core	0.081	16	<1	0.24	19	<0.001	<1	0.59	0.015	0.24	0.2	0.01	0.8	0.6	2.66	2	0.7	0.5	37
112613	Drill Core	0.077	12	<1	0.23	15	<0.001	<1	0.67	0.008	0.23	1.0	0.03	0.7	0.9	2.91	2	0.8	0.7	68
112614	Drill Core	0.064	16	<1	0.28	21	<0.001	<1	0.65	0.007	0.23	0.3	<0.01	0.7	0.4	3.18	2	0.8	0.2	31
112615	Drill Core	0.062	13	<1	0.16	23	<0.001	<1	0.43	0.007	0.23	0.6	<0.01	0.6	0.8	4.18	1	0.8	1.4	896
112616	Drill Core	0.066	15	<1	0.14	28	<0.001	<1	0.46	0.006	0.27	0.4	<0.01	0.4	0.5	3.50	1	0.6	0.5	182
112617 RRE 112616	Drill Core	0.065	15	<1	0.14	26	<0.001	<1	0.42	0.006	0.24	0.3	<0.01	0.4	0.5	3.44	<1	0.5	1.8	191
112618	Drill Core	0.087	23	1	0.22	29	<0.001	<1	0.55	0.024	0.22	<0.1	<0.01	0.9	0.2	2.70	2	0.6	2.3	35
112619	Drill Core	0.071	16	<1	0.24	23	<0.001	<1	0.60	0.025	0.27	<0.1	0.01	0.9	0.3	3.33	2	<0.5	1.6	19
112620	Drill Core	0.092	20	<1	0.17	26	<0.001	<1	0.60	0.014	0.31	0.1	0.02	0.9	0.4	4.36	1	0.9	1.3	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000581.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
112621	Drill Core	4.74	3.3	1.1	90.2	259	0.7	2.9	8.3	839	3.40	32.1	2.2	16.4	6.5	128	3.7	1.6	1.9	7	2.35
112622	Drill Core	4.49	2.3	1.4	13.9	33	0.3	2.4	6.4	869	2.62	15.0	1.7	11.2	6.6	141	0.2	1.0	1.1	8	2.53
112623	Drill Core	4.59	3.6	1.4	64.0	234	0.4	2.7	6.1	580	2.39	35.2	1.8	11.8	6.8	106	3.2	2.5	1.2	10	1.87
112624	Drill Core	4.67	4.8	0.5	30.0	46	0.4	2.9	6.9	637	2.44	9.5	2.2	3.6	6.3	102	0.3	2.1	1.0	13	2.20
112625	Drill Core	4.53	2.7	0.6	35.7	50	0.2	2.4	5.6	635	2.28	15.7	2.1	10.6	6.7	141	0.4	1.2	0.9	5	2.20
112626	Drill Core	5.09	2.6	1.6	58.4	129	0.6	2.7	5.5	712	2.88	18.5	2.4	14.7	6.7	129	1.7	1.7	1.3	4	2.28
112627	Drill Core	0.42	<0.1	2.1	4.7	52	<0.1	1.0	3.7	574	1.95	1.2	1.6	<0.5	6.2	54	<0.1	<0.1	<0.1	38	0.53
112628	Drill Core	4.67	1.7	1.2	19.9	58	0.7	1.4	3.5	797	2.24	423.3	2.5	178.4	7.3	125	0.6	6.9	1.2	2	2.33
112629	Drill Core	5.02	2.1	0.5	24.2	54	0.4	2.2	4.4	804	2.19	167.3	2.9	17.0	7.5	154	0.4	3.6	1.0	4	2.25
112630	Drill Core	4.59	2.7	0.6	29.5	49	0.5	2.2	4.4	656	2.19	273.0	3.4	22.4	6.7	207	0.4	6.0	1.2	4	1.77
112631	Drill Core	4.46	2.8	0.6	28.4	58	0.4	2.3	5.8	468	2.20	71.4	2.8	14.0	7.3	118	0.5	2.6	1.1	3	1.37
112632	Drill Core	4.36	2.6	1.2	15.6	45	0.5	2.3	5.7	268	2.14	267.4	2.5	44.3	7.8	99	0.3	5.2	0.8	4	0.87
112633	Drill Core	4.62	2.2	0.6	14.2	103	0.5	1.7	2.9	405	2.30	212.1	1.9	25.9	7.6	131	1.3	3.5	0.9	2	1.42
112634	Drill Core	4.18	2.5	0.8	31.3	50	0.5	3.2	8.1	651	2.50	14.8	2.9	8.8	6.7	177	0.4	1.2	1.3	7	2.44
112635	Drill Core	4.16	2.3	0.4	12.1	35	0.3	2.1	4.9	471	1.64	239.0	1.8	25.3	6.6	174	0.2	2.6	0.5	4	1.94
112636	Drill Core	5.03	2.7	1.2	14.9	11	0.3	2.0	5.4	278	3.02	27.4	1.5	6.5	6.4	144	0.1	0.9	1.3	3	1.66
112637 RRE 112636	Drill Core	N.A.	2.6	1.3	14.9	13	0.3	2.1	5.2	281	3.09	29.9	1.6	9.1	6.6	145	0.1	0.9	1.3	3	1.68
112638	Drill Core	4.35	2.4	0.6	15.6	40	0.2	2.2	5.7	291	1.92	13.2	2.7	4.3	7.3	169	0.3	1.0	0.9	5	2.12
112639	Drill Core	4.42	2.1	0.7	12.1	35	0.2	2.0	4.8	358	2.08	9.3	2.8	11.8	6.4	511	0.3	0.9	0.8	8	2.52
112640	Drill Core	4.67	2.7	1.0	23.0	49	0.4	2.9	7.1	339	2.55	11.3	2.9	17.4	6.7	387	0.4	1.0	1.3	11	2.09
112641	Drill Core	4.34	2.6	1.1	64.1	111	0.5	2.2	8.0	349	2.70	10.3	3.6	8.7	7.8	305	1.5	1.4	1.6	8	2.11
112642	Drill Core	3.62	3.1	1.4	51.1	33	0.4	1.6	9.5	226	3.12	4.2	1.9	5.8	8.0	187	0.4	1.1	1.2	3	1.72
112643	Drill Core	5.25	4.2	1.1	41.1	48	0.4	1.9	11.3	332	3.64	7.3	2.7	13.0	7.9	348	0.6	1.4	1.4	4	2.51



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000581.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
112621	Drill Core	0.092	23	1	0.24	37	0.003	<1	0.70	0.019	0.30	0.3	0.01	1.2	0.3	3.71	2	0.8	0.4	16
112622	Drill Core	0.077	20	1	0.29	49	<0.001	<1	0.64	0.018	0.24	<0.1	<0.01	1.0	0.2	2.52	2	0.8	<0.2	10
112623	Drill Core	0.093	27	2	0.24	27	0.003	1	0.81	0.021	0.30	<0.1	<0.01	1.4	0.4	2.51	3	0.7	0.4	12
112624	Drill Core	0.088	23	<1	0.28	36	0.004	<1	0.78	0.021	0.37	<0.1	<0.01	1.7	0.5	2.40	3	0.8	0.4	5
112625	Drill Core	0.074	20	<1	0.21	39	<0.001	1	0.69	0.022	0.32	0.1	<0.01	0.9	0.3	2.39	2	<0.5	0.5	15
112626	Drill Core	0.092	21	<1	0.17	44	<0.001	<1	0.60	0.014	0.30	0.1	<0.01	0.8	0.3	3.23	2	0.6	0.3	9
112627	Drill Core	0.070	17	3	0.45	103	0.125	1	0.83	0.087	0.46	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	<2
112628	Drill Core	0.065	21	<1	0.10	57	<0.001	<1	0.54	0.014	0.24	0.1	<0.01	0.5	0.5	2.47	1	<0.5	1.2	171
112629	Drill Core	0.076	21	<1	0.16	38	<0.001	<1	0.71	0.014	0.27	0.1	<0.01	0.8	0.5	2.42	2	<0.5	0.5	13
112630	Drill Core	0.079	23	<1	0.11	48	<0.001	1	0.76	0.011	0.28	0.1	0.01	1.0	0.7	2.45	2	<0.5	0.4	20
112631	Drill Core	0.078	30	<1	0.11	60	<0.001	2	0.71	0.009	0.27	<0.1	<0.01	0.8	0.4	2.41	2	0.5	0.8	11
112632	Drill Core	0.078	26	<1	0.11	57	<0.001	<1	0.81	0.010	0.29	<0.1	<0.01	0.8	0.7	2.36	2	0.6	0.8	38
112633	Drill Core	0.065	21	<1	0.12	34	<0.001	<1	0.59	0.020	0.24	<0.1	0.01	0.5	0.5	2.48	2	0.7	0.4	26
112634	Drill Core	0.099	22	<1	0.22	32	0.001	<1	0.76	0.034	0.35	<0.1	<0.01	1.3	0.3	2.70	2	<0.5	1.4	6
112635	Drill Core	0.074	25	<1	0.17	40	<0.001	<1	0.74	0.023	0.31	<0.1	<0.01	1.0	0.4	1.76	2	<0.5	0.4	29
112636	Drill Core	0.068	15	<1	0.24	24	0.001	<1	0.58	0.019	0.34	<0.1	<0.01	0.5	0.2	3.38	2	<0.5	0.7	8
112637 RRE 112636	Drill Core	0.068	16	<1	0.25	23	0.001	<1	0.65	0.021	0.38	<0.1	<0.01	0.5	0.3	3.43	2	0.7	0.7	7
112638	Drill Core	0.074	21	<1	0.25	65	<0.001	1	0.69	0.030	0.28	<0.1	<0.01	1.0	0.2	1.97	2	<0.5	0.6	9
112639	Drill Core	0.089	18	<1	0.64	32	0.001	2	0.50	0.032	0.22	<0.1	0.03	1.2	0.2	2.05	2	<0.5	<0.2	5
112640	Drill Core	0.109	22	2	0.58	31	0.004	2	0.47	0.033	0.23	0.3	<0.01	1.5	0.1	2.62	2	0.6	0.5	14
112641	Drill Core	0.102	24	<1	0.47	37	0.002	2	0.50	0.029	0.24	0.1	<0.01	1.0	0.2	2.76	2	<0.5	<0.2	10
112642	Drill Core	0.078	19	<1	0.24	37	<0.001	1	0.37	0.025	0.22	<0.1	<0.01	0.5	0.2	3.54	1	<0.5	0.3	3
112643	Drill Core	0.076	20	<1	0.50	22	<0.001	1	0.32	0.026	0.19	<0.1	<0.01	0.7	0.2	4.09	1	0.6	<0.2	12



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000581.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
112522	Drill Core	7.73	1.5	49.0	202.9	960	3.3	1.5	4.5	916	1.87	48.8	2.7	12.6	8.0	127	16.9	1.3	5.8	14	1.22
REP 112522	QC		1.4	49.6	207.6	941	3.3	2.1	4.4	920	1.85	48.4	2.7	14.8	8.1	127	16.7	1.2	5.6	13	1.22
112530	Drill Core	4.43	5.8	7.9	35.2	394	1.4	3.3	5.8	1206	2.44	58.8	2.8	18.1	7.9	194	6.5	2.3	2.8	13	1.62
REP 112530	QC																				
112556	Drill Core	4.20	5.1	1.2	108.1	259	1.1	2.3	3.2	505	3.95	45.8	1.5	25.3	7.0	64	3.8	17.4	2.4	3	1.41
REP 112556	QC		5.0	1.1	99.8	252	1.1	2.1	2.8	496	3.83	43.3	1.3	19.5	6.6	63	3.5	16.4	2.2	3	1.36
112572	Drill Core	3.20	3.7	2.3	16.5	71	0.7	2.6	3.0	698	2.24	13.7	3.1	18.7	8.5	190	0.3	3.2	1.8	13	1.76
REP 112572	QC																				
112597 RRE 112596	Drill Core	N.A.	4.5	1.1	61.8	227	0.7	3.0	3.9	426	2.57	202.6	2.5	30.4	7.8	109	3.5	4.4	1.4	8	1.62
REP 112597 RRE 112596	QC		4.9	1.1	64.0	226	0.7	2.9	3.8	445	2.60	200.8	2.5	35.7	8.1	114	3.7	4.6	1.5	8	1.68
112603	Drill Core	3.78	2.1	1.2	34.7	62	0.4	2.1	5.0	365	2.34	21.3	3.3	16.3	7.2	117	0.6	1.0	1.5	10	1.82
REP 112603	QC																				
REP 112624	QC		4.6	0.8	29.7	47	0.4	2.8	6.9	651	2.45	9.0	2.2	5.6	6.2	104	0.2	1.9	1.0	13	2.22
Core Reject Duplicates																					
112519	Drill Core	3.63	2.7	11.7	70.6	468	0.9	2.5	8.9	1786	2.00	55.4	2.3	6.6	8.0	73	9.4	1.3	1.2	18	1.17
DUP 112519	QC		2.5	10.5	67.6	454	0.9	2.0	8.5	1698	1.89	52.5	2.1	6.6	7.6	69	9.1	1.2	1.2	17	1.13
112554	Drill Core	3.68	5.4	0.5	12.5	39	0.3	2.1	3.0	709	2.53	68.4	1.6	5.8	7.1	123	0.2	5.9	1.6	3	1.96
DUP 112554	QC		5.2	0.6	13.5	40	0.4	2.1	2.7	724	2.63	71.8	1.7	8.5	7.0	126	0.3	6.0	1.7	3	1.98
112589	Drill Core	4.69	4.6	0.8	37.7	108	0.4	2.5	4.3	623	2.39	51.2	2.9	18.1	8.1	136	1.3	6.0	1.2	8	1.89
DUP 112589	QC		4.5	0.8	37.9	107	0.4	2.4	4.1	624	2.49	52.4	2.9	23.1	8.1	138	1.2	6.2	1.2	9	1.94
112624	Drill Core	4.67	4.8	0.5	30.0	46	0.4	2.9	6.9	637	2.44	9.5	2.2	3.6	6.3	102	0.3	2.1	1.0	13	2.20
DUP 112624	QC		4.4	0.6	29.8	47	0.4	2.9	7.0	663	2.47	8.5	2.2	4.1	6.2	104	0.3	1.8	0.9	12	2.30
Reference Materials																					
STD DS7	Standard		19.2	104.0	66.3	375	0.9	50.4	8.9	604	2.29	50.1	4.7	63.6	4.3	71	5.9	5.8	4.5	80	0.93
STD DS7	Standard		20.1	111.4	68.3	404	0.9	54.4	9.4	622	2.41	50.6	5.0	74.8	4.7	77	6.2	6.3	4.5	83	0.99
STD DS7	Standard		20.6	108.3	69.4	395	1.1	58.1	9.8	621	2.37	50.0	4.8	80.6	4.8	66	5.9	5.4	4.5	80	0.94
STD DS7	Standard		21.3	102.4	65.9	373	1.1	57.3	9.5	608	2.33	47.2	4.6	66.1	4.7	71	5.7	5.2	4.2	80	0.97
STD DS7	Standard		19.8	100.7	60.0	370	0.9	49.6	8.5	582	2.23	49.4	4.6	71.4	4.5	64	5.4	5.5	4.3	74	0.89

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: November 02, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000581.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
Pulp Duplicates																				
112522	Drill Core	0.066	27	1	0.37	99	<0.001	<1	0.53	0.045	0.12	0.1	<0.01	1.4	<0.1	1.25	2	<0.5	0.3	16
REP 112522	QC	0.064	28	2	0.36	98	<0.001	<1	0.53	0.045	0.11	0.2	<0.01	1.3	<0.1	1.24	2	<0.5	0.7	
112530	Drill Core	0.089	30	2	0.40	67	<0.001	<1	0.64	0.034	0.18	0.2	<0.01	1.3	0.1	2.17	2	<0.5	0.8	19
REP 112530	QC																			19
112556	Drill Core	0.072	11	<1	0.09	26	<0.001	<1	0.38	0.009	0.26	0.2	0.02	0.4	0.2	4.54	<1	<0.5	0.4	21
REP 112556	QC	0.070	11	<1	0.09	28	0.001	<1	0.38	0.009	0.25	0.1	<0.01	0.5	0.2	4.39	<1	0.7	0.7	
112572	Drill Core	0.096	21	2	0.31	42	<0.001	<1	0.54	0.032	0.23	0.6	<0.01	1.0	0.3	2.07	2	<0.5	0.6	20
REP 112572	QC																			12
112597 RRE 112596	Drill Core	0.087	16	<1	0.22	31	<0.001	<1	0.73	0.012	0.29	0.1	0.01	0.6	0.4	2.77	2	0.6	0.6	38
REP 112597 RRE 112596	QC	0.088	16	<1	0.23	35	<0.001	<1	0.77	0.012	0.31	0.1	<0.01	0.6	0.4	2.82	2	<0.5	0.3	
112603	Drill Core	0.082	24	1	0.27	42	0.001	<1	0.71	0.036	0.32	0.2	<0.01	1.1	0.2	2.31	3	0.8	0.6	19
REP 112603	QC																			18
REP 112624	QC	0.088	23	2	0.28	39	0.005	1	0.80	0.021	0.38	<0.1	<0.01	1.7	0.4	2.42	3	0.9	<0.2	
Core Reject Duplicates																				
112519	Drill Core	0.076	29	2	0.23	77	<0.001	<1	0.56	0.044	0.10	0.2	<0.01	1.5	<0.1	1.05	3	<0.5	0.4	8
DUP 112519	QC	0.074	28	2	0.22	77	<0.001	1	0.51	0.039	0.09	0.1	<0.01	1.5	0.1	1.00	2	<0.5	0.5	10
112554	Drill Core	0.078	17	<1	0.24	39	0.001	<1	0.40	0.022	0.25	0.1	<0.01	0.5	0.2	2.63	1	<0.5	0.6	9
DUP 112554	QC	0.078	16	<1	0.25	30	<0.001	<1	0.43	0.024	0.26	<0.1	<0.01	0.7	0.2	2.75	1	<0.5	<0.2	9
112589	Drill Core	0.097	18	<1	0.18	30	<0.001	<1	0.55	0.024	0.26	0.2	<0.01	0.7	0.4	2.53	2	<0.5	0.5	19
DUP 112589	QC	0.091	19	<1	0.19	30	<0.001	1	0.60	0.026	0.27	0.2	<0.01	0.7	0.3	2.65	2	<0.5	0.3	19
112624	Drill Core	0.088	23	<1	0.28	36	0.004	<1	0.78	0.021	0.37	<0.1	<0.01	1.7	0.5	2.40	3	0.8	0.4	5
DUP 112624	QC	0.094	22	1	0.28	27	0.003	<1	0.72	0.019	0.34	<0.1	<0.01	1.7	0.4	2.48	2	0.8	0.5	3
Reference Materials																				
STD DS7	Standard	0.071	12	180	1.02	373	0.119	39	1.00	0.090	0.44	3.7	0.21	2.3	3.9	0.20	5	3.0	1.0	
STD DS7	Standard	0.073	13	193	1.07	407	0.131	39	1.06	0.097	0.47	3.7	0.22	2.4	4.1	0.20	5	2.7	2.3	
STD DS7	Standard	0.070	13	192	1.06	374	0.113	35	1.02	0.091	0.47	3.6	0.27	2.2	4.0	0.20	5	3.5	1.4	
STD DS7	Standard	0.066	13	196	1.03	367	0.123	35	1.04	0.097	0.46	3.6	0.24	2.4	3.8	0.20	5	3.0	1.5	
STD DS7	Standard	0.071	13	178	0.98	368	0.109	36	0.97	0.091	0.44	3.3	0.20	2.4	3.8	0.19	5	3.4	1.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000581.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS7	Standard		21.0	102.6	62.8	378	0.9	50.8	8.7	596	2.26	50.2	4.8	71.4	4.6	71	6.0	5.6	4.4	76	0.92
STD DS7	Standard		19.8	106.6	65.2	378	1.0	55.1	9.2	609	2.38	52.9	4.9	79.8	4.7	71	6.4	5.4	4.7	85	0.96
STD DS7	Standard		18.4	103.3	63.9	382	1.0	52.0	8.9	588	2.29	49.9	4.7	64.9	4.5	67	6.4	5.2	4.5	82	0.94
STD DS7	Standard		20.6	115.2	74.3	407	1.0	56.0	9.5	631	2.38	50.6	4.9	73.2	4.6	76	6.5	6.3	5.1	78	0.95
STD DS7	Standard		19.3	100.6	66.2	358	0.8	48.7	8.3	559	2.15	44.6	4.8	58.5	4.4	71	5.6	5.8	4.6	73	0.89
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXC72 Expected																					
STD OXH66 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: November 02, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000581.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
STD DS7	Standard	0.071	14	174	0.99	390	0.111	39	1.00	0.093	0.45	3.6	0.21	2.4	3.9	0.19	5	3.3	0.7		
STD DS7	Standard	0.080	13	191	1.06	409	0.109	40	1.03	0.089	0.49	3.7	0.23	2.4	4.0	0.20	5	3.0	1.7		
STD DS7	Standard	0.078	13	179	1.01	389	0.114	39	1.00	0.088	0.47	3.5	0.22	2.4	3.9	0.19	4	2.9	1.4		
STD DS7	Standard	0.084	14	187	1.07	418	0.126	41	1.02	0.089	0.49	3.9	0.22	2.5	4.2	0.20	5	3.3	1.0		
STD DS7	Standard	0.074	12	168	0.99	364	0.118	38	0.97	0.087	0.44	3.4	0.19	2.2	3.7	0.18	4	3.1	1.1		
STD OXC72	Standard																			195	
STD OXC72	Standard																				195
STD OXC72	Standard																				196
STD OXC72	Standard																				194
STD OXH66	Standard																				1268
STD OXH66	Standard																				1301
STD OXH66	Standard																				1299
STD OXH66	Standard																				1269
STD OXH66	Standard																				1340
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08		
STD OXC72 Expected																					205
STD OXH66 Expected																					1285
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 02, 2010

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI10000581.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank		<0.1	2.3	2.3	41	<0.1	1.0	3.4	522	1.72	<0.5	1.5	<0.5	5.4	46	<0.1	<0.1	<0.1	32	0.40	
G1	Prep Blank		<0.1	2.4	2.5	44	<0.1	0.9	3.5	531	1.83	<0.5	1.5	<0.5	5.4	48	<0.1	<0.1	<0.1	34	0.41	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: November 02, 2010

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000581.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
BLK	Blank																			<2	
BLK	Blank																				<2
BLK	Blank																				<2
Prep Wash																					
G1	Prep Blank	0.071	12	2	0.42	101	0.094	<1	0.67	0.059	0.41	<0.1	<0.01	1.5	0.3	<0.05	4	<0.5	<0.2	<2	
G1	Prep Blank	0.076	13	2	0.42	100	0.096	<1	0.75	0.089	0.40	<0.1	<0.01	1.6	0.3	<0.05	4	<0.5	<0.2	<2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 02, 2010
Report Date: October 29, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI10000582.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: TT-108
P.O. Number: NA 10-428
Number of Samples: 58

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	55	Crush split and pulverize 250g drill core to 200 mesh			WHI
1DX2	58	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	58	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 29, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

WHI10000582.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
112644	Drill Core	4.19	2.0	29.4	47.5	803	1.1	2.6	7.7	1218	2.32	54.5	2.8	21.3	7.3	77	17.9	1.3	2.7	11	0.82
112645	Drill Core	3.23	2.2	8.3	45.2	558	1.1	1.7	5.5	1232	2.24	96.4	2.9	23.2	7.9	174	12.3	2.8	2.4	9	1.16
112646	Drill Core	3.72	1.8	7.0	37.5	763	1.4	1.9	11.6	968	2.53	148.0	3.1	27.5	7.0	148	12.1	4.0	2.9	5	1.52
112647	Drill Core	0.43	<0.1	2.6	2.9	48	<0.1	0.5	3.2	527	1.76	<0.5	1.6	<0.5	5.7	49	<0.1	<0.1	<0.1	34	0.40
112648	Drill Core	2.51	1.7	8.3	41.2	614	1.4	1.7	4.4	1270	2.24	129.1	4.2	21.8	7.5	250	9.6	3.6	2.7	8	2.09
112649	Drill Core	2.91	1.5	20.5	50.3	2091	2.8	5.0	7.8	1006	3.64	1010	2.5	34.4	5.0	160	33.1	16.6	5.9	8	1.33
112650	Drill Core	3.96	2.2	6.2	41.0	240	1.9	6.2	9.6	2381	3.95	109.4	1.7	13.4	4.4	364	3.1	4.3	5.3	23	2.95
112651	Drill Core	3.94	1.7	19.7	41.4	1117	2.6	2.7	6.5	939	2.80	926.0	3.8	24.9	5.6	267	18.9	12.7	5.8	3	1.71
112652	Drill Core	3.16	0.5	9.9	33.6	1509	1.7	5.8	8.2	2218	3.46	51.5	2.7	29.2	6.5	253	21.1	3.5	4.0	20	2.49
112653	Drill Core	4.23	1.0	7.9	28.9	1079	1.0	5.7	5.7	2270	3.33	33.7	2.3	11.8	5.7	449	13.8	1.8	2.5	26	3.15
112654	Drill Core	3.43	0.7	4.7	25.2	1187	0.8	4.6	6.8	1674	2.78	17.7	2.4	17.1	5.7	306	15.4	1.3	1.9	37	2.31
112655	Drill Core	5.14	0.7	17.6	65.1	2674	1.3	6.0	9.1	1356	2.79	26.1	1.8	10.4	5.4	221	38.4	1.1	3.1	42	1.85
112656	Drill Core	4.46	1.5	8.4	23.0	2430	1.2	4.2	7.4	1641	3.14	43.1	2.4	10.1	6.4	271	34.1	1.1	3.5	37	2.22
112657 RRE 112656	Drill Core	N.A.	1.6	7.4	21.5	2365	1.1	4.3	7.2	1642	3.10	41.9	2.4	8.4	6.3	279	35.3	1.2	3.3	36	2.16
112658	Drill Core	3.43	1.9	5.2	29.7	284	1.3	1.3	5.6	1099	2.25	36.4	3.7	24.8	8.2	240	3.8	1.0	3.2	11	1.98
112659	Drill Core	3.57	1.9	5.6	18.9	230	0.5	1.5	4.2	1224	2.12	30.4	3.8	9.2	8.4	270	2.6	1.0	1.3	14	1.84
112660	Drill Core	3.12	2.5	8.7	25.1	337	0.8	1.8	5.8	1522	2.32	114.5	4.9	12.2	8.8	305	4.4	2.9	1.9	12	2.45
112661	Drill Core	3.59	2.0	15.5	46.5	299	1.3	2.1	8.3	1613	2.31	507.1	3.9	53.1	5.3	269	5.2	5.2	1.4	7	2.62
112662	Drill Core	3.20	2.3	9.0	74.8	169	0.6	1.5	7.8	1797	2.34	147.8	3.6	6.3	5.6	264	2.6	3.5	1.1	5	2.70
112663	Drill Core	2.90	2.1	11.1	107.2	211	0.6	2.8	4.6	1800	2.74	97.5	3.4	5.0	4.8	197	3.3	3.2	0.9	7	1.94
112664	Drill Core	2.31	2.3	70.5	182.4	1356	14.5	3.9	4.6	2319	2.44	405.2	4.5	32.4	5.8	295	22.9	7.2	3.1	6	2.89
112665	Drill Core	4.33	2.0	25.8	97.7	525	2.5	1.6	3.9	1746	2.31	412.6	5.6	82.1	4.1	269	9.1	6.9	2.4	6	2.33
112666	Drill Core	3.17	1.0	3.0	13.1	487	0.5	1.6	2.4	1577	2.29	14.9	4.5	3.4	4.5	402	6.8	0.7	0.7	17	2.48
112667	Drill Core	0.56	<0.1	2.4	2.8	44	<0.1	0.9	3.3	520	1.66	1.7	1.3	<0.5	4.3	43	<0.1	<0.1	<0.1	32	0.38
112668	Drill Core	3.01	4.1	15.5	43.3	207	0.9	2.2	3.6	1372	2.26	45.8	3.9	3.4	4.2	261	2.9	1.8	1.1	10	2.08
112669	Drill Core	3.23	1.9	11.6	57.2	222	0.8	1.9	4.0	1236	2.28	79.3	3.8	1.5	4.1	231	3.1	2.5	1.4	9	1.80
112670	Drill Core	2.08	1.7	11.1	61.4	189	0.9	1.9	4.9	1307	2.47	76.1	3.4	4.0	4.1	206	2.7	2.5	1.6	9	1.81
112671	Drill Core	3.30	2.1	21.7	99.9	1085	1.4	1.8	4.7	1159	2.63	182.7	4.8	12.2	5.4	214	20.1	4.5	2.6	7	1.81
112672	Drill Core	2.69	2.0	15.3	59.3	705	1.5	1.8	4.0	743	2.10	599.4	4.7	14.9	4.3	69	11.8	8.2	2.8	6	0.53
112673	Drill Core	3.03	2.1	15.3	109.1	2181	1.8	1.7	3.7	1144	2.01	460.3	3.8	15.2	4.0	237	36.9	7.8	3.2	5	1.69

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 29, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

WHI10000582.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
112644	Drill Core	0.074	19	3	0.16	65	<0.001	<1	0.38	0.018	0.18	0.6	<0.01	1.3	0.1	1.38	<1	0.6	<0.2	23
112645	Drill Core	0.071	18	2	0.39	57	<0.001	2	0.36	0.023	0.17	0.3	<0.01	1.2	0.2	1.37	1	0.6	0.5	25
112646	Drill Core	0.068	16	<1	0.23	75	<0.001	3	0.34	0.013	0.21	0.7	<0.01	0.9	0.2	2.07	<1	<0.5	0.7	27
112647	Drill Core	0.074	14	2	0.41	95	0.101	<1	0.69	0.064	0.40	<0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	<2
112648	Drill Core	0.066	14	1	0.44	69	<0.001	2	0.38	0.014	0.16	0.4	0.01	1.2	0.3	1.24	1	<0.5	<0.2	21
112649	Drill Core	0.079	10	2	0.32	56	<0.001	3	0.43	0.005	0.21	0.6	0.05	1.8	2.5	3.48	1	<0.5	0.8	35
112650	Drill Core	0.080	9	7	0.61	109	0.001	4	0.43	0.008	0.16	0.3	0.01	3.0	0.9	1.89	1	0.7	0.4	22
112651	Drill Core	0.057	11	1	0.37	87	<0.001	3	0.38	0.007	0.21	6.1	0.05	1.1	1.5	2.74	1	0.8	<0.2	20
112652	Drill Core	0.086	19	7	0.43	82	<0.001	3	0.45	0.015	0.21	0.4	0.01	2.6	0.5	1.69	1	0.6	<0.2	29
112653	Drill Core	0.077	20	9	0.62	167	<0.001	1	0.46	0.024	0.19	1.0	<0.01	3.0	0.2	0.88	2	<0.5	<0.2	13
112654	Drill Core	0.078	22	12	0.62	136	0.001	1	0.50	0.029	0.09	0.4	0.02	4.2	0.2	0.53	2	<0.5	<0.2	13
112655	Drill Core	0.084	23	15	0.61	100	0.005	2	0.65	0.028	0.12	0.2	0.03	4.3	0.2	0.92	3	<0.5	<0.2	8
112656	Drill Core	0.084	22	10	0.62	99	0.001	2	0.59	0.027	0.14	0.3	<0.01	3.2	0.1	1.09	3	0.6	<0.2	9
112657 RRE 112656	Drill Core	0.079	23	10	0.58	98	0.001	<1	0.58	0.025	0.13	0.2	<0.01	3.2	0.1	1.06	2	<0.5	<0.2	10
112658	Drill Core	0.066	23	1	0.36	60	0.002	1	0.33	0.021	0.14	0.2	<0.01	1.3	0.1	1.04	1	<0.5	1.0	18
112659	Drill Core	0.071	24	2	0.44	131	<0.001	1	0.39	0.026	0.11	0.3	<0.01	1.9	0.2	0.46	1	<0.5	<0.2	8
112660	Drill Core	0.077	21	2	0.48	96	<0.001	2	0.31	0.016	0.12	0.4	0.01	1.8	0.3	0.93	1	<0.5	0.2	10
112661	Drill Core	0.069	10	2	0.35	81	<0.001	2	0.31	0.010	0.18	1.7	0.01	1.1	0.4	0.95	<1	<0.5	<0.2	62
112662	Drill Core	0.075	12	<1	0.34	60	<0.001	1	0.26	0.008	0.20	0.3	0.01	0.7	0.3	1.14	<1	<0.5	<0.2	8
112663	Drill Core	0.079	11	2	0.35	54	<0.001	1	0.27	0.006	0.20	0.6	0.02	1.1	0.4	0.80	<1	<0.5	<0.2	6
112664	Drill Core	0.071	10	4	0.34	52	<0.001	1	0.29	0.004	0.22	78.1	0.04	1.0	0.4	1.06	<1	<0.5	<0.2	32
112665	Drill Core	0.054	6	2	0.36	100	<0.001	2	0.32	0.006	0.15	5.2	0.02	1.3	0.4	1.01	<1	<0.5	0.4	85
112666	Drill Core	0.053	7	3	0.57	61	<0.001	<1	0.30	0.016	0.07	1.5	0.02	2.2	0.2	0.22	<1	<0.5	<0.2	<2
112667	Drill Core	0.073	10	2	0.41	98	0.094	<1	0.69	0.058	0.43	0.1	<0.01	1.4	0.3	<0.05	4	<0.5	<0.2	<2
112668	Drill Core	0.061	6	3	0.36	59	<0.001	1	0.30	0.010	0.14	3.5	<0.01	1.6	0.2	0.52	<1	<0.5	<0.2	7
112669	Drill Core	0.059	5	<1	0.35	59	<0.001	1	0.27	0.012	0.13	0.9	0.01	1.6	0.3	0.70	<1	<0.5	<0.2	5
112670	Drill Core	0.055	5	2	0.34	80	<0.001	1	0.32	0.013	0.14	0.7	0.01	1.6	0.2	0.76	<1	<0.5	<0.2	7
112671	Drill Core	0.057	8	1	0.30	45	<0.001	2	0.29	0.007	0.16	0.4	0.03	1.4	0.3	1.02	<1	<0.5	<0.2	18
112672	Drill Core	0.057	6	2	0.21	33	<0.001	2	0.31	0.006	0.17	0.6	0.03	1.3	0.6	1.08	1	<0.5	0.3	19
112673	Drill Core	0.048	6	<1	0.28	72	<0.001	3	0.29	0.007	0.17	0.3	0.06	1.0	0.4	1.08	1	<0.5	<0.2	26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 29, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

WHI10000582.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
112674	Drill Core	3.22	1.9	12.7	153.9	1436	2.0	1.9	5.3	1126	1.97	237.9	3.7	595.2	4.7	211	25.0	5.1	2.8	6	1.83
112675	Drill Core	2.92	1.7	15.2	134.1	1143	1.4	1.7	3.5	1527	2.40	418.5	4.0	47.5	4.2	273	19.7	6.3	2.3	5	2.17
112676	Drill Core	4.67	2.0	19.8	104.1	1140	1.6	1.5	4.3	1089	2.35	436.7	3.4	29.1	5.9	154	19.7	7.7	2.6	5	1.28
112677 RRE 112676	Drill Core	N.A.	1.8	20.7	106.2	1182	1.6	1.8	4.5	1075	2.42	447.9	3.5	35.7	5.9	156	20.0	7.5	2.7	5	1.29
112678	Drill Core	3.06	2.0	31.2	184.2	1732	5.3	1.5	4.6	655	2.32	1337	5.4	149.1	3.3	110	29.3	14.4	11.6	4	0.50
112679	Drill Core	3.29	2.1	10.3	44.5	440	1.2	1.8	3.9	1045	2.43	495.7	4.4	31.4	5.2	155	7.5	7.1	1.9	12	1.07
112680	Drill Core	3.88	2.0	3.4	17.0	120	0.3	1.6	3.3	1001	2.34	17.8	2.8	5.6	5.4	121	1.1	1.8	0.5	12	0.92
112681	Drill Core	3.17	1.7	1.8	13.3	106	0.2	1.7	3.0	950	2.28	18.6	2.5	2.1	4.9	171	0.8	1.3	0.4	12	1.22
112682	Drill Core	3.64	1.3	2.1	13.3	369	0.2	1.5	3.8	641	2.24	12.3	2.9	3.5	5.8	135	5.1	1.1	0.4	12	0.72
112683	Drill Core	3.51	1.3	2.3	15.0	175	0.2	1.5	3.5	880	1.83	13.6	2.7	<0.5	5.5	216	2.3	1.2	0.3	13	1.55
112684	Drill Core	2.43	2.8	10.6	23.8	175	1.6	2.8	3.4	1149	1.94	37.5	2.8	4.7	6.7	173	2.3	1.8	0.7	10	1.54
112685	Drill Core	2.73	1.7	9.4	21.3	199	0.7	1.7	3.4	1037	2.24	24.4	3.4	4.4	7.8	100	3.0	3.2	1.7	11	0.97
112686	Drill Core	4.57	1.7	4.1	12.7	616	0.3	1.9	3.5	1128	1.93	17.7	3.6	<0.5	8.6	142	9.4	1.4	0.6	14	0.99
112687	Drill Core	0.65	0.1	1.9	2.9	43	<0.1	1.1	3.3	523	1.71	1.3	1.5	<0.5	5.3	44	<0.1	<0.1	0.2	33	0.40
112688	Drill Core	3.61	1.6	9.3	17.3	2139	0.6	1.7	4.6	1449	2.18	250.0	2.9	19.5	7.8	87	33.3	4.3	1.0	10	1.19
112689	Drill Core	4.55	1.8	15.2	26.0	1240	5.3	1.8	3.4	3795	2.05	4481	4.0	1472	6.6	61	18.1	18.7	1.8	4	0.57
112690	Drill Core	3.60	1.8	21.3	19.2	216	5.6	1.6	2.7	4330	2.17	5360	3.5	539.4	6.9	30	3.4	25.8	1.1	<2	0.54
112691	Drill Core	4.03	1.8	22.4	16.8	96	4.3	1.5	2.6	1979	2.20	4543	3.0	313.6	6.3	57	1.3	27.4	0.8	<2	0.62
112692	Drill Core	4.17	2.2	17.7	16.0	138	1.3	1.6	2.6	4678	2.29	2571	3.1	317.9	6.4	96	1.9	21.2	0.7	<2	1.28
112693	Drill Core	3.79	2.2	24.5	15.6	124	1.3	1.8	3.3	1623	1.93	1206	3.5	348.3	7.3	65	1.6	15.5	0.7	2	0.92
112694	Drill Core	3.46	1.8	19.4	14.5	139	2.0	1.8	4.7	2180	1.88	694.9	3.6	92.6	7.4	104	2.1	10.2	0.7	2	1.73
112695	Drill Core	3.94	1.9	18.2	12.4	179	1.3	1.2	4.3	1291	1.73	1111	4.0	85.3	8.1	65	2.1	19.3	0.8	3	1.01
112696	Drill Core	4.50	1.7	56.6	64.1	335	31.4	1.5	5.4	992	2.25	2239	4.0	434.2	6.5	67	5.6	64.2	3.6	2	0.85
112697 RRE 112696	Drill Core	N.A.	1.7	49.8	57.2	310	24.8	1.7	5.3	978	2.23	2165	4.3	426.0	6.5	68	5.3	57.0	3.3	2	0.84
112698	Drill Core	4.21	2.0	29.0	53.8	483	10.2	1.2	7.0	945	2.70	2905	4.0	433.6	5.8	65	8.5	45.6	8.2	<2	0.82
112699	Drill Core	3.66	1.6	27.4	20.9	130	5.6	1.5	3.7	1182	2.15	2185	4.0	235.9	6.6	129	1.6	48.3	1.4	<2	1.81
112700	Drill Core	4.28	2.1	37.8	18.6	138	0.4	1.4	3.6	1143	2.43	627.6	5.3	3.7	8.2	98	2.3	47.3	1.1	7	1.16
111883	Drill Core	4.37	1.6	34.4	17.6	106	0.4	1.4	4.1	675	2.34	237.6	5.4	0.8	8.8	103	1.3	30.9	1.1	15	0.64



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 29, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

WHI10000582.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
112674	Drill Core	0.058	8	1	0.28	52	<0.001	2	0.26	0.007	0.19	0.3	0.04	1.1	0.3	1.07	<1	<0.5	0.4	50
112675	Drill Core	0.050	6	<1	0.29	96	<0.001	2	0.27	0.006	0.18	0.3	0.03	0.9	0.4	1.08	<1	<0.5	0.3	32
112676	Drill Core	0.050	10	<1	0.33	76	<0.001	3	0.29	0.006	0.18	0.4	0.04	1.2	0.6	1.33	<1	<0.5	<0.2	20
112677 RRE 112676	Drill Core	0.051	10	<1	0.33	76	<0.001	2	0.31	0.006	0.18	0.4	0.04	1.1	0.6	1.35	<1	<0.5	<0.2	21
112678	Drill Core	0.037	5	<1	0.18	52	<0.001	2	0.26	0.006	0.18	0.4	0.07	1.0	0.5	1.62	1	<0.5	0.4	218
112679	Drill Core	0.061	7	2	0.35	37	<0.001	2	0.38	0.005	0.12	0.7	0.02	2.0	0.3	0.67	1	<0.5	<0.2	45
112680	Drill Core	0.060	8	1	0.36	41	<0.001	<1	0.34	0.012	0.10	0.4	0.01	2.3	0.2	0.27	1	<0.5	<0.2	3
112681	Drill Core	0.061	6	1	0.34	52	<0.001	1	0.33	0.013	0.11	0.5	0.02	2.3	0.1	0.24	1	<0.5	<0.2	<2
112682	Drill Core	0.058	8	2	0.34	53	<0.001	<1	0.31	0.018	0.11	0.4	0.05	1.9	0.1	0.23	1	<0.5	<0.2	3
112683	Drill Core	0.063	8	2	0.35	50	<0.001	1	0.30	0.022	0.11	0.4	0.04	2.1	0.1	0.18	1	<0.5	<0.2	2
112684	Drill Core	0.061	12	6	0.32	44	<0.001	1	0.32	0.020	0.15	5.3	0.02	1.8	0.2	0.33	1	<0.5	0.2	8
112685	Drill Core	0.063	17	2	0.31	44	<0.001	1	0.31	0.020	0.15	0.7	0.10	1.6	0.1	0.49	1	<0.5	<0.2	6
112686	Drill Core	0.068	24	2	0.34	121	<0.001	<1	0.32	0.027	0.11	0.6	0.15	2.0	0.2	0.23	1	<0.5	<0.2	3
112687	Drill Core	0.075	12	2	0.42	95	0.104	<1	0.72	0.067	0.42	<0.1	<0.01	1.5	0.3	<0.05	4	<0.5	<0.2	<2
112688	Drill Core	0.070	20	2	0.27	129	<0.001	3	0.37	0.004	0.18	0.3	0.18	1.4	0.4	0.88	1	<0.5	<0.2	21
112689	Drill Core	0.060	15	2	0.14	53	<0.001	3	0.35	0.005	0.21	0.8	0.17	0.9	1.8	1.55	1	<0.5	0.8	1494
112690	Drill Core	0.063	15	<1	0.12	12	<0.001	3	0.33	0.005	0.25	0.2	0.23	0.7	4.1	2.15	<1	<0.5	0.6	523
112691	Drill Core	0.058	15	<1	0.07	35	<0.001	3	0.36	0.005	0.25	0.2	0.14	0.6	5.2	2.23	<1	<0.5	0.4	314
112692	Drill Core	0.061	13	<1	0.19	44	<0.001	3	0.33	0.004	0.23	0.2	0.03	0.7	1.8	2.31	<1	<0.5	<0.2	338
112693	Drill Core	0.064	18	<1	0.13	24	<0.001	4	0.41	0.005	0.28	0.2	0.05	0.7	2.0	1.77	1	<0.5	<0.2	273
112694	Drill Core	0.065	17	<1	0.17	13	<0.001	2	0.36	0.003	0.25	0.2	0.03	0.9	1.2	1.60	<1	<0.5	<0.2	93
112695	Drill Core	0.077	19	<1	0.11	15	<0.001	4	0.43	0.005	0.28	0.7	0.02	1.0	1.8	1.52	1	<0.5	<0.2	72
112696	Drill Core	0.067	13	<1	0.07	18	<0.001	4	0.32	0.004	0.26	0.5	0.03	0.6	1.4	2.36	<1	<0.5	<0.2	397
112697 RRE 112696	Drill Core	0.066	13	<1	0.07	18	<0.001	4	0.31	0.004	0.25	0.4	0.03	0.6	1.4	2.34	<1	<0.5	<0.2	399
112698	Drill Core	0.057	11	<1	0.06	16	<0.001	4	0.33	0.004	0.24	0.5	0.03	0.5	1.1	3.01	<1	<0.5	0.2	426
112699	Drill Core	0.065	12	<1	0.07	12	<0.001	4	0.32	0.007	0.22	0.3	0.02	0.7	0.8	2.27	<1	<0.5	<0.2	209
112700	Drill Core	0.071	19	<1	0.24	25	<0.001	4	0.37	0.016	0.22	0.3	0.03	1.3	0.6	1.65	1	<0.5	<0.2	4
111883	Drill Core	0.072	26	1	0.33	47	<0.001	2	0.35	0.040	0.16	0.2	0.02	1.6	0.3	1.00	1	<0.5	<0.2	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 29, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000582.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
112650	Drill Core	3.96	2.2	6.2	41.0	240	1.9	6.2	9.6	2381	3.95	109.4	1.7	13.4	4.4	364	3.1	4.3	5.3	23	2.95
REP 112650	QC		2.6	6.8	40.1	250	1.9	6.1	9.8	2439	4.11	110.9	1.8	14.2	4.4	373	2.7	4.3	5.3	24	2.96
112680	Drill Core	3.88	2.0	3.4	17.0	120	0.3	1.6	3.3	1001	2.34	17.8	2.8	5.6	5.4	121	1.1	1.8	0.5	12	0.92
REP 112680	QC																				
112694	Drill Core	3.46	1.8	19.4	14.5	139	2.0	1.8	4.7	2180	1.88	694.9	3.6	92.6	7.4	104	2.1	10.2	0.7	2	1.73
REP 112694	QC		2.0	20.3	14.7	142	2.0	1.9	4.7	2207	1.88	698.7	3.6	95.8	7.5	105	2.1	11.0	0.7	<2	1.74
112697 RRE 112696	Drill Core	N.A.	1.7	49.8	57.2	310	24.8	1.7	5.3	978	2.23	2165	4.3	426.0	6.5	68	5.3	57.0	3.3	2	0.84
REP 112697 RRE 112696	QC		1.5	50.5	54.6	316	25.6	1.5	5.5	976	2.19	2187	4.1	440.2	6.3	68	4.9	55.2	3.1	2	0.84
REP 112700	QC																				
Core Reject Duplicates																					
112665	Drill Core	4.33	2.0	25.8	97.7	525	2.5	1.6	3.9	1746	2.31	412.6	5.6	82.1	4.1	269	9.1	6.9	2.4	6	2.33
DUP 112665	QC		2.0	26.3	93.5	541	2.5	1.9	4.0	1764	2.32	414.9	5.6	77.8	4.2	274	9.0	6.4	2.3	6	2.35
112700	Drill Core	4.28	2.1	37.8	18.6	138	0.4	1.4	3.6	1143	2.43	627.6	5.3	3.7	8.2	98	2.3	47.3	1.1	7	1.16
DUP 112700	QC		1.9	36.7	18.2	141	0.4	1.7	3.7	1140	2.34	644.9	5.0	4.6	8.0	97	2.1	44.4	1.1	6	1.16
Reference Materials																					
STD DS7	Standard		19.2	102.3	70.6	396	1.0	52.5	8.6	610	2.36	51.4	4.7	64.1	4.6	72	5.9	5.8	5.0	77	0.91
STD DS7	Standard		18.4	98.0	68.3	376	1.0	51.0	8.7	619	2.35	49.7	4.8	69.3	4.6	70	6.5	5.9	4.8	78	0.93
STD DS7	Standard		18.9	100.7	64.4	376	1.0	55.7	9.4	592	2.29	47.8	4.6	68.0	4.2	63	5.9	4.9	4.5	79	0.90
STD DS7	Standard		19.8	101.2	64.2	371	1.0	55.1	9.1	594	2.29	52.2	4.4	77.7	4.2	65	5.9	5.1	4.5	78	0.91
STD DS7	Standard		20.6	115.2	74.3	407	1.0	56.0	9.5	631	2.38	50.6	4.9	73.2	4.6	76	6.5	6.3	5.1	78	0.95
STD DS7	Standard		19.3	100.6	66.2	358	0.8	48.7	8.3	559	2.15	44.6	4.8	58.5	4.4	71	5.6	5.8	4.6	73	0.89
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 29, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000582.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
Pulp Duplicates																				
112650	Drill Core	0.080	9	7	0.61	109	0.001	4	0.43	0.008	0.16	0.3	0.01	3.0	0.9	1.89	1	0.7	0.4	22
REP 112650	QC	0.082	9	7	0.61	118	<0.001	2	0.45	0.011	0.17	0.3	<0.01	2.9	0.9	1.86	1	<0.5	0.7	15
112680	Drill Core	0.060	8	1	0.36	41	<0.001	<1	0.34	0.012	0.10	0.4	0.01	2.3	0.2	0.27	1	<0.5	<0.2	3
REP 112680	QC																			3
112694	Drill Core	0.065	17	<1	0.17	13	<0.001	2	0.36	0.003	0.25	0.2	0.03	0.9	1.2	1.60	<1	<0.5	<0.2	93
REP 112694	QC	0.067	17	<1	0.18	14	<0.001	3	0.37	0.005	0.26	0.2	0.02	0.9	1.1	1.60	<1	<0.5	<0.2	
112697 RRE 112696	Drill Core	0.066	13	<1	0.07	18	<0.001	4	0.31	0.004	0.25	0.4	0.03	0.6	1.4	2.34	<1	<0.5	<0.2	399
REP 112697 RRE 112696	QC	0.064	13	<1	0.07	17	<0.001	4	0.31	0.004	0.24	0.5	0.03	0.6	1.3	2.29	<1	<0.5	<0.2	
REP 112700	QC																			4
Core Reject Duplicates																				
112665	Drill Core	0.054	6	2	0.36	100	<0.001	2	0.32	0.006	0.15	5.2	0.02	1.3	0.4	1.01	<1	<0.5	0.4	85
DUP 112665	QC	0.053	6	2	0.36	112	<0.001	1	0.33	0.007	0.16	5.8	0.02	1.3	0.4	1.01	<1	<0.5	0.3	81
112700	Drill Core	0.071	19	<1	0.24	25	<0.001	4	0.37	0.016	0.22	0.3	0.03	1.3	0.6	1.65	1	<0.5	<0.2	4
DUP 112700	QC	0.069	18	<1	0.24	25	<0.001	4	0.37	0.016	0.21	0.2	0.03	1.2	0.6	1.60	<1	<0.5	<0.2	<2
Reference Materials																				
STD DS7	Standard	0.073	12	194	1.04	398	0.109	41	0.97	0.090	0.46	3.8	0.25	2.2	4.1	0.19	5	3.5	1.0	
STD DS7	Standard	0.075	13	194	1.02	404	0.115	38	0.98	0.093	0.48	3.7	0.23	2.4	3.8	0.20	5	3.9	1.8	
STD DS7	Standard	0.075	12	195	1.00	363	0.104	37	0.95	0.086	0.45	3.6	0.24	2.1	4.2	0.19	5	3.2	1.1	
STD DS7	Standard	0.073	12	196	1.00	373	0.113	35	0.97	0.090	0.45	3.7	0.22	2.2	4.3	0.19	5	2.8	1.5	
STD DS7	Standard	0.084	14	187	1.07	418	0.126	41	1.02	0.089	0.49	3.9	0.22	2.5	4.2	0.20	5	3.3	1.0	
STD DS7	Standard	0.074	12	168	0.99	364	0.118	38	0.97	0.087	0.44	3.4	0.19	2.2	3.7	0.18	4	3.1	1.1	
STD OXC72	Standard																			203
STD OXC72	Standard																			195
STD OXC72	Standard																			190
STD OXH66	Standard																			1324
STD OXH66	Standard																			1268
STD OXH66	Standard																			1254
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: October 29, 2010

Page: 2 of 2 **Part** 1

QUALITY CONTROL REPORT

WHI10000582.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
STD OXH66 Expected																						
STD OXC72 Expected																						
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank		<0.1	7.6	2.9	47	<0.1	0.9	3.5	548	1.81	0.6	1.6	<0.5	5.5	54	<0.1	<0.1	<0.1	35	0.45	
G1	Prep Blank		<0.1	7.1	2.6	47	<0.1	0.9	3.2	538	1.80	<0.5	1.6	<0.5	5.5	50	<0.1	<0.1	<0.1	34	0.44	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 29, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000582.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
STD OXH66 Expected																				1285	
STD OXC72 Expected																					205
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<2
BLK	Blank																				<2
Prep Wash																					
G1	Prep Blank	0.074	13	2	0.46	100	0.109	<1	0.74	0.071	0.42	0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	<2	
G1	Prep Blank	0.075	12	2	0.44	104	0.104	1	0.74	0.067	0.42	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5	<0.2	<2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 02, 2010
Report Date: October 27, 2010
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI10000583.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID:
P.O. Number
Number of Samples: 130

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	130	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	130	Dry at 60C			WHI
1DX2	130	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000583.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z5-L1-01	Soil		2.9	22.1	18.0	142	0.2	19.5	11.6	491	3.16	37.8	1.9	1.5	3.6	27	0.5	1.5	0.3	79	0.49	0.089
Z5-L1-05	Soil		0.7	22.9	14.4	81	<0.1	19.0	8.7	204	2.19	11.1	1.5	2.8	4.5	18	0.5	0.8	0.2	53	0.22	0.065
Z5-L1-06	Soil		1.6	45.7	46.2	205	0.3	32.6	13.3	589	3.83	66.3	3.8	4.7	9.2	36	0.5	5.0	0.5	72	0.89	0.107
Z5-L1-07	Soil		2.0	31.8	40.8	201	0.2	34.2	13.3	603	3.09	217.3	2.4	3.7	5.1	39	0.7	9.2	0.6	53	0.45	0.070
Z5-L1-19	Soil		14.3	74.3	829.3	262	1.0	55.2	24.0	3126	3.65	41.9	3.8	2.8	3.6	20	1.2	35.3	0.5	105	0.27	0.132
Z5-L1-20	Soil		4.6	48.0	110.9	122	0.3	32.9	12.5	711	3.04	28.2	3.5	3.4	6.1	26	0.6	11.6	0.5	63	0.42	0.090
Z5-L1-25	Soil		1.3	15.9	64.4	103	0.1	23.8	14.1	1145	2.64	13.2	2.2	3.9	8.8	13	0.6	3.0	0.4	39	0.19	0.056
Z5-L1-26	Soil		10.8	28.5	1125	965	0.8	13.8	5.3	688	3.07	33.4	3.9	3.1	6.3	13	6.2	7.9	14.2	41	0.15	0.041
Z5-L1-32	Soil		1.5	29.6	43.9	98	0.1	30.0	15.4	349	3.53	33.1	2.5	2.1	5.8	19	0.2	4.8	0.3	66	0.31	0.056
Z5-L1-45	Soil		1.3	23.0	13.9	100	0.2	17.9	9.8	461	3.07	13.3	1.9	1.5	5.4	27	0.4	2.7	0.3	40	0.58	0.072
Z5-L1-46	Soil		2.6	34.7	19.2	92	0.2	28.1	11.3	428	3.13	32.1	1.6	2.5	4.2	33	0.4	2.1	0.5	51	0.39	0.050
Z5-L1-47	Soil		2.0	30.9	14.5	118	0.2	31.7	11.9	518	3.63	17.4	1.2	0.9	3.0	36	0.4	2.2	0.3	51	0.82	0.061
Z5-L1-54	Soil		1.6	21.1	18.7	102	0.1	20.4	11.5	491	2.97	6.9	1.1	1.4	4.1	36	0.2	1.4	0.3	45	0.64	0.050
Z5-L1-55	Soil		1.3	17.0	10.3	89	<0.1	14.7	13.4	776	3.58	10.9	1.4	1.3	4.9	33	0.2	1.1	0.3	61	0.59	0.058
Z5-L1-56	Soil		1.4	22.1	18.9	75	<0.1	16.4	11.6	573	3.11	7.4	1.7	1.2	4.9	26	0.2	1.3	0.3	49	0.35	0.043
Z5-L1-59	Soil		1.0	17.4	13.1	88	0.1	31.1	12.1	407	2.72	10.4	0.9	1.5	6.5	23	0.3	1.5	0.2	50	0.32	0.046
Z5-L1-60	Soil		1.4	29.3	16.4	63	<0.1	29.5	10.9	357	3.21	12.9	0.7	2.0	4.0	22	0.5	1.2	0.3	81	0.31	0.032
Z5-L1-61	Soil		1.6	31.5	17.3	77	0.2	27.0	11.9	771	3.03	9.4	3.5	2.9	8.3	46	0.4	1.1	0.3	54	0.59	0.056
Z5-L1-62	Soil		1.0	25.1	14.4	92	0.1	22.9	13.2	525	3.19	9.4	1.2	1.9	4.7	46	0.2	1.1	0.3	68	0.65	0.056
Z5-L1-63	Soil		1.4	24.7	12.1	80	0.1	22.4	10.1	395	2.91	10.5	1.0	2.9	3.3	39	0.4	0.9	0.2	53	0.51	0.046
Z5-L1-64	Soil		1.9	20.1	22.3	73	<0.1	21.7	8.9	302	3.23	12.9	0.6	1.9	2.9	32	0.4	0.9	0.3	75	0.36	0.022
Z5-L1-70	Soil		1.3	19.9	14.3	81	<0.1	19.2	14.4	484	3.62	10.4	3.5	1.4	13.7	56	0.2	1.1	0.2	88	0.81	0.116
Z5-L1-73	Soil		0.5	21.5	8.9	75	<0.1	20.5	18.2	670	3.67	22.5	0.8	1.2	7.1	47	<0.1	1.3	0.3	73	0.75	0.047
Z5-L1-74	Soil		0.9	34.7	8.6	62	0.1	23.7	17.8	718	3.78	6.9	1.4	0.8	5.5	57	0.2	0.9	0.5	90	1.07	0.044
Z5-L1-75	Soil		1.5	33.4	12.6	63	<0.1	26.5	18.4	474	4.85	7.1	0.9	1.9	3.2	33	0.2	1.0	0.2	113	0.43	0.033
Z5-L1-76	Soil		1.7	20.5	9.5	48	<0.1	17.6	9.9	243	3.26	6.8	0.6	2.1	2.3	30	0.1	0.6	0.2	94	0.42	0.039
Z5-L1-78	Soil		1.7	53.3	25.6	72	0.2	28.6	18.6	639	3.35	5.4	1.6	2.8	4.1	38	0.2	0.5	0.2	76	0.53	0.057
Z5-L1-79	Soil		3.4	33.8	10.3	66	<0.1	19.8	16.5	519	3.24	4.9	1.2	6.2	5.2	29	0.1	0.5	0.4	74	0.39	0.026
Z5-L1-80	Soil		1.8	26.7	21.5	73	0.1	28.5	17.7	593	3.51	4.9	1.0	1.8	4.6	37	0.1	0.4	2.3	76	0.52	0.035
Z5-L1-82	Soil		2.8	46.7	10.9	78	0.3	29.1	22.2	571	4.40	6.0	2.6	2.5	6.8	51	0.1	0.6	0.3	101	0.84	0.066

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000583.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
Z5-L1-01	Soil	11	32	0.71	391	0.038	1	1.66	0.009	0.07	0.5	0.04	4.4	0.2	0.09	6	0.8	<0.2
Z5-L1-05	Soil	13	28	0.48	200	0.055	2	1.51	0.010	0.07	0.2	0.05	3.8	0.1	<0.05	5	<0.5	<0.2
Z5-L1-06	Soil	29	49	0.89	291	0.071	3	2.44	0.010	0.16	0.5	0.09	7.3	0.5	<0.05	9	0.7	<0.2
Z5-L1-07	Soil	13	34	0.65	259	0.036	3	1.65	0.015	0.10	0.4	0.31	5.1	1.0	0.08	6	<0.5	<0.2
Z5-L1-19	Soil	11	41	0.30	485	0.006	3	1.56	0.006	0.11	0.6	0.20	4.8	0.3	0.07	5	3.8	<0.2
Z5-L1-20	Soil	28	35	0.31	572	0.008	2	1.28	0.006	0.12	0.4	0.13	6.4	0.3	<0.05	4	1.6	<0.2
Z5-L1-25	Soil	23	32	0.50	190	0.016	2	1.49	0.009	0.11	0.3	0.09	3.8	0.3	0.05	5	<0.5	<0.2
Z5-L1-26	Soil	10	22	0.24	134	0.007	2	1.40	0.006	0.10	0.3	0.21	2.7	0.3	0.06	4	2.5	<0.2
Z5-L1-32	Soil	17	51	0.74	316	0.026	2	2.04	0.010	0.09	0.3	0.08	5.8	0.2	0.06	6	0.6	<0.2
Z5-L1-45	Soil	28	24	0.44	557	0.007	<1	1.72	0.009	0.14	0.2	0.06	8.5	0.2	0.07	6	<0.5	<0.2
Z5-L1-46	Soil	42	33	0.50	673	0.013	<1	2.15	0.010	0.13	0.2	0.05	6.9	0.2	<0.05	8	0.6	<0.2
Z5-L1-47	Soil	15	43	0.57	356	0.019	2	1.77	0.012	0.12	0.2	0.03	6.9	0.1	0.07	8	<0.5	<0.2
Z5-L1-54	Soil	13	27	0.50	545	0.025	1	1.68	0.011	0.09	0.2	0.03	5.6	0.1	<0.05	7	<0.5	<0.2
Z5-L1-55	Soil	17	26	0.54	469	0.009	1	1.89	0.011	0.10	0.2	0.04	7.7	<0.1	0.07	7	<0.5	<0.2
Z5-L1-56	Soil	24	26	0.41	569	0.010	<1	1.74	0.007	0.08	0.2	0.03	5.4	0.1	<0.05	7	<0.5	<0.2
Z5-L1-59	Soil	18	42	0.57	408	0.022	1	1.76	0.009	0.10	0.4	0.03	4.6	0.1	<0.05	6	<0.5	<0.2
Z5-L1-60	Soil	16	44	0.49	368	0.032	1	1.75	0.011	0.10	0.4	0.02	4.7	<0.1	<0.05	8	<0.5	<0.2
Z5-L1-61	Soil	62	36	0.52	772	0.022	1	1.90	0.013	0.10	0.3	0.07	8.9	0.1	<0.05	6	0.6	<0.2
Z5-L1-62	Soil	27	37	0.59	641	0.032	<1	1.93	0.012	0.08	0.4	0.03	7.1	<0.1	<0.05	7	0.5	<0.2
Z5-L1-63	Soil	17	32	0.55	575	0.034	<1	1.91	0.014	0.09	0.2	0.03	4.9	<0.1	<0.05	7	<0.5	<0.2
Z5-L1-64	Soil	12	35	0.45	405	0.048	<1	1.75	0.014	0.13	0.1	0.02	4.2	0.1	<0.05	8	<0.5	<0.2
Z5-L1-70	Soil	25	38	0.96	181	0.068	1	1.70	0.021	0.12	0.3	0.02	6.8	<0.1	<0.05	7	<0.5	<0.2
Z5-L1-73	Soil	16	32	1.41	127	0.028	<1	2.36	0.011	0.09	0.2	0.01	6.0	<0.1	<0.05	7	<0.5	<0.2
Z5-L1-74	Soil	43	41	1.49	192	0.045	1	2.60	0.013	0.12	0.2	0.04	8.2	<0.1	<0.05	9	<0.5	<0.2
Z5-L1-75	Soil	6	45	1.17	133	0.081	<1	3.07	0.015	0.09	0.1	0.01	4.8	<0.1	<0.05	11	<0.5	<0.2
Z5-L1-76	Soil	7	33	0.62	104	0.071	<1	1.93	0.011	0.13	0.1	0.03	3.4	<0.1	<0.05	9	<0.5	<0.2
Z5-L1-78	Soil	13	43	0.87	157	0.048	<1	2.28	0.020	0.09	0.1	0.02	4.7	<0.1	<0.05	8	<0.5	<0.2
Z5-L1-79	Soil	10	35	1.00	114	0.072	<1	2.27	0.012	0.09	0.1	<0.01	4.5	<0.1	<0.05	7	<0.5	<0.2
Z5-L1-80	Soil	10	44	1.18	122	0.082	<1	2.35	0.015	0.09	0.2	0.01	4.8	<0.1	<0.05	8	<0.5	<0.2
Z5-L1-82	Soil	35	48	1.28	201	0.138	1	3.31	0.016	0.13	0.2	0.08	8.2	0.1	<0.05	10	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000583.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z5-L1-86	Soil		1.7	21.0	14.0	66	0.1	17.1	18.8	681	3.96	4.5	0.6	0.9	3.6	32	0.3	0.6	0.3	95	0.41	0.026
Z5-L1-89	Soil		1.9	19.2	12.6	66	<0.1	16.2	13.2	589	2.79	3.4	2.2	<0.5	8.6	33	0.2	0.6	0.3	62	0.45	0.057
Z5-L1-91	Soil		1.1	12.7	38.1	63	<0.1	12.2	12.4	1767	2.40	2.3	2.5	<0.5	10.7	20	0.2	0.4	0.2	45	0.28	0.074
Z5-L1-92	Soil		1.8	15.3	29.5	55	0.3	14.2	7.0	472	2.14	3.7	1.8	1.1	7.4	26	0.3	0.7	2.4	44	0.34	0.051
Z5-L1-93	Soil		1.0	12.3	25.0	72	<0.1	15.6	11.8	846	2.66	4.1	2.0	1.2	15.8	14	0.2	0.8	0.5	48	0.21	0.050
Z5-L1-95	Soil		1.0	7.9	22.8	60	0.1	9.1	10.7	1097	2.09	4.5	1.1	1.4	7.9	15	0.2	0.7	1.5	45	0.23	0.037
Z5-L1-96	Soil		1.4	9.0	20.7	63	0.1	11.3	9.2	791	2.38	3.6	2.4	1.4	14.3	28	<0.1	0.6	0.3	38	0.54	0.080
Z5-L1-97	Soil		0.5	16.3	8.8	63	0.2	15.8	10.7	211	2.60	4.9	0.7	4.1	2.7	22	0.1	0.4	0.3	54	0.30	0.052
Z5-L2-03	Soil		4.9	41.3	61.0	102	0.5	28.9	13.1	594	3.94	201.8	2.6	3.0	4.2	15	0.8	5.2	0.3	78	0.14	0.072
Z5-L2-05	Soil		4.0	75.2	34.3	174	1.2	44.5	12.9	623	3.31	81.2	6.9	4.0	1.7	27	2.4	3.0	0.3	68	0.35	0.106
Z5-L2-12	Soil		1.0	16.3	12.2	77	0.1	14.1	12.9	551	3.43	9.1	1.3	1.8	7.1	26	0.1	0.5	0.3	86	0.51	0.080
Z5-L2-16	Soil		4.1	73.7	20.9	131	0.9	69.4	16.3	569	3.81	34.0	3.7	3.0	4.4	27	0.7	2.8	0.3	93	0.22	0.058
Z5-L2-24	Soil		2.3	33.5	27.5	75	0.2	28.9	11.1	349	3.66	27.9	1.2	2.9	3.4	18	0.2	4.1	0.3	74	0.18	0.026
Z5-L2-29	Soil		1.4	29.1	21.6	91	0.2	67.9	23.7	624	3.89	26.9	1.4	2.4	8.3	21	0.1	5.9	0.3	72	0.43	0.070
Z5-L2-32	Soil		1.6	31.6	41.7	110	0.2	34.0	14.9	723	3.38	43.1	2.5	8.5	8.8	18	0.6	6.4	0.2	52	0.35	0.048
Z5-L2-33	Soil		1.6	17.5	42.7	89	<0.1	27.0	16.2	1008	3.00	24.7	0.7	3.3	5.0	16	0.2	3.7	0.3	63	0.26	0.040
Z5-L2-35	Soil		1.6	17.0	45.5	94	0.1	38.4	16.6	386	3.42	25.6	1.4	2.9	7.2	24	0.2	3.3	0.2	61	0.50	0.070
Z5-L2-38	Soil		2.1	21.4	44.3	110	0.2	26.0	10.4	470	2.72	61.9	1.1	4.4	3.6	15	0.4	6.1	0.3	50	0.21	0.065
Z5-L2-43	Soil		1.6	31.3	13.7	89	0.2	37.2	16.7	505	3.72	22.9	1.4	2.4	4.9	18	0.2	1.5	0.3	65	0.26	0.055
Z5-L2-45	Soil		3.6	41.7	125.8	141	0.4	50.6	19.2	1025	3.69	201.0	2.9	6.4	7.0	31	1.2	7.7	0.5	56	0.98	0.068
Z5-L2-52	Soil		2.2	27.3	14.3	84	0.1	25.1	12.6	352	5.03	33.2	2.1	2.3	5.3	17	0.2	2.0	0.3	68	0.26	0.071
Z5-L2-61	Soil		1.9	15.6	28.8	42	0.1	14.4	5.4	201	2.44	6.1	0.8	<0.5	2.0	23	0.4	1.3	0.2	53	0.26	0.044
Z5-L2-63	Soil		1.5	19.5	11.2	92	<0.1	23.7	11.0	477	3.01	8.4	0.7	<0.5	3.3	21	0.2	1.2	0.2	61	0.31	0.046
Z5-L2-64	Soil		1.0	27.5	18.0	90	0.1	24.5	10.6	283	2.97	7.1	1.1	2.4	5.5	26	0.2	1.0	0.2	53	0.44	0.076
Z5-L2-65	Soil		1.7	33.6	17.0	83	0.1	26.6	10.9	467	3.07	10.4	0.7	<0.5	3.2	18	0.4	1.0	0.3	58	0.26	0.052
Z5-L2-66	Soil		1.5	33.4	20.4	79	0.1	28.6	12.4	438	2.97	10.1	1.2	4.9	4.8	27	0.1	0.9	0.2	55	0.48	0.047
Z5-L2-70	Soil		2.6	40.9	44.8	111	0.5	63.8	21.9	671	3.75	18.3	1.5	1.4	3.1	40	0.8	1.7	0.5	94	0.74	0.056
Z5-L2-71	Soil		1.3	42.4	33.0	102	0.2	52.3	17.6	488	3.76	78.4	0.9	4.2	6.4	23	0.7	1.3	0.4	79	0.35	0.023
Z5-L2-72	Soil		1.9	18.9	24.8	113	<0.1	27.4	9.4	255	3.32	33.1	0.5	<0.5	5.5	19	0.6	2.4	0.4	71	0.26	0.025
Z5-L2-79	Soil		1.5	35.7	34.2	99	0.2	51.0	14.3	709	3.31	15.4	2.0	4.9	7.1	41	0.5	1.1	0.3	79	0.88	0.062

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000583.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	
Z5-L1-86	Soil	8	33	0.98	122	0.101	<1	1.84	0.013	0.23	0.2	0.01	4.2	<0.1	<0.05	8	<0.5	<0.2
Z5-L1-89	Soil	19	26	0.74	156	0.037	<1	1.99	0.023	0.09	0.1	0.01	4.0	<0.1	<0.05	7	<0.5	<0.2
Z5-L1-91	Soil	29	26	0.37	200	0.028	<1	1.39	0.010	0.18	0.1	0.03	3.2	0.3	<0.05	7	<0.5	<0.2
Z5-L1-92	Soil	22	27	0.39	235	0.022	<1	1.43	0.012	0.11	0.3	0.03	3.0	0.2	<0.05	7	<0.5	<0.2
Z5-L1-93	Soil	28	24	0.53	181	0.021	<1	1.85	0.015	0.10	0.3	0.02	3.6	0.2	<0.05	7	<0.5	<0.2
Z5-L1-95	Soil	13	18	0.44	145	0.025	<1	1.18	0.008	0.08	0.4	<0.01	2.0	0.1	<0.05	7	<0.5	<0.2
Z5-L1-96	Soil	28	21	0.54	360	0.030	<1	1.21	0.010	0.09	0.4	0.02	3.6	0.1	<0.05	6	<0.5	<0.2
Z5-L1-97	Soil	9	28	0.75	121	0.053	<1	2.03	0.012	0.05	0.2	0.04	3.1	<0.1	<0.05	7	<0.5	<0.2
Z5-L2-03	Soil	9	39	0.45	233	0.024	2	2.56	0.008	0.09	0.2	0.18	3.8	0.8	<0.05	7	0.8	<0.2
Z5-L2-05	Soil	14	42	0.40	974	0.010	2	2.18	0.014	0.10	0.3	0.27	4.6	0.4	<0.05	6	1.1	<0.2
Z5-L2-12	Soil	12	30	0.89	231	0.078	2	1.98	0.012	0.09	0.4	0.03	5.1	0.1	<0.05	7	<0.5	<0.2
Z5-L2-16	Soil	21	86	0.85	928	0.052	1	2.36	0.012	0.15	0.3	0.05	6.0	0.2	0.06	8	1.0	<0.2
Z5-L2-24	Soil	8	36	0.51	228	0.026	1	2.27	0.008	0.07	0.2	0.03	3.1	0.2	<0.05	7	<0.5	<0.2
Z5-L2-29	Soil	34	97	1.23	255	0.100	2	2.23	0.026	0.23	0.2	0.02	5.9	0.2	<0.05	7	<0.5	<0.2
Z5-L2-32	Soil	26	46	0.66	283	0.059	2	1.54	0.012	0.16	0.2	0.07	5.5	0.2	<0.05	5	<0.5	<0.2
Z5-L2-33	Soil	12	46	0.69	182	0.069	1	1.63	0.012	0.11	0.2	0.03	3.2	0.2	<0.05	7	<0.5	<0.2
Z5-L2-35	Soil	20	70	0.87	178	0.038	2	1.69	0.012	0.11	0.1	0.04	5.4	0.2	<0.05	7	<0.5	<0.2
Z5-L2-38	Soil	10	34	0.43	161	0.037	2	1.28	0.008	0.11	0.3	0.06	3.1	0.2	<0.05	5	<0.5	<0.2
Z5-L2-43	Soil	19	48	0.78	263	0.064	<1	2.11	0.010	0.16	0.2	0.04	4.6	0.2	<0.05	7	<0.5	<0.2
Z5-L2-45	Soil	20	44	0.45	486	0.008	3	1.66	0.008	0.13	0.3	0.14	7.1	0.3	<0.05	5	1.0	<0.2
Z5-L2-52	Soil	17	35	0.54	200	0.031	1	1.82	0.008	0.09	0.2	0.04	3.7	0.1	<0.05	5	<0.5	<0.2
Z5-L2-61	Soil	9	22	0.17	365	0.010	<1	1.70	0.009	0.08	0.1	0.03	3.2	<0.1	<0.05	9	<0.5	<0.2
Z5-L2-63	Soil	11	41	0.65	255	0.042	1	1.93	0.009	0.09	0.1	0.02	4.3	<0.1	<0.05	8	<0.5	<0.2
Z5-L2-64	Soil	18	40	0.69	356	0.059	<1	1.80	0.016	0.09	0.1	0.03	5.4	<0.1	<0.05	7	<0.5	<0.2
Z5-L2-65	Soil	16	44	0.56	344	0.029	1	2.02	0.011	0.11	0.1	0.02	3.9	<0.1	<0.05	8	<0.5	<0.2
Z5-L2-66	Soil	22	49	0.65	569	0.049	1	1.94	0.014	0.10	0.1	0.03	6.5	0.1	<0.05	7	<0.5	0.3
Z5-L2-70	Soil	18	86	0.87	2573	0.031	2	1.90	0.011	0.11	<0.1	0.05	6.1	0.2	<0.05	7	<0.5	<0.2
Z5-L2-71	Soil	18	69	0.93	705	0.059	1	2.55	0.015	0.13	0.2	0.02	5.2	0.1	<0.05	8	<0.5	<0.2
Z5-L2-72	Soil	19	42	0.58	279	0.044	1	1.83	0.006	0.25	0.2	0.01	2.9	0.2	<0.05	9	<0.5	<0.2
Z5-L2-79	Soil	27	90	0.96	378	0.040	1	2.08	0.016	0.20	0.2	0.03	7.4	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000583.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z5-L2-83	Soil		1.0	19.5	7.7	60	<0.1	20.4	10.5	321	2.90	5.8	0.4	1.0	1.7	23	0.4	0.9	0.2	75	0.44	0.024
Z5-L2-84	Soil		0.7	37.4	17.3	73	0.1	25.3	14.0	460	2.68	5.3	0.8	2.4	2.0	32	0.2	0.6	0.2	56	0.70	0.054
Z5-L2-91	Soil		2.1	39.7	19.4	117	0.2	43.2	13.0	736	3.29	14.3	1.9	0.9	4.9	45	0.8	1.2	0.3	71	0.79	0.083
Z5-L2-95	Soil		0.6	25.0	11.5	78	<0.1	19.5	16.4	555	3.54	6.2	0.7	0.9	2.9	28	0.1	0.8	0.3	80	0.50	0.060
Z5-L2-97	Soil		0.7	21.7	8.0	75	<0.1	22.1	16.7	441	2.88	5.1	0.5	4.2	3.0	27	0.1	0.5	0.2	71	0.45	0.046
Z5-L2-101	Soil		0.5	15.7	11.4	65	<0.1	16.9	9.7	227	2.65	7.3	0.5	1.7	2.6	22	0.1	0.5	0.2	62	0.31	0.043
Z5-L2-102	Soil		0.8	20.5	9.6	62	<0.1	16.5	11.2	333	2.84	6.0	0.7	1.2	2.4	23	0.2	0.5	0.3	59	0.30	0.048
Z5-L2-104	Soil		2.2	34.4	12.9	69	0.1	22.9	17.3	721	3.64	5.0	1.1	<0.5	4.6	29	0.1	0.3	0.3	76	0.45	0.058
Z5-L2-105	Soil		1.8	31.8	8.5	70	<0.1	28.3	21.1	550	3.86	4.7	0.5	<0.5	2.4	27	0.2	0.4	0.3	103	0.48	0.069
Z7-L1-03	Soil		0.9	13.2	19.9	60	0.1	14.5	9.9	435	3.24	9.3	2.0	1.8	7.2	25	0.1	0.7	0.2	73	0.44	0.048
Z7-L1-05	Soil		1.5	11.4	18.3	52	<0.1	14.2	10.3	547	2.94	7.6	1.5	1.2	6.7	22	0.1	0.7	0.4	63	0.36	0.027
Z7-L1-06	Soil		2.1	15.1	24.8	38	0.1	14.4	7.0	307	3.13	10.8	0.8	2.7	3.0	12	0.2	0.9	0.4	72	0.13	0.044
Z7-L1-07	Soil		1.5	12.8	14.1	44	<0.1	17.9	8.8	328	3.22	11.3	0.7	2.6	4.5	15	0.2	0.7	0.2	64	0.14	0.042
Z7-L1-08	Soil		1.0	16.2	19.1	52	<0.1	20.4	11.4	442	3.09	10.7	0.8	2.5	6.2	10	0.2	0.7	0.3	59	0.13	0.034
Z7-L1-09	Soil		4.9	7.7	33.8	61	<0.1	11.5	9.3	1145	3.02	11.0	2.1	1.3	6.8	23	0.2	0.9	0.6	52	0.39	0.051
Z7-L1-10	Soil		1.0	9.6	21.4	60	<0.1	14.1	8.5	463	2.76	7.5	1.3	3.4	5.5	21	<0.1	0.6	0.4	52	0.33	0.036
Z7-L1-11	Soil		1.0	11.8	14.3	66	<0.1	16.1	11.2	625	3.19	5.7	1.4	1.3	7.1	27	0.1	0.5	0.2	71	0.46	0.050
Z7-L1-12	Soil		0.9	14.0	15.7	56	<0.1	16.4	10.0	376	2.99	6.0	2.3	2.6	7.0	23	0.1	0.4	0.3	62	0.40	0.042
Z7-L1-13	Soil		0.9	11.9	14.5	81	<0.1	12.2	11.0	548	3.18	5.7	2.2	4.3	8.4	28	0.4	0.4	0.3	73	0.51	0.048
Z7-L2-01	Soil		1.6	15.4	57.1	59	<0.1	21.6	11.0	486	4.22	13.5	0.8	4.1	4.7	11	0.2	0.8	0.3	78	0.14	0.044
Z7-L2-02	Soil		1.6	14.6	19.8	60	<0.1	17.8	12.2	563	3.56	9.1	1.0	1.7	6.9	17	0.2	0.6	0.3	85	0.26	0.035
Z7-L2-03	Soil		0.9	12.0	18.0	67	<0.1	9.6	11.8	757	3.47	5.3	1.8	0.7	12.1	16	<0.1	1.0	0.1	67	0.42	0.086
Z7-L2-04	Soil		1.0	16.4	21.0	65	<0.1	15.8	10.7	601	3.08	6.3	1.7	1.3	10.5	22	0.1	0.8	0.2	62	0.44	0.067
Z7-L2-05	Soil		5.1	10.1	12.7	52	<0.1	10.5	8.5	319	2.91	9.0	0.9	1.2	4.8	21	<0.1	0.8	0.2	71	0.35	0.024
Z7-L2-06	Soil		1.1	15.3	19.6	65	<0.1	18.2	10.6	477	3.29	8.6	0.8	1.3	6.0	19	0.2	0.6	0.2	70	0.31	0.027
Z7-L2-07	Soil		1.2	20.3	12.4	66	<0.1	22.6	14.6	733	3.79	9.0	0.9	3.4	8.1	14	0.2	0.6	0.2	77	0.22	0.036
Z7-L2-08	Soil		0.6	10.6	14.7	73	<0.1	9.3	15.6	999	4.36	6.8	2.0	0.8	14.9	18	0.2	0.7	0.1	90	0.44	0.075
Z7-L2-09	Soil		1.0	13.8	11.8	67	<0.1	13.3	13.6	856	3.76	8.2	1.6	0.9	11.8	18	<0.1	0.7	0.1	78	0.41	0.063
Z7-L2-11	Soil		0.8	9.1	23.8	70	<0.1	10.1	11.6	695	3.41	7.8	2.0	<0.5	11.1	18	0.2	1.1	0.2	64	0.35	0.033
Z7-L2-12	Soil		0.9	15.1	15.1	74	0.1	16.7	11.1	453	3.14	5.8	2.9	3.4	7.7	28	0.2	0.5	0.2	69	0.52	0.057

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000583.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
Z5-L2-83	Soil	8	36	0.66	169	0.039	1	1.66	0.015	0.06	0.2	0.01	3.6	<0.1	<0.05	7	<0.5	<0.2
Z5-L2-84	Soil	11	48	0.84	183	0.047	1	1.81	0.014	0.09	0.2	0.03	5.0	<0.1	<0.05	6	<0.5	<0.2
Z5-L2-91	Soil	19	73	0.72	418	0.032	2	2.04	0.011	0.15	0.2	0.04	6.1	0.1	<0.05	8	<0.5	<0.2
Z5-L2-95	Soil	10	38	1.16	138	0.053	1	2.15	0.015	0.07	0.2	0.03	5.6	<0.1	<0.05	8	<0.5	<0.2
Z5-L2-97	Soil	8	48	1.04	125	0.085	1	2.04	0.016	0.08	0.2	0.04	4.3	<0.1	<0.05	7	<0.5	<0.2
Z5-L2-101	Soil	8	33	0.81	103	0.065	<1	1.97	0.011	0.07	0.2	0.04	3.4	<0.1	<0.05	6	<0.5	<0.2
Z5-L2-102	Soil	11	33	0.68	141	0.055	<1	1.99	0.012	0.06	0.1	0.04	3.7	<0.1	<0.05	6	<0.5	<0.2
Z5-L2-104	Soil	12	38	0.97	169	0.038	<1	2.80	0.011	0.10	0.1	0.01	6.1	<0.1	<0.05	9	<0.5	<0.2
Z5-L2-105	Soil	8	53	1.61	133	0.101	<1	2.69	0.013	0.08	0.1	0.01	5.5	<0.1	<0.05	9	<0.5	<0.2
Z7-L1-03	Soil	19	28	0.71	253	0.052	<1	2.25	0.010	0.14	0.2	0.03	6.0	0.2	<0.05	8	<0.5	<0.2
Z7-L1-05	Soil	22	28	0.58	248	0.023	1	1.76	0.013	0.10	0.1	0.01	3.8	<0.1	<0.05	6	<0.5	<0.2
Z7-L1-06	Soil	8	27	0.28	86	0.040	<1	1.77	0.008	0.06	<0.1	0.06	2.2	<0.1	0.06	8	<0.5	<0.2
Z7-L1-07	Soil	10	29	0.37	131	0.031	<1	2.50	0.008	0.07	<0.1	0.03	3.2	0.1	<0.05	7	<0.5	<0.2
Z7-L1-08	Soil	11	31	0.45	157	0.033	<1	2.35	0.008	0.09	0.1	0.02	3.8	0.1	<0.05	6	<0.5	<0.2
Z7-L1-09	Soil	18	22	0.31	275	0.017	<1	1.28	0.008	0.09	0.2	0.03	4.6	0.1	<0.05	5	<0.5	<0.2
Z7-L1-10	Soil	17	26	0.44	252	0.025	<1	1.32	0.009	0.08	<0.1	0.02	4.1	<0.1	<0.05	5	<0.5	<0.2
Z7-L1-11	Soil	17	31	0.70	266	0.058	<1	1.79	0.011	0.11	<0.1	0.02	5.2	0.1	<0.05	7	<0.5	<0.2
Z7-L1-12	Soil	21	29	0.54	231	0.055	<1	1.81	0.011	0.10	<0.1	0.02	4.5	0.1	<0.05	6	<0.5	<0.2
Z7-L1-13	Soil	24	26	0.59	224	0.093	<1	1.83	0.012	0.18	<0.1	0.03	4.7	0.2	<0.05	7	<0.5	<0.2
Z7-L2-01	Soil	9	36	0.35	120	0.045	<1	2.66	0.008	0.10	0.1	0.03	3.5	0.1	<0.05	8	<0.5	<0.2
Z7-L2-02	Soil	14	30	0.56	202	0.070	<1	2.05	0.010	0.12	0.2	0.02	4.0	0.1	<0.05	9	<0.5	<0.2
Z7-L2-03	Soil	24	17	0.70	208	0.078	<1	1.71	0.011	0.16	0.3	0.01	4.7	0.2	<0.05	6	0.5	<0.2
Z7-L2-04	Soil	25	25	0.57	207	0.074	<1	1.67	0.012	0.13	0.2	0.02	5.6	0.1	<0.05	5	<0.5	<0.2
Z7-L2-05	Soil	13	22	0.53	164	0.080	<1	1.32	0.009	0.11	0.3	0.02	2.8	<0.1	<0.05	7	<0.5	<0.2
Z7-L2-06	Soil	12	31	0.59	178	0.080	<1	1.87	0.010	0.14	0.4	0.01	4.0	0.1	<0.05	7	<0.5	<0.2
Z7-L2-07	Soil	13	31	0.61	160	0.079	<1	2.57	0.010	0.18	0.2	0.01	5.1	0.2	<0.05	7	<0.5	<0.2
Z7-L2-08	Soil	25	19	1.12	239	0.062	<1	2.30	0.012	0.11	0.4	0.01	6.8	0.1	<0.05	9	<0.5	<0.2
Z7-L2-09	Soil	21	23	0.73	213	0.094	<1	1.98	0.013	0.11	0.3	0.01	5.2	0.1	<0.05	7	<0.5	<0.2
Z7-L2-11	Soil	20	20	0.64	272	0.043	<1	1.96	0.009	0.14	<0.1	<0.01	4.4	0.1	<0.05	7	<0.5	<0.2
Z7-L2-12	Soil	24	33	0.54	346	0.050	<1	2.04	0.012	0.10	0.2	0.03	6.4	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000583.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z7-L2-13	Soil		0.8	9.9	40.6	85	<0.1	7.9	11.4	539	2.93	5.1	2.4	0.5	9.8	22	0.3	0.7	0.4	64	0.49	0.080
Z7-L2-15	Soil		1.0	9.5	17.4	76	<0.1	15.7	10.6	442	3.30	4.2	2.0	1.6	9.7	28	0.1	0.4	0.4	70	0.58	0.066
Z7-L3-01	Soil		2.2	19.9	21.9	51	0.2	14.2	9.3	637	2.80	9.4	2.3	7.9	4.8	29	0.1	0.9	0.4	62	0.57	0.045
Z7-L3-02	Soil		1.7	24.1	15.4	53	0.2	16.5	7.3	432	2.31	6.4	1.3	2.4	1.9	30	0.3	0.6	0.2	48	0.52	0.046
Z7-L3-03	Soil		0.8	16.1	18.1	70	<0.1	11.1	14.5	1194	3.76	3.8	1.0	0.7	15.5	14	0.2	0.7	0.2	79	0.35	0.080
Z7-L3-04	Soil		1.5	19.2	15.8	67	<0.1	21.9	12.6	602	3.81	10.1	1.1	2.0	7.3	18	0.3	0.7	0.2	80	0.25	0.054
Z7-L3-05	Soil		0.5	14.0	14.3	67	<0.1	9.8	13.5	897	3.70	3.5	1.4	0.6	17.5	13	0.1	0.5	0.1	85	0.39	0.080
Z7-L3-06	Soil		1.2	16.3	11.2	49	<0.1	16.1	8.8	326	3.09	7.4	0.8	1.5	5.9	21	0.2	0.6	0.4	69	0.25	0.031
Z7-L3-07	Soil		1.7	18.1	12.8	54	<0.1	24.0	13.1	441	3.32	10.8	0.8	2.7	5.6	16	0.2	0.7	0.2	59	0.17	0.066
Z7-L3-08	Soil		1.3	16.9	9.9	31	0.1	10.0	4.7	172	2.22	5.5	1.3	2.3	2.6	19	0.2	0.5	0.2	58	0.17	0.035
Z7-L3-09	Soil		1.3	19.5	30.5	82	<0.1	20.8	11.8	696	3.62	6.8	1.5	2.2	11.1	24	0.2	0.7	0.2	77	0.54	0.057
Z7-L3-10	Soil		0.6	11.0	9.1	56	<0.1	14.1	9.2	416	2.95	5.3	1.1	2.0	8.4	19	<0.1	0.5	0.1	64	0.36	0.050
Z7-L3-11	Soil		1.7	8.6	16.9	82	<0.1	8.0	13.2	1506	4.19	4.4	3.6	<0.5	12.4	17	0.2	0.7	0.1	65	0.40	0.118
Z7-L3-13	Soil		1.1	13.5	14.2	59	<0.1	15.6	10.0	454	3.08	5.9	0.9	2.6	6.5	21	0.1	0.5	0.2	71	0.36	0.031
Z7-L3-15	Soil		1.2	7.5	23.4	61	<0.1	10.8	12.1	591	3.52	6.6	2.3	1.0	9.6	20	<0.1	0.7	0.2	52	0.40	0.054
Z7-L4-03	Soil		1.1	12.5	18.5	61	0.1	9.1	8.6	276	2.95	5.8	2.8	2.7	14.6	19	0.1	0.8	0.2	55	0.36	0.071
Z7-L4-04	Soil		1.5	37.2	11.6	61	0.1	10.3	8.1	432	2.91	5.3	2.7	1.8	18.6	20	0.1	0.6	0.2	77	0.41	0.059
Z7-L4-05	Soil		1.5	20.0	18.3	61	<0.1	15.6	12.6	584	3.16	8.4	1.2	2.3	7.5	18	0.1	0.8	0.2	67	0.30	0.030
Z7-L4-06	Soil		1.0	40.8	17.5	84	0.2	17.0	14.2	626	4.32	6.9	2.2	1.5	12.4	23	<0.1	0.7	0.2	96	0.51	0.070
Z7-L4-07	Soil		1.6	10.7	11.4	45	0.1	13.1	6.2	245	2.54	6.7	0.7	1.9	4.2	16	0.1	0.6	0.2	71	0.18	0.021
Z7-L4-08	Soil		0.8	19.6	12.3	67	<0.1	15.6	12.1	780	3.57	4.1	1.3	1.7	11.6	21	<0.1	0.6	0.1	83	0.47	0.056
Z7-L4-09	Soil		1.5	18.7	9.7	60	<0.1	15.9	12.6	825	3.75	4.8	2.4	1.0	15.4	20	<0.1	0.9	0.1	77	0.39	0.037
Z7-L4-10	Soil		1.6	12.0	11.0	52	<0.1	14.1	8.1	361	3.56	7.2	0.7	0.6	6.5	15	<0.1	0.5	0.2	90	0.19	0.037
Z7-L4-11	Soil		1.7	11.1	11.8	36	<0.1	11.5	5.7	247	2.65	7.5	0.6	3.0	4.4	12	0.1	0.7	0.2	75	0.12	0.025
Z7-L4-12	Soil		1.2	20.4	13.0	46	0.1	17.7	9.0	290	3.06	7.2	1.6	0.7	3.8	23	0.1	0.7	0.2	76	0.31	0.052
Z7-L4-13	Soil		1.2	15.7	18.9	58	<0.1	18.7	10.9	536	3.57	8.1	0.8	4.3	6.7	17	0.1	0.7	0.2	75	0.27	0.029
Z7-L4-14	Soil		1.1	14.2	16.1	50	<0.1	22.4	10.2	364	3.52	7.9	0.7	<0.5	6.4	20	<0.1	0.5	0.2	78	0.24	0.032
Z7-L5-03	Soil		0.7	9.3	14.4	72	<0.1	9.7	11.0	736	3.31	8.6	2.6	2.5	20.2	17	<0.1	0.8	<0.1	61	0.41	0.065
Z7-L5-04	Soil		0.9	13.3	17.1	58	<0.1	17.5	8.8	427	2.83	9.7	1.6	2.2	8.8	19	<0.1	0.6	0.1	55	0.29	0.019
Z7-L5-05	Soil		1.0	15.5	12.0	56	<0.1	21.7	10.4	450	3.01	10.0	1.0	7.5	7.9	19	<0.1	0.6	0.2	63	0.26	0.019

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000583.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
Z7-L2-13	Soil	29	15	0.48	302	0.053	<1	1.73	0.010	0.16	<0.1	0.06	4.8	0.2	<0.05	7	<0.5	<0.2
Z7-L2-15	Soil	22	31	0.75	151	0.080	<1	2.32	0.011	0.07	<0.1	0.03	5.4	0.1	<0.05	8	<0.5	<0.2
Z7-L3-01	Soil	21	27	0.39	308	0.038	<1	1.69	0.011	0.11	0.2	0.04	4.7	0.2	<0.05	6	<0.5	<0.2
Z7-L3-02	Soil	17	26	0.22	296	0.033	<1	1.53	0.013	0.08	<0.1	0.03	2.6	0.1	<0.05	6	<0.5	<0.2
Z7-L3-03	Soil	21	19	0.98	622	0.105	<1	2.23	0.011	0.20	0.2	0.01	4.9	0.2	<0.05	8	<0.5	<0.2
Z7-L3-04	Soil	13	34	0.38	207	0.068	<1	2.47	0.010	0.13	0.1	0.03	4.2	0.1	<0.05	8	<0.5	<0.2
Z7-L3-05	Soil	17	18	0.91	279	0.178	<1	2.33	0.012	0.23	0.2	0.01	4.9	0.4	<0.05	8	0.5	<0.2
Z7-L3-06	Soil	17	26	0.31	267	0.089	<1	1.97	0.013	0.05	<0.1	0.03	2.8	0.1	<0.05	8	0.6	<0.2
Z7-L3-07	Soil	10	42	0.45	146	0.068	1	3.08	0.012	0.07	0.1	0.04	3.6	0.1	<0.05	6	0.5	<0.2
Z7-L3-08	Soil	20	18	0.17	157	0.058	<1	1.48	0.012	0.05	0.4	0.04	2.4	0.1	<0.05	7	<0.5	<0.2
Z7-L3-09	Soil	20	33	0.87	294	0.086	1	2.14	0.013	0.12	0.8	0.02	6.4	0.1	<0.05	7	<0.5	<0.2
Z7-L3-10	Soil	17	24	0.59	184	0.089	<1	1.72	0.012	0.11	0.1	0.01	3.9	0.1	<0.05	6	<0.5	<0.2
Z7-L3-11	Soil	25	13	0.40	336	0.006	<1	1.96	0.008	0.11	0.1	0.02	7.9	0.2	<0.05	6	<0.5	<0.2
Z7-L3-13	Soil	14	26	0.59	174	0.084	<1	1.79	0.011	0.09	<0.1	0.02	3.6	<0.1	<0.05	8	<0.5	<0.2
Z7-L3-15	Soil	23	21	0.52	338	0.016	<1	1.79	0.008	0.11	<0.1	0.02	4.8	0.1	<0.05	6	<0.5	<0.2
Z7-L4-03	Soil	24	20	0.41	248	0.057	<1	1.61	0.011	0.12	0.5	0.03	3.5	0.1	<0.05	6	0.6	<0.2
Z7-L4-04	Soil	24	22	0.65	353	0.101	<1	2.07	0.013	0.28	1.5	0.02	5.5	0.3	<0.05	7	<0.5	<0.2
Z7-L4-05	Soil	15	25	0.65	181	0.090	2	1.75	0.010	0.15	0.3	<0.01	3.5	0.2	0.11	6	<0.5	<0.2
Z7-L4-06	Soil	29	31	1.11	350	0.139	2	2.58	0.010	0.22	0.5	0.03	7.1	0.3	0.06	9	<0.5	<0.2
Z7-L4-07	Soil	13	23	0.41	158	0.053	<1	1.75	0.007	0.08	0.3	0.01	2.7	0.1	<0.05	8	<0.5	<0.2
Z7-L4-08	Soil	22	25	0.94	271	0.164	1	1.85	0.013	0.16	1.8	<0.01	5.4	0.2	<0.05	7	<0.5	<0.2
Z7-L4-09	Soil	46	25	0.79	332	0.101	<1	1.74	0.014	0.19	1.2	0.01	8.5	0.2	<0.05	6	<0.5	0.2
Z7-L4-10	Soil	10	28	0.54	124	0.163	2	1.90	0.010	0.10	0.3	0.03	2.7	0.2	<0.05	9	<0.5	0.2
Z7-L4-11	Soil	12	23	0.31	86	0.053	<1	1.64	0.006	0.05	0.1	0.02	2.3	0.1	<0.05	9	<0.5	<0.2
Z7-L4-12	Soil	32	33	0.54	278	0.088	2	2.03	0.010	0.06	0.1	0.02	3.4	0.2	<0.05	8	<0.5	0.4
Z7-L4-13	Soil	11	29	0.66	138	0.069	1	2.04	0.008	0.14	0.2	0.02	4.3	0.1	<0.05	8	<0.5	<0.2
Z7-L4-14	Soil	15	33	0.62	273	0.058	1	2.63	0.009	0.12	0.1	0.03	5.2	0.2	<0.05	8	<0.5	0.4
Z7-L5-03	Soil	26	18	0.78	404	0.092	<1	1.67	0.010	0.16	0.3	<0.01	4.0	0.2	<0.05	6	<0.5	<0.2
Z7-L5-04	Soil	20	28	0.60	235	0.069	1	1.56	0.009	0.15	0.2	0.02	3.4	0.1	<0.05	5	<0.5	0.4
Z7-L5-05	Soil	16	29	0.66	212	0.089	<1	1.80	0.011	0.12	0.2	<0.01	3.7	0.1	<0.05	6	<0.5	0.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

WHI10000583.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Z7-L5-09	Soil	1.6	19.2	16.4	66	<0.1	15.3	11.4	549	3.27	7.2	1.3	1.8	11.1	17	0.2	0.7	0.2	69	0.27	0.039
Z7-L5-10	Soil	3.3	60.7	17.3	84	0.2	10.9	15.0	1005	4.30	20.9	3.1	1.2	19.0	20	0.1	2.5	0.3	84	0.52	0.080
Z7-L5-11	Soil	1.5	18.4	12.8	70	<0.1	23.3	16.8	805	4.53	9.1	0.7	0.8	12.8	14	0.1	0.9	0.2	91	0.22	0.055
Z7-L5-12	Soil	0.7	18.5	10.0	61	0.1	24.8	14.7	614	3.84	5.7	0.8	1.4	15.2	11	<0.1	0.7	0.1	78	0.15	0.037
Z7-L5-14	Soil	1.6	13.8	13.7	54	<0.1	15.8	9.0	332	3.99	8.5	0.9	1.7	7.6	16	<0.1	0.7	0.2	95	0.21	0.044
Z7-L5-15	Soil	0.7	12.5	19.9	74	<0.1	13.3	18.4	858	5.11	6.2	1.5	<0.5	17.5	10	<0.1	0.7	0.2	101	0.26	0.061
Z7-L7-09	Soil	0.9	12.5	12.9	60	<0.1	18.5	10.2	325	3.21	5.3	1.2	2.5	6.9	21	<0.1	0.6	0.2	81	0.40	0.044
Z7-L7-12	Soil	1.3	12.3	14.4	66	<0.1	19.6	8.7	337	2.97	6.0	1.1	1.5	5.3	30	<0.1	0.4	0.2	77	0.46	0.035
Z7-L7-14	Soil	2.9	14.2	15.4	74	0.2	11.8	9.4	350	3.50	3.8	4.9	1.2	26.4	20	0.2	0.7	0.2	55	0.39	0.063
Z7-L7-15	Soil	2.0	15.7	20.1	53	<0.1	13.0	11.3	795	2.88	5.4	2.3	<0.5	12.1	33	<0.1	0.6	0.4	52	0.64	0.054



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000583.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Z7-L5-09	Soil	18	28	0.63	204	0.078	1	1.61	0.012	0.13	0.4	0.02	3.4	<0.1	<0.05	6	<0.5	<0.2
Z7-L5-10	Soil	29	21	1.00	438	0.069	<1	1.99	0.012	0.15	0.9	<0.01	7.7	0.2	<0.05	8	<0.5	<0.2
Z7-L5-11	Soil	13	33	0.85	268	0.093	<1	2.95	0.010	0.15	0.2	0.03	7.2	0.2	<0.05	9	<0.5	<0.2
Z7-L5-12	Soil	13	30	0.83	224	0.074	<1	2.80	0.013	0.15	0.1	0.02	5.7	0.2	<0.05	7	<0.5	<0.2
Z7-L5-14	Soil	11	28	0.52	123	0.126	1	2.58	0.010	0.08	0.1	0.01	3.1	0.1	<0.05	11	<0.5	<0.2
Z7-L5-15	Soil	17	21	1.26	195	0.118	2	3.30	0.009	0.15	0.3	0.04	5.4	0.2	<0.05	11	<0.5	<0.2
Z7-L7-09	Soil	15	31	0.80	202	0.118	<1	2.02	0.014	0.12	0.2	<0.01	4.4	0.1	<0.05	6	<0.5	0.4
Z7-L7-12	Soil	16	34	0.72	266	0.126	2	1.82	0.011	0.10	0.1	0.02	4.2	0.1	<0.05	8	<0.5	0.2
Z7-L7-14	Soil	45	19	0.67	363	0.036	<1	2.15	0.011	0.22	0.2	0.02	6.2	0.3	<0.05	8	<0.5	<0.2
Z7-L7-15	Soil	23	24	0.58	402	0.038	1	1.61	0.010	0.12	0.2	0.03	4.0	0.2	0.06	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000583.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
Z5-L1-73	Soil	0.5	21.5	8.9	75	<0.1	20.5	18.2	670	3.67	22.5	0.8	1.2	7.1	47	<0.1	1.3	0.3	73	0.75	0.047
REP Z5-L1-73	QC	0.5	20.3	8.4	70	<0.1	18.6	16.5	583	3.35	21.2	0.8	3.2	7.4	46	0.1	1.2	0.3	66	0.68	0.041
Z5-L2-32	Soil	1.6	31.6	41.7	110	0.2	34.0	14.9	723	3.38	43.1	2.5	8.5	8.8	18	0.6	6.4	0.2	52	0.35	0.048
REP Z5-L2-32	QC	1.7	32.3	41.5	111	0.1	35.9	14.6	716	3.50	42.4	2.6	2.1	9.3	19	0.6	6.7	0.2	53	0.35	0.049
Z7-L1-05	Soil	1.5	11.4	18.3	52	<0.1	14.2	10.3	547	2.94	7.6	1.5	1.2	6.7	22	0.1	0.7	0.4	63	0.36	0.027
REP Z7-L1-05	QC	1.5	11.0	18.7	52	<0.1	13.9	10.0	534	2.88	7.3	1.5	12.1	7.0	21	0.1	0.7	0.4	65	0.36	0.026
Z7-L2-06	Soil	1.1	15.3	19.6	65	<0.1	18.2	10.6	477	3.29	8.6	0.8	1.3	6.0	19	0.2	0.6	0.2	70	0.31	0.027
REP Z7-L2-06	QC	1.0	15.0	18.3	65	<0.1	19.0	10.6	452	3.28	8.2	0.7	3.8	5.8	18	0.2	0.6	0.2	69	0.28	0.025
Z7-L3-05	Soil	0.5	14.0	14.3	67	<0.1	9.8	13.5	897	3.70	3.5	1.4	0.6	17.5	13	0.1	0.5	0.1	85	0.39	0.080
REP Z7-L3-05	QC	0.5	13.7	14.7	64	<0.1	10.4	13.4	917	3.88	3.5	1.5	1.2	17.3	13	0.1	0.5	0.1	89	0.37	0.078
Z7-L4-12	Soil	1.2	20.4	13.0	46	0.1	17.7	9.0	290	3.06	7.2	1.6	0.7	3.8	23	0.1	0.7	0.2	76	0.31	0.052
REP Z7-L4-12	QC	1.4	20.7	13.4	48	0.1	17.2	9.0	291	3.13	7.2	1.7	3.0	4.4	22	0.1	0.6	0.2	75	0.28	0.053
Reference Materials																					
STD DS7	Standard	19.8	104.4	68.7	385	1.0	54.5	9.3	620	2.36	51.0	4.7	70.6	4.5	65	6.3	6.1	5.0	79	0.87	0.072
STD DS7	Standard	22.1	111.6	66.8	400	1.0	58.9	9.0	631	2.33	47.6	4.6	68.5	5.2	75	5.9	5.7	4.4	87	0.99	0.070
STD DS7	Standard	21.2	116.1	67.1	398	1.0	57.9	9.6	597	2.36	50.8	4.8	73.1	4.7	74	6.7	6.1	4.6	83	0.95	0.070
STD DS7	Standard	20.4	107.7	64.4	386	0.9	53.5	9.1	605	2.32	51.6	4.7	62.9	4.3	68	5.9	5.8	4.5	80	0.89	0.077
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 27, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000583.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
Z5-L1-73	Soil	16	32	1.41	127	0.028	<1	2.36	0.011	0.09	0.2	0.01	6.0	<0.1	<0.05	7	<0.5	<0.2
REP Z5-L1-73	QC	16	29	1.30	132	0.023	<1	2.02	0.012	0.07	0.2	0.01	5.5	<0.1	<0.05	7	<0.5	<0.2
Z5-L2-32	Soil	26	46	0.66	283	0.059	2	1.54	0.012	0.16	0.2	0.07	5.5	0.2	<0.05	5	<0.5	<0.2
REP Z5-L2-32	QC	28	47	0.66	287	0.060	2	1.62	0.014	0.16	0.2	0.07	5.6	0.2	<0.05	5	<0.5	<0.2
Z7-L1-05	Soil	22	28	0.58	248	0.023	1	1.76	0.013	0.10	0.1	0.01	3.8	<0.1	<0.05	6	<0.5	<0.2
REP Z7-L1-05	QC	22	27	0.54	249	0.020	<1	1.61	0.011	0.10	0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
Z7-L2-06	Soil	12	31	0.59	178	0.080	<1	1.87	0.010	0.14	0.4	0.01	4.0	0.1	<0.05	7	<0.5	<0.2
REP Z7-L2-06	QC	11	29	0.54	168	0.075	<1	1.86	0.009	0.13	0.2	0.02	3.9	0.1	<0.05	7	<0.5	<0.2
Z7-L3-05	Soil	17	18	0.91	279	0.178	<1	2.33	0.012	0.23	0.2	0.01	4.9	0.4	<0.05	8	0.5	<0.2
REP Z7-L3-05	QC	17	18	0.87	280	0.176	<1	2.24	0.012	0.23	0.2	<0.01	4.9	0.3	<0.05	8	<0.5	<0.2
Z7-L4-12	Soil	32	33	0.54	278	0.088	2	2.03	0.010	0.06	0.1	0.02	3.4	0.2	<0.05	8	<0.5	0.4
REP Z7-L4-12	QC	31	33	0.54	263	0.076	2	1.99	0.010	0.06	<0.1	0.02	3.3	0.2	<0.05	8	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	12	183	1.00	389	0.112	38	0.96	0.095	0.46	3.6	0.20	2.3	4.2	0.19	5	3.0	1.3
STD DS7	Standard	15	214	1.12	388	0.138	37	1.06	0.090	0.50	3.8	0.23	2.5	4.4	0.21	5	2.9	0.6
STD DS7	Standard	13	196	0.90	408	0.129	33	0.88	0.091	0.47	3.7	0.20	2.3	3.9	0.14	5	3.1	0.9
STD DS7	Standard	12	182	0.90	374	0.106	35	1.01	0.090	0.47	3.4	0.20	2.3	4.0	0.18	5	3.5	0.9
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 14, 2010
Report Date: October 26, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI10000601.1

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: TT-103
P.O. Number: NA-10-428
Number of Samples: 1

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	1	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1DX2	1	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B01	1	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: October 26, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

WHI10000601.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MYSTERY-001	Drill Core	0.4	2.9	12.0	13	0.8	0.8	1.5	905	0.90	160.4	9.9	45.2	26.3	20	<0.1	5.3	0.3	<2	0.18	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 26, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

WHI10000601.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
MYSTERY-001	Drill Core	0.013	9	<1	0.08	44	<0.001	2	0.19	0.026	0.16	0.1	0.03	0.3	0.2	0.50	<1	<0.5	<0.2	54



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: October 26, 2010

Page: 1 of 1 **Part** 1

QUALITY CONTROL REPORT

WHI10000601.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Reference Materials																				
STD DS7	Standard	20.5	106.3	68.2	379	0.9	56.0	9.3	605	2.37	48.0	4.8	69.8	4.6	75	6.1	6.0	4.9	80	0.94
STD DS7	Standard	21.8	107.0	69.4	388	1.0	57.1	9.2	617	2.36	50.3	5.0	67.7	5.0	85	6.1	6.4	5.1	82	1.00
STD OXC72	Standard																			
STD OXH66	Standard																			
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXH66 Expected																				
STD OXC72 Expected																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
G1	Prep Blank	<0.1	2.3	2.8	43	<0.1	1.2	3.4	525	1.87	<0.5	1.6	2.3	5.7	61	<0.1	<0.1	<0.1	39	0.44



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: TAD/TORO

Report Date: October 26, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000601.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
Reference Materials																			
STD DS7	Standard	0.077	13	203	1.01	389	0.129	40	0.98	0.091	0.44	3.4	0.23	2.3	3.8	0.20	5	3.5	0.6
STD DS7	Standard	0.075	14	212	1.06	394	0.142	40	1.02	0.097	0.46	3.3	0.22	2.5	4.1	0.20	5	3.3	0.7
STD OXC72	Standard																		
STD OXH66	Standard																		186
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
STD OXH66 Expected																			1285
STD OXC72 Expected																			205
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		<2
BLK	Blank																		<2
Prep Wash																			
G1	Prep Blank	0.072	14	2	0.43	98	0.128	1	0.78	0.086	0.42	0.2	0.02	1.7	0.3	<0.05	4	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Jason McLaughlin
Receiving Lab: Canada-Whitehorse
Received: October 14, 2010
Report Date: October 28, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI10000601.2

CLIENT JOB INFORMATION

Project: TAD/TORO
Shipment ID: TT-103
P.O. Number: NA-10-428
Number of Samples: 1

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dawson Gold Corp.
350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada


CC: Paul Gray
Mike Collins

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include R200-250, 1DX2, and 3B01.

ADDITIONAL COMMENTS

Version 2 : Sample weight included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 28, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

WHI10000601.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MYSTERY-001	Drill Core	1.32	0.4	2.9	12.0	13	0.8	0.8	1.5	905	0.90	160.4	9.9	45.2	26.3	20	<0.1	5.3	0.3	<2	0.18



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dawson Gold Corp.**
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
 Report Date: October 28, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

WHI1000601.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
MYSTERY-001	Drill Core	0.013	9	<1	0.08	44	<0.001	2	0.19	0.026	0.16	0.1	0.03	0.3	0.2	0.50	<1	<0.5	<0.2	54



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: October 28, 2010

Page: 1 of 1 **Part** 1

QUALITY CONTROL REPORT

WHI10000601.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Reference Materials																				
STD DS7	Standard	20.5	106.3	68.2	379	0.9	56.0	9.3	605	2.37	48.0	4.8	69.8	4.6	75	6.1	6.0	4.9	80	0.94
STD DS7	Standard	21.8	107.0	69.4	388	1.0	57.1	9.2	617	2.36	50.3	5.0	67.7	5.0	85	6.1	6.4	5.1	82	1.00
STD OXC72	Standard																			
STD OXH66	Standard																			
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXH66 Expected																				
STD OXC72 Expected																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
G1	Prep Blank	<0.1	2.3	2.8	43	<0.1	1.2	3.4	525	1.87	<0.5	1.6	2.3	5.7	61	<0.1	<0.1	<0.1	39	0.44



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dawson Gold Corp.
 350 - 580 Hornby St.
 Vancouver BC V6C 3B6 Canada

Project: TAD/TORO
Report Date: October 28, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000601.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
Reference Materials																				
STD DS7	Standard	0.077	13	203	1.01	389	0.129	40	0.98	0.091	0.44	3.4	0.23	2.3	3.8	0.20	5	3.5	0.6	
STD DS7	Standard	0.075	14	212	1.06	394	0.142	40	1.02	0.097	0.46	3.3	0.22	2.5	4.1	0.20	5	3.3	0.7	
STD OXC72	Standard																			186
STD OXH66	Standard																			1244
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
STD OXH66 Expected																				1285
STD OXC72 Expected																				205
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<2
BLK	Blank																			<2
Prep Wash																				
G1	Prep Blank	0.072	14	2	0.43	98	0.128	1	0.78	0.086	0.42	0.2	0.02	1.7	0.3	<0.05	4	<0.5	<0.2	<2